The China Coast Meteorological Register issued daily in 1903 from The Hongkong Observatory

LIBRARY
MAR 17 1904
Weather Bureau

LIBRARY
NOAA
U.S. Dept. of Commerce

QC
999
.E18
C5b
1903

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

LIBRARY
WEATHER BUREAU
No. 2485

LIBRARY
MAR 17 1904
Weather Bureau

CHINA COAST METEOROLOGICAL REGISTER.

31st DECEMBER, 1902, P. M. — 1st JANUARY, 1903, A. M.

ION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
tock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
.....	„	30.18	...	...	N	6	...	6 a.	...	...	...	...	...	...
e, ...	„	30.17	...	...	W	2	...	„	...	...	...	...	...	...
.....	„	30.18	...	...	N	2	...	„	...	...	...	...	...	...
.....	„	30.11	...	...	...	0	...	„	...	...	...	...	...	...
ki, ...	„	30.19	...	...	W	6	...	„	...	...	...	...	...	...
ima, ...	„	30.16	...	...	N	4	...	„	...	...	...	...	...	...
. .....	„	30.12	...	...	N	4	...	„	...	...	...	....	...	...
.....	„	30.14	...	...	N	6	...	„	...	...	...	...	...	...
ijima, ...	„	30.13	...	...	NE	6	...	„	...	...	...	...	...	...
a, ...	1 p.	30.20	...	...	E	4	...	5 a.	30.22	...	...	E	6	...
.....	„	30.12	...	...	N	6	...	„	30.14	...	...	N	2	...
.....	„	30.12	...	..	N	4	...	„	30.14	...	...	N	4	...
.....	„	...	...	...	...	..	...	„	30.14	...	...	...	0	...
res, . ..	„	30.16	...	...	NE	10	...	„	30.19	...	...	NE	6	....
.....	3 p.	30.28	47	85	NNW	3	cv	9 a.	30.47	43	75	N	3	bv
eak, ..	„	30.22	59	76	E	6	m	„	30.34	53	90	ENE	5	o
.....	2.30p.	30.21	65	73	NE	4	o	6.30a.	30.33	60	88	NE	3	c
.....	3 p	30.16	69	...	E	4	o	9 a.	...	...	...	...	...	...
.....	„	30.17	67	64	NW	2	b	„	...	...	...	...	...	...
g	4 p.	30.16	66	68	NE	1	o	10 a.	30.30	65	53	NNE	1	b
Peak,.	„	...	...	...	E	2	...	„	...	...	...	NE	2	...
k, ...	„	30.13	...	...	NNE	3	...	„	30.27	...	...	ENE	3	...
.....	„	30.16	68	...	NNE	1	c	„	30.30	63	...	N	1	c
.....	„	...	...	...	...	...	...	„	...	...	...	...	...	...
.....	„	30.10	86	42	ESE	2	b	„	30.12	81	76	WSW	1	b
.....	3 p.	...	...	...	W	1	b	9 a.	...	...	...	W	1	b
....	„	...	...	...	NE	4	b	„	...	...	...	NE	6	b
.....	„	30.09	85	...	NE	1	b	„	30.06	80	...	NE	2	o
.....	„	30.10	82	...	N	3	b	„	30.07	84	...	N	4	c
James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 11.45a. The barometer has risen slightly over China, fallen a little in the S. Philippines.

Pressure remains high over Central China, and gradients are slight to moderate with fresh monsoon along the coast, and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Thursday 1st January 1903.

CHINA COAST METEOROLOGICAL REGISTER

	1st JANUARY, 1903, P. M.							2nd JANUARY, 1903, A. M.					
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.
Wladivostock,	2 p.	30.15	20	...	N	4	b	7 a.	29.94	14	83	N	6
Nemuro,	,,	...	...	...	...	...	...	6 a.	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Taihoku,	1 p.	30.25	...	...	E	4	...	5 a.	30.30	...	...	E	4
Taichu,	,,	30.17	...	...	N	6	...	,,	30.21	...	...	...	0
Tainan,	,,	30.16	...	...	N	6	...	,,	30.20	...	...	N	4
Koshun,	,,	30.15	...	...	N	6	...	,,	30.19	...	...	NE	8
Pescadores,	,,	30.20	...	...	NE	8	...	,,	30.22	...	...	NE	10
Gutzlaff,	3 p.	30.44	43	67	N	3	bv	9 a.	30.62	38	72	N	4
Sharp Peak,	,,	30.28	54	80	ENE	6	og	,,	30.40	53	73	NNE	6
Amoy,	2.30p.	30.27	64	78	ENE	3	b	6.30a.	30.38	57	81	NE	1
Swatow,	3 p	30.22	66	...	ESE	1	c	9 a.	...	...	...	...	...
Canton,	,,	30.21	68	60	E	1	o	,,	...	...	...	...	...
Hongkong,	4 p.	30.21	64	70	E	1	b	10 a.	30.30	63	59	E	2
Victoria Peak,	,,	...	...	...	E	1	...	,,	...	...	...	E	3
Gap Rock,	,,	30.30	...	...	ENE	3	...	,,	30.33	...	...	NE	4
Macao,	,,	30.28	65	...	NNE	1	c	,,	30.35	65	...	ENE	1
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila,	,,	30.10	88	78	..	0	c	,,	30.12	82	70	WNW	1
Malate,	3 p.	...	...	...	...	0	c	9 a.	...	...	...	E	1
Bacolod,	,,	...	...	...	NE	6	b	,,	...	...	...	NE	4
Iloilo,	,,	29.99	85	...	E	2	b	,,	30.09	80	...	E	2
Cebu,	,,	29.95	83	...	...	0	c	,,	30.02	83	...	...	0
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 2nd at 11.40a. The barometer has risen on the China coast, fallen at Wladiwostock. An area of high pressure covers China and a depression lies over the N. part of the Sea of Japan. Strong monsoon along the China coast and over the N. part of the China Sea.
Forecast:—fresh NE. winds; fine.

F. C. FIGG,
Acting Director.

Hongkong Observatory, Friday 2nd January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd JANUARY, 1903, P. M.								3rd JANUARY, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.		Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...		7 a.	...	...	...	...	...	...
Nemuro,	"	30.08	...	...	SE	8	...		6 a.	29.21	...	...	E	10	...
Hakodate,	"	29.77	...	...	E	10	...		"	29.50	...	...	W	6	...
Tokio,	"	29.78	...	...	S	4	...		"	29.82	...	...	SW	4	...
Kochi,	"	29.9.)	...	...	NW	1	...		"	30.15	...	...	N	1	...
Nagasaki,	"	30.19	...	...	N	8	...		"	30.34	...	...	N	6	...
Kagoshima,	"	3[illegible].15	...	...	NW	8	...		"	30.31	...	...	N	6	...
Oshima,	"	30.24	...	...	N	6	...		"	30.32	...	...	N	6	...
Naha,	"	30.25	...	...	N	6	...		"	30.34	...	...	...	0	...
Ishigakijima,	"	30.26	...	...	NE	6	...		"	30.33	...	...	NE	6	...
Taiheku,	1 p.	30.33	...	...	E	6	...		5 a.	30.40	...	...	E	4	...
Taichu,	"	30.20	...	...	N	4	...		"	30.31	...	...	N	4	...
Tsinan,	"	30.19	...	...	N	4	...		"	30.25	...	...	N	6	...
Koshun,	"	30.24	...	...	N	6	...		"	30.20	...	...	NE	6	...
Pescadores,	"	30.25	...	...	E	10	...		"	30.30	...	...	NE	8	...
Gutzlaff,	3 p.	30.56	87	53	N	5	cv		9 a.	30.60	35	90	NNW	5	cv
Sharp Peak,	"	30.38	61	55	NE	5	o		"	30.47	49	74	NNE	6	o
Amoy,	2.30p.	30.37	60	76	ENE	3	o		6.30a.	30.45	52	66	NE	3	o
Swatow,	3 p	30.30	67	...	E	3	b		9 a.	30.38	58	...	E	3	o
Canton,	"	30.26	66	49	E	1	b		"	...	...	...	...	...	...
Hongkong,	4 p.	30.25	63	67	E	4	b		10 a.	30.35	60	61	NE	4	b
Victoria Peak,	"	...	...	...	E	3	...		"	...	...	...	E	6	...
Gap Rock,	"	30.21	...	...	ENE	5	...		"	30.31	...	...	ESE	5	...
Macao,	"	30.24	65	...	NNE	1	c		"	30.34	64	...	NE	1	c
Haiphong,	"	...	...	...	...	...	...		"	...	...	...	...	...	...
Manila,	"	30.10	84	64	E	1	c		"	30.12	82	70	WSW	1	b
Malate,	3 p.	...	...	...	WNW	1	b		9 a.	...	...	...	...	0	b
Bacolod,	"	...	...	...	NE	4	b		"	...	...	...	NE	6	b
Iloilo,	"	...	...	...	...	..	...		"	30.08	81	...	N	3	c
Cebu,	"	29.96	84	...	N	4	...		"	29.97	83	...	N	3	d
Cape S. James,	4 p.	...	...	...	...	...	...		10 a.	...	...	...	...	...	...

On the 3rd at 11.55a. The depression lying in the N. part of the Sea of Japan yesterday has moved Eastwards and lies now over the NE. coast of Japan.

The high pressure area still covers China, and the monsoon continues to blow strongly along the coast and over the N. part of the China Sea.

Forecast:— strong NE winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 3rd January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	3rd JANUARY, 1903, P. M.							4th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Hakodate, ...	„	29.88	...	...	W	6	...	„	30.05	...	...	NW	8	...
Tokio,.....	„	29.82	...	...	SW	6	...	„	30.14	...	...	W	2	...
Kochi, ...	„	30.15	...	...	W	1	...	„	30.23	...	...	...	0	...
Nagas,aki, ...	„	30.31	...	...	NW	6	...	„	30.31	...	...	...	0	...
Kagoshima,....	„	30.27	...	...	N	6	...	„	30.31	...	...	N	2	...
Oshima, ...	„	30.28	...	...	N	4	...	„	30.28	...	...	S	4	...
Naha, ...	„	30.29	...	...	N	6	...	„	30.25	...	...	...	2	...
Ishigakijima, ...	„	30.25	...	...	NE	6	...	„	30.21	...	...	N	2	...
Taihoku,.....	1 p.	30.33	...	...	E	4	...	5 a.	30.32	...	...	E	2	...
Taichu, ...	„	30.20	...	...	NE	...	...	„	30.28	...	...	N	4	...
Tainan, ...	„	30.22	...	...	E	...	...	„	30.26	...	...	N	6	...
Koshun, ...	„	30.15	...	...	NE	8	...	„	30.24	...	...	NE	2	...
Pescadores, ...	„	30.27	...	...	NE	10	...	„	30.31	...	...	N	10	...
Weihaiwei,.....	3 p.	30.45	26	75	NW	2	o	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.49	38	72	NNW	4	cv	„	30.56	32	79	NW	5	bv
Sharp Peak, ..	„	30.35	49	68	NNE	4	o	„	30.41	53	73	N	1	o
Amoy, ...	2.30p.	30.36	58	76	NE	3	o	6.30a.	30.44	56	75	NE	3	c
Swatow, ...	3 p	30.26	64	...	ENE	3	b	9 a.	30.34	69	...	NW	2	c
Canton, ...	„	30.23	64	68	N	1	o	„	...	...	...	...	...	...
Hongkong.....	4 p.	30.24	61	66	ENE	3	c	10 a.	30.43	55	54	N	2	o
Victoria Peak,.	„	...	...	...	E	2	...	„	...	...	...	N	4	...
Gap Rock,.....	„	30.21	...	...	ENE	5	...	„	30.40	...	...	N	4	...
Macao, ...	„	30.25	66	...	NE	1	c	„	30.46	60	...	NNW	2	...
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	30.00	86	65	NW	1	c	„	30.12	82	77	NNW	1	b
Malate,.....	3 p.	...	...	...	E	2	b	9 a.	...	...	...	...	0	b
Bacolod, ...	„	...	...	...	N	4	b	„	...	...	...	NE	4	b
Iloilo, ...	„	29.98	85	...	NE	2	b	„	30.08	80	...	N	4	c
Cebu, ...	„	29.95	84	...	N	4	b	„	30.03	84	...	...	...	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.25a. The barometer has risen in E. Japan, the depression having moved away over the Pacific.

Pressure has given way over the Loochoos and increased along the S. coast of China.

The high pressure area still covers China, and strong monsoon continues along the coast and over the N. part of the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 4th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	4th JANUARY, 1903, P. M. HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	5th JANUARY, 1903, A. M. HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	30.05	...	...	N	2	...	,,	30.05	...	...	N	2	...
Tokio,	,,	30.14	...	...	...	0	...	,,	30.18	...	...	NW	2	...
Kochi,	,,	30.15	...	...	...	0	...	,,	30.27	...	...	...	0	...
Nagasaki,	,,	30.23	...	...	NE	2	...	,,	30.38	...	...	N	6	...
Kagoshima,	,,	30.15	...	...	W	2	...	,,	30.34	...	...	N	4	...
Oshima,	,,	30.24	...	...	N	4	...	,,	30.32	...	...	N	6	...
Naha,	,,	30.21	...	...	N	8	...	,,	30.36	...	...	N	8	...
Ishigakijima,	,,	30.25	...	...	N	6	...	,,	30.33	...	...	N	6	...
Taihoku,	1 p.	30.38	...	...	N	2	...	5 a.	30.42	...	...	E	4	...
Taichu,	,,	30.25	...	...	N	6	...	,,	30.30	...	...	N	2	...
Tainan,	,,	30.24	...	...	N	8	...	,,	30.31	...	...	N	4	...
Koshun,	,,	30.21	...	...	N	4	...	,,	30.28	...	...	NE	6	...
Pescadores,	,,	30.30	...	...	N	10	...	,,	30.33	...	...	NE	10	...
Weihaiwei,	3 p.	30.32	31	...	W	4	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.49	40	56	NW	4	bv	,,	30.58	39	64	NW	1	bm
Sharp Peak,	,,	30.39	51	69	E	4	o	,,	30.50	49	60	NNE	3	o
Amoy,	2.30p.	30.39	60	65	SW	3	b	6.30a.	30.52	50	72	NE	3	c
Swatow,	3 p	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	,,	30.39	56	63	NE	...	b	,,	...	...	...	...	...	...
Hongkong,	4 p.	30.32	59	44	N	1	b	10 a.	30.44	57	62	NE	2	o
Victoria Peak,	,,	...	...	...	N	3	...	,,	...	...	...	E	3	...
Cap Rock,	,,	30.30	...	...	N	3	...	,,	30.41	...	...	ENE	4	...
Macao,	,,	30.33	60	...	NNW	2	c	,,	...	...	...	...	...	...
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	30.00	86	65	ESE	1	b	,,	...	...	...	...	...	...
Malate,	3 p.	...	...	...	E	1	b	9 a.	...	...	...	NE	2	o
Bacolod,	,,	...	...	...	NE	6	b	,,	...	...	...	NE	6	b
Iloilo,	,,	29.97	86	...	NE	2	b	,,	30.08	81	...	NE	2	...
Cebu,	,,	29.97	85	...	N	3	c	,,	30.07	84	...	N	4	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 11.45a. The barometer has risen over W. Japan and the Loochoos.
The high pressure area still covers China and has spread Eastwards over W. Japan.
Fresh monsoon along the coasts of S. China, and very strong monsoon over the N. part of the China Sea.
Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 5th January 1903.

CHINA COAST METEOROLOGICAL REGISTER

Station.	5th JANUARY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th JANUARY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	30.69	...	...	NW	4	...	,,	30.21	...	...	...	0	...
Tokio,.....	,,	30.14	...	...	NW	2	...	,,	30.20	...	...	NW	4	...
Kochi, ...	,,	30.27	...	...	W	1	...	,,	30.23	...	...	...	0	...
Nagasaki, ...	,,	...	...	...	...	...	...	,,	30.27	...	...	SE	6	...
Kagoshima,.....	,,	30.24	...	...	NW	4	...	,,	30.31	...	...	NE	4	...
Oshima, ...	,,	30.30	...	...	N	6	...	,,	30.32	...	...	...	0	...
Naha, ...	,,	30.32	...	...	N	6	...	,,	30.36	...	...	N	6	...
Ishigakijima, ..	,,	30.33	...	...	NE	8	...	,,	30.40	...	...	N	6	...
Taihoku,.....	1 p.	30.30	...	...	E	6	...	5 a.	30.56	...	...	S	2	...
Taichu, ...	,,	30.26	...	...	N	2	...	,,	30.44	...	...	W	6	...
Tainan, ...	,,	30.30	...	..	W	4	...	,,	30.43	...	...	N	8	...
Koshun, ...	,,	30.28	...	...	NE	4	...	,,	...	...	...	...	...	...
Pescadores, ..	,,	30.35	...	...	NE	8	...	,,	30.50	...	...	NE	10	...
Weihaiwei.....	2 p.	30.38	36	...	SW	1	o	9 a.	30.37	24	...	NW	7	o
Gutzlaff, ...	,,	30.52	45	61	WSW	3	bm	,,	30.67	34	69	NW	...	bm
Sharp Peak, ..	,,	30.42	58	73	N	3	b	,,	30.62	50	48	WNW	1	b
Amoy, ...	2.30p.	30.48	58	76	NE	2	b	6.30a.	30.62	52	69	NE	3	b
Swatow, ...	3 p	...	59	...	N	1	b	9 a.	30.53	55	...	N	1	b
Canton, ...	,,	30.43	59	48	N	1	o	,,	30.64	50	51	N	1	c
Hongkong	4 p.	30.41	60	49	N	1	c	10 a.	30.63	54	29	N	2	c
Victoria Peak,.	,,	...	...	...	NE	1	...	,,	...	...	...	NNE	8	...
Cap Beck,.....	,,	30.37	...	...	NE	4	...	,,	30.58	...	...	NNE	6	...
Macao, ...	,,	30.41	58	...	NNE	1	c	,,	30.64	57	...	N	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	30.14	82	63	NNE	2	b	,,	30.16	82	63	NNE	1	o
Malate,.....	3 p.	...	...	...	E	2	o	9 a.	...	...	...	E	2	b
Iloilo, ...	,,	...	...	...	NE	4	b	,,	...	...	...	NE	2	b
Iloilo, ...	,,	30.08	85	...	N	3	b	,,	30.10	80	...	NE	1	o
Cebu, ...	,,	29.96	84	...	N	4	b	,,	30.02	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.45a. The barometer has risen over China, except on the NE. coast; fallen in SW. Japan.

The centre of the anti-cyclone appears to be lying over Central China, and pressure is relatively low over the Sea of Japan.

Strong monsoon along the China coast, and monsoon gales over the N. part of the China Sea.

Forecast:—Fresh N. winds; fine.

Wei-hai wei reports:- "slight shock of earthquake at 6 o'clock this morning."

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 6th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	6th JANUARY, 1903, P. M.							7th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	30.24	...	...	N	2	...	6 a.	30.08	...	...	SE	6	...
Hakodate, ...	„	30.13	...	...	N	2	...	„	29.66	...	...	E	10	...
Tokio,.....	„	30.14	...	...	N	2	...	„	29.71	...	...	SW	4	...
Kochi, ...	„	30.03	...	...	S	8	...	„	30.07	...	...	W	1	...
Nagas,aki, ...	„	30.15	...	...	N	10	...	„	30.31	...	...	N	6	...
Kagoshima, ...	„	30.19	...	...	N	8	...	„	30.31	...	...	NW	4	...
Oshima, ...	„	30.32	...	...	N	8	...	„	30.35	...	...	N	6	...
Naha, ...	„	30.36	...	...	NW	8	...	„	30.44	...	...	NW	8	...
Isbigakijima, ...	„	30.44	...	...	N	6	...	„	30.48	...	...	N	6	...
Taiboku,.....	1 p.	30.52	...	...	NW	6	...	5 a.	30.57	...	...	E	2	...
Taichu, ...	„	30.39	...	...	...	8	...	„	30.43	...	...	...	0	...
Tainan, ...	„	30.39	...	...	N	8	...	„	30.55	...	...	N	4	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	30.43	...	...	N	10	...	„	30.45	...	...	NE	10	...
Weihaiwei.....	3 p.	30.42	19	...	NW	6	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.63	35	62	NW	7	bm	„	30.68	33	79	NNW	3	bv
Sharp Peak, ..	„	30.51	53	48	E	2	o	„	30.58	51	63	W	2	c
Amoy, ...	2.30p.	30.54	59	59	NE	2	b	6.30a.	30.64	50	93	NNE	3	c
Swatow, ...	3 p	30.41	60	...	N	1	b	9 a.	30.53	54	...	NE	1	b
Canton, ...	„	30.49	59	33	N	2	b	„	...	...	...	...	...	...
Hongkong.....	4 p.	30.45	58	21	N	2	c	10 a.	30.51	56	36	E	4	o
Victoria Peak,.	„	...	...	...	N	4	...	„	...	...	...	E	5	...
Gap Rock,.....	„	30.44	...	...	NNE	4	...	„	30.47	...	...	ENE	4	...
Macao, ...	„	30.48	56	...	N	1	b	„	30.53	55	...	N	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	30.08	81	62	NE	3	o	„	30.20	79	69	...	0	o
Malate,.....	3 p.	...	...	...	NE	1	c	9 a.	...	...	...	SW	1	o
Bacolod, . .	„	...	...	...	NE	4	b	„	...	...	...	NE	6	o
Iloilo, ...	„	30.01	...	...	E	2	b	„	30.10	79	...	NE	3	c
Cebu, ...	„	30.00	84	...	N	4	c	„	30.08	82	...	N	3	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.45a. The barometer has fallen rapidly over E. Japan, owing to the approach of the depression from the Westward.

The anticyclone still covers China, but pressure has commenced to give way over the S. coast.

Fresh monsoon along the coast, and very strong monsoon over the N. part of the China Sea.

Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 7th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	7th JANUARY, 1903, P. M.							8th JANUARY, 1903, A. M.						
STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	„	...	...	...	..	...	...	6 a.	...	...	...	...	...	...
Hakodate,	„	29.88	...	...	NW	8	...	„	29.81	...	...	N	6	...
Tokio,	„	29.67	...	...	SW	6	...	„	30.02	...	...	NW	8	...
Kochi,	„	30.07	...	...	NW	2	...	„	30.31	...	...	NW	2	...
Nagasaki,	„	30.24	...	...	N	8	...	„	30.42	...	...	SE	2	...
Kagoshima,	„	30.21	...	...	N	6	...	„	30.42	...	...	NE	4	...
Oshima,	„	30.35	...	...	N	8	...	„	30.39	...	...	SW	2	...
Naha,	„	30.40	...	...	N	10	...	„	30.36	...	...	NE	2	...
Ishigakijima,	„	30.48	...	...	N	6	...	„	30.36	...	...	N	2	...
Taihoku,	1 p.	30.49	...	...	E	8	...	5 a.	30.35	...	...	E	4	...
Taichu,	„	30.34	...	...	N	6	...	„	30.32	...	...	...	0	...
Tainan,	„	30.37	...	..	N	4	...	„	30.32	...	...	N	2	...
Koshun,	„	...	...	...	...	...	...	„	30.28	...	...	NE	8	...
Pescadores,	„	30.42	...	...	NE	10	...	„	30.35	...	...	NE	8	...
Weihaiwei,	3 p.	30.39	33	...	SW	2	b	9 a.	...	...	...	...	...	...
Gutzlaff,	„	30.60	37	53	NW	1	bm	„	30.41	43	67	S	4	cv
Sharp Peak,	„	30.50	52	56	E	6	o	„	30.42	48	63	W	2	o
Amoy,	2.30p.	30.51	59	23	NE	2	o	6.30a.	30.47	51	72	NNE	1	c
Swatow,	3 p	30.40	59	...	N	5	b	9 a.	...	...	...	...	...	...
Canton,	„	30.38	58	47	N	1	o	„	...	...	...	...	...	...
Hongkong	4 p.	30.37	56	39	E	3	o	10 a.	30.35	59	60	E	3	o
Victoria Peak,	„	...	...	...	E	5	...	„	...	...	...	E	5	...
Gap Rock,	„	30.36	...	...	ENE	6	...	„	30.33	...	...	NE	5	...
Macao,	„	30.39	58	...	NNE	1	c	„	30.36	57	...	N	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	30.04	81	62	ENE	1	c	„	30.16	81	62	SW	1	o
Malate,	3 p.	...	...	...	E	2	c	9 a.	...	...	...	E	2	b
Bacolod,	„	...	...	...	NE	6	p	„	...	...	...	NW	4	cp
Iloilo,	„	29.99	80	...	N	3	o	„	30.09	76	...	NW	3	c
Cebu,	„	29.96	81	...	N	4	b	„	30.05	76	...	...	0	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 11.40a. The depression has moved into the Pacific to the NE. of Japan.
The barometer has risen over Japan, fallen considerably along the China coast, particularly in the North.
Pressure is highest between the E. coast of China and W. Japan, and probably another depression has appeared over N. China.
Decreasing monsoon in S. China and the N. part of the China Sea.
Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 8th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th JANUARY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th JANUARY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	...	...	...	..	...	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	30.05	...	...	NW	6	...	,,	30.17	...	...	...	0	...
Tokio,	,,	30.14	...	...	NW	4	...	,,	30.26	...	...	NW	2	...
Kochi,	,,	30.31	...	...	SE	2	...	,,	30.23	...	...	W	1	...
Nagasaki,	,,	30.04	...	...	SE	4	...	,,	30 15	...	...	S	4	...
Kagoshima,	,,	30.14	...	...	N	4	...	,,	30.23	...	...	E	2	...
Oshima,	,,	30.32	...	...	...	0	...	,,	30.24	...	...	S	4	...
Naha,	,,	30.38	...	...	E	2	...	,,	30.25	...	...	...	0	...
Ishigaki-jima,	,,	30.25	...	...	SE	4	...	,,	30.25	...	...	NE	2	...
Tuifoku,	1 p.	30.26	...	...	SW	2	...	6 a.	30.31	...	...	...	0	...
Taichu,	,,	30.24	...	...	SW	2	...	,,	30.26	...	...	...	0	...
Tainan,	,,	30.23	...	...	N	2	...	,,	30.24	...	...	N	2	...
Koshun,	,,	30.23	...	...	NE	6	...	,,	30.22	...	...	...	0	...
Pescadores,	,,	30.25	...	...	NE	8	...	,,	30.26	...	...	NE	6	...
Weihaiwei,	3 p.	30.06	42	...	SW	3	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.26	48	78	S	4	cv	,,	30.37	35	70	N	6	bn
Sharp Peak,	,,	30.25	56	74	E	1	...	,,	30.37	54	...	W	1	c
Amoy,	2.30p.	30.32	60	65	SE	3	b	6.30a.	30.37	57	81	...	0	c
Swatow,	3 p	30.31	60	...	SE	1	c	9 a.	...	...	...	...	...	...
Canton,	,,	30.21	60	49	NE	1	c	,,	...	...	...	...	...	...
Hongkong,	4 p.	30.21	61	68	E	4	c	10 a.	30.34	64	50	N	2	c
Victoria Peak,	,,	...	...	...	E	4	...	,,	...	...	...	NE	5	...
Gap Rock,	,,	30.19	...	...	NE	5	...	,,	30.31	...	...	NNE	3	...
Macao,	,,	30.22	58	...	N	1	c	,,	30.35	58	...	NNW	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	30.00	81	62	E	2	b	,,	30.12	77	75	...	0	c
Malate,	3 p.	...	...	...	ENE	2	b	9 a.	...	...	...	NE	1	c
Dacolod,	,,	...	...	...	NE	6	p	,,	...	...	...	NE	6	b
Iloilo,	,,	29.99	79	...	N	1	ar	,,	30.06	78	...	NE	2	c
Cebu,	,,	29.99	79	...	N	3	...	,,	30.07	82	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 11.30a. The barometer has fallen over W. Japan, risen rapidly over the E. coast of China.

The depression is probably moving into the W. part of the Sea of Japan, and a high pressure area lies over N. China. Very strong monsoon will again set down the coast, and over the N. part of the China Sea.

Forecast:— *Fresh to strong N. and NE. winds; fair.*

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 9th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	9th JANUARY, 1903, P. M.							10th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER
Windivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	...	...	...	..	...	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	29.97	...	...	SE	6	...	,,	...	...	...	...	...	...
Tokio,.....	,,	30.10	...	...	...	0	...	,,	...	...	...	...	...	...
Kochi, ...	,,	30.07	...	...	...	0	...	,,	...	...	...	...	...	...
Nagas,aki, ...	,,	30.15	...	...	NW	8	...	,,	...	...	...	...	...	...
Kagoshima,....	,,	30.11	...	...	NW	6	...	,,	...	...	...	...	...	...
Oshima, ...	,,	30.16	...	...	NW	4	...	,,	...	...	...	...	...	...
Naha, ...	,,	30.21	...	...	W	4	...	,,	...	...	...	...	...	...
Ishigakijima, ...	,,	30.21	...	...	N	6	...	,,	...	...	...	...	...	...
Taihoku,.....	1 p.	30.34	...	...	NE	2	...	5 a.	30.46	...	...	E	6	...
Taichu, ...	,,	30.21	...	...	N	6	...	,,	30.25	...	...	N	4	...
Tainan,.....	,,	30 22	...	...	...	...	...	,,	30.26	...	...	N	6	...
Koshun, ...	,,	30.21	...	...	NE	6	...	,,	30.24	...	...	NE	10	...
Pescadores, ...	,,	30.26	...	...	NE	8	...	,,	30.29	...	...	NE	10	...
Weihaiwei.....	3 p.	30.45	20	...	NW	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.67	34	60	NNW	7	bm	,,	30.69	25	74	NNW	4	bv
Sharp Peak, ..	,,	30.35	54	61	E	7	og	,,	30.51	46	69	E	8	o
Amoy, ...	2.30p.	30.36	61	66	ENE	3	o	6.30a.	30.49	53	61	NNE	3	o
Swatow, ...	3 p	30.30	65	...	N	1	o	9 a.	30.43	56	...	N	2	c
Canton, ...	,,	30.32	62	51	NE	2	o	,,	...	...	...	...	...	...
Hongkong.....	4 p.	30.26	63	42	NNE	3	od	10 a.	30.42	53	49	N	2	o
Victoria Peak,.	,,	...	...	...	NNE	4	...	,,	...	...	...	ENE	5	...
Gap Rock,.....	,,	30.25	...	...	N	3	...	,,	30.35	...	...	NE	6	...
Macao, ...	,,	30.28	61	...	N	2	c	,,	30.42	57	...	NE	2	oq
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	30.00	84	71	SW	1	c	,,	30.08	79	69	ENE	2	o
Malate,.....	3 p.	...	...	...	W	1	b	9 a.	...	...	...	E	1	o
Bacolod, ...	,,	...	...	...	NE	6	b	,,	...	...	...	NE	3	b
Iloilo, ...	,,	29.97	84	...	N	1	b	,,	30.05	79	...	NE	2	b
Cebu, ...	,,	29.96	82	...	N	2	b	,,	30.02	83	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 11.40a. The barometer has risen on the China coast, fallen slightly over the Philippines.

The depression noted yesterday has probably moved Eastwards and reached NE. Japan.

The anticyclone still covers China, and gradients continue rather steep with heavy monsoon in the Formosa Channel and over the N. part of the China Sea.

Forecast:—strong NE. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 10th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

10th JANUARY, 1903, P. M. | 11th JANUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.75	12	...	NNW	3	c	7 a.	29.84	0	74	...	0	b
Nemuro,	,,	...	...	...	..	...	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.62	...	...	SW	8	...	,,	29.54	...	...	W	4	...
Tokio,	,,	29.78	...	...	NW	4	...	,,	29.93	...	...	SW	2	...
Kochi,	,,	30.15	...	...	...	0	...	,,	30.23	...	...	...	0	...
Nagasaki,	,,	30.24	...	...	N	6	...	,,	30.34	...	...	N	6	...
Kagoshima,	,,	30.31	...	...	NW	6	...	,,	30.34	...	...	...	0	...
Oshima,	,,	30.32	...	...	N	6	...	,,	30.32	...	...	S	2	...
Naha,	,,	30.33	...	...	N	8	...	,,	30.29	...	...	NE	2	...
Ishigakijima,	,,	30.26	...	...	NE	6	...	,,	30.25	...	...	NE	4	...
Taihoku,	1 p.	30.42	...	...	E	8	...	5 a.	...	...	...	E	2	...
Taichu,	,,	30.20	...	...	N	6	...	,,	30.26	...	...	E	2	...
Tainan,	,,	30.21	...	...	N	4	...	,,	30.27	...	...	N	6	...
Koshun,	,,	30.23	...	...	E	10	...	,,	30.22	...	...	NE	6	...
Pescadores,	,,	30.30	...	...	NE	10	...	,,	30.30	...	...	NE	8	...
Weihniwei,	3 p.	30.42	21	...	W	4	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.50	32	79	NNW	3	cv	,,	30.51	35	80	NE	2	bm
Sharp Peak,	,,	30.43	45	61	NE	7	o	,,	...	45	68	W	2	o
Amoy,	2.30p.	30.40	54	74	NE	3	o	6.30a.	30.43	52	63	NNE	1	o
Swatow,	3 p	30.32	57	...	ENE	5	o	9 a.	...	...	...	...	...	...
Canton,	,,	30.35	49	67	N	3	od	,,	...	...	...	...	...	...
Hongkong	4 p.	30.29	49	61	NNE	2	o	10 a.	30.28	51	87	ENE	3	od
Victoria Peak,	,,	...	...	...	NNE	7	...	,,	...	...	...	E	6	...
Gap Rock,	,,	30.24	...	...	NE	5	...	,,	30.23	...	...	ENE	4	...
Macao,	,,	30.32	55	...	NNW	3	c	,,	30.29	53	...	NNW	?	or
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.96	82	57	E	2	c	,,	30.08	77	75	...	0	o
Malate,	3 p.	...	...	...	SW	1	b	9 a.	...	...	...	NE	1	o
Bacolod,	,,	...	...	...	NE	6	b	,,	...	...	...	NE	6	b
Iloilo,	,,	29.93	84	...	E	1	c	,,	30.02	79	...	NE	2	...
Cebu,	,,	29.91	84	...	N	3	b	,,	30.02	80	...	N	5	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.30a. The barometer has risen over Central Japan, fallen on the China coast. The depression is passing to the Pacific over NE. Japan, and the high pressure lies over the E. coast of China.

Decreasing monsoon on the coast and over the N. part of the China Sea.

Forecast:— fresh or moderate NE. winds; dull, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 11th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	11th JANUARY, 1903. P. M.							12th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	...	...	...	..	...	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.58	...	...	W	4	...	,,	29.73	...	...	W	8	...
Tokio,	,,	29.86	...	...	S	4	...	,,	29.98	...	...	...	0	...
Kochi,	,,	30.15	...	...	N	...	...	,,	30.15	...	...	...	0	...
Nagasaki,	,,	30.31	...	...	N	6	...	,,	30.27	...	...	N	2	...
Kagoshima,	,,	30.27	...	...	N	6	...	,,	30.27	...	...	NW	2	...
Oshima,	,,	30.28	...	...	...	0	...	,,	30.24	...	...	S	2	...
Naha,	,,	30.25	...	...	E	4	...	,,	30.17	...	...	E	2	...
Ishigakijima,	,,	30.21	...	...	E	6	...	,,	30.13	...	...	SE	4	...
Taihoku,	1 p.	30.19	...	...	E	4	...	5 a.	30.14	...	...	...	0	...
Taichu,	,,	30.00	...	...	N	2	...	,,	30.09	...	...	N	2	...
Tainan,	,,	30.15	...	...	N	4	...	,,	30.08	...	...	N	6	...
Koshun,	,,	30.14	...	...	NE	6	...	,,	30.06	...	...	N	4	...
Pescadores,	,,	30.18	...	...	NE	8	...	,,	30.09	...	...	NE	5	...
Weihaiwei,	3 p.	30.32	25	...	W	1	b	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.38	42	66	NE	3	bv	,,	30.40	45	76	E	2	cv
Sharp Peak,	,,	30.23	50	68	NNW	2	o	,,	30.22	51	86	...	0	or
Amoy,	2.30p.	30.27	51	93	NE	1	o	6.30a.	30.24	54	87	...	0	or
Swatow,	3 p	30.22	55	...	NE	1	o	9 a.	...	...	...	...	...	...
Canton,	,,	30.23	45	53	N	...	r	,,	30.19	49	110	N	1	r
Hongkong,	4 p.	30.14	53	90	E	1	od	10 a.	30.16	59	84	E	1	o
Victoria Peak,	,,	...	...	...	E	4	...	,,	...	...	...	E	3	...
Gap Rock,	,,	30.10	...	...	NE	5	...	,,	30.13	...	...	NE	4	...
Macao,	,,	30.14	55	...	NNW	1	od	,,	30.17	53	...	NW	2	oq
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.96	81	62	ESE	1	c	,,	30.04	81	69	...	0	b
Malate,	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	2	b
Bacolod,	,,	...	...	...	NE	4	b	,,	...	...	...	NE	4	b
Iloilo,	,,	29.90	83	...	NE	2	o	,,	29.99	79	...	N	2	c
Cebu,	,,	29.87	82	...	N	2	c	,,	29.98	82	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.30a. The barometer has risen over E. Japan, fallen elsewhere, particularly along the China coast.

Pressure is highest between the E. coast of China and W. Japan, and relatively low between Formosa and the Loochoos.

Moderate monsoon along the China coast and over the N. part of the China Sea.

Forecast:— moderate NE. to N. winds; dull, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 12th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	12th JANUARY, 1903, P. M.							13th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	...	...	...	..	...	...	6 a.	29.80	...	...	W	6	...
Hakodate, ...	„	29.77	...	...	W	6	...	„	29.97	...	...	W	4	...
Tokio, ...	„	29.94	...	...	S	2	...	„	30.10	...	...	NW	4	...
Kochi, ...	„	30.07	...	...	...	0	...	„	30.15	...	...	...	0	...
Nagasaki, ...	„	30.23	...	...	NW	6	...	„	30.23	...	...	...	0	...
Kagoshima, ...	„	30.23	...	...	NW	6	...	„	30.19	...	...	NE	4	...
Oshima, ...	„	30.20	...	...	N	4	...	„	30.12	...	...	S	8	...
Naha, ...	„	30.13	...	...	E	4	...	„	30.05	...	...	NE	2	...
Ishigakijima, ..	„	30.09	...	...	S	4	...	„	29.97	...	...	NE	2	...
Taihoku, ...	1 p.	30.10	...	...	...	0	...	5 a.	30.02	...	...	W	2	...
Taichu, ...	„	30.07	...	...	...	0	...	„	29.98	...	...	N	2	...
Tainan, ...	„	30.05	...	...	N	6	...	„	29.95	...	...	N	8	...
Koshun, ...	„	30.05	...	...	E	4	...	„	29.93	...	...	N	4	...
Pescadores, ..	„	30.08	...	...	NE	6	...	„	30.00	...	...	NE	8	...
Weihaiwei, ...	3 p.	30.35	25	...	W	1	b	9 a.	30.36	33	...	W	1	...
Gutzlaff, ...	„	30.29	46	77	NE	2	cv	„	30.31	43	83	NNE	3	cv
Sharp Peak, ..	„	30.13	52	86	WNW	2	o	„	30.12	52	93	WNW	2	or
Amoy, ...	2.30p.	30.15	57	87	WNW	1	or	6.30a.	30.10	57	87	...	0	o
Swatow, ...	3 p	30.12	59	...	NE	1	o	9 a.	30.09	60	...	NNW	1	o_m
Canton, ...	„	30.07	54	94	N	1	cd	„	...	...	...	...	...	...
Hongkong	4 p.	30.04	62	78	NE	1	o	10 a.	30.13	58	88	WSW	1	o
Victoria Peak, .	„	...	...	...	E	3	...	„	...	...	...	NW	5	...
Cap Rock, ...	„	30.02	...	...	NNE	4	...	„	30.11	...	...	NNW	5	...
Macao, ...	„	30.05	55	...	NNW	1	or	„	30.16	54	...	NNW	1	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.92	82	70	E	1	o	„	30.00	79	76	WNW	1	b
Malate, ...	3 p.	...	...	...	ESE	2	c	9 a.	...	...	..	NW	1	b
Bacolod, ...	„	...	...	...	NE	6	b	„	...	...	...	NE	6	b
Iloilo, ...	„	29.92	85	...	NE	2	b	„	29.97	80	...	N	1	c
Cebu, ...	„	29.89	83	...	N	3	b	„	29.96	82	...	N	2	oq
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.45a. The barometer has risen in E. Japan, fallen over the SE. coast of China and the Loochoos.

A depression seems to be forming between Formosa and the Loochoos, and pressure is highest over Central China.

Moderate to fresh N. winds along the China coast, and increasing monsoon over the N. part of the China Sea.

Forecast:— fresh N. winds; dull, some rain.

F. G. FIGG,
Acting Director

Hongkong Observatory, Tuesday 13th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th JANUARY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th JANUARY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	„	29.88	...	...	NW	6	...	6 a.	30.08	...	...	W	6	...
Hakodate,	„	30.05	...	...	NW	4	...	„	30.17	...	...	N	2	...
Tokio,	„	30.10	...	...	NW	4	...	„	30.22	...	...	NW	4	...
Kochi,	„	30.11	...	...	...	0	...	„	30.11	...	...	NE	1	...
Nagasaki,	„	30.15	...	...	N	2	...	„	30.15	...	...	NW	4	...
Kagoshima,	„	30.11	...	...	...	0	...	„	30.07	...	...	NE	4	...
Oshima,	„	30.00	...	...	...	0	...	„	29.96	...	...	...	0	...
Naha,	„	29.89	...	...	NE	8	...	„	29.89	...	...	...	0	...
Ishigakijima,	„	29.97	...	...	...	0	...	„	29.97	...	...	N	6	...
Taihoku,	1 p.	30.00	...	...	...	0	...	5 a.	30.11	...	...	...	0	...
Taichu,	„	29.96	...	...	N	2	...	„	30.02	...	...	N	4	...
Tainan,	„	29 97	...	...	N	4	...	„	30.04	...	...	N	6	...
Koshun,	„	29.94	...	...	N	4	...	„	30.02	...	...	N	2	...
Pescadores,	„	30.00	...	...	N	8	...	„	30.09	...	...	N	8	...
Weihaiwei,	3 p.	30.25	27	...	W	1	b	9 a.	30.24	33	...	W	1	c
Gutzlaff,	„	30.26	44	76	N	3	bv	„	30.31	42	83	N	3	cv
Sharp Peak,	„	30.08	53	90	WNW	2	d	„	30.18	52	70	N	5	ogv
Amoy,	2.30p.	30.08	59	88	ENE	2	o	6.30a.	...	...	...	...	...	...
Swatow,	3 p	30.06	63	...	...	0	o	9 a.	30.17	59	...	N	2	om
Canton,	„	30.07	59	82	N	2	...	„	...	...	...	...	...	...
Hongkong,	4 p.	30.05	61	77	W	1	o	10 a.	30.18	56	70	N	1	o
Victoria Peak,	„	...	...	...	NW	1	...	„	...	...	...	NNW	2	...
Gap Rock,	„	30.03	...	...	NNW	4	...	„	30.16	...	...	N	4	...
Macao,	„	30.06	56	...	NW	2	c	„	30.20	55	...	NW	2	odq
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.88	86	59	SE	2	...	„	30.00	82	70	...	0	c
Malate,	3 p.	...	...	...	W	1	b	9 a.	...	...	...	E	2	b
Bacolod,	„	...	...	...	NE	6	b	„	...	...	...	N	4	b
Iloilo,	„	29.87	85	...	NE	1	o	„	29.99	81	...	N	1	c
Cebu,	„	29.86	83	...	N	4	b	„	29.97	83	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.55a. The barometer has risen over E. Japan and in S. China, fallen over W. Japan and the Loochoos.

The depression seems to be moving towards NE. to the E. of the Loochoos.

Pressure is highest over Central China.

Fresh N. and NE. winds along the China coast, and over the N. part of the China Sea.

Forecast:— fresh N. winds; dull, some rain.

F. C. FIGG,
Acting Director

Hongkong Observatory, Wednesday 14th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	14th JANUARY, 1903, P. M.							15th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	30.12	...	...	NW	6	...	6 a.	30.24	...	...	W	2	...
Hakodate, ...	„	30.17	...	...	NW	2	...	„	30.29	...	...	..	0	...
Tokio,.....	„	30.18	...	...	N	4	...	„	30.26	...	...	N	4	...
Kochi, ...	„	30.03	...	...	E	4	...	„	30.03	...	...	E	4	...
Nagas,aki, ...	„	30.03	...	...	E	6	...	„	30.07	...	...	...	0	...
Kagoshima.....	„	29.99	...	...	NE	4	...	„	30.03	...	...	NE	4	...
Oshima, ...	„	29.92	...	...	E	4	...	„	30.00	...	...	NW	6	...
Naha, ...	„	29.93	...	...	N	8	...	„	30.05	...	...	NW	6	...
Ishigakijima, ...	„	30.01	...	...	NE	8	...	„	30.05	...	...	N	4	...
Taihoku,.....	1 p.	30.08	...	...	N	4	...	5 a.	30.14	...	...	SE	2	...
Taichu, ...	„	30 04	...	...	N	6	...	„	30.06	...	...	N	4	...
Tainan, ...	„	30 06	...	..	N	8	...	„	30.07	...	...	N	6	...
Koshun, ...	„	30.02	...	...	N	6	...	„	30.02	...	...	...	0	...
Pescadores, ...	„	30.10	...	...	N	6	...	„	30.12	...	...	NE	8	...
Weihaiwei,.....	3 p.	30.22	38	...	W	1	...	9 a.	30.32	32	...	W	2	...
Gutzlaff, ...	„	30.29	44	76	NNW	4	o	„	30.36	40	91	N	3	cm
Sharp Peak. ..	„	30.14	52	79	NNE	6	o	„	30.26	50	72	WNW	1	o
Amoy, ...	2.30p.	30.15	57	87	NE	1	o	6.30a.	...	...	...	...	...	...
Swatow, ...	3 p	30.12	59	...	N	1	o	9 a.	...	...	...	...	...	...
Canton, ...	„	30.17	52	86	N	1	od	„	30.25	51	72	NE	1	b
Hongkong.....	4 p.	30.12	55	80	N	1	o	10 a.	30.22	57	58	...	0	o
Victoria Peak,.	„	...	...	...	NNE	3	...	„	...	...	...	NE	1	...
Gap Rock,.....	„	30.09	...	...	NNW	4	...	„	30.19	...	...	NNE	3	...
Macao, ...	„	30.14	54	...	NW	2	od	„	30.24	54	...	N	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.88	84	64	NW	1	c	„	30.00	81	76	...	0	b
Malate,.....	3 p.	...	...	...	W	1	b	9 a.	...	...	...	...	0	c
Bacolod, ...	„	...	...	...	NE	6	b	„	...	...	...	SE	6	o
Iloilo, ...	„	29.88	86	...	NE	1	c	„	30.00	81	...	E	1	c
Cebu, ...	„	29.86	84	...	N	4	b	„	29.97	83	...	N	3	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.45a. The barometer has fallen slightly over Central Japan, risen elsewhere. The depression is moving towards NE. to the S. of Japan. Pressure is highest over Central China. Moderate to fresh monsoon along the coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Thursday 15th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	15th JANUARY, 1903, P. M.							16th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock...	2 p.	30.16	37	...	...	0	b	7 a.	30.17	8	87	NE	5	b
Nemuro, ...	„	30.20	...	...	W	2	...	6 a.	30.00	...	...	SW	4	...
Hakodate, ...	„	30.21	...	...	S	2	...	„	30.09	...	...	..	0	...
Tokio,.....	„	30.18	...	...	NW	4	...	„	30.02	...	...	NW	4	...
Kochi, ...	„	29.99	...	...	E	2	...	„	29.99	...	...	E	2	...
Nagasaki, ...	„	29.99	...	...	N	4	...	„	30.07	...	...	N	4	...
Kagoshima.....	„	29.99	...	...	NE	4	...	„	30.03	...	...	E	4	...
Oshima, ...	„	29.96	...	...	N	6	...	„	30.00	...	...	N	4	...
Naha, ...	„	30.01	...	...	N	6	...	„	30.01	...	...	N	4	...
Ishigakijima, ...	„	30.05	...	...	NW	4	...	„	30.09	...	...	NE	6	...
Taihoku,.....	1 p.	30.17	...	...	NW	4	...	5 a.	30.17	...	...	N	2	...
Taichu, ...	„	30.08	...	...	N	6	...	„	30.10	...	...	N	4	...
Tainan, ...	„	30.07	...	..	N	6	...	„	30.11	...	...	N	6	...
Koshun, ...	„	30.04	...	...	N	2	...	„	30.09	...	...	N	4	...
Pescadores, ...	„	30.12	...	...	NE	10	...	„	30.14	...	...	NE	6	...
Weihaiwei.....	3 p.	30.26	43	...	W	2	o	9 a.	30.26	30	...	NW	1	c
Gutzlaff, ...	„	30.31	43	75	NNW	3	bm	„	30.30	39	64	NNW	3	cm
Sharp Peak, ..	„	30.17	54	65	NE	5	c	„	30.24	50	72	WNW	1	og
Amoy, ...	2.30p.	30.21	56	81	NE	1	o	6.30a.	30.30	52	73	W	2	o
Swatow, ...	3 p	30.15	59	...	N	1	o	9 a.	30.23	55	...	N	1	o
Canton, ...	„	30.16	59	54	N	2	b	„	...	...	...	...	...	...
Hongkong.....	4 p.	30.13	59	61	W	1	.o	10 a.	30.27	55	45	N	1	c
Victoria Peak,.	„	...	...	...	NW	1	...	„	...	...	...	N	4	...
Gap Rock,.....	„	30.11	...	...	N	2	...	„	30.24	...	...	N	5	...
Macao, ...	„	30.14	56	...	N	1	cq	„	30.28	56	...	NNE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.88	86	65	...	0	b	„	30.04	81	76	...	0	c
Malate,.....	3 p.	...	...	...	...	0	b	9 a.	...	...	...	...	0	c
Bacolod, ...	„	...	...	...	NE	3	c	„	...	...	...	NE	2	b
Iloilo, ...	„	29.88	86	...	N	2	o	„	30.02	81	...	E	1	c
Cebu, ...	„	29.86	84	...	N	2	b	„	29.99	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 12.5p. The barometer has fallen over E. Japan and the E. coast of China, risen on the S. coast.

Pressure is high over Central China, and low to the S. and also to the NE. of Japan.

Fresh N. winds along the China coast and strong monsoon over the N. part of the China Sea.

Forecast:— fresh N. winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Friday 16th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th JANUARY, 1903, P. M.							17th JANUARY, 1903, A. M.						
	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	30.16	18	...	N	6	b	7 a.	30.12	8	81	NE	7	or
Nemuro,	„	30.00	...	...	N	8	...	6 a.	30.16	...	...	SW	2	...
Hakodate,	„	30.09	...	...	N	4	...	„	30.17	...	...	...	0	...
Tokio,	„	29.98	...	...	N	4	...	„	30.10	...	...	N	6	...
Kochi,	„	29.95	...	...	...	0	...	„	29.75	...	...	E	6	...
Nagasaki,	„	29.95	...	...	NE	4	...	„	29.91	...	...	N	4	...
Kagoshima,	„	29.95	...	...	SE	2	...	„	29.91	...	...	NW	4	...
Oshima,	„	29.96	...	...	N	2	...	„	29.96	...	...	N	6	...
Naha,	„	29.97	...	...	NW	4	...	„	30.05	...	...	NW	8	...
Ishigakijima,	„	30.05	...	...	...	0	...	„	30.09	...	...	N	4	...
Taihoku,	1 p.	30.15	...	...	...	0	...	5 a.	30.17	...	...	...	0	...
Taichu,	„	30.07	...	...	N	3	...	„	30.12	...	...	N	4	...
Tainan,	„	30.09	...	...	N	8	...	„	30.10	...	...	N	6	...
Koshun,	„	30.06	...	...	N	6	...	„	30.05	...	...	...	0	...
Pescadores,	„	30.09	...	...	NE	8	...	„	30.14	...	...	N	8	...
Weihaiwei,	3 p.	30.21	33	...	NW	2	o	9 a.	...	...	...	...	...	...
Gutzlaff,	„	30.26	41	83	N	1	bm	„	30.28	36	70	NW	3	bm
Sharp Peak,	„	30.15	53	63	E	4	...	„	30.21	51	49	W	1	b
Amoy,	2.30p.	30.20	58	58	SW	2	b	6.30a.	30.25	50	58	N	3	b
Swatow,	3 p	30.15	60	...	NNW	1	o	9 a.	...	...	...	...	...	...
Canton,	„	30.19	58	53	N	1	o	„	30.25	50	72	N	1	b
Hongkong,	4 p.	30.16	59	36	N	1	c	10 a.	30.22	57	29	N	1	b
Victoria Peak,	„	...	...	...	N	3	...	„	...	...	...	NE	2	...
Cap Rock,	„	30.14	...	...	NNW	5	...	„	30.19	...	...	NE	3	...
Macao,	„	30.13	56	...	NNW	1	c	„	30.20	55	...	N	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.88	84	64	WSW	1	b	„	30.00	79	69	N	2	c
Malate,	3 p.	...	...	...	E	1	b	9 a.	...	...	...	N	3	c
Bacolod,	„	...	...	...	NE	4	b	„	...	...	...	NE	6	b
Iloilo,	„	29.88	87	...	NE	1	o	„	30.00	80	...	N	1	b
Cebu,	„	29.88	83	...	N	3	c	„	29.97	83	...	N	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.40a. The barometer has risen over NE. Japan; fallen in Central Japan owing to the approach of the depression from the Southward.

Pressure is highest over Central China, and gradients are slight to moderate.

Moderate to fresh N. winds along the China coast and fresh monsoon over the N. part of the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Saturday 17th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	17th JANUARY, 1903, P. M.							18th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	30.16	...	...	W	2	...	6 a.	30.16	...	...	SW	2	...
Hakodate, ...	„	30.13	...	...	NE	4	...	„	30.01	...	...	E	6	...
Tokio, ...	„	29.98	...	...	N	4	...	„	29.78	...	...	NW	4	...
Kochi, ...	„	29.75	...	...	...	0	...	„	29.83	...	...	...	0	...
Nagasaki, ...	„	29.91	...	...	N	8	...	„	29.87	...	...	W	4	...
Kagoshima.....	„	29.87	...	...	NW	6	...	„	29.91	...	...	SW	2	...
Oshima, ...	„	29.96	...	...	N	6	...	„	30.00	...	...	N	6	...
Naha, ...	„	30.09	...	...	N	6	...	„	30.09	...	...	W	6	...
Ishigakijima, ...	„	...	...	...	...	...	...	„	30.01	...	...	NE	2	...
Taiboku, ...	1 p.	30.13	...	...	NW	2	...	5 a.	...	...	...	...	...	...
Taichu, ...	„	30.05	...	...	N	6	...	„	...	...	...	...	...	...
Tainan, ...	„	30.07	...	...	N	8	...	„	...	...	...	...	...	...
Koshun, ...	„	30.04	...	...	NW	2	...	„	...	...	...	...	...	...
Pescadores, ...	„	30.13	...	...	NE	8	...	„	...	...	...	...	...	...
Weihaiwei, ...	3 p.	...	27	...	NW	3	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.21	42	42	NNW	4	bm	„	30.30	32	79	NW	5	cm
Sharp Peak. ..	„	30.11	53	42	E	4	b	„	30.18	53	61	...	0	b
Amoy, ...	2.30p.	30.15	58	53	SE	2	b	6.30a.	30.26	51	49	NE	1	b
Swatow, ...	3 p	30.12	59	...	E	1	b	9 a.	...	...	...	...	...	...
Canton, ...	„	30.11	60	49	N	1	b	„	30.21	54	81	NW	1	b
Hongkong.....	4 p.	30.10	57	42	E	2	c	10 a.	30.20	59	43	E	1	c
Victoria Peak,.	„	...	...	...	...	0	...	„	...	...	...	E	1	...
Cap Rock, ...	„	30.09	...	...	NE	2	...	„	30.17	...	...	NE	3	...
Macao, ...	„	30.10	56	...	NE	1	c	„	30.20	57	...	N	1	b
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.88	84	64	W	2	b	„	30.00	77	61	NNW	4	b
Malate, ...	3 p.	...	...	...	W	2	b	9 a.	...	...	...	N	2	b
Bacolod, ...	„	...	...	...	NE	4	b	„	...	...	...	N	2	b
Iloilo, ...	„	29.88	86	...	NE	...	b	„	30.00	80	...	NE	1	b
Cebu, ...	„	29.84	82	...	N	4	b	„	29.97	83	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.45a. The barometer has fallen considerably over E. Japan, risen slightly in N. China.

The depression appears to be moving NE. across Central Japan.

Pressure is highest over Central China.

Fresh monsoon along the coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Sunday 18th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	18th JANUARY, 1903, P. M.							19th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	29.90	12	...	NE	7	o	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.08	...	...	E	6	...	6 a.	30.08	...	...	E	6	...
Hakodate,	,,	29.93	...	...	E	2	...	,,	29.89	...	...	E	6	...
Tokio,	,,	29.74	...	...	NW	2	...	,,	29.59	...	...	N	4	...
Kochi,	,,	29.72	...	...	...	0	...	,,	29.72	...	...	NW	1	...
Nagasaki,	,,	29.79	...	...	N	4	...	,,	29.87	...	...	N	6	...
Kagoshima,	,,	29.79	...	...	W	8	...	,,	29.87	...	...	N	4	...
Oshima,	,,	29.96	...	...	NW	6	...	,,	30.00	...	...	N	8	...
Naha,	,,	29.95	...	...	NW	8	...	,,	30.09	...	...	NW	6	...
Ishigakijima,	,,	30.09	...	...	N	6	...	,,	30.13	...	...	NE	2	...
Taihoku,	1 p.	30.15	...	...	NW	4	...	5 a.	30.15	...	...	E	2	...
Taichu,	,,	30.07	...	...	N	4	...	,,	30.09	...	...	...	0	...
Tainan,	,,	30.07	...	...	N	6	...	,,	30.08	...	...	N	2	...
Koshun,	,,	30.03	...	...	W	4	...	,,	30.05	...	...	NE	4	...
Pescadores,	,,	30.13	...	...	NE	8	...	,,	30.10	...	...	NE	8	...
Weihaiwei	3 p.	...	32	...	NW	3	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.25	36	45	NW	5	bv	,,	30.32	34	69	NW	3	bv
Sharp Peak,	,,	30.14	54	55	...	0	b	,,	30.22	49	71	W	2	o
Amoy,	2.30p.	30.16	59	54	NE	3	b	6.30a.	30.20	53	80	NE	1	c
Swatow,	3 p	30.12	57	...	E	2	b	9 a.	...	...	...	...	...	...
Canton,	,,	30.09	64	58	NW	1	b	,,	..	...	...	...	...	...
Hongkong	4 p.	30.09	60	56	E	2	b	10 a.	30.15	60	71	E	3	o
Victoria Peak,	,,	...	...	...	SSE	1	...	,,	...	...	...	ESE	3	...
Gap Rock,	,,	30.07	...	...	ENE	3	...	,,	30.12	...	...	E	3	...
Macao,	,,	30.09	58	...	ESE	1	c	,,	30.14	58	...	E	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.88	82	63	SW	1	b	,,	30.04	77	68	N	1	c
Malate,	3 p.	...	...	...	SW	1	b	9 a.	...	...	...	N	1	c
Bacolod,	,,	...	...	...	NE	4	b	,,	...	...	...	NE	6	b
Iloilo,	,,	29.92	86	...	...	0	...	,,	30.00	81	...	...	0	b
Cebu,	,,	29.88	84	...	N	3	...	,,	29.98	83	...	N	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.20a. The barometer has fallen over E. Japan owing to the depression which is moving slowly NE. over SE. Japan.

Pressure is still highest over China, but with a tendency to give way in S. China.

Moderate to fresh monsoon along the coast and over the N. part of the China Sea.

Forecast:— moderate to fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 19th January 1903.

CHINA COAST METEOROLOGICAL REGISTER

Station.	19th JANUARY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Force.	Weather.	20th JANUARY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Force.	Weather
Wladivostock,..	2 p.	29.94	3	...	NE	6	c	7 a.	30.03	1	85	NE	1	o
Nemuro, ...	„	30.00	...	...	NE	8	...	6 a.	29.93	...	...	NE	6	...
Hakodate, ...	„	29.81	...	...	E	6	...	„	29.77	...	...	N	2	...
Tokio,.....	„	29.43	...	...	NW	4	...	„	29.51	...	...	NW	6	...
Kochi, ...	„	29.68	...	...	...	0	...	„	29.87	...	...	...	0	...
Nagasaki, ...	„	29.95	...	...	N	6	...	„	30.11	...	...	...	0	...
Kagoshima.....	„	29.91	...	...	NW	8	...	„	30.07	...	...	N	4	...
Oshima, ...	„	30.00	...	...	NW	6	...	„	30.08	...	...	N	6	...
Naha, ...	„	30.09	...	...	NW	6	...	„	30.13	...	...	N	4	...
Ishigakijima, ..	„	30.05	...	...	NE	4	...	„	30.13	...	...	N	4	...
Taihoku,.....	1 p.	30.13	...	...	NE	6	...	5 a.	30.12	...	...	E	4	...
Taichu, ...	„	30.06	...	...	N	4	...	„	30.07	...	...	...	0	...
Tainan,.....	„	...	...	...	...	...	...	„	30.09	...	...	N	2	...
Koshun, ...	„	...	...	...	...	...	...	„	30.06	...	...	NE	2	...
Pescadores, ...	„	...	...	...	...	...	...	„	30.09	...	...	NE	6	...
Weihaiwei.....	3 p.	30.10	38	...	W	3	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.26	41	57	N	1	cv	„	30.30	43	75	S	1	bv
Sharp Peak, ..	„	30.15	54	70	E	1	b	„	30.21	53	73	...	0	o
Amoy, ...	2.30p.	30.16	61	66	NE	2	b	6.30a.	30.23	56	81	...	0	o
Swatow, ...	3 p	30.13	63	...	ESE	2	b	9 a.	...	...	...	...	...	...
Canton, ...	„	30.06	58	76	N	1	od	„	..	...	...	...	...	...
Hongkong	4 p.	30.08	59	73	E	4	od	10 a.	30.17	61	63	E	4	o
Victoria Peak,.	„	...	...	...	ESE	6	...	„	...	...	...	E	6	...
Gap Rock,.....	„	30.03	...	...	ENE	5	...	„	30.13	...	...	ENE	5	...
Macao, ...	„	30.06	60	...	NE	1	c	„	30.18	60	...	NNW	1	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.88	82	70	WSW	1	b	„	30.04	79	69	...	0	b
Malate,.....	3 p.	...	...	...	W	2	b	9 a.	...	...	...	...	0	b
Bacolod, ...	„	...	...	...	NNW	3	b	„	...	...	...	NE	3	b
Iloilo,.....	„	29.92	87	...	N	1	b	„	30.00	81	...	NE	2	o
Cebu, ...	„	29.87	81	...	N	2	c	„	29.98	80	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.25a. The barometer has fallen over E. Japan, risen in W. Japan.
The depression lies off the E. coast of Japan. It continues to move slowly towards NE.
Pressure is highest between the E. coast of China and W. Japan.
Moderate monsoon in S. China and the N. part of the China Sea.
Forecast:— fresh to moderate E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 20th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	20th JANUARY, 1903, P. M.							21st JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	30.00	...	...	E	8	...	6 a.	30.12	...	...	E	4	...
Hakodate,	"	29.93	...	...	E	4	...	"	30.09	...	...	...	0	...
Tokio,	"	29.63	...	...	N	6	...	"	29.98	...	...	N	2	...
Kochi,	"	29.91	...	...	...	0	...	"	30.11	...	...	...	0	...
Nagasaki,	"	30.15	...	...	N	4	...	"	30.23	...	...	...	0	...
Kagoshima,	"	30.07	...	...	N	6	...	"	30.23	...	...	N	4	...
Oshima,	"	30.12	...	...	N	6	...	"	30.20	...	...	N	2	...
Naha,	"	30.13	...	...	N	4	...	"	30.21	...	...	E	2	...
Ishigakijima,	"	30.13	...	...	E	6	...	"	30.17	...	...	E	2	...
Taihoku,	1 p.	30.11	...	...	E	8	...	5 a.	30.15	...	...	E	6	...
Taichu,	"	30.05	...	...	NW	2	...	"	30.11	...	...	...	0	...
Tainan,	"	30.06	...	...	N	4	...	"	30.10	...	...	N	2	...
Koshun,	"	30.06	...	...	E	6	...	"	30.09	...	...	N	2	...
Pescadores,	"	30.11	...	...	E	8	...	"	30.12	...	...	NE	6	...
Weihaiwei,	3 p.	30.13	40	...	...	0	...	9 a.	...	...	...	...	...	...
Gutzlaff,	"	30.25	50	65	SSE	2	b	"	30.34	48	78	SE	3	bv
Sharp Peak,	"	30.14	57	67	E	4	o	"	30.23	55	68	W	2	og
Amoy,	2.30p.	30.16	61	66	S	1	c	6.30a.	30.23	56	87	NW	1	o
Swatow,	3 p	30.09	60	...	NE	1	o	9 a.	30.22	57	...	...	0	o
Canton,	"	30.10	56	94	N	1	or	"	...	...	...	...	...	...
Hongkong	4 p.	30.00	61	62	E	3	o	10 a.	30.20	62	61	E	4	o
Victoria Peak,	"	...	...	...	E	4	...	"	...	...	...	E	6	...
Gap Rock,	"	30.05	...	...	NE	5	...	"	30.15	...	...	ENE	4	...
Macao,	"	30.09	62	...	NNW	1	c	"	30.17	62	...	ESE	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.88	82	70	NW	1	b	"	30.04	81	69	WNW	1	b
Malate,	3 p.	...	...	...	N	2	b	9 a.	...	...	...	NE	1	b
Bacolod,	"	...	...	...	NE	4	b	"	...	...	...	NE	3	b
Iloilo,	"	29.91	86	...	N	1	b	"	30.01	80	...	NE	1	b
Cebu,	"	29.89	82	...	N	1	b	"	30.01	83	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11.15a. The depression lying off the E. coast of Japan yesterday, has moved away into the Pacific, and the barometer has risen over the whole of Japan.

Pressure is still highest between the E. coast of China and W. Japan.

Gradients slight generally with moderate monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 21st January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JANUARY, 1903. P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd JANUARY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	30.13	27	...	N	1	f	7 a.	30.21	14	...	...	0	f
Nemuro, ...	„	30.16	...	...	E	4	...	6 a.	30.28	...	...	E	2	...
Hakodate, ...	„	30.13	...	...	NE	2	...	„	30.25	...	...	...	0	...
Tokio, ...	„	30.02	...	...	N	2	...	„	30.26	...	...	...	0	...
Kochi, ...	„	30.11	...	...	...	0	...	„	30.31	...	...	...	0	...
Nagas,aki, ...	„	30.27	...	...	NW	6	...	„	30.35	...	...	N	2	...
Kagoshima, ...	„	30.23	...	...	NW	4	...	„	30.35	...	...	NE	4	...
Oshima, ...	„	30.24	...	...	N	4	...	„	30.32	...	...	S	2	...
Naha, ...	„	30.21	...	...	N	4	...	„	30.29	...	...	...	0	...
Ishigakijima, ...	„	...	...	...	...	...	...	„	30.21	...	...	SE	6	...
Taihoku, ...	1 p.	30.14	...	...	E	3	...	5 a.	30.13	...	...	E	4	...
Taichu, ...	„	30.04	...	...	NW	4	...	„	30.13	...	...	...	0	...
Tainan, ...	„	30.05	...	...	NW	4	...	„	30.13	...	...	N	2	...
Koshun, ...	„	30.06	...	...	E	4	...	„	30.13	...	...	E	4	...
Pescadores, ...	„	30.08	...	...	NE	8	...	„	30.13	...	...	NE	4	...
Weihaiwei, ...	3 p.	30.19	48	...	SW	1	b	9 a.	30.24	45	...	E	1	o
Gutzlaff, ...	„	30.27	51	79	SE	4	bv	„	30.27	52	86	SSE	5	cm
Sharp Peak, ..	„	30.17	57	72	W	3	o	„	30.18	58	85	W	1	og
Amoy, ...	2.30p.	30.19	62	67	...	0	c	6.30a.	30.22	59	88	SSE	1	c
Swatow, ...	3 p.	30.10	66	...	E	2	c	9 a.	30.23	63	...	N	1	o
Canton, ...	„	30.10	66	73	E	2	b	„	...	...	...	...	...	...
Hongkong	4 p.	30.10	64	69	E	4	o	10 a.	30.20	66	72	E	3	o
Victoria Peak, .	„	...	...	...	SE	2	...	„	...	...	...	SE	4	...
Gap Rock, ...	„	30.08	...	...	ENE	4	...	„	30.17	...	...	ENE	3	...
Macao, ...	„	30.09	64	...	ENE	1	c	„	30.20	65	...	NNW	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.92	82	70	...	0	o	„	30.08	79	92	N	3	o
Malate, ...	3 p.	...	...	...	E	1	o	9 a.	...	...	...	NNW	2	o
Bacolod, ...	„	...	...	...	NW	4	b	„	...	...	...	NW	2	b
Iloilo, ...	„	29.91	86	...	E	1	c	„	30.04	79	...	...	0	o
Cebu, ...	„	29.88	82	...	N	4	b	„	30.02	80	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.20a. The barometer has fallen on the E. coast of China, probably owing to the formation of a depression over Central China.

Pressure has increased and is high over Japan.

Moderate to light monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate E. winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Thursday 22nd January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	22nd JANUARY, 1903, P. M.							23rd JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock...	2 p.	30.16	28	...	...	0	f	7 a.	30.10	32	99	...	0	f
Nemuro, ...	„	30.28	...	...	...	0	...	6 a.	30.31	...	...	SW	2	...
Hakodate, ...	„	30.29	...	...	SE	2	...	„	30.36	...	...	SW	2	...
Tokio,.....	„	30.30	...	...	E	4	...	„	30.45	...	...	NW	2	...
Kochi, ...	„	30.31	...	...	W	2	...	„	30.38	...	...	N	1	...
Nagasaki, ...	„	30.31	...	...	SE	6	...	„	30.31	...	...	SE	8	...
Kagoshima,....	„	30.31	...	...	SE	2	...	„	30.34	...	...	E	4	...
Oshima, ...	„	30.28	...	...	SE	4	...	„	30.28	...	...	SE	4	...
Naha, ...	„	30.29	...	...	E	4	...	„	30.17	...	...	SE	2	...
Ishigakijima, ...	„	30.21	...	...	SE	6	...	„	30.09	...	...	S	6	...
Taihoku,.....	1 p.	30.11	...	...	...	0	...	5 a.	30.12	...	...	...	0	...
Taichu, ...	„	30.12	...	...	N	2	...	„	30.11	...	...	NE	2	...
Tainan,.....	„	30.10	...	...	W	2	...	„	30.09	...	...	N	4	...
Koshun,.....	„	30.11	...	...	E	6	...	„	30.08	...	...	NE	2	...
Pescadores, ...	„	30.13	...	...	NE	6	...	„	30.13	...	...	NE	2	...
Weihaiwei.....	3 p.	30.16	43	...	E	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.15	51	92	SSE	5	omd	„	30.25	46	100	WNW	3	f
Sharp Peak, ..	„	30.11	60	88	...	0	r	„	30.19	60	88	...	0	o
Amoy, ...	2.30p.	30.18	64	78	...	0	o	6.30a.	30.21	57	94	...	0	f
Swatow, ...	3 p	30.09	65	...	...	0	o	9 a.	...	...	...	...	...	...
Canton, ...	„	30.13	65	100	...	0	...	„	...	...	...	...	...	...
Hongkong	4 p.	30.11	66	73	E	2	o	10 a.	30.19	69	72	...	0	o
Victoria Peak,.	„	...	...	...	NW	1	...	„	...	...	...	ENE	1	...
Cap Rock,.....	„	30.09	...	...	ENE	3	...	„	30.17	...	...	N	2	...
Macao, ...	„	30.12	65	...	SSE	1	o	„	30.19	66	...	NE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.96	77	100	...	0	o	„	30.04	81	76	ESE	2	...
Malate,.....	3 p.	...	...	...	NW	2	o	9 a.	...	...	...	E	2	c
Pacolod, ...	„	...	...	...	NE	4	o	„	...	...	...	...	0	b
Iloilo, ...	„	29.97	85	...	E	2	o	„	30.03	79	...	NE	3	...
Cebu, ...	„	29.86	84	...	N	2	od	„	30.06	81	...	N	4	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.45a. The barometer has risen over E. Japan, fallen over the Loochoos and at Wladiwostock.

The depression, noted yesterday, is moving NE. and passing into the Yellow Sea.

Pressure remains high over Japan.

The monsoon will probably freshen again along the China coast and over the N. part of the China Sea.

Forecast:— N. to NE. winds, light to moderate; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 23rd January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	23rd JANUARY, 1903, P. M.							24th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...		...	...	...	...
Nemuro, ...	,,	...	...	...	...	...	...	6 a.	..	...	...	..	..	...
Hakodate, ...	,,	...	...	...	...	...	...	,,	..	...	...	..	..	...
Fokio,.....	,,	...	...	...	...	...	...	,,	..	...	...	..	..	...
Kochi, ...	,,	...	...	...	...	...	...	,,	..	...	...	..	..	...
Nagas,aki, ...	,,	...	...	...	...	...	...	,,	..	...	...	..	...	...
Kagoshima,....	,,	...	...	...	...	...	...	,,	..	...	...	..	..	...
Oshima, ...	,,	...	...	...	...	...	...	,,	..	...	...	..	..	...
Naha, ...	,,	...	...	...	...	...	...	,,	..	...	...	..	..	...
Ishigakijima, ...	,,	...	...	...	...	...	...	,,	..	...	...	...	..	...
Taihoku,.....	1 p.	30.14	...	...	NW	2	...	5 a.	30.10	...	...	...	0	...
Taichu, ...	,,	30.06	...	...	N	4	...	,,	30.08	...	...	...	0	...
Tainan,.....	,,	30.07	...	...	N	4	...	,,	30.09	...	...	...	0	...
Koshun, ...	,,	30.08	...	...	NE	4	...	,,	30.09	...	...	...	0	...
Pescadores, ...	,,	30.11	...	...	N	6	...	,,	30.09	...	...	NE	4	...
Weihaiwei.....	3 p.	30.03	41	...	...	0	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.20	50	92	WSW	3	c	,,	30.22	51	93	S	4	bv
Sharp Peak, ..	,,	30.11	62	83	E	1	o	,,	30.19	60	79	W	1	og
Amoy, ...	2.30p.	30.14	67	79	SW	1	c	6.30a.	30.21	60	88	S	1	c
Swatow, ...	3 p	30.07	71	...	SE	1	c	9 a.	30.25	64	...	...	0	o
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong.....	4 p.	30.11	69	71	E	1	c	10 a.	30.20	67	74	E	2	c
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	E	4	...
Gap Rock.....	,,	30.09	...	...	ENE	2	...	,,	30.16	...	...	NNE	3	...
Macao, ...	,,	30.10	69	...	ENE	1	o	,,	30.19	73	...	SE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.96	84	58	E	1	o	,,	30.08	82	63	E	1	c
Malate,.....	3 p.	...	...	...	...	2	c	9 a.	...	...	...	...	0	b
Bacolod, ...	,,	...	...	...	...	0	b	,,	...	...	...	NE	3	b
Iloilo, ...	,,	29.98	85	...	E	2	c	,,	30.03	80	...	NE	2	o
Gelu, ...	,,	29.96	83	...	N	2	b	,,	30.09	83	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 12.5p. The barometer is inclined to fall again over China, and probably another depression is developing over N. China.

Gradients slight with variable winds along the China coast, and light monsoon over the N. part of the China Sea.

Forecast:— light or moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 24th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

24th JANUARY, 1903, P. M. — 25th JANUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	..	...	...	...	...
Nemuro, ...	„	30.04	...	...	SW	6	...	6 a.	30.00	...	...	SW	10	...
Hakodate, ...	„	30.09	...	...	SW	6	...	„	29.89	...	...	NW	4	...
Tokio,.....	„	30.26	...	...	SW	6	...	„	30.14	...	...	...	0	...
Kochi, ...	„	30.10	...	...	NE	4	...	„	30.19	...	...	...	0	...
Nagas,aki, ...	„	30.19	...	...	W	6	...	„	30.23	...	...	SE	4	...
Kagoshima,....	„	30.23	...	...	W	4	...	„	30.31	...	...	SE	2	...
Oshima, ...	„	30.20	...	...	N	4	...	„	30.28	...	...	...	0	...
Naha, ...	„	30.17	...	...	S	4	...	„	30.21	...	...	...	0	...
Ishigakijima, ...	„	30.13	...	...	S	6	...	„	30.13	...	...	S	8	...
Taihoku,.....	1 p.	30.11	...	...	N	4	...	5 a.	30.12	...	...	...	0	...
Taichu, ...	„	30.09	...	...	NW	2	...	„	30.09	...	...	...	0	...
Tainan,.....	„	30.10	...	...	N	4	...	„	30.11	...	...	N	2	...
Koshun, ...	„	30.09	...	...	SW	2	...	„	30.11	...	...	...	0	...
Pescadores, ...	„	30.13	...	...	NE	6	...	„	30.09	...	...	NE	2	...
Weihaiwei,.....	3 p.	30.05	43	...	N	3	o	9 a.	30.31	29	...	N	2	...
Gutzlaff, ...	„	30.14	58	76	S	3	bv	„	30.18	51	100	N	1	f
Sharp Peak, ..	„	30.11	63	89	SSE	2	o	„	30.15	61	88	...	0	og
Amoy, ...	2.30p.	30.16	67	74	SE	2	b	6.30a.	30.19	60	88	N	1	f
Swatow, ...	3 p	30.08	70	...	SE	1	c	9 a.	...	65	...	...	0	o
Canton, ...	„	30.08	75	77	E	1	b	„	30.16	66	73	NE	1	c
Hongkong.....	4 p.	30.10	67	62	E	3	o	10 a.	30.17	64	96	E	2	od
Victoria Peak,.	„	...	...	...	ESE	1	...	„	...	...	...	SE	3	...
Gap Rock,.....	„	30.07	...	...	ENE	3	...	„	30.13	...	...	ENE	2	...
Macao, ...	„	30.10	69	...	ESE	1	c	„	30.17	68	...	NE	1	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	30.04	84	70	ESE	2	c	„	30.08	82	70	W	1	c
Malate,.....	3 p.	...	...	...	E	2	b	9 a.	...	...	...	...	0	b
Bacolod, ...	„	...	...	...	NE	4	b	„	...	...	...	NE	4	b
Iloilo, ...	„	29.96	84	...	E	5	b	„	30.05	79	...	NE	2	c
Cebu, ...	„	29.95	84	...	N	4	b	„	30.03	83	...	N	3	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 12.10p. The barometer has fallen over E. Japan, owing to the depression to the N. of Japan.

Pressure has increased and is high over N. China, but remains low over the E. coast.

The monsoon will probably freshen again in the Formosa Channel during the next 24 hours.

Light monsoon over the N. part of the China Sea.

Forecast:— light or moderate E. winds; drizzling rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 25th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	25th JANUARY, 1903, P. M.							26th JANUARY, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	..	...	...	...	...
Nemuro,	„	29.80	...	...	N	8	...	6 a.	29.92	...	...	NW	2	...
Hakodate,	„	30.01	...	...	W	10	...	„	30.05	...	...	NW	2	...
Tokio,	„	30.02	...	...	...	0	...	„	29.94	...	...	...	0	...
Kochi,	„	30.15	...	...	...	0	...	„	29.87	...	...	...	0	...
Nagasaki,	„	30.11	...	...	SE	6	...	„	29.91	...	...	W	10	...
Kagoshima,	„	30.15	...	...	S	2	...	„	29.95	...	...	NW	6	...
Oshima,	„	30.16	...	...	S	6	...	„	30.04	...	...	S	4	...
Naha,	„	30.17	...	...	S	4	...	„	30.09	...	...	S	4	...
Ishigakijima,	„	30.17	...	...	S	8	...	„	30.05	...	...	SW	6	...
Taihoku,	1 p.	30.09	...	...	...	0	...	5 a.	30.04	...	...	...	0	...
Taichu,	„	30.12	...	...	W	2	...	„	30.03	...	...	E	2	...
Tainan,	„	30.09	...	...	SW	4	...	„	30.04	...	...	...	0	...
Koshun,	„	30.08	...	...	SE	4	...	„	30.02	...	...	...	0	...
Pescadores,	„	30.11	...	...	NE	4	...	„	30.02	...	...	NE	2	...
Weihaiwei,	3 p.	30.21	30	...	NW	2	...	9 a.	30.27	26	...	NW	3	o
Gutzlaff,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Sharp Peak,	„	...	...	...	...	...	...	„	30.05	61	91	...	0	of
Amoy,	2.30p.	30.16	66	89	SE	1	o	6.30a.	30.10	63	94	SE	1	c
Swatow,	3 p	30.04	68	...	E	2	o	9 a.	30.06	68	...	...	0	of
Canton,	„	...	70	95	...	0	r	„	30.05	70	100	...	0	...
Hongkong	4 p.	30.05	66	95	E	2	od	10 a.	30.08	69	94	E	1	of
Victoria Peak,	„	...	...	...	SSE	3	...	„	...	...	...	SSW	1	...
Gap Rock,	„	30.04	...	...	E	2	...	„	30.07	...	...	ENE	2	...
Macao,	„	30.05	68	...	ESE	1	c	„	30.08	69	...	S	1	of
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.96	84	64	SE	2	b	„	30.00	82	85	ESE	1	o
Malate,	3 p.	...	...	...	SE	3	c	9 a.	...	...	...	ESE	2	c
Bacolod,	„	...	...	...	NNE	6	b	„	...	...	...	NNW	6	b
Iloilo,	„	29.96	85	...	E	2	e	„	30.00	79	...	E	1	b
Cebu,	„	29.88	83	...	N	4	b	„	29.97	80	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at noon. The barometer has risen slightly over NE. Japan; fallen elsewhere, particularly in W. Japan, where a depression is now lying.

Pressure is highest over N. China.

Light variable winds with foggy weather over S. China, and light monsoon over the N. part of the China Sea.

Forecast:— variable winds, light or moderate; foggy, misty.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 26th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

26th JANUARY, 1903, P. M. | 27th JANUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.21	14	...	NE	3	b	7 a.	30.09	—1	65	N	2	c
Nemuro,	„	29.80	...	...	NW	4	...	6 a.	29.92	...	...	NW	8	...
Hakodate,	„	29.89	...	...	W	6	...	„	30.01	...	...	W	4	...
Tokio,	„	29.71	...	...	NW	2	...	„	29.98	...	...	...	0	...
Kochi,	„	29.75	...	...	...	0	...	„	29.91	...	...	E	4	...
Nagasaki,	„	29.95	...	...	N	4	...	„	29.91	...	...	SW	2	...
Kagoshima,	„	29.95	...	...	NW	6	...	„	29.95	...	...	...	0	...
Oshima,	„	30.04	...	...	...	0	...	„	29.96	...	...	...	0	...
Naha,	„	30.01	...	...	SW	4	...	„	29.97	...	...	S	2	...
Ishigakijima,	„	30.05	...	...	SW	6	...	„	29.93	...	...	SW	6	...
Taihoku,	1 p.	29.99	...	...	NW	2	...	5 a.	29.98	...	...	W	2	...
Taichu,	„	29.97	...	...	SW	2	...	„	29.99	...	...	N	4	...
Tainan,	„	29.99	...	...	SW	2	...	„	29.94	...	...	N	4	...
Koshun,	„	29.99	...	...	SW	4	...	„	29.92	...	...	...	0	...
Pescadores,	„	29.80	...	...	S	2	...	„	29.96	...	...	NE	8	...
Weihaiwei	3 p.	30.22	37	...	NNW	4	...	9 a.	...	...	...	...	...	...
Gutzlaff,	„	30.23	40	82	N	5	cv	„	30.31	36	90	N	6	cmh
Sharp Peak,	„	30.02	58	88	NE	7	of	„	30.10	53	90	NE	5	or
Amoy,	2.30p.	30.09	66	89	SE	2	o	6.30a.	30.07	60	82	NE	2	o
Swatow,	3 p.	29.93	71	...	ESE	1	o	9 a.	...	...	...	...	...	...
Canton,	„	29.91	75	95	...	0	o	„	30.00	71	100	S	2	b
Hongkong	4 p.	29.94	68	94	E	2	o	10 a.	30.02	69	96	E	2	of
Victoria Peak,	„	...	...	...	SSW	1	...	„	...	...	...	S	1	...
Cap Rock,	„	29.93	...	...	E	2	...	„	29.99	...	...	E	2	...
Macao,	„	29.94	70	...	SE	1	of	„	30.01	70	...	ESE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.88	84	71	WSW	1	c	„	29.96	84	56	ESE	3	c
Malate,	3 p.	...	...	...	N	2	...	9 a.	...	...	...	NE	1	b
Tacoled,	„	...	...	...	NE	4	b	„	...	...	...	...	3	b
Iloilo,	„	...	...	...	NE	3	o	„	29.96	80	...	E	1	b
Cebu,	„	29.87	83	...	N	3	b	„	29.94	83	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 11.55a. The barometer has risen over E. Japan, fallen over the Loochoos and S. China.

Pressure is high over N. China and low between Formosa and SW. Japan.

Strong monsoon in the Formosa Channel and increasing monsoon along the S. coast of China and over the N. part of the China Sea.

Forecast:— NE. winds, freshening, unsettled, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 27th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

27th JANUARY, 1903, P. M. | 28th JANUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	30.06	4	...	N	3	c	7 a.	30.20	3	53	...	0	b
Nemuro, ...	,,	29.16	...	...	SW	2	...	6 a.	29.76	...	...	W	2	...
Hakodate, ...	,,	29.97	...	...	N	2	...	,,	29.93	...	...	W	6	...
Tokio,.....	,,	29.90	...	...	NW	4	...	,,	29.90	...	...	NW	3	...
Kochi, ...	,,	29.83	...	...	E	6	...	,,	29.83	...	...	...	0	...
Nagasaki, ...	,,	29.91	...	...	NW	2	...	,,	29.99	...	...	N	6	...
Kagoshima,....	,,	29.91	...	...	W	6	...	,,	30.03	...	...	NW	4	...
Oshima, ...	,,	29.96	...	...	N	4	...	,,	30.04	...	...	N	6	...
Naha, ...	,,	29.89	...	...	S	4	...	,,	30.05	...	...	N	8	...
Ishigakijima, ..	,,	29.93	...	...	SW	6	...	,,	30.09	...	...	N	4	...
Taihoku,.....	1 p.	30.03	...	...	E	6	...	5 a.	30.22	...	...	E	6	...
Taichu, ...	,,	29.94	...	...	NW	6	...	,,	30.04	...	...	N	6	...
Tainan,.....	,,	29.94	...	...	NW	6	...	,,	30.05	...	...	N	2	...
Koshun, ...	,,	29.93	...	...	S	4	...	,,	30.01	...	...	NE	8	...
Pescadores, ...	,,	29.99	...	...	NE	8	...	,,	30.10	...	...	NE	10	...
Weihaiwei.....	3 p.	30.32	20	...	NW	4	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.33	24	60	NNW	6	oms	,,	30.49	31	90	NW	5	cv
Sharp Peak, ..	,,	30.18	52	86	ENE	7	...	,,	30.30	47	77	NE	6	og
Amoy, ...	2.30p.	30.07	60	82	NE	3	o	6.30a.	30.30	53	80	NE	2	o
Swatow, ...	3 p	29.93	67	...	E	1	o	9 a.	30.23	56	...	N	2	o
Canton, ...	,,	29.93	61	88	N	3	o	,,	30.29	46	93	N	2	o
Hongkong	4 p.	29.94	67	95	E	3	cf	10 a.	30.32	56	81	...	0	o
Victoria Peak,.	,,	...	...	...	S	3	...	,,	...	...	...	ENE	4	...
Cap Rock.....	,,	29.93	...	...	E	2	...	,,	30.19	...	...	NNE	4	...
Macao, ...	,,	29.94	74	...	SSE	1	cf	,,	30.25	62	...	N	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	86	53	SE	2	b	,,	30.00	84	64	...	0	c
Malate,.....	3 p.	...	...	...	SE	1	b	9 a.	...	...	...	...	0	c
Tacoloc. ...	,,	...	...	...	NE	4	b	,,	...	...	...	...	0	b
Iloilo.	,,	29.84	81	...	NE	2	c	,,	29.98	81	...	N	1	c
Cebu, ...	,,	29.82	83	...	N	2	...	,,	29.95	81	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 11.48a. The barometer has fallen over E. Japan, risen elsewhere, particularly over China.

Pressure remains low over Central and Northern Japan, and a high pressure area covers China.

Very strong monsoon along the coast and over the N. part of the China Sea.

Forecast:— fresh N. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 28th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

28th JANUARY, 1903, P. M. — 29th JANUARY, 1903, A. M.

STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.80	...	...	...	0	...	6 a.	30.04	...	...	N	6	...
Hakodate, ...	„	29.93	...	...	NW	6	...	„	30.13	...	...	W	6	...
Tokio,.....	„	29.98	...	...	N	2	...	„	30.18	...	...	...	0	...
Kochi, ...	„	29.91	...	...	NE	2	...	„	30.15	...	...	E	2	...
Nagasaki, ...	„	30.07	...	...	NW	8	...	„	30.19	...	...	...	0	...
Kagoshima.....	„	30.07	...	...	W	4	...	„	30.19	...	...	N	2	...
Oshima, ...	„	30.12	...	...	N	6	...	„	30.16	...	...	N	4	...
Naha, ...	„	30.13	...	...	N	8	...	„	30.21	...	...	N	6	...
Ishigakijima, ...	„	30.17	...	...	NE	6	...	„	30.17	...	...	NW	2	...
Taihoku,.....	1 p.	30.24	...	...	E	6	...	5 a.	30.28	...	...	E	6	...
Taichu, ...	„	30.06	...	...	N	6	...	„	30.12	...	...	N	4	...
Tainan,.....	„	30.09	...	...	N	4	...	„	30.13	...	...	N	4	...
Koshun, ...	„	30.07	...	...	NE	8	...	„	30.09	...	...	NE	6	...
Pescadores, ...	„	30.14	...	...	NE	10	...	„	30.14	...	...	NE	10	...
Weihaiwei.....	3 p.	30.47	23	...	NW	3	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.48	33	79	NW	4	cv	„	30.56	34	90	NW	5	cm
Sharp Peak, ..	„	30.28	47	70	NE	7	o	„	30.36	45	88	NNE	5	og
Amoy, ...	2.30p.	30.27	52	86	NE	1	o	6.30a.	30.33	52	79	NE	2	o
Swatow, ...	3 p	...	...	...	...	...	—	9 a.	...	...	...	...	...	...
Canton, ...	„	30.20	60	93	NW	2	o	„	...	...	...	...	...	...
Hongkong	4 p.	30.16	58	67	...	0	o	10 a.	30.24	53	80	N	1	o
Victoria Peak..	„	...	...	...	E	2	...	„	...	...	...	ENE	3	...
Cap Pack, ...	„	30.13	...	...	NE	4	...	„	30.20	...	...	NNE	4	...
Macao, ...	„	30.18	62	...	N	2	c	„	30.26	57	...	NNW	2	cq
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.92	84	64	ESE.	2	o	„	30.00	82	63	NE	1	b
Malate,.....	3 p.	...	...	...	E	2	o	9 a.	...	...	...	...	0	b
Pacolod.	„	...	...	...	N	4	b	„	...	...	...	NE	6	b
Iloilo, ...	„	29.88	85	...	NE	2	b	„	29.97	81	...	N	2	c
Cebu, ...	„	29.88	84	...	N	4	b	„	29.97	83	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11.5a. The barometer has risen considerably over Japan and slightly on the China coast. The high pressure area covering China, appears to be central in the North.
Very strong monsoon along the coast and over the North part of the China Sea.
Forecast:— fresh N. to NE. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 29th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	29th JANUARY, 1903, P. M.							30th JANUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.12	...	...	N	4	...	6 a.	30.28	...	...	NE	2	...
Hakodate, ...	,,	30.21	...	...	W	6	...	,,	30.37	...	...	...	0	...
Tokio,.....	,,	30.22	...	...	N	4	...	,,	30.34	...	...	N	2	...
Kochi, ...	,,	30.15	...	...	E	4	...	,,	30.31	...	...	E	4	...
Nagasaki, ...	,,	30.19	...	...	NE	2	...	,,	30.31	...	...	NE	2	...
Kagoshima,....	,,	30.19	...	...	NW	2	...	,,	30.27	...	...	NE	4	...
Oshima, ...	,,	30.24	...	...	N	4	...	,,	30.24	...	...	NW	4	...
Naha, ...	,,	...	...	...	...	...	...	,,	30.21	...	...	N	4	...
Ishigakijima, ...	,,	...	...	...	...	...	...	,,	30.17	...	...	NE	6	...
Taihoku,.....	1 p.	30.24	...	...	E	8	...	5 a.	30.19	...	...	E	6	...
Taichu, ...	,,	30.11	...	...	N	6	...	,,	30.01	...	...	N	2	...
Tainan,.....	,,	30.11	...	...	N	6	...	,,	30.06	...	...	N	4	...
Koshun, ...	,,	30.12	...	...	NE	10	...	,,	30.01	...	...	NE	10	...
Pescadores, ...	,,	30.18	...	...	NE	10	...	,,	30.09	...	...	NE	10	...
Weihaiwei.....	3 p.	30.50	25	...	N	3	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	...	...	...	...	...	...	,,	30.49	35	80	N	4	bv
Sharp Peak, ..	,,	30.31	45	80	NNE	4	og	,,	30.32	44	88	WNW	4	or
Amoy, ...	2.30p.	30.31	59	59	ENE	4	o	6.30a.	30.23	51	86	NE	1	o
Swatow, ...	3 p.	30.12	53	...	N	1	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	30.28	43	92	N	2	o	,,	...	...	...	...	...	...
Hongkong	4 p.	30.19	51	75	NNE	2	o	10 a.	30.23	50	84	NE	1	o
Victoria Peak,.	,,	...	...	...	N	4	...	,,	...	...	...	NE	3	...
Gap Rock, ...	,,	30.14	...	...	N	4	...	,,	30.18	...	...	NNE	4	...
Macao, ...	,,	30.22	55	...	NNW	2	cq	,,	30.25	52	...	N	2	o
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.92	84	77	SW	1	o	,,	30.00	79	84	NW	1	c
Malate,.....	3 p.	...	...	...	...	0	...	9 a.	...	...	...	...	0	b
Bacolod, ...	,,	...	...	...	N	2	o	,,	...	...	...	NNW	2	b
Iloilo, ...	,,	29.88	86	...	N	2	b	,,	29 93	80	...	N	1	b
Cebu, ...	,,	29.90	82	...	N	4	b	,,	29.97	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 11.45a. The barometer has risen over Japan, fallen on the China coast.
The high pressure area remains central over N. China, and pressure is relatively low to the SE. of Formosa.
Very strong monsoon in the Formosa Channel and over the N. part of the China Sea.
Forecast:— fresh N. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 30th January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

30th JANUARY, 1903, P. M. — 31st JANUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	30.39	19	...	NE	1	b	7 a.	30.32	1	66	NE	5	b
Nemuro, ...	„	30.23	...	...	N	2	...	6 a.	30.32	...	...	SW	2	...
Hakodate, ...	„	30.32	...	...	W	6	...	„	30.40	...	...	...	0	...
Tokio.....	„	30.33	...	...	N	2	...	„	30.34	...	...	NW	4	...
Kochi, ...	„	30.23	...	...	NE	4	...	„	30.11	...	...	E	2	...
Nagasaki, ...	„	30.23	...	...	SE	4	...	„	30.11	...	...	NE	4	...
Kagoshima,....	„	30.23	...	...	E	2	...	„	30.11	...	...	SE	4	...
Oshima, ...	„	30.20	...	...	N	4	...	„	30.08	...	...	NE	2	...
Naha, ...	„	30.13	...	...	NE	6	...	„	30.01	...	...	NE	2	...
Ishigakijima, ...	„	30.09	...	...	SE	6	...	„	30.01	...	...	NE	4	...
Taihoku,.....	1 p.	30.11	...	...	E	8	...	5 a.	30.12	...	...	...	0	...
Taichu, ...	„	30.06	...	...	N	6	...	„	30.06	...	...	N	4	...
Tainan,.....	„	30.05	...	...	N	6	...	„	30.06	...	...	N	4	...
Koshun, ...	„	30.09	...	...	...	6	...	„	30.02	...	...	NE	2	...
Pescadores, ...	„	30.13	...	...	NE	10	...	„	30.09	...	...	NE	8	...
Weihaiwei.....	3 p.	30.48	28	...	NW	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.40	37	81	N	4	ov	„	30.38	36	90	NNW	5	cv
Sharp Peak, ..	„	30.22	45	92	NNW	5	or	„	30.22	46	93	NNE	3	o
Amoy, ...	2.30p.	30.22	54	80	NE	1	d	6.30a.	30.22	53	86	NNE	1	f
Swatow, ...	3 p	30.14	51	...	N	3	o	9 a.	...	...	...	...	...	...
Canton, ...	„	30.21	45	92	N	2	od	„	...	...	...	...	...	...
Hongkong	4 p.	30.13	51	76	N	1	o	10 a.	30.21	53	77	N	1	o
Victoria Peak,.	„	...	...	...	NNW	4	...	„	...	...	...	NE	2	...
Cap Peak.....	„	30.10	...	...	NNW	4	...	„	30.18	...	...	NNE	4	...
Macao, ...	„	30.15	52	...	NW	2	cq	„	30.24	50	...	NNW	2	om
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.88	82	70	NNE	1	c	„	30.00	82	77	WNW	1	b
Malate,.....	3 p.	...	...	...	E	3	o	9 a.	...	...	...	...	0	b
Iacolod, ...	„	...	...	...	NNW	4	b	„	...	...	...	NE	4	b
Iloilo, ...	„	29.86	86	...	NE	3	o	„	29.99	82	...	NE	...	c
Cebu, ...	„	29.87	84	...	N	2	c	„	29.97	85	...	N	3	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 31st at 11.40a. The barometer has fallen over SW. Japan, the Loochoos and the E. coast of China.

The high pressure area still covers China, and a depression appears to be forming in the neighbourhood of the Loochoos.

Strong monsoon along the China coast and over the N. part of the China Sea.

Forecast:— fresh N. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 31st January 1903.

CHINA COAST METEOROLOGICAL REGISTER.

31st JANUARY, 1903, P. M. 1st FEBRUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	30.34	14	...	NE	4	b	7 a.	30.36	—1	76	NE	3	b
Nemuro,	,,	30.24	...	...	N	6	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	30.29	...	...	W	4	...	,,	...	...	...	...	...	...
Tokio,	,,	30.22	...	...	N	4	...	,,	...	...	...	...	...	...
Kochi,	,,	29.99	...	...	...	0	...	,,	...	...	...	...	...	...
Nagasaki,	,,	30.03	...	...	N	4	...	,,	...	...	...	...	...	...
Kagoshima,	,,	30.03	...	...	E	2	...	,,	...	...	...	...	...	...
Oshima,	,,	30.04	...	...	N	4	...	,,	...	...	...	...	...	...
Naha,	,,	30.01	...	...	NE	4	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	30.05	...	...	NE	6	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.15	...	...	E	6	...	5 a.	30.20	...	...	...	0	...
Taichu,	,,	30.04	...	...	N	6	...	,,	30.10	...	...	N	4	...
Tainan,	,,	30 06	...	...	N	6	...	,,	30.11	...	...	N	6	...
Koshun,	,,	30.04	...	...	...	4	...	,,	30.07	...	...	NE	6	...
Pescadores,	,,	30.10	...	...	NE	8	...	,,	30.14	...	...	NE	10	...
Weihaiwei	3 p.	30.29	32	...	NW	2	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.36	37	81	NNW	6	ov	,,	30.50	34	69	NNW	5	cv
Sharp Peak,	,,	30.19	47	89	E	5	og	,,	30.33	46	80	NNW	3	og
Amoy,	2.30p.	30.19	56	81	NE	1	o	6.30a.	30.34	55	...	NE	2	o
Swatow,	3 p	30.13	55	...	N	1	c	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	30.34	46	77	N	1	...
Hongkong	4 p.	30.14	52	82	N	1	od	10 a.	30.28	49	92	...	0	od
Victoria Peak,	,,	...	...	...	NW	2	...	,,	...	...	...	NNW	2	...
Gap Rock,	,,	30.12	...	...	NNW	4	...	,,	30.24	...	...	NNE	2	...
Macao,	,,	30.16	50	...	NNW	2	o	,,	30.31	48	...	NNW	2	od
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.88	90	66	...	0	c	,,	30.00	84	58	ESE	1	b
Malate,	3 p.	...	...	...	E	1	b	9 a.	...	...	...	...	0	b
Bacolod.	,,	...	...	...	NW	3	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.89	87	...	NE	2	o	,,	30.04	81	...	N	1	o
Cebu,	,,	29.88	84	...	N	2	b	,,	29.99	83	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 12.5p. The barometer has risen on the China coast, particularly in the North. The area of high pressure still covers China, and probably the low area is moving away over the Pacific to the South of Japan.

Strong monsoon along the China coast and over the N. part of the China Sea.

Forecast:— moderate N. winds; dull, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 1st February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st FEBRUARY, 1903, P. M.							2nd FEBRUARY, 1903, A. M.						
	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.12	...	...	NE	6	...	6 a.	30.20	...	...	N	6	...
Hakodate,	,,	30.09	...	...	SE	4	...	,,	30.17	...	...	N	3	...
Tokio,	,,	30.06	...	...	NW	2	...	,,	30.18	...	...	NW	3	...
Kochi,	,,	29.99	...	...	...	0	...	,,	30.03	...	...	E	4	...
Nagasaki,	,,	30.07	...	...	W	2	...	,,	30.15	...	...	NE	2	...
Kagoshima,	,,	30.03	...	...	NW	6	...	,,	30.11	...	...	N	2	...
Oshima,	,,	30.08	...	...	NW	6	...	,,	30.12	...	...	N	4	...
Naha,	,,	30.13	...	...	NW	6	...	,,	30.13	...	...	NE	4	...
Ishigakijima,	,,	30.13	...	...	NE	6	...	,,	30.09	...	...	NE	6	...
Tsuishu,	3 p.	30.23	...	...	E	6	...	5 a.	30.21	...	...	E	4	...
Taichu,	,,	30.11	...	...	N	6	...	,,	30.11	...	...	N	6	...
Tainan,	,,	30.10	...	...	N	4	...	,,	30.12	...	...	N	4	...
Koshun,	,,	30.09	...	...	NE	4	...	,,	30.06	...	...	NE	6	...
Pescadores,	,,	30.15	...	...	NE	10	...	,,	30.15	...	...	NE	10	...
Weihaiwei,	8 p.	30.42	29	...	NW	4	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.45	36	70	NNW	4	cv	,,	30.46	34	69	NNW	4	cv
Sharp Peak,	,,	30.26	46	84	NNW	5	cg	,,	30.31	42	72	NNW	2	or
Amoy,	2.30p.	30.28	52	79	NE	2	o	6.30a.	30.30	49	85	NE	2	o
Swatow,	3 p	30.23	52	...	N	2	o	9 a.	...	...	...	...	...	...
Canton,	,,	30.27	45	84	N	1	od	,,	...	...	...	...	...	...
Hongkong	4 p.	30.26	48	91	...	0	cd	10 a.	30.26	48	85	WNW	1	o
Victoria Peak,	,,	...	...	...	N	2	...	,,	...	...	...	N	2	...
Cap Peak,	,,	30.18	...	...	N	4	...	,,	30.24	...	...	N	4	...
Macao,	,,	30.22	48	...	NNW	2	cq	,,	30.30	46	...	NNW	2	ofq
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.88	84	64	SSE	3	c	,,	29.90	82	70	...	0	b
Mariate,	3 p.	...	...	...	SE	2	c	9 a.	...	...	...	SW	1	b
Pacoloc,	,,	...	...	...	N	6	b	,,	...	...	...	E	6	b
Iloilo,	,,	29.92	86	...	NE	2	b	,,	30.01	81	...	NE	2	o
Cebu,	,,	29.91	84	...	N	4	c	,,	29.99	83	...	N	4	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd 11.30a. The barometer has risen slightly over Japan, fallen a little on the China coast. The high pressure area still covers China, and pressure is relatively low over the Pacific to the S. of Japan. Strong monsoon along the China coast and over the N. part of the China Sea.

Forecast:— moderate N. winds; dull, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 2nd February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd FEBRUARY, 1903, P. M.							3rd FEBRUARY, 1903, A. M.						
	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,..	2 p.	30.34	9	...	NE	5	b	7 a.	30.25	—4	...	NE	5	b
Nemuro, ...	„	30.24	...	...	N	6	...	6 a.	30.28	...	...	SW	2	...
Hakodate, ...	„	30.17	...	...	SW	6	...	„	30.13	...	...	N	2	...
Tokio,.....	„	30.18	...	...	...	0	...	„	30.10	...	...	N	4	...
Kochi, ...	„	30.03	...	...	E	2	...	„	29.91	...	...	E	4	...
Nagasaki, ...	„	30.07	...	...	N	4	...	„	30.03	...	...	N	4	...
Kagoshima,....	„	29.93	...	...	S	2	...	„	29.99	...	...	NW	2	...
Oshima, ...	„	30.04	...	...	N	2	...	„	30.00	...	...	N	6	...
Naha, ...	„	30.05	...	...	NE	2	...	„	30.05	...	...	N	8	...
Ishigakijima, ...	„	30.05	...	...	N	4	...	„	30.09	...	...	NE	6	...
Taihoku,.....	1 p.	30.18	...	...	E	4	...	5 a.	30.23	...	...	...	0	...
Taichu, ...	„	30.11	...	...	N	6	...	„	30.14	...	...	N	6	...
Tainan,.....	„	30.07	...	...	N	6	...	„	30.13	...	...	N	6	...
Koshun, ...	„	30.04	...	...	N	4	...	„	30.08	...	...	NE	2	...
Pescadores, ...	„	30.14	...	...	NW	10	...	„	30.17	...	...	NE	10	...
Weihaiwei.....	3 p.	30.41	26	...	NW	...	...	9 a.	30.38	29	...	NW	2	b
Gutzlaff, ...	„	30.40	35	80	NNW	5	cv	„	30.41	32	79	NNW	4	cv
Sharp Peak, ..	„	30.24	43	83	NNW	2	og	„	30.32	45	64	N	3	b
Amoy, ...	2.30p.	30.26	49	93	NE	1	or	6.30a.	30.33	47	85	NE	1	o
Swatow, ...	3 p	30.15	53	...	N	1	od	9 a.	30.35	49	...	N	3	o
Canton, ...	„	30.25	41	91	N	2	o	„	30.32	42	75	N	1	c
Hongkong	4 p.	30.18	47	79	N	1	o	10 a.	30.28	51	55	N	1	c
Victoria Peak,.	„	...	...	...	NW	5	...	„	...	...	...	NE	3	...
Gap Rock,.....	„	30.16	...	...	NNW	6	...	„	30.25	...	...	NNE	3	...
Macao, ...	„	30.20	46	...	NW	3	o	„	30.30	45	...	NE	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.88	73	47	SSE	2	b	„	30.04	81	76	NW	1	b
Malate,.....	3 p.	...	...	...	E	2	b	9 a.	...	...	...	WNW	1	c
Bacolod, ...	„	...	...	...	NW	4	b	„	...	...	...	NE	2	b
Iloilo, ...	„	29.88	85	...	N	3	b	„	30.00	81	...	NE	2	b
Cebu, ...	„	29.86	88	...	N	2	b	„	29.97	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd 11.55a. The barometer has fallen over Japan, owing to the low pressure area which still lies over the Pacific to the Southward.

The high pressure area still covers China, and strong monsoon continues to prevail along the coast and over the N. part of the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 3rd February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	3rd FEBRUARY, 1903, P. M.							4th FEBRUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.24	...	...	E	6	...	6 a.	29.96	...	...	E	8	...
Hakodate,	,,	30.01	...	...	S	4	...	,,	29.85	...	...	NE	1	...
Tokio,	,,	29.86	...	...	NW	2	...	,,	29.82	...	...	NW	2	...
Kochi,	,,	29.83	...	...	E	2	...	,,	29.99	...	...	E	4	...
Nagasaki,	,,	30.03	...	...	N	6	...	,,	30.07	...	...	N	4	...
Kagoshima,	,,	29.95	...	...	NW	6	...	,,	30.07	...	...	NW	4	...
Oshima,	,,	30.00	...	...	N	6	...	,,	30.08	...	...	N	8	...
Naha,	,,	30.05	...	...	N	8	...	,,	30.13	...	...	N	8	...
Ishigakijima,	,,	30.12	...	...	NE	6	...	,,	30.21	...	...	N	6	...
Taihoku,	1 p.	30.24	...	...	SW	2	...	5 a.	30.26	...	...	SE	4	...
Taichu,	,,	30.15	...	...	N	6	...	,,	30.13	...	...	N	4	...
Tainan,	,,	30.14	...	..	N	8	...	,,	30.15	...	...	N	4	...
Koshun,	,,	30.09	...	...	NE	4	...	,,	30.11	...	...	NE	8	...
Pescadores,	,,	30.19	...	...	N	10	...	,,	30.17	...	...	NE	10	...
Weihaiwei,	3 p.	30.36	28	...	NW	2	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.42	37	81	NNW	2	c	,,	30.44	35	69	N	3	bv
Sharp Peak,	,,	30.27	45	65	E	7	b	,,	30.35	47	77	NW	2	b
Amoy,	2.30p.	30.28	55	68	NE	3	b	6.30a.	30.41	46	84	NE	2	b
Swatow,	3 p	30.21	55	...	NE	1	o	9 a.	...	...	...	...	...	...
Canton,	,,	30.25	50	93	N	2	c	,,	...	...	...	...	...	...
Hongkong	4 p.	30.20	55	57	...	0	o	10 a.	30.31	53	65	N	1	o
Victoria Peak,	,,	...	...	...	NNW	1	...	,,	...	...	...	E	1	...
Cap Rocl	,,	30.19	...	...	N	4	...	,,	30.27	...	...	NE	4	...
Macao,	,,	30.21	47	...	N	2	c	,,	30.32	42	...	NW	2	o
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.88	86	71	SW	1	b	,,	30.00	79	69	N	1	c
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	...	NE	1	o
Iloilo,	,,	29.92	87	...	NE	4	b	,,	...	...	...	NE	6	b
Cebu,	,,	29.91	83	...	N	1	b	,,	30.01	81	...	NE	2	o
Cape S. James,	4 p.	...	...	...	N	3	b	,,	30.00	83	...	N	4	c
					...	...	...	10 a.	...	...	...	...	...	...

On the 4th 11.45a. The barometer has fallen over E. Japan, the low pressure area having moved NE. and reached that area.

The high pressure area still covers China, and strong monsoon continues to prevail along the coast and over the N. part of the China Sea.

Forecast:— moderate N. and NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 4th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	4th FEBRUARY, 1903, P. M.							5th FEBRUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	30.21	11	...	N	6	b	7 a.	30.30	—4	81	N	2	b
Nemuro,	„	29.88	...	...	N	10	...	6 a.	29.96	...	...	N	8	...
Hakodate,	„	...	...	...	...	...	...	„	29.93	...	...	SE	8	...
Tokio,	„	29.82	...	...	NW	6	...	„	29.98	...	...	NW	4	...
Kochi,	„	29.87	...	...	E	2	...	„	30.03	...	...	Js	4	...
Nagasaki,	„	30.03	...	...	N	8	...	„	30.19	...	...	N	6	...
Kagoshima,	„	29.99	...	...	N	8	...	„	30.15	...	...	...	0	...
Oshima,	„	30.08	...	...	N	8	...	„	30.16	...	...	N	6	...
Naha,	„	30.05	...	...	NW	10	...	„	30.25	...	...	NW	10	...
Ishigakijima,	„	30.17	...	...	NE	6	...	„	30.29	...	...	N	6	...
Taihoku,	1 p.	30.28	...	...	E	6	...	5 a.	30.38	...	...	E	4	...
Taichu,	„	30.13	...	...	N	6	...	„	30.22	...	...	SW	2	...
Tainan,	„	30.13	...	...	N	6	...	„	30.21	...	...	N	4	...
Koshun,	„	30.13	...	...	NE	6	...	„	30.17	...	...	NE	8	...
Pescadores,	„	30.20	...	...	NE	10	...	„	30.26	...	...	NE	10	...
Weihaiwei	3 p.	30.41	23	...	W	5	c	9 a.	...	...	...	...	...	...
Gutzlaff,	„	30.43	40	56	N	4	bv	„	30.56	34	79	NW	4	cv
Sharp Peak,	„	30.31	55	88	NE	7	b	„	30.41	49	64	N	6	b
Amoy,	2.30p.	30.31	53	67	NNE	2	o	6.30a.	30.43	47	77	NE	1	b
Swatow,	3 p	30.22	58	...	E	1	c	9 a.	...	...	...	...	...	...
Canton,	„	30.27	55	62	N	2	c	„	30.35	51	66	N	1	c
Hongkong	4 p.	30.24	56	54	NE	1	o	10 a.	30.35	55	62	N	3	c
Victoria Peak,	„	...	...	...	SSE	1	...	„	...	...	...	E	4	...
Gap Rock,	„	30.22	...	...	NE	3	...	„	30.31	...	...	ENE	5	...
Macao,	„	30.25	48	...	NW	1	o	„	30.35	50	...	N	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.92	88	58	...	0	b	„	30.04	77	75	N	1	o
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	...	N	2	o
Bacolod,	„	...	...	...	NE	4	b	„	...	...	...	NE	2	b
Iloilo,	„	29.93	86	...	N	1	b	„	30.02	81	...	NE	...	b
Cebu,	„	29.87	82	...	N	4	b	„	29.98	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th 11.17a. The barometer has risen generally, particularly in the North.
The high pressure area is still central over China, and strong monsoon continues to prevail along the coast and over the N. part of the China Sea.
Forecast:— fresh NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 5th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	5th FEBRUARY, 1903, P. M.							6th FEBRUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	30.28	13	...	N	4	b	7 a.	30.33	0	77	N	1	b
Nemuro,	,,	30.00	...	...	N	6	...	6 a.	30.24	...	...	N	6	...
Hakodate,	,,	29.97	...	...	NE	4	...	,,	30.21	...	...	N	2	...
Tokio,	,,	29.94	...	...	N	4	...	,,	30.18	...	...	NW	2	...
Kochi,	,,	30.03	...	...	W	1	...	,,	30.31	...	...	...	0	...
Nagasaki,	,,	30.19	...	...	N	6	...	,,	30.42	...	...	NE	4	...
Kagoshima,	,,	30.15	...	...	N	6	...	,,	30.38	...	...	N	6	...
Oshima,	,,	30.16	...	...	N	6	...	,,	30.28	...	...	N	6	...
Naha,	,,	30.21	...	...	N	8	...	,,	30.39	...	...	NE	6	...
Ishigakijima,	,,	30.29	...	...	NE	6	...	,,	30.29	...	...	NE	4	...
Taihoku,	1 p.	30.31	...	...	E	6	...	5 a.	30.45	...	...	E	2	...
Taichu,	,,	30.19	...	...	N	6	...	,,	30.26	...	...	...	0	...
Tainan,	,,	30.20	...	...	N	4	...	,,	30.26	...	...	N	2	...
Koshun,	,,	30.19	...	...	E	10	...	,,	30.24	...	...	NE	8	...
Pescadores,	,,	30.26	...	...	NE	10	...	,,	30.28	...	...	NE	10	...
Weihaiwei,	3 p.	30.46	30	...	NW	2	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.53	57	62	N	4	cv	,,	30.54	38	72	NE	1	cv
Sharp Peak,	,,	30.30	49	64	E	7	b	,,	30.39	48	71	WNW	2	og
Amoy,	2.30p.	30.26	56	51	NE	2	c	6.30a.	30.47	48	78	NE	1	c
Swatow,	3 p.	30.26	58	...	E	3	b	9 a.	...	...	...	...	...	...
Canton,	,,	30.24	60	60	N	1	c	,,	...	...	...	...	...	...
Hongkong	4 p.	30.25	56	52	E	3	b	10 a.	30.36	56	53	E	4	o
Victoria Peak,	,,	...	...	...	E	3	...	,,	...	...	...	E	4	...
Cap Pock,	,,	30.22	...	...	ENE	6	...	,,	30.32	...	...	ENE	4	...
Macao,	,,	30.25	53	...	NE	1	c	,,	...	...	...	...	...	...
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.92	88	76	SE	1	o	,,	30.12	79	61	NE	1	c
Malate,	3 p.	...	...	...	...	0	o	9 a.	...	...	...	NE	1	c
Pecoled,	,,	...	...	...	NE	...	b	,,	...	...	...	NE	6	b
Iloilo,	,,	29.92	86	...	E	1	b	,,	30.04	79	...	NE	3	o
Cebu,	,,	29.88	83	...	N	4	b	,,	...	77	...	N	4	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th 11.15a. The barometer has risen over Japan, and is inclined to fall on the E. coast of China. The high pressure area still lies over E. China and is spreading Eastwards over Japan.
Strong monsoon in the Formosa Channel and N. part of the China Sea.
Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 6th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	6th FEBRUARY, 1903, P. M.							7th FEBRUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	30.27	22	...	NE	2	c	7 a.	30.21	10	60	N	3	c
Nemuro, ...	„	30.24	...	...	N	2	...	6 a.	30.28	...	...	SW	2	...
Hakodate, ...	„	30.29	...	...	...	0	...	„	30.29	...	...	SW	2	...
Tokio,.....	„	30.19	...	...	NW	6	...	„	30.37	...	...	NW	4	...
Kochi, ...	„	30.31	...	...	NE	2	...	„	30.38	...	...	W	6	...
Nagasaki, ...	„	30.38	...	...	SW	4	...	„	30.34	...	...	SE	8	...
Kagoshima,....	„	30.38	...	...	SW	2	...	„	30.38	...	...	NE	4	...
Oshima, ...	„	...	...	...	...	...	...	„	30.32	...	...	S	2	...
Naha, ...	„	30.29	...	...	E	4	...	„	30.29	...	...	...	0	...
Ishigakijima, ...	„	30.29	...	...	NE	6	...	„	30.25	...	...	SE	4	...
Taihoku,.....	1 p.	30.27	...	...	E	8	...	5 a.	30.28	...	...	...	0	...
Taichu, ...	„	30.23	...	...	NW	6	...	„	30.26	...	...	N	2	...
Tainan, ...	„	30.24	...	...	W	4	...	„	30.27	...	...	N	4	...
Koshun, ...	„	30.23	...	...	NE	6	...	„	30.23	...	...	...	0	...
Pescadores, ...	„	30.29	...	...	N	8	...	„	30.29	...	...	NE	6	...
Weihsiwei.....	3 p.	30.32	36	...	...	0	...	9 a.	30.40	34	...	W	4	...
Gutzlaff, ...	„	30.47	42	66	NNW	1	cv	„	30.48	37	81	NW	4	bm
Sharp Peak, ..	„	30.32	51	72	NE	3	o	„	30.36	53	83	...	0	b
Amoy, ...	2.30p.	30.34	57	69	ENE	2	b	6.30a.	30.37	53	86	WSW	2	o
Swatow, ...	3 p.	30.27	58	...	ESE	2	c	9 a.	...	...	...	...	...	...
Canton, ...	„	30.24	61	88	...	0	b	„	30.39	55	74	N	1	o
Hongkong	4 p.	30.25	58	53	E	3	o	10 a.	30.37	61	56	...	0	o
Victoria Peak,.	„	...	...	...	E	2	...	„	...	...	...	E	1	...
Gap Rock.....	„	30.23	...	...	ENE	5	...	„	30.34	...	...	NE	4	...
Macao, ...	„	30.25	56	...	NNE	1	c	„	30.38	55	...	NNW	1	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	30.00	82	51	E	2	c	„	30.16	79	69	W	1	c
Malate,.....	3 p.	...	...	...	E	3	o	9 a.	...	...	...	...	0	c
Bacolod, ...	„	...	...	...	NE	4	o	„	...	...	...	NE	6	b
Iloilo, ...	„	29.97	83	...	E	4	o	„	30.07	78	...	NE	2	o
Cebu, ...	„	29.97	80	...	...	0	c	„	30.03	80	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th 11.55a. The barometer has risen over E. Japan, fallen over the E. coast of China and the W. part of the Sea of Japan, a shallow area of low pressure lying between the two latter areas. The high pressure area still covers China with fresh monsoon along the coast and over the N. part of the China Sea.

Forecast:— moderate N. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 7th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	7th FEBRUARY, 1903, P. M.							8th FEBRUARY, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.12	...	...	NW	6	...	6 a.	30.08	...	...	NE	4	...
Hakodate,	,,	30.21	...	...	W	2	...	,,	30.05	...	...	NW	2	...
Tokio,	,,	30.23	...	...	...	0	...	,,	29.98	...	...	NW	2	...
Kochi,	,,	30.31	...	...	W	1	...	,,	29.99	...	...	...	0	...
Nagasaki,	,,	30.23	...	...	SE	6	...	,,	30.31	...	...	N	8	...
Kagoshima,	,,	30.23	...	...	SE	2	...	,,	30.23	...	...	N	8	...
Oshima,	,,	30.28	...	...	S	6	...	,,	30.28	...	...	N	6	...
Naha,	,,	30.25	...	...	S	2	...	,,	30.33	...	...	N	8	...
Ishigakijima,	,,	30.25	...	...	S	6	...	,,	30.36	...	...	N	6	...
Taihoku,	1 p.	30.31	...	...	N	4	...	5 a.	30.50	...	...	E	4	...
Taichu,	,,	30.24	...	...	N	6	...	,,	30.34	...	...	N	6	...
Tainan,	,,	30.25	...	...	N	6	...	,,	30.33	...	...	N	6	...
Koshun,	,,	30.23	...	...	E	2	...	,,	30.29	...	...	NE	4	...
Pescadores,	,,	30.30	...	...	N	8	...	,,	30.25	...	...	NE	10	...
Weihaiwei,	3 p.	30.44	27	...	NW	3	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.46	52	66	NNW	4	bv	,,	30.73	35	70	N	4	cv
Sharp Peak,	,,	30.33	53	73	E	7	o	,,	30.67	52	66	E	5	o
Amoy,	2.30 p.	30.23	59	89	SE	2	o	6.30 a.	30.54	54	68	NE	3	c
Swatow,	3 p.	30.26	63	...	EbE	2	b	9 a.	...	...	...	...	...	...
Canton,	,,	30.35	57	75	N	2	o	,,	...	...	...	...	...	...
Hongkong	4 p.	30.29	64	68	W	1	b	10 a.	30.48	59	44	NE	2	o
Victoria Peak,	,,	...	...	...	NW	3	...	,,	...	...	...	NE	2	...
Cap Lock,	,,	30.30	...	...	NNW	4	...	,,	30.47	...	...	NE	4	...
Macao,	,,	30.30	63	...	NW	1	c	,,	30.49	56	...	NW	2	o
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	30.04	84	58	W	1	b	,,	30.20	79	61	W	1	b
Malate,	3 p.	...	...	...	E	2	c	9 a.	...	...	...	NW	1	b
Iloilo,	,,	30.02	83	...	NE	4	b	,,	...	...	...	NE	6	b
Cebu,	,,	30.02	82	...	NE	...	c	,,	30.16	77	...	NE	3	b
Cape S. James,	4 p.	...	...	...	N	4	c	,,	30.16	80	...	N	4	b
					...	...	...	10 a.	...	...	...	...	...	...

On the 8th 11.30a. The barometer has fallen over Japan, risen elsewhere, particularly over N. China.
The shallow depression, mentioned yesterday, is advancing Eastwards over E. Japan.
Pressure is very high over China, the anticyclone probably being central to the North of the Yangtze.
Very strong monsoon along the coast and over the China Sea.
Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 8th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

8th FEBRUARY, 1903, P. M. — 9th FEBRUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.25	24	...	N	4	b	7 a.	30.30	11	69	...	0	b
Nemuro,	„	30.04	...	...	NE	8	...	6 a.	30.00	...	...	N	8	...
Hakodate,	„	29.93	...	...	N	4	...	„	30.09	...	...	N	4	...
Tokio,	„	29.78	...	...	N	6	...	„	30.10	...	...	NW	6	...
Kochi,	„	30.19	...	...	W	4	...	„	30.38	...	...	NW	4	...
Nagasaki,	„	30.31	...	...	N	6	...	„	30.30	...	...	SE	2	...
Kagoshima,	„	30.27	...	...	N	8	...	„	30.46	...	...	S	4	...
Oshima,	„	30.32	...	...	N	6	...	„	30.39	...	...	N	6	...
Naha,	„	30.36	...	...	N	8	...	„	30.40	...	...	NE	8	...
Ishigakijima,	„	30.44	...	...	N	6	...	„	30.44	...	...	NE	2	...
Taihoku,	1 p.	30.53	...	...	SE	6	...	5 a.	30.48	...	...	E	4	...
Taichu,	„	30.32	...	...	N	8	...	„	30.56	...	...	...	0	...
Tainan,	„	30.34	...	..	N	6	...	„	30.37	...	...	N	4	...
Koshun,	„	30.39	...	...	NE	8	...	„	30.34	...	...	E	8	...
Pescadores,	„	30.40	...	...	NE	10	...	„	30.39	...	...	NE	10	...
Weihaiwei	3 p.	30.01	29	...	NW	3	...	9 a.	...	...	...	...	...	...
Gutzlaff,	„	...	...	...	...	..	...	„	30.64	39	64	ENE	2	cv
Sharp Peak,	„	30.52	50	68	E	6	o	„	30.53	48	66	NNW	3	o
Amoy,	2.30 p.	30.53	58	88	NE	2	c	6.30a.	30.55	51	72	NNE	1	o
Swatow,	3 p.	30.41	59	...	SE	4	o	9 a.	...	...	...	...	...	...
Canton,	„	30.43	58	83	E	1	o	„	30.46	52	79	N	1	o
Hongkong	4 p.	30.40	62	49	WNW	1	c	10 a.	30.46	57	71	E	3	o
Victoria Peak,	„	...	...	...	NW	1	...	„	...	...	...	E	3	...
Cap Rock	„	30.40	...	...	NE	3	...	„	30.44	...	...	ENE	5	...
Macao,	„	30.42	56	...	NNW	2	c	„	30.46	55	...	NNW	1	o
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	30.12	82	51	E	1	c	„	30.20	81	56	NE	1	b
Malate,	3 p.	...	...	...	E	2	o	9 a.	...	...	...	...	0	b
Dacolet,	„	...	...	...	NE	6	b	„	...	...	...	NE	6	b
Iloilo,	„	30.05	82	...	E	2	b	„	30.15	77	...	NE	2	c
Cebu,	„	30.01	83	...	N	4	b	„	30.12	81	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th 11.55a. The depression is moving away over the Pacific to the E. of Japan, and the barometer has risen quickly over W. Japan.

Pressure is still very high over China, but inclined to give way.

Strong but decreasing monsoon on the China coast and over the N. part of the China Sea.

Forecast:— fresh NE. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 9th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

9th FEBRUARY, 1903, P. M. — 10th FEBRUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	30.25	31	...	...	0	b	7 a.	30.17	13	99	...	0	c
Nemuro,	„	30.08	...	...	N	10	...	6 a.	...	...	...	...	...	...
Hakodate,	„	30.21	...	...	N	4	...	„	...	...	...	...	...	...
Tokio,	„	30.22	...	...	N	8	...	„	...	...	...	...	...	...
Kochi,	„	30.38	...	...	...	0	...	„	...	...	...	...	...	...
Nagasaki,	„	30.46	...	...	N	2	...	„	...	...	...	...	...	...
Kagoshima	„	30.46	...	...	S	2	...	„	...	...	...	...	...	...
Oshima,	„	30.39	...	...	N	6	...	„	...	...	...	...	...	...
Naha,	„	30.36	...	...	NE	4	...	„	...	...	...	...	...	...
Ishigakijima,	„	30.40	...	...	NE	4	...	„	...	...	...	...	...	...
Taihoku,	1 p.	30.39	...	...	E	8	...	5 a.	30.29	...	...	...	0	...
Taichu,	„	30.31	...	...	N	2	...	„	30.26	...	...	...	0	...
Tainan,	„	30.28	...	...	N	2	...	„	30.27	...	...	...	0	...
Koshun,	„	30.28	...	...	NE	6	...	„	30.27	...	...	...	0	...
Pescadores,	„	30.36	...	...	NE	10	...	„	30.29	...	...	NE	6	...
Weihaiwei	3 p.	30.43	39	...	S	1	...	9 a.	30.31	39	...	S	2	...
Gutzlaff,	„	30.52	42	66	ENE	1	cv	„	30.43	41	92	SSW	1	cv
Sharp Peak,	„	30.41	49	71	NNE	2	o	„	30.35	52	79	W	1	o
Amoy,	2.30p.	30.44	58	76	NNE	2	o	6.30a.	30.40	54	87	...	0	c
Swatow,	3 p.	30.37	58	...	SE	2	o	9 a.	...	...	...	...	...	...
Canton,	„	30.34	...	...	N	1	c	„	30.33	56	75	N	1	o
Hongkong	4 p.	30.32	56	72	E	4	o	10 a.	30.33	60	71	E	3	o
Victoria Peak,	„	...	...	...	...	...	...	„	...	...	...	SE	3	...
Gap Rock	„	30.22	...	...	ENE	4	...	„	30.32	...	...	ENE	4	...
Macao,	„	30.32	57	...	NNE	1	c	„	30.31	57	...	ENE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	30.08	82	51	E	4	c	„	30.20	81	62	...	0	c
Malate,	3 p.	...	...	...	NW	3	o	9 a.	...	...	...	NE	1	c
Bacolod,	„	...	...	...	NE	6	b	„	...	...	...	NE	6	o
Iloilo,	„	30.02	83	...	NE	3	c	„	30.13	79	...	NE	3	o
Cebu,	„	30.03	82	...	N	4	o	„	30.10	81	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th 11.55a. The barometer has fallen over China, particularly in the North.
Pressure is still high over Central China, but a depression appears to be moving Eastwards over Manchuria.
Moderate monsoon in the Formosa Channel and over the N. part of the China Sea.
Forecast:— E. to N. winds, moderate; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 10th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	10th FEBRUARY, 1903, P. M.							11th FEBRUARY, 1903, A. M.					
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	...	...	...	...	...	...	6 a.	30.12	...	...	SW	5	...
Hakodate, ...	„	30.32	...	...	SW	6	...	„	30.13	...	...	W	2	...
Tokio, ...	„	30.41	...	...	N	2	...	„	30.34	...	...	NW	2	...
Kochi, ...	„	30.38	...	...	N	6	...	„	30.27	...	...	...	0	...
Nagas,aki, ...	„	30.31	...	...	SE	8	...	„	30.31	...	...	...	0	...
Kagoshima, ...	„	30.34	...	...	S	2	...	„	30.31	...	...	...	0	...
Oshima, ...	„	30.32	...	...	S	4	...	„	30.28	...	...	S	6	...
Naha, ...	„	...	...	...	...	...	...	„	30.29	...	...	...	0	...
Ishigakijima, ..	„	30.33	...	...	N	4	...	„	30.25	...	...	SE	4	...
Taihoku, ...	1 p.	30.27	...	...	NW	6	...	5 a.	30.25	...	...	...	0	...
Taichu, ...	„	30.26	...	...	N	6	...	„	30.25	...	...	...	0	...
Tainan, ...	„	30.26	...	...	NW	4	...	„	30.22	...	...	N	2	...
Koshun, ...	„	30.26	...	...	E	6	...	„	30.18	...	...	NE	6	...
Pescadores, ...	„	30.28	...	...	N	6	...	„	30.24	...	...	NE	6	...
Weihaiwei, ...	3 p.	30.26	46	...	SW	1	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.30	47	77	SSW	1	cv	„	30.32	46	100	SE	3	f
Sharp Peak, ..	„	30.26	54	83	E	2	o	„	30.29	54	87	...	0	o
Amoy, ...	2.30p.	30.29	59	70	SE	2	b	6.30a.	30.34	56	94	WSW	1	o
Swatow, ...	3 p.	30.21	63	...	SE	1	b	9 a.	...	...	...	...	...	...
Canton, ...	„	30.21	60	...	...	0	c	„	30.22	63	94	...	0	o
Hongkong	4 p.	30.20	60	83	E	2	o	10 a.	30.24	63	90	E	3	o
Victoria Peak, .	„	...	...	...	SE	6	...	„	...	...	...	ESE	4	...
Gap Rock, ...	„	30.18	...	...	ENE	4	...	„	30.23	...	...	E	3	...
Macao, ...	„	30.19	60	...	NNE	1	o	„	30.24	61	...	NNE	1	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	30.08	79	61	ESE	1	o	„	...	...	...	...	...	...
Malate, ...	3 p.	...	...	...	SE	2	o	9 a.	...	...	...	...	0	b
Encoled, ...	„	...	...	...	NE	4	c	„	...	...	...	NE	6	b
Iloilo, ...	„	30.03	84	...	NE	3	b	„	30.09	79	...	NE	3	c
Cebu, ...	„	29.96	83	...	N	2	c	„	30.03	82	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.25a. The barometer has fallen generally.

Pressure is highest between the E. coast of China and W. Japan, and probably the depression is still lying over Manchuria.

The monsoon is interrupted in the North, and is moderate over the N. part of the China Sea.

Forecast:— Moderate E. winds; dull, misty.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 11th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

11th FEBRUARY, 1903, P. M. — 12th FEBRUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	30.06	34	...	NW	2	c	7 a.	30.26	11	72	...	0	b
Nemuro,	,,	29.92	...	...	SW	6	...	6 a.	29.80	...	...	NW	6	...
Hakodate,	,,	30.01	...	...	SW	6	...	,,	30.05	...	...	W	8	...
Tokio	,,	30.06	...	...	...	0	...	,,	30.06	...	...	NW	2	...
Kochi,	,,	30.15	...	...	W	1	...	,,	30.19	...	...	NE	4	...
Nagasaki,	,,	30.27	...	...	NE	4	...	,,	30.11	...	...	NE	2	...
Kagoshima,	,,	30.27	...	...	NW	4	...	,,	30.15	...	...	NE	2	...
Oshima,	,,	30.24	...	...	S	4	...	,,	30.12	...	...	S	4	...
Naha,	,,	30.25	...	...	SE	4	...	,,	30.13	...	...	S	3	...
Ishigakijima,	,,	30.21	...	...	S	6	...	,,	30.13	...	...	S	6	...
Taihoku,	1 p.	30.17	...	...	E	2	...	5 a.	30.12	...	...	...	0	...
Taichu,	,,	30.15	...	...	SW	2	...	,,	30.15	...	...	...	0	...
Tainan,	,,	30.17	...	...	N	4	...	,,	30.10	...	...	N	2	...
Koshun,	,,	30.16	...	...	E	6	...	,,	30.08	...	...	...	0	...
Pescadores,	,,	30.17	...	...	NE	6	...	,,	30.10	...	...	NE	2	...
Weihaiwei,	3 p.	30.31	37	...	SE	2	...	9 a.	30.47	32	...	NW	2	...
Gutzlaff,	,,	30.21	59	93	SE	4	f	,,	30.35	41	92	NNE	6	omd
Sharp Peak,	,,	30.17	57	87	E	2	b	,,	30.13	54	94	..	0	f
Amoy,	2.30p.	30.23	60	82	SE	2	b	6.30a.	30.19	56	87	E	1	c
Swatow,	3 p.	30.16	66	...	ESE	2	b	9 a.	...	...	...	...	...	...
Canton,	,,	30.11	70	75	S	2	o	,,	...	...	...	...	...	...
Hongkong	4 p.	30.12	64	84	E	2	o	10 a.	30.18	65	90	E	1	o
Victoria Peak,	,,	...	...	...	SSE	5	...	,,	...	...	...	N	1	...
Cap Lock,	,,	30.11	...	...	ENE	3	...	,,	30.17	...	...	ENE	3	...
Macao,	,,	30.11	64	...	E	1	c	,,	30.18	64	...	SSE	1	o
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	30.04	79	58	NW	1	c	,,	30.08	81	69	W	1	b
Malate,	3 p.	...	...	...	NE	1	c	9 a.	...	...	...	NW	1	b
Facolod,	,,	...	...	...	NE	6	b	,,	...	...	...	NE	6	b
Iloilo,	,,	30.04	75	...	NE	3	c	,,	30.07	80	...	N	1	c
Cebu,	,,	30.01	82	...	N	3	c	,,	30.04	83	...	N	2	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 12.5p. The barometer has risen over N. China, fallen over Japan and S. China. The depression lying over Manchuria yesterday has passed to the NE. of Japan, and pressure is again higt over N. China.

Another area of low pressure lies between N. Formosa and SW. Japan.

The monsoon will set in strongly again in the Formosa Channel, and also freshen over the N. part of the China Sea during the next 24 hours.

Forecast:— NE. winds, freshening; fair at first, probably some rain later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 12th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	12th FEBRUARY, 1903, P. M.							13th FEBRUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	30.25	24	...	N	2	b	7 a.	30.23	10	...	N	1	b
Nemuro, ...	„	29.88	...	...	NW	8	...	6 a.	29.88	...	...	N	2	...
Hakodate, ...	„	30.09	...	...	W	6	...	„	29.97	...	...	W	2	...
Tokio	„	30.02	...	...	...	0	...	„	29.98	...	...	NW	2	...
Kochi, ...	„	29.95	...	...	E	2	...	„	29.99	...	...	...	4	...
Nagasaki, ...	„	29.92	...	...	N	6	...	„	30.15	...	...	N	2	...
Kagoshima, ...	„	29.95	...	...	...	0	...	„	30.15	...	...	...	0	...
Oshima, ...	„	30.04	...	...	S	4	...	„	30.08	...	...	N	8	...
Naha, ...	„	30.05	...	...	S	4	...	„	30.13	...	...	N	8	...
Ishigakijima, ...	„	30.09	...	...	SW	6	...	„	30.17	...	...	N	6	...
Taihoku, ...	1 p.	30.13	...	...	S	2	...	5 a.	30.31	...	...	E	4	...
Taichu, ...	„	30.07	...	...	N	6	...	„	30.17	...	...	N	6	...
Tainan, ...	„	30 07	...	...	N	6	...	„	30.16	...	...	N	6	...
Koshun, ...	„	30.04	...	...	SW	2	...	„	30.13	...	...	NE	6	...
Pescadores, ...	„	30.10	...	...	N	4	...	„	30.20	...	...	NE	10	...
Weihaiwei.....	3 p.	30.45	32	...	NW	3	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.40	41	83	N	6	cv	„	30.54	36	80	NNW	4	cv
Sharp Peak. ..	„	30.16	53	86	NE	6	o	„	30.37	48	78	NE	6	o
Amoy, ...	2.30p.	30.11	60	82	SE	1	o	6.30a.	30.38	52	86	NE	3	o
Swatow, ...	3 p.	30.05	69	...	...	0	c	9 a.	...	...	...	...	...	...
Canton, ...	„	30.13	58	58	N	3	o	„	30.34	53	80	N	2	o
Hongkong	4 p.	30.13	69	95	W	3	o	10 a.	30.22	60	67	..	0	o
Victoria Peak,.	„	...	...	...	WNW	2	...	„	...	...	...	NE	1	...
Cap Lock, ...	„	30.10	...	...	NNW	4	...	„	30.29	...	...	NNE	3	...
Macao, ...	„	30.14	64	...	NNW	2	c	„	30.33	59	...	N	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.96	88	59	SW	1	c	„	30.08	82	63	NNW	2	b
Malate,.	3 p.	...	...	...	...	0	b	9 a.	...	...	...	...	0	b
Tacoled, .. .	„	...	...	...	...	6	b	„	...	...	...	NE	2	b
Iloilo, ...	„	29.94	86	...	NE	3	b	„	30.05	81	...	NE	2	c
Cebu, ...	„	29.91	83	...	N	2	b	„	30.02	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.30a. The barometer has fallen over E. Japan, risen considerably on the China coast. The shallow area of low pressure has moved NE. and lies now off the E. coast of Japan.

A high pressure area covers China and very strong monsoon again prevails in the Formosa Channel and over the N. part of the China Sea.

Forecast:— fresh N. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 13th February 1903.

CHINA COAST METEOROLOGICAL REGISTER

STATION.	13th FEBRUARY, 1903, P. M.							14th FEBRUARY, 1903, A. M.						
	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.84	...	...	N	6	...	6 a.	30.00	...	...	NW	6	...
Hakodate, ...	„	29.93	...	...	W	8	...	„	30.09	...	...	W	4	...
Tokio,.....	„	29.98	...	...	N	2	...	„	30.18	...	...	N	6	...
Kochi, ...	„	30.07	...	...	NE	4	...	„	30.27	...	...	E	2	...
Nagasaki, ...	„	30.15	...	...	N	4	...	„	30.27	...	...	N	2	...
Kagoshima,.....	„	30.11	...	...	NE	2	...	„	30.23	...	...	N	4	...
Oshima, ...	„	30.12	...	...	N	6	...	„	30.20	...	...	NW	4	...
Naha, ...	„	30.17	...	...	N	8	...	„	30.25	...	...	N	6	...
Ishigakijima, ...	„	30.21	...	...	NE	6	...	„	30.29	...	...	NE	4	...
Taihoku,.....	1 p.	30.33	...	...	E	4	...	5 a.	30.38	...	...	E	4	...
Taichu, ...	„	30.20	...	...	N	6	...	„	30.25	...	...	N	4	...
Tainan, ...	„	30.20	...	...	N	6	...	„	30.27	...	...	N	4	...
Koshun, ...	„	30.16	...	...	NE	6	...	„	30.24	...	...	NE	2	...
Pescadores, ...	„	30.25	...	...	NE	10	...	„	30.29	...	...	NE	10	...
Weihaiwei.....	3 p.	30.47	42	...	NW	3	...	9 a.	30.37	40	...	NW	2	b
Gutzlaff, ...	„	30.50	38	72	N	4	cv	„	30.60	36	70	NW	3	cv
Sharp Peak. ..	„	30.34	51	72	E	5	o	„	30.47	49	71	NE	4	o
Amoy, ...	2.30p.	30.24	55	74	NE	4	o	6.30a.	30.47	50	72	NE	2	c
Swatow, ...	3 p.	30.26	57	...	E	1	o	9 a.	...	...	...	...	...	...
Canton, ...	„	30.26	69	76	N	1	o	„	...	...	...	...	...	...
Hongkong	4 p.	30.25	69	68	NE	1	o	10 a.	30.28	56	75	E	3	o
Victoria Peak,.	„	...	...	...	ENE	1	...	„	...	...	...	E	4	...
Cap Peck, ...	„	30.22	...	...	NE	3	...	„	30.34	...	...	ENE	4	...
Macao, ...	„	30.26	79	...	NNE	1	o	„	30.38	58	...	NNE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.96	88	87	ESE	2	c	„	30.12	82	63	WSW	1	o
Malate,.....	3 p.	...	...	...	E	2	c	9 a.	...	...	...	NE	1	c
Pacolod, ...	„	...	...	...	NE	4	b	„	...	...	...	...	..	...
Iloilo, ...	„	29.95	87	...	N	2	o	„	30.09	81	...	N	2	...
Cebu, ...	„	29.95	83	...	N	3	b	„	30.07	85	...	N	4	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.55a. The barometer has risen generally, particularly over Japan.
The high pressure area still covers China and is spreading Eastwards over Japan.
Strong monsoon along the China coast and over the China Sea.
Forecast:— fresh NE. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 14th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	14th FEBRUARY, 1903, P. M.							15th FEBRUARY, 1903, A. M.						
	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	29.92	...	...	W	6	...	6 a.	29.96	...	...	SW	6	...
Hakodate,	"	30.13	...	...	W	6	...	"	...	...	...	...	0	...
Tokio,	"	30.18	...	...	N	2	...	"	30.22	...	...	N	3	...
Kochi,	"	30.23	...	...	...	0	...	"	30.23	...	...	NE	2	...
Nagasaki,	"	30.27	...	...	N	2	...	"	30.31	...	...	...	0	...
Kagoshima,	"	30.28	...	...	S	2	...	"	30.31	...	...	N	2	...
Oshima,	"	30.24	...	...	N	6	...	"	30.24	...	...	SE	4	...
Naha,	"	30.29	...	...	N	6	...	"	30.29	...	...	N	4	...
Ishigakijima,	"	30.29	...	...	NE	6	...	"	30.29	...	...	NE	6	...
Taihoku,	1 p.	30.30	...	...	E	6	...	5 a.	30.30	...	...	E	4	...
Taichu,	"	30.27	...	...	N	4	...	"	30.24	...	...	...	0	...
Tainan,	"	30.26	...	...	N	4	...	"	30.27	...	...	N	2	...
Koshun,	"	30.22	...	...	NE	6	...	"	30.24	...	...	N	4	...
Pescadores,	"	30.28	...	...	NE	8	...	"	30.24	...	...	N	4	...
Weihaiwei,	3 p.	30.28	47	...	W	1	b	9 a.	30.37	44	...	N	1	b
Gutzlaff,	"	30.52	59	64	NNW	2	cv	"	30.48	40	74	NE	1	bv
Sharp Peak,	"	30.38	50	68	E	7	b	"	30.40	49	65	NNE	1	c
Amoy,	2.30p.	30.40	58	64	NE	1	b	6.30a.	30.41	52	76	NE	1	o
Swatow,	3 p.	30.29	58	...	E	4	o	9 a.	30.36	56	...	NE	2	b
Canton,	"	30.31	65	68	NE	1	o	"	30.35	54	94	NE	1	o
Hongkong	4 p.	30.29	67	71	E	2	o	10 a.	30.34	59	65	E	4	b
Victoria Peak,	"	...	...	...	E	3	...	"	...	...	...	ESE	3	...
Cap Peak,	"	30.24	...	...	NE	5	...	"	30.30	...	...	E	5	...
Macao,	"	30.29	69	...	NNE	2	c	"	30.36	59	...	ESE	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	30.10	84	58	E	1	c	"	30.12	82	58	NNE	1	c
Malate,	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	0	c
Pecoled,	"	...	...	...	NE	3	b	"	...	...	...	NE	6	b
Iloilo,	"	30.10	86	...	NE	3	b	"	30.09	77	...	N	3	o
Cebu,	"	29.96	83	...	N	4	b	"	30.02	83	...	N	4	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.50a. Pressure is still high but, giving way over China.
Elsewhere barometric changes are slight.
Decreasing monsoon along the China coast and over the N. part of the China Sea.
Forecast:— fresh to moderate E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 15th February 1903.

CHINA COAST METEOROLOGICAL REGISTER

Station.	15th FEBRUARY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th FEBRUARY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.03	32	...	NE	1	c	7 a.	30.13	15	99	...	0	b
Nemuro,	"	...	...	...	...	0	...	6 a.	29.92	...	...	N	4	...
Hakodate.	"	29.89	...	...	W	6	...	"	30.05	...	...	...	0	...
Tokio	"	30.06	...	...	S	4	...	"	30.10	...	...	NW	6	...
Kochi,	"	30.15	...	...	W	2	...	"	30.19	...	...	...	0	...
Nagasaki.	"	30.27	...	...	W	6	...	"	30.23	...	...	...	0	...
Kagoshima.	"	30.23	...	...	NW	4	...	"	30.23	...	...	N	2	...
Oshima,	"	30.24	...	...	N	2	...	"	30.24	...	...	S	2	...
Naha,	"	30.25	...	...	N	4	...	"	30.25	...	...	S	2	...
Ishigakijima,	"	30.29	...	...	E	6	...	"	30.21	...	...	NE	4	...
Taihoku,	1 p.	30.30	...	...	E	6	...	5 a.	30.22	...	...	...	0	...
Taichu,	"	...	...	...	W	2	...	"	30.22	...	...	NW	2	...
Tainan,	"	30.29	...	..	N	4	...	"	30.22	...	...	NE	2	...
Koshun,	"	30.25	...	...	N	2	...	"	30.20	...	...	...	0	...
Pescadores,	"	30.29	...	...	NE	6	...	"	30.22	...	...	NE	2	...
Weihaiwei.	3 p.	30.35	43	...	NW	2	...	9 a.	...	...	...	..	...	...
Gutzlaff,	"	...	...	...	...	...	...	"	30.38	43	83	SE	1	cv
Sharp Peak,	"	...	...	...	...	...	...	"	30.25	53	76	...	0	o
Amoy,	2.30p.	30.26	49	78	SE	1	b	6.30a.	...	...	...	...	...	...
Swatow,	3 p.	30.31	62	...	E	2	b	9 a.	30.32	58	...	N	1	o
Canton,	"	30.27	62	72	NNW	1	o	"	...	...	...	...	...	...
Hongkong	4 p.	30.25	60	71	E	4	b	10 a.	30.27	61	67	E	4	b
Victoria Peak,	"	...	...	...	ESE	2	...	"	...	...	...	E	2	...
Cap Rock	"	30.22	...	...	ENE	4	...	"	30.23	...	...	ENE	3	...
Macao,	"	...	64	...	SE	1	c	"	30.26	...	...	NNE	1	c
Haiphong.	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila.	"	30.04	82	67	ENE	2	b	"	30.12	81	...	...	0	b
Malate,	3 p.	...	...	...	NE	1	c	9 a.	...	...	...	NW	1	b
Bacolod.	"	...	...	...	NE	6	b	"	...	...	...	NE	6	o
Iloilo,	"	30.00	81	...	NE	3	c	"	30.06	77	...	NE	2	o
Cebu,	"	30.01	82	...	N	3	...	"	30.04	81	...	N	4	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.45a. The barometer has fallen over China, risen over the N. part of the Sea of Japan.

Pressure is highest between the E. coast of China and W. Japan, and gradients are slight generally, with light to moderate monsoon over S. China and the N. part of the China Sea.

Forecast:— NE. winds, moderate or light; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 16th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	16th FEBRUARY, 1903, P. M.							17th FEBRUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	30.06	34	...	N	1	b	7 a.	30.04	18	81	N	1	b
Nemuro, ...	„	30.00	...	...	N	6	...	6 a.	30.00	...	...	S	2	...
Hakodate, ...	„	30.05	...	...	W	4	...	„	30.05	...	...	...	0	...
Tokio.....	„	30.10	...	...	N	4	...	„	30.06	...	...	NE	2	...
Kochi, ...	„	30.11	...	...	...	0	...	„	30.07	...	...	...	0	...
Nagasaki, ...	„	30.15	...	...	N	2	...	„	30.15	...	...	N	4	...
Kagoshima.....	„	30.19	...	...	...	0	...	„	30.15	...	...	N	2	...
Oshima, ...	„	30.12	...	...	NW	2	...	„	30.16	...	...	NW	4	...
Naha, ...	„	30.17	...	...	NW	4	...	„	30.17	...	...	NE	4	...
Ishigakijima, ...	„	30.21	...	...	S	6	...	„	30.17	...	...	NE	6	...
Taihoku,.....	1 p.	30.21	...	...	NW	4	...	5 a.	30.22	...	...	E	4	...
Taichu, ...	„	30.19	...	...	N	2	...	„	30.20	...	...	...	0	...
Tainan, ...	„	30.19	...	...	N	6	...	„	30.19	...	...	N	2	...
Koshun, ...	„	30.16	...	...	SE	4	...	„	30.14	...	...	...	0	...
Pescadores, ...	„	30.21	...	...	NE	6	...	„	30.20	...	...	NE	6	...
Weihaiwei.....	3 p.	30.33	38	...	NW	2	...	9 a.	...	...	...	..	...	...
Gutzlaff, ...	„	30.33	47	77	SE	1	bv	„	30.43	41	92	NNE	1	cv
Sharp Peak, ..	„	30.22	53	77	E	6	o	„	30.36	49	85	NW	1	o
Amoy, ...	2.30p.	30.24	57	87	WSW	1	b	6.30a.	30.37	54	80	NE	3	o
Swatow, ...	3 p.	30.15	65	...	...	0	c	9 a.	...	...	...	...	...	...
Canton, ...	„	30.18	64	84	E	1	b	„	30.31	67	94	N	1	o
Hongkong	4 p.	30.15	66	68	W	1	b	10 a.	30.28	63	79	E	3	b
Victoria Peak..	„	...	...	...	E	1	...	„	...	...	...	E	2	...
Cap Jack	„	30.14	...	...	E	3	...	„	30.26	...	...	ENE	2	...
Macao, ...	„	30.15	64	...	ESE	1	c	„	30.29	64	...	NNW	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	30.10	82	57	E	1	o	„	30.16	75	83	...	0	o
Malate,.....	3 p.	...	...	...	NW	1	c	9 a.	...	...	...	...	0	o
Tacoloc, ...	„	...	...	...	NE	6	c	„	...	...	...	NE	3	o
Iloilo, ...	„	29.16	82	...	N	4	o	„	29.18	77	...	N	...	o
Cebu, ...	„	29.92	83	...	N	2	...	„	...	...	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.50a. The barometer has risen slightly on the China coast, fallen a little over Japan.
Pressure is highest over Central China, and relatively low over E. Japan.
Moderate to fresh monsoon in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate to fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 17th February 1903.

CHINA COAST METEOROLOGICAL REGISTER

17th FEBRUARY, 1903, P. M. — 18th FEBRUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.88	...	...	NW	8	...	6 a.	29.76	...	...	N	6	...
Hakodate,	,,	29.89	...	...	...	0	...	,,	29.81	...	...	...	0	...
Tokio,	,,	29.90	...	...	E	2	...	,,	29.86	...	...	NW	6	...
Kochi,	,,	29.95	...	...	...	0	...	,,	30.07	...	...	...	0	...
Nagasaki,	,,	30.19	...	...	N	8	...	,,	30.19	...	...	N	6	...
Kagoshima,	,,	30.15	...	...	NW	6	...	,,	30.19	...	...	N	6	...
Oshima,	,,	30.16	...	...	N	4	...	,,	30.24	...	...	N	6	...
Naha,	,,	30.21	...	...	N	8	...	,,	30.29	...	...	N	8	...
Ishigakijima,	,,	30.17	...	...	NE	4	...	,,	30.29	...	...	NE	6	...
Taihoku,	1 p.	30.26	...	...	E	4	...	5 a.	30.39	...	...	S	2	...
Taichu,	,,	30.17	...	...	...	0	...	,,	30.25	...	...	N	4	...
Tainan,	,,	30.15	...	...	N	4	...	,,	30.26	...	...	N	6	...
Koshun,	,,	30.15	...	...	N	6	...	,,	30.22	...	...	NE	6	...
Pescadores,	,,	30.23	...	...	NE	8	...	,,	30.29	...	...	NE	10	...
Weihaiwei,	3 p.	30.39	36	...	W	2	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.39	45	84	NNE	1	bv	,,	30.59	39	64	...	4	cv
Sharp Peak,	,,	30.28	52	79	E	2	o	,,	30.50	53	77	WNW	1	b
Amoy,	2.30p.	30.29	55	87	NE	1	o	6.30a.	30.49	52	79	NE	2	c
Swatow,	3 p.	30.20	61	...	E	3	o	9 a.	...	...	...	...	...	...
Canton,	,,	30.22	62	83	N	2	o	,,	...	...	...	...	...	...
Hongkong	4 p.	30.30	62	77	E	2	c	10 a.	30.43	61	70	NE	1	o
Victoria Peak,	,,	...	...	...	NE	1	...	,,	...	...	...	E	3	...
Gap Rock,	,,	30.19	...	...	ENE	3	...	,,	30.41	...	...	NE	4	...
Macao,	,,	30.20	64	...	SSE	1	c	,,	30.43	62	...	ENE	2	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	30.00	82	57	E	2	o	,,	30.16	79	69	NW	1	o
Malate,	3 p.	...	...	...	SE	2	c	9 a.	...	...	...	NE	...	o
Bacolod,	,,	...	...	...	NE	6	r	,,	...	...	...	NE	6	o
Iloilo,	,,	29.98	82	...	NE	...	c	,,	30.10	79	...	NE	2	b
Cebu,	,,	29.96	83	...	N	4	c	,,	30.11	83	...	N	4	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.40a. The barometer has fallen over E. Japan, risen over China.
An area of low pressure lies to the E. of Japan, and a high pressure area covers China.
Strong monsoon along the coast and over the China Sea.
Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 18th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	18th FEBRUARY, 1903, P. M.							19th FEBRUARY, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	30.04	23	...	N	3	c	7 a.	30.26	9	93	...	0	b
Nemuro,	„	29.69	...	...	N	3	...	6 a.	29.80	...	...	N	10	...
Hakodate,	„	29.73	...	...	NE	2	...	„	29.97	...	...	N	6	...
Tokio,	„	29.78	...	...	NW	6	...	„	29.94	...	...	NW	4	...
Kochi,	„	30.07	...	...	NW	6	...	„	30.15	...	...	W	4	...
Nagasaki,	„	30.15	...	...	N	8	...	„	30.34	...	...	N	4	...
Kagoshima,	„	30.15	...	...	NW	6	...	„	30.31	...	...	N	4	...
Oshima,	„	30.24	...	...	N	8	...	„	30.32	...	...	N	10	...
Naha,	„	30.33	...	...	NW	8	...	„	30.40	...	...	N	10	...
Ishigakijima,	„	30.36	...	...	N	6	...	„	30.44	...	...	N	6	...
Taihoku,	1 p.	30.46	...	...	E	6	...	5 a.	30.53	...	...	SE	4	...
Taichu,	„	30.39	...	...	N	8	...	„	30.24	...	...	N	2	...
Tainan,	„	30.26	...	...	N	6	...	„	30.35	...	...	N	6	...
Koshun,	„	30.27	...	...	NE	10	...	„	30.34	...	...	NE	8	...
Pescadores,	„	30.35	...	...	NE	10	...	„	30.39	...	...	NE	10	...
Weihaiwei,	3 p.	30.48	35	...	NW	2	...	9 a.	30.50	33	...	W	4	...
Gutzlaff,	„	30.61	39	55	N	5	cv	„	30.66	37	81	NNW	3	bv
Sharp Peak,	„	30.43	54	68	ENE	6	b	„	30.56	50	66	NE	5	c
Amoy,	2.30p.	30.42	62	56	NNE	...	b	6.30a.	30.59	50	66	NE	3	b
Swatow,	3 p.	30.35	64	...	SE	4	b	9 a.	30.42	59	...	ENE	6	b
Canton,	„	30.24	69	56	N	1	b	„	30.45	59	65	...	0	b
Hongkong	4 p.	30.34	61	71	E	1	o	10 a.	30.46	58	66	E	4	c
Victoria Peak,	„	...	...	...	ENE	1	...	„	...	...	...	ESE	4	...
Cap Peak,	„	30.32	...	...	ENE	4	...	„	30.42	...	...	ENE	5	...
Macao,	„	30.35	64	...	ESE	1	c	„	30.46	63	...	SE	1	b
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	30.08	81	62	NE	1	o	„	30.16	79	69	SE	1	o
Malate,	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0	o
Tacolod,	„	...	...	...	NE	6	c	„	...	...	...	NE	6	b
Iloilo,	„	30.02	88	...	NE	2	o	„	30.12	79	...	N	5	c
Cebu,	„	29.98	83	...	N	2	b	„	30.10	81	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 12.5p. The barometer has risen generally.

The low pressure area is moving away over the Pacific to the E. of Japan, and the high pressure area remains central over China.

Gradients are rather steep generally and very strong monsoon prevails in the Formosa Channel and over the N. part of the China Sea.

Forecast:— fresh to strong NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Thursday 19th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

19th FEBRUARY, 1903, P. M. — 20th FEBRUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,..	2 p.	30.22	26	...	NE	2	b	7 a.	30.22	12	71	W	1	c
Nemuro, ...	„	29.88	...	...	N	10	...	6 a.	30.08	...	...	NW	8	...
Hakodate, ...	„	30.06	...	...	N	4	...	„	30.17	...	...	...	0	...
Tokio.....	„	29.98	...	...	N	4	...	„	30.26	...	...	NW	2	...
Kochi, ...	„	30.23	...	...	...	0	...	„	30.34	...	...	...	0	...
Nagasaki, ...	„	30.38	...	...	N	6	...	„	30.42	...	...	...	0	...
Kagoshima,....	„	30.34	...	...	NW	6	...	„	30.42	...	...	N	2	...
Oshima, ...	„	30.35	...	...	N	8	...	„	30.39	...	...	S	2	...
Naha, ...	„	30.36	...	...	NE	6	...	„	30.36	...	...	NE	2	...
Ishigakijima, ...	„	30.44	...	...	NE	8	...	„	30.36	...	...	N	2	...
Tamsui,.....	1 p.	30.45	...	...	NE	8	...	5 a.	30.34	...	...	SE	2	...
Taichu, ...	„	30.36	...	...	SE	6	...	„	30.33	...	...	...	0	...
Tainan, ...	„	30.30	...	..	NW	2	...	„	30.34	...	...	N	2	...
Koshun, ...	„	30.34	...	...	NE	10	...	„	30.33	...	...	NE	4	...
Pescadores, ...	„	30.38	...	...	NE	10	...	„	30.36	...	...	NE	6	...
Weihaiwei.....	3 p.	30.42	42	...	N	2	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.56	43	51	NNE	1	bv	„	30.50	43	83	SE	2	cv
Sharp Peak, ..	„	30.46	50	58	ENE	7	b	„	30.44	50	65	WNW	1	o
Amoy, ...	2.30p.	30.45	59	48	ENE	3	b	6.30a.	30.53	51	79	WSW	2	o
Swatow, ...	3 p.	30.37	61	...	SE	4	b	9 a.	...	...	...	..	...	...
Canton, ...	„	30.32	69	65	S	1	b	„	30.42	58	59	...	0	o
Hongkong	4 p.	30.32	68	60	E	5	o	10 a.	30.41	59	56	EE	4	o
Victoria Peak,.	„	...	...	...	NE	4	...	„	...	...	...	E	6	...
Cap Beck.....	„	30.29	...	...	ENE	5	...	„	30.36	...	...	ENE	5	...
Macao, ...	„	30.34	67	...	ESE	1	c	„	30.40	62	...	SE	1	c
Paijeng, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	30.18	82	57	E	2	o	„	30.20	81	62	WSW	1	o
Malate,.....	3 p.	...	...	...	SE	1	c	9 a.	...	...	...	NW	1	c
Tacloc, ...	„	...	...	...	NE	6	c	„	...	...	...	NE	6	b
Iloilo, ...	„	30.00	83	...	NE	3	b	„	30.15	79	...	NE	3	c
Cebu, ...	„	30.01	83	...	N	3	b	„	30.13	81	...	N	4	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.45a. The barometer has risen over Japan, fallen on the China coast. The high pressure area has spread Eastwards and is central between the E. coast of China and W. Japan. Moderate monsoon in the Formosa Channel and decreasing monsoon over the N. part of the China Sea.. Forecast:— moderate E. winds; fair..

F. G. FIGG,
Acting Director..

Hongkong Observatory, Friday 20th February 1903.

CHINA COAST METEOROLOGICAL REGISTER

20th FEBRUARY, 1903, P. M. — 21st FEBRUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock..	2 p.	30.17	28	...	....	0	b	7 a.	30.28	8	94	...	0	f
Nemuro, ...	„	30.08	...	...	NW	6	...	6 a.	29.92	...	...	...	0	...
Hakodate, ...	„	30.13	...	...	W	6	...	„	29.97	...	...	N	2	...
Tokio	„	30.18	...	...	NW	2	...	„	29.98	...	...	N	2	...
Kochi, ...	„	30.41	...	...	NW	6	...	„	30.07	...	...	NW	6	...
Nagasaki	„	30.34	...	...	SE	6	...	„	30.19	...	...	NW	8	...
Kagoshima.....	„	30.34	...	...	W	4	...	„	30.15	...	...	N	6	...
Oshima, ...	„	30.35	...	...	N	2	...	„	30.24	...	...	NW	6	...
Naha, ...	„	30.34	...	...	S	2	...	„	30.29	...	...	N	8	...
Ishigakijima, ..	„	30.33	...	...	SW	2	...	„	30.33	...	...	N	6	...
Taiheku,.....	1 p.	30.36	...	...	...	0	...	5 a.	30.33	...	...	NE	4	...
Taichu, ...	„	30.33	...	...	N	4	...	„	30.29	...	...	E	2	...
Tainan, ...	„	30.33	...	..	...	0	...	„	30.31	...	...	N	4	...
Koshun, ...	„	30.33	...	...	NE	2	...	„	30.29	...	...	...	0	...
Pescadores. ..	„	30.30	...	...	NE	6	...	„	30.33	...	...	NE	8	...
Weihaiwei.....	3 p.	30.45	30	...	NW	4	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.46	46	69	...	...	c	„	30.64	36	61	N	5	cv
Sharp Peak, ..	„	30.34	54	61	E	3	c	„	30.49	52	76	NE	5	o
Amoy, ...	2.20p.	30.41	56	75	SSW	1	c	6.30a.	30.51	54	74	NE	1	o
Swatow, ...	3 p.	30.35	59	...	E	1	o	9 a.	...	...	...	..	...	...
Canton, ...	„	30.33	66	64	N	1	o	„	...	...	...	...	...	...
Hongkong	4 p.	30.32	59	54	E	4	o	10 a.	30.44	61	66	N	1	o
Victoria Peak,.	„	...	...	...	E	3	...	„	...	...	...	N	2	...
Cap Rock.	„	30.27	...	...	ENE	4	...	„	30.40	...	...	N	2	...
Macao, ...	„	30.32	63	...	ESE	1	c	„	30.44	63	...	N	1	c
Haiphong, ..	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	30.08	81	56	E	1	o	„	30.20	79	61	SW	1	b
Malate,.....	3 p.	...	...	...	...	0	c	9 a.	...	...	...	W	1	b
Bacolod, ...	„	...	...	...	NE	6	b	„	...	...	...	NE	6	b
Iloilo, ...	„	30.05	83	...	N	3	c	„	30.12	78	...	N	6	c
Cebu, ...	„	30.00	83	...	N	2	c	„	30.13	80	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11.50a. The barometer has fallen considerably over Japan; risen over China, particularly in the North.

An anticylone of considerable intensity again covers China, and a low pressure area lies over E. Japan.

Very strong monsoon will again set in in the Formosa Channel and over the N. part of the China Sea during the next 24 hours.

Forecast:— fresh N. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 21st February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st FEBRUARY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd FEBRUARY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	..	...	...	...	...
Nemuro,	„	29.84	...	...	NE	4	...	6 a.	29.72	...	...	SE	2	...
Hakodate,	„	29.85	...	...	...	0	...	„	29.70	...	...	W	2	...
Tokio,	„	29.78	...	...	S	2	...	„	29.82	...	...	NW	4	...
Kochi,	„	29.91	...	...	W	1	...	„	30.11	...	...	N	1	...
Nagasaki,	„	30.19	...	...	N	8	...	„	30.23	...	...	W	6	...
Kagoshima,	„	30.15	...	...	N	8	...	„	30.23	...	...	N	6	...
Oshima,	„	30.20	...	...	N	6	...	„	30.28	...	...	N	8	...
Naha,	„	30.33	...	...	NW	8	...	„	30.33	...	...	NW	8	...
Ishigakijima,	„	30.37	...	...	N	4	...	„	30.40	...	...	N	6	...
Taihoku,	1 p.	30.46	...	...	NE	6	...	5 a.	30.47	...	...	NE	4	...
Taichu,	„	30.38	...	...	N	6	...	„	30.33	...	...	N	4	...
Tainan,	„	30.25	...	..	N	6	...	„	30.26	...	...	N	6	...
Koshun,	„	30.28	...	...	NE	8	...	„	30.31	...	...	NE	8	...
Pescadores,	„	30.36	...	...	NE	10	...	„	30.39	...	...	NE	10	...
Weihaiwei,	3 p.	30.47	52	...	NW	4	...	9 a.	...	...	...	...	...	...
Gutzlaff,	„	30.61	56	54	N	5	cv	„	30.62	56	61	NNW	4	bv
Sharp Peak,	„	30.43	54	71	E	5	o	„	30.54	48	71	E	5	o
Amoy,	2.30p.	30.43	62	61	NE	3	o	6.30a.	30.54	56	79	NE	1	o
Swatow,	3 p.	30.36	61	...	E	1	o	9 a.	30.50	59	...	ENE	4	b
Canton,	„	30.39	64	68	N	2	b	„	...	...	...	...	...	...
Pakhoi,	4 p.	30.54	64	53	E	1	b	10 a.	30.46	59	71	E	3	o
Victoria Peak,	„	...	...	...	ENE	1	...	„	...	...	...	E	3	...
Cap Lock,	„	30.32	...	...	NE	3	...	„	30.42	...	...	NE	5	...
Macao,	„	30.35	62	...	NNE	1	c	„	30.46	61	...	ENE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	30.08	82	44	E	1	c	„	30.20	77	68	...	0	o
Malate,	3 p.	...	...	...	NE	2	c	9 a.	...	...	...	N	1	o
Iloilo,	„	...	...	...	NE	6	b	„	...	...	...	NE	6	b
Cebu,	„	30.04	82	...	NE	3	c	„	30.15	77	...	N	2	b
Capo S. James,	„	30.06	81	...	N	4	c	„	30.14	80	...	N	4	b
	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.25a. The barometer has fallen over NE. Japan, and is little changed elsewhere. The anticyclone remains central over China, and the low pressure area lies now over NE. Japan. The monsoon will decrease in strength on the China coast, but continue to blow strongly over the China Sea.

Forecast:— fresh to moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 22nd February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

22nd FEBRUARY, 1903, P. M. — 23rd FEBRUARY, 1903, A. M.

STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	..	...	...	...	...
Nemuro, ...	„	29.69	...	...	NW	6	...	6 a.	29.84	...	...	NE	8	...
Hakodate, ...	„	29.66	...	...	W	6	...	„	29.86	...	...	N	2	...
Tokio,.....	„	29.78	...	...	S	4	...	„	29.98	...	...	N	2	...
Kochi, ...	„	30.11	...	...	W	6	...	„	30.27	...	...	W	2	...
Nagas,aki, ...	„	30.23	...	...	NW	8	...	„	30.31	...	...	N	2	...
Kagoshima,....	„	30.19	...	...	N	8	...	„	30.31	...	...	NE	2	...
Oshima, ...	„	30.28	...	...	N	8	...	„	30.32	...	...	N	8	...
Naha, ...	„	30.26	...	...	NW	8	...	„	...	...	...	N	6	...
Ishigakijima, ...	„	30.40	...	...	N	6	...	„	...	...	...	NE	4	...
Taihoku,.....	1 p.	30.47	...	...	NE	6	...	5 a.	30.43	...	...	E	4	...
Taichu, ...	„	30.32	...	...	N	8	...	„	30.35	...	...	...	0	...
Tainan,.....	„	30.33	...	...	N	4	...	„	30.34	...	...	N	4	...
Koshun, ...	„	30.34	...	...	NE	6	...	„	30.34	...	...	NE	6	...
Pescadores, ...	„	30.40	...	...	NE	10	...	„	30.37	...	...	NE	8	...
Weihaiwei.....	3 p.	30.42	46	...	NW	3	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.57	44	37	N	3	bv	„	30 58	40	66	NNW	3	cm
Sharp Peak. ..	„	30.45	51	66	E	3	b	„	30.51	52	57	N	2	b
Amoy, ...	2.30p.	30.47	59	82	ENE	2	c	6.30a.	30.52	52	73	NE	1	b
Swatow, ...	3 p.	30.43	62	...	E	4	b	9 a.	...	...	...	...	...	...
Canton, ...	„	30.41	63	52	E	2	o	„	...	...	...	...	...	...
Hongkong	4 p.	30.36	59	68	E	3	b	10 a.	30.44	60	61	E	2	o
Victoria Peak,.	„	...	...	...	E	1	...	„	...	...	...	ESE	3	...
Cap Rock.	„	30.33	...	...	ENE	4	...	„	30.40	...	...	ENE	4	...
Macao, ...	„	30.36	64	...	ESE	1	c	„	30.43	63	...	ESE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	30.08	82	51	ENE	3	b	„	30.20	77	68	...	0	o
Malate,.....	3 p.	...	...	...	NE	1	c	9 a.	...	...	...	...	0	o
Bacolod, ...	„	...	...	...	NE	6	b	„	...	...	...	NE	6	b
Iloilo, ...	„	30.05	83	...	NE	:	c	„	30.16	78	...	NE	3	o
Cebu, ...	„	30.02	82	...	N	4	b	„	30.14	81	...	N	4	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.30a. The barometer has risen over Japan, fallen slightly on the China coast. The anticylone still covers China, and gradients are slight to moderate with moderate monsoon along the coast, and strong monsoon over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 23d February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

23rd FEBRUARY, 1903, P. M. — 24th FEBRUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.12	31	...	...	0	b	7 a.	29.98	12	91	...	0	f
Nemuro,	„	29.88	...	...	N	3	...	6 a.	29.80	...	...	W	2	...
Hakodate,	„	29.93	...	...	N	2	...	„	30.01	...	...	W	6	...
Tokio,	„	30.02	...	...	N	10	...	„	30.22	...	...	SW	2	...
Kochi,	„	30.19	...	...	W	2	...	„	30.34	...	...	...	0	...
Nagasaki,	„	30.34	...	...	N	6	...	„	30.42	...	...	...	0	...
Kagoshima,	„	30.34	...	...	NW	6	...	„	30.42	...	...	NE	4	...
Oshima,	„	30.35	...	...	N	6	...	„	30.39	...	...	S	2	...
Naha,	„	30.36	...	...	N	6	...	„	30.40	...	...	...	0	...
Ishigakijima,	„	30.40	...	...	NE	6	...	„	30.36	...	...	NE	4	...
Tamsui,	1 p.	30.29	...	...	NE	8	...	5 a.	30.33	...	...	...	0	...
Taichu,	„	30.30	...	...	N	4	...	„	30.30	...	...	...	0	...
Tainan,	„	30.34	...	...	W	4	...	„	30.36	...	...	N	2	...
Koshun,	„	30.33	...	...	S	2	...	„	30.31	...	...	NE	6	...
Pescadores,	„	30.37	...	...	NE	8	...	„	30.31	...	...	N	6	...
Weihaiwei,	3 p.	30.40	43	...	SE	1	...	9 a.	...	...	...	...	...	...
Gutzlaff,	„	30.30	49	50	WSW	2	1m	„	30.24	47	77	S	4	cv
Sharp Peak,	„	30.42	52	53	ENE	5	b	„	30.34	55	68	WNW	2	c
Amoy,	2.30p.	30.42	62	53	NE	3	b	6.30a.	30.42	52	73	SW	4	b
Swatow,	3 p.	30.13	63	...	SE	2	b	9 a.	30.37	59	...	N	1	cm
Canton,	„	30.31	73	58	...	0	b	„	...	...	...	...	...	...
Hongkong	4 p.	30.32	61	46	E	4	b	10 a.	30.33	63	48	E	3	c
Victoria Peak,	„	...	...	...	ESE	5	...	„	...	...	...	ESE	4	...
Cap Pack,	„	30.29	...	...	E	4	...	„	30.30	...	...	ENE	5	...
Macao,	„	30.32	67	...	ESE	2	b	„	30.31	64	...	ESE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	30.12	79	55	E	2	c	„	...	...	...	...	...	...
Malate,	3 p.	...	...	...	NE	2	c	9 a.	...	...	...	N	1	b
Excided,	„	...	...	...	NE	6	b	„	...	...	...	NE	6	b
Iloilo,	„	30.04	83	...	N	4	b	„	30.14	76	...	NE	4	c
Cebu,	„	30.04	81	...	W	4	b	„	30.13	81	...	N	5	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.50a. The barometer has risen over Japan; fallen on the China coast, particularly in the North.

The high pressure area has moved Eastwards and is now central over SW. Japan.

Probably a depression exists over N. China.

The monsoon is interrupted on the China coast. Moderate monsoon over the N. part of the China Sea.

Forecast:— moderate or light E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 24th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

24th FEBRUARY, 1903, P. M. — 25th FEBRUARY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.93	42	...	...	0	c	7 a.	29.97	24	85	...	0	b
Nemuro,	„	29.72	...	...	SW	6	...	6 a.	29.65	...	...	W	6	...
Hakodate,	„	29.93	...	...	W	8	...	„	29.89	...	...	W	6	...
Tokio	„	30.18	...	...	S	4	...	„	30.18	...	...	...	0	...
Kochi,	„	30.27	...	...	W	2	...	„	30.27	...	...	...	0	...
Nagasaki,	„	30.34	...	...	W	4	...	„	30.19	...	...	SE	8	...
Kagoshima,	„	30.24	...	...	NW	2	...	„	30.27	...	...	...	0	...
Oshima,	„	30.35	...	...	N	4	...	„	30.32	...	...	S	2	...
Naha,	„	30.33	...	...	SE	2	...	„	30.29	...	...	SE	2	...
Ishigakijima,	„	30.21	...	...	S	4	...	„	30.21	...	...	S	6	...
Taihoku,	1 p.	30.24	...	...	N	4	...	5 a.	30.16	...	...	...	0	...
Taichu,	„	30.24	...	...	W	4	...	„	30.16	...	...	...	0	...
Tainan,	„	30.26	...	...	SW	4	...	„	30.15	...	...	NE	3	...
Koshun,	„	30.28	...	...	E	6	...	„	30.17	...	...	E	4	...
Pescadores,	„	30.28	...	...	N	6	...	„	30.15	...	...	NE	4	...
Weihaiwei	3 p.	30.15	45	...	S	2	...	9 a.	...	...	...	...	...	...
Cutzlaff,	„	30.24	47	85	S	4	omd	„	30.16	55	73	S	5	cv
Sharp Peak,	„	30.20	57	75	E	2	b	„	30.14	58	81	...	0	...
Amoy,	2.30p.	30.24	62	72	SE	4	b	6.30a.	30.19	58	81	E	2	o
Swatow,	3 p.	30.20	66	...	SE	1	c	9 a.	...	...	...	...	...	...
Canton,	„	30.20	71	75	S	2	c	„	30.10	66	89	SE	2	c
Hongkong	4 p.	30.18	64	56	E	3	o	10 a.	30.13	68	82	ENE	2	o
Victoria Peak,	„	...	...	...	ESE	4	...	„	...	...	...	E	3	...
Cap Bech	„	30.15	...	...	ENE	4	...	„	30.12	...	...	ESE	3	...
Macao,	„	30.17	66	...	ESE	1	c	„	30.13	66	...	SE	1	o
Haipheng,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	30.08	79	55	ESE	2	c	„	30.16	81	62	...	0	o
Malate,	3 p.	...	...	...	SE	3	c	9 a.	...	...	...	N	1	c
Pacoled,	„	...	...	...	NE	6	b	„	...	...	...	NE	3	b
Iloilo,	„	30.02	81	...	NE	3	c	„	30.09	77	...	NE	2	b
Cebu,	„	30.03	82	...	N	4	...	„	30.09	82	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 11.55a. The barometer has fallen generally.

A depression is moving into the Pacific to the NE. of Japan, and another depression is advancing Eastwards over Central China.

Pressure is highest over SW. Japan and the Loochoos.

The monsoon continues interrupted along the China coast. Gradients are slight for SE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— light SE. winds; cloudy, probably some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 25th February 1903.

CHINA COAST METEOROLOGICAL REGISTER

25th FEBRUARY, 1903, P. M. | 26th FEBRUARY, 1903, A. M.

STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. DIRECTION.	WIND. FORCE.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. DIRECTION.	WIND. FORCE.	WEATHER.
Wladivostock, ..	2 p.	29.93	46	...	...	0	b	7 a.	29.74	28	70	NE	4	o
Nemuro, ...	,,	29.80	...	...	N	8	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	29.97	...	...	W	8	...	,,	...	...	...	...	...	...
Tokio, ...	,,	30.10	...	...	S	4	...	,,	...	...	...	...	...	...
Kochi, ...	,,	30.23	...	...	...	0	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	30.11	...	...	SW	8	...	,,	...	...	...	...	...	...
Kagoshima.....	,,	30.19	...	...	S	2	...	,,	...	...	...	...	...	...
Oshima, ...	,,	30.20	...	...	S	6	...	,,	...	...	...	...	...	...
Naha, ...	,,	30.21	...	...	S	4	...	,,	...	...	...	...	...	...
Ishigakijima, ...	,,	30.17	...	...	S	8	...	,,	...	...	...	...	...	...
Taihoku, ...	1 p.	30.09	...	...	N	2	...	5 a.	30.09	...	...	...	0	...
Taichu, ...	,,	30.06	...	...	S	6	...	,,	...	...	...	...	...	...
Tainan, ...	,,	30.07	...	...	...	...	...	,,	30.09	...	...	...	0	...
Koshun, ...	,,	30.10	...	...	E	8	...	,,	30.08	...	...	...	0	...
Pescadores, ...	,,	30.08	...	...	S	4	...	,,	30.08	...	...	SW	2	...
Weihaiwei.....	3 p.	29.80	39	...	NNE	1	...	9 a.	30.09	37	...	NW	2	...
Gutzlaff, ...	,,	29.93	56	69	S	5	cv	,,	30.30	47	85	N	4	cm
Sharp Peak, ..	,,	30.01	62	80	ESE	1	o	,,	30.15	65	84	...	0	o
Amoy, ...	2.30p.	30.10	64	89	...	0	o	6.30a.	30.17	61	94	...	0	of
Swatow, ...	3 p.	30.02	68	...	ESE	1	o	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	30.02	71	77	...	0	o	10 a.	30.15	68	95	E	1	of
Victoria Peak,.	,,	...	...	...	S	2	...	,,	...	...	...	SSE	2	...
Cap Pock.	,,	30.00	...	...	ESE	2	...	,,	30.13	...	...	E	2	...
Macao, ...	,,	30.01	69	...	SE	1	c	,,	30.14	68	...	SSE	1	of
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	30.09	82	57	E	1	o	,,	30.12	77	75	WSW	1	o
Malate, ...	3 p.	...	...	...	N	3	c	9 a.	...	...	...	NW	1	c
Bacolod, ...	,,	...	...	...	NE	6	b	,,	...	...	...	NE	3	o
Iloilo, ...	,,	29.98	84	...	E	2	b	,,	30.06	79	...	N	2	c
Cebu, ...	,,	29.99	82	...	N	3	b	,,	30.06	81	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 12.5p. The barometer has risen rapidly over the E. coast of China, fallen quickly at Wladiwostock.

The depression, moving Eastwards, probably passed to the North of Shanghai during the night and is now moving into the W. part of the Sea of Japan.

Strong monsoon will probably set in again over the Formosa Channel and S. coast of China during the next 24 hours.

Forecast:— NE. winds, freshening; cloudy, drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 26th February 1903.

CHINA COAST METEOROLOGICAL R[illegible]

26th FEBRUARY, 1903, P. M. 27th FEBRUARY, [illegible] A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.75	34	...	NE	4	o	7 a.	29.95	27	70	...	0	b
Nemuro,	„	29.76	...	...	S	6	...	6 a.	...	...	...	...	...	...
Hakodate,	„	29.70	...	...	N	4	...	„	...	...	...	...	...	...
Tokio,	„	29.66	...	...	S	4	...	„	...	...	...	...	...	...
Kochi,	„	29.83	...	...	W	8	...	„	...	...	...	...	...	...
Nagasaki,	„	30.03	...	...	NW	8	...	„	...	...	...	...	...	...
Kagoshima,	„	30.03	...	...	NW	6	...	„	...	...	...	...	...	...
Usbima,	„	30.12	...	...	S	6	...	„	...	...	...	...	...	...
Naha,	„	30.17	...	...	S	6	...	„	...	...	...	...	...	...
Ishigakijima,	„	30.17	...	...	S	2	...	„	...	...	...	...	...	...
Taihoku,	1 p.	30.14	...	...	NW	2	...	5 a.	30.11	...	...	E	6	...
Taichu,	„	30.09	...	...	NW	4	...	„	30.06	...	...	N	2	...
Tainan,	„	30.10	...	...	W	4	...	„	30.04	...	...	N	2	...
Koshun,	„	30.11	...	...	SW	4	...	„	30.06	...	...	E	4	...
Pescadores,	„	30.12	...	...	N	6	...	„	30.07	...	...	NE	2	...
Weihaiwei	3 p.	30.12	39	...	NW	3	...	9 a.	30.31	40	...	W	2	b
Gutzlaff,	„	30.27	51	79	N	2	bm	„	30.32	48	78	E	3	bm
Sharp Peak,	„	30.12	60	79	E	6	o	„	30.18	56	81	E	3	o
Amoy,	2.30p.	30.12	67	89	SE	2	c	6.30a.	30.18	62	89	NE	2	c
Swatow,	3 p.	30.04	70	...	SE	2	b	9 a.	...	...	...	...	...	...
Canton,	„	30.02	76	82	E	1	c	„	...	...	...	...	...	...
Hongkong	4 p.	30.04	69	90	E	3	c	10 a.	30.09	64	92	E	3	o
Victoria Peak,	„	...	...	...	E	1	...	„	...	...	...	...	...	...
Cap Bock	„	30.02	...	...	ESE	2	...	„	30.05	...	...	E	3	...
Macao,	„	30.05	70	...	SE	1	c	„	30.09	69	...	ESE	1	o
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	30.00	86	53	SE	3	b	„	30.00	79	76	W	1	...
Malate,	3 p.	...	...	...	WSW	1	b	9 a.	...	...	...	...	0	c
Iscoled,	„	...	...	...	NE	4	c	„	...	...	...	NE	2	c
Iloilo,	„	29.98	85	...	NE	2	o	„	29.99	78	...	NE	2	c
Cebu,	„	29.97	81	...	N	2	...	„	30.03	78	...	N	2	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 11.45a. The barometer has risen over N. China, fallen over the S. coast of China and the Philippines.

The depression has probably moved into the Pacific to the E. of Japan. Pressure is highest over the E. coast of China.

Strong monsoon in the Formosa Channel, moderate monsoon over the N. part of the China Sea.

Forecast:— fresh E. winds; dull, drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 27th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	27th FEBRUARY, 1903, P. M.							28th FEBRUARY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.80	...	...	N	8	...	6 a.	29.88	...	...	NW	6	...
Hakodate, ...	„	29.85	...	...	NW	2	...	„	30.01	...	...	...	0	...
Tokio, ...	„	29.86	...	...	NW	2	...	„	30.02	...	...	N	2	...
Kochi, ...	„	30.03	...	...	W	2	...	„	30.07	...	...	...	0	...
Nagasaki, ...	„	30.15	...	...	W	6	...	„	30.07	...	...	NE	2	...
Kagoshima, ...	„	30.11	...	...	SW	6	...	„	30.03	...	...	SE	2	...
Oshima, ...	„	30.16	...	...	N	4	...	„	30.08	...	...	...	0	...
Naha, ...	„	30.13	...	...	N	4	...	„	30.05	...	...	...	0	...
Ishigakijima, ...	„	30.13	...	...	SE	6	...	„	30.01	...	...	NE	8	...
Taihoku, ...	1 p.	30.05	...	...	W	6	...	5 a.	...	...	...	...	...	...
Taichu, ...	„	30.04	...	...	N	2	...	„	...	...	...	...	..	...
Tainan, ...	„	30.04	...	...	SW	2	...	„	...	...	...	...	..	...
Koshun, ...	„	30.06	...	...	E	6	...	„	...	...	...	..	...	...
Pescadores, ...	„	30.07	...	...	NE	8	...	„	...	...	...	...	..	...
Weihaiwei, ...	3 p.	30.30	43	...	NNW	2	...	9 a.	...	...	...	..	..	..
Gutzlaff, ...	„	30.27	49	85	ENE	2	cm	„	30.26	43	92	NE	4	omd
Sharp Peak, ..	„	30.10	58	70	E	3	o	„	30.16	56	84	E	1	o
Amoy, ...	2.30p.	30.15	60	82	SE	2	o	6.30a.	30.11	58	88	...	0	c
Swatow, ...	3 p.	30.12	65	...	E	1	o	9 a.	...	...	...	...	...	...
Canton, ...	„	30.03	72	85	E	1	o	„	...	...	...	...	...	...
Hongkong	4 p.	30.02	66	84	E	4	o	10 a.	30.08	67	85	E	1	o
Victoria Peak,.	„	...	...	...	ESE	4	...	„	...	...	...	...	...	...
Cap Lock, ...	„	30.00	...	...	ENE	4	...	„	...	...	...	...	...	...
Macao, ...	„	30.03	...	...	SE	1	c	„	30.08	69	...	NE	1	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.92	84	64	W	1	o	„	...	...	...	...	...	...
Malate, ...	3 p.	...	...	...	SE	1	o	9 a.	...	...	...	...	...	...
Lacolec, ...	„	...	...	...	NE	4	o	„	...	...	...	NE	3	b
Iloilo, ...	„	29.90	82	...	E	1	o	„	29.98	80	...	NE	1	b
Cebu, ...	„	29.90	79	...	N	1	o	„	29.98	81	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 12.30p. The barometer has risen over E. Japan, fallen slightly elsewhere.
Pressure is highest over N. China.
Gradients are slight with moderate monsoon along the coast and over the N. part of the China Sea.
Forecast:— light NE. or E. breezes; dull, misty.
Telegraphic communication with Hongkong interrupted.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Saturday 28th February 1903.

CHINA COAST METEOROLOGICAL REGISTER.

28th FEBRUARY, 1903, P. M. — 1st MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.84	...	...	NW	2	...	6 a.	29.80	...	...	W	2	...
Hakodate, ...	,,	29.93	...	...	W	4	...	,,	29.93	...	...	...	C	...
Tokio.....	,,	29.98	...	...	S	2	...	,,	30.02	...	...	...	0	...
Kochi, ...	,,	30.03	...	...	...	0	...	,,	29.95	...	...	E	2	...
Nagas,aki, ...	,,	30.07	...	...	N	2	...	,,	29.95	...	...	NE	2	...
Kagoshima,.....	,,	29.99	...	...	...	0	...	,,	29.95	...	...	N	2	...
Oshima, ...	,,	29.96	...	...	S	4	...	,,	29.88	...	...	...	0	...
Naha, ...	,,	29.97	...	...	S	4	...	,,	29.93	...	...	NW	6	...
Ishigakijima, ...	,,	30.01	...	...	S	6	...	,,	29.97	...	...	N	4	...
Taihoku,.....	1 p.	30.01	...	...	NW	6	...	5 a.	30.08	...	...	S	2	...
Taichu, ...	,,	29.98	...	...	N	6	...	,,	30.00	...	...	N	2	...
Tainan, ...	,,	29.96	...	...	N	2	...	,,	29.99	...	...	N	4	...
Koshun, ...	,,	29.98	...	...	E	6	...	,,	...	...	...	..	...	...
Pescadores, ...	,,	29.98	...	...	NE	6	...	,,	30.01	...	...	NE	8	...
Weihaiwei.....	3 p.	30.12	52	...	W	2	...	9 a.	...	...	..	..	..	...
Gutzlaff, ...	,,	30.09	44	92	N	4	omd	,,	30.23	42	83	NNW	3	cv
Sharp Peak, ..	,,	30.04	55	80	E	5	fd	,,	30.15	55	87	E	2	c
Amoy, ...	2.30p.	30.04	61	88	SE	1	o	6.30a.	30.16	66	68	SE	1	c
Swatow, ...	3 p.	30.05	67	...	NW	2	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	..	56	100	N	1	or	,,	30.18	54	87	N	1	o
Hongkong	4 p.	30.04	63	87	NW	1	o	10 a.	30.13	65	45	E	1	b
Victoria Peak,.	,,	...	...	...	..	..	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	29.99	...	...	NNW	6	...	,,	30.11	...	...	NNE	3	...
Macao, ...	,,	30.06	65	...	NNW	2	o	,,	30.14	62	...	N	3	b
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	86	89	SSE	3	c	,,	30.00	82	68	WSW	1	c
Malate,.....	3 p.	...	...	...	W	2	c	9 a.	...	...	...	...	o	b
Bacolod, ...	,,	...	...	...	NE	6	c	,,	...	...	...	NE	2	b
Iloilo, ...	,,	29.88	86	...	NE	2	b	,,	29.96	81	...	NE	1	o
Cebu, ...	,,	29.87	83	...	N	3	b	,,	29.98	82	...	...	0	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 12.10p. The barometer has fallen over Japan and the Loochoos owing to a shallow depression, which seems to be moving NE. to the S. of Japan.

Pressure is highest over central China. Moderate to fresh monsoon along the coast and over the N. part of the China Sea.

Forecast:—moderate N. winds; fine.

Telegraphic communication between the Observatory and Hongkong continues interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 1st March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	1st MARCH, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd MARCH, 1903. A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Fusan,	"	29.76	...	...	SW	6	...	6 a.	29.76	...	...	SW	4	...
Hakodate,	"	29.89	...	...	W	4	...	"	29.89	...	...	...	0	...
Tokio,	"	29.98	...	...	NE	2	...	"	29.86	...	...	NE	2	...
Kochi,	"	29.87	...	...	E	1	...	"	29.99	...	...	...	0	...
Nagasaki,	"	29.91	...	...	N	4	...	"	30.15	...	...	...	0	...
Kagoshima,	"	29.87	...	...	...	0	...	"	30.15	...	...	N	2	...
Oshima,	"	29.92	...	...	NW	6	...	"	30.32	...	...	N	6	...
Naha,	"	29.97	...	...	NW	8	...	"	30.18	...	...	N	6	...
Ishigakijima,	"	30.05	...	...	N	6	...	"	30.18	...	...	NE	4	...
Taiheku,	3 p.	30.12	...	...	...	0	...	5 a.	30.18	...	...	E	6	...
Taichu,	"	30.03	...	...	N	6	...	"	30.07	...	...	...	0	...
Tainan,	"	...	...	...	...	...	...	"	30.07	...	...	N	2	...
Koshun,	"	...	...	...	...	...	...	"	30.06	...	...	NE	6	...
Pescadores,	"	30.07	...	...	N	8	...	"	30.09	...	...	NE	6	...
Weihaiwei,	3 p.	29.90	59	...	SW	3	b	9 a.	...	...	...	...	...	...
Gutzlaff,	"	30.21	47	85	N	1	bv	"	30.28	46	84	S	3	bv
Sharp Peak,	"	30.10	54	80	E	3	c	"	30.22	55	71	WNW	1	b
Amoy,	2.30p.	30.11	62	77	NE	1	b	6.30a.	30.24	55	87	NE	2	c
Swatow,	3 p.	30.06	68	...	E	3	b	9 a.	...	...	...	...	...	...
Canton,	"	30.10	70	90	W	1	b	"	30.12	61	88	...	0	c
Hongkong	4 p.	30.02	66	46	E	1	b	10 a.	30.13	62	89	ENE	4	o
Victoria Peak,	"	...	...	...	...	0	...	"	...	...	...	...	...	...
Cap Beck,	"	30.02	...	...	ENE	2	...	"	30.09	...	...	E	4	...
Macao,	"	30.03	63	...	SE	1	b	"	30.11	64	...	SE	2	o
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.88	86	71	SW	1	b	"	30.00	82	70	SW	1	b
Maiate,	3 p.	...	...	...	W	1	b	9 a.	...	...	...	NW	1	b
Pacoloc,	"	...	...	...	NE	4	o	"	...	...	...	N	3	...
Iloilo,	"	29.92	87	...	NE	1	b	"	30.00	83	...	NE	1	c
Cebu,	"	29.88	83	...	N	4	b	"	30.03	78	...	NE	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 12.5p. The barometer has fallen over E. Japan, risen over W. Japan and the E. coast of China.

Pressure is highest between the E. coast of China and W. Japan, and low over E. Japan.

Fresh to moderate monsoon in the Formosa Channel, and N. part of the China Sea.

Forecast:—fresh E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 2nd March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

2nd MARCH, 1903, P. M. — 3rd MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.61	...	...	S	6	...	6 a.	29.61	...	...	N	6	...
Hakodate,	,,	29.60	...	...	SW	6	...	,,	29.59	...	...	NW	6	...
Tokio	,,	29.78	...	...	S	6	...	,,	30.10	...	...	W	2	...
Kochi,	,,	29.99	...	...	...	0	...	,,	30.15	...	...	E	2	...
Nagasaki,	,,	30.15	...	...	W	6	...	,,	30.15	...	...	E	4	...
Kagoshima,	,,	30.11	...	...	W	4	...	,,	30.19	...	...	SE	2	...
Oshima,	,,	30.12	...	...	N	4	...	,,	30.16	...	...	...	0	...
Naha,	,,	30.13	...	...	E	4	...	,,	30.09	...	...	E	2	...
Ishigakijima,	,,	30.13	...	...	NE	4	...	,,	30.05	...	...	SE	4	...
Taihoku,	1 p.	30.06	...	...	E	8	...	5 a.	29.99	...	...	...	0	...
Taichu,	,,	30.04	...	...	W	2	...	,,	29.97	...	...	...	0	...
Tainan,	,,	30.04	...	...	NW	1	...	,,	29.97	...	...	NE	2	...
Koshun,	,,	30.06	...	...	E	6	...	,,	30.03	...	...	E	4	...
Pescadores,	,,	30.07	...	...	NE	8	...	,,	29.99	...	...	NE	4	...
Weihaiwei	3 p.	30.05	53	...	ENE	2	...	9 a.	30.06	41	..	E	2	b
Gutzlaff,	,,	30.16	49	85	SE	5	bv	,,	30.04	51	93	S	4	cv
Sharp Peak,	,,	30.09	57	69	...	4	o	,,	30.09	57	87	W	3	or
Amoy,	2.30p.	30.10	64	63	SE	3	c	6.30a.	30.06	59	88	...	0	o
Swatow,	3 p.	30.06	63	...	ESE	1	o	9 a.	...	...	...	...	...	...
Canton,	,,	29.94	68	85	S	2	o	,,	..	..	...	...	..	...
Hongkong	4 p.	29.98	61	84	E	4	o	10 a.	29.97	62	92	E	3	od
Victoria Peak,	,,	...	...	...	..	...	...	,,	...	...	...	...	...	...
Gap Rock	,,	29.91	...	...	E	4	...	,,	29.92	...	...	ESE	2	...
Macao,	,,	29.99	66	...	ESE	2	c	,,	29.95	66	...	SE	1	cd
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.58	88	54	SE	4	...	,,	29.96	84	64	SSW	1	b
Malate,	3 p.	...	...	...	SE	3	b	9 a.	...	...	...	...	0	b
Bacolod,	,,	...	...	...	N	4	b	,,	...	...	...	NE	2	b
Iloilo,	,,	29.92	88	...	NE	1	b	,,	29.96	82	...	NE	1	b
Cebu,	,,	29.90	84	...	N	2	c	,,	29.94	83	...	..	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 12.10p. The barometer has risen in Japan, fallen over China.
A depression has passed to the Pacific to the NE. of Japan, and another depression is moving Eastwards over central China.
Pressure is highest over SW. Japan.
The monsoon is interrupted on the China coast and over the N. part of the China Sea.
Forecast:—moderate SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 3rd March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

3rd MARCH, 1903, P. M. — 4th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2 p.	29.94	42	...	W	1	b	7 a.	29.82	29	89	N	3	s
Nemuro, ...	,,	29.84	...	...	NW	8	...	6 a.	30.20	...	...	SW	2	...
Hakodate, ...	,,	30.05	...	...	W	8	...	,,	30.17	...	...	...	0	...
Tokio	,,	30.10	...	...	NW	4	...	,,	30.22	...	...	NW	4	...
Kochi, ...	,,	30.19	...	...	E	1	...	,,	29.99	...	...	E	8	...
Nagasaki, ...	,,	30.11	...	...	SE	4	...	,,	29.79	...	...	SE	10	...
Kagoshima.....	,,	30.11	...	...	SE	2	...	,,	29.87	...	...	SE	6	...
Oshima, ...	,,	30.08	...	...	SE	6	...	,,	29.84	...	...	S	6	...
Naha, ...	,,	30.01	...	...	SE	4	...	,,	29.81	...	...	...	0	...
Ishigakijima, ...	,,	30.01	...	...	SE	4	...	,,	29.85	...	...	N	2	...
Taihoku,.....	1 p.	29.88	...	...	E	4	...	5 a.	29.89	...	...	...	0	...
Taichu, ...	,,	29.92	...	...	NW	2	...	,,	29.90	...	...	E	4	...
Tainan, ...	,,	29.90	...	...	SW	4	...	,,	29.90	...	...	...	0	...
Koshun, ...	,,	29.92	...	...	NE	8	...	,,	29.89	...	...	SW	2	...
Pescadores, ...	,,	29.91	...	...	NE	2	...	,,	29.90	...	...	NE	4	...
Weihaiwei.....	3 p.	29.95	42	...	E	2	...	9 a.	30.02	33	..	NNW	4	...
Cutzlaff, ...	,,	29.88	63	93	S	4	f	,,	29.98	46	92	NW	4	cm
Sharp Peak. ..	,,	29.89	68	94	...	0	b	,,	29.91	60	94	...	0	or
Amoy, ...	2.30p.	29.96	69	94	WSW	1	o	6.30a.	29.95	61	94	...	0	c
Swatow, ...	3 p.	29.91	64	...	N	1	o	9 a.	...	...	...	...	...	...
Canton, ...	,,	29.83	70	100	S	2	o	,,	29.94	70	100	SE	1	od
Hongkong	4 p.	29.85	66	88	E	3	o	10 a.	29.95	66	100	E	2	od
Victoria Peak,.	,,	...	...	...	SSW	3	...	,,	...	...	...	S	3	...
Gap Peak	,,	29.87	...	...	E	2	...	,,	29.93	...	...	ESE	2	...
Macao, ...	,,	29.85	66	...	SE	1	o	,,	29.93	67	...	SSE	1	cd
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	91	49	SSE	2	b	,,	29.96	82	70	WSW	1	b
Malate,.....	3 p.	...	...	...	SE	2	b	9 a.	...	...	...	NW	1	b
Pacolod.	,,	...	...	...	NE	6	b	,,	...	...	...	N	4	b
Iloilo, ...	,,	29.88	87	...	NE	2	b	,,	29.97	80	...	NE	2	c
Cebu, ...	,,	29.84	84	...	N	3	c	,,	29.96	82	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.55a. The barometer has risen over E. Japan, fallen over W. Japan, the Loochoos and the SE. coast of China.

The depression passed over the E. coast during the night and is now approaching the W. coast of Japan.

The monsoon will prabably set in again over the Formosa Channel during the next 24 hours.

Light variable winds over the N. part of the China Sea.

Forecast:—variable winds, light or moderate; unsettled, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 4th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	4th MARCH, 1903, P. M.							5th MARCH, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,..	2 p.	29.75	29	...	...	0	s	7 a.	29.63	25	76	N	5	c
Nemuro, ...	„	...	...	...	...	...	...	6 a.	29.84	...	...	S E	10	...
Hakodate, ...	„	...	...	...	...	...	...	„	29.42	...	...	SE	6	...
Tokio	„	..	...	...	...	...	...	„	29.67	...	...	NW	6	...
Kochi, ...	„	...	...	...	...	...	...	„	29 75	...	...	...	0	...
Nagasaki, ...	„	...	...	...	...	...	...	„	29.91	...	...	NW	6	...
Kagoshima.....	„	...	...	...	...	...	...	„	29.87	...	...	NW	6	...
Oshima, ...	„	...	...	...	...	...	...	„	29.96	...	...	N	6	...
Naha, ...	„	..	...	...	...	...	...	„	30.01	...	...	N	6	...
Ishigakijima, ...	„	...	...	...	...	...	...	„	29.97	...	...	NE	6	...
Taihoku,.....	1 p.	29.92	...	...	W	2	...	5 a.	30.01	...	...	E	8	...
Taichu, ...	„	29.89	...	...	E	2	...	„	29.93	...	...	...	0	...
Tainan, ...	„	29.89	...	...	W	4	...	„	29.94	...	...	...	0	...
Koshun, ...	„	29.90	...	...	W	4	...	„	29.94	...	...	...	0	...
Pescadores, ...	„	29.91	...	...	W	4	...	„	29.94	...	...	NE	4	...
Weihaiwei.....	3 p.	30.10	31	...	NNW	4	o	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.10	47	93	NNW	4	c	„	29.33	41	92	NNE	5	om
Sharp Peak, ..	„	29.90	58	88	NNE	6	o	„	30.15	54	87	NNW	3	or
Amoy, ...	2.30p.	29.90	68	90	SE	2	o	6.30a.	30.09	57	94	NE	5	od
Swatow, ...	3 p.	29.90	67	...	...	0	c	9 a.	...	...	...	...	...	...
Canton, ...	„	29.84	71	100	E	2	o	„	29.97	71	100	...	0	o
Hongkong	4 p.	29.86	66	88	E	3	o	10 a.	29.98	70	92	E	2	o
Victoria Peak,.	„	...	...	...	S	4	...	„	...	...	...	S	6	...
Cap Isack.....	„	29.84	...	...	E	2	...	„	29.96	...	...	SSE	3	...
Macao, ...	„	29.86	68	...	...	0	od	„	29.95	72	...	SSW	1	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	91	45	SE	3	b	„	29.96	81	76	W	2	c
Malate,.....	3 p.	...	...	...	...	0	b	9 a.	...	...	...	W	1	b
Tacoled, ...	„	...	...	...	NE	4	o	„	...	...	...	NE	2	b
Iloilo, ...	„	29.87	88	...	E	1	b	„	29.98	85	...	N	1	c
Cebu, ...	„	29.85	82	...	N	2	b	„	29.98	81	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 11.40a. The barometer has fallen rapidly over E. Japan owing to the approach of the depression, which is moving NE. in the Sea of Japan.

Pressure is again high over N. China, a quick rise of the barometer having taken place since yesterday. Gradients steep along the China coast with very strong monsoon in the Formosa Channel, wind probably changing to NE and freshening over the N. part of the China Sea.

Forecast:—SE. to NE. winds, freshening considerably from the latter direction; changeable and unsettled, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 5th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

5th MARCH, 1903, P. M. — 6th MARCH, 1903, A. M.

STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.66	53	...	NW	5	c	7 a.	29.94	18	61	...	0	b
Nemuro,	,,	29.53	...	...	SE	10	...	6 a.	29.21	...	...	W	8	...
Hakodate,	,,	29.42	...	...	SW	10	...	,,	29.66	...	...	W	6	...
Tokio,	,,	29.47	...	...	SW	2	...	,,	29.86	...	...	NW	6	...
Kochi,	,,	29.72	...	...	...	0	...	,,	29.99	...	...	...	0	...
Nagasaki,	,,	29.99	...	...	N	6	...	,,	30.11	...	...	N	2	...
Kagoshima,	,,	29.91	...	...	NW	6	...	,,	30.11	...	...	NW	2	...
Oshima,	,,	29.96	...	...	N	6	...	,,	30.04	...	...	N	6	...
Naha,	,,	30.01	...	...	N	6	...	,,	30.01	...	...	NE	4	...
Ishigakijima,	,,	30.01	...	...	N	6	...	,,	29.98	...	...	NE	6	...
Tailoku,	1 p.	30.02	...	...	E	8	...	5 a.	30.09	...	...	E	2	...
Taichu,	,,	29.94	...	...	N	4	...	,,	30.00	...	...	N	6	...
Tainan,	,,	29.94	...	..	N	4	...	,,	29.99	...	...	N	4	...
Koshun,	,,	29.95	...	...	E	4	...	,,	29.97	...	...	NE	2	...
Pescadores,	,,	29.98	...	...	NE	8	...	,,	30.01	...	...	NE	8	...
Weihaiwei	3 p.	30.28	32	...	NW	4	...	9 a.	...	...	..	...	...	...
Chefoo,	,,	30.29	26	100	NNE	5	cm	,,	30.40	41	66	NNE	3	cv
Sharp Peak,	,,	30.09	52	83	NNE	7	cd	,,	30.22	48	89	NNE	5	od
Amoy,	2.30p.	30.09	57	94	NE	5	cd	6.20a.	30.18	56	86	ENE	3	o
Swatow,	3 p.	29.96	62	...	ENE	1	od	9 a.	...	...	...	...	...	...
Canton,	,,	29.90	79	91	...	0	o	,,	30.04	64	100	NE	1	od
Hongkong	4 p.	29.90	67	97	E	3	of	10 a.	30.06	62	96	E	4	od
Victoria Peak,	,,	...	...	...	S	3	...	,,	...	...	...	SE	4	...
Cap Rock	,,	29.87	...	...	SE	3	...	,,	30.02	...	...	ENE	4	...
Macao,	,,	29.88	...	...	S	1	c	,,	30.03	71	...	ESE	1	or
Paipeng,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.88	90	44	ESE	3	b	,,	30.00	86	65	...	0	c
Malate,	3 p.	...	...	...	SE	3	b	9 a.	...	...	...	NE	1	b
Pacoled,	,,	...	...	...	N	6	b	,,	...	...	...	NW	4	b
Iloilo,	,,	29.88	88	...	NE	1	b	,,	30.02	80	...	NE	2	b
Cebu,	,,	29.89	83	...	NE	3	b	,,	30.00	83	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.55a. The depression, is moving into the Pacific to the NE. of Japan, with a rapid decrease of pressure at Nemuro. The barometer has risen considerably elsewhere in Japan, and a slight rise has also taken place on the China coast.

Pressure is high over NE. China, and relatively low over the N. part of the China Sea and the Pacific to the SE of Formosa.

Gradients continue steep with very strong monsoon in the Formosa Channel, and increasing monsoon over the N. part of the China Sea.

Forecast:—strong NE. winds; unsettled, drizzling rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 6th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

6th MARCH, 1903, P. M. — 7th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	..	7 a.	...	...	...	...	...	...
Nemuro,	„	29.49	...	...	NW	8	...	6 a.	29.69	...	...	NW	8	...
Hakodate,	„	29.78	...	...	NW	8	...	„	29.89	...	...	NW	8	...
Tokio,	„	29.86	...	...	NW	6	...	„	30.03	...	...	NW	4	...
Kochi,	„	29.99	...	...	...	0	...	„	30.11	...	...	E	2	...
Nagasaki,	„	30.11	...	...	N	6	...	„	30.19	...	...	N	2	...
Kagoshima,	„	30.07	...	...	NW	4	...	„	30,15	...	...	E	4	...
Oshima,	„	30.04	..	...	N	6	...	„	30.13	...	...	S	2	...
Naha,	„	30.01	...	...	NE	6	...	„	30.05	...	...	NE	2	...
Ishigakijima,	„	30.05	...	...	NE	4	...	„	30.05	...	...	NE	4	...
Taihoku,	1 p.	30.13	...	...	E	6	...	5 a.	30.04	...	...	E	6	...
Taichu,	„	30.00	...	...	N	6	...	„	30.03	...	...	N	2	...
Tainan,	„	30.00	...	...	N	4	...	„	30.03	...	...	N	4	...
Koshun,	„	30.02	...	...	NE	6	...	„	30.01	...	...	...	0	...
Pescadores,	„	30.07	...	...	NE	8	...	„	30.04	...	...	NE	6	...
Weihaiwei	3 p.	30.28	49	..	NW	2	b	9 a.	...	..	..	...	...	..
Gutzlaff,	„	30.25	42	66	N	3	cv	„	30.27	48	75	NE	3	cv
Sharp Peak,	„	30.14	49	78	NNE	7	od	„	30.16	49	85	WNW	3	og
Amoy,	2.30p.	30.15	65	87	NE	4	o	6.30a.	30.16	54	94	NE	1	og
Swatow,	3 p	30.03	58	..	ENE	2	o	9 a.	...	...	...	...	...	...
Canton,	„	29.95	60	100	...	0	o	„	...	...	...	...	...	...
Hongkong	4 p.	29.97	61	95	ENE	5	od	10 a.	30.04	61	91	E	4	od
Victoria Peak,	„	...	...	...	ESE	6	...	„	...	...	...	SE	6	...
Gap Rock,	„	29.93	..	...	ENE	5	...	„	29.99	..	...	ENE	5	...
Macao,	„	29.97	69	...	ESE	1	o	„	30.04	67	...	E	1	od
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.88	88	54	SE	4	b	„	29.96	84	59	ESE	1	b
Malate,	3 p.	...	...	...	SE	2	b	9 a.	...	...	...	SE	1	b
Bacoled,	„	...	...	...	N	4	b	„	...	...	...	N	2	b
Iloilo,	„	29.92	80	...	NE	2	b	„	29.99	80	...	NE	2	b
Cebu,	„	29.86	88	...	N	2	b	„	30.00	82	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.50a. The barometer has risen over Japan, fallen on the China coast, particularly in the North.

Pressure is highest over the E. coast of China, and W. Japan, and relatively low over the N. part of the China Sea.

Decreasing monsoon in the Formosa Channel, and off the S. coast of China.

Forecast:—fresh to moderate E. winds; unsettled, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 7th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	7th MARCH, 1903, P. M.								8th MARCH, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock, ..	2 p.	30.00	34	...	N	1	b	7 a.	29.92	29	9	SE	2	c
Nemuro, ...	„	29.72	...	...	NW	6	...	6 a.	30.00	...	...	W	4	...
Hakodate, ...	„	29.93	...	...	NW	10	...	„	30.09	...	...	W	4	...
Tokio, ...	„	30.06	...	...	N	2	...	„	30.18	...	...	NW	4	...
Kochi, ...	„	30.11	...	...	...	0	...	„	30.11	...	...	E	8	...
Nagasaki, ...	„	30.11	...	...	NW	2	...	„	30.07	...	...	...	0	...
Kagoshima, ...	„	30.07	...	...	SE	2	...	„	30.08	...	...	NE	6	...
Oshima, ...	„	30.04	...	...	SE	2	...	„	29.96	...	...	...	0	...
Naha, ...	„	30.01	...	...	NE	4	...	„	29.93	...	...	...	0	...
Ishigakijima, ...	„	29.97	...	...	E	4	...	„	29.93	...	...	N	2	...
Taihoku, ...	1 p.	30.03	...	...	N	2	...	5 a.	30.00	...	...	NW	2	...
Taichu, ...	„	29.97	...	...	N	2	...	„	29.93	...	...	...	0	...
Tainan, ...	„	29.96	...	...	NW	2	...	„	29.93	...	...	N	2	...
Koshun, ...	„	29.97	...	...	SE	4	...	„	29.94	...	...	...	0	...
Pescadores, ...	„	30.00	...	...	NE	8	...	„	29.94	...	...	NE	4	...
Weihaiwei, ...	3 p.	30.10	41	...	W	1	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.19	49	64	NE	2	cv	„	30.15	46	92	NE	2	cv
Sharp Peak, ..	„	30.04	50	93	NNW	3	cg	„	30.05	51	98	NE	1	cg
Amoy, ...	2.30p.	30.06	57	87	NE	1	cg	6.30a.	30.05	55	87	NE	1	cg
Swatow, ...	3 p.	29.97	61	...	ENE	1	o	9 a.	...	...	...	...	...	...
Canton, ...	„	29.94	60	100	...	0	cr	„	29.98	60	100	...	0	cd
Hongkong.....	4 p.	29.93	62	93	E	4	o	10 a.	30.01	62	98	E	3	cd
Victoria Peak,.	„	...	...	...	SE	7	...	„	...	...	...	SE	6	...
Gap Rock, ...	„	29.90	...	...	ENE	4	...	„	29.98	...	...	E	3	...
Macao, ...	„	29.92	67	...	ESE	1	cr	„	29.99	67	...	SE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	86	53	SSE	5	b	„	30.00	84	58	SE	2	b
Malate, ...	3 p.	...	...	...	SE	6	b	9 a.	...	...	...	E	1	b
Bacolod, ...	„	...	...	...	N	6	b	„	...	...	...	...	0	b
Iloilo, ...	„	29.84	86	...	E	2	b	„	30.01	80	...	E	1	b
Cebu, ...	„	29.87	84	...	N	2	b	„	29.99	81	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at noon. The barometer has risen over E. Japan, fallen over SW. Japan, and the China coast.

Pressure is highest over central Japan, and a depression exists over N. China.

Gradients are slight generally with moderate monsoon in the Formosa Channel, and moderate or light E. and SE. winds over the N. part of the China Sea.

Forecast:—moderate E. to SE. winds; drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 8th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

8th MARCH, 1903. P. M. 9th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.04	...	...	SW	8	...	6 a.	30.12	...	...	SW	2	...
Hakodate, ...	,,	30.09	...	...	W	4	...	,,	30.09	...	...	...	0	...
Tokio,.....	,,	30.10	...	...	NE	2	...	,,	30.14	...	...	NW	2	...
Kochi, ...	,,	30.06	...	...	E	2	...	,,	29.99	...	...	E	4	...
Nagas,aki, ...	,,	29.99	...	...	NE	2	...	,,	29.96	...	...	...	0	...
Kagoshima,....	,,	29.95	...	...	NE	2	...	,,	29.95	...	...	N	4	...
Oshima, ...	,,	29.92	...	...	S	2	...	,,	29.92	...	...	S	2	...
Naha, ...	,,	29.93	...	...	NW	4	...	,,	29.97	...	...	...	0	...
Ishigakijima, ...	,,	29.97	...	...	SW	6	...	,,	29.93	...	...	NW	2	...
Taihoku,.....	1 p.	29.87	...	...	...	0	...	5 a.	29.99	...	...	...	0	...
Taichu, ...	,,	29.83	...	...	...	0	...	,,	29.96	...	...	N	2	...
Tainan, ...	,,	29.83	...	...	W	2	...	,,	29.95	...	...	N	2	...
Koshun, ...	,,	29.83	...	...	NW	4	...	,,	29.95	...	...	...	0	...
Pescadores, ...	,,	29.85	...	...	NE	4	...	,,	29.98	...	...	NE	2	...
Weihaiwei,.....	3 p.	30.00	46	...	W	1	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	,,	30.10	46	109	NNE	3	cv	,,	30.11	47	100	NE	3	fd
Sharp Peak, ..	,,	29.98	46	77	ENE	2	o	,,	30.02	54	94	...	0	of
Amoy, ...	2.30p.	30.02	68	90	SE	1	o	6.30a.	30.05	58	94	...	0	om
Swatow, ...	3 p.	29.91	62	...	ESE	1	o	9 a.	...	...	...	...	...	...
Canton, ...	,,	29.92	69	100	E	1	od	,,	30.01	70	100	E	1	o
Hongkong.....	4 p.	29.90	64	97	E	3	o	10 a.	30.02	66	95	E	3	o
Victoria Peak,.	,,	...	...	...	SE	4	...	,,	...	...	...	SSW	4	...
Gap Rock,.....	,,	29.87	...	...	E	3	...	,,	29.99	...	...	E	3	...
Macao, ...	,,	29.91	69	...	SSE	1	c	,,	30.02	68	...	SSE	1	o
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	88	37	SE	3	b	,,	30.00	81	69	W	2	b
Malate,.....	3 p.	...	...	...	SE	2	b	9 a.	...	...	...	W	1	b
Bacoled, ...	,,	...	...	...	N	4	b	,,	...	...	...	N	2	b
Iloilo, ...	,,	29.88	86	...	E	2	b	,,	30.00	80	...	N	1	c
Cebu, ...	,,	29.88	83	...	N	2	b	,,	29.99	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 11.45a. The barometer has fallen slightly over W. Japan and the E. coast of China. Pressure is highest over E. Japan, and a shallow area of low pressure seems to be lying off the S. coast of Japan.

Gradients are slight generally with light NE or variable winds along the China coast and over the N. part of the China Sea.

Forecast:—E. or variable winds, light; foggy, misty.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 9th March 1903.

CHINA COAST METEOROLOGICAL REGISTER

	9th MARCH, 1903, P. M.							10th MARCH, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	„	30.04	...	...	S	8	...	6 a.	29.57	...	...	SW	8	...
Hakodate,	„	29.93	...	...	SE	4	...	„	29.66	...	...	W	6	...
Tokio,	„	30.02	...	...	...	0	...	„	29.71	...	...	NW	9	...
Kochi,	„	29.91	...	...	E	4	...	„	29.72	...	...	W	8	...
Negasaki,	„	29.91	...	...	...	0	...	„	29.99	...	...	...	0	...
Kagoshima,	„	29.91	...	...	NW	4	...	„	29.95	...	...	N	4	...
Oshima,	„	29.92	...	...	NW	4	...	„	29.96	...	...	N	4	...
Naha,	„	29.97	...	...	S	2	...	„	29.97	...	...	N	6	...
Ishigakijima,	„	29.97	...	...	SE	2	...	„	29.97	...	...	NE	4	...
Taihoku,	1 p.	29.95	...	...	N	2	...	5 a.	29.97	...	...	E	4	...
Taichu,	„	29.94	...	...	W	2	...	„	29.93	...	...	...	0	...
Tainan,	„	29.96	...	...	NW	6	...	„	29.94	...	...	...	0	...
Koshun,	„	29.95	...	...	SW	2	...	„	29.94	...	...	...	0	...
Pescadores,	„	29.98	...	...	NW	2	...	„	29.94	...	...	...	0	...
Weihaiwei,	3 p.	30.12	59	...	NW	3	...	9 a.	30.27	39	..	NE	2	...
Gutzlaff,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Sharp Peak,	„	29.92	57	87	ENE	3	og	„	30.03	53	86	NNE	4	og
Amoy,	2.30p.	29.99	62	94	SE	1	bc	6.30a.	30.04	58	94	NE	4	od
Swatow,	3 p.	29.97	65	...	...	0	om	9 a.	...	...	...	...	...	...
Canton,	„	29.91	75	95	...	0	o	„	...	...	...	...	...	...
Hongkong	4 p.	29.92	67	...	E	3	o	10 a.	30.01	74	87	NNW	1	c
Victoria Peak,	„	...	...	...	S	4	...	„	...	...	...	S	3	...
Cap Rock,	„	29.89	...	...	E	2	...	„	30.00	...	...	S	2	...
Macao,	„	29.92	69	...	S	1	of	„	30.00	71	...	SSW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.84	86	59	SE	3	b	„	29.96	84	45	ESE	2	b
Malate,	3 p.	...	...	...	SE	4	c	9 a.	...	...	...	SE	1	b
Bacolod,	„	...	...	...	N	6	b	„	...	...	...	N	4	b
Iloilo,	„	29.88	86	...	NE	3	b	„	29.95	80	...	NE	1	o
Cebu,	„	29.89	82	...	N	3	b	„	29.96	82	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 11.30a. The barometer has fallen rapidly over E. Japan owing to a depression, which is moving Eastwards in the NE part of the Sea of Japan.

Pressure has increased considerably and is again high over NE. China.

The monsoon is again setting down the China coast. Light variable winds over the N. part of the China Sea.

Forecast:—light variable, to moderate or fresh NE winds; changeable, probably some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 10th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

10th MARCH, 1903, P. M. | 11th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.78	36	...	SW	2	b	7 a.	29.92	24	86	...	0	b
Nemuro,	,,	29.46	...	...	N	4	...	6 a.	29.80	...	...	SW	6	...
Hakodate,	,,	29.81	...	...	W	8	...	,,	30.01	...	...	W	2	...
Tokio,	,,	29.71	...	...	N	6	...	,,	30.10	...	...	NW	2	...
Kochi,	,,	29.83	...	...	...	0	...	,,	30.03	...	...	E	2	...
Nagasaki,	,,	29.91	...	...	N	6	...	,,	30.03	...	...	NE	2	...
Kagoshima,	,,	29.91	...	...	SE	2	...	,,	30.03	...	...	NE	2	...
Oshima,	,,	29.96	...	...	NW	2	...	,,	29.92	...	...	...	0	...
Naha,	,,	29.89	...	...	N	2	...	,,	29.93	...	...	...	0	...
Ishigakijima,	,,	29.93	...	...	S	6	...	,,	29.93	...	...	NE	4	...
Taihoku,	1 p.	29.96	...	...	N	6	...	5 a.	29.92	...	...	E	6	...
Taichu,	,,	29.95	...	...	NW	2	...	,,	29.91	...	...	...	0	...
Tainan,	,,	29.95	...	...	SW	6	...	,,	29.89	...	...	N	2	...
Koshun,	,,	29.94	...	...	SW	4	...	,,	29.89	...	...	NW	2	...
Pescadores,	,,	29.98	...	...	N	6	...	,,	29.91	...	...	N	8	...
Weihaiwei,	3 p.	...	...	...	.	...	...	9 a.	...	...	..	...	...	...
Gutzlaff,	,,	30.17	45	92	NNE	3	omd	,,	30.16	46	84	NE	2	cv
Sharp Peak,	,,	29.97	54	94	ENE	2	o	,,	30.07	53	93	ENE	3	or
Amoy,	2.30p.	30.04	58	94	NE	2	o	6.30a.	30.04	58	94	NE	4	od
Swatow,	3 p.	29.95	66	...	SE	1	o	9 a.	...	...	...	...	...	...
Canton,	,,	29.84	72	100	...	0	o	,,	29.99	68	...	...	0	o
Hongkong	4 p.	29.92	75	84	S	1	o	10 a.	29.98	73	93	NW	1	o
Victoria Peak,	,,	...	...	...	S	5	...	,,	...	...	...	SSW	3	...
Cap Rock,	,,	29.90	...	...	S	3	...	,,	29.96	...	...	S	1	...
Macao,	,,	29.90	73	...	S	1	c	,,	29.97	74	...	...	0	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.84	86	47	SE	5	b	,,	...	...	...	...	...	...
Malate,	3 p.	...	...	...	SE	4	b	9 a.	...	...	...	...	0	b
Bacolod,	,,	...	...	...	NE	4	b	,,	...	...	...	NE	4	b
Iloilo,	,,	29.88	87	...	N	2	b	,,	29.98	79	...	...	0	b
Cebu,	,,	29.86	83	...	N	2	b	,,	29.98	82	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.45a. The barometer has risen considerably over Japan, fallen slightly on the China coast.

Pressure is highest over NE China and relatively low over the S. coast of China and the Pacific towards the Loochoos.

Moderate monsoon in the Formosa Channel, light variable winds over the N. part of the China Sea.

Forecast:—variable winds, light to moderate; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 11th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

11th MARCH, 1903, P. M. — 12th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2 p.	29.92	28	...	SW	3	b	7 a.	30.14	25	73	NE	1	b
Nemuro, ...	„	29.88	...	...	S	6	...	6 a.	30.12	...	...	SW	4	...
Hakodate, ...	„	30.05	...	...	W	8	...	„	30.25	...	...	...	0	...
Tokio,.....	„	30.14	...	...	E	4	...	„	30.22	...	...	...	0	...
Kochi, ...	„	30.03	...	...	E	4	...	„	30.11	...	...	E	2	...
Nagasaki, ...	„	29.99	...	...	N	2	...	„	30.11	...	...	SE	6	...
Kagoshima.....	„	29.99	...	...	NE	2	...	„	30.11	...	...	NE	4	...
Oshima, ...	„	29.84	...	...	S	4	...	„	30.04	...	...	S	2	...
Naha, ...	„	...	...	...	...	...	...	„	30.05	...	...	E	2	...
Ishigakijima, ...	„	29.97	...	...	E	4	...	„	30.01	...	...	E	2	...
Taihoku,.....	1 p.	30.07	...	...	NE	2	...	5 a.	30.05	...	...	E	6	...
Taichu, ...	„	30.04	...	...	N	6	...	„	30.00	...	...	...	0	...
Tainan, ...	„	29.98	...	..	N	6	...	„	29.99	...	...	N	4	...
Koshun, ...	„	29.96	...	...	NW	6	...	„	29.96	...	...	E	2	...
Pescadores, ...	„	30.04	...	...	NE	6	...	„	30.01	...	...	NE	6	...
Weihaiwei.....	3 p.	30.10	48	...	S	3	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.15	50	79	NE	2	b	„	...	...	...	...	..	...
Sharp Peak, ..	„	30.05	53	90	ENE	3	og	„	30.12	54	87	ENE	2	og
Amoy, ...	2.30p.	30.06	60	94	NE	1	o	6.30a.	30.14	57	87	NE	3	o
Swatow, ...	3 p.	29.97	66	...	ESE	1	o	9 a.	...	...	...	...	...	...
Canton, ...	„	29.87	80	82	S	1	b	„	30.02	70	100	SE	2	o
Hongkong	4 p.	29.89	77	79	S	1	c	10 a.	30.05	66	95	E	4	od
Victoria Peak,.	„	...	...	...	S	3	...	„	...	...	...	SE	5	...
Cap Rock,.....	„	29.88	...	...	S	3	...	„	30.01	...	...	ESE	4	...
Macao, ...	„	29.88	75	...	S	1	c	„	30.04	72	...	SE	1	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	86	53	SE	3	b	„	30.00	81	62	WNW	2	c
Malate,.....	3 p.	...	...	...	SE	3	b	9 a.	...	...	...	NW	1	b
Iscoled, ...	„	...	...	...	N	6	b	„	...	...	...	...	9	b
Iloilo, ...	„	29.88	86	...	NE	2	b	„	29.97	81	...	E	1	c
Cebu,.....	„	29.86	84	...	N	4	b	„	29.98	84	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.52a. The barometer has risen over Japan and S. China, fallen in N. China. Pressure is high over E. Japan, and probably a depression exists over N. China.

Moderate monsoon in the Formosa Channel, and light variable winds over the N. part of the China Sea.

Forecast:—moderate E. winds; drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 12th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

12th MARCH, 1903, P. M. — 13th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	30.11	36	...	S	2	b	7 a.	29.87	33	99	...	0	o
Nemuro, ...	„	30.16	...	...	SW	4	...	6 a.	30.35	...	...	SE	6	...
Hakodate, ...	„	30.29	...	...	W	4	...	„	30.17	...	...	SE	8	...
Tokio, ...	„	30.26	...	...	NE	4	...	„	30.33	...	...	NW	4	...
Kochi, ...	„	30.22	...	...	E	1	...	„	30.11	...	...	S	4	...
Nagasaki, ...	„	30.07	...	...	SE	8	...	„	30.03	...	...	SW	8	...
Kagoshima, ...	„	30.07	...	...	SE	2	...	„	30.07	...	...	...	0	...
Oshima, ...	„	30.08	...	...	S	4	...	„	30.08	...	...	...	0	...
Naha, ...	„	30.01	...	...	E	2	...	„	30.05	...	...	S	2	...
Ishigakijima, ...	„	30.01	...	...	E	6	...	„	30.05	...	...	SE	2	...
Taihoku, ...	1 p.	29.99	...	...	E	8	...	5 a.	30.00	...	...	E	2	...
Taichu, ...	„	29.97	...	...	W	4	...	„	29.98	...	...	...	0	...
Tainan, ...	„	29.97	...	...	W	4	...	„	29.97	...	...	N	2	...
Koshun, ...	„	29.98	...	...	NE	6	...	„	29.98	...	...	SE	2	...
Pescadores, ...	„	30.03	...	...	N	8	...	„	29.97	...	...	NE	4	...
Weihaiwei.....	3 p.	29.99	43	...	S	2	o	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.11	57	75	SSE	3	c	„	30.16	48	100	NE	3	cv
Sharp Peak, ..	„	30.00	58	84	E	1	o	„	30.04	60	85	...	0	o
Amoy, ...	2.30p.	30.07	62	89	SE	1	c	6.30a.	30.08	61	94	...	0	c
Swatow, ...	3 p.	29.98	69	...	E	1	c	9 a.	30.04	67	...	ESE	1	c
Canton, ...	„	29.88	76	91	S	4	c	„	29.95	69	100	SE	1	o
Hongkong	4 p.	29.96	66	87	E	3	c	10 a.	29.98	70	90	E	2	o
Victoria Peak, .	„	...	...	...	SE	5	...	„	...	...	...	SSE	4	...
Cap Rock, ...	„	29.92	...	...	E	3	...	„	29.95	...	...	ESE	3	...
Macao, ...	„	29.93	72	...	ESE	1	c	„	29.96	72	...	SSE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.88	88	48	SE	2	b	„	29.96	86	47	ENE	1	b
Malate, ...	3 p.	...	...	...	SE	2	b	9 a.	...	...	...	...	0	b
Iloilo, ...	„	...	...	...	NE	6	b	„	...	...	...	NE	2	b
Iloilo, ...	„	29.88	88	...	NE	2	b	„	29.99	91	...	NE	1	b
Cebu, ...	„	29.89	84	...	N	2	b	„	29.99	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.55a. The barometer has fallen over the Sea of Japan and S. China, risen over N. China. The depression has moved Eastwards into the NW part of the Sea of Japan.
Gradients slight with moderate monsoon on the China coast and light variable winds over the N. part of the China Sea.
Forecast:—light or moderate E. winds; fair, but some fog or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 13th March 1903.

CHINA COAST METEOROLOGICAL REGISTER

13h MARCH, 1903, P. M. — 14th MARCH, 1903, A.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.85	45	...	...	0	c	7 a.	30.27	29	65	...	0	c
Nemuro,	,,	30.16	...	...	SW	8	...	6 a.	29.84	...	...	W	8	...
Hakodate,	,,	29.93	...	...	SE	2	...	,,	30.13	...	...	W	4	...
Tokio,	,,	30.14	...	...	S	2	...	,,	30.22	...	...	...	0	...
Kochi,	,,	30.07	...	...	S	6	...	,,	30.15	...	...	E	4	...
Nagasaki,	,,	30.07	...	...	N	8	...	,,	30.03	...	...	SE	4	...
Kagoshima,	,,	30.03	...	...	...	0	...	,,	30.07	...	...	SE	6	...
Oshima,	,,	...	...	...	..	...	...	,,	30.00	...	...	S	4	...
Naha,	,,	30.09	...	...	N	4	...	,,	30.01	...	...	SE	2	...
Isbigakijima,	,,	30.01	...	...	S	8	...	,,	29.93	...	...	S	8	...
Taihoku,	1 p.	29.96	...	...	N	4	...	5 a.	29.89	...	...	...	0	...
Taichu,	,,	29.92	...	...	NW	4	...	,,	29.89	...	...	...	0	...
Tainan,	,,	29.85	...	..	SW	4	...	,,	29.90	...	...	...	0	...
Koshun,	,,	29.86	...	...	SE	6	...	,,	29.92	...	...	SE	2	...
Pescadores,	,,	29.95	...	...	NE	6	...	,,	29.90	...	...	S	6	...
Weihaiwei	3 p.	30.18	46	...	NE	2	...	9 a.	...	...	..	...	...	...
Gutzlaff,	,,	30.08	49	100	E	4	fd	,,	29.93	50	100	W	4	f
Sharp Peak,	,,	29.96	57	91	NE	3	o	,,	29.91	59	94	SSW	1	or
Amoy,	2.30p.	29.98	64	89	...	0	o	6.30a.	29.95	63	89	...	0	om
Swatow,	3 p.	29.88	70	...	ESE	1	o	9 a.	...	...	...	...	...	...
Canton,	,,	29.84	75	90	S	2	o	,,	29.90	75	100	S	2	c
Hongkong	4 p.	29.85	70	90	E	3	o	10 a.	29.90	72	92	E	2	q
Victoria Peak,	,,	...	...	...	S	5	...	,,	...	...	...	S	6	...
Cap Rock,	,,	29.83	...	...	SE	3	...	,,	29.88	...	...	SSE	3	...
Macao,	,,	29.84	73	...	SSE	1	c	,,	29.87	74	...	S	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.84	88	48	ESE	2	b	,,	29.96	84	52	ESE	3	c
Malate,	3 p.	...	...	...	SE	3	b	9 a.	...	...	...	SE	3	c
Tacoled,	,,	...	...	...	N	6	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.88	86	...	NE	2	b	,,	29.95	81	...	NE	1	b
Cebu,	,,	29.88	83	...	N	3	c	,,	29.96	84	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.55a. The depression lying in the N part of the Sea of Japan yesterday, is now moving into the Pacific to the NE of Japan.

Pressure has recovered quickly and is now high over the Sea of Japan.

The barometer has fallen on the China coast, particularly in the North owing to a depression which is passing into the Yellow Sea from the Westward.

The monsoon is completely interrupted on the China coast and over the N. part of theChina Sea, S. winds chiefly prevailing.

Forecast:—light or moderate S. winds; fair at first, showery later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 14th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

14th MARCH, 1903. P. M. 15th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	30.25	44	...	N	1	b	7 a.	30.35	24	83	SE	1	c
Nemuro, ...	„	29.96	...	...	N	6	...	6 a.	30.28	...	...	NW	2	...
Hakodate, ...	„	30.01	...	...	S	4	...	„	30.36	...	...	...	0	...
Tokio, ...	„	30.22	...	...	S	4	...	„	30.22	...	...	NW	4	...
Kochi, ...	„	30.11	...	...	E	4	...	„	29.88	...	...	W	8	...
Nagasaki, ...	„	29.91	...	...	SE	10	...	„	29.87	...	...	N	4	...
Kagoshima, ...	„	29.95	...	...	NE	4	...	„	29.87	...	...	SW	6	...
Oshima, ...	„	29.96	...	...	S	8	...	„	29.92	...	...	SW	4	...
Naha, ...	„	29.93	...	...	S	4	...	„	29.93	...	...	SW	2	...
Ishigakijima, ...	„	29.93	...	...	S	6	...	„	29.89	...	...	SW	6	...
Taihoku, ...	1 p.	29.87	...	...	N	4	...	5 a.	29.84	...	...	...	0	...
Taichu, ...	„	...	...	...	W	6	...	„	29.85	...	...	W	2	...
Tainan, ...	„	29.87	...	...	S	8	...	„	29.87	...	...	S	2	...
Koshun, ...	„	...	...	...	S	6	...	„	29.87	...	...	S	2	...
Pescadores, ...	„	29.87	...	...	S	8	...	„	29.87	...	...	S	4	...
Weihaiwei.....	3 p.	30.10	44	...	NE	6	b	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	29.90	61	93	N	4	cm	„	30.06	47	100	NNW	7	f
Sharp Peak, ..	„	29.82	60	94	...	0	of	„	29 97	58	88	NNE	5	og
Amoy, ...	2.30p.	29.89	65	95	...	0	om	6.30a.	29.91	66	89	SE	1	c
Swatow, ...	3 p	29.81	69	...	E	1	o	9 a.	...	...	...	...	...	...
Canton, ...	„	29.76	78	91	S	1	o	„	...	...	...	...	...	...
Hongkong.....	4 p.	29.80	76	84	S	1	o	10 a.	29.90	75	85	S	1	o
Victoria Peak,.	„	...	...	...	SW	7	...	„	...	...	...	SSW	1	...
Cap Rock, ...	„	29.76	...	...	S	3	...	„	29 90	...	...	SE	2	...
Macao, ...	„	29.76	76	...	SSE	1	c	„	29.89	74	...	S	1	od
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	84	58	SE	1	o	„	29.92	81	69	WNW	1	c
Malate, ...	3 p.	...	...	...	SE	2	c	9 a.	...	...	...	...	0	b
Iaccad, ...	„	...	...	...	NE	6	b	„	...	...	...	NE	2	b
Hoilo, ...	„	29.84	88	...	N	1	b	„	29.94	81	...	NE	2	o
Cebu, ...	„	29.84	84	...	N	2	b	„	29.93	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.50a. The barometer has fallen over W. Japan, risen over NE Japan and N. China.
The depression is moving Eastwards over W. Japan.
Pressure is high over the N. part of the Sea of Japan and Manchuria.
Strong monsoon is again spreading down the China coast. Variable winds over the N. part of the China Sea.
Forecast:—wind backing to NE and freshening; unsettled, squally with rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 15th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

15th MARCH, 1903. P. M.

16th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	30.32	24	...	N	3	c	7 a.	30.29	24	72	NE	5	o
Nemuro, ...	„	30.28	...	...	SE	6	...	6 a.	30.24	...	...	E	8	...
Hakodate, ...	„	30.25	...	...	SE	8	...	„	30.13	...	...	E	4	...
Tokio, ...	„	30.10	...	...	N	6	...	„	29.90	...	...	N	2	...
Kochi, ...	„	29.79	...	...	W	8	...	„	29.83	...	...	E	4	...
Nagasaki, ...	„	29.91	...	...	N	4	...	„	29.95	...	...	NE	4	...
Kagoshima, ...	„	29.83	...	...	...	0	...	„	29.87	...	...	NE	2	...
Oshima, ...	„	29.88	...	...	S	2	...	„	29.88	...	...	N	4	...
Naha, ...	„	29.89	...	...	S	2	...	„	29.93	...	...	NW	6	...
Ishigakijima, ...	„	29.93	...	...	NW	6	...	„	29.89	...	...	NE	6	...
Taihoku, ...	1 p.	29.89	...	...	NE	2	...	5 a.	29.95	...	...	E	6	...
Taichu, ...	„	29.85	...	...	N	2	...	„	29.89	...	...	...	0	...
Tainan, ...	„	29.87	...	...	S	6	...	„	29.91	...	...	S	2	...
Koshun, ...	„	29.88	...	...	W	4	...	„	...	...	...	...	0	...
Pescadores, ...	„	29.87	...	...	S	4	...	„	29.89	...	...	NE	2	...
Weihaiwei.....	3 p.	30.19	40	...	NE	2	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.00	48	100	NW	6	cf	„	30.18	48	100	NNE	5	fd
Sharp Peak, ..	„	29.89	57	87	E	3	cf	„	30.03	56	94	E	1	og
Amoy, ...	2.30p.	29.92	66	95	NE	1	o	6.30a.	30.01	60	94	NE	2	o
Swatow, ...	3 p.	29.80	71	...	...	0	or	9 a.	29.90	66	...	N	1	or
Canton, ...	„	29.87	64	100	N	2	o	„	30.03	58	94	N	1	o
Hongkong.....	4 p.	29.80	69	96	NW	2	cd	10 a.	30.01	62	100	...	0	cd
Victoria Peak,.	„	...	...	...	SSW	...	...	„	...	...	...	NW	1	...
Cap Rock.....	„	29.80	...	...	SE	2	...	„	29.98	...	...	NNW	4	...
Macao, ...	„	29.80	74	...	NNW	1	c	„	30.03	66	...	NNW	2	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	90	44	SE	3	b	„	29.92	88	64	SE	2	b
Malate, ...	3 p.	...	...	...	SE	4	c	9 a.	...	...	...	E	1	c
Pacoled, ...	„	...	...	...	N	4	b	„	...	...	...	N	2	b
Iloilo, ...	„	29.88	89	...	N	1	b	„	29.94	91	...	NE	1	b
Cebu, ...	„	29.80	84	...	N	4	b	„	29.95	84	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.55a. The barometer has fallen over E. Japan, risen on the China coast.
The depression is moving Eastwards off the S. coast of Japan.
Pressure is high over N. China and Manchuria.
Fresh to strong monsoon along the China coast, and increasing monsoon over the N. part of the China Sea.
Forecast:—moderate N. to NE winds; dull rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 16th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

16th MARCH, 19 3 P. M. — 17th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock...	2 p.	30.26	24	...	N	4	c	7 a.	30.30	18	75	NE	4	b
Nemuro, ...	„	30.30	...	...	NE	8	...	6 a.	30.24	...	...	E	6	...
Hakodate, ...	„	30.28	...	...	NE	4	...	„	30.17	...	...	E	8	...
Tokio	„	29.9[illegible]	...	...	N	4	...	„	30.02	...	...	NW	4	...
Kochi, ...	„	29.88	...	...	E	2	...	„	29.95	...	...	E	6	...
Nagasaki.	„	29.85	...	...	N	6	...	„	30.07	...	...	N	6	...
Kagoshima.....	„	29.87	...	...	...	0	...	„	29.99	...	...	N	6	...
Oshima, ...	„	29.88	...	...	...	0	...	„	30.00	...	...	N	6	...
Naha, ...	„	29.93	...	...	N	2	...	„	30.01	...	...	NE	4	...
Ishigakijima, ...	„	29.89	...	...	NE	6	...	„	30.01	...	...	...	0	...
Taihoku,.....	1 p.	30.00	...	...	E	6	...	5 a.	30.09	...	...	E	4	...
Taichu, ...	„	29.94	...	...	N	2	...	„	29.99	...	...	N	6	...
Tainan,.....	„	29.93	...	..	N	4	...	„	30.00	...	...	N	4	...
Koshun, ...	„	29.93	...	...	W	4	...	„	29.98	...	...	NE	6	...
Pescadores, ...	„	29.96	...	...	NE	8	...	„	29.98	...	...	NE	8	...
Weihaiwei.....	3 p.	30.23	40	...	NW	2	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.19	47	100	NNE	5	cm	„	30.31	46	92	NNE	4	cv
Sharp Peak, ..	„	30.01	57	87	E	2	cg	„	30.20	54	87	N	4	or
Amoy, ...	2.30p.	30.02	62	89	NE	2	o	6.30a.	30.16	56	87	NE	6	o
Swatow, ...	3 p	29.97	66	...	N	1	o	9 a.	...	...	...	...	...	...
Canton, ...	„	30.02	60	100	N	1	od	„	...	...	...	...	...	...
Hongkong	4 p.	29.95	62	92	...	0	o	10 a.	30.05	62	89	E	5	od
Victoria Peak,.	„	...	...	...	NE	1	...	„	...	...	...	ESE	7	...
Cap Bock, ...	„	29.92	...	...	NW	3	...	„	30.01	...	...	ENE	4	...
Macao, ...	„	29.96	66	...	N	2	od	„	30.08	64	...	NNW	2	od
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	90	44	ESE	1	b	„	29.96	82	70	SW	1	c
Malate,.....	3 p.	...	...	...	SE	1	b	9 a.	...	...	...	ENE	2	c
Pacoled, ...	„	...	...	...	N	4	b	„	...	...	...	NE	2	b
Iloilo, ...	„	29.85	88	...	...	0	b	„	29.95	81	...	NE	2	c
Cebu, ...	„	29.84	83	...	N	2	b	„	29.94	81	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.30a. The barometer has risen over Japan and the China coast.

Pressure is high over N. China and Manchuria, and relatively low to the S. of Japan, and over the N. part of the China Sea.

Gradients rather steep with strong monsoon along the China coast, slight with moderate monsoon over the N. part of the China Sea.

Forecast:—strong NE winds; dull, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 17th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

17th MARCH, 1903, P. M. 18th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.24	...	...	NE	8	...	6 a.	30.31	...	...	NE	6	...
Hakodate,	,,	30.17	...	...	E	10	...	,,	30.29	...	...	SE	6	...
Tokio,	,,	30.02	...	...	N	4	...	,,	30.26	...	...	N	4	...
Kochi,	,,	30.03	...	...	E	2	...	,,	30.23	...	...	E	4	...
Nagasaki,	,,	30.11	...	...	NE	8	...	,,	30.27	...	...	NE	4	...
Kagoshima,	,,	30.07	...	...	E	4	...	,,	30.19	...	...	NE	8	...
Oshima,	,,	30.12	...	...	N	5	...	,,	30.08	...	...	..	0	...
Naha,	,,	30.15	...	...	N	4	...	,,	30.05	...	...	NE	2	...
Ishigakijima,	,,	30.05	...	...	NE	8	...	,,	29.97	...	...	E	6	...
Taihoku,	1 p.	30.07	...	...	E	8	...	5 a.	30.02	...	...	E	6	...
Taichu,	,,	29.97	...	...	S	2	...	,,	29.93	...	...	...	0	...
Tainan,	,,	29.99	...	...	N	6	...	,,	29.97	...	...	N	2	...
Koshun,	,,	29.98	...	...	NE	8	...	,,	29.98	...	...	NE	2	...
Pescadores,	,,	30.01	...	...	NE	10	...	,,	29.99	...	...	N	8	...
Weihaiwei,	3 p.	30.39	43	...	NE	2	...	9 a.	30.30	42	..	ESE	1	...
Gutzlaff,	,,	30.27	49	85	NE	...	cv	,,	30.22	50	86	ESE	3	um
Sharp Peak,	,,	30.12	53	83	NNE	4	og	,,	30.13	54	87	WNW	1	or
Amoy,	2.30p.	30.10	59	88	NE	5	o	6.30a.	30.12	57	94	NE	2	or
Swatow,	3 p	30.01	62	...	E	2	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	75	100	...	0	od	,,	...	55	100	N	1	od
Hongkong	4 p.	29.95	62	94	E	5	od	10 a.	30.05	62	94	E	3	od
Victoria Peak,	,,	...	...	...	ESE	6	...	,,	...	...	...	E	5	...
Gap Rock,	,,	29.93	...	...	E	4	...	,,	30.01	...	...	NE	4	...
Macao,	,,	29.99	64	...	NNW	1	o	,,	30.06	62	...	NNW	2	o
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.84	86	59	SE	3	c	,,	30.00	81	69	W	1	o
Malate,	3 p.	...	...	...	SE	2	c	9 a.	...	...	...	...	0	c
Iloilo,	,,	...	...	...	N	6	b	,,	...	...	...	NE	4	b
Iloilo,	,,	29.87	86	...	NE	2	o	,,	29.98	81	...	N	1	o
Cebu,	,,	29.86	84	...	N	3	c	,,	29.96	82	...	N	3	c
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.50a. The barometer has risen considerably over Japan, fallen moderately over the E. coast of China.

The area of high pressure lies now over the Yellow Sea and the Sea of Japan, and pressure is relatively low over the N. part of the China Sea and the Pacific to the S. of the Loochoos.

Decreasing monsoon in the Formosa Channel, moderate monsoon over the N. part of the China Sea.

Forecast:—moderate NE winds; dull, drizzling rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 18th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

18th MARCH, 1903, P. M. 19th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.34	34	...	SE	3	b	7 a.	30.35	23	99	S	1	o
Nemuro,	,,	30.39	...	...	NE	6	...	6 a.	...	...	...	W	4	...
Hakodate,	,,	30.40	...	...	E	4	...	,,	30.52	...	...	...	0	...
Tokio,	,,	30.33	...	...	N	6	...	,,	30.49	...	...	NW	2	...
Kochi,	,,	30.27	...	...	E	4	...	,,	30.27	...	...	E	6	...
Nagasaki,	,,	30.19	...	...	E	6	...	,,	30.03	...	...	NE	6	...
Kagoshima,	,,	29.99	...	...	NE	6	...	,,	30.03	...	...	SE	8	...
Oshima,	,,	30.04	...	...	SE	6	...	,,	29.92	...	...	NE	2	...
Naha,	,,	29.97	...	...	SE	4	...	,,	29.97	...	...	NW	4	...
Ishigakijima,	,,	29.93	...	...	SW	...	...	,,	30.01	...	...	NE	2	...
Taihoku,	1 p.	30.04	...	...	...	0	...	5 a.	30.04	...	...	...	0	...
Taichu,	,,	29.96	...	...	NE	4	...	,,	29.99	...	...	...	0	...
Tainan,	,,	29.98	...	...	N	2	...	,,	29.99	...	...	N	2	...
Koshun,	,,	29.99	...	...	S	4	...	,,	29.99	...	...	NE	2	...
Pescadores,	,,	30.00	...	...	NE	8	...	,,	30.00	...	...	NE	8	...
Weihaiwei,	3 p.	30.25	43	...	ESE	2	o	9 a.	30.15	44	..	E	2	o
Gutzlaff,	,,	30.14	52	86	ESE	2	om	,,	30.19	47	93	NW	4	om
Sharp Peak,	,,	30.01	55	94	E	5	od	,,	30.11	56	94	.	0	o
Amoy,	2.30p.	30.05	59	94	...	0	od	6.30a.	30.11	60	88	NE	1	om
Swatow,	3 p.	29.98	62	...	...	0	od	9 a.	...	...	...	...	...	...
Canton,	,,	30.00	59	94	N	1	o	,,	...	...	...	...	...	...
Hongkong,	4 p.	29.96	63	89	E	2	o	10 a.	30.07	65	95	E	3	o
Victoria Peak,	,,	...	...	...	ESE	2	...	,,	...	...	...	SE	3	...
Gap Rock,	,,	29.93	...	...	NE	4	...	,,	30.04	...	...	E	4	...
Macao,	,,	29.95	63	...	NNW	1	c	,,	30.07	62	...	NNW	1	o
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.88	86	58	SE	3	c	,,	30.00	82	63	W	2	c
Malate,	3 p.	...	...	...	SE	2	c	9 a.	...	...	...	...	0	b
Bacolod,	,,	...	...	...	N	4	o	,,	...	...	...	NE	2	b
Iloilo,	,,	29.88	86	...	NE	2	o	,,	29.98	80	...	NE	...	b
Cebu,	,,	29.88	82	...	N	2	c	,,	29.97	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.25a. The barometer has risen over E. Japan, fallen over W. Japan and the Loochoos. The high pressure area is central over E. Japan, and a shallow depression is moving NE in the neighbourhood of the Loochoos.

Moderate monsoon along the China coast and over the N. part of the China Sea.

Forecast:—moderate NE winds; dull, drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 19th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

19th MARCH, 1903, P. M. 20th MARCH, 1903, A. M.

STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock..	2 p.	30.24	40	...	SE	2	c	7 a.	30.06	30	98	NE	5	f
Nemuro, ...	,,	30.39	...	...	SW	8	...	6 a.	30.28	...	...	SW	8	...
Hakodate, ...	,,	30.36	...	...	SE	6	...	,,	30 05	...	...	NE	4	...
Tokio	,,	30.37	...	...	NE	2	...	,,	30.06	...	...	NW	4	...
Kochi, ...	,,	30 07	...	...	NW	1	...	,,	29.83	...	...	E	8	...
Nagasaki, ...	,,	29.91	...	...	E	6	...	,,	29.91	...	...	N	4	...
Kagoshima.....	,,	29.91	...	...	E	8	...	,,	29.91	...	...	NW	4	...
Oshima, ...	,,	29 96	...	...	N	4	...	,,	30.00	...	...	W	2	...
Naha, ...	,,	30.01	...	...	NW	6	...	,,	30.05	...	...	N	6	...
Ishigakijima, ...	,,	30 01	...	...	N	2	...	,,	30.01	...	...	NE	8	...
Taihoku,.....	1 p.	30.00	...	...	E	6	...	5 a.	30 08	...	...	E	6	...
Taichu, ...	,,	29.93	...	...	N	2	...	,,	29.96	...	...	N	2	...
Tainan, ...	,,	29.96	...	..	W	4	...	,,	29.97	...	...	N	4	...
Koshun.	,,	29.97	...	...	E	6	...	,,	29.97	...	...	...	0	...
Pescadores, ...	,,	30.01	...	...	N	6	...	,,	29.99	...	...	NE	8	...
Weihaiwei.....	3 p.	30.09	45	...	N	2	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	,,	30 14	49	85	NW	4	cv	,,	...	...	...	...	...	...
Sharp Peak, ..	,,	30.03	55	96	NW	1	o	,,	30.19	54	90	NNE	5	or
Amoy, ...	2.30p.	30.04	66	68	...	0	or	6.30a.	30.15	57	94	NE	3	or
Swatow.	3 p	30.03	64	...	NW	1	cmr	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong	4 p.	29.98	65	91	...	0	o	10 a.	30.12	61	75	N	1	o
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	N	1	...
Gap Rock.	,,	29.95	...	...	N	4	...	,,	30.08	...	...	NE	3	...
Macao, ...	,,	29.99	61	...	NNW	1	cd	,,	30.14	59	...	NNW	2	o
Hailoong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.98	86	59	SE	3	c	,,	30.00	81	62	W	1	o
Malate, ...	3 p.	...	...	...	SE	3	o	9 a.	...	...	...	...	0	b
Paeolod.	,,	...	...	...	N	6	b	,,	...	...	...	NE	6	b
Iloilo.	,,	29.88	86	...	NE	2	b	,,	29.98	80	...	N	1	c
Cebu.	,,	29.89	82	...	N	3	c	,,	29.98	81	...	N	2	c
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.45a. The barometer has fallen considerably over Central and Eastern Japan, owing to the approach of the depression, which is moving NE. off the S. coast.

Pressure is high over Central China, and the barometer has risen along the coast.

Strong monsoon in the Formosa Channel, moderate but increasing monsoon over the N. part of the China Sea.

Forecast:—moderate N. to NE. winds; weather probably improving.

Wladivostock reports:—"Golden Horn is open 18th March."

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 20th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th MARCH, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st MARCH, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	30.04	37	...	N	5	b	7 a.	30.07	23	70	NE	2	b
Nemuro,	,,	30.04	...	...	SE	6	...	6 a.	29.87	...	...	N	10	...
Hakodate,	,,	29.81	...	...	N	6	...	,,	29.73	...	...	N	8	...
Tokio,	,,	29.71	...	...	S	2	...	,,	29.78	...	...	N	6	...
Kochi,	,,	29.68	...	...	...	0	...	,,	30.03	...	...	...	0	...
Nagasaki,	,,	29.91	...	...	...	6	...	,,	30.15	...	...	NE	2	...
Kagoshima,	,,	29.91	...	...	NW	4	...	,,	30.11	...	...	N	6	...
Ishima,	,,	30.00	...	...	N	6	...	,,	30.08	...	...	N	4	...
Naha,	,,	30.05	...	...	N	8	...	,,	30.09	...	...	E	2	...
Ishigakijima,	,,	30.05	...	...	NE	6	...	,,	30.09	...	...	NE	4	...
Taihoku,	1 p.	30.15	...	...	...	6	...	5 a.	30.11	...	...	E	6	...
Taichu,	,,	30.02	...	...	NW	4	...	,,	30.06	...	...	NW	4	...
Tainan,	,,	30.02	...	...	N	6	...	,,	30.05	...	...	N	4	...
Koshun,	,,	30.00	...	...	NE	8	...	,,	30.02	...	...	NE	8	...
Pescadores,	,,	30.05	...	...	NE	8	...	,,	30.06	...	...	NE	8	...
Weihsiwei,	3 p.	30.22	43	...	NW	3	b	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	...	...	...	...	...	...	,,	30.30	45	84	NE	2	c v
Sharp Peak,	,,	30.15	54	84	E	4	o	,,	30.21	52	70	NNW	2	og
Amoy,	2.30p.	30.13	60	88	NE	4	o	6.30a.	30.22	55	87	NE	3	o
Swatow,	3 p.	30.05	63	...	E	2	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	30.02	59	90	W	1	od	10 a.	30.15	62	78	NE	2	o
Victoria Peak,	,,	...	...	...	NE	2	...	,,	...	...	...	E	2	...
Cap Rock,	,,	30.00	...	...	NE	3	...	,,	30.13	...	...	NE	4	...
Macao,	,,	30.03	60	...	NNW	1	c	,,	30.16	59	...	N	1	o
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.84	68	64	SE	2	c	,,	30.00	82	63	W	2	c
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	...	...	0	b
Pacoled,	,,	...	...	...	NE	4	b	,,	...	...	...	NE	6	b
Iloilo,	,,	29.90	86	...	NE	2	c	,,	30.00	80	...	NE	1	c
Cebu,	,,	29.86	63	...	N	2	b	,,	29.98	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11.36a. The barometer has fallen rapidly over NE. Japan, risen over W. Japan. The depression has deepened and is now moving into the Pacific off the NE. coast of Japan. Pressure is high over NE China. Fresh monsoon in the Formosa Channel and over the N. part of the China Sea.

Forecast:—moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 21st March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

21st MARCH, 1903. P. M. | 22nd MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock.	2 p.	30.06	40	...	N	2	c	7 a.	30.01	29	93	...	0	b
Nemuro,	"	29.69	...	...	NW	10	...	6 a.	30.12	...	...	SW	4	...
Hakodate,	"	29.93	...	...	N	8	...	"	30.13	...	...	...	0	...
Tokio.	"	29.94	...	...	NW	6	...	"	30.10	...	...	NW	6	...
Kochi,	"	29.93	...	...	NE	...	...	"	30.11	...	...	...	0	...
Nagasaki,	"	30.11	...	...	N	4	...	"	30.23	...	...	...	0	...
Kagoshima.	"	30.11	...	...	...	0	...	"	30.19	...	...	NW	4	...
Oshima,	"	30.08	...	...	...	0	...	"	30.16	...	...	NE	4	...
Naha,	"	30.09	...	...	N	2	...	"	30.17	...	...	N	4	...
Ishigakijima,	"	30.09	...	...	NE	4	...	"	30.17	...	...	NE	4	...
Taihoku,	1 p.	30.14	...	...	E	4	...	5 a.	30.19	...	...	E	8	...
Taichu,	"	30.06	...	...	NW	2	...	"	30.09	...	...	NE	2	...
Tainan,	"	30.05	...	..	N	4	...	"	30.08	...	...	...	0	...
Koshun,	"	30.05	...	...	NE	4	...	"	30.09	...	...	NE	6	...
Pescadores,	"	30.10	...	...	NE	8	...	"	30.11	...	...	NE	8	...
Weihaiwei.	3 p.	30.14	46	...	NE	2	...	9 a.	...	...	...	...	...	...
Gutzlaff,	"	30.27	52	66	NE	2	bv	"	30.34	50	72	SSE	3	bv
Sharp Peak.	"	30.14	56	80	E	3	o	"	30.25	56	81	NNE	4	b
Amoy,	2.30p.	30.17	62	72	ENE	2	o	6.30a.	30.29	56	87	NE	2	b
Swatow,	3 p.	30.05	62	...	E	1	o	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	..	...	...
Hongkong.	4 p.	30.05	63	74	E	1	o	10 a.	30.14	63	79	E	5	o
Victoria Peak,	"	...	...	...	E	3	...	"	...	...	...	ESE	6	...
Cap Rock,	"	30.04	...	...	ENE	4	...	"	30.10	...	...	ENE	5	...
Macao,	"	30.06	69	...	N	1	o	"	30.14	61	...	ESE	1	o
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.88	88	42	...	4	b	"	30.04	82	57	...	0	o
Malate,	3 p.	...	...	...	E	3	b	9 a.	...	...	...	...	0	c
Pacolod.	"	...	...	...	N	4	b	"	...	...	...	N	4	b
Iloilo,	"	29.91	86	...	NE	3	o	"	30.02	81	...	E	1	c
Cebu,	"	29.89	82	...	N	8	o	"	30.00	83	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.30a. The barometer has risen rapidly over E. Japan, and slightly on the China coast, except in the S.

Pressure is high between the E. coast of China and W. Japan, and low, probably, over Manchuria.

Decreasing monsoon in the Formosa Channel, fresh monsoon over the N. part of the China Sea.

Forecast:—fresh E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 22nd March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

22nd MARCH, 1903, P. M. 23rd MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	30.24	...	...	SW	6	...	6 a.	30.08	...	...	S	...	...
Hakodate, ...	„	30.09	...	...	SE	4	...	„	30.09	...	...	...	0	...
Tokio.....	„	30.02	...	...	NE	6	...	„	30.14	...	...	W	2	...
Kochi, ...	„	30.07	...	...	NW	6	...	„	30.19	...	...	E	4	...
Nagasaki, ...	„	30.07	...	...	NW	6	...	„	30.23	...	...	SE	2	...
Kagoshima.....	„	30.23	...	...	NW	4	...	„	30.23	...	...	...	0	...
Oshima, ...	„	30.24	...	...	N	4	...	„	30.16	...	...	...	0	...
Naha, ...	„	30.21	...	...	E	4	...	„	30.13	...	...	E	2	...
Ishigakijima, ...	„	30.17	...	...	E	6	...	„	30.09	...	...	S	6	...
Taihoku,.....	1 p.	30.11	...	...	E	6	...	5 a.	30.08	...	...	...	0	...
Taichu, ...	„	30.08	...	...	SW	2	...	„	30.07	...	...	N	2	...
Tainan,.....	„	30.11	...	...	W	4	...	„	30.06	...	...	NE	2	...
Koshun, ...	„	30.09	...	...	E	8	...	„	30.04	...	...	E	4	...
Pescadores, ...	„	30.11	...	...	N	8	...	„	30.07	...	...	E	4	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	...	...	..	..	...	...
Gutzlaff, ...	„	30.22	52	73	SE	5	cv	„	30.01	53	93	S	5	cv
Sharp Peak, ..	„	30.18	57	78	E	4	o	„	30.06	61	82	...	0	b
Amoy, ...	2.30p.	30.19	65	84	NE	2	b	6.30a.	30.14	61	88	SW	3	b
Swatow, ...	3 p	30.05	65	...	ENE	2	o	9 a.	30.10	65	...	W	1	o
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	30.05	65	84	E	4	o	10 a.	30.09	67	85	E	3	b
Victoria Peak,.	„	...	...	...	ESE	5	...	„	...	...	...	...	...	...
Gap Rock,.....	„	30.04	...	...	ENE	5	...	„	...	...	...	...	...	...
Macao, ...	„	30.04	62	...	ESE	1	o	„	30.09	64	...	SE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.92	86	53	E	1	o	„	30.04	82	70	WSW	1	o
Malate,.....	3 p.	...	...	...	WNW	1	o	9 a.	...	...	..	...	0	b
Pacoled. ...	„	...	...	...	N	6	b	„	...	...	...	NE	4	b
Iloilo, ...	„	29.89	86	...	N	2	b	„	30.01	80	...	E	1	b
Cebu, ...	„	29.90	84	...	...	0	...	„	29.97	83	...	N	2	b
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.5a. The barometer has fallen on the China coast, particularly in the North, owing to a depression, which is approaching the neighbourhood of Shanghai from the Westward.
Pressure is highest over W. Japan.
The monsoon is interrupted on the China coast, S. to W. winds prevailing. Light E. and SE. winds over the N. part of the China Sea.
Forecast:—E and variable winds, light; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 23rd March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd MARCH, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th MARCH, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.08	...	...	N	2	...	6 a.	30.16	...	...	W	1	...
Hakodate, ...	,,	30.13	...	...	...	0	...	,,	30.21	...	...	N	2	...
Tokio,.....	,,	30.10	...	...	S	4	...	,,	30.22	...	...	NE	4	...
Kochi, ...	,,	30.15	...	...	E	2	...	,,	29.95	...	...	E	4	...
Nagasaki, ...	,,	30.11	...	...	E	2	...	,,	29.99	...	...	NE	6	...
Kagoshima, ...	,,	30.11	...	...	NE	2	...	,,	29.95	...	...	NE	2	...
Oshima, ...	,,	30.08	...	...	S	6	...	,,	30.00	...	...	NW	...	...
Naha, ...	,,	30.09	...	...	S	4	...	,,	30.01	...	...	S	2	...
Ishigakijima, ...	,,	30.09	...	...	S	4	...	,,	30.05	...	...	...	0	...
Taihoku,.....	1 p.	30.02	...	...	E	2	...	5 a.	30.05	...	...	...	0	...
Taichu, ...	,,	30.02	...	...	NE	2	...	,,	30.02	...	...	...	0	...
Tainan, ...	,,	30.04	...	...	NW	4	...	,,	30.02	...	...	...	0	...
Koshun, ...	,,	30.03	...	...	E	4	...	,,	30.02	...	...	...	0	...
Pescadores, ...	,,	30.06	...	...	NW	2	...	,,	30.04	...	...	NE	2	...
Weihaiwei,.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	..	...	...
Gutzlaff, ...	,,	30.01	54	94	NW	5	cm	,,	30.29	48	93	NE	5	cv
Harp Peak, ..	,,	29.97	64	84	SSE	2	b	,,	30.16	59	82	NNE	4	cg
Amoy, ...	2.30p.	30.05	69	80	SE	1	c	6.30a.	30.10	66	89	S	2	b
Swatow, ...	3 p.	30.03	72	...	..	0	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	29.95	76	86	S	1	c	,,	...	...	...	..	...	...
Hongkong.....	4 p.	29.99	69	86	E	3	c	10 a.	30.08	75	77	E	2	b
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	SE	3	...
Cap Lock,.....	,,	29.98	...	...	ENE	3	...	,,	30.08	...	...	E	3	...
Macao, ...	,,	29.99	68	...	SE	1	c	,,	...	...	...	...	...	...
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	88	41	SE	2	c	,,	30.00	88	47	...	0	c
Mulate,.....	3 p.	...	...	...	E	3	c	9 a.	...	...	...	E	1	b
Jaccked, ...	,,	...	...	...	N	4	b	,,	...	...	...	NE	6	b
Poilo, ...	,,	29.89	87	...	NE	2	c	,,	30.00	81	...	NE	1	o
Cebu, ...	,,	29.89	84	...	N	3	c	,,	29.99	84	...	N	3	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.30a. The barometer has fallen rapidly over W. Japan owing to the depression, which is now moving Eastwards off the S. coast of Kiushiu.
Pressure has recovered quickly and is again high over the E. coast of China.
The monsoon will set in again in the Formosa Channel during the ensuing 24 hours. Moderate E. winds over the N. part of the China Sea
Forecast:—NE winds, freshening; fine at first, misty later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 24th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

24th MARCH, 1903, P. M. | 25th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	30.22	45	...	N	3	b	7 a.	30.37	27	67	NE	2	b
Nemuro, ...	,,	30.20	...	...	NE	8	...	6 a.	30.31	...	...	NE	8	...
Hakodate, ...	,,	30.17	...	...	NW	4	...	,,	30.36	...	...	N	2	...
Tokio, ...	,,	30.10	...	...	NE	4	...	,,	30.22	...	...	...	0	...
Kochi, ...	,,	29.95	...	...	E	6	...	,,	30.11	...	...	E	6	...
Nagasaki, ...	,,	30.03	...	...	NE	6	...	,,	30.19	...	...	NE	6	...
Kagoshima, ...	,,	29.95	...	...	SE	2	...	,,	30.11	...	...	N	2	...
Oshima, ...	,,	30.00	...	...	N	4	...	,,	30.12	...	...	N	6	...
Naha, ...	,,	...	...	...	N	4	...	,,	30.09	...	...	N	2	...
Ishigakijima, ...	,,	30.05	...	...	SW	2	...	,,	30.09	...	...	NE	4	...
Taihoku, ...	1 p.	30.09	...	...	E	6	...	5 a.	30.08	...	...	...	0	...
Taichu, ...	,,	30.04	...	...	N	4	...	,,	30.00	...	...	N	2	...
Tainan, ...	,,	30.02	...	...	W	4	...	,,	30.06	...	...	N	4	...
Koshun, ...	,,	30.03	...	...	SE	4	...	,,	30.06	...	...	NE	6	...
Pescadores, ...	,,	30.07	...	...	SW	8	...	,,	30.08	...	...	NE	8	...
Weihaiwei.....	3 p.	30.28	45	...	N	3	b	9 a.	...	...	..	..	...	...
Gutzlaff, ...	,,	30.26	49	98	NNE	4	cv	,,	30.34	49	93	ENE	3	cv
Sharp Peak, ..	,,	30.12	58	81	E	5	cg	,,	30.23	55	...	...	0	cg
Amoy, ...	2.30p.	30.08	70	53	NE	2	c	6.30a.	30.19	62	89	NE	2	c
Swatow, ...	3 p.	29.99	70	...	ESE	3	c	9 a.	30.18	66	...	E	3	c
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong, ...	4 p.	29.98	73	77	ESE	2	b	10 a.	30.16	67	88	E	3	c
Victoria Peak, .	,,	...	...	...	SE	1	...	,,	...	...	...	ESE	4	...
Cap Rock, ...	,,	29.98	...	...	ENE	3	...	,,	30.14	...	...	ENE	4	...
Macao, ...	,,	29.98	72	...	SE	1	c	,,	30.15	70	...	ESE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	90	44	SE	2	b	,,	30.04	81	69	W	2	c
Malate, ...	3 p.	...	...	...	E	3	b	9 a.	...	...	...	...	0	c
Pacolet, ...	,,	...	...	...	NE	4	b	,,	...	...	...	NE	3	b
Iloilo, ...	,,	29.88	86	...	NE	2	c	,,	30.02	86	...	NE	2	...
Cebu, ...	,,	29.88	85	...	N	2	b	,,	29.99	83	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 11.25a The barometer has risen generally, particularly over Japan.
An area of high pressure lies over N. China, Manchuria and the N. part of the Sea of Japan; and the depression seems to have filled up off the S. coast of Japan.
Fresh monsoon along the China coast, moderate monsoon over the N. part of the China Sea.
Forecast:—moderate NE winds; cloudy misty.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 25th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

25th MARCH, 1903, P. M. — 26th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	30.35	42	...	N	1	c	7 a.	30.40	25	99	...	0	o
Nemuro,	„	30.31	...	...	N	10	...	6 a.	...	...	...	...	...	...
Hakodate,	„	30.36	...	...	N	6	...	„	...	...	...	...	...	...
Tokio,	„	30.22	...	...	NE	4	...	„	...	...	...	...	...	...
Kochi,	„	30.15	...	...	N	4	...	„	...	...	...	...	...	...
Nagasaki,	„	30.15	...	...	NE	6	...	„	...	...	...	...	...	...
Kagoshima,	„	30.15	...	...	SE	2	...	„	...	...	...	...	...	...
Oshima,	„	30.12	...	...	N	4	...	„	...	...	...	...	...	...
Naha,	„	30.13	...	...	N	4	...	„	...	...	...	...	...	...
Ishigakijima,	„	30.13	...	...	E	3	...	„	...	...	...	...	...	...
Taihoku,	1 p.	30.12	...	...	E	6	...	5 a.	30.13	...	...	E	2	...
Taichu,	„	30.07	...	...	N	4	...	„	30.09	...	...	...	0	...
Tainan,	„	30.06	...	...	NW	6	...	„	30.08	...	...	N	2	...
Koshun,	„	30.09	...	...	E	6	...	„	30.07	...	...	NE	2	...
Pescadores,	„	30.10	...	...	NE	8	...	„	30.10	...	...	NE	6	...
Weihaiwei,	3 p.	30.35	47	...	NW	3	...	9 a.	...	...	..	..	...	...
Gutzlaff,	„	30.29	51	93	ESE	4	cv	„	30.34	50	86	ESE	4	omd
Sharp Peak,	„	30.13	59	88	ENE	2	o	„	30.21	59	88	NNE	1	og
Amoy,	2.30p.	30.17	64	84	SE	1	o	6.30a.	30.12	63	89	...	0	o
Swatow,	3 p.	30.07	70	...	ENE	2	o	9 a.	30.20	68	...	ENE	1	c
Canton,	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong,	4 p.	30.08	69	80	E	3	o	10 a.	30.20	69	82	E	2	o
Victoria Peak,	„	...	...	...	SE	2	...	„	...	...	...	E	3	...
Cap Rock,	„	30.08	...	...	ENE	3	...	„	30.18	...	...	ENE	3	...
Macao,	„	30.08	72	...	SE	1	c	„	30.18	72	...	ESE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.92	88	47	E	2	c	„	30.04	81	63	W	1	o
Malate,	3 p.	...	...	...	E	2	c	9 a.	...	...	...	...	0	b
Jacolod,	„	...	...	...	N	4	b	„	...	...	...	N	6	b
Iloilo,	„	29.92	87	...	E	2	c	„	30.04	80	...	N	3	o
Cebu,	„	29.92	84	...	N	4	c	„	30.02	84	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 11.55a. Barometric changes are unimportant.
The area of high pressure still lies over N. China, and the N. part of the Sea of Japan, and gradients are slight with moderate monsoon in the Formosa Channel, and over the N. part of the China Sea.
Forecast:—E. winds, moderate or light; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 26th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	26th MARCH, 1903, P. M.							27th MARCH, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	"	30.35	...	...	N	8	...	6 a.	30.31	...	...	N	6	...
Hakodate, ...	"	30.40	...	...	N	6	...	"	30.40	...	...	...	0	...
Tokio,.....	"	30.38	...	...	E	3	...	"	30.33	...	...	NW	2	...
Kochi, ...	"	30.23	...	...	N	2	...	"	30.27	...	...	E	6	...
Nagasaki, ...	"	30.23	...	...	NE	6	...	"	30.23	...	...	NE	4	...
Kagoshima,....	"	30.23	...	...	NE	4	...	"	30.23	...	...	...	0	...
Oshima, ...	"	30.12	...	...	SE	2	...	"	30.04	...	...	S	2	...
Naha, ...	"	30.13	...	...	SE	4	...	"	30.17	...	...	NW	4	...
Ishigakijima, ...	"	30.13	...	...	N	6	...	"	30.05	...	...	SE	4	...
Taihoku,.....	1 p.	30.13	...	...	NE	6	...	5 a.	30.09	...	...	E	2	...
Taichu, ...	"	30.10	...	...	NW	2	...	"	30.00	...	...	...	0	...
Tainan,.....	"	30.08	...	...	N	6	...	"	30.04	...	...	N	2	...
Koshun,.....	"	30.12	...	...	NE	2	...	"	30.05	...	...	...	0	...
Pescadores, ...	"	30.15	...	...	NW	8	...	"	30.06	...	...	NE	6	...
Weihaiwei,.....	3 p.	30.33	45	...	E	2	...	9 a.	30.38	43	..	E	2	...
Gutzlaff, ...	"	30.27	49	100	ESE	5	cmr	"	30.26	50	93	ENE	4	cm
Sharp Peak, ..	"	30.14	60	85	E	2	o	"	30.15	57	91	E	2	o
Amoy, ...	2.30p.	30.15	68	79	SE	2	b	6.30a.	30.14	64	89	NE	1	o
Swatow, ...	3 p.	30.08	71	...	ESE	1	c	9 a.	...	...	...	...	...	...
Canton, ...	"	...	...	...	...	...	...	"	...	...	...	..	...	...
Hongkong.....	4 p.	30.09	70	77	E	3	b	10 a.	30.12	69	87	E	2	o
Victoria Peak,.	"	...	...	...	SE	2	...	"	...	...	...	ESE	4	...
Gap Rock,.....	"	30.06	...	...	ENE	4	...	"	30.09	...	...	ENE	4	...
Macao, ...	"	30.08	72	...	SE	1	c	"	30.10	73	...	ESE	1	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.96	86	59	...	0	c	"	30.00	81	69	NW	2	c
Malate,.....	3 p.	...	...	...	E	2	o	9 a.	...	...	...	WNW	2	c
Bacolod, ...	"	...	...	...	NE	4	b	"	...	...	...	NE	6	o
Iloilo, ...	"	29.98	86	...	NE	3	c	"	29.99	81	...	NW	3	o
Cebu, ...	"	29.93	84	...	N	2	b	"	29.99	84	...	N	3	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 11.5a. The Barometer has fallen generally.
The area of high pressure still lies over N. China and the Sea of Japan, and probably a depression is forming between Formosa and the Looch oos.
Moderate monsoon on the China coast and over the N. part of the China Sea.
Forecast:— moderate NE winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 27th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

27th MARCH, 1903, P. M. 28th MARCH, 1903, A. M.

ATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
vostock,..	2 p.	30.31	50	...	N	2	b	7 a.	30.27	32	93	S	3	c
-o, ...	„	30.31	...	...	N	6	...	6 a.	30.43	...	...	...	0	...
iate, ...	„	30.40	...	...	N	6	...	„	30.48	...	...	...	0	...
.....	„	30.33	...	...	NW	4	...	„	30.49	...	...	NW	2	...
.....	„	30.27	...	...	E	4	...	„	30.23	...	...	E	4	...
,aki, ...	„	30.23	...	...	NE	4	...	„	30.15	...	...	NE	4	...
hima, ...	„	30.19	...	...	NE	8	...	„	30.15	...	...	E	8	...
, ...	„	30.04	...	...	SE	2	...	„	30.04	...	...	...	0	...
.....	„	30.05	...	...	NW	4	...	„	30.05	...	...	...	0	...
kijima, ...	„	30.09	...	...	SW	4	...	„	30.05	...	...	S	4	...
u, ...	1 p.	30.06	...	...	E	4	...	5 a.	30.07	...	...	E	4	...
, ...	„	30.02	...	...	N	6	...	„	30.03	...	...	...	0	...
, ...	„	30.03	...	...	NW	6	...	„	30.03	...	...	N	4	...
, ...	„	30.04	...	...	SE	4	...	„	30.02	...	...	...	0	...
ores, ...	„	30.06	...	...	NE	6	...	„	30.03	...	...	NE	6	...
wei.....	3 p.	30.31	46	...	NE	2	...	9 a.	...	...	..	...	...	...
I, ...	„	30.21	50	93	NE	4	cm	„	30.23	50	100	NE	4	fl
Peak, ..	„	...	...	...	...	...	...	„	30.15	57	87	E	2	og
.....	2.30p.	30.09	65	84	SE	2	b	6.30a.	30.15	63	94	NE	3	om
, ...	3 p.	30.00	73	...	...	0	b	9 a.	...	...	...	...	...	...
, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
ong.....	4 p.	29.99	70	85	E	4	b	10 a.	30.10	69	86	E	3	o
a Peak,.	„	...	...	...	SE	3	...	„	...	...	...	SE	3	...
ck, ...	„	29.98	...	...	ENE	4	...	„	30.06	...	...	ENE	4	...
.. ..	„	30.00	74	...	ESE	1	c	„	30.08	73	...	ESE	1	c
g, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
.. ..	„	29.88	88	47	E	2	c	„	30.00	81	69	WSW	1	c
.....	3 p.	...	...	...	E	3	b	9 a.	...	...	...	...	0	b
.....	„	...	...	...	NE	4	b	„	...	...	...	NE	3	b
.....	„	29.90	95	...	N	2	b	„	30.01	91	...	N	2	b
....	„	29.90	82	...	N	2	b	„	30.00	84	...	N	4	c
James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 11.45a. The barometer has risen over E. Japan, fallen over W. Japan.
he high pressure area lies now over E. Japan, and a shallow depression lies in the neighbourhood of the
oochoos.
oderate monsoon along the China coast and over the N. part of the China Sea.
recast:—moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 28th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

28th MARCH, 1903, P. M. — 29th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	"	30.45	...	...	N	2	...	6 a.	30.31	...	...	W	2
Hakodate,	"	30.44	...	...	S	4	...	"	30.29	...	...	NE	2
Tokio,	"	30.41	...	...	E	2	...	"	30.33	...	...	N	2
Kochi,	"	30.28	...	...	E	2	...	"	30.15	...	...	E	2
Nagasaki,	"	30.11	...	...	N	2	...	"	29.99	...	...	...	0
Kagoshima,	"	30.07	...	...	E	6	...	"	29.99	...	...	...	0
Oshima,	"	30.04	...	...	S	2	...	"	30.04	...	...	NW	6
Naha,	"	30.05	...	...	S	2	...	"	30.05	...	...	N	4
Ishigakijima,	"	30.09	...	...	SW	4	...	"	30.05	...	...	S	4
Taihoku,	1 p.	30.08	...	...	NE	6	...	5 a.	30.04	...	...	E	4
Taichu,	"	30.02	...	...	NW	4	...	"	29.96	...	...	...	0
Tainan,	"	30.04	...	...	E	6	...	"	30.00	...	...	N	6
Koshun,	"	30.04	...	...	E	6	...	"	30.00	...	...	...	0
Pescadores,	"	30.08	...	...	NE	6	...	"	30.00	...	...	NE	6
Weihaiwei,	3 p.	30.21	51	...	N	1	b	9 a.	...	...	..	...	...
Gutzlaff,	"	30.18	50	93	NE	4	om	"	30.17	49	100	E	4
Sharp Peak,	"	30.07	58	85	E	5	o	"	30.08	56	91	E	2
Amoy,	2.30p.	30.08	65	78	SE	3	c	6.30a.	30.10	64	89	NE	1
Swatow,	3 p.	29.98	73	...	SE	2	c	9 a.	...	...	...	...	...
Canton,	"	..	...	...	...	...	...	"	...	...	...	..	...
Hongkong,	4 p.	29.98	71	88	E	3	o	10 a.	30.02	70	90	E	3
Victoria Peak,	"	...	...	...	SE	4	...	"	...	...	...	SE	3
Cap Rock,	"	29.96	...	...	ENE	4	...	"	30.01	...	...	E	3
Macao,	"	29.98	74	...	ESE	1	o	"	...	...	...	...	...
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.88	88	47	ESE	2	c	"	30.00	86	44	E	2
Malate,	3 p.	...	...	...	E	3	c	9 a.	...	...	...	...	0
Pacolod,	"	...	...	...	NE	4	b	"	...	...	...	NE	2
Iloilo,	"	29.89	86	...	E	2	b	"	30.00	82	...	NE	1
Cebu,	"	29.86	83	...	N	4	b	"	30.00	82	...	N	2
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 29th at 11.5a. The barometer has fallen over Japan and the China coast. Pressure is still high over NE. Japan, and the shallow area of low pressure lies off the SW. coast of Probably another depression is forming over Central China.

Moderate to light monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:—moderate to light E. winds; fair, but some fog or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 29th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

29th MARCH, 1903, P. M. 30th MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	30.07	43	...	S	3	b	7 a.	30.08	35	98	...	0	b
Nemuro, ...	,,	30.24	...	...	SW	6	...	6 a.	30.08	...	...	...	0	...
Hakodate, ...	,,	30.17	...	...	SE	4	...	,,	30.09	...	...	...	0	...
Tokio, ...	,,	30.22	...	...	S	4	...	,,	30.06	...	...	NW	2	...
Kochi, ...	,,	30.11	...	...	NE	2	...	,,	29.95	...	...	...	0	...
Nagasaki, ...	,,	29.95	...	...	NW	2	...	,,	29.99	...	...	SE	6	...
Kagoshima, ...	,,	29.95	...	...	NW	4	...	,,	29.99	...	...	...	0	...
Oshima, ...	,,	30.04	...	...	NW	4	...	,,	30.04	...	...	...	0	...
Naha, ...	,,	30.05	...	...	W	4	...	,,	30.05	...	...	...	0	...
Ishigakijima, ...	,,	30.05	...	...	S	6	...	,,	30.01	...	...	SE	2	...
Taihoku, ...	1 p.	30.00	...	...	E	4	...	5 a.	29.93	...	...	...	0	...
Taichu, ...	,,	29.98	...	...	NE	4	...	,,	29.91	...	...	...	0	...
Tainan, ...	,,	29.96	...	...	W	6	...	,,	29.96	...	...	SE	4	...
Koshun, ...	,,	29.99	...	...	SE	6	...	,,	29.94	...	...	E	2	...
Pescadores, ...	,,	29.99	...	...	NE	6	...	,,	29.91	...	...	SE	2	...
Weihaiwei.....	3 p.	30.14	46	...	E	1	b	9 a.	...	...	..	...	...	...
Cutzlaff, ...	,,	30.06	55	93	SE	4	cm	,,	...	...	...	...	...	...
Sharp Peak, ..	,,	29.99	59	85	NE	1	o	,,	29.95	62	89	...	0	o
Amoy, ...	2.30p.	30.08	65	89	NE	3	c	6.30a.	...	64	95	...	0	o
Swatow, ...	3 p.	29.99	70	...	E	1	o	9 a.	...	...	...	...	...	...
Canton, ...	,,	..	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.94	71	90	E	3	o	10 a.	29 98	70	96	E	2	o
Victoria Peak,.	,,	...	...	...	SSE	2	...	,,	...	...	...	SE	3	...
Gap Rock, ...	,,	29 98	...	...	E	2	...	,,	29.97	...	...	ENE	3	...
Macao, ...	,,	29.95	76	...	ESE	1	c	,,	29.95	73	...	ESE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.92	82	63	ENE	1	o	,,	29.96	86	58	...	0	o
Malate, ...	3 p.	...	...	...	E	2	o	9 a.	...	...	...	...	0	o
Basco [illegible]	,,	...	...	...	N	6	b	,,	...	...	...	N	3	b
[illegible]	,,	29.88	87	...	NE	2	b	,,	29.98	83	...	E	1	b
[illegible]	,,	29.90	84	...	N	4	c	,,	29.97	83	...	N	2	b
[illegible]	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the [illegible] 8.55a. The barometer has fallen over Central and E. Japan, the shallow area of low pressure lying off the SW. coast of Japan yesterday, having moved NE.

The depression, lying over China yesterday, is moving into the Yellow Sea to the N. of Shanghai this morning.

Gradients slight with light variable winds in the Formosa Channel and N. part of the China Sea.

Forecast:—SE. or variable winds, light; fair, fog at night.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 30th March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

30th MARCH, 1903, P. M.

31st MARCH, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.96	52	...	...	0	o	7 a.	29.76	34	99	...	0	s
Nemuro,	„	30.08	...	...	NE	4	...	6 a.	30.08	...	...	S	4	...
Hakodate,	„	...	...	...	SW	4	...	„	29.97	...	...	E	8	..
Tokio,	„	29.94	...	...	S	6	...	„	29.98	...	...	N	4	...
Kochi,	„	29.95	...	...	E	1	...	„	29.79	...	...	W	1	...
Nagasaki,	„	29.87	...	...	S	8	...	„	29.83	...	...	SW	4	...
Kagoshima,	„	29.95	...	...	S	2	...	„	29.83	...	...	W	2	...
Oshima,	„	...	...	...	...	..	...	„	29.88	...	...	S	6	...
Naha,	„	30.01	...	...	S	4	...	„	29.89	...	...	S	4	...
Ishigakijima,	„	29.97	...	...	SW	8	...	„	29.89	...	...	SW	...	...
Taihoku,	1 p.	29.91	...	...	N	2	...	5 a.	29.92	...	...	N	6	...
Taichu,	„	29.90	...	...	S	2	...	„	29.88	...	...	...	0	...
Tainan,	„	29.90	...	...	S	8	...	„	29.88	...	...	SE	2	...
Kosbun,	„	29.94	...	...	SE	6	...	„	29.91	...	...	...	0	...
Pescadores,	„	29.93	...	...	W	4	...	„	29.90	...	...	NW	4	...
Weihaiwei,	3 p.	29.65	42	...	NE	2	...	9 a.	...	...	..	...	...	...
Gutzlaff,	„	29.92	56	81	NW	5	cv	„	...	...	...	...	...	...
Sharp Peak,	„	29.83	65	89	N	2	b	„	29.97	64	89	...	0	of
Amoy,	2.30p.	29.90	72	85	SE	3	c	6.30a.	29.96	70	95	...	0	b
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	o	„	...	...	...	..	...	...
Hongkong,	4 p.	29.84	79	92	E	3	o	10 a.	29.94	71	85	E	2	c
Victoria Peak,	„	...	...	...	SSE	5	...	„	...	...	...	S	2	...
Gap Rock,	„	29.85	...	...	SE	3	...	„	29.93	...	...	E	3	...
Macao,	„	29.82	74	...	SE	1	o	„	29.92	72	...	E	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.88	86	53	E	2	o	„	29.96	84	64	WNW	2	c
Malate,	3 p.	...	...	...	E	3	o	9 a.	...	...	...	...	0	c
Bacolod,	„	...	...	...	N	4	b	„	...	...	...	NE	3	b
Iloilo,	„	29.88	88	...	NE	1	c	„	29.90	84	...	NE	1	b
Cebu,	„	29.87	85	...	N	4	c	„	29.97	83	...	...	...	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 31st at 11.40a. The barometer has fallen over Japan, risen on the E. coast of China. The depression has moved Eastwards into the W. part of the Sea of Japan.

Gradients slight for NE. winds in the Formosa Channel, and for SE. winds over the N. part of the China Sea.

Forecast:—E. or variable winds, light to moderate; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 31st March 1903.

CHINA COAST METEOROLOGICAL REGISTER.

31st MARCH, 1903, P. M. — 1st APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	..	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.04	...	...	SE	4	...	6 a.	29.45	...	...	SE	8	...
Hakodate, ...	,,	29.77	...	...	E	10	...	,,	29.50	...	...	W	8	...
Tokio, ...	,,	29.86	...	...	E	2	...	,,	29.74	...	...	N	2	...
Kochi, ...	,,	29.72	...	...	S	8	...	,,	29.87	...	...	NW	2	...
Nagasaki, ...	,,	29.87	...	...	W	8	...	,,	29.99	...	...	...	0	...
Kagoshima, ...	,,	29.87	...	...	NW	6	...	,,	29.99	...	...	N	2	...
Oshima, ...	,,	29.96	...	...	N	4	...	,,	30.00	...	...	S	2	...
Naha, ...	,,	29.97	...	...	NE	6	...	,,	29.97	...	...	E	2	...
Ishigakijima, ...	,,	29.93	...	...	NE	6	...	,,	29.89	...	...	SE	2	...
Taihoku, ...	1 p.	29.91	...	...	NE	2	...	5 a.	29.88	...	...	E	2	...
Taichu, ...	,,	29.89	...	...	S	4	...	,,	29.87	...	...	...	0	...
Tainan, ...	,,	29.90	...	...	W	4	...	,,	29.85	...	...	SE	2	...
Koshun, ...	,,	29.90	...	...	W	4	...	,,	29.89	...	...	SW	2	...
Pescadores, ...	,,	29.90	...	...	SE	4	...	,,	29.85	...	...	NE	4	...
Weihaiwei.....	3 p.	29.79	45	...	NW	4	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	,,	30.01	57	63	ESE	2	cv	,,	30.05	51	93	SE	3	cv
Sharp Peak, ..	,,	29.91	58	88	E	7	og	,,	29.91	61	91	...	0	or
Amoy, ...	2.30p.	29.91	71	80	SE	3	o	6.30a.	29.90	66	89	NE	4	crlt
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	o	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.81	71	88	E	3	o	10 a.	29.83	77	80	S	1	od
Victoria Peak, .	,,	...	...	...	S	5	...	,,	...	...	...	SSW	6	...
Gap Rock, ...	,,	29.81	...	...	SSE	3	...	,,	29.82	...	...	SSE	4	...
Macao, ...	,,	29.76	73	...	S	3	o	,,	29.81	75	...	SSW	2	or
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	91	49	SE	1	b	,,	29.92	88	59	SE	2	b
Malate, ...	3 p.	...	...	...	E	2	b	9 a.	...	...	...	E	1	b
Bacolod, ...	,,	...	...	...	N	3	b	,,	...	...	...	N	3	b
Iloilo, ...	,,	29.88	98	...	N	2	c	,,	29.98	84	...	N	2	b
Cebu, ...	,,	29.86	85	...	N	4	b	,,	29.97	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the log at 1.30a. The barometer has risen over W. Japan, fallen over E. Japan and the coast of China. The depression is moving NE. over NE. Japan. Pressure is highest between the E. coast of China and W. Japan, and probably another depression is forming over China to the South of the Yangtze.

Moderate SE. and S. winds along the China coast and over the N. part of the China Sea.

Forecast:—moderate SE. to S. winds; squally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 1st April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

1st APRIL, 1903, P. M. 2nd APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,..	2 p.	..	...	...	...	...	...	7 a.	...	...	...	...	....
Nemuro, ...	,,	...	...	...	W	8	...	6 a.	29.61	...	...	SW	4
Hakodate, ...	,,	29.54	...	...	S	6	...	,,	29.81	...	...	SW	4
Tokio,.....	,,	29.67	...	...	NE	4	...	,,	29.94	...	...	N	2
Kochi, ...	,,	29.87	...	...	...	0	...	,,	29.95	...	...	E	2
Nagasaki, ...	,,	29.99	...	...	SW	2	...	,,	29.95	...	...	NE	6
Kagoshima.....	,,	29 95	...	...	...	0	...	,,	29.83	...	...	S	6
Oshima, ...	,,	...	...	...	S	4	...	,,	29.88	...	...	SW	4
Naha, ...	,,	29.89	...	...	S	4	...	,,	29.85	...	...	SW	8
Ishigakijima, ...	,,	29.85	...	...	SW	8	...	,,	29.85	...	...	N	8
Taihoku,.....	1 p.	29.84	...	...	NW	4	...	5 a.	29.86	...	...	SE	2
Taichu, ...	,,	29 79	...	...	NW	2	...	,,	29.81	...	...	S	6
Tainan, ...	,,	29.78	...	...	S	8	...	,,	29.87	...	...	SE	2
Koshun, ...	,,	29.83	...	...	SE	6	...	,,	29.88	...	...	W	2
Pescadores, ...	,,	29.79	...	...	S	8	...	,,	29.84	...	...	S	6
Weihaiwei,.....	3 p.	29.88	55	...	NNW	1	...	9 a.	29.99	44	..	NW	3
Gutzlaff, ...	,,	30.00	50	100	NE	4	fd	,,	30.18	51	93	N	3
Sharp Peak, ..	,,	29.80	61	91	E	1	r	,,	29.99	57	87	NE	6
Amoy, ...	2.30p.	29.83	67	95	NE	1	od	6.30a.	29.90	65	94	E	1
Swatow, ...	3 p.	29.72	76	...	S	1	o	9 a.	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	o	,,	...	...	...	...	...
Hongkong	4 p.	29.71	78	82	S	3	o	10 a.	29 86	77	91	NNW	1
Victoria Peak,..	,,	...	...	...	SSW	6	...	,,	...	...	...	SSW	4
Gap Rock,.....	,,	29.72	...	...	SSE	3	...	,,	29.84	...	...	S	3
Macao, ...	,,	29.69	77	...	SW	1	c	,,	29.84	82	...	SW	1
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila, ...	,,	29.80	93	40	SW	1	b	,,	29.96	84	71	W	1
Malate,.....	3 p.	...	...	...	E	3	b	9 a.	...	...	...	N	0
Bacolod, ...	,,	...	...	...	N	3	b	,,	...	...	...	N	2
Iloilo, ...	,,	29.88	90	...	NE	1	b	,,	29.99	84	...	N	1
Cebu, ...	,,	29.86	85	...	N	2	b	,,	29.97	85	...	...	0
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 2nd at 11.45a. The barometer has risen over E. Japan, the depression having passed to the Pacific to the NE. of Japan.

Pressure has given way over W. Japan and the Loochoos owing to a depression which is lying near the SW. coast.

The barometer has risen over China, particularly on the E. coast, where pressure is now relatively high.

Wind freshening from NE. in the Formosa Channel, moderate S. winds over the N. part of the China Sea.

Forecast:— S. changing to NE. winds, moderate or fresh; unsettled, squally, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 2nd April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd APRIL, 1903, P. M.							3rd APRIL, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	..	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.80	...	...	N	4	...	6 a.	29.96	...	...	E	2	...
Hakodate, ...	,,	29.73	...	...	W	4	...	,,	29.93	...	...	N	2	...
Tokio,.....	,,	29.90	...	...	NE	2	...	,,	29.90	...	...	NW	2	...
Kochi, ...	,,	29.83	...	...	E	2	...	,,	29.87	...	...	E	4	...
Nagas,aki, ...	,,	29.91	...	...	N	6	...	,,	30.03	...	...	NE	2	...
Kagoshima,....	,,	29.87	...	...	NE	4	...	,,	29.99	...	...	N	4	...
Oshima, ...	,,	29.84	...	...	NW	2	...	,,	29.96	...	...	NW	6	...
Naha, ...	,,	29.85	...	...	W	4	...	,,	29.93	...	...	NE	4	...
Ishigakijima, ...	,,	29.85	...	...	SW	8	...	,,	29.92	...	...	NE	4	...
Taiboku,.....	1 p.	29.90	...	...	E	4	...	5 a.	30.08	...	...	E	6	...
Taichu, ...	,,	29.85	...	...	S	4	...	,,	29.94	...	...	N	2	...
Tainan,.....	,,	29.84	...	...	S	8	...	,,	30.00	...	...	N	4	...
Koshun, ...	,,	29.88	...	...	W	4	...	,,	29.95	...	...	...	0	...
Pescadores, ...	,,	29.87	...	...	NE	8	...	,,	29.98	...	...	N	10	...
Weihaiwei.....	3 p.	30.11	45	...	NW	4	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.13	52	86	N	3	cv	,,	30.33	49	85	N	3	cv
Sharp Peak, ..	,,	29.98	58	88	ENE	5	o	,,	30.16	57	81	NNE	3	og
Amoy, ...	2.30p.	29.95	63	89	NE	5	o	6.30a.	30.16	56	87	NE	4	o
Swatow, ...	3 p.	29.79	69	...	ENE	1	or	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong.....	4 p.	29.77	76	92	W	2	cd	10 a.	30 09	65	76	N	1	o
Victoria Peak,.	,,	...	...	...	S	5	...	,,	...	...	...	NNE	2	...
Cap Rock,.....	,,	29.80	...	...	SE	3	...	,,	30.07	...	...	N	4	...
Macao, ...	,,	29.78	76	...	NNW	1	o	,,	30.11	69	...	NNE	2	o
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	88	59	WSW	3	b	,,	29.96	80	71	W	1	b
Malate,.....	3 p.	...	...	...	E	3	b	9 a.	...	...	...	...	0	b
Jaeoled, ..	,,	...	...	...	N	3	b	,,	...	...	...	NE	2	b
Iloilo, ...	,,	29.42	88	...	NE	1	o	,,	30.03	85	...	NE	1	o
Cebu, ...	,,	29.49	86	...	N	4	b	,,	29.97	85	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.35a. The barometer has risen very quickly over China, and moderately over Japan, except in the SE.

A high pressure area lies over Central China and the shallow area of low pressure off the S. coast of Japan.

Strong NE monsoon along the China coast and over the N. part of the China Sea.

Forecast:— fresh NE. winds; cloudy, dull.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 3rd April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	3rd APRIL, 1903, P. M.							4th APRIL, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY	WIND. DIRECTION.	WIND. FORCE.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. DIRECTION.	WIND. FORCE.	WEATHER
Wladivostock,	2 p.	29.96	59	...	N	1	b	7 a.	30.07	33	99	...	0	b
Nemuro,	,,	29.96	...	...	NE	6	...	6 a.	30.12	...	...	...	0	...
Hakodate,	,,	29.93	...	...	SE	2	...	,,	30.17	...	...	...	0	...
Tokio,	,,	29.94	...	...	N	4	...	,,	30.18	...	...	NE	4	...
Kochi,	,,	29.95	...	...	E	1	...	,,	30.15	...	...	NE	2	...
Nagasaki,	,,	30.03	...	...	N	6	...	,,	30.19	...	...	NE	4	...
Kagoshima,	,,	29.99	...	...	N	4	...	,,	30.16	...	...	N	2	...
Oshima,	,,	30.00	...	...	SE	6	...	,,	30.08	...	...	S	2	...
Naha,	,,	...	...	...	N	6	...	,,	30.09	...	...	NE	2	...
Ishigakijima,	,,	30.05	...	...	NW	6	...	,,	30.13	...	...	N	2	...
Taihoku,	1 p.	30.15	...	...	NE	2	...	6 a.	30.21	...	...	E	4	...
Taichu,	,,	30.00	...	...	N	4	...	,,	30.11	...	...	N	2	...
Tainan,	,,	30.00	...	..	N	6	...	,,	30.09	...	...	N	4	...
Koshun,	,,	29.98	...	...	E	6	...	,,	30.04	...	...	NE	8	...
Pescadores,	,,	30.04	...	...	NE	10	...	,,	30.13	...	...	NE	10	...
Weihaiwei,	3 p.	30.22	50	...	W	3	...	9 a.	...	...	..	...	...	...
Gutzlaff,	,,	30.29	54	74	N	3	bv	,,	30.35	50	80	NE	3	bv
Sharp Peak,	,,	30.16	59	82	E	4	c	,,	30.26	58	...	NNE	5	b
Amoy,	2.30p.	30.04	62	67	NNE	4	c	6.30a.	30.28	56	81	NE	2	c
Swatow,	3 p.	30.05	63	...	E	3	c	9 a.	30.16	61	...	E	3	c
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	30.05	66	73	NNE	1	c	10 a.	30.20	68	67	E	3	c
Victoria Peak,	,,	...	...	...	NNE	2	...	,,	...	...	...	E	3	...
Cap Rock,	,,	30.03	...	...	NNE	3	...	,,	30.19	...	...	ENE	4	...
Macao,	,,	30.06	69	...	NNE	1	c	,,	30.21	67	...	NE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.88	88	72	WSW	3	b	,,	29.93	86	71	SW	1	c
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	..	...	0	b
Pacolet,	,,	...	...	...	N	4	b	,,	...	...	...	N	3	b
Iloilo,	,,	29.91	89	...	NE	2	b	,,	30.02	84	...	...	...	...
Cebu,	,,	29.99	85	...	N	2	b	,,	30.09	85	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.30a. The barometer has risen generally, particularly over S. China and Japan. The high pressure area is central over NE China, and fresh NE. monsoon prevails along the coast and over the N part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 4th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	4th APRIL, 1903, P. M.							5th APRIL, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,..	2 p.	30.04	54	...	S	2	b	7 a.	29.97	40	99	SE	3	c
Nemuro, ...	„	30.12	...	...	S	6	...	6 a.	...	...	...	SW	2	...
Hakodate, ...	„	30.17	...	...	SW	8	...	„	...	...	...	N	1	...
Tokio,.....	„	30.18	...	...	NE	4	...	„	30.37	...	...	N	2	...
Kochi, ...	„	30.15	...	...	E	1	...	„	30.27	...	...	E	2	...
Nagasaki, ...	„	30.19	...	...	NW	6	...	„	30.33	...	...	NE	4	...
Kagoshima,....	„	30.15	...	...	SE	2	...	„	30.23	...	...	NE	4	...
Oshima, ...	„	30.12	...	...	N	4	...	„	30.16	...	...	...	0	...
Naha, ...	„	30.13	...	...	N	4	...	„	30.13	...	...	NE	2	...
Ishigakijima, ...	„	30.13	...	...	N	6	...	„	30.13	...	...	NE	2	...
Taihoku,.....	1 p.	30.19	...	...	NE	6	...	6 a.	30.16	...	...	E	2	...
Taichu, ...	„	30.11	...	...	...	0	...	„	30.15	...	...	-	0	...
Tainan,.....	„	30.12	...	...	N	2	...	„	30.13	...	...	N	2	...
Koshun,.....	„	30.09	...	...	NE	6	...	„	30.13	...	...	NE	2	...
Pescadores, ...	„	30.13	...	...	NE	10	...	„	30.13	...	...	NE	8	...
Weihaiwei.....	3 p.	30.08	60	...	S	4	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	...	...	...	..	...	...	„	30.31	53	86	SE	2	bv
Sharp Peak, ..	„	30.20	57	67	E	7	b	„	30.25	59	59	...	0	b
Amoy, ...	2.30p.	30.20	65	63	NE	3	...	6.30a.	30.20	65	89	W	2	c
Swatow, ...	3 p.	30.16	66	...	SE	2	c	9 a.	30.25	62	...	N	1	b
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong.....	4 p.	30.12	66	71	ESE	3	c	10 a.	30.22	68	68	ESE	3	b
Victoria Peak,.	„	...	...	...	E	4	...	„	...	...	...	E	2	...
Gap Rock,.....	„	30.11	...	...	ENE	4	...	„	30.20	...	...	ENE	3	...
Macao, ...	„	30.12	69	...	ESE	1	...	„	30.23	68	...	SE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.88	93	56	SE	2	c	„	30.04	84	64	ESE	1	b
Malate,.....	3 p.	...	...	...	...	0	b	9 a.	...	...	...	NW	1	...
Pacolod, ...	„	...	...	...	N	6	b	„	...	...	...	NE	3	b
Iloilo, ...	„	29.93	91	...	N	1	b	„	30.05	95	...	N	2	b
Cebu, ...	„	29.91	86	...	N	4	c	„	30.03	85	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 12.15p. The barometer has risen over S. Japan, fallen over N. China. Probably a depression is moving Eastwards over Manchuria. Pressure remains high over China and S. Japan.

Moderate to fresh NE. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 5th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	5th APRIL, 1903, P. M.								6th APRIL, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	29.94	45	...	S	5	c	7 a.	29.83	39	99	SE	1	b
Nemuro, ...	„	30.39	...	...	S	6	...	6 a.	...	...	...	SE	6	...
Hakodate, ...	„	30.29	...	...	SE	8	...	„	...	...	...	E	2	...
Tokio, ...	„	30.30	...	...	S	2	...	„	30.22	...	...	N	2	...
Kochi, ...	„	30.23	...	...	...	0	...	„	30.11	...	...	E	2	...
Nagasaki, ...	„	30.31	...	...	NW	4	...	„	30.19	...	...	NW	2	...
Kagoshima, ...	„	30.34	...	...	...	0	...	„	30.15	...	...	N	2	...
Oshima, ...	„	30.16	...	...	N	2	...	„	30.12	...	...	...	0	...
Naha, ...	„	30.13	...	...	E	4	...	„	30.17	...	...	S	2	...
Ishigakijima, ...	„	30.13	...	...	E	4	...	„	30.09	...	...	NE	2	...
Taihoku, ...	1 p.	30.18	...	...	E	2	...	5 a.	30.15	...	...	E	4	...
Taichu, ...	„	30.12	...	...	NW	4	...	„	30.13	...	...	..	0	...
Tainan, ...	„	30.12	...	...	N	6	...	„	30.10	...	...	N	2	...
Koshun, ...	„	30.15	...	...	SW	2	...	„	30.09	...	...	N	4	...
Pescadores, . ..	„	30.16	...	...	N	8	...	„	30.13	...	...	N	8	...
Weihaiwei.....	3 p.	30.07	61	...	W	4	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.26	60	60	SW	2	bv	„	30.32	55	80	S	1	bv
Sharp Peak, ..	„	30.21	60	68	E	4	b	„	30.21	63	67	NNE	1	b
Amoy, ...	2.30p.	30.16	67	60	SE	3	c	6.30a.	30.08	60	76	NE	1	bm
Swatow, ...	3 p.	30.10	67	...	E	2	b	9 a.	30.20	65	...	...	0	b
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong.....	4 p.	30.11	69	67	E	3	b	10 a.	30 20	71	54	E	2	b
Victoria Peak,.	„	...	...	...	E	1	...	„	...	...	...	ESE	2	...
Cap Rock, ...	„	30.12	...	...	E	2	...	„	30.21	...	...	ENE	3	...
Macao, ...	„	30.11	71	...	SE	1	c	„	30.21	70	...	ESE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.92	91	49	SSE	3	b	„	30.04	84	64	W	1	b
Malate, ...	3 p.	...	...	...	ESE	2	b	9 a.	...	...	..	...	0	b
Tacoled, . .	„	...	...	...	NE	6	b	„	...	...	...	NE	2	b
Iloilo, ...	„	29.95	89	...	N	2	c	„	30.01	95	...	NE	2	c
Cebu, ...	„	29.90	85	...	N	2	b	„	30.00	85	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.30a. The barometer has fallen over Japan and at Wladiwostock owing to the depression, which is moving Eastwards over Manchuria.
Pressure remains high over S. China and gradients continue slight with moderate to fresh monsoon the Formosa Channel and N. part of the China Sea.
Forecast:— light or moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 6th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	6th APRIL, 1903, P. M.							7th APRIL, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	29.80	46	...	S	3	c	7 a.	30.12	41	90	S	4	b
Nemuro, ...	,,	30.16	...	...	SE	8	...	6 a.	29.96	...	...	S	4	...
Hakodate, ...	,,	30.01	...	...	SW	4	...	,,	29.97	...	...	SW	4	...
Tokio.....	,,	30.10	...	...	S	2	...	,,	30.18	...	...	NW	2	...
Kochi, ...	,,	30.07	...	...	...	0	...	,,	30.15	...	...	E	2	...
Nagasaki, ...	,,	30.13	...	...	SW	6	...	,,	30.19	...	...	...	0	...
Kagoshima, ...	,,	30.11	...	...	SE	4	...	,,	30.19	...	...	...	0	...
Oshima, ...	,,	...	...	...	...	...	...	,,	30.19	...	...	S	2	...
Naha, ...	,,	30.09	...	...	N	2	...	,,	30.09	...	...	...	0	...
Ishigakijima, ...	,,	30.09	...	...	E	4	...	,,	30.05	...	...	N	2	...
Taihoku, ...	1 p.	30.15	...	...	E	8	...	5 a.	30.09	...	...	E	4	...
Taichu, ...	,,	30.08	..	...	NW	4	...	,,	30.04	...	...	.	0	...
Tainan, ...	,,	30.07	...	..	NE	4	...	,,	30.05	...	...	...	0	...
Koshun, ...	,,	30.13	...	...	NE	8	...	,,	30.04	...	...	NE	6	...
Pescadores, ..	,,	30.08	...	...	NE	4	...	,,	30.07	...	...	NE	6	...
Weihaiwei.....	3 p.	30.00	73	...	W	2	...	9 a.	...	...	..	...	...	...
Cutzlaff, ...	,,	30.24	62	67	SSE	1	bv	,,	30.19	54	94	SSE	4	cv
Sharp Peak, ...	,,	30.14	62	67	E	6	b	,,	30.10	62	67	...	0	b
Amoy, ...	2.30p.	30.13	68	65	SE	3	b	6.30a.	30.16	61	77	NE	1	c
Swatow, ...	3 p.	30.10	70	...	E	1	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong	4 p.	30.06	72	46	E	3	b	10 a.	30.10	71	66	E	3	c
Victoria Peak, .	,,	...	...	...	E	1	...	,,	...	...	...	ESE	3	...
Cap Lock, ...	,,	30.05	...	...	ENE	2	...	,,	30.09	...	...	E	4	...
Macao, ...	,,	30.05	72	...	SE	1	b	,,	30.11	70	...	SSE	2	c
Haiphong, ..	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	91	49	SSE	3	b	,,	29.96	86	71	W	1	c
Malate, ...	3 p.	...	...	...	E	2	c	9 a.	...	...	...	...	0	c
Tacoled, ...	,,	...	...	...	N	4	b	,,	...	...	...	N	3	b
Iloilo, ...	,,	29.98	91	...	N	1	c	,,	30.00	86	...	N	2	c
Cebu, ...	,,	29.91	85	...	N	4	c	,,	29.96	85	...	...	c	b
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.15a. The barometer has fallen over NE. Japan, the depression lying over Manchuria yesterday having reached that area.

Pressure is also giving way on the China coast, probably owing to the existence of a depression over Central China. Pressure is highest over S. Japan.

Gradients slight for SE. and E. winds on the China coast, and for NE. winds over the N. part of the China Sea.

Forecast:— moderate to light E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 7th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

7th APRIL, 1903, P. M. 8th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.92	...	...	S	8	...	6 a.	30.04	...	...	SW	2	...
Hakodate, ...	„	30.01	...	...	SW	4	...	„	30.13	...	...	S	4	...
Tokio,.....	„	30.22	...	...	...	0	...	„	30.14	...	...	...	0	...
Kochi, ...	„	30.15	...	...	E	4	...	„	30.11	...	...	SW	3	...
Nagasaki, ...	„	30.07	...	...	S	2	...	„	30.11	...	...	S	4	...
Kagoshima,....	„	30.11	...	...	SE	2	...	„	30.11	...	...	S	4	...
Oshima, ...	„	30.08	...	...	S	2	...	„	30.12	...	...	SE	4	...
Naha, ...	„	30.05	...	...	SE	2	...	„	30.05	...	...	SE	4	...
Ishigakijima, ...	„	30.01	...	...	E	2	...	„	30.05	...	...	SW	2	...
Taihoku,.....	1 p.	30.01	...	...	NE	6	...	5 a.	...	...	...	...	...	...
Taichu, ...	„	30.00	...	...	NW	4	...	„	...	...	...	..	...	...
Tainan,.....	„	30.02	...	...	NW	8	...	„	...	...	...	...	..	...
Koshun, ...	„	30.01	...	...	E	4	...	„	..	...	...	..	..	...
Pescadores, ...	„	30.03	...	...	N	6	...	„	..	...	...	..	..	...
Weihaiwei.....	3 p.	29.87	66	...	SW	5	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.10	57	75	SSE	4	cv	„	..	..	..	..	..	..
Sharp Peak, ..	„	30.05	62	72	E	3	o	„	..	..	...	...	..	..
Amoy, ...	2.30p.	30.06	69	61	SE	3	b	6.30a.	30.08	63	83	NE	1	b
Swatow, ...	3 p.	30.01	71	...	E	1	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong.....	4 p.	30.00	70	74	E	3	c	10 a.	30 07	72	67	E	2	o
Victoria Peak,.	„	...	...	...	E	1	...	„	...	...	...	SE	1	...
Gap Rock,.....	„	29.97	...	...	NE	2	...	„	..	...	...	..	..	...
Macao, ...	„	30.00	73	...	SE	1	c	„	.		...	..	..	..
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	88	66	NNE	1	o	„	.		..	..	..	..
Malate,.....	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	..	..
Bacolod. ...	„	...	...	...	NE	6	b	„	...	...	...	..	..	..
Iloilo, ...	„	29.86	91	...	NE	2	b	„	..	..	...	..	..	.
Cebu, ...	„	29.85	87	...	N	4	c	„	..	..	...	...	..	..
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 12.15p. The barometer has risen over NE. Japan, fallen over S. Japan and S. China. The depression over N. China yesterday is probably moving Eastwards into the N W. part of the Sea of Japan.

Forecast:— light E. winds; fair.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 8th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

8th APRIL, 1903, P. M. 9th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.88	...	...	SW	10	...	6 a.	30.04	...	...	...	0	...
Hakodate, ...	,,	29.97	...	...	SW	8	...	,,	30.09	...	...	...	0	...
Tokio,.....	,,	30.14	...	...	S	6	...	,,	30.10	...	...	NW	2	...
Kochi, ...	,,	30.11	...	...	SE	2	...	,,	29.95	...	...	E	6	...
Nagasaki, ...	,,	30.07	...	...	SE	6	...	,,	30.03	...	...	N	4	...
Kagoshima.....	,,	30.11	...	...	...	0	...	,,	30.03	...	...	...	0	...
Oshima, ...	,,	30.04	...	...	W	4	...	,,	30.00	...	...	S	6	...
Naha, ...	,,	30.05	...	...	S	4	...	,,	30.01	...	...	...	0	...
Ishigakijima, ...	,,	30.05	...	...	S	2	...	,,	30.01	...	...	...	0	...
Taihoku,.....	1 p.	30.03	...	...	W	2	...	5 a.	30.02	...	...	...	0	...
Taichu, ...	,,	29.99	...	...	NW	2	...	,,	29.99	...	...	...	0	...
Tainan,.....	,,	29.99	...	...	N	2	...	,,	29.93	...	...	...	0	...
Koshun, ...	,,	29.99	...	...	E	6	...	,,	29.98	...	...	...	0	...
Pescadores, ...	,,	30.02	...	...	N	2	...	,,	30.00	...	...	N	2	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	..	..	..	..	..	...
Gutzlaff, ...	,,	30.06	59	76	WSW	2	cm	,,	30.10	54	100	NE	2	cm
Sharp Peak. ..	,,	29.99	65	76	E	1	c	,,	30.03	64	89	...	0	c
Amoy, ...	2.30p.	30.01	69	65	SE	3	c	6.30a.	30.07	65	89	...	0	bm
Swatow, ...	3 p.	29.97	71	...	E	1	b	9 a.	30.04	72	...	...	0	b
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong.....	4 p.	29.95	72	81	E	3	b	10 a.	30.06	73	88	...	0	c
Victoria Peak,.	,,	...	...	...	SE	3	...	,,	...	...	...	S	1	...
Cap Rock,.....	,,	29.93	...	...	E	4	...	,,	30.04	...	...	E	2	...
Macao, ...	,,	29.94	76	...	SSE	1	c	,,	30.06	70	...	SE	1	c
Haiphong, . ..	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	90	61	ENE	1	c	,,	30.01	99	57	SE	2	c
Malate,.....	3 p.	...	...	...	E	1	c	9 a.	...	...	..	...	0	c
Pacolod, ...	,,	...	...	...	SE	3	b	,,	...	...	...	NE	3	b
Iloilo, ...	,,	29.89	90	...	N	2	b	,,	30.00	84	...	N	2	b
Cebu, ...	,,	29.90	88	...	E	4	c	,,	29.97	85	...	N	5	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 11.55a. The barometer has fallen over W. Japan, and is little changed elsewhere. The depression appears to have traversed the N. part of the Sea of Japan yesterday and to have moved into the Pacific. A shallow area of low pressure appears to be lying off the SW. coast of Japan this morning.

Gradients gentle with light variable winds along the China coast and over the N. part of the China Sea.

Forecast:— variable winds, light; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Thursday 9th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th APRIL, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Force.	Weather.	10th APRIL, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Wladivostock,..	2 p.	29.81	58	...	N	1	b	7 a.	29.88	42	91	N	1	o
Nemuro, ...	,,	30.00	...	...	SW	6	...	6 a.	29.92	...	...	S	2	...
Hakodate, ...	,,	29.97	...	...	W	6	...	,,	29.93	...	...	N	2	...
Tokio,.....	,,	29.98	...	...	...	0	...	,,	29.98	...	...	S	2	...
Kochi, ...	,,	29.95	...	...	...	0	...	,,	29.99	...	...	E	1	...
Nagasaki, ...	,,	29.99	...	...	W	6	...	,,	29.95	...	...	...	0	...
Kagoshima,....	,,	29.95	...	...	SW	4	...	,,	29.95	...	...	NE	2	...
Oshima, ...	,,	29.96	...	...	NW	4	...	,,	29.88	...	...	E	2	...
Naha, ...	,,	30.01	...	...	SW	2	...	,,	29.89	...	...	S	2	...
Ishigakijima, ...	,,	30.01	...	...	SW	4	...	,,	29.89	...	...	SW	3	...
Taihoku,.....	1 p.	29.96	...	...	N	2	...	6 a.	29.92	...	...	...	0	...
Taichu, ...	,,	29.94	...	...	W	2	...	,,	29.93	...	...	...	0	...
Tainan, ...	,,	29.95	...	...	SW	4	...	,,	29.93	...	...	...	0	...
Koshun, ...	,,	29.96	...	...	S	4	...	,,	29.92	...	...	SW	2	...
Pescadores, . ..	,,	29.96	...	...	S	4	...	,,	29.92	...	...	...	0	...
Weihaiwei.....	8 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.02	56	94	SE	3	f	,,	26.99	56	100	SE	2	f
Sharp Peak, ..	,,	29.92	65	87	E	1	a	,,	29.92	68	90	...	0	b
Amoy, ...	2.30p.	29.95	69	85	SE	3	om	6.30a.	29.97	67	95	ESE	1	f
Swatow, ...	3 p.	29.89	76	...	SE	1	c	9 a.	30.00	75	...	E	1	b
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.92	78	74	S	1	b	10 a.	29.98	76	82	...	0	o
Victoria Peak,.	,,	...	...	...	...	0	...	,,	...	...	...	S	3	...
Gap Rock, ...	,,	29.91	...	...	E	2	...	,,	29.96	...	...	E	1	...
Macao, ...	,,	29.91	76	...	S	1	c	,,	29.97	76	...	SSE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	90	48	SE	3	b	,,	30.00	84	64	W	2	b
Malate,.....	3 p.	...	...	...	E	2	b	9 a.	...	...	...	W	1	b
Pacolet, .	,,	...	...	...	NE	4	b	,,	...	...	...	NE	2	b
Iloilo, ...	,,	29.88	89	...	NE	1	b	,,	30.00	84	...	N	2	c
Cebu, ...	,,	29.87	85	...	N	4	b	,,	29.97	84	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 11.45a. The barometer has fallen over China and Japan, risen at Wladiwostock.
Pressure is slightly low over China and Japan and almost uniform in all areas.
Gradients gentle with light variable winds and calms over the China coast and N. part of the China Sea.
Forecast:— Light variable winds; fair, some fog.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Friday 10th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

10th APRIL, 1903, P. M.

11th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	29.92	...	...	SE	2	...	6 a.	29.92	...	...	SW	2	...
Hakodate,	"	29.89	...	...	SW	6	...	"	29.89	...	...	NW	8	...
Tokio,	"	29.98	...	...	S	4	...	"	29.90	...	...	NW	4	...
Kochi,	"	29.95	...	...	E	1	...	"	29.75	...	...	NE	6	...
Nagasaki,	"	29.87	...	...	...	0	...	"	29.91	...	...	NE	4	...
Kagoshima,	"	29.91	...	...	SE	4	...	"	29.83	...	...	NW	2	...
Oshima,	"	29.80	...	...	N	2	...	"	29.88	...	...	...	0	...
Naha,	"	29.89	...	...	N	4	...	"	29.89	...	...	NE	2	...
Ishigakijima,	"	29.89	...	...	W	6	...	"	29.85	...	...	...	0	...
Taihoku,	1 p.	29.89	...	...	E	10	...	6 a.	29.91	...	...	...	0	...
Taichu,	"	29 89	...	...	W	4	...	"	29.89	...	...	...	0	...
Tainan,	"	29.91	...	...	SW	6	...	"	29.89	...	...	...	0	...
Koshun,	"	29.90	...	...	W	4	...	"	29.90	...	...	...	0	...
Pescadores,	"	29.91	...	...	W	4	...	"	29.88	...	...	S	4	...
Weihaiwei,	3 p.	29.99	50	...	W	4	b	9 a.	..	..	..	..	..	...
Gutzlaff,	"	29.97	58	94	NNE	2	f	"	30.22	53	78	NNE	4	bv
Sharp Peak,	"	29.81	69	90	E	1	o	"	30.04	63	89	NNE	4	o
Amoy,	2.30p.	29.88	73	81	SE	2	c	6.30a.	...	70	90	NE	2	r
Swatow,	3 p.	29.85	84	...	SW	1	b	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Hongkong,	4 p.	29.86	80	75	S	1	o	10 a.	29 94	78	86	NW	1	o
Victoria Peak,	"	...	...	...	S	5	...	"	...	...	...	S	2	...
Gap Rock,	"	29.86	...	...	SSE	2	...	"	29.92	...	...	SSE	2	...
Macao,	"	29.86	78	...	S	1	c	"	29.91	79	...	SW	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.84	91	45	SE	2	b	"	29.92	86	59	NNW	2	c
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	...	SE	1	b
Bacolod,	"	...	...	...	N	4	b	"	...	...	...	N	3	b
Iloilo,	"	29.89	90	...	N	1	b	"	29.95	84	...	N	2	c
Cebu,	"	29.91	86	...	N	3	b	"	29.95	85	...	N	2	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.85a. The barometer has fallen over S. Japan, risen considerably over the E. coast of China. A shallow area of low pressure lies off the S. coast of Japan, and pressure is high over N. China. Gradients are rather steep on the China coast, and the wind will freshen considerably from NE. in the Formosa Channel. Light variable winds over the N. part of the China Sea.

Forecast:— light S. winds, changing to NE. and freshening; fair at first, unsettled, with rain later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 11th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

11th APRIL, 1903, P. M. 12th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.96	...	...	N	6	...	6 a.	29.88	...	...	N	8	...
Hakodate, ...	,,	29.85	...	...	N	6	...	,,	29.93	...	...	NW	8	...
Tokio,.....	,,	29.71	...	...	N	6	...	,,	29.98	...	...	NW	6	...
Kochi, ...	,,	29.79	...	...	...	0	...	,,	30.11	...	...	NE	4	...
Nagasaki, ...	,,	29.91	...	...	W	6	...	,,	30.23	...	...	NE	4	...
Kagoshima, ...	,,	29.87	...	...	N	6	...	,,	30.19	...	...	E	4	...
Oshima, ...	,,	29.92	...	...	N	6	...	,,	30.08	...	...	N	4	...
Naha, ...	,,	29.93	...	...	N	6	...	,,	30.05	...	...	NE	4	...
Ishigakijima, ...	,,	29.93	...	...	NE	6	...	,,	30.01	...	...	NE	6	...
Taihoku,.....	1 p.	30.01	...	...	E	6	...	5 a.	30.02	...	...	E	6	...
Taichu, ...	,,	29.92	...	...	...	0	...	,,	29.97	...	...	...	0	...
Tainan, ...	,,	29.93	...	...	NE	4	...	,,	29.97	...	...	N	4	...
Koshun, ...	,,	29.94	...	...	E	2	...	,,	29.94	...	...	NE	8	...
Pescadores, ...	,,	29.95	...	...	N	6	...	,,	30.00	...	...	NE	6	...
Weihaiwei.....	3 p.	30.21	46	...	W	2	b	9 a.	..	..	..	..	..	...
Gutzlaff, ...	,,	30.21	55	68	NNE	3	cv	,,	30.25	54	80	ESE	5	cv
Sharp Peak. ..	,,	30.05	63	86	E	4	o	,,	30.11	61	82	E	6	o
Amoy, ...	2.30p.	30.03	65	89	NE	5	o	6.30a.	30.11	64	89	NE	1	o
Swatow, ...	3 p.	29.93	70	...	E	2	or	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.86	78	83	SE	1	o	10 a.	30.02	69	81	E	5	o
Victoria Peak,.	,,	...	...	...	S	5	...	,,	...	...	...	ESE	7	...
Gap Rock, ...	,,	29.85	...	...	SSE	2	...	,,	29.99	...	...	E	4	...
Macao, ...	,,	29.85	80	...	SSE	1	c	,,	29.98	77	...	ESE	3	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	90	48	SE	4	b	,,	29.96	90	48	SSE	1	c
Malate,.....	3 p.	...	...	...	E	2	b	9 a.	...	...	...	...	0	c
Bacolod, ...	,,	...	...	...	N	4	b	,,	...	...	...	NE	2	b
Iloilo, ...	,,	29.89	89	...	N	2	b	,,	29.96	84	...	N	1	b
Cebu, ...	,,	29.84	85	...	N	2	b	,,	29.92	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.38a. The barometer has risen generally, particularly over S. Japan and the Loochoos. The shallow area of low pressure has passed to the E. of Japan. Pressure is high over the Yellow Sea. Gradients moderate with fresh to strong NE. and E. winds on the China coast, slight with moderate E. and SE. winds over the N. part of the China Sea.

Forecast:— fresh E. winds; dull, some drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Sunday 12th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th APRIL, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th APRIL, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	29.88	...	...	N	8	...	6 a.	30.35	...	...	W	4	...
Hakodate,	"	30.06	...	...	NW	6	...	"	30.44	...	...	...	0	...
Tokio,	"	30.14	...	...	NW	8	...	"	30.61	...	...	NW	2	...
Kochi,	"	30.23	...	...	E	2	...	"	30.42	...	...	E	4	...
Nagasaki,	"	30.23	...	...	SE	4	...	"	30.31	...	...	SE	6	...
Kagoshima,	"	30.23	...	...	SE	2	...	"	30.31	...	...	NW	6	...
Oshima,	"	30.16	...	...	E	6	...	"	30.20	...	...	SE	4	...
Naha,	"	30.09	...	...	NE	8	...	"	30.09	...	...	E	6	...
Ishigakijima,	"	30.01	...	...	NE	8	...	"	30.01	...	...	E	2	...
Taihoku,	1 p.	29.99	...	...	NE	8	...	5 a.	30.00	...	...	...	0	...
Taichu,	"	29.97	...	...	W	2	...	"	30.00	...	...	N	2	...
Tainan,	"	29.96	...	...	N	6	...	"	30.00	...	...	N	2	...
Koshun,	"	29.98	...	...	E	6	...	"	29.99	...	...	E	6	...
Pescadores,	"	30.00	...	...	NE	8	...	"	30.00	...	...	NE	4	...
Weihaiwei,	3 p.	30.19	55	...	SW	2	b	9 a.	..	..	..	..	..	...
Gutzlaff,	"	...	...	...	SE	5	cm	"	...	...	...	...	...	...
Sharp Peak,	"	30.06	69	85	N	3	o	"	30.13	64	95	ESE	1	o
Amoy,	2.30p.	30.10	66	84	E	1	o	6.30a.	30.08	65	89	SE	1	om
Swatow,	3 p.	29.97	68	...	SE	1	or	9 a.	30.07	70	...	N	1	o
Canton,	"	...	...	...	...	...	...	"	...	...	...	..	...	...
Hongkong	4 p.	29.92	69	88	E	5	od	10 a.	30.05	71	90	E	2	o
Victoria Peak,	"	...	...	...	ESE	5	...	"	...	...	...	SE	5	...
Cap Rock,	"	29.90	...	...	E	4	...	"	30.03	...	...	ENE	4	...
Macao,	"	29.91	75	...	ESE	3	o	"	30.03	74	...	ESE	3	o
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.84	90	44	SE	3	b	"	29.96	88	43	E	3	b
Malate,	3 p.	...	...	...	SE	3	b	9 a.	...	...	...	NE	1	b
Pacolod,	"	...	...	...	N	6	b	"	...	...	...	N	2	b
Iloilo,	"	29.88	88	...	NE	3	c	"	29.97	83	...	...	0	b
Cebu,	"	29.86	84	...	N	4	c	"	29.96	83	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.50a. The barometer has risen very rapidly over Central and E. Japan, and is little changed elsewhere.

The high pressure area has moved Eastwards increasing in intensity and is now central over SE. Japan.

Probably a depression is forming over N. China.

Gradients slight with moderate E. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate E. winds; cloudy, some drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 13th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

13th APRIL, 1903, P. M. — 14th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	30.43	...	...	N	6	...	6 a.	30.08	...	...	SW	6	...
Hakodate,	"	30.52	...	...	W	4	...	"	30.44	...	...	...	0	...
Tokio,	"	30.57	...	...	SE	4	...	"	30.22	...	...	...	0	...
Kochi,	"	30.42	...	...	NE	2	...	"	30.42	...	...	NE	0	...
Nagasaki,	"	30.27	...	...	SE	8	...	"	30.11	...	...	SE	10	...
Kagoshima,	"	30.27	...	...	S	10	...	"	30.10	...	...	S	6	...
Oshima,	"	30.20	...	...	SE	6	...	"	30.10	...	...	S	4	...
Naha,	"	30.17	...	...	S	4	...	"	30.13	...	...	SE	2	...
Ishigakijima,	"	30.05	...	...	SW	4	...	"	30.09	...	...	SE	2	...
Taihoku,	1 p.	30.02	...	...	NW	2	...	6 a.	30.04	...	...	S	2	...
Taichu,	"	30.02	...	...	N	4	...	"	30.02	...	...	...	0	...
Tainan,	"	30.01	...	...	NW	4	...	"	30.06	...	...	N	2	...
Koshun,	"	30.04	...	...	SE	4	...	"	30.07	...	...	E	6	...
Pescadores,	"	30.06	...	...	N	6	...	"	30.02	...	...	N	2	...
Weihaiwei,	3 p.	...	...	...	...	...	...	9 a.	..	..	..	..	..	...
Gutzlaff,	"	29.98	65	84	NW	4	cv	"	30.20	57	87	N	1	cv
Sharp Peak,	"	29.98	65	92	E	2	o	"	30.08	66	95	E	3	o
Amoy,	2.30p.	30.06	70	85	SE	2	o	6.30a.	30.09	69	90	...	0	c
Swatow,	3 p.	29.98	73	...	...	0	o	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	..	...	...
Hongkong,	4 p.	29.97	78	88	E	2	o	10 a.	29.97	77	81	ESE	1	c
Victoria Peak,	"	...	...	...	ESE	3	...	"	...	...	...	E	1	...
Cap Rock,	"	29.94	...	...	ENE	3	...	"	30.05	...	...	ENE	2	...
Macao,	"	29.97	75	...	ESE	1	o	"	30.06	77	...	E	1	o
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.88	88	42	E	6	c	"	30.00	82	63	NNW	1	cd
Malate,	3 p.	...	...	...	E	3	b	9 a.	...	...	...	...	0	o
Pacolod,	"	...	...	...	NE	4	o	"	...	...	...	...	0	b
Iloilo,	"	29.91	87	...	NE	2	o	"	30.01	81	...	N	1	or
Cebu,	"	29.88	83	...	N	2	b	"	29.97	85	...	...	0	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.20a. The barometer has risen over the E. coast of China, the depression lying over China yesterday having passed into the Yellow Sea during the night. It is now moving Eastwards towards the W. coast of Japan, where the barometer has fallen since yesterday.

Pressure remains high over SE. Japan. The wind will freshen from NE. in the Formosa Channel during the next 24 hours. Moderate E. winds over the N. part of the China Sea.

Forecast:— light to moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Tuesday 14th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	14th APRIL, 1903, P. M.							15th APRIL, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	30.3	...	...	SW	8	...	6 a.	30.09	...	...	SW	8	...
Hakodate,	"	30.26	...	...	...	0	...	"	30.01	...	...	SW	6	...
Tokio,	"	30.45	...	...	S	6	...	"	30.28	...	...	S	4	...
Kochi,	"	30.54	...	...	E	4	...	"	30.11	...	...	SW	8	...
Negasaki,	"	30.11	...	...	SE	19	...	"	30.03	...	...	SW	8	...
Kagoshima,	"	30.19	...	...	S	6	...	"	30.07	...	...	SW	4	...
Oshima,	"	30.16	...	...	S	4	...	"	30.12	...	...	S	2	...
Naha,	"	30.13	...	...	S	6	...	"	30.09	...	...	SE	2	...
Ishigakijima,	"	...	...	...	...	...	...	"	30.05	...	...	E	2	...
Taihoku,	1 p.	30.07	...	...	N	2	...	5 a.	30.02	...	...	...	0	...
Taichu,	"	30.03	...	...	N	6	...	"	29.98	...	...	...	0	...
Tainan,	"	30.05	...	...	W	6	...	"	30.01	...	...	NE	2	...
Koshun,	"	30.07	...	...	NE	4	...	"	...	...	...	...	0	...
Pescadores,	"	30.06	...	...	N	6	...	"	30.01	...	...	NE	2	...
Weihaiwei,	3 p.	30.04	48	...	W	1	o	9 a.	..	..	..	..	..	...
Gutzlaff,	"	30.12	86	94	SE	3	cmq	"	30.09	86	100	NE	3	b
Sharp Peak,	"	30.03	64	94	NE	1	ofr	"	30.01	83	97	ENE	1	of
Amoy,	2.30p.	30.05	78	74	SE	4	c	0.30a.	30.09	69	90	...	0	f
Swatow,	3 p.	29.96	79	...	...	1	b	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	..	...	...
Hongkong,	4 p.	29.98	77	84	ESE	2	o	10 a.	30.06	72	99	ESE	1	o
Victoria Peak,	"	...	...	...	ESE	6	...	"	...	...	...	SE	2	...
Cap Rock,	"	29.97	...	...	E	2	...	"	30.03	...	...	E	3	...
Macao,	"	29.99	78	...	NE	1	c	"	30.05	77	...	SE	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Hanoi,	"	29.88	90	44	E	2	b	"	29.9	84	64	WNW	2	c
Kulate,	3 p.	...	...	...	E	2	c	9 a.	..	...	...	NW	1	o
Iloilo,	"	...	...	...	NE	4	b	"	...	...	...	NE	3	b
Iloilo,	"	29.94	85	...	NE	2	c	"	29.9	82	...	NE	2	o
Cebu,	"	29.89	84	...	N	3	b	"	29.85	74	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.20a. The barometer has fallen over Japan and the E. coast of China.
The depression is moving NE. in the Sea of Japan, and pressure is highest over the Pacific to the SE. of Japan.
Gradients slight with light variable and E. winds along the China coast and over the N. part of the China Sea.
Forecast:— E. or variable winds, light; fair, misty.

F. G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 15th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

15th APRIL, 1903, P. M. — 16th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.92	...	...	SW	10	...	6 a.	29.65	...	...	...	0	...
Hakodate, ...	,,	29.97	...	...	SW	6	...	,,	29.78	...	...	SW	4	...
Tokio,.....	,,	30.10	...	...	SW	6	...	,,	29.94	...	...	S	6	...
Kochi, ...	,,	30.03	...	...	E	10	...	,,	29.95	...	...	W	6	...
Nagasaki, ...	,,	29.99	...	...	SW	6	...	,,	30.03	...	...	...	0	...
Kagoshima,....	,,	30.03	...	...	SW	2	...	,,	30.03	...	...	...	0	...
Oshima, ...	,,	30.08	...	...	E	4	...	,,	30.04	...	...	...	0	...
Naha, ...	,,	30.09	...	...	SE	2	...	,,	30.05	...	...	...	0	...
Ishigakijima, ...	,,	30.05	...	...	S	4	...	,,	30.01	...	...	...	0	...
Taihoku,.....	1 p.	30.01	...	...	N	2	...	5 a.	30.02	...	...	...	0	...
Taichu, ...	,,	30.00	...	...	N	6	...	,,	29.98	...	...	...	0	...
Tainan, ...	,,	29.99	...	...	NW	6	...	,,	29.98	...	...	N	2	...
Koshun, ...	,,	30.01	...	...	E	4	...	,,	30.00	...	...	...	0	...
Pescadores, ...	,,	30.02	...	...	N	4	...	,,	29.98	...	...	NE	2	...
Weihaiwei.....	3 p.	30.01	61	...	W	1	b	9 a.	30.16	54	..	WNW	3	...
Gutzlaff, ...	,,	30.07	57	94	ENE	3	cm	,,	30.19	54	94	NE	3	cv
Sharp Peak. ..	,,	29.97	64	89	E	2	f	,,	30.05	64	95	E	2	of
Amoy, ...	2.30p.	30.00	77	77	SE	2	c	6.30a.	30.06	71	95	NE	1	o
Swatow, ...	3 p.	29.94	81	...	E	1	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.94	77	86	E	2	c	10 a.	30.04	77	85	E	1	c
Victoria Peak,.	,,	...	...	...	ESE	3	...	,,	...	...	...	SE	2	...
Cap Rock,.....	,,	29.94	...	...	E	2	...	,,	30.02	...	...	E	2	...
Macao, ...	,,	29.94	79	...	SE	1	c	,,	30.04	79	...	SE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	90	48	E	4	c	,,	29.96	84	64	SE	1	o
Malate,.....	3 p.	...	...	...	S	3	o	9 a.	...	...	...	...	0	b
Dacoled, ...	,,	...	...	...	N	4	b	,,	...	...	...	NE	6	b
Iloilo,.	,,	29.87	82	...	N	2	b	,,	29.94	83	...	N	2	b
Cebu, ...	,,	29.86	84	...	N	2	c	,,	29.92	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.30a. The barometer has fallen considerably over E. Japan owing to the depression, which is passing to the Pacific to the NE. of Japan.
Pressure is high over NE. China, the barometer having risen moderately in that area since yesterday.
Gradients slight with moderate NE. and E. winds on the coast and over the N. part of the China Sea.
Forecast:— light to moderate E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 16th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

16th APRIL, 1903, P. M. 17th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.57	...	...	SW	10	...	6 a.	29.72	...	...	S	6	...
Hakodate, ...	„	29.81	...	...	NW	6	...	„	29.89	...	...	SW	4	...
Tokio,.....	„	29.90	...	...	NE	10	...	„	29.78	...	...	S	2	...
Kochi, ...	„	29.95	...	...	W	2	...	„	29.83	...	...	E	4	...
Nagasaki, ...	„	29.99	...	...	SW	2	...	„	30.03	...	...	N	4	...
Kagoshima,....	„	30.03	...	...	NW	4	...	„	30.03	...	...	NW	4	...
Oshima, ...	„	30.04	...	...	SW	2	...	„	30.04	...	...	N	4	...
Naha, ...	„	30.05	...	...	S	4	...	„	30.05	...	...	NW	2	...
Ishigakijima, ...	„	30.01	...	...	S	4	...	„	30.05	...	...	NW	2	...
Taihoku,.....	1 p.	29.99	...	...	E	6	...	5 a.	30.16	...	...	E	6	...
Tuichu, ...	„	29.97	...	...	N	6	...	„	30.04	...	...	N	6	...
Tainan,.....	„	29.99	...	...	SW	6	...	„	30.04	...	...	N	4	...
Koshun, ...	„	29.92	...	...	NW	..	...	„	30.08	...	...	...	0	...
Pescadores, ...	„	30.01	...	...	NE	6	...	„	30.07	...	...	NE	10	...
Weihaiwei,.....	3 p.	30.15	57	...	NNW	2	...	9 a.	30.24	55	..	NW	2	b
Sutzlaff, ...	„	30.19	55	87	N	4	cv	„	30.41	54	94	N	3	bv
Sharp Peak, ..	„	30.03	62	83	NNE	4	o	„	30.27	60	88	E	6	o
Amoy, ...	2.30p.	30.03	72	86	SE	4	c	6.30a.	30.19	65	84	NE	6	o
Swatow, ...	3 p.	29.98	78	...	SE	2	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.96	77	78	E	2	b	10 a.	30.15	71	95	ENE	1	or
Victoria Peak,.	„	...	...	...	SE	1	...	„	...	...	...	ENE	4	...
Cap Rock,.....	„	29.94	...	...	E	2	...	„	30.12	...	...	NE	2	...
Macao, ...	„	29.96	80	...	SE	1	c	„	30.15	77	...	N	1	o
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	88	69	...	0	c	„	30.00	86	58	WNW	2	o
Calapan,.....	3 p.	...	...	...	...	0	o	9 a.	...	...	...	NW	1	o
Iloilo, ...	„	...	...	...	N	6	b	„	...	...	...	...	4	b
Iloilo, ...	„	29.87	88	...	N	2	b	„	30.00	83	...	E	3	c
Cebu, ...	„	29.86	85	...	N	3	b	„	29.98	84	...	N	4	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.15a. The barometer has fallen over Central Japan, risen elsewhere, particularly over the E. coast of China.

A high pressure area lies over Central China, and pressure is relatively low over Central and N. Japan. Gradients rather steep with strong NE. winds on the China coast, slight with moderate but in increasing NE. winds over the N. part of the China Sea.

Forecast:— fresh NE. winds; rainy at first, improving later.

F. G. FIGG,
Acting Director.

CHINA COAST METEOROLOGICAL REGISTER.

17th APRIL, 1903, P. M. 18th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	W	4
Nemuro, ...	„	29.61	...	...	W	6	...	6 a.	29.84	...	...	NW	3
Hakodate, ...	„	29.73	...	...	SW	6	...	„	29.97	...	...	N	2
Tokio	„	29.86	...	...	E	6	...	„	29.78	...	...	NE	4
Kochi, ...	„	29.87	...	...	NE	6	...	„	30.15	...	...	...	0
Nagasaki, ...	„	30.11	...	...	...	0	...	„	30.19	...	...	NE	2
Fugoshima,....	„	30.11	...	...	N	6	...	„	30.19	...	...	NW	2
Oshima, ...	„	30.04	...	...	NW	6	...	„	30.12	...	...	NE	2
Naha, ...	„	30.13	...	...	N	6	...	„	30.13	...	...	NE	6
Ishigakijima, ..	„	30.13	...	...	NE	6	...	„	30.09	...	...	E	6
Taiheku,.....	1 p.	30.22	...	...	E	8	...	5 a.	30.15	...	...	N	2
Taichu, ...	„	30.16	...	...	N	8	...	„	30.07	...	...	N	2
Tainan, ...	„	30.07	...	..	N	6	...	„	30.07	...	...	NE	4
Koshun, ...	„	30.07	...	...	NE	8	...	„	30.07	...	...	NE	6
Pescadores, ..	„	30.13	...	...	NW	10	...	„	30.11	...	...	...	...
Weihaiwei.....	3 p.	30.15	61	...	NW	3	...	9 a.	...	...	..	SE	2
Gutzlaff, ...	„	30.56	58	81	NNE	2	bv	„	30.23	55	74	NE	4
Sharp Peak. ..	„	30.25	61	79	NE	5	o	„	30.22	61	77	...	0
Amoy, ...	2.30p.	30.21	67	69	NE	6	o	6.30a.	30.23	63	72	E	3
Swatow, ...	3 p.	30.10	70	...	E	3	od	9 a.	30.16	70	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	E	4
Hongkong	4 p.	30.10	69	85	E	4	op	10 a.	30.15	70	66	E	4
Victoria Peak,.	„	...	...	...	E	6	...	„	...	...	...	ENE	5
Cap Lock, ...	„	30.05	...	...	ENE	5	...	„	30.12	...	...	ENE	1
Macao, ...	„	30.09	77	...	ENE	1	o	„	30.14	74	...	...	...
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	ESE	2
Manila, ...	„	29.88	90	53	NW	2	b	„	30.00	82	70	...	0
Malate,.....	3 p.	...	...	...	NW	1	o	9 a.	...	...	...	....	0
Iscolod, ...	„	...	...	...	NE	6	b	„	...	...	...	NE	1
Iloilo, ...	„	29.92	88	...	NE	2	b	„	30.00	85	...	N	2
Cebu.	„	29.86	85	...	N	2	b	„	29.97	84	...	...	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 18th at 11.35a. The barometer has risen over Japan, fallen on the E. coast of China.
The high pressure area has moved Eastwards and is now central between the E. coast of China and W. Ja
The depression lying over NE. Japan yesterday has moved into the Pacific.
A new depression is probably forming over N. China.
Gradients are decreasing and the NE. winds moderating in the Formosa Channel and over the N. part of China Sea.
Forecast:— fresh to moderate E. winds; fair.

F. C. FIGG.
Acting Director.

Hongkong Observatory Saturday 18th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

18th APRIL, 1903, P. M. — 19th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.76	...	...	SW	8	...	6 a.	29.88	...	...	NW	4	...
Hakodate, ...	,,	29.93	...	...	SW	8	...	,,	29.97	...	...	W	4	...
Tokio,.....	,,	30.10	...	...	SE	4	...	,,	30.14	...	...	...	0	...
Kochi, ...	,,	30.11	...	...	...	0	...	,,	30.07	...	...	E	4	...
Nagasaki, ...	,,	30.15	...	...	W	6	...	,,	30.07	...	...	E	2	...
Kagoshima,....	,,	30.11	...	...	SE	4	...	,,	30.07	...	...	E	2	...
Oshima, ...	,,	30.08	...	...	N	2	...	,,	30.04	...	...	S	2	...
Naha, ...	,,	30.09	...	...	NW	4	...	,,	30.05	...	...	...	0	...
Ishigakijima, ..	,,	30.09	...	...	E	6	...	,,	30.01	...	...	NE	4	...
Taiboku,.....	1 p.	30.08	...	...	NE	8	...	5 a.	29.98	...	...	...	0	...
Taichu, ...	,,	30.02	...	...	N	4	...	,,	29.99	...	...	...	0	...
Tainan, ...	,,	30.02	...	...	N	4	...	,,	29.95	...	...	...	0	...
Koshun, ...	,,	30.04	...	...	E	6	...	,,	29.96	...	...	...	0	...
Pescadores, ...	,,	30.09	...	...	NE	8	...	,,	29.97	...	...	NE	4	...
Weihaiwei.....	8 p.	29.98	67	...	S	3	...	9 a.	...	...	..	...	...	...
Gutzlaff, ...	,,	30.13	59	98	SE	...	cv	,,	30.11	54	87	SE	4	cv
Sharp Peak, ..	,,	30.11	61	60	E	4	o	,,	30.09	62	74	...	0	o
Amoy, ...	2.30p.	30.09	71	53	E	3	c	6.30a.	30.06	65	89	NE	1	c
Swatow, ...	8 p.	30.04	73	...	SE	2	b	9 a.	30.02	69	...	NE	1	b
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	.	...	...
Hongkong	4 p.	30.02	71	58	E	4	b	10 a.	29.97	72	73	ENE	3	c
Victoria Peak,.	,,	...	...	...	E	3	...	,,	...	...	...	SE	..	...
Gap Rock.....	,,	30.03	...	...	ENE	4	...	,,	29.97	...	...	E	4	...
Macao, ...	,,	30.02	76	...	SE	1	c	,,	29.98	74	...	ESE	2	o
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	86	53	ENE	1	b	,,	29.92	88	54	SSE	1	c
Malate,.....	8 p.	...	...	...	...	...	..	9 a.	...	...	...	NE	1	b
Tacoloc, ...	,,	...	...	...	..	..	..	,,	...	...	...	...	0	b
Hoilo, ...	,,	..	..	...	..	..	...	,,	29.93	84	...	NE	2	b
Cebu, ...	,,	...	...	...	..	..	..	,,	29.92	85	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.45a. The barometer has risen over E. Japan; fallen elsewhere, particularly over China. A depression is moving Eastwards over Central China, and pressure is highest over SE. Japan. Gradients slight for E. and SE. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate to light E and SE. winds; fair at first, becoming unsettled later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 19th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	19th APRIL, 1903, P. M.							20th APRIL, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	30.06	46	...	W	1	b	7 a.	29.93	38	88	S	2	c
Nemuro, ...	„	30.12	...	...	NE	4	...	6 a.	30.16	...	...	S	6	...
Hakodate, ...	„	30.05	...	...	S	6	...	„	30.13	...	...	...	0	...
Tokio, ...	„	30.06	...	...	S	4	...	„	30.14	...	...	NW	2	...
Kochi, ...	„	30.07	...	...	...	0	...	„	30.03	...	...	E	2	...
Nagasaki, ...	„	30.03	...	...	SW	6	...	„	29.99	...	...	E	4	...
Kagoshima, ...	„	30.03	...	...	...	0	...	„	29.99	...	...	E	4	...
Oshima, ...	„	30.00	...	...	SE	2	...	„	29.96	...	...	SE	4	...
Naha, ...	„	30.01	...	...	NW	2	...	„	29.89	...	...	SE	2	...
Ishigakijima, ..	„	29.93	...	...	E	6	...	„	29.85	...	...	S	6	...
Taihoku,.....	1 p.	29.89	...	...	NE	2	...	5 a.	29.85	...	...	...	0	...
Taichu, ...	„	29.89	...	...	S	2	...	„	29.86	...	...	...	0	...
Tainan, ...	„	29.91	...	...	W	6	...	„	29.85	...	...	...	0	...
Koshun, ...	„	29.92	...	...	NE	4	...	„	29.86	...	...	E	2	...
Pescadores, ...	„	29.93	...	...	N	3	...	„	29.85	...	...	N	4	...
Weihaiwei,.....	8 p.	29.95	63	...	SSE	6	b	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.02	66	75	SE	4	cv	„	29.86	65	94	ESE	2	fd
Sharp Peak, ..	„	29.92	66	81	E	4	o	„	29.87	64	95	...	0	o
Amoy, ...	2.30p.	29.93	72	67	SE	1	b	6.30a.	...	...	...	...	...	...
Swatow, ...	8 p.	29.92	73	...	E	2	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.84	72	83	E	3	c	10 a.	29.91	76	89	...	0	o
Victoria Peak,.	„	...	...	...	SSE	5	...	„	...	...	...	S	3	...
Cap Lock, ...	„	29.81	...	...	E	4	...	„	29.90	...	...	SSE	2	...
Macao, ...	„	29.84	77	...	SE	2	c	„	29.89	77	...	S	1	cd
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	91	45	SSE	3	c	„	29.88	90	48	SSE	1	b
Malate, ...	2 p.	...	...	...	ESE	3	b	9 a.	...	...	...	...	0	b
Iacolod, ...	„	...	...	...	NE	6	b	„	...	...	...	NE	2	b
Iloilo, ...	„	29.85	89	...	NE	2	b	„	29.93	89	...	NE	2	c
Cebu	„	29.81	86	...	N	2	b	„	29.91	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.1 a. The barometer has risen over NE. Japan; falling over China, particularly on the E. coast.

The depression over China appears to be moving E.wards and approaching the neighbourhood of Shanghai.

Pressure is highest over E. Japan.

Gradients slight for SE. and S. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— S. or variable winds, light; showery.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Monday 20th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	20th APRIL, 1903, P. M.							21st APRIL, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	..	...
Nemuro,	"	30.04	...	...	SE	6	...	6 a.	29.96	...	...	SW	4	...
Hakodate,	"	30.05	...	...	SE	6	...	"	30.01	...	...	...	0	...
Tokio,	"	30.10	...	...	S	4	...	"	30.02	...	...	E	2	...
Kochi,	"	29.90	...	...	E	4	...	"	29.75	...	...	E	8	...
Nagasaki,	"	29.77	...	...	E	8	...	"	29.68	...	...	SW	10	...
Kagoshima,	"	29.87	...	...	E	8	...	"	29.75	...	...	SW	6	...
Oshima,	"	29.88	...	...	S	4	...	"	29.84	...	...	N	2	...
Naha,	"	29.89	...	...	S	4	...	"	29.89	...	...	...	0	...
Ishigakijima,	"	29.85	...	...	SW	4	...	"	29.85	...	...	...	0	...
Tailoku,	1 p.	29.82	...	...	W	4	...	5 a.	29.87	...	...	SE	2	...
Taichu,	"	29.87	...	...	S	6	...	"	29.85	...	...	...	0	...
Tainan,	"	29.84	...	...	SW	6	...	"	29.84	...	...	W	2	...
Koshun,	"	29.85	...	...	SW	2	...	"	29.86	...	...	...	0	...
Pescadores,	"	29.84	...	...	W	4	...	"	29.85	...	...	...	0	...
Weihaiwei,	3 p.	29.78	63	...	E	2	...	9 a.	...	...	..	...	...	...
Gutzlaff,	"	29.84	66	81	NW	4	cm	"	30.04	65	94	NNE	3	cv
Sharp Peak,	"	29.79	68	95	E	1	o	"	29.93	66	86	NNE	4	o
Amoy,	2.30p.	29.80	77	77	SE	4	c	6.30a.	29.91	73	90	SE	1	o
Swatow,	3 p.	...	...	...	...	..	..	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	..	...	...
Hongkong	4 p.	29.80	80	72	S	1	b	10 a.	29.89	79	82	S	1	o
Victoria Peak,	"	...	...	...	SW	5	...	"	...	...	...	SSW	4	...
Cap Lock,	"	29.80	...	...	SSE	3	...	"	29.87	...	...	SSE	3	...
Macao,	"	29.89	80	...	SW	2	c	"	29.86	79	...	S	1	o
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.76	91	45	SE	2	b	"	..	..	...	...	...	..
Malate,	3 p.	...	...	...	SE	2	b	9 a.	...	...	...	S	1	c
Tacloci,	"	...	...	...	N	4	...	"	...	...	...	N	3	b
Iloilo,	"	29.82	90	...	E	1	b	"	29.92	85	...	E	1	b
Cebu,	"	29.80	85	...	N	4	b	"	29.90	85	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11.20a. The barometer has risen considerably over the E. coast of China, fallen quickly over Japan.

The depression passed near Shanghai yesterday afternoon moving Eastwards, and it has now reached the W. coast of Japan.

The wind will freshen from NE. in the Formosa Channel and along the S. coast of China during the next 24 hours.

Forecast:— S. winds, changing to NE. and freshening; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Tuesday 21st April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

21st APRIL, 1903, P. M. — 22nd APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather
Wladivostock,.	2 p.	...	...	...	.	...	...	7 a.	...	...	...	...	..	...
Nemuro, ...	„	30.00	...	...	NE	3	...	6 a.	30.25	...	...	NE	8	...
Hakodate, ...	„	29.93	...	...	S	2	...	„	30.09	...	...	SE	6	...
Tokio.....	„	29.82	...	...	E	2	...	„	29.86	...	...	NW	6	...
Kochi, ...	„	29.56	...	...	W	...	...	„	29.83	...	...	NW	6	...
Nagasaki, ...	„	29.79	...	...	N	6	...	„	30.03	...	...	...	0	...
Kagoshima.....	„	29.83	...	...	NE	..	...	„	29.99	...	...	NE	2	...
Oshima, ...	„	29.88	...	...	N	2	...	„	29.96	...	...	N	4	...
Naha, ...	„	29.89	...	...	N	4	...	„	29.97	...	...	SE	2	...
Ishigakijima, ..	„	29.89	...	...	W	4	...	„	29.93	...	...	NE	2	...
Taiboku,.....	1 p.	29.87	...	...	NE	3	...	6 a.	29.85	...	...	SE	2	...
Taichu, ...	„	29.88	...	...	N	2	...	„	29.84	...	...	N	2	...
Tainan, ...	„	29.86	...	..	NE	4	...	„	29.83	...	...	...	0	...
Koshun, ...	„	29.87	...	...	W	2	...	„	29.85	...	...	NE	2	...
Pescadores, . ..	„	29.88	...	...	W	4	...	„	29.85	...	...	NW	4	...
Weihaiwei.....	8 p.	29.94	69	...	W	3	b	9 a.	...	...	..	...	...	...
Gutzlaff, ...	„	30.02	57	81	NE	3	cv	„	29.98	55	87	SE	4	cv
Sharp Peak, ..	„	29.89	64	86	NE	4	o	„	29.94	63	89	...	...	o
Amoy, ...	2.30p.	29.87	73	81	E	2	o	6.30a.	29.97	68	90	ENE	1	o
Swatow.	3 p.	29.76	81	...	S	4	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.77	79	79	S	2	oq	10 a.	29.86	79	80	S.	2	o
Victoria Peak,.	„	...	...	...	SSE	6	...	„	...	...	...	SSW	4	...
Cap Lock, ...	„	29.76	...	...	SSE	3	...	„	29.86	...	...	S	4	...
Macao, ...	„	29.76	70	...	SSW	1	c	„	29.84	79	...	SSW	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	90	55	SSE	5	b	„	29.88	84	64	WNW	1	c
Malate,.....	3 p.	...	...	...	SE	..	b	9 a.	...	...	...	...	0	b
Bacolod. ...	„	...	...	...	NE	6	b	„	...	...	...	NE	3	b
Iloilo, ...	„	29.80	89	...	NE	1	b	„	29.92	84	...	NE	1	b
Cebu, ...	„	29.78	86	...	N	2	b	„	29.90	83	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	....	...	...	...

On the 22nd at 11.35a. The barometer has fallen in SE. Japan, risen over W. Japan.
The depression appears to have moved into the Pacific to the E. of Japan.
Pressure is inclined to give way again on the China coast, and probably another depression is forming over Central China.
Gradients slight for SE. winds on the coast and over the N. part of the China Sea.
Forecast:— moderate SE. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 22nd April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	22nd APRIL, 1903, P. M.							23rd APRIL, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	...	...	...	..	...	...	7 a.	...	...	...	...	..	...
Nemuro, ...	,,	30.35	...	...	NE	8	...	6 a.	30.47	...	...	NE	6	...
Hakodate, ...	,,	30.29	...	...	SW	5	...	,,	30.44	...	...	..	0	...
Tokio.....	,,	30.02	...	...	NE	6	...	,,	30.33	...	...	N	4	...
Kochi, ...	,,	29.95	...	...	...	0	...	,,	30.19	...	...	NE	0	...
Negasaki, ...	,,	30.03	...	...	E	6	...	,,	30.11	...	...	...	0	...
Kagoshima,....	,,	29.99	...	...	E	2	...	,,	30.11	...	...	SE	3	...
Oshima, ...	,,	29.96	...	...	N	4	...	,,	30.00	...	...	S	4	...
Naha, ...	,,	29.93	...	...	E	4	...	,,	29.93	...	...	SE	2	...
Ishigakijima, ...	,,	29.85	...	...	SW	4	...	,,	29.89	...	...	S	6	...
Taihoku,.....	1 p.	29.83	...	...	W	4	...	5 a.	29.85	...	...	...	0	...
Taichu, ...	,,	29.85	...	...	N	6	...	,,	29.84	...	...	E	2	...
Tainan, ...	,,	29.85	...	...	SW	6	...	,,	29.86	...	...	...	0	...
Koshun, ...	,,	29.86	...	...	SE	4	...	,,	29.87	...	...	SE	2	...
Pescadores, ...	,,	29.86	...	...	N	2	...	,,	29.84	...	...	...	0	...
Weihaiwei,.....	8 p.	...	..	...	...	...	b	9 a.	30.10	56	..	SE	2	...
Gutzlaff, ...	,,	...	..	...	...	...	...	,,	29.89	58	100	SE	3	f
Sharp Peak, ..	,,	29.89	64	89	...	0	og	,,	29.85	64	92	...	...	o
Amoy, ...	2.30p.	29.93	70	90	...	0	od	6.30a.	29.90	69	90	NNE	1	om
Swatow, ...	3 p.	29.81	74	...	SE	2	o	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.78	78	84	S	2	op	10 a.	29.82	80	79	S	3	oq
Victoria Peak,.	,,	...	...	...	SSW	6	...	,,	...	...	...	S	7	...
Cap Rock.....	,,	29.77	...	...	SE	4	...	,,	29.81	...	...	S	4	...
Macao, ...	,,	29.77	82	...	SW	2	c	,,	29.81	80	...	SSW	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.72	91	45	SSE	3	b	,,	29.88	88	54	SSE	2	c
Malate,.....	3 p.	...	...	...	SE	3	b	9 a.	...	...	...	SE	1	b
Bacolod, ...	,,	...	...	...	NE	4	b	,,	...	...	...	...	0	b
Iloilo, ...	,,	29.76	...	...	NE	2	c	,,	29.82	85	...	NE	2	c
Cebu, ...	,,	29.78	86	...	N	4	c	,,	29.89	84	...	N	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.50a. The barometer has risen rapidly over E. Japan, fallen moderately over China. A high pressure area lies over the N. part of the Sea of Japan, and the depression over Central China seems to be moving Eastwards.

Gradients are slight to moderate for SE. and S. winds along the China coast and over the N. part of the China Sea.

Forecast:— fresh S. winds; squally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 23rd April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	23rd APRIL, 1903, P. M.							24th APRIL, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	...	...	...	-	...	...	7 a.	...	...	...	...	..	...
Nemuro,	,,	30.47	...	...	NE	6	...	6 a.	30.43	...	...	NE	2	..
Hakodate,	,,	30.40	...	...	SE	5	...	,,	30.40	...	...	..	0	...
Tokio	,,	30.26	...	...	NE	2	...	,,	30.26	...	...	NW	4	...
Kochi,	,,	30.19	...	...	...	0	...	,,	30.15	...	...	...	0	...
Nagasaki,	,,	30.07	...	...	SE	6	...	,,	30.03	...	...	E	4	...
Kagoshima,	,,	30.11	...	...	E	8	...	,,	30.07	...	...	SE	4	...
Oshima,	,,	..	...	...	...	...	...	,,	29.96	...	...	SE	8	...
Naha,	,,	29.93	...	...	SE	4	...	,,	29.89	...	...	SE	2	...
Ishigakijima,	,,	29.89	...	...	S	6	...	,,	29.89	...	...	S	6	...
Taihoku,	1 p.	29.83	...	...	NE	6	...	5 a.	29.79	...	...	...	0	...
Taichu,	,,	29.80	...	...	NW	6	...	,,	29.82	...	...	S	2	...
Tainan,	,,	29.80	...	...	SW	8	...	,,	29.82	...	...	E	2	...
Koshun,	,,	29.83	...	...	SE	4	...	,,	29.83	...	...	...	0	...
Pescadores,	,,	29.82	...	...	SW	6	...	,,	29.82	...	...	W	2	...
Weihaiwei	3 p.	30.11	50	...	SE	2	o	9 a.	...	...	..	...	...	...
Gutzlaff,	,,	29.86	64	84	W	1	cv	,,	29.85	60	94	WNW	4	cv
Sharp Peak,	,,	29.79	67	92	ENE	1	d	,,	29.81	73	86	SSE	1	b
Amoy,	2.30p.	29.82	71	95	...	0	o	6.30a.	29.87	70	90	SE	1	o
Swatow.	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.79	73	86	NW	3	orq	10 a.	29.87	77	77	W	1	c
Victoria Peak,	,,	...	...	...	E	6	...	,,	...	...	...	N	1	...
Gap Rock,	,,	29.73	...	...	NW	4	...	,,	29.86	...	...	NE	2	...
Macao,	,,	29.78	78	...	NNW	1	c	,,	29.88	75	...	NNW	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.72	93	40	SSE	2	b	,,	...	...	...	...	...	...
Malate,	3 p.	...	...	...	SE	...	b	9 a.	...	...	...	W	2	b
Bacolod.	,,	...	...	...	N	6	b	,,	...	...	...	N	2	b
Iloilo,	,,	29.84	90	...	E	1	b	,,	29.92	86	...	E	1	b
Cebu.	,,	29.80	84	...	N	4	b	,,	29.87	84	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24 th at 11.30a. The barometer has fallen slightly over Japan and the E. coast of China, risen a little along the S. coast of China.

The depression is moving into the Yellow Sea to the N. of Shanghai.

The high pressure area still covers E Japan.

Gradients slight for SW. winds in the Formosa Channel, and for SE. winds over the N. part of the China Sea.

Forecast:— NW. or variable winds, light; showery.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Friday 24 h April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

24th APRIL, 1903, P. M. — 25th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...		...	...	7 a.	...	...	...	...	..	...
Nemuro,	,,	30.31	...	...	NE	6	...	6 a.	...	...	...	..	...	...
Hakodate,	,,	30.29	...	...	SW	3	...	,,	..	...	...	..	..	...
Tokio,	,,	30.14	...	...	E	2	...	,,	..	...	...	..	...	...
Kochi,	,,	30.16	...	...	S	0	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.87	...	...	SE	..	...	,,	..	...	...	...	..	...
Kagoshima,	,,	..	...	...	E	6	...	,,	...	...	...	..	..	...
Oshima,	,,	29.92	...	...	E	6	...	,,	...	...	...	...	..	...
Naha,	,,	29.89	...	...	S	2	...	,,	...	...	...	..	..	...
Ishigakijima,	,,	29.81	...	...	S	3	...	,,	...	...	...	..	..	...
Taiheku,	1 p.	29.79	...	...	W	2	...	5 a.	29.85	...	...	SW	2	...
Taichu,	,,	29.82	...	...	...	0	...	,,	29.83	...	...	N	4	...
Tainan,	,,	29.84	...	..	W	4	...	,,	29.82	...	...	NW	2	...
Koshun,	,,	29.83	...	...	W	2	...	,,	29.82	...	...	...	0	...
Pescadores,	,,	29.83	...	...	SW	4	...	,,	29.82	...	...	N	6	...
Weihaiwei,	3 p.	29.59	47	...	N	3	...	9 a.	...	...	..	...	...	...
Gutzlaff,	,,	29.80	66	68	WNW	5	bv	,,	30.01	53	81	NW	4	cv
Sharp Peak,	,,	29.75	79	58	S	1	c	,,	29.93	69	85	NNE	3	o
Amoy,	2.30p.	29.82	76	86	SE	3	c	6.30a.	29.88	73	86	NE	1	o
Swatow,	3 p.	29.78	80	...	...	0	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	.	...	...
Hongkong	4 p.	29.79	78	79	...	0	o	10 a.	29.90	79	63	E	2	o
Victoria Peak,	,,	...	...	...	...	0	...	,,	...	...	...	N	2	...
Cap Lock,	,,	29.79	...	...	NE	1	...	,,	29.86	...	...	ENE	2	...
Macao,	,,	29.78	77	...	E	1	c	,,	29.89	76	...	NE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.72	91	56	WNW	1	b	,,	...	...	...	...	...	...
Malate,	3 p.	...	...	...	SE	...	b	9 a.	...	...	...	...	0	b
Iscole,	,,	...	...	...	N	4	o	,,	...	...	...	N	4	b
Iloilo,	,,	29.76	91	...	NE	1	b	,,	29.90	85	...	NE	1	o
Cebu,	,,	29.77	86	...	N	3	b	,,	29.86	86	...	S	3	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25 th at 11.55a. The barometer has risen over the E. coast of China, the depression having moved away Eastwards. It has probably reached W. Japan this morning.
Gradients slight whith moderate NE. winds in the Formosa Channel and along the S. coast of China.
Forecast:— light to moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory Saturday 25th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th APRIL, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th APRIL, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	29.89	55	...	NE	3	o	7 a.	29.87	49	50	NE	6	o
Nemuro, ...	,,	30.08	...	...	NE	6	...	6 a.	29.88	...	...	NE	6	...
Hakodate, ...	,,	29.93	...	...	E	4	...	,,	29.89	...	...	E	4	...
Tokio.....	,,	30.02	...	...	SE	8	...	,,	29.90	...	...	E	2	...
Kochi, ...	,,	29.87	...	...	SE	2	...	,,	29.71	...	...	...	0	...
Nagasaki, ...	,,	29.79	...	...	W	8	...	,,	29.83	...	...	NW	6	...
Kagoshima.....	,,	29.83	...	...	W	6	...	,,	29.83	...	...	NW	4	...
Oshima, ...	,,	29.88	...	...	N	4	...	,,	29.92	...	...	N	4	...
Naha, ...	,,	29.89	...	...	N	4	...	,,	29.93	...	...	N	6	...
Ishigakijima, ..	,,	29.89	...	...	NE	8	...	,,	29.89	...	...	NE	4	...
Taihoku, ...	1 p.	29.89	...	...	E	8	...	6 a.	29.93	...	...	E	6	...
Taichu, ...	,,	29.80	...	...	N	6	...	,,	29.89	...	...	...	0	...
Tainan, ...	,,	29.84	...	..	SW	6	...	,,	29.89	...	...	...	0	...
Koshun, ...	,,	29.84	...	...	E	4	...	,,	29.90	...	...	...	0	...
Pescadores, . ..	,,	29.86	...	...	NE	6	...	,,	29.90	...	...	NE	6	...
Weihaiwei.....	8 p.	29.73	51	...	NNW	5	o	9 a.	30.03	52	..	NNW	4	b
Gutzlaff, ...	,,	29.99	60	76	NNW	4	cm	,,	30.11	58	58	N	3	bm
Sharp Peak, ..	,,	29.87	68	82	E	4	o	,,	30.03	66	84	NE	4	o
Amoy, ...	2.30p.	29.88	78	65	ENE	3	b	6.30a.	30.01	69	80	NE	2	o
Swatow, ...	8 p.	29.82	77	...	SE	3	b	9 a.	29,97	74	...	ENE	3	b
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	.	...	...
Hongkong	4 p.	29.82	78	72	E	3	o	10 a.	29.91	73	89	E	4	od
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	ESE	7	...
Cap Rock.....	,,	29.80	...	...	E	2	...	,,	29.90	...	...	E	4	...
Macao, ...	,,	29.81	79	...	SE	1	c	,,	29.89	78	...	E	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.72	93	46	SSE	3	b	,,	...	...	...	...	...	...
Malate,.....	8 p.	...	...	...	SE	1	b	9 a.	...	...	...	SW	1	b
Bacolod. .. .	,,	...	...	...	NNE	4	b	,,	...	...	...	N	2	b
Iloilo, ...	,,	29.80	92	...	NE	2	c	,,	29.94	87	...	E	1	c
Cebu, ...	,,	29.78	86	...	...	0	b	,,	29.89	85	...	...	0	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26 th at 11.30a. The barometer has fallen over E. Japan, risen over China except on the S. coast. The depression is moving Eastwards in the Sea of Japan, and pressure is highest over NE. China. Fresh NE. winds in the Formosa Channel, moderate E. winds over the N. part of the China Sea. Forecast:— moderate or fresh E. winds; cloudy, some drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory Sunday 26th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

26th APRIL, 1903, P. M. 27th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	29.80	...	...	N	4	...	6 a.	29.98	...	...	N	10	...
Hakodate,	"	29.77	...	...	SW	6	...	"	29.80	...	...	E	4	...
Tokio,	"	29.74	...	...	N	2	...	"	29.71	...	...	NW	4	...
Kochi,	"	29.64	...	...	...	0	...	"	29.83	...	...	...	0	...
Negasaki,	"	29.83	...	...	NW	6	...	"	30.03	...	...	NE	2	...
Kagoshima,	"	29.88	...	...	NW	6	...	"	29.99	...	...	NW	0	...
Oshima,	"	29.92	...	...	N	4	...	"	29.96	...	...	N	2	...
Naha,	"	29.97	...	...	NW	6	...	"	29.97	...	...	NE	2	...
Ishigakijima,	"	29.97	...	...	NE	6	...	"	29.93	...	...	N	2	...
Taihoku,	1 p.	29.94	...	...	E	8	...	6 a.	29.92	...	...	E	4	...
Taichu,	"	29.85	...	...	SW	2	...	"	29.92	...	...	...	0	...
Tainan,	"	29.88	...	...	SW	4	...	"	29.92	...	...	NE	2	...
Koshun,	"	29.89	...	...	NE	6	...	"	29.93	...	...	E	6	...
Pescadores,	"	29.92	...	...	NE	8	...	"	29.91	...	...	NE	4	...
Weihaiwei,	8 p.	30.02	56	...	NE	1	...	9 a.	...	...	..	...	...	...
Gutzlaff,	"	30.05	62	67	N	2	hm	"	...	...	...	...	...	...
Sharp Peak,	"	29.96	65	76	E	5	o	"	29.98	64	84	NNE	3	og
Amoy,	2.30p.	29.96	74	72	E	1	o	6.30a.	30.00	69	80	NNE	1	o
Swatow,	8 p.	29.88	75	...	E	4	b	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	..	...	...
Hongkong	4 p.	29.86	72	92	E	1	od	10 a.	29.90	74	86	E	4	o
Victoria Peak,	"	...	...	...	SE	3	...	"	...	...	...	SE	6	...
Cap Rock,	"	29.82	...	...	E	4	...	"	29.91	...	...	E	4	...
Macao,	"	29.72	78	...	ESE	2	c	"	29.88	77	...	ESE	2	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.72	93	61	SSE	4	b	"	29.92	90	60	WNW	1	b
Malate,	8 p.	...	...	...	SE	1	b	9 a.	...	...	...	...	0	b
Iloilo,	"	...	...	...	NE	6	b	"	...	...	...	N	3	b
Cebu,	"	29.84	91	...	E	2	o	"	29.94	86	...	NE	2	b
Cape S. James,	4 p.	29.81	84	...	N	2	b	"	29.95	80	...	N	2	b
		...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27 th at 11.27a. The barometer has fallen over SE. Japan, risen in W. Japan. The depression is moving into the Pacific to the E. of Japan. Pressure is highest over the Yellow Sea. The barometer is inclined to fall again over China, probably owing to the formation of another depression over Central China.

Moderate NE. winds in the Formosa Channel, and moderate SE. winds over the N. part of the China Sea. Forecast:— moderate E. to SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 27th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

27th APRIL, 1903, P. M. — 28th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	30.07	59	...	S	1	b	7 a.	29.94	40	99	S	4	o
Nemuro,	,,	30.00	...	...	N	10	...	6 a.	30.28	...	...	E	4	...
Hakodate,	,,	29.97	...	...	S	4	...	,,	30.21	...	...	S	0	...
Tokio,	,,	29.78	...	...	NE	6	...	,,	30.18	...	...	NE	6	...
Kochi,	,,	29.87	...	...	W	0	...	,,	...	...	...	E	0	...
Nagasaki,	,,	29.95	...	...	NE	8	...	,,	29.99	...	...	E	4	...
Kagoshima,	,,	29.95	...	...	S	2	...	,,	29.99	...	...	E	2	...
Oshima,	,,	29.96	...	...	N	2	...	,,	29.96	...	...	...	0	...
Naha,	,,	29.97	...	...	NW	2	...	,,	29.89	...	...	SE	2	...
Ishigakijima,	,,	29.97	...	...	NE	4	...	,,	29.89	...	...	S	6	...
Taihoku,	1 p.	29.90	...	...	NE	2	...	5 a.	29.28	...	...	...	0	...
Taichu,	,,	29.85	...	...	W	2	...	,,	29.86	...	...	...	0	...
Tainan,	,,	29.89	...	...	SW	6	...	,,	29.88	...	...	S	4	...
Koshun,	,,	29.91	...	...	NE	6	...	,,	29.90	...	...	E	2	...
Pescadores,	,,	29.81	...	...	NW	4	...	,,	29.83	...	...	SE	4	...
Weihaiwei	3 p.	30.03	57	...	SE	2	o	9 a.	...	...	..	...	...	...
Gutzlaff,	,,	29.98	57	81	SE	5	cv	,,	29.97	58	94	NW	4	cmd
Sharp Peak,	,,	29.91	65	81	E	2	cg	,,	29.85	66	87	...	0	cm
Amoy,	2.30p.	29.94	68	90	...	0	cd	6.30a.	29.89	70	90	E	1	o
Swatow,	3 p.	29.84	73	...	ENE	1	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.78	78	83	SE	2	o	10 a.	29 91	71	92	...	0	o
Victoria Peak,	,,	...	...	...	S	7	...	,,	...	...	...	NE	1	...
Gap Rock,	,,	29.76	...	...	SSE	3	...	,,	29.91	...	...	NE	2	...
Macao,	,,	...	79	...	S	2	c	,,	29.91	76	...	NW	2	cl
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	79	46	SSE	2	b	,,	29.92	91	56	SE	1	c
Malate,	3 p.	...	...	...	SW	1	b	9 a.	...	...	...	SW	1	b
Bacolod,	,,	...	...	...	NE	4	b	,,	...	...	...	N	2	b
Iloilo,	,,	29.86	92	...	E	1	b	,,	29.98	88	...	...	0	c
Cebu,	,,	29.81	87	...	N	2	b	,,	29.95	84	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28 th at 11.50a. The barometer has risen quickly over E. Japan, fallen moderately on the E. coast of China.

The depression passed into the Yellow Sea during the night, and is now moving Eastwards towards the Sea of Japan. Pressure is high over E. Japan.

NE. winds freshening in the Formosa Channel, light variable winds over the N. part of the China Sea.

Forecast:— NW. and variable winds, light; unsettled, thunder showers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 28th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	28th APRIL, 1903, P. M.							29th APRIL, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	...	...	...	...	..		7 a.	...	...	...	..	..	..
Nemuro,	"	30.24	...	...	SE	6	...	6 a.	30.12	...	...	S	6	...
Hakodate,	"	30.17	...	...	E	8	...	"	29.93	...	...	E	4	...
Tokio,	"	30.18	...	...	NE	4	...	"	30.10	...	...	...	0	...
Kochi,	"	29.99	...	...	...	0	...	"	29.87	...	...	...	0	...
Nagasaki,	"	29.95	...	...	S	8	...	"	29.79	...	...	N	6	...
Kagoshima,	"	29.95	...	...	S	4	...	"	29.72	...	...	SW	4	...
Oshima,	"	29.92	...	...	SE	4	...	"	29.84	...	...	N	2	...
Naha,	"	...	...	...	...	...	...	"	29.89	...	...	N	8	...
Ishigakijima,	"	...	...	...	...	...	...	"	29.93	...	...	N	4	...
Taihoku,	1 p.	29.86	...	...	NW	6	...	5 a.	30.03	...	...	E	4	...
Taichu,	"	29.89	...	...	W	6	...	"	29.86	...	...	N	4	...
Tainan,	"	29.87	...	..	SW	6	...	"	29.89	...	...	N	4	...
Koshun,	"	29.88	...	...	W	2	...	"	29.91	...	...	NE	6	...
Pescadores,	"	29.90	...	...	NW	8	...	"	29.93	...	...	NE	8	...
Weihaiwei,	8 p.	30.11	44	...	SE	2	...	9 a.	...	...	..	...	...	...
Gutzlaff,	"	29.98	57	87	NNW	6	cv	"	30.19	53	61	NNE	5	bv
Sharp Peak,	"	29.88	66	95	ENE	2	fr	"	30.06	63	83	E	4	o
Amoy,	2.30p.	29.90	70	90	SW	1	od	6.30a.	30.05	64	89	NNE	3	o
Swatow,	3 p.	29.87	74	...	...	0	o	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	..	...	...
Hongkong	4 p.	29.86	76	72	NE	2	o	10 a.	30 01	70	67	ENE	2	o
Victoria Peak,	"	...	...	...	..	..	...	"	...	...	...	E	3	...
Gap Rock,	"	29 86	...	...	NNE	3	...	"	30.00	...	...	NE	3	...
Macao,	"	29.87	76	...	NNW	2	c	"	30.02	73	...	NNE	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.80	86	85	WSW	3	c	"	29.92	88	72	W	1	b
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	...	..	0	m
Bacolod,	"	...	...	...	...	0	o	"	...	...	...	..	0	b
Iloilo,	"	29.86	92	...	SW	2	c	"	29.98	87	...	E	1	o
Cebu,	"	29.83	87	...	N	4	c	"	30.00	85	...	..	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29 th at 12.35p. The barometer has fallen over Japan; risen on the China coast, particularly in the North.

The depression is moving Eastwards over W. Japan, and an area of high pressure lies over Central China.

Fresh to stong NE. winds in the Formosa Channel, and moderate NE. winds over the N. part of the China Sea.

Forecast:— moderate to fresh NE. winds; cloudy, some drizzling rain or mist.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 29th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

29th APRIL, 1903, P. M. | 30th APRIL, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	
Wladivostock,	2 p.	...	...	...	...	..	..	7 a.	...	...	...	..	..	
Nemuro,	"	29.92	...	...	S	8	...	6 a.	...	...	...	...	...	
Hakodate,	"	29.77	...	...	SW	2	...	"	...	...	...	...	...	
Tokio,	"	29.98	...	...	N	2	...	"	...	...	...	...	..	
Kochi,	"	29.68	...	...	W	2	...	"	...	...	...	...	...	
Nagasaki,	"	29.87	...	...	N	8	...	"	...	...	...	..	..	
Kagoshima,	"	29.83	...	...	NW	6	...	"	...	...	...	...	..	
Oshima,	"	29.92	...	...	N	6	...	"	...	...	...	..	...	
Naha,	"	29.93	...	...	N	6	...	"	...	...	...	..	...	
Ishigakijima,	"	30.01	...	...	NE	6	...	"	...	...	...	...	..	
Taihoku,	1 p.	30.06	...	...	NE	6	...	6 a.	30.00	...	...	E	4	
Taichu,	"	29.92	...	...	N	4	...	"	29.97	...	...	...	0	
Tainan,	"	29.93	...	...	W	4	...	"	29.98	...	...	N	2	
Koshun,	"	29.96	...	...	NE	6	...	"	29.98	...	...	NE	2	
Pescadores,	"	29.96	...	...	NE	10	...	"	29.98	...	...	NE	6	
Weihaiwei	8 p.	29.93	63	...	SW	4	b	9 a.	29.94	57	..	SW	4	b
Gutzlaff,	"	30.17	58	53	N	2	bv	"	30.11	55	...	SE	3	b
Sharp Peak,	"	30.05	62	67	ENE	7	o	"	30.08	32	69	...	0	og
Amoy,	2.30p.	30.03	70	75	NE	3	c	6.30a.	30.09	64	89	NE	2	o
Swatow,	3 p.	29.97	71	...	ENE	2	o	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Hongkong,	4 p.	29.94	70	81	ENE	4	o	10 a.	29.99	71	83	E	3	od
Victoria Peak,	"	...	...	...	..	..	...	"	...	...	...	...	...	...
Gap Rock,	"	29.92	...	...	ENE	4	...	"	29.97	...	...	ESE	4	...
Macao,	"	29.94	73	...	ENE	1	c	"	29.97	73	...	ESE	2	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.80	90	66	SSW	1	c	"	..	...	..	..	...	..
Malate,	3 p.	...	...	...	SE	3	c	9 a.	...	...	...	W	1	c
Encoled,	"	...	...	...	NNE	2	c	"	...	...	...	NE	2	b
Iloilo,	"	29.89	89	...	NE	2	g	"	30.02	86	...	NE	3	c
Cebu,	"	29.86	85	...	N	2	b	"	29.97	85	...	..	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30 th at 12.10p. The depression has probably reached E. Japan and the high pressure area lies between the E. coast of China and W. Japan.

The barometer is falling again over China. E. winds decreasing in the Formosa Channel and over the N. part of the China Sea.

Forecast:— fresh to moderate E. winds; drizzling rain.

F. C. FIGG,
Acting Director.

Hongkong Observatory, Thursday 30th April 1903.

CHINA COAST METEOROLOGICAL REGISTER.

30th APRIL, 1903, P. M. — 1st MAY, 1903, A. M.

ATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ivestock,..	2 p.	29.83	50	...	SE	5	b	7 a.	29.75	43	99	S	1	o
o, ...	,,	...	...	...	..	..	...	6 a.	...	...	...	...	...	...
ate, ...	,,	..	...	...	...	...	...	,,	...	...	...	...	...	...
e	,,	...	...	...	..	...	...	,,	...	...	...	...	..	...
;	,,	..	...	...	..	..	...	,,	..	...	...	...	...	...
as.aki, ...	,,	..	...	...	..	...	...	,,	...	...	...	..	..	...
geshima,....	,,	..	...	...	..	..	...	,,	...	...	...	...	..	...
bima, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
ka, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
ligakijima, ...	,,	..	...	...	...	..	...	,,	...	...	...	...	..	...
shoku,.....	1 p.	29.96	...	...	E	8	...	6 a.	29.98	...	...	E	4	...
shu, ...	,,	29.93	...	...	W	2	...	,,	29.94	...	...	NE	2	...
nan, ...	,,	29.96	...	...	W	4	...	,,	29.93	...	...	NE	6	...
shun, ...	,,	29.96	...	...	E	6	...	,,	...	...	...	..	...	...
escadores, ...	,,	29.98	...	...	N	4	...	,,	29.94	...	...	NE	8	...
silaiwei.....	8 p.	29.96	57	...	WSW	5	...	9 a.	..	...	..	..	..	..
utzlaff, ...	,,	30.11	59	70	ESE	2	cv	,,	30.22	58	64	NNE	3	bv
arp Peak, ..	,,	29.99	62	72	NNW	2	r	,,	30.11	60	91	NNW	3	or
moy, ...	2.30p.	30.02	67	79	ENE	1	om	6.30a.	30.05	65	89	NE	1	o
watow, ...	8 p.	29.93	69	...	N	1	o	9 a.	...	...	...	...	...	...
anton, ...	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
ongkong	4 p.	29.89	72	90	E	4	o	10 a.	30 01	70	92	E	3	o
ictoria Peak,.	,,	...	...	...	S	6	...	,,	...	...	...	E	3	...
ap Rock, ...	,,	29.87	...	...	ESE	3	...	,,	29.99	...	...	ENE	4	...
acao, ...	,,	29.87	76	...	S	2	or	,,	30.00	72	...	NNW	1	or
aiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
anila, ...	,,	29.88	80	60	..	0	c	,,	29.96	86	65	W	2	b
alaie,.....	3 p.	...	...	...	SW	..	b	9 a.	...	...	...	...	0	b
ncoled, ...	,,	...	...	...	N	6	b	,,	...	...	...	N	2	b
olle, ...	,,	29.92	91	...	E	1	b	,,	30.02	86	...	NE	1	b
lu, ...	,,	29.90	87	...	N	3	b	,,	29.98	86	...	..	0	b
pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 12.50p. The barometer has fallen over the N. part of the Sea of Japan, owing to a depression which is moving Eastwards over Manchuria.

The barometer has risen over China, particularly on the E. coast, and pressure is again high over Central China. Fresh to strong NE. winds in the Formosa Channel, and moderate NE. winds over the N. part of the China Sea.

Forecast:— moderate NE. winds; dull, rainy.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 1st MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	1st MAY, 1903, P. M.							2nd MAY, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	..	...	..	...	..	7 a.	..	...		..	..	..
Nemuro,	,,	...	...	...	..	-	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	..	...	...	...	...	...	,,	...	...	...	...	...	...
Tokio,	,,	...	...	...	..	...	...	,,	...	...	...	...	..	...
Kochi,	,,	..	...	...	..	..	...	,,	..	...	...	...	...	...
Nagasaki,	,,	..	...	...	..	...	...	,,	...	...	...	..	..	...
Kagoshima,	,,	..	...	...	..	..	...	,,	...	...	...	...	..	...
Oshima,	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Naha,	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Ishigakijima,	,,	..	...	...	...	..	...	,,	...	...	...	...	..	...
Taiboku,	1 p.	30.06	...	...	E	6	...	5 a.	30.08	...	...	E	6	...
Taichu,	,,	29.94	...	...	N	4	...	,,	29.99	...	...	N	2	...
Tainan,	,,	29.93	...	...	N	4	...	,,	29.98	...	...	N	4	...
Koshun,	,,	...	...	...	...	...	...	,,	29.99	...	...	NE	2	...
Pescadores,	,,	29.99	...	...	NE	8	...	,,	30.02	...	...	NE	6	...
Weihaiwei,	8 p.	30.09	60	...	...	1	b	9 a.	..	...	..	..	..	..
Gutzlaff,	,,	30.22	60	49	NNE	4	cm	,,	30.28	60	49	E	3	bv
Sharp Peak,	,,	30.11	61	82	NNE	6	o	,,	...	...	...	..	...	....
Amoy,	2.30p.	30.09	64	89	NE	4	omd	6.30a.	30.12	63	78	NNE	2	c
Swatow,	8 p.	30.01	68	...	E	3	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	..	...	..	...	...
Hongkong	4 p.	29.95	70	92	ENE	3	od	10 a.	30 03	68	86	E	5	od
Victoria Peak,	,,	...	...	...	ESE	2	...	,,	...	...	...	ESE	8	...
Cap Boek,	,,	...	...	...	ENE	4	...	,,	30.01	...	...	ENE	5	...
Macao,	,,	29.94	72	...	NNW	1	orlt	,,	30.01	71	...	E	2	op
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.84	91	61	W	1	b	,,	30.00	88	60	SE	1	o
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	...	...	1	o
Bacolod,	,,	...	...	...	N	3	b	,,	...	...	...	N	2	b
Iloilo,	,,	29.90	91	...	NE	1	b	,,	30.00	86	...	NE	1	o
Cebu,	,,	29.86	86	...	N	2	b	,,	29.97	85	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at noon. The barometer has risen slightly on the China coast.
The high pressure area has moved Eastwards and lies now between the E. coast of China and W. Japan.
The depression lying in the neighbourhood of Wladiwostock yesterday has probably passed to the NE. of Japan.
Gradients rather steep with strong NE. and E. winds in the Formosa Channel and off the S. coast of China.
Forecast:— fresh E. winds; dull, rainy.
Telegraphic communication between the Observatory and Hongkong is interrupted.

F. C. FIGG,
Acting Director.

Hongkong Observatory, Saturday 2nd MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd MAY, 1903, P. M.							3rd MAY, 1903, A. M.						
STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	..	...	..	...	..	7 a.	..	...	..	..	..	..
Nemuro,	,,	29.96	...	...	NW	4	...	6 a.	29.92	...	...	NW	8	...
Hakodate,	,,	29.93	...	...	W	6	...	,,	30.09	...	...	W	4	...
Tokio,	,,	29.98	...	...	NW	6	...	,,	30.22	...	...	NW	2	...
Kochi,	,,	30.03	...	...	...	0	...	,,	30.15	...	...	...	0	...
Nagasaki,	,,	30.11	...	...	E	6	...	,,	30.11	...	...	SE	2	...
Kagoshima,	,,	30.07	...	...	SE	4	...	,,	30.15	...	...	NE	2	...
Oshima,	,,	30.04	...	...	N	4	...	,,	30.08	...	...	S	2	...
Naha,	,,	30.05	...	...	NE	2	...	,,	30.01	...	...	...	0	...
Ishigakijima,	,,	30.05	...	...	NE	6	...	,,	...	...	...	SE	4	...
Taihoku,	1 p.	30.06	...	...	E	8	...	6 a.	29.98	...	...	...	0	...
Taichu,	,,	29.98	...	...	NW	2	...	,,	29.96	...	...	...	0	...
Tainan,	,,	30.02	...	...	N	2	...	,,	29.96	...	...	...	0	...
Koshun,	,,	30.01	...	...	NE	6	...	,,	29.96	...	...	...	0	...
Pescadores,	,,	30.00	...	...	N	8	...	,,	29.96	...	...	N	4	...
Weihaiwei,	3 p.	30.06	63	...	SSW	2	...	9 a.	30.01	56	...	S	3	..
Gutzlaff,	,,	30.17	62	41	ESE	3	cv	,,	...	...	...	...	..	...
Sharp Peak,	,,	30.10	61	71	NNE	4	o	,,	29.95	62	83	E	1	o
Amoy,	2.30p.	30.11	66	68	NE	2	c	6.30a.	30.05	65	78	NW	1	o
Swatow,	3 p.	30.05	67	...	ENE	4	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.95	69	85	E	5	od	10 a.	29.95	71	95	E	3	o
Victoria Peak,	,,	...	...	...	ESE	6	...	,,	...	...	...	...	0	...
Gap Rock,	,,	29.92	...	...	ENE	5	...	,,	29.93	...	...	E	3	...
Macao,	,,	29.93	72	...	ESE	6	oq	,,	29.92	72	...	SE	3	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.84	90	55	SE	1	c	,,	29.96	84	64	WNW	2	c
Malate,	3 p.	...	...	...	SE	2	c	9 a.	...	...	...	NW	1	b
Encolod,	,,	...	...	...	N	4	b	,,	...	...	...	N	3	b
Iloilo,	,,	29.89	90	...	NE	2	b	,,	29.98	75	...	NE	2	c
Cebu,	,,	29.86	86	...	N	3	b	,,	29.97	85	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.25a. The barometer has risen over E. Japan, the high pressure area having reached SE. Japan.

A rapid decrease of pressure has occurred over the E. coast of China, owing to a depression which is moving Eastwards in the Yangtze valley.

Gradients are slight for SE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate SE. winds; fair, misty.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 3rd MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	3rd MAY, 1903, P. M.							4th MAY, 1903, A. M.					
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	W...
Wladivostock,	2 p.	..	..	...	..	...	..	7 a.	..	...	..	..	..	..
Nemuro,	,,	29.96	...	...	N	6	...	6 a.	30.20	...	...	SW	2	...
Hakodate,	,,	30.09	...	...	NW	6	...	,,	30.21	...	...	...	0	...
Tokio,	,,	30.18	...	...	S	6	...	,,	30.22	...	...	NW	2	...
Kochi,	,,	30.11	...	...	...	0	...	,,	29.95	...	...	E	6	...
Nagasaki,	,,	30.03	...	...	SE	10	...	,,	29.72	...	...	S	6	...
Kagoshima,	,,	30.07	...	...	SE	6	...	,,	29.79	...	...	E	6	...
Oshima,	,,	29.92	...	...	SE	4	...	,,	29.80	...	...	...	0	...
Naha,	,,	30.01	...	...	SE	4	...	,,	29.85	...	...	S	2	...
Ishigakijima,	,,	29.93	...	...	S	6	...	,,	29.85	...	...	SW	8	...
Taiboku,	1 p.	29.89	...	...	NW	2	...	6 a.	29.89	...	...	W	2	...
Taichu,	,,	29.89	...	...	W	4	...	,,	29.89	...	...	S	4	...
Tainan,	,,	29.90	...	...	W	4	...	,,	29.91	...	...	S	4	...
Kosbun,	,,	29.91	...	...	SE	4	...	,,	29.92	...	...	...	0	...
Pescadores,	,,	29.92	...	...	SW	2	...	,,	29.88	...	...	N	6	...
Weihaiwei,	8 p.	29.91	61	...	SW	2	b	9 a.	...	...	...	...	...	..
Gutzlaff,	,,	29.90	67	94	SSE	2	cmd	,,	30.02	57	81	NW	5	cv
Sharp Peak,	,,	29.81	67	87	SSE	4	c	,,	29.92	68	87	E	3	c
Amoy,	2.30p.	29.92	67	74	SE	1	b	6.30a.	29.93	69	90	S	2	c
Swatow,	8 p.	29.89	70	...	WNW	1	c	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.83	74	92	E	2	c	10 a.	29.96	76	92	...	0	ot
Victoria Peak,	,,	...	...	...	SSE	2	...	,,	...	...	...	...	0	...
Cap Rock,	,,	29.83	...	...	ESE	2	...	,,	29.94	...	...	ESE	2	...
Macao,	,,	29.83	74	...	SE	1	c	,,	29.94	76	...	SSE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	96	37	SSE	1	b	,,	29.98	86	65	WNW	1	c
Malate,	8 p.	...	...	...	E	2	b	9 a.	...	...	...	WNW	1	b
Bacolod,	,,	...	...	...	N	3	b	,,	...	...	...	N	2	b
Iloilo,	,,	29.82	91	...	NE	2	b	,,	29.98	87	...	NE	1	...
Cebu,	,,	29.85	87	...	N	2	b	,,	29.96	85	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.30a. The barometer has risen over NE. Japan, fallen quickly over W. Japan. The depression passed from the E. coast of China to the Yellow Sea during the night, and is now *approaching the W. coast of Japan.*

Pressure is high over E. Japan, and is increasing again over China.

The wind will freshen from NE. in the Formosa Channel during the next 24 hours.

Variable winds over the N. part of the China Sea.

Forecast:— N. or variable winds, light to moderate; unsettled, thunders showers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 4th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

4th MAY, 1903, P. M. 5th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	..	..	...	..	...	.	7 a.	..	...	..	..	..	..
Nemuro,	„	30.20	...	...	SW	6	...	6 a.	30.12	...	...	SE	6	...
Hakodate,	„	30.13	...	...	SE	6	...	„	29.85	...	...	SE	10	...
Tokio,	„	30.14	...	...	S	6	...	„	29.55	...	...	SE	6	...
Kochi,	„	29.79	...	...	NE	4	...	„	29.84	...	...	W	8	...
Nagasaki,	„	29.72	...	...	SW	6	...	„	29.91	...	...	NW	6	...
Kagoshima,	„	29.75	...	...	NW	6	...	„	29.91	...	...	NW	4	...
Oshima,	„	29.84	...	...	SW	4	...	„	30.00	...	...	N	6	...
Naha,	„	29.89	...	...	SW	4	...	„	30.05	...	...	N	6	...
Ishigakijima,	„	29.93	...	...	NW	2	...	„	30.09	...	...	NE	2	...
Taihoku,	1 p.	29.96	...	...	NW	6	...	5 a.	30.09	...	...	E	6	...
Taichu,	„	29 93	...	...	SW	2	...	„	29.98	...	...	...	0	...
Tainan,	„	29.93	...	..	NW	6	...	„	29.98	...	...	N	2	...
Koshun,	„	29.89	...	...	W	6	...	„	30.00	...	...	NE	8	...
Pescadores,	„	29.95	...	...	W	2	...	„	30.00	...	...	NE	8	...
Weihaiwei	3 p.	29.90	54	...	NW	...	...	9 a.	...	...	...	...	...	..
Gutzlaff,	„	30.06	59	70	NNW	3	cv	„	30.19	61	88	S	1	bv
Sharp Peak,	„	29.96	67	95	N	3	b	„	30.16	67	81	WNW	1	o
Amoy,	2.36p.	29.93	80	74	SE	1	c	6.30a.	30.09	67	89	NNE	2	o
Swatow,	3 p.	29.96	80	...	W	2	b	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.91	75	93	ENE	1	o	10 a.	30 07	72	99	E	4	o
Victoria Peak,	„	...	...	...	SSW	2	...	„	...	...	...	ESE	6	...
Cap Rock,	„	29.90	...	...	S	2	...	„	30.05	...	...	ENE	4	...
Macao,	„	29.92	77	...	ESE	1	crlt	„	30.07	75	...	ESE	1	o
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.84	86	63	ENE	1	c	„	29.96	90	...	E	1	b
Malate,	3 p.	...	...	...	NE	2	c	9 a.	...	...	...	NE	1	b
Bacolod,	„	...	...	...	N	6	b	„	...	...	...	N	3	b
Iloilo,	„	29.88	93	...	NE	2	b	„	29.98	87	...	NE	2	b
Cebu,	„	29.85	88	...	N	3	b	„	29.97	86	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 11.15a. The barometer has fallen much over E. Japan, the depression, moving Eastwards, having reached the SE. part of the Sea of Japan.

Pressure has increased quickly over W. Japan and the China coast, and is highest off the E. coast of China.

Fresh NE. and E. winds in the Formosa Channel and off the S. coast of China.

Forecast:— fresh E. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Tuesday 5th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	5th MAY, 1903, P. M.							6th MAY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,..	2 p.	..	..	...	..	...	..	7 a.	..	...	..	..	..	..
Nemuro, ...	,,	29.96	...	...	SE	8	...	6 a.	29.45	...	...	E	10	...
Hakodate, ...	,,	29.62	...	...	SE	10	...	,,	29.46	...	...	NW	4	...
Tokio,.....	,,	29.39	...	...	S	4	...	,,	29.71	...	...	S	4	...
Kochi, ...	,,	29.75	...	...	NE	4	...	,,	29.95	...	...	...	0	...
Nagasaki, ...	,,	29.99	...	...	W	8	...	,,	30.03	...	...	SE	4	...
Kagoshima,....	,,	29.99	...	...	NW	6	...	,,	30.07	...	...	...	0	...
Oshima, ...	,,	30.08	...	...	N	6	...	,,	30.08	...	...	S	2	...
Naha, ...	,,	30.09	...	...	N	6	...	,,	30.05	...	...	NE	2	...
Ishigakijima, ...	,,	30.09	...	...	NE	6	...	,,	30.05	...	...	NE	2	...
Taiboku,.....	1 p.	30.06	...	...	NE	8	...	6 a.	30.00	...	...	...	0	...
Taichu, ...	,,	30.00	...	...	N	4	...	,,	29.98	...	...	...	0	...
Tainan, ...	,,	30.01	...	...	N	4	...	,,	30.00	...	...	...	0	...
Koshun, ...	,,	30.03	...	...	E	6	...	,,	30.00	...	...	...	0	...
Pescadores, ...	,,	30.04	...	...	N	3	...	,,	30.00	...	...	NE	4	...
Weihaiwei,.....	3 p.	29.85	72	...	S	2	b	9 a.	...	...	...	...	...	..
Gutzlaff, ...	,,	30.11	67	64	SSE	3	cv	,,	30.00	62	72	SSE	3	cv
Sharp Peak, ..	,,	30.08	68	79	E	4	b	,,	29.99	68	74	...	0	o
Amoy, ...	2.30p.	30.08	75	77	ENE	2	c	6.30a.	29.94	69	80	SW	1	o
Swatow, ...	3 p.	30.02	75	...	E	1	b	9 a.	30.02	72	...	...	0	b
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong.....	4 p.	30.00	72	85	E	4	e	10 a.	30.01	75	83	E	2	o
Victoria Peak,.	,,	...	...	...	ESE	6	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	29.98	...	...	ENE	4	...	,,	29.99	...	...	E	4	...
Macao, ...	,,	30.00	75	...	ESE	1	c	,,	30.01	76	...	SE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	91	45	SSE	4	b	,,	29.96	86	59	WNW	1	c
Malate,.....	3 p.	...	...	...	SE	3	b	9 a.	...	...	...	W	1	h
Bacolod, ...	,,	...	...	...	NNE	6	b	,,	...	...	...	NNE	3	b
Iloilo, ...	,,	29.84	92	...	E	2	b	,,	30.02	85	...	E	2	b
Cebu, ...	,,	29.85	87	...	N	2	b	,,	29.97	85	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.55a. The barometer has fallen rapidly over NE. Japan owing to the depression, which is passing to the Pacific to the E. of N. Japan.

Pressure has increased over W. Japan, and decreased again over China, probably owing to the existence of another depression in N. China.

Gradients slight for SE. and S. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Wednesday 6th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

6th MAY, 1903, P. M. 7th MAY, 1903, A. M.

STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	..	..	...	..	...	..	7 a.	..	...	..	..	..	..
Nemuro,	„	29.29	...	...	E	10	...	6 a.	29.53	...	...	NE	8	...
Hakodate,	„	29.54	...	...	W	4	...	„	29.73	...	...	NW	6	...
Tokio,	„	29.71	...	...	NW	6	...	„	29.82	...	...	NW	2	...
Kochi,	„	29.95	...	...	W	2	...	„	29.87	...	...	...	0	...
Nagasaki,	„	30.03	...	...	N	4	...	„	29.99	...	...	S	2	...
Kagoshima,	„	30.03	...	...	NW	2	...	„	29.95	...	...	N	6	...
Oshima,	„	30.00	...	...	S	4	...	„	29.38	...	...	...	0	...
Naha,	„	30.09	...	...	SE	2	...	„	29.89	...	...	S	2	...
Ishigakijima,	„	30.01	...	...	S	4	...	„	29.89	...	...	SE	6	...
Taihoku,	1 p.	29.95	...	...	NW	2	...	6 a.	29.82	...	...	...	0	...
Taichu,	„	29.95	...	...	W	4	...	„	29.85	...	...	...	0	...
Tainan,	„	29.96	...	...	N	2	...	„	29.85	...	...	E	2	...
Koshun,	„	29.97	...	...	E	6	...	„	29.86	...	...	...	0	...
Pescadores,	„	29.98	...	...	W	2	...	„	29.85	...	...	S	4	...
Weihaiwei,	8 p.	29.86	64	...	NE	3	...	9 a.	...	...	...	...	...	..
Gutzlaff,	„	29.84	65	78	S	2	cv	„	29.88	58	94	NE	6	omd
Sharp Peak,	„	29.87	70	85	E	7	c	„	29.78	72	85	...	0	o
Amoy,	2.30p.	29.97	75	72	SE	3	b	6.30a.	29.85	75	90	N	1	c
Swatow,	3 p.	29.97	77	...	ESE	2	b	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.89	74	86	E	3	c	10 a.	29.89	81	74	S	1	c
Victoria Peak,	„	...	...	...	SSW	5	...	„	...	...	...	S	4	...
Cap Rock,	„	29.88	...	...	E	4	...	„	29.89	...	...	SE	1	...
Macao,	„	29.89	77	...	SE	1	c	„	29.87	79	...	S	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	91	45	SSE	4	b	„	29.92	90	55	ESE	1	b
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	...	SE	1	b
Pacolod,	„	...	...	...	N	3	b	„	...	...	...	N	3	b
Iloilo,	„	29.90	88	...	NE	1	b	„	29.98	86	...	NE	1	b
Cebu,	„	29.86	86	...	N	2	b	„	29.92	86	...	S	1	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.35a. The depression is moving away from NE. Japan, where the barometer is now rising. Pressure has given way considerably along the China coast and over the Loochoos, the depression lying over China yesterday having moved out to Sea to the S. of Shanghai this morning Wind probably freshening from NE. in the Formosa Channel during the next 24 hours. Light S. and SE. winds over the N. part of the China Sea. Forecast:— S. winds, moderate or light; fine at first, becoming unsettled later.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Thursday 7th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	7th MAY, 1903, P. M.								8th MAY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. DIRECTION.	WIND. FORCE.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. DIRECTION.	WIND. FORCE.	WEATHER.
Wladivostock,	2 p.	..	..	...	..	...	..	7 a.	..	...	..	..	..	..
Nemuro,	„	29.65	...	...	NE	4	...	6 a.	29.84	...	...	NE	4	...
Hakodate,	„	29.77	...	...	NW	6	...	„	29.89	...	...	W	0	...
Tokio,	„	29.74	...	...	S	6	...	„	29.78	...	...	N	2	...
Kochi,	„	29.87	...	...	...	0	...	„	29.75	...	...	...	0	...
Nagasaki,	„	29.91	...	...	NE	6	...	„	29.87	...	...	N	2	...
Kagoshima,	„	29.83	...	...	NE	8	...	„	29.83	...	...	NE	2	...
Oshima,	„	29.80	...	...	S	4	...	„	29.80	...	...	N	6	...
Naha,	„	29.81	...	...	SW	4	...	„	29.81	...	...	N	8	...
Ishigakijima,	„	29.85	...	...	SW	8	...	„	29.77	...	...	NE	6	...
Taihoku,	1 p.	29.83	...	...	W	6	...	5 a.	29.93	...	...	E	2	...
Taichu,	„	29 81	...	...	W	4	...	„	29.88	...	...	N	6	...
Tainan,	„	29.86	...	...	S	6	...	„	29.83	...	...	N	6	...
Koshun,	„	29.85	...	...	NW	4	...	„	...	...	...	...	...	...
Pescadores,	„	29.84	...	...	SW	6	...	„	29.82	...	...	NE	10	...
Weihaiwei,	3 p.	29.98	68	...	NW	2	o	9 a.	...	...	...	...	...	..
Gutzlaff,	„	30.01	60	88	NNE	5	cm	„	30.15	59	82	N	2	bv
Sharp Peak,	„	29.72	74	86	S	1	o	„	30.04	65	78	NNE	5	o
Amoy,	2.30p.	29.78	80	78	S	4	o	6.30a.	29.97	65	84	NE	5	oq
Swatow,	3 p.	29.81	82	...	SSW	4	c	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.77	81	77	SSW	3	o	10 a.	29.95	76	73	...	0	o
Victoria Peak,	„	...	...	...	S	7	...	„	...	...	...	NE	1	...
Cap Rock,	„	29.79	...	...	S	3	...	„	29.93	...	...	NE	2	...
Macao,	„	29.77	81	...	SW	2	c	„	29.94	76	...	NNE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.76	95	39	SE	3	b	„	29.92	88	60	W	1	b
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	...	WSW	1	c
Encoled,	„	...	...	...	N	3	b	„	...	...	...	N	2	b
Iloilo,	„	29.84	92	...	...	0	b	„	29.99	87	...	NE	1	c
Cebu,	„	29.79	87	...	NE	2	c	„	29.93	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 11.30a. The barometer has risen over NE. Japan, fallen over W. Japan and the Loochoos. The depression is moving Eastwards off the S. coast of Japan.

The barometer has risen over China in rear of the depression, particularly in the North where pressure is again high.

Gradients rather steep with strong NE. winds in the Formosa Channel and off the S. coast of China.

Forecast:—NE. winds, freshening to strong breezes; dull, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 8th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

8th MAY, 1903, P. M. — 9th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.88	44	...	N	1	s	7 a.	30.02	41	99	W	1	c
Nemuro,	,,	29.88	...	...	NE	8	...	6 a.	29.92	...	...	E	4	...
Hakodate,	,,	29.85	...	...	SE	8	...	,,	29.89	...	...	SE	3	...
Tokio,	,,	29.71	...	...	E	4	...	,,	29.86	...	...	NW	2	...
Kochi,	,,	29.75	...	...	W	4	...	,,	29.95	...	...	...	0	...
Nagasaki,	,,	29.87	...	...	NW	6	...	,,	30.03	...	...	E	6	...
Kagoshima,	,,	29.87	...	...	W	6	...	,,	30.03	...	...	...	0	...
Oshima,	,,	29.88	...	...	N	6	...	,,	29.96	...	...	N	2	...
Naha,	,,	29.89	...	...	N	8	...	,,	29.97	...	...	NE	2	...
Ishigakijima,	,,	29.89	...	...	NE	6	...	,,	29.97	...	...	N	2	...
Taihoku,	1 p.	30.02	...	...	E	6	...	5 a.	29.98	...	...	E	4	...
Taichu,	,,	29.91	...	...	N	6	...	,,	29.89	...	...	...	0	...
Tainan,	,,	29.89	...	...	N	6	...	,,	29.90	...	...	...	0	...
Koshun,	,,	29.89	...	...	E	4	...	,,	29.90	...	...	NE	8	...
Pescadores,	,,	29.94	...	...	NE	10	...	,,	29.91	...	...	NE	6	...
Weihaiwei,	3 p.	29.87	67	...	NNE	3	...	9 a.	30.00	64	...	SE	2	..
Gutzlaff,	,,	30.14	66	54	N	1	bv	,,	30.14	63	78	SW	1	bv
Sharp Peak,	,,	30.03	67	66	E	5	c	,,	30.07	68	65	NNE	4	b
Amoy,	2.30p.	30.01	74	51	NNE	4	c	6.30a.	30.02	68	85	NE	2	b
Swatow,	3 p.	30.05	72	...	E	4	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.92	76	85	E	3	ed	10 a.	30.04	74	50	E	2	o
Victoria Peak,	,,	...	...	...	E	4	...	,,	...	...	...	E	3	...
Cap Rock,	,,	29.91	...	...	ENE	5	...	,,	30.01	...	...	E	4	...
Macao,	,,	29.93	75	...	ESE	1	c	,,	30.05	73	...	ESE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	91	55	WSW	3	b	,,	29.92	86	71	W	0	o
Malate,	3 p.	...	...	...	SE	3	b	9 a.	...	...	...	...	0	c
Tacoled,	,,	...	...	...	...	0	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.90	91	...	W	2	b	,,	30.03	87	...	...	0	b
Cebu,	,,	29.80	88	...	N	3	c	,,	29.94	88	...	S	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On 9th the at 11.50a. The barometer has risen considerably over W. Japan and the Loochoos, and moderately over S. China.

The depression has passed to the E. of Japan and pressure is highest over the E. coast of China.

NE. winds decreasing in the Formosa Channel; fresh NE. winds over the N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 9th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

9th MAY, 1903, P. M. 10th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	30.04	47	...	SE	3	c	7 a.	30.07	42	97	S	1	c
Nemuro, ...	,,	29.96	...	...	E	4	...	6 a.	29.96	...	...	S	4	...
Hakodate, ...	,,	29.89	...	...	SW	6	...	,,	30.09	...	...	N	4	...
Tokio,.....	,,	29.86	...	...	NW	2	...	,,	30.14	...	...	N	2	...
Kochi, ...	,,	29.99	...	...	...	0	...	,,	30.15	...	...	NE	2	...
Nagasaki, ...	,,	30.07	...	...	SE	4	...	,,	30.19	...	...	E	2	...
Kagoshima,....	,,	30.03	...	...	NE	8	...	,,	30.15	...	...	E	8	...
Oshima, ...	,,	30.04	...	...	N	6	...	,,	30.12	...	...	S	2	...
Naha, ...	,,	30.05	...	...	NE	4	...	,,	30.09	...	...	NE	2	...
Ishigakijima, ...	,,	30.05	...	...	NE	8	...	,,	30.05	...	...	E	6	...
Tailoku,.....	1 p.	30.01	...	...	E	8	...	6 a.	30.00	...	...	E	6	...
Taichu, ...	,,	29.94	...	...	N	4	...	,,	29.97	...	...	...	0	...
Tainan, ...	,,	29.97	...	...	W	4	...	,,	29.98	...	...	...	0	...
Koshun, ...	,,	29.98	...	...	NE	8	...	,,	29.98	...	...	NE	6	...
Pescadores, ...	,,	29.97	...	...	W	4	...	,,	29.98	...	...	N	4	...
Weihaiwei.....	3 p.	29.95	66	...	SE	3	b	9 a.	...	...	...	...	...	..
Gutzlaff, ...	,,	30.12	70	57	SW	2	cv	,,	30.16	64	68	SSE	4	bv
Sharp Peak, ..	,,	30.04	69	58	NNE	4	b	,,	30.07	67	74	N	3	og
Amoy, ...	2.30p.	30.04	76	93	NE	4	c	6.30a.	30.06	68	96	NE	2	b
Swatow, ...	3 p.	30.06	73	...	E	3	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.97	74	42	E	3	b	10 a.	30.04	72	82	E	2	o
Victoria Peak..	,,	...	...	...	E	4	...	,,	...	...	...	E	3	...
Cap Tock,.....	,,	29.95	...	...	ENE	4	...	,,	30.01	...	...	ENE	4	...
Macao, ...	,,	29.96	75	...	ESE	2	c	,,	30.03	72	...	E	1	o
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	84	64	N	1	o	,,	...	...	...	...	...	...
Malate,.....	3 p.	...	...	...	W	2	o	9 a.	...	...	...	...	0	b
Bacolod, ...	,,	...	...	...	...	0	c	,,	...	...	...	...	0	b
Hoilo, ...	,,	29.90	90	...	SW	2	b	,,	30.01	87	...	NE	1	...
Cebu, ...	,,	29.82	87	...	N	1	b	,,	29.92	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 12.10p.. The barometer has risen over Japan and the Loochoos, and is little changed elsewhere. Pressure is high between the E. coast of China and the Sea of Japan, and gradients are slight with moderate NE. and E. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate or fresh E. winds; fair at first, showery later.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 10th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	10th MAY, 1903, P. M.							11th MAY, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	..	7 a.	...	...	...	...	...	...
Nemuro,	"	30.08	...	...	NE	4	...	6 a.	30.20	...	...	S	2	...
Hakodate,	"	30.13	...	...	SE	4	...	"	30.29	...	...	W	2	...
Tokio,	"	30.14	...	...	NW	6	...	"	30.30	...	...	NW	2	...
Kochi,	"	30.19	...	...	...	0	...	"	30.27	...	...	E	8	...
Nagasaki,	"	30.15	...	...	W	4	...	"	30.23	...	...	SE	4	...
Kagoshima,	"	30.19	...	...	S	4	...	"	30.27	...	...	E	2	...
Oshima,	"	...	...	...	E	2	...	"	30.20	...	...	S	2	...
Naha,	"	30.13	...	...	E	6	...	"	30.13	...	...	E	4	...
Ishigakijima,	"	30.05	...	...	SE	4	...	"	30.09	...	...	SE	4	...
Taihoku,	1 p.	30.01	...	...	SE	6	...	5 a.	30.00	...	...	...	0	...
Taichu,	"	29.96	...	...	...	0	...	"	29.99	...	...	W	2	...
Tainan,	"	30.00	...	...	W	6	...	"	30.00	...	...	NE	2	...
Koshun,	"	30.01	...	...	E	6	...	"	30.00	...	...	NE	6	...
Pescadores,	"	30.02	...	...	N	3	...	"	30.01	...	...	N	4	...
Weihaiwei,	3 p.	...	...	...	...	...	..	9 a.	...	...	...	...	...	..
Gutzlaff,	"	30.14	65	58	SE	4	cv	"	30.13	65	89	S	4	cv
Sharp Peak,	"	30.05	69	87	NNW	2	o	"	30.06	72	85	WNW	1	b
Amoy,	2.30p.	30.05	79	95	SE	2	c	6.30a.	30.06	74	81	ESE	1	c
Swatow,	3 p.	29.98	75	...	E	3	c	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Hongkong	4 p.	29.98	74	72	E	3	o	10 a.	30.06	75	78	E	2	o
Victoria Peak,	"	...	...	...	E	4	...	"	...	...	...	E	3	...
Gap Rock,	"	29.96	...	...	ENE	4	...	"	30.02	...	...	ENE	4	...
Macao,	"	29.99	77	...	ESE	1	c	"	...	76	...	ESE	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.84	91	61	W	1	c	"	...	...	...	...	...	...
Malate,	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0	b
Bacolod,	"	...	...	...	N	6	b	"	...	...	...	N	...	b
Iloilo,	"	29.90	92	...	NE	1	b	"	30.04	88	...	NE	1	b
Cebu,	"	29.83	87	...	N	4	c	"	29.98	85	...	N	1	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.55a. The barometer has risen over Japan, fallen on the E. coast of China. The high pressure area has moved Eastwards and is central over SE. Japan, and probably a new depression is forming over N. China.

Gradients slight with moderate SE. and E. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate E. winds; fair.

Telegraphic communication between the Observatory and Hongkong remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 11th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	11th MAY, 1903, P. M.								12.h MAY, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.98	48	...	SE	5	f	7 a.	29.81	47	99	S	2	lt
Nemuro,	„	30.16	...	...	S	6	...	6 a.	30.24	...	...	S	8	...
Hakodate,	„	30.29	...	...	S	6	...	„	30.21	...	...	SE	0	...
Tokio,	„	30.30	...	...	SW	4	...	„	30.30	...	...	...	0	...
Kochi,	„	30.27	...	...	...	0	...	„	30.23	...	...	...	0	...
Nagasaki,	„	30.23	...	...	W	4	...	„	30.19	...	...	SE	4	...
Kagoshima,	„	30.23	...	...	SE	2	...	„	30.19	...	...	E	4	...
Oshima,	„	30.20	...	...	SE	0	...	„	30.08	...	...	E	6	...
Naha,	„	30.13	...	...	E	6	...	„	30.01	...	...	...	0	...
Ishigakijima,	„	30.09	...	...	SE	6	...	„	29.97	...	...	E	6	...
Taihoku,	1 p.	30.01	...	...	...	0	...	6 a.	29.93	...	...	...	0	...
Taichu,	„	30 01	...	...	SW	2	...	„	29.93	...	...	...	0	...
Tainan,	„	30.02	...	...	W	6	...	„	29.93	...	...	...	0	...
Koshun,	„	30.02	...	...	E	6	...	„	29.94	...	...	NE	4	...
Pescadores,	„	30.04	...	...	N	4	...	„	29.94	...	...	...	0	...
Weihaiwei,	3 p.	29.86	72	...	SW	8	..	9 a.	...	...	...	...	...	..
Gutzlaff,	„	30.08	66	79	S	5	c	„	30.00	62	100	SE	3	fr
Sharp Peak,	„	29.97	72	85	E	4	c	„	29.90	70	92	E	1	or
Amoy,	2.30p.	30.02	77	86	SE	4	c	6.30a.	29.96	75	86	ESE	1	o
Swatow,	3 p.	29.99	78	...	E	3	b	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.96	75	86	E	2	o	10 a.	29.94	78	82	...	0	c
Victoria Peak,	„	...	...	...	SE	5	...	„	...	...	...	SSW	2	...
Gap Rock,	„	29.93	...	...	ENE	4	...	„	29.94	...	...	SSE	1	...
Macao,	„	29.95	77	...	ESE	1	c	„	29.93	77	...	SE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.84	95	37	SE	1	b	„	29.96	90	60	W	1	c
Malate,	3 p.	...	...	...	E	3	b	9 a.	...	...	...	...	0	b
Bacolod,	„	...	...	...	N	4	b	„	...	...	...	...	0	b
Iloilo,	„	29.93	93	...	NE	2	b	„	30.02	87	...	NE	2	b
Cebu,	„	29.86	86	...	N	4	b	„	29.94	87	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.5a. The barometer has fallen over China and Japan.
The depression lying over N. China yesterday is moving Eastwards and approaching the neighbourhood of Wladiwostock.
Pressure remains high over Japan, and probably another depression is developing over Central China.
Gradients slight for SE. winds in the Formosa Channel and N. part of the China Sea.
Forecast:—SE. or variable winds, light; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Tuesday 12th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

12th MAY, 1903, P. M. 13th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.16	...	...	SW	8	...	6 a.	30.08	...	...	SW	6	...
Hakodate,	,,	30.13	...	...	S	4	...	,,	30.09	...	...	E	0	...
Tokio,	,,	30.22	...	...	S	8	...	,,	30.18	...	...	S	4	...
Kochi,	,,	30.23	...	...	...	0	...	,,	30.99	...	...	...	0	...
Nagasaki,	,,	30.11	...	...	...	8	...	,,	29.79	...	...	NE	8	...
Kagoshima,	,,	30.11	...	...	SE	4	...	,,	29.79	...	...	E	10	...
Oshima,	,,	30.04	...	...	SE	6	...	,,	29.73	...	...	S	2	...
Naha,	,,	29.97	...	...	SE	4	...	,,	29.77	...	...	S	2	...
Ishigakijima,	,,	...	...	...	...	...	...	,,	29.77	...	...	S	8	...
Taihoku,	1 p.	29.90	...	...	...	0	...	6 a.	29.73	...	...	...	0	...
Taichu,	,,	29.89	...	...	SW	2	...	,,	29.73	...	...	S	4	...
Tainan,	,,	29.92	...	...	SW	4	...	,,	29.78	...	...	SE	2	...
Koshun,	,,	29.91	...	...	SE	4	...	,,	29.80	...	...	S	0	...
Pescadores,	,,	29.92	...	...	S	4	...	,,	29.76	...	...	SW	8	...
Weihaiwei,	3 p.	29.84	72	...	E	1	..	9 a.	...	...	...	...	...	..
Gutzlaff,	,,	29.90	60	100	ENE.	4	fd	,,	29.87	60	100	NNE	5	cm
Sharp Peak,	,,	29.83	70	90	...	0	fr	,,	29.73	71	93	...	0	cr
Amoy,	2.30p.	29.89	77	91	SSE	4	od	6.30a.	29.78	76	90	SE	1	o
Swatow,	3 p.	...	...	...	...	...	..	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.81	81	77	SSW	1	o	10 a.	29.82	79	91	SW	3	op
Victoria Peak,	,,	...	...	...	SSW	4	...	,,	...	...	...	...	...	...
Cap Rock,	,,	29.83	...	...	SSW	3	...	,,	29.84	...	...	SW	3	...
Macao,	,,	29.81	79	...	SW	1	c	,,	...	...	...	...	...	...
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	93	46	W	1	c	,,	...	...	...	...	...	...
Malate,	3 p.	...	...	...	NW	3	b	9 a.	...	...	...	E	1	b
Bacolod,	,,	...	...	...	...	0	b	,,	...	...	...	N	3	b
Iloilo,	,,	29.93	93	...	NE	1	c	,,	29.99	88	...	E	1	c
Cebu,	,,	29.85	87	...	N	3	b	,,	29.92	86	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.25a. The barometer has fallen considerably over the E. coast of China, Japan and the Loochoos owing to the depression, which passed out to Sea to the S. of Shanghai during the night and is now moving towards the SW. coast of Japan.

N. winds changing to NE. and freshening in the Formosa Channel. Moderate SW. winds over the N. part of China Sea.

— SW. to NW. winds, moderate or fresh; squally, thunderstorms.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Wednesday 13th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

13 h MAY, 1903, P. M. 14th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	We ther
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.04	...	...	SW	8	...	6 a.	30.00	...	...	W	4	...
Hakodate,	,,	30.01	...	...	S	6	...	,,	29.89	...	...	N	2	...
Tokio,	,,	30.10	...	...	S.	4	...	,,	29.55	...	...	N	8	...
Kochi,	,,	29.75	...	...	NE	2	...	,,	29.52	...	...	E	4	...
Nagasaki,	,,	29.67	...	...	NE	6	...	,,	29.68	...	...	N	9	...
Kagoshima,	,,	29.64	...	...	E	6	...	,,	29.60	...	...	N	4	...
Oshima,	,,	29.69	...	...	SE	2	...	,,	29.69	...	...	NW	2	...
Naha,	,,	29.74	...	...	S	4	...	,,	29.77	...	...	W	4	...
Ishigakijima,	,,	29.74	...	...	SW	6	...	,,	29.77	...	...	NE	4	...
Taihoku,	1 p.	29.74	...	...	W	8	...	6 a.	29.87	...	...	...	0	...
Taichu,	,,	29 80	...	...	S	4	...	,,	29.75	...	...	...	0	...
Tainan,	,,	29.82	...	...	SW	2	...	,,	29.82	...	...	...	0	...
Koshun,	,,	29.81	...	...	W	6	...	,,	29.81	...	...	NW	4	...
Pescadores,	,,	29.80	...	...	SW	4	...	,,	29.82	...	...	S	6	...
Weihaiwei,	8 p.	29.74	73	...	SE	4	b	9 a.	29.76	67	...	E	1	b
Gutzlaff,	,,	29.88	66	89	NNE	3	bm	,,	29.99	60	94	NE	1	f
Sharp Peak,	,,	29.73	72	90	E	2	o	,,	29.92	69	80	N	1	o
Amoy,	2.30p.	29.78	76	95	SSE	1	or	6.30a.	29.87	72	85	ENE	1	o
Swatow,	3 p.	...	...	...	...	...	..	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong,	4 p.	29.78	74	95	...	0	od	10 a.	29.88	81	80	...	0	o
Victoria Peak,	,,	...	...	...	NW	4	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.78	...	...	SW	3	...	,,	29.88	...	...	NE	1	...
Macao,	,,	29.77	81	...	WSW	2	c	,,	29.87	79	...	S	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	91	59	WSW	3	c	,,	29.92	90	66	WNW	2	b
Malate,	3 p.	...	...	...	E	2	b	9 a.	...	...	...	...	0	b
Bacolod,	,,	...	...	...	NE	2	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.88	93	...	SW	1	b	,,	30.02	88	...	NE	1	b
Cebu,	,,	29.82	87	...	N	2	b	,,	29.93	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 12.10p. The barometer has fallen much over SE. Japan owing to the depression, which is moving Eastwards off the S. coast of Japan.

Pressure has increased on the China coast, and gradients are slight for NE. winds in the Formosa Channel and for SE. winds over the N. part of the China Sea.

Forecast:— NE. winds, light or moderate; showery.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Thursday 14th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	14th MAY, 1903, P. M.							15th MAY, 1903, A. M.						
STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.71	56	...	SW	1	b	7 a.	29.68	42	99	SE	4	f
Nemuro,	„	29.84	...	...	S	6	...	6 a.	29.65	...	...	NE	8	...
Hakodate,	„	29.77	...	...	SE	6	...	„	29.66	...	...	NW	4	...
Tokio,	„	29.50	...	...	N	4	...	„	29.63	...	...	...	0	...
Kochi,	„	29.60	...	...	...	0	...	„	29.75	...	...	...	0	...
Nagasaki,	„	29.79	...	...	N	8	...	„	29.87	...	...	...	0	...
Kagoshima,	„	29.68	...	...	N	8	...	„	29.91	...	...	N	2	...
Oshima,	„	29.76	...	...	N	6	...	„	29.92	...	...	S	2	...
Naha,	„	29.85	...	...	N	4	...	„	29.89	...	...	NE	2	...
Ishigakijima,	„	29.89	...	...	NE	4	...	„	29.93	...	...	NE	2	...
Tailoku,	1 p.	29.92	...	...	NE	2	...	5 a.	29.92	...	...	S	2	...
Taichu,	„	29.86	...	...	NW	4	...	„	29.89	...	...	...	0	...
Tainan,	„	29.86	...	...	NW	2	...	„	29.88	...	...	SE	2	...
Koshun,	„	29.89	...	...	E	2	...	„	29.89	...	...	E	4	...
Pescadores,	„	29.88	...	...	NE	6	...	„	29.89	...	...	NE	6	...
Weihaiwei,	3 p.	29.69	72	...	E	1	b	9 a.	...	...	...	...	...	...
Gutzlaff,	„	29.95	86	89	E	2	bm	„	29.97	66	89	S	3	bv
Sharp Peak,	„	29.91	70	77	W	2	c	„	29.97	72	81	...	0	b
Amoy,	2.30p.	29.94	75	90	NE	3	c	6.30a.	29.97	71	85	NE	1	c
Swatow,	3 p.	...	...	...	...	...	..	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.82	77	88	E	1	c	10 a.	29.92	75	81	E	3	c
Victoria Peak,	„	...	...	...	E	2	...	„	...	...	...	E	3	...
Cap Rock,	„	29.83	...	...	E	2	...	„	29.91	...	...	ENE	4	...
Macao,	„	29.84	81	...	ESE	1	c	„	29.91	73	...	ESE	2	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	91	56	WSW	2	b	„	29.92	90	61	W	2	c
Malate,	3 p.	...	...	...	W	2	b	9 a.	...	...	...	...	0	c
Bacolod,	„	...	...	...	N	4	b	„	...	...	...	N	3	b
Iloilo,	„	29.91	93	...	NE	1	b	„	30.00	88	...	NE	1	b
Cebu,	„	...	...	...	...	...	...	„	29.94	86	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 12.10p. The depression lying off the S. coast of Japan yesterday has passed to the E. of Japan.

The barometer has risen over W. Japan and S. China; fallen in N. China owing to the existence of another depression over Manchuria.

Gradients slight for E. and SE. winds in the Formosa Channel and N. part of the China Sea

Forecast:— moderate E. winds; fair.

Telegraphic communication between the Observatory and Hongkong remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 15th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

15th MAY, 1903, P. M. 16th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2 p.	29.66	45	...	S	4	f	7 a.	29.56	41	99	N	4	o
Nemuro, ...	,,	29.53	...	...	NE	8	...	6 a.	29.57	...	...	NW	6	...
Hakodate, ...	,,	29.62	...	...	W	4	...	,,	29.70	...	...	...	4	...
Tokio	,,	29.72	...	...	SE	4	...	,,	29.82	...	...	...	0	...
Kochi, ...	,,	29.79	...	...	...	0	...	,,	29.83	...	...	...	0	...
Nagasaki, ...	,,	29.91	...	...	W	6	...	,,	29.95	...	...	SW	6	...
Kagoshima.....	,,	29.91	...	...	W	6	...	,,	29.99	...	...	...	0	...
Oshima, ...	,,	30.00	...	...	NE	4	...	,,	30.00	...	...	S	2	...
Naha, ...	,,	30.01	...	...	NW	4	...	,,	29.97	...	...	...	0	...
Ishigakijima, ...	,,	29.97	...	...	E	4	...	,,	29.93	...	...	SE	4	...
Tadhoku,.....	1 p.	29.91	...	...	E	2	...	6 a.	29.91	...	...	...	0	...
Taichu, ...	,,	29.87	...	...	NW	2	...	,,	29.89	...	...	...	0	...
Tainan, ...	,,	29.89	...	...	W	6	...	,,	29.88	...	...	...	0	...
Koshun, ...	,,	29.91	...	...	E	6	...	,,	29.90	...	...	E	2	...
Pescadores, ...	,,	29.91	...	...	N	4	...	,,	29.89	...	...	N	4	...
Weihaiwei.....	3 p.	29.87	50	...	NW	5	...	9 a.	30.05	61	...	...	1	r
Gutzlaff, ...	,,	29.85	71	71	S	5	cv	,,	30.07	59	82	NNE	5	cm
Sharp Peak. ..	,,	29.89	73	78	E	1	b	,,	29.90	74	81	...	0	b
Amoy, ...	2.30p.	29.93	76	77	SE	4	b	6.30a.	29.93	75	90	SE	1	c
Swatow, ...	3 p.	...	...	...	...	...	..	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.87	75	85	E	2	o	10 a.	29.86	74	93	E	3	ol
Victoria Peak,.	,,	...	...	...	SE	4	...	,,	...	...	...	SE	4	...
Cap Peck, ...	,,	29.85	...	...	E	4	...	,,	29.84	...	...	ESE	4	...
Macao, ...	,,	...	...	...	...	...	...	,,	29.83	73	...	E	1	or
Paipbong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	93	69	WSW	1	c	,,	29.88	91	56	ESE	1	c
Malate,.....	3 p.	...	...	...	W	2	c	9 a.	...	...	...	WSW	1	b
Pecoled, ...	,,	...	...	...	N	4	b	,,	...	...	...	...	0	b
Iloilo, ...	,,	29.89	93	...	NE	2	b	,,	29.93	89	...	NE	1	b
Cebu, ...	,,	29.83	88	...	N	2	b	,,	29.91	85	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 12.20p. The depression lying over Manchuria yesterday has moved Eastwards into the N. part of the Sea of Japan.

Pressure has increased considerably and is high over N. China; decreased slightly on the S. coast.

The wind will freshen from NE. in the Formosa Channel during the next 24 hours. Moderate SE. winds over the N. part of the China Sea.

Forecast:— SE. to E. winds, moderate to fresh, unsettled, squally, and showery.

Telegraphic communication between the Observatory and Hongkong remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 16th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

16th MAY, 1903, P. M. — 17th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	29.57	...	...	E	6	...	6 a.	29.65	...	...	N	8	...
Hakodate,	"	29.50	...	...	SE	6	...	"	29.77	...	...	W	4	...
Tokio,	"	29.63	...	...	SW	8	...	"	29.98	...	...	N	6	...
Kochi,	"	29.87	...	...	...	0	...	"	30.03	...	...	E	4	...
Nagasaki,	"	29.95	...	...	SW	2	...	"	29.99	...	...	SE	6	...
Kagoshima,	"	29.95	...	...	W	6	...	"	30.03	...	...	E	2	...
Oshima,	"	30.00	...	...	N	4	...	"	30.00	...	...	SE	4	...
Naha,	"	29.97	...	...	SE	4	...	"	29.93	...	...	SE	2	...
Ishigakijima,	"	29.93	...	...	SE	6	...	"	29.85	...	...	S	6	...
Taihoku,	1 p.	29.85	...	...	E	6	...	5 a.	29.79	...	...	S	2	...
Taichu,	"	29.84	...	...	NW	6	...	"	29.78	...	...	...	0	...
Tainan,	"	29.85	...	...	E	0	...	"	29.79	...	...	E	2	...
Koshun,	"	29.87	...	...	NE	6	...	"	29.82	...	...	SE	2	...
Pescadores,	"	29.87	...	...	N	4	...	"	29.80	...	...	S	4	...
Weihaiwei,	3 p.	29.98	60	...	E	2	...	9 a.	...	...	...	...	...	...
Gutzlaff,	"	30.05	64	68	ENE	3	cm	"	29.89	61	100	SE	5	fd
Sharp Peak,	"	29.86	71	88	ENE	7	c	"	29.78	73	88	...	0	o
Amoy,	2.30p.	29.87	75	95	SE	4	c	6.30a.	29.82	72	90	NE	1	od
Swatow,	3 p.	...	...	...	...	...	..	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Hongkong	4 p.	29.74	75	96	E	2	od	10 a.	29.75	80	86	S	3	orq
Victoria Peak,	"	...	...	...	SSE	6	...	"	...	...	...	SSW	7	...
Gap Rock,	"	29.73	...	...	S	4	...	"	29.76	...	...	SSW	4	...
Macao,	"	29.75	78	...	SSW	2	cr	"	...	...	...	...	...	...
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.76	93	56	...	0	e	"	...	...	...	...	...	...
Malate,	3 p.	...	...	...	W	2	o	9 a.	...	...	...	ENE	2	b
Pacolod,	"	...	...	...	N	4	o	"	...	...	...	N	4	b
Iloilo,	"	29.87	94	...	NE	...	c	"	29.97	88	...	NE	2	b
Cebu,	"	29.83	86	...	N	3	b	"	29.89	87	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.15a. The barometer has risen over Japan, the depression having passed to the Pacific to the NE. of Japan.

A rapid fall of the barometer has taken place on the China coast, particularly in the North, owing to a depression, which seems to be moving Eastwards over China to the S. of the Yangtze.

Fresh SE. to SW. winds in the Formosa Channel and off the S. coast of China.

Forecast:— fresh S. to SW. winds; squally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 17th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

17th MAY, 1903, P. M. 18th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.76	...	...	N	8	...	6 a.	29.92	...	...	SW	6	...
Hakodate, ...	,,	29.93	...	...	W	10	...	,,	30.05	...	...	N	0	...
Tokio,.....	,,	30.02	...	...	N	2	...	,,	30.18	...	...	NW	2	...
Kochi, ...	,,	30.07	...	...	...	0	...	,,	30.03	...	...	E	0	...
Nagasaki, ...	,,	29.99	...	...	S	2	...	,,	29.75	...	...	SE	10	...
Kagoshima,....	,,	29.99	...	...	S	4	...	,,	29.91	...	...	S	6	...
Oshima, ...	,,	29.96	...	...	SE	4	...	,,	29.92	...	...	S	5	...
Naha, ...	,,	29.81	...	...	S	4	...	,,	...	...	...	S	4	...
Ishigakijima, ...	,,	29.85	...	...	S	5	...	,,	29.85	...	...	S	8	...
Taihoku,.....	1 p.	29.77	...	...	NE	2	...	5 a.	29.77	...	...	...	0	...
Taichu, ...	,,	29.77	...	...	S	6	...	,,	29.79	...	...	W	2	...
Tainan, ...	,,	29.88	...	...	S	4	...	,,	29.83	...	...	SE	4	...
Koshun, ...	,,	29.84	...	...	S	4	...	,,	29.84	...	...	...	0	...
Pescadores, ...	,,	29.80	...	...	S	8	...	,,	29.78	...	...	S	2	...
Weihaiwei.....	3 p.	29.81	56	...	E	4	o	9 a.	29.48	55	...	E	4	o
Gutzlaff, ...	,,	29.72	66	95	SSE	5	fd	,,	29.83	67	100	NW	5	omd
Sharp Peak, ..	,,	29.72	74	90	SSE	4	o	,,	29.71	77	89	S	5	o
Amoy, ...	2.30p.	29.80	75	90	NNE	1	or	6.30a.	29.80	75	95	SW	3	or
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.68	81	85	S	3	oq	10 a.	29.80	82	83	SW	3	oq
Victoria Peak,.	,,	...	...	...	SSW	7	...	,,	...	...	...	SSW	...	...
Gap Rock,.....	,,	29.64	...	...	S	3	...	,,	29.78	...	...	SSW	3	...
Macao, ...	,,	29.60	80	...	SW	3	c	,,	29.78	80	...	SW	1	cd
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	93	51	SE	3	c	,,	29.92	91	49	SSE	2	b
Malate,.....	3 p.	...	...	...	E	2	b	9 a.	...	...	...	...	0	b
Pacoloc, ...	,,	...	...	...	NNE	3	b	,,	...	...	...	...	0	b
Iloilo, ...	,,	29.88	93	...	NE	1	b	,,	30.00	88	...	NE	1	c
Cebu, ...	,,	29.82	86	...	N	2	c	,,	29.92	89	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.15a.The barometer has risen over E. Japan, fallen in W. Japan.
The depression is moving into the Yellow Sea to the North of Shanghai. Pressure is high over E. Japan.
S. and SW. winds, decreasing, in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate SW. winds: squally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 18th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

18th MAY, 1903, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...
Nemuro,	"	29.92	...	...	SW	6	...
Hakodate,	"	29.97	...	...	W	4	...
Tokio,	"	30.10	...	...	S	6	...
Kochi,	"	29.91	...	...	SE	8	...
Nagasaki,	"	29.64	...	...	SW	10	...
Kagoshima,	"	29.79	...	...	SW	6	...
Oshima,	"	29.88	...	...	S	6	...
Naha,	"	29.89	...	...	S	6	...
Ishigakijima,	"	29.86	...	...	SW	8	...
Tailoku,	1 p.	29.78	...	...	...	0	...
Taichu,	"	29.80	...	...	SW	6	...
Tainan,	"	29.85	...	...	S	8	...
Koshun,	"	29.80	...	...	SW	4	...
Pescadores,	"	29.82	...	...	S	8	...
Weihaiwei,	3 p.	29.53	53	...	E	2	...
Gutzlaff,	"	29.83	60	82	NW	4	cv
Sharp Peak,	"	29.69	76	...	SSE	5	o
Amoy,	2.30p.	29.80	75	95	SE	3	c
Swatow,	3 p.	...	...	...	...	...	..
Canton,	"	...	...	...	...	...	...
Hongkong	4 p.	29.75	75	93	WNW	1	orlt
Victoria Peak,	"	...	...	...	W	6	...
Cap Bock,	"	29.73	...	...	S	3	...
Macao,	"	29.74	80	...	SW	3	or
Haiphong,	"	...	...	...	...	...	...
Manila,	"	29.80	93	40	SSE	3	b
Malate,	3 p.	...	...	...	ESE	2	b
Pacolod,	"	...	...	...	N	3	o
Iloilo,	"	29.92	92	...	NE	2	o
Cebu,	"	29.85	85	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...

19th MAY, 1903, A. M.

Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	...	...	...	...	...	...
6 a.	30.00	...	...	SE	2	...
"	29.73	...	...	E	6	...
"	29.74	...	...	SW	6	...
"	29.79	...	...	W	6	...
"	29.87	...	...	W	8	...
"	29.87	...	...	NW	2	...
"	29.88	...	...	S	6	...
"	29.93	...	...	S	4	...
"	29.93	...	...	SW	6	...
6 a.	29.85	...	...	...	0	...
"	29.89	...	...	SE	2	...
"	29.91	...	...	NE	4	...
"	29.93	...	...	...	0	...
"	29.91	...	...	S	4	...
9 a.	...	...	...	...	...	...
"	30.02	65	84	S	1	bv
"	29.90	75	93	...	0	od
6.30a.	29.88	75	95	E	1	om
9 a.	...	...	...	...	...	...
"	...	...	...	...	...	...
10 a.	29.93	74	97	E	2	od
"	...	...	...	S	...	...
"	29.92	...	...	S	3	...
"	29.90	80	...	SSE	1	o
"	...	...	...	...	...	...
"	29.96	88	54	WNW	1	b
9 a.	...	...	...	E	2	b
"	...	...	...	N	3	b
"	30.03	87	...	NE	2	b
"	29.95	86	...	N	3	c
10 a.	...	...	...	...	...	...

On the 19th at 11.45a. The barometer has fallen over Central and E. Japan owing to the depression which is moving NE. in the Sea of Japan.

Pressure has increased considerably along the China coast and is highest between the E. coast and the Loochoos. Gradients slight for SE. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— SE. winds, moderate; squally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Tuesday 19th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	19th MAY, 1903, P. M.							20th MAY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.84	...	...	SE	8	...	6 a.	29.84	...	...	N	2	...
Hakodate, ...	,,	29.53	...	...	SW	8	...	,,	29.81	...	...	E	4	...
Tokio	,,	...	...	...	E	6	...	,,	29.82	...	...	S	2	...
Kochi, ...	,,	29.87	...	...	W	0	...	,,	29.87	...	...	E	2	...
Nagasaki, ...	,,	29.95	...	...	SW	6	...	,,	29.87	...	...	E	0	...
Kagoshima.....	,,	29.95	...	...	W	2	...	,,	29.91	...	...	...	0	...
Oshima, ...	,,	30.00	...	...	...	0	...	,,	29.96	...	...	...	0	...
Naha, ...	,,	30.01	...	...	S	4	...	,,	29.97	...	...	...	0	...
Ishigakijima, ...	,,	29.97	...	...	SW	10	...	,,	29.97	...	...	SW	6	...
Tailoku,.....	1 p.	29.92	...	...	NE	2	...	5 a.	29.93	...	...	...	0	...
Taichu, ...	,,	29.94	...	...	S	4	...	,,	29.93	...	...	...	0	...
Tainan, ...	,,	29.93	...	...	W	2	...	,,	29.94	...	...	...	0	...
Koshun, ...	,,	29.96	...	...	SW	4	...	,,	29.95	...	...	...	0	...
Pescadores, ...	,,	29.97	...	...	SW	6	...	,,	29.93	...	...	S	2	...
Weihaiwei.....	3 p.	29.66	71	...	S	7	o	9 a.	29.72	62	...	W	5	...
Gutzlaff, ...	,,	29.97	68	74	SSE	4	cv	,,	30.00	66	95	W	3	bm
Sharp Peak, ..	,,	29.88	72	90	E	3	cr	,,	29.94	72	96	E	1	fm
Amoy, ...	2.30p.	29.93	77	91	SE	2	c	6.30a.	29.93	75	95	S	1	r
Swatow, ...	3 p.	...	...	...	...	...	..	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.87	79	91	ESE	1	o	10 a.	29.96	83	76	S	1	o
Victoria Peak,.	,,	...	...	...	SSW	4	...	,,	...	...	...	S	5	...
Gap Rock, ...	,,	29.85	...	...	S	4	...	,,	29.94	...	...	S	3	...
Macao, ...	,,	29.86	83	...	SSW	2	c	,,	29.94	82	...	SW	1	c
Haiphong, ...	,,	....	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	93	46	S	4	b	,,	...	...	...	...	...	...
Malate,.....	3 p.	...	...	...	ESE	3	b	9 a.	...	...	...	...	0	b
Pacolod, ...	,,	...	...	...	NNE	6	b	,,	...	...	...	...	0	b
Iloilo, ...	,,	29.94	92	...	NE	2	b	,,	30.01	87	...	NE	1	o
Cebu, ...	,,	29.91	86	...	...	0	c	,,	29.93	85	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.45a. The barometer has risen over E. Japan, the depression having passed to the Pacific to the E. of N. Japan.

Pressure has given way in N. China owing to the existence of another depression, which seems to be moving Eastwards over Manchuria.

Gradients slight for SE. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— S. winds, light; fair at first, showery later.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Wednesday 20th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

20th MAY, 1903, P. M. — 21st MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.85	45	...	S	5	o	7 a.	29.83	45	99	NE	1	...
Nemuro,	,,	30.00	...	...	NE	6	...	6 a.	30.08	...	...	SE	4	...
Hakodate,	,,	29.97	...	...	SE	8	...	,,	29.81	...	...	SE	10	...
Tokio	,,	29.89	...	...	S	4	...	,,	29.82	...	...	NE	4	...
Kochi,	,,	29.79	...	...	...	0	...	,,	29.75	...	...	...	0	...
Nagasaki,	,,	29.83	...	...	W	2	...	,,	29.91	...	...	N	4	...
Kagoshima,	,,	29.83	...	...	...	0	...	,,	29.91	...	...	NW	4	...
Okima,	,,	29.88	...	...	S	6	...	,,	29.92	...	...	NW	2	...
Naha,	,,	29.93	...	...	S	4	...	,,	29.93	...	...	NW	6	...
Ishigakijima,	,,	...	...	...	...	...	...	,,	29.89	...	...	SW	2	...
Tailoku,	1 p.	29.89	...	...	N	6	...	6 a.	29.91	...	...	E	6	...
Taichu,	,,	29.92	...	...	SE	4	...	,,	29.89	...	...	SE	2	...
Tainan,	,,	29.92	...	...	S	6	...	,,	29.88	...	...	NW	2	...
Koshun,	,,	29.92	...	...	SW	8	...	,,	29.89	...	...	...	0	...
Tesenderes,	,,	29.93	...	...	SW	4	...	,,	29.89	...	...	S	2	...
Weihaiwei,	3 p.	29.72	66	...	W	4	...	9 a.	29.87	58	...	W	2	...
Gutzlaff,	,,	29.96	73	72	NE	2	cm	,,	30.06	68	85	SW	1	cm
Sharp Peak,	,,	29.85	75	90	E	3	o	,,	29.96	72	90	NNW	2	or
Amoy,	2.30p.	29.87	83	91	SE	3	c	6.30a.	29.92	74	90	NE	4	c
Swatow,	3 p.	...	...	...	...	...	..	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.88	84	76	WSW	1	o	10 a.	29.90	82	80	S	1	o
Victoria Peak,	,,	...	...	...	SSW	4	...	,,	...	...	...	...	0	...
Cap Beck,	,,	29.89	...	...	SSW	3	...	,,	29.91	...	...	S	3	...
Macao,	,,	29.87	84	...	SW	1	c	,,	29.88	82	...	S	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	95	42	SE	2	b	,,	29.88	91	56	SW	1	c
Malate,	3 p.	...	...	...	ESE	2	c	9 a.	...	...	...	E	2	b
Facolod,	,,	...	...	...	N	6	b	,,	...	...	...	N	3	b
Iloilo,	,,	29.90	92	...	NE	2	b	,,	29.96	87	...	NE	1	o
Cebu,	,,	29.84	86	...	N	3	b	,,	29.90	85	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11.10a. The depression is moving Eastwards in the N. part of the Sea of Japan.
The barometer has risen over N. China, fallen slightly over S. China and the Philippines.
Pressure is highest over the E. coast of China and gradients are slight for NE. winds in the Formosa Channel, and for SE. winds over the N. part of the China Sea.
Forecast:—E to SE. winds, light or moderate; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 21st MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	21st MAY, 1903, P. M.							22nd MAY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.		...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	„	29.96	...	...	SE	6	...	6 a.	...	...	...	...	...	...
Hakodate,	„	29.81	...	...	E	8	...	„	...	...	...	...	...	...
Tokio,	„	29.67	...	...	N	2	...	„	...	...	...	...	...	...
Kochi,	„	29.75	...	...	...	0	...	„	...	...	...	...	...	...
Nagasaki,	„	29.87	...	...	W	6	...	„	...	...	...	...	...	...
Kagoshima,	„	29.87	...	...	NW	6	...	„	...	...	...	...	...	...
Oshima,	„	29.92	...	...	N	6	...	„	...	...	...	...	...	...
Naha,	„	29.93	...	...	E	4	...	„	...	...	...	...	...	...
Ishigakijima,	„	29.89	...	...	E	4	...	„	...	...	...	...	...	...
Taihoku,	1 p.	29.87	...	...	NE	6	...	5 a.	29.82	...	...	E	6	...
Taichu,	„	29.85	...	...	W	4	...	„	29.80	...	...	...	0	...
Tainan,	„	29.85	...	...	W	6	...	„	29.82	...	...	...	0	...
Koshun,	„	29.86	...	...	SW	4	...	„	29.83	...	...	...	0	...
Pescadores,	„	29.86	...	...	W	2	...	„	29.83	...	...	NE	4	...
Weihaiwei,	3 p.	29.83	68	...	W	4	b	9 a.	...	...	...	...	...	...
Gutzlaff,	„	29.98	72	67	SW	1	cm	„	30.00	65	73	SSE	2	cm
Sharp Peak,	„	29.90	71	83	NNW	3	o	„	29.88	64	89	WNW	3	or
Amoy,	2.30p.	29.92	74	90	NE	3	o	6.30a.	29.89	69	90	NE	1	o
Swatow,	3 p.	29.87	77	...	E	4	o	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.80	82	80	S	2	o	10 a.	29.78	82	78	S	3	o
Victoria Peak,	„	...	...	...	..	..	...	„	...	...	...	SSW	5	...
Cap Rock,	„	29.79	...	...	S	3	...	„	29.77	...	...	S	3	...
Macao,	„	29.79	83	...	SSE	1	c	„	29.77	82	...	SSW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.76	91	45	SE	4	o	„	92.84	90	55	WSW	1	c
Malate,	3 p.	...	...	...	ESE	2	c	9 a.	...	...	...	SW	1	b
Bacolod,	„	...	...	...	N	4	c	„	...	...	...	N	2	b
Iloilo,	„	29.87	92	...	NE	2	c	„	29.92	87	...	NE	1	o
Cebu,	„	29.81	85	...	N	2	c	„	29.85	86	...	...	0	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.55a. The depression has probably passed to the Pacific to the E. of Japan.
The barometer has fallen over China and the Philippines, and probably another depression is forming over China. Pressure is highest over the E. coast.
Moderate NE. winds in the Formosa Channel, and S. winds over the N. part of the China Sea.
Forecast:— moderate S. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 22nd MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	22nd MAY, 1903, P. M.							23rd MAY, 1903, A. M.						
STATION.	Hour.	BAROMETER.	Temperature.	Humidity	WIND. Direction.	Force.	WEATHER.	Hour.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	Force.	WEATHER
Wladivostock..	2 p.	29.76	53	...	N	5	o	7 a.	29.90	42	59	S	2	...
Nemuro, ...	,,	...	...	...			...	6 a.	29.57	...	...	NW	8	...
Hakodate, ...	,,	29.69	...	...	SE	4	...	,,	29.73	...	...	N	6	...
Tokio	,,	29.68	...	...	S	6	...	,,	29.74	...	...	NW	2	...
Kochi, ...	,,	29.75	...	...	NW	0	...	,,	29.79	...	...	...	0	...
Nagasaki, ...	,,	29.83	...	...	W	6	...	,,	29.83	...	...	...	0	...
Kagoshima.....	,,	29.83	...	...	W	6	...	,,	29.87	...	...	E	2	...
Oshima, ...	,,	29.92	...	...	...	0	...	,,	29.84	...	...	...	0	...
Naha, ...	,,	29.81	...	...	E	6	...	,,	29.77	...	...	S	2	...
Ishigakijima, ...	,,	29.77	...	...	W	6	...	,,	29.77	...	...	...	0	...
Taihoku,.....	1 p.	29.78	...	...		0	...	5 a.	29.75	...	...	...	0	...
Taichu, ...	,,	29.72	...	...	NW	4	...	,,	29.75	...	...	...	0	...
Tainan, ...	,,	29.77	...	...	W	4	...	,,	29.76	...	...	NE	2	...
Koshun, ...	,,	29.77	...	...	W	4	...	,,	29.77	...	...	...	0	...
Vescadores, ...	,,	29.82	...	...	E	4	...	,,	29.74	...	...	S	6	...
Amoy, ...	3 p.	29.86	64	...	W	2	...	9 a.	29.87	67	...	SSE	2	b
Gutzlaff, ...	,,	29.97	63	83	SW	2	md	,,	30.02	59	70	SE	3	cv
Sharp Peak, ..	,,	29.75	65	89	NW	1	or	,,	29.83	64	92	WNW	2	or
Amoy, ...	2.20p.	29.81	71	90	NNE	3	o	6.30a.	29.82	69	85	NE	1	o
Swatow, ...	3 p.	29.80	75	...	E	2	o	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.70	82	79	SW	3	cq	10 a.	29.80	76	83	WNW	1	o
Victoria Peak,.	,,	...	...	...	S	7	...	,,	...	...	...	NW	2	...
Cap Rock,.....	,,	29.72	...	...	SSW	4	...	,,	29.80	...	...	NNW	4	...
Macao, ...	,,	29.72	83	...	SW	2	cr	,,	29.81	76	...	NNW	2	o
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.69	95	52	W	1	b	,,	29.84	91	56	SSW	1	c
Malate,.....	3 p.	...	...	...	WNW	2	b	9 a.	...	...	...	...	...	...
Pacoled, ...	,,	...	...	...	NE	4	b	,,	...	...	...	...	0	o
Hoilo, ...	,,	29.82	91	...	SW	2	o	,,	29.94	84	...	...	0	o
Celu.....	,,	29.75	85	...	N	3	o	,,	29.91	78	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.55a. The barometer has fallen over Formosa and the Loochoos, risen slightly on the S. coast of China.

Pressure is highest over the E. coast of China, and relatively low between Formosa and the Loochoos.

Fresh NE. winds in the Formosa Channel, and moderate SW. winds over the N. part of the China Sea.

Forecast:— moderate NW. winds; dull, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Saturday 23rd MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	23rd MAY, 1903, P. M.							24th MAY, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.61	...	...	NW	4	...	6 a.	29.92	...	...	N	8	...
Hakodate,	,,	29.81	...	...	N	6	...	,,	30.01	...	...	NW	4	...
Tokio,	,,	29.78	...	...	S	6	...	,,	30.02	...	...	NE	2	...
Kochi,	,,	29.83	...	...	...	0	...	,,	29.95	...	...	...	0	...
Nagasaki,	,,	29.87	...	...	W	4	...	,,	29.99	...	...	NE	2	...
Kagoshima,	,,	29.87	...	...	S	2	...	,,	29.95	...	...	E	4	...
Oshima,	,,	29.88	...	...	...	0	...	,,	29.88	...	...	...	0	...
Naha,	,,	29.77	...	...	S	6	...	,,	29.81	...	...	NE	6	...
Ishigakijima,	,,	29.77	...	...	SW	10	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.77	...	...	NW	4	...	6 a.	29.89	...	...	E	4	...
Taichu,	,,	29.79	...	...	N	4	...	,,	29.81	...	...	N	4	...
Tainan,	,,	29.79	...	...	S	6	...	,,	29.83	...	...	N	2	...
Koshun,	,,	29.80	...	...	W	4	...	,,	29.84	...	...	...	6	...
Pescadores,	,,	29.80	...	...	N	6	...	,,	29.85	...	...	N	6	...
Aeibaiwei,	3 p.	29.81	72	...	S	3	o	9 a.	...	...	...	...	...	...
Cutzlaff,	,,	29.98	66	68	S	1	cv	,,	30.11	67	74	SSE	1	cv
Sharp Peak,	,,	29.86	65	84	NNE	6	cg	,,	29.96	65	89	NNE	3	o
Amoy,	2.30p.	29.83	70	90	NE	2	or	6.30a.	29.99	68	85	NE	2	or
Swatow,	3 p.	29.78	74	...	ENE	2	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.79	73	83	ESE	1	od	10 a.	29.90	73	97	...	0	or
Victoria Peak,	,,	...	...	...	NNE	1	...	,,	...	...	...	NE	3	...
Cap Lock,	,,	29.78	...	...	N	3	...	,,	29.88	...	...	NNE	4	...
Macao,	,,	29.78	77	...	N	1	c	,,	29.90	77	...	NNW	2	cd
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.72	91	59	WSW	2	o	,,	92.88	88	66	W	2	c
Malate,	3 p.	...	...	...	W	2	c	9 a.	...	...	...	...	0	b
Pacolod,	,,	...	...	...	NW	4	o	,,	...	...	...	NE	2	od
Iloilo,	,,	29.87	85	...	N	1	r	,,	30.02	84	...	NE	1	c
Cebu,	,,	29.79	81	...	...	0	c	,,	29.92	83	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.25a. The barometer has risen generally.

Pressure is highest in a belt lying over the E. coast of China and the Sea of Japan, and relatively low to the S. of the Loochoos.

Fresh NE. winds in the Formosa Channel and off the S. coast of China. SW. winds over the middle part of the China Sea.

Forecast:— moderate NE. winds; rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Sunday 24th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	24th MAY, 1903, P. M.							25th MAY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.00	...	...	NE	10	...	6 a.	30.16	...	...	SE	2	...
Hakodate,	,,	30.09	...	...	NW	2	...	,,	30.17	...	...	...	0	...
Tokio,	,,	30.02	...	...	E	4	...	,,	30.06	...	...	...	0	...
Kochi,	,,	29.99	...	...	...	0	...	,,	30.07	...	...	...	0	...
Nagasaki,	,,	29.99	...	...	SW	4	...	,,	29.95	...	...	...	0	...
Kagoshima,	,,	29.99	...	...	SW	2	...	,,	29.91	...	...	...	0	...
Oshima,	,,	29.92	...	...	NE	2	...	,,	29.92	...	...	N	2	...
Naha,	,,	29.89	...	...	E	2	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.89	...	...	N	6	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.94	...	...	E	6	...	6 a.	29.92	...	...	E	6	...
Taichu,	,,	29.87	...	...	NW	4	...	,,	29.88	...	...	...	0	...
Tainan,	,,	29.88	...	...	W	6	...	,,	29.87	...	...	NE	2	...
Koshun,	,,	29.88	...	...	E	4	...	,,	29.88	...	...	N	2	...
Pescadores,	,,	29.91	...	...	NE	6	...	,,	29.89	...	...	NE	4	...
Weihaiwei	3 p.	29.86	70	...	SW	...	..	9 a.	29.96	73	...	SW	4	...
Gutzlaff,	,,	30.04	67	74	SE	3	cv	,,	30.10	69	85	ESE	3	cv
Sharp Peak,	,,	29.97	66	89	ENE	3	r	,,	30.02	67	89	...	0	o
Amoy,	2.30p.	29.97	64	78	NNE	2	d	6.30a.	29.98	68	85	NNE	2	or
Swatow,	3 p.	...	...	...	...	..	...	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong	4 p.	29.85	74	89	ENE	1	od	10 a.	29.95	77	81	...	0	o
Victoria Peak,	,,	...	...	...	E	3	...	,,	...	...	...	E	1	...
Cap Rock,	,,	29.83	...	...	NE	4	...	,,	29.93	...	...	NE	2	...
Macao,	,,	29.86	75	...	N	1	o	,,	29.93	75	...	N	1	o
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	81	77	ENE	2	o	,,	29.92	86	71	W	1	o
Malate,	3 p.	...	...	...	E	3	o	9 a.	...	...	...	E	2	c
Bacolod,	,,	...	...	...	...	3	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.91	90	...	NE	1	b	,,	29.98	86	...	...	0	b
Cebu,	,,	29.84	84	...	...	0	c	,,	29.93	86	...	N	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 11.35a. The barometer has risen over E. Japan, and is little changed elsewhere.
Pressure is high over NE. Japan, and also above the normal along the China coast.
Gradients slight with moderate NE. winds in the Formosa Channel and over the N. part of the China Sea.
Forecast:— NE. winds, light or moderate; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Monday 25th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

25th MAY, 1903, P. M. 26th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.12	...	...	S	2	...	6 a.	30.12	...	...	S	2	...
Hakodate,	,,	30.13	...	...	SW	6	...	,,	30.13	...	...	...	0	...
Tokio	,,	30.10	...	...	NE	2	...	,,	30.06	...	...	...	0	...
Kochi,	,,	30.07	...	...	...	0	...	,,	30.03	...	...	...	0	...
Nagasaki,	,,	30.03	...	...	W	4	...	,,	30.11	...	...	...	0	...
Kagoshima,	,,	30.03	...	...	SE	2	...	,,	30.07	...	...	E	2	...
Oshima,	,,	30.10	...	...	E	4	...	,,	30.04	...	...	...	0	...
Naha.	,,	29.97	...	...	NW	4	...	,,	29,97	...	...	NE	2	...
Ishigakijima,	,,	29.97	...	...	N	2	...	,,	29.93	...	...	NE	2	...
Taihoku,	1 p.	29.97	...	...	NE	8	...	5 a.	29.93	...	...	E	6	...
Taichu,	,,	29 91	...	...	N	6	...	,,	29.91	...	...	...	0	...
Tainan,	,,	29.92	...	...	W	2	...	,,	29.90	...	...	N	2	...
Koshun.	,,	29.93	...	...	E	4	...	,,	29.89	...	...	E	6	...
Pescadores,	,,	29.94	...	...	N	8	...	,,	29.91	...	...	NE	4	...
Aeihsiwei	3 p.	..	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.07	72	81	ESE	3	bm	,,	30.13	69	100	ESE	4	cm
Sharp Peak,	,,	29.99	69	82	E	2	o	,,	30.04	70	85	NNE	4	o
Amoy,	2.30p.	29.99	75	72	NE	3	or	6.30a.	29.98	70	85	NE	1	om
Swatow,	3 p.	30.03	72	...	ENE	2	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.89	75	88	E	3	od	10 a.	29 96	76	87	E	3	o
Victoria Peak,	,,	...	...	...	E	6	...	,,	...	...	...	E	6	...
Gap Rock	,,	29.87	...	...	ENE	2	...	,,	29.93	...	...	ENE	3	...
Macao,	,,	29.89	78	...	ESE	1	c	,,	29.95	76	...	E	2	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.84	86	71	E	1	o	,,	29.88	88	66	SE	2	o
Malate,	3 p.	...	...	...	N	2	o	9 a.	...	...	...	...	0	b
Bacolod,	,,	...	...	...	N	2	o	,,	...	...	...	N	2	b
Iloilo,	,,	29.91	...	...	SW	2	c	,,	29.96	84	...	...	0	o
Cebu,	,,	29.83	87	...	...	0	c	,,	29.92	84	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 11.55a. Barometric changes are slight.

Pressure remains above normal over the China coast and Japan, and is highest in a belt lying between the E. coast of China and NE. Japan.

Gradients slight to moderate with fresh NE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate to fresh E. winds; some drizzling rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Tuesday 26th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

26th MAY, 1903, P. M. | 27th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.98	62	...	SW	1	b	7 a.	29.97	47	99	SE	5	o
Nemuro,	,,	30.08	...	...	S	6	...	6 a.	30.16	...	...	S	4	...
Hakodate,	,,	30.15	...	...	SE	4	...	,,	30.21	...	...	SE	2	...
Tokio	,,	30.02	...	...	S	4	...	,,	30.18	...	...	...	0	...
Kochi,	,,	30.03	...	...	...	0	...	,,	30.11	...	...	E	0	...
Nagasaki,	,,	30.11	...	...	SW	2	...	,,	30.15	...	...	SE	2	...
Kagoshima,	,,	30.07	...	...	SE	2	...	,,	30.19	...	...	...	0	...
Oshima,	,,	30.08	...	...	SE	4	...	,,	30.12	...	...	...	0	...
Naha,	,,	30.01	...	...	S	4	...	,,	30.01	...	...	...	2	...
Ishigakijima,	,,	29.97	...	...	E	4	...	,,	29.93	...	...	NE	4	...
Taihoku,	1 p.	29.97	...	...	NE	6	...	5 a.	29.93	...	...	NE	4	...
Taichu,	,,	29.93	...	...	N	4	...	,,	29.90	...	...	...	0	...
Tainan,	,,	29.92	...	...	N	2	...	,,	29.91	...	...	NE	2	...
Koshun,	,,	29.96	...	...	NE	6	...	,,	29.91	...	...	N	2	...
Pescadores,	,,	29.96	...	...	NE	8	...	,,	...	...	...	...	...	...
Weihaiwei,	3 p.	30.00	73	...	SSE	4	...	9 a.	29.99	67	...	E	3	b
Gutzlaff,	,,	30.08	73	81	SE	3	cm	,,	30.12	68	90	SE	4	bm
Sharp Peak,	,,	30.00	71	86	E	5	o	,,	30.03	72	85	NW	2	o
Amoy,	2.30p.	30.00	74	90	NNE	3	o	6.30a.	30.00	71	90	WSW	1	c
Swatow,	3 p.	29.93	75	...	E	3	o	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.90	74	98	E	3	or	10 a.	29.99	76	84	E	4	o
Victoria Peak,	,,	...	...	...	ESE	4	...	,,	...	...	...	...	...	...
Cap Rock,	,,	29.87	...	...	ENE	4	...	,,	29.96	...	...	ENE	4	...
Macao,	,,	29.88	77	...	ESE	1	c	,,	29.98	77	...	ESE	2	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	93	51	SE	2	c	,,	29.92	86	65	E	1	o
Malate,	3 p.	...	...	...	E	3	cd	9 a.	...	...	...	E	3	o
Bacolod,	,,	...	...	...	N	4	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.90	91	...	NE	1	c	,,	30.01	87	...	NE	1	o
Cebu,	,,	29.82	88	...	N	2	c	,,	29.92	84	...	N	1	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 11.20a. The barometer has risen over Japan, fallen slightly over the E. coast of China. An area of high pressure lies to the SE. of Japan, and pressure remains above the normal also, along the China coast.

Gradients slight to moderate with fresh NE. winds in the Formosa Channel, and over the N. part of the China Sea.

Forecast:— fresh to moderate E. winds; drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Wednesday 27th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

27th MAY, 1903, P. M. 28th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Wi Th
Wladivostock,	2 p.	29.97	47	...	S	4	f	7 a.	29.80	51	98	SE	3	
Nemuro,	,,	30.20	...	...	S	6	...	6 a.	...	...	...	...	...	
Hakodate,	,,	30.21	...	...	SE	4	...	,,	...	...	...	...	...	
Tokio,	,,	30.18	...	...	SW	2	...	,,	...	...	...	...	...	
Kochi,	,,	30.15	...	...	...	0	...	,,	...	...	...	...	...	
Nagasaki,	,,	30.16	...	...	SW	6	...	,,	...	...	...	...	...	
Kagoshima,	,,	30.15	...	...	S	4	...	,,	...	...	...	...	...	
Oshima,	,,	30.12	...	...	SE	6	...	,,	...	...	...	...	...	
Naha,	,,	30.05	...	...	E	6	...	,,	...	...	...	...	...	
Ishigakijima,	,,	29.97	...	...	E	4	...	,,	...	...	...	...	...	
Taihoku,	1 p.	29.97	...	...	E	6	...	5 a.	29.94	...	...	...	0	
Taichu,	,,	29.91	...	...	NW	4	...	,,	29.94	...	...	...	0	
Tainan,	,,	29.94	...	...	W	4	...	,,	29.94	...	...	NE	2	
Koshun,	,,	29.94	...	...	E	6	...	,,	29.94	...	...	E	4	
Pescadores,	,,	29.95	...	...	N	6	...	,,	29.95	...	...	N	2	
Weihaiwei,	3 p.	...	...	...	...	...	...	9 a.	29.93	68	...	S	3	
Gutzlaff,	,,	30.04	68	90	SE	4	cm	,,	30.04	70	95	SSE	3	
Sharp Peak,	,,	29.96	75	88	ENE	3	o	,,	30.00	75	90	...	0	
Amoy,	2.30p.	29.98	76	91	SE	3	c	6.30a.	29.98	74	90	E	1	
Swatow,	3 p.	29.95	78	...	ESE	3	b	9 a.	...	...	...	...	...	
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	
Hongkong	4 p.	29.90	78	86	E	4	o	10 a.	29.98	78	84	E	2	
Victoria Peak,	,,	...	...	...	ESE	4	...	,,	...	...	...	ESE	3	
Cap Rock,	,,	29.87	...	...	E	4	...	,,	29.96	...	...	ENE	3	
Macao,	,,	29.90	78	...	ESE	2	c	,,	29.98	79	...	SE	1	
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	
Manila,	,,	29.84	84	44	ENE	1	c	,,	29.92	88	66	NW	1	
Malate,	3 p.	...	...	...	..	0	o	9 a.	...	...	...	...	0	
Bacolod,	,,	...	...	...	N	4	c	,,	...	...	...	N	2	
Iloilo,	,,	29.92	91	...	NE	2	c	,,	29.98	86	...	NE	1	
Cebu,	,,	29.83	87	...	N	4	c	,,	29.90	84	...	...	0	
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 28th at 11.50a. The barometer has fallen over N. China, owing to the existence of a depression over Manchuria.

Pressure is highest to the SE. of Japan. Gradients slight with moderate SE. and E. winds on the China coast and over the N. part of the China Sea.

Forecast:— light E. to SE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 28th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

28th MAY, 1903, P. M. | 29th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.76	59	...	SE	4	b	7 a.	29.80	55	88	..	0	b
Nemuro,	,,	30.20	...	...	SW	6	...	6 a.	30.08	...	...	SW	8	...
Hakodate,	,,	30.17	...	...	S	4	...	,,	30.09	...	...	SW	6	...
Tokio,	,,	30.26	...	...	S	6	...	,,	30.26	...	...	...	0	...
Kochi,	,,	30.23	...	...	...	0	...	,,	30.11	...	...	S	0	...
Nagasaki,	,,	30.19	...	...	W	4	...	,,	30.11	...	...	SE	4	...
Kagoshima,	,,	30.19	...	...	S	4	...	,,	30.15	...	...	SE	2	...
Oshima,	,,	30.12	...	...	SE	6	...	,,	30.08	...	...	S	6	...
Naha,	,,	30.09	...	...	SE	2	...	,,	30.01	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	,,	30.01	...	...	...	6	...
Taihoku,	1 p.	29.96	...	...	NW	4	...	5 a.	29.93	...	...	E	4	...
Taichu,	,,	29.95	...	...	NW	4	...	,,	29.91	...	...	E	2	...
Tainan,	,,	29.94	...	...	W	6	...	,,	29.91	...	...	NE	2	...
Koshun,	,,	29.96	...	...	SE	6	...	,,	29.93	...	...	E	2	...
Pescadores,	,,	29.97	...	...	N	6	...	,,	29.91	...	...	...	0	...
Weihaiwei	3 p.	29.99	67	...	S	1	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.96	70	95	SE	3	cf	,,	29.86	81	56	S	4	cv
Sharp Peak,	,,	29.92	77	88	...	0	c	,,	29.91	78	91	...	0	o
Amoy,	2.30p.	29.98	78	86	SE	3	b	6.30a.	...	...	...	...	...	...
Swatow,	3 p.	29.96	81	...	E	3	c	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong	4 p.	29.89	78	79	E	3	b	10 a.	29.94	81	84	E	2	c
Victoria Peak,	,,	...	...	...	E	2	...	,,	...	...	...	S	1	...
Gap Rock,	,,	29.89	...	...	E	4	...	,,	29.92	...	...	E	3	...
Macao,	,,	29.89	81	...	ESE	1	c	,,	29.94	81	...	SE	1	c
Haipheng,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.84	90	55	ESE	2	o	,,	29.92	79	92	...	0	or
Malate,	3 p.	...	...	...	ENE	2	o	9 a.	...	...	...	...	0	od
Bacolod,	,,	...	...	...	N	4	o	,,	...	...	...	N	3	b
Iloilo,	,,	29.88	89	...	NE	1	o	,,	29.92	83	...	NNE	1	c
Cebu,	,,	29.85	82	...	N	2	c	,,	29.88	85	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11.15a. The barometer has fallen considerably over Japan and N. China. Pressure remains high to the SE. of Japan, and a depression is moving Eastwards over N. China. Gradients slight for S. and SE. winds along the China coast and over the N. part of the China Sea. Forecast:—SE. to S. winds, light to moderate; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 29th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

29th MAY, 1903, P. M. 30th MAY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	29.77	72	...	W	1	b	7 a.	29.60	51	99	S	3	f
Nemuro, ...	,,	29.96	...	...	SW	8	...	6 a.	29.92	...	...	S	6	...
Hakodate, ...	,,	30.05	...	...	SW	6	...	,,	30.06	...	...	SE	2	...
Tokio,.....	,,	30.18	...	...	S	8	...	,,	30.14	...	...	S	4	...
Kochi, ...	,,	30.19	...	...	SE	2	...	,,	30.11	...	...	SW	2	...
Nagasaki, ...	,,	30.08	...	...	SE	6	...	,,	29.95	...	...	S	10	...
Kagoshima,....	,,	30.11	...	...	S	8	...	,,	30.03	...	...	SE	2	...
Oshima, ...	,,	30.04	...	...	S	2	...	,,	30.04	...	...	SE	6	...
Naha, ...	,,	30.01	...	...	S	4	...	,,	29.97	...	...	SE	6	...
Ishigakijima, ...	,,	29.97	...	...	S	8	...	,,	...	...	...	...	...	...
Tailoku,.....	1 p.	29.92	...	...	NW	2	...	5 a.	29.93	...	...	...	0	...
Taichu, ...	,,	29 91	...	...	NW	4	...	,,	29.91	...	...	E	2	...
Tainan,.....	,,	29.93	...	...	SW	4	...	,,	29.91	...	...	SE	2	...
Koshun, ...	,,	29.94	...	...	SE	4	...	,,	29.94	...	...	NE	2	...
Pescadores, ...	,,	29.92	...	...	S	6	...	,,	29.91	...	...	S	4	...
Weihaiwei.....	3 p.	29.71	61	...	E	3	o	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.83	75	86	S	4	cv	,,	29.84	71	95	S	4	cv
Sharp Peak. ..	,,	29.85	81	85	SSE	6	b	,,	29.87	81	87	S	1	c
Amoy, ...	2.30p.	29.93	82	96	ESE	2	c	6.30a.	29.95	79	87	...	0	o
Swatow, ...	3 p.	29.90	84	...	SSE	2	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong.....	4 p.	29.86	79	89	E	2	b	10 a.	29.93	83	84	E	2	c
Victoria Peak,.	,,	...	...	...	NW	1	...	,,	...	...	...	...	...	...
Gap Rock.....	,,	29.84	...	...	E	2	...	,,	29.92	...	...	E	2	...
Macao, ...	,,	29.85	82	...	SE	1	c	,,	29.92	83	...	SE	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	82	85	ENE	1	o	,,	29.92	88	66	ESE	1	o
Malate,.....	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	0	c
Bacolod, ...	,,	...	...	...	NNE	4	...	,,	...	...	...	...	0	o
Iloilo, ...	,,	29.87	88	...	NE	2	o	,,	29.96	85	...	NE	1	c
Cebu, ...	,,	29.81	85	...	N	2	c	,,	29.92	85	...	N	2	b
Cape S. James.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 11.20a. The barometer continues to fall over N. China and Japan.

The depression still lies over N. China. It appears to be moving slowly towards NE. Pressure remains high over the Pacific to the SE. of Japan.

Gradients slight with moderate S. winds in the Formosa Channel and light SE. winds over the N. part of the China Sea.

Forecast:— light SE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 30th MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	30th MAY, 1903, P. M.							31st MAY, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.64	54	...	SE	3	f	7 a.	29.67	63	65	NE	1	c
Nemuro,	,,	29.80	...	...	S	8	...	6 a.	29.72	...	...	SW	6	...
Hakodate,	,,	29.89	...	...	SW	4	...	,,	29.62	...	...	E	4	...
Tokio,	,,	30.06	...	...	SW	6	...	,,	29.89	...	...	SW	6	...
Kochi,	,,	30.03	...	...	S	4	...	,,	29.79	...	...	W	10	...
Nagasaki,	,,	29.95	...	...	SW	10	...	,,	29.83	...	...	SW	10	...
Kagoshima,	,,	29.99	...	...	NW	2	...	,,	29.91	...	...	SW	6	...
Oshima,	,,	30.00	...	...	S	4	...	,,	29.96	...	...	...	0	...
Naha,	,,	30.01	...	...	S	4	...	,,	29.97	...	...	S	2	...
Ishigakijima,	,,	29.97	...	...	S	6	...	,,	29.93	...	...	S	6	...
Taihoku,	1 p.	29.92	...	...	NE	8	...	5 a.	...	...	...	...	...	...
Taichu,	,,	29.91	...	...	NW	4	...	,,	...	...	...	...	...	...
Tainan,	,,	29.92	...	...	S	6	...	,,	29.84	...	...	S	2	...
Kosbun,	,,	29.94	...	...	E	6	...	,,	29.90	...	...	E	4	...
Pescadores,	,,	29.93	...	...	SW	6	...	,,	29.90	...	...	SW	4	...
Weihaiwei,	3 p.	29.71	67	...	NNE	3	...	9 a.	29.86	71	...	NNE	2	...
Gutzlaff,	,,	29.79	76	86	S	4	cv	,,	29.84	77	91	W	1	cv
Sharp Peak,	,,	29.81	82	85	SSE	5	b	,,	29.87	83	87	SW	2	o
Amoy,	2.30p.	29.90	81	87	SE	3	c	6.30a.	29.95	79	...	...	0	b
Swatow,	3 p.	29.88	85	...	S	3	b	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.88	85	79	E	1	b	10 a.	29.94	84	75	ESE	1	b
Victoria Peak,	,,	...	...	...	SSE	2	...	,,	...	...	...	...	0	...
Gap Rock,	,,	29.87	...	...	E	2	...	,,	29.93	...	...	ENE	2	...
Macao,	,,	29.87	84	...	SSE	2	c	,,	29.94	83	...	SE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	93	96	E	2	c	,,	29.98	90	60	E	1	c
Malate,	3 p.	...	...	...	E	1	b	9 a.	...	...	...	E	2	c
Bacolod,	,,	...	...	...	N	4	b	,,	...	...	...	N	3	b
Iloilo,	,,	29.93	90	...	NE	1	b	,,	29.97	86	...	NE	1	c
Cebu,	,,	29.83	86	...	N	4	b	,,	29.89	85	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 31st at 11.35a. The barometer has fallen rapidly over Japan owing to the depression, which is now moving NE. in the Sea of Japan.

Pressure has increased moderately over N. China.

Gradients continue slight with light or moderate variable winds along the China coast, and E. winds over the N. part of the China Sea.

Forecast:— E. or variable winds, light; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 31st MAY 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	31st MAY, 1903, P. M.							1st JUNE, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	..
Nemuro, ...	,,	29.45	...	...	W	4	...	6 a.	29.65	...	...	NW	4	..
Hakodate, ...	,,	29.46	...	...	...	0	...	,,	29.81	...	...	W	2	..
Tokio,.....	,,	29.67	...	...	S	8	...	,,	29.82	...	...	NE	4	..
Kochi, ...	,,	29.75	...	...	W	10	...	,,	29.75	...	...	NE	6	..
Nagasaki, ...	,,	29.75	...	...	SW	10	...	,,	29.79	...	...	N	2	..
Kagoshima.....	,,	29.83	...	...	SW	8	...	,,	29.87	...	...	NW	4	..
Oshima, ...	,,	29.92	...	...	SW	6	...	,,	29.92	...	...	SW	2	..
Naha, ...	,,	29.97	...	...	S	4	...	,,	29.93	...	...	SW	2	..
Ishigakijima, ...	,,	29.97	...	...	S	4	...	,,	29.93	...	...	SW	6	..
Taihoku,.....	1 p.	29.89	...	...	N	4	...	5 a.	29.88	...	...	...	0	..
Taichu, ...	,,	29.89	...	...	NW	4	...	,,	29.91	...	...	...	0	..
Tainan, ...	,,	29.93	...	...	SE	6	...	,,	29.91	...	...	...	0	..
Koshun, ...	,,	29.91	...	...	SW	6	...	,,	29.91	...	...	SE	2	..
Pescadores, ...	,,	29.91	...	...	SW	6	...	,,	29.86	...	...	S	4	..
Weihaiwei.....	3 p.	29.80	74	...	NE	3	b	9 a.	...	...	...	...	...	..
Gutzlaff, ...	,,	29.83	78	86	NNW	1	cm	,,	29.81	75	90	SW	2	c
Sharp Peak, ..	,,	29.79	82	83	S	5	o	,,	29.83	83	85	SE	2	b
Amoy, ...	2.30p.	29.90	85	72	SE	4	b	6.30a.	29.90	79	87	ESE	2	c
Swatow, ...	3 p.	29.85	85	...	SE	3	c	9 a.	29.88	83	...	...	0	c
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.88	82	83	E	2	c	10 a.	29.93	82	79	E	1	c
Victoria Peak,.	,,	...	...	...	SSE	1	...	,,	...	...	...	S	1	...
Gap Rock.....	,,	29.87	...	...	ENE	1	...	,,	29.93	...	...	E	4	...
Macao, ...	,,	29.88	85	...	SSE	1	c	,,	29.92	84	...	SSE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.89	90	62	NE	1	c	,,	29.98	90	60	SE	1	b
Malate,.....	3 p.	...	...	...	ESE	2	c	9 a.	...	...	...	E	2	b
Pacoled.	,,	...	...	...	NNE	4	c	,,	...	...	...	NNE	2	o
Iloilo, ...	,,	29.89	91	...	NE	1	c	,,	29.91	85	...	NE	1	o
Cebu, ...	,,	29.80	86	...	N	2	b	,,	29.90	84	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 11.55a. The barometer has risen over NE. Japan the depression having moved into the Paci
Pressure has given way slightly over W. Japan and the E. coast of China, and gradients continue slight for winds in the Formosa Channel, and for E. winds over the N. part of the China Sea.

Forecast:— light E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 1st June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JUNE, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd JUNE, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.71	71	...	...	2	o	7 a.	29.49	54	99	S	3	o
Nemuro,	„	29.69	...	...	SW	8	...	6 a.	29.72	...	...	SW	8	...
Hakodate,	„	29.81	...	...	SW	6	...	„	29.85	...	...	...	0	...
Tokio,	„	29.90	...	...	E	4	...	„	29.82	...	...	NE	2	...
Kochi,	„	29.75	...	...	...	4	...	„	29.75	...	...	E	6	...
Nagasaki,	„	29.79	...	...	SE	2	...	„	29.75	...	...	SW	6	...
Kagoshima,	„	29.83	...	...	W	2	...	„	29.79	...	...	W	6	...
Oshima,	„	29.88	...	...	W	4	...	„	29.92	...	...	...	0	...
Naha,	„	29.97	...	...	SW	4	...	„	29.93	...	...	SW	2	...
Ishigakijima,	„	...	...	...	...	...	...	„	29.89	...	...	SW	6	...
Taihoku,	1 p.	29.88	...	...	W	4	...	5 a.	29.89	...	...	...	0	...
Taichu,	„	29.87	...	...	S	4	...	„	29.90	...	...	SE	2	...
Tainan,	„	29.90	...	...	SW	6	...	„	29.90	...	...	SW	2	...
Koshun,	„	29.91	...	...	SE	6	...	„	29.91	...	...	E	2	...
Pescadores,	„	29.90	...	...	W	4	...	„	29.91	...	...	SW	2	...
Weihaiwei	3 p.	29.75	75	...	W	2	...	9 a.	29.66	75	...	W	3	...
Gutzlaff,	„	29.81	72	90	SSE	3	cm	„	29.94	69	95	N	2	cm
Sharp Peak,	„	29.77	84	87	SE	5	b	„	29.82	83	91	...	0	b
Amoy,	2.30p.	29.85	86	79	SE	4	b	6.30a.	29.88	80	87	SE	1	c
Swatow,	3 p.	29.79	87	...	S	3	b	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.87	86	65	WNW	1	b	10 a.	29.96	85	76	WSW	1	b
Victoria Peak,	„	...	...	...	NE	1	...	„	...	...	...	NW	3	...
Gap Rock,	„	29.88	...	...	E	1	...	„	29.95	...	...	WNW	2	...
Macao,	„	29.88	86	...	SE	1	c	„	29.95	84	...	SSW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.84	84	77	...	0	c	„	29.98	86	65	WNW	1	c
Malate,	3 p.	...	...	...	...	...	or	9 a.	...	...	...	...	0	b
Bacolod,	„	...	...	...	N	4	b	„	...	...	...	N	3	o
Iloilo,	„	29.86	82	...	NE	2	o	„	29.87	84	...	NE	2	c
Cebu,	„	29.85	85	...	N	3	o	„	29.85	84	...	...	0	or
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 11.40a. Pressure has given way in the extreme North owing to a depression which is moving Eastwards over Manchuria.

The barometer has risen on the E. coast of China; fallen over the S. Philippines, where pressure is now slightly in defect. Pressure is relatively high between S. China and the Loochoos.

Moderate NE. winds will probably set in over the Formosa Channel; light variable and NE. winds over the N. part of the China Sea.

Forecast:— light variable winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 2nd June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd JUNE, 1903, P. M.							3rd JUNE, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	..	...	...
Nemuro, ...	„	29.65	...	...	S	8	...	6 a.	29.53	...	...	SE	4	...
Hakodate, ...	„	29.58	...	...	S	6	...	„	29.50	...	...	E	2	...
Tokio,.....	„	29.67	...	...	S	2	...	„	29.55	...	...	N	2	...
Kochi, ...	„	29.68	...	...	...	0	...	„	29.68	...	...	...	0	...
Nagasaki.	„	29.75	...	...	W	8	...	„	29.83	...	...	SW	4	...
Kagoshima.....	„	29.79	...	...	W	6	...	„	29.83	...	...	N	2	...
Oshima, ...	„	29.88	...	...	NW	4	...	„	29.88	...	...	S	2	...
Naha, ...	„	29.97	...	...	SW	4	...	„	29.97	...	...	SW	2	...
Ishigakijima, ...	„	29.97	...	...	SW	4	...	„	29.97	...	...	SW	4	...
Taihoku,.....	1 p.	29.87	...	...	SW	2	...	5 a.	29.93	...	...	...	0	...
Taichu, ...	„	29.90	...	...	SW	4	...	„	29.94	...	...	...	0	...
Tainan, ...	„	29.92	...	...	SW	6	...	„	29.93	...	...	...	0	...
Kosbun, ...	„	29.94	...	...	S	2	...	„	29.94	...	...	SE	2	...
Pescadores, ...	„	29.91	...	...	S	4	...	„	29.94	...	...	W	2	...
Weihaiwei.....	3 p.	29.66	78	...	W	3	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.91	75	86	N	1	cv	„	30.00	71	95	W	3	cv
Sharp Peak. ..	„	29.76	84	85	S	5	b	„	29.94	79	87	ENE	1	o
Amoy, ...	2.30p.	29.85	87	69	SE	4	b	6.30a.	29.92	82	83	SE	2	c
Swatow, ...	3 p.	29.79	87	...	S	4	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.87	88	57	WSW	1	b	10 a.	29.95	85	79	N	1	b
Victoria Peak,.	„	...	...	...	SW	1	...	„	...	...	...	N	1	...
Gap Rock, ...	„	29.86	...	...	WNW	2	...	„	29.95	...	...	SW	2	...
Macao, ...	„	29.87	86	...	SE	1	c	„	29.94	86	...	SW	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	91	61	...	0	o	„	29.94	84	71	NNW	2	o
Malate,.....	3 p.	...	...	...	ESE	1	b	9 a.	...	...	...	...	0	o
Facolcd, ...	„	...	...	...	N	6	p	„	...	...	...	...	0	o
Iloilo, ...	„	29.80	81	...	NW	2	o	„	29.83	81	...	SW	1	r
Cebu, ...	„	29.82	80	...	...	0	or	„	29.87	85	...	S	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.30a. The depression lying over Manchuria yesterday has moved Eastwards and lies now over the E. part of the Sea of Japan.

The barometer has risen on the China coast, except in the South, fallen over the Philippines.

Pressure is highest in a belt lying over S. China and the Pacific towards the Loochoos, and there are indications of the existence of a low area over the Pacific to the SE. of Luzon.

Moderate variable to NE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— variable to E. winds, light to moderate; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 3rd June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

3rd JUNE, 1903, P. M. — 4th JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	29.41	66	...	NE	1	c	7 a.	29.69	56	96	...	0	b
Nemuro,	,,	29.45	...	...	SE	6	...	6 a.	29.41	...	...	NW	6	...
Hakodate,	,,	29.38	...	...	W	2	...	,,	29.50	...	...	NW	6	...
Tokio	,,	29.47	...	...	S	4	...	,,	29.59	...	...	NW	6	...
Kochi,	,,	29.68	...	...	...	0	...	,,	29.75	...	...	...	0	...
Nagasaki,	,,	29.83	...	...	W	6	...	,,	29.91	...	...	N	4	...
Kagoshima,	,,	29.83	...	...	W	6	...	,,	29.91	...	...	NW	4	...
Oshima,	,,	29.92	...	...	NW	6	...	,,	29.96	...	...	NW	6	...
Naha,	,,	29.93	...	...	W	4	...	,,	29.97	...	...	N	4	...
Ishigakijima,	,,	29.97	...	...	SW	2	...	,,	29.97	...	...	...	0	...
Tailoku,	1 p.	29.93	...	...	N	6	...	5 a.	29.96	...	...	S	2	...
Taichu,	,,	29.91	...	...	W	4	...	,,	29.94	...	...	...	0	...
Tainan,	,,	29.92	...	...	W	4	...	,,	29.94	...	...	NE	2	...
Koshun,	,,	29.94	...	...	SE	4	...	,,	29.96	...	...	E	2	...
Pescadores,	,,	29.94	...	...	SW	6	...	,,	29.96	...	...	N	2	...
Weihaiwei,	3 p.	29.87	78	...	W	3	...	9 a.	29.99	87	...	E	1	b
Gutzlaff,	,,	29.98	76	38	NNW	2	cm	,,	30.14	71	66	SE	1	cm
Sharp Peak,	,,	29.90	80	68	E	3	o	,,	30.01	80	80	N	1	o
Amoy,	2.30p.	29.89	86	76	SE	3	c	6.30a.	29.99	79	78	NNE	1	c
Swatow,	3 p.	29.82	77	...	SSE	3	b	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.84	85	81	E	1	c	10 a.	29.98	84	65	E	2	c
Victoria Peak,	,,	...	...	...	S	...	...	,,	...	...	...	E	3	...
Gap Rock,	,,	29.84	...	...	SW	2	...	,,	29.95	...	...	E	3	...
Macao,	,,	29.85	88	...	SSE	1	c	,,	29.98	86	...	ESE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	70	92	ESE	3	or	,,	29.92	88	66	SE	1	c
Malate,	3 p.	...	...	...	E	2	or	9 a.	...	...	...	E	2	o
Bacolod,	,,	...	...	...	NW	3	o	,,	...	...	...	...	0	b
Iloilo,	,,	29.83	82	...	W	3	o	,,	29.92	84	...	...	0	o
Cebu,	,,	29.83	82	...	S	2	c	,,	29.94	85	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.40a. The depression in the North has passed to the Pacific to the NE. of Japan. The barometer has risen over W. Japan and the E. coast of China and an area of high pressure lies between these areas.

Pressure has also increased moderately over the Philippines, and probably a shallow area of low pressure crossed the Archipelago to the S. of Luzon yesterday, and entered the China Sea.

Moderate to fresh NE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate to fresh E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 4th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	4th JUNE, 1903, P. M.								5th JUNE, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	29.63	70	...	E	1	b	7 a.	29.52	61	89	N	4	b
Nemuro, ...	„	29.49	...	...	NW	8	...	6 a.	29.72	...	...	W	2	...
Hakodate, ...	„	29.58	...	...	N	6	...	„	29.73	...	...	SW	2	...
Tokio, ...	„	29.67	...	...	NW	10	...	„	29.94	...	...	W	2	...
Kochi, ...	„	29.83	...	...	E	0	...	„	29.96	...	...	E	4	...
Nagasaki, ...	„	29.95	...	...	N	6	...	„	29.99	...	...	E	2	...
Kagoshima, ...	„	29.95	...	...	NW	4	...	„	30.03	...	...	E	2	...
Oshima, ...	„	29.96	...	...	NW	6	...	„	30.00	...	...	SE	2	...
Naha, ...	„	30.01	...	...	N	6	...	„	29.97	...	...	...	0	...
Ishigakijima, ...	„	30.01	...	...	S	2	...	„	29.93	...	...	SW	4	...
Taihoku, ...	1 p.	29.96	...	...	E	6	...	5 a.	29.87	...	...	...	0	...
Taichu, ...	„	29.94	...	...	NW	6	...	„	29.88	...	...	S	2	...
Tainan, ...	„	29.96	...	...	NW	4	...	„	29.91	...	...	...	0	...
Koshun, ...	„	29.94	...	...	E	4	...	„	29.91	...	...	E	2	...
Pescadores, ...	„	29.97	...	...	NE	6	...	„	29.90	...	...	N	2	...
Weihaiwei, ...	3 p.	29.93	85	...	W	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.06	77	69	ESE	2	cm	„	29.91	70	75	SSE	5	cm
Sharp Peak, ..	„	29.97	77	75	ENE	6	c	„	29.91	78	82	...	0	c
Amoy, ...	2.30p.	29.96	84	72	ENE	4	c	6.30a.	29.98	79	82	NNE	1	c
Swatow, ...	3 p.	29.90	85	...	ESE	3	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.88	83	73	E	4	c	10 a.	29.92	81	84	E	3	c
Victoria Peak, .	„	...	...	...	ESE	2	...	„	...	...	...	ESE	5	...
Gap Rock, ...	„	29.84	...	...	ENE	4	...	„	29.89	...	...	E	4	...
Macao, ...	„	29.86	87	...	ESE	1	c	„	29.91	85	...	ESE	2	...
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	91	56	SE	2	...	„	29.88	83	66	ESE	3	c
Malate, ...	3 p.	...	...	...	ESE	2	c	9 a.	...	...	...	E	2	b
Bacolod, ...	„	...	...	...	NNE	2	b	„	...	...	...	...	0	b
Iloilo, ...	„	29.81	87	...	SW	1	c	„	29.89	85	...	NE	1	c
Cebu, ...	„	29.81	85	...	N	2	b	„	29.91	84	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 11.50a. The barometer has risen over Japan; fallen elsewhere, particularly on the E. coast of China and at Wladiwostock.

The latter station is under the influence of a depression, lying over SE. Siberia, and another depression appears to be moving Eastwards over the Yangtze valley.

Pressure is highest over W. Japan.

Gradients slight for SE. and E. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate E to SE. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 5th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	5th JUNE, 1903, P. M. HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	6th JUNE, 1903, A. M. HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock, ..	2 p.	29.57	77	...	NE	2	c	7 a.	29.77	58	93	S	1	c
Nemuro, ...	„	29.69	...	...	N	4	...	6 a.	29.88	...	...	NW	2	...
Hakodate, ...	„	29.62	...	...	NW	4	...	„	29.93	...	...	...	0	...
Tokio, ...	„	29.86	...	...	S	8	...	„	29.94	...	...	SW	2	...
Kochi, ...	„	29.99	...	...	...	0	...	„	29.95	...	...	W	2	...
Nagasaki, ...	„	29.99	...	...	SW	6	...	„	29.87	...	...	SE	8	...
Kagoshima, ...	„	29.99	...	...	S	2	...	„	29.83	...	...	SE	8	...
Oshima, ...	„	29.96	...	...	SE	6	...	„	29.88	...	...	S	2	...
Naha, ...	„	29.97	...	...	SE	2	...	„	29.93	...	...	S	2	...
Ishigakijima, ...	„	29.93	...	...	SW	4	...	„	29.89	...	...	SW	6	...
Taihoku, ...	1 p.	29.89	...	...	SW	4	...	5 a.	29.87	...	...	SW	2	...
Taichu, ...	„	29.88	...	...	W	4	...	„	29.89	...	...	...	0	...
Tainan, ...	„	29.88	...	...	N	4	...	„	29.90	...	...	...	0	...
Koshun, ...	„	29.89	...	...	S	4	...	„	29.91	...	...	...	0	...
Pescadores, ...	„	29.93	...	...	SW	4	...	„	29.89	...	...	N	4	...
Weihaiwei, ...	3 p.	29.88	70	...	S	3	...	9 a.	29.87	57	...	SSE	1	...
Gutzlaff, ...	„	...	...	...	...	...	...	„	29.91	67	95	N	3	cm
Sharp Peak, ..	„	29.82	78	...	E	7	...	„	29.84	82	87	ESE	3	b
Amoy, ...	2.30p.	29.88	82	79	SE	3	c	6.30a.	29.89	81	83	SW	1	c
Swatow, ...	3 p.	29.85	83	...	E	2	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.83	81	86	E	3	c	10 a.	29.90	84	78	E	1	b
Victoria Peak, .	„	...	...	...	ESE	3	...	„	...	...	...	S	1	...
Cap Rock, ...	„	29.82	...	...	E	4	...	„	29.88	...	...	E	2	...
Macao, ...	„	29.82	85	...	ESE	3	c	„	29.89	86	...	SE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	86	68	SSE	2	c	„	29.88	90	60	SE	1	c
Malate, ...	3 p.	...	...	...	ESE	2	b	9 a.	...	...	...	E	1	b
Tacoloc, ...	„	...	...	...	N	4	b	„	...	...	...	N	3	b
Iloilo, ...	„	29.83	90	...	NE	1	c	„	29.89	87	...	NE	1	b
Cebu, ...	„	29.82	86	...	N	2	c	„	29.92	85	...	N	4	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.35a. The barometer is falling over W. Japan and the Loochoos, rising over the E. coast of China.

The depression has moved out to Sea near the mouth of the Yangtze during the night, and is now moving towards the W. coast of Japan.

Gradients slight for light variable to moderate NE. winds in the Formosa Channel, and light SE. winds over the N. part of the China Sea.

Forecast:— SE. winds, light; fine at first, showery later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 6th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th JUNE, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th JUNE, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.88	...	...	SW	6	...	6 a.	29.92	...	...	SW	4	...
Hakodate, ...	„	29.93	...	...	S	4	...	„	29.93	...	...	...	0	...
Tokio,.....	„	29.90	...	...	S	4	...	„	29.94	...	...	NW	2	...
Kochi, ...	„	29.91	...	...	W	2	...	„	29.75	...	...	E	6	...
Nagasaki, ...	„	29.75	...	...	SE	10	...	„	29.79	...	...	W	4	...
Kagoshima.....	„	29.83	...	...	E	4	...	„	29.79	...	...	...	0	...
Oshima, ...	„	29.88	...	...	SW	6	...	„	29.84	...	...	SW	4	...
Naha, ...	„	29.89	...	...	SW	4	...	„	29.93	...	...	SW	2	...
Ishigakijima, ...	„	29.89	...	...	SW	6	...	„	29.93	...	...	SW	6	...
Taihoku,.....	1 p.	29.86	...	...	N	2	...	5 a.	29.88	...	...	S	2	...
Taichu, ...	„	29.85	...	...	W	4	...	„	29.92	...	...	...	0	...
Tainan, ...	„	29.87	...	...	SW	6	...	„	29.93	...	...	E	2	...
Koshun.	„	29.89	...	...	S	4	...	„	29.93	...	...	...	0	...
Pescadores.	„	29.92	...	...	S	6	...	„	29.91	...	...	S	4	...
Weihaiwei.....	3 p.	29.88	73	...	N	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.92	67	95	N	2	cv	„	...	...	...	...	...	...
Sharp Peak. ..	„	29.76	85	83	ESE	6	c	„	29.82	84	87	S	3	b
Amoy, ...	2.30p.	29.88	87	76	SE	2	...	6.30a.	29.90	81	91	SSE	1	b
Swatow, ...	3 p.	29.90	83	...	SSE	3	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.87	83	84	E	2	c	10 a.	29.94	86	69	SSE	1	c
Victoria Peak..	„	...	...	...	S	1	...	„	...	...	...	S	4	...
Cap Beck.	„	29.84	...	...	E	2	...	„	29.91	...	...	SE	2	...
Macao, ...	„	29.88	87	...	SE	1	c	„	29.92	86	...	S	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	93	81	SE	3	b	„	...	...	...	...	...	...
Malate,.....	3 p.	...	...	...	E	2	b	9 a.	...	...	...	E	1	b
Pacoled, ...	„	...	...	...	NNE	4	o	„	...	...	...	NNE	4	b
Iloilo, ...	„	29.85	90	...	NE	2	b	„	29.93	86	...	NE	2	c
Cebu, ...	„	29.86	85	...	N	2	c	„	29.93	85	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at noon: The barometer has fallen over W. Japan, the depression having advanced Eastwards and reached that area.

Pressure is probably highest over the N. part of the China Sea and the Pacific to the S. of the Loochoos.

Gradients slight for S. winds in the Formosa Channel, light variable winds over the N. part of the China Sea.

Forecast:— S. winds, light; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 7th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	7th JUNE, 1903, P. M.							8th JUNE, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	Humidity	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	Humidity	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.84	...	...	E	8	...	6 a.	29.72	...	...	S	6	...
Hakodate, ...	„	29.81	...	...	SE	6	...	„	29.70	...	...	W	2	...
Tokio.....	„	29.82	...	...	SE	4	...	„	29.71	...	...	N	2	...
Kochi, ...	„	29.72	...	...	E	6	...	„	29.72	...	...	N	2	...
Nagasaki.	„	29.75	...	...	W	4	...	„	29.79	...	...	N	2	...
Kagoshima,....	„	29.75	...	...	NW	4	...	„	29.79	...	...	N	4	...
Oshima, -	„	29.80	...	...	SW	4	...	„	29.80	...	...	N	6	...
Naha, ...	„	...	...	...	N	4	...	„	29.85	...	...	SW	4	...
Ishigakijima, ...	„	29.93	...	...	SW	6	...	„	29.85	...	...	SW	6	...
Taihoku,.....	1 p.	29.88	...	...	W	8	...	5 a.	29.84	...	...	S	2	...
Taichu, ...	„	29.90	...	...	NW	6	...	„	29.87	...	...	...	0	...
Tainan, ...	„	29.91	...	...	W	6	...	„	29.88	...	...	N	2	...
Koshun, ...	„	29.90	...	...	W	4	...	„	29.87	...	...	NW	2	...
Pescadores, ...	„	29.92	...	...	SW	4	...	„	...	...	...	S	4	...
Weihaiwei.....	3 p.	29.85	88	...	NNE	3	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.89	65	100	NE	3	cmd	„	29.88	64	95	SE	4	cvd
Sharp Peak, ..	„	29.74	87	84	S	3	b	„	29.83	81	87	E	2	of
Amoy, ...	2.30p.	29.87	90	63	SE	2	b	6.30a.	29.87	82	91	SSW	1	b
Swatow, ...	3 p.	29.84	87	...	S	3	b	9 a.	29.90	86	...	W	1	b
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.88	87	70	S	1	c	10 a.	29.93	87	65	SSW	1	c
Victoria Peak,.	„	...	...	...	S	2	...	„	...	...	...	SSW	4	...
Cap Rock,.....	„	29.87	...	...	SE	1	...	„	29.91	...	...	SW	3	...
Macao, ...	„	29.88	87	...	S	1	c	„	29.91	86	...	SW	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	91	55	SE	5	c	„	29.92	90	48	SE	1	b
Malate,.....	3 p.	...	...	...	ESE	3	c	9 a.	...	...	...	...	0	b
Bacolod, ...	„	...	...	...	N	4	o	„	...	...	...	N	4	b
Iloilo, ...	„	29.85	81	...	NE	2	b	„	29.91	86	...	NE	1	o
Cebu, ...	„	29.85	87	...	N	3	b	„	29.91	87	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at noon: The barometer has fallen over E. Japan, and is little changed elsewhere.
The depression lies now over E. Japan, and pressure is highest over the N. part of the China Sea and the Pacific to the SE. of Formosa.
Gradients slight for SE. and S. winds in the Formosa Channel and off the S. coast of China.
Forecast:— light or moderate S. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 8th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th JUNE, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th JUNE, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.66	69	...	SE	2	b	7 a.	29.63	55	99	S	2	o
Nemuro,	„	29.65	...	...	S	6	...	6 a.	29.80	...	...	NE	4	...
Hakodate,	„	29.70	...	...	S	4	...	„	29.85	...	...	...	0	...
Tokio,	„	29.63	...	...	S	2	...	„	29.86	...	...	E	2	...
Kochi,	„	29.75	...	...	E	2	...	„	29.79	...	...	NE	4	...
Nagasaki,	„	29.75	...	...	SW	6	...	„	29.76	...	...	SE	2	...
Kagoshima,	„	29.75	...	...	SW	6	...	„	29.76	...	...	...	0	...
Oshima,	„	29.80	...	...	N	6	...	„	29.77	...	...	...	0	...
Naha,	„	29.81	...	...	W	4	...	„	29.85	...	...	W	2	...
Ishigakijima,	„	29.85	...	...	SW	6	...	„	29.81	...	...	SE	6	...
Taihoku,	1 p.	29.78	...	...	W	4	...	5 a.	29.80	...	...	...	0	...
Taichu,	„	29.82	...	...	W	6	...	„	29.84	...	...	SE	4	...
Tainan,	„	29.87	...	...	W	6	...	„	29.86	...	...	NW	2	...
Koshun,	„	29.85	...	...	W	6	...	„	29.85	...	...	N	6	...
Pescadores,	„	29.85	...	...	W	6	...	„	29.83	...	...	S	6	...
Weihsiwei,	3 p.	29.70	71	...	NE	1	...	9 a.	29.73	73	...	W	3	...
Gutzlaff,	„	29.77	69	95	SE	4	cm	„	...	...	...	...	...	...
Sharp Peak,	„	29.73	82	89	E	1	c	„	29.76	83	89	SSE	1	b
Amoy,	2.30p.	29.77	92	61	SW	3	c	6.30a.	29.83	84	79	WSW	1	b
Swatow,	3 p.	29.77	91	...	W	2	b	9 a.	29.86	...	...	W	2	b
Canton,	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.83	87	68	SW	3	c	10 a.	29.90	86	65	SSW	2	c
Victoria Peak,	„	...	...	...	SW	5	...	„	...	...	...	SSW	3	...
Cap Bock,	„	29.83	...	...	SW	3	...	„	29.89	...	...	SW	3	...
Macao,	„	29.82	87	...	SW	2	c	„	29.88	86	...	SW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	91	65	...	0	b	„	29.88	90	66	W	1	b
Malate,	3 p.	...	...	...	WSW	2	b	9 a.	...	...	...	...	0	b
Bacolod,	„	...	...	...	N	2	dt	„	...	...	...	...	0	b
Iloilo,	„	29.83	92	...	NE	1	b	„	29.89	87	...	NE	1	o
Cebu,	„	29.82	86	...	N	2	b	„	29.91	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 11.50a. The barometer has risen moderately over E. Japan, fallen slightly on the China coast and over the Philippines.

Pressure is low over Manchuria, and highest over the N. part of the China Sea.

Moderate to fresh S. and SW. winds along the China coast, and light variable winds over the N. part of the China Sea.

Forecast:—light to moderate SW. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 9th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	9th JUNE, 1903, P. M.							10th JUNE, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Livestock, ..	2 p.	29.59	55	...	S	4	c	7 a.	29.56	55	99	SE	1	f
uro, ...	„	29.80	...	...	NE	2	...	6 a.	29.84	...	...	SE	2	...
olate, ...	„	29.81	...	...	S	4	...	„	29.77	...	...	E	2	...
o.....	„	29.82	...	...	S	8	...	„	29.78	...	...	SW	6	...
i, ...	„	29.79	...	...	E	2	...	„	29.75	...	...	S	2	...
saki, ...	„	29.72	...	...	SE	2	...	„	...	...	...	S	2	...
shima, ...	„	29.79	...	...	SE	2	...	„	29.76	...	...	W	2	...
ma, ...	„	29.80	...	...	W	4	...	„	29.80	...	...	...	0	...
s.	„	29.85	...	...	SW	4	...	„	29.81	...	...	S	2	...
akijima, ...	„	29.85	...	...	SW	6	...	„	29.84	...	...	SW	8	...
oku, ...	1 p.	29.76	...	...	NW	4	...	5 a.	29.76	...	...	S	2	...
lu, ...	„	29.79	...	...	SW	6	...	„	29.80	...	...	NW	2	...
an, ...	„	29.85	...	...	N	6	...	„	29.82	...	...	S	2	...
un.	„	29.83	...	...	NW	6	...	„	29.83	...	...	NW	2	...
ndores.	„	29.83	...	...	SW	6	...	„	29.81	...	...	S	6	...
uiwei.....	3 p.	29.62	68	...	SW	2	b	9 a.	29.60	72	...	E	1	b
laff, ...	„	29.81	73	86	SSE	1	cv	„	...	...	...	SE	4	cf
p Peak. ..	„	29.68	85	89	ESE	4	b	„	29.72	84	87	...	...	...
y, ...	2.30p.	29.75	93	64	SE	2	c	6.30a.	29.77	84	83	SSW	2	b
ew, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
on, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
gkong	4 p.	29.79	86	70	SSW	2	c	10 a.	29.84	85	72	SW	2	o
nia Peak, .	„	...	...	...	SW	4	...	„	...	...	...	SSW	5	...
Lock, ...	„	29.80	...	...	SW	3	...	„	29.84	...	...	SE	4	...
c.	„	29.80	88	...	SW	2	c	„	29.83	87	...	SW	1	c
hong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
ia, ...	„	29.76	95	49	W	1	b	„	29.88	91	56	WNW	1	c
le, ...	3 p.	...	...	...	E	2	b	9 a.	...	...	...	E	1	b
lod, ...	„	...	...	...	N	3	b	„	...	...	...	...	0	b
s	„	29.82	92	...	NE	2	b	„	29.91	87	...	NE	1	o
....	„	29.83	88	...	N	2	b	„	29.90	85	...	...	0	c
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at noon. The barometer has fallen over China, particularly on the E. coast.
There are two depressions, one over Newchwang, the other over the Yangtze valley.
Pressure is highest over the N. part of the China Sea.
Gradients moderate with fresh S. winds in the Formosa Channel, and moderate SW. winds off the S. coast of China.

Forecast:— moderate SW. winds; fine at first, showery later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 10th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th JUNE, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th JUNE, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.56	64	...	S	4	b	7 a.	29.55	52	[illegible]	SW	1	f
Nemuro,	,,	29.84	...	...	SE	6	...	6 a.	29.76	...	...	NE	2	...
Hakodate,	,,	29.77	...	...	E	4	...	,,	29.81		...	...	0	...
Tokio,	,,	29.78	...	...	S	8	...	,,	29.78	...	...	NW	2	...
Kochi,	,,	29.75	...	...	E	6	...	,,	29.72	...	...	W	2	...
Nagasaki,	,,	29.79	...	...	W	6	...	,,	29.64	...	...	SW	10	...
Kagoshima,	,,	29.79	...	...	SW	4	...	,,	29.72	...	...	SW	4	...
Oshima,	,,	29.80	...	...	NW	2	...	,,	29.84	...	...	S	2	...
Naha,	,,	29.81	...	...	SW	4	...	,,	29.85	...	...	S	4	...
Ishigakijima,	,,	29.81	...	...	SW	8	...	,,	29.85	...	...	SW	8	...
Taihoku,	1 p.	29.76	...	...	SW	4	...	5 a.	29.82	...	...	...	0	...
Taichu,	,,	29.80	...	...	SW	6	...	,,	29.85	...	...	...	0	...
Tainan,	,,	29.83	...	...	SW	4	...	,,	29.81	...	...	NW	4	...
Koshun,	,,	29.83	...	...	...	...	...	,,	29.85	...	...	NW	2	...
Pescadores,	,,	29.82	...	...	S	6	...	,,	29.83	...	...	S	4	...
Weihaiwei,	3 p.	29.54	68	...	E	1	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.63	73	100	S	3	cm	,,	29.90	68	100	N	2	cgv
Sharp Peak,	,,	29.63	86	85	S	4	c	,,	29.75	85	87	ESE	2	c
Amoy,	2.30 p.	29.70	92	67	SSE	4	b	6.30 a.	29.79	84	83	...	0	b
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong,	4 p.	29.76	87	70	SW	3	c	10 a.	29.89	86	70	SW	2	c
Victoria Peak,	,,	...	...	...	SSW	5	...	,,	...	...	...	SSW	6	...
Cap Rock,	,,	29.79	...	...	SSW	4	...	,,	29.88	...	...	SSW	4	...
Macao,	,,	29.80	78	...	SW	2	c	,,	29.87	86	...	SSW	2	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.70	95	49	W	1	o	,,	29.92	84	77	N	3	o
Malate,	3 p.	...	...	...	W	1	c	9 a.	...	...	...	...	0	o
Bacolod,	,,	...	...	...	NNE	4	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.84	93	...	NE	1	b	,,	29.93	87	...	NE	1	b
Cebu,	,,	29.82	87	...	N	2	b	,,	29.91	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.45a. The barometer has fallen over W. Japan; risen over China, particularly on the E. coast.

The depression lying over the Yangtze yesterday has moved Eastwards and lies now over the SW. part of the Sea of Japan.

Pressure remains relatively high over the N. part of the China Sea.

Moderate or fresh SE. and E. winds in the Formosa Channel, light variable winds over the N. part of the China Sea.

Forecast:— moderate S. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 11th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th JUNE, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th JUNE, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.72	...	...	NE	6	...	6 a.	29.69	...	...	E	4	...
Hakodate, ...	„	29.73	...	...	SE	6	...	„	29.58	...	...	E	2	...
Tokio,.....	„	29.67	...	...	SE	4	...	„	29.51	...	...	...	0	...
Kochi, ...	„	29.55	...	...	W	10	...	„	29.68	...	...	W	0	...
Nagas,aki, ...	„	29.68	...	...	SW	4	...	„	29.79	...	...	W	2	...
Kagoshima,....	„	29.72	...	...	W	4	...	„	29.79	...	...	NW	2	...
Oshima, ...	„	29.80	...	...	SW	2	...	„	29.80	...	...	...	0	...
Naha, ...	„	29.85	...	...	SW	4	...	„	29.85	...	...	SW	4	...
Ishigakijima, ...	„	29.85	...	...	SW	8	...	„	29.85	...	...	SW	6	...
Taihoku,.....	1 p.	29.80	...	...	W	6	...	5 a.	29.81	...	...	...	0	...
Taichu, ...	„	29.83	...	...	W	6	...	„	29.83	...	...	...	0	...
Tainan, ...	„	29.87	...	...	S	4	...	„	29.85	...	...	E	2	...
Koshun, ...	„	29.87	...	...	W	6	...	„	29.83	...	...	NW	6	...
Pescadores, ...	„	29.79	...	...	SE	8	...	„	29.84	...	...	S	6	...
Weihaiwei,.....	3 p.	29.73	72	...	NW	4	b	9 a.	29.66	64	...	NW	5	b
Gutzlaff, ...	„	29.89	70	95	N	1	ov	„	29.88	72	90	W	3	cm
Sharp Peak, ..	„	29.72	58	99	ESE	5	c	„	29.87	76	90	E	3	r
Amoy, ...	2.30p.	29.74	90	70	SE	4	b	6.30a.	29.84	84	79	NNE	1	b
Swatow, ...	3 p.	29.74	91	...	SW	4	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong.....	4 p.	29.80	86	72	SW	3	c	10 a.	29.88	87	71	SW	2	c
Victoria Peak,.	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Gap Rock,.....	„	29.81	...	...	SW	4	...	„	29.88	...	...	SW	3	...
Macao, ...	„	29.80	87	...	SW	1	c	„	29.87	86	...	SW	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	84	75	...	0	c	„	29.92	88	72	W	1	b
Malate,.....	3 p.	...	...	...	...	0	b	9 a.	...	...	...	...	0	b
Bacolod, ...	„	...	...	...	N	4	b	„	...	...	...	...	0	b
Iloilo, ...	„	29.86	92	...	NE	2	c	„	29.91	87	...	NE	1	c
Cebu, ...	„	29.84	89	...	N	3	c	„	29.93	87	...	N	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.40a. The barometer has fallen over E. Japan owing to the depression which is approaching that area from Westward.

Pressure is highest over the N. part of the China Sea and the Pacific to the E. of the Philippines.

Moderate SE. winds in the Formosa Channel and light S. winds over the N. part of the the China Sea.

Forecast:— moderate SW. winds; fine at first, probably thundershowers later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 12th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th JUNE, 1903. P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th JUNE, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	29.48	57	...	S	4	c	7 a.	29.57	53	99	NW	1	o
emuro,	„	29.61	...	...	NE	2	...	6 a.	29.49	...	...	E	4	...
Hakodate,	„	29.54	...	...	SE	6	...	„	29.54	...	...	W	2	...
okio	„	29.51	...	...	S	4	...	„	29.63	...	...	NE	2	...
ochi,	„	29.68	...	...	W	2	...	„	29.72	...	...	S	0	...
Nagas,aki,	„	29.75	...	...	W	6	...	„	29.83	...	...	NW	4	...
Kagoshima,	„	29.75	...	...	W	4	...	„	29.83	...	...	...	0	...
shima,	„	29.84	...	...	NW	4	...	„	29.84	...	...	N	4	...
aba,	„	29.81	...	...	SW	6	...	„	29.81	...	...	NE	0	...
shigakijima,	„	29.85	...	...	SW	...	...	„	29.85	...	...	N	4	...
Naiboku,	1 p.	29.81	...	...	NW	6	...	5 a.	29.86	...	...	E	2	...
Naichu,	„	29.82	...	...	W	6	...	„	29.83	...	...	...	0	...
Kainan,	„	29.85	...	...	W	6	...	„	29.84	...	...	W	2	...
Koshun,	„	29.85	...	...	W	6	...	„	29.85	...	...	...	0	...
Pescadores,	„	29.85	...	...	SW	6	...	„	29.85	...	...	...	0	...
Weihaiwei,	3 p.	29.73	65	...	NW	3	...	9 a.	29.84	71	...	W	1	...
Dutzlaff,	„	29.88	78	74	WSW	3	cm	„	29.96	72	85	SE	2	cm
Sharp Peak,	„	29.85	76	86	NE	3	rf	„	29.90	75	86	ENE	1	o
Amoy,	2.30p.	29.76	82	83	SE	4	cm	6.30a.	29.93	76	86	NE	1	omd
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.81	85	77	WSW	2	o	10 a.	29.88	86	70	WSW	1	o
Victoria Peak,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Cap Rock,	„	29.80	...	...	SW	3	...	„	29.87	...	...	SW	3	...
Macao,	„	29.81	87	...	SW	1	cr	„	29.87	86	...	SSW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	93	62	...	0	c	„	29.92	88	66	W	1	b
Malate,	3 p.	...	...	...	...	0	c	9 a.	...	...	...	W	1	b
Bacolod,	„	...	...	...	NE	3	b	„	...	...	...	...	0	b
Iloilo,	„	29.84	92	...	NE	1	c	„	29.91	76	...	NE	1	c
Cebu.	„	29.82	87	...	N	2	b	„	29.94	76	...	N	1	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.50a. The barometer has fallen over NE. Japan, risen over S. Japan and the E. coast of China.

The depression seems to be moving away over N. Japan. Pressure is highest between the E. coast of China and SW. Japan.

Gradients slight generally with light variable winds along the China coast, and S. winds over the N. part of the China Sea.

Forecast:—SW. or variable winds, light; showery with thunder.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 13th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

13th JUNE, 1903, P. M. — 14th JUNE, 1903, A. M.

STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.45	...	...	SE	6	...	6 a.	29.61	...	...	N	4	...
Hakodate, ...	,,	29.38	...	...	SW	4	...	,,	29.70	...	...	W	4	...
Tokio, ...	,,	29.55	...	...	S	6	...	,,	29.86	...	...	...	0	...
Kochi, ...	,,	29.72	...	...	W	2	...	,,	29.83	...	...	E	4	...
Nagasaki, ...	,,	29.83	...	...	W	6	...	,,	29.91	...	...	...	0	...
Kagoshima, ...	,,	29.83	...	...	W	2	...	,,	29.91	...	...	...	2	...
Oshima, ...	,,	29.88	...	...	...	0	...	,,	29.92	...	...	N	2	...
Naha, ...	,,	29.93	...	...	N	4	...	,,	29.93	...	...	...	0	...
Ishigakijima, ...	,,	29.85	...	...	NE	8	...	,,	29.89	...	...	N	4	...
Taiboku, ...	1 p.	29.90	...	...	E	6	...	5 a.	29.88	...	...	NE	2	...
Taichu, ...	,,	29.86	...	...	NE	4	...	,,	29.87	...	...	...	0	...
Tainan, ...	,,	29.86	...	...	SW	2	...	,,	29.88	...	...	...	0	...
Koshun, ...	,,	29.87	...	...	N	4	...	,,	29.89	...	...	...	0	...
Pescadores, ...	,,	29.87	...	...	N	6	...	,,	29.88	...	...	N	4	...
Weihaiwei, ...	3 p.	29.77	75	...	W	1	b	9 a.	29.85	76	...	NW	2	b
Gutzlaff, ...	,,	29.95	79	78	SE	1	cm	,,	29.99	73	86	S	2	cm
Sharp Peak, ..	,,	29.89	76	82	NE	4	c	,,	29.94	72	78	WNW	4	od
Amoy, ...	2.30p.	29.91	78	78	SE	3	or	6.30a.	29.93	75	86	NE	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.81	84	81	WSW	2	o	10 a.	29.89	83	81	W	1	c
Victoria Peak, .	,,	...	...	...	SW	5	...	,,	...	...	...	SW	6	...
Gap Rock, ...	,,	29.81	...	...	WSW	4	...	,,	29.89	...	...	SW	3	...
Macao, ...	,,	29.80	86	...	SW	1	c	,,	29.87	85	...	SW	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	95	49	WSW	1	c	,,	29.92	90	66	W	1	b
Malate, ...	3 p.	...	...	...	W	1	c	9 a.	...	...	...	...	0	c
Pacolod, ...	,,	...	...	...	N	4	o	,,	...	...	...	...	0	b
Iloilo, ...	,,	29.84	92	...	NE	2	c	,,	29.94	82	...	NE	1	b
Cebu, ...	,,	29.83	87	...	N	4	c	,,	29.93	86	...	N	4	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.30a. The depression is passing away over the Pacific to the NE. of Japan, and the barometer has risen over the whole of Japan.

The barometer has risen slightly on the China coast, pressure remaining high between the E. coast of China and SW. Japan.

Gradients slight generally with light variable winds on the China coast and S. winds over the N. part of the China Sea.

Forecast:— SW. to SE. winds, light or moderate; fine at first, thundershowers later.

F. G. FIGG,
Acting Director.

Hong Kong Observatory, Sunday 14th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	14th JUNE, 1903, P. M.								15th JUNE, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	29.69	63	...	NE	3	or	7 a.	29.75	53	96	...	0	c
Nemuro, ...	„	29.66	...	...	SE	4	...	6 a.	29.76	...	...	N	6	...
Hakodate, ...	„	...	...	...	...	...	...	„	29.81	...	...	N	6	...
Tokio,.....	„	29.74	...	...	SW	4	...	„	29.82	...	...	N	2	...
Kochi, ...	„	29.83	...	...	E	2	...	„	29.87	...	...	...	0	...
Nagasaki, ...	„	29.91	...	...	SW	6	...	„	29.95	...	...	SW	2	...
Kagoshima,....	„	29.87	...	...	W	6	...	„	29.95	...	...	NW	4	...
Oshima, ...	„	29.92	...	...	N	2	...	„	29.96	...	...	S	2	...
Naha, ...	„	29.93	...	...	NE	4	...	„	29.93	...	...	...	0	...
Isbigakijima, ...	„	29.86	...	...	NE	8	...	„	29.89	...	...	E	2	...
Taihoku,.....	1 p.	29.94	...	...	NE	6	...	5 a.	29.88	...	...	...	0	...
Taichu, ...	„	29.87	...	...	N	2	...	„	29.88	...	...	...	0	...
Tainan,.....	„	29.87	...	...	W	6	...	„	29.87	...	...	NE	2	...
Koshun, ...	„	29.88	...	...	W	4	...	„	29.89	...	...	E	2	...
Pescadores, ...	„	29.89	...	...	NE	6	...	„	29.88	...	...	NE	4	...
Weihaiwei,.....	3 p.	29.82	77	...	...	...	...	9 a.	29.78	71	...	S	2	...
Gutzlaff, ...	„	29.93	80	74	SSE	3	cm	„	29.93	71	85	S	3	cm
Sharp Peak, ..	„	29.96	70	85	...	0	r	„	29.86	72	90	...	0	ow
Amoy, ...	2.30p.	29.97	77	69	NE	1	c	6.30a.	29.97	74	86	...	0	om
Swatow, ...	3 p.	29.85	78	...	...	2	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong.....	4 p.	29.82	86	70	SW	2	o	10 a.	29.88	84	73	SW	3	o
Victoria Peak,.	„	...	...	...	...	...	...	„	...	...	...	SSW	6	...
Gap Rock,.....	„	29.84	...	...	SW	3	...	„	29.87	...	...	SSW	3	...
Macao, ...	„	29.82	86	...	SW	2	c	„	29.86	86	...	SW	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	91	62	SE	2	c	„	29.92	88	66	W	1	c
Malate,.....	3 p.	...	...	...	...	0	c	9 a.	...	...	...	NW	1	b
Bacolod, ...	„	...	...	...	NNE	6	ort	„	...	...	...	...	0	o
Iloilo, ...	„	29.84	92	...	NE	2	b	„	29.97	85	...	SW	...	o
Cebu, ...	„	29.86	85	...	N	2	o	„	29.96	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.50a. The barometer has risen over Japan, fallen on the E. coast of China. Pressure is highest in the Pacific between the Philippines and SW. Japan, and there are indications of the formation of a depression over Central China.

Moderate S. winds along the China coast and over the N. part of the China Sea.

Forecast:— moderate S. winds, squally, thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Monday 15th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JUNE, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th JUNE, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.75	61	...	S	1	b	7 a.	29.73	51	99	S	2	f
Nemuro,	„	29.76	...	...	N	6	...	6 a.	29.80	...	...	W	4	...
Hakodate,	„	29.81	...	...	S	6	...	„	29.89	...	...	...	0	...
Tokio,	„	29.78	...	...	S	4	...	„	29.94	...	...	N	2	...
Kochi,	„	29.87	...	...	S	2	...	„	29.87	...	...	N	...	...
Nagasaki,	„	29.91	...	...	SW	6	...	„	29.87	...	...	NE	2	...
Kagoshima,	„	29.91	...	...	W	6	...	„	29.87	...	...	N	2	...
Oshima,	„	29.92	...	...	SE	4	...	„	29.80	...	...	SE	4	...
Naha,	„	29.89	...	...	SE	4	...	„	29.81	...	...	SE	2	...
Ishigakijima,	„	29.85	...	...	SE	4	...	„	29.77	...	...	SW	6	...
Taihoku,	1 p.	29.85	...	...	...	0	...	5 a.	29.78	...	...	...	0	...
Taichu,	„	29.84	...	...	SW	4	...	„	29.81	...	...	...	0	...
Tainan,	„	29.85	...	...	SE	4	...	„	29.83	...	...	SE	2	...
Kosbun,	„	29.87	...	...	SW	2	...	„	29.82	...	...	W	4	...
Pescadores,	„	29.87	...	...	S	6	...	„	29.81	...	...	SW	4	...
Weihaiwei	3 p.	29.71	75	...	S	3	o	9 a.	29.64	80	...	...	...	b
Cutzlaff,	„	29.86	71	85	S	3	cgv	„	29.80	68	95	NE	4	cm
Sharp Peak,	„	29.77	77	91	SSE	3	o	„	29.71	77	93	...	0	ow
Amoy,	2.30p.	29.85	79	82	SE	3	c	6.30a.	29.90	76	91	SW	1	c
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.80	84	75	WSW	2	oq	10 a.	29.81	84	75	SSW	4	oq
Victoria Peak,	„	...	...	...	SW	5	...	„	...	...	...	SSW	6	...
Cap Rock	„	29.80	...	...	SW	4	...	„	29.82	...	...	SW	5	...
Macao,	„	29.78	87	...	SSW	2	c	„	29.80	85	...	WSW	2	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	90	66	WSW	1	c	„	29.92	90	60	SE	1	c
Malate,	3 p.	...	...	...	E	2	c	9 a.	...	...	...	E	2	b
Pacolod,	„	...	...	...	...	0	b	„	...	...	...	...	0	b
Iloilo,	„	29.82	88	...	SW	1	c	„	29.93	85	...	SW	1	b
Cebu,	„	29.85	87	...	...	0	c	„	29.95	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.55a. The barometer has risen over E. Japan, fallen over the Loochoos and the China coast.

A shallow depression lies off the E. coast of China to the SE. of Shanghai, and another area of low pressure appears to exist over Manchuria.

Pressure is relatively high over SE. Japan and the Pacific to the E. of the Philippines.

Fresh SW. winds in the Formosa Channel, and N. part of the China Sea.

Forecast:—fresh SW. winds; squally, showery.

F. G. FIGG,
Acting Director

Hongkong Observatory, Tuesday 16th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

16th JUNE, 1903, P. M. — 17th JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	„	29.80	...	...	S	6	...	6 a.	29.80	...	...	SW	2	...
Hakodate,	„	...	...	...	...	...	...	„	29.81	...	...	...	0	...
Tokio,	„	29.90	...	...	E	2	...	„	29.86	...	...	...	0	...
Kochi,	„	29.83	...	...	NE	2	...	„	29.75	...	...	NE	4	...
Nagasaki,	„	29.79	...	...	SE	8	...	„	29.72	...	...	N	2	...
Kagoshima,	„	29.83	...	...	S	2	...	„	29.68	...	...	SE	8	...
Oshima,	„	29.76	...	...	S	4	...	„	29.61	...	...	...	0	...
Naha,	„	29.74	...	...	S	4	...	„	29.66	...	...	SW	2	...
Ishigakijima,	„	...	...	...	...	...	...	„	29.62	...	...	SW	8	...
Taihoku,	1 p.	29.69	...	...	SW	6	...	5 a.	29.68	...	...	...	0	...
Taichu,	„	29.81	...	...	SE	4	...	„	29.67	...	...	SW	4	...
Tainan,	„	29.82	...	...	SE	4	...	„	29.71	...	...	SE	2	...
Koshun,	„	29.82	...	...	NW	6	...	„	29.71	...	...	W	6	...
Pescadores,	„	29.78	...	...	SW	6	...	„	29.67	...	...	SW	6	...
Weihaiwei,	3 p.	29.68	81	...	SE	3	b	9 a.	...	...	...	...	...	...
Gutzlaff,	„	29.79	70	90	NE	3	cm	„	...	...	...	...	...	...
Sharp Peak,	„	29.66	76	93	...	0	fr	„	29.66	74	90	NNE	3	od
Amoy,	2.30p.	29.70	83	83	SSE	4	c	6.30a.	29.68	79	87	WSW	2	cm
Swatow,	3 p.	29.68	83	...	SW	2	c	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.71	84	79	SW	3	cq	10 a.	29.67	82	86	SW	4	cq
Victoria Peak,	„	...	...	...	SW	7	...	„	...	...	...	...	...	...
Cap Rock,	„	29.78	...	...	SW	5	...	„	29.69	...	...	SW	5	...
Macao,	„	29.70	86	...	SW	2	c	„	29.67	85	...	WSW	3	cq
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	88	72	WSW	4	c	„	29.88	81	85	W	4	ar
Malate,	3 p.	...	...	...	W	2	c	9 a.	...	...	...	WNW	3	qrt
Pacolod,	„	...	...	...	S	2	c	„	...	...	...	...	0	b
Iloilo,	„	29.87	88	...	SW	2	c	„	29.90	84	...	SW	2	b
Cebu,	„	29.85	87	...	...	0	c	„	29.89	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 12.25p. The barometer has fallen generally, particularly over N. Formosa and the Loochoos. The depression has deepened and extends over a large area. The centre is lying to the West of the Loochoos and moving Eastwards.

Fresh SW. winds in the Formosa Channel, and strong SW. monsoon over the N. part of the China Sea.

Forecast:— fresh SW. winds; squally, thundershowers.

Telegraphic communication between the Observatory and Hongkong interrupted.

F. G. FIGG,
Acting Director

Hongkong Observatory, Wednesday 17th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

17th JUNE, 1903, P. M. — 18th JUNE, 1903, A. M.

STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.76	...	...	E	2	...	6 a.	29.80	...	...	N	4	...
Hakodate, ...	„	29.77	...	...	S	4	...	„	29.81	...	...	...	0	...
Tokio.....	„	29.82	...	...	S	4	...	„	29.78	...	...	NW	2	...
Kochi, ...	„	29.79	...	...	NE	2	...	„	29.76	...	...	E	...	...
Nagasaki, ...	„	29.68	...	...	SW	4	...	„	29.72	...	...	...	0	...
Kagoshima, ...	„	29.68	...	...	E	8	...	„	29.72	...	...	NE	2	...
Oshima, ...	„	29.61	...	...	...	0	...	„	29.65	...	...	...	0	...
Naha, ...	„	29.62	...	...	SW	6	...	„	29.66	...	...	NW	4	...
Ishigakijima, ...	„	29.62	...	...	W	8	...	„	29.66	...	...	...	0	...
Taihoku, ...	1 p.	29.67	...	...	E	2	...	5 a.	29.64	...	...	...	0	...
Taichu, ...	„	29.66	...	...	S	6	...	„	29.62	...	...	S	2	...
Tainan, ...	„	29.69	...	...	SW	6	...	„	29.67	...	...	SE	2	...
Koshun, ...	„	29.71	...	...	W	6	...	„	29.68	...	...	...	0	...
Pescadores, ...	„	29.68	...	...	SW	6	...	„	29.65	...	...	S	...	...
Weihaiwei.....	3 p.	29.46	80	...	S	6	b	9 a.	29.63	73	...	S	1	c
Gutzlaff, ...	„	29.74	76	82	ESE	3	cv	„	29.78	74	81	SE	3	cv
Sharp Peak, ..	„	29.67	74	93	...	0	or	„	29.69	73	88	N	3	cw
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	29.68	75	86	NW	2	cm
Swatow, ...	3 p.	...	...	...	..	..	..	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.60	82	85	SW	4	cq	10 a.	29.58	85	83	SW	2	cq
Victoria Peak,.	„	...	...	...	SW	8	...	„	...	...	...	SW	6	...
Gap Rock, ...	„	29.61	...	...	SW	4	...	„	29.60	...	...	SW	3	...
Macao, ...	„	29.59	85	...	WSW	1	c	„	29.59	84	...	W	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	84	59	WNW	1	o	„	29.84	86	78	WSW	2	c
Malate,.....	3 p.	...	...	...	NW	1	c	9 a.	...	...	...	SW	2	o
Bacolod, ...	„	...	...	...	...	...	...	„	...	...	...	...	0	b
Iloilo, ...	„	29.81	90	...	W	1	b	„	29.87	85	...	W	1	b
Cebu, ...	„	29.79	86	...	N	1	...	„	29.88	87	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 12.10p. The barometer has risen over N. China in rear of a depression, which passed to the North of Wei-hai-wei yesterday evening.
The depression lying W. of the Loochoos yesterday has passed to the Eastward of the islands.
The barometer has fallen over the S. coast of China, a low pressure trough lying N. of the coast line.
The weather remains in a very unsettled condition with variable winds along the whole of the China coast.
Strong SW. monsoon over the N. part of the China Sea.
Forecast:— fresh SW. winds; squally, thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Thursday 18th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

18th JUNE, 1903, P. M. — 19th JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.88	...	...	E	6	...	6 a.	30.00	...	...	E	4	...
Hakodate, ...	„	29.77	...	...	SE	4	...	„	29.97	...	...	E	2	...
Tokio,.....	„	29.82	...	...	E	4	...	„	29.98	...	...	...	0	...
Kochi, ...	„	29.75	...	...	E	0	...	„	29.83	...	...	E	2	...
Nagasaki, ...	„	29.72	...	...	SW	6	...	„	29.87	...	...	...	0	...
Kagoshima.....	„	29.75	...	...	E	6	...	„	29.83	...	...	E	6	...
Oshima, ...	„	29.69	...	...	NE	4	...	„	29.76	...	...	E	2	...
Naha, ...	„	29.70	...	...	NW	2	...	„	29.70	...	...	SE	2	...
Ishigakijima. ...	„	29.66	...	...	NE	6	...	„	29.69	...	...	SW	6	...
Taihoku,.....	1 p.	29.67	...	...	E	4	...	5 a.	29.64	...	...	...	0	...
Taichu, ...	„	29.65	...	...	E	2	...	„	29.65	...	...	S	2	...
Tainan, ...	„	29.66	...	...	SE	4	...	„	29.66	...	...	SE	2	...
Kosbun, ...	„	29.69	...	...	NW	2	...	„	29.69	...	...	W	2	...
Pescadores, ...	„	29.62	.	...	SW	6	...	„	29.62	...	...	S	6	...
Weihaiwei.....	3 p.	29.64	[illegible]	...	SW	5	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.74	76	77	SE	4	lv	„	29.81	74	95	SE	2	om
Harp Peak. ..	„	29.66	74	90	...	0	fr	„	29.69	75	90	...	0	o
Amoy.	2.30p.	29.68	75	86	NE	4	cr	6.30a.	29.71	75	90	WNW	1	o
Swatow, ...	3 p.	...	...	...	..	..	..	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.56	83	79	WSW	4	o	10 a.	29.68	80	86	E	2	o
Victoria Peak..	„	...	...	...	SW	3	...	„	...	...	...	SW	0	...
Cap Peck,.....	„	29.57	...	...	WSW	4	...	„	29.67	...	...	SW	1	...
Macao, ...	„	29.56	83	...	W	1	c	„	29.66	87	...	E	1	c
Haiphong.	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	90	66	W	3	c	„	...	...	...	...	...	...
Malate,.....	3 p.	...	...	...	SW	3	c	9 a.	...	...	...	...	0	b
Pucoled. .. .	„	...	...	...	S	2	o	„	...	...	...	S	2	b
Iloilo, ...	„	29.80	86	...	SW	2	o	„	29.85	85	...	SW	1	b
Cebu, ...	„	29.80	86	...	...	0	b	„	29.89	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.55a. The barometer has risen moderately over Japan and S. China.
Pressure is high over E. Japan, and relatively low between the S. coast of China and the Southern Loochoos.
Moderate variable winds in the Formosa Channel and off the S. coast of China, and fresh SW. monsoon over the N. part of the China Sea.
Forecast:— variable winds, light or moderate; thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Friday 19th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JUNE, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th JUNE, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.88	55	...	S	5	o	7 a.	29.83	54	99	S	1	f
Nemuro,	„	...	...	...	E	6	...	6 a.	29.92	...	...	SE	4	...
Hakodate,	„	29.93	...	...	SE	6	...	„	29.93	...	...	E	2	...
Tokio,	„	29.94	...	...	S	4	...	„	29.90	...	...	N	2	...
Kochi,	„	29.83	...	...	E	2	...	„	29.75	...	...	NE	6	...
Nagasaki,	„	29.83	...	...	W	4	...	„	29.72	...	...	...	0	...
Kagoshima,	„	29.83	...	...	E	6	...	„	29.72	...	...	N	2	...
Oshima,	„	29.73	...	...	SE	4	...	„	29.69	...	...	N	6	...
Naha,	„	29.66	...	...	SW	6	...	„	29.74	...	...	NW	2	...
Ishigakijima,	„	29.66	...	...	SW	8	...	„	29.74	...	...	NE	2	...
Tailoku,	1 p.	29.69	...	...	W	4	...	5 a.	29.78	...	...	...	0	...
Taichu,	„	29.71	...	...	S	4	...	„	29.76	...	...	..	0	...
Tainan,	„	29.72	...	...	W	4	...	„	29.75	...	...	E	4	...
Koshun,	„	29.75	...	...	W	6	...	„	29.76	...	...	SW	2	...
Pescadores,	„	29.71	...	...	W	4	...	„	29.75	...	...	NW	2	...
Weihaiwei,	3 p.	29.76	59	...	S.	1	c	9 a.	29.83	75	...	S	1	c
Gutzlaff,	„	29.78	77	91	E	3	cm	„	29.90	78	82	SE	2	cv
Sharp Peak,	„	29.67	77	86	E	2	c	„	29.81	78	89	E	1	o
Amoy,	2.30p.	29.75	78	86	NE	2	o	6.30a.	29.81	75	90	NE	1	c
Swatow,	3 p.	29.68	78	...	E	3	c	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.65	80	89	S	2	o	10 a.	29.76	80	89	NNE	2	o
Victoria Peak,	„	...	...	...	S	5	...	„	...	...	...	S	3	...
Gap Rock,	„	29.65	...	...	S	4	...	„	29.74	...	...	ESE	2	...
Macao,	„	29.63	89	...	S	1	c	„	29.73	83	...	SSE	1	o
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.76	88	65	WSW	3	o	„	29.84	90	66	SSE	1	o
Malate,	3 p.	...	...	...	W	3	o	9 a.	...	...	...	ESE	2	c
Pacolod,	„	...	...	...	NW	4	o	„	...	...	...	...	0	b
Iloilo,	„	29.79	89	...	SW	2	c	„	29.88	84	...	SW	2	c
Cebu,	„	29.80	88	...	S	1	...	„	29.90	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.30a. The barometer has risen on the China coast, fallen over Japan.
The shallow depression is moving NE. to the East of the Loochoos.
Pressure is again near the normal along the China coast, and gradients are slight, mainly for SE. winds.
Moderate S. monsoon over the N. part of the China Sea.
Forecast:— moderate SE. winds; thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Saturday 20th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	20th JUNE, 1903, P. M.								21st JUNE, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	29.83	66	...	W	1	c	7 a.	29.86	50	99	SW	1	f
Nemuro, ...	„	29.84	...	...	S	6	...	6 a.	29.72	...	...	NE	6	...
Hakodate, ...	„	29.85	...	...	S	6	...	„	29.81	...	...	...	0	...
Tokio.....	„	29.82	...	...	N	2	...	„	29.74	...	...	NW	3	...
Kochi, ...	„	29.67	...	...	NE	4	...	„	29.79	...	...	NE	8	...
Nagasaki, ...	„	29.75	...	...	N	6	...	„	29.83	...	...	NE	2	...
Kagoshima,....	„	29.79	...	...	S	4	...	„	29.83	...	...	NW	4	...
Oshima, ...	„	29.84	...	...	N	6	...	„	29.84	...	...	S	2	...
Naha, ...	„	29.81	...	...	E	4	...	„	29.81	...	...	N	2	...
Ishigakijima, ...	„	29.77	...	...	NE	6	...	„	29.77	...	...	NE	2	...
Taihoku,.....	1 p.	29.77	...	...	NE	4	...	5 a.	29.79	...	...	...	2	...
Taichu, ...	„	29.76	...	...	W	2	...	„	29.76	...	...	NE	2	...
Tainan, ...	„	29.77	...	...	SW	4	...	„	29.78	...	...	SE	2	...
Koshun, ...	„	29.80	...	...	SE	3	...	„	29.80	...	...	...	0	...
Pescadores, ...	„	29.77	...	...	W	2	...	„	29.76	...	...	S	4	...
Weihaiwei,.....	3 p.	29.80	76	...	NE	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.86	77	42	ESE	2	cv	„	29.83	76	91	SE	5	cm
Sharp Peak, ..	„	29.77	77	91	ENE	4	o	„	29.81	78	91	...	0	od
Amoy, ...	2.30p.	29.78	75	86	SE	3	c	6.30a.	29.79	79	91	NE	1	o
Swatow, ...	3 p.	29.73	80	...	E	3	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.71	77	85	ENE	1	od	10 a.	29.77	84	84	E	1	o
Victoria Peak,.	„	...	...	...	S	3	...	„	...	...	...	NNW	2	...
Gap Rock.	„	29.69	...	...	E	2	...	„	29.76	...	...	S	2	...
Macao, ...	„	29.68	82	...	SSE	1	or	„	29.75	...	...	SSW	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	88	72	WSW	4	c	„	...	...	...	...	...	...
Malate,.....	3 p.	...	...	...	SW	1	c	9 a.	...	...	...	...	...	...
Facolod, ...	„	...	...	...	S	2	c	„	...	...	...	...	...	...
Iloilo, ...	„	29.81	87	...	W	1	cr	„	...	...	...	...	...	...
Cebu, ...	„	29.80	87	...	...	0	b	„	...	...	...	...	...	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 12.4 p. The barometer has fallen over E. Japan and the E. coast China, risen over W. Japan and the Loochoos.

The depression is moving NE. to the SE. of Japan. Pressure is highest between the E. coast of China and W. Japan, and probably another depression is forming over the Yangtze valley.

Gradients slight for SE. winds in the Formosa Channel, and for S. winds over the N. part of the China Sea.

Forecast:— light or moderate S. winds; showery.

Observations from the Philippines not yet received.

F. G. FIGG,
Acting Director

Hongkong Observatory, Sunday 21st June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

21st JUNE, 1903, P. M. — 22nd JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.92	...	...	N	6	...	6 a.	29.96	...	...	S	2	...
Hakodate, ...	„	29.89	...	...	SE	6	...	„	29.89	...	...	E	6	...
Tokio,.....	„	29.78	...	...	S	4	...	„	29.86	...	...	N	c	...
Kochi, ...	„	29.79	...	...	E	4	...	„	29.75	...	...	E	2	...
Nagas,aki, ...	„	29.79	...	...	SW	4	...	„	29.75	...	...	...	0	...
Kagoshima,....	„	29.79	...	...	S	4	...	„	29.79	...	...	NE	2	...
Oshima, ...	„	29.84	...	...	E	2	...	„	29.80	...	...	..	0	...
Naha, ...	„	29.81	...	...	E	4	...	„	29.74	...	...	...	0	...
Ishigakijima, ...	„	29.81	...	...	S	2	...	„	29.70	...	...	SW	6	...
Taihoku,.....	1 p.	29.79	...	...	N	4	...	5 a.	29.72	...	...	...	0	...
Taichu, ...	„	29.76	...	...	N	2	...	„	29.72	...	...	...	0	...
Tainan, ...	„	29.83	...	...	SW	4	...	„	29.70	...	...	SE	2	...
Kosbun, ...	„	29.87	...	...	SW	2	...	„	29.76	...	...	..	0	...
Pescadores, ...	„	29.79	..	...	SW	6	...	„	29.72	...	...	S	6	...
Weihaiwei,.....	3 p.	29.76	74	...	E	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	...	...	...	...	...	...	„	29.54	74	95	S	4	cmd
Sharp Peak, ..	„	29.78	80	87	E	2	o	„	29.62	81	83	S	4	o
Amoy, ...	2.30p.	29.84	81	91	SE	3	cp	6.30a.	29.64	80	87	S	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.68	85	78	S	1	o	10 a.	29.70	84	84	SW	3	o
Victoria Peak,.	„	...	...	...	S	2	...	„	...	...	...	SSW	5	...
Cap Lock.....	„	29.69	...	...	S	2	...	„	29.71	...	...	SW	4	...
Macao, ...	„	29.68	85	...	S	2	c	„	29.70	83	...	SW	1	c
Baiklong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	86	72	...	0	o	„	29.80	90	66	SSE	1	c
Malate,.....	3 p.	...	...	...	...	0	o	9 a.	...	...	...	E	2	...
Jaroled, ...	„	...	...	...	...	0	o	„	...	...	...	...	0	b
Iloilo, ...	„	29.81	89	...	W	2	o	„	29.87	84	...	W	1	b
Cebu, ...	„	29.81	89	...	S	2	b	„	29.87	88	...	...	...	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.0 a· The barometer has risen over E. Japan; fallen elsewhere, particularly over the E. coast of China.

The depression over the Yangtze valley is of considerable intensity. It is moving Eastwards and approaching the neighbourhood of Shanghai. Pressure is highest over NE. Japan.

Strong S. to SW. winds in the Formosa Channel, and moderate SW. monsoon over the N. part of the China Sea.

Forecast:— fresh SW. winds; squally, showery.

F. G. FIGG,
Acting Director

Hongkong Observatory, Monday 22nd June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

22nd JUNE, 1903, P. M. — 23rd JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	29.67	64	...	W	1	c	7 a.	29.77	52	99	N	1	...
Nemuro, ...	„	30.00	...	...	E	6	...	6 a.	30.08	...	...	E	6	...
Hakodate, ...	„	29.89	...	...	E	6	...	„	29.89	...	...	E	10	...
Tokio.....	„	29.82	...	...	SE	6	...	„	29.82	...	...	...	0	...
Kochi, ...	„	29.75	...	...	NE	4	...	„	29.68	...	...	E	4	...
Nagasaki, ...	„	29.75	...	...	W	2	...	„	29.64	...	...	...	0	...
Kagoshima, ...	„	29.75	...	...	SW	2	...	„	29.60	...	...	E	3	...
Oshima, ...	„	29.73	...	...	SE	4	...	„	...	...	...	S	6	...
Naha, ...	„	29.70	...	...	S	2	...	„	29.58	...	...	SW	4	...
Ishigakijima, ..	„	29.70	...	...	SW	8	...	„	29.58	...	...	SW	8	...
Taihoku,.....	1 p.	29.61	...	...	SW	2	...	5 a.	29.57	...	...	...	0	...
Taichu, ...	„	29.63	...	...	S	8	...	„	29.70	...	...	...	0	...
Tainan,.....	„	29.74	...	...	SE	6	...	„	29.71	...	...	SE	4	...
Koshun, ...	„	29.75	...	...	W	6	...	„	29.70	...	...	W	6	...
Pescadores, ...	„	29.70	...	...	S	6	...	„	29.70	...	...	S	4	...
Weihaiwei.....	3 p.	29.71	78	...	E	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.46	74	100	S	3	cmr	„	29.69	68	90	NE	7	om
Sharp Peak, ..	„	29.53	82	83	S	5	o	„	29.58	81	85	S	4	o
Amoy, ...	2.30p.	29.63	81	91	SE	3	or	6.30a.	29.67	80	91	SSE	2	c
Swatow, ...	3 p.	29.61	87	...	SW	3	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.63	85	77	SSW	2	o	10 a.	29.71	85	78	SW	2	oq.
Victoria Peak,.	„	...	...	...	SSW	5	...	„	...	...	...	SW	6	...
Gap Rock.	„	29.64	...	...	SSW	4	...	„	29.71	...	...	SW	4	...
Macao, ...	„	29.69	86	...	SSW	1	c	„	29.69	85	...	SW	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.72	91	62	W	3	b	„	29.84	88	72	W	1	c
Malate,.....	3 p.	...	...	...	W	2	c	9 a.	...	...	...	...	0	c
Bacolod.	„	...	...	...	...	0	c	„	...	...	...	...	0	b
Iloilo, ...	„	29.77	98	...	SW	1	b	„	29.89	83	...	SW	3	c
Cebu, ...	„	29.77	87	...	S	1	b	„	29.90	88	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.0a. The barometer has fallen over W. Japan and the Loochoos, risen over the E. coast of China.

The depression moved out to sea near Shanghai last night. It is now moving Eastwards, and will probably pass between the S. coast of Kiushiu and the Northern Loochoos.

Pressure remains high to the NE. of Japan. The wind will probably shift to NE. in the Formosa Channel.

Moderate SW. monsoon over the N. part of the China Sea.

Forecast:— moderate SW. and variable winds; squally, thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Monday 23rd June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	23rd JUNE, 1903, P. M.							24th JUNE, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	29.73	52	...	N	2	...	7 a.	29.79	52	99	NE	1	o
Nemuro,	,,	30.16	...	...	SE	8	...	6 a.	30.00	...	...	SE	6	...
Hakodate,	,,	29.81	...	...	E	6	...	,,	29.81	...	...	E	8	...
Tokio,	,,	29.74	...	...	S	8	...	,,	29.74	...	...	...	0	...
Kochi,	,,	29.64	...	...	E	4	...	,,	29.64	...	...	NE	4	...
Nagasaki,	,,	29.56	...	...	NE	6	...	,,	29.64	...	...	NE	2	...
Kagoshima,	,,	29.56	...	...	E	6	...	,,	29.64	...	...	NE	6	...
Oshima,	,,	29.41	...	...	SW	4	...	,,	29.53	...	...	...	0	...
Naha,	,,	29.54	...	...	SW	6	...	,,	29.62	...	...	W	6	...
Ishigakijima,	,,	29.66	...	...	SW	4	...	,,	29.66	...	...	...	0	...
Tailoku,	1 p.	29.59	...	...	W	8	...	5 a.	29.69	...	...	NW	2	...
Taichu,	,,	29.69	...	...	SW	6	...	,,	29.67	...	...	N	2	...
Tainan,	,,	29.74	...	...	SE	4	...	,,	29.72	...	...	E	2	...
Kosbun,	,,	29.73	...	...	NW	6	...	,,	29.73	...	...	W	6	...
Pescadores,	,,	29.70	...	...	SW	6	...	,,	29.70	...	...	SW	6	...
Weihaiwei,	3 p.	29.72	65	...	NW	1	c	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.74	69	90	NNE	6	cm	,,	29.85	69	90	NNE	3	cm
Sharp Peak,	,,	29.56	82	83	S	5	c	,,	29.75	74	86	N	3	od
Amoy,	2.30p.	29.65	72	95	SSE	3	c	6.30a.	29.68	81	91	SE	1	c
Swatow,	3 p.	29.63	86	...	SW	2	c	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong	4 p.	29.66	85	74	SW	2	cq	10 a.	29.73	87	74	SW	2	o
Victoria Peak,	,,	...	...	...	SSW	6	...	,,	...	...	...	S	4	...
Cap Rock,	,,	29.67	...	...	SW	4	...	,,	29.74	...	...	SW	4	...
Macao,	,,	29.64	86	...	SW	1	c	,,	...	...	...	...	...	...
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	90	66	W	3	b	,,	29.84	88	72	WSW	2	b
Malate,	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	SW	1	b
Pacolod,	,,	...	...	...	SW	4	o	,,	...	...	...	...	0	b
Iloilo,	,,	29.79	98	...	SW	2	c	,,	29.89	86	...	SW	2	b
Cebu,	,,	29.84	88	...	S	1	b	,,	29.91	86	...	S	1	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.25a. The barometer has fallen over E. Japan, risen on the E. coast of China. The depression is moving Eastwards to the NE. of the Loochoos. Pressure remains high over the Pacific to the NE. of Japan.

Moderate or fresh NE. winds in the Formosa Channel, and moderate SW. monsoon over the N. part of the China Sea.

Forecast:— SW. or variable winds, moderate; squally, thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Wednesday 24th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

24th JUNE, 1903, P. M. 25th JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	„	29.96	...	...	E	6	...	6 a.	29.92	...	...	E	6	...
Hakodate,	„	29.73	...	...	E	8	...	„	29.66	...	...	E	10	...
Tokio,	„	29.67	...	...	S	2	...	„	29.67	...	...	N	2	...
Kochi,	„	29.64	...	...	E	0	...	„	29.56	...	...	N	2	...
Nagasaki,	„	29.64	...	...	W	6	...	„	29.64	...	...	NE	2	...
Kagoshima,	„	29.64	...	...	E	4	...	„	29.64	...	...	NE	2	...
Oshima,	„	29.57	...	...	NE	4	...	„	29.61	...	...	...	0	...
Naha,	„	29.66	...	...	NW	6	...	„	29.62	...	...	...	0	...
Ishigakijima,	„	29.70	...	...	NE	4	...	„	29.66	...	...	NE	2	...
Taihoku,	1 p.	29.72	...	...	E	6	...	5 a.	29.66	...	...	E	2	...
Taichu,	„	29.73	...	...	S	2	...	„	29.63	...	...	S	...	...
Tainan,	„	29.76	...	...	SW	4	...	„	29.67	...	...	SW	2	...
Koshun,	„	29.76	...	...	W	6	...	„	29.69	...	...	W	6	...
Pescadores,	„	29.72	...	...	SW	6	...	„	29.64	...	...	S	4	...
Weihaiwei,	3 p.	29.74	71	...	W	2	b	9 a.	...	...	...	...	...	...
Gutzlaff,	„	29.76	74	81	NNE	2	cv	„	29.78	68	85	NE	3	cgv
Sharp Peak,	„	29.75	73	83	NE	3	cr	„	29.70	69	92	NNW	3	r
Amoy,	2.30p.	29.71	82	91	NE	4	c	6.30a.	29.72	75	86	NE	2	c
Swatow,	3 p.	29.65	86	...	SW	2	c	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Hongkong	4 p.	29.67	85	77	SW	2	cq	10 a.	29.65	79	93	WSW	1	ot
Victoria Peak,	„	...	...	...	SSW	5	...	„	...	...	...	...	...	...
Cap Lock,	„	29.68	...	...	SW	4	...	„	29.67	...	...	SW	5	...
Macao,	„	29.60	86	...	SW	2	c	„	29.64	85	...	WSW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	90	60	W	3	b	„	29.84	88	72	N	1	c
Malate,	3 p.	...	...	...	W	3	b	9 a.	...	...	...	W	3	...
Iloilo,	„	29.82	89	...	W	2	b	„	29.80	86	...	SW	2	c
Cebu,	„	29.80	87	...	N	1	b	„	29.80	89	...	...	0	b
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 11.20a. The barometer has fallen over E. Japan owing to the depression, which is probably moving NE. off the SE. coast.

Pressure has given way again on the China coast. A low pressure trough lies over the S. coast of China, the Formosa Channel and the Pacific towards the Loochoos, NE. winds prevailing to the Northward of the area and SW. winds to the Southward.

Strong SW. monsoon over the N. part of the China Sea.

Forecast:— fresh to strong SW. winds; squally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 25th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

25th JUNE, 1903, P. M. — 26th JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.63	69	...	N	1	c	7 a.	29.67	56	99	...	0	c
Nemuro,	,,	29.92	...	...	E	6	...	6 a.	30.00	...	...	E	4	...
Hakodate,	,,	29.70	...	...	SE	8	...	,,	29.77	...	...	E	4	...
Tokio,	,,	29.67	...	...	NE	4	...	,,	29.78	...	...	N	4	...
Kochi,	,,	29.64	...	...	E	2	...	,,	29.68	...	...	E	4	...
Nagasaki,	,,	29.64	...	...	E	2	...	,,	29.64	...	...	E	2	...
Kagoshima,	,,	29.64	...	...	SW	4	...	,,	29.64	...	...	W	2	...
Oshima,	,,	29.65	...	...	...	0	...	,,	29.61	...	...	N	6	...
Naha,	,,	29.66	...	...	N	4	...	,,	29.54	...	...	NE	2	...
Ishigakijima,	,,	...	...	...	...	...	...	,,	29.62	...	...	NE	2	...
Tailoku,	1 p.	29.61	...	...	NE	6	...	5 a.	29.63	...	...	E	4	...
Taichu,	,,	29.65	...	...	S	2	...	,,	29.63	...	...	S	4	...
Tainan,	,,	29.69	...	...	E	4	...	,,	29.61	...	...	E	4	...
Koshun,	,,	29.69	...	...	W	6	...	,,	...	...	...	...	...	...
Pescadores,	,,	29.68	...	...	S	6	...	,,	29.63	...	...	SW	4	...
Weihaiwei,	3 p.	29.67	71	...	N	2	b	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.78	68	79	NE	3	cv	,,	29.78	70	70	NE	2	bv
Sharp Peak,	,,	29.65	67	46	NNE	5	cr	,,	29.70	70	88	N	1	c
Amoy,	2.30p.	29.61	77	82	NE	2	or	6.30a.	29.71	71	95	NE	2	or
Swatow,	3 p.	29.61	81	...	W	2	...	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong,	4 p.	29.62	77	92	W	1	c	10 a.	29.66	79	93	W	1	cp
Victoria Peak,	,,	...	...	...	W	7	...	,,	...	...	...	NW	2	...
Gap Rock,	,,	29.62	...	...	W	4	...	,,	29.64	...	...	NW	3	...
Macao,	,,	29.62	73	...	W	1	c	,,	29.67	81	...	NNW	...	c-lt
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	90	66	WSW	4	c	,,	29.84	90	72	...	0	b
Malate,	3 p.	...	...	...	W	3	c	9 a.	...	...	...	...	0	c
Pacolod,	,,	...	...	...	S	2	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.80	89	...	SW	3	c	,,	29.87	85	...	...	0	b
Cebu,	,,	29.79	89	...	S	2	c	,,	29.89	89	...	S	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 11.10a. The barometer has risen moderately over E. Japan, fallen slightly over the Loochoos.

Pressure is highest to the NE. of Japan, and the low pressure trough still lies over the S. coast of China, the Formosa Channel and the Pacific to the S. of the Loochoos, with a tendency for a circular depression to form in the neighbourhood of the latter area.

Moderate NE. winds in the N. part of the Formosa Channel, fresh SW. monsoon over the N. part of the China Sea.

Forecast:— moderate SW. and W. winds; squally, thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Friday 26th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

26th JUNE, 1903, P. M. — 27th JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock...	2 p.	29.69	60	...	S	3	c	7 a.	29.81	52	99	SE	3	o
Nemuro, ...	„	30.00	...	...	E	6	...	6 a.	30.00	...	...	S	6	...
Hakodate, ...	„	29.85	...	...	E	8	...	„	29.89	...	...	E	4	...
Tokio,.....	„	29.78	...	...	N	2	...	„	29.74	...	...	NE	4	...
Kochi, ...	„	29.72	...	...	NE	2	...	„	29.72	...	...	NE	2	...
Nagasaki, ...	„	29.64	...	...	SE	6	...	„	29.75	...	...	NE	2	...
Kagoshima.....	„	29.68	...	...	NE	4	...	„	29.75	...	...	S	2	...
Oshima.	„	29.61	...	...	N	4	...	„	29.76	...	...	S	2	...
Naha, ...	„	29.69	...	...	E	...	...	„	29.74	...	...	...	0	...
Ishigaki jima, ...	„	29.66	...	...	NE	4	...	„	29.74	...	...	NE	2	...
Taihoku,.....	1 p.	29.69	...	...	E	6	...	5 a.	29.78	...	...	...	0	...
Taichu, ...	„	29.68	...	...	...	0	...	„	29.74	...	...	...	0	...
Tainan, ...	„	29.69	...	...	SE	6	...	„	29.77	...	...	E	4	...
Koshun.	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	29.65	...	...	W	6	...	„	29.75	...	...	SW	2	...
Weihaiwei.....	3 p.	29.69	75	...	E	2	...	9 a.	29.79	71	...	W	3	...
Cutzlaff, ...	„	29.75	73	...	NE	1	...	„	29.86	72	81	SE	2	cv
Sharp Peak. ..	„	29.69	78	81	E	4	o	„	29.80	76	82	...	0	c
Amoy, ...	2.30p.	29.71	77	86	NE	2	c	6.30a.	29.81	74	90	NE	2	cd
Swatow, ...	3 p.	29.67	77	...	ESE	3	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.64	80	89	...	0	o	10 a.	29.75	81	86	...	0	o
Victoria Peak..	„	...	...	...	SSW	4	...	„	...	...	...	SSW	2	...
Cap Peak.....	„	29.65	...	...	SSW	2	...	„	29.74	...	...	SSW	2	...
Macao, ...	„	29.64	82	...	SW	2	c	„	29.72	82	...	SSE	2	op
Haijlong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	90	66	WSW	4	c	„	29.88	90	72	...	0	o
Malate,.....	3 p.	...	...	...	SW	3	b	9 a.	...	...	...	...	0	o
Fecoled.	„	...	...	...	...	0	b	„	...	...	...	S	2	b
Iloilo, ...	„	29.80	88	...	SW	2	c	„	29.89	85	...	SW	1	c
Cebu, ...	„	29.80	88	...	...	0	b	„	29.91	86	...	N	2	b
Cape S. James.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 11.25a. The barometer has risen generally, except over SE. Japan.

Pressure is high to the NE. of Japan and over the S. part of the China Sea, and relatively low in an area lying over the S. coast of China and over the Pacific towards the S. of Japan.

Light or moderate variable winds along the China coast, and moderate SW. monsoon over the N. part of the China Sea.

Forecast:— S. and variable winds, light or moderate; thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Saturday 27th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

27th JUNE, 1903, P. M. — 28th JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.80	58	...	S	2	c	7 a.	29.73	56	91	..	0	c
Nemuro,	"	30.00	...	...	SE	6	...	6 a.	30.04	...	...	SE	6	...
Hakodate,	"	29.93	...	...	E	8	...	"	29.89	...	...	E	8	...
Tokio,	"	29.78	...	...	N	2	...	"	29.86	...	...	N	4	...
Kochi,	"	29.75	...	...	E	2	...	"	29.72	...	...	W	0	...
Nagasaki,	"	29.75	...	...	W	6	...	"	29.79	...	...	NW	4	...
Kagoshima,	"	29.75	...	...	SE	6	...	"	29.83	...	...	...	0	...
Oshima,	"	29.76	...	...	N	2	...	"	29.84	...	...	N	2	...
Naha,	"	29.77	...	...	N	4	...	"	29.81	...	...	E	4	...
Ishigakijima,	"	29.77	...	...	E	4	...	"	...	...	...	...	...	...
Taihoku,	1 p.	29.80	...	...	NE	2	...	5 a.	29.80	...	...	SE	2	...
Taichu,	"	...	...	...	...	...	...	"	29.78	...	...	S	2	...
Tainan,	"	...	...	...	...	...	...	"	29.83	...	...	E	2	...
Koshun,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Pescadores,	"	...	...	...	...	...	...	"	29.80	...	...	S	6	...
Weihaiwei	3 p.	...	...	...	...	...	...	9 a.	29.84	74	...	W	3	b
Gutzlaff,	"	29.89	70	95	NNE	3	cv	"	29.98	70	75	NE	3	cv
Sharp Peak,	"	29.77	77	95	E	2	c	"	29.84	75	93	NNE	1	or
Amoy,	2.30p.	29.82	77	95	NE	2	c	6.30a.	29.84	78	86	SE	2	mr
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	..	...	...
Hongkong	4 p.	29.71	78	93	NW	7	orlt	10 a.	29.76	80	93	S	2	ort
Victoria Peak,	"	...	...	...	SSW	7	...	"	...	...	...	S	7	...
Cap Bed	"	29.69	...	...	SSW	4	...	"	29.77	...	...	SSW	4	...
Macao,	"	29.71	81	...	NW	2	orlt	"	29.76	81	...	SW	2	or
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.80	90	73	W	1	c	"	29.88	91	71	W	...	c
Malate,	3 p.	...	...	...	W	2	c	9 a.	...	...	...	...	0	b
Tacoled,	"	...	...	...	...	0	c	"	...	...	...	...	0	b
Iloilo,	"	29.83	88	...	...	0	c	"	29.87	86	...	NE	2	c
Cebu,	"	29.83	88	...	N	3	c	"	29.91	87	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 11.56a. The barometer has fallen at Wladiwostock, risen over the E. coast of China and the Loochoos.

Pressure is high over the E. coast of China and the South part of the China Sea; and the area of the relatively low pressure still lies over the S. coast of China, the S. part of the Formosa Channel and the Pacific to the South of the Loochoos. Pressure continues high to the NE. of Japan.

Fresh NE. winds in the N. part of the Formosa Channel, and freshSW. monsoon over the N. part of the China Sea.

Forecast:— SW. and variable winds, moderate; squally, thunderstorms.

HongKong rainfall for 24 hours ending at 10.30am. today, 13.63 inches.

F. G. FIGG,
Acting Director

Hongkong Observatory, Sunday 28th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

28th JUNE, 1903, P. M. — 29th JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	..	...	...
Nemuro,	,,	30.00	...	...	SE	6	...	6 a.	29.96	...	...	E	6	...
Hakodate,	,,	29.81	...	...	E	8	...	,,	29.77	...	...	E	6	...
Tokio,	,,	29.71	...	...	NW	4	...	,,	29.74	...	...	NW	2	...
Kochi,	,,	29.72	...	...	W	4	...	,,	29.87	...	...	NE	2	...
Nagasaki,	,,	29.83	...	...	W	8	...	,,	29.95	...	...	...	0	...
Kagoshima,	,,	29.83	...	...	W	6	...	,,	29.95	...	...	S	2	...
Oshima,	,,	29.88	...	...	N	3	...	,,	29.92	...	...	...	0	...
Naha,	,,	29.85	...	...	NW	4	...	,,	29.89	...	...	S	2	...
Ishigakijima,	,,	29.85	...	...	E	4	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.86	...	...	E	2	...	5 a.	29.77	...	...	NE	2	...
Taichu,	,,	29.84	...	...	SE	4	...	,,	29.79	...	...	SW	2	...
Tainan,	,,	29.85	...	...	SE	6	...	,,	29.83	...	...	SE	4	...
Koshun,	,,	...	...	...	...	...	...	,,	29.86	...	...	...	0	...
Pescadores,	,,	29.82	...	...	S	8	...	,,	29.80	...	...	SE	8	...
Weihaiwei,	3 p.	29.84	80	...	N	1	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.94	77	91	ESE	2	cv	,,	29.94	69	95	ESE	4	omd
Sharp Peak,	,,	29.81	74	90	NE	3	orf	,,	29.77	74	93	...	0	om
Amoy,	2.30p.	29.77	78	91	SE	3	or	6.30a.	29.85	77	86	SSW	4	o
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong	4 p.	29.75	82	87	SW	2	orq	10 a.	29.81	84	78	SW	2	o
Victoria Peak,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cap Rock,	,,	29.73	...	...	SSW	3	...	,,	29.80	...	...	SSW	4	...
Macao,	,,	29.73	72	...	SW	1	or	,,	29.80	82	...	SW	2	c
Haipheng,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	83	50	SE	3	c	,,	29.92	84	77	WNW	1	c
Malate,	3 p.	...	...	...	ESE	2	c	9 a.	...	...	...	W	1	o
Bacolod,	,,	...	...	...	NNE	4	o	,,	...	...	...	N	2	b
Iloilo,	,,	29.81	91	...	NE	2	b	,,	29.90	85	...	NE	1	c
Cebu,	,,	29.82	86	...	N	2	b	,,	29.91	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11.55a. The barometer has fallen over E. Japan and the E. coast of China, risen over W. Japan and the Loochoos.

Pressure is high over the W. coast of Japan, and the S. part of the China Sea; low in the E. part of the Sea of Japan, and over China to the S. of the Yangtze, where a depression is probably forming.

Moderate to fresh SE. and S. winds in the Formosa Channel, fresh SW. monsoon over the N. part of the China Sea.

Forecast:— fresh SW. winds; squally, showery.

F. G. FIGG,
Acting Director

Hongkong Observatory, Monday 29th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

29th JUNE, 1903, P. M. — 30th JUNE, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.66	72	...	N	2	c	7 a.	29.69	59	97	..	0	c
Nemuro,	,,	...	...	...	...	...	...	6 a.	30.76	...	...	SW	4	...
Hakodate,	,,	...	...	...	..	...	...	,,	29.77	...	...	SE	2	...
Tokio	,,	..	...	...	...	...	...	,,	29.86	...	...	...	0	...
Kochi,	,,	..	...	...	...	...	...	,,	29.95	...	...	...	0	...
Nagasaki,	,,	..	...	...	...	...	...	,,	29.79	...	...	E	2	...
Kagoshima,	,,	..	...	...	..	...	...	,,	29.83	...	...	SE	6	...
Oshima,	,,	..	...	...	...	...	...	,,	29.80	...	...	S	4	...
Naha,	,,	..	...	...	..	...	...	,,	29.77	...	...	S	4	...
Ishigakijima,	,,	..	...	...	..	...	...	,,	29.77	...	...	SW	10	...
Taihoku,	1 p.	29.79	...	...	NW	2	...	5 a.	29.72	...	...	NW	2	...
Taichu,	,,	29.85	...	...	S	6	...	,,	..	...	...	..	..	...
Tainan,	,,	29.87	...	...	SE	6	...	,,	29.80	...	...	SE	2	...
Kosbun.	,,	...	...	...	...	...	...	,,	29 81	...	...	...	0	...
Pescadores,	,,	29.85	..	...	S	6	...	,,	29.78	...	...	S	6	...
Weihaiwei	3 p.	29.82	83	...	E	1	b	9 a.	29.81	73	...	SW	1	...
Gutzlaff,	,,	29.84	68	95	ESE	5	omd	,,	29.74	70	90	E	4	cgm
Sharp Peak,	,,	29.71	77	57	S	7	o	,,	29.67	79	91	S	3	od
Amoy,	2.30p.	29.81	86	88	S	3	or	6.30a.	29.76	80	91	SSE	3	c
Swatow.	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong	4 p.	29.74	84	79	SW	2	cq	10 a.	29.76	84	77	SSW	4	cq
Victoria Peak,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock.	,,	29.73	...	...	SSW	5	...	,,	29.75	...	...	SW	4	...
Macao,	,,	29.73	83	...	SW	2	c	,,	29.74	83	...	SW	2	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	91	62	W	1	c	,,	29.84	88	66	WNW	...	b
Malate,	3 p.	...	...	...	...	0	b	9 a.	...	...	...	...	0	b
Bacolod,	,,	...	...	...	...	0	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.80	91	...	NE	1	c	,,	29.85	84	...	...	0	b
Cebu,	,,	29.82	87	...	N	2	c	,,	29.86	88	...	S	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 11.40a. The barometer has fallen generally except over SE. Japan.
The depression to the S. of the Yangtze is moving Eastwards and will pass to the S. of Shanghai.
Pressure is relatively high over Central Japan and the S. part of the China Sea.
Fresh S. and SW. winds in the Formosa Channel and over the N. part of the China Sea.
Forecast:— fresh SW. winds; squally, showery.

F. G. FIGG,
Acting Director

Hongkong Observatory, Tuesday 30th June 1903.

CHINA COAST METEOROLOGICAL REGISTER.

30th JUNE, 1903, P. M. — 1st JULY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.72	62	...	S	2	c	7 a.	29.74	59	94	..	0	c
Nemuro,	„	29.72	...	...	S	6	...	6 a.	30.76	...	...	NW	4	...
Hakodate,	„	29.72	...	...	SW	4	...	„	29.85	...	...	...	0	...
Tokio,	„	29.82	...	...	S	6	...	„	29.86	...	...	...	0	...
Kochi,	„	29.87	...	...	E	0	...	„	29.56	...	...	W	10	...
Nagasaki,	„	29.64	...	...	E	2	...	„	29.56	...	...	S	6	...
Kagoshima,	„	29.64	...	...	E	6	...	„	29.56	...	...	W	2	...
Oshima,	„	29.76	...	...	S	4	...	„	29.69	...	...	SW	4	...
Naha,	„	29.77	...	...	S	4	...	„	29.77	...	...	S	4	...
Ishigakijima,	„	29.77	...	...	SW	6	...	„	29.74	...	...	SW	8	...
Taihoku,	1 p.	29.70	...	...	...	0	...	5 a.	29.68	...	...	S	2	...
Taichu,	„	...	...	...	S	6	...	„	29.75	...	...	S	4	...
Tainan,	„	29.80	...	...	SE	4	...	„	29.78	...	...	SE	2	...
Koshun,	„	29.81	...	...	W	6	...	„	29.78	...	...	NW	4	...
Pescadores,	„	29.77	...	...	S	4	...	„	29.74	...	...	S	6	...
Weihaiwei,	3 p.	29.74	75	...	N	1	...	9 a.	29.72	76	...	E	1	...
Gutzlaff,	„	29.72	70	85	NE	4	cm	„	29.80	69	85	N	3	cv
Sharp Peak,	„	29.61	80	89	S	6	o	„	29.64	79	89	S	2	ow
Amoy,	2.30p.	29.70	84	83	S	3	b	6.30a.	29.73	80	91	S	2	...
Swatow,	3 p.	29.67	86	...	SW	4	c	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.70	84	74	SW	4	cq	10 a.	29.73	83	83	SW	4	cq
Victoria Peak,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Cap Isel	„	29.69	...	...	SW	4	...	„	29.71	...	...	SW	4	...
Macao,	„	29.69	84	...	SW	2	c	„	29.73	83	...	SW	1	crlt
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.76	88	72	E	2	c	„	...	...	...	...	...	...
Malate	3 p.	...	...	...	E	1	o	9 a.	...	...	...	W	2	b
Iloilo,	„	...	...	...	S	3	d	„	...	...	...	N	2	b
Cebu	„	29.77	89	...	NE	2	o	„	29.87	85	...	SW	1	b
Cape St. James,	„	29.78	86	...	N	2	b	„	29.85	85	...	...	0	c
	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 11.40a. The barometer has fallen rapidly over W. Japan, risen slightly on the E. coast of China. The depression moved out to the Sea of the South of Shanghai yesterday afternoon, travelling ENE, and this morning it is lying over W. Japan.

Pressure is relatively high over SE. Japan and the S. part of the China Sea.

The wind will probably shift to NE. in the N. part of the Formosa Channel.

Fresh S.W monsoon in the N. part of the China Sea.

Forecast:— SW. and variable winds, moderate; squally, thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Wednesday 1st July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	1st JULY, 1903, P. M.							2nd JULY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	29.72	67	...	S	2	c	7 a.	29.69	56	99	W	2	o
Nemuro, ...	,,	29.80	...	...	E	2	...	6 a.	29.80	...	...	NE	6	...
Hakodate, ...	,,	29.77	...	...	S	4	...	,,	29.66	...	...	E	4	...
Tokio,.....	,,	29.67	...	...	S	8	...	,,	29.47	...	...	S	8	...
Kochi, ...	,,	29.59	...	...	W	10	...	,,	29.56	...	...	N	2	...
Nagasaki, ...	,,	29.48	...	...	W	4	...	,,	29.83	...	...	...	0	...
Kagoshima.....	,,	29.56	...	...	W	6	...	,,	29.76	...	...	NW	2	...
Oshima, ...	,,	29.69	...	...	W	6	...	,,	29.77	...	...	NW	2	...
Naha, ...	,,	29.74	...	...	S	4	...	,,	29.78	...	...	S	2	...
Ishigakijima, ...	,,	29.74	...	...	SW	6	...	,,	29.74	...	...	...	0	...
Taiboku,.....	1 p.	29.69	...	...	...	0	...	5 a.	29.75	...	...	...	0	...
Taichu, ...	,,	29.76	...	...	S	0	...	,,	29.76	...	...	...	0	...
Tainan, ...	,,	29.77	...	...	S	4	...	,,	29.77	...	...	SE	2	...
Koshun, ...	,,	29.80	...	...	W	6	...	,,	29.77	...	...	NW	2	...
Pescadores, ...	,,	29.76	.	...	S	6	...	,,	29.77	...	...	S	6	...
Weihaiwei.....	3 p.	29.65	80	...	E	1	b	9 a.	29.74	80	...	W	2	...
Gutzlaff, ...	,,	29.78	75	68	NNE	2	bv	,,	29.91	74	81	SE	1	cv
Sharp Peak. ..	,,	29.65	77	91	ESE	...	...	,,	29.80	74	88	NNE	3	eg
Amoy, ...	2.30p.	29.70	83	87	SSE	3	or	6.30a.	29.79	80	91	ENE	1	cm
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	..	...	...
Hongkong.....	4 p.	29.69	83	85	WSW	3	cq	10 a.	29.78	81	96	W	1	o
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cap Beek, ...	,,	29.70	...	...	SW	4	...	,,	29.76	...	...	SSW	3	...
Macao, ...	,,	29.68	84	...	SW	1	c	,,	29.75	82	...	WSW	1	o
Haiphong.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.72	91	69	WSW	1	b	,,	29.80	90	66	W	1	o
Malate,.....	3 p.	...	...	...	W	2	b	9 a.	...	...	...	...	0	c
Iloilo, ...	,,	...	...	...	SW	4	o	,,	...	...	...	...	0	b
Iloilo, ...	,,	29.78	87	...	W	1	o	,,	29.84	83	...	E	1	o
Cebu.	,,	29.78	87	...	...	0	c	,,	29.86	83	...	N	1	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 11.35a. The barometer has fallen over E. Japan, risen over W. Japan, and the coast of China. The depression is moving ENE. over the SE. part of the Sea of Japan. Pressure is relatively high between the E. coast of China and W. Japan. and over the S. part of the China Sea.
Moderate E. winds in the Formosa Channel, and moderate S.W monsoon over the N. part of the China Sea.
Forecast:— SW. or variable winds, light or moderate; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 2nd July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd JULY, 1903, P. M.							3rd JULY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	..	...	...
Nemuro,	„	29.76	...	...	NE	6	...	6 a.	29.69	...	...	N	10	...
Hakodate,	„	29.66	...	...	SE	6	...	„	29.29	...	...	...	0	...
Tokio,	„	29.78	...	...	S,	8	...	„	29.82	...	...	S	2	...
Kochi,	„	29.72	...	...	N	0	...	„	29.91	...	...	E	2	...
Nagasaki,	„	29.83	...	...	SW	4	...	„	29.91	...	...	E	2	...
Kagoshima,	„	29.83	...	...	NW	4	...	„	29.91	...	...	E	2	...
Oshima,	„	29.84	...	...	N	2	...	„	29.88	...	...	S	4	...
Naha,	„	29.81	...	...	...	0	...	„	29.85	...	...	...	0	...
Ishigakijima,	„	29.77	...	...	S	4	...	„	29.77	...	...	SE	0	...
Taihoku,	1 p.	29.78	...	...	...	0	...	5 a.	29.81	...	...	...	0	...
Taichu,	„	29.79	...	...	W	4	...	„	29.80	...	...	...	0	...
Tainan,	„	29.80	...	...	SE	2	...	„	29.84	...	...	...	0	...
Koshun,	„	29.80	...	...	NW	2	...	„	29.82	...	...	...	0	...
Pescadores,	„	29.73	...	...	W	4	...	„	29.80	...	...	...	0	...
Weihaiwei,	3 p.	29.73	80	...	E	1	...	9 a.	29.72	82	...	SW	2	...
Gutzlaff,	„	29.87	77	61	E	1	cv	„	29.87	71	100	SE	3	omr
Sharp Peak,	„	29.79	73	90	NNE	3	cd	„	29.80	74	90	E	1	og
Amoy,	2.30p.	29.78	82	83	SSE	2	or	6.30a.	29.83	78	54	NE	1	o
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	„	...	...	...	...	...	...	„	...	...	...	..	...	...
Hongkong	4 p.	29.72	84	79	SSW	2	o	10 a.	29.81	84	79	WSW	1	o
Victoria Peak,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Gap Rock,	„	29.72	...	...	SSW	3	...	„	29.78	...	...	SSW	3	...
Macao,	„	29.71	83	...	SSW	1	c	„	29.80	83	...	SW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.76	88	60	ESE	1	o	„	29.84	82	86	W	1	o
Malate,	3 p.	...	...	...	SE	2	c	9 a.	...	...	...	SW	2	r
Pacoica,	„	...	...	...	...	0	o	„	...	...	...	S	2	b
Iloilo,	„	29.80	87	...	SW	1	o	„	29.89	85	...	SW	1	b
Cebu,	„	29.79	85	...	N	1	c	„	29.87	86	...	...	0	b
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.25a. The barometer has risen quickly over Japan, except in the NE; fallen slightly on the E. coast of China.

The depression has moved into the Pacific to the NE. of Japan.

Pressure is relatively high over W. Japan and the S. part of the China Sea.

Light to moderate SE. winds in the Formosa Channel, and moderate S.W monsoon over the N. part of the China Sea.

Forecast:— S. winds, light or moderate; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 3rd July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

3rd JULY, 1903, P. M. 4th JULY, 1903, A. M.

STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	29.86	63	...	SW	1	o	7 a.	29.98	58	93	..	0	c
Nemuro,	„	29.61	...	...	W	10	...	6 a.	29.72	...	...	NW	6	...
Hakodate,	„	29.70	...	...	W	2	...	„	29.89	...	...	...	0	...
Tokio,	„	29.78	...	...	S	6	...	„	29.98	...	...	N	2	...
Kochi,	„	29.95	...	...	E	4	...	„	29.87	...	...	E	2	...
Nagasaki,	„	29.87	...	...	NE	2	...	„	29.68	...	...	NE	10	...
Kagoshima,	„	29.87	...	...	S	2	...	„	29.72	...	...	SW	4	...
Oshima,	„	29.84	...	...	SE	6	...	„	29.76	...	...	S	2	...
Naha,	„	29.81	...	...	S	2	...	„	29.77	...	...	S	4	...
Isaigakijima,	„	29.81	...	...	SW	4	...	„	29.77	...	...	SW	4	...
Tailoku,	1 p.	29.81	...	...	NW	4	...	5 a.	29.78	...	...	S	2	...
Taichu,	„	29.82	...	...	W	2	...	„	29.78	...	...	...	0	...
Tainan,	„	29.82	...	...	W	2	...	„	29.79	...	...	...	0	...
Koshun,	„	29.83	...	...	W	4	...	„	29.79	...	...	...	0	...
Pescadores,	„	29.83	...	...	S	6	...	„	29.78	...	...	S	4	...
Weihaiwei	3 p.	29.72	82	...	S	6	o	9 a.	...	...	...	...	...	...
Gutzlaff,	„	29.79	70	100	E	5	cfd	„	29.83	70	100	E	3	cgm
Sharp Peak,	„	29.74	76	93	E	4	cg	„	29.70	78	100	...	0	c
Amoy,	2.20p.	29.81	83	87	SSE	4	c	6.30a.	29.80	81	87	SE	1	cm
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	„	...	93	85	S	2	b	„	...	85	76	.	0	b
Hongkong	4 p.	29.75	86	70	SSW	1	c	10 a.	29.81	83	76	NW	1	c
Victoria Peak,	„	...	...	...	SW	3	...	„	...	...	...	SW	2	...
Cape Tsel	„	29.76	...	...	SSW	3	...	„	29.80	...	...	SSW	3	...
Macao,	„	29.75	85	...	SSW	1	c	„	29.80	85	...	SW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	...	...	...	...	...	...	„	29.80	86	71	W	1	o
Malate,	3 p.	...	...	...	W	2	o	9 a.	...	...	...	W	1	c
Iloilo,	„	29.80	88	...	SW	2	b	„	29.83	85	...	NE	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.45a. The barometer has risen over E. Japan; fallen quickly over W. Japan, and slightly on the China coast and over the Philippines.

Pressure is high over the Sea of Japan, and low in an elongated depression lying over the Eastern Sea between the E. coast of China and SW. Japan.

Moderate SW. winds in the Formosa Channel and light SW. monsoon over the N. part of the China Sea.

Forecast:— light SW. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 4th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	4th JULY, 1903, P. M.							5th JULY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,..	2 p.	29.90	66	...	W	2	c	7 a.	29.76	61	99	NE	3	c
Nemuro, ...	„	29.80	...	...	NW	6	...	6 a.	29.84	...	...	SE	4	...
Hakodate, ...	„	29.89	...	...	W	6	...	„	29.91	...	...	...	0	...
Tokio,.....	„	29.94	...	...	NW	2	...	„	29.63	...	...	NW	2	...
Kochi, ...	„	29.60	...	...	E	8	...	„	29.68	...	...	E	2	...
Nagasaki, ...	„	29.64	...	...	NE	8	...	„	29.68	...	...	N	6	...
Kagoshima,....	„	29.64	...	...	SW	4	...	„	29.73	...	...	NW	2	...
Ishima, ...	„	29.73	...	...	SW	4	...	„	29.73	...	...	SW	2	...
Naha, ...	„	29.77	...	...	SW	4	...	„	29.74	...	...	S	2	...
Isigakijima, ..	„	29.77	...	...	SW	4	...	„	29.74	...	...	SW	4	...
Taihoku,.....	1 p.	29.72	...	...	W	2	...	5 a.	29.69	...	...	S	2	...
Taichu, ...	„	29.76	...	...	S	4	...	„	29.71	...	...	...	0	...
Tainan, ...	„	29.79	...	...	W	4	...	„	29.72	...	...	SW	2	...
Kosbun,.....	„	29.76	...	...	NE	4	...	„	29.73	...	...	...	0	...
Pescadores, ...	„	29.77	...	...	SW	4	...	„	29.71	...	...	SW	6	...
Weihaiwei.....	3 p.	29.74	67	...	S	1	...	9 a.	...	...	...	...	...	...
Chefoo, ...	„	29.79	71	95	E	3	cv	„	29.81	69	95	ESE	2	omr
Sharp Peak, ..	„	29.64	82	91	E	4	o	„	29.70	78	93	NE	1	og
Amoy, ...	2.30p.	29.71	86	80	SE	2	c	6.30a.	29.73	81	91	SSW	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	93	64	S	2	c	„	...	91	65	S	1	b
Hongkong	4 p.	29.70	86	66	S	1	c	10 a.	29.76	86	74	WSW	1	o
Victoria Peak,.	„	...	...	...	SSW	2	...	„	...	...	...	SW	3	...
Cap Lock	„	29.69	...	...	SSW	1	...	„	29.74	...	...	SSW	2	...
Macao, ...	„	29.69	85	...	SSE	1	c	„	29.75	84	...	SW	1	...
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.69	90	66	WSW	2	c	„	29.76	88	72	W	...	c
Malate, ...	3 p.	...	...	...	SW	2	c	9 a.	...	...	...	W	2	c
Pacolet, ...	„	...	...	...	SW	2	o	„	...	...	...	S	...	c
Iloilo, ...	„	29.77	89	...	W	2	c	„	29.79	84	...	...	0	c
Cebu, ...	„	29.76	85	...	...	0	c	„	29.81	88	...	S	1	c
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 11.30a. The depression has moved Eastwards along the S. coast of Japan, and lies now over the SE. coast, where the barometer has fallen quickly.

A further slight decrease of pressure has taken place over the China coast and Philippines, and pressure is low over the Pacific to the E. of Luzon.

Light or moderate S. to E. winds in the Formosa Channel, and light variable winds over the N. part of the China Sea.

Forecast:— light SW. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 5th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

5th JULY, 1903, P. M. 6th JULY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,..	2 p.	29.74	80	...	N	3	c	7 a.	29.67	60	99	.	0	f
Nemuro, ...	„	29.84	...	...	E	6	...	6 a.	29.69	...	...	NE	4	...
Hakodate, ...	„	29.73	...	...	SE	8	...	„	29.70	...	...	...	0	...
Tokio,.....	„	29.63	...	...	...	0	...	„	29.71	...	...	...	0	...
Kochi, ...	„	29.64	...	...	E	4	...	„	29.75	...	...	N	4	...
Nagasaki, ...	„	29.72	...	...	W	4	...	„	29.79	...	...	N	2	...
Kagoshima,....	„	29.72	...	...	W	2	...	„	29.79	...	...	E	2	...
Oshima, ...	„	29.76	...	...	N	2	...	„	29.73	...	...	S	2	...
Naha, ...	„	29.74	...	...	SW	4	...	„	29.74	...	...	S	2	...
Isaigakijima, ...	„	29.74	...	...	SW	6	...	„	29.74	...	...	SW	4	...
Tailoku,.....	1 p.	29.71	...	...	W	4	...	5 a.	29.70	...	...	S	2	...
Taichu, ...	„	29.72	...	...	SW	4	...	„	29.71	...	...	...	0	...
Tairan, ...	„	29.75	...	...	W	6	...	„	29.70	...	...	...	0	...
Koshun, ...	„	29.72	...	...	NW	6	...	„	29.71	...	...	...	0	...
Tereredores, . ..	„	29.79	.	...	SW	4	...	„	29.71	...	...	SW	4	...
Weihaiwei.....	3 p.	29.78	70	...	W	2	b	9 a.	...	...	...	...	...	...
Cetzlaff.	„	29.78	70	95	SE	2	cnd	„	29.81	67	100	ENE	3	om
Sharp Peak, ..	„	29.62	82	91	SW	3	o	„	29.70	78	89	E	2	o
Amoy, ...	2.20p.	29.69	87	76	SE	2	c	6.20a.	29.72	83	87	SW	1	c
Swatow, ...	3 p.	29.68	85	...	NW	1	cr	9 a.	...	...	...	...	...	...
Canton, ...	„	...	96	53	S	1	c	„	...	87	80	...	0	b
Hongkong	4 p.	29.66	86	74	SSW	1	o	10 a.	29.74	85	76	SW	2	o
Victoria Peak,.	„	...	...	...	SSW	4	...	„	...	...	...	SSW	3	...
Cap Peak.....	„	29.67	...	...	SSW	3	...	„	29.73	...	...	SSW	3	...
Macao, ...	„	29.67	84	...	SW	1	c	„	29.73	84	...	SW	1	c
Paijberg, . . .	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.65	88	72	WSW	2	c	„	29.72	86	78	WSW	1	c
Malate, ...	3 p.	...	...	...	SW	2	o	9 a.	...	...	...	NW	1	b
Tacloc	„	...	...	...	S	4	c	„	...	...	...	...	0	o
Iloilo, ...	„	29.72	88	...	SW	3	o	„	...	84	...	...	0	c
Cebu, ...	„	29.71	89	...	S	2	b	„	29.80	88	...	S	1	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.55a. The barometer has fallen over NE. Japan, risen in W. Japan.
The depression has passed to the E. of Japan.
Pressure is highest over the Yellow Sea, and remains low over the Pacific to the E. of Luzon.
Gradients slight with light variable winds along the China coast and over the N. part of the China Sea.
Forecast:— light SW. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 6th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.67	84	...	SE	0	b	7 a.	29.67	63	98	.	0	b
Nemuro,	,,	29.69	...	...	S	4	...	6 a.	29.76	...	...	N	2	...
Hakodate,	,,	29.73	...	...	S	4	...	,,	29.85	...	...	W	2	...
Tokio,	,,	29.78	...	...	E	4	...	,,	29.90	...	...	NW	2	...
Kochi,	,,	29.75	...	...	NE	2	...	,,	29.79	...	...	E	6	...
Nagasaki,	,,	29.75	...	...	SW	4	...	,,	29.72	...	...	E	2	...
Kagoshima,	,,	29.79	...	...	...	0	...	,,	29.72	...	...	E	6	...
Oshima,	,,	29.76	...	...	N	2	...	,,	29.73	...	...	S	4	...
Naha,	,,	29.74	...	...	S	2	...	,,	29.70	...	...	SE	2	...
Ishigakijima,	,,	...	...	...	...	...	...	,,	29.66	...	...	...	0	...
Taihoku,	1 p.	29.68	...	...	NW	4	...	5 a.	29.65	...	...	...	0	...
Taichu,	,,	29.68	...	...	SW	4	...	,,	29.68	...	...	SE	2	...
Tainan,	,,	29.67	...	...	N	6	...	,,	29.69	...	...	S	2	...
Koshun,	,,	29.70	...	...	W	4	...	,,	29.68	...	...	...	0	...
Pescadores,	,,	29.70	.	...	SW	4	...	,,	29.68	...	...	SW	6	...
Weihaiwei,	3 p.	29.84	77	...	E	2	...	9 a.	29.80	74	...	N	3	...
Gutzlaff,	,,	...	...	...	...	...	...	,,	29.79	68	95	NNE	4	om
Sharp Peak,	,,	29.61	79	91	E	2	o	,,	29.63	80	96	E	2	og
Amoy,	2.30 p.	29.62	87	80	SE	3	c	6.30a.	29.66	83	87	S	2	c
Swatow,	3 p.	...	89	...	SW	2	c	9 a.	...	...	...	...	...	...
Canton,	,,	...	95	58	SE	1	b	,,	...	86	80	...	0	b
Hongkong,	4 p.	29.66	86	70	SW	1	o	10 a.	29.71	86	74	SW	2	o
Victoria Peak,	,,	...	...	...	SW	3	...	,,	...	...	...	SSW	4	...
Cap Rock,	,,	29.65	...	...	SW	3	...	,,	29.69	...	...	SW	3	...
Macao,	,,	29.65	87	...	SSW	1	c	,,	29.69	86	...	SW	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.65	86	79	WSW	3	o	,,	29.76	88	79	...	0	c
Malate,	3 p.	...	...	...	SW	3	o	9 a.	...	...	...	...	0	c
Pacoled,	,,	...	...	...	S	2	o	,,	...	...	...	S	2	...
Iloilo,	,,	..	85	...	SW	3	cr	,,	...	80	...	SW	2	r
Cebu,	,,	29.72	86	...	S	2	c	,,	29.88	88	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.55a. The barometer has risen moderately over E. Japan, fallen slightly over W. Japan and the China coast.

A shallow depression is lying over the Eastern Sea between the E. coast of China and SW. Japan.

Pressure is relatively high over SE. Japan, and the NE. coast of China, still low over the Pacific to the NE. of Luzon.

Moderate NE. winds along the E. coast of China and the N. part of the Formosa Channel, light or moderate SW monsoon over the N. part of the China Sea.

Forecast:— light or moderate SW. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 7th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

7th JULY, 1903, P. M. — 8th JULY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.66	72	...	SE	3	b	7 a.	29.63	61	99	SE	1	o
Nemuro,	,,	29.84	...	...	N	2	...	6 a.	29.88	...	...	SE	2	...
Hakodate,	,,	29.85	...	...	...	0	...	,,	29.81	...	...	E	4	...
Tokio,	,,	29.90	...	...	...	0	...	,,	29.71	...	...	N	3	...
Kochi,	,,	29.75	...	...	I	2	...	,,	29.64	...	...	W	8	...
Nagasaki,	,,	29.64	...	...	S	10	...	,,	29.68	...	...	N	2	...
Fogeshima,	,,	29.68	...	...	S	2	...	,,	29.68	...	...	...	2	...
Oshima,	,,	29.69	...	...	SE	4	...	,,	29.65	...	...	S	4	...
Fukua,	,,	29.70	...	...	S	4	...	,,	29.66	...	...	...	0	...
Sasebo,	,,	29.70	...	...	SW	4	...	,,	29.66	...	...	N	2	...
Tsuchin,	1 p.	29.65	...	...	W	4	...	5 a.	29.72	...	...	...	0	...
Unden,	,,	29.66	...	...	SW	6	...	,,	29.68	...	...	NE	2	...
Saiyen,	,,	...	...	...	...	...	...	,,	29.68	...	...	N	2	...
Koshun,	,,	29.65	...	...	NW	6	...	,,	29.68	...	...	...	0	...
Tosseideres,	,,	29.69	...	...	SW	4	...	,,	29.69	...	...	NE	6	...
Weihaiwei,	3 p.	29.74	77	...	NW	2	b	9 a.	29.77	80	...	NNW	2	b
Chefoo,	,,	29.78	74	81	NNE	5	cv	,,	29.84	72	85	NE	3	cv
Sharp Peak,	,,	29.67	74	88	E	7	og	,,	29.76	74	86	N	1	og
Amoy,	2.30 p.	29.59	89	73	SE	3	c	6.30a.	29.77	77	86	NE	2	o
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	,,	...	95	65	SE	1	b	,,	...	...	...	...	....	...
Hongkong	4 p.	29.65	87	62	SW	1	o	10 a.	29.73	86	72	W	1	c
Victoria Peak,	,,	...	...	...	SW	5	...	,,	...	...	...	SW	2	....
Cap Peck,	,,	29.65	...	...	WSW	3	...	,,	...	...	...	...	...	...
Macao,	,,	29.64	86	...	SW	1	c	,,	29.72	85	...	SE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.69	88	72	SW	3	c	,,	29.80	88	72	WSW	2	...
Malate,	3 p.	...	...	...	W	2	c	9 a.	...	...	...	...	0	c
Pacolod,	,,	...	...	...	...	0	o	,,	...	...	...	SW	6	or
Iloilo,	,,	,,	81	...	W	1	or	,,	...	81	...	SW	2	o
Cebu,	,,	29.78	88	...	W	1	o	,,	29.86	89	...	S	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 12.5p. The barometer has fallen over Central Japan, risen on the China coast. The depression is moving NE. over the S. part of the Sea of Japan. Pressure appears to be low also over the Pacific to the SE. of the Loochoos, and relatively high over NE. China.

Moderate NE. winds in the Formosa Channel, and moderate SW. monsoon over the N. part of the China Sea.

Forecast:— SW. and variable winds, light or moderate; fine at first, probably thundershowers later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 8th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2 p.	29.65	63	...	..	0	o	7 a.	29.61	58	99	S	3	o
Nemuro, ...	,,	29.84	...	...	S	6	...	6 a.	29.76	...	...	NE	6	...
Hakodate, ...	,,	29.73	...	...	E	4	...	,,	29.73	...	...	SE	4	...
Tokio,.....	,,	29.71	...	...	...	0	...	,,	29.71	...	...	S	6	...
Kochi, ...	,,	29.64	...	...	W	10	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	29.64	...	...	N	4	...	,,	29.64	...	...	N	6	...
Kagoshima.....	,,	29.64	...	...	NW	4	...	,,	29.60	...	...	W	4	...
Oshima, ...	,,	29.57	...	...	E	2	...	,,	29.73	...	...	NW	4	...
Naha, ...	,,	29.58	...	...	NW	6	...	,,	29.77	...	...	N	2	...
Ishigakijima, ...	,,	29.70	...	...	NW	2	...	,,	29.74	...	...	NE	4	...
Taihoku,.....	1 p.	29.72	...	...	NW	2	...	5 a.	29.77	...	...	E	2	...
Taichu, ...	,,	29.68	...	...	N	4	...	,,	29.73	...	...	...	0	...
Tainan, ...	,,	29.70	...	...	W	4	...	,,	29.73	...	...	...	0	...
Koshun, ...	,,	29.70	...	...	NW	4	...	,,	29.75	...	...	E	2	...
Pescadores, . ..	,,	29.71	.	...	NW	2	...	,,	...	...	...	...	...	...
Weihaiwei.....	3 p.	29.69	85	...	N	1	...	9 a.	29.73	83	...	NW	2	...
Outzlaf, ...	,,	29.81	74	81	NNE	3	cv	,,	29.88	74	86	NE	2	cv
Sharp Peak, ..	,,	29.74	75	84	E	1	o	,,	29.80	74	86	N	3	og
Amoy, ...	2.30p.	29.76	76	91	NE	3	o	6.30a.	29.81	75	90	NE	1	o
Swatow.	3 p.	29.72	72	...	E	2	o	9 a.	...	78	...	E	2	c
Canton, ...	,,	...	84	83	NE	1	o	,,	...	83	87	S	1	o
Hongkong, ...	4 p.	29.65	86	68	S	1	o	10 a.	29.77	79	93	E	2	o
Victoria Peak..	,,	...	...	...	SSW	1	...	,,	...	...	...	ESE	2	...
Cap Rock.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao, ...	,,	29.65	86	...	SSE	1	c	,,	29.75	84	...	SE	1	c
Haiphong, . .	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.72	88	72	SSW	1	o	,,	29.84	86	78	SW	1	o
Malate, ...	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	...	0	or
Pacolod, . .	,,	...	...	...	S	2	o	,,	...	...	...	S	2	b
Iloilo, ...	,,	..	83	...	SW	2	or	,,	...	84	...	...	0	c
Cebu, ...	,,	29.76	88	...	N	2	b	,,	29.84	87	...	..	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at noon. The barometer has fallen over Japan, risen over the Loochoos and China coast. The depression lying E. of the Loochoos yesterday has moved NE. and lies now off the S. coast of Central Japan. Pressure is low also over Manchuria.

Pressure is relatively high over the E. coast of China and the middle part of the China Sea.

Moderate NE. winds in the Formosa Channel, and moderate S. monsoon over the N. part of the China Sea.

Forecast:— E. to SE. winds, moderate; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 9th July 1903.

CHINA COAST METEOROLOGICAL REGIST

	9th JULY, 1903, P. M.							10th JULY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	29.09	...	...	N	6	...	6 a.	29.57	...	...	W	4	...
Hakodate,	"	29.06	...	...	SE	8	...	"	29.73	...	...	...	0	...
Tokio,	"	29.55	...	...	S	3	...	"	29.78	...	...	...	0	...
Kochi,	"	29.64	...	...	W	2	...	"	29.79	...	...	...	0	...
Nagasaki,	"	29.72	...	...	SW	6	...	"	29.83	...	...	SE	2	...
Kagoshima,	"	29.68	...	...	W	4	...	"	29.87	...	...	N	2	...
Ushima,	"	29.76	...	...	N	4	...	"	29.88	...	...	...	0	...
Naha,	"	29.81	...	...	NW	4	...	"	29.85	...	...	NE	2	...
Ishigakijima,	"	29.77	...	...	E	6	...	"	29.81	...	...	NW	2	...
Taihoku,	1 p.	29.78	...	...	NE	2	...	5 a.	29.80	...	...	E	4	...
Taichu,	"	29.74	...	...	NW	4	...	"	29.78	...	...	...	0	...
Tainan,	"	29.74	...	...	W	4	...	"	29.77	...	...	NE	2	...
Koshun,	"	29.76	...	...	E	4	...	"	29.78	...	...	...	0	...
Pescadores,	"	29.76	...	...	NE	6	...	"	29.78	...	...	NE	4	...
Weihaiwei	3 p.	29.73	80	...	NW	3	c	9 a.	29.77	85	...	E	1	...
Gutzlaff,	"	29.88	75	77	NNE	2	cv	"	29.93	75	81	SSE	2	cv
Sharp Peak,	"	29.81	75	86	E	2	o	"	29.87	74	88	NW	2	o
Amoy,	2.30p.	29.79	81	78	NE	2	c	6.30a.	29.86	77	82	NE	2	o
Swatow,	3 p.	29.71	82	...	E	2	c	9 a.	...	78	...	E	2	c
Canton,	"	...	99	77	S	1	b	"	...	86	79	E	1	o
Hongkong	4 p.	29.69	82	87	E	3	o	10 a.	29.78	81	85	E	3	oq
Victoria Peak,	"	...	...	...	ESE	3	...	"	...	...	...	E	3	...
Cap Beck	"	29.68	...	...	ESE	2	...	"	29.74	...	...	ENE	5	...
Macao,	"	29.68	85	...	SE	1	c	"	29.76	84	...	E	1	c
Haijhong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.72	84	77	W	3	o	"	29.76	88	72	...	0	o
Malate,	3 p.	...	...	...	W	3	o	9 a.	...	...	...	E	2	o
Bacolod,	"	...	...	...	SW	2	o	"	...	...	...	...	0	o
Iloilo,	"	..	86	...	SW	1	o	"	...	83	...	...	0	c
Cebu,	"	29.78	88	...	...	0	c	"	29.84	84	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 11.35a. The depression in the North has passed to the NE. of Japan.
The barometer has risen quickly over Central and W. Japan, and slightly over the E. coast of China.
A fall has occurred over Luzon.
Pressure is high between the E. coast of China and W. Japan. A low pressure trough, in which a circular depression may form shortly, lies over the N. part of the China Sea.
Fresh NE. winds in the Formosa Channel, and off the S. coast of China.
Forecast:— fresh NE. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 10th July 1903.

CHINA COAST METEOROLOGICAL REGISTER

Station.	10th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.64	70	...	SE	1	or	7 a.	29.69	59	84	...	0	b
Nemuro,	„	29.61	...	...	S	6	...	6 a.	29.65	...	...	...	0	...
Hakodate,	„	29.70	...	...	W	8	...	„	29.73	...	...	...	0	...
Tokio,	„	29.78	...	...	S	4	...	„	29.82	...	...	SW	2	...
Kochi,	„	29.83	...	...	...	0	...	„	29.91	...	...	...	0	...
Nagasaki,	„	29.83	...	...	SW	6	...	„	29.95	...	...	SW	8	...
Kagoshima,	„	29.87	...	...	...	0	...	„	29.95	...	...	NE	2	...
Oshima,	„	29.84	...	...	S	4	...	„	29.92	...	...	...	0	...
Naha,	„	...	...	...	...	...	...	„	29.85	...	...	...	0	...
Sakishima,	„	29.81	...	...	E	6	...	„	29.81	...	...	N	2	...
Tadoku,	1 p.	29.80	...	...	E	6	...	6 a.	29.80	...	...	SE	2	...
Taichu,	„	29.76	...	...	NW	6	...	„	29.79	...	...	...	0	...
Tainan,	„	29.77	...	...	NW	6	...	„	29.79	...	...	E	2	...
Koshun,	„	29.78	...	...	NW	2	...	„	29.80	...	...	...	0	...
Pescadores,	„	29.79	...	...	N	6	...	„	29.80	...	...	NE	6	...
Weihaiwei,	3 p.	29.72	70	...	NW	2	...	9 a.	29.81	84	...	E	1	...
Chefoo,	„	29.91	75	86	SE	3	cv	„	...	...	...	...	...	...
Sharp Peak,	„	29.84	74	80	NNE	2	o	„	29.83	73	93	NW	3	og
Amoy,	2.30p.	29.81	83	79	NE	2	c	6.30a.	29.86	79	87	NE	1	c
Swatow,	3 p.	29.74	82	...	E	3	c	9 a.	29.83	81	...	NE	4	b
Canton,	„	...	89	77	E	2	cd	„	....	83	83	E	2	c
Pakhoy,	4 p.	29.71	82	81	E	4	oq	10 a.	29.77	81	81	E	3	oq
Victoria Peak,	„	...	...	...	E	5	...	„	...	...	...	ESE	5	...
Cap Lecl	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Macao,	„	29.70	75	...	ESE	1	c	„	29.76	84	...	ENE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.72	81	78	SE	1	o	„	29.80	86	78	...	0	c
Malate,	3 p.	...	...	...	E	2	o	9 a.	...	...	...	...	0	c
Pacolet,	„	...	...	...	S	2	b	„	...	...	...	...	0	b
Iloilo,	„	..	87	...	SW	1	c	„	...	85	...	...	0	c
Cebu	„	29.74	87	...	...	0	c	„	29.83	84	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 12.5p. Red South Cone hoisted. The barometer has risen over Japan, and is little changed elsewhere.

Pressure remains high between the E. coast of China and W. Japan.

There are still indications of the existence of a depression in the China Sea to the E. or NE. of the Paracels.

Moderate NE. winds in the Formosa Channel, and strong NE. winds off the S. coast of China.

Forecast:— fresh to strong NE. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 11th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

11th JULY, 1903, P. M. — 12th JULY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.70	75	...	NE	1	b	7 a.	29.77	63	99	S	1	o
Nemuro,	"	29.57	...	...	SW	8	...	6 a.	29.80	...	...	S	2	...
Hakodate,	"	29.70	...	...	SW	6	...	"	29.85	...	...	...	0	...
Tokio,	"	29.82	...	...	S	6	...	"	29.90	...	...	...	0	...
Kochi,	"	29.95	...	...	W	2	...	"	29.91	...	...	...	0	...
Nagasaki,	"	29.95	...	...	W	6	...	"	29.91	...	...	...	0	...
Kagoshima,	"	29.95	...	...	SE	2	...	"	29.87	...	...	E	4	...
Oshima,	"	29.88	...	...	E	2	...	"	29.84	...	...	...	0	...
Naha,	"	29.85	...	...	S	4	...	"	29.85	...	...	...	0	...
Ishigakijima,	"	29.81	...	...	W	2	...	"	29.81	...	...	...	0	...
Taihoku,	1 p.	29.78	...	...	NE	2	...	5 a.	29.81	...	...	...	0	...
Taichu,	"	29.77	...	...	NW	6	...	"	29.79	...	...	E	2	...
Tainan,	"	29.78	...	...	W	6	...	"	29.78	...	...	NE	2	...
Koshun,	"	29.81	...	...	E	2	...	"	29.79	...	...	...	0	...
Pescadores,	"	29.80	...	...	N	8	...	"	29.79	...	...	N	4	...
Weihaiwei,	3 p.	29.76	89	...	E	2	b	9 a.	...	...	...	...	1	...
Gutzlaff,	"	29.92	78	74	SE	3	cv	"	...	72	95	SE	3	omd
Sharp Peak,	"	29.81	77	88	E	2	o	"	29.80	78	91	...	0	o
Amoy,	2.30p.	29.77	83	79	SE	3	c	6.30a.	29.83	81	87	NE	1	c
Swatow,	3 p.	29.81	83	...	E	3	b	9 a.	...	...	...	...	...	...
Canton,	"	...	90	70	E	2	o	"	...	...	...	...	...	...
Hongkong,	4 p.	29.72	81	80	E	4	oq	10 a.	29.79	83	85	E	2	op
Victoria Peak,	"	...	...	...	E	5	...	"	...	...	...	ESE	3	...
Gap Rock,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Macao,	"	29.70	85	...	ESE	1	c	"	29.78	87	...	ESE	2	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.72	90	73	SW	1	c	"	29.80	88	72	...	0	c
Malate,	3 p.	...	...	...	SW	1	b	9 a.	...	...	...	...	0	c
Bacolod,	"	...	...	...	SW	2	o	"	...	...	...	...	0	b
Iloilo,	"	..	85	...	W	2	cr	"	...	83	...	...	0	b
Cebu,	"	29.78	86	...	...	0	o	"	29.84	85	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.30a. The barometer has risen over E. Japan, fallen slightly over W. Japan and the E. coast of China.

In Hongkong the barometer is steady and the depression, probably lying in the neighbourhood of the Paracels, appears to be moving slowly Westwards.

Pressure is highest over Central Japan.

Moderate NE. winds in the Formosa Channel, and strong NE. and E. winds off the coast to the Westward of Hongkong.

Forecast:— E. to SE. winds, fresh or moderate ;squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 12th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

12th JULY, 1903, P. M. | 13th JULY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.75	67	...	S	3	o	7 a.	29.86	63	99	S	1	f
Nemuro,	„	29.84	...	...	S	6	...	6 a.	29.96	...	...	S	2	...
Hakodate,	„	29.89	...	...	S	4	...	„	30.05	...	...	...	0	...
Tokio,	„	29.90	...	...	S	2	...	„	30.06	...	...	N	2	...
Kochi,	„	29.95	...	...	...	0	...	„	29.95	...	...	E	4	...
Nagasaki,	„	29.87	...	...	SW	4	...	„	29.91	...	...	...	0	...
Kagoshima,	„	29.91	...	...	E	4	...	„	29.91	...	...	E	2	...
Oshima,	„	29.88	...	...	SE	2	...	„	29.88	...	...	S	2	...
Naha,	„	29.85	...	...	S	2	...	„	29.89	...	...	...	0	...
Isigakijima,	„	29.85	...	...	S	6	...	„	29.85	...	...	SW	4	...
Taihoku,	1 p.	29.77	...	...	N	6	...	5 a.	29.82	...	...	SE	2	...
Taichu,	„	29.76	...	...	N	6	...	„	29.81	...	...	...	0	...
Tainan,	„	29.77	...	...	NW	4	...	„	29.85	...	...	NE	2	...
Kosbun,	„	29.80	...	...	E	2	...	„	29.83	...	...	...	0	...
Pescadores,	„	29.80	.	...	N	6	...	„	29.82	...	...	S	2	...
Weihaiwei,	3 p.	..	85	...	SW	3	...	9 a.	...	...	...	...	...	...
Gutzlaff,	„	29.88	77	100	SE	4	omr	„	29.82	74	98	SSE	2	f
Sharp Peak,	„	29.77	79	89	E	3	c	„	29.79	81	91	...	0	o
Amoy,	2.30p.	29.78	85	76	SE	4	c	6.30a.	29.83	21	87	SE	1	c
Swatow,	3 p.	29.80	83	...	E	3	b	9 a.	...	...	...	...	...	...
Canton,	„	...	85	87	SE	1	c	„	...	84	87	E	1	c
Hongkong	4 p.	29.74	81	86	E	3	odq	10 a.	29.79	83	87	E	2	o
Victoria Peak,	„	...	...	...	ESE	2	...	„	...	...	...	SE	3	...
Cap Rock	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Macao,	„	29.72	87	...	ESE	1	c	„	29.78	86	...	ESE	2	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.76	88	66	SSW	1	cd	„	29.80	88	72	WNW	1	c
Malate,	3 p.	...	...	...	SW	2	o	9 a.	...	...	...	SW	1	c
Pasolee,	„	...	...	...	...	0	ot	„	...	...	...	...	0	o
Iloilo,	„	..	86	...	SW	2	c	„	...	84	...	NE	1	c
Cebu,	„	29.76	87	...	...	0	c	„	29.82	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 6.30p. Red South Cone lowered.

On the 13th at 11.55a. The barometer has risen over Japan, fallen on the E. coast of China. The China Sea depression has probably moved into the Gulf of Tongking.

Pressure is high over Japan, relatively low over Central China.

Gradients are slight for SE. winds in the Formosa Channel and off the S. coast of China.

Forecast:— lights SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 13th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,.	2 p.	29.83	66	...	S	2	c	7 a.	29.87	61	99	S	2	f
Nemuro, ...	„	30.00	...	...	SE	6	...	6 a.	30.04	...	...	...	0	...
Hakodate.	„	30.01	...	...	SE	4	...	„	30.05	...	...	NW	2	...
Tokio.....	„	30.06	...	...	S	4	...	„	30.02	...	...	S	6	...
Kochi, ...	„	29.99	...	...	N	6	...	„	29.99	...	...	W	6	...
Nagasaki, ...	„	29.91	...	...	SE	6	...	„	29.87	...	...	SW	2	...
Kagoshima.....	„	29.91	...	...	SW	2	...	„	29.95	...	...	SW	6	...
Oshima.	„	29.92	...	...	SE	6	...	„	29.96	...	...	S	2	...
Naha, ...	„	29.89	...	...	SE	2	...	„	29.97	...	...	...	0	...
Isoigakijima, ...	„	29.85	...	...	S	4	...	„	29.89	...	...	S	4	...
Taihoku,.....	1 p.	29.83	...	...	...	0	...	5 a.	29.89	...	...	S	2	...
Taichu, ...	„	29.81	...	...	NW	2	...	„	29.88	...	...	SE	2	...
Tainan, ...	„	29.83	...	...	SE	4	...	„	29.89	...	...	...	0	...
Koshun, ...	„	29.87	...	...	SE	4	...	„	29 90	...	...	SE	2	...
Pescadores, . ..	„	29.83	.	...	W	2	...	„	29.88	...	...	...	0	...
Weihaiwei.....	3 p.	29.79	80	...	SE	3	...	9 a.	...	...	...	...	...	...
Gutzlaff.	„	29.80	77	95	S	2	cm	„	29.89	77	91	S	2	cv
Sharp Peak. ..	„	29.77	81	91	ENE	2	o	„	29 85	83	87	...	0	o
Amoy, ...	2.30p.	29.79	85	79	ESE	3	c	6.30a.	29.91	81	91	SSE	1	c
Swatow.	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	90	73	E	1	o	„	...	85	83	E	1	b
Hongkong	4 p.	29.76	81	89	ENE	2	cp	10 a.	29 89	84	85	E	1	o
Victoria Peak,.	„	...	...	...	SSE	2	...	„	...	...	...	SE	3	...
Cap Rock.	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Macao, ...	„	29.74	85	...	S	1	o	„	29.87	85	...	ESE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.72	90	62	SE	2	c	„	29.88	84	71	NNW	1	o
Malate,.....	3 p.	...	...	...	E	2	c	9 a.	...	...	...	...	0	o
Pacolet, ...	„	...	...	...	N	4	o	„	...	...	...	N	2	b
Iloilo, ...	„	..	89	...	NW	1	c	„	...	85	...	...	0	c
Cebu;	„	29.68	87	...	N	2	c	„	29.86	86	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.40a. The barometer has risen generally, except over S. Japan.
Pressure is high over the Pacific to the E. and S. of Japan, and relatively low over N. China.
Gradients slight generally with light or moderate E. and SE. winds in the Formosa Channel and over the N. part of China Sea.
Forecast:— light SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 14th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,.	2 p.	29.91	64	...	S	2	f	7 a.	29.83	64	99	..	0	f
Nemuro, ...	„	30.00	...	...	SE	4	...	6 a.	29.96	...	...	...	0	...
Hakodate, ...	„	30.01	...	...	S	4	...	„	29.97	...	...	...	0	...
Tokio,.....	„	30.02	...	...	S	4	...	„	29.98	...	...	SW	2	...
Kochi, ...	„	29.99	...	...	W	6	...	„	29.99	...	...	W	8	...
Nagasaki, ...	„	29.95	...	...	...	0	...	„	29.99	...	...	SE	2	...
Kagoshima.....	„	29.99	...	...	...	0	...	„	30.03	...	...	...	0	...
Oshima, ...	„	30.00	...	...	S	4	...	„	30.00	...	...	...	0	...
Naha, ...	„	29.97	...	...	SE	2	...	„	29.97	...	...	...	0	...
Ishigakijima, ...	„	29.93	...	...	S	4	...	„	29.93	...	...	S	4	...
Tsiloku,.....	1 p.	29.89	...	...	NW	4	...	5 a.	29.90	...	...	S	2	...
Tsichu, ...	„	29.87	...	...	NW	2	...	„	29.89	...	...	...	0	...
Tainan, ...	„	29.88	...	...	W	4	...	„	29.88	...	...	NE	2	...
Koshun, ...	„	29.91	...	...	E	4	...	„	29.89	...	...	...	0	...
Pescadores. ..	„	29.91	.	...	W	2	...	„	29.89	...	...	N	2	...
Weihaiwei.....	3 p.	29.79	76	...	SSE	1	...	9 a.	...	...	...	...	...	...
Gutzlaff.	„	29.86	79	95	SSW	2	bm	„	...	...	...	...	...	...
Sharp Peak. ..	„	29.84	83	83	ESE	3	o	„	29.86	81	87	...	0	o
Amoy, ...	2.30p.	29.89	88	80	ESE	3	b	6.30a.	29.92	83	87	SW	1	c
Swatow, ...	3 p.	29.84	87	...	E	2	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	87	72	SE	1	c	„	...	...	...	...	...	...
Hongkong	4 p.	29.86	83	86	ESE	3	o	10 a.	29 90	84	83	E	2	o
Victoria Peak,.	„	...	...	...	ESE	1	...	„	...	...	...	ESE	1	...
Cap Peak, ...	„	29.84	...	...	E	2	...	„	29.86	...	...	ENE	2	...
Macao, ...	„	29.86	84	...	ESE	2	c	„	29.89	85	...	ESE	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	90	61	...	0	o	„	29.84	81	76	E	1	o
Malate.....	3 p.	...	...	...	NW	1	ot	9 a.	...	...	...	NE	1	o
Pacoled, ...	„	...	...	...	...	0	o	„	...	...	...	...	0	b
Iloilo, ...	„	..	86	...	SW	2	o	„	...	82	...	NE	1	c
Cebu, ...	„	29.78	85	...	N	2	c	„	29.87	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.35a. The barometer has fallen over E. Japan and the E. coast of China, risen over W. Japan.

Pressure remains high over the Pacific to the S. and E. of Japan, and relatively low over N. China.

Gradients slight for SE. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— light E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 15th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,.	2 p.	...	...	...	...	...	...	7 a.	...	...	...	.	...	...
Nemuro, ...	„	29.88	...	...	SW	8	...	6 a.	29.84	...	...	SW	6	...
Hakodate, ...	„	29.97	...	...	SE	6	...	„	29.86	...	...	...	0	...
Tokio,.....	„	29.94	...	...	SW	4	...	„	29.90	...	...	...	0	...
Kochi, ...	„	29.99	...	...	W	4	...	„	29.99	...	...	...	0	...
Nagasaki, ...	„	29.95	...	...	SW	8	...	„	29.91	...	...	SW	6	...
Kagoshima,....	„	29.99	...	...	S	4	...	„	29.95	...	...	S	2	...
Oshima, ...	„	30.00	...	...	SE	4	...	„	29.96	...	...	...	0	...
Naha, ...	„	29.97	...	...	SE	2	...	„	29.93	...	...	...	0	...
Sagahijima, ...	„	29.93	...	...	S	6	...	„	29.89	...	...	S	4	...
Tailoku,.....	1 p.	29.91	...	...	NW	2	...	5 a.	29.88	...	...	SE	2	...
Taichu, ...	„	29.89	...	...	N	4	...	„	29.87	...	...	...	0	...
Tainan, ...	„	29.91	...	...	SW	6	...	„	29.87	...	...	NE	2	...
Koshun, ...	„	29.93	...	...	E	6	...	„	29.89	...	...	SE	4	...
Pescadores, ...	„	29.91	.	...	SW	2	...	„	29.87	...	...	...	0	...
Weihaiwei.....	3 p.	29.51	79	...	E	3	o	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.78	89	87	S	2	cv	„	...	...	...	...	...	...
Sharp Peak, ..	„	29.88	85	87	E	2	o	„	29.86	83	81	...	0	c
Amoy, ...	2.30p.	29.89	88	84	...	c	c	6.30a.	29.89	95	91	S	1	c
Swatow, ...	3 p.	29.87	86	...	SE	2	c	9 a.	29.90	84	...	E	1	cv
Canton, ...	„	...	96	62	...	0	b	„	...	85	87	SE	1	b
Hongkong	4 p.	29.88	84	81	ESE	2	c	10 a.	29.86	84	83	E	2	c
Victoria Peak,.	„	...	...	...	ESE	4	...	„	...	...	...	ESE	1	...
Cap Lock	„	29.87	...	...	ENE	3	...	„	29.86	...	...	E	2	...
Macao, ...	„	29.88	87	...	SSE	1	c	„	29.85	86	...	SE	1	c
Fuiphong, ..	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	82	79	ESE	1	o	„	29.88	86	71	SSE	1	c
Malate, ...	3 p.	...	...	...	SE	1	o	9 a.	...	...	...	W	1	c
Iloilo, ...	„	...	...	...	...	0	o	„	...	...	...	...	0	op
Iloilo, ...	„	..	87	...	W	1	c	„	...	82	...	E	1	o
Cebu, ...	„	29.83	88	...	S	1	c	„	29.91	82	...	...	0	c
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.5Ca. The barometer has fallen slightly over Japan and the China coast, risen a little over the Philippines.

A depression appears to be moving Eastwards over the NE. coast of China.

Pressure remains high over the Pacific to the South of Japan.

Gradients slight for SE. and E. winds in the Formosa Channel and the N. part of the China Sea.

Forecast:— light E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 16th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	16th JULY, 1903, P. M.							17th JULY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	29.26	67	...	S	2	f	7 a.	29.28	65	99	.	0	c
Nemuro,	„	29.76	...	...	S	6	...	6 a.	29.69	...	...	SE	6	...
Hakodate,	„	29.77	...	...	S	4	...	„	29.62	...	...	SW	8	...
Tokio	„	29.82	...	...	SE	2	...	„	29.82	...	...	...	0	...
Kochi,	„	29.91	...	...	W	2	...	„	29.87	...	...	W	6	...
Nagasaki,	„	29.87	...	...	SW	10	...	„	29.83	...	...	SW	6	...
Kagoshima	„	29.91	...	...	SE	2	...	„	29.91	...	...	...	2	...
Oshima,	„	29.92	...	...	NE	2	...	„	29.92	...	...	S	2	...
Naha,	„	29.93	...	...	SW	2	...	„	29.93	...	...	...	0	...
Isinigakijima,	„	29.93	...	...	S	4	...	„	29 89	...	...	SW	4	...
Taihoku,	1 p.	29.88	...	...	N	6	...	5 a.	29.87	...	...	S	2	...
Taichu,	„	29.88	...	...	N	0	...	„	29.87	...	...	...	0	...
Tainan,	„	29.90	...	...	SW	4	...	„	29.86	...	...	SE	2	...
Koshun,	„	29.90	...	...	E	2	...	„	29.86	...	...	...	0	...
Pescadores,	„	29.90	...	...	S	4	...	„	29.85	...	...	SE	2	...
Weihaiwei	3 p.	29.60	84	...	SSE	3	...	9 a.	...	...	...	...	...	...
Gutzlaff,	„	...	...	...	...	...	...	„	29.77	79	91	S	2	cm
Sharp Peak,	„	29.82	87	80	ESE	4	b	„	29.82	84	81	...	0	c
Amoy,	2.30p.	29.86	88	80	SE	3	b	6.30a.	29.87	84	87	SE	1	b
Swatow,	3 p.	29.82	87	...	E	2	c	9 a.	...	...	...	...	...	...
Canton,	„	...	84	75	E	2	o	„	...	87	76	SE	1	b
Hongkong	4 p.	29.80	85	77	E	2	o	10 a.	29.83	78	90	SE	1	odlt
Victoria Peak,	„	...	...	...	ESE	1	...	„	...	...	...	ESE	1	...
Gap Rock	„	29.79	...	...	E	2	...	„	29.81	...	...	SSE	1	...
Macao,	„	29.80	86	...	SSE	1	c	„	29.82	84	...	SW	2	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	90	61	SSE	2	o	„	29.92	84	77	WSW	2	o
Malate,	3 p.	...	...	...	S	2	o	9 a.	...	...	...	...	0	c
Bacolod	„	...	...	...	...	0	b	„	...	...	...	...	0	b
Iloilo,	„	..	86	...	...	0	o	„	...	83	...	...	0	o
Cebu,	„	29.89	84	...	N	3	c	„	29.90	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.20a. The barometer has fallen considerably about the Sea of Japan, and slightly on the China coast.

The depression lying over N. China yesterday, is moving into the N. part of the Sea of Japan.

Pressure remains high over the Pacific to the E. of the Loochoos.

Gradients continue slight for SE. and S. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— S. winds, light to moderate; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 17th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

17th JULY, 1903, P. M. 18th JULY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	„	29.61	...	...	S	8	...	6 a.	29.53	...	...	S	6	...
Hakodate,	„	29.62	...	...	SW	8	...	„	29.50	...	...	...	0	...
Tokio,	„	29.74	...	...	S	4	...	„	29.66	...	...	S	2	...
Kochi,	„	29.83	...	...	S	10	...	„	29.79	...	...	W	4	...
Nagasaki,	„	29.87	...	...	W	6	...	„	29.83	...	...	SW	10	...
Kagoshima,	„	29.91	...	...	N	4	...	„	29.91	...	...	W	2	...
Oshima,	„	29.92	...	...	S	2	...	„	29.92	...	...	...	0	...
Naha,	„	29.89	...	...	S	4	...	„	29.89	...	...	S	4	...
Ishigakijima,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Taihoku,	1 p.	29.85	...	...	NW	4	...	5 a.	29.87	...	...	S	2	...
Taichu,	„	29.85	...	...	NW	2	...	„	29.87	...	...	...	0	...
Tainan,	„	29.85	...	...	SE	2	...	„	29.87	...	...	SE	2	...
Koshun,	„	29.90	...	...	E	2	...	„	29.87	...	...	...	0	...
Pescadores,	„	29.85	.	...	SE	6	...	„	29.86	...	...	S	2	...
Weihaiwei,	3 p.	...	84	...	N	1	...	9 a.	29.62	71	...	W	1	o
Gutzlaff,	„	29.72	83	83	S	4	cv	„	...	78	91	S	4	cm
Sharp Peak,	„	29.77	87	74	ESE	4	c	„	29.84	84	79	...	0	c
Amoy,	2.30p.	29.81	86	72	S	2	c	6.30a.	29.88	82	87	SSW	1	cmd
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	„	...	89	73	SE	2	o	„	...	...	...	...	...	...
Hongkong	4 p.	29.78	81	86	E	1	c	10 a.	29.86	76	94	...	0	or
Victoria Peak,	„	...	...	...	S	1	...	„	...	...	...	SSW	3	...
Cap Rock,	„	29.78	...	...	ESE	3	...	„	29.84	...	...	SSW	5	...
Macao,	„	29.77	85	...	SE	2	c	„	29.85	83	...	SW	1	or
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.84	77	...	...	0	o	„	29.93	84	77	WNW	1	o
Malate,	3 p.	...	...	...	...	0	or	9 a.	...	...	...	...	0	o
Iloilo,	„	...	...	...	...	0	o	„	...	...	...	...	0	b
Iloilo,	„	..	86	...	SW	2	o	„	...	83	...	...	0	b
Cebu,	„	29.84	86	...	N	1	b	„	29.91	86	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.30a. The barometer has fallen over E. Japan, risen over N. China.
The depression appears to be moving Eastwards in the N. part of the Sea of Japan.
Pressure remains high over the Pacific between Luzon and the Loochoos.
Moderate S. monsoon in the Formosa Channel and over the N. part of the China Sea.
Forecast:— moderate S. winds; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 18th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	18th JULY, 1903, P. M.							19th JULY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. DIRECTION.	WIND. FORCE.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. DIRECTION.	WIND. FORCE.	WEATHER
Wladivostock.	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro.	,,	29.49	...	...	S	8	...	6 a.	29.57	...	...	S	2	...
Hakodate.	,,	29.54	...	...	W	2	...	,,	29.70	...	...	...	0	...
Tokio.	,,	...	...	...	SW	6	...	,,	29.78	...	...	...	0	...
Kochi.	,,	29.83	...	...	W	0	...	,,	29.83	...	...	W	2	...
Nagasaki.	,,	29.87	...	...	S	8	...	,,	29.83	...	...	SW	10	...
Kagoshima.	,,	29.87	...	...	W	8	...	,,	29.91	...	...	SW	4	...
Oshima.	,,	29.92	...	...	SE	2	...	,,	29.92	...	...	S	4	...
Naha.	,,	29.93	...	...	S	2	...	,,	29.93	...	...	...	0	...
Isaigi Ishiwa.	,,	29.84	...	...	E	4	...	,,	29.93	...	...	S	4	...
Tailoku.	1 p.	29.86	...	...	N	4	...	5 a.	29.89	...	...	...	0	...
Taichu.	,,	29.89	...	...	NW	0	...	,,	29.88	...	...	...	0	...
Tainan.	,,	29.87	...	...	SW	6	...	,,	29.87	...	...	S	2	...
Koshun.	,,	29.88	...	...	SE	4	...	,,	29.89	...	...	SE	2	...
Pescadores.	,,	29.87	...	...	W	4	...	,,	29.87	...	...	...	0	...
Weihaiwei	3 p.	29.56	71	...	W	1	...	9 a.	...	...	...	...	...	...
Gutzlaff.	,,	29.75	84	83	SSW	3	cv	,,	29.81	81	78	SSW	3	cv
Sharp Peak.	,,	29.78	84	79	E	6	b	,,	29.85	84	77	...	0	c
Amoy.	2.30p.	29.85	89	69	SE	4	c	6.30a.	29.89	87	88	SE	1	b
Swatow.	3 p.	29.83	84	...	WSW	1	c	9 a.	...	...	...	...	...	...
Capsing.	,,	...	83	87	S	2	c	,,	...	...	...	...	...	...
Hongkong.	4 p.	29.83	76	93	...	0	or	10 a.	29.85	82	79	E	2	c
Victoria Peak.	,,	...	...	...	SSW	3	...	,,	...	...	...	SE	3	...
Gap Rock.	,,	29.72	...	...	ESE	2	...	,,	29.83	...	...	SE	5	...
Macao.	,,	29.79	76	...	S	1	or	,,	29.80	83	...	ESE	2	cp
Haiphong.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila.	,,	29.84	82	93	SE	1	cm	,,	29.88	88	72	ESE	1	c
Malate.	3 p.	...	...	...	W	1	c	9 a.	...	...	...	E	2	b
Pacolod.	,,	...	...	...	...	0	c	,,	...	...	...	S	2	c
Iloilo.	,,	...	87	...	SW	2	or	,,	...	83	...	...	0	c
Cebu.	,,	29.88	87	...	...	0	c	,,	29.88	75	...	...	0	or
Cape S. James.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.40a. The barometer has risen over E. Japan and N. China, fallen slightly over the Philippines.

Pressure remains low over the N. part of the Sea of Japan, and high over the Pacific to the SE. of the Loochoos.

Gradients slight for SE. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday, 19th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	19th JULY, 1903, P. M.							20th JULY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,.	2 p.	29.51	68	...	N	1	c	7 a.	29.55	67	97	N	2	c
Nemuro, ...	„	29.61	...	...	S	6	...	6 a.	29.57	...	...	S	2	...
Hakodate, ...	„	29.66	...	...	SE	4	...	„	29.50	...	...	...	0	...
Tokio,.....	„	29.74	...	...	...	0	...	„	29.59	...	...	SW	6	...
Kochi, ...	„	29.79	...	...	W	2	...	„	29.79	...	...	W	10	...
Nagasaki, ...	„	29.83	...	...	S	10	...	„	29.79	...	...	SW	8	...
Kagoshima,....	„	29.87	...	...	SW	6	...	„	29.83	...	...	W	6	...
Oshima, ...	„	29.92	...	...	...	0	...	„	29.92	...	...	...	0	...
Naha, ...	„	29.97	...	...	S	2	...	„	29.93	...	...	...	0	...
Isaigakijima, ...	„	29.93	...	...	S	6	...	„	29.89	...	...	SW	6	...
Taihoku,.....	1 p.	29.89	...	...	NW	6	...	5 a.	29.83	...	...	S	2	...
Taichu, ...	„	29.87	...	...	W	4	...	„	29.91	...	...	S	4	...
Tainan, ...	„	29.87	...	...	SW	4	...	„	29.87	...	...	S	2	...
Koshun, ...	„	29.91	...	...	E	6	...	„	29.91	...	...	SE	2	...
Pescadores, ...	„	29.88	...	...	W	4	...	„	29.89	...	...	...	0	...
Weihaiwei.....	3 p.	29.58	79	...	N	2	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.79	86	84	SW	2	cv	„	29.84	82	87	WSW	1	bv
Sharp Peak, ..	„	29.82	84	81	SW	4	c	„	29.85	85	83	...	0	b
Amoy, ...	2.30p.	29.90	88	92	SE	2	...	6.30a.	29.91	85	79	SE	1	c
Swatow.	3 p.	29.85	86	...	E	3	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	84	87	E	1	c
Hongkong	4 p.	29.80	83	77	E	1	c	10 a.	29.87	84	72	SE	2	c
Victoria Peak,.	„	...	...	...	N	1	...	„	...	...	...	S	2	...
Cap Beek.....	„	29.78	...	...	SSE	4	...	„	29.86	...	...	SSE	2	...
Macao, ...	„	29.76	83	...	SE	2	c	„	29.83	86	...	S	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	86	65	NNE	1	o	„	29.88	84	77	...	0	o
Malate,.....	3 p.	...	...	...	N	2	o	9 a.	...	...	...	...	0	o
Bacolod, ...	„	...	...	...	N	2	b	„	...	...	...	...	0	o
Iloilo, ...	„	..	85	...	SW	2	o	„	...	84	...	SW	1	o
Cebu, ...	„	29.82	85	...	N	1	b	„	29.92	86	...	S	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.50a. The barometer has fallen over Japan and is little changed elsewhere.
The depression is still lying over the E. part of the Sea of Japan.
Pressure remains high over the Pacific to the SE. of the Loochoos.
Moderate S. monsoon in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 20th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.57	64	...	...	0	b	7 a.	29.41	62	39	S	4	or
Nemuro,	„	29.41	...	...	N	6	...	6 a.	29.65	...	...	...	0	...
Hakodate,	„	29.50	...	...	W	2	...	„	29.70	...	...	...	0	...
Tokio,	„	29.55	...	...	SW	4	...	„	29.67	...	...	...	0	...
Kochi,	„	29.68	...	...	W	2	...	„	29.68	...	...	...	0	...
Nagasaki,	„	29.76	...	...	SW	8	...	„	29.72	...	...	SW	6	...
Kagoshima,	„	29.79	...	...	SW	6	...	„	29.75	...	...	W	4	...
Oshima,	„	29.92	...	...	NW	4	...	„	29.84	...	...	...	0	...
Naha,	„	29.89	...	...	SW	2	...	„	29.85	...	...	...	0	...
Ishigakijima,	„	29.89	...	...	S	4	...	„	29.85	...	...	SW	4	...
Taihoku,	1 p.	29.85	...	...	N	4	...	5 a.	29.82	...	...	...	0	...
Taichu,	„	29.84	...	...	SW	4	...	„	29.83	...	...	...	0	...
Tainan,	„	29.84	...	...	NW	4	...	„	29.82	...	...	NE	2	...
Koshun,	„	29.87	...	...	SE	6	...	„	29.83	...	...	..	0	...
Pescadores,	„	29.86	..	...	S	2	...	„	29.82	...	...	SW	2	...
Weihaiwei	3 p.	29.56	76	...	S	1	...	9 a.	29.53	78	...	W	4	r
Gutzlaff,	„	29.76	69	73	SW	2	cv	„	29.77	82	87	SW	2	cv
Sharp Peak,	„	29.78	86	80	E	5	b	„	29.78	85	87	...	0	b
Amoy,	2.30p.	29.84	90	84	SE	3	b	6.30a.	29.85	84	83	SW	1	c
Swatow,	3 p.	29.84	87	...	E	2	c	9 a.	...	...	...	...	...	...
Canton,	„	...	92	67	S	2	b	„	...	85	79	E	1	c
Hongkong	4 p.	29.81	83	83	E	2	c	10 a.	29.83	83	80	E	2	c
Victoria Peak,	„	...	...	...	SE	7	...	„	...	...	...	ESE	2	...
Gap Rock,	„	29.79	...	...	ESE	3	...	„	29.80	...	...	SE	2	...
Macao,	„	29.79	84	...	ESE	2	c	„	29.79	84	...	ESE	2	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.76	86	72	WSW	2	c	„	...	...	...	...	...	...
Malate,	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0	b
Bacolod,	„	...	...	...	S	2	c	„	...	...	...	...	0	c
Iloilo,	„	..	87	...	SW	2	c	„	...	84	...	...	0	c
Cebu,	„	29.80	86	...	...	0	c	„	29.86	83	...	...	0	c
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11.55a. The barometer has risen over E. Japan, the depression lying there yesterday having passed to the Pacific.

The barometer has fallen elsewhere, particularly in N. China, owing to a new depression, which is moving Eastwards over Manchuria.

Pressure is highest to the SE. of the Loochoos. Moderate S. monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 21st July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

21st JULY, 1903, P. M. — 22nd JULY, 1903, A. M.

STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,.	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.69	...	...	E	6	...	6 a.	29.72	...	...	SE	4	...
Hakodate, ...	„	29.66	...	...	SE	4	...	„	29.70	...	...	E	6	...
Tokio,.....	„	29.68	...	...	...	0	...	„	29.59	...	...	SW	6	...
Kochi, ...	„	29.68	...	...	W	0	...	„	29.64	...	...	W	8	...
Nagasaki, ...	„	29.68	...	...	SW	10	...	„	29.68	...	...	W	6	...
Kagoshima.....	„	29.72	...	...	W	6	...	„	29.75	...	...	W	4	...
Oshima, ...	„	29.80	...	...	NW	4	...	„	29.80	...	...	S	2	...
Naha, ...	„	29.81	...	...	SW	4	...	„	29.81	...	...	...	0	...
Ishigakijima, ...	„	29.81	...	...	SW	4	...	„	29.81	...	...	SW	6	...
Taihoku,.....	1 p.	29.79	...	...	N	4	...	5 a.	29.80	...	...	S	2	...
Taichu, ...	„	29.77	...	...	W	2	...	„	29.83	...	...	E	2	...
Tainan, ...	„	29.78	...	...	N	2	...	„	...	...	...	...	...	...
Kosbun, ...	„	29.79	...	...	SE	4	...	„	29.81	...	...	SE	2	...
Pescadores, ...	„	29.80	.	...	SW	4	...	„	29.79	...	...	..	0	...
Weihaiwei.....	3 p.	29.48	83	...	W	1	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	...	...	...	...	...	...	„	29.74	83	83	SW	2	cv
Sharp Peak. ..	„	29.70	89	75	SSE	4	b	„	29.73	86	78	...	0	c
Amoy, ...	2.30p.	29.76	89	84	SE	3	b	6.30a.	29.81	94	83	SSW	1	b
Swatow, ...	3 p.	29.78	87	...	E	2	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	85	79	E	1	c	„	...	86	76	E	1	c
Hongkong	4 p.	29.75	83	81	E	2	c	10 a.	29.80	83	79	E	2	c
Victoria Peak,.	„	...	...	...	S	3	...	„	...	...	...	SE	1	...
Gap Rock,.....	„	29.72	...	...	ESE	2	...	„	29.79	...	...	SE	4	...
Macao, ...	„	29.72	84	...	ESE	2	c	„	29.77	85	...	ESE	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.72	88	79	W	1	c	„	29.80	86	78	...	0	c
Malate,.....	3 p.	...	...	...	E	2	c	9 a.	...	...	...	...	0	c
Bacoled, .. .	„	...	...	...	...	0	b	„	...	...	...	...	0	b
Iloilo, ...	„	29.76	87	...	W	2	c	„	29.85	82	...	...	0	c
Cebu, ...	„	29.79	86	...	N	2	c	„	29.89	86	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.42a. The barometer has fallen slightly over China and Japan.
The depression in the North has probably approached the NW. part of the Sea of Japan.
Pressure is relatively high between the S. coast of China and the Loochoos.
Moderate S. monsoon in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate or light SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 22nd July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

22nd JULY, 1903, P. M. 23rd JULY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	29.48	64	...	S	1	o	7 a.	29.48	62	99	...	0	or
Nemuro, ...	,,	29.53	...	...	E	6	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	29.50	...	...	SW	2	...	,,	...	...	...	...	...	...
Tokio, ...	,,	29.63	...	...	S	6	...	,,	...	...	...	...	...	...
Kochi, ...	,,	29.68	...	...	W	8	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	29.72	...	...	W	6	...	,,	...	...	...	...	...	...
Kagoshima.....	,,	29.75	...	...	W	4	...	,,	...	...	...	...	...	...
Oshima, ...	,,	29.80	...	...	N	2	...	,,	...	...	...	...	...	...
Naha, ...	,,	29.81	...	...	SW	4	...	,,	...	...	...	...	...	...
Ishigakijima, ...	,,	29.81	...	...	SW	4	...	,,	...	...	...	...	...	...
Taiheku, ...	1 p.	29.77	...	...	N	4	...	5 a.	29.79	...	...	SE	2	...
Taichu, ...	,,	29.77	...	...	SW	4	...	,,	29.73	...	...	...	0	...
Tainan, ...	,,	29.79	...	...	SW	6	...	,,	29.78	...	...	E	2	...
Koshun, ...	,,	29.80	...	...	SE	4	...	,,	29.80	...	...	E	2	...
Pescadores, ...	,,	29.80	...	...	SW	4	...	,,	29.78	...	...	S	6	...
Weihaiwei, ...	3 p.	29.50	85	...	W	2	o	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.74	87	84	WNW	2	cv	,,	29.76	79	91	NE	3	cv
Sharp Peak, ..	,,	29.69	89	77	E	3	b	,,	29.74	85	83	...	0	o
Amoy, ...	2.30p.	29.75	90	73	SE	3	b	6.30a.	29.82	84	83	SSW	1	c
Swatow, ...	3 p.	29.76	87	...	SE	2	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	91	70	E	1	o	,,	...	81	91	E	1	c
Hongkong	4 p.	29.75	81	85	E	3	c|q	10 a.	29.79	82	85	SE	1	o
Victoria Peak, .	,,	...	...	...	SSW	3	...	,,	...	...	...	SSE	2	...
Gap Rock	,,	29.72	...	...	SSE	1	...	,,	29.77	...	...	SE	2	...
Macao, ...	,,	29.72	83	...	SE	2	cp	,,	29.75	81	...	ESE	1	cp
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.72	78	91	...	0	o	,,	29.76	81	71	...	0	c
Malate, ...	3 p.	...	...	...	N	1	or	9 a.	...	...	...	...	0	b
Bacolod, ...	,,	...	...	...	S	2	o	,,	...	...	...	...	0	b
Iloilo, ...	,,	29.75	82	...	S	1	c	,,	29.80	83	...	...	0	o
Cebu, ...	,,	29.78	84	...	N	2	c	,,	29.82	85	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 12.5p. The depression in the North is probably moving slowly Eastwards over the N. part of the Sea of Japan.

The barometer has risen slightly over the E. coast of China, fallen a little over the Philippines.

Pressure is now in defect over the latter district, probably owing to the existence of a low area in the Pacific to the Eastward of the islands.

Gradients slight with light variable winds in the Formosa Channel and N. part of the China Sea.

Forecast:— SE. to E. winds, light; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 23rd July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	23rd JULY, 1903, P. M.							24th JULY, 1903, A. M.						
STATION.	Hour.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	Hour.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	29.48	70	...	...	0	c	7 a.	29.62	63	99	...	0	f
Nemuro,	„	29.69	...	...	NW	2	...	6 a.	29.92	...	...	SE	2	...
Hakodate,	„	29.70	...	...	W	2	...	„	29.81	...	...	...	0	...
Tokio,	„	29.78	...	...	...	0	...	„	29.82	...	...	S	6	...
Kochi,	„	29.72	...	...	W	8	...	„	29.88	...	...	SW	4	...
Nagasaki,	„	29.68	...	...	S	10	...	„	29.79	...	...	SW	4	...
Kagoshima,	„	29.75	...	...	W	2	...	„	29.83	...	...	...	0	...
Oshima,	„	29.80	...	...	S	2	...	„	29.84	...	...	...	0	...
Naha,	„	29.81	...	...	...	0	...	„	29.81	...	...	...	0	...
Ishigakijima,	„	..	...	...	...	...	...	„	29.77	...	...	S	6	...
Tailoku,	1 p.	29.79	...	...	W	4	...	5 a.	29.77	...	...	...	0	...
Isichu,	„	29.78	...	...	W	4	...	„	29.76	...	...	...	0	...
Taiwan,	„	29.78	...	...	SW	4	...	„	29.76	...	...	E	2	...
Koshun,	„	29.78	...	...	SE	4	...	„	29.76	...	...	SE	2	...
Pescadores,	„	29.78	...	...	SW	4	...	„	29.74	...	...	SW	4	...
Weihaiwei,	3 p.	29.65	81	...	W	2	b	9 a.	...	...	...	...	...	...
Gutzlaff,	„	29.68	78	95	NNE	2	cv	„	29.79	74	100	NE	4	omd
Sharp Peak,	„	29.68	90	66	S	4	c	„	29.68	83	81	S	1	o
Amoy,	2.30p.	29.76	88	84	SE	3	b	6.30a.	29.77	83	87	SSW	1	c
Swatow,	3 p.	29.74	88	...	SSE	1	b	9 a.	29.73	85	...	WNW	2	b
Canton,	„	...	92	67	E	1	b	„	...	85	83	E	1	c
Hongkong	4 p.	29.74	84	83	E	2	o	10 a.	29.75	84	81	ESE	1	c
Victoria Peak	„	...	...	...	SSE	2	...	„	...	...	...	SSE	1	...
Cap Rock,	„	29.78	...	...	SSE	2	...	„	29.74	...	...	SE	2	...
Macao,	„	29.72	84	...	S	1	c	„	29.72	86	...	SSW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.72	91	51	SE	3	o	„	29.76	88	66	...	0	c
Malate,	3 p.	...	...	...	SW	2	c	9 a.	...	...	...	SW	1	b
Pacolod,	„	...	...	...	S	2	cr	„	...	...	...	SW	3	p
Iloilo,	„	29.74	86	...	W	1	o	„	29.80	80	...	SW	3	o
Cebu,	„	29.75	87	...	S	2	o	„	29.82	84	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.55a. The barometer has risen over Japan and N. China, fallen in S. China.
Pressure is highest over the Pacific to the S. and E. of Japan, and a shallow area of low pressure appears to be lying off the E. coast of China.
Pressure remains in defect over the Philippines. SW. and variable winds in the Formosa Channel, light S. monsoon over the N. part of the China Sea.
Forecast:— S. or variable winds, light; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 24th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.66	67	...	S	2	c	7 a.	29.80	63	99	...	0	o
Nemuro,	,,	29.92	...	...	E	4	...	6 a.	30.00	...	...	SE	2	...
Hakodate,	,,	29.85	...	...	SE	6	...	,,	29.97	...	...	...	0	...
Tokio,	,,	29.90	...	...	S	6	...	,,	30.02	...	...	...	0	...
Kochi,	,,	29.87	...	...	W	4	...	,,	29.91	...	...	W	2	...
Nagasaki,	,,	29.87	...	...	...	0	...	,,	29.87	...	...	SE	6	...
Kagoshima,	,,	29.87	...	...	S	2	...	,,	29.87	...	...	NE	4	...
Oshima,	,,	29.84	...	...	E	4	...	,,	29.84	...	...	S	4	...
Naha,	,,	29.81	...	...	SE	4	...	,,	29.85	...	...	...	0	...
Isugakijima,	,,	29.77	...	...	S	4	...	,,	...	...	...	S	4	...
Taihoku,	1 p.	29.75	...	...	NW	2	...	5 a.	29.73	...	...	S	2	...
Taichu,	,,	29.74	...	...	NW	2	...	,,	29.74	...	...	...	0	...
Tainan,	,,	29.74	...	...	E	2	...	,,	29.72	...	...	E	2	...
Kosbun,	,,	29.74	...	...	E	4	...	,,	29.73	...	...	...	0	...
Pescadores,	,,	29.75	...	...	W	4	...	,,	29.73	...	...	S	2	...
Weihaiwei,	3 p.	29.77	67	...	E	1	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	..	...	...	...	...	...	,,	29.73	77	95	S	3	omp
Sharp Peak,	,,	29.66	85	79	SSE	4	c	,,	29.68	83	83	...	0	o
Amoy,	2.30p.	29.71	88	69	SE	3	c	6.30a.	29.75	95	79	SSE	1	c
Swatow,	3 p.	29.76	86	...	SSE	2	c	9 a.	...	...	...	...	...	...
Canton,	,,	...	92	81	SE	1	or	,,	...	86	83	SW	1	b
Hongkong	4 p.	29.70	86	73	S	1	o	10 a.	29.73	85	76	E	1	o
Victoria Peak,	,,	...	...	...	S	2	...	,,	...	...	...	SSE	...	...
Gap Rock	,,	29.68	...	...	S	2	...	,,	29.71	...	...	SSE	1	...
Macao,	,,	29.67	86	...	SSW	1	c	,,	29.69	87	...	S	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.69	88	72	WSW	1	o	,,	29.73	88	72	...	0	c
Malate,	3 p.	...	...	...	W	1	o	9 a.	...	...	...	E	1	c
Pacolod,	,,	...	...	...	S	3	o	,,	...	...	...	...	0	b
Iloilo,	,,	29.72	82	...	SW	2	or	,,	29.81	80	...	SW	3	o
Cebu,	,,	...	89	...	S	2	o	,,	29.80	83	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 11.55a. The barometer has risen moderately over Japan, fallen slightly over China and the Philippines.

Pressure is high over the Pacific to the E. of Japan, and relatively low over the E. coast of China.

Pressure remains low over Luzon and the adjacent waters.

Moderate S. monsoon in the Formosa Channel and light variable winds over the N. part of the China Sea.

Forecast:— light SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 25th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostcek,	2 p.	...	...	...	...	..	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.04	...	...	SE	4	...	6 a.	30.00	...	...	...	0	...
Hakodate,	,,	29.97	...	...	SE	4	...	,,	30.01	...	...	...	0	...
Tokio,	,,	30.02	...	...	S	4	...	,,	30.06	...	...	S	4	...
Kochi,	,,	29.91	...	...	E	4	...	,,	29.99	...	...	E	6	...
Nagas,aki,	,,	29.87	...	...	S	10	...	,,	29.87	...	...	S	10	...
Kagoshima,	,,	29.87	...	...	S	6	...	,,	29.91	...	...	SE	4	...
Oshima,	,,	29.84	...	...	S	10	...	,,	29.88	...	...	S	6	...
Naha,	,,	29.81	...	...	SE	4	...	,,	29.85	...	...	SE	4	...
Isigakijima,	,,	29.77	...	...	SE	8	...	,,	29.77	...	...	S	6	...
Tai eku,	1 p.	29.70	...	...	...	0	...	5 a.	29.72	...	...	...	0	...
Taichu,	,,	29.64	...	...	N	2	...	,,	29.71	...	...	...	0	...
Tainan,	,,	29.70	...	...	W	4	...	,,	29.70	...	...	N	2	...
Koshun,	,,	29.71	...	...	SE	4	...	,,	29.74	...	...	SE	2	...
Pescadores,	,,	29.71	...	...	SW	4	...	,,	29.72	...	...	...	0	...
Weihaiwei,	3 p.	29.67	75	...	E	4	o	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.71	76	95	SE	1	cmd	,,	29.87	77	100	ESE	1	cv
Sharp Peak,	,,	29.61	84	83	SSE	6	c	,,	...	...	...	...	...	...
Amoy,	2.30p.	29.67	88	80	SSE	3	c	6.30a.	29.74	84	83	...	0	b
Swatow,	3 p.	29.66	87	...	SSE	2	b	9 a.	...	...	...	...	...	...
Canton,	,,	...	90	81	SW	1	b	,,	...	86	79	E	1	c
Hongkong	4 p.	29.66	87	65	S	1	o	10 a.	29 72	85	68	E	2	o
Victoria Peak,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.66	...	...	ESE	1	...	,,	29.71	...	...	E	3	...
Macao,	,,	29.63	87	...	S	1	c	,,	29.70	87	...	ENE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.69	88	72	SW	1	o	,,	29.80	81	85	SW	3	od
Malate,	3 p.	...	...	...	SW	1	o	9 a.	...	...	...	SSW	3	or
Bacolod,	,,	...	...	...	SW	2	o	,,	...	...	...	...	0	o
Iloilo,	,,	29.70	84	...	SW	2	o	,,	29.82	81	...	SW	3	or
Cebu,	,,	29.76	86	...	S	3	b	,,	29.84	85	...	S	1	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 36th at 11.50a. The barometer has risen slightly over the E. coast of China and the Philippines, and is little changed elsewhere.

Pressure remains high over the Pacific to the SE. of Japan, and a troughlike depression, which may become circular shortly, lies over the N. part of the China Sea.

Gradients slight for E. winds in the Formosa Channel. Fresh NE. winds over the N. part of the China Sea.

Forecast:— E. winds, moderate to fresh; fair at first, squally, showery later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 26th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

26th JULY, 1903, P. M. — 27th JULY, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	29.82	71	...	...	0	c	7 a.	29.65	67	99	N	1	or
Nemuro,	,,	29.96	...	...	S	6	...	6 a.	29.92	...	...	SE	0	...
Hakodate,	,,	29.97	...	...	NW	8	...	,,	29.93	...	...	SE	2	...
Tokio,	,,	30.02	...	...	S	6	...	,,	30.02	...	...	SW	2	...
Kochi,	,,	29.99	...	...	S	6	...	,,	29.99	...	...	S	4	...
Nagasaki,	,,	29.87	...	...	S	10	...	,,	29.91	...	...	S	8	...
Kagoshima,	,,	29.91	...	...	S	6	...	,,	29.95	...	...	NW	4	...
Ushima,	,,	29.86	...	...	S	6	...	,,	29.92	...	...	S	2	...
Naha,	,,	29.85	...	...	SE	6	...	,,	29.85	...	...	SE	4	...
Isurgal ijima,	,,	29.77	...	...	S	4	...	,,	29.81	...	...	SE	6	...
Tailoku,	1 p.	29.72	...	...	NE	4	....	5 a.	29.74	...	...	...	0	...
Taichu,	,,	29.72	...	...	NW	4	...	,,	29.74	...	...	...	0	...
Tainan,	,,	29.72	...	..	N	4	...	,,	29.74	...	...	E	2	...
Koshun,	,,	29.76	...	...	E	4	...	,,	29.78	...	...	E	4	...
Pescadores,	,,	29.73	.	...	N	4	...	,,	...	...	...	N	4	...
Weihaiwei,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Chefoo,	,,	...	..	...	...	...	...	,,	29.86	79	87	SSE	1	cv
Sharp Peak,	,,	29.71	83	83	...	0	o	,,	29.78	83	83	WNW	1	o
Amoy,	2.30p.	29.73	90	66	SE	4	b	6.30a.	29.77	95	87	SE	1	c
Swatow,	3 p.	29.71	85	...	ESE	2	b	9 a.	...	...	...	...	...	...
Canton,	,,	...	97	53	E	1	b	,,	...	88	69	E	1	b
Hongkong	4 p.	29.68	85	77	E	2	o	10 a.	29.73	85	77	E	3	o
Victoria Peak,	,,	...	...	...	...	...	...	,,	...	...	...	E	3	...
Cap Lock,	,,	29.66	...	...	ENE	3	...	,,	29.71	...	...	E	3	...
Macao,	,,	29.66	87	...	ESE	1	c	,,	29.70	86	...	NE	3	o
Haipheng,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.72	84	79	SW	2	o	,,	29.80	77	100	E	1	or
Malate,	3 p.	...	...	...	SW	3	o	9 a.	...	...	...	E	1	or
Bacolod,	,,	...	...	...	S	1	c	,,	...	...	...	SW	...	rt
Iloilo,	,,	29.76	83	...	SW	2	or	,,	29.85	80	...	SW	4	r
Cebu,	,,	29.78	85	...	S	2	c	,,	29.84	86	...	S	1	c
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 11.50a. The barometer has fallen over the NE. part of the Sea of Japan, risen over the E. coast of China.

Pressure remains high over the Pacific to the SE. of Japan.

A depression, apparently shallow at present, lies over the N. part of the China Sea, probably to the E. of the Paracels.

Moderate E. winds in the Formosa Channel, and fresh NE. winds off the S. coast of China.

Forecast:— fresh E. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 27th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th JULY, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th JULY, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.62	73	...	N	3	c	7 a.	29.70	69	99	...	0	b
Nemuro,	,,	29.88	...	...	SE	4	...	6 a.	29.72	...	...	SW	6	...
Hakodate,	,,	29.85	...	...	SW	4	...	,,	29.77	...	...	SW	6	...
Tokio,	,,	29.94	...	...	S	6	...	,,	29.94	...	...	S	2	...
Kochi,	,,	29.99	...	...	W	4	...	,,	29.99	...	...	W	4	...
Nagasaki,	,,	29.95	...	...	S	8	...	,,	29.95	...	...	SE	6	...
Kagoshima,	,,	29.95	...	...	SW	6	...	,,	29.99	...	...	E	4	...
Oshima,	,,	29.96	...	...	SE	6	...	,,	29.92	...	...	SE	2	...
Naha,	,,	...	...	...	...	...	...	,,	29.85	...	...	E	6	...
Ishigakijima,	,,	...	...	...	...	...	...	,,	29.77	...	...	NE	4	...
Taihoku,	1 p.	29.74	...	...	SE	6	...	5 a.	29.75	...	...	E	2	...
Taichu,	,,	29.69	...	...	N	4	...	,,	29.72	...	...	SE	2	...
Tainan,	,,	29.71	...	...	N	4	...	,,	29.71	...	...	NW	2	...
Koshun,	,,	29.74	...	...	NE	4	...	,,	29.71	...	...	NE	2	...
Pescadores,	,,	29.74	...	...	NE	6	...	,,	29.72	...	...	S	2	...
Weihaiwei,	3 p.	29.71	73	...	NW	2	b	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.84	85	87	SE	2	bv	,,	29.88	81	91	SSE	3	cm
Sharp Peak,	,,	29.74	84	83	NE	4	c	,,	29.76	83	87	NNE	...	od
Amoy,	2.30p.	29.73	88	76	SE	4	c	6.30a.	29.80	85	87	WNW	2	c
Swatow,	3 p.	29.72	86	...	SE	1	b	9 a.	...	...	...	...	...	...
Canton,	,,	...	86	80	E	1	o	,,	...	85	79	N	2	b
Hongkong	4 p.	29.68	82	91	E	5	op	10 a.	29.70	80	89	E	3	op
Victoria Peak,	,,	...	...	...	SE	5	...	,,	...	...	...	E	7	...
Gap Rock	,,	29.67	...	...	E	3	...	,,	29.66	...	...	E	5	...
Macao,	,,	29.67	80	...	E	4	op	,,	29.67	79	...	E	5	cq
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	75	100	...	0	o	,,	29.76	81	85	SW	4	o
Malate,	3 p.	...	...	...	NW	1	or	9 a.	...	...	...	W	2	o
Pacolod,	,,	...	...	...	S	1	o	,,	...	...	...	...	0	b
Iloilo,	,,	29.80	82	...	SW	2	od	,,	29.85	84	...	SW	3	c
Cebu,	,,	29.81	84	...	S	1	o	,,	29.86	86	...	S	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 11.40a. The barometer has fallen moderately over E. Japan, and slightly over the S. coast of China and Formosa.

The depression in the China Sea, which is probably deepening, seems to be still lying in the neighbourhood of the Paracels.

There are indications of the existence of another depression over the Pacific to the NE. of Luzon.

Pressure remains high over the Pacific to the S. of Japan. [illegible] moderate NE. winds in the Formosa Channel, strong E. and NE. winds off the coast to the W. of Hongkong.

Forecast:— fresh to strong E. winds; squally, showery.

At noon. Red South Cone hoisted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 28th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	28th JULY, 1903, P. M. Hours.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	29th JULY, 1903, A. M. Hours.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	2 p.	29.69	84	...	W	1	c	7 a.	29.72	66	99	S	1	lt
Nemuro,	„	29.61	...	...	SW	8	...	6 a.	29.80	...	...	NW	2	...
Hakodate,	„	29.77	...	...	W	3	...	„	29.89	...	...	..	0	...
Tokio,	„	29.90	...	...	S	6	...	„	29.90	...	...	...	0	...
Kochi,	„	29.89	...	...	W	2	...	„	29.95	...	...	W	2	...
Nagasaki,	„	29.95	...	...	SW	6	...	„	29.87	...	...	SE	4	...
Nagoshima,	„	29.91	...	...	SE	2	...	„	29.87	...	...	E	4	...
Ashima,	„	29.88	...	...	SE	4	...	„	29.80	...	...	SE	4	...
Fusan,	„	29.77	...	...	E	8	...	„	29.66	...	...	E	8	...
Chinnampo,	„	29.74	...	...	E	0	...	„	29.54	...	...	NE	8	...
Taidoku,	1 p.	29.70	...	...	E	5	...	6 a.	29.65	...	...	...	0	...
Saidoku,	„	29.65	...	...	N	6	...	„	29.61	...	...	...	0	...
Taihan,	„	29.73	...	...	W	4	...	„	29.60	...	...	E	2	...
Keelung,	„	29.74	...	...	NE	6	...	„	29.61	...	...	SW	2	...
Formosa,	„	29.70	...	...	N	4	...	„	29.61	...	...	SE	2	...
Woosung,	3 p.	29.78	78	...	E	1	...	9 a.	...	...	...	...	...	...
Amoy,	„	29.84	84	87	SSE	3	cm	„	...	...	...	...	...	...
Hongkong,	„	29.74	85	83	NNE	6	c	„	29.68	84	75	NNE	3	c
Amoy,	2.30p.	29.67	13	67	ENE	4	b	6.30a.	29.68	95	79	NE	2	c
Swatow,	3 p.	29.67	97	...	E	3	b	9 a.	29.70	85	...	N	1	c
Canton,	„	...	97	69	E	1	b	„	...	88	76	E	1	b
Pakhoi,	4 p.	29.64	85	77	E	4	cq	10 a.	29.64	85	73	E	4	cq
Victoria Peak,	„	...	...	...	E	5	...	„	...	...	...	E	5	...
Capsui,	„	29.62	...	...	ENE	5	...	„	29.62	...	...	ENE	4	...
Macao,	„	29.63	86	...	E	3	c	„	29.62	86	...	E	3	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.72	84	79	WSW	3	o	„	...	...	...	...	...	...
Malate,	3 p.	...	...	...	SW	5	o	9 a.	...	...	...	SW	4	o
Iloilo,	„	...	...	...	SW	6	p	„	...	...	...	S	4	c
Cebu,	„	29.80	85	...	SW	2	o	„	29.83	84	...	SW	3	o
Cape St. James,	„	29.80	88	...	S	2	c	„	29.87	85	...	S	2	c
	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 4.30p. The depression is probably situated to the NE. of the Paracels, and it appears to be moving slowly towards NW. Black South Cone hoisted.

On the 29th at 11.40a. The barometer has risen over NE. Japan, fallen over China and the Loochoos. The depression in the China Sea appears to occupy much the same position as yesterday. It may have a slow motion towards NW.

The depression mentioned yesterday as lying in the Pacific to the NE. of Luzon, is a typhoon. This morning it is situated to the SE. of the Meiaco Sima group, and is probably moving towards NW. Pressure remains high to the SE. of Japan. Bad weather is probable in the Formosa Channel by to morrow. Strong winds off the coast to the S. and W. of Hongkong.

Forecast:— fresh or strong E. winds; squally, changeable.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 29th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	29th JULY, 1903, P. M.							30th JULY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,	2 p.	...	...	...	..	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.80	...	...	SE	6	...	6 a.	29.80	...	...	...	0	...
Hakodate, ...	,,	29.81	...	...	S	6	...	,,	29.81	...	...	..	0	...
Tokio	,,	29.86	...	...	S	6	...	,,	29.90	...	...	SW	2	...
Kochi, ...	,,	29.91	...	...	S	0	...	,,	29.87	...	...	E	2	...
Nagasaki, ...	,,	29.83	...	...	W	4	...	,,	29.75	...	...	E	0	...
Kagoshima, ...	,,	29.83	...	...	SE	2	...	,,	29.75	...	...	E	6	...
Oshima, ...	,,	29.73	...	...	SE	6	...	,,	29.61	...	...	SE	2	...
Naha, ...	,,	29.58	...	...	E	8	...	,,	29.50	...	...	E	6	...
Isigakijima, ..	,,	29.38	...	...	NE	10	...	,,	29.11	...	...	NE	10	...
Tailotu, ...	1 p.	29.57	...	...	NE	6	...	5 a.	29.43	...	...	NE	4	...
Taichu, ...	,,	29.50	...	...	N	2	...	,,	29.36	...	...	N	2	...
Tainan, ...	,,	29.53	...	...	W	6	...	,,	29.35	...	...	N	4	...
Koshun, ...	,,	29.56	...	...	NW	6	...	,,	29.55	...	...	NW	2	...
Pescadores, ...	,,	29.58	...	...	NE	12	...	,,	29.43	...	...	N	10	...
Weihaiwei.....	3 p.	29.75	77	...	F	1	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.76	85	87	ESE	3	cm	,,	29.74	79	95	ENE	3	cm
Sharp Peak, ..	,,	29.60	83	83	NNE	5	c	,,	29.51	82	...	NNE	4	c
Amoy, ...	2.30p.	29.57	93	67	NE	4	b	6.30a.	29.56	85	79	NNW	1	b
[illegible]	3 p.	29.59	87	...	ESE	2	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	97	59	E	1	c	,,	...	86	80	W	1	b
Hongkong, ...	4 p.	29.56	84	76	E	4	cq	10 a.	29.57	86	71	W	1	c
Victoria Peak,	,,	...	...	...	ESE	4	...	,,	...	...	...	WNW	...	...
Gap Rock, ...	,,	29.55	...	...	ENE	4	...	,,	29.57	...	...	N	1	...
Macao, ...	,,	29.55	87	...	ESE	3	c	,,	29.55	87	...	SSE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.65	82	85	SW	4	o	,,	29.69	79	92	WSW	4	o
Malate, ...	3 p.	...	...	...	SW	7	or	9 a.	...	...	...	SW	4	or
Bacoled, ...	,,	...	...	...	S	2	o	,,	...	...	...	S	3	b
Iloilo, ...	,,	29.75	...	...	SW	3	o	,,	29.81	85	...	SW	3	c
Cebu, ...	,,	29.75	88	...	S	2	b	,,	29.83	86	...	S	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 5.30a. Black South Cone lowered, and Red Drum hoisted.
At 11.15a. The barometer has fallen generally, particularly in the neighbourhood of Formosa.
The centre of the typhoon in the Pacific is situated a little to the South of Meisco Sima group. It appears to be moving Northwest and will probably strike the China coast to the North of the Formosa Channel.
The China Sea depression, which apparently remained shallow, may have passed to the Gulf of Tongking.
Bad weather in the Formosa Channel. Fresh W. and SW. winds in the China Sea.
Forecast:— W. winds, *increasing to fresh breezes; fair.*

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 30th July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	30th JULY, 1903, P. M.							31st JULY, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	29.78	68	...	S	1	c	7 a.	29.86	64	98	...	0	c
Nemuro,	,,	29.80	...	...	E	4	...	6 a.	29.88	...	...	NE	4	...
Hakodate,	,,	29.81	...	...	SE	4	...	,,	29.81	...	...	...	0	...
Tokio	,,	29.82	...	...	S	6	...	,,	29.82	...	...	S	4	...
Kochi,	,,	29.83	...	...	E	4	...	,,	29.75	...	...	NE	4	...
Nagasaki,	,,	29.72	...	...	E	4	...	,,	29.72	...	...	NE	2	...
Kagoshima,	,,	29.72	...	...	E	2	...	,,	29.72	...	...	E	2	...
Oshima,	,,	29.61	...	...	SE	4	...	,,	29.61	...	...	S	6	...
Naha,	,,	29.46	...	...	E	10	...	,,	29.46	...	...	S	8	...
Isigakijima,	,,	28.67	...	...	NE	10	...	,,	28.75	...	...	SW	10	...
Tailoku,	1 p.	29.35	...	...	NE	6	...	5 a.	29.21	...	...	NW	10	...
Taichu,	,,	...	...	...	...	...	...	,,	29.33	...	...	NE	8	...
Tainan,	,,	29.29	...	...	N	8	...	,,	29.39	...	...	N	8	...
Keelung	,,	29.28	...	...	N	4	...	,,	29.31	...	...	NW	10	...
Pescadores,	,,	29.29	...	...	N	10	...	,,	29.40	...	...	W	4	...
Weihaiwei	3 p.	29.75	77	...	E	1	...	9 a.	...	...	...	...	...	...
Cutzlaff,	,,	29.08	80	96	NE	4	cm	,,	29.60	79	95	NE	5	cm
Sharp Peak	,,	29.43	85	79	NNE	4	c	,,	29.35	85	87	WNW	2	cg
Amoy,	2.30p.	29.43	93	64	NE	3	c	6.30a.	29.46	84	83	WSW	3	c
Swatow,	3 p.	29.44	91	...	S	2	b	9 a.	...	...	...	...	...	...
Canton,	,,	...	99	54	N	1	b	,,	...	90	81	...	0	b
Hongkong	4 p.	29.47	89	72	WSW	1	b	10 a.	29.52	89	76	W	1	c
Victoria Peak,	,,	...	...	...	WNW	3	...	,,	...	...	...	...	...	...
Gap Rock	,,	29.49	...	...	W	1	...	,,	29.53	...	...	WSW	4	...
Macao,	,,	29.50	90	...	SW	2	c	,,	29.50	91	...	WSW	3	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.65	82	86	SW	2	c	,,	29.73	84	77	SW	2	c
Malate,	3 p.	...	...	...	SW	7	c	9 a.	...	...	...	SW	3	c
Bacolod,	,,	...	...	...	S	5	c	,,	...	...	...	SW	4	b
Iloilo,	,,	29.75	86	...	SW	5	c	,,	29.83	85	...	SW	5	c
Cebu,	,,	29.75	87	...	S	3	b	,,	29.85	86	...	S	1	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 31st at 11.20a. The barometer has risen slightly over the N. part of the Sea of Japan and the Philippines, fallen much in the neighbourhood of N. Formosa.

The centre of the typhoon has passed over Meiaco Sima and lies this morning a little North of the islands It is moving slowly towards NW. Very bad weather in the N. part of the Formosa Channel and over the whole of the Eastern Sea.

Very strong SW. monsoon over the China Sea.

Forecast:—fresh W. to SW. winds; fine at first, squally later.

F. G. FIGG,
Acting Director

Hongkong Observatory, Friday 31st July 1903.

CHINA COAST METEOROLOGICAL REGISTER.

31st JULY, 1903, P. M. — 1st AUGUST, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	„	29.88	...	...	NE	6	...	6 a.	...	...	...	..	...	...
Hakodate,	„	29.81	...	...	SE	8	...	„	...	...	...	...	...	...
Tokio,	„	29.74	...	...	SW	2	...	„	...	...	...	..	...	...
Kochi,	„	29.79	...	...	E	0	...	„	...	...	...	..	...	...
Nagasaki,	„	29.72	...	...	SW	4	...	„	...	...	...	..	...	...
Kagoshima,	„	29.76	...	...	SE	4	...	„	...	...	...	...	..	...
Oshima,	„	29.66	...	...	SE	6	...	„	...	...	...	..	..	...
Naha,	„	...	...	...	...	...	...	„	...	...	...	..	..	...
Isaigakijima,	„	...	...	...	...	...	...	„	...	...	...		..	...
Taihoku,	1 p.	29.23	...	...	SW	10	...	5 a.	29.38	...	...	SW	4	...
Taichu,	„	29.38	...	...	S	2	...	„	29.47	...	...	E	6	...
Tainan,	„	29.41	...	..	N	2	...	„	29.47	...	...	SW	4	...
Kosbun,	„	29.59	...	...	W	6	...	„	...	...	...	...	...	...
Pescadores,	„	...	.	...	...	...	...	„	...	...	...	...	...	...
Weihaiwei	3 p.	29.72	80	...	SSE	4	c	9 a.	...	...	...	...	...	...
Gutzlaff,	„	29.64	81	91	ENE	5	cm	„	..	..	..	..	..	..
Sharp Peak,	„	29.95	88	90	WNW	2	c	„	29.32	83	75	SSW	3	cg
Amoy,	2.30p.	29.84	95	59	SW	3	c	6.30a.	29.45	87	72	WSW	3	c
Swatow,	3 p.	29.86	95	...	WNW	1	c	9 a.	...	...	...	...	...	...
Canton,	„	...	102	53	...	0	b	„	...	90	81	W	1	b
Hongkong	4 p.	29.44	91	68	W	3	o	10 a.	29.56	87	78	WSW	3	oq
Victoria Peak,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Capsingel	„	29.47	...	...	WSW	4	...	„	29.58	...	...	WSW	6	...
Macao,	„	29.43	94	...	WSW	1	c	„	29.53	87	...	WSW	2	c
Lingtong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.09	81	89	WSW	4	o	„	29.80	86	78	SW	0	o
Malate,	3 p.	...	...	...	SW	4	o	9 a.	...	...	...	...	0	o
Iacolod,	„	...	...	...	SW	3	c	„	...	...	...	S	6	b
Iloilo,	„	29.75	87	...	SW	3	c	„	29.89	85	...	SW	1	b
Cebu,	„	29.75	99	...	S	2	c	„	29.93	89	...	S	3	b
Cape St. James	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 5.45a. Red Drum lowered.

At noon: The barometer has risen moderately in Formosa, and slightly over the S. coast of China and the Philippines.

The typhoon is probably approaching the China coast in the neighbourhood of Wenchow.

Bad weather over the China coast to the North of the Formosa Channel.

Very strong SW. winds in the Formosa Channel and the China Sea.

Forecast:— fresh to strong SW. breezes; fine at first, squally with thundershowers later.

No observations received from stations to the North of Foochow.

F. G. FIGG,
Acting Director

Hongkong Observatory, Saturday August 1st 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	1st AUGUST, 1903, P. M.							2nd AUGUST, 1903, A. M.						
STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.88	...	...	NE	6	...	6 a.	29.92	...	...	NE	2	...
Hakodate,	,,	29.85	...	...	S	6	...	,,	29.89	...	...	E	2	...
Tokio,	,,	29.82	...	...	S	4	...	,,	29.86	...	...	NE	2	...
Kochi,	,,	29.79	...	...	NW	4	...	,,	29.79	...	...	...	0	...
Nagasaki,	,,	29.75	...	...	S	6	...	,,	29.72	...	...	SE	6	...
Kagoshima,	,,	29.75	...	...	S	4	...	,,	29.75	...	...	S	6	...
Oshima,	,,	29.73	...	...	S	6	...	,,	29.73	...	...	S	6	...
Oshu,	,,	29.70	...	...	S	4	...	,,	29.70	...	...	S	4	...
Isaigakijima,	,,	29.58	...	...	SW	10	...	,,	29.62	...	...	SW	8	...
Taihoku,	1 p.	29.43	...	...	E	2	...	5 a.	29.67	...	...	SE	4	...
Taichu,	,,	29.46	...	...	S	6	...	,,	29.67	...	...	S	4	...
Tainan,	,,	29.56	...	...	S	8	...	,,	29.64	...	...	E	4	...
Koshun,	,,	29.61	...	...	SW	4	...	,,	28.67	...	...	SW	4	...
Pescadores,	,,	...	...	...	SW	3	...	,,	29.61	...	...	S	8	...
Weihaiwei,	3 p.	29.55	77	...	SE	...	...	9 a.	...	...	...	...	...	...
Lutzhi,	,,	29.53	78	96	ESE	7	omd	,,	29.36	80	96	W	5	...
Sharp Peak,	,,	...	...	...	...	...	...	,,	29.49	85	83	S	2	...
Amoy,	2.30p.	29.40	90	95	WSW	3	b	6.30a.	29.55	88	72	W	1	...
Swatow,	3 p.	...	...	...	...	...	...	9 a.	29.52	88	...	...	...	...
Canton,	,,	...	103	61	NW	1	b	,,	...	...	...	...	...	...
Hongkong,	4 p.	29.53	86	80	SW	3	otq	10 a.	29.64	87	...	SW	3	oq
Victoria Peak,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cap Jeel,	,,	29.54	...	...	SW	4	...	,,	29.63	...	...	SW	4	...
Macao,	,,	29.51	82	...	S	3	clt	,,	29.59	88	...	SW	2	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	84	77	WSW	3	o	,,	29.84	88	72	SW	2	b
Malate,	3 p.	...	...	...	SW	3	o	9 a.	...	...	...	...	0	c
Bacolod,	,,	...	...	...	SSW	3	b	,,	...	...	...	SSW	2	b
Iloilo,	,,	29.79	88	...	SW	2	b	,,	29.88	85	...	SW	1	...
Cebu,	,,	29.81	85	...	S	2	b	,,	29.89	88	...	...	0	b
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 11.50a. The barometer has fallen over N. China, risen over S. China.
The typhoon has recurved and is moving NNE. in the Yellow Sea to the NE. of Shanghai.
Pressure is relatively high over E. Japan and over the S. part of the China Sea.
Strong SW. breezes in the Formosa Channel and over the N. part of the China Sea.
Forecast:— fresh SW. winds; squally, showery.

F. G. FIGG,
Acting Director

Hongkong Observatory, Sunday August 2nd 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd AUGUST, 1903, P. M.							3rd AUGUST, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock.	2 p.	29.77	61	...	SE	4	or	7 a.	29.42	62	99	E	1	or
Nemuro, ...	„	29.92	...	...	E	2	...	6 a.	30.00	...	...	SE	6	...
Hakodate, ...	„	29.89	...	...	SE	6	...	„	29.89	...	...	SE	8	...
Tokio,.....	„	29.86	...	...	NE	2	...	„	29.86	...	...	NW	4	...
Kochi, ...	„	29.83	...	...	W	6	...	„	29.79	...	...	W	6	...
Nagasaki, ...	„	29.64	...	...	SE	10	...	„	29.60	...	...	S	10	...
Kagoshima, ...	„	29.72	...	...	S	6	...	„	29.72	...	...	SW	6	...
Oshima.	„	29.73	...	...	S	4	...	„	29.76	...	...	S	2	...
Naha, ...	„	29.74	...	...	S	4	...	„	29.74	...	...	S	2	...
Ishigakijima, ..	„	29.66	...	...	SW	6	...	„	29.66	...	...	SW	4	...
Taihoku, ...	1 p.	29.56	...	...	NW	2	...	5 a.	29.63	...	...	S	4	...
Taichu, ...	„	29.62	...	...	S	6	...	„	29.65	...	...	...	0	...
Tainan, ...	„	...	...	..	...	...	...	„	29.67	...	...	E	4	...
Koshun.	„	...	...	...	...	...	...	„	28.67	...	...	W	6	...
Pescadores. . ..	„	29.61	. .	...	S	3	...	„	29.65	...	...	S	4	...
Weihaiwei.....	3 p.	29.38	77	...	SE	1	o	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.45	83	87	W	5	cv	„	29.67	84	87	SSW	1	cv
Sharp Peak. ..	„	29.48	86	88	S	5	c	„	29.58	86	84	S	1	c
Amoy, ...	2.30p.	29.51	88	73	SE	3	b	6.30a.	29.61	85	87	SE	2	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	97	...	S	2	b	„	...	80	96	...	0	od
Hongkong	4 p.	29.55	86	78	SSW	3	oq	10 a.	29.67	83	88	W	2	ot
Victoria Peak,.	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Cap Bael	„	29.56	...	...	SW	4	...	„	29.66	...	...	SW	4	...
Macao, ...	„	29.53	87	...	SSW	2	c	„	29.62	85	...	SW	2	ct
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	86	79	SW	2	c	„	29.80	88	72	W	1	c
Malate,.....	3 p.	...	...	...	SW	3	b	9 a.	...	...	...	...	0	c
Bacolod, ...	„	...	...	...	W	5	...	„	...	...	...	SW	3	c
Iloilo, ...	„	29.81	87	...	SW	2	b	„	29.85	85	...	SW	2	c
Cebu, ...	„	29.78	89	...	S	2	b	„	29.85	87	...	S	2	b
Cape S. James.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.30a. The barometer has fallen much at Wladiwostock, risen on the China coast, particularly in the North.

The typhoon is crossing N. Korea, moving NNE.

Pressure remains high to the E. of Japan, but has given way slightly over the Philippines.

Moderate S. and SW. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate SW. winds; thundershowers.

F. G. FIGG,
Acting Director

Hongkong, Observatory, Monday August 3rd 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	3rd AUGUST, 1903, P. M.							4th AUGUST, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.84	...	...	S	6	...	6 a.	29.34	...	...	S	8	...
Hakodate,	,,	29.81	...	...	SE	8	...	,,	29.70	...	...	SW	2	...
Tokio,	,,	29.82	...	...	...	0	...	,,	29.86	...	...	...	0	...
Kochi,	,,	29.75	...	...	W	8	...	,,	29.87	...	...	W	6	...
Nagasaki,	,,	29.68	...	...	SW	8	...	,,	29.87	...	...	SW	6	...
Kagoshima,	,,	29.72	...	...	SW	4	...	,,	29.87	...	...	...	0	...
Oshima,	,,	29.76	...	...	S	6	...	,,	29.80	...	...	...	0	...
Naha,	,,	29.77	...	...	S	2	...	,,	29.81	...	...	...	0	...
Ishigakijima,	,,	29.74	...	...	SW	4	...	,,	29.77	...	...	SW	2	...
Taihoku,	1 p.	29.65	...	...	NW	6	...	5 a.	29.74	...	...	...	0	...
Taichu,	,,	29.66	...	...	SW	4	...	,,	29.71	...	...	...	0	...
Tainan,	,,	29.68	...	..	SE	4	...	,,	29.71	...	...	SE	2	...
Kosbun,	,,	29.70	...	...	W	4	...	,,	28.74	...	...	...	0	...
Pescadores,	,,	...	..	...	...	...	...	,,	29.70	...	...	SW	4	...
Weihaiwei,	3 p.	29.52	86	...	SW	1	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.65	90	73	S	1	cv	,,	29.77	83	91	SSE	4	bv
Sharp Peak,	,,	29.56	88	78	SSE	4	c	,,	29.73	86	80	...	0	b
Amoy,	2.30p.	29.60	94	64	SE	3	c	6.30a.	29.73	95	83	SSE	1	c
Swatow,	3 p.	29.59	90	...	W	1	b	9 a.	...	...	...	...	...	...
Canton,	,,	...	92	93	S	1	b	,,	...	86	84	E	1	c
Hongkong,	4 p.	29.60	79	90	NNW	1	odt	10 a.	29.74	84	77	E	1	op
Victoria Peak,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.59	...	...	WSW	2	...	,,	29.72	...	...	S	2	...
Macao,	,,	29.57	88	...	S	1	c	,,	29.70	88	...	S	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.72	86	71	WSW	3	c	,,	29.84	84	77	...	...	c
Malate,	3 p.	...	...	...	SW	3	b	9 a.	...	...	...	...	0	o
Bacolod,	,,	...	...	...	SW	3	c	,,	...	...	...	SW	2	o
Iloilo,	,,	29.76	87	...	SW	3	b	,,	29.87	85	...	SW	2	c
Cebu,	,,	29.76	90	...	S	3	b	,,	29.87	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at noon: The barometer has fallen over NE. Japan, risen elsewhere.
The typhoon is probably moving NE. to the NE. of Wladiwostock.
Pressure is highest over the Pacific to the S. of Japan and over the S. part of the China Sea.
Light and moderate SE. and S. winds in the Formosa Channel and N. part of the China Sea.
Forecast:— SE. winds, light; showery.

F. G. FIGG,
Acting Director

Hongkong, Observatory, Tuesday August 4th 1903.

CHINA COAST METEOROLOGICAL REGISTER

Station.	4th AUGUST, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th AUGUST, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock.	2 p.	29.50	79	...	SE	2	b	7 a.	29.60	68	99	..	0	f
Nemuro, ...	,,	29.72	...	...	S	6	...	6 a.	29.69	...	...	...	0	...
Hakodate, ...	,,	29.73	...	...	SW	4	...	,,	29.77	...	...	SW	2	...
Tokio,.....	,,	29.82	...	...	S	4	...	,,	29.90	...	...	NW	2	...
Kochi, ...	,,	29.91	...	...	W	4	...	,,	29.95	...	...	...	0	...
Nagasaki, ...	,,	29.91	...	...	SW	4	...	,,	29.95	...	...	...	0	...
Kagoshima.....	,,	29.91	...	...	SW	2	...	,,	29.95	...	...	...	0	...
Oshima, ...	,,	29.88	...	...	SE	2	...	,,	29.84	...	...	E	4	...
Naha, ...	,,	29.81	...	...	NE	6	...	,,	29.81	...	...	E	4	...
Isigakijima, ...	,,	29.77	...	...	E	6	...	,,	29.74	...	...	NE	6	...
Tailoku,.....	1 p.	29.78	...	...	N	2	...	5 a.	29.78	...	...	E	2	...
Taichu, ...	,,	29.72	...	...	W	2	...	,,	29.74	...	...	...	0	...
Tainan, ...	,,	29.72	...	..	SW	6	...	,,	29.74	...	...	...	0	...
Koshun, ...	,,	29.78	...	...	N	2	...	,,	28.75	...	...	...	0	...
Pescadores, ...	,,	29.76	.	...	SW	2	...	,,	29.75	...	...	...	0	...
Weihaiwei.....	3 p.	29.74	82	...	S	1	o	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	...	...	...	...	...	...	,,	29.89	81	91	SSE	3	cv
Sharp Peak, ..	,,	29.73	85	98	SE	5	c	,,	29.80	85	85	NNE	1	c
Amoy, ...	2.30p.	29.71	89	77	SE	3	b	6.30a.	29.78	95	83	NNE	2	c
Swatow, ...	3 p.	29.72	89	...	S	2	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	83	91	SE	1	o	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.72	80	89	SSE	1	cd	10 a.	29.78	84	77	ESE	2	c
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.70	...	...	SSW	3	...	,,	29.76	...	...	E	2	...
Macao, ...	,,	29.67	87	...	S	1	c	,,	29.75	87	...	ESE	3	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	86	71	WSW	4	o	,,	29.80	84	77	WSW	4	o
Malate,.....	3 p.	...	...	...	W	3	o	9 a.	...	...	...	WSW	...	o
Bacolod, ...	,,	...	...	...	S	5	o	,,	...	...	...	S	4	o
Iloilo, ...	,,	29.79	87	...	SW	2	o	,,	29.89	85	...	SW	1	o
Cebu, ...	,,	29.80	88	...	S	2	b	,,	29.87	88	...	S	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 11.30a. The barometer has risen over Japan and China, fallen slightly over Luzon and the Loochoos.

Pressure is high over S. Japan and near normal along the China coast. In the Pacific, between Luzon and the Loochoos, pressure is probably low, and a depression may be forming to the NE. of Luzon.

Moderate E. and NE. winds in the Formosa Channel and off the S. coast of China.

Moderate SW. monsoon over the middle part of the China Sea.

Forecast:— light or moderate E. winds; fair to showery.

F. G. FIGG,
Acting Director

Hongkong, Observatory, Wednesday 5th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

5th AUGUST, 1903, P. M. — 6th AUGUST, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Warrenton,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	„	29.61	...	...	S	6	...	6 a.	29.66	...	...	SW	2	...
Hakodate,	„	29.81	...	...	SW	6	...	„	29.77	...	...	NW	2	...
Tokio,	„	29.90	...	...	S	6	...	„	29.86	...	...	...	0	...
Kochi,	„	29.95	...	...	W	4	...	„	29.99	...	...	...	0	...
Nagasaki,	„	29.95	...	...	W	6	...	„	29.99	...	...	S	2	...
Kagoshima,	„	29.95	...	...	SE	4	...	„	29.99	...	...	E	2	...
Oshima,	„	29.92	...	...	SE	6	...	„	30.00	...	...	SE	4	...
Naha,	„	29.85	...	...	E	6	...	„	29.85	...	...	SE	6	...
Ishigakijima,	„	29.66	...	...	NE	10	...	„	29.54	...	...	SE	10	...
Taihoku,	1 p.	29.74	...	...	E	8	...	5 a.	29.54	...	...	E	10	...
Taichu,	„	29.76	...	...	NW	4	...	„	29.36	...	...	...	0	...
Tainan,	„	29.70	...	..	NW	6	...	„	29.35	...	...	...	0	...
Koshun,	„	29.71	...	...	NW	4	...	„	29.37	...	...	...	0	...
Pescadores,	„	29.71	...	...	N	8	...	„	29.41	...	...	N	10	...
Weihaiwei,	3 p.	29.84	85	...	E	2	...	9 a.	...	...	...	...	...	...
Gutzlaff,	„	...	83	87	SSE	4	bm	„	29.91	83	91	SE	3	cm
Sharp Peak,	„	29.76	84	83	E	4	c	„	29.61	83	81	NNE	9	o
Amoy,	2.30p.	29.71	93	67	SE	3	c	6.30a.	29.59	26	08	N	1	...
Swatow,	3 p.	29.73	87	...	E	2	b	9 a.	...	...	...	...	...	...
Canton,	„	...	94	68	...	0	b	„	...	86	84	W	1	b
Hongkong,	4 p.	29.73	84	76	E	2	c	10 a.	29.70	85	76	NW	2	o
Victoria Peak,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Cap Rock,	„	29.72	...	...	E	2	...	„	29.70	...	...	WNW	3	...
Macao,	„	29.71	88	...	ESE	2	c	„	...	...	...	...	...	...
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	79	92	WNW	1	or	„	...	...	...	...	...	...
Malate,	3 p.	...	...	...	WSW	3	or	9 a.	...	...	...	...	0	o
Pacolod,	„	...	...	...	SW	3	o	„	...	...	...	SSW	2	o
Iloilo,	„	29.83	88	...	SW	3	c	„	29.91	85	...	SW	1	o
Cebu,	„	29.85	88	...	S	3	b	„	29.93	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 10.15a. Red Drum hoisted.

At 10.50a. The barometer has fallen rapidly in Formosa and over the SE. coast of China, risen slightly over S. Japan and the Philippines.

The depression noted yesterday as lying in the Pacific is a typhoon. It is lying near S. Formosa this morning and seems to be moving quickly towards WNW.

Pressure is high over S. Japan.

Bad weather in the Formosa Channel, and increasing NW. winds along the S. coast of China.

Forecast:— NW. winds, probably freshening considerably; fair at first, squally with rain later.

F. G. FIGG,
Acting Director

Hongkong, Observatory, Thursday 6th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	6th AUGUST, 1903, P. M.							7th AUGUST, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wind vessel	2 p.	29.61	82	...	SE	1	b	7 a.	29.56	70	99	..	0	c
Nemuro, ...	„	29.69	...	...	E	4	...	6 a.	29.69	...	...	E	3	...
Hakodate, ...	„	29.77	...	...	W	2	...	„	29.70	...	...	SW	4	...
Tokio,.....	„	29.82	...	...	SW	4	...	„	29.86	...	...	NW	2	...
Kochi, ...	„	29.95	...	...	W	6	...	„	29.95	...	...	...	0	...
Nagasaki, ...	„	29.99	...	...	SW	6	...	„	...	...	...	S	4	...
Kagoshima,....	„	29.99	...	...	SE	2	...	„	29.99	...	...	...	0	...
Oshima, ...	„	30.00	...	...	S	6	...	„	29.96	...	...	S	4	...
Naha, ...	„	29.93	...	...	SE	6	...	„	29.93	...	...	SE	2	...
Isigakijima, ...	„	29.70	...	...	S	10	...	„	29.81	...	...	S	10	...
Taihoku,.....	1 p.	29.29	...	...	SE	12	...	5 a.	29.54	...	...	W	4	...
Taichu, ...	„	29.09	...	...	SE	4	...	„	29.56	...	...	E	2	...
Tainan, ...	„	29.12	...	...	W	6	...	„	29.62	...	...	S	10	...
Koshun, ...	„	...	...	...	NW	10	...	„	...	...	...	...	..	...
Pescadores, ...	„	29.15	..	...	N	12	...	„	..	...	...	..	...	...
Weihaiwei,.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	...	...	...	...	...	...	„	29.78	81	87	S	6	om
Sharp Peak, ..	„	29.48	82	85	NNE	10	o	„	29.56	78	95	E	8	or
Amoy, ...	2.30p.	29.39	93	67	NNW	5	c	6.30a.	29.38	84	72	SSE	5	o
Swatow, ...	3 p.	29.45	92	...	W	3	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	99	60	W	2	b	„	...	86	84	W	3	b
Hongkong.....	4 p.	29.55	89	68	W	3	o	10 a.	29.59	85	77	SW	5	oq
Victoria Peak,.	„	...	...	...	...	...	...	„	...	...	...	SW	8	...
Gap Rock,.....	„	29.58	...	...	WSW	4	...	„	29.60	...	...	WSW	7	...
Macao, ...	„	29.56	92	...	WSW	2	c	„	29.56	85	...	WSW	5	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	86	78	WSW	1	o	„	...	...	...	...	...	...
Malate,.....	3 p.	...	...	...	W	3	o	9 a.	...	...	...	...	...	...
Iloilo, ...	„	...	...	...	W	2	o	„	...	...	...	...	...	...
Cebu, ...	„	29.83	87	...	SW	2	o	„	...	...	...	...	...	...
Cape S. James,	4 p.	29.87	87	...	S	2	b	„	...	...	...	...	...	...
		...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 5.30p. The typhoon is about to pass into the South part of the Formosa channel after crossing South Formosa moving WNW. or W. At 6.p. Black Drum hoisted.

On the 7th at 10.35a. Black North Cone hoisted.

At 11.35a The barometer has risen in Formosa, fallen over China.

The typhoon entered the coast this morning in the neighbourhood of Amoy. It will probably continue to move WNW. on the mainland, but will decrease in violence.

Pressure remains high over SW. Japan and the Loochoos.

Bad but improving weather in the Formosa Channel, strong SW. winds along the S. coast of China.

Forecast:— strong SW. winds; squally with rain.

F. G. FIGG,
Acting Director

Hongkong, Observatory, Friday 7th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th AUGUST, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th AUGUST, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	..	...	
Nemuro, ...	„	29.61	...	...	...	0	...	6 a.	29.72	...	...	NE	2	...
Hakodate, ...	„	29.70	...	...	W	2	...	„	29.66	...	...	E	2	...
Tokio,.....	„	29.78	...	...	S	4	...	„	29.71	...	...	...	0	...
Kochi, ...	„	29.91	...	...	...	0	...	„	29.87	...	...	...	0	...
Nagasaki, ...	„	29.95	...	...	SW	4	...	„	29.95	...	...	W	2	...
Kagoshima,....	„	29.95	...	...	W	2	...	„	29.95	...	...	...	0	...
Oshima, ...	„	29.96	...	...	S	4	...	„	29.96	...	...	SW	2	...
Naha, ...	„	29.89	...	...	S	4	...	„	29.97	...	...	...	0	...
Ishigakijima, ...	„	29.89	...	...	S	6	...	„	29.93	...	...	SW	6	...
Taihoku,.....	1 p.	29.73	...	...	NW	2	...	5 a.	...	...	...	..	..	...
Taichu, ...	„	29.70	...	...	SE	6	...	„	...	...	...	...	...	...
Tainan,.....	„	29.77	...	...	SE	8	...	„	..	...	...	..	..	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	..	...
Pescadores, ...	„	29.70	..	...	S	10	...	„	..	...	...	..	...	...
Weihaiwei.....	3 p.	29.65	84	...	SW	4	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.76	82	83	SSE	6	cm	„	..	..	..	..	..	..
Sharp Peak, ..	„	29.60	79	89	SSE	7	o	„	..	..	..	..	..	..
Amoy, ...	2.30p.	29.54	80	...	S	4	or	6.30a.	29.79	82	96	SSE	4	o
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	85	...	W	2	c	„	...	..	..	..	.	..
Hongkong.....	4 p.	29.61	85	77	SW	5	oq	10 a.	29.76	83	79	SSW	4	oq
Victoria Peak,.	„	...	...	...	...	...	...	„	...	...	...	..	..	...
Gap Rock,.....	„	29.64	...	...	WSW	6	...	„	..	...	...	..	..	...
Macao, ...	„	29.61	85	...	SW	4	c	„	..	..	...	..	..	..
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	88	72	...	0	o	„	...	...	...	...	...	...
Malate,.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Bacolod, ...	„	...	...	...	S	1	c	„	...	...	...	NNW	2	b
Iloilo, ...	„	29.84	89	...	NE	2	o	„	29.93	86	...	NE	1	b
Cebu, ...	„	29.85	87	...	N	2	b	„	29.93	85	...	N	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 5.40a. Black North Cone lowered.

At 12.20p. The barometer has fallen over E. Japan, risen over the S. and SE. coasts of China.

The typhoon, which entered the coast near Amoy yesterday morning, has probably continued to move NW. over China as a depression of decreasing intensity.

Pressure remains high over the Loochoos. Fresh S. monsoon along the China coast and over the N. part of the China Sea.

Forecast:— fresh to moderate S. winds; squally, showery.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
Acting Director.

Hongkong, Observatory, Saturday 8th August 1903.

CHINA COAST METEOROLOGICAL REGISTER

STATION.	8th AUGUST, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th AUGUST, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	..	...	..
Nemuro, ...	,,	29.72	...	...	N	6	...	6 a.	29.72	...	...	SE	4	...
Hakodate, ...	,,	29.70	...	...	...	0	...	,,	29.66		...	SE	4	...
Tokio.....	,,	29.82	...	...	W	2	...	,,	29.78		...	...	0	...
Kochi, ...	,,	29.75	...	...	W	2	...	,,	29.83	...	...	...	0	...
Nagasaki, ...	,,	29.91	...	...	S	6	...	,,	29.91	...	...	SW	6	...
Kagoshima,....	,,	29.91	...	...	NW	4	...	,,	29.95	...	...	...	0	...
Oshima, ...	,,	29.96	...	...	NE	6	...	,,	29.96	...	...	S	2	...
Naha, ...	,,	29.93	...	...	S	2	...	,,	29.97	...	...	...	0	...
Ishigakijima, ...	,,	..	...	...	...	...	...	,,	29.93	...	...	SE	4	...
Tailoku,.....	1 p.	29.83	...	...	E	6	...	5 a.	29.87	...	...	..	0	...
Taichu, ...	,,	29.91	...	...	S	6	...	,,	29.89	...	...	...	0	...
Tainan, ...	,,	..	...	..	...	...	...	,,	29.89	...	...	NE	2	...
Koshun, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	..	...
Pescadores, ...	,,	29.86	.	...	S	6	...	,,	29.88	...	...	SE	4	...
Weihaiwei.....	3 p.	29.58	90	...	SW	3	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.70	82	87	S	6	bm	,,	29.79	83	83	SSW	3	bv
Sharp Peak, ..	,,	29.73	78	91	SSW	4	pq	,,	29.83	81	87	S	3	o
Amoy, ...	2.30p.	29.80	82	87	S	4	o	6.30a.	29.85	81	91	SW	3	o
Swatow, ...	3 p.	29.82	78	...	SW	3	o	9 a.	...	...	...	...	..	...
Canton, ...	,,	...	87	84	W	2	o	,,	...	..	..	..	..	..
Hongkong.....	4 p.	29.77	80	84	SSW	3	odq	10 a.	29.88	81	88	S	1	odt
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	S	5	...
Gap Rock,.....	,,	29.77	...	...	SSW	4	...	,,	29.86	...	...	S	3	...
Macao, ...	,,	29.72	77	...	SSW	4	c	,,	29.85	76	...	W	3	orlt
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	88	72	WNW	1	c	,,	29.92	86	78	WSW	1	e
Malate,.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Iloilo, ...	,,	29.84	90	...	NE	1	c	,,	29.93	85	...	NE	1	b
Cebu, ...	,,	29.86	86	...	N	3	c	,,	29.95	85	...	...	0	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 11.55a. The barometer has risen on the China coast, fallen over W. Japan.
Pressure remains high over the Pacific to the SE. of the Loochoos, and low over N. China and the N. part of the Sea of Japan.
Moderate S. monsoon on the China coast and over the N. part of the China Sea.
Forecast:— moderate S. winds; thunderstorms.

F. G. FIGG,
Acting Director.

Hongkong, Observatory, Sunday 9th August 1903.

CHINA COAST METEOROLOGICAL REGI[S]TER.

	9th AUGUST, 1903, P. M.							10th AUGUST, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.37	70	...	S	2	c	7 a.	29.46	66	99	...	0	b
Nemuro, ...	„	29.69	...	...	S	6	...	6 a.	29.57	...	...	...	0	...
Hakodate, ...	„	29.58	...	...	SW	8	...	„	29.62	...	...	SW	6	...
Tokio,.....	„	29.74	...	...	S	4	...	„	29.74	...	...	...	0	...
Kochi, ...	„	29.83	...	...	W	4	...	„	29.88	...	...	...	0	...
Nagasaki, ...	„	29.82	...	...	SW	8	...	„	29.87	...	...	SW	6	...
Kagoshima,....	„	29.87	...	...	NW	6	...	„	29.91	...	...	...	0	...
Oshima, ...	„	29.88	...	...	NE	6	...	„	29.92	...	...	S	2	...
Naha, ...	„	29.89	...	...	NW	4	...	„	29.89	...	...	...	0	...
Ishigakijima, ...	„	29.89	...	...	SW	4	...	„	29.89	...	...	...	0	...
Taihoku,.....	1 p.	29.90	...	...	N	6	...	5 a.	29.90	...	...	S	2	...
Taichu, ...	„	29.90	...	...	W	4	...	„	29.93	...	...	...	0	...
Tainan, ...	„	29.93	...	...	SE	2	...	„	29.92	...	...	...	c	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	29.92	...	...	SW	6	...	„	29.86	...	...	SW	2	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.75	84	83	S	3	bv	„	...	...	...	...	...	...
Sharp Peak. ..	„	29.79	83	79	S	4	c	„	29.86	82	85	...	0	b
Amoy, ...	2.30p.	29.85	89	87	...	0	o	6.30a.	29.85	80	91	SW	1	c
Swatow, ...	3 p.	...	...	...	...	..	..	9 a.	...	...	...	...	...	...
Canton, ...	„	...	86	84	W	1	c	„	...	84	83	W	1	o
Hongkong.....	4 p.	29.84	82	88	S	2	od	10 a.	29 94	82	86	SSW	1	o
Victoria Peak,.	„	...	...	...	S	5	...	„	...	...	...	S	4	...
Gap Rock, ...	„	29.82	...	...	SSE	2	...	„	29.92	...	...	SSW	2	...
Macao, ...	„	29.80	82	...	SW	2	orlt	„	29.90	82	...	SSW	1	or
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	93	56	W	0	ot	„	29.96	84	77	W	1	b
Malate,.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Bacolod, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Iloilo, ...	„	29.84	88	...	ESE	1	c	„	29.93	86	...	...	0	...
Cebu, ...	„	29.88	86	...	N	2	b	„	29.97	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at noon. The barometer has fallen over Japan and the Loochoos, risen in S. China.
A depression is moving Eastwards in the NE. part of the Sea of Japan, and pressure is high over the China Sea, S. China and the Pacific towards the Loochoos.
Moderate or light S. monsoon in the Formosa Channel and N. part of the China Sea.
Forecast:— S. winds, moderate or light; showery to fair.

F. G. FIGG,
Acting Director.

Hongkong, Observatory, Monday 10th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	10th AUGUST, 1903, P. M.							11th AUGUST, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. DIRECTION.	WIND. FORCE.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. DIRECTION.	WIND. FORCE.	WEATHER.
Wladivostock,...	2 p.	...	81	...	N	2	b	7 a.	29.66	64	99	..	0	c
Nemuro, ...	,,	29.53	...	...	SW	4	...	6 a.	29.61	...	...	...	0	...
Hakodate, ...	,,	29.58	...	...	NW	4	...	,,	29.77	...	...	...	0	...
Tokio,.....	,,	29.71	...	...	S	2	...	,,	29.86	...	...	...	0	...
Kochi, ...	,,	29.79	...	...	W	12	...	,,	29.79	...	...	...	0	...
Nagasaki, ...	,,	29.87	...	...	SW	6	...	,,	29.91	...	...	SW	4	...
Kagoshima.....	,,	29.87	...	...	W	6	...	,,	29.91	...	...	...	0	...
Oshima, ...	,,	29.92	...	...	N	4	...	,,	29.92	...	...	...	0	...
Naha, ...	,,	29.89	...	...	SE	4	...	,,	29.85	...	...	...	0	...
Isigakijima, ...	,,	29.93	...	...	N	4	...	,,	29.81	...	...	NE	4	...
Taihoku,.....	1 p.	29.90	...	...	W	6	...	5 a.	29.89	...	...	...	0	...
Taichu, ...	,,	29.90	...	...	SW	2	...	,,	29.89	...	...	...	0	...
Tainan, ...	,,	29.89	...	..	NW	4	...	,,	29.88	...	...	N	2	...
Koshun, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores, ...	,,	29.92	.	...	W	4	...	,,	29.87	...	...	W	4	...
Weihaiwei.....	3 p.	29.71	84	...	E	1	b	9 a.	29.69	73	...	E	2	o
Gutzlaff, ...	,,	29.76	89	77	SSW	1	bv	,,	29.80	84	87	SSW	1	bm
Sharp Peak. ..	,,	29.78	85	79	SSW	4	o	,,	29.80	84	79	...	0	b
Amoy, ...	2.30p.	29.82	87	80	SE	3	c	6.30a.	29.87	91	74	SW	2	c
Swatow, ...	3 p.	...	...	...	...	...	..	9 a.	...	...	...	...	..	...
Canton, ...	,,	...	92	70	SW	1	or	,,	...	83	87	...	0	b
Hongkong.....	4 p.	29.87	85	79	SSW	2	o	10 a.	29.93	83	84	WNW	1	c
Victoria Peak,.	,,	...	...	...	S	6	...	,,	...	...	...	SW	4	...
Cap Rock, ...	,,	29.88	...	...	SSW	3	...	,,	29.92	...	...	SSW	1	...
Macao, ...	,,	29.84	84	...	S	3	c	,,	29.89	87	...	SW	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	91	49	W	1	c	,,	29.92	84	71	W	1	b
Pacolod, ...	3 p.	...	...	...	N	2	c	9 a.	...	...	...	N	3	b
Iloilo, ...	,,	29.87	89	...	NE	1	b	,,	29.93	86	...	...	0	b
Cebu, ...	,,	29.87	88	...	N	2	b	,,	29.95	86	...	N	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.46a. The barometer has risen over Japan, fallen slightly over Formosa and the S. Loochoos.

The depression, lying in the NE. part of the Sea of Japan yesterday, has passed to the Pacific.

Pressure is high over the China Sea and SW. Japan, and relatively low over N. China and the Pacific to the SE. of the Loochoos.

Light SW. and variable winds in the Formosa Channel and N. part of the China Sea.

Forecast:— SW. winds, light; fine.

F. G. FIGG,
Acting Director.

Hongkong, Observatory, Tuesday 11th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th AUGUST, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th AUGUST, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.65	...	...	S	4	...	6 a.	29.80	...	...	...	0	...
Hakodate, ...	,,	29.77	...	...	W	4	...	,,	29.85	...	...	...	0	...
Tokio,.....	,,	29.78	...	...	S	4	...	,,	29.86	...	...	...	0	...
Kochi, ...	,,	29.87	...	...	E	0	...	,,	29.87	...	...	...	0	...
Nagasaki, ...	,,	29.87	...	...	SW	6	...	,,	29.91	...	...	SE	2	...
Kagoshima.....	,,	29.87	...	...	S	2	...	,,	29.91	...	...	...	0	...
Oshima, ...	,,	29.92	...	...	E	2	...	,,	29.88	...	...	...	0	...
Naha, ...	,,	29.85	...	...	SE	4	...	,,	29.89	...	...	SE	2	...
Isaigakijima, ...	,,	29.81	...	...	E	8	...	,,	29.66	...	...	E	8	...
Taihoku,.....	1 p.	29.79	...	...	NW	6	...	5 a.	29.80	...	...	...	0	...
Taichu, ...	,,	29.80	...	...	W	6	...	,,	29.76	...	...	...	0	...
Tainan, ...	,,	29.83	...	...	NW	6	...	,,	29.74	...	...	NW	6	...
Koshun, ...	,,	...	...	...	...	...	...	,,	29.76	...	...	N	2	...
Pescadores, ...	,,	29.82	...	...	SW	6	...	,,	29.76	...	...	S	2	...
Weihaiwei.....	3 p.	29.68	72	...	E	1	o	9 a.	29.77	78	...	W	3	...
Gutzlaff, ...	,,	29.79	87	80	SSE	2	cv	,,	29.87	83	87	SSW	2	o
Sharp Peak, ..	,,	29.74	84	81	ESE	5	b	,,	29.78	83	85	E	1	c
Amoy, ...	2.30p.	29.77	90	70	SW	2	b	6.20a.	29.81	84	79	W	1	c
Swatow, ...	3 p.	29.75	88	...	W	1	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	95	68	...	0	b	,,	....	83	91	...	0	c
Hongkong.....	4 p.	29.83	85	78	SW	2	b	10 a.	29.85	84	79	WNW	1	c
Victoria Peak,.	,,	...	...	...	SW	4	...	,,	...	...	...	...	...	...
Cap Rock,.....	,,	29.84	...	...	SW	2	...	,,	29.84	...	...	WSW	2	...
Macao, ...	,,	29.81	87	...	SSW	1	c	,,	29.82	85	...	SSW	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	90	66	W	1	o	,,	29.88	88	73	W	1	c
Tacolod, ...	3 p.	...	...	...	NNE	2	ct	9 a.	...	...	...	WSW	2	b
Iloilo, ...	,,	29.83	90	...	NE	1	b	,,	29.89	86	...	NE	1	...
Zebu, ...	,,	29.85	87	...	N	2	b	,,	29.89	86	...	N	2	b
Cape St James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11a. The barometer has risen over E. Japan and the E. coast of China; fallen over Formosa and the SE. and S. coasts of China.

A depression, apparently of moderate intensity at present, lies to the S. of Meiaco Sima (E. of Formosa.) It appears to be moving Westwards.

Pressure remains high over SW. Japan, and over the S. part of the China Sea.

Increasing winds from N. and NE. in the Formosa Channel, moderate W. and SW. winds in the China Sea.

Forecast:— W. winds, light or moderate; fair.

F. G. FIGG,
Acting Director.

Hongkong, Observatory, Wednesday 12th August 1903.

CHINA COAST METEOROLOGICAL REGISTER

12th AUGUST, 1903, P. M. — 13th AUGUST, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.64	75	...	SW	1	c	7 a.	29.67	66	99	S	2	f
Nemuro, ...	„	29.80	...	...	E	2	...	6 a.	29.92	...	...	E	2	...
Hakodate, ...	„	29.81	...	...	S	6	...	„	29.66	...	...	SE	2	...
Tokio,.....	„	29.82	...	...	S	4	...	„	29.90	...	...	...	0	...
Kochi, ...	„	29.87	...	...	SW	2	...	„	29.79	...	...	NE	6	...
Nagasaki, ...	„	29.87	...	...	W	4	...	„	29.91	...	...	...	0	...
Kagoshima,....	„	29.87	...	...	S	2	...	„	29.91	...	...	NE	2	...
Oshima, ...	„	29.88	...	...	SE	4	...	„	29.88	...	...	...	0	...
Naha, ...	„	29.85	...	...	SE	6	...	„	29.81	...	...	SE	4	...
Isigakijima, ...	„	29.54	...	...	E	10	...	„	29.34	...	...	SE	12	...
Taihoku,.....	1 p.	29.76	...	...	E	6	...	5 a.	29.52	...	...	N	8	...
Taichu, ...	„	29.68	...	...	N	8	...	„	29.57	...	...	NW	8	...
Tainan,.....	„	29.70	...	...	NW	8	...	„	29.65	...	...	N	8	...
Koshun, ...	„	...	...	...	...	...	...	„	29.56	...	...	W	8	...
Pescadores, ..	„	29.73	...	...	N	8	...	„	29.68	...	...	N	10	...
Weihaiwei.....	3 p.	29.78	77	...	W	2	o	9 a.	29.87	77	...	W	1	o
Gutzlaff, ...	„	...	...	...	...	...	...	„	29.89	83	83	ESE	3	cv
Sharp Peak, ..	„	29.77	83	81	ESE	6	c	„	29.68	83	73	N	3	c
Amoy, ...	2.30p.	29.71	88	73	SE	3	c	6.30a.	29.76	79	91	WSW	2	c
Swatow, ...	3 p.	29.68	99	...	W	1	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	94	61	...	0	b	„	...	87	80	SSE	...	b
Hongkong.....	4 p.	29.77	86	68	SW	2	b	10 a.	29.77	84	78	WNW	1	c
Victoria Peak,.	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Gap Rock, ...	„	29.78	...	...	WSW	2	...	„	29.77	...	...	WSW	4	...
Macao, ...	„	29.76	87	...	SW	2	c	„	29.75	84	...	WSW	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	91	61	WSW	1	c	„	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	E	3	o	9 a.	...	...	...	...	2	b
Iloilo, ...	„	29.83	89	...	W	1	b	„	29.85	85	...	...	0	...
Cebu, ...	„	29.82	88	...	N	3	b	„	29.88	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12 at 5.55p. Red Drum hoisted.

On the 13th at 11.50a. The barometer has risen slightly over N. China, fallen much over Meiaco Sima and Formosa. The typhoon is lying between the NE. coast of Formosa and Meiaco Sima. It is moving slowly, probably towards NW. or NNW.

Pressure remains high over SW. Japan.

Bad weather in the Formosa Channel and over the Eastern Sea.

Fresh W. and SW. winds over the N. part of the China Sea.

Forecast:— moderate to fresh W. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong, Observatory, Thursday 13th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	13th AUGUST, 1903, P. M. HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	14th AUGUST, 1903, A. M. HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	29.67	72	...	SE	1	c	7 a.	29.77	66	99	...	...	c
Nemuro, ...	,,	29.88	...	...	E	6	...	6 a.	29.84	...	...	NW	6	...
Hakodate, ...	,,	29.81	...	...	SW	6	...	,,	29.89	...	...	...	0	...
Tokio,.....	,,	29.90	...	...	S	4	...	,,	29.98	...	...	S	2	...
Kochi, ...	,,	29.87	...	...	E	2	...	,,	29.95	...	...	E	4	...
Nagasaki, ...	,,	29.87	...	...	W	4	...	,,	29.95	...	...	E	2	...
Kagoshima,.....	,,	29.87	...	...	E	2	...	,,	29.95	...	...	NE	2	...
Oshima, ...	,,	29.88	...	...	SE	4	...	,,	29.92	...	...	...	0	...
Naha, ...	,,	29.81	...	...	E	6	...	,,	29.81	...	...	...	0	...
Ishigakijima, ...	,,	29.60	...	...	S	10	...	,,	29.70	...	...	S	8	...
Taihoku,.....	1 p.	29.42	...	...	NW	6	...	5 a.	29.57	...	...	E	2	...
Taichu, ...	,,	29.66	...	...	NW	8	...	,,	29.63	...	...	S	6	...
Tainan,.....	,,	29.65	...	..	NW	8	...	,,	29.69	...	...	NW	...	...
Koshun, ...	,,	29.62	...	...	W	3	...	,,	...	...	...	..	...	...
Pescadores. . ..	,,	29.67	.	...	NW	6	...	,,	29.64	...	...	S	6	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.84	86	80	ESE	3	1 m	,,	29.81	80	91	E	5	cm
Sharp Peak, ..	,,	29.58	80	80	NNW	6	c	,,	29.51	79	82	WSW	3	or
Amoy, ...	2.30p.	29.64	86	76	SE	3	c	6.30a.	29.64	81	87	W	3	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	97	59	SE	1	c	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.68	85	75	SW	3	cq	10 a.	29.75	84	73	W	1	c
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cap Rock,.....	,,	29.70	...	...	SW	3	...	,,	...	...	...	...	...	...
Macao, ...	,,	29.65	87	...	S	2	c	,,	...	...	...	...	...	...
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	90	60	WSW	2	c	,,	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	S	1	cdt	9 a.	...	...	...	SSW	1	c
Iloilo, ...	,,	29.80	89	...	SW	2	c	,,	29.87	84	...	...	0	c
Cebu, ...	,,	29.81	86	...	N	2	b	,,	29.86	87	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13 at 12.30p. Red Drum lowered.

On the 14th at 11.40a. The barometer has risen over Japan and Formosa, fallen over the E. and SE. coasts of China.

The typhoon is probably moving NW. and approaching the coast in the neighbourhood of Wenchow.

Pressure remains high over S. Japan.

Bad weather in the N. part of the Formosa Channel and along the E. coast of China.

Fresh SW. monsoon in the N. part of the China Sea.

Forecast:— moderate or fresh SW. winds; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong, Observatory, Firday 14th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	14th AUGUST, 1903, P. M.							15th AUGUST, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	...	...	...	..	...	...	7 a.	...	...	...	...	...	..
Nemuro, ...	,,	29.76	...	...	E	2	...	6 a.	29.84	...	...	...	0	...
Hakodate, ...	,,	29.89	...	...	W	4	...	,,	29.93	...	...	...	0	...
Tokio.....	,,	29.90	...	...	S	4	...	,,	29.94	...	...	...	0	...
Kochi, ...	,,	29.91	...	...	...	0	...	,,	29.95	...	...	...	0	...
Nagasaki, ...	,,	29.91	...	...	SE	2	...	,,	29.95	...	...	SE	2	...
Kagoshima.....	,,	29.91	...	...	SE	2	...	,,	29.95	...	...	NE	2	...
Oshima, ...	,,	29.88	...	...	S	4	...	,,	29.92	...	...	...	0	...
Naha, ...	,,	29.85	...	...	SE	4	...	,,	29.89	...	...	...	0	...
Ishigakijima, ...	,,	29.77	...	...	S	8	...	,,	29.74	...	...	S	8	...
Taihoku,.....	1 p.	29.63	...	...	SE	4	...	5 a.	29.73	...	...	S	2	...
Taichu, ...	,,	29.69	...	...	SW	8	...	,,	29.76	...	...	E	2	...
Tainan,.....	,,	29.74	...	..	S	6	...	,,	29.78	...	...	W	2	...
Koshim,.....	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores, ...	,,	29.69	.	...	SW	8	...	,,	...	...	...	...	...	...
Weihaiwei.....	3 p.	29.98	78	...	N	1	o	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.78	79	100	ESE	7	cv	,,	29.77	77	95	SE	...	omd
Sharp Peak, ..	,,	29.52	83	77	W	1	c	,,	29.71	83	87	S	1	og
Amoy, ...	2.30p.	29.60	89	91	SSE	3	c	6.30a.	29.73	82	87	W	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	90	70	S	1	b	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.70	81	83	W	2	op	10 a.	29.76	82	81	W	1	o
Victoria Peak,..	,,	...	...	...	SW	4	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.70	...	...	SW	4	...	,,	29.75	...	...	NNW	3	...
Macao, ...	,,	29.69	78	...	W	1	cp	,,	...	...	...	...	...	...
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	90	66	WSW	1	c	,,	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	NW	1	o	9 a.	...	...	...	W	1	b
Iloilo, ...	,,	29.81	88	...	SW	1	c	,,	29.89	85	...	S	1	b
Cebu,.....	,,	29.81	88	...	...	0	c	,,	29.88	87	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.30a. The barometer has fallen at the mouth of the Yangtze, risen over the SE. coast of China, and Formosa.

The typhoon seems to have entered the coast near Wenchow yesterday morning. It has probably filled up considerably and may be crossing the Yangtze in the neighbourhood of Wuhu this morning.

Pressure remains high over S. Japan.

Moderate S. monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate SW. winds; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 15th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th AUGUST, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th AUGUST, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.84	83	...	W	1	c	7 a.	29.88	70	94	...	0	c
Nemuro, ...	„	29.80	...	...	SE	4	...	6 a.	29.88	...	...	...	0	...
Hakodate, ...	„	29.85	...	...	SW	4	...	„	29.89	...	...	...	0	...
Tokio,.....	„	29.90	...	...	S	2	...	„	29.94	...	...	NW	2	...
Kochi, ...	„	29.95	...	...	E	2	...	„	29.95	...	...	...	0	...
Nagasaki, ...	„	29.91	...	...	SE	2	...	„	29.99	...	...	S	2	...
Kagoshima,....	„	29.91	...	...	S	4	...	„	29.99	...	...	NE	2	...
Oshima, ...	„	29.84	...	...	SE	4	...	„	29.92	...	...	S	2	...
Naha, ...	„	29.89	...	...	SE	4	...	„	29.89	...	...	...	0	...
Ishigakijima, ...	„	29.85	...	...	S	6	...	„	29.89	...	...	...	0	...
Taiboku,.....	1 p.	29.77	...	...	N	6	...	5 a.	29.85	...	...	SE	6	...
Taichu, ...	„	29.80	...	...	SW	6	...	„	29.83	...	...	...	0	...
Tainan,.....	„	29.84	...	...	SW	2	...	„	29.82	...	...	SE	2	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	29.80	...	...	S	6	...	„	29.80	...	...	S	6	...
Weihaiwei.....	3 p.	29.93	79	...	E	1	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.75	81	91	SSE	6	cm	„	29.90	79	91	S	4	cv
Sharp Peak, ..	„	29.71	82	87	SE	3	c	„	29.84	82	85	...	0	c
Amoy, ...	2.30p.	29.74	86	76	SSE	4	c	6.30a.	29.82	80	91	SE	2	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	92	64	...	0	c	„	...	83	79	SE	1	c
Hongkong.....	4 p.	29.71	81	83	E	1	c	10 a.	29.78	82	80	...	0	c
Victoria Peak,.	„	...	...	...	...	0	...	„	...	...	...	NNE	1	...
Gap Rock,.....	„	29.71	...	...	SW	2	...	„	29.77	...	...	NW	2	...
Macao, ...	„	29.68	84	...	...	0	c	„	29.74	84	...	SW	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	90	66	WSW	2	c	„	29.88	88	66	NW	2	cg
Bacolod, ...	3 p.	...	...	...	WNW	2	c	9 a.	...	...	...	WSW	1	b
Iloilo, ...	„	29.79	81	...	SW	1	c	„	29.89	85	...	S	1	b
Cebu, ...	„	29.84	89	...	S	1	b	„	29.96	87	...	...	0	b
Cape S. James,.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at noon: The barometer has risen over the E. and SE. coasts of China, and is little changed elsewhere.

Pressure remains high over S. Japan, and gradients are slight generally.

Moderate S. and SE. winds on the China coast, and moderate SW. monsoon over the China Sea.

Forecast:— variable and SE. winds, light or moderate; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 16th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th AUGUST, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th AUGUST, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.85	86	...	...	0	c	7 a.	29.88	68	...	...	0	c
Nemuro, ...	"	29.80	...	...	E	2	...	6 a.	29.92	...	...	N	6	...
Hakodate, ...	"	29.81	...	...	W	6	...	"	29.97	...	...	NW	4	...
Tokio.....	"	29.90	...	...	S	2	...	"	29.94	...	...	N	2	...
Kochi, ...	"	29.95	...	...	W	2	...	"	29.95	...	...	...	0	...
Nagasaki, ...	"	29.95	...	...	W	6	...	"	29.95	...	...	SE	2	...
Kagoshima, ...	"	29.95	...	...	SW	4	...	"	29.99	...	...	...	0	...
Oshima, ...	"	29.96	...	...	SE	4	...	"	29.96	...	...	...	0	...
Naha, ...	"	29.93	...	...	SE	2	...	"	29.89	...	...	SE	2	...
Isigakijima, ...	"	29.89	...	...	SE	4	...	"	29.85	...	...	NE	2	...
Taihoku,.....	1 p.	29.82	...	...	NE	6	...	5 a.	29.92	...	...	S	4	...
Tairan, ...	"	29.82	...	...	W	2	...	"	29.85	...	...	...	0	...
Tainan, ...	"	29.83	...	...	SE	6	...	"	29.85	...	...	SE	2	...
Koshun.	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Pescadores, ...	"	29.84	...	...	SE	6	...	"	29.85	...	...	...	0	...
Weihaiwei.....	3 p.	29.65	76	...	NE	7	b	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	29.85	84	83	SSE	3	bv	"	29.93	81	87	SSE	4	bv
Sharp Peak, ..	"	29.82	85	77	SE	3	c	"	29.87	82	83	...	0	c
Amoy, ...	2.30p.	29.81	84	75	SE	3	c	6.30a.	29.85	80	87	SE	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton.	"	...	85	91	S	1	o	"	...	83	91	SE	1	...
Hongkong	4 p.	29.73	78	93	E	1	od	10 a.	29.81	77	91	E	1	od
Victoria Peak,.	"	...	...	...	S	3	...	"	...	...	...	E	2	...
Cap Esel	"	29.73	...	...	SSW	3	...	"	29.78	...	...	E	2	...
Macao, ...	"	29.70	82	...	SSW	2	...	"	29.76	77	...	SE	2	or
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.76	86	69	ESE	1	o	"	29.84	86	71	WSW	1	o
Bacolod, ...	3 p.	...	...	...	W	2	c	9 a.	...	...	...	SSW	2	c
Iloilo, ...	"	29.78	88	...	W	2	c	"	29.91	87	...	ENE	1	b
Cebu, ...	"	29.80	87	...	S	1	c	"	29.89	86	...	...	0	o
Cape S. James,.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.30a. The barometer has risen slightly on the China coast, fallen a little over Luzon. Pressure remains high over Japan, and probably a low pressure trough will form over the N. part of the China Sea and the Pacific to the E. of N. Luzon.

Gradients slight for SE. and E. winds over the China coast, and for SW. winds over the middle part of the China Sea.

The late typhoon appears to have recurved and to have passed from Shantung to the Yellow Sea yesterday.

Forecast:— moderate E. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 17th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

17th AUGUST, 1903, P. M. | 18th AUGUST, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	29.89	73	...	S	2	c	7 a.	29.81	66	99	S	2	...
Nemuro, ...	,,	29.92	...	...	N	6	...	6 a.	30.00	...	...	...	0	...
Hakodate, ...	,,	29.97	...	...	W	4	...	,,	29.97	...	...	...	0	...
Tokio,.....	,,	29.94	...	...	S	4	...	,,	29.98	...	...	NW	4	...
Kochi, ...	,,	29.95	...	...	W	2	...	,,	29.95	...	...	...	0	...
Nagasaki, ...	,,	29.95	...	...	W	6	...	,,	29.95	...	...	S	2	...
Kagoshima.....	,,	29.95	...	...	SE	4	...	,,	29.99	...	...	...	0	...
Oshima, ...	,,	29.96	...	...	SE	6	...	,,	30.00	...	...	...	0	...
Naha, ...	,,	29.93	...	...	SE	4	...	,,	29.89	...	...	E	4	...
Ishigakijima, ...	,,	29.85	...	...	NE	8	...	,,	29.74	...	...	E	8	...
Taihoku,.....	1 p.	29.91	...	...	N	6	...	5 a.	29.75	...	...	NE	6	...
Taichu, ...	,,	29.83	...	...	N	6	...	,,	29.69	...	...	N	2	...
Tainan, ...	,,	...	...	...	...	...	...	,,	29.69	...	...	N	6	...
Koshun, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores, ...	,,	29.85	...	...	N	4	...	,,	29.72	...	...	N	10	...
Weihaiwei.....	3 p.	29.74	73	...	W	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.90	85	79	S	4	cv	,,	29.97	81	91	S	2	cv
Sharp Peak, ..	,,	29.85	82	87	ESE	6	c	,,	29.84	83	81	NNE	3	c
Amoy, ...	2.30p.	29.84	85	72	SE	3	b	6.30a.	29.82	81	83	W	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	89	84	NW	1	c	,,	...	...	...	...	...	...
Hongkong	4 p.	29.76	79	84	SE	1	c	10 a.	29.85	76	93	NNW	1	or
Victoria Peak,.	,,	...	...	...	...	0	...	,,	...	...	...	SW	2	...
Cap Rock.....	,,	29.74	...	...	ESE	1	...	,,	29.83	...	...	WSW	3	...
Macao, ...	,,	29.72	82	...	S	1	c	,,	29.78	78	...	ESE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	90	66	WSW	2	c	,,	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	SSW	2	or	9 a.	...	...	...	SW	2	c
Iloilo, ...	,,	29.79	87	...	SW	2	c	,,	29.89	86	...	E	1	...
Cebu, ...	,,	29.80	87	...	...	0	c	,,	29.91	87	...	...	0	b
Cape S. James,.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 10.55a. The barometer has risen slightly over the E. coast of China, fallen considerably over Formosa.

A depression, which seems to be moving WNW. exists to the E. of S. Formosa.

Pressure remains high over Japan.

Weather becoming bad in the Formosa Channel. Increasing NW. and W. winds along the S. coast of China.

Forecast:— NW. to W. winds, moderate or fresh; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 18th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th AUGUST, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th AUGUST, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	30.00	...	...	N	6	...	6 a.	30.00	...	...	E	6	...
Hakodate, ...	„	29.92	...	...	SE	6	...	„	29.89	...	...	E	6	...
Tokio,.....	„	29.86	...	...	S	4	...	„	29.78	...	...	...	0	...
Kochi, ...	„	29.91	...	...	W	4	...	„	29.91	...	...	...	0	...
Nagasaki, ...	„	29.95	...	...	SW	6	...	„	29.95	...	...	SW	2	...
Kagoshima,....	„	29.99	...	...	W	4	...	„	29.95	...	...	N	2	...
Oshima, ...	„	30.00	...	...	S	4	...	„	29.96	...	...	S	2	...
Naha, ...	„	29.85	...	...	SE	4	...	„	29.93	...	...	...	0	...
Ishigakijima, ...	„	29.77	...	...	S	10	...	„	29.85	...	...	S	8	...
Taihoku,.....	1 p.	29.68	...	...	E	8	...	5 a.	29.52	...	...	SE	10	...
Taichu, ...	„	29.51	...	...	SW	2	...	„	29.22	...	...	S	8	...
Tainan,.....	„	29.55	...	...	N	4	...	„	29.26	...	...	S	10	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	29.63	...	...	N	10	...	„	29.56	...	...	SW	10	...
Weihaiwei.....	3 p.	29.82	84	...	W	1	o	9 a.	29.86	86	...	W	1	...
Gutzlaff, ...	„	29.91	85	87	SSE	3	cv	„	29.98	81	91	SE	3	bm
Sharp Peak, ..	„	29.76	83	83	ENE	8	og	„	29.60	79	89	N	8	or
Amoy, ...	2.30p.	29.71	89	69	NW	1	c	6.30a.	29.62	85	72	WNW	4	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	86	84	SE	2	o	„	...	...	...	...	...	...
Hongkong.....	4 p.	29.79	76	89	E	1	o	10 a.	29.83	82	81	W	1	o
Victoria Peak,.	„	...	...	...	S	1	...	„	...	...	...	SW	3	...
Gap Rock,.....	„	29.78	...	...	SSW	2	...	„	29.85	...	...	SW	4	...
Macao, ...	„	29.76	78	...	ESE	1	c	„	29.80	84	...	SSE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	91	61	SW	1	c	„	29.88	88	72	SW	1	c
Bacolod, ...	3 p.	...	...	...	NE	...	c	9 a.	...	...	...	NNW	1	c
Iloilo, ...	„	29.83	87	...	SW	1	c	„	29.89	84	...	SSW	1	b
Cebu, ...	„	29.82	89	...	S	2	c	„	29.91	87	...	...	0	b
Cape S. James,.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 6p. Red Drum hoisted.

On the 19th at 11a. The barometer has risen over Meiaco Sima, fallen much over Formosa and the SE. coast of China.

The typhoon crossed Formosa during the night, and passed this morning into the N. part of the Formosa Channel. It is moving WNW. or NW. and threatens the coast between Amoy and Foochow.

Pressure remains high over SW. Japan and the E. coast of China.

Very bad weather in and to the Northward of the Formosa Channel.

Strong W. and SW. winds off the S. coast of China.

Forecast:— fresh W. to SW. winds; squally, showery.

Red Drum lowered.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 19th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	19th AUGUST, 1903, P. M.							20th AUGUST, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.81	79	...	W	1	c	7 a.	29.90	66	96	SW	1	b
Nemuro, ...	„	29.96	...	...	E	8	...	6 a.	29.92	...	...	NE	6	...
Hakodate, ...	„	29.89	...	...	E	6	...	„	29.89	...	...	...	0	...
Tokio,.....	„	29.71	...	...	S	4	...	„	29.82	...	...	E	2	...
Kochi, ...	„	29.83	...	...	W	4	...	„	29.87	...	...	NW	0	...
Nagas,aki, ...	„	29.95	...	...	W	6	...	„	29.95	...	...	...	0	...
Kagoshima, ...	„	29.95	...	...	NW	4	...	„	29.95	...	...	...	0	...
Oshima, ...	„	29.96	...	...	N	4	...	„	29.96	...	...	S	2	...
Naha, ...	„	29.93	...	...	SE	4	...	„	29.93	...	...	...	0	...
Ishigakijima, ..	„	29.89	...	...	S	6	...	„	29.89	...	...	S	6	...
Taihoku,.....	1 p.	29.66	...	...	SE	8	...	5 a.	29.76	...	...	E	4	...
Taichu, ...	„	29.69	...	...	S	6	...	„	29.79	...	...	S	2	...
Tainan,.....	„	...	...	...	...	...	...	„	29.83	...	...	NW	2	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	...	...	...	...	...	...	„	29.75	...	...	S	8	...
Weihaiwei,.....	3 p.	29.81	84	...	W	1	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.90	83	87	SE	3	bv	„	29.95	81	91	SE	3	cv
Sharp Peak, ..	„	29.50	77	93	NE	11	r	„	29.65	77	88	S	2	og
Amoy, ...	2.30p.	29.56	87	72	SW	3	c	6.30a.	29.62	82	83	S	3	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	96	72	S	3	b	„	...	87	84	S	1	b
Hongkong.....	4 p.	29.72	83	81	SW	3	c	10 a.	29.81	84	77	WSW	2	o
Victoria Peak,.	„	...	...	...	SW	6	...	„	...	...	...	SW	...	...
Gap Rock,.....	„	29.75	...	...	SW	4	...	„	29.82	...	...	WSW	2	...
Macao, ...	„	29.71	84	...	SSW	2	c	„	29.77	84	...	WSW	3	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	86	79	W	1	o	„	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	ESE	1	o	9 a.	...	...	...	WNW	1	o
Iloilo, ...	„	29.80	85	...	WNW	2	o	„	29.89	84	...	E	1	c
Cebu, ...	„	29.81	87	...	S	2	b	„	29.90	86	...	...	0	b
Cape S. James,.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.25a. The barometer has risen much over Formosa, fallen slightly on the S. coast of China.

The typhoon entered the coast a little to the S. of Foochow last evening. It continues to move WNW. on the mainland as a depression gradually decreasing in violence.

Pressure remains high over SW. Japan and the Loochoos.

Strong S. winds in the Formosa Channel, moderate SW. monsoon over the N. part of the China Sea.

Forecast:— moderate SW. winds; squally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 20th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	20th AUGUST, 1903, P. M.								21st AUGUST, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.84	...	...	N	8	...	6 a.	29.84	...	...	N	8	...
Hakodate, ...	„	29.85	...	...	S	4	...	„	29.93	...	...	NW	4	...
Tokio.....	„	29.74	...	...	SW	4	...	„	29.94	...	...	NE	2	...
Kochi, ...	„	29.87	...	...	W	4	...	„	29.95	...	...	E	2	...
Nagasaki, ...	„	29.91	...	...	W	2	...	„	29.99	...	...	SE	2	...
Kagoshima.....	„	29.91	...	...	W	4	...	„	29.99	...	...	...	0	...
Oshima, ...	„	29.96	...	...	N	2	...	„	30.00	...	...	S	2	...
Naha, ...	„	29.93	...	...	SE	4	...	„	29.97	...	...	...	0	...
Ishigakijima, ...	„	29.89	...	...	S	6	...	„	29.93	...	...	S	6	...
Taihoku,.....	1 p.	29.79	...	...	W	2	...	5 a.	29.87	...	...	...	0	...
Taichu, ...	„	29.82	...	...	W	6	...	„	29.88	...	...	...	0	...
Tainan, ...	„	29.88	...	...	S	6	...	„	29.88	...	...	E	4	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	29.80	...	...	S	8	...	„	29.86	...	...	S	4	...
Weihaiwei.....	3 p.	29.82	73	...	SE	1	o	9 a.	29.77	82	...	S	5	o
Gutzlaff, ...	„	29.86	81	91	SE	4	cv	„	29.90	79	91	SE	5	cm
Sharp Peak, ..	„	29.64	80	91	SE	4	o	„	29.82	81	87	S	2	o
Amoy, ...	2.30p.	29.71	78	...	SE	4	rlt	6.30a.	29.86	80	87	SSE	2	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	92	85	S	1	b	„	...	91	81	S	1	b
Hongkong	4 p.	29.77	82	82	SSW	1	o	10 a.	29.89	84	81	NW	1	c
Victoria Peak,.	„	...	...	...	SSW	6	...	„	...	...	...	SSW	3	...
Gap Rock.....	„	29.79	...	...	SSW	4	...	„	29.89	...	...	SSW	1	...
Macao, ...	„	29.72	84	...	SSW	2	c	„	29.85	88	...	WSW	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	88	66	NNE	2	o	„	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	S	2	o	9 a.	...	...	...	...	...	...
Iloilo, ...	„	29.81	89	...	SW	1	o	„	...	...	...	...	...	...
Cebu, ...	„	29.82	87	...	N	3	b	„	...	...	...	...	...	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at noon: The barometer has risen over S. China, fallen over N. China.
Probably the depression is crossing the Yangtze between Kiukiang and Wuhu, and moving now in a Northerly direction.
Pressure is high over Japan, the Loochoos and the N. part of the China Sea.
Moderate SE. winds in the Formosa Channel, variable winds in the N. part of the China Sea.
Forecast:—SW. or variable winds, light; showery.
Reports from the Philippines not yet to hand.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 21st August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	21st AUGUST, 1903, P. M.							22nd AUGUST, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock....	2 p.	29.92	77	...	...	0	c	7 a.	29.85	69	99	S	3	o
Nemuro, ...	,,	29.92	...	...	N	6	...	6 a.	30.04	...	...	N	4	...
Hakodate, ...	,,	29.93	...	...	S	6	...	,,	30.09	...	...	...	0	...
Tokio.....	,,	29.94	...	...	S	4	...	,,	30.10	...	...	N	2	...
Kochi, ...	,,	29.95	...	...	...	0	...	,,	30.03	...	...	NE	4	...
Nagasaki, ...	,,	29.95	...	...	W	4	...	,,	29.99	...	...	SE	6	...
Kagoshima.....	,,	29.95	...	...	SW	4	...	,,	30.03	...	...	E	2	...
Oshima, ...	,,	29.96	...	...	N	2	...	,,	30.00	...	...	S	2	...
Naha, ...	,,	29.93	...	...	E	2	...	,,	30.01	...	...	...	0	...
Isigakijima, ...	,,	29.93	...	...	S	6	...	,,	29.97	...	...	...	0	...
Taihoku,.....	1 p.	29.88	...	...	NW	2	...	5 a.	29.94	...	...	E	2	...
Taichu, ...	,,	29.89	...	...	SW	4	...	,,	29.93	...	...	...	0	...
Tainan, ...	,,	...	...	...	...	...	...	,,	29.92	...	...	...	0	...
Koshun, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores, ...	,,	29.89	...	...	SE	6	...	,,	29.93	...	...	S	2	...
Weihaiwei.....	3 p.	29.86	82	...	S	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.77	80	87	S	6	cm	,,	29.90	82	87	SSW	3	bv
Sharp Peak. ..	,,	29.76	84	83	SSE	5	o	,,	29.92	82	85	...	0	c
Amoy, ...	2.30p.	29.81	84	82	S	3	c	6.30a.	29.94	80	87	S	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	81	91	...	0	o	,,	...	...	...	...	...	...
Hongkong	4 p.	29.86	82	78	SW	1	o	10 a.	29.96	80	86	...	0	od
Victoria Peak,.	,,	...	...	...	SW	5	...	,,	...	...	...	...	...	...
Gap Rock	,,	29.85	...	...	W	2	...	,,	29.95	...	...	SSW	1	...
Macao, ...	,,	29.83	76	...	SW	1	or	,,	29.93	86	...	W	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.89	90	66	...	0	o	,,	29.83	86	71	W	1	c
Bacolod, ...	3 p.	...	...	...	SSE	2	od	9 a.	...	...	...	W	1	b
Iloilo, ...	,,	29.83	86	...	WNW	2	od	,,	29.91	84	...	SW	1	b
Cebu, ...	,,	29.84	85	...	...	0	c	,,	29.91	87	...	S	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.5a. The barometer has risen over S. China and Japan, fallen slightly over the Philippines.

Probably the depression has continued to move Northwards towards the Gulf of Petchili.

Pressure is high in an area lying over the S. coast of China and extending Northeastward over Japan, and relatively low over the middle part of the China Sea and the Pacific to the E. of Luzon.

Light variable winds in the Formosa Channel, and light E. and NE. winds over the N. part of the China Sea.

Forecast:— variable winds, light; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 22nd August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd AUGUST, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd AUGUST, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.72	70	...	S	4	c	7 a.	29.56	67	99	...	0	or
Nemuro, ...	„	30.08	...	...	SE	4	...	6 a.	30.12	...	...	SE	6	...
Hakodate, ...	„	30.05	...	...	SW	4	...	„	30.01	...	...	E	8	...
Tokio,.....	„	30.02	...	...	SE	4	...	„	30.06	...	...	NW	3	...
Kochi, ...	„	30.03	...	...	E	2	...	„	29.99	...	...	S	2	...
Nagas,aki, ...	„	29.99	...	...	SW	6	...	„	29.99	...	...	SW	6	...
Kagoshima,....	„	29.99	...	...	SW	4	...	„	30.03	...	...	...	0	...
Oshima, ...	„	30.00	...	...	W	2	...	„	30.00	...	...	S	2	...
Naha, ...	„	30.01	...	...	W	4	...	„	29.97	...	...	...	0	...
Ishigakijima, ...	„	29.97	...	...	E	6	...	„	...	...	...	...	...	...
Taiboku,.....	1 p.	29.92	...	...	E	4	...	5 a.	29.94	...	...	S	2	...
Taichu, ...	„	29.92	...	...	SW	2	...	„	29.91	...	...	...	0	...
Tainan, ...	„	29.90	...	...	NW	4	...	„	29.91	...	...	N	4	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	29.94	...	...	W	2	...	„	29.91	...	...	SE	2	...
Weihsiwei,.....	3 p.	29.70	76	...	NW	2	c	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.87	83	83	SSE	3	c	„	29.92	82	79	S	3	bv
Sharp Peak, ..	„	29.88	82	87	ESE	4	b	„	29.92	83	85	ENE	1	b
Amoy, ...	2.30p.	29.90	86	72	SE	2	b	6.30a.	29.92	80	87	WSW	3	b
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	94	81	S	1	b	„	...	85	...	SSW	...	c
Hongkong.....	4 p.	29.92	84	75	S	1	c	10 a.	29.96	84	77	SE	1	c
Victoria Peak,.	„	...	...	...	SSW	2	...	„	...	...	...	SSW	1	...
Gap Rock, ...	„	29.90	...	...	S	1	...	„	29.95	...	...	NW	2	...
Macao, ...	„	29.89	85	...	S	1	c	„	29.94	86	...	...	0	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	88	72	SW	2	c	„	29.92	84	77	WSW	2	c
Bacolod, ...	3 p.	...	...	...	SE	1	c	9 a.	...	...	...	S	3	b
Iloilo, ...	„	29.86	85	...	SW	2	c	„	29.94	83	...	SSW	2	cd
Cebu, ...	„	29.85	87	...	S	1	b	„	29.94	86	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.5a. The barometer has fallen at Wladiwostock owing to the depression, which has reached the neighbourhood of that station.

Pressure remains high over S. China, Japan and the Loochoos, but with a tendency to give way again over the latter area and Formosa.

Light variable winds in the Formosa Channel, and light NE. winds over the N. part of the China Sea.

Forecast:— light variable winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 23rd August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	23rd AUGUST, 1903, P. M.							24th AUGUST, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.56	76	...	...	0	c	7 a.	29.70	68	98	...	0	c
Nemuro, ...	"	30.04	...	...	E	6	...	6 a.	29.80	...	...	SE	8	...
Hakodate, ...	"	29.85	...	...	E	8	...	"	29.77	...	...	NW	6	...
Tokio,.....	"	29.98	...	...	S	6	...	"	29.90	...	...	...	0	...
Kochi, ...	"	29.99	...	...	W	2	...	"	29.95	...	...	W	2	...
Nagasaki, ...	"	29.99	...	...	SW	6	...	"	29.99	...	...	S	2	...
Kagoshima, ...	"	29.99	...	...	SW	2	...	"	29.99	...	...	E	2	...
Oshima, ...	"	30.00	...	...	SE	4	...	"	29.96	...	...	S	2	...
Naha, ...	"	30.01	...	...	SE	4	...	"	29.93	...	...	...	0	...
Ishigakijima, ...	"	29.97	...	...	E	6	...	"	29.89	...	...	SE	6	...
Taiheku,.....	1 p.	29.91	...	...	SE	8	...	5 a.	29.83	...	...	E	6	...
Taichu, ...	"	29.89	...	...	W	4	...	"	29.78	...	...	...	0	...
Tainan,.....	"	29.91	...	...	N	4	...	"	29.81	...	...	...	0	...
Koshun, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Pescadores, ...	"	29.92	...	...	NE	2	...	"	29.82	...	...	...	0	...
Weihsiwei.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	29.87	83	79	S	4	bv	"	29.89	82	80	S	5	bv
Sharp Peak, ..	"	29.88	83	83	SE	2	c	"	29.87	83	83	NNE	3	c
Amoy, ...	2.30p.	29.87	86	76	SE	3	d	6.30a.	29.88	23	87	NE	1	c
Swatow, ...	3 p.	29.88	87	...	SSW	2	b	9 a.	...	...	...	...	...	...
Canton, ...	"	...	95	...	SSW	...	b	"	...	86	76	W	2	c
Hongkong.....	4 p.	29.89	83	81	...	0	c	10 a.	29.89	84	73	W	1	c
Victoria Peak,.	"	...	...	...	SSW	1	...	"	...	...	...	SW	1	...
Gap Rock,.....	"	29.89	...	...	...	0	...	"	29.89	...	...	W	2	...
Macao, ...	"	29.86	87	...	S	1	c	"	29.86	85	...	WSW	1	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.80	88	72	WSW	3	c	"	29.88	84	85	W	1	c
Bacolod, ...	3 p.	...	...	...	W	2	c	9 a.	...	...	...	SSW	1	c
Iloilo, ...	"	29.84	86	...	SW	2	b	"	29.89	82	...	WSW	2	c
Cebu, ...	"	29.85	88	...	S	2	...	"	29.91	87	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.15a. The depression, lying near Wladiwostock yesterday, has reached NE. Japan.
The barometer has fallen along the China coast and Formosa, particularly over the latter area.
A depression, apparently shallow at present, appears to be lying to the SE. of Formosa.
Pressure remains high over SW. Japan.
Increasing NE. winds in the Formosa Channel, and fresh NW. and W. winds over the N. part of the China Sea.
Forecast:— NW. and W. winds, moderate; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 24th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	24th AUGUST, 1903, P. M.							25th AUGUST, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	29.72	74	...	...	0	o	7 a.	29.70	71	99	...	0	b
Nemuro, ...	„	29.69	...	...	S	4	...	6 a.	29.80	...	...	N	4	...
Hakodate, ...	„	29.89	...	...	W	4	...	„	29.85	...	...	...	0	...
Tokio.....	„	29.82	...	...	S	6	...	„	29.90	...	...	...	0	...
Kochi, ...	„	29.91	...	...	W	4	...	„	29.91	...	...	...	0	...
Nagasaki, ...	„	29.95	...	...	SW	6	...	„	29.99	...	...	...	0	...
Kagoshima,....	„	29.95	...	...	NW	6	...	„	29.99	...	...	...	0	...
Oshima, ...	„	30.00	...	...	S	2	...	„	29.96	...	...	S	0	...
Naha, ...	„	29.93	...	...	SE	4	...	„	29.93	...	...	...	0	...
Isaigakijima, ...	„	29.89	...	...	S	6	...	„	29.89	...	...	SE	2	...
Taihoku,.....	1 p.	29.80	...	...	SE	8	...	5 a.	29.87	...	...	...	0	...
Taichu, ...	„	29.79	...	...	S	4	...	„	29.84	...	...	...	0	...
Tainan, ...	„	29.82	...	..	W	4	...	„	29.83	...	...	...	0	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	29.82	.	...	SW	6	...	„	29.85	...	...	SW	2	...
Weihaiwei.....	3 p.	29.75	77	...	N	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.85	84	87	S	4	bv	„	29.95	81	87	S	1	bv
Sharp Peak, ..	„	29.80	83	83	NNE	4	o	„	29.86	84	79	...	0	c
Amoy, ...	2.30p.	29.79	83	79	SE	4	o	6.30a.	29.86	79	87	NE	1	c
Swatow, ...	3 p.	29.77	84	...	ESE	3	ot	9 a.	...	...	...	...	...	...
Canton, ...	„	...	90	77	...	0	b	„	...	79	91	SE	1	o
Hongkong.....	4 p.	29.78	85	71	SW	1	b	10 a.	29.86	79	79	E	1	o
Victoria Peak,.	„	...	...	...	SW	2	...	„	...	...	...	...	...	...
Gap Rock,.....	„	29.79	...	...	WSW	3	...	„	29.84	...	...	ESE	1	...
Macao, ...	„	29.76	85	...	SW	1	c	„	29.83	83	...	S	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	84	85	SW	2	o	„	29.84	84	77	W	1	c
Bacolod, ...	3 p.	...	...	...	S	4	...	9 a.	...	...	...	...	0	c
Iloilo, ...	„	29.83	84	...	SW	3	c	„	29.87	83	...	SW	1	c
Cebu, ...	„	29.84	88	...	S	2	c	„	29.90	83	...	...	0	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 6.25p. The shallow depression has moved NW. into the N. part of the Formosa Channel.

On the 25th at noon: The barometer has risen slightly over Formosa and the E. coast of China, fallen a little over the S. coast and the Philippines.

The shallow depression, lying over the N. part of the Formosa Channel last night, has filled up.

Pressure is high over SW. Japan, and relatively low over the middle part of the China Sea, and the Pacific to the E. of N. Luzon.

Moderate SE. and E. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— variable or E. winds, light; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 25th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	25th AUGUST, 1903, P. M.							26th AUGUST, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.80	...	...	S	2	...	6 a.	29.80	...	...	NW	2	...
Hakodate, ...	„	29.81	...	...	SE	4	...	„	29.89	...	...	NW	2	...
Tokio,.....	„	29.82	...	...	S	4	...	„	29.86	...	...	N	2	...
Kochi, ...	„	29.91	...	...	E	2	...	„	29.96	...	...	NE	2	...
Nagasaki, ...	„	29.95	...	...	W	4	...	„	29.99	...	...	NE	4	...
Kagoshima,....	„	29.95	...	...	S	2	...	„	29.99	...	...	N	2	...
Oshima, ...	„	29.96	...	...	S	4	...	„	29.96	...	...	S	2	...
Naha, ...	„	29.93	...	...	E	4	...	„	29.93	...	...	...	0	...
Ishigakijima, ...	„	29.93	...	...	SE	4	...	„	29.89	...	...	NE	2	...
Taihoku,.....	1 p.	29.86	...	...	E	4	...	5 a.	29.87	...	...	...	0	...
Taichu, ...	„	29.84	...	...	N	6	...	„	29.87	...	...	...	0	...
Tainan,.....	„	29.85	...	...	NW	4	...	„	29.87	...	...	...	0	...
Koshun, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Pescadores, ...	„	29.87	...	...	W	4	...	„	29.87	...	...	E	2	...
Weihaiwei,.....	3 p.	29.91	78	...	NE	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.91	81	87	SE	3	bv	„	29.96	81	87	SSE	3	bv
Sharp Peak, ..	„	29.84	83	79	SSE	3	c	„	29.88	81	87	...	0	og
Amoy, ...	2.30p.	29.88	84	79	ESE	3	c	6.30a.	29.93	79	82	SE	6	r
Swatow, ...	3 p.	29.81	81	...	E	3	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	93	85	S	1	o	„	...	...	...	...	...	...
Hongkong.....	4 p.	29.77	82	76	S	1	c	10 a.	29.88	78	90	E	2	cp
Victoria Peak,.	„	...	...	...	SSW	2	...	„	...	...	...	...	...	...
Gap Rock,.....	„	29.78	...	...	SW	1	...	„	29.87	...	...	ESE	1	...
Macao, ...	„	...	...	...	...	...	...	„	29.84	80	...	ESE	1	cr
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	77	92	NE	1	od	„	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	WSW	2	o	9 a.	...	...	...	SSE	4	o
Iloilo, ...	„	29.81	85	...	W	2	od	„	29.87	79	...	SW	1	od
Cebu, ...	„	29.81	86	...	S	2	c	„	29.90	83	...	....	0	or
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 11.45a. Barometric changes are slight.

Pressure remains high over SW. Japan, and relatively low over the middle part of the China Sea and the Pacific to the E. of N. Luzon.

Gradients slight generally with moderate E. and SE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— *light or moderate E. winds; showery.*

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 26th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	26th AUGUST, 1903, P. M.							27th AUGUST, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	29.92	81	...	NW	1	c	7 a.	29.94	67	99	...	...	c
Nemuro, ...	,,	29.76	...	...	S	6	...	6 a.	29.88	...	...	W	8	...
Hakodate, ...	,,	29.85	...	...	NW	6	...	,,	30.05	...	...	NW	2	...
Tokio,.....	,,	29.86	...	...	S	6	...	,,	30.02	...	...	NW	2	...
Kochi, ...	,,	29.95	...	...	E	0	...	,,	29.95	...	...	E	4	...
Nagas,aki, ...	,,	29.95	...	...	SW	4	...	,,	29.95	...	...	NE	4	...
Kagoshima,....	,,	29.91	...	...	SE	2	...	,,	29.95	...	...	...	0	...
Oshima, ...	,,	29.92	...	...	N	2	...	,,	29.92	...	...	...	0	...
Naha, ...	,,	29.93	...	...	SE	4	...	,,	29.89	...	...	...	0	...
Ishigakijima, ...	,,	29.93	...	...	SE	4	...	,,	29.89	...	...	...	0	...
Taihoku,.....	1 p.	29.87	...	...	NE	2	...	5 a.	29.87	...	...	S	2	...
Taichu, ...	,,	29.87	...	...	N	6	...	,,	29.85	...	...	...	0	...
Tainan,.....	,,	29.86	...	...	N	2	...	,,	29.85	...	...	NE	2	...
Koshun, ...	,,	29.87	...	...	E	2	...	,,	29.86	...	...	E	4	...
Pescadores, ...	,,	29.89	...	...	N	6	...	,,	29.86	...	...	N	2	...
Weihaiwei.....	3 p.	29.89	79	...	SSE	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.91	84	83	SE	3	cm	,,	...	...	...	...	...	...
Sharp Peak, ..	,,	29.83	81	91	ESE	3	o	,,	29.87	84	83	N	1	o
Amoy, ...	2.30p.	29.88	81	87	...	0	c	6.30a.	29.89	79	91	...	0	o
Swatow, ...	3 p.	29.80	83	...	E	2	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	80	96	...	0	o	,,	...	...	...	...	...	...
Hongkong	4 p.	29.80	80	86	E	2	o	10 a.	29.87	81	80	E	2	o
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cap Rock.	,,	29.81	...	...	ESE	1	...	,,	29.87	...	...	NE	3	...
Macao, ...	,,	29.78	83	...	ESE	2	c	,,	29.82	82	...	ENE	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	79	92	WSW	1	o	,,	...	...	...	...	...	...
Pacolod, ...	3 p.	...	...	...	W	3	o	9 a.	...	...	...	W	5	r
Iloilo, ...	,,	29.79	83	...	SW	2	o	,,	29.91	80	...	SW	3	od
Cebu, ...	,,	29.83	87	...	S	2	c	,,	29.92	84	...	S	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 11.55a. The barometer has risen over E. Japan and is inclined to fall over the Loochoos and the China coast.

Pressure is highest over the Sea of Japan and over the S. part of the China Sea and relatively low over the middle part of the China Sea and the Pacific to the E. of N. Luzon.

Gradients slight with light to moderate E. and NE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— E. winds, light or moderate; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 27th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

27th AUGUST, 1903, P. M. — 28th AUGUST, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.92	77	...	S	1	c	7 a.	29.91	68	99	S	1	c
Nemuro, ...	,,	29.92	...	...	NW	3	...	6 a.	30.00	...	...	NW	6	...
Hakodate, ...	,,	30.01	...	...	W	4	...	,,	30.09	...	...	N	2	...
Tokio,.....	,,	30.02	...	...	S	3	...	,,	30.10	...	...	...	0	...
Kochi, ...	,,	29.95	...	...	NE	0	...	,,	29.99	...	...	NE	2	...
Nagasaki, ...	,,	29.95	...	...	W	4	...	,,	29.95	...	...	...	0	...
Kagoshima,....	,,	29.95	...	...	S	4	...	,,	29.95	...	...	E	2	...
Oshima, ...	,,	29.92	...	...	...	0	...	,,	29.92	...	...	S	2	...
Naha, ...	,,	29.89	...	...	E	4	...	,,	29.89	...	...	...	0	...
Ishigakijima, ...	,,	29.89	...	...	E	6	...	,,	29.85	...	...	E	4	...
Taihoku,.....	1 p.	29.85	...	...	NW	6	...	5 a.	29.81	...	...	S	4	...
Taichu, ...	,,	29.83	...	...	N	6	...	,,	29.81	...	...	...	0	...
Tainan, ...	,,	29.88	...	...	NW	4	...	,,	29.81	...	...	...	0	...
Koshun, ...	,,	29.85	...	...	NE	2	...	,,	29.80	...	...	NE	6	...
Pescadores, ...	,,	29.86	...	...	N	6	...	,,	29.81	...	...	N	6	...
Weihsiwei.....	3 p.	29.86	84	...	S	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.88	84	79	SSE	3	bv	,,	29.92	80	87	SSE	3	cv
Sharp Peak, ..	,,	29.81	82	83	SE	4	c	,,	29.86	83	83	N	2	o
Amoy, ...	2.30p.	29.85	85	72	SE	2	v	6.30a.	29.85	81	87	N	1	c
Swatow, ...	3 p.	29.84	80	...	ESE	1	ot	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	91	67	S	1	o	,,	...	86	76	...	0	b
Hongkong.....	4 p.	29.81	80	88	E	2	o	10 a.	29.88	76	97	E	2	or
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.75	...	...	ESE	2	...	,,	29.84	...	...	ESE	2	...
Macao, ...	,,	29.78	82	...	ESE	2	c	,,	29.82	81	...	E	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	82	77	SW	2	o	,,	29.84	81	85	...	0	o
Bacolod, ...	3 p.	...	...	...	WSW	2	o	9 a.	...	...	...	SSW	2	o
Iloilo, ...	,,	29.79	83	...	SW	2	o	,,	29.89	82	...	SSW	1	o
Cebu, ...	,,	29.82	85	...	...	0	c	,,	29.95	83	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 11.40a. The barometer has risen over E. Japan, fallen slightly over Formosa.
A low pressure trough appears to be lying over the N. part of the China Sea and the Pacific to the E. of the Balingtang Channel. A circular depression may be forming in the neighbourhood of the latter area.
Pressure is highest over E. Japan.
Mderate to fresh NE. winds in the Formosa Channel and over the N. part of the China Sea.
Forecast:— moderate NE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 28th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

28th AUGUST, 1903, P. M. — 29th AUGUST, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.87	75	...	S	3	c	7 a.	29.80	50	99	S	1	o
Nemuro, ...	,,	30.00	...	...	NW	4	...	6 a.	29.88	...	...	S	6	...
Hakodate, ...	,,	30.05	...	...	SE	6	...	,,	30.05	...	...	NW	2	...
Tokio,.....	,,	30.02	...	...	S	4	...	,,	30.10	...	...	NW	2	...
Kochi, ...	,,	29.99	...	...	N	0	...	,,	29.95	...	...	NE	2	...
Nagasaki, ...	,,	29.95	...	...	SW	2	...	,,	29.95	...	...	E	4	...
Kagoshima, ...	,,	29.95	...	...	NE	6	...	,,	29.95	...	...	NE	4	...
Oshima, ...	,,	29.92	...	...	E	4	...	,,	29.92	...	...	...	0	...
Naha, ...	,,	29.89	...	...	E	4	...	,,	29.85	...	...	...	0	...
Ishigakijima, ...	,,	29.85	...	...	E	6	...	,,	29.81	...	...	S	6	...
Taihoku,.....	1 p.	29.80	...	...	SE	8	...	5 a.	29.73	...	...	E	2	...
Taichu, ...	,,	29.84	...	...	S	2	...	,,	29.69	...	...	...	0	...
Tainan,.....	,,	29.77	...	...	N	6	...	,,	29.69	...	...	...	0	...
Koshun, ...	,,	29.78	...	...	NE	4	...	,,	29.70	...	...	NE	6	...
Pescadores, ...	,,	29.79	...	...	N	8	...	,,	29.69	...	...	...	0	...
Weihaiwei.....	3 p.	29.75	86	...	S	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.87	82	79	SSE	3	cv	,,	29.88	81	87	SSE	3	bv
Sharp Peak, ..	,,	29.81	83	83	NNE	3	c	,,	29.75	83	83	N	4	c
Amoy, ...	2.30p.	29.79	87	72	SE	2	c	6.30a.	29.77	83	83	NNE	1	c
Swatow, ...	3 p.	29.78	86	...	SW	1	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	80	91	...	0	cd	,,	...	84	79	S	1	c
Hongkong	4 p.	29.78	79	91	...	0	o	10 a.	29.80	83	76	E	1	c
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.76	...	...	NE	2	...	,,	29.79	...	...	NNE	2	...
Macao, ...	,,	29.77	78	...	SE	2	c	,,	29.77	85	...	NNE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	79	84	SSW	2	o	,,	29.84	82	85	...	0	o
Pacolod, ...	3 p.	...	...	...	W	2	c	9 a.	...	...	...	...	...	...
Iloilo, ...	,,	29.81	85	...	SW	2	b	,,	29.87	83	...	SW	1	b
Cebu, ...	,,	29.82	84	...	N	1	b	,,	29.89	85	...	N	1	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11.30a. The barometer has fallen over the N. part of the Sea of Japan, the China coast and Formosa.

The depression, which appears to be shallow at present, is probably lying near S. Formosa and moving slowly NW.

Pressure is highest over SE. Japan.

Strong NE. winds in the Formosa Channel and NW. and W. winds over the NE. part of the China Sea.

Forecast:— moderate or fresh W. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 29th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	29th AUGUST, 1903, P. M.							30th AUGUST, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	29.77	74	...	S	1	c	7 a.	29.82	70	99	...	0	o
Nemuro, ...	„	29.76	...	...	SW	6	...	6 a.	29.92	...	...	SE	2	...
Hakodate, ...	„	29.89	...	...	SW	6	...	„	29.93	...	...	...	0	...
Tokio.....	„	30.02	...	...	S	8	...	„	30.06	...	...	NW	2	...
Kochi, ...	„	29.99	...	...	E	0	...	„	29.95	...	...	NE	2	...
Nagasaki, ...	„	29.91	...	...	SE	4	...	„	29.95	...	...	...	0	...
Kagoshima,....	„	29.91	...	...	E	4	...	„	29.99	...	...	N	2	...
Oshima, ...	„	29.92	...	...	SE	4	...	„	29.92	...	...	...	0	...
Naha, ...	„	29.89	...	...	S	4	...	„	29.93	...	...	...	0	...
Ishigakijima, ...	„	29.85	...	...	S	10	...	„	29.85	...	...	S	8	...
Taiboku,.....	1 p.	29.68	...	...	SE	8	...	5 a.	29.65	...	...	SE	6	...
Taichu, ...	„	29.64	...	...	W	2	...	„	29.60	...	...	...	0	...
Tainan, ...	„	29.66	...	...	W	2	...	„	29.28	...	...	SE	10	...
Koshun, ...	„	29.63	...	...	NE	6	...	„	...	...	...	...	...	...
Pescadores, ...	„	29.65	...	...	N	3	...	„	29.68	...	...	NW	6	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	29.77	81	...	S	1	...
Gutzlaff, ...	„	29.93	84	83	SE	3	c	„	29.89	80	87	S	3	cv
Sharp Peak, ..	„	29.71	83	83	NNE	5	c	„	29.66	81	85	N	4	o
Amoy, ...	2.30p.	29.65	92	64	NE	3	c	6.30a.	29.63	86	76	SE	2	c
Swatow, ...	3 p.	29.67	87	...	ESE	2	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	94	58	...	0	b	„	...	...	...	...	...	...
Hongkong	4 p.	29.68	85	70	W	1	o	10 a.	29.73	85	80	W	1	c
Victoria Peak,.	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Gap Rock.....	„	29.68	...	...	...	0	...	„	29.78	...	...	WSW	3	...
Macao, ...	„	29.68	84	...	NE	1	c	„	29.70	84	...	SSW	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	84	77	...	0	o	„	29.84	88	72	...	0	o
Pacoled.	3 p.	...	...	...	ESE	2	o	9 a.	...	...	...	WSW	1	c
Iloilo, ...	„	29.80	87	...	SSW	2	...	„	29.87	84	...	NE	1	c
Cebu, ...	„	29.81	85	...	N	2	b	„	29.88	86	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 5.50p. Red Drum hoisted.

On the 30th at 11.25a. The barometer has fallen much around the Formosa Channel, the typhoon having crossed S. Formosa during the night and entered the S. part of the Channel this morning. It appears to be moving NW. and the China coast in the neighbourhood of Amoy is threatened.

Pressure remains high over Japan.

Bad weather in the Formosa Channel and strong W. winds off the S. coast of China.

Forecast:— fresh W. winds, fine at first; squally and showery later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 30th August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

30th AUGUST, 1903, P. M. — 31st AUGUST, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.80	78	...	SW	1	c	7 a.	29.71	72	99	S	2	c
Nemuro, ...	"	29.92	...	...	E	4	...	6 a.	30.00	...	...	SE	4	...
Hakodate, ...	"	29.97	...	...	S	6	...	"	30.01	...	...	...	0	...
Tokio.....	"	30.02	...	...	SW	6	...	"	30.10	...	...	N	2	...
Kochi, ...	"	29.95	...	...	NE	4	...	"	30.03	...	...	NE	2	...
Nagasaki, ...	"	29.95	...	...	W	4	...	"	30.03	...	...	SE	2	...
Kagoshima.....	"	29.95	...	...	SE	2	...	"	30.07	...	...	SE	4	...
Oshima, ...	"	29.96	...	...	E	2	...	"	30.00	...	...	...	0	...
Naha, ...	"	...	...	...	...	...	...	"	29.97	...	...	...	0	...
Ishigakijima, ...	"	29.89	...	...	S	6	...	"	29.93	...	...	S	4	...
Taihoku,.....	1 p.	29.71	...	...	SE	8	...	5 a.	29.86	...	...	...	0	...
Taichu, ...	"	29.74	...	...	SE	6	...	"	29.83	...	...	...	0	...
Tainan, ...	"	29.78	...	...	S	6	...	"	29.81	...	...	SE	2	...
Koshun, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Pescadores, ...	"	29.72	...	...	S	8	...	"	29.81	...	...	S	8	...
Weihaiwei.....	3 p.	29.74	84	...	...	2	...	9 a.	29.86	84	...	W	2	...
Gutzlaff, ...	"	29.89	76	91	SSW	5	cv	"	29.96	81	87	S	4	cv
Sharp Peak, ..	"	29.68	82	87	ESE	4	o	"	29.84	78	93	E	5	or
Amoy, ...	2.30p.	29.72	86	76	SE	3	r	6.30a.	29.81	79	91	S	5	r
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	"	...	...	...	...	...	...	"	...	88	80	S	1	c
Hongkong	4 p.	29.67	87	76	SW	1	ot	10 a.	29.83	85	77	W	1	c
Victoria Peak,..	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Gap Rock.....	"	29.67	...	...	WSW	3	...	"	29.82	...	...	SW	3	...
Macao, ...	"	29.64	89	...	SW	2	c	"	29.80	87	...	SW	2	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.76	90	68	SSE	2	o	"	29.88	86	75	WNW	3	c
Pacoled, ...	3 p.	...	...	...	NNW	3	o	9 a.	...	...	...	NW	2	b
Iloilo, ...	"	29.76	88	...	NE	1	c	"	29.89	85	...	NE	1	o
Cebu, ...	"	29.80	86	...	N	1	c	"	29.90	85	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 5.50p. Red Drum lowered.

The depression seems to have entered the coast in the neighbourhood of Amoy.

On the 31st at 11.50a. The barometer has fallen at Wladiwostock, risen elsewhere, particularly over Formosa and the SE. coast of China.

The depression appears to be filling up to the W. of Amoy.

Pressure remains high over Japan, and a depression is moving Eastwards over Manchuria.

Fresh SE. winds in the Formosa Channel, and moderate S. monsoon over the N. part of the China Sea.

Forecast:— moderate S. winds; squally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 31st August 1903.

CHINA COAST METEOROLOGICAL REGISTER.

31st AUGUST, 1903, P. M.

1st SEPTEMBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	We. the
Wladivostock,...	2 p.	29.74	79	...	SE	1	c	7 a.	29.76	67	93	E	2	c
Nemuro, ...	,,	29.88	...	...	S	6	...	6 a.	29.76	...	...	SW	6	..
Hakodate, ...	,,	29.93	...	...	SW	4	...	,,	29.85	...	...	SW	4	.
Tokio	,,	30.02	...	...	S	4	...	,,	30.02	...	...	...	0	.
Kochi, ...	,,	29.95	...	...	...	0	...	,,	29.95	...	...	...	0	..
Nagasaki, ...	,,	29.99	...	...	W	4	...	,,	30.03	...	...	...	0	...
Kagoshima,....	,,	29.10	...	...	SE	2	...	,,	30.03	...	...	...	0	...
Oshima, ...	,,	30.00	...	...	SE	4	...	,,	30.04	...	...	S	2	...
Naha, ...	,,	29.97	...	...	E	6	...	,,	30.01	...	...	...	0	...
Ishigakijima, ...	,,	...	...	...	...	...	...	,,	29.97	...	...	SE	2	...
Tailoku.....	1 p.	29.89	...	...	E	2	...	5 a.	29.94	...	...	SE	2	...
Taichu, ...	,,	29.85	...	...	NW	6	...	,,	29.91	...	...	...	0	.
Tainan, ...	,,	29.86	...	..	S	6	...	,,	29.91	...	...	...	0	.
Koshun, ...	,,	...	...	...	...	..	...	,,	...	...	...	...	...	
Pescadores, ...	,,	29.87	.	...	S	10	...	,,	29.91	...	...	...	0	
Weihaiwei.....	3 p.	29.80	83	...	SW	4	...	9 a.	...	...	...	...	...	
Gutzlaff.	,,	29.92	82	87	SSE	4	cv	,,	29.97	80	91	S	3	
Sharp Peak. ..	,,	29.77	78	89	SSE	2	or	,,	...	...	...	...	...	
Amoy, ...	2.30p.	29.80	81	87	SE	2	or	6.30a.	29.86	79	87	SSE	3	
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Canton, ...	,,	...	92	67	S	2	c	,,	...	...	...	...	...	
Hongkong	4 p.	29.77	80	90	ENE	2	cd	10 a.	29.91	76	95	NNW	1	
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	
Cap Pedl	,,	29.77	...	...	SW	3	...	,,	29.86	...	...	NW	3	
Macao, ...	,,	29.74	80	...	SW	2	c	,,	29.88	76	...	NNE	1	
Hoihow, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	
Manila, ...	,,	29.80	81	92	NE	1	c	,,	29.92	79	93	...	0	
Iloilo, ...	3 p.	...	...	...	ESE	1	o	9 a.	...	...	...	W	2	
Cebu, ...	,,	29.80	89	...	...	0	c	,,	29.93	82	...	S	1	o
Cape S. James,.	4 p.	...	...	...	...	...	...	10 a.	...	80	...	...	0	c

On the 1st at 11 50a. The barometer has fallen over E. Japan, risen over S. China.
Pressure is low over the N. part of the Sea of Japan, and high over S. Japan and the Loochoos.
Gradients slight for SE. and S. winds along the China coast and over the N. part of the China Sea.
Forecast:— SE. winds, light; weather improving.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 1st September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

1st SEPTEMBER, 1903, P. M. 2nd SEPTEMBER, 1903, A. M.

STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	29.80	79	...	N	1	o	7 a.	29.87	59	93	N	2	b
Nemuro, ...	,,	29.09	...	...	SW	6	...	6 a.	29.84	...	...	...	0	...
Hakodate, ...	,,	29.85	...	...	W	6	...	,,	29.89	...	...	N	2	...
Tokio.....	,,	29.95	...	...	S	8	...	,,	29.98	...	...	...	0	...
Kochi, ...	,,	29.95	...	...	E	2	...	,,	29.95	...	...	...	0	...
Nagasaki, ...	,,	29.95	...	...	SW	6	...	,,	29.95	...	...	...	0	...
Kagoshima,....	,,	29.99	...	...	NW	6	...	,,	29.95	...	...	...	0	...
Oshima, ...	,,	30.00	...	...	S	2	...	,,	29.96	...	...	S	2	...
Naha, ...	,,	29.97	...	...	E	8	...	,,	29.93	...	...	...	0	...
Ishigakijima, ...	,,	29.97	...	...	S	4	...	,,	29.93	...	...	...	0	...
Taihoku,.....	1 p.	29.93	...	...	W	2	...	5 a.	29.90	...	...	...	0	...
Taichu, ...	,,	29.89	...	...	N	2	...	,,	29.87	...	...	S	4	...
Tainan, ...	,,	29.89	...	...	N	4	...	,,	29.89	...	...	S	2	...
Koshun, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pescadores, ...	,,	29.91	...	...	NW	4	...	,,	29.89	...	...	N	2	...
Weihaiwei.....	3 p.	29.83	73	...	NE	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.90	86	96	SSE	4	cv	,,	29.93	79	91	SSE	3	cv
Sharp Peak, ..	,,	29.90	78	91	ESE	3	o	,,	...	...	...	...	...	...
Amoy, ...	2.30p.	29.85	80	91	SSE	3	od	6.30a.	29.89	79	91	NE	1	o
Swatow, ...	3 p.	29.87	78	...	SW	1	o	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	81	91	SE	1	o	,,	...	80	91	S	1	d
Hongkong	4 p.	29.82	78	87	E	2	o	10 a.	29.90	76	92	SSW	1	or
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cap Rock	,,	29.82	...	...	ESE	4	...	,,	29.87	...	...	SE	4	...
Macao, ...	,,	29.79	80	...	SSE	2	cd	,,	29.86	75	...	SW	1	or
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.90	82	86	...	0	o	,,	29.88	86	71	...	0	c
Pacolod, ...	3 p.	...	...	...	SW	1	o	9 a.	...	...	...	NNW	2	b
Iloilo, ...	,,	29.84	80	...	NNW	3	olt	,,	29.89	82	...	...	0	b
Cebu, ...	,,	29.84	85	...	...	0	c	,,	29.91	85	...	N	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 11.35a. The barometer has risen over the N. part of the Sea of Japan, fallen over SW. Japan, the Loochoos and the Philippines.

Pressure is highest over S. Japan, and gradients continue slight for SE. winds on the China coast and over the N. part of the China Sea.

Forecast:— SE. or variable winds, light; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 2nd September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd SEPTEMBER, 1903, P. M.							3rd SEPTEMBER, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	29.86	72	...	N	1	c	7 a.	29.86	71	99	N	4	or
Nemuro, ...	,,	29.92	...	...	SE	4	...	6 a.	30.00	...	...	E	4	...
Hakodate, ...	,,	29.89	...	...	S	4	...	,,	29.93	...	...	...	0	...
Tokio.....	,,	29.94	...	...	S	6	...	,,	30.02	...	...	NW	2	...
Kochi, ...	,,	29.95	...	...	E	0	...	,,	29.95	...	...	NE	2	...
Nagasaki, ...	,,	29.91	...	...	SW	4	...	,,	29.95	...	...	SE	4	...
Kagoshima,....	,,	29.95	...	...	N	4	...	,,	29.95	...	...	E	4	...
Oshima, ...	,,	29.92	...	...	N	4	...	,,	29.92	...	...	...	0	...
Naha, ...	,,	...	...	...	...	...	...	,,	29.89	...	...	...	0	...
Ishigakijima, ...	,,	...	...	...	...	...	...	,,	29.89	...	...	SW	4	...
Taihoku,.....	1 p.	29.82	...	...	SE	2	...	5 a.	29.85	...	...	S	2	...
Taichu, ...	,,	29.89	...	...	N	4	...	,,	29.85	...	...	E	2	...
Tainan, ...	,,	29.86	...	..	SE	4	...	,,	29.85	...	...	...	0	...
Koshun, ...	,,	...	...	...	...	..	...	,,	29.83	...	...	...	0	...
Pescadores, ...	,,	29.87	...	...	N	2	...	,,	29.89	...	...	N	2	...
Weihaiwei.....	3 p.	29.79	70	...	E	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.84	86	76	S	3	bv	,,	29.90	80	83	S	3	cv
Sharp Peak, ..	,,	29.83	81	87	ESE	2	o	,,	29.90	79	87	...	0	o
Amoy, ...	2.30p.	29.83	81	87	NE	1	o	6.30a.	29.85	77	95	SE	1	r
Swatow.	3 p.	29.86	78	...	...	0	or	9 a.	29.86	...	...	NE	3	c
Canton, ...	,,	...	82	87	SSW	1	c	,,	...	82	83	SE	2	b
Hongkong	4 p.	29.81	78	86	E	1	o	10 a.	29.86	81	84	E	2	o
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	29.79	...	...	SSE	3	...	,,	29.83	...	...	E	3	...
Macao, ...	,,	29.78	75	...	S	1	or	,,	29.86	75	...	SW	2	or
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	86	71	SW	1	o	,,	29.88	84	77	W	1	o
Bacolod, ...	3 p.	...	...	...	NNW	2	c	9 a.	...	...	...	NNW	2	b
Iloilo, ...	,,	29.75	87	...	SW	2	c	,,	29.85	83	...	NE	1	b
Cebu, ...	,,	29.81	85	...	N	2	c	,,	29.87	85	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.15a. The barometer has risen over E. Japan, fallen slightly elsewhere.
Pressure is highest over Japan, and gradients continue slight for E. and SE. winds on the China coast and over the N. part of the China Sea.
Forecast:— SE. and E. winds, moderate; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 3rd September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	3rd SEPTEMBER, 1903, P. M.							4th SEPTEMBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Vladivostock....	2 p.	29.88	58	...	N	2	...	7 a.	29.93	54	99	N	2	c
Nemuro, ...	"	30.00	...	...	E	4	...	6 a.	29.88	...	...	NE	2	...
Hakodate, ...	"	29.93	...	...	S	4	...	"	29.81	...	...	SW	6	...
Tokio.....	"	29.98	...	...	SW	6	...	"	30.02	...	...	...	0	...
Kochi, ...	"	29.99	...	...	S	2	...	"	29.99	...	...	NE	2	...
Nagasaki, ...	"	29.91	...	...	W	6	...	"	29.95	...	...	S	4	...
Kagoshima,....	"	29.95	...	...	SE	2	...	"	29.95	...	...	E	2	...
Oshima, ...	"	29.92	...	...	...	0	...	"	29.92	...	...	...	0	...
Naha, ...	"	29.89	...	...	...	2	...	"	29.93	...	...	...	0	...
Ishigakijima, ...	"	29.89	...	...	SW	2	...	"	29.89	...	...	E	2	...
Taihoku,.....	1 p.	29.87	...	...	W	2	...	5 a.	29.91	...	...	...	0	...
Taichu, ...	"	29.87	...	...	...	0	...	"	29.87	...	...	...	0	...
Tainan, ...	"	29.93	...	...	NE	2	...	"	29.87	...	...	...	0	...
Koshun, ...	"	29.87	...	...	N	4	...	"	29.88	...	...	...	0	...
Pescadores, ...	"	29.87	...	...	E	4	...	"	29.85	...	...	NE	4	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	29.84	86	76	S	3	bv	"	29.95	82	83	S	2	cv
Sharp Peak, ..	"	29.88	83	83	...	0	...	"	29.90	83	83	...	0	c
Amoy, ...	2.30p.	...	78	91	SE	1	o	6.30a.	29.92	78	91	SE	1	c
Swatow, ...	3 p.	29.83	79	...	ESE	2	ot	9 a.	29.89	79	...	NE	2	c—
Canton, ...	"	...	84	79	S	2	r	"	...	...	...	...	...	...
Hongkong	4 p.	29.83	76	93	...	0	or	10 a.	29.89	80	87	E	2	c
Victoria Peak,..	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Cap Jeck	"	29.80	...	...	S	3	...	"	29.87	...	...	S	3	...
Macao, ...	"	29.78	76	...	S	1	or	"	29.87	76	...	SW	2	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.90	84	77	WSW	1	o	"	29.88	88	72	ESE	1	c
Turaled, ...	3 p.	...	...	...	S	1	o	9 a.	...	...	...	N	1	c
Hoilo, ...	"	29.79	86	...	SW	2	o	"	29.89	82	...	...	0	c
Cebu, ...	"	29.84	85	...	...	0	...	"	29.93	85	...	...	0	cr
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.30a. The barometer has fallen moderately over NE. Japan, risen slightly along the China coast.

Pressure is highest over S. Japan, and gradients continue slight for E. and SE. winds over S. China, and the N. part of the China Sea.

Forecast:— moderate SE. and E. winds; showery, squally.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 4th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

4th SEPTEMBER, 1903, P. M. — 5th SEPTEMBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	29.92	67	...	N	1	c	7 a.	29.94	63	99	...	0	f
Nemuro, ...	"	29.88	...	...	N	8	...	6 a.	30.12	...	...	E	4	...
Hakodate, ...	"	29.89	...	...	N	9	...	"	30.01	...	...	SE	8	...
Tokio.....	"	29.98	...	...	S	8	...	"	29.98	...	...	...	0	...
Kochi, ...	"	29.99	...	...	E	2	...	"	29.95	...	...	NE	2	...
Nagasaki, ...	"	29.95	...	...	W	6	...	"	29.99	...	...	...	0	...
Kagoshima,....	"	29.95	...	...	S	4	...	"	29.99	...	...	NE	2	...
Oshima, ...	"	29.96	...	...	...	0	...	"	29.96	...	...	S	2	...
Naha, ...	"	29.93	...	...	...	0	...	"	29.93	...	...	...	0	...
Ishigakijima, ...	"	29.93	...	...	S	6	...	"	29.93	...	...	NE	2	...
Taihoku,.....	1 p.	29.90	...	...	N	2	...	5 a.	29.92	...	...	...	0	...
Taichu, ...	"	29.86	...	...	N	4	...	"	29.89	...	...	...	0	...
Tainan, ...	"	29.88	...	...	SW	4	...	"	29.91	...	...	...	0	...
Koshun, ...	"	29.92	...	...	SW	4	...	"	29.95	...	...	E	6	...
Pescadores, ...	"	29.88	...	...	N	4	...	"	29.90	...	...	N	4	...
Weihaiwei.....	3 p.	29.89	74	...	W	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	29.91	87	72	S	2	cv	"	...	...	...	...	...	...
Sharp Peak, ..	"	29.85	82	81	SSE	3	c	"	29.92	84	83	N	2	b
Amoy, ...	2.30p.	...	88	75	SE	3	c	6.30a.	29.93	78	86	WSW	1	c
Swatow, ...	3 p.	29.84	81	...	E	2	b	9 a.	...	...	...	...	...	...
Canton, ...	"	...	86	79	S	2	od	"	...	81	87	SE	2	o
Hongkong	4 p.	29.82	78	88	E	1	o	10 a.	29.91	80	80	E	2	o
Victoria Peak,.	"	...	...	...	...	...	...	"	...	...	...	E	...	...
Gap Rock	"	29.80	...	...	E	1	...	"	29.88	...	...	NE	2	...
Macao, ...	"	29.79	79	...	SE	1	or	"	29.87	82	...	E	1	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.76	90	66	...	0	o	"	29.88	82	77	SE	1	c
Bacolod, ...	3 p.	...	...	...	NNW	2	o	9 a.	...	...	...	WSW	1	o
Iloilo, ...	"	29.79	88	...	NE	1	c	"	29.89	85	...	NE	1	c
Cebu, ...	"	29.80	85	...	...	0	b	"	29.92	85	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at noon. The barometer has risen moderately over NE. Japan and is little changed elsewhere. Pressure is high to the NE. of Japan, and above normal also, along the China coast, and relatively low over the middle part of the China Sea.

Gradients continue slight for E. winds over S. China and the N. part of the China Sea.

Forecast:— moderate E. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 5th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	5th SEPTEMBER, 1903, P. M.							6th SEPTEMBER, 1903, A. M.						
	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro, ...	"	29.96	...	...	E	4	...	6 a.	30.12	...	...	E	4	...
Hakodate, ...	"	29.93	...	...	SE	6	...	"	29.97	...	...	NE	4	...
Tokio.....	"	29.94	...	...	S	6	...	"	29.94	...	...	N	2	...
Kochi, ...	"	29.95	...	...	NE	4	...	"	29.95	...	...	NE	0	...
Nagasaki, ...	"	29.95	...	...	W	2	...	"	29.95	...	...	E	2	...
Kagoshima.....	"	29.95	...	...	N	6	...	"	29.95	...	...	NE	2	...
Oshima, ...	"	29.96	...	...	NW	2	...	"	29.92	...	...	S	2	...
Naha, ...	"	29.93	...	...	N	2	...	"	29.93	...	...	...	0	...
Ishigakijima, ...	"	29.93	...	...	SE	6	...	"	29.93	...	...	NW	4	...
Tailoku,.....	1 p.	29.90	...	...	NW	4	...	5 a.	29.91	...	...	S	2	...
Taichu, ...	"	29.89	...	...	N	2	...	"	29.91	...	...	...	0	...
Tainan, ...	"	29.90	...	...	NE	2	...	"	29.91	...	...	N	2	...
Koshun.....	"	29.87	...	...	E	4	...	"	29.91	...	...	...	0	...
Pescadores, ...	"	29.92	...	...	...	0	...	"	29.90	...	...	N	6	...
Weihaiwei.....	3 p.	29.94	74	...	S	2	...	9 a.	...	...	...	...	...	...
Gutzlaff.	"	29.91	87	72	S	2	bv	"	29.96	82	79	S	3	bv
Sharp Peak. ..	"	29.87	82	85	ESE	3	c	"	29.94	84	81	NNE	1	b
Amoy, ...	2.30p.	29.90	84	79	SE	2	c	6.30a.	29.96	87	69	...	0	c
Swatow.	3 p.	29.86	82	...	SE	3	c	9 a.	...	...	...	...	...	...
Canton, ...	"	...	88	69	SE	1	o	"	...	74	90	N	1	o
Hongkong	4 p.	29.81	81	80	E	3	o	10 a.	29.91	76	94	E	2	o
Victoria Peak,.	"	...	...	...	E	4	...	"	...	...	...	SE	4	...
Cap Lock.....	"	29.80	...	...	ENE	4	...	"	29.89	...	...	ESE	3	...
Macao, ...	"	29.79	82	...	E	1	c	"	29.88	82	...	SE	1	c
Haiphong.....	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.76	86	71	W	0	o	"	29.92	88	72	...	0	o
Bacolod, ...	3 p.	...	...	...	S	2	o	9 a.	...	...	...	S	1	...
Iloilo, ...	"	29.83	86	...	SSW	2	ot	"	29.90	82	...	NE	1	c
Cebu, ...	"	29.83	87	...	S	1	o	"	29.91	84	...	N	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.40a. Barometric changes are slight.
Pressure remains high to the NE. of Japan and above normal along the China coast; and relatively low over the NW. part of the China Sea.
Gradients continue slight for E. and SE. winds over S. China and the N. part of the China Sea.
Forecast:— moderate E. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 6th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	6th SEPTEMBER, 1903, P. M.							7th SEPTEMBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock....	2 p.	29.94	69	...	SW	1	c	7 a.	29.86	61	99	S	1	...
Nemuro, ...	,,	30.12	...	...	E	6	...	6 a.	30.12	...	...	E	4	...
Hakodate, ...	,,	30.01	...	...	E	6	...	,,	30.05	...	...	E	8	...
Tokio.....	,,	29.86	...	...	S	4	...	,,	29.94	...	...	E	4	...
Kochi, ...	,,	29.91	...	...	NE	2	...	,,	29.91	...	...	NE	2	...
Nagasaki, ...	,,	29.91	...	...	N	4	...	,,	29.87	...	...	SE	4	...
Kagoshima.....	,,	29.91	...	...	SE	4	...	,,	29.91	...	...	...	0	...
Oshima, ...	,,	29.92	...	...	...	0	...	,,	29.88	...	...	...	0	...
Naha, ...	,,	29.93	...	...	NE	2	...	,,	29.85	...	...	...	0	...
Ishigakijima, ...	,,	29.93	...	...	SE	6	...	,,	29.85	...	...	SW	2	...
Taihoku,.....	1 p.	29.88	...	...	N	4	...	5 a.	29.86	...	...	...	0	...
Taichu, ...	,,	29.90	...	...	SW	2	...	,,	29.86	...	...	...	0	...
Tainan, ...	,,	29.88	...	...	NW	4	...	,,	29.88	...	...	E	2	...
Koshun, ...	,,	29.88	...	...	N	2	...	,,	29.88	...	...	...	0	...
Pescadores, ...	,,	29.89	...	...	NW	2	...	,,	29.87	...	...	...	...	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff.	,,	29.86	87	72	S	2	bv	,,	29.87	81	87	SW	3	w
Sharp Peak. ..	,,	29.85	82	83	E	4	c	,,	29.86	83	83	E	1	c
Amoy, ...	2.30p.	29.89	85	79	SE	3	b	6.30a.	...	...	...	...	...	...
Swatow.	3 p.	29.88	82	...	NNE	3	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	85	79	E	3	c	,,	...	84	83	W	2	c
Hongkong	4 p.	29.83	79	96	E	3	o	10 a.	29.86	81	85	E	3	o
Victoria Peak,.	,,	...	...	...	ESE	5	...	,,	...	...	...	ESE	4	...
Cap Rock	,,	29.79	...	...	SSE	2	...	,,	29.83	...	...	ESE	3	...
Macao, ...	,,	29.81	76	...	SE	3	or	,,	29.82	78	...	ESE	3	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	88	72	WSW	1	o	,,	29.88	84	77	W	1	c
Tacolod, ...	3 p.	...	...	...	NNW	2	c	9 a.	...	...	...	SSW	2	c
Iloilo, ...	,,	29.80	87	...	...	0	...	,,	29.91	84	...	ENE	1	b
Cebu, ...	,,	29.81	82	...	N	2	b	,,	29.90	87	...	S	1	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.35a. The barometer has fallen over SW. Japan, the Loochoos and the coast of China.
A shallow depression seems to be passing from the E. coast of China into the Yellow Sea.
Pressure remains high to the NE. of Japan and in defect over the NW. part of the China Sea.
Gradients continue slight for E. and SE. winds in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate SE. and E. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 7th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	7th SEPTEMBER, 1903, P. M.							8th SEPTEMBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	29.72	64	...	...	0	..	7 a.	29.60	63	99	...	0	c
Nemuro, ...	,,	30.12	...	...	E	6	...	6 a.	30.04	...	...	SE	2	...
Hakodate, ...	,,	29.97	...	...	E	10	...	,,	29.77	...	...	E	4	...
Tokio,.....	,,	29.90	...	...	N	4	...	,,	29.90	...	...	NE	4	...
Kochi, ...	,,	29.87	...	...	W	2	...	,,	29.79	...	...	...	0	...
Nagasaki, ...	,,	29.83	...	...	SW	6	...	,,	29.83	...	...	SE	4	...
Kagoshima,....	,,	29.83	...	...	...	0	...	,,	29.83	...	...	...	0	...
Oshima, ...	,,	29.84	...	...	...	0	...	,,	29.88	...	...	SW	2	...
Naha, ...	,,	29.85	...	...	W	4	...	,,	29.81	...	...	...	0	...
Ishigakijima, ...	,,	29.85	...	...	SW	4	...	,,	29.85	...	...	S	2	...
Taihoku,.....	1 p.	29.82	...	...	SW	4	...	5 a.	29.85	...	...	SW	2	...
Taichu, ...	,,	29.83	...	...	W	4	...	,,	29.83	...	...	...	0	...
Tainan, ...	,,	29.84	...	...	W	4	...	,,	29.84	...	...	NE	2	...
Koshun, ...	,,	29.85	...	...	NE	2	...	,,	...	...	...	...	...	...
Pescadores, ...	,,	29.85	...	...	SW	2	...	,,	29.84	...	...	...	0	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	29.96	69	...	...	3	...
Gutzlaff, ...	,,	29.85	76	95	NNW	4	cmd	,,	29.72	74	86	N	4	c
Sharp Peak, ..	,,	29.77	82	83	ESE	4	c	,,	29.85	79	98	ESE	1	c
Amoy, ...	2.30p.	29.81	86	72	SE	3	c	6.30a.	29.84	81	83	E	1	c
Swatow, ...	3 p.	29.80	84	...	E	2	c	9 a.	29.86	81	...	NE	1	c
Canton, ...	,,	...	77	95	...	0	r	,,	...	79	91	...	0	r
Hongkong	4 p.	29.79	79	92	SE	2	cp	10 a.	29 78	78	92	E	2	cr
Victoria Peak,..	,,	...	...	...	SSE	3	...	,,	...	...	...	...	...	...
Cap Isack	,,	29.77	...	...	SE	4	...	,,	29.76	...	...	E	2	...
Macao, ...	,,	29.76	78	...	S	2	c	,,	29.77	78	...	E	2	c
Haiphong. ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	86	79	...	0	c	,,	29.88	86	71	SSW	1	c
Pacolod, ...	3 p.	...	...	...	SW	1	o	9 a.	...	...	...	S	1	o
Iloilo, ...	,,	29.84	87	...	WNW	2	c	,,	29.90	83	...	ENE	1	o
Cebu, ...	,,	29.82	86	...	...	0	c	,,	29.88	85	...	N	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 11.55a. The barometer has risen over N. China, fallen over Japan and the S. coast of China. The depression in the North has moved Eatwards into the Sea of Japan.
Pressure is high over N. China and relatively low in a troughlike area lying over the N. part of the China Sea. Wind freshening from NE. and E. in the Formosa Channel and along the S. coast of China.
Forecast:— moderate to fresh E. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 8th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th SEPTEMBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th SEPTEMBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.61	71	...	...	0	o	7 a.	29.82	54	82	...	0	b
Nemuro, ...	"	29.96	...	...	SE	6	...	6 a.	29.99	...	...	S	4	...
Hakodate, ...	"	29.89	...	...	SE	6	...	"	29.85	...	...	...	0	...
Tokio,.....	"	29.82	...	...	NE	6	...	"	29.71	...	...	NW	6	...
Kochi, ...	"	29.79	...	...	E	2	...	"	29.79	...	...	NW	2	...
Nagasaki, ...	"	29.79	...	...	W	6	...	"	29.83	...	...	...	0	...
Kagoshima,....	"	29.83	...	...	SW	2	...	"	29.83	...	...	...	0	...
Oshima, ...	"	29.84	...	...	S	2	...	"	29.88	...	...	S	2	...
Naha, ...	"	29.85	...	...	W	4	...	"	29.89	...	...	...	0	...
Ishigakijima, ...	"	29.85	...	...	W	4	...	"	29.89	...	...	SW	...	...
Taihoku,.....	1 p.	29.82	...	...	N	4	...	5 a.	29.87	...	...	SW	2	...
Taichu, ...	"	29.81	...	...	S	2	...	"	29.85	...	...	...	0	...
Tainan, ...	"	29.82	...	...	S	4	...	"	29.85	...	...	...	0	...
Koshun, ...	"	29.84	...	...	SE	4	...	"	29.86	...	...	SE	3	...
Pescadores, ...	"	29.83	...	...	S	4	...	"	29.84	...	...	SE	6	...
Weihaiwei.....	3 p.	29.95	70	...	NW	3	...	9 a.	29.03	70	...	N	2	...
Gutzlaff,.....	"	29.94	75	86	N	3	cv	"	30.01	74	76	NNE	4	cm
Sharp Peak, ..	"	29.81	78	75	SE	3	c	"	29.90	78	84	N	2	o
Amoy, ...	2.30p.	29.80	85	79	SE	3	c	6.30a.	29.81	80	82	E	2	od
Swatow, ...	3 p.	29.79	80	...	...	0	c	9 a.	...	...	...	...	...	...
Canton, ...	"	...	83	87	E	1	o	"	...	74	100	NNE	2	0d
Hongkong	4 p.	29.69	77	96	E	2	od	10 a.	29.80	75	98	E	2	or
Victoria Peak,.	"	...	...	...	SE	2	...	"	...	...	...	ENE	3	...
Cap Bael	"	29.65	...	...	SE	2	...	"	29.75	...	...	SSE	3	...
Macao, ...	"	29.65	79	...	ENE	2	cd	"	29.76	77	...	ENE	4	or
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.76	88	66	WSW	2	o	"	29.88	88	66	...	0	c
Bacolod, ...	3 p.	...	...	...	WSW	...	o	9 a.	...	...	...	SSE	4	o
Iloilo, ...	"	29.79	87	...	SW	3	c	"	29.93	84	...	SSW	2	o
Cebu,.....	"	29.82	86	...	S	2	b	"	29.91	85	...	...	0	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 11.50a. The barometer has risen over N. China, fallen over E. Japan.
The depression in the North has moved Eatwards and lies now over SE. Japan.
Pressure is high over N. China, where the NE. monsoon seems to have set in.
An elongated area of low pressure lies off the S. coast of China.
Fresh NE. winds in the Formosa Channel, E. and SE. winds over the N. part of the China Sea.
Forecast:— fresh E. winds; squally, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 9th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	9th SEPTEMBER, 1903, P. M.							10th SEPTEMBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock....	2 p.	..	...	...	...	...	...	7 a.	...	...	...	..	...	...
Nemuro, ...	"	29.88	...	...	SE	6	...	6 a.	29.65	...	...	E	4	...
Hakodate, ...	"	29.81	...	...	SE	4	...	"	29.70	...	...	NW	6	...
Tokio,.....	"	29.55	...	...	N	8	...	"	29.74	...	...	W	2	...
Kochi, ...	"	29.75	...	...	NW	0	...	"	29.83	...	...	...	0	...
Nagasaki, ...	"	29.83	...	...	W	4	...	"	29.87	...	...	...	0	...
Kagoshima, ...	"	29.83	...	...	W	4	...	"	29.87	...	...	N	2	...
Oshima, ...	"	29.88	...	...	N	4	...	"	29.92	...	...	S	2	...
Naha, ...	"	29.89	...	...	W	4	...	"	29.89	...	...	...	0	...
Ishigakijima, ...	"	29.89	...	...	SW	4	...	"	29.89	...	...	SE	4	...
Taihoku,... ..	1 p.	29.85	...	...	NW	6	...	5 a.	29.85	...	...	E	6	...
Taichu, ...	"	29.83	...	...	N	4	...	"	29.83	...	...	...	0	...
Tainan, ...	"	29.82	...	..	N	6	...	"	29.82	...	...	NW	2	...
Koshun, ...	"	29.84	...	...	E	6	...	"	29.85	...	...	E	2	...
Pescadores, ...	"	29.83	.	...	NE	4	...	"	29.86	...	...	NE	4	...
Weihaiwei.....	3 p.	30.00	72	...	N	2	...	9 a.	...	...	...	...	...	...
Cutzlaff, ...	"	30.00	72	77	NNE	4	cv	"	30.04	84	63	NNE	2	cv
Sharp Peak. ..	"	29.83	79	82	NE	3	or	"	...	...	...	...	...	...
Amoy, ...	2.30p.	29.84	79	91	NE	1	or	6.30a.	29.85	76	91	NE	2	or
Swatow, ...	3 p.	29.77	77	...	ENE	1	or	9 a.	29.87	76	...	ENE	5	r
Canton, ...	"	...	82	87	E	1	o	"	...	...	...	...	...	...
Hongkong	4 p.	29.73	78	84	ENE	2	o	10 a.	29.81	80	80	N	1	o
Victoria Peak,.	"	...	...	...	ENE	4	...	"	...	...	...	NE	4	...
Cape Leo.	"	29.71	...	...	NE	3	...	"	29.79	...	...	NNE	3	...
Macao, ...	"	29.71	76	...	NE	3	or	"	29.79	79	...	N	2	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.80	88	65	WSW	3	o	"	29.88	86	71	.	0	c
Iloilo, ...	3 p.	...	...	...	S	1	o	9 a.	...	...	...	NW	1	c
Cebu, ...	"	29.84	85	...	WNW	3	o	"	29.91	84	...	...	0	b
Cape S. James,..	"	29.87	84	...	N	2	o	"	29.93	85	...	N	3	c
	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 11 50a. The barometer has fallen considerably over NE. Japan, risen slightly on the China coast.

The Northern depression has moved into the Pacific to the E. of Japan.

A circular depression may be forming to the Southward of Hongkong in the low pressure trough, which lies over the N. part of the China Sea.

Pressure remains high over N. China. Strong NE. winds in the Formosa Channel, and off the S. coast of China.

Forecast:— fresh NE. winds; squally, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 10th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

10th SEPTEMBER, 1903, P. M. 11th SEPTEMBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,....	2 p.	29.93	68	...	N	2	b	7 a.	30.10	52	99	N	1	c
Nemuro, ...	,,	29.52	...	...	N	8	...	6 a.	30.04	...	...	NW	6	...
Hakodate, ...	,,	29.73	...	...	N	8	...	,,	30.13	...	...	NW	2	...
Tokio,.....	,,	29.78	...	...	E	2	...	,,	30.06	...	...	NE	4	...
Kochi, ...	,,	29.83	...	...	E	4	...	,,	29.91	...	...	E	4	...
Nagasaki.	,,	29.87	...	...	SE	4	...	,,	29.91	...	...	SE	4	...
Kagoshima.....	,,	29.87	...	...	W	4	...	,,	29.95	...	...	...	0	...
Oshima, ...	,,	29.92	...	...	NE	2	...	,,	29.92	...	...	...	0	...
Naha, ...	,,	29.93	...	...	W	4	...	,,	29.93	...	...	...	0	...
Ishigakijima. ...	,,	29.89	...	...	SE	4	...	,,	29.89	...	...	S	6	...
Taihoku,.....	1 p.	29.83	...	...	NE	6	...	5 a.	29.82	...	...	...	0	...
Taichu.	,,	29.81	...	...	N	4	...	,,	29.82	...	...	...	0	...
Tainan, ...	,,	29.82	...	..	N	4	...	,,	29.82	...	...	NE	2	...
Koshun, ...	,,	29.83	...	...	E	4	...	,,	29.84	...	...	...	0	...
Pescadores. ..	,,	29.85	.	...	NE	4	...	,,	29.82	...	...	NE	6	...
Weihaiwei.....	3 p.	30.02	76	...	N	2	...	9 a.	30.09	75	...	NW	2	...
Cutzlaff, ...	,,	30.03	77	61	NNE	2	cv	,,	...	...	...	...	...	...
Sharp Peak. ..	,,	29.80	74	88	N	3	or	,,	29.90	74	86	NNW	3	or
Amoy, ...	2.30p.	29.85	76	95	W	3	or	6.30a.	29.86	74	90	NNE	2	or
Swatow, ...	3 p.	...	...	...	ENE	2	or	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	85	76	S	1	o	,,	...	81	78	S	1	o
Hongkong	4 p.	29.75	78	89	...	0	o	10 a.	29.81	77	93	E	3	od
Victoria Peak,.	,,	...	...	...	E	4	...	,,	...	...	...	E	6	...
Gap Rock	,,	29.72	...	...	NE	4	...	,,	29.76	...	...	ENE	5	...
Macao, ...	,,	29.72	78	...	NNE	3	cq	,,	29.77	77	...	NE	3	oq
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	88	65	W	0	o	,,	29.84	88	72	SSE	1	c
Pacolod, ...	3 p.	...	...	...	SW	1	ot	9 a.	...	...	...	SSW	1	o
Iloilo, ...	,,	29.79	87	...	SW	1	o	,,	29.87	83	...	NE	1	o
Cebu, ...	,,	29.80	87	...	S	1	c	,,	29.88	84	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.15a. The barometer has risen much over E. Japan, fallen slightly over S. China and the Philippines.

The depression in the China Sea to the Southward of Hongkong, is apparently becoming deeper and may give rise to bad weather in the Colony.

Pressure is high over N. China and the N. part of the Sea of Japan.

Strong NE. winds to gales in the Formosa Channel, and along the S. coast of China.

Forecast:— NE. winds, strong, possibly a gale; squally, showery.

Black S. Cone hoisted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 11th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

11th SEPTEMBER, 1903, P. M. — 12th SEPTEMBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock	2 p.	30.10	68	...	...	0	c	7 a.	30.05	54	99	..	0	b
Nemuro,	"	29.12	...	...	S	6	...	6 a.	30.08	...	...	E	2	...
Hakodate,	"	30.09	...	...	NE	2	...	"	30.09	...	...	N	2	...
Tokio	"	29.94	...	...	NE	4	...	"	30.06	...	...	N	2	...
Kochi,	"	29.99	...	...	NW	6	...	"	29.99	...	...	...	0	...
Nagasaki,	"	29.99	...	...	...	0	...	"	29.95	...	...	E	6	...
Kagoshima,	"	29.95	...	...	...	0	...	"	29.99	...	...	...	0	...
Oshima,	"	29.92	...	...	W	2	...	"	29.96	...	...	S	2	...
Naha,	"	29.89	...	...	S	4	...	"	29.93	...	...	...	0	...
Ishigakijima,	"	...	...	...	...	...	...	"	29.93	...	...	S	4	...
Taihoku,	1 p.	29.83	...	...	W	2	...	5 a.	29.91	...	...	...	0	...
Taichu,	"	29.83	...	...	N	6	...	"	29.89	...	...	NE.	6	...
Tainan,	"	29.84	...	...	SW	4	...	"	29.89	...	...	E	2	...
Koshun,	"	29.85	...	...	E	4	...	"	29.89	...	...	E.	2	...
Percadores,	"	29.85	...	...	N	8	...	"	29.89	...	...	NE	6	...
Weihaiwei	3 p.	30.06	75	...	NW	...	...	9 a.	30.11	75	...	NE	1	...
Gutzlaff,	"	30.04	77	61	NNE	3	bv	"	30.08	76	64	NE	3	cv
Sharp Peak,	"	29.89	75	90	N	3	od	"	29.96	74	88	SE	...	...
Amoy,	2.30p.	29.87	77	95	NE	2	cmd	6.30a.	29.95	75	95	...	0	or
Swatow,	3 p.	29.82	76	...	ENE	2	ot	9 a.	...	...	...	...	...	...
Canton,	"	...	78	95	...	0	r	"	...	80	87	E	2	od
Hongkong	4 p.	29.76	75	94	ENE	4	orq	10 a.	29.86	76	98	E	5	orq
Victoria Peak,	"	...	...	...	E	7	...	"	...	...	...	ESE	6	...
Gap Rock	"	29.72	...	...	E	6	...	"	29.84	...	...	E	4	...
Macao,	"	29.73	78	...	ENE	4	c	"	29.84	77	...	E	4	oq
Haijberg,	"	29.71	88	...	ESE	1	c	"	...	...	...	...	...	...
Manila,	"	29.76	88	72	...	0	o	"	29.88	84	77	WNW	1	c
Tacolod,	3 p.	...	...	...	SE	2	...	9 a.	...	...	...	N	1	c
Iloilo,	"	29.80	83	...	...	0	o	"	29.89	84	...	ENE	2	c
Cebu,	"	29.82	85	...	...	...	c	"	29.88	83	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 4.30p. The depression to the Southward of Hongkong is probably moving in a Westerly direction.

On the 12th at 9.30a. Black Ball hoisted. At 11.30a. The barometer has risen in Hongkong and over the SE. coast of China.

The depression to the SW. of Hongkong is probably moving towards Hainan Straits.

Pressure remains high over N. China. Strong NE. winds in the Formosa Channel, and cyclonic strong winds and gales over the NW. part of the China Sea.

Forecast:— strong E. to SE. winds, gradually decreasing; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 12th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

12th SEPTEMBER, 1903, P. M. 13th SEPTEMBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.04	73	...	SW	1	c	7 a.	30.04	58	49	..	0	f
Nemuro, ...	,,	30.00	...	...	...	0	...	6 a.	30.04	...	...	...	0	...
Hakodate, ...	,,	30.05	...	...	SE	4	...	,,	30.09	...	...	N	2	...
Tokio.....	,,	30.02	...	...	...	0	...	,,	29.98	...	...	N	2	...
Kochi, ...	,,	29.99	...	...	E	0	...	,,	29.99	...	...	...	0	...
Nagasaki, ...	,,	29.99	...	...	SE	3	...	,,	30.03	...	...	SE	4	...
Kagoshima, ...	,,	29.99	...	...	W	2	...	,,	30.03	...	...	E	4	...
Oshima, ...	,,	30.00	...	...	...	0	...	,,	30.00	...	...	S	2	...
Naha, ...	,,	29.97	...	...	NE	2	...	,,	29.97	...	...	...	0	...
Ishigakijima, ...	,,	29.93	...	...	S	2	...	,,	29.93	...	...	...	0	...
Taihoku,.....	1 p.	29.92	...	...	N	4	...	5 a.	...	...	...	...	...	...
Taichu, ...	,,	29.91	...	...	N	2	...	,,	29.92	...	...	...	0	...
Tainan, ...	,,	29.92	...	..	NW	2	...	,,	29.93	...	...	N	2	...
Koshun, ...	,,	29.91	...	...	SE	2	...	,,	29.93	...	...	...	0	...
Pescadores, ...	,,	29.92	..	...	NE	4	...	,,	29.98	...	...	NE	2	...
Weihaiwei	3 p.	...	...	...	...	...	...	9 a.	30.09	73	...	SW	2	...
Gutzlaff, ...	,,	...	...	...	...	...	...	,,	30.05	78	86	NE	3	cv
Sharp Peak, ..	,,	29.93	75	88	...	0	d	,,	29.95	77	86	...	0	o
Amoy, ...	2.30p.	29.96	80	87	ENE	2	c	6.30a.	30.01	75	68	NE	0	c
Swatow, ...	3 p.	29.87	78	...	E	0	o	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	79	95	...	0	r	,,	...	...	...	...	...	...
Hongkong	4 p.	29.85	76	98	E	2	or	10 a.	29 97	79	89	E	3	o
Victoria Peak,.	,,	...	...	...	ESE	5	...	,,	...	...	...	ESE	4	...
Gap Rock, ...	,,	29.82	...	...	ESE	3	...	,,	29.93	...	...	ENE	3	...
Macao, ...	,,	29.81	75	...	SE	5	oq	,,	29.93	78	...	SE	3	cq
Haiphong, ...	,,	29.70	88	...	NNW	1	o	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	82	85	ESE	0	o	,,	29.92	86	78	WSW	0	c
Escoled, ...	3 p.	...	...	...	SW	1	o	9 a.	...	...	...	SSW	1	c
Iloilo, ...	,,	29.85	82	...	ENE	1	o	,,	29.94	81	...	...	0	...
Cebu, ...	,,	29.83	85	...	S	1	...	,,	29.96	88	...	N	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 3.5p. Black Ball lowered.

On the 13th at 11.40a. The barometer has risen in the neighbourhood of Hongkong and over the Philippines.

Probably the depression has moved into the Gulf of Tongking.

Pressure is still high over N. China but inclined to give way.

Moderate NE. winds in the Formosa Channel, and E. and SE. winds off the S. coast of China.

Forecast:— moderate or light E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 13th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th SEPTEMBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th SEPTEMBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.03	69	...	W	1	c	7 a.	30.04	59	99	...	0	f
Nemuro, ...	,,	30.08	...	...	SE	4	...	6 a.	30.24	...	...	...	0	...
Hakodate, ...	,,	30.09	...	...	SE	4	...	,,	30.21	...	...	...	0	...
Tokio,.....	,,	30.02	...	...	NE	4	...	,,	30.10	...	...	N	4	...
Kochi, ...	,,	29.99	...	...	SW	2	...	,,	29.99	...	...	...	0	...
Nagasaki, ...	,,	29.99	...	...	SW	4	...	,,	30.03	...	...	...	0	...
Kagoshima, ...	,,	29.99	...	...	SE	2	...	,,	30.03	...	...	NE	2	...
Oshima, ...	,,	29.96	...	...	E	2	...	,,	30.00	...	...	S	2	...
Naha, ...	,,	29.97	...	...	...	0	...	,,	29.97	...	...	...	0	...
Ishigakijima, ...	,,	29.97	...	...	SE	4	...	,,	29.93	...	...	NE	2	...
Taihoku,.....	1 p.	29.93	...	...	...	...	...	5 a.	29.94	...	...	...	0	...
Taichu, ...	,,	29.89	...	...	NW	4	...	,,	29.93	...	...	...	0	...
Tainan, ...	,,	29.91	...	...	N	4	...	,,	29.94	...	...	...	0	...
Koshun, ...	,,	...	...	...	...	...	...	,,	29.94	...	...	E	2	...
Pescadores, ...	,,	29.94	..	...	NE	4	...	,,	29.94	...	...	...	0	...
Weihaiwei,.....	3 p.	30.02	73	...	E	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	29.99	83	...	NE	2	cv	,,	30.02	81	83	NE	1	cv
Sharp Peak, ..	,,	29.92	79	87	E	4	c	,,	29.99	81	87	N	1	c
Amoy, ...	2.30p.	29.92	76	91	SE	1	c	6.30a.	29.97	78	86	NW	1	c
Swatow, ...	3 p.	29.85	86	...	ESE	1	b	9 a.	29.98	81	...	N	1	b
Canton, ...	,,	...	78	91	N	1	r	,,	...	85	79	E	2	c
Hongkong	4 p.	29.91	78	94	E	2	or	10 a.	29.99	83	83	E	2	c
Victoria Peak,.	,,	...	...	...	ESE	3	...	,,	...	...	...	ESE	2	...
Cap Rock, ...	,,	29.89	...	...	E	3	...	,,	29.96	...	...	ENE	2	...
Macao, ...	,,	29.87	81	...	ESE	3	c	,,	29.96	84	...	SE	2	c
Haiphong, ...	,,	29.75	82	...	WSW	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	84	77	...	0	o	,,	29.88	84	77	WNW	1	c
Bacolod, ...	3 p.	...	...	...	SW	1	r	9 a.	...	...	...	N	4	c
Iloilo, ...	,,	29.83	87	...	ENE	1	c	,,	29.90	82	...	NNE	...	c
Cebu, ...	,,	29.83	83	...	N	3	o	,,	29.92	85	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.45a. The barometer has risen moderately over E. Japan, fallen slightly over N. China and the Philippines.

Pressure is high over NE. Japan, and relatively low over the Pacific to the E. of Luzon.

Gradients slight on the China coast and over the N. part of the China Sea, chiefly for NE. winds.

Forecast:— E. or variable winds, light; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 14th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th SEPTEMBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th SEPTEMBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.02	73	...	S	1	c	7 a.	29.98	60	99	SE	1	c
Nemuro, ...	"	30.20	...	...	SE	4	...	6 a.	30.20	...	...	E	2	...
Hakodate, ...	"	30.17	...	...	SE	3	...	"	30.13	...	...	NE	2	...
Tokio.....	"	30.06	...	...	NE	2	...	"	30.06	...	...	N	2	...
Kochi, ...	"	29.99	...	...	...	0	...	"	29.99	...	...	NE	0	...
Nagasaki, ...	"	29.99	...	...	SW	6	...	"	29.99	...	...	E	2	...
Kagoshima,....	"	29.99	...	...	SE	2	...	"	29.99	...	...	...	0	...
Oshima, ...	"	29.96	...	...	N	6	...	"	30.00	...	...	S	2	...
Naha, ...	"	29.97	...	...	N	6	...	"	29.93	...	...	...	0	...
Ishigakijima, ...	"	29.93	...	...	SE	6	...	"	29.93	...	...	N	2	...
Taihoku,.....	1 p.	29.92	...	...	N	2	...	5 a.	29.94	...	...	SE	2	...
Taichu, ...	"	29.89	...	...	N	3	...	"	29.93	...	...	...	0	...
Tainan, ...	"	29.91	...	..	NW	6	...	"	29.94	...	...	E	2	...
Koshun, ...	"	29.92	...	....	E	4	...	"	29.94	...	...	...	0	...
Pescadores, ...	"	29.93	.	...	N	4	...	"	29.93	...	...	W	2	...
Weihaiwei.....	3 p.	29.96	71	...	E	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	29.96	85	76	SE	2	cv	"	29.98	81	83	SSE	1	c
Sharp Peak. ..	"	29.91	80	87	E	5	c	"	29.96	82	83	N	1	c
Amoy, ...	2.30p.	29.94	85	79	SE	2	c	6.30a.	29.96	80	87	NNE	1	c
Swatow.	3 p.	29.90	83	...	E	2	c	9 a.	29.99	82	...	NE	1	b
Canton.	"	...	90	70	E	1	o	"	...	84	83	...	0	o
Hongkong	4 p.	29.91	82	81	E	2	b	10 a.	29.98	83	72	E	2	o
Victoria Peak,..	"	...	...	...	E	...	...	"	...	...	...	E	2	...
Cap Lecl	"	29.89	...	...	ENE	3	...	"	29.96	...	...	ENE	3	...
Macao, ...	"	29.88	85	...	ESE	1	c	"	29 95	86	...	ESE	1	c
Haiphong, ..	"	29.86	77	...	ESE	1	or	"	...	...	...	...	...	...
Manila, ...	"	29.80	89	77	NNW	1	o	"	29.92	84	71	W	1	b
Pacoled, .	3 p.	...	...	...	NE	2	o	9 a.	...	...	...	NNE	1	o
Iloilo, ...	"	29.75	88	...	NNE	2	c	"	29 89	83	...	NE	1	b
Sulu, ...	"	29 77	86	...	N	2	c	"	29.90	87	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11 30a. The barometer is inclined to fall generally except over the Philippines Pressure remains high to the NE. of Japan and relatively low over N. China, and also over the Pacific to the NE. of the Philippines.

Gradients slight with moderate NE. winds in the Formosa Channel and N. part of the China Sea.

Forecast:— light to moderate, NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 15th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

16th SEPTEMBER, 1903, P. M. — 16th SEPTEMBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	29.98	73	...	S	4	b	7 a.	29.88	64	99	SE	3	...
Nemuro, ...	„	30.16	...	...	E	6	...	6 a.	30.16	...	...	E	4	...
Hakodate, ...	„	30.09	...	...	SE	4	...	„	30.05	...	...	SE	6	...
Tokio.....	„	29.98	...	...	NE	2	...	„	30.02	...	...	NE	2	...
Kochi, ...	„	29.91	...	...	W	2	...	„	29.95	...	...	NE	2	...
Nagasaki, ...	„	29.95	...	...	W	4	...	„	29.95	...	...	S	2	...
Kagoshima.....	„	29.95	...	...	S	2	...	„	29.95	...	...	E	2	...
Oshima, ...	„	29.96	...	...	N	6	...	„	29.96	...	...	S	2	...
Naha, ...	„	...	...	...	...	...	...	„	29.89	...	...	NE	2	...
Ishigakijima, ...	„	...	...	...	...	...	...	„	29.89	...	...	NE	2	...
Taihoku, ...	1 p.	29.91	...	...	NE	4	...	5 a.	29.90	...	...	S	2	...
Taichu, ...	„	29.89	...	...	NW	2	...	„	...	...	...	...	0	...
Tainan, ...	„	29.91	...	..	W	4	...	„	29.89	...	...	N	2	...
Koshun, ...	„	29.93	...	...	NE	4	...	„	29.88	...	...	NE	2	...
Pescadores, ...	„	29.94	.	...	W	4	...	„	29.89	...	...	...	0	...
Weihaiwei.....	3 p.	29.87	73	...	N	..	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.91	87	76	SSE	2	cv	„	29.93	81	83	SSE	1	bv
Sharp Peak, ..	„	29.91	81	87	E	...	c	„	29.90	81	87	NNW	1	b
Amoy, ...	2.30p.	29.91	85	79	SE	3	c	6.30a.	29.90	80	87	NE	1	c
Swatow, ...	3 p.	29.90	83	...	E	3	c	9 a.	29.92	82	...	NE	1	c
Canton, ...	„	...	91	74	S	2	b	„	...	81	91	...	0	o
Hongkong	4 p.	29.88	81	80	E	2	c	10 a.	29 94	83	78	E	2	c
Victoria Peak,..	„	...	...	...	ESE	1	...	„	...	...	...	E	2	...
Cap Fock.....	„	29.88	...	...	ENE	2	...	„	29.92	...	...	NE	2	...
Macao, ...	„	29.86	88	...	ESE	1	c	„	29.91	85	...	ESE	1	c
Hai Long, ...	„	29.85	84	...	SE	1	c	„	...	...	...	...	...	...
Manila, ...	„	29.80	84	71	ENE	1	o	„	29.88	84	74	S	1	c
Pacoled, ...	3 p.	...	...	...	NE	3	o	9 a.	...	...	...	NNE	2	s
Hoilo, ...	„	29.79	88	...	NE	2	c	„	29.86	84	...	NNE	2	b
Cebu, ...	„	29.78	85	...	N	2	...	„	29.88	84	...	N	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.40a. The barometer has fallen slightly at all stations.
Pressure is high to the NE. of Japan and a low area lies over Manchuria.
Pressure is also relatively low over the Pacific to the NE. of the Philippines.
Light or moderate E. and NE. winds in the Formosa Channel and N. part of the China Sea.
Forecast:— light NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 16th September 1903.

CHINA COAST METEOROLOGICAL REGISTER

	16th SEPTEMBER, 1903, P. M.							17th SEPTEMBER, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.85	66	...	S	3	o	7 a.	29.77	63	99	...	0	o
Nemuro, ...	"	29.12	...	...	SE	6	...	6 a.	30.08	...	...	SE	4	...
Hakodate, ...	"	30.05	...	...	SE	8	...	"	29.89	...	...	SE	4	...
Tokio,.....	"	29.98	...	...	E	2	...	"	30.02	...	...	...	0	...
Kochi, ...	"	29.91	...	...	NE	0	...	"	29.95	...	...	E	2	...
Nagasaki, ...	"	29.87	...	...	W	4	...	"	29.91	...	...	...	0	...
Kagoshima,....	"	29.87	...	...	E	2	...	"	29.91	...	...	NE	2	...
Oshima, ...	"	29.88	...	...	N	4	...	"	29.88	...	...	N	6	...
Naha, ...	"	29.89	...	...	S	2	...	"	29.89	...	...	N	2	...
Ishigakijima, ...	"	29.85	...	...	W	4	...	"	29.93	...	...	N	2	...
Taihoku,.....	1 p.	29.86	...	...	NE	4	...	5 a.	29.87	...	...	...	0	...
Tsichu, ...	"	29.85	...	...	W	2	...	"	29.87	...	...	...	0	...
Tainan, ...	"	29.87	...	..	W	6	...	"	29.87	...	...	NE	2	...
Kosbun, ...	"	29.88	...	...	NE	4	...	"	29.88	...	...	E	6	...
Pescadores, ...	"	29.88	.	...	N	8	...	"	29.87	...	...	NW	4	...
Weihaiwei.....	3 p.	29.87	72	...	W	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	29.87	88	69	SSE	2	bv	"	29.98	78	95	NNW	4	cv
Sharp Peak. ..	"	29.85	82	81	E	4	c	"	29.91	82	81	...	0	b
Amoy, ...	2.30p.	29.85	85	79	SE	3	c	6.30a.	29.92	81	87	NNE	1	c
Swatow, ...	3 p.	29.83	85	...	E	2	b	9 a.	...	...	...	...	...	...
Canton, ...	"	...	92	67	S	2	b	"	...	85	79	...	0	b
Hongkong	4 p.	29.82	82	80	E	2	b	10 a.	29.95	84	75	ESE	1	c
Victoria Peak,.	"	...	...	...	SE	3	...	"	...	...	...	E	1	...
Gap Rock,.....	"	29.80	...	...	ENE	3	...	"	29.93	...	...	NNE	2	...
Macao, ...	"	29.81	83	...	SE	1	c	"	29.92	86	...	ENE	2	c
Haiphong, ...	"	29.79	86	...	SE	1	c	"	...	...	...	...	...	...
Manila, ...	"	29.80	88	66	...	0	o	"	29.88	84	77	W	1	o
Bacolod, ...	3 p.	...	...	...	NW	1	o	9 a.	...	...	...	NNE	1	c
Hoilo, ...	"	29.75	85	...	SSE	1	c	"	29.91	83	...	NE	1	c
Cebu, ...	"	29.80	87	...	...	0	or	"	29.90	84	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.30a. The barometer has fallen over the N. part of the Sea of Japan owing to the low pressure area which seems to be moving Eastwards to the N. of Wladiwostock.
Pressure is increasing again over N. China, and the wind will probably freshen from NE. in the Formosa Channel and along the S. coast of China.
Forecast:— light to moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 17th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	17th SEPTEMBER, 1903, P. M.							18th SEPTEMBER, 1903, A. M.						
STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Windivostock....	2 p.	29.77	64	...	..	0	...	7 a.	29.86	66	73	...	0	b
Nemuro, ...	,,	29.84	...	...	SE	19	...	6 a.	29.72	...	...	SW	4	...
Hakodate, ...	,,	29.89	...	...	SE	0	...	,,	29.89	...	...	W	2	...
Tokio.....	,,	29.94	...	...	S	4	...	,,	29.90	...	...	...	0	...
Kochi, ...	,,	29.91	...	...	E	2	...	,,	29.95	...	...	E	6	...
Nagasaki, ...	,,	29.87	...	...	W	4	...	,,	29.87	...	...	NE	2	...
Kagoshima.....	,,	29.83	...	...	SE	2	...	,,	29.87	...	...	NE	2	...
Oshima, ...	,,	29.84	...	...	N	4	...	,,	29.92	...	...	E	4	...
Naha, ...	,,	29.89	...	...	NW	4	...	,,	29.93	...	...	...	0	...
Ishigakijima, ...	,,	29.89	...	...	SE	4	...	,,	29.97	...	...	N	2	...
Taihoku, ...	1 p.	29.89	...	...	NW	6	...	5 a.	29.95	...	...	...	0	...
Taichu, ...	,,	29.87	...	...	NW	3	...	,,	29.94	...	...	E	2	...
Tainan, ...	,,	29.92	...	..	W	6	...	,,	29.93	...	...	NE	2	...
Koshun, ...	,,	29.89	...	...	N	2	...	,,	29.94	...	...	...	0	...
Pescadores, ...	,,	29.91	..	...	N	4	...	,,	29.93	...	...	N	4	...
Weihaiwei.....	3 p.	29.95	72	...	NW	2	...	9 a.	30.06	72	...	SW	1	...
Gutzlaff, ...	,,	29.94	81	87	N	3	cv	,,	29.94	76	86	NE	3	cv
Sharp Peak, ..	,,	29.81	82	79	ENE	...	c	,,	29.97	83	81	...	0	b
Amoy, ...	2.20p.	29.88	86	79	SE	3	c	6.30a.	...	...	...	...	...	...
Swatow, ...	3 p.	29.85	86	...	ESE	2	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	93	61	S	2	b	,,	...	86	89	NE	1	c
Hongkong	4 p.	29.86	83	72	E	2	c	10 a.	29.98	83	79	E	1	c
Victoria Peak,,	,,	...	...	...	NNE	1	...	,,	...	...	...	E	1	...
Cap Rock, ...	,,	29.87	...	...	ENE	2	...	,,	29.97	...	...	ENE	2	...
Macao, ...	,,	29.85	86	...	ENE	1	c	,,	29.95	84	...	ENE	1	c
Haiphong, ...	,,	29.82	84	...	NE	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	82	77	SE	1	g	,,	29.92	84	77	W	0	b
Bacolod, ...	3 p.	...	...	...	SE	...	c	9 a.	...	...	...	N	1	c
Iloilo, ...	,,	29.79	85	...	WSW	2	c	,,	29.89	84	...	NNE	1	b
Cebu, ...	,,	29.84	88	...	S	2	c	,,	29.89	87	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 1 30a. The barometer has fallen over E. Japan, risen on the China coast.
The depression in the North is passing to the Pacific to the NE. of Japan.
Pressure is highest over N. China, and gradients continue slight for NE. winds in the Formosa Channel and over the N. part of the China Sea.
Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 18th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	18th SEPTEMBER, 1903, P. M.							19th SEPTEMBER, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	29.89	70	...	S	1	b	7 a.	29.99	53	99	...	0	b
Nemuro, ...	,,	29.80	...	...	W	4	...	6 a.	30.00	...	...	SE	2	...
Hakodate, ...	,,	29.83	...	...	NW	6	...	,,	30.01	...	...	NE	2	...
Tokio.....	,,	29.86	...	...	SW	6	...	,,	29.90	...	...	NE	4	...
Kochi, ...	,,	...	...	...	...	...	...	,,	29.91	...	...	E	4	...
Nagasaki, ...	,,	29.83	...	...	NE	2	...	,,	29.91	...	...	NE	4	...
Kagoshima.....	,,	29.83	...	...	NW	6	...	,,	29.87	...	...	...	0	...
Oshima, ...	,,	29.92	...	...	NW	4	...	,,	29.96	...	...	S	2	...
Naha, ...	,,	29.93	...	...	W	2	...	,,	29.93	...	...	...	0	...
Bungakujima, ...	,,	29.97	...	...	E	4	...	,,	29.93	...	...	NE	2	...
Taihoku.....	1 p.	29.91	...	...	NE	4	...	5 a.	29.94	...	...	SW	2	...
Taichu, ...	,,	29.90	...	...	W	4	...	,,	29.94	...	...	E	2	...
Tainan, ...	,,	29.93	...	..	SE	4	...	,,	29.94	...	...	S	2	...
Koshun, ...	,,	29.93	...	...	NE	6	...	,,	29.93	...	...	E	2	...
Pescadores, ...	,,	29.93	.	...	N	4	...	,,	29.94	...	...	N	4	...
Weihaiwei.....	3 p.	29.97	72	...	SW	1	...	9 a.	30.11	75	...	NW	3	...
Chinkiang, ...	,,	30.00	77	77	NNE	4	cv	,,	30.05	68	85	N	4	cmp
Harp Peak, ..	,,	29.92	82	79	E	3	c	,,	29.97	83	83	N	1	c
Amoy, ...	2.30p.	29.95	85	76	ESE	2	c	6.30a.	29.97	82	83	E	1	c
Swatow, ...	3 p	29.89	85	...	E	2	c	9 a.	30.01	82	...	E	2	b
Canton, ...	,,	...	88	69	W	1	c	,,	...	84	69	NE	1	o
Hongkong	4 p.	29.90	82	76	ESE	2	c	10 a.	30.00	85	65	ESE	2	c
Victoria Peak,.	,,	...	...	...	ESE	2	...	,,	...	...	...	...	...	...
Gap Rock.....	,,	29.88	...	...	ENE	3	...	,,	29.98	...	...	NE	2	...
Macao, ...	,,	29.88	85	...	ESE	1	c	,,	29.97	85	...	ENE	1	c
Haiphong, ...	,,	29.88	81	...	NW	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	86	71	WSW	2	o	,,	29.96	84	77	W	1	o
Jacolod, .	3 p.	...	...	...	NNW	4	o	9 a.	...	...	...	NNW	2	c
Iloilo.....	,,	29.81	89	...	ENE	1	c	,,	29.91	84	...	NE	1	b
Cebu, ...	,,	29.83	87	...	N	2	b	,,	29.88	85	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.55a. The barometer has risen over N. China and the N. part of the Sea of Japan, and is little changed elsewhere.

Pressure is highest over N. China, and above normal along the China coast generally.

Pressure appears to be lowest over the Pacific to the S. of the Loochous.

Gradients slight with moderate NE. winds along the China coast and over the N. part of the China Sea.

Forecast:— NE. winds, light or moderate; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 19th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	19th SEPTEMBER, 1903, P. M.							20th SEPTEMBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock....	2 p.	29.97	77	...	N	1	b	7 a.	29.98	55	99	...	0	b
Nemuro, ...	,,	30.16	...	...	NE	4	...	6 a.	30.04	...	...	NE	3	...
Hakodate, ...	,,	29.97	...	...	S	2	...	,,	30.05	...	...	...	0	...
Tokio,.....	,,	29.86	...	...	NE	2	...	,,	29.94	...	...	NW	2	...
Kochi, ...	,,	29.87	...	...	E	2	...	,,	29.79	...	...	NE	3	...
Nagasaki, ...	,,	29.87	...	...	NE	4	...	,,	29.91	...	...	NE	4	...
Kagoshima,....	,,	29.87	...	...	SW	2	...	,,	29.87	...	...	NE	4	...
Oshima, ...	,,	29.88	...	...	N	6	...	,,	29.88	...	...	N	4	...
Naha, ...	,,	...	...	...	NW	4	...	,,	29.89	...	...	NW	4	...
Isaigakijima, ...	,,	29.93	...	...	SE	2	...	,,	29.93	...	...	N	2	...
Taihoku,.....	1 p.	29.92	...	...	NW	4	...	5 a.	29.96	...	...	E	4	...
Taichu, ...	,,	29.91	...	...	N	4	...	,,	29.89	...	...	...	0	...
Tainan, ...	,,	29.92	...	..	W	4	...	,,	29.90	...	...	E	2	...
Koshun, ...	,,	29.93	...	...	E	2	...	,,	29.91	...	...	...	0	...
Pescadores, ..	,,	29.92	.	...	N	4	...	,,	29.89	...	...	NE	8	...
Weihaiwei.....	3 p.	30.06	78	...	NW	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.07	73	81	NNW	3	cv	,,	30.10	74	68	N	...	cv
Harp Peak, ..	,,	29.91	81	85	E	5	o	,,	30.02	76	82	NNE	5	o
Amoy, ...	2.30p.	29.91	85	...	SE	4	c	6.30a.	29.95	78	86	NE	1	ou
Swatow, ...	3 p	29.85	86	...	E	2	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	90	70	W	1	b	,,	...	85	72	SE	1	o
Hongkong	4 p.	29.90	83	71	ESE	2	c	10 a.	29.99	84	69	E	2	c
Victoria Peak,.	,,	...	...	...	ESE	1	...	,,	...	...	...	E	2	...
Cap Rock.....	,,	29.90	...	...	ENE	3	...	,,	29.97	...	...	NE	3	...
Macao, ...	,,	29.89	85	...	ENE	2	c	,,	29.97	84	...	NE	1	c
Haiphong, ...	,,	29.87	86	...	E	2	o	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	90	66	...	0	o	,,	29.84	84	77	N	1	o
Iloilo, ...	3 p.	...	...	...	N	2	o	9 a.	...	...	...	S	1	o
Celu, ...	,,	29.81	85	...	NNE	2	o	,,	29.85	82	...	...	0	o
Cape S. James,..	4 p.	29.86	84	...	...	0	o	,,	29.85	84	...	...	0	...
		...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.25a. The barometer has fallen over Central Japan, S. Formosa and the Philippines. There are indications of the existence of a depression over the Pacific to the E. of Luzon. Pressure appears to be low also, to the S. of Japan.

Pressure remains above normal along the China coast and highest over N. China. NE. winds freshening in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate NE. winds; fair at first, showery later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 20th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	20th SEPTEMBER, 1903, P. M.								21st SEPTEMBER, 1903, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	29.94	72	...	...	0	b	7 a.	30.01	56	99	...	0	b
Nemuro, ...	„	30.04	...	...	N	2	...	6 a.	30.10	...	...	NE	6	...
Hakodate, ...	„	30.01	...	...	E	4	...	„	30.09	...	...	...	0	...
Tokio.....	„	29.86	...	...	N	4	...	„	30.02	...	...	N	2	...
Kochi, ...	„	29.87	...	...	E	2	...	„	29.95	...	...	NE	4	...
Nagasaki.	„	29.87	...	...	N	4	...	„	29.99	...	...	NE	2	...
Kagoshima.....	„	29.83	...	...	S	2	...	„	29.91	...	...	N	4	...
Oshima, ...	„	29.84	...	...	N	4	...	„	29.88	...	...	S	2	...
Naha, ...	„	29.85	...	...	N	6	...	„	29.81	...	...	N	6	...
Ishigakijima, ...	„	29.89	...	...	NE	6	...	„	29.85	...	...	N	4	...
Tailoku, ...	1 p.	29.92	...	...	NW	4	...	5 a.	29.93	...	...	S	2	...
Taichu, ...	„	29.86	...	...	N	4	...	„	29.86	...	...	N	2	...
Tainan, ...	„	29.87	...	..	SW	4	...	„	29.85	...	...	N	4	...
Koshun, ...	„	29.89	...	...	N	4	...	„	29.87	...	...	NE	4	...
Pescadores, ...	„	29.86	.	...	N	8	...	„	29.88	...	...	NE	2	...
Weihaiwei.....	3 p.	30.02	75	...	E	3	...	9 a.	30.09	77	...	E	1	...
Chefoo, ...	„	30.06	77	61	NNE	3	cv	„	30.11	75	60	NE	4	bv
Deep Bay. ..	„	29.97	78	75	ENE	3	c	„	29.98	77	69	NNW	3	b
Amoy, ...	2.30p.	29.91	85	76	NNE	1	c	6.30a.	29.96	76	82	NNE	1	c
Swatow.	3 p.	29.89	88	...	ENE	2	c	9 a.	30.01	79	...	NE	1	b
Canton, ...	„	...	91	60	NE	1	c	„	...	84	68	...	0	b
Hongkong	4 p.	29.89	82	73	E	3	o	10 a.	29.99	80	76	E	3	o
Victoria Peak..	„	...	...	...	E	...	...	„	...	...	...	E	2	...
Cap Lock.....	„	29.87	...	...	ENE	3	...	„	29.96	...	...	ENE	4	...
Macao, ...	„	29.86	84	...	ESE	2	c	„	29.96	83	...	NE	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	84	77	...	0	o	„	29.84	86	71	WSW	...	c
Pacolod. .	3 p.	...	...	...	NNW	2	o	9 a.	...	...	...	WSW	1	o
Iloilo, ...	„	29.75	81	...	...	0	o	„	29.85	83	...	SSE	1	b
Cebu, ...	„	29.76	83	...	...	0	o	„	29.87	84	...	...	...	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11.30a. The barometer has risen over S. Japan, fallen over Formosa and the S. Loochoos. The depression over the Pacific appears to be situated to the S. of the Loochoos, and apparently moving towards NW. or N.

Pressure is highest over N. China and still above normal along the coast generally.

Fresh NE. and N. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate NE. winds; showery, squally.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 21st September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

21st SEPTEMBER, 1903, P. M. — 22nd SEPTEMBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	30.08	76	...	...	0	b	7 a.	30.13	63	99	...	0	c
Nemuro, ...	,,	30.08	...	...	N	6	...	6 a.	30.20	...	...	NE	2	...
Hakodate, ...	,,	30.09	...	...	S	2	...	,,	30.21	...	...	...	0	...
Tokio.....	,,	30.02	...	...	N	4	...	,,	30.10	...	...	N	4	...
Kochi, ...	,,	29.95	...	...	NE	2	...	,,	29.91	...	...	N	2	...
Nagasaki, ...	,,	29.95	...	...	NE	6	...	,,	29.87	...	...	NE	6	...
Kagoshima.....	,,	29.91	...	...	E	6	...	,,	29.79	...	...	E	6	...
Oshima, ...	,,	...	...	...	NW	2	...	,,	29.69	...	...	N	8	...
Naha, ...	,,	29.77	...	...	N	8	...	,,	29.77	...	...	NW	4	...
Bungakujima, ...	,,	29.85	...	...	NE	4	...	,,	29.85	...	...	N	3	...
Taihoku,.....	1 p.	29.94	...	...	NE	2	...	5 a.	29.94	...	...	SE	2	...
Taichu, ...	,,	29.88	...	...	NW	6	...	,,	29.89	...	...	...	0	...
Tainan, ...	,,	29.84	...	..	NW	4	...	,,	29.88	...	...	N	4	...
Koshun, ...	,,	29.87	...	...	NE	6	...	,,	29.88	...	...	SW	2	...
Pescadores, ...	,,	29.89	.	...	N	8	...	,,	29.90	...	...	NE	8	...
Weihaiwei.....	3 p.	...	77	...	E	1	...	9 a.	30.09	71	...	S	...	...
Gutzlaff, ...	,,	30.05	77	61	NE	3	bv	,,	30.06	75	60	NE	4	cv
Sharp Peak, ..	,,	29.94	78	74	E	6	b	,,	29.99	78	74	NNW	1	b
Amoy, ...	2.30p.	29.92	85	64	ENE	3	c	6.30a.	29.99	76	...	NNE	1	b
Swatow, ...	3 p.	29.90	73	...	E	2	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	91	57	W	1	b	,,	...	86	80	W	2	c
Hongkong	4 p.	29.91	81	68	E	3	b	10 a.	30.01	80	79	E	2	c
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	ESE	2	...
Cap Lock	,,	29.89	...	...	ENE	3	...	,,	29.99	...	...	ENE	2	...
Macao, ...	,,	29.88	83	...	ESE	2	b	,,	29.98	83	...	N	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	90	66	...	0	c	,,	29.84	90	66	SE	1	c
Tacoloc, ...	3 p.	...	...	...	S	1	c	9 a.	...	...	...	S	2	c
Iloilo, ...	,,	29.77	84	...	WSW	2	c	,,	29.87	82	...	...	0	c
Cebu, ...	,,	29.79	85	...	S	1	...	,,	29.88	85	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.4[illegible] a. The barometer has risen over E. Japan, fallen over SW. Japan and the Loochoos.
The depression is moving Northwards to the E. of N. Loochoo.
Pressure is high over the NE. part of the Sea of Japan, and still above normal over S. China.
The barometer continues slightly low over the Philippines.
Moderate to fresh NE. winds in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate NE. winds; fair.

P. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 22nd September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd SEPTEMBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd SEPTEMBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock....	2 p.	30.09	71	...	S	1	c	7 a.	30.02	63	95	S	1	c
Nemuro, ...	"	30.08	...	...	NE	6	...	6 a.	30.28	...	...	...	0	...
Hakodate.	"	30.09	...	...	SE	6	...	"	30.13	...	...	E	4	...
Tokio.....	"	30.06	...	...	N	6	...	"	29.86	...	...	N	6	...
Kochi, ...	"	29.83	...	...	E	4	...	"	29.56	...	...	N	0	...
Nagasaki.	"	29.75	...	...	N	6	...	"	29.79	...	...	N	2	...
Kagoshima.	"	29.68	...	...	N	8	...	"	29.83	...	...	NW	4	...
Oshima, ...	"	29.76	...	...	N	6	...	"	29.88	...	...	S	4	...
Naha, ...	"	29.77	...	...	NW	4	...	"	29.85	...	...	NW	4	...
Isigakijima, ...	"	29.85	...	...	N	8	...	"	29.85	...	...	NE	4	...
Taihoku, ...	1 p.	29.94	...	...	NE	2	...	5 a.	29.94	...	...	...	0	...
Taichu, ...	"	29.87	...	...	N	8	...	"	29.90	...	...	...	0	...
Tainan, ...	"	29.87	...	..	NW	4	...	"	29.88	...	...	N	2	...
Koshun, ...	"	29.89	...	...	NE	2	...	"	29.89	...	...	NE	2	...
Pescadores. ..	"	29.91	.	...	NE	10	...	"	29.91	...	...	NE	4	...
Weihaiwei.....	3 p.	30.03	75	...	E	1	...	9 a	30.00	73	...	W	1	...
Cutzlaff, ...	"	30.01	77	65	NNE	4	cv	"	30.06	75	64	N	2	cv
Harp Peak. ..	"	29.91	78	65	E	6	b	"	29.99	78	76	N	3	b
Amoy, ...	2.30p.	29.91	85	65	ENE	2	c	6.30a.	29.98	77	82	NNE	1	b
Swatow.	3 p	29.89	83	...	E	2	b	9 a.	30.03	81	...	NE	2	b
Canton, ...	"	...	91	57	NE	1	b	"	...	87	76	SW	1	c
Hongkong	4 p.	29.89	80	75	E	2	b	10 a.	29 99	83	65	ESE	2	c
Victoria Peak..	"	...	...	...	E	1	...	"	...	...	...	E	1	...
Cap Lacl	"	29.87	...	...	ENE	2	...	"	29.97	...	...	ENE	2	...
Macao, ...	"	29.87	82	...	ESE	2	c	"	29 96	84	...	E	1	c
Haiphong, ...	"	29.87	82	...	SE	1	b	"	...	...	...	...	...	...
Manila, ...	"	29.76	84	77	E	1	o	"	29.88	90	66	...	0	b
Bacolod, .	3 p.	...	...	...	SW	2	o	9 a.	...	...	...	SSW	1	o
Iloilo, ...	"	29.79	...	...	SW	3	o	"	29.89	81	...	SSE	1	o
Cebu, ...	"	29.82	85	...	...	0	...	"	29.92	83	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.55a. The barometer has fallen over Central Japan, risen over the Loochoos. The depression is moving *NE.* and approaching the S. coast of Japan in the neighbourhood of the Kii Channel.

Pressure remains high to the NE. of Japan.

Fresh NE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Wednesday 23rd September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

23rd SEPTEMBER, 1903, P. M. — 24th SEPTEMBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	29.98	70	...	...	0	c	7 a.	29.71	58	99	...	0	b
Nemuro, ...	"	30.29	...	...	E	6	...	6 a.	...	...	...	...	...	...
Hakodate, ...	"	30.01	...	...	E	8	...	"	...	...	...	...	...	...
Tokio.....	"	29.89	...	...	S	4	...	"	29.67	...	...	...	0	...
Kochi, ...	"	29.64	...	...	S	3	...	"	29.79	...	...	W	2	...
Nagasaki, ...	"	29.82	...	...	N	8	...	"	29.91	...	...	SW	0	...
Kagoshima, ...	"	29.75	...	...	NW	6	...	"	29.87	...	...	N	3	...
Oshima, ...	"	29.84	...	...	N	4	...	"	29.88	...	...	S	2	...
Naha, ...	"	29.85	...	...	N	6	...	"	29.89	...	...	N	2	...
Isigakijima, ...	"	29.89	...	...	NE	6	...	"	29.89	...	...	N	2	...
Taihoku,.....	1 p.	29.94	...	...	E	2	...	5 a.	29.94	...	...	SE	2	...
Taichu, ...	"	29.86	...	...	N	6	...	"	29.92	...	...	N	2	...
Tainan, ...	"	29.86	...	..	W	4	...	"	29.92	...	...	N	2	...
Koshun, ...	"	...	...	...	...	...	...	"	29.93	...	...	...	0	...
Pescadores, ...	"	29.89	..	...	NE	8	...	"	29.92	...	...	NE	6	...
Weihaiwei.....	3 p.	29.91	75	...	N	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	30.00	78	61	N	2	bv	"	30.19	73	72	NNW	...	cv
Sharp Peak. ..	"	29.92	78	74	ESE	5	b	"	30.00	78	78	N	3	c
Amoy, ...	2.30p.	29.92	85	72	NE	1	c	6.30a.	29.99	77	77	NNE	1	c
Swatow.	3 p.	29.90	83	...	E	2	b	9 a.	30.00	81	...	NE	2	b
Canton, ...	"	...	89	63	S	1	o	"	...	88	66	S	1	b
Hongkong	4 p.	29.90	81	69	ESE	3	b	10 a.	30.00	81	72	E	3	c
Victoria Peak,.	"	...	...	...	E	1	...	"	...	...	...	E	3	...
Cap Bael	"	29.88	...	...	ENE	3	...	"	29.97	...	...	ENE	4	...
Macao, ...	"	29.88	82	...	SE	2	c	"	29.97	83	...	NE	2	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.84	79	92	ESE	1	or	"	29.96	81	93	...	0	c
Pacolod, ...	3 p.	...	...	...	WSW	4	o	9 a.	...	...	...	SW	1	b
Iloilo, ...	"	29.81	83	...	WSW	3	o	"	29.92	82	...	...	0	b
Cebu, ...	"	29.89	87	...	S	2	b	"	29.98	86	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.46a. The barometer has risen over SW. Japan, fallen at Wladiwostock.
The depression is moving NE. over the NE. part of the Sea of Japan.
Pressure has increased over the Philippines and N. China, and is high over the latter area.
Fresh NE. winds in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate or fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 24th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th SEPTEMBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th SEPTEMBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	..	...	...	...
Nemuro, ...	,,	...	...	...	...	...	...	6 a.	29.76	...	...	SW	2	...
Hakodate, ...	,,	29.46	...	...	W	10	...	,,	29.77	...	...	W	6	...
Tokio,.....	,,	29.71	...	...	N	4	...	,,	29.78	...	...	NW	2	...
Kochi, ...	,,	29.79	...	...	W	4	...	,,	29.87	...	...	NW	0	...
Nagas,aki, ...	,,	29.87	...	...	NW	4	...	,,	29.95	...	...	NW	4	...
Kagoshima,....	,,	29.87	...	...	N	6	...	,,	29.95	...	...	NW	2	...
Oshima, ...	,,	29.92	...	...	N	4	...	,,	29.96	...	...	E	4	...
Naha, ...	,,	29.89	...	...	N	8	...	,,	29.97	...	...	N	2	...
Ishigakijima, ...	,,	29.93	...	...	NE	6	...	,,	29.97	...	...	N	4	...
Taihoku,.....	1 p.	29.98	...	...	E	6	...	5 a.	30.02	...	...	S	2	...
Taichu, ...	,,	29.91	...	...	N	6	...	,,	29.97	...	...	...	0	...
Tainan, ...	,,	29.91	...	..	NW	4	...	,,	29.98	...	...	NE	4	...
Koshun, ...	,,	...	...	...	...	...	...	,,	29.97	...	...	NE	4	...
Pescadores, ...	,,	29.94	.	...	NE	8	...	,,	29.96	...	...	NE	8	...
Weihaiwei.....	3 p.	29.99	68	...	W	5	...	9 a.	30.00	71	...	S	2	...
Gutzlaff, ...	,,	30.06	78	61	N	2	bv	,,	30.15	71	62	NNE	2	cv
Sharp Peak, ...	,,	29.99	78	74	E	5	c	,,	30.04	78	76	N	4	o
Amoy, ...	2.30p.	29.96	86	68	NE	3	c	6.30a.	30.06	76	77	N	1	b
Swatow.	3 p.	29.94	83	...	...	3	b	9 a.	30.06	80	...	...	2	b
Canton, ...	,,	...	87	65	S	1	b	,,	...	...	...	...	...	...
Hongkong	4 p.	29.94	81	70	E	3	c	10 a.	30 03	80	71	ENE	4	c
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	ESE	4	...
Gap Rock.....	,,	29.91	...	...	ENE	4	...	,,	29.98	...	...	ENE	5	...
Macao, ...	,,	29.91	82	...	ESE	3	c	,,	29.99	82	...	E	4	c
Haiphong, ...	,,	29.92	84	...	E	2	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	84	77	...	0	o	,,	29.96	86	71	ENE	1	c
Bacolod, ...	3 p.	...	...	...	WSW	1	o	9 a.	...	...	...	NNW	1	b
Iloilo, ...	,,	29.85	84	...	SW	1	o	,,	29.95	83	...	NNE	1	b
Cebu, ...	,,	29.90	87	...	N	1	c	,,	29.96	84	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 11.55a. The barometer has risen over Japan and the coast of China.
The depression in the North has passed to the NE. of Japan.
Pressure is high over the E. coast of China, and relatively low over the W. part of the China Sea.
Fresh to strong NE. winds in the Formosa Channel and N. part of the China Sea.
Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 25th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	25th SEPTEMBER, 1903, P. M.							26th SEPTEMBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock....	2 p.	29.78	69	...	...	0	b	7 a.	29.78	65	87	SW	1	c
Nemuro, ...	,,	29.76	...	...	SE	6	...	6 a.	29.84	...	...	W	2	...
Hakodate, ...	,,	29.70	...	...	S	6	...	,,	29.97	...	...	...	0	...
Tokio.....	,,	29.71	...	...	SW	4	...	,,	30.02	...	...	N	2	...
Kochi, ...	,,	29.83	...	...	W	2	...	,,	30.03	...	...	E	2	...
Nagasaki, ...	,,	29.95	...	...	W	4	...	,,	29.99	...	...	E	4	...
Kagoshima.....	,,	29.95	...	...	SW	4	...	,,	29.99	...	...	NE	4	...
Oshima, ...	,,	29.96	...	...	N	6	...	,,	29.96	...	...	S	2	...
Naha, ...	,,	29.93	...	...	N	8	...	,,	29.89	...	...	N	2	...
Isigakijima, ...	,,	29.93	...	...	NE	8	...	,,	29.89	...	...	NE	2	...
Taihoku,.....	1 p.	29.97	...	...	E	6	...	5 a.	29.92	...	...	NE	4	...
Taichu, ...	,,	29.91	...	...	NW	2	...	,,	29.91	...	...	...	0	...
Tainan, ...	,,	29.93	...	...	SW	4	...	,,	29.90	...	...	SE	2	...
Koshun, ...	,,	29.94	...	...	NE	4	...	,,	29.91	...	...	...	0	...
Pescadores, ...	,,	29.95	...	...	NE	8	...	,,	29.92	...	...	NE	6	...
Weihaiwei.....	3 p.	29.88	74	...	SW	3	...	9 a.	29.84	76	...	SW	4	...
Gutzlaff, ...	,,	30.03	77	53	ENE	2	ev	,,	...	...	...	...	...	...
Sharp Peak, ...	,,	29.97	78	74	E	6	c	,,	29.95	79	78	E	1	c
Amoy, ...	2.30p.	29.96	85	64	NE	3	c	6.30a.	29.98	75	90	NNE	1	c
Swatow, ...	3 p.	29.90	89	...	E	3	b	9 a.	...	80	...	E	1	b
Canton, ...	,,	...	85	72	S	1	o	,,	...	84	72	W	2	o
Hongkong	4 p.	29.95	80	67	E	3	b	10 a.	29.97	80	74	E	2	c
Victoria Peak...	,,	...	...	...	E	4	...	,,	...	...	...	E	...	...
Cap Bock	,,	29.93	...	...	ENE	4	...	,,	29.95	...	...	ENE	4	...
Macao, ...	,,	29.93	81	...	ESE	4	c	,,	29.94	83	...	E	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	88	66	W	...	o	,,	29.92	84	77	...	0	c
Tacoloc, ...	3 p.	...	...	...	W	1	o	9 a.	...	...	...	S	2	b
Iloilo, ...	,,	29.83	87	...	WNW	1	o	,,	29.90	83	...	...	0	o
Cebu, ...	,,	29.85	87	...	N	2	b	,,	29.94	86	...	S	1	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 11.55a. The barometer has risen over Japan, fallen elsewhere, particularly over N. China. A depression is moving Eastwards over N. China, and pressure is now highest over Central Japan. Gradients slight for E. winds in the Formosa Channel and for NE. winds over the N. part of the China Sea. Forecast:— moderate or light E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 26th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	26th SEPTEMBER, 1903, P. M.							27th SEPTEMBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock....	2 p.	29.78	69	...	S	3	c	7 a.	29.90	64	89	...	0	c
Nemuro, ...	„	29.96	...	...	N	4	...	6 a.	29.76	...	...	SE	4	...
Hakodate, ...	„	29.91	...	...	N	2	...	„	29.73	...	...	NW	2	...
Tokio.....	„	3.96	...	...	E	2	...	„	29.98	...	...	NW	2	...
Kochi, ...	„	29.89	...	...	NE	4	...	„	29.99	...	...	E	2	...
Nagasaki, ...	„	29.95	...	...	SE	6	...	„	30.03	...	...	S	4	...
Kagoshima,....	„	29.96	...	...	E	4	...	„	29.99	...	...	N	2	...
Oshima, ...	„	29.88	...	...	N	6	...	„	29.92	...	...	...	0	...
Naha, ...	„	29.85	...	...	NW	2	...	„	29.89	...	...	...	0	...
Isurugukijima, ...	„	29.85	...	...	NE	6	...	„	29.89	...	...	NE	4	...
Tailoku,.....	1 p.	29.90	...	...	E	6	...	5 a.	29.91	...	...	E	6	...
Tuichu, ...	„	29.85	...	...	NW	4	...	„	29.86	...	...	...	0	...
Tainan, ...	„	29.86	...	..	W	4	...	„	29.88	...	...	..	0	...
Koshun, ...	„	29.88	...	...	N	2	...	„	29.87	...	...	NE	4	...
Pescadores, ..	„	29.84	.	...	N	8	...	„	29.88	...	...	NE	4	...
Weihaiwei.....	3 p.	29.79	75	...	SW	4	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	29.93	80	78	SE	2	cv	„	30.04	77	69	SSE	2	cv
Sharp Peak, ..	„	29.88	78	71	ESE	4	c	„	29.94	78	75	N	2	o
Amoy, ...	2.20p.	29.89	82	79	SE	3	c	6.30a.	29.95	80	87	NE	2	...
Swatow, ...	3 p.	29.88	81	...	E	1	b	9 a.	29.96	80	...	ENE	3	b
Canton, ...	„	...	89	66	S	2	o	„	...	81	83	SE	1	o
Pongkong	4 p.	29.86	80	78	ESE	3	o	10 a.	29.93	81	72	E	3	o
Victoria Peak,..	„	...	...	...	ESE	1	...	„	...	...	...	E	3	...
Gap Rock.....	„	29.85	...	...	ENE	3	...	„	29.91	...	...	E	4	...
Macao, ...	„	29.85	81	...	ESE	2	c	„	29.89	84	...	E	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	82	77	WSW	3	o	„	29.88	82	77	WSW	2	c
Iacolod, ..	3 p.	...	...	...	W	2	o	9 a.	...	...	...	S	1	c
Iloilo, ...	„	29.81	86	...	SE	3	c	„	29.90	83	...	...	0	o
Cebu, ...	„	29.81	87	...	S	1	b	„	29.90	86	...	...	0	
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 11.40a. The barometer has risen over N. China, fallen over E. Japan, S. China and the Philippines.

The depression in the North seems to have moved Eastwards into the NE. part of the Sea of Japan.

Probably a trough of low pressure is lying over the N. part of the China Sea and the Pacific towards the NE. of Luzon.

Pressure is highest between the E. coast of China and W. Japan.

Fresh NE. winds in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate to fresh E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 27th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	27th SEPTEMBER, 1903, P. M.							28th SEPTEMBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock....	2 p.	29.93	75	...	WSW	1	b	7 a.	33.03	59	96	E	1	b
Nemuro, ...	,,	30.12	...	...	S	6	...	6 a.	30 20	...	...	...	0	...
Hakodate, ...	,,	30.05	...	...	S	4	...	,,	30.17	...	...	N	4	...
Tokio.....	,,	30.10	...	...	NE	2	...	,,	30.02	...	...	NE	4	...
Kochi, ...	,,	30.03	...	...	SE	2	...	,,	38.03	...	...	NE	4	...
Nagasaki, ...	,,	30.03	...	...	N	4	...	,,	30.03	...	...	NE	4	...
Kagoshima.....	,,	30.03	...	...	SE	8	...	,,	29.99	...	...	SE	8	...
Oshima, ...	,,	29.92	...	...	NE	6	...	,,	29.88	...	...	S	2	...
Naha, ...	,,	29.89	...	...	E	4	...	,,	29.89	...	...	NE	2	...
Ishigakijima, ...	,,	29.89	...	...	NE	6	...	,,	29.89	...	...	NE	2	...
Taihoku,.....	1 p.	29.88	...	...	NE	6	...	5 a.	29.85	...	...	E	6	...
Taichu, ...	,,	29.83	...	...	N	4	...	,,	29.80	...	...	...	0	...
Tainan,.....	,,	29.82	...	...	NW	6	...	,,	29.80	...	...	N	2	...
Koshun,.....	,,	29.84	...	...	NE	6	...	,,	29.81	...	...	NE	6	...
Pescadores, ...	,,	29.88	...	...	NE	6	...	,,	29.83	...	...	NE	6	...
Weihaiwei.....	3 p.	29.96	78	...	S	3	...	9 a.	30.08	75	...	S	1	...
Gutzlaff, ...	,,	29.99	83	60	ESE	3	bv	,,	30.06	76	86	E	3	cv
Sharp Peak, ...	,,	29.90	77	84	ENE	4	o	,,	...	78	80	NW	2	a
Amoy, ...	2.30p.	29.88	85	68	NE	2	c	6.30a.	29.88	77	86	NNE	1	c
Swatow, ...	3 p.	29.85	83	...	ESE	3	b	9 a.	29.89	81	...	N	1	b
Canton, ...	,,	...	90	63	S	1	c	,,	...	...	...	SE	1	c
Hongkong	4 p.	29.82	81	68	E	3	c	10 a.	29 89	83	65	E	3	b
Victoria Peak,.	,,	...	...	...	E	...	...	,,	....	...	...	E	4	...
Gap Rock,.....	,,	29.83	...	...	ENE	4	...	,,	29.89	...	...	ENE	4	...
Macao, ...	,,	29.80	82	...	ESE	4	c	,,	29.87	82	...	E	3	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	82	77	WSW	2	c	,,	29.84	86	71	WSW	1	c
Bacolod, ...	3 p.	...	...	...	WSW	2	c	9 a.	...	...	...	SSW	1	c
Iloilo, ...	,,	29.80	87	...	SW	3	c	,,	29.85	83	...	WSW	1	b
Cebu, ...	,,	29.80	86	...	S	2	c	,,	29.88	87	...	S	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 11.55a. The barometer has risen over N. China and around the N. part of the Sea of Japan; fallen over the SE. coast of China, Formosa and the Philippines.

Pressure is low over the Pacific towards the NE. of Luzon, where a depression may be forming.

Pressure is high over NE. Japan. Fresh to strong NE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate or fresh NE. winds; fine.

P. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 28th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	28th SEPTEMBER, 1903, P. M.							29th SEPTEMBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladiwostock,...	2 p.	30.04	67	...	S	1	o	7 a.	30.04	64	96	...	0	o
Nemuro, ...	"	30.12	...	...	E	4	...	6 a.	30.20	...	...	SW	2	...
Hakodate, ...	"	30.17	...	...	SW	4	...	"	30.21	...	...	...	0	...
Tokio, ...	"	30.18	...	...	E	4	...	"	30.26	...	...	N	4	...
Kochi, ...	"	30.07	...	...	E	...	...	"	30.07	...	...	E	4	...
Nagasaki, ...	"	29.99	...	...	NE	2	...	"	30.03	...	...	..	0	...
Kagoshima, ...	"	29.99	...	...	E	6	...	"	29.99	...	...	NE	6	...
Oshima, ...	"	29.88	...	...	S	2	...	"	29.96	...	...	SE	4	...
Naha, ...	"	29.89	...	...	NW	2	...	"	29.89	...	...	NE	2	...
Isurugakijima, ...	"	29.85	...	...	SW	4	...	"	29.85	...	...	NE	2	...
Taihoku, ...	1 p.	29.81	...	...	E	6	...	5 a.	29.87	...	...	E	6	...
Taichu, ...	"	29.80	...	...	W	2	...	"	29.85	...	...	...	0	...
Tainan, ...	"	29.79	...	...	W	4	...	"	29.84	...	...	W	2	...
Kosbun, ...	"	29.81	...	...	E	4	...	"	29.84	...	...	E	4	...
Pescadores, ...	"	29.93	...	...	...	4	...	"	29.84	...	...	NE	4	...
Weihaiwei.....	3 p.	30.03	81	...	S	3	...	9 a.	..	...	...	...	...	...
Cuzlaff, ...	"	30.02	80	70	ENE	3	cv	"	30.07	76	91	NE	2	cm
Sharp Peak. ..	"	29.87	79	87	ENE	6	o	"	29.96	78	84	N	...	o
Amoy, ...	2.30p.	29.84	88	73	NE	2	c	6.30a.	29.89	81	74	...	0	b
Swatow, ...	3 p.	29.85	84	...	E	3	b	9 a.	29.92	83	...	NE	3	b
Canton, ...	"	....	88	69	SSE	1	c	"	...	89	63	SE	1	b
Hongkong	4 p.	29.81	81	72	E	4	b	10 a.	29 89	83	69	ENE	4	oq
Victoria Peak,.	"	...	...	...	ESE	2	...	"	...	...	...	E	3	...
Gap Rock.....	"	29.81	...	...	ENE	4	...	"	29.86	...	...	ENE	6	...
Macao, ...	"	29.77	86	...	ENE	2	c	"	29.87	83	...	E	3	c
Haiphong, ...	"	29.78	84	...	ESE	1	o	"	...	...	...	...	...	...
Manila, ...	"	29.76	84	77	SW	1	o	"	29.84	86	71	SSE	0	c
Bacolod, ...	3 p.	...	...	...	SSW	2	o	9 a.	...	...	...	SW	3	b
Iloilo, ...	"	29.75	86	...	SW	3	c	"	29.85	83	...	WSW	2	b
Cebu, ...	"	29.76	86	...	S	1	c	"	29.85	87	...	S	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 7.20a. Red South Cone hoisted.

At 11.35a. The barometer has risen slightly over the SE. coast of China and Formosa; fallen a little at Gap Rock. A depression seems to have developed over the N. part of the China Sea. It appears to be now lying to the E. or NE. of the Paracels.

Pressure remains low also over the Pacific to the S. of the Loochoos, and high over E. Japan.

Strong NE. winds in the Formosa Channel, and N. to E. gales over the N. part of the China Sea.

Forecast:— strong NE. to E. winds, possibly a gale; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 29th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

29th SEPTEMBER, 1903, P. M. — 30th SEPTEMBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.13	70	...	S	1	c	7 a.	29.89	65	19	S	1	o
Nemuro, ...	,,	30.04	...	...	SW	6	...	6 a.	30.16	...	...	E	2	...
Hakodate, ...	,,	30.13	...	...	S	4	...	,,	30.13	...	...	...	0	...
Tokio,.....	,,	30.22	...	...	NW	2	...	,,	30.14	...	...	NE	2	...
Kochi, ...	,,	30.07	...	...	E	2	...	,,	30.07	...	...	E	0	...
Nagasaki, ...	,,	30.03	...	...	N	2	...	,,	30.03	...	...	NE	2	...
Kagoshima.....	,,	29.99	...	...	N	3	...	,,	30.03	...	...	E	4	...
Oshima, ...	,,	29.92	...	...	SE	4	...	,,	29.92	...	...	...	0	...
Naha, ...	,,	29.89	...	...	NE	4	...	,,	29.81	...	...	NE	4	...
Isigakijima, ...	,,	29.85	...	...	E	6	...	,,	29.81	...	...	N	4	...
Taihoku,.....	1 p.	29.89	...	...	NE	8	...	5 a.	29.89	...	...	E	4	...
Taichu, ...	,,	29.80	...	...	SW	2	...	,,	29.83	...	...	...	0	...
Tainan, ...	,,	29.82	...	..	W	4	...	,,	29.83	...	...	SE	2	...
Koshun, ...	,,	29.85	...	...	N	4	...	,,	29.85	...	...	NE	2	...
Pescadores, ...	,,	29.84	..	...	NE	8	...	,,	29.83	...	...	NE	6	...
Weihaiwei.....	3 p.	30.00	79	...	E	1	...	9 a.	..	...	...	...	...	...
Gutzlaff, ...	,,	30.01	80	82	NE	3	cm	,,	30.04	76	91	NE	3	cm
Sharp Peak, ..	,,	29.92	76	98	ENE	6	c	,,	29.95	81	78	N	2	o
Amoy, ...	2.30p.	29.85	89	66	NE	...	c	6.30a.	...	...	...	...	...	...
Swatow, ...	3 p.	29.85	85	...	E	4	b	9 a.	29.91	82	...	NE	2	b
Canton, ...	,,	...	92	61	SE	1	o	,,	...	85	83	E	1	b
Hongkong	4 p.	29.82	83	69	E	4	cq	10 a.	29.90	84	59	E	4	bq
Victoria Peak,.	,,	...	...	...	E	6	...	,,	...	...	...	E	6	...
Cap Bedd	,,	29.81	...	...	ENE	5	...	,,	29.89	...	...	ENE	6	...
Macao, ...	,,	29.80	83	...	ESE	2	c	,,	29.88	84	...	E	4	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	84	77	...	0	o	,,	...	...	...	...	...	...
Paccoled, ...	3 p.	...	...	...	SW	2	...	9 a.	...	...	...	SW	3	c
Iloilo, ...	,,	29.77	85	...	WSW	2	b	,,	29.87	83	...	SW	2	b
Cebu, ...	,,	29.77	88	...	S	3	c	,,	29.87	87	...	S	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at noon. The barometer has fallen over the N. part of the Sea of Japan and the Loochoos, and is inclined to rise in Hongkong.

The depression in the China Sea appears to be almost stationary to the Eastward of the Paracels.

Another depression is lying in the Pacific to the S. of the Loochoos; and a third area of low pressure lies over Manchuria. Pressure is highest over E. Japan.

Fresh NE. winds in the Formosa Channel, and strong winds to gales over the N. part of the China Sea.

Forecast:— fresh NE. and E. winds; fair, equally.

P. G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 30th September 1903.

CHINA COAST METEOROLOGICAL REGISTER.

30th SEPTEMBER, 1903, P. M. — 1st OCTOBER, 1903, A. M.

STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.87	69	...	S	1	o	7 a.	29.98	50	78	N	2	b
Nemuro, ...	,,	30.04	...	...	E	6	...	6 a.	29.69	...	...	S	6	...
Hakodate, ...	,,	29.97	...	...	SE	6	...	,,	29.77	...	...	...	0	...
Tokio.....	,,	30.06	...	...	N	2	...	,,	29.90	...	...	NW	2	...
Kochi, ...	,,	29.89	...	...	NE	2	...	,,	29.91	...	...	E	4	...
Nagasaki, ...	,,	29.95	...	...	SW	4	...	,,	29.83	...	...	SE	6	...
Kagoshima.....	,,	29.91	...	...	E	4	...	,,	29.83	...	...	E	6	...
Oshima, ...	,,	29.88	...	...	SE	2	...	,,	29.78	...	...	...	0	...
Naha, ...	,,	...	...	...	...	...	...	,,	29.66	...	...	E	4	...
Ishigakijima, ...	,,	29.77	...	...	NE	12	...	,,	29.62	...	...	N	6	...
Taihoku, ...	1 p.	29.85	...	...	SE	...	...	5 a.	29.80	...	...	SE	2	...
Taichu, ...	,,	29.79	...	...	N	6	...	,,	29.76	...	...	N	4	...
Tainan, ...	,,	29.80	...	..	NW	6	...	,,	29.75	...	...	N	2	...
Kosbun, ...	,,	29.82	...	...	NE	4	...	,,	29.74	...	...	N	2	...
Pescadores, ...	,,	29.83	..	...	NE	8	...	,,	29.78	...	...	NE	6	...
Weihaiwei.....	3 p.	29.99	68	...	N	2	...	9 a.	..	...	...	...	...	...
Cutzlaff, ...	,,	29.98	78	82	NNE	4	cm	,,	29.97	74	86	N	4	...
Sharp Peak, ..	,,	29.85	80	82	E	6	b	,,	29.82	81	83	NNW	1	b
Amoy, ...	2.30p.	29.82	89	...	ENE	4	c	6.30a.	29.84	80	78	NNE	1	o
Swatow, ...	3 p.	29.83	84	...	E	4	b	9 a.	29.88	82	...	NW	2	c
Canton, ...	,,	...	92	81	SE	1	o	,,	...	92	81	NE	1	b
Hongkong	4 p.	29.82	82	76	E	3	cq	10 a.	29 89	82	76	E	3	c
Victoria Peak,.	,,	...	...	...	ESE	4	...	,,	...	...	...	E	2	...
Cap Bael	,,	29.81	...	...	E	4	...	,,	29.87	...	...	ENE	4	...
Macao, ...	,,	29.79	82	...	ESE	4	c	,,	29.86	82	...	ENE	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	84	79	W	4	o	,,	29.84	84	71	W	1	c
Iacolod, ...	3 p.	...	...	...	SW	3	c	9 a.	...	...	...	SSW	2	b
Iloilo, ...	,,	29.79	87	...	SW	3	c	,,	29.89	85	...	SW	2	c
Cebu, ...	,,	29.79	88	...	S	2	c	,,	29.89	88	...	S	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 5.40a. Red South Cone lowered.

At 11.30a. The barometer has risen at Wladiwostock; fallen much over Japan and the Loochoos, and moderately over Formosa and the SE. coast of China. Probably the China Sea depression has moved Westwards towards the Gulf of Tongking.

The typhoon in the Pacific is situated to the SE. of Meiaco Sima (E. of Formosa) and is apparently moving NW. at present.

The depression, lying over Manchuria yesterday, has moved into the NE. part of the Sea of Japan. Pressure is highest over N. China. N. and NE. gales will probably blow in the Formosa Channel, and strong N. and NW. winds over the NE. part of the China Sea.

Forecast:— NE. to N. winds, fresh; fair, squally.

F. G. FIGG,
Acting Director.

Hongkong Observatory Thursday 1st October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.65	...	...	NW	6	...	6 a.	29.80	...	...	NW	6	...
Hakodate, ...	,,	29.77	...	...	NW	6	...	,,	29.89	...	...	...	0	...
Tokio,.....	,,	29.86	...	...	...	0	...	,,	29.55	...	...	N	8	...
Kochi, ...	,,	29.79	...	...	E	...	...	,,	29.52	...	...	...	0	...
Nagasaki, ...	,,	29.72	...	...	N	2	...	,,	29.60	...	...	NE	2	...
Kagoshima,....	,,	29.68	...	...	SE	2	...	,,	29.56	...	...	NW	2	...
Oshima, ...	,,	29.65	...	...	...	0	...	,,	29.57	...	...	N	6	...
Naha, ...	,,	29.58	...	...	NE	6	...	,,	29.58	...	...	N	10	...
Ishigakijima, ...	,,	29.58	...	...	N	8	...	,,	29.70	...	...	N	8	...
Taihoku,.....	1 p.	29.81	...	...	NW	4	...	5 a.	29.85	...	...	S	2	...
Taichu, ...	,,	29.71	...	...	N	8	...	,,	29.79	...	...	N	2	...
Tainan, ...	,,	29.71	...	...	N	8	...	,,	29.79	...	...	N	4	...
Koshun, ...	,,	29.71	...	...	W	4	...	,,	29.76	...	...	NE	4	...
Pescadores, ...	,,	29.76	.	...	NE	10	...	,,	29.81	...	...	NE	8	...
Weihaiwei.....	3 p.	29.93	68	...	N	4	...	9 a.	..	...	...	...	...	...
Gutzlaff, ...	,,	29.89	77	69	N	5	cv	,,	30.09	68	79	NW	5	cv
Sharp Peak. ..	,,	29.77	81	78	E	6	c	,,	29.91	79	60	N	2	b
Amoy, ...	2.30p.	29.79	86	68	SE	4	c	6.30a.	29.86	80	78	NNE	1	o
Swatow.	3 p.	29.77	86	...	SE	2	c	9 a.	29.86	82	...	N	2	b
Canton, ...	,,	...	90	88	...	0	o	,,	...	85	91	N	2	b
Hongkong	4 p.	29.79	82	72	E	2	b	10 a.	29.91	83	62	E	2	c
Victoria Peak,..	,,	...	...	...	E	1	...	,,	...	...	...	E	1	...
Cap Rock,.....	,,	29.80	...	...	ENE	4	...	,,	29.89	...	...	ENE	4	...
Macao.	,,	29.79	84	...	ESE	2	c	,,	29.89	83	...	ENE	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	84	77	WSW	2	c	,,	29.84	84	71	NNW	1	o
Tacoled, ...	3 p.	...	...	...	SW	1	d	9 a.	...	...	...	S	1	c
Iloilo, ...	,,	29.79	84	...	WSW	1	o	,,	29.89	83	...	...	0	o
Cebu, ...	,,	29.78	89	...	S	3	c	,,	29.92	86	...	S	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 6p. Typhoon East of Meiaco Sima moving Northwards

On the 2nd at 11.50a. The barometer has risen over NE. Japan and the coast of China, fallen much over S. Japan.

The typhoon has recurved and seems likely to reach the SE. coast of Japan today.

Strong monsoon along the China coast, and increasing NE. winds over the N. part of the China Sea.

Forecast:— moderate to fresh NE. winds; fine.

F. C. FIGG.

Acting Director.

Hongkong Observatory Friday 2nd October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd OCTOBER, 1903, P. M.							3rd OCTOBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	30.02	62	...	N	3	b	7 a.	30.14	45	84	...	0	b
Nemuro, ...	,,	29.84	...	...	N	6	...	6 a.	30.04	...	...	N	6	...
Hakodate, ...	,,	29.85	...	...	NW	6	...	,,	30.13	...	...	NW	2	...
Tokio,.....	,,	29.67	...	...	E	6	...	,,	29.98	...	...	NW	1	...
Kochi, ...	,,	29.56	...	...	E	2	...	,,	29.87	...	...	NE	6	...
Nagasaki, ...	,,	29.72	...	...	N	10	...	,,	29.95	...	...	NE	6	...
Kagoshima, ...	,,	29.60	...	...	N	8	...	,,	29.91	...	...	N	4	...
Oshima, ...	,,	29.61	...	...	N	6	...	,,	29.80	...	...	N	6	...
Naha, ...	,,	29.62	...	...	N	10	...	,,	29.74	...	...	N	8	...
Isigakijima, ...	,,	29.77	...	...	N	6	...	,,	29.81	...	...	E	6	...
Taihoku,.....	1 p.	29.92	...	...	NE	4	...	5 a.	29.91	...	...	S	2	...
Taichu, ...	,,	29.76	...	...	N	8	...	,,	29.85	...	...	...	0	...
Tainan, ...	,,	29.79	...	..	NW	8	...	,,	29.84	...	...	...	0	...
Koshun, ...	,,	29.80	...	...	NE	4	...	,,	29.85	...	...	NE	8	...
Pescadores, ...	,,	29.84	.	...	N	8	...	,,	29.85	...	...	NE	10	...
Weihaiwei.....	3 p.	30.04	70	...	N	2	...	9 a.	..	...	...	...	...	...
Gutzlaff, ...	,,	29.96	75	64	NNW	5	cv	,,	30.11	72	67	NNE	4	bv
Sharp Peak, ..	,,	29.97	77	62	ENE	5	b	,,	29.98	75	68	NNW	3	o
Amoy, ...	2.30p.	29.83	86	61	E	1	o	6.30a.	29.98	74	72	N	2	c
Swatow, ...	3 p.	29.79	84	...	ESE	2	c	9 a.	29.92	82	...	NE	2	b
Canton, ...	,,	...	90	92	S	1	c	,,	...	84	87	N	1	b
Hongkong	4 p.	29.82	81	72	E	3	b	10 a.	29.97	80	64	E	3	c
Victoria Peak,.	,,	...	...	...	ESE	2	...	,,	...	...	...	ESE	2	...
Gap Rock.....	,,	29.83	...	...	ENE	4	...	,,	29.93	...	...	E	4	...
Macao, ...	,,	29.80	81	...	ESE	2	b	,,	29.93	82	...	E	4	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	84	77	WSW	3	o	,,	29.80	81	85	SSW	2	o
Bacolod, .. .	3 p.	...	...	...	SW	2	o	9 a.	...	...	...	W	3	o
Iloilo, ...	,,	29.79	83	...	SW	3	o	,,	29.87	82	...	WSW	3	od
Cebu, ...	,,	29.83	88	...	S	2	b	,,	29.88	84	...	S	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.55a. The barometer has fallen slightly over the Philippines; risen elsewhere, particularly over Japan.

The typhoon has probably moved away over the Pacific to the S. of Japan.

A new depression may be forming in the neighbourhood of N. Luzon, where pressure remains low.

Pressure is high over N. China.

Strong NE. monsoon along the China coast and over the N. part of the China Sea.

Forecast:— fresh NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory Saturday 3rd October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.20	...	...	N	6	...	6 a.	30.43	...	...	SW	2	...
Hakodate, ...	,,	30.21	...	...	NE	2	...	,,	30.44	...	...	...	0	...
Tokio,.....	,,	30.14	...	...	NE	6	...	,,	30.37	...	...	N	4	...
Kochi, ...	,,	29.95	...	...	NE	2	...	,,	30.15	...	...	NE	4	...
Nagasaki, ...	,,	29.99	...	...	E	8	...	,,	30.15	...	...	NE	2	...
Kagoshima,....	,,	29.96	...	...	E	6	...	,,	30.07	...	...	E	6	...
Oshima, ...	,,	29.84	...	...	NE	6	...	,,	29.92	...	...	...	0	...
Naha, ...	,,	29.77	...	...	NE	6	...	,,	29.85	...	...	NE	4	...
Isigakijima, ...	,,	29.85	...	...	NE	8	...	,,	29.77	...	...	NE	6	...
Taihoku,.....	1 p.	29.92	...	...	E	6	...	5 a.	29.91	...	...	SE	3	...
Taichu, ...	,,	29.83	...	...	S	2	...	,,	29.82	...	...	...	0	...
Tainan, ...	,,	29.86	...	..	N	6	...	,,	29.80	...	...	N	2	...
Koshun, ...	,,	29.84	...	...	N	4	...	,,	29.79	...	...	NE	3	...
Pescadores, ...	,,	29.88	..	...	N	8	...	,,	29.83	...	...	NE	10	...
Weihaiwei.....	3 p.	30.15	69	...	E	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.08	74	72	E	4	cv	,,	30.16	74	72	NE	5	cv
Sharp Peak, ..	,,	29.94	77	73	NE	7	o	,,	29.98	75	72	N	5	o
Amoy, ...	2.30p.	29.91	76	95	NE	4	c	6.20a.	29.97	76	72	NE	2	b
Swatow, ...	3 p.	29.88	83	...	E	3	b	9 a.	29.98	79	...	N	2	b
Canton, ...	,,	...	89	92	N	1	b	,,	...	80	...	NNE	1	b
Hongkong	4 p.	29.87	79	68	E	3	b	10 a.	29.99	81	43	N	1	b
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	NNE	3	...
Gap Rock.....	,,	29.87	...	...	E	4	...	,,	29.98	...	...	NE	3	...
Macao, ...	,,	29.85	81	...	ESE	3	c	,,	29.97	80	...	N	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.72	86	72	ESE	2	c	,,	29.80	86	75	ESE	1	o
Bacolod, ...	3 p.	...	...	...	WNW	6	r	9 a.	...	...	...	S	2	o
Iloilo, ...	,,	29.77	79	...	WNW	4	od	,,	29.86	80	...	...	0	or
Cebu, ...	,,	29.79	86	...	S	2	o	,,	29.89	83	...	S	3	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.40a. The barometer has risen much over Japan, and moderately over N. China. A slight fall has taken place over Formosa.

A depression lies in the Pacific to the E. of Bashee Channel, and pressure appears to be low also off the SW. coast of Luzon.

Two areas of high pressure exist, one over N. China, the other over NE. Japan.

Gradients steep on the China coast with strong N. to NE. winds to gales in the Formosa Channel and NE. part of the China Sea.

Forecast:— N. winds fresh; fine, squally.

F. G. FIGG,
Acting Director.

Hongkong Observatory Sunday 4th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	4th OCTOBER, 1903, P. M.							5th OCTOBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	"	30.39	...	...	SW	6	...	6 a.	30.22	...	...	S	4	...
Hakodate, ...	"	30.36	...	...	SE	6	...	"	30.33	...	...	NE	3	...
Tokio,.....	"	30.33	...	...	E	6	...	"	30.30	...	...	N	4	...
Kochi, ...	"	30.19	...	...	E	2	...	"	30.15	...	...	NE	2	...
Nagasaki, ...	"	30.11	...	...	NE	6	...	"	30.11	...	...	N	2	...
Kagoshima.....	"	30.11	...	...	E	4	...	"	30.07	...	...	E	6	...
Oshima, ...	"	29.84	...	...	NE	2	...	"	29.92	...	...	SW	2	...
Naha, ...	"	29.85	...	...	E	4	...	"	29.89	...	...	...	0	...
Isaigakijima, ...	"	29.77	...	...	E	8	...	"	29.81	...	...	SE	8	...
Taihoku,.....	1 p.	29.85	...	...	NE	8	...	5 a.	29.68	...	...	E	8	...
Taichu, ...	"	29.68	...	...	N	2	...	"	29.41	...	...	NE	4	...
Tainan, ...	"	29.71	...	..	N	4	...	"	29.31	...	...	N	8	...
Kosbun, ...	"	29.72	...	...	N	2	...	"	...	...	...	...	...	...
Pescadores, ...	"	29.77	..	...	NE	10	...	"	29.46	...	...	NE	10	...
Weihaiwei.....	3 p.	30.20	69	...	NE	1	...	9 a.	..	...	...	...	...	...
Gutzlaff, ...	"	30.09	76	73	NE	4	c	"	30.07	74	90	NE	5	cm
Sharp Peak, ..	"	29.88	78	76	NE	6	o	"	29.78	78	86	N	7	o
Amoy, ...	2.30p.	29.83	89	53	NE	3	b	6.30a.	29.74	82	63	N	3	o
Swatow, ...	3 p.	29.85	84	...	W	2	b	9 a.	29.75	80	...	NW	4	c
Canton, ...	"	...	89	...	NNE	1	b	"	...	80	...	NE	1	c
Hongkong.....	4 p.	29.86	81	57	S*	2	b	10 a.	29 86	83	46	N	1	c
Victoria Peak,.	"	...	...	...	S	1	...	"	...	...	...	N	1	...
Cap Rock.....	"	29.87	...	...	NNE	1	...	"	29.86	...	...	NNW	5	...
Macao, ...	"	29.84	83	...	...	...	b	"	29.86	80	...	NNW	2	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.72	86	71	..	0	o	"	29.84	86	78	SSW	0	c
Bacolod, .	3 p.	...	...	...	S	4	or	9 a.	...	...	...	SSW	3	b
Iloilo, ...	"	29.77	81	...	WSW	1	or	"	29 89	83	...	W	1	c
Cebu, ...	"	29.87	85	...	S	4	o	"	29.96	86	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 6.15p. The depression in the Pacific seems to be moving WNW. towards S. Formosa.
On the 5th at 10.15a. Red Drum hoisted.
At 11.30a. The barometer has fallen rapidly over Formosa and the SE. coast of China, risen slightly over the Loochoos and Philippines.
The centre of the typhoon lies now near the S. Cape of Formosa. Its direction towards WNW. is, so far, maintained.
Pressure is still high but giving way over N. China and NE. Japan.
Very bad weather in the Formosa Channel, and strong NW. winds to gales off the coast to the Eastward of Hongkong.
Forecast:— strong NW. winds; fair at first, squally and unsettled later.

F. G. FIGG,
Acting Director.

Hongkong Observatory Monday 5th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.12	70	...	...	0	b	7 a.	30.09	60	99	SE	1	c
Nemuro, ...	"	30.20	...	...	S	8	...	6 a.	30.20	...	...	SW	2	...
Hakodate, ...	"	30.21	...	...	S	4	...	"	30.21	...	...	...	0	...
Tokio,.....	"	30.22	...	...	NE	4	...	"	30.22	...	...	NW	4	...
Kochi, ...	"	30.11	...	...	E	2	...	"	30.07	...	...	NE	6	...
Nagasaki, ...	"	30.02	...	...	E	2	...	"	30.03	...	...	N	2	...
Kagoshima,....	"	29.99	...	...	NE	6	...	"	29.99	...	...	E	8	...
Oshima, ...	"	29.92	...	...	SW	2	...	"	29.92	...	...	S	2	...
Naha, ...	"	29.93	...	...	S	4	...	"	29.93	...	...	...	0	...
Ishigakijima, ...	"	29.85	...	...	S	6	...	"	29.89	...	...	S	6	...
Taihoku,.....	1 p.	29.67	...	...	SE	8	...	5 a.	29.85	...	...	...	0	...
Taichu, ...	"	29.56	...	...	NE	2	...	"	29.82	...	...	NE	2	...
Tainan, ...	"	29.58	...	..	SE	2	...	"	29.81	...	...	SE	4	...
Kosbun, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Pescadores, ...	"	29.49	...	...	E	10	...	"	29.80	...	...	S	4	...
Weihaiwei,.....	3 p.	...	...	...	...	...	...	9 a.	30.07	68	...	...	0	...
Gutzlaff, ...	"	30.01	73	100	NE	5	cmp	"	30.03	74	100	ESE	5	cmd
Sharp Peak, ..	"	29.70	79	87	NE	8	o	"	29.88	79	91	...	0	o
Amoy, ...	2.30p.	29.67	86	65	NNE	3	o	6.30a.	29.80	78	86	SE	2	or
Swatow, ...	3 p.	29.64	84	...	NW	5	c	9 a.	...	...	...	...	...	...
Canton, ...	"	...	91	...	NE	1	b	"	...	82	91	NNE	1	o
Hongkong	4 p.	29.72	83	68	WNW	3	o	10 a.	29.85	84	59	...	0	o
Victoria Peak,.	"	...	...	...	NW	5	...	"	...	...	...	NNE	1	...
Gap Rock, ...	"	29.73	...	...	NNW	5	...	"	29.85	...	...	NNW	2	...
Macao, ...	"	29.72	85	...	NW	2	c	"	29.82	83	...	NNW	3	c
Haiphong, ...	"	29.82	08	...	...	0	c	"	...	...	...	...	...	...
Manila, ...	"	29.80	84	77	WSW	4	o	"	29.92	90	66	SSE	3	o
Pacoled, ...	3 p.	...	...	...	WSW	1	o	9 a.	...	...	...	N	1	b
Iloilo, ...	"	29.83	85	...	W	1	c	"	29.91	83	...	...	0	c
Cebu, ...	"	29.83	87	...	S	1	c	"	29.94	86	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 4.55p. Black Drum hoisted.
The typhoon is crossing the S. part of the Formosa Channel and threatens the coast near Swatow.
On the 6th at 11.55a. The barometer has risen over Formosa and the N. part of the Channel, fallen over Japan and N. China.
The typhoon seems to have moved Westwards and to have reached the coast near Swatow this morning.
It has probably filled up considerably and is apparently no longer a dangerous disturbance.
Pressure remains high over E. Japan.
Fresh E. winds in the N. part of the Formosa Channel and NW. and W. winds on the S. coast of China.
Forecast:— NW. winds, fresh or moderate; unsettled.
ackB Drum lowered.

F. G. FIGG,
Acting Director.

Hongkong Observatory Tuesday 6th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Wladivostock,...	2 p.	30.05	65	...	SW	1	o	7 a.	29.87	61	99	SW	1	...
Nemuro, ...	"	30.16	...	...	SE	4	...	6 a.	30.16	...	...	SW	2	...
Hakodate, ...	"	30.17	...	...	S	4	...	"	30.13	...	...	NE	2	...
Tokio,.....	"	30.14	...	...	E	2	...	"	30.18	...	...	NW	2	...
Kochi, ...	"	30.03	...	...	NE	2	...	"	30.07	...	...	NE	2	...
Nagas,aki, ...	"	29.99	...	...	SW	4	...	"	29.99	...	...	SE	4	...
Kagoshima,....	"	29.99	...	...	E	6	...	"	29.99	...	...	E	6	...
Oshima, ...	"	29.92	...	...	...	0	...	"	29.92	...	...	SE	2	...
Naha, ...	"	29.89	...	...	SW	4	...	"	29.89	...	...	...	0	...
Ishigakijima, ...	"	29.89	...	...	S	4	...	"	29.89	...	...	...	0	...
Taiboku,.....	1 p.	29.86	...	...	NW	4	...	5 a.	29.91	...	...	NE	4	...
Taichu, ...	"	29.85	...	...	W	4	...	"	...	...	...	...	...	...
Tainan, ...	"	29.86	...	..	SE	6	...	"	29.88	...	...	S	2	...
Koshun, ...	"	29.88	...	...	SE	4	...	"	29.89	...	...	E	2	...
Pescadores, ...	"	29.86	..	...	S	6	...	"	...	...	...	...	...	...
Weihaiwei.....	3 p.	30.01	68	...	E	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	29.95	79	87	E	4	cm	"	29.96	77	100	SE	2	cm
Sharp Peak, ..	"	29.85	80	87	...	0	o	"	29.91	82	85	...	0	o
Amoy, ...	2.30p.	29.83	81	91	SE	4	c	6.30a.	29.89	80	87	NE	1	c
Swatow, ...	3 p.	29.81	80	...	...	0	ot	9 a.	29.87	78	...	...	0	o
Canton, ...	"	...	87	92	NNE	1	o	"	...	78	96	NE	2	or
Hongkong.....	4 p.	29.79	81	70	SE	1	o	10 a.	29.92	82	77	W	1	o
Victoria Peak,.	"	...	...	...	SSW	1	...	"	...	...	...	NW	1	...
Gap Rock,.....	"	29.81	...	...	S	1	...	"	29.93	...	...	SW	1	...
Macao, ...	"	29.77	84	...	E	1	c	"	29.90	79	...	NNW	1	c
Haiphong, ...	"	29.79	86	...	...	0	c	"	...	...	...	...	...	...
Manila, ...	"	29.84	86	79	...	0	1	"	29.92	84	86	W	1	c
Bacolod, ...	3 p.	...	...	...	WSW	1	o	9 a.	...	...	...	NNW	1	b
Iloilo, ...	"	29.83	86	...	W	1	c	"	29.97	83	...	...	0	b
Cebu, ...	"	29.83	85	...	N	1	c	"	29.89	85	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.45a. The barometer has risen over S. China, fallen over N. China and the N. part of the Sea of Japan.

A depression lies over Manchuria and another low area over the Yangtse valley.

Pressure is still high over E. Japan.

Gradients slight with light or moderate variable winds along the China coast.

Forecast:— W. to N. winds, light to moderate; unsettled, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 7th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	7th OCTOBER, 1903, P. M.							8th OCTOBER, 1903, A. M.						
STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.80	63	...	W	1	o	7 a.	29.96	38	40	N	4	b
Nemuro, ...	„	30.12	...	...	S	6	...	6 a.	29.92	...	...	SE	6	...
Hakodate, ...	„	30.01	...	...	SE	6	...	„	29.78	...	...	NE	2	...
Tokio,.....	„	30.06	...	...	NE	2	...	„	29.99	...	...	N	2	...
Kochi, ...	„	29.99	...	...	E	4	...	„	29.79	...	...	...	0	...
Nagasaki, ...	„	29.91	...	...	SE	6	...	„	29.83	...	...	NE	3	...
Kagoshima,....	„	29.91	...	...	E	4	...	„	29.83	...	...	E	2	...
Oshima, ...	„	29.88	...	...	E	2	...	„	29.84	...	...	...	0	...
Naha, ...	„	29.85	...	...	NW	4	...	„	29.81	...	...	...	0	...
Ishigakijima, ...	„	29.85	...	...	W	4	...	„	29.81	...	...	NW	2	...
Taihoku,.....	1 p.	29.85	...	...	NW	6	...	5 a.	29.86	...	...	E	6	...
Taichu, ...	„	29.84	...	...	N	6	...	„	...	...	...	...	...	...
Tainan, ...	„	29.85	...	..	W	4	...	„	29.83	...	...	NE	2	...
Koshun, ...	„	29.87	...	...	SE	2	...	„	29.83	...	...	E	2	...
Pescadores, ...	„	29.88	.	...	NW	6	...	„	...	...	...	...	...	...
Weihaiwei,.....	3 p.	30.14	66	...	N	3	...	9 a	30.22	55	...	N	5	...
Gutzlaff, ...	„	29.90	79	95	SSE	1	cmd	„	30.00	69	100	N	5	cv
Sharp Peak, ..	„	29.82	81	87	E	2	b	„	29.92	77	86	NNE	6	o
Amoy, ...	2.30p.	29.85	82	83	SE	3	c	6.30a.	29.83	80	82	NNE	1	c
Swatow, ...	3 p.	29.84	80	...	E	2	ot	9 a.	29.91	80	...	WNW	1	b
Canton, ...	„	...	83	91	NW	1	o	„	...	79	87	N	1	c
Hongkong	4 p.	29.82	80	78	W	1	o	10 a.	29.91	80	78	ENE	2	o
Victoria Peak,..	„	...	...	...	NW	2	...	„	...	...	...	ENE	2	...
Cap Rock,.....	„	29.83	...	...	NNW	2	...	„	29.88	...	...	NE	3	...
Macao, ...	„	29.81	81	...	NNW	1	cd	„	29.89	79	...	NNE	2	cd
Haiphong, ...	„	29.84	86	...	SE	1	c	„	...	...	...	...	...	...
Manila, ...	„	29.84	88	72	WSW	2	o	„	29.88	84	77	WNW	2	c
Bacolod, ...	3 p.	...	...	...	S	2	o	9 a.	...	...	...	N	1	o
Iloilo, ...	„	29.81	86	...	W	1	cd	„	29.89	81	...	SW	1	o
Cebu, ...	„	29.83	83	...	S	1	c	„	29.90	84	...	...	0	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at noon. The barometer has risen over N. China, fallen over Japan and the Loochoos. The Manchurian depression has reached NE. Japan, and another low area seems to be lying near SW. Japan.

Pressure is now high over N. China and relatively low over the N. part of the China Sea, where a low pressure trough probably exists.

Strong NE. monsoon is setting down the China coast.

Forecast:— NE. winds freshening; squally, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory Thursday 8th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	..	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.72	...	...	SE	8	...	6 a.	29.65	...	...	NW	6	...
Hakodate, ...	„	29.66	...	...	W	4	...	„	29.77	...	...	N	2	...
Tokio,.....	„	29.78	...	...	NE	2	...	„	29.82	...	...	...	0	...
Kochi, ...	„	29.75	...	...	E	2	...	„	29.87	...	...	NE	6	...
Nagas,aki, ...	„	29.83	...	...	NW	4	...	„	29.95	...	...	NE	2	...
Kagoshima,....	„	29.83	...	...	...	2	...	„	29.91	...	...	NE	2	...
Oshima, ...	„	29.76	...	...	NW	2	...	„	29.84	...	...	N	4	...
Naha, ...	„	29.81	...	...	W	4	...	„	29.91	...	...	N	6	...
Ishigakijima, ...	„	29.85	...	...	E	4	...	„	29.85	...	...	N	6	...
Taihoku,.....	1 p.	29.89	...	...	NE	4	...	5 a.	29.94	...	...	NE	4	...
Taichu, ...	„	29.82	...	...	N	8	...	„	29.85	...	...	N	4	...
Tainan, ...	„	29.82	...	..	N	6	...	„	29.84	...	...	N	2	...
Kosbun, ...	„	29.86	...	...	...	0	...	„	29.83	...	...	NE	8	...
Pescadores, ...	„	29.85	..	...	NE	8	...	„	29.87	...	...	NE	10	...
Weihaiwei,.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.08	69	65	N	5	cv	„	30.23	68	60	NNE	4	cv
Sharp Peak, ..	„	29.91	77	82	NNW	3	o	„	30.02	72	74	ENE	6	o
Amoy, ...	2.30p.	29.88	80	91	NE	4	c	6.30a.	30.01	73	81	NNE	3	...
Swatow, ...	3 p.	29.81	83	...	ESE	3	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	85	83	NNE	1	c	„	...	79	82	E	2	o
Hongkong.....	4 p.	29.84	80	78	E	2	o	10 a.	29 95	77	77	NE	3	o
Victoria Peak,.	„	...	...	...	E	1	...	„	...	...	...	ENE	3	...
Cap Rock,.....	„	29.80	...	...	E	3	...	„	29.92	...	...	ENE	5	...
Macao, ...	„	29.81	80	...	ENE	2	c	„	29.92	77	...	NE	2	c
Haiphong, ...	„	29.85	86	...	...	0	c	„	...	...	...	...	...	...
Manila, ...	„	29.80	84	77	ENE	2	o	„	29.84	84	77	W	1	c
Bacolod, ...	3 p.	...	...	...	WSW	2	...	9 a.	...	...	...	NNW	1	b
Iloilo, ...	„	29.79	85	...	WNW	1	c	„	29 85	83	...	...	0	c
Cebu, ...	„	29.76	84	...	S	1	c	„	29.93	86	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 11.55a. The barometer has risen over China and W. Japan, fallen slightly over the Philippines.

The depression, lying over NE. Japan yesterday, has moved into the Pacific.

Pressure is low over the Pacific between the Philippines and the Loochoos and a new depression may be forming towards the NE. of Luzon.

A high pressure area lies over N. China.

Very strong NE. monsoon in the Formosa Channel and increasing NE. winds over the N. part of the China Sea.

Forecast:— fresh to strong NE. winds; squally, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory Friday 9th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.98	48	...	N	b	...	7 a.	29.88	42	93	SE	4	b
Nemuro, ...	,,	29.61	...	...	SW	6	...	6 a.	30.04	...	...	SW	2	...
Hakodate, ...	,,	29.86	...	...	W	8	...	,,	30.09	...	...	...	0	...
Tokio,.....	,,	29.86	...	...	S	4	...	,,	30.14	...	...	N	4	...
Kochi, ...	,,	29.91	...	...	N	0	...	,,	29.99	...	...	E	6	...
Nagasaki, ...	,,	29.79	...	...	NE	4	...	,,	30.03	...	...	NE	4	...
Kagoshima,....	,,	29.91	...	...	N	4	...	,,	30.03	...	...	NE	4	...
Oshima, ...	,,	29.88	...	...	N	6	...	,,	29.96	...	...	...	0	...
Naha, ...	,,	29.81	...	...	N	8	...	,,	29.89	...	...	N	4	...
Isongakijima, ...	,,	29.85	...	...	NE	6	...	,,	29.89	...	...	N	2	...
Taihoku,.....	1 p.	29.96	...	...	NE	4	...	5 a.	29.94	...	...	...	0	...
Taichu, ...	,,	29.81	...	...	N	6	...	,,	29.86	...	...	...	0	...
Tainan, ...	,,	29.81	...	...	N	2	...	,,	29.86	...	...	N	2	...
Koshun, ...	,,	29.83	...	...	NE	8	...	,,	29.86	...	...	NE	8	...
Pescadores, ...	,,	29.87	...	...	NE	10	...	,,	29.88	...	...	NE	10	...
Weihaiwei.....	3 p.	30.20	60	...	NE	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.12	69	56	NNE	4	cv	,,	30.17	69	61	NE	3	cv
Sharp Peak, ..	,,	29.97	72	71	E	7	o	,,	30.03	71	76	NNW	3	o
Amoy, ...	2.30p.	29.95	80	78	NE	4	c	6.30a.	29.99	72	90	N	1	b
Swatow, ...	3 p.	29.86	80	...	ENE	3	c	9 a.	30.03	72	...	NE	1	b
Canton, ...	,,	...	82	87	E	1	o	,,	...	78	86	E	1	c
Hongkong	4 p.	29.90	74	89	NE	2	o	10 a.	29 98	77	65	ENE	3	o
Victoria Peak,.	,,	...	...	...	ESE	4	...	,,	...	...	...	ESE	7	...
Gap Rock.....	,,	29.85	...	...	ENE	5	...	,,	29.95	...	...	ENE	6	...
Macao, ...	,,	29.86	77	...	ENE	2	c	,,	29.95	77	...	NE	3	c
Haiphong, ...	,,	29.82	84	...	E	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.72	89	69	SW	3	o	,,	29.84	90	66	SE	1	c
Iwuloid, ...	3 p.	...	...	...	SE	1	o	9 a.	...	...	...	S	1	b
Iloilo, ...	,,	29.75	86	...	SW	...	c	,,	29.85	82	...	SW	2	b
Cebu, ...	,,	29.79	84	...	...	0	c	,,	29.88	86	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 11.55a. The barometer has risen over Japan and the Loochoos, fallen at Wladiwostock. Pressure remains high over the E. coast of China, and a depression exists over Manchuria.
An elongated depression seems to the lying over the N. part of the China Sea and the Pacific to the NE. of Luzon.
Strong monsoon in the Formosa Channel and over the N. part of the China Sea.
Forecast:— strong to fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory Saturday 10th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

10th OCTOBER, 1903, P. M. 11th OCTOBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.83	42	...	N	3	b	7 a.	29.82	52	99	...	0	b
Nemuro, ...	,,	30.04	...	...	S	6	...	6 a.	30.12	...	...	S	4	...
Hakodate, ...	,,	30.09	...	...	W	4	...	,,	30.09	...	...	...	0	...
Tokio,.....	,,	30.14	...	...	NW	6	...	,,	30.14	...	...	NW	4	...
Kochi, ...	,,	29.95	...	...	E	6	...	,,	29.99	...	...	E	4	...
Nagasaki, ...	,,	30.03	...	...	N	4	...	,,	30.07	...	...	NE	2	...
Kagoshima,....	,,	29.99	...	...	S	2	...	,,	29.99	...	...	E	4	...
Oshima, ...	,,	29.92	...	...	N	6	...	,,	29.96	...	...	S	2	...
Naha, ...	,,	29.93	...	...	NE	6	...	,,	29.93	...	...	N	2	...
Isigakijima, ..	,,	29.89	...	...	NE	8	...	,,	29.93	...	...	N	4	...
Taihoku,.....	1 p.	29.93	...	...	NE	6	...	5 a.	29.94	...	...	E	4	...
Taichu, ...	,,	29.84	...	...	...	0	...	,,	29.91	...	...	...	0	...
Tainan,.....	,,	29.85	...	..	N	2	...	,,	29.91	...	...	N	2	...
Koshun, ...	,,	29.87	...	...	NE	8	...	,,	29.92	...	...	NE	2	...
Pescadores, ...	,,	29.89	.	...	NE	10	...	,,	29.92	...	...	NE	6	...
Weihaiwei.....	3 p.	30.04	64	...	S	2	...	9 a.	30.11	68	...	W	1	...
Gutzlaff, ...	,,	30.09	71	52	NE	3	cv	,,	30.12	65	73	NNE	2	cr
Sharp Peak, ..	,,	29.96	71	80	NNW	3	o	,,	30.01	71	88	N	2	o
Amoy, ...	2.30p.	29.95	80	70	NE	3	c	6.30a.	30.02	75	86	NNE	1	c
Swatow, ...	3 p.	29.91	81	...	E	3	b	9 a.	29.97	76	...	NE	1	c
Canton, ...	,,	...	80	91	...	0	eq	,,	...	81	91	N	1	c
Hongkong.....	4 p.	29.91	77	65	E	3	o	10 a.	29.99	79	70	E	4	c
Victoria Peak,.	,,	...	...	...	ESE	3	...	,,	...	...	...	E	5	...
Gap Rock,.....	,,	29.88	...	...	E	6	...	,,	29.94	...	...	ENE	5	...
Macao, ...	,,	29.89	75	...	ENE	2	c	,,	29.95	78	...	NNE	3	c
Haiphong, ...	,,	29.83	81	...	E	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	90	73	WSW	2	c	,,	29.92	90	66	SE	1	c
Bacolod, ...	3 p.	...	...	...	SW	3	c	9 a.	...	...	...	SW	1	c
Iloilo, ...	,,	29.79	86	...	WSW	1	c	,,	29.93	84	...	...	0	c
Cebu, ...	,,	29.80	87	...	S	2	b	,,	29.88	85	...	N	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at noon. The barometer has fallen slightly over N. China, risen a little over Formosa and the Philippines.

Pressure remains low over Manchuria, and also over the middle part of the China Sea.

Pressure is highest over Central China.

Strong monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— fresh NE. winds; cloudy, some light rain.

F. G. FIGG,
Acting Director

Hongkong Observatory Sunday 11th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.81	67	...	SW	2	b	7 a.	30.10	33	75	N	5	b
Nemuro, ...	,,	30.04	...	...	S	8	...	6 a.	30.00	...	...	W	2	...
Hakodate, ...	,,	30.05	...	...	SW	4	...	,,	30.01	...	...	N	2	...
Tokio,.....	,,	30.06	...	...	N	4	...	,,	29.99	...	...	NW	4	...
Kochi, ...	,,	29.95	...	...	NE	2	...	,,	29.91	...	...	NE	2	...
Nagasaki, ...	,,	30.03	...	...	N	4	...	,,	29.95	...	...	NE	4	...
Kagoshima,....	,,	29.95	...	...	SE	2	...	,,	29.91	...	...	NW	4	...
Oshima, ...	,,	29.96	...	...	N	6	...	,,	29.96	...	...	S	2	...
Naha, ...	,,	29.93	...	...	NE	4	...	,,	29.93	...	...	...	0	...
Ishigakijima, ...	,,	29.93	...	...	N	6	...	,,	29.93	...	...	NE	2	...
Taihoku,.....	1 p.	29.90	...	...	E	4	...	5 a.	29.96	...	...	...	0	...
Taichu, ...	,,	29.87	...	...	NW	2	...	,,	29.92	...	...	...	0	...
Tainan,.....	,,	29.90	...	..	W	6	...	,,	29.93	...	...	N	2	...
Koshun,.....	,,	29.90	...	...	N	2	...	,,	29.93	...	...	NE	2	...
Pescadores, ...	,,	29.91	...	...	N	8	...	,,	29.94	...	...	NE	6	...
Weihaiwei.....	3 p.	29.99	70	...	E	2	...	9 a.	30.06	65	...	E	3	...
Gutzlaff, ...	,,	30.05	66	79	NE	3	cv	,,	30.10	65	100	N	3	cmd
Sharp Peak, ..	,,	29.94	75	84	E	4	o	,,	30.02	73	86	...	0	c
Amoy, ...	2.30p.	29.93	84	68	SE	1	c	6.30a.	30.00	77	65	N	1	c
Swatow, ...	3 p.	29.91	80	...	SSE	1	b	9 a.	30.02	80	...	ENE	2	b
Canton, ...	,,	...	85	72	N	1	c	,,	...	83	83	...	0	c
Hongkong.....	4 p.	29.91	78	78	E	3	o	10 a.	30 04	82	71	ENE	2	c
Victoria Peak,.	,,	...	...	...	E	4	...	,,	...	...	...	E	2	...
Gap Rock.....	,,	29.89	...	...	ENE	4	...	,,	20.01	...	...	ENE	4	...
Macao, ...	,,	29.89	80	...	E	2	c	,,	30.00	81	...	E	2	c
Haiphong, ...	,,	29.92	81	...	NE	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	90	72	WSW	3	c	,,	29.92	84	77	W	1	c
Bacolod, ...	3 p.	...	...	...	...	...	o	9 a.	...	...	...	N	1	c
Iloilo, ...	,,	29.83	85	...	SW	2	o	,,	29 89	83	...	NNE	1	b
Cebu, ...	,,	29.78	86	...	...	0	c	,,	29.92	86	...	N	3	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.50a. The barometer has fallen over Japan, risen slightly over China. The Manchurian depression seems to have moved into the Pacific to the NE. of Japan. Pressure is highest over N. China, and gradients are slight with moderate monsoon on the coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory Monday 12th October 1903.

CHINA COAST METEOROLOGICAL REGISTER

	12th OCTOBER, 1903, P. M.							13th OCTOBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	30.10	45	...	N	5	c	7 a.	30.15	30	75	N	2	b
Nemuro, ...	"	29.84	...	...	SW	4	...	6 a.	29.92	...	...	N	6	...
Hakodate, ...	"	29.89	...	...	S	4	...	"	29.93	...	...	NW	6	...
Tokio,.....	"	29.82	...	...	NW	6	...	"	29.90		...	N	4	...
Kochi, ...	"	29.87	...	...	NE	4	...	"	29.91	...	...	NE	2	...
Nagasaki, ...	"	29.91	...	...	N	4	...	"	29.95	...	...	...	0	...
Kagoshima,....	"	29.91	...	...	NW	4	...	"	29.95	...	...	...	0	...
Oshima, ...	"	29.92	...	...	N	6	...	"	29.96	...	...	S	2	...
Naha, ...	"	29.93	...	...	N	2	...	"	29.93	...	...	NW	6	...
Isuigakijima, ...	"	29.93	...	...	SW	2	...	"	30.01	...	...	N	4	...
Taihoku,.....	1 p.	29.97	...	...	E	6	...	5 a.	30.10	...	...	E	2	...
Taichu, ...	"	29.92	...	...	N	8	...	"	29.95	...	...	N	2	...
Tainan,.....	"	29.93	...	...	NW	6	...	"	29.94	...	...	N	6	...
Kosbun, ...	"	29.94	...	...	N	2	...	"	29.96	...	...	NE	6	...
Pescadores, ...	"	29.97	...	...	N	8	...	"	29.99	...	...	NE	10	...
Weihaiwei,.....	3 p.	30.14	62	...	N	2	...	9 a.	30.24	61	...	N	3	...
Gutzlaff, ...	"	30.09	71	76	N	3	cv	"	30.23	67	60	N	4	c
Sharp Peak. ..	"	29.99	74	84	E	5	o	"	30.14	75	66	NE	4	c
Amoy, ...	2.30p.	29.97	82	83	SE	3	c	6.30a.	30.09	72	81	NE	1	c
Swatow, ...	3 p.	29.93	83	...	E	1	b	9 a.	30.06	79	...	E	4	b
Canton, ...	"	...	88	73	SE	2	c	"	...	...	...	...	...	...
Hongkong.....	4 p.	29.94	80	73	E	3	b	10 a.	30.07	79	66	NE	2	c
Victoria Peak,.	"	...	...	...	E	1	...	"	...	...	...	E	6	...
Gap Rock,.....	"	29.93	...	...	ENE	3	...	"	30.04	...	...	ENE	5	...
Macao, ...	"	29.92	83	...	E	2	c	"	...	...	...	...	...	...
Haiphong, ...	"	29.90	82	...	NNE	1	c	"	...	...	...	...	...	...
Manila, ...	"	29.81	83	85	E	3	o	"	29.88	77	92	E	1	o
Bacolod, ...	3 p.	...	...	...	ENE	3	c	9 a.	...	...	...	WNW	1	d
Iloilo, ...	"	29.83	87	...	N	1	r	"	29.87	82	...	NE	1	...
Cebu, ...	"	29.80	89	...	...	0	or	"	29.89	84	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.45a. The barometer has fallen slightly over the Philippines, risen on the China coast, particularly in the North.

A high pressure area lies over N. China, and pressure is relatively low over the Pacific to the SE. of Japan, and also across the middle part of the China Sea.

Strong monsoon along the coast and over the N. part of the China Sea.

Forecast:— fresh to strong NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory Tuesday 13th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	13th OCTOBER, 1903, P. M.							14th OCTOBER, 1903, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	30.13	33	...	N	1	b	7 a.	30.04	40	88	E	3	b
Nemuro, ...	,,	30.04	...	...	N	6	...	6 a.	30.16	...	...	E	4	...
Hakodate, ...	,,	30.01	...	...	E	2	...	,,	30.17	...	...	NE	4	...
Tokio,.....	,,	29.90	...	...	NE	2	...	,,	29.86	...	...	NW	4	...
Kochi, ...	,,	29.87	...	...	...	0	...	,,	29.91	...	...	...	0	...
Nagasaki, ...	,,	29.95	...	...	E	4	...	,,	30.07	...	...	N	4	...
Kagoshima,....	,,	29.91	...	...	NW	2	...	,,	30.03	...	...	N	6	...
Oshima, ...	,,	29.92	...	...	NW	6	...	,,	30.00	...	...	NW	6	...
Naha, ...	,,	29.97	...	...	N	6	...	,,	30.05	...	...	NE	2	...
Isigakijima, ..	,,	30.01	...	...	N	6	...	,,	30.05	...	...	N	4	...
Taihoku,.....	1 p.	30.09	...	...	NE	6	...	5 a.	30.12	...	...	E	2	...
Taichu, ...	,,	29.93	...	...	N	8	...	,,	29.98	...	...	...	0	...
Tainan, ...	,,	29.94	...	..	N	4	...	,,	29.98	...	...	N	2	...
Koshun, ...	,,	29.93	...	...	NE	10	...	,,	29.98	...	...	NE	8	...
Pescadores, . ..	,,	29.99	.	...	NE	10	...	,,	30.00	...	...	NE	10	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	30.11	65	...	SW	4	...
Gutzlaff, ...	,,	30.21	67	55	NNW	5	cv	,,	30.20	66	73	NNW	3	cv
Sharp Peak. ..	,,	30.07	74	61	E	6	b	,,	30.13	72	69	N	3	b
Amoy, ...	2.30p.	30.05	83	63	ENE	4	b	6.30a.	30.10	70	75	N	2	b
Swatow, ...	3 p.	29.98	81	...	E	3	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	82	96	N	2	o	,,	...	81	87	N	2	c
Hongkong.....	4 p.	30.01	77	66	E	3	o	10 a.	30.11	77	62	E	4	c
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.99	...	...	ENE	5	...	,,	30.08	...	...	ENE	5	...
Macao, ...	,,	30.00	78	...	E	2	od	,,	30.07	72	...	ENE	3	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	79	92	SSE	1	o	,,	29.88	77	84	S	1	o
Escolcel, ...	3 p.	...	...	...	N	1	o	9 a.	...	...	...	WNW	1	c
Iloilo, ...	,,	29.79	83	...	WNW	2	olt	,,	29.85	82	...	...	0	o
Cebu, ...	,,	29.79	85	...	S	1	...	,,	29.85	84	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.30a. The barometer has fallen over N. China, risen over Japan, except in the SE. Areas of high pressure lie over Central China and NE. Japan, and a depression probably exists over Manchuria.

Pressure remains relatively low to the SE. of Japan and across the middle part of the China Sea and the Pacific to the E. of the Philippines.

Fresh monsoon in the Formosa Channel, strong monsoon over the N. part of the China Sea.

Forecast:— fresh to moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 14th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

14th OCTOBER, 1903, P. M. — 15th OCTOBER, 1903, A. M.

STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.89	53	...	S	2	c	7 a.	29.96	51	99	...	0	c
Nemuro, ...	"	30.08	...	...	E	4	...	6 a.	30.08	...	...	E	2	...
Hakodate, ...	"	30.01	...	...	E	6	...	"	30.01		...	E	4	...
Tokio,.....	"	29.82	...	...	NW	2	...	"	30.10		...	NW	2	...
Kochi, ...	"	29.95	...	...	S	2	...	"	30.07	...	...	NE	4	...
Nagasaki, ...	"	30.07	...	...	N	6	...	"	30.11	...	...	...	0	...
Kagoshima.....	"	30.03	...	...	SE	2	...	"	30.11	...	...	E	2	...
Oshima, ...	"	30.04	...	...	N	6	...	"	30.08	...	...	S	2	...
Naha, ...	"	...	...	...	...	...	...	"	30.01	...	...	NE	6	...
Isigakijima, ...	"	...	...	...	...	...	...	"	30.01	...	...	N	2	...
Tailoku, ...	1 p.	30.01	...	...	E	8	...	5 a.	30.00	...	...	E	2	...
Taichu, ...	"	29.95	...	...	N	2	...	"	29.98	...	...	...	0	...
Tainan, ...	"	29.96	...	..	S	6	...	"	29.98	...	...	...	0	...
Koshun, ...	"	29.98	...	...	NE	6	...	"	30.00	...	...	NE	4	...
Pescadores, ..	"	29.98	.	...	NE	10	...	"	29.99	...	...	NE	6	...
Weihaiwei.....	3 p.	30.05	64	...	S	3	...	9 a.	30.06	67	...	S	2	...
Gutzlaff, ...	"	30.12	69	61	N	1	cv	"	30.12	71	70	SSE	1	bv
Sharp Peak. ..	"	30.03	73	67	E	4	b	"	30.06	73	76	...	0	b
Amoy, ...	2.30p.	30.01	81	74	ENE	3	b	6.30a.	30.07	71	76	W	1	b
Swatow, ...	3 p.	29.92	79	...	E	2	b	9 a.	30.05	76	...	NE	2	b
Canton, ...	"	...	84	91	E	2	o	"	...	82	83	E	2	b
Hongkong.....	4 p.	29.99	76	66	E	3	b	10 a.	30 05	77	66	E	3	c
Victoria Peak,.	"	...	...	...	E	1	...	"	...	...	...	E	1	...
Gap Rock,.....	"	29.98	...	...	E	4	...	"	30.02	...	...	ENE	4	...
Macao, ...	"	29.97	79	...	ENE	4	b	"	...	...	...	...	...	...
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.80	79	92	NNE	1	o	"	29.92	82	77	W	1	o
Bacolod, ..	3 p.	...	...	...	ENE	1	o	9 a.	...	...	...	N	1	b
Iloilo, ...	"	29.76	86	...	WSW	1	o	"	29 89	83	...	NE	1	b
Cebu, ...	"	29.79	...	...	S	2	c	"	29.90	83	...	S	3	or
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.15a. The barometer has fallen on the China coast and over the N. part of the Sea of Japan, risen over S. Japan and the Philippines.
Pressure is highest between the E. coast of China and Japan and still low over Manchuria.
Gradients slight generally with moderate monsoon in the Formosa Channel and over the N. part of the China Sea.
Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory Thursday 15th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	15th OCTOBER, 1903, P. M.							16th OCTOBER, 1903, A. M.						
STATION.	Hour.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	Hour.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	29.95	61	...	S	2	b	7 a.	29.86	56	90	SE	2	c
Nemuro, ...	"	30.18	...	...	S	6	...	6 a.	30.12	...	...	S	4	...
Hakodate, ...	"	30.05	...	...	W	4	...	"	30.13	...	...	...	0	...
Tokio,.....	"	30.10	...	...	E	2	...	"	30.14	...	...	NW	2	...
Kochi, ...	"	30.07	...	...	...	0	...	"	30.03	...	...	E	4	...
Nagasaki, ...	"	30.07	...	...	N	2	...	"	30.03	...	...	...	0	...
Kagoshima,....	"	30.07	...	...	...	0	...	"	30.03	...	...	E	2	...
Oshima, ...	"	30.04	...	...	N	2	...	"	30.00	...	...	S	2	...
Naha, ...	"	30.01	...	...	NE	4	...	"	29.97	...	...	...	0	...
Ishigakijima, ...	"	29.97	...	...	S	8	...	"	29.93	...	...	NE	2	...
Taihoku,.....	1 p.	29.95	...	...	NE	6	...	5 a.	29.94	...	...	...	0	...
Taichu, ...	"	29.93	...	...	NW	2	...	"	29.94	...	...	...	0	...
Tainan,.....	"	29.94	...	..	NW	4	...	"	29.93	...	...	...	0	...
Koshun,.....	"	29.95	...	...	NE	6	...	"	29.92	...	...	...	0	...
Pescadores, ...	"	29.96	...	...	NE	6	...	"	29.95	...	...	NE	2	...
Weihaiwei,.....	3 p.	29.97	68	...	S	3	...	9 a.	29.86	71	...	SW	8	...
Gutzlaff, ...	"	30.04	76	60	SE	1	cv	"	30.01	70	90	SE	1	cv
Sharp Peak. ..	"	29.98	73	69	E	5	b	"	29.97	74	76	...	0	c
Amoy, ...	2.30p.	29.97	81	62	SE	3	b	6.30a.	29.99	74	76	NNE	1	c
Swatow, ...	3 p.	29.87	79	...	ESE	1	b	9 a.	29.97	77	...	N	1	...
Canton, ...	"	...	86	92	W	2	b	"	...	81	87	NE	2	c
Hongkong.....	4 p.	29.96	77	72	E	3	b	10 a.	29.99	79	72	E	1	c
Victoria Peak,.	"	...	...	...	ESE	3	...	"	...	...	...	E	1	...
Gap Rock,.....	"	29.94	...	...	ENE	3	...	"	29.97	...	...	ENE	4	...
Macao, ...	"	29.94	78	...	SE	2	c	"	29.96	81	...	E	2	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.81	81	88	...	0	c	"	29.88	84	77	WSW	0	c
Bacolod, ...	3 p.	...	...	...	NW	1	c	9 a.	...	...	...	SW	1	...
Iloilo, ...	"	29.79	86	...	WNW	1	c	"	29 87	83	...	...	0	b
Cebu, ...	"	29.80	86	...	S	1	b	"	29.88	84	...	...	0	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.30a. The barometer has risen over E. Japan; fallen elsewhere, particularly over N. China.

The monsoon is completely interrupted in the North owing to a depression, which is moving Eastwards to the North of the Gulf of Pechili.

Pressure is highest over E. Japan.

Gradients gentle with light variable winds on the coasts of S. China.

Moderate monsoon over the N. part of the China Sea.

Forecast:— moderate to light NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory Friday 16th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.81	68	...	S	2	c	7 a.	29.88	57	99	SE	5	o
Nemuro, ...	„	30.08	...	...	S	8	...	6 a.	30.04	...	...	S	6	...
Hakodate, ...	„	30.05	...	...	SE	4	...	„	29.97	...	...	...	0	...
Tokio,.....	„	30.06	...	...	SW	2	...	„	29.98	...	...	NW	2	...
Kochi, ...	„	30.03	...	...	...	0	...	„	29.99	...	...	E	4	...
Nagasaki, ...	„	29.99	...	...	N	2	...	„	29.95	...	...	...	0	...
Kagoshima,....	„	29.95	...	...	S	2	...	„	29.95	...	...	E	2	...
Oshima, ...	„	29.96	...	...	N	6	...	„	29.96	...	...	S	2	...
Naha, ...	„	29.93	...	...	NE	4	...	„	29.89	...	...	...	0	...
Isaignkijima, ..	„	30.01	...	...	E	4	...	„	29.89	...	...	N	2	...
Taihoku, ...	1 p.	29.91	...	...	N	4	...	5 a.	29.93	...	....	...	0	...
Taichu, ...	„	29.91	...	...	NW	4	...	„	29.88	...	...	...	0	...
Tainan, ...	„	29.89	...	.	N	4	...	„	29.86	...	...	...	0	...
Koshun, ...	„	29.91	...	...	W	2	...	„	29.87	...	...	N	4	...
Pescadores, ...	„	29.91	.	...	NE	8	...	„	29.88	...	...	NE	4	...
Weihaiwei.....	3 p.	29.74	74	...	SW	8	...	9 a.	30.02	54	...	NW	5	...
Gutzlaff, ...	„	29.96	70	80	S	2	cv	„	30.01	72	81	SW	1	bv
Sharp Peak. ..	„	29.91	76	75	ESE	4	b	„	29.94	74	81	NNE	2	o
Amoy, ...	2.30p.	29.93	80	70	SE	3	b	6.30a.	29.95	76	86	NNE	1	c
Swatow, ...	3 p.	29.91	80	...	E	1	b	9 a.	29.92	77	...	NE	2	b
Canton, ...	„	...	89	92	...	0	b	„	...	81	87	E	1	o
Hongkong.....	4 p.	29.88	78	74	E	3	b	10 a.	29.93	80	72	E	2	o
Victoria Peak,.	„	...	...	...	E	1	...	„	...	...	...	ESE	2	...
Cap Rock,.....	„	29.87	...	...	ENE	2	...	„	29.91	...	...	ENE	3	...
Macao, ...	„	29.86	80	...	ESE	2	b	„	29.99	81	...	E	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	86	71	...	0	o	„	29.84	84	77	W	1	o
Bacolod, ...	3 p.	...	...	...	SW	1	o	9 a.	...	...	...	SSW	1	o
Iloilo, ...	„	29.79	85	...	SSW	1	c	„	29.85	83	...	SW	1	o
Cebu, ...	„	29.88	83	...	...	0	or	„	29.93	82	...	...	0	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.55a. The barometer has risen over N. China; fallen around the Sea of Japan, over S. China and Luzon.

The depression, lying over N. China yesterday, is moving Eastwards and approaching the neighbourhood of Wladiwostock.

Pressure appears to be low, also, over the Pacific to the E. of Luzon.

The monsoon will probably freshen again in the Formosa Channel during the next 24 hours.

Moderate NE. winds over the N. part of the China Sea.

Forecast:— light to moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory Saturday 17th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

17th OCTOBER, 1903, P. M. 18th OCTOBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.52	51	...	SE	5	s	7 a.	29.76	58	42	W	1	b
Nemuro, ...	"	30.00	...	...	SE	6	...	6 a.	29.96	...	...	S	8	...
Hakodate, ...	"	29.85	...	...	SE	4	...	"	29.81	...	...	S	4	...
Tokio,.....	"	29.90	...	...	N	4	...	"	29.98	...	...	NW	2	...
Kochi, ...	"	29.91	...	...	...	0	...	"	29.91	...	...	...	0	...
Nagasaki, ...	"	29.91	...	...	SE	2	...	"	29.99	...	...	...	0	...
Kagoshima,....	"	29.91	...	...	E	2	...	"	29.99	...	...	NE	2	...
Oshima, ...	"	29.82	...	...	SE	2	...	"	29.92	...	...	...	0	...
Naha, ...	"	29.85	...	...	NW	6	...	"	29.85	...	...	NE	2	...
Ishigakijima, ...	"	29.85	...	...	NE	6	...	"	29.85	...	...	NE	2	...
Taihoku,.....	1 p.	29.86	...	...	E	6	...	5 a.	29.89	...	...	E	4	...
Taichu, ...	"	29.82	...	...	N	4	...	"	29.82	...	...	...	0	...
Tainan, ...	"	29.83	...	..	NW	6	...	"	29.82	...	...	...	0	...
Koshun, ...	"	29.93	...	...	NE	4	...	"	29.89	...	...	NE	4	...
Pescadores, ...	"	29.86	...	...	NE	6	...	"	29.83	...	...	NE	8	...
Weihaiwei.....	3 p.	30.02	53	...	W	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	29.97	75	64	WSW	2	cv	"	30.13	67	74	NE	5	cv
Sharp Peak, ..	"	29.86	76	77	E	6	c	"	29.97	74	76	N	4	c
Amoy, ...	2.30p.	29.87	82	71	SE	2	c	6.30a.	29.91	75	77	NE	1	c
Swatow, ...	3 p.	29.82	80	...	E	2	b	9 a.	29.91	79	...	ENE	4	c
Canton, ...	"	...	89	92	...	0	b	"	...	80	91	...	...	...
Hongkong.....	4 p.	29.82	78	76	E	3	b	10 a.	29.92	80	70	E	3	c
Victoria Peak,.	"	...	...	...	E	2	...	"	...	...	...	ESE	6	...
Gap Rock,.....	"	29.82	...	...	ENE	2	...	"	29.89	...	...	ENE	4	...
Macao, ...	"	29.81	81	...	SE	2	c	"	29.89	83	...	E	3	c
Haiphong, ...	"	29.77	82	...	SE	1	c	"	...	...	...	...	...	...
Manila, ...	"	29.74	81	84	NW	1	o	"	29.80	82	77	WNW	1	o
Bacolod, ..	3 p.	...	...	...	S	1	o	9 a.	...	...	...	S	2	o
Iloilo, ...	"	29.75	83	...	W	2	o	"	29.82	83	...	SSW	3	o
Cebu, ...	"	29.76	84	...	...	0	o	"	29.83	84	...	S	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 12.5p. The barometer has risen over N. China, fallen over NE. Japan, Formosa, and the Philippines.
The depression in the N. has moved NE. into the NE. part of the Sea of Japan.
Pressure remains low over the Pacific, and a depression may be forming towards the NE. of Luzon.
Pressure is high over N.China.
Strong NE. monsoon in the Formosa Channel and over the N. part of the China Sea.
Forecast:— moderate to fresh NE. winds; fair.
Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday, 18th October, 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.76	50	...	W	4	b	7 a.	29.95	39	36	W	4	b
Nemuro, ...	"	29.88	...	...	S	8	...	6 a.	29.96	...	...	N	8	...
Hakodate, ...	"	...	...	...	...	...	...	"	30.01	...	...	...	0	...
Tokio,.....	"	29.94	...	...	S	4	...	"	30.02	...	...	N	2	...
Kochi, ...	"	29.95	...	...	...	0	...	"	29.99	...	...	E	1	...
Nagasaki, ...	"	29.99	...	...	N	4	...	"	30.01	...	...	N	2	...
Kagoshima.....	"	29.95	...	...	E	2	...	"	30.07	...	...	N	4	...
Oshima, ...	"	29.88	...	...	N	2	...	"	29.96	...	...	N	4	...
Naha, ...	"	29.97	...	...	NE	4	...	"	29.89	...	...	N	6	...
Ishigakijima, ...	"	29.85	...	...	NE	8	...	"	29.85	...	...	NE	8	...
Taihoku,.....	1 p.	29.80	...	...	NE	6	...	5 a.	29.97	...	...	NE	6	...
Taichu, ...	"	29.78	...	...	...	0	...	"	29.83	...	...	N	2	...
Tainan, ...	"	29.78	...	...	N	8	...	"	29.83	...	...	N	4	...
Koshun, ...	"	29.80	...	...	NE	6	...	"	29.81	...	...	NE	4	...
Pescadores, ...	"	29.84	...	...	NE	10	...	"	29.86	...	...	NE	10	...
Weihaiwei.....	3 p.	30.03	56	...	SW	3	...	9 a.	30.28	55	...	W	4	...
Gutzlaff, ...	"	30.10	68	65	NE	4	cv	"	30.29	66	59	NE	4	cv
Sharp Peak. ..	"	29.93	75	72	ENE	5	c	"	30.08	72	71	N	7	c
Amoy, ...	2.30p.	29.90	81	62	NNE	2	c	6.30a.	30.01	74	72	NE	2	c
Swatow, ...	3 p.	29.86	81	...	ENE	2	c	9 a.	30.02	77	...	NE	1	b
Canton, ...	"	...	76	95	...	...	...	"	...	78	90	N	2	c
Hongkong	4 p.	29.86	79	71	E	3	b	10 a.	30.01	80	63	E	2	c
Victoria Peak,.	"	...	...	...	ESE	6	...	"	...	...	...	E	3	...
Cap Rock, ...	"	29.82	...	...	ENE	4	...	"	29.90	...	...	ENE	3	...
Macao, ...	"	29.82	82	...	ESE	3	c	"	29.99	77	...	N	2	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.72	84	85	SW	1	o	"	29.80	82	85	W	1	o
Bacolod, ...	3 p.	...	...	...	S	3	o	9 a.	...	...	...	SSW	2	c
Iloilo, ...	"	29.75	83	...	WNW	3	o	"	29.83	83	...	SW	2	b
Cebu, ...	"	29.81	83	...	S	3	o	"	29.93	85	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.35a. The barometer has risen gnerally, except over Formosa and the Philippines.
The Northern depression is moving away over the Pacific to the NE. of Japan.
There are still indications of the existence of a depression in the Pacific to the NE. of Luzon.
A high pressure area lies over N. China.
Gradients steep along the China coast with heavy NE. monsoon in the Formosa Channel and over the N. part of the China Sea.
Forecast:— fresh to strong NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday, 19th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

19th OCTOBER, 1903, P. M. — 20th OCTOBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.92	72	...	NW	5	b	7 a.	30.11	40	86	W	3	b
Nemuro, ...	"	29.96	...	...	SE	6	...	6 a.	30.00	...	...	N	6	...
Hakodate, ...	"	29.97	...	...	W	6	...	"	30.05	...	...	...	0	...
Tokio,.....	"	29.98	...	...	...	0	...	"	30.10	...	...	NW	4	...
Kochi, ...	"	30.03	...	...	E	0	...	"	30.15	...	...	E	2	...
Nagasaki, ...	"	30.15	...	...	N	6	...	"	30.23	...	...	E	4	...
Kagoshima,....	"	30.07	...	...	NW	6	...	"	30.19	...	...	E	4	...
Oshima, ...	"	30.00	...	...	N	6	...	"	30.08	...	...	N	6	...
Naha, ...	"	29 93	...	...	NE	6	...	"	30.01	...	...	NE	6	...
Ishigakijima, ...	"	29.89	...	...	NE	8	...	"	29.89	...	...	NE	10	...
Taihoku,.....	1 p.	30.02	...	...	NE	6	...	5 a.	30.04	...	...	E	6	...
Taichu, ...	"	29.81	...	...	N	6	...	"	29.78	...	...	...	0	...
Tainan,.....	"	29.82	...	..	N	2	...	"	29.78	...	...	N	2	...
Koshun, ...	"	29.92	...	...	NE	6	...	"	29.77	...	...	NE	10	...
Pescadores, ...	"	29.86	.	...	NE	10	...	"	29.82	...	...	NE	10	...
Weihaiwei.....	3 p.	30.25	55	...	W	4	...	9 a.	30.35	61	....	W	2	...
Gutzlaff, ...	"	30.25	68	66	NNE	3	bv	"	30.31	65	58	NE	4	cv
Sharp Peak, ..	"	30.02	73	74	NE	7	c	"	30.10	70	73	N	9	o
Amoy, ...	2.30p.	29.96	84	54	NE	4	b	6.30a.	29.98	70	70	NNE	4	c
Swatow, ...	3 p.	29.93	81	...	E	5	b	9 a.	...	...	...	...	...	...
Canton, ...	"	...	87	88	NE	2	o	"	...	80	87	NNE	2	c
Hongkong	4 p.	29.93	80	64	WSW	1	b	10 a.	30.00	80	51	NW	1	b
Victoria Peak,.	"	...	...	...	NW	1	...	"	...	...	...	ENE	3	...
Cap Bock, ...	"	29.92	...	...	ENE	3	...	"	29.99	...	...	NNE	2	...
Macao, ...	"	29.92	80	...	SSE	2	c	"	29.98	79	...	ENE	2	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.72	86	79	WSW	1	o	"	29.79	80	71	W	2	o
Bacolod, ...	3 p.	...	...	...	S	3	o	9 a.	...	...	...	S	2	o
Iloilo, ...	"	29.77	86	...	SW	2	o	"	29.81	84	...	WSW	2	c
Cebu, ...	"	29.78	86	...	S	3	...	"	29.87	87	...	S	3	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 11.50a. The barometer has risen over N. China and Japan, fallen over Formosa and the Philippines.

The depression, lying in the Pacific yesterday to the NE. of Luzon, seems to have deepened and may be a typhoon. It appears to be moving Westwards at present and approaching the NE. coast of Luzon in about 18° Lat. this morning.

The high pressure area still lies over N. China.

Gradients steep with very strong monsoon off the E. coast of China, and hard gales in the Formosa Channel and NE. part of the China Sea.

Forecast:— N. to NE. winds, probably freshening considerably; fair.

F. G. FIGG,
Acting Director.

...story Tuesday 20th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Wladivostock....	2 p.	30.11	52	...	N	1	b	7 a.	30.19	34	54	N	1	b
Nemuro, ...	,,	30.16	...	...	SE	...	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	30.09	...	...	W	8	...	,,	30.21	...	...	W	4	...
Tokio.....	,,	30.14	...	...	NE	2	...	,,	30.30	...	...	NW	4	...
Kochi, ...	,,	30.19	...	...	E	0	...	,,	30.23	...	...	E	2	...
Nagasaki, ...	,,	30.19	...	...	E	6	...	,,	30.19	...	...	NE	2	...
Kagoshima.....	,,	30.15	...	...	S	2	...	,,	30.19	...	...	E	6	...
Oshima, ...	,,	30.08	...	...	NE	6	...	,,	30.04	...	...	SE	4	...
Naha, ...	,,	30.01	...	...	NE	4	...	,,	29.97	...	...	E	4	...
Isaigakijima, ...	,,	29.93	...	...	E	10	...	,,	29.85	...	...	E	4	...
Taihoku,.....	1 p.	29.96	...	...	E	8	...	5 a.	29.80	...	...	E	8	...
Taichu, ...	,,	29.73	...	...	N	4	...	,,	29.72	...	...	...	0	...
Tainan,.....	,,	29.74	...	..	N	4	...	,,	29.72	...	...	N	2	...
Koshun,.....	,,	29.75	...	...	NE	8	...	,,	29.74	...	...	NE	8	...
Pescadores, ...	,,	29.82	...	...	NE	10	...	,,	29.75	...	...	NE	6	...
Weihaiwei.....	3 p.	30.26	60	...	S	2	...	9 a.	....	...	...	...	...	...
Gutzlaff.	,,	30.22	68	61	ENE	4	cv	,,	30.12	66	95	ENE	3	cmd
Harp Peak. ..	,,	29.99	71	76	NNE	8	cg	,,	29.91	71	85	N	5	c
Amoy, ...	2.20p.	29.92	80	78	NE	5	c	6.30a.	29.87	76	77	N	1	c
Swatow, ...	3 p.	29.91	81	...	E	2	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	87	45	NE	1	c	,,	...	77	61	N	2	c
Hongkong	4 p.	29.89	80	53	...	0	b	10 a.	29.86	79	48	N	1	c
Victoria Peak..	,,	...	...	...	N	1	...	,,	...	...	...	...	...	...
Cap Lock.....	,,	29.88	...	...	ENE	2	...	,,	29.84	...	...	NNW	4	...
Macao, ...	,,	29.87	82	...	N	2	b	,,	29.85	76	...	NNW	1	c
Haiphong, ...	,,	29.91	82	...	E	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.65	86	71	WNW	1	c	,,	29.76	88	72	SW	2	c
Fuchow, ...	3 p.	...	...	...	SSW	4	cr	9 a.	...	....	...	W	5	gp
Iloilo, ...	,,	29.75	86	....	SW	3	c	,,	29.82	82	...	SW	4	cd
Cebu, ...	..	...	...	...	...	...	...	,,	29.81	87	...	S	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11 35a. The barometer has risen over E. Japan, fallen considerably on the China coast.
The depression, which is of large area, seems to have advanced slowly towards NW. since yesterday.
The central area appears to be lying near the N. coast of Luzon this morning.
The high-pressure area lies now over E. Japan.
N. and NE. gales will continue to blow in the Formosa Channel and NE. part of the China Sea.
Forecast:— N. winds, probably increasing to strong breezes; squally and unsettled.

F. G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 21st October 1903

CHINA COAST METEOROLOGICAL REGISTER.

21st OCTOBER, 1903, P. M. — 22nd OCTOBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.09	42	...	...	0	o	7 a.	29.76	48	90	...	0	o
Nemuro, ...	„	30.08	...	...	W	4	...	6 a.	30.12	...	...	SW	2	...
Hakodate, ...	„	30.21	...	...	W	4	...	„	30.09	...	...	NW	2	...
Tokio,.....	„	30.22	...	...	E	4	...	„	30.14	...	...	NW	4	...
Kochi, ...	„	30.15	...	...	E	2	...	„	29.95	...	...	E	4	...
Nagasaki, ...	„	30.07	...	...	SE	4	...	„	29.91	...	...	N	4	...
Kagoshima,....	„	29.99	...	...	E	8	...	„	29.83	...	...	E	6	...
Oshima, ...	„	29.96	...	...	SE	2	...	„	29.80	...	...	S	4	...
Naha, ...	„	29.89	...	...	E	6	...	„	29.81	...	...	...	0	...
Isaigakijima, ...	„	29.85	...	...	E	8	...	„	29.77	...	...	SE	4	...
Taihoku, ...	1 p.	29.73	...	...	E	8	...	5 a.	29.79	...	...	SE	4	...
Taichu, ...	„	29.71	...	...	...	0	...	„	29.75	...	...	...	0	...
Tainan, ...	„	29.70	...	..	...	0	...	„	29.75	...	...	N	2	...
Koshun, ...	„	29.70	...	...	E	8	...	„	29.71	...	...	E	6	...
Pescadores, ...	„	29.72	..	...	NE	6	...	„	29.76	...	...	NE	8	...
Weihaiwei.....	3 p.	30.01	63	...	SW	2	...	9 a.	30.06	65	...	W	1	...
Gutzlaff, ...	„	30.02	63	94	N	2	cmd	„	30.06	67	74	N	4	cw
Sharp Peak. ..	„	29.79	74	86	N	4	o	„	29.91	72	78	N	2	o
Amoy.	2.30p.	29.78	81	71	NNE	3	o	6.30a.	29.86	75	86	NNE	1	o
Swatow.	3 p.	29.76	81	...	NNW	1	o	9 a.	...	..	...	...	...	...
Canton, ...	„	...	85	51	NE	1	c	„	...	79	51	NNE	4	c
Hongkong.....	4 p.	29.74	82	47	N	2	o	10 a.	29.76	80	51	N	3	cq
Victoria Peak,.	„	...	...	...	N	5	...	„	...	...	...	NNE	6	...
Gap Rock.	„	29.73	...	...	NNW	4	...	„	29.76	...	...	N	6	...
Macao, ...	„	29.75	80	...	NNW	2	c	„	29.77	76	...	N	3	cq
Haiphong, ...	„	29.84	81	...	...	0	o	„	...	...	...	...	...	...
Manila, ...	„	29.69	90	66	SW	1	c	„	29.76	90	66	S	1	b
Bacolod, ..	3 p.	...	...	...	S	4	...	9 a.	...	...	...	S	2	o
Iloilo, ...	„	29.75	83	...	WSW	2	c	„	29.77	83	...	WSW	1	c
Cebu, ...	„	29.75	89	...	S	2	c	„	29.79	88	...	S	3	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 4.35p. Red Drum hoisted.

On the 22nd at 1a. Two Lanterns hoisted horizontally. At 6a. Black Drum hoisted.

At 11.30a. The barometer has fallen in the neighbourhood of Hongkong owing to the typhoon, which appears to be situated about 250 miles to the ESE. of the colony. It seems to have moved slowly Westwards since yesterday.

Another depression lies over the West part of the Sea of Japan.

Pressure is relatively high to the E. of Japan, and over Central China.

Bad weather over the N. part of the China Sea.

Forecast:— N. winds, probably increasing to a gale; squally, rain later.

F. G. FIGG,
Acting Director.

Hongkong Observatory Thursday 22nd October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	23rd OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,...	2 p.	...	..	...	...	...	...	2 a.	...	...	...	...	...	...
Nemuro, ...	"	29.96	...	...	S	6	...	6 a.	29.65	...	...	W	4	...
Hakodate, ...	"	29.86	...	...	W	4	...	"	29.81	...	...	N	2	...
Tokio,.....	"	29.90	...	...	N	2	...	"	29.62	...	...	NW	4	...
Kochi, ...	"	29.75	...	...	E	6	...	"	29.87	...	...	NE	6	...
Nagasaki, ...	"	29.85	...	...	N	4	...	"	29.89	...	...	...	0	...
Kagoshima,...	"	...	...	...	N	6	...	"	29.95	...	...	NE	4	...
Oshima, ...	"	29.80	...	...	N	4	...	"	29.88	...	...	N	8	...
Naha, ...	"	29.81	...	...	NW	6	...	"	29.85	...	...	NE	4	...
Ishigakijima, ..	"	...	...	...	...	...	...	"	29.85	...	...	SE	6	...
Taiheku,.....	1 p.	29.82	...	...	E	6	...	5 a.	29.87	...	...	E	6	...
Taichu, ...	"	29.69	..	..	N	6	...	"	29.75	...	...	N	2	...
Tainan,.....	"	29.70	...	.	N	4	...	"	29.76	...	...	N	2	...
Koshun, ...	"	29.73	...	...	NE	2	...	"	29.77	...	...	E	4	...
Pescadores, ..	"	29.77	.	...	NE	10	...	"	29.79	...	...	NE	6	...
Weihaiwei.....	3 p.	30.01	65	...	WNW	3	...	9 a.	...	...	...	...	...	...
Gutzlaff.	"	30.03	65	73	N	3	cv	"	30.14	67	74	NE	3	cv
Sharp Peak. .	"	29.85	73	83	NE	4	o	"	29.85	72	85	N	5	o
Amoy.	2.20p.	29.91	79	70	ENE	4	o	6.30a.	29.88	74	76	ENE	2	o
Swatow.	3 p.	29.75	78	...	ENE	4	o	9 a.	29.87	77	...	E	3	o
Canton, ...	"	...	89	49	N	4	c	"	...	78	65	N	2	c
Hongkong	4 p.	29.71	81	56	NNE	2	o	10 a.	29.83	79	63	NE	3	o
Victoria Peak,.	"	...	...	...	NE	4	...	"	...	...	...	E	6	...
Gap Rock,.....	"	29.66	...	...	NE	5	...	"	29.78	...	...	NE	8	...
Macao, ...	"	29.67	81	...	N	5	cq	"	29.80	77	...	N	3	cq
Haiphong, ...	"	29.76	82	...	NW	1	h	"	...	...	...	...	...	...
Manila, ...	"	29.65	88	78	W	2	h	"	29.76	86	78	WSW	1	c
Bacolod, ...	3 p.	...	...	...	WNW	4	o	9 a.	...	...	...	SW	1	c
Iloilo, ...	"	29.70	89	...	...	4	o	"	29.80	82	...	SW	2	c
Cebu, ...	"	...	87	...	...	0	or	"	29.81	87	...	S	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	—	...

On the 22nd at 4.45p. Black South Cone hoisted.

On the 23rd at 11.50a. The barometer is rising slowly in Hongkong. The typhoon appears to be passing to the Southward of the colony moving, probably, towards WSW. A fresh NE. gale is blowing at Gap Rock. The Northern depression is moving away over NE. Japan.

A high pressure area lies over N. China.

Strong monsoon in the Formosa Channel, and N. and NE. gales over the N. part of the China Sea.

Forecast:— strong NE. breezes; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory Friday 23rd October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

23rd OCTOBER, 1903, P. M. — 24th OCTOBER, 1903, A. M.

STATION.	Hour.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.	Hour.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock....	2 p.	30.04	60	..	N	4	b	7 a.	30.15	58	6	...	0	c
Nemuro, ...	,,	29.76	...	...	NW	8	...	6 a.	30.04	...	...	NW	8	...
Hakodate, ...	,,	29.86	...	...	NW	8	...	,,	30.21	...	...	...	0	...
Tokio.....	,,	29.76	...	...	N	4	...	,,	30.17		...	...	0	...
Kochi, ...	,,	29.91	...	..	SE	4	...	,,	30.11	...	...	NE	6	...
Nagasaki, ...	,,	29.89	...	..	N	6	...	,,	30.11	...	...	NE	6	...
Kagoshima,...	,,	29.90	...	...	SE	2	...	,,	30.11	...	...	NE	4	...
Oshima, ...	,,	29.92	...	...	NW	6	...	,,	30.10	...	...	...	0	...
Naha, ...	,,	29.89	...	...	N	6	...	,,	29.93	...	...	N	2	...
Isigakijima, ..	,,	29.85	...	...	E	8	...	,,	29.93	...	...	NE	2	...
Taihoku,.....	1 p.	29.86	...	...	E	8	...	5 a.	29.92	...	...	E	6	...
Taichu, ...	,,	29.78	...	..	W	2	...	,,	29.86	...	...	N	2	...
Tainan, ...	,,	29.80	...	.	N	4	...	,,	29.87	...	...	N	2	...
Koshun, ...	,,	29.80	...	...	NE	6	...	,,	29.86	...	...	NE	6	...
Pescadores, ...	,,	29.83	.	...	NE	10	...	,,	29.88	...	...	NE	8	...
Weihaiwei.....	3 p.	30.11	67	...	E	1	...	9 a.	30.12	63	...	E	2	...
Gutzlaff, ...	,,	30.10	68	65	NE	3	cv	,,	30.13	69	90	ESE	3	cv
Sharp Peak, ..	,,	29.93	70	98	NE	5	o	,,	30.04	71	80	NNW	2	c
Amoy, ...	4 p.	29.88	79	70	NE	7	o	6.3 Ca.	29.97	75	68	NNE	3	...
Swatow, ...	3 p	29.83	78	...	ENE	5	o	9 a.	29.97	76	...	NE	1	o
Canton, ...	,,	...	84	64	NNE	2	o	,,	...	81	71	NE	1	o
Longlong	4 p.	29.76	78	78	E	5	cq	10 a.	29.96	79	82	E	5	cq
Victoria Peak,..	,,	...	...	...	E	6	...	,,	...	...	...	E	6	...
Cap Pack.....	,,	29.72	...	...	NE	7	...	,,	29.99	....	...	ENE	7	...
Macao, ...	,,	29.74	78	...	NNE	8	cq	,,	29.91	77	...	E	4	cq
Haiphong, ..	,,	29.75	82	...	NW	1	c	,,	...	....	...	...	...	...
Manila, ...	,,	29.73	82	76	...	0	o	,,	29.84	84	77	WNW	1	c
Pacoled, .	3 p.	...	...	...	S	2	c	9 a.	...	...	...	S	2	c
Iloilo, ...	,,	29.75	84	...	W	2	c	,,	29.81	83	...	...	0	c
Cebu, ...	,,	...	88	...	S	3	c	,,	29.81	87	...	S	3	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 7.40a. Black Ball hoisted. At 11.55a. The barometer has fallen slightly over N. China; risen over Japan and S. China.
The typhoon in the China Sea is probably approaching S. Hainan.
The high pressure area lies now over the sea of Japan.
The monsoon is moderating in the Formosa Channel. Bad weather over the NW. part of the China Sea.
Forecast:— E. winds, decreasing; fair, squally.

F. G. FIGG,
Acting Director.

Hongkong Observatory Saturday 24th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	25th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,...	2 p.	30.13	49	...	SE	3	o	7 a.	30.00	52	99	...	0	o
Nemuro, ...	,,	30.42	...	...	NW	8	...	6 a.	30.16	...	...	SW	2	...
Hakodate, ...	,,	30.21	...	...	W	4	...	,,	30.21	...	...	...	0	...
Tokio,.....	,,	30.18	...	...	NE	4	...	,,	30.26	...	...	NW	4	...
Kochi, ...	,,	30.11	...	...	E	2	...	,,	30.19	...	...	E	2	...
Nagasaki, ...	,,	30.15	...	...	E	4	...	,,	30.15	...	...	N	2	...
Kagoshima,....	,,	30.11	...	...	NE	2	...	,,	30.15	...	...	E	4	...
Oshima, ...	,,	30.04	...	...	N	6	...	,,	30.08	...	...	S	2	...
Naha, ...	,,	29.97	...	...	NE	6	...	,,	30.01	...	...	E	2	...
Isigakijima, ...	,,	...	...	...	...	...	...	,,	29.93	...	...	NE	4	...
Taihoku,.....	1 p.	29.93	...	...	NE	8	...	5 a.	29.93	...	...	E	6	...
Taichu, ...	,,	29.87	...	..	SW	2	...	,,	29.87	...	...	...	0	...
Tainan,.....	,,	29.84	...	..	N	4	...	,,	29.88	...	...	...	0	...
Koshun, ...	,,	29.89	...	...	NE	6	...	,,	29.89	...	...	NE	4	...
Pescadores, ...	,,	29.91	.	...	N	8	...	,,	29.89	...	...	NE	8	...
Weihaiwei,.....	3 p.	30.11	66	...	E	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.09	73	86	ENE	3	cv	,,	30.02	71	95	SE	1	cv
Sharp Peak, ..	,,	29.99	73	79	N	2	o	,,	29.99	74	81	N	3	o
Amoy, ...	2.30p.	29.96	81	62	ENE	4	...	6.30a.	29.97	75	77	NE	1	c
Swatow, ...	3 p.	29.91	81	...	E	2	b	9 a.	30.00	78	...	...	1	b
Canton, ...	,,	...	84	72	E	2	c	,,	...	79	87	...	0	og
Hongkong.....	4 p.	29.90	77	78	E	4	cq	10 a.	30.00	78	73	E	3	cq
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	29.95	...	...	ENE	7	...	,,	29.97	...	...	E	4	...
Macao, ...	,,	29.86	77	...	E	5	cq	,,	29.98	80	...	ESE	4	cq
Haiphong, ...	,,	29.77	82	...	W	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.72	88	72	WSW	1	c	,,	29.72	84	77	WSW	1	o
Tacoled, .	3 p.	...	...	...	S	1	o	9 a.	...	...	...	SSW	3	o
Iloilo, ...	,,	29.69	86	...	WNW	3	c	,,	29.80	83	...	WSW	2	b
Cebu, ...	,,	29.76	86	...	...	0	c	,,	29.83	85	...	S	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 12 45p Black Ball lowered.

On the 25th at 11.45a. The barometer has risen over Japan and the S. coast of China, fallen over N. China. The typhoon has probably passed into the S. part of the Tongking Gulf.

The high pressure area lies now over E. Japan and probably a depression exists over Manchuria.

Pressure remains low over the Philippines, and a new depression may be lying in the Pacific to the E. of Luzon.

Moderate monsoon in the Formosa Channel, strong NE. and E. winds over the N. part of the China Sea.

Forecast:— moderate to light E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory Sunday 25th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

25th OCTOBER, 1903, P. M. — 26th OCTOBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	29.96	59	...	W	1	c	7 a.	30.11	54	42	N	3	c
Nemuro, ...	"	30.00	...	...	SE	6	...	6 a.	29.69	...	...	SW	6	...
Hakodate, ...	"	30.05	...	...	NW	6	...	"	29.81	...	...	NW	6	...
Tokio, ...	"	30.18	...	...	S	2	...	"	30.06	...	...	NW	4	...
Kochi, ...	"	30.15	...	...	...	0	...	"	30.07	...	...	S	10	...
Nagasaki, ...	"	30.11	...	..	W	4	...	"	30.07	...	...	SE	4	...
Kagoshima, ...	"	30.07	...	...	SE	4	...	"	30.07	...	...	...	0	...
Oshima, ...	"	30.04	...	...	S	2	...	"	30.04	...	...	...	0	...
Naha, ...	"	29.97	...	...	E	6	...	"	29.97	...	...	E	2	...
Isigakijima, ..	"	29.93	...	...	E	6	...	"	29.89	...	...	E	6	...
Taihoku, ...	1 p.	29.89	...	...	E	8	...	5 a.	29.82	...	...	E	8	...
Taichu, ...	"	29.80	...	...	SW	2	...	"	29.76	...	...	NE	2	...
Tainan, ...	"	29.83	...	...	W	4	...	"	29.76	...	...	W	2	...
Koshun, ...	"	29.85	...	...	NE	6	...	"	29.77	...	...	NE	8	...
Pescadores, ..	"	29.85	...	...	NE	10	...	"	29.79	...	...	NE	6	...
Weihaiwei.....	3 p.	30.15	57	...	NE	3	...	9 a.	30.26	46	...	N	3	...
Gutzlaff, ...	"	30.04	74	81	SE	2	cv	"	30.02	72	95	S	2	bm
Sharp Peak, ..	"	29.93	77	86	N	3	b	"	29.90	74	84	N	4	c
Amoy, ...	2.20p.	29.86	85	64	N	1	c	6.30a.	29.86	76	77	NNW	1	c
Swatow, ...	3 p.	29.89	81	...	E	1	b	9 a.	29.82	80	...	N	1	b
Canton, ...	"	...	87	92	...	0	b	"	...	84	87	NNE	1	b
Hongkong	4 p.	29.88	79	68	E	2	b	10 a.	29.86	82	67	...	0	c
Victoria Peak,.	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Cap Lock.....	"	29.86	...	...	E	4	...	"	29.85	...	...	NNW	2	...
Macao, ...	"	29.87	79	...	ESE	3	c	"	29.84	82	...	NNE	1	c
Haiphong, ...	"	29.80	75	...	NNE	1	or	"	...	...	...	...	...	...
Manila, ...	"	29.61	84	71	W	3	o	"	29.60	90	66	SSW	1	c
Bacolod, ...	3 p.	...	...	...	S	3	...	9 a.	...	...	...	S	2	b
Iloilo, ...	"	29.73	85	...	WSW	4	c	"	29.81	85	...	...	0	c
Cebu, ...	"	29.74	87	...	S	3	b	"	29.86	87	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 11 40a. The barometer has fallen considerably over S. China, risen slightly over the Philippines.

The typhoon seems to have passed into the China Sea and to be lying off the NW. coast of Luzon this morning. It is probably moving WNW or NW.

The Northern depression is moving Eastward's over N. Japan, with a rapid fall of the mercury over E. Japan, and a quick rise over N. China, pressure low being high over the latter area.

Heavy weather again setting in over the Formosa Channel and NE. part of the China Sea.

Forecast:— N. winds, probably freshening considerably; fair to squally and unsettled.

Red Drum hoisted.

F. G. FIGG,
Acting Director.

Hongkong Observatory Monday 26th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.09	43	...	N	5	o	7 a.	30.13	31	44	NW	2	b
Nemuro, ...	„	29.69	...	...	NE	4	...	6 a.	29.88	...	...	W	6	...
Hakodate, ...	„	29.89	...	...	W	4	...	„	29.97	...	...	N	2	...
Tokio.....	„	29.90	...	...	...	0	...	„	29.86	...	...	NE	2	...
Kochi, ...	„	29.99	...	...	W	2	...	„	29.83	...	...	W	8	...
Nagasaki, ...	„	29.99	...	...	SE	6	...	„	29.99	...	...	N	6	...
Kagoshima,....	„	29.99	...	...	...	0	...	„	29.95	...	...	...	0	...
Oshima, ...	„	29.96	...	...	SE	4	...	„	30.00	...	...	SE	4	...
Naha, ...	„	...	...	...	...	...	...	„	29.97	...	...	...	0	...
Ishigakijima, ..	„	...	...	...	...	..	...	„	29.93	...	...	S	4	...
Taihoku,.....	1 p.	29.74	...	...	SE	8	...	5 a.	29.84	...	...	...	0	...
Taichu, ...	„	29.70	...	...	W	2	...	„	29.83	...	...	...	0	...
Tainan, ...	„	29.78	...	...	NW	4	...	„	29.84	...	...	N	2	...
Kosbun, ...	„	29.78	...	...	NE	8	...	„	29.87	...	...	E	4	...
Pescadores, . ..	„	29.76	.	...	N	8	...	„	29.95	...	...	N	6	...
Weihaiwei.....	3 p.	30.27	44	...	N	4	...	9 a.	30.40	40	...	NW	...	...
Gutzlaff, ...	„	29.95	77	82	S	2	bm	„	30.21	61	88	N	7	omd
Sharp Peak, ..	„	29.82	75	88	NNE	2	o	„	29.95	75	90	ENE	6	od
Amoy, ...	2.30p.	29.79	88	62	ENE	3	b	6.30a.	29.91	78	82	ESE	1	o
Swatow, ...	3 p.	29.76	89	...	E	1	c	9 a.	...	...	...	...	...	...
Canton, ...	„	...	94	78	NE	1	b	„	...	...	...	...	...	...
Hongkong	4 p.	29.74	83	71	...	0	o	10 a.	29.69	78	71	N	6	odq
Victoria Peak,.	„	...	...	...	N	1	...	„	...	...	...	N	8	...
Cap Rock.....	„	29.72	...	...	NNW	2	...	„	29.66	...	...	NNW	8	...
Macao, ...	„	29.71	88	...	N	2	c	„	29.73	77	...	NNW	5	cq
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.82	86	71	WSW	2	o	„	29.92	86	85	...	0	c
Dacolod, ...	3 p.	...	...	...	SW	4	ot	9 a.	...	...	...	NNW	2	b
Iloilo, ...	„	29.77	87	....	WSW	2	c	„	29 89	82	...	NE	1	b
Cebu, ...	„	29.77	87	...	S	2	b	„	29.93	86	...	...	0	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 6a. Black Drum hoisted. At 7.20a. Gun fired. The typhoon to the Southeast of Hongkong will probably pass to the South of the Colony. A Northerly to Easterly gale is expected.
At 10.55a. The barometer has fallen much in Hongkong, risen elsewhere except over S. Japan.
The typhoon is situated to the ESE. of Hongkong. The centre threatens to approach the neighbourhood of the Colony nearly, and at present it cannot be certainly stated, whether it will pass to the South or to the North. In the former case the gale will be from N. and E; in the latter from N. and W.
A high pressure area lies over N. China, and heavy monsoon prevails in the Formosa Channel and bad weather in the N. part of the China Sea.

F. G. FIGG,
Acting Director.

Hongkong Observatory Tuesday 27th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

27th OCTOBER, 1903, P. M. — 28th OCTOBER, 1903, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	30.08	43	...	N	2	c	7 a.	30.06	28	50	NW	4	b
Nemuro, ...	,,	29.88	...	...	N	4	...	6 a.	30.00	...	...	W	4	...
Hakodate, ...	,,	29.97	...	...	NW	6	...	,,	30.01	...	...	N	2	...
Tokio.....	,,	29.86	...	...	E	2	...	,,	29.98	...	...	NW	4	...
Kochi, ...	,,	29.87	...	...	...	0	...	,,	29.95	...	...	W	2	...
Nagasaki, ...	,,	29.99	...	...	N	4	...	,,	30.11	...	...	NW	4	...
Kagoshima, ...	,,	29.95	...	...	W	4	...	,,	30.07	...	...	NW	4	...
Oshima, ...	,,	29.96	...	...	S	...	...	,,	30.04	...	...	N	6	...*
Naha, ...	,,	29.93	...	...	S	2	...	,,	30.01	...	...	N	4	...
Isigakijima, ...	,,	29.93	...	...	S	6	...	,,	29.97	...	...	NE	6	...
Taihoku,.....	1 p.	29.93	...	...	E	2	...	5 a.	30.11	...	...	NE	6	...
Taichu, ...	,,	29.80	...	...	N	4	...	,,	29.95	...	...	N	4	...
Tainan, ...	,,	29.88	...	..	N	6	...	,,	29.93	...	...	N	2	...
Koshun, ...	,,	29.89	...	...	SE	6	...	,,	29.96	...	...	...	0	...
Pescadores, ...	,,	29.90	...	...	N	6	...	,,	29.93	...	...	NE	8	...
Weihaiwei.....	8 p.	...	..	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.22	59	88	N	7	cmp	,,	30.42	51	93	NNW	6	cmp
Sharp Peak, ..	,,	29.98	71	85	NNE	8	o	,,	30.17	68	83	NNE	9	or
Amoy, ...	2.30p.	29.88	80	70	NNE	7	c	6.30a.	...	...	...	...	...	...
Swatow, ...	8 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	72	100	NNE	8	o	,,	...	...	...	...	...	...
Perphery	4 p.	29.89	76	69	NNW	7	cdq	10 a.	30.14	66	61	NNW	3	c
Victoria Peak,.	,,	...	...	...	NNW	11	...	,,	...	...	...	...	...	...
Cap Lock	,,	29.86	...	...	NNW	10	...	,,	30.11	...	...	NNW	6	...
Macao, ...	,,	29.86	69	...	NW	4	cp	,,	30.08	62	...	NNW	3	cq
Paijeng, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	...	...	...	...	...	...	,,	30.00	86	78	...	0	c
Iscoled, ...	8 p.	...	...	...	N	1	r	9 a.	...	...	...	N	4	c
Iloilo, ...	,,	29.83	87	...	NNE	1	o	,,	29.97	82	...	N	4	c
Cebu, ...	,,	29.85	87	...	N	2	c	,,	29.99	84	...	N	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 8.15p. The typhoon is rapidly filling up on approaching the coast to the East of Hongkong.

On the 28th at 6a. Black Drum lowered. At 11.45a. The barometer has risen generally, particularly in the neighbourhood of Hongkong.

The progress of the typhoon was arrested, and filling up ensued in consequence of the existence of an anticyclone of great intensity over Central China.

Severe monsoon gales are blowing in the Formosa Channel, and heavy monsoon over the N. part of the China Sea.

Forecast:— strong N. winds; fair, squally.

F. G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 28th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th OCTOBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.09	34	...	N	5	b	7 a.	30.22	27	45	N	3	c
Nemuro, ...	"	29.92	...	...	SW	4	...	6 a.	29.96	...	...	W	8	...
Hakodate, ...	"	29.93	...	...	...	0	...	"	30.09	...	...	NW	4	...
Tokio.....	"	29.82	...	...	N	4	...	"	30.18	...	...	NW	6	...
Kochi, ...	"	29.95	...	...	NW	0	...	"	30.19	...	...	NE	6	...
Nagasaki.	"	30.19	...	...	N	6	...	"	30.31	...	...	E	4	...
Kagoshima.....	"	30.11	...	...	NW	8	...	"	30.27	...	...	N	4	...
Oshima, ...	"	...	...	...	...	0	...	"	30.24	...	...	.	0	...
Naha, ...	"	30.05	...	...	N	8	...	"	30.17	...	...	N	6	...
Ishigakijima, ...	"	30.01	...	...	NE	10	...	"	30.09	...	...	NE	4	...
Taihoku,.....	1 p.	30.16	...	...	E	8	...	5 a.	30.24	...	...	NE	6	...
Taichu, ...	"	29.93	..	..	N	6	...	"	30.04	...	...	N	4	...
Tainan, ...	"	29.93	...	..	S	8	...	"	30.05	...	...	NE	6	...
Koshun.	"	29.96	...	...	NE	6	...	"	30.02	...	...	NE	6	...
Pescadores, . ..	"	29.94	.	...	NE	8	...	"	30.10	...	...	NE	10	...
Weihaiwei.....	3 p.	30.54	31	...	NE	3	...	9 a.	30.35	45	...	W	3	...
Gutzlaff.	"	30.39	58	58	N	5	cv	"	30.47	58	88	N	5	cv
Sharp Peak. ..	"	30.20	58	85	NE	6	fr	"	30.33	61	71	N	4	o
Amoy, ...	2.30p.	30.17	63	94	NE	5	or	6.30a.	30.30	64	78	NNE	2	o
Swatow.	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton.	"	...	72	100	NNW	2	o	"	...	...	...	...	...	...
Hongkong	4 p.	30.11	67	58	N	2	b	10 a.	30.28	68	58	N	1	o
Victoria Peak,.	"	...	...	...	N	6	...	"	...	...	...	N	2	...
Cap Rock.....	"	30.00	...	...	NNE	4	...	"	30.25	...	...	NNE	3	...
Macao.	"	30.08	69	...	NNE	4	cq	"	30.26	62	...	N	4	cq
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila.	"	29.92	81	92	SE	4	o	"	30.00	84	77	W	0	o
Yacolod. . . .	3 p.	...	...	...	NNW	4	o	9 a.	...	...	...	N	4	o
Iloilo, ...	"	29.87	87	...	NE	1	c	"	29.99	84	...	NNE	2	c
Cebu.	"	29.91	84	...	N	4	b	"	29.97	85	...	...	0	b
Cape St. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11.50a. The barometer has risen considerably over S. China and Japan, fallen over N. China.

The anticyclone remains central over Mid-China.

Pressure is relatively low over the S. part of the China Sea, and over the Pacific to the SE. of Formosa.

Gradients are decreasing and the monsoon is moderating on the China coast.

Steep gradients with heavy monsoon over the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Thursday 29th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th OCTOBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th OCTOBER, 1903, A. M Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.14	34	...	W	3	b	7 a.	30.24	29	70	...	0	c
Nemuro, ...	"	29.96	...	...	NW	8	...	6 a.	30.28	...	...	S	4	...
Hakodate, ...	"	30.17	...	...	N	4	...	"	30.32	...	...	...	0	...
Tokio,.....	"	30.32	...	...	N	6	...	"	30.37	...	...	NW	4	...
Kochi, ...	"	30.23	...	...	...	0	...	"	...	...	...	E	4	...
Nagasaki, ...	"	30.31	...	...	N	6	...	"	30.31	...	...	...	0	...
Kagoshima,....	"	30.27	...	...	E	2	...	"	30.27	...	...	NE	2	...
Oshima, ...	"	30.20	...	...	...	0	...	"	30.16	...	...	...	0	...
Naha, ...	"	30.13	...	...	N	6	...	"	30.09	...	...	N	6	...
Isaigakijima, ...	"	30.13	...	...	NE	8	...	"	30.09	...	...	NE	6	...
Taihoku,.....	1 p.	30.22	...	...	E	6	...	5 a.	30.18	...	...	E	6	...
Taichu, ...	"	30.07	...	...	N	6	...	"	30.06	...	...	...	0	...
Faiman, ...	"	30.08	...	..	N	6	...	"	30.07	...	...	N	2	...
Koshun, ...	"	30.06	...	...	NE	8	...	"	30.07	...	...	NE	4	...
Pescadores, ...	"	30.12	...	...	NE	10	...	"	30.10	...	...	NE	10	...
Weihaiwei,.....	3 p.	30.38	48	...	W	2	...	9 a.	30.37	52	...	W	3	...
Gutzlaff, ...	"	30.41	59	82	NNE	5	cv	"	30.39	58	...	NNE	2	cv
Sharp Peak, ...	"	30.26	64	78	ENE	4	og	"	30.29	62	83	N	3	og
Amoy.	2.30p.	30.21	70	76	NE	4	c	6.30a.	30.25	66	84	NNW	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	"	...	72	100	NE	2	b	"	...	68	85	N	3	c
Hongkong	4 p.	30.18	69	58	N	1	c	10 a.	30.24	69	62	...	0	c
Victoria Peak,..	"	...	...	...	NNE	3	...	"	...	...	...	NE	1	...
Cap Leek,.....	"	30.16	...	...	NNE	3	...	"	30.22	...	...	NNE	4	...
Macao, ...	"	30.17	67	...	N	3	cq	"	30.23	66	...	N	3	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.88	88	72	...	...	b	"	29.96	88	66	...	0	c
Bacolod, ...	3 p.	...	...	...	NE	4	b	9 a.	...	...	...	N	1	b
Iloilo, ...	"	29.86	88	...	NNE	1	c	"	29.90	83	...	NNE	1	c
Cebu, ...	"	29.87	86	...	...	0	b	"	29.94	86	...	N	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 11.55a. The barometer has risen considerably over E. Japan, fallen slightly over China and the Philippines.

The anticyclone now covers China and Japan, the highest pressure lying along the 35th parallel. Gradients moderate with strong monsoon in the Formosa Channel; rather steep with heavy monsoon over the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Friday 30th October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

30th OCTOBER, 1903, P. M. — 31st OCTOBER, 1903, A. M

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	.	...
Nemuro, ...	"	30.28	...	...	SW	4	...	6 a.	30.00	...	...	SW	3	...
Hakodate, ...	"	30.32	...	...	SE	2	...	"	...		...	N	2	...
Tokio,.....	"	30.30	...	...	NW	4	...	"	30.14		...	NW	4	...
Kochi, ...	"	30.19	...	...	...	0	...	"	30.11	...	...	E	4	...
Nagas,aki, ...	"	30.23	...	...	NE	2	...	"	30.15	...	...	NE	2	...
Kagoshima,....	"	30.15	...	...	E	2	...	"	30.15	...	...	NW	2	...
Oshima, ...	"	30.08	...	...	...	0	...	"	30.12	...	...	N	6	...
Naha, ...	"	30.05	...	...	N	6	...	"	30.05	...	...	N	8	...
Ishigakijima, ...	"	30.05	...	...	N	6	...	"	30.09	...	...	NE	4	...
Taiboku, ...	1 p.	30.16	...	...	E	6	...	5 a.	30.23	...	...	E	2	...
Taichu, ...	"	30.02	...	...	N	6	...	"	30.08	...	...	N	4	...
Tainan, ...	"	30.03	...	..	N	4	...	"	30.06	...	...	N	6	...
Koshun, ...	"	30.06	...	...	N	2	...	"	30.02	...	...	NE	8	...
Pescadores, ...	"	30.09	.	...	NE	10	...	"	30.08	...	...	NE	10	...
Weihaiwei.....	3 p.	30.32	60	...	NW	3	...	9 a.	30.43	59	...	NW	2	...
Gutzlaff, ...	"	30.31	61	60	N	4	cv	"	30.42	56	69	NNW	5	cv
Sharp Peak, ..	"	30.21	64	73	N	3	o	"	30.31	64	70	N	3	b
Amoy, ...	2.30p.	30.16	75	64	NE	4	c	6.30a.	30.27	65	73	NE	1	c
Swatow, ...	3 p	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	"	...	76	77	NE	2	o	"	...	69	...	NNE	2	b
Lenghong.....	4 p.	30.13	78	66	N	1	o	10 a.	30.26	69	46	N	3	b
Victoria Peak,.	"	...	...	...	NNE	2	...	"	...	...	...	NNE	4	...
Cap Rock,.....	"	30.13	...	...	NNW	3	...	"	30.22	...	...	NNE	4	...
Macao, ...	"	30.11	71	...	N	3	c	"	...	...	...	...	...	...
Haiphong, ...	"	30.16	73	...	NE	2	o	"	...	...	...	...	...	...
Manila, ...	"	29.84	86	78	...	0	o	"	29.96	79	66	ESE	1	c
Bacolod, ...	3 p.	...	...	...	NNW	5	ot	9 a.	...	...	...	N	5	b
Iloilo, ...	"	29.81	87	...	NNE	1	c	"	29.93	83	...	NE	1	b
Cebu, ...	"	29.83	85	...	N	...	b	"	...	86	...	N	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 31st at 11.45a. The barometer has fallen considerably over Japan, risen slightly on the China coast. The anticyclone is still central over China.

Pressure is relatively low over the NE. part of the Sea of Japan, also over the S. Philippines and SE. part of the China Sea.

Gradients are moderate with strong monsoon on the China coast; rather steep with heavy monsoon over the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG
Acting Director.

Hongkong Observatory Friday 31st October 1903.

CHINA COAST METEOROLOGICAL REGISTER.

31st OCTOBER, 1903, P. M. — 1st NOVEMBER, 1903, A. M

Station.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.
Vladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	.	...
Nemuro, ...	,,	...	...	...	NW	4	...	6 a.	30.20	...	...	N	6	...
Hakodate.	,,	30.21	...	...	W	2	...	,,	30.29	.	...	N	2	...
Tokio,.....	,,	30.14	...	...	NW	4	...	,,	30.06		...	N	6	...
Kochi, ...	,,	30.03	...	...	...	0	...	,,	30.07	...	...	NE	2	...
Nagasaki.	,,	30.11	...	..	NW	8	...	,,	30.27	...	...	N	4	...
Kagoshima....	,,	29.97	...	...	NW	6	...	,,	30.27	...	...	N	2	...
Oshima, ...	,,	30.06	.6	...	N	8	...	,,	30.16	...	...	NW	4	...
Naha, ...	,,	30.09	...	...	NW	8	...	,,	30.17	...	...	NE	4	...
Ishigakijima, ..	,,	30.13	...	...	NE	6	...	,,	30.17	...	...	NE	6	...
Taihoku, ...	1 p.	...	...	...	...	...	...	5 a.	30.28	...	...	E	6	...
Taichu, ...	,,	...	..	..	...	...	...	,,	30.10	...	...	N	2	...
Tainan, ...	,,	...	...	.	...	...	...	,,	30.12	...	...	N	4	...
Koshun, ...	,,	..	...	...	...	...	...	,,	30.11	...	...	NE	8	...
Pescadores, ..	,,	...	.	...	...	...	...	,,	30.15	...	...	NE	10	...
Weihaiwei.....	3 p.	30.43	49	...	NW	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	●	30.39	60	60	NNW	5	cv	,,	30.46	56	87	NNW	5	cv
Sharp Peak, ..	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Amoy, ...	2.20p.	30.20	74	55	NE	3	b	6.30a.	...	...	...	...	...	...
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Cauton, ...	..	...	75	90	NE	2	b	,,	...	64	95	NE	2	b
Lyeemoon	4 p.	30.17	72	48	N	2	b	10 a.	30.39	68	47	N	1	c
Victoria Peak,.	,,	...	...	...	N	2	...	,,	...	...	...	E	4	...
Gap Rock.....	,,	30.16	...	...	NE	3	...	,,	30.25	...	...	NE	4	...
Macao, ...	,,	30.16	71	...	N	3	c	,,	30.28	64	...	N	3	c
Haiphong, ...	,,	30.16	73	...	N	0	o	,,	...	...	...	...	...	...
Manila, ...	,,	29.85	88	67	...	0	o	,,	29.96	86	71	ESE	0	c
Iscoled, ...	8 p.	...	...	...	N	4	b	9 a.	...	...	...	NE	5	b
Iloilo, ...	,,	29.81	88	...	ENE	2	b	,,	29.91	84	...	NNE	1	c
Cebu, ...	,,	29.83	86	...	N	3	c	,,	29.94	86	...	N	4	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 11 35a. The barometer has risen on the China coast; and over Japan, except in the SE.
The anticyclone is still central over China, and a shallow area of low pressure lies off the SE. coast of Japan.
Pressure is also low, relatively, over the S. Philippines.
Gradients are moderate to rather steep with strong monsoon along the coast of China, and heavy monsoon over the China Sea.
Forecast:— moderate N. to NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Sunday 1st November '903.

CHINA COAST METEOROLOGICAL REGISTER.

1st NOVEMBER, 1903, P. M. 2nd NOVEMBER, 1903, A. M

Station.	Hour.	Barometer.	Temperature.	Hermitary	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Hermitary	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	30.07	49	...	N	5	b	7 a.	30.21	28	75	...	0	b
Nemuro, ...	„	30.20	...	...	NW	8	...	6 a.	30.24	...	...	N	8	...
Hakodate, ...	„	30.25	...	...	N	6	...	„	30.29	...	...	...	0	...
Tokio,.....	„	30.10	...	...	N	4	...	„	30.22	...	...	...	0	...
Kochi, ...	„	30.11	...	...	...	0	...	„	30.19	...	...	E	6	...
Nagasaki, ...	„	30.23	...	...	NE	6	...	„	30.31	...	...	NE	8	...
Kagoshima,...	„	30.15	...	...	N	4	...	„	30.27	...	...	NE	4	...
Oshima, ...	„	30.16	...	...	N	8	...	„	30.16	...	...	S	2	...
Naha, ...	„	30.17	...	...	N	8	...	„	30.13	...	...	NE	4	...
Ishigakijima, ..	„	30.17	...	...	NE	8	...	„	30.17	...	...	N	2	...
Tamsui,.....	1 p.	30.25	...	...	SE	4	...	5 a.	30.19	...	...	E	6	...
Taichu, ...	„	30.10	..	..	N	4	...	„	30.07	...	...	...	0	...
Tainan, ...	„	30.10	...	.	SW	4	...	„	30.07	...	...	E	2	...
Kosbun, ...	„	30.10	...	...	NE	10	...	„	30.07	...	...	NE	8	...
Pescadores, ..	„	30.14	.	...	NE	10	...	„	30.09	...	...	NE	8	...
Weihaiwei.....	3 p.	30.38	53	...	NNW	1	...	9 a	...	...	...	...	...	...
Gutzlaff, ...	„	30.40	60	60	N	4	cv	„	30.37	59	65	N	3	bv
Sharp Peak, ..	„	30.29	68	70	NE	3	o	„	30.26	62	72	NE	3	o
Amoy, ...	2.30p.	30.26	73	46	NE	2	c	6.30a.	30.21	65	68	N	1	o
Swatow, ...	3 p	30.15	72	...	E	3	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	73	...	NE	1	b	„	...	67	...	NE	2	o
Hongkong.....	4 p.	30.18	71	44	NNE	1	b	10 a.	30.23	71	42	NE	1	b
Victoria Peak,.	„	...	...	...	NNE	1	...	„	...	...	...	ENE	1	...
Cap Bock.....	„	30.16	...	...	NE	4	...	„	30.20	...	...	ENE	4	...
Macao, ...	„	30.17	70	...	NNE	3	c	„	30.21	68	...	N	2	c
Haiphong, ...	„	30.16	72	...	NNE	2	c	„	...	...	...	...	...	...
Manila, ...	„	29.88	79	85	SSE	2	c	„	29.96	79	84	N	2	o
Bacolod, .	3 p.	...	...	...	NNE	6	o	9 a.	...	...	...	SW	1	o
Iloilo, ...	„	29.81	88	...	NNE	2	c	„	29.89	82	...	NE	1	o
Cebu, ...	„	...	...	...	...	...	...	„	29.88	83	...	N	1	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 11.50a. The barometer has risen over S. Japan; fallen over the China coast, particularly in the North.

The anticyclone remains central over Asia China, and pressure continues considerably above the normal along the China coast.

The barometer has fallen a little over the S. Philippines, and pressure is slightly in defect over that area. Gradients moderate with strong monsoon in the Formosa Channel, rather steep with heavy monsoon over the Japan Sea.

Forecast:— moderate N. to NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Monday 2nd November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd NOVEMBER, 1903, P. M.							3rd NOVEMBER, 1903, A. M						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.20	...	...	N	4	...	6 a.	30.20	...	...	SW	2	...
Hakodate, ...	,,	30.25	...	...	SW	4	...	,,	30.29	...	...	...	0	...
Tokio.....	,,	30.22	...	...	NE	2	...	,,	30.30	...	...	N	4	...
Kochi, ...	,,	30.19	...	...	E	2	...	,,	30.23	...	...	NE	4	...
Nagasaki, ...	,,	30.23	...	...	E	4	...	,,	30.27	...	...	...	0	...
Kagoshima.....	,,	30.23	...	...	SE	2	...	,,	30.23	...	...	NE	4	...
Oshima, ...	,,	30.16	...	...	NW	6	...	,,	30.12	...	...	...	0	...
Naha, ...	,,	...	...	...	...	...	...	,,	30.09	...	...	N	6	...
Ishigakijima, ...	,,	...	...	...	...	...	...	,,	30.05	...	...	E	6	...
Taihoku,.....	1 p.	30.13	...	...	E	6	...	5 a.	30.07	...	...	E	6	...
Taichu, ...	,,	30.05	..	...	NW	2	...	,,	30.02	...	...	...	0	...
Tainan,.....	,,	30.06	...	..	W	4	...	,,	30.03	...	...	...	0	...
Koshun, ...	,,	30.06	...	...	NE	4	...	,,	30.03	...	...	NE	6	...
Pescadores, ...	,,	30.06	.	...	N	6	...	,,	30.04	...	...	NE	8	...
Weihaiwei.....	3 p.	30.30	55	...	W	2	...	9 a.	...	...	...	...	...	...
Cutzlaff, ...	,,	30.28	62	61	NE	3	cv	,,	30.29	58	88	NNE	3	hm
Sharp Peak, ..	,,	30.18	63	78	NNW	3	og	,,	30.14	64	78	W	1	cg
Amoy, ...	2.30p.	30.18	67	24	NNW	2	c	6.30a.	30.04	65	73	WSW	1	o
Swatow, ...	3 p.	..	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	74	...	NE	2	o	,,	...	...	...	...	...	...
Hongkong.....	4 p.	30.09	72	52	ESE	1	b	10 a.	30.15	72	60	E	1	b
Victoria Peak,.	,,	...	...	...	ENE	1	...	,,	...	...	...	E	1	...
Cap Bock.....	,,	30.08	...	...	ENE	3	...	,,	30.13	...	...	ENE	4	...
Macao, ...	,,	30.07	72	...	NNE	2	b	,,	30.14	68	...	NNE	2	e
Paihong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	81	76	NNW	1	o	,,	29.92	79	84	...	0	o
Iloilo, ...	3 p.	...	...	...	N	4	rt	9 a.	...	...	...	N	4	b
Cebu, ...	,,	29.81	88	...	NNE	2	o	,,	29.89	82	...	NNE	1	b
Cape S. James,...	,,	29.82	85	...	N	3	b	,,	29.88	87	...	...	0	c
	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.40a. The barometer has risen slightly over E. Japan, fallen moderately on the China coast.

Pressure is still high in a belt lying over China and Japan in about the 35th parallel, and relatively low to the Northward of this area, and also over the S. Philippines.

Gradients have decreased and the monsoon has moderated on the China coast.

Strong but decreasing monsoon over the China Sea.

Forecast:— NE. to N. winds, moderate; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Tuesday 3rd November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	3rd NOVEMBER, 1903, P. M.							4th NOVEMBER, 1903, A. M						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	30.09	57	...	...	0	b	7 a.	30.15	34	93	...	0	o
Nemuro, ...	,,	30.16	...	...	S	6	...	6 a.	30.24	...	...	SW	2	...
Hakodate, ...	,,	30.17	...	...	SW	8	...	,,	30.25	...	...	...	0	...
Tokio,.....	,,	30.26	...	...	S	2	...	,,	30.30	...	...	N	4	...
Kochi, ...	,,	30.15	...	...	E	2	...	,,	30.15	...	...	E	6	...
Nagasaki, ...	,,	30.15	...	...	NW	4	...	,,	30.19	...	...	...	0	...
Kagoshima,....	,,	30.11	...	...	S	2	...	,,	30.15	...	...	N	2	...
Oshima, ...	,,	30.04	...	...	E	4	...	,,	30.08	...	...	SE	2	...
Naha, ...	,,	30.01	...	...	NE	6	...	,,	30.01	...	...	N	2	...
Isigakijima, ...	,,	...	...	...	...	...	...	,,	29.97	...	...	E	6	...
Taihoku,.....	1 p.	30.01	...	...	NE	6	...	5 a.	...	...	...	...	...	...
Taichu, ...	,,	29.97	...	...	..	0	...	,,	...	...	...	...	...	...
Tainan,.....	,,	29.98	...	...	W	4	...	,,	...	...	...	...	...	...
Kosbun, ...	,,	29 98	...	...	NW	2	...	,,	...	...	...	...	...	...
Pescadores, . ..	,,	30.01	..	...	N	10	...	,,	...	...	...	...	...	...
Weihsiwei.....	3 p.	30.19	60	...	E	1	...	9 a	...	...	...	...	...	...
Gutzlaff, ...	,,	30.22	63	67	NNE	1	cv	,,	30.20	64	78	ENE	3	ev
Sharp Peak, ..	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Amoy, ...	2.30p.	...	75	64	NE	2	c	6.30a.	30.09	67	84	NNE	1	o
Swatow, ...	3 p.	30.07	73	...	ESE	1	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	77	...	NNW	1	b	,,	...	73	...	W	1	c
Hongkong.....	4 p.	30.01	73	60	W	1	b	10 a.	30.08	74	57	E	1	b
Victoria Peak,.	,,	...	...	...	WNW	1	...	,,	...	...	...	E	2	...
Gap Rock,.....	,,	30.03	...	...	NNE	2	...	,,	30.07	...	...	ENE	3	...
Macao, ...	,,	30.00	73	...	NE	2	c	,,	30.05	83	...	ENE	2	c
Haiphong, ...	,,	30.01	73	...	...	0	b	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	79	72	SE	1	o	,,	29.88	82	77	W	1	o
Bacolod, ...	3 p.	...	...	...	NNE	4	o	9 a.	...	...	...	NW	1	c
Iloilo, ...	,,	29.79	84	...	NE	4	or	,,	29 93	83	...	NE	1	b
Cebu, ...	,,	29.85	84	...	N	1	...	,,	29.87	85	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 12.0p. The barometer has risen over E. Japan, fallen over China and the Loochoos. Pressure is high over E. Japan, and in defect, apparently, over the Pacific to the E. of the Philippines. Gradients slight to moderate with fresh monsoon in the Formosa Channel, and strong monsoon over the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Wednesday 4th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th NOVEMBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th NOVEMBER, 1903, A. M Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.20	...	...	SE	2	...	6 a.	30.24	...	...	...	0	...
Hakodate, ...	,,	30.21	...	...	S	4	...	,,	30.21	...	...	N	2	...
Tokio,.....	,,	30.22	...	...	N	2	...	,,	30.18	...	...	NW	4	...
Kochi, ...	,,	30.11	...	...	NE	4	...	,,	30.15	...	...	NE	4	...
Nagas,aki, ...	,,	30.11	...	...	NE	4	...	,,	30.15	...	...	NE	2	...
Kagoshima,....	,,	30.07	...	...	E	4	...	,,	30.11	...	...	NE	4	...
Oshima, ...	,,	30.04	...	...	N	6	...	,,	30.08	...	...	S	2	...
Naha, ...	,,	29.97	...	...	NE	4	...	,,	30.05	...	...	NE	2	...
Ishigakijima, ...	,,	...	...	...	...	...	...	,,	29.97	...	...	E	6	...
Taihoku,.....	1 p.	29.96	...	...	NE	6	...	5 a.	...	...	...	...	...	...
Taichu, ...	,,	29.92	...	...	NW	2	...	,,	...	...	...	...	...	...
Tainan,.....	,,	29.93	...	...	NW	4	...	,,	...	...	...	...	...	...
Koshun, ...	,,	29.94	...	...	NE	4	...	,,	...	...	...	...	...	...
Pescadores, ...	,,	29.96	...	...	NE	8	...	,,	...	...	...	...	...	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	...	...	...	...	...	...	,,	30.17	62	94	E	3	cmd
Sharp Peak, ..	,,	30.00	64	92	WNW	...	o	,,	30.02	66	95	NW	4	o
Amoy, ...	2.30p.	30.00	73	76	NNE	1	e	6.30a.	30.03	68	90	WSW	...	c
Swatow, ...	3 p.	30.01	75	...	ESE	2	b	9 a.	30.03	73	...	NNW	1	e
Canton, ...	,,	...	80	87	W	2	b	,,	...	75	90	...	0	b
Hongkong.....	4 p.	29.96	72	61	E	2	b	10 a.	30.04	75	70	E	1	b
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	NE	2	...
Gap Rock, ...	,,	29.96	...	...	E	3	...	,,	30.03	...	...	NNE	2	...
Macao, ...	,,	29.94	75	...	ENE	2	c	,,	30.02	75	...	NE	1	c
Haiphong, ...	,,	29.94	87	...	E	0	f	,,	...	...	...	...	...	...
Manila, ...	,,	29.78	88	66	SSW	1	o	,,	29.84	82	77	WNW	1	o
Pacolod, ...	3 p.	...	...	...	NE	1	e	9 a.	...	...	...	...	1	e
Iloilo, ...	,,	29.75	86	...	WSW	2	o	,,	29.81	83	...	...	0	o
Cebu, ...	,,	29.77	87	...	N	2	e	,,	29.79	84	...	N	3	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 11.40a. The barometer has fallen on the China coast and over the Philippines.
Pressure is highest between the NE. coast of China and NE. Japan, lowest over the S. Philippines.
A depression may be forming in the Pacific to the Eastward of the latter area.
Gradients slight to moderate with fresh monsoon in the Formosa Channel, and strong monsoon over the China Sea.
Forecast:— light to moderate NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Thursday 5th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	5th NOVEMBER, 1903, P. M.							6th NOVEMBER, 1903, A. M						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	30.18	53	...	...	0	b	7 a.	30.18	36	98	...	0	c
Nemuro,	"	30.20	...	...	SE	2	...	6 a.	30.32	...	...	E	2	...
Hakodate,	"	30.17	...	...	NW	2	...	"	30.29	...	...	N	2	...
Tokio,	"	30.10	...	...	N	2	...	"	30.22	...	...	N	4	...
Kochi,	"	30.07	...	...	E	2	...	"	30.15	...	...	E	4	...
Nagasaki,	"	30.07	...	...	E	6	...	"	30.15	...	...	N	4	...
Kagoshima,	"	30.03	...	...	E	4	...	"	30.03	...	...	E	6	...
Oshima,	"	30.00	...	...	N	2	...	"	30.00	...	...	...	0	...
Naha,	"	29.97	...	...	E	4	...	"	29.97	...	...	...	0	...
Ishigakijima,	"	29.93	...	...	E	6	...	"	29.93	...	...	E	6	...
Taihoku,	1 p.	29.90	...	...	E	6	...	5 a.	29.95	...	...	W	2	...
Taichu,	"	29.90	...	...	NW	6	...	"	29.93	...	...	N	2	...
Tainan,	"	29.89	...	...	NW	6	...	"	29.91	...	...	N	6	...
Koshun,	"	29.89	...	...	NE	6	...	"	29.89	...	...	NW	2	...
Pescadores,	"	29.91	...	...	N	4	...	"	29.94	...	...	N	6	...
Weihaiwei,	3 p.	30.18	60	...	N	2	...	9 a.	...	...	...	...	...	...
Gutzlaff,	"	30.08	62	94	SE	2	md	"	30.10	59	100	NW	4	ov
Sharp Peak,	"	29.92	70	87	N	...	o	"	30.01	70	85	W	1	o
Amoy,	2.30p.	29.96	76	77	WSW	2	c	6.30a.	30.02	70	90	NE	1	o
Swatow,	3 p.	29.98	72	...	ESE	2	b	9 a.	...	...	...	...	...	...
Canton,	"	...	84	96	W	1	b	"	...	80	...	NE	3	b
Hongkong	4 p.	29.91	77	70	...	0	b	10 a.	29.99	80	49	N	2	b
Victoria Peak,	"	...	...	...	W	1	...	"	...	...	...	NE	3	...
Cap Rock,	"	29.92	...	...	N	1	...	"	29.99	...	...	NNE	2	...
Macao,	"	29.89	74	...	ENE	2	b	"	29.97	77	...	N	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.72	86	71	WSW	1	c	"	29.76	82	77	WNW	1	o
Bacolod,	3 p.	...	...	...	N	3	o	9 a.	...	...	...	SSW	2	o
Iloilo,	"	...	84	...	SW	1	o	"	29.74	83	...	WSW	2	o
Cebu,	"	29.78	83	...	...	0	o	"	29.79	85	...	S	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.50a. The barometer has risen over E. Japan; fallen over S. China and the Philippines.
The depression in the Pacific seems to have approached the coast of SE. Luzon.
A shallow area of low pressure, which passed over the E. coast of China during the night, is moving towards SW. Japan.
A high pressure area lies over NE. Japan.
The NE. monsoon will probably freshen considerably in the Formosa Channel, and N. part of the China Sea.
Forecast:— moderate N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Friday 6th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	6th NOVEMBER, 1903, P. M.							7th NOVEMBER, 1903, A. M						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	"	...	...	...	...	...	...	6 a.	30.39	...	...	SE	4	...
Hakodate, ...	"	...	...	...	...	...	...	"	30.21	...	...	SE	8	...
Tokio,.....	"	...	...	...	...	...	...	"	30.26	...	...	NW	4	...
Kochi, ...	"	...	...	...	...	...	...	"	30.03	...	...	SE	6	...
Nagasaki, ...	"	...	...	...	...	...	...	"	29.99	...	...	...	0	...
Kagoshima,....	"	...	...	...	...	...	...	"	29.99	...	...	E	2	...
Oshima, ...	"	...	...	...	...	...	...	"	29.96	...	...	S	2	...
Naha, ...	"	...	...	...	...	...	...	"	29.93	...	...	N	4	...
Isaigakijima, ...	"	...	...	...	...	...	...	"	29.89	...	...	NE	4	...
Taihoku,.....	1 p.	29.93	...	...	N	6	...	5 a.	29.98	...	...	NE	4	...
Taichu, ...	"	29.85	...	...	N	10	...	"	29.87	...	...	N	4	...
Tainan,.....	"	29.82	...	...	SW	6	...	"	29.86	...	...	N	4	...
Kosbun,.....	"	29.86	...	...	NE	2	...	"	29.86	...	...	N	2	...
Pescadores, ...	"	29.92	...	...	N	8	...	"	29.93	...	...	NE	10	...
Weihaiwei.....	3 p.	30.09	45	...	NW	4	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	"	30.09	60	88	NNW	5	cv	"	30.25	57	81	N	4	cv
Sharp Peak, ..	"	29.92	70	85	E	4	o	"	30.09	68	74	NNE	6	o
Amoy, ...	2.30p.	29.96	75	77	SE	4	c	6.30a.	30.05	69	80	NE	1	o
Swatow, ...	3 p.	29.97	77	...	ESE	2	c	9 a.	...	...	...	...	...	...
Canton, ...	"	...	87	...	NNE	2	b	"	...	74	...	...	0	b
Hongkong.....	4 p.	29.92	76	71	ENE	1	o	10 a.	30.06	75	56	N	1	b
Victoria Peak,.	"	...	...	...	W	1	...	"	...	...	...	NNE	1	...
Gap Rock.....	"	29.92	...	...	ENE	2	...	"	30.06	...	...	NNE	3	...
Macao, ...	"	29.89	79	...	ENE	2	c	"	30.04	72	...	N	3	o
Haiphong, ...	"	29.90	77	...	E	1	o	"	...	...	...	...	...	...
Manila, ...	"	29.69	84	77	SW	1	o	"	29.69	82	92	...	0	o
Bacolod, ...	3 p.	...	...	...	S	3	o	9 a.	...	...	...	SSW	5	b
Iloilo, ...	"	29.72	85	...	WSW	4	o	"	29 79	85	...	W	2	b
Cebu, ...	"	29.78	86	...	S	3	c	"	29.82	86	...	S	3	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.30a. The barometer has risen on the China coast; fallen over W. Japan, Formosa and Luzon.

The depression in the South appears to be moving slowly towards NW. at present, and to be lying off the E. coast of Luzon in about 16° Lat.

The low pressure area in the North seems to be moving Eastwards near SW. Japan.

Two high pressure areas exist, one to the NE. of Japan, the other over Central China.

Heavy monsoon in the Formosa Channel, and bad weather over the NE. part of the China Sea.

Forecast:— N. winds, fresh; fine, squally.

F. G. FIGG

Acting Director.

Hongkong Observatory Saturday 7th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	7th NOVEMBER, 1903, P. M.							8th NOVEMBER, 1903, A. M						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.56	...	...	SE	6	...	6 a.	30.04	...	...	SE	8	...
Hakodate, ...	,,	29.69	...	...	SE	10	...	,,	29.77	...	...	...	0	...
Tokio,.....	,,	30.14	...	...	N	4	...	,,	29.90	...	...	N	2	...
Kochi, ...	,,	29.87	...	...	W	6	...	,,	29.87	...	...	...	0	...
Nagasaki, ...	,,	29.99	...	...	NW	6	...	,,	30.07	...	...	N	6	...
Kagoshima,...	,,	29.91	...	...	W	...	...	,,	29.99	...	...	NW	6	...
Oshima, ...	,,	29.92	...	...	N	4	...	,,	29.96	...	...	N	8	.
Naha, ...	,,	29.89	...	...	N	6	...	,,	29.93	...	...	N	6	...
Isaigakijima, ...	,,	29.89	...	...	NE	6	...	,,	29.93	...	...	NE	8	...
Taihoku, ...	1 p.	30.01	...	...	SE	2	...	5 a.	30.05	...	...	NE	4	...
Taichu, ...	,,	29.86	...	...	N	8	...	,,	29.88	...	...	E	4	...
Tainan, ...	,,	29.86	...	.	N	4	...	,,	29.87	...	...	N	4	...
Koshun, ...	,,	29.87	...	...	NE	6	...	,,	29.85	...	...	NE	6	...
Pescadores, ..	,,	29.94	.	...	N	10	...	,,	29.93	...	...	NE	10	...
Weihaiwei,.....	3 p.	30.15	46	...	W	5	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.21	59	59	NNW	3	cv	,,	30.29	55	62	...	4	cv
Sharp Peak, ..	,,	29.94	68	77	E	5	o	,,	30.14	64	70	N	6	b
Amoy, ...	2.30p.	30.00	77	61	ENE	...	c	6.30a.	30.09	64	78	NE	...	b
Swatow, ...	3 p.	29.98	74	...	ESE	2	c	9 a.	30.05	69	...	NE	2	c
Canton, ...	,,	...	89	49	...	0	b	,,	...	68	60	...	0	b
Hongkong.....	4 p.	29.96	75	66	W	1	c	10 a.	30.07	72	51	N	2	c
Victoria Peak,.	,,	...	...	...	WNW	1	...	,,	...	...	...	NNE	3	...
Gap Rock,.....	,,	29.96	...	...	NNE	3	...	,,	30.06	...	...	NNE	4	...
Macao, ...	,,	29.95	78	...	NNE	2	c	,,	30.04	70	...	N	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.61	84	77	NW	2	o	,,	29.72	84	71	WNW	4	c
Bacolod, ...	3 p.	...	...	...	SSW	6	o	9 a.	...	...	...	SSW	2	c
Iloilo, ...	,,	29.72	86	...	SW	4	c	,,	29.83	84	...	NNW	3	b
Cebu, ...	,,	29.81	86	...	S	4	c	,,	29.85	86	...	S	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 11 50a. The barometer has fallen much over E. Japan, risen slightly on the China coast and over the Philippines.

The Southern depression is lying off the E. coast of Luzon to the NE. of Manila. It appears to be moving slowly Northwards and will probably recurve to the NE.

The Northern depression is moving NE. in the Sea of Japan.

A high pressure area lies over Central China.

Very strong monsoon in the Formosa Channel, and N. gales over the NE. part of the China Sea.

Forecast:— fresh N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Sunday 8th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

8th NOVEMBER, 1903, P. M. — 9th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	29.76	...	...	SE	10	...	6 a.	29.49	...	...	W	4	...
Hakodate,	"	29.77	...	...	NW	6	...	"	29.66	...	...	W	6	...
Tokio,	"	29.67	...	...	N	4	...	"	29.86	...	...	N	4	...
Kochi,	"	29.82	...	...	W	4	...	"	29.99	...	...	NE	4	...
Nagasaki,	"	30.03	...	...	N	6	...	"	30.07	...	...	E	2	...
Kagoshima,	"	29.99	...	...	NW	4	...	"	30.07	...	...	N	4	...
Oshima,	"	30.09	...	...	N	8	...	"	30.04	...	...	E	2	...
Naha,	"	29.97	...	...	N	8	...	"	29.97	...	...	NE	4	...
Isigakijima,	"	29.97	...	...	NE	8	...	"	29.93	...	...	E	6	...
Taihoku,	1 p.	30.06	...	...	NE	8	...	5 a.	29.98	...	...	E	6	...
Taichu,	"	29.86	...	...	N	6	...	"	29.86	...	...	...	0	...
Tainan,	"	29.87	...	...	N	6	...	"	29.84	...	...	N	4	...
Koshun,	"	29.88	...	...	NE	8	...	"	29.83	...	...	NE	8	...
Pescadores,	"	29.92	...	...	NE	10	...	"	29.89	...	...	NE	10	...
Weihaiwei,	3 p.	30.18	54	...	W	1	...	9 a.	...	...	...	...	...	...
Gutzlaff,	"	30.25	58	58	N	3	cv	"	30.22	57	69	N	3	cv
Sharp Peak,	"	30.09	64	76	ENE	7	c	"	...	63	78	N	4	cg
Amoy,	2.20p.	30.03	75	68	NE	2	c	6.30a.	30.05	66	68	N	2	c
Swatow,	2 p.	30.02	74	...	ESE	1	b	9 a.	30.03	68	...	N	2	c
Canton,	"	...	79	43	NE	2	b	"	...	72	54	N	3	b
Hongkong,	4 p.	29.97	75	45	NNE	1	c	10 a.	30.04	73	48	NE	1	c
Victoria Peak,	"	...	...	...	NNE	1	...	"	...	...	...	N	2	...
Gap Rock,	"	29.97	...	...	ENE	3	...	"	30.03	...	...	NNW	4	...
Macao,	"	29.95	74	...	N	2	c	"	30.02	70	...	N	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.65	82	77	W	4	o	"	29.76	88	72	S	1	c
Pacolod,	3 p.	...	...	...	SSW	3	b	9 a.	...	...	...	SSW	2	c
Iloilo,	"	29.75	87	...	WNW	4	b	"	29.81	84	...	SSW	2	b
Cebu,	"	29.75	87	...	S	3	c	"	29.83	87	...	S	2	c
Cape St. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 10.55a. The barometer has fallen much over NE. Japan, and slightly on the China coast. The Southern depression appears to be now lying off the NE. coast of Luzon. It apparently continues to move slowly Northwards.

The Northern depression is passing to the Pacific to the NE. of Japan.

The high pressure area still lies over Central China.

N. and NE. gales in the Formosa Channel, and NE. part of the China Sea.

Forecast:— fresh N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Monday 9th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th NOVEMBER, 1903, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th NOVEMBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ...	2 p.	29.57	48	...	W	3	b	7 a.	29.54	35	65	N	3	o
Nemuro, ...	"	29.53	...	...	W	8	...	6 a.	29.53	...	...	SW	6	...
Hakodate, ...	"	29.62	...	..	W	8	...	"	29.54	.	...	W	4	...
Tokio, ...	"	29.8[illegible]	...	...	S	4	...	"	29.78		...	NW	2	...
Kochi, ...	"	29.95	...	..	W	2	...	"	29.91	...	...	...	0	...
Nagasaki, ...	"	29.99	...	..	W	6	...	"	29.99	...	...	...	0	...
Kagoshima, ..	"	29.95	...	...	...	0	...	"	29.99	...	...	...	0	...
Oshima, ...	"	29.96	...	...	...	0	...	"	30.00	...	...	...	0	
Naha, ...	"	29.93	...	...	N	4	...	"	29.97	...	...	N	8	..
Ishigakijima, ...	"	29.89	...	...	NE	8	...	"	29.93	...	...	NE	6	...
Taihoku, ...	1 p.	29.95	...	..	E	8	...	5 a.	30.06	...	...	E	6	...
Taichu, ...	"	29.82	..	..	N	6	...	"	29.99	...	...	N	6	...
Tainan, ...	"	29.82	...	.	N	6	...	"	29.87	...	...	N	8	...
Koshun, ...	"	29.82	...	...	NE	8	...	"	29.83	...	...	NE	10	...
Pescadores, ...	"	29.[illegible]9	.	...	NE	10	...	"	29.94	...	...	NE	10	...
Weihaiwei, ...	2 p.	...	...	...	...	...	...	9 a.	30.11	44	...	NW	2	...
Chefoo, ...	"	30.15	60	60	NW	1	bv	"	30.27	51	72	NW	1	bm
Sharp Peak, .	"	30.01	65	76	NNW	4	cg	"	30.14	62	86	NNE	5	o
Amoy, ...	6.30 p.	29.98	73	63	NE	3	cd	6.30 a.	30.07	66	79	NNE	1	c
Swatow, ...	2 p.	29.98	73	...	ESE	2	c	9 a.	...	...	...	...	...	...
Canton, ...	"	...	78	...	N	2	b	"	...	..	...	...	...	...
Hongkong	4 p.	29.92	75	45	NNE	1	c	10 a.	30.09	70	28	N	4	cq
Victoria Peak..	"	...	...	..	NNE	0	...	"	...	...	...	NNE	4	...
Cap Rock	"	29.92	...	...	NNW	3	...	"	30.07	...	..	N	7	...
Macao, ...	"	29.90	75	...	N	3	c	"	30.05	66	...	N	3	cq
Haiphong, .	"	29.97	75	...	E	2	o	"	...	...	...	...	...	..
Manila, ...	"	29.70	82	77	W	2	o	"	29.84	84	71	WSW	1	c
Bacolod, .	2 p.	...	...	...	SSW	4	o	9 a.	...	...	...	SSW	4	c
Iloilo, ...	"	29.73	86	...	SW	4	c	"	29.85	83	...	WSW	2	b
Cebu, ...	"	29.78	83	...	S	1	or	"	29.89	86	...	S	2	b
Cape S. James...	2 p.	...	..	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 11 [illegible]. The barometer has risen over China and the Philippines, fallen again in Japan. The depression in the Pacific has continued to move slowly Northwards and seems to be now lying a little to the Eastward of the Balingtang Channel.

Another depression appears to be passing from the continent into the NE. part of the Sea of Japan.

A high pressure area lies over Central China.

N. and NE. gales in the Formosa Channel, and NE. part of the China Sea.

Forecast:— strong N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Tuesday 10th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

10th NOVEMBER, 1903, P. M. — 11th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ...	2 p.	29.54	39	...	...	0	o	7 a.	29.79	31	69	N	1	c
Nemuro, ...	,,	29.49	...	...	SW	8	...	6 a.	29.45	...	...	NW	4	...
Hakodate, ...	,,	29.50	...	...	W	4	...	,,	29.58	...	...	W	4	...
Tokio,.....	,,	29.67	...	...	NE	4	...	,,	29.67	...	...	NW	2	...
Kochi, ...	,,	29.93	...	...	N	2	...	,,	29.95	...	...	NW	2	...
Nagasaki, ...	,,	29.99	...	...	NW	8	...	,,	30.11	...	...	N	6	...
Kagoshima,....	,,	29.99	...	...	NW	8	...	,,	30.07	...	...	N	6	...
Oshima, ...	,,	30.00	...	...	N	6	...	,,	30.12	...	...	N	8	...
Naha, ...	,,	30.01	...	...	N	8	...	,,	30.13	...	...	N	10	...
Isigakijima, ...	,,	30.01	...	...	NE	8	...	,,	30.17	...	...	NE	8	...
Taihoku,.....	1 p.	30.13	...	...	NE	6	...	5 a.	30.28	...	...	NE	6	...
Taichu, ...	,,	29.89	...	...	N	6	...	,,	30.03	...	...	N	6	...
Tainan, ...	,,	29.89	...	...	N	6	...	,,	30.01	...	...	N	4	...
Koshun, ...	,,	29.87	...	...	NE	10	...	,,	29.98	...	...	NE	10	...
Pescadores, ...	,,	29.96	..	...	NE	10	...	,,	30.07	...	...	NE	12	...
Weihaiwei.....	3 p.	30.09	44	...	W	4	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.20	57	58	NNW	6	bv	,,	30.45	49	57	NW	5	bm
Sharp Peak, ..	,,	30.12	63	72	E	7	c	,,	30.33	61	60	N	4	b
Amoy, ...	2.30p.	3.006	72	67	NE	5	c	6.30a.	30.30	...	...	NNE	2	a
Swatow, ...	3 p.	29.98	74	...	ENE	2	c	9 a.	30.23	67	...	N	3	c
Canton, ...	,,	...	76	41	N	2	b	,,	...	67	41	N	2	b
Hongkong.....	4 p.	30.03	74	19	N	2	c	10 a.	30.24	67	34	N	2	c
Victoria Peak,.	,,	...	...	...	NNE	...	...	,,	...	...	...	NNE	5	...
Gap Rock, ...	,,	30.01	...	...	N	5	...	,,	30.21	...	...	N	6	...
Macao, ...	,,	30.01	73	...	N	4	cp	,,	30.23	64	...	N	6	c
Haiphong, ...	,,	30.06	77	...	NW	1	b	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	84	77	S	1	b	,,	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	SW	3	c	9 a.	...	...	...	S	2	b
Iloilo, ...	,,	29.75	86	...	NNW	2	c	,,	29.85	83	...	WSW	1	b
Cebu, ...	,,	29.82	87	...	S	2	b	,,	29.91	86	...	S	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.50a. The barometer has fallen over NE. Japan, risen elsewhere, particularly over China.
The depression, lying near the N. coast of Luzon, appears to be almost filled up.
The Northern depression is moving into the Pacific to the NE. of Japan.
The anticyclone is central over Mid-China.
Very strong monsoon along the China coast generally, with hard gales in the Formosa Channel and N. part of the China Sea.
Forecast:— strong to moderate N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Wednesday 11th November 1903

CHINA COAST METEOROLOGICAL REGISTER.

	11th NOVEMBER, 1903, P. M.							12th NOVEMBER, 1903, A. M						
STATION.	HOUR.	BAROMETER	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	29.83	36	...	NW	2	o	7 a.	30.00	27	55	NW	1	b
Nemuro, ...	,,	29.45	...	...	N	4	...	6 a.	29.67	...	...	SW	6	...
Hakodate, ...	,,	29.62	...	...	N	4	...	,,	29.70	...	...	NE	4	...
Tokio,.....	,,	29.71	...	...	...	0	...	,,	29.86	...	...	NW	8	...
Kochi, ...	,,	29.95	...	...	...	0	...	,,	30.11	...	...	...	0	...
Nagas,aki, ...	,,	30.15	...	...	N	8	...	,,	30.27	...	...	N	4	...
Kagoshima,....	,,	30.11	...	...	N	8	...	,,	30.27	...	...	...	0	...
Oshima, ...	,,	30.12	...	...	N	6	...	,,	30.24	...	...	N	6	...
Naha, ...	,,	30.17	...	...	N	8	...	,,	30.21	...	...	NE	4	...
Ishigakijima, ...	,,	30.17	...	...	NE	8	...	,,	30.17	...	...	NE	6	...
Taihoku,.....	1 p.	30.29	...	...	E	6	...	5 a.	30.25	...	...	N	6	...
Taichu, ...	,,	30.02	...	...	N	8	...	,,	30.09	...	...	...	0	...
Tainan, ...	,,	30.05	...	...	E	4	...	,,	30.08	...	...	N	2	...
Koshun, ...	,,	30.07	...	...	NE	8	...	,,	30.07	...	...	NE	10	...
Pescadores, ...	,,	30.10	...	...	NE	10	...	,,	30.12	...	...	NE	10	...
Weihsiwei,.....	3 p.	30.34	44	...	NW	2	...	9 a.	30.30	50	...	WSW	3	...
Gutzlaff, ...	,,	30.41	54	55	NNW	5	cv	,,	30.43	50	79	NNW	4	cv
Sharp Peak, ..	,,	30.28	60	65	E	6	c	,,	30.29	61	71	N	3	b
Amoy, ...	2.30p.	30.20	72	46	NE	5	b	6.30a.	30.29	59	70	N	2	...
Swatow, ...	3 p.	30.14	71	...	E	...	c	9 a.	...	...	...	...	...	...
Canton,.....	,,	...	74	36	N	2	b	,,	...	62	46	N	3	b
Hongkong,.....	4 p.	30.15	71	27	NNE	2	b	10 a.	30.27	67	34	N	2	b
Victoria Peak,.	,,	...	...	...	NNE	3	...	,,	...	...	...	...	...	...
Gap Rock,.....	,,	30.12	...	...	NNE	3	...	,,	30.24	...	...	NNE	5	...
Macao, ...	,,	30.13	69	...	NNE	3	cq	,,	30.25	64	...	N	3	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	84	77	ESE	1	o	,,	29.92	82	79	NW	1	o
Bacolod, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	NNW	1	c
Iloilo, ...	,,	29.81	85	...	WSW	3	c	,,	29.91	83	...	SW	1	c
Cebu, ...	,,	29.79	86	...	S	2	...	,,	29.94	86	...	S	1	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.40a. The barometer has fallen slightly over N. China; risen elsewhere, particularly over Japan.

The anticyclone is still central over Mid-China, and the Northern depression is slowly moving away over the Pacific to the NE. of Japan.

Gradients have decreased slightly on the China coast, but remain steep over the China Sea.

NE. gales will continue to blow in the Formosa Channel and N. part of the China Sea.

Forecast:— fresh N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Thursday 12th November 1903

CHINA COAST METEOROLOGICAL REGISTER.

12th NOVEMBER, 1903, P. M. — 13th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.97	48	...	...	0	b	7 a.	29.89	28	99	...	0	c
Nemuro, ...	„	29.45	...	...	W	6	...	6 a.	29.72	...	...	SW	4	...
Hakodate, ...	„	29.70	...	...	W	6	...	„	29.89	...	...	W	4	...
Tokio,.....	„	29.73	...	...	N	6	...	„	30.10	...	...	NW	2	...
Kochi, ...	„	30.11	...	...	...	0	...	„	30.19	...	...	NW	2	...
Nagasaki, ...	„	30.23	...	...	N	2	...	„	30.19	...	...	...	0	...
Kagoshima, ...	„	30.15	...	...	N	6	...	„	30.19	...	...	...	0	...
Oshima, ...	„	30.24	...	...	NE	6	...	„	30.16	...	...	S	2	...
Naha, ...	„	30.13	...	...	NE	6	...	„	30.09	...	...	N	6	...
Ishigakijima, ...	„	30.09	...	...	NE	8	...	„	30.05	...	...	NE	6	...
Taihoku,.....	1 p.	30.15	...	...	E	8	...	5 a.	30.07	...	...	E	6	...
Taichu, ...	„	30.04	...	...	N	2	...	„	30.00	...	...	...	0	...
Tainan,.....	„	30.04	...	...	N	2	...	„	30.00	...	...	N	2	...
Kosbun, ...	„	30.04	...	...	NE	8	...	„	30.00	...	...	...	0	...
Pescadores, ...	„	30.06	...	...	NE	10	...	„	30.01	...	...	NE	6	...
Weihaiwei,.....	3 p.	30.18	54	...	W	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.30	57	63	NNW	2	bv	„	30.22	60	76	SSE	1	bv
Sharp Peak, ..	„	30.18	63	78	ENE	6	c	„	30.14	62	72	WNW	2	og
Amoy, ...	2.30p.	30.18	72	58	NNE	3	b	6.30a.	30.15	63	72	NNE	1	c
Swatow, ...	3 p.	30.13	71	...	ENE	3	c	9 a.	30.18	66	...	W	1	b
Canton, ...	„	...	74	36	N	1	b	„	...	66	49	N	2	b
Hongkong.....	4 p.	30.10	70	36	...	0	b	10 a.	30.14	69	47	E	1	b
Victoria Peak,.	„	...	...	...	ENE	1	...	„	...	...	...	N	1	...
Gap Rock,.....	„	30.10	...	...	NNE	3	...	„	30.13	...	...	ENE	3	...
Macao, ...	„	30.08	70	...	N	2	b	„	30.12	68	...	N	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	78	70	SW	1	o	„	29.88	84	71	WNW	1	c
Bacolod, ...	3 p.	...	...	...	S	2	c	9 a.	...	...	...	N	1	c
Iloilo, ...	„	29.79	86	...	W	2	c	„	29.89	83	...	...	0	b
Cebu, ...	„	29.82	86	...	S	2	...	„	29.90	86	...	...	0	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.55a. The barometer has risen over E. Japan, fallen elsewhere, particularly over China. Pressure is highest between the E. coast of China and W. Japan, and a low pressure area probably lies over Manchuria.

Gradients slight to moderate with moderate monsoon in the Formosa Channel, and strong monsoon over the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Friday 13th November 1903

CHINA COAST METEOROLOGICAL REGISTER.

13th NOVEMBER, 1903, P. M. — 14th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ...	2 p.	29.84	45	...	S	1	c	7 a.	29.80	38	50	N	3	o
Nemuro, ...	,,	29.80	...	...	SE	2	...	6 a.	29.92	...	...	S	4	...
Hakodate, ...	,,	29.93	...	...	W	8	...	,,	29.93	...	...	SW	4	...
Tokio,.....	,,	30.06	...	...	S	4	...	,,	30.14	...	...	NW	4	...
Kochi, ...	,,	30.11	...	...	W	2	...	,,	30.11	...	...	...	0	...
Nagasaki, ...	,,	30.15	...	...	S	4	...	,,	30.15	...	...	...	0	...
Kagoshima,....	,,	30.11	...	...	SE	2	...	,,	30.15	...	...	N	2	...
Oshima, ...	,,	30.08	...	...	N	6	...	,,	30.08	...	...	SW	2	...
Naha, ...	,,	30.01	...	...	NE	6	...	,,	30.01	...	...	NE	4	...
Isinigakijima, ...	,,	29.97	...	...	NE	8	...	,,	29.93	...	...	NE	6	...
Taihoku,.....	1 p.	30.03	...	...	E	8	...	5 a.	30.06	...	...	E	2	...
Taichu, ...	,,	29.94	...	...	N	2	...	,,	30.00	...	...	...	0	...
Tainan, ...	,,	29.94	...	...	NW	4	...	,,	29.99	...	...	N	2	...
Kosbun, ...	,,	29.96	...	...	NE	6	...	,,	29.99	...	...	NE	2	...
Pescadores, ...	,,	29.92	...	...	NE	8	...	,,	30.02	...	...	NE	8	...
Weihaiwei,.....	3 p.	29.93	61	...	W	3	...	9 a.	30.31	46	...	E	2	...
Gutzlaff, ...	,,	30.14	65	63	S	1	bv	,,	30.24	60	71	S	1	bv
Sharp Peak, ..	,,	30.05	64	81	E	6	o	,,	30.11	65	76	N	2	b
Amoy, ...	2.30p.	30.07	72	67	NE	1	c	6.30a.	30.12	63	78	W	1	b
Swatow, ...	3 p.	30.04	71	...	ESE	1	b	9 a.	30.12	67	...	N	2	b
Canton, ...	,,	...	76	34	W	1	b	,,	...	66	68	S	1	b
Hongkong.....	4 p.	30.02	70	55	ESE	1	b	10 a.	30.14	71	68	E	1	b
Victoria Peak,.	,,	...	...	...	NNW	0	...	,,	...	...	...	E	2	...
Gap Rock.....	,,	30.01	...	...	NNE	2	...	,,	30.11	...	...	ENE	3	...
Macao, ...	,,	30.01	71	...	NE	2	b	,,	30.12	71	...	NNE	1	c
Haiphong, ...	,,	30.01	73	...	SE	1	b	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	86	65	SW	1	b	,,	29.92	86	71	WSW	1	c
Bacolod, ...	3 p.	...	...	...	SW	1	o	9 a.	...	...	...	N	3	o
Iloilo, ...	,,	29.80	85	...	WSW	2	o	,,	29.98	80	...	ENE	1	d
Cebu, ...	,,	29.81	86	...	S	2	b	,,	29.92	85	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.35a. The barometer has risen over N. China and the Philippines; fallen over the Loochoos.

The depression in the North seems to be moving into the NE. part of the Sea of Japan.

Pressure is high over N. China and relatively low over the Pacific to the S. of the Loochoos.

The monsoon will freshen again in the Formosa Channel. Strong monsoon over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Saturday 14th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

14th NOVEMBER, 1903. P. M. — 15th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	29.81	44	...	N	3	c	7 a.	30.16	24	64	...	0	b
Nemuro, ...	,,	29.72	...	...	SW	8	...	6 a.	29.72	...	...	NW	8	...
Hakodate, ...	,,	29.69	...	...	SW	10	...	,,	29.97	...	...	NW	6	...
Tokio,.....	,,	29.98	...	...	S	2	...	,,	30.06	...	...	N	2	...
Kochi, ...	,,	30.07	...	...	W	6	...	,,	30.11	...	...	NE	2	...
Nagasaki, ...	,,	30.11	...	...	W	6	...	,,	30.19	...	...	...	0	...
Kagoshima,....	,,	30.11	...	...	SW	2	...	,,	30.19	...	...	N	2	...
Oshima, ...	,,	30.04	...	...	NE	4	...	,,	30.12	...	...	S	2	...
Naha, ...	,,	30.01	...	...	NE	6	...	,,	30.05	...	...	NE	4	...
Isigakijima, ...	,,	29.97	...	...	NE	8	...	,,	30.01	...	...	NE	8	...
Taihoku,.....	1 p.	30.08	...	...	NE	6	...	5 a.	30.08	...	...	E	6	...
Taichu, ...	,,	29.96	...	...	N	6	...	,,	30.00	...	...	...	0	...
Tainan, ...	,,	29.98	...	...	NE	4	...	,,	30.00	...	...	N	2	...
Koshun, ...	,,	29.98	...	...	NE	6	...	,,	29.99	...	...	NE	4	...
Pescadores, ...	,,	30.02	.	...	NE	8	...	,,	30.01	...	...	NE	6	...
Weihaiwei.....	3 p.	30.34	41	...	N	3	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.23	59	82	NNE	2	bv	,,	30.27	62	77	E	3	bv
Sharp Peak. ..	,,	30.10	65	76	E	6	c	,,	30.16	65	78	N	4	b
Amoy, ...	2.30p.	30.08	74	59	ENE	3	b	6.30a.	30.18	62	67	N	2	...
Swatow, ...	3 p.	30.02	72	...	SE	2	b	9 a.	30.14	67	...	N	1	b
Canton, ...	,,	...	78	58	SW	1	b	,,	...	67	...	NE	1	...
Hongkong.....	4 p.	30.03	72	56	E	1	b	10 a.	30.11	71	59	E	2	b
Victoria Peak,.	,,	...	...	...	ENE	0	...	,,	...	...	...	E	3	...
Cap Rock,.....	,,	29.99	...	...	E	3	...	,,	30.07	...	...	ENE	4	...
Macao, ...	,,	30.01	72	...	NNE	2	b	,,	30.08	70	...	NE	2	c
Haiphong, ...	,,	30.00	75	...	SE	1	b	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	86	71	NE	1	c	,,	29.92	84	71	WSW	1	c
Pacolod, ...	3 p.	...	...	...	N	4	b	9 a.	...	...	...	N	3	c
Hoilo, ...	,,	29.79	86	...	NNE	1	b	,,	29.87	81	...	NNE	2	c
Cebu, ...	,,	29.83	85	...	S	2	...	,,	29.89	85	...	N	2	c
Cape S. James,..	4 p.	...	,,	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.3 a. The depression in the North has moved into the Pacific to the NE. of Japan. The barometer has risen slightly over N. China and the Loochoos, fallen a little over S. China and the S. Philippines.

Pressure is high over N. China and relatively low over the Philippine Archipelago and adjacent waters.

Strong monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— Moderate to fresh NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Sunday 15th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	15th NOVEMBER, 1903, P. M.							16th NOVEMBER, 1903, A. M						
STATION.	HOUR.	BAROMETER	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	30.13	41	...	...	0	b	7 a.	29.84	41	99	...	0	o
Nemuro, ...	„	29.84	...	...	NW	8	...	6 a.	30.08	...	...	SW	2	..
Hakodate, ...	„	30.09	...	...	W	6	...	„	30.13	...	...	SW	4	..
Tokio,.....	„	30.14	...	...	NW	6	...	„	30.26	...	...	NW	4	..
Kochi, ...	„	30.19	...	...	...	0	...	„	30.23	...	...	E	4	...
Nagasaki, ...	„	30.19	...	...	NE	2	...	„	30.23	...	...	SE	2	...
Kagoshima,....	„	30.19	...	...	SE	2	...	„	30.23	...	...	NE	4	...
Oshima, ...	„	30.16	...	...	NE	4	...	„	30.16	...	...	S	2	...
Naha, ...	„	30.09	...	...	NE	6	...	„	30.05	...	...	E	2	...
Ishigakijima, ...	„	30.01	...	...	E	8	...	„	29.97	...	...	SE	8	...
Taihoku,.....	1 p.	30.06	...	...	E	8	...	5 a.	29.98	...	...	E	2	...
Taichu, ...	„	29.96	...	...	...	0	...	„	29.99	...	...	...	0	...
Tainan,.....	„	29.98	...	...	N	4	...	„	29.99	...	...	N	2	...
Koshun,.....	„	29.98	...	...	NE	6	...	„	29.95	...	...	...	0	...
Pescadores, ...	„	29.99	...	...	NE	8	...	„	29.98	...	...	N	8	...
Weihaiwei,.....	3 p.	30.19	52	...	SW	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.17	65	68	ESE	3	cv	„	30.12	64	84	SE	3	cv
Sharp Peak, ..	„	30.08	67	77	NE	3	o	„	30.06	67	82	W	2	b
Amoy, ...	2.30p.	30.06	77	53	NE	3	b	6.30a.	30.09	63	83	W	1	b
Swatow, ...	3 p.	29.96	75	...	E	3	b	9 a.	30.09	69	...	N	1	b
Canton, ...	„	...	78	65	...	...	...	„	...	74	76	...	0	b
Hongkong,.....	4 p.	30.00	69	64	E	3	o	10 a.	30.07	73	64	E	3	b
Victoria Peak,.	„	...	...	...	ESE	5	...	„	...	...	...	ESE	3	...
Gap Rock.....	„	29.97	...	...	ENE	4	...	„	30.04	...	...	E	3	...
Macao, ...	„	29.97	71	...	NE	2	c	„	30.04	71	...	E	2	c
Haiphong, ...	„	29.95	75	...	ESE	2	c	„	...	...	...	...	...	...
Manila, ...	„	29.80	90	66	SW	1	b	„	29.88	86	71	S	1	c
Bacolod, ...	3 p.	...	...	...	N	3	c	9 a.	...	...	...	NE	4	o
Iloilo, ...	„	29.74	86	...	NE	1	b	„	29.85	82	...	NNE	1	b
Cebu, ...	„	29.79	85	...	N	3	o	„	29.92	83	...	...	0	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.30 a. The barometer has risen over Japan, fallen much over N. China.
A depression is moving Eastwards over Manchuria, and an area of high pressure lies over S. Japan.
Gradients slight with light monsoon in the Formosa Channel, and fresh monsoon over the N. part of the China Sea.
Forecast:— E. to N. winds, light or moderate; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Monday 16th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

16th NOVEMBER, 1903, P. M. — 17th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.96	...	...	SW	6	...	6 a.	29.92	...	...	NW	8	...
Hakodate, ...	„	29.97	...	...	SW	6	...	„	30.05	...	...	W	6	...
Tokio,.....	„	30.14	...	...	S	2	...	„	30.14	...	...	NW	4	...
Kochi, ...	„	30.23	...	...	...	0	...	„	30.15	...	...	NE	6	...
Nagasaki, ...	„	30.15	...	...	E	4	...	„	30.07	...	...	SE	6	...
Kagoshima,....	„	30.15	...	...	E	2	...	„	30.11	...	...	E	4	...
Oshima, ...	„	30.08	...	...	SE	4	...	„	30.04	...	...	S	4	...
Naha, ...	„	30.01	...	...	E	6	...	„	30.01	...	...	SE	2	...
Isigakijima, ...	„	29.97	...	...	SE	6	...	„	29.97	...	...	S	6	...
Taihoku,.....	1 p.	29.95	...	...	NW	4	...	5 a.	30.00	...	...	SW	2	...
Taichu, ...	„	29.93	...	...	N	4	...	„	29.98	...	...	...	0	...
Tainan,.....	„	29.93	...	...	NW	6	...	„	29.99	...	...	SE	2	...
Koshun, ...	„	29.93	...	...	N	2	...	„	29.98	...	...	...	0	...
Pescadores, ...	„	29.98	...	...	NE	6	...	„	29.98	...	...	NE	6	...
Weihaiwei,.....	3 p.	30.06	54	...	...	...	...	9 a.	30.03	54	...	...	...	...
Gutzlaff, ...	„	30.03	66	84	S	1	cv	„	30.04	64	100	S	1	cd
Sharp Peak, ..	„	29.95	70	82	ESE	2	b	„	30.04	68	87	...	0	c
Amoy, ...	2.30p.	30.00	74	68	SE	3	b	6.30a.	30.04	65	95	SW	1	f
Swatow, ...	3 p.	30.00	74	...	ENE	2	b	9 a.	30.09	70	...	...	0	c
Canton, ...	„	...	81	87	SW	1	b	„	...	75	86	S	2	b
Hongkong.....	4 p.	29.95	72	73	E	3	b	10 a.	30.05	75	63	E	2	b
Victoria Peak,.	„	...	...	...	...	0	...	„	...	...	...	SE	1	...
Gap Rock,.....	„	29.95	...	...	E	3	...	„	30.03	...	...	ENE	2	...
Macao, ...	„	29.94	73	...	ESE	2	c	„	30.02	75	...	ESE	1	c
Haiphong, ...	„	29.92	75	...	SE	2	c	„	...	...	...	...	...	...
Manila, ...	„	29.81	88	67	...	0	c	„	29.92	82	77	W	1	c
Bacolod, ...	3 p.	...	...	...	N	5	c	9 a.	...	...	...	N	5	c
Iloilo, ...	„	29.75	83	...	NE	2	c	„	29.85	82	...	NE	1	c
Cebu,.....	„	29.78	85	...	N	2	c	„	29.87	85	...	N	2	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.5(a. The barometer has fallen over N. China and Japan.
Pressure is highest over S. Japan, and an area of low pressure is still lying over N. China.
Gradients are gentle and the monsoon is completely interrupted on the China coast. Moderate monsoon over the N. part of the China Sea.
Forecast:— light E. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Tuesday 17th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

17th NOVEMBER, 1903, P. M. — 18th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.00	41	...	...	0	o	7 a.	29.86	24	52	N	6	c
Nemuro, ...	„	30.00	...	...	N	6	...	6 a.	29.76	...	...	S	2	...
Hakodate, ...	„	30.05	...	...	NW	6	...	„	29.70	...	...	...	0	...
Tokio,.....	„	30.06	...	...	SW	2	...	„	29.86	...	...	...	0	...
Kochi, ...	„	30.07	...	...	E	2	...	„	29.79	...	...	...	0	...
Nagasaki, ...	„	29.95	...	...	E	6	...	„	29.91	...	...	W	2	...
Kagoshima,....	„	29.99	...	...	SE	4	...	„	29.91	...	...	NW	4	...
Oshima, ...	„	29.96	...	...	SE	4	...	„	30.00	...	...	NW	3	...
Naha, ...	„	30.01	...	...	SE	3	...	„	30.01	...	...	...	0	...
Isaigakijima, ...	„	30.01	...	...	SW	4	...	„	30.01	...	...	NE	2	...
Taihoku,.....	1 p.	29.97	...	...	NW	2	...	5 a.	30.02	...	...	...	0	...
Taichu, ...	„	29.95	...	...	NW	4	...	„	30.00	...	...	...	0	...
Tainan, ...	„	29.95	...	...	NW	6	...	„	29.99	...	...	...	0	...
Koshun, ...	„	29.96	...	...	NE	4	...	„	29.99	...	...	...	0	...
Pescadores, ...	„	29.98	...	...	N	6	...	„	29.99	...	...	NE	2	...
Weihaiwei,.....	3 p.	30.06	50	...	N	3	...	9 a.	30.28	35	...	NW	2	o
Gutzlaff, ...	„	29.98	68	90	SW	1	cv	„	30.19	59	94	N	5	cm
Sharp Peak, ..	„	29.95	70	87	SE	2	b	„	30.08	67	89	E	3	of
Amoy, ...	2.30p.	30.00	72	81	SE	3	c	6.30a.	30.05	67	89	...	0	f
Swatow, ...	3 p.	30.03	74	...	ESE	2	b	9 a.	30.09	71	...	...	0	b
Canton, ...	„	...	83	63	...	0	b	„	...	79	70	S	1	b
Hongkong,.....	4 p.	29.95	74	66	E	2	b	10 a.	30.07	77	61	...	0	o
Victoria Peak,..	„	...	...	...	E	1	...	„	...	...	...	ENE	1	...
Gap Rock,.....	„	29.94	...	...	ENE	2	...	„	30.05	...	...	NE	2	...
Macao, ...	„	29.94	75	...	ESE	2	c	„	30.05	76	...	NNE	1	c
Haiphong, ...	„	29.92	77	...	SE	1	c	„	...	...	...	...	...	...
Manila, ...	„	29.84	84	64	ENE	1	o	„	29.92	82	85	...	0	o
Bacolod, ...	3 p.	...	...	...	NNE	6	o	9 a.	...	...	...	NNE	2	o
Iloilo, ...	„	29.75	86	...	NE	1	o	„	29.87	82	...	...	0	o
Cebu, ...	„	29.79	85	...	N	3	o	„	29.91	84	...	N	2	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.25a. The barometer has fallen much over Japan, risen quickly over N. China. The depression in the North is moving Eastwards in the Sea of Japan, and pressure is again high over N. China.

Very strong monsoon will set in again over the Formosa Channel and N. part of the China Sea during the next 24 hours.

Forecast:— NE. winds, freshening to strong breezes; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory Wednesday 18th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

18th NOVEMBER, 1903, P. M. — 19th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.37	...	...	SW.	4	...	6 a.	29.49	...	...	W	6	...
Hakodate, ...	„	29.30	...	...	NW	6	...	„	29.73	...	...	W	6	...
Tokio,.....	„	29.55	...	...	NW	2	...	„	29.71	...	...	N	2	...
Kochi, ...	„	29.75	...	...	SW	4	...	„	30.03	...	...	E	0	...
Nagas,aki, ...	„	29.95	...	...	W	8	...	„	30.23	...	...	N	6	...
Kagoshima,....	„	29.91	...	...	NW	6	...	„	30.19	...	...	NW	4	...
Oshima, ...	„	30.00	...	...	N	6	...	„	30.16	...	...	N	6	...
Naha, ...	„	30.01	...	...	NW	4	...	„	30.13	...	...	N	6	...
Ishigakijima, ..	„	30.01	...	...	S	2	...	„	30.09	...	...	NE	6	...
Taihoku,.....	1 p.	30.01	...	...	E	4	...	5 a.	30.16	...	...	E	6	...
Taichu, ...	„	29.96	...	...	N	6	...	„	30.03	...	...	N	4	...
Tainan, ...	„	29.95	...	...	N	6	...	„	30.04	...	...	N	4	...
Kosbun, ...	„	29.95	...	...	NE	4	...	„	30.04	...	...	NE	6	...
Pescadores, ...	„	29.99	...	...	N	6	...	„	30.06	...	...	NE	10	...
Weihaiwei.....	3 p.	30.29	36	...	NW	3	...	9 a.	30.41	37	...	NW	2	...
Gutzlaff, ...	„	30.20	54	94	NNE	7	cmd	„	30.45	52	66	N	5	cv
Sharp Peak, ..	„	30.14	67	92	E	2	o	„	30.32	60	82	NNE	8	og
Amoy, ...	2.30p.	30.01	77	73	ENE	3	b	6.30a.	30.19	66	84	NNE	3	o
Swatow, ...	3 p.	29.97	76	...	E	2	b	9 a.	30.18	...	...	ENE	4	c
Canton, ...	„	...	85	64	N	1	b	„	...	71	71	NNE	4	o
Hongkong.....	4 p.	29.97	76	67	E	2	b	10 a.	30.17	70	82	NE	2	o
Victoria Peak,.	„	...	...	...	SE	1	...	„	...	...	...	E	1	...
Gap Rock.....	„	29.96	...	...	E	2	...	„	30.14	...	...	ENE	5	...
Macao, ...	„	29.95	79	...	NE	2	c	„	30.14	69	...	N	1	c
Haiphong, ...	„	29.97	77	...	ESE	1	o	„	...	...	...	...	...	...
Manila, ...	„	29.80	88	66	...	0	o	„	29.96	82	66	...	0	c
Bacolod, ...	3 p.	...	...	...	NE	4	o	9 a.	...	...	...	NE	3	b
Iloilo, ...	„	29.75	87	...	NE	2	c	„	29 89	83	...	...	0	c
Cebu, ...	„	29.81	84	...	N	2	c	„	29.92	87	...	N	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.40a. The barometer has risen generally, particularly in the North.
The depression lying in the Sea of Japan yesterday has moved into the Pacific to the NE. of Japan.
An anticyclone is central over China, and gradients are rather steep with strong monsoon along the whole of the China coast. NE. gales in the Formosa Channel and N. part of the China Sea.
Forecast:— strong NE. winds; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory Thursday 19th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

19th NOVEMBER, 1903, P. M. — 20th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.00	24	...	N	1	b	7 a.	30.09	17	40	...	0	b
Nemuro, ...	"	29.49	...	...	W	10	...	6 a.	29.84	...	...	SW	4	...
Hakodate, ...	"	29.77	...	...	W	8	...	"	30.01	...	...	W	6	...
Tokio,.....	"	29.78	...	...	NW	6	...	"	30.14	...	...	NW	2	...
Kochi, ...	"	30.03	...	...	NW	0	...	"	30.23	...	...	...	0	...
Nagasaki, ...	"	30.27	...	...	NW	6	...	"	30.34	...	...	N	6	...
Kagoshima,....	"	30.19	...	...	N	8	...	"	30.27	...	...	N	8	...
Oshima, ...	"	30.20	...	...	N	6	...	"	30.20	...	...	N	6	...
Naha, ...	"	30.17	...	...	N	8	...	"	30.13	...	...	E	8	...
Ishigakijima, ...	"	30.13	...	...	NE	6	...	"	...	...	...	...	...	...
Taihoku,.....	1 p.	30.19	...	...	NE	8	...	5 a.	...	...	...	...	...	...
Taichu, ...	"	30.00	...	...	N	6	...	"	30.06	...	...	...	0	...
Tainan, ...	"	30.02	...	...	N	4	...	"	30.06	...	...	N	2	...
Koshun, ...	"	30.06	...	...	NE	6	...	"	30.08	...	...	NE	6	...
Pescadores, ...	"	30.10	...	...	NE	10	...	"	30.09	...	...	NE	10	...
Weihaiwei.....	3 p.	30.35	36	...	NW	3	...	9 a.	30.36	42	...	NW	4	...
Gutzlaff, ...	"	30.42	52	53	NNE	3	cv	"	30.45	52	66	NNE	...	cv
Sharp Peak, ..	"	30.24	60	74	NE	6	o	"	30.32	60	82	NNW	6	...
Amoy, ...	2.30p.	30.16	72	67	NE	4	c	6.30a.	30.27	65	73	NNE	3	c
Swatow, ...	3 p.	30.13	71	...	E	5	c	9 a.	...	...	...	...	...	...
Canton, ...	"	...	77	61	N	2	b	"	...	67	74	N	2	o
Hongkong.....	4 p.	30.08	70	90	E	3	o	10 a.	30.19	64	96	N	1	od
Victoria Peak,.	"	...	...	...	E	4	...	"	...	...	...	ENE	2	...
Gap Rock,.....	"	30.04	...	...	ENE	5	...	"	30.15	...	...	NE	6	...
Macao, ...	"	30.01	75	...	NNE	2	c	"	30.16	66	...	NNE	3	c
Haiphong, ...	"	30.02	77	...	NE	1	o	"	...	...	...	...	...	...
Manila, ...	"	29.84	86	52	E	2	c	"	29.92	81	85	NE	1	c
Bacolod, ...	3 p.	...	...	...	NNE	6	c	9 a.	...	...	...	NE	3	o
Iloilo, ...	"	29.79	87	...	NE	1	c	"	29.89	87	...	NNE	1	c
Cebu, ...	"	29.84	86	...	N	4	b	"	29.91	85	...	N	4	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.25a. The barometer has risen over Japan, and is little changed elsewhere. The anticyclone is still central over China, and gradients continue rather steep with very strong monsoon along the coast, and over the China Sea.

Forecast:— fresh NE. winds; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory Friday 20th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

20th NOVEMBER, 1903, P. M. — 21st NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.05	24	...	...	0	c	7 a.	30.25	9	48	NW	3	b
Nemuro, ...	,,	29.84	...	...	SW	8	...	6 a.	30.00	...	...	W	6	...
Hakodate, ...	,,	30.01	...	...	W	6	...	,,	30.01	...	...	...	0	...
Tokio,.....	,,	30.10	...	...	S	2	...	,,	30.18	...	...	NW	2	...
Kochi, ...	,,	30.19	...	...	NE	2	...	,,	30.27	...	...	NW	2	...
Nagasaki.	,,	30.34	...	...	N	6	...	,,	30.38	...	...	NE	2	...
Kagoshima,....	,,	30.31	...	...	N	6	...	,,	30.34	...	...	N	4	...
Oshima, ...	,,	30.28	...	...	N	6	...	,,	30.28	...	...	N	2	...
Naha, ...	,,	30.21	...	...	NE	6	...	,,	30.21	...	...	N_2	6	...
Ishigakijima, ..	,,	30.13	...	...	E	8	...	,,	30.13	...	...	E_1	8	...
Taihoku,.....	1 p.	30.18	...	...	E	8	...	5 a.	30.10	...	...	E_1	6	...
Taichu, ...	,,	30.01	...	...	N	4	...	,,	30.01	...	...	...	0	...
Tainan, ...	,,	30.03	...	..	N	2	...	,,	30.02	...	...	N	2	...
Koshun, ...	,,	30.07	...	...	NE	6	...	,,	30.02	...	...	NE	8	...
Pescadores, ..	,,	30.08	...	...	NE	10	...	,,	30.04	...	...	NE	10	...
Weihaiwei.....	3 p.	30.32	42	...	NW	3	...	9 a.	30.38	42	...	NW	3	...
Cutzlaff, ...	,,	30.37	59	43	E	2	cv	,,	30.38	57	75	NE	3	cv
Sharp Peak, ..	,,	30.24	59	95	NE	6	cq	,,	30.24	60	88	NNW	3	or
Amoy, ...	2.30p.	30.17	68	79	NE	2	od	6.30a.	30.18	65	84	NE	1	or
Swatow, ...	3 p.	30.11	69	...	NE	5	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	72	71	N	1	o	,,	...	60	100	N	3	r
Hongkong	4 p.	30.10	67	76	NE	2	o	10 a.	30.19	63	92	N	2	or
Victoria Peak,.	,,	...	...	...	E	4	...	,,	...	...	...	NNE	4	...
Cap Lock.....	,,	30.07	...	...	ENE	4	...	,,	30.17	...	...	N	4	...
Macao, ...	,,	30.06	66	...	NNE	2	o	,,	30.18	61	...	N	3	or
Haiphong, ...	,,	30.07	72	...	N	1	o	,,	...	...	...	...	...	...
Manila, ...	,,	29.82	86	56	E	1	o	,,	29.96	81	76	...	0	o
Iloilo, ...	8 p.	...	...	...	NE	5	o	9 a.	...	...	...	NE	2	b
Cebu, ...	,,	29.79	86	...	NE	1	o	,,	29.93	83	...	NNE	1	c
Cape S. James,..	,,	29.81	85	...	N	2	c	,,	29.94	86	...	N	2	c
	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11.45a. The barometer has risen over Japan, fallen on the E. and SE. coasts of China. The high pressure area covers China and W. Japan, and gradients are moderate with strong monsoon along the China coast and over the N. part of the China Sea.

Forecast:— fresh N. winds; rainy at first, improving later.

F. G. FIGG.
Acting Director.

Hongkong Observatory Saturday 21st November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

21st NOVEMBER, 1903, P. M. — 22nd NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	We ther
Wladivostock,...	2 p.	30.22	19	...	N	3	b	7 a.	30.42	5	55	N	3	
Nemuro, ...	"	29.80	...	...	W	8	...	6 a.	30.08	...	...	SW	6	
Hakodate, ...	"	30.05	...	...	W	6	...	"	30.21	...	...	W	6	
Tokio,.....	"	30.14	...	...	SE	4	...	"	30.26	...	...	N	4	
Kochi, ...	"	30.23	...	...	...	0	...	"	30.23	...	...	W	0	
Nagasaki, ...	"	30.34	...	...	E	2	...	"	30.34	...	...	N	3	
Kagoshima,....	"	30.34	...	...	NW	2	...	"	30.31	...	...	N	6	
Oshima, ...	"	30.24	...	...	NE	2	...	"	30.20	...	...	NE	6	
Naha, ...	"	30.09	...	...	NE	6	...	"	30.01	...	...	N	8	
Isigakijima, ...	"	30.05	...	...	E	8	...	"	29.97	...	...	NE	10	
Taiboku,.....	1 p.	30.06	...	...	NE	4	...	5 a.	30.20	...	...	NE	4	
Taichu, ...	"	30.02	...	...	...	0	...	"	30.04	...	...	N	4	
Tainan, ...	"	30.02	...	...	N	4	...	"	30.03	...	...	N	8	
Koshun, ...	"	30.04	...	...	NE	6	...	"	30.00	...	...	NE	6	
Pescadores, ...	"	30.07	...	...	NE	10	...	"	30.09	...	...	NE	10	
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	30.66	32	...	N	2	c
Cutzlaff, ...	"	30.36	59	59	ENE	2	cv	"	30.46	54	87	N	4	ov
Sharp Peak, ..	"	30.17	61	98	WNW	2	r	"	30.27	60	82	NNW	4	c
Amoy, ...	2.30p.	30.16	65	89	NNW	1	or	6.30a.	30.30	66	64	NNE	1	c
Swatow, ...	3 p.	30.12	67	...	N	2	or	9 a.	...	...	...	...	...	
Canton, ...	"	...	60	100	N	2	od	"	...	...	...	...	...	
Hongkong	4 p.	30.12	63	86	N	2	od	10 a.	30.22	68	62	N	1	c
Victoria Peak,.	"	...	...	...	NNE	1	...	"	...	...	...	NNE	2	
Gap Rock.....	"	30.08	...	...	N	6	...	"	...	...	...	...	...	
Macao, ...	"	30.09	62	...	N	3	or	"	30.21	69	...	N	3	c
Haiphong, ...	"	30.12	70	...	NE	1	c	"	...	...	...	...	...	
Manila, ...	"	29.88	82	77	...	0	c	"	...	...	...	...	...	
Bacolod, ...	3 p.	...	...	...	NE	6	cd	9 a.	...	...	...	N	3	b
Iloilo, ...	"	29.81	87	...	NNE	1	c	"	29.90	83	...	NNW	1	c
Cebu, ...	"	29.84	86	...	N	3	b	"	29.94	85	...	N	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 22nd at 11a. The barometer has risen over China, particularly in the North; fallen quickly over t Loochoos.

The anticyclone, which is of considerable intensity, is still central over N. China, and an area of low pressu is lying over the Pacific to the South of the Loochoos.

Gradients are rather steep with heavy monsoon along the China coast and over the N. part of the China Se

Forecast:— strong N. breezes; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Sunday 22nd November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

22nd NOVEMBER, 1903, P. M. — 23rd NOVEMBER, 1903, A. M

STATION.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Windivostock,....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	"	30.08	...	...	W	6	...	6 a.	30.24	...	...	SW	4	...
Hakodate, ...	"	30.26	...	...	W	6	...	"	30.38	...	...	W	4	...
Tokio,.....	"	30.16	...	...	NW	2	...	"	30.37	...	...	NW	4	...
Kochi, ...	"	30.23	...	...	N	2	...	"	30.27	...	...	N	0	...
Nagasaki.	"	30.34	...	...	E	6	...	"	30.42	...	...	...	0	...
Kagoshima,....	"	30.31	...	...	N	4	...	"	30.34	...	...	N	4	...
Oshima, ...	"	30.20	...	...	NE	10	...	"	30.24	...	...	NE	6	...
Naha, ...	"	30.09	...	...	N	8	...	"	30.17	...	...	N	6	...
Isigakijima, ..	"	30.09	...	...	NE	8	...	"	30.13	...	...	NE	6	...
Tachoku,.....	1 p.	30.22	...	...	E	6	...	5 a.	30.31	...	...	E	6	...
Taichu, ...	"	30.09	...	...	NW	6	...	"	30.14	...	...	...	0	...
Tainan, ...	"	30.05	...	...	N	2	...	"	30.12	...	...	N	4	...
Koshun, ...	"	30.09	...	...	NE	4	...	"	30.12	...	...	NE	8	...
Pescadores, ..	"	30.12	...	...	NE	10	...	"	30.15	...	...	NE	10	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	30.00	34	...	...	...	...
Gutzlaff, ...	"	29.43	65	68	NNE	5	cv	"	30.51	53	61	NNE	4	cv
Sharp Peak, ..	"	30.20	62	83	NE	3	o	"	30.34	60	71	N	7	o
Amoy, ...	2.20p.	30.21	68	95	NE	2	c	6.20a.	...	...	...	...	...	...
Swatow, ...	3 p.	30.15	69	...	ENE	3	o	9 a.	30.20	63	...	W	2	o
Canton, ...	"	...	68	...	NE	2	c	"	...	68	74	W	1	b
Hongkong.....	4 p.	30.17	69	63	N	2	o	10 a.	30.28	68	53	ENE	3	b
Victoria Peak,.	"	...	...	...	NNE	3	...	"	...	...	...	ESE	2	...
Cap Rock,.....	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Macao, ...	"	30.16	61	...	NNE	3	c	"	30.26	67	...	ENE	3	c
Haiphong, ...	"	30.14	73	...	S	1	b	"	...	...	...	...	...	...
Manila, ...	"	29.80	86	71	NE	1	o	"	29.96	82	77	W	1	b
Iacoled, ...	3 p.	...	...	...	N	3	c	9 a.	...	...	...	NNE	5	b
Iloilo, ...	"	29.83	88	...	NNE	2	c	"	29.97	84	...	NNE	1	b
Cebu, ...	"	29.84	86	...	N	3	c	"	29.95	85	...	N	4	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.28a. The barometer has risen generally, except over N. China.
The anticyclone covers China and Japan, the centre lying over N. China.
Gradients continue rather steep with heavy monsoon in the Formosa Channel, and N. part of the China Sea.
Forecast:— fresh NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Monday 23rd November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

23rd NOVEMBER, 1903, P. M. — 24th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	30.44	25	...	N	1	b	7 a.	30.38	12	49	NE	2	b
Nemuro, ...	„	30.24	...	...	W	3	...	6 a.	30.31	...	...	W	4	...
Hakodate, ...	„	30.40	...	...	NW	6	...	„	30.40	...	...	NE	3	...
Tokio,.....	„	30.43	...	...	NE	4	...	„	30.41	...	...	NW	4	...
Kochi, ...	„	30.27	...	...	NE	2	...	„	30.27	...	...	E	4	...
Nagasaki.	„	30.34	...	...	NE	6	...	„	30.34	...	...	...	0	...
Kagoshima.	„	30.31	...	...	SE	2	...	„	30.34	...	...	N	4	...
Oshima, ...	„	30.24	...	...	NE	6	...	„	30.20	...	...	S	2	...
Naha, ...	„	30.17	...	...	N	8	...	„	30.17	...	...	N	4	...
Ishigakijima, ..	„	30.17	...	...	NE	8	...	„	30.13	...	...	N	4	...
Taihoku,.....	1 p.	30.26	...	...	NE	8	...	5 a.	30.17	...	...	NE	2	...
Taichu, ...	„	30.10	...	...	N	4	...	„	30.13	...	...	...	0	...
Tainan, ...	„	30.11	...	..	NW	2	...	„	30.13	...	...	N	2	...
Koshun, ...	„	30.12	...	...	NE	6	...	„	30.13	...	...	NE	2	...
Pescadores, ..	„	30.16	.	...	NE	10	...	„	30.17	...	...	NE	10	...
Weihaiwei.....	3 p.	30.53	39	...	W	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	„	30.46	53	67	NNE	4	cvd	„	30.40	54	74	NE	3	cv
Sharp Peak. ..	„	30.27	62	72	NE	7	b	„	30.27	66	76	N	1	og
Amoy, ...	2.30p.	30.27	68	74	NE	4	c	6.30a.	30.30	61	77	W	1	o
Swatow.	3 p.	30.21	68	...	NE	2	c	9 a.	30.25	66	...	NE	2	b
Canton, ...	„	...	71	75	...	0	b	„	...	66	84	N	1	b
Hongkong	4 p.	30.20	69	57	E	2	c	10 a.	30.24	70	49	E	2	b
Victoria Peak,.	„	...	...	...	E	3	...	„	...	...	...	ENE	2	...
Cap Lock.....	„	30.18	...	...	ENE	6	...	„	30.22	...	...	ENE	3	...
Macao, ...	„	30.17	69	...	NNE	2	c	„	30.23	69	...	N	1	c
Taihong, ...	„	30.16	72	...	ESE	2	c	„	...	...	...	...	...	...
Manila, ...	„	29.88	85	64	NNE	1	c	„	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	N	6	d	9 a.	...	...	...	NNE	6	b
Iloilo, ...	„	29.83	87	...	NE	2	b	„	29.93	83	...	NE	2	c
Cebu, ...	„	29.87	86	...	N	4	b	„	...	...	...	...	...	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 10.42a. The barometer has risen over NE. Japan; fallen over China, particularly in the North.

The anticyclone still covers China and Japan. Gradients are decreasing and the monsoon is moderating along the China coast, but continues to blow strongly over the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory Tuesday 24th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	24th NOVEMBER, 1903, P. M.							25th NOVEMBER, 1903, A. M						
STATION.	HOUR.	BAROMETER	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	30.32	21	...	N	4	c	7 a.	30.32	10	70	N	1	b
Nemuro, ...	,,	30.24	...	...	W	4	...	6 a.	30.24	...	...	...	0	...
Hakodate, ...	,,	30.32	...	...	N	2	...	,,	30.21	...	...	...	0	...
Tokio,.....	,,	30.30	...	...	NE	4	...	,,	30.18	...	...	NW	2	...
Kochi, ...	,,	30.15	...	...	...	0	...	,,	30.11	...	...	NE	2	...
Nagasaki, ...	,,	30.23	...	...	N	4	...	,,	30.23	...	...	NE	2	...
Kagoshima,....	,,	30.23	...	...	NW	...	...	,,	30.19	...	...	N	6	...
Oshima, ...	,,	30.16	...	...	NE	6	...	,,	30.16	...	...	N	8	...
Naha, ...	,,	30.09	...	...	NE	6	...	,,	30.09	...	...	NE	4	...
Ishigakijima, ...	,,	30.09	...	...	NE	8	...	,,	30.09	...	...	E	6	...
Taihoku,.....	1 p.	30.15	...	...	E	6	...	5 a.	30.22	...	...	E	2	...
Taichu, ...	,,	30.08	...	...	SW	2	...	,,	30.11	...	...	N	4	...
Tainan,.....	,,	30.13	...	...	N	6	...	,,	30.09	...	...	N	4	...
Koshun,.....	,,	30.10	...	...	N	6	...	,,	30.04	...	...	...	0	...
Pescadores, ...	,,	30.13	...	...	S	2	...	,,	30.13	...	...	NE	10	...
Weihaiwei.....	3 p.	30.41	30	...	W	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.37	51	...	N	3	cv	,,	30.41	52	79	N	5	cv
Sharp Peak, ..	,,	30.21	60	76	WNW	2	o	,,	30.29	59	76	NNE	4	o
Amoy, ...	2.30p.	30.19	69	70	NE	1	c	6.30a.	30.28	62	77	NE	1	c
Swatow, ...	3 p.	30.17	71	...	NNE	2	b	9 a.	30.23	65	...	NW	2	o
Canton, ...	,,	...	74	72	N	2	b	,,	...	66	73	N	1	c
Hongkong.....	4 p.	30.12	68	64	E	2	b	10 a.	30.23	68	51	NE	1	b
Victoria Peak,.	,,	...	...	...	N	1	...	,,	...	...	...	NNE	2	...
Cap Rock.....	,,	30.12	...	...	E	3	...	,,	30.21	...	...	NE	4	...
Macao, ...	,,	30.11	71	...	N	2	c	,,	30.21	65	...	NNE	4	c
Haiphong, ...	,,	30.09	72	...	SE	2	o	,,	...	...	...	...	...	...
Manila, ...	,,	29.88	86	59	ENE	1	c	,,	29.96	84	58	W	1	b
Bacolod, ...	3 p.	...	...	...	N	6	b	9 a.	...	...	...	N	2	o
Iloilo, ...	,,	29.81	88	...	NNE	2	c	,,	29.95	84	...	NNE	1	o
Cebu, ...	,,	29.86	85	...	N	4	b	,,	...	...	...	...	...	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 11.35a. The barometer has fallen over Japan, and is inclined to rise again over China. The anticyclone is still central over China, and gradients are moderate with strong monsoon in the Formosa Channel, and N. part of the China Sea.

Forecast:— *fresh NE. winds; fine.*

F. G. FIGG.
Acting Director.

Hongkong Observatory Wednesday 25th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

25th NOVEMBER, 1903, P. M. — 26th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	30.28	24	...	N	3	c	7 a.	30.32	14	75	N	3	b
Nemuro, ...	„	30.08	...	...	N	2	...	6 a.	30.04	...	...	NW	6	...
Hakodate, ...	„	30.09	...	...	NW	6	...	„	30.17	...	...	NW	4	...
Tokio.....	„	30.02	...	...	N	4	...	„	30.10	...	...	N	4	...
Kochi, ...	„	30.03	...	...	E	2	...	„	30.07	...	...	...	0	...
Nagasaki, ...	„	30.19	...	...	N	6	...	„	30.27	...	...	NW	4	...
Kagoshima, ...	„	30.07	...	...	N	8	...	„	30.23	...	...	NW	4	...
Oshima, ...	„	30.08	...	...	N	8	...	„	30.20	...	...	N	8	...
Naha, ...	„	30.09	...	...	N	4	...	„	30.17	...	...	N	6	...
Isigakijima, ...	„	30.09	...	...	NE	6	...	„	30.17	...	...	NE	4	...
Taihoku,.....	1 p.	30.20	...	...	E	6	...	5 a.	30.23	...	...	E	2	...
Taichu, ...	„	30.04	...	...	N	6	...	„	30.02	...	...	N	2	...
Tainan, ...	„	30.05	...	...	N	6	...	„	30.10	...	...	N	4	...
Koshun, ...	„	30.04	...	...	NE	8	...	„	30.12	...	...	NE	6	...
Pescadores, ...	„	30.12	...	...	NE	10	...	„	30.10	...	...	NE	10	...
Weihaiwei.....	3 p.	30.51	32	...	N	3	...	9 a.	30.47	36	...	NW	1	...
Gutzlaff, ...	„	30.29	52	66	N	5	cv	„	30.45	48	63	N	4	cv
Sharp Peak, ..	„	30.24	59	73	NE	4	o	„	30.31	57	75	N	3	o
Amoy, ...	2.30p.	30.20	67	74	ENE	3	c	6.30a.	30.29	59	70	NE	2	o
Swatow, ...	3 p.	30.20	67	...	ESE	3	c	9 a.	30.26	63	...	N	2	c
Canton, ...	„	...	71	76	N	2	o	„	...	66	73	N	4	o
Hongkong.....	4 p.	30.13	67	65	E	2	c	10 a.	30.24	66	66	NE	2	o
Victoria Peak,.	„	...	...	...	ESE	2	...	„	...	...	...	ENE	3	...
Gap Rock, ...	„	30.10	...	...	ENE	4	...	„	30.20	...	...	ENE	5	...
Macao, ...	„	30.09	69	...	NNE	1	c	„	30.22	63	...	N	4	c
Haiphong, ...	„	30.05	70	...	E	3	o	„	...	...	...	...	...	...
Manila, ...	„	29.84	87	63	...	0	c	„	29.96	82	63	WSW	1	b
Bacolod, ...	3 p.	...	...	...	NNE	5	o	9 a.	...	...	...	NNE	6	o
Iloilo, ...	„	29.81	82	...	NNE	1	c	„	29.95	84	...	NE	3	c
Cebu, ...	„	29.81	85	...	N	2	c	„	29.89	85	...	N	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 11.50a. The barometer has risen slightly on the China coast, fallen over E. Japan. The anticyclone still covers China, and gradients continue moderate with strong monsoon in the Formosa Channel, and N. part of the China Sea.

Forecast:— fresh NE. winds; fair.

F. G. FIGG
Acting Director.

Hongkong Observatory Thursday 26th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th NOVEMBER, 1903, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th NOVEMBER, 1903, A. M Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30·31	29	...	NW	2	b	7 a.	30.06	29	92	SE	3	o
Nemuro, ...	„	30.04	...	...	N	10	...	6 a.	30.28	...	...	N	4	...
Hakodate, ...	„	30.21	...	...	NW	4	...	„	30.33	...	...	N	2	...
Tokio,.....	„	30.10	...	...	N	4	...	„	30.34	...	...	NW	4	...
Kochi, ...	„	30.15	...	...	NE	6	...	„	30.15	...	...	E	6	...
Nagasaki, ...	„	30.23	...	...	NE	6	...	„	30.11	...	...	E	6	...
Kagoshima,....	„	30.19	...	...	E	4	...	„	30.11	...	...	E	6	...
Oshima, ...	„	30.16	...	...	N	6	...	„	30.08	...	...	S	2	...
Naha, ...	„	30.17	...	...	N	8	...	„	30.05	...	...	...	0	...
Isigakijima, ...	„	30.13	...	...	NE	6	...	„	30.01	...	...	E	6	...
Taihoku,.....	1 p.	30.16	...	...	E	6	...	5 a.	30.21	...	...	NW	6	...
Taichu, ...	„	30.06	...	...	...	0	...	„	30.14	...	...	NE	2	...
Tainan,.....	„	30.06	...	...	N	2	...	„	30.10	...	...	N	10	...
Koshun, ...	„	30.06	...	...	NE	6	...	„	30.04	...	...	...	0	...
Pescadores, ...	„	30.12	...	...	N	10	...	„	30.17	...	...	NE	10	...
Weihaiwei,.....	3 p.	30.39	37	...	NW	1	...	9 a.	30.17	36	...	NW	3	...
Gutzlaff, ...	„	30.39	48	71	N	5	cv	„	30.37	38	81	NW	7	c
Sharp Peak, ..	„	30.22	56	78	N	2	o	„	30.32	51	69	NW	3	o
Amoy, ...	2.30p.	30.21	65	68	NE	3	o	6.30a.	30.31	57	69	WNW	1	o
Swatow, ...	3 p.	30.17	67	...	E	4	...	9 a.	30.31	56	...	NNW	4	c
Canton, ...	„	...	61	88	N	3	o	„	...	53	80	N	5	o
Hongkong.....	4 p.	30.13	67	59	N	1	o	10 a.	30.30	55	41	NNE	2	o
Victoria Peak,.	„	...	...	...	N	1	...	„	...	...	...	NNE	8	...
Cap Rock,.....	„	30.12	...	...	N	4	...	„	30.28	...	...	N	7	...
Macao, ...	„	30.11	62	...	N	3	c	„	30.31	50	...	N	6	cq
Haipheng, ...	„	30.12	63	...	NE	3	●	„	...	...	...	...	...	...
Manila, ...	„	29.88	81	70	E	1	o	„	29.96	81	69	N	1	o
Bacolod, ...	3 p.	...	...	...	N	7	o	9 a.	...	...	...	N	1	b
Iloilo, ...	„	29.81	84	...	NE	2	o	„	29.89	81	...	NE	2	b
Cebu, ...	„	29.83	84	...	N	3	b	„	29.93	84	...	N	1	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at noon. The barometer has fallen over N. China, SW. Japan and the Loochoos; risen over S. China and E. Japan. A depression exists over E. Manchuria and another area of low pressure appears to be lying near the Loochoos.

The anticyclone is central over Mid-China, and a second area of high pressure lies over E. Japan. Gradients steep generally with strong N. gales in the Formosa Channel and N. part of the China Sea.

Forecast:— strong N. winds; fair.

F. G. FIGG
Acting Director.

Hongkong Observatory Friday 27th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

27th NOVEMBER, 1903, P. M.

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.99	31	...	SE	5	s
Nemuro, ...	„	30.21	...	...	...	0	...
Hakodate, ...	„	30.21	...	...	NE	2	...
Tokio,.....	„	30.22	...	...	NW	6	...
Kochi, ...	„	30.03	...	...	NE	4	...
Nagasaki, ...	„	29.91	...	...	N	4	...
Kagoshima,....	„	29.87	...	...	NE	2	...
Oshima, ...	„	29.92	...	...	SW	4	...
Naha, ...	„	29.89	...	...	S	2	...
Ishigakijima, ...	„	30.01	...	...	N	10	...
Taihoku,.....	1 p.	30.23	...	...	NW	8	...
Taichu, ...	„	30.13	...	...	N	8	...
Tainan,.....	„	30.09	...	...	N	10	...
Koshun, ...	„	30.06	...	...	N	4	...
Pescadores, ...	„	30.17	...	...	N	10	...
Weihaiwei.....	3 p.	...	...	...	...	...	...
Gutzlaff, ...	„	30.24	44	45	NW	7	cd
Sharp Peak, ..	„	30.20	54	61	WNW	3	...
Amoy, ...	2.30p.	30.21	62	51	NNE	3	c
Swatow, ...	3 p.	30.18	63	...	N	2	b
Canton, ...	„	...	58	70	N	3	o
Hongkong.....	4 p.	30.19	58	84	N	2	o
Victoria Peak,.	„	...	...	...	N	6	...
Gap Rock,.....	„	...	...	...	...	...	...
Macao, ...	„	30.17	56	...	NNW	4	cq
Haiphong, ...	„	30.28	59	...	NW	2	c
Manila, ...	„	29.88	75	91	...	0	od
Bacolod, ...	3 p.	...	...	...	N	5	b
Iloilo, ...	„	29.83	87	...	NE	2	b
Cebu, ...	„	29.83	85	...	N	3	b
Cape S. James,..	4 p.	...	...	...	...	...	...

28th NOVEMBER, 1903, A. M

Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.76	26	96	N	2	o
6 a.	30.04	...	...	SE	8	...
„	29.70	...	...	SE	8	...
„	29.55	...	...	NW	6	...
„	29.76	...	...	N	2	...
„	30.03	...	...	N	4	...
„	29.99	...	...	N	4	...
„	30.00	...	...	N	10	...
„	30.05	...	...	NW	8	...
„	30.13	...	...	N	6	...
5 a.	30.21	...	...	SE	2	...
„	30.10	...	...	N	2	...
„	30.10	...	...	N	6	...
„	30.06	...	...	NE	6	...
„	30.13	...	...	NE	8	...
9 a.	30.01	39	...	W	3	...
„	30.26	42	58	WNW	4	bv
„	30.28	50	65	N	1	b
6.30a.	30.29	47	...	NNE	1	c
9 a.	30.27	53	...	N	2	b
„	...	52	60	N	3	b
10 a.	30.27	58	44	E	2	b
„	...	...	...	E	2	...
„	...	...	...	...	...	...
„	30.25	52	...	N	2	e
„	...	...	...	...	...	...
„	...	...	...	...	...	...
9 a.	...	...	...	N	5	b
„	29.89	82	...	NNE	3	b
„	29.94	85	...	N	2	b
10 a.	...	...	...	...	...	...

On the 28th at 12.10p. The barometer has fallen in the North, particularly over E. Japan.
The depression lying over Manchuria yesterday is moving Eastwards in the N. part of the Sea of Japan.
The depression lying near the Loochoos yesterday lies now off the SE. coast of Japan.
The anticyclone is still central over Mid-China.
Strong N. winds to gales in the Formosa Channel and N. part of the China Sea.
Forecast:— fresh N. winds; fine.

F. G. FIGG
Acting Director.

Hongkong Observatory Saturday 28th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

28th NOVEMBER, 1903, P. M. 29th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	"	29.83	...	...	SE	10	...	6 a.	29.49	...	...	NW	10	...
Hakodate, ...	"	29.26	...	...	SW	8	...	"	29.81	...	...	W	8	...
Tokio.....	"	29.55	...	...	NE	2	...	"	29.98	...	...	NW	4	...
Kochi, ...	"	29.87	...	...	S	2	...	"	30.07	...	...	...	0	...
Nagasaki, ...	"	30.03	...	...	N	6	...	"	30.15	...	...	...	0	...
Kagoshima,....	"	30.03	...	...	N	6	...	"	30.19	...	...	N	2	...
Oshima, ...	"	30.04	...	...	N	6	...	"	30.16	...	...	S	2	...
Naha, ...	"	30.05	...	...	N	6	...	"	30.13	...	...	NE	2	...
Isigakijima, ...	"	30.13	...	...	N	2	...	"	30.13	...	...	NE	4	...
Taiboku,.....	1 p.	30.15	...	...	E	6	...	5 a.	30.14	...	...	E	4	...
Taichu, ...	"	30.06	...	...	...	0	...	"	30.10	...	...	...	0	...
Tainan, ...	"	30.08	...	...	N	6	...	"	30.09	...	...	N	4	...
Koshun, ...	"	30.08	...	...	NE	6	...	"	30.07	...	...	NE	6	...
Pescadores, ...	"	30.12	...	...	N	6	...	"	30.11	...	...	NE	8	...
Weihaiwei.....	3 p.	30.01	45	...	W	2	...	9 a.	30.23	44	...	W	2	...
Gutzlaff, ...	"	30.21	49	43	W	3	bv	"	30.30	50	65	WSW	2	bv
Sharp Peak, ..	"	30.18	53	64	NE	2	b	"	30.24	50	90	NNE	2	o
Amoy, ...	2.30p.	30.19	61	50	NE	3	c	6.30a.	30.24	53	54	N	1	c
Swatow, ...	3 p.	30.19	57	...	SE	2	b	9 a.	...	...	...	...	...	...
Canton, ...	"	...	61	88	N	1	b	"	...	56	...	ENE	1	o
Hongkong.....	4 p.	30.12	69	54	E	2	b	10 a.	30.20	63	44	N	2	o
Victoria Peak,.	"	...	...	...	W	1	...	"	...	...	...	NNE	1	...
Cap Rock, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Macao, ...	"	30.11	67	...	NE	2	c	"	30.18	57	...	N	1	c
Haiphong, ...	"	30.09	81	...	NNW	1	b	"	...	...	...	...	...	...
Manila, ...	"	29.84	86	71	...	0	c	"	...	...	...	...	...	...
Bacolod, ...	8 p.	...	...	...	N	6	b	9 a.	...	...	...	N	3	b
Iloilo, ...	"	29.79	87	...	ENE	2	b	"	29.89	83	...	NNE	1	c
Cebu, ...	"	29.82	85	...	N	3	b	"	29.91	85	...	N	1	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11a. The barometer has risen over N. China and Japan, fallen in S. China.
The depression is moving into the Pacific to the NE. of Japan.
The high pressure area is still lying over China.
Gradients moderate with strong monsoon in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate N. to NE. winds; fine.

F. G. FIGG
Acting Director.

Hongkong Observatory Sunday 29th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

29th NOVEMBER, 1903, P. M. — 30th NOVEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.94	38	...	...	0	c	7 a.	30.17	12	42	...	0	b
Nemuro, ...	"	29.72	...	...	NW	6	...	6 a.	30.04	...	...	W	2	...
Hakodate, ...	"	29.89	...	...	NW	10	...	"	30.09	...	...	...	0	...
Tokio,.....	"	29.98	...	...	S	2	...	"	30.14	...	...	NW	2	...
Kochi, ...	"	30.07	...	...	W	0	...	"	30.15	...	...	E	2	...
Nagasaki, ...	"	30.19	...	...	N	2	...	"	30.23	...	...	NE	2	...
Kagoshima,....	"	30.15	...	...	...	0	...	"	30.19	...	...	NE	2	...
Oshima, ...	"	30.12	...	...	N	4	...	"	30.16	...	...	S	2	...
Naha, ...	"	30.13	...	...	N	4	...	"	30.13	...	...	...	0	...
Isaigakijima, ...	"	30.09	...	...	E	6	...	"	30.09	...	...	E	6	...
Taihoku,.....	1 p.	30.10	...	...	E	8	...	5 a.	30.13	...	...	E	4	...
Taichu, ...	"	30.06	...	...	SW	2	...	"	30.09	...	...	...	0	...
Tainan, ...	"	30.04	...	...	N	6	...	"	30.08	...	...	N	4	...
Koshun, ...	"	30.04	...	...	NE	6	...	"	30.06	...	...	N	2	...
Pescadores, ...	"	30.09	...	...	NE	8	...	"	30.12	...	...	NE	6	...
Weihaiwei,.....	3 p.	...	...	...	...	...	...	9 a.	30.37	34	...	ENE	2	...
Gutzlaff, ...	"	30.23	55	44	WSW	2	cv	"	30.32	50	79	NW	3	cv
Sharp Peak, ..	"	30.17	57	66	ENE	3	c	"	30.22	57	72	N	2	o
Amoy, ...	2.30p.	30.17	57	81	E	3	b	6.30a.	30.22	58	81	W	1	c
Swatow, ...	3 p.	30.15	62	...	ESE	2	c	9 a.	...	...	...	...	...	...
Canton, ...	"	...	68	56	NW	...	b	"	...	...	...	...	...	...
Hongkong,.....	4 p.	30.09	64	47	E	1	o	10 a.	30.30	65	39	...	0	o
Victoria Peak,.	"	...	...	...	E	...	...	"	...	...	...	...	...	...
Cap Rock,.....	"	30.07	...	...	NNE	3	...	"	30.19	...	...	NNE	3	...
Macao, ...	"	30.07	63	...	NE	1	c	"	30.20	63	...	N	1	c
Haiphong, ...	"	30.06	66	...	E	1	o	"	...	...	...	...	...	...
Manila, ...	"	29.84	82	85	...	0	c	"	29.96	79	76	NNE	1	o
Bacolod, ...	3 p.	...	...	...	N	4	...	9 a.	...	...	...	NNE	4	c
Iloilo, ...	"	29.79	86	...	NE	1	c	"	29.88	82	...	NNW	2	c
Cebu, ...	"	29.81	85	...	NE	3	o	"	29.89	84	...	N	1	...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 11.30a. The barometer has risen over N. China and Japan and is little changed elsewhere.
The high pressure area still lies over China and gradients are slight to moderate.
Strong monsoon in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate N. winds; fine.

F. G. FIGG
Acting Director.

Hongkong Observatory, Monday 30th November 1903.

CHINA COAST METEOROLOGICAL REGISTER.

30th NOVEMBER, 1903, P. M. — 1st DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.04	...	...	SW	4	...	6 a.	30.24	...	...	N	4	...
Hakodate, ...	,,	30.09	...	...	NW	6	...	,,	30.21	...	...	N	4	...
Tokio.....	,,	30.06	...	...	N	2	...	,,	30.14	...	...	N	4	...
Kochi, ...	,,	30.11	...	...	W	2	...	,,	30.11	...	...	NE	2	...
Nagasaki, ...	,,	30.15	...	...	NE	4	...	,,	30.11	...	...	SE	4	...
Kagoshima,....	,,	30.11	...	...	SE	2	...	,,	30.11	...	...	N	4	...
Oshima, ...	,,	30.12	...	...	N	2	...	,,	30.12	...	...	...	0	...
Naha, ...	,,	30.05	...	...	NE	2	...	,,	30.13	...	...	N	6	...
Isigakijima, ..	,,	30.05	...	...	S	4	...	,,	30.13	...	...	NE	4	...
Taihoku,.....	1 p.	30.14	...	...	E	4	...	5 a.	30.26	...	...	E	2	...
Taichu, ...	,,	30.04	...	...	N	6	...	,,	30.13	...	...	N	4	...
Tainan, ...	,,	30.02	...	...	N	6	...	,,	30.11	...	...	N	6	...
Koshun, ...	,,	30.02	...	...	NW	2	...	,,	30.09	...	...	NE	6	...
Pescadores, ...	,,	30.07	...	...	NE	10	...	,,	30.14	...	...	NE	10	...
Weihaiwei.....	3 p.	30.31	35	...	N	2	...	9 a.	30.33	26	...	NW	5	...
Gutzlaff, ...	,,	30.25	52	60	N	2	cv	,,	30.41	48	85	NW	6	cv
Sharp Peak, ..	,,	30.13	58	64	E	7	o	,,	30.33	57	69	NE	2	o
Amoy, ...	2.30p.	30.15	67	69	E	3	c	6.30a.	30.28	57	75	NE	1	c
Swatow, ...	3 p.	30.10	67	...	SE	2	b	9 a.	30.26	63	...	N	1	b
Canton, ...	,,	...	69	65	N	3	b	,,	...	...	...	...	...	...
Hongkong.....	4 p.	30.08	68	36	NNE	1	b	10 a.	30.30	63	35	N	2	b
Victoria Peak,.	,,	...	...	...	NE	1	...	,,	...	...	...	NNE	5	...
Cap Lock,.....	,,	30.09	...	...	NNW	2	...	,,	30.28	...	...	N	5	...
Macao, ...	,,	30.07	66	...	N	2	b	,,	30.29	59	...	N	3	cq
Haiphong, ...	,,	30.08	66	...	E	1	o	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	79	82	NW	0	o	,,	29.96	82	70	N	1	c
Bacolod, ...	3 p.	...	...	...	N	5	c	9 a.	...	...	...	NNE	5	b
Iloilo, ...	,,	29.79	86	...	NNE	3	c	,,	29.89	86	...	NNE	3	c
Cebu, ...	,,	29.81	86	...	N	3	c	,,	29.90	83	...	N	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 11.30a. The barometer has risen over China, fallen in W. Japan.
The anticyclone is central over China; and pressure is relatively low over Corea and W. Japan, and over the S. part of the China Sea.
Gradients are again rather steep with very strong monsoon along the China coast and over the N. part of the China Sea.
Forecast:— fresh N. winds; fine.

F. G. FIGG
Acting Director.

Hongkong Observatory, Tuesday 1st December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st DECEMBER, 1903, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd DECEMBER, 1903, A. M Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.24	...	...	E	6	...	6 a.	29.80	...	...	E	6	...
Hakodate, ...	,,	30.01	...	...	SE	6	...	,,	29.77	...	...	N	8	...
Tokio	,,	30.02	...	...	NW	2	...	,,	29.94	...	...	NW	2	...
Kochi, ...	,,	29.99	...	...	NE	2	...	,,	30.11	...	...	SW	2	...
Nagasaki, ...	,,	30.07	...	...	W	8	...	,,	30.27	...	...	N	4	...
Kagoshima, ...	,,	30.07	...	...	NW	4	...	,,	30.27	...	...	NE	2	...
Oshima, ...	,,	30.08	...	...	NW	6	...	,,	30.24	...	...	N	8	...
Naha, ...	,,	30.13	...	...	N	8	...	,,	30.25	...	...	NE	6	...
Isigakijima, ...	,,	30.17	...	...	NE	6	...	,,	30.21	...	...	NE	4	...
Taihoku, ...	1 p.	30.28	...	...	W	2	...	5 a.	30.26	...	...	E	6	...
Taichu, ...	,,	30.09	...	...	N	6	...	,,	30.12	...	...	...	0	...
Tainan, ...	,,	30.10	...	...	N	8	...	,,	30.15	...	...	N	2	...
Koshun, ...	,,	30.12	...	...	NE	8	...	,,	30.13	...	...	NE	10	...
Pescadores, ...	,,	30.17	...	...	E	10	...	,,	30.15	...	...	NE	10	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	30.38	33	...	NW	2	...
Gutzlaff, ...	,,	29.38	44	53	NNW	5	cv	,,	30.45	43	51	NE	1	bv
Sharp Peak, ..	,,	30.25	57	67	E	7	b	,,	30.35	53	73	N	5	o
Amoy, ...	2.30p.	30.23	66	59	ENE	4	b	6.30a.	30.33	55	68	N	3	b
Swatow, ...	3 p.	30.20	67	...	SE	3	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	69	47	N	2	b	,,	...	...	...	...	...	...
Hongkong.....	4 p.	30.18	66	33	N	2	b	10 a.	30.27	62	55	E	4	b
Victoria Peak,.	,,	...	...	...	NNE	1	...	,,	...	...	...	ESE	4	...
Gap Peak, ...	,,	30.17	...	...	NE	4	...	,,	30.22	...	...	ENE	5	...
Macao, ...	,,	30.16	64	...	N	2	c	,,	30.24	62	...	NNE	3	c
Haiphong, ...	,,	30.17	63	...	E	2	o	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	84	77	...	0	c	,,	29.88	82	70	N	1	o
Bacolod, ...	3 p.	...	...	...	NNE	5	b	9 a.	...	...	...	N	5	o
Iloilo, ...	,,	29.77	87	...	NNE	2	c	,,	29.85	82	...	NNE	2	o
Cebu, ...	,,	29.79	85	...	N	2	b	,,	29.92	84	...	N	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 11.30a. The barometer has fallen over E. Japan owing to the depression, which has reached that area after crossing the Sea of Japan.

Pressure has increased over W. Japan and N. China, decreased over the S. coast of China and the Philippines.

The anticyclone still covers China, and pressure is relatively low over the S. Philippines and adjacent waters.

Gradients continue rather steep with very strong monsoon in the Formosa Channel and China Sea.

Forecast:— fresh NE. winds; fine.

F. G. FIGG
Acting Director.

Hongkong Observatory, Wednesday 2nd December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd DECEMBER, 1903, P. M.							3rd DECEMBER, 1903, A. M						
STATION.	HOUR.	BAROMETER	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	30.12	17	...	N	3	b	7 a.	30.17	3	60	...	0	b
Nemuro, ...	,,	29.57	...	...	W	4	...	6 a.	29.73	...	...	W	8	...
Hakodate, ...	,,	29.89	...	...	NW	10	...	,,	29.97	...	...	W	6	...
Tokio,.....	,,	29.94	...	...	N	2	...	,,	30.10	...	...	N	4	...
Kochi, ...	,,	30.15	...	...	NW	2	...	,,	30.23	...	...	N	0	...
Nagasaki, ...	,,	30.34	...	...	N	6	...	,,	30.31	...	...	SE	6	...
Kagoshima,....	,,	30.27	...	...	N	6	...	,,	30.31	...	...	N	4	...
Oshima, ...	,,	30.24	...	...	NW	6	...	,,	30.28	...	...	S	2	...
Naha, ...	,,	30.25	...	...	N	6	...	,,	30.25	...	...	E	2	...
Ishigakijima, ...	,,	30.21	...	...	NE	8	...	,,	30.21	...	...	NE	4	...
Taihoku,.....	1 p.	30.23	...	...	E	8	...	5 a.	30.32	...	...	...	0	...
Taichu, ...	,,	30.11	...	...	N	2	...	,,	30.22	...	...	N	4	...
Tainan, ...	,,	30.10	...	...	N	4	...	,,	30.21	...	...	N	6	...
Koshun, ...	,,	30.09	...	...	NE	8	...	,,	30.19	...	...	NE	4	...
Pescadores, ...	,,	30.16	...	...	NE	10	...	,,	30.26	...	...	NE	10	...
Weihaiwei.....	3 p.	30.41	28	...	NW	2	...	9 a.	30.49	22	...	NW	...	...
Gutzlaff, ...	,,	30.40	47	55	NE	2	cv	,,	30.54	40	74	NW	9	cv
Sharp Peak, ..	,,	30.28	55	74	ENE	5	o	,,	30.44	57	67	NNW	2	c
Amoy, ...	2.30p.	30.26	66	59	NE	2	b	6.30a.	30.42	59	65	N	1	c
Swatow, ...	3 p.	30.22	65	...	E	3	c	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	69	74	...	0	b	,,	...	63	52	N	6	b
Hongkong.....	4 p.	30.19	64	59	E	2	b	10 a.	30.40	64	24	N	2	b
Victoria Peak,.	,,	...	...	...	E	2	...	,,	...	...	...	NNE	0	...
Gap Rock,.....	,,	30.17	...	...	NE	5	...	,,	30.36	...	...	NNE	6	...
Macao, ...	,,	30.16	65	...	NE	1	b	,,	30.38	67	...	N	3	bq
Haiphong, ...	,,	30.14	66	...	NW	1	b	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	82	85	N	1	o	,,	29.96	81	85	NNW	2	c
Bacolod, ...	3 p.	...	...	...	NE	2	o	9 a.	...	...	...	NE	4	b
Iloilo, ...	,,	29.75	84	...	NNE	2	o	,,	29.88	82	...	NNE	1	c
Cebu, ...	,,	29.79	83	...	N	2	o	,,	29.89	83	...	N	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.35a. The barometer has risen generally, particularly over China.
The depression in the North has moved into the Pacific to the NE. of Japan.
The anticyclone lying over China has increased in intensity and very heavy monsoon is blowing along the China coast and over the China Sea.
Forecast:—strong N. winds; fine, spually.

F. G. FIGG
Acting Director.

Hongkong Observatory, Thursday 3rd December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	3rd DECEMBER, 1903, P. M.							4th DECEMBER, 1903, A. M						
STATION.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Wladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	"	29.69	...	...	W	8	...	6 a.	29.61	...	...	W	6	...
Hakodate, ...	"	29.97	...	...	E	2	...	"	29.74	...	...	NW	6	...
Tokio.....	"	29.90	...	...	NW	8	...	"	29.96	...	...	N	8	...
Kochi, ...	"	30.03	...	...	NW	2	...	"	30.11	...	...	NW	2	...
Nagasaki, ...	"	30.05	...	...	W	10	...	"	30.35	...	...	N	6	...
Kagoshima, ...	"	30.11	...	...	SW	6	...	"	30.31	...	...	...	0	...
Oshima, ...	"	30.20	...	...	NW	2	...	"	30.24	...	...	NW	8	...
Naha, ...	"	30.25	...	...	NW	6	...	"	30.25	...	...	N	8	...
Ishigakijima, ...	"	30.25	...	...	NW	8	...	"	30.33	...	...	N	6	...
Taihoku, ...	1 p.	30.38	...	...	NE	2	...	5 a.	30.39	...	...	NE	6	...
Taichu, ...	"	30.21	...	...	N	8	...	"	30.20	...	...	N	6	...
Tainan, ...	"	30.13	...	...	N	10	...	"	30.19	...	...	N	4	...
Koshun, ...	"	30.18	...	...	NE	6	...	"	...	...	...	...	...	...
Pescadores, ...	"	30.27	...	...	NE	10	...	"	30.25	...	...	NE	10	...
Weihaiwei.....	3 p.	30.48	34	...	NW	5	...	9 a.	30.30	24	...	WNW	3	...
Gutzlaff, ...	"	30.62	34	69	NNW	9	cv	"	30.55	30	67	NW	5	bv
Sharp Peak, ..	"	30.35	59	65	E	6	b	"	30.44	48	63	E	7	c
Amoy, ...	2.30p.	30.35	68	51	NNW	2	b	6.30a.	30.42	53	61	NE	3	o
Swatow, ...	3 p.	30.29	68	...	N	1	b	9 a.	...	...	...	...	...	...
Canton, ...	"	...	67	74	N	6	b	"	...	...	...	...	...	...
Hongkong.....	4 p.	30.28	65	20	N	3	bp	10 a.	30.36	55	30	N	2	c
Victoria Peak,.	"	...	...	...	NNE	8	...	"	...	...	...	NE	4	...
Gap Rock,.....	"	30.26	...	...	NNE	6	...	"	30.34	...	...	NE	4	...
Macao, ...	"	30.26	66	...	N	4	bq	"	30.36	51	...	N	3	bq
Haiphong, ...	"	30.24	68	...	NNW	1	c	"	...	...	...	...	...	...
Manila, ...	"	29.84	79	92	N	2	o	"	29.88	79	76	...	4	o
Bacolod, ...	3 p.	...	...	...	NNE	5	o	9 a.	...	...	...	NNW	2	c
Iloilo, ...	"	29.75	80	...	NE	4	c	"	29.81	79	...	NNE	2	d
Cebu, ...	"	29.81	83	...	N	1	...	"	29.77	86	...	NE	2	or
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.55a. The barometer has fallen over N. China, E. Japan and the Philippines.
Probably a depression is developing over the S. part of the Philippine archipelago.
The anticyclone is still central over Mid China, and a low pressure area is lying to the NE. of Japan.
The monsoon will decrease in strength along the China coast but continue to blow hard over the China Sea.
Forecast:— fresh N. to NE. winds; fine.

F. G. FIGG
Acting Director.

Hongkong Observatory, Friday 4th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

4th DECEMBER, 1903, P. M. 5th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,...	2 p.	30.12	19	...	NE	2	b	7 a.	29.91	10	68	N	3	o
Nemuro, ...	"	29.41	...	...	SW	6	...	6 a.	29.92	...	...	W	6	...
Hakodate, ...	"	29.77	...	...	W	8	...	"	30.05	...	...	W	2	...
Tokio	"	30.02	...	...	NW	4	...	"	30.18	...	...	N	2	...
Kochi, ...	"	30.15	...	...	NW	2	...	"	30.15	...	...	SW	0	...
Nagasaki.	"	30.31	...	...	N	4	...	"	30.19	...	...	SE	6	...
Kagoshima, ...	"	30.27	...	...	NW	2	...	"	30.23	...	...	NE	2	...
Oshima, ...	"	30.34	...	...	N	6	...	"	30.24	...	...	SE	2	...
Naha, ...	"	30.21	...	...	N	6	...	"	30.21	...	...	NE	2	...
Isigakijima, ...	"	30.36	...	...	NE	6	...	"	30.17	...	...	NE	6	...
Taihoku,.....	1 p.	30.31	...	...	E	4	...	5 a.	30.28	...	...	...	0	...
Taichu, ...	"	30.16	...	...	N	4	...	"	30.12	...	...	...	0	...
Tainan, ...	"	30.17	...	..	N	4	...	"	30.16	...	...	N	4	...
Koshun, ...	"	30.19	...	...	NE	8	...	"	30.15	...	...	NE	6	...
Pescadores, ...	"	30.22	...	...	NE	10	...	"	30.20	...	...	NE	8	...
Weihaiwei.....	3 p.	30.17	59	...	W	2	...	9 a.	30.23	30	...	NW	...	...
Cutzlaff, ...	"	30.38	69	73	W	3	...	"	30.43	37	71	NW	5	bm
Sharp Peak, ..	"	30.32	49	64	E	5	c	"	30.36	50	72	N	3	b
Amoy, ...	2.30p.	30.23	60	...	NE	3	...	6.30a.	30.26	49	78	W	1	c
Swatow, ...	3 p.	30.31	63	...	ENE	2	c	9 a.	30.30	56	...	N	1	b
Canton, ...	"	...	60	29	N	3	b	"	...	...	...	...	...	...
Hongkong.....	4 p.	30.24	58	31	N	1	o	10 a.	30.28	61	17	N	1	b
Victoria Peak,.	"	...	...	...	NNE	1	...	"	...	...	...	NNE	4	...
Gap Rock, ...	"	30.24	...	...	NNE	3	...	"	30.28	...	...	NE	4	...
Macao, ...	"	30.22	65	...	N	3	c	"	30.28	54	...	ENE	3	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.81	80	74	NNE	2	o	"	29.88	75	84	N	1	o
Bacolod, ...	3 p.	...	...	...	NE	5	o	9 a.	...	...	...	NE	4	b
Iloilo, ...	"	29.72	83	...	NNE	2	o	"	29.81	82	...	NNE	1	b
Cebu, ...	"	29.77	80	...	N	2	c	"	29.84	83	...	N	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 11.50a. The barometer has risen over E. Japan, fallen over China and W. Japan.
A shallow depression appears to be lying over the NW. part of the Sea of Japan.
The anticyclone is still central over China, and pressure remains in defect to the S. of the Philippine Archipelago and adjacent waters.
Strong monsoon in the Formosa Channel and heavy monsoon over the China Sea.
Forecast:— fresh N. to NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Saturday 5th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

5th DECEMBER, 1903, P. M. | 6th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.96	...	...	S	4	...	6 a.	29.73	...	...	NW	8	...
Hakodate, ...	,,	30.01	...	...	N	2	...	,,	29.93	...	...	NW	4	...
Tokio.....	,,	29.90	...	...	S	8	...	,,	30.02	...	...	NW	4	...
Kochi, ...	,,	30.11	...	...	...	0	...	,,	30.15	...	...	NW	2	...
Nagasaki, ...	,,	30.11	...	...	W	8	...	,,	30.35	...	...	N	4	...
Kagoshima, ...	,,	30.15	...	...	NW	6	...	,,	30.31	...	...	N	6	...
Oshima, ...	,,	30.20	...	...	NW	2	...	,,	30.24	...	...	NW	8	...
Naha, ...	,,	30.21	...	...	N	6	...	,,	30.25	...	...	NE	4	...
Ishigakijima, ..	,,	30.17	...	...	NE	8	...	,,	30.21	...	...	NE	6	...
Taihoku,.....	1 p.	30.23	...	...	NE	8	...	5 a.	30.27	...	...	E	6	...
Taichu, ...	,,	30.10	...	...	N	4	...	,,	30.14	...	...	...	0	...
Tainan, ...	,,	30.11	...	...	N	4	...	,,	30.17	...	...	N	2	...
Koshun, ...	,,	30.08	...	...	SW	6	...	,,	30.11	...	...	NE	8	...
Pescadores, ..	,,	30.13	...	...	NE	6	...	,,	30.20	...	...	NE	10	...
Weihaiwei.....	3 p.	30.16	35	...	W	2	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.27	44	53	N	3	bv	,,	30.44	46	69	S	2	bv
Sharp Peak, ..	,,	30.26	53	61	E	7	b	,,	30.39	51	66	NNW	3	b
Amoy, ...	2.30p.	30.27	58	70	NE	3	b	6.30a.	30.37	57	69	W	1	b
Swatow, ...	3 p.	30.20	65	...	NE	3	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	65	35	N	4	...	,,	...	...	...	...	...	...
Hongkong.....	4 p.	30.19	63	18	N	1	b	10 a.	30.28	62	27	N	1	c
Victoria Peak,.	,,	...	...	...	NNE	3	...	,,	...	...	...	NNE	1	...
Gap Rock, ...	,,	30.18	...	...	NE	4	...	,,	30.26	...	...	NNE	4	...
Macao, ...	,,	30.16	61	...	N	2	c	,,	30.27	57	...	N	3	eq
Haiphong, ...	,,	30.18	64	...	SE	1	b	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	79	69	N	1	o	,,	29.88	81	69	N	2	c
Bacolod, ...	3 p.	...	...	...	NNE	5	c	9 a.	...	...	...	NE	3	c
Iloilo, ...	,,	29.73	82	...	NNE	2	c	,,	29 84	83	...	ENE	2	c
Cebu, ...	,,	29.76	84	...	N	3	b	,,	29.86	85	...	S	1	b
Cape S. James,..	4 p.	...	,,	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.25a. The barometer has fallen over E. Japan and risen in W. Japan, the depression having moved into the Pacific to the NE. of Japan.

The anticyclonic area appears to be now central over the E. coast of China, and pressure remains low over the S. Philippines and adjacent waters.

Strong monsoon in the Formosa Channel, and heavy monsoon over the China Sea.

Forecast:— moderate NE winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Sunday 6th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	6th DECEMBER, 1903, P. M.							7th DECEMBER, 1903, A. M						
STATION.	HOUR.	BAROMETER	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	"	29.76	...	...	SW	2	...	6 a.	29.76	...	...	W	8	...
Hakodate, ...	"	29.89	...	...	W	6	...	"	30.01	...	...	NW	8	...
Tokio,.....	"	29.98	...	...	NW	2	...	"	30.06	...	...	...	0	...
Kochi, ...	"	30.15	...	...	...	0	...	"	30.23	...	...	...	0	...
Nagasaki, ...	"	30.31	...	...	N	4	...	"	30.31	...	...	N	4	...
Kagoshima,....	"	30.27	...	...	W	4	...	"	30.31	...	...	...	0	...
Oshima, ...	"	30.24	...	...	N	6	...	"	30.28	...	...	N	2	...
Naha, ...	"	30.21	...	...	N	4	...	"	30.21	...	...	NE	4	...
Isigakijima, ...	"	30.17	...	...	NE	8	...	"	30.17	...	...	NE	6	...
Taihoku,.....	1 p.	30.24	...	...	NE	8	...	5 a.	30.18	...	...	E	6	...
Taichu, ...	"	30.09	...	...	N	6	...	"	30.09	...	...	...	0	...
Tainan,.....	"	30.09	...	...	N	6	...	"	30.06	...	...	...	0	...
Kosbun, ...	"	30.09	...	...	NE	6	...	"	30.06	...	...	NE	10	...
Pescadores, ...	"	30.16	...	...	NE	10	...	"	30.10	...	...	NE	10	...
Weihaiwei,.....	3 p.	...	...	...	...	...	...	9 a.	30.29	45	...	WSW	2	...
Gutzlaff, ...	"	30.37	53	42	SW	3	bv	"	30.29	49	64	SSW	1	...
Sharp Peak, ..	"	30.27	54	61	NE	4	b	"	30.26	54	64	N	3	og
Amoy, ...	2.30p.	30.24	65	49	NNE	2	c	6.30a.	30.26	55	68	SW	1	c
Swatow, ...	3 p.	30.27	65	...	E	2	...	9 a.	30.32	58	...	N	1	c
Canton, ...	"	...	67	33	NE	2	c	"	...	60	39	N	4	b
Hongkong,.....	4 p.	30.18	64	23	NNE	1	o	10 a.	30.22	64	26	N	1	o
Victoria Peak,.	"	...	...	...	E	1	...	"	...	...	...	N	2	...
Gap Rock, ...	"	30.17	...	...	ENE	4	...	"	30.20	...	...	NNE	4	...
Macao, ...	"	30.16	62	...	N	2	c	"	30.21	58	...	N	3	c
Haiphong, ...	"	30.18	68	...	WNW	2	o	"	...	...	...	...	...	...
Manila, ...	"	29.80	81	70	N	4	o	"	29.88	81	85	W	1	o
Bacolod, ...	3 p.	...	...	...	N	2	c	9 a.	...	...	...	N	2	b
Iloilo, ...	"	29.75	85	...	NE	3	c	"	29.85	82	...	NE	2	b
Cebu, ...	"	29.78	84	...	N	3	c	"	29.82	83	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.50a. The barometer has fallen over China, risen in E. Japan.
Pressure remains high over China; and low to the NE. of Japan, and over the S. Philippines and adjacent waters.
Strong monsoon in the Formosa Channel, and heavy, but probably decreasing, monsoon over the China Sea.
Forecast:— moderate N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Monday 7th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

7th DECEMBER, 1903, P. M. — 8th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.14	22	...	SE	1	o	7 a.	29·88	31	80	...	0	c
Nemuro, ...	„	29.84	...	...	W	10	...	6 a.	30.16	...	...	W	4	...
Hakodate, ...	„	30.13	...	...	NW	8	...	„	30.25	...	...	N	2	...
Tokio,.....	„	30.22	...	...	N	4	...	„	30.34	...	...	N	4	...
Kochi, ...	„	30.19	...	...	...	0	...	„	30.23	...	...	NE	4	...
Nagas,aki, ...	„	30.27	...	...	NE	2	...	„	30.19	...	...	N	2	...
Kagoshima,....	„	30.23	...	...	E	4	...	„	30.19	...	...	E	4	...
Oshima, ...	„	30.20	...	...	...	0	...	„	30.08	...	...	S	2	...
Naha, ...	„	30.17	...	...	NE	6	...	„	30.05	...	...	NE	2	...
Isnigakijima, ...	„	30.12	...	...	E	8	...	„	30.01	...	...	E	4	...
Taihoku,.....	1 p.	30.11	...	...	E	8	...	5 a.	30.10	...	...	N	2	...
Taichu, ...	„	30.05	...	...	...	0	...	„	30.05	...	...	N	4	...
Tainan,.....	„	30.05	...	...	N	2	...	„	30.03	...	...	N	6	...
Koshun,.....	„	30.02	...	...	NE	8	...	„	30.02	...	...	...	0	...
Pescadores, ...	„	30.07	...	...	NE	10	...	„	30.07	...	...	NE	8	...
Weihaiwei,.....	3 p.	30.21	46	...	SW	2	...	9 a.	30.03	48	...	W	1	...
Gutzlaff, ...	„	30.25	56	51	S	1	bv	„	30.20	54	62	SSW	1	bv
Sharp Peak, ..	„	30.17	56	75	WNW	3	o	„	30.14	57	81	WNW	1	o
Amoy, ...	2.30p.	30.18	65	63	NE	2	c	6.30a.	30.17	58	76	SW	1	b
Swatow, ...	3 p.	30.15	65	...	SE	3	c	9 a.	30.11	60	...	NW	1	b
Canton, ...	„	...	69	35	N	1	b	„	...	...	...	...	...	...
Hongkong.....	4 p.	30.11	64	41	E	1	b	10 a.	30.13	66	31	E	1	b
Victoria Peak,.	„	...	...	...	NNE	1	...	„	...	...	...	ENE	2	...
Gap Rock, ...	„	30.10	...	...	ENE	3	...	„	30.12	...	...	NNE	3	...
Macao, ...	„	30.09	64	...	NNE	2	b	„	30.11	61	...	NNE	2	c
Haiphong, ...	„	30.10	66	...	NW	1	om	„	...	...	...	...	...	...
Manila, ...	„	29.76	82	77	N	2	o	„	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	SSE	2	or	9 a.	...	...	...	SW	2	o
Iloilo, ...	„	29.75	85	...	NNE	1	o	„	29.85	81	...	NNE	1	c
Cebu, ...	„	29.77	81	....	...	0	...	„	29.83	82	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 11.45a. The barometer has risen over E. Japan, fallen over SW. Japan, the Loochoos and China.

A depression is moving Eastwards over Manchuria, and pressure is now high over SE. Japan.

Gradients slight on the China coast with moderate monsoon in the Formosa Channel, and moderate over the China Sea with strong monsoon.

Forecast:— N. winds, light or moderate; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Tuesday 8th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

8th DECEMBER, 1903, P. M. — 9th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	29.86	40	...	...	0	b	7 a.	30.02	19	41	Nj	2	b
Nemuro, ...	"	30.12	...	...	S	6	...	6 a.	29.80	...	...	S	6	...
Hakodate, ...	"	30.13	...	...	SW	4	...	"	29.85	...	...	...	0	...
Tokio.....	"	30.18	...	...	N	4	...	"	29.94	...	...	N	2	...
Kochi, ...	"	30.07	...	...	E	2	...	"	29.99	...	...	...	0	...
Nagasaki, ...	"	30.11	...	...	...	0	...	"	30.11	...	...	...	0	...
Kagoshima,....	"	30.07	...	...	NE	4	...	"	30.07	...	...	...	0	...
Oshima, ...	"	30.09	...	...	W	2	...	"	30.08	...	...	NW	4	...
Naha, ...	"	30.01	...	...	E	6	...	"	30.05	...	...	N	2	...
Isigakijima, ..	"	29.97	...	...	NE	2	...	"	30.01	...	...	NE	2	...
Taihoku,.....	1 p.	30.04	...	...	NE	4	...	5 a.	30.04	...	...	E	4	...
Taichu, ...	"	29.93	...	...	N	8	...	"	29.99	...	...	...	0	...
Tainan, ...	"	29.95	...	...	N	8	...	"	30.00	...	...	...	0	...
Koshun, ...	"	29.92	...	...	NE	6	...	"	30.00	...	...	NE	6	...
Pescadores, ...	"	30.00	...	...	N	10	...	"	30.03	...	...	NE	8	...
Weihaiwei.....	3 p.	29.95	51	...	W	1	...	9 a.	30.10	40	...	W	2	...
Gutzlaff, ...	"	30.15	56	63	WSW	2	bv	"	30.22	51	79	W	1	cm
Sharp Peak, ..	"	30.06	61	77	ESE	5	b	"	30.14	52	70	W	2	c
Amoy, ...	2.30p.	30.07	67	64	SE	1	...	6.30a.	30.13	57	81	SW	1	c
Swatow, ...	3 p.	30.10	66	...	SE	2	b	9 a.	...	...	...	...	...	...
Canton, ...	"	...	69	95	N	1	b	"	...	...	...	...	...	...
Hongkong.....	4 p.	29.98	67	48	...	0	b	10 a.	30.10	65	55	E	4	b
Victoria Peak,.	"	...	...	...	...	0	...	"	...	...	...	E	5	...
Gap Rock,.....	"	29.97	...	...	E	3	...	"	30.08	...	...	NE	5	...
Macao, ...	"	29.97	66	...	NNE	2	c	"	30.08	65	...	NNE	1	b
Haiphong, ...	"	29.99	68	...	SE	1	b	"	...	...	...	...	...	...
Manila, ...	"	29.76	82	87	...	0	o	"	29.88	82	77	WSW	1	o
Bacolod, ...	3 p.	...	...	...	N	1	c	9 a.	...	...	...	N	1	o
Iloilo, ...	"	29.73	83	...	WSW	1	o	"	29.85	81	...	...	0	o
Cebu, ...	"	29.86	84	...	...	0	b	"	29.93	81	...	...	0	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 11.45a. The barometer has fallen over Japan, risen in N. China.
The depression, lying over Manchuria yesterday, is now moving Eastwards in the NE. part of the Sea of Japan.
Pressure is highest over China, and gradients slight to moderate.
The monsoon will probably freshen in the Formosa Channel during the next 24 hours. Strong monsoon over the China Sea.
Forecast:— moderate to fresh NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Wednesday 9th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

9th DECEMBER, 1903, P. M. — 10th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock....	2 p.	29.98	25	...	N	4	c	7 a.	29.91	13	50	N	1	b
Nemuro, ...	"	29.65	...	...	N	6	...	6 a.	29.84	...	...	NW	6	...
Hakodate, ...	"	29.77	...	...	NW	6	...	"	29.89	...	...	...	0	...
Tokio,.....	"	29.82	...	...	S	2	...	"	29.90	...	...	...	0	...
Kochi, ...	"	29.95	...	...	...	0	...	"	29.99	...	...	...	0	...
Nagasaki, ...	"	30.07	...	...	SW	4	...	"	30.03	...	...	N	2	...
Kagoshima.....	"	30.11	...	...	NW	4	...	"	30.03	...	...	...	0	...
Oshima, ...	"	30.04	...	...	N	4	...	"	30.08	...	...	S	2	...
Naha, ...	"	30.05	...	...	E	2	...	"	30.01	...	...	NE	2	...
Isigakijima, ...	"	30.01	...	...	E	6	...	"	29.97	...	...	E	4	...
Taihoku,.....	1 p.	29.96	...	...	E	6	...	5 a.	30.03	...	...	W	2	...
Taichu, ...	"	29.97	...	...	W	2	...	"	29.97	...	...	...	0	...
Tainan, ...	"	29.98	...	...	NE	6	...	"	29.96	...	...	NW	4	...
Koshun, ...	"	29.96	...	...	NE	6	...	"	29.95	...	...	...	0	...
Pescadores, ...	"	30.01	...	...	N	8	...	"	29.99	...	...	NE	8	...
Weihsiwei.....	3 p.	30.08	39	...	NW	3	...	9 a.	30.13	38	...	W	3	...
Gutzlaff, ...	"	30.15	53	67	NNW	1	cm	"	30.20	47	85	...	3	cm
Sharp Peak, ..	"	30.04	63	70	E	2	o	"	30.10	62	72	...	0	b
Amoy, ...	2.30p.	30.06	67	64	SE	2	b	6.30a.	30.08	60	82	S	1	c
Swatow, ...	3 p.	30.06	69	...	SE	2	b	9 a.	...	...	...	...	...	...
Canton, ...	"	...	72	50	...	0	b	"	...	...	...	...	...	...
Hongkong.....	4 p.	29.98	68	58	E	2	c	10 a.	30.07	68	71	E	2	b
Victoria Peak,.	"	...	...	...	E	2	...	"	...	...	...	E	3	...
Gap Rock,.....	"	29.99	...	...	ENE	3	...	"	30.06	...	...	E	3	...
Macao, ...	"	29.97	67	...	NNE	1	s	"	30.05	66	...	NNE	1	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.76	79	92	...	0	od	"	29.84	75	100	S	3	od
Bacolod, ...	"	...	...	...	N	1	o	9 a.	...	...	...	NNE	2	b
Iloilo, ...	3 p.	29.72	84	...	E	1	o	"	29.83	82	...	NE	1	b
Cebu, ...	"	29.83	83	...	N	3	...	"	29.92	83	...	...	0	b
Cape S. James,..	" 4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 11.35a. The barometer has risen slightly over E Japan, fallen a little over W. Japan, S. China and the Philippines.

The depression, lying in the NE. part of the Sea of Japan yesterday, has passed to the Pacific.

A shallow area of low pressure lies over the Philippines and adjacent waters.

Pressure is highest over Mid-China.

Gradients continue slight on the China coast with moderate monsoon in the Formosa Channel. In the China Sea gradients are moderate with strong monsoon, which is probably of gale force over the NE. part.

Forecast:— moderate NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Thursday 10th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

10th DECEMBER, 1903, P. M. 11th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity	Wind. Direction.	Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Wladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	"	29.80	...	...	N	2	...	6 a.	29.76	...	...	N	6	...
Hakodate.	"	29.81	...	...	NW	2	...	"	29.89	...	...	N	2	...
Tokio	"	29.74	...	...	...	0	...	"	29.86	...	...	N	2	...
Kochi, ...	"	29.91	...	...	...	0	...	"	29.99	...	...	...	0	...
Nagasaki, ...	"	29.99	...	...	N	6	...	"	30.07	...	...	N	4	...
Kagoshima,....	"	29.99	...	...	NW	4	...	"	30.07	...	...	N	4	...
Oshima, ...	"	30.06	...	...	N	2	...	"	30.00	...	...	N	6	...
Naha, ...	"	29.93	...	...	S	2	...	"	29.93	...	...	N	4	...
Ishigakijima, ..	"	29.98	...	...	N	2	...	"	29.97	...	...	NE	4	...
Taihoku,.....	1 p.	30.00	...	...	NW	2	...	5 a.	30.04	...	...	E	4	...
Taichu, ...	"	29.93	...	...	N	6	...	"	29.94	...	...	SE	2	...
Tainan, ...	"	29.91	...	...	N	6	...	"	29.93	...	...	N	6	...
Koshun, ...	"	29.92	...	...	N	2	...	"	29.94	...	...	NE	8	...
Pescadores, ...	"	29.98	...	...	NE	10	...	"	29.93	...	...	NE	10	...
Weihaiwei.....	3 p.	30.09	59	...	NW	4	...	9 a.	30.09	38	...	W	4	...
Gutzlaff, ...	"	29.15	82	24	N	3	bm	"	30.23	44	68	NW	4	bm
Harp Peak, ..	"	30.02	60	76	E	5	b	"	30.13	60	65	N	1	c
Amoy, ...	2.30p.	30.03	70	61	E	1	b	6.30a.	30.09	61	66	N	1	o
Swatow, ...	3 p.	30.05	66	...	NE	2	b	9 a.	30.06	65	...	ENE	4	b
Canton, ...	"	...	76	49	SW	1	b	"	...	...	...	...	...	...
Hongkong	4 p.	29.94	66	73	E	2	o	10 a.	30.06	66	75	E	2	c
Victoria Peak,.	"	...	...	...	NNE	1	...	"	...	...	...	E	2	...
Cap Peek,.....	"	29.94	...	...	NE	3	...	"	...	...	...	...	...	...
Macao, ...	"	29.93	66	...	ESE	1	c	"	30.04	67	...	E	1	c
Haiphong, ...	"	29.92	70	...	WSW	1	b	"	...	...	...	...	...	...
Manila, ...	"	29.76	75	100	...	0	o	"	29.88	81	76	WNW	1	c
Bacolod, ...	3 p.	...	...	...	NNE	2	c	9 a.	...	...	...	N	1	b
Iloilo, ...	"	29.75	87	...	...	0	...	"	29.85	81	...	SSW	1	o
Cebu, ...	"	29.78	84	...	N	2	c	"	29.92	84	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.30a. Barometric changes are slight.
Pressure remains low over NE. Japan, and over the Philippines and adjacent waters.
The highest pressure is lying over Central China.
Gradients slight to moderate with strong monsoon in the Formosa Channel and N. part of the China Sea.
Forecast:— moderate to fresh NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 11th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

11th DECEMBER, 1903, P. M. — 12th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock....	2 p.	29.83	15	...	...	0	b	7 a.	29.92	3	82	N	4	c
Nemuro, ...	,,	29.76	...	...	N	4	...	6 a.	29.84	...	...	NW	6	...
Hakodate.....	,,	29.85	...	...	N	2	...	,,	29.93	...	...	N	2	...
Tokio	,,	29.86	...	...	NE	4	...	,,	29.98	...	...	N	4	...
Kochi, ...	,,	29.91	...	...	W	2	...	,,	29.99	...	...	...	0	...
Nagasaki, ...	,,	30.07	...	...	N	6	...	,,	30.11	...	...	...	0	...
Kagoshima.....	,,	30.02	...	...	NW	6	...	,,	30.03	...	...	SE	2	...
Oshima, ...	,,	30.00	...	...	N	6	...	,,	30.01	...	...	NE	2	...
Naha, ...	,,	29.97	...	...	N	6	...	,,	30.01	...	...	E	4	...
Ishigaki jima, ..	,,	29.97	...	...	NE	6	...	,,	...	...	...	...	...	...
Taihoku, ...	1 p.	30.02	...	...	E	8	...	5 a.	30.03	...	...	E	6	...
Taichu, ...	,,	29.90	...	...	...	0	...	,,	29.96	...	...	...	0	...
Tainan, ...	,,	29.92	...	...	N	2	...	,,	29.96	...	...	N	4	...
Kosbun, ...	,,	29.93	...	...	NE	8	...	,,	29.96	...	...	NE	6	...
Pescadores, ...	,,	29.96	...	...	NE	10	...	,,	29.98	...	...	NE	8	...
Weihaiwei.....	3 p.	30.01	42	...	W	2	...	9 a.	30.03	43	...	W	1	...
Gutzlaff, ...	,,	30.17	47	63	NNE	3	bv	,,	30.17	49	64	SE	2	c
Sharp Peak. ..	,,	30.07	58	67	E	6	o	,,	30.08	59	70	WNW	1	b
Amoy, ...	2.30p.	30.03	69	56	NE	2	c	6.30a.	30.08	61	77	S	1	b
Swatow, ...	3 p.	29.99	68	...	E	2	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	75	52	...	0	c	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.96	65	69	E	3	o	10 a.	30.06	64	78	E	4	o
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	E	5	...
Gap Rock, ...	,,	29.95	...	...	ENE	4	...	,,	30.04	...	...	ENE	5	...
Macao, ...	,,	29.93	65	...	ESE	2	o	,,	30.06	65	...	E	3	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	82	85	...	0	c	,,	29.83	82	77	W	1	c
Bacolod, ...	3 p.	...	...	...	SEE	4	o	9 a.	...	...	...	N	3	o
Iloilo, ...	,,	29.79	83	...	WNW	2	c	,,	29.81	81	...	NE	2	o
Cebu, ...	,,	29.81	85	...	N	3	...	,,	29.93	81	...	W	1	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.25a. The barometer has fallen slightly over N. China, risen a little over Japan. Probably a depression is developing over N. China, and the highest pressure now lies between the E. coast of China and W. Japan.

Gradients slight on the China coast with moderate monsoon in the Formosa Channel. Strong monsoon over the N. part of the China Sea.

Forecast:— fresh to moderate E. winds; fair

F. G. FIGG.
Acting Director.

Hongkong Observatory, Saturday 12th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

12th DECEMBER, 1903, P. M. — 13th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity	Wind. Direction.	Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Wladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.80	...	...	SW	2	...	6 a.	29.73	...	...	NW	6	...
Hakodate, ...	,,	29.85	...	...	W	4	...	,,	29.93	...	...	W	6	...
Tokio.....	,,	29.90	...	...	...	0	...	,,	29.98	...	...	N	2	...
Kochi, ...	,,	29.91	...	...	...	0	...	,,	30.07	...	...	...	0	...
Nugus,aki, ...	,,	30.07	...	...	N	2	...	,,	30.15	...	...	...	0	...
Kagoshima,....	,,	30.03	...	...	NW	4	...	,,	30.11	...	...	...	0	...
Oshima, ...	,,	30.04	...	...	NW	2	...	,,	30.08	...	...	S	2	...
Naha, ...	,,	30.01	...	...	N	4	...	,,	30.17	...	...	SE	0	...
Ishigakijima, ..	,,	30.01	...	...	E	6	...	,,	30.01	...	...	E	4	...
Tamsui,.....	1 p.	29.93	...	...	E	6	...	5 a.	30.04	...	...	...	0	...
Taichu, ...	,,	29.93	...	...	W	4	...	,,	30.02	...	...	...	0	...
Tainan,.....	,,	29.94	...	...	W	4	...	,,	30.01	...	...	N	4	...
Koshun, ...	,,	29.93	...	...	NE	6	...	,,	29.99	...	...	NE	2	...
Pescadores, ...	,,	29.97	...	...	NE	6	...	,,	30.02	...	...	NE	4	...
Weihaiwei.....	3 p.	29.97	46	...	SW	2	...	9 a.	30.08	43	...	NW	1	...
Gutzlaff, ...	,,	30.08	52	66	ESE	3	cv	,,	30.11	55	87	SE	3	cv
Sharp Peak. ..	,,	30.01	62	75	NNW	2	o	,,	30.07	62	77	...	0	og
Amoy, ...	2.30p.	30.01	68	65	SE	2	b	6.30a.	30.09	62	77	W	1	c
Swatow, ...	3 p.	30.05	66	...	SE	2	b	9 a.	30.09	65	...	NW	1	b
Canton, ...	,,	...	72	85	NE	1	c	,,	...	68	85	SE	1	b
Hongkong.....	4 p.	29.97	65	75	E	2	o	10 a.	30.05	69	62	E	3	b
Victoria Peak,.	,,	...	...	...	E	2	...	,,	...	...	...	E	4	...
Gap Rock,.....	,,	29.95	...	...	ENE	4	...	,,	30.05	...	...	ENE	3	...
Macao, ...	,,	29.94	66	...	ESE	1	c	,,	30.02	70	...	E	1	b
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	86	73	...	0	o	,,	29.92	81	76	NNW	1	c
Bacolod, ...	3 p.	...	...	...	NNE	4	b	9 a.	...	...	...	NE	2	o
Iloilo, ...	,,	29.75	...	...	NNE	2	c	,,	29.85	82	...	...	0	...
Cebu, ...	,,	29.78	83	...	N	3	b	,,	29.92	84	...	W	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.45a. The barometer has fallen over the E. coast of China, risen in S. Japan. Pressure is highest over W. Japan, and low to the NE. of Japan; and also over Central China, where a depression may be forming.

Gradients slight generally with light monsoon in the Formosa Channel and moderate monsoon over the N. part of the China Sea.

Forecast:— moderate E. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Sunday 13th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th DECEMBER, 1903, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	14th DECEMBER, 1903, A. M Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Wladivostock,...	2 p.	30.06	18	...	N	1	o	7 a.	30.35	6	70	N	2	b
Nemuro, ...	"	29.76	...	...	NW	8	...	6 a.	29.76	...	...	NW	8	...
Hakodate, ...	"	29.97	...	...	W	8	...	"	29.93	...	...	SW	10	...
Tokio.....	"	29.98	...	...	S	4	...	"	30.06	...	...	N	2	...
Kochi, ...	"	30.03	...	...	NW	0	...	"	30.15	...	...	...	0	...
Nagasaki.	"	30.11	...	...	NW	2	...	"	30.23	...	...	...	0	...
Kagoshima.....	"	30.07	...	...	N	4	...	"	30.19	...	...	NE	2	...
Oshima, ...	"	30.08	...	...	N	2	...	"	30.12	...	...	S	2	...
Naha, ...	"	30.05	...	...	NE	2	...	"	30.09	...	...	...	0	...
Ishigakijima, ..	"	30.01	...	...	SE	6	...	"	30.05	...	...	SE	6	...
Taihoku,.....	1 p.	29.98	...	...	NW	2	...	5 a.	30.02	...	...	SE	2	...
Taichu, ...	"	29.95	...	...	NW	4	...	"	30.01	...	...	...	0	...
Tainan, ...	"	29.94	...	...	N	4	...	"	29.99	...	...	N	2	...
Koshun, ...	"	29.99	...	...	E	6	...	"	30.00	...	...	E	6	...
Pescadores, ...	"	29.99	...	...	NE	6	...	"	30.01	...	...	NE	6	...
Weihaiwei.....	3 p.	30.09	44	...	NW	2	...	9 a.	30.21	44	...	SE	3	...
Gutzlaff, ...	"	30.07	58	81	SE	2	cv	"	30.05	58	94	SE	5	cmd
Sharp Peak, ..	"	30.00	65	78	...	0	b	"	30.06	65	84	W	1	o
Amoy, ...	2.30p.	30.04	68	74	SE	2	c	6.30a.	30.08	63	83	NE	1	c
Swatow, ...	3 p.	29.98	70	...	E	2	b	9 a.	30.05	65	...	NE	1	o
Canton, ...	"	...	77	73	...	0	b	"	...	...	...	...	...	...
Hongkong.....	4 p.	29.95	68	69	E	3	b	10 a.	30.05	68	83	E	2	o
Victoria Peak,.	"	...	...	...	ESE	2	...	"	...	...	...	ESE	4	...
Gap Peek,.....	"	29.93	...	...	ENE	3	...	"	30.02	...	...	ENE	4	...
Macao, ...	"	29.92	68	...	SE	1	b	"	30.01	70	...	ESE	1	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.80	81	85	...	0	o	"	29.92	79	84	W	1	o
Facolod, ...	3 p.	...	...	...	N	6	o	9 a.	...	...	...	SW	1	c
Iloilo, ...	"	29.75	84	...	W	1	o	"	29.85	83	...	NNE	1	c
Cebu, ...	"	29.82	84	...	NE	3	b	"	29.90	85	...	N	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11:10a. The barometer has risen over S. Japan, and at Wladiwostock, fallen over the E. coast of China.

A depression is moving Eastwards in the Yangtze Valley and pressure remains low to the NE. of Japan.

Pressure is high over Manchuria.

Gradients gentle over S. China and the N. part of the China Sea with light to moderate monsoon.

Forecast:— moderate E. winds; cloudy, some drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 14th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

14th DECEMBER, 1903, P. M. — 15th DECEMBER, 1903, A. M

STATION.	Hours.	BAROMETER	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.	Hours.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,....	2 p.	30.39	17	...	N	3	b	7 a.	30.17	10	50	...	0	o
Nemuro, ...	,,	29.73	...	...	W	8	...	6 a.	29.93	...	...	NW	10	...
Hakodate, ...	,,	30.01	...	...	NW	8	...	,,	30.29	...	...	N	4	...
Tokio.....	,,	30.06	...	...	NW	6	...	,,	30.30	...	...	E	2	...
Kochi, ...	,,	30.15	...	...	...	0	...	,,	30.15	...	...	NE	4	...
Nagasaki, ...	,,	30.19	...	...	E	4	...	,,	29.99	...	...	SE	2	...
Kagoshima,....	,,	30.19	...	...	SE	2	...	,,	30.07	...	...	E	6	...
Oshima, ...	,,	30.12	...	...	NE	4	...	,,	30.08	...	...	SE	4	...
Naha, ...	,,	...	...	...	...	...	...	,,	30.05	...	...	...	0	...
Ishigakijima, ..	,,	...	...	...	...	...	...	,,	30.01	...	...	SE	4	...
Taihoku,.....	1 p.	29.98	...	...	NW	4	...	5 a.	29.95	...	...	E	2	...
Taichu, ...	,,	29.94	...	...	N	4	...	,,	29.93	...	...	...	0	...
Tainan,.....	,,	29.95	...	...	N	4	...	,,	29.94	...	...	N	2	...
Koshun,.....	,,	29.96	...	...	NE	6	...	,,	29.95	...	...	...	0	...
Pescadores, ..	,,	29.99	...	...	NE	6	...	,,	29.94	...	...	N	2	...
Weihaiwei.....	3 p.	30.05	44	...	SE	3	...	9 a.	30.04	42	...	NE	3	...
Gutzlaff, ...	,,	29.92	61	94	S	5	cv	,,	30.04	51	93	NNW	4	cm
Sharp Peak, ..	,,	29.95	68	85	...	0	o	,,	29.96	65	89	...	0	og
Amoy, ...	2.30p.	30.03	70	75	WSW	1	c	6.30a.	30.01	65	73	W	1	o
Swatow, ...	3 p.	30.00	67	...	SE	2	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	78	86	...	0	o	,,	...	71	95	...	0	od
Hongkong.....	4 p.	29.94	66	89	E	3	o	10 a.	30.02	73	74	E	2	c
Victoria Peak,.	,,	...	...	...	ESE	1	...	,,	...	...	...	ESE	3	...
Gap Peck.....	,,	29.92	...	...	ENE	4	...	,,	30.02	...	...	ENE	4	...
Macao, ...	,,	29.92	70	...	ESE	1	om	,,	29.99	70	...	ESE	1	
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	79	92	...	0	d	,,	29.88	79	85	NNW	1	o
Tacolod, ...	3 p.	...	...	...	NE	5	c	9 a.	...	...	...	NE	3	od
Iloilo, ...	,,	29.75	86	...	NNW	2	c	,,	29.81	80	...	NNE	3	c
Cebu,.....	,,	29.78	86	...	N	3	c	,,	29.86	80	...	...	0	or
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.40a. The barometer has risen over E. Japan; fallen over W. Japan, S. China and the Philippines.

The depression, lying over the Yangtze Valley yesterday, has moved out to Sea near Shanghai, and will approach W. Japan today.

Pressure is high over SE. Japan and increasing over N. China.

The monsoon will probably freshen in the Formosa Channel during the next 24 hours. Moderate monsoon over the N. part of the China Sea.

Forecast:— moderate NE. winds; fair to cloudy and misty.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Tuesday 15th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

15th DECEMBER, 1903, P. M. | 16th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	30.08	...	...	NW	10	...	6 a.	30.12	...	...	NE	2	...
Hakodate, ...	,,	30.21	...	...	N	2	...	,,	29.85	...	...	SE	8	...
Tokio.....	,,	30.26	...	...	...	0	...	,,	30.02	...	...	N	4	...
Kochi, ...	,,	30.03	...	...	NE	6	...	,,	29.72	...	...	...	0	...
Nagasaki, ...	,,	29.91	...	...	SW	8	...	,,	29.91	...	...	NW	10	...
Kagoshima.....	,,	29.91	...	...	SW	6	...	,,	29.87	...	...	W	6	...
Oshima, ...	,,	29.96	...	...	S	8	...	,,	30.00	...	...	NW	6	...
Naha, ...	,,	30.01	...	...	S	4	...	,,	30.05	...	...	NW	8	...
Isigakijima, ..	,,	30.01	...	...	S	6	...	,,	30.05	...	...	NE	6	...
Tadoku,.....	1 p.	29.94	...	...	...	0	...	5 a.	30.13	...	...	E	6	...
Taichu, ...	,,	29.94	...	...	SW	4	...	,,	30.02	...	...	...	0	...
Tainan,.....	,,	29.95	...	...	W	4	...	,,	30.02	...	...	W	2	...
Koshun,.....	,,	29.95	...	...	E,	6	...	,,	30.00	...	...	...	0	...
Pescadores, ...	,,	29.96	...	...	SW	6	...	,,	30.04	...	...	NE	8	...
Weihaiwei.....	3 p.	30.08	44	...	N	3	...	9 a.	30.44	23	...	NW	5	...
Gutzlaff, ...	,,	29.87	49	100	NNW	6	omp	,,	30.43	46	77	N	7	cr
Sharp Peak, ..	,,	29.89	69	82	SE	1	c	,,	30.27	60	82	E	7	o
Amoy, ...	2.30p.	29.97	73	86	...	0	b	6.30a.	30.13	64	84	NNE	1	od
Swatow, ...	3 p.	30.09	75	...	SSE	1	b	9 a.	30.13	67	...	ENE	6	o
Canton, ...	,,	...	76	91	...	0	o	,,	...	58	94	N	3	r
Hongkong.....	4 p.	29.93	72	73	E	2	o	10 a.	30.15	65	87	N	1	od
Victoria Peak,.	,,	...	...	...	SE	2	...	,,	...	...	...	NE	3	...
Cap J ock,.....	,,	29.92	...	...	ENE	3	...	,,	30.11	...	...	NNW	6	...
Macao, ...	,,	29.91	70	...	ESE	1	c	,,	30.14	61	...	N	2	cq
Haiphong, ...	,,	29.87	75	...	SE	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.81	81	80	N	1	o	,,	...	...	...	...	...	...
Tacolod, ...	3 p.	...	...	...	NE	4	od	9 a.	...	...	...	ENE	6	o
Iloilo, ...	,,	29.73	82	...	NNE	1	o	,,	29.81	80	...	NNE	1	c
Cebu,.....	,,	29.82	80	...	...	0	cr	,,	29.85	83	...	N		...
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.55a. The barometer has fallen much over Japan; risen rapidly over China, particularly in the North.

The depression is moving Eastwards in the S. part of the Sea of Japan.

An area of high pressure lies over N. China, and gradients are steep along the coast generally with heavy monsoon in the Formosa Channel. Strong and increasing monsoon over the China Sea.

Forecast:— strong N. winds; showery at first, fine later; decreasing temperature.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Wednesday 16th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

16th DECEMBER, 1903, P. M. — 17th DECEMBER, 1903, A. M

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.82	12	...	N	7	b	7 a.	29·80	-3	45	N	1	b
Nemuro, ...	„	29.76	...	...	SE	10	...	6 a.	29.21	...	...	SW	8	...
Hakodate, ...	„	29.30	...	...	SE	4	...	„	29.64	...	...	W	10	...
Tokio,.....	„	29.55	...	...	N	4	...	„	29.71	...	...	NW	2	...
Kochi, ...	„	29.68	...	...	W	2	...	„	29.99	...	...	NW	2	...
Nagasaki.	„	30.07	...	...	NW	10	...	„	30.27	...	...	N	8	...
Kagoshima, ...	„	30.03	...	...	NW	8	...	„	30.23	...	...	N	8	...
Oshima, ...	„	30.08	...	...	N	10	...	„	30.24	...	...	N	8	...
Naha, ...	„	30.13	...	...	N	8	...	„	30.25	...	...	N	8	...
Isigakijima, ...	„	30.13	...	...	NE	6	...	„	30.25	...	...	NE	6	...
Taihoku,.....	1 p.	30.24	...	...	E	8	...	5 a.	30.32	...	...	E	6	...
Taichu, ...	„	30.04	...	...	N	6	...	„	30.13	...	...	N	6	...
Tainan,.....	„	30.02	...	...	N	6	...	„	30.13	...	...	N	6	...
Koshun, ...	„	30.03	...	...	NE	8	...	„	30.10	...	...	NE	10	...
Pescadores, ...	„	30.11	...	...	NE	10	...	„	30.21	...	...	NE	10	...
Weihaiwei,.....	3 p.	30.36	24	...	NW	4	...	9 a.	30.24	27	...	NW	4	...
Gutzlaff, ...	„	30.44	45	61	N	6	cv	„	30.50	37	81	N	4	bv
Sharp Peak, ..	„	30.26	68	76	ENE	7	o	„	30.37	53	73	NNE	4	o
Amoy, ...	2.30p.	30.22	60	82	NNE	3	od	6.30a.	30.32	55	80	NNE	2	o
Swatow, ...	3 p.	30.18	65	...	NE	3	or	9 a.	30.37	58	...	N	1	o
Canton, ...	„	...	60	88	N	2	od	„	...	58	81	N	3	o
Hongkong.....	4 p.	30.10	64	80	NNW	1	o	10 a.	30.29	58	72	N	1	o
Victoria Peak,.	„	...	...	...	N	4	...	„	...	...	...	NNE	4	...
Cap Rock,.....	„	30.08	...	...	NNE	3	...	„	30.24	...	...	NNE	5	...
Macao, ...	„	30.08	60	...	NNW	4	cq	„	30.28	55	...	N	4	oq
Haiphong, ...	„	30.05	70	...	E-E	2	o	„	...	...	...	...	...	...
Manila, ...	„	29.80	82	70	NNE	1	o	„	29.88	81	76	WSW	1	o
Bacolod, ...	3 p.	...	...	...	NE	2	o	9 a.	...	...	...	NE	2	o
Iloilo, ...	„	29.73	81	...	NE	3	o	„	29.84	80	...	NNE	2	od
Cebu, ...	„	29.78	86	...	N	3	c	„	29.87	80	...	...	0	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.50a. The barometer has fallen rapidly over NE. Japan owing to the depression, which has reached that area after crossing the Sea of Japan.

The anticyclone, which remains central over China, is spreading over W. Japan.

Pressure continues in defect over the Philippines.

Gradients have decreased on the China coast, and the monsoon with moderate in the Formosa Channel.

Gradients steep with heavy monsoon over the N. part of the China Sea.

Forecast:— fresh N. winds; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Thursday 17th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

17th DECEMBER, 1903, P. M. 18th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.81	6	...	NW	3	o	7 a.	29·81	-4	40	N	2	b
Nemuro, ...	„	29.29	...	...	SW	8	...	6 a.	...	...	...	...	...	...
Hakodate, ...	„	29.54	...	...	W	10	...	„	...	...	...	...	...	...
Tokio,.....	„	29.71	...	...	N	4	...	„	...	...	...	...	...	...
Kochi, ...	„	29.99	...	...	NW	2	...	„	...	...	...	...	...	...
Nagas,aki, ...	„	30.23	...	...	N	6	...	„	...	...	...	...	...	...
Kagoshima,....	„	30.19	...	...	N	4	...	„	...	...	...	...	...	...
Oshima, ...	„	30.20	...	...	N	8	...	„	...	...	...	...	...	...
Naha, ...	„	30.21	...	...	NW	6	...	„	...	...	...	...	...	...
Ishigakijima, ...	„	30.21	...	...	NE	6	...	„	...	...	...	...	...	...
Taihoku,.....	1 p.	30.24	...	...	E	8	...	5 a.	30.22	...	...	E	6	...
Taichu, ...	„	30.11	...	...	N	4	...	„	30.13	...	...	...	0	...
Tainan,.....	„	30.11	...	...	N	6	...	„	30.13	...	...	N	4	...
Koshun,.....	„	30.08	...	...	NE	8	...	„	30.10	...	...	NE1	8	...
Pescadores, ...	„	30.15	...	...	N	10	...	„	30.14	...	...	NE	10	...
Weihaiwei,.....	3 p.	30.14	35	...	NW	5	...	9 a.	30.32	31	...	NW	3	...
Gutzlaff, ...	„	30.39	44	76	SW	2	cv	„	30.39	43	59	NW	1	bv
Sharp Peak, ..	„	30.28	53	67	E	7	b	„	30.31	53	73	NNW	2	o
Amoy, ...	2.30p.	30.25	64	58	NE	3	c	6.30a.	30.28	55	74	NE	1	c
Swatow, ...	3 p.	30.18	62	...	E	3	...	9 a.	30.26	61	...	NNE	3	b
Canton, ...	„	...	65	68	N	4	b	„	...	60	76	N	3	o
Hongkong,.....	4 p.	30.16	69	67	SE	1	c	10 a.	30.25	63	69	E	2	o
Victoria Peak,.	„	...	...	...	NE	1	...	„	...	...	...	ENE	2	...
Gap Rock,.....	„	30.14	...	...	NE	4	...	„	30.21	...	...	ENE	5	...
Macao, ...	„	30.13	60	...	N	2	c	„	30.23	60	...	N	2	oq
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.84	82	77	SE	1	od	„	29.96	77	92	N	1	o
Bacolod, ...	3 p.	...	...	...	N	3	o	9 a.	...	...	...	NNE	4	c
Iloilo, ...	„	29.75	73	...	NNE	1	c	„	29.81	78	...	NNE	2	b
Cebu,.....	„	29.79	82	...	N	2	...	„	29.87	84	...	N	3	c
Cape S. James,..	4 p	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.50a. The barometer has fallen over S. China, risen over the NE. coast of China and Luzon.

Pressure remains high over China, and low over the NE. part of the Sea of Japan, and also to the South of the Philippine Archipelago.

Gradients moderate with strong monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Friday 18th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th DECEMBER, 1903, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th DECEMBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Wladivostock....	2 p.	29.77	9	...	N	2	b	7 a.	29.93	-1	50	...	0	c
Nemuro, ...	„	...	...	...	..	...	...	6 a.	29.49	...	...	W	8	...
Hakodate, ...	„	29.54	...	...	W	10	...	„	29.62	...	...	W	8	...
Tokio.....	„	29.71	...	...	SW	6	...	„	29.86	...	...	SW	4	...
Kochi, ...	„	29.99	...	...	NW	4	...	„	30.15	...	...	W	2	...
Nagasaki, ...	„	30.27	...	...	N	8	...	„	30.31	...	...	N	4	...
Kagoshima, ...	„	30.19	...	...	N	6	...	„	30.31	...	...	N	4	...
Oshima, ...	„	30.24	...	...	NW	6	...	„	30.32	...	...	NW	4	...
Naha, ...	„	30.25	...	...	N	6	...	„	30.29	...	...	NE	2	...
Ishigakijima, ..	„	30.21	...	...	E	6	...	„	30.29	...	...	E	6	...
Taihoku,.....	1 p.	30.20	...	...	E	6	...	5 a.	...	...	...	...	...	...
Taichu, ...	„	30.10	...	...	NW	2	...	„	...	...	...	...	...	...
Tainan, ...	„	30.11	...	...	N	4	...	„	30.17	...	...	N	4	...
Kosbun, ...	„	30.12	...	...	NE	6	...	„	30.14	...	...	NE1	4	...
Pescadores, ...	„	30.16	..	...	N	8	...	„	30.21	...	...	NE	8	...
Weihaiwei.....	3 p.	30.24	25	...	NW	2	...	9 a.	30.45	25	...	NW	4	...
Gutzlaff, ...	„	30.35	50	51	SSW	1	bv	„	30.62	44	69	N	4	cv
Sharp Peak, ..	„	30.23	55	18	N	3	o	„	30.42	55	68	N	4	o
Amoy, ...	2.30p.	30.24	66	59	NE	4	b	6.30a.	30.39	58	76	NE	1	c
Swatow, ...	3 p.	30.16	63	...	E	4	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	68	85	W	2	b	„	...	61	77	N	4	o
Hongkong	4 p.	30.12	65	70	ESE	1	b	10 a.	30.32	64	60	N	2	o
Victoria Peak,.	„	...	...	...	SE	...	...	„	...	...	...	N	4	...
Gap Rock.....	„	30.12	...	...	ENE	4	...	„	30.30	...	...	ENE	4	...
Macao, ...	„	30.11	54	....	NNE	3	c	„	30.31	61	...	NNE	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.83	80	87	...	0	c	„	29.92	79	84	NW	1	c
Bacolod, ...	3 p.	...	...	...	NE	5	c	9 a.	...	...	...	NE	2	o
Iloilo, ...	„	29.75	83	...	NNE	3	o	„	29.84	80	...	NNW	1	o
Cebu, ...	„	29.79	86	...	N	3	b	„	29.90	81	...	W	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.55a. The barometer has risen generally, particularly over China.
The anticyclone remains central over China, and pressure continues low over NE. Japan.
Gradients moderate with strong monsoon on the China coast, steep with heavy monsoon over the China Sea.
Forecast:— fresh N. winds; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Saturday 19th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th DECEMBER, 1903, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th DECEMBER, 1903, A. M Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	29.95	13	...	N	1	c	7 a.	30.06	0	53	N	1	b
Nemuro, ...	,,	29.53	...	...	W	4	...	6 a.	29.61	...	...	SW	6	...
Hakodate, ...	,,	29.66	...	...	W	6	...	,,	29.77	...	...	N	2	...
Tokio, ...	,,	29.82	...	...	SW	8	...	,,	29.90	...	...	W	2	...
Kochi, ...	,,	30.07	...	...	W	2	...	,,	30.15	...	...	NW	2	...
Nagasaki, ...	,,	30.27	...	...	N	4	...	,,	30.33	...	...	N	4	...
Kagoshima, ...	,,	30.23	...	...	NW	6	...	,,	30.31	...	...	...	0	...
Oshima, ...	,,	30.28	...	...	N	6	...	,,	30.32	...	...	N	8	
Naha, ...	,,	30.25	...	...	N	6	...	,,	30.37	...	...	N	8	...
Ishigakijima, ...	,,	30.25	...	...	E	6	...	,,	30.37	...	...	NE	8	...
Taihoku, ...	1 p.	30.34	...	...	E	6	...	5 a.	30.52	...	...	E	6	...
Taichu, ...	,,	30.20	...	...	N	8	...	,,	29.25	...	...	...	0	...
Tainan, ...	,,	30.17	...	...	N	8	...	,,	30.26	...	...	N	8	...
Kosbun, ...	,,	30.18	...	...	NE	6	...	,,	30.23	...	...	NE	10	...
Pescadores, ...	,,	30.25	...	...	N	10	...	,,	30.34	...	...	NE	10	...
Weihaiwei.....	3 p.	30.42	24	...	NW	5	...	9 a.	30.45	26	...	NW	4	...
Gutzlaff, ...	,,	30.56	42	75	N	5	bv	,,	30.68	31	68	NW	6	b
Sharp Peak, ..	,,	30.37	55	65	E	7	o	,,	30.53	51	69	ENE	7	c
Amoy, ...	2.30p.	30.34	65	53	NE	3	c	6.30a.	30.52	53	61	NE	3	c
Swatow, ...	3 p.	30.25	64	...	E	3	c	9 a.	30.32	57	...	N	2	b
Canton, ...	,,	...	68	85	N	4	c	,,	...	53	80	NE	2	b
Hongkong.....	4 p.	30.23	67	40	N	2	o	10 a.	30.41	56	31	N	2	b
Victoria Peak,.	,,	...	...	...	NNE	7	...	,,	...	...	...	N	5	...
Gap Rock,.....	,,	30.21	...	...	NE	4	...	,,	30.38	...	...	NNE	5	...
Macao, ...	,,	30.28	65	...	N	5	cr	,,	30.40	54	...	N	4	bq
Haiphong, ...	,,	30.25	64	...	NE	2	o	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	81	95	NNW	1	o	,,	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	NNE	3	o	9 a.	...	...	...	N	4	o
Iloilo, ...	,,	29.79	83	...	...	0	o	,,	29.85	81	...	NNE	3	o
Cebu, ...	,,	29.81	83	...	N	2	o	,,	29.90	82	...	S	1	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.50a. The anticyclone, which is central over China, is of great intensity, and a further increase of pressure has taken place along the coast.

The barometer is rising slowly over Japan, but is still low over the Northern islands.

Gradients steep generally with strong monsoon gales in the Formosa Channel and China Sea.

Forecast:— strong N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Sunday 20th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

20th DECEMBER, 1903, P. M. — 21st DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.03	12	...	N	1	b	7 a.	30.19	-1	58	N	1	b
Nemuro, ...	„	29.61	...	...	W	6	...	6 a.	29.69	...	...	W	6	...
Hakodate, ...	„	29.77	...	...	W	6	...	„	29.85	...	...	...	0	...
Tokio,.....	„	29.90	...	...	N	2	...	„	29.98	...	...	N	2	...
Kochi, ...	„	30.07	...	...	NW	2	...	„	30.19	...	...	NW	2	...
Nagas,aki, ...	„	30.31	...	...	N	8	...	„	30.35	...	...	N	4	...
Kagoshima,....	„	30.29	...	...	N	4	...	„	30.31	...	...	N	6	...
Oshima, ...	„	30.32	...	...	N	6	...	„	30.28	...	...	N	8	...
Naha, ...	„	30.40	...	...	N	8	...	„	30.29	...	...	NE	6	...
Isiigakijima, ...	„	30.40	...	...	N	6	...	„	30.29	...	...	NE	6	...
Taihoku,.....	1 p.	30.45	...	...	NE	6	...	5 a.	30.40	...	...	SE	2	...
Taichu, ...	„	30.19	...	...	N	8	...	„	29.24	...	...	N	6	...
Tainan,.....	„	30.23	...	...	N	8	...	„	30.23	...	...	N	4	...
Koshun, ...	„	30.22	...	...	NE	8	...	„	30.22	...	...	NE	10	...
Pescadores, ...	„	30.22	...	...	NE	10	...	„	30.30	...	...	NE	10	...
Weihaiwei,.....	3 p.	30.41	28	...	NW	6	...	9 a.	30.49	29	...	N	2	...
Gutzlaff, ...	„	30.58	37	71	NNW	5	bv	„	30.57	37	62	N	3	cv
Sharp Peak, ..	„	30.44	49	67	ENE	6	d	„	30.50	48	63	N	5	b
Amoy, ...	2.30p.	30.43	59	59	NE	4	b	6.30a.	30.48	57	15	NNE	3	o
Swatow, ...	3 p.	30.31	61	...	E	3	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	60	...	N	2	b	„	...	...	...	...	...	...
Hongkong.....	4 p.	30.31	60	19	N	3	b	10 a.	30.42	55	19	N	2	b
Victoria Peak,.	„	...	...	...	NNE	4	...	„	...	...	...	N	4	...
Gap Rock, ...	„	30.30	...	...	NNE	4	...	„	30.39	...	...	NE	4	...
Macao, ...	„	30.29	60	...	N	4	cq	„	30.40	50	...	N	4	bq
Haiphong, ...	„	30.31	64	...	NE	1	c	„	...	...	...	...	...	...
Manila, ...	„	29.84	75	24	N	1	o	„	29.96	72	91	N	1	od
Bacolod, ...	3 p.	...	...	...	NNE	6	c	9 a.	...	...	...	N	1	o
Iloilo, ...	„	29.75	84	...	NE	4	c	„	29.85	78	...	NE	2	o
Cebu, ...	„	29.83	83	...	N	3	c	„	29.92	80	...	N	3	or
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 11.5a. The barometer has fallen over the E. coast of China and the Loochoos, and continues to rise slowly over E. Japan.

The anticyclone is still central over China, and pressure remains low to the NE. of Japan.

Gradients have decreased on the China coast, but continue steep over the China Sea.

The monsoon will probably moderate in the Formosa Channel. Strong monsoon gales over the China Sea.

Forecast:— fresh to moderate N. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Monday 21st December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

21st DECEMBER, 1903, P. M. — 22nd DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.18	11	...	N	2	b	7 a.	30.28	10	54	N	1	b
Nemuro, ...	„	29.72	...	...	W	6	...	6 a.	99.92	...	...	W	6	...
Hakodate, ...	„	29.93	...	...	NW	6	...	„	20.05	...	...	NW	4	...
Tokio,.....	„	30.02	...	...	S	4	...	„	30.18	...	...	W	2	...
Kochi, ...	„	30.19	...	...	NW	2	...	„	30.27	...	...	NW	2	...
Nagas,aki, ...	„	30.31	...	...	N	6	...	„	30.39	...	...	NE	2	...
Kagoshima,....	„	30.31	...	...	N	6	...	„	30.35	...	...	N	4	...
Oshima, ...	„	30.28	...	...	NW	8	...	„	30.32	...	...	N	6	...
Naha, ...	„	30.25	...	...	N	6	...	„	30.37	...	...	N	8	...
Ishigakijima, ...	„	30.29	...	...	NE	6	...	„	30.29	...	...	NE	4	...
Taihoku,.....	1 p.	30.36	...	...	E	4	...	5 a.	30.34	...	...	...	0	...
Taichu, ...	„	30.33	...	...	N	6	...	„	29.24	...	...	NE	2	...
Tainan,.....	„	30.26	...	...	N	6	...	„	30.23	...	...	N	4	...
Koshun, ...	„	30.21	...	...	NE	6	...	„	30.18	...	...	NE	8	...
Pescadores, ...	„	30.29	...	...	N	10	...	„	30.26	...	...	NE	10	...
Weihsiwei,.....	3 p.	30.41	29	...	N	2	...	9 a.	30.41	34	...	SSW	2	...
Gutzlaff, ...	„	30.52	42	66	NNW	2	cv	„	30.49	40	82	NNE	2	bv
Sharp Peak, ..	„	30.41	53	80	NE	2	b	„	30.43	47	74	N	2	b
Amoy, ...	2.30p.	30.41	59	43	NNE	3	b	6.30a.	30.42	62	77	NE	1	o
Swatow, ...	3 p.	30.37	58	...	E	1	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	53	80	N	3	b
Hongkong.....	4 p.	30.28	58	17	NE	2	b	10 a.	30.34	57	42	NE	1	b
Victoria Peak,.	„	...	...	...	N	2	...	„	...	...	...	ENE	3	...
Gap Rock,.....	„	30.26	...	...	ENE	4	...	„	30.30	...	...	ENE	5	...
Macao, ...	„	30.28	57	...	N	2	b	„	30.33	52	..	NNE	3	bq
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.88	72	92	NNW	1	d	„	29.96	70	60	N	1	o
Bacolod, ...	3 p.	...	...	...	NNE	4	o	9 a.	...	...	...	NE	2	gd
Iloilo, ...	„	29.75	82	...	NNE	1	o	„	29.85	78	...	NE	2	or
Cebu, ...	„	29.79	83	...	N	3	o	„	29.90	82	...	...	0	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.40a. The barometer has fallen over China, risen in Japan.
The anticyclone is spreading Eastwards over Japan, the highest pressure now apparently lying over the E. coast of China.
Gradients moderate with strong monsoon in the Formosa Channel, still rather steep with hard monsoon over the China Sea.
Forecast:— fresh NE. winds; fine.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Tuesday 22nd December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

22nd DECEMBER, 1903, P. M. 23rd DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,...	2 p.	30.23	-3	...	N	1	b	7 a.	30.24	-4	90	...	0	b
Nemuro, ...	„	29.96	...	...	W	2	...	6 a.	30.00	...	...	W	2	...
Hakodate, ...	„	30.05	...	...	W	6	...	„	30.09	...	...	NW	4	...
Tokio,.....	„	30.14	...	...	N	2	...	„	30.26	...	...	NW	2	...
Kochi, ...	„	30.53	...	...	W	0	...	„	30.27	...	...	NW	2	...
Nagasaki, ...	„	30.35	...	...	N	4	...	„	30.38	...	...	...	0	...
Kagoshima,....	„	30.31	...	...	NW	4	...	„	30.38	...	...	N	4	...
Oshima, ...	„	30.28	...	...	NW	6	...	„	30.32	...	...	SE	2	...
Naha, ...	„	30.25	...	...	N	6	...	„	30.25	...	...	NE	4	...
Ishigakijima, ...	„	30.29	...	...	NE	6	...	„	30.25	...	...	N	2	...
Taihoku,.....	1 p.	30.28	...	...	E	8	...	5 a.	30.27	...	...	E	4	...
Taichu, ...	„	30.13	...	...	...	0	...	„	29.18	...	...	...	0	...
Tainan,.....	„	30.15	...	...	N	6	...	„	30.17	...	...	N	4	...
Kosbun, ...	„	...	...	...	NE	8	...	„	30.17	...	...	NE	6	...
Pescadores, ...	„	30.20	...	...	N	10	...	„	30.17	...	...	NE	8	...
Weihaiwei,.....	3 p.	30.33	35	...	S	1	...	9 a.	30.33	39	...	NW	1	...
Gutzlaff, ...	„	30.42	46	69	NW	2	bv	„	30.43	41	100	NW	3	cv
Sharp Peak, ..	„	30.32	54	68	E	2	b	„	30.34	53	73	NW	2	b
Amoy, ...	2.30p.	30.33	62	83	NE	2	b	6.30a.	30.33	51	79	N	1	c
Swatow, ...	3 p.	30.32	58	...	E	3	b	9 a.	...	...	...	...	...	...
Canton, ...	„	...	64	89	N	4	b	„	...	53	85	N	3	b
Hongkong.....	4 p.	30.22	60	38	W	1	b	10 a.	30.32	61	31	NE	1	b
Victoria Peak,.	„	...	...	...	N	1	...	„	...	...	...	ENE	3	...
Gap Rock,.....	„	30.21	...	...	ENE	4	...	„	30.27	...	...	ENE	4	...
Macao , ...	„	30.20	60	...	N	2	b	„	30.28	57	..	NNE	2	b
Haiphong, ...	„	30.20	63	...	E	...	b	„	...	...	...	...	...	...
Manila, ...	„	29.85	79	69	N	1	c	„	29.92	82	63	WSW	0	c
Bacolod, ...	3 p.	...	...	...	NNE	2	c	9 a.	...	...	...	NNE	4	c
Iloilo, ...	„	29.79	81	...	NNE	1	c	„	29.85	79	...	...	0	b
Jolo, ...	„	29.79	83	...	N	2	b	„	29.89	83	...	N	2	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.40a. The barometer has risen over E. Japan, fallen on the China coast. The anticyclone covers China and the greater part of Japan, the central area continuing to lie over China. Gradients slight on the coast with fresh monsoon in the Formosa Channel, rather steep over the China Sea with heavy monsoon.

Forecast:— moderate NE. to N. winds; fine.

F. G. FIGG.
Acting Director

Hongkong Observatory, Wednesday 23rd December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	23rd DECEMBER, 1903, P. M.							24th DECEMBER, 1903, A. M						
STATION.	HOUR.	BAROMETER	Temperature.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.
Wladivostock,	2 p.	30.22	15	...	N	1	b	7 a.	30.25	4	64	N	1	b
Nemuro,	"	29.96	...	...	W	6	...	6 a.	30.04	...	...	W	4	...
Hakodate,	"	30.09	...	...	NW	6	...	"	30.09	...	...	W	4	...
Tokio,	"	30.18	...	...	SE	2	...	"	30.18	...	...	NW	4	...
Kochi,	"	30.15	...	...	W	2	...	"	30.15	...	...	W	2	...
Nagasaki,	"	30.27	...	...	SE	4	...	"	30.27	...	...	N	6	...
Kagoshima,	"	30.27	...	...	SE	2	...	"	30.27	...	...	N	2	...
Oshima,	"	30.24	...	...	N	4	...	"	30.28	...	...	NW	2	...
Naha,	"	30.21	...	...	N	6	...	"	30.25	...	...	NE	2	...
Ishigakijima,	"	30.21	...	...	NE	6	...	"	30.21	...	...	E	6	...
Taihoku,	1 p.	30.22	...	...	NE	8	...	5 a.	30.30	...	...	E	4	...
Taichu,	"	30.13	...	...	...	0	...	"	29.19	...	...	N	2	...
Tainan,	"	30.13	...	...	N	6	...	"	30.17	...	...	N	6	...
Koshun,	"	30.11	...	...	NE	6	...	"	30.14	...	...	NE	2	...
Pescadores,	"	30.17	...	...	NE	10	...	"	30.21	...	...	NE	10	...
Weihaiwei,	3 p.	30.33	30.	...	NW	1	...	9 a.	30.44	25	...	NW	1	...
Gutzlaff,	"	30.40	46	62	N	2	cm	"	30.49	41	74	N	3	bv
Sharp Peak,	"	30.26	58	28	ENE	4	b	"	30.38	53	73	N	3	b
Amoy,	2.30p.	30.24	66	58	NNE	3	b	6.30a.	30.36	53	61	NNE	1	c
Swatow,	3 p.	30.23	62	...	SE	2	b	9 a.	...	...	...	...	...	...
Canton,	"	...	67	89	N	4	b	"	...	...	...	...	...	...
Hongkong,	4 p.	30.17	66	25	N	2	b	10 a.	30.29	63	29	NE	2	b
Victoria Peak,	"	...	...	...	NNE	3	...	"	...	...	...	ENE	4	...
Gap Rock,	"	30.17	...	...	ENE	3	...	"	30.27	...	...	ENE	4	...
Macao,	"	30.16	64	...	N	3	b	"	30.23	59	..	NNE	2	b
Haiphong,	"	30.20	65	...	NW	1	b	"	...	...	...	...	...	...
Manila,	"	29.84	82	70	...	0	c	"	29.92	82	63	ENE	1	c
Bacolod,	3 p.	...	...	...	NNE	5	c	9 a.	...	...	...	NE	3	c
Iloilo,	"	29.75	86	...	NE	4	cr	"	29.83	80	...	NE	3	c
Cebu,	"	29.77	68	...	N	2	c	"	29.90	88	...	N	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.30a. The barometer has fallen over S. Japan, risen over N. China.
The anticyclone is still central over Mid-China, and pressure is relatively low over the NE. part of the Sea of Japan, and also over the S. part of the China Sea.
Gradients moderate with strong monsoon in the Formosa Channel, rather steep with heavy monsoon over the China Sea.
Forecast:— fresh NE. winds; fine.

F. G. FIGG.
Acting Director

Hongkong Observatory, Thursday 24th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th DECEMBER, 1903, P. M. Hour.	Barometer	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	25th DECEMBER, 1903, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Focre.	Weather.
Wladivostock,	2 p.	...	.	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	30.00	...	...	NW	2	...	6 a.	30.12	...	...	NW	6	...
Hakodate,	"	30.09	...	...	W	6	...	"	30.17	...	...	N	2	...
Tokio,	"	30.10	...	...	NE	2	...	"	30.18	...	...	N	4	...
Kochi,	"	30.07	...	...	..	0	...	"	30.15	...	...	W	0	...
Nagasaki,	"	30.23	...	...	N	6	...	"	30.35	...	...	NW	4	...
Kagoshima,	"	30.23	...	...	N	6	...	"	30.31	...	...	N	4	...
Oshima,	"	30.24	...	...	N	6	...	"	30.32	...	...	NW	6	...
Naha,	"	30.25	...	...	N	6	...	"	30.29	...	...	NE	2	...
Ishigakijima,	"	30.21	...	...	NE	8	...	"	30.25	...	...	E	6	...
Taihoku,	1 p.	30.25	...	...	E	8	...	5 a.	30.25	...	...	E	6	...
Taichu,	"	30.12	...	...	NW	4	...	"	29.18	...	...	...	0	...
Tainan,	"	30.13	...	...	N	6	...	"	30.13	...	...	N	4	...
Koshun,	"	30.11	...	...	NE	8	...	"	30.11	...	...	NE	10	...
Pescadores,	"	30.18	..	...	N	10	...	"	30.17	...	...	NE	10	...
Weihaiwei,	3 p.	30.39	31	...	NW	2	...	9 a.	...	...	...	...	...	...
Cutzlaff,	"	30.44	42	75	N	3	bv	"	30.40	47	77	SE	3	bv
Sharp Peak,	"	30.30	52	79	E	6	b	"	30.33	51	79	NNW	3	o
Amoy,	2.30p.	30.29	64	53	NE	4	b	6.30a.	30.29	64	53	NE	1	b
Swatow,	3 p.	30.22	64	...	E	2	b	9 a.	...	...	...	...	...	...
Canton,	"	...	69	90	N	3	b	"	...	55	...	...	0	...
Hongkong,	4 p.	30.18	61	51	E	2	b	10 a.	30.25	61	43	E	2	o
Victoria Peak,	"	...	...	...	NE	1	...	"	...	...	...	ENE	3	...
Cap Rock,	"	30.18	...	...	E	4	...	"	30.23	...	...	ENE	5	...
Macao,	"	30.17	65	...	NNE	2	c	"	30.23	60	..	NNE	2	c
Haiphong,	"	...	...	...	...	...	...	"	...	...		...	...	...
Manila,	"	29.80	84	71	...	0	o	"	29.88	82	70	...	0	o
Bacolod,	3 p.	...	...	...	N	2	c	9 a.	...	...	...	NE	5	o
Iloilo,	"	29.75	81	...	NNE	1	o	"	...	...	...	NE	2	c
[illegible]u,	"	29.78	85	...	...	0	b	"	29.84	84	...	N	3	c
[illegible] S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 11.35a. The barometer has risen in Japan, fallen over the China coast and Philippines.
The high pressure area is now central between the E. coast of China and W. Japan.
Pressure remains relatively low over the S. part of the China Sea.
Gradients are decreasing.
The monsoon will moderate in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh to moderate E. winds; fair, becoming warmer.

F. G. FIGG.
Acting Director

Hongkong Observatory, Friday 25th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

25th DECEMBER, 1903, P. M. — 26th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.09	18	...	...	0	o	7 a.	30.01	12	99	N		o
Nemuro, ...	,,	30.12	...	...	NW	4	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	30.17	...	...	...	0	...	,,	...	...	...	...	...	...
Tokio,.....	,,	30.14	...	...	NE	2	...	,,	...	...	...	...	...	...
Kochi, ...	,,	30.15	...	...	...	0	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	30.31	...	...	N	4	...	,,	...	...	...	...	...	...
Kagoshima,....	,,	30.27	...	...	N	6	...	,,	...	...	...	...	...	...
Oshima, ...	,,	30.28	...	...	N	6	...	,,	...	...	...	...	...	...
Naha, ...	,,	30.21	...	...	NE	4	...	,,	...	...	...	...	...	...
Ishigakijima, ...	,,	30.21	...	...	E	6	...	,,	...	...	...	...	...	...
Taihoku,.....	1 p.	30.16	...	...	E	8	...	5 a.	30.13	...	...	W	2	...
Taichu, ...	,,	30.05	...	...	SW	2	...	,,	29.12	...	...	...	0	...
Tainan,.....	,,	30.09	...	...	N	2	...	,,	30.12	...	...	N	2	...
Koshun, ...	,,	30.11	...	...	NE	8	...	,,	30.12	...	...	NE	4	...
Pescadores, ...	,,	30.12	...	...	NE	8	...	,,	30.18	...	...	NE	4	...
Weihaiwei,.....	3 p.	30.23	37	...	SW	1	...	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.09	54	68	SE	3	bv	,,	30.26	55	80	S	2	cv
Sharp Peak, ..	,,	30.19	54	80	WNW	3	o	,,	30.17	58	88	W	2	o
Amoy, ...	2.30p.	30.19	64	73	NE	2	b	6.30a.	30.18	59	82	SSW	1	o
Swatow, ...	3 p.	30.09	69	...	E	2	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	68	95	SW	1	c	,,	...	63	94	...	0	c
Hongkong.....	4 p.	30.12	69	63	E	2	c	10 a.	30.17	68	57	NE	2	c
Victoria Peak,.	,,	...	...	...	ENE	3	...	,,	...	...	...	E	3	...
Gap Rock,.....	,,	30.12	...	...	ENE	3	...	,,	30.15	...	...	ENE	4	...
Macao, ...	,,	30.11	62	...	NNE	2	c	,,	30.15	64	..	NNE	2	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.82	82	71	NNE	2	o	,,	29.92	86	68	E	0	b
Bacolod, ...	3 p.	...	...	...	N	5	om	9 a.	...	...	...	NNE	3	o
Iloilo, ...	,,	29.73	80	...	NNE	3	c	,,	2.981	79	...	NE	2	c
Cebu, ...	,,	29.79	84	...	N	3	c	,,	29.80	82	...	N	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 11.50a. The barometer has fallen over the China coast and at Wladiwostock.
A depression has passed from the continent into the N. part of the Sea of Japan. Pressure remains low also over the S. Philippines and adjacent waters.
Pressure is highest over N. China.
The monsoon at present interrupted in the Formosa Channel, will probably set in again there during the next 24 hours. Fresh monsoon over the N. part of the China Sea.
Forecast:— moderate NE. winds; fair.

F. G. FIGG.
Acting Director

Hongkong Observatory, Saturday 26th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

	26th DECEMBER, 1903, P. M.							27th DECEMBER, 1903, A. M						
STATION.	Hour.	BAROMETER	Temperature.	Humidity	WIND. Direction.	Force.	WEATHER.	Hour.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	Force.	WEATHER
Windivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.84	...	...	S	4	...	6 a.	29.69	...	...	N	10	...
Hakodate, ...	,,	29.70	...	...	W	6	...	,,	29.97	...	...	NW	6	...
Tokio,.....	,,	29.90	...	...	N	2	...	,,	30.06	...	...	N	4	...
Kochi, ...	,,	30.11	...	...	W	2	...	,,	30.23	...	...	W	0	...
Nagasaki, ...	,,	30.23	...	...	N	2	...	,,	30.31	...	...	...	0	...
Kagoshima,....	,,	30.19	...	...	N	4	...	,,	30.31	...	...	N	4	...
Oshima.	,,	30.24	...	...	NE	4	...	,,	30.24	...	...	...	0	...
Naha, ...	,,	30.17	...	...	NE	4	...	,,	30.17	...	...	...	0	...
Isigakijima, ...	,,	30.13	...	...	SE	8	...	,,	30.13	...	...	NE	2	...
Tadoku,.....	1 p.	30.10	...	...	W	6	...	5 a.	30.22	...	...	W	2	...
Taichu, ...	,,	30.16	...	...	NW	6	...	,,	30.13	...	...	...	0	...
Tainan,.....	,,	30.09	...	...	NW	6	...	,,	30.11	...	...	N	4	...
Koshun,.....	,,	30.08	...	...	E	6	...	,,	30.07	...	...	NE	6	...
Fesenderes, ...	,,	30.12	...	...	N	8	...	,,	30.15	...	...	NE	10	...
Weihaiwei.....	3 p.	...	...	...	...	...	...	9 a.	30.45	39	...	...	0	...
Cetzlaff, ...	,,	30.24	51	79	N	2	cv	,,	30.43	46	77	NNE	4	cv
Sharp Peak. ..	,,	30.08	61	85	...	0	o	,,	30.28	58	79	N	4	b
Amoy, ...	2.30p.	30.06	67	69	..	0	b	6.30a.	30.24	58	88	NE	1	c
Swatow, ...	3 p.	30.05	64	...	WNW	1	c	9 a.	30.21	63	...	E	4	c
Canton, ...	,,	...	72	99	N	2	b	,,	...	...	...	...	...	...
Hongkong	4 p.	30.10	69	65	E	2	o	10 a.	30.21	64	77	E	4	o
Victoria Peak,.	,,	...	...	...	ENE	5	...	,,	...	...	...	ENE	5	...
Cap Lock.....	,,	30.07	...	...	ENE	3	...	,,	30.18	...	...	ENE	5	...
Macao, ...	,,	30.07	70	...	N	1	c	,,	...	...	...	...	...	...
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	84	58	NE	3	b	,,	29.88	82	57	NE	3	o
Bacolod, ...	3 p.	...	...	...	N	3	o	9 a.	...	...	...	N	4	op
Iloilo, ...	,,	29.75	72	...	...	0	o	,,	2.978	78	...	NNE	4	or
Cebu, ...	,,	29.81	83	...	N	2	or	,,	29.82	84	...	N	3	b
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 10.55a. The barometer has fallen over NE. Japan owing to the depression which after crossing the N. part of the Sea of Japan, is at present moving into the Pacific.
The barometer has risen over China, particularly in the North where, a high pressure area is now lying.
Pressure remains low over the S. Philippines and adjacent waters.
Gradients moderate to rather steep with strong monsoon along the China coast, and heavy monsoon over the China Sea.
Forecast:— fresh to strong NE. breezes; fair.

F. G. FIGG.
Acting Director

Hongkong Observatory, Sunday 27th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

27th DECEMBER, 1903, P. M. — 28th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	..	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.84	...	...	N	10	...	6 a.	30.08	...	...	SW	6	...
Hakodate, ...	,,	30.05	...	...	N	2	...	,,	30.17	...	...	...	0	...
Tokio,.....	,,	30.10	...	...	N	6	...	,,	30.30	...	...	N	2	...
Kochi, ...	,,	30.19	...	...	W	2	...	,,	30.27	...	...	NE	4	...
Nagasaki, ...	,,	30.27	...	...	NW	2	...	,,	30.27	...	...	...	0	...
Kagoshima,....	,,	30.23	...	...	...	0	...	,,	30.23	...	...	NE	4	...
Oshima, ...	,,	30.16	...	...	E	2	...	,,	30.16	...	...	E	2	...
Naha, ...	,,	30.09	...	...	E	6	...	,,	30.09	...	...	SE	2	...
Isigakijima, ...	,,	30.09	...	...	N	6	...	,,	30.09	...	...	N	4	...
Tamsui,.....	1 p.	30.16	...	...	E	4	...	5 a.	30.19	...	...	E	2	...
Taichu, ...	,,	30.06	...	...	N	6	...	,,	30.10	...	...	N	6	...
Tainan, ...	,,	30.06	...	...	N	6	...	,,	30.08	...	...	N	6	...
Koshun, ...	,,	30.05	...	...	NE	8	...	,,	30.04	...	...	NE	6	...
Pescadores, ...	,,	30.13	..	...	NE	8	...	,,	30.13	...	...	NE	10	...
Weihaiwei.....	3 p.	30.33	30	...	...	...	...	9 a.	30.13	33	...	...	...	...
Cutzlaff, ...	,,	30.39	45	73	NNE	3	cv	,,	30.36	43	83	NNW	1	bv
Sharp Peak, ..	,,	30.21	60	76	E	3	b	,,	30.26	54	83	NE	3	o
Amoy, ...	2.30p.	30.21	71	42	E	1	c	6.30a.	30.22	57	75	NNE	1	c
Swatow, ...	3 p.	30.10	67	...	E	3	b	9 a.	30.21	63	...	WNW	2	b
Canton, ...	,,	...	70	85	...	0	c	,,	...	58	88	N	3	b
Hongkong.....	4 p.	30.13	64	68	E	2	c	10 a.	30.23	64	55	E	1	o
Victoria Peak,.	,,	...	...	...	..	0	...	,,	...	...	...	E	1	...
Gap Rock,.....	,,	30.10	...	...	ENE	5	...	,,	30.21	...	...	NE	3	...
Macao, ...	,,	30.11	63	...	ESE	1	b	,,	30.22	71	..	N	1	b
Haiphong, ...	,,	30.12	70	...	SE	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	79	76	NNE	6	c	,,	29.92	81	69	NNW	1	o
Bacolod, ...	3 p.	...	...	...	NNE	6	c	9 a.	...	...	...	...	...	...
Iloilo, ...	,,	29.75	82	...	NE	2	o	,,	29.85	81	...	NE	1	b
Cebu, ...	,,	29.79	83	...	NE	3	c	,,	29.88	84	...	N	1	o
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 11.45a. The barometer has risen over E. Japan, fallen quickly over N. China. The depression lying over NE. Japan yesterday has moved away over the Pacific. Another depression probably exists over Manchuria.

Pressure is high over SE. Japan and Central China.

Gradients decreasing with fresh to moderate monsoon in the Formosa Channel. Strong monsoon over the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG.
Acting Director

Hongkong Observatory, Monday 28th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

28th DECEMBER, 1903, P. M. — 29th DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.91	17	...	...	0	f	7 a.	29.71	19	55	NW	1	c
Nemuro, ...	,,	30.12	...	...	W	4	...	6 a.	...	...	...	...	...	...
Hakodate, ...	,,	30.17	...	...	N	2	...	,,	...	...	...	...	...	...
Tokio,.....	,,	30.22	...	...	...	0	...	,,	...	...	...	...	...	...
Kochi, ...	,,	30.15	...	...	NE	4	...	,,	...	...	...	...	...	...
Nagasaki, ...	,,	30.15	...	...	...	0	...	,,	...	...	...	...	...	...
Kagoshima,....	,,	30.11	...	...	NE	4	...	,,	...	...	...	...	...	...
Oshima, ...	,,	30.04	...	...	SE	6	...	,,	...	...	...	...	...	...
Naha, ...	,,	30.05	...	...	S	2	...	,,	...	...	...	...	...	...
Isigakijima, ...	,,	30.09	...	...	NE	4	...	,,	...	...	...	...	...	...
Taihoku,.....	1 p.	30.13	...	...	E	6	...	5 a.	30.20	...	...	...	0	...
Taichu, ...	,,	...	...	...	N	6	...	,,	30.12	...	...	N	4	...
Tainan, ...	,,	30.04	...	...	N	4	...	,,	30.10	...	...	N	6	...
Kosbun, ...	,,	30.06	...	...	NE	6	...	,,	30.08	...	...	NE	4	...
Pescadores, ...	,,	30.05	...	...	N	10	...	,,	30.18	...	...	NE	10	...
Weihaiwei,.....	3 p.	...	...	...	...	...	...	9 a.	30.33	33	...	NW	3	...
Gutzlaff, ...	,,	30.29	46	77	NW	2	cv	,,	30.36	40	91	NW	4	bv
Sharp Peak, ..	,,	30.14	55	77	E	6	b	,,	30.29	53	83	W	1	b
Amoy, ...	2.30p.	30.16	64	68	E	2	b	6.30a.	30.22	63	78	NNE	1	c
Swatow, ...	3 p.	30.10	64	...	E	2	b	9 a.	30.21	60	...	NW	2	b
Canton, ...	,,	...	...	...	...	...	...	,,	...	57	...	N	3	b
Hongkong,.....	4 p.	30.09	64	62	W	1	c	10 a.	30.24	63	37	N	2	b
Victoria Peak,.	,,	...	...	...	...	0	...	,,	...	...	...	NNE	3	...
Gap Rock,.....	,,	30.08	...	...	NNW	2	...	,,	30.22	...	...	N	4	...
Macao, ...	,,	30.07	66	...	NNE	2	c	,,	30.24	60	..	N	3	b
Haiphong, ...	,,	30.09	70	...	SE	1	c	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	82	68	NNE	2	o	,,	29.92	79	84	W	1	o
Bacolod, ...	3 p.	...	...	...	N	4	...	9 a.	...	...	...	NE	2	c
Iloilo, ...	,,	29.76	87	...	...	0	c	,,	29.85	81	...	...	0	c
Cebu, ...	,,	29.78	85	...	S	2	...	,,	29.91	85	...	N	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11.30a. The barometer has fallen much at Wladiwostock, risen quickly over N. China. The depression lying over Manchuria yesterday has moved Eastwards into the N. part of the Sea of Japan.
A high pressure area lies over Central China.
Strong monsoon in the Formosa Channel and China Sea.
Forecast:— moderate to fresh N. winds; fine.

F. G. FIGG.
Acting Director

Hongkong Observatory, Tuesday 29th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

29th DECEMBER, 1903, P. M.

STATION.	HOUR.	BAROMETER	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock,...	2 p.	29.73	22	...	N	1	b
Nemuro, ...	„	29.53	...	...	SE	10	...
Hakodate, ...	„	29.54	...	...	W	4	...
Tokio,.....	„	29 63	...	...	N	6	...
Kochi, ...	„	29.75	...	...	W	4	...
Nagasaki, ...	„	30.03	...	...	NW	10	...
Kagoshima,....	„	29.95	...	...	NW	8	...
Oshima, ...	„	30 04	...	...	N	4	...
Naha, ...	„	30.05	...	...	NW	8	...
Ishigakijima, ...	„	30.09	...	...	N	6	...
Taihoku,.....	1 p.	30 22	...	...	NE	6	...
Taichu, ...	„	30.06	...	...	N	8	...
Tainan,.....	„	30.05	...	..	N	8	...
Koshun,.....	„	30.05	...	...	NE	6	...
Pescadores, ...	„	30.13	...	...	NE	12	...
Weihaiwei.....	3 p.	30.26	...	...	NW	4	...
Gutzlaff, ...	„	30.35	45	77	N	5	bm
Sharp Peak, ..	„	30.20	56	75	NE	5	b
Amoy, ...	2.30p.	30.21	63	67	NE	3	c
Swatow, ...	3 p.	30.21	64	...	E	2	b
Canton, ...	„	...	69	85	NE	4	b
Hongkong.....	4 p.	30.13	67	31	N	1	c
Victoria Peak,.	„	...	...	...	NNE	1	...
Gap Rock,.....	„	30.11	...	...	NNW	3	...
Macao, ...	„	30.12	65	...	N	2	b
Haiphong, ...	„	30.15	77	...	ESE	1	b
Manila, ...	„	29.80	82	70	SSW	1	o
Bacolod, ...	3 p.	...	...	...	NNE	4	c
Iloilo, ...	„	29.77	85	...	NE	1	b
Cebu, ...	„	29.80	85	...	N	1	...
Cape S. James,..	4 p.	...	...	...	...	...	...

30th DECEMBER, 1903, A. M

HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
7 a.	29.91	3	60	E	1	b
6 a.	29.25	...	...	W	6	...
„	29.54	...	...	W	6	...
„	29.75	...	...	NW	4	...
„	30.07	...	...	NW	3	...
„	30.19	...	...	SE	4	...
„	30.15	...	...	N	2	...
„	30.19	...	...	NW	8	...
„	30.18	...	...	NW	8	...
„	30.17	...	...	NE	4	...
5 a.	30.21	...	...	NE	6	...
„	30.09	...	...	...	0	...
„	30.08	...	...	N	4	...
„	30.02	...	...	NE	10	...
„	30.13	...	...	NE	10	...
9 a.	30.18	32	...	S	2	...
„	30.35	38	81	N	1	bv
„	30.28	53	80	NNE	5	c
6.30a.	30.25	53	67	N	1	b
9 a.	...	...	...	...	...	...
„	...	...	...	...	...	...
10 a.	30.22	59	43	E	2	b
„	...	...	...	E	3	...
„	30.19	...	...	ENE	4	...
„	30.20	57	..	NNE	2	b
„	...	...	..	...	...	...
„	29.92	82	70	WSW	0	o
9 a.	...	...	...	NNE	4	o
„	29.85	81	...	NNE	3	c
„	29.89	85	...	...	...	b
10 a.	...	...	...	...	...	...

On the 30th at 11.10a. The depression in the North has deepened and is now moving Eastwards over NE. Japan.

The barometer has risen over W. Japan, but a fresh fall of the mercury has set in over N. China, probably owing to the approach of another depression from the Westward.

Pressure is highest over Central China.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG.
Acting Director

Hongkong Observatory, Wednesday 30th December 1903.

CHINA COAST METEOROLOGICAL REGISTER.

30th DECEMBER, 1903, P. M. — 31st DECEMBER, 1903, A. M

Station.	Hour.	Barometer	Temperature.	Humidity	Wind. Direction.	Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather
Vladivostock,...	2 p.	29.53	18	...	N	1	b	7 a.	30.03	0	60	N	1	b
Nemuro, ...	„	29.55	...	...	W	8	...	6 a.	29.45	...	...	W	8	...
Hakodate.	„	29.58	...	...	W	8	...	„	29.85	...	...	W	6	...
Tokio,.....	„	29.82	...	...	N	6	...	„	30.02	...	...	NW	4	...
Kochi, ...	„	30.13	...	...	W	2	...	„	30.11	...	...	...	0	...
Nagasaki, ...	„	30.19	...	...	N	4	...	„	30.23	...	...	SE	2	...
Kagoshima,.....	„	30.15	...	...	W	6	...	„	30.33	...	...	NW	2	...
Oshima, ...	„	30.16	...	...	N	6	...	„	30.20	...	...	S	2	...
Naha, ...	„	30.13	...	...	N	2	...	„	30.13	...	...	NE	2	...
Ishigakijima, ..	„	30.13	...	...	NE	6	...	„	30.13	...	...	NE	4	...
Tauhoku,.....	1 p.	30.16	...	...	E	6	...	5 a.	30.11	...	...	E	2	...
Taichu, ...	„	30.06	...	...	NW	2	...	„	30.09	...	...	...	0	...
Tainan, ...	„	30.06	...	..	N	2	...	„	30.08	...	...	N	2	...
Koshun, ...	„	30.07	...	...	NE	6	...	„	30.07	...	...	NE	4	...
Pescadores, ..	„	30.11	...	...	NE	10	...	„	30.09	...	...	NE	8	...
Weihaiwei.....	3 p.	30.02	...	...	SW	4	...	9 a.	30.00	41	...	S	1	...
Cetzlaff, ...	„	30.25	47	55	SSW	2	bv	„	30.17	47	85	SW	2	bv
Sharp Peak, ..	„	30.17	53	76	E	6	b	„	30.17	52	83	...	0	c
Amoy, ...	2.20p.	30.19	63	52	ENE	3	c	6.30a.	30.19	51	79	WSW	1	b
Swatow, ...	3 p.	30.13	63	...	E	2	b	9 a.	30.18	56	...	N	1	b
Canton, ...	„	...	66	...	S	2	b	„	...	...	...	...	...	...
Pengkong	4 p.	30.09	59	58	E	3	b	10 a.	30.18	61	67	ESE	1	b
Victoria Peak,.	„	...	...	...	E	1	...	„	...	...	...	ESE	1	...
Cap Lock.....	„	30.09	...	...	ENE	4	...	„	30.15	...	...	ENE	4	...
Macao, ...	„	30.10	61	...	NNE	1	b	„	30.16	58	..	E	1	b
Haiphong, ...	„	30.07	68	...	SE	1	b	„	...	...	..	...	...	...
Manila, ...	„	29.83	86	65	...	0	o	„	29.96	81	76	...	0	o
Pacoled, ...	3 p.	...	...	...	NNE	4	o	9 a.	...	...	...	NE	3	b
Iloilo, ...	„	29.75	81	...	NNE	2	c	„	29.89	81	...	...	0	c
Cebu, ...	„	29.80	85	...	N	4	b	„	29.89	83	...	...	0	c
Cape S. James,..	4 p.	...	..	...	...	...	...	10 a.	...	...	...	...	...	...

On the 31st at 11.4[illegible]a. The depression lying over NE. Japan yesterday is slowly moving away over the Pacific.

The barometer continues to fall over the China coast owing to the depression lying over N. China.

Pressure is highest over W. Japan.

The monsoon is interrupted in the North and in the Formosa Channel. Moderate mons on over the N. part of the China Sea.

Forecast:— E or variable winds, moderate to light; fine.

F. G. FIGG.
Acting Director

Hongkong Observato[illegible]

CHINA COAST METEOROLOGICAL REGISTER.

31st DECEMBER, 1903, P. M. — 1st JANUARY, 1904, A. M

Station.	Hour.	Barometer	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock....	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	..
Nemuro, ...	"	29.41	...	...	W	8	...	6 a.	...	...	...	...	...	...
Hakodate, ...	"	29.81	...	...	W	8	...	"	...	...	...	...	...	...
Tokio.....	"	29.94	...	...	...	0	...	"	...	...	...	...	...	...
Kochi, ...	"	30.03	...	...	NW	3	...	"	...	...	...	...	...	...
Nagasaki, ...	"	30.07	...	...	SE	6	...	"	...	...	...	...	...	...
Kagoshima, ...	"	30.07	...	...	E	2	...	"	...	...	...	...	...	...
Oshima, ...	"	30.08	...	...	N	2	...	"	...	...	...	...	...	...
Naha, ...	"	30.05	...	...	...	0	...	"	...	...	...	...	...	...
Ishigakijima, ...	"	30.05	...	...	E	4	...	"	..	...	...	...	...	...
Taihoku, ...	1 p.	30.03	...	...	NW	4	...	5 a.	30.11	...	...	...	0	...
Taichu, ...	"	30.03	...	...	N	4	...	"	30.05	...	...	...	0	...
Tainan, ...	"	30.03	...	..	N	4	...	"	30.05	...	...	N	4	...
Koshun, ...	[illegible]	30.02	...	...	SW	2	...	"	30.06	...	...	...		...
Pescadores, ..	"	30.07	..	...	N	6	...	"	30.02	...	...	NE	2	...
Weihaiwei.....	3 p.	29.91	43	...	NW	1	...	9 a.	...	...	...	...	...	...
Cutzlaff, ...	"	30.10	51	66	WSW	2	bm	"	30.24	44	92	N	1	bm
Sharp Peak. ..	"	30.04	57	84	E	1	b	"	30.16	56	81	...	0	b
Amoy, ...	2.30p.	30.12	61	66	SW	1	b	6.30a.	30.13	54	90	W	2	b
Swatow	3 p	30.11	63	...	NE	1	b	9 a.	30.16	60	...	WNW	1	b
Canton, ...	"	...	68	85	...	0	b	"	...	58	88	N	1	b
Hongkong.....	4 p.	30.06	64	60	W	1	b	10 a.	30.14	64	60	ENE	1	b
Victoria Peak,.	"	...	...	...	NW	1	...	"	...	...	...	ESE	1	...
Cap Lock.....	"	30.10	...	...	N	2	...	"	30.11	...	...	NNW	1	...
Macao,...	"	30.05	66	...	E	2	b	"	30.11	63	..	NE	1	b
Haiphong, ...	"	30.05	68	...	NNE	2	c	"	...	...	..	...	...	...
Manila, ...	"	29.80	82	77	W	1	o	"	29.92	79	76	W	1	c
Tacoled, ...	3 p.	...	...	...	NNE	5	o	9 a.	...	...	...	NNE	5	o
Iloilo, ...	"	29.79	84	...	N	4	c	"	29.87	78	...	NNW	3	o
Cebu, ...	"	29.77	84	...	S	2	c	"	29.88	83	...	N	2	c
Cape S. James,..	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 11.55a. The barometer has risen moderately over the E. coast of China, fallen slightly over the S. coast and the Philippines.

The low pressure area lying over N. China yesterday, appears to have moved away to the Eastward.

Pressure is highest over Central China.

The monsoon, at present interrupted in the Formosa Channel, will probably again set in there during the next 24 hours. Moderate monsoon over the N. part of the China Sea.

Forecast:— NE. or N. winds, light at first, freshening later; fine.

F. G. FIGG.
Acting Director

Hongkong Observatory, Friday 1st January 1904.