Hong Kong. Royal Observatory
The China coast meteorological register. 1906.

N.B.—The Barometric Observations at some of the China treaty ports are, from various causes, frequently in error.

LIBRARY
U S Dep
QC
.E18
C56
1906
LIBRARY
WEATHER BUREAU
No. 26818
LIBRARY.
Ach.
MAR 4 1907
Weather Bureau.

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

U. S. DEPARTMENT OF AGRICULTURE,

WEATHER BUREAU.

LIBRARY.

INSTRUCTIONS TO THE BINDER.

Number of volumes in this package Three

DUMMY. Follow as to quality, style, color, and lettering except as to numerical value of serial or volume number. Correct figures for serial or volume number are shown ~~on small label pasted on Dummy.~~ below.

~~If NO DUMMY: Letter on back:~~

1906.

~~Bind in~~ ~~leather~~ ~~cloth~~

~~Color~~

~~Sample~~

~~Make Dummy~~

GENERAL

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st December 1905, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	1st January 1906, A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.96	..	..	N	2	..	6 a.	29.73	..	...	SE	8	..
Hakodate,	"	29.89	..	..	NW	8	..	"	29.81	...	..	NW	4	..
Tokio,	"	29.94	..	...	NW	2	..	"	29.67	..	...	NW	2	..
Kochi	"	29.91	...	...	SE	2	..	"	29.91	...	...	W	4	..
Nagasaki,	"	30.07	..	...	NW	6	..	"	30.19	...	...	N	8	..
Kagoshima,	"	30.07	...		N	6	..	"	30.15	..	...	N	6	..
Oshima,	"	30.12	..	...	NW	6	..	"	30.20	...	...	N	8	..
Naha,	"	30.17	...	...	NW	8	..	"	30.29	..	...	S	2	..
Ishigakijima,	"	30.17	...	..	NE	4	..	"	30.25	..	..	N	4	..
Taihoku,	1 p.	30.26	..	...	E	6	..	5 a.	30.39	..	..	E	2	..
Taichu,	"	30.15	...	..	NW	6	..	"	30.23	..	..	N	4	..
Tainan,	"	30.15	..	..	N	8	..	"	30.24	..	...	N	6	..
Koshun,	"	30.16	..	..	NE	6	..	"	30.19	...	..	NE	10	..
Pescadores,	"	30.20	..	...	NE	10	..	"	30.28	...	...	NE	10	..
Weihaiwei,	3 p.	30.51	34	...	NW	4	c	9 a.	30.53	26	...	NW	3	o
Gutzlaff,	"	30.46	49	74	NNW	6	cv	"	30.59	34	90	NNW	6	cv
Sharp Peak,	"	30.30	53	80	NE	3	o	"	30.50	56	45	NNW	2	og
Amoy,	"	30.05	57	81	NE	2	o	6 30a.	30.27	50	45	NE	5	o
Swatow,	"	30.18	60	88	N	1	o	9 a.	30.24	50	86	N	3	o
Canton,	"	30.23	54	74	NE	2	o	"	..	...	..	..	..	...
Hongkong,	4 p.	30.21	59	68	N	1	o	10 a.	30.39	53	64	...	0	o
Victoria Peak,	"	...	..	...	NNW	2	..	"	...	..	..	NE	3	..
Gap Rock,	"	30.18	...	..	NNW	4	..	"	30.36	...	..	N	5	..
Macao,	"	29.99	54	...	N	1	of	"	30.36	49	..	N	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.88	81	85	...	6	c	"	30.00	80	69	NNE	1	o
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	"	..	..	...	..	..	...	"	...	..	..	...	...	...
Cebu,	"	...	..	..	..	..	...	"	...	..	...	...	...	...
Cape St. James,	4 p.	..	...	..	..	..	..	10 a.	..	..	...	..	..	..

On the 1st at 11 20a. The barometer has fallen in E. Japan owing to a depression over the NE coast. Pressure has continued to increase over China the anticyclone being still central to the North of the Yangtze.

Gradients are rather steep, and very strong monsoon, of gale force in the Formosa Channel may be expected over China coast generally.

Forecast:— fresh N winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 1st January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	2nd January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	29.57	..	..	NW	4	..	6 a.	..	..	...	..	...	..
Hakodate,	,,	29.66	..	..	W	6	..	,,	...	...	..	..	..	..
Tokio,	,,	29.67	..	...	NW	2	..	,,	..	..	...	..	...	..
Kochi	,,	29.95	...	...	W	4	..	,,	..	...	...	..	...	..
Nagasaki,	,,	30.19	..	...	N	8	..	,,	...	...	...	..	...	..
Kagoshima,	,,	30.17	...		NW	6	..	,,	...	..	...	..	..	..
Oshima,	,,	30.20	..	...	N	8	..	,,	..	...	...	..	...	..
Naha,	,,	30.25	...	...	N	8	..	,,	...	..	...	..	...	..
Ishigakijima,	,,	30.29	...	..	N	6	..	,,	..	..	..		..	..
Taihoku,	1 p.	30.42	..	...	E	4	..	5 a.	30.37	..	..	E	4	..
Taichu,	,,	30.24	...	..	N	8	..	,,	30.28	..	..	N	4	..
Tainan,	,,	30.27	..	..	N	8	..	,,	30.26	..	...	NE	4	..
Koshun,	,,	30.19	..	..	NE	6	..	,,	30.20	...	..	NE	10	..
Pescadores,	,,	30.29	..	...	NE	10	..	,,	30.27	...	...	NE	10	..
Weihaiwei,	3 p.	30.44	28	...	NW	4	c	9 a.	30.36	30	...	WNW	3	b
Gutzlaff,	,,	30.57	33	79	NNW	6	cv	,,	30.55	33	79	NNW	2	cv
Sharp Peak,	,,	30.41	52	73	NNE	4	c	,,	30.46	52	66	N	1	o
Amoy,	,,	30.27	52	73	NE	2	o	6 30a.	30.29	48	78	NE	2	o
Swatow,	,,	30.29	56	75	E	1	o	9 a.	30.32	48	71	N	2	o
Canton,	,,	30.36	57	69	N	1	b	,,	30.46	45	76	NE	1	c
Hongkong,	4 p.	30.30	55	52	NNE	1	o	10 a.	30.36	53	72	NE	3	o
Victoria Peak,	,,	...	..	...	N	4	..	,,	...	..	..	ENE	3	..
Gap Rock,	,,	30.26	...	..	N	5	..	,,	30.31	...	..	NE	4	..
Macao,	,,	30.28	52	...	N	1	o	,,	30.36	48	..	N	2	c
Haiphong,	,,	...	...	.	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.92	79	76	ESE	0	o	,,	30.04	79	76	NE	1	o
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	.	..	...
Iloilo,	,,	..	..	...	..	..	...	,,	...	..	..	...	...	..
Cebu,	,,	...	..	..	..	..	...	,,	...	..	...	...	...	...
Cape St. James,	4 p.	..	...	..	..	..	..	10 a.	..	..	...	..	..	..

On the 2nd at 12 5p. The barometer has fallen over N. China.
The high pressure area is still central to the North of the Yangtze.
Gradients are less steep along the China coast, but very strong monsoon must still be expected in the Formosa Channel and the China Sea.
Forecast:— fresh to moderate N and NE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 2nd January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

2nd January 1906, P. M								3rd January 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	.	.	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.41	..	..	NW	10	..	6 a.	29.69	..	...	NW	10	..
Hakodate,	"	29.85	..	..	SW	8	..	"	30.05	...	..	W	8	..
Tokio,	"	30.06	..	...	NW	4	..	"	30.18	..	...	W	4	..
Kochi	"	30.27	...	...	E	4	..	"	30.39	...	...	SW	2	..
Nagasaki,	"	30.38		...	N	2	..	"	30.39	...	...	E	2	..
Kagoshima,	"	30.38	...		NW	6	..	"	30.39	..	...	NE	2	..
Oshima,	"	30.32	..	...	N	6	..	"	30.36	...	...	..	0	..
Naha,	"	30.29	...	...	NE	4	..	"	30.29	..	...	..	0	..
Ishigakijima,	"	30.25	...	..	E	6	..	"	30.21	..	..	E	4	..
Taihoku,	1 p.	30.28	..	...	E	8	..	5 a.	30.25	..	..	...	0	..
Taichu,	"	30.18	...	..	NW	6	..	"	30.24	..	..	..	0	..
Tainan,	"	30.21	..		NW	2	..	"	30.20	..	...	N	4	..
Koshun,	"	30.17	..	..	NE	8	..	"	30.15	...	..	N	2	..
Pescadores,	"	29.24	..	...	N	8	..	"	30.25	...	...	NE	8	..
Weihaiwei,	3 p.	30.31	37	...	WSW	3	b	9 a.	30.46	34	...	W	1	b
Gutzlaff,	"	30.47	37	81	NNW	1	bs	"	30.45	44	79	N	3	ov
Sharp Peak,	"	30.35	48	74	NNE	2	og	"	30.33	51	86	NNW	1	og
Amoy,	"	30.16	56	69	NE	2	c	6 30a.	30.17	52	93	..	0	o
Swatow,	"	30.25	67	69	N	2	o	9 a.	30.27	50	93	N	1	c
Canton,	"	30.31	50	72	NW	1	o	"	30.36	47	93	W	1	o
Hongkong,	4 p.	30.24	58	58	N	1	o	10 a.	30.30	56	70	NW	2	o
Victoria Peak,	"	...	..	...	NNE	1	..	"	...	..	..	NE	1	..
Gap Rock,	"	30.22	...	.	NE	4	..	"	30.26	...	..	NNW	5	..
Macao,	"	30.23	52	...	N	1	o	"	30.27	48	..	N	1	o
Haiphong,	"	...	...		.	...	..	"	..	..	..	..	..	..
Manila,	"	29.92	84	58	E	2	c	"	30.04	82	70	NE	1	o
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	"	..	..	...	..	..	...	"	...	..	..	...	...	..
Cebu,	"	...	..	..	..	..	...	"	...	..	...	...	...	...
Cape St. James,	4 p.	..	...	..	..	..	..	10 a.	..	..	...	..	..	..

On the 3rd at 11 55a. The barometer has risen over N. China and E. Japan, and fallen over S. China and Formosa.

Pressure remains low to the NE of Japan, and the high pressure area still lies over China to the North of the Yangtze.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate N winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 3rd January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	4th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	...	..	..	..	..	..	6 a.	30.08	..	...	NW	8	..
Hakodate,	„	30.09	..	..	W	6	..	„	30.29	...	..	NW	4	..
Tokio,	„	30.18	..	...	NE	2	..	„	30.38	..	...	W	4	..
Kochi	„	30.31	...	...	...	0	..	„	30.39	...	...	SW	4	..
Nagasaki,	„	30.38	..	...	NE	4	..	„	30.39	...	...	NE	2	..
Kagoshima,	„	30.38	...		...	0	..	„	30.35	..	...	E	6	..
Oshima,	„	30.28	..	...	..	0	..	„	30.16	...	...	SE	4	..
Naha,	„	30.21	...	...	N	2	..	„	30.13	..	...	NE	2	..
Ishigakijima,	„	30.17	...	..	E	6	..	„	30.09	..	..	N	2	..
Taihoku,	1 p.	30.15	..	...	N	2	..	5 a.	30.19	..	..	...	0	..
Taichu,	„	30.19	...	..	N	6	..	„	30.19	..	..	..	0	..
Tainan,	„	30.13	..	..	N	6	..	„	30.14	..	...	NE	2	..
Koshun,	„	30.09	..	..	NE	6	..	„	30.10	...	..	..	0	..
Pescadores,	„	30.16	..	...	NE	8	..	„	30.15	...	...	NE	3	..
Weihaiwei,	3 p.	30.41	38	...	SE	2	b	9 a.	30.39	34	...	WSW	1	b
Gutzlaff,	„	30.30	45	92	ENE	2	ond	„	30.40	43	75	N	4	ov
Sharp Peak,	„	30.24	52	90	NNE	1	r	„	30.33	54	90	NE	1	od
Amoy,	„	30.11	57	...	NE	2	o	6 30a.	30.12	56	94	NE	1	o
Swatow,	„	30.17	60	82	SE	1	o	9 a.	30.27	53	93	N	1	o
Canton,	„	30.25	52	79	W	2	o	„	30.34	51	79	NW	1	c
Hongkong,	4 p	30.18	62	67	WNW	2	o	10 a.	30.28	60	68	W	1	b
Victoria Peak,	„	...	..	...	NW	1	..	„	...	..	..	N	1	..
Gap Rock,	„	30.19	...	..	NNW	5	..	„	30.28	...	..	N	4	..
Macao,	„	30.17	58	...	NW	1	c	„	30.26	53	..	N	1	o
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	84	58	NE	2	b	„	30.04	81	76	..	0	o
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	„	..	..	...	..	..	...	„	...	..	..	...	...	..
Cebu,	„	...	..	..	..	..	...	„	...	..	...	...	...	...
Cape St. James,	4 p	..	...	..	..	..	..	10 a.	..	..	...	..	..	..

On the 4th at 11 55a. The barometer has risen over E. Japan, and fallen over the Loochoos and Formosa.

A shallow area of low pressure appears to be lying over the Pacific to the South of the Loochoos, and the belt of high pressure lies now over the Lower Yangtze and S. Japan.

Strong monsoon is still indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate N winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 4th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

4th January 1906, P. M								5th January 1906, A. M.							
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	30.16	..	..	NW	3	..	6 a.	30.24	..	...	W	2	..
Hakodate,	,,	30.32	..	..	W	6	..	,,	30.21	...	..	NW	4	..
Tokio,	,,	30.33	..	...	NE	2	..	,,	30.30	..	...	NW	4	..
Kochi	,,	30.31	...	...	...	0	..	,,	30.19	...	...	SW	10	..
Nagasaki,	,,	30.27	..	...	SE	8	..	,,	30.19	...	...	..	0	..
Kagoshima,	,,	30.31	...		NE	4	..	,,	30.15	..	...	N	4	..
Oshima,	,,	30.12	..	...	W	2	..	,,	30.08	...	...	...	0	..
Naha,	,,	30.13	...	...	..	0	..	,,	30.13	..	...	N	8	..
Ishigakijima,	,,	30.13	...	..	NE	4	..	,,	30.13	..	..	NE	4	..
Taihoku,	1 p.	30.19	..	...	W	2	..	5 a.	30.19	..	..	E	4	..
Taichu,	,,	30.13	...	..	N	4	..	,,	30.15	..	..	N	2	..
Tainan,	,,	30.13	..	..	N	6	..	,,	30.12	..	...	NE	4	..
Koshun,	,,	30.09	..	..	N	8	..	,,	30.07	...	..	NE	8	..
Pescadores,	,,	30.15	..	...	NE	8	..	,,	30.13	...	...	NE	8	..
Weihaiwei,	3 p.	30.34	39	...	W	2	b	9 a.	30.43	34	...	WNW	2	o
Gutzlaff,	,,	30.36	43	75	N	4	cv	,,	30.41	40	82	N	4	cm
Sharp Peak,	,,	30.23	58	76	NE	1	o	,,	30.26	55	94	NW	1	og
Amoy,	,,	30.11	61	88	SE	2	c	6 30a.	30.16	56	94	NE	1	c
Swatow,	,,	30.14	68	74	NE	1	b	9 a.	30.26	54	87	N	1	c
Canton,	,,	30.17	63	67	W	1	b	,,	30.28	55	87	N	1	c
Hongkong,	4 p.	30.14	65	64	WNW	1	b	10 a.	30.25	63	72	E	1	o
Victoria Peak,	,,	...	..	...	ENE	1	..	,,	...	..	..	E	3	..
Gap Rock,	,,	30.13	...	..	NE	3	..	,,	30.22	...	..	NE	4	..
Macao,	,,	30.13	61	...	N	1	c	,,	30.21	57	..	NW	1	o
Haiphong,	,,	...	...	.	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.92	84	78	N	0	o	,,	30.00	81	76	WNW	1	o
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	,,	..	..	...	..	..	...	,,	...	..	..	...	...	...
Cebu,	,,	...	..	..	..	..	...	,,	...	..	...	...	...	...
Cape St. James,	4 p.	..	...	..	..	..	..	10 a.	..	..	...	..	..	..

On the 5th at 12 30p. The barometer has fallen over S. Japan and S. China.
Pressure is highest over N. China, and a shallow area of low pressure lies in the neighbourhood of SW. Japan.
Fresh monsoon is indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate NE winds; fine.
Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 5th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

5th January 1906, P. M								6th January 1906, A. M.						
STATION.	HOUR.	BAROMETER	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER	HOUR	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,		..	..	...	..	..	6 a.	...	..	...	...	..	..
Hakodate,	,,	...	..	..	..	..	..	,,	..	...	..	..	..	..
Tokio,	,,	...	..	...	...	...	..	,,	...	..	...	..	...	..
Kochi	,,	..	...	...	...	..	..	,,	...	...	...	..	..	..
Nagasaki,	,,	..	..	...	..	...	..	,,	..	...	...	..	..	..
Kagoshima,	,,	...	...		..	..	..	,,	..	..	...	..	..	..
Oshima,	,,	..	..	...	..	..	..	,,	..	...	...	...	...	..
Naha,	,,	..	...	...	..	...	..	,,	..	..	...	..	..	..
Ishigakijima,	,,	..	...	..	...	..	..	,,	...	..	..	..	..	..
Taihoku,	1 p.	30.14	..	...	E	3	..	5 a.	30.17	..	..	E	6	..
Taichu,	,,	30.12	...	..	N	6	..	,,	30.13	..	..	N	2	..
Tainan,	,,	30.10	..	..	NE	2	..	,,	30.11	..	...	N	6	..
Koshun,	,,	30.08	..	..	NE	6	..	,,	30.07	...	..	NE	6	..
Pescadores,	,,	30.13	..	...	N	10	..	,,	30.13	...	...	NE	10	..
Weihaiwei,	3 p.	30.39	38	...	NNE	1	ov	9 a.	30.41	32	...	NNE	2	b
Gutzlaff,	,,	30.37	41	74	NNW	2	cv	,,	30.39	43	83	N	3	bv
Sharp Peak,	,,	30.21	56	94	NE	5	og	,,	30.30	54	87	NNW	2	og
Amoy,	,,	30.04	68	74	NE	2	c	6 30a.	30.15	57	87	NE	3	c
Swatow,	,,	30.22	65	78	NNE	2	c	9 a.	30.16	60	88	NE	2	o
Canton,	,,	30.16	65	68	W	2	c	,,	30.22	58	94	NW	1	o
Hongkong,	4 p.	30.12	66	65	SE	1	o	10 a.	30.23	64	73	..	0	o
Victoria Peak,	,,	...	..	...	ENE	1	..	,,	...	..	..	ENE	1	..
Gap Rock,	,,	30.13	...	..	ENE	3	..	,,	30.21	...	..	NNE	4	..
Macao,	,,	30.10	63	...	N	1	c	,,	30.21	56	..	N	2	c
Haiphong,	,,	...	...	.	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.88	84	85	ENE	3	o	,,	...	..	...	...	...	..
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	,,	..	..	...	..	..	...	,,	...	..	..	...	...	..
Cebu,	,,	...	.	..	..	..	...	,,	...	..	...	...	...	...
Cape St. James,	4 p.	29.83	79	..	NE	4	c	10 a.	..	..	...	..	..	..

On the 6th at 11 55a. The barometer is inclined to fall on the China coast.
Pressure remains highest over N. China, and gradients are slight to moderate.
Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate NE winds; cloudy, probably some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 6th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th January 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,		..	..	...	..	..	6 a.	...	..	...	...	..	..
Hakodate,	,,	...	..	..	..	..	..	,,	..	...	..	..	..	..
Tokio,	,,	...	..	...	...	...	..	,,	...	..	...	..	...	..
Kochi	,,	..	...	...	...	..	..	,,	...	...	...	..	..	..
Nagasaki,	,,	..	..	...	..	...	..	,,	..	...	...	..	..	..
Kagoshima,	,,	...	...		..	..	..	,,	..	..	...	..	..	..
Oshima,	,,	..	..	...	..	..	..	,,	..	...	...	...	...	..
Naha,	,,	..	...	...	..	...	..	,,	..	..	...	..	..	..
Ishigakijima,	,,	..	...	..	...	..	..	,,	...	..	..	..	..	..
Taihoku,	1 p.	30.16	..	...	E	6	..	5 a.	30.16	..	..	E	2	..
Taichu,	,,	30.14	...	..	NE	6	..	,,	30.14	..	..	..	0	..
Tainan,	,,	30.12	..	..	NE	6	..	,,	30.11	..	...	NE	6	..
Koshun,	,,	30.06	..	..	NE	8	..	,,	30.06	...	..	NE	8	..
Pescadores,	,,	30.11	..	...	NE	10	..	,,	30.13	...	...	NE	8	..
Weihaiwei,	3 p.	30.28	40	...	ESE	2	b	9 a.	...	..	...	..	...	...
Gutzlaff,	,,	30.30	46	69	N	3	cv	,,	30.33	44	96	..	0	bv
Sharp Peak,	,,	30.20	55	84	NW	1	og	,,	30.26	57	87	NE	1	o
Amoy,	,,	30.04	65	68	ENE	3	c	6 30a.	30.10	60	71	NE	2	b
Swatow,	,,	30.12	65	78	E	2	o	9 a.	30.18	58	94	N	1	c
Canton,	,,	30.14	68	65	NW	1	b	,,	30.19	53	88	..	0	o
Hongkong,	4 p.	30.11	64	74	ESE	1	o	10 a.	30.20	65	71	E	1	c
Victoria Peak,	,,	...	..	...	E	1	..	,,	...	..	..	E	2	..
Gap Rock,	,,	30.11	...	..	ENE	4	..	,,	30.18	...	..	ENE	3	..
Macao,	,,	30.09	62	...	NE	1	c	,,	30.17	68	..	N	1	c
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.88	84	58	E	2	c	,,	30.00	86	58	ENE	1	c
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	,,	..	..	...	..	..	...	,,	...	..	..	...	...	..
Cebu,	,,	...	..	..	..	..	...	,,	...	..	...	...	...	...
Cape St. James,	4 p.	...	...	..	..	...	..	10 a.	..	..	...	..	..	..

On the 7th at 11 35a. The barometer has fallen on the China coast, particularly in the North. Pressure appears to be highest over the E. coast of China, and gradients are slight. Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea. Forecast:— moderate NE winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 7th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	8th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.88	..	..	NW	0	..	6 a.	30.04	..	...	NW	10	..
Hakodate,	"	...	..	..	..	..	..	"	30.29	...	..	N	6	..
Tokio,	"	30.14	..	...	NW	2	..	"	30.22	..	...	N	2	..
Kochi	"	30.19	...	...	E	2	..	"	...	...	...	..	..	..
Nagasaki,	"	30.19	..	...	N	4	..	"	30.31	...	...	N	2	..
Kagoshima,	"	30.15	...		SE	2	..	"	30.27	..	...	NE	4	..
Oshima,	"	30.16	..	...	N	4	..	"	30.24	...	...	SE	2	..
Naha,	"	30.17	...	...	N	2	..	"	30.25	..	...	NE	2	..
Ishigakijima,	"	30.13	...	..	E	4	..	"	30.13	..	..	E	6	..
Tailoku,	1 p.	30.14	..	...	E	6	..	5 a.	30.12	..	..	E	6	..
Taichu,	"	30.09	...	..	N	6	..	"	30.12	..	..	..	0	..
Tainan,	"	30.08	..	..	N	6	..	"	30.08	..	...	N	4	..
Koshun,	"	30.07	..	..	NE	6	..	"	30.06	...	..	NE	6	..
Pescadores,	"	30.10	..	...	NE	8	..	"	30.10	...	...	NE	8	..
Weihaiwei,	3 p.	..	.	...	..	...	...	9 a.	30.42	35	...	SE	1	c
Gutzlaff,	"	30.25	57	63	NE	1	bv	"	30.31	49	78	SE	4	cv
Sharp Peak,	"	30.17	58	88	ENE	1	o	"	30.26	58	84	N	1	o
Amoy,	"	30.13	70	70	SSE	2	c	6 30a.	30.12	59	88	NE	1	c
Swatow,	"	30.00	66	84	E	3	b	9 a.	30.08	56	88	N	1	c
Canton,	"	30.06	71	66	NW	1	b	"	30.16	63	89	E	1	b
Hongkong,	4 p.	30.08	65	77	E	2	b	10 a.	30.19	64	80	E	4	o
Victoria Peak,	"	...	..	...	SE	6	..	"	...	..	..	E	5	..
Gap Rock,	"	30.08	...	..	NNE	3	..	"	30.16	...	..	ENE	5	..
Macao,	"	30.07	67	...	SE	1	c	"	30.13	63	..	E	3	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	86	59	SE	1	c	"	30.00	81	76	WNW	1	c
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	"	..	..	...	..	..	...	"	...	..	..	...	...	..
Cebu,	"	...	..	..	..	..	...	"	...	..	...	...	...	...
Cape St. James,	4 p.	...	...	..	..	...	..	10 a.	..	..	...	..	..	..

On the 8th at 11, 45a. The barometer has risen over N. China and Japan, and fallen over S. China. Pressure is highest over N. China and the Sea of Japan.

Gradients are slight, and fresh to moderate monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh to moderate E winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 8th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	9th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.12	..	..	NW	10	..	6 a.	...	..	...	...	..	..
Hakodate,	"	30.29	..	..	N	3	..	"	..	...	..	..	..	..
Tokio,	"	30.22	..	...	N	6	..	"	..	..	...	..	..	..
Kochi	"	30.27	...	...	SW	2	..	"	...	...	...	..	..	..
Nagasaki,	"	30.31	..	...	S	4	..	"	..	...	...	...	..	..
Kagoshima,	"	30.31	...		SE	2	..	"	..	..	...	..	...	..
Oshima,	"	30.28	..	...	N	4	..	"	..	...	...	...	..	..
Naha,	"	30.21	...	...	NE	10	..	"	...	..	...	..	..	..
Ishigakijima,	"	30.13	...	..	SE	8	..	"	...	..	..	..	..	..
Taihoku,	1 p.	30.10	..	...	E	8	..	5 a.	30.08	..	..	SE	4	..
Taichu,	"	30.10	...	..	NW	4	..	"	30.10	..	..	E	2	..
Tainan,	"	30.07	..	..	N	4	..	"	30.09	..	...	...	0	..
Koshun,	"	30.05	..	..	NE	6	..	"	30.05	...	..	SE	2	..
Pescadores,	"	30.09	..	...	NE	8	..	"	30.09	...	...	NE	6	..
Weihaiwei,	3 p.	30.35	43	...	SSE	3	b	9 a.	30.36	41	...	NE	3	c
Gutzlaff,	"	30.19	60	49	ENE	3	cv	"	30.15	56	75	S	6	cm
Sharp Peak,	"	30.15	61	85	...	0	o	"	30.15	61	91	..	0	o
Amoy,	"	30.02	73	63	NE	2	b	6 30a.	30.06	61	94	NNW	2	o
Swatow,	"	30.08	68	74	E	3	c	9 a.	30.09	60	94	NE	1	c
Canton,	"	30.06	70	70	E	1	c	"	30.15	66	89	...	0	b
Hongkong,	4 p.	30.08	64	79	E	4	c	10 a.	30.14	69	66	E	3	c
Victoria Peak,	"	...	..	...	E	6	..	"	...	..	..	...	...	..
Gap Rock,	"	30.07	...	..	NE	5	..	"	30.14	...	..	ENE	4	..
Macao,	"	30.06	67	...	SE	1	c	"	30.10	64	..	NE	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.88	86	71	SSE	1	c	"	30.00	75	91	..	0	o
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	"	..	..	...	..	..	...	"	...	..	..	...	...	..
Cebu,	"	...	..	..	..	..	...	"	...	..	...	...	...	...
Cape St. James,	4 p.	...	...	..	..	...	..	10 a.	..	..	...	..	..	..

On the 9th at 11. 40a. The barometer has fallen over China owing to a depression which appears to be moving Eastwards in the Yangtze valley.
Pressure is highest over Southern Manchuria.
Gradients are slight in the South, and moderate to light monsoon may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate to light E winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 9th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	10th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.28	..	..	NW	2	..	6 a.	30.16	..	...	SW	2	..
Hakodate,	"	30.36	..	..	SW	4	..	"	30.17	...	..	E	2	..
Tokio,	"	30.37	..	...	E	..	..	"	30.30	..	...	NW	2	..
Kochi	"	30.34	...	...	SE	2	..	"	30.19	...	...	W	2	..
Nagasaki,	"	30.27	..	...	SE	6	..	"	29.95	...	...	S	10	..
Kagoshima,	"	30.31	...		SE	4	..	"	30.07	..	...	SE	6	..
Oshima,	"	30.24	..	...	SE	6	..	"	300.8	...	...	SE	8	..
Naha,	"	30.21	...	...	SE	6	..	"	30.09	..	...	S	4	..
Ishigakijima,	"	30.13	...	..	SE	8	..	"	30.01	..	..	S	8	..
Taihoku,	1 p.	30.05	..	...	E	4	..	5 a.	29.97	..	..	...	0	..
Taichu,	"	30.05	...	..	W	2	..	"	30.00	..	..	...	0	..
Tainan,	"	30.06	..	..	N	2	..	"	29.97	..	...	N	2	..
Koshun,	"	30.06	..	..	E	4	..	"	29.96	...	..	E	4	..
Pescadores,	"	30.07	..	...	NE	4	..	"	29.97	...	...	NE	2	..
Weihaiwei,	3 p.	30.21	36	...	NE	5	or	9 a.	30.10	28	...	NNW	5	b
Gutzlaff,	"	30.00	61	94	S	...	cv	"	30.06	45	100	NNW	6	omd
Sharp Peak,	"	30.05	64	92	...	0	o	"	30.02	63	94	..	0	o
Amoy,	"	29.98	66	79	SE	2	c	6 30a.	29.88	66	89	SE	1	or
Swatow,	"	30.03	68	85	NNE	2	o	9 a.	29.95	65	100	N	1	o
Canton,	"	30.02	74	72	E	1	o	"	30.05	67	95	...	0	o
Hongkong,	4 p.	30.03	66	84	ESE	3	o	10 a.	30.05	67	93	E	1	of
Victoria Peak,	"	...	..	...	ESE	1	..	"	...	..	..	SSW	2	..
Gap Rock,	"	30.01	...	..	ENE	4	..	"	30.06	...	..	ENE	3	..
Macao,	"	30.00	69	...	SSE	1	c	"	30.01	67	..	...	0	of
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.92	84	58	E	1	o	"	...	...	..	..	..	...
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	"	..	..	...	..	..	...	"	...	..	..	...	...	...
Cebu,	"	...	.	..	..	..	...	"	...	..	...	...	...	...
Cape St. James,	4 p	29.83	79	..	NE	3	f	10 a.	..	..	...	..	..	..

On the 10th at 11. 55a. The barometer has fallen much over Japan, and moderately over S. China.
It is rising over the E. coast of China.
The depression is approaching the neighbourhood of Korea Straits and is moving Eastwards.
Pressure is highest over SE. Japan.
The monsoon is at present interrupted in the Formosa Channel, but it will probably set in again strongly during the next 24 hours on that part of the coast. Light but increasing monsoon is indicated over the China Sea.
Forecast:— NE winds, probably freshing; misty, probably some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 10th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th January 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	11th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	30.08	..	..	SW	6	..	6 a.	29.45	..	...	E	6	..
Hakodate,	,,	30.01	..	..	N	2	..	,,	29.34	...	..	NE	4	..
Tokio,	,,	30.10	..	...	..	0	..	,,	29.31	.	...	NW	6	..
Kochi	,,	29.59	...	...	SW	2	..	,,	29.64	...	...	NW	2	..
Nagasaki,	,,		.	...	.	..	..	,,	29.87	...	...	NW	8	..
Kagoshima,	,,	29.87	...		S	8	..	,,	29.87	..	...	NW	6	..
Oshima,	,,	29.88	..	...	S	8	..	,,	29.96	...	...	N	6	..
Naha,	,,	29.93	...	...	S	6	..	,,	30.01	..	...	N	8	..
Ishigakijima,	,,	29.97	...	..	SW	8	..	,,	30.01	..	..	NE	6	..
Taihoku,	1 p.	29.91	..	...	W	2	..	5 a.	30.13	..	..	E	6	..
Taichu,	,,	29.93	...	..	S	2	..	,,	30.02	..	..	N	4	..
Tainan,	,,	29.96	..	..	S	10	..	,,	30.01	..	...	N	4	..
Koshun,	,,	29.95	..	..	S	6	..	,,	29.99	...	..	N	2	..
Pescadores,	,,	29.94	..	...	S	6	..	,,	30.02	...	...	NE	8	..
Weihaiwei,	3 p.	30.14	26	...	..	6	b	9 a.	30.64	21	...	NW	4	b
Gutzlaff,	,,	30.09	43	92	NNW	6	ovnd	,,	30.28	34	69	NNW	6	cv
Sharp Peak,	,,	29.83	69	97	...	0	...	,,	30.20	57	81	NNE	6	o
Amoy,	,,	29.78	73	87	SE	2	c	6 30a.	30.08	57	87	NE	5	o
Swatow,	,,	29.92	77	82	N	3	b	9 a.	..	...	..	...	..	...
Canton,	,,	29.92	77	77	...	0	c	,,	30.11	56	81	NE	2	o
Hongkong,	4 p	29.95	71	88	W	1	of	10 a.	30.10	66	91	W	1	of
Victoria Peak,	,,	...	..	...	N	2	..	,,	...	..	..	NNE	..	..
Gap Rock,	,,	29.95	...	..	..	0	..	,,	30.08	...	..	NNW	3	..
Macao,	,,	29.89	73	...	..	0	c	,,	30.07	69	..	NW	1	o
Haiphong,	,,	...	...	.	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.92	86	53	E	1	c	,,	30.09	79	76	W	2	b
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	,,	..	..	...	..	..	...	,,	...	..	..	...	...	..
Cebu,	,,	...	..	..	..	..	...	,,	...	..	...	...	...	...
Cape St. James,	4 p	29.86	81	..	NE	4	o	10 a.	..	..	...	..	..	..

On the 11th at 12. 5p. The barometer has fallen rapidly over Japan, and risen quickly over N. China. The depression, which has deepened considerably, has reached E. Japan and is about to pass to the Pacific. It is fallowed by a high pressure area which lies now over N. China.

Gradients are rather steep on the China coast, and monsoon gales may be expected in the Formosa Channel, and over the N. part of the China Sea.

Forecast:— N to NE winds, freshening to strong breezes; drizzling rain or mist; much colder.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 11th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	12th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"		..	..	..	..	..	6 a.	29.29	..	...	NW	8	..
Hakodate,	"	29.14	..	..	NW	8	..	"	29.42	...	..	W	6	..
Tokio,	"	29.37	..	...	NW	8	..	"	29.63	..	...	NW	2	..
Kochi	"	29.75	...	...	NW	4	..	"	29.95	...	...	SW	2	..
Nagasaki,	"	29.95	..	...	N	8	..	"	30.15	...	...	N	6	..
Kagoshima,	"	29.91	...		NW	8	..	"	30.07	..	...	N	6	..
Oshima,	"	30.00	..	...	NW	6	..	"	30.12	...	...	N	8	..
Naha,	"	30.05	...	...	N	8	..	"	30.17	..	...	N	8	..
Ishigakijima,	"	30.09	...	..	N	6	..	"	30.21	..	..	N	4	..
Taihoku,	1 p.	30.14	..	...	E	6	..	5 a.	30.32	..	..	NE	2	..
Taichu,	"	30.04	...	..	N	4	..	"	30.19	..	..	N	4	..
Tainan,	"	30.02	..	..	NW	6	..	"	30.16	..	...	N	6	..
Koshun,	"	30.02	..	..	NW	8	..	"	30.12	...	..	NE	10	..
Pescadores,	"	30.04	..	...	NE	10	..	"	30.21	...	...	NE	10	..
Weihaiwei,	3 p.	30.41	20	...	NW	5	b	9 a.	30.38	24	...	WNW	3	b
Gutzlaff,	"	30.35	37	71	NNW	6	cv	"	30.49	34	79	NNW	5	o
Sharp Peak,	"	30.20	54	86	NE	5	og	"	30.40	51	69	NE	3	o
Amoy,	"	30.05	58	76	NE	4	o	6 30a.	30.19	49	93	NE	3	o
Swatow,	"	30.04	61	88	E	7	o	9 a.	..	...	..	...	..	...
Canton,	"	30.12	56	81	W	2	o	"	30.36	48	85	NW	2	o
Hongkong,	4 p.	30.09	62	96	ENE	2	od	10 a.	30.30	57	74	N	1	o
Victoria Peak,	"	...	..	...	E	2	..	"	...	..	..	ENE	3	..
Gap Rock,	"	30.07	...	..	NNE	4	..	"	30.27	...	..	NNE	4	..
Macao,	"	30.05	58	...	NW	1	o	"	30.26	50	..	N	1	o
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.88	86	53	SSE	3	b	"	30.04	79	69	W	1	o
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	"	..	..	...	..	..	...	"	...	..	..	...	...	...
Cebu,	"	...	..	..	..	..	...	"	...	..	...	...	...	...
Cape St. James,	4 p.	..	..	..	...	...	..	10 a.	..	..	...	..	..	..

On the 12th at 11. 55a. The barometer has risen generally particularly over China and Japan. The depression is still shown over the Pacific to the NE of Japan, and the anticyclone remains central over China to the North of the Yangtze.

Gradients continue rather steep over the Formosa Channel and the N. part of the China Sea, and very strong monsoon is indicated in both areas.

Forecast:— fresh N winds; fair, cloudy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 12th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th January 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„		..	..	NW	8	..	6 a.	29.61	..	...	S	2	..
Hakodate,	„	29.54	..	..	NW	8	..	„	29.70	...	..	NW	2	..
Tokio,	„	29.68	..	...	NW	8	..	„	29.82	..	...	NW	2	..
Kochi	„	29.95	...	...	N	6	..	„	29.99	...	...	SW	2	..
Nagasaki,	„	30.19	.	...	N	6	..	„	30.11	...	...	N	3	..
Kagoshima,	„	30.07	...		N	6	..	„	30.11	..	...	NW	4	..
Oshima,	„	30.08	..	...	N	6	..	„	30.12	...	...	N	6	..
Naha,	„	30.13	...	...	N	8	..	„	30.17	..	...	NW	8	..
Ishigakijima,	„	30.17	...	..	NE	4	..	„	30.21	..	..	NE	4	..
Taihoku,	1 p.	30.08	..	...	E	4	..	5 a.	30.31	..	..	E	2	..
Taichu,	„	30.17	...	..	N	6	..	„	30.22	..	..	N	4	..
Tainan,	„	30.19	..	..	NE	6	..	„	30.19	..	...	N	6	..
Koshun,	„	30.13	..	..	NE	8	..	„	30.14	...	..	NE	8	..
Pescadores,	„	30.21	..	...	NE	10	..	„	30.23	...	...	NE	10	..
Weihaiwei,	3 p.	..	28	...	W	4	b	9 a.	30.32	30	...	NW	3	b
Gutzlaff,	„	30.39	35	62	N	5	bv	„	30.46	32	79	NW	5	bm
Sharp Peak,	„	30.31	50	68	NNE	3	og	„	.	.	..	...	..	..
Amoy,	„	30.16	52	73	NE	3	o	6 30a.	30.19	48	78	NE	2	c
Swatow,	„	30.21	55	74	SSE	2	o	9 a.	..	...	..	...	..	...
Canton,	„	30.28	50	72	NW	2	o	„	..	...	..	...	..	..
Hongkong,	4 p.	30.22	54	75	NNE	2	o	10 a.	30.32	53	72	N	1	o
Victoria Peak,	„	...	..	...	WNW	3	..	„	...	..	..	NE	3	..
Gap Rock,	„	30.21	...	..	NNW	4	..	„	30.29	...	..	NNE	4	..
Macao,	„	30.20	50	...	N	1	o	„	30.29	48	..	N	2	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	84	58	..	2	o	„	30.00	81	76	W	1	o
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	„	..	..	...	..	..	...	„	...	..	..	...	...	..
Cebu,	„	...	..	..	..	..	...	„	...	..	...	...	...	...
Cape St. James,	4 p.	29.88	82	..	NE	3	f	10 a.	..	..	...	..	..	..

On the 13th at 12. 10p. The barometer has risen over E. Japan, and is little changed elsewhere. The anticyclone remains over China, the highest pressure lying to the North of the Yangtze. Pressure is still relatively low over E. Japan.

Very strong monsoon will continue in the Formosa Channel and the China Sea.

Forecast:— moderate N winds; fair, cloudy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 13th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

13th January 1906, P. M								14th January 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.57	..	..	W	2	..	6 a.	29.69	..	...	N	8	..
Hakodate,	„	29.82	..	..	NW	4	..	„	29.85	...	..	NW	2	..
Tokio,	„	29.60	..	...	S	6	..	„	29.94	..	...	NW	4	..
Kochi	„	29.91	...	...	NW	4	..	„	30.15	...	...	SW	2	..
Nagasaki,	„	30.11	..	...	N	8	..	„	30.23	...	...	N	2	..
Kagoshima,	„	30.07	...		NW	6	..	„	30.23	..	...	NE	6	..
Oshima,	„	30.16	..	...	NW	8	..	„	30.20	...	...	NW	2	..
Naha,	„	30.17	...	...	.	8	..	„	30.21	..	...	N	6	..
Ishigakijima,	„	30.21	...	..	NE	4	..	„	30.21	..	..	NE	2	..
Taihoku,	1 p.	30.29	..	...	E	4	..	5 a.	30.26	..	..	E	6	..
Taichu,	„	30.19	...	..	N	4	..	„	30.19	..	..	N	2	..
Tainan,	„	30.18	..	..	NE	4	..	„	30.19	..	...	N	2	..
Koshun,	„	30.14	..	..	NE	8	..	„	30.14	...	..	E	4	..
Pescadores,	„	30.22	..	...	...	..	..	„	30 19	...	...	NE	8	..
Weihaiwei,	3 p.	30.26	29	...	WNW	6	c	9 a.	30.07	29	...	W	3	b
Gutzlaff,	„	30.42	35	100	NW	5	cm	„	30.41	33	90	NW	2	bm
Sharp Peak,	„	30.33	52	73	N	3	og	„	.	.	..	...	..	..
Amoy,	„	30.16	55	50	NE	3	o	6 30a.	30.11	49	73	NE	2	or
Swatow,	„	30.22	57	69	E	3	o	9 a.	30.24	50	86	N	2	o
Canton,	„	30.29	59	65	NW	2	o	„	30.35	45	76	N	1	o
Hongkong,	4 p.	30.23	53	74	N	1	o	10 a.	30.31	51	76	NNE	1	o
Victoria Peak,	„	...	..	...	N	4	..	„	...	..	..	NE	1	..
Gap Rock,	„	30.20	...	..	NNE	3	..	„	30.30	...	..	NNE	4	..
Macao,	„	30.21	48	...	N	1	o	„	30.30	46	..	N	2	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	82	57	NNE	2	c	„	30.04	79	69	W	1	c
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	„	..	..	...	..	..	...	„	...	..	..	...	...	...
Cebu,	„	...	..	..	..	..	...	„	...	..	...	...	...	...
Cape St. James,	4 p.	..	..	..	...	...	..	10 a.	..	..	...	..	..	..

On the 14th at 12. 15p. The barometer has risen over Japan, and fallen in N. China.
The high pressure area remains over China, and pressure appears to be low over Manchuria.
Gradients are less steep but strong monsoon is still indicated in the Formosa Channel and the China Sea.
Forecast:— moderate N winds; cloudy, some drizzling rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 14th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

14th January 1906, P. M								15th January 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.86	..	..	NW	6	..	6 a.	30.00	..	...	NW	2	..
Hakodate,	„	29.93	..	..	W	6	..	„	30.01	...	..	..	0	..
Tokio,	„	30.06	..	...	NW	4	..	„	30.10	.	...	NW	2	..
Kochi	„	3 : 11	...	...	SW	4	..	„	30.11	...	...		0	..
Nagasaki,	„	30.19	.	...	N	4	..	„	30.11	...	...	NW	8	..
Kago-shima,	„	30.19	...		N	6	..	„	30.15	..	...	...	0	..
Oshima,	„	30.20	..	...	N	2	..	„	30.20	...	...	S	2	..
Naha,	„	30.17	...	...	NE	4	..	„	30.17	..	...	N	4	..
Ishigakijima,	„	30.17	...	..	NE	4	..	„	30.13	..	..	N	2	..
Taihoku,	1 p.	30.19	..	...	E	6	..	5 a.	30.21	..	..	E	2	..
Taichu,	„	30.15	...	..	N	2	..	„	30.17	..	..	N	6	..
Tainan,	„	30.15	..	..	NE	4	..	„	30.22	..	...	N	6	..
Koshun,	„	30.09	..	..	N	6	..	„	30.09	...	..	E	2	..
Pescadores,	„	30.16	..	...	NE	8	..	„	30.17	...	...	NE	8	..
Weihaiwei,	3 p.	30.04	35	...	WSW	3	b	9 a.	30.10	35	...	W	3	b
Gutzlaff,	„	30.28	40	56	WNW	2	bv	„	30.31	39	73	WNW	3	bm
Sharp Peak,	„	30.22	54	52	...	0	ow	„	30.28	50	86	N	1	o
Amoy,	„	30.16	57	81	NE	2	o	6 30a.	30.16	51	100	NE	1	or
Swatow,	„	30.17	54	74	N	2	o	9 a.	30.23	52	73	NE	1	o
Canton,	„	30.24	45	92	N	1	o	„	30.28	46	77	NW	1	o
Hongkong,	4 p.	30.18	51	74	...	0	o	10 a.	30.24	53	86	..	0	od
Victoria Peak,	„	...	..	...	NNW	5	..	„	...	..	..	NE	6	..
Gap Rock,	„	30.15	...	..	NNE	3	..	„	30.25	...	..	NNE	2	..
Macao,	„	..	...	...	..	...	..	„	30.22	46	..	N	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	86	58	W	1	c	„	30.04	79	69	..	0	c
Iacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	„	..	..	...	..	..	...	„	...	..	..	...	...	..
Cebu,	„	...	..	..	..	..	...	„	...	..	...	...	...	...
Cape St. James,	4 p.	30.02	82	..	ENE	1	c	10 a.	..	..	...	..	..	..

On the 15th at 11. 40a. The barometer has risen in E. Japan, and fallen over China and W. Japan. Pressure is highest over S. China. It remains low, apparently, over Manchuria.
Gradients are slight to moderate. Fresh monsoon may be expected in the Formosa Channel, and strong monsoon in the China Sea.
Forecast:— moderate N winds; cloudy, drizzling rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 15th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th January 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	16th January 1906, A. M. Hour.	Barometer.	Temperature	Humidity	Wind. Direction	Wind. Force	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.00	..	..	N	2	..	6 a.	29.96	..	...	SE	6	..
Hakodate,	„	29.89	..	..	E	6	..	„	30.01	...	..	SW	6	..
Tokio,	„	30.02	..	...	NE	4	..	„	30.14	..	...	NW	2	..
Kochi	„	30.03	...	...	W	4	..	„	30.19	...	...	SW	2	..
Nagasaki,	„	30.11	..	...	N	4	..	„	30.19	...	...	SE	4	..
Kagoshima,	„	30.11	...		NW	6	..	„	30.23	..	...	N	2	..
Oshima,	„	30.16	..	...	N	4	..	„	30.20	...	...	S	4	..
Naha,	„	30.13	...	...	N	6	..	„	30.17	..	...	NE	2	..
Ishigakijima,	„	30.09	...	..	NE	6	..	„	30.09	..	..	NE	6	..
Taihoku,	1 p.	30.13	..	...	E	6	..	5 a.	30.19	..	..	E	6	..
Taichu,	„	30.09	...	..	N	2	..	„	30.13	..	..	N	2	..
Tainan,	„	30.09	..	..	N	6	..	„	30.10	..	...	N	4	..
Koshun,	„	30.04	..	..	NE	6	..	„	30.07	...	..	W	4	..
Pescadores,	„	30.11	..	...	NE	8	..	„	30.10	...	...	NE	10	..
Weihaiwei,	3 p.	30.05	40	...	WNW	3	b	9 a.	30.24	36	...	NNE	..	b
Gutzlaff,	„	30.26	45	53	NW	2	bm	„	30.34	44	76	WNW	2	bm
Sharp Peak,	„	30.17	52	79	NE	3	o	„	30.26	51	72	N	1	o
Amoy,	„	30.01	57	75	NE	3	o	6 30a.	30.10	53	80	NE	1	o
Swatow,	„	30.11	55	87	E	2	o	9 a.	30.12	54	87	NE	1	o
Canton,	„	30.14	53	67	NW	1	o	„	..	...	...	..	...	..
Hongkong,	4 p.	30.12	55	81	...	0	o	10 a.	30.25	57	81	NE	2	o
Victoria Peak,	„	...	..	...	SSE	0	..	„	...	..	..	E	3	..
Gap Rock,	„	30.11	...	..	N	2	..	„	30.25	...	..	NE	3	..
Macao,	„	30.08	52	...	NE	1	o	„	30.22	51	..	N	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	84	52	ENE	1	o	„	30.04	79	69	NNW	2	o
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	„	..	..	...	..	..	...	„	...	..	..	...	...	..
Cebu,	„	...	..	..	..	..	...	„	...	..	...	...	...	...
Cape St. James,	4 p.	..	..	..	..	...	...	10 a.	..	..	...	..	..	..

On the 16th at 12. 15p. The barometer has risen over N. China and S. Japan, and fallen in NE Japan. Pressure is highest over Central China, and a low area appears to be situated to the North of Hokkaido. Fresh to strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea. Forecast:— moderate NE winds; cloudy, some drizzling rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 16th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	17th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.88	..	..	NW	2	..	6 a.	..	..	...	..	..	..
Hakodate,	"	30.05	..	..	W	4	..	"	..	...	..	...	..	..
Tokio,	"	30.06	..	...	NE	4	..	"	..	.	...	..	..	..
Kochi	"	30.11	...	...	SW	2	..	"	...	...	...	..	..	..
Nagasaki,	"	30.15	.	...	NW	6	..	"	...	...	...	..	...	..
Kagoshima,	"	30.19	...		NW	2	..	"	..	..	...	..	..	..
Oshima,	"	30.16	..	...	N	2	..	"	..	...	...	..	...	..
Naha,	"	..	...	...	...	...	..	"	...	..	...	..	...	..
Ishigakijima,	"	30.09	...	..	SW	4	..	"		..	..	...	..	..
Taihoku,	1 p.	30.17	..	...	E	6	..	5 a.	30.30	..	..	E	2	..
Taichu,	"	30.09	...	..	N	4	..	"	30.17	..	..	N	4	..
Tainan,	"	30.09	..	..	N	6	..	"	30.12	..	...	NE	2	..
Koshun,	"	30.07	..	..	N	4	..	"	30.14	...	..	NE	8	..
Pescadores,	"	30.15	..	...	NE	8	..	"	30.19	...	...	NE	10	..
Weihaiwei,	3 p.	30.30	32	...	NE	3	c	9 a.	.	.	...	..	..	...
Gutzlaff,	"	30.29	47	55	WNW	1	bm	"	30.44	30	91	NW	4	bm
Sharp Peak,	"	30.21	55	77	ENE	1	o	"	30.38	54	80	NE	3	c
Amoy,	"	30.06	63	57	E	2	c	6 30a.	30.15	55	80	NNE	3	b
Swatow,	"	30.15	61	71	SSW	1	o	9 a.	30.23	52	73	NE	1	b
Canton,	"	30.20	57	63	NW	1	o	"	30.34	51	72	N	1	b
Hongkong,	4 p	30.18	57	93	...	0	od	10 a.	30.33	57	71	NE	2	o
Victoria Peak,	"	...	..	...	N	1	..	"	...	..	..	NE	4	..
Gap Rock,	"	30.16	...	..	NNE	4	..	"	30.30	...	..	NNE	3	..
Macao,	"	30.14	52	...	NNW	1	o	"	30.29	52	..	N	1	o
Haiphong,	"	...	...	.	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.92	84	64	...	0	o	"	30.04	79	76	WNW	1	c
Bacolod,	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo,	"	..	..	...	..	..	...	"	...	..	..	...	...	...
Cebu,	"	...	..	..	..	..	...	"	...	..	...	...	...	...
Cape St. James,	4 p.	..	..	..	..	...	...	10 a.	..	..	...	..	..	..

On the 17th at 12. 5p. The barometer has risen over China.
The high pressure area is lying over Central China, and gradients are slight to moderate.
Strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate N to NE winds; the weather is likely to improve.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 17th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	18th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Windwestock,	2 p.		...	...	.	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	„	29.80	..	..	NW	6	..	6 a.	..	..	...	..	..	..
Hakodate, ...	„	29.81	..	..	NW	8	..	„	..	..	..	...	..	..
Tokio, ...	„	29.86	..	...	S	2	..	„	..	..	...	..	..	..
Kochi	„	30.11	...	...	NW	4	..	„	...	...	...	..	..	..
Nagasaki, ...	„	30.31	.	...	N	3	..	„	...	...	...	..	...	..
Kagoshima, ..	„	30.23	...		N	6	..	„	..	..	...	..	..	..
Oshima, ...	„	30.20	..	...	N	6	..	„	..	...	...	..	...	..
Naha, ...	„	30.17	...	...	N	6	..	„	...	..	...	..	...	..
Ishigakijima, .	„	30.17	...	..	NE	6	..	„		..	..	...	..	..
Taihoku, ...	1 p.	30.26	..	...	E	6	..	5 a.	30.23	..	..	E	6	..
Tuesan, ...	„	30.14	...	..	N	6	..	„	30.17	..	..	..	0	..
Taiwan, ...	„	30.15	..	..	NW	4	..	„	30.18	..	...	N	2	..
Koshun, ...	„	30.10	..	..	NE	10	..	„	30.13	...	..	NE	10	..
Pescadores, ...	„	30.18	..	...	NE	10	..	„	30.20	...	...	NE	10	..
Weihaiwei, ..	3 p.	30.38	32	...	WSW	3	ovr	9 a.	30.44	24	...	ENE	5	e
Gutzlaff, ...	„	30.38	43	83	NNW	2	bm	„	30.40	46	84	SE	3	cm
Sharp Peak, ...	„	30.28	54	71	E	5	b	„	30.35	51	69	NE	3	o
Amoy, ...	„	30.10	62	41	NE	2	b	6 30a.	30.17	5[illegible]	66	NE	2	b
Swatow, ...	„	30.18	63	52	E	4	c	9 a.	30.24	52	86	N	1	b
Canton, ...	„	30.22	62	51	E	1	c	„	30.28	59	54	...	0	b
Hongkong, ..	4 p	30.20	59	55	E	2	c	10 a.	30.30	59	63	E	4	e
Victoria Peak,	„	...	..	...	E	3	..	„	...	..	..	E	7	..
Gap Rock, ...	„	30.19	...	..	ENE	4	..	„	30.27	...	..	ENE	5	..
Macao, ...	„	30.19	57	...	N	1	o	„	30.27	59	..	E	1	e
Haiphong, ...	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila, ...	„	29.92	84	64	W	2	c	„	30.08	77	75	N	1	c
Baguio, ...	3 p.	...	..	..	..	...	..	9 a.	...	...	..	..	..	...
Iloilo, ...	„	..	..	...	..	..	...	„	...	..	..	...	...	..
Cebu, ...	„	...	..	..	..	..	...	„	...	..	...	...	...	...
Cape St. James,	4 p	..		..	..	...	...	10 a.	..	..	...	..	..	..

On the 18th at 12. 15p. The barometer is inclined to fall over China.
Pressure is highest over N. China, and gradients are slight to moderate.
Fresh monsoon is indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh NE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 18th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th January 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	19th January 1906, A. M. Hour	Barometer.	Temperature	Humidity	Wind Hour. Direction	Wind Force	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.88	..	..	W	8	..	6 a.	30.00	..	...	W	6	..
Hakodate,	„	30.13	..	..	NW	..	..	„	30.25	...	..	N	6	..
Tokio,	„	30.22	..	...	W	4	..	„	30.26	..	...	NW	2	..
Kochi	„	30.38	...	...	S	2	..	„	30.31	...	...	SW	4	..
Nagasaki,	„	30.42	..	...	E	4	..	„	30.19	...	...	SE	3	..
Kagoshima,	„	30.39	...		SE	2	..	„	30.11	..	...	E	6	..
Oshima,	„	30.32	..	...	SE	4	..	„	30.11	...	...	SE	8	..
Naha,	„	30.25	...	...	E	6	..	„	30.12	..	...	SE	2	..
Ishigakijima,	„	..	...	..	..	...	..	„	30.17	..	..	NW	6	..
Taihoku,	1 p.	30.16	..	...	E	6	..	5 a.	30.31	..	..	W	2	..
Taichu,	„	30.13	...	..	S	2	..	„	30.28	..	..	N	4	..
Tainan,	„	30.16	..	..	NW	4	..	„	30.22	..	...	N	4	..
Koshun,	„	30.13	..	..	NE	8	..	„	30.15	...	..	N	6	..
Pescadores,	„	30.17	..	...	N	8	..	„	30.25	...	...	N	4	..
Weihaiwei,	3 p.	30.40	22	...	E	6	c	9 a.	30.54	18	...	NW	3	c
Gutzlaff,	„	30.28	54	68	SSE	2	cv	„	30.47	41	74	NW	6	hm
Sharp Peak,	„	30.21	54	77	NE	2	o	„	30.33	56	75	N	1	b
Amoy,	„	30.10	63	62	SE	2	b	6 30a.	30.18	56	87	..	0	c
Swatow,	„	30.19	65	63	E	4	c	9 a.	30.23	55	89	N	1	b
Canton,	„	30.21	65	63	NW	1	o	„	30.33	56	81	N	1	o
Hongkong,	4 p.	30.19	69	65	E	4	o	10 a.	30.32	64	58	..	0	c
Victoria Peak,	„	...	..	...	E	3	..	„	...	..	..	NE	1	..
Gap Rock,	„	30.17	...	..	ENE	5	..	„	..	...	..	..	...	..
Macao,	„	30.17	66	...	SE	1	c	„	30.30	58	..	N	1	c
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	84	52	NE	1	c	„	30.08	81	62	N	0	..
Bacolod,	3 p.	...	..	..	NE	4	or	9 a.	...	...	..	..	..	...
Iloilo,	„	29.87	80	...	NE	4	od	„	...	..	..	...	...	..
Cebu,	„	29.89	84	..	N	1	b	„	...	..	...	...	...	...
Cape St. James,	4 p.	29.92	82	..	NE	4	f	10 a.	..	..	...	..	..	..

On the 19th at 12. 5p. The barometer has risen over China, and fallen over W. Japan and the Loochoos. A shallow area of low pressure is moving Eastwards off the SW coast of Japan, and a high pressure area lies over China to the North of the Yangtze.

Strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate to fresh N winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 19th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	20th January 1906, A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force	Weather.
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.08	..	..	NW	6	..	6 a.	29.76	.	...	NE	8	..
Hakodate,	„	30.13	..	..	N	4	..	„	29.77	...	..	NE	6	..
Tokio,	„	30.02	..	...	SE	4	..	„	29.63	.	...	W	2	..
Kochi	„	29.99	...	...	W	4	..	„	30.11	...	...	W	4	..
Nagasaki,	„	30.11	.	...	N	6	..	„	30.31	...	...	N	6	..
Kagoshima,	„	30.03	...		N	8	..	„	30.27	..	...	NW	4	..
Oshima,	„	30.08	..	...	N	8	..	„	30.23	...	...	N	8	..
Naha,	„	30.13	...	...	N	10	..	„	30.33	..	...	N	8	..
Ishigakijima,	„	30.21	...	..	N	8	..	„	30.33	..	..	NE	4	..
Taihoku,	1 p.	30.28	..	...	E	8	..	5 a.	30.37	..	..	E	6	..
Taichu,	„	30.16	...	..	N	6	..	„	30.33	..	..	...	0	..
Tainan,	„	30.15	..	..	N	8	..	„	30.23	..	...	N	9	..
Koshun,	„	30.13	..	..	NE	8	..	„	30.21	...	..	NE	10	..
Pescadores,	„	30.15	..	...	NE	8	..	„	30.25	...	...	NE	10	..
Weihaiwei,	3 p.	30.52	16	...	NW	..	c	9 a.	30.55	22	...	W	3	b
Gutzlaff,	„	30.49	40	82	N	6	cv	„	30.57	31	90	N	4	bv
Sharp Peak,	„	30.28	57	78	NE	5	b	„	30.48	51	79	NE	5	og
Amoy,	„	30.09	70	48	E	2	b	6 30a.	30.29	58	76	NE	4	o
Swatow,	„	30.27	60	75	NNE	2	b	9 a.	30.43	54	87	NE	3	b
Canton,	„	30.21	69	52	N	1	b	„	30.32	56	69	N	1	o
Hongkong,	4 p.	30.20	65	60	WNW	1	b	10 a.	30.36	59	70	E	5	o
Victoria Peak,	„	...	..	...	SW	0	..	„	...	..	..	E	4	..
Gap Rock,	„	30.18	...	..	N	2	..	„	30.31	...	..	ENE	4	..
Macao,	„	30.18	65	...	NE	1	o	„	30.32	59	..	NNE	1	o
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.96	84	64	WNW	1	c	„	...	..	..	...	...	..
Bacolod,	3 p.	...	..	..	NE	4	b	9 a.	...	...	..	NE	4	c
Iloilo,	„	29.87	86	...	N	2	c	„	29.93	80	..	NE	2	c
Cebu,	„	29.90	86	..	N	2	c	„	29.89	82	...	N	2	c
Cape St. James,	4 p.	...	.	..	..	...	...	10 a.	..	..	...	..	..	..

On the 20th at 12. 25p. The barometer has risen over China and W. Japan, and fallen over E. Japan. The depression noted yesterday, is this morning moving into the Pacific to the E. of Japan. The anticyclonic area remains central over China to the North of the Yangtze. Very strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea. Forecast:— fresh NE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 20th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

20th January 1906, P. M								21st January 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.57	..	..	N	6	..	6 a.	29.21	..	...	N	8	..
Hakodate,	„	29.66	..	..	NW	6	..	„	29.73	...	..	...	8	..
Tokio,	„	29.86	..	...	NW	6	..	„	29.94	..	...	NW	2	..
Kochi	„	30.15	...	...	NW	8	..	„	30.27	...	...	SW	2	..
Nagasaki,	„	30.34	.	...	NW	6	..	„	30.42	...	...	NE	6	..
Kagoshima,	„	30.31	...		N	3	..	„	30.39	..	...	N	4	..
Oshima,	„	30.32	..	...	N	6	..	„	30.36	...	...	S	2	..
Naha,	„	30.33	...	...	N	8	..	„	30.33	..	...	NE	2	..
Ishigakijima,	„	..	...	..	..	..	..	„	30.25	..	..	E	6	..
Taihoku,	1 p.	30.34	..	...	E	8	..	5 a.	...	..	..	..	..	..
Taichu,	„	30.22	...	..	S	2	..	„	..	..	..	...	...	..
Tainan,	„	30.24	..	..	N	4	..	„	..	..	...	..	..	..
Koshun,	„	30.22	..	..	NE	10	..	„	..	...	..	..	..	..
Pescadores,	„	30.24	..	...	NE	10	..	„	...	...	...	..	...	..
Weihaiwei,	3 p.	30.48	21	...	W	4	c	9 a.	30.54	21	...	SE	2	c
Gutzlaff,	„	30.54	34	90	N	3	cv	„	30.37	42	81	SE	4	cv
Sharp Peak,	„	30.37	51	72	NNE	4	og	„	30.33	50	79	N	1	og
Amoy,	„	30.16	58	64	ENE	4	c	6 30a.	30.13	57	87	NE	2	o
Swatow,	„	30.24	60	65	E	5	o	9 a.	30.23	54	87	..	0	b
Canton,	„	30.22	63	62	E	1	o	„	...	56	87	W	1	b
Hongkong,	4 p.	30.22	59	72	E	4	o	10 a.	30.25	60	72	E	4	c
Victoria Peak,	„	...	..	...	E	5	..	„	...	..	..	E	5	..
Cap Rock,	„	30.19	...	..	ENE	5	..	„	30.22	...	..	ENE	5	..
Macao,	„	30.21	61	...	ESE	2	c	„	30.25	60	..	E	1	o
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.96	82	57	NNE	4	c	„	30.04	79	73	NE	1	o
Bacolod,	3 p.	..	..	..	NE	3	o	9 a.	...	...	..	NE	1	e
Iloilo,	„	29.87	84	...	NE	4	c	„	29.97	84	..	NE	5	c
Cebu,	„	29.89	85	..	N	2	c	„	29.91	81	...	N	4	or
Cape St. James,	4 p.	29.94	81	..	ENE	3	c	10 a.	..	..	...	..	..	..

On the 21st at 12. 10p. The barometer has risen over S. Japan, and fallen over China.
The depression, which has deepened, is still shown in the Pacific to the NE of Japan.
The area of high pressure lies now over the Yellow Sea, and another depression appears to be forming over Central China.
Gradients are decreasing in the South, and the monsoon is expected to moderate in the Formosa Channel and the N. part of the China Sea.
Forecast:— E winds, decreasing; in strength fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 21st January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	22nd January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	„	29.65	..	..	NW	6	..	6 a.	..	..	...	..	...	..
Hakodate, ...	„	29.89	..	..	W	10	..	„	..	...	..	...	..	..
Tokio, ...	„	29.98	..	...	NW	6	..	„	..	..	...	..	..	..
Kochi.....	„	30.27	...	...	SE	2	..	„	..	...	...	...	...	..
Nagasaki, ...	„	30.38	..	...	NE	4	..	„	..	...	...	..	..	..
Kagoshima,...	„	30.34	...		N	6	..	„	...	..	...	...	..	..
Oshima, ...	„	30.28	..	...	N	4	..	„	...	...	...	...	..	..
Naha, ...	„	30.25	...	...	E	4	..	„	...	..	...	..	...	..
Ishigakijima, ..	„	30.21	...	..	SE	6	..	„	...	..	..	..	..	..
Taihoku, ...	1 p.	30.15	..	...	W	2	..	5 a.	30.17	..	..	NE	2	..
Taichu, ...	„	30.15	...	..	N	6	..	„	30.17	..	..	...	0	..
Tainan, ...	„	30.16	..	..	NW	6	..	„	30.13	..	...	NE	4	..
Koshun, ...	„	30.15	..	..	NE	6	..	„	30.10	...	..	..	0	..
Pescadores,....	„	30.17	..	...	N	8	..	„	30.14	...	...	NE	6	..
Weihaiwei, ...	3 p.	...	...	...	..	..	..	9 a.	30.50	27	...	N	4	c
Gutzlaff, ...	„	30.27	42	92	ESE	3	omd	„	30.32	44	100	NE	4	omd
Sharp Peak, ...	„	30.16	53	83	..	0	o	„	30.21	55	87	..	0	c
Amoy, ...	„	..	56	87	NE	2	b	6 30a.	30.09	54	94	NE	2	o
Swatow, ...	„	30.29	61	77	E	1	b	9 a.	30.16	56	94	N	1	b
Canton, ...	„	30.01	67	69	E	1	o	„	30.16	62	89	..	0	o
Hongkong, ...	4 p.	30.11	60	82	E	5	b	10 a.	30.19	62	89	ESE	3	o
Victoria Peak, .	„	...	..	...	ESE	3	..	„	...	..	..	SE	1	..
Gap Rock, ...	„	30.07	...	..	ENE	4	..	„	..	...	..	...	..	..
Macao,.....	„	30.08	62	...	SE	3	c	„	30.16	62	..	SE	1	c
Haiphong, ...	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila, ...	„	29.96	79	76	E	1	c	„	30.04	81	70	NNE	1	c
Bacolod, ...	3 p.	...	..	..	NE	2	od	9 a.	...	...	..	ENE	4	c
Iloilo, ...	„	29.91	82	...	NE	4	o	„	29.97	79	..	NE	3	c
Cebu, ...	„	29.91	83	..	N	2	b	„	30.00	82	...	N	1	c
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 22nd at 12. 10p. The barometer has fallen on the China coast.

The shallow area of low pressure lying over China yesterday appears to have moved Eastwards into the Eastern Sea.

The high pressure area lies over N. China.

The monsoon is likely to freshen again in the Formosa Channel and over the N. part of the China Sea during the next 24 hours.

Forecast:— E to NE winds, freshening; fair, misty.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 22nd January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

22nd January 1906, P. M								23rd January 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.65	..	..	NW	10	..	6 a.	29.73	..	...	W	6	..
Hakodate,	„	29.93	..	..	NW	6	..	„	29.97	...	..	NW	8	..
Tokio,	„	30.06	..	...	NW	6	..	„	30.18	..	...	W	4	..
Kochi	„	30.23	...	...	SE	2	..	„	30.31	...	...	...	0	..
Nagasaki,	„	30.34	..	...	N	6	..	„	30.35	...	...	E	4	..
Kagoshima,	„	30.31	...		N	2	..	„	30.27	..	...	NE	6	..
Oshima,	„	30.12	..	...	N	2	..	„	30.16	...	...	...	0	..
Naha,	„	30.09	...	...	SW	4	..	„	30.13	..	...	..	0	..
Ishigakijima,	„	30.13	...	..	N	2	..	„	30.09	..	..	NE	2	..
Taihoku,	1 p.	30.13	..	...	N	4	..	5 a.	30.14	..	..	..	0	..
Taichu,	„	30.09	...	..	NW	4	..	„	30.14	..	..	...	0	..
Tainan,	„	30.10	..	..	NW	6	..	„	30.12	..	...	N	4	..
Koshun,	„	30.08	..	..	E	4	..	„	30.07	...	..	..	0	..
Pescadores,	„	30.11	..	...	NW	8	..	„	30.12	...	...	NE	6	..
Weihaiwei,	3 p.	30.55	26	...	NNW	3	c	9 a.	30.50	26	...	NNE	3	b
Gutzlaff,	„	30.26	45	92	NE	6	omd	„	30.30	43	92	NE	6	omd
Sharp Peak,	„	30.14	57	87	ENE	2	og	„	30.18	56	91	..	0	op
Amoy,	„	30.11	58	81	SE	2	dh	6 30a.	30.16	56	94	NE	1	dh
Swatow,	„	30.08	65	84	NNE	2	b	9 a.	30.07	57	94	NE	1	o
Canton,	„	30.07	72	76	..	0	o	„	30.11	64	89	..	0	o
Hongkong,	4 p.	30.06	64	85	E	3	b	10 a.	30.16	61	94	E	4	o
Victoria Peak,	„	...	..	...	ESE	1	..	„	...	..	..	SE	2	..
Gap Rock,	„	30.05	...	..	ENE	3	..	„	30.11	...	..	ENE	3	..
Macao,	„	30.06	66	...	SE	1	c	„	30.09	64	..	SE	1	c
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.96	84	58	ESE	3	c	„	..	...	..	...	..	..
Bacolod,	3 p.	...	..	..	NE	4	b	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.87	84	...	NE	3	b	„	29.97	79	..	NE	3	b
Cebu,	„	29.89	85	..	N	1	b	„	29.99	82	...	N	2	b
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 23rd at 12. 5p. The barometer has fallen over the China coast and the Loochoos. The high pressure area lies over N. China. Gradients are moderate in the North, and slight in the South. Fresh to strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea. Forecast:— moderate to fresh NE winds; cloudy, misty.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 23rd January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

23rd January 1906, P. M								24th January 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.72	..	..	NW	6	..	6 a.	...	..	...	..	..	..
Hakodate,	"	30.01	..	..	W	8	..	"	..	...	..	...	...	..
Tokio,	"	30.18	..	...	NW	8	..	"	..	..	...	..	...	..
Kochi	"	30.23	...	...	..	6	..	"	..	...	...	...	..	..
Nagasaki,	"	30.23	..	...	NE	4	..	"	..	...	...	..	...	..
Kagoshima,	"	30.23	...		NE	2	..	"	..	..	...	...	..	..
Oshima,	"	30.08	..	...	SE	2	..	"	..	...	...	...	...	..
Naha,	"	30.09	...	...	SW	4	..	"	...	..	...	..	..	..
Ishigakijima,	"	30.05	...	..	NW	6	..	"	..	..	..	..	..	..
Taihoku,	1 p.	30.07	..	...	N	2	..	5 a.	30.08	..	..	N	2	..
Taichu,	"	30.03	...	..	W	2	..	"	30.05	..	..	N	2	..
Tainan,	"	30.05	..	..	NW	2	..	"	30.03	..	...	NE	2	..
Koshun,	"	30.03	..	..	SW	4	..	"	29.98	...	..	NW	4	..
Pescadores,	"	30.08	..	...	N	6	..	"	30.04	...	...	NE	6	..
Weihaiwei,	3 p.	30.39	27	...	NW	..	c	9 a.	.	..	...	...	..	...
Gutzlaff,	"	30.17	43	100	NNE	6	omd	"	30.28	39	82	N	5	cv
Sharp Peak,	"	30.05	57	94	...	0	og	"	30.19	54	90	NNW	3	op
Amoy,	"	30.10	60	82	SE	2	c	6 30a.	30.00	56	94	..	0	or
Swatow,	"	30.07	61	94	NW	1	o	9 a.	30.03	57	87	NW	1	c
Canton,	"	30.02	68	90	..	0	or	"	30.23	48	85	N	2	o
Hongkong,	4 p.	30.04	62	91	E	2	od	10 a.	30.19	60	73	..	0	o
Victoria Peak,	"	...	..	...	SE	2	..	"	...	..	..	NNW	7	..
Gap Rock,	"	30.00	...	..	ENE	4	..	"	30.13	...	..	NNW	8	..
Macao,	"	30.01	64	...	SE	1	o	"	30.17	51	..	N	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.92	82	63	..	0	c	"	30.04	79	69	W	1	b
Bacolod,	3 p.	...	..	..	NE	4	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.87	83	...	NE	3	c	"	29.97	78	..	NE	2	c
Cebu,	"	29.91	84	..	N	2	b	"	29.99	82	...	N	1	b
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 24th at 11. 55a. The barometer has fallen over Formosa, and risen on the China coast.
Pressure appears to be low over the Pacific in the neighbourhood of the Loochoos.
It is high over Central China.
Strong N. winds may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh or strong N. winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 24th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

24th January 1906, P. M								25th January 1906. A. M.						
Station.	Hour.	Barometer	Temperature	Humidity	Winds Direction.	Winds Force.	Weather	Hour.	Barometer.	Temperature	Humidity	Winds Direction.	Winds Force.	Weather
Wladivostock,	2 p.		...	...	..	.	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.92	..	..	W	6	..	6 a.	30.00	..	...	W	2	..
Hakodate,	„	30.01	..	..	W	6	..	„	30.01	...	..	N	2	..
Tokio,	„	30.06	..	...	N	4	..	„	29.99	..	...	NW	4	..
Kochi	„	29.95	...	...	..	6	..	„	29.91	...	...	W	2	..
Nagasaki,	„	29.95	.	...	N	4	..	„	29.99	...	...	N	2	..
Kagoshima,	„	29.91	...		W	2	..	„	29.99	..	...	NW	2	..
Oshima,	„	29.92	..	...	N	8	..	„	30.04	...	...	N	8	..
Naha,	„	29.93	...	...	NW	8	..	„	30.09	..	...	NW	8	..
Ishigakijima,	„	30.01	...	..	N	6	..	„	30.13	..	..	NW	6	..
Taihoku,	1 p.	30.15	..	...	N	2	..	5 a.	30.29	..	..	NE	6	..
Taichu,	„	30.05	...	..	N	6	..	„	30.16	..	..	N	4	..
Tainan,	„	30.05	..	..	N	6	..	„	30.13	..	...	N	8	..
Koshun,	„	29.98	..	..	NW	6	..	„	30.10	...	..	N	6	..
Pescadores,	„	30.07	..	...	NE	10	..	„	30.17	...	...	NE	10	..
Weihaiwei,	3 p.	...	28	...	WNW	5	c	9 a.	.	..	...	...	..	...
Gutzlaff,	„	30.27	39	82	NW	4	ov	„	30.44	34	69	NNW	6	bm
Sharp Peak,	„	30.16	54	80	NE	3	og	„	30.39	51	79	E	1	b
Amoy,	„	30.06	55	76	NE	2	or	6 30a.	30.21	45	92	NNE	2	b
Swatow,	„	30.04	69	65	N	2	c	9 a.	..	..	...	..	..	...
Canton,	„	30.11	61	55	N	2	c	„	...	.	...	..	...	..
Hongkong,	4 p.	30.10	61	62	N	1	o	10 a.	30.32	57	55	NE	2	o
Victoria Peak,	„	...	..	...	NNW	5	..	„	...	..	..	E	2	..
Gap Rock,	„	30.08	...	..	NW	5	..	„	30.29	...	..	NE	3	..
Macao,	„	30.08	52	...	N	2	c	„	30.28	52	..	N	1	c
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	86	58	WSW	1	b	„	30.04	84	58	ENE	1	b
Bacolod,	3 p.	..	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.87	85	...	NE	2	b	„	29.97	79	..	NE	4	b
Cebu,	„	29.90	82	..	N	2	b	„	29.93	81	...	N	1	c
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 25th at 11. 40a. The barometer has fallen in S. Japan, and risen over China and the Loochoos. The shallow area of low pressure lying near the latter area yesterday, has moved to the NE and is over the SE coast of Japan this morning.

The anticyclone covering China, appears to be central to the North of the Yangtze.

Very strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh NE winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 25th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

25th January 1906, P. M								26th January 1906. A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	„	29.96	..	..	NE	4	..	6 a.	...	..	...	..	...	..
Hakodate, ...	„	29.81	..	..	NE	6	..	„	29.85	...	..	NE	2	..
Tokio, ...	„	29.74	..	...	W	2	..	„	29.78	..	...	W	6	..
Kochi	„	29.83	...	...	W	6	..	„	30.11	...	...	S	2	..
Nagasaki, ..	„	30.03	.	...	NW	10	..	„	30.27	...	...	N	6	..
Kagoshima, .	„	29.99	...		NW	10	..	„	30.23	..	...	N	6	..
Oshima, ...	„	30.12	..	...	N	8	..	„	30.24	...	...	N	6	..
Naha, ...	„	30.13	...	...	N	8	..	„	30.22	..	...	NE	4	..
Ishigakijima, .	„	30.25	...	..	N	6	..	„	30.29	..	..	NE	0	..
Taihoku, ...	1 p.	30.31	..	...	E	6	..	5 a.	30.26	..	..	E	4	..
Taichu, ...	„	30.17	...	..	N	8	..	„	30.19	..	..	..	0	..
Tainan, ...	„	30.17	..	..	N	6	..	„	30.19	..	...	N	2	..
Koshun, ...	„	30.12	..	..	NE	10	..	„	30.15	...	..	NE	8	..
Pescadores, ...	„	30.21	..	...	N	10	..	„	30.18	...	...	NE	10	..
Weihaiwei, ..	3 p.	30.35	25	...	N	4	b	9 a.	30.43	25	...	WSW	3	b
Gutzlaff, ...	„	30.43	35	70	NNW	4	bv	„	30.40	49	65	E	3	cv
Sharp Peak, ...	„	30.31	52	73	E	4	b	„	30.33	50	75	E	2	og
Amoy, ...	„	30.16	58	58	NNE	2	b	6 30a.	30.21	47	77	NE	2	c
Swatow, ...	„	30.22	59	54	ENE	2	b	9 a.	30.29	46	84	NE	2	c
Canton, ...	„	30.21	64	84	E	1	o	„	30.23	55	74	ESE	2	o
Hongkong, ...	4 p.	30.20	57	63	E	3	c	10 a.	30.22	56	79	E	5	o
Victoria Peak,	„	...	..	...	E	3	..	„	...	..	..	E	7	..
Gap Rock, ...	„	30.17	...	..	ENE	5	..	„	30.17	...	..	ENE	5	..
Macao, ...	„	30.16	60	...	E	2	c	„	30.18	57	..	ESE	2	o
Haiphong, ...	„	...	...	.	..	...	..	„	..	.	..	..	..	..
Manila, ...	„	29.92	84	58	SE	2	c	„	30.04	81	70	NE	0	o
Bacolod, ...	3 p.	..	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo, ...	„	29.87	80	...	NE	2	b	„	29.97	79	..	NE	3	b
Cebu, ...	„	29.90	84	..	N	2	b	„	29.99	83	...	N	3	b
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 26th at 11. 40a. The barometer has risen over W. Japan and the Loochoos, and fallen over S. China. The depression mentioned yesterday is still shown in the Pacific to the E. of Japan. The highest pressure is now over the Yellow Sea.

Strong but decreasing monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh E winds; fair

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 26th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th January 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	27th January 1906. A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.92	..	..	N	6	..	6 a.	30.01	..	...	N	2	..
Hakodate,	„	29.89	..	..	NE	2	..	„	29.93	...	..	N	6	..
Tokio,	„	29.98	..	...	NW	8	..	„	30.18	..	...	W	6	..
Kochi	„	30.11	...	...	SE	2	..	„	30.27	...	...	SE	4	..
Nagasaki,	„	30.27	..	...	NE	4	..	„	30.31	...	...	.	0	..
Kagoshima,	„	30.19	...		NW	4	..	„	30.27	..	...	NE	2	..
Oshima,	„	30.20	..	...	NW	4	..	„	30.24	...	...	S	4	..
Naha,	„	30.25	...	...	N	4	..	„	30.21	..	...	NE	2	..
Ishigakijima,	„	30.21	...	..	NE	6	..	„	30.13	..	..	SE	6	..
Taihoku,	1 p.	30.17	..	...	NE	6	..	5 a.	30.15	..	..	...	0	..
Taichu,	„	30.12	...	..	.	0	..	„	30.17	..	..	..	0	..
Tainan,	„	30.15	..	..	N	2	..	„	30.17	..	...	N	2	..
Koshun,	„	30.13	..	..	NE	8	..	„	30.11	...	..	E	2	..
Pescadores,	„	30.05	..	...	NE	10	..	„	30.15	...	...	NE	6	..
Weihaiwei,	3 p.	30.36	28	...	SW	2	c	9 a.	30.30	32	...	SW	..	b
Gutzlaff,	„	30.28	45	61	SE	3	cv	„	.	45	..	S	2	bm
Sharp Peak,	„	30.23	50	75	NNE	4	og	„	30.22	52	90	N	1	og
Amoy,	„	30.05	50	72	NE	2	o	6 30a.	30.14	51	93	S	2	or
Swatow,	„	30.15	56	63	NE	2	o	9 a.	30.15	54	80	N	1	b
Canton,	„	30.10	60	71	ESE	2	o	„	30.17	59	94	...	0	o
Hongkong,	4 p.	30.12	57	78	E	5	o	10 a.	30.18	60	80	E	3	o
Victoria Peak,	„	...	..	...	E	6	..	„	...	..	..	ESE	5	..
Gap Rock,	„	30.08	...	..	ENE	5	..	„	..	...	..	...	...	..
Macao,	„	30.07	58	...	E	2	o	„	30.14	58	..	NE	1	o
Haiphong,	„	...	...	.	..	...	..	„	..	.	..	..	..	..
Manila,	„	29.92	82	63	NE	1	o	„	30.08	77	84	W	1	o
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.87	85	...	NE	2	b	„	29.97	80	..	NE	2	b
Cebu,	„	29.91	84	..	N	2	b	„	29.90	83	...	N	1	..
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 27th at 11. 50a. The barometer has risen in Japan, and fallen over China.
Pressure is highest between the E. coast of China and W. Japan.
Gradients are slight, and moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— E to N winds, moderate or fresh; dull, some drizzling rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 27th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th January 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	28th January 1906, A. M. Hour.	Barometer.	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.08	..	..	N	4	..	6 a.	30.08	.	...	W	2	..
Hakodate,	"	30.13	..	..	N	4	..	"	30.13	...	..	N	4	..
Tokio,	"	30.18	..	...	N	6	..	"	30.18	.	...	NW	4	..
Kochi	"	30.23	...	...	SE	2	..	"	30.19	...	...	W	2	..
Nagasaki,	"	30.27	.	...	N	2	..	"	30.27	...	...	..	0	..
Kagoshima,	"	30.23	...		SW	8	..	"	30.23	..	...	N	4	..
Oshima,	"	30.20	..	...	SW	8	..	"	30.12	...	...	E	2	..
Naha,	"	30.17	...	...	E	2	..	"	30.05	..	...	NE	4	..
Ishigakijima,	"	30.09	...	..	S	6	..	"	30.05	..	..	N	6	..
Taihoku,	1 p.	30.14	..	...	NW	2	..	5 a.	30.18	..	..	SW	2	..
Taichu,	"	30.11	...	..	..	0	..	"	30.11	..	..	N	4	..
Tainan,	"	30.11	..	..	N	6	..	"	30.09	..	...	N	6	..
Koshun,	"	30.07	..	..	NW	2	..	"	30.06	...	..	N	2	..
Pescadores,	"	30.11	..	...	NE	6	..	"	30.13	...	...	NE	10	..
Weihaiwei,	3 p.	30.28	36	...	W	..	b	9 a.	..	..	...	.	...	..
Gutzlaff,	"	30.26	48	78	...	6	cm	"	30.40	42	83	N	5	cv
Sharp Peak,	"	30.15	53	93	ENE	3	ow	"	30.27	52	90	N	2	og
Amoy,	"	30.05	56	94	SE	2	o	6 30a.	30.12	52	93	NE	3	o
Swatow,	"	30.09	70	85	NE	..	o	9 a.	30.12	54	94	N	1	or
Canton,	"	30.12	63	72	NW	1	o	"	30.26	55	74	NW	1	o
Hongkong,	4 p.	30.09	60	89	E	3	o	10 a.	30.21	58	81	E	2	o
Victoria Peak,	"	...	..	...	SE	2	..	"	...	..	..	E	2	..
Gap Rock,	"	...	...	..		..	..	"	..	...	..	...	...	..
Macao,	"	30.07	58	...	NW	1	od	"	30.16	53	..	N	1	o
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	30.08	84	64	SE	3	c	"	..	..	...	..	...	...
Bacolod,	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	NE	2	d
Iloilo,	"	29.89	85	...	NE	2	b	"	29.97	79	..	NE	2	c
Cebu,	"	29.91	85	..	N	2	b	"	29.93	84	...	N	2	b
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 28th at 11. 30a. The barometer has risen over China, and fallen over the Loochoos.
Pressure is again high over Central China, and a shallow area of low pressure lies in the Pacific to the South of the Loochoos.
Strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate to fresh N. winds; the weather is likely to improve.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 28th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th January 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th January 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.04	..	..	N	2	..	6 a.	..	..	...	..	..	..
Hakodate,	„	30.05	..	..	N	2	..	„	..	...	..	..	...	..
Tokio,	„	30.02	..	...	.	0	..	„	..	..	...	..	..	..
Kochi	„	30.07	...	...	W	4	..	„	...	...	...	..	...	..
Nagasaki,	„	30.19	..	...	NW	8	..	„	..	...	...	..	...	..
Kagoshima,	„	30.19	...		N	6	..	„	..	..	...	...	...	..
Oshima,	„	30.12	..	...	NE	6	..	„	...	...	...	...	..	..
Naha,	„	30.05	...	...	NE	8	..	„	..	..	...	..	..	..
Ishigakijima,	„	30.05	...	..	..	6	..	„	..	..	..	...	...	..
Taihoku,	1 p.	30.15	..	...	E	4	..	5 a.	30.16	..	..	E	2	..
Taichu,	„	30.05	...	..	W	6	..	„	30.09	..	..	N	4	..
Tainan,	„	30.07	..	..	N	6	..	„	30.07	..	...	N	6	..
Koshun,	„	30.02	..	..	NE	8	..	„	30.02	...	..	...	6	..
Pescadores,	„	30.09	..	...	NE	10	..	„	30.09	...	...	NE	10	..
Weihaiwei,	3 p.	30.45	30	...	NNW	3	c	9 a.	30.46	29	...	WNW	3	b
Gutzlaff,	„	30.36	41	74	NNE	5	c	„	...	..	.	..	..	...
Sharp Peak,	„	30.19	52	76	NE	4	o	„	30.26	51	86	ENE	2	og
Amoy,	„	30.09	57	75	E	2	o	6 30a.	30.07	58	88	N	2	o
Swatow,	„	30.10	58	81	NE	1	o	9 a.	30.12	53	93	N	1	o
Canton,	„	30.15	57	81	NW	1	o	„	30.23	53	80	E	1	o
Hongkong,	4 p.	30.12	59	75	E	1	o	10 a.	30.20	57	78	E	1	o
Victoria Peak,	„	...	..	...	E	1	..	„	...	..	..	E	1	..
Gap Rock,	„	30.10	...	..	ENE	3	..	„	30.17	...	..	NE	3	..
Macao,	„	30.07	56	...	N	1	o	„	30.18	53	..	N	1	o
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	2988	86	65	SE	2	o	„	30.09	79	76	NW	2	o
Bacolod,	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.87	84	...	NE	2	b	„	29.93	81	..	NE	1	b
Cebu,	„	29.91	85	..	N	1	b	„	29.88	85	...	...	0	b
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 29th at 11. 55a. Pressure is very little changed. It is highest over China to the North of the Yangtze, and relatively low in the Pacific to the South of the Loochoos.
Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate NE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 29th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

29th January 1906, P. M								30th January 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.00	..	..	N	4	..	6 a.	..	..	...	..	..	..
Hakodate,	„	30.01	..	..	NW	6	..	„	..	...	..	..	...	..
Tokio,	„	30.06	..	...	NW	4	..	„	..	..	...	..	..	..
Kochi	„	30.11	...	...	W	2	..	„	...	...	...	..	...	..
Nagasaki,	„	30.15	.	...	N	6	..	„	..	...	...	..	...	..
Kagoshima,	„	30.07	...		N	2	..	„	..	..	...	...	...	..
Oshima,	„	30.04	..	...	N	6	..	„	...	...	...	...	..	..
Naha,	„	30.01	...	...	N	8	..	„	..	..	...	..	..	..
Ishigakijima,	„	30.09	...	..	N	6	..	„	..	..	..	...	...	..
Taihoku,	1 p.	30.17	..	...	E	4	..	5 a.	30.21	..	..	E	6	..
Taichu,	„	30.07	...	..	N	6	..	„	30.11	..	..	N	2	..
Tainan,	„	30.06	..	..	N	6	..	„	30.10	..	...	NE	4	..
Koshun,	„	30.03	..	..	N	4	..	„	30.06	...	..	NE	10	..
Pescadores,	„	30.10	..	...	NE	10	..	„	30.13	...	...	NE	10	..
Weihaiwei,	3 p.	30.50	30	...	SE	3	b	9 a.	30.38	31	...	WSW	..	b
Gutzlaff,	„	30.36	42	58	NNE	4	cv	„	30.44	43	91	E	4	cv
Sharp Peak,	„	30.21	51	83	NNE	5	o	„	30.30	49	75	N	3	o
Amoy,	„	30.06	59	76	NE	3	c	6 30a.	30.16	50	72	NNE	2	or
Swatow,	„	30.21	58	81	E	3	o	9 a.	30.12	52	93	NE	4	or
Canton,	„	30.12	61	66	NW	1	o	„	30.18	54	87	..	0	o
Hongkong,	4 p.	30.10	58	77	E	3	o	10 a.	30.16	56	76	ENE	6	op
Victoria Peak,	„	...	..	...	E	1	..	„	...	..	..	E	8	..
Gap Rock,	„	30.06	...	..	ENE	4	..	„	30.11	...	..	ENE	6	..
Macao,	„	30.07	58	...	NE	1	o	„	30.12	56	..	E	2	o
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.88	81	76	WSW	2	o	„	30.04	84	58	NW	1	c
Bacolod,	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.85	85	...	NE	2	b	„	29.95	80	..	ENE	3	b
Cebu,	„	29.89	86	..	N	1	b	„	29.98	82	...	...	0	c
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 30th at 12. 5p. The barometer has risen over the E. coast of China, and fallen on the North and South coasts.

Pressure is highest over the Yellow Sea, and relatively low over the S. coast of China.

Strong monsoon is indicated in the Formosa Channel and along the Northern shores of the China Sea.

Forecast:— strong E. breezes; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 30th January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

30th January 1906, P. M								31st January 1906, A. M						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Windivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	....	..	..
Nemuro,	"	29.88	..	..	N	6	..	6 a.	30.04	..	...	NW	8	..
Hakodate,	"	29.97	..	..	W	8	..	"	30.17	...	..	N	2	..
Tokio,	"	30.10	..	...	NW	6	..	"	30.20	..	...	NW	4	..
Kochi	"	30.19	...	...	W	2	..	"	30.39	...	...	SW	2	..
Nagasaki,	"	30.41	.	...	N	6	..	"	30.39	...	...	N	2	..
Kagoshima,	"	30.23	...		SE	2	..	"	30.35	..	...	NE	2	..
Oshima,	"	30.24	..	...	N	6	..	"	30.31	...	...	...	0	..
Naha,	"	30.21	...	...	N	6	..	"	30.25	..	...	NE	4	..
Ishigakijima,	"	30.17	...	..	NE	8	..	"	30.17	..	..	E	6	..
Taihoku,	1 p.	30.22	..	...	E	4	..	5 a.	30.11	..	..	E	2	..
Taichu,	"	30.15	...	..	E	2	..	"	30.10	..	..	...	0	..
Tainan,	"	30.13	..	..	N	4	..	"	30.13	..	...	...	0	..
Koshun,	"	30.09	..	..	NE	10	..	"	30.07	...	..	NE	6	..
Pescadores,	"	30.14	..	...	NE	10	..	"	30.09	...	...	N	6	..
Weihaiwei,	3 p.	30.35	44	...	W	4	b	9 a.	30.30	34	...	SW	3	o
Gutzlaff,	"	30.36	46	62	E	4	cv	"	30.20	48	85	SE	4	omd
Sharp Peak,	"	30.24	52	79	NNE	4	og	"	30.15	52	86	N	1	og
Amoy,	"	30.11	58	70	NE	3	c	6 30a.	30.06	54	94	W	2	o
Swatow,	"	30.12	59	70	NE	3	c	9 a.	30.12	53	86	NE	3	o
Canton,	"	30.08	56	94	N	1	or	"	30.08	58	94	..	0	or
Hongkong,	4 p.	30.08	58	77	E	6	o	10 a.	30.07	58	93	E	4	od
Victoria Peak,	"	...	..	...	E	7	..	"	...	..	..	ESE	3	..
Gap Rock,	"	30.05	...	..	ENE	6	..	"	30.03	...	..	E	4	..
Macao,	"	30.05	58	...	E	2	c	"	30.03	68	..	E	2	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.93	84	64	SE	6	c	"	30.04	77	75	W	1	b
Bacolod,	3 p.	...	..	..	NE	4	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.87	87	...	NE	2	b	"	29.97	80	..	NE	2	b
Cebu,	"	29.89	82	..	N	3	b	"	29.92	83	...	N	1	b
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 31st at 11. 55a. The barometer has risen in Japan, and fallen over China, particularly on the E. coast.

Pressure is highest over W. Japan, and a depression appears to be forming over Central or SW China.

Decreasing monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— Fresh to moderate E winds; cloudy, drizzling rain.

E. G. KIDD
First Assistant.

Hongkong Observatory Wednesday 31st January 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st January 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	1st February 1906, A. M. Hour	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.96	..	..	NW	2	..	6 a.	29.96	..	...	N	4	..
Hakodate,	„	30.09	..	..	N	4	..	„	30.05	...	..	W	4	..
Tokio,	„	30.26	..	...	SE	4	..	„	30.10	..	...	...	0	..
Kochi	„	30.31	...	...	SE	4	..	„	29.99	...	...	SW	4	..
Nagasaki,	„	30.27	..	...	SE	2	..	„	29.87	...	...	SW	3	..
Kagoshima,	„	30.27	...		SE	4	..	„	29.87	..	...	S	8	..
Oshima,	„	30.20	..	...	SE	6	..	„	29.88	...	...	S	4	..
Naha,	„	30.17	...	...	SE	4	..	„	29.85	..	...	S	8	..
Ishigakijima,	„	30.09	...	..	S	8	..	„	..	..	..	..	...	..
Taihoku,	1 p.	29.99	..	...	N	4	..	5 a.	29.84	..	..	...	0	..
Taichu,	„	30.12	...	..	NW	6	..	„	29.85	..	..	...	0	..
Tainan,	„	30.11	..	..	W	4	..	„	29.96	..	...	S	4	..
Koshun,	„	30.13	..	..	E	8	..	„	29.91	...	..	...	0	..
Pescadores,	„	30.02	..	...	N	6	..	„	29.85	...	...	S	8	..
Weihaiwei,	3 p.	30.27	26	...	NE	4	c	9 a.	30.34	16	...	NW	4	c
Gutzlaff,	„	30.06	45	100	N	3	ld	„	30.07	41	100	N	7	omd
Sharp Peak,	„	29.99	55	87	...	0	.	„	29.97	54	94	N	3	or
Amoy,	„	29.91	57	87	WSW	2	o	6 30a.	29.81	56	87	W	2	o
Swatow,	„	29.98	59	88	E	2	o	9 a.	..	...	...	...	..	..
Canton,	„	29.89	60	94	..	0	or	„	...	..	..	..	..	...
Hongkong,	4 p.	29.89	58	98	E	4	od	10 a.	30.07	59	78	NNW	2	o
Victoria Peak,	„	...	..	...	SE	8	..	„	...	..	..	NW	6	..
Gap Rock,	„	29.85	...	..	ENE	4	..	„	30.04	...	..	NW	5	..
Macao,	„	29.85	61	...	SE	1	o	„	30.04	54	..	N	2	c
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	88	47	SSE	4	b	„	30.00	81	68	...	0	b
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.89	86	...	NE	2	b	„	29.95	81	..	NE	2	b
Cebu,	„	29.92	85	..	N	2	b	„	30.01	84	...	N	1	b
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 1st at 11. 55a. The barometer is rising over China, and falling rapidly over W. Japan and the Loochoos.

The depression is in the Eastern Sea and moving Eastwards. Pressure is highest over N. China.

Strong W to N winds may be expected in the Formosa Channel, and increasing N. winds over the N. part of the China Sea.

Forecast:— fresh to strong N winds; weather improving.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 1st February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st February 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	.
Nemuro,	"	29.94	..	..	N	2	..	6 a.	30.00	..	...	NE	4	..
Hakodate,	"	29.97	..	..	SW	2	..	"	29.77	...	..	...	0	..
Tokio,	"	29.82	..	...	...	6	..	"	29.63	..	...	NE	2	..
Kochi	"	29.64	...	...	S	6	..	"	29.79	...	...	NW	2	..
Nagasaki,	"	29.68	.	...	N	6	..	"	29.95	...	...	NW	6	..
Kagoshima,	"	29.64	...		NW	4	..	"	29.91	..	...	NW	6	..
Oshima,	"	29.69	..	...	S	6	..	"	29.93	...	...	N	8	..
Naha,	"	29.74	...	...	S	2	..	"	30.05	..	...	NW	8	..
Ishigakijima,	"	29.77	...	..	SW	10	..	"	30.09	..	..	N	6	..
Taihoku,	1 p.	29.93	..	...	SE	2	..	5 a.	30.19	..	..	W	2	..
Taichu,	"	29.93	...	..	S	4	..	"	30.12	..	..	N	4	..
Tainan,	"	29.94	..	..	NE	4	..	"	30.10	..	...	N	6	..
Koshun,	"	29.89	..	..	NW	8	..	"	30.06	...	..	N	2	..
Pescadores,	"	29.90	..	...	E	8	..	"	30.13	...	...	NE	8	..
Weihaiwei,	3 p.	30.29	17	...	N	5	c	9 a.	..	...	...	...	..	...
Gutzlaff,	"	30.18	37	91	N	7	cv	"	30.36	30	100	NW	3	cv
Sharp Peak,	"	30.02	52	86	NNE	5	rf	"	30.27	50	79	NE	3	og
Amoy,	"	29.86	58	94	ENE	2	or	6 30a.	29.11	51	93	NNE	3	o
Swatow,	"	..	..	..	..	...	...	9 a.	..	...	...	...	..	..
Canton,	"	...	..	..	...	...	...	"	...	..	..	..	..	...
Hongkong,	4 p.	30.05	61	64	NNW	2	o	10 a.	30.21	56	75	E	3	o
Victoria Peak,	"	...	..	...	N	6	..	"	...	..	..	E	3	..
Gap Rock,	"	30.02	...	..	NW	5	..	"	30.17	...	..	ENE	3	..
Macao,	"	30.02	57	...	N	1	o	"	30.14	50	..	N	1	b
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.92	84	71	WSW	2	b	"	...	..	..	...	..	...
Bacolod,	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	...	3	b
Iloilo,	"	29.87	88	...	...	0	b	"	29.97	82	..	.	0	b
Cebu,	"	29.91	86	..	N	1	c	"	29.92	84	...	N	2	b
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 2nd at 11. 55a. The barometer has fallen rapidly in E. Japan, and risen considerably over China. The depression is moving Eastwards off the SE coast of Japan.
Pressure is highest over N. China.
Strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh NE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 2nd February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

2nd February 1906, P. M								3rd February 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.76	..	..	N	4	..	6 a.	29.80	..	...	NE	4	..
Hakodate,	„	29.70	..	..	N	6	..	„	29.77	...	..	NW	4	..
Tokio,	„	29.74	..	...	NE	4	..	„	29.75	..	...	NW	4	..
Kochi	„	29.75	...	...	SW	6	..	„	30.07	...	...	W	6	..
Nagasaki,	„	30.03	.	...	N	8	..	„	30.23	...	...	N	6	..
Kagoshima,	„	29.99	...		NW	8	..	„	30.15	..	...	N	4	..
Oshima,	„	30.04	..	...	N	6	..	„	30.20	...	...	NW	4	..
Naha,	„	30.13	...	...	NW	6	..	„	30.21	..	...	NW	8	..
Ishigakijima,	„	30.13	...	..	NE	6	..	„	30.21	..	..	NE	4	..
Taihoku,	1 p.	30.11	..	...	NE	8	..	5 a.	30.26	..	..	...	0	..
Taichu,	„	30.03	...	..	NW	6	..	„	30.21	..	..	NE	4	..
Tainan,	„	30.04	..	..	SW	6	..	„	30.20	..	...	N	6	..
Koshun,	„	29.98	..	..	NE	6	..	„	30.14	...	..	N	6	..
Pescadores,	„	30.09	..	...	N	4	..	„	30.22	...	...	NE	6	..
Weihaiwei,	3 p.	30.30	19	...	NW	4	c	9 a.	30.35	19	...	...	..	s
Gutzlaff,	„	30.34	33	69	NNW	3	cv	„	30.45	32	79	NNW	3	bv
Sharp Peak,	„	30.22	51	83	NNE	4	c	„	30.33	49	85	N	2	o
Amoy,	„	30.08	56	69	ENE	2	c	6 30a.	30.16	49	85	NNE	2	c
Swatow,	„	30.13	53	64	E	2	c	9 a.	..	...	...	...	..	..
Canton,	„	30.13	61	88	W	1	c	„	...	..	..	..	..	...
Hongkong,	4 p.	30.12	58	72	E	4	c	10 a.	30.21	58	69	E	4	o
Victoria Peak,	„	...	..	...	ESE	2	..	„	...	..	..	E	6	..
Gap Rock,	„	30.09	...	..	NNE	3	..	„	30.19	...	..	ENE	4	..
Macao,	„	30.10	60	...	ESE	1	c	„	30.20	58	..	E	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	86	65	WSW	2	c	„	30.08	79	76	W	1	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	3	b
Iloilo,	„	29.80	88	...	ENE	2	b	„	29.97	82	..	NE	3	b
Cebu,	„	29.90	87	..	N	2	b	„	30.02	82	...	..	0	..
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 3rd at 11. 45a. The barometer has risen over China and S. Japan.

The depression is still shown over the Pacific to the E. of Japan, and an area of high pressure lies over China to the North of the Yangtze.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast: — fresh to strong E winds; cloudy, probably some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory Saturday 3rd February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	4th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.84	..	..	N.	6.	..	6 a.	30.04	.	...	W.	2	..
Hakodate,	„	29.85	..	..	N.	6	..	„	29.93	...	..	NE.	4	..
Tokio,	„	29.82	..	...	NW.	6.	..	„	30.02	..	...	..	0.	..
Kochi	„	30.07	...	...	NW	2	..	„	30.11	...	...	SW	2	..
Nagasaki,	„	30.19	.	...	N	6	..	„	30.15	...	...	N	4	..
Kagoshima,	„	30.19	...		N	8	..	„	30.15	..	...	N	4	..
Oshima,	„	30.16	..	...	N	6	..	„	30.16	...	...	N	4	..
Naha,	„	30.21	...	...	N	6	..	„	30.17	..	...	N	6	..
Ishigakijima,	„	30.17	...	..	NE	6	..	„	30.13	..	..	NE.	4	..
Taihoku,	1 p.	30.24	..	...	E.	4	..	5 a.	30.22	..	..	NW.	2	..
Taichu,	„	30.15	...	..	N	2	..	„	30.16	..	..	SW.	6.	..
Tainan,	„	30.15	..	..	N	6	..	„	30.15	..	...	N.	6	..
Koshun,	„	30.10	..	..	N.	6	..	„	30.06	...	..	NE	6	..
Pescadores,	„	30.18	..	...	NE	10	..	„	30.19	...	...	NE	10	..
Weihaiwei,	3 p.	30.27	25	...	W.	3	b.	9 a.	30.24	26	...	NE	1	b
Gutzlaff,	„	30.40	33	90	N	2	cv	„	30.42	33	79	WNW	3.	bv.
Sharp Peak,	„	30.26	49	93	NNE	4	og	„	30.35	48.	85	NNW	2	og.
Amoy,	„	30.11	54	68	NE.	2	o	6 30a.	30.17	50	86	NNE	2	o
Swatow,	„	30.14	58	70	E.	2	o.	9 a.	30.16	50	86	NE.	1	o
Canton,	„	30.18	52	79	N	2	o.	„	30.33	47	93.	N	1	o
Hongkong,	4 p.	30.13	56	80	E	2	o.	10 a.	30.32	54	74	N	2	o.
Victoria Peak,	„	...	..	...	E	4	..	„	...	..	..	NNE	4	..
Gap Rock,	„	30.10	...	..	ENE	5	..	„	30.30	...	..	NNE	4	..
Macao,	„	30.11	53	...	N	1	od	„	30.29	50	..	N	1	o.
Haiphong,	„	...	...	.	..	...	..	„	..	.	..	..	..	..
Manila,	„	29.96	81	76	..	0	o.	„	30.08	82	63	ENE	1	b.
Bacolod,	3 p.	...	..	..	NE	3	b.	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.87	87	...	NE.	2	b.	„	29.97	81	..	...	0	b.
Cebu,	„	29.86	85	..	N	2	b.	„	29.89	85	...	..	0	c
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 4th at 12 5p. The barometer has fallen in N. China and Formosa, and risen over S. China and E. Japan.

The high pressure area lies over the Yangtze, and pressure is relatively low over the Pacific to the S. of the Loochoos.

Strong monsoon will prevail in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate N winds; cloudy, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 4th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th February 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.92	..	..	...	0	..	6 a.	29.65	..	...	...	0	..
Hakodate,	"	29.81	..	..	NW	6	..	"	29.70	...	..	NW	6	..
Tokio,	"	29.86	..	...	SE	4	..	"	29.63	..	...	SW	2	..
Kochi	"	30.03	...	...	W	6	..	"	29.93	...	...	..	0	..
Nagasaki,	"	30.07	..	...	N	6	..	"	30.11	...	...	N	6	..
Kagoshima,	"	30.07	...		N	6	..	"	30.07	..	...	N	2	..
Oshima,	"	30.08	..	...	NW	6	..	"	30.08	...	...	N	6	..
Naha,	"	30.13	...	...	N	8	..	"	30.21	..	...	NW	8	..
Ishigakijima,	"	30.17	...	..	N	6	..	"	30.25	..	..	NE	2	..
Taihoku,	1 p.	30.31	..	...	NE	6	..	5 a.	30.29	..	..	..	0	..
Taichu,	"	30.23	...	..	N	6	..	"	30.17	..	..	N	2	..
Tainan,	"	30.19	..	..	N	8	..	"	30.19	..	...	N	4	..
Koshun,	"	30.14	..	..	NW	6	..	"	...	...	..	NE	10	..
Pescadores,	"	30.24	..	...	NE	10	..	"	30.21	...	...	NE	10	..
Weihaiwei,	3 p.	30.22	26	...	NE	3	c	9 a.	30.28	24	...	N	2	b
Gutzlaff,	"	30.32	39	55	NW	4	cv	"	30.35	39	73	NE	3	bv
Sharp Peak,	"	30.28	50	82	E	3	o	"	30.33	47	81	ENE	2	b
Amoy,	"	30.16	58	76	W	2	c	6 30a.	30.16	45	84	NNE	2	b
Swatow,	"	30.12	58	64	E	2	c	9 a.	30.12	46	62	NE	1	b
Canton,	"	30.24	56	94	N	1	b	"	...	..	..	..	...	...
Hongkong,	4 p.	30.22	56	64	NNE	2	o	10 a.	30.27	58	77	E	2	o
Victoria Peak,	"	...	..	...	N	1	..	"	...	..	..	ESE	3	..
Gap Rock,	"	30.21	...	..	NNE	3	..	"	30.26	...	..	ENE	4	..
Macao,	"	30.22	54	...	N	1	o	"	30.32	58	..	NE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.96	82	70	SW	3	b	"	...	...	..	...	..	..
Bacolod,	3 p.	...	..	..	NE	..	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.91	86	...	...	0	c	"	30.01	82	..	NE	2	b
Cebu,	"	29.92	73	..	N	2	c	"	29.91	84	...	N	2	b
Cape St. James,	4 p.	..	..	..	...	..	..	10 a.	..	..	...	..	..	..

On the 5th at 11 15a. The barometer has fallen over China and Japan, and risen slightly over Formosa and the Loochoos.

Pressure is highest over N. China, and lowest over the Pacific to the E. of Japan where a depression is lying.

Fresh monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh NE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 5th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

5th February 1906, P. M								6th February 1906, A. M.							
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	.	.	..	7 a	..	..	.	...	..	.
Nemuro,	„	29.57	.	..	N	6	..	6 a.	29.80	..	...	NW	6	..
Hakodate,	„	29.61	..	..	N	8	..	„	29.80	...	..	N	2	..
Tokio,	„	29.71	..	...	NW	10	..	„	30.02	..	...	W	2	..
Kochi	„	29.99	...	...	NW	4	..	„	30.11	...	...	SW	2	..
Nagasaki,	„	30.15	.	...	N	4	..	„	30.15	...	...	SE	2	..
Kagoshima,	„	30.11	...		NW	8	..	„	30.19	..	...	N	2	..
Oshima,	„	30.12	..	...	N	8	..	„	30.12	...	...	S	2	..
Naha,	„	30.21	...	...	NW	6	..	„	30.21	..	...	E	2	..
Ishigakijima,	„	30.21	...	..	NE	4	..	„	30.17	..	..	NE	2	..
Taihoku,	1 p.	30.17	..	...	E	6	..	5 a.	30.13	..	..	W	2	..
Taichu,	„	30.12	...	..	SW	2	..	„	30.15	..	..	..	0	..
Tainan,	„	30.16	..	..	W	4	..	„	30.13	..	...	N	2	..
Koshun,	„	30.12	..	..	NE	8	..	„	30.10	...	..	E	2	..
Pescadores,	„	30.17	..	...	N	8	..	„	30.11	...	...	NE	2	..
Weihaiwei,	3 p.	30.12	29	...	S	4	b	9 a.	30.05	36	...	WNW	3	b
Gutzlaff,	„	30.25	47	85	S	2	bv	„	30.10	45	76	S	3	cv
Sharp Peak,	„	30.16	52	73	E	4	b	„	..	51	82	..	0	o
Amoy,	„	30.08	59	54	ENE	2	b	6 30a.	30.16	52	79	SSW	2	c
Swatow,	„	30.17	58	70	NE	3	b	9 a.	30.15	49	85	NE	1	b
Canton,	„	30.11	68	65	WSW	1	c	„	30.07	57	87	..	0	o
Hongkong,	4 p.	30.12	57	77	E	4	o	10 a.	30.12	58	87	E	3	o
Victoria Peak,	„	...	..	...	...	..	..	„	...	..	..	SE	8	..
Gap Rock,	„	30.12	...	..	ENE	4	..	„	30.09	...	..	ENE	4	..
Macao,	„	30.09	58	...	E	1	o	„	30.08	59	..	..	0	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.96	82	63	W	0	c	„	30.08	77	79	W	1	b
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NNE	4	c
Iloilo,	„	29.91	87	...	NE	2	b	„	29.97	81	..	NE	4	o
Cebu,	„	29.88	85	..	...	0	b	„	29.91	81	...	N	1	c
Cape St. James,	4 p.	29.97	82	..	NE	3	c	10 a.	..	..	...	..	..	..

On the 6th at 12 10p. The barometer has risen in Japan, and fallen quickly over China.
A depression is moving Eastwards in Manchuria. Another low area may be over Central China.
Pressure is highest over the Pacific in the neighbourhood of the Loochoos.
The monsoon is interrupted in the Formosa Channel where moderate variable breezes may be expected.
Moderate to light monsoon is indicated over the N. part of the China Sea.
Forecast:— moderate E or variable winds; cloudy, probably some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 6th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	7th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	.	.	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.88	..	..	NW	4	..	6 a.	29.88	..	...	...	0	..
Hakodate,	"	29.89	..	..	W	8	..	"	29.93	...	..	W	4	..
Tokio,	"	29.94	..	...	SE	2	..	"	30.02	..	...	NW	2	..
Kochi	"	30.07	...	...	SW	2	..	"	30.11	...	...	SW	4	..
Nagasaki,	"	30.11	..	...	SE	4	..	"	30.07	...	...	SE	4	..
Kagoshima,	"	30.11	...		S	2	..	"	30.07	..	...	NE	2	..
Oshima,	"	30.12	..	...	NW	2	..	"	30.00	...	...	S	6	..
Naha,	"	30.13	...	...	SW	2	..	"	30.05	..	...	SW	4	..
Ishigakijima,	"	30.09	...	..	S	6	..	"	30.01	..	..	SW	6	..
Taihoku,	1 p.	30.05	..	...	NW	2	..	5 a.	30.03	..	..	...	0	..
Taichu,	"	30.02	...	..	NW	6	..	"	30.04	..	..	..	0	..
Tainan,	"	30.03	..	..	SW	6	..	"	30.04	..	...	E	2	..
Koshun,	"	30.04	..	..	S	4	..	"	30.00	...	..	..	0	..
Pescadores,	"	30.06	..	...	N	4	..	"	30.02	...	...	N	2	..
Weihaiwei,	3 p.	30.05	34	...	ENE	2	c	9 a.	...	...	...	..	..	...
Gutzlaff,	"	30.05	48	78	WSW	1	cv	"	30.16	45	76	NNE	3	cm
Sharp Peak,	"	30.02	52	86	...	0	ow	"	30.11	53	93	..	0	o
Amoy,	"	29.96	55	74	WSW	2	o	6 30a.	29.96	55	94	E	1	o
Swatow,	"	30.03	60	71	W	2	o	9 a.	29.99	59	88	N	1	o
Canton,	"	29.99	60	88	..	0	or	"	30.02	60	94	..	0	o
Hongkong,	4 p.	29.98	59	85	E	4	o	10 a.	30.05	61	96	E	2	o
Victoria Peak,	"	...	..	...	SE	5	..	"	...	..	..	SSW	5	..
Gap Rock,	"	29.97	...	..	E	4	..	"	30.04	...	..	E	3	..
Macao,	"	29.96	60	...	ESE	1	o	"	30.01	62	..	SE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.92	86	63	SE	4	c	"	30.04	82	62	E	2	c
Bacolod,	3 p.	...	..	..	NE	4	c	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.91	84	...	NE	2	b	"	29.97	82	..	NE	3	b
Cebu,	"	29.91	85	..	N	3	b	"	29.99	83	...	N	2	b
Cape St. James,	4 p	...	...	..	..	..	...	10 a.	..	..	...	..	..	..

On the 7th at 12 5p. The barometer has risen over N. China, and fallen over S. China and the Loochoos. A depression lies in the Eastern Sea near the Loochoos. It is moving Eastwards.
Pressure is highest over N. China.
The monsoon will probably set in again in the Formosa Channel during the next 24 hours. Light to moderate variable winds are indicated over the N. part of the China Sea.
Forecast:— variable winds, light to moderate; cloudy, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 7th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	8th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.84	..	..	N	4	..	6 a.	30.04	..	...	...	0	..
Hakodate,	"	29.89	..	..	N	2	..	"	30.05	...	..	N	2	..
Tokio,	"	29.90	..	...	SE	4	..	"	30.10	..	...	NW	4	..
Kochi	"	30.03	...	...	SE	4	..	"	30.15	...	...	SW	2	..
Nagasaki,	"	30.07	..	...	N	2	..	"	30.11	...	...	E	2	..
Kagoshima,	"	...	...		..	..	..	"	30.11	..	...	...	0	..
Oshima,	"	30.00	..	...	SW	2	..	"	30.00	...	...	...	0	..
Naha,	"	30.05	...	...	NW	2	..	"	29.97	..	...	E	2	..
Ishigakijima,	"	30.01	...	..	SW	8	..	"	29.93	..	..	SW	6	..
Taihoku,	1 p.	30.06	..	...	W	4	..	5 a.	29.99	..	..	S	2	..
Taichu,	"	30.00	...	..	SE	4	..	"	29.99	..	..	..	0	..
Tainan,	"	30.03	..	..	S	2	..	"	29.93	..	...	NE	4	..
Koshun,	"	30.00	..	..	NW	2	..	"	29.94	...	..	N	2	..
Pescadores,	"	30.02	..	...	NE	6	..	"	29.96	...	...	NE	6	..
Weihaiwei,	3 p.	30.21	35	...	E	2	b	9 a.	30.11	30	...	SE	4	c
Gutzlaff,	"	30.13	49	78	NE	2	bv	"	30.06	48	93	ENE	3	cm
Sharp Peak,	"	30.04	54	90	...	0	og	"	30.02	55	96	NE	1	rf
Amoy,	"	29.93	58	94	NE	2	o	6 30a.	29.91	55	94	ESE	2	or
Swatow,	"	29.99	62	94	NE	3	o	9 a.	..	..	...	...	..	..
Canton,	"	29.91	67	95	..	0	o	"	29.95	67	95	..	0	dh
Hongkong,	4 p.	29.92	65	94	E	1	of	10 a.	29.99	72	89	WNW	1	o
Victoria Peak,	"	...	..	...	SSW	4	..	"	...	..	..	SSW	6	..
Gap Rock,	"	29.91	...	..	SE	3	..	"	29.98	...	..	SSW	4	..
Macao,	"	29.90	66	...	SE	1	o	"	29.94	69	..	SW	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.92	88	47	E	1	b	"	30.04	84	70	W	1	b
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	1	c
Iloilo,	"	29.87	86	...	NE	2	b	"	29.97	82	..	NE	...	c
Cebu,	"	29.89	83	..	N	2	o	"	29.90	81	...	N	1	c
Cape St. James,	4 p.	29.93	83	..	NE	3	f	10 a.	30.01	84	...	NE	3	c

On the 8th at 11 55a. The barometer has risen over Japan, and fallen over China and the Loochoos.
An area of low pressure lies over S. China and the Pacific towards the Loochoos.
Pressure is highest over the Sea of Japan.
Fresh variable winds are indicated in the Formosa Channel, and moderate S. winds over the N. part of the China Sea.
Forecast:— fresh SW to W winds; squally and unsettled, probably thunder showers.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 8th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	9th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.08	..	..	N	2	..	6 a.	30.24	..	...	...	0	..
Hakodate,	„	30.13	..	..	W	6	..	„	30.13	...	..	..	0	..
Tokio,	„	30.14	..	...	NE	4	..	„	30.10	..	...	W	2	..
Kochi	„	30.07	...	...	S	2	..	„	29.79	...	...	SW	4	..
Nagasaki,	„	29.99	..	...	E	2	..	„	29.83	...	...	E	2	..
Kagoshima,	„	29.99	...		SE	8	..	„	29.79	..	...	NW	6	..
Oshima,	„	29.88	..	...	S	2	..	„	29.80	...	...	NW	8	..
Naha,	„	29.89	...	...	N	6	..	„	29.93	..	...	NW	10	..
Ishigakijima,	„	30.89	...	..	NE	4	..	„	30.01	..	..	N	6	..
Taihoku,	1 p.	29.95	..	...	W	4	..	5 a.	30.09	..	..	NE	2	..
Taichu,	„	29.93	...	..	S	2	..	„	29.98	..	..	..	0	..
Tainan,	„	29.93	..	..	N	4	..	„	29.96	..	...	N	6	..
Koshun,	„	29.90	..	..	W	6	..	„	29.96	...	..	NE	6	..
Pescadores,	„	29.97	..	...	NE	6	..	„	29.99	...	...	N	8	..
Weihaiwei,	3 p.	29.99	34	...	W	3	c	9 a.	30.31	18	...	NW	4	c
Gutzlaff,	„	30.01	47	93	N	2	om	„	30.33	35	80	NNW	6	ev
Sharp Peak,	„	29.92	54	94	NE	1	or	„	30.20	54	90	E	1	o
Amoy,	„	29.86	56	94	NW	2	or	6 30a.	30.01	54	94	WNW	1	c
Swatow,	„	29.91	59	100	SE	1	or	9 a.	..	..	...	...	..	..
Canton,	„	29.89	77	69	NW	1	dh	„	30.11	62	77	SW	1	b
Hongkong,	4 p.	29.90	71	77	W	1	b	10 a.	30.11	65	53	ENE	2	b
Victoria Peak,	„	...	..	...	WNW	4	..	„	...	..	..	ENE	3	..
Gap Rock,	„	29.89	...	..	SW	1	..	„	30.13	...	..	NE	3	..
Macao,	„	29.87	69	...	NE	1	c	„	30.09	62	..	NE	1	b
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.88	86	58	WNW	1	b	„	29.96	81	62	SW	0	o
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	cdi
Iloilo,	„	29.85	88	...	NE	2	b	„	29.93	81	..	NE	3	c
Cebu,	„	..	..	..	N	5	o	„	29.93	80	...	N	2	c
Cape St. James,	4 p.	29.89	84	..	SE	2	c	10 a.	...	...	...	...	..	...

On the 9th at 11. 30a. The barometer has risen quickly over China, and fallen much over SW Japan. The depression is moving to the NE off the SW coast of Japan. A high pressure area lies over China to the North of the Yangtze.

Strong monsoon will set in again over the Formosa Channel and the N. part of the China Sea.

Forecast:— NE winds, freshening; fine, colder.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 9th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th February 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.	10th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.
Wladivostock,	2 p.	.	...	...	.	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.20	..	..	SE	4	..	6 a.	...	..	...	...	..	..
Hakodate,	"	29.85	..	..	SW	10	..	"	..	...	..	..	..	..
Tokio,	"	29.63	..	...	NW	6	..	"	...	..	...	..	..	..
Kochi	"	29.68	...	...	SW	2	..	"	..	...	...	..	...	..
Nagasaki,	"	29.91	..	...	NW	10	..	"	...	...	...	..	..	..
Kagoshima,	"	29.87	...		N	8	..	"	...	..	...	...	...	..
Oshima,	"	29.96	..	...	N	8	..	"	...	...	...	..	..	..
Naha,	"	30.01	...	...	NW	8	..	"	..	..	...	...	..	..
Ishigakijima,	"	30.09	...	..	N	6	..	"	...	..	..	..	...	..
Taihoku,	1 p.	30.15	..	...	N	6	..	5 a.	30.10	..	..	NE	6	..
Taichu,	"	30.00	...	..	N	6	..	"	30.06	..	..	..	0	..
Tainan,	"	30.03	..	..	N	6	..	"	30.06	..	...	N	2	..
Koshun,	"	30.01	..	..	NE	8	..	"	30.01	...	..	NE	8	..
Pescadores,	"	30.06	..	...	NE	10	..	"	30.06	...	...	NE	8	..
Weihaiwei,	3 p.	30.28	18	...	NW	4	c	9 a.	30.48	17	...	NE	2	b
Gutzlaff,	"	30.34	34	79	NNW	6	cv	"	30.35	39	64	E	4	ov
Sharp Peak,	"	30.17	52	84	NE	5	og	"	30.19	49	85	NE	2	r
Amoy,	"	30.03	60	76	ENE	4	b	6 30a.	30.03	55	100	NE	2	o
Swatow,	"	30.06	63	94	E	3	b	9 a.	..	..	...	...	..	..
Canton,	"	29.98	77	61	NE	1	c	"	29.96	58	94	E	1	or
Hongkong,	4 p.	30.03	62	72	E	5	o	10 a.	30.01	57	95	E	1	od
Victoria Peak,	"	...	..	...	E	5	..	"	...	..	..	E	7	..
Gap Rock,	"	30.03	...	..	ENE	4	..	"	29.99	...	..	ENE	6	..
Macao,	"	30.00	65	...	ENE	2	c	"	29.92	59	..	ESE	2	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	88	54	SE	4	b	"	30.00	81	70	ESE	2	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.79	87	...	NE	1	c	"	29.93	83	..	NE	1	b
Cebu,	"	29.89	83	..	N	1	c	"	29.91	85	...	N	2	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 10th at 11. 55a. The barometer has risen in N. China, and fallen over S. China.
The high pressure area lies now over the Gulf of Pecili, and pressure is again low over the northern shores of the China Sea.
Strong monsoon is indicated in the Formosa Channel and along the S. Coast of China.
Forecast:— strong E winds; cloudy, drizzling rain.

F. G. FIGG.
First Assistant

Hongkong Observatory Saturday 10th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

10th February 1906, P. M								11th February 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.69	..	..	N	10	..	6 a.	29.92	..	...	W	4	..
Hakodate,	„	29.89	..	..	SW	8	..	„	30.17	...	..	W	6	..
Tokio,	„	29.04	..	...	NW	2	..	„	30.26	..	...	NW	4	..
Kochi	„	30.19	...	...	W	6	..	„	30.35	...	...	SW	2	..
Nagasaki,	„	[illegible]	..	...	N	6	..	„	30,35	...	...	E	6	..
Kagoshima,	„	[illegible].31	...		NW	6	..	„	30.31	..	...	NE	4	..
Oshima,	„	30.24	..	...	N	4	..	„	30.04	...	...	SE	6	..
Naha,	„	30.17	...	...	E	4	..	„	29.93	..	...	SE	6	..
Ishigakijima,	„	30.09	...	..	SE	8	..	„	29.85	..	..	SW	8	..
Taihoku,	1 p.	29.98	..	...	E	6	..	5 a.	30.04	..	..	W	2	..
Taichu,	„	29.98	...	..	NW	2	..	„	30.05	..	..	NW	6	..
Tainan,	„	30.00	..	..	..	8	..	„	30.00	..	...	N	4	..
Koshun,	„	29.99	..	..	E	8	..	„	29.93	...	..	SW	4	..
Pescadores,	„	30.00	..	...	NE	8	..	„	30.04	...	...	NE	8	..
Weihaiwei,	3 p.	30.49	21	...	NNE	3	c	9 a.	30.56	25	...	SE	2	b
Gutzlaff,	„	30.39	37	100	E	5	oms	„	30.40	37	100	NE	6	omp
Sharp Peak,	„	30.06	48	85	N	1	or	„	30.24	50	89	E	2	o
Amoy,	„	30.04	57	75	S	1	or	6 30 a.	30.05	53	93	ENE	4	or
Swatow,	„	29.98	55	87	E	4	o	9 a.	29.99	55	94	N	1	or
Canton,	„	29.99	61	94	NE	1	o	„	30.17	53	86	NE	1	o
Hongkong,	4 p.	29.91	59	93	E	5	o	10 a.	30.13	61	83	E	1	o
Victoria Peak,	„	...	..	...	SE	3	..	„	...	..	..	NE	1	..
Gap Rock,	„	29.89	...	..	E	4	..	„	30.12	...	..	NNE	2	..
Macao,	„	...	..	...	...	...	..	„	30.05	56	..	N	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	86	58	ESE	1	o	„	30.04	82	70	WSW	1	b
Bacolod,	3 p.	...	..	..	SSE	3	b	9 a.	...	...	..	SE	2	b
Iloilo,	„	29.87	88	...	NE	2	c	„	29.97	82	..	NE	2	b
Cebu,	„	29.89	83	..	N	1	c	„	29.91	85	...	N	1	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 11th at 11, 55a. The barometer has risen over E. Japan, the depression lying there yesterday having moved into the Pacific.

Pressure has increased also over China, but has given way rapidly over the Loochoos owing to a depression which is situated to the W. of the islands.

The area of high pressure remains over N. China.

Strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh N winds; rainy at first, improving later.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 11th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	12th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.		...	...	.	.	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.92	..	..	NW	6	..	6 a.	29.76	..	...	W	4	..
Hakodate,	„	30.13	..	..	W	4	..	„	29.89	...	..	SW	6	..
Tokio,	„	30.22	..	...	W	4	..	„	30.06	..	...	...	4	..
Kochi	„	30.23	...	...	SW	2	..	„	30.15	...	...	NW	4	..
Nagasaki,	„	30.27	..	...	E	6	..	„	30.27	...	...	...	0	..
Kagoshima,	„	30.19	...		NE	6	..	„	30.23	..	...	N	2	..
Oshima,	„	29.88	..	...	N	6	..	„	30.16	...	...	N	8	..
Naha,	„	29.85	...	...	SW	2	..	„	30.09	..	...	NE	4	..
Ishigakijima,	„	..	...	..	N	8	..	„	30.13	..	..	N	4	..
Taihoku,	1 p.	30.19	..	...	E	2	..	5 a.	30.23	..	..	E	4	..
Taichu,	„	30.07	...	..	N	6	..	„	30.14	..	..	...	0	..
Tainan,	„	30.05	..	..	N	8	..	„	30.10	..	...	NE	6	..
Koshun,	„	29.99	..	..	NW	6	..	„	30.07	...	..	NE	8	..
Pescadores,	„	30.09	..	...	NE	10	..	„	30.15	...	...	N	4	..
Weihaiwei,	3 p.	30.46	31	...	W	2	b	9 a.	30.49	26	...	NNE	1	c
Gutzlaff,	„	30.39	40	74	NNE	5	ov	„	30.43	39	73	NE	3	cv
Sharp Peak,	„	30.22	51	82	NE	4	o	„	30.31	49	82	NNW	3	og
Amoy,	„	30.10	53	86	ENE	2	o	6 30a.	30.11	43	83	NE	2	o
Swatow,	„	30.09	55	100	ENE	2	o	9 a.	30.16	52	93	NE	2	o
Canton,	„	30.04	58	81	N	1	o	„	30.23	51	93	...	0	o
Hongkong,	4 p.	30.10	58	81	NE	1	od	10 a.	30.19	53	89	E	5	o
Victoria Peak,	„	...	..	...	E	1	..	„	...	..	..	E	6	..
Gap Rock,	„	30.03	...	..	NNE	3	..	„	30.15	...	..	ENE	6	..
Macao,	„	30.04	55	...	N	1	o	„	30.17	54	..	N	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	90	66	SE	1	b	„	30.04	81	76	WNW	1	b
Bacolod,	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	NNW	2	b
Iloilo,	„	29.89	86	...	NE	3	b	„	29.98	89	..	NE	2	b
Cebu,	„	29.88	85	..	N	1	b	„	29.92	84	...	N	1	b
Cape St. James,	4 p.	29.94	82	..	ESE	2	f	10 a.	...	...	...	...	..	...

On the 12th at 11. 45a. The barometer has fallen over Japan, and risen over the Loochoos and Formosa.
A depression lies to the NE of Japan and the high pressure area remains over N. China.
Pressure is again inclined to give way over S. China.
Strong monsoon is indicated in the Formosa Channel and along the S. coast of China.
Forecast:— strong NE breezes; fair at first, probably some rain later.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 12th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

12th February 1906, P. M								13th February 1906, A. M.						
STATION.	HOUR.	BAROMETER	Temperature.	HUMIDITY.	WIND Direction.	WIND Force.	WEATHER	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND Direction.	WIND Force.	WEATHER
Wladivostock,	2 p.		...	...	.	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.61	..	..	N	2	..	6 a.	29.49	..	...	W	4	..
Hakodate,	"	29.77	..	..	W	8	..	"	29.70	...	..	SW	8	..
Tokio,	"	29.94	..	...	NW	6	..	"	29.83	..	...	W	2	..
Kochi	"	30.07	...	...	N	4	..	"	30.03	...	...	W	4	..
Nagasaki,	"	30.19	..	...	N	6	..	"	30.11	...	...	N	2	..
Kagoshima,	"	...	...		..	..	..	"	30.11	..	...	NE	2	..
Oshima,	"	30.12	..	...	N	6	..	"	30.08	...	...	...	0	..
Naha,	"	30.09	...	...	NE	6	..	"	29.97	..	...	NE	2	..
Ishigakijima,	"	30.09	...	..	NE	6	..	"	29.97	..	..	SW	2	..
Taihoku,	1 p.	30.15	..	...	E	6	..	5 a.	30.03	..	..	...	0	..
Taichu,	"	30.12	...	..	N	2	..	"	30.04	..	..	NW	2	..
Tainan,	"	30.12	..	..	NE	4	..	"	30.02	..	...	NE	2	..
Koshun,	"	30.08	..	..	NE	8	..	"	29.99	...	..	NW	2	..
Pescadores,	"	30.16	..	...	NE	8	..	"	30.03	...	...	NE	6	..
Weihaiwei,	3 p.	30.41	26	...	N	2	o	9 a.	30.37	26	...	NNE	2	b
Gutzlaff,	"	30.31	41	66	NE	4	ov	"	30.28	37	100	NNE	5	omd
Sharp Peak,	"	30.18	49	82	.	0	o	"	30.15	49	93	NW	1	ow
Amoy,	"	30.06	55	74	NE	2	o	6 30a.	29.96	55	94	NE	2	dh
Swatow,	"	30.12	57	87	E	2	or	9 a.	..	..	..	..	...	...
Canton,	"	30.11	52	93	N	1	o	"	..	...	...	...	...	...
Hongkong,	4 p.	30.07	56	87	E	5	o	10 a.	30.05	58	96	E	3	od
Victoria Peak,	"	...	..	...	E	7	..	"	...	..	..	SE	2	..
Gap Rock,	"	30.04	64	..	ENE	5	..	"	30.03	...	..	ENE	4	..
Macao,	"	30.05	55	...	NE	1	o	"	30.01	55	..	N	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.92	90	48	SE	3	c	"	30.00	81	76	W	1	c
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	1	b
Iloilo,	"	29.87	87	...	NE	2	b	"	29.97	81	..	NE	2	b
Cebu,	"	29.91	86	..	N	2	b	"	29.97	85	...	N	1	b
Cape St. James,	4 p.	29.93	86	..	SE	2	f	10 a.	...	...	...	...	..	...

On the 13th at 11. 45a. The barometer has fallen generally.

A deep depression lies to the NE of Japan, and a shallow area of low pressure is slown near the southern Loochoos. Pressure is highest over N. China.

Moderate but increasing monsoon is indicated in the Formosa Channel, and light to moderate monsoon over the N. part of the China Sea.

Forecast:— E to N winds, moderate; rainy at first, probably improving later.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 13th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	14th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	.	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.37	..	..	W	8	..	6 a.	29.57	..	...	W	6	..
Hakodate,	"	29.66	..	..	W	8	..	"	29.54	...	..	W	6	..
Tokio,	"	29.78	..	...	NW	4	..	"	29.82	..	...	NW	2	..
Kochi	"	29.95	...	...	E	2	..	"	30.07	...	...	SW	2	..
Nagasaki,	"	30.07	..	...	N	6	..	"	30.22	...	...	N	4	..
Kagoshima,	"	30.07	...		N	6	..	"	30.19	..	...	NW	2	..
Oshima,	"	30.00	..	...	N	4	..	"	30.12	...	...	NW	8	..
Naha,	"	..	...	...	...	...	..	"	30.09	..	...	NE	4	..
Ishigakijima,	"	29.89	...	..	NW	6	..	"	30.05	..	..	E	6	..
Taihoku,	1 p.	30.08	..	...	SW	2	..	5 a.	30.08	..	..	E	6	..
Taichu,	"	30.06	...	..	N	6	..	"	30.03	..	..	...	0	..
Tainan,	"	30.02	..	..	N	6	..	"	30.01	..	...	N	4	..
Koshun,	"	29.94	..	..	NW	6	..	"	29.95	...	..	NE	8	..
Pescadores,	"	30.05	..	...	NE	8	..	"	30.02	...	...	NE	8	..
Weihaiwei,	3 p.	30.26	30	...	SW	1	b	9 a.	30.39	31	...	WSW	2	bs
Gutzlaff,	"	30.25	41	74	NNE	4	cv	"	30.28	43	91	E	4	bv
Sharp Peak,	"	30.12	49	89	NW	2	ow	"	30.17	48	93	NNW	2	og
Amoy,	"	29.98	52	93	E	2	or	6 30a.	30.01	55	100	NE	2	or
Swatow,	"	30.03	55	100	E	3	or	9 a.	30.04	52	86	NE	2	o
Canton,	"	30.09	54	87	NW	1	o	"	..	49	93	...	0	or
Hongkong,	4 p.	29.99	58	91	N	1	o	10 a.	30.04	56	93	E	6	od
Victoria Peak,	"	...	..	...	N	1	..	"	...	..	..	E	7	..
Gap Rock,	"	29.96	...	..	NNW	4	..	"	30.00	...	..	ENE	4	..
Macao,	"	29.98	55	...	N	1	o	"	30.02	53	..	N	1	od
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.88	86	59	SE	3	b	"	29.96	84	64	SW	1	b
Bacolod,	3 p.	...	..	..	NE	4	b	9 a.	...	...	..	NE	3	b
Iloilo,	"	29.87	88	...	NE	2	b	"	29.93	81	.	NE	2	b
Cebu,	"	29.89	84	..	N	2	b	"	29.97	85	...	N	1	b
Cape St. James,	4 p.	29.96	84	..	NE	2	c	10 a.	...	...	...	...	..	...

On the 14th at 11. 45a. The barometer has risen over Japan and the Loochoos, and has commenced to fall again over China.

Probably a depression is forming over China. Pressure is highest over the Yellow Sea. It remains low over the Pacific to the NE of Japan.

Strong to moderate monsoon is indicated in the Formosa Channel and along the Northern shores of the China Sea.

Forecast:— strong to moderate E winds; misty, rain at times.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 14th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	15th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...		..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.17	..	..	W	8	..	6 a.	29.57	..	...	NW	8	..
Hakodate,	„	29.50	..	..	W	10	..	„	29.70	...	..	W	4	..
Tokio,	„	29.78	..	...	NW	6	..	„	30.06	..	...	NW	4	..
Kochi	„	30.07	...	...	N	2	..	„	30.23	...	...	SW	2	..
Nagasaki,	„	30.23	..	...	N	6	..	„	30.27	...	...	NE	2	..
Kagoshima,	„	30.15	...		N	6	..	„	30.19	..	...	N	2	..
Oshima,	„	30.12	..	...	NE	4	..	„	30.12	...	...	NE	4	..
Naha,	„	30.05	...	...	E	6	..	„	29.85	..	...	S	4	..
Ishigakijima,	„	29.97	...	..	E	8	..	„	29.97	..	..	N	8	..
Taihoku,	1 p.	29.98	..	...	E	6	..	5 a.	30.06	..	..	S	2	..
Taichu,	„	29.89	...	..	NW	4	..	„	30.03	..	..	...	0	..
Tainan,	„	29.99	..	..	NE	6	..	„	30.02	..	...	N	6	..
Koshun,	„	29.94	..	..	E	8	..	„	29.97	...	..	NW	2	..
Pescadores,	„	29.99	..	...	NE	8	..	„	30.02	...	...	NE	8	..
Weihaiwei,	3 p.	30.21	36	...	ESE	...	b	9 a.	..	..	...	..	..	..
Gutzlaff,	„	30.18	40	82	E	5	omd	„	30.22	46	92	E	4	cv
Sharp Peak,	„	30.00	49	89	WNW	2	rf	„	30.16	51	93	...	0	o
Amoy,	„	29.94	52	100	E	1	or	6 30a.	..	54	80	..	0	o
Swatow,	„	29.99	54	94	SSE	2	b	9 a.	..	...	..	...	..	...
Canton,	„	29.98	53	93	NW	1	o	„	30.09	53	96	NE	1	or
Hongkong,	4 p.	29.94	56	94	E	5	od	10 a.	30.07	57	99	E	5	od
Victoria Peak,	„	...	..	...	SE	7	..	„	...	..	..	SE	4	..
Gap Rock,	„	29.91	...	..	ENE	4	..	„	30.03	...	..	ENE	4	..
Macáo,	„	29.92	55	...	N	1	ofd	„	30.02	56	..	NNW	1	od
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.84	90	44	ESE	3	b	„	30.04	81	76	W	1	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	N	2	b
Iloilo,	„	29.83	88	...	NE	2	b	„	29.93	81	..	NE	1	b
Cebu,	„	29.89	83	..	N	2	b	„	29.88	84	...	N	1	b
Cape St. James,	4 p.	29.87	84	..	E	3	c	10 a.	...	...	...	...	..	...

On the 15th at 11. 40a. The barometer has risen in Japan, and fallen over the Loochoos and the E. coast of China.

Pressure is highest over the Yellow Sea, and a shallow area of low pressure is lying near the Southern Loochoos.

Moderate to fresh monsoon is indicated in the Formosa Channel, and moderate monsoon in the N. part of the China Sea.

Forecast:— moderate NE winds; misty, rain at times.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 15th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	16th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	„	...	..	..	NW	8	..	6 a.	29.92	..	...	NW	6	..
Hakodate, ...	„	29.97	..	..	W	8	..	„	30.09	...	..	W	4	..
Tokio, ...	„	30.05	..	...	NW	6	..	„	30.22	..	...	NW	6	..
Kochi.....	„	30.15	...	...	NE	4	..	„	30.19	...	...	SW	2	..
Nagasaki, ...	„	30.19	..	...	NE	6	..	„	30.15	...	...	..	0	..
Kagoshima,...	„	30.19	...		S	2	..	„	30.11	..	...	E	6	..
Oshima, ...	„	30.08	..	...	NE	2	..	„	30.00	...	...	SE	4	..
Naha, ...	„	..	...	...	..	..	..	„	29.97	..	...	SE	2	..
Ishigakijima, ..	„	30.01	...	..	NE	4	..	„	29.97	..	..	S	4	..
Taihoku, ...	1 p.	30.05	..	...	NW	2	..	5 a.	30.05	..	..	NW	2	..
Taichu, ...	„	30.00	...	..	N	4	..	„	30.04	..	..	...	0	..
Tainan, ...	„	30.01	..	..	N	2	..	„	30.02	..	...	..	0	..
Koshun, ...	„	29.97	..	..	NE	4	..	„	29.97	...	..	NE	4	..
Pescadores,....	„	30.04	..	...	NE	8	..	„	30.03	...	...	NE	4	..
Weihaiwei, ...	3 p.	30.23	37	...	SSW	2	o	9 a.	30.30	23	...	NW	3	c
Gutzlaff, ...	„	30.13	48	93	ESE	4	cv	„	30.17	45	100	E	2	f
Sharp Peak, ...	„	30.04	52	96	NE	1	ow	„	30.09	53	96	...	0	o
Amoy, ...	„	29.96	55	100	NNE	1	o	6 30a.	29.96	55	100	..	0	o
Swatow, ...	„	30.01	58	94	E	1	o	9 a.	30.02	54	100	N	1	c
Canton, ...	„	30.00	56	94	NW	1	o	„	30.07	56	94	NE	1	o
Hongkong, ...	4 p.	29.98	57	98	E	4	od	10 a.	30.06	61	95	E	3	o
Victoria Peak,	„	...	..	...	SE	4	..	„	...	..	..	SE	3	..
Gap Rock, ...	„	29.94	...	..	ENE	4	..	„	30.04	...	..	ENE	3	..
Macao,.....	„	29.95	58	...	...	0	ofd	„	30.03	60	..	...	0	ofd
Haiphong, ...	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila, ...	„	29.88	88	59	SW	1	b	„	30.00	86	53	E	1	b
Bacolod, ...	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	2	b
Iloilo, ...	„	29.87	88	...	NE	2	b	„	29.97	83	..	NE	3	c
Cebu, ...	„	29.90	86	..	N	3	b	„	29.93	82	...	N	2	c
Cape St. James,	4 p.	...	..	..	...	...	..	10 a.	...	...	...	...	..	...

On the 16th at 11. 50a. The barometer has risen in E. Japan, and fallen over W. Japan and the E. coast of China.

Pressure is highest over N. China, and a shallow area of low pressure lies over the Eastern Sea.

Gradients are slight and moderate NE winds my be expected in the Formosa Channel, and light E. and variable winds over the N. part of the China Sea.

Forecast:— NE winds, light to moderate; misty, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 16th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	17th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.92	..	..	NW	6	..	6 a.	29.96	..	...	NE	4	..
Hakodate,	„	30.01	..	..	NW	6	..	„	29.97	...	..	N	2	..
Tokio,	„	30.10	..	...	SE	4	..	„	29.94	..	...	NW	2	..
Kochi	„	...	...	...	..	..	..	„	29.99	...	...	SW	2	..
Nagasaki,	„	30.07	..	...	SE	6	..	„	30.03	...	...	N	2	..
Kagoshima,	„	30.07	...		NE	4	..	„	29.99	..	...	N	4	..
Oshima,	„	29.92	..	...	SE	6	..	„	29.84	...	...	N	6	..
Naha,	„	29.93	...	...	W	6	..	„	29.89	..	...	..	0	..
Ishigakijima,	„	29.97	...	..	N	4	..	„	29.89	..	..	E	2	..
Taihoku,	1 p.	30.03	..	...	W	2	..	5 a.	29.96	..	..	...	0	..
Taichu,	„	29.97	...	..	N	2	..	„	29.93	..	..	..	0	..
Tainan,	„	29.99	..	..	NW	6	..	„	29.96	..	...	N	4	..
Koshun,	„	29.92	..	..	NW	6	..	„	..	...	..	N	2	..
Pescadores,	„	30.00	..	...	N	6	..	„	29.98	...	...	N	2	..
Weihaiwei,	3 p.	30.33	24	...	N	3	b	9 a.	30.39	25	...	N	3	b
Gutzlaff,	„	30.13	46	92	NNE	2	cm	„	30.16	41	100	NE	5	om
Sharp Peak,	„	30.02	55	84	NE	3	o	„	30.05	55	94	NNE	1	of
Amoy,	„	29.91	57	94	SE	2	or	6 30a.	29.91	53	88	S	2	or
Swatow,	„	29.96	60	94	SSE	3	o	9 a.	29.93	56	94	ESE	1	o
Canton,	„	29.95	58	94	NW	1	o	„	29.94	58	94	...	0	dh
Hongkong,	4 p.	29.93	61	98	E	4	of	10 a.	29.93	61	100	E	4	odf
Victoria Peak,	„	...	..	...	SSE	4	..	„	...	..	..	SE	5	..
Gap Rock,	„	29.93	...	..	ENE	3	..	„	29.97	...	..	E	4	..
Macao,	„	29.91	62	...	...	0	ofd	„	29.93	62	..	SE	1	od
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.88	90	43	SE	3	b	„	29.96	82	70	...	0	o
Bacolod	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo	„	29.87	89	...	NNE	2	b	„	29.89	83	..	NE	1	b
Cebu,	„	29.88	86	..	N	2	b	„	29.89	85	...	N	2	b
Cape St. James,	4 p	...	..	..	...	...	..	10 a.	...	...	...	...	..	...

On the 17th at 12. 5p, The barometer has risen slightly over N. China, and fallen over S. China and Japan. The shallow area of low pressure lying in the Eastern Sea yesterday is now to the E. of the Loochoos. Pressure is high over N. China, and relatively low in S. China.

Moderate to fresh monsoon is indicated in the Formosa Channel and light variable winds over the N. part of the China Sea.

Forecast:— moderate E winds; misty, some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory Saturday 17th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	18th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.92	..	..	E	4	..	6 a.	29.69	..	...	E	8	..
Hakodate,	"	29.73	..	..	E	10	..	"	29.62	...	..	NW	6	..
Tokio,	"	29.74	..	...	SE	2	..	"	29.71	..	...	NW	6	..
Kochi	"	29.83	...	...	..	0	..	"	30.07	...	...	N	6	..
Nagasaki,	"	29.99	..	...	N	6	..	"	30.15	...	...	NE	6	..
Kagoshima,	"	29.95	...		NW	2	..	"	30.15	..	...	NW	4	..
Oshima,	"	29.92	..	...	N	6	..	"	30.04	...	...	..	0	..
Naha,	"	29.89	...	...	W	4	..	"	29.97	..	...	NE	6	..
Ishigakijima,	"	29.93	...	..	S	2	..	"	29.93	..	..	NE	4	..
Taihoku,	1 p.	29.96	..	...	...	0	..	5 a.	29.99	..	..	...	0	..
Taichu,	"	29.92	...	..	W	4	..	"	29.95	..	..	N	2	..
Tainan,	"	29.95	..	..	N	2	..	"	29.95	..	...	NE	6	..
Koshun,	"	29.91	..	..	NW	6	..	"	29.93	...	..	..	6	..
Pescadores,	"	29.96	..	...	N	6	..	"	29.96	...	...	NE	10	..
Weihaiwei,	3 p.	30.38	24	...	N	3	b	9 a.	30.39	30	...	E	1	b
Gutzlaff,	"	30.15	40	91	NE	6	omd	"	30.22	40	91	E	5	omd
Sharp Peak,	"	29.98	53	93	NW	1	fw	"	30.10	52	93	..	0	od
Amoy,	"	29.90	56	100	SE	2	db	6 30a.	29.99	54	87	NE	3	o
Swatow,	"	29.90	61	94	E	1	o	9 a.	29.95	54	100	NE	2	o
Canton,	"	29.86	61	100	..	0	or	"	...	..	..	...	..	...
Hongkong,	4 p.	29.87	61	99	E	3	of	10 a.	30.01	59	98	E	3	od
Victoria Peak,	"	...	..	...	SE	5	..	"	...	..	..	ESE	5	..
Gap Rock,	"	29.84	...	..	E	4	..	"	29.95	...	..	E	4	..
Macao,	"	29.85	63	...	SE	1	o	"	29.95	62	..	SE	2	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	91	49	ESE	1	b	"	29.96	86	58	SE	4	b
Bacolod,	3 p.	...	..	..	SE	2	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.81	89	...	NE	2	b	"	29.93	82	..	NE	2	b
Cebu,	"	29.86	86	..	N	3	b	"	29.97	85	...	N	1	b
Cape St. James,	4 p.	...	..	..	...	...	..	10 a.	...	...	...	...	..	...

On the 18th at 11. 55a. The barometer has risen moderately over W. Japan and the Loochoos and slightly in S. China, and fallen over E. Japan.

The depression has moved towards NE and lies now off the E. coast of Japan.

Pressure remains high over N. China, and relatively low along the Northern shores of the China Sea.

Strong monsoon is indicated in the Formosa Channel and moderate variable winds over the N. part of the China Sea.

Forecast:— moderate to fresh NE winds; misty, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 18th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	19th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.49	..	..	N	10	..	6 a.	30.00	..	...	N	2	..
Hakodate,	„	29.66	..	..	NW	8	..	„	30.21	...	..	NW	6	..
Tokio,	„	29.82	..	...	W	8	..	„	30.22	..	...	NW	4	..
Kochi	„	30.15	...	...	N	6	..	„	30.23	...	...	NE	2	..
Nagasaki,	„	30.19	..	...	N	8	..	„	30.23	...	...	E	6	..
Kagoshima,	„	30.15	...		E	6	..	„	30.19	..	...	E	8	..
Oshima,	„	30.04	..	...	..	0	..	„	30.09	...	...	SE	4	..
Naha,	„	29.97	...	...	E	6	..	„	29.93	..	...	SW	2	..
Ishigakijima,	„	29.93	...	..	S	4	..	„	29.93	..	..	N	4	..
Taihoku,	1 p.	29.97	..	...	NW	4	..	5 a.	30.01	..	..	NW	2	..
Taichu,	„	29.97	...	..	E	2	..	„	30.04	..	..	SE	2	..
Tainan,	„	29.98	..	..	NE	6	..	„	30.01	..	...	NE	2	..
Koshun,	„	29.93	..	..	NW	6	..	„	29.96	...	..	NW	4	..
Pescadores,	„	29.97	..	...	N	8	..	„	29.97	...	...	N	8	..
Weihaiwei,	3 p.	30.38	34	...	ENE	2	b	9 a.	30.23	33	...	E	2	c
Gutzlaff,	„	30.18	40	100	NE	4	omd	„	30.10	45	93	E	4	f
Sharp Peak,	„	29.96	53	90	...	0	fw	„	30.03	54	93	..	0	o
Amoy,	„	29.96	58	81	NNE	1	o	6 30a.	29.91	55	94	NE	1	o
Swatow,	„	29.92	57	100	..	0	o	9 a.	29.94	56	100	N	1	o
Canton,	„	29.85	67	89	NE	1	o	„	29.97	65	95	E	1	o
Hongkong,	4 p.	29.89	59	99	E	4	of	10 a.	30.01	61	95	E	4	of
Victoria Peak,	„	...	..	...	SE	8	..	„	...	..	..	SW	5	..
Gap Rock,	„	29.83	...	..	ENE	4	..	„	29.97	...	..	ENE	4	..
Macao,	„	29.85	63	...	SE	1	o	„	29.96	63	..	SE	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.88	90	44	SE	3	b	„	30.00	86	47	E	1	c
Bacolod,	3 p.	...	..	..	N	2	b	9 a.	...	...	..	N	2	b
Iloilo,	„	29.85	86	...	NE	2	b	„	29.93	81	..	NE	3	b
Cebu,	„	29.90	86	..	N	2	b	„	29.91	84	...	N	1	b
Cape St. James,	4 p.	...	..	..	...	...	..	10 a.	...	...	...	...	..	...

On the 19th at 11. 55a. The barometer has risen much over E. Japan, and fallen moderately over N. China. Pressure is now highest over the Sea of Japan, and a belt of low pressure lies over the S. coast of China and the Pacific towards the Loochoos.

Moderate variable winds my be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate E winds; drizzling rain and mist.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 19th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	20th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.12	..	..	NW	6	..	6 a.	30.28	..	...	NW	2	..
Hakodate,	"	30.21	..	..	N	4	..	"	30.25	...	..	NW	2	..
Tokio,	"	30.22	..	...	SE	6	..	"	30.22	..	...	NW	2	..
Kochi	"	30.19	...	...	SW	2	..	"	30.03	...	...	SW	4	..
Nagasaki,	"	30.07	..	...	E	6	..	"	29.91	...	...	S	2	..
Kagoshima,	"	30.11	...		E	6	..	"	29.87	..	...	E	6	..
Oshima,	"	29.92	..	...	SE	4	..	"	29.92	...	...	SW	2	..
Naha,	"	29.93	...	...	S	4	..	"	30.01	..	...	NW	6	..
Ishigakijima,	"	29.93	...	..	NW	4	..	"	30.01	..	..	NE	4	..
Taihoku,	1 p.	29.98	..	...	NW	4	..	5 a.	30.02	..	..	E	2	..
Taichu,	"	29.97	...	..	N	4	..	"	30.00	..	..	..	0	..
Tainan,	"	29.99	..	..	W	4	..	"	29.99	..	...	NE	2	..
Koshun,	"	29.93	..	..	NW	6	..	"	29.98	...	..	..	0	..
Pescadores,	"	29.98	..	...	N	6	..	"	29.99	...	...	NE	4	..
Weihaiwei,	3 p.	30.20	35	...	ENE	2	c	9 a.	30.21	34	...	NE	1	o
Gutzlaff,	"	30.03	44	100	NNW	3	fd	"	30.17	43	100	W	4	omd
Sharp Peak,	"	29.94	56	94	...	0	o	"	30.09	54	90	WNW	2	ow
Amoy,	"	29.90	63	78	NNE	1	c	6 30a.	29.93	53	94	NE	2	o
Swatow,	"	29.95	63	83	W	2	o	9 a.	29.95	62	94	N	1	o
Canton,	"	29.90	66	95	NW	1	or	"	30.02	55	100	NW	1	o
Hongkong,	4 p.	29.92	62	96	E	4	of	10 a.	30.01	68	94	E	2	of
Victoria Peak,	"	...	..	...	SE	7	..	"	...	..	..	SSE	5	..
Gap Rock,	"	29.96	...	..	ENE	4	..	"	29.93	...	..	ESE	3	..
Macao,	"	29.89	64	...	SE	1	o	"	29.99	66	..	..	0	of
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.88	90	38	SE	4	b	"	30.00	86	53	SE	2	c
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.85	87	...	NE	2	c	"	29.93	82	..	NE	3	b
Cebu,	"	29.88	87	..	N	3	b	"	29.96	85	...	N	3	b
Cape St. James,	4 p.	...	..	..	...	...	..	10 a.	...	...	...	...	..	...

On the 20th at 12. 5p. The barometer has fallen quickly over W. Japan owing to a depression which lies to the W. of Kiusiu.

A slight increase of pressure has taken place over S. China.

Pressure is highest over Manchuria and the N. part of the Sea. of Japan.

Moderate variable winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— E or variable winds, light to moderate; cloudy, fog or mist.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 20th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	21st February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.20	..	..	..	0	..	6 a.	..	..	...	..	..	..
Hakodate,	„	30.17	..	..	..	0	..	„	...	...	..	...	...	..
Tokio,	„	30.14	..	...	NW	4	..	„	...	..	...	..	...	..
Kochi	„	29.95	...	...	NW	2	..	„	..	...	...	..	..	..
Nagasaki,	„	29.91	..	...	SE	2	..	„	...	...	...	..	...	..
Kagoshima,	„	29.91	...		NE	6	..	„	..	..	...	..	..	..
Oshima,	„	29.92	..	...	W	4	..	„	..	...	...	...	...	..
Naha,	„	30.01	...	...	NW	4	..	„	..	..	...	..	...	..
Ishigakijima,	„	30.01	...	..	NE	6	..	„	..	..	..	...	..	..
Taihoku,	1 p.	29.98	..	...	E	4	..	5 a.	29.93	..	..	..	0	..
Taichu,	„	29.98	...	..	SW	2	..	„	30.00	..	..	..	0	..
Tainan,	„	30.00	..	..	N	4	..	„	..	..	...	NE	4	..
Koshun,	„	..	..	..	...	..	..	„	29.94	...	..	..	0	..
Pescadores,	„	29.97	..	...	N	4	..	„	29.98	...	...	N	4	..
Weihaiwei,	3 p.	30.16	34	...	NE	2	c	9 a.	..	..	...	..	..	..
Gutzlaff,	„	30.05	41	100	NNW	2	om l	„	..	...	...	...	...	...
Sharp Peak,	„	29.98	55	91	...	0	o	„	29.99	54	94	..	0	fw
Amoy,	„	29.91	59	94	...	0	dh	6 30a.	29.91	57	100	SSE	2	dh
Swatow,	„	29.95	62	94	E	1	o	9 a.	29.95	60	100	E	1	o
Canton,	„	29.91	59	100	NW	1	o	„	29.95	68	95	SW	1	c
Hongkong,	4 p.	29.90	71	90	E	2	of	10 a.	30.00	67	96	E	2	of
Victoria Peak,	„	...	..	...	S	5	..	„	...	..	..	SSE	7	..
Gap Rock,	„	29.90	...	..	S	3	..	„	29.96	...	..	SSE	3	..
Macao,	„	29.87	67	...	SSE	1	od	„	29.99	67	..	SE	1	cf
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.84	90	48	ESE	5	b	„	30.00	86	41	E	4	b
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	3	b
Iloilo,	„	29.83	88	...	NE	3	c	„	29.93	83	..	NE	4	b
Cebu,	„	29.89	85	..	N	4	c	„	29.88	84	...	N	3	c
Cape St. James,	4 p.	...	..	..	...	...	..	10 a.	...	...	...	...	..	...

On the 21st at 12. 5p. The barometer has fallen slightly over S. China, where pressure remains low for the time of year.

Returns from the North are entirely lacking.

Moderate SE and variable winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate SE or variable winds; showery, fog at times.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 21st February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	22nd February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	...	..
Nemuro,	„	30.12	..	..	..	0	..	6 a.	30.16	..	...	..	0	..
Hakodate,	„	30.21	..	..	SE	2	..	„	30.03	...	..	NE	6	..
Tokio,	„	30.06	..	...	NW	4	..	„	29.94	..	...	NW	4	..
Kochi	„	..	...	...	...	...	..	„	29.95	...	...	SW	2	..
Nagasaki,	„	29.95	..	...	..	0	..	„	...	...	...	..	...	..
Kagoshima,	„	29.95	...		NW	2	..	„	29.95	..	...	NE	2	..
Oshima,	„	29.92	..	...	...	0	..	„	29.92	...	...	S	2	..
Naha,	„	29.93	...	...	SW	4	..	„	29.97	..	...	..	0	..
Ishigakijima,	„	29.97	...	..	SW	8	..	„	29.93	..	..	SW	6	..
Taihoku,	1 p.	29.98	..	...	NW	8	..	5 a.	29.94	..	..	..	0	..
Taichu,	„	29.95	...	..	NW	2	..	„	29.94	..	..	..	0	..
Tainan,	„	30.00	..	..	W	4	..	„	29.94	..	...	SE	2	..
Koshun,	„	29.93	..	..	SW	4	..	„	29.92	...	..	N	2	..
Pescadores,	„	29.94	..	...	S	4	..	„	29.88	...	...	...	0	..
Weihaiwei,	3 p.	30.09	84	...	NE	2	c	9 a.	..	..	...	..	..	..
Gutzlaff,	„	30.02	43	100	W	3	om	„	30.04	43	100	N	4	fd
Sharp Peak,	„	29.92	55	94	NE	1	f	„	29.91	55	94	..	0	fw
Amoy,	„	29.82	67	69	SE	2	dh	6 30a.	29.85	61	100	SE	1	dh
Swatow,	„	29.94	66	95	W	2	or	9 a.	...	..	...	...	...	...
Canton,	„	29.85	73	95	E	1	lt	„	29.87	70	95	E	1	or
Hongkong,	4 p.	29.87	67	95	E	2	of	10 a.	29.93	75	87	S	3	o
Victoria Peak,	„	...	..	...	SE	4	..	„	...	..	..	SSW	5	..
Gap Rock,	„	29.86	...	..	ESE	2	..	„	29.90	...	..	SSE	3	..
Macao,	„	29.87	69	...	...	0	of	„	29.92	70	..	S	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.88	83	93	SE	6	b	„	30.00	88	47	SSE	1	c
Bacolod,	3 p.	...	..	..	NE	4	b	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.83	83	...	NE	3	b	„	29.93	83	..	NE	3	c
Cebu,	„	29.88	87	..	N	3	b	„	29.96	83	...	N	2	b
Cape St. James,	4 p.	29.90	84	..	S	1	c	10 a.	...	...	...	...	..	...

On the 22nd at 12, 5p. The barometer has fallen on the China coast and over E. Japan.

Pressure is highest over NE Japan, and low pressure extends over S. China and the Pacific towards SW Japan.

Moderate variable winds are indicated in the Formosa Channel and moderate SE and S. winds over the N. part of the China Sea.

Forecast:— moderate S winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 22nd February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd February 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		...	...	.	..	..	7 a.	..	..	..	...	..	...
Nemuro,	,,	30.16	..	..	NE	6	..	6 a.	30.16	..	...	NE	6	..
Hakodate,	,,	30.03	..	..	NE	6	..	,,	30.05	...	..	E	4	..
Tokio,	,,	29.90	..	...	NW	4	..	,,	29.86	..	...	NE	3	..
Kochi	,,	29.91	...	...	SW	2	..	,,	29.68	...	...	SW	2	..
Nagasaki,	,,	29.87	..	...	SE	4	..	,,	29.64	...	...	NW	6	..
Kagoshima,	,,	29.37	...		E	4	..	,,	29.68	..	...	W	6	..
Oshima,	,,	29.84	..	...	S	6	..	,,	29.84	...	...	SW	2	..
Naha,	,,	29.89	...	...	SW	6	..	,,	29.89	..	...	NW	6	..
Ishigakijima,	,,	29.85	...	..	SW	8	..	,,	29.89	..	..	NE	2	..
Taihoku,	1 p.	29.83	..	...	W	6	..	5 a.	29.94	..	..	W	2	..
Taichu,	,,	29.83	...	..	N	6	..	,,	29.89	..	..	SE	2	..
Tainan,	,,	29.89	..	..	S	8	..	,,	29.91	..	...	SE	2	..
Koshun,	,,	29.92	..	..	W	6	..	,,	29.87	...	..	NW	6	..
Pescadores,	,,	29.88	..	...	S	2	..	,,	29.89	...	...	S	6	..
Weihaiwei,	3 p.	30.02	31	...	WNW	3	c	9 a.	30.07	27	...	NW	3	c
Gutzlaff,	,,	29.98	43	100	NNW	4	ond	,,	30.14	39	82	NNW	5	cv
Sharp Peak,	,,	29.85	54	94	...	0	rlt	,,	30.07	54	90	NE	2	o
Amoy,	,,	29.78	67	65	SE	2	dh	6 30a.	29.79	63	100	SE	1	o
Swatow,	,,	29.85	73	95	SSW	2	o	9 a.	29.82	65	95	...	0	o
Canton,	,,	29.79	79	82	E	1	o	,,	29.94	59	83	NW	2	o
Hongkong,	4 p.	29.83	75	84	SSW	2	o	10 a.	29.91	67	99	E	3	o
Victoria Peak,	,,	...	..	...	SSW	7	..	,,	...	..	..	SSE	4	..
Gap Rock,	,,	29.82	...	..	S	2	..	,,	29.88	...	..	E	3	..
Macao,	,,	29.79	75	...	S	1	o	,,	29.88	65	..	...	0	o
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.88	88	43	ESE	2	o	,,	29.96	84	64	WSW	1	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	,,	29.87	88	...	NE	2	b	,,	29.89	81	..	NE	2	o
Cebu,	,,	29.90	86	..	N	2	b	,,	29.89	84	...	N	2	o
Cape St. James,	4 p.	29.89	82	..	E	2	c	10 a.	...	...	...	...	..	—

On the 23rd at 12. 5p. The barometer has risen over the E. coast of China, and fallen over W. Japan. A depression is situated in the SW part of the Sea of Japan. It is probably moving towards NE. Pressure is highest over Central China.

The monsoon will set in again in the Formosa Channel and probably over the N. part of the China Sea by tomorrow.

Forecast:— NE winds, freshening; foggy, probably some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 23rd February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd February 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	24th February 1906, A. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.08	..	..	NE	10	..	6 a.	30.04	..	...	N	8	..
Hakodate,	„	29.97	..	..	E	6	..	„	29.97	...	..	NE	2	..
Tokio,	„	29.74	..	...	NW	6	..	„	29.90	..	...	...	0	..
Kochi	„	29.60	...	...	W	6	..	„	29.91	...	...	NE	4	..
Nagasaki,	„	29.79	..	...	N	6	..	„	29.95	...	...	NE	4	..
Kagoshima,	„	29.79	...		NW	6	..	„	...	..	...	...	..	..
Oshima,	„	29.92	..	...	N	6	..	„	29.88	...	...	W	2	..
Naha,	„	29.97	...	...	N	8	..	„	29.85	..	...	..	0	..
Ishigakijima,	„	29.97	...	..	NE	6	..	„	29.77	..	..	SW	6	..
Taihoku,	1 p.	29.95	..	...	E	8	..	5 a.	29.82	..	..	...	0	..
Taichu,	„	29.89	...	..	N	2	..	„	29.84	..	..	NW	2	..
Tainan,	„	29.92	..	..	SW	6	..	„	29.84	..	...	..	0	..
Koshun,	„	29.91	..	..	S	2	..	„	29.84	...	..	..	0	..
Pescadores,	„	29.93	..	...	NE	8	..	„	29.82	...	...	E	4	..
Weihaiwei,	3 p.	30.07	26	...	NW	6	c	9 a.	30.21	28	...	N	3	c
Gutzlaff,	„	30.12	39	82	N	..	or	„	30.11	42	100	NNE	4	ond
Sharp Peak,	„	29.96	54	90	NE	1	og	„	29.92	51	99	NE	2	og
Amoy,	„	29.90	58	94	NE	4	or	6 30a.	29.91	54	94	NE	2	dh
Swatow,	„	29.87	63	94	SE	3	o	9 a.	29.83	58	100	NE	1	o
Canton,	„	29.82	64	84	...	0	or	„	29.73	70	95	E	1	dh
Hongkong,	4 p.	29.79	66	97	NE	1	of	10 a.	29.79	77	83	S	2	o
Victoria Peak,	„	...	..	...	SSW	7	..	„	...	..	..	SSW	3	..
Gap Rock,	„	29.78	...	..	ESE	3	..	„	29.77	...	..	S	4	..
Macao,	„	29.77	65	...	E	1	od	„	29.74	74	..	S	2	c
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.80	90	48	SE	4	c	„	29.92	83	47	ENE	1	b
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	c
Iloilo,	„	29.85	83	...	NE	3	c	„	29.87	82	..	NE	2	o
Cebu,	„	29.86	86	..	N	3	b	„	29.90	84	...	N	2	b
Cape St. James,	4 p.	29.85	86	..	SW	1	c	10 a.	...	...	...	...	..	...

On the 24th at 11, 55a. The barometer has risen over W. Japan and N. China, and fallen again in S. China.

Pressure is highest over N. China, and a low area lies over SW. China and Tong King.

Moderate variable winds are indicated in the Formosa Channel, and fresh S. winds over the N. part of the China Sea.

Forecast:— fresh S winds, squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 24th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th February 1906, P. M. Hour	Barometer	Temperature	Humidity	Wind Direction	Wind Force	Weather	25th February 1906, A. M. Hour	Barometer	Temperature	Humidity	Wind Direction	Wind Force	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.04	..	..	N	10	..	6 a.	...	..	...	...	..	..
Hakodate,	"	30.05	..	..	N	2	..	"	..	...	..	..	..	..
Tokio,	"	29.94	..	...	NE	4	..	"	..	..	...	...	..	..
Kochi	"	29.95	...	...	N	6	..	"	..	...	...	..	...	..
Nagasaki,	"	29.91	..	...	E	4	..	"	..	...	...	..	..	..
Kagoshima,	"	29.91	...		..	0	..	"	...	..	...	...	..	..
Oshima,	"	29.80	..	...	E	2	..	"	..	...	...	...	...	..
Naha,	"	29.74	...	...	SW	6	..	"	...	..	...	..	..	..
Ishigakijima,	"	29.77	...	..	SW	6	..	"	..	..	..	...	..	..
Taihoku,	1 p.	29.81	..	...	NW	4	..	5 a.	..	..	..	...	...	..
Taichu,	"	29.84	...	..	S	2	..	"	..	..	..	...	...	..
Tainan,	"	29.83	..	..	SW	6	..	"	...	..	...	..	..	..
Koshun,	"	29.80	..	..	W	6	..	"	..	...	..	..	..	..
Pescadores,	"	29.84	..	...	SE	4	..	"	...	...	...	..	..	..
Weihaiwei,	3 p.	30.24	28	...	NW	3	c	9 a.	...	...	...	..	..	..
Gutzlaff,	"	30.05	41	92	NNE	5	ond	"	30.01	42	100	N	4	f
Sharp Peak,	"	29.85	51	90	NNW	1	od	..	...	..	..	..	...	.
Amoy,	"	29.75	50	100	NE	2	or	6 30a	29.81	52	86	NNE	2	o
Swatow,	"	..	...	..	..	..	...	9 a.	29.80	55	100	NE	2	o
Canton,	"	29.63	82	75	SSE	2	b	"	29.86	54	87	E	4	o
Hongkong,	4 p.	29.68	77	82	SSW	3	o	10 a.	29.86	62	97	E	4	o
Victoria Peak,	"	...	..	...	SSW	2	..	"	...	..	..	S	1	..
Gap Rock,	"	29.66	...	..	S	2	..	"	29.81	...	..	ENE	3	..
Macao,	"	29.65	76	...	S	1	o	"	29.83	65	..	N	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.80	90	48	SE	2	b	"	29.92	86	59	ESE	1	b
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.79	86	...	NE	1	c	"	29.89	81	..	NE	1	b
Cebu,	"	29.89	84	..	N	3	b	"	29.93	85	...	...	0	b
Cape St. James,	4 p.	29.82	86	..	SE	1	c	10 a.	...	...	...	...	..	....

On the 25th at 12, 20p. The barometer has risen over the S. coast of China.
Pressure is high over N. China, and still relatively low in S. China.
Fresh monsoon is indicated in the Formosa Channel and fresh E. and variable winds over the N. part of the China Sea.
Returns from Formosa and Japan are lacking.
Forecast:— fresh E winds; unsettled, drizzling rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 25th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	26th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	.	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.28	..	..	N	4	..	6 a.	...	..	...	...	..	..
Hakodate,	"	30.29	..	..	S	2	..	"	..	...	..	..	..	..
Tokio,	"	30.18	..	...	NE	4	..	"	..	..	...	...	..	..
Kochi	"	30.03	...	...	NW	2	..	"	..	...	...	..	...	..
Nagasaki,	"	30.03	.	...	E	6	..	"	..	...	...	..	..	..
Kagoshima,	"	29.99	...		NE	4	..	"	...	..	...	...	..	..
Oshima,	"	29.80	..	...	SE	2	..	"	..	...	...	...	...	..
Naha,	"	29.81	...	...	..	0	..	"	...	..	...	..	..	..
Ishigakijima,	"	29.81	...	..	NE	4	..	"	..	..	..	...	..	..
Taihoku,	1 p.	29.91	.	...	E	6	..	5 a.	29.95	..	..	NW	4	..
Taichu,	"	29.85	...	..	N	2	..	"	29.93	..	..	...	0	..
Tainan,	"	29.84	..	..	S	6	..	"	29.89	..	...	N	8	..
Koshun,	"	29.83	..	..	W	6	..	"	29.89	...	..	NW	4	..
Pescadores,	"	29.85	..	...	NE	8	..	"	29.91	...	...	NE	8	..
Weihaiwei,	3 p.	30.23	42	...	E	3	c	9 a.	30.26	38	...	N	3	c
Gutzlaff,	"	30.07	47	93	ENE	4	cm	"	30.16	45	100	NNE	4	cm
Sharp Peak,	"	29.90	51	93	...	0	fw	"	30.03	53	93	W	1	od
Amoy,	"	29.85	55	87	NNE	2	o	6 30 a.	29.81	55	94	NE	2	o
Swatow,	"	29.82	56	100	NE	2	o	9 a.	29.89	51	83	N	2	o
Canton,	"	29.86	51	93	NW	3	or	"	30.10	47	77	N	3	o
Hongkong,	4 p.	29.80	60	99	E	3	od	10 a.	30.04	54	75	...	0	o
Victoria Peak,	"	...	..	...	SE	1	..	"	...	.	..	NNW	3	..
Gap Rock,	"	29.77	...	.	N	5	..	"	29.99	...	..	NW	6	..
Macao,	"	29.77	57	...	N	1	o	"	30.03	48	..	N	1	o
Haiphong,	"	...	...	.	..	...	..	"	.	.	..	..	..	..
Manila,	"	..	...	..	.	..	...	"	29.93	84	64	SW	2	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	...	..	..
Iloilo,	"	29.79	86	...	NE	2	b	"	...	..	.	..	...	...
Cebu,	"	29.90	85	..	N	2	c	"	...	..	...	...	.	...
Cape St. James,	4 p.	29.82	90	..	S	1	c	10 a.	...	...	...	...	..	...

On the 26th at 12. 5p. The barometer has risen over China, particularly in the South.
The Japanese returns are not to hand, but probably a low pressure area is lying in the Pacific in the neighbourhood of the Loochoos.
A high pressure area lies over Central China.
The monsoon is expected to freshen considerably in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh N winds; tha weather is likely to improve.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 26th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

26th February 1906, P. M								27th February 1906. A. M.						
Station.	Hour.	Barometer	Temperature	Humidity	Wind Direction	Wind Force	Weather	Hour.	Barometer	Temperature	Humidity	Wind Direction	Wind Force	Weather
Wladivostock,	2 p.		...	...			.	7 a	..	..	..	...	..	.
Nemuro,	"	30.39	.	.	NW	4	..	6 a.	...	..	...	...	..	..
Hakodate,	"	30.32	.	.	E	4	.	"	.	...	..	..	..	..
Tokio,	"	30.26	..	...	N	6	..	"	..	..	...	...	..	..
Kochi	"	29.37	...	...	SW	0	..	"	..	...	...	..	...	..
Nagasaki,	"	29.84	.	...	N	4	..	"	..	...	...	..	..	..
Kagoshima,	"	29.72	...		.	0	..	"	...	..	...	...	..	..
Oshima,	"	29.69	..	...	N.	8	.	"	..	...	...	...	...	..
Naha,	"	29.77	...	...	N	6	.	"	...	..	...	..	..	..
Ishigakijima,	"	29.85	...	.	N	6	..	"	..	..	..	...	..	..
Taihoku,	1 p.	30.00	.	...	NW	2	..	5 a.	..	..	..	..	..	..
Tuichu,	"	29.88	...	.	N	6	..	"	..	..	..	...	...	..
Tainan,	"	29.87	.	.	N	6	..	"	..	..	...	..	...	..
Koshun,	"	29.87	..	.	SE	4	.	"	..	...	..	..	...	..
Pescadores,	"	29.92	.	...	NE	10	..	"	..	...	...	...	...	..
Weihaiwei,	3 p.	30.23	35	...	NW	2	o	9 a.	...	...	...	..	.	..
Gutziaff,	"	30.18	45	92	NNW	4	bm	"	..	..	...	..	..	...
Sharp Peak,	"	30.01	52	93	...	0	o	"	...	..	..	..	..	..
Amoy,	"	29.91	55	94	WSW	2	or	6 30a	...	..	...	...	..	...
Swatow,	"	29.99	54	80	SSE	3	o	9 a.	30.05	48	85	SE	2	o
Canton,	"	30.07	50	72	NW	2	o	"	30.22	47	77	NW	2	o
Hongkong,	4 p	29.93	54	73	NNE	1	o	10 a.	30.18	53	82	N	2	o
Victoria Peak,	"	...	..	...	NW	4	.	"	...	.	..	NE	1	..
Gap Rock,	"	29.95	...	.	NNW	4	.	"	30.15	...	.	NNE	3	..
Macao,	"	29.93	50	...	N	1	o	"	30.14	47	..	N	1	o
Haiphong,	"	...	...	.	.	...	..	"	..	.	..	..	..	..
Manila,	"	29.84	91	45	E	2	b	"	29.93	81	73	NW	2	o
Bacolod,	3 p.	..	..	.	NE	3	b	9 a.	...	...	..	NE	3	b
Iloilo,	"	29.83	84	...	NE	1	b	"	29.89	82	..	NE	1	b
Cebu,	"	29.90	83		N	2	b	"	29.91	84	...	...	0	b
Cape St. James,	4 p	.	.	.		...	..	10 a.	...	...	...	...	..	...

On the 27th at 12. 15p. The barometer has continued to rise on the S. coast of China.

Returns from the greater part of the stations are entirely lacking.

Anticyclonic conditions apparently prevail over China, and strong monsoon may be expected over the N. part of the China Sea.

Forecast:— moderate N winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 27th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th February 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	28th February 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	.	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.28	..	..	E	4	..	6 a.	...	..	...	...	..	..
Hakodate,	"	30.05	..	..	E	10	..	"	..	...	..	..	..	..
Tokio,	"	29.78	..	...	NW	6	..	"	..	..	...	...	..	..
Kochi	"	29.63	...	...	N	4	..	"	..	...	...	..	...	..
Nagasaki,	"	29.87	..	...	N	8	..	"	..	...	...	..	..	..
Kagoshima,	"	29.79	...		N	6	..	"	...	..	...	...	..	..
Oshima,	"	29.88	..	...	N	8	..	"	..	...	...	...	...	..
Naha,	"	29.93	...	...	N	8	..	"	...	..	...	..	..	..
Ishigakijima,	"	30.01	...	..	N	6	..	"	..	..	..	...	..	..
Taihoku,	1 p.	..	..	...	..	..	..	5 a.	..	..	..	..	..	..
Taichu,	"	..	...	..	...	...	..	"	..	..	..	...	...	..
Tainan,	"	..	..	..	..	...	..	"	..	..	...	..	...	..
Koshun,	"	..	..	..	..	..	..	"	..	...	..	..	...	..
Pescadores,	"	..	..	...	...	...	..	"	..	...	...	...	...	..
Weihaiwei,	3 p.	30.28	34	...	WNW	3	b	9 a.	...	...	...	..	.	..
Gutzlaff,	"	30.29	40	82	N	4	cv	"	..	..	...	..	..	...
Sharp Peak,	"	...	...	...	...	...	..	"	...	..	..	..	..	..
Amoy,	"	30.04	56	75	NE	2	c	6 30 a.	30.11	48	85	NE	4	o
Swatow,	"	30.09	58	81	...	0	c	9 a.	30.17	49	93	N	1	e
Canton,	"	30.14	54	61	NW	1	c	"	...	...	..	...	...	..
Hongkong,	4 p.	30.09	55	59	N	1	o	10 a.	30.20	52	67	NE	2	e
Victoria Peak,	"	...	..	...	N	1	..	"	...	..	..	E	5	..
Gap Rock,	"	30.08	...	..	NNE	3	..	"	30.15	...	..	NE	4	..
Macao,	"	30.08	51	...	N	1	a	"	30.16	48	..	N	1	a
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.84	90	55	S	1	b	"	29.93	81	73	WNW	1	c
Bacolod,	3 p.	...	..	..	NE	4	b	9 a.	...	...	..	NE	2	e
Iloilo,	"	29.83	88	...	NE	3	b	"	29.39	82	..	ESE	2	c
Cebu,	"	29.84	86	..	N	3	b	"	29.92	83	...	N	2	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 28th at 12. 10p. The depression noticed on the 26th was yesterday afternoon moving to the NE over SE Japan.

The barometer has risen over S. China and anticyclonic conditions continue to prevail along the coast.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Returns from the North are entirely lacking.

Forecast:— moderate to fresh NE winds; cloudy, dull.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 28th February 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th February 1906, P. M.							1st March 1906, A. M.						
	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.
Wladivostock,	2 p.	.	...	...	.	.	..	7 a.	..	..	..	...	..	.
Nemuro,	"	30.00	..	..	E	6	..	6 a.	...	..	...	...	..	.
Hakodate,	"	29.89	..	..	E	6	..	"	..	...	..	..	..	..
Tokio,	"	29.71	..	...	NW	6	..	"	..	..	...	...	..	.
Kochi	"	29.93	...	...	N	8	..	"	..	...	...	..	...	..
Nagasaki,	"	30.11	.	...	NE	6	..	"	..	...	...	..	..	..
Kagoshima,	"	30.07	...		N	6	..	"	...	..	...	...	..	.
Oshima,	"	30.04	..	...	N	8	..	"	..	...	...	...	...	..
Naha,	"	30.05	...	...	N	6	..	"	...	..	...	..	..	..
Ishigakijima,	"	30.09	...	..	NE	6	..	"	..	..	..	...	..	..
Taihoku,	1 p.	30.19	..	...	E	4	..	5 a.	30.17	..	..	E	4	..
Taichu,	"	30.08	...	..	N	4	..	"	30.11	..	..	...	0	..
Tainan,	"	30.08	..	..	N	4	..	"	30.10	..	...	N	6	..
Koshun,	"	30.04	..	..	NE	8	..	"	30.05	...	..	NE	8	..
Pescadores,	"	30.11	..	...	NE	10	..	"	30.10	...	...	NE	10	..
Weihaiwei,	3 p.	30.37	33	...	N NW	2	o	9 a.	...	...	...	..	.	..
Gutzlaff,	"	..	...	..	...	...	..	"	30.34	43	28	N	2	cv
Sharp Peak,	"	30.20	52	77	E	5	o	"	30.25	51	79	NE	2	o
Amoy,	"	30.03	54	74	NE	3	c	6 30 a.	30.06	48	85	NE	2	o
Swatow,	"	30.11	52	86	E	3	o	9 a.	30.12	51	93	N	2	o
Canton,	"	30.14	50	72	NW	2	o	"	30.22	47	93	NW	1	or
Hongkong,	4 p.	30.08	53	68	NE	2	o	10 a.	30.20	55	74	NE	2	o
Victoria Peak,	"	...	..	...	ENE	6	..	"	...	..	..	E	5	..
Gap Rock,	"	30.03	...	..	NE	5	..	"	30.15	...	..	ENE	5	..
Macao,	"	30.06	50	...	N	1	o	"	30.16	51	..	N	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.83	77	92	SSE	1	o	"	30.00	84	52	NE	1	o
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	3	b
Iloilo,	"	29.83	88	...	NE	2	c	"	29.93	83	..	NE	3	c
Cebu,	"	29.91	84	..	N	3	b	"	29.92	83	...	N	1	s
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 1st at 12. 10p. The barometer has fallen slightly in the North, and risen a little over the Philippines.

The area of high pressure still lies over China. Gradients are moderate to slight.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Forecast:— fresh NE winds; cloudy, some. rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 1st March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	2nd March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	.	..	..	7 a.	..	..	..	...	..	.
Nemuro,	"	29.92	..	..	N	6	..	6 a.	...	..	...	...	..	..
Hakodate,	"	30.01	..	..	NW	6	..	"	..	...	..	..	..	..
Tokio,	"	30.02	..	...	W	4	..	"	..	..	...	...	..	..
Kochi	"	30.16	...	...	NW	4	..	"	..	...	...	..	...	..
Nagasaki,	"	30.27	.	...	E	4	..	"	..	...	...	..	..	..
Kagoshima,	"	30.25	...	.	N	4	..	"	...	..	...	...	..	..
Oshima,	"	30.16	..	...	S	2	..	"	..	...	...	...	...	..
Naha,	"	30.13	...	...	NE	4	..	"	...	..	...	..	..	..
Ishigakijima,	"	30.13	...	..	N	2	..	"	..	..	..	...	..	..
Taihoku,	1 p.	30.13	..	...	E	4	..	5 a.	30.24	..	..	N	4	..
Taichu,	"	30.08	...	..	N	4	..	"	30.18	..	..	N	2	..
Tainan,	"	30.08	..	..	N	4	..	"	30.15	..	...	N	10	..
Koshun,	"	30.02	..	..	NE	6	..	"	30.07	...	..	N	6	..
Pescadores,	"	30.10	..	...	NE	8	..	"	30.18	...	...	NE	10	..
Weihaiwei,	3 p.	30.29	38	...	WNW	1	c	9 a.	...	...	...	..	.	..
Gutzlaff,	"	30.30	44	92	N	2	ov	"	30.38	49	82	NNW	4	ov
Sharp Peak,	"	..	...	..	...	...	..	"	..	..	..	..	..	...
Amoy,	"	30.09	51	93	N	2	ov	6 30 a.	30.11	50	100	NE	2	c
Swatow,	"	...	...	..	...	..	...	9 a.	...	.	...	...	..	..
Canton,	"	30.17	59	86	NW	1	o	"	...	..	..	...	...	..
Hongkong,	4 p.	30.11	53	84	N	1	o	10 a.	30.28	53	68	N	2	o
Victoria Peak,	"	...	..	...	NNE	3	..	"	...	..	..	NE	2	..
Gap Rock,	"	30.08	...	..	NNE	4	..	"	30.25	...	..	N	4	..
Macao,	"	30.09	50	...	N	1	o	"	30.24	50	..	N	1	o
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.88	86	47	E	1	c	"	30.04	81	62	WNW	2	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	3	b
Iloilo,	"	29.85	86	...	SE	4	b	"	29.97	81	..	NE	3	b
Cebu,	"	29.89	85	..	N	3	b	"	29.97	83	...	N	2	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 2nd at 12. 15p. The barometer has risen over S. China.
The area of high pressure remains over Central China.
Gradients are moderate, and strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate N winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 2nd March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	3rd March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	.	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.16	..	..	NW	2	..	6 a.	...	..	...	...	..	..
Hakodate,	„	30.17	..	..	N	2	..	„	..	...	..	..	..	..
Tokio,	„	30.22	..	...	E	2	..	„	..	..	...	...	..	..
Kochi	„	30.07	...	...	NE	2	..	„	..	...	...	..	...	..
Nagasaki,	„	30.11	..	...	E	4	..	„	..	...	...	..	..	..
Kagoshima,	„	...	...		...	..	..	„	...	..	...	...	..	..
Oshima,	„	30.06	..	...	S	2	..	„	..	...	...	...	...	..
Naha,	„	30.05	...	...	NE	2	..	„	...	..	...	..	..	..
Ishigakijima,	„	30.13	...	..	N	6	..	„	..	..	..	...	..	..
Taihoku,	1 p.	30.28	..	...	SE	2	..	5 a.	..	..	..	NE	2	..
Taichu,	„	30.14	...	..	N	8	..	„	30.16	..	..	N	2	..
Tainan,	„	30.13	..	..	N	6	..	„	30.12	..	...	N	6	..
Koshun,	„	30.06	..	..	E	8	..	„	30.12	...	..	NE	8	..
Pescadores,	„	30.18	..	...	NE	8	..	„	30.22	...	...	NE	10	..
Weihaiwei,	3 p.	30.42	33	...	NW	3	b	9 a.	30.51	30	...	NW	2	b
Gutzlaff,	„	30.37	43	67	NNW	4	cv	„	30.43	41	74	N	4	bv
Sharp Peak,	„	..	...	..	...	...	..	„	..	..	..	..	..	...
Amoy,	„	30.12	59	76	ENE	2	c	6 30a.	30.16	59	86	NE	2	c
Swatow,	„	30.16	56	87	NW	2	o	9 a.	30.19	52	93	NNE	1	o
Canton,	„	30.25	51	79	NW	1	o	„	30.35	59	70	N	1	b
Hongkong,	4 p.	30.19	55	61	N	1	o	10 a.	30.32	56	51	NNE	1	o
Victoria Peak,	„	...	..	...	NW	3	..	„	...	..	..	NE	2	..
Gap Rock,	„	30.15	...	..	N	3	..	„	30.29	...	..	NE	3	..
Macao,	„	30.17	50	...	N	2	o	„	30.29	54	..	N	1	c
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.99	86	47	E	3	b	„	...	..	...	...	..	.
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.87	86	...	NE	2	b	„	29.97	80	..	NE	2	c
Cebu,	„	29.90	84	..	N	4	b	„	29.89	83	...	N	3	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 3rd at 11. 55a. The barometer has continued to rise over China, particularly in the North. The anticyclone covering China appears to be central to the North of the Yangtze.
Gradients are moderate, and strong monsoon will continue in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate N winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 3rd March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd March 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.	4th March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.
Wladivostock,	2 p.	.	...	...	.	.	..	7 a.	..	..	..	...	..	.
Nemuro,	"	30.00	..	..	SE	6	..	6 a.	...	.	...	...	..	..
Hakodate,	"	29.85	..	..	NW	6	..	"	..	...	..	..	..	..
Tokio,	"	29.74	..	...	N	4	..	"	..	..	...	...	..	..
Kochi	"	29.95	...	...	NW	2	..	"	..	...	...	..	...	..
Nagasaki,	"	30.15	..	...	NW	8	..	"	..	...	...	..	..	..
Kagoshima,	"	30.11	...		N	8	..	"	...	..	...	...	..	..
Oshima,	"	30.12	..	...	N	8	..	"	..	...	...	...	...	..
Naha,	"	30.13	...	...	N	8	..	"	...	..	...	..	..	..
Ishigakijima,	"	30.17	...	..	NE	6	..	"	..	..	..	...	..	..
Taihoku,	1 p.	30.30	..	...	SE	4	..	5 a.	30.50	..	..	E	4	..
Taichu,	"	30.17	...	..	N	6	..	"	30.19	..	..	...	0	..
Tainan,	"	30.18	..	..	N	6	..	"	30.23	..	...	N	2	..
Koshun.	"	30.15	..	..	NE	8	..	"	30.13	...	..	NE	10	..
Pescadores,	"	30.22	..	...	NE	10	..	"	30.22	...	...	NE	10	..
Weihaiwei,	3 p.	30.45	34	...	NNE	2	b	9 a.	.	...	...	..	...	..
Gutzlaff,	"	30.47	44	53	N	3	cv	"	..	.	..	..	...	...
Sharp Peak,	"	30.32	52	69	E	4	b	"	30.35	51	75	NE	3	b
Amoy,	"	30.16	58	64	ENE	3	b	6 30a.	30.27	48	71	NNE	2	b
Swatow,	"	30.21	58	81	SE	3	c	9 a.	..	...	...	...	...	...
Canton,	"	30.25	62	56	NW	2	c	"	30.35	58	76	N	1	b
Hongkong,	4 p	30.22	59	55	E	2	c	10 a.	30.30	59	56	E	2	c
Victoria Peak,	"	...	..	...	...	0	..	"	...	..	..	ENE	3	..
Gap Rock,	"	30.22	...	..	NNE	3	..	"	30.27	...	..	ENE	4	..
Macao,	"	30.19	59	...	NE	1	c	"	30.26	60	..	SE	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.88	88	42	.	2	c	"	30.04	81	70	W	1	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	3	b
Iloilo,	"	29.84	85	...	NE	3	b	"	29.97	81	..	NE	3	b
Cebu,	"	29.89	84	..	N	3	b	"	29.91	84	...	N	2	c
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 4th at 12. 10p. Changes of pressure in the South are unimportant. Returns from the North are lacking.

Anticyclonic conditions continue to prevail over China, and strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate NE winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 4th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th March 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind Direction	Wind Force	Weather	5th March 1906, A. M. Hour	Barometer	Temperature	Humidity	Wind Direction	Wind Force	Weather
Wladivostock,	2 p.	.	...	...	.	.	..	7 a.	.	..	..	...	..	.
Nemuro,	"	29.84	..	..	NW	8	..	6 a.	30.08	.	...	NW	4	..
Hakodate,	"	30.09	..	..	W	8	..	"	30.21	...	..	N	2	..
Tokio,	"	30.10	..	...	NW	6	..	"	30.22	.	...	...	0	..
Kochi,	"	30.11	...	...	NW	6	..	"	30.15	...	...	W	2	..
Nagasaki,	"	30.10	.	...	NE	2	..	"	30.07	...	...	W	6	..
Kagoshima,	"	30.12	...		NW	4	..	"	30.15	..	...	NE	2	..
Oshima,	"	30.20	..	...	N	6	..	"	30.24	...	...	S	2	..
Naha,	"	30.21	...	...	N	6	..	"	30.21	..	...	..	0	..
Ishigakijima,	"	30.21	...	..	NE	6	..	"	30.21	..	..	N	2	..
Taihoku,	1 p.	30.23	..	...	E	8	..	5 a.	30.25	..	..	E	2	..
Taichu,	"	30.14	...	..	W	2	..	"	30.24	..	..	N	4	..
Tainan,	"	30.16	..	..	N	4	..	"	30.21	..	...	N	6	..
Koshun,	"	30.11	..	..	NE	8	..	"	30.15	...	..	SW	2	..
Pescadores,	"	30.20	..	...	NE	8	..	"	30.23	...	...	NE	6	..
Weihaiwei,	3 p.	...	...	...	.	..	..	9 a.		...	...	..	...	..
Gutzlaff,	"	30.26	47	63	S	2	bv	"	30.49	39	55	NNW	7	bm
Sharp Peak,	"	30.24	54	80	E	4	b	"	30.32	53	74	E	1	b
Amoy,	"	30.23	60	80	NNE	3	b	6 30 a.	30.21	53	80	W	1	b
Swatow,	"	30.23	59	94	E	2	b	9 a.	30.19	52	100	NE	1	c
Canton,	"	30.25	68	56	NW	2	c	"	30.33	69	65	...	0	b
Hongkong,	4 p.	30.20	59	47	E	1	b	10 a.	30.33	64	47	N	2	o
Victoria Peak,	"	...	..	...	E	2	..	"	...	..	..	NNE	3	..
Gap Rock,	"	30.18	...	..	NE	3	..	"	30.30	...	..	NNE	2	..
Macao,	"	...	...	...	..	..	...	"	30.30	61	..	N	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.92	81	76	N	1	o	"	30.13	77	68	N	1	o
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.84	85	...	NE	4	b	"	30.01	81	..	NE	2	c
Cebu,	"	29.89	83	..	N	2	b	"	29.93	84	...	N	2	b
Cape St. James,	4 p.	..	..	..	.	...	..	10 a.	...	...	...	...	..	...

On the 5th at 12. 5p. The barometer has fallen in W. Japan, and risen over E. Japan, N. China and the Philippines.

The anticyclone is lying over Central China, and a depression, which passed over N. China yesterday, appears to be moving Eastwards in the W. part of the Sea of Japan.

Strong monsoon is indicated in the Formosa Channel and the China Sea.

Forecast:— moderate N winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 5th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	6th March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	,,	29.12	..	..	NW	4	..	6 a.	30.08	..	...	N	2	..
Hakodate, ...	,,	30.17	..	..	SE	2	..	,,	29.91	...	..	E	8	..
Tokio, ...	,,	30.10	..	...	E	4	..	,,	29.55	..	...	...	0	..
Kochi	,,	29.91	...	...	SE	2	..	,,	29.91	...	...	NW	3	..
Nagasaki, ...	,,	29.95	..	...	NW	12	..	,,	30.03	...	...	N	10	..
Kagoshima, ...	,,	30.03	...		NW	8	..	,,	30.11	..	...	NW	8	..
Oshima, ...	,,	30.16	..	...	SW	4	..	,,	30.24	...	...	N	8	..
Naha, ...	,,	30.25	...	...	N	4	..	,,	30.21	..	...	NW	10	..
Ishigakijima, .	,,	30.25	...	..	NE	2	..	,,	30.41	..	..	N	6	..
Taihoku, ...	1 p.	30.27	..	...	N	6	..	5 a.	..	..	..	...	...	..
Taichu, ...	,,	30.28	...	..	N	6	..	,,	..	..	..	..	...	..
Tainan, ...	,,	30.19	..	..	N	8	..	,,	..	..	...	..	..	..
Koshun, ...	,,	30.16	..	..	N	4	..	,,	..	...	..	..	...	..
Pescadores, ...	,,	30.24	..	...	NE	8	..	,,	...	...	...	..	...	..
Weihaiwei, ...	3 p.	30.33	21	...	NW	7	c	9 a.	.	...	...	..	...	..
Gutzlaff, ...	,,	30.47	36	79	NW	9	cv	,,	30.62	29	77	NW	7	bm
Sharp Peak, ...	,,	30.27	58	81	NE	1	bh	,,	...	..	..	..	...	..
Amoy, ...	,,	30.19	66	54	ESE	2	b	6 30 a.	...	...	..	..	...	...
Swatow, ...	,,	30.21	64	78	SE	2	b	9 a.	..	..	..	...	...	..
Canton, ...	,,	30.23	73	81	NW	1	b	,,	30.50	57	46	N	3	b
Hongkong, ...	4 p.	30.22	69	27	N	1	o	10 a.	30.45	59	20	NNE	2	b
Victoria Peak,	,,	...	..	...	N	5	..	,,	...	..	..	.	...	..
Gap Rock, ...	,,	30.22	...	..	N	2	..	,,	30.42	...	..	NE	6	..
Macao, ...	,,	30.21	67	...	N	1	o	,,	30.43	56	..	NNE	3	o
Haiphong, ...	,,	...	...	.	..	...	..	,,	..	..	..	..	..	..
Manila, ...	,,	30.00	77	63	NE	2	o	,,	...	...	...	..	..	..
Bacolod, ...	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	N	1	b
Iloilo, ...	,,	29.89	87	...	NE	2	b	,,	30.01	81	..	NE	2	b
Cebu, ...	,,	29.94	85	..	N	2	b	,,	29.92	83	...	N	2	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 6th at 12. 5p. The barometer has fallen very rapidly over E. Japan owing to the depression which is now moving Eastwards over that area.

A quick increase of pressure has taken place over China which is now covered by an anticyclone of exceptional intensity for the time of year.

Gradients are steep generally, particularly in the North and N and NE gales are indicated on all parts of the coast and over the China Sea. They will probably moderate in the North by tomorrow, but continue over the China Sea.

Forecast:— fresh N to NE winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 6th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th March 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th March, 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	.	...	...	..	..	.	7 a.	..	..	..	...	..	.
Nemuro,	,,	..	..	..	...	...	..	6 a.	..	..	...	...	..	..
Hakodate,	,,	29.59	..	..	NE	6	..	,,	..	...	..	..	..	..
Tokio,	,,	29.51	..	...	SW	8	..	,,	..	..	...	...	...	..
Kochi	,,	29.94	...	...	NW	6	..	,,	..	...	...	..	...	..
Nagasaki,	,,	30.45	..	...	N	10	..	,,	..	...	...	..	..	..
Kagoshima,	,,	30.15	...		N	8	..	,,	..	..	...	...	...	..
Oshima,	,,	30.24	..	...	N	6	..	,,	..	...	...	..	..	..
Naha,	,,	30.33	...	...	N	8	..	,,	...	..	...	..	...	..
Ishigakijima,	,,	30.40	...	..	N	6	..	,,	...	..	..	...	..	..
Tajhoku,	1 p.	29.47	..	...	E	6	..	5 a.	30.48	..	..	...	0	..
Taichu,	,,	30.32	...	..	N	8	..	,,	30.35	..	..	..	0	..
Tainan,	,,	30.32	..	..	N	8	..	,,	30.34	..	...	N	6	..
Koshun,	,,	30.28	..	..	NE	8	..	,,	30.26	...	..	NE	8	..
Pescadores,	,,	30.37	..	...	NE	8	..	,,	30.37	...	...	NE	10	..
Weihaiwei,	3 p.	...	31	...	NW	5	b.	9 a.	.	...	...	...	...	..
Outzlaff,	,,	.	..	..	NNW	5	...	,,	30.63	35	80	NW	6	b m
Sharp Peak,	,,	30.45	52	60	NE	4	h	,,	30.54	48	71	NE	4	b
Amoy,	,,	30.32	56	57	ESE	3	f	6.30 a.	..	...	..	..	...	...
Swatow,	,,	30.34	57	87	E	3	b.	9 a.	30.37	44	...	NE	2	b
Canton,	,,	30.42	64	49	NW	2	b	,,	30.49	54	49	N	2	b
Hongkong,	4 p.	30.35	64	19	N	2	b.	10 a.	30.48	57	26	NNE	2	b.
Victoria Peak,	,,	...	..	...	..	...	..	,,	...	..	..	.	...	..
Gap Rock,	,,	30.34	...	..	NE	4	..	,,	30.46	...	..	NNE	4	..
Macao,	,,	30.37	60	...	NE	2	b.	,,	30.44	53	..	NE	2	b.
Haiphong,	,,	...	...	.	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.93	81	70	NW	2	c.	,,	...	...	...	..	..	..
Bacolod,	3 p.	...	..	..	NE	4	b.	9 a.	...	...	..	N	2	b.
Iloilo,	,,	29.88	78	...	NE	4	c.	,,	30.01	81	..	NE	2	c
Cebu,	,,	29.88	85	..	N	2	b.	,,	29.88	83	...	N	1	c.
Cape St. James.	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 7th at 11. 5a. The barometer has risen slightly in S. China.
The anticyclone covering China, is probably central over the Yangtze.
Gradients are easier along the coast, but continue steep over the China Sea.
Strong monsoon is indicated in the Formosa Channel, and heavy monsoon over the China Sea.
Forecast:— moderate NE winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 7th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

7th March 1906, P. M								8th March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	29.57	..	..	NW	8	..	6 a.	..	..	...	...	..	..
Hakodate,	..	29.81	..	..	N	8	..	,,	..	...	..	..	..	..
Tokio,	,,	29.86	..	...	NW	8	..	,,	..	..	...	...	...	..
Kochi	,,	30.03	...	...	W	6	..	,,	..	...	...	..	...	..
Nagasaki,	,,	30.27	..	...	N	10	..	,,	..	...	...	..	..	..
Kagoshima,	..	30.27	...		...	0	..	,,	..	..	...	...	...	..
Oshima,	,,	30.28	..	...	N	8	..	,,	..	...	...	..	..	..
Naha.	,,	30.38	...	...	N	8	..	,,	...	..	...	..	...	..
Ishigakijima,	,,	30.44	...	..	N	6	..	,,	...	..	..	...	..	..
Taihoku,	1 p	30.51	..	...	NE	6	..	5 a.	30.45	..	..	E	6	..
Taichu,	,,	30.34	...	..	N	6	..	,,	30.37	..	..	..	0	..
Tainan,	,,	30.33	..	..	W	4	..	,,	30.36	..	...	NE	2	..
Koshun,	,,	30.32	..	..	NE	10	..	,,	30.35	...	..	NE	8	..
Pescadores,	,,	30.40	..	...	NE	10	..	,,	30.36	...	...	NE	10	..
Weihaiwei,	3 p.	30.55	31	...	WNW	5	b	9 a.	30.49	42	...	WNW	2	b
Gutzlaff,	,,	30.58	44	87	NNW	5	bm	,,	30.61	42	58	ESE	3	bv
Sharp Peak,	,,	30.49	51	69	E	5	b	,,	30.56	48	74	NE	3	o
Amoy,	,,	30.36	57	46	ENE	3	f	6 30a.	...	..	...	..	..	..
Swatow,	,,	30.36	57	94	E	3	b	9 a.	30.41	44	92	NE	3	b
Canton,	,,	30.36	67	46	NW	1	b	,,	30.45	54	80	NE	1	b
Hongkong,	4 p.	30.35	56	45	ESE	3	b	10 a.	30.45	56	54	E	3	o
Victoria Peak,	,,	...	..	...	..	...	..	,,	...	..	..	..	...	..
Gap Rock,	,,	30.33	...	..	ENE	5	..	,,	..	...	..	..	...	..
Macao,	,,	30.32	60	...	..	0	c	,,	30.40	55	..	NE	1	c
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	30.00	81	76	N	5	o	,,	30.12	82	57	WNW	1	o
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	NE	1	b
Iloilo,	,,	29.91	88	...	NE	4	b	,,	30.01	81	..	NE	2	c
Cebu,	,,	29.90	87	..	N	2	b	,,	30.02	84	...	N	2	b
Cape St. James,	4 p.	30.01	81	..	NE	1	f	10 a.	...	...	...	...	..	...

On the 8th at 12. 10p. Changes of pressure are unimportant.
The anticyclone still covers China and the Pacific towards the Loochoos.
Gradients are moderate to rather steep.
The monsoon will decrease in the Formosa Channel, but continue to blow strongly over the China Sea.
Forecast:— fresh NE winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 8th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th March 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	.	...	...	.	..	.	7 a.	..	..	..	...	..	..
Nemuro,	"	29.81	..	..	W	1	..	6 a.	..	..	...	...	..	..
Hakodate,	"	29.93	..	..	W	10	..	"	..	...	..	..	..	..
Tokio,	"	30.18	..	...	NW	4	..	"	..	..	...	...	...	..
Kochi	"	30.34	...	...	SW	2	..	"	..	...	...	..	...	..
Nagasaki,	"	30.45	..	...	NW	6	..	"	..	...	...	..	..	..
Kagoshima,	"	30.43	...	.	N	6	..	"	..	..	...	...	...	..
Oshima,	"	30.43	..	...	N	6	..	"	..	...	...	..	..	..
Naha,	"	30.44	...	...	N	6	..	"	...	..	...	..	...	..
Ishigakijima,	"	30.44	...	..	NE	6	..	"	...	..	..	...	..	..
Taihoku,	1 p.	30.43	..	...	E	8	..	5 a.	30.23	..	..	E	4	..
Taichu,	"	30.35	...	..	N	2	..	"	30.30	..	..	..	0	..
Tainan,	"	30.37	..	..	NW	2	..	"	30.31	..	...	N	4	..
Koshun,	"	30.32	..	..	NE	10	..	"	30.23	...	..	NE	6	..
Pescadores,	"	30.38	..	...	NE	8	..	"	30.30	...	...	NE	6	..
Weihaiwei,	3 p.	30.51	50	...	SW	2	b	9 a.	..	..	...	..	...	...
Gutzlaff,	"	30.53	47	63	SE	3	v	"	30.40	45	76	SSE	4	cv
Sharp Peak,	"	30.44	54	74	..	3	h	"	30.35	53	80	...	0	o
Amoy,	"	30.34	62	61	ENE	3	b	6 30 a.	...	..	...	..	..	..
Swatow,	"	30.33	63	94	E	6	b	9 a.	30.27	49	93	..	0	b
Canton,	"	30.33	64	63	E	1	o	"	30.31	62	77	E	1	b
Hongkong,	4 p	30.31	58	65	E	3	o	10 a.	30.32	60	68	ESE	3	b
Victoria Peak,	"	...	..	...	E	5	o	"	...	..	..	..	...	..
Grip Rock,	"	...	...	..	...	..	..	"	..	...	..	..	...	..
Macao,	"	30.28	63	...	SE	1	c	"	30.30	60	..	SE	1	h
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	30.04	82	49	NE	2	c	"	30.16	82	57	S	0	c
Basilod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	c
Iloilo,	"	29.94	87	...	NE	4	c	"	30.03	81	..	NE	2	o
Cebu,	"	29.90	86	..	N	3	c	"	29.91	83	...	N	3	c
Cape St. James,	4 p	..	...	..	...	..	.	10 a.	...	...	...	...	..	...

On the 9th at 12. 20p. The barometer is still high but falling quickly over China

The anticyclonic area appears to be now central over W. Japan.

Gradients have decreased and moderate and fresh E. winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh E winds; fine.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 9th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th March 1905, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	10th March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.12	..	..	NW	2	..	6 a.	..	..	...	...	..	..
Hakodate,	"	30.21	..	..	NW	6	..	"	..	...	..	..	..	..
Tokio,	"	30.22	..	...	SE	6	..	"	..	..	...	...	...	..
Kochi	"	30.34	...	...	SE	...	..	"	..	...	...	..	...	..
Nagasaki,	"	..	..	...	...	...	..	"	..	...	...	..	..	..
Kagoshima,	"	30.38	...		SE	2	..	"	...	..	...	...	...	..
Oshima,	"	30.34	..	...	NW	4	..	"	..	...	...	..	..	..
Naha.	"	30.35	...	...	E	4	..	"	...	..	...	..	...	..
Ishigakijima,	"	30.53	...	..	S	6	..	"	...	..	..	...	..	..
Taihoku,	1 p.	30.24	..	...	NW	4	..	5 a.	30.16	..	..	...	0	..
Taichu,	"	30.22	...	..	N	4	..	"	30.14	..	..	..	0	..
Tainan,	"	30.23	..	..	N	6	..	"	30.15	..	...	...	0	..
Koshun,	"	30.21	..	..	NE	6	..	"	30.12	...	..	NE	4	..
Pescadores,	"	30.26	..	...	N	6	..	"	30.13	...	...	NE	4	..
Weihaiwei,	3 p.	30.27	40	...	SSW	4	c	9 a.	...	..	...	...	..	..
Gutzlaff,	"	30.27	49	85	SSE	5	cv	"	..	..	..	..	..	...
Sharp Peak,	"	30.22	58	89		0	b	"	30.14	56	87	...	0	e
Amoy,	"	30.16	57	87	SE	3	b	6 30 a.	30.11	55	94	...	0	c
Swatow,	"	30.21	61	94	E	3	e	9 a.	30.13	58	88	..	0	c
Canton,	"	30.14	71	71	E	3	b	"	30.12	64	89	E	1	o
Hongkong,	4 p.	30.17	62	61	E	3	c	10 a.	30.16	64	85	E	3	o
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	.	...	..
Gap Rock,	"	30.15	...	..	ENE	5	..	"	30.13	...	..	ENE	4	..
Macao,	"	30.15	64	...	ESE	1	e	"	30.12	62	..	SE	1	o
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	30.04	82	57	ENE	2	o	"	30.12	81	62	N	1	o
Bacolod,	3 p.	...	..	..	NE	3	c	9 a.	...	...	..	NE	3	b
Iloilo,	"	29.95	88	...	NE	2	c	"	30.03	83	..	NE	1	b
Cebu,	"	29.96	85	..	N	3	c	"	30.07	81	...	N	2	c
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 10th at 12. 10p. Pressure has continued to decrease quickly over the China coast, owing to a depression which yesterday afternoon appeared to be lying over Central China.

The returns from the E. coast for this morning are not yet to hand.

Pressure is probably highest over the Pacific to the S. of Japan.

Gradients are slight and light or moderate variable winds are indicated in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate or light E winds; cloudy, some fog or mist.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 10th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	11th March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.08	..	..	SW	6	..	6 a.	..	..	...	...	..	..
Hakodate,	„	30.13	..	..	NW	2	..	„	..	...	..	..	..	..
Tokio,	„	30.22	..	...	SE	4	..	„	..	..	...	...	...	..
Kochi	„	30.27	...	...	..	0	..	„	..	...	...	..	...	..
Nagasaki,	„	30.15	..	...	S	8	..	„	..	...	...	..	..	..
Kagoshima,	„	30.23	...		S	2	..	„	...	..	...	...	...	..
Oshima,	„	.	..	...	...	...	..	„	..	...	...	..	..	..
Naha.	„	30.17	...	...	S	6	..	„	...	..	...	..	...	..
Ishigakijima,	„	30.13	...	..	S	3	..	„	...	..	..	...	..	..
Taihoku,	1 p.	30.04	..	...	NE	2	..	5 a.	30.11	..	..	...	0	..
Taichu,	„	30.03	...	..	SW	2	..	„	30.10	..	..	N	2	..
Tainan,	„	30.07	..	..	S	6	..	„	30.07	..	...	E	4	..
Koshun,	„	30.07	..	..	E	6	..	„	30.09	...	..	NW	4	..
Pescadores,	„	30.08	..	...	NW	2	..	„	30.09	...	...	N	10	..
Weihaiwei,	3 p.	30.13	37	...	E	2	c	9 a.	...	..	...	..	..	..
Gutzlaff,	„	30.07	49	93	W	3	omd	„	30.31	44	81	NW	5	cm
Sharp Peak,	„	30.02	60	82		0	og	„	30.21	57	87	NE	5	ol
Amoy,	„	29.98	62	80	SE	2	oc	6 30 a.	30.16	58	88	...	0	f
Swatow,	„	30.06	65	84	NW	1	o	9 a.	30.08	56	94	..	0	b
Canton,	„	30.05	69	80	...	0	c	„	30.15	63	89	N	1	c
Hongkong,	4 p.	30.06	65	87	E	2	opf	10 a.	30.16	71	56	N	2	o
Victoria Peak,	„	...	..	...	..	...	..	„	...	..	..	.	...	..
Gap Rock,	„	30.04	...	..	NE	3	..	„	30.15	...	..	NNE	3	..
Macao,	„	30.30	69	...	...	0	o	„	30.15	65	..	..	0	c
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.96	88	54	SE	2	o	„	30.04	79	76	WNW	1	o
Bacolod,	3 p.	...	..	..	NE	3	c	9 a.	...	...	..	NE	3	h
Iloilo,	„	29.94	88	...	NE	2	b	„	30.01	84	..	NE	2	b
Cebu,	„	29.91	85	..	N	3	c	„	30.02	85	...	N	2	c
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 11th at 11.55a. The barometer has risen quickly over the E. coast of China. The depression having moved Eastwards into the Yellow Sea last evening, will probably be situated in the neighbourhood of W. Japan this morning. The returns from that area are, however, lacking. Pressure is again high over Central China, and the monsoon is freshening in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate to fresh N and NE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 11th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	12th March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.08	..	..	N	4	..	6 a.	29.92	..	...	...	0	..
Hakodate,	"	30.01	..	..	SE	8	..	"	29.81	...	..	NE	4	..
Tokio,	"	29.94	..	...	..	0	..	"	29.63	..	...	NW	2	..
Kochi	"	29.79	...	...	..	0	..	"	29.99	...	...	SW	2	..
Nagasaki,	"	29.91	..	...	NW	6	..	"	30.11	...	...	NE	2	..
Kagoshima,	"	30.00	...		W	6	..	"	30.07	..	...	N	2	..
Oshima,	"	30.00	..	...	NW	6	..	"	30.08	...	...	N	10	..
Naha,	"	30.09	...	...	N	8	..	"	30.13	..	...	N	6	..
Ishigakijima,	"	30.15	...	..	NE	6	..	"	30.17	..	..	N	2	..
Taihoku,	1 p.	30.18	..	...	E	6	..	5 a.	30.18	..	..	E	8	..
Taichu,	"	30.09	...	..	NE	8	..	"	30.11	..	..	..	6	..
Tainan,	"	30.07	..	..	NE	8	..	"	30.11	..	...	...	0	..
Koshun,	"	30.01	..	..	NE	8	..	"	30.08	...	..	NE	10	..
Pescadores,	"	30.11	..	...	NE	8	..	"	30.13	...	...	E	10	..
Weihaiwei,	3 p.	30.16	34	...	NW	4	c	9 a.	...	..	...	..	..	..
Gutzlaff,	"	30.28	44	84	NW	4	ov	"	30.32	44	100	W	...	bm
Sharp Peak,	"	30.18	58	84	NE	1	o	"	30.20	56	80	NE	2	o
Amoy,	"	29.95	65	84	NE	3	c	6 30a.	30.16	59	86	NE	2	o
Swatow,	"	30.07	69	61	NNE	2	b	9 a.	30.18	55	87	NE	1	c
Canton,	"	30.10	62	83	N	1	ov	"	30.17	59	88	..	0	o
Hongkong,	4 p.	30.10	66	78	N	1	o	10 a.	30.19	59	87	E	4	o
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	.	...	..
Gap Rock,	"	30.11	...	..	...	6	..	"	30.16	...	..	ENE	4	..
Macao,	"	30.08	64	...	N	1	o	"	30.16	59	..	NE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.96	77	84	ESE	1	o	"	30.04	81	70	NE	..	o
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	c
Iloilo,	"	29.86	87	...	NE	2	b	"	30.01	84	..	NE	1	c
Cebu,	"	29.92	86	..	N	2	b	"	30.02	85	...	...	0	h
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 12th at 11. 25a. The barometer has risen in W. Japan, and fallen over E. Japan, the depression, continuing to move towards E, having now reached the latter area.

Pressure is highest over Central China.

Gradients are slight on the coast, and fresh monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh or moderate E winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 12th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th March 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.	13th March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	.
Nemuro,	„	29.76	..	..	N	6	..	6 a.	29.89	.	...	...	0	..
Hakodate,	„	29.81	..	..	N	2	..	„	29.89	...	..	...	0	..
Tokio,	„	29.74	..	...	NW	3	..	„	30.02	..	...	W	4	..
Kochi	„	29.99	...	...	NE	2	..	„	30.11	...	...	SW	4	..
Nagasaki,	„	...	..	...	.	...	..	„	30.15	...	...	..	0	..
Kagoshima,	„	30.07	...		NW	6	..	„	30.11	..	...	..	0	..
Oshima,	„	30.08	..	...	N	6	..	„	30.12	...	...	S	2	..
Naha.	„	30.13	...	...	N	4	..	„	30.13	..	...	...	0	..
Ishigakijima,	„	30.17	...	..	NE	4	..	„	30.09	..	..	N	3	..
Taihoku,	1 p.	30.15	..	...	N	8	..	5 a.	30.09	..	..	..	0	..
Taichu,	„	30.00	...	..	N	4	..	„	30.10	..	..	..	0	..
Tainan,	„	30.15	..	..	N	6	..	„	30.04	..	...	...	0	..
Koshun,	„	30.09	..	..	NE	6	..	„	30.07	...	..	NE	2	..
Pescadores,	„	30.15	..	...	N	8	..	„	30.09	...	...	NE	4	..
Weihaiwei,	3 p.	30.63	59	...	SE	3	c	9 a.	...	..	...	..	..	..
Gutzlaff,	„	30.21	53	89	SSE	2	cm	„	30.22	47	77	SE	3	hr
Sharp Peak,	„	30.09	58	81	ENE	4	c	„	30.16	55	87	...	0	og
Amoy,	„	29.10	62	77	E	2	c	6 30 a.	30.06	56	94	SE	2	or
Swatow,	„	30.04	61	71	E	1	o	9 a.	30.08	56	87	NE	1	o
Canton,	„	30.10	63	78	..	0	o	„	...	...	..	..	..	..
Hongkong,	4 p.	30.09	59	81	E	2	o	10 a.	30.12	59	87	E	2	o
Victoria Peak,	„	...	..	...	..	...	..	„	...	..	..	.	...	..
Gap Rock,	„	30.05	...	..	ENE	4	..	„	30.12	...	..	E	4	..
Macao,	„	30.06	60	...	ESE	1	o	„	30.09	60	..	E	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	86	53	ENE	1	o	„	30.04	79	76	N	1	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	h
Iloilo,	„	29.89	88	...	NE	3	h	„	29.98	83	..	NE	3	e
Cebu,	„	29.91	85	..	NE	3	b	„	29.92	85	...	N	3	e
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 13th at 11. 30a. The barometer has fallen over China, and risen in S. Japan.
Pressure is highest over the Yellow Sea, and a shallow area of low pressure appears to be situated over Central China.
Gradients are slight generally, and moderate to light E and SE winds may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate E winds; cloudy, some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory Tuesday 13th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th March 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind Direction	Wind Force	Weather	14th March 1906, A. M. Hour.	Barometer	Temperature	Humidity	Wind Direction	Wind Force	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	.
Nemuro,	„	29.76	.	..	SE	4	..	6 a.	29.81	..	...	...	0	..
Hakodate,	„	29.81	..	..	W	6	..	„	29.86	...	..	SW	2	..
Tokio,	„	29.94	..	...	SE	4	..	„	29.94	..	...	W	4	..
Kochi	„	30.03	...	...	SE	4	..	„	29.96	...	...	SW	2	..
Nagasaki,	„	30.07	.	...	NW	6	..	„	29.94	...	...	..	0	..
Kagoshima,	„	30.11	...		SE	2	..	„	30.08	..	...	..	0	..
Oshima,	„	30.08	..	...	N	4	..	„	30.00	...	...	S	2	..
Naha.	„	30.05	...	...	NW	4	..	„	30.01	..	...	...	0	..
Ishigakijima,	„	30.09	...	..	SE	4	..	„	30.01	..	..	S	4	..
Taihoku,	1 p.	30.06	..	...	W	2	..	5 a.	30.01	..	..	..	0	..
Taichu,	„	30.07	...	..	...	0	..	„	30.03	..	..	..	0	..
Tainan,	„	30.06	.	..	N	2	..	„	30.02	..	...	NE	2	..
Koshun,	„	30.04	..	..	E	2	..	„	29.97	...	..	...	0	..
Pescadores,	„	30.07	..	...	NE	4	..	„	30.02	...	...	NE	6	..
Weihaiwei,	3 p.	30.09	49	...	WNW	2	c	9 a.	30.07	47	...	N	1	b
Gutzlaff,	„	30.14	53	79	SSE	1	ov	„	30.19	48	85	N	0	cur
Sharp Peak,	„	30.07	55	84	NE	1	o	„	30.15	57	87	...	0	o.n
Amoy,	„	29.94	59	88	E	1	or	6 30 a.	30.11	55	94	S	1	f
Swatow,	„	30.03	63	78	E	1	dh	9 a.	29.99	58	94	NE	1	o
Canton,	„	30.07	64	94	NW	2	or	„	30.15	61	94	NW	1	o
Hongkong,	4 p.	30.09	64	82	E	4	o	10 a.	30.12	65	83	W	1	o
Victoria Peak,	„	...	..	...	..	...	..	„	...	..	..	.	...	..
Gap Rock,	„	29.98	...	..	NE	4	..	„	30.10	...	..	N	3	..
Macao,	„	30.00	64	...	..	0	..	„	30.09	62	..	N	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.92	83	54	SE	2	c	„	30.04	82	63	WNW	1	b
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	N	2	b
Iloilo,	„	29.87	89	...	NE	1	b	„	29.97	83	..	NE	1	b
Cebu,	„	29.91	86	..	N	2	b	„	30.05	86	...	N	2	b
Cape St. James,	4 p.	29.93	84	..	..	0	c	10 a.	...	...	...	...	..	...

On the 14th at 12, 10p. The barometer has fallen over S. Japan, the Loochoos and Formosa.
The shallow area of low pressure is now in the neighbourhood of SW. Japan. The highest pressure is over Central China.
Gradients are slight generally, and moderate N and NE winds may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate N winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 14th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

14th March 1906, P. M								15th March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.80	..	..	S	6	..	6 a.	29.57	..	...	SE	8	..
Hakodate,	"	29.77	..	..	S	4	..	"	29.89	...	..	SW	6	..
Tokio,	"	29.78	..	...	S	6	..	"	29.63	..	...	W	2	..
Kochi	"	29.87	...	...	SE	2	..	"	29.87	...	...	NW	2	..
Nagasaki,	"	29.95	..	...	NW	8	..	"	30.07	...	...	N	6	..
Kagoshima,	"	29.95	...		NW	6	..	"	30.03	..	...	NW	6	..
Oshima,	"	30.00	..	...	N	4	..	"	30.04	...	...	N	6	..
Naha.	"	..	...	...	..	...	..	"	30.05	..	...	N	6	..
Ishigakijima,	"	29.97	...	..	SW	4	..	"	30.00	..	..	NE	4	..
Taihoku,	1 p.	30.09	..	...	NW	2	..	5 a.	30.14	..	..	E	4	..
Taichu,	"	30.03	...	..	N	4	..	"	30.05	..	..	..	0	..
Tainan,	"	30.04	..	..	N	6	..	"	30.08	..	...	N	2	..
Koshun,	"	29.95	..	..	NW	8	..	"	30.04	...	..	N	6	..
Pescadores,	"	30.06	..	...	NE	6	..	"	30.09	...	...	NE	6	..
Weihaiwei,	3 p.	30.03	45	...	NW	2	b	9 a.	30.23	40	...	WNW	2	b
Gutzlaff,	"	30.06	47	85	NW	1	c.m	"	30.28	50	86	SE	3	bm
Sharp Peak,	"	30.11	57	84	...	0	o	"	30.15	55	73	N	1	b
Amoy,	"	30.00	58	94	ENE	2	o	6 30 a.	...	..	...	..	..	..
Swatow,	"	30.02	61	88	E	1	c	9 a.	30.07	57	81	NNE	1	c
Canton,	"	30.07	67	89	NW	1	b	"	..	..	..	..	..	...
Hongkong,	4 p.	30.03	65	78	...	0	o	10 a.	30.10	69	72	E	4	o
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	.	...	..
Gap Rock,	"	30.04	...	..	NNW	3	..	"	30.18	...	..	ENE	4	..
Macao,	"	30.01	64	...	N	2	o	"	30.14	61	..	ESE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.88	88	54	W	1	b	"	30.04	82	70	WNW	1	b
Bacolod,	3 p.	...	..	..	NW	2	o	9 a.	...	...	..	NE	2	c
Iloilo,	"	29.89	89	...	NE	2	c	"	29.95	83	..	NE	3	b
Cebu,	"	29.91	86	..	N	2	b	"	29.92	85	...	N	1	c
Cape St. James,	4 p.	..	...	..	..	...	..	10 a.	...	...	...	...	..	...

On the 15th at 11. 50a. The barometer has fallen over E. Japan, and risen in China.
The depression is moving towards NE over NE Japan. Pressure is highest over the E. coast of China.
Gradients continue slight, and moderate to fresh NE winds may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate NE winds; fair, cloudy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 15th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	16th March 1906, A. M. Hour	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	.	.	7 a.	..	..	..	...	..	..
Nemuro,	"	28.37	.	..	W	4	..	6 a.	29.29	.	...	NW	4	..
Hakodate,	"	29.46	..	..	SW	6	.	"	29.23	...	..	SW	4	..
Tokio,	"	29.55	..	...	NW	6	..	"	29.71	..	...	SW	2	..
Kochi	"	29.83	...	...	W	8	..	"	29.99	...	...	W	3	..
Nagasaki,	"	30.07	.	...	N	10	..	"	30.15	...	...	N	6	..
Kagoshima,	"	30.03	...		N	8	..	"	30.11	..	...	NW	6	..
Oshima,	"	30.08	..	...	N	6	..	"	30.16	...	...	N	6	..
Naha,	"	30.13	...	...	N	6	..	"	.	..	...	E	4	..
Ishigakijima,	"	30.13	...	..	NE	6	..	"	29.97	..	..	NE	4	..
Taihoku,	1 p.	30.18	..	...	E	6	..	5 a.	30.14	..	..	NE	6	..
Taichu,	"	30.08	...	..	E	8	..	"	30.09	..	..	..	0	..
Tainan,	"	30.09	..	..	SW	2	..	"	30.10	..	...	..	0	..
Koshun,	"	30.08	..	..	NE	8	..	"	30.09	...	..	NE	8	..
Pescadores,	"	30.11	..	...	NE	8	..	"	30.11	...	...	NE	6	..
Weihaiwei,	3 p.	30.17	49	...	WNW	3	c	9 a.	30.17	49	...	WNW	2	b
Gutzlaff,	"	30.22	54	74	SS	3	h n	"	30.35	50	79	SE	3	cr
Sharp Peak,	"	30.20	60	73	E	3	b	"	30.26	58	67	...	0	o
Amoy,	"	30.06	67	69	NE	2	b	6 30 a.	30.11	55	87	NW	2	o
Swatow,	"	30.01	64	63	E	2	c	9 a.	..	..	..	..	..	...
Canton,	"	30.14	64	78	NW	1	o	"	30.18	60	82	N	1	o
Hongkong,	4 p.	30.12	61	72	E	3	o	10 a.	30.18	60	58	E	5	o
Victoria Peak,	"	...	..	...	.	...	..	"	...	..	..	.	...	..
Gap Rock,	"	30.08	...	..	ENE	4	..	"	30.13	...	..	ENE	5	..
Macao,	"	30.09	62	...	...	0	o	"	30.14	61	..	N	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.92	83	54	NE	1	b	"	30.04	84	58	NNE	0	c
Bacolod,	3 p.	...	..	..	NE	3	h	9 a.	...	...	..	NE	3	b
Iloilo,	"	29.91	89	...	NE	3	c	"	29.97	83	..	NE	1	d
Cebu,	"	29.99	87	..	N	3	b	"	29.99	85	...	N	3	b
Cape St. James,	4 p	29.90	82	..	NE	3	f	10 a.	...	...	...	...	..	...

On the 16th at 12. 0p. The barometer has risen over S. Japan, the Loochoos and the E. coast of China. Pressure is highest over the E. coast of China and the depression is still shown to the NE of Japan. Gradients are slight to moderate on the China coast, and fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh E winds; fair, cloudy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 16th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	17th March 1906, A. M. Hour	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p		...	...	.	..	..	7 a.	.	..	...	...	..	.
Nemuro,	„	29.35	.	..	N	2	..	6 a.	29.51	.	...	NE	6	..
Hakodate,	„	29.46	..	..	NW	6	..	„	29.35	...	..	SW	6	..
Tokio,	„	29.71	..	...	NW	6	..	„	30.06	.	...	W	4	..
Kochi	„	30.24	...	...	N	2	..	„	30.19	...	...	SW	2	..
Nagasaki,	„	30.19	.	...	NW	8	..	„	30.19	...	...	SE	2	..
Kagoshima,	„	30.15	...		NW	6	..	„	30.19	..	...	NE	2	..
Oshima,	„	30.20	..	...	N	8	..	„	30.20	...	...	S	2	..
Naha,	„	30.21	...	...	N	6	..	„	30.21	..	...	..	0	..
Ishigakijima,	„	30.21	...	..	E	6	..	„	30.13	..	..	SE	6	..
Taihoku,	1 p.	30.15	..	...	E	6	..	5 a.	30.03	..	..	..	0	..
Taicha,	„	30.12	...	..	...	0	..	„	30.03	..	..	..	0	..
Tainan,	„	30.15	..	..	NE	2	..	„	30.08	..	...	NE	4	..
Koshun,	„	30.10	..	..	NE	10	..	„	30.07	...	..	NE	4	..
Pescadores,	„	30.11	..	...	N	6	..	„	30.05	...	...	N	4	..
Weihaiwei,	3 p.	30.09	60	...	WSW	2	b	9 a.	29.87	55	...	WSW	...	b
Gutzlaff,	„	30.20	52	73	SE	3	cv	„	30.16	49	78	S	4	ov
Sharp Peak,	„	30.18	50	73	E	2	o	„	30.13	50	76	....	0	o
Amoy,	„	30.07	58	94	WNW	2	or	6 30 a.	30.01	56	94	W	2	o
Swatow,	„	30.11	57	.	ENE	2	o	9 a.	30.06	57	87	N	1	o
Canton,	„	30.00	63	78	E	1	c	„	30.12	59	94	..	0	o
Hongkong,	4 p	30.07	61	54	E	5	o	10 a.	30.10	59	93	E	4	o
Victoria Peak,	„	...	..	...	.	...	..	„	...	..	..	..	...	..
Gap Rock,	„	30.05	...	..	ENE	5	..	„	...	...	..	..	..	..
Macao,	„	30.08	61	...	...	0	o	„	30.07	59	..	N	1	o
Haiphong,	„	...	...	.	..	...	..	„	..	.	..	..	..	..
Manila,	„	29.92	88	59	E	3	b	„	30.00	86	58	...	0	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	4	b
Iloilo,	„	29.87	88	...	NE	4	b	„	29.95	83	..	NE	3	o
Cebu,	„	29.90	83	..	N	2	b	„	29.83	84	...	NE.	..	o
Cape St. James,	4 p.	29.83	81	..	NE	4	c	10 a.	...	...	...	...	..	...

On the 17th at 12. 5p. The barometer has risen over Japan, and fallen over China, particularly in the North.

A depression, which is probably moving Eastwards, has appeared over Manchuria, and the highest pressure is now found over the Pacific in the neighbourhood of the Loochoos.

Gradients are gentle over S. China, and moderate variable winds may be expected in the Formosa Channel, and moderate E. winds over the N. part of the China Sea.

Forecast:— moderate E winds; cloudy misty.

F. G. FIGG.
First Assistant

Hongkong Observatory Saturday 17th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

17th March 1906, P. M								18th March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	.
Nemuro, ...	,,	29.69	..	..	W	4	..	6 a.	...	..	...	..	..	..
Hakodate, ...	,,	29.97	..	..	SW	8	..	,,	..	...	..	..	..	..
Tokio, ...	,,	30.02	..	...	S	6	..	,,	..	.	...	..	...	..
Kochi	,,	30.07	...	...	SE	2	..	,,	..	...	...	..	..	..
Nagasaki, ...	,,	30.11	..	...	W	4	..	,,	..	...	...	..	..	..
Kagoshima, ...	,,	30.11	...		SW	4	..	,,	...	..	...	...	..	..
Oshima, ...	,,	30.12	..	...	N	2	..	,,	..	...	...	..	...	..
Naha, ...	,,	30.13	...	...	SE	4	..	,,	..	..	...	..	..	..
Ishigakijima, .	,,	30.09	...	..	S	6	..	,,	..	..	..	..	...	..
Taihoku, ...	1 p.	30.05	..	...	...	0	..	5 a.	29.97	..	..	..	0	..
Taichu, ...	,,	30.04	...	..	W	2	..	,,	29.96	..	..	N	2	..
Tainan, ...	,,	30.03	..	..	N	2	..	,,	29.94	..	...	N	4	..
Koshun, ...	,,	30.00	..	..	SE	2	..	,,	29.92	...	..	SE	4	..
Pescadores, ...	,,	30.02	..	...	NE	6	..	,,	29.93	...	...	NE	4	..
Weihaiwei, ...	3 p.	29.72	57	...	SW	6	b	9 a.	29.62	60	...	WNW	3	c
Gutzlaff, ...	,,	30.06	51	79	SSE	4	ov	,,	30.01	52	86	W	3	bm
Sharp Peak, ...	,,	29.97	60	82	E	2	o	,,	29.96	59	91	...	0	fw
Amoy, ...	,,	29.92	57	100	SE	1	or	6 30 a.	29.85	59	100	SE	2	or
Swatow, ...	,,	29.96	66	88	E	1	o	9 a.	...	..	...	...	...	...
Canton, ...	,,	29.96	69	94	N	1	or	,,	29.98	62	100	..	0	f
Hongkong, ...	4 p.	29.94	64	90	E	4	o	10 a.	29.97	65	91	E	2	of
Victoria Peak,	,,	...	..	...	..	...	..	,,	...	..	..	..	...	..
Gap Rock, ...	,,	.	...	..	...	..	..	,,	...	...	..	..	..	..
Macao, ...	,,	...	..	...	...	..	...	,,	29.97	64	..	..	0	of
Haiphong, ...	,,	...	...	.	..	...	..	,,	..	..	..	..	..	..
Manila, ...	,,	29.88	90	48	ESE	4	c	,,	29.96	81	69	NW	1	b
Bacolod, ...	3 p.	...	..	..	NE	4	b	9 a.	...	...	..	NE	3	b
Iloilo, ...	,,	29.83	88	...	NE	1	c	,,	29.89	83	..	NE	1	c
Cebu, ...	,,	29.87	87	..	N	2	b	,,	29.92	85	...	N	2	c
Cape St. James,	4 p.	29.67	...	..	ENE	4	f	10 a.	...	...	...	...	..	...

On the 18th at 12. 5p. The barometer has continued to fall over China.
The depression is now situated to the North of Korea. It continues to move towards East.
Gradients are gentle over S. China and the China Sea, where light variable winds may be expected with foggy weather along the coast.
Forecast:— variable winds, light; cloudy foggy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 18th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

18th March 1906, P. M								19th March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	..	..	..	7 a.	..	..	..	...	..	.
Nemuro,	,,	...	..	..	SW	6	..	6 a.	29.80	..	...	NE	2	..
Hakodate,	,,	29.77	..	..	SW	8	..	,,	29.81	...	..	..	0	..
Tokio,	,,	29.90	..	...	SW	8	..	,,	29.86	..	...	W	2	..
Kochi	,,	29.99	...	...	SE	4	..	,,	29.93	...	...	SW	2	..
Nagasaki,	,,	29.87	..	...	E	4	..	,,	29.95	...	...	SE	2	..
Kagoshima	,,	29.83	...		E	4	..	,,	29.95	..	...	NW	4	..
Oshima,	,,	29.88	..	...	S	6	..	,,	29.93	...	...	NW	2	..
Naha,	,,	29.97	...	...	W	2	..	,,	29.93	..	...	..	0	..
Ishigakijima,	,,	29.89	...	..	N	6	..	,,	29.93	..	..	NE	2	..
Taihoku,	1 p.	29.93	..	...	W	2	..	5 a.	29.91	..	..	..	0	..
Taichu,	,,	29.93	...	..	...	0	..	,,	29.94	..	..	...	0	..
Tainan,	,,	29.91	..	..	N	2	..	,,	29.93	..	...	N	2	..
Koshun,	,,	29.89	..	..	NW	6	..	,,	29.90	...	..	...	0	..
Pescadores,	,,	29.92	..	...	E	6	..	,,	29.92	...	...	N	2	..
Weihaiwei,	3 p.	29.72	43	...	NW	5	c	9 a.	29.73	55	...	SE	3	b
Gutzlaff,	,,	29.95	61	66	SW	2	bv	,,	30.04	49	100	SSE	5	f
Sharp Peak,	,,	29.88	61	91	...	0	o	,,	29.98	60	88	...	0	o
Amoy,	,,	29.84	63	94	SE	2	c	6 30 a.	29.99	62	100	..	0	f
Swatow,	,,	29.99	65	89	E	1	o	9 a.	29.98	64	95	E	1	f
Canton,	,,	29.88	66	95	E	1	or	,,	29.93	63	95	..	0	or
Hongkong,	4 p	29.88	66	94	ENE	2	of	10 a.	29.96	69	95	E	3	of
Victoria Peak,	,,	...	..	...	..	...	..	,,	...	..	..	..	...	..
Gap Rock,	,,	.	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	29.85	65	...	...	0	of	,,	29.93	66	..	..	0	ofd
Haiphong,	,,	...	...	.	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.86	90	48	SE	3	b	,,	29.96	82	70	SW	1	b
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	,,	29.76	87	...	NE	2	b	,,	29.91	83	..	NE	1	od
Cebu,	,,	29.90	87	..	N	3	c	,,	29.99	85	...	N	1	c
Cape St. James,	4 p.	...	...	..	..	...	...	10 a.	...	...	...	...	..	...

On the 19th at 12. 5p. The barometer has fallen over SE Japan, and risen over N. China.
Pressure continues in defect over China and lowest in N. China.
Gradients remain gentle and light variable winds are indicated in the Formosa Channel and the N. part of the China Sea, accompanied by foggy weather along the coast.
Forecast:— SE or variable winds, light; cloudy, foggy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 19th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

19th March 1906, P. M								20th March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wei-hai-wei,	2 p.		...	...	.	.	..	7 a.	.	..	..	...	...	.
Nagasaki,	"	29.76	..	..	SE	4	..	6 a.	29.85	.	...	SW	6	.
Hakodate,	"	29.77	..	..	SW	4	..	"	29.73	...	..	SW	8	..
Tokio,	"	29.82	..	...	NE	4	..	"	29.93	.	...	W	2	.
Kochi	"	29.91	...	...	E	4	..	"	30.03	...	...	W	4	..
Nagasaki,	"	29.99	.	...	W	4	..	"	29.99	...	...	SE	4	..
Kagoshima,	"	29.95	...		SE	4	..	"	30.03	..	...	...	0	..
Okinawa,	"	30.01	..	...	N	6	..	"	30.00	...	...	S	2	..
Naha,	"	29.97	...	...	N	2	..	"	29.97	..	...	SE	2	..
Ishigakijima,	"	29.93	...	..	E	6	..	"	29.93	..	..	SW	4	..
Taihoku,	1 p.	29.93	..	...	...	0	..	5 a.	29.92	..	..	..	0	..
Tainan,	"	29.94	...	..	SW	4	..	"	29.95	..	..	...	0	..
Taiwan,	"	29.95	..	.	N	4	..	"	29.95	..	...	E	2	..
Koshun,	"	29.97	..	..	W	2	..	"	29.93	...	..	..	0	..
Pescadores,	"	29.94	..	...	SE	6	..	"	29.93	...	...	S	2	..
Weihaiwei,	3 p.	29.79	54	...	NNE	...	c	9 a.	29.85	80	...	ENE	...	c
Gutzlaff,	"	29.93	52	93	SE	6	f	"	29.95	63	100	S	4	cm
Shiao Peak,	"	29.89	68	92	...	0	f	"	29.89	63	94	...	0	b
Amoy,	"	29.85	64	100	SE	2	o	6 30 a	29.85	64	100	..	0	f
Swatow,	"	29.87	74	83	N	2	c	9 a.	29.89	63	95	N	1	f
Canton,	"	29.85	73	90	E	2	c	"	29.95	71	95	..	0	f
Hongkong,	4 p	29.88	76	78	S	2	of	10 a.	30.00	73	90	S	1	of
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	..	...	..
Gap Rock,	"		...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.85	72	...	SSE	2	o	"	29.97	70	..	S	1	o
Haiphong,	"	...	...	.	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.84	91	49	E	4	b	"	30.00	84	71	ENE	1	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.83	90	...	NE	2	b	"	29.97	83	..	NE	2	b
Cebu,	"	29.86	88	..	N	2	b	"	29.97	85	...	N	2	b
Cape St. James,	4 p	...	...	..	..	...	...	10 a.	...	...	...	...	..	...

On the 20th at 12. 15p. The barometer has fallen over NE Japan and the E. coast of China, and risen elsewhere.

Pressure is highest over the Pacific to the E. of the Loochoos, and low areas are lying to the N. of Japan and over the E. coast of China.

Gradients continue slight in the South, and light or moderate SE and S winds may be expected in the Formosa Channel and the N. part of the China Sea, accompanied by fog along the coast.

Forecast:— S winds, light or moderate; foggy, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 20th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

20th March 1906, P. M								21st March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	...	..	..	..	...	..	6 a.	..	..	...	..	..	..
Hakodate,	,,	29.89	..	..	SW	6	..	,,	...	...	..	..	..	..
Tokio,	,,	29.96	..	...	S	6	..	,,	..	..	...	..	..	..
Kochi	,,	29.95	...	...	SE	4	..	,,	..	...	...	..	..	..
Nagasaki,	,,	29.83	..	...	S	2	..	,,	..	...	...	..	..	..
Kagoshima,	,,	29.91	...		...	0	..	,,	..	..	...	...	..	..
Oshima,	,,	29.88	..	...	SE	6	..	,,	..	...	...	..	..	..
Naha,	,,	29.91	...	...	S	6	..	,,	...	..	...	...	..	..
Ishigakijima,	,,	29.93	...	..	SW	6	..	,,	..	..	..	...	..	..
Taihoku,	1 p.	29.85	..	..	NW	2	..	5 a.	29.81	..	..	S	2	..
Taichu,	,,	29.94	...	..	SW	6	..	,,	29.94	..	..	...	0	..
Tainan,	,,	29.97	..	..	SW	4	..	,,	29.93	..	...	E	2	..
Koshun,	,,	29.90	..	..	NE	6	..	,,	29.90	...	..	NE	6	..
Pescadores,	,,	29.95	..	...	S	6	..	,,	29.87	...	...	S	6	..
Weihaiwei,	3 p.	29.85	42	...	NNE	3	c	9 a.	...	...	...	...	...	..
Gutzlaff,	,,	29.82	69	100	WSW	2	omf	,,	29.11	43	92	N	5	omf
Sharp Peak,	,,	29.77	69	95	SSE	3	o	,,	29.89	65	95	...	0	f
Amoy,	,,	29.79	73	90	SE	2	b	6 30 a.	29.79	66	90	SW	2	c
Swatow,	,,	29.86	79	78	SW	2	c	9 a.	29.87	70	95	N	1	c
Canton,	,,	29.85	81	83	SE	2	c	,,	29.93	73	95	E	1	c
Hongkong,	4 p	29.90	77	81	S	1	of	10 a	29.99	76	87	NW	1	of
Victoria Peak,	,,	...	..	...	..	...	..	,,	...	..	..	..	...	..
Gap Rock,	,,	.	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	29.87	79	...	SSE	1	c	,,	29.95	70	..	..	0	of
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.84	90	57	ESE	3	b	,,	30.03	90	44	ENE	1	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	3	b
Iloilo,	,,	..	90	...	NE	3	b	,,	29.93	85	..	NE	2	b
Cebu,	,,	29.88	88	..	N	2	b	,,	29.91	86	...	N	2	c
Cape St. James,	4 p.	...	...	..	..	...	...	10 a.	...	...	...	...	..	...

On the 21st at 12. 15p. The barometer has risen quickly over the E. coast of China, the depression having moved Eastwards into the Yellow Sea last evening.

Pressure now appears to be relatively high over N. China.

Strong NE winds will probably set in again over the Formosa Channel during the next 24 hours. Light to moderate variable winds are indicated over the China Sea. The fog along the coast will probably disappear by tomorrow.

Forecast:— variable winds, light to moderate; foggy, some rain.

The returns from Japan are lacking.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 21st March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

21st March 1906, P. M								22nd March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p		...	...	..	..	..	7 a.	.	..	..	...	..	..
Nemuro,	"	30.00	..	..	NE	6	..	6 a.	29.65	.	...	NW	2	..
Hakodate,	"	29.66	..	..	NW	6	..	"	29.77	...	..	W	6	..
Tokio,	"	29.52	..	...	S	2	..	"	29.86	..	...	N	6	..
Kochi	"	29.72	...	...	E	2	..	"	29.99	...	...	SW	4	..
Nagasaki,	"	29.87	..	...	N	6	..	"	30.11	...	...	N	6	..
Kagoshima,	"	29.83	...		NW	4	..	"	30.07	..	...	...	0	..
Oshima,	"	29.80	..	...	...	0	..	"	30.04	...	...	N	6	..
Naha.	"	29.89	...	...	SW	6	..	"	30.05	..	...	NE	4	..
Ishigakijima,	"	29.89	...	..	S	6	..	"	30.02	..	...	NE	4	..
Taihoku,	1 p.	29.87	..	...	W	8	..	5 a.	30.10	..	..	NE	6	..
Taichu,	"	29.93	...	..	S	6	..	"	30.01	..	..	N	4	..
Tainan,	"	29.98	..	..	W	4	..	"	30.00	..	...	N	4	..
Koshun,	"	29.93	..	..	NW	6	..	"	29.97	...	..	NE	6	..
Pescadores,	"	29.94	..	...	S	6	..	"	30.00	...	...	NE	10	..
Weihaiwei,	3 p.	30.28	35	...	WNW	4	b	9 a.	30.22	34	...	SE	2	b
Gutzlaff,	"	30.19	48	78	NNE	6	om	"	30.22	45	76	ENE	3	cv
Sharp Peak,	"	29.93	67	87	NE	5	o	"	29.22	57	81	NE	4	og
Amoy,	"	29.79	79	74	SE	2	b	6 30 a.	...	..	..	..	..	..
Swatow,	"	29.84	85	72	E	1	b	9 a.	29.93	61	88	NE	3	o
Canton,	"	29.38	80	82	NE	1	c	"	30.03	73	95	E	1	f
Hongkong.	4 p.	29.90	75	90	NW	1	of	10 a.	30.07	62	93	E	5	od
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	..	...	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.89	74	...	...	0	..	"	30.00	71	..	..	0	of
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	...	..	..
Manila,	"	29.88	93	61	SE	2	b	"	30.00	86	59	W	2	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	N	2	b
Iloilo,	"	29.83	90	...	NE	2	c	"	29.93	..	..	NE	2	c
Cebu,	"	29.86	88	..	N	3	b	"	29.96	86	...	N	2	c
Cape St. James,	4 p.	...	...	..	..	...	...	10 a.	...	...	...	...	..	...

On the 22nd at 12. 5p. The barometer has risen over China and S. Japan, and fallen over NE Japan. The depression has moved into the Pacific to the E. of Japan. Pressure is highest over the E. coast of China.

Strong NE winds may be expected in the Formosa Channel, and over the N. part of the China Sea.
Forecast:— fresh or strong E winds; cloudy, drizzling rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 22nd March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

22nd March 1906, P. M								23rd March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	.	7 a.	.	..	..	...	..	..
Nemuro,	"	29.57	..	..	N	4	..	6 a.	..	.	...	...	..	..
Hakodate,	"	29.85	..	..	W	6	..	"	...	..	..	...	..	..
Tokio,	"	29.94	..	...	N	2	..	"	..	.	...	...	..	..
Kochi	"	29.90	...	...	E	2	..	"	...	..	...	..	...	..
Nagasaki,	"	30.11	..	...	N	4	..	"	...	...	...	..	...	..
Kagoshima,	"	30.07	...		NW	2	..	"	..	.	...	...	..	..
Oshima,	"	30.03	..	...	N	2	..	"	..	...	...	...	..	..
Naha.	"	30.09	...	...	NE	4	..	"	..	.	...	..	...	..
Ishigakijima.	"	30.05	...	..	E	6	..	"	..	..	..	..	..	..
Taihoku,	1 p.	30.05	..	...	E	6	..	5 a.	29.94	..	..	...	0	..
Taichu,	"	30.04	...	..	N	2	..	"	29.94	..	..	..	0	..
Tainan,	"	30.00	..	..	N	4	..	"	29.94	..	...	NE	2	..
Koshun,	"	30.03	..	..	NE	6	..	"	29.94	...	..	E	4	..
Pescadores,	"	30.04	..	...	NE	8	..	"	29.95	...	...	NE	2	..
Weihaiwei,	3 p.	30.11	37	...	SE	4	c	9 a.	29.94	58	...	SE	1	c
Gutzlaff,	"	30.13	59	65	SE	3	cv	"	29.94	55	80	S	4	cv
Sharp Peak,	"	30.07	59	76	N	2	05	"	29.93	61	85	E	2	b
Amoy,	"	29.92	68	83	ENE	2	o	6 30 a.	29.91	55	94	SE	2	or
Swatow,	"	30.00	63	74	E	3	o	9 a.	..	53	91	N	1	o
Canton,	"	29.92	74	86	E	2	c	"	..	...	..	..	..	...
Hongkong.	4 p.	29.97	62	90	E	5	o1	10 a	30.01	61	95	E	4	o
Victoria Peak,	"	...	..	...	..	...	..	"	...	.	..	..	...	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.91	64	...	E	2	c	"	29.97	65	..	SE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.84	60	55	SE	4	b	"	29.93	83	59	ESE	3	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NW	2	b
Iloilo,	"	29.83	81	...	NE	2	b	"	29.93	81	..	NE	1	c
Cebu,	"	29.86	83	..	N	2	b	"	29.90	85	...	N	2	o
Cape St. James,	4 p.	29.87	84	..	ENE	2	c	10 a.	...	...	...	...	..	...

On the 23rd at 12. 15p. The barometer has fallen rapidly over the E. coast of China, owing to the approach of a new depression from the Westward.
Probably pressure is highest over S. Japan.
Gradients are slight over S. China, and light SE and S winds may be expected in the Formosa Channel and the N. part of the China Sea, with fog along the coast.
Forecast:— light or moderate E to S winds; foggy, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 23rd March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	24th March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	..	..	..	..	...	..	6 a.	..	..	...	...	..	..
Hakodare,	"	..	..	..	..	..	..	"	...	...	..	...	..	..
Tokio,	"	...	..	...	..	...	..	"	..	..	...	...	..	..
Kochi	"	..	...	...	..	..	..	"	...	...	...	..	...	..
Nagasaki,	"	..	..	...	..	..	..	"	...	...	...	..	...	..
Kagoshima,	"	...	...		..	..	..	"	..	..	...	...	..	..
Oshima,	"	..	..	...	...	..	..	"	...	...	...	...	...	..
Naha.	"	...	...	...	...	...	..	"	..	..	...	..	...	..
Ishigakijima,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Taihoku,	1 p.	29.89	..	...	..	0	..	5 a.	29.89	..	..	SE	2	..
Taichu,	"	29.93	...	..	S	4	..	"	29.91	..	..	..	0	..
Tainan,	"	29.95	..	..	W	4	..	"	29.90	..	...	SE	2	..
Koshun.	"	29.92	..	..	S	2	..	"	29.89	...	..	W	4	..
Pescadores,	"	29.94	..	...	SW	4	..	"	29.88	...	...	SW	4	..
Weihaiwei,	3 p.	29.83	43	...	ENE	3	c	9 a.	..	...	...	..	..	...
Gutzlaff,	"	29.89	53	93	NNE	1	m	"	..	...	...	..	..	..
Sharp Peak,	"	29.77	65	89	...	0	b	"	30.03	60	85	NE	6	og
Amoy,	"	29.69	73	81	SE	3	c	6 30a.	29.81	65	95	SE	1	f
Swatow,	"	29.87	71	76	E	1	c	9 a.	..	..	..	..	..	...
Canton,	"	29.85	72	90	E	1	o	"	..	...	..	..	..	...
Hongkong,	4 p.	29.88	65	95	E	3	of	10 a.	29.97	70	96	E	2	of
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	..	...	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.85	66	...	SSE	1	c	"	29.93	69	..	SE	1	of
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	91	60	SE	3	b	"	30.00	91	73	NW	2	b
Bacolod,	3 p.	...	..	..	N	4	b	9 a.	...	...	..	NE	2	c
Iloilo,	"	29.83	90	...	NE	1	b	"	29.93	83	..	N	3	c
Cebu,	"	..	86	..	N	2	b	"	29.88	86	...	N	2	b
Cape St. James,	4 p	..	..	..	..	..	...	10 a.	...	...	...	...	..	...

On the 24th at 12. 15p. The barometer has risen at Sharp Peak, and fallen slightly on the S. coast Returns from N. China and Japan are lacking, but probably the depression noted yesterday has reached W. Japan, and a rapid increase of pressure may have taken place over N. China.

Strong NE winds may be expected in the Formosa Channel, and E winds over the N. part of the China Sea.

Forecast:— E winds, freshening; foggy, some drizzling rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 24th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

24th March 1906, P. M								25th March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock, ..	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	„	29.76	..	..	SE	6	..	6 a.	..	..	...	...	..	..
Hakodate, ...	„	29.50	..	..	NW	6	..	„	...	...	..	...	..	..
Tokio, ...	„	29.55	..	...	NW	6	..	„	..	..	...	...	..	..
Kochi	„	29.68	...	...	W	2	..	„	...	...	...	..	...	..
Nagasaki, ...	„	29.87	..	...	W	8	..	„	...	...	...	..	...	..
Kagoshima, ...	„	29.87	...		NW	6	..	„	..	..	...	...	..	..
Oshima, ...	„	..	..	...	...	..	..	„	...	...	...	...	...	..
Naha.	„	29.97	...	...	SW	4	..	„	..	..	...	..	...	..
Ishigakijima, ..	„	29.97	...	..	SW	2	..	„	..	..	..	..	..	..
Taihoku, ...	1 p.	30.00	..	...	E	6	..	5 a.	30.18	..	..	E	6	..
Taichu, ...	„	29.96	...	..	NW	2	..	„	30.10	..	..	..	0	..
Tainan, ...	„	29.98	..	..	W	4	..	„	30.08	..	...	N	4	—
Koshun, ...	„	29.94	..	..	NE	8	..	„	30.06	...	..	NE	6	..
Pescadores, ...	„	29.96	..	...	NW	4	..	„	30.08	...	...	NE	8	..
Weihaiwei, ...	3 p.	30.20	35	...	NW	3	b	9 a.	30.45	37	...	NNW	..	b
Gutzlaff, ...	„	30.31	42	83	N	4	om	„	30.51	44	68	NNE	5	ov
Sharp Peak, ...	„	30.06	59	79	N	5	o	„	30.31	53	83	NE	7	om
Amoy, ...	„	29.87	67	89	NE	2	o	6 30a.	30.16	52	86	NE	5	o
Swatow, ...	„	29.88	80	74	N	2	b	9 a.	30.12	57	94	NE	4	o
Canton, ...	„	29.84	80	82	SE	2	c	„	30.02	72	90	E	2	o
Hongkong, ...	4 p.	29.89	74	91	ESE	2	of	10 a.	30.13	61	96	E	5	od
Victoria Peak, .	„	...	..	...	..	...	..	„	...	..	..	..	...	..
Gap Rock, ...	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao, ...	„	29.85	74	...	SSE	1	of	„	30.05	65	..	E	3	o
Haiphong, ...	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila, ...	„	29.92	63	46	SE	3	b	„	30.16	90	44	E	2	b
Bacolod, ...	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo, ...	„	29.87	89	...	NE	2	b	„	29.99	85	..	NE	3	b
Cebu, ...	„	29.90	88	..	N	2	b	„	29.92	86	...	N	2	c
Cape St. James,	4 p.	29.90	68	..	E	1	c	10 a.	...	...	...	...	..	...

On the 25th at 12. 5p. An anticyclonic area now lies over N. China, and a rapid increase of pressure has taken place along the whole of the China coast.

Yesterday afternoon the depression was over E. Japan. Returns from thence are not to hand this morning. Gradients are steep, and strong NE winds to gales may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— E winds, strong to a moderate gale; drizzling rain at first, probably improving later.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 25th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

25th March 1906, P. M								26th March 1906. A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction	Wind Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.76	..	..	SW	6	..	6 a.	29.88	..	...	SW	4	..
Hakodate,	„	29.89	..	..	W	8	..	„	...	...	..	S	4	..
Tokio,	„	29.90	..	...	NE	4	..	„	30.22	..	...	W	4	..
Kochi	„	29.95	...	...	W	6	..	„	30.23	...	...	NW	4	..
Nagasaki,	„	30.19	..	...	N	8	..	„	30.31	...	...	NW	6	..
Kagoshima,	„	30.11	...		N	6	..	„	30.39	..	...	NE	2	..
Oshima,	„	30.16	..	...	N	8	..	„	30.36	...	...	N	4	..
Naha.	„	30.21	...	...	N	6	..	„	30.33	..	...	N	2	..
Ishigakijima,	„	30.17	...	..	NE	6	..	„	30.25	..	..	NE	6	..
Taihoku,	1 p.	30.20	..	...	E	8	..	5 a.	30.26	..	..	E	8	..
Taichu,	„	30.11	...	..	E	6	..	„	30.17	..	..	..	0	..
Tainan,	„	30.14	..	..	W	6	..	„	30.15	..	...	N	4	..
Koshun,	„	30.09	..	..	NE	10	..	„	30.12	...	..	NE	10	..
Pescadores,	„	30.13	..	...	NE	10	..	„	30.17	...	...	NE	8	..
Weihaiwei,	3 p.	30.44	37	...	NNW	4	b	9 a.	30.48	39	...	WNW	2	b
Gutzlaff,	„	30.45	44	53	NNE	4	ov	„	30.59	43	67	NE	4	ov
Sharp Peak,	„	30.26	50	93	NE	5	ow	„	30.39	49	71	NE	3	od
Amoy,	„	30.11	55	87	NE	4	o	6 30a.	30.21	51	66	NE	2	o
Swatow,	„	30.13	55	87	NE	3	o	9 a.	30.12	57	94	NE	4	o
Canton,	„	30.01	72	85	SE	2	o	„	30.28	54	94	N	2	or
Hongkong.	4 p.	30.06	61	95	E	6	od	10 a.	30.25	59	87	E	6	od
Victoria Peak,	„	...	..	...	..	...	..	„	...	..	..	..	...	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	30.00	64	...	ESE	3	o	„	30.18	62	..	ESE	2	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.96	93	40	E	3	b	„	30.08	83	59	E	1	o
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	3	od
Iloilo,	„	29.91	88	...	N	3	b	„	29.99	84	..	NE	2	c
Cebu,	„	29.90	87	..	N	3	b	„	30.02	85	...	N	2	c
Cape St. James,	4 p.	...	...	..	..	..	...	10 a.	...	...	...	...	..	...

On the 26th at 11. 55a. The barometer has risen moderately on the China coast, and considerably over Japan.

The high pressure area, which is central over N. China, has spread Eastwards over S. Japan.

Gradients are somewhat easier on the China coast, but strong NE winds must still be expected in the Formosa Channel and over the N. part of the China Sea.

Forecast:— NE winds, strong to moderate; weather improving.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 26th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

26th March 1906, P. M								27th March 1906, A. M.							
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	29.92	..	..	SW	6	..	6 a.	30.29	..	...	W	6	..
Hakodate,	,,	30.09	..	..	W	8	..	,,	30.25	...	..	W	6	..
Tokio,	,,	30.26	..	...	N	4	..	,,	30.41	..	...	NW	2	..
Kochi	,,	30.31	...	...	W	2	..	,,	30.35	...	...	SW	2	..
Nagasaki,	,,	30.35	..	...	SE	4	..	,,	30.27	...	...	W	2	..
Kagoshima,	,,	30.31	...		S	4	..	,,	30.23	..	...	E	6	..
Oshima,	,,	30.28	..	...	N	6	..	,,	30.16	...	...	SE	2	..
Naha.	,,	30.21	...	...	NE	6	..	,,	30.13	..	...	SE	4	..
Ishigakijima,	,,	30.21	...	..	NE	6	..	,,	30.09	..	..	SE	4	..
Taihoku,	4 p.	30.21	..	...	E	8	..	5 a.	30.14	..	..	SW	2	..
Taichu,	,,	30.17	...	..	N	6	..	,,	30.13	..	..	..	0	..
Tainan,	,,	30.20	..	..	NE	8	..	,,	30.12	..	...	N	4	..
Koshun,	,,	30.14	..	..	NE	10	..	,,	30.07	...	..	N	2	..
Pescadores,	,,	30.22	..	...	NE	10	..	,,	30.13	...	...	NE	6	..
Weihaiwei,	3 p.	30.38	47	...	SE	2	b	9 a.	30.23	47	...	WSW	2	b
Gutzlaff,	,,	30.51	45	84	NE	3	cv	,,	..	..	..	...	...	...
Sharp Peak,	,,	30.32	51	82	..	0	or	,,	30.17	52	86	..	0	og
Amoy,	,,	30.15	54	94	NE	2	o	6 30a.	30.10	54	94	NW	1	or
Swatow,	,,	30.22	57	84	E	3	o	9 a.	30.13	55	94	..	0	or
Canton,	,,	30.17	61	82	N	1	o	,,	30.17	53	93	N	2	or
Hongkong,	4 p.	30.11	61	83	E	3	o	10 a.	30.16	61	92	E	3	od
Victoria Peak,	,,	...	..	...	..	...	..	,,	...	..	..	..	...	..
Gap Rock,	,,	.	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	30.07	62	...	SE	1	o	,,	30.12	59	..	N	1	od
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.96	90	48	E	2	c	,,	30.09	91	37	ENE	2	c
Bacolod,	3 p.	...	..	..	NE	3	c	9 a.	...	...	..	NE	3	b
Iloilo,	,,	29.91	..	...	NE	3	o	,,	29.93	83	..	NE	3	c
Cebu,	,,	29.89	87	..	N	2	..	,,	29.92	84	...	N	3	..
Cape St. James,	4 p.	...	...	..	..	..	...	10 a.	...	...	...	...	..	...

On the 27th at 12. 5p. The barometer has risen over E. Japan, and fallen over China and the Loochoos. A depression appears to be forming over the Eastern Sea. Pressure is high over SE Japan. Gradients have decreased and are slight in S. China, and moderate NE to N winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— E to N winds, moderate; cloudy, drizzling rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 27th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	28th March 1906, A. M. Hour	Barometer	Temperature.	Humidity.	Wind. Direction	Wind. Force	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.20	..	..	SW	6	..	6 a.	30.28	..	...	SW	4	..
Hakodate,	"	30.25	..	..	SW	6	..	"	30.25	...	..	...	0	..
Tokio,	"	30.33	..	...	...	0	..	"	30.14	..	...	NW	6	..
Kochi	"	30.27	...	...	W	2	..	"	30.11	...	...	SW	2	..
Nagasaki,	"	30.15	..	...	N	4	..	"	30.15	...	...	W	10	..
Kagoshima,	"	30.11	...		E	6	..	"	30.11	..	...	N	2	..
Oshima,	"	30.08	..	...	S	4	..	"	30.12	...	...	SE	4	..
Naha.	"	30.09	...	...	S	2	..	"	30.09	..	...	NE	2	..
Ishigakijima,	"	30.09	...	..	S	4	..	"	30.05	..	..	NE	6	..
Taihoku,	1 p.	30.13	..	...	NW	2	..	5 a.	30.06	..	..	E	6	..
Taichu,	"	30.05	...	..	NW	4	..	"	30.03	..	..	..	0	..
Tainan,	"	30.05	..	..	W	4	..	"	30.02	..	...	E	4	..
Koshun,	"	30.02	..	..	E	2	..	"	30.02	...	..	E	2	..
Pescadores,	"	30.08	..	...	N	6	..	"	30.04	...	...	NE	8	..
Weihaiwei,	3 p.	30.17	52	...	NNE	1	b	9 a.	30.19	51	...	SE	2	b
Gutzlaff,	"	30.37	45	84	NNE	2	cv	"	30.29	47	85	E	4	ov
Sharp Peak,	"	30.14	52	90	NNE	3	r	"	30.17	53	86	..	0	og
Amoy,	"	30.00	57	94	..	0	or	6 30a.	30.01	55	94	NE	2	f
Swatow,	"	29.91	71	95	NE	1	o	9 a.	30.01	58	88	..	0	or
Canton,	"	30.06	57	69	N	1	o	"	30.05	56	94	NW	1	f
Hongkong,	4 p.	29.99	64	85	E	3	o	10 a.	30.05	63	93	E	4	o
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	..	...	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.98	61	...	N	5	o	"	30.01	64	..	SE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.88	90	66	E	5	b	"	30.00	86	59	NW	1	b
Bacolod,	3 p.	...	..	..	NE	4	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.83	88	...	NE	2	b	"	29.95	84	..	NE	3	c
Cebu,	"	29.88	86	..	N	3	b	"	29.96	86	...	N	2	b
Cape St. James,	4 p.	29.84	84	..	NE	4	f	10 a.	...	...	...	...	..	...

On the 28th at 12. 20p. The barometer has fallen over China and S. Japan.
Pressure is highest over NE Japan. A shallow area of low pressure lies in the S. part of the Sea of Japan, and probably a depression is forming over Central China.
Moderate NE to E winds may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate E winds; some drizzling rain, foggy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 28th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

28th March 1906, P. M								29th March 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	.
Nemuro,	„	30.20	..	..	S	6	..	6 a.	30.24	..	...	N	2	..
Hakodate,	„	30.21	..	..	SW	4	..	„	30.25	...	..	...	0	..
Tokio,	„	30.10	..	...	N	6	..	„	30.30	..	...	NW	2	..
Kochi	„	30.11	...	...	SE	2	..	„	30.11	...	...	SW	2	..
Nagasaki,	„	30.11	..	...	SE	6	..	„	29.99	...	...	SE	4	..
Kagoshima,	„	30.11	...		SE	4	..	„	29.99	..	...	NE	2	..
Oshima,	„	30.08	..	...	..	0	..	„	29.96	...	...	...	0	..
Naha.	„	...	...	...	...	..	..	„	30.01	..	...	S	2	..
Ishigakijima,	„	30.01	...	..	E	6	..	„	29.97	..	..	S	6	..
Taihoku,	1 p.	30.00	..	...	SE	2	..	5 a.	29.96	..	..	..	0	..
Taichu,	„	29.97	...	..	N	6	..	„	29.97	..	..	E	0	..
Tainan,	„	29.99	..	..	SW	4	..	„	29.95	..	...	N	2	..
Koshun,	„	29.98	..	..	E	4	..	„	29.94	...	..	..	0	..
Pescadores,	„	29.92	..	...	NE	6	..	„	29.95	...	...	NE	4	..
Weihaiwei,	3 p.	30.09	55	...	SSW	3	b	9 a.	...	...	...	...	...	...
Gutzlaff,	„	30.19	48	93	SE	2	om b	„	30.20	47	93	NW	...	ov
Sharp Peak,	„	30.04	53	93	N	1	ow	„	30.03	55	94	..	0	ltr
Amoy,	„	29.93	57	94	SE	1	o	6 30a.	29.96	55	94	NE	1	o
Swatow,	„	29.93	64	84	E	0	o	9 a.	29.98	60	81	..	0	f
Canton,	„	29.94	61	94	..	0	o	„	...	..	...	...	..	...
Hongkong,	4 p.	29.94	63	92	E	4	of	10 a.	30.09	65	94	..	0	odt
Victoria Peak,	„	...	..	...	..	...	..	„	...	..	..	..	...	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.92	66	...	SE	2	o	„	30.09	62	..	NNW	1	otlr
Haiphong,	„	...	...	..	..	...	..	„	..	.	..	..	..	..
Manila,	„	29.84	93	40	ESE	3	b	„	29.96	86	65	..	0	b
Bacolod,	3 p.	....	..	..	N	3	b	9 a.	...	...	..	NE	2	o
Iloilo,	„	29.83	90	...	NE	2	b	„	29.93	82	..	NE	..	or
Cebu,	„	29.90	88	..	N	2	b	„	29.99	82	...	N	2	c
Cape St. James,	4 p.	...	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 29th at 11. 55a. The barometer has fallen on the China coast to the Northward of Hongkong, and also over W. Japan and the Loochoos.

Pressure is highest over E. Japan, and a shallow area of low pressure is lying over the Eastern Sea.

Gradients are slight and moderate variable to N winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— variable or N winds, light to moderate; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 29th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	30th March 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.24	..	..	SE	4	..	6 a.	30.08	..	...	E	6	..
Hakodate,	„	30.13	..	..	SE	8	..	„	29.85	...	..	E	8	..
Tokio,	„	30.18	..	...	E	2	..	„	29.90	..	...	E	4	..
Kochi	„	29.95	...	...	..	0	..	„	29.79	...	...	..	0	..
Nagasaki,	„	29.87	..	...	...	0	..	„	29.95	...	...	NW	4	..
Kagoshima,	„	29.91	...		W	2	..	„	29.95	..	...	N	6	..
Oshima,	„	29.92	..	...	SE	4	..	„	30.00	...	...	NW	2	..
Naha,	„	29.97	...	...	S	4	..	„	30.01	..	...	N	6	..
Ishigakijima,	„	29.97	...	..	SW	6	..	„	30.01	..	..	NE	4	..
Taihoku,	1 p.	30.02	..	...	W	2	..	5 a.	30.07	..	..	E	6	..
Taichu,	„	30.02	...	..	W	4	..	„	30.02	..	..	..	0	..
Tainan,	„	30.00	..	..	W	6	..	„	30.01	..	...	N	2	..
Koshun,	„	29.95	..	..	SW	2	..	„	29.96	...	..	N	4	..
Pescadores,	„	30.02	..	...	N	6	..	„	30.00	...	...	NE	8	..
Weihaiwei,	3 p.	29.94	53	...	NW	3	ov	9 a.	30.21	51	...	NW	3	b
Gutzlaff,	„	30.20	47	100	N	4	om	„	30.30	59	38	NW	4	cm
Sharp Peak,	„	30.04	54	94	NNE	1	ow	„	30.21	54	100	NE	2	og
Amoy,	„	29.93	61	94	SE	2	o	6 30a.	30.01	58	94	ENE	4	or
Swatow,	„	29.99	71	80	W	1	or	9 a.	...	..	...	..	..	...
Canton,	„	30.02	50	86	NW	2	o	„	30.18	55	94	NW	1	or
Hongkong,	4 p.	29.98	65	94	W	1	o	10 a.	30.14	59	92	W	1	or
Victoria Peak,	„	...	..	...	..	...	..	„	...	..	..	..	...	..
Gap Rock,	„	-	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.97	64	...	..	0	o	„	30.12	56	..	NW	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.84	91	49	E	1	c	„	29.92	99	44	E	3	c
Bacolod,	3 p.	...	..	..	NE	2	c	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.81	86	...	ENE	2	c	„	29.89	83	.	NE	2	c
Cebu,	„	29.84	86	..	N	2	b	„	29.92	85	...	N	2	b
Cape St. James,	4 p.	...	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 30th at 12. 15p. The barometer has risen over China, and fallen over Japan.
The depression is in the S. part of the Sea of Japan, and moving towards NE.
A high pressure area lies over Central China.
Gradients are slight to moderate, and strong NE winds may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate N to NE winds; rainy at first probably improving later.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 30th March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th March 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	31st March 1906, A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	...	..
Nemuro,	,,	29.76	..	..	SE	6	..	6 a.	29.41	.	...	W	4	..
Hakodate,	,,	29.62	..	...	NE	4	..	,,	29.62	....	..	SW	6	..
Tokio,	,,	29.67	..	...	S	2	..	,,	29.78	.	...	W	2	..
Kochi	,,	29.83	...	...	SW	2	..	,,	30.07	...	...	N	4	..
Nagasaki,	,,	30.03	..	...	NW	8	..	,,	30.10	...	...	NE	2	..
Kagoshima,	,,	29.99	...		NW	6	..	,,	30.15	..	...	NW	2	..
Oshima,	,,	30.04	..	...	N	6	..	,,	30.12	...	...	N	4	..
Naha,	,,	30.09	...	...	N	8	..	,,	30.17	..	...	NE	4	..
Ishigakijima,	,,	30.01	...	..	NE	6	..	,,	30.13	..	..	NE	4	..
Taihoku,	1 p.	30.15	..	...	E	6	..	5 a.	30.15	[illegible]	..	E	6	..
Taichu,	,,	30.06	...	..	N	6	...	,,	30.07	..	..	..	0	..
Tainan,	,,	30.02	..	..	N	6	..	,,	30.06	..	...	NW	4	..
Koshun,	,,	30.06	..	..	NE	8	..	,,	30.05	...	..	NE	10	..
Pescadores,	,,	30.08	..	...	..	8	..	,,	30.07	...	...	NE	8	..
Weihaiwei,	3 p.	30.20	44	...	WNW	4	b	9 a.	30.14	51	...	SW	...	b
Gutzlaff,	,,	30.35	50	79	N	5	...	,,	30.40	49	64	NE	3	ov
Sharp Peak,	,,	30.21	54	87	E	2	o	,,	30.23	54	77	NNE	1	o
Amoy,	,,	30.05	56	87	NE	4	o	6 30a.	30.05	54	87	NE	3	o
Swatow,	,,	30.05	57	87	E	5	o	9 a.	...	..	...	..	..	...
Canton,	,,	30.09	61	89	N	1	o	,,	..	...	..	...	...	..
Hongkong,	4 p.	30.08	59	88	...	0	or	10 a.	30.18	62	70	E	3	o
Victoria Peak,	,,	...	..	...	..	...	..	,,	...	..	..	..	...	..
Gap Rock,	,,	.	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	30.07	57	...	NE	4	or	,,	30.15	57	..	N	1	o
Haiphong,	,,	...	...	..	..	...	..	,,	..	.	..	..	..	..
Manila,	,,	29.89	91	45	SE	4	b	,,	29.96	86	59	NE	1	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	,,	29.79	88	...	NE	3	b	,,	29.89	85	..	NE	1	b
Cebu,	,,	29.88	87	..	N	2	b	,,	29.88	85	..	N	1	b
Cape St. James,	4 p.	29.83	84	..	NE	4	f	10 a.	...	...	...	...	..	...

On the 31st at 11, 55a. The barometer has fallen quickly over NE Japan, and risen on the China coast and over W. Japan.

The depression is moving into the Pacific to the E. of Hokkaido. The high pressure area is lying over the E coast of China.

Fresh NE winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate to fresh E winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 31st March 1906.

CHINA COAST METEOROLOGICAL REGISTER.

31st March 1906, P. M.								1st April 1906, A. M.						
Station.	Hour.	Barometer	Temperature	Humidity	Wind Direction.	Wind Force.	Weather	Hour.	Barometer	Temperature	Humidity	Wind Direction	Wind Force	Weather
Vladivostock,	2 p.	...	...	...	...	...	..	7 a.	...	..	..	...	..	..
Nemuro, ...	"	29.45	..	..	SW	8	..	6 a.	29.76	..	...	SW	6	..
Hakodate, ...	"	29.73	..	..	SW	10	..	"	29.93	...	..	SW	6	..
Tokio, ...	"	29.98	..	...	NW	6	..	"	[illegible]	..	...	NW	2	..
Kochi	"	29.11	...	...	SE	2	..	"	[illegible]	...	...	SW	2	..
Nagasaki, ...	"	30.19	..	...	N	2	..	"	[illegible]	...	...	N	2	..
Kagoshima, ..	"	30.15	...		S	2	..	"	30.15	..	...	..	0	..
Oshima, ...	"	30.10	[illegible]	...	...	0	..	"	30.08	...	...	S	2	..
Naha.	"	30.13	...	...	E	2	..	"	[illegible]	..	...	..	0	..
Ishigakijima, ..	[illegible]	[illegible]	...	..	E	6	..	"	29.97	..	..	E	4	..
Taihoku, ...	1 p.	[illegible]	..	...	E	8	..	5 a.	30.04	..	..	S	2	..
Taichu, ...	"	30.04	...	..	N	4	..	"	30.04	..	..	..	0	..
Tainan, ...	"	30.06	..	..	NW	6	..	"	30.03	..	...	N	4	..
Koshun, ...	"	29.99	..	..	NE	8	..	"	29.99	...	..	..	0	..
Pescadores, ...	"	30.08	..	...	N	8	..	"	30.04	...	...	NE	8	..
Weihaiwei, ...	3 p.	29.58	56	...	WNW	...	b	9 a.	...	-	...	...	...	...
Gutzlaff, ...	"	30.29	54	61	SE	3	cv	"	30.22	50	86	SSE	2	bv
Sharp Peak, ...	"	30.15	54	80	ENE	4	o	"	30.09	55	87	...	0	b
Amoy, ...	"	30.03	65	78	NE	2	o	6 30 a.	30.01	54	87	N	3	c
Swatow, ...	"	30.09	65	65	E	2	o	9 a.	30.07	55	83	N	1	o
Canton, ...	"	30.09	64	78	...	0	o	"	..	59	94	S	1	or
Hongkong, ...	4 p.	30.06	62	69	E	2	o	10 a.	30.09	63	76	ESE	4	o
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	..	...	..
Gap Rock, ...	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao, ...	"	30.06	62	...	N	1	o	"	30.04	64	..	..	0	o
Haiphong, ...	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila, ...	"	29.84	84	64	ENE	2	o	"	29.96	88	59	...	0	c
Bacolod, ...	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	NE	2	b
Iloilo, ...	"	29.81	91	...	NE	1	b	"	29.91	85	..	NE	1	b
Cebu, ...	"	29.84	88	..	N	3	b	"	29.93	87	...	N	2	b
Cape St. James,	4 p.	29.86	84	..	NE	4	o	10 a.	...	...	...	...	..	...

On the 1st at 11, 55a. The barometer has risen in E. Japan, and fallen over China.
Pressure is high over S. Japan, and low probably, over the lower Yangtze.
Gradients are slight, and moderate E. winds may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate E winds; fair, cloudy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 1st April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st April 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	2nd April 1906, A. M. Hour.	Barometer.	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	.	..	..	...	..	..
Nemuro,	„	29.80	..	..	SW	8	..	6 a.	30.01	.	...	S	4	..
Hakodate,	„	29.97	..	..	SW	8	..	„	30.01	...	..	..	0	..
Tokio,	„	30.06	..	...	S	4	..	„	30.02	.	...	W	4	..
Kochi	„	30.07	...	...	SE	4	..	„	29.99	...	...	W	2	..
Nagasaki,	„	30.03	..	...	SW	4	..	„	29.99	...	...	NE	2	..
Kagoshima,	„	30.03	...		SE	2	..	„	29.95	..	...	NE	4	..
Oshima,	„	30.00	..	...	...	0	..	„	29.83	...	...	..	0	..
Naha.	„	...	...	...	..	...	..	„	29.89	..	...	..	0	..
Ishigakijima,	„	29.93	...	..	S	4	..	„	29.89	..	..	N	2	..
Taihoku,	1 p.	29.97	..	...	NW	4	..	5 a.	29.93	..	..	..	0	..
Tanchu,	„	29.97	...	..	NW	4	..	„	29.94	..	..	..	0	..
Tainan,	„	29.97	..	..	N	6	..	„	29.95	..	...	N	2	..
Koshun,	„	29.93	..	..	NW	6	..	„	29.91	...	..	..	0	..
Pescadores,	„	30.00	..	...	N	8	..	„	29.94	...	...	NE	4	..
Weihaiwei,	3 p.	..	62	...	SW	6	b	9 a.	29.82	47	...	NW	4	c
Gutzlaff,	„	30.11	54	74	SE	3	bv	„	30.04	54	74	S	3	bv
Sharp Peak,	„	29.99	61	88	E	3	b	„	29.97	57	84	...	0	c
Amoy,	„	29.91	64	73	SE	2	b	6 30a.	29.91	58	88	NE	1	c
Swatow,	„	29.97	67	89	ESE	1	b	9 a.	29.92	60	82	E	1	or
Canton,	„	...	61	94	...	0	o	„	30.01	62	94	...	0	o
Hongkong,	4 p.	29.96	64	80	SE	1	op	10 a.	30.00	63	93	ESE	2	od
Victoria Peak,	„	...	..	...	..	...	..	„	...	..	..	..	...	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.93	62	...	E	1	o	„	29.95	63	..	..	0	o
Haiphong,	„	...	...	.	..	...	..	„	..	.	..	..	..	..
Manila,	„	29.80	93	46	SE	1	c	„	29.92	82	70	W	2	b
Bacolod,	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	NE	2	b
Iloilo,	„	29.78	89	...	NE	2	c	„	29.89	85	..	NE	1	b
Cebu,	„	29.83	88	..	N	3	b	„	29.89	86	...	N	1	c
Cape St. James,	4 p.	29.85	84	..	NE	4	f	10 a.	...	...	...	...	..	...

On the 2nd at 11. 40a. The barometer has risen in NE Japan, and fallen over W. Japan and China.

The depression is moving Eastwards over N. Korea.

Gradients are gentle over S. China, and light to moderate variable winds are indicated in the Formosa Channel, and moderate NE winds over the N. part of the China Sea.

Forecast:— variable winds, light to moderate; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 2nd April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

2nd April 1906, P. M								3rd April 1906, A. M.						
Station.	Hour.	Barometer	Temperature	Humidity	Wind Direction.	Wind Force.	Weather	Hour	Barometer.	Temperature	Humidity	Wind Direction	Wind Force.	Weather
Vladivostock,	2 p.	.	...	...	..	.	..	7 a.	..	..	..	...	..	..
Nemuro,	„	30.00	..	..	S	4	..	6 a.	29.93	.	...	SW	4	..
Hakodate,	„	29.93	..	..	S	6	.	„	29.81	...	..	NW	2	..
Tokio,	„	29.90	..	...	S	4	..	„	29.86	.	...	N	2	..
Kochi	„	29.91	...	...	S	4	..	„	29.83	...	...	W	2	..
Nagasaki,	„	29.87	..	...	SW	4	..	„	29.87	...	...	N	6	..
Kagoshima,	„	29.91	...		S	4	..	„	29.91	..	...	N	4	..
Oshima,	„	29.84	..	...	E	2	..	„	29.88	...	...	N	6	..
Naha.	„	29.89	...	...	NW	6	..	„	29.93	..	...	..	0	..
Ishigakijima,	„	29.86	...	..	N	2	..	„	29.93	..	..	N	2	..
Taihoku,	1 p.	29.93	..	...	N	2	..	5 a.	29.95	..	..	..	0	..
Taichu,	„	29.91	...	..	W	2	..	„	29.95	..	..	..	0	..
Tainan,	„	29.93	..	..	NW	6	..	„	29.92	..	...	NE	2	..
Koshun,	„	29.88	..	..	W	2	..	„	29.99	...	..	..	0	..
Pescadores,	„	29.94	..	...	N	6	..	„	29.93	...	...	N	6	..
Weihaiwei,	3 p.	..	...	...	...	...	...	9 a.	29.94	49	...	WNW	2	b
Gutzlaff,	„	29.99	62	61	WSW	3	cm	„	30.17	55	84	SE	9	cm
Sharp Peak,	„	29.90	64	84	...	0	c	„	30.00	62	80	...	0	o
Amoy,	„	29.82	67	74	SE	2	b	6 30 a.	29.85	69	94	E	1	o
Swatow,	„	29.90	64	84	S	1	or	9 a.	..	..	...	..	..	..
Canton,	„	29.91	65	95	E	1	o	„	...	..	...	...	...	...
Hongkong,	4 p.	29.89	66	89	E	2	o	10 a.	30.01	67	90	E	2	od
Victoria Peak,	„	...	..	...	..	...	..	„	...	..	..	..	...	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.83	65	...	...	0	o	„	30.01	65	..	..	0	o
Haiphong,	„	...	...	..	..	...	..	„	..	.	..	..	..	..
Manila,	„	29.76	93	40	SE	3	b	„	29.90	83	65	W	2	c
Bacolod,	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	NE	1	b
Iloilo,	„	29.79	91	...	NE	1	b	„	29.89	86	..	NE	1	c
Cebu,	„	29.83	89	..	N	2	b	„	29.90	87	...	N	1	b
Cape St. James,	4 p.	29.85	84	..	NE	3	c	10 a.	...	...	...	...	..	...

On the 3rd at 12. 5p. The barometer has fallen over Japan. and risen over N. China.

Pressure is highest over the E. coast of China, and lowest in a shallow depression lying over the Sea of Japan.

Gradients continue slight, and light to moderate NE and E winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— light E winds; cloudy, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 3rd April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

3rd April 1906, P. M								4th April 1906, A. M.							
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	Hour	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	.		.	7 a.	..	..	..	...	..	..
Nemuro,	"	29.84	..	..	SE	6	..	6 a.	29.53	.	...	SE	2	..
Hakodate,	"	29.66	..	..	SE	8	..	"	29.63	...	..	W	4	..
Tokio,	"	29.94	..	...	SE	4	..	"	29.78	.	...	...	0	..
Kochi	"	29.79	...	...	W	4	..	"	29.95	...	...	...	0	..
Nagasaki,	"	29.95	.	...	N	6	..	"	30.03	...	...	NW	2	..
Kagoshima,	"	29.91	...		N	6	..	"	30.07	..	...	N	2	..
Oshima,	"	29.96	..	...	N	6	..	"	30.04	...	...	S	4	..
Naha.	"	29.97	...	...	N	6	..	"	30.01	..	...	..	0	..
Ishigakijima,	"	29.97	...	..	NE	4	..	"	29.97	..	..	NE	2	..
Taihoku,	1 p.	29.98	..	...	...	0	..	5 a.	29.94	..	..	E	4	..
Taichu,	"	29.99	...	..	..	0	..	"	29.95	..	..	..	0	..
Tainan,	"	29.99	..	..	NE	2	..	"	29.96	..	...	..	0	..
Koshun,	"	29.94	..	..	NW	6	..	"	29.94	...	..	NE	4	..
Pescadores,	"	29.96	..	...	NW	2	..	"	29.94	...	...	NW	2	..
Weihaiwei,	3 p.	..	...	...	...	...	...	9 a.	..	...	...	..	...	..
Gutzlaff,	"	30.15	58	76	NE	2	cm	"	30.21	55	80	SE	4	cm
Sharp Peak,	"	29.98	66	89	SE	1	c	"	30.04	64	80	...	0	o
Amoy,	"	29.88	65	84	SE	2	b	6 30a.	29.99	62	94	SW	1	o
Swatow,	"	29.92	69	85	SSE	1	c	9 a.	29.95	63	89	E	1	c
Canton,	"	29.93	71	85	N	1	o	"	...	..	...	...	...	...
Hongkong.	4 p.	29.94	68	85	E	2	o	10 a.	30.03	64	97	E	3	orlt
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	..	...	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.92	68	...	NE	1	o	"	29.96	65	..	SE	1	oltd
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	93	54	SW	1	b	"	..	..	...	..	..	...
Bacolod,	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.83	91	...	NE	2	b	"	29.89	85	..	NE	2	b
Cebu,	"	29.89	88	..	N	3	b	"	29.93	86	...	S	1	b
Cape St. James,	4 p.	..	...	..	...	..	..	10 a.	...	...	...	...	..	...

On the 4th at 11. 55a. The barometer has fallen over E. Japan, owing to the depression which is passing to the Pacific to the North of Japan.

Pressure is highest over the Yellow Sea.

Gradients continue slight and moderate E winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate E winds; rainy.

F. G. FIGG,
First Assistant.

Hongkong Observatory Wednesday 4th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th April 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	5th April 1906, A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	29.41	..	..	W	2	..	6 a.	29.53	.	...	SW	2	..
Hakodate,	,,	29.58	..	..	N	6	..	,,	29.62	...	..	W	6	..
Tokio,	,,	29.67	..	...	S	6	..	,,	29.9[illegible]	.	...	...	0	..
Kochi	,,	29.87	...	...	W	6	..	,,	30.11	...	...	SW	2	..
Nagasaki,	,,	30.03	..	...	NW	10	..	,,	30.15	...	...	N	2	..
Kagoshima,	,,	30.03	...		NW	8	..	,,	30.16	..	...	N	2	..
Oshima,	,,	30.08	..	...	N	4	..	,,	30.12	...	...	S	2	..
Naha.	,,	..	...	...	...	...	..	,,	30.21	..	...	E	2	..
Ishigakijima,	,,	30.01	...	..	E	4	..	,,	30.01	..	..	E	6	..
Taihoku,	1 p.	29.96	..	...	N	2	..	5 a.	29.97	..	..	E	3	..
Taichu,	,,	29.96	...	..	NW	2	..	,,	30.00	..	..	..	0	
Tainan,	,,	29.96	..	..	W	4	..	,,	29.99	..	...	N	2	
Koshun,	,,	29.94	..	..	NE	6	..	,,	29.98	...	..	...	0	
Pescadores,	,,	29.97	..	...	N	6	..	,,	29.93	...	...	N	4	
Weihaiwei,	3 p.	30.08	48	...	N	1	b	9 a.	30.15	52	...	E	1	b
Gutzlaff,	,,	30.18	56	87	ESE	3	cm	,,	30.27	53	90	ESE	4	o.h.o
Sharp Peak,	,,	29.99	66	84	S	2	o	,,	30.07	64	86	ESE	1	o
Amoy,	,,	29.90	69	75	SE	1	o	6 30a.	29.95	63	94	SW	3	o
Swatow,	,,	29.93	70	70	NE	3	c	9 a.	..	...	..	...	...	...
Canton,	,,	29.92	70	90	ESE	1	o	,,	30.06	70	85	E	1	c
Hongkong,	4 p.	29.95	66	87	E	3	o	10 a.	30.07	72	62	E	2	o
Victoria Peak,	,,	...	..	...	..	...	..	,,	...	..	..	..	...	..
Gap Rock,	,,	.	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	29.92	66	...	SE	1	o	,,	30.04	69	..	SSE	2	c
Haiphong,	,,	...	...	..	..	...	..	,,	..	.	..	..	..	..
Manila,	,,	29.80	93	40	SE	4	b	,,	29.96	86	59	W	1	c
Bacolod,	3 p.	...	..	..	N	2	b	9 a.	...	...	..	NE	3	b
Iloilo,	,,	29.81	91	...	NE	2	c	,,	29.93	86	..	NE	2	..
Cebu,	,,	29.83	89	..	N	3	b	,,	29.93	87	...	N	2	
Cape St. James,	4 p.	29.80	84	..	NNE	2	c	10 a.	...	...	...	...	..	

On the 5th at 12. 5p. The barometer has risen generally.

Pressure is highest over the Yellow Sea, and the depression is still shown over the Pacific to the NE of Japan.

Gradients continue slight, and moderate E. winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate E winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 5th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

5th April 1906, P. M								6th April 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour	Barometer.	Temperature.	Humidity.	Wind Direction	Wind Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.49	..	..	S	4	..	6 a.	..	..	...	..	...	..
Hakodate,	„	29.62	..	..	W	6	..	„	...	...	..	..	...	..
Tokio,	„	29.82	..	...	S	6	..	„	..	.	...	...	...	..
Kochi	„	30.03	...	...	SE	2	..	„	..	...	...	...	..	..
Nagasaki,	„	30.11	..	...	W	6	..	„	...	...	...	...	..	..
Kagoshima,	„	30.11	...		W	4	..	„	..	..	...	..	..	..
Oshima,	„	30.12	..	...	N	4	..	„	...	...	...	...	...	..
Naha.	„	30.13	...	...	E	4	..	„	..	..	...	...	...	..
Ishigakijima,	„	30.01	...	..	SE	6	..	„	..	..	..	...	..	..
Taihoku,	1 p.	30.00	..	...	NW	2	..	5 a.	29.92	..	..	..	0	..
Taichu,	„	30.02	...	..	...	0	..	„	29.93	..	..	..	0	..
Tainan,	„	29.95	..	..	N	6	..	„	29.91	..	...	N	2	—
Koshun,	„	29.96	..	..	NW	2	..	„	29.89	...	..	...	0	..
Pescadores,	„	30.00	..	...	N	6	..	„	29.89	...	...	NE	4	..
Weihaiwei,	3 p.	30.01	66	...	S	1	b	9 a.	29.99	66	...	WSW	2	b
Gutzlaff,	„	30.18	55	74	SE	3	cv	„	30.07	54	87	SE	4	em
Sharp Peak,	„	30.00	65	81	E	3	og	„	29.96	63	89	...	0	o
Amoy,	„	29.90	66	89	SE	4	b	6 30a.	29.86	62	89	SW	1	o
Swatow,	„	29.95	74	72	SE	1	b	9 a.	29.94	64	89	E	1	b
Canton,	„	29.92	77	73	E	1	o	„	29.93	73	81	SE	1	c
Hongkong,	4 p.	29.92	70	67	E	3	o	10 a.	29.95	63	95	SE	2	o
Victoria Peak,	„	...	..	...	..	...	..	„	...	..	..	..	...	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.91	72	...	...	0	c	„	29.93	71	..	...	0	o
Haiphong,	„	...	...	.	..	...	..	„	..	.	..	..	..	..
Manila,	„	29.80	91	45	SE	3	b	„	29.83	82	70	NW	1	c
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	1	b
Iloilo,	„	29.83	91	...	NE	2	b	„	29.89	86	..	NE	1	b
Cebu,	„	29.90	88	..	N	2	b	„	29.91	86	...	N	1	e
Cape St. James,	4 p.	...	..	..	...	...	..	10 a.	...	...	...	...	..	...

On the 6th at 12. 5p. The barometer has fallen on the China coast owing to a depression which appears to be moving Eastwards over N. China.

Gradients are slight over S. China, and light or moderate E and SE winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate to light E winds; cloudy, misty.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 6th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th April 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	7th April 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.53	..	..	NW	6	..	6 a.	29.61	..	...	NW	8	..
Hakodate,	"	29.66	..	..	S	4	..	"	29.74	...	..	..	0	..
Tokio,	"	29.78	..	...	S	8	..	"	29.78	..	...	...	0	..
Kochi	"	29.91	...	...	S	2	..	"	29.91	...	...	SW	2	..
Nagasaki,	"	29.99	..	...	W	6	..	"	29.95	...	...	SE	2	..
Kagoshima,	"	29.99	...		W	6	..	"	29.95	..	...	NW	4	..
Oshima,	"	30.00	..	...	E	4	..	"	29.92	...	...	...	0	..
Naha,	"	29.97	...	...	E	6	..	"	29.89	..	...	SE	2	..
Ishigakijima,	"	29.93	...	..	SE	4	..	"	29.85	..	..	SE	4	..
Taihoku,	1 p.	29.90	..	...	NW	4	..	5 a.	29.85	..	..	W	2	..
Taichu,	"	29.91	...	..	NW	2	..	"	29.86	..	..	N	2	..
Tainan,	"	29.89	..	..	NW	2	..	"	29.85	..	...	NE	2	..
Koshun,	"	29.86	..	..	E	4	..	"	29.80	...	..	...	0	..
Pescadores,	"	29.91	..	...	NE	6	..	"	29.84	...	...	NE	2	..
Weihaiwei,	3 p.	29.81	73	...	WSW	3	b	9 a.	29.88	57	...	N	2	b
Gutzlaff,	"	29.99	58	88	SE	3	cm	"	29.89	58	94	SSE	3	c
Sharp Peak,	"	29.91	63	94	...	0	or	"	29.80	65	95	ESE	1	of
Amoy,	"	29.84	65	95	...	0	o	6 30 a.	29.81	60	88	NE	1	c
Swatow,	"	29.86	76	77	E	2	b	9 a.	...	...	...	...	...	..
Canton,	"	29.82	78	82	E	1	c	"	29.84	73	96	E	1	o
Hongkong,	4 p.	29.84	67	90	E	3	o	10 a.	29.87	69	96	E	2	of
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	SSE	5	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.81	70	...	SE	1	o	"	29.84	67	..	SE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.76	98	46	SE	2	b	"	29.88	86	65	W	1	b
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.79	93	...	NE	1	b	"	29.87	87	..	ESE	2	b
Cebu,	"	29.82	87	..	N	2	b	"	29.91	86	...	N	2	b
Cape St. James,	4 p.	29.80	84	..	NE	2	c	10 a.	...	...	...	...	..	...

On the 7th at 12. 5p. The barometer continues to fall on the China coast and over S. Japan. Another depression is lying over Central China, and the highest pressure is now over SW Japan. Light SE winds are indicated in the Formosa Channel and the N. part of the China Sea, accompanied by foggy weather along the coast.

Forecast:— light SE winds; cloudy, foggy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 7th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th April 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	8th April 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.69	..	..	NW	6	..	6 a.	...	..	...	...	...	..
Hakodate,	„	29.73	..	..	NW	2	..	„	..	...	..	..	...	..
Tokio,	„	29.71	..	...	S	6	..	„	...	..	...	...	..	..
Kochi	„	29.87	...	...	SE	2	..	„	..	...	...	..	...	..
Nagasaki,	„	29.91	..	...	SE	4	..	„	..	...	...	..	..	..
Kagoshima,	„	29.91	...		S	2	..	„	...	..	...	..	...	..
Oshima,	„	29.92	..	...	SE	4	..	„	..	...	...	...	...	..
Naha,	„	29.85	...	...	S	2	..	„	..	..	...	...	..	..
Ishigakijima,	„	29.81	...	..	S	6	..	„	..	..	..	..	...	..
Taihoku,	1 p.	29.78	..	...	NE	2	..	5 a.	29.66	..	..	S	2	..
Taichu,	„	29.80	...	..	W	2	..	„	29.72	..	..	...	0	..
Tainan,	„	29.82	..	..	SW	6	..	„	29.74	..	...	E	2	..
Koshun,	„	29.80	..	..	S	2	..	„	29.71	...	..	NW	2	..
Pescadores,	„	29.81	..	...	W	2	..	„	29.71	...	...	SW	6	..
Weihaiwei,	3 p.	...	..	...	..	...	...	9 a.	...	...	...	...	..	..
Gutzlaff,	„	29.78	68	100	S	3	cm	„	29.68	63	89	N	..	f
Sharp Peak,	„	29.70	66	92	...	0	o	„	29.62	69	92	...	0	o
Amoy,	„	29.68	75	92	SE	2	c	6 30a.	29.59	72	90	SE	1	c
Swatow,	„	29.76	74	81	E	1	b	9 a.	...	...	...	...	...	..
Canton,	„	29.71	80	82	SSE	3	c	„	29.61	75	95	S	1	c
Hongkong,	4 p.	29.74	72	92	E	2	of	10 a.	29.66	78	85	SW	4	opq
Victoria Peak,	„	...	..	...	SSW	5	..	„	...	..	..	SSW	7	..
Gap Rock,	„	-	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.73	73	...	SE	1	od	„	..	..	..	...	...	...
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.76	90	66	SW	1	c	„	29.84	96	60	SE	2	..
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	N	2	b
Iloilo,	„	29.75	93	...	NE	1	b	„	29.85	85	..	NE	1	b
Cebu,	„	29.86	88	..	N	2	b	„	29.86	87	...	N	1	b
Cape St. James,	4 p.	29.77	84	..	S	2	c	10 a.	...	...	...	...	..	...

On the 8th at 12. 35p. The barometer has fallen quickly over China.
The depression appears to have passed into the Eastern Sea to the South of Shanghai. It seems to be moving Eastwards. Returns from N. China and Japan are, however, lacking.
Fresh SW and W winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh SW to W winds; showery, squally.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 8th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

8th April 1906, P. M								9th April 1906, A. M.						
Station.	Hour.	Barometer	Temperature	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.72	..	..	SE	6	..	6 a.	...	..	...	...	...	..
Hakodute,	"	29.73	..	..	W	6	..	"	..	...	..	..	...	..
Tokio,	"	29.71	..	...	S	4	..	"	...	..	...	...	..	..
Kochi	"	29.72	...	...	SW	2	..	"	..	...	...	..	...	..
Nagasaki,	"	29.52	..	...	SE	8	..	"	..	...	...	..	..	..
Kagoshima,	"	29.59	...		SW	6	..	"	...	..	...	..	...	..
Oshima,	"	..	..	...	...	..	..	"	..	...	...	...	...	..
Naha.	"	29.66	...	...	S	6	..	"	..	..	...	...	..	..
Ishigakijima,	"	..	...	..	.	...	..	"	..	..	..	..	...	..
Taihoku,	1 p.	29.56	..	...	W	4	..	5 a.	..	..	..	..	..	..
Taichu,	"	29.62	...	..	SW	6	..	"	...	..	..	...	..	..
Tainan,	"	29.68	..	..	S	6	..	"	...	..	...	...	...	..
Koshun,	"	29.69	..	..	SW	4	..	"	...	...	..	...	..	..
Pescadores,	"	29.69	..	...	S	6	..	"	...	...	...	...	...	..
Weihaiwei,	3 p.	29.87	43	...	NW	4	c	9 a.	...	...	...	...	..	..
Gutzlaff,	"	29.63	67	100	SW	3	fd	"	29.90	47	100	NW	7	om
Sharp Peak,	"	29.52	68	92	...	...	r	"	.	..	..	...	...	...
Amoy,	"	29.57	66	95	SW	3	lt	6 30 a.	29.70	66	79	NW	3	b
Swatow,	"	29.59	68	88	SW	1	or	9 a.	...	...	...	...	...	..
Canton,	"	29.52	76	82	N	1	c	"	...	..	..	..	.	..
Hongkong,	4 p.	29.69	71	84	NNW	1	o	10 a.	29.85	78	57	N	2	b
Victoria Peak,	"	...	..	..	NW	1	..	"	...	..	..	NNE	3	..
Gap Rock,	"	—	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	...	...	...	..	...	..	"	..	..	..	...	...	..
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.69	90	60	WSW	3	b	"	...	...	...	...	..	..
Bacolod,	3 p.	...	..	..	NE	2	b	9 a.	...	...	..	N	1	b
Iloilo,	"	29.75	90	...	SW	1	c	"	29.87	86	..	NE	2	c
Cebu,	"	29.82	87	..	N	2	b	"	29.85	87	...	...	0	b
Cape St. James,	4 p.	29.75	88	..	SSE	2	c	10 a.	...	...	...	...	..	..

On the 9th at 12. 10p. The barometer has risen quickly over China.
The depression is probably moving Eastwards over Japan. It appears to be followed by an area of high pressure over China. The greater part of the returns are, however, lacking this morning.
N. and NE winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate or fresh N winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 9th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

9th April 1906, P. M								10th April 1906, A. M.						
Station.	Hour.	Barometer	Temperature	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Vladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.65	..	..	NE	6	..	6 a.	29.76	..	...	NW	6	..
Hakodate,	„	29.62	..	..	W	2	..	„	29.81	...	..	..	0	..
Tokio,	„	29.47	..	...	NE	4	..	„	29.75	.	...	N	2	..
Kochi	„	29.48	...	...	SE	2	..	„	29.79	...	...	N	6	..
Nagasaki,	„	29.56	..	...	N	6	..	„	29.95	...	...	.	0	..
Kagoshima,	„	29.60	...		W	6	..	„	29.91	..	...	NW	4	..
Oshima,	„	29.73	..	...	W	4	..	„	29.95	...	...	N	6	..
Naha.	„	29.81	...	...	NW	2	..	„	30.01	..	...	N	6	..
Ishigakijima,	„	29.81	...	..	N	6	..	„	30.05	..	..	NE	2	..
Taihoku,	1 p.	29.87	..	...	E	8	..	5 a.	30.04	..	..	E	6	..
Taichu,	„	29.81	...	..	NW	4	..	„	29.98	..	..	...	0	..
Tainan,	„	29.77	..	..	NW	4	..	„	29.97	..	...	N	4	..
Koshun,	„	29.79	..	..	W	6	..	„	29.95	...	..	NE	6	..
Pescadores,	„	29.81	..	...	NW	6	..	„	29.96	...	...	NE	8	..
Weihaiwei,	3 p.	...	45	...	NW	3	b	9 a.	30.17	45	...	WNW	2	b
Gutzlaff,	„	30.06	53	73	NNW	5	cv	„	30.34	49	64	NNE	5	bv
Sharp Peak,	„	29.88	65	81	E	4	o	„	30.19	61	77	NE	4	og
Amoy,	„	29.73	71	76	SE	2	b	6 30a.	30.05	60	88	NE	5	c
Swatow,	„	29.78	81	96	W	2	b	9 a.	29.94	63	83	SSW	1	b
Canton,	„	29.82	84	96	N	1	b	„	30.01	70	96	NE	1	o
Hongkong,	4 p.	29.82	77	73	NNW	1	b	10 a.	30.03	66	78	ENE	6	o
Victoria Peak,	„	...	..	...	NNE	1	..	„	...	..	..	E	7	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.87	80	...	..	0	c	„	29.99	67	..	ESE	2	o
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.76	88	72	WSW	3	o	„	29.96	84	71	W	2	c
Bacolod,	3 p.	...	..	..	E	2	ct	9 a.	...	...	..	N	2	b
Iloilo,	„	29.79	93	...	NE	1	c	„	29.93	88	..	NE	2	c
Cebu,	„	29.86	89	..	N	2	b	„	29.88	88	...	N	2	b
Cape St. James,	4 p.	29.74	84	..	S	1	o	10 a.	...	...	...	...	..	...

On the 10th at 11. 50a. The barometer has risen generally, particularly over China and S Japan. The depression has passed into the Pacific to the E. of Japan. The area of high pressure is lying over the NE coast of China.

Strong NE winds may be expected in the Formosa Channel and over the N. part of the China Sea.

Forecast: — strong E winds; dull, rainy.

F. G. FIGG.
First Assistant

Hongkong Observatory Tuesday 10th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th April 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	11th April 1906, A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.80	..	..	N	6	..	6 a.	29.89	..	...	S	4	..
Hakodate,	„	29.81	..	..	SE	6	..	„	29.81	...	..	N	4	..
Tokio,	„	29.78	..	...	E	4	..	„	29.94	.	...	..	0	..
Kochi	„	29.86	...	...	W	6	..	„	30.15	...	...	S	2	..
Nagasaki,	„	30.03	..	...	NW	8	..	„	30.23	...	...	..	0	..
Kagoshima,	„	30.03	...		NW	8	..	„	30.19	..	...	N	2	..
Oshima,	„	30.08	..	...	NW	4	..	„	30.20	...	...	N	6	..
Naha,	„	30.09	...	...	N	6	..	„	30.21	..	...	NE	0	..
Ishigakijima,	„	30.09	...	..	NE	6	..	„	30.13	..	..	NE	6	..
Taihoku,	1 p.	30.15	..	...	E	8	..	5 a.	30.13	..	..	E	6	..
Taichu,	„	30.06	...	..	NW	6	..	„	30.05	..	..	N	2	..
Tainan,	„	29.93	..	..	N	6	..	„	30.04	..	...	N	4	..
Koshun,	„	30.00	..	..	NE	10	..	„	30.03	...	..	NE	10	..
Pescadores,	„	30.06	..	...	N	10	..	„	30.06	...	...	NE	10	..
Weihaiwei,	3 p.	30.08	56	...	N	2	b	9 a.	30.12	55	...	WNW	1	b
Gutzlaff,	„	30.35	53	48	NE	3	cv	„	30.38	53	73	S	3	bv
Sharp Peak,	„	30.17	62	82	NE	4	o	„	30.25	58	76	NNE	2	og
Amoy,	„	29.96	68	76	NE	4	o	6 30a.	30.09	57	94	NE	3	or
Swatow,	„	30.01	68	65	E	5	c	9 a.	29.92	59	88	NE	4	or
Canton,	„	29.97	69	85	NE	1	c	„	30.10	67	89	...	0	o
Hongkong,	4 p.	29.97	64	87	E	5	od	10 a.	30.09	64	84	E	4	o
Victoria Peak,	„	...	..	...	E	7	..	„	...	..	..	E	6	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.96	65	...	ENE	1	o	„	30.06	67	..	ENE	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.84	93	40	ESE	1	c	„	...	..	..	...	...	...
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	NE	2	c
Iloilo,	„	29.86	91	...	NE	3	c	„	29.93	83	..	N	1	o
Cebu,	„	29.85	87	..	N	3	b	„	29.95	84	...	..	0	b
Cape St. James,	4 p.	...	..	..	..	..	...	10 a.	...	...	...	...	..	...

On the 11th at 12. 5p. The barometer has risen at all stations, particularly over S Japan.
The high pressure area lies now between the E. coast of China and W. Japan. The lowest pressure is over NE Japan.
Strong but decreasing NE winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh E winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 11th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th April 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	12th April 1906. A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.76	..	..	S	4	..	6 a.	29.92	..	...	W	4	..
Hakodate,	"	29.93	..	..	W	8	..	"	30.05	...	..	..	0	..
Tokio,	"	30.02	..	...	NW	6	..	"	30.22	.	...	NW	2	..
Kochi	"	30.11	...	...	W	4	..	"	30.23	...	...	SW	2	..
Nagasaki,	"	30.19	..	...	N	6	..	"	30.23	...	...	..	0	..
Kagoshima,	"	30.19	...		NW	6	..	"	30.23	..	...	NE	2	..
Oshima,	"	30.20	..	...	N	6	..	"	30.20	...	...	S	2	..
Naha.	"	30.17	...	...	SE	4	..	"	30.17	..	...	NE	2	..
Ishigakijima,	"	30.17	...	..	NE	4	..	"	30.13	..	..	E	4	..
Taihoku,	1 p.	30.13	..	...	E	8	..	5 a.	30.06	..	..	E	4	..
Taichu,	"	30.07	...	..	N	4	..	"	30.07	..	..	..	0	..
Tainan,	"	30.06	..	..	N	6	..	"	30.06	..	...	N	2	..
Koshun,	"	30.03	..	..	NE	8	..	"	30.02	...	..	NE	8	..
Pescadores,	"	30.07	..	...	NE	8	..	"	30.05	...	...	NE	6	..
Weihaiwei,	3 p.	29.99	63	...	E	1	b	9 a.	30.11	58	...	NW	2	b
Gutzlaff,	"	30.32	55	74	SSE	3	cv	"	30.26	56	75	SSE	3	o
Sharp Peak,	"	30.17	60	79	ENE	5	og	"	30.13	58	88	NW	2	or
Amoy,	"	30.01	67	74	NNE	2	c	6 30a.	30.00	61	94	...	0	o
Swatow,	"	30.05	63	83	E	3	o	9 a.	...	..	..	..	...	...
Canton,	"	30.01	68	95	E	1	or	"	30.02	67	89	E	1	o
Hongkong,	4 p.	30.03	65	85	E	3	or	10 a.	30.03	65	93	E	4	o
Victoria Peak,	"	...	..	...	E	6	..	"	...	..	..	ESE	6	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	30.01	64	...	SSE	1	od	"	30.00	66	..	ESE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.83	90	49	ENE	3	o	"	29.96	86	58	WSW	1	c
Bacolod,	3 p.	...	..	..	NE	2	c	9 a.	...	...	..	E	1	b
Iloilo,	"	29.83	90	...	NE	1	c	"	29.93	85	..	NE	2	c
Cebu,	"	29.87	87	..	N	2	..	"	29.89	86	...	N	1	h
Cape St. James,	4 p.	29.79	88	..	S	1	o	10 a.	...	...	...	...	..	...

On the 12th at 11. 50a. The barometer has risen over E Japan, and fallen over China, particularly on the E. coast.

The area of high pressure is now over S. Japan, and an area of low pressure appears to be forming over Central China.

Moderate E. winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— E winds, decreasing in force; misty, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 12th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

12th April 1906, P. M								13th April 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction	Wind Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.84	..	..	SW	8	..	6 a.	29.88	..	...	SE	4	..
Hakodate,	"	30.01	..	..	SW	6	..	"	29.89	...	..	S	2	..
Tokio,	"	30.06	..	...	SE	4	..	"	29.98	..	...	NW	2	..
Kochi	"	30.11	...	...	SE	4	..	"	30.15	...	...	SW	2	..
Nagasaki,	"	30.19	..	...	W	6	..	"	30.19	...	...	..	6	..
Kagoshima,	"	30.15	...		W	4	..	"	30.19	..	...	N	4	..
Oshima,	"	30.16	..	...	SE	4	..	"	30.16	...	...	S	2	..
Naha,	"	30.09	...	...	E	6	..	"	30.05	..	...	SE	4	..
Ishigakijima,	"	30.05	...	..	E	8	..	"	29.97	..	..	SE	6	
Taihoku,	1 p.	29.98	..	...	E	4	..	5 a.	29.96	..	..	..	0	..
Taichu,	"	29.96	...	..	N	2	..	"	29.96	..	..	..	0	..
Tainan,	"	29.97	..	..	SW	4	..	"	29.95	..	...	N	2	..
Koshun,	"	29.96	..	..	E	8	..	"	29.92	...	..	E	6	..
Pescadores,	"	30.00	..	...	N	4	..	"	29.93	...	...	NE	6	..
Weihaiwei,	3 p.	30.13	52	...	SE	1	b	9 a.	30.25	56	...	W	..	b
Gutzlaff,	"	30.16	60	76	SSE	4	cv	"	30.23	57	94	ESE	3	fd
Sharp Peak,	"	30.00	60	91	...	0	og	"	30.00	61	97	NW	1	or
Amoy,	"	29.86	65	95	ESE	2	o	6 30a.	29.85	63	94	E	3	or
Swatow,	"	29.94	68	85	E	2	o	9 a.	...	..	..	..	...	...
Canton,	"	29.87	71	90	ESE	1	o	"	...	...	..	...	..	...
Hongkong,	4 p.	29.90	66	90	E	4	o	10 a.	29.92	69	98	E	3	of
Victoria Peak,	"	...	..	...	SE	7	..	"	...	..	..	SSE	5	..
Gap Rock,	"	...	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.85	68	...	SE	1	o	"	29.89	71	..	S	1	opf
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	86	59	ENE	2	c	"	29.92	90	57	SE	3	b
Bacolod,	3 p.	...	..	..	N	3	c	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.83	88	...	NE	2	c	"	29.93	85	..	NE	1	c
Cebu,	"	29.86	87	..	N	1	c	"	29.89	86	...	N	2	h
Cape St. James,	4 p.	..	...	..	..	..	..	10 a.	...	...	...	...	..	...

On the 13th at 12. 10p. The barometer has risen in N. China, and fallen over E. Japan the Loochoos and S. China.

Pressure is highest over the Yellow Sea. It is low to the North of Japan, and also over SW China.

Moderate variable winds are indicated in the Formosa Channel, and moderate SE winds over the N. part of the China Sea, accompanied by fog along the coast.

Forecast:— moderate SE or variable winds; foggy, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 13th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

13th April 1906, P. M								14th April 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.84	..	..	SE	6	..	6 a.	29.76	..	...	.	0	..
Hakodate,	"	29.89	..	..	SW	4	..	"	29.93	...	..	SW	2	..
Tokio,	"	29.90	..	...	NW	4	..	"	29.98	.	...	W	2	..
Kochi	"	30.07	...	...	SE	2	..	"	30.15	...	...	SW	2	..
Nagasaki,	"	30.15	..	...	W	4	..	"	30.11	...	...	SE	2	..
Kagoshima,	"	30.11	...		S	2	..	"	30.15	..	...	..	0	..
Oshima,	"	30.12	..	...	E	2	..	"	30.08	...	...	SE	2	..
Naha,	"	..	...	...	..	..	..	"	29.97	..	...	SE	4	..
Ishigakijima,	"	29.97	...	..	SE	8	..	"	29.89	..	..	S	6	..
Taihoku,	1 p.	29.91	..	...	E	4	..	5 a.	29.86	..	..	E	2	..
Taichu,	"	29.91	...	..	NW	2	..	"	29.89	..	..	..	0	..
Tainan,	"	29.90	..	..	S	6	..	"	29.91	..	...	SE	2	..
Koshun,	"	29.96	..	..	E	4	..	"	29.89	...	..	..	0	..
Pescadores,	"	29.89	..	...	S	6	..	"	29.88	...	...	...	0	..
Weihaiwei,	3 p.	30.15	51	...	SE	2	b	9 a.	30.07	58	...	..	2	b
Gutzlaff,	"	30.17	59	88	ESE	4	ov	"	30.11	55	100	E	5	om
Sharp Peak,	"	29.94	62	97	...	6	rf	"	29.94	63	94	...	0	of
Amoy,	"	29.87	64	95	NNW	3	or	6.30a.	29.80	64	100	...	0	dh
Swatow,	"	29.89	67	95	E	1	dh	9 a.	29.91	63	89	E	1	b
Canton,	"	29.88	72	95	E	5	or	"	...	...	..	...	..	...
Hongkong,	4 p.	29.85	70	93	...	6	of	10 a.	29.93	79	93	ESE	3	o
Victoria Peak,	"	...	..	...	..	..	..	"	...	..	..	SSE	3	..
Gap Rock,	"	-	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.82	67	...	..	0	od	"	29.90	79	..	..	0	of
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	91	56	SE	3	b	"	29.92	91	45	SE	1	c
Bacolod,	3 p.	...	..	..	N	2	b	9 a.	...	...	..	N	2	b
Iloilo,	"	29.83	89	...	NE	1	b	"	29.93	85	..	...	0	b
Cebu,	"	29.85	88	..	N	2	b	"	29.89	84	...	N	1	c
Cape St. James,	4 p.	29.81	86	..	SE	1	c	10 a.	...	...	...	...	..	...

On the 14th at 11. 55a. The barometer has fallen over China, except on the S. coast.
Pressure has also given way over SW. Japan and the Loochoos.
Pressure is highest over W. Japan. It remains low to the NE of Japan, and also over S. China.
Light to moderate variable winds are indicated in the Formosa Channel and light SE winds over the N. part of the China Sea, accompanied by fog along the coast.
Forecast:— SE or variable winds, light to moderate; misty, showery.

F. G. EIGG,
First Assistant.

Hongkong Observatory Saturday 14th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th April 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	15th April 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.76	..	..	S	4	..	6 a.	29.96	..	...	NW	2	..
Hakodate,	"	29.89	..	..	SW	8	..	"	30.05	...	..	...	0	..
Tokio,	"	30.02	..	...	S	4	..	"	30.10	..	...	NW	2	..
Kochi	"	30.07	...	...	S	4	..	"	30.03	...	...	SW	..	..
Nagasaki,	"	30.07	..	...	NW	4	..	"	29.91	...	...	SE	4	..
Kagoshima,	"	30.07	...		S	2	..	"	29.91	..	...	E	8	..
Oshima,	"	30.00	..	...	SE	6	..	"	29.80	...	...	S	2	..
Naha.	"	29.89	...	...	SE	4	..	"	29.89	..	...	SW	2	..
Ishigakijima,	"	29.89	...	..	SW	4	..	"	29.89	..	..	S	2	..
Taihoku,	1 p.	29.89	..	...	NW	4	..	5 a.	29.92	..	..	..	0	..
Taichu,	"	29.88	...	..	NW	2	..	"	29.88	..	..	SW	2	..
Tainan,	"	29.90	..	..	SW	4	..	"	29.92	..	...	SW	2	..
Koshun,	"	29.87	..	..	W	6	..	"	29.88	...	..	N	2	..
Pescadores,	"	29.89	..	...	N	4	..	"	29.88	...	...	S	2	..
Weihaiwei,	3 p.	29.98	62	...	S	2	b	9 a.	...	...	...	..	..	..
Gutzlaff,	"	30.01	55	100	E	5	fd	"	...	..	...	...	...	...
Sharp Peak,	"	29.85	65	95	E	2	og	"	29.88	66	97	...	0	f
Amoy,	"	29.77	68	95	SE	2	c	6 30a.	29.79	66	100	...	0	f
Swatow,	"	29.86	72	90	SE	1	o	9 a.	29.89	68	95	SE	1	f
Canton,	"	29.90	72	95	N	1	o	"	29.90	71	95	NE	2	o
Hongkong,	4 p.	29.86	72	89	E	2	o	10 a.	29.93	74	89	ENE	1	o
Victoria Peak,	"	...	..	...	SE	1	..	"	...	..	..	SSW	4	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.85	71	...	..	0	o	"	29.93	73	..	SE	1	of
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	93	40	SE	3	c	"	29.92	86	65	SW	2	c
Bacolod,	3 p.	...	..	..	N	2	b	9 a.	...	...	..	N	2	b
Iloilo,	"	29.83	90	...	NE	2	o	"	29.93	87	..	NE	1	b
Cebu,	"	29.88	88	..	N	2	c	"	29.95	87	...	N	1	c
Cape St. James,	4 p.	..	..	..	...	...	...	10 a.	...	...	...	...	..	...

On the 15th at 11. 55a. The barometer has risen in E. Japan, and fallen over W. Japan and the E. coast of China.

A depression is moving Eastwards blween the E. coast of China and the W. coast of Japan.

The highest pressure is over SE. Japan.

Light variable winds are indicated in the Formosa Channel and the N. part of the China Sea, accompanied by fog along the coast.

Forecast: light variable winds; showery, foggy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 15th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

15th April 1906, P. M								16th April 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.00	..	..	SE	6	..	6 a.	30.00	..	...	SW	4	..
Hakodate,	"	30.01	..	..	SW	6	..	"	29.93	...	..	N	2	..
Tokio,	"	30.06	..	...	SE	4	..	"	29.90	..	...	...	0	..
Kochi	"	29.95	...	...	SE	2	..	"	29.75	...	...	SW	2	..
Nagasaki,	"	29.82	..	...	S	6	..	"	29.75	...	...	W	8	..
Kagoshima,	"	29.83	...		E	6	..	"	29.79	..	...	NW	2	..
Oshima,	"	29.80	..	...	NW	6	..	"	29.84	...	...	..	0	..
Naha.	"	29.89	...	...	W	4	..	"	29.89	..	...	SW	2	..
Ishigakijima,	"	29.89	...	..	S	4	..	"	29.89	..	..	SW	2	..
Taihoku,	1 p.	29.89	..	...	W	2	..	5 a.	29.89	..	..	..	0	..
Taichu,	"	29.91	...	..	W	2	..	"	29.92	..	..	..	0	..
Tainan,	"	29.85	..	..	SE	4	..	"	29.90	..	...	SW	2	..
Koshun,	"	29.90	..	..	W	6	..	"	29.92	...	..	...	0	..
Pescadores,	"	29.91	..	...	W	4	..	"	29.93	...	...	SW	4	..
Weihaiwei,	3 p.	...	..	...	...	...	...	9 a.	29.88	56	...	NW	2	c
Gutzlaff,	"	...	62	89	NW	2	or	"	30.07	54	94	NNE	3	ev
Sharp Peak,	"	29.85	69	95	...	0	f	"	29.80	69	97	...	0	c
Amoy,	"	29.78	80	78	SE	2	o	6 30a.	29.78	71	95	SE	1	c
Swatow,	"	..	..	...	...	..	...	9 a.	...	..	...	..	..	...
Canton,	"	29.90	72	95	..	0	or	"	..	.	..	...	..	...
Hongkong,	4 p.	29.87	74	94	E	2	of	10 a.	29.97	73	90	E	3	op
Victoria Peak,	"	...	..	...	S	5	..	"	...	..	..	SSW	3	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.86	75	...	SSE	1	o	"	29.97	74	..	SE	1	orlt
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	95	42	SE	3	b	"	30.09	83	66	WSW	1	b
Bacolod,	3 p.	...	..	..	ENE	2	c	9 a.	...	...	..	NW	2	b
Iloilo,	"	29.87	89	...	NE	1	b	"	29.97	86	..	NE	1	b
Cebu,	"	29.89	...	..	N	2	b	"	29.88	87	...	N	1	b
Cape St. James,	4 p.	..	..	..	...	...	...	10 a.	...	...	...	...	..	...

On the 16th at 11. 45a. The barometer has fallen over Japan, and risen slightly over S. China and the Philippines.

The depression is moving Eastwards over W. Japan.

Gradients are slight over S. China, and moderate variable winds may be expected in the Formosa Channel, and light S. winds over the N. part of the China Sea.

Forecast: — variable winds, light to moderate; thunder showers.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 16th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

16th April 1906, P. M.								17th April 1906, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.99	..	..	SE	2	..	6 a.	29.61	..	...	E	10	..
Hakodate,	"	29.77	..	..	NE	6	..	"	29.50	...	..	NW	4	..
Tokio,	"	29.67	..	...	...	0	..	"	29.43	..	...	...	0	..
Kochi	"	29.60	...	...	..	0	..	"	29.64	...	...	...	0	..
Nagasaki,	"	29.75	..	...	NW	6	..	"	29.72	...	...	NW	8	..
Kagoshima,	"	29.72	...		W	4	..	"	29.75	..	...	W	4	..
Oshima,	"	29.84	..	...	N	2	..	"	29.84	...	...	N	4	..
Naha.	"	29.85	...	...	SW	6	..	"	29.85	..	...	N	4	..
Ishigakijima,	"	29.89	...	..	SW	4	..	"	29.85	..	..	..	0	..
Taihoku,	1 p.	29.87	..	...	W	6	..	5 a.	29.94	..	..	W	2	
Taichu,	"	29.93	...	..	SW	4	..	"	29.99	..	..	..	0	
Tainan,	"	29.97	..	..	E	2	..	"	29.91	..	...	..	0	
Koshun,	"	29.91	..	..	NW	6	..	"	29.88	...	..	N	4	
Pescadores,	"	29.95	..	...	SW	6	..	"	29.89	...	...	...	0	
Weihaiwei,	3 p.	29.83	47	...	WNW	3	c	9 a.	...	...	...	..	...	..
Gutzlaff,	"	30.03	64	87	NNE	3	of	"	30.17	56	81	N	4	ov
Sharp Peak,	"	29.80	75	88	S	3	o	"	29.98	66	87	E	2	o
Amoy,	"	29.77	77	77	SSE	2	o	6 30a.	29.78	73	86	NE	3	o
Swatow,	"	29.88	71	95	...	0	o	9 a.	...	..	...	..	..	...
Canton,	"	29.87	83	79	..	0	c	"	..	80	82	SE	1	b
Hongkong,	4 p.	29.87	73	90	E	2	o	10 a.	29.90	75	91	E	2	o
Victoria Peak,	"	...	..	...	SSW	3	..	"	...	..	..	SSW	5	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.88	78	...	SSE	1	c	"	29.89	71	..	SSE	1	
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	
Manila,	"	29.84	95	46	SE	3	b	"	29.99	91	56	SE	1	c
Bacolod,	3 p.	...	..	..	N	2	b	9 a.	...	...	..	ENE	2	b
Iloilo,	"	29.87	92	...	NE	1	b	"	29.93	87	..	ENE	1	c
Cebu,	"	29.88	88	..	N	2	b	"	29.92	88	...	N	1	b
Cape St. James,	4 p.	..	..	..	...	...	...	10 a.	...	...	...	...	..	...

On the 17th at 12, 10p. The barometer has fallen rapidly over E. Japan owing to the depression which is moving over that area towards the Pacific.

The barometer has risen over the E. coast of China, and fallen on the S. coast.

Pressure is highest over N. China. NE winds will freshen in the Formosa Channel and moderate variable winds may be expected over the N. part of the China Sea.

Forecast:— SE to E winds, freshening; unsettled, thunder showers.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 17th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th April 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	18th April 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.37	..	..	NE	10	..	6 a.	29.21	..	...	N	8	..
Hakodate,	„	29.38	..	..	NW	4	..	„	29.46	...	..	N	10	..
Tokio,	„	29.31	..	...	S	2	..	„	29.59	..	...	NW	6	..
Kochi	„	29.56	...	...	NW	10	..	„	29.95	...	...	N	8	..
Nagasaki,	„	29.68	..	...	NW	10	..	„	30.03	...	...	NE	6	..
Kagoshima,	„	29.72	...		NW	8	..	„	30.03	..	...	NE	4	..
Oshima,	„	29.84	..	...	NW	6	..	„	30.00	...	...	N	8	..
Naha.	„	..	...	...	...	..	..	„	30.01	..	...	N	6	..
Ishigakijima,	„	29.89	...	..	N	6	..	„	30.01	..	..	NE	4	..
Taihoku,	1 p.	29.95	..	...	E	8	..	5 a.	30.00	..	..	E	6	..
Taichu,	„	29.88	...	..	W	2	..	„	29.92	..	..	N	2	..
Tainan,	„	29.89	..	..	S	2	..	„	29.99	..	...	N	2	..
Koshun,	„	29.86	..	..	N	4	..	„	29.94	...	..	NE	10	..
Pescadores,	„	29.88	..	...	NW	4	..	„	29.93	...	...	N	8	..
Weihaiwei,	3 p.	30.06	56	...	NNE	3	b	9 a.	30.09	62	...	W	1	b
Gutzluff,	„	30.14	56	94	N	3	bv	„	30.27	53	80	ENE	3	cv
Sharp Peak,	„	29.99	65	89	NE	4	or	„	30.12	59	76	ENE	4	o
Amoy,	„	29.78	66	95	NE	3	or	6 30 a.	29.82	58	88	NE	5	o
Swatow,	„	..	..	..	...	..	...	9 a.	...	..	...	..	..	...
Canton,	„	29.78	71	95	E	1	or	„	29.96	79	99	E	1	or
Hongkong.	4 p.	29.81	70	91	E	3	o	10 a.	29.98	66	85	ENE	4	o
Victoria Peak,	„	...	..	...	NNW	5	..	„	...	..	..	ENE	7	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.81	70	...	SE	1	o	„	29.93	69	..	E	1	o
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.76	95	37	SE	3	b	„	29.88	88	69	SW	0	c
Bacolod,	3 p.	...	..	..	N	5	b	9 a.	...	...	..	NW	2	b
Iloilo,	„	29.83	93	...	N	1	b	„	29.89	87	..	NE	1	b
Cebu,	„	29.87	88	..	N	3	b	„	29.91	87	...	...	0	b
Cape St. James,	4 p.	..	..	..	...	...	...	10 a.	...	...	...	...	..	...

On the 18th at 11, 55a. The barometer has risen over China and S. Japan, and fallen in the extreme NE of Japan.

The depression which has deepened, lies now in the Pacific off Hokkaido.

Pressure is high over the Yellow Sea.

Strong NE winds are indicated in the Formosa Channel and over the N. part of the China Sea.

Forecast:— strong E breezes; dull, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 18th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

18th April 1906, P. M								19th April 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.29	..	..	NW	8	..	6 a.	29.73	..	...	NW	8	..
Hakodate,	"	29.58	..	..	NW	8	..	"	29.85	...	..	...	0	..
Tokio,	"	29.71	..	...	NW	6	..	"	29.94	..	...	W	2	..
Kochi	"	29.95	...	...	W	2	..	"	30.07	...	...	SW	2	..
Nagasaki,	"	30.07	..	...	W	4	..	"	30.11	...	...	...	0	..
Kagoshima,	"	30.07	...		S	...	..	"	30.11	..	...	N	6	..
Oshima,	"	30.04	..	...	N	6	..	"	30.12	...	...	S	2	..
Naha.	"	30.05	...	...	NE	4	..	"	30.05	..	...	NE	2	..
Ishigakijima,	"	30.01	...	..	NE	6	..	"	30.01	..	..	NE	2	..
Taihoku,	1 p.	30.00	..	...	E	8	..	5 a.	29.98	..	..	..	0	..
Taichu,	"	29.93	...	..	N	4	..	"	29.95	..	..	...	0	..
Tainan,	"	29.93	..	..	N	4	..	"	29.95	..	...	N	2	..
Koshun,	"	29.91	..	..	NE	8	..	"	29.92	...	..	E	6	..
Pescadores,	"	29.93	..	...	NE	10	..	"	29.95	...	...	NE	8	..
Weihaiwei,	3 p.	30.04	63	...	WNW	4	b	9 a.	30.15	61	...	NW	1	b
Gutzlaff,	"	30.21	68	76	E	3	cv	"	30.25	55	80	SE	4	cv
Sharp Peak,	"	30.06	60	82	NNE	2	og	"	30.10	61	97	..	0	o
Amoy,	"	29.92	64	73	NE	2	o	6 30 a.	29.90	60	88	NE	1	o
Swatow,	"	29.94	62	78	E	4	or	9 a.	...	..	...	..	..	...
Canton,	"	29.86	70	90	SE	2	c	"	29.96	68	95	E	1	or
Hongkong,	4 p.	29.86	64	89	E	5	od	10 a.	29.96	66	89	E	5	o
Victoria Peak,	"	...	..	...	E	8	..	"	...	..	..	E	6	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.83	67	...	E	2	o	"	29.96	66	..	E	3	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.76	95	37	SE	4	b	"	...	...	...	..	..	...
Bacolod,	3 p.	...	..	..	WNW	4	b	9 a.	...	...	..	W	2	b
Iloilo,	"	29.83	92	...	NE	3	b	"	29.93	87	..	NE	1	b
Cebu,	"	29.77	85	..	N	2	b	"	29.93	87	...	N	1	b
Cape St. James,	4 p.	29.90	88	..	SW	1	c	10 a.	...	...	...	...	..	...

On the 19th at 11, 40a. The barometer has risen in Japan, and is inclined to fall again over China. The depression lying off the NE coast of Japan yesterday, has moved away over the Pacific. Pressure is highest over the Yellow Sea.

E. winds, decreasing are indicated in the Formosa Channel, and fresh E. winds over the N. part of the China Sea.

Forecast:— fresh to moderate E winds; dull, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 19th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

19th April 1906, P. M								20th April 1906. A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	.
Nemuro,	"	29.84	..	..	NW	8	..	6 a.	30.12	.	...	NW	6	..
Hakodate,	"	29.97	..	..	NW	6	..	"	30.29	...	..	N	2	..
Tokio,	"	29.94	..	...	SE	2	..	"	30.34	.	...	NW	2	..
Kochi	"	30.07	...	...	S	4	..	"	30.31	...	...	W	4	..
Nagasaki,	"	30.11	..	...	SW	6	..	"	30.27	...	...	N	2	..
Kagoshima,	"	30.11	...		SW	4	..	"	30.27	..	...	SE	6	..
Oshima,	"	30.16	..	...	N	4	..	"	30.24	...	...	S	2	..
Naha.	"	30.09	...	...	E	2	..	"	30.17	..	...	E	4	..
Ishigakijima,	"	30.05	...	..	E	6	..	"	30.05	..	..	E	6	..
Taihoku,	1 p.	29.98	..	...	W	2	..	5 a.	29.99	..	..	E	6	..
Taichu,	"	29.96	...	..	N	2	..	"	30.00	..	..	...	0	..
Tainan,	"	29.94	..	..	N	4	..	"	29.97	..	...	N	2	..
Koshun,	"	29.92	..	..	NE	6	..	"	29.96	...	..	N	8	..
Pescadores,	"	29.95	..	...	NE	8	..	"	29.97	...	...	N	4	..
Weihaiwei,	3 p.	30.16	50	...	ESE	1	b	9 a.	...	...	...	..	...	..
Gutzlaff,	"	30.21	55	94	SE	4	cm	"	30.27	56	87	SE	5	om
Sharp Peak,	"	30.02	64	86	ENE	1	og	"	30.07	65	95	E	1	og
Amoy,	"	29.88	71	80	NNE	2	c	6 30 a.	29.94	63	100	WNW	3	or
Swatow,	"	29.95	69	80	SSE	2	o	9 a.	...	..	...	..	..	...
Canton,	"	29.89	67	95	E	1	or	"	...	...	...	..	..	..
Hongkong,	4 p.	29.89	68	85	E	3	o	10 a	30.02	63	92	E	4	o
Victoria Peak,	"	...	..	...	E	6	..	"	...	..	..	ESE	5	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.88	68	...	E	2	o	"	30.01	60	..	SE	2	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	93	51	SE	1	c	"	30.00	91	59	ESE	3	c
Bacolod,	3 p.	...	..	..	NW	4	b	9 a.	...	...	..	NW	2	b
Iloilo,	"	29.83	93	...	NE	1	b	"	29.97	86	..	NE	2	b
Cebu,	"	29.90	88	..	N	3	b	"	29.89	85	...	...	0	b
Cape St. James,	4 p.	...	..	..	...	...	..	10 a.	...	...	...	...	..	...

On the 20th at 11. 55a. The barometer has risen considerably in Japan, where an area of high pressure is now lying.

Pressure has also increased slightly over the coast of China and the Philippines.

Fresh E. winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh to moderate E winds; misty, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 20th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

20th April 1906, P. M								21st April 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.24	..	..	N	4	..	6 a.	30.16	.	...	W	2	..
Hakodate,	"	30.25	..	..	W	6	..	"	30.22	...	..	SW	2	..
Tokio,	"	30.36	..	...	SE	6	..	"	30.41	.	...	NW	2	..
Kochi	"	30.33	...	...	SW	4	..	"	30.34	...	...	W	2	..
Nagasaki,	"	30.27	..	...	SW	6	..	"	30.23	...	...	...	0	..
Kagoshima,	"	30.27	...		SE	4	..	"	30.27	..	...	SE	6	..
Oshima,	"	30.20	..	...	S	4	..	"	30.16	...	...	E	2	..
Naha,	"	30.17	...	...	E	6	..	"	30.12	..	...	SE	4	..
Ishigakijima,	..	..	...	..	...	..	..	"	30.05	..	..	SE	6	..
Taihoku,	1 p.	29.98	..	...	E	6	..	5 a.	29.99	..	..	..	0	..
Taichu,	"	29.98	...	..	SW	2	..	"	30.04	..	..	...	0	
Tainan,	"	30.06	..	..	W	4	..	"	30.00	..	...	NW	2	
Koshun,	"	29.98	..	..	NE	6	..	"	29.97	...	..	E	2	..
Pescadores,	"	29.96	..	...	N	4	..	"	29.98	...	...	NE	2	..
Weihaiwei,	3 p.	30.18	54	...	S	2	or	9 a.	29.94	59	...	SE	4	or
Gutzlaff,	"	30.24	63	83	SE	4	o	"	30.07	59	100	SSE	5	fd
Sharp Peak,	"	29.94	68	95	...	0	o	"	29.99	63	97	..	0	f
Amoy,	"	29.90	70	90	SW	1	or	6 30a.	29.89	67	95	S	1	f
Swatow,	"	29.96	72	85	E	2	o	9 a.	...	..	...	..	..	...
Canton,	"	29.92	71	95	N	1	or	"	...	...	...	..	..	..
Hongkong,	4 p.	29.93	68	94	E	3	o	10 a	29.99	73	90	E	3	o
Victoria Peak,	"	...	..	...	SE	6	..	"	...	..	..	SSW	2	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.92	71	...	SE	2	o	"	29.98	73	..	...	0	c
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.88	91	87	E	3	b	"	..	...	..	..	..	..
Bacolod,	3 p.	...	..	..	N	4	b	9 a.	...	...	..	NW	2	b
Iloilo,	"	29.87	91	...	ENE	2	b	"	29.97	87	..	NE	1	b
Cebu,	"	29.89	88	..	N	2	b	"	29.96	87	...	N	2	c
Cape St. James,	4 p	...	70	..	SW	1	c	10 a.	...	...	...	...	..	...

On the 21st at 11. 45a. The barometer has fallen quickly over N. China, owing to a depression which appears to be approaching Shantung from the Westward.

An area of high pressure covers Japan with its centre over the SE coast.

Moderate SE winds are indicated in the Formosa Channel and the N. part of the China Sea, accompanied by foggy weather along the coast.

Forecast:— moderate E to SE winds; showery, foggy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 21st April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

21st April 1906, P. M								22nd April 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	30.08	..	..	S	6	..	6 a.	29.84	..	...	SW	6	..
Hakodate,	,,	30.17	..	..	SW	6	..	,,	30.01	...	..	E	2	..
Tokio,	,,	30.26	..	...	S	6	..	,,	30.10	..	...	S	4	..
Kochi	,,	30.27	...	...	SE	4	..	,,	30.15	...	...	...	0	..
Nagasaki,	,,	30.19	..	...	W	6	..	,,	29.99	...	...	SE	4	..
Kagoshima,	,,	30.19	...		S	6	..	,,	30.07	..	...	E	2	..
Oshima,	,,	30.12	..	...	SE	6	..	,,	30.00	...	...	SE	6	..
Naha.	,,	..	...	...	...	..	..	,,	29.97	..	...	SE	4	..
Ishigakijima,	,,	30.01	...	..	SE	6	..	,,	29.97	..	..	SW	4	..
Taihoku,	1 p.	29.94	..	...	NW	6	..	5 a.	29.95	..	..	..	0	..
Taichu,	,,	29.97	...	..	NW	4	..	,,	29.97	..	..	...	0	..
Tainan,	,,	29.97	..	..	SW	4	..	,,	29.96	..	...	E	2	..
Koshun,	,,	29.96	..	..	SE	6	..	,,	29.95	...	..	...	0	..
Pescadores,	,,	29.97	..	...	NW	2	..	,,	29.95	...	...	E	2	..
Weihaiwei,	3 p.	29.81	55	...	WSW	1	c	9 a.	29.89	47	...	NW	2	or
Gutzlaff,	,,	30.03	65	89	WNW	3	cm	,,	30.10	61	94	NNW	1	o a
Sharp Peak,	,,	29.92	69	95	NE	2	f	,,	29.94	71	93	SSE	1	f
Amoy,	,,	29.87	61	94	SE	2	o	6 30 a.	29.84	63	95	...	0	f
Swatow,	,,	29.93	77	86	W	1	c	9 a.	...	..	...	..	..	...
Canton,	,,	29.92	78	86	..	0	o	,,	29.97	71	100	E	1	o
Hongkong,	4 p.	29.92	73	93	E	2	o	10 a.	29.95	76	89	SE	2	of
Victoria Peak,	,,	...	..	...	SSE	1	..	,,	...	..	..	SSW	4	..
Gap Rock,	,,	..	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	29.91	74	...	SE	1	o	,,	29.94	74	..	SSE	1	of
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.84	93	46	SE	5	b	,,	29.96	83	65	W	1	b
Bacolod,	3 p.	...	..	..	NW	4	b	9 a.	...	...	..	NW	2	b
Iloilo,	,,	29.83	93	...	NE	2	b	,,	29.93	86	..	NE	1	b
Cebu,	,,	29.87	88	..	N	3	b	,,	29.89	87	...	N	2	b
Cape St. James,	4 p.	29.88	86	..	SE	2	c	10 a.	...	...	...	...	..	...

On the 22nd at 12.5p. The barometer has fallen considerably in Japan, and risen slightly over the E. coast of China.

The depression appears to moving Eastwards in N. Korea. Pressure is highest over the Pacific to the SE of Japan.

Light to moderate variable winds are indicated in the Formosa Channel and over the N. part of the China Sea, accompanied by fog along the coast.

Forecast:— SE or variable winds, light; foggy, thundershowers.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 22nd April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

22nd April 1906, P. M								23rd April 1906, A. M.						
Station.	Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	Hour	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.76	..	..	SW	4	..	6 a.	...	..	...	..	...	..
Hakodate,	„	29.85	..	..	SW	8	..	„	..	...	..	..	..	..
Tokio,	„	29.98	..	...	S	8	..	„	..	..	...	...	..	..
Kochi	„	30.03	...	...	S	2	..	„	...	...	...	...	..	..
Nagasaki,	„	29.87	..	...	SE	8	..	„	..	...	...	...	..	..
Kagoshima,	„	29.95	...		SE	4	..	„	...	..	...	..	...	..
Oshima,	„	29.96	..	...	S	4	..	„	..	...	...	...	..	..
Naha,	„	29.93	...	...	S	4	..	„	..	..	...	..	..	..
Ishigakijima,	„	29.93	...	..	S	...	..	„	...	..	..	...	..	..
Taihoku,	1 p.	29.90	..	...	W	4	..	5 a.	29.93	..	..	..	0	..
Taichu,	„	29.88	...	..	W	4	..	„	29.95	..	..	...	0	..
Tainan,	„	29.96	..	..	W	4	..	„	29.93	..	...	N	2	..
Koshun,	„	29.90	..	..	W	4	..	„	29.91	...	..	N	2	..
Pescadores,	„	29.92	..	...	W	4	..	„	29.95	...	...	N	8	..
Weihaiwei,	3 p.	..	..	...	...	...	...	9 a.	29.92	51	...	W	4	b
Gutzlaff,	„	30.05	65	83	NNE	1	o	„	30.16	69	88	NW	3	...
Sharp Peak,	„	29.83	66	92	ENE	5	og	„	30.04	65	95	NE	3	og
Amoy,	„	29.78	74	90	SE	2	b	6 30a.	29.84	67	95	...	0	f
Swatow,	„	29.84	82	87	E	0	or	9 a.	...	..	...	..	..	...
Canton,	„	29.95	70	90	..	0	or	„	...	..	...	...	...	...
Hongkong,	4 p.	29.91	77	88	..	0	o	10 a.	30.03	74	76	...	0	o
Victoria Peak,	„	...	..	...	W	3	..	„	...	..	..	NE	1	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.90	72	...	SE	1	dd	„	30.01	73	..	N	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.80	93	46	SE	2	b	„	29.96	86	59	WNW	2	c
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	2	b
Iloilo,	„	29.83	96	...	NE	2	b	„	29.93	86	..	NE	1	b
Cebu,	„	29.84	87	..	N	4	b	„	29.93	83	...	N	1	b
Cape St. James,	4 p.	29.82	86	..	SE	3	c	10 a.	...	...	...	...	..	...

On the 23rd at 12. 5p. The barometer has risen on the China coast.
Pressure is highest over Central China. The depression is probably crossing the Sea of Japan.
Moderate NE winds are indicated in the Formosa Channel, and the N. part of the China Sea.
Forecast:— N to NE winds, light to moderate; the weather is likely to improve.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 23rd April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd April 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	24th April 1906. A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.92	..	..	E	6	..	6 a.	29.57	.	...	NE	2	..
Hakodate,	„	29.66	..	..	E	8	..	„	29.62	...	..	SW	8	..
Tokio,	„	29.78	..	...	S	8	..	„	29.82	.	...	NW	6	..
Kochi	„	29.79	...	...	SE	2	..	„	30.03	...	...	NE	2	..
Nagasaki,	„	29.95	..	...	W	4	..	„	30.11	...	...	...	0	..
Kagoshima,	„	29.95	...		W	6	..	„	30.07	..	...	N	10	..
Oshima,	„	29.96	..	...	N	4	..	„	30.08	...	...	NW	4	..
Naha.	„	29.93	...	...	W	4	..	„	30.05	..	...	NE	2	..
Ishigakijima,	„	29.93	...	..	W	6	..	„	30.01	..	..	NE	6	..
Taihoku,	1 p.	30.01	..	...	E	6	..	5 a.	30.06	..	..	E	6	..
Taichu,	„	29.97	...	..	N	6	..	„	30.02	..	..	...	0	..
Tainan,	„	29.94	..	..	NW	6	..	„	30.06	..	...	N	2	..
Kosbun,	„	29.91	..	..	W	6	..	„	29.99	...	..	NE	6	..
Pescadores,	„	29.90	..	...	E	6	..	„	30.01	...	...	N	8	.
Weihaiwei,	3 p.	29.91	61	...	W	3	b	9 a.	30.04	69	...	W	2	b
Gutzlaff,	„	..	.	...	..	..	...	„	30.29	59	54	SE	3	bm
Sharp Peak,	„	30.05	65	92	NNE	2	og	„	30.16	64	78	NE	2	o
Amoy.	„	29.88	71	95	NE	3	o	6 30a.	29.94	65	95	NE	3	f
Swatow,	„	29.93	72	90	E	2	b	9 a.	29.99	64	95	NE	1	c
Canton,	„	29.97	66	95	..	0	or	„	30.06	70	95	SE	1	o
Hongkong,	4 p.	29.95	73	86	..	0	of	10 a.	30.06	71	75	E	5	c
Victoria Peak,	„	...	..	...	N	2	..	„	...	..	..	E	6	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.95	71	...	NW	1	o	„	30.05	73	..	ESE	1	c
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.80	90	48	SE	5	o	„	29.96	84	58	W	1	b
Bacolod,	3 p.	...	..	..	NW	3	b	9 a.	...	...	..	W	0	b
Iloilo,	„	29.83	92	...	NE	1	b	„	29.93	86	..	NE	1	b
Cebu,	„	29.86	88	..	N	3	b	„	29.91	87	...	N	1	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 24th. at 12. 5p. The barometer has risen on the China coast and over S. Japan, and fallen in NE Japan.

The depression is moving into the Pacific to the E. of N. Japan. Pressure is highest between the E. coast of China and W. Japan.

Fresh E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh E winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 24th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th April 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th April 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	.	..	..	...	..	..
Nemuro,	"	29.45	..	..	W	2	..	6 a.	29.96	.	...	NW	6	..
Hakodate,	"	29.77	..	..	W	6	..	"	30.17	...	..	NW	6	..
Tokio,	"	29.86	..	...	NE	4	..	"	30.18	.	...	NW	4	..
Kochi	"	30.07	...	...	N	8	..	"	30.27	...	...	W	2	..
Nagasaki,	"	30.15	.	...	SW	6	..	"	30.23	...	...	E	2	..
Kagoshima,	"	30.11	...		S	2	..	"	30.23	..	...	...	0	..
Oshima,	"	30.12	..	...	N	8	..	"	30.20	...	...	...	0	..
Naha.	"	30.09	...	...	E	4	..	"	30.09	..	...	E	4	..
Ishigakijima,	"	30.05	...	..	E	6	..	"	30.05	..	..	E	6	..
Taihoku,	1 p.	30.04	..	...	E	8	..	5 a.	30.04	..	..	S	8	..
Taichu,	"	30.02	...	..	N	4	..	"	30.02	..	..	N	2	..
Tainan,	"	30.02	..	..	SW	4	..	"	30.04	..	...	N	4	..
Koshun,	"	29.98	..	..	E	6	..	"	30.02	...	..	N	2	..
Pescadores,	"	30.04	..	...	NE	8	..	"	30.05	...	...	NE	6	..
Weihaiwei,	3 p.	30.07	62	...	E	2	b	9 a.	..	..	...	..	..	..
Gutzlaff,	"	30.25	58	58	SE	3	om	"	30.24	55	87	SSE	5	omd
Sharp Peak,	"	30.09	66	68	NE	3	of	"	30.12	63	83	NE	1	og
Amoy,	"	29.94	77	63	E	3	c	6 30a.	29.94	65	95	..	0	o
Swatow,	"	30.00	72	53	E	4	c	9 a.	..	..	...	..	...	...
Canton,	"	29.97	76	77	SE	1	b	"	...	...	...	...	..	..
Hongkong,	4 p.	29.98	71	79	E	3	o	10 a.	30.07	70	87	E	3	o
Victoria Peak,	"	...	..	...	SE	3	..	"	...	..	..	ESE	4	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.97	73	...	SE	1	c	"	30.07	73	..	E	2	c
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	93	46	SE	3	b	"	29.96	81	64	NW	1	o
Bacolod,	3 p.	...	..	..	NW	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.83	92	...	NE	2	b	"	29.93	86	..	NE	1	b
Cebu,	"	29.87	89	..	N	2	b	"	29.95	88	...	N	2	c
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 25th. at 11. 45a. The barometer has risen considerably over Japan, and fallen slightly over the E. coast of China.

An area of high pressure lies over S. Japan.

Gradients are slight and moderate E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate E winds; cloudy misty.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 25th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th April 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	26th April 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	30.04	..	..	NE	4	..	6 a.	30.24	..	...	SW	2	..
Hakodate,	,,	30.25	..	..	W	8	..	,,	30.25	...	..	E	2	..
Tokio,	,,	30.22	..	...	NE	6	..	,,	30.24	..	...	NW	2	..
Kochi	,,	30.23	...	...	SE	2	..	,,	30.28	...	...	SW	2	..
Nagasaki,	,,	...	..	...	SE	4	..	,,	30.11	...	...	SW	2	..
Kagoshima,	,,	29.99	...		SE	2	..	,,	30.11	..	...	E	8	..
Oshima,	,,	30.12	..	...	SE	6	..	,,	30.04	...	...	SE	6	..
Naha.	,,	30.09	...	...	E	6	..	,,	30.01	..	...	S	2	..
Ishigakijima,	,,	30.01	...	..	S	6	..	,,	29.97	..	..	SE	2	..
Taihoku,	1 p.	30.00	..	...	N	2	..	5 a.	29.98	..	..	..	0	..
Taichu,	,,	30.00	...	..	NW	4	..	,,	30.01	..	..	...	0	..
Tainan,	,,	30.00	..	..	NW	4	..	,,	29.99	..	...	N	4	..
Koshun,	,,	29.97	..	..	SE	6	..	,,	29.96	...	..	...	6	..
Pescadores,	,,	30.01	..	...	N	6	..	,,	29.97	...	...	N	4	..
Weihaiwei,	3 p.	30.69	67	...	SSW	3	b	9 a.	30.02	53	...	ESE	2	c
Gutzlaff,	,,	30.14	55	94	SE	4	om	,,	30.09	63	94	WNW	2	o
Sharp Peak,	,,	30.00	67	89	E	2	o	,,	29.97	67	89	...	0	c
Amoy,	,,	29.90	70	80	SE	2	b	6 30a.	29.89	59	94	SE	3	o
Swatow,	,,	29.98	74	81	ESE	2	b	9 a.	29.97	69	95	E	1	o
Canton,	,,	29.94	81	74	SE	2	b	,,	29.97	76	91	E	1	c
Hongkong,	4 p.	29.95	72	89	E	2	c	10 a.	29.99	72	98	E	2	o
Victoria Peak,	,,	...	..	...	SE	3	..	,,	...	..	..	SSE	4	..
Gap Rock,	,,	.	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	29.94	74	...	SSE	1	c	,,	29.97	74	..	SE	1	of
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.88	91	49	E	1	o	,,	29.96	84	71	W	1	c
Bacolod,	3 p.	...	..	..	NW	5	b	9 a.	...	...	..	NW	2	b
Iloilo,	,,	29.83	93	...	NE	2	b	,,	29.93	88	..	NE	1	b
Cebu,	,,	29.89	88	..	N	2	b	,,	29.94	87	...	N	2	c
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 26th at 11. 40a. The barometer has risen over E. Japan, and fallen over W. Japan and the coast of China.

A depression is passing from the continent to the Yellow Sea. The high pressure area lies now over E. Japan.

Light to moderate variable winds are indicated in the Formosa Channel, and the N. part of the China Sea, accompanied by fog along the coast.

Forecast:— light SE winds; cloudy, foggy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 26th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th April 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	27th April 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a	..	..	..	...	..	..
Nemuro,	„	30.16	..	..	SE	4	..	6 a.	29.96	..	...	...	0	..
Hakodate,	„	30.05	..	..	SW	6	..	„	29.93	...	..	NW	2	..
Tokio,	„	30.22	..	...	S	6	..	„	29.98	..	...	..	0	..
Kochi	„	30.11	...	...	S	2	..	„	29.91	...	...	..	0	..
Nagasaki,	„	29.95	..	...	...	2	..	„	29.91	...	...	W	6	..
Kagoshima,	„	29.99	...		E	2	..	„	29.95	..	...	NW	2	..
Oshima,	„	29.96	..	...	S	6	..	„	30.00	...	...	..	6	..
Naha.	„	29.97	...	...	S	6	..	„	30.01	..	...	S	2	..
Ishigakijima,	„	29.97	...	..	S	6	..	„	29.97	..	..	S	2	..
Taihoku,	1 p.	29.93	..	...	NW	6	..	5 a.	29.99	..	..	N	8	..
Taichu,	„	29.93	...	..	NW	4	..	„	29.95	..	..	...	0	..
Tainan,	„	29.94	..	..	S	6	..	„	29.94	..	...	..	0	..
Koshun,	„	29.93	..	..	E	6	..	„	29.92	...	..	...	0	..
Pescadores,	„	29.93	..	...	W	6	..	„	29.95	...	...	S	2	..
Weihaiwei,	3 p.	30.04	54	...	E	1	c	9 a.	30.19	52	...	NNE	..	b
Gutzlaff,	„	30.04	61	94	NW	1	om	„	30.24	54	94	NNE	5	om
Sharp Peak,	„	29.87	74	99	E	1	c	„	30.00	66	92	NE	4	o
Amoy,	„	29.82	82	67	SE	2	b	6 30a.	29.83	72	95	SW	3	c
Swatow,	„	29.93	79	82	E	2	b	9 a.	...	...	...	..	..	...
Canton,	„	29.83	81	82	NE	1	c	„	...	..	...	...	..	...
Hongkong,	4 p.	29.89	75	89	E	3	c	10 a.	29.98	75	88	ENE	1	o
Victoria Peak,	„	...	..	...	S	1	..	„	...	..	..	SE	1	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.89	78	...	SE	1	c	„	29.96	74	..	ESE	1	of
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.84	91	49	N	1	c	„	29.92	86	71	WNW	1	c
Bacolod,	3 p.	...	..	..	NNW	4	b	9 a.	...	...	..	NW	2	b
Iloilo,	„	29.83	93	...	NE	1	b	„	29.89	87	..	NE	1	b
Cebu,	„	29.85	89	..	N	2	b	„	29.91	87	...	N	2	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 27th. at 12. 15p. The barometer has fallen quickly over Japan, and risen considerably in N. China.

The depression is in the Sea of Japan and moving towards NE.

An area of high pressure lies over N. China.

Strong NE winds are indicated in the Formosa Channel, and E. winds freshening, over the N. part of the China Sea.

Forecast:— E winds, freshening; cloudy, misty.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 27th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th April 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	28th April 1906, A. M. Hour	Barometer.	Temperature	Humidity	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.84	..	..	N	6	..	6 a.	29.61	.	...	NW	2	..
Hakodate,	„	29.77	..	..	S	4	..	„	29.81	...	..	NW	6	..
Tokio,	„	29.74	..	...	NW	4	..	„	29.82	..	...	..	0	..
Kochi	„	29.83	...	...	SE	2	..	„	29.95	...	...	SW	2	..
Nagasaki,	„	29.91	..	...	NW	6	..	„	30.07	...	...	W	2	..
Kagoshima,	„	29.95	...		W	4	..	„	30.07	..	...	NW	2	..
Oshima,	„	29.96	..	...	NE	2	..	„	30.04	...	...	NW	4	..
Naha,	„	29.97	...	...	S	2	..	„	29.97	..	...	E	2	..
Ishigakijima,	„	29.97	...	..	S	4	..	„	29.93	..	..	NE	6	..
Taihoku,	1 p.	29.95	..	...	E	2	..	5 a.	30.06	..	..	E	6	..
Taichu,	„	29.91	...	..	N	6	..	„	29.99	..	..	N	4	..
Tainan,	„	29.92	..	..	SW	6	..	„	29.94	..	...	N	6	..
Koshun,	„	29.91	..	..	E	6	..	„	29.89	...	..	...	6	..
Pescadores,	„	29.92	..	...	NW	4	..	„	29.97	...	...	NE	10	..
Weihaiwei,	3 p.	30.17	55	...	W	2	b	9 a.	30.25	60	...	WNW	..	b
Gutzlaff,	„	30.26	56	87	NNE	4	cm	„	30.33	56	63	NE	4	cv
Sharp Peak,	„	30.01	67	89	NE	4	og	„	30.13	61	82	NE	4	o
Amoy,	„	29.82	78	74	ENE	2	b	6 30 a.	29.94	62	94	NE	5	or
Swatow,	„	29.86	83	.	E	2	b	9 a.	29.96	65	95	NE	6	o
Canton,	„	29.91	77	86	...	0	o	„	...	...	...	...	..	...
Hongkong,	4 p.	29.89	76	83	...	0	o	10 a.	30.04	69	85	E	4	o
Victoria Peak,	„	...	..	...	NE	1	..	„	...	..	..	E	5	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.89	77	...	ESE	1	c	„	30.03	72	..	SE	1	o
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.86	93	40	SE	2	b	„	29.88	84	64	W	2	c
Bacolod,	3 p.	...	..	..	NW	4	b	9 a.	...	...	..	NE	1	b
Iloilo,	„	29.81	91	...	NE	3	b	„	29.87	87	..	NE	3	b
Cebu,	„	29.83	88	..	N	2	b	„	29.88	87	...	N	2	..
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 28th. at 12. 5p. The barometer has fallen over E. Japan owing to the depression which is passing to the Pacific to the NE of Japan.

Pressure has increased on the China coast, and given way slightly over the S. Loochoos and the Philippines. The high pressure area lies over the E. coast of China, and pressure is slightly in defect over the Pacific to the S. of the Loochoos.

Strong NE winds are indicated in the Formosa Channel and over the N. part of the China Sea.

Forecast:— strong NE breezes; cloudy, misty.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 28th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

28th April 1906, P. M.								29th April 1906, A. M.						
Station.	Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Windivostock,	2 p.	..	...	...	..	..	.	7 a.	..	..	..	...	..	.
Nemuro,	"	...	..	..	...	...	..	6 a.	..	..	...	...	...	..
Hakodate,	"	...	..	..	...	...	..	"	...	...	..	..	...	..
Tokio,	"	..	..	...	..	..	..	"	..	.	...	..	..	..
Kochi	"	..	...	...	...	...	..	"	..	...	...	..	...	..
Nagasaki,	"	...	..	...	..	...	..	"	..	...	...	..	...	..
Kagoshima,	"	...	...		..	.	..	"	...	..	...	..	...	..
Oshima,	"	..	..	...	..	..	..	"	...	...	...	...	...	..
Naha,	"	...	...	...	..	...	..	"	...	..	...	..	...	..
Ishigakijima,	"	...	...	..	..	...	..	"	..	..	..	..	...	..
Tailoku,	1 p.	30.09	..	...	E	6	..	5 a.	30.10	..	..	E	6	..
Taichu,	"	29.95	...	..	N	6	..	"	30.02	..	..	N	4	..
Tainan,	"	29.95	..	..	N	4	..	"	30.02	..	...	N	6	..
Koshun,	"	29.91	..	..	NE	10	..	"	29.93	...	..	NE	10	..
Pescadores,	"	29.90	..	...	E	10	..	"	30.02	...	...	E	10	..
Weihaiwei,	3 p.	30.15	64	...	WNW	4	b	9 a.	30.27	62	...	W	1	b
Gutzlaff,	"	30.33	58	58	NNE	3	cm	"	30.37	53	53	NE	3	bm
Sharp Peak,	"	30.15	60	85	NE	3	r	"	30.25	59	88	NE	4	o
Amoy,	"	29.97	64	78	NE	3	o	6 30 a.	30.02	61	71	NE	3	o
Swatow,	"	29.99	68	79	E	5	o	9 a.	..	..	...	...	...	..
Canton,	"	29.99	69	95	N	1	o	"	30.05	70	90	SE	2	o
Hongkong,	4 p.	29.96	70	79	E	5	o	10 a.	30.07	60	70	E	5	o
Victoria Peak,	"	...	..	...	E	4	..	"	...	..	..	E	6	..
Gap Rock,	"		...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.96	71	...	ESE	2	o	"	30.07	63	..	ESE	3	o
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	91	49	SE	4	b	"	29.92	83	59	W	2	o
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	3	b
Iloilo,	"	29.79	92	...	NE	1	b	"	29.89	86	..	NE	1	b
Cebu,	"	29.91	88	..	N	2	b	"	29.38	83	...	N	2	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 29th at 12. 15p. The barometer has risen slightly in S. China, Formosa and Luzon.
The high pressure area appears to be central over the Yellow Sea.
Gradients continue rather steep in the South, and strong NE winds may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast:— strong E winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 29th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th April 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	30th April 1906, A. M. Hour.	Barometer.	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	..	...	...	..	..	..	7 a	..	..	..	...	..	..
Nemuro,	„	...	..	..	...	...	..	6 a.	30.12	.	...	SW	4	..
Hakodate,	„	...	..	..	...	...	..	„	30.20	...	..	W	2	..
Tokio,	„	..	..	...	..	..	..	„	30.38	.	...	E	2	..
Kochi	„	..	...	...	...	...	..	„	30.31	...	...	W	2	..
Nagasaki,	„	...	..	...	..	...	..	„	30.27	...	...	SE	4	..
Kagoshima,	„	...	...		..	..	..	„	30.23	..	...	SE	6	..
Oshima,	„	..	..	...	..	..	..	„	30.12	...	...	E	2	..
Naha,	„	...	...	...	..	...	..	„	30.05	..	...	NE	2	..
Ishigakijima,	„	...	...	..	..	...	..	„	30.01	..	..	E	4	..
Taihoku,	1 p.	30.00	..	...	E	6	..	5 a.	29.91	..	..	...	0	..
Taichu,	„	29.98	...	..	N	6	..	„	29.91	..	..	...	0	..
Tainan,	„	29.99	..	..	N	6	..	„	29.99	..	...	N	4	..
Koshun,	„	29.96	..	..	NE	8	..	„	29.95	...	..	N	2	..
Pescadores,	„	30.03	..	...	NE	10	..	„	30.01	...	...	NE	10	..
Weihaiwei,	3 p.	30.21	66	...	ESE	1	b	9 a.	30.22	63	...	SE	0	b
Gutzlaff,	„	30.33	59	59	ENE	2	cv	„	30.26	57	75	E	3	ov
Sharp Peak,	„	30.15	69	85	NE	3	og	„	30.13	56	75	NW	1	or
Amoy,	„	29.98	73	63	NE	2	c	6 30 a.	29.94	63	83	E	3	o
Swatow,	„	..	72	62	NE	2	b	9 a.	30.00	64	78	NE	2	o
Canton,	„	29.94	80	82	SE	2	b	„	..	..	..	..	...	...
Hongkong,	4 p.	29.98	69	77	E	4	o	10 a.	30.01	69	80	E	4	o
Victoria Peak,	„	...	..	...	E	5	..	„	...	..	..	E	6	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.98	70	...	SE	2	o	„	30.03	70	..	ESE	2	o
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.80	93	46	SE	4	c	„	29.92	88	54	WNW	2	b
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	3	c
Iloilo,	„	29.79	90	...	NE	3	b	„	29.89	86	..	NE	1	b
Cebu,	„	29.81	89	..	N	2	b	„	29.88	88	...	N	2	b
Cape St. James,	4 p.	29.83	88	..	E	2	c	10 a.	...	...	...	...	..	...

On the 30th. at 12. 20p. The barometer has risen over Japan, and fallen on the coast of China.
The area of high pressure has moved Eastwards and lies now over SE Japan.
Gradients are less steep in S. China, and E. winds, decreasing in force, may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast: — fresh to moderate E winds; cloudy, misty.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 30th April 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th April 1906, P.M. Hour.	Barometer	Temperature	Humidity	Wind Direction.	Wind Force.	Weather	1st May 1906, A.M. Hour	Barometer.	Temperature	Humidity	Wind Direction.	Wind Force.	Weather
Vladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	30.04	..	..	S	8	..	6 a.	..	..	...	..	...	..
Hakodate,	,,	...	..	..	...	...	..	,,	...	...	..	...	...	..
Tokio,	,,	30.20	..	...	S	6	..	,,	...	..	...	..	...	..
Kochi	,,	30.23	...	...	W	2	..	,,	...	...	...	...	...	..
Nagasaki,	,,	30.15	..	...	S	4	..	,,	..	...	...	..	...	..
Kagoshima,	,,	30.15	...		SE	8	..	,,	...	..	...	...	..	..
Oshima,	,,	30.12	..	...	E	2	..	,,	..	...	...	..	...	..
Naha,	,,	30.01	...	...	E	4	..	,,	..	..	...	...	..	..
Ishigakijima,	,,	29.97	...	..	SE	6	..	,,	..	..	..	...	..	..
Taihoku,	1 p.	29.95	..	...	..	0	..	5 a.	29.90	..	..	...	0	..
Taichu,	,,	29.92	...	..	N	6	..	,,	29.92	..	..	...	0	..
Tainan,	,,	29.97	..	..	NW	6	..	,,	29.92	..	...	N	4	..
Koshun,	,,	29.91	..	..	NE	6	..	,,	29.89	...	..	N	2	..
Pescadores,	,,	29.95	..	...	NE	8	..	,,	29.89	...	...	NE	4	..
Weihaiwei,	3 p.	30.11	67	...	SW	...	..	9 a.	30.09	64	...	WNW	..	b
Gutzluff,	,,	30.01	57	94	ESE	3	om	,,	30.07	58	94	NNW	3	fd
Sharp Peak,	,,	30.00	59	34	NE	1	or	,,	29.95	61	94	..	0	or
Amoy,	,,	29.89	73	67	NE	1	o	6 30a.	29.84	66	89	S	1	o
Swatow,	,,	29.93	70	75	E	2	c	9 a.	29.91	65	95	N	1	o
Canton,	,,	29.89	74	86	E	1	o	,,	29.93	62	94	..	0	o
Hongkong,	4 p.	29.88	69	85	E	4	o	10 a.	29.93	70	90	E	4	o
Victoria Peak,	,,	...	..	...	ESE	4	..	,,	...	..	..	SE	3	..
Gap Rock,	,,	.	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	29.89	70	...	E	2	o	,,	29.94	70	..	SE	2	o
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.76	93	40	SE	5	b	,,	29.88	84	64	WNW	1	b
Bacolod,	3 p.	...	..	..	NE	3	c	9 a.	...	...	..	NW	2	b
Iloilo,	,,	29.79	92	...	NE	1	c	,,	29.89	86	..	NE	1	b
Cebu,	,,	29.79	89	..	N	2	b	,,	29.88	83	...	N	1	c
Cape St. James,	4 p.	29.80	86	..	NE	3	c	10 a.	...	...	...	...	..	...

On the 1st at 12. 10p. The barometer has fallen on the China coast, particularly in the North.
A shallow depression is moving Eastwards off the coast in the neighbourhood of Shanghai.
Gradients are slight over S. China, and light to moderate variable winds are indicated in the Formosa Channel, and light E. winds over the N. part of the China Sea.
Forecast: — E or variable winds, light; cloudy, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 1st May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st May 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	2nd May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	29.80	..	..	SW	10	..	6 a.	..	..	...	..	...	..
Hakodate,	,,	29.93	..	..	SW	8	..	,,	...	...	..	...	...	..
Tokio,	,,	30.18	..	...	S	8	..	,,	...	..	...	..	...	..
Kochi	,,	30.11	...	...	E	4	..	,,	...	...	...	...	...	..
Nagasaki,	,,	29.91	..	...	E	2	..	,,	..	...	...	..	...	..
Kagoshima,	,,	29.95	...		E	8	..	,,	...	..	...	...	..	..
Oshima,	,,	29.84	..	...	S	2	..	,,	..	...	...	..	...	..
Naha,	,,	29.85	...	...	S	2	..	,,	..	..	...	...	..	..
Ishigakijima,	,,	29.85	...	..	W	4	..	,,	..	..	..	...	..	..
Taihoku,	1 p.	29.87	..	...	N	2	..	5 a.	..	..	..	...	..	..
Taichu,	,,	29.86	...	..	N	4	..	,,	..	..	..	...	..	..
Tainan,	,,	29.86	..	..	W	4	..	,,	...	..	...	...	...	..
Koshun,	,,	29.84	..	..	W	4	..	,,	..	...	..	..	...	..
Pescadores,	,,	29.88	..	...	N	4	..	,,	..	...	...	..	...	..
Weihaiwei,	3 p.	30.02	64	...	SW	...	b	9 a.	..	..	...	...	..	..
Gutzlaff,	,,	30.01	56	100	NE	4	om	,,	...	...	...	...	..	..
Sharp Peak,	,,	29.86	63	97	..	0	og	,,	29.97	63	94	..	0	..
Amoy	,,	29.77	74	72	SE	3	c	6 30a.	29.79	67	95	NE	3	o
Swatow,	,,	29.85	74	76	E	2	o	9 a.	29.86	72	86	E	1	o
Canton,	,,	29.84	72	95	...	0	or	,,	..	...	...	..	..	...
Hongkong,	4 p.	29.85	71	99	E	2	o	10 a.	29.93	71	95	ESE	2	orlt
Victoria Peak,	,,	...	..	...	SE	2	..	,,	...	..	..	SE	1	..
Gap Rock,	,,	.	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	29.87	72	...	NW	1	or	,,	..	..	..	...	..	...
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.76	93	46	WNW	1	b	,,	..	...	...	...	..	...
Bacolod,	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	,,	29.79	93	...	NE	1	b	,,	29.90	88	..	NE	1	b
Cebu,	,,	29.87	90	..	N	3	b	,,	29.89	86	...	..	0	c
Cape St. James,	4 p.	29.80	86	..	E	1	b	10 a.	...	...	...	...	..	...

On the 2nd at 12.50p. Barometric changes in the South are unimportant.
Pressure has probably increased in the North, but returns from thence are lacking.
NE winds, freshening, will probably prevail in the Formosa Channel, and SE and E winds over the N. part of the China Sea.

Fecast:— light to moderate E winds; showery.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 2nd May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

2nd May 1906, P. M								3rd May 1906. A. M.						
STATION.	HOUR.	BAROMETER	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER	HOUR	BAROMETER.	Temperature.	HUMIDITY.	WIND Direction.	WIND Force.	WEATHER
Windivostock, ..	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	,,	30.16	..	..	S	6	..	6 a.	..	..	...	..	...	..
Hakodate, ...	,,	30.09	..	..	SE	8	..	,,	...	...	..	...	...	..
Tokio, ...	,,	30.06	..	...	NE	6	..	,,	...	..	...	..	...	..
Kochi	,,	29.95	...	...	W	2	..	,,	...	...	...	...	...	..
Nagasaki, ...	,,	29.79	..	...	SE	3	..	,,	..	...	...	..	...	..
Kago-hima, ...	,,	29.83	...		SE	2	..	,,	...	..	...	...	..	..
Oshima, ...	,,	29.84	..	...	NW	2	..	,,	..	...	...	..	...	..
Naha.	,,	29.89	...	...	NE	4	..	,,	..	..	...	...	..	..
Ishigakijima, ..	,,	..	...	..	...	..	..	,,	..	..	..	...	..	..
Taihoku, ...	1 p.	29.88	..	...	E	6	..	5 a.	29.95	..	..	E	6	..
Taichu, ...	,,	29.87	...	..	NW	2	..	,,	29.92	..	..	...	0	..
Tainan, ...	,,	29.87	..	..	W	6	..	,,	29.93	..	...	N	4	..
Koshun, ...	,,	29.84	..	..	NW	6	..	,,	29.90	...	..	E	4	..
Pescadores, ...	,,	29.92	..	...	E	4	..	,,	29.91	...	...	NE	6	..
Weihaiwei, ...	3 p.	29.86	68	...	N	1	odr	9 a.	29.93	63	...	ENE	1	b
Gutzlaff, ...	,,	30.07	57	94	N	2	ov	,,	30.15	59	83	SSE	3	cv
Sharp Peak, ...	,,	29.93	64	95	N	2	og	,,	30.03	63	97	NW	1	or
Amoy, ...	,,	29.80	67	95	SE	1	or	6 30a.	29.84	66	95	NE	3	o
Swatow, ...	,,	29.86	70	95	W	1	or	9 a.	29.88	68	95	E	1	o
Canton, ...	,,	29.84	68	95	N	1	o	,,	29.95	73	95	..	0	o
Hongkong, ...	4 p.	29.81	72	86	ESE	1	o	10 a.	29.94	72	89	E	3	o
Victoria Peak,	,,	...	..	...	ESE	1	..	,,	...	..	..	SE	4	..
Gap Rock, ...	,,	..	...	..	...	..	..	,,	...	...	..	..	..	..
Macao, ...	,,	29.82	71	...	SE	1	c	,,	29.95	72	..	...	0	o
Haiphong, ...	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila, ...	,,	29.76	93	51	W	1	c	,,	29.92	90	63	S	2	c
Bacolod, ...	3 p.	...	..	..	NE	2	c	9 a.	...	...	..	NE	2	b
Iloilo, ...	,,	29.79	92	...	NE	2	c	,,	29.89	87	..	NE	1	b
Cebu, ...	,,	29.81	87	..	S	1	c	,,	29.91	87	...	E	1	a
Cape St. James,	4 p.	29.81	86	..	SE	2	c	10 a.	...	...	...	...	..	...

On the 3rd at 11. 55a. The barometer has risen slightly on the China coast.

Pressure is highest over the E. coast of China.

Gradients are slight, and moderate E. winds are indicated in the Formosa Channel and the N. part of the China Sea.

Fecast:— moderate E winds; cloudy, some rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 3rd May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	4th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	30.20	..	..	SE	6	..	6 a.	30.12	..	...	E	8	..
Hakodate,	,,	29.97	..	..	E	8	..	,,	29.93	...	..	NE	4	..
Tokio,	,,	29.90	..	...	NW	4	..	,,	29.94	..	...	W	2	..
Kochi	,,	29.83	...	...	SE	4	..	,,	30.03	...	...	SW	2	..
Nagasaki,	,,	29.95	..	...	W	6	..	,,	30.07	...	...	N	2	..
Kagoshima,	,,	29.91	...		W	4	..	,,	30.07	..	...	...	0	..
Oshima,	,,	29.96	..	...	NW	2	..	,,	30.04	...	...	..	0	..
Naha.	,,	29.97	...	...	N	4	..	,,	30.01	..	...	...	0	..
Ishigakijima,	,,	..	...	..	...	..	..	,,	29.93	..	..	SE	6	..
Taihoku,	1 p.	29.91	..	...	E	8	..	5 a.	29.95	..	..	...	0	..
Taichu,	,,	29.89	...	..	N	4	..	,,	29.93	..	..	N	2	..
Tainan,	,,	29.92	..	..	W	4	..	,,	29.92	..	...	...	0	..
Koshun,	,,	29.89	..	..	W	2	..	,,	29.92	...	..	...	0	..
Pescadores,	,,	29.93	..	...	NE	6	..	,,	29.91	...	...	NE	6	..
Weihaiwei,	3 p.	29.88	70	...	SW	2	c	9 a.	30.05	65	...	SW	2	b
Gutzlaff,	,,	30.09	63	72	SE	3	cv	,,	30.11	59	82	SE	4	cv
Sharp Peak,	,,	29.93	65	53	N	1	og	,,	30.00	65	93	...	0	og
Amoy,	,,	29.84	72	85	NE	3	o	6 30a.	29.89	67	95	SW	3	o
Swatow,	,,	29.86	73	86	E	2	o	9 a.	29.91	68	95	NE	1	o
Canton,	,,	29.88	70	95	..	0	c	,,	29.94	72	95	..	0	o
Hongkong,	4 p.	29.87	72	90	E	3	op	10 a.	29.94	72	95	E	3	o
Victoria Peak,	,,	...	..	...	ESE	5	..	,,	...	..	..	SE	5	..
Gap Rock,	,,	—	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	...	...	...	...	...	...	,,	29.93	74	..	SE	1	c
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.80	95	42	SE	2	b	,,	29.92	88	66	WNW	1	c
Bacolod,	3 p.	...	..	..	NE	2	c	9 a.	...	...	..	N	1	b
Iloilo,	,,	29.81	93	...	ENE	3	b	,,	29.89	88	..	NE	1	b
Cebu,	,,	29.82	89	..	N	2	b	,,	29.91	89	...	N	2	b
Cape St. James,	4 p.	29.87	88	..	SE	1	c	10 a.	...	...	...	...	..	...

On the 4th at 12. 5p. The barometer has fallen over NE Japan and the E. coast of China, and risen in S. Japan.

A shallow area of low pressure lies off the E. coast of Japan.

Gradients are slight in S. China and moderate E and SE winds are indicated in the Formosa Channel and the N. part of the China Sea.

Fecast:— moderate SE winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 4th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	5th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.08	..	..	NE	6	..	6 a.	30.20	..	...	NE	6	..
Hakodate,		29.97	..	..	SE	6	..	"	30.13	...	..	...	6	..
Tokio,	"	29.90	..	...	SE	4	..	"	30.06	..	...	E	4	..
Kochi	"	30.03	...	...	SE	4	..	"	30.03	...	...	SW	2	..
Nagasaki,	"	30.03	..	...	W	4	..	"	29.99	...	...	...	0	..
Kagoshima,	"	30.03	...		SE	2	..	"	29.99	..	...	E	2	..
Oshima,	"	30.00	..	...	N	2	..	"	29.92	...	...	SE	2	..
Naha,	"	29.93	...	...	E	6	..	"	29.89	..	...	N	2	..
Ishigakijima,	"	29.93	...	..	S	6	..	"	29.89	..	..	...	0	..
Taihoku,	1 p.	29.89	..	...	E	4	..	5 a.	29.87	..	..	S	2	..
Taichu,	"	29.91	...	..	W	4	..	"	29.88	..	..	...	0	..
Tainan,	"	29.93	..	..	SW	4	..	"	29.91	..	...	N	2	..
Koshun,	"	29.90	..	..	SE	6	..	"	29.89	...	..	...	0	..
Pescadores,	"	29.93	..	...	E	4	..	"	29.91	...	...	E	2	..
Weihaiwei,	3 p.	30.02	68	...	SSW	2	c	9 a.	30.04	63	...	E	1	b
Gutzlaff,	"	30.05	65	73	ESE	4	cv	"	30.00	60	100	SE	4	fd
Sharp Peak,	"	29.91	66	95	N	1	og	"	29.88	66	95	...	0	b
Amoy,	"	29.85	72	90	SE	3	c	6 30a.	29.79	69	95	SW	1	o
Swatow,	"	29.89	74	81	E	1	o	9 a.	29.86	71	100	..	0	o
Canton,	"	29.84	72	95	SE	2	c	"	29.86	75	95	SE	0	or
Hongkong,	4 p.	29.85	73	90	E	3	c	10 a.	29.90	77	92	E	1	a
Victoria Peak,	"	...	..	...	SSE	6	..	"	...	..	..	S	6	..
Gap Rock,	"		...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.85	76	...	SE	1	c	"	29.91	76	..	SSE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.76	93	51	SE	2	c	"	...	..	...	...	..	..
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	NE	2	b
Iloilo,	"	29.79	94	...	NE	1	b	"	29.85	88	..	NE	1	b
Cebu,	"	29.82	90	..	N	2	...	"	29.87	89	...	N	1	c
Cape St. James,	4 p.	...	...	..	..	...	..	10 a.	...	...	...	...	..	...

On the 5th at 12. 5p. The barometer has risen over E. Japan, and fallen W. Japan, the Loochoos and the China coast.

A depression appears to be developing over Central China. Pressure is high over N. Japan.

Light to moderate SE and S winds are indicated in the Formosa Channel and over the N. part of the China Sea, accompanied by fog along the coast.

Forecast:— light to moderate SE winds; thunder showers.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 5th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

5th May 1906, P. M								6th May 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction	Wind Force.	Weather
Windivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	30.20	..	..	NE	8	..	6 a.	30.23	..	...	NE	8	..
Hakodate,	,,	30.17	..	..	S	2	..	,,	30.21	...	..	...	6	..
Tokio,	,,	30.02	..	...	E	4	..	,,	30.18	..	...	N	2	..
Kochi	,,	29.95	...	...	E	4	..	,,	30.03	...	...	SW	2	..
Nagasaki,	,,	29.91	..	...	SW	4	..	,,	29.91	...	...	NE	2	..
Kagoshima,	,,	29.95	...		SE	4	..	,,	29.91	..	...	E	10	..
Oshima,	,,	29.84	..	...	SE	2	..	,,	29.89	...	...	S	2	..
Naha,	,,	29.85	...	...	SW	2	..	,,	29.81	..	...	...	0	..
Ishigakijima,	,,	29.85	...	..	SW	4	..	,,	29.81	..	..	NE	2	..
Taihoku,	1 p.	29.84	..	...	N	4	..	5 a.	29.79	..	..	..	0	..
Taichu,	,,	29.85	...	..	N	4	..	,,	29.81	..	..	...	0	..
Tainan,	,,	29.86	..	..	SW	2	..	,,	29.84	..	...	...	0	..
Koshun,	,,	29.83	..	..	S	6	..	,,	29.80	...	..	N	2	..
Pescadores,	,,	29.86	..	...	NW	4	..	,,	29.80	...	...	...	0	..
Weihaiwei,	3 p.	29.96	67	...	ENE	3	b	9 a.	29.97	56	...	E	..	or
Gutzlaff,	,,	29.93	59	94	ENE	2	f	,,	29.90	62	100	ESE	3	f
Sharp Peak,	,,	29.82	68	97	..	0	f	,,	29.79	69	72	...	0	f
Amoy,	,,	29.72	75	81	ESE	2	o	6 30a.	29.72	72	100	SW	3	c
Swatow,	,,	29.84	77	86	W	2	o	9 a.	29.79	75	85	NNE	1	o
Canton,	,,	29.83	78	95	NE	0	c	,,	29.83	72	95	SE	1	o
Hongkong,	4 p.	29.82	74	91	S	1	op	10 a.	29.83	74	94	E	2	o
Victoria Peak,	,,	...	..	...	SSW	1	..	,,	...	..	..	SSW	3	..
Gap Rock,	,,	..	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	29.83	63	...	SE	1	orlt	,,	29.83	73	..	...	0	odlt
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.72	93	56	W	1	c	,,	29.88	91	54	NE	1	c
Bacolod,	3 p.	...	..	..	S	2	ct	9 a.	...	...	..	N	2	b
Iloilo,	,,	29.77	94	...	NE	2	c	,,	29.85	85	..	NE	1	e
Cebu,	,,	29.85	89	..	N	2	c	,,	29.88	87	...	...	0	c
Cape St. James,	4 p.	...	...	..	..	...	..	10 a.	...	...	...	...	..	...

On the 6th at 11. 55a. The barometer has risen in E. Japan, and fallen over W. Japan, the Loochoos and the coast of China.

An area of low pressure lies over S. China and the Pacific towards the Loochoos, and a high pressure area over N. Japan.

Light to moderate variable winds are indicated in the Formosa Channel, and over the N. part of the China Sea.

Fracast:— variable winds, light or moderate; thunder showers.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 6th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	7th May 1906, A. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	..	..	..	..	..	..	6 a.	...	..	...	...	..	..
Hakodate,	"	..	..	..	...	..	..	"	...	...	..	...	..	..
Tokio,	"	...	..	...	..	..	..	"	...	..	...	..	..	..
Kochi	"	..	...	...	...	..	..	"	..	...	...	...	...	..
Nagasaki,	"	..	..	...	..	...	..	"	..	...	...	..	...	..
Kagoshima,	"	..	...		...	...	..	"	..	..	...	..	..	..
Oshima,	"	..	..	...	...	..	..	"	...	...	...	..	..	..
Naha.	"	..	...	...	...	...	..	"	...	..	...	...	..	..
Ishigakijima,	"	...	...	..	..	...	..	"	...	..	..	..	...	..
Taihoku,	1 p.	29.75	..	...	W	4	..	5 a.	29.78	..	..	..	0	..
Taichu,	"	29.77	...	..	W	4	..	"	29.78	..	..	...	0	..
Tainan,	"	29.78	..	..	SW	6	..	"	29.79	..	...	...	0	..
Koshun,	"	29.77	..	..	NW	6	..	"	29.78	...	..	...	0	..
Pescadores,	"	29.82	..	...	SW	2	..	"	29.79	...	...	...	0	..
Weihaiwei,	3 p.	29.93	53	...	NE	2	c	9 a.	29.81	49	...	NE	5	or
Gutzlaff,	"	29.86	66	89	W NW	1	f	"	30.01	60	76	NW	..	cv
Sharp Peak,	"	29.73	70	95	N	1	f	"	29.76	69	95	NE	2	og
Amoy,	"	29.64	79	82	SE	1	o	6 30a.	29.68	73	95	SE	3	o
Swatow,	"	29.74	80	96	..	0	o	9 a.	29.76	73	95	..	0	f
Canton,	"	...	...	..	...	...	...	"	29.82	72	95	...	0	c
Hongkong,	4 p.	29.75	71	95	E	1	op	10 a.	29.83	75	88	E	2	c
Victoria Peak,	"	...	..	...	S	2	..	"	...	..	..	SSE	1	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.80	70	...	SE	1	o	"	29.82	76	..	ESE	1	of
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.69	95	46	SE	2	o	"	29.80	91	55	SSE	2	c
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	2	b
Iloilo,	"	29.72	91	...	NE	1	b	"	29.81	88	..	NE	1	b
Cebu,	"	29.78	88	..	N	2	..	"	29.85	87	...	N	1	c
Cape St. James,	4 p.	29.72	88	..	SW	1	c	10 a.	...	...	...	...	..	...

On the 7th at 12. 5p. The barometer has risen over the E. coast of China, and fallen on the NE coast. The depression is in the Yellow Sea moving towards NE.

Moderate NE winds are indicated in the Formosa Channel and moderate SE and E winds over the N. part of the China Sea.

Forecast:— E winds, light to moderate; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 7th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

7th May 1906, P. M.								8th May 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.28	..	..	N	8	..	6 a.	30.30	..	...	N	6	..
Hakodate,	"	30.32	..	..	SE	6	..	"	30.25	...	..	W	2	..
Tokio,	"	30.26	..	...	NE	4	..	"	30.26	..	...	..	0	..
Kochi	"	30.07	...	...	E	2	..	"	30.11	...	...	...	0	..
Nagasaki,	"	29.83	..	...	SE	8	..	"	29.87	...	...	..	0	..
Kagoshima,	"	29.91	...		E	8	..	"	29.91	..	...	E	6	..
Oshima,	"	29.89	..	...	S	4	..	"	29.84	...	...	S	2	..
Naha.	"	29.85	...	...	NE	0	..	"	29.89	..	...	...	0	..
Ishigakijima,	"	29.81	...	..	S	2	..	"	29.81	..	..	W	2	..
Taihoku,	1 p.	29.78	..	...	N	4	..	5 a.	29.85	..	..	..	0	..
Taichu,	"	29.81	...	..	SW	6	..	"	29.87	..	..	...	0	..
Tainan,	"	29.80	..	..	W	2	..	"	29.85	..	...	NE	2	..
Koshun,	"	29.79	..	..	W	4	..	"	29.83	...	..	N	2	..
Pescadores,	"	29.82	..	...	SW	4	..	"	29.84	...	...	E	4	..
Weihaiwei,	3 p.	29.79	50	...	NE	4	c	9 a.	29.92	49	...	NE	2	or
Gutzlaff,	"	30.02	64	100	N	3	cv	"	30.06	62	83	SSE	1	cv
Sharp Peak,	"	29.81	70	92	NE	3	og	"	29.92	66	95	NE	2	od
Amoy.	"	29.76	75	86	SE	3	c	6 30a.	29.73	67	95	NE	3	o
Swatow,	"	29.76	72	76	WNW	2	h	9 a.	29.77	73	96	E	2	o
Canton,	"	29.74	73	95	...	0	or	"	29.88	74	95	...	0	b
Hongkong,	4 p.	29.75	73	95	...	0	op	10 a.	29.87	76	82	SW	1	c
Victoria Peak,	"	...	..	...	SE	5	..	"	...	..	..	SSE	0	..
Gap Rock,	"	...	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.74	72	...	...	0	o	"	29.89	75	..	NNE	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	95	37	SE	3	b	"	29.84	90	69	WSW	1	c
Bacolod,	3 p.	...	..	..	N	2	b	9 a.	...	...	..	N	2	b
Iloilo,	"	29.75	93	...	ENE	1	b	"	29.85	88	..	NE	1	c
Cebu,	"	29.85	89	..	N	2	b	"	29.86	88	...	N	2	c
Cape St. James,	4 p.	...	...	..	..	...	...	10 a.	...	...	...	...	..	...

On the 8th at 12. 10p. The barometer has fallen in NE Japan, and risen on the China coast.
The area of high pressure remains over E. Japan, and the depression appears to be filling up off the W. coast of Japan.
Gradients are slight on the China coast, and moderate NE winds may be expected in the Formosa Channel, and light variable winds over the N. part of the China Sea.
Fecast:— light or moderate E winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 8th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	9th May 1906, A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a	..	..	..	...	..	..
Nemuro,	„	30.28	..	..	N	2	..	6 a.	30.28	.	...	NW	4	..
Hakodate,	„	30.21	..	..	SE	8	..	„	30.21	...	..	E	6	..
Tokio,	„	30.18	..	...	SE	4	..	„	30.18	.	...	NW	4	..
Kochi	„	30.03	...	...	...	0	..	„	29.91	...	...	W	2	..
Nagasaki,	„	..	..	...	...	...	..	„	29.91	...	...	NW	4	..
Kagoshima,	„	29.83	...		SE	6	..	„	29.91	..	...	NW	2	..
Oshima,	„	29.80	..	...	SW	4	..	„	29.92	...	...	N	2	..
Naha,	„	29.89	...	...	SW	4	..	„	29.93	..	...	N	6	..
Ishigakijima,	„	29.85	...	..	SW	6	..	„	29.93	..	..	N	4	..
Taihoku,	1 p.	29.87	..	...	E	6	..	5 a.	29.90	..	..	E	4	..
Taichu,	„	29.87	...	..	E	6	..	„	29.96	..	..	...	0	..
Tainan,	„	29.87	..	..	W	6	..	„	29.91	..	...	NE	2	..
Koshun,	„	29.84	..	..	SW	4	..	„	29.92	...	..	SE	2	..
Pescadores,	„	29.88	..	...	N	6	..	„	29.91	...	...	NE	6	..
Weihaiwei,	3 p.	29.92	51	...	N	2	c	9 a.	30.02	48	...	SSE	1	or
Gutzlaff,	„	30.06	66	79	S	2	cv	„	30.15	59	88	NE	3	cv
Sharp Peak,	„	29.94	66	95	..	0	og	„	30.03	67	92	N	1	•
Amoy,	„	29.81	73	90	NNE	3	o	6 30a.	29.88	67	95	NE	3	o
Swatow,	„	29.82	75	90	E	2	or	9 a.	...	...	...	...	..	..
Canton,	„	29.86	76	91	...	0	c	„	29.97	77	91	NE	1	o
Hongkong,	4 p.	29.84	77	82	...	0	o	10 a.	29.98	74	91	E	2	o
Victoria Peak,	„	...	..	...	SSE	1	..	„	...	..	..	ESE	2	..
Gap Rock,	„	-	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.84	76	...	ENE	1	o	„	29.96	75	..	...	0	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.76	93	36	SE	2	c	„	29.92	91	56	..	0	c
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	2	b
Iloilo,	„	29.79	92	...	NE	1	b	„	29.89	87	..	NE	1	d
Cebu,	„	29.79	89	..	N	3	b	„	29.90	87	...	N	1	b
Cape St. James,	4 p.	29.80	90	..	S	1	c	10 a.	...	...	...	...	..	...

On the 9th at 11. 50a. The barometer has risen generally, except over Western Japan where the shallow depression is now lying.

Pressure remains high over E. Japan, and slightly in excess of the normal over China.

Moderate NE and E. winds are indicated in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate E winds; cloudy, misty.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 9th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

9th May 1906, P. M								10th May 1906. A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.24	..	..	E	4	..	6 a.	30.24	..	...	SE	2	..
Hakodate,	"	30.17	..	..	SE	8	..	"	30.17	...	..	E	2	..
Tokio,	"	30.10	..	...	NW	4	..	"	30.18	..	...	NW	4	..
Kochi	"	29.99	...	...	...	0	..	"	30.07	...	...	...	0	..
Nagasaki,	"	29.95	..	...	W	4	..	"	30.07	...	...	..	0	..
Kagoshima,	"	29.95	...		S	2	..	"	30.07	..	...	NW	4	..
Oshima,	"	29.96	..	...	N	2	..	"	30.04	...	...	S	2	..
Naha,	"	29.97	...	...	N	6	..	"	30.05	..	...	..	0	..
Ishigakijima,	"	29.97	...	..	E	6	..	"	30.01	..	..	NE	4	..
Taihoku,	1 p.	29.96	..	...	E	6	..	5 a.	29.97	..	..	..	0	..
Taichu,	"	29.95	...	..	...	0	..	"	30.00	..	..	...	0	..
Tainan,	"	29.94	..	..	NW	6	..	"	29.99	..	...	N	2	..
Koshun,	"	29.92	..	..	W	4	..	"	29.96	...	..	E	4	..
Pescadores,	"	29.97	..	...	NE	6	..	"	29.99	...	...	NE	6	..
Weihaiwei,	3 p.	29.98	54	...	SE	3	c	9 a.	...	...	...	...	...	..
Gutzlaff,	"	29.99	68	70	E	2	bv	"	30.10	60	100	E	4	f
Sharp Peak,	"	30.00	68	90	NE	4	o	"	30.08	69	95	...	0	o
Amoy,	"	29.88	70	95	ESE	3	o	6 30a.	29.93	69	95	SW	3	c
Swatow,	"	29.90	76	86	E	1	o	9 a.	29.92	70	99	NE	1	o
Canton,	"	29.87	83	79	SE	1	c	"	30.04	77	91	E	1	c
Hongkong,	4 p.	29.91	74	93	E	3	o	10 a.	30.05	75	85	E	3	o
Victoria Peak,	"	...	..	...	ESE	2	..	"	...	..	..	E	4	..
Gap Rock,	"	..	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.92	77	...	E	1	o	"	30.05	76	..	SE	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.89	92	40	E	2	c	"	29.96	91	47	SE	2	o
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	1	b
Iloilo,	"	29.84	92	...	ENE	2	b	"	29.93	87	..	NE	1	b
Cebu,	"	29.83	88	..	N	4	b	"	29.92	87	...	N	1	b
Cape St. James,	4 p.	29.84	84	..	SSW	2	o	10 a.	...	...	...	...	..	...

On the 10th at 12. 10p. The barometer has risen generally, except over NE Japan.
Pressure remains high over E. Japan, and exceeds the normal by a tenth of an inch and upwards, along the China coast.
Gradients are slight generally, and moderate E. winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate E winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 10th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th May 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.16	..	..	SE	6	..	6 a.	30.00	..	...	SE	4	..
Hakodate,	"	30.01	..	..	SE	8	..	"	29.81	...	..	S	2	..
Tokio,	"	30.10	..	...	SE	2	..	"	30.02	..	...	W	2	..
Kochi	"	30.07	...	...	...	0	..	"	30.11	...	...	SW	2	..
Nagasaki,	"	30.07	..	...	W	4	..	"	30.11	...	...	..	0	..
Kagoshima,	"	30.03	...		W	4	..	"	30.11	..	...	NE	2	..
Oshima,	"	30.08	..	...	N	2	..	"	30.08	...	...	S	2	..
Naha.	"	...	...	...	...	...	..	"	30.05	..	...	..	0	..
Ishigakijima,	"	..	...	..	..	...	..	"	30.01	..	..	NE	4	..
Taihoku,	1 p.	30.01	..	...	W	4	..	5 a.	29.98	..	..	SE	2	..
Taichu,	"	30.03	...	..	...	0	..	"	30.02	..	..	...	0	..
Tainan,	"	30.02	..	..	SW	4	..	"	...	..	...	N	2	..
Koshun,	"	30.00	..	..	E	4	..	"	30.00	...	..	E	6	..
Pescadores,	"	30.03	..	...	NE	6	..	"	29.99	...	...	NE	4	..
Weihaiwei,	3 p.	30.16	56	...	NW	2	b	9 a.	...	...	...	...	...	...
Gutzlaff,	"	30.13	61	88	ENE	4	om	"	30.07	59	82	SE	5	cv
Sharp Peak,	"	30.06	71	92	ENE	4	o	"	..	69	92	N	2	og
Amoy,	"	29.91	75	90	SE	3	c	6 30a.	29.98	71	95	NE	1	o
Swatow,	"	29.99	78	82	E	3	b	9 a.	29.97	71	90	NE	4	o
Canton,	"	29.98	80	87	S	1	o	"	30.01	78	86	SE	2	c
Hongkong,	4 p.	29.98	74	83	ENE	3	o	10 a.	30.03	75	85	E	3	o
Victoria Peak,	"	...	..	...	ESE	3	..	"	...	..	..	E	3	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.96	76	...	SE	1	c	"	30.02	77	..	ESE	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	93	40	SSE	2	c	"	29.96	84	64	WNW	2	o
Bacolod,	3 p.	...	..	..	N	3	c	9 a.	...	...	..	N	1	b
Iloilo,	"	29.83	91	...	NE	1	b	"	29.93	87	..	NE	1	b
Cebu,	"	29.87	88	..	N	2	b	"	29.93	87	...	N	1	b
Cape St. James,	4 p.	29.83	86	..	NE	3	c	10 a.	...	...	...	...	..	...

On the 11th at 11. 50a. The barometer has fallen over E. Japan, and on the China coast.
A shallow area of low pressure lies over the N. part of the Sea of Japan, and the highest pressure is now found over W. Japan.
Gradients are slight in S. China, and moderate E. winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate E winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 11th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th May 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	...	...	..	..	..	7 a	..	..	..	...	..	..
Nemuro,	„	29.96	..	..	SE	2	..	6 a.	...	..	...	...	...	..
Hakodate,	„	30.01	..	...	W	6	..	„	30.17	...	..	...	0	..
Tokio,	„	30.02	..	...	NW	6	..	„	30.22	..	...	NW	2	..
Kochi	„	30.07	...	...	SE	2	..	„	30.11	...	...	SW	2	..
Nagasaki,	„	30.07	..	...	SW	6	..	„	30.07	...	...	SE	2	..
Kagoshima,	„	30.07	...		S	4	..	„	30.07	..	...	..	0	..
Oshima,	„	30.08	..	...	N	6	..	„	30.00	...	...	S	2	..
Naha.	„	...	...	...	...	...	..	„	30.01	..	...	S	2	..
Ishigakijima,	„	30.05	...	..	E	8	..	„	30.01	..	..	S	4	..
Taihoku,	1 p.	29.98	..	...	N	4	..	5 a.	29.97	..	..	S	2	..
Taichu,	„	29.98	...	..	W	4	..	„	30.00	..	..	...	0	..
Tainan,	„	29.99	..	..	W	6	..	„	29.99	..	...	NE	2	..
Koshun,	„	29.98	..	..	E	6	..	„	29.97	...	..	..	0	..
Pescadores,	„	30.02	..	...	N	6	..	„	29.98	...	...	E	2	..
Weihaiwei,	3 p.	29.94	64	...	SSW	3	b	9 a.	29.65	51	...	ESE	3	o
Gutzlaff,	„	29.94	61	82	SE	6	bv	„	29.78	66	95	S	5	cn
Sharp Peak,	„	30.02	70	92	NE	4	o	„	29.96	70	95	...	0	o
Amoy,	„	29.91	75	86	SE	3	c	6 30 a.	29.93	69	95	NE	1	f
Swatow,	„	29.97	78	82	E	1	b	9 a.	29.95	84	87	E	1	o
Canton,	„	29.93	84	75	SE	2	b	„	...	..	..	...	..	...
Hongkong,	4 p.	29.95	76	85	E	3	c	10 a.	29.99	77	89	E	6	c
Victoria Peak,	„	...	..	...	ESE	4	..	„	...	..	..	SE	2	..
Gap Rock,	„	-	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.96	76	...	ESE	3	c	„	...	..	..	...	...	..
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.84	91	45	E	1	c	„	...	..	..	...	..	..
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	2	b
Iloilo,	„	29.85	92	...	NE	2	b	„	29.93	87	..	NE	1	b
Cebu,	„	29.86	89	..	N	2	b	„	29.93	87	...	N	2	b
Cape St. James,	4 p.	29.84	86	..	NE	2	b	10 a.	...	...	...	...	..	...

On the 12th at 11. 55a. The barometer has risen quickly over E. Japan, and fallen rapidly over N. China.

A depression is moving Eastwards in Shantung, and pressure is again high over E Japan.

Light to moderate SE and S. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— light SE or variable winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 12th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th May 1906, P. M. Hour.	Barometer	Temperature	Humidity.	Wind. Direction.	Wind. Force.	Weather	13th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	...	..	..	..	..	..	6 a.	...	..	...	...	...	..
Hakodate,	"	..	..	..	...	...	..	"	..	...	..	...	..	..
Tokio,	"	..	..	...	..	...	..	"	..	..	...	...	..	..
Kochi	"	..	...	...	...	..	..	"	..	...	...	..	...	..
Nagasaki,	"	...	..	...	..	..	..	"	...	...	...	...	..	..
Kagoshima,	"	..	...		..	..	..	"	...	..	...	..	..	..
Oshima,	"	...	..	...	...	...	..	"	...	...	...	...	..	..
Naha.	"	...	...	...	...	...	..	"	..	..	...	...	...	..
Ishigakijima,	"	..	...	..	...	..	..	"	...	..	..	...	..	..
Taihoku,	1 p.	29.92	..	...	NW	4	..	5 a.	29.89	..	..	S	4	..
Taichu,	"	29.89	...	..	W	4	..	"	29.88	..	..	...	0	..
Tainan,	"	29.94	..	..	SW	8	..	"	29.83	..	...	SE	0	..
Koshun,	"	29.93	..	..	SE	6	..	"	29.87	...	..	..	0	..
Pescadores,	"	29.94	..	...	SW	6	..	"	29.89	...	...	SW	2	..
Weihaiwei,	3 p.	29.79	57	...	NNW	3	b	9 a.	29.89	58	...	NW	2	b
Gutzluff,	"	29.76	66	89	SSW	4	ov	"	29.92	66	84	N	2	cv
Sharp Peak,	"	29.83	77	98	SSE	2	b	"	29.79	75	95	...	0	o
Amoy,	"	29.80	83	79	SE	3	b	6 30 a.	29.77	74	95	NNE	1	b
Swatow,	"	29.88	83	81	E	1	b	9 a.	...	78	95	SW	1	b
Canton,	"	29.88	87	76	SE	1	b	"	29.91	82	63	W	1	b
Hongkong,	4 p.	29.88	78	90	E	2	b	10 a.	29.96	82	83	..	0	c
Victoria Peak,	"	...	..	...	S	1	..	"	...	..	..	S	..	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.90	80	...	SSE	3	c	"	29.96	79	..	SE	1	of
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	95	46	W	1	c	"	29.93	88	59	WNW	2	b
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	1	b
Iloilo,	"	29.83	92	...	NE	1	c	"	29.93	87	..	ENE	1	c
Cebu,	"	29.86	88	..	N	2	b	"	29.87	84	...	NE	1	o
Cape St. James,	4 p.	29.81	84	..	E	2	c	10 a.	...	...	...	...	..	...

On the 13th at 1. 10p. The barometer has risen over N. China, and fallen in S. China and Formosa. The depression passed to the Yellow Sea moving Eastwards, last evening. The Japanese returns are lacking this morning.

Pressure is highest over Central China.

NE winds are indicated in the Formosa Channel, and light W. winds over the N. part of the China Sea.

Forecast:— light W winds; fine.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 13th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	14th May 1906, A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Windivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	,,	...	..	..	..	..	..	6 a.	29.29	..	...	W	8	..
Hakodate,	,,	..	..	..	...	..	..	,,	29.66	...	..	S	2	..
Tokio,	,,	..	..	...	..	...	..	,,	29.74	..	...	NW	6	..
Kochi	,,	..	...	...	...	..	..	,,	29.83	...	...	NW	2	..
Nagasaki,	,,	...	..	...	..	..	..	,,	29.87	...	...	...	0	..
Kagoshima,	,,	..	...		..	..	..	,,	29.91	..	...	N	2	..
Oshima,	,,	...	..	...	...	...	..	,,	29.88	...	...	NW	2	..
Naha.	,,	...	...	...	...	...	..	,,	29.89	..	...	W	2	..
Ishigakijima,	,,	..	...	..	...	..	..	,,	29.89	..	..	...	0	..
Taihoku,	1 p.	29.85	..	...	W	6	..	5 a.	29.89	..	..	S	2	..
Taichu,	,,	29.91	...	..	W	4	..	,,	29.92	..	..	...	0	..
Tainan,	,,	29.91	..	..	SW	4	..	,,	29.90	..	...	N	4	..
Koshun,	,,	29.88	..	..	W	6	..	,,	29.83	...	..	N	4	..
Pescadores,	,,	29.91	..	...	W	6	..	,,	29.90	...	...	N	4	..
Weihaiwei,	3 p.	29.87	66	...	W	1	b	9 a.	29.77	68	...	SE	3	b.
Chefoo,	,,	29.92	69	85	NW	1	b.v	,,	29.93	66	84	SE	3	cv
Sharp Peak,	,,	29.92	71	93	ENE	3	o	,,	29.95	72	95	..	0	o
Amoy,	,,	29.74	82	87	SE	5	c	6 30a.	29.93	72	95	NE	3	o
Swatow,	,,	29.82	88	69	NNE	2	b	9 a.	29.83	75	92	SE	1	o
Canton,	,,	29.80	89	92	S	3	b	,,	29.84	84	79	SE	1	b
Hongkong,	4 p.	29.83	84	66	NW	1	b	10 a.	29.91	81	81	..	0	o
Victoria Peak,	,,	...	..	...	SSW	4	..	,,	...	..	..	S	1	..
Gap Rock,	,,	..	...	..	...	..	..	,,	...	...	..	..	..	..
Macao,	,,	29.85	82	...	SSE	1	c	,,	29.91	82	..	SE	1	c
Haiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
Manila,	,,	29.80	95	46	SSW	1	c	,,	29.92	88	66	W	1	c
Bacolod,	3 p.	...	..	..	...	0	b	9 a.	...	...	..	...	0	c
Iloilo,	,,	29.82	90	...	SE	1	o	,,	29.93	88	..	ENE	1	b
Cebu,	,,	29.85	86	..	E	1	b	,,	29.91	87	...	S	1	b
Cape St. James,	4 p.	29.80	88	..	SE	1	c	10 a.	...	...	...	...	..	...

On the 14th at 12. 5p. The barometer has fallen over E. Japan, owing to the depression which is passing to the Pacific to the North of Japan.

Pressure is inclined to gave way again over China.

Gradients are gentle, and light E. and SE winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— light SE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 14th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

14th May 1906, P. M								15th May 1906. A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour	Barometer.	Temperature.	Humidity.	Wind Direction	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	.	..	..	...	..	.
Nemuro,	"	29.57	..	..	NW	8	..	6 a.	29.69	..	...	N	2	..
Hakodate,	"	29.73	..	..	W	4	..	"	29.89	...	..	SW	4	..
Tokio,	"	29.82	..	...	SE	4	..	"	30.06	..	...	W	2	..
Kochi	"	29.87	...	...	SE	4	..	"	29.99	...	...	SE	4	..
Nagasaki,	"	29.91	..	...	SW	4	..	"	29.95	...	...	SE	4	..
Kagoshima,	"	29.87	...		SE	2	..	"	29.99	..	...	...	0	..
Oshima,	"	29.88	..	...	N	4	..	"	29.92	...	...	S	2	..
Naha.	"	29.93	...	...	N	4	..	"	29.93	..	...	...	0	..
Ishigakijima,	"	29.89	...	..	S	4	..	"	29.93	..	..	SW	4	..
Taihoku,	1 p.	29.87	..	...	NW	2	..	8 a.	29.91	..	..	S	2	..
Taichu,	"	29.87	...	..	W	2	..	"	29.91	..	..	...	0	..
Tainan,	"	29.87	..	..	W	6	..	"	29.90	..	...	...	0	..
Koshun,	"	29.86	..	..	W	4	..	"	29.89	...	..	...	0	..
Pescadores,	"	29.87	..	...	NW	6	[illegible]	"	29.39	...	...	...	0	..
Weihaiwei,	3 p.	29.80	60	...	SW	3	b	9 a.	..	...	...	...	...	...
Gutzlaff,	"	29.88	63	100	SE	4	o m	"	29.82	69	85	SSW	3	c r
Sharp Peak,	"	29.87	75	95	NNE	2	o	"	29.91	73	95	..	0	c
Amoy,	"	29.89	77	82	SE	3	c	6 30 a.	29.33	73	95	S	1	o
Swatow,	"	29.85	79	87	E	3	b	9 a.	..	.	...	...	...	...
Canton,	"	29.81	89	84	SE	1	b	"	..	..	..	..	...	..
Hongkong,	4 p.	29.82	84	71	S	1	c	10 a.	29.93	83	79	E	1	c
Victoria Peak,	"	...	..	...	S	3	..	"	...	..	..	S	1	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.82	82	...	SSE	1	c	"	29.97	85	..	SSE	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	93	56	WSW	1	o	"	29.93	88	59	WSW	1	b
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	1	c
Iloilo,	"	29.83	91	...	NE	1	c	"	29.89	87	..	NE	1	b
Cebu,	"	29.81	87	..	N	1	c	"	29.83	87	...	N	2	b
Cape St. James,	4 p.	29.81	86	..	SE	2	o	10 a.	...	...	...	...	..	...

On the 15th at 12. 30p. The barometer has risen over Japan, and fallen over N. China.
A depression appears to be advancing Eastwards over N. China, and the highest pressure is over the Pacific to the S. of Japan.
Light to moderate S. winds are indicated in the Formosa Channel, and light SE winds over the N. part of the China Sea.
Forecast:— light SE winds; fair.
Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG.
First Assistant.

Hongkong ObservatoryTuesday 15th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th May 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind Direction.	Wind Force.	Weather	16th May 1906, A. M. Hour	Barometer.	Temperature	Humidity	Wind Direction	Wind Force.	Weather
Vladivostock,	2 p	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.76	..	..	E	4	..	6 a.	..	..	...	..	...	..
Hakodate,	„	29.85	..	..	W	6	..	„	...	...	..	...	...	..
Tokio,	„	30.02	..	...	S	6	..	„	..	.	...	..	..	..
Kochi	„	29.99	...	...	SW	2	..	„	...	...	...	..	..	..
Nagasaki,	„	29.91	.	...	S	6	..	„	..	...	...	...	..	..
Kagoshima,	„	29.95	...		...	0	..	„	...	..	...	...	...	..
Oshima,	„	29.92	..	...	N	4	..	„	...	...	...	..	..	..
Naha,	„	29.93	...	...	SW	4	..	„	..	..	...	...	...	..
Ishigakijima,	„	29.93	...	..	SW	4	..	„	...	..	..	...	...	..
Taihoku,	1 p.	29.90	..	...	N	6	..	5 a.	29.91	..	..	...	0	..
Taichu,	„	29.92	...	..	S	4	..	„	29.94	..	..	...	0	..
Tainan,	„	29.92	..	..	W	6	..	„	29.92	..	...	E	2	..
Koshun,	„	29.90	..	..	SW	4	..	„	29.91	...	..	NE	2	..
Pescadores,	„	29.91	..	...	W	4	..	„	29.89	...	...	...	0	..
Weihaiwei,	3 p.	29.72	76	...	W	3	b	9 a.	29.71	79	...	W	3	b
Cutzloff,	„	29.77	76	82	WSW	2	cv	„	29.84	68	95	SE	4	cm
Sharp Peak,	„	29.79	79	91	SSE	2	c	„	29.88	76	93	..	0	f
Amoy,	„	29.77	83	75	SE	3	b	6 30 a.	29.83	76	95	...	0	b
Swatow,	„	29.84	85	79	S	2	b	9 a.	29.84	76	95	...	0	b
Canton,	„	29.81	83	89	SE	2	c	„	29.91	85	79	SE	1	b
Hongkong,	4 p.	29.85	84	75	SSE	1	c	10 a.	29.93	85	71	S	1	o
Victoria Peak,	„	...	..	...	S	3	..	„	...	..	..	SSW	3	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.83	84	...	SE	1	c	„	29.96	83	..	S	1	c
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.76	95	52	S	1	c	„	29.88	88	66	W	3	c
Bacolod,	3 p.	...	..	..	N	3	b	9 a.	...	...	..	N	1	b
Iloilo,	„	29.83	91	...	WSW	2	c	„	29.89	87	..	SW	2	c
Cebu,	„	29.86	89	..	N	1	b	„	29.88	83	...	S	1	b
Cape St. James,	4 p.	29.74	88	..	SE	2	c	10 a.	...	...	...	...	..	...

On the 16th at 12. 35p. The barometer has risen in N. China, and is little changed elsewhere. The depression appears to have left N. China moving towards the N. part of the Sea of Japan. Pressure is highest over the Pacific to the S. of Japan.

Gradients are slight, and light SE and S winds are indicated in the Formosa Channel, and over the N. part of the China Sea.

Forecast: — light S winds; fair

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 16th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	17th May 1906. A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.76	..	..	S	2	..	6 a.	29.88	..	...	NW	2	..
Hakodate,	"	29.77	..	..	SW	6	..	"	29.85	...	..	...	0	..
Tokio,	"	29.86	..	...	SE	6	..	"	29.90	..	...	W	2	..
Kochi	"	29.95	...	...	SE	2	..	"	29.87	...	...	..	0	..
Nagasaki,	"	29.91	..	...	SW	2	..	"	29.83	...	...	SW	8	..
Kagoshima,	"	29.91	...		SE	2	..	"	29.91	..	...	SW	2	..
Oshima,	"	29.96	..	...	N	4	..	"	29.96	...	...	SW	2	..
Naha.	"	29.97	...	...	SW	4	..	"	29.97	..	...	...	0	..
Ishigakijima,	"	29.93	...	..	S	6	..	"	29.93	..	..	S	2	..
Taihoku,	1 p.	29.87	..	...	W	6	..	5 a.	29.89	..	..	...	0	..
Taichu,	"	29.89	...	..	W	4	..	"	29.91	..	..	S	2	..
Tainan,	"	29.91	..	..	SW	6	..	"	29.91	..	...	E	2	..
Koshun,	"	29.90	..	..	S	6	..	"	29.90	...	..	...	0	..
Pescadores,	"	29.91	..	...	W	4	..	"	29.90	...	...	SW	2	..
Weihaiwei,	3 p.	29.84	59	...	W	3	c	9 a.	29.97	59	...	NW	3	b
Gutzlaff,	"	29.80	75	86	SW	2	cv	"	30.02	62	77	N	5	om
Sharp Peak,	"	29.76	82	91	S	3	c	"	29.90	73	91	S	1	c
Amoy,	"	29.75	88	76	SE	3	b	6 30a.	29.83	75	95	SE	3	b
Swatow,	"	29.84	87	76	S	2	b	9 a.	.	...	..	...	...	.
Canton,	"	29.84	86	84	...	6	or	"	29.94	85	79	S	1	c
Hongkong,	4 p.	29.85	84	77	S	1	c	10 a.	29.94	84	77	NW	1	c
Victoria Peak,	"	...	..	...	S	2	..	"	...	..	..	S	2	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.85	73	...	SSE	3	c	"	29.93	83	..	S	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	88	72	SW	2	c	"	29.80	88	66	NW	1	b
Bacolod,	3 p.	...	..	..	SW	3	ct	9 a.	...	...	..	SW	4	c
Iloilo,	"	29.79	90	...	W	1	c	"	29.85	88	..	W	3	o
Cebu,	"	29.79	89	..	S	5	c	"	29.83	89	...	S	3	c
Cape St. James,	4 p.	29.78	84	..	...	0	c	10 a.	...	...	...	...	..	...

On the 17th at 12. 55p. The barometer has risen considerably over N. China, and fallen moderately in the Philippines.

A depression is situated to the E. of Luzon. It is probably moving towards WNW at present.

An area of high pressure lies over Central China.

The wind will shift to the NE and freshen in the Formosa Channel, and over the NE part of the China Sea.

Forecast:— light variable to moderate NE winds; fair at first, showery later.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 17th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th May 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.80	.	..	SE	4	..	6 a.	29.41	.	...	NW	6	..
Hakodate,	„	29.66	..	..	SE	6	..	„	29.66	...	..	W	6	..
Tokio,	„	29.71	..	...	S	4	..	„	29.74	.	...	NW	2	..
Kochi	„	29.79	...	...	SE	2	..	„	29.91	...	...	..	0	..
Nagasaki,	„	29.79	..	...	W	6	..	„	29.99	...	...	...	0	..
Kagoshima,	„	29.83	...		SW	8	..	„	29.99	..	...	W	2	..
Oshima,	„	...	..	...	SW	6	..	„	29.93	...	...	...	0	..
Naha.	„	29.93	...	...	S	4	..	„	29.93	..	...	...	0	..
Ishigakijima,	„	29.93	...	..	S	0	..	„	29.89	..	..	E	2	..
Taihoku,	1 p.	29.90	..	...	N	6	..	5 a.	29.91	..	..	E	6	..
Taichu,	„	29.91	...	..	W	4	..	„	29.89	..	..	N	2	..
Tainan,	„	29.89	..	..	W	6	..	„	29.87	..	...	N	4	..
Koshun,	„	29.86	..	..	SE	4	..	„	29.82	...	..	NE	6	..
Pescadores,	„	29.90	..	...	W	4	..	„	29.93	...	...	NE	8	..
Weihaiwei,	3 p.	29.92	68	...	NW	3	b	9 a.	29.91	72	...	SSW	3	b
Gutzlaff,	„	30.04	61	55	N	4	ovd	„	30.09	56	81	SSE	2	bv
Sharp Peak,	„	29.87	75	88	ENE	7	og	„	30.02	70	80	NE	6	o
Amoy.	„	29.73	86	80	SE	3	b	6 30a.	29.99	69	90	NE	3	o
Swatow,	„	..	..	...	...	..	..	9 a.	..	...	..	...	...	..
Canton,	„	29.83	85	82	S	1	c	„	..	..	...	...	..	...
Hongkong,	4 p.	29.89	84	75	S	1	o	10 a.	29.92	79	82	E	2	o
Victoria Peak,	„	...	..	...	S	4	..	„	...	..	..	E	1	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.82	86	...	S	1	c	„	..	..	..	..	...	...
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.69	79	92	NE	2	d	„	...	..	...	...	...	..
Bacolod,	3 p.	...	..	..	SW	4	c	9 a.	...	...	..	SSW	3	o
Iloilo,	„	29.75	87	...	NW	5	o	„	29.83	85	..	W	5	o
Cebu,	„	...	87	..	S	2	o	„	29.87	84	...	S	3	o
Cape St. James,	4 p.	29.83	79	..	...	0	or	10 a.	...	...	...	...	..	...

On the 18th at 11, 30a. The barometer has fallen over E. Japan owing to a depression which having crossed the Sea of Japan yesterday, is now moving into the Pacific to the E. of Hokkaido.
The typhoon appears to have approached or entered Central Luzon where a further sharp fall of the barometer has occurred. It is probably moving towards WNW.
The high pressure area remains over Central China, and pressure has increased over the E. coast.
Strong NE winds to gales may be expected in the Formosa Channel, and the NE part of the China Sea.
Forecast:— fresh NE winds; showery, squally.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 18th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

18th May 1906, P. M								19th May 1906, A. M.						
STATION.	HOUR.	BAROMETER	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND Direction.	WIND Force.	WEATHER
Wladivostock, ..	2 p.	..	...	...	..	..	..	7 a	..	..	..	...	..	..
Nemuro, ...	„	29.49	..	..	SW	8	..	6 a.	29.53	..	...	SW	8	..
Hakodate, ...	„	29.73	..	..	SW	6	..	„	29.70	...	..	SW	2	..
Tokio, ...	„	29.90	..	...	SE	6	..	„	29.98	..	...	...	0	..
Kochi	„	29.99	...	...	SE	4	..	„	30.03	...	...	SW	2	..
Nagasaki, ...	„	30.07	..	...	NE	4	..	„	30.03	...	...	E	2	..
Kagoshima, ...	„	30.07	...		E	2	..	„	29.93	..	...	...	0	..
Oshima, ...	„	30.06	..	...	N	4	..	„	29.92	...	...	...	0	..
Naha.	„	29.93	...	...	S	2	..	„	29.93	..	...	...	0	..
Ishigakijima, ..	„	29.93	...	..	SE	4	..	„	29.78	..	..	...	0	..
Taihoku, ...	1 p.	29.87	..	...	E	6	..	5 a.	29.76	..	..	E	2	..
Tuchu, ...	„	29.87	...	..	N	8	..	„	29.78	..	..	E	2	..
Tainan, ...	„	29.84	..	..	NW	8	..	„	29.76	..	...	N	4	..
Koshun, ...	„	29.83	..	..	NE	8	..	„	29.73	...	..	NE	8	..
Pescadores, ...	„	29.90	..	...	NE	8	..	„	29.78	...	...	NE	8	..
Weihaiwei, ..	3 p.	29.88	71	...	SE	2	b	9 a.	29.88	68	...	S	4	b
Gutzlaff, ...	„	30.04	55	80	SE	4	ompl	„	29.94	60	100	SE	3	ong
Sharp Peak, ...	„	29.94	72	83	N	4	o	„	29.88	71	88	E	3	o
Amoy, ...	„	29.81	80	74	ESE	4	c	6 30 a.	29.73	68	90	NE	3	da
Swatow, ...	„	29.88	78	78	E	1	c	9 a.	..	74	86	NE	2	o
Canton, ...	„	29.84	90	70	NW	1	b	„	29.82	83	79	NW	1	b
Hongkong, ...	4 p.	29.84	78	82	E	2	c	10 a.	29.81	82	75	W	1	o
Victoria Peak,	„	...	..	...	E	3	..	„	...	..	..	N	1	..
Gap Rock, ...	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao, ...	„	29.85	81	...	SE	2	c	„	29.81	84	..	ESE	1	c
Haiphong, ...	„	...	...	.	..	...	..	„	..	.	..	..	..	..
Manila, ...	„	29.57	77	100	SW	8	q	„	29.76	79	92	SE	1	d
Bacolod, ...	3 p.	...	..	..	SSW	3	c	9 a.	...	...	..	SW	1	c
Iloilo, ...	„	29.75	86	...	WSW	5	o	„	29.85	87	..	WSW	1	o
Cebu, ...	„	29.81	87	..	S	2	c	„	29.87	87	...	S	1	b
Cape St. James,	4 p.	29.77	88	..	SW	1	c	10 a.	...	...	...	...	..	...

On the 19th at 12. 5p. The barometer has risen in Manila, and fallen over China and Formosa. The typhoon appears to be situated to the NW of Luzon. It is probably moving towards NW.

Pressure is highest over S. Japan. It remains low to the N. of Japan.

Strong NE winds to gales are indicated in the Formosa Channel, and the N. part of the China Sea.

Forecast:— N winds, moderate; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 19th May 1906.

CHINA COAST METEOROLOGICAL REGISTER

Station.	19th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	20th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Windivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	
Nemuro,	"	29.57	.	..	NE	6	..	6 a.	29.61	.	...	SW	4	..
Hakodate,	"	29.73	..	..	W	6	.	"	29.77	...	..	SW	2	..
Tokio,	"	29.90	..	...	S	2	..	"	29.90	.	...	NW	2	..
Kochi	"	29.99	...	...	...	0	..	"	29.87	...	...	...	0	..
Nagasaki,	"	29.95	.	...	SE	2	..	"	29.91	...	...	..	0	..
Kagoshima,	"	29.91	...		E	6	..	"	29.91	..	...	...	0	..
Ushima,	"	29.88	..	...	SE	6	..	"	29.92	...	...	...	0	..
Naha,	"	29.89	...	...	S	4	..	"	29.89	..	...	S	4	..
Ishigakijima,	"	29.85	...	..	S	6	..	"	29.81	..	..	S	8	..
Taihoku,	1 p.	29.69	..	...	SE	2	..	5 a.	29.74	..	..	...	0	..
Taichu,	"	29.74	...	..	N	6	..	"	29.77	..	..	..	0	..
Tainan,	"	29.72	..	..	N	6	..	"	29.73	..	...	N	4	..
Koshun,	"	29.71	..	..	E	8	..	"	29.73	...	..	E	8	..
Pescadores,	"	29.75	..	...	NE	8	..	"	29.74	...	...	N	4	
Weihaiwei,	3 p.	29.79	72	...	SSW	3	b	9 a.	29.91	64	...	NW	1	o
Cutzlaff,	"	29.88	66	89	SE	2	cv	"	..	65	100	SE	3	f
Sharp Peak,	"	29.79	73	88	N	4	o	"	29.78	71	93	ESE	1	b
Amoy,	"	29.66	80	82	SE	3	b	6 30 a.	29.63	74	99	NE	3	c
Swatow,	"	29.75	80	89	E	2	b	9 a.	29.72	73	95	NE	1	c
Canton,	"	29.72	93	71	..	0	b	"	29.71	84	83	..	0	b
Hongkong,	4 p.	29.70	81	89	E	1	c	10 a.	29.73	86	61	NE	2	c
Victoria Peak,	"	...	..	...	NW	2	..	"	...	..	..	E	2	..
Cap Rock,	"		...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.70	86	...	E	1	c	"	29.74	86	..	NNE	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.69	82	85	SSW	3	o	"	29.80	81	85	SE	1	o
Bacolod,	3 p.	...	..	..	SSW	4	b	9 a.	...	...	..	SW	2	c
Iloilo,	"	29.79	83	...	W	5	o	"	29.85	85	..	W	1	c
Cebu,	"	29.84	88	..	S	2	b	"	29.88	87	...	S	1	b
Cape St. James,	4 p.	...	...	..	..	...	...	10 a.	...	...	...	...	..	...

On the 19th 5. 30p. Orders issued to hoist the Red Cone point downwards and Drum.
On the 20th at 11. 5a. Orders issued to hoist the Black Cone point downwards and Drum.
At 11 .55a. The barometer has fallen over China and W. Japan, and risen over NE Japan and Luzon.
The typhoon appears to be situated about 250 miles to the SSE of Hong Kong, and to be moving WNW.
Pressure is highest to the S. of Japan, and over N. China. Bad weather is indicated in the China Sea.
Forecast:— NE winds freshening, possibly to a gale; weather becoming squally with rain.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 20th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	21st May 1906, A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Windivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.84	..	..	W	2	..	6 a.	29.53	..	...	NW	8	..
Hakodate,	„	29.62	..	..	S	8	..	„	29.79	...	..	NW	4	..
Tokio,	„	29.74	..	...	S	4	..	„	29.75	..	...	W	2	..
Kochi	„	29.83	...	...	SE	4	..	„	29.79	...	...	...	0	..
Nagasaki,	„	29.93	..	...	SW	4	..	„	29.79	...	...	S	2	..
Kagoshima,	„	29.91	...		...	0	..	„	29.93	..	...	W	4	..
Oshima,	„	29.92	..	...	S	2	..	„	29.88	...	...	SW	2	..
Naha,	„	29.89	...	...	S	6	..	„	29.85	..	...	S	2	..
Ishigakijima,	„	29.85	...	..	S	8	..	„	29.81	..	..	S	8	..
Taihoku,	1 p.	29.74	..	...	NW	2	..	5 a.	29.73	..	..	...	0	..
Taichu,	„	29.74	...	..	W	4	..	„	29.72	..	..	..	0	..
Tainan,	„	29.74	..	..	W	4	..	„	29.69	..	...	E	4	..
Koshun,	„	29.77	..	..	SE	6	..	„	29.72	...	..	SE	6	..
Pescadores,	„	29.74	..	...	NE	6	..	„	29.68	...	...	E	6	..
Weihaiwei,	3 p.	29.87	70	...	ENE	2	b	9 a.	29.84	67	...	W	1	o
Gutzlaff,	„	29.76	68	100	NE	2	f	„	29.76	65	100	NE	4	om
Sharp Peak,	„	29.69	79	93	...	0	b	„	29.79	77	91	..	0	of
Amoy,	„	29.68	81	87	ESE	4	c	6 30 a.	...	76	95	NE	4	or
Swatow,	„	29.72	85	71	NE	6	c	9 a.	29.58	77	91	NE	4	or
Canton,	„	29.60	92	77	W	1	b	„	...	..	...	..	..	..
Hongkong,	4 p.	29.62	83	68	E	3	c	10 a.	29.53	83	67	N	3	oq
Victoria Peak,	„	...	..	...	E	5	..	„	...	..	..	N	7	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.62	81	...	..	0	c	„	..	...	..	...	...	..
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.76	82	85	WSW	1	o	„	29.80	83	63	SSE	3	c
Bacolod,	3 p.	...	..	..	S	3	c	9 a.	...	...	..	SW	1	o
Iloilo,	„	29.79	83	...	W	1	c	„	29.85	83	..	.	0	c
Cebu,	„	29.79	88	..	...	0	c	„	29.80	85	...	E	1	c
Cape St. James,	4 p.	29.70	77	..	SW	5	or	10 a.	...	...	...	...	..	...

On the 21st at 11.20a. The barometer has fallen considerably along the S. coast of China, and also in Japan.

The typhoon appears to be situated about 150 miles to the SE of Hongkong, and to be moving slowly Northwards.

Bad weather may be expected along the coast between Hongkong and Foochow.

Forecast:— N to NW winds, strong to a gale; squally, showery.

Owing to the interruption of the cable the Gap Rock observations are not available.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 21st May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st May 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.61	..	..	SE	...	..	6 a.	29.73	..	...	NW	6	..
Hakodate,	"	29.76	..	..	W	8	..	"	29.85	...	..	NW	6	..
Tokio,	"	29.71	..	...	SE	6	..	"	29.78	..	...	N	2	..
Kochi	"	29.72	...	...	S	2	..	"	29.79	...	...	...	0	..
Nagasaki,	"	29.68	..	...	NE	2	..	"	29.79	...	...	N	2	..
Kagoshima,	"	29.79	...		SW	6	..	"	29.79	..	...	W	4	..
Oshima,	"	29.80	..	...	S	6	..	"	29.80	...	...	S	2	..
Naha.	"	29.81	...	...	S	6	..	"	29.81	..	...	S	4	..
Ishigakijima,	"	29.77	...	..	S	8	..	"	29.74	..	..	S	8	..
Taihoku,	1 p.	29.67	..	...	NW	2	..	5 a.	29.66	..	..	...	0	..
Taichu,	"	29.70	...	..	NW	2	..	"	29.66	..	..	SE	2	..
Tainan,	"	29.69	..	..	S	10	..	"	29.65	..	...	SE	6	..
Koshun,	"	29.73	..	..	E	6	..	"	29.63	...	..	SE	4	..
Pescadores,	"	29.67	..	...	SE	10	..	"	29.58	...	...	S	10	..
Weihaiwei,	3 p.	29.78	76	...	N	1	b	9 a.	29.92	69	...	W	2	b
Gutzlaff,	"	29.75	62	94	ENE	4	ond	"	29.81	62	.	NNE	4	d
Sharp Peak,	"	29.66	79	91	...	0	o	"	29.68	73	95	N	5	or
Amoy,	"	29.53	78	95	ENE	3	or	6 30 a.	...	...	...	..	...	...
Swatow,	"	29.44	78	91	E	5	or	9 a.	...	.	.	...	..	..
Canton,	"	29.50	82	...	N	2	c	"	29.63	82	96	N	1	b
Hongkong,	4 p.	29.44	85	66	WNW	2	o	10 a.	29.60	83	72	W	3	o
Victoria Peak,	"	...	..	...	NNW	6	..	"	...	..	..	NW	4	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.46	89	...	NW	2	c	"	..	...	..	...	...	..
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	86	71	..	0	o	"	29.80	83	63	SSE	1	c
Bacolod,	3 p.	...	..	..	SW	2	c	9 a.	...	...	..	SW	2	b
Iloilo,	"	29.75	87	...	NW	4	c	"	29.81	85	..	W	1	b
Cebu,	"	29.76	87	..	S	2	c	"	29.82	87	...	S	2	b
Cape St. James,	4 p.	..	..	..	..	...	..	10 a.	...	...	...	...	..	...

On the 21st at noon, Orders issued to fire the gun.

At 4. 30p. Black Drum hoisted. The typhoon appears to be near the coast about 100 miles E. of Hongkong, and probably recurving to the NE.

On the 22nd at 4. 50a. Orders issued to lower the Black Drum.

At 11. 50a. The barometer is rising slowly in Hongkong, and falling at the Formosa stations. The typhoon is probably near Swatow and progressing slowly towards NE.

Pressure has increased and is relatively high over N. China.

Bad weather may be expected in the Formosa Channel, and fresh W. and SW winds over the N. part of the China Sea.

Forecast:— moderate W winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 22nd May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	23rd May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Windivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Kemuro,	"	...	..	..	...	...	..	6 a.	29.92	..	...	NW	8	..
Hakodate,	"	..	..	..	...	..	..	"	30.09	...	..	W	4	..
Tokio,	"	...	..	...	...	...	..	"	30.10	..	...	N	2	..
Kochi	"	..	...	...	...	...	..	"	29.99	...	...	SW	4	..
Nagasaki,	"	..	..	...	..	...	..	"	29.95	...	...	NE	4	..
Kagoshima,	"	..	...		..	..	..	"	29.91	..	...	E	6	...
Oshima,	"	...	..	...	...	..	..	"	29.80	...	...	S	2	..
Naha.	"	...	...	...	..	..	..	"	29.73	..	...	S	4	..
Ishigakijima.	"	...	...	..	...	...	..	"	29.66	..	..	S	10	..
Taihoku,	1 p.	29.64	..	...	N	4	..	5 a.	29.71	..	..	W	6	..
Taichu,	"	29.67	...	..	...	0	..	"	29.77	..	..	NE	4	..
Tainan,	"	29.64	..	..	S	8	..	"	29.71	..	...	S	4	..
Koshun,	"	29.70	..	..	S	6	..	"	29.72	...	..	S	4	..
Pescadores,	"	29.55	..	...	S	10	..	"	29.70	...	...	SW	4	..
Weihaiwei,	3 p.	...	...	...	.	...	...	9 a.	30.03	63	...	ESE	1	b
Gutzlaff,	"	29.85	62	94	NE	4	omp	"	29.88	64	89	NE	5	cm
Sharp Peak,	"	29.53	73	98	ENE	8	r	"	29.89	75	93	E	1	o
Amoy,	"	29.30	77	91	SSW	6	or	6 30 a.	...	75	95	NE	3	or
Swatow,	"	...	..	.	...	...	..	9 a.	...	.	..	...	..	..
Canton,	"	29.57	91	96	NW	1	b	"	..	...	...	..	..	..
Hongkong,	4 p.	29.55	87	61	WSW	3	o	10 a.	29.71	84	65	E	2	o
Victoria Peak,	"	...	..	...	W	3	..	"	...	..	..	NE	2	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.55	88	...	NW	1	c	"	29.71	82	..	NE	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.72	84	77	..	0	c	"	29.84	82	77	SW	2	c
Bacolod,	3 p.	...	..	..	SW	1	c	9 a.	...	...	..	SW	1	c
Iloilo,	"	29.75	89	...	W	2	o	"	29.85	85	..	...	0	o
Cebu,	"	29.74	88	..	S	2	c	"	29.84	87	...	S	2	...
Cape St. James,	4 p.	29.68	79	..	SW	4	o	10 a.	...	...	...	...	..	...

On the 22nd at 5p The typhoon has moved NE along the coast since yesterday, the centre now being on land near Amoy.

On the 23rd at 11. 59a. The barometer has risen generally, except at Meiaco Sima.

The typhoon is nearly filled up. It appears to exist as a slight depression to the NE of Formosa. High pressure lies over N. China and the Sea of Japan.

The wind will probably freshen from NE in the Formosa Channel, and the N. part of the China Sea.

Forecast:— NE winds, freshening; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 23rd May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd May 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind Direction.	Wind Force.	Weather	24th May 1906, A. M. Hour	Barometer	Temperature	Humidity	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.00	..	..	N	6	..	6 a.	30.03	..	...	NE	2	..
Hakodate,	"	30.13	..	..	W	6	..	"	30.17	...	..	..	0	..
Tokio,	"	30.10	..	...	S	6	..	"	30.22	..	...	NW	2	..
Kochi	"	30.03	...	...	SW	2	..	"	30.07	...	...	SW	2	..
Nagasaki,	"	30.11	..	...	NE	6	..	"	29.99	...	...	E	4	..
Kagoshima,	"	29.95	...		E	6	..	"	29.95	..	...	E	6	..
Oshima,	"	29.84	..	...	S	4	..	"	29.73	...	...	E	4	..
Naha.	"	29.77	...	...	S	4	..	"	29.74	..	...	NW	10	..
Ishigakijima,	"	29.77	...	..	SW	8	..	"	29.85	..	..	...	0	..
Taihoku,	1 p.	29.83	..	...	NW	6	..	5 a.	29.83	..	..	E	2	..
Taichu,	"	29.81	...	..	NW	2	..	"	29.83	..	..	NE	2	..
Tainan,	"	29.77	..	..	W	4	..	"	29.80	..	...	N	2	..
Koshun,	"	29.76	..	..	SW	6	..	"	29.78	...	..	NE	4	..
Pescadores,	"	29.78	..	...	NE	8	..	"	29.80	...	...	NE	8	..
Weihaiwei,	3 p.	30.01	73	...	ESE	2	b	9 a.	30.10	72	...	W	1	b
Gutzlaff,	"	29.92	64	89	NE	5	om	"	30.02	64	89	NE	4	cm
Sharp Peak,	"	29.79	77	88	E	3	o	"	29.93	72	94	NE	3	o
Amoy,	"	29.70	74	90	ENE	3	or	6.30a.	29.73	74	95	NE	5	o
Swatow,	"	...	..	..	...	...	..	9 a.	...	..	..	...	..	..
Canton,	"	29.70	87	88	N	1	c	"	29.79	78	91	NE	1	or
Hongkong,	4 p.	29.66	82	73	ENE	2	o	10 a.	29.78	77	89	E	5	o
Victoria Peak,	"	...	..	...	ENE	3	..	"	...	..	..	E	7	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.67	80	...	E	2	o	"	..	...	..	..	...	...
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	86	71	WSW	1	o	"	...	..	..	...	...	...
Bacolod,	3 p.	...	..	..	SW	2	b	9 a.	...	...	..	N	2	c
Iloilo,	"	29.75	83	...	NE	1	c	"	29.81	86	..	NE	1	b
Cebu,	"	..	88	..	S	2	o	"	29.79	81	...	N	1	c
Cape St. James,	4 p.	29.64	81	..	SW	3	e	10 a.	...	...	...	...	..	...

On the 24th at 11.30a. The barometer has fallen slightly over the Loochoos owing to the depression, which having moved towards ENE since yesterday, is now situated to the E. of the group.

Pressure has increased over China and Japan, while a slight decrease has occurred in the S. Philippines.

Pressure is high over N. China and the Sea of Japan, and highest over the E part of the latter area. It is relatively low over the China Sea.

Gradients are steep over S. China, and strong NE winds are expected to continue in the Formosa Channel and the N. part of the China Sea.

Forecast:— NE winds, strong to a moderate gale; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 24th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	25th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.04	..	..	W	4	..	6 a.	29.96	..	...	S	4	..
Hakodate,	"	30.09	..	..	S	4	.	"	30.09	...	..	..	0	..
Tokio,	"	30.14	..	...	S	4	..	"	30.18	..	...	NW	2	..
Kochi	"	30.11	...	...	SE	4	..	"	30.19	...	...	SW	2	..
Nagasaki,	"	29.99	...	...	E	6	..	"	30.07	...	...	SE	6	..
Kagoshima,	"	29.99	...		E	10	..	"	30.07	..	...	NE	4	..
Oshima,	"	29.84	..	...	N	6	..	"	29.96	...	...	E	2	..
Naha.	"	29.81	...	...	N	8	..	"	29.89	..	...	NE	2	..
Ishigakijima,	"	29.89	...	..	N	4	..	"	29.89	..	..	NE	4	..
Taihoku,	1 p.	29.91	..	...	E	6	..	5 a.	29.83	..	..	E	4	..
Taichu,	"	29.83	...	..	N	3	..	"	29.86	..	..	..	0	..
Tainan,	"	29.82	..	..	N	4	..	"	29.85	..	...	N	2	..
Koshun,	"	29.82	..	..	NE	8	..	"	29.82	...	..	N	2	..
Pescadores,	"	29.85	..	...	NE	8	..	"	29.86	...	...	NE	6	..
Weihaiwei,	3 p.	30.02	76	...	E	2	b	9 a.	29.93	67	...	SSE	2	c
Gutzlaff,	"	29.99	69	80	E	3	bm	"	29.92	63	90	SE	4	cm
Sharp Peak,	"	29.93	73	86	NE	5	o	"	29.92	72	90	..	0	og
Amoy,	"	29.78	69	95	NE	4	or	6 30a.	29.78	66	89	NE	3	o
Swatow,	"	29.77	73	81	E	4	o	9 a.	...	..	..	...	..	..
Canton,	"	29.74	85	76	E	1	c	"	29.79	76	95	SE	2	or
Hongkong,	4 p.	29.73	75	85	E	6	oq	10 a.	29.79	75	91	E	5	op
Victoria Peak,	"	...	..	...	E	6	..	"	...	..	..	E	7	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.70	77	...	E	3	o	"	29.76	77	..	E	3	od
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	88	65	..	0	b	"	29.80	86	79	W	1	e
Bacolod,	3 p.	...	..	..	NNW	2	b	9 a.	...	...	..	..	0	o
Iloilo,	"	29.75	91	...	W	1	c	"	29.81	84	..	..	0	o
Cebu,	"	29.73	87	..	E	2	c	"	29.82	84	...	S	3	or
Cape St. James,	4 p.	29.65	82	..	SW	4	o	10 a.	...	...	...	...	..	...

On the 25th at 11. 55a. The barometer has risen over the Loochoos and W. Japan, and fallen over NE Japan and the E. and N. coasts of China.

The high pressure area lies over Central Japan, and pressure apparently, remains low over the NW part of the China Sea.

E. winds decreasing in force may be expected in the Formosa Channel and over the N. part of the China Sea.

Forecast:— strong but decreasing E winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 25th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	26th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.84	..	..	SE	6	..	6 a.	29.73	..	...	SW	4	..
Hakodate,	„	29.93	..	..	SW	6	..	„	29.85	...	..	SW	4	..
Tokio,	„	30.10	..	...	S	6	..	„	29.94	..	...	S	4	..
Kochi	„	30.11	...	...	S	6	..	„	30.03	...	...	..	0	..
Nagasaki,	„	29.99	..	...	SE	6	..	„	29.95	...	...	SE	2	..
Kagoshima,	„	30.03	...		E	8	..	„	29.95	..	...	NE	4	..
Oshima,	„	29.92	..	...	SE	2	..	„	29.88	...	...	...	0	..
Naha.	„	29.89	...	...	E	6	..	„	29.85	..	...	..	0	..
Ishigakijima,	„	29.85	...	..	E	6	..	„	29.81	..	..	S	6	..
Taihoku,	1 p.	29.82	..	...	E	4	..	5 a.	29.80	..	..	SE	2	..
Taichu,	„	29.82	...	..	NW	4	..	„	29.80	..	..	..	0	..
Tainan,	„	29.81	..	..	NW	6	..	„	29.79	..	...	...	0	—
Koshun,	„	29.81	..	..	E	6	..	„	29.78	...	..	E	6	..
Pescadores,	„	29.83	..	...	NW	6	..	„	29.77	...	...	NE	2	..
Weihaiwei,	3 p.	29.86	74	...	S	3	o	9 a.	29.74	69	...	E	8	o
Gutzlaff,	„	29.85	70	95	SE	3	cm	„	29.73	70	90	SSE	3	cm
Sharp Peak,	„	29.82	78	91	E	3	o	„	29.79	75	95	..	0	od
Amoy,	„	29.71	71	76	NNE	3	o	6 30a.	29.76	73	90	...	0	o
Swatow,	„	...	75	86	E	1	o	7 a.	29.75	75	90	E	1	o
Canton,	„	29.74	78	95	SE	2	or	9 a.	29.71	78	100	SE	1	or
Hongkong,	4 p.	29.72	75	98	E	5	orq	10 a.	29.73	79	86	SE	3	op
Victoria Peak,	„	...	..	...	E	6	..	„	...	..	..	SSE	7	..
Gap Rock,	„	—	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.69	77	...	E	3	od	„	29.69	78	..	SE	2	od
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.76	79	100	E	2	c	„	29.73	81	89	NW	4	o
Bacolod,	3 p.	...	—	..	SW	1	o	9 a.	...	...	..	SW	3	o
Iloilo,	„	29.72	86	...	W	1	o	„	29.83	82	..	W	5	or
Cebu,	„	29.87	75	..	E	3	o	„	29.84	83	...	S	2	o
Cape St. James,	4 p.	29.63	79	...	SW	5	o	10 a.	...	...	...	...	..	...

On the 26th at 11. 50a. The barometer has fallen generally, particularly over N. China, Japan and Luzon. The fall in Luzon is due to a typhoon, which appears to be approaching Central Luzon and to be moving NW.

In China it is caused by a depression which is apparently moving Eastwards to the N. of the Yangtze. Pressure is highest over Central Japan.

Moderate SE winds are indicated in the Formosa Channel and along the Northern shores of the China Sea.

Forecast:— moderate SE winds; showery to fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 26th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	27th May 1906. A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.69	..	..	SW	10	..	6 a.	...	..	...	...	...	..
Hakodate,	"	29.81	..	..	SW	10	..	"	...	...	..	..	...	..
Tokio,	"	29.94	..	...	S	8	..	"	...	..	...	...	...	..
Kochi	"	29.95	...	...	SE	4	..	"	..	...	...	..	...	..
Nagasaki,	"	29.83	..	...	SE	4	..	"	...	...	...	...	..	..
Kagoshima,	"	29.87	...		S	2	..	"	...	..	...	...	...	..
Oshima,	"	29.84	..	...	SE	2	..	"	..	...	...	...	..	..
Nahs,	"	29.85	...	...	E	2	..	"	..	..	...	..	..	..
Ishigakijima,	"	29.77	...	..	S	4	..	"	..	..	..	...	..	..
Taihoku,	1 p.	29.73	..	...	NW	4	..	5 a.	29.63	..	..	...	0	..
Taichu,	"	29.75	...	..	W	4	..	"	29.66	..	..	..	0	..
Tainan,	"	..	..	..	..	...	..	"	29.65	..	...	E	2	..
Koshun,	"	29.76	..	..	SE	6	..	"	29.65	...	..	E	4	..
Pescadores,	"	29.75	..	...	S	4	..	"	29.64	...	...	S	4	..
Weihaiwei,	3 p.	29.66	60	...	ENE	2	c	9 a.	29.59	65	...	N	4	b
Gutzlaff,	"	29.66	70	95	SSE	3	ov	"	29.63	68	60	N	4	ov
Sharp Peak,	"	29.69	78	91	E	2	od	"	29.66	76	91	..	0	od
Amoy,	"	29.61	79	87	SE	2	c	6.30a.	29.57	75	95	SW	3	o
Swatow,	"	...	...		..	..	...	7 a.	...	..	...	..	..	...
Canton,	"	29.63	85	79	SE	2	c	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.62	79	94	E	2	op	10 a.	29.62	82	87	SE	1	o
Victoria Peak,	"	...	..	...	SE	3	..	"	...	..	..	SSW	2	..
Gap Rock,	"	—	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.61	80	...	SE	2	og	"	29.58	82	..	SE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.65	82	85	WSW	4	op	"	29.80	79	92	SE	0	d
Bacolod,	3 p.	...	—	..	SW	3	o	9 a.	...	...	..	SW	1	o
Iloilo,	"	29.75	83	...	WSW	1	o	"	29.85	82	..	W	1	o
Cebu,	"	29.78	85	..	S	2	c	"	29.92	83	...	S	2	o
Cape St. James,	4 p.	29.71	84	..	SW	3	c	10 a.	...	...	...	...	..	...

On the 27th at 12. 50p. The barometer has risen in the Philippines and fallen over China and Formosa.
The Northern depression has passed from the continent to the Yellow Sea moving Eastwards.
The depressein in the South may have passed into the China Sea to the W. of Luzon, it appears to be feeble.
Variable winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate S or variable winds; fair to showery.
The Japanese returns are lacking this morning.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 27th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	28th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.84	..	..	S	6	..	6 a.	29.80	..	...	SE	6	..
Hakodate,	"	29.77	..	..	S	4	..	"	29.38	...	..	NW	2	..
Tokio,	"	29.78	..	...	S	2	..	"	29.23	..	...	W	2	..
Kochi	"	29.56	...	...	...	0	..	"	29.48	...	...	..	0	..
Nagasaki,	"	29.40	..	...	SW	6	..	"	29.56	...	...	W	6	..
Kagoshima,	"	29.48	...		W	2	..	"	29.30	..	...	NW	2	..
Oshima,	"	29.61	..	...	S	6	..	"	29.61	...	...	...	0	..
Naha,	"	29.70	...	...	S	6	..	"	...	..	...	..	0	..
Ishigakijima,	"	29.66	...	..	SW	6	..	"	.	..	..	N	4	..
Taihoku,	1 p.	29.64	..	...	NW	6	..	5 a.	29.67	..	..	E	4	..
Taichu,	"	29.63	...	..	NW	4	..	"	29.63	..	..	..	0	..
Tainan,	"	29.62	..	..	S	6	..	"	29.58	..	...	...	0	..
Koshun,	"	29.62	..	..	S	4	..	"	29.60	...	..	NE	2	..
Pescadores,	"	29.63	..	...	W	4	..	"	29.63	...	...	N	6	..
Weihaiwei,	3 p.	...	..	...	..	...	...	9 a.	...	..	...	...	..	...
Gutzlaff,	"	29.68	68	90	N	3	ov	"	29.81	68	79	N	4	ov
Sharp Peak,	"	...	75	90	..	0	or	"	29.74	73	90	ENE	2	od
Amoy,	"	29.46	81	91	SE	3	c	6 30a.	29.57	78	100	NE	3	or
Swatow,	"	29.54	83	83	S	2	o	7 a.	...	..	...	..	..	...
Canton,	"	29.50	87	80	S	2	c	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.52	85	78	S	1	o	10 a.	29.58	76	92	E	4	or
Victoria Peak,	"	...	..	...	S	2	..	"	...	..	..	E	5	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.51	82	...	SSE	1	c	"	29.53	75	..	E	2	or
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	77	92	..	0	d	"	29.80	82	85	SE	0	o
Bacolod,	3 p.	...	..	..	SW	1	b	9 a.	...	...	..	SW	2	b
Iloilo,	"	29.79	83	...	W	1	c	"	29.85	86	..	W	2	c
Cebu,	"	29.77	87	..	S	1	c	"	29.88	86	...	S	2	b
Cape St. James,	4 p.	..	...	..	..	...	...	10 a.	...	...	...	...	..	...

On the 28th at 11. 55a. The barometer has fallen rapidly in Japan owing to the depression which is now traversing E. Japan moving towards the Pacific.

Pressure has increased quickly over N. China, and fallen slightly on the S. coast and in Formosa.

The highest pressure is over N. China, and a low pressure trough, in which no definite centre is at present detected, extends over the N. part of the China Sea and the Pacific towards the South of the Loochoos.

Gradients are rather steep over S. China, and strong NE winds are expected to prevail in the Formosa Channel and the N. part of the China Sea.

Forecast:— strong NE winds; squally, rainy.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 28th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	29th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.45	..	..	E	8	..	6 a.	29.21	..	...	NE	4	..
Hakodate,	"	29.30	..	..	E	8	..	"	29.30	...	..	SW	8	..
Tokio,	"	29.27	..	...	S	4	..	"	29.47	..	...	NW	4	..
Kochi	"	29.44	...	...	W	4	..	"	29.60	...	...	SW	2	..
Nagasaki,	"	29.60	..	...	NW	6	..	"	29.63	...	...	..	0	..
Kagoshima,	"	29.60	...		NW	6	..	"	29.58	..	...	NW	4	..
Oshima,	"	29.61	..	...	NW	4	..	"	29.73	...	...	N	6	..
Naha,	"	29.58	...	...	NE	8	..	"	29.74	..	...	NE	4	..
Ishigakijima,	"	29.66	...	..	N	6	..	"	29.74	..	..	N	6	..
Taihoku,	1 p.	29.72	..	...	E	6	..	5 a.	29.74	..	..	E	6	..
Taichu,	"	29.67	...	..	N	6	..	"	29.59	..	..	N	4	..
Tainan,	"	29.66	..	..	W	2	..	"	29.57	..	...	N	4	..
Koshun,	"	29.65	..	..	E	6	..	"	29.69	...	..	E	10	..
Pescadores,	"	29.67	..	...	NE	10	..	"	29.61	...	...	NE	8	..
Weihaiwei,	3 p.	29.79	73	...	W	1	b	9 a.	29.79	69	...	S	1	c
Gutzlaff,	"	29.81	79	70	N	2	bv	"	29.83	68	74	W	2	cm
Sharp Peak,	"	29.75	73	88	N	2	oq	"	29.78	70	75	NE	4	o
Amoy,	"	29.59	79	90	NNE	4	or	6 30a.	29.63	64	100	N	4	or
Swatow,	"	29.60	82	96	E	4	or	7 a.	29.71	71	85	NE	1	or
Canton,	"	29.56	79	90	N	2	c	9 a.	29.79	76	95	SE	1	o
Hongkong,	4 p.	29.49	76	87	NE	5	odq	10 a.	29.69	74	91	E	1	od
Victoria Peak,	"	...	..	...	ENE	8	..	"	...	..	..	ENE	1	..
Gap Rock,	"	-	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.52	75	...	N	1	o	"	29.67	75	..	SSE	1	od
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.76	86	71	SW	3	o	"	29.84	82	77	S	2	o
Bacolod,	3 p.	...	...	..	SW	1	b	9 a.	...	...	..	SW	3	b
Iloilo,	"	29.79	88	...	W	2	o	"	29.89	86	..	...	0	c
Cebu,	"	29.82	90	..	S	1	b	"	29.89	88	...	S	1	b
Cape St. James,	4 p.	29.75	84	..	SW	3	c	10 a.	...	...	...	...	..	...

On the 29th at 12. 15p. The barometer has risen in S. Japan, and fallen in N. Japan. The depression is moving into the Pacific to the S. of Hokkaido.

Pressure has increased over S. China and the Philippines, and decreased slightly over N. China and Formosa.

The highest pressure is over Central China. It remains low over the N. part of the China Sea, particularly to the S. of Formosa.

Strong NE winds are indicated in the Formosa Channel, and variable winds over the N. part of the China Sea.

Forecast:— moderate variable winds; unsettled showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 29th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	30th May 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.		...	...	..	..	.	7 a.	..	..	..	...	..	..
Nemuro,	„	29.13	..	..	NE	4	..	6 a.	29.29	..	...	...	0	..
Hakodate,	„	29.30	..	..	NW	8		„	29.46	...	..	W	4	..
Tokio,	„	29.42	..	...	NE	4	..	„	29.59	..	...	NW	4	..
Kochi	„	29.20	...	...	.	0	..	„	29.76	...	...	..	0	..
Nagasaki,	„	29.72	..	...	NW	4	..	„	29.76	...	...	..	0	..
Kagoshima,	„	29.72	...		W	4	..	„	29.75	..	...	NW	4	.
Oshima,	„	29.73	..	...	NW	2	..	„	29.77	...	...	SE	2	.
Naha.	„	29.74	...	...	N	4	.	„	29.70	..	...	N	6	..
Ishigakijima,	„	29.66	...	..	NE	6	..	„	29.70	..	..	NE	2	.
Taihoku,	1 p.	29.66	..	...	E	6	..	5 a.	29.77	..	..	E	4	..
Taichu,	„	29.56	...	..	N	6	..	„	29.73	..	..	NW	2	..
Tainan,	„	29.52	..	..	N	4	..	„	29.73	..	...	N	2	..
Koshun,	„	...	..	..	..	...	..	„	29.69	...	..	...	0	..
Pescadores,	„	29.56	..	...	NE	10	..	„	29.72	...	...	NE	8	..
Weihaiwei,	3 p.	29.67	73	...	E	2	b	9 a.	29.77	71	...	SE	3	b
Gutzlaff,	„	29.78	69	61	SW	1	cv	„	29.84	69	79	SW	3	ba
Sharp Peak,	„	29.71	73	79	ENE	4	o	„	29.83	69	77	..	0	b
Amoy,	„	29.55	77	69	NNE	4	c	6 30 a.	29.69	63	89	NE	3	b
Swatow,	„	29.62	76	73	E	1	c	7 a.	...	79	91	NE	1	o
Canton,	„	29.67	95	95	..	0	or	9 a.	29.77	73	86	NE	1	b
Hongkong,	4 p.	29.66	73	94	E	1	od	10 a.	29.77	76	62	NE	4	c
Victoria Peak,	„	...	..	...	SSE	1	..	„	...	..	..	E	3	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.66	74	...	SE	1	o	„	29.76	75	..	ESE	2	o
Haiphong,	„	...	...	..	..	...	..	„	..	.	..	..	..	..
Manila,	„	29.76	88	65	WSW	4	c	„	29.84	84	77	SSW	2	o
Bacolod,	3 p.	...	..	..	WNW	2	c	9 a.	...	...	..	SW	2	c
Iloilo,	„	29.80	88	...	NW	4	c	„	29.87	84	.	W	1	c
Cebu,	„	29.81	91	..	S	2	b	„	29.89	88	...	S	2	b
Cape St. James,	4 p.	...	...	..	...	...	..	10 a.	...	...	...	...	..	...

On the 30th at 11. 55a. Pressure is increasing over Japan, but the depression is still shown over the Pacific to the E. of Hokkaido.

The barometer has risen slightly over China. Pressure is highest over Central China.

Gradients are slight on the China coast, and fresh NE winds may be expected in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory Wednesday 30th May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

30th May 1906. P. M.								31st May 1906. A. M.							
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather.
Vladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	.
Nemuro,	"	29.45	..	..	N	4	..	6 a.	29.84	..	...	N	4	..
Hakodate,	"	29.54	..	..	N	6	..	"	29.89	...	..	N	2	..
Tokio,	"	29.63	..	...	W	4	..	"	29.99	..	...	NE	2	..
Kochi	"	29.75	...	...	SE	2	..	"	29.99	...	...	SW	2	..
Nagasaki,	"	29.75	..	...	SW	6	..	"	29.99	...	...	N	2	..
Kagoshima,	"	...	...		..	...	..	"	29.95	..	...	..	0	..
Oshima,	"	29.80	..	...	N	4	..	"	29.92	...	...	S	4	..
Naha,	"	..	...	...	...	..	..	"	29.93	..	...	NE	2	..
Ishigakijima,	"	..	...	..	..	...	..	"	29.85	..	..	E	8	..
Taihoku,	1 p.	29.79	..	...	E	6	..	5 a.	29.85	..	..	E	6	..
Taichu,	"	29.70	...	..		0	..	"	29.77	..	..	..	0	..
Tainan,	"	29.72	..	..	NW	2	..	"	29.75	..	...	...	0	..
Koshun,	"	29.73	..	..	NE	4	..	"	29.75	...	..	NE	8	..
Pescadores,	"	29.72	..	...	NE	8	..	"	29.73	...	...	NW	2	..
Weihaiwei,	3 p.	29.76	74	...	SE	3	b	9 a.	29.87	71	...	SE	4	o
Gutzlaff,	"	29.83	75	95	SW	2	b:n	"	30.00	69	75	SSE	3	b:m
Sharp Peak,	"	29.82	74	88	ENE	4	b	"	29.93	72	83	E	4	o
Amoy,	"	29.68	79	94	NE	3	b	6 30a.	29.73	70	89	NNE	3	c
Swatow,	"	29.71	77	61	E	2	b	7 a.	29.91	68	95	NE	1	b
Canton,	"	29.74	81	74	..	0	c	9 a.	29.86	73	71	SE	1	c
Hongkong,	4 p.	29.73	77	57	SE	3	b	10 a.	29.83	78	57	ESE	3	b
Victoria Peak,	"	...	..	...	E	4	..	"	...	..	..	E	4	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.73	78	...	SSE	1	c	"	29.83	78	..	NE	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.76	86	71	WSW	2	o	"	29.84	77	92	...	0	c
Bacolod,	3 p.	...	..	..	SW	2	b	9 a.	...	...	..	SW	1	c
Iloilo,	"	29.79	89	...	W	1	c	"	29.85	86	.	W	1	c
Cebu,	"	29.82	90	..	S	3	b	"	29.89	88	...	S	2	c
Cape St. James,	4 p.	29.76	84	..	ESE	2	o	10 a.	...	...	...	...	..	...

On the 31st at 11. 35a. The barometer has risen over China and Japan.
An area of high pressure lies over the E. coast of China and W. Japan, and pressure is relatively low to the S. of Formosa.
Fresh NE and E. winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh E winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 31st May 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st May 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	1st June 1906, A. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.		...	...	.		..	7 a.	.	..	..	...	..	
Nemuro,	"	29.96	.	.	N	6	..	6 a.	30.12	.	...	...	0	
Hakodate,	"	29.97	..	.	SE	4		"	30.21	...	.	W	2	
Tokio,	"	29.94	..	...	SE	4	..	"	30.22	.	...	N	2	
Kochi	"	29.99	...	...	N	6	..	"	30.15	...	...	...	0	..
Nagasaki,	"	30.03	.	...	E	6	..	"	30.15	...	...	SE	2	..
Kagoshima,	"	30.03	...		E	4	..	"	30.15	.	...	..	0	
Oshima,	"	30.00	..	...	N	4	..	"	30.08	...	...	SE	4	.
Naha.	"	29.97	...	..	NE	6	..	"	30.01	..	...	NE	2	..
Ishigakijima,	"	29.89	...	.	E	8	..	"	29.89	.	..	E	8	.
Taihoku,	1 p.	29.86	.	...	E	8	..	5 a.	29.88	..	..	E	6	
Taichu,	"	29.75	...	..	W	2	..	"	29.85	..	.	..	6	
Tainan,	"	29.76	.		NW	4	..	"	29.82	.	...	...	0	
Koshun,	"	29.76	..		NE	10	.	"	29.78	..	.	NE	10	
Pescadores,	"	29.77	.	...	N	8	..	"	29.80	...	...	N	6	
Weihaiwei,	3 p.	29.87	86	..	WSW	3	b	9 a.	30.00	81	...	WNW	4	o
Gutzlaff,	"	29.98	73	97	SE	4	b n	"	30.06	71	85	SE	3	cu
Sharp Peak,	"	29.82	76	89	NE	4	b	"	29.98	72	99	NNW	2	o
Amoy,	"	29.71	86	94	NNE	5	b	6 30 a.	29.81	72	76	NE	4	b
Swatow,	"	29.79	81	71	E	2	b	7 a.	29.81	73	83		0	b
Canton,	"	29.78	87	65	SE	1	b	9 a.	29.91	80	74	E	1	o
Hongkong,	4 p.	29.78	77	72	ESE	2	b	10 a.	29.89	78	59	E	4	o
Victoria Peak,	"	...	..	...	E	2	..	"	...	.	..	E	6	.
Gap Rock,	"		...	..	...	..	..	"	...	...	.	.	.	..
Macao,	"	29.79	82	...	SE	1	o	"	29.89	78	.	ESE	2	o
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	.	..	..
Manila,	"	29.76	84	72	WNW	1	o	"	29.83	86	71	SE	1	o
Bacolod,	3 p.	...	..	..	SW	3	b	9 a.	...	..	..	W	2	b
Iloilo,	"	29.79	89	...	NW	3	b	"	29.89	86		W	1	b
Cebu,	"	29.86	88	..	S	2	b	"	29.91	87	...	N	1	o
Cape St. James,	4 p.	29.74	82	..	SW	3	o	10 a.	...	...	...	...	..	...

On the 1st at 11. 55a. The barometer has risen generally, particularly over Japan.
The high pressure area lies over Japan, and pressure remains relatively low to the S. of Formosa.
Fresh NE and E. winds will continue in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh E winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 1st June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	2nd June 1906, A. M. Hour	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	.	..	7 a.	..	..	..	...	..	.
Nemuro,	"	30.12	.	..	S	6	..	6 a.	...	..	...	...	...	..
Hakodate,	"	30.17	..	..	SW	6	..	"	...	...	..	...	...	..
Tokio,	"	30.18	..	...	E	4	..	"	...	..	...	...	...	..
Kochi	"	30.11	...	...	SE	2	..	"	..	...	...	...	...	..
Nagasaki,	"	30.11	.	...	SW	4	..	"	..	...	...	...	...	..
Kagoshima,	"	30.11	...		S	4	..	"	..	..	...	...	..	..
Oshima,	"	30.08	..	...	E	4	..	"	...	...	...	...	..	..
Nabs.	"	30.01	...	...	E	6	..	"	..	..	...	..	...	..
Ishigakijima,	"	29.89	...	..	E	8	..	"	..	..	..	...	...	..
Taihoku,	1 p.	29.89	..	...	E	6	..	5 a.	29.86	..	..	..	0	..
Taichu,	"	29.83	...	..	N	4	..	"	29.81	..	.	..	0	..
Tainan,	"	29.83	..	.	W	4	..	"	29.84	..	...	...	0	..
Koshun,	"	29.81	..	..	NE	8	..	"	29.84	...	..	E	4	..
Pescadores,	"	29.83	..	...	NE	8	..	"	29.83	...	...	NE	8	..
Weihaiwei,	3 p.	30.01	83	...	WSW	4	c	9 a.	29.96	75	...	SSE	1	b
Gutziaff,	"	29.98	74	81	SE	4	cm	"	29.96	72	85	SE	4	cm
Sharp Peak,	"	29.95	74	81	NE	4	o	"	29.92	74	81		0	o
Amoy,	"	29.75	85	95	NE	4	b	6 30a.	29.77	76	82	NE	1	c
Swatow,	"	29.84	81	71	E	2	b	7 a.	29.81	73	86	E	1	b
Canton,	"	29.84	87	65	...	0	c	9 a.	29.88	82	100	SW	1	b
Hongkong,	4 p.	29.81	78	68	E	3	c	10 a.	29.86	82	63	SW	1	b
Victoria Peak,	"	...	..	...	E	1	..	"	...	.	..	N	1	..
Gap Rock,	"		...	.	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.83	82	...	SSE	1	c	"	29.85	85	..	...	0	c
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	86	65	ESE	1	o	"	29.92	84	77	WNW	2	c
Bacolod,	3 p.	...	..	..	SSE	2	ot	9 a.	...	..	..	NW	2	o
Iloilo,	"	29.83	89	...	W	1	c	"	29.89	86	.	NE	1	b
Cebu,	"	29.87	87	..	N	1	c	"	29.94	85	...	N	1	c
Cape St. James,	4 p.	29.75	84	..	..	0	c	10 a.	...	...	...	...	..	...

On the 2nd at 12. 5p. The barometer has fallen over China, and risen slightly over the Philippines and S. Formosa.

The highest pressure is probably over Japan.

Gradients are slight, and light to moderate variable winds are indicated in the Formosa Channel and over the N. part of the China Sea.

Forecast:— light variable winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 2nd June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

2nd June 1906, P. M								3rd June 1906, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		...	...	.		.	7 a.	.	..	..	...	..	..
Nemuro,	"	30.04	.	..	S	6	..	6 a.	30.00	..	...	SW	4	..
Hakodate,	"	30.05	..	..	...	0	.	"	99.97	...	..	NW	2	..
Tokio,	"	30.02	..	...	SE	4	..	"	29.94	..	...	W	2	..
Kochi	"	30.03	...	...	SE	2	..	"	29.99	...	...	SW	2	..
Nagasaki,	"	29.99	.	...	SW	2	..	"	29.93	...	...	...	0	..
Kagoshima,	"	30.03	...		SE	2	..	"	29.95	..	...	..	0	..
Oshima,	"	29.96	..	...	SE	6	..	"	29.84	...	...	SE	4	..
Naha.	"	29.89	...	...	SE	4	..	"	29.78	..	...	SW	4	..
Ishigakijima,	"	29.81	...	..	SW	8	..	"	29.73	..	..	SW	6	..
Taihoku,	1 p.	29.83	.	...	E	2	..	5 a.	29.80	..	..	..	0	..
Taichu,	"	29.83	...	..	W	2	..	"	29.81	..	..	..	0	..
Tainan,	"	29.83	..	..	SW	2	..	"	29.79	..	...	E	4	..
Koshun,	"	29.84	..	..	S	4	..	"	29.73	...	..	S	4	..
Pescadores,	"	29.87	..	...	NE	4	..	"	29.76	...	...	E	6	..
Weihaiwei,	3 p.	29.88	77	...	S	3	b	9 a.	29.80	68	...	SW	2	c
Gutzlaff,	"	29.87	72	81	SE	4	cv	"	29.76	70	95	SSE	4	f
Sharp Peak,	"	29.85	77	85	NE	4	o	"	29.82	75	90	SSE	1	c
Amoy,	"	29.71	86	95	ENE	2	b	6.30a.	...	74	95	NNE	3	c
Swatow,	"	29.77	85	63	E	2	b	7 a.	29.81	73	86	..	0	c
Canton,	"	29.78	91	96	SW	1	b	9 a.	29.81	82	75	SW	2	b
Hongkong,	4 p.	29.75	85	65	.	0	b	10 a.	29.81	83	69	W	1	b
Victoria Peak,	"	...	..	...	WNW	1	..	"	...	..	..	SW	2	..
Gap Rock,	"		...	.	...	..	..	"	...	...	..	.	..	..
Macao,	"	29.76	86	...	SW	1	c	"	29.80	82	..	SW	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.84	90	66	WSW	1	c	"	29.88	88	74	SW	0	b
Racolod,	3 p.	...	..	..	N	2	o	9 a.	...	...	..	NW	2	b
Iloilo,	"	29.83	91	...	W	2	c	"	29.89	88	.	NE	2	b
Cebu,	"	29.85	88	..	S	3	b	"	29.89	87	...	..	0	c
Cape St. James,	4 p.	29.82	84	..	SW	1	c	10 a.	...	...	...	...	..	...

On the 3rd at 11. 55a. The barometer has fallen generally, particularly over N. China and Japan. A depression is moving Eastwards to the North of the Yangtze Valley. Pressure is highest over E. Japan. Gradients are slight in S. China, and light to moderate S. and SW winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— light to moderate SW winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 3rd June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd June 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	.	...	...	..	..	.	7 a.	..	..	..	...	..	..
Nemuro,	"	29.96	..	..	SW	6	..	6 a.	29.80	..	...	S	6	..
Hakodate,	"	29.89	..	..	SE	8	.	"	99.81	...	..	SE	2	..
Tokio,	"	29.86	..	...	SE	6	..	"	29.86	..	...	S	6	..
Kochi	"	29.91	...	...	SE	2	..	"	29.87	...	...	..	0	..
Nagasaki,	"	29.87	..	...	W	6	..	"	29.72	...	...	SE	6	..
Kagoshima,	"	29.87	...		S	6	..	"	29.72	.	...	E	8	..
Oshima,	"	29.80	..	...	SE	6	..	"	29.69	...	...	...	0	..
Naha.	"	29.74	...	...	W	6	..	"	29.74	..	...	SW	2	..
Ishigakijima,	"	29.81	...	..	W	6	..	"	29.74	..	..	SW	8	..
Taihoku,	1 p.	29.74	..	...	E	2	..	5 a.	29.70	..	..	..	0	..
Taichu,	"	29.75	...	..	W	2	..	"	29.72	..	..	..	0	..
Tainan,	"	29.74	..	..	S	8	..	"	29.74	..	...	NW	6	..
Koshun,	"	29.78	..	..	SW	6	..	"	29.75	...	..	NW	6	..
Pescadores,	"	29.71	..	...	SE	8	..	"	29.70	...	...	SW	8	..
Weihaiwei,	3 p.	29.73	74	...	ENE	1	c	9 a.	29.78	70	...	WNW	1	b
Gutzlaff,	"	29.68	71	95	SE	4	f	"	29.72	68	95	N	4	ov
Sharp Peak,	"	29.70	79	87	S	1	cv	"	29.71	78	91	...	0	b
Amoy,	"	29.59	85	79	SE	3	b	6 30a.	29.67	78	91	SW	3	c
Swatow,	"	29.58	88	73	W	2	b	7 a.	..	...	.	..	..	...
Canton,	"	29.73	90	70	S	2	b	9 a.	29.80	84	83	SE	1	c
Hongkong,	4 p.	29.73	84	74	SSW	1	c	10 a.	29.79	84	77	W	1	c
Victoria Peak,	"	...	..	...	SSW	4	..	"	...	..	..	SSW	3	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	.	..	..
Macao,	"	29.73	84	...	SSW	1	c	"	29.78	85	..	S	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	86	69	WSW	3	c	"	29.88	88	72	WSW	1	c
Bacolod,	3 p.	...	..	..	NW	1	ort	9 a.	...	...	..	...	0	c
Iloilo,	"	29.83	88	...	N	1	c	"	29.89	86	..	..	0	c
Cebu,	"	29.84	88	..	N	1	b	"	29.92	86	...	S	1	c
Cape St. James,	4 p.	29.79	84	..	SSW	3	c	10 a.	...	...	...	...	..	...

On the 4th at 11. 45a. The barometer has fallen over Japan owing to the depression which is moving Eastwards and approaching the SW coast of Japan.

Gradients are slight in S. China. Moderate to fresh winds shifting from SW to NE may be expected in the Formosa Channel and moderate SW winds over the N. part of the China Sea.

Forecast:— SW or variable winds, light to moderate; fair at first, showery later.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 4th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	5th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.72	..	..	S	2	..	6 a.	29.61	..	...	SW	4	..
Hakodate,	"	29.73	..	..	SW	2	..	"	99.58	...	..	W	6	
Tokio,	"	29.78	..	...	S	6	..	"	29.67	.	...	SW	4	
Kochi	"	29.78	...	...	...	0	..	"	29.72	...	...	SW	2	
Nagasaki,	"	29.64	..	...	SE	6	..	"	29.76	...	...	...	0	
Kagoshima,	"	29.68	...		E	4	..	"	29.76	..	...	NE	4	
Oshima,	"	29.69	..	...	NW	4	..	"	29.73	...	...	N	2	..
Naha.	"	29.74	...	...	SW	4	..	"	29.74	..	...	..	0	..
Ishigakijima,	"	29.70	...	..	SW	6	..	"	29.78	..	..	N	2	..
Taihoku,	1 p.	29.69	..	...	W	6	..	5 a.	...	..	..	..	...	..
Taichu,	"	29.75	...	..	SW	4	..	"	..	..	..	..	...	..
Tainan,	"	..	..	.	SW	4	..	"	..	..	...	...	..	..
Koshun,	"	29.76	..	..	W	2	..	"	...	...	..	..	...	..
Pescadores,	"	29.74	..	...	SW	6	..	"	..	...	...	...	...	.
Weihaiwei,	3 p.	...	..	...	...	...	..	9 a.	..	...	...	.	...	...
Gutzlaff,	"	29.79	70	66	NNW	4	cv	"	29.85	69	90	NE	3	cm
Sharp Peak,	"	29.63	83	91		0	b	"	...	...	...	...	...	..
Amoy,	"	29.55	89	66	SE	3	b	6 30a.	29.67	78	91	NE	1	f
Swatow,	"	29.66	93	67	N	2	b	7 a.	29.70	81	87	W	1	b
Canton,	"	29.69	93	69	S	1	b	9 a.	..	..	...	..	...	.
Hongkong,	4 p.	29.70	86	74	SW	2	b	10 a.	29.81	83	77	SW	2	o
Victoria Peak,	"	...	..	...	SSW	4	..	"	...	.	..	SSW	5	..
Gap Rock,	"		...	..	...	..	..	"	...	...	..	.	..	..
Macao,	"	29.70	86	...	SSW	1	c	"	29.70	79	..	W	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	.	..	.
Manila,	"	29.86	91	55	WSW	1	c	"	29.92	83	79	WSW	1	c
Bacolod,	3 p.	...	..	..	NE	2	ct	9 a.	...	...	..	W	2	b
Iloilo,	"	29.78	89	...	W	2	ct	"	29.91	86	.	NE	1	b
Cebu,	"	29.83	87	..	S	1	c	"	29.91	84	...	N	1	...
Cape St. James,	4 p.	29.90	86	..	W	1	c	10 a.	...	...	...	...	..	...

On the 5th at 11. 55a. The barometer has fallen over E. Japan, and risen on the E. coast of China. The depression is moving to the NE over N. Japan. Pressure is highest over the E. coast of China, and over the S. part of the China Sea.

Moderate NE winds are indicated in the Formosa Channel and moderate SW winds over the N. part of the China Sea.

Forecast:— SW or variable winds, moderate; thunder showers, squally.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 5th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	6th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.49	..	..	SW	6	..	6 a.	...	..	...	..	...	..
Hakodate,	"	29.66	..	..	W	8	..	"	...	...	..	..	...	..
Tokio,	"	29.67	..	...	S	4	..	"	...	..	...	..	...	..
Kochi,	"	29.75	...	...	N	4	..	"	...	...	...	..	..	..
Nagasaki,	"	29.70	..	...	E	6	..	"	..	...	...	...	...	..
Kagoshima,	"	29.79	...		SE	2	..	"	...	..	...	..	..	..
Oshima,	"	29.76	..	...	N	4	..	"	..	...	...	...	..	..
Naha,	"	29.81	...	...	N	4	..	"	..	..	...	..	...	..
Ishigakijima,	"	29.81	...	..	SW	4	..	"	...	..	..	..	...	..
Taihoku,	1 p.	...	..	...	..	..	..	5 a.	...	..	..	..	...	..
Taichu,	"	...	...	..	..	...	..	"	..	..	..	..	...	..
Tainan,	"	..	..	..	...	..	..	"	..	..	...	...	..	—
Koshun,	"	...	..	..	..	...	..	"	...	...	..	..	...	..
Pescadores,	"	...	..	...	..	..	..	"	..	...	...	...	...	—
Weihaiwei,	3 p.	29.72	86	...	WSW	4	b	9 a.	..	...	...	...	...	...
Gutzlaff,	"	29.81	71	85	E	3	cv	"	..	...	..	..	...	..
Sharp Peak,	"	..	..	..	.	..	...	"	...	...	...	...	...	..
Amoy,	"	29.65	88	73	SE	3	c	6 30a.	29.71	79	74	SE	3	c
Swatow,	"	29.72	92	67	SSW	2	b	7 a.	29.78	80	91	SSW	2	c
Canton,	"	29.71	88	76	SE	1	c	9 a.	29.77	86	84	SE	1	c
Hongkong,	4 p.	29.72	82	87	...	0	o	10 a.	29.83	84	76	SSW	2	o
Victoria Peak,	"	...	..	...	SSW	5	..	"	...	..	..	S	6	..
Gap Rock,	"		...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.71	84	...	SSW	1	c	"	29.78	85	..	S	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	90	66	WSW	1	o	"	29.92	91	61	ENE	1	c
Bacolod,	3 p.	...	..	..	..	0	..	9 a.	...	...	..	W	2	b
Iloilo,	"	29.79	91	...	W	2	c	"	29.89	86	..	—	0	c
Cebu,	"	29.83	88	..	N	3	c	"	29.90	87	...	E	1	c
Cape St. James,	4 p.	29.78	88	..	...	0	b	10 a.	...	...	...	...	..	...

On the 6th at 12 10p. Barometric changes are unimportant in the South. Returns from the North are entirely lacking this morning.

Pressure is highest over the S. part of the China Sea and lowest, probably, over China.

S. and SW winds, moderate to fresh will probably prevail in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh S winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 6th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
	6th June 1906, P. M.							7th June 1906, A. M.						
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.57	..	..	NW	8	..	6 a.	29.57	..	...	E	8	..
Hakodate,	„	29.70	..	..	SW	4	..	„	29.70	...	..	W	8	..
Tokio,	„	29.78	..	...	S	8	..	„	...	..	...	S	2	..
Kochi	„	29.87	...	...	SE	2	..	„	29.93	...	...	..	0	..
Nagasaki,	„	29.83	..	...	SW	4	..	„	29.83	...	...	SW	10	..
Kagoshima,	„	...	...		..	...	..	„	29.76	..	...	S	4	..
Oshima,	„	29.84	..	...	E	4	..	„	29.84	...	...	..	0	..
Naha,	„	29.85	...	...	NW	2	..	„	29.81	..	...	SW	2	..
Ishigakijima,	„	29.85	...	..	S	6	..	„	29.78	..	..	SW	8	..
Taihoku,	1 p.	...	..	...	..	..	..	5 a.	29.79	..	..	..	0	..
Taichu,	„	...	...	..	..	...	..	„	29.83	..	..	SE	4	..
Tainan,	„	..	..	..	...	..	..	„	29.85	..	...	E	2	..
Koshun,	„	...	..	..	..	...	..	„	29.83	...	..	W	6	..
Pescadores,	„	...	..	...	..	..	..	„	29.82	...	...	SW	6	..
Weihaiwei,	3 p.	29.72	73	...	SE	3	b	9 a.	29.61	71	...	NE	2	b
Gutzlaff,	„	29.62	76	86	S	3	cv	„	29.64	73	100	S	...	om
Sharp Peak,	„	29.71	82	85	S	4	c	„	29.75	81	89	S	2	o
Amoy,	„	29.66	86	76	SSE	4	c	6 30a.	29.71	82	87	S	1	o
Swatow,	„	..	...	...	..	..	...	7 a.	29.76	80	91	SW	1	o
Canton,	„	..	.	...	..	...	...	9 a.	...	..	...	...	...	..
Hongkong,	4 p.	29.77	86	73	SW	3	oq	10 a.	29.83	85	79	SW	2	o
Victoria Peak,	„	...	..	...	SSW	6	..	„	...	..	..	S	7	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.74	85	...	S	1	c	„	29.80	84	..	S	1	c
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.80	97	68	SSE	1	c	„	29.93	91	61	...	0	c
Bacolod,	3 p.	...	..	..	E	2	c	9 a.	...	...	..	SW	1	b
Iloilo,	„	29.83	90	...	W	1	c	„	29.89	86	..	NE	1	c
Cebu,	„	29.83	89	..	N	2	b	„	29.91	86	...	N	1	c
Cape St. James,	4 p.	29.78	88	..	...	0	c	10 a.	...	...	...	...	..	..

On the 7th at 8. 55a. The barometer has fallen over N. China and Japan.

A depression is passing from the continent to the Yellow Sea. Pressure is highest over the S. part of the China Sea.

Fresh S. and SW winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— fresh SW winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 7th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	8th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.69	..	..	W	6	..	6 a.	29.92	..	...	N	4	..
Hakodate,	"	29.73	..	..	NW	8	..	"	29.93	...	..	SE	2	..
Tokio,	"	29.67	..	...	S	6	..	"	29.86	..	...	N	4	..
Kochi	"	29.75	...	...	SW	2	..	"	29.72	...	...	..	0	..
Nagasaki,	"	29.68	..	...	W	8	..	"	29.68	...	...	N	2	..
Kagoshima,	"	29.72	...		SW	8	..	"	29.68	..	...	..	0	..
Oshima,	"	29.76	..	...	SW	4	..	"	29.73	...	...	S	6	..
Naha.	"	29.81	...	...	SW	6	..	"	29.81	..	...	SW	4	..
Ishigakijima,	"	29.81	...	..	SW	8	..	"	29.78	..	..	SW	4	..
Taihoku,	1 p.	29.76	..	...	W	8	..	5 a.	29.76	..	..	S	2	..
Taichu,	"	29.85	...	..	S	4	..	"	29.83	..	..	SE	4	..
Tainan,	"	29.89	..	..	S	4	..	"	29.84	..	...	S	2	..
Koshun,	"	29.85	..	..	W	10	..	"	29.83	...	..	W	6	..
Pescadores,	"	29.85	..	...	S	6	..	"	29.80	...	...	S	4	..
Weihaiwei,	3 p.	29.70	75	...	NE	1	b	9 a.	...	..	...	..	...	...
Gutzlaff,	"	29.63	75	100	W	1	omp	"	...	69	90	NE	3	cv
Sharp Peak,	"	29.69	84	80	S	4	o	"	29.76	82	87	S	1	c
Amoy,	"	29.70	86	76	SE	5	b	6 30a.	29.71	80	96	S	1	c
Swatow,	"	29.76	86	92	SSW	2	c	7 a.	29.76	80	91	SW	2	c
Canton,	"	29.77	78	95	..	0	or	9 a.	29.82	86	81	SE	1	b
Hongkong,	4 p.	29.78	86	75	SW	2	oq	10 a.	29.85	85	77	SW	2	o
Victoria Peak,	"	...	..	...	SSW	2	..	"	...	..	..	SSW	5	..
Gap Rock,	"		...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.75	85	...	S	1	c	"	29.83	86	..	S	1	o
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	91	55	W	2	c	"	29.88	91	56	...	0	c
Bacolod,	3 p.	...	..	..	..	0	c	9 a.	...	...	..	SW	1	b
Iloilo,	"	29.79	90	...	NE	1	o	"	29.89	85	..	NE	1	c
Cebu,	"	29.82	88	..	N	2	b	"	29.90	85	...	N	2	c
Cape St. James,	4 p.	29.85	90	..	...	0	c	10 a.	...	...	...	...	..	...

On the 8th at 11. 55a. The barometer has risen over E. Japan and the E. coast of China, and fallen in W. Japan.

The depression is moving Eastwards over W. Japan, and pressure is highest over NE Japan, and the China Sea.

Moderate S. and SE winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate S winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 8th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	9th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	.	..	7 a.	..	..	..	...	..	
Nemuro,	„	29.96	..	..	N	2	..	6 a.	30.00	..	...	W	4	.
Hakodate,	„	29.97	..	..	SE	8	..	„	29.97	...	..	E	6	.
Tokio,	„	29.90	..	...	NE	2	..	„	29.94	.	...	N	2	..
Kochi	„	29.75	...	...	...	0	..	„	29.84	...	...	..	0	..
Nagasaki,	„	29.72	.	...	N	2	..	„	29.72	...	...	SE	6	..
Kagoshima,	„	29.72	...		...	0	..	„	29.76	..	...	NE	2	.
Oshima,	„	29.76	..	...	SW	4	..	„	29.77	...	...	S	2	..
Naha.	„	29.81	...	...	SW	12	..	„	29.81	..	...	SW	8	..
Ishigakijima,	„	29.81	...	..	SW	4	..	„	29.81	..	..	SW	8	..
Taihoku,	1 p.	29.78	..	...	W	8	..	5 a.	29.79	..	..	...	0	..
Taichu,	„	29.86	...	..	SW	6	..	„	29.83	..	..	S	2	..
Tainan,	„	29.87	..	.	SW	4	..	„	29.87	..	...	NE	2	.
Koshun,	„	29.80	..	..	NW	4	..	„	29.86	...	..	W	4	.
Pescadores,	„	29.85	..	...	SW	6	..	„	29.84	...	...	SW	4	..
Weihaiwei,	3 p.	29.72	75	...	ESE	2	b	9 a.	29.69	75	...	W	1	b
Gutzlaff,	„	29.71	72	90	E	2	c	„	29.74	74	81	SW	2	cf
Sharp Peak,	„	29.69	86	84	S	4	c	„	29.77	82	89	...	0	c
Amoy,	„	29.65	88	92	S	4	c	6 30a.	29.71	80	96	SE	1	c
Swatow,	„	29.77	86	80	SSW	2	c	7 a.	29.80	80	91	SW	2	c
Canton,	„	29.78	86	88	..	0	c	9 a.	29.85	85	79	SSE	1	c
Hongkong,	4 p.	29.81	87	67	SW	3	c	10 a.	29.83	85	73	SW	3	c
Victoria Peak,	„	...	..	...	SSW	4	..	„	...	..	..	SSW	5	..
Gap Rock,	„		...	..	...	..	..	„	...	...	..	.	..	..
Macao,	„	29.78	86	...	S	1	c	„	29.85	85	..	SSW	1	c
Haiphong,	„	...	...	.	.	...	..	„	..	.	..	..	..	..
Manila,	„	29.80	95	42	SE	2	b	„	29.88	90	66	W	1	c
Bacolod,	3 p.	...	..	..	..	0	c	9 a.	...	...	..	NW	1	b
Iloilo,	„	29.81	88	...	NE	1	c	„	29.89	86	.	NE	1	b
Cebu,	„	29.76	88	..	N	2	b	„	29.90	87	...	N	2	b
Cape St. James,	4 p.	29.77	88	..	SSW	2	c	10 a.	...	...	...	...	..	...

On the 9th at 11. 40a. The barometer has risen slightly over S. China and Japan, and fallen a little in N. China.

Pressure is lowest over Manchuria, and highest over NE Japan and the China Sea.

Moderate and fresh SW winds are indicated in the Formosa Channel, and light S. winds over the N. part of the China Sea.

Forecast:— SW winds, moderate to light; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 9th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	10th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.92	..	..	SW	8	..	6 a.	29.84	..	...	SW	3	..
Hakodate,	"	29.89	..	..	SE	6	..	"	29.66	...	..	E	4	..
Tokio,	"	29.90	..	...	S	2	..	"	29.71	..	...	W	2	..
Kochi	"	29.79	...	...	...	0	..	"	29.60	...	...	SW	2	..
Nagasaki,	"	29.68	..	...	SW	6	..	"	29.72	...	...	N	4	..
Kagoshima,	"	29.68	...		...	0	..	"	29.72	..	...	NW	4	..
Oshima,	"	29.73	..	...	SW	2	..	"	29.69	...	...	N	2	..
Naha,	"	29.81	...	...	SW	6	..	"	29.78	..	...	SW	4	..
Ishigakijima,	"	29.81	...	..	SW	6	..	"	29.78	..	..	SW	4	..
Taihoku,	1 p.	29.76	..	...	W	4	..	5 a.	29.77	..	..	S	2	..
Taichu,	"	29.86	...	..	SW	4	..	"	29.84	..	..	SE	4	..
Tainan,	"	29.88	..	..	SW	4	..	"	29.81	..	...	SE	4	..
Koshun,	"	29.83	..	..	NW	8	..	"	29.82	...	..	NW	6	..
Pescadores,	"	29.86	..	...	SW	6	..	"	29.81	...	...	S	6	..
Weihaiwei,	3 p.	29.66	75	...	S	1	b	9 a.	29.64	78	...	ENE	1	b
Gutzlaff,	"	29.69	76	91	ESE	2	f	"	29.70	70	100	NE	3	f
Sharp Peak,	"	29.69	.	..	S	4	o	"	29.69	83	80	SSE	1	b
Amoy,	"	29.66	89	66	SE	4	c	6 30a.	29.62	80	91	SSE	3	b
Swatow,	"	29.78	95	95		2	b	7 a.	...	...	..	..	...	..
Canton,	"	29.79	94	...	SSE	1	b	9 a.	...	...	...	..	..	...
Hongkong,	4 p.	29.82	86	70	SW	2	c	10 a.	29.86	83	74	SW	2	c
Victoria Peak,	"	...	..	...	SSW	5	..	"	...	..	..	SW	5	..
Gap Rock,	"		...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.80	87	...	SSW	1	c	"	29.83	84	..	SSW	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.86	93	56	SE	2	c	"	...	..	...	...	...	..
Bacolod,	3 p.	...	..	..	NE	2	c	9 a.	...	...	..	N	1	b
Iloilo,	"	29.79	91	...	NE	1	c	"	29.85	85	.	NE	1	c
Cebu,	"	29.85	86	..	N	4	c	"	29.89	84	...	S	1	c
Cape St. James,	4 p.	29.87	84	.	NE	1	o	10 a.	...	...	...	...	..	...

On the 10th at 12. 30p. The barometer has fallen slightly over China, and moderately over E. Japan. A shallow depression lies in the Sea of Japan, the highest pressure remaining over the China Sea. Moderate to fresh S. winds are indicated in the Formosa Channel and light S. and variable winds over the N. part of the China Sea.

Forecast: — moderate SW winds; fair.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 10th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	11th June 1906, A. M. Hour	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	.	.	..	7 a.	.	..	..	...	..	.
Nemuro,	„	29.76	.	..	SE	4	..	6 a.	29.69	.	...	NE	4	..
Hakodate,	„	29.68	..	..	NW	4	..	„	29.70	...	..	N	..	..
Tokio,	„	29.63	..	...	...	0	..	„	29.67	.	...	N	4	..
Kochi	„	29.60	...	...	E	2	...	„	29.68	...	...	S	2	..
Nagasaki,	„	29.68	.	...	N	4	..	„	29.63	...	...	...	0	..
Kagoshima,	„	29.68	...		...	0	..	„	29.68	..	...	NE	2	..
Oshima,	„	29.69	..	...	...	0	..	„	29.65	...	...	...	0	..
Naha,	„	29.74	...	...	W	6	..	„	29.70	..	...	SW	2	..
Ishigakijima,	„	29.74	...	..	SW	4	..	„	29.65	..	..	S	2	..
Taihoku,	1 p.	29.67	..	...	W	6	..	5 a.	29.69	..	..	S	2	..
Taichu,	„	29.84	...	..	S	4	..	„	29.78	..	..	S	4	..
Tainan,	„	29.80	..	..	SW	6	..	„	29.78	..	...	E	2	..
Koshun,	„	29.78	..	..	W	8	..	„	29.75	...	..	W	6	..
Pescadores,	„	29.83	.	...	SW	8	..	„	29.74	...	...	S	4	.
Weihaiwei,	3 p.	29.58	86	...	S	2	b	9 a.	.	...	...	...	...	...
Gutzlaff,	„	29.65	72	95	SE	3	ov	„	29.65	72	100	SE	3	ov
Sharp Peak,	„	29.60	86	84	S	4	b	„	29.65	81	85	SE	1	b
Amoy,	„	29.55	93	95	ESE	4	b	3 30 a.	29.61	81	96	SW	1	b
Swatow,	„	29.70	95	95	W	1	b	7 a.	29.70	85	73	SW	1	c
Canton,	„	...	...	..	...	...	...	9 a.	29.70	87	72	SW	1	b
Hongkong,	4 p.	29.76	86	73	SW	3	c	10 a.	29.77	85	76	W	2	c
Victoria Peak,	„	...	..	...	SW	5	..	„	...	.	..	SW	5	..
Gap Rock,	„		...	.	...	..	..	„	...	...	..	.	..	..
Macao,	„	29.74	86	...	SW	1	c	„	29.75	85	..	SW	1	c
Haiphong,	„	...	...		.	...	.	„	..	.	..	..	..	..
Manila,	„	29.76	90	60	WNW	2	c	„	29.83	88	65	ESE	1	o
Bacolod,	3 p.	...	..	..	...	6	otr	9 a.	...	..	..	W	1	o
Iloilo,	„	29.79	87	...	..	0	o	„	29.85	83	.	NW	1	o
Cebu,	„	29.82	86	..	S	1	b	„	29.83	85	...	S	2	b
Cape St. James,	4 p.	29.82	79	..	S	1	or	11 a.	...	...	...	...	..	...

On the 11th at 12. 20p. The barometer has fallen generally.
The shallow depression lying over the Sea of Japan yesterday appears to have moved into the Pacific.
A new depression, which is probably moving Eastwards, has appeared over N. China.
Moderate S and SW winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast: — moderate SW winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 11th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	12th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	.	7 a.	..	..	..	...	..	..
Nemuro,	"	29.76	..	..	N	8	..	6 a.	29.92	.	...	N	6	..
Hakodate,	"	29.73	..	..	W	4	.	"	29.93	...	..	E	4	..
Tokio,	"	29.71	..	...	NE	4	..	"	29.90	.	...	N	2	..
Kochi	"	29.68	...	...	SE	4	..	"	29.79	...	...	SW	2	..
Nagasaki,	"	29.64	.	...	W	4	..	"	29.72	...	...	...	0	..
Kagoshima,	"	29.64	...		SE	4	..	"	29.72	..	...	..	0	..
Oshima,	"	29.65	..	...	...	0	..	"	29.69	...	...	...	0	..
Naha,	"	29.70	...	...	SW	4	..	"	29.74	..	...	.	0	..
Ishigakijima,	"	29.70	...	..	SW	4	..	"	29.79	..	..	S	2	..
Taihoku,	1 p.	29.64	..	...	W	6	..	5 a.	29.72	..	..	S	2	..
Taichu,	"	29.74	...	..	W	6	..	"	29.78	..	..	...	0	..
Tainan,	"	29.78	..	..	S	4	..	"	29.76	..	...	S	6	..
Koshun,	"	29.75	..	..	NW	8	..	"	29.76	...	..	NW	4	..
Pescadores,	"	29.76	..	...	S	8	..	"	29.78	...	...	E	2	..
Weihaiwei,	3 p.	29.48	68	...	SW	5	or	9 a.	29.73	62	...	E	1	or
Gutzlaff,	"	29.64	75	90	SE	3	cv	"	29.73	72	100	SE	2	cm
Sharp Peak,	"	29.56	85	91	S	4	o	"	29.72	81	93	SE	1	o
Amoy,	"	29.54	93	67	SSE	4	b	6.30a.	29.65	81	96	...	0	o
Swatow,	"	29.67	95	65	WSW	2	b	7 a.	29.69	82	79	SW	1	b
Canton,	"	29.64	93	71	SW	1	b	9 a.	29.73	85	79	SE	1	c
Hongkong,	4 p.	29.72	86	70	SW	2	o	10 a.	29.78	83	83	SSW	2	op
Victoria Peak,	"	...	..	...	SSW	4	..	"	...	..	..	S	6	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	.	..	..
Macao,	"	29.71	86	...	SSW	1	c	"	29.74	86	..	SSW	1	o
Haiphong,	"	...	...	.	.	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	91	61	SW	3	c	"	29.80	90	60	E	1	p
Bacolod,	3 p.	...	..	..	SW	1	c	9 a.	...	...	..	...	0	c
Iloilo,	"	29.79	85	...	W	2	o	"	29.85	84	.	...	0	o
Cebu,	"	29.79	87	..	S	2	c	"	29.85	84	...	E	1	c
Cape St. James,	4 p.	29.78	82	..	SW	1	c	10 a.	...	...	...	...	..	...

On the 13th at 11.55a. The barometer has risen over China and Japan.
Pressure is highest over E. Japan and the S. part of the China Sea, and lowest over Cental China and the Eastern Sea.
Gradients are slight, and light to moderate SE and S. winds will prevail in the Formosa Channel and the N. part of the China Sea.
Forecast: — moderate S winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 12th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	13th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.96	..	..	N	6	..	6 a.	..	..	...	...	..	..
Hakodate,	„	29.93	..	..	SE	8	..	„	..	...	..	..	...	..
Tokio,	„	29.86	..	...	E	4	..	„	..	..	...	...	...	..
Kochi	„	29.75	...	...	SE	8	..	„	..	...	...	..	...	..
Nagasaki,	„	29.75	.	...	SW	4	..	„	..	...	...	...	..	..
Kagoshima,	„	29.75	...		SE	2	..	„	...	..	...	..	...	..
Oshima,	„	...	..	...	...	...	..	„	...	...	...	...	...	..
Naha.	„	29.77	...	...	W	4	..	„	...	..	...	.	...	..
Ishigakijima,	„	29.77	...	..	NE	8	..	„	...	..	..	.	..	..
Taihoku,	1 p.	29.78	..	...	W	6	..	5 a.	29.86	..	..	S	2	..
Taichu,	„	29.81	...	..	SW	4	..	„	29.88	..	..	...	0	..
Tainan,	„	29.81	..	..	S	4	..	„	29.86	..	...	SW	2	..
Koshun,	„	29.77	..	..	W	8	..	„	29.86	...	..	...	0	..
Pescadores,	„	29.80	..	...	S	6	..	„	29.85	...	...	S	6	..
Weihaiwei,	3 p.	29.69	74	...	ESE	2	b	9 a.	29.81	75	...	E	1	b
Gutzlaff,	„	29.76	79	89	ESE	3	ov	„	29.85	75	83	S	4	ov
Sharp Peak,	„	29.76	83	96	SE	1	orlt	„	29.85	82	85	..	0	o
Amoy,	„	29.60	91	79	SE	4	b	6 30 a.	29.71	81	96	S	3	o
Swatow,	„	29.72	94	96	SW	1	b	7 a.	29.78	82	83	SW	1	b
Canton,	„	29.71	83	71	S	2	o	9 a.	29.81	84	87	S	1	c
Hongkong,	4 p.	29.75	85	74	S	2	o	10 a.	29.85	83	67	S	3	c
Victoria Peak,	„	...	..	...	S	4	..	„	...	..	..	SSE	4	..
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.72	86	...	S	1	c	„	29.82	84	..	S	2	c
Haiphong,	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.76	83	72	SW	1	o	„	29.83	84	77	W	2	c
Bacolod,	3 p.	...	..	..	...	0	c	9 a.	...	...	..	...	0	c
Iloilo,	„	29.79	84	...	W	2	o	„	29.85	83	..	W	1	c
Cebu,	„	29.85	86	..	...	0	c	„	29.91	84	...	...	0	b
Cape St. James,	4 p.	29.72	79	..	W	2	o	10 a.	...	...	...	...	..	...

On the 12th at 12. 10p. The barometer has risen on the China coast and over the Philippines. Pressure is lowest over the interior of China, and highest over the S. part of the China Sea. Moderate S. and SE winds will prevail in the Formosa Channel and the N. part of the China Sea. Forecast: — moderate S to SE winds; fair to showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 13th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	14th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.16	..	..	SE	6	..	6 a.	30.24	..	...	SW	4	..
Hakodate,	"	30.09	..	..	SE	10	..	"	30.09	...	..	E	6	..
Tokio,	"	30.06	..	...	NE	2	..	"	30.10	..	...	N	2	..
Kochi	"	29.99	...	...	SE	2	..	"	30.03	...	...	..	0	..
Nagasaki,	"	29.95	..	...	W	6	..	"	30.03	...	...	...	0	..
Kagoshima,	"	29.96	...		SW	4	..	"	30.03	..	...	..	0	..
Oshima,	"	29.92	..	...	SE	4	..	"	30.00	...	...	...	0	..
Naha,	"	29.93	...	...	NW	2	..	"	29.97	..	...	...	0	..
Ishigakijima,	"	29.89	...	..	SE	4	..	"	29.97	..	..	S	2	..
Taihoku,	1 p.	29.87	..	...	N	4	..	5 a.	29.91	..	..	S	2	..
Taichu,	"	29.85	...	..	W	2	..	"	29.91	..	..	...	0	..
Tainan,	"	29.86	..	..	S	4	..	"	29.91	..	...	E	2	..
Koshun,	"	29.88	..	..	SW	4	..	"	29.91	...	..	E	2	..
Pescadores,	"	29.88	..	...	S	4	..	"	29.88	...	...	S	4	..
Weihaiwei,	3 p.	29.83	75	...	E	2	b	9 a.	...	..	...	...	...	..
Gutzlaff,	"	29.86	71	100	S	4	omd	"	29.81	71	95	SE	1	omr
Sharp Peak,	"	29.79	82	93	S	2	o	"	29.89	81	87	..	0	o
Amoy,	"	29.68	83	83	SE	3	o	6 30 a.	29.76	81	96	S	3	o
Swatow,	"	29.82	84	79	S	2	o	7 a.	29.76	80	87	SW	1	b
Canton,	"	29.81	82	91	SE	1	o	9 a.	29.39	85	83	SE	1	o
Hongkong,	4 p.	29.79	83	79	S	3	o	10 a.	29.92	83	72	S	2	o
Victoria Peak,	"	...	..	...	S	5	..	"	...	..	..	S	3	..
Gap Rock,	"		...	.	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.77	82	...	SE	1	o	"	29.89	85	..	SSE	1	o
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	...	..	..
Manila,	"	29.80	86	65	NW	2	o	"	29.92	84	77	NE	0	o
Bacolod,	3 p.	...	..	..	...	0	cr	9 a.	...	...	..	E	1	b
Iloilo,	"	29.79	87	...	W	1	c	"	29.89	84	.	NE	1	c
Cebu,	"	29.81	87	.	N	3	o	"	29.91	84	...	N	2	c
Cape St. James.	4 p.	29.72	75	..	WSW	2	o	10 a.	...	...	...	...	..	...

On the 14th at 11. 35a. The barometer has risen generally, except over the E. coast of China.
A high pressure area lies over NE Japan, and pressure appears to be in defect over Central China.
Moderate SE winds will prevail in the Formosa Channel, and light SE and variable winds over the N. part of the China Sea.
Forecast: — moderate SE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 14th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	15th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	„	30.24	.	..	S	8	..	6 a.	30.24	..	...	SE	4	..
Hakodate, ...	„	30.13	..	..	E	6	..	„	30.09	...	..	E	6	..
Tokio, ...	„	30.02	..	...	SE	2	..	„	29.98	..	...	NW	2	..
Kochi	„	29.99	...	...	S	2	..	„	29.99	...	...	SW	2	..
Nagasaki, ...	„	30.03	.	...	W	6	..	„	30.03	...	...	N	2	..
Kagoshima, ..	„	29.99	...		W	4	..	„	29.99	..	...	E	2	..
Oshima, ...	„	30.00	..	...	E	2	..	„	30.00	...	...	S	2	..
Naha, ...	„	29.97	...	...	E	4	..	„	29.97	..	...	...	0	..
Ishigakijima, ..	„	29.97	...	..	S	6	..	„	29.89	..	..	SW	4	..
Taihoku, ...	1 p.	29.93	..	...	W	4	..	5 a.	29.88	..	..	S	4	..
Taichu, ...	„	29.93	...	..	S	6	..	„	29.90	..	..	...	0	..
Tainan, ...	„	29.94	..	..	NW	4	..	„	29.91	..	...	S	2	..
Koshun, ...	„	29.94	..	..	SE	6	..	„	29.89	...	..	E	2	..
Pescadores, ...	„	29.91	..	...	S	6	..	„	29.89	...	...	SW	2	..
Weihaiwei, ..	3 p.	29.96	74	...	SE	3	c	9 a.	29.94	63	...	ESE	2	c
Gutzlaff, ...	„	29.85	71	95	SSE	7	omr	„	29.74	73	100	SSE	4	cm
Sharp Peak, ...	„	...	...	..	...	...	..	„	29.34	82	85	..	0	o
Amoy, ...	„	29.76	87	72	SE	3	c	6 30a.	29.81	81	96	...	0	b
Swatow, ...	„	29.87	90	63	S	1	b	7 a.	29.79	81	83	S	1	b
Canton, ...	„	29.85	85	83	SE	2	c	9 a.	29.89	85	83	SE	2	b
Hongkong, ...	4 p.	29.85	85	73	SE	2	o	10 a.	29.91	85	75	S	2	c
Victoria Peak,	„	...	..	...	SSE	5	..	„	...	..	..	S	3	..
Gap Rock, ...	„		...	..	...	..	..	„	...	...	..	..	..	..
Macao, ...	„	29.83	86	...	S	1	c	„	29.88	86	..	S	2	c
Haiphong, ...	„	...	...	.	..	...	..	„	..	..	..	..	..	..
Manila, ...	„	29.84	88	65	...	0	c	„	29.83	84	71	...	0	o
Bacolod, ...	3 p.	...	..	..	NE	3	b	9 a.	...	...	..	...	0	b
Iloilo, ...	„	29.81	88	...	NE	3	c	„	29.84	85	.	NE	1	b
Cebu, ...	„	29.83	87	..	N	2	b	„	29.85	86	...	N	2	o
Cape St. James,	4 p.	29.76	82	.	W	3	o	10 a.	...	...	...	...	..	...

On the 15th at 11. 40a. The barometer has fallen on the E. coast of China and over the Philippines. The area of high pressure remains over NE Japan, and a depression which is probably moving Eastwards lies over the Yangtze valley.

Moderate SE and S. winds will prevail in the Formosa Channel, and light SE and E. winds over the N. part of the China Sea.

Forecast: — light SE winds; fine at first, showery later.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 15th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather	16th June 1906, A. M. Hour.	Barometer	Temperature.	Humidity.	Wind Direction.	Wind Force.	Weather
Wladivostock,	2 p.		...	...	.	.		7 a.	.	.	..	...	..	.
Nemuro,	„	30.16	.	..	SE	6	..	6 a.	30.04	.	...	S	6	..
Hakodate,	„	30.09	..	..	SE	8		„	29.97	...	..	SE	2	..
Tokio,	„	29.94	..	...	S	4	..	„	29.94	.	...	..	0	..
Kochi	„	29.95	...	...	SE	2	..	„	29.95	...	...	...	0	..
Nagasaki,	„	29.95	.	...	NW	4	..	„	29.87	...	...	E	6	..
Kagoshima,	„	29.95	...		SE	4	..	„	29.91	.	...	SE	4	..
Oshima,	„	29.96	..	...	SE	4	.	„	29.84	...	...	SE	2	..
Naha.	„	...	...	...	.	..	.	„	29.84	.	...	...	0	..
Ishigakijima,	„	...	...	..	...	..	..	„	29.85	.	..	SW	6	.
Taihoku,	1 p.	29.87	..	...	SW	2	.	5 a.	29.81	.	..	..	0	..
Taichu,	„	29.90	...	..	SW	2	..	„	29.84	..	.	...	0	..
Tainan,	„	29.91	..	.	S	4	..	„	29.87	..	...	S	2	.
Koshun,	„	29.89	..	..	S	4	..	„	29.84	...	..	..	0	..
Pescadores,	„	29.93	..	...	S	6	..	„	29.83	...	...	SW	4	.
Weihaiwei,	3 p.	29.92	69	...	E	3	c	9 a.	29.80	66	...	NE	2	c
Gutzlaff,	„	29.66	73	100	SE	4	om	„	29.61	74	93	WNW	3	cv
Sharp Peak,	„	29.77	86	84	S	3	o	„	29.72	83	89	..	0	o
Amoy,	„	29.72	88	73	SE	4	b	6.30 a.	29.75	81	96	SW	1	c
Swatow,	„	29.83	90	66	S	1	b	7 a.	...	...	...	..	...	—
Canton,	„	29.85	85	83	SE	3	c	9 a.	.	.	.	...	.	.
Hongkong,	4 p.	29.83	86	66	S	1	b	10 a.	29.85	83	73	NW	1	c
Victoria Peak,	„	...	..	...	SSW	2	.	„	...	.	..	SSW	1	..
Gap Rock,	„		...		..	.	.	„	...	...	..	.	.	..
Macao,	„	29.82	85	...	SSE	1	c	„	29.85	88	..	S	1	c
Haiphong,	„	...	...		.	...	..	„	..	.	..	.	..	..
Manila,	„	29.83	82	85	N	0	o	„	29.81	83	71	...	0	o
Bacolod,	3 p.	...	..	..	E	3	c	9 a.	...	..	..	N	1	b
Iloilo,	„	29.75	90	...	NE	1	c	„	29.81	85	.	NE	1	b
Cebu,	„	29.79	83	.	N	4	c	„	29.83	85	...	...	0	c
Cape St. James,	4 p.	29.75	82	.	NW	3	c	10 a.	...	...	...	..	..	...

On the 16th at 11. 40a. The barometer has fallen over China and Japan owing to the depression, which is moving into the Yellow Sea to the North of Shanghai.

Pressure continues to give way slowly in the Philippines, and it is now slightly in defect over that area.

The highest pressure is over NE Japan.

Fresh SW winds may be expected in the Formosa Channel and light variable winds over the China Sea.

Forecast: — SW or variable winds, light; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 16th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th June 1906, P. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather	17th June 1906, A. M. Hour.	Barometer	Temperature	Humidity	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	.		.	7 a	.	.	.	...	.	.
Nemuro,	"	29.92	.	..	S	8	..	6 a.	29.71	.	...	SE	2	..
Hakodate,	"	29.85	..	..	S	4	.	"	29.77	...	..	W	2	..
Tokio,	"	29.86	..	...	S	6	..	"	29.82	.	...	W	2	..
Kochi,	"	29.91	...	...	SE	2	..	"	29.87	..	...	E	2	..
Nagasaki,	"	29.83	.	...	S	6	..	"	29.64	...	...	SE	6	..
Kagoshima,	"	29.87	...		E	4	.	"	29.54	.	...	NE	6	..
Oshima,	"	29.84	..	...	S	4	..	"	29.73	...	...	S	2	..
Naha,	"	29.81	...	...	S	4	..	"	29.74	.	...	S	4	..
Ishigakijima,	"	29.81	...	..	SW	6	..	"	29.78	.	..	SW	8	..
Taihoku,	1 p.	29.77	.	...	W	4	..	5 a	29.77	..	..	S	2	..
Taichu,	"	29.82	...	..	W	4	..	"	29.43	..	.	...	0	..
Taman,	"	29.89	..	.	S	6	..	"	29.82	.	...	SE	2	..
Koshun,	"	29.82	..	.	W	4	.	"	29.81	...	..	NW	2	..
Pescadores,	"	29.82	.	...	S	6	..	"	29.80	...	...	SW	4	..
Weihaiwei,	3 p.	29.75	69	...	E	1	ovr	9 a.	29.70	70	...	W	1	c
Gutzlaff,	"	29.57	85	93	WNW	4	cv	"	29.57	79	90	NW	6	cv
Sharp Peak,	"	29.69	85	89	SSE	2	o	"	29.70	83	89	..	0	o
Amoy,	"	29.62	92	67	SE	3	b	6 30 a.	29.64	83	91	SSW	3	b
Swatow,	"	29.75	94	61	W	1	b	7 a.	29.76	82	87	W	1	b
Canton,	"	29.79	92	67	.	0	b	9 a.	29.83	85	79	SE	1	b
Hongkong,	4 p	29.79	87	69	NSW	1	c	10 a	29.84	87	70	W	1	b
Victoria Peak,	"	...	.	...	SW	3	.	"	..	.	..	W	1	..
Gap Rock,	"		...		...	.	..	"	...	...	.	.	..	..
Macao,	"	29.79	83	..	S	1	c	"	29.82	87	.	SSW	1	c
Haiphong,	"	...	...		..	.	.	"	.	.	.	.	..	..
Manila,	"	29.76	88	65	NNW	1	o	"	29.84	83	72	SW	2	o
Bacolod,	3 p.	...	.	.	.	0	c	9 a.	..	..	.	...	0	c
Iloilo,	"	29.76	85	...	E	1	or	"	29.45	83		NW	1	o
Cebu,	"	...	86	.	S	1	c	"	29.87	84	...	...	0	c
Cape St. James,	4 p	...	..	.	...	.	...	10 a.	...	...	...	...	..	...

On the 17th at 11. 40a. The barometer has risen over the E coast of China, and fallen in Japan. The depression is approaching W Japan, moving Eastwards. A further area of low pressure appears to be passing to the North of Japan.

Pressure is highest over Central China, and the China Sea.

Fresh SW winds may be expected in the Channel Straits and light variable winds over the N. part of the China Sea.

Forecast: — SW winds, light; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 17th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	18th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	"	29.69	..	..	N	4	..	6 a.	29.84	..	...	N	2	..
Hakodate, ...	"	29.73	..	..	W	6	..	"	29.81	...	..	...	0	..
Tokio, ...	"	29.74	..	...	S	6	..	"	29.78	..	...	NW	2	..
Kochi.....	"	29.76	...	...	NE	2	..	"	29.60	...	...	...	0	..
Nagasaki, ...	"	29.60	..	...	SE	8	..	"	29.60	...	...	SW	6	..
Kagoshima, ...	"	29.64	...		...	0	..	"	29.72	..	...	...	0	..
Oshima, ...	"	29.69	..	...	S	6	..	"	29.69	...	...	S	2	..
Naha, ...	"	29.74	...	...	SW	6	..	"	29.74	..	...	SW	4	..
Ishigakijima, ..	"	29.77	...	..	SW	8	..	"	29.78	..	..	SW	8	..
Taihoku, ...	1 p.	29.73	..	...	W	6	..	5 a.	29.78	..	..	..	0	..
Taichu, ...	"	29.76	...	..	S	2	..	"	29.80	..	..	...	0	..
Tainan, ...	"	29.80	..	..	S	4	..	"	29.80	..	...	E	2	..
Koshun, ...	"	29.76	..	..	W	6	..	"	29.80	...	..	W	2	..
Pescadores, ...	"	29.77	..	...	SW	6	..	"	29.78	...	...	SW	6	..
Weihaiwei, ...	3 p.	29.81	76	...	NNE	0	c	9 a.	29.65	79	...	ENE	1	b
Gutzlaff, ...	"	29.64	72	85	NW	5	cv	"	29.77	75	90	WNW	2	bm
Sharp Peak, ...	"	29.66	87	88	S	3	o	"	29.76	83	91	..	0	c
Amoy, ...	"	29.59	93	71	SE	3	c	6 30a.	29.65	83	87	..	0	b
Swatow, ...	"	29.70	97	51	...	0	b	7 a.	29.71	82	96	SW	1	c
Canton, ...	"	29.82	92	74	SE	1	b	9 a.	..	..	...	..	...	..
Hongkong, ...	4 p.	29.75	88	71	SW	2	c	10 a.	29.85	87	72	W	2	c
Victoria Peak, ..	"	...	..	...	SW	3	..	"	...	..	..	SW	1	..
Gap Rock, ...	"	..	...	..	...	..	..	"	...	...	..	..	..	...
Macao, ...	"	29.75	88	...	SW	1	c	"	29.82	86	..	SSW	1	c
Haiphong, ...	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila, ...	"	29.76	90	66	..	0	c	"	29.88	86	71	ESE	1	o
Bacolod, ...	3 p.	...	..	..	..	0	c	9 a.	...	...	..	...	0	c
Iloilo, ...	"	29.77	83	...	W	1	od	"	29.87	82	..	W	2	c
Cebu, ...	"	29.80	84	..	...	0	c	"	29.91	82	...	S	1	c
Cape St. James,	4 p.	29.75	81	..	...	0	o	10 a.	...	...	...	...	..	...

On the 18th at 11. 50a. The barometer has fallen in Central Japan, and risen over NE Japan, the E. coast of China and the Philippines.

The depression is over W. Japan and progressing slowly Eastwards. Pressure is highest over the China Sea.

Moderate SW winds will prevail in the Formosa Channel and light variable winds over the N. part of the China Sea.

Forecast:— light SW winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 18th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	19th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	.	.	7 a.	..	..	..	...	..	..
Nemuro,	„	29.84	..	..	E	4	..	6 a.	...	..	...	..	...	..
Hakodate,	„	29.81	..	..	S	4	.	„	..	...	..	...	..	..
Tokio,	„	29.78	..	...	S	2	..	„	...	..	...	..	..	..
Kochi	„	29.56	...	...	...	0	..	„	..	...	...	...	...	..
Nagasaki,	„	29.64	.	...	N	4	..	„	...	...	...	.	..	..
Kagoshima,	„	29.64	...		W	6	..	„	..	..	...	...	...	..
Oshima,	„	29.73	..	...	SW	4	..	„	..	...	...	..	..	..
Naha.	„	29.81	...	...	SW	4	..	„	..	..	...	...	...	..
Ishigakijima,	„	29.81	...	..	W	6	..	„	...	..	..	...	...	..
Taihoku,	1 p.	29.78	..	...	N	4	..	5 a.	29.78	..	..	S	2	..
Taichu,	„	29.81	...	..	W	4	..	„	29.81	..	..	SW	2	..
Tainan,	„	29.84	..	..	S	4	..	„	29.80	..	...	E	2	..
Koshun,	„	29.80	..	..	W	6	..	„	29.80	...	..	...	0	..
Pescadores,	„	29.70	..	...	S	6	..	„	29.79	...	...	S	4	..
Weihaiwei,	3 p.	29.60	83	...	ESE	0	c	9 a.	29.61	75	...	E	1	b
Gutzlaff,	„	29.72	80	78	S	1	bv	„	29.68	73	90	SE	4	f
Sharp Peak,	„	29.70	89	84	S	1	c	„	29.71	83	87	S	2	b
Amoy,	„	29.62	91	74	SE	3	b	6 30a.	29.66	82	96	S	1	b
Swatow,	„	29.74	95	62	S	1	b	7 a.	29.75	80	96	SW	1	b
Canton,	„	29.76	95	65	SW	1	b	9 a.	..	.	...	..	...	..
Hongkong,	4 p.	29.77	88	68	SW	2	b	10 a.	29.81	87	68	WSW	2	b
Victoria Peak,	„	...	..	...	SSW	4	..	„	...	..	..	SW	4	..
Gap Rock,	„		...	.	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.76	89	...	SW	1	c	„	29.80	86	..	W	1	c
Haiphong,	„	...	...			...	..	„	..	.	..	..	..	..
Manila,	„	29.80	84	77	WSW	3	o	„	29.88	86	65	SW	1	c
Bacolod,	3 p.	...	..	..	..	0	c	9 a.	...	...	..	...	0	b
Iloilo,	„	29.83	85	...	W	1	c	„	29.88	83	.	W	1	b
Cebu,	„	29.84	85	..	N	2	c	„	29.99	85	...	S	2	b
Cape St. James.	4 p.	..	:	.	...	..	..	10 a.	....	...	...	...	..	...

On the 19th at 11. 30 a. The barometer is again falling over China, owing to another depression which is probably moving Eastwards to the North of the Yangtze.

The depression which was over W. Japan yesterday has probably reached SE Japan.

Pressure is highest over the S. part of the China Sea.

Moderate to fresh S. winds may be expected in the Formosa Channel and moderate SW winds over the N. part of the China Sea.

Forecast:—light to moderate SW winds; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 19th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	20th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Wladivostock,	2 p.	.	...	...	.	..	.	7 a.	..	..	..	...	..	.
Nemuro,	"	29.92	..	..	SE	4	..	6 a.	29.96	.	...	NE	4	..
Hakodate,	"	29.81	..	..	SE	6	.	"	29.89	...	..	SE	6	..
Tokio,	"	29.55	..	...	NW	6	..	"	29.71	.	...	NW	4	..
Kochi	"	29.60	...	...	...	6	..	"	29.72	...	...	SW	2	..
Nagasaki,	"	29.72	.	...	N	6	..	"	29.76	...	...	S	4	..
Kagoshima,	"	29.72	...		NW	4	..	"	29.76	.	...	NW	2	.
Oshima,	"	29.76	..	...	N	3	..	"	29.77	...	...	S	2	..
Naha,	"	29.77	...	...	SW	4	..	"	29.78	.	...	SW	4	..
Ishigakijima,	"	29.77	...	..	SW	6	..	"	29.78	.	..	SW	3	..
Taihoku,	1 p.	29.74	.	...	NW	2	..	5 a.	29.75	.	..	..	0	..
Taichu,	"	29.78	...	..	W	4	..	"	29.80	..	..	N	2	..
Tainan,	"	29.82	..	..	S	4	..	"	29.80	.	...	E	2	..
Koshun,	"	29.81	..	.	NW	6	.	"	29.78	...	..	W	2	..
Pescadores,	"	29.79	.	...	SW	6	..	"	29.77	...	...	S	2	..
Weihaiwei,	3 p.	29.59	75	...	E	2	c	9 a.	29.70	76	...	ENE	1	b
Gutzlaff,	"	29.59	73	95	SE	5	om	"	29.58	81	91	NW	2	cm
Sharp Peak,	"	29.64	87	89	S	3	c	"	29.63	84	85	S	3	b
Amoy,	"	29.58	92	67	SSE	3	b	6.30 a.	29.66	82	91	S	1	b
Swatow,	"	29.72	95	56	S	2	b	7 a.	...	...	...	...	...	..
Canton,	"	29.70	95	62	S	1	b	9 a.	.		...	.	...	..
Hongkong,	4 p.	29.73	88	61	SSW	2	b	10 a	29.78	86	67	W	1	c
Victoria Peak,	"	...	..	...	SSW	4	..	"	...	.	..	SSW	2	..
Gap Rock,	"		...	..	...	..	..	"	...	...	.	.	..	.
Macao,	"	29.72	87	...	S	1	c	"	29.76	89	.	S	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	.	..	.	..	..
Manila,	"	29.80	90	66	SW	2	c	"	29.88	84	71	WNW	0	c
Bacolod,	3 p.	...	..	..	N	1	b	9 a.	...	...	..	S	1	c
Iloilo,	"	29.83	88	...	W	2	c	"	29.89	83		...	0	c
Cebu,	"	29.84	85	.	..	0	c	"	29.91	84	...	E	1	c
Cape St. James,	4 p.	29.74	82	.	WNW	1	c	10 a.	...	...	...	...	..	...

On the 20th at 11. 45a. The barometer has risen over Japan and N. China, and fallen on the E. coast of China.

The depression, moving Eastwards, has passed from the continent to the Yellow Sea near Shanghai.

Pressure is highest to the N. of Japan, and over the S. part of the China Sea.

Fresh SW winds are indicated in the Formosa Channel, and moderate SW winds over the N. part of the China Sea.

Forecast:— SW winds, light; fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 20th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th June 1906, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.		...	...	.		.	7 a.	.	..	..	...	.	.
Nemuro,	"	29.92	..	..	N	6	..	6 a.	29.88	.	...	N	10	..
Hakodate,	"	29.93	..	..	SE	6		"	29.89	...	.	...	0	..
Tokio,	"	29.74	..	...	N	4	..	"	29.90	.	...	NE	4	.
Kochi	"	29.72	...	...	NE	0	..	"	29.72	...	...	SW	2	..
Nagasaki,	"	29.64		...	SE	10	..	"	29.64	...	...	SE	6	..
Kagoshima,	"	29.72	...		E	2	..	"	29.68	.	...	E	6	.
Oshima,	"	29.73	..	...	S	3	..	"	29.77	...	...	...	0	..
Naha.	"	29.77	...	...	SW	8	.	"	29.78	.	...	SW	6	..
Ishigakijima,	"	...	...	..	..		..	"	29.78	.	..	SW	6	..
Tatheku,	1 p.	29.72	..	...	NW	6	.	5 a.	29.75	..	..	S	2	..
Taichu,	"	29.75	...	..	SW	6	..	"	29.80	..	..	..	0	..
Tainan,	"	29.80	.		S	6	..	"	29.82	.	...	SE	4	.
Koshun,	"	29.80	..		NW	6	.	"	29.81	...	..	W	4	..
Pescadores,	"	29.77	.	...	S	4	..	"	29.76	...	...	SW	4	..
Weihaiwei,	3 p.	29.69	77	...	ENE	2	b	9 a.	29.69	74	...	WNW	1	b
Gutzlaff,	"	29.57	84	91	SSW	1	cm	"	29.70	72	90	NW	2	ov
Sharp Peak,	"	29.65	87	84	S	4	o	"	29.73	84	85	S	2	o
Amoy,	"	29.61	91	63	SE	4	b	6 30 a.	29.73	82	83	S	3	b
Swatow,	"	29.69	90	63	S	2	b	7 a.	...	...	...	...	...	..
Canton,	"	29.70	94	64	ENE	1	b	9 a.	..	.	...	.	...	..
Hongkong,	4 p.	29.70	88	63	S	1	b	10 a	29.81	81	85	SE	1	or
Victoria Peak,	"	...	..	...	SSW	3	..	"	...	.	..	SSW	2	.
Gap Rock,	"		...		...	.		"	...	..	.	.		
Macao,	"	29.72	86	...	S	1	c	"	29.81	76	.	..	0	od
Haiphong,	"	...	...			...	.	"	.	.	.	.	..	..
Manila,	"	29.80	86	71	WSW	3	c	"	29.88	86	71	WSW	1	o
Bacolod,	3 p.	...	..	..	W	1	c	9 a.	...	..	..	...	0	b
Iloilo,	"	29.81	86	...	W	3	b	"	29.89	84		NE	1	b
Cebu,	"	29.81	87		.	0	b	"	29.90	88	...	...	0	c
Cape St. James,	4 p.	29.67	81	.	SW	3	o	10 a.	...	...	...	...	..	...

On the 21st at 11. 55a. The barometer has risen on the China coast, and fallen in W. Japan.
The depression, is moving Eastwards and approaching the neighbourhood of Korea Straits.
Pressure is highest over E. Japan, and over the SE part of the China Sea.
Moderate SW and S.winds are indicated in the Formosa Channel and over the N. part of the China Sea.
Forecast:— light or moderate S winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 21st June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	22nd June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.		...	...	..	..	.	7 a.	..	..	..	...	..	..
Nemuro,	„	29.88	..	..	N	10	..	6 a.	29.88	..	...	N	4	..
Hakodate,	„	29.89	..	..	SE	6	..	„	29.85	...	..	SE	6	..
Tokio,	„	29.90	..	...	NE	2	..	„	29.86	.	...	N	2	..
Kochi	„	29.72	...	...	...	0	..	„	29.56	...	...	SW	2	..
Nagasaki,	„	29.60	..	...	SW	4	..	„	29.64	...	...	NW	4	..
Kagoshima,	„	29.68	...		...	0	..	„	29.68	..	...	NW	4	...
Oshima,	„	29.73	..	...	SW	4	..	„	29.65	...	...	NW	4	..
Naha,	„	29.81	...	...	SW	4	..	„	29.78	..	...	SW	2	..
Ishigakijima,	„	29.77	...	..	SW	8	..	„	29.78	..	..	SW	8	—
Taihoku,	1 p.	29.75	..	...	W	6	..	5 a.	29.75	..	..	..	0	—
Taichu,	„	29.81	...	..	SW	6	..	„	29.81	..	..	S	2	..
Tainan,	„	29.84	..	..	S	4	..	„	29.84	..	...	E	2	—
Koshun,	„	29.82	..	..	W	6	..	„	29.82	...	..	W	4	..
Pescadores,	„	29.80	..	...	SW	6	..	„	29.78	...	...	S	6	..
Weihaiwei,	3 p.	29.65	74	...	ESE	2	b	9 a.	29.57	71	...	SSE	2	b
Outzlaff,	„	29.67	77	86	WSW	3	cv	„	29.63	72	100	ENE	3	f
Sharp Peak,	„	29.66	88	80	S	4	o	„	29.71	84	83	S	2	c
Amoy,	„	29.62	90	73	SSE	5	b	6 30a.	29.71	84	83	SW	3	c
Swatow,	„	29.74	89	66	SW	4	c	7 a.	...	...	...	...	...	..
Canton,	„	29.74	86	80	SE	3	c	9 a.	29.76	82	91	SE	1	o
Hongkong,	4 p.	29.77	78	93	.	0	op	10 a.	29.80	84	79	SW	2	op
Victoria Peak,	„	...	..	...	SSW	3	..	„	...	..	..	SSW	8	...
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	...
Macao,	„	29.76	79	...	S	1	od	„	29.78	85	..	S	2	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	...
Manila,	„	29.80	86	71	SW	2	c	„	29.92	88	72	E	..	c
Bacolod,	3 p.	...	..	..	E	0	c	9 a.	...	...	..	...	..	...
Iloilo,	„	29.79	86	...	SW	3	c	„	29.89	83	.	...	0	c
Cebu,	„	29.85	83	..	N	1	or	„	29.93	82	...	...	0	c
Cape St. James,	4 p.	29.76	72	..	SW	3	o	10 a.	...	...	...	...	...	...

On the 22nd at 11. 45a. The barometer has risen slightly over the Philippines, and fallen moderately over N. China and Central Japan.

The depression is moving Eastwards in the S. part of the Sea of Japan, and a new depression appears to be developing over N. China.

Pressure is high over the Philippine archipelago.

Fresh S. winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate S winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 22nd June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	23rd June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.39	..	..	SE	2	..	6 a.	30.04	..	...	NE	2	..
Hakodate,	„	29.85	..	..	E	6	..	„	29.93	...	..	E	6	..
Tokio,	„	29.79	..	...	N	4	..	„	29.83	..	...	N	4	—
Kochi	„	29.56	...	...	E	4	..	„	29.68	...	...	SE	4	..
Nagasaki,	„	...	..	...	.	...	..	„	29.68	...	...	E	2	..
Kagoshima,	„	29.64	...		NW	4	..	„	29.68	..	...	E	2	..
Oshima,	„	29.69	..	...	NW	2	..	„	29.73	...	...	NW	2	..
Naha.	„	29.73	...	...	SW	6	..	„	29.77	..	...	SW	4	—
Ishigakijima,	„	29.74	...	..	SW	8	..	„	29.74	..	..	SW	6	—
Taihoku,	1 p.	29.72	..	...	W	8	..	5 a.	29.73	..	..	S	2	—
Taichu,	„	29.82	...	..	S	4	..	„	29.79	..	..	SW	2	—
Tainan,	„	29.79	..	..	SW	6	..	„	29.81	..	...	SE	2	—
Koshun,	„	29.79	..	..	W	8	..	„	29.79	...	..	W	4	—
Pescadores,	„	29.80	..	...	W	4	..	„	29.76	...	...	S	6	—
Weihaiwei,	3 p.	29.56	77	...	S	2	b	9 a.	29.65	75	...	SSE	2	b
Gutzlaff,	„	29.61	71	95	NE	3	omd	„	29.63	71	100	NE	4	omd
Sharp Peak,	„	29.61	88	84	S	5	o	„	29.69	85	81	S	3	o
Amoy,	„	29.61	89	66	SSE	4	c	6 30a.	29.66	81	91	SW	3	c
Swatow,	„	29.75	83	79	W	1	c	7 a.	...	...	...	...	...	..
Canton,	„	29.70	85	87	SE	1	or	9 a.	29.73	82	91	SE	1	o
Hongkong,	4 p.	29.73	85	76	WSW	4	oq	10 a.	29.77	81	86	SW	4	opq
Victoria Peak,	„	...	..	...	SSW	4	..	„	...	..	..	SSW	7	—
Gap Rock,	„		...	..	...	..	..	„	...	...	..	..	..	—
Macao,	„	29.74	80	...	WSW	2	od	„	29.77	83	..	S	1	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.80	81	76	E	1	o	„	29.88	88	72	SSW	0	c
Bacolod,	3 p.	...	..	..	S	1	c	9 a.	...	...	..	NE	2	c
Iloilo,	„	29.83	88	...	NE	2	b	„	29.89	85	..	E	1	b
Cebu,	„	29.86	86	..	N	2	b	„	29.90	85	...	N	1	b
Cape St. James,	4 p.	..	...	..	..	..	..	10 a.	...	...	...	...	..	...

On the 23rd at 11. 50a. The barometer has risen in N. China and NE Japan, and fallen over S. China and the Philippines.

A shallow low pressure area lies over the E. coast of China and the Eastern Sea.

Pressure is highest over NE Japan in the North, and the Philippines in the South.

Fresh S. and SW winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast: — fresh SW winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 23rd June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	24th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Gemuro,	„	30.08	..	..	SE	6	..	6 a.	30.16	..	...	SW	2	..
Hakodate,	„	30.01	..	..	SE	8	..	„	30.09	...	..	SE	8	..
Tokio,	„	29.87	..	...	N	4	..	„	30.02	..	...	NW	2	..
Kochi	„	29.72	...	...	SE	2	..	„	29.76	...	...	SW	2	..
Nagasaki,	„	29.68	..	...	E	4	..	„	29.72	...	...	NE	2	—
Kagoshima,	„	29.68	...	..	SE	2	..	„	29.76	..	...	NE	2	—
Oshima,	„	29.73	..	...	S	4	..	„	29.81	...	...	SW	2	—
Ishi,	„	29.77	...	...	SW	0	..	„	29.85	..	...	SE	4	—
Shigakijima,	„	29.74	...	..	SW	8	..	„	29.78	..	..	SW	8	—
Taihoku,	1 p.	29.71	..	...	SW	6	..	5 a.	29.76	..	..	S	2	—
Tuchu,	„	29.76	...	..	S	6	..	„	29.79	..	..	S	2	—
Tinan,	„	29.81	..	..	S	6	..	„	29.81	..	...	SE	2	—
Koshun,	„	29.80	..	..	W	8	..	„	29.81	...	..	W	2	—
Pescadores,	„	29.80	..	...	S	8	..	„	29.78	...	...	S	6	—
Weihaiwei,	3 p.	29.67	78	...	SW	3	b	9 a.	29.76	76	...	SSW	3	b
Sutzlaff,	„	29.65	71	100	ENE	3	ov	„	29.67	70	100	NE	5	omd
Sharp Peak,	„	29.64	85	85	S	3	o	„	29.65	84	89	S	4	o
Amoy,	„	29.58	89	73	SSE	5	b	6 30a.	29.69	81	91	SE	3	or
Swatow,	„	29.72	81	87	W	2	or	7 a.	29.74	80	96	SW	1	o
Canton,	„	29.67	92	67	SE	1	c	9 a.	29.71	84	87	SW	2	c
Hongkong,	4 p.	29.71	85	77	SSW	3	oq	10 a.	29.73	85	75	SW	4	opq
Victoria Peak,	„	...	..	...	SSW	7	..	„	...	..	..	SSW	7	—
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	—
Macao,	„	29.70	84	...	SW	1	c	„	29.72	85	..	SW	3	o
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	—
Manila,	„	29.80	95	46	SSE	0	c	„	29.88	88	72	WSW	1	o
Bacolod,	3 p.	...	..	..	NE	1	c	9 a.	...	...	..	W	2	c
Iloilo,	„	29.83	89	...	NE	1	b	„	29.89	84	..	SW	2	c
Cebu,	„	29.83	88	..	N	3	b	„	29.90	85	...	S	1	o
Cape St. James,	4 p.	29.82	86	..	WSW	2	o	10 a.	...	...	...	...	—	—

On the 24th at 11. 40a. The barometer has risen over Japan and N. China, and fallen in S. China.
The shallow elongated depression still lies over the E. coast of China between Foochow and Shanghai.
An area of high pressure is situated to the NE of Japan.
Fresh to strong S. and SW winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh SW winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 24th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	25th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro, ...	„	30.12	..	..	SW	6	..	6 a.	...	..	...	..	...	..
Hakodate, ...	„	30.05	..	..	SE	8	..	„	...	...	..	...	..	..
Tokio, ...	„	29.98	..	...	N	4	..	„	...	..	...	..	...	..
Kochi	„	29.83	...	...	...	0	..	„	..	...	...	..	...	..
Nagasaki, ...	„	29.72	..	...	E	2	..	„	...	...	...	...	..	..
Kagoshima, ...	„	29.76	...	..	NE	6	..	„	...	..	...	...	...	..
Oshima, ...	„	29.77	..	...	SW	6	..	„	..	...	...	...	..	..
Naha.	„	29.81	...	...	SW	6	..	„	..	..	...	..	...	..
Ishigakijima, ..	„	29.78	...	..	SW	8	..	„	..	..	..	...	..	..
Taihoku, ...	1 p.	29.70	..	...	W	6	..	5 a.	29.82	..	..	...	0	..
Taichu, ...	„	29.75	...	..	NW	6	..	„	29.84	..	..	...	0	..
Tainan, ...	„	29.79	..	..	S	[illegible]	..	„	29.83	..	...	SE	2	..
Koshun, ...	„	29.80	..	..	W	[illegible]	..	„	29.83	...	..	SW	2	..
Pescadores, ...	„	29.76	..	...	S	8	..	„	29.80	...	...	S	6	..
Weihaiwei, ...	3 p.	29.76	80	...	ENE	2	b	9 a.	29.81	74	...	S	1	b
Gutzlaff, ...	„	29.63	69	100	NE	7	omd	„	29.79	70	95	NNE	4	cv
Sharp Peak, ...	„	29.64	83	87	S	2	pqlt	„	29.77	83	87	SSE	1	o
Amoy, ...	„	29.60	85	83	S	5	b	6 30 a.	29.66	80	91	SW	3	or
Swatow, ...	„	29.62	83	80	SSW	3	c	7 a.	29.70	76	95	S	1	or
Canton, ...	„	29.64	88	84	...	0	c	9 a.	29.76	81	91	SW	2	c
Hongkong, ...	4 p.	29.69	83	75	SW	4	oq	10 a.	29.78	86	76	S	2	o
Victoria Peak, ..	„	...	..	...	SW	8	..	„	...	..	..	S	3	..
Gap Rock, ...	„	...	...	..	...	..	..	„	...	...	..	..	..	..
Macao, ...	„	...	...	...	..	..	..	„	29.77	85	..	S	1	c
Haiphong, ...	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila, ...	„	29.80	86	71	S	4	o	„	29.83	84	71	W	1	o
Bacolod, ...	3 p.	...	..	..	W	1	o	9 a.	...	...	..	...	0	b
Iloilo, ...	„	29.81	86	...	SW	3	or	„	29.87	83	..	W	1	c
Cebu, ...	„	29.85	84	..	N	1	or	„	29.89	83	...	S	2	b
Cape St. James,	4 p.	29.78	84	..	SW	2	c	10 a.	....	...	...	...	..	...

On the 25th at 12. 29p. The barometer has risen over the China coast and Formosa.
Pressure is highest over the S. part of the China Sea in the South, aud probably over E. Japan in the North. The Japanese returns are, however, lacking.
Moderate S. to SE winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast: — moderate S. winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 25th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

25th June 1906, P. M								26th June 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	...	...	...	..	..	..	7 a.	..	..	..	...	..	..
Gemuro,	"	29.93	..	..	S	6	..	6 a.	...	..	...	...	...	..
Hakodate,	"	29.81	..	..	S	4	..	"	...	...	..	..	..	..
Aomori,	"	29.91	..	...	NW	2	..	"	...	..	...	..	...	—
Kobe,	"	29.76	...	...	...	0	..	"	..	...	...	..	...	—
Nagasaki,	"	29.76	..	...	W	6	..	"	...	...	...	...	..	—
Kagoshima,	"	29.80	...	—	W	8	..	"	...	..	...	...	...	—
Oshima,	"	29.85	..	...	SW	4	..	"	..	...	...	...	..	—
Saiki,	"	29.89	...	...	S	4	..	"	..	..	...	..	...	—
Ishigakijima,	"	29.86	...	..	SW	6	..	"	..	—	—	...	..	—
Tsiboku,	1 p.	29.79	..	...	NW	4	..	5 a.	29.87	..	..	...	0	—
Taichu,	"	29.79	...	..	W	4	..	"	29.88	..	..	...	0	—
Tainan,	"	29.81	..	..	S	6	..	"	29.87	..	...	SE	2	—
Koshun,	"	29.82	..	..	W	4	..	"	29.87	...	..	E	2	—
Pescadores,	"	29.80	..	...	SW	6	..	"	29.84	...	...	SW	2	—
Weihaiwei,	3 p.	29.79	82	...	NE	2	b	9 a.	29.85	66	...	SSW	2	b
Gutzlaff,	"	29.72	74	86	ENE	2	cv	"	29.79	70	...	SE	4	omd
Sharp Peak,	"	29.73	86	86	S	3	o	"	29.83	83	89	SE	1	o
Amoy,	"	29.64	89	66	SSE	3	c	6 30a.	29.75	82	91	S	3	c
Swatow,	"	29.74	87	80	SSE	2	c	7 a.	..	..	...	..	..	—
Canton,	"	29.73	80	96	...	0	or	9 a.	...	81	91	E	1	c
Hongkong,	4 p.	29.73	82	86	NW	1	o	10 a.	29.82	82	81	E	2	o
Victoria Peak,	"	...	..	...	SSW	5	..	"	...	..	..	SSW	3	—
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	—
Macao,	"	29.79	81	...	S	1	o	"	29.81	86	..	..	0	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	—
Manila,	"	29.80	88	65	ESE	1	o	"	29.88	81	85	...	0	o
Bacolod,	3 p.	...	—	..	W	1	o	9 a.	...	...	..	...	0	o
Iloilo,	"	29.83	86	...	W	3	or	"	29.85	82	..	—	0	c
Cebu,	"	29.84	85	..	S	2	c	"	29.88	84	...	S	2	c
Cape St. James,	4 p.	...	..	..	...	..	..	10 a.	...	...	...	...	—	...

On the 26th at 11. 59a. The barometer has risen over the China coast and Formosa.
Pressure is lowest over the continent, and highest over the Eastern Sea in the North, and over the S. part of the China Sea in the South.
Moderate SE winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— SE winds, light to moderate; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 26th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

26th June 1906, P. M								27th June 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	...	7 a.	..	..	..	...	..	--
Nemuro,	„	29.77	..	..	N	2	..	6 a.	29.85	..	...	--	0	..
Hakodate,	„	29.73	..	..	W	4	..	„	29.93	...	..	W	2	--
Tokio,	„	29.79	..	...	S	4	..	„	29.95	..	...	..	0	--
Kochi	„	29.83	...	...	SE	2	..	„	29.95	...	...	..	0	..
Nagasaki,	„	29.91	..	...	W	..	..	„	29.95	...	...	SE	4	..
Kagoshima,	„	29.92	...	--	SE	2	..	„	30.00	..	...	NW	2	--
Oshima,	„	29.96	..	...	W	4	...	„	30.01	...	...	...	0	--
Naha.	„	29.93	...	...	SW	4	..	„	29.97	..	...	..	0	--
Ishigakijima,	„	29.93	...	..	S	6	..	„	29.93	..	..	NE	4	--
Taihoku,	1 p.	29.87	..	...	NE	2	..	5 a.	29.90	..	..	S	2	--
Taichu,	„	29.87	...	..	S	6	--	„	29.90	..	..	...	0	--
Tainan,	„	29.86	..	..	..	0	--	„	29.89	..	...	...	0	--
Koshun,	„	29.85	--	..	SE	6	..	„	29.87	...	..	E	2	--
Pescadores,	„	29.85	..	...	S	4	..	„	29.88	...	...	W	2	--
Weihaiwei,	3 p.	..	...	...	...	...	..	9 a.	29.91	70	...	SSE	1	c
Gutzlaff,	„	29.74	74	95	SE	4	omp	„	29.74	78	95	S	3	cv
Sharp Peak,	„	29.81	88	84	S	3	b	„	29.88	84	89	E	1	c
Amoy,	„	29.70	88	71	SE	4	b	6 30a.	29.75	81	91	S	1	c
Swatow,	„	29.79	88	80	S	2	c	7 a.	29.80	80	91	SE	2	o
Canton,	„	29.75	83	87	SW	1	o	9 a.	29.86	82	87	...	0	o
Hongkong,	4 p.	29.82	76	92	NW	2	op	10 a.	29.87	85	75	SSE	1	c
Victoria Peak,	„	...	..	...	W	5	..	„	...	..	..	SSW	1	--
Gap Rock,	„	.	...	..	...	..	--	„	...	...	..	..	..	--
Macao,	„	29.80	76	...	W	2	o	„	29.86	85	..	SSE	1	c
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	--
Manila,	„	29.80	84	71	ENE	0	o	„	29.88	82	77	...	0	o
Bacolod,	3 p.	...	--	..	W	1	o	9 a.	...	...	..	W	1	c
Iloilo,	„	29.81	85	...	W	3	o	„	29.87	81	..	W	1	c
Cebu,	„	29.83	87	..	S	2	c	„	29.89	85	...	S	3	b
Cape St. James,	4 p.	29.78	84	..	W	1	o	10 a.	...	...	...	...	..	...

On the 27th at 11. 35a. The barometer has fallen slightly on the E. coast of China, and risen on the S. and N. coasts and over Japan.

An area of high pressure lies over S. Japan and the Loochoos, and the lowest pressure is over Central China.

Moderate SE and E. winds are indicated in the Formosa Channel and the N. part of the China Sea,

Forecast:— light to moderate SE winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 27th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	28th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.81	..	..	NE	4	..	6 a.	29.77	..	...	SE	2	..
Hakodate,	"	29.89	..	..	S	4	..	"	29.93	...	..	SW	4	..
Tokio,	"	29.91	..	...	SE	4	..	"	29.95	..	...	N	2	..
Kochi	"	29.91	...	...	SE	2	..	"	29.95	...	...	..	0	..
Nagasaki,	"	..	..	...	...	..	..	"	29.95	...	...	SE	2	..
Kagoshima,	"	29.96	...	..	SW	2	..	"	29.96	..	...	..	0	..
Oshima,	"	29.96	..	...	S	2	..	"	29.93	...	...	...	0	..
Naha.	"	29.93	...	...	E	4	..	"	29.93	..	...	S	3	..
Ishigakijima,	"	29.89	...	..	S	4	..	"	29.86	..	..	S	6	..
Taiheku,	1 p.	29.85	..	...	E	4	..	5 a.	29.86	..	..	...	0	..
Taichu,	"	29.84	...	..	N	4	..	"	29.87	..	..	...	0	..
Tainan,	"	29.85	..	..	NW	6	..	"	29.85	..	...	E	2	..
Keshun,	"	29.86	..	..	NE	4	..	"	29.84	...	..	S	2	..
Pescadores,	"	29.86	..	...	NW	6	..	"	29.84	...	...	N	4	..
Weihaiwei,	3 p.	29.86	74	...	SE	3	c	9 a.	29.61	66	...	ENE	2	c
Gutzlaff,	"	29.70	82	83	S	4	cv	"	29.63	80	87	S	4	cv
Sharp Peak,	"	29.84	87	86	NNE	1	b	"	29.82	84	89	SSE	1	b
Amoy,	"	29.71	92	57	SSE	3	b	6 30a.	29.78	89	77	S	1	b
Swatow,	"	29.83	85	83	E	2	b	7 a.	...	..	..	...	...	...
Canton,	"	29.80	84	83	SE	1	c	9 a.	29.82	84	87	SE	1	c
Hongkong,	4 p.	29.81	83	79	SE	2	b	10 a.	29.84	82	81	E	1	c
Victoria Peak,	"	...	..	...	...	..	..	"	...	..	..	...	...	—
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	—
Macao,	"	29.81	86	...	S	1	c	"	29.83	86	..	SSE	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	—
Manila,	"	29.84	81	76	E	1	od	"	29.88	77	92	WNW	0	o
Bacolod,	3 p.	...	..	..	W	1	c	9 a.	...	...	..	W	1	b
Iloilo,	"	29.81	85	...	SW	3	c	"	29.85	83	..	..	0	c
Cebu,	"	29.83	85	..	S	1	c	"	29.91	82	...	..	0	c
Cape St. James,	4 p.	29.76	86	..	NW	2	c	10 a.	...	...	...	...	...	...

On the 28th at 11. 45a. The barometer has fallen quickly over N. China owing to a depression which appears to be moving Eastwards in Shantung.
Pressure is highest over the Pacific to the S. of Japan.
Moderate S. winds are indicated in the Formosa Channel, and light SE winds over the N. part of the China Sea.
Forecoast:— SE and S. winds, light; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 28th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	29th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	--
Nemuro,	„	29.65	..	..	S	4	..	6 a.	29.73	..	...	W	2	--
Hakodate,	„	29.85	..	..	W	6	..	„	29.81	...	..	SW	4	--
Tokio,	„	29.87	..	...	SE	6	..	„	29.87	..	...	W	2	--
Kochi	„	29.91	...	...	...	0	..	„	29.83	...	...	..	0	--
Nagasaki,	„	29.91	..	...	SE	4	..	„	29.76	...	...	SW	6	--
Kagoshima,	„	29.92	...	..	..	0	..	„	29.84	..	...	S	2	--
Oshima,	„	29.93	..	...	S	4	..	„	29.85	...	...	...	0	--
Naha,	„	..	...	...	...	..	..	„	29.85	..	...	S	2	--
Ishigakijima,	„	29.85	...	..	SW	6	..	„	29.82	..	..	S	6	--
Taihoku,	1 p.	29.81	..	...	N	2	..	5 a.	29.80	..	..	...	0	--
Taichu,	„	29.80	...	..	W	4	..	„	29.82	..	..	...	0	--
Tainan,	„	29.81	..	..	S	4	..	„	29.80	..	...	SE	2	--
Koshun,	„	29.80	..	..	E	6	..	„	29.79	...	..	E	2	--
Pescadores,	„	29.83	..	...	W	4	..	„	29.78	...	...	SW	2	--
Weihaiwei,	3 p.	29.49	73	...	E	1	c	9 a.	29.55	67	...	WNW	4	ovr
Gutzlaff,	„	29.58	82	87	S	4	cv	„	29.59	76	73	SSW	2	cv
Sharp Peak,	„	29.73	89	84	SE	4	b	„	29.75	84	87	..	0	c
Amoy,	„	29.65	91	68	SE	4	b	6 30a.	29.71	81	91	SW	1	b
Swatow,	„	29.79	86	84	S	1	b	7 a.	...	..	..	...	...	...
Canton,	„	29.75	84	83	SE	2	c	9 a.	29.77	84	83	SE	1	b
Hongkong,	4 p.	29.76	85	72	S	1	c	10 a.	29.78	86	74	S	1	c
Victoria Peak,	„	...	..	...	...	..	..	„	...	..	..	...	...	--
Gap Rock,	„	.	...	..	...	..	..	„	...	...	..	..	..	--
Macao,	„	29.76	84	...	S	1	c	„	29.77	86	..	..	0	c
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	...
Manila,	„	29.80	77	92	SSW	2	or	„	29.80	84	71	..	0	c
Bacolod,	3 p.	...	..	..	W	1	o	9 a.	...	...	..	W	1	b
Iloilo,	„	29.81	83	...	W	3	o	„	29.85	82	..	NE	1	b
Cebu,	„	29.84	83	..	S	2	o	„	29.79	82	...	S	1	b
Cape St. James,	4 p.	29.75	81	..	SSW	2	o	10 a.	...	...	...	...	...	...

On the 29th at 11. 50a. The barometer has fallen generally.
The depression has moved NE into N. Korea.
Pressure is highest over the Pacific to the S. of Japan.
Moderate S. and SE winds are indicated in the Formosa Channel and the N. part of the China Sea,
Forecast: — SE winds, light; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 29th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	30th June 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.73	..	..	E	4	..	6 a.	29.77	..	...	SE	6	..
Hakodate,	„	29.73	..	..	..	0	..	„	29.73	...	..	...	0	..
Tokio,	„	29.75	..	...	S	4	..	„	29.59	..	...	E	2	..
Kochi	„	29.76	...	...	N	2	..	„	29.64	...	...	E	2	..
Nagasaki,	„	29.72	..	...	W	8	..	„	29.64	...	...	W	8	..
Kagoshima,	„	29.80	...	.	W	4	..	„	29.72	..	...	W	10	..
Oshima,	„	29.81	..	...	SW	6	..	„	29.77	...	...	...	0	..
Naha.	„	29.85	...	...	S	4	..	„	29.77	..	...	S	2	..
Ishigakijima,	„	29.82	...	..	SW	4	..	„	29.74	..	..	SW	6	..
Taihoku,	1 p.	29.76	..	...	NW	4	..	5 a.	29.72	..	..	...	0	..
Taichu,	„	29.78	...	..	S	6	..	„	29.73	..	..	...	0	..
Tainan,	„	29.77	..	..	W	4	..	„	29.74	..	...	SE	4	..
Koshun,	„	29.79	..	..	SE	6	..	„	29.73	...	..	E	2	..
Pescadores,	„	29.78	..	...	SW	4	..	„	29.71	...	...	SW	4	..
Weihaiwei,	3 p.	29.53	75	...	NW	3	b	9 a.	29.49	80	...	WNW	0	b
Gutzlaff,	„	29.52	85	87	SSE	2	cv	„	29.45	80	91	S	4	cv
Sharp Peak,	„	29.67	88	84	SSE	4	b	„	29.69	84	81	..	0	c
Amoy,	„	29.64	89	69	SE	4	b	6 30a.	29.65	81	93	SW	1	c
Swatow,	„	29.70	89	69	S	2	b	7 a.	29.78	80	96	SW	1	b
Canton,	„	29.69	84	87	..	0	or	9 a.	29.71	85	79	SE	1	b
Hongkong,	4 p.	29.69	87	68	S	1	c	10 a.	29.72	84	78	E	1	c
Victoria Peak,	„	...	..	...	...	..	..	„	...	..	..	...	...	..
Gap Rock,	„	-	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.70	85	...	S	1	c	„	29.71	87	..	SE	1	c
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.76	84	71	WSW	2	o	„	29.80	79	69	ESE	3	o
Bacolod,	3 p.	...	..	..	W	1	c	9 a.	...	...	..	S	1	c
Iloilo,	„	29.75	87	...	W	2	c	„	29.81	83	..	..	0	c
Cebu,	„	29.79	84	..	S	1	or	„	29.84	82	...	..	0	c
Cape St. James,	4 p.	29.74	82	..	SW	3	c	10 a.	...	...	...	...	..	...

On the 30th at 12. 5p. The barometer continues to fall over China and Japan.
The depression is moving Eastwards in the Sea of Japan. It appears to be followed by another disturbance over N. China.
Pressure is highest over the Pacific to the SE of the Loochoos.
Fresh S. winds are indicated in the Formosa Channel, and light to moderate SE winds over the N. part of the China Sea.
Forecast: — light to moderate SE winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 30th June 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th June 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	1st July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	..	..	..	..	...	..	6 a.	..	..	...	..	..	..
Hakodate,	"	...	..	..	..	...	..	"	...	...	..	...	..	..
Tokio,	"	..	..	...	...	..	..	"	...	..	...	...	..	..
Kochi	"	...	...	...	..	..	..	"	—	...	...	...	...	..
Nagasaki,	"	..	..	...	...	..	..	"	...	...	...	...	..	..
Kagoshima,	"	..	...	.	..	...	..	"	...	..	...	...	...	..
Oshima,	"	...	..	...	...	..	..	"	...	...	...	...	..	..
Naha,	"	...	...	...	..	..	..	"	...	..	...	..	...	..
Ishigakijima,	"	...	...	..	..	...	..	"	..	..	..	...	.	..
Taihoku,	1 p.	29.71	..	...	W	4	..	5 a.	29.71	..	..	...	0	..
Taichu,	"	29.76	...	..	W	6	..	"	29.74	..	..	...	0	..
Tainan,	"	29.74	..	..	S	6	..	"	29.75	..	...	E	2	..
Koshun,	"	29.75	..	..	SW	2	..	"	29.73	...	..	E	2	..
Pescadores,	"	29.73	..	...	SW	6	..	"	29.71	...	...	SW	4	..
Weihaiwei,	3 p.	...	86	...	E	1	b	9 a.	29.51	67	...	WNW	..	b
Gutzlaff,	"	29.41	83	83	S	3	cv	"	29.51	80	91	W	3	omd
Sharp Peak,	"	29.61	89	77	S	3	b	"	29.68	85	76	S	1	b
Amoy,	"	29.56	89	69	SE	3	b	6 30a.	29.61	81	96	SW	3	c
Swatow,	"	29.67	88	76	S	2	b	7 a.	29.71	80	96	S	1	b
Canton,	"	29.64	92	70	SE	1	b	9 a.	29.67	82	91	SE	1	b
Hongkong,	4 p.	29.63	84	76	E	2	c	10 a.	29.69	84	77	E	2	c
Victoria Peak,	"	...	..	...	...	..	..	"	...	..	..	...	...	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.64	89	...	S	1	c	"	29.70	86	..	SE	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	84	71	SW	1	o	"	29.76	84	77	SSW	0	b
Bacolod,	3 p.	...	..	..	W	1	c	9 a.	...	...	..	W	1	o
Iloilo,	"	29.75	85	...	W	1	o	"	29.78	82	..	..	0	c
Cebu,	"	29.76	83	..	S	2	or	"	..	82	...	..	0	c
Cape St. James,	4 p.	29.67	81	..	SW	3	o	10 a.	...	...	...	...	..	...

On the 1st at 12. 15p. The barometer is rising in N. China, the depression lying over that area yesterday having moved Eastwards towards N. Korea.

The barometer continues to fall slowly over S. China and the Philippines, pressure apparently being in defect over the middle part of the China Sea.

Moderate SE winds are indicated in the Formosa Channel and moderate SE and E. winds over the N. part of the China Sea.

Forecast: — light moderate SE and E winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 1st July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	2nd July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.96	..	..	SE	6	..	6 a.	29.97	..	...	SE	6	..
Hakodate,	"	29.81	..	..	E	8	..	"	...	...	..	...	..	..
Tokio,	"	29.71	..	...	NE	2	..	"	29.59	..	...	N	4	..
Kochi	"	29.56	...	...	SE	2	..	"	29.52	...	...	...	0	..
Nagasaki,	"	29.52	..	...	W	10	..	"	29.60	...	...	W	4	..
Kagoshima,	"	29.60	...	..	SW	8	..	"	29.64	..	...	SW	4	..
Oshima,	"	29.73	..	...	S	4	..	"	29.77	...	...	...	6	..
Naha,	"	29.77	...	...	SW	6	..	"	29.81	..	...	SW	6	..
Ishigakijima,	"	29.78	...	..	SW	6	..	"	29.78	..	..	SW	6	..
Taihoku,	1 p.	29.72	..	...	N	4	..	5 a.	29.78	..	..	...	0	..
Taichu,	"	29.72	...	..	W	4	..	"	29.80	..	..	...	0	..
Taman,	"	29.74	..	..	S	6	..	"	29.73	..	...	E	2	..
Koshun,	"	29.75	..	..	S	6	..	"	29.78	...	..	E	2	..
Pescadores,	"	29.74	..	...	SW	6	..	"	29.77	...	...	S	2	..
Weihaiwei,	3 p.	..	74	...	N	2	b	9 a.	29.65	69	...	E	2	c
Gutzlaff,	"	29.51	82	91	SE	2	cv	"	29.58	81	91	SE	2	cm
Sharp Peak,	"	29.62	89	79	S	4	b	"	29.72	85	79	SE	1	c
Amoy,	"	29.59	90	73	SW	3	b	6 30 a.	29.65	82	96	SE	1	b
Swatow,	"	29.71	84	87	S	2	or	7 a.	29.69	82	91	...	0	b
Canton,	"	29.64	90	77	...	0	b	9 a.	29.75	86	89	E	1	b
Hongkong,	4 p.	29.65	84	78	E	2	c	10 a.	29.75	85	75	SE	3	c
Victoria Peak,	"	...	..	...	...	..	..	"	...	..	..	...	...	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.66	87	...	...	0	c	"	29.75	85	..	...	0	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	79	84	...	0	o	"	29.80	84	77	W	1	c
Bacolod,	3 p.	...	..	..	...	0	b	9 a.	...	...	..	W	1	o
Iloilo,	"	29.75	83	...	...	0	c	"	29.78	82	..	..	0	c
Cebu,	"	....	83	..	...	0	b	"	29.77	81	...	S	3	or
Cape St. James,	4 p.	29.64	79	..	SW	1	or	10 a.	...	...	...	...	..	...

On the 2nd at 11. 35a. The barometer has risen on the coast of China, and fallen over Central Japan.
The depression is over the S. part of the Sea of Japan. It continues to move Eastwards.
Pressure is high to the NE of Japan.
Moderate SE winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast: — light to moderate SE winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 2nd July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	3rd July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	„	29.96	..	..	SE	4	..	6 a.	29.93	..	...	SE	2	..
Hakodate,	„	29.77	..	..	E	6	..	„	29.69	...	..	E	6	..
Tokio,	„	29.51	..	...	NW	2	..	„	29.51	..	...	W	2	..
Kochi	„	29.52	...	...	W	4	..	„	29.64	...	...	SW	2	..
Nagasaki,	„	29.64	..	...	W	6	..	„	29.68	...	...	...	0	..
Kagoshima,	„	29.64	...	..	E	6	..	„	29.68	..	...	NW	4	..
Oshima,	„	29.73	..	...	SW	2	..	„	29.69	...	...	W	4	..
Naha,	„	29.81	...	...	SW	6	..	„	29.77	..	...	SW	4	..
Ishigakijima,	„	29.82	...	..	SW	6	..	„	29.78	..	..	SW	6	..
Taihoku,	1 p.	29.77	..	...	N	4	..	5 a.	29.76	..	..	...	0	..
Taichu,	„	29.78	...	..	S	4	..	„	29.77	..	..	...	0	..
Tainan,	„	29.79	..	..	S	8	..	„	29.79	..	...	E	2	..
Koshun,	„	29.80	..	..	S	6	..	„	29.78	...	..		0	..
Pescadores,	„	29.73	..	...	SW	6	..	„	29.76	...	...	SW	2	..
Weihaiwei,	3 p.	29.61	79	...	NE	1	c	9 a.	...	...	...	..	..	...
Gutzlaff,	„	29.55	84	87	SE	2	bm	„	29.51	79	91	S	2	cv
Sharp Peak,	„	29.68	91	77	S	3	b	„	29.71	86	83	SE	1	c
Amoy,	„	29.64	91	100	SSE	2	b	6 30a.	29.65	81	96	SW	3	c
Swatow,	„	29.67	90	70	S	2	b	7 a.	29.67	80	91	SW	1	c
Canton,	„	29.70	91	67	SE	1	c	9 a.	29.76	85	83	E	1	c
Hongkong,	4 p.	29.71	83	81	E	2	op	10 a.	29.77	86	76	S	1	o
Victoria Peak,	„	...	..	...	...	..	..	„	...	..	..	SSE	1	..
Gap Rock,	„	-	...	..	...	..	..	„	...	...	..	..	..	..
Macao,	„	29.71	83	...	S	1	c	„	29.77	87	..	SE	1	c
Haiphong,	„	...	...	..	..	...	..	„	..	..	..	..	..	..
Manila,	„	29.69	79	61	WSW	1	o	„	29.73	77	...	W	1	o
Bacolod,	3 p.	...	..	..	...	0	or	9 a.	...	...	..	W	2	o
Iloilo,	„	...	84	...	NW	1	or	„	29.80	80	..	SW	3	or
Cebu,	„	29.73	82	..	S	3	or	„	29.83	81	...	S	3	c
Cape St. James,	4 p.	29.63	77	..	W	1	or	10 a.	...	...	...	...	..	...

On the 3rd at 12. 10p. The barometer has fallen in Manila apparently owing to the exestence of a depression in the Pacific to the E. of Luzon.

The depression mentioned yesterday has reached E. Japan, and another depression has appeared over N. China.

Moderate S. winds are indicated in the Formosa Channel and moderate SE and E. winds over the N. part of the China Sea.

Forecast: — SE or variable winds, light; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 3rd July 1906,

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	4th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.89	..	..	..	0	..	6 a.	..	..	...	...	..	..
Hakodate,	"	29.65	..	..	E	8	..	"	...	...	..	...	...	..
Tokio,	"	29.47	..	...	SE	6	..	"	...	..	...	..	...	..
Kochi	"	29.60	...	...	SE	2	..	"	...	...	...	...	..	..
Nagasaki,	"	29.64	..	...	W	2	..	"	..	...	...	...	...	..
Kagoshima,	"	29.64	...	..	S	2	..	"	...	..	...	..	...	..
Oshima,	"	29.73	..	...	SW	2	..	"	..	...	...	...	...	..
Naha,	"	29.77	...	...	SW	4	..	"	..	..	...	..	...	..
Ishigakijima,	"	29.78	...	..	SW	6	..	"	...	..	..	...	...	..
Taihoku,	1 p.	29.72	..	...	W	4	..	5 a.	29.72	..	..	...	0	..
Taichu,	"	29.72	...	..	SW	2	..	"	29.73	..	..	...	0	..
Tainan,	"	29.74	..	..	SW	4	..	"	29.73	..	...	SE	2	..
Koshun,	"	29.76	..	..	E	6	..	"	29.76	...	..	SE	4	..
Pescadores,	"	29.75	..	...	W	4	..	"	29.73	...	...	S	8	..
Weihaiwei,	3 p.	29.66	76	...	E	2	b	9 a.	29.54	76	...	E	1	c
Cutzlaff,	"	29.52	75	100	N	4	...	"	29.56	77	100	SW	3	omq
Sharp Peak,	"	29.64	90	84	S	3	c	"	29.69	87	69	SSE	2	c
Amoy,	"	29.57	95	64	SE	3	b	6 30a.	29.65	84	83	E	6	c
Swatow,	"	29.64	90	73	SE	1	b	7 a.	..	...	..	...	...	...
Canton,	"	29.69	92	67	SE	1	b	9 a.	29.73	86	80	..	0	b
Hongkong,	4 p.	29.70	85	77	E	2	c	10 a.	29.72	87	71	..	0	c
Victoria Peak,	"	...	..	...	...	..	..	"	...	..	..	..	...	..
Gap Rock,	"	..	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.71	89	...	SSE	1	c	"	29.73	88	..	..	0	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	81	85	S	4	c	"	29.88	86	71	...	0	c
Bacolod,	3 p.	...	..	..	W	1	c	9 a.	...	...	..	...	0	b
Iloilo,	"	29.75	81	...	W	3	c	"	29.85	81	..	..	0	b
Cebu,	"	29.77	85	..	S	1	b	"	29.89	84	...	N	1	c
Cape St. James,	4 p.	29.64	77	..	SW	2	c	10 a.	...	...	...	...	..	...

On the 4th at 12. 25p. The barometer has fallen slightly on the S. coast of China, and risen quickly in Luzon.

Pressure remains low over N. China. It is also low over the N. part of the China Sea, but the observations are insufficient to indicate definitely the exestence of a cyclonic depression.

The highest pressure is over the Philippines.

Moderate SE winds are indicated in the Formosa Channel, and E. winds over the N. part of the China Sea,

Forecast: — E winds, moderate; thunder showers.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 4th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	5th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.73	..	..	E	6	..	6 a.	29.77	..	...	NE	6	..
Hakodate,	"	29.61	..	..	S	4	..	"	29.69	...	..	SE	6	..
Tokio,	"	29.55	..	...	SE	6	..	"	29.59	..	...	NE	4	..
Kochi	"	29.56	...	...	..	0	..	"	29.64	...	...	W	2	..
Nagasaki,	"	29.56	..	...	W	6	..	"	29.64	...	...	NW	2	..
Kagoshima,	"	29.60	...	—	W	4	..	"	29.64	..	...	NW	2	..
Ushima,	"	29.69	..	...	SW	4	..	"	29.73	...	...	S	2	..
Naha.	"	29.77	...	...	SW	6	..	"	29.77	..	...	SW	4	..
Ishigakijima,	"	29.82	...	..	SW	6	..	"	29.78	..	..	SW	8	..
Taihoku,	1 p.	29.75	..	...	NW	4	..	5 a.	29.73	..	..	N	2	—
Taichu,	"	29.77	...	..	SW	6	..	"	29.78	..	..	...	0	..
Tainan,	"	29.70	..	..	S	6	..	"	29.84	..	...	SE	2	—
Koshun,	"	29.79	..	..	SW	6	..	"	29.81	...	..	SW	6	..
Pescadores,	"	29.77	..	...	W	6	..	"	29.76	...	...	S	6	—
Weihaiwei,	3 p.	29.52	78	...	E	1	c	9 a.	...	..	...	...	...	..
Gutzlaff,	"	29.52	82	91	WSW	2	cv	"	..	...	..	...	...	...
Sharp Peak,	"	29.68	90	81	S	3	o	"	29.69	85	98	SSE	4	c
Amoy,	"	29.60	89	92	SE	4	c	6 30a.	29.66	81	96	SW	3	c
Swatow,	"	29.67	86	84	SE	2	o	7 a.	29.64	80	91	SW	2	c
Canton,	"	29.68	95	62	SE	1	b	9 a.	29.71	83	84	SE	1	o
Hongkong,	4 p.	29.68	81	89	...	0	op	10 a.	29.74	84	83	WNW	1	o
Victoria Peak,	"	...	..	...	...	..	..	"	...	..	..	..	...	—
Gap Rock,	"	—	...	..	...	..	..	"	...	...	..	..	..	—
Macao,	"	29.67	84	...	SE	1	o	"	29.73	82	..	..	0	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.84	90	60	W	1	b	"	29.88	86	71	E	1	b
Bacolod,	3 p.	...	—	..	S	1	b	9 a.	...	...	..	...	0	...
Iloilo,	"	29.83	88	...	SW	1	c	"	29.89	82	..	NE	1	c
Cebu,	"	29.87	82	..	S	2	b	"	29.90	86	...	N	2	b
Cape St. James,	4 p.	29.70	81	..	SW	4	c	10 a.	...	...	...	...	..	...

On the 5th at 12. 30p. Barometric changes are slight.
A depression over SE Japan is moving towards the Pacific.
Pressure apparently remains low over N. China, but returns from that area are lacking.
Pressure is highest over the Philippines Archipelago.
Fresh S. and SW winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate SW winds; squally, thundershowers.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 5th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	6th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.77	..	..	NE	6	..	6 a.	29.81	..	...	NE	4	..
Hakodate,	"	29.69	..	..	E	6	..	"	29.77	...	..	NE	6	..
Tokio,	"	29.59	..	...	NE	4	..	"	29.75	..	...	NE	2	..
Kochi	"	29.60	...	...	SE	2	..	"	29.68	...	...	SW	2	..
Nagasaki,	"	29.64	..	...	SW	2	..	"	29.68	...	...	SE	2	..
Kagoshima,	"	29.64	...		S	2	..	"	29.68	..	...	SE	2	..
Oshima,	"	29.77	..	...	..	0	..	"	29.73	...	...	S	2	..
Naha,	"	29.77	...	...	SW	6	..	"	29.77	..	...	SW	6	..
Ishigakijima,	"	29.78	...	..	SW	8	..	"	29.74	..	..	SW	10	..
Taihoku,	1 p.	29.70	..	...	W	4	..	5 a.	29.72	..	..	...	0	..
Taichu,	"	29.78	...	..	SW	6	..	"	29.78	..	..	...	0	..
Tainan,	"	29.82	..	..	S	6	..	"	29.73	..	...	SE	4	..
Koshun,	"	29.81	..	..	W	6	..	"	29.77	...	..	W	4	..
Pescadores,	"	29.78	..	...	SW	8	..	"	29.75	...	...	SW	8	..
Weihaiwei,	3 p.	29.57	77	...	N	1	or	9 a.	...	..	...	...	...	..
Gutzlaff,	"	29.58	73	..	N	4	ov	"	..	...	..	...	...	...
Sharp Peak,	"	29.62	88	80	S	5	c	"	29.68	84	81	S	2	c
Amoy,	"	29.55	86	76	SSW	3	c	6 30a.	29.69	80	100	S	3	or
Swatow,	"	29.59	88	76	SW	3	c	7 a.	29.62	79	95	SW	1	or
Canton,	"	29.64	91	100	S	3	b	9 a.	29.70	85	87	S	1	c
Hongkong,	4 p.	29.66	80	91	...	0	op	10 a.	29.74	83	83	SW	4	oq
Victoria Peak,	"	...	..	...	S	4	..	"	...	..	..	..	...	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	...	..
Macao,	"	29.67	82	...	S	1	od	"	29.72	83	..	SW	3	o
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	88	65	WSW	1	c	"	29.84	86	71	WNW	1	c
Bacolod,	3 p.	...	..	..	S	3	c	9 a.	...	...	..	...	0	b
Iloilo,	"	29.79	87	...	W	2	c	"	29.85	83	..	...	0	c
Cebu,	"	29.84	86	..	N	1	c	"	29.87	84	...	S	2	c
Cape St. James,	4 p.	29.79	77	..	W	1	c	10 a.	...	...	...	...	..	..

On the 6th at 12. 5p. The barometer has risen slightly in Japan, and fallen a little over the Philippines. Pressure is highest over the China Sea and the Philippines, and lowest over China. Returns from N. China are lacking.

Fresh S. and SW winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast: — fresh SW winds; squally, showery.

F. G. FIGG,
First Assistant.

Hongkong Observatory Friday 6th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	7th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.85	..	..	SE	2	..	6 a.	29.97	..	...	E	2	..
Hakodate,	"	29.81	..	..	SE	6	..	"	29.89	...	..	SE	2	..
Tokio,	"	29.75	..	...	E	2	..	"	29.87	..	...	NE	2	—
Kochi	"	29.72	...	...	S	2	..	"	29.80	...	...	..	0	..
Nagasaki,	"	29.68	..	...	W	4	..	"	29.76	...	...	N	2	..
Kagoshima,	"	29.68	...		SE	2	..	"	29.76	..	...	NE	2	..
Oshima,	"	29.73	..	...	S	4	..	"	29.77	...	...	S	4	..
Naha,	"	29.77	...	...	SW	6	..	"	29.81	..	...	SE	4	..
Ishigakijima,	"	29.78	...	..	SW	6	..	"	29.78	..	..	SW	8	..
Taihoku,	1 p.	29.73	..	...	W	2	..	5 a.	29.75	..	..	S	2	—
Taichu,	"	29.83	...	..	S	4	..	"	29.78	..	..	...	0	..
Tainan,	"	29.82	..	..	S	2	..	"	29.79	..	...	E	4	—
Koshun,	"	29.80	..	..	W	6	..	"	29.79	...	..	W	2	..
Pescadores,	"	29.80	..	...	S	6	..	"	29.77	...	...	S	6	—
Weihaiwei,	3 p.	29.53	78	...	S	3	c	9 a.	29.70	75	...	SE	2	c
Gutzlaff,	"	29.50	76	100	NW	2	ov	"	...	...	..	...	...	...
Sharp Peak,	"	29.66	87	89	S	5	o	"	29.76	84	83	SSW	2	o
Amoy,	"	29.66	82	91	SE	1	or	6 30a.	29.75	81	96	S	3	c
Swatow,	"	29.60	84	83	SW	1	o	7 a.	29.68	80	96	WSW	2	c
Canton,	"	29.64	90	81	SE	1	c	9 a.	29.73	85	96	S	1	c
Hongkong,	4 p.	29.67	84	81	SSW	2	oq	10 a.	29.79	85	76	S	3	oq
Victoria Peak,	"	...	..	...	S	7	..	"	...	..	..	..	...	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.67	85	...	SW	3	c	"	29.78	86	..	SSW	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.76	90	66	WSW	3	c	"	29.88	86	71	SSE	1	o
Bacolod,	3 p.	...	--	..	...	0	o	9 a.	...	...	..	NW	1	b
Iloilo,	"	29.76	88	...	NE	1	b	"	29.89	85	..	ENE	1	b
Cebu,	"	29.81	86	..	N	2	b	"	29.90	86	...	S	1	b
Cape St. James,	4 p.	29.77	84	..	SW	1	c	10 a.	...	...	...	...	..	...

On the 7th at 11. 50a. The barometer has risen generally, particularly in the North.
Pressure is highest to the NE of Japan in the North, and over the S. part of the China Sea in the South.
The lowest pressure is over China.
Fresh S. and SW winds are indicated in the Formosa Channel, and the N. part of the China Sea.
Forecast: — fresh S winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 7th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	8th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	.
Nemuro,	"	30.01	..	..	E	4	..	6 a.	30.03	..	...	...	0	..
Hakodate,	"	29.97	..	..	SE	6	..	"	30.05	...	..	SE	6	..
Tokio,	"	29.87	..	...	NE	2	..	"	29.98	..	...	N	2	..
Kochi	"	29.80	...	...	S	2	..	"	29.88	...	...	NW	2	..
Nagasaki,	"	29.80	..	...	W	4	..	"	29.80	...	...	NE	2	..
Kagoshima,	"	29.80	...		SE	2	..	"	29.84	..	...	..	0	..
Oshima,	"	...	..	...	...	..	..	"	29.85	...	...	S	2	..
Naha,	"	29.85	...	...	SW	4	..	"	29.85	..	...	SW	2	..
Ishigakijima,	"	29.85	...	..	SW	6	..	"	29.85	..	..	SW	8	..
Taihoku,	1 p.	29.80	..	...	E	2	..	5 a.	29.83	..	..	S	2	..
Taichu,	"	29.83	...	..	SW	6	..	"	29.86	..	..	...	0	..
Tainan,	"	29.86	..	..	S	6	..	"	29.85	..	...	SE	2	..
Koshun,	"	29.85	..	..	W	6	..	"	29.83	...	..	W	2	..
Pescadores,	"	29.84	..	...	S	6	..	"	29.85	...	...	SW	4	..
Weihaiwei,	3 p.	29.69	77	...	SE	4	c	9 a.	29.74	70	...	SE	4	c
Gutzlaff,	"	29.57	83	91	E	2	cm	"	..	...	..	...	...	...
Sharp Peak,	"	29.76	83	87	SSW	2	o	"	29.30	83	83	SSW	2	o
Amoy,	"	29.71	85	79	S	4	o	6 30 a.	29.78	82	87	...	0	c
Swatow,	"	29.69	88	80	SW	3	c	7 a.	29.72	79	95	W	1	[illegible]
Canton,	"	29.70	90	96	S	1	o	9 a.	29.82	[illegible]	80	SSE	3	[illegible]
Hongkong,	4 p.	29.74	85	76	SSW	3	o	10 a.	29.35	86	75	SSW	2	[illegible]
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	SSW	7	[illegible]
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	[illegible]
Macao,	"	29.75	86	...	S	1	cd	"	..	..	..	...	...	[illegible]
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	[illegible]
Manila,	"	29.80	84	77	N	1	o	"	29.88	86	71	...	0	c
Bacolod,	3 p.	...	..	..	NW	2	c	9 a.	...	...	..	NW	1	b
Iloilo,	"	29.79	89	...	W	2	b	"	29.89	84	..	...	0	c
Cebu,	"	29.83	88	..	N	2	b	"	29.92	86	...	N	1	b
Cape St. James,	4 p.	29.74	84	..	SW	3	c	10 a.	...	...	...	...	..	...

On the 8th at 12. 5p. The barometer has risen over China and Japan.
The lowest pressure is over Central China, and the highest over E. Japan in the North, and over the China Sea in the South.
Fresh to moderate S. winds may be expected in the Formosa Channel and the N. part of the China Sea.
Forecast: — moderate S winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 8th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	9th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	.	..	7 a.	..	..	..	...	..	..
Nemuro,	"	30.08	..	..	S	3	..	6 a.	30.03	..	...	SW	6	..
Hakodate,	"	29.95	..	..	SE	8	.	"	30.05	...	..	E	4	..
Tokio,	"	29.98	..	...	N	2	..	"	3 .02	..	...	N	2	..
Kochi	"	29.87	...	...	SE	4	..	"	29.83	...	...	..	0	..
Nagasaki,	"	29.80		...	W	2	..	"	29.80	...	...	SE	4	..
Kagoshima,	"	29.84	...		SE	6	..	"	29.84	..	...	E	3	..
Oshima,	"	29.85	..	...	E	6	..	"	29.81	...	...	S	2	..
Naha.	"	29.80	...	...	SW	6	..	"	29.81	..	...	SW	4	..
Ishigakijima,	"	29.85	...	..	SW	6	..	"	29.82	..	..	SW	6	..
Taihoku,	1 p.	29.83	..	...	NW	4	..	5 a.	29.83	..	..	...	0	..
Tamsui,	"	29.88	...	..	S	4	..	"	29.87	..	..	...	0	..
Tainan,	"	29.86	..	.	W	4	..	"	29.86	..	...	..	0	..
Koshun,	"	29.87	..	..	W	6	..	"	29.83	...	..	W	4	..
Pescadores,	"	29.88	..	...	SW	6	..	"	29.85	...	...	S	4	..
Weihaiwei,	3 p.	...	...	...	...	..	...	9 a.	...	..	...	...	..	..
Gutzlaff,	"	29.58	88	84	E	2	cm	"	..	...	..	...	...	...
Sharp Peak,	"	29.77	86	83	S	2	o	"	29.76	85	83	SE	2	c
Amoy,	"	29.77	91	92	SE	4	c	6 30a.	29.78	87	96	S	1	b
Swatow,	"	...	90	77	SW	3	c	7 a.	29.80	85	91	W	2	c
Canton,	"	29.77	83	87	SE	2	b	9 a.	29.82	86	92	S	2	b
Hongkong,	4 p.	29.81	86	74	S	3	o	10 a.	29.85	84	78	SSW	1	c
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	SSW	2	..
Gap Rock,	"		...	.	...	..	..	"	...	...	..	.	..	..
Macao,	"	29.82	85	...	S	1	c	"	29.85	86	..	SW	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.80	91	61	W	1	c	"	29.88	90	60	SE	1	c
Bacolod,	3 p.	...	..	..	...	0	o	9 a.	...	...	..	N	1	c
Iloilo,	"	29.83	84	...	N	1	cd	"	29.87	85	.	NE	1	c
Cebu,	"	29.88	87	.	...	0	c	"	29.90	84	...	S	2	c
Cape St. James,	4 p.	29.79	84	..	SW	2	c	10 a.	...	...	...	...	..	...

On the 9th at 11. 50a. Barometric changes are unimportant.
Pressure is lowest over the interior of China; and highest to the E. of Japan in the North, and over the China Sea in the South.
Moderate S. winds are indicated in the Formosa Channel and the N. part of the China Sea.
Forecast: — moderate S winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 9th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	10th July 1906. A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	.	.	7 a.	..	.	..	...	..	.
Nemuro,	"	30.04	..	..	SW	8	..	6 a.	...	..	...	..	..	.
Hakodate,	"	30.01	..	..	SE	8	.	"	...	...	..	...	...	..
Tokio,	"	29.98	..	...	...	4	..	"	...	..	...	...	.	..
Kochi	"	29.87	...	...	SE	4	..	"	...	...	...	..	...	..
Nagasaki,	"	29.76	..	...	SE	4	..	"	..	...	...	...	...	..
Kagoshima,	"	29.80	...		E	6	..	"	..	..	...	..	...	..
Oshima,	"	29.81	..	...	SW	2	..	"	...	...	...	...	..	..
Naha,	"	29.81	...	...	SW	4	..	"	..	..	...	..	...	..
Ishigakijima,	"	29.82	...	..	SW	6	..	"	...	..	..	...	...	..
Tsiboku,	1 p.	29.78	..	...	W	6	..	5 a.	29.80	..	..	W	2	..
Taichu,	"	29.83	...	..	S	4	..	"	29.86	..	..	S	2	..
Tainan,	"	29.85	..	..	W	4	..	"	29.86	..	...	SE	4	..
Koshun,	"	29.83	..	..	NW	8	..	"	29.83	...	..	NW	6	..
Pescadores,	"	29.82	..	...	SW	6	..	"	29.84	...	...	SW	4	..
Weihaiwei,	3 p.	29.43	79	...	SE	4	c	9 a.	...	..	...	...	..	..
Gutzlaff,	"	29.52	84	91	S	2	cm	"	.	...	..	...	...	...
Sharp Peak.	"	29.69	87	88	S	4	b	"	29.76	85	85	..	0	c
Amoy,	"	29.71	93	67	SSE	3	b	6 30 a.	29.79	82	91	S	1	b
Swatow,	"	29.67	95	56	SW	1	b	7 a.	29.83	81	87	W	2	c
Canton,	"	29.77	86	92	SSE	2	c	9 a.	29.85	86	92	SSE	1	c
Hongkong,	4 p.	29.81	87	72	SW	2	c	10 a	29.87	83	72	SW	3	c
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	...	..	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	.	..	..	.
Macao,	"	29.82	86	...	S	1	c	"	29.87	83	..	SW	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.89	86	71	WSW	1	o	"	29.88	86	79	SW	0	c
Bacolod,	3 p.	...	..	..	...	0	o	9 a.	...	...	..	W	1	c
Iloilo,	"	29.79	86	...	NE	1	o	"	29.93	83	.	...	0	c
Cebu,	"	29.82	87	..	N	1	c	"	29.92	84	...	S	1	c
Cape St. James,	4 p.	29.89	86	..	WSW	1	c	10 a.	...	...	...	...	.	...

On the 10th at 12.15p. Yesterday afternoon a depression was moving Eastwards over N. China. Returns from the North are entirely lacking this morning.

In the South barometric changes are unimportant.

The highest pressure is over the China Sea.

Fresh SW winds may be expected in the Formosa Channel, and moderate to light SW and S. winds over the N. part of the China Sea.

Forecast:— moderate SW winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Tuesday 10th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	11th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	
Nemuro,	"	...	..	..	.	..	..	6 a.	30.01	.	...	SE	4	..
Hakodate,	"	...	..	..	...	...	.	"	29.85	...	..	E	8	..
Tokio,	"	...	..	...	...	...	..	"	29.83	.	...	...	0	..
Kochi	"	...	...	...	..	...	..	"	29.52	...	...	SE	6	..
Nagasaki,	"	..	.	...	...	...	..	"	29.48	...	...	W	4	..
Kagoshima,	"	..	...		..	...	..	"	29.52	..	...	E	2	..
Oshima,	"	...	..	...	...	...	..	"	29.61	...	...	SW	4	..
Naha.	"	..	...	...	..	..	..	"	29.65	..	...	SW	6	..
Ishigakijima,	"	...	...	..	...	...	..	"	29.70	.	..	SW	6	..
Taihoku,	1 p.	29.78	..	...	W	8	..	5 a.	29.71	..	..	..	0	..
Taichu,	"	29.85	...	..	SW	4	..	"	29.79	..	..	S	0	..
Tainan,	"	29.86	..	..	W	4	..	"	29.75	..	...	E	...	
Koshun,	"	29.81	..	..	W	8	..	"	29.73	...	..	NW	8	
Pescadores,	"	29.83	..	...	SW	4	..	"	29.76	...	...	SW	6	
Weihaiwei,	3 p.	29.48	67	...	.	3	c	9 a.	29.53	75	...	WNW	1	b
Gutzlaff,	"	29.50	89	77	WSW	3	ov	"	29.54	75	90	N	3	ov
Sharp Peak,	"	..	...	...	...	...	.	"	29.65	85	85	SE	1	o
Amoy,	"	29.71	93	71	SE	3	c	6 30a.	29.73	82	93	W	3	b
Swatow,	"	29.66	95	53	SW	2	b	7 a.	29.80	80	87	SW	2	c
Canton,	"	29.82	93	..	SE	2	c	9 a.	29.77	86	92	S	1	b
Hongkong,	4 p.	29.80	86	74	SW	2	o	10 a.	29.30	86	69	SW	3	c
Victoria Peak,	"	...	..	...	SSW	4	..	"	...	..	..	...	..	..
Gap Rock,	"	.	...	.	...	..	..	"	...	...	..	.	..	..
Macao,	"	29.81	87	...	S	1	c	"	29.81	85	..	W	1	c
Haiphong,	"	...	...	.	.	...	..	"	..	.	.	.	..	..
Manila,	"	29.80	90	60	W	2	c	"	29.84	84	71	NW	1	c
Bacolod,	3 p.	...	..	..	E	1	o	9 a.	...	...	..	...	0	c
Iloilo,	"	29.81	89	...	NE	1	c	"	29.85	86		NE	1	b
Cebu,	"	29.85	86	..	N	2	c	"	..	85	...	S	1	c
Cape St. James,	4 p.	29.78	83	..	SSE	1	c	10 a.	...	...	...	...	..	...

On the 11th at 11. 45a. The barometer has risen over N. China, and fallen elsewhere, particularly over Japan.

The depression, lying over N. China yesterday has reached the W. part of the Sea of Japan this morning. Fresh SW winds are indicated in the Formosa Channel, and moderate SW winds over the N. part of the China Sea.

Forecast: — moderate SW winds; fair.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 11th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	12th July 1906. A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather
Windivostock,	2 p.		...	...	.		.	7 a.	.	..	..	...	..	.
Nemuro,	"	29.89	..	..	E	6	..	6 a.	29.85	.	...	S	6	..
Hakodate,	"	29.73	...	..	E	8		"	29.73	...	.	...	0	..
Tokio,	"	29.75	..	...	S	4	..	"	29.75	.	...	NW	2	..
Kochi	"	29.48	...	...	SE	2	..	"	29.43	...	...	E	6	..
Nagasaki,	"	29.48	.	...	SW	6	..	"	29.48	...	...	..	0	..
Kagoshima,	"	29.48	...		W	4	..	"	29.48	.	...	...	0	..
Oshima,	"	29.57	..	...	W	2	..	"	29.53	...	...	NW	4	..
Naha,	"	29.61	...	...	SW	4	.	"	29.58	.	...	W	6	..
Ishigakijima,	"	29.66	...	..	SW	6	..	"	29.58	.	..		0	..
Taihoku,	1 p.	29.63	..	...	W	6	..	5 a.	29.59	.	..	SW	2	..
Taichu,	"	29.71	...	..	S	4	..	"	29.65	.	.	...	0	..
Tainan,	"	29.76	.	.	W	4	..	"	29.71	.	...	E	2	..
Koshun,	"	29.70	..	.	NW	10	..	"	29.65	...	..	NW	6	..
Pescadores,	"	29.74	.	...	SW	6	..	"	29.69	...	...	SW	6	
Weihaiwei,	3 p.	29.54	77	...	WNW	2	b	9 a.	...	...	...	.	...	..
Gutzlaff,	"	29.50	75	90	NNE	3	cv	"	29.42	79	100	NNE	4	omd
Sharp Peak,	"	29.57	88	82	S	3	c	"	29.53	84	85	SE	1	o
Amoy,	"	29.59	94	68	S	4	c	6.30 a.	29.58	85	87	SW	3	o
Swatow,	"	29.56	96	59	SW	1	b	7 a.	29.59	81	87	SW	1	c
Canton,	"	29.67	94	88	S	2	b	9 a.	.	.	...	...	..	...
Hongkong,	4 p.	29.69	86	69	SW	3	c	10 a.	29.69	85	77	SW	3	o
Victoria Peak,	"	...	..	...	SSW	4	..	"	...	.	..	...	.	
Gap Rock,	"		...	.	...	..	..	"	...	...	..	.		
Macao,	"	29.70	87	...	SSW	1	c	"	29.70	85	..	WSW	1	e
Haiphong,	"	...	...		.	...	..	"	..	.	..	..	..	..
Manila,	"	29.76	90	66	WSW	2	c	"	29.80	88	65	...	0	c
Bacolod,	3 p.	...	..	..	W	1	o	9 a.	...	..	..	...	0	o
Iloilo,	"	29.79	89	...	SW	3	c	"	29.81	84		W	1	c
Cebu,	"	29.77	87	.	S	2	b	"	29.82	86	...	S	1	c
Cape St. James,	4 p.	29.73	86	..	SW	2	o	10 a.	...	...	...	...	..	...

On the 12th at 12. 5p. The depression is over W. Japan, and moving slowly Eastwards
The barometer has fallen again over the China coast, and another depression appears to be developing over the Eastern Sea.
Pressure is highest to the E. of Japan in the North, and over the China Sea in the South.
Fresh SW winds are indicated in the Formosa Channel, and the N. part of the China Sea.
Forecast: — fresh SW winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 12th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	13th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	.	7 a.	..	..	..	...	..	
Nemuro,	"	29.85	..	..	SE	4	..	6 a.	29.93	..	...	S	4	..
Hakodate,	"	29.73	..	..	S	2	..	"	29.77	...	..	...	0	..
Tokio,	"	29.71	..	...	NW	2	..	"	29.75	..	...	E	4	
Kochi	"	29.52	...	...	..	0	..	"	29.56	...	...	E	6	..
Nagasaki,	"	29.48	..	...	W	4	..	"	29.48	...	...	..	6	..
Kagoshima,	"	29.48	...		NW	4	..	"	29.49	..	...	...	0	
Oshima,	"	29.53	..	...	N	2	..	"	29.49	...	...	S	2	
Naha	"	29.57	...	...	W	4	..	"	29.58	..	...	SW	2	
Ishigakijima,	"	29.58	...	..	SW	6	..	"	29.54	..	..	NE	2	
Taihoku,	1 p.	29.55	..	...	W	6	..	5 a.	29.56	..	..	...	0	..
Tacsui,	"	29.65	...	..	S	6	..	"	29.66	..	..	S	2	..
Tamsui,	"	29.69	..	..	SW	2	..	"	29.6[illegible]	..	...	S	2	..
Koshun,	"	29.65	..	..	NW	8	..	"	29.62	...	..	NW	8	..
Pescadores,	"	29.66	..	...	SW	6	..	"	29.63	...	...	S	6	..
Weihaiwei,	3 p.	29.52	84	...	NNW	1	b	9 a.	...	...	...	..	...	..
Gutzlaff,	"	29.44	71	95	NNE	4	omd	"	29.55	76	86	N	2	cv
Sharp Peak,	"	29.48	87	82	S	3	0	"	29.57	86	87	S	1	o
Amoy,	"	29.61	95	78	SE	3	c	6 30a.	29.51	86	84	S	1	c
Swatow,	"	29.48	92	64	SW	4	c	7 a.	29.51	88	80	SW	2	c
Canton,	"	29.59	94	...	S	1	c	9 a.	29.65	87	92	S	1	b
Hongkong,	4 p.	29.63	86	75	SW	3	oq	10 a.	29.65	87	77	WSW	3	o
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	SW	5	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	...
Macao,	"	29.64	86	...	S	2	c	"	29.66	86	..	W	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.72	88	72	SW	3	b	"	29.76	86	69	W	1	b
Bacolod,	3 p.	...	..	..	W	1	c	9 a.	...	...	..	W	1	c
Iloilo,	"	29.77	86	...	W	4	c	"	29.81	83	..	W	3	c
Cebu,	"	...	87	..	S	2	c	"	29.84	86	...	S	2	b
Cape St. James,	4 p.	...	—	..	..	...	..	10 a.	...	...	...	...	..	...

On the 13th at 12. 15p. The barometer has risen over the E. coast of China and in NE Japan, and fallen in S. China and Luzon.

The area of low pressure is still lying over the Eastern Sea to the SW of Japan.

Pressure is highest to the E. of Japan in the North, and over the S. part of the China Sea in the South.

Moderate SW or variable winds are indicated in the Formosa Channel, and fresh SW and W. winds over the N. part of the China Sea.

Forecast: — fresh SW winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Friday 13th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	14th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	.	...	...	..	..	..	7 a.	..	..	..	...	..	
Nemuro,	"	29.89	..	..	S	6	..	6 a.	29.89	..	...	S	6	
Hakodate,	"	29.69	..	..	SE	4	..	"	29.61	...	..	E	4	
Tokio,	"	29.67	..	...	E	4	..	"	29.71	..	...	SE	6	
Kochi	"	29.52	...	...	W	4	..	"	29.41	...	...	SW	2	
Nagasaki,	"	29.44	..	...	N	6	..	"	29.63	...	...	N	2	
Kagoshima,	"	29.44	...		E	2	..	"	29.56	..	...	N	4	..
Oshima,	"	29.49	..	...	S	2	..	"	29.61	...	...	N	6	..
Naha.	"	29.54	...	...	SW	4	..	"	29.62	..	...	N	6	..
Ishigakijima,	"	29.58	...	..	E	6	..	"	29.65	..	..	N	2	..
Taihoku,	1 p.	29.58	..	...	SW	6	..	5 a.	29.68	..	..	W	2	..
Taichu,	"	29.65	...	..	SE	4	..	"	29.69	..	..	...	0	..
Tainan,	"	29.67	..	..	SW	4	..	"	29.69	..	...	E	2	
Koshun,	"	29.65	..	..	NW	8	..	"	29.68	...	..	NW	2	..
Pescadores,	"	29.63	..	...	SW	6	..	"	29.67	...	...	S	2	..
Weihaiwei,	3 p.	29.60	...	...	NNW	1	b	9 a.	29.74	79	...	WNW	1	b
Gutzlaff,	"	29.58	79	78	NE	2	cv	"	29.66	79	87	S.	2	cv
Sharp Peak,	"	29.58	82	79	NNE	4	or	"	29.73	81	89	.	0	o
Amoy,	"	29.51	90	81	SSE	2	or	6 30 a.	29.69	82	96	NE	2	o
Swatow,	"	29.47	95	62	SW	2	c	7 a.	...	..	.	...	..	...
Canton,	"	29.57	95	63	S	1	c	9 a.	...	...	...	...	...	..
Hongkong,	4 p.	29.66	87	72	SSW	2	c	10 a.	29.79	83	71	SW	1	o.
Victoria Peak,	"	...	..	...	S	0	..	"	...	.	..	SSW	2	...
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	
Macao,	"	29.60	86	...	SW	2	c	"	29.70	83	..	S	1	c
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.72	88	65	...	2	c	"	29.76	86	71	WSW	2	c
Bacolod,	3 p.	...	..	..	W	2	c	9 a.	...	...	..	W	1	b.
Iloilo,	"	29.75	88	...	SW	3	o	"	29.85	82	.	W	1	o
Cebu,	"	29.76	87	..	S	3	c	"	29.86	85	...	S	3	c
Cape St. James,	4 p.	29.68	..	..	WSW	2	c	10 a.	...	...	...	...	..	...

On the 14th at 12. 5p. The barometer has risen over China and SW Japan, and fallen in Central and NE Japan.

The depression is over Central Japan, and moving towards NE.

Pressure is highest to the E. of Japan in the North, and over the S. part of the China Sea in the South.

Moderate variable winds are indicated in the Formosa Channel and the N. part of the China Sea.

Forecast: — S or variable winds, light to moderate; thunder showers.

F. G. FIGG.
First Assistant

Hongkong Observatory Saturday 14th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

14th July 1906, P. M.								15th July 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.81	..	..	S	3	..	6 a.	29.76	..	...	S	6	..
Hakodate,	"	29.57	..	..	S	4	.	"	29.73	...	..	N	3	..
Tokio,	"	29.67	..	...	S	8	..	"	29.79	..	...	S	6	..
Kochi	"	29.52	...	...	SE	4	..	"	29.76	...	...	..	0	..
Nagasaki,	"	29.56	..	...	N	6	..	"	29.76	...	...	NE	2	..
Kagoshima,	"	29.56	...		W	2	..	"	29.72	..	...	E	2	..
Oshima,	"	29.65	..	...	N	4	..	"	29.73	...	...	NW	2	..
Naha.	"	29.69	...	...	N	4	..	"	29.73	..	...	E	2	..
Ishigakijima,	"	29.79	...	..	NE	6	..	"	29.79	..	..	NE	2	..
Taihoku,	1 p.	29.69	..	...	NW	6	..	5 a.	29.73	..	..	...	0	..
Tamsui,	"	29.74	...	..	S	4	..	"	29.73	..	..	...	0	..
Taman,	"	29.74	..	..	N	2	..	"	29.75	..	...	E	2	..
Koshun,	"	..	..	..	NW	8	..	"	29.73	...	..	...	...	..
Pescadores,	"	29.71	..	...	SW	2	..	"	29.70	...	...	SW	2	.
Weihaiwei,	3 p.	...	...	...	...	..	..	9 a.	29.82	85	...	W	1	b
Gutzlaff,	"	29.65	81	78	SSW	1	cv	"	29.72	77	86	SE	3	cv
Sharp Peak,	"	29.71	84	77	ENE	2	o	"	29.77	82	83	SE	1	o
Amoy,	"	29.68	83	83	ENE	3	o	6 30 a.	29.74	79	91	E	3	.
Swatow,	"	29.53	86	80	SE	3	c	7 a.	29.66	78	91	E	2	c
Canton,	"	29.61	94	61	SE	1	c	9 a.	29.70	96	81	SE	3	b
Hongkong,	4 p.	29.63	87	73	S	3	o	10 a.	29.76	87	74	SW	1	c
Victoria Peak,	"	...	..	...	...	...	..	"	...	..	..	S	1	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.64	86	...	S	1	c	"	29.75	83	..	..	...	c
Haiphong,	"	...	...	..	..	...	..	"	..	..	..	..	..	..
Manila,	"	29.72	86	71	SW	4	c	"	29.76	83	66	W	0	c
Bacolod,	3 p.	...	..	..	W	1	o	9 a.	...	...	..	SW	1	c
Iloilo,	"	29.75	80	...	W	5	or	"	29.81	82	..	SW	1	c
Cebu,	"	29.79	86	..	S	4	c	"	29.83	85	...	S	2	c
Cape St. James,	4 p.	29.75	82	..	SW	3	c	10 a.	...	...	...	...	..	...

On the 15th at 12. 15p. The barometer has risen over China and S. Japan, and fallen slightly over the Philippines.

Pressure is low, apparently over the Pacific to the NE of Luzon. It is highest over the Yellow Sea in the North, and over the S. part of the China Sea in the South.

Moderate E. winds are indicated in the Formosa Channel, and moderate variable winds over the N. part of the China Sea.

Forecast: — variable winds, light to moderate; fair.

F. G FIGG.
First Assistant.

Hongkong Observatory Sunday 15th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	16th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.81	..	..	SW	8	..	6 a.	29.89	..	...	S	6	..
Hakodate,	"	29.85	..	..	SE	6	..	"	29.93	...	..	SE	2	..
Tokio,	"	29.85	..	...	S	6	..	"	29.95	.	...	S	6	..
Kochi	"	29.76	...	...	SE	2	..	"	29.84	...	...	..	0	..
Nagasaki,	"	29.76	.	...	NW	2	..	"	29.76	...	...	...	0	..
Kagoshima,	"	29.76	...		NE	2	..	"	29.76	..	...	E	6	..
Oshima,	"	29.73	..	...	N	2	..	"	29.69	...	...	...	0	..
Naha.	"	29.73	...	...	N	6	..	"	29.69	..	...	...	0	..
Ishigakijima,	"	29.74	...	..	NE	4	..	"	29.70	..	..	N	2	..
Taihoku,	1 p.	29.74	..	...	E	4	..	5 a.	29.71	..	..	...	0	..
Taicou,	"	29.74	...	..	..	0	..	"	29.71	..	..	...	0	..
Taman,	"	29.76	..	..	W	6	..	"	29.71	..	...	NE	2	..
Koshun,	"	29.74	..	..	NW	6	..	"	29.68	...	..	...	0	..
Pescadores,	"	29.74	..	...	W	2	..	"	29.70	...	...	NW	2	..
Weihaiwei,	3 p.	...	83	...	SE	1	b	9 a.	...	...	...	...	..	...
Gutzlaff,	"	29.67	84	75	ESE	2	cv	"	29.69	78	86	ESE	3	cv
Sharp Peak,	"	29.73	85	82	SE	1	o	"	29.74	83	84	NE	1	o
Amoy,	"	29.70	86	76	ESE	3	b	6 30 a.	29.74	81	96	SE	1	o
Swatow,	"	29.53	89	74	SE	1	b	7 a.	29.61	81	96	...	0	b
Canton,	"	29.64	96	75	SE	2	c	9 a.	29.71	87	84	...	0	b
Hongkong,	4 p.	29.66	88	68	S	2	b	10 a.	29.72	85	74	WSW	1	c
Victoria Peak,	"	...	..	...	SSW	2	..	"	...	..	..	SSW	1	..
Cap Rock,	"	.	...	..	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.68	88	...	S	1	c	"	29.73	83	..	..	0	o
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.69	88	65	WSW	2	o	"	29.73	84	77	W	2	...
Bacolod,	3 p.	...	..	..	W	1	c	9 a.	...	...	..	W	1	o
Iloilo,	"	29.75	82	...	W	4	or	"	29.78	82	..	SW	3	c
Cebu,	"	29.78	85	..	S	3	c	"	29.78	84	...	S	3	o
Cape St. James,	4 p.	..	..	..	..	..	..	10 a.	...	...	...	...	..	...

On the 16th at 11. 55a. The barometer has risen moderately over E. Japan, and fallen slightly over the China coast, the Loochoos and the Philippines.

A depression appears to be developing in the Pacific, probably to the NE of Luzon.

Pressure is highest to the E. of Japan in the North, and over the S. part of the China Sea in the South.

Light to moderate E. winds are indicated in the Formosa Channel, and light variable winds over the N. part of the China Sea.

Forecast: — light variable winds; fair.

F G FIGG.
First Assistant.

Hongkong Observatory Monday 16th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	17th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.		...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	29.89	..	..	S	4	..	6 a.	30.04	..	...	SW	4	..
Hakodate,	"	29.93	..	..	E	4	..	"	30.01	...	..	SE	2	..
Tokio,	"	29.99	..	...	S	6	..	"	30.10	.	...	S	4	..
Kochi	"	29.80	...	...	...	0	..	"	29.91	...	...	SE	2	..
Nagasaki,	"	29.72	..	...	SE	2	..	"	29.84	...	...	SE	10	..
Kagoshima,	"	29.72	...		E	6	..	"	29.84	..	...	...	0	..
Oshima,	"	29.69	..	...	SE	4	..	"	29.69	...	...	E	2	..
Naha,	"	29.65	...	...	NW	4	..	"	29.69	..	...	E	2	..
Ishigakijima,	"	29.70	...	..	NE	6	..	"	29.66	..	..	N	2	..
Taihoku,	1 p.	29.68	..	...	E	6	..	5 a.	29.53	..	..	E	4	..
Taichu,	"	29.67	...	..	NW	4	..	"	29.65	..	..	...	6	..
Tainan,	"	29.76	..	..	NW	4	..	"	29.65	..	...	...	0	..
Koshun,	"	29.68	..	...	NW	6	..	"	29.63	...	..	E	2	..
Pescadores,	"	29.70	..	...	NW	4	..	"	29.64	...	...	NW	2	..
Weihaiwei,	3 p.	29.78	72	...	E	2	b	9 a.	29.86	75	...	ESE	2	c
Gutzlaff,	"	29.64	81	78	ESE	3	cv	"	...	...	...	...	..	...
Sharp Peak,	"	29.68	84	82	E	2	o	"	29.67	83	83	NE	1	o
Amoy,	"	29.64	86	76	SE	3	b	6 30 a.	29.69	81	96	NE	1	o
Swatow,	"	29.57	90	66	S	2	b	7 a.	29.66	80	96	SE	1	b
Canton,	"	29.62	96	75	S	1	b	9 a.	29.67	85	83	SE	1	b
Hongkong,	4 p.	29.62	87	65	S	3	c	10 a.	29.67	87	63	W	1	b
Victoria Peak,	"	...	..	...	..	...	..	"	...	..	..	SSW	3	..
Gap Rock,	"	.	...	..	...	..	..	"	...	...	...	..	..	..
Macao,	"	29.64	90	...	SE	1	c	"	29.67	89	..	..	0	c
Haiphong,	"	...	...	..	..	...	..	"	..	.	..	..	..	..
Manila,	"	29.65	88	65	SW	2	o	"	29.59	82	85	W	1	c
Iloilo,	3 p.	...	..	..	W	1	o	9 a.	...	...	..	W	3	o
Cebu,	"	29.83	83	...	SW	5	or	"	29.74	80	..	W	6	q
Cape St. James,	"	29.72	84	..	S	3	o	"	29.84	83	...	S	2	b
	4 p.	..	..	..	..	..	..	10 a.	...	...	...	...	..	...

On the 17th at 11. 55a. The barometer has risen in Japan, and fallen over China, Formosa and the Philippines.

The depression in the Pacific to the NE of Luzon, is still indicated.

An area of high pressure lies to the E. of Japan.

Moderate E. winds are indicated in the Formosa Channel, and moderate variable winds over the N. part of the China Sea.

Forecast: — light variable winds; fair.

F G FIGG
First Assistant.

Hongkong Observatory Tuesday 17th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	18th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
emuro,	,,	..	..	..	..	..	..	6 a.	...	..	...	...	...	..
akodate,	,,	...	..	..	..	...	..	,,	...	...	..	..	..	..
okio,	,,	...	..	...	...	...	..	,,	..	..	...	..	...	..
ochi	,,	...	...	...	...	..	..	,,	..	...	...	...	..	..
agusaki,	,,	...	..	...	..	..	..	,,	..	...	...	..	...	..
agoshima,	,,	...	...		..	...	..	,,	..	..	...	...	...	..
shima,	,,	...	..	...	..	..	..	,,	..	...	...	...	..	..
aba.	,,	..	...	...	...	..	..	,,	..	..	...	..	..	..
higakijima,	,,	...	...	..	...	...	..	,,	...	..	..	...	...	..
shoku,	1 p.	29.64	..	...	E	4	..	5 a.	29.64	..	..	E	4	..
aichu,	,,	29.64	...	..	N	4	..	,,	29.64	..	..	...	0	..
aman,	,,	29.65	..	..	S	4	..	,,	29.65	..	...	...	0	..
oshun,	,,	29.63	..	..	NW	2	..	,,	29.64	...	..	E	2	..
escadores,	,,	29.65	..	...	NW	6	..	,,	29.62	...	...	NW	6	..
eihaiwei,	3 p.	29.77	78	...	ENE	3	c	9 a.	...	..	...	...	...	..
utziaff,	,,	29.61	82	83	SE	3	cm	,,	29.68	88	73	SE	3	cm
arp Peak,	,,	29.66	86	80	ENE	2	o	,,	29.69	83	83	N	2	c
moy,	,,	...	...	...	...	...	...	6 30a.	29.69	81	96	NE	3	c
watow,	,,	29.53	90	73	S	2	c	7 a.	29.63	80	96	...	0	b
anton,	,,	29.61	95	75	SE	1	b	9 a.	29.65	86	84	SE	1	b
ongkong,	4 p.	29.61	88	65	SSW	1	c	10 a.	29.66	86	72	SE	1	o
ictoria Peak,	,,	...	..	...	..	...	..	,,	...	..	..	E	1	..
ap Rock,	,,	-	...	..	...	..	..	,,	...	...	..	..	..	..
acao,	,,	29.62	89	...	SSE	1	c	,,	29.66	90	..	..	0	c
aiphong,	,,	...	...	..	..	...	..	,,	..	..	..	..	..	..
anila,	,,	29.61	88	66	SW	2	c	,,	29.69	79	92	W	6	d
acolod,	3 p.	...	..	..	W	2	o	9 a.	...	...	..	SW	2	od
ollo,	,,	29.68	80	...	SW	6	o	,,	29.74	79	.	SW	5	or
ebu,	,,	29.70	85	..	S	4	c	,,	29.74	83	...	S	5	c
ape St. James,	4 p.	..	..	..	..	..	..	10 a.	...	...	...	...	..	...

On the 18th at 11. 55a. The barometer has risen slightly on the E. coast of China, and is little changed elsewhere.

Pressure remains in considerable defect at the Philippine and Formosa stations, and the depression would appear to be almost stationary in the Pacific to the NE of Luzon.

The Japanese returns are, however, not available this morning.

Moderate NE winds are indicated in the Formosa Channel, and moderate variable winds over the N. part of the China Sea.

Forecast: — light to moderate NE winds; showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Wednesday 18th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	19th July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.		...	...	..	.	..	7 a	..	..	..	...	..	..
Nemuro,	"	29.89	..	..	SE	4	..	6 a.	...	.	...	...	...	..
Kushiro,	"	29.97	..	..	NW	2	..	"	...	...	..	...	..	..
Tokio,	"	29.39	..	...	SE	4	..	"	..	.	...	..	...	..
Kochi	"	30.03	...	...	SE	4	..	"	..	...	...	...	..	..
Nagasaki,	"	...	.	...		0	..	"	..	...	...	..	...	..
Kagoshima,	"	29.96	...		E	8	..	"	..	..	...	...	...	..
Oshima,	"	29.86	..	...	E	6	..	"	..	...	...	...	..	..
Nara.	"	29.73	...	..	E	6	..	"	..	..	...	..	..	..
Ishigakijima,	"	29.62	...	..	SE	3	..	..	...	..	..	...	...	..
Taihoku,	1 p.	29.68	..	...	E	6	..	5 a.	29.58	..	..	E	6	..
Taicoa,	"	29.59	...	..	N	2	..	"	29.57	..	..	...	0	..
Tamsui,	"	29.62	..	..	W	2	..	"	29.56	..	...	E	2	..
Koshun.	"	29.60	..	..	NE	4	..	"	29.55	...	..	...	0	..
Pescadores,	"	29.62	.	...	N	6	..	..	29.54	...	...	NE	2	..
Weihaiwei,	3 p.	29.80	85	...	SW	3	b	9 a.	29.35	78	...	NNW	2	c
Gutzlaff,	"	29.64	81	91	SE	4	cm	"	29.68	80	..	SE	5	cm
Sharp Peak,	"	29.63	85	79	ENE	4	c	..	29.61	84	89	NNE	3	c
Amoy,	"	29.61	69	77	NE	2	c	6 30 a.	29.59	80	83	SSW	2	c
Swatow,	"	29.54	84	72	SE	2	b	7 a.	29.57	76	95	...	0	...
Canton,	"	29.56	97	72	SE	1	c	9 a.	...	.	...	...	..	...
Hongkong.	4 p.	29.58	80	89	NW	1	b	10 a	29.60	86	69	W	1	b
Victoria Peak,	"	...	..	...	W	4	..	"	...	.	..	N	1	.
Gap Rock,	"		...	.	...	..	..	"	...	...	..	..	..	..
Macao,	"	29.59	86	...	..	0	b	"	29.59	88	..	..	0	b
Haiphong,	"	...	...	.	..	...	..	"	.	.	.	..	..	..
Manila,	"	29.57	84	71	SW	5	b	"	29.61	79	84	S	3	b
Baguio,	8 p.	...	.	..	W	2	b	9 a.	...	..	..	SW	2	bq
Iloilo,	"	...	80	...	SW	6	q	"	..	81		SW	6	q
Cebu,	"	...	86	..	S	4	b	"	..	83	...	S	3	c
Cape St. James,	4 p.	..	..	..	..	..	..	10 a.	...	...	...	...	..	...

On the 19th at 12. 10 p. The barometer has risen slightly in N. China, and fallen moderately in S. China, Formosa and Luzon.

The depression, which appears to have deepened, is probably central in the neighbourhood of N. Luzon this morning.

The Japanese returns are, however, lacking.

Fresh NE winds are indicated in the Formosa Channel and over the N. part of the China Sea.

Forecast:— moderate NE winds; squally, showery.

F. G. FIGG.
First Assistant.

Hongkong Observatory Thursday 19th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

19th July 1906, P. M.									20th July 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather		Hour	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...		7 a.	...	...	...	...	...	...
Nemuro,	"	29.65	...	...	SE	6	...		6 a.	29.73	...	...	NE	2	...
Hakodate,	"	29.73	...	...	NW	6	...		"	29.77	...	...	...	0	...
Tokio,	"	29.73	...	...	SE	6	...		"	29.79	...	...	...	0	...
Kochi	"	29.87	...	...	S	4	...		"	29.84	...	...	...	0	...
Nagasaki,	"	29.91	...	...	W	8	...		"	29.84	...	...	SE	2	...
Kagoshima,	"	29.88	...		E	2	...		"	29.84	...	...	N	2	...
Oshima,	"	29.77	...	...	NE	4	...		"	29.73	...	...	E	2	...
Naha	"	29.65	...	...	E	6	...		"	29.62	...	...	E	6	...
Ishigakijima,	"	29.62	...	...	E	8	...		"	29.54	...	...	NE	4	...
Taihoku,	1 p.	29.55	...	...	E	8	...		5 a.	29.60	...	...	E	4	...
Taichu,	"	29.53	...	...	NW	4	...		"	29.57	...	...	...	0	...
Tainan,	"	29.56	...	...	SW	4	...		"	29.55	...	...	N	2	
Koshun,	"	29.56	...	...	NE	6	...		"	29.54	...	...	...	0	
Pescadores,	"	29.45	...	...	W	4	...		"	29.50	...	...	NW	2	
Weihaiwei,	3 p.	29.81	81	...	S	2	c		9 a.	29.80	83	...	SSW	2	b
Gutzlaff,	"	29.66	82	83	SE	4	cm		"	29.69	83	87	ESE	3	cm
Sharp Peak,	"	29.58	86	84	ENE	5	c		"	29.64	83	87	NNE	5	c
Amoy,	"	29.53	80	84	E	4	c		6 30 a.	29.59	80	100	N	1	or
Swatow,	"	29.44	84	79	N	0	c		7 a.	29.51	79	91	E	1	o
Canton,	"	29.54	78	100	...	0	or		9 a.	29.57	81	83	NE	1	c
Hongkong,	4 p	29.50	82	80	NW	1	c		10 a.	29.57	79	91	E	2	op
Victoria Peak,	"	...	...	...	S	1	...		"	...	...	...	S	4	...
Gap Rock,	"	...	...	...	...	...	...		"	...	...	...	...	...	...
Macao,	"	29.52	85	...	SE	1	c		"	29.56	85	...	SE	1	c
Haiphong,	"	...	...	...	...	...	...		"	...	...	...	...	...	...
Manila,	"	29.53	81	85	S	3	oq		"	29.61	82	85	SSW	1	o
Bacolod,	3 p.	...	...	...	SW	4	oq		9 a.	...	...	...	SW	4	o
Iloilo,	"	29.36	81	...	SW	6	q		"	29.72	80	...	SW	6	oq
Cebu,	"	29.55	85	...	S	6	c		"	29.73	81	...	S	1	c
Cape St. James,	4 p	29.63	79	...	SW	4	o		10 a.	...	...	...	...	...	...

On the 20th at 12. 15p. The barometer has fallen over S. Japan and the Loochoos, and is little changed elsewhere.

The depression is elongated and stationary. It extends over the N. part of the China Sea and the Pacific towards the SE of Formosa. A typhoon may form in the depression. It appears most likely to do so in its Eastern extremity.

Fresh NE winds are indicated in the Formosa Channel and along the Northern shores of the China Sea.

Forecast: — moderate NE winds; squally, showery.

F. G. FIGG
First Assistant.

Hongkong Observatory Friday 20th July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

20th July 1906, P. M.								21st July 1906, A. M.						
Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	...	...	..	..	..	7 a.	..	..	..	...	..	..
Nemuro,	"	..	..	..	...	...	..	6 a.	29.89	..	...	SE	4	..
Hakodate,	"	...	..	..	...	...	..	"	29.85	...	..	..	0	..
Tokio,	"	..	..	...	...	..	..	"	29.87	.	...	NE	2	..
Kochi	"	..	...	...	...	..	..	"	29.88	...	...	...	0	..
Nagasaki,	"	...	..	...	...	..	..	"	29.84	...	...	..	0	..
Kagoshima,	"	...	...		...	..	..	"	29.84	..	...	NE	6	..
Oshima,	"	..	..	...	...	...	..	"	29.69	...	...	SE	2	..
Naha.	"	..	...	...	...	...	..	"	29.58	..	...	NE	6	..
Ishigakijima,	"	...	...	..	...	..	..	"	29.57	..	..	NE	4	..
Taihoku,	1 p.	29.59	..	...	NE	6	..	5 a.	29.58	..	..	E	4	..
Taichu,	"	29.48	...	..	W	2	..	"	29.55	..	..	E	2	..
Tainan,	"	29.52	..	..	W	4	..	"	29.53	..	...	SE	2	.
Koshun,	"	29.51	..	..	NE	6	..	"	29.54	...	..	E	2	..
Pescadores,	"	29.52	..	...	N	8	..	"	29.53	...	...	N	4	..
Weihaiwei,	3 p.	29.77	84	...	S	2	b	9 a.	29.85	80	...	S	1	b
Gutzlaff,	"	29.66	82	87	E	3	cm	"	29.71	79	91	ENE	4	cm
Sharp Peak,	"	29.61	84	83	NNE	6	o	"	29.64	81	96	NNE	6	o
Amoy,	"	29.53	90	...	NNE	5	b	6.30 a.	29.59	78	100	SW	3	or
Swatow,	"	29.43	87	60	E	4	c	7 a.	29.54	79	91	...	6	b
Canton,	"	29.52	82	91	NE	1	or	9 a.	29.58	85	87	N	1	b
Hongkong,	4 p.	29.52	81	83	E	2	op	10 a.	29.61	88	62	N	2	c
Victoria Peak,	"	...	..	...	E	4	..	"	...	..	..	N	2	
Gap Rock,	"		...	..	...	..	..	"	...	...	..	.	..	
Macao,	"	29.52	84	...	E	1	c	"	29.54	86	..	N	1	c
Haiphong,	"	...	...	.	..	...	..	"	..	.	..	.	..	..
Manila,	"	29.57	81	92	SW	5	lt	"	29.63	79	92	ESE	1	o
Iloilo,	3 p.	...	..	..	W	2	o	9 a.	...	...	..	W	3	o
Iloilo,	"	29.54	82	...	SW	4	o	"	29.78	84	.	W	5	o
Cebu,	"	29.53	85	..	S	3	c	"	29.70	83	...	S	2	b
Cape St. James,	4 p.	29.59	81	..	WSW	4	o	10 a.	...	...	...	...	..	...

On the 21st at 12. 5p. The barometer has risen over E. Japan and the S. Philippines, and is little changed elsewhere.

The depression is still lying across the N. part of the China Sea and the Pacific to the SE of Formosa. There is some evidence that it may become circular to the SW of Formosa.

Disturbed weather with strong N and NE winds are indicated in the Formosa Channel and along the Northern shores of the China Sea.

Forecast: — N winds; squally, showery.

Owing to the interruption of the cable, the Gap Rock observations are not available.

F. G. FIGG.
First Assistant.

Hongkong Observatory Saturday 21st July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st July 1906, P. M. Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather	22nd July 1906, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	..	...	...	..	.	..	7 a.	..	..	..	...	..	..
Nemuro, ...	"	29.89	..	..	SE	6	..	6 a.	29.85	..	...	SE	2	..
Hakodate, ...	"	29.81	..	..	SE	4	.	"	29.77	...	..	SE	2	..
Tokio, ...	"	29.83	..	...	SE	4	..	"	29.82	.	...	S	2	..
Kochi	"	29.83	...	...	S	4	..	"	29.84	...	...	...	0	..
Nagasaki, ...	"	29.80	..	...	SW	4	..	"	29.76	...	...	..	0	..
Kagoshima, ...	"	29.80	...		E	2	..	"	29.76	..	...	NE	6	..
Oshima, ...	"	29.69	..	...	N	4	..	"	29.57	...	...	N	6	..
Nana.	"	29.57	...	...	NE	4	..	"	29.54	..	...	NE	6	..
Ishigakijima, ..	"	...	...	..	...	..	..	"	29.53	.	..	SW	2	..
Taihoku, ...	1 p.	29.64	..	...	E	4	..	5 a.	29.54	..	..	W	2	..
Taichu, ...	"	29.56	...	..	NW	4	..	"	29.54	..	..	E	2	..
Tainan, ...	"	29.56	..	..	SW	4	..	"	29.53	..	...	E	6	..
Koshun, ...	"	29.57	..	..	E	4	..	"	29.54	...	..	S	8	..
Pescadores, ...	"	29.57	..	...	N	4	..	"	29.52	...	...	SW	6	..
Weihaiwei, ...	3 p.	29.81	81	...	E	2	b	9 a.	29.78	82	...	E	1	b
Gutziaff, ...	"	29.63	80	87	NE	3	cm	"	29.67	80	91	NNE	3	cm
Sharp Peak, ...	"	29.63	82	80	NE	4	o	"	29.52	80	91	NNE	7	or
Amoy, ...	"	29.49	90	84	ESE	2	b	6 30a.	29.53	81	83	NE	4	or
Swatow, ...	"	29.46	86	80	E	2	b	7 a.	29.54	79	91	NE	1	c
Canton, ...	"	29.48	94	78	N	1	c	9 a.	29.51	84	87	N	1	b
Hongkong, ...	4 p.	29.47	86	79	E	2	b	10 a.	29.55	89	69	N	2	oq
Victoria Peak, .	"	...	..	...	ENE	1	..	"	...	..	..	N	2	..
Gap Rock, ...	"		...	.	...	..	..	"	...	...	..	..	..	—
Macao, ...	"	29.48	96	...	NNE	2	c	"	..	...	..	..	...	...
Haiphong, ...	"	...	...		..	...	..	"	..	.	..	...	..	..
Manila, ...	"	29.65	82	77	S	3	e	"	29.76	84	71	SSW	2	o
Bacolod, ...	3 p.	...	..	..	W	2	o	9 a.	...	...	..	W	2	b
Iloilo, ...	"	29.72	86	...	W	3	o	"	29.81	85	.	SW	4	b
Cebu, ...	"	29.73	88	..	S	1	c	"	29.85	86	...	N	2	b
Cape St. James,	4 p.	29.65	84	..	SW	3	c	10 a.	...	...	...	...	..	...

On the 21st at 5. 20p. Orders issued to hoist the Black Cone point downwards and Drum.

On the 22nd at 11. 35a. The barometer has fallen over the E. coast of China, Japan and the Loochoos, and risen over the Philippines.

There are two depressions, one in the China Sea to the SE of Hongkong, apparently almost stationary; the other in the Pacific to the S. of the Loochoos. The latter is probably moving Northwards.

Strong NE and N. winds are indicated in the Formosa Channel and along the Northern shores of the China Sea.

Forecast:— N winds; squally, showery.

Owing to the interruption of the cable, the Gap Rock observations are not available.

F. G. FIGG.
First Assistant.

Hongkong Observatory Sunday 22nd July 1906.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JULY, 1906, P.M.								23rd JULY, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	N E	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.73	755.2	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.79	756.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.80	756.8	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.72	754.9	...	...	E	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.54	750.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.62	752.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.68	753.9	84	68	E	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.63	752.6	81	...	W SW	0	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.68	753.9	80	96	S S E	1	b
Kiukiang,	,,	29.73	755.1	90	96	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.69	754.1	87	65	E	1	b	9 a.	29.64	752.8	84	75	E S E	1	c
Gutzlaff,	,,	29.69	754.1	81	87	E N E	3	cm	,,	29.64	752.8	79	91	E N E	2	cv
Sharp Peak,	,,	29.58	751.3	82	89	N N E	4	o	,,	29.53	750.0	82	91	N E	2	og
Amoy,	,,	29.45	748.0	82	91	N N E	3	or	6 a.	29.49	749.0	79	95	E S E	3	o
Swatow,	,,	29.41	747.0	87	72	E	1	o	,,	29.43	747.5	79	91	W	1	o
Taihoku,	1 p.	29.57	751.1	...	...	N E	6	...	5 a.	29.54	750.2	...	...	...	0	...
Taichu,	,,	29.56	750.8	...	...	...	0	...	,,	29.49	749.0	...	...	...	0	...
Tainan,	,,	29.56	750.8	...	...	S	6	...	,,	29.52	749.8	...	...	S	6	...
Koshun,	,,	29.57	751.2	...	...	S	6	...	,,	29.53	750.1	...	...	S	6	...
Pescadores,	,,	29.50	749.4	...	...	S W	8	...	,,	29.46	748.2	...	...	S	6	...
Canton,	3 p.	29.43	747.5	91	92	N	1	c	9 a.	29.53	750.0	82	91	N W	1	c
Hongkong,	4 p.	29.46	748.3	87	65	W	2	o	10 a.	29.52	749.8	82	84	W	1	o
Victoria Peak,	,,	...	...	...	...	W N W	2	...	,,	...	...	...	...	WSW	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.48	748.8	91	...	S E	1	c	,,	...	...	...	...	...		...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...		...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.54	750.4	84	...	E N E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.61	752.0	86	...	...	0	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.65	753.1	81	...	S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	86	71	S S W	1	o	10 a.	29.81	756	86	71	S S W	1	c
Legaspi,	2 p.	29.76	755.8	90	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	c
Iloilo,	,,	29.77	756.1	86	...	W	3	o	,,	29.81	757.2	85	...	W	2	c
Cebu,	,,	29.84	757.9	88	...	S	1	b	,,	29.83	757.7	85	...	S	1	b
Labuan,	,,	29.78	756.4	91	...	...	...	...	,,	29.78	756.4	85	...	...	...	...

On the 23rd at 10.35 a.—Orders issued to lower the signal.

At 11.20 a.—The barometer has fallen on the China coast, more particularly at the Formosa Channel stations and in N China.

The depression has moved Northwards, and now lies over the coast between Swatow and Amoy. Apparently it has no deep centre.

Gradients have decreased over the E coast of China, but continue steep with strong SW winds over the China Sea.

Owing to the interruption of the cable, the Gap Rock observations are not available.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W to SW winds; moderate to fresh: showery.
2.—Formosa Channel,	E to S winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory Monday, 23rd July, 1906.

[Printed by Nisshin & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JULY, 1906, P.M.								24th JULY, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.73	755.1	...	...	N E	8	...	6 a.	29.73	755.1	...	...	...	0	
Hakodate,	,,	29.73	755.2	...	...	S E	4	...	,,	29.73	755.2	...	...	S E	4	
Tokio,	,,	29.67	753.6	...	...	S	4	...	,,	29.71	754.6	...	...	S W	2	
Kochi,	,,	29.64	752.8	...	...	S E	4	...	,,	29.60	751.8	...	...	S W	2	
Nagasaki,	,,	29.56	750.8	...	...	S W	4	...	,,	29.56	750.8	...	...	E	4	
Kagoshima,	,,	29.56	750.9	...	...	E	6	...	,,	29.52	749.9	...	...	N	4	
Oshima,	,,	29.49	749.1	...	...	N	6	...	,,	29.45	748.1	...	...	N	6	
Naha,	,,	29.50	749.2	...	...	N	6	...	,,	29.50	749.2	...	...	N	2	
Ishigakijima,	,,	29.54	750.3	...	...	S W	8	...	,,	29.42	747.3	...	...	N W	8	
Chefoo,	3 p.	29.56	750.8	87	88	N E	3	b	6 a.	...	...	...	...	...		
Weihaiwei,	,,	29.58	751.3	86	...	E	1	b	9 a.	29.55	750.5	81	...	E	1	b
Hankow,	,,	29.58	751.3	90	88	N N E	1	b	6 a.	29.57	751.1	90	92	N N W	1	b
Kiukiang,	,,	29.67	753.6	92	67	N E	2	c	,,	29.57	751.1	81	96	N E	1	c
Shanghai,	,,	29.56	750.8	89	59	E S E	1	b	9 a	29.55	750.5	84	72	S E	1	b
Gutzlaff,	,,	29.59	751.6	82	79	E N E	2	cv	,,	29.56	750.8	83	83	E	2	cu
Sharp Peak,	,,	29.50	749.3	82	91	E S E	1	ow	,,	29.50	749.3	82	93	E	1	ow
Amoy,	,,	29.42	747.3	82	91	E S E	3	o	6 a.	29.54	750.3	79	100	...	0	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...		
Taihoku,	1 p.	29.50	749.4	...	...	E	4	...	5 a.	29.50	749.3	...	...	N W	4	
Taichu,	,,	29.51	749.5	...	...	S W	2	...	,,	29.52	749.8	...	...	E	2	
Tainan,	,,	29.54	750.3	...	...	S E	6	...	,,	29.59	751.5	...	...	S	4	
Koshun,	,,	29.54	750.3	...	...	S W	6	...	,,	29.55	750.5	...	...	W	4	
Pescadores,	,,	29.50	749.3	...	...	S W	6	...	,,	29.50	749.4	...	...	S	6	
Canton,	3 p.	29.44	747.8	91	70		0	b	9 a.	...	...	...	...	...		
Hongkong,	4 p.	29.45	748.0	85	76	S W	3	oq	10 a.	29.49	749.0	84	81	S W	3	oq
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	SW.	7	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...		
Macao,	,,	29.47	748.5	86	...	S W	1	c	,,	29.49	749.0	83	...	W	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...		
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...		
Phulien,	4 p.	29.46	748.4	86	...	E N E	2	b	10 a.	...	...	...	...	...		
Tourane,	,,	29.54	750.3	91	...	S W	1	c	,,	...	...	...	...	...		
Cape St. James,	,,	29.70	754.5	77	...	S W	4	o	,,	...	...	...	...	...		
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...		
Manila,	4 p.	29.72	755	88	66	S W	1	c	10 a.	29.76	756	86	71	S W	1	c
Legaspi,	2 p.	29.73	755.2	90	...	W	1	b	6 a.	...	...	...	...	...		
Bacolod,	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	W	1	c
Iloilo,	,,	29.75	755.6	87	...	W	2	c	,,	29.81	757.2	85	...	S W	2	b
Cebu,	,,	29.77	756.1	88	...	S	2	b	,,	29.82	757.4	87	...	S	3	c
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.79	756.6	86	...	...	...	

On the 24th at 11.30 a.—The barometer has risen slightly at Amoy and the S Formosa stations; and falls over N China, SW Japan and the Loochoos.

The depression is still shown over S China; and the Pacific depression is lying yet to the SE of the Loochoos.

Pressure is in defect generally. It is highest over E Japan in the North, and over the Philippine Archipelago in the South.

Gradients are steep over the China Sea, and strong SW winds will be met with over that area.

Owing to the interruption of the cable, the Gap Rock observations are not available.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SW winds, fresh to strong; squally, showery.
2.—Formosa Channel,	SE to S winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 24th July, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JULY, 1906, P.M.								25th JULY, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.69	754.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.71	754.6	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Kochi	,,	29.52	749.8	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.48	748.8	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.48	748.9	...	...	E	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.41	747.1	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.46	748.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.50	749.3	...	...	S	8	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.49	749.0	84	79	E	3	b	6 a.	29.50	749.3	77	86	...	0	c
Weihaiwei,	,,	29.49	749.0	87	...	S	2	b	9 a.	29.49	749.0	83	...	S S W	2	b
Hankow,	,,	29.52	749.8	94	85	N E	1	b	6 a.	29.55	750.5	84	96	N E	1	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.53	750.0	82	96	...	0	b
Shanghai,	,,	29.50	749.3	89	63	E	1	b	9 a.	29.52	749.8	85	72	S S E	2	b
Gutzlaff,	,,	29.51	749.5	86	80	E	2	bm	,,	29.54	750.3	83	83	S S E	2	bm
Sharp Peak,	,,	29.47	748.5	85	89	S S E	2	o	,,	29.54	750.3	82	87	S	4	or
Amoy,	,,	29.45	748.0	81	96	S S E	5	c	6 a.	29.54	750.3	79	95	S E	1	or
Swatow,	,,	29.36	745.7	81	91	S W	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.50	749.3	...	...	W	6	...	5 a.	29.56	750.8	...	...	...	0	...
Taichu,	,,	29.54	750.2	...	...	S W	4	...	,,	29.56	750.8	...	...	...	0	...
Tainan,	,,	29.57	751.1	...	...	S E	4	...	,,	29.58	751.2	...	...	E	6	...
Koshun,	,,	29.59	751.7	...	...	W	6	...	,,	29.57	751.1	...	...	S	6	...
Pescadores,	,,	29.54	750.3	...	...	S W	4	...	,,	29.55	750.6	...	...	S	6	...
Canton,	3 p.	29.41	747.0	86	100	S E	1	or	9 a.	29.48	748.8	83	96	S E	1	c
Hongkong,	4 p.	29.44	747.8	85	76	S W	3	oq	10 a.	29.50	749.3	84	84	W S W	3	oq
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	S W	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.43	747.5	86	...	W S W	4	cq	,,	29.49	749.0	84	...	W	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	86	71	W S W	3	c	10 a.	29.80	757	86	71	W S W	2	c
Legaspi,	2 p.	29.73	755.1	90	...	W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	2	b	9 a.	...	...	...	...	W	1	b
Iloilo,	,,	29.75	755.6	87	...	S W	4	b	,,	29.85	758.2	85	...	W	2	c
Cebu	,,	29.75	755.6	89	...	S	2	b	,,	29.87	758.7	87	...	S	2	c
Labuan,	,,	29.71	754.6	91	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 25th at 11.35 a.—The depression over China is spreading slowly Northwards. The barometer has a tendency to rise in the South, while it continues to fall slowly in the North.

Pressure has increased and is now near the normal over the S Philippines. It remains in defect to the extent of 0.2 inches and upwards along the China Coast.

Gradients thus continue steep over the China Sea, and very strong SW winds must still be expected to prevail over that area, particularly in the northern part.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SW winds, strong; squally, showery.
2.—Formosa Channel,	S winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 25th July, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JULY, 1906, P.M.								26th JULY, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.63	752.6	...	...	E	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.44	747.8	...	...	N	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.41	746.9	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.53	750.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.65	753.2	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.62	752.3	...	...	S W	8	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	c
Weihaiwei,	,,	29.45	748.0	87	...	S	2	b	9 a.	...	...	...	...	...	...	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	b
Kiukiang,	,,	29.53	750.0	98	60	N E	1	b	,,	...	...	...	...	...	...	b
Shanghai,	,,	29.48	748.8	91	60	S S E	1	b	9 a.	29.54	750.3	88	69	S	1	b
Gutzlaff,	,,	29.51	749.5	85	79	S S E	3	bm	,,	29.54	750.3	84	83	S	3	c
Sharp Peak,	,,	29.52	749.8	82	89	S S E	3	o	,,	29.59	751.6	82	89	...	0	og
Amoy,	,,	29.43	747.5	80	96	S E	1	or	6 a.	29.59	751.6	79	95	S E	1	or
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.56	750.8	...	...	S W	2	...	5 a.	29.60	751.9	...	...	...	0	...
Taichu,	,,	29.59	751.6	...	...	S E	4	...	,,	29.67	753.5	...	...	S	4	...
Tainan,	,,	29.61	752.2	...	...	S W	8	...	,,	29.66	753.4	...	...	S	8	...
Koshun,	,,	29.62	752.4	...	...	S W	6	...	,,	29.68	753.9	...	...	S W	8	...
Pescadores,	,,	29.57	751.0	...	...	S W	6	...	,,	29.62	752.4	...	...	S W	10	...
Canton,	3 p.	29.43	747.5	86	100	...	0	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.45	748.0	86	76	S W	5	oq	10 a.	29.53	750.0	83	83	S S W	5	opq
Victoria Peak,	,,	...	...	...	...	S W	...	...	,,	...	...	...	...	S	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.46	748.3	81	...	W	3	od	,,	29.50	749.3	80	...	S W	4	oq
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.67	753.6	91	...	S	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	86	71	W S W	3	o	10 a.	29.92	760	86	71	W S W	1	c
Legaspi,	2 p.	29.78	756.5	88	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	2	c	9 a.	...	...	...	...	W	1	b
Iloilo,	,,	29.79	756.6	87	...	S W	3	c	,,	29.89	759.2	83	...	S W	1	b
Cebu,	,,	29.81	757.2	88	...	S	2	c	,,	29.94	760.5	85	...	E	2	c
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 25th at 1.20 p.—The depression in the Pacific is moving Northwards and approaching the S Coast of Japan.

On the 26th at 11.50 a.—The barometer has risen slightly on the China coast. The depression is still shown over S China.

The barometer has risen considerably in Luzon, and pressure is now slightly above the normal over the S Philippines.

Gradients are hence somewhat steeper than yesterday over the China Sea, and SW and S gales will prevail over the northern part of this area.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SW to S winds, moderate gale; squally, showery.
2.—Formosa Channel,	S winds, strong.
3.—South coast of China between Hongkong and Lamocks,	SW to S winds: fresh gale.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 26th July, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JULY, 1906, P.M.								27th JULY, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	S	6	...	6 a.	29.65	753.1	...	...	S E	4	...
Hakodate,	,,	29.54	750.2	...	...	E	6	...	,,	29.50	749.2	...	...	S E	2	...
Tokio,	,,	29.47	748.6	...	...	S E	6	...	,,	29.36	745.6	...	...	N E	4	...
Kochi,	,,	29.32	744.8	...	...	N	6	...	,,	29.48	748.8	...	...	...	0	...
Nagasaki,	,,	29.56	750.8	...	...	W	4	...	,,	29.60	751.8	...	...	...	0	...
Kagoshima,	,,	29.56	750.9	...	...	S W	4	...	,,	29.60	751.9	...	...	N W	2	...
Oshima,	,,	29.65	753.1	...	...	S	2	...	,,	29.65	753.1	...	...	S	4	...
Naha,	,,	29.73	755.2	...	...	W	4	...	,,	29.73	755.2	...	...	S W	2	...
Ishigakijima,	,,	29.70	754.3	...	...	S W	10	...	,,	29.70	754.3	...	...	S W	8	...
Chefoo,	3 p.	29.52	749.8	87	80	E	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.53	750.0	85	...	E S E	1	b	9 a.	29.55	750.5	83	...	E	1	b
Hankow,	,,	29.54	750.3	98	...	N E	1	b	6 a.	29.62	752.3	...	...	N N E	3	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.50	749.3	93	61	S S E	2	...	9 a.	29.53	750.0	85	76	...	0	c
Gutzlaff,	,,	29.52	749.8	83	87	S S E	4	bv	,,	29.52	749.8	82	91	E S E	2	cm
Sharp Peak,	,,	29.58	751.3	81	91	S	2	og	,,	29.62	752.3	80	91	S	3	o
Amoy,	,,	29.47	748.5	80	96	S	5	or	6 a.	29.59	751.6	79	95	S W	4	or
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.66	753.3	...	...	...	0	...	5 a.	29.65	753.0	...	...	S W	2	...
Taichu,	,,	29.70	754.4	...	...	S W	6	...	,,	29.70	754.3	...	...	S	2	...
Tainan,	,,	29.72	754.8	...	...	S	6	...	,,	29.72	754.9	...	...	S	6	...
Koshun,	,,	29.74	755.3	...	...	S W	8	...	,,	29.73	755.2	...	...	S W	6	...
Pescadores,	,,	29.66	753.3	...	...	S	8	...	,,	29.68	753.8	...	...	S	8	...
Canton,	3 p.	29.47	748.5	79	100	S E	1	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.52	749.8	80	83	S W	5	oq	10 a.	29.64	752.8	83	80	S W	4	oq
Victoria Peak,	,,	...	...	...	...	S W	9	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.50	749.3	80	...	S W	4	odq	,,	29.61	752.1	83	...	S W	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.49	749.1	93	...	S	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.0	88	...	S S W	1	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.2	79	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	88	65	W S W	3	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	c	9 a.	...	...	...	...	W	1	b
Iloilo,	,,	29.82	757.4	87	...	W	3	c	,,	29.89	759.2	84	...	W	2	c
Cebu,	,,	29.88	758.9	86	...	S	2	c	,,	29.91	759.7	85	...	S	1	b
Labuan,	,,	29.84	757.9	88	...	...	...	...	,,	29.96	761.0	75	...	...	...	...

On the 27th at 11.35 a.—The barometer has risen moderately over the S. Coast of China, and has a tendency to fall over the E. Coast.

The depression remains over China to the South of the Yangtze. Pressure is still high over the S. Philippines.

Gradients are less steep over the China Sea, and the strong S.W. winds are expected to moderate gradually over that area.

The Pacific depression is, this morning, moving to the N.E. off the S.E. Coast of Japan.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	SW winds, gradually moderating; squally, showery.
2.—Formosa Channel,	S. to S.W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 27th July, 1906.

[Printed by Nomokua & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th JULY, 1906, P.M.								28th JULY, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.61	752.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.46	748.2	...	...	W	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.31	744.6	...	...	NE	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.40	746.8	...	...	N	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.56	750.8	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.56	750.9	...	...	N	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.65	753.1	...	...	S	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.65	753.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.66	753.3	...	...	S W	8	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.52	749.8	81	...	E	1	c	9 a.	29.54	750.3	79	...	E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.44	747.8	92	64	E	1	c	9 a.	29.51	749.5	85	76	S E	1	o
Gutzlaff,	,,	29.46	748.3	89	77	E S E	2	cv	,,	29.50	749.3	86	88	S E	2	cv
Sharp Peak,	,,	29.58	751.3	82	87	S	3	o	,,	29.57	751.1	83	87	S	2	c
Amoy,	,,	29.54	750.3	85	79	S	4	c	6 a.	29.59	751.6	80	96	S W	4	or
Swatow,	,,	...	...	...	...	...	...	...	,,	29.62	752.3	79	91	S W	2	or
Taihoku,	1 p.	29.62	752.4	...	...	S	2	...	5 a.	29.61	752.1	...	...	S	2	...
Taichu,	,,	29.70	754.3	...	...	S	6	...	,,	29.67	753.6	...	...	...	0	...
Tainan,	,,	29.73	755.1	...	...	S	4	...	,,	29.70	754.3	...	...	S	4	...
Koshun,	,,	29.72	754.8	...	...	W	6	...	,,	29.69	754.1	...	...	W	4	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.64	753.1	...	...	S W	6	...
Canton,	3 p.	29.55	750.5	84	96	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.55	750.5	84	78	S W	4	oq	10 a.	29.66	753.3	83	79	S W	3	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.56	750.8	85	...	S W	2	c	,,	29.68	753.9	83	...	S W	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	755.8	88	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	71	W S W	2	o	10 a.	29.84	758	81	76	S W	1	o
Legaspi,	2 p.	29.81	757.2	82	...	W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.79	756.6	86	...	S W	3	c	,,	29.85	758.2	85	...	S W	2	b
Cebu,	,,	29.84	757.9	86	...	S	3	c	,,	29.86	758.4	87	...	S	2	c
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 28th at 11.40 a.—The barometer has risen slightly on the S. Coast of China, and fallen a little over the E. Coast.

The low pressure area appears to be lying over the Lower Yangtze, and to be moving slowly to the N.E.

Pressure is normal and highest to the South of the Philippines, and in defect to the extent of about 0.2 inches over the E. Coast of China.

Fresh S.W. monsoon is indicated over the N. part of the China Sea, where gradients have decreased slightly since yesterday.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	S. to S.W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	S.W. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 28th July, 1906.

[Printed by Nobosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th July, 1906, P.M.								29th July, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.61	752.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.54	750.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.35	745.6	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.52	749.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.48	748.8	...	...	S E	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.52	749.9	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima	,,	29.65	753.1	...	...	S	2	...	,,	...	...	...	...	...	...	...
Naha	,,	29.65	753.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.66	753.3	...	...	S W	8	...	,,	...	...	...	...	...	...	...
Chefoo	3 p.	29.48	748.8	81	78	S	3	c	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	29.46	748.3	81	...	S	2	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.63	752.6	80	100	S S E	3	o	6 a.	29.68	753.9	83	96	N E	2	c
Kiukiang	,,	29.55	750.5	97	65	W	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.50	749.3	81	96	E	2	orlt	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.49	749.0	83	91	E S E	3	cv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.52	749.8	86	96	S	4	c	,,	29.70	754.4	83	87	S	1	o
Amoy,	,,	29.63	752.6	86	92	S	3	b	6 a.	29.68	753.9	80	91	S	3	o
Swatow,	,,	29.54	750.3	88	73	S W	2	c	,,	29.66	753.3	85	91	S W	1	c
Taihoku	1 p.	29.62	752.4	...	...	S W	4	...	5 a.	29.69	754.1	...	...	...	0	...
Taichu,	,,	29.70	754.3	...	...	S	6	...	,,	29.76	755.9	...	...	...	0	...
Tainan	,,	29.72	755.0	...	...	N W	2	...	,,	29.75	755.7	...	...	E	2	...
Koshun	,,	29.66	753.4	...	...	W	6	...	,,	29.74	755.4	...	...	W	4	...
Pescadores,	,,	29.69	754.0	...	...	S	8	...	,,	29.73	755.2	...	...	S	4	...
Canton,	3 p.	29.59	751.6	85	96	S E	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.61	752.1	85	86	S W	2	c	10 a.	29.75	755.6	84	75	S W	3	o
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S S W	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.60	751.8	85	...	S	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.49	749.0	88	...	S	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.64	752.9	95	...	S W	1	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.76	755.9	82	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.74	755.4	91	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	84	70	S W	2	o	10 a.	29.84	758	86	71	...	0	c
Legaspi,	2 p.	29.75	755.7	90	...	W	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	3	c	9 a.	...	...	...	...	W	1	c
Iloilo,	,,	29.77	756.1	86	...	N W	4	o	,,	29.85	758.2	82	...	S W	1	c
Cebu,	,,	29.77	756.1	88	...	S	3	b	,,	29.87	758.7	86	...	S	1	c
Labuan,	,,	29.79	756.6	88	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 29th at 11.50 a.—Pressure has increased considerably and nearly attained the normal over S. China. Gradients have accordingly decreased on the Coast and over the China Sea.

Pressure is normal, and highest over the S. Philippines, and lowest probably over N. China. Returns from the latter area and from Japan are, however, lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	S. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 29th July, 1906.

[Printed by Nonosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th JULY, 1906, P.M.								30th JULY, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	S E	4	...	6 a.	29.57	751.1	...	...	N	2	...
Hakodate,	,,	29.57	751.2	...	...	S	4	...	,,	29.69	754.2	...	...	W	4	...
Tokio,	,,	29.59	751.6	...	...	S	6	...	,,	29.75	755.6	...	...	...	0	...
Kochi,	,,	29.64	752.8	...	...	E	4	...	,,	29.72	754.8	...	...	...	0	...
Nagasaki,	,,	29.68	753.8	...	...	S W	6	...	,,	29.72	754.8	...	...	S E	6	...
Kagoshima,	,,	29.72	754.9	...	...	W	4	...	,,	29.76	755.9	...	...	N E	2	...
Oshima,	,,	29.77	756.1	...	...	S	6	...	,,	29.77	756.1	...	...	S	2	...
Naha,	,,	29.77	756.2	...	...	S W	6	...	,,	29.85	758.2	...	...	S W	2	...
Ishigakijima,	,,	29.78	756.3	...	...	S W	6	...	,,	29.82	757.3	...	...	S W	6	...
Chefoo,	3 p.	29.61	752.1	89	63	N E	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.78	756.4	81	...	E	1	b
Hankow,	,,	29.71	754.6	93	85	N E	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.65	753.1	98	63	...	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.60	751.8	89	63	N	1	c	9 a.	29.77	756.1	89	88	E	1	c
Gutzlaff,	,,	29.64	752.8	86	84	N	2	cv	,,	29.76	755.9	87	84	E N E	2	cv
Sharp Peak,	,,	29.69	754.1	86	82	S	3	o	,,	29.83	757.7	84	87	...	0	c
Amoy,	,,	29.68	753.9	90	73	S	3	b	6 a.	29.79	756.6	80	96	W	3	b
Swatow,	,,	29.68	753.9	88	96	S W	1	b	,,	29.78	756.4	79	95	...	0	f
Taihoku,	1 p.	29.75	755.7	...	...	W	6	...	5 a.	29.82	757.4	...	...	S W	2	...
Taichu,	,,	29.78	756.5	...	...	W	4	...	,,	29.89	759.1	...	...	...	0	...
Tainan,	,,	29.80	756.8	...	...	S W	2	...	,,	29.84	757.9	...	...	...	0	...
Koshun,	,,	29.79	756.7	...	...	W	4	...	,,	29.84	757.9	...	...	...	0	...
Pescadores,	,,	29.79	756.7	...	...	S	4	...	,,	29.82	757.5	...	...	S W	4	...
Canton,	3 p.	29.70	754.4	88	92	S E	3	c	9 a.	29.86	758.4	86	88	S E	1	b
Hongkong,	4 p.	29.72	754.9	84	79	N W	1	c	10 a.	29.87	758.7	86	71	S	1	c
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.71	754.6	86	...	S	1	c	,,	29.86	758.4	85	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.57	751.1	88	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.70	754.5	91	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.7	86	...	S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	84	77	S W	1	c	10 a.	29.92	760	84	71	W S W	...	c
Legaspi,	2 p.	29.78	756.5	90	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.79	756.6	85	...	W	2	o	,,	29.85	758.2	84	...	W	1	c
Cebu,	,,	29.85	758.2	86	...	S	1	c	,,	29.90	759.4	84	...	...	0	c
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 30th at 11.15 a.—A general and considerable increase of pressure has taken place over China and Japan except in the extreme N.E. of the latter area.

The highest pressure is over the China Sea, and the lowest to the E. of N. Japan.

It now exceeds the normal by 0.1 inch over S. China, but remains in defect to the extent of 0.1 inch and upwards over Japan.

Gradients are gentle over the China Sea and light winds, chiefly Southerly, will prevail in that area.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, light; fine.
2.—Formosa Channel,	S. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	S. to S.E. winds, light to moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 30th July, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th July, 1906, P.M.								31st July, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.61	752.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.77	756.2	...	...	W	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.75	755.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.72	754.9	...	...	S	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.81	757.1	...	...	W	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.82	757.3	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.74	755.4	86	80	E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.73	755.1	86	...	E	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.81	757.2	88	76	S S W	2	c	6 a.	29.77	756.1	84	96	S E	2	o
Kiukiang,	,,	29.81	757.2	94	64	E	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.72	754.9	88	76	S E	1	o	9 a.	29.71	754.6	86	80	S	1	o
Gutzlaff,	,,	29.73	755.1	84	87	S S E	2	cv	,,	29.71	754.6	84	91	S S E	1	cm
Sharp Peak,	,,	29.77	756.1	88	84	S	4	b	,,	29.77	756.1	85	87	...	0	c
Amoy,	,,	29.80	756.9	90	92	S E	3	b	6 a.	29.79	756.6	81	96	S W	3	b
Swatow,	,,	29.77	756.1	92	67	S W	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.86	758.4	...	...	W	6	...	5 a.	29.83	757.6	...	...	S	2	...
Taichu,	,,	29.88	758.9	...	...	W	4	...	,,	29.86	758.5	...	...	...	0	...
Tainan,	,,	29.89	759.1	...	...	W	2	...	,,	29.84	758.0	...	...	...	0	...
Koshun,	,,	29.86	758.5	...	...	N W	4	...	,,	29.83	757.8	...	...	...	0	...
Pescadores,	,,	29.87	758.7	...	...	W	4	...	,,	29.82	757.4	...	...	S W	4	...
Canton,	3 p.	29.82	757.4	92	...	E	1	b	9 a.	29.87	758.7	85	87	...	0	b
Hongkong,	4 p.	29.83	757.7	87	67	S	1	c	10 a.	29.86	758.4	86	77	W	1	c
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S S W	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.83	757.7	85	...	S	1	c	,,	29.85	758.2	85	...	S S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.73	755.1	86	...	S E	6	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.80	756.9	91	...	W	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.6	86	...	S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.84	757.9	91	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	71	S W	1	c	10 a.	29.92	760	84	77	...	0	o
Legaspi,	2 p.	29.84	757.9	88	...	S E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	...	0	o
Iloilo,	,,	29.82	757.4	86	...	W	1	c	,,	29.93	760.2	81	...	N W	1	o
Cebu,	,,	29.86	758.4	85	...	S	2	c	,,	29.94	760.5	82	...	...	0	c
Labuan,	,,	29.83	757.7	88	...	...	...	...	,,	29.91	759.7	86	...	...	...	...

On the 31st at 11.45 a.—The barometer has fallen slightly over the E. Coast of China, and risen a little over the S. Philippines.

Pressure is highest over the China Sea, and lowest over N. China. It still exceeds the normal over the Philippines and S. Coast of China, while it is near the average over the E. Coast.

Gradients continue slight over the China Sea, and light winds, chiefly from S. and S.W., will prevail over that area.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light; fine.
2.—Formosa Channel,	S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	S.W. winds, light to moderate.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 31st July, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st JULY, 1906, P.M.								1st AUGUST, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	S E	6	...	6 a.	29.81	757.1	...	...	E	2	...
Hakodate,	,,	29.81	757.2	...	...	S E	8	...	,,	29.69	754.2	...	...	E	2	...
Tokio,	,,	29.75	755.6	...	...	S	6	...	,,	29.71	754.6	...	...	...	0	...
Kochi,	,,	29.68	753.8	...	...	S	4	...	,,	29.64	752.8	...	...	S W	2	...
Nagasaki,	,,	29.68	753.8	...	...	W	4	...	,,	29.64	752.8	...	...	S W	2	...
Kagoshima,	,,	29.68	753.9	...	...	N W	4	...	,,	29.64	752.9	...	...	N W	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.69	754.1	...	...	S	2	...
Naha,	,,	29.77	756.2	...	...	S W	4	...	,,	29.73	755.2	...	...	E	4	...
Ishigakijima,	,,	29.82	757.3	...	...	S W	8	...	,,	29.74	755.3	...	...	S W	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.61	752.1	86	...	S W	2	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.66	753.3	93	67	S	1	c	9 a.	29.55	750.5	79	91	W	1	cr
Gutzlaff,	,,	29.60	751.8	90	84	S	1	cm	,,	29.54	750.3	83	91	S S W	1	cy
Sharp Peak,	,,	29.68	753.9	89	82	S	5	b	,,	29.67	753.6	84	87	S	2	c
Amoy,	,,	29.65	753.1	91	67	S E	3	b	6 a.	29.73	755.1	81	91	S W	3	b
Swatow,	,,	29.67	753.6	92	64	S W	1	b	,,	29.81	757.2	81	87	S W	1	b
Taihoku,	1 p.	29.79	756.7	...	...	W	4	...	5 a.	29.73	755.2	...	...	...	0	...
Taichu,	,,	29.81	757.2	...	...	S W	4	...	,,	29.81	757.1	...	...	S	2	...
Tainan,	,,	29.84	758.0	...	...	W	4	...	,,	29.80	756.8	...	...	E	2	...
Koshun,	,,	29.83	757.7	...	...	W	6	...	,,	29.75	755.7	...	...	W	6	...
Pescadores,	,,	29.83	757.8	...	...	S	4	...	,,	29.77	756.1	...	...	S	6	...
Canton,	3 p.	29.78	756.4	92	88	S E	1	b	9 a.	29.78	756.4	84	83	S E	1	c
Hongkong,	4 p.	29.77	756.1	86	66	S	1	b	10 a.	29.78	756.4	86	67	S W	2	c
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S S W	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.77	756.1	86	...	S	1	c	,,	29.77	756.1	84	...	S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.80	756.9	91	63	S	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.8	86	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.77	756.2	93	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	81	...	S W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.7	91	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	86	71	S W	1	o	10 a.	29.88	759	79	92	N E	1	o
Legaspi,	2 p.	29.87	758.6	88	...	S	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	W	1	o
Iloilo,	,,	29.79	756.6	85	...	W	1	c	,,	29.89	759.2	83	...	W	2	c
Cebu,	,,	29.86	758.4	84	...	N	3	o	,,	29.91	759.7	83	...	S	1	c
Labuan,	,,	29.86	756.9	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 1st at 11.25 a.—The barometer has fallen generally, particularly over N. China.

A depression is passing from the continent to the Yellow Sea. It appears to be moving Eastwards. The highest pressure is over the S. part of the China Sea.

Pressure is practically normal over the Philippines and the S. Coast of China, and in defect to the extent of nearly 0.2 inch over the E. Coast of China and W. Japan.

Gradients are slight over the China Sea, and moderate S.W. and S. winds will prevail over that area.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 1st August, 1906.

[Printed by Nokosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st August, 1906, P.M.								2nd August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	N E	4	...	6 a.	29.73	755.1	...	...	...	0	...
Hakodate,	,,	29.65	753.2	...	...	E	6	...	,,	29.65	753.2	...	...	S E	4	...
Tokio,	,,	29.59	751.6	...	...	S	4	...	,,	29.59	751.6	...	...	N E	2	...
Kochi,	,,	29.60	751.8	...	...	S	2	...	,,	29.60	751.8	...	...	...	0	...
Nagasaki,	,,	29.60	751.8	...	...	S	4	...	,,	29.48	748.8	...	...	S W	8	...
Kagoshima,	,,	29.64	752.9	...	...	S	4	...	,,	29.56	750.9	...	...	W	2	...
Oshima,	,,	29.65	753.1	...	...	N W	2	...	,,	29.65	753.1	...	...	S W	4	...
Naha,	,,	29.73	755.2	...	...	W	4	...	,,	29.69	754.2	...	...	S W	4	...
Ishigakijima,	,,	29.74	755.3	...	...	S W	6	...	,,	29.70	754.3	...	...	S W	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.48	748.8	85	...	E	7	b	9 a.	29.53	750.0	81	...	E	2	b
Hankow,	,,	29.66	753.3	84	91	S	2	o	6 a.	29.57	751.1	80	100	N W	2	or
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	80	91	...	0	d
Shanghai,	,,	29.50	749.3	80	91	W S W	2	o	9 a.	29.52	749.8	78	95	...	0	or
Gutzlaff,	,,	29.49	749.0	80	96	W N W	4	c	,,	29.54	750.3	84	87	WNW	...	cv
Sharp Peak,	,,	29.60	751.8	89	80	S	4	c	,,	29.66	753.3	84	87	S	1	c
Amoy,	,,	29.63	752.6	89	66	S	4	b	6 a.	29.68	753.9	81	96	S W	3	b
Swatow,	,,	29.60	751.8	92	...	S W	2	b	,,	29.70	754.4	79	91	S W	1	b
Taihoku,	1 p.	29.68	753.8	...	...	W	6	...	5 a.	29.69	754.2	...	...	S	2	...
Taichu,	,,	29.76	756.0	...	...	S	4	...	,,	29.76	755.8	...	...	...	0	...
Tainan,	,,	29.78	756.4	...	...	S W	2	...	,,	29.80	757.0	...	...	S E	2	...
Koshun,	,,	29.73	755.1	...	...	N W	8	...	,,	29.75	755.6	...	...	W	6	...
Pescadores,	,,	29.76	755.8	...	...	S W	6	...	,,	29.75	755.5	...	...	S W	4	...
Canton,	3 p.	29.70	754.4	92	70	S E	1	b	9 a.	29.75	755.6	85	83	S E	1	b
Hongkong,	4 p.	29.70	754.4	87	67	W S W	1	c	10 a.	29.77	756.1	85	73	S	2	o
Victoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	29.71	754.6	83	...	S W	3	...	,,	29.75	755.6	...	...	S S W	3	...
Macao,	,,	29.71	754.6	87	...	S	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.5	86	...	E S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.8	77	...	W N W	1	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	79	...	N N W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	84	71	S W	3	...	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	2	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.81	757.2	86	...	W	4	c	,,	29.88	759.2	83	...	N W	2	c
Cebu,	,,	29.84	757.9	85	...	S	2	b	,,	29.90	759.7	83	...	...	0	b
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.88	758.9	85	...	...	1	...

On the 2nd at 11.20 a.—The barometer has fallen slightly on the China Coast, and moderately in S. Japan. The depression is moving slowly Eastwards over the Yellow Sea.

Pressure is highest over the S. part of the China Sea. It remains near the normal over the S. Coast of China and the Philippines, while it is in defect to the extent of 0.2 inches and upwards over N. China and S. Japan.

Gradients continue slight over the China Sea, and moderate S.W. and S. winds will prevail over that area.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 2nd August, 1906.

[Printed by Kosoma & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd August, 1906, P.M.								3rd August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	E	2	...	6 a.	29.77	756.1	...	...	E	4	...
Hakodate,	,,	29.65	753.2	...	...	E	6	...	,,	29.65	753.2	...	...	S E	6	...
Tokio,	,,	29.55	750.6	...	...	S E	6	...	,,	29.55	750.6	...	...	S	4	...
Kochi,	,,	29.56	750.8	...	...	...	0	...	,,	29.56	750.8	...	...	S W	2	...
Nagasaki,	,,	29.56	750.8	...	...	S W	10	...	,,	29.64	752.8	...	...	W	4	...
Kagoshima,	,,	29.56	750.9	...	...	S W	4	...	,,	29.64	752.9	...	...	W	2	...
Oshima,	,,	29.65	753.1	...	...	W	4	...	,,	29.73	755.1	...	...	W	4	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.77	756.2	...	...	S W	2	...
Ishigakijima,	,,	29.74	755.3	...	...	S W	6	...	,,	29.74	755.3	...	...	S W	8	...
Chefoo,	3 p.	29.44	747.8	93	88	S	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.49	749.0	90	...	S S W	2	b	9 a.	29.57	751.1	85	...	W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.57	751.1	82	96	...	0	o	9 a.	29.57	751.1	84	87	W	1	om
Gutzlaff,	,,	29.56	750.8	84	87	N	2	cv	,,	29.59	751.6	83	91	S S W	2	cm
Sharp Peak,	,,	29.61	752.1	89	80	S	4	o	,,	29.63	752.6	85	85	S	1	c
Amoy,	,,	29.71	754.6	90	70	S	3	b	6 a.	29.74	755.4	81	91	S W	3	b
Swatow,	,,	29.67	753.6	91	67	S W	1	b	,,	29.72	754.9	80	87	S W	1	c
Taihoku,	1 p.	29.71	754.6	...	...	W	6	...	5 a.	29.75	755.6	...	...	...	0	...
Taichu,	,,	29.77	756.1	...	...	W	4	...	,,	29.80	756.9	...	...	...	0	...
Tainan,	,,	29.78	756.5	...	...	S W	4	...	,,	29.80	756.9	...	...	S E	2	...
Koshun,	,,	29.76	756.0	...	...	W	6	...	,,	29.79	756.7	...	...	W	6	...
Pescadores,	,,	29.77	756.2	...	...	S W	6	...	,,	29.78	756.4	...	...	S	4	...
Canton,	3 p.	29.70	754.4	92	74	S E	1	b	9 a.	29.79	756.6	85	91	S E	1	b
Hongkong,	4 p.	29.70	754.4	85	72	S W	1	o	10 a.	29.81	757.2	84	79	W	1	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	2	...
Gap Rock,	,,	29.68	753.9	...	...	S W	3	...	,,	29.79	756.6	...	...	S S W	3	...
Macao,	,,	29.70	754.4	86	...	S W	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.60	751.8	86	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	90	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	81	...	S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	71	S W	2	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	...	0	o
Iloilo,	,,	29.83	757.7	87	...	S W	3	c	,,	29.89	759.2	83	...	...	0	b
Cebu,	,,	29.84	757.9	86	...	S	1	c	,,	29.93	760.3	84	...	...	0	c
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.89	759.2	86	...	...	...	...

On the 3rd at 10.55 a.—The barometer has risen slightly at all stations, except at those in E. Japan.

The depression is moving Eastwards in the Sea of Japan.

Pressure is highest over the S. part of the China Sea. It is slightly in excess of the normal over the Philippines and S. Coast of China, but remains in defect to the extent of about 0.2 inch over N. China, and to between 0.2 and 0.3 inch over the greater part of the Japan.

Light and moderate S. and S.W. winds are indicated over the China Sea, where gradients continue slight.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate to light; fair.
2.—Formosa Channel,	S.W. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 3rd August, 1906.

[Printed by Kokubun & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd August, 1906, P.M.								4th August, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	E	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.57	751.2	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.51	749.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.56	750.8	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.68	753.8	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.68	753.9	...	...	W	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.77	756.1	...	...	S	4	...	,,	...	...	...	...	...	...	...
Naha	,,	29.81	757.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.82	757.3	...	...	S W	8	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.56	750.8	83	75	N	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.58	751.3	75	...	N N W	3	b	9 a.	29.75	756.6	79	...	W N W	2	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.59	751.6	88	73	...	0	o	9 a.	29.75	755.6	82	83	...	0	o
Gutzlaff,	,,	29.60	751.8	87	88	W	1	cm	,,	29.75	755.6	84	87	S S E	1	cv
Sharp Peak,	,,	29.70	754.4	89	80	S	4	c	,,	29.84	757.9	86	85	S	1	c
Amoy,	,,	29.71	754.6	90	77	S S E	3	b	6 a.	29.88	758.9	80	96	S W	2	b
Swatow,	,,	29.72	754.9	93	64	S	2	b	,,	29.80	756.9	80	96	S W	2	o
Taihoku,	1 p.	29.77	756.1	...	...	W	6	...	5 a.	29.84	757.9	...	...	...	0	...
Taichu,	,,	29.81	757.1	...	...	S W	6	...	,,	29.89	759.3	...	...	...	0	...
Tainan,	,,	29.83	757.8	...	...	S W	4	...	,,	29.89	759.1	...	...	E	2	...
Koshun,	,,	...	...	...	...	...	...	...	,,	29.88	758.8	...	...	W	4	...
Pescadores,	,,	29.82	757.4	...	...	S W	6	...	,,	29.87	758.7	...	...	S W	4	...
Canton,	3 p.	29.75	755.6	92	88	S E	1	c	9 a.	29.88	758.9	86	92	S E	1	b
Hongkong,	4 p.	29.76	755.9	87	70	S W	2	c	10 a.	29.88	758.9	86	74	W	1	c
Victoria Peak,	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.76	755.9	...	...	S S W	3	...	,,	29.86	758.4	...	...	S W	3	...
Macao,	,,	29.76	755.9	85	...	S W	1	c	,,	29.87	758.7	86	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.1	88	...	S S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.4	90	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	84	...	S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	71	W	3	o	10 a.	30.00	762	81	85	W N W	0	o
Legaspi,	2 p.	29.88	759.0	82	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.86	758.4	83	...	N W	1	o	,,	29.95	760.7	83	...	N E	1	b
Cebu,	,,	29.89	759.2	83	...	N	3	o	,,	...	...	84	...	S	2	b
Labuan,	,,	29.81	757.2	90	...	...	...	...	,,	29.94	760.5	85	...	...	...	...

On the 4th at 11.45 a.—The barometer has risen considerably over China, and moderately in the Philippines.

Pressure is highest over the S. part of the China Sea, and lowest over N. China. It exceeds the normal by about 0.1 inch over the Philippines and S. China, and is near the average over N. China.

Gradients continue slight over the China Sea, and light winds, chiefly Southerly, are indicated over that area.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light; fair.
2.—Formosa Channel,	S.W. winds, moderate to light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, light.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 4th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST: METEOROLOGICAL REGISTER.

Station.	4th August, 1906, P.M.								5th August, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	N E	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.65	753.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.59	751.6	...	...	N E	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.68	753.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.76	755.9	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.85	758.1	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.89	759.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.89	759.3	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.73	755.1	80	82	N W	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.73	755.1	83	...	N N W	1	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.66	753.3	88	92	S E	1	o
Kiukiang,	,,	29.74	755.4	100	55	S W	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.74	755.4	85	79	E	1	o	9 a.	29.65	753.1	87	80	S	1	c
Gutzlaff,	,,	29.74	755.4	84	87	N N E	1	cv	,,	29.69	754.1	83	91	S	3	cm
Sharp Peak,	,,	29.77	756.1	89	78	S	4	c	,,	29.81	757.2	85	83	S	2	b
Amoy,	,,	29.79	756.6	91	74	S S E	4	b	6 a.	29.81	757.2	81	91	S S E	3	b
Swatow,	,,	29.77	756.1	93	64	S W	2	b	,,	29.83	757.7	80	91	S	1	b
Taihoku,	1 p.	29.85	758.3	...	...	W	4	...	5 a.	29.86	758.3	...	...	...	0	...
Taichu,	,,	29.88	759.0	...	...	W	4	...	,,	29.94	760.5	...	...	...	0	...
Tainan,	,,	29.91	759.8	...	...	S W	4	...	,,	29.95	760.7	...	...	S E	2	...
Koshun,	,,	29.90	759.5	...	...	W	6	...	,,	29.92	759.9	...	...	E	4	...
Pescadores,	,,	29.90	759.4	...	...	S W	6	...	,,	29.93	760.2	...	...	S	2	...
Canton,	3 p.	29.79	756.6	84	87	S E	1	c	9 a.	29.86	758.4	85	91	S W	2	c
Hongkong,	4 p.	29.83	757.7	86	74	S S W	2	o	10 a.	29.88	758.9	86	72	S S W	2	c
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	29.82	757.4	...	...	S W	3	...	,,	29.86	758.4	...	...	S W	3	...
Macao,	,,	29.83	757.7	86	...	S	1	c	,,	29.87	758.7	85	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.6	90	...	S S E	5	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.82	757.3	90	...	S E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.1	84	...	W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.92	759.9	90	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	86	65	S W	1	o	10 a.	29.96	761	82	77	W	1	b
Legaspi,	2 p.	29.90	759.5	90	...	S	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	N W	1	b
Iloilo,	,,	29.87	758.7	85	...	W	1	c	,,	29.93	760.2	84	...	...	0	b
Cebu,	,,	29.91	759.7	86	...	S	1	c	,,	29.97	761.2	86	...	E	1	c
Labuan,	,,	29.85	758.2	88	...	...	...	...	,,	29.96	761.0	86	...	...	...	...

On the 5th at 11.30 a.—The barometer is falling over China, particularly in the North.

Pressure is highest over the S. part of the China Sea; and lowest over Central China, where a depression is probably developing.

Pressure still exceeds the normal by about 0.1 inch over the Philippines and the S. Coast of China, while it is again in defect to the extent of about 0.1 inch over the E. Coast.

Gradients are thus somewhat steeper, and some increase in the strength of the S. winds is therefore indicated over the E. Coast and Formosa Channel. Light to moderate S. and S.W. winds will continue over the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 5th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th August, 1906, P.M.								6th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	N E	6	...	6 a.	29.89	759.1	...	...	...	0	...
Hakodate,	,,	29.73	755.2	...	...	S E	6	...	,,	29.77	756.2	...	...	E	2	...
Tokio,	,,	29.71	754.6	...	...	E	2	...	,,	29.79	756.6	...	...	N	2	...
Kochi,	,,	29.72	754.8	...	...	S E	2	...	,,	29.76	755.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S W	4	...	,,	29.76	755.8	...	...	S W	6	...
Kagoshima,	,,	29.80	756.9	...	...	W	4	...	,,	29.80	756.9	...	...	...	0	...
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	29.81	757.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	S W	4	...	,,	29.85	758.2	...	...	N	2	...
Ishigakijima,	,,	29.89	759.3	...	...	S W	8	...	,,	29.82	757.3	...	...	S W	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.65	753.1	73	...	E	2	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.75	755.6	75	95	E N E	2	or
Kiukiang,	,,	29.74	755.4	97	54	S W	3	c	,,	29.71	754.6	80	96	S W	2	o
Shanghai,	,,	29.63	752.6	93	61	W S W	2	c	9 a.	29.57	751.1	88	69	S S W	1	o
Gutzlaff,	,,	29.64	752.8	87	88	S	2	cv	,,	29.59	751.6	85	87	S S W	4	cm
Sharp Peak,	,,	29.75	755.6	89	78	S	2	b	,,	29.77	756.1	86	81	S	2	b
Amoy,	,,	29.77	756.1	91	77	S S E	3	b	6 a.	29.79	756.6	82	91	S W	3	b
Swatow,	,,	29.82	757.4	91	88	S W	2	o	,,	29.82	757.4	80	91	...	0	b
Taihoku,	1 p.	29.84	757.9	...	...	W	6	...	5 a.	29.81	757.2	...	...	S	2	...
Taichu,	,,	29.89	759.1	...	...	S W	6	...	,,	29.87	758.7	...	...	...	0	...
Tainan,	,,	29.90	759.5	...	...	...	0	...	,,	29.86	758.4	...	...	S E	2	...
Koshun,	,,	29.89	759.1	...	...	W	6	...	,,	29.83	757.7	...	...	W	2	...
Pescadores,	,,	29.88	758.9	...	...	S W	6	...	,,	29.84	757.8	...	...	S W	2	...
Canton,	3 p.	29.79	756.6	93	88	S	2	c	9 a.	29.84	757.9	86	92	S E	1	c
Hongkong,	4 p.	29.82	757.4	85	76	S S W	1	c	10 a.	29.86	758.4	85	76	S W	1	o
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	29.80	756.9	...	...	S W	4	...	,,	29.83	757.7	...	...	S S W	4	...
Macao,	,,	29.81	757.2	86	...	S	1	c	,,	29.85	758.2	86	...	S S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Paulien,	4 p.	29.69	754.2	88	...	S S E	6	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.81	757.2	93	...	W	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	84	...	W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.90	759.5	90	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	88	65	W S W	1	b	10 a.	29.92	760	86	71	N W	1	c
Legaspi,	2 p.	29.86	758.3	90	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N W	1	b	9 a.	...	...	...	...	...	0	c
Iloilo,	,,	29.83	757.7	88	...	W	1	b	,,	29.92	759.9	85	...	N E	1	b
Cebu,	,,	29.85	758.2	88	...	...	0	b	,,	29.92	759.9	87	...	...	0	c
Labuan,	,,	29.85	758.2	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 6th at 11.35 a.—The barometer continues to fall slowly over China and the Philippines.

A depression, which is probably moving Eastwards, is lying over N. China.

The highest pressure is over the S. part of the China Sea. It is still in excess of the normal by from 0.05 to 0.1 inch over the Philippines and S. Coast of China, while it is in defect by about 0.2 inch in Shanghai.

Gradients are rather steep over the E. Coast of China, and strong S. winds will prevail there. Light and moderate S. and S.W. winds will continue over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W, winds, moderate; fair.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 6th August, 1906.

[Printed by Nomura & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th August, 1906, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th August, 1906, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.89	759.1	...	...	S E	4	...	6 a.	29.77	756.1	...	...	S E	2	
Hakodate,	,,	29.77	756.2	...	...	E	8	...	,,	29.69	754.2	...	...	E	8	
Tokio,	,,	29.75	755.6	...	...	...	0	...	,,	29.75	755.6	...	...	S E	2	
Kochi,	,,	29.72	754.8	...	...	S W	2	...	,,	29.68	753.8	...	...	...	0	
Nagasaki,	,,	29.68	753.8	...	...	S W	8	...	,,	29.68	753.8	...	...	S W	8	
Kagoshima,	,,	29.76	755.9	...	...	S W	6	...	,,	29.76	755.9	...	...	S W	4	
Oshima,	,,	29.81	757.1	...	...	S W	2	...	,,	29.81	757.1	...	...	S	4	
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	29.81	757.2	...	...	S W	2	
Ishigakijima,	,,	29.82	757.3	...	...	S W	6	...	,,	29.82	757.3	...	...	S W	8	
Chefoo,	3 p.	29.46	748.3	87	92	N E	1	o	6 a.	29.62	752.3	70	75	N	1	o
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.65	753.1	75	...	N N W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.72	754.9	79	91	S W	1	or	,,	...	...	...	...	...	...	
Shanghai,	,,	29.55	750.5	91	67	S W	2	o	9 a.	29.70	754.4	85	76	W S W	2	c
Gutzlaff,	,,	29.56	750.8	88	76	S S W	4	cv	,,	29.70	754.4	82	87	N W	3	cv
Sharp Peak,	,,	29.70	754.4	89	78	S	4	b	,,	29.80	756.9	85	83	S	1	b
Amoy,	,,	29.73	755.1	91	67	S S E	4	b	6 a.	29.83	757.7	82	91	N W	3	b
Swatow,	,,	29.72	754.9	94	58	S W	2	b	,,	29.85	758.2	81	96	W	1	c
Taihoku,	1 p.	29.79	756.6	...	...	W	6	...	5 a.	29.81	757.1	...	...	...	0	...
Taichu,	,,	29.85	758.2	...	...	S W	4	...	,,	29.87	758.7	...	...	...	0	...
Tainan,	,,	29.87	758.8	...	...	S	4	...	,,	29.86	758.5	...	...	S	2	...
Koshun	,,	29.85	758.2	...	...	N W	6	...	,,	29.82	757.5	...	...	N W	6	...
Pescadores,	,,	29.84	758.0	...	...	S W	6	...	,,	29.84	757.8	...	...	S W	4	...
Canton,	3 p.	29.78	756.4	87	...	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.80	756.9	86	74	S S W	4	c	10 a.	29.87	758.7	86	72	S W	2	c
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	29.78	756.4	...	...	S W	3	...	,,	29.84	757.9	...	...	S W	4	...
Macao,	,,	29.79	756.6	86	...	S W	2	c	,,	29.85	758.2	86	...	S W	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.9	91	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.77	756.1	91	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.1	82	...	S	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.88	759.0	90	...	N	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	90	60	S W	2	c	10 a.	29.88	759	88	66	...	0	c
Legaspi,	2 p.	29.87	758.6	91	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N W	1	b
Iloilo,	,,	29.83	757.7	88	...	W	1	c	,,	29.89	759.2	84	...	...	0	b
Cebu,	,,	29.86	758.4	87	...	E	2	b	,,	29.91	759.7	87	...	E	1	c
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.91	759.7	84	...	...	...	...

On the 7th at 11.30 a.—The barometer has fallen in Japan, and risen over China, particularly in the North. The depression has passed into the W. part of the Sea of Japan. It continues to move towards E.

Pressure is highest over the China Sea. It still exceeds the normal by 0.1 inch over the S. Coast of China, and is in defect by about 0.1 inch in N. China and Japan. In the Philippines it has decreased slightly, to near the average.

Gradients are gentle over the China Sea, and light variable winds are indicated over that area.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W, winds, moderate to light; fair.
2.—Formosa Channel,	S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 7th August, 1906.

[Printed by Nomosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th August, 1906, P.M.								8th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.70	754.1	...	...	S	6	...	6 a.	29.73	755.1	...	...	S	2	...
Hakodate,	,,	29.61	752.2	...	...	S E	4	...	,,	29.69	754.2	...	...	W	4	...
Tokio,	,,	29.63	752.6	...	...	S	4	...	,,	29.63	752.6	...	...	N W	2	...
Kochi,	,,	29.64	752.8	...	...	...	0	...	,,	29.72	754.8	...	...	...	0	...
Nagasaki,	,,	29.68	753.8	...	...	W	8	...	,,	29.80	756.8	...	...	W	2	...
Kagoshima,	,,	29.72	754.9	...	...	W	6	...	,,	29.84	757.9	...	...	W	4	...
Oshima,	,,	29.77	756.1	...	...	N	2	...	,,	29.85	758.1	...	...	W	2	...
Naha,	,,	29.81	757.2	...	...	W	4	...	,,	29.89	759.2	...	...	S W	2	...
Ishigakijima,	,,	29.82	757.3	...	...	S W	4	...	,,	29.86	758.3	...	...	S	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.68	753.9	77	...	W N W	2	b	9 a.	29.89	759.2	...	...	W N W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.68	753.9	89	63	W	2	b	9 a.	29.84	757.9	84	72	N	1	b
Gutzlaff,	,,	29.67	753.6	89	...	W	1	cv	,,	29.80	756.9	77	95	N	3	omd
Sharp Peak,	,,	29.69	754.1	88	80	S S E	3	c	,,	29.83	757.7	83	81	...	0	o
Amoy,	,,	29.75	755.6	91	67	S S E	3	b	6 a.	29.84	757.9	78	86	E S E	3	c
Swatow,	,,	29.72	754.9	95	62	W	2	b	,,	29.87	758.7	80	87	W	1	c
Taihoku,	1 p.	29.78	756.3	...	...	W	6	...	5 a.	29.86	758.4	...	...	W	2	...
Taichu,	,,	29.82	757.3	...	...	S W	4	...	,,	29.89	759.1	...	...	...	0	...
Tainan,	,,	29.85	758.2	...	...	W	2	...	,,	29.87	758.7	...	...	S E	2	...
Koshun,	,,	29.84	757.4	...	...	N W	8	...	,,	29.85	758.2	...	...	N W	4	...
Pescadores,	,,	29.84	758.0	...	...	S W	4	...	,,	29.86	758.4	...	...	S W	4	...
Canton,	3 p.	29.77	756.1	85	91	S	1	c	9 a.	29.89	759.2	80	96	...	0	b
Hongkong,	4 p.	29.78	756.4	86	74	S S W	2	o	10 a.	29.89	759.2	88	67	S W	2	c
Victoria Peak,	,,	...	...	...	...	S S W	7	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.76	755.9	...	...	S W	4	...	,,	29.87	758.7	...	...	S S W	2	...
Macao,	,,	29.78	756.4	86	...	S W	2	c	,,	29.89	759.2	84	...	S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.5	86	...	S	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	755.9	91	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	84	...	S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.7	90	...	N	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	86	71	S W	0	o	10 a.	29.92	760	86	71	S W	0	o
Legaspi,	2 p.	29.87	758.6	90	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.83	757.7	87	...	W	2	c	,,	29.89	759.2	84	...	N E	1	c
Cebu,	,,	29.83	757.7	88	...	N	2	b	,,	29.91	759.7	87	...	S	2	c
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	29.88	758.9	79	...	...	...	...

On the 8th at 11.35 a.—The barometer has fallen in E. Japan, and risen over W. Japan and N. China.

The depression is passing from E. Japan to the Pacific.

Pressure is highest over N. China in the North, and over the China Sea in the South. It is near the normal over the Philippines, in excess by about 0.1 inch along the China Coast, and in defect by 0.1 to 0.2 inch over E. Japan.

Gradients are slight on the China Coast, for N.E. winds in the North and for S.W. winds in the South. Light variable winds are indicated over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, light; fair to showery.
2.—Formosa Channel,	S. to E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 8th August, 1906.

[Printed by Kobonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th August, 1906, P.M.								9th August, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	N E	4	...	6 a.	30.01	762.1	...	...	N E	4	...
Hakodate,	,,	29.77	756.2	...	...	S E	4	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.63	752.6	...	...	N	2	...	,,	29.87	758.6	...	...	N	6	...
Kochi,	,,	29.72	754.8	...	...	S	2	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.80	756.8	...	...	W	6	...	,,	29.88	758.8	...	...	N E	2	...
Kagoshima,	,,	29.80	756.9	...	...	W	4	...	,,	29.88	758.9	...	...	N	2	...
Oshima,	,,	29.81	757.1	...	...	N	4	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.85	758.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	6	...	,,	29.86	758.3	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.89	759.2	72	100	E	1	c
Weihaiwei,	,,	29.83	757.7	82	...	E	1	b	9 a.	29.93	760.2	82	...	N E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.83	757.7	84	68	N	2	o	9 a.	29.87	758.7	81	71	N W	1	c
Gutzlaff,	,,	29.81	757.2	78	82	N N E	3	cv	,,	29.88	758.9	77	86	N	2	cv
Sharp Peak,	,,	29.89	756.9	88	82	S S E	1	o	,,	29.91	759.7	82	87	...	0	o
Amoy,	,,	29.80	756.9	90	70	E S E	3	c	6 a.	29.87	758.7	80	87	S W	3	c
Swatow,	,,	29.75	755.6	94	74	S W	1	b	,,	29.81	757.2	79	87	...	0	c
Taihoku,	1 p.	29.83	757.7	...	...	N E	4	...	5 a.	29.89	759.3	...	...	S	2	...
Taichu,	,,	29.83	757.7	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.87	758.8	...	...	W	4	...	,,	29.89	759.1	...	...	S W	2	...
Koshun,	,,	29.85	758.2	...	...	N W	6	...	,,	29.87	758.7	...	...	...	0	...
Pescadores,	,,	29.86	758.4	...	...	W	4	...	,,	29.87	758.6	...	...	S W	2	...
Canton,	3 p.	29.82	757.4	84	96	...	0	or	9 a.	29.91	759.7	83	91	...	0	c
Hongkong,	4 p.	29.82	757.4	88	69	S S W	2	c	10 a.	29.90	759.4	86	75	W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S S W	2	...
Gap Rock,	,,	29.82	757.4	...	...	S S W	2	...	,,	29.88	758.9	...	...	W	2	...
Macao,	,,	29.82	757.4	88	...	S S W	1	c	,,	29.89	759.2	86	...	S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.1	86	...	S S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.82	757.5	95	...	N E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	86	...	S	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.7	91	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	91	61	S S W	0	c	10 a.	29.88	759	86	71	...	0	c
Legaspi,	2 p.	29.85	758.1	88	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.84	757.9	85	...	S S W	1	o	,,	29.87	758.7	84	...	E	1	b
Cebu,	,,	29.85	758.2	86	...	S	3	c	,,	29.89	759.2	85	...	...	0	c
Labuan,	,,	29.81	757.2	83	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 9th at 11.40 a.—The barometer has risen considerably over E. Japan, and slightly on the China Coast. In the Philippines it is inclined to fall.

Pressure is highest over the N.E. part of the Sea of Japan. Over the China Coast and China Sea the mercury stands practically at the same level. It exceeds the average height by slightly over 0.1 inch on the China Coast and in N.E. Japan, and is near the normal point over S.E. Japan and the Philippines.

Gradients are slight generally, and light variable winds are indicated over S. China and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light ; fair to showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 9th August, 1906.

[Printed by Nososhia & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th August, 1906, P.M.								10th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.97	761.1	...	...	S E	6	...	6 a.	29.93	760.1	...	...	...	0	...
Hakodate,	,,	29.97	761.2	...	...	S E	6	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	N E	6	...	,,	29.91	759.6	...	...	N	2	...
Kochi,	,,	29.80	756.8	...	...	S	4	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki,	,,	29.84	757.8	...	...	W	2	...	,,	29.88	758.8	...	...	N	2	...
Kagoshima,	,,	29.84	757.9	...	...	S	2	...	,,	29.88	758.9	...	...	...	0	...
Oshima,	,,	29.85	758.1	...	...	W	4	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	N W	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.86	758.3	...	...	S W	4	...	,,	29.89	759.3	...	...	S W	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.90	759.4	84	...	E	1	b	9 a.	29.95	760.7	78	...	E	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.87	758.7	90	63	E	3	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.85	758.2	84	60	N	1	b	9 a.	29.89	759.2	81	78	N	1	b
Gutzlaff,	,,	29.83	757.7	80	74	N N E	3	cv	,,	29.87	758.7	80	82	...	0	bv
Sharp Peak,	,,	29.84	757.9	86	86	...	0	o	,,	29.91	759.7	82	85	S	1	o
Amoy,	,,	29.83	757.7	90	66	S S E	2	b	6 a.	29.93	760.2	77	91	W	3	o
Swatow,	,,	29.79	756.6	80	87	S W	1	or	,,	29.83	757.7	81	87	E	1	o
Taihoku,	1 p.	29.85	758.3	...	...	N	4	...	5 a.	29.88	758.9	...	...	S	2	...
Taichu,	,,	29.86	758.4	...	...	W	2	...	,,	29.88	758.8	...	...	...	0	...
Tainan,	,,	29.87	758.6	...	...	W	4	...	,,	29.86	758.5	...	...	N	2	...
Keshun,	,,	29.85	758.1	...	...	...	0	...	,,	29.86	758.4	...	...	...	0	...
Pescadores,	,,	29.89	759.2	...	...	W	4	...	,,	29.84	758.0	...	...	...	0	...
Canton,	3 p.	29.81	757.2	91	70	...	5	c	9 a.	29.90	759.4	85	83	S	1	c
Hongkong,	4 p.	29.82	757.4	86	77	S S W	1	o	10 a.	29.90	759.4	87	70	W S W	1	o
Victoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	S	2	...
Gap Rock,	,,	29.81	757.2	...	...	W	2	...	,,	29.90	759.4	...	...	S W	2	...
Macao,	,,	29.82	757.4	88	...	S	1	c	,,	29.89	759.2	85	...	W S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.9	95	...	S S E	5	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.82	757.4	90	...	S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	86	...	S	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.86	758.4	91	...	E	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	79	92	...	0	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.82	757.5	88	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N W	1	o	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.79	756.6	86	...	S W	1	c	,,	29.87	758.7	83	...	N E	1	b
Cebu,	,,	29.82	757.4	83	...	S	2	b	,,	29.89	759.2	85	...	S	2	b
Labuan,	,,	29.78	758.9	85	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 10th at 11.30 a.—Barometric changes are slight.

Pressure is practically at the same point in all districts. It remains at the normal over the Philippines, and is still in excess by about 0.1 inch over the China Coast and the greater part of Japan.

Gradients are slight generally, and light variable winds, chiefly from N.E. in the North and from S.W. in the South, are indicated.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. or variable winds, light : fair to showery.
2.—Formosa Channel,	Variable winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 10th August, 1906.

(Printed by Noronha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th August, 1906, P.M.								11th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	S E	4	...	6 a.	29.89	759.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	S	4	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	N	4	...	,,	29.91	759.6	...	...	N W	2	...
Kochi,	,,	29.83	757.8	...	...	N E	2	...	,,	29.84	757.8	...	...	...	0	...
Nagasaki,	,,	29.83	757.8	...	...	N E	4	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	W	2	...	,,	29.84	757.9	...	...	N E	2	...
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	4	...	,,	29.89	759.3	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.82	757.4	84	...	E	3	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.87	758.7	88	76	...	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.82	757.4	85	72	E N E	1	o	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.81	757.2	84	75	E S E	1	bv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.83	757.7	86	80	S S E	2	ov	,,	29.89	759.2	81	83	...	0	c
Amoy,	,,	29.87	758.7	83	75	S E	3	c	6 a.	29.93	760.2	75	95	S W	3	b
Swatow,	,,	29.81	757.2	87	76	S W	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.88	759.0	...	...	N	6	...	5 a.	29.85	758.2	...	...	...	0	...
Taichu,	,,	29.89	759.1	...	...	N W	4	...	,,	29.88	759.0	...	...	...	0	...
Tainan,	,,	29.88	759.0	...	...	N E	2	...	,,	29.87	758.6	...	...	E	4	...
Koshun,	,,	29.87	758.6	...	...	N	6	...	,,	29.86	758.4	...	...	...	0	...
Pescadores,	,,	29.87	758.6	...	...	N W	4	...	,,	29.85	758.1	...	...	N W	4	...
Canton,	3 p.	29.82	757.4	91	84	S	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.81	757.2	86	71	S W	1	o	10 a.	29.90	759.4	86	74	E S E	2	c
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.81	757.2	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.82	757.4	87	...	S W	1	c	,,	29.89	759.2	88	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.9	86	...	S S E	6	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.81	757.1	90	...	S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.2	84	...	W N W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	81	92	N E	1	o	10 a.	29.88	759	82	85	W	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	E	1	o	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.79	756.6	88	...	N E	1	c	,,	29.89	759.2	83	...	E N E	1	c
Cebu,	,,	29.80	756.9	87	...	N	1	c	,,	29.89	759.2	81	...	S	1	c
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.84	757.9	83	...	...	...	...

On the 11th at 11.45 a.—The barometer has fallen slightly over Japan, and is little changed at the other stations. The returns from N. China are lacking this morning, but pressure remains almost uniform in the other districts. It is slightly lower in W. Japan than elsewhere. It still exceeds the normal by about 0.1 inch over S. China, and is near its average point over W. Japan and the Philippines.

Gradients continue slight, and light variable winds are indicated along the Coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 11th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th August, 1906, P.M.								12th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S E	4	...	6 a.	29.93	760.1	...	...	E	2	...
Hakodate,	,,	29.93	760.2	...	...	S	6	...	,,	29.89	759.2	...	...	N	2	...
Tokio,	,,	29.87	758.6	...	...	N	2	...	,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.83	757.8	...	...	S W	2	...	,,	29.84	757.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	...	4	...	,,	29.84	757.8	...	...	N	2	...
Kagoshima,	,,	29.80	756.9	...	...	S	4	...	,,	29.88	758.9	...	...	N	2	...
Oshima,	,,	29.89	759.1	...	...	N W	4	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S W	6	...	,,	29.89	759.3	...	...	S W	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.85	758.2	...	...	E N E	1	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.83	757.7	94	64	N N E	0	c	,,	29.86	758.4	77	95	...	0	c
Shanghai,	,,	29.81	757.2	88	59	S	1	b	9 a.	29.83	757.7	87	69	S E	2	c
Gutzlaff,	,,	29.82	757.4	86	80	S E	3	cv	,,	29.81	757.2	84	83	S S E	2	b
Sharp Peak,	,,	29.82	757.4	86	80	S S E	2	c	,,	29.86	758.4	83	85	...	0	c
Amoy,	,,	29.84	757.9	86	72	S S E	3	b	6 a.	29.83	757.7	80	91	...	0	c
Swatow,	,,	29.83	757.7	89	66	S	1	b	,,	29.83	757.7	78	86	...	0	b
Taihoku,	1 p.	29.88	759.0	...	...	N W	4	...	5 a.	29.88	759.0	...	...	S	2	...
Taichu,	,,	29.89	759.3	...	...	W	2	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.90	759.4	...	...	S W	4	...	,,	29.89	759.1	...	...	N	2	...
Koshun,	,,	29.87	758.6	...	...	S	4	...	,,	29.88	758.8	...	...	...	0	...
Pescadores,	,,	29.90	759.4	...	...	N W	2	...	,,	29.87	758.7	...	...	S W	2	...
Canton,	3 p.	29.84	757.9	93	64	E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.83	757.7	87	64	S	2	b	10 a.	29.91	759.7	85	76	E	2	b
Victoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	S S E	1	...
Gap Rock,	,,	29.83	757.7	...	...	S S W	2	...	,,	29.89	759.2	...	...	S S E	1	...
Macao,	,,	29.83	757.7	88	...	S	1	c	,,	29.90	759.4	88	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.9	68	...	S S E	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.77	756.1	90	...	S E	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	86	...	S	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.84	757.9	91	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	71	W N W	0	o	10 a.	29.88	759	84	77	N	1	c
Legaspi,	2 p.	29.84	757.8	90	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N W	1	b
Iloilo,	,,	29.79	756.6	85	...	W	1	c	,,	29.85	758.2	84	...	N E	1	b
Cebu,	,,	29.81	757.2	87	...	S	1	b	,,	29.86	758.4	87	...	N	1	c
Labuan,	,,	29.79	756.6	87	...	...	...	...	,,	29.83	757.7	84	...	...	...	...

On the 12th at 11.45 a.—The barometer has fallen slightly over the E. Coast of China and the Southern Philippines.

Pressure is highest, about 29.90, over E. Japan in the North, and over the N. part of the China Sea in the South. It is slightly lower over the E. Coast of China and W. Japan, and the S. Philippines.

The average pressure is still exceeded by slightly over 0.1 inch in S. China and Formosa.

Gradients are slight generally. They favour light S.E. winds in the North, and light E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, light; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 12th August, 1906.

[Printed by [illegible] & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th August, 1906, P.M.								13th August, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	S E	4	...	6 a.	29.97	761.1	...	...	S E	2	...
Hakodate,	,,	29.85	758.2	...	...	S E	8	...	,,	29.97	761.2	...	...	N	2	...
Tokio,	,,	29.83	757.6	...	...	S E	4	...	,,	29.91	759.6	...	...	N W	2	...
Kochi,	,,	29.83	757.8	...	...	S E	4	...	,,	29.88	758.8	...	...	W	2	...
Nagasaki,	,,	29.80	756.8	...	...	S W	4	...	,,	29.84	757.8	...	...	S W	0	...
Kagoshima,	,,	29.80	756.9	...	...	S	2	...	,,	29.84	757.9	...	...	...	0	...
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	N W	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S W	4	...	,,	29.89	759.3	...	...	S W	2	...
Chefoo,	3 p.	29.82	757.4	80	91	E	1	o	6 a.	...	...	75	95	...	0	c
Weihaiwei,	,,	29.84	757.9	76	...	E N E	2	c	9 a.	29.86	758.4	75	...	S E	3	c
Hankow,	,,	29.83	757.7	95	50	S	3	b	6 a.	29.86	758.4	82	96	S S E	2	b
Kiukiang,	,,	29.83	757.7	95	62	W	2	b	,,	29.86	758.4	81	91	...	0	c
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	29.81	757.2	89	69	...	0	c
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	84	87	S	1	cm
Sharp Peak,	,,	29.81	757.2	88	82	S	2	b	,,	29.87	758.7	84	85	...	0	b
Amoy,	,,	29.83	757.7	92	67	S E	4	c	6 a.	29.91	759.7	82	91	...	0	b
Swatow,	,,	29.82	757.4	90	70	S S E	1	b	,,	29.84	757.9	76	86	S	1	b
Taihoku,	1 p.	29.88	759.0	...	...	N	4	...	5 a.	29.90	759.4	...	...	S E	2	...
Taichu,	,,	29.88	759.0	...	...	W	2	...	,,	29.91	759.6	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	S W	4	...	,,	29.91	759.6	...	...	...	0	...
Koshun,	,,	29.88	758.9	...	...	S	4	...	,,	29.88	759.0	...	...	...	0	...
Pescadores,	,,	29.90	759.5	...	...	W	2	...	,,	29.89	759.1	...	...	S	2	...
Canton,	3 p.	29.82	757.4	93	71	S W	1	c	9 a.	29.93	760.2	86	76	...	0	b
Hongkong,	4 p.	29.85	758.2	83	80	E	2	c	10 a.	29.94	760.5	87	68	E	1	c
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	29.83	757.7	...	...	...	0	...	,,	29.92	759.9	...	...	E S E	1	...
Macao,	,,	29.85	758.2	89	...	S	1	c	,,	29.93	760.2	86	...	S E	1	cd
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.84	757.9	83	96	S	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.5	86	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.80	756.9	88	...	S E	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.5	82	...	S	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	79	92	...	0	c	10 a.	29.88	759	84	77	N N W	0	c
Legaspi,	2 p.	29.82	757.4	90	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.79	756.6	86	...	W	1	c	,,	29.85	758.2	84	...	N E	1	c
Cebu,	,,	29.81	757.2	88	...	N	1	b	,,	29.87	758.7	87	...	...	0	c
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.83	757.7	83	...	...	...	...

On the 13th at 11.25 a.—The barometer has risen slightly over N.E. Japan and the S. Coast of China.

Pressure is high, exceeding the normal by about 0.15 inch, over both of these areas. It is lower by 0.1 inch and upwards over W. Japan and the E. Coast of China, and by about 0.05 inch over the S. Philippines.

Gradients continue slight, and light to moderate S.E. winds are indicated over the E. Coast of China, and light N.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fine.
2.—Formosa Channel,	S.E. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, light.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 13th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th August, 1906, P.M.								14th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S E	6	...	6 a.	30.04	763.1	...	...	E	6	...
Hakodate,	,,	29.93	760.2	...	...	S E	8	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S E	2	...	,,	29.95	760.6	...	...	N E	4	...
Kochi,	,,	29.83	757.8	...	...	S	2	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki,	,,	29.83	757.8	...	...	W	6	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	W	4	...	,,	29.88	758.9	...	...	N	0	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	S W	4	...	,,	29.89	759.3	...	...	S	2	...
Chefoo,	3 p.	29.74	755.4	80	91	E	3	c	6 a.	29.82	757.4	76	91	E	2	c
Weihaiwei,	,,	29.80	756.9	81	...	E S E	4	ovr	9 a.	29.78	756.4	78	...	S E	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.87	758.7	82	91	S	1	b
Kiukiang,	,,	...	...	96	59	S W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.78	756.4	89	69	S E	1	o	9 a.	29.80	756.9	88	77	S W	1	o
Gutzlaff,	,,	29.78	756.4	84	87	S S E	1	cv	,,	29.80	756.9	86	84	S S W	2	cv
Sharp Peak,	,,	29.81	757.2	89	82	S	3	b	,,	29.87	758.7	85	83	...	0	o
Amoy,	,,	29.87	758.7	90	66	S S E	2	b	6 a.	29.88	758.9	81	96	S W	1	b
Swatow,	,,	29.82	757.4	92	64	S E	1	b	,,	29.80	756.9	80	91	S E	1	b
Taihoku,	1 p.	29.89	759.2	...	...	W	2	...	5 a.	29.90	759.4	...	...	S	2	...
Taichu,	,,	29.90	759.4	...	...	N	2	...	,,	29.91	759.6	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	S W	4	...	,,	29.90	759.4	...	...	E	4	...
Koshun,	,,	29.89	759.1	...	...	S	4	...	,,	29.88	758.9	...	...	...	0	...
Pescadores,	,,	29.91	759.7	...	...	W	4	...	,,	29.88	759.0	...	...	S	2	...
Canton,	3 p.	29.88	758.9	86	92	S W	2	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.85	758.2	85	78	E	2	c	10 a.	29.93	760.2	89	69	E S E	1	c
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.86	758.4	...	...	E S E	1	...	,,	29.89	759.2	...	...	S S E	2	...
Macao,	,,	29.87	758.7	89	...	S E	1	c	,,	29.93	760.2	89	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	91	62	S	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.81	757.1	91	...	S S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.82	757.5	88	...	S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	86	...	S E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.84	758.0	91	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	88	72	...	0	o	10 a.	29.88	759	84	71	N W	0	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N W	1	o	9 a.	...	...	...	...	N N W	1	b
Iloilo,	,,	29.79	756.6	89	...	N E	1	b	,,	29.89	759.2	85	...	N E	1	b
Cebu,	,,	29.80	756.9	89	...	N	1	b	,,	29.89	759.2	85	...	...	0	c
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 14th at 11.45 a.—Barometric changes are slight.

The highest pressure, 30.00 and upwards, is over N.E. Japan; and the lowest, 29.80, over N.E. China. Pressure remains high, about 0.15 inch above the normal, over the northern shores of the China Sea. It is near the average point over the Philippines.

There is a slight gradient for N.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, light; fine.
2.—Formosa Channel,	S. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 14th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th August, 1906, P.M.								15th August, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.00	762.1	...	...	S E	4	...	6 a.	30.01	762.1	...	...	E	2	
Hakodate,	,,	29.97	761.2	...	...	S E	8	...	,,	29.97	761.2	...	...	...	0	
Tokio,	,,	29.94	760.6	...	...	N	4	...	,,	29.95	760.6	...	...	...	0	
Kochi,	,,	29.83	757.8	...	...	S	2	...	,,	29.88	758.8	...	...	...	0	
Nagasaki,	,,	29.83	757.8	...	...	S W	4	...	,,	29.88	758.8	...	...	...	0	
Kagoshima,	,,	29.84	757.9	...	...	S E	2	...	,,	29.88	758.9	...	...	N W	2	
Oshima,	,,	29.89	759.1	...	...	W	2	...	,,	29.89	759.1	...	...	...	0	
Naha,	,,	29.93	760.2	...	...	N W	4	...	,,	29.89	759.2	...	...	...	0	
Ishigakijima,	,,	29.93	760.3	...	...	S W	4	...	,,	29.89	759.3	...	...	S W	4	
Chefoo,	3 p.	29.64	752.8	77	91	E	4	o	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.70	754.4	78	...	S E	4	cd	9 a.	29.56	750.8	81	...	...	3	ovr
Hankow,	,,	29.82	757.4	87	72	S W	3	b	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.74	755.4	93	58	S W	1	o	9 a.	29.75	755.6	88	73	S W	1	b
Gutzlaff,	,,	29.76	755.9	89	80	S W	1	cv	,,	29.77	756.1	86	88	S S W	2	cv
Sharp Peak,	,,	29.82	757.4	90	81	S	2	b	,,	29.87	758.7	85	85	S	1	b
Amoy,	,,	29.84	757.9	91	67	S S E	4	b	6 a.	29.87	758.7	83	83	...	0	b
Swatow,	,,	29.83	757.7	92	61	S	2	b	,,	29.83	757.7	78	86	S	1	b
Taihoku,	1 p.	29.85	758.2	...	...	N	4	...	5 a.	29.89	759.3	...	...	S	2	
Taichu,	,,	29.91	759.6	...	...	W	4	...	,,	29.92	759.9	...	...	...	0	
Tainan,	,,	29.92	760.0	...	...	S	6	...	,,	29.91	759.6	...	...	E	2	
Koshun,	,,	29.91	759.7	...	...	S E	4	...	,,	29.89	759.1	...	...	...	0	
Pescadores,	,,	29.92	759.9	...	...	S W	6	...	,,	29.88	759.0	...	...	S	2	
Canton,	3 p.	29.88	758.9	89	88	S E	1	c	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.88	758.9	88	66	S	2	c	10 a.	29.94	760.5	87	69	W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S S E	0	
Gap Rock,	,,	29.86	758.4	...	...	S E	1	...	,,	29.91	759.7	...	...	WN W	1	
Macao,	,,	29.89	759.2	90	...	S E	1	c	,,	29.94	760.5	90	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.84	757.9	86	...	S S E	4	c	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.83	757.8	90	...	E	2	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.78	756.4	84	...	S S W	1	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.87	758.8	90	...	N E	2	b	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.84	758	84	77	...	0	d	10 a.	29.92	760	86	71	W	1	b
Legaspi,	2 p.	29.87	758.8	82	...	E	1	o	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.79	756.6	90	...	N E	1	c	,,	29.89	759.2	86	...	...	0	b
Cebu,	,,	29.82	757.4	87	...	N	1	c	,,	29.91	759.7	85	...	...	0	c
Labuan,	,,	29.75	755.6	88	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 15th at 11.35 a.—The barometer has fallen over N. China, owing to a depression which appears to be moving Eastwards over Shantung. Changes in other areas are of little importance.

Pressure is highest over N.E. Japan in the North, and over the N. part of the China Sea in the South. Except over N.E. China, pressure is above the normal generally, the most marked excess, about 0.15 inch, being shown over N.E. Japan, and S. China and Formosa.

Gradients continue gentle in the South, and light variable winds are indicated over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fine.
2.—Formosa Channel,	S. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 15th August, 1906.

[Printed by Nobonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th August, 1906, P.M.								16th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.97	761.1	...	...	S E	4	...	6 a.	29.85	758.1	...	...	N E	4	...
Hakodate,	,,	29.93	760.2	...	...	S E	8	...	,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	N	2	...	,,	29.87	758.6	...	...	...	0	...
Kochi,	,,	29.84	757.8	...	...	S E	2	...	,,	29.84	757.8	...	...	...	0	...
Nagasaki,	,,	29.88	758.8	...	...	W	4	...	,,	29.76	755.8	...	...	S W	6	...
Kagoshima,	,,	29.84	757.9	...	...	...	0	...	,,	29.80	756.9	...	...	...	0	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.93	760.2	...	...	S W	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	S W	4	...	,,	29.86	758.3	...	...	S W	6	...
Chefoo,	3 p.	29.54	750.3	87	80	S W	3	c	6 a.	29.55	750.5	74	95	W	1	b
Weihaiwei,	,,	29.49	749.0	87	...	S W	2	c	9 a.	29.59	751.6	79	...	W	2	b
Hankow,	,,	29.84	757.9	84	91	S E	1	b	6 a.	29.86	758.4	77	95	W S W	2	o
Kiukiang,	,,	29.77	756.1	99	52	S W	3	c	,,	29.81	757.2	79	87	...	0	c
Shanghai,	,,	29.68	753.9	95	81	S W	1	b	9 a.	29.72	754.9	88	73	S W	1	b
Gutzlaff,	,,	29.70	754.4	92	77	S S W	2	cv	,,	29.67	753.6	87	88	W S W	2	bv
Sharp Peak,	,,	29.82	757.4	90	79	S	3	c	,,	29.82	757.4	85	81	S	2	b
Amoy,	,,	29.85	758.2	90	81	S S E	4	b	6 a.	29.83	757.7	81	96	N N W	3	b
Swatow,	,,	29.83	757.7	92	77	S S E	2	b	,,	29.80	756.9	79	82	S	1	b
Taihoku,	1 p.	29.87	758.6	...	...	W	2	...	5 a.	29.86	758.4	...	...	...	0	...
Taichu,	,,	29.91	759.8	...	...	S W	4	...	,,	29.91	759.6	...	...	...	0	...
Tainan,	,,	29.89	759.1	...	...	S	4	...	,,	29.89	759.2	...	...	E	4	...
Koshun,	,,	29.91	759.6	...	...	S	4	...	,,	29.88	758.9	...	...	...	0	...
Pescadores,	,,	29.91	759.6	...	...	W	4	...	,,	29.87	758.6	...	...	S W	4	...
Canton,	3 p.	29.85	758.2	93	58	S E	1	c	9 a.	29.90	759.4	86	76	S	1	b
Hongkong,	4 p.	29.86	758.4	88	65	S W	1	c	10 a.	29.90	759.4	88	72	W N W	1	c
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S W	3	...
Gap Rock,	,,	29.87	758.7	...	...	W S W	2	...	,,	29.89	759.2	...	...	W	2	...
Macao,	,,	29.88	758.9	91	...	S	1	c	,,	29.89	759.2	88	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	84	...	S S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	81	...	N E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.88	758.9	90	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	81	76	N E	1	o	10 a.	29.92	760	84	71	W N W	1	c
Legaspi,	2 p.	29.88	758.8	86	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.81	757.2	91	...	N E	1	c	,,	29.87	758.7	86	...	N E	1	c
Cebu,	,,	29.83	757.7	89	...	N	2	b	,,	29.89	759.2	87	...	N	2	c
Labuan,	,,	29.75	755.6	89	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 16th at 11.40 a.—The barometer has fallen moderately over Japan owing to the depression, which appears to be moving into N. Korea.

The highest pressure is over the N. part of the China Sea. It has decreased slightly over S. China, the normal, however, being still exceeded by about 0.1 inch over that area and Formosa.

Gradients continue gentle over the China Sea, where light variable winds may be expected.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light; fine.
2.—Formosa Channel,	S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 16th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th August, 1906, P.M.								17th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	N	8	...	6 a.	29.69	754.1	...	...	S W	4	...
Hakodate,	,,	29.73	755.2	...	...	S E	4	...	,,	29.62	752.2	...	...	...	0	...
Tokio,	,,	29.75	755.6	...	...	S	6	...	,,	29.71	754.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	S	2	...	,,	29.72	754.8	...	...	...	0	...
Nagasaki,	,,	29.76	755.8	...	...	S W	6	...	,,	29.72	754.8	...	...	S W	6	...
Kagoshima,	,,	29.80	756.9	...	...	W	6	...	,,	29.80	756.9	...	...	W	2	...
Oshima,	,,	29.85	758.1	...	...	S	2	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	S W	4	...	,,	29.85	758.2	...	...	S W	2	...
Ishigakijima,	,,	29.89	759.3	...	...	S W	6	...	,,	29.86	758.3	...	...	S W	6	...
Chefoo,	3 p.	29.48	748.8	92	67	W	2	b	6 a.	29.56	750.8	77	91	S W	1	b
Weihaiwei,	,,	29.52	749.8	88	...	S W	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.84	757.9	90	77	S W	2	c	6 a.	29.84	757.9	79	100	S W	1	c
Kiukiang,	,,	29.80	756.9	86	80	N W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	29.73	755.1	85	76	...	0	c
Gutzlaff,	,,	29.67	753.6	89	80	N E	1	cv	,,	29.73	755.1	85	87	N W	1	cv
Sharp Peak,	,,	29.75	755.6	90	81	S	3	b	,,	29.81	757.2	85	83	S	1	c
Amoy,	,,	29.77	756.1	89	80	S S E	3	b	6 a.	...	...	81	96	S E	3	b
Swatow,	,,	29.75	755.6	94	61	S	2	b	,,	...	...	81	78	S	1	b
Taihoku,	1 p.	29.82	757.5	...	...	E	2	...	5 a.	29.84	757.8	...	...	S	2	...
Taichu,	,,	29.85	758.2	...	...	W	4	...	,,	29.87	758.7	...	...	...	0	...
Tainan,	,,	29.88	759.0	...	...	S	6	...	,,	29.87	758.7	...	...	E	2	...
Koshun,	,,	29.87	758.7	...	...	S W	2	...	,,	29.86	758.3	...	...	...	0	...
Pescadores,	,,	29.86	758.4	...	...	S W	6	...	,,	29.84	757.9	...	...	S	6	...
Canton,	3 p.	29.82	757.4	94	71	S	1	b	9 a.	29.86	758.4	87	76	S	1	b
Hongkong,	4 p.	29.81	757.2	89	67	S W	2	b	10 a.	29.87	758.7	88	72	W S W	2	c
Victoria Peak,	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.82	757.4	...	...	W S W	3	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.82	757.4	91	...	S W	1	c	,,	29.87	758.7	86	...	S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	91	67	S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.4	88	...	S S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.83	757.7	90	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.4	70	...	E	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	90	66	W N W	0	c	10 a.	29.92	760	81	85	...	0	c
Legaspi,	2 p.	29.83	757.7	88	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	...	0	o
Iloilo,	,,	29.75	755.6	86	...	S W	1	o	,,	29.89	75.92	82	...	...	0	o
Cebu,	,,	29.80	756.9	88	...	N	1	c	,,	29.90	759.4	84	...	E	1	c
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 17th at 11.25 a.—The barometer has fallen consid rably over E. Japan, and slightly over S. China and Formosa.

The depression is lying over E. Manchuria and the N. part of the Sea of Japan.

The highest pressure is over the China Sea. It is in defect 0.2 inch and upwards over the Gulf of Pechili and N.E. Japan, in excess by about 0.1 inch over the S. Coast of China and Formosa, and slightly above the normal over the Philippines.

Gradients continue slight over the China Sea, and light S.W. and variable winds are indicated over the Northern part.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light to moderate; fine.
2.—Formosa Channel,	S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 17th August, 1906.

[Printed by Nokowna & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th August, 1906, P.M.								18th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	S	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.50	749.2	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.59	751.6	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.68	753.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.76	755.9	...	...	W	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.85	758.1	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.51	749.5	92	...	W S W	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.80	756.9	91	84	S	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.75	755.6	95	62	S S W	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.67	753.6	85	72	N W	1	ot	9 a.	29.70	754.4	89	69	S W	1	b
Gutzlaff,	,,	29.70	754.4	82	96	S S W	2	cv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.73	755.1	90	81	S	2	b	,,	29.79	756.6	85	83	S	1	b
Amoy,	,,	29.81	757.2	92	70	S S E	3	b	6 a.	29.85	758.2	81	91	S W	1	b
Swatow,	,,	29.72	754.9	96	59	S	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.82	757.5	...	...	W	0	...	5 a.	29.82	757.3	...	...	...	0	...
Taichu,	,,	29.85	758.1	...	...	S W	4	...	,,	29.84	758.0	...	...	...	0	...
Tainan,	,,	29.87	758.6	...	...	S	2	...	,,	29.83	757.6	...	...	E	2	...
Koshun,	,,	29.82	757.3	...	...	W	4	...	,,	29.82	757.4	...	...	...	0	...
Pescadores,	,,	29.86	758.5	...	...	S W	6	...	,,	29.83	757.6	...	...	S W	4	...
Canton,	3 p.	29.77	756.1	95	59	S E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.78	756.4	89	62	S S W	2	c	10 a.	29.84	757.9	88	71	N W	1	c
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S W	3	...
Gap Rock,	,,	29.76	755.9	...	...	S W	3	...	,,	29.82	757.4	...	...	W	2	...
Macao,	,,	29.79	756.6	91	...	S W	2	c	,,	29.84	757.9	88	...	S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	86	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.80	757.0	88	...	...	0	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	84	...	S E	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.7	91	...	E	2	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	90	66	W S W	1	o	10 a.	29.88	759	84	71	E	0	c
Legaspi,	2 p.	29.86	758.3	88	...	W	1	d	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.79	756.6	86	...	W	1	c	,,	29.85	758.2	82	...	N E	1	c
Cebu,	,,	29.83	757.7	86	...	N	3	c	,,	29.88	758.9	83	...	N	1	b
Labuan,	,,	29.80	756.9	83	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 18th at 11.35 a.—The barometer has fallen slightly at all stations to the Southward of Shanghai.

The lowest pressure is over N. China, and the highest over the N. part of the China Sea. It is normal over the Philippines, slightly above over the S. Coast of China and Formosa, and about 0.1 inch in defect over the E. Coast of China.

Gradients are slight, and light to moderate S. and S.W. winds are indicated along the China Coast, and light variable winds over the China Sea.

Returns from N. China and Japan are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light ; fine.
2.—Formosa Channel,	S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 18th August, 1906.

[Printed by Kosugiura & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th August, 1906, P.M.								19th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.53	750.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.61	752.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.67	753.6	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.64	752.8	...	...	E	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.76	755.8	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.76	755.9	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.81	757.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.53	750.0	85	79	N W	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.59	751.6	87	...	E N E	1	b	9 a.	29.68	753.9	78	...	W	...	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.76	755.9	83	79	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.65	753.1	89	66	W S W	1	o	9 a.	29.68	753.9	80	82	...	0	o
Gutzlaff,	,,	29.65	753.1	91	70	S S W	2	cv	,,	29.71	754.6	83	91	S E	2	cv
Sharp Peak,	,,	29.70	754.4	89	80	S	3	b	,,	29.79	756.6	85	81	S	1	b
Amoy,	,,	29.81	757.2	90	77	S E	3	b	6 a.	29.83	757.7	81	91	S E	3	b
Swatow,	,,	29.70	754.4	93	64	S	2	b	,,	29.80	756.9	79	87	S	1	b
Taihoku,	1 p.	29.82	757.4	...	...	N W	4	...	5 a.	29.81	757.2	...	...	S	2	...
Taichu,	,,	29.85	758.1	...	...	S W	4	...	,,	29.84	757.9	...	...	...	0	...
Tainan,	,,	29.81	757.1	...	...	S W	4	...	,,	29.84	758.0	...	...	S E	2	...
Koshun,	,,	29.83	757.7	...	...	S	4	...	,,	29.83	757.7	...	...	...	0	...
Pescadores,	,,	29.83	757.8	...	...	S W	4	...	,,	29.83	757.6	...	...	S	4	...
Canton,	3 p.	29.74	755.4	94	58	S	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.76	755.9	89	64	S	1	c	10 a.	29.86	758.4	82	81	S S E	1	op
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S	1	...
Gap Rock,	,,	29.76	755.9	...	...	S W	3	...	,,	29.82	757.4	...	...	S S W	3	...
Macao,	,,	29.77	756.1	91	...	S	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.78	756.4	92	61	S W	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.1	86	...	S S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	755.9	88	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	77	...	S E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.75	755.7	93	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	88	72	...	0	o	10 a.	29.84	758	90	66	S S W	0	c
Legaspi,	2 p.	29.84	758.0	90	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	3	o	9 a.	...	...	...	...	...	0	o
Iloilo,	,,	29.75	755.6	87	...	N W	1	c	,,	29.85	758.2	84	...	N E	1	c
Cebu,	,,	29.82	757.4	84	...	N	4	o	,,	29.89	759.2	84	...	N	1	c
Labuan,	,,	29.72	754.9	88	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 19th at 11.30 a.—The barometer has risen in Weihaiwei, and is practically unchanged at the other stations.

Pressure is highest over the China Sea, and lowest over N. China. It remains in defect by about 0.1 inch over the E. and N.E. Coasts of China, and is in excess by nearly 0.1 inch over the S. Coast of China and Formosa.

Gradients continue slight, and light to moderate S. and S.E. winds are indicated along the China Coast, and light variable winds over the China Sea.

The depression noted on the 17th was moving into the Pacific to the N. of Japan yesterday afternoon.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. or variable winds, light ; showery.
2.—Formosa Channel,	S. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 19th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th August, 1906, P.M.								20th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	S E	4	...	6 a.	29.81	757.1	...	...	...	0	...
Hakodate,	,,	29.73	755.2	...	...	S W	6	...	,,	29.81	757.2	...	...	E	2	...
Tokio,	,,	29.75	755.6	...	...	S	2	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	S	2	...	,,	29.84	757.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S E	4	...	,,	29.84	757.8	...	...	S W	6	...
Kagoshima,	,,	29.80	756.9	...	...	S W	6	...	,,	29.88	758.9	...	...	E	2	...
Oshima,	,,	29.85	758.1	...	...	N W	4	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	S W	6	...	,,	29.93	760.3	...	...	S W	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.67	753.6	80	...	E	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	75	100	...	0	b
Shanghai,	,,	29.69	754.1	82	79	W	2	o	9 a.	29.85	758.2	83	75	W N W	1	b
Gutzlaff,	,,	29.68	753.9	85	87	N	1	cv	,,	29.84	757.9	79	87	N W	3	cv
Sharp Peak,	,,	29.69	754.1	90	77	S	3	b	,,	29.85	758.2	85	78	S W	1	b
Amoy,	,,	29.87	758.7	90	70	S	3	b	6 a.	29.85	758.2	79	82	S W	3	b
Swatow,	,,	29.72	754.9	93	64	S	2	b	,,	29.85	758.2	77	95	S W	1	b
Taihoku,	1 p.	29.82	757.3	...	...	N	4	...	5 a.	29.86	758.3	...	...	S E	2	...
Taichu,	,,	29.83	757.8	...	...	W	4	...	,,	29.87	758.6	...	...	...	0	...
Tainan,	,,	29.85	758.1	...	...	S W	4	...	,,	29.86	758.5	...	...	E	2	...
Koshun,	,,	29.83	757.8	...	...	S	2	...	,,	29.86	758.5	...	...	...	0	...
Pescadores,	,,	29.86	758.4	...	...	S W	4	...	,,	29.84	757.9	...	...	S W	2	...
Canton,	3 p.	29.86	758.4	78	91	S E	1	c	9 a.	29.88	758.9	84	83	E	1	b
Hongkong,	4 p.	29.80	756.9	84	73	...	0	o	10 a.	29.88	758.9	86	77	E	1	c
Victoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	S S W	2	...
Gap Rock,	,,	29.79	756.6	...	...	W	1	...	,,	29.86	758.4	...	...	S S E	2	...
Macao,	,,	29.80	756.9	86	...	...	0	o	,,	29.88	758.9	88	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.77	756.1	90	100	S S W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.2	84	...	W	5	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.4	90	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.2	86	...	S	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	91	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	88	65	S E	1	c	10 a.	29.88	759	88	65	S S E	0	c
Legaspi,	2 p.	29.83	757.6	86	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N W	1	b
Iloilo,	,,	29.75	755.6	87	...	N E	1	b	,,	29.85	758.2	85	...	N E	3	b
Cebu,	,,	29.80	756.9	87	...	N	2	c	,,	29.86	758.4	85	...	S	1	b
Labuan,	,,	29.75	755.6	83	...	...	...	...	,,	29.85	758.2	76	...	...	...	...

On the 20th at 11.25 a.—The barometer has risen generally, except over the S. Philippines, the most marked rise being shown over N. China.

Pressure is almost equal in all districts. It is slightly lower over the Sea of Japan than elsewhere. The normal is still exceeded by about 0.1 inch over S. China, Formosa and the Loochoos, while it is a little below the average in E. Japan.

Gradients are gentle, and light variable winds are indicated along the China Coast, and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, light ; fair.
2.—Formosa Channel,	Variable winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 20th August, 1906.

[Printed by Koronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th August, 1906, P.M.								21st August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	S	6	...	6 a.	29.77	756.1	...	...	S W	2	...
Hakodate,	,,	29.85	758.2	...	...	S E	4	...	,,	29.81	757.2	...	...	S W	2	...
Tokio,	,,	29.83	757.6	...	...	S E	6	...	,,	29.87	758.6	...	...	W	2	...
Kochi,	,,	29.83	757.8	...	...	S	2	...	,,	29.91	759.8	...	...	W	2	...
Nagasaki,	,,	29.83	757.8	...	...	S W	6	...	,,	29.88	758.8	...	...	S W	2	...
Kagoshima,	,,	29.88	758.9	...	...	W	6	...	,,	29.92	759.9	...	...	S	2	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	S W	2	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	4	...	,,	29.89	759.3	...	...	N E	2	...
Chefoo,	3 p.	29.78	756.4	89	69	E	1	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.82	757.4	81	...	E S E	1	b	9 a.	29.91	759.7	77	...	E	0	or
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.88	758.9	85	87	...	0	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.82	757.4	87	62	N N E	1	c	9 a.	29.87	758.7	86	76	E S E	1	c
Gutzlaff,	,,	29.83	757.7	85	76	N	2	cv	,,	29.88	758.9	83	83	E S E	2	cv
Sharp Peak,	,,	29.82	757.4	90	77	S	1	b	,,	29.89	759.2	85	85	N	1	b
Amoy,	,,	29.80	756.9	89	66	S E	3	b	6 a.	29.91	759.7	81	96	S W	1	b
Swatow,	,,	29.81	757.2	92	61	S	2	b	,,	29.83	757.7	79	91	...	0	b
Taihoku,	1 p.	29.87	758.7	...	...	N	4	...	5 a.	29.91	759.8	...	...	S E	2	...
Taichu,	,,	29.88	758.9	...	...	N W	4	...	,,	29.91	759.6	...	...	...	0	...
Tainan,	,,	29.87	758.8	...	...	W	4	...	,,	29.90	759.4	...	...	E	2	...
Koshun,	,,	29.87	758.7	...	...	S	4	...	,,	29.88	759.0	...	...	...	0	...
Pescadores,	,,	29.87	758.6	...	...	W	4	...	,,	29.87	758.7	...	...	...	0	...
Canton,	3 p.	29.85	758.2	91	63	S E	1	b	9 a.	29.90	759.4	85	79	...	0	b
Hongkong,	4 p.	29.83	757.7	88	62	S	2	c	10 a.	29.89	759.2	88	60	S E	1	b
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	N N E	1	...
Gap Rock,	,,	29.80	756.9	...	...	S S E	2	...	,,	29.87	758.7	...	...	S E	1	...
Macao,	,,	29.84	757.9	89	...	S	1	c	,,	29.89	759.2	90	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.83	757.7	87	76	W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	34	...	N N E	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	755.9	90	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.6	91	...	S W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.82	757.4	91	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	77	92	...	0	d	10 a.	29.84	758	86	59	N W	1	c
Legaspi,	2 p.	29.84	757.9	81	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	...	0	o
Iloilo,	,,	29.79	756.6	89	...	N E	2	o	,,	29.81	757.2	83	...	N E	1	o
Cebu,	,,	29.78	756.4	87	...	N	1	...	,,	29.83	757.7	87	...	...	0	c
Labuan,	,,	29.73	755.1	84	...	...	...	...	,,	29.83	757.7	81	...	...	...	...

On the 21st at 11.25 a.—The most important changes in the barometer are shown over N. China, where a considerable rise has occurred; and over the Philippines, where a slight fall has taken place.

Pressure is almost equal over the China Coast, the Loochoos and the greater part of Japan. It is slightly lower over N.E. Japan in the North, and over the Philippines in the South. It is now a little below normal over the latter area, but continues over 0.1 inch in excess over S. China, Formosa and the Loochoos.

There is a slight gradient for N.E. winds over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Light variable winds and calms; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 21st August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st AUGUST, 1906, P.M.								22nd AUGUST, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	S W	4	...	6 a.	29.89	759.1	...	...	N	4	...
Hakodate,	,,	29.81	757.2	...	...	W	2	...	,,	...	...	...	...	N W	2	...
Tokio,	,,	29.87	758.6	...	...	S	6	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	29.88	758.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.88	758.8	...	...	W	6	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.92	759.9	...	...	N	4	...	,,	29.96	760.9	...	...	N	2	...
Oshima,	,,	29.89	759.1	...	...	N	2	...	,,	29.97	761.1	...	...	S	2	...
Naha	,,	29.89	759.2	...	...	E	2	...	,,	29.89	759.2	...	...	N E	2	...
Ishigakijima,	,,	29.89	759.3	...	...	E	6	...	,,	29.89	759.3	...	...	N	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.91	759.7	78	...	S E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.80	756.9	88	73	E S E	2	b	9 a.	29.85	758.2	84	79	S S W	1	...
Gutzlaff,	,,	29.81	757.2	87	84	S E	2	bm	,,	29.83	757.7	83	83	S	3	cv
Sharp Peak,	,,	29.84	757.9	90	81	S E	1	b	,,	29.89	759.2	85	81	...	0	b
Amoy,	,,	29.80	756.9	90	77	S E	3	b	6 a.	29.90	759.4	80	96	S E	1	b
Swatow,	,,	29.77	756.1	94	96	S	1	b	,,	29.77	756.1	80	87	...	0	c
Taihoku,	1 p.	29.83	757.7	...	...	E	4	...	5 a.	29.89	759.1	...	...	S E	2	...
Taichu,	,,	29.83	757.7	...	...	E	6	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.85	758.2	...	...	N W	6	...	,,	29.87	758.6	...	...	N	2	...
Koshun,	,,	29.85	758.3	...	...	N W	4	...	,,	29.86	758.5	...	...	E	2	...
Pescadores,	,,	29.85	758.2	...	...	W	2	...	,,	29.87	758.6	...	...	N	2	...
Canton,	3 p.	29.85	758.2	95	56	S	1	b	9 a.	29.89	759.2	85	83	...	0	c
Hongkong,	4 p.	29.81	757.2	88	66	S E	1	b	10 a.	29.88	758.9	87	65	W	1	b
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	29.81	757.2	...	...	...	0	...	,,	29.87	758.7	...	...	N N E	2	...
Macao,	,,	29.83	757.7	91	...	S	1	c	,,	29.89	759.2	89	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.6	84	...	S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.79	756.7	90	...	E S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	82	...	S S E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.81	757.1	91	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	84	77	...	0	o	10 a.	29.84	758	86	71	W S W	1	...
Legaspi,	2 p.	29.79	756.6	88	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.6	87	...	N E	3	o	,,	29.83	757.7	83	...	W	1	c
Cebu,	,,	29.75	755.6	87	...	S	2	c	,,	29.85	758.2	84	...	S	1	b
Labuan,	,,	29.74	755.4	84	...	...	...	...	,,	29.81	757.2	81	...	...	...	...

On the 22nd at 11.50 a.—The barometer has risen over Japan, and is inclined to fall over the China Coast and Formosa.

Differences of pressure between the various districts continue small. The highest pressure is over S. Japan. It is slightly lower over the E. coast of China in the North, and over the Philippines in the South. The normal is exceeded by about 0.1 inch over S. China, the Loochoos and S. Japan.

Gradients are slight generally.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Light variable winds and calms ; fine.
2.—Formosa Channel,	S.E. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 22nd August, 1906.

[Printed by Kosokba & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd August, 1906, P.M.								23rd August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S	4	...	6 a.	30.01	762.1	...	...	...	0	...
Hakodate,	,,	29.97	761.2	...	...	W	2	...	,,	30.01	762.2	...	...	N	2	...
Tokio,	,,	29.91	759.6	...	...	S	6	...	,,	29.95	760.6	...	...	S	2	...
Kochi,	,,	29.91	759.8	...	...	S	2	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.91	759.8	...	...	S W	4	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.92	759.9	...	...	S	2	...	,,	29.92	759.9	...	...	...	0	...
Oshima,	,,	29.89	759.1	...	...	E	4	...	,,	29.89	759.1	...	...	...	0	...
Naha	,,	29.85	758.2	...	...	E	6	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	E	6	...	,,	29.86	758.3	...	...	N	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.85	758.2	68	95	...	0	b
Weihaiwei,	,,	29.87	758.7	80	...	E S E	1	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.95	760.7	76	95	N	1	b
Kinkiang	,,	29.89	759.2	85	76	W	2	c	,,	29.91	759.7	78	91	W	1	c
Shanghai,	,,	29.80	756.9	87	76	N	1	c	9 a.	29.85	758.2	85	76	S	1	c
Gutzlaff,	,,	29.80	756.9	87	84	S	2	cv	,,	29.85	758.2	83	87	S	2	bv
Sharp Peak	,,	29.82	757.4	88	82	N E	3	b	,,	29.85	758.2	84	81	N	1	c
Amoy,	,,	29.79	756.6	81	83	S E	3	b	6 a.	29.92	759.9	82	91	W	1	b
Swatow,	,,	29.72	754.9	94	55	S	1	b	,,	29.78	756.4	78	82	S W	1	c
Taihoku,	1 p.	29.82	757.3	...	...	S E	4	...	5 a.	29.84	757.8	...	...	S	2	...
Taichu,	,,	29.80	756.8	...	...	N W	4	...	,,	29.84	757.9	...	...	...	0	...
Tainan,	,,	29.81	757.2	...	...	W	6	...	,,	29.85	758.1	...	...	...	0	...
Koshun	,,	29.82	757.3	...	...	N E	6	...	,,	29.78	756.4	...	...	N E	2	...
Pescadores,	,,	29.83	757.6	...	...	N	4	...	,,	29.83	757.6	...	...	W	2	...
Canton,	3 p.	29.79	756.6	90	88	S W	1	b	9 a.	29.86	758.4	87	72	S	1	b
Hongkong,	4 p.	29.79	756.6	89	54	S	1	b	10 a.	29.85	758.2	87	69	W S W	1	b
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	N W	1	...
Gap Rock,	,,	29.78	756.4	...	...	S E	1	...	,,	29.86	758.4	...	...	N N W	2	...
Macao,	,,	29.82	757.4	92	...	S	1	c	,,	29.86	758.4	89	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	89	69	S W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.3	68	...	S	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.81	757.2	88	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.2	81	...	S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.79	756.7	91	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	86	71	W S W	2	c	10 a.	29.80	757	86	71	W S W	1	c
Legaspi,	2 p.	29.78	756.4	93	...	W	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	3	b	9 a.	...	...	...	...	W	1	b
Iloilo,	,,	29.75	755.6	87	...	S W	1	c	,,	29.83	757.7	84	...	W	1	c
Cebu,	,,	29.77	756.1	88	...	S	1	c	,,	29.87	758.7	86	...	E	1	c
Labuan,	,,	29.81	757.2	78	...	...	...	...	,,	...	...	...	...	...	...	...

On the 23rd at 11.25 a.—The barometer has risen moderately over N.E. Japan, and fallen slightly over the Loochoos, Formosa and Luzon.

Pressure is high over N.E. Japan, and also over Central China. It appears to be somewhat low over the Pacific and a depression may be forming over this area, probably to the E. or N.E. of Luzon. Pressure is now about 0.05 inch in defect of the normal over Luzon, and a like amount in excess, over S. China, Formosa and the Loochoos.

There is a slight gradient for N.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Light W. or variable winds ; fine.
2.—Formosa Channel,	N.E. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 23rd August, 1906.

[Printed by Noroxha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd August, 1906, P.M.								24th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.01	762.1	...	...	S W	4	...	6 a.	30.01	762.1	...	...	S	2	...
Hakodate,	,,	29.97	761.2	...	...	S E	6	...	,,	29.89	759.2	...	...	E	4	...
Tokio,	,,	29.91	759.6	...	...	E	4	...	,,	29.87	758.6	...	...	N	2	...
Kochi,	,,	29.84	757.8	...	...	S E	2	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.88	758.8	...	...	S W	6	...	,,	29.83	758.8	...	...	N	2	...
Kagoshima,	,,	29.88	758.9	...	...	S E	2	...	,,	29.88	758.9	...	...	N W	2	...
Oshima,	,,	29.89	759.1	...	...	N E	4	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.81	757.2	...	...	E	4	...	,,	29.81	757.2	...	...	E	2	...
Ishigakijima,	,,	29.82	757.3	...	...	E	4	...	,,	29.78	756.3	...	...	N E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.85	758.2	84	...	S S W	1	b	9 a.	29.89	759.2	91	...	...	...	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.90	759.4	87	92	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.81	757.2	87	72	S	1	...	9 a.	29.87	758.7	84	75	S S E	1	o
Gutzlaff,	,,	29.82	757.4	84	96	S S E	3	cv	,,	29.86	758.4	82	84	E S E	2	cv
Sharp Peak,	,,	29.82	757.4	88	76	N E	3	b	,,	29.85	758.2	85	83	N N E	1	b
Amoy,	,,	29.77	756.1	90	81	E N E	3	c	6 a.	29.88	758.9	81	91	S W	3	b
Swatow,	,,	29.69	754.1	88	66	E	1	b	,,	29.72	754.9	80	91	...	0	o
Taihoku,	1 p.	29.78	756.5	...	...	E	6	...	5 a.	29.79	756.7	...	...	E	2	...
Taichu,	,,	29.78	756.3	...	...	N W	4	...	,,	29.79	756.7	...	...	...	0	...
Tainan,	,,	29.80	756.8	...	...	W	4	...	,,	29.79	756.7	...	...	E	2	...
Koshun,	,,	29.78	756.5	...	...	E	6	...	,,	29.77	756.2	...	...	N W	4	...
Pescadores,	,,	29.78	756.3	...	...	W	2	...	,,	29.76	755.9	...	...	N W	2	...
Canton,	3 p.	29.77	756.1	96	65	W N W	1	b	9 a.	29.86	758.4	87	72	E	1	b
Hongkong,	4 p.	29.76	755.9	87	64	W S W	1	c	10 a.	29.86	758.4	84	75	E S E	2	op
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	29.74	755.4	...	...	...	0	...	,,	29.83	757.7	...	...	N E	3	...
Macao,	,,	29.77	756.1	91	...	S E	1	c	,,	29.85	758.2	87	...	...	0	cf
Hoilow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.8	91	...	W N W	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.5	91	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.90	759.4	81	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.77	756.1	86	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	88	65	W S W	1	c	10 a.	29.80	757	84	77	S W	1	o
Legaspi,	2 p.	29.79	756.7	93	...	W	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	2	c	9 a.	...	...	...	...	W	1	c
Iloilo,	,,	29.79	756.6	87	...	S W	3	c	,,	29.85	758.2	82	...	W	2	b
Cebu,	,,	29.80	756.9	89	...	S	2	b	,,	29.88	758.9	87	...	S	2	b
Labuan,	,,	29.84	757.9	80	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 24th at 11.30 a.—The barometer has fallen moderately to slightly over Japan, the Loochoos and Formosa.

Pressure is lowest, apparently, over the Pacific to the N.E. of Luzon. It is highest over N.E. Japan in the North, and over the S. part of the China Sea in the South. It is normal over Formosa and the Loochoos, slightly in defect over Luzon, and a little above the average point on the China Coast.

Gradients continue slight, chiefly for N.E. and E. winds along the China Coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light to moderate ; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 24th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th August, 1906, P.M.								25th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S E	2	...	6 a.	29.77	756.1	...	...	E	6	...
Hakodate,	,,	29.81	757.2	...	...	N W	2	...	,,	29.69	754.2	...	...	...	0	...
Tokio,	,,	29.59	751.6	...	...	N	8	...	,,	29.63	752.6	...	...	S W	2	...
Kochi,	,,	29.72	754.8	...	...	S E	4	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.80	756.8	...	...	N W	6	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	N W	4	...	,,	29.84	757.9	...	...	...	0	...
Oshima,	,,	29.81	757.1	...	...	N	6	...	,,	29.77	756.1	...	...	...	0	...
Naha,	,,	29.81	757.2	...	...	E	4	...	,,	29.73	755.2	...	...	N E	2	...
Ishigakijima,	,,	29.78	756.3	...	...	N E	2	...	,,	29.70	754.3	...	...	N	2	...
Chefoo,	3 p.	29.77	756.1	89	80	E	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.82	757.4	83	...	E	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.90	759.4	88	80	N W	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.88	758.9	89	77	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.81	757.2	84	75	E	1	olt	9 a.	29.80	756.9	84	79	S E	1	c
Gutzlaff,	,,	29.80	756.9	87	80	S E	2	cv	,,	29.80	756.9	83	91	S E	2	cm
Sharp Peak,	,,	29.78	756.4	87	80	N E	2	b	,,	29.79	756.6	84	83	N	1	b
Amoy,	,,	29.72	754.9	95	68	E	4	b	6 a.	29.77	756.1	79	87	W	2	b
Swatow,	,,	29.68	753.9	87	69	E	2	b	,,	29.66	753.3	78	86	N	1	c
Taihoku,	1 p.	29.78	756.5	...	...	E	6	...	5 a.	29.75	755.7	...	...	E	4	...
Taichu,	,,	29.76	755.9	...	...	N	4	...	,,	29.73	755.2	...	...	...	0	...
Tainan,	,,	29.78	756.4	...	...	S W	4	...	,,	29.74	755.3	...	...	S E	2	...
Koshun,	,,	29.78	756.3	...	...	...	0	...	,,	29.74	755.3	...	...	...	0	...
Pescadores,	,,	29.78	756.3	...	...	S	4	...	,,	29.72	754.9	...	...	N	6	...
Canton,	3 p.	29.78	756.4	86	68	S	1	o	9 a.	29.79	756.6	84	75	N W	1	b
Hongkong,	4 p.	29.74	755.4	87	70	...	0	o	10 a.	29.77	756.1	86	70	W S W	1	c
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	29.72	754.9	...	...	E N E	1	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.76	755.9	89	...	...	0	c	,,	29.77	756.1	90	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	93	...	W S W	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.4	90	...	...	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.6	79	...	W S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.75	755.6	88	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	754.9	86	71	W S W	2	c	10 a.	29.76	756	86	71	W S W	1	c
Legaspi,	2 p.	29.80	756.8	91	...	S W	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	2	b	9 a.	...	...	...	...	W	1	b
Iloilo,	,,	29.76	755.9	86	...	S W	3	c	,,	29.81	757.2	84	...	S W	1	or
Cebu,	,,	29.80	756.9	88	...	S	2	...	,,	29.85	758.2	88	...	S	1	c
Labuan,	,,	29.81	757.2	89	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 25th at 11.40 a.—The barometer has fallen at all stations, rapidly over E. Japan and moderately to slightly elsewhere.

The fall in Japan is caused by a depression which appears to be moving to the N.E. off the E. coast. The other stations are under the influence of a depression in the Pacific. It is probably lying at some distance to the Southward of the Loochoos. Over Luzon and the Loochoos pressure is now nearly 0.1 inch below the normal.

The highest pressure appears to be over Central China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. or variable winds, light to moderate; fine as a whole, but probably some showers.
2.—Formosa Channel,	N.E. winds, moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, light to moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 25th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th August, 1906, P.M.								26th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	...	0	...	6 a.	29.89	759.1	...	...	N E	6	...
Hakodate,	,,	29.69	754.2	...	...	S E	6	...	,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	29.67	753.6	...	...	S	4	...	,,	29.83	757.6	...	...	N	4	...
Kochi,	,,	29.76	755.8	...	...	S E	4	...	,,	29.80	756.8	...	...	S W	4	...
Nagasaki,	,,	29.76	755.8	...	...	W	4	...	,,	29.76	755.8	...	...	E	2	...
Kagoshima,	,,	29.76	755.9	...	...	...	0	...	,,	29.76	755.9	...	...	N E	4	...
Oshima,	,,	29.69	754.1	...	...	N	4	...	,,	29.61	752.1	...	...	E	2	...
Naha	,,	29.65	753.2	...	...	E	6	...	,,	29.54	750.2	...	...	N E	4	...
Ishigakijima,	,,	29.70	754.3	...	...	N E	6	...	,,	29.58	751.3	...	...	N	4	...
Chefoo,	3 p.	29.67	753.6	84	96	N E	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.69	754.1	91	77	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.72	754.9	88	66	S S E	2	c	9 a.	29.72	754.9	84	75	S E	1	c
Gutzlaff,	,,	29.76	755.9	87	76	S S E	2	cv	,,	29.71	754.6	85	83	S E	1	cv
Sharp Peak,	,,	29.71	754.6	87	80	N E	3	b	,,	29.69	754.1	83	88	N N W	1	c
Amoy,	,,	29.71	754.6	94	74	E	4	b	6 a.	29.68	753.9	81	91	S W	1	c
Swatow,	,,	29.62	752.3	88	66	E	2	b	,,	29.61	752.1	78	86	...	0	c
Taihoku,	1 p.	29.73	755.1	...	...	E	6	...	5 a.	29.68	753.9	...	...	S	2	...
Taichu,	,,	29.66	753.4	...	...	N W	6	...	,,	29.67	753.7	...	...	...	0	...
Tainan,	,,	29.71	754.5	...	...	S	4	...	,,	29.67	753.7	...	...	S E	2	...
Koshun,	,,	29.69	754.0	...	...	S	2	...	,,	29.64	752.9	...	...	...	0	...
Pescadores,	,,	29.69	754.1	...	...	S W	4	...	,,	29.64	752.9	...	...	N	6	...
Canton,	3 p.	29.68	753.9	96	53	W	1	b	9 a.	...	...	85	79	E	1	b
Hongkong,	4 p.	29.67	753.6	85	61	W	1	b	10 a.	29.71	754.6	86	71	W N W	1	c
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.66	753.3	...	...	N E	2	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.69	754.1	80	...	S E	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.79	756.6	91	67	W N W	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.6	93	...	W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.73	755.1	91	...	N N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.9	81	...	W S W	5	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754.1	81	85	W S W	3	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	c	9 a.	...	...	...	...	W	1	o
Iloilo,	,,	29.72	754.9	85	...	W	4	c	,,	29.78	756.4	87	...	N W	4	c
Cebu,	,,	29.75	755.6	89	...	S	2	b	,,	29.81	757.2	88	...	S	2	c
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.83	757.7	80	...	...	...	...

On the 26th at 11.25 a.—The barometer has risen considerably over E. Japan, and fallen elsewhere, particularly over the Loochoos.

The depression in the Pacific is probably a typhoon. It is still situated to the South of the Loochoos, and apparently it has a slow motion towards N.W. or N.N.W.

Pressure is highest and normal over N. Japan. It is in defect 0.2 inch and upwards over the Loochoos, and about 0.1 inch along the China Coast and over the Philippines.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. to W. winds, light; probably some thunder showers.
2.—Formosa Channel,	N. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	W. winds, light.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 26th August, 1906.

[Printed by Nekoeka & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th August, 1906, P.M.								27th August, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.97	761.1	...	...	N E	4	...	6 a.	30.20	767.1	...	...	E	2	...
Hakodate,	,,	29.93	760.2	...	...	N W	4	...	,,	30.09	764.2	...	...	S E	8	...
Tokio,	,,	29.87	758.6	...	...	N E	4	...	,,	30.02	762.6	...	...	N	2	...
Kochi,	,,	29.88	758.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.72	754.8	...	...	S	4	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima,	,,	29.76	755.9	...	...	E	6	...	,,	29.84	757.9	...	...	N E	6	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.65	753.1	...	...	S E	6	...
Naha,	,,	29.50	749.2	...	...	E	6	...	,,	29.46	748.2	...	...	E	6	...
Ishigakijima,	,,	29.54	750.3	...	...	N	8	...	,,	29.46	748.3	...	...	N	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.73	755.1	82	...	W N W	1	ovr	9 a.	29.89	759.2	82	...	N W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.78	756.4	90	66	...	3	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.68	753.9	76	17	E	2	c	9 a.	29.79	756.6	83	75	N N E	1	b
Gutzlaff,	,,	29.69	754.1	84	75	E N E	3	cv	,,	29.75	755.6	82	91	N E	4	cv
Sharp Peak,	,,	29.64	752.8	87	80	S E	2	b	,,	29.68	753.9	84	81	N N W	1	o
Amoy,	,,	29.67	753.6	92	29	S E	3	b	6 a.	29.68	753.9	79	87	S W	3	b
Swatow,	,,	29.58	751.3	88	66	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.64	752.9	...	...	E	4	...	5 a.	29.60	751.8	...	...	S	2	...
Taichu,	,,	...	...	...	...	N W	6	...	,,	29.60	751.7	...	...	...	0	...
Tainan,	,,	29.67	753.7	...	...	W	4	...	,,	29.58	751.3	...	...	E	4	...
Koshun,	,,	29.62	752.3	...	...	E	2	...	,,	29.56	750.9	...	...	W	2	...
Pescadores,	,,	29.62	752.4	...	...	N E	8	...	,,	29.61	752.1	...	...	N E	8	...
Canton,	3 p.	...	...	92	85	W S W	1	b	9 a.	29.72	754.9	88	73	E	1	b
Hongkong,	4 p.	29.62	752.3	86	72	...	0	c	10 a.	29.71	754.6	86	74	W	1	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N W	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	29.70	754.4	...	...	N N W	3	...
Macao,	,,	29.67	753.6	88	...	...	0	c	,,	29.71	754.6	87	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.72	754.9	88	73	S W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.9	91	...	W S W	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.1	91	...	N N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.1	82	...	W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.61	752.0	88	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.65	753	84	77	W S W	3	o	10 a.	29.69	754	82	77	S W	4	o
Legaspi,	2 p.	29.69	754.1	90	...	W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	W	2	o
Iloilo,	,,	29.72	754.9	82	...	W N W	5	o	,,	29.81	757.2	81	...	W	5	o
Cebu,	,,	29.73	755.1	89	...	S	3	c	,,	29.81	757.2	85	...	S	2	c
Labuan,	,,	29.75	755.6	88	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

On the 27th at 11.25 a.—The barometer has risen considerably over Japan, and moderately over N. China. It has fallen over the S. Loochoos, Formosa and Luzon.

The typhoon is situated to the S.E. of the Meiaco Sima islands. It is probably moving slowly towards W.N.W.

A high pressure area is spreading over Japan, the departure from the normal pressure being about 0.3 inch in excess in the extreme N.E. of the islands. Over Meiaco Sima and the S. Loochoos, it is a like amount in defect.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. and W., light to moderate; fine as a whole, but probably a thunder shower.
2.—Formosa Channel,	N.E. winds, freshening considerably.
3.—South coast of China between Hongkong and Lamocks,	N.W. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	W. winds, light.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 27th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th August, 1906, P.M.								28th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.24	768.1	...	...	E	2	...	6 a.	30.28	769.1	...	...	E	2	...
Hakodate,	,,	30.13	765.2	...	...	S E	8	...	,,	30.13	765.2	...	...	E	8	...
Tokio,	,,	30.02	762.6	...	...	N	4	...	,,	30.10	764.6	...	...	N	2	...
Kochi,	,,	29.91	759.8	...	...	N E	4	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.83	757.8	...	...	S	2	...	,,	29.88	758.8	...	...	N E	2	...
Kagoshima,	,,	29.84	757.9	...	...	E	6	...	,,	29.92	759.9	...	...	E	6	...
Oshima,	,,	29.65	753.1	...	...	N E	6	...	,,	29.69	754.1	...	...	E	6	...
Naha,	,,	29.46	748.2	...	...	E	8	...	,,	29.46	748.2	...	...	E	8	...
Ishigakijima,	,,	29.42	747.3	...	...	N E	10	...	,,	29.23	742.3	...	...	N E	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.89	759.2	80	...	W N W	1	c	9 a.	30.03	762.7	78	...	N W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.95	760.7	78	95	N	2	or
Kiukiang,	,,	29.84	757.9	91	74	N E	3	b	,,	29.88	758.9	80	87	N E	3	c
Shanghai,	,,	29.75	755.6	84	75	N E	3	c	9 a.	29.85	758.2	85	76	E N E	3	c
Gutzlaff,	,,	29.73	755.1	84	91	N E	4	cv	,,	29.80	756.9	82	87	E N E	4	cm
Sharp Peak,	,,	29.61	752.1	85	83	N N E	4	o	,,	29.61	752.1	84	81	N	4	g
Amoy,	,,	29.58	751.3	91	70	S E	3	b	6 a.	29.68	753.9	83	87	W	1	c
Swatow,	,,	29.53	750.0	95	96	S E	1	b	,,	29.55	750.5	83	79	W	1	c
Taihoku,	1 p.	29.58	751.3	...	...	S W	2	...	5 a.	29.50	749.4	...	...	N	2	...
Taichu,	,,	29.54	750.2	...	...	N	6	...	,,	29.46	748.2	...	...	...	0	...
Tainan,	,,	29.54	750.3	...	...	N	8	...	,,	29.44	747.7	...	...	N	4	...
Koshun,	,,	29.51	749.5	...	...	N W	6	...	,,	29.42	747.2	...	...	...	0	...
Pescadores,	,,	29.58	751.4	...	...	N	10	...	,,	29.49	748.9	...	...	N	10	...
Canton,	3 p.	29.60	751.8	98	97	E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.60	751.8	84	79	N W	1	b	10 a.	29.63	752.6	89	63	W S W	1	b
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N N E	...	...
Gap Rock,	,,	29.59	751.6	...	...	...	0	...	,,	29.62	752.3	...	...	N N W	3	...
Macao,	,,	29.61	752.1	92	...	...	0	c	,,	29.65	753.1	91	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.69	754.1	93	...	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.62	752.3	95	...	S W	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.64	752.8	93	...	N W	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.6	82	...	S W	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.55	750.5	90	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.65	753	84	77	S W	2	o	10 a.	29.69	754	81	85	S S W	3	q
Legaspi,	2 p.	29.66	753.4	90	...	S W	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	4	o	9 a.	...	...	...	...	W	1	o
Iloilo,	,,	29.72	754.9	81	...	N W	5	or	,,	29.78	756.4	80	...	W	4	o
Cebu,	,,	29.71	754.6	87	...	S	2	c	,,	29.80	756.9	84	...	S	4	c
Labuan,	,,	29.72	754.9	89	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

On the 28th at 11.30 a.—The barometer has risen moderately over N. China and Japan, and fallen considerably over Meiaco Sima and Formosa.

The typhoon is now situated to the S.S.E. of Meiaco Sima. It appears to be moving slowly Westwards, and threatens to pass over Formosa.

The area of high pressure is still central to the N.E. of Japan, pressure exceeding the normal at Nemuro by about 0.4 inch. At Meiaco Sima the mercury is over half an inch below its average height.

Bad weather is expected to prevail in the Formosa Channel, and strong E. and N.E. winds and gales over the E. coast of China as far North as Shanghai. Over the N. part of the China Sea, N.W. to S.W. winds, moderate to strong breezes, will probably prevail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. winds, moderate or fresh, fair.
2.—Formosa Channel,	N. gales.
3.—South coast of China between Hongkong and Lamocks,	N.W. winds; fresh.
4.—South coast of China between Hongkong and Hainan,	N.W. and W., moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 28th August, 1906.

[Printed by Kelly & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th August, 1906, P.M.								29th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	E	6	...	6 a.	30.01	762.1	...	...	S	6	...
Hakodate,	,,	30.09	764.2	...	...	S E	8	...	,,	30.01	762.2	...	...	N W	2	...
Tokio,	,,	30.06	763.6	...	...	N	2	...	,,	30.06	763.6	...	...	...	...	...
Kochi,	,,	29.99	761.8	...	...	S E	2	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.91	759.8	...	...	E	6	...	,,	29.95	760.8	...	...	E	4	...
Kagoshima,	,,	29.92	759.9	...	...	E	8	...	,,	30.00	761.9	...	...	N E	6	...
Oshima,	,,	29.77	756.1	...	...	S E	6	...	,,	29.85	758.1	...	...	S E	4	...
Naha,	,,	29.18	741.2	...	...	E	8	...	,,	29.73	755.2	...	...	S	6	...
Ishigakijima,	,,	29.15	740.3	...	...	E	8	...	,,	29.46	748.3	...	...	S E	10	...
Chefoo,	3 p.	29.97	761.2	81	91	...	0	c	6 a.	30.03	762.7	76	86	N E	1	c
Weihaiwei,	,,	29.98	761.5	82	...	E	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.95	760.7	90	81	N N E	2	c	6 a.	29.88	758.9	78	95	N	3	dh
Kiukiang,	,,	29.84	757.9	89	73	N E	4	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.79	756.6	85	72	N	4	o	9 a.	29.78	756.4	85	76	E	3	o
Gutzlaff,	,,	29.75	755.6	83	83	E N E	4	cm	,,	29.74	755.4	83	91	S E	5	cm
Sharp Peak,	,,	29.44	747.8	85	87	N N E	7	o	,,	29.33	745.0	82	89	N N E	8	d
Amoy,	,,	29.44	747.8	98	60	N N E	3	c	6 a.	29.28	743.7	83	71	N N E	5	o
Swatow,	,,	29.41	747.0	97	45	S W	2	c	,,	29.20	741.7	84	75	N W	2	c
Taihoku,	1 p.	29.37	746.1	...	...	N	8	...	5 a.	29.19	741.5	...	...	E	10	...
Taichu,	,,	29.28	743.7	...	...	N	6	...	,,	29.05	737.9	...	...	N W	2	...
Tainan,	,,	29.29	744.0	...	...	N	8	...	,,	29.04	737.5	...	...	N	2	...
Koshun	,,	29.25	742.9	...	...	N W	2	...	,,	29.06	738.1	...	...	S W	6	...
Pescadores,	,,	29.37	746.1	...	...	N	10	...	,,	29.03	737.3	...	...	N	6	...
Canton,	3 p.	29.55	750.5	99	57	N W	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.51	749.5	92	54	N W	2	o	10 a.	29.41	747. 0	85	64	N W	3	o
Victoria Peak,	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	N W	6	...
Gap Rock,	,,	29.51	749.5	...	...	N N W	3	...	,,	29.41	747.0	...	...	N N W	4	...
Macao,	,,	29.55	750.5	85	...	N	3	c	,,	29.44	747.8	91	...	N	6	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.69	754.1	92	64	W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.0	82	...	W	2	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.61	752.2	91	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.5	79	...	S W	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.61	752	79	92	S W	2	q	10 a.	29.73	755	81	85	S	4	o
Legaspi,	2 p.	29.66	753.4	88	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	3	o
Iloilo,	,,	29.79	756.6	81	...	W	5	oq	,,	29.81	757.2	82	...	W	5	oq
Cebu,	,,	29.71	754.6	86	...	S	5	o	,,	29.75	755.6	83	...	S	1	c
Labuan,	,,	29.74	755.4	87	...	...	...	...	,,	29.79	756.6	81	...	...	...	...

On the 29th at 7.45 a.—Orders issued to hoist the Red Drum. (Indicates a typhoon to the East of the Colony more than 300 miles away,) and at 11.5 a. to hoist the Black Drum (typhoon to the East of the Colony less than 300 miles away). At 11.30 a. The barometer has risen considerably over Meiaco Sima and the Loochoos, and fallen rapidly over Formosa and the S. and S.E. coasts of China.

The typhoon has passed over S. Formosa, the centre being now situated to the South of the Pescadores. It continues to move towards West, and threatens the coast in the neighbourhood of Swatow.

Pressure has given away in N.E. Japan, but remains in excess of the normal by 0.1 inch and upwards over Japan generally. At the S. Formosa stations it is in defect by about 0.7 inch.

Bad weather is indicated along the China Coast between Hongkong and Shanghai.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. winds, increasing considerably ; squally, some ts
2.—Formosa Channel,	Cyclonic gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	N.W. and W. winds; fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 29th August, 1906.

[Printed by Nosonsha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th August, 1906, P.M.								30th August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S W	6	...	6 a.	29.89	759.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	S E	2	...	,,	29.93	760.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	S E	4	...	,,	29.99	761.6	...	...	S W	2	...
Kochi,	,,	29.91	759.8	...	...	S	2	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.95	760.8	...	...	S	4	...	,,	29.95	760.8	...	...	E	2	...
Kagoshima,	,,	29.96	760.9	...	...	E	2	...	,,	29.96	760.9	...	...	N	2	...
Oshima,	,,	29.89	759.1	...	...	S E	4	...	,,	29.89	759.1	...	...	S E	2	...
Naha,	,,	29.77	756.2	...	...	S E	6	...	,,	29.81	757.2	...	...	S	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	...	...	S	8	...
Chefoo,	3 p.	29.90	759.4	82	96	N E	2	c	6 a.	29.91	759.7	71	100	N E	5	or
Weihaiwei,	,,	30.02	762.5	84	...	N E	2	ovr	9 a.	29.88	758.9	71	...	E N E	4	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.67	753.6	87	80	N E	5	c	,,	29.57	751.1	80	96	N E	5	o
Shanghai,	,,	29.71	754.6	82	91	E	3	or	9 a.	29.67	753.6	86	80	S E	3	o
Gutzlaff,	,,	29.70	754.4	84	87	E S E	5	cm	,,	29.66	753.3	81	96	S E	6	cm
Sharp Peak,	,,	29.18	741.2	81	93	E N E	11	or	,,	29.56	750.8	82	89	S E	4	og
Amoy,	,,	29.09	738.9	83	83	N N E	5	or	6 a.	29.42	747.2	79	95	S E	7	or
Swatow,	,,	29.10	739.1	80	91	W	3	or	,,	29.21	741.9	79	91	S W	1	o
Taihoku,	1 p.	29.20	741.7	...	...	S E	10	...	5 a.	29.49	749.0	...	...	S	4	...
Taichu,	,,	29.14	740.1	...	...	S E	2	...	,,	29.49	748.9	...	...	...	0	...
Tainan,	,,	29.13	740.0	...	...	S	10	...	,,	29.51	749.5	...	...	S W	8	...
Koshun,	,,	29.31	744.5	...	...	S	10	...	,,	29.58	751.2	...	...	S	6	...
Pescadores,	,,	29.04	737.7	...	...	S E	6	...	,,	29.43	747.5	...	...	S	10	...
Canton,	3 p.	29.37	746.0	90	96	N N W	2	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.34	745.2	79	91	N W	1	or	10 a.	29.47	748.5	79	82	W S W	3	od
Victoria Peak,	,,	...	...	...	...	N W	7	...	,,	...	...	...	...	W	6	...
Gap Rock,	,,	29.33	745.0	...	...	N N W	4	...	,,	29.46	748.3	...	...	W	4	...
Macao,	,,	29.36	745.7	86	...	N	4	oq	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.7	91	...	W	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.54	750.4	93	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.66	753.3	79	...	S W	5	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	77	92	S S W	2	q	10 a.	29.80	757	84	71	S	...	o
Legaspi,	2 p.	29.72	754.9	93	...	W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	W	2	o
Iloilo,	,,	29.76	755.9	84	...	W	5	o	,,	29.85	758.2	81	...	S W	1	o
Cebu,	,,	29.78	756.4	85	...	S	2	c	,,	29.86	758.4	83	...	S	2	c
Labuan,	,,	29.71	754.6	88	...	...	...	...	,,	29.79	756.6	83	...	...	...	...

On the 30th at 7.45 a.—Orders issued to hoist the Black Cone point upwards with the Drum. (Typhoon to the N.E. of Colony less than 300 miles away).

At 11.20 a.—The barometer has fallen over Northern and Central China, and risen rapidly over the Formosa Channel. At Swatow and Hongkong the rise is comparatively slow.

The typhoon entered the Coast during the night between Amoy and Swatow. This morning it is situated to the North of Swatow. It appears to be moving towards W.N.W.

The highest pressure is over S. Japan, where pressure is about 0.1 inch in excess of the normal. Over the S. and S.E. coasts of China it is still in defect by from 0.3 to 0.5 inch.

Strong W. and S.W. winds to gales are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, fresh to strong; squally, showery.
2.—Formosa Channel,	S.E. to S. winds, moderate gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 30th August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th August, 1906, P.M.								31st August, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		W
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro	,,	29.85	758.2	...	...	S E	2	...	6 a.	29.89	759.1	...	...	...	0	
Hakodate	,,	29.89	759.2	...	...	...	0	...	,,	29.93	760.2	...	...	W	2	
Tokio	,,	29.94	760.6	...	...	S	6	...	,,	29.95	760.6	...	...	W	2	
Kochi	,,	29.95	760.8	...	...	S	2	...	,,	29.95	760.8	...	...	S W	2	
Nagasaki	,,	29.87	758.8	...	...	W	4	...	,,	29.91	759.8	...	...	S E	6	
Kagoshima	,,	29.92	759.9	...	...	S E	4	...	,,	29.96	760.9	...	...	S E	2	
Oshima	,,	29.89	759.1	...	...	S E	4	...	,,	29.93	760.1	...	...	...	0	
Naha	,,	29.85	758.2	...	...	S E	4	...	,,	29.89	759.2	...	...	S	2	
Ishigakijima	,,	29.74	755.3	...	...	S	8	...	,,	29.82	757.3	...	...	S	8	
Chefoo	3 p.	29.86	758.4	70	100	N E	4	or	6 a.	...	...	...	...	...	...	
Weihaiwei	,,	29.86	758.4	71	...	N E	4	c	9 a.	29.78	756.4	73	...	N E	3	c
Hankow	,,	29.67	753.6	74	90	N	5	or	6 a.	29.75	755.6	70	95	N N W	5	c
Kiukiang	,,	...	...	...	...	...	...	...	,,	29.67	753.6	74	100	...	0	c
Shanghai	,,	29.60	751.8	86	80	S E	4	o	9 a.	29.71	754.6	87	72	S S E	4	l
Gutzlaff	,,	29.62	752.3	84	87	E S E	5	cm	,,	29.73	755.1	84	83	S	5	c
Sharp Peak	,,	29.54	750.3	84	89	E S E	4	o	,,	29.78	756.4	83	89	N	1	c
Amoy	,,	29.45	748.0	81	91	S E	5	o	6 a.	29.69	754.1	81	96	S E	4	c
Swatow	,,	29.35	745.5	84	79	S S E	2	c	,,	29.60	751.8	80	91	S	1	c
Taihoku	1 p.	29.60	751.8	...	...	S E	2	...	5 a.	29.75	755.7	...	...	...	0	
Taichu	,,	29.59	751.7	...	...	S W	4	...	,,	29.77	756.1	...	...	...	0	
Tainan	,,	29.63	752.5	...	...	E	8	...	,,	29.75	755.7	...	...	S E	4	
Koshun	,,	29.67	753.7	...	...	S E	6	...	,,	29.77	756.2	...	...	S E	6	
Pescadores	,,	29.57	751.1	...	...	S E	10	...	,,	29.73	755.1	...	...	S E	8	
Canton	3 p.	29.48	748.8	80	96	N N W	1	o	9 a.	29.72	754.9	80	78	...	0	c
Hongkong	4 p.	29.49	749.0	77	90	W	1	o	10 a.	29.71	754.6	82	81	...	0	c
Victoria Peak	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	S E	1	
Gap Rock	,,	29.47	748.5	...	...	W N W	3	...	,,	29.69	754.1	...	...	N E	3	
Macao	,,	29.48	748.8	81	...	S E	1	od	,,	29.71	754.6	81	...	N	1	c
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien	4 p.	29.51	749.5	93	...	W	5	c	10 a.	...	...	...	...	...	...	
Tourane	,,	29.56	750.9	93	...	N N W	2	o	,,	...	...	...	...	...	...	
Cape St. James	,,	29.67	753.7	79	...	S W	4	o	,,	...	...	...	...	...	...	
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila	4 p.	29.76	756	82	77	S W	1	o	10 a.	29.84	758	84	71	W S W	1	l
Legaspi	2 p.	29.79	756.7	90	...	S W	1	o	6 a.	...	...	...	...	...	...	
Bacolod	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	...	0	c
Iloilo	,,	29.77	755.4	84	...	N W	3	o	,,	29.85	758.2	82	...	W	1	l
Cebu	,,	29.78	756.4	87	...	N	1	c	,,	29.86	758.4	84	...	...	0	c
Labuan	,,	29.73	755.1	89	...	...	...	...	,,	29.81	757.2	85	...	...	...	

On the 30th at 12.30 p.—Signal lowered.

On the 31st at 11.35 a.—Except over N. China and Japan, the barometer has risen generally, particularly over Formosa and the S. and S.E. coasts of China.

The typhoon has filled up rapidly during the past 24 hours. It is shown this morning as an elongated depression lying between the S. Coast of China and the Yangtze. Pressure is highest over Japan. It exceeds the normal by about 0.1 inch over this area and the Loochoos, and is in defect a like amount along the China Coast.

Pressure is probably high, also, to the N.W. of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, light to moderate; showery.
2.—Formosa Channel,	S.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Variable winds, light to moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 31st August, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st AUGUST, 1906. P.M.								1st SEPTEMBER, 1906. A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.85	758.1	...	...	N W	4	...	6 a.	29.81	757.1	...	...	S	2	...
Hakodate	,,	29.85	758.2	...	...	S E	4	...	,,	29.81	757.2	...	...	N	2	...
Tokio	,,	29.83	757.6	...	...	S	4	...	,,	29.71	754.6	...	...	...	0	...
Kochi	,,	29.91	759.8	...	...	S E	2	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki	,,	29.91	759.8	...	...	S W	6	...	,,	29.80	756.8	...	...	W	6	...
Kagoshima	,,	29.92	759.9	...	...	S W	4	...	,,	29.88	758.9	...	...	S W	2	...
Oshima	,,	29.93	760.1	...	...	...	0	...	,,	29.93	760.1	...	...	...	0	...
Naha	,,	29.93	760.2	...	...	S	4	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima	,,	29.85	758.3	...	...	S	6	...	,,	29.89	759.3	...	...	S	2	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	29.71	754.6	75	...	N N E	3	c	9 a.	...	...	...	...	...	...	...
Hankow	,,	...	...	...	...	...	...	...	6 a.	29.95	760.7	70	95	N N W	1	c
Kinkiang	,,	29.76	755.9	85	79	W	1	o	,,	...	...	...	...	...	...	...
Shanghai	,,	29.66	753.3	91	67	S	3	o	9 a.	29.82	757.4	84	83	N W	1	c
Gutzlaff	,,	29.69	754.1	86	80	S	4	cv	,,	29.81	757.2	84	91	N W	1	cv
Sharp Peak	,,	29.76	755.9	86	89	S S E	2	c	,,	29.87	758.7	84	89	...	0	c
Amoy	,,	29.63	752.6	83	87	S E	3	c	6 a.	29.85	758.2	80	91	S E	1	c
Swatow	,,	29.67	753.6	89	82	S	1	c	,,	29.71	754.6	80	96	...	0	c
Taihoku	1 p.	29.80	756.8	...	...	N W	4	...	5 a.	29.88	759.0	...	...	...	0	...
Taichu	,,	29.78	756.4	...	...	N W	2	...	,,	29.88	758.9	...	...	...	0	...
Tainan	,,	29.79	756.7	...	...	S	8	...	,,	29.84	757.9	...	...	N W	2	...
Koshun	,,	29.81	757.2	...	...	E	6	...	,,	29.85	758.1	...	...	E	2	...
Pescadores	,,	29.78	756.4	...	...	S W	8	...	,,	29.85	758.1	...	...	N E	4	...
Canton	3 p.	29.69	754.1	84	75	E	1	c	9 a.	29.82	757.4	86	80	E	1	b
Hongkong	4 p.	29.68	753.9	82	84	E	2	c	10 a.	29.81	757.2	82	89	E	3	op
Victoria Peak	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S E	5	...
Gap Rock	,,	29.66	753.3	...	...	N E	3	...	,,	29.78	756.4	...	...	E S E	4	...
Macao	,,	29.68	753.9	85	...	E S E	1	c	,,	...	...	...	...	...	...	...
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.65	753.2	82	...	E	4	o	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.68	753.9	95	...	S W	5	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.72	755.0	79	...	W S W	4	o	,,	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.76	756	86	71	S W	1	c	10 a.	29.80	757	79	92	N N W	1	c
Legaspi	2 p.	29.76	755.9	88	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	W	1	c	9 a.	...	...	...	...	...	0	o
Iloilo	,,	29.75	755.6	84	...	...	0	or	,,	29.78	756.4	80	...	...	0	od
Cebu	,,	29.75	755.6	86	...	S	1	c	,,	29.78	756.4	81	...	S	2	o
Labuan	,,	29.79	759.2	87	...	...	...	...	,,	29.83	757.7	80	...	...	...	...

On the 1st at 11.40 a.—The barometer has risen along the China Coast, and fallen over Japan and the Philippines.

Pressure is high in the neighbourhood of the Loochoos, and also over N.W. China. It is lowest over the Sea of Japan in the North, and over the middle part of the China Sea in the South. Probably a low pressure trough extends over the middle part of the China Sea and the Philippines.

The normal pressure is exceeded by about 0.1 inch over the Loochoos, and it is in defect by 0.1 inch and upwards over E. Japan, and by about 0.05 inch over the Philippines.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	E. winds, moderate or fresh; showery.
2.—Formosa Channel	E. to N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 1st September, 1906.

[Printed by Nokosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st September, 1906, P.M.								2nd September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro	,,	29.77	756.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...	
Hakodate	,,	29.69	754.2	...	...	S E	6	...	,,	...	...	...	...	...	...	
Tokio	,,	29.63	752.6	...	...	N W	4	...	,,	...	...	...	...	...	...	
Kochi	,,	29.72	754.8	...	...	S E	2	...	,,	...	...	...	...	...	...	
Nagasaki	,,	29.76	755.8	...	...	W	8	...	,,	...	...	...	...	...	...	
Kagoshima	,,	29.80	756.9	...	...	W	8	...	,,	...	...	...	...	...	...	
Oshima	,,	29.89	759.1	...	...	W	4	...	,,	...	...	...	...	...	...	
Naha	,,	29.89	759.2	...	...	S W	2	...	,,	...	...	...	...	...	...	
Ishigakijima	,,	29.89	759.3	...	...	S	4	...	,,	...	...	...	...	...	...	
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hankow	,,	29.95	760.7	78	91	W	1	o	6 a.	...	...	...	...	...	...	
Kiukiang	,,	29.89	759.2	86	80	N	1	o	,,	29.94	760.5	77	91	...	0	
Shanghai	,,	29.76	755.9	82	96	N W	1	o	9 a.	29.87	758.7	84	79	N	1	
Gutzlaff	,,	29.77	756.1	89	77	E	1	cv	,,	29.84	757.9	82	91	N N E	2	cv
Sharp Peak	,,	29.83	757.7	88	86	S E	1	b	,,	29.86	758.4	86	87	N N E	1	
Amoy	,,	29.78	756.4	90	66	E S E	1	c	6 a.	29.78	756.4	80	91	S W	3	b
Swatow	,,	29.77	756.1	87	80	E	2	b	,,	29.76	755.9	79	96	S E	1	b
Taihoku	1 p.	29.84	758.0	...	...	E	4	...	5 a.	29.84	757.9	...	...	S	2	
Taichu	,,	29.82	757.5	...	...	N W	6	...	,,	29.86	758.3	...	...	...	0	
Tainan	,,	29.84	757.9	...	...	N W	4	...	,,	29.83	757.6	...	...	N	4	
Koshun	,,	29.83	757.8	...	...	E	6	...	,,	29.81	757.1	...	...	N E	6	
Pescadores	,,	29.84	758.0	...	...	N	6	...	,,	29.85	758.1	...	...	N	4	
Canton	3 p.	29.77	756.1	86	92	E	1	c	9 a.	29.88	758.9	82	91	...	0	b
Hongkong	4 p.	29.75	755.6	82	87	E S E	3	op	10 a.	29.86	758.4	82	91	S	1	
Victoria Peak	,,	...	...	...	...	E S E	7	...	,,	...	...	...	...	E	1	
Gap Rock	,,	29.72	754.9	...	...	S E	4	...	,,	29.83	757.7	...	...	N E	3	
Macao	,,	29.75	755.6	86	...	E	1	c	,,	29.85	758.2	87	...	E	1	
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien	4 p.	29.71	754.6	81	...	N N W	5	or	10 a.	...	...	...	...	...	...	
Tourane	,,	29.67	753.7	91	...	N N W	2	c	,,	...	...	...	...	...	...	
Cape St. James	,,	29.71	754.7	81	...	S W	4	o	,,	...	...	...	...	...	...	
Aparri	2 p.	29.78	756.4	90	...	N E	1	c	6 a.	...	...	...	...	...	...	
Manila	4 p.	29.69	754	82	77	...	0	o	10 a.	29.80	757	73	100	S W	1	or
Legaspi	2 p.	29.72	754.8	82	...	N E	1	o	6 a.	...	...	...	...	...	...	
Bacolod	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	W	3	
Iloilo	,,	29.68	753.9	80	...	S	1	or	,,	29.78	756.4	80	...	W	1	or
Cebu	,,	29.71	754.6	82	...	S	2	o	,,	29.80	756.9	81	...	S	2	
Labuan	,,	29.75	755.6	83	...	...	...	...	,,	29.80	756.9	81	...	...	...	

On the 2nd at 11.55 a.—The barometer has risen a little over the S. and E. coasts of China, and fallen slightly in Formosa.

Pressure is highest over Central China, and lowest in the trough lying across the middle part of the China Sea, and extending Eastwards over the Philippines to the Pacific. Pressure is practically normal along the China Coast. It is in defect slightly over 0.05 inch over the Philippines.

Returns from Japanese stations are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, light to moderate; weather improving
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 2nd September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd September, 1906, P.M.								3rd September, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.53	750.1	...	...	S E	6	...	6 a.	29.53	750.1	...	...	W	4	...
Hakodate,	,,	29.54	750.2	...	...	S E	2	...	,,	29.62	752.2	...	...	N W	6	...
Tokio,	,,	29.55	750.6	...	...	...	0	...	,,	29.71	754.6	...	...	...	0	...
Kochi,	,,	29.64	752.8	...	...	N	4	...	,,	29.76	755.8	...	...	S W	2	...
Nagasaki,	,,	29.76	755.8	...	...	W	6	...	,,	29.80	756.8	...	...	...	0	...
Kagoshima,	,,	29.76	755.9	...	...	N W	6	...	,,	29.80	756.9	...	...	...	0	...
Oshima,	,,	29.85	758.1	...	...	N	2	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	4	...	,,	29.86	758.3	...	...	S E	2	...
Chefoo,	3 p.	29.88	758.9	75	77	N	5	c	6 a.	30.02	762.5	72	71	N	4	b
Weihaiwei,	,,	29.90	759.4	75	...	N E	3	c	9 a.	30.01	762.2	76	...	N W	2	ovr
Hankow,	,,	29.92	759.9	81	87	N W	1	c	6 a.	30.02	762.5	75	95	N	1	c
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.99	761.7	77	91	N E	2	o
Shanghai,	,,	29.82	757.4	82	83	N E	1	o	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.83	757.7	80	91	N E	2	cv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.81	757.2	88	84	E	2	b	,,	29.85	758.2	84	87	N N E	2	c
Amoy,	,,	29.77	756.1	87	80	E S E	4	b	6 a.	29.79	756.6	79	91	N E	1	b
Swatow,	,,	29.65	753.1	90	70	S W	2	c	,,	29.76	755.9	78	91	N	1	b
Taihoku,	1 p.	29.80	757.0	...	...	E	6	...	5 a.	29.80	757.0	...	...	...	0	...
Taichu,	,,	29.81	757.1	...	...	N E	4	...	,,	29.80	756.8	...	...	...	0	...
Tainan,	,,	29.83	757.7	...	...	W	4	...	,,	29.79	756.6	...	...	N	2	...
Koshun,	,,	29.82	757.5	...	...	N E	6	...	,,	29.79	756.7	...	...	N E	6	...
Pescadores,	,,	29.83	757.7	...	...	W	4	...	,,	29.78	756.5	...	...	N	2	...
Canton,	3 p.	29.80	756.9	94	61	S E	1	b	9 a.	29.83	757.7	88	80	S E	1	b
Hongkong,	4 p.	29.78	756.4	85	75	E S E	1	c	10 a.	29.80	756.9	87	62	E	3	b
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	29.77	756.1	...	...	E N E	3	...	,,	29.81	757.2	...	...	N E	3	...
Macao,	,,	29.79	756.6	91	...	E S E	1	c	,,	29.81	757.2	87	...	E	1	c
Heihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.1	81	...	N N W	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	82	...	N	1	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.70	754.5	82	...	W S W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.73	755.2	84	...	N E	1	p	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	79	84	...	0	o	10 a.	29.80	757	86	71	S S E	2	c
Legaspi,	2 p.	29.74	755.5	77	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.72	754.9	81	...	W	1	or	,,	29.85	758.2	82	...	W	1	b
Cebu,	,,	29.79	756.6	82	...	S	2	c	,,	29.85	758.2	83	...	...	0	b
Labuan,	,,	29.72	754.9	88	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

On the 3rd at 11.30 a.—The barometer has risen moderately over N. China, S. Japan, and the S. Philippines: and fallen slightly over Formosa and the S. coast of China.

Pressure is high over Central China, and low in a depression which having passed over E. Japan yesterday, has now moved into the Pacific. Pressure continues relatively low in the trough, which is liable to give rise to a circular depression, lying over the China Sea, probably in about 16.° Lat.

The normal pressure is exceeded by about 0.1 inch over N. China; and is in defect by about 0.3 inch over N.E. Japan and by 0.05 inch in Luzon.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 3rd September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd September, 1906, P.M.								4th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.58	751.2	...	...	N W	4	...	6 a.	29.61	752.1	...	...	S E	2	...
Hakodate,	,,	29.65	753.2	...	...	S E	2	...	,,	29.65	753.2	...	...	N W	2	...
Tokio,	,,	29.67	753.6	...	...	S	4	...	,,	29.75	755.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	S W	2	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	29.80	756.8	...	...	W	4	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	N W	4	...	,,	29.84	757.9	...	...	N	2	...
Oshima,	,,	29.89	759.1	...	...	W	4	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	S	4	...	,,	29.89	759.2	...	...	W	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	...	...	...	0	...
Chefoo,	3 p.	29.95	760.7	77	86	N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.97	761.2	79	...	N W	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.91	759.7	83	60	N	2	o	9 a.	29.97	761.2	81	52	N E	1	b
Gutzlaff,	,,	29.87	758.7	84	83	N N E	3	b	,,	...	...	78	65	N N E	3	c
Sharp Peak,	,,	29.81	757.2	87	84	N N E	2	b	,,	29.85	758.2	83	87	N N E	4	c
Amoy,	,,	29.74	755.4	92	85	E N E	2	b	6 a.	29.79	756.6	79	91	N E	3	c
Swatow,	,,	29.68	753.9	86	72	E	4	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.79	756.6	...	...	S E	6	...	5 a.	29.82	757.6	...	...	...	0	...
Taichu,	,,	29.77	756.1	...	...	N	2	...	,,	29.82	757.5	...	...	...	0	...
Tainan,	,,	29.78	756.4	...	...	S	2	...	,,	29.80	757.0	...	...	...	0	...
Koshun,	,,	29.82	757.3	...	...	E	6	...	,,	29.80	756.9	...	...	E	6	...
Pescadores,	,,	29.80	756.8	...	...	W	2	...	,,	29.80	756.9	...	...	N E	4	...
Canton,	3 p.	29.71	754.6	93	67	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.70	754.4	84	79	E S E	3	c	10 a.	29.69	754.1	77	96	S E	2	op
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.68	753.9	...	...	E	3	...	,,	29.63	752.8	...	...	E N E	3	...
Macao,	,,	29.70	754.4	88	...	S E	1	...	,,	29.70	754.4	80	...	N E	2	od
Hoihow,	3 p.	...	...	...	...	...	...	c	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	82	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.78	756.3	82	...	S	1	d	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	82	85	S S W	1	o	10 a.	29.84	758	86	71	...	0	c
Legaspi,	2 p.	29.82	757.5	90	...	S W	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	c	9 a.	...	...	...	...	W	1	b
Iloilo,	,,	29.79	756.6	86	...	S W	1	c	,,	29.85	758.2	84	...	S W	2	b
Cebu,	,,	29.82	757.4	85	...	E	1	b	,,	29.90	759.4	83	...	S	1	c
Labuan,	,,	29.77	756.1	89	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 4th at 11.40 a.—The barometer has risen slightly over Japan and the Philippines, and fallen briskly in the neighbourhood of Hongkong.

Probably a depression has formed in the trough to the N.E. of the Paracels. It appears to be shallow and to be moving towards N.W.

Pressure is highest over N. China where it exceeds the normal by about 0.1 inch. Over N.E. Japan it remains low, and in defect between 0.2 and 0.3 inch. It is also over 0.1 inch below the normal in the neighbourhood of Hongkong.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh or strong: squally, rainy.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 4th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th September, 1906. P.M.								5th September, 1906. A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.53	750.1	...	...	S	8	...	6 a.	29.65	753.1	...	...	W	4	...
Hakodate	,,	29.61	752.2	...	...	W	4	...	,,	29.81	757.2	...	...	...	0	...
Tokio	,,	29.75	755.6	...	...	S E	4	...	,,	29.91	759.6	...	...	N W	2	...
Kochi	,,	29.80	756.8	...	...	S E	2	...	,,	29.91	759.8	...	...	W	2	...
Nagasaki	,,	29.83	757.8	...	...	W	6	...	,,	29.88	758.8	...	...	...	0	...
Kagoshima	,,	29.80	756.9	...	...	S W	2	...	,,	29.88	758.9	...	...	N E	2	...
Oshima	,,	29.85	758.1	...	...	N	4	...	,,	29.89	759.1	...	...	S E	2	...
Naha	,,	29.85	758.2	...	...	N W	4	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima	,,	29.89	759.3	...	...	S	4	...	,,	29.86	758.3	...	...	S	2	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	29.94	760.5	65	95	S W	1	b
Weihaiwei	,,	...	...	78	...	N W	2	b	9 a.	29.93	760.2	75	...	W N W	...	b
Hankow	,,	30.02	762.5	81	87	N N E	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai	,,	29.88	758.9	81	56	N	1	c	9 a.	29.95	760.7	78	65	N	1	o
Gutzlaff	,,	29.91	759.7	79	66	N N E	3	cv	,,	29.89	759.2	79	70	N N E	1	cv
Sharp Peak	,,	29.82	757.4	82	87	N E	5	o	,,	29.85	758.2	79	91	...	0	op
Amoy	,,	29.78	756.4	81	91	S E	3	or	6 a.	29.81	757.2	78	91	S E	3	or
Swatow	,,	...	...	...	...	...	...	...	,,	29.72	754.9	78	95	E S E	5	o
Taihoku	1 p.	29.80	756.9	...	...	E	2	...	5 a.	29.82	757.5	...	...	...	0	...
Taichu	,,	29.77	756.2	...	...	N W	4	...	,,	29.84	757.9	...	...	...	0	...
Tainan	,,	29.78	756.3	...	...	N	2	...	,,	29.83	757.7	...	...	S E	4	...
Koshun	,,	29.81	757.1	...	...	E	4	...	,,	29.82	757.5	...	...	E	2	...
Pescadores	,,	29.78	756.4	...	...	N E	6	...	,,	29.79	756.7	...	...	S	8	...
Canton	3 p.	29.65	753.1	80	96	N E	1	o	9 a.	29.64	752.8	81	91	N E	1	o
Hongkong	4 p.	29.62	752.3	80	86	E N E	2	or	10 a.	29.65	753.1	83	80	S E	4	oq
Victoria Peak	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock	,,	29.58	751.3	...	...	E S E	3	...	,,	29.64	752.8	...	...	S E	6	...
Macao	,,	29.63	752.6	82	...	E N E	1	od	,,	29.62	752.3	82	...	S E	3	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.60	751.9	82	...	E N E	4	lt	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.67	753.5	82	...	...	0	o	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.75	755.6	79	...	W S W	2	c	,,	...	...	...	...	...	...	...
Aparri	2 p.	29.77	756.2	88	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.76	756	86	65	W	1	o	10 a.	29.84	758	86	71	S W	0	o
Legaspi	2 p.	29.82	757.3	90	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	W	1	b
Iloilo	,,	29.79	756.6	85	...	W	3	o	,,	29.81	757.2	84	...	W	1	c
Cebu	,,	29.81	757.2	86	...	N	1	b	,,	29.83	757.7	83	...	S	2	b
Labuan	,,	29.78	756.4	90	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 5th at 11.30 a.—The barometer has risen in Japan, and fallen slightly over the Gulf of Pechili, Hongkong and the S. Philippines.

The depression has probably approached the coast in the neighbourhood of Hainan Straits. It apparently continues to move towards N.W.

Pressure is highest over Central China. It is remains low over N.E. Japan, in rear of depression which was passing to the Northward of Hokkaido and moving towards the Pacific yesterday afternoon.

Departures from the normal pressure are slight, except over N.E. Japan and in Hongkong where it is in defect by about 0.2 inch.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, strong; squally, showery
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 5th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th September, 1906, P.M.									6th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...	...	
Nemuro	,,	29.73	755.1	...	...	N	4	...		6 a.	29.89	759.1	...	...	S	4	
Hakodate	,,	29.81	757.2	...	...	W	6	...		,,	29.93	760.2	...	...	...	0	
Tokio	,,	29.87	758.6	...	...	E	4	...		,,	29.99	761.6	...	...	N W	2	
Kochi	,,	29.88	758.8	...	...	S E	2	...		,,	29.95	760.8	...	...	S W	2	
Nagasaki	,,	29.88	758.8	...	...	W	4	...		,,	29.88	758.8	...	...	S E	4	
Kagoshima	,,	29.88	758.9	...	...	S W	2	...		,,	29.92	759.9	...	...	E	2	
Oshima	,,	29.85	758.1	...	...	N	4	...		,,	29.89	759.1	...	...	S	2	
Naha	,,	29.85	758.2	...	...	N W	4	...		,,	29.89	759.2	...	...	...	0	
Ishigakijima	,,	29.86	758.3	...	...	S	4	...		,,	29.89	759.3	...	...	N E	2	
Chefoo	3 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Weihaiwei	,,	29.85	758.2	81	...	N	2	b		9 a.	...	...	...	...	...	...	b
Hankow	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Kinkiang	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Shanghai	,,	29.83	757.7	81	62	E	1	o		9 a.	29.87	758.7	72	95	N N E	1	o
Gutzlaff	,,	29.81	757.2	81	71	N E	1	ev		,,	29.79	756.6	78	95	N N E	3	o
Sharp Peak	,,	29.80	756.9	82	87	N E	1	o		,,	29.81	757.2	82	91	...	0	o
Amoy	,,	29.75	755.6	81	91	E S E	3	o		6 a.	29.78	756.4	80	91	S E	2	o
Swatow	,,	29.64	752.8	80	96	S E	2	or		,,	29.67	753.6	88	96	S S E	2	o
Taihoku	1 p.	29.83	757.6	...	...	N	4	...		5 a.	29.84	757.9	...	...	...	0	
Taichu	,,	29.82	757.4	...	...	N W	2	...		,,	29.83	757.6	...	...	...	0	
Tainan	,,	29.79	756.7	...	...	S	6	...		,,	29.80	756.8	...	...	E	2	
Koshun	,,	29.81	757.2	...	...	S	2	...		,,	29.81	757.1	...	...	E	4	
Pescadores	,,	29.78	756.4	...	...	S	6	...		,,	29.80	756.8	...	...	E	2	
Canton	3 p.	29.59	751.6	81	96	N E	2	or		9 a.	...	...	...	...	...	...	
Hongkong	4 p.	29.61	752.1	83	79	S E	4	opq		10 a.	29.73	755.1	85	75	S E	3	o
Victoria Peak	,,	...	...	...	...	S S E	8	...		,,	...	...	...	...	S S E	6	
Gap Rock	,,	29.56	750.8	...	...	S	6	...		,,	29.69	754.1	...	...	S S E	6	
Macao	,,	29.57	751.1	82	...	S E	3	od		,,	...	...	...	...	...	...	
Hoihow	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	
Pakhoi	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Phulien	4 p.	29.59	751.5	79	...	N N W	3	or		10 a.	...	...	...	...	...	...	
Tourane	,,	29.63	752.5	88	...	N N W	1	o		,,	...	...	...	...	...	...	
Cape St. James	,,	29.66	753.3	86	...	W S W	2	c		,,	...	...	...	...	...	...	
Aparri	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Manila	4 p.	29.72	755	86	71	W S W	1	o		10 a.	...	...	...	...	...	...	
Legaspi	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	
Bacolod	3 p.	...	...	...	...	N	3	c		9 a.	...	...	...	...	W	1	c
Iloilo	,,	29.72	754.9	86	...	W	1	o		,,	29.78	756.4	81	...	W	3	c
Cebu	,,	29.77	756.1	83	...	N	1	or		,,	29.78	756.4	80	...	S	2	c
Labuan	,,	29.73	755.1	89	...	...	...	...		,,	29.82	757.4	85	...	...	...	

On the 6th at 11.20 a.—The barometer has risen over Japan and in the neighbourhood of Hongkong, and fallen over the E. Coast of China and the Philippines.

The depression has probably moved into the Gulf of Tongking.

The decrease of pressure over the Philippines appears to be due to a new depression over the Pacific, probably in the E. of Luzon.

Pressure is highest over S. Japan, where the normal is slightly exceeded. It is in defect about 0.1 inch in Hongkong, and about the same amount over the Philippines.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, fresh to moderate; showery to fair
2.—Formosa Channel,	S.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds; strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 6th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th September, 1906, P.M.								7th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	..	29.89	759.1	...	...	S W	6	...	6 a.	29.93	760.1	...	...	S	4	...
Hakodate	..	29.89	759.2	...	...	S W	6	...	,,	29.85	758.2	...	...	N W	2	...
Tokio	..	29.94	760.6	...	...	...	0	...	,,	29.87	758.6	...	...	...	0	...
Kochi	..	29.91	759.8	...	...	E	2	...	,,	29.76	755.8	...	...	N E	2	...
Nagasaki	..	29.83	757.8	...	...	S	4	...	,,	29.84	757.8	...	...	N W	2	...
Kagoshima	..	29.88	758.9	...	...	S	4	...	,,	29.84	757.9	...	...	N W	4	...
Oshima	..	29.85	758.1	...	...	S	4	...	,,	29.89	759.1	...	...	S	2	...
Naha	..	29.85	758.2	...	...	E	4	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima	..	29.82	757.3	...	...	S E	6	...	,,	29.78	756.3	...	...	E	6	...
Chefoo	3 p.	29.80	756.9	82	83	E	2	b	6 a.	29.91	759.7	70	80	N W	4	o
Weihaiwei	..	29.80	756.9	81	...	E	2	b	9 a.	29.92	759.9	73	...	N W	1	c
Hankow	,,	29.95	760.7	80	87	N E	2	c	6 a.	29.96	761.0	73	79	S	1	b
Kiukiang	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Shanghai	..	29.80	756.9	75	87	...	0	om	9 a.	29.93	760.2	77	82	N N E	1	om
Gutzlaff	,,	29.79	756.6	73	100	N N E	3	omd	,,	29.89	759.2	76	91	N E	3	cv
Sharp Peak	..	29.78	756.4	85	89	E	1	o	..	29.82	757.4	83	89	S E	2	c
Amoy	..	29.73	755.1	84	83	E S E	3	o	6 a.	29.79	756.6	78	91	S E	3	b
Swatow	..	29.69	754.1	82	87	E	1	o	,,	29.69	754.1	77	91	S S E	2	c
Taihoku	1 p.	29.80	756.8	...	...	N W	2	...	5 a.	29.76	756.0	...	...	E	4	...
Taichu	..	29.79	756.7	...	...	N	6	...	,,	29.75	755.5	...	...	...	0	...
Tainan	..	29.78	756.5	...	...	N W	6	...	,,	29.73	755.1	...	...	N	2	...
Koshun	..	29.81	757.2	...	...	E	6	...	,,	29.71	754.7	...	...	N E	6	...
Pescadores	..	29.79	756.7	...	...	W	2	...	..	29.75	755.5	...	...	N	6	...
Canton	3 p.	29.69	754.1	79	95	S E	1	c	9 a.	29.80	756.9	85	79	E	1	b
Hongkong	4 p.	29.69	754.1	83	81	E	2	o	10 a.	29.78	756.4	84	80	E	2	o
Victoria Peak	..	...	...	...	...	S E	4	...	,,	...	...	...	...	E	2	...
Gap Rock	..	29.66	753.3	...	...	S S E	3	...	,,	29.75	755.6	...	...	E S E	2	...
Macao	..	29.69	754.1	82	...	S S E	2	o	..	29.79	756.6	82	...	E	1	cdt
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien	4 p.	29.63	752.5	77	...	N N E	3	or	10 a.	...	...	...	...	...	...	...
Tourane	..	29.63	752.7	90	...	N N W	1	c	,,	...	...	...	...	...	...	...
Cape St. James	..	29.66	753.4	82	...	S W	2	c	..	...	...	...	...	...	...	...
Aparri	2 p.	29.74	755.4	82	...	N W	1	p	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.69	754	82	85	...	0	o	10 a.	29.73	755	77	92	S W	5	q
Legaspi	2 p.	29.68	753.9	77	...	W	1	...	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N W	2	c
Iloilo	..	29.73	755.1	81	...	W	4	o	,,	29.81	757.2	80	...	N W	3	or
Cebu	..	29.74	755.4	81	...	S	2	o	..	29.83	757.7	82	...	S	4	c
Labuan	..	29.72	754.9	89	...	...	...	...	,,	29.82	757.4	81	...	...	...	.

On the 7th at 11.55 a.—The barometer has risen over the S. and N. Coasts of China, and fallen in Formosa and Meiaco Sima.

The depression appears to be situated to the N.E. of Luzon, and to be moving towards N.W.

A shallow area of low pressure lies off the S. Coast of Japan.

Pressure is highest over N. China. It is about 0.1 inch in defect of the normal over Central Japan, S. Formosa and at Manila.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, light to moderate; weather improving.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 7th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th September, 1906, P.M.								8th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro	,,	29.89	759.1	...	...	S E	4	...	6 a.	29.69	754.1	...	...	N	4	
Hakodate	,,	29.77	756.2	...	...	S	6	...	,,	29.77	756.2	...	...	N W	4	
Tokio	,,	29.79	756.6	...	...	N	2	...	,,	29.83	757.6	...	...	W	2	
Kochi	,,	29.76	755.8	...	...	...	0	...	,,	29.95	760.8	...	...	W	2	
Nagasaki	,,	...	...	...	...	...	...	...	,,	29.95	760.8	...	...	...	6	
Kagoshima	,,	29.88	758.9	...	...	W	4	...	,,	29.96	760.9	...	...	N E	2	
Oshima	,,	29.89	759.1	...	...	N	2	...	,,	29.89	759.1	...	...	S	2	
Naha	,,	29.89	758.2	...	...	S E	4	...	,,	29.85	758.2	...	...	S E	2	
Ishigakijima	,,	29.74	755.3	...	...	E	10	...	,,	29.74	753.3	...	...	S E	8	
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei	,,	29.90	759.4	77	...	N E	1	c	9 a.	...	...	...	...	...	...	
Hankow	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai	,,	29.90	759.4	81	67	E N E	1	o	9 a.	29.94	760.5	77	82	N E	1	o
Gutzlaff	,,	29.90	759.4	75	86	N E	3	cop	,,	29.90	759.4	74	90	E	4	omp
Sharp Peak	,,	29.77	756.1	84	87	N N E	5	o	,,	29.67	753.6	83	91	N	6	o
Amoy	,,	29.72	754.9	92	74	N E	2	c	6 a.	29.61	752.1	84	87	N E	5	o
Swatow	,,	29.61	752.1	89	96	W	1	b	,,	29.53	750.0	82	79	N N W	2	o
Taihoku	1 p.	29.73	755.2	...	...	E	8	...	5 a.	29.62	752.4	...	...	E	8	
Taichu	,,	29.61	752.1	...	...	W	2	...	,,	29.50	749.2	...	...	E	2	
Tainan	,,	29.63	752.5	...	...	N W	6	...	,,	29.49	749.1	...	...	S W	2	
Koshun	,,	29.64	752.9	...	...	N	10	...	,,	29.50	749.2	...	...	E	10	
Pescadores	,,	29.64	752.8	...	...	N E	8	...	,,	29.50	749.2	...	...	W	2	
Canton	3 p.	29.72	754.9	85	91	...	0	or	9 a.	29.72	754.9	85	83	N	1	b
Hongkong	4 p.	29.69	754.1	85	75	...	0	c	10 a.	29.65	753.1	86	61	N N W	1	o
Victoria Peak	,,	...	...	...	...	...	0	...	,,	...	...	...	...	N	5	
Gap Rock	,,	29.68	753.9	...	...	N E	2	...	,,	29.63	752.6	...	...	N N W	3	
Macao	,,	29.70	754.4	84	...	...	0	c	,,	29.67	753.6	85	...	N	2	c
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien	4 p.	29.67	753.6	81	...	N W	2	or	10 a.	...	...	...	...	...	...	
Tourane	,,	29.71	754.6	77	...	W N W	1	lt	,,	...	...	...	...	...	...	
Cape St. James	,,	29.70	754.4	82	...	S W	3	o	,,	...	...	...	...	...	...	
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila	4 p.	29.69	754	81	76	W	4	q	10 a.	29.80	756.9	82	77	S S W	2	c
Legaspi	2 p.	29.72	754.9	84	...	S W	1	o	6 a.	...	...	...	...	...	...	
Bacolod	3 p.	...	...	...	...	W	3	o	9 a.	...	...	...	...	W	1	b
Iloilo	,,	29.75	755.6	82	...	W	3	or	,,	29.85	758.2	81	...	W	1	c
Cebu	,,	29.78	756.4	84	...	S	3	o	,,	29.86	758.4	84	...	S	1	c
Labuan	,,	29.76	755.9	87	...	...	...	...	,,	29.86	758.4	83	...	...	...	

On the 8th at 11.30 a.—The barometer has fallen rapidly over Formosa and the S. and S.E. coasts of China and risen over the S. Philippines.

The typhoon has reached S. Formosa. It apparently continues to move towards N.W., and threatens the Coast in the neighbourhood of Amoy.

The other depression has moved into the Pacific to the N.E. of Japan.

Pressure is highest over N. China, where the normal is slightly exceeded. In S. Formosa it is 0.3 inch in defect.

Bad weather will prevail in and to the Northward of the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	N. to N.W. winds, freshening; fine at first, squally wi rain later.
2.—Formosa Channel	Cyclonic gales.
3.—South coast of China between Hongkong and Lamocks	N. to N.W. winds, strong.
4.—South coast of China between Hongkong and Hainan	N.W. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 8th September, 1906.

[Printed by Nomura & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th September, 1906, P.M.								9th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	N W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.81	757.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.87	758.6	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.87	758.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.91	759.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.92	759.9	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.89	759.1	...	...	E	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.81	757.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.74	755.3	...	...	S E	8	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.94	760.5	72	95	...	0	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.05	763.2	74	...	E N E	1	or	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.97	761.2	82	87	N E	1	b	6 a.	29.97	761.2	73	95	N	3	b
Kiukiang,	,,	29.93	760.2	84	87	E	3	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.89	759.2	76	82	E	1	or	9 a.	29.86	758.4	69	90	N E	2	ov
Gutzlaff,	,,	29.86	758.4	72	90	E	4	omp	,,	29.80	756.9	...	...	N E	5	...
Sharp Peak,	,,	29.58	751.3	83	89	E N E	6	o	,,	29.62	752.3	77	88	N	3	or
Amoy,	,,	29.57	751.1	90	77	N E	5	b	6 a.	29.37	746.0	75	100	N	9	or
Swatow,	,,	29.49	749.0	79	91	E	2	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.55	750.5	...	...	E	10	...	5 a.	29.54	750.4	...	...	S E	4	...
Taichu,	,,	29.52	749.8	...	...	S	4	...	,,	29.51	749.6	...	...	W	2	...
Tainan,	,,	29.52	749.9	...	...	N E	2	...	,,	29.50	749.2	...	...	S E	8	...
Koshun,	,,	29.54	750.2	...	...	N E	10	...	,,	29.60	751.9	...	...	S	8	...
Pescadores,	,,	29.51	749.5	...	...	S	2	...	,,	29.46	748.2	...	...	E	10	...
Canton,	3 p.	29.61	752.1	91	84	N	1	c	9 a.	29.57	751.1	80	91	E	1	c
Hongkong,	4 p.	29.54	750.3	87	63	N N W	2	o	10 a.	29.55	750.5	83	60	N W	2	o
Victoria Peak,	,,	...	...	...	...	W N W	3	...	,,	...	...	...	...	N N W	6	...
Gap Rock,	,,	29.55	750.5	...	...	N N W	4	...	,,	29.54	750.3	...	...	N N W	6	...
Macao,	,,	29.58	751.3	86	...	N	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.76	755.9	85	79	S	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.0	84	...	N	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	86	...	N N W	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.6	82	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	79	84	S W	1	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	c	9 a.	...	...	...	...	W	1	o
Iloilo,	,,	29.79	756.6	84	...	N W	3	c	,,	29.84	757.9	83	...	N W	1	c
Cebu,	,,	29.80	756.9	88	...	S	2	b	,,	29.90	759.4	86	...	S	2	c
Labuan,	,,	29.84	757.9	88	...	...	...	...	,,	29.84	757.9	86	...	...	...	...

On the 8th at 4.20 p.—Orders issued to hoist the Black Drum.

On the 9th at 10.55 a.—The barometer has fallen on the China Coast, particularly in Amoy.

The typhoon is off the Coast to the S.E. of Amoy. It continues to move towards N.W.

Pressure is high, apparently, to the N.W. of China. It is below the normal from 0.3 to 0.5 inch between Hongkong and Foochow and in Formosa.

Bad weather will continue in and to the Northward of the Formosa Channel, and strong N.W and W. winds over the N. part of the China Sea.

11.5 a.—Orders issued to oist the Black Cone point upwards with the Drum.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. winds, strong; fair, squally.
2.—Formosa Channel,	Cyclonic gales.
3.—South coast of China between Hongkong and Lamocks,	N.W. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N.W. to W. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 9th September, 1906.

(Printed by Noronha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th September, 1906, P.M.								10th September, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	S W	8	...	6 a.	29.73	755.1	...	...	W	8	...
Hakodate,	,,	29.81	757.2	...	...	W	8	...	,,	30.01	762.2	...	...	N	2	...
Tokio,	,,	29.95	760.6	...	...	E	2	...	,,	30.06	763.6	...	...	N E	2	...
Kochi,	,,	29.91	759.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.88	758.8	...	...	...	0	...	,,	29.91	759.8	...	...	E	4	...
Kagoshima,	,,	29.88	758.9	...	...	E	4	...	,,	29.92	759.9	...	...	E	4	...
Oshima,	,,	29.85	758.1	...	...	S	6	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.81	757.2	...	...	S	4	...	,,	29.81	757.2	...	...	...	0	...
Ishigakijima,	,,	29.74	755.3	...	...	S	8	...	,,	29.74	755.3	...	...	S	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.00	762.0	67	95	E	1	b
Weihaiwei,	,,	29.94	760.5	77	...	E	3	b	9 a.	30.01	762.2	78	...	E N E	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.91	759.7	73	90	N E	5	c
Kiukiang,	,,	29.88	758.9	76	77	N E	6	b	,,	29.94	760.5	68	95	N E	5	o
Shanghai,	,,	29.81	757.2	69	95	N E	3	or	9 a.	29.74	755.4	72	95	E N E	4	o
Gutzlaff,	,,	29.75	755.6	70	100	N E	...	omd	,,	29.70	754.4	74	100	N E	6	omq
Sharp Peak,	,,	29.58	751.3	78	91	S W	2	or	,,	29.60	751.8	82	73	O	0	o
Amoy,	,,	29.26	743.2	74	100	E N E	9	or	6 a.	29.51	749.5	77	86	S	3	c
Swatow,	...	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.55	750.6	...	...	S E	2	...	5 a.	29.62	752.3	...	...	...	0	...
Taichu,	,,	29.60	751.8	...	...	...	0	...	,,	29.62	752.2	...	...	...	0	...
Tainan,	,,	29.58	751.4	...	...	S E	8	...	,,	29.65	753.0	...	...	S E	6	...
Koshun,	,,	29.66	753.3	...	...	S	8	...	,,	29.68	753.9	...	...	S	6	...
Pescadores,	,,	29.45	748.1	...	...	S	10	...	,,	29.69	751.8	...	...	S E	8	...
Canton,	3 p.	29.54	750.3	90	84	N	1	b	9 a.	29.69	754.1	82	87	N E	1	b
Hongkong,	4 p.	29.52	749.8	82	60	N W	4	oq	10 a.	29.67	753.6	84	55	W	1	c
Victoria Peak,	,,	...	...	...	...	N W	7	...	,,	...	...	...	...	N W	3	...
Gap Rock,	,,	29.48	748.8	...	...	N N W	6	...	,,	29.64	752.8	...	...	N N W	4	...
Macao,	,,	29.53	750.0	87	...	N	3	c	,,	29.67	753.6	84	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.69	754.1	89	80	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.2	91	...	W S W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.7	86	...	...	0	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	755.0	81	...	W S W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	82	77	W S W	2	o	10 a.	29.80	757	77	88	W N W	1	c
Legaspi,	2 p.	29.78	756.3	88	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	1	o	9 a.	...	...	...	...	W	1	b
Iloilo,	,,	29.75	755.6	85	...	W	3	o	,,	29.81	757.2	83	...	S W	3	c
Cebu,	,,	29.77	756.1	88	...	S	1	c	,,	29.84	757.9	84	...	...	0	c
Labuan,	,,	29.75	755.6	90	...	...	...	...	,,	29.85	758.2	80	...	...	...	...

On the 9th at 9.50 p.—Signal lowered.

On the 10th at 11.40 a.—The barometer has risen over Formosa and the S. and S.E. Coasts of China, and fallen on the East Coast.

The typhoon centre entered the Coast yesterday evening a little to the South of Amoy. It appears to be spreading Northwards as an ordinary depression.

Pressure probably remains high to the N.W. of China, and it is also about 0.1 inch above normal over S. Japan. It remains in defect from 0.2 to 0.3 inch on the China Coast between Hongkong and Shanghai.

Gradients are rather steep over the E. Coast of China, and strong winds to gales from S.E. to N.E. will prevail over that area. Moderate N.W. to S.W. winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. winds, moderate; fine.
2.—Formosa Channel,	S. to S.W. winds; fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 10th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th September, 1906, P.M.								11th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.97	761.1	...	...	N W	8	...	6 a.	30.12	765.1	...	...	S W	2	...
Hakodate,	,,	30.05	763.2	...	...	N	6	...	,,	30.17	766.2	...	...	...	0	...
Tokio,	,,	30.06	763.6	...	...	N	2	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	S E	4	...	,,	29.91	759.8	...	...	S E	6	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	...	...	N E	4	...
Oshima,	,,	29.85	758.1	...	...	S E	4	...	,,	29.89	759.1	...	...	S E	4	...
Naha,	,,	29.81	757.2	...	...	S	4	...	,,	29.81	757.2	...	...	...	0	...
Ishigakijima,	,,	29.74	755.3	...	...	S	8	...	,,	29.78	756.3	...	...	S	4	...
Chefoo,	3 p.	29.93	760.2	79	91	E	3	c	6 a.	30.01	762.2	68	...	S E	2	b
Weihaiwei,	,,	29.96	761.0	77	...	S E	4	or	9 a.	30.01	762.2	73	...	E	5	or
Hankow,	,,	29.89	759.2	82	75	N	5	c	6 a.	29.98	761.5	73	90	N	2	c
Kiukiang,	,,	29.75	755.6	73	90	N E	3	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.64	752.8	73	100	N N W	1	or	9 a.	29.78	756.4	74	86	S W	2	c
Gutzlaff,	,,	29.65	753.1	79	95	S E	6	omd	,,	29.78	756.4	74	90	W S W	3	cv
Sharp Peak,	,,	29.59	751.6	83	83	E S E	3	c	,,	29.78	756.4	81	85	E	1	b
Amoy,	,,	29.57	751.1	84	75	S E	3	c	6 a.	29.70	754.4	76	95	...	0	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.67	753.5	...	...	N W	2	...	5 a.	29.76	755.9	...	...	...	0	...
Taichu,	,,	29.66	753.3	...	...	S	6	...	,,	29.75	755.7	...	...	...	0	...
Tainan,	,,	29.69	754.0	...	...	S	6	...	,,	29.74	755.4	...	...	E	2	...
Koshun,	,,	29.73	755.1	...	...	S	6	...	,,	29.76	755.8	...	...	S	4	...
Pescadores,	,,	29.65	753.0	...	...	S W	8	...	,,	29.72	754.8	...	...	S	2	...
Canton,	3 p.	29.64	752.8	88	88	N N W	1	c	9 a.	29.80	756.9	83	87	N E	1	b
Hongkong,	4 p.	29.64	752.8	85	58	W	1	c	10 a.	29.77	756.1	83	55	N N E	2	b
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N N W	3	...
Gap Rock,	,,	29.63	752.6	...	...	N N W	1	...	,,	29.77	756.1	...	...	N N E	2	...
Macao,	,,	29.64	752.8	87	...	E N E	1	c	,,	29.78	756.4	82	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.68	753.9	87	58	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.2	72	...	S	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.70	754.4	81	...	N N W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.5	79	...	S W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	81	85	W S W	1	o	10 a.	29.84	758	84	77	S W	0	c
Legaspi,	2 p.	29.75	755.7	86	...	S	1	o	6 a.	29.81	757.1	79	...	W	1	c
Bacolod,	3 p.	...	...	...	...	W	2	c	9 a.	...	...	...	...	...	0	c
Iloilo,	,,	29.76	756.0	85	...	W	3	o	,,	29.85	758.2	84	...	W	3	c
Cebu,	,,	29.75	755.6	87	...	S	1	b	,,	29.85	758.2	84	...	S	1	b
Labuan,	,,	29.78	756.4	83	...	...	...	...	,,	29.86	758.4	84	...	...	...	...

On the 11th at 11.30 a.—The barometer has risen considerably over S. China and E. Japan.

The recent typhoon is shown, this morning, as a feeble depression near the mouth of the Yangtze.

Pressure is high to the N.W. of China, and also over E. Japan, the normal being exceeded by 0.2 inch and upwards over the latter area. It is still in defect, about 0.1 inch, on the China Coast between Hongkong and Shanghai.

Probably a low pressure trough will form over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Variable to N.E. winds; light to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 11th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th September, 1906, P.M.								12th September, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.12	765.1	...	...	S	6	...	6 a.	30.16	766.1	...	...	...	0	
Hakodate,	,,	30.09	764.2	...	...	S E	4	...	,,	30.21	767.2	...	...	...	0	
Tokio,	,,	30.14	765.6	...	...	W	4	...	,,	30.14	765.6	...	...	N W	4	
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.95	760.8	...	...	...	0	
Nagasaki,	,,	29.83	757.8	...	...	S W	6	...	,,	29.88	758.8	...	...	S E	6	
Kagoshima,	,,	29.92	759.9	...	...	S E	4	...	,,	29.92	759.9	...	...	N E	2	
Oshima,	,,	29.85	758.1	...	...	S E	6	...	,,	29.89	759.1	...	...	...	0	
Naha,	,,	29.81	757.2	...	...	S E	4	...	,,	29.85	758.2	...	...	...	0	
Ishigakijima,	,,	29.78	756.3	...	...	S	4	...	,,	29.78	756.3	...	...	...	0	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.98	761.5	75	...	E N E	5	ovr	9 a.	...	...	...	...	...	...	
Hankow,	,,	30.01	762.2	85	76	N	3	c	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.96	761.0	81	71	N E	2	b	,,	30.03	762.7	73	90	N E	2	
Shanghai,	,,	29.78	756.4	76	86	W	3	o	9 a.	29.98	761.5	76	77	N N W	2	
Gutzlaff,	,,	29.77	756.1	79	78	W S W	4	bv	,,	29.93	760.2	76	86	N N W	4	
Sharp Peak,	,,	29.77	756.1	86	80	S S E	1	c	,,	29.86	758.4	80	89	N W	1	
Amoy,	,,	29.70	754.4	85	76	S E	2	c	6 a.	29.79	756.6	78	95	N	3	
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Taihoku,	1 p.	29.77	756.1	...	...	N	4	...	5 a.	29.83	757.6	...	...	E	2	
Taichu,	,,	29.76	756.0	...	...	N W	4	...	,,	29.82	757.5	...	...	...	0	
Tainan,	,,	29.76	756.0	...	...	S	6	...	,,	29.81	757.1	...	...	E	4	
Koshun,	,,	29.77	756.2	...	...	S	4	...	,,	29.79	756.7	...	...	N E	2	
Pescadores,	,,	29.76	756.0	...	...	S E	8	...	,,	29.80	756.9	...	...	E	2	
Canton,	3 p.	29.73	755.1	90	81	N	1	b	9 a.	29.84	757.9	80	91	N E	1	
Hongkong,	4 p.	29.70	754.4	85	55	N	2	o	10 a.	29.78	756.4	78	84	N E	2	
Victoria Peak,	,,	...	...	...	...	N	5	...	,,	...	...	...	...	N E	6	
Gap Rock,	,,	29.67	753.6	...	...	N E	2	...	,,	29.73	755.1	...	...	N N E	4	
Macao,	,,	29.71	754.6	87	...	N N E	1	c	,,	29.79	756.6	83	...	N N E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.74	755.3	88	...	E S E	2	b	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.76	756.0	82	...	S W	1	o	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.75	755.7	81	...	S S E	2	o	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.81	757.2	75	...	S	1	
Manila,	4 p.	29.76	756	84	64	W S W	1	o	10 a.	29.84	758	84	77	S S W	0	
Legaspi,	2 p.	29.75	755.7	90	...	S W	1	c	6 a.	29.83	757.6	77	...	...	0	
Bacolod,	3 p.	...	...	...	...	W	2	o	9 a.	...	...	...	...	S W	2	
Iloilo,	,,	29.75	755.6	86	...	S W	3	c	,,	29.85	758.2	83	...	S W	1	
Cebu,	,,	29.76	755.9	88	...	S	2	c	,,	29.88	758.9	86	...	S	2	
Labuan,	,,	29.76	755.9	89	...	...	...	...	,,	29.86	758.4	84	...	...	...	

On the 12th at 11.35 a.—The barometer has risen over Formosa, and the S.E. and E. Coasts of China, and little changed elsewhere.

A circular depression appears to have formed, or to be forming in the low pressure trough to Southward Hongkong, probably in from 18.° to 20.° Lat.

Pressure remains high over E. Japan and also to the N.W. of China. The most important departures from t normal are shown, over E. Japan where pressure is from 0.2 to 0.3 inch in excess, and in the neighbourhood Hongkong where it is in defect about 0.1 inch.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; squally, showery.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 12th September, 1906.

[Printed by Kosonsha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th September, 1906, P.M.								13th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	S E	2	...	6 a.	30.24	768.1	...	...	S	2	...
Hakodate,	,,	30.13	765.2	...	...	S E	8	...	,,	30.21	767.2	...	...	N E	2	...
Tokio,	,,	30.06	763.6	...	...	N W	4	...	,,	30.02	762.6	...	...	N W	6	...
Kochi,	,,	29.91	759.8	...	...	N E	2	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.83	757.8	...	...	S W	6	...	,,	29.88	758.8	...	...	N W	2	...
Kagoshima,	,,	29.88	758.9	...	...	N W	4	...	,,	29.88	758.9	...	...	N W	2	...
Oshima,	,,	29.89	759.1	...	...	S	4	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.81	757.2	...	...	S E	6	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.74	755.3	...	...	N E	8	...	,,	29.74	755.3	...	...	S E	8	...
Chefoo,	3 p.	29.94	760.5	76	86	N E	4	c	6 a.	30.03	762.7	70	85	N	1	b
Weihaiwei,	,,	30.00	762.0	76	...	E N E	3	b	9 a.	30.04	763.0	78	...	N E	2	b
Hankow,	,,	30.06	763.5	82	87	N E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	300.6	763.5	81	71	N E	4	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.91	759.7	78	70	N W	2	c	9 a.	29.99	761.7	73	81	N E	3	o
Gutzlaff,	,,	29.88	758.9	77	77	N	4	cv	,,	29.95	760.7	74	86	N	3	cv
Sharp Peak,	,,	29.83	757.7	82	87	N N E	3	o	,,	29.84	757.9	79	82	N E	2	o
Amoy,	,,	29.70	754.4	85	79	N E	3	c	6 a.	29.78	756.4	77	95	N E	3	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.81	757.2	...	...	E	4	...	5 a.	29.72	754.8	...	...	E	4	...
Taichu,	,,	29.77	756.1	...	...	N	4	...	,,	29.71	754.6	...	...	N	2	...
Tainan,	,,	29.79	756.7	...	...	N	4	...	,,	29.71	754.5	...	...	S E	2	...
Koshun,	,,	29.79	756.6	...	...	W	2	...	,,	29.73	755.0	...	...	W	4	...
Pescadores,	,,	29.79	756.7	...	...	S E	4	...	,,	29.68	753.8	...	...	N	10	...
Canton,	3 p.	29.76	755.9	86	87	N	1	o	9 a.	29.84	757.9	79	91	N	1	o
Hongkong,	4 p.	29.72	754.9	79	91	E N E	4	od	10 a.	29.81	757.2	82	79	E N E	4	o
Victoria Peak,	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.67	753.6	...	...	E	6	...	,,	29.77	756.1	...	...	E	3	...
Macao,	,,	29.74	755.4	80	...	E N E	1	od	,,	29.82	757.4	81	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.1	88	...	W S W	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	756.0	88	...	N N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.9	83	...	S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	755.8	86	...	S	1	o	6 a.	29.77	756.1	77	...	S	1	o
Manila,	4 p.	29.76	756	82	85	W S W	1	o	10 a.	29.84	758	88	72	S W	0	c
Legaspi,	2 p.	29.78	756.3	91	...	W	1	c	6 a.	29.83	757.7	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	2	od	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.77	756.1	86	...	W	2	o	,,	29.85	758.2	82	...	W	2	b
Cebu,	,,	29.80	756.9	84	...	N	3	c	,,	29.84	757.9	87	...	S	2	b
Labuan,	,,	29.76	755.9	88	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 13th at 11.45 a.—The barometer has risen slightly in the neighbourhood of Hongkong, and fallen moderately over Central Japan and Formosa.

The depression in the China Sea appears to have moved Westwards. A new depression is shown over S. Formosa this morning, and another one in Central Japan. They appear to be shallow.

Pressure is high over N. China, and also over N.E. Japan, the normal being exceeded by 0.3 inch over the latter area. Over Central Japan and Formosa it is in defect about 0.1 inch.

Unsettled and squally weather will continue over the N. part of the China Sea and in the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, fresh or strong; squally, showery.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 13th September, 1906.

[Printed by Kosaka & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th September, 1906, P.M.								14th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.16	766.1	...	...	S	6	...	6 a.	30.16	766.1	...	...	S	2	
Hakodate,	,,	30.13	765.2	...	...	S E	8	...	,,	30.13	765.2	...	...	E	4	
Tokio,	,,	29.91	759.6	...	...	N	4	...	,,	29.99	761.6	...	...	N W	4	
Kochi,	,,	29.80	756.8	...	...	S	2	...	,,	29.91	759.8	...	...	S W	2	
Nagasaki,	,,	29.87	758.8	...	...	W	6	...	,,	29.95	760.8	...	...	N E	2	
Kagoshima,	,,	29.92	759.9	...	...	S W	4	...	,,	29.96	760.9	...	...	...	0	
Oshima,	,,	29.89	759.1	...	...	S E	2	...	,,	29.89	759.1	...	...	S	2	
Naha,	,,	29.89	759.2	...	...	N	2	...	,,	29.89	759.2	...	...	...	0	
Ishigakijima,	,,	29.82	757.3	...	...	S W	6	...	,,	29.86	758.3	...	...	N E	2	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.94	760.5	70	95	S	2	c
Weihaiwei,	,,	29.95	760.7	75	...	N E	3	o	9 a.	29.95	760.7	72	...	W S W	1	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.02	762.5	75	95	E	1	b
Kiukiang,	,,	29.89	759.2	83	63	N E	2	b	,,	29.97	761.2	71	95	...	0	b
Shanghai,	,,	29.91	759.7	80	62	N N E	1	c	9 a.	29.96	761.0	80	70	S E	1	b
Gutzlaff,	,,	29.92	759.9	76	82	N N E	3	cv	,,	29.95	760.7	77	82	E S E	1	b
Sharp Peak,	,,	29.76	755.9	79	82	N N E	6	o	,,	29.89	759.2	81	91	E	1	c
Amoy,	,,	29.73	755.1	84	79	N E	3	or	6 a.	29.80	756.9	77	91	N N E	4	or
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Taihoku,	1 p.	29.67	753.7	...	...	S E	10	...	5 a.	29.83	757.6	...	...	...	0	
Taichu,	,,	29.62	752.4	...	...	S	2	...	,,	29.83	757.6	...	...	...	0	
Tainan,	,,	29.70	754.3	...	...	W	4	...	,,	29.78	756.4	...	...	S	2	
Koshun,	,,	29.76	755.8	...	...	S W	4	...	,,	29.83	757.6	...	...	S E	4	
Pescadores,	,,	29.62	752.3	...	...	N W	10	...	,,	29.79	756.6	...	...	S	6	
Canton,	3 p.	29.76	755.9	84	96	N E	1	c	9 a.	29.85	758.2	79	95	...	0	c
Hongkong,	4 p.	29.74	755.4	82	75	E	3	o	10 a.	29.86	758.4	84	69	N W	1	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S S W	1	
Gap Rock,	,,	29.71	754.6	...	...	E	3	...	,,	29.83	757.7	...	...	E	1	
Macao,	,,	29.75	755.6	82	...	S E	1	c	,,	29.85	758.2	84	...	E S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.74	755.3	90	...	W	3	c	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.74	755.3	86	...	N N W	3	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.78	756.4	81	...	S W	3	o	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.86	758.3	77	...	S W	1	c
Manila,	4 p.	29.76	756	86	71	W S W	2	b	10 a.	29.92	760	86	71	S	1	o
Legaspi,	2 p.	29.79	756.6	91	...	N W	1	o	6 a.	29.87	758.6	77	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	...	0	o
Iloilo,	,,	29.75	755.6	86	...	S W	2	c	,,	29.85	758.2	82	...	...	0	o
Cebu,	,,	29.80	756.9	87	...	E	1	c	,,	29.89	759.2	86	...	...	0	b
Labuan,	,,	29.76	755.9	87	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 13th at 5 p.—The depression near Pescadores appears to be moving towards N.N.W.

On the 14th at 11.40 a.—The barometer has fallen over N. China and N.E. Japan, and risen elsewhere.

The depression is still shown in the Formosa Channel, but it has almost filled up.

Pressure remains high over N.E. Japan, about 0.2 inch in excess of the normal. Elsewhere departures from the average pressure are small.

Gradients along the China Coast are mostly slight.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. or variable winds, light; showery.
2.—Formosa Channel,	Varying winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Varying winds, light or moderate.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 14th September, 1906.

[Printed by Nohonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th September, 1906, P.M.								15th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	S	4	...	6 a.	29.97	761.1	...	...	S E	2	...
Hakodate,	,,	30.05	763.2	...	...	S E	8	...	,,	29.89	759.2	...	...	E	2	...
Tokio,	,,	30.02	762.6	...	...	N W	4	...	,,	29.99	761.6	...	...	...	0	...
Kochi,	,,	29.95	760.8	...	...	S	2	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki,	,,	29.95	760.8	...	...	W	4	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.96	760.9	...	...	N	2	...	,,	29.96	760.9	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	N E	2	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	S E	4	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	N	4	...	,,	29.86	758.3	...	...	E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.95	760.7	70	75	N	2	c
Weihaiwei,	,,	29.91	759.7	74	...	N W	1	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.99	761.7	85	83	N E	1	b	6 a.	29.97	761.2	76	91	N E	1	b
Kiukiang,	,,	29.93	760.2	87	58	N E	1	b	,,	29.96	761.0	75	100	...	0	o
Shanghai,	,,	29.90	759.4	85	72	E	1	c	9 a.	29.94	760.5	84	75	S E	1	...
Gutzlaff,	,,	29.89	759.2	84	75	S E	2	bv	,,	29.92	759.9	81	91	S S E	1	cv
Sharp Peak,	,,	29.87	758.7	85	91	S	1	b	,,	29.90	759.4	82	87	E	1	o
Amoy,	,,	29.79	756.6	84	79	S E	3	b	6 a.	29.88	758.9	77	95	N E	1	o
Swatow,	,,	29.76	755.9	84	83	S	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.86	758.5	...	...	N E	2	...	5 a.	29.84	757.9	...	...	E	4	...
Taichu,	,,	29.87	758.7	...	...	W	4	...	,,	29.83	757.7	...	...	...	0	...
Tainan,	,,	29.87	758.8	...	...	S	6	...	,,	29.82	757.5	...	...	E	2	...
Koshun,	,,	29.87	758.8	...	...	...	0	...	,,	29.82	757.4	...	...	...	0	...
Pescadores,	,,	29.83	757.8	...	...	S	6	...	,,	29.84	757.8	...	...	N W	6	...
Canton,	3 p.	29.79	756.6	86.	92	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.79	756.6	84	73	S E	1	c	10 a.	29.91	759.7	78	95	...	0	od
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.77	756.1	...	...	S E	2	...	,,	29.88	758.9	...	...	W	2	...
Macao,	,,	29.80	756.9	85	...	S E	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.8	79	...	E N E	2	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.75	755.7	88	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.8	81	...	S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	71	S W	1	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N W	2	b
Iloilo,	,,	29.79	756.6	87	...	W	1	b	,,	29.87	758.7	84	...	N E	1	b
Cebu,	,,	29.80	756.9	87	...	N	1	b	,,	29.89	759.2	85	...	S	1	b
Labuan,	,,	29.81	757.2	84	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 15th at 11.45 a.—The barometer has fallen considerably over N.E. Japan, and risen slightly over S. China.

Pressure is almost uniform, and departures from the normal small in amount. It is highest over N. China in the West, and over the Pacific to the S.E. of Japan in the East. It is slightly lower over the N. part of the Sea of Japan, and in the neighbourhood of S. Formosa, than elsewhere.

Gradients are slight generally.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. or variable winds, light; showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 15th September, 1906.

[Printed by Nomura & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th September, 1906, P.M.								16th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.69	754.1	...	...	S	8	
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.62	752.2	...	...	N	2	
Tokio,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	...	...	W	2	
Kochi,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	S W	2	
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	W	2	
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	...	...	W	6	
Oshima,	,,	...	...	...	...	...	...	...	,,	29.93	760.1	...	...	...	0	
Naha,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	...	...	...	0	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	...	...	S E	6	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	29.87	758.7	82	...	W	2	c	9 a.	...	...	...	...	...	...	
Hankow,	,,	29.95	760.7	83	83	N E	1	c	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.91	759.7	88	76	...	0	c	,,	29.91	759.7	78	95	N E	1	
Shanghai,	,,	29.83	757.7	88	62	S	2	pc	9 a.	29.84	757.9	85	79	S W	4	
Gutzlaff,	,,	29.83	757.7	85	87	S E	2	cv	,,	29.82	757.4	83	87	S	3	
Sharp Peak,	,,	29.84	757.9	84	87	N E	0	c	,,	29.82	757.4	83	87	N W	1	
Amoy,	,,	29.74	755.4	88	73	S W	3	b	6 a.	29.78	756.4	81	91	S S W	1	
Swatow,	,,	29.75	755.6	86	76	S E	1	b	,,	29.76	755.9	78	95	N N E	1	
Taihoku,	1 p.	29.80	757.0	...	...	E	8	...	5 a.	29.80	756.8	...	...	...	0	
Taichu,	,,	29.78	756.3	...	...	S W	2	...	,,	29.82	757.5	...	...	...	0	
Tainan,	,,	29.81	757.2	...	...	W	4	...	,,	29.80	757.0	...	...	...	0	
Keshun,	,,	29.80	756.8	...	...	S E	6	...	,,	29.78	756.4	...	...	E	8	
Pescadores,	,,	29.80	756.8	...	...	N	8	...	,,	29.78	756.5	...	...	S W	4	
Canton,	3 p.	29.83	757.7	81	96	...	0	c	9 a.	29.85	758.2	81	96	S W	1	
Hongkong,	4 p.	29.82	757.4	78	90	...	0	o	10 a.	29.85	758.2	83	80	W	1	
Victoria Peak,	,,	...	...	...	...	W	2	...	,,	...	...	...	...	W N W	4	
Gap Rock,	,,	29.80	756.9	...	...	N	2	...	,,	29.85	758.2	...	...	N N W	2	
Macao,	,,	29.82	757.4	82	...	...	0	o	,,	29.87	758.7	83	...	...	0	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.82	757.3	79	...	S	1	d	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.80	757	86	71	S	2	o	10 a.	29.88	759	84	77	W S W	1	
Legaspi,	2 p.	29.82	757.4	90	...	E	2	b	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	S W	1	
Iloilo,	,,	29.79	756.6	88	...	W	2	c	,,	29.85	758.2	83	...	N E	1	
Cebu,	,,	29.81	757.2	82	...	N	1	c	,,	29.88	758.9	82	...	S	1	
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.87	758.7	83	...	...	...	

On the 16th at 11.25 a.—The barometer has fallen over China and Japan.

A depression is moving Eastwards over N.E. Japan, and possibly a second area of low pressure is situated ove N. China.

Pressure is highest and in slight excess of the normal over the Pacific in the neighbourhood of the Loochoos. is in defect by 0.3 inch over N.E. Japan, and by about 0.1 inch over the E. Coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. winds, light or moderate; fine.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 16th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th September, 1906, P.M.								17th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.45	748.1	...	...	S	8	...	6 a.	29.49	749.1	...	...	S W	4	...
Hakodate,	,,	29.54	750.2	...	...	W	4	...	,,	29.62	752.2	...	...	W	4	...
Tokio,	,,	29.59	751.6	...	...	S	4	...	,,	29.71	754.6	...	...	N W	2	...
Kochi,	,,	29.76	755.8	...	...	...	0	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.80	756.8	...	...	S E	6	...	,,	29.84	757.8	...	...	N	4	...
Kagoshima,	,,	29.84	757.9	...	...	...	0	...	,,	29.88	758.9	...	...	S W	4	...
Oshima,	,,	29.89	759.1	...	...	N	2	...	,,	29.93	760.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	S	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.86	758.3	...	...	S	8	...
Chefoo,	3 p.	29.90	759.4	72	95	N W	3	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.86	758.4	71	...	N W	3	o	9 a.	29.94	760.5	71	...	W	2	b
Hankow,	,,	29.95	760.7	71	95	N	3	o	6 a.	30.04	763.0	68	90	N	3	o
Kiukiang,	,,	29.85	758.2	85	79	N E	2	c	,,	30.01	762.2	81	91	N E	3	o
Shanghai,	,,	29.78	756.4	79	82	N	2	o	9 a.	29.95	760.7	73	63	N E	2	or
Gutzlaff,	,,	29.77	756.1	83	57	S S W	2	cv	,,	29.94	760.5	68	...	N N E	5	omd
Sharp Peak,	,,	29.75	755.6	85	87	N E	1	b	,,	29.83	757.7	82	87	N N E	1	o
Amoy,	,,	29.78	756.4	88	92	S E	3	b	6 a.	29.79	756.6	79	95	N E	1	o
Swatow,	,,	29.73	755.1	92	61	N W	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.75	755.7	...	...	N W	6	...	5 a.	29.80	757.0	...	...	S	2	...
Taichu,	,,	29.73	755.1	...	...	...	0	...	,,	29.81	757.1	...	...	...	0	...
Tainan,	,,	29.78	756.4	...	...	W	2	...	,,	29.80	757.0	...	...	S E	4	...
Koshun,	,,	29.80	756.9	...	...	S E	4	...	,,	29.82	757.5	...	...	E	6	...
Pescadores,	,,	29.74	755.5	...	...	N W	6	...	,,	29.80	756.8	...	...	S	4	...
Canton,	3 p.	29.71	754.6	91	92	N W	1	c	9 a.	29.83	757.7	84	91	...	0	c
Hongkong,	4 p.	29.74	755.4	87	67	S W	2	b	10 a.	29.86	758.4	84	78	W	1	o
Victoria Peak,	,,	...	...	...	...	W N W	2	...	,,	...	...	...	...	N W	2	...
Gap Rock,	,,	29.76	755.9	...	...	W	3	...	,,	29.82	757.4	...	...	W N W	3	...
Macao,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	85	...	...	0	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	84	...	S E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	755.9	91	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.9	86	...	S	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	86	71	W	1	c	10 a.	29.84	758	86	79	S S W	1	c
Legaspi,	2 p.	29.81	757.2	84	...	W	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	N W	1	c
Iloilo,	,,	29.75	755.6	85	...	...	0	c	,,	29.83	757.7	83	...	W	1	b
Cebu,	,,	29.81	757.2	85	...	...	0	b	,,	29.86	758.4	86	...	S	1	b
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 17th at 11.35 a.—The barometer is rising over N. China and Japan, and falling slowly over the Philippines.

The depression over N.E. Japan is moving into the Pacific.

Pressure is relatively high in the neighbourhood of the Loochoos, and over Central China.

Except over E. Japan, where pressure is from 0.2 to 0.4 inch in defect, departures from the normal are small in amount.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, moderate; probably some thunder showers.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 17th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th September, 1906, P.M.								18th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro	..	29.53	750.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...	
Hakodate	..	29.65	753.2	...	...	W	6	...	..	...	...	...	...	...	...	
Tokio	..	29.75	755.6	...	...	N	4	...	..	...	...	...	...	...	...	
Kochi	..	29.83	757.8	...	...	N W	2	...	..	...	...	...	...	...	...	
Nagasaki	..	29.91	759.8	...	...	N E	4	...	..	...	...	...	...	...	...	
Kagoshima	..	29.88	758.9	...	...	W	2	...	..	...	...	...	...	...	...	
Oshima	..	29.89	759.1	...	...	S E	4	...	..	...	...	...	...	...	...	
Naha	..	29.89	759.2	...	...	S	2	...	..	...	...	...	...	...	...	
Ishigakijima	..	29.89	759.3	...	...	S	4	...	..	...	...	...	...	...	...	
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei	..	29.90	759.4	75	...	N	1	b	9 a.	...	...	...	...	...	...	
Hankow	..	30.09	764.3	77	82	E	3	o	6 a.	...	...	...	...	...	...	
Kiukiang	..	30.07	763.8	73	63	N E	4	o	..	...	...	...	...	...	...	
Shanghai	..	30.02	762.5	71	75	E N E	1	o	9 a.	...	...	...	...	...	...	
Gutzlaff	..	29.97	761.2	70	70	N N E	5	cv	..	...	...	...	...	...	...	
Sharp Peak	..	29.80	756.9	85	85	E	2	o	..	...	...	...	...	...	...	
Amoy	..	29.76	755.9	85	79	E S E	3	b	6 a.	...	...	...	...	...	...	
Swatow	..	29.68	753.9	85	79	E	2	o	..	...	...	...	...	...	...	
Taihoku	1 p.	29.81	757.1	...	...	N	4	...	5 a.	...	...	...	...	...	...	
Taichu	..	29.81	757.2	...	...	N W	4	..	..	...	...	...	...	...	...	
Tainan	..	29.80	756.9	...	...	S E	0	...	..	...	...	...	...	...	...	
Koshun	..	29.82	757.4	...	...	E	6	...	..	...	...	...	...	...	...	
Pescadores	..	29.82	757.5	...	...	S E	8	...	..	...	...	...	...	...	...	
Canton	3 p.	29.75	755.6	83	96	...	0	or	9 a.	...	...	...	...	...	...	
Hongkong	4 p.	29.74	755.4	82	84	E S E	2	o	10 a.	29.28	743.7	75	100	S W	10	or
Victoria Peak	..	...	...	...	...	E	1	..	..	...	...	...	...	...	...	
Gap Rock	.	29.71	754.6	...	...	W	2	...	..	...	...	...	...	...	...	
Macao	..	29.74	757.9	86	...	...	0	o	..	...	...	...	...	...	...	
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	..	...	...	...	...	...	
Pakhoi	..	..	..	...	...	...	...	...	..	...	...	...	...	...	...	
Phulien	4 p.	..	...	...	...	...	...	..	10 a.	...	...	...	...	...	...	
Tourane	..	..	..	...	...	...	...	..	..	...	...	...	...	...	..	
Cape St. James	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila	4 p.	29.76	756	79	84	N N E	1	o	10 a.	...	...	...	...	...	...	
Legaspi	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod	3 p.	...	...	...	...	S	1	c	9 a.	...	...	...	...	...	...	
Iloilo	..	29.75	755.6	87	...	S W	1	c	..	...	...	...	...	...	...	
Cebu	..	29.80	756.9	85	...	...	0	o	..	...	...	...	...	...	...	
Labuan	..	29.76	755.9	87	...	...	...	...	..	...	...	...	...	...	...	

On the 18th at 8.0 a.—Orders issued to hoist the Black Drum and at 8.40 a. to fire the typhoon gun.

The centre of a small typhoon, probably formed last night to the East of Hongkong, passed quickly over the Colony between 8.30 a.m. and 11 a.m. It gave no indication of its existence until close to the Colony.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, decreasing; showery.
2.—Formosa Channel,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 18th September, 1906.

[Printed by Nokonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th September, 1906, P.M.								19th September, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	S	8	...	6 a.	30.01	762.1	...	...	W	2	...
Hakodate,	,,	29.89	759.2	...	...	W	6	...	,,	30.05	763.2	...	...	N	2	...
Tokio,	,,	30.03	762.6	...	...	N	2	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	E	2	...	,,	30.11	764.8	...	...	N E	2	...
Kagoshima,	,,	30.04	762.9	...	...	...	0	...	,,	30.08	763.9	...	...	N E	4	...
Oshima,	,,	30.00	762.1	...	...	...	0	...	,,	30.04	763.1	...	...	S	2	...
Naha,	,,	29.94	760.5	...	...	S E	4	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.90	759.5	...	...	E	6	...	,,	29.93	760.3	...	...	E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.14	765.5	71	...	E	1	b	9 a.	30.16	766.0	69	...	E	1	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.09	764.3	76	56	E	2	o	9 a.	30.07	763.8	80	70	E S E	2	b
Gutzlaff,	,,	29.98	761.5	75	64	E	...	cv	,,	30.05	763.2	78	82	E	4	bv
Sharp Peak,	,,	29.93	760.2	80	85	N E	4	o	,,	29.93	760.2	81	89	N N E	1	c
Amoy,	,,	29.87	758.7	86	76	N E	4	b	6 a.	29.89	759.2	79	82	N E	1	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.89	759.2	...	...	E	6	...	5 a.	29.85	758.2	...	...	E	6	...
Taichu,	,,	29.85	758.2	...	...	W	6	...	,,	29.81	757.1	...	...	...	0	...
Tainan,	,,	29.87	758.7	...	...	N W	6	...	,,	29.78	756.5	...	...	...	0	...
Koshun,	,,	29.86	758.4	...	...	N E	6	...	,,	29.81	757.1	...	...	N E	10	...
Pescadores,	,,	29.88	758.9	...	...	N	8	...	,,	29.79	756.7	...	...	N	6	...
Canton,	3 p.	29.78	756.4	77	100	N E	2	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.79	756.6	82	76	S	3	o	10 a.	29.89	759.2	84	74	E S E	1	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.74	755.4	...	...	S	3	od	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	88	...	S E	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.4	91	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.9	81	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.78	756.4	84	...	N	1	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754.1	86	71	S W	2	o	10 a.	29.76	756	79	92	S	1	o
Legaspi,	2 p.	29.72	754.9	82	...	W	1	o	6 a.	29.80	758.8	79	...	S	1	o
Bacolod,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	S W	2	c
Iloilo,	,,	29.75	755.6	83	...	W	3	o	,,	29.84	757.9	82	...	W	4	o
Cebu,	,,	29.76	755.9	86	...	S	1	b	,,	29.87	758.7	83	...	S	3	b
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.83	757.7	83	...	...	...	...

On the 18th at 12.10 p.m.—Signal lowered.

On the 19th at 1.0 p.m.—The barometer has risen over Japan, and in Hongkong, and fallen over Formosa and Luzon.

A typhoon has crossed Luzon and entered the China Sea. It appears to be situated at present to the N.W. of the island, and to be moving towards W.N.W.

An area of high pressure lies over N. China and the Sea of Japan.

Over the N. part of the China Sea, freshening N. and N.E. winds are indicated.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate: fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E, winds, fresh.
4.—South coast of China between Hongkong and Hainan,	

F. G. FIGG.
First Assistant.

Hongkong Observatory, Wednesday, 19th September, 1906.

(Printed by Noronha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th September, 1906, P.M.								20th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Shanghai,	,,	29.98	761.5	82	75	S E	2	b	9 a.	...	...	...	...	...	...	
Gutzlaff,	,,	29.97	761.2	81	83	S E	3	cv	,,	...	...	...	...	...	...	
Sharp Peak,	,,	29.86	758.4	84	87	E N E	3	o	,,	...	...	...	...	...	...	
Amoy,	,,	29.75	755.6	90	73	N E	5	c	6 a.	...	...	...	...	...	...	
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Taiboku,	1 p.	29.87	758.6	...	...	S E	8	...	5 a.	...	...	...	...	...	...	
Taichu,	,,	29.78	756.5	...	...	...	0	...	,,	...	...	...	...	...	...	
Tainan,	,,	29.79	756.6	...	...	N	2	...	,,	...	...	...	...	...	...	
Koshun,	,,	29.82	757.3	...	...	E	8	...	,,	...	...	...	...	...	...	
Pescadores,	,,	29.80	756.8	...	...	E	4	...	,,	...	...	...	...	...	...	
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.75	755.6	88	56	N	1	o	10 a.	29.69	754.1	82	79	E S E	S	o(
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.72	755	82	70	S W	2	o	10 a.	...	...	...	...	...	...	
Legaspi,	2 p.	29.80	756.8	88	...	S	1	o	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	...	...	
Iloilo,	,,	29.79	756.6	85	...	S W	2	c	,,	...	...	...	...	...	...	
Cebu,	,,	29.81	757.2	86	...	S	1	b	,,	...	...	...	...	...	...	
Labuan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	

On the 19th at 5.55 p.m.—Orders to hoist the Red Cone point downwards and Drum (typhoon S.E. of Colon distant more than 300 miles). The Black signal having been damaged on the 18th, was not available. On the 20t at 4.10 a. orders issued to fire the typhoon gun and to hoist the Black Cone point downwards (typhoon S. of Colon within 300 miles). At 9.15 a. to hoist the Black Cone point downwards and Ball (typhoon S.W. of Colony withi 300 miles).

The typhoon has moved across the China Sea with unusual rapidity. It continues to move towards W.N.W.

Telegraphic communication between the Observatory and Hongkong continues interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Decreasing S.E. gale; squally, showery.
2.—Formosa Channel,	
3.—South coast of China between Hongkong and Lamocks,	Decreasing E. gale.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 20th September, 1906.

[Printed by Nosonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th September, 1906, P.M.								21st September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	S E	4	...	6 a.	30.12	765.1	...	...	S W	2	...
Hakodate,	,,	30.05	763.2	...	...	S E	4	...	,,	38.09	764.2	...	...	N W	2	...
Tokio,	,,	30.06	763.6	...	...	S W	4	...	,,	30.06	763.7	...	...	...	0	...
Kochi,	,,	30.03	762.8	...	...	S E	4	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	30.11	764.8	...	...	S	0	...	,,	29.95	760.8	...	...	S	6	...
Kagoshima,	,,	30.00	761.9	...	...	S E	2	...	,,	30.00	761.9	...	...	N E	2	...
Oshima,	,,	29.96	761.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	29.97	761.2	...	...	N	4	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	6	...	,,	29.97	761.3	...	...	N E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.05	763.2	71	...	S E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.2	79	95	E N E	1	c
Kiukiang,	,,	...	...	90	81	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.91	759.7	88	69	S	2	b	9 a.	29.95	760.7	87	72	...	0	b
Gutzlaff,	,,	29.88	758.9	84	83	S	2	bm	,,	29.93	760.2	83	87	S	1	bv
Sharp Peak,	,,	29.86	758.4	85	89	N E	2	b	,,	29.96	761.0	84	85	N N E	2	c
Amoy,	,,	29.84	757.9	87	80	S E	4	b	6 a.	29.89	759.2	81	96	W	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacholu,	1 p.	29.87	758.7	...	...	E	6	...	5 a.	29.95	760.6	...	...	...	0	...
Taichu,	,,	29.85	758.2	...	...	N W	2	...	,,	29.94	760.4	...	...	...	0	...
Tainan,	,,	29.89	759.2	...	...	W	6	...	,,	29.93	760.2	...	...	...	0	...
Koshun,	,,	...	...	...	...	...	...	...	,,	29.92	760.0	...	...	...	0	...
Pescadores,	,,	29.87	758.7	...	...	N	6	...	,,	29.91	759.7	...	...	N E	4	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.76	755.9	80	87	S E	4	oq	10 a.	29.93	760.2	82	81	E	4	op
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.70	754.4	81	...	E	3	oq	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	77	W S W	1	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.82	757.5	82	...	...	0	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	...	o	9 a.	...	...	...	...	...	0	od
Iloilo,	,,	29.79	756.6	82	...	N W	1	od	,,	29.81	757.2	80	...	N W	1	od
Cebu,	,,	29.80	756.9	84	...	...	0	o	,,	29.83	757.7	81	...	S	1	or
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.84	757.9	83	...	...	...	...

On the 20th at 3 p.m.—Signal lowered.

On the 21st at 12.30 p.m.—The barom ter has risen in Hongkong and Formosa, and fallen over S. Japan and the Philippines.

The typhoon probably reached the coast last night in the neighbourhood of Hainan.

This morning there are indications of a new depression to the S.E. of Luzon.

Pressure is highest over E. Japan.

Gradients are slight over the China Coast except in the West.

Telegraphic communication between the Observatory and Hongkong continues interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. and E. winds, decreasing.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 21st September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st September, 1906, P.M.								22nd September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S W	2	...	6 a.	30.12	765.1	...	...	S	4	...
Hakodate,	,,	30.05	763.2	...	...	S E	6	...	,,	30.01	762.2	...	...	N E	2	...
Tokio,	,,	30.06	763.6	...	...	S	2	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	N W	6	...	,,	29.95	760.8	...	...	S W	4	...
Kagoshima,	,,	29.96	760.9	...	...	S	2	...	,,	29.96	760.9	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	S W	4	...	,,	30.01	762.1	...	...	S	2	...
Naha,	,,	29.97	761.2	...	...	N W	2	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...	,,	29.93	760.3	...	...	N E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.94	760.5	73	...	N E	1	c	9 a.	29.99	761.7	72	...	N W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.88	758.9	89	73	E N E	1	c	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.86	758.4	86	76	S	1	bw	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.91	759.7	85	87	N N E	3	o	,,	29.95	760.7	83	87	E	1	o
Amoy,	,,	29.85	758.2	88	69	S E	3	b	6 a.	29.88	758.9	82	91	N E	3	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.88	758.9	...	...	E	8	...	5 a.	29.92	759.9	...	...	E	2	
Taichu,	,,	29.87	758.6		...	W	2	...	,,	29.90	759.5	...	...	...	0	
Tainan,	,,	29.88	758.9	...	...	N W	4	...	,,	29.89	759.3	...	...	...	0	...
Koshun,	,,	29.90	759.4	...	...	E	6	...	,,	29.89	759.1	...	...	N E	6	...
Pescadores,	,,	29.88	759.0	...	...	N W	6	...	,,	29.88	758.8	...	...	S	4	
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.88	758.9	82	78	E	4	c	10 a.	29.92	759.9	85	69	E	2	b
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.89	759.2	83	...	E	3	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	77	92	...	0	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.63	752.7	77	...	W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	od	9 a.	...	...	...	...	W S W	4	od
Iloilo,	,,	29.72	754.9	80	...	S W	2	or	,,	29.81	757.2	79	...	S W	3	or
Cebu,	,,	29.75	755.6	81	...	S	2	o	,,	29.85	758.2	82	...	S	2	o
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	29.83	757.7	82	...	...	...	...

On the 22nd at 12.10 p.m.—The barometer has fallen quickly at Manila, and it has also commenced to fall over S, China and Formosa.

The typhoon has entered the China Sea and is now to the West of Manila. It will probably move at first towards W.N.W., and later towards N.W.

Pressure is highest over N.E. Japan in the East, and over Central China in the West.

Bad weather may be expected over the China Sea.

Telegraphic communication between the Observatory and Hongkong continues interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, freshening; weather again becoming squally and unsettled.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 22nd September, 1906.

[Printed by Nomonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd SEPTEMBER, 1906, P.M.								23rd SEPTEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.85	758.2	...	...	S E	0	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.94	760.6	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.91	759.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.96	760.9	...	...	W	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.93	760.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.93	760.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.00	762.0	75	...	W N W	2	b	9 a.	30.14	765.5	70	...	W N W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.08	764.0	83	71	N E	4	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.96	761.0	77	82	W	2	o	9 a.	30.06	763.5	76	77	N E	1	o
Gutzlaff,	,,	29.93	760.2	77	86	N	3	cv	,,	30.01	762.2	72	95	N E	3	cv
Sharp Peak,	,,	29.90	759.4	86	84	E N E	2	b	,,	29.96	761.0	83	87	N N E	3	o
Amoy,	,,	29.82	757.4	92	61	E N E	3	b	6 a.	29.92	759.9	87	96	N N E	3	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.83	757.6	...	...	S E	6	...	5 a.	29.89	759.2	...	...	E	4	...
Taichu,	,,	29.85	758.1	...	...	N W	6	...	,,	29.88	759.0	...	...	...	0	...
Tainan,	,,	29.85	758.1	...	...	W	2	...	,,	29.86	758.4	...	...	...	0	...
Koshun,	,,	29.86	758.4	...	...	N E	6	...	,,	29.88	758.9	...	...	N E	6	...
Pescadores,	,,	29.85	758.3	...	...	N	6	...	,,	29.84	758.0	...	...	S	4	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.82	757.4	83	81	E S E	3	c	10 a.	29.86	758.4	84	69	E	5	b
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.5	79	...	N E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.77	756.1	88	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.9	79	...	W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.65	753	77	92	S E	2	d	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.75	755.6	80	...	W	1	o	,,	29.83	757.7	80	...	N E	1	b
Cebu,	,,	29.79	756.6	83	...	S	3	c	,,	29.87	758.7	83	...	...	0	b
Labuan,	,,	29.75	755.6	87	...	...	...	...	,,	29.81	757.2	85	...	...	...	...

On the 23rd at 7.40 a.—Orders issued to hoist the Red Cone point downwards (typhoon S. of Colony distant more than 300 miles.)

At 11.45 a.—The barometer has fallen slightly in Hongkong, and risen over Luzon and N. China.

The typhoon is probably situated to the Eastward of the Paracels. It appears to be moving towards N.W.

Pressure is highest over N. China.

Bad weather will continue over the China Sea.

Telegraphic communication between the Observatory and Hongkong continues interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, moderate to fresh gale; squally, showery,
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. to N.E. gale.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 23rd September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd SEPTEMBER, 1906, P.M.								24th SEPTEMBER, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	..	29.77	756.1	...	...	W	2	...	6 a.	...	...	...	...	...	...	...
Hakodate	..	29.93	760.2	...	...	N	8	...	..	...	...	...	...	...	...	...
Tokio	..	29.98	761.6	...	...	N E	2	...	..	...	...	...	...	...	...	...
Kochi	..	29.87	758.8	...	...	...	0	...	..	...	...	...	...	...	...	...
Nagasaki	..	29.95	760.8	...	...	N E	2	...	..	...	...	...	...	...	...	...
Kagoshima	..	29.92	759.9	...	...	N W	4	...	..	...	...	...	...	...	...	...
Oshima	..	29.93	760.1	...	...	N	4	...	..	...	...	...	...	...	...	...
Naha	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Ishigakijima	..	29.93	760.3	...	...	N E	6	...	..	...	...	...	...	...	...	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	30.00	762.0	72	67	S	3	b
Weihaiwei	..	30.04	763.0	75	...	E S E	1	b	9 a.	...	...	...	...	...	...	...
Hankow	..	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Shanghai	..	30.02	762.5	77	73	E	2	o	9 a.	30.05	763.2	79	70	S E	2	...
Gutzlaff	..	29.98	761.5	78	74	E N E	3	...	..	30.03	762.7	78	74	S E	2	c
Sharp Peak	..	29.91	759.7	84	85	E	4	b	..	30.02	762.5	83	91	E N E	2	...
Amoy	..	29.87	758.7	93	67	N E	1	b	6 a.	29.97	761.2	81	87	E N E	1	...
Swatow	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Taihoku	1 p.	29.90	759.5	...	...	E	6	...	5 a.	29.96	761.0	...	...	E	2	...
Taichu	..	29.87	758.8	...	...	W	4	...	..	29.96	761.0	...	...	...	0	...
Tainan	..	29.90	759.5	...	...	S W	4	...	..	29.97	761.1	...	...	...	0	...
Koshun	..	29.89	759.3	...	...	E	6	...	..	29.95	760.8	...	...	...	0	...
Pescadores	..	29.87	758.8	...	...	W	4	...	..	29.94	760.4	...	...	W	2	...
Canton	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	29.82	757.4	85	66	E	6	cq	10 a.	29.97	761.2	79	82	E	5	qpq
Victoria Peak	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Gap Rock	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Macao	..	29.83	757.7	86	...	E	3	c	..	...	...	...	...	...	...	...
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien	4 p.	29.76	756.0	88	...	S S E	2	c	10 a.	...	...	...	...	...	...	...
Tourane	..	29.58	751.3	82	...	S W	5	or	..	...	...	...	...	...	...	...
Cape St. James	..	29.67	753.5	77	...	W	2	o	..	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.80	757	82	77	S E	0	o	10 a.	...	...	...	...	...	...	...
Legaspi	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	...	0	b	9 a.	...	...	...	...	N	1	b
Iloilo	..	29.77	756.1	84	...	S W	1	...	..	29.87	758.7	83	...	N E	1	b
Cebu	..	29.82	757.4	86	...	...	0	b	..	29.92	759.9	86	...	S	1	...
Labuan	..	29.72	754.9	89	...	...	...	...	..	...	...	...	...	...	...	...

On the 24th at 5.30 a.m.—Signal lowered.
On the 24th at 12.5 p.—The barometer has risen over S. China and the Philippines.
The typhoon has probably moved up the Gulf of Tongking.
Gradients are slight on the Coast between Hongkong and N. China.
Weather improving over the China Sea.
The returns from the Japanese stations are lacking this morning.
Telegraphic communication between the Observatory and Hongkong continues interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	E. winds, fresh to moderate: showery.
2.—Formosa Channel.	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Decaeasing E. gale.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 24th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th September, 1906, P.M.								25th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	..	30.20	767.1	...	...	S	4	...	6 a.	30.08	764.1	...	...	S	6	...
Hakodate	..	30.17	766.2	...	...	S E	4	...	..	29.97	761.2	...	...	...	0	...
Tokio	..	30.18	766.6	...	...	N E	4	...	..	30.10	764.6	...	...	N W	2	...
Kochi	..	30.07	763.8	...	...	...	0	...	..	30.03	762.8	...	...	...	0	...
Nagasaki	..	30.03	762.8	...	...	W	4	...	..	29.99	761.8	...	...	...	0	...
Kagoshima	..	30.04	762.9	...	...	S	4	...	..	30.04	762.9	...	...	...	0	...
Oshima	..	30.00	762.1	...	...	S	4	...	..	30.01	762.1	...	...	S	2	...
Naha	..	29.97	761.2	...	...	E	4	...	..	30.01	761.2	...	...	...	0	...
Ishigakijima	..	29.97	761.3	...	...	N E	6	...	..	30.01	761.3	...	...	N E	2	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei	..	30.04	763.0	75	...	N N W	1	c	9 a.	30.34	770.6	61	...	N	4	b
Hankow	..	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Shanghai	..	29.98	761.5	81	71	S S E	1	o	9 a.	30.13	765.3	75	72	N N E	2	o
Gutzlaff	..	29.96	761.0	80	70	S E	2	cv	..	30.07	763.8	74	90	N	4	om
Sharp Peak	..	29.97	761.2	80	89	E N E	4	b	..	30.04	763.0	82	89	N E	1	b
Amoy	..	29.95	760.7	92	74	E N E	3	b	6 a.	29.97	761.2	82	91	N E	2	o
Swatow	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Taihoku	1 p.	29.96	761.1	...	...	N W	2	...	5 a.	30.00	762.0	...	...	E	4	...
Taichu	..	29.93	760.3	...	...	W	2	...	..	29.97	761.3	...	...	N W	2	...
Tainan	..	29.91	759.7	...	...	N W	4	...	..	29.97	761.1	...	...	...	0	...
Koshun	..	29.97	761.3	...	...	N E	6	...	..	29.94	760.5	...	...	...	0	...
Pescadores	..	29.95	760.7	...	...	N W	6	...	..	29.97	761.3	...	...	N	6	...
Canton	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	29.92	759.9	81	79	E	3	o	10 a.	30.03	762.7	84	74	E	2	o
Victoria Peak	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Gap Rock	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Macao	..	29.90	759.4	82	...	E	3	o	..	...	...	...	...	...	...	...
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Cape St. James	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.84	758	84	78	E N E	1	c	10 a.	...	...	...	...	...	...	...
Legaspi	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	N	2	c	9 a.	...	...	...	...	N	2	b
Iloilo	..	29.79	756.6	89	...	N E	1	c	..	29.85	758.2	83	...	N E	1	c
Cebu	..	29.82	757.4	87	...	S	1	b	..	29.87	758.7	84	...	...	0	c
Labuan	..	29.76	755.9	92	...	...	...	...	..	29.87	758.7	87	...	...	...	...

On the 25th at 10.55 a.—The barometer has commenced to fall again over the Philippines. This may be due to a depression as yet far out in the Pacific.

Over E. Japan the barometer has fallen, probably owing to the existence of a depression over the N. part of the Sea of Japan.

An anticyclonic area seems to be spreading over N. China from the N.W., a considerable increase of pressure having taken place at Weihaiwei.

Strong N.E. monsoon is expected to set down the China Coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	E. to N.E. winds, moderate to fresh ; fair.
2.—Formosa Channel	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 25th September, 1906.

(Printed by Nisshsha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th September, 1906, P.M.								26th September, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	"	29.85	758.1	...	...	N W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate	"	30.09	764.2	...	...	N W	6	...	"	...	...	...	...	...	...	...
Tokio	"	30.02	762.6	...	...	E	4	...	"	...	...	...	...	...	...	...
Kochi	"	29.95	760.8	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki	"	30.03	762.8	...	...	N E	2	...	"	...	...	...	...	...	...	...
Kagoshima	"	30.00	761.9	...	...	N W	2	...	"	...	...	...	...	...	...	...
Oshima	"	29.96	761.1	...	...	S	2	...	"	...	...	...	...	...	...	...
Naha	"	29.61	752.2	...	...	E	2	...	"	...	...	...	...	...	...	...
Ishigakijima	"	29.93	760.3	...	...	...	0	...	"	...	...	...	...	...	...	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	30.27	768.8	60	76	N N E	3	b
Weihaiwei	"	30.28	769.1	63	...	N	4	b	9 a.	30.33	770.4	65	...	N N W	2	b
Hankow	"	30.24	768.1	76	86	N E	2	o	6 a.	...	...	...	...	...	...	...
Kinkiang	"	30.21	767.3	71	85	N E	6	o	"	30.21	767.3	69	85	N E	5	o
Shanghai	"	30.13	765.3	73	72	N N E	3	o	9 a.	30.25	768.3	70	57	N	2	b
Gutzlaff	"	30.07	763.8	71	90	N	6	om	"	30.18	766.6	69	65	N	4	ov
Sharp Peak	"	29.96	761.0	85	89	E N E	3	c	"	30.06	763.5	80	87	N N E	5	c
Amoy	"	29.93	760.2	92	74	E N E	3	b	6 a.	29.98	761.5	82	91	N E	4	c
Swatow	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku	1 p.	29.95	760.8	...	...	E	8	...	5 a.	...	...	...	...	...	...	...
Taichu	"	29.88	759.0	...	...	N	4	...	"	...	...	...	...	...	...	...
Tainan	"	29.95	760.8	...	...	S	4	...	"	...	...	...	...	...	...	...
Koshun	"	29.94	760.5	...	...	N E	6	...	"	...	...	...	...	...	...	...
Pescadores	"	29.93	760.2	...	...	N E	8	...	"	...	...	...	...	...	...	...
Canton	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	29.94	760.5	84	69	E	1	c	10 a.	30.01	762.2	84	74	...	0	o
Victoria Peak	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Gap Rock	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Macao	"	29.97	761.2	86	...	E S E	1	c	"	30.02	762.5	85	...	S	1	c
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien	4 p.	29.75	755.6	81	...	E	9	or	10 a.	...	...	...	...	...	...	...
Tourane	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Cape St. James	"	29.75	755.7	82	...	S W	4	o	"	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.80	757	84	77	S E	2	op	10 a.	29.76	756	82	85	N N W	1	c
Legaspi	2 p.	29.68	753.9	77	...	...	0	...	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	S W	2	b
Iloilo	"	29.75	755.6	86	...	N W	1	b	"	29.77	756.1	84	...	N W	3	c
Cebu	"	29.77	756.1	87	...	...	0	c	"	29.77	756.1	85	...	S	2	c
Labuan	"	29.77	756.1	89	...	...	...	...	"	29.90	759.4	88	...	...	...	...

On the 26th at 11.40 a.—The barometer has fallen considerably over the Philippines and risen over N. China. It is inclined to fall in Hongkong.

The depression noted yesterday morning is a typhoon. It is now situated to the E. of Luzon, and probably moving Westward at present.

The area of high pressure remains over N. China, and very hard N.E. monsoon will be met with over the E. Coast and Formosa Channel.

In the China Sea N. gales will probably prevail to the South of 20° Lat.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	N.E. winds, freshening; fair.
2.—Formosa Channel	N.E. gales.
3.—South coast of China between Hongkong and Lamocks	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	N. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 26th September, 1906.

(Printed by Noronha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th September, 1906, P.M.								27th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	30.24	768.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...	...
Hakodate	,,	30.20	767.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
Tokio	,,	30.22	767.6	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Kochi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki	,,	30.07	763.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Kagoshima	,,	30.04	762.9	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Oshima	,,	29.93	760.1	...	...	S	2	...	,,	...	...	...	...	...	...	...
Naha	,,	29.89	759.2	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima	,,	29.89	759.3	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	30.18	766.6	68	...	N	1	b	9 a.	30.23	767.8	62	...	W N W	1	c
Hankow	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai	,,	30.17	766.3	72	50	N	2	c	9 a.	30.10	764.5	72	71	N	1	c
Gutzlaff	,,	30.12	765.0	70	66	N N E	4	cv	,,	30.05	763.2	72	76	N N E	2	cv
Sharp Peak	,,	30.01	762.2	80	87	N E	6	o	,,	30.02	762.5	77	84	E N E	3	b
Amoy	,,	29.96	761.0	90	66	N E	4	b	6 a.	29.89	759.2	76	82	N E	3	b
Swatow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku	1 p.	30.01	762.2	...	...	E	8	...	5 a.	29.94	760.5	...	...	E	6	...
Taichu	,,	29.84	758.0	...	...	N	6	...	,,	29.84	757.9	...	...	...	0	...
Tainan	,,	29.85	758.3	...	...	W	6	...	,,	29.81	757.1	...	...	...	0	...
Koshun	,,	29.87	758.8	...	...	N E	8	...	,,	29.82	757.3	...	...	N E	10	...
Pescadores	,,	29.91	759.6	...	...	N E	10	...	,,	29.82	757.3	...	...	N E	10	...
Canton	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	29.89	759.2	88	67	W	1	o	10 a.	29.94	760.5	82	79	E	2	o
Victoria Peak	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.92	759.9	86	...	E	1	c	,,	29.96	761.0	83	...	...	0	c
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.93	760.1	82	...	N E	2	c	10 a.	...	...	...	...	...	...	...
Tourane	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.83	757.8	86	...	S S W	1	c	,,	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.61	752	86	79	S W	1	o	10 a.	29.41	747	82	85	W S W	5	q
Legaspi	2 p.	29.56	750.9	77	...	N W	1	r	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	3	od
Iloilo	...	29.68	753.9	83	...	S W	4	o	,,	29.70	754.4	84	...	S W	5	oq
Cebu	,,	29.73	755.1	86	...	S	4	c	,,	29.71	754.6	84	...	S	5	c
Labuan	,,	29.80	756.9	88	...	...	...	...	,,	29.86	758.4	78	...	...	...	...

On the 27th at 11.5 a.—The barometer has fallen generally, particularly in Manila where the decrease of pressure exceeds 0.3 inch.

The typhoon is crossing Luzon to the North of Manila. It appears to be moving towards W.N.W., and very bad weather will prevail over the China Sea during the next two or three days.

Pressure is still high over N. China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 4.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	N.E. winds, freshening; showery.
2.—Formosa Channel	N.E. gales.
3.—South coast of China between Hongkong and Lamocks	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan	N. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 27th September, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th September, 1906, P.M.								28th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	..	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Tokio	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Kochi	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Nagasaki	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Kagoshima	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Oshima	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Naha	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Ishigakijima	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Chefoo	3 p.		...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei	..	30.18	766.6	64	...	W	3	or	9 a.	30.28	769.1	65	...	N	1	b
Hankow	..	30.15	765.8	66	100	N	4	or	6 a.	3023.	767.8	59	94	N N E	3	or
Kiukiang	..	30.08	764.0	77	91	N E	2	c	..	...	...	...	...	...	...	...
Shanghai	..	30.03	762.7	77	69	E	2	o	9 a.	30.10	764.5	72	76	N E	2	c
Gutzlaff	..	30.01	762.2	75	72	E S E	4	cv	..	30.04	763.0	73	90	E N E	4	c
Sharp Peak	..	29.92	759.9	79	82	N N E	4	o	..	29.91	759.7	78	91	N E	5	c
Amoy	..	29.84	757.9	84	64	E N E	3	c	6 a.	29.88	758.9	78	78	N E	5	c
Swatow	..	29.82	757.7	87	62	E	2	b	..	...	...	...	...	...	...	...
Taihoku	1 p.	29.91	759.7	...	...	E	6	...	5 a.	29.84	758.0	...	...	E	6	...
Taichu	..	29.80	757.0	...	...	S W	2	...	..	29.76	755.9	...	...	...	0	...
Tainan	..	29.82	757.3	...	...	W	2	...	..	29.71	754.5	...	...	N W	4	...
Koshun	..	29.80	756.8	...	...	N E	8	...	..	29.70	754.3	...	...	N E	10	...
Pescadores	..	29.83	757.6	...	...	N E	10	...	..	29.70	754.4	...	...	N	6	...
Canton	3 p.	29.84	757.9	90	66	N W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	29.83	757.7	81	79	E S E	2	o	10 a.	29.77	756.1	83	63	N	1	c
Victoria Peak	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Gap Rock	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Macao	..	29.84	757.9	84	...	E S E	1	o	..	29.81	757.2	81	...	N E	1	c
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien	4 p.	29.85	758.3	88	...	W	2	b	10 a.	...	...	...	...	...	...	...
Tourane	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Cape St. James	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.29	744	81	92	S W	8	oq	10 a.	29.73	755	81	85	S E	1	o
Legaspi	2 p.	29.57	751.2	79	...	S	2	o	6 a.	29.77	756.1	79	...	...	0	c
Bacolod	3 p.	...	...	...	...	S W	4	od	9 a.	...	...	...	...	S W	3	...
Hoilo	..	29.61	752.1	84	...	W	6	op	..	29.83	757.7	84	...	...	...	b
Cebu	..	29.68	753.9	86	...	S	6	o	..	29.89	759.2	85	...	S	1	c
Labuan	..	29.77	756.1	86	...	...	...	...	..	29.90	759.4	84	...	...	...	...

On the 28th at 8.45 a.—Orders issued to hoist the Red Cone point downwards and Drum (typhoon S.E. of the Colony distant more than 300 miles).

At 11.0 a.—The barometer has risen considerably in the Philippines, and fallen sharply in Hongkong and Formosa.

The typhoon is situated to the N.W. of Luzon. It is moving towards W.N.W. at present.

Pressure remains high over N. China, and gradients are steep over the whole of the China Coast to the South of Shanghai.

Bad weather will continue in the Formosa Channel and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	N. to N.E. winds, gradually increasing to a gale; squally, rain later.
2.—Formosa Channel	N.E. gales.
3.—South coast of China between Hongkong and Lamocks	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	N. winds, increasing to a gale.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 28th September, 1906.

[Printed by Nokonsha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th September, 1906, P.M.								29th September, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	..	..	...	...	...	...	...	7 a.			...	...	...	...	...
Xemuro	..	...	...	...	...	...	...	...	6 a.			...	...	...	...	...
Hakodate	..	...	...	...	...	...	...	...				...	...	...	...	...
Tokio	..	...	...	...	...	...	...	...	...			...	...	...	...	...
Kochi	..	...	...	...	...	...	...	...	...			...	...	...	...	...
Nagasaki	..	...	...	...	...	...	...	...	...			...	...	...	...	...
Kagoshima	..	...	...	...	...	...	...	...	...			...	...	...	...	...
Oshima	..	...	...	...	...	...	...	...				...	...	...	...	...
Naha	..	...	...	...	...	...	...	...	...			...	...	...	...	...
Ishigakijima	..	...	...	...	...	...	...	...				...	...	...	...	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.			...	...	...	...	...
Weihaiwei	..	30.10	764.5	67	...	N	1	b	9 a.			...	...	...	...	...
Hankow	..	...	...	...	...	...	...	...	6 a.			...	...	...	...	...
Kiukiang	..											...	...			
Shanghai	..	30.04	763.0	73	76	E N E	2	o	9 a.			...	...	...	...	...
Gutzlaff	..	30.01	762.2	70	85	E N E	5	cmp				...	...	...	...	...
Sharp Peak	..	29.87	758.7	78	91	N N E	5	o				...	...	...	...	...
Amoy	..	29.74	755.4	90	66	N E	5	c	6 a.			...	...	...	...	...
Swatow	..	...	...	...	...	...	...	...				...	...	...	...	...
Taihoku	1 p.	29.83	757.6	...	...	E	6	...	5 a.			...	...	...	...	...
Taichu	..	29.69	754.1	...	...	N	4	...	...			...	...	...	...	...
Tainan	..	29.72	755.0	...	...	W	4	...	...			...	...	...	...	...
Koshun	..	29.76	755.9	...	...	E	8	...	...			...	...	...	...	...
Pescadores	..	29.74	755.3	...	...	N E	8	...	...			...	...	...	...	...
Canton	3 p.	29.70	754.4	89	59	N W	2	b	9 a.	29.48	748.8	79	86	E	11	orq
Hongkong	4 p.	29.62	752.3	86	57	N	4	oq	10 a.			...	...	...	...	...
Victoria Peak	..	..	...	...	...	N	5	...	...			...	...	...	...	...
Cap Rock	..	...	...	...	...	...						...	...	...	...	
Macao	..	29.61	752.1	85	...	N	2	c	...	...	...	...	...	...	...	...
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Phulien	4 p.	29.72	754.9	86	...	W	2	c	10 a.	...	...	...	...	...	...	...
Tourane	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Cape St. James	..	29.73	755.1	82	...	S W	1	o	..	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.76	756	77	92	S S W	2	o	10 a.	...	...	...	...	...	...	...
Legaspi	2 p.	29.76	755.8	88	...	S	1	o	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	...	...	...
Iloilo	..	29.77	756.1	86	...	S W	4	c	..	...	...	...	...	...	...	...
Cebu	..	29.81	757.2	85	...	S	1	b	..	...	...	...	...	...	...	...
Labuan	..	29.73	755.1	87	...	...	...	...	..	...	...	...	...	...	...	...

On the 28th at 1.45 p.—Orders issued to hoist the Black Cone point downwards and Drum (typhoon S.E. of the Colony within 300 miles), and at 5.0 p. to fire the typhoon gun.

On the 29th at 6.35 a.—Orders issued to hoist the Black Cone point downwards (typhoon S. of the Colony within 300 miles).

At 12.30 p.—Orders issued to hoist the Black Ball and Cone point downwards (typhoon S.W. of the Colony within 300 miles).

All communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.

1.—Hongkong and Neighbourhood.

2.—Formosa Channel.

3.—South coast of China between Hongkong and Lamocks.

4.—South coast of China between Hongkong and Hainan.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Saturday, 29th September, 1906.

[Printed by Nonosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th September, 1906, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th September, 1906, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W...
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro	,,	30.00	762.1	...	...	S W	8	...	6 a.	...	...	...	...	...	...	
Hakodate	,,	30.05	763.2	...	...	W	4	...	,,	...	...	...	...	...	...	
Tokio	,,	30.06	763.6	...	...	S	2	...	,,	...	...	...	...	...	...	
Kochi	,,	30.07	763.8	...	...	S E	2	...	,,	...	...	...	...	...	...	
Nagasaki	,,	30.07	763.8	...	...	N	4	...	,,	...	...	...	...	...	...	
Kagoshima	,,	30.04	762.9	...	...	S E	2	...	,,	...	...	...	...	...	...	
Oshima	,,	30.00	762.1	...	...	S E	4	...	,,	...	...	...	...	...	...	
Naha	,,	29.97	761.2	...	...	N W	4	...	,,	...	...	...	...	...	...	
Ishigakijima	,,	29.93	760.3	...	...	S E	6	...	,,	...	...	...	...	...	...	
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	30.13	765.3	63	83	S S W	2	o
Weihaiwei	,,	30.15	765.8	71	...	W	1	b	9 a.	...	...	...	...	...	...	
Hankow	,,	30.20	767.1	73	81	N	2	c	6 a.	30.21	767.3	65	95	N	1	o
Kiukiang	,,	30.22	767.6	74	76	E	1	o	,,	...	...	...	...	...	...	
Shanghai	,,	30.11	764.8	73	76	E N E	2	o	9 a.	...	...	...	...	...	...	
Gutzlaff	,,	30.06	763.5	73	76	N E	3	cv	,,	...	...	...	...	...	...	
Sharp Peak	,,	29.96	761.0	77	95	N N E	3	og	,,	30.11	764.8	79	89	...	2	
Amoy	,,	29.84	757.9	82	96	N E	4	c	6 a.	29.94	760.5	78	86	N E	4	o
Swatow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Taihoku	1 p.	29.91	759.6	...	...	E	4	...	5 a.	29.96	760.9	...	...	E	4	
Taichu	,,	29.93	760.1	...	...	N W	2	...	,,	29.99	761.8	...	...	...	0	
Tainan	,,	29.92	759.9	...	...	S	4	...	,,	29.93	760.3	...	...	...	0	
Koshun	,,	29.93	760.1	...	...	E	4	...	,,	29.92	760.0	...	...	N E	2	
Pescadores	,,	29.91	759.8	...	...	W	2	...	,,	29.93	760.2	...	...	...	0	
Canton	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hongkong	4 p.	29.59	751.6	78	87	S E	9	opq	10 a.	29.91	759.7	82	82	S E	4	opq
Victoria Peak	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao	,,	29.45	748.0	78	...	E S E	7	opq	,,	...	...	...	...	...	...	
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien	4 p.	29.65	753.0	88	...	S W	4	c	10 a.	...	...	...	...	...	...	
Tourane	,,	29.71	754.6	91	...	N	1	c	,,	...	...	...	...	...	...	
Cape St. James	,,	29.78	756.3	84	...	S W	1	c	,,	...	...	...	...	...	...	
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila	4 p.	29.84	758	86	71	W S W	1	c	10 a.	...	...	...	...	...	...	
Legaspi	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Iloilo	,,	29.83	757.7	85	...	W	3	o	,,	...	...	...	...	...	...	
Cebu	,,	29.84	757.9	88	...	E	1	o	,,	...	...	...	...	...	...	
Labuan	,,	29.80	756.9	87	...	...	...	...	,,	29.92	759.9	84	...	...	...	

On the 29th at 2.20 p. to hoist the Black Ball (typhoon W. of the Colony within 300 miles), and at 7.45 p. to lower it.

On the 30th at 1.5 p.—The barometer has risen quickly in Hongkong, and moderately in Formosa.
The typhoon probably entered the Coast last evening between Macao and Kwong Chau Wan Bay.
Returns from the greater part of the stations are lacking this morning.
Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	S.E. to E. winds, fresh; squally, showery.
2.—Formosa Channel	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks	E. winds, fresh.
4.—South coast of China between Hongkong and Hainan	S.E. winds, moderating.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 30th September, 1906.

(Printed by Nunosha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th SEPTEMBER, 1906, P.M.								1st OCTOBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	S W	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.01	762.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.06	763.6	...	...	N E	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.03	762.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.07	763.8	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.04	762.9	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.00	762.1	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.93	760.2	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.89	759.3	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.17	766.3	69	...	W	1	c	9 a.	...	...	...	...	...	...	...
Haikow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.09	764.3	76	60	E	2	o	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.04	763.0	75	72	E N E	4	cv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.96	761.0	79	93	N E	3	o	,,	29.93	760.2	79	91	N N E	3	og
Amoy,	,,	29.91	759.7	89	66	N E	3	c	6 a.	29.85	758.2	80	82	N E	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.91	759.8	...	...	N E	6	...	5 a.	29.81	757.2	...	...	E	8	...
Taichu,	,,	29.91	759.6	...	...	W	4	...	,,	29.74	755.3	...	...	N	4	...
Tainan,	,,	29.90	759.5	...	...	W	6	...	,,	29.70	754.4	...	...	N W	2	...
Koshun,	,,	29.90	759.5	...	...	N W	6	...	,,	29.65	753.2	...	...	N	4	...
Pescadores,	,,	29.91	759.7	...	...	N	8	...	,,	29.75	755.7	...	...	N	10	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.86	758.4	82	82	S S E	3	o	10 a.	29.93	760.2	83	77	E	1	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.84	757.9	80	...	E	2	o	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.9	75	...	N	2	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.4	68	...	E	1	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.1	86	...	S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	71	S W	2	b	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	84	...	W	1	c	,,	...	...	...	...	...	...	...
Cebu,	,,	29.76	755.9	87	...	S	1	c	,,	...	...	...	...	...	...	...
Labuan,	,,	29.84	757.9	83	...	...	...	...	,,	29.92	759.9	85	...	...	...	...

On the 30th at 8.10 p.—There is a new depression in the Pacific to the South of the Loochoos.

On the 1st at 10.40 a.—The barometer has fallen rapidly in Formosa, and it is also commencing to fall again in Hongkong.

The depression noted last evening is a typhoon. This morning it appears to be situated to the Eastward of the Bashee Channel and to be moving Westwards.

Bad weath r will prevail in the Formosa Channel and over the N.E. part of the China Sea.

Returns from the greater part of the stations are not yet to hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N. winds, freshening; fair to unsettled.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N. winds, increasing.
4.—South coast of China between Hongkong and Hainan,	Variable winds, moderate.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Monday, 1st October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st OCTOBER, 1906, P.M.								2nd OCTOBER, 1906, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	..	29.73	755.1	...	...	N	6	...	6 a.	29.93	760.1	...	...	W	8
Hakodate,	..	29.93	760.2	...	...	W	8	...	..	30.05	763.2	...	...	N	2
Tokio,	..	29.94	760.6	...	...	S	4	...	..	30.06	763.6	...	...	...	0
Kochi,	..	30.03	762.8	...	...	...	0	...	..	30.03	762.8	...	...	W	2
Nagasaki,	..	30.03	762.8	...	...	N	6	...	..	29.95	760.8	...	...	S E	2
Kagoshima,	..	30.04	762.9	...	...	S E	2	...	..	29.96	760.9	...	...	N E	4
Oshima,	..	29.96	761.1	...	...	E	2	...	..	29.93	760.1	...	...	S	2
Naha,	..	29.93	760.2	...	...	S E	6	...	..	29.93	760.2	...	...	S E	2
Ishigakijima,	..	29.85	758.3	...	...	S	10	...	..	29.89	759.3	...	...	S	8
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	..
Weihaiwei,	..	30.25	769.1	58	...	N W	2	c	9 a.	...	...	...	...	...	..
Hankow,	..	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	..
Kiukiang,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	..
Shanghai,	..	29.99	761.7	75	77	E	3	c	9 a.	29.94	760.5	67	95	N E	4
Gutzlaff,	..	29.97	761.2	77	73	E	3	cv	..	29.87	758.7	70	100	N E	6
Sharp Peak,	..	29.76	755.9	80	93	E N E	5	o	..	29.63	752.6	78	89	N	4
Amoy,	..	29.71	754.6	85	79	N	5	o	6 a.	29.70	754.4	82	83	N N W	3
Swatow,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	..
Taihoku,	1 p.	29.69	754.2	...	...	E	8	...	5 a.	...	...	...	...	...	..
Taichu,	..	29.49	749.1	...	...	N	2	...	..	...	...	...	...	...	..
Tainan,	..	29.43	747.4	...	...	W	10	...	..	...	...	...	...	...	..
Koshun,	..	29.60	751.9	...	...	W	8	...	..	...	...	...	...	...	..
Pescadores,	..	29.54	750.3	...	...	N	12	...	..	...	...	...	...	...	..
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	..
Hongkong,	4 p.	29.82	757.4	85	70	W	1	c	10 a.	29.90	759.4	84	75	N W	2
Victoria Peak,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	..
Gap Rock,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	..
Macao,	..	29.84	757.9	85	...	...	0	c	..	29.93	760.2	85	...	...	0
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	..
Pakhoi,	..	...	...	...	...	...	...	...	..	...	...	...	...	...	..
Phulien,	1 p.	29.82	757.3	82	...	N N W	2	c	10 a.	...	...	...	...	...	..
Tourane,	..	29.81	757.1	88	...	N N W	1	o	..	...	...	...	...	...	..
Cape St. James,	..	29.80	756.8	88	...	S W	2	c	..	...	...	...	...	...	..
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	..
Manila,	4 p.	29.76	756	84	77	...	0	c	10 a.	...	...	...	...	...	..
Legaspi,	2 p.	29.79	756.7	90	...	E	1	b	6 a.	...	...	...	...	...	..
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1
Iloilo,	..	29.77	756.1	85	...	S W	2	o	..	29.85	758.2	82	...	N E	1
Cebu,	..	29.80	756.9	85	...	S	1	o	..	29.88	758.9	83	...	...	0
Labuan,	..	29.83	757.7	88	...	...	...	...	..	29.91	759.7	84	...	...	...

On the 1st at 5.50 p.—Orders issued to hoist the Red Drum (typhoon E. of the Colony beyond 300 miles).
At 6.15 p.—The typhoon is in Central Formosa and moving West Northwest.
On the 2nd at 10.15 a.—Signal lowered.
At 11.20 a.—The barometer has fallen rapidly at the Formosa Channel stations, and on the E. Coast of China.
The typhoon has recurved, and is now in the N. part of the Formosa Channel. It will probably move to the N.E. ultimately.
The weather will improve in the Formosa Channel, but continue bad over the Eastern Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. winds, moderate; fine.
2.—Formosa Channel,	Cyclonic winds, decreasing.
3.—South coast of China between Hongkong and Lamocks,	N.W. to W. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 2nd October, 1906.

[Printed by Nomonia & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd October, 1906, P.M.								3rd October, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	S	6	...	6 a.	29.73	755.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	N	4	...	,,	29.65	753.2	...	...	N	2	...
Tokio,	,,	29.98	761.6	...	...	E	4	...	,,	29.55	750.6	...	...	N W	2	...
Kochi,	,,	29.87	758.8	...	...	S W	2	...	,,	29.60	751.8	...	...	S W	2	...
Nagasaki,	,,	29.80	756.8	...	...	N	4	...	,,	29.72	754.8	...	...	N	4	...
Kagoshima,	,,	29.84	757.9	...	...	...	0	...	,,	29.64	752.9	...	...	N W	6	...
Oshima,	,,	29.81	757.1	...	...	S	6	...	,,	29.61	752.1	...	...	S W	4	...
Naha,	,,	29.85	758.2	...	...	S	6	...	,,	29.81	757.2	...	...	N W	10	...
Ishigakijima,	,,	29.82	757.3	...	...	S	8	...	,,	29.89	759.3	...	...	N	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.04	763.0	50	65	W	2	c
Weihaiwei,	,,	30.12	765.0	48	...	N N W	5	c	9 a.	30.09	764.3	58	...	N W	3	ovr
Hankow,	,,	30.32	770.1	66	89	N	6	o	6 a.	30.48	774.2	54	94	N	3	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.34	770.6	59	65	N E	2	o
Shanghai,	,,	29.96	761.0	64	89	N	4	or	9 a.	30.23	767.8	58	70	N W	4	b
Gutzlaff,	,,	29.86	758.4	67	95	N N E	8	omr	,,	30.11	764.8	58	81	N W	6	cv
Sharp Peak,	,,	29.72	754.9	80	91	S W	1	o	,,	30.07	763.8	75	81	N E	2	bv
Amoy,	,,	29.67	753.6	87	72	S W	3	b	6 a.	29.98	761.5	75	86	N E	5	o
Swatow,	,,	29.67	753.6	87	72	W	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.75	755.7	...	...	W	8	...	5 a.	30.03	762.7	...	...	S	2	...
Taichu,	,,	29.82	757.5	...	...	S W	6	...	,,	29.88	759.0	...	...	N	4	...
Tainan,	,,	29.85	758.2	...	...	S E	6	...	,,	29.87	758.6	...	...	N	2	...
Koshun,	,,	29.85	758.1	...	...	W	4	...	,,	29.86	758.3	...	...	N E	8	...
Pescadores,	,,	29.82	757.5	...	...	S W	6	...	,,	29.90	759.5	...	...	N E	10	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.80	756.9	87	72	W	1	c	10 a.	30.01	762.2	73	76	N	3	o
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.84	757.9	88	...	E N E	1	c	,,	30.04	763.0	69	...	N	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.7	86	...	N N W	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.2	88	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.4	82	...	W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	84	77	...	0	d	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.78	756.5	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S	1	o	9 a.	...	...	...	...	S W	2	b
Iloilo,	,,	29.75	755.6	84	...	S W	1	o	,,	29.89	759.2	82	...	S W	1	c
Cebu,	,,	29.81	757.2	85	...	S	1	o	,,	29.90	759.4	85	...	S	1	b
Labuan,	,,	29.82	757.4	87	...	...	...	...	,,	29.93	760.2	81	...	...	...	...

On the 3rd at 12.20 p.—The barometer has fallen rapidly over Japan, and risen quickly over China, exc pt in the extreme North.

The typhoon, moving N.E., has reached the S. Coast of Japan.

An anticyclone of considerable intensity, central to the N.W. of China, is spreading over the China Coast. In the South the lowest pressure is over the Pacific to the S.E. of Formosa.

Gradients are steep over the whole of the China Coast, particularly in the Formosa Channel where strong N.E. gales are expected to prevail. Strong N. and N.E. winds to gales will blow also, over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.. to N.E. winds, strong, squally, some rain.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 3rd October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd October, 1906, P.M.								4th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.61	752.1	...	...	E	4	...	6 a.	29.49	749.1	...	...	N E	2	
Hakodate,	,,	29.57	751.2	...	...	N	2	...	,,	29.73	755.2	...	...	N W	2	
Tokio,	,,	29.51	749.6	...	...	N	2	...	,,	29.79	756.6	...	...	N W	6	
Kochi,	,,	29.60	751.8	...	...	N	6	...	,,	29.95	760.8	...	...	W	2	
Nagasaki,	,,	29.80	756.8	...	...	N	8	...	,,	30.03	762.8	...	...	N	4	
Kagoshima,	,,	29.72	754.9	...	...	N W	6	...	,,	30.00	761.9	...	...	N	4	
Oshima,	,,	29.85	758.1	...	...	N	8	...	,,	29.97	761.1	...	...	N	6	
Naha,	,,	29.93	760.2	...	...	N	10	...	,,	30.01	762.2	...	...	N	6	
Ishigakijima,	,,	29.93	760.3	...	...	N E	8	...	,,	29.97	761.3	...	...	N E	4	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.08	764.0	54	61	S E	1	
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.12	765.0	55	...	S S E	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.29	769.3	59	88	N E	2	
Kiukiang,	,,	30.39	771.9	64	58	N N E	1	c	,,	30.25	768.3	56	75	N E	1	
Shanghai,	,,	30.15	765.8	61	55	N N W	3	c	9 a.	30.20	767.1	65	84	N N W	1	
Gutzlaff,	,,	30.10	764.5	62	61	N N W	5	cv	,,	30.15	765.8	62	72	N N W	3	
Sharp Peak,	,,	30.03	762.7	75	84	N N E	3	o	,,	30.11	764.8	72	78	N E	4	
Amoy,	,,	29.98	761.5	79	61	N E	5	o	6 a.	30.03	762.7	70	75	N E	6	
Swatow,	,,	29.94	760.5	79	66	N	1	o	,,	29.90	759.4	69	65	N	1	
Taihoku,	1 p.	30.05	763.3	...	...	E	6	...	5 a.	30.06	763.6	...	...	E	6	
Taichu,	,,	29.88	758.9	...	...	N	6	...	,,	29.93	760.2	...	...	N	2	
Tainan,	,,	29.90	759.4	...	...	N	4	...	,,	29.91	759.8	...	...	N	4	
Koshun,	,,	29.90	759.4	...	...	N E	10	...	,,	29.91	759.7	...	...	N E	10	
Pescadores,	,,	29.93	760.2	...	...	N	10	...	,,	29.94	760.4	...	...	N E	10	
Canton,	3 p.	30.03	762.7	79	66	N N W	2	or	9 a.	30.08	764.0	69	75	N	1	
Hongkong,	4 p.	29.98	761.5	72	72	N N E	3	o	10 a.	30.01	762.2	75	55	N E	2	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N N E	2	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	30.02	762.5	68	...	N	1	o	,,	30.03	762.7	70	...	N	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.03	762.8	72	...	N	3	o	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.91	759.6	82	...	N N W	2	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.82	757.3	64	...	E S E	1	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.76	756	84	71	E S E	...	o	10 a.	...	...	...	...	...	...	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	...	...	
Iloilo,	,,	29.81	757.2	85	...	W	3	b	,,	...	...	...	...	...	...	
Cebu,	,,	29.83	757.7	86	...	S	2	b	,,	...	...	...	...	...	...	
Labuan,	,,	29.86	758.4	88	...	...	...	...	,,	29.96	761.0	82	...	...	...	

On the 4th at 12.55 p.—The barometer has fallen over N.E. Japan, owing to the typhoon which is passing the Eastward of Japan.

Pressure has increased rapidly over S. Japan, and is inclined to give way again over China.

The high pressure area still lies to the N.W. of China, and probably a low pressure trough extends over the middle part of the China Sea and the Pacific towards the N.E. of Luzon.

Strong N. and N.E. winds and gales will continue in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fair.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 4th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th October, 1906, P.M.								5th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.57	751.1	...	...	N W	6	...	6 a.	30.01	762.1	...	...	W	6	...
Hakodate,	,,	29.81	757.2	...	...	S	8	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	29.91	759.6	...	...	N	2	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	E	2	...	,,	30.07	763.8	...	...	S W	4	...
Nagasaki,	,,	30.03	762.8	...	...	N E	4	...	,,	30.11	764.8	...	...	E	2	...
Kagoshima,	,,	30.00	761.9	...	...	W	4	...	,,	30.08	763.9	...	...	N	4	...
Oshima,	,,	29.96	761.1	...	...	N W	6	...	,,	30.01	762.1	...	...	N	6	...
Naha,	,,	29.97	761.2	...	...	N	6	...	,,	29.97	761.2	...	...	N E	2	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	8	...	,,	29.93	760.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.13	765.3	56	63	N	3	o
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.29	769.3	58	...	N E	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.27	768.8	58	94	N E	2	b
Kiukiang,	,,	30.12	765.0	66	54	...	0	c	,,	30.20	767.1	54	94	...	0	b
Shanghai,	,,	30.10	764.5	68	56	E	1	o	9 a.	30.18	766.6	70	57	E	1	c
Gutzlaff,	,,	30.08	764.0	65	73	N	3	cv	,,	30.16	766.0	67	64	N E	3	cv
Sharp Peak,	,,	30.01	762.2	73	81	N E	3	o	,,	30.05	763.2	71	88	N N E	3	og
Amoy,	,,	29.97	761.2	79	61	N E	4	c	6 a.	30.00	762.0	72	81	N E	3	c
Swatow,	,,	29.90	759.4	79	61	N E	2	b	,,	29.88	758.9	70	80	N N W	1	c
Taihoku,	1 p.	30.02	762.6	...	...	E	8	...	5 a.	29.96	760.9	...	...	E	6	...
Taichu,	,,	29.88	758.9	...	...	N W	6	...	,,	29.90	759.5	...	...	...	0	...
Tainan,	,,	29.89	759.1	...	...	N	4	...	,,	29.91	759.7	...	...	...	0	...
Koshun,	,,	29.91	759.6	...	...	N E	10	...	,,	29.89	759.2	...	...	N E	6	...
Pescadores,	,,	29.94	760.4	...	...	N E	8	...	,,	29.90	759.5	...	...	N E	8	...
Canton,	3 p.	29.99	761.7	73	81	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.93	760.2	76	56	N	2	o	10 a.	29.99	761.7	78	54	N	2	c
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.96	761.0	70	...	N	1	o	,,	30.01	762.2	74	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.4	81	...	S	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	79	...	N W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	753	86	65	W S W	2	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	ot	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.79	756.6	86	...	S W	1	c	,,	29.89	759.2	80	...	S W	2	or
Cebu,	,,	29.81	757.2	88	...	S	2	...	,,	29.90	759.4	87	...	...	...	b
Labuan,	,,	29.83	757.7	89	...	...	...	...	,,	29.93	760.2	85	...	...	...	...

On the 5th at 12.0 p.—The barometer has risen quickly over E. Japan, and fallen slightly over China and Formosa.

The low pressure trough still lies over the middle part of the China Sea and the Pacific towards the N.E. of Luzon, with a tendency for a depression to form over the latter area.

Pressure remains high over China to the North of the Yangtze.

Strong N. and N.E. winds will continue in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate ; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 5th October, 1906.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th October, 1906, P.M.								6th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.04	763.1	...	...	N W	4	...	6 a.	30.20	767.1	...	...	S W	2	
Hakodate,	,,	30.17	766.2	...	...	S	4	...	,,	30.05	763.2	...	...	E	6	
Tokio,	,,	30.14	765.6	...	...	N W	4	...	,,	29.99	761.6	...	...	N W	4	
Kochi,	,,	30.07	763.8	...	...	S W	2	...	,,	30.03	762.8	...	...	W	2	
Nagasaki,	,,	30.11	764.8	...	...	N	4	...	,,	30.15	765.8	...	...	N	4	
Kagoshima,	,,	30.11	764.9	...	...	...	0	...	,,	30.12	764.9	...	...	N	4	
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.08	764.1	...	...	S	2	
Naha,	,,	30.01	762.2	...	...	N E	6	...	,,	30.05	763.2	...	...	N E	6	
Ishigakijima,	,,	29.93	760.3	...	...	N E	4	...	,,	29.97	761.3	...	...	N E	8	
Chefoo,	3 p.	30.31	769.9	55	56	N	4	c	6 a.	30.41	772.4	55	68	N W	2	
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.45	773.4	51	...	W N W	4	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.53	775.4	60	94	N N E	5	
Kiukiang,	,,	30.22	767.6	72	50	N E	2	b	,,	30.38	771.6	61	88	N N E	5	
Shanghai,	,,	30.18	766.6	72	54	N E	2	b	9 a.	30.43	772.9	64	48	N	2	
Gutzlaff,	,,	30.14	765.5	68	60	N E	3	cv	,,	30.37	771.4	63	62	N N E	4	
Sharp Peak,	,,	30.03	762.7	71	88	N N W	2	o	,,	...	...	...	...	...	...	
Amoy,	,,	29.95	760.7	80	66	N N E	5	o	6 a.	30.08	764.0	72	76	N N E	5	
Swatow,	,,	29.88	758.9	82	67	E N E	1	c	,,	29.89	759.2	72	81	N	1	
Taihoku,	1 p.	29.99	761.8	...	...	E	6	...	5 a.	30.13	765.4	...	...	E	4	
Taichu,	,,	29.90	759.5	...	...	N	2	...	,,	29.96	760.9	...	...	N	6	
Tainan,	,,	29.89	759.3	...	...	N W	4	...	,,	29.91	759.7	...	...	N	4	
Koshun,	,,	29.86	758.5	...	...	N E	10	...	,,	29.88	758.8	...	...	N E	10	
Pescadores,	,,	29.90	759.5	...	...	N E	6	...	,,	29.94	760.5	...	...	N E	10	
Canton,	3 p.	29.97	761.2	82	45	N	1	b	9 a.	30.15	765.8	73	67	N	1	
Hongkong,	4 p.	29.93	760.2	80	50	N	2	b	10 a.	30.08	764.0	76	57	N	3	
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N	3	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.97	761.2	77	...	N N E	1	c	,,	30.10	764.5	74	...	N E	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.95	760.8	84	...	S W	2	b	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.95	760.7	77	...	N W	2	o	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.84	758.0	88	...	N W	2	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.80	757	86	71	W S W	3	c	10 a.	...	...	...	...	...	...	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	2	
Iloilo,	,,	29.79	756.6	85	...	W	3	b	,,	29.89	759.2	84	...	W	1	
Cebu,	,,	29.82	757.4	87	...	S	2	b	,,	29.91	759.7	85	...	S	3	
Labuan,	,,	29.87	758.7	84	...	...	...	...	,,	...	...	...	...	...	...	

On the 6th at 12.40 p.—The barometer has risen considerably over China, and fallen moderately in S.E. Japan. The anticyclone is central to the North of the Yangtze. The low pressure trough remains over the middle part of the China Sea and the Pacific to the N.E. of Luzon, the lowest pressure being situated, apparently, in the neighbourhood of N. Luzon. Another area of low pressure appears to be situated off the coast of S.E. Japan.

Gradients are steep along the China Coast, and strong N. and N.E. winds to gales will be met with in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fair.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N. to N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 6th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th October, 1906, P.M.								7th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S E	6	...	6 a.	29.73	755.1	...	...	E	10	...
Hakodate,	,,	29.89	759.2	...	...	E	6	...	,,	29.65	753.2	...	...	S E	4	...
Tokio,	,,	29.87	758.6	...	...	N W	2	...	,,	29.75	755.6	...	...	W	...	...
Kochi,	,,	29.95	760.8	...	...	N W	4	...	,,	30.11	764.8	...	...	W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	30.23	767.8	...	...	...	0	...
Kagoshima,	,,	30.04	762.9	...	...	N W	8	...	,,	30.23	767.9	...	...	N W	4	...
Oshima,	,,	30.08	764.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	8	...
Naha,	,,	30.09	764.2	...	...	N	8	...	,,	30.13	765.2	...	...	N E	6	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	8	...	,,	30.13	765.3	...	...	N E	4	...
Chefoo,	3 p.	30.37	771.4	62	72	N W	3	b	6 a.	30.33	770.4	55	87	S W	1	b
Weihaiwei,	,,	30.39	771.9	64	...	W	4	b	9 a.	30.34	770.6	61	...	W	3	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.45	773.4	58	94	N E	2	c
Kinkiang,	,,	30.41	772.4	68	60	N E	4	b	,,	30.41	772.4	58	81	N E	3	b
Shanghai,	,,	30.39	771.9	66	45	N N E	3	c	9 a.	30.38	771·6	64	53	N N E	1	c
Gutzlaff,	,,	30.34	770.6	64	48	N N E	4	cv	,,	30.36	771.1	65	58	N E	3	cv
Sharp Peak,	,,	30.16	766.0	72	83	N E	6	o	,,	30.22	767.6	69	85	N E	5	o
Amoy,	,,	30.06	763.5	82	71	N N E	6	c	6 a.	30.09	764.3	69	65	N E	6	c
Swatow,	,,	29.98	761.5	79	43	E	3	c	,,	30.04	763.0	68	60	N	2	c
Taihoku,	1 p.	30.19	766.8	...	...	E	4	...	5 a.	30.20	767.0	...	...	E	6	...
Taichu,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	...	...	...	0	...
Tainan,	,,	29.93	760.1	...	...	N W	6	...	,,	29.98	761.4	...	...	N	2	...
Koshun,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	...	...	N E	10	...
Pescadores,	,,	29.95	760.7	...	...	N E	10	...	,,	29.99	761.8	...	...	N E	10	...
Canton,	3 p.	30.05	763.2	80	58	N	2	c	9 a.	30.14	765.5	70	70	N E	2	c
Hongkong,	4 p.	30.00	762.0	79	54	N	4	c	10 a.	30.08	764.0	74	55	N E	3	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	77	...	N	1	c	,,	30.11	764.8	71	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.6	82	...	W	2	b	10 a.	30.12	764.9	81	...	N	2	b
Tourane,	,,	...	...	...	...	...	...	...	,,	30.02	762.4	82	...	N N W	2	c
Cape St. James,	,,	29.99	761.7	70	...	N N W	3	c	,,	29.92	760.0	82	...	S E	1	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	71	S W	2	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.79	756.7	90	...	W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	86	...	S W	2	c	,,	...	...	...	...	...	...	...
Cebu,	,,	29.81	757.2	87	...	S	2	b	,,	...	...	...	...	...	...	...
Labuan,	,,	29.87	758.7	81	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 7th at 12.45 p.—The barometer has fallen rapidly over E. Japan owing to the depression, which is now moving to the N.E. to the South of Hokkaido.

Pressure is inclined to give way over N. China, while it has increased moderately to slightly over S.W. Japan, the Loochoos and Formosa.

The anticyclone is still central over China to the North of the Yangtze, and pressure remains low between the Paracels and N. Luzon.

Gradients continue steep over S. China, and strong N. and N.E. winds and gales will continue in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh or strong; fair.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N. to N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 7th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th October, 1906, P.M.								8th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.57	751.1	...	...	E	8	...	6 a.	29.65	753.1	...	...	N	10	...
Hakodate,	,,	29.61	752.2	...	...	N	6	...	,,	29.93	760.2	...	...	N W	4	...
Tokio,	,,	29.75	755.6	...	...	N W	8	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	N	6	...	,,	30.15	765.8	...	...	S W	4	...
Nagasaki,	,,	30.19	766.8	...	...	N	6	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N E	2	...
Oshima,	,,	30.12	765.1	...	...	N	8	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	30.09	764.2	...	...	N E	8	...	,,	30.09	764.2	...	...	N E	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.01	762.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.29	769.3	54	94	S	1	o
Weihaiwei,	,,	30.28	769.1	62	...	W N W	2	c	9 a.	30.20	767.1	59	...	W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.29	769.3	61	100	E	2	b
Kiukiang,	,,	30.24	768.1	69	52	N E	2	b	,,	30.25	768.3	55	87	...	0	b
Shanghai,	,,	30.29	769.3	67	50	N E	1	o	9 a.	30.21	767.3	69	52	S E	1	c
Gutzlaff,	,,	30.24	768.1	67	55	N N E	2	cv	,,	30.25	768.3	63	83	E	2	cv
Sharp Peak,	,,	30.15	765.8	70	88	N E	5	o	,,	30.13	765.3	70	85	N E	1	o
Amoy,	,,	30.06	763.5	79	58	N E	6	c	6 a.	30.05	763.2	70	75	N N E	3	b
Swatow,	,,	30.03	762.7	80	55	N E	3	c	,,	29.86	758.4	76	77	N	1	b
Taihoku,	1 p.	30.14	765.6	...	...	E	8	...	5 a.	30.05	763.3	...	...	E	4	...
Taichu,	,,	29.96	761.1	...	...	S	2	...	,,	29.99	761.8	...	...	...	0	...
Tainan,	,,	30.00	762.0	...	...	S E	4	...	,,	29.97	761.3	...	...	E	2	...
Koshun,	,,	29.97	761.2	...	...	N E	10	...	,,	29.97	761.3	...	...	N E	8	...
Pescadores,	,,	30.00	762.1	...	...	N E	10	...	,,	29.98	761.4	...	...	N E	6	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	30.13	765.3	74	59	N	1	b
Hongkong,	4 p.	30.03	762.7	76	56	N N E	1	o	10 a.	30.07	763.8	77	52	E	2	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.07	763.8	73	...	N	1	o	,,	30.12	765.0	76	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.8	84	...	W	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.91	759.7	81	...	N N W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.1	81	...	W N W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	79	92	...	0	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	od	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	82	...	S W	2	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.81	757.2	83	...	S	1	...	,,	...	...	...	...	...	...	...
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 8th a 12.25 p.—The barometer has risen over E. Japan, the depression having moved away over the Pacific to the E. of Hokkaido.

Pressure is giving way again over China and the Loochoos, particularly in N. China. It is still highest over China to the N. of the Yangtze, and lowest over the middle part of the China Sea and the Pacific towards the E. of Luzon.

Strong N. and N.E. winds are still indicated in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh ; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 8th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th October, 1906, P.M.								9th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	N W	8	...	6 a.	29.81	757.1	...	...	S E	4	...
Hakodate,	,,	29.93	760.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	30.06	763.6	...	...	E	6	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	30.11	764.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N E	2	...	,,	30.15	765.8	...	...	E	2	...
Kagoshima,	,,	30.07	763.9	...	...	S E	2	...	,,	30.11	764.9	...	...	N	2	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.04	763.1	...	...	S	2	...
Naha	,,	30.05	763.2	...	...	E	8	...	,,	29.97	761.2	...	...	N E	4	...
Ishigakijima,	,,	30.01	762.3	...	...	E	8	...	,,	29.93	760.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.18	766.6	60	76	S	1	b
Weihaiwei,	,,	30.16	766.0	62	...	W	2	c	9 a.	30.21	767.3	63	...	E N E	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.27	768.8	65	84	N	2	c
Kiukiang,	,,	30.19	766.8	74	59	...	0	b	,,	30.21	767.3	63	89	...	0	c
Shanghai,	,,	30.13	765.3	69	61	E	1	o	9 a.	30.15	765.8	67	74	N N E	1	om
Gutzlaff,	,,	30.12	765.0	71	76	E	2	cv	,,	30.11	764.8	66	73	E	3	cv
Sharp Peak,	,,	30.06	763.5	72	90	N E	4	o	,,	30.06	763.5	70	87	N N E	2	o
Amoy,	,,	29.98	761.5	80	74	N E	4	c	6 a.	30.00	762.0	70	85	N E	1	c
Swatow,	,,	29.93	760.2	80	58	E	1	b	,,	29.89	759.2	72	76	N	1	b
Taihoku,	1 p.	30.00	761.9	...	...	E	8	...	5 a.	29.97	761.1	...	...	E	4	...
Taichu,	,,	29.94	760.6	...	...	N W	2	...	,,	29.92	760.0	...	...	...	0	...
Tainan,	,,	29.94	760.5	...	...	S	4	...	,,	29.93	760.1	...	...	...	0	...
Koshun	,,	29.91	759.6	...	...	N E	8	...	,,	29.91	759.8	...	...	N E	4	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	...	...	N E	6	...
Canton,	3 p.	29.99	761.7	83	43	N E	1	b	9 a.	30.06	763.5	74	59	N	1	c
Hongkong,	4 p.	29.97	761.2	77	60	E	3	o	10 a.	30.01	762.2	77	46	N	2	c
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.02	762.5	79	...	N N E	1	c	,,	30.05	763.2	76	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.8	75	...	N	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.75	755.6	75	...	S S E	3	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	757.0	77	...	...	0	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	77	92	N N W	1	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	2	or
Iloilo,	,,	29.75	755.6	84	...	S W	3	o	,,	29.81	757.2	81	...	S W	3	od
Cebu,	,,	29.80	756.9	84	...	S	1	o	,,	29.84	757.9	86	...	S	2	c
Labuan,	,,	29.81	757.2	83	...	...	...	...	,,	29.90	759.4	77	...	...	...	...

On the 9th at 12.5 p.—The barometer has fallen at all stations; moderately over S. China, Formosa and the Loochoos, and slightly elsewhere.

An area of low pressure appears to be situated over the Pacific to the E. of Luzon.

The highest pressure is still shown over China to the North of the Yangtze.

Strong N. and N.E. winds will continue in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 9th October, 1906.

[Printed by Nokoshima & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th October, 1906, P.M.								10th October, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	N W	8	...	6 a.	30.08	764.1	...	...	S W	6	...
Hakodate,	,,	29.97	761.2	...	...	N W	4	...	,,	29.93	760.2	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	N W	6	...	,,	30.26	768.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	S	4	...	,,	30.11	764.8	...	...	W	2	...
Nagasaki,	,,	30.07	763.8	...	...	E	4	...	,,	30.03	762.8	...	...	N E	2	...
Kagoshima,	,,	30.07	763.9	...	...	S	4	...	,,	30.00	761.9	...	...	E	4	...
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.93	760.2	...	...	E	6	...	,,	29.81	757.2	...	...	N E	6	...
Ishigakijima,	,,	29.89	759.3	...	...	N E	8	...	,,	29.82	757.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.08	764.0	65	68	...	0	b
Weihaiwei,	,,	30.16	766.0	64	...	E	1	c	9 a.	30.12	765.0	65	...	E N E	...	b
Hankow,	,,	30.23	767.8	69	90	N E	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.17	766.3	66	79	...	0	o	,,	30.17	766.3	56	100	...	0	c
Shanghai,	,,	30.09	764.3	65	73	E N E	2	om	9 a.	30.05	763.2	68	65	N	1	c
Gutzlaff,	,,	30.07	763.8	66	68	E N E	2	cv	,,	30.02	762.5	67	79	N	3	bv
Sharp Peak,	,,	29.99	761.7	72	85	N E	3	o	,,	29.99	761.7	72	83	N E	1	b
Amoy,	,,	29.95	760.7	84	64	N E	3	c	6 a.	29.90	759.4	74	81	N N E	1	c
Swatow,	,,	29.88	758.9	81	62	E	1	c	,,	29.77	756.1	73	81	N E	1	b
Taihoku,	1 p.	29.94	760.5	...	...	E	6	...	5 a.	29.91	759.6	...	...	E	...	...
Taichu,	,,	29.87	758.7	...	...	N W	2	...	,,	29.88	759.0	...	...	...	0	...
Tainan,	,,	29.89	759.1	...	...	...	0	...	,,	29.82	757.5	...	...	...	0	...
Koshun,	,,	29.91	759.6	...	...	N E	8	...	,,	29.82	757.5	...	...	N E	4	...
Pescadores,	,,	29.91	759.6	...	...	N E	8	...	,,	29.83	757.7	...	...	N E	8	...
Canton,	3 p.	29.97	761.2	84	54	N E	1	b	9 a.	30.02	762.5	74	68	N	1	b
Hongkong,	4 p.	29.93	760.2	81	48	...	0	c	10 a.	29.97	761.2	80	47	N	1	b
Victoria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.99	761.7	79	...	N E	1	c	,,	30.02	762.5	75	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	77	...	N N W	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.91	759.6	79	...	E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.3	79	...	N	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	79	84	W N W	0	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	2	ov
Iloilo,	,,	29.72	754.9	88	...	W	4	c	,,	29.85	758.2	81	...	W	4	o
Cebu,	,,	29.75	755.6	84	...	S	4	o	,,	29.85	758.2	83	...	S	5	o
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.94	760.5	75	...	...	...	...

On the 10th at 11.40 a.—Except over E. Japan and the Southern Philippines, the barometer has fallen generally, particularly in the neighbourhood of the Loochoos.

The depression noted yesterday is a typhoon. It seems to be situated to the N.E. of Luzon, and to be moving N.W. at present. It may recurve northwards later.

The highest pressure is still over China to the North of the Yangtze.

Strong N. and N.E. winds to gales will continue in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 10th October, 1906.

(Printed by Noronha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th October, 1906, P.M.								11th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.20	767.1	...	...	N	2	...	6 a.	30.28	769.1	...	...	...	0	...
Hakodate,	,,	30.20	767.2	...	...	W	6	...	,,	30.21	767.2	...	...	N W	2	...
Tokio,	,,	30.22	767.6	...	...	N	6	...	,,	30.10	764.6	...	...	N W	6	...
Kochi,	,,	29.99	761.8	...	...	...	0	...	,,	29.84	757.8	...	...	N E	4	...
Nagasaki,	,,	29.95	760.8	...	...	E	4	...	,,	29.60	751.8	...	...	E	4	...
Kagoshima,	,,	29.88	758.9	...	...	N E	10	...	,,	29.88	758.9	...	...	N	4	...
Oshima,	,,	29.76	756.1	...	...	N	4	...	,,	29.77	756.1	...	...	N	8	...
Naha,	,,	29.73	755.2	...	...	N	8	...	,,	29.77	756.2	...	...	N E	4	...
Ishigakijima,	,,	29.82	757.3	...	...	N E	6	...	,,	29.86	758.3	...	...	N	6	...
Chefoo,	3 p.	30.02	762.5	66	73	N E	1	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.05	763.2	66	...	E N E	2	ovr	9 a.	30.10	764.5	61	...	W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.14	765.5	73	63	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.99	761.7	72	54	N N E	1	b	9 a.	30.12	765.0	67	79	N	1	b
Gutzlaff,	,,	29.95	760.7	69	70	N N W	3	bv	,,	30.07	763.8	67	84	N N W	3	cv
Sharp Peak,	,,	29.93	760.2	74	83	E	3	b	,,	30.07	763.8	71	85	N N E	1	b
Amoy,	,,	29.88	758.9	84	68	N E	2	b	6 a.	30.00	762.0	71	90	N E	2	b
Swatow,	,,	29.85	758.2	80	66	E	2	b	,,	29.86	758.4	70	80	E	1	b
Taihoku,	1 p.	29.91	759.8	...	...	N E	6	...	5 a.	29.99	761.6	...	...	...	0	...
Taichu,	,,	29.82	757.4	...	...	N	6	...	,,	29.91	759.7	...	...	...	0	...
Tainan,	,,	29.83	757.6	...	...	W	6	...	,,	29.89	759.2	...	...	N	2	...
Koshun,	,,	29.82	757.5	...	...	N E	6	...	,,	29.89	759.2	...	...	N E	6	...
Pescadores,	,,	29.78	756.3	...	...	N E	10	...	,,	29.90	759.5	...	...	N E	10	...
Canton,	3 p.	29.93	760.2	85	47	N	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.90	759.4	78	53	E S E	1	b	10 a.	30.05	763.2	80	38	N	2	b
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.94	760.5	79	...	E N E	1	c	,,	30.09	764.3	75	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.8	84	...	W N W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.93	760.3	75	...	N	1	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	82	...	S	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	75	100	S S E	1	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	3	or
Iloilo,	,,	29.75	755.6	85	...	S W	4	c	,,	29.85	758.2	81	...	W	4	or
Cebu,	,,	29.77	756.1	85	...	S	4	...	,,	29.90	759.4	83	...	S	2	...
Labuan,	,,	29.83	757.7	81	...	...	...	...	,,	...	...	...	...	...	...	...

On the 11th at 12.5 p.—The barometer has fallen over S. Japan and risen over China and Formosa.

The typhoon appears to be situated to the S.E. of Kiusiu and to be moving towards N.N.E. Pressure has increased but is still in defect over Luzon and adjacent waters.

Pressure is high to the N.W. of China, and also over N.E. Japan.

Strong N. and N.E. winds are still expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 11th October, 1906.

[Printed by Kurosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th October, 1906, P.M.								12th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.20	767.1	...	...	S E	4	...	6 a.	30.12	765.1	...	...	S E	2	...
Hakodate,	,,	30.13	765.2	...	...	E	6	...	,,	30.09	764.2	...	...	N E	2	...
Tokio,	,,	29.91	759.6	...	...	N W	6	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	29.87	753.8	...	...	N	2	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.91	759.8	...	...	N	6	...	,,	30.07	763.8	...	...	N E	4	...
Kagoshima,	,,	29.87	758.9	...	...	S	4	...	,,	30.04	762.9	...	...	N	6	...
Oshima,	,,	29.85	758.1	...	...	N	6	...	,,	30.01	762.1	...	...	N	6	...
Naha,	,,	29.85	758.2	...	...	N	10	...	,,	29.97	761.2	...	...	N E	6	...
Ishigakijima,	,,	29.89	759.3	...	...	N E	6	...	,,	29.97	761.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.14	765.5	54	94	N W	1	o
Weihaiwei,	,,	30.06	763.5	65	...	W N W	2	b	9 a.	30.20	767.1	64	...	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.26	768.6	66	89	E	3	b
Kiukiang,	,,	30.20	767.1	76	56	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.04	763.0	73	51	N	2	b	9 a.	30.23	767.8	69	61	N	1	b
Gutzlaff,	,,	30.06	763.5	70	75	N	4	bv	,,	30.17	766.3	76	38	...	2	bv
Sharp Peak,	,,	30.00	762.0	75	81	E	5	b	,,	30.18	766.6	72	73	N N E	3	b
Amoy,	,,	29.95	760.7	83	67	S E	3	b	6 a.	30.06	763.5	65	78	N E	3	b
Swatow,	,,	29.91	759.7	79	66	E	1	b	,,	30.07	763.8	67	79	E	1	b
Taihoku,	1 p.	30.01	762.3	...	...	E	6	...	5 a.	30.08	763.9	...	...	E	2	...
Taichu,	,,	29.92	759.9	...	...	N	6	...	,,	29.99	761.6	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	N W	4	...	,,	29.96	761.0	...	...	N W	4	...
Koshun,	,,	29.89	759.2	...	...	N	8	...	,,	29.96	760.9	...	...	N E	6	...
Pescadores,	,,	29.93	760.3	...	...	N E	10	...	,,	29.97	761.3	...	...	N E	10	...
Canton,	3 p.	29.99	761.7	86	39	N W	1	b	9 a.	30.13	765.3	75	64	N	1	b
Hongkong,	4 p.	29.96	761.0	81	48	S E	1	b	10 a.	30.11	764.8	79	47	N	1	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.01	762.2	81	...	N E	1	b	,,	30.14	765.5	77	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	84	...	S	2	b	10 a.	30.12	765.1	81	...	N	2	b
Tourane,	,,	29.98	761.5	81	...	N N W	3	c	,,	30.12	765.0	77	...	N N W	1	c
Cape St. James,	,,	29.85	758.1	75	...	S S W	4	o	,,	29.97	761.2	84	...	N E	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	73	91	N N W	2	r	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	...	...	...
Hoilo,	,,	29.79	756.6	82	...	W	4	o	,,	...	...	...	...	...	...	...
Cebu,	,,	29.82	757.4	84	...	S	4	o	,,	...	...	...	...	...	...	...
Labuan,	,,	29.88	758.9	83	...	...	...	...	,,	29.93	760.2	83	...	...	...	...

On the 12th at 12.20 p.—The barometer has fallen over S. Japan, and risen over W. Japan, China and Formosa The typhoon appears to have moved away over the Pacific to the South of Japan.

The highest pressure is still over China to the North of the Yangtze, and the lowest over Luzon and adjacent waters.

Strong monsoon is indicated in the Formosa Channel, and strong N. and N.E. winds to gales over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 12th October, 1906.

[Printed by Nosokna & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th October, 1906, P.M.								13th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S E	4	...	6 a.	30.16	766.1	...	...	S W	2	...
Hakodate,	,,	30.09	764.2	...	...	S E	6	...	,,	30.17	766.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	N	2	...	,,	30.18	766.6	...	...	N W	4	...
Kochi,	,,	29.99	761.8	...	...	N	6	...	,,	30.19	766.8	...	...	W	2	...
Nagasaki,	,,	30.07	763.8	...	...	N	6	...	,,	30.19	766.8	...	...	E	2	...
Kagoshima,	,,	30.04	762.9	...	...	W	4	...	,,	30.19	766.9	...	...	N E	2	...
Oshima,	,,	30.04	763.1	...	...	E	6	...	,,	30.12	765.1	...	...	S	4	...
Naha,	,,	30.01	762.2	...	...	N	6	...	,,	30.09	764.2	...	...	N E	4	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	6	...	,,	30.01	762.3	...	...	E	6	...
Chefoo,	3 p.	30.11	764.8	67	79	E	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.15	765.8	69	...	...	1	b	9 a.	30.22	767.6	65	...	S W	1	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.21	767.3	77	49	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.19	766.8	74	47	N E	1	b	9 a.	30.24	768.1	70	57	S E	1	c
Gutzlaff,	,,	30.17	766.3	69	70	N N E	2	cv	,,	30.21	767.3	69	70	E S E	2	cv
Sharp Peak,	,,	30.10	764.5	74	72	E	5	b	,,	30.13	765.3	70	75	N N E	2	b
Amoy,	,,	30.01	762.2	82	75	N E	2	b	6 a.	30.11	764.8	70	80	N E	5	c
Swatow,	,,	29.95	760.7	76	82	E	3	b	,,	29.99	761.7	69	80	E	1	o
Taihoku,	1 p.	30.09	764.2	...	...	E	6	...	5 a.	30.06	763.4	...	...	E	6	...
Taichu,	,,	29.94	760.6	...	...	N E	6	...	,,	29.98	761.4	...	...	...	0	...
Tainan,	,,	29.94	760.6	...	...	N W	4	...	,,	29.95	760.6	...	...	E	2	...
Koshun,	,,	29.95	760.7	...	...	N E	8	...	,,	29.94	760.5	...	...	N E	10	...
Pescadores,	,,	30.00	762.0	...	...	N E	10	...	,,	29.96	760.9	...	...	N E	8	...
Canton,	3 p.	30.02	762.5	86	51	N E	1	b	9 a.	30.09	764.3	76	73	N	1	b
Hongkong,	4 p.	30.01	762.2	76	62	E	3	b	10 a.	30.07	763.8	78	53	E	3	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	81	...	E N E	1	c	,,	30.08	764.0	77	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.4	82	...	S	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.01	762.2	82	...	...	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	84	...	E N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	73	100	N	2	od	10 a.	29.88	759	82	77	S S W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.79	756.6	85	...	W	4	c	,,	29.85	758.2	83	...	W	1	c
Cebu,	,,	29.83	757.7	87	...	S	2	b	,,	29.88	758.9	88	...	S	2	b
Labuan,	,,	29.90	759.4	84	...	...	...	...	,,	29.95	760.7	83	...	...	...	...

On the 13th at 11.45 a.—The barometer has risen considerably over Japan, and fallen slightly over S. China and the Philippines.

Pressure is highest over the Yellow Sea and the Sea of Japan, and lowest over the Philippines and adjacent waters.

Strong N. and N.E. winds are indicated in the Formosa Channel, and the N. part the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 13th October, 1906.

[Printed by Nokoshi & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th October, 1906, P.M.								14th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	S W	6	...	6 a.	30.08	764.1	...	...	W	4	...
Hakodate,	,,	30.13	765.2	...	...	S W	4	...	,,	30.21	767.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	N	2	...	,,	30.34	770.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	S	2	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	E	4	...	,,	30.23	767.8	...	...	S E	2	...
Kagoshima,	,,	30.15	765.9	...	...	E	4	...	,,	30.23	767.9	...	...	N E	10	...
Oshima,	,,	30.08	764.1	...	...	N E	6	...	,,	30.12	765.1	...	...	N E	2	...
Naha	,,	30.01	762.2	...	...	E	6	...	,,	30.05	763.2	...	...	E	6	...
Ishigakijima,	,,	30.01	762.3	...	...	E	8	...	,,	29.97	761.3	...	...	N E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.16	766.0	69	...	W S W	2	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.16	766.0	65	89	E	2	b
Kiukiang,	,,	30.12	765.0	78	58	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.14	765.5	73	51	E S E	2	b	9 a.	30.16	766.0	73	72	S E	2	b
Gutzlaff,	,,	30.14	765.5	73	67	E S E	3	bv	,,	30.14	765.5	72	67	E S E	3	bv
Sharp Peak,	,,	30.06	763.5	74	81	E	4	o	,,	30.09	764.3	73	81	N	1	o
Amoy,	,,	29.98	761.5	84	68	N E	3	b	6 a.	30.10	764.5	73	81	N E	2	c
Swatow,	,,	29.97	761.2	80	55	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.01	762.2	...	...	E	8	...	5 a.	29.98	761.4	...	...	E	6	...
Taichu,	,,	29.93	760.2	...	...	W	2	...	,,	29.95	760.8	...	...	...	0	...
Tainan,	,,	29.94	760.5	...	...	N E	8	...	,,	29.94	760.5	...	...	...	0	...
Koshun	,,	29.92	759.9	...	...	N E	10	...	,,	29.92	760.0	...	...	N E	10	...
Pescadores,	,,	29.95	760.8	...	...	N E	8	...	,,	29.95	760.6	...	...	N E	6	...
Canton,	3 p.	29.98	761.5	85	58	S	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.97	761.2	78	55	E	3	o	10 a.	30.04	763.0	80	48	E	3	b
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.00	762.0	68	...	E	1	o	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.97	761.2	84	...	S	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.96	760.9	81	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.6	82	...	E N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	77	W S W	1	o	10 a.	29.92	760	82	77	S W	1	c
Legaspi,	2 p.	29.82	757.3	90	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.79	756.6	85	...	W	2	c	,,	29.89	759.2	82	...	N E	...	c
Cebu,	,,	29.80	756.9	87	...	S	1	c	,,	29.91	759.7	85	...	N	1	b
Labuan,	,,	29.85	758.2	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 14th at 11.45 a.—The barometer has risen over S. Japan, and the Philippines, and fallen over China and Formosa.

An area of high pressure lies over S. Japan, and the lowest pressure appears to be situated over N. Luzon and adjacent waters.

Strong N.E. winds are indicated in the Formosa Channel, and the N. part the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 14th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th October, 1906, P.M.								15th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	S E	4	...	6 a.	30.20	767.1	...	...	S W	4	...
Hakodate,	,,	30.20	767.2	...	...	S W	6	...	,,	30.21	767.2	...	...	...	0	...
Tokio,	,,	30.30	769.6	...	...	S	2	...	,,	30.38	771.6	...	...	N W	4	...
Kochi,	,,	30.27	768.8	...	...	S E	2	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	S E	4	...	,,	30.27	768.8	...	...	N E	2	...
Kagoshima,	,,	30.19	766.9	...	...	S E	6	...	,,	30.23	767.9	...	...	N E	6	...
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.12	765.1	...	...	E	2	...
Naha,	,,	30.01	762.2	...	...	E	6	...	,,	30.01	762.2	...	...	E	4	...
Ishigakijima,	,,	29.97	761.3	...	...	E	6	...	,,	29.97	761.3	...	...	N E	4	...
Chefoo,	3 p.	30.06	763.5	73	90	S	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.15	765.8	69	...	S W	1	b	9 a.	30.15	765.8	65	...	S E	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.09	764.3	81	48	...	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.08	764.0	75	68	S E	2	o	9 a.	30.13	765.3	75	72	S S E	2	b
Gutzlaff,	,,	30.07	763.8	73	86	E	3	cv	,,	30.11	764.8	74	81	S E	3	cv
Sharp Peak,	,,	30.11	764.8	75	86	E N E	3	o	,,	30.10	764.5	75	81	E	1	c
Amoy,	,,	30.02	762.5	85	61	N E	3	c	6 a.	30.10	764.5	75	86	N W	3	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.97	761.3	...	...	S E	8	...	5 a.	29.99	761.8	...	...	E	6	...
Taichu,	,,	29.92	760.0	...	...	S W	2	...	,,	29.98	761.4	...	...	...	0	...
Tainan,	,,	29.93	760.2	...	...	S W	4	...	,,	29.96	761.0	...	...	...	0	...
Koshun,	,,	29.93	760.2	...	...	N E	8	...	,,	29.97	761.3	...	...	N	4	...
Pescadores,	,,	29.93	760.2	...	...	N	6	...	,,	29.95	760.8	...	...	...	0	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.94	760.5	79	58	E	3	o	10 a.	30.05	763.2	80	65	E	4	o
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.95	760.7	82	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.95	760.7	82	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.7	84	...	E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	84	77	S S E	1	o	10 a.	29.96	761	81	85	W N W	0	o
Legaspi,	2 p.	29.82	757.4	88	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	b	9 a.	...	...	...	...	N N E	1	o
Iloilo,	,,	29.81	757.2	80	...	W S W	1	b	,,	29.89	759.2	82	...	N E	1	c
Cebu,	,,	29.82	757.4	86	...	...	0	c	,,	29.92	759.9	84	...	...	0	b
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 15th at 11.50 a.—Barometric changes are slight.

The area of high pressure is still lying over S. Japan, and the lowest pressure is over the middle part of the China Sea and the Pacific towards the S. of the Loochoos.

Fresh monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 15th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th October, 1906, P.M.								16th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		W
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.16	766.1	...	...	S	8	...	6 a.	30.08	764.1	...	...	S W	4	
Hakodate,	,,	30.20	767.2	...	...	S	8	...	,,	30.13	765.2	...	...	N W	2	
Tokio,	,,	30.30	769.6	...	...	N E	4	...	,,	30.30	769.6	...	...	N W	2	
Kochi,	,,	30.27	768.8	...	...	S E	2	...	,,	30.23	767.8	...	...	S	2	
Nagasaki,	,,	30.19	766.8	...	...	S E	6	...	,,	30.15	765.8	...	...	S E	6	
Kagoshima,	,,	30.19	766.9	...	...	E	6	...	,,	30.15	765.9	...	...	E	6	
Oshima,	,,	30.08	764.1	...	...	E	6	...	,,	30.04	763.1	...	...	S E	6	
Naha,	,,	30.01	762.2	...	...	E	6	...	,,	30.01	762.2	...	...	S E	4	
Ishigakijima,	,,	29.97	761.3	...	...	E	6	...	,,	29.93	760.3	...	...	N E	2	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.06	763.5	75	...	S	3	ovr	9 a.	30.02	762.5	64	...	W	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.31	769.9	67	84	N E	3	
Kiukiang,	,,	30.12	765.0	83	83	...	0	b	,,	...	...	...	...	...	...	
Shanghai,	,,	30.09	764.3	80	62	S S E	3	b	9 a.	30.06	763.5	71	85	N	1	
Gutzlaff,	,,	30.05	763.2	78	82	E S E	2	bcm	,,	30.04	763.0	70	95	N	1	
Sharp Peak,	,,	30.01	762.2	78	84	E	3	b	,,	30.04	763.0	75	81	...	0	
Amoy,	,,	29.95	760.7	85	68	E N E	2	c	6 a.	29.98	761.5	75	90	N E	1	
Swatow,	,,	29.93	760.2	80	74	E	2	o	,,	29.93	760.2	72	90	...	0	
Taihoku,	1 p.	30.00	762.0	...	...	E	6	...	5 a.	29.99	761.7	...	...	E	2	
Taichu,	,,	29.96	761.0	...	...	N	4	...	,,	29.93	760.2	...	...	...	0	
Tainan,	,,	29.97	761.2	...	...	S	4	...	,,	29.93	760.1	...	...	...	0	
Koshun,	,,	29.96	761.0	...	...	N	6	...	,,	29.91	759.7	...	...	N	2	
Pescadores,	,,	29.95	760.8	...	...	N E	4	...	,,	29.93	760.1	...	...	N E	8	
Canton,	3 p.	29.97	761.2	89	56	E	1	b	9 a.	30.06	763.5	80	82	...	0	
Hongkong,	4 p.	29.98	761.5	79	73	E	3	o	10 a.	30.05	763.2	81	69	E	3	
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	300.1	762.2	78	...	E	2	o	,,	30.09	764.3	81	...	E S E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.98	761.4	86	...	W	2	b	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.94	760.4	84	...	N	2	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.80	757.0	84	...	...	0	o	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.84	758	84	77	W N W	0	c	10 a.	29.92	760	81	85	W S W	1	
Legaspi,	2 p.	29.87	758.8	84	...	N E	1	c	6 a.	29.91	759.6	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N	1	
Iloilo,	,,	29.82	757.4	86	...	N E	5	...	,,	29.89	759.2	82	...	N E	1	
Cebu,	,,	29.84	757.9	85	...	N	1	o	,,	29.91	759.7	84	...	...	0	
Labuan,	,,	29.85	758.2	86	...	...	...	...	,,	29.88	758.9	81	...	...	...	

On the 16th at 11.55 a.—The barometer has fallen over Japan, and on the E. and N. Coasts of China.

A depression appears to be moving Eastwards over S. Manchuria, and pressure remains slightly low over th Pacific to the S.E. of Formosa.

The area of high pressure remains over S.E. Japan, and another high area is appearing to the N. of the Yangt

The monsoon is expected to freshen considerably in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N. winds, light to fresh; fine.
2.—Formosa Channel,	N.E. winds, freshening considerably.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, freshening.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 16th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th October, 1906, P.M.								17th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.04	763.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate, ...	,,	30.09	764.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	30.18	766.6	...	...	...	0	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	30.11	764.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	29.99	761.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	30.04	762.9	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Oshima, ...	,,	29.96	761.1	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Naha.....	,,	29.93	760.2	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Ishigakijima, ...	,,	29.93	760.3	...	...	S	4	...	,,	...	...	...	...	...	...	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	29.94	760.5	52	71	W	4	b
Weihaiwei, ...	,,	...	...	...	...	...	...	...	9 a.	29.95	760.7	56	...	W N W	5	ovr
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	30.13	765.3	84	50	S W	2	b	,,	30.21	767.3	68	85	N W	3	c
Shanghai, ...	,,	29.98	761.5	80	48	N W	2	b	9 a.	30.15	765.8	67	55	N N W	4	b
Gutzlaff, ...	,,	29.98	761.5	72	85	N N E	1	bv	,,	30.08	764.0	67	84	N W	5	ovr
Sharp Peak, ...	,,	29.95	760.7	78	82	E	2	c	,,	30.05	763.2	76	77	...	0	b
Amoy, ...	,,	29.90	759.4	81	78	S E	4	b	6 a.	29.98	761.5	76	86	N E	1	b
Swatow, ...	,,	29.89	759.2	...	...	E S E	2	b	,,	...	...	...	...	...	...	...
Taihoku, ...	1 p.	29.93	760.1	...	...	E	6	...	5 a.	29.98	761.5	...	...	E	4	...
Taichu, ...	,,	29.89	759.2	...	...	N	6	...	,,	29.90	759.5	...	...	...	0	...
Tainan, ...	,,	29.89	759.2	...	...	N W	4	...	,,	29.89	759.2	...	...	N W	4	...
Koshun, ...	,,	29.91	759.7	...	...	N	6	...	,,	29.91	759.6	...	...	...	0	...
Pescadores, ...	,,	29.91	759.6	...	...	N	8	...	,,	29.92	759.9	...	...	N	8	...
Canton, ...	3 p.	29.96	761.0	81	...	...	0	b	9 a.	30.06	763.5	78	65	N E	1	c
Hongkong, ...	4 p.	29.94	760.5	83	68	W	1	c	10 a.	30.02	762.5	84	45	E	1	b
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	300.0	762.0	84	...	S E	1	c	,,	30.06	763.5	81	...	E N E	1	c
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.97	761.2	81	...	N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane, ...	,,	29.83	758.9	84	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James, ..	,,	29.80	756.9	82	...	E	2	c	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	29.83	757.7	79	...	N	1	o	6 a.	29.85	758.2	73	...	...	0	b
Manila, ...	4 p.	29.80	757	82	77	W	...	c	10 a.	29.88	759	82	77	W	1	c
Legaspi, ...	2 p.	29.84	758.0	82	...	N E	1	o	6 a.	29.86	758.5	79	...	N E	1	b
Bacolod, ...	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N	1	b
Iloilo, ...	,,	29.79	756.6	85	...	N E	1	c	,,	29.85	758.2	83	...	...	0	c
Cebu, ...	,,	29.81	757.2	85	...	N	1	b	,,	29.88	758.9	85	...	S	1	b
Labuan, ...	,,	29.76	755.9	85	...	...	...	...	,,	29.91	759.7	80	...	...	...	...

On the 17th at 12.20 p.— The barometer has risen along the Yangtze, and fallen over N. China and the Philippines.

The depression lying over S. Manchuria is moving into the Sea of Japan. Pressure remains somewhat low over the Pacific to the E. or N.E. of Luzon.

A high pressure area is spreading over China from the N.W., and hard monsoon is expected to set in over the whole of the China Coast, and the N. part of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, increasing to fresh or strong breezes; fine.
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks..	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 17th October, 1906.

[Printed by Nunokha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th October, 1906, P.M.								18th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	S W	6	...	6 a.	29.61	752.1	...	...	S	10	...
Hakodate,	,,	29.81	757.2	...	...	S E	2	...	,,	29.54	750.2	...	...	S	6	...
Tokio,	,,	29.94	760.6	...	...	S	2	...	,,	29.71	754.6	...	...	...	0	...
Kochi,	,,	29.83	757.8	...	...	N W	2	...	,,	29.84	757.8	...	...	W	4	...
Nagasaki,	,,	29.87	758.8	...	...	N W	6	...	,,	30.03	762.8	...	...	N	6	...
Kagoshima,	,,	29.88	758.9	...	...	N W	6	...	,,	30.00	761.9	...	...	N W	4	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	30.01	762.1	...	...	N W	8	...
Naha,	,,	29.89	759.2	...	...	N	4	...	,,	30.01	762.2	...	...	N	10	...
Ishigakijima,	,,	29.93	760.3	...	...	N E	6	...	,,	30.01	762.3	...	...	N E	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.01	762.2	54	...	W N W	5	c	9 a.	30.25	768.3	56	...	N W	4	b
Hankow,	,,	30.53	775.4	67	69	N	4	b	6 a.	30,49	774.4	59	94	N	4	o
Kiukiang,	,,	30.35	77.09	66	40	N E	6	dh	,,	30.44	773.2	57	53	N E	4	b
Shanghai,	,,	30.18	766.6	64	34	N N W	4	b	9 a.	30.35	770.9	60	44	N W	2	b
Gutzlaff,	,,	30.12	765.0	66	49	N N W	6	bm	,,	30.29	769.3	58	64	N N W	5	b
Sharp Peak,	,,	29.99	761.7	78	84	N E	3	b	,,	30.21	767.3	70	75	N N E	5	b
Amoy,	,,	29.92	759.9	86	72	E	3	b	6 a.	30.04	763.0	70	75	N E	5	c
Swatow,	,,	29.91	759.7	82	67	E S E	2	b	,,	29.98	761.5	71	90	...	0	c
Taihoku,	1 p.	30.01	762.2	...	...	E	6	...	5 a.	30.19	766.7	...	...	E	4	...
Taichu,	,,	29.89	759.2	...	...	N	6	...	,,	29.96	760.9	...	...	N	4	...
Tainan,	,,	29.89	759.2	...	...	N W	4	...	,,	29.93	760.3	...	...	N	4	...
Koshun,	,,	...	...	...	...	...	...	...	,,	29.90	759.5	...	...	N E	10	...
Pescadores,	,,	29.94	760.4	...	...	N E	10	...	,,	29.98	761.5	...	...	N E	10	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	30.14	765.5	76	82	N N W	1	b
Hongkong,	4 p.	29.95	760.7	82	52	E S E	3	b	10 a.	30.09	764.3	79	48	N E	2	b
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	300.0	762.0	83	...	N E	1	c	,,	30.14	765.5	76	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.1	88	...	W S W	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.93	760.2	81	...	E N E	1	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	82	...	E N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.6	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	79	84	N N E	0	c	10 a.	29.84	758	82	77	W	0	c
Legaspi,	2 p.	29.81	757.1	86	...	S E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.75	755.6	85	...	W	2	b	,,	29.84	757.9	83	...	N E	1	b
Cebu,	,,	29.78	756.4	86	...	S	1	b	,,	29.85	758.2	84	...	...	0	c
Labuan,	,,	29.76	755.9	85	...	...	...	...	,,	29.83	757.7	83	...	...	...	...

On the 18th at 11.40 a.— The barometer has fallen rapidly over E. Japan, and a slight fall has also taken plac over the Philippines. Pressure has increased elsewhere, particularly over the E. and N. Coasts of China.

The depression in the North is moving Eastwards in the N. part of the Sea of Japan. Pressure remains lo over the Pacific to the E. of Luzon.

The anticyclonic area is still central over the continent to the North of the Yangtze, and strong monsoon, gale force in the Formosa Channel, will continue over the whole of the China Coast. N. and N.E. strong winds gales will prevail also over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 18th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th October, 1906, P.M.								19th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.41	747.1	...	...	S	8	...	6 a.	29.65	753.1	...	...	W	8	...
Hakodate,	,,	29.57	751.2	...	...	W	8	...	,,	29.85	758.2	...	...	W	8	...
Tokio,	,,	29.55	750.6	...	...	S	6	...	,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	N	4	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	30.07	763.8	...	...	N	8	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.00	761.9	...	...	N	12	...	,,	30.15	765.9	...	...	N	4	...
Oshima,	,,	30.04	763.1	...	...	N	8	...	,,	30.08	764.1	...	...	S E	2	...
Naha,	,,	30.01	762.2	...	...	N	10	...	,,	30.01	762.2	...	...	N E	6	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	8	...	,,	30.01	762.3	...	...	N E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.18	766.6	56	...	W N W	5	b	9 a.	30.23	767.8	53	...	W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.37	771.4	66	40	N E	4	b	,,	30.36	771.1	55	80	N E	0	o
Shanghai,	,,	30.27	768.8	64	43	N N W	2	c	9 a.	30.32	770.1	62	67	N W	1	c
Gutzlaff,	,,	30.24	768.1	62	61	N N W	4	cv	,,	30.38	77.14	61	77	N	3	cv
Sharp Peak,	,,	30.15	765.8	71	62	N E	6	b	,,	30.20	767.1	68	70	N E	2	o
Amoy,	,,	30.04	763.0	77	61	N E	5	b	6 a.	30.06	763.5	65	63	N E	2	b
Swatow,	,,	29.98	761.5	77	65	E	4	b	,,	30.05	763.2	62	67	E	1	c
Taihoku,	1 p.	30.16	766.1	...	...	E	6	...	5 a.	30.12	765.1	...	...	E	2	...
Taichu,	,,	29.94	760.4	...	...	N	6	...	,,	29.98	761.4	...	...	N E	2	...
Tainan,	,,	29.93	760.3	...	...	N W	6	...	,,	30.01	762.2	...	...	N	6	...
Koshun,	,,	29.90	759.5	...	...	N E	10	...	,,	29.97	761.3	...	...	N E	4	...
Pescadores,	,,	29.98	761.5	...	...	N E	10	...	,,	29.98	761.4	...	...	N E	10	...
Canton,	3 p.	30.03	762.7	83	33	N	1	b	9 a.	30.18	766.6	71	45	N N W	1	b
Hongkong,	4 p.	30.01	762.2	78	60	S E	2	b	10 a.	30.11	764.8	76	43	N E	1	b
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	300.6	763.5	79	...	N	1	c	,,	30.16	766.0	72	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.1	82	...	S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.97	761.3	81	...	N N E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	84	77	S W	1	c	10 a.	29.80	757	81	85	N W	...	o
Legaspi,	2 p.	29.75	755.6	88	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.72	754.9	86	...	W	1	c	,,	29.81	757.2	83	...	W	1	...
Cebu,	,,	29.74	755.4	86	...	N	2	b	,,	29.82	757.4	85	...	S	2	c
Labuan,	,,	29.72	754.9	86	...	...	...	...	,,	29.83	757.7	84	...	...	...	...

On the 19th at 12.20 p.— The barometer has risen over Japan, the depression having moved into the Pacific to the N.E. of Hokkaido.

Over the Philippines the barometer continues to fall slowly.

Pressure remains low over the Pacific to the E. of Luzon, where a depression probably exists.

The anticyclonic area is still central over the continent to the North of the Yangtze.

Strong monsoon is expected to continue in the Formosa Channel, and strong N. and N.E. winds to gales will prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 19th October, 1906.

[Printed by Kokonna & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th October, 1906, P.M.								20th October, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	S W	6	...	6 a.	30.01	762.1	...	...	S W	4	...
Hakodate,	,,	30.01	762.2	...	...	S	2	...	,,	30.09	764.2	...	...	N W	2	...
Tokio,	,,	30.10	764.6	...	...	S E	2	...	,,	30.18	766.6	...	...	N W	4	...
Kochi,	,,	30.11	764.8	...	...	S	2	...	,,	30.19	766.8	...	...	W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N W	4	...	,,	30.19	766.8	...	...	N E	2	...
Kagoshima,	,,	30.12	764.9	...	...	S E	2	...	,,	30.19	766.9	...	...	N E	2	...
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.01	762.1	...	...	N	4	...
Naha,	,,	29.97	761.2	...	...	N E	6	...	,,	29.77	752.2	...	...	N E	6	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...	,,	29.82	757.3	...	...	N E	8	...
Chefoo,	3 p.	30.15	765.8	65	73	S	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.17	766.3	65	...	W	1	b	9 a.	30.29	769.3	59	...	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.30	769.6	67	50	N	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.22	767.6	66	49	E N E	1	c	9 a.	30.24	768.1	66	64	N E	2	c
Gutzlaff,	,,	30.22	767.6	67	...	N	2	cv	,,	30.20	767.1	63	78	N E	3	bc
Sharp Peak,	,,	30.09	764.3	72	71	E N E	5	b	,,	...	...	...	...	...	...	...
Amoy,	,,	30.00	762.0	81	62	N E	4	b	6 a.	30.00	762.0	63	65	N E	4	c
Swatow,	,,	29.96	761.0	78	54	E	2	b	,,	29.95	760.7	64	73	N E	1	c
Taihoku,	1 p.	30.06	763.6	...	...	E	6	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	29.91	759.8	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Tainan,	,,	29.91	759.7	...	...	W	2	...	,,	...	...	...	...	...	...	...
Koshun,	,,	29.92	759.9	...	...	N	8	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.97	761.2	...	...	N E	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.03	762.7	81	48	N W	1	b	9 a.	30.08	764.0	70	44	N	1	b
Hongkong,	4 p.	29.99	761.7	79	43	W N W	1	b	10 a.	30.01	762.2	75	30	N N E	3	b
Victoria Peak,	,,	...	...	...	...	E	0	...	,,	...	...	...	...	N	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	76	...	N E	1	b	,,	30.08	764.0	76	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	79	...	S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.97	761.3	79	...	N E	4	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.2	82	...	N N E	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	756.0	79	...	N	2	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	84	77	S W	2	o	10 a.	29.73	755	84	71	W S W	1	c
Legaspi,	2 p.	29.68	753.9	77	...	...	0	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	od	9 a.	...	...	...	...	S W	3	o
Iloilo,	,,	29.72	754.9	82	...	N W	1	o	,,	29.79	756.6	85	...	W	4	b
Cebu,	,,	29.71	754.6	87	...	S	3	o	,,	29.81	757.2	84	...	S	4	c
Labuan,	,,	29.71	754.6	88	...	...	...	...	,,	29.78	756.4	83	...	...	...	...

On the 20th at 12.5 p.—The barometer has risen over E. Japan and N. China; and fallen elsewhere, particularly over the Loochoos.

The depression in the Pacific, noted during the past three days, is a typhoon. This morning it appears to be situated to the N.E. of Luzon and to be moving towards N.W. at present. It will probably recurve to the North.

The area of high pressure still lies over the continent to the North of the Yangtze.

N.E. and N. gales are expected to prevail over the Eastern Sea, the Formosa Channel and the N.E. part of the China Sea.

The Formosa returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N. and N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 20th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th October, 1906, P.M.								21st October, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S W	8	...	6 a.	30.48	774.1	...	...	N E	0	...
Hakodate,	,,	30.09	764.2	...	...	W	8	...	,,	30.32	770.2	...	...	N	2	...
Tokio,	,,	30.14	765.6	...	...	W	2	...	,,	30.26	768.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	...	0	...	,,	30.15	765.8	...	...	...	2	...
Nagasaki,	,,	30.15	765.8	...	...	E	4	...	,,	30.03	762.8	...	...	N E	2	...
Kagoshima,	,,	30.11	764.9	...	...	E	6	...	,,	30.00	761.9	...	...	E	10	...
Oshima,	,,	29.93	760.1	...	...	N	6	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	S E	4	...	,,	29.78	756.2	...	...	S E	6	...
Ishigakijima,	,,	29.78	756.3	...	...	N E	6	...	,,	29.50	749.3	...	...	E	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.26	768.6	67	...	W	1	b	9 a.	30.27	768.8	63	...	S E	1	b
Haukow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.28	769.1	69	61	N E	4	b	,,	30.25	768.3	58	88	N E	2	b
Shanghai,	,,	30.16	766.0	68	56	N N E	2	b	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.12	765.0	66	68	N E	4	cv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.95	760.7	70	70	N E	3	o	,,	29.75	755.6	70	59	N N W	3	o
Amoy,	,,	29.84	757.9	79	61	N E	5	c	6 a.	29.75	755.6	70	75	N W	3	b
Swatow,	,,	29.81	757.2	80	37	N	1	b	,,	29.78	756.4	69	56	N E	1	c
Taihoku,	1 p.	29.89	759.2	...	...	E	6	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	29.67	753.7	...	...	N	8	...	,,	...	...	...	...	...	...	...
Tainan,	,,	29.67	753.6	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.72	754.9	...	...	N E	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.93	760.2	80	28	N W	2	b	9 a.	...	...	72	46	N N W	1	b
Hongkong,	4 p.	29.86	758.4	80	31	N N W	3	b	10 a.	29.93	760.2	76	26	N	3	b
Victoria Peak,	,,	...	...	...	...	N W	3	...	,,	...	...	...	...	N	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.93	760.2	86	...	N	1	c	,,	29.99	761.7	71	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.1	84	...	W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.93	760.2	81	...	...	2	b	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.75	755.7	82	...	N E	2	dh	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.50	749.2	77	...	N	3	g	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.65	753	86	65	W S W	1	o	10 a.	29.80	757	81	76	N	1	o
Legaspi,	2 p.	29.70	754.5	86	...	S	1	o	6 a.	29.73	756.5	79	...	S W	1	o
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.75	755.6	85	...	S W	4	o	,,	29.81	757.2	84	...	W	1	b
Cebu,	,,	29.67	753.6	87	...	S	2	c	,,	...	...	88	...	...	0	b
Labuan,	,,	29.71	754.6	87	...	...	...	...	,,	29.79	756.6	80	...	...	...	...

On the 20th at 5.30 p.—Orders issued to hoist the Red Cone point downwards and Drum. (Typhoon S.E. of Colony distant more than 300 miles.)

On the 21st at 10.40 a.—Signal lowered.

On the 21st at 12.10 p.—The barometer has risen over the Philippines and E. Japan, and fallen very rapidly over the S.E. Coast of China and at Meiaco Sima.

In the absence of the Formosa returns, the typhoon would appear to have recurved and to be moving Northwards near the E. Coast of Formosa. It will probably move away to the N.E. over the Pacific ultimately.

Areas of high pressure are lying over China to the North of the Yangtze, and over N.E. Japan.

Bad weather is indicated in the Formosa Channel and over the E. Coast of China and the Eastern Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fine.
2.—Formosa Channel,	N. gales.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 21st October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st OCTOBER, 1906, P.M.								22nd OCTOBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro	,,	30.12	765.1	...	...	S W	6	...	6 a.	30.16	766.1	...	...	N E	2	
Hakodate	,,	30.24	768.2	...	...	W	2	...	,,	30.17	766.2	...	...	...	0	
Tokio	,,	30.22	767.6	...	...	N W	4	...	,,	30.06	763.6	...	...	N W	4	
Kochi	,,	30.03	762.8	...	...	S W	2	...	,,	29.99	761.8	...	...	...	0	
Nagasaki	,,	30.03	762.8	...	...	N	2	...	,,	29.95	760.8	...	...	N E	4	
Kagoshima	,,	29.96	760.9	...	...	E	8	...	,,	29.92	759.9	...	...	N E	2	
Oshima	,,	29.85	758.1	...	...	S E	2	...	,,	29.77	756.1	...	...	S E	6	
Naha	,,	29.65	753.2	...	...	S E	8	...	,,	29.57	751.2	...	...	S E	8	
Ishigakijima	,,	29.38	746.3	...	...	S E	12	...	,,	29.58	751.3	...	...	W	10	
Chefoo	3 p.	30.20	767.1	63	72	E	1	b	6 a.	...	...	...	...	...	...	
Weihaiwei	,,	30.21	767.3	65	...	E	2	b	9 a.	...	...	...	...	...	...	
Hankow	,,	...	...	...	...	...	...	...	6 a.	30.29	769.3	56	63	N N E	2	b
Kiukiang	,,	30.20	767.1	70	53	N E	4	b	,,	30.24	768.1	57	87	N E	3	b
Shanghai	,,	30.08	764.0	69	56	N N E	4	c	9 a.	...	...	...	...	...	...	
Gutzlaff	,,	30.02	762.5	66	79	N N E	4	cv	,,	...	...	...	...	...	...	
Sharp Peak	,,	29.76	755.9	74	68	N N E	4	o	,,	29.89	759.2	70	53	N N W	2	
Amoy	,,	29.79	756.6	86	58	N E	3	b	6 a.	29.78	756.4	67	64	S W	1	b
Swatow	,,	29.70	754.4	84	37	W	1	b	,,	29.85	758.2	66	54	N W	1	b
Taihoku	1 p.	29.66	753.4	...	...	S	4	...	5 a.	29.85	758.2	...	...	W	6	
Taichu	,,	29.55	750.6	...	...	N	10	...	,,	29.84	757.9	...	...	N	4	
Tainan	,,	29.56	750.7	...	...	S W	10	...	,,	29.80	757.0	...	...	N W	6	
Koshun	,,	29.45	748.0	...	...	N W	8	...	,,	29.75	755.5	...	...	N	6	
Pescadores	,,	29.67	753.6	...	...	N	10	...	,,	29.81	757.2	...	...	N	8	
Canton	3 p.	...	...	81	29	...	0	b	9 a.	30.05	763.2	70	44	N W	1	b
Hongkong	4 p.	29.81	757.2	81	34	N W	3	b	10 a.	29.97	761.2	76	27	N	4	b
Victoria Peak	,,	...	...	...	...	N	3	...	,,	...	...	...	...	N	3	
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao	,,	29.88	758.9	77	...	N N W	1	c	,,	30.04	763.0	73	...	N	3	b
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi	,,	29.96	761.0	80	82	N	2	b	,,	...	...	...	...	...	...	
Phulien	4 p.	29.91	759.7	84	...	W	2	b	10 a.	...	...	...	...	...	...	
Tourane	,,	29.99	759.5	82	...	N W	...	c	,,	...	...	...	...	...	...	
Cape St. James	,,	29.75	755.7	82	...	N E	2	c	,,	...	...	...	...	...	...	
Aparri	2 p.	29.72	754.9	79	...	N W	2	o	6 a.	29.83	757.6	72	...	W	1	b
Manila	4 p.	29.72	755	86	65	S W	1	c	10 a.	29.84	758	81	76	N N W	3	c
Legaspi	2 p.	29.75	755.7	90	...	W	1	c	6 a.	29.82	757.4	77	...	...	0	c
Bacolod	3 p.	...	...	...	...	...	0	b	9 a.	...	...	...	...	S W	1	b
Iloilo	,,	29.75	755.6	85	...	W	2	c	,,	29.83	757.7	83	...	N E	1	b
Cebu	,,	29.77	756.1	...	...	...	0	c	,,	29.85	758.2	86	...	...	0	
Labuan	,,	29.74	755.4	87	...	...	...	...	,,	29.85	758.2	84	...	...	...	

On the 22nd at 11.30 a.—The barometer has fallen over Japan and the Loochoos; and risen elsewhere, particularly over Formosa.

The typhoon has passed over Meiaco Sima, and is now moving towards N.E. and approaching the Loochoos.

The area of high pressure remains over the Continent to the North of the Yangtze.

N. and N.E. gales will continue over the E. Coast of China and the Eastern Sea, and strong N. winds will prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fine.
2.—Formosa Channel,	N. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 22nd October, 1906.

[Printed by Nomosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd October, 1906, P.M.								23rd October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S E	4	...	6 a.	30.20	767.1	...	...	S W	2	...
Hakodate,	,,	30.08	764.2	...	...	S E	4	...	,,	30.13	765.2	...	...	N	2	...
Tokio,	,,	30.06	763.6	...	...	N	4	...	,,	30.14	765.6	...	...	N W	4	...
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	E	4	...	,,	29.80	756.8	...	...	E	6	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	...	...	S E	10	...
Oshima,	,,	29.69	754.1	...	...	S E	6	...	,,	29.69	754.1	...	...	S	6	...
Naha,	,,	29.57	751.2	...	...	S E	6	...	,,	29.73	755.2	...	...	W	6	...
Ishigakijima,	,,	29.66	753.3	...	...	N W	10	...	,,	29.86	758.3	...	...	N	6	...
Chefoo,	3 p.	30.15	765.8	64	73	N W	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.18	766.6	65	...	N W	2	b	9 a.	30.15	765.8	64	...	N N W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.19	766.8	71	48	N E	3	b	,,	30.23	767.8	53	93	...	0	b
Shanghai,	,,	29.99	761.7	68	56	N	5	eq	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.91	759.7	66	73	N N E	7	cm	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.85	758.2	76	60	E	2	o	,,	30.00	762.0	70	52	N	1	b
Amoy,	,,	29.84	757.9	84	57	N E	3	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.82	757.4	84	44	W	1	b	,,	29.89	759.2	66	64	N W	1	b
Taihoku,	1 p.	29.88	759.0	...	...	W	4	...	5 a.	29.95	760.6	...	...	...	0	...
Taichu,	,,	29.83	757.6	...	...	N	8	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.80	757.0	...	...	N W	8	...	,,	29.88	758.8	...	...	N	2	...
Koshun,	,,	29.77	756.1	...	...	N W	6	...	,,	29.86	758.4	...	...	N E	6	...
Pescadores,	,,	29.83	757.6	...	...	N	8	...	,,	29.89	759.2	...	...	N	8	...
Canton,	3 p.	29.92	759.9	81	56	N W	1	b	9 a.	30.08	764.0	69	65	N	1	b
Hongkong,	4 p.	29.88	758.9	78	27	N N E	1	b	10 a.	30.01	762.2	77	34	N N W	1	b
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.94	760.5	76	...	N	1	c	,,	30.10	764.5	71	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.95	760.7	81	...	S S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.93	760.2	...	...	N N W	4	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.5	82	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.79	756.7	81	...	N W	1	b	6 a.	29.86	758.5	70	...	S	0	b
Manila,	4 p.	29.76	756	86	58	W N W	1	c	10 a.	29.84	758	82	70	N N W	1	c
Legaspi,	2 p.	29.74	755.4	93	...	N W	1	c	6 a.	29.80	757.0	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N W	2	b	9 a.	...	...	...	...	N	1	b
Iloilo,	,,	29.72	754.9	87	...	W	3	c	,,	29.81	757.2	85	...	...	0	b
Cebu,	,,	29.74	755.4	87	...	N	2	b	,,	29.83	757.7	88	...	...	0	b
Labuan,	,,	29.74	755.4	87	...	...	...	...	,,	29.79	756.6	84	...	...	...	...

On the 23rd at 11.55 a.—The barometer has fallen over N. China and W. Japan, and risen over Formosa and the S. Loochoos.

The typhoon, which appears to be slowly filling up, is this morning situated to the North of the Loochoos. It continues to move towards N.E.

Pressure is highest over China to the North of the Yangtze.

Moderate to fresh monsoon is indicated in the Formosa Channel and N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N. to N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 23rd October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd OCTOBER, 1906, P.M.								24th OCTOBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	S	4	...	6 a.	30.16	766.1	...	...	N	2	...
Hakodate,	,,	30.09	764.2	...	...	S W	4	...	,,	30.17	766.2	...	...	...	0	...
Tokio,	,,	30.06	763.6	...	...	N W	4	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	29.87	758.8	...	...	S W	2	...	,,	29.72	754.8	...	...	E	4	...
Nagasaki,	,,	29.68	753.8	...	...	E	6	...	,,	29.40	746.8	...	...	S E	10	...
Kagoshima,	,,	29.72	754.9	...	...	E	8	...	,,	29.49	748.9	...	...	W	10	...
Oshima,	,,	29.65	753.1	...	...	S	6	...	,,	29.81	757.1	...	...	S W	2	...
Naha,	,,	29.77	756.2	...	...	N W	8	...	,,	29.89	759.2	...	...	N W	6	...
Ishigakijima,	,,	29.85	758.3	...	...	N	6	...	,,	29.93	760.3	...	...	N	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.06	763.5	65	...	N W	2	b	9 a.	30.05	763.2	60	...	N W	3	c
Hankow,	,,	30.23	767.8	73	24	N W	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.19	766.8	72	50	N E	3	b	,,	30.20	767.1	54	100	N E	1	b
Shanghai,	,,	29.96	761.0	70	48	N N W	4	b	9 a.	30.07	763.8	66	68	N W	2	b
Gutzlaff,	,,	29.93	760.2	61	..	N N W	6	cm	,,	30.02	762.5	63	83	N	5	bm
Sharp Peak,	,,	29.94	760.5	75	68	N N E	3	b	,,	...	...	...	...	...	...	...
Amoy,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.86	758.4	...	...	W	2	dh	,,	29.96	761.0	63	78	N	1	b
Taihoku,	1 p.	29.95	760.7	...	...	N W	4	...	5 a.	30.02	762.5	...	...	...	0	...
Taichu,	,,	29.86	758.4	...	...	N	6	...	,,	29.96	761.0	...	...	...	0	...
Tainan,	,,	29.87	758.6	...	...	N W	4	...	,,	29.93	760.3	...	...	N	2	...
Koshun,	,,	29.86	758.4	...	...	N E	8	...	,,	29.91	759.8	...	...	N E	8	...
Pescadores,	,,	29.90	759.4	...	...	N	8	...	,,	29.93	760.3	...	...	N E	8	...
Canton,	3 p.	29.96	761.0	81	71	N W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.92	759.9	79	47	W	2	b	10 a.	30.05	763.2	79	35	E	1	b
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.98	761.5	76	...	N N E	1	b	,,	30.10	764.5	71	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	70	...	S W	1	c
Manila,	4 p.	29.76	756	84	71	W N W	1	b	10 a.	29.88	759	82	77	W	1	b
Legaspi,	2 p.	29.76	756.0	86	...	E	1	b	6 a.	29.82	757.5	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.75	755.6	88	...	S W	2	c	,,	29.82	757.4	84	...	N E	1	b
Cebu,	,,	29.76	755.9	88	...	S	1	c	,,	29.83	757.7	87	...	...	0	c
Labuan,	,,	29.74	755.4	87	...	...	...	...	,,	29.81	757.2	86	...	...	...	...

On the 24th at 11.30 a.—The barometer has fallen rapidly over W. Japan, and risen moderately over the Loochoos and Formosa.

The typhoon is near Nagasaki. It continues to move slowly towards N.E.

Pressure is highest over China to the North of the Yangtze.

Fresh monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 24th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th October, 1906, P.M.								25th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.09	764.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.91	759.6	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.56	750.8	...	...	S	6	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	N	10	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.72	754.9	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.04	763.0	64	78	N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.01	762.2	67	...	N W	1	b	9 a.	30.16	766.0	62	...	W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.14	765.5	76	49	...	0	b	,,	30.20	767.1	54	94	...	0	o
Shanghai,	,,	30.04	763.0	72	30	N	3	b	9 a.	30.16	766.0	67	55	N	1	b
Gutzlaff,	,,	30.01	762.2	69	70	N	3	bv	,,	30.12	765.0	63	83	N	2	bm
Sharp Peak,	,,	30.00	762.0	73	58	N N E	3	b	,,	30.13	765.3	70	68	N	1	b
Amoy,	,,	29.85	758.2	80	74	S E	3	b	6 a.	30.07	763.8	66	68	N	1	b
Swatow,	,,	29.90	759.4	76	60	E	2	b	,,	29.95	760.7	62	83	N E	1	b
Taihoku,	1 p.	29.98	761.5	...	...	E	6	...	5 a.	30.06	763.4	...	...	S E	2	...
Taichu,	,,	29.92	759.9	...	...	N	4	...	,,	30.00	761.9	...	...	...	0	...
Tainan,	,,	29.91	759.8	...	...	S W	4	...	,,	29.97	761.2	...	...	N	4	...
Koshun,	,,	29.91	759.8	...	...	N E	6	...	,,	30.00	761.9	...	...	N W	2	...
Pescadores,	,,	29.93	760.2	...	...	N	8	...	,,	29.97	761.2	...	...	N E	8	...
Canton,	3 p.	29.98	761.5	81	71	W N W	1	b	9 a.	30.11	764.8	71	76	N W	1	b
Hongkong,	4 p.	29.96	761.0	78	48	S W	2	b	10 a.	30.08	764.0	76	41	E	1	b
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.01	762.2	76	...	N E	1	b	,,	30.15	765.8	73	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.01	762.2	80	87	N W	0	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.0	82	...	S	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.95	760.8	82	...	N	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	84	...	N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.85	758.3	82	...	N E	1	b	6 a.	29.92	759.9	77	...	N	2	c
Manila,	4 p.	29.76	756	90	60	W N W	0	c	10 a.	29.88	759	84	58	W S W	1	b
Legaspi,	2 p.	29.78	756.5	84	...	N E	1	c	6 a.	29.82	757.5	77	...	N	1	b
Bacolod,	3 p.	...	...	...	...	N	3	b	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.75	755.6	87	...	N E	2	ct	,,	29.81	757.2	84	...	N E	2	c
Cebu,	,,	29.75	755.6	87	...	S	1	c	,,	29.85	758.2	87	...	N	1	...
Labuan,	,,	29.69	754.1	87	...	...	...	...	,,	29.81	757.2	83	...	...	...	...

On the 25th at 11.55 a.—The barometer has risen moderately over N. China, and slightly in S. China and Formosa.

The Japanese returns are not yet to hand, but probably the depression is moving to the N.E. across Japan.

Pressure is highest over China to the North of the Yangtze. It is slightly low in the neighbourhood of the S. Philippines.

Moderate to fresh monsoon is indicated on the China Coast and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate ; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 25th October, 1906.

[Printed by Kesonea & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th OCTOBER, 1906, P.M.								26th OCTOBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	N E	10	...	6 a.	30.12	765.1	...	...	N	8	...
Hakodate,	,,	29.69	754.2	...	...	N	4	...	,,	30.17	766.2	...	...	...	0	...
Tokio,	,,	29.67	753.6	...	...	S E	4	...	,,	30.10	764.6	...	...	N	2	...
Kochi,	,,	29.91	759.8	...	...	N	6	...	,,	30.07	763.8	...	...	W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N	6	...	,,	30.15	765.8	...	...	N W	4	...
Kagoshima,	,,	29.96	760.9	...	...	S E	2	...	,,	30.08	763.9	...	...	N	4	...
Oshima,	,,	29.93	760.1	...	...	N W	4	...	,,	30.04	763.1	...	...	N	4	...
Naha,	,,	29.97	761.2	...	...	N	6	...	,,	30.05	763.2	...	...	N W	2	...
Ishigakijima,	,,	30.01	762.3	...	...	N	6	...	,,	30.01	762.3	...	...	N W	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.18	766.6	55	68	S W	1	b
Weihaiwei,	,,	30.12	765.0	69	...	W	2	b	9 a.	30.24	768.1	65	...	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.18	766.6	77	49	N E	2	b	,,	30.20	767.1	60	82	N E	2	o
Shanghai,	,,	30.13	765.3	74	25	N	2	b	9 a.	30.25	768.3	67	64	E N E	1	cu
Gutzlaff,	,,	30.11	764.8	68	74	N	2	bv	,,	30.20	767.1	64	89	N E	3	bu
Sharp Peak,	,,	30.07	763.8	72	60	N N E	3	b	,,	30.18	766.6	69	60	N	1	b
Amoy,	,,	30.00	762.0	80	58	N E	3	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.97	761.2	76	64	E	2	b	,,	30.02	762.5	64	73	N E	1	b
Taihoku,	1 p.	30.06	763.5	...	...	N E	6	...	5 a.	30.10	764.4	...	...	E	2	...
Taichu,	,,	29.95	760.8	...	...	N	4	...	,,	30.03	762.7	...	...	...	0	...
Tainan,	,,	29.96	761.1	...	...	W	4	...	,,	30.00	761.9	...	...	E	2	...
Koshun,	,,	29.97	761.3	...	...	N E	6	...	,,	30.02	762.5	...	...	N	4	...
Pescadores,	,,	29.98	761.5	...	...	N E	10	...	,,	29.99	761.7	...	...	N E	10	...
Canton,	3 p.	30.01	762.2	72	71	W	1	b	9 a.	30.17	766.3	74	76	N E	1	b
Hongkong,	4 p.	30.00	762.0	74	52	E	3	b	10 a.	30.12	765.0	74	46	E	4	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.05	763.5	78	...	S E	1	b	,,	30.15	765.8	76	...	N E	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.4	81	...	S S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.98	761.5	81	...	N	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	84	...	N N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.6	84	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	88	59	W S W	0	c	10 a.	29.88	759	82	70	S W	1	b
Legaspi,	2 p.	29.79	756.6	88	...	E	1	b	6 a.	29.82	757.4	79	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N	3	b	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.75	755.6	87	...	N E	1	b	,,	29.83	757.7	83	...	N N E	3	c
Cebu,	,,	29.75	755.6	89	...	S	1	b	,,	29.83	757.7	85	...	...	0	c
Labuan,	,,	29.70	754.4	87	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

On the 26th at 11.40 a.—The barometer has risen quickly over Japan, the depression having moved away over the Pacific.

Pressure has increased also on the China Coast. It is highest over the E. Coast of China, and lowest over the S. Philippines and adjacent waters.

Fresh to strong monsoon is indicated in the Formosa Channel and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 26th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th October, 1906, P.M.								27th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.36	771.1	...	...	S	2	...
Hakodate,	,,	30.24	768.2	...	...	S E	2	...	,,	30.36	771.2	...	...	N	2	...
Tokio,	,,	30.10	764.6	...	...	N E	6	...	,,	30.34	770.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	N	6	...	,,	30.27	768.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N E	6	...	,,	30.23	767.8	...	...	S E	2	...
Kagoshima,	,,	30.07	763.9	...	...	S E	2	...	,,	30.19	766.9	...	...	E	6	...
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.12	765.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	N E	6	...	,,	30.05	763.2	...	...	N E	2	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	6	...	,,	30.01	762.3	...	...	N E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.20	767.1	67	...	S S E	2	ovr	9 a.	30.29	769.3	62	...	S S E	2	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	30.17	766.3	55	100	...	0	o
Shanghai,	,,	30.18	766.6	71	57	E	1	...	9 a.	30.21	767.3	70	57	S E	1	b
Gutzlaff,	,,	30.17	766.3	67	79	N N E	3	cv	,,	30.18	766.6	68	79	S E	3	bm
Sharp Peak,	,,	30.09	764.3	72	71	N N E	4	b	,,	30.13	765.3	70	75	N	1	o
Amoy,	,,	30.02	762.5	78	61	E N E	3	...	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.99	761.6	76	64	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.07	763.7	...	...	E	10	...	5 a.	30.02	762.4	...	...	E	6	...
Taichu,	,,	30.00	762.0	...	...	N	2	...	,,	30.02	762.4	...	...	...	0	...
Tainan,	,,	29.99	761.8	...	...	S	4	...	,,	29.98	761.5	...	...	...	0	...
Koshun,	,,	29.99	761.7	...	...	N E	8	...	,,	29.98	761.5	...	...	N	2	...
Pescadores,	,,	30.01	762.3	...	...	N E	10	...	,,	29.99	761.6	...	...	N	4	...
Canton,	3 p.	30.01	762.2	82	75	...	0	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.02	762.5	74	58	E	4	b	10 a.	30.11	764.8	74	51	E S E	3	b
Victoria Peak,	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	75	...	S E	2	b	,,	30.14	765.5	78	...	S S E	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	77	...	E S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.96	761.1	75	...	N W	1	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	82	...	N N E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.90	759.5	82	...	N E	2	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	88	59	S W	1	b	10 a.	29.84	758	82	70	W	1	c
Legaspi,	2 p.	29.76	755.9	86	...	N	1	o	6 a.	29.77	756.2	77	...	S W	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	od	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.75	755.6	86	...	N E	2	c	,,	29.81	757.2	83	...	...	0	c
Cebu,	,,	29.75	755.6	88	...	N	2	c	,,	29.84	757.9	85	...	S	2	c
Labuan,	,,	29.73	755.1	85	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 27th at 11.55 a.—The barometer has risen considerably over Japan, and fallen slightly over S. China, Formosa and Luzon.

A high pressure area is lying over Japan, and there are indications of a depression in the Pacific to the E. of Luzon. Pressure appears to be low also over China to the North of the Yangtze.

Fresh to strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh ; fine.
2.—Formosa Channel,	N.E. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 27th October, 1906.

[Printed by Nokonsha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th October, 1906, P.M.								28th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.28	769.1	...	...	S W	10	...	6 a.	30.24	768.1	...	...	S W	2	...
Hakodate,	,,	30.28	769.2	...	...	S	4	...	,,	30.32	770.2	...	...	...	0	...
Tokio,	,,	30.30	769.6	...	...	N	4	...	,,	30.38	771.6	...	...	N W	2	...
Kochi,	,,	30.23	767.8	...	...	S E	2	...	,,	30.31	769.8	...	...	W	2	...
Nagasaki,	,,	30.19	766.8	...	...	S E	6	...	,,	30.19	766.8	...	...	S E	6	...
Kagoshima,	,,	30.19	766.9	...	...	E	4	...	,,	30.19	766.9	...	...	E	6	...
Oshima,	,,	30.12	765.1	...	...	E	4	...	,,	30.08	764.1	...	...	S E	2	...
Naha,	,,	30.05	763.2	...	...	E	8	...	,,	30.05	763.2	...	...	E	4	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	8	...	,,	29.97	761.3	...	...	E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.23	767.8	60	...	S	2	ovr	9 a.	30.22	767.6	63	...	E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.10	764.5	79	58	N E	2	b	,,	30.14	765.5	57	94	...	0	o
Shanghai,	,,	30.11	764.8	74	55	S E	2	b	9 a.	30.16	766.0	70	85	S E	1	bn
Gutzlaff,	,,	30.10	764.5	72	71	E S E	3	bv	,,	30.14	765.5	65	89	E S E	2	cv
Sharp Peak,	,,	30.05	763.2	73	83	N N E	2	o	,,	30.07	763.8	72	73	N	1	o
Amoy,	,,	29.95	760.7	84	75	N E	2	b	6 a.	30.00	762.0	71	90	N N E	1	b
Swatow,	,,	29.94	760.5	79	61	E	2	b	,,	29.98	761.5	66	73	N E	1	b
Taihoku,	1 p.	30.00	762.0	...	...	E	8	...	5 a.	29.96	760.9	...	...	E	6	...
Taichu,	,,	29.95	760.7	...	...	N W	4	...	,,	29.91	759.8	...	...	...	0	...
Tainan,	,,	29.95	760.8	...	...	W	6	...	,,	29.90	759.5	...	...	N W	2	...
Koshun,	,,	29.95	760.8	...	...	N E	8	...	,,	29.86	758.3	...	...	N E	10	...
Pescadores,	,,	29.96	760.9	...	...	N	6	...	,,	29.90	759.5	...	...	N E	10	...
Canton,	3 p.	29.98	761.5	83	75	N W	1	b	9 a.	30.07	763.8	73	81	N E	1	b
Hongkong,	4 p.	29.98	761.5	74	59	E	3	b	10 a.	30.04	763.0	77	57	W	1	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.02	762.5	76	...	S E	1	b	,,	30.06	763.5	74	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.0	77	...	E S E	5	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.98	761.4	75	...	N E	1	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.9	82	...	N	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	84	77	S W	2	o	10 a.	29.88	759	86	65	S S W	1	b
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.84	757.9	73	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N W	1	c	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.6	86	...	W	2	c	,,	...	...	...	...	...	...	...
Cebu,	,,	29.77	756.1	86	...	...	0	o	,,	...	...	...	...	...	...	...
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	29.87	758.7	81	...	...	...	...

On the 28th at 11.30 a.—The barometer has fallen over China and Formosa, and risen in S. Luzon.

The depression noted yesterday morning is probably a typhoon. It appears to be situated this morning in the neighbourhood of the Balingtang Channel, and to be moving N.W. at present.

The area of high pressure remains over Japan.

N.E. and N. strong winds and gales are indicated in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening; fair.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 28th October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th October, 1906, P.M.								29th October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	30.20	767.1	...	...	S W	6	...	6 a.	30.04	763.1	...	...	S W	4	...
Hakodate,	,,	30.20	767.2	...	...	S	2	...	,,	30.08	764.2	...	...	...	0	...
Tokio,	,,	30.30	769.6	...	...	S E	2	...	,,	30.18	766.6	...	...	...	0	...
Kochi,	,,	30.23	767.8	...	...	S E	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	S E	4	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.15	765.9	...	...	E	4	...	,,	30.15	765.9	...	...	N	6	...
Ishima,	,,	30.08	764.1	...	...	S E	4	...	,,	30.08	764.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	N E	6	...	,,	30.05	763.2	...	...	E	2	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...	,,	29.97	761.3	...	...	S E	4	...
Chefoo,	3 p.	30.15	765.8	66	95	E	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.15	765.8	67	...	E	2	b	9 a.	30.26	768.6	62	...	S E	1	b
Hankow,	,,	30.12	765.0	78	95	N E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.11	764.8	80	96	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.04	763.0	76	53	E	2	b	9 a.	30.12	765.0	67	100	E N E	2	om
Gutzlaff,	,,	30.08	764.0	69	90	N E	2	bm	,,	30.09	764.3	68	100	E	4	om
Sharp Peak,	,,	29.99	761.7	70	85	N	1	od	,,	30.00	762.0	71	95	N E	2	o
Amoy,	,,	30.00	762.0	84	64	E	2	o	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.91	759.7	79	66	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.91	759.8	...	...	E	6	...	5 a.	29.91	759.8	...	...	E	2	...
Taichu,	,,	29.91	759.8	...	...	S	4	...	,,	29.94	760.4	...	...	...	0	...
Tainan,	,,	29.94	760.4	...	...	N E	4	...	,,	29.90	759.5	...	...	...	0	...
Koshun,	,,	29.90	759.5	...	...	N	6	...	,,	29.92	759.9	...	...	E	6	...
Pescadores,	,,	29.98	761.4	...	...	N E	6	...	,,	29.92	760.0	...	...	N W	4	...
Canton,	3 p.	29.92	759.9	83	36	N E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.91	759.7	80	49	S E	2	c	10 a.	29.97	761.2	76	66	N N E	1	od
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.97	761.2	79	...	N E	1	c	,,	30.00	762.0	77	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.6	79	...	S S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.96	761.0	82	...	E	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	65	W S W	2	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Baccolod,	3 p.	...	...	...	...	N	1	b	9 a.	...	...	...	...	N	1	c
Iloilo,	,,	29.79	756.6	87	...	...	0	c	,,	29.85	758.2	84	...	...	0	c
Cebu,	,,	29.79	756.6	87	...	N	1	b	,,	29.87	758.7	85	...	N	1	b
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 29th at 10.15 a.—Orders issued to hoist the Red Cone point downwards and Drum. (Typhoon. S.E. of Colony beyond 300 miles.)

At 11.5 a.—The barometer has risen slightly in S. Formosa, and fallen moderately in S. China. Pressure has given way also over E. Japan.

The depression is probably situated to the W. of N. Luzon. It seems to be moving Westwards.

Pressure is highest over Corea and the S. part of the Sea of Japan.

Bad weather is indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh or strong; rainy.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 29th October, 1906.

[Printed by Kokonba & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th OCTOBER, 1906, P.M.								30th OCTOBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	N	4	...	6 a.	...	...	...	...	N	6	...
Hakodate,	,,	30.01	762.2	...	...	W	6	...	,,	...	...	...	...	...	0	...
Tokio,	,,	30.06	763.6	...	...	E	2	...	,,	...	...	...	...	N W	2	...
Kochi,	,,	30.11	764.8	...	...	S E	4	...	,,	30.15	765.8	...	...	W	2	...
Nagasaki,	,,	30.07	763.8	...	...	S E	4	...	,,	30.11	764.8	...	...	N E	2	...
Kagoshima,	,,	30.11	764.9	...	...	S	4	...	,,	30.12	764.9	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	29.97	761.2	...	...	S E	6	...	,,	29.97	761.2	...	...	S E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...	,,	29.93	760.3	...	...	N E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.16	766.0	65	...	N	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.02	762.5	80	62	N E	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	30.00	762.0	68	95	E S E	1	r
Gutzlaff,	,,	30.02	762.5	68	100	E S E	4	omd	,,	30.02	762.5	68	95	E S E	4	cm
Sharp Peak,	,,	29.93	760.2	73	90	N E	1	o	,,	29.99	761.7	74	90	...	0	b
Amoy,	,,	29.88	758.9	79	74	S E	2	c	6 a.	29.97	761.2	72	95	S E	1	c
Swatow,	,,	29.85	758.2	80	78	E	2	o	,,	29.89	759.2	74	90	E	4	c
Taihoku,	1 p.	29.89	759.2	...	...	N	2	...	5 a.	29.92	759.9	...	...	...	0	...
Taichu,	,,	29.89	759.3	...	...	W	2	...	,,	29.94	760.4	...	...	...	0	...
Tainan,	,,	29.90	759.4	...	...	W	4	...	,,	29.94	760.4	...	...	N W	2	...
Koshun,	,,	29.90	759.5	...	...	E	8	...	,,	29.92	760.0	...	...	...	0	...
Pescadores,	,,	29.92	760.0	...	...	N	6	...	,,	29.92	760.0	...	...	N	6	...
Canton,	3 p.	29.37	758.7	86	65	E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.84	757.9	79	75	N E	3	odq	10 a.	29.93	760.2	76	92	E N E	4	od
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.90	759.4	78	...	N	1	o	,,	29.96	761.0	74	...	E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.86	758.5	82	...	S	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.3	84	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	82	...	E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	71	W	0	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.79	756.6	86	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	N W	1	b
Iloilo,	,,	29.78	756.4	86	...	N E	1	o	,,	29.85	758.2	83	...	N E	1	c
Cebu,	,,	29.79	756.6	87	...	N	3	o	,,	29.87	758.7	84	...	S	1	o
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.88	758.9	79	...	...	...	...

On the 29th at 4.15 p.—Orders issued to hoist the Black Cone point downwards and Drum. (Typhoon. S.E. of Colony within 300 miles.)

On the 30th at 6.40 a.—Orders issued to hoist the Black Cone point downwards (typhoon S. of Colony within 300 miles) and at 11.15 a. to hoist the Black Cone point downwards and Ball (typhoon S.W. of Colony within 300 miles.

The barometer is inclined to rise in Hongkong. It has fallen over the E. Coast of China, S.W. Japan and the Loochoos.

The depression in the China Sea appears to be situated to the S.S.W. of Hongkong, and to be moving toward Hainan.

A depression is lying also over the Yangtze Valley.

Pressure is highest over W. Japan.

Rough weather is indicated over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	N. and N.E winds, strong to gales.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 30th October, 1906.

[Printed by Nokosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th October, 1906, P.M.								31st October, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.24	768.1	...	...	S	4	...	6 a.	30.12	765.1	...	...	S	8	...
Hakodate,	,,	30.24	768.2	...	...	S E	2	...	,,	30.01	762.2	...	...	E	2	...
Tokio,	,,	30.18	766.6	...	...	E	2	...	,,	30.14	765.6	...	...	N W	4	...
Kochi,	,,	30.11	764.8	...	...	...	0	...	,,	29.95	760.8	...	...	W	2	...
Nagasaki,	,,	30.03	762.8	...	...	E	2	...	,,	29.84	757.8	...	...	S E	2	...
Kagoshima,	,,	30.00	761.9	...	...	E	4	...	,,	29.88	758.9	...	...	N E	2	...
Oshima,	,,	29.93	760.1	...	...	S E	4	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	29.93	760.2	...	...	S	2	...	,,	29.89	759.2	...	...	W	2	...
Ishigakijima,	,,	29.94	760.3	...	...	S	4	...	,,	29.89	759.3	...	...	N E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.93	760.2	65	...	N W	...	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.95	760.7	70	95	N N W	1	o	9 a.	30.02	762.5	67	89	W N W	1	om
Gutzlaff,	,,	29.90	759.4	69	100	W	1	cm	,,	29.99	761.7	66	95	N N W	3	om
Sharp Peak,	,,	29.89	759.2	77	89	N W	1	b	,,	29.96	761.0	75	90	...	0	o
Amoy,	,,	29.88	758.9	77	91	S E	3	b	6 a.	29.98	761.5	74	86	N E	1	o
Swatow,	,,	29.85	758.2	77	86	E	2	c	,,	29.86	758.4	74	90	E	1	dh
Taihoku,	1 p.	29.91	759.6	...	...	N	4	...	5 a.	29.93	760.2	...	...	...	0	...
Taichu,	,,	29.90	759.5	...	...	N	2	...	,,	29.94	760.4	...	...	...	0	...
Tainan,	,,	29.89	759.2	...	...	S W	2	...	,,	29.91	759.8	...	...	N W	2	...
Koshun,	,,	29.90	759.5	...	...	E	4	...	,,	29.91	759.7	...	...	...	0	...
Pescadores,	,,	29.89	759.3	...	...	N	4	...	,,	29.91	759.6	...	...	N	4	...
Canton,	3 p.	29.86	758.4	80	87	E N E	1	o	9 a.	29.97	761.2	80	87	N E	1	c
Hongkong,	4 p.	29.84	757.9	75	92	E	4	odq	10 a.	29.95	760.7	79	83	E	2	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.87	758.7	72	...	E	2	opq	,,	30.00	762.0	78	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	82	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.86	758.4	82	...	E	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	81	...	S E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.8	84	...	E	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	755.9	83	85	S S E	1	c	10 a.	29.84	758	79	84	N E	1	o
Legaspi,	2 p.	29.79	756.7	79	...	...	0	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	...	0	or
Iloilo,	,,	29.75	755.6	84	...	S W	2	or	,,	29.81	757.2	79	...	...	0	od
Cebu,	,,	29.76	755.9	85	...	N	1	c	,,	29.86	758.6	81	...	...	0	or
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.90	759.4	75	...	...	...	...

On the 30th at 8.40 p.—Orders issued to lower the signal.

On the 31st at 12.5 p.—The barometer is rising slowly over China, and falling quickly in Japan.

The China Sea depression has probably moved into the Gulf of Tongking. The Northern depression has reached the neighbourhood of S. Korea. It appears to be moving towards N.E.

Pressure is decreasing slowly in the Philippines, and is now somewhat low over the Southern part of the Archipelago and adjacent waters. Freshening N.E. monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 31st October, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st OCTOBER, 1906, P.M.								1st NOVEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S	8	...	6 a.	29.57	751.1	...	...	N	2	...
Hakodate,	,,	29.81	757.2	...	...	S E	4	...	,,	29.65	753.2	...	...	N W	8	...
Tokio,	,,	29.91	759.6	...	...	N W	4	...	,,	29.63	752.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	...	0	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.76	755.8	...	...	W	4	...	,,	29.91	759.8	...	...	N	2	...
Kagoshima,	,,	29.76	755.9	...	...	N W	4	...	,,	29.88	758.9	...	...	N W	2	...
Oshima,	,,	29.85	758.1	...	...	N	6	...	,,	29.89	759.1	...	...	N W	4	...
Naha,	,,	29.85	758.2	...	...	N W	4	...	,,	29.89	759.2	...	...	E	2	...
Ishigakijima,	,,	29.89	759.3	...	...	S	2	...	,,	29.89	759.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.00	762.0	55	...	N W	3	b	9 a.	30.00	762.0	52	...	W	1	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.06	763.5	72	76	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.94	760.5	70	80	N W	2	o	9 a.	29.97	761.2	62	94	E S E	1	r
Gutzlaff,	,,	29.94	760.5	68	90	N N W	3	cv	,,	29.96	761.0	66	89	S E	3	cv
Sharp Peak,	,,	29.87	758.7	74	90	N E	1	d	,,	30.00	762.0	73	86	N N E	1	o
Amoy,	,,	29.85	758.2	76	86	S E	4	b	6 a.	29.96	761.0	74	81	N E	3	c
Swatow,	,,	29.84	757.9	79	82	E	2	b	,,	29.89	759.2	74	90	N E	1	o
Taihoku,	1 p.	29.91	759.8	...	...	...	0	...	5 a.	29.95	760.7	...	...	E	6	...
Taichu,	,,	29.85	758.3	...	...	N	4	...	,,	29.87	758.6	...	...	...	0	...
Tainan,	,,	29.85	758.3	...	...	W	6	...	,,	29.87	758.6	...	...	...	0	...
Koshun,	,,	29.77	756.1	...	...	N	2	...	,,	29.87	758.7	...	...	N E	2	...
Pescadores,	,,	29.88	759.0	...	...	N W	6	...	,,	29.86	758.3	...	...	N E	6	...
Canton,	3 p.	29.85	758.2	86	65	E S E	2	c	9 a.	29.98	761.5	77	91	...	0	o
Hongkong,	4 p.	29.86	758.4	77	89	E	2	c	10 a.	29.97	761.2	77	81	E	3	c
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.91	759.7	80	...	S E	1	b	,,	30.01	762.2	78	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	82	...	S S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.75	755.6	82	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	84	...	S	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.81	757.2	84	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	81	85	W S W	1	o	10 a.	29.84	758	79	92	N N E	0	o
Legaspi,	2 p.	29.75	755.7	82	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	S W	2	o
Iloilo,	,,	29.73	755.1	82	...	...	0	o	,,	29.78	756.4	81	...	S W	2	...
Cebu,	,,	...	...	82	...	S	1	o	,,	29.80	756.9	79	...	...	0	o
Labuan,	,,	29.82	757.4	82	...	...	...	...	,,	...	...	...	...	...	...	...

On the 1st at 12.5 p.—The barometer has fallen rapidly over E. Japan owing to the depression which after crossing the Sea of Japan yesterday, is now moving into the Pacific.

Pressure has decreased slightly over the E. Coast of China, Formosa and the Philippines.

Another area of low pressure appears to be lying over the Yangtze valley, and there are indications of the existance of a depression in the Pacific to the S.E. or E. of Luzon.

Fresh to strong monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 1st November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st November, 1906, P.M.								2nd November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	N	10	...	6 a.	29.77	756.1	...	...	S	2	...
Hakodate,	,,	29.73	755.2	...	...	N	8	...	,,	29.58	751.2	...	...	S	6	...
Tokio,	,,	29.67	753.6	...	...	N W	6	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	...	0	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	W	4	...	,,	29.91	759.8	...	...	N	6	...
Kagoshima,	,,	29.88	758.9	...	...	S	2	...	,,	29.92	759.9	...	...	N W	4	...
Oshima,	,,	29.89	759.1	...	...	N	6	...	,,	29.93	760.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	N	6	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	E	6	...	,,	29.93	760.3	...	...	E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.97	761.2	54	...	N W	4	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.99	761.7	64	95	S E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.85	758.2	66	89	E S E	1	o	9 a.	30.32	770.1	56	69	N	4	o
Gutzlaff,	,,	29.88	758.9	67	80	S E	2	cv	,,	30.21	767.3	60	94	N	7	cmp
Sharp Peak,	,,	29.92	759.9	74	86	N	1	o	,,	30.07	763.8	72	85	N N E	6	og
Amoy,	,,	29.87	758.7	80	78	N W	3	c	6 a.	29.96	761.0	72	95	...	0	b
Swatow,	,,	29.85	758.2	78	74	E	2	b	,,	29.95	760.7	70	90	N	1	b
Taihoku,	1 p.	29.88	759.0	...	...	E	6	...	5 a.	29.99	761.7	...	...	...	0	...
Taichu,	,,	29.87	758.6	...	...	W	2	...	,,	29.90	759.4	...	...	...	0	...
Tainan,	,,	29.85	758.2	...	...	S	4	...	,,	29.91	759.7	...	...	...	0	...
Koshun,	,,	29.86	758.4	...	...	N E	6	...	,,	29.91	759.7	...	...	...	0	...
Pescadores,	,,	29.88	758.9	...	...	N	6	...	,,	29.91	759.6	...	...	N E	6	...
Canton,	3 p.	29.85	758.2	85	72	E	1	b	9 a.	30.93	762.7	80	78	N	1	b
Hongkong,	4 p.	29.86	758.4	77	81	E S E	3	c	10 a.	30.00	762.0	78	78	E	2	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.91	759.7	79	...	S E	2	c	,,	30.06	763.5	78	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.9	81	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.84	757.9	79	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	84	...	S	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.79	756.7	86	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	77	92	N E	1	d	10 a.	29.76	756	75	91	N N E	1	od
Legaspi,	2 p.	29.73	755.2	75	...	...	0	r	6 a.	29.78	756.4	72	...	...	0	or
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	...	0	od
Iloilo,	,,	29.72	754.9	82	...	S W	2	o	,,	29.78	756.4	85	...	N E	1	o
Cebu,	,,	29.74	755.4	81	...	S	2	or	,,	29.80	756.9	80	...	S	2	or
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 2nd at 12.10 p.—The barometer has risen over Japan, except at Hakodate, which appears to be affected by another depression in the N. part of the Sea of Japan.

The low pressure area, which is probably shallow, remains over the S. Philippines and adjacent waters.

A high pressure area is spreading over China from the N.W., and the barometer has risen on the coast particularly in the North, where the rise is a rapid one. Very hard monsoon is expected to prevail over the whole of the coast, and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, strong; squally, becoming cooler.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong to a gale.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 2nd November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd November, 1906, P.M.								3rd November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.41	747.1	...	...	S E	2	...	6 a.	29.34	745.1	...	...	W	10	...
Hakodate,	,,	29.34	745.2	...	...	W	6	...	,,	29.69	754.2	...	...	W	8	...
Tokio,	,,	29.55	750.6	...	...	S	6	...	,,	29.87	758.6	...	...	N W	4	...
Kochi,	,,	29.80	756.8	...	...	W	4	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N	8	...	,,	29.23	767.8	...	...	N E	4	...
Kagoshima,	,,	29.92	759.9	...	...	N W	8	...	,,	30.23	767.9	...	...	N	6	...
Oshima,	,,	29.93	760.1	...	...	N	6	...	,,	30.12	765.1	...	...	N	8	...
Naha,	,,	29.89	759.2	...	...	N W	6	...	,,	30.09	764.2	...	...	N E	8	...
Ishigakijima,	,,	29.89	759.3	...	...	N	6	...	,,	30.09	764.3	...	...	N E	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.31	769.9	40	...	W N W	...	c	9 a.	30.38	771.6	41	...	W	2	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.50	774.7	44	76	N	2	o
Kiukiang,	,,	30.47	773.9	50	65	N E	3	o	,,	30.48	774.2	46	69	N E	3	o
Shanghai,	,,	30.30	769.1	55	62	N N W	4	o	9 a.	30.43	772.9	52	73	N N W	2	o
Gutzlaff,	,,	30.22	767.6	57	69	N N W	6	cv	,,	30.36	771.1	59	76	N	4	cd
Sharp Peak,	,,	30.05	763.2	71	76	E N E	6	o	,,	30.26	768.6	66	64	N E	3	o
Amoy,	,,	29.90	759.4	77	77	N E	4	b	6 a.	30.08	764.0	64	78	N E	4	b
Swatow,	,,	29.89	759.2	78	74	E	4	c	,,	30.04	763.0	64	95	N	0	b
Taihoku,	1 p.	30.05	763.2	...	...	E	6	...	5 a.	30.16	766.1	...	...	E	6	...
Taichu,	,,	29.87	758.6	...	...	N	8	...	,,	29.97	761.1	...	...	N	6	...
Tainan,	,,	29.85	758.2	...	...	N W	8	...	,,	29.95	760.8	...	...	N W	6	...
Koshun,	,,	29.89	759.1	...	...	N E	6	...	,,	29.96	760.9	...	...	N E	10	...
Pescadores,	,,	29.93	760.3	...	...	N E	10	...	,,	29.99	761.8	...	...	N E	10	...
Canton,	3 p.	29.93	760.2	83	63	N W	2	b	9 a.	30.29	767.1	67	64	N	2	b
Hongkong,	4 p.	29.88	758.9	80	72	W	1	b	10 a.	30.12	765.0	71	64	N	2	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	...	...	...	...	...	,,	30.18	766.6	63	...	N	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.89	759.2	79	...	S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.87	758.7	86	...	N E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	84	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	81	85	W	1	o	10 a.	29.76	756	75	92	...	0	d
Legaspi,	2 p.	29.71	754.6	79	...	W	1	o	6 a.	29.65	753.2	73	...	N W	2	o
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	W	3	o
Iloilo,	,,	29.67	753.6	82	...	W	2	o	,,	29.78	756.4	80	...	N E	1	o
Cebu,	,,	29.70	754.4	81	...	S	1	o	,,	29.80	756.9	82	...	S	2	o
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 3rd at 11.55 a.—The barometer has fallen in N.E. Japan owing to the depression which is now moving into the Pacific to the N.E. of Hokkaido.

Pressure has decreased over Luzon, and the depression appears to be approaching the S.E- Coast of the island.

The anticyclone is central over the continent to the North of the Yangtze, and a considerable increase of pressure has taken place along the China Coast.

N.E. and N. gales will continue to prevail in the Formosa Channel and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fine.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 3rd November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd November, 1906, P.M.								4th November, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.41	747.1	...	...	W	10	...	6 a.	29.77	756.1	...	...	W	4	...
Hakodate,	,,	29.77	756.2	...	...	W	8	...	,,	30.01	762.2	...	...	W	6	...
Tokio,	,,	29.98	761.6	...	...	N W	2	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	30.11	764.8	...	...	E	2	...	,,	30.23	767.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	N	6	...	,,	30.27	768.8	...	...	E	4	...
Kagoshima,	,,	30.15	765.9	...	...	N W	4	...	,,	30.23	767.9	...	...	N	2	...
Oshima,	,,	30.08	764.1	...	...	N	8	...	,,	30.03	764.1	...	...	N	2	...
Naha,	,,	30.01	762.2	...	...	N	8	...	,,	29.97	761.2	...	...	N E	6	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	8	...	,,	29.93	760.3	...	...	N E	8	...
Chefoo,	3 p.	30.26	768.6	48	43	W	2	b	6 a.	30.37	771.4	47	70	N E	4	b
Weihaiwei,	,,	30.29	769.3	48	...	W	3	b	9 a.	30.41	772.4	48	...	N	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.38	771.6	53	73	N E	4	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.30	769.6	56	51	N	3	b	9 a.	30.35	770.9	55	62	N N W	1	o
Gutzlaff,	,,	30.28	769.1	56	30	N N W	3	cv	,,	30.31	769.9	57	69	N N E	4	cv
Sharp Peak,	,,	30.11	764.8	66	76	E N E	5	o	,,	30.18	766.6	64	68	N N E	4	o
Amoy,	,,	29.97	761.2	76	69	N E	5	b	6 a.	30.02	762.5	65	78	N E	6	c
Swatow,	,,	29.93	760.2	74	68	E	3	c	,,	30.00	762.0	62	83	N	2	c
Taihoku,	1 p.	30.11	764.7	...	...	E	6	...	5 a.	30.10	764.4	...	...	E	4	...
Taichu,	,,	29.89	759.2	...	...	N	8	...	,,	29.99	759.4	...	...	N	2	...
Tainan,	,,	29.88	759.0	...	...	N W	4	...	,,	29.86	758.4	...	...	N W	4	...
Koshun	,,	29.91	759.8	...	...	N E	8	...	,,	29.87	758.6	...	...	N E	8	...
Pescadores,	,,	29.96	760.9	...	...	N E	10	...	,,	29.89	759.3	...	...	N E	10	...
Canton,	3 p.	30.03	762.7	78	46	N W	2	b	9 a.	30.23	767.8	64	73	N	1	o
Hongkong,	4 p.	30.00	762.0	72	56	N	2	o	10 a.	30.10	764.5	71	52	N	2	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	67	...	N	1	c	,,	30.16	766.0	63	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	70	...	N N E	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.92	759.9	82	...	E N E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	77	...	N N E	2	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.77	756.1	79	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	75	91	S S E	0	od	10 a.	29.76	756	77	84	N N W	1	o
Legaspi,	2 p.	29.63	752.7	79	...	W	1	q	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W	3	o	9 a.	...	...	...	...	S W	3	o
Iloilo,	,,	29.68	753.9	83	...	W	3	o	,,	29.81	757.2	84	...	S W	3	c
Cebu,	,,	29.70	754.4	83	...	S	2	c	,,	29.82	757.4	81	...	S	2	b
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 4th at 12.10 p.—The barometer has risen over Japan, and fallen over S. China, Formosa and the Loochoos.

The depression is still situated to the E. or N.E. of Luzon. It is appears to be moving Northwards at present,

The high pressure area remains over the continent to the North of the Yangtze.

Strong N.E. and N. gales will be met with in the Formosa Channel and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fair.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 4th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th November, 1906, P.M.								5th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	...	0	...	6 a.	29.81	757.1	...	...	S W	6	...
Hakodate,	,,	29.93	760.2	...	...	N W	4	...	,,	29.97	761.2	...	...	N W	6	...
Tokio,	,,	30.06	763.6	...	...	N E	2	...	,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.23	767.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	N E	6	...	,,	30.23	767.8	...	...	E	6	...
Kagoshima,	,,	30.19	766.9	...	...	E	4	...	,,	30.19	766.9	...	...	N	6	...
Oshima,	,,	30.08	764.1	...	...	N	2	...	,,	30.04	763.1	...	...	N	2	...
Naha	,,	29.97	761.2	...	...	N E	6	...	,,	29.97	761.2	...	...	N E	6	...
Ishigakijima,	,,	29.89	759.3	...	...	N E	8	...	,,	29.89	759.3	...	...	N E	8	...
Chefoo,	3 p.	30.38	771.6	50	58	N W	1	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.42	772.6	47	...	W	...	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.50	774.7	56	63	N	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.40	772.1	58	70	N E	6	o	,,	30.48	774.2	53	80	N E	4	o
Shanghai,	,,	30.35	770.9	58	58	N	1	o	9 a.	30.42	772.6	58	53	N N E	3	o
Gutzlaff,	,,	30.29	769.3	59	59	N N E	4	cv	,,	30.32	770.1	59	...	N N E	6	cv
Sharp Peak,	,,	30.11	764.8	65	68	N E	4	o	,,	30.18	766.6	64	73	E N E	5	o
Amoy,	,,	29.94	760.5	74	55	N E	5	b	6 a.	30.02	762.5	65	68	N E	5	o
Swatow,	,,	29.95	760.7	77	46	N	2	b	,,	29.95	760.7	70	90	N	1	b
Taihoku,	1 p.	30.07	763.7	...	...	E	6	...	5 a.	30.08	764.1	...	...	E	6	...
Taichu,	,,	29.82	757.3	...	...	N	6	...	,,	29.87	758.6	...	...	N	8	...
Tainan,	,,	29.83	757.7	...	...	N	4	...	,,	29.83	757.6	...	...	N W	6	...
Koshun	,,	29.90	759.4	...	...	N E	8	...	,,	29.89	757.0	...	...	N E	8	...
Pescadores,	,,	29.89	759.3	...	...	N E	10	...	,,	29.92	760.0	...	...	N E	10	...
Canton,	3 p.	30.04	763.0	72	71	N	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.99	761.7	72	46	N	1	o	10 a.	30.13	765.3	70	51	N N W	1	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.05	763.2	71	...	N N E	1	c	,,	30.19	766.8	64	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.3	72	...	W N W	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.98	761.4	81	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	758.0	75	...	N N E	2	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	81	76	W	2	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	2	b
Iloilo,	,,	29.75	755.6	85	...	S W	3	b	,,	29.83	757.7	83	...	S W	2	c
Cebu,	,,	29.76	755.9	84	...	S	3	c	,,	29.85	758.2	85	...	S	1	b
Labuan,	,,	29.85	758.2	84	...	...	...	...	,,	29.95	760.7	83	...	...	...	...

On the 5th at 11.25 a.—The barometer has risen slightly over the S. Philippines, and fallen a little over Formosa and Meiaco Sima.

The depression appears to be situated to the S.E. of Formosa, and to be moving Northwards.

The anticyclone remains central over the continent to the North of the Yangtze.

Gradients continue steep over the China Coast, and N. and N.E. gales will prevail along the E. Coast, and in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh ; fair.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 5th November, 1906.

[Printed by Nomonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th November, 1906, P.M.								6th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	W	6	...	6 a.	29.93	760.1	...	...	S W	6	...
Hakodate,	,,	30.05	763.2	...	...	W	6	...	,,	30.13	765.2	...	...	W	6	...
Tokio,	,,	30.02	762.6	...	...	N W	6	...	,,	30.22	767.6	...	...	N	4	...
Kochi,	,,	30.15	765.8	...	...	N	4	...	,,	30.23	767.8	...	...	N E	4	...
Nagasaki,	,,	30.19	766.8	...	...	E	6	...	,,	30.27	768.8	...	...	N E	4	...
Kagoshima,	,,	30.11	764.9	...	...	N	6	...	,,	30.15	765.9	...	...	N	2	...
Oshima,	,,	30.00	762.1	...	...	...	0	...	,,	30.08	764.1	...	...	N E	4	...
Naha,	,,	29.93	760.2	...	...	N E	8	...	,,	30.01	762.2	...	...	N E	6	...
Ishigakijima,	,,	29.89	759.3	...	...	N E	8	...	,,	29.93	760.3	...	...	N E	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.48	774.2	47	...	E N E	2	ovr	9 a.	30.40	772.1	50	...	S	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.49	774.4	60	55	N E	4	b	,,	30.45	773.4	50	79	N E	2	b
Shanghai,	,,	30.37	771.4	56	69	N N E	2	od	9 a.	30.39	771.9	58	53	N N E	3	b
Gutzlaff,	,,	30.30	769.6	59	65	N N E	5	cv	,,	30.35	770.9	56	63	N N E	5	cv
Sharp Peak,	,,	30.15	765.8	65	70	N E	4	or	,,	30.23	767.8	60	76	N N E	4	or
Amoy,	,,	29.90	759.4	70	66	N E	3	c	6 a.	30.01	762.2	69	88	N N E	4	or
Swatow,	,,	29.99	761.7	71	80	N	2	o	,,	30.04	763.0	64	95	N	1	b
Taihoku,	1 p.	30.09	764.2	...	...	E	6	...	5 a.	30.11	764.7	...	...	E	6	...
Taichu,	,,	29.88	758.9	...	...	N	8	...	,,	29.91	759.7	...	...	N	6	...
Tainan,	,,	29.82	757.3	...	...	N	6	...	,,	29.91	759.6	...	...	N W	4	...
Koshun,	,,	29.82	757.4	...	...	N E	10	...	,,	29.86	758.4	...	...	N E	10	...
Pescadores,	,,	29.94	760.4	...	...	N E	10	...	,,	29.95	760.6	...	...	N E	10	...
Canton,	3 p.	30.09	764.3	70	57	N W	1	b	9 a.	30.22	767.6	62	61	N N W	2	c
Hongkong,	4 p.	30.03	762.7	70	44	N N W	1	o	10 a.	30.13	765.3	69	56	N	2	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.07	763.8	68	...	N	1	o	,,	30.20	767.1	63	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.4	72	...	N N W	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	81	...	N E	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	82	77	W	2	c	10 a.	29.84	758	82	77	W S W	2	b
Legaspi,	2 p.	29.77	756.1	86	...	W	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.75	755.6	86	...	S W	3	b	,,	29.85	758.2	83	...	...	0	c
Cebu,	,,	29.80	756.9	86	...	S	2	c	,,	29.87	758.7	86	...	S	1	b
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.91	759.7	79	...	...	...	...

On the 6th at 12.25 p.—The barometer has fallen over N. China, and risen slightly at most of the other stations. The depression, which may be slowly filling up, appears to be almost stationary to the S. or S.E. of Formosa. The high pressure area remains central over the continent to the North of the Yangtze.
N. and N.E. gales will continue in the Formosa Channel and the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh ; fair.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 6th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th November, 1906, P.M.								7th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	W	8	...	6 a.	29.97	761.1	...	...	S W	2	...
Hakodate,	,,	30.09	764.2	...	...	N W	8	...	,,	30.05	763.2	...	...	N E	4	...
Tokio,	,,	30.18	766.6	...	...	N E	4	...	,,	30.30	769.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	S E	2	...	,,	30.27	768.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	N	6	...	,,	30.27	768.8	...	...	N	8	...
Kagoshima,	,,	30.19	766.9	...	...	E	4	...	,,	30.23	767.9	...	...	N E	4	...
Oshima,	,,	30.12	765.1	...	...	N	2	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	N E	8	...	,,	30.01	762.2	...	...	N E	6	...
Ishigakijima,	,,	29.93	760.3	...	...	N	8	...	,,	29.93	760.3	...	...	N E	8	...
Chefoo,	3 p.	30.24	768.1	58	70	S	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.29	769.3	52	...	S	4	ovr	9 a.	30.31	769.9	52	...	W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.36	771.1	60	55	N E	3	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.33	770.4	56	63	E N E	3	b	9 a.	30.39	771.9	60	65	N E	1	b
Gutzlaff,	,,	30.28	769.1	58	58	N N E	4	cv	,,	30.29	769.3	58	70	N E	3	cv
Sharp Peak,	,,	30.17	766.3	59	85	N E	3	or	,,	30.17	766.3	61	88	N N W	2	or
Amoy,	,,	29.98	761.5	62	83	N E	2	or	6 a.	30.01	762.2	61	94	N W	2	or
Swatow,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	62	83	N	1	c
Taihoku,	1 p.	30.09	764.3	...	...	E	6	...	5 a.	30.03	762.7	...	...	E	6	...
Taichu,	,,	29.87	758.8	...	...	N	6	...	,,	29.93	760.3	...	...	...	0	...
Tainan,	,,	29.89	759.3	...	...	N W	6	...	,,	29.92	759.9	...	...	...	0	...
Koshun,	,,	29.89	759.1	...	...	N E	8	...	,,	29.89	759.2	...	...	N	6	...
Pescadores,	,,	29.96	761.0	...	...	N E	10	...	,,	29.95	760.6	...	...	N E	10	...
Canton,	3 p.	30.09	764.3	70	66	N N W	1	c	9 a.	30.17	766.3	65	68	N W	2	o
Hongkong,	4 p.	30.03	762.7	71	49	N	2	o	10 a.	30.08	764.0	70	54	...	0	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.08	764.0	67	...	N	1	c	,,	30.14	765.5	69	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.04	763.0	77	...	N W	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.06	763.6	70	...	N W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	82	...	E N E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.77	756.2	86	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	81	85	S W	1	c	10 a.	29.84	758	88	66	S E	1	c
Legaspi,	2 p.	29.78	756.3	90	...	W	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.75	755.6	86	...	S W	1	o	,,	29.81	757.2	82	...	S W	1	o
Cebu,	,,	29.80	756.9	84	...	S	2	or	,,	29.83	757.7	81	...	S	1	o
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 7th at 11.55 a.—The barometer has fallen slightly on the China Coast, and risen a little in Japan.

Pressure continues relatively low in the neighbourhood of N. Luzon, and pressure is high in a band extending over Central China and S. Japan.

Gradients are less steep, but strong monsoon will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh ; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 7th November, 1906.

[Printed by Nomokna & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th November, 1906, P.M.								8th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	W	6	...	6 a.	29.89	759.1	...	...	S W	4	...
Hakodate,	,,	30.01	762.2	...	...	W	10	...	,,	30.01	762.2	...	...	W	4	...
Tokio,	,,	30.18	766.6	...	...	S	4	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	S W	4	...	,,	30.15	765.8	...	...	W	4	...
Nagasaki,	,,	30.23	767.8	...	...	N	4	...	,,	30.19	766.8	...	...	N E	4	...
Kagoshima,	,,	30.19	766.9	...	...	N E	2	...	,,	30.15	765.9	...	...	N E	2	...
Oshima,	,,	30.08	764.1	...	...	N E	4	...	,,	30.04	763.1	...	...	N E	4	...
Naha,	,,	30.01	762.2	...	...	N E	8	...	,,	29.97	761.2	...	...	N E	6	...
Ishigakijima,	,,	29.93	760.3	...	...	E	8	...	,,	29.89	759.3	...	...	E	10	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.20	767.1	51	...	W N W	3	ovr	9 a.	30.34	770.6	51	...	E	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.32	770.1	55	87	N E	1	o
Shanghai,	,,	30.25	768.3	62	56	N E	2	c	9 a.	30.26	768.6	61	60	N E	1	o
Gutzlaff,	,,	30.22	767.6	61	66	N N E	3	cv	,,	30.21	767.3	61	71	E N E	4	cv
Sharp Peak,	,,	30.09	764.3	61	94	N	1	or	,,	30.10	764.5	64	92	N N W	2	rf
Amoy,	,,	29.97	761.2	65	95	N E	4	or	6 a.	29.94	760.5	66	95	...	0	o
Swatow,	,,	29.96	761.0	67	89	N	1	or	,,	30.04	763.0	64	89	...	0	c
Taiboku,	1 p.	30.00	761.9	...	...	E	6	...	5 a.	29.96	761.0	...	...	E	4	...
Taichu,	,,	29.85	758.2	...	...	N	6	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.86	758.4	...	...	N E	6	...	,,	29.88	758.9	...	...	...	0	...
Koshun,	,,	29.86	758.5	...	...	N	8	...	,,	29.86	758.5	...	...	N	2	...
Pescadores,	,,	29.94	760.4	...	...	N	10	...	,,	29.90	759.4	...	...	N E	10	...
Canton,	3 p.	30.01	762.2	74	63	N W	2	b	9 a.	30.13	765.3	64	84	N N W	1	or
Hongkong,	4 p.	29.96	761.0	73	58	N	1	o	10 a.	30.05	763.2	67	77	N	1	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.03	762.7	69	...	N	1	o	,,	30.11	764.8	62	...	N	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	77	...	W S W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.00	762.1	72	...	W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.9	81	...	E N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.82	757.5	77	...	N W	1	o
Manila,	4 p.	29.72	755	86	71	S E	2	o	10 a.	29.84	758	81	85	W	1	c
Legaspi,	2 p.	29.76	755.9	86	...	N E	1	o	6 a.	29.75	755.6	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	2	b
Iloilo,	,,	29.75	755.6	86	...	W	2	o	,,	29.81	757.2	83	...	S W	2	c
Cebu,	,,	29.77	756.1	85	...	S	2	b	,,	29.80	756.9	83	...	S	2	b
Labuan,	,,	29.77	756.1	84	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 8th at 12.15 p.—The barometer has fallen slightly at all stations.
Pressure remains low over the Pacific to the E. and N.E. Luzon. The highest pressure is over Central China.
Strong monsoon will continue in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; cloudy, some light rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 8th November, 1906.

[Printed by Kokusai & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th November, 1906, P.M.								9th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.35	758.1	...	...	W	6	...	6 a.	29.89	759.1	...	...	W	6	...
Hakodate,	,,	29.97	761.2	...	...	N W	4	...	,,	30.01	762.2	...	...	N W	4	...
Tokio,	,,	30.02	762.6	...	...	S	4	...	,,	29.91	759.6	...	...	N W	4	...
Kochi,	,,	30.03	762.8	...	...	S E	4	...	,,	29.99	761.8	...	...	S W	4	...
Nagasaki,	,,	30.07	763.8	...	...	N	4	...	,,	30.03	762.8	...	...	N E	4	...
Kagoshima,	,,	30.04	762.9	...	...	S E	2	...	,,	30.00	761.9	...	...	N	6	...
Oshima,	,,	29.96	761.1	...	...	N	6	...	,,	29.97	761.1	...	...	N	4	...
Naha,	,,	29.89	759.2	...	...	N E	6	...	,,	29.89	759.2	...	...	N E	8	...
Ishigakijima,	,,	29.85	758.3	...	...	N E	10	...	,,	29.86	758.3	...	...	N E	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.24	768.1	54	...	W	2	b	9 a.	30.42	772.6	45	...	N	...	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.29	769.3	57	81	N E	4	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.20	767.1	58	76	N E	1	or	9 a.	30.31	769.9	58	53	N N E	1	c
Gutzlaff,	,,	30.16	766.0	58	88	N E	3	omd	,,	30.23	767.8	58	64	N N E	5	cv
Sharp Peak,	,,	30.00	762.0	64	95	N	2	og	,,	30.13	765.3	64	75	N E	5	o
Amoy,	,,	29.87	758.7	76	77	N E	2	b	6 a.	29.93	760.2	67	89	N E	3	o
Swatow,	,,	29.88	758.9	76	73	N	1	o	,,	30.04	763.0	64	89	N	1	o
Taihoku,	1 p.	29.96	761.0	...	...	E	6	...	5 a.	29.99	761.8	...	...	E	4	...
Taichu,	,,	29.83	757.6	...	...	N E	2	...	,,	29.85	758.2	...	...	N	4	...
Tainan,	,,	29.84	757.9	...	...	S	6	...	,,	29.82	757.4	...	...	N W	4	...
Koshun,	,,	29.82	757.3	...	...	N E	8	...	,,	29.83	757.5	...	...	N	6	...
Pescadores,	,,	29.85	758.1	...	...	N	10	...	,,	29.85	758.2	...	...	N E	10	...
Canton,	3 p.	30.01	762.2	69	75	N N W	2	o	9 a.	30.13	765.3	64	84	N	1	or
Hongkong,	4 p.	29.96	761.0	67	79	...	0	od	10 a.	30.06	763.5	65	77	N	1	od
Victoria Peak,	,,	...	...	...	...	N N W	5	...	,,	...	...	...	...	N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.02	762.5	65	...	N	2	o	,,	30.10	764.5	62	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.8	77	...	W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.98	761.5	77	...	N W	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	82	...	N W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	755.9	82	...	N	1	c	6 a.	...	...	...	...	...	...	...
Manila.	4 p.	29.72	755	84	...	W S W	1	o	10 a.	29.80	757	82	77	N N W	1	c
Legaspi,	2 p.	29.70	754.3	88	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S	3	o	9 a.	...	...	...	...	S W	1	od
Iloilo,	,,	...	...	84	...	S W	3	o	,,	29.80	756.9	82	...	S W	3	or
Cebu,	,,	29.73	755.1	85	...	S	2	o	,,	29.80	756.9	83	...	S	2	o
Labuan,	,,	29.79	756.6	82	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 9th at 12.10 p.—The barometer has risen slightly over N. China; and fallen moderately over S. Japan, and slightly over the Loochoos, Formosa and Luzon.

The depression remains over the Pacific to the N.E. of Luzon, and a second area of low pressure is lying off the S.E. Coast of Japan.

Pressure is high over N. China. Strong N. and N.E. winds to gales will prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; cloudy, some rain.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 9th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th November, 1906, P.M.								10th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	N E	4	...	6 a.	29.93	760.1	...	...	N W	8	...
Hakodate,	,,	29.97	761.2	...	...	W	2	...	,,	30.09	764.2	...	...	N W	8	...
Tokio,	,,	29.94	760.6	...	...	N	4	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	29.99	761.8	...	...	N W	6	...	,,	30.19	766.8	...	...	W	2	...
Nagasaki,	,,	30.07	763.8	...	...	N	6	...	,,	30.19	766.8	...	...	N E	4	...
Kagoshima,	,,	30.00	761.9	...	...	N	8	...	,,	30.15	765.9	...	...	E	4	...
Oshima,	,,	29.93	760.1	...	...	N	8	...	,,	30.01	762.1	...	...	S E	2	...
Naha,	,,	29.89	759.2	...	...	N E	8	...	,,	29.93	760.2	...	...	N E	6	...
Ishigakijima,	,,	29.89	759.3	...	...	N	8	...	,,	29.93	760.3	...	...	N E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.38	771.6	45	...	N	4	b	9 a.	30.42	772.6	50	...	N	1	b
Hankow,	,,	30.36	771.1	66	73	N	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	30.30	769.6	63	57	N E	3	b	,,	30.31	769.9	51	79	N E	2	c
Shanghai,	,,	30.28	769.1	58	47	N N E	3	c	9 a.	30.32	770.1	55	56	N N E	2	o
Gutzlaff,	,,	30.24	768.1	58	58	N N E	5	cv	,,	30.29	769.3	56	69	N N E	4	cv
Sharp Peak,	,,	30.09	764.3	60	100	E	4	o	,,	30.17	766.3	62	72	E N E	3	o
Amoy,	,,	29.90	759.4	74	63	N E	5	b	6 a.	29.99	761.7	64	68	N N E	5	c
Swatow,	,,	29.93	760.2	71	71	N	2	o	,,	30.00	762.0	62	89	...	0	c
Taihoku,	1 p.	30.05	763.3	...	...	E	6	...	5 a.	30.08	763.9	...	...	E	4	...
Taichu,	,,	29.84	758.0	...	...	N	6	...	,,	29.90	759.4	...	...	N	2	...
Tainan,	,,	29.84	758.0	...	...	N W	6	...	,,	29.87	758.7	...	...	...	0	...
Koshun	,,	29.93	760.3	...	...	N E	10	...	,,	29.88	759.0	...	...	N E	10	...
Pescadores,	,,	29.91	759.6	...	...	N E	10	...	,,	29.93	760.1	...	...	N E	10	...
Canton,	3 p.	30.02	762.5	71	66	N W	1	o	9 a.	30.16	766.0	65	68	N N W	1	o
Hongkong,	4 p.	29.97	761.2	68	64	N	2	o	10 a.	30.11	764.8	68	63	N	1	o
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.05	763.2	64	...	N	1	o	,,	30.16	766.0	64	...	N	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.5	79	...	W	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.97	761.3	77	...	N N W	4	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	79	...	S E	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.73	755.1	84	...	N	1	p	6 a.	...	...	...	...	...	...	...
Manila.	4 p.	29.69	754	84	77	S W	2	c	10 a.	29.76	756	82	77	W	0	o
Legaspi,	2 p.	29.66	753.4	90	...	W	1	oq	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	od
Iloilo,	,,	29.68	753.9	84	...	W	4	c	,,	29.78	756.4	82	...	S W	2	or
Cebu,	,,	29.70	754.4	83	...	S	2	c	,,	29.78	756.4	82	...	S	1	or
Labuan,	,,	29.77	756.1	85	...	...	...	...	,,	29.90	759.4	78	...	...	...	...

On the 10th at 11.50 a.—The barometer has fallen a little over the Philippines, and risen slightly to moderately over the China Coast, Formosa and Japan.

The depression still lies over the Pacific to the N.E. of Luzon. It appears to be almost stationary.

Pressure remains high over N. China and gradients continue rather steep in the South.

Strong N. and N.E. winds to gales will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 10th November, 1906.

[Printed by Kosokwa & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th November, 1906, P.M.								11th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	W	6	...	6 a.	30.36	771.1	...	...	W	6	...
Hakodate,	,,	30.20	767.2	...	...	W	6	...	,,	30.48	774.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	N W	6	...	,,	30.50	774.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	N	6	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki,	,,	...	...	...	...	N E	6	...	,,	30.27	768.8	...	...	S E	2	...
Kagoshima,	,,	30.15	765.9	...	...	N E	4	...	,,	30.19	766.9	...	...	N E	8	...
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	30.01	762.1	...	...	N	6	...
Naha,	,,	29.89	759.2	...	...	N E	8	...	,,	29.85	758.2	...	...	N E	8	...
Ishigakijima,	,,	29.89	759.3	...	...	N E	8	...	,,	29.82	757.3	...	...	N E	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.35	770.9	49	...	E	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.31	769.9	62	56	N E	3	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.30	769.6	55	56	N	3	o	9 a.	30.31	769.9	57	75	N E	2	c
Gutzlaff,	,,	30.25	768.3	56	63	N N E	4	cv	,,	30.26	768.6	59	54	N N E	4	cv
Sharp Peak,	,,	30.09	764.3	64	73	E N E	4	o	,,	30.09	764.3	64	73	N	2	o
Amoy,	,,	29.94	760.5	72	85	N E	4	b	6 a.	29.96	761.0	63	83	N	2	o
Swatow,	,,	29.95	760.7	71	62	E	2	o	,,	30.00	762.0	62	94	N E	1	c
Taihoku,	1 p.	30.04	763.0	...	...	N E	6	...	5 a.	29.99	761.7	...	...	E	4	...
Taichu,	,,	29.80	757.0	...	...	N	6	...	,,	29.90	759.4	...	...	N	2	...
Tainan,	,,	29.86	758.4	...	...	N	4	...	,,	29.86	758.4	...	...	N W	4	...
Koshun,	,,	29.86	758.4	...	...	N E	10	...	,,	29.86	758.3	...	...	...	0	...
Pescadores,	,,	29.93	760.3	...	...	N	10	...	,,	29.90	759.4	...	...	N	10	...
Canton,	3 p.	30.04	763.0	73	58	N	1	c	9 a.	30.10	764.5	61	71	N	1	b
Hongkong,	4 p.	30.00	762.0	70	56	N	1	o	10 a.	30.07	763.8	69	51	N	1	c
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	67	...	N	1	o	,,	30.13	765.3	65	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.07	763.8	73	86	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.01	762.3	77	...	W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.98	761.5	75	...	W N W	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	82	...	N W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.78	756.5	79	...	N	2	d	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.65	753	86	65	W S W	2	c	10 a.	29.76	756	79	69	N N W	3	c
Legaspi,	2 p.	29.63	752.6	86	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.68	753.9	82	...	W	1	o	,,	29.74	755.4	81	...	W	1	c
Cebu,	,,	29.67	753.6	81	...	S	3	or	,,	29.75	755.6	83	...	S	1	o
Labuan,	,,	29.79	756.6	82	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 11th at 11.55 a.—The barometer has risen rapidly over E. Japan, and fallen slightly to moderately over S. China and the Southern Loochoos.

The depression still lies in the Pacific to the N.E. of Luzon. It shows a tendency to move Northwards.

Areas of high pressure are lying over E. Japan and Central China.

Strong N. and N.E. winds to gales will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 11th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th November, 1906, P.M.								12th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.40	772.1	...	...	N W	6	...	6 a.	30.48	774.1	...	...	...	0	...
Hakodate,	,,	30.48	774.2	...	...	W	2	...	,,	30.56	776.2	...	...	W	2	...
Tokio,	,,	30.46	773.6	...	...	N	4	...	,,	30.50	774.6	...	...	W	4	...
Kochi,	,,	30.23	767.8	...	...	...	0	...	,,	30.27	768.8	...	...	W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N E	6	...	,,	30.19	766.8	...	...	N	2	...
Kagoshima,	,,	30.12	764.9	...	...	E	6	...	,,	30.15	765.9	...	...	N E	6	...
Oshima,	,,	29.93	760.1	...	...	N E	6	...	,,	29.85	758.1	...	...	N E	10	...
Naha,	,,	29.69	754.2	...	...	N E	10	...	,,	29.46	748.2	...	...	N E	10	...
Ishigakijima,	,,	29.70	754.3	...	...	N E	8	...	,,	29.50	749.3	...	...	N	10	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.34	770.6	51	...	E	1	b	9 a.	30.44	773.2	53	...	S S E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.28	769.1	63	57	E N E	4	b	,,	30.32	770.1	48	93	E	1	b
Shanghai,	,,	30.24	768.1	62	61	N E	2	b	9 a.	30.26	768.6	62	67	N E	3	c
Gutzlaff,	,,	30.21	767.3	60	82	N N E	4	cv	,,	30.18	766.6	60	88	N N E	5	cv
Sharp Peak,	,,	30.00	762.0	66	73	N E	2	o	,,	30.01	762.2	64	68	N N E	4	o
Amoy,	,,	29.86	758.4	71	71	N N E	3	b	6 a.	29.86	758.4	65	58	N N E	3	b
Swatow,	,,	29.88	758.9	75	56	W	1	c	,,	29.90	759.4	61	77	N W	2	b
Taihoku,	1 p.	29.94	760.4	...	...	...	0	...	5 a.	29.91	759.6	...	...	S W	2	...
Taichu,	,,	29.80	756.8	...	...	N	8	...	,,	29.76	756.0	...	...	N	2	...
Tainan,	,,	29.76	755.8	...	...	W	4	...	,,	29.73	755.2	...	...	N W	2	...
Koshun,	,,	29.77	756.1	...	...	W	4	...	,,	29.73	755.0	...	...	...	0	...
Pescadores,	,,	29.84	757.9	...	...	N	10	...	,,	29.82	757.3	...	...	N	10	...
Canton,	3 p.	29.99	761.7	74	55	N E	3	b	9 a.	30.13	765.3	65	63	N N W	1	b
Hongkong,	4 p.	29.96	761.0	71	39	N N E	1	c	10 a.	30.05	763.2	70	44	N	2	b
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.02	762.5	69	...	N	1	c	,,	30.12	765.0	64	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.1	77	...	W	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.99	761.7	75	...	N N W	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	81	...	S E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	..	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.65	753	82	63	W S W	1	c	10 a.	29.80	757	79	69	N W	3	o
Legaspi,	2 p.	29.61	752.0	86	...	W	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.68	753.9	84	...	N W	3	c	,,	29.78	756.4	81	...	...	0	c
Cebu,	,,	29.69	754.1	83	...	S	3	b	,,	29.80	756.9	86	...	S	1	b
Labuan,	,,	29.79	756.6	81	...	...	...	...	,,	29.90	759.4	77	...	...	...	...

On the 12th at 11.45 a.—The barometer has fallen rapidly over Meiaco Sima and the Loochoos, and risen slightly in the Philippines.

The typhoon is now situated to the South of the Loochoos. It appears to be moving slowly Northwards at present.

The high pressure area remains over E. Japan.

Hard gales from N.E. and N. will prevail over the Eastern Sea and the N. part of the Formosa Channel. Strong monsoon is indicated over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. and N. gales.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 12th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th November, 1906, P.M.								13th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.44	773.1	...	...	S W	6	...	6 a.	30.40	772.1	...	...	N	4	...
Hakodate,	,,	30.48	774.2	...	...	...	0	...	,,	30.44	773.2	...	...	N	2	...
Tokio,	,,	30.46	773.6	...	...	N W	2	...	,,	30.38	771.6	...	...	N W	4	...
Kochi,	,,	30.23	767.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	4	...
Nagasaki,	,,	30.11	764.8	...	...	E	8	...	,,	29.99	761.8	...	...	E	10	...
Kagoshima,	,,	30.07	763.9	...	...	...	0	...	,,	29.88	758.9	...	...	N E	10	...
Oshima,	,,	29.30	744.1	...	...	N	10	...	,,	29.38	764.1	...	...	N E	10	...
Naha,	,,	29.14	740.2	...	...	N E	10	...	,,	28.75	730.2	...	...	N	12	...
Ishigakijima,	,,	29.46	748.3	...	...	N	10	...	,,	29.66	753.3	...	...	N	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.41	772.4	58	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.34	770.6	64	68	N E	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.28	769.1	64	63	E N E	2	b	,,	30.31	769.9	52	68	N E	1	b
Shanghai,	,,	30.18	766.6	63	57	N N E	4	c	9 a.	30.27	768.8	62	67	N	2	c
Gutzlaff,	,,	30.13	765.3	61	82	N N E	5	cm	,,	30.15	765.8	61	71	N E	6	cm
Sharp Peak,	,,	29.93	760.2	68	61	N E	3	o	,,	30.10	764.5	65	58	N N E	3	b
Amoy,	,,	29.81	757.2	76	64	N E	3	b	6 a.	29.98	761.5	63	78	N E	2	b
Swatow,	,,	29.88	758.9	78	46	N	1	b	,,	29.91	759.7	61	66	N	2	b
Taihoku,	1 p.	29.87	758.8	...	...	S W	2	...	5 a.	29.98	761.5	...	...	N	4	...
Taichu,	,,	29.74	755.5	...	...	N	10	...	,,	29.91	759.7	...	...	N	8	...
Tainan,	,,	29.72	755.0	...	...	N W	8	...	,,	29.86	758.4	...	...	N	8	...
Koshun,	,,	29.75	755.6	...	...	S W	2	...	,,	29.83	757.6	...	...	...	0	...
Pescadores,	,,	29.80	757.0	...	...	N	10	...	,,	29.91	759.6	...	...	N	10	...
Canton,	3 p.	29.99	761.7	76	56	N W	1	b	9 a.	30.18	766.6	66	64	N	2	b
Hongkong,	4 p.	29.94	760.5	74	50	S W	1	b	10 a.	30.11	764.8	71	39	N	2	b
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.01	762.2	72	...	N E	1	b	,,	30.17	766.3	65	...	N	2	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	75	...	S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.99	761.8	77	...	N	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	81	...	S E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	755.8	77	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	83	57	W	1	c	10 a.	29.88	759	79	69	N N W	2	c
Legaspi,	2 p.	29.70	754.5	88	...	W	1	c	6 a.	29.82	757.5	68	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	b	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.72	754.9	86	...	N W	2	...	,,	29.83	757.7	80	...	W	1	b
Cebu,	,,	29.73	755.1	85	...	N	1	c	,,	29.87	758.7	85	...	S	2	c
Labuan,	,,	29.81	757.2	79	...	...	...	...	,,	29.93	760.2	76	...	...	...	...

On the 13th at 11.40 a.—The barometer has fallen rapidly over the Loochoos, the typhoon now being situated near Naha. It appears to be recurving to the N.N.E., and is already causing heavy weather in S.W. Japan where pressure is giving way quickly.

The barometer is now rising over S. China, Formosa and the Philippines.

Pressure remains high over N. China and the North of the Sea of Japan.

Very bad weather will continue to prevail over the Eastern Sea, and strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate ; fine.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 13th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th November, 1906, P.M.								14th November, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.40	772.1	...	...	N W	6	...	6 a.	30.44	773.1	...	...	E	2	...
Hakodate,	,,	30.44	773.2	...	...	...	0	...	,,	30.56	776.2	...	...	N W	2	...
Tokio,	,,	30.34	770.6	...	...	N W	4	...	,,	30.50	774.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	N	6	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N E	10	...	,,	30.03	762.8	...	...	N E	8	...
Kagoshima,	,,	29.84	757.9	...	...	N E	10	...	,,	29.96	760.9	...	...	N E	10	...
Oshima,	,,	29.41	747.1	...	...	E	4	...	,,	29.61	752.1	...	...	N E	4	...
Naha,	,,	29.18	741.2	...	...	N	10	...	,,	29.46	748.2	...	...	N	10	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	...	...	N	8	...
Chefoo,	3 p.	30.39	771.9	57	63	E	1	b	6 a.	30.36	771.1	58	81	E N E	1	b
Weihaiwei,	,,	30.38	771.6	60	...	E	3	b	9 a.	30.38	771.6	56	...	E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.39	771.9	51	86	N E	1	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.37	771.4	48	93	N E	1	b
Shanghai,	,,	30.22	767.6	62	61	N N E	3	o	9 a.	30.26	768.6	61	60	N	2	c
Gutzlaff,	,,	30.16	766.0	61	71	N N E	5	cm	,,	30.20	767.1	61	71	N N E	5	cm
Sharp Peak,	,,	30.03	762.7	67	74	N N E	3	b	,,	30.06	743.5	63	67	...	0	c
Amoy,	,,	29.96	761.0	77	53	N E	3	b	6 a.	30.04	763.0	63	67	N E	3	b
Swatow,	,,	29.95	760.7	75	48	E	2	b	,,	30.01	762.2	58	81	...	0	b
Taihoku,	1 p.	30.04	763.0	...	...	N	2	...	5 a.	30.06	763.6	...	...	...	0	...
Taichu,	,,	29.89	759.1	...	...	N	8	...	,,	29.97	761.2	...	...	N	6	...
Tainan,	,,	29.89	759.1	...	...	N W	6	...	,,	29.93	760.2	...	...	N E	6	...
Koshun,	,,	29.87	758.6	...	...	N	2	...	,,	29.93	760.1	...	...	N E	4	...
Pescadores,	,,	29.95	760.7	...	...	N	10	...	,,	29.96	760.9	...	...	N	10	...
Canton,	3 p.	30.05	763.2	77	53	N N W	1	b	9 a.	30.19	766.8	65	68	N	1	b
Hongkong,	4 p.	30.01	762.2	74	47	W	1	b	10 a.	30.12	765.0	71	38	N W	1	b
Victoria Peak,	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.07	763.8	72	...	N E	1	b	,,	30.19	766.8	65	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.08	764.0	76	91	N W	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.2	75	...	S S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.00	761.9	79	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	81	...	S	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.7	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	57	W	1	b	10 a.	29.88	759	81	71	S W	1	o
Legaspi,	2 p.	29.80	756.8	86	...	E	1	c	6 a.	29.86	758.5	68	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.75	755.6	85	...	S W	1	c	,,	29.85	758.2	80	...	...	0	b
Cebu,	,,	29.81	757.2	85	...	N	2	c	,,	29.89	759.2	84	...	S	1	b
Labuan,	,,	29.85	758.2	81	...	...	...	...	,,	29.92	759.9	81	...	...	...	...

On the 14th at 11.55 a.—The barometer has risen considerably over the Loochoos, moderately over Japan and Formosa. It has fallen slightly over N. China.

The typhoon is still to the E. of Naha (Loochoos). It appears to be moving away to the E.N.E. and may be filling up at the same time.

The area of high pressure remains over the N. part of the Sea of Japan.

N. and N.E. gales will continue over the Eastern Sea, and strong monsoon will prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate ; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 14th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th November, 1906, P.M.								15th November, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.40	772.1	...	...	N W	4	...	6 a.	30.36	771.1	...	...	...	0	...
Hakodate,	,,	30.48	774.2	...	...	S	2	...	,,	30.36	771.2	...	...	N W	2	...
Tokio,	,,	30.46	773.6	...	...	N W	2	...	,,	30.42	772.6	...	...	N W	4	...
Kochi,	,,	30.19	766.8	...	...	S W	2	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N E	6	...	,,	30.03	762.8	...	...	N	2	...
Kagoshima,	,,	30.07	763.9	...	...	E	8	...	,,	29.92	759.9	...	...	N E	10	...
Oshima,	,,	29.69	754.1	...	...	E	4	...	,,	29.73	755.1	...	...	...	0	...
Naha,	,,	29.46	748.2	...	...	E	4	...	,,	29.65	753.2	...	...	E	2	...
Ishigakijima,	,,	29.81	757.3	...	...	N	8	...	,,	29.70	754.3	...	...	N	8	...
Chefoo,	3 p.	30.23	767.8	58	81	E	1	b	6 a.	30.35	770.9	42	100	S E	1	b
Weihaiwei,	,,	30.28	769.1	56	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.33	770.4	66	59	N W	2	b	6 a.	30.30	769.6	52	93	N	1	b
Kinkiang,	,,	30.28	769.1	66	64	N E	1	b	,,	30.29	769.3	47	93	...	0	b
Shanghai,	,,	30.18	766.6	63	57	N	3	c	9 a.	30.22	767.6	60	71	N	3	c
Gutzlaff,	,,	30.14	765.5	...	...	N	4	...	,,	30.15	765.8	61	77	N	4	cln
Sharp Peak,	,,	30.03	762.7	67	64	E	1	b	,,	30.04	763.0	66	68	N W	1	o
Amoy,	,,	29.97	761.2	77	69	N E	2	b	6 a.	30.00	762.0	61	82	N E	2	b
Swatow,	,,	29.87	758.7	74	63	E	2	b	,,	29.99	761.7	59	76	W N W	1	b
Taihoku,	1 p.	30.04	763.1	...	...	N	2	...	5 a.	29.99	761.6	...	...	W	4	...
Taichu,	,,	29.92	760.0	...	...	N	8	...	,,	29.86	758.3	...	...	N	6	...
Tainan,	,,	29.91	759.8	...	...	W	6	...	,,	29.91	759.8	...	...	N W	6	...
Koshun,	,,	29.92	760.0	...	...	W	4	...	,,	29.89	759.3	...	...	...	0	...
Pescadores,	,,	29.97	761.2	...	...	N E	10	...	,,	29.95	760.6	...	...	N E	8	...
Canton,	3 p.	30.03	762.7	76	60	N N W	1	b	9 a.	30.16	766.0	65	68	N N W	1	b
Hongkong,	4 p.	30.00	762.0	74	28	N-N E	1	b	10 a.	30.09	764.3	70	35	N N E	1	b
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	72	...	N N E	1	c	,,	30.16	766.0	65	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.3	75	...	S S E	7	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.02	762.6	79	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	758.9	79	...	N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.88	759.0	77	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	63	S S W	0	c	10 a.	29.92	760	82	70	W S W	1	c
Legaspi,	2 p.	29.83	757.8	88	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	N W	2	b
Iloilo,	,,	29.79	756.6	83	...	W	2	c	,,	29.89	759.2	79	...	N E	1	b
Cebu,	,,	29.82	757.4	84	...	N	1	b	,,	29.91	759.7	83	...	N	1	c
Labuan,	,,	29.83	757.7	81	...	...	...	...	,,	29.92	759.9	81	...	...	...	...

On the 15th at 11.50 a.—The barometer has risen over the Loochoos, and fallen over N. Formosa and Meiaco Sima.

The typhoon is gradually filling up to the South of Naha (Loochoos). It has moved slowly to the Westward since yesterday.

Pressure has given away slightly over China and Japan. It is still high over the North of the Sea of Japan.

N. and N.E. gales will continue to prevail over the Eastern Sea, and fresh monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 15th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th November, 1906, P.M.								16th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.20	767.1	...	...	S	4	...	6 a.	29.89	759.1	...	...	S W	6	...
Hakodate,	,,	30.20	767.2	...	...	S E	2	...	,,	30.05	763.2	...	...	...	0	...
Tokio,	,,	30.30	769.6	...	...	N W	2	...	,,	30.06	763.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	S W	2	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.91	759.8	...	...	N E	4	...	,,	29.91	759.8	...	...	N E	4	...
Kagoshima,	,,	29.84	757.9	...	...	N E	10	...	,,	29.88	758.9	...	...	N W	4	...
Oshima	,,	29.69	754.1	...	...	N	4	...	,,	29.77	756.1	...	...	...	0	...
Naha,	,,	29.69	754.2	...	...	...	0	...	,,	29.77	756.2	...	...	N	8	...
Ishigakijima,	,,	29.93	760.3	...	...	N	6	...	,,	29.89	759.3	...	...	N	8	...
Chefoo,	3 p.	30.27	769.1	57	87	N	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.29	769.3	57	...	N E	2	ovr	9 a.	30.44	773.2	45	...	N N E	4	b
Hankow,	,,	30.32	770.1	66	64	N E	1	b	6 a.	30.36	771.1	53	86	N W	2	b
Kiukiang,	,,	30.29	769.3	65	63	E	1	b	,,	30.36	771.1	50	93	...	0	b
Shanghai,	,,	30.16	766.0	61	66	N	3	c	9 a.	30.27	768.8	60	71	N	2	c
Gutzlaff,	,,	30.11	764.8	62	72	N	5	cm	,,	30.21	767.3	60	71	N	5	o
Sharp Peak	,,	29.99	761.7	67	60	...	0	odf	,,	30.14	765.5	66	76	E N E	3	og
Amoy,	,,	29.92	759.9	74	63	S E	3	c	6 a.	30.02	762.5	65	89	N E	4	o
Swatow,	,,	29.88	758.9	80	31	W	1	b	,,	30.04	763.0	65	89	...	0	o
Taihoku,	1 p.	29.99	761.7	...	...	N W	6	...	5 a.	30.05	763.2	...	...	...	0	...
Taichu,	,,	29.92	759.9	...	...	N	8	...	,,	29.93	760.2	...	...	...	0	...
Tainan,	,,	29.85	758.3	...	...	N W	6	...	,,	29.97	761.1	...	...	N W	4	...
Koshun	,,	29.85	758.3	...	...	S	2	...	,,	29.95	760.7	...	...	S E	2	...
Pescadores,	,,	29.92	760.0	...	...	N E	8	...	,,	29.99	761.6	...	...	N E	10	...
Canton,	3 p.	30.02	762.5	77	65	N	2	b	9 a.	30.15	765.8	67	69	N N W	1	c
Hongkong,	4 p.	29.98	761.5	74	36	W	1	b	10 a.	30.11	764.8	73	42	N E	1	o
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.04	763.0	82	...	N N W	1	b	,,	30.17	766.3	67	...	N	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.03	762.7	78	86	N W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.6	77	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.01	762.2	79	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	758.0	82	...	N	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.85	758.2	81	...	N E	1	b	6 a.	29.94	760.4	72	...	S W	1	b
Manila,	4 p.	29.80	757	84	58	S W	1	b	10 a.	29.96	761	79	76	W	1	b
Legaspi,	2 p.	29.84	758.0	82	...	...	0	o	6 a.	29.92	760.0	68	...	...	0	b
Bacolod,	3 p.	...	...	...	...	W	1	b	9 a.	...	...	...	...	W	1	b
Iloilo,	,,	29.79	756.6	84	...	W	1	b	,,	29.93	760.2	80	...	...	0	b
Cebu,	,,	29.83	757.7	85	...	...	0	b	,,	29.99	761.7	84	...	N	1	b
Labuan,	,,	29.83	758.2	85	...	...	...	...	,,	29.92	759.9	82	...	...	...	...

On the 16th at 11.55 a.—The barometer has fallen rapidly over Japan, and risen slightly to moderately elsewhere.

The typhoon exists still as an ordinary depression to the East of the Loochoos. Owing to the disappearance of the high pressure recently covering E. Japan, it will probably now move away to the N.E.

A second depression is moving into the Pacific to the N.E. of Japan.

Pressure is again high over N. China.

Fresh to strong monsoon may be expected over the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 16th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th November, 1906, P.M.								17th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	E	2	...	6 a.	29.89	759.1	...	...	N W	6	...
Hakodate,	,,	30.01	762.2	...	...	N W	8	...	,,	30.09	764.2	...	...	W	8	...
Tokio,	,,	29.94	760.6	...	...	N	2	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	29.87	758.8	...	...	N	4	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki,	,,	29.95	760.8	...	...	N	6	...	,,	30.03	762.8	...	...	N E	4	...
Kagoshima,	,,	29.88	758.9	...	...	N E	4	...	,,	29.96	760.9	...	...	...	0	...
Oshima,	,,	29.81	757.1	...	...	...	0	...	,,	29.89	759.1	...	...	N	6	...
Naha,	,,	29.77	756.2	...	...	N	8	...	,,	29.93	760.2	...	...	N	8	...
Ishigakijima,	,,	29.93	760.3	...	...	N	6	...	,,	30.01	762.3	...	...	N	4	...
Chefoo,	3 p.	30.30	769.6	47	48	N	4	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.40	772.1	47	...	N N W	4	b	9 a.	30.49	774.4	40	...	N	4	b
Hankow,	,,	30.41	772.4	66	64	N E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.41	772.4	63	57	N E	4	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.25	768.3	61	50	N	4	b	9 a.	30.34	770.6	57	63	N	2	c
Gutzlaff,	,,	30.19	766.8	61	66	N	4	cm	,,	30.27	768.8	58	76	N	5	cm
Sharp Peak,	,,	30.12	765.0	67	71	E	2	o	,,	30.24	768.1	63	75	N N E	1	og
Amoy,	,,	29.92	759.9	73	76	E N E	2	c	6 a.	30.11	764.8	62	89	N E	2	c
Swatow,	,,	30.02	762.5	75	60	E	3	b	,,	30.10	764.5	63	78	N E	1	c
Taihoku,	1 p.	30.11	764.9	...	...	E	6	...	5 a.	30.16	766.0	...	...	S	2	...
Taichu,	,,	30.00	762.1	...	...	N	6	...	,,	30.05	763.3	...	...	N	2	...
Tainan,	,,	29.99	761.8	...	...	W	6	...	,,	30.02	762.6	...	...	N	2	...
Koshun,	,,	29.97	761.2	...	...	N E	6	...	,,	30.06	763.4	...	...	N E	4	...
Pescadores,	,,	30.02	762.5	...	...	N	8	...	,,	30.05	763.2	...	...	N E	10	...
Canton,	3 p.	30.07	763.8	76	69	N	1	o	9 a.	30.21	767.3	69	75	N	2	b
Hongkong,	4 p.	30.04	763.0	73	43	N	1	o	10 a.	30.18	766.6	71	52	N E	1	o
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.10	764.5	71	...	N	1	o	,,	30.23	767.8	69	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.2	77	...	S S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.04	763.0	77	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.8	82	...	...	0	b	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.2	81	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	64	N E	1	b	10 a.	29.96	761	82	70	W S W	1	c
Legaspi,	2 p.	29.88	759.0	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	1	b
Iloilo,	,,	29.83	757.7	85	...	W	1	b	,,	29.91	759.7	82	...	N E	1	b
Cebu,	,,	29.86	758.4	85	...	N	2	b	,,	29.93	760.2	84	...	N	1	c
Labuan,	,,	29.84	757.9	82	...	...	...	...	,,	29.93	760.2	78	...	...	...	...

On the 17th at 11.55 a.—The barometer has risen generally, except over the S. Philippines.

The depression is slowly moving away over the Pacific to the E. of the Loochoos.

A high pressure area is central over the continent to the North of the Yangtze.

The gradient is still somewhat steep over the Eastern Sea where strong N. winds will prevail. Fresh monsoon is indicated in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 17th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th November, 1906, P.M.								18th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	S	4	...	6 a.	29.85	758.1	...	...	E	2	...
Hakodate,	,,	29.97	761.2	...	...	W	8	...	,,	30.01	762.2	...	...	W	6	...
Tokio,	,,	29.98	761.6	...	...	E	8	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki,	,,	29.99	761.8	...	...	N	6	...	,,	30.07	763.8	...	...	...	0	...
Kagoshima,	,,	29.96	760.9	...	...	...	0	...	,,	30.00	761.9	...	...	N	6	...
Oshima,	,,	29.93	760.1	...	...	N	6	...	,,	30.01	762.1	...	...	N	6	...
Naha,	,,	29.97	761.2	...	...	N	8	...	,,	30.05	763.2	...	...	N	8	...
Ishigakijima,	,,	30.05	763.3	...	...	N	6	...	,,	30.09	764.3	...	...	N	6	...
Chefoo,	3 p.	30.43	772.9	35	...	N	6	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.45	773.4	39	...	N	4	ovr	9 a.	30.50	774.7	...	...	N	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.43	772.9	61	55	N E	3	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.29	769.3	57	58	N	3	c	9 a.	30.35	770.9	50	72	N N W	2	o
Gutzlaff,	,,	30.24	768.1	58	64	N N W	4	cv	,,	30.32	770.1	56	63	N	4	cv
Sharp Peak,	,,	30.17	766.3	65	73	E	3	o	,,	30.26	768.6	62	71	N N E	2	og
Amoy,	,,	30.06	763.5	74	63	N E	4	c	6 a.	30.09	764.3	58	88	N E	4	b
Swatow,	,,	30.07	763.8	70	70	E	3	b	,,	30.10	764.5	59	76	E	2	c
Taihoku,	1 p.	30.16	766.1	...	...	N E	4	...	5 a.	30.19	766.8	...	...	E	4	...
Taichu,	,,	30.05	763.3	...	...	N	4	...	,,	30.06	763.5	...	...	...	0	...
Tainan,	,,	30.04	763.0	...	...	N	2	...	,,	30.03	762.8	...	...	N W	2	...
Koshun,	,,	30.04	763.1	...	...	N E	8	...	,,	30.03	762.7	...	...	N E	10	...
Pescadores,	,,	30.07	763.8	...	...	N E	10	...	,,	30.06	763.6	...	...	N E	10	...
Canton,	3 p.	30.10	764.5	78	70	N N E	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.09	764.3	70	72	E	1	o	10 a.	30.16	766.0	68	66	E	4	c
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.13	765.3	72	...	E N E	1	c	,,	30.20	767.1	70	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.09	764.2	81	...	S	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	79	...	N	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	79	...	E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.95	760.8	81	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	81	76	N	1	o	10 a.	29.92	760	82	79	...	0	o
Legaspi,	2 p.	29.88	759.0	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.79	756.6	86	...	N E	1	c	,,	29.85	758.2	81	...	...	0	b
Cebu,	,,	29.84	757.9	85	...	N	2	b	,,	29.89	759.2	84	...	N	2	c
Labuan,	,,	29.83	757.7	84	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 18th at 11.45 a.—The barometer has risen moderately over the Loochoos, and fallen a little in the Philippines.

Pressure is now slightly in defect of the normal over the S. Philippines and adjacent waters.

The high pressure area is central over N. China, and pressure is relatively low over Japan.

Strong monsoon will prevail along the China Coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 18th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th November, 1906, P.M.								19th November, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	W	6	...	6 a.	29.93	760.1	...	...	W	8	...
Hakodate,	,,	29.93	760.2	...	...	W	8	...	,,	30.25	768.2	...	...	N W	6	...
Tokio,	,,	29.98	761.6	...	...	N	2	...	,,	30.18	766.6	...	...	N W	4	...
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N	6	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.00	761.9	...	...	...	0	...	,,	30.15	765.9	...	...	N E	2	...
Oshima,	,,	29.96	761.1	...	...	N	8	...	,,	30.12	765.1	...	...	N W	6	...
Naha,	,,	30.01	762.2	...	...	N	8	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.47	773.9	31	...	N W	3	c	9 a.	30.44	773.2	31	...	N W	5	ovr
Hankow,	,,	30.29	769.3	52	73	N N E	3	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.37	771.4	54	61	N E	3	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	30.45	773.4	47	70	N N W	2	o
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	30.37	771.4	52	73	N	4	cv
Sharp Peak,	,,	30.21	769.9	64	73	E	1	o	,,	30.29	769.3	62	72	N N E	2	o
Amoy,	,,	29.87	758.7	72	58	N E	2	b	6 a.	30.19	766.8	60	76	N E	1	b
Swatow,	,,	30.06	763.5	69	70	N E	4	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.14	765.5	...	...	E	6	...	5 a.	30.21	767.2	...	...	E	4	...
Taichu,	,,	30.01	762.3	...	...	...	0	...	,,	30.10	764.5	...	...	...	0	...
Tainan,	,,	30.00	762.1	...	...	S W	2	...	,,	30.09	764.2	...	...	N W	4	...
Koshun,	,,	30.02	762.4	...	...	N E	8	...	,,	30.07	763.8	...	...	N E	10	...
Pescadores,	,,	30.04	763.1	...	...	N E	10	...	,,	30.10	764.6	...	...	S E	2	...
Canton,	3 p.	30.02	762.5	76	77	N	2	b	9 a.	30.28	769.1	67	74	N N E	1	b
Hongkong,	4 p.	30.07	763.8	67	69	E	4	b	10 a.	30.24	768.1	69	62	N	2	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.10	764.5	68	...	E	2	c	,,	30.30	769.6	65	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.09	764.3	78	86	S S E	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.01	762.3	77	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.99	761.8	75	...	N	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	82	...	S S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	81	76	S	0	c	10 a.	29.96	761	79	76	N N E	1	c
Legaspi,	2 p.	29.84	758.0	88	...	N E	1	b	6 a.	29.92	759.9	77	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.79	756.6	85	...	N	1	b	,,	29.89	759.2	81	...	N	5	c
Cebu,	,,	29.81	757.2	84	...	N	1	o	,,	29.90	759.4	81	...	...	0	o
Labuan,	,,	29.76	755.9	87	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 19th at 11.55 a.—The barometer has fallen a little in N. China, and risen moderately to slightly elsewhere.

An anticyclone is central over the continent to the North of the Yangtze, and pressure is relatively low to the N.E. of Japan in the North, and over the S. Philippines in the South.

Gradients are moderate to rather steep and strong monsoon may be expected along the China Coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 19th November, 1906.

[Printed by Nokosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th November, 1906, P.M.								20th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	N W	8	...	6 a.	30.44	773.1	...	...	S	2	...
Hakodate,	,,	30.32	770.2	...	...	W	6	...	,,	30.21	767.2	...	...	E	6	...
Tokio,	,,	30.22	767.6	...	...	N W	2	...	,,	30.18	766.6	...	...	N W	6	...
Kochi,	,,	30.07	763.8	...	...	W	2	...	,,	30.11	764.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N W	6	...	,,	30.27	768.8	...	...	N	4	...
Kagoshima,	,,	30.12	764.9	...	...	N W	4	...	,,	30.23	767.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	N W	6	...	,,	30.28	769.1	...	...	N	6	...
Naha,	,,	30.13	765.2	...	...	N	8	...	,,	30.28	769.2	...	...	N	8	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.29	769.3	...	...	N E	6	...
Chefoo,	3 p.	30.31	769.9	33	90	N	1	s	6 a.	30.47	773.9	34	90	W	3	c
Weihaiwei,	,,	30.32	770.1	32	...	N	3	c	9 a.	30.39	771.9	27	...	N W	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.76	781.3	34	79	N E	3	b
Kiukiang,	,,	30.63	778.0	44	92	N W	2	or	,,	30.73	780.5	34	90	...	0	b
Shanghai,	,,	30.45	773.4	43	59	...	4	o	9 a.	30.63	778.0	35	53	W N W	3	b
Gutzlaff,	,,	30.39	771.9	46	77	N N W	5	cv	,,	30.64	778.2	33	69	N W	5	c
Sharp Peak,	,,	30.27	768.8	64	78	E	4	c	,,	30.50	774.7	59	70	N N E	4	o
Amoy,	,,	30.14	765.5	74	72	N E	3	c	6 a.	...	...	57	87	N E	3	b
Swatow,	,,	30.17	766.3	70	70	E	3	b	,,	30.33	770.4	56	75	E	2	b
Taihoku,	1 p.	30.22	767.5	...	...	E	6	...	5 a.	30.43	772.9	...	...	S W	2	...
Taichu,	,,	30.11	764.7	...	...	N	4	...	,,	30.29	769.3	...	...	N	6	...
Tainan,	,,	30.13	765.2	...	...	N W	2	...	,,	30.31	769.8	...	...	N W	8	...
Koshun,	,,	30.08	764.1	...	...	N E	10	...	,,	30.21	767.3	...	...	N E	10	...
Pescadores,	,,	30.14	765.5	...	...	N	10	...	,,	30.30	769.5	...	...	N	10	...
Canton,	3 p.	30.23	767.8	73	76	N	2	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.20	767.1	72	42	N N E	2	b	10 a.	30.39	771.9	65	41	N	3	c
Victoria Peak,	,,	...	...	...	...	N N E	5	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.25	768.3	71	...	N E	1	c	,,	30.46	773.7	57	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.24	768.1	76	91	E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.18	766.5	70	...	E	3	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.04	763.0	75	...	N E	3	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	82	...	S E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.94	760.5	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	70	N E	0	c	10 a.	30.00	762	82	70	...	0	c
Legaspi,	2 p.	29.87	758.8	82	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	3	b	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.79	756.6	87	...	N E	2	c	,,	29.89	759.2	80	...	N E	2	c
Cebu,	,,	29.83	757.7	85	...	N	3	...	,,	29.93	760.2	81	...	...	...	b
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 20th at 11.50 a.—Except over Central Japan the barometer has risen generally, particularly over S. China and the Loochoos.

The anticyclone, which remains central over the continent to the North of the Yangtze, has spread to the S.E., and now covers the whole of China and the Pacific towards the Loochoos.

There is a shallow area of low pressure over the S. part of the Sea of Japan.

Pressure is in considerable excess of the normal generally, except over Central Japan and the Philippines.

Gradients are moderate to rather steep, and strong monsoon will continue along the China Coast and heavy monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh to moderate; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 20th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th November, 1906, P.M.								21st November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.85	758.1	...	...	N	2	...
Hakodate,	,,	29.93	760.2	...	...	S E	10	...	,,	29.97	761.2	...	...	W	8	...
Tokio,	,,	30.02	762.6	...	...	W	0	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	W	6	...	,,	30.31	769.8	...	...	W	2	...
Nagasaki,	,,	30.27	768.8	...	...	N W	8	...	,,	30.39	771.8	...	...	N	2	...
Kagoshima,	,,	30.23	767.9	...	...	N W	8	...	,,	30.35	770.9	...	...	N E	4	...
Oshima,	,,	30.32	770.1	...	...	N	6	...	,,	30.36	771.1	...	...	N W	4	...
Naha,	,,	30.32	770.2	...	...	N	8	...	,,	30.32	770.2	...	...	E	2	...
Ishigakijima,	,,	30.33	770.3	...	...	N E	...	...	,,	30.33	770.3	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.35	770.9	32	...	N N W	3	c	9 a.	30.38	771.6	31	...	N W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.56	776.2	50	65	N W	1	b	,,	30.46	773.7	35	90	...	0	b
Shanghai,	,,	30.53	775.4	40	48	N W	2	b	9 a.	30.45	773.4	49	50	S S E	1	b
Gutzlaff,	,,	30.50	774.7	39	70	N W	3	cv	,,	30.42	772.6	46	69	S	2	bv
Sharp Peak,	,,	30.41	772.4	61	71	E	3	b	,,	30.42	772.6	56	71	N N E	3	o
Amoy,	,,	30.33	770.4	68	56	N N E	3	b	6 a.	30.32	770.1	52	86	N E	2	b
Swatow,	,,	30.27	768.8	67	64	E	3	b	,,	30.27	768.8	52	86	E	1	b
Taihoku,	1 p.	30.44	773.1	...	...	N E	..	...	5 a.	30.32	770.2	...	...	E	6	...
Taichu,	,,	30.22	767.6	...	...	N	8	...	,,	30.25	768.3	...	...	...	0	...
Tainan,	,,	30.27	768.8	...	...	N W	6	...	,,	30.23	767.8	...	...	N W	2	...
Koshun,	,,	30.21	767.4	...	...	N E	10	...	,,	30.19	766.7	...	...	N E	10	...
Pescadores,	,,	30.28	769.0	...	...	N	10	...	,,	30.25	768.2	...	...	N E	10	...
Canton,	3 p.	30.34	770.6	67	74	N W	2	b	9 a.	30.34	770.6	62	77	...	0	b
Hongkong,	4 p.	30.27	768.8	67	36	N E	1	c	10 a.	30.31	769.9	64	54	E N E	2	o
Victoria Peak,	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.29	769.3	64	...	N	1	c	,,	30.36	771.1	62	...	N	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.38	771.6	68	90	N	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.29	769.4	70	...	E S E	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.20	767.0	70	...	N N E	4	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.1	77	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	81	70	N E	0	d	10 a.	30.00	762	73	100	N	1	d
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.96	760.9	77	...	E	2	0
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N E	4	o
Iloilo,	,,	29.85	758.2	84	...	N E	3	o	,,	29.89	759.2	81	...	N E	1	o
Cebu,	,,	29.87	758.7	83	...	N	3	o	,,	29.93	760.2	80	...	...	0	o
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.86	758.4	84	...	...	...	...

On the 21st at 11.55 a.—Pressure is still high over China, but giving way quickly particularly along the Yangtze. Probably an area of low pressure will appear to the North of the Yangtze.

The barometer is rising over Japan, the depression lying in the Sea of Japan yesterday, having moved into the Pacific.

Gradients have decreased on the China Coast and the monsoon will moderate. Over the China Sea they continue rather steep and hard monsoon is still expected to prevail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh to moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 21st November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st November, 1906, P.M.								22nd November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	....	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	S W	6	...	6 a.	29.97	761.1	...	...	W	6	...
Hakodate,	,,	30.09	764.2	...	...	W	8	...	,,	30.09	764.2	...	...	W	8	...
Tokio,	,,	30.14	765.6	...	...	...	0	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.27	768.8	...	...	S	2	...	,,	30.31	769.8	...	...	...	0	...
Nagasaki,	,,	30.35	770.8	...	...	N	2	...	,,	30.35	770.8	...	...	...	0	...
Kagoshima,	,,	30.35	770.9	...	...	N	2	...	,,	30.35	770.9	...	...	N	2	...
Oshima,	,,	30.32	770.1	...	...	N	4	...	,,	30.36	771.1	...	...	S	2	...
Naha,	,,	30.32	770.2	...	...	N E	6	...	,,	30.32	770.2	...	...	N E	4	...
Ishigakijima,	,,	30.29	769.3	...	...	N E	6	...	,,	30.29	769.3	...	...	N E	4	...
Chefoo,	3 p.	30.43	772.9	39	64	N W	3	c	6 a.	30.61	777.5	29	...	N N E	3	c
Weihaiwei,	,,	30.41	772.4	34	...	N W	4	c	9 a.	30.64	778.2	27	...	N W	3	c
Hankow,	,,	30.45	773.4	55	56	N N E	2	o	6 a.	30.65	778.5	43	75	N W	2	o
Kinkiang,	,,	30.41	772.4	58	53	E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.38	771.6	57	48	N W	1	b	9 a.	30.55	775.9	49	71	N	1	o
Gutzlaff,	,,	30.36	771.1	54	55	S	1	bv	,,	30.49	774.4	52	66	N N E	3	cv
Sharp Peak,	,,	30.33	770.4	61	71	E	2	b	,,	30.37	771.4	60	51	N	2	o
Amoy,	,,	30.25	768.3	69	56	N E	4	b	6 a.	30.36	771.1	60	76	N N W	1	c
Swatow,	,,	...	...	...	...	...	...	...	,,	30.26	768.6	55	87	E	1	b
Taihoku,	1 p.	30.28	769.0	...	...	E	8	...	5 a.	30.28	769.0	...	...	E	6	...
Taichu,	,,	30.21	767.3	...	...	...	0	...	,,	30.23	767.8	...	...	...	0	...
Tainan,	,,	30.20	767.2	...	...	S	2	...	,,	30.20	767.0	...	...	N E	2	...
Koshun,	,,	30.22	767.6	...	...	W	4	...	,,	30.17	766.2	...	...	N E	10	...
Pescadores,	,,	30.21	767.3	...	...	N	10	...	,,	30.18	766.4	...	...	N E	6	...
Canton,	3 p.	30.24	768.1	71	71	N	1	c	9 a.	30.33	770.5	66	89	...	0	b
Hongkong,	4 p.	30.22	767.6	67	57	E	2	o	10 a.	30.30	769.6	69	53	E	3	b
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	N E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.28	769.1	64	...	N	1	o	,,	30.35	770.9	66	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.24	768.1	73	86	S E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.16	766.1	70	...	E N E	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.11	764.8	70	...	N E	3	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	81	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.06	763.5	77	...	E	1	d	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	77	84	N N W	2	o	10 a.	29.96	761	73	100	N	4	o
Legaspi,	2 p.	29.91	759.6	82	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N E	4	o
Iloilo,	,,	29.83	757.7	84	...	N E	3	c	,,	29.87	758.7	81	...	N E	1	c
Cebu,	,,	29.84	757.9	84	...	N	2	c	,,	29.92	759.9	81	...	N	2	c
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 22nd at 11.55 a.—The barometer has risen moderately over N. China and N.E. Japan, and fallen slightly over Formosa and the Philippines.

The anticyclonic area is central over the continent to the North of the Yangtze. Pressure is relatively low to the N.E. of Japan in the North, and over the Philippine Archipelago in the South.

Strong monsoon is indicated in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 22nd November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd November, 1906, P.M.								23rd November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	W	6	...	6 a.	29.97	761.1	...	...	S W	4	...
Hakodate,	,,	30.01	762.2	...	...	W	4	...	,,	30.13	765.2	...	...	W	6	...
Tokio,	,,	30.02	762.6	...	...	...	0	...	,,	30.22	767.6	...	...	N	4	...
Kochi,	,,	30.23	767.8	...	...	W	6	...	,,	30.31	769.8	...	...	W	2	...
Nagasaki,	,,	30.39	771.8	...	...	N W	6	...	,,	30.39	771.8	...	...	N	4	...
Kagoshima,	,,	30.35	770.9	...	...	N W	6	...	,,	30.39	771.9	...	...	N E	4	...
Oshima,	,,	30.32	770.1	...	...	N	6	...	,,	30.32	770.1	...	...	N	6	...
Naha,	,,	30.24	768.2	...	...	N E	6	...	,,	30.26	769.2	...	...	N E	4	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	8	...	,,	30.25	768.3	...	...	N E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.56	776.2	30	...	N	2	c	9 a.	30.58	776.7	33	...	W	2	ovr
Hankow,	,,	30.58	776.7	50	65	N	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.50	774.7	55	62	N E	3	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.48	774.2	51	66	N N E	2	o	9 a.	30.50	774.7	54	61	E N E	2	o
Gutzlaff,	,,	30.42	772.6	53	73	N N E	3	cv	,,	30.45	773.4	54	74	E	4	cv
Sharp Peak,	,,	30.30	769.6	62	77	E N E	4	o	,,	30.28	771.6	61	79	N	2	o
Amoy,	,,	30.18	766.6	76	73	N N E	3	b	6 a.	30.21	767.3	63	72	N N E	2	c
Swatow,	,,	30.16	766.0	69	75	E	4	b	,,	30.23	767.8	58	88	N N W	0	b
Taihoku,	1 p.	30.23	767.9	...	...	E	8	...	5 a.	30.25	768.2	...	...	E	8	...
Taichu,	,,	30.13	765.2	...	...	S E	2	...	,,	30.17	766.3	...	...	...	0	...
Tainan,	,,	30.14	765.6	...	...	W	6	...	,,	30.13	765.4	...	...	...	0	...
Koshun,	,,	30.15	765.8	...	...	N E	8	...	,,	30.11	764.8	...	...	N E	10	...
Pescadores,	,,	30.17	766.2	...	...	N	10	...	,,	30.15	765.9	...	...	N E	10	...
Canton,	3 p.	30.19	766.8	75	77	S	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.18	766.6	66	66	E	3	b	10 a.	30.25	768.3	70	64	E	2	b
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.19	766.8	71	...	S E	1	b	,,	30.31	769.9	66	...	N N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.16	766.1	70	...	E N E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.07	763.8	77	...	N N E	1	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.9	75	...	N E	5	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.00	762.1	77	...	N E	1	p	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	73	100	N E	0	r	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.87	758.7	79	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.77	756.1	84	...	N E	1	o	,,	29.85	758.2	81	...	N E	2	c
Cebu,	,,	29.81	757.2	81	...	N	1	o	,,	29.89	759.2	82	...	...	0	c
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.82	757.4	84	...	...	...	...

On the 23rd at 11.40 a.—The barometer has risen slightly over Japan, and fallen a little elsewhere.

The anticyclonic area remains central over the continent to the North of the Yangtze, and pressure is relatively low over the S. part of the China Sea. It is slightly in defect of the normal over the Philippines, and in excess by from 0.1 to 0.2 inch over China and Japan.

Gradients are moderate and strong monsoon will continue in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 23rd November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd November, 1906, P.M.								24th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	N	6	...	6 a.	30.16	766.1	...	...	W	2	...
Hakodate,	,,	30.17	766.2	...	...	N	6	...	,,	30.21	767.2	...	...	...	0	...
Tokio,	,,	30.22	767.6	...	...	...	0	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.31	769.8	...	...	...	0	...	,,	30.35	770.8	...	...	S W	2	...
Nagasaki,	,,	30.43	772.8	...	...	N	6	...	,,	30.39	771.8	...	...	N	4	...
Kagoshima,	,,	30.35	770.9	...	...	N W	6	...	,,	30.35	770.9	...	...	N	4	...
Oshima,	,,	30.32	770.1	...	...	N	6	...	,,	30.32	770.1	...	...	N	4	...
Naha,	,,	30.28	769.2	...	...	N E	8	...	,,	30.28	769.2	...	...	N E	6	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	8	...	,,	30.21	767.3	...	...	N E	6	...
Chefoo,	3 p.	30.49	774.4	37	62	W	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.51	774.9	34	...	S W	2	c	9 a.	30.61	777.5	32	...	N N E	3	c
Hankow,	,,	30.48	774.2	55	68	N E	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.43	772.9	54	61	N E	2	b	,,	30.49	774.4	49	78	N E	2	o
Shanghai,	,,	30.40	772.1	54	61	S E	3	o	9 a.	30.46	773.7	51	93	E N E	1	od
Gutzlaff,	,,	30.37	771.4	56	63	E	4	cv	,,	30.40	772.1	55	74	E	3	cv
Sharp Peak,	,,	30.28	769.1	62	100	N N E	3	og	,,	30.32	770.1	62	89	N	2	og
Amoy,	,,	30.10	764.5	72	71	N E	4	b	6 a.	30.13	765.3	67	79	N N E	4	c
Swatow,	,,	30.14	765.5	70	75	E	4	b	,,	30.16	766.0	57	87	N E	1	c
Taihoku,	1 p.	30.22	767.5	...	...	E	8	...	5 a.	30.18	766.6	...	...	E	6	...
Taichu,	,,	30.11	764.7	...	...	S	2	...	,,	30.13	765.3	...	...	...	0	...
Tainan,	,,	30.13	765.3	...	...	W	4	...	,,	30.13	765.2	...	...	...	0	...
Koshun,	,,	30.11	764.7	...	...	N E	10	...	,,	30.10	764.4	...	...	N E	10	...
Pescadores,	,,	30.13	765.2	...	...	N E	10	...	,,	30.11	764.7	...	...	N E	...	...
Canton,	3 p.	30.18	766.6	75	68	N	1	b	9 a.	30.27	768.8	65	73	...	0	b
Hongkong,	4 p.	30.16	766.0	68	70	E	4	c	10 a.	30.23	767.8	73	54	E	1	b
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.21	767.3	71	...	S E	1	c	,,	30.30	769.6	69	...	N E	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.12	765.0	75	...	S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.3	72	...	N N W	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.7	81	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	75	91	N N W	1	o	10 a.	29.92	760	81	85	S E	0	o
Legaspi,	2 p.	29.83	757.7	82	...	N	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	od	9 a.	...	...	...	...	N	1	c
Iloilo,	,,	29.79	756.6	86	...	N E	1	c	,,	29.85	758.2	83	...	N E	1	c
Cebu,	,,	29.80	756.9	85	...	N	1	b	,,	29.87	758.7	85	...	N	1	b
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.85	758.2	74	...	...	...	...

On the 24th at 11.45 a.—The barometer has fallen slightly over S. China and the Philippines, and risen moderately in N.E. Japan.

The anticyclonic area remains central over the continent to the North of the Yangtze, with pressure still exceeding the normal by between 0.1 and 0.2 inch over China and Japan. Over the S. part of the China Sea pressure is relatively low, and slightly in defect of the normal over the S. Philippines.

Strong monsoon will continue in the Formosa Channel and hard monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 24th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th November, 1906, P.M.								25th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S	2	...	6 a.	30.04	763.1	...	...	S W	2	...
Hakodate,	,,	30.13	765.2	...	...	N W	6	...	,,	30.13	765.2	...	...	N	4	...
Tokio,	,,	30.18	766.6	...	...	E	2	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	30.27	768.8	...	...	S E	2	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.29	771.8	...	...	N	6	...
Kagoshima,	,,	30.31	769.9	...	...	W	2	...	,,	30.35	770.9	...	...	N	2	...
Oshima,	,,	30.28	769.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	8	...
Naha,	,,	30.24	768.2	...	...	N	8	...	,,	30.25	768.2	...	...	N E	4	...
Ishigakijima,	,,	30.21	767.3	...	...	E	8	...	,,	30.21	767.3	...	...	N E	6	...
Chefoo,	3 p.	30.54	775.7	35	80	N E	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.55	775.9	34	...	N	3	c	9 a.	30.63	778.0	34	...	N W	2	ovr
Hankow,	,,	30.59	777.0	43	75	N N E	3	o	6 a.	30.70	779.8	35	100	N W	3	o
Kiukiang,	,,	30.49	774.4	50	86	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.41	772.4	50	93	N E	2	od	9 a.	30.57	776.5	46	77	N	2	n
Gutzlaff,	,,	30.36	771.1	55	74	E N E	3	cv	,,	30.45	773.4	50	93	N	5	omd
Sharp Peak,	,,	30.25	768.3	63	86	N N E	2	og	,,	30.34	760.6	63	83	N E	3	og
Amoy,	,,	30.04	763.0	76	73	N E	3	b	6 a.	30.11	764.8	70	61	N E	3	b
Swatow,	,,	...	...	...	...	...	...	...	,,	30.18	766.6	61	88	E	1	b
Taihoku,	1 p.	30.18	766.6	...	...	E	8	...	5 a.	30.26	768.6	...	...	E	6	...
Taichu,	,,	30.07	763.9	...	...	...	0	...	,,	30.15	765.7	...	...	...	0	...
Tainan,	,,	30.09	764.2	...	...	S	4	...	,,	30.12	764.9	...	...	N W	2	...
Koshun,	,,	30.09	764.4	...	...	N E	8	...	,,	30.09	764.2	...	...	N E	10	...
Pescadores,	,,	30.11	764.8	...	...	N	10	...	,,	30.14	765.5	...	...	N E	10	...
Canton,	3 p.	30.13	765.3	78	61	...	0	b	9 a.	30.22	767.6	65	84	N	2	b
Hongkong,	4 p.	30.13	765.3	71	66	E S E	4	b	10 a.	30.22	767.6	74	57	E	2	b
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.18	766.6	73	...	N E	1	c	,,	30.29	769.3	69	...	N N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.14	765.5	78	95	S E	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.10	764.6	73	...	S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.2	73	...	N	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.3	81	...	N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	81	85	W	1	o	10 a.	29.92	760	81	85	W S W	1	c
Legaspi,	2 p.	29.85	758.3	81	...	E	1	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	...	0	od	9 a.	...	...	...	...	N	2	c
Iloilo,	,,	29.75	755.6	85	...	N E	1	b	,,	29.86	758.4	83	...	N E	2	c
Cebu,	,,	29.80	756.9	86	...	N	3	c	,,	29.89	759.2	86	...	N	2	b
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.90	759.4	77	...	...	...	...

On the 25th at 11.45 a.—The barometer has fallen moderately over Japan, and risen slightly over China.

The anticyclonic area remains central over the continent to the North of the Yangtze, pressure being still in considerable to slight excess of the normal over N. China and Japan respectively.

Pressure is relatively low over the S. part of the China Sea, and slightly below normal over the S. Philippines.

Strong monsoon will continue to prevail in the Formosa Channel and hard monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 25th November, 1906.

[Printed by Nenokha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th November, 1906, P.M.								26th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	...	0	...	6 a.	30.16	766.1	...	...	W	4	...
Hakodate,	,,	30.13	765.2	...	...	N W	6	...	,,	30.25	768.2	...	...	N	2	...
Tokio,	,,	30.02	762.6	...	...	N W	2	...	,,	30.34	770.6	...	...	...	0	...
Kochi,	,,	30.23	767.8	...	...	N	6	...	,,	30.39	771.8	...	...	S W	4	...
Nagasaki,	,,	30.39	771.8	...	...	N	6	...	,,	30.43	772.8	...	...	...	0	...
Kagoshima,	,,	30.31	769.9	...	...	N W	4	...	,,	30.39	771.9	...	...	N	4	...
Oshima,	,,	30.28	769.1	...	...	N	8	...	,,	30.32	770.1	...	...	N W	6	...
Naha,	,,	30.20	767.2	...	...	N	8	...	,,	30.28	769.2	...	...	N E	4	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	8	...	,,	30.21	767.3	...	...	E	6	...
Chefoo,	3 p.	30.53	775.4	39	55	W	2	o	6 a.	30.54	775.7	30	...	S	2	b
Weihaiwei,	,,	30.58	776.7	35	...	N W	2	ovr	9 a.	30.50	774.7	34	...	W	2	ovr
Hankow,	,,	30.68	779.3	35	100	N	1	s	6 a.	30.67	779.0	34	100	N	2	or
Kiukiang,	,,	30.53	775.4	40	91	N E	5	or	,,	30.60	777.2	38	100	N E	4	or
Shanghai,	,,	30.51	774.9	47	70	N	2	o	9 a.	30.48	774.2	47	77	N	1	mp
Gutzlaff,	,,	30.46	773.7	49	78	N	5	cv	,,	30.45	773.4	50	65	N E	3	cv
Sharp Peak,	,,	30.29	769.3	61	85	N E	4	og	,,	30.36	771.1	61	82	E N E	2	o
Amoy,	,,	30.10	764.5	74	59	N E	4	b	6 a.	30.22	767.6	62	89	N E	4	b
Swatow,	,,	30.16	766.0	70	75	E	2	b	,,	30.24	768.1	61	82	E	1	b
Taihoku,	1 p.	30.25	768.3	...	...	E	6	...	5 a.	30.27	768.8	...	...	E	4	...
Taichu,	,,	30.09	764.4	...	...	N	6	...	,,	30.20	767.0	...	...	...	0	...
Tainan,	,,	30.09	764.3	...	...	W	4	...	,,	30.10	764.5	...	...	...	0	...
Koshun,	,,	30.08	764.1	...	...	N E	10	...	,,	30.11	764.3	...	...	N E	10	...
Pescadores,	,,	30.13	765.2	...	...	N	10	...	,,	30.15	765.7	...	...	N E	10	...
Canton,	3 p.	30.07	763.8	76	82	N	1	b	9 a.	30.36	771.1	63	83	N N W	1	c
Hongkong,	4 p.	30.14	765.5	69	70	E S E	3	b	10 a.	30.30	769.6	69	60	E	1	c
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.19	766.8	72	...	E	1	b	,,	30.34	770.6	63	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.16	766.0	78	58	S E	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.10	764.6	73	...	E S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.02	762.5	73	...	N N E	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	75	...	N	1	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	81	85	...	0	o	10 a.	29.96	761	82	77	W S W	1	c
Legaspi,	2 p.	29.85	758.3	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N	1	b
Iloilo,	,,	29.79	756.6	83	...	N E	1	c	,,	29.89	759.2	82	...	N E	1	b
Cebu,	,,	29.81	757.2	85	...	N	1	b	,,	29.92	759.9	86	...	N	1	b
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.96	761.0	82	...	...	...	...

On the 26th at 11.35 a.—The barometer has risen moderately over Japan, and fallen slightly over N. China.

The anticyclonic area remains central over the continent to the North of the Yangtze, and pressure is in moderate to considerable excess of the normal over China and Japan.

Pressure is relatively low over the S. part of the China Sea. It has, however, risen to the normal in the S. Philippines.

Gradients are still rather steep over the Formosa Channel and the China Sea, where very strong monsoon is expected to prevail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 26th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th November, 1906, P.M.								27th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	W	2	...	6 a.	30.28	769.1	...	...	...	0	...
Hakodate,	,,	30.24	768.2	...	...	N W	6	...	,,	30.28	769.2	...	...	N	2	...
Tokio,	,,	30.34	770.6	...	...	N E	2	...	,,	30.38	771.6	...	...	N W	4	...
Kochi,	,,	30.31	769.8	...	...	N E	2	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	30.35	770.8	...	...	N	4	...	,,	30.27	768.8	...	...	...	0	...
Kagoshima,	,,	30.31	769.9	...	...	S E	2	...	,,	30.23	767.9	...	...	N E	4	...
Oshima,	,,	30.28	769.1	...	...	N	4	...	,,	30.20	767.1	...	...	...	0	...
Naha,	,,	30.24	768.2	...	...	N E	6	...	,,	30.21	767.2	...	...	N E	2	...
Ishigakijima,	,,	30.21	767.3	...	...	E	8	...	,,	30.17	766.3	...	...	...	0	...
Chefoo,	3 p.	30.39	771.9	36	61	S	1	o	6 a.	30.29	769.3	35	70	W	2	c
Weihaiwei,	,,	30.30	769.6	33	...	W	2	c	9 a.	30.23	767.8	35	...	W N W	2	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.64	778.2	37	91	S W	1	b
Kiukiang,	,,	30.57	776.5	40	91	W	2	or	,,	30.62	777.7	39	82	W	2	o
Shanghai,	,,	30.39	771.9	46	69	N E	1	o	9 a.	30.48	774.2	44	68	N W	2	b
Gutzlaff,	,,	30.34	770.6	49	71	N E	2	cv	,,	30.44	773.2	43	75	N W	5	cv
Sharp Peak,	,,	30.28	769.1	61	82	N	2	o	,,	30.33	770.4	60	85	N E	3	o
Amoy,	,,	30.05	763.2	75	58	N E	2	b	6 a.	30.17	766.3	60	82	N W	2	b
Swatow,	,,	30.16	766.0	69	75	E	2	c	,,	30.28	769.1	57	94	E	1	b
Taihoku,	1 p.	30.23	767.8	...	...	E	8	...	5 a.	30.21	767.4	...	...	S	2	...
Taichu,	,,	30.12	765.1	...	...	S	2	...	,,	30.19	766.9	...	...	...	0	...
Tainan,	,,	30.12	765.1	...	...	S W	2	...	,,	30.15	765.8	...	...	N W	4	...
Koshun,	,,	30.13	765.3	...	...	E	8	...	,,	30.15	765.7	...	...	N	4	...
Pescadores,	,,	30.15	765.8	...	...	N	10	...	,,	30.19	766.7	...	...	N	10	...
Canton,	3 p.	30.24	768.1	71	80	N N W	2	b	9 a.	30.38	771.6	55	87	N N W	2	b
Hongkong,	4 p.	30.19	766.8	71	63	S W	1	b	10 a.	30.29	769.3	65	49	W	1	b
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	N	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.25	768.3	69	...	N E	1	c	,,	30.34	770.6	57	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.21	767.4	73	...	E N E	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.09	764.3	75	...	N E	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.4	79	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	81	85	N W	0	c	10 a.	29.96	761	81	87	W	1	c
Legaspi,	2 p.	29.87	758.7	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.79	756.6	86	...	N E	1	b	,,	29.91	759.7	83	...	N E	1	b
Cebu,	,,	29.83	757.7	85	...	N	2	b	,,	29.94	760.5	85	...	N	1	b
Labuan,	,,	29.80	756.9	88	...	...	...	...	,,	29.95	760.7	83	...	...	...	...

On the 27th at 11.55 a.—The barometer has fallen considerably over N. China and W. Japan, and risen slightly in E. Japan.

A depression has appeared over Manchuria. It seems to be moving Eastwards towards the N. part of the Sea of Japan. The high pressure area is lying over the Yangtze valley.

Gradients are moderate to rather steep, and strong monsoon will continue to prevail in the Formosa Channel, and hard monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 27th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th November, 1906, P.M.								28th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.24	768.1	...	...	S	4	...	6 a.	29.93	760.1	...	...	S	4	...
Hakodate,	,,	30.13	765.2	...	...	S E	6	...	,,	30.05	763.2	...	...	N	2	...
Tokio,	,,	30.18	766.6	...	...	N	2	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	W	2	...	,,	30.23	767.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	N	4	...	,,	30.27	768.8	...	...	N	2	...
Kagoshima,	,,	30.19	766.9	...	...	N	6	...	,,	30.27	768.9	...	...	N E	4	...
Oshima,	,,	30.16	766.1	...	...	N	8	...	,,	30.20	767.1	...	...	N	4	...
Naha,	,,	30.17	766.2	...	...	N	8	...	,,	30.21	767.2	...	...	N	8	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N E	4	...
Chefoo,	3 p.	30.34	770.6	42	58	W	2	b	6 a.	30.12	765.0	39	73	S S W	2	b
Weihaiwei,	,,	30.18	766.6	41	...	W	4	b	9 a.	30.06	763.5	45	...	S S W	2	b
Hankow,	,,	30.56	776.2	50	72	S	2	b	6 a.	30.45	773.4	40	91	S E	2	b
Kiukiang,	,,	30.54	775.7	51	72	W	2	b	,,	30.44	773.2	34	100	...	0	b
Shanghai,	,,	30.40	772.1	50	58	N W	2	c	9 a.	30.33	770.4	47	79	S	1	b
Gutzlaff,	,,	30.38	771.6	47	77	N N W	3	cv	,,	30.32	770.1	49	64	S W	1	bv
Sharp Peak,	,,	30.27	768.8	60	79	N N E	4	o	,,	30.32	770.1	58	75	N E	2	b
Amoy,	,,	30.03	762.7	71	80	N E	4	b	6 a.	30.13	765.3	56	87	N E	2	b
Swatow,	,,	30.18	766.6	70	57	E	2	b	,,	30.28	769.1	53	73	N	2	b
Taihoku,	1 p.	30.28	769.2	...	...	E	6	...	5 a.	30.26	768.5	...	...	E	4	...
Taichu,	,,	30.13	765.4	...	...	N	8	...	,,	30.18	766.5	...	...	...	0	...
Tainan,	,,	30.15	765.7	...	...	N W	6	...	,,	30.18	766.5	...	...	N W	4	...
Koshun,	,,	30.13	765.3	...	...	N	6	...	,,	30.10	764.6	...	...	N E	10	...
Pescadores,	,,	30.19	766.7	...	...	N E	10	...	,,	30.19	766.8	...	...	N	10	...
Canton,	3 p.	30.23	767.8	67	84	N W	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.18	766.6	68	45	E	1	b	10 a.	30.28	769.1	66	57	E	2	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.22	767.6	63	...	N	1	c	,,	30.30	769.6	60	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.31	769.9	69	65	N	3	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.22	767.6	73	...	S W	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.18	766.5	70	...	N N E	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	79	...	N N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	81	85	S E	0	o	10 a.	29.96	761	81	76	N	1	o
Legaspi,	2 p.	29.89	759.1	84	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	3	b	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.83	757.7	86	...	N E	1	b	,,	29.89	759.2	83	...	N E	1	b
Cebu,	,,	29.80	756.9	87	...	N	2	b	,,	29.92	759.9	85	...	N	1	b
Labuan,	,,	29.85	758.2	86	...	...	...	...	,,	29.95	760.7	84	...	...	...	...

On the 28th at 11.35 a.—The barometer has fallen rapidly over E. Japan, owing to the depression which is now moving into the Pacific to the North of Hokkaido.

It is followed by another depression over N. China, where the barometer has again fallen considerably.

Pressure is still highest over the Yangtze valley.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 28th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th November, 1906, P.M.								29th November, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	N	8	...	6 a.	30.08	764.1	...	...	S E	6	...
Hakodate,	,,	30.09	764.2	...	...	N W	6	...	,,	29.93	760.2	...	...	S	6	...
Tokio,	,,	30.10	764.6	...	...	E	2	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	S E	2	...	,,	30.23	767.8	...	...	W	4	...
Nagasaki,	,,	30.27	768.8	...	...	N	2	...	,,	30.23	767.8	...	...	N E	2	...
Kagoshima,	,,	30.23	767.9	...	...	W	2	...	,,	30.23	767.9	...	...	E	2	...
Oshima,	,,	30.20	767.1	...	...	N	4	...	,,	30.24	768.1	...	...	...	0	...
Naha,	,,	30.17	766.2	...	...	N E	4	...	,,	30.21	767.2	...	...	E	2	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N	4	...
Chefoo,	3 p.	30.06	763.5	46	69	N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.12	765.0	48	...	W	2	b	9 a.	30.45	773.4	27	...	N	3	o
Hankow,	,,	30.36	771.1	58	100	S	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.33	770.4	56	63	W	1	b	,,	30.39	771.9	35	100	...	0	b
Shanghai,	,,	30.33	770.4	54	55	S W	1	b	9 a.	30.37	771.4	48	85	N W	1	bm
Gutzlaff,	,,	30.24	768.1	54	55	S W	2	bv	,,	30.35	770.9	49	78	N W	3	bm
Sharp Peak,	,,	30.24	768.1	60	76	N N E	2	b	,,	30.31	769.9	56	78	N N W	2	b
Amoy,	,,	30.03	762.7	67	64	N E	3	b	6 a.	30.04	763.0	56	81	N N E	3	b
Swatow,	,,	30.12	765.0	65	63	E	2	b	,,	30.21	767.3	55	87	N	2	b
Taihoku,	1 p.	30.19	766.7	...	...	E	8	...	5 a.	30.21	767.2	...	...	E	6	...
Taichu,	,,	30.12	764.9	...	...	N W	4	...	,,	30.17	766.4	...	...	...	0	...
Tainan,	,,	30.10	764.6	...	...	N W	4	...	,,	30.13	765.2	...	...	N W	2	...
Koshun,	,,	30.09	764.2	...	...	N E	8	...	,,	30.10	764.5	...	...	N E	8	...
Pescadores,	,,	30.15	765.8	...	...	N	10	...	,,	30.14	765.6	...	...	N	8	...
Canton,	3 p.	30.17	768.8	68	56	N	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.16	766.0	64	65	E	2	b	10 a.	30.25	768.3	66	53	E	1	o
Victoria Peak,	,,	...	...	...	...	N N W	0	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.18	766.6	64	...	N E	1	b	,,	30.25	768.3	65	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.18	766.6	72	73	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.3	73	...	S S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.11	764.8	75	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	81	76	E	1	o	10 a.	30.00	762	79	76	E N E	1	o
Legaspi,	2 p.	29.88	758.9	82	...	N E	1	o	6 a.	29.92	759.9	77	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.81	757.2	87	...	N E	1	b	,,	29.89	759.2	84	...	E N E	1	c
Cebu,	,,	29.81	757.2	87	...	N	2	b	,,	29.90	759.4	87	...	N	1	c
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 29th at 11.40 a.—The barometer has risen rapidly over N. China, and fallen moderately at Hakodate.

The depression lying over N. China yesterday, has moved into the North part of the Sea of Japan, and pressure is again high over China to the North of the Yangtze.

The monsoon will freshen on the China Coast, and continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 29th November, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th November, 1906, P.M.								30th November, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	S E	8	...	6 a.	29.85	758.1	...	...	N W	6	...
Hakodate,	,,	29.77	756.2	...	...	N W	6	...	,,	30.01	762.2	...	...	W	6	...
Tokio,	,,	29.91	759.6	...	...	S	8	...	,,	29.99	761.6	...	...	N W	4	...
Kochi,	,,	30.11	764.8	...	...	S W	2	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N W	8	...	,,	30.31	769.8	...	...	N	4	...
Kagoshima,	,,	30.19	766.9	...	...	N W	6	...	,,	30.27	768.9	...	...	...	0	...
Oshima,	,,	30.24	768.1	...	...	N	2	...	,,	30.28	769.1	...	...	N	6	...
Naha,	,,	30.17	766.2	...	...	N E	4	...	,,	30.25	768.2	...	...	N E	2	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.25	768.3	...	...	N E	6	...
Chefoo,	3 p.	30.55	775.9	...	...	N	3	b	6 a.	30.52	775.2	25	...	S	2	b
Weihaiwei,	,,	30.43	772.9	30	...	N	3	b	9 a.	30.44	773.2	31	...	S	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.52	775.2	44	92	N	1	c
Kiukiang,	,,	30.40	772.1	56	63	E	2	b	,,	30.45	773.4	45	100	N E	2	b
Shanghai,	,,	30.37	771.4	56	51	N N E	2	c	9 a.	30.48	774.2	49	71	E N E	1	om
Gutzlaff,	,,	30.34	770.6	54	80	N N W	2	cm	,,	30.43	772.9	51	66	N E	3	cv
Sharp Peak,	,,	30.26	768.6	61	66	E	2	b	,,	30.36	771.1	59	70	N	3	o
Amoy,	,,	30.03	762.7	71	95	E	2	b	6 a.	30.01	762.2	61	71	N N E	2	or
Swatow,	,,	30.16	766.0	67	74	E	3	c	,,	30.18	766.6	59	82	N	2	b
Taihoku,	1 p.	30.19	766.8	...	...	E	8	...	5 a.	30.25	768.3	...	...	E	6	...
Taichu,	,,	30.11	764.8	...	...	N	2	...	,,	30.19	766.8	...	...	...	0	...
Tainan,	,,	30.12	765.1	...	...	W	2	...	,,	30.17	766.2	...	...	...	0	...
Koshun,	,,	30.12	765.0	...	...	N E	8	...	,,	30.16	766.0	...	...	N E	8	...
Pescadores,	,,	30.15	765.8	...	...	N	10	...	,,	30.17	766.3	...	...	N E	10	...
Canton,	3 p.	30.17	766.3	72	67	W	1	c	9 a.	30.32	770.1	64	84	...	0	o
Hongkong,	4 p.	30.15	765.8	68	59	N W	1	o	10 a.	30.28	769.1	68	62	N	1	c
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.18	766.6	68	...	E	1	o	,,	30.28	769.1	64	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.7	73	...	S S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.11	764.8	73	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	86	...	S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	79	84	N N W	0	o	10 a.	30.00	762	77	92	N N E	0	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	3	b
Iloilo,	,,	29.83	757.7	87	...	N E	2	b	,,	29.93	760.2	84	...	N E	1	c
Cebu,	,,	29.85	758.2	87	...	N	1	b	,,	29.92	759.9	85	...	N	1	b
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.92	759.9	84	...	...	...	...

On the 30th at 11.45 a.—The depression lying over the North part of the Sea of Japan yesterday, has moved into the Pacific.

The high pressure area is lying over the continent to the North of the Yangtze, and the barometer has risen slightly over the China Coast and in W. Japan.

Strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 30th November, 1906.

[Printed by Nosokawa & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th November, 1906, P.M.								1st December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	S W	8	...	6 a.	29.93	760.1	...	...	SW	6	...
Hakodate,	,,	29.93	760.2	...	...	W	8	...	,,	30.09	764.2	...	...	W	4	...
Tokio,	,,	30.02	762.6	...	...	N E	2	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	W	4	...	,,	30.35	770.8	...	...	S W	4	...
Nagasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.35	770.8	...	...	...	0	...
Kagoshima,	,,	30.31	769.9	...	...	N	6	...	,,	30.35	770.9	...	...	N	2	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	30.28	769.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	2	...
Ishigakijima,	,,	30.25	768.3	...	...	E	8	...	,,	30.17	766.3	...	...	E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.13	765.3	41	92	S S W	2	or
Weihaiwei,	,,	30.28	769.1	35	...	S	2	b	9 a.	30.05	763.2	40	...	W	2	o
Hankow,	,,	30.41	772.4	57	69	S	1	b	6 a.	30.28	769.1	43	92	S E	1	b
Kiukiang,	,,	30.39	771.9	54	74	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.37	771.4	53	61	E	2	o	9 a.	30.22	767.6	57	58	S	2	b
Gutzlaff,	,,	30.35	770.9	54	68	E S E	3	cv	,,	30.22	767.6	56	69	S	4	bv
Sharp Peak,	,,	30.26	768.6	62	80	E N E	2	o	,,	30.23	767.8	62	85	N	1	og
Amoy,	,,	...	...	72	62	N E	4	c	6 a.	...	...	62	89	W S W	3	c
Swatow,	,,	30.20	767.1	69	70	E	3	b	,,	30.17	766.3	60	55	E	1	b
Taihoku,	1 p.	30.22	767.5	...	...	E	8	...	5 a.	30.15	765.9	...	...	E	6	...
Taichu,	,,	30.14	765.5	...	...	W	2	...	,,	30.14	765.6	...	...	...	0	...
Tainan,	,,	30.14	765.6	...	...	S	2	...	,,	30.13	765.3	...	...	N	2	...
Koshun,	,,	30.16	766.1	...	...	N E	8	...	,,	30.11	764.7	...	...	N E	8	...
Pescadores,	,,	30.15	765.8	...	...	N E	10	...	,,	30.15	765.7	...	...	N	6	...
Canton,	3 p.	30.20	767.1	70	85	...	0	b	9 a.	30.24	768.1	65	89	...	0	c
Hongkong,	4 p.	30.18	766.6	67	69	S E	3	c	10 a.	30.22	767.6	69	61	E	2	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.25	768.3	67	...	E S E	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.22	767.6	76	91	S	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.9	77	...	S S W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.11	764.9	73	...	W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	758.9	81	...	N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	79	92	...	0	c	10 a.	30.00	762	81	85	N W	1	c
Legaspi,	2 p.	29.91	759.8	82	...	N E	1	o	6 a.	29.95	760.8	79	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.83	757.7	87	...	N E	1	o	,,	29.91	759.7	82	...	N E	2	c
Cebu,	,,	29.85	758.2	86	...	N	3	o	,,	29.94	7605.	84	...	N	3	c
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 1st at 11.35 a.—The barometer has risen over Japan, and fallen over China particularly in the North.

A depression which is moving Eastwards, has appeared over N. China, and the highest pressure is now shown over W. Japan.

The monsoon is interrupted in the North, and will become light in the Formosa Channel. Fresh monsoon is indicated over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate to light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 1st December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st DECEMBER, 1906, P.M.								2nd DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S W	6	...	6 a.	29.77	756.1	...	...	S	10	...
Hakodate,	,,	30.09	764.2	...	...	W	8	...	,,	29.73	755.2	...	...	N W	2	...
Tokio,	,,	30.22	767.6	...	...	E	2	...	,,	30.02	762.6	...	...	...	0	...
Kochi,	,,	30.23	767.8	...	...	E	2	...	,,	30.19	766.8	...	...	W	4	...
Nagasaki,	,,	30.27	768.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	6	...
Kagoshima,	,,	30.27	768.9	...	...	S E	2	...	,,	30.19	766.9	...	...	E	2	...
Oshima,	,,	30.24	768.1	...	...	N	4	...	,,	30.20	767.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	E	4	...	,,	30.17	766.2	...	...	...	0	...
Ishigakijima,	,,	30.17	766.3	...	...	S E	6	...	,,	30.13	765.3	...	...	S E	6	...
Chefoo,	3 p.	30.10	764.5	44	84	N W	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.00	762.0	44	...	N W	4	c	9 a.	30.35	770.9	40	...	N W	2	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.45	773.4	46	92	N	4	c
Kinkiang,	,,	30.18	766.6	36	54	...	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.10	764.5	66	54	S S W	2	b	9 a.	30.35	770.9	53	80	N	3	o
Gutzlaff,	,,	30.11	764.8	61	88	S	3	bv	,,	30.27	768.8	55	80	N N E	4	bm
Sharp Peak,	,,	30.12	765.0	65	84	...	0	o	,,	30.20	767.1	64	89	...	0	c
Amoy,	,,	...	...	70	75	S E	3	b	6 a.	...	...	63	94	S E	1	o
Swatow,	,,	30.02	762.5	72	76	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.09	764.3	...	...	N W	2	...	5 a.	30.18	766.5	...	...	...	0	...
Taichu,	,,	30.13	765.2	...	...	N W	4	...	,,	30.17	766.2	...	...	...	0	...
Tainan,	,,	30.08	764.0	...	...	N W	4	...	,,	30.13	765.4	...	...	N W	2	...
Koshun,	,,	30.10	764.6	...	...	N E	6	...	,,	30.12	764.9	...	...	N	4	...
Pescadores,	,,	30.11	764.9	...	...	N	6	...	,,	30.13	765.3	...	...	N	2	...
Canton,	3 p.	30.11	764.8	75	81	E	1	c	9 a.	30.15	765.8	68	95	W	1	o
Hongkong,	4 p.	30.09	764.3	70	61	E	3	c	10 a.	30.19	766.8	73	68	E	2	c
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.17	766.3	73	...	E S E	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.06	763.5	73	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.2	73	...	...	0	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	82	...	N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	82	77	E S E	3	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.91	759.8	82	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	b
Hoilo,	,,	29.83	757.7	86	...	N E	2	b	,,	29.93	760.2	84	...	N E	2	b
Cebu,	,,	29.89	756.6	88	...	N	3	b	,,	29.95	760.7	85	...	N	1	b
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.95	760.7	85	...	...	...	...

On the 2nd at 11.55 a.—The barometer has fallen quickly over Japan owing to the depression, which is now to the North of Yeso and moving towards the Pacific.

Pressure has increased considerably over N. China, and is again high to the North of the Yangtze.

The monsoon will freshen in the Formosa Channel and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, freshening; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 2nd December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd DECEMBER, 1906, P.M.								3rd DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.49	749.1	...	...	S W	6	...	6 a.	29.77	756.1	...	...	W	8	...
Hakodate,	,,	29.73	755.2	...	...	N W	6	...	,,	29.89	759.2	...	...	W	8	...
Tokio,	,,	29.79	756.6	...	...	S	8	...	,,	30.10	764.6	...	...	N	2	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	30.23	767.8	...	...	N E	4	...
Nagasaki,	,,	30.11	764.8	...	...	N	4	...	,,	30.27	768.8	...	...	E	4	...
Kagoshima,	,,	30.11	764.9	...	...	N E	2	...	,,	30.31	769.9	...	...	N	2	...
Oshima,	,,	30.12	765.1	...	...	...	0	...	,,	30.12	765.1	...	...	N	4	...
Naha,	,,	30.09	764.2	...	...	S	2	...	,,	30.13	765.2	...	...	N	8	...
Ishigakijima,	,,	30.09	764.3	...	...	S	2	...	,,	30.13	765.3	...	...	N E	6	...
Chefoo,	3 p.	30.41	772.4	44	60	N W	2	b	6 a.	30.36	771.1	37	91	S	1	b
Weihaiwei,	,,	30.32	770.1	43	...	N W	0	b	9 a.	30.27	768.8	44	...	W N W	2	ov
Hankow,	,,	30.46	773.7	55	62	N	2	c	6 a.	30.51	774.9	45	92	N	1	c
Kiukiang,	,,	30.42	772.6	50	93	N E	3	o	,,	30.45	773.4	46	92	N E	1	c
Shanghai,	,,	30.35	770.9	51	66	N N E	2	o	9 a.	30.40	772.1	50	65	N E	2	o
Gutzlaff,	,,	30.29	769.3	54	74	N N E	4	cv	,,	30.37	771.4	51	66	N E	3	cv
Sharp Peak,	,,	30.18	766.6	65	87	N E	3	o	,,	30.32	770.1	62	80	N E	3	o
Amoy,	,,	...	...	67	89	S E	3	c	6 a.	...	...	61	88	N E	3	b
Swatow,	,,	30.14	765.5	76	82	E S E	2	b	,,	30.17	766.3	62	77	N E	2	c
Taihoku,	1 p.	30.17	766.4	...	...	W	2	...	5 a.	30.23	767.8	...	...	E	4	...
Taichu,	,,	30.09	764.4	...	...	W	6	...	,,	30.14	765.5	...	...	N E	2	...
Tainan,	,,	30.07	763.9	...	...	W	6	...	,,	30.12	765.0	...	...	N W	4	...
Koshun,	,,	30.08	764.0	...	...	E	4	...	,,	30.09	764.3	...	...	N E	10	...
Pescadores,	,,	30.12	765.0	...	...	N	8	...	,,	30.15	765.9	...	...	N E	10	...
Canton,	3 p.	30.06	763.5	84	68	...	0	b	9 a.	30.13	765.3	71	90	...	0	c
Hongkong,	4 p.	30.08	764.0	74	61	E	2	b	10 a.	30.20	767.1	69	75	E	4	c
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	69	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.13	765.3	74	95	S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.06	763.6	72	...	E S E	1	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.04	763.1	77	...	N N W	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.8	81	...	E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	86	71	...	0	c	10 a.	29.96	761	82	70	N E	1	c
Legaspi,	2 p.	29.92	759.9	79	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	od	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.87	758.7	85	...	N E	3	c	,,	29.91	759.7	83	...	N E	1	b
Cebu,	,,	29.87	758.7	88	...	N	2	b	,,	29.93	760.2	86	...	N	2	b
Labuan,	,,	29.84	757.9	88	...	...	...	...	,,	29.95	760.7	83	...	...	...	...

On the 3rd at 11.35 a.—The barometer has risen moderately over Japan and the E. coast of China, and fallen slightly N. China.

The depression lying over N.E. Japan yesterday, has moved into the Pacific. The area of high pressure is situated over the Yangtze valley.

Gradients are moderate in the South, and fresh to strong monsoon will prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 3rd December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd December, 1906, P.M.								4th December, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	W	8	...	6 a.	30.04	763.1	...	...	S W	4	...
Hakodate,	,,	30.01	762.2	...	...	W	10	...	,,	30.17	766.2	...	...	N	2	...
Tokio,	,,	30.14	765.6	...	...	S E	4	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	S	2	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N	4	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.15	765.9	...	...	S E	2	...	,,	30.12	764.9	...	...	N E	4	...
Oshima,	,,	30.08	764.1	...	...	W	2	...	,,	30.04	763.1	...	...	N	4	...
Naha,	,,	30.13	765.2	...	...	N	8	...	,,	30.09	764.2	...	...	N	6	...
Ishigakijima,	,,	30.17	766.3	...	...	N	6	...	,,	30.13	765.3	...	...	N E	2	...
Chefoo,	3 p.	30.21	767.3	48	49	S	1	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.18	766.6	45	...	W	2	c	9 a.	30.09	764.3	48	...	W	1	b
Hankow,	,,	30.40	772.1	51	79	N W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.43	772.9	52	79	N W	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.28	769.1	51	59	E	1	o	9 a.	30.30	769.6	49	78	N N E	1	om
Gutzlaff,	,,	30.27	768.8	53	61	N N E	...	cv	,,	30.27	768.8	52	66	N N E	2	cv
Sharp Peak,	,,	30.21	767.3	61	80	N N E	3	o	,,	30.26	768.6	61	79	N	1	b
Amoy,	,,	...	...	71	71	N E	4	b	6 a.	...	...	60	88	W	1	c
Swatow,	,,	30.10	764.5	68	74	E	4	b	,,	30.15	765.8	60	82	...	0	b
Taihoku,	1 p.	30.20	767.1	...	...	E	6	...	5 a.	30.18	766.5	...	...	...	0	...
Taichu,	,,	30.07	763.8	...	...	N	6	...	,,	30.13	765.2	...	...	...	0	...
Tainan,	,,	30.06	763.4	...	...	N W	6	...	,,	30.13	765.2	...	...	N	2	...
Koshun,	,,	30.08	764.0	...	...	N E	10	...	,,	30.09	764.3	...	...	N E	8	...
Pescadores,	,,	30.12	765.0	...	...	N	10	...	,,	30.11	764.7	...	...	N	10	...
Canton,	3 p.	30.08	764.0	79	82	...	0	b	9 a.	30.20	767.1	68	95	...	0	o
Hongkong,	4 p.	30.10	764.5	68	76	E	4	c	10 a.	30.19	766.8	68	77	E	3	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	68	...	S E	1	c	,,	...	...	69	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.09	764.3	71	95	S E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.03	762.8	75	...	E S E	6	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.02	762.6	77	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	79	...	N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	78	S E	0	c	10 a.	29.96	761	82	70	...	0	b
Legaspi,	2 p.	29.89	759.3	81	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.83	757.7	88	...	N E	1	b	,,	29.89	759.2	83	...	N E	3	b
Cebu,	,,	29.88	758.9	86	...	N	2	c	,,	29.92	759.9	84	...	N	2	b
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 4th at 11.55 a.—The barometer has risen in E. Japan, and fallen over W. Japan, the Loochoos and N. China.

Pressure is low over Manchuria, and over the Pacific to the E. of the Loochoos. It remains high over Central China.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 4th December, 1906.

[Printed by Nokoshi & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th December, 1906, P.M.								5th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	S W	6	...	6 a.	30.12	765.1	...	...	W	2	...
Hakodate,	,,	30.13	765.2	...	...	W	6	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.14	765.6	...	...	N W	4	...	,,	30.06	763.6	...	...	N W	4	...
Kochi,	,,	29.99	761.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S W	4	...
Nagasaki,	,,	30.11	764.8	...	...	N	6	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.04	762.9	...	...	S W	2	...	,,	30.12	764.9	...	...	N	2	...
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.08	764.1	...	...	N	2	...
Naha,	,,	30.05	763.2	...	...	S E	8	...	,,	30.09	764.2	...	...	N E	4	...
Ishigakijima,	,,	30.09	764.3	...	...	E	8	...	,,	30.09	764.3	...	...	N E	2	...
Chefoo,	3 p.	30.05	763.2	55	62	W	1	b	6 a.	30.00	762.0	43	75	S W	1	b
Weihaiwei,	,,	29.92	759.9	53	...	W	3	b	9 a.	29.94	760.5	50	...	W	2	b
Hankow,	,,	30.27	768.8	59	48	S W	2	b	6 a.	30.25	768.3	49	85	S W	1	o
Kiukiang,	,,	30.29	769.3	58	70	W	1	b	,,	30.22	767.6	45	92	...	0	o
Shanghai,	,,	30.21	767.3	56	51	...	0	c	9 a.	30.18	766.6	51	73	S S E	1	cm
Gutzlaff,	,,	30.22	767.6	54	61	N N E	2	bv	,,	30.18	766.6	52	73	N N E	1	bv
Sharp Peak,	,,	30.16	766.0	61	82	N	3	o	,,	30.19	766.8	60	82	N	1	o
Amoy,	,,	...	...	70	75	E N E	3	b	6 a.	...	...	59	88	N N E	1	o
Swatow,	,,	30.10	764.5	67	79	E	2	b	,,	30.16	766.0	59	88	E	1	b
Taihoku,	1 p.	30.14	765.6	...	...	E	6	...	5 a.	30.12	765.0	...	...	E	4	...
Taichu,	,,	30.04	763.0	...	...	N W	4	...	,,	30.09	764.3	...	...	...	0	...
Tainan,	,,	30.06	763.5	...	...	S W	2	...	,,	30.08	764.1	...	...	...	0	...
Koshun	,,	30.06	763.4	...	...	N E	8	...	,,	30.06	763.6	...	...	N E	8	...
Pescadores,	,,	30.06	763.6	...	...	N E	10	...	,,	30.08	764.1	...	...	N E	8	...
Canton,	3 p.	30.10	764.5	75	86	N N W	1	c	9 a.	30.17	766.3	66	95	...	0	o
Hongkong,	4 p.	30.10	764.5	67	77	E	3	b	10 a.	30.17	766.3	66	79	E	3	o
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	69	...	S E	1	c	,,	...	...	67	...	E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.12	765.0	78	95	S	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.3	73	...	E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.04	763.0	79	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.8	79	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	64	S W	0	o	10 a.	29.96	761	81	70	W S W	1	o
Legaspi,	2 p.	29.88	758.9	86	...	N	1	d	6 a.	29.91	759.8	77	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N E	4	b	9 a.	...	...	...	...	N E	3	b
Iloilo,	,,	29.83	757.7	86	...	N E	2	b	,,	29.91	759.7	82	...	N E	3	c
Cebu,	,,	29.84	757.9	86	...	N	4	b	,,	29.91	759.7	84	...	N	2	b
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 5th at 11.50 a.—The depression is still lying over Manchuria, and the barometer has fallen over China generally, particularly in the North.

Pressure has given way also, and is low in the neighbourhood of S.E. Japan. The highest pressure is shown over Central China.

The monsoon is interrupted in the North, and will become light in the Formosa Channel. Fresh to moderate monsoon is indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light; cloudy, drizzling rain or mist.
2.—Formosa Channel,	N.E. winds, moderate to light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 5th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th December, 1906, P.M.								6th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	S E	2	...	6 a.	30.16	766.1	...	...	...	0	...
Hakodate,	,,	30.09	764.2	...	...	S E	2	...	,,	29.97	761.2	...	...	S E	4	...
Tokio,	,,	30.06	763.6	...	...	N W	4	...	,,	30.10	764.6	...	...	N W	4	...
Kochi,	,,	30.03	762.8	...	...	S	2	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	S W	4	...	,,	30.11	764.8	...	...	N E	2	...
Kagoshima,	,,	30.07	763.9	...	...	S	2	...	,,	30.12	764.9	...	...	N	2	...
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.05	763.2	...	...	N	6	...	,,	30.05	763.2	...	...	N E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	30.01	762.3	...	...	N	2	...
Chefoo,	3 p.	29.95	760.7	49	71	N W	4	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.81	757.2	50	...	W	3	b	9 a.	30.23	767.8	40	...	W N W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.40	772.1	47	93	...	0	b
Shanghai,	,,	30.11	764.8	55	62	S S W	1	o	9 a.	30.33	770.4	48	78	N W	2	b
Gutzlaff,	,,	30.10	764.5	55	74	N E	1	...	,,	30.27	768.8	49	85	N N W	4	cm
Sharp Peak,	,,	30.08	764.0	63	83	...	0	o	,,	30.23	767.8	63	86	N	2	o
Amoy,	,,	...	...	65	73	S E	4	b	6 a.	...	...	64	89	W	1	c
Swatow,	,,	30.05	763.2	67	74	E	2	c	,,	30.05	763.2	60	88	...	0	c
Taihoku,	1 p.	30.08	764.0	...	...	E	6	...	5 a.	30.11	764.7	...	...	...	0	...
Taichu,	,,	30.03	762.8	...	...	S W	2	...	,,	30.09	764.3	...	...	...	0	...
Tainan,	,,	30.03	762.8	...	...	S	4	...	,,	30.09	764.3	...	...	N W	2	...
Koshun	,,	30.03	762.7	...	...	N E	6	...	,,	30.07	763.7	...	...	...	0	...
Pescadores,	,,	30.05	763.3	...	...	N	6	...	,,	30.09	764.2	...	...	N	4	...
Canton,	3 p.	30.06	763.5	72	90	...	0	c	9 a.	30.25	768.3	65	89	N	1	b
Hongkong,	4 p.	30.06	763.5	66	80	E	3	c	10 a.	30.19	766.8	69	53	N	4	b
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	N	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	70	...	E S E	1	c	,,	30.26	768.6	67	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.03	762.7	72	...	S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.02	762.6	79	...	E	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.9	81	...	E N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	70	S	2	b	10 a.	30.00	762	81	70	...	0	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.95	760.8	73	...	N	1	b
Bacolod,	3 p.	...	...	...	...	N E	4	b	9 a.	...	...	...	...	N E	3	b
Iloilo,	,,	29.83	757.7	85	...	N E	3	b	,,	29.93	760.2	81	...	N E	2	b
Cebu,	,,	29.84	757.9	86	...	N	2	b	,,	29.95	760.7	84	...	N E	1	b
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

On the 6th at 11.15 a.—The barometer has fallen in Hakodate, the depression lying over Manchuria yesterday, having moved Eastwards into the N. part of the Sea of Japan.

Pressure has increased quickly over Northern and Central China, and is again high over the latter area. It is relatively low in the Pacific to the S. of the Loochoos.

The monsoon is expected to freshen in the Formosa Channel. and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 6th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th December, 1906, P.M.								7th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S E	4	...	6 a.	29.89	759.1	...	...	S E	8	...
Hakodate,	,,	29.93	760.2	...	...	N E	2	...	,,	29.73	755.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	N E	2	...	,,	29.87	758.6	...	...	W	2	...
Kochi,	,,	29.95	760.8	...	...	S	2	...	,,	30.07	763.8	...	...	W	2	...
Nagasaki,	,,	30.03	762.8	...	...	...	0	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.04	762.9	...	...	N W	6	...	,,	30.12	764.9	...	...	W	2	...
Oshima,	,,	30.04	763.1	...	...	N E	4	...	,,	30.12	765.1	...	...	N	8	...
Naha,	,,	30.05	763.2	...	...	N	4	...	,,	30.13	765.2	...	...	N	8	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N E	4	...
Chefoo,	3 p.	30.27	768.8	40	56	N W	2	b	6 a.	30.20	767.1	35	70	S	1	b
Weihaiwei,	,,	30.22	767.6	39	...	N W	3	ovr	9 a.	30.12	765.0	44	...	S W	2	b
Hankow,	,,	30.43	772.9	61	50	N	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.40	772.1	58	47	N E	2	b	,,	30.30	769.6	40	91	...	0	b
Shanghai,	,,	30.31	769.9	52	41	W N W	3	c	9 a.	30.31	769.9	46	54	E S E	1	b
Gutzlaff,	,,	30.27	768.8	51	59	N	4	cv	,,	30.31	769.9	47	63	S	1	bv
Sharp Peak,	,,	30.18	766.6	63	80	N	4	o	,,	30.28	769.1	59	70	E	3	b
Amoy,	,,	30.04	763.0	67	84	N E	4	c	6 a.	30.18	766.6	61	82	N E	3	c
Swatow,	,,	30.09	764.3	70	75	E	2	c	,,	30.16	766.0	59	70	E	2	b
Taihoku,	1 p.	30.20	767.0	...	...	E	2	...	5 a.	30.22	767.6	...	...	E	4	...
Taichu,	,,	30.06	763.6	...	...	N	6	...	,,	30.13	765.4	...	...	...	0	...
Tainan,	,,	30.08	764.0	...	...	W	6	...	,,	30.12	765.1	...	...	...	0	...
Koshun,	,,	30.06	763.4	...	...	W	2	...	,,	30.09	764.3	...	...	N E	8	...
Pescadores,	,,	30.11	764.8	...	...	N E	10	...	,,	30.14	765.5	...	...	N E	10	...
Canton,	3 p.	30.13	765.3	74	81	N	1	b	9 a.	30.23	767.8	61	88	...	0	b
Hongkong,	4 p.	30.11	764.8	69	68	E	2	b	10 a.	30.21	767.3	66	68	E	4	b
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.16	766.0	71	...	N	1	b	,,	30.24	768.1	68	...	E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.19	766.8	75	95	N	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.4	70	...	W N W	3	c	10 a.	...	...	...	...	...	...	...
Tomane,	,,	30.09	764.2	79	...	E	1	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	81	...	N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	81	62	E	1	c	10 a.	30.04	763	79	69	W	1	c
Legaspi,	2 p.	29.94	760.4	84	...	N E	1	c	6 a.	30.05	762.1	77	...	E	2	b
Bacolod,	3 p.	...	...	...	...	N E	4	b	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.87	758.7	85	...	N E	2	c	,,	29.93	760.2	79	...	N E	1	c
Cebu,	,,	29.90	759.4	84	...	N	4	b	,,	29.98	761.5	83	...	N	2	b
Labuan,	,,	29.85	758.2	86	...	...	...	...	,,	29.87	758.7	86	...	...	...	...

On the 7th at 11.40 a.—The barometer has fallen considerably over E. Japan owing to the depression which, continuing to move Eastwards, has reached the neighbourhood of Hakodate.

The barometer has risen over W. Japan and the Loochoos, but a fresh fall has set in over N. China, probably owing to the approach of another depression from the Westward. The highest pressure is shown to the South of the Lower Yangtze.

Fresh to moderate monsoon is indicated in the Formosa Channel. and the N. part of the China Sea

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 7th December, 1906.

[Printed by Nobokha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th December, 1906, P.M.								8th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	S E	6	...	6 a.	29.89	759.1	...	...	N W	8	...
Hakodate,	,,	29.89	759.2	...	...	N W	8	...	,,	30.05	763.2	...	...	N W	6	...
Tokio,	,,	29.91	759.6	...	...	N W	6	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	N	6	...	,,	30.15	765.8	...	...	S W	4	...
Nagasaki,	,,	30.15	765.8	...	...	N E	4	...	,,	30.15	765.8	...	...	N E	2	...
Kagoshima,	,,	30.15	765.9	...	...	E	2	...	,,	30.12	764.9	...	...	...	0	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.16	766.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	N	6	...	,,	30.13	765.2	...	...	S	2	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	4	...	,,	30.13	765.3	...	...	N E	2	...
Chefoo,	3 p.	30.18	766.6	50	38	S	1	c	6 a.	30.30	769.6	36	70	N	4	o
Weihaiwei,	,,	30.04	763.0	48	...	S W	3	ovr	9 a.	30.17	766.3	32	...	N W	4	ovr
Hankow,	,,	30.27	768.8	55	68	E	1	o	6 a.	30.46	773.7	47	85	N W	2	b
Kiukiang,	,,	30.23	767.8	60	82	...	0	c	,,	30.33	770.4	52	79	W	2	o
Shanghai,	,,	30.20	767.1	53	48	S	1	c	9 a.	30.24	768.1	49	64	N W	3	om
Gutzlaff,	,,	30.22	767.6	53	61	S	1	c	,,	30.21	767.3	48	100	N W	4	cm
Sharp Peak,	,,	30.17	766.3	61	74	N E	2	b	,,	30.21	767.3	60	73	N	1	b
Amoy,	,,	30.07	763.8	...	...	N E	0	o	6 a.	30.13	765.3	57	81	W S W	2	b
Swatow,	,,	30.12	765.0	67	64	E	3	b	,,	30.18	766.6	56	81	E	1	b
Taihoku,	1 p.	30.11	764.7	...	...	E	8	...	5 a.	30.14	765.6	...	...	E	2	...
Taichu,	,,	30.06	763.6	...	...	S W	2	...	,,	30.15	765.7	...	...	...	0	...
Tainan,	,,	30.09	764.2	...	...	N	2	...	,,	30.10	764.5	...	...	N W	2	...
Koshun,	,,	30.08	764.0	...	...	N E	8	...	,,	30.09	764.3	...	...	N E	8	...
Pescadores,	,,	30.10	764.5	...	...	N	8	...	,,	30.12	765.0	...	...	N	6	...
Canton,	3 p.	30.12	765.0	72	85	...	0	b	9 a.	30.26	768.6	65	89	N	1	b
Hongkong,	4 p.	30.12	765.0	65	71	E S E	4	b	10 a.	30.21	767.3	70	60	...	0	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	...	0	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.15	765.8	67	...	E S E	1	b	,,	30.25	768.3	67	...	N E	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.03	762.7	72	...	S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.3	79	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	79	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	82	57	E	2	c	10 a.	30.04	763	77	68	W N W	...	b
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	30.00	762.0	75	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	4	b	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.87	758.7	84	...	N E	4	b	,,	29.96	761.0	81	...	N E	1	b
Cebu,	,,	29.90	759.4	85	...	N	2	b	,,	30.00	762.0	82	...	N	2	b
Labuan,	,,	29.76	755.9	90	...	...	...	...	,,	29.92	759.9	82	...	...	...	...

On the 8th at 11.50 a.—The barometer has risen over E. Japan, in rear of the depression which has moved into the Pacific.

The depression lying over N. China yesterday, appears to have moved into N. Korea. Pressure is increasing and is again high over China to the North of the Upper Yangtze.

The monsoon is expected to freshen in the Formosa Channel and over the N. part of the China Sea

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening; fine.
2.—Formosa Channel,	N. to N.E. winds; strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 8th December, 1906.

[Printed by Kobunsha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th December, 1906, P.M.								9th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.89	759.1	...	...	N W	8	...	6 a.	29.93	760.1	...	...	...	0	...
Hakodate	,,	30.01	762.2	...	...	W	6	...	,,	29.73	755.2	...	...	N E	4	...
Tokio	,,	30.02	762.6	...	...	N E	2	...	,,	29.59	751.6	...	...	N W	2	...
Kochi	,,	29.99	761.8	...	...	N E	2	...	,,	29.84	757.8	...	...	W	2	...
Nagasaki	,,	29.95	760.8	...	...	W	6	...	,,	30.07	763.8	...	...	N W	...	...
Kagoshima	,,	30.00	761.9	...	...	S W	2	...	,,	30.04	762.9	...	...	N W	6	...
Oshima	,,	30.08	764.1	...	...	S	2	...	,,	30.08	764.1	...	...	N	6	...
Naha	,,	30.09	764.2	...	...	W	4	...	,,	30.17	766.2	...	...	...	8	...
Ishigakijima	,,	30.13	765.3	...	...	W	2	...	,,	30.17	766.3	...	...	N E	8	...
Chefoo	3 p.	30.30	769.6	34	60	W N W	5	s	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	30.18	766.6	30	...	N W	5	o	9 a.	30.36	771.1	30	...	N	6	c
Hankow	,,	30.55	775.9	55	39	N	4	b	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	30.46	773.7	54	43	E N E	3	b	,,	30.53	775.4	39	64	E N E	3	c
Shanghai	,,	30.29	769.3	49	37	N N W	4	b	9 a.	30.50	774.7	37	53	N W	3	b
Gutzlaff	,,	30.23	767.8	49	57	N W	6	cm	,,	30.41	772.4	39	73	N W	7	cv
Sharp Peak	,,	30.15	765.8	63	83	...	0	b	,,	30.37	771.4	60	79	N	4	o
Amoy	,,	30.02	762.5	67	69	S E	4	b	6 a.	30.17	766.3	58	81	N E	5	c
Swatow	,,	30.10	764.5	68	70	E	2	b	,,	...	...	...	...	...	...	...
Taihoku	1 p.	30.16	766.0	...	...	N W	6	...	5 a.	30.25	768.2	...	...	E	6	...
Taichu	,,	30.11	764.7	...	...	N	4	...	,,	30.13	765.4	...	...	N E	2	...
Tainan	,,	30.10	764.5	...	...	W	4	...	,,	30.11	764.8	...	...	N W	4	...
Koshun	,,	30.13	765.2	...	...	S E	2	...	,,	30.10	764.5	...	...	N E	8	...
Pescadores	,,	30.12	765.1	...	...	N	6	...	,,	30.14	765.5	...	...	N	10	...
Canton	3 p.	30.12	765.0	76	91	N N W	1	b	9 a.	30.33	770.4	61	82	N N E	2	b
Hongkong	4 p.	30.08	764.0	76	45	N N E	1	b	10 a.	30.27	768.8	70	46	...	0	b
Victoria Peak	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E N E	2	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	...	...	74	...	N	1	c	,,	30.31	769.9	64	...	N	1	b
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	30.09	764.4	73	...	E	3	c	10 a.	...	...	...	...	...	...	...
Tourane	,,	30.11	764.9	79	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.87	758.8	79	...	N E	2	c	,,	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.92	760	82	63	W	1	c	10 a.	30.04	763	79	76	W	0	c
Legaspi	2 p.	29.94	760.6	84	...	E	1	c	6 a.	29.98	761.5	77	...	N E	1	b
Bacolod	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	b
Iloilo	,,	29.85	758.2	85	...	N E	2	b	,,	29.95	760.7	81	...	N E	1	b
Cebu	,,	29.89	759.2	84	...	N	3	b	,,	29.96	761.0	83	...	N E	...	b
Labuan	,,	29.81	757.2	86	...	...	...	...	,,	29.91	759.7	85	...	...	...	...

On the 9th at 11.55 a.—The barometer has fallen rapidly over E. Japan, the depression having reached that area after crossing the Sea of Japan.

Pressure has increased over China, particularly in the North, an anticyclonic area now being situated over the continent to the North of the Yangtze.

Heavy monsoon will be met with in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh; fine, cooler.
2.—Formosa Channel,	N.E. winds; strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong,
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 9th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th DECEMBER, 1906, P.M.								10th DECEMBER, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	E	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.42	747.2	...	...	E	4	...	,,	29.62	752.2	...	...	N	8	...
Tokio,	,,	29.39	746.6	...	...	S W	6	...	,,	29.87	758.6	...	...	W	2	...
Kochi,	,,	29.87	758.8	...	...	W	6	...	,,	30.15	765.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N	4	...	,,	30.23	767.8	...	...	N	2	...
Kagoshima,	,,	30.04	762.9	...	...	N	8	...	,,	30.19	766.9	...	...	N W	2	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.16	766.1	...	...	N	4	...
Naha,	,,	30.17	766.2	...	...	N	8	...	,,	30.21	767.2	...	...	N	8	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	6	...	,,	30.25	768.3	...	...	N E	4	...
Chefoo,	3 p.	30.42	772.6	34	100	N W	4	o	6 a.	30.30	769.6	28	100	S W	1	b
Weihaiwei,	,,	30.34	770.6	30	...	N W	4	o	9 a.	30.28	769.1	30	...	W	4	c
Hankow,	,,	30.52	775.2	48	56	E	2	c	6 a.	30.55	775.9	36	90	...	0	b
Kiukiang,	,,	30.61	777.5	47	41	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.44	773.2	41	49	N W	2	c	9 a.	30.46	773.7	38	54	N W	2	b
Gutzlaff,	,,	30.39	771.9	43	59	N W	6	cv	,,	30.43	772.9	40	74	N W	4	cv
Sharp Peak,	,,	30.30	769.6	59	70	N N E	5	o	,,	30.37	771.4	54	68	E N E	3	c
Amoy,	,,	30.07	763.8	65	73	N E	4	c	6 a.	30.23	767.8	52	60	N N E	3	c
Swatow,	,,	30.13	765.3	65	73	S E	3	b	,,	30.17	766.3	56	87	E	1	b
Taihoku,	1 p.	30.31	770.0	...	...	E	6	...	5 a.	30.29	769.4	...	...	E	4	...
Taichu,	,,	30.15	765.8	...	...	N	8	...	,,	30.21	767.2	...	...	...	0	...
Tainan,	,,	30.15	765.7	...	...	N W	6	...	,,	30.16	766.0	...	...	N W	4	...
Koshun,	,,	30.13	765.2	...	...	N E	10	...	,,	30.14	765.6	...	...	N E	10	...
Pescadores,	,,	30.19	766.8	...	...	N	10	...	,,	30.19	766.8	...	...	N	10	...
Canton,	3 p.	30.20	767.1	72	85	N E	2	b	9 a.	30.30	769.6	58	81	N	2	c
Hongkong,	4 p.	30.16	766.0	66	61	E	3	c	10 a.	30.24	768.1	63	64	E N E	4	b
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.21	767.3	68	...	E	1	c	,,	30.30	769.6	60	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.18	766.6	75	95	S E	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.3	70	...	E S E	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.07	763.8	59	...	E	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	81	...	E N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	77	84	E S E	1	o	10 a.	30.04	763	82	57	E S E	1	b
Legaspi,	2 p.	29.94	760.6	84	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.87	758.7	84	...	N E	2	b	,,	29.93	760.2	79	...	N E	3	b
Cebu,	,,	29.88	758.9	84	...	N	1	b	,,	29.97	761.2	81	...	N	1	b
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.95	760.7	84	...	...	...	...

On the 10th at 12.10 p.—The barometer has risen over Japan in rear of the depression, which has moved into the Pacific.

The area of high pressure remains over Central China, but the barometer is falling again over N. China.

Gradients are moderate in the South, and strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds; strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 10th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th December, 1906, P.M.								11th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.77	756.1	...	...	S W	2	...
Hakodate,	,,	29.77	756.2	...	...	N W	8	...	,,	29.93	760.2	...	...	W	6	...
Tokio,	,,	29.94	760.6	...	...	N W	6	...	,,	30.18	766.6	...	...	...	0	...
Kochi,	,,	30.11	764.8	...	...	S W	2	...	,,	30.27	768.8	...	...	W	2	...
Nagasaki,	,,	30.23	767.8	...	...	N	4	...	,,	30.23	767.8	...	...	S	2	...
Kagoshima,	,,	30.19	766.9	...	...	N	4	...	,,	30.27	768.9	...	...	N E	2	...
Oshima,	,,	30.20	767.1	...	...	N	4	...	,,	30.20	767.1	...	...	S	2	...
Naha,	,,	30.20	767.2	...	...	N	4	...	,,	30.21	767.2	...	...	N E	2	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.09	764.3	...	...	S E	8	...
Chefoo,	3 p.	30.15	765.8	39	46	W	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.30	767.1	38	...	W N W	2	c	9 a.	30.18	766.6	40	...	W	1	b
Hankow,	,,	30.48	774.2	49	50	S	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.41	772.4	47	48	N E	2	o	,,	30.32	770.1	40	82	...	0	c
Shanghai,	,,	30.35	770.9	45	53	W S W	1	c	9 a.	30.29	769.3	41	66	...	0	cm
Gutzlaff,	,,	30.35	770.9	44	60	N	2	cv	,,	30.31	769.9	42	66	S	1	cv
Sharp Peak,	,,	30.26	768.6	56	69	E	4	b	,,	30.22	767.6	54	80	N N W	...	od
Amoy,	,,	30.05	763.2	64	58	N N E	4	c	6 a.	30.13	765.3	52	93	W S W	2	or
Swatow,	,,	30.16	766.0	60	60	E	3	o	,,	30.17	766.3	52	79	N	1	o
Taihoku,	1 p.	30.24	768.1	...	...	E	8	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	30.13	765.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tainan,	,,	30.13	765.2	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Koshun,	,,	30.09	764.4	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.15	765.9	...	...	N E	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.18	766.6	66	84	N	1	c	9 a.	30.26	768.6	52	93	N W	2	b
Hongkong,	4 p.	30.15	765.8	62	68	E	3	o	10 a.	30.20	767.1	60	42	N E	1	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.22	767.6	65	...	N	1	c	,,	30.24	768.1	55	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.5	63	...	N N E	6	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.09	764.2	75	...	E	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.5	81	...	E N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	84	92	E	2	c	10 a.	30.00	762	81	62	N W	1	b
Legaspi,	2 p.	29.93	760.3	82	...	N E	1	o	6 a.	29.96	760.9	66	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	3	b
Iloilo,	,,	29.84	757.9	84	...	N E	2	b	,,	29.93	760.2	81	...	N E	2	o
Cebu,	,,	29.87	758.7	84	...	N	2	c	,,	29.94	760.5	83	...	...	0	o
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.91	759.7	85	...	...	...	...

On the 11th at 12.25 p.—The barometer has risen over Japan, and fallen over China, particularly along the E. and N. Coasts.

Pressure is low over Manchuria, and also apparently, in the neighbourhood of Formosa. Observations from the latter area are, however, lacking this morning. The highest pressure is over the Yangtze.

Fresh N. winds will probably prevail in the Formosa Channel, and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N. winds; fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 11th December, 1906.

[Printed by Nomonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th December, 1906, P.M.								12th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	W	4	...	6 a.	30.04	763.1	...	...	S	2	...
Hakodate,	,,	29.97	761.2	...	...	W	8	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.14	765.6	...	...	...	0	...	,,	30.26	768.6	...	...	N W	2	...
Kochi,	,,	30.23	767.8	...	...	S	2	...	,,	30.27	768.8	...	...	W	2	...
Nagasaki,	,,	30.27	768.8	...	...	S E	2	...	,,	30.27	768.8	...	...	N E	2	...
Kagoshima,	,,	30.23	767.9	...	...	...	0	...	,,	30.23	767.9	...	...	N E	4	...
Oshima,	,,	30.20	767.1	...	...	N	2	...	,,	30.04	763.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	E	2	...	,,	29.97	761.2	...	...	S	4	...
Ishigakijima,	,,	30.01	762.3	...	...	S E	6	...	,,	30.01	762.3	...	...	N	6	...
Chefoo,	3 p.	30.10	764.5	48	43	S	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.07	763.8	47	...	W S W	2	b	9 a.	30.13	765.3	47	...	...	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.27	768.8	59	48	W	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.24	768.1	49	37	S S W	1	o	9 a.	30.33	770.4	43	75	S W	1	bm
Gutzlaff,	,,	30.23	767.8	46	62	N W	1	cv	,,	30.33	770.4	41	100	N W	1	bm
Sharp Peak,	,,	30.15	765.8	54	87	N W	1	od	,,	30.27	768.8	55	80	N	1	b
Amoy,	,,	30.09	764.3	55	100	W	1	or	6 a.	30.11	764.8	54	87	W	2	c
Swatow,	,,	30.09	764.3	61	66	N	1	b	,,	30.19	766.8	50	86	N	1	b
Taihoku,	1 p.	30.12	765.0	...	...	N	2	...	5 a.	30.16	766.1	...	...	N W	4	...
Taichu,	,,	30.09	764.3	...	...	...	0	...	,,	30.16	766.0	...	...	N	2	...
Tainan,	,,	30.04	763.0	...	...	N W	6	...	,,	30.12	765.0	...	...	N W	6	...
Koshun,	,,	29.98	761.6	...	...	N W	4	...	,,	30.08	764.1	...	...	N	2	...
Pescadores,	,,	30.06	763.6	...	...	N E	6	...	,,	30.15	765.7	...	...	N E	8	...
Canton,	3 p.	30.15	765.8	64	89	N	1	b	9 a.	30.33	770.4	54	94	N	1	b
Hongkong,	4 p.	30.12	765.0	63	36	N	2	b	10 a.	30.27	768.8	63	46	W	1	b
Victoria Peak,	,,	...	...	...	...	N N E	0	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.17	766.3	61	...	N N E	1	b	,,	30.32	770.1	58	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.14	765.5	65	95	N	3	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.4	70	...	W	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.16	766.1	72	...	N N W	4	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	758.9	79	...	E N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	761.1	82	...	S	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	82	63	W	1	o	10 a.	30.04	763	82	70	N	1	c
Legaspi,	2 p.	29.95	760.8	79	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.87	758.7	85	...	N E	3	o	,,	29.97	761.2	82	...	N E	2	b
Cebu,	,,	29.88	758.9	83	...	N	2	b	,,	29.98	761.5	85	...	N	1	b
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.95	760.7	84	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen quickly over the Loochoos, and risen considerably over N.E. Japan and slightly over S. China and Formosa.

A shallow depression is moving towards N.E. to the W. of the Loochoos, and pressure remains low over Manchuria. It is highest over the Yangtze Valley.

Fresh N. winds will prevail in the Formosa Channel, and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N. winds; fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 12th December, 1906.

[Printed by Nomokha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th December, 1906, P.M.								13th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	30.00	762.1	...	...	S	2	...	6 a.	30.01	762.1	...	...	S W	2	...
Hakodate	,,	30.09	764.2	...	...	W	8	...	,,	30.05	763.2	...	...	...	0	...
Tokio	,,	30.18	766.6	...	...	...	0	...	,,	30.14	765.6	...	...	W	2	...
Kochi	,,	30.23	767.8	...	...	...	0	...	,,	30.11	764.8	...	...	W	2	...
Nagasaki	,,	30.19	766.8	...	...	E	2	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima	,,	30.15	765.9	...	...	E	4	...	,,	30.15	765.9	...	...	...	2	...
Oshima	,,	29.89	759.1	...	...	...	0	...	,,	30.12	765.1	...	...	W	2	...
Naha	,,	30.01	762.2	...	...	N	8	...	,,	29.17	766.2	...	...	N	6	...
Ishigakijima	,,	30.13	765.3	...	...	N	6	...	,,	30.21	767.3	...	...	N	2	...
Chefoo	3 p.	30.05	763.2	50	51	S	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	30.02	762.5	50	...	W	2	o	9 a.	...	...	...	...	...	...	...
Hankow	,,	30.37	771.4	61	66	S W	1	b	6 a.	30.40	772.1	45	100	...	0	f
Kiukiang	,,	30.23	767.8	65	53	...	0	b	,,	...	...	...	...	...	...	...
Shanghai	,,	...	...	...	...	...	...	...	9 a.	30.31	769.9	49	71	S W	1	b
Gutzlaff	,,	...	...	...	...	...	...	...	,,	30.31	769.9	50	79	W S W	2	bm
Sharp Peak	,,	30.22	767.6	59	88	N E	1	b	,,	30.32	770.1	56	87	...	0	b
Amoy	,,	30.06	763.5	75	73	N E	3	b	6 a.	30.20	767.1	54	94	N E	1	dh
Swatow	,,	30.15	765.8	64	73	N	1	b	,,	30.22	767.6	50	86	N	1	b
Taihoku	1 p.	30.17	766.2	...	...	S	2	...	5 a.	30.24	768.0	...	...	S	2	...
Taichu	,,	30.13	765.2	...	...	N	6	...	,,	30.21	767.3	...	...	...	0	...
Tainan	,,	30.18	766.5	...	...	N	6	...	,,	30.20	767.1	...	...	N	4	...
Koshun	,,	30.11	764.7	...	...	N W	4	...	,,	30.18	766.5	...	...	N	6	...
Pescadores	,,	30.16	766.0	...	...	N	8	...	,,	30.20	767.0	...	...	N	6	...
Canton	3 p.	30.19	766.8	68	90	N N W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	30.19	766.8	66	45	W	1	b	10 a.	30.28	769.1	66	51	S W	1	b
Victoria Peak	,,	...	...	...	...	S	1	...	,,	...	...	...	...	N E	1	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	...	...	64	...	N E	1	b	,,	30.33	770.4	63	...	N	1	b
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	30.21	767.4	70	...	W S W	2	b	10 a.	...	...	...	...	...	...	...
Tourane	,,	30.17	766.3	75	...	N N E	1	b	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.93	760.3	81	...	N E	3	f	,,	...	...	...	...	...	...	...
Aparri	2 p.	30.06	763.6	79	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila	4 p.	30.96	761	84	71	...	0	o	10 a.	30.04	763	84	64	...	0	c
Legaspi	2 p.	29.96	760.9	82	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	b
Iloilo	,,	29.87	758.7	88	...	N E	...	b	,,	29.97	761.2	83	...	N E	1	b
Cebu	,,	29.90	759.4	86	...	N	3	b	,,	29.97	761.2	84	...	N	2	c
Labuan	,,	29.82	757.4	86	...	...	...	...	,,	29.92	759.9	84	...	...	...	...

On the 13th at 11.45 a.—The barometer has risen over Formosa and the Loochoos, and fallen over Japan and N. China.

The depression lying near the Loochoos yesterday, has moved away to the N.E. Pressure is highest over Central China. It remains low in Manchuria.

Gradients are slight over S. China, and light monsoon will prevail in the Formosa Channel, and moderate monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, light; fine.
2.—Formosa Channel,	N.E. winds light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 13th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th DECEMBER, 1906, P.M.								14th DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	...	0	...	6 a.	29.81	757.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	N E	2	...	,,	29.73	755.2	...	...	N	2	...
Tokio,	,,	29.98	761.6	...	...	N W	2	...	,,	29.87	758.6	...	...	...	0	...
Kochi,	,,	29.99	761.8	...	...	N	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.11	764.8	...	...	S W	4	...	,,	30.23	767.8	...	...	N W	6	...
Kagoshima,	,,	30.15	765.9	...	...	N	4	...	,,	30.15	765.9	...	...	N W	6	...
Oshima,	,,	30.16	766.1	...	...	N	4	...	,,	30.20	767.1	...	...	N	6	...
Naha,	,,	30.17	766.2	...	...	N	6	...	,,	30.21	767.2	...	...	N E	4	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	4	...	,,	30.21	767.3	...	...	N	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.30	769.6	34	79	S	1	b
Weihaiwei,	,,	30.10	764.5	42	...	W N W	4	ovr	9 a.	30.29	769.3	40	...	W	2	b
Hankow,	,,	30.32	770.1	61	76	E N E	2	b	6 a.	30.21	767.3	50	79	N E	2	b
Kiukiang,	,,	30.29	769.3	60	49	...	0	b	,,	30.24	768.1	45	76	N W	1	b
Shanghai,	,,	30.26	768.6	61	35	W	3	b	9 a.	30.33	770.4	50	65	E	2	c
Gutzlaff,	,,	30.23	767.8	55	68	W	2	bm	,,	30.30	769.6	53	61	E N E	2	bv
Sharp Peak,	,,	30.32	767.6	60	82	N	1	b	,,	30.27	768.8	58	76	W N W	2	o
Amoy,	,,	...	...	67	64	N E	3	b	6 a.	30.11	764.8	54	87	W S W	3	b
Swatow,	,,	30.17	766.3	67	64	E	2	b	,,	30.12	765.0	50	79	N	1	c
Taihoku,	1 p.	30.20	767.1	...	...	E	4	...	5 a.	30.19	766.9	...	...	E	4	...
Taichu,	,,	30.15	765.8	...	...	N	4	...	,,	30.15	765.7	...	...	...	0	...
Tainan,	,,	30.15	765.7	...	...	N	6	...	,,	30.11	764.8	...	...	...	0	...
Koshun,	,,	30.13	765.2	...	...	E	6	...	,,	30.11	764.7	...	...	N E	10	...
Pescadores,	,,	30.18	766.6	...	...	N	8	...	,,	30.12	765.0	...	...	N	8	...
Canton,	3 p.	30.17	766.3	70	85	W	1	b	9 a.	30.19	766.8	59	82	...	0	c
Hongkong,	4 p.	30.15	765.8	66	40	E	2	b	10 a.	30.17	766.3	66	63	E	4	c
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	...	...	...	...	...	,,	30.21	767.3	67	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.22	767.6	71	95	S	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.6	72	...	S S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.15	765.8	72	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.8	81	...	E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.2	79	...	E	1	o	6 a.	30.03	762.8	75	...	N E	2	p
Manila,	4 p.	29.92	760	84	71	N	1	c	10 a.	29.96	761	84	64	W S W	1	c
Legaspi,	2 p.	29.94	760.5	84	...	N E	1	c	6 a.	29.96	760.9	77	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	...	2	c	9 a.	...	...	...	...	N E	3	b
Hoilo,	,,	29.87	758.7	87	...	N E	3	b	,,	29.89	759.2	82	...	N E	4	b
Cebu,	,,	29.88	758.9	86	...	N	2	c	,,	29.91	759.7	86	...	N	3	b
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 14th at 11.50 a.—The barometer has risen quickly over N. China, and fallen considerably in E. Japan and moderately over S. China and the Philippines.

The depression lying over E. Manchuria yesterday, has moved Eastwards and reached N.E. Japan. Pressure is highest over the Yellow Sea, and probably another depression is developing in W. China.

Fresh to moderate monsoon will prevail in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; cloudy, misty.
2.—Formosa Channel,	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 14th December, 1906.

[Printed by Nohokha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th DECEMBER, 1906, P.M.								15th DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	N E	4	...	6 a.	29.97	761.1	...	...	N	8	...
Hakodate,	,,	29.65	753.2	...	...	N W	8	...	,,	30.13	765.2	...	...	N W	8	...
Tokio,	,,	29.79	756.6	...	...	N W	4	...	,,	30.14	765.6	...	...	W	4	...
Kochi,	,,	30.07	763.8	...	...	N W	8	...	,,	30.27	768.8	...	...	S W	4	...
Nagasaki,	,,	30.19	766.8	...	...	N	6	...	,,	30.27	768.8	...	...	N	2	...
Kagoshima,	,,	30.19	766.9	...	...	N W	6	...	,,	30.23	767.9	...	...	N	4	...
Oshima,	,,	30.20	767.1	...	...	N	6	...	,,	30.20	767.1	...	...	S	2	...
Naha,	,,	30.20	767.2	...	...	N	6	...	,,	30.17	766.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	S E	...	...	,,	30.09	764.3	...	...	E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.18	766.6	42	66	S	1	c
Weihaiwei,	,,	30.24	768.1	44	...	N E	3	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.17	765.3	60	55	E	2	c	6 a.	30.10	764.5	51	79	N E	1	o
Kiukiang,	,,	30.11	764.8	63	57	...	0	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.31	769.9	57	46	E	2	b	9 a.	30.11	764.8	51	93	S E	4	or
Gutzlaff,	,,	30.22	767.6	56	63	E S E	2	bv	,,	30.11	764.8	54	87	S E	3	omd
Sharp Peak,	,,	30.16	766.0	60	79	N	2	og	,,	30.10	764.5	62	83	...	0	o
Amoy,	,,	30.02	762.5	69	61	E N E	3	b	6 a.	29.99	761.7	61	88	N	1	c
Swatow,	,,	30.08	764.0	69	61	S E	1	b	,,	30.00	762.0	62	72	S E	1	c
Taihoku,	1 p.	30.13	765.4	...	...	S E	8	...	5 a.	30.06	763.4	...	...	...	0	...
Taichu,	,,	30.09	764.2	...	...	S	2	...	,,	30.05	763.2	...	...	...	0	...
Tainan,	,,	30.10	764.5	...	...	N W	2	...	,,	30.05	763.3	...	...	N W	2	...
Koshun,	,,	30.06	763.5	...	...	N E	8	...	,,	30.02	762.5	...	...	N E	6	...
Pescadores,	,,	30.08	764.1	...	...	N	8	...	,,	30.03	762.7	...	...	N	4	...
Canton,	3 p.	30.04	763.0	71	80	S S E	1	c	9 a.	30.03	762.7	67	95	E	1	c
Hongkong,	4 p.	30.05	763.2	65	78	E	4	o	10 a.	30.04	763.0	67	85	E	4	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.07	763.8	65	...	E	3	o	,,	30.06	763.5	70	...	S S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.08	764.0	72	95	S	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.4	70	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.01	762.3	75	...	S E	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.3	81	...	S E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	761.0	79	...	E	2	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	52	E	2	b	10 a.	29.96	761	82	70	W S W	1	o
Legaspi,	2 p.	29.90	759.5	86	...	E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.81	757.2	86	...	N E	2	c	,,	29.85	758.2	82	...	N E	2	b
Cebu,	,,	29.84	757.9	86	...	N	5	c	,,	29.87	758.7	84	...	N	3	c
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.81	757.2	84	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen over Japan; and fallen elsewhere, particularly over China.

A depression, which will probably move Eastwards, is lying over Central China, and pressure is now highest over W. Japan.

The monsoon is interrupted on the China Coast, and moderate E. and S.E. winds may be expected in the Formosa Channel. Moderate to light monsoon will prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate; cloudy, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 15th December, 1906.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th DECEMBER, 1906, P.M.								16th DECEMBER, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	N W	6	...	6 a.	30.24	768.1	...	...	...	0	...
Hakodate,	,,	30.17	766.2	...	...	N W	2	...	,,	30.25	768.2	...	...	N	2	...
Tokio,	,,	30.18	766.6	...	...	N	4	...	,,	30.30	769.6	...	...	W	4	...
Kochi,	,,	30.23	767.8	...	...	...	0	...	,,	30.27	768.8	...	...	W	2	...
Nagasaki,	,,	30.23	767.8	...	...	S W	2	...	,,	30.03	762.8	...	...	S E	8	...
Kagoshima,	,,	30.19	766.9	...	...	E	2	...	,,	30.08	763.9	...	...	E	6	...
Oshima,	,,	30.16	766.1	...	...	S	2	...	,,	30.01	762.1	...	...	S	6	...
Naha,	,,	30.09	764.2	...	...	E	4	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	S E	8	...	,,	29.93	760.3	...	...	S W	4	...
Chefoo,	3 p.	30.04	763.0	51	66	S S E	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.88	758.9	46	...	E	2	c
Hankow,	,,	30.07	763.8	55	68	E	1	c	6 a.	30.16	766.0	46	92	...	0	b
Kiukiang,	,,	30.01	762.2	51	93	...	0	or	,,	30.10	764.5	48	93	N E	1	b
Shanghai,	,,	29.96	761.0	57	87	S E	2	o	9 a.	29.94	760.5	55	80	W	2	b
Gutzlaff,	,,	29.97	761.2	55	100	S E	3	omp	,,	29.97	761.2	52	93	N W	2	cm
Sharp Peak,	,,	29.96	761.0	64	86	...	0	o	,,	30.00	762.0	63	86	...	0	c
Amoy,	,,	29.85	758.2	69	75	S E	3	c	6 a.	29.94	760.5	63	94	S W	2	b
Swatow,	,,	29.96	761.0	69	80	E	2	c	,,	29.94	760.5	61	77	E	1	o
Taihoku,	1 p.	29.99	761.7	...	...	...	0	...	5 a.	29.95	760.7	...	...	S E	4	...
Taichu,	,,	29.98	761.5	...	...	...	0	...	,,	29.97	761.1	...	...	...	0	...
Tainan,	,,	29.93	760.2	...	...	N	2	...	,,	29.95	760.6	...	...	N	2	...
Koshun,	,,	29.96	760.9	...	...	N	6	...	,,	29.94	760.4	...	...	N W	2	...
Pescadores,	,,	29.98	761.6	...	...	N	6	...	,,	29.95	760.6	...	...	E	2	...
Canton,	3 p.	29.92	759.9	74	90	E	1	or	9 a.	30.15	765.8	67	89	W	1	o
Hongkong,	4 p.	29.93	760.2	67	76	E	4	c	10 a.	30.05	763.2	74	67	...	0	o
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.98	761.5	68	...	S E	1	o	,,	30.08	764.0	72	...	E S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.98	761.5	76	95	S W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.8	72	...	S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.90	759.5	77	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	81	...	E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.88	759.0	82	...	E	2	d	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	758	86	53	E	1	b	10 a.	29.96	761	82	70	N E	0	o
Legaspi,	2 p.	29.87	758.6	79	...	E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.79	756.6	87	...	N E	2	b	,,	29.86	758.4	82	...	N E	...	b
Cebu,	,,	29.81	757.2	84	...	N	2	c	,,	29.90	759.4	86	...	N	2	c
Labuan,	,,	29.72	754.9	89	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 16th at 11.55 a.—The barometer has fallen considerably over N. China, W. Japan and the Loochoos owing the depression, which moving Eastwards has reached the Yellow Sea.

Pressure has increased and is high over E. Japan. It is also slowly increasing over Central China.

The monsoon is likely to set in again over the Formosa Channel during the next 24 hours. Light to moderate monsoon will prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, probably freshening; fine.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 16th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th DECEMBER, 1906, P.M.								17th DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.24	768.1	...	...	S	2	...	6 a.	30.28	769.1	...	...	S W	2	...
Hakodate,	,,	30.20	767.2	...	...	S	2	...	,,	30.09	764.2	...	...	E	6	...
Tokio,	,,	30.22	767.6	...	...	N W	2	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	30.11	764.8	...	...	S W	2	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.83	757.8	...	...	S E	10	...	,,	29.95	760.8	...	...	W	6	...
Kagoshima,	,,	29.96	760.9	...	...	E	6	...	,,	29.96	760.9	...	...	N W	4	...
Oshima,	,,	29.93	760.1	...	...	S	6	...	,,	30.04	763.1	...	...	N	4	...
Naha,	,,	29.93	760.2	...	...	S	4	...	,,	30.01	762.2	...	...	N E	6	...
Ishigakijima,	,,	29.97	761.3	...	...	W	4	...	,,	29.97	761.3	...	...	E	2	...
Chefoo,	3 p.	29.87	758.7	51	86	E	2	c	6 a.	29.93	760.2	33	90	E	1	b
Weihaiwei,	,,	29.82	757.4	49	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.16	766.0	62	61	S	1	b	6 a.	29.94	760.5	54	93	E	2	c
Kiukiang,	,,	30.06	763.5	66	54	S W	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.94	760.5	62	56	W N W	2	b	9 a.	30.05	763.2	56	75	S E	1	bm
Gutzlaff,	,,	29.96	761.0	56	81	W N W	2	bm	,,	30.02	762.5	54	94	S E	2	bm
Sharp Peak,	,,	29.95	760.7	64	89	...	0	c	,,	30.02	762.5	64	89	N	1	o
Amoy,	,,	29.94	760.5	71	80	S E	3	b	6 a.	29.97	761.2	62	94	...	0	o
Swatow,	,,	29.89	759.2	80	62	S W	2	b	,,	29.97	761.2	61	94	S	1	dh
Taihoku,	1 p.	29.98	761.5	...	...	...	0	...	5 a.	29.97	761.1	...	...	E	4	...
Taichu,	,,	29.96	760.9	...	...	W	0	...	,,	29.97	761.2	...	...	...	0	...
Tainan,	,,	29.96	761.1	...	...	W	4	...	,,	29.95	760.6	...	...	...	2	...
Koshun,	,,	29.95	760.8	...	...	N W	4	...	,,	29.94	760.4	...	...	N E	4	...
Pescadores,	,,	29.97	761.3	...	...	N W	4	...	,,	29.96	760.9	...	...	...	0	...
Canton,	3 p.	...	...	78	86	N	1	b	9 a.	29.99	761.7	65	100	S E	1	o
Hongkong,	4 p.	29.94	760.5	75	66	W N W	1	b	10 a.	30.01	762.2	70	85	...	0	o
Victoria Peak,	,,	...	...	...	...	W	1	...	,,	...	...	...	...	S S E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.00	762.0	75	...	S E	1	c	,,	30.04	763.0	69	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.01	762.2	78	91	S	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	73	...	S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.93	760.3	81	...	E S E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	86	71	E N E	1	c	10 a.	29.92	760	81	76	W N W	1	c
Legaspi,	2 p.	29.86	758.5	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	...	c	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.79	756.6	86	...	N E	1	b	,,	29.85	758.2	83	...	N E	1	c
Cebu,	,,	29.82	757.4	86	...	N	1	b	,,	29.87	758.7	84	...	N	2	c
Labuan,	,,	29.75	755.6	87	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

On the 17th at 11.50 a.—The barometer has fallen in Japan owing to the depression, which is moving Eastwards in W. Nippon.

Pressure has increased slightly over the E. Coast of China; but has again decreased considerably in Hankow a new depression having appeared over Central China.

Gradients continue slight in the South, and light to moderate E. and S.E. winds will prevail over the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, light or moderate; fair, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 17th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th DECEMBER, 1906, P.M.								18th DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	S E	2	...	6 a.	29.96	761.1	...	...	E	6	...
Hakodate,	,,	29.93	760.2	...	...	N E	4	...	,,	29.81	757.2	...	...	N W	4	...
Tokio,	,,	29.71	754.6	...	...	N W	4	...	,,	29.75	755.6	...	...	W	2	...
Kochi,	,,	29.83	757.8	...	...	W	6	...	,,	30.03	762.8	...	...	S W	4	...
Nagasaki,	,,	29.99	761.8	...	...	N W	6	...	,,	29.99	761.8	...	...	E	4	...
Kagoshima,	,,	30.00	761.9	...	...	N W	6	...	,,	30.00	761.9	...	...	E	4	...
Oshima,	,,	30.00	762.1	...	...	N	4	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	S E	2	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	4	...	,,	29.93	760.3	...	...	S	6	...
Chefoo,	3 p.	29.93	760.2	51	86	S E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.88	758.9	50	...	S	3	ovr	9 a.	29.64	752.8	38	...	N	5	c
Hankow,	,,	29.81	757.2	65	73	E	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.87	758.7	70	66	S W	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.87	758.7	64	68	S E	3	c	9 a.	29.87	758.7	57	87	W	4	o
Gutzlaff,	,,	29.90	759.4	60	82	S S E	4	cm	,,	29.86	758.4	56	94	W N W	3	omd
Sharp Peak,	,,	29.92	759.9	67	89	...	0	b	,,	29.94	760.5	66	89	...	0	o
Amoy,	,,	29.93	760.2	68	85	S E	3	c	6 a.	29.93	760.2	64	95	W	2	c
Swatow,	,,	29.90	759.4	70	80	E	1	b	,,	29.93	760.2	63	89	W	1	c
Taihoku,	1 p.	29.94	760.4	...	...	E	4	...	5 a.	29.95	760.8	...	...	...	0	...
Taichu,	,,	29.96	761.0	...	...	N W	2	...	,,	29.98	761.5	...	...	...	0	...
Tainan,	,,	...	...	...	...	...	...	...	,,	29.94	760.4	...	...	...	0	...
Koshun,	,,	29.96	760.9	...	...	E	6	...	,,	29.96	760.9	...	...	E	4	...
Pescadores,	,,	29.95	760.7	...	...	N W	6	...	,,	29.93	760.2	...	...	N	2	...
Canton,	3 p.	29.88	758.9	76	95	E S E	2	c	9 a.	30.00	762.0	71	95	E S E	1	c
Hongkong,	4 p.	29.90	759.4	71	80	E	1	b	10 a.	30.00	762.0	71	82	E	2	c
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S S E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.95	760.7	69	...	S E	1	c	,,	30.04	763.0	70	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.81	757.4	75	...	S S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.2	81	...	E S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	84	...	S E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.89	759.3	84	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	77	...	0	c	10 a.	29.92	760	84	64	W	1	o
Legaspi,	2 p.	29.86	758.4	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.77	756.1	86	...	N E	1	c	,,	29.85	758.2	82	...	N E	2	o
Cebu,	,,	29.80	756.9	86	...	N	2	b	,,	29.87	758.7	83	...	N	1	c
Labuan,	,,	29.76	755.9	83	...	...	...	...	,,	29.82	757.4	84	...	...	...	...

On the 18th at 11.55 a.—The depression lying over Central Japan yesterday, has continued to move Eastwards and is now passing to the Pacific to the E. of Japan.

The barometer has fallen rapidly over N. China, the depression lying to the North of the Yangtze yesterday, having moved into the Yellow Sea.

The returns from the Yangtze ports are lacking this morning Light variable winds are prevailing in the Formosa Channel, but probably the N.E. monsoon will set in there strongly by to-morrow. Light to moderate monsoon is indicated over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to N. winds, light to moderate; fair.
2.—Formosa Channel,	Variable to N.E. winds; probably freshening from the latter direction.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 18th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th December, 1906, P.M.								19th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	E	6	...	6 a.	29.49	749.1	...	...	E	4	...
Hakodate,	,,	29.81	757.2	...	...	N W	6	...	,,	29.34	745.2	...	...	S E	10	...
Tokio,	,,	29.79	756.6	...	...	...	0	...	,,	29.51	749.6	...	...	W	2	...
Kochi,	,,	29.87	758.8	...	...	...	0	...	,,	29.72	754.8	...	...	S W	2	...
Nagasaki,	,,	29.68	753.8	...	...	S	10	...	,,	29.95	760.8	...	...	S W	8	...
Kagoshima,	,,	29.84	757.9	...	...	S E	4	...	,,	29.92	759.9	...	...	N W	6	...
Oshima,	,,	29.85	758.1	...	...	S E	6	...	,,	29.97	761.1	...	...	N W	4	...
Naha,	,,	29.93	760.2	...	...	N W	4	...	,,	30.01	762.2	...	...	N	8	...
Ishigakijima,	,,	29.93	760.3	...	...	S W	6	...	,,	30.01	762.3	...	...	N E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.30	769.6	28	79	N E	5	c
Weihaiwei,	,,	29.87	758.7	25	...	N N W	7	c	9 a.	30.26	768.6	24	...	N	4	c
Hankow,	,,	30.28	769.1	53	61	N	4	b	6 a.	30.32	770.1	43	83	N	3	c
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.00	762.0	48	78	N W	6	o	9 a.	30.30	769.6	39	82	W N W	2	o
Gutzlaff,	,,	29.97	761.2	51	86	N W	6	om	,,	30.28	769.1	40	91	N N W	4	om
Sharp Peak,	,,	29.88	758.9	70	85	...	0	c	,,	30.19	766.8	62	80	N E	5	o
Amoy,	,,	29.83	757.7	72	76	S E	3	b	6 a.	30.01	762.2	62	89	N E	4	b
Swatow,	,,	29.87	758.7	78	70	E	1	b	,,	29.96	761.0	62	89	N E	3	c
Taihoku,	1 p.	29.92	760.0	...	...	E	2	...	5 a.	30.06	763.5	...	...	E	8	...
Taichu,	,,	29.93	760.2	...	...	S	4	...	,,	29.98	761.4	...	...	...	0	...
Tainan,	,,	29.95	760.7	...	...	S	2	...	,,	29.96	761.0	...	...	N W	2	...
Koshun,	,,	29.91	759.7	...	...	N W	4	...	,,	29.94	760.4	...	...	N E	8	...
Pescadores,	,,	29.94	760.4	...	...	N W	4	...	,,	29.97	761.1	...	...	N E	8	...
Canton,	3 p.	29.89	759.2	81	87	...	0	c	9 a.	30.04	763.0	70	95	...	0	o
Hongkong,	4 p.	29.90	759.4	71	85	E	1	b	10 a.	30.05	763.2	67	95	E N E	3	od
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	E S E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.96	761.0	74	...	S E	1	c	,,	30.07	763.8	71	...	E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.84	758.0	79	...	S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.91	759.6	81	...	E S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.7	82	...	N E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.86	758.5	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	84	71	N E	1	o	10 a.	29.88	759	82	70	W S W	1	c
Legaspi,	2 p.	29.85	758.1	86	...	N E	1	c	6 a.	29.84	757.9	75	...	E	1	r
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N	1	or
Iloilo,	,,	29.75	755.6	84	...	N E	1	c	,,	29.81	757.2	80	...	N E	3	o
Cebu,	,,	29.76	755.9	85	...	N	2	c	,,	29.80	756.9	81	...	N	2	o
Labuan,	,,	29.72	754.9	85	...	...	...	...	,,	..	...	...	...	...	...	...

On the 19th at 11.25 a.—The depression has reached the E. part of the Sea of Japan, and is approaching the neighbourhood of Hakodate.

Pressure has increased over China, very rapidly in the North, less so in the South. It is highest to the North of the Yangtze.

The barometer has fallen over the Philippines, and pressure is low to the South of the Archipelago.

Gradients are moderate to rather steep and very strong monsoon may be expected in the Formosa Channel, and freshening monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong: cloudy, misty; temperature falling.
2.—Formosa Channel,	N.E. winds; strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 19th December, 1906.

[Printed by Nokoshi & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th DECEMBER, 1906, P.M.								20th DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.14	740.1	...	...	S E	4	...	6 a.	29.10	739.1	...	...	W	8	...
Hakodate,	,,	29.10	739.2	...	...	S W	10	...	,,	29.43	747.2	...	...	W	10	...
Tokio,	,,	29.39	746.6	...	...	W	2	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	W	4	...	,,	30.07	763.8	...	...	W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N	6	...	,,	30.11	764.8	...	...	...	0	...
Kagoshima,	,,	30.00	761.9	...	...	N W	6	...	,,	30.08	763.9	...	...	N	4	...
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	30.08	764.1	...	...	S E	4	...
Naha,	,,	30.05	763.2	...	...	N	6	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	30.05	763.3	...	...	E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.21	767.3	27	100	N N E	1	b
Weihaiwei,	,,	30.17	766.3	27	...	N	3	ovr	9 a.	30.16	766.0	27	...	S	2	c
Hankow,	,,	30.23	767.8	47	70	N E	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.23	767.8	48	78	N E	3	c	,,	30.10	764.5	42	92	N E	2	o
Shanghai,	,,	30.25	768.3	44	60	N	1	o	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.24	768.1	45	76	N	2	om	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.11	764.8	63	80	E N E	4	o	,,	30.08	764.0	59	82	N W	1	og
Amoy,	,,	29.92	759.9	68	70	N E	5	b	6 a.	29.97	761.2	60	88	N E	1	b
Swatow,	,,	29.99	761.7	67	79	E	5	b	,,	30.00	762.0	61	82	N E	2	c
Taihoku,	1 p.	30.07	763.9	...	...	E	8	...	5 a.	30.01	762.2	...	...	E	6	...
Taichu,	,,	29.94	760.6	...	...	...	0	...	,,	30.03	762.7	...	...	...	0	...
Tainan,	,,	29.94	760.6	...	...	N W	2	...	,,	29.99	761.6	...	...	N	4	...
Koshun,	,,	29.94	760.4	...	...	N E	10	...	,,	29.98	761.4	...	...	N E	6	...
Pescadores,	,,	29.97	761.3	...	...	N	10	...	,,	30.00	762.0	...	...	N	8	...
Canton,	3 p.	29.95	760.7	73	95	E S E	2	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.98	761.5	65	87	E	4	o	10 a.	30.03	762.7	68	74	E	4	c
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.00	762.0	68	...	S E	3	o	,,	30.07	763.8	76	...	E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.95	760.7	80	96	S E	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.88	758.9	77	...	S S E	5	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.2	79	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	81	...	N N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	86	65	E N E	1	c	10 a.	29.88	759	75	92	N	1	o
Legaspi,	2 p.	29.81	757.2	77	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.72	754.9	83	...	N E	1	c	,,	29.79	756.6	82	...	N E	1	b
Cebu,	,,	29.73	755.1	83	...	N	1	c	,,	29.82	757.4	85	...	N	1	b
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	29.77	756.1	80	...	...	...	...

On the 20th at 12.20 p.—The depression lying over N.E. Japan yesterday, is now moving into the Pacific to the E. of Hokkaido.

The barometer has again fallen quickly at the Yangtze stations, a new depression, which will probably move Eastwards, having appeared over Central China.

Pressure remains low to the South of the Philippine Archipelago.

Decreasing monsoon is indicated in the Formosa Channel, and fresh to moderate monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 20th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th DECEMBER, 1906, P.M.								21st DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.18	741.1	...	...	N E	10	...	6 a.	29.45	748.1	...	...	S W	6	...
Hakodate,	,,	29.57	751.2	...	...	W	10	...	,,	29.58	751.2	...	...	W	8	...
Tokio,	,,	29.79	756.6	...	...	N E	2	...	,,	29.75	755.6	...	...	S W	2	...
Kochi,	,,	29.95	760.8	...	...	W	2	...	,,	29.99	761.8	...	...	W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N	2	...	,,	30.11	764.8	...	...	N	6	...
Kagoshima,	,,	30.00	761.9	...	...	N W	4	...	,,	30.08	763.9	...	...	N	4	...
Oshima,	,,	29.96	761.1	...	...	N	2	...	,,	29.93	760.1	...	...	S	6	...
Naha,	,,	29.97	761.2	...	...	S E	2	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	6	...	,,	30.01	762.3	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.10	764.5	27	...	N N E	5	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.28	769.1	39	91	N W	3	or	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.16	766.0	43	92	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.92	759.9	49	100	...	0	omr	9 a.	30.44	773.2	38	72	N N W	3	o
Gutzlaff,	,,	29.94	760.5	53	100	S E	1	omp	,,	30.35	770.9	43	92	N N W	6	om
Sharp Peak,	,,	29.94	760.5	64	86	...	0	b	,,	30.22	767.6	60	82	N E	5	og
Amoy,	,,	29.88	758.9	64	95	S E	3	b	6 a.	29.95	760.7	60	94	N E	0	dh
Swatow,	,,	29.91	759.7	70	75	E	2	b	,,	30.01	762.2	59	88	...	0	b
Taihoku,	1 p.	29.93	760.3	...	...	N	2	...	5 a.	30.06	763.6	...	...	...	0	...
Taichu,	,,	29.95	760.7	...	...	N W	4	...	,,	30.10	764.4	...	...	...	0	...
Tainan,	,,	29.93	760.1	...	...	N W	2	...	,,	30.00	761.9	...	...	N E	2	...
Koshun,	,,	29.93	760.1	...	...	E	4	...	,,	29.96	761.0	...	...	N E	2	...
Pescadores,	,,	29.95	760.8	...	...	N W	6	...	,,	29.99	761.6	...	...	N E	4	...
Canton,	3 p.	29.91	759.7	74	95	S E	1	c	9 a.	30.11	764.8	68	95	N N W	1	c
Hongkong,	4 p.	29.92	759.9	66	81	E S E	3	b	10 a.	30.07	763.8	73	71	W	1	b
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.98	761.5	68	...	S E	2	o	,,	30.11	764.8	71	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.84	757.9	75	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.86	758.5	79	...	E S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	81	...	E	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	77	92	N	1	o	10 a.	29.92	760	81	85	W N W	1	o
Legaspi,	2 p.	29.80	757.0	82	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	...	...	84	...	S W	1	b	,,	29.85	758.2	83	...	N E	1	c
Cebu,	,,	29.75	755.6	86	...	N	3	c	,,	29.89	759.2	85	...	N	2	c
Labuan,	,,	29.67	753.6	85	...	...	...	...	,,	29.79	756.6	83	...	...	...	...

On the 21st at 11.40 a.—The barometer has fallen moderately over the Loochoos, and risen rapidly over the Yangtze and E. coast.

The depression passed over the E. coast of China last evening, and is this morning near the Northern Loochoos.

A high pressure area now lies over the continent to the North of the Yangtze, and gradients are rather steep along the China coast.

Hard monsoon, of gale force in the Formosa Channel, is expected to set in over S. China and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh to strong; fair, cooler.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 21st December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st DECEMBER, 1906, P.M.								22nd DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.37	746.1	...	...	S W	8	...	6 a.	29.41	747.1	...	...	W	6	...
Hakodate,	,,	29.54	750.2	...	...	W	8	...	,,	29.54	750.2	...	...	W	6	...
Tokio,	,,	29.55	750.6	...	...	S	4	...	,,	29.67	753.6	...	...	N	2	...
Kochi,	,,	29.87	758.8	...	...	W	6	...	,,	30.03	762.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N	8	...	,,	30.23	767.8	...	...	N	6	...
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	30.23	767.9	...	...	N	2	...
Oshima,	,,	30.04	763.1	...	...	N W	8	...	,,	30.20	767.1	...	...	N	6	...
Naha,	,,	30.05	763.2	...	...	N E	8	...	,,	30.21	767.2	...	...	N E	8	...
Ishigakijima,	,,	30.05	763.3	...	...	N	8	...	,,	30.17	766.3	...	...	N E	6	...
Chefoo,	3 p.	30.36	771.1	25	100	...	...	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.26	768.6	20	...	N W	4	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.51	774.9	43	67	E N E	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.46	773.7	37	37	N E	4	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.39	771.9	38	54	N N W	3	o	9 a.	30.47	773.9	33	79	N N W	1	o
Gutzlaff,	,,	30.33	770.4	40	74	N	5	om	,,	30.41	772.4	38	81	N	3	om
Sharp Peak,	,,	30.21	767.3	60	76	N N E	4	o	,,	30.34	770.6	56	81	N N E	3	og
Amoy,	,,	29.92	759.9	68	60	N E	6	b	6 a.	30.07	763.8	56	87	N E	3	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.15	765.7	...	...	E	6	...	5 a.	30.21	767.3	...	...	E	6	...
Taichu,	,,	30.02	762.4	...	...	N	8	...	,,	30.12	765.0	...	...	N	4	...
Tainan,	,,	29.95	760.8	...	...	N	6	...	,,	30.10	764.6	...	...	N	4	...
Koshun,	,,	29.96	760.9	...	...	N E	8	...	,,	30.04	763.1	...	...	N E	10	...
Pescadores,	,,	30.02	762.5	...	...	N	10	...	,,	30.12	765.1	...	...	N E	10	...
Canton,	3 p.	30.07	763.8	69	90	N W	4	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.99	761.7	74	67	S W	1	c	10 a.	30.21	767.3	60	84	E	1	od
Victoria Peak,	,,	...	...	...	...	W N W	3	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.1	73	...	E S E	5	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.96	761.1	77	...	N N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	84	...	S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.88	758.9	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	84	71	N W	1	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.85	758.1	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.75	755.6	87	...	N E	3	b	,,	29.89	759.2	82	...	N E	3	c
Cebu,	,,	29.84	757.9	86	...	N	2	b	,,	29.89	759.2	83	...	N	1	b
Labuan,	,,	29.72	754.9	86	...	...	...	...	,,	29.84	757.9	80	...	...	...	...

On the 22nd at 11.45 a.—The barometer has fallen slightly over E. Japan, and risen elsewhere, particularly over S. China and the Loochoos.

The depression is over the Pacific to the N.E. of Japan, and the high pressure area remains over the continent to the North of the Yangtze.

Hard monsoon is expected to continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; cloudy, drizzling rain.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 22nd December, 1906.

[Printed by NOMOKHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd DECEMBER, 1906, P.M.								23rd DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.37	746.1	...	...	W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.54	750.2	...	...	W	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.67	753.6	...	...	E	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.95	760.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.15	765.9	...	...	N	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.17	766.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.40	772.1	27	...	W	4	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.24	768.1	24	...	N W	5	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.56	776.2	37	71	N	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.40	772.1	34	90	N	2	o	9 a.	30.57	776.5	34	...	N W	2	b
Gutzlaff,	,,	30.33	770.4	38	81	N N W	4	gom	,,	30.48	774.2	34	79	N W	5	cm
Sharp Peak,	,,	30.22	767.6	56	81	N N E	2	og	,,	30.35	770.9	56	84	N E	4	od
Amoy,	,,	29.92	759.9	64	73	N E	3	o	6 a.	30.22	767.6	55	100	N E	5	or
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.16	766.1	...	...	E	6	...	5 a.	30.24	768.0	...	...	S E	2	...
Taichu,	,,	30.08	764.1	...	...	N	2	...	,,	30.14	765.6	...	...	N	6	...
Tainan,	,,	30.07	763.9	...	...	N	4	...	,,	30.10	764.6	...	...	N	6	...
Koshun,	,,	30.03	762.9	...	...	N E	10	...	,,	30.06	763.6	...	...	N E	6	...
Pescadores,	,,	30.10	764.5	...	...	N	10	...	,,	30.13	765.3	...	...	N	10	...
Canton,	3 p.	30.13	765.3	66	84	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.11	764.8	61	89	N N E	1	od	10 a.	30.26	768.6	56	87	...	0	od
Victoria Peak,	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	60	...	N	1	od	,,	30.31	769.9	52	...	N	3	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.05	763.2	70	...	E S E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.99	761.8	72	...	N W	1	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.9	81	...	E N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.94	760.5	82	...	E	2	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	71	S E	1	o	10 a.	29.96	761	82	70	N	1	c
Legaspi,	2 p.	29.88	759.0	86	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.79	756.6	86	...	N E	3	b	,,	29.85	758.2	83	...	N E	2	c
Cebu,	,,	29.83	757.7	86	...	N	3	c	,,	30.01	762.2	84	...	N	3	c
Labuan,	,,	29.74	755.4	84	...	...	...	...	,,	29.84	757.9	79	...	...	...	...

On the 23rd at 12.05 p.—The barometer has risen moderately to slightly on the China Coast.

The anticyclonic area, which is of considerable intensity, is still central over the continent to the North of the Yangtze. *Pressure is relatively low over the S. part of the China Sea.*

Gradients continue rather steep and hard monsoon will continue to prevail in the Formosa Channel and the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh to moderate; rainy.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	N.E. strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 23rd December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd DECEMBER, 1906, P.M.								24th DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.41	747.1	...	...	W	8	...
Hakodate,	,,	29.57	751.2	...	...	N W	6	...	,,	29.73	755.2	...	...	W	6	...
Tokio,	,,	29.67	753.6	...	...	N W	4	...	,,	29.91	759.6	...	...	S W	2	...
Kochi,	,,	29.95	760.8	...	...	W	6	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	8	...	,,	30.27	768.8	...	...	N	2	...
Kagoshima,	,,	30.11	764.9	...	...	N W	6	...	,,	30.23	767.9	...	...	N	6	...
Oshima,	,,	30.16	766.1	...	...	N	6	...	,,	30.20	767.1	...	...	N	8	...
Naha,	,,	30.17	766.2	...	...	N	8	...	,,	30.21	767.2	...	...	N	8	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	6	...
Chefoo,	3 p.	30.42	772.6	26	...	N W	2	o	6 a.	30.35	770.9	25	100	W	2	b
Weihaiwei,	,,	30.29	769.3	23	...	N E	4	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.58	776.7	40	48	N	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.59	777.0	39	55	N N W	3	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.50	774.7	36	100	N W	3	b	9 a.	30.55	775.9	33	...	N W	1	b
Gutzlaff,	,,	30.40	772.1	36	70	N N W	5	cm	,,	30.49	774.4	33	100	N W	4	cm
Sharp Peak,	,,	30.31	769.9	54	80	N E	4	og	,,	30.41	772.4	52	66	N	3	c
Amoy,	,,	30.03	762.7	57	87	N E	4	b	6 a.	30.16	766.0	46	92	N E	5	or
Swatow,	,,	30.14	765.5	58	88	N E	1	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.28	769.2	...	...	E	6	...	5 a.	30.33	770.4	...	...	E	4	...
Taichu,	,,	30.11	764.7	...	...	N	4	...	,,	30.18	766.5	...	...	N	6	...
Tainan,	,,	30.11	764.8	...	...	N	6	...	,,	30.17	766.2	...	...	N	6	...
Koshun,	,,	30.03	762.7	...	...	N E	10	...	,,	30.08	764.1	...	...	N E	10	...
Pescadores,	,,	30.16	766.0	...	...	N	10	...	,,	30.20	767.1	...	...	N	10	...
Canton,	3 p.	30.26	768.6	55	94	N E	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.19	766.8	54	87	N	2	od	10 a.	30.32	770.1	53	85	N	1	od
Victoria Peak,	,,	...	...	...	...	N N E	4	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.24	768.1	51	...	N	2	od	,,	30.36	771.1	48	...	N	1	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.3	57	...	E N E	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.03	762.9	73	...	W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.6	81	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.94	760.6	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	86	53	E	1	c	10 a.	30.00	762	81	70	N W	1	b
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.81	757.2	85	...	N E	2	c	,,	29.89	759.2	82	...	N E	3	b
Cebu,	,,	29.85	758.2	85	...	N	2	c	,,	29.97	761.2	85	...	N	2	b
Labuan,	,,	29.78	756.4	82	...	...	...	...	,,	29.82	757.4	81	...	...	...	...

On the 24th at 11.45 a.—The barometer has risen moderately to slightly over S. Japan and S. China.

The anticyclonic area is still central over the continent to the North of the Yangtze, and pressure remains low, and in considerable defect of the normal, over N.E. Japan. It is about 0.2 inch above the average over the E. Coast of China.

Gradients continue rather steep, and hard monsoon will still be met with in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; rain at first, probably improving later.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 24th December, 1906.

[Printed by Nokoshi & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th DECEMBER, 1906, P.M.								25th DECEMBER, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.57	751.1	...	...	N W	6	...	6 a.	29.93	760.1	...	...	W	6	...
Hakodate,	,,	29.77	756.2	...	...	W	6	...	,,	29.97	761.2	...	...	W	8	...
Tokio,	,,	29.91	759.6	...	...	E	4	...	,,	30.14	765.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	N E	2	...	,,	30.23	767.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	N	3	...	,,	30.27	768.8	...	...	E	2	...
Kagoshima,	,,	30.23	767.9	...	...	N W	6	...	,,	30.23	767.9	...	...	...	0	...
Oshima,	,,	30.29	767.1	...	...	N	6	...	,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.20	767.2	...	...	N	6	...	,,	30.21	767.2	...	...	W	2	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	4	...
Chefoo,	3 p.	30.40	772.1	31	90	W N W	1	b	6 a.	30.35	770.9	27	...	W	2	b
Weihaiwei,	,,	30.32	770.1	27	...	N N W	3	c	9 a.	30.27	768.8	27	...	W	6	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.66	778.7	30	90	N E	1	o
Kiukiang,	,,	30.56	776.2	36	70	N E	2	o.	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.46	773.7	37	...	N W	1	b	9 a.	30.54	775.7	33	...	W N W	2	b
Gutzlaff,	,,	30.42	772.6	36	80	N N W	3	bm	,,	30.47	773.9	32	75	N W	4	cm
Sharp Peak,	,,	30.32	770.1	52	67	N E	3	c	,,	30.45	773.4	43	...	N	1	og
Amoy,	,,	...	...	54	74	N E	2	o	6 a.	30.21	767.3	50	86	N E	2	o
Swatow,	,,	30.18	766.6	58	94	E	1	o	,,	...	...	49	93	N	2	or
Taihoku,	1 p.	30.28	769.0	...	...	E	6	...	5 a.	30.31	769.8	...	...	E	2	...
Taichu,	,,	30.13	765.4	...	...	N	4	...	,,	30.23	767.7	...	...	N	6	...
Tainan,	,,	30.20	767.0	...	...	N	4	...	,,	30.19	766.7	...	...	N	4	...
Koshun,	,,	...	...	...	...	...	...	...	,,	30.15	765.8	...	...	N E	10	...
Pescadores,	,,	30.19	766.7	...	...	N	10	...	,,	30.22	767.5	...	...	N	10	...
Canton,	3 p.	30.27	768.8	49	93	N W	2	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.21	767.3	55	80	N	2	o	10 a.	30.37	771.4	53	65	N	1	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.32	770.1	47	...	N	2	od	,,	30.42	772.6	47	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.8	57	...	N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.08	764.0	61	...	N N W	4	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	81	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.01	762.1	77	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	86	41	E S E	1	b	10 a.	30.00	762	82	63	...	0	o
Legaspi,	2 p.	29.90	759.4	86	...	E	2	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.81	757.2	85	...	N E	3	o	,,	29.89	759.2	81	...	N E	4	c
Cebu,	,,	29.84	757.9	86	...	N	2	b	,,	29.91	759.7	83	...	N	2	or
Labuan,	,,	29.73	755.1	85	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 25th at 11.55 a.—The barometer has risen considerably over Japan, and fallen slightly in N. China.

The anticyclone is still central over the continent to the North of the Yangtze. Pressure is relatively low over the N.E. part of the Sea of Japan in the North, and over the S. part of the China Sea in the South.

Gradients are moderate to rather steep, and strong monsoon may be expected in the Formosa Channel and heavy monsoon in the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 25th December, 1906.

[Printed by Nokonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th DECEMBER, 1906, P.M.								26th DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.89	759.1	...	...	W	2	...	6 a.	29.57	751.1	...	...	...	0	...
Hakodate	,,	29.93	760.2	...	...	S W	6	...	,,	29.57	751.2	...	...	N W	8	...
Tokio	,,	30.02	762.6	...	...	S	2	...	,,	29.79	756.6	...	...	W	4	...
Kochi	,,	30.07	763.8	...	...	W	2	...	,,	30.11	764.8	...	...	W	4	...
Nagasaki	,,	30.15	765.8	...	...	...	0	...	,,	30.23	767.8	...	...	N	8	...
Kagoshima	,,	30.15	765.9	...	...	N W	2	...	,,	30.23	767.9	...	...	N	6	...
Oshima	,,	30.20	767.1	...	...	N	2	...	,,	30.28	769.1	...	...	N W	8	...
Naha	,,	30.20	767.2	...	...	N	6	...	,,	30.32	770.2	...	...	N	8	...
Ishigakijima	,,	30.25	768.3	...	...	N E	6	...	,,	30.33	770.3	...	...	N W	6	...
Chefoo	3 p.	30.34	770.6	29	...	N W	5	b	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	30.23	767.8	28	...	W	5	ovr	9 a.	...	...	...	...	...	...	...
Hankow	,,	30.66	778.7	45	39	N E	1	b	6 a.	30.69	779.5	32	90	N E	1	b
Kiukiang	,,	30.58	776.7	48	49	S W	2	b	,,	...	...	...	...	...	...	...
Shanghai	,,	30.45	773.4	40	39	W N W	3	b	9 a.	30.62	777.7	33	...	N W	2	b
Gutzlaff	,,	30.43	772.9	37	81	N W	3	bm	,,	30.57	776.5	33	69	N W	4	bm
Sharp Peak	,,	30.34	770.6	53	73	E N E	3	o	,,	30.48	774.2	51	66	E N E	3	c
Amoy	,,	30.26	768.6	59	76	N E	3	o	6 a.	30.32	770.1	50	72	N E	4	c
Swatow	,,	30.28	769.1	60	65	N	2	o	,,	...	...	49	93	N	1	c
Taihoku	1 p.	30.33	770.4	...	...	E	6	...	5 a.	30.43	772.9	...	...	E	4	...
Taichu	,,	30.22	767.6	...	...	N	8	...	,,	30.30	769.6	...	...	N	4	...
Tainan	,,	30.19	766.9	...	...	N	4	...	,,	30.27	768.8	...	...	N	6	...
Koshun	,,	30.16	766.0	...	...	N E	8	...	,,	30.22	767.5	...	...	N E	10	...
Pescadores	,,	30.22	767.6	...	...	N	10	...	,,	30.29	769.3	...	...	N E	10	...
Canton	3 p.	...	...	51	93	N W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	30.25	768.3	58	54	N N E	2	o	10 a.	30.40	772.1	57	48	N	2	o
Victoria Peak	,,	...	...	...	...	N	2	...	,,	...	...	...	...	N E	4	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	30.35	770.9	54	...	N	2	c	,,	30.45	773.4	51	...	N	2	c
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	30.42	772.6	50	100	N	6	o	,,	...	...	...	...	...	...	...
Phulien	4 p.	30.30	769.5	57	...	N N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane	,,	30.17	766.4	68	...	N	3	or	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.84	758.0	79	...	N E	5	o	,,	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.92	760	86	71	...	0	c	10 a.	30.00	762	81	70	N N W	1	c
Legaspi	2 p.	29.90	759.5	86	...	E	1	c	6 a.	29.94	760.5	79	...	N E	1	c
Bacolod	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3	b
Iloilo	,,	29.83	757.7	84	...	N E	1	c	,,	29.89	759.2	81	...	N E	2	c
Cebu	,,	29.86	758.4	82	...	N	2	or	,,	29.92	759.9	82	...	N	1	c
Labuan	,,	29.76	755.9	86	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 26th at 11.45 a.—The barometer has fallen rapidly over E. Japan, and risen slightly over China.

A depression which passed over E. Manchuria yesterday, has reached N.E. Japan.

The anticyclone is still central over the continent to the North of the Yangtze, and pressure remains relatively low over the S. part of the China Sea.

Gradients continue moderate to rather steep, and strong monsoon will prevail in the Formosa Channel and heavy monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 26th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th DECEMBER, 1906, P.M.								27th DECEMBER, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.30	744.1	...	...	N	6	...	6 a.	29.85	758.1	...	...	W	6	...
Hakodate,	,,	29.65	753.2	...	...	W	8	...	,,	30.01	762.2	...	...	W	6	...
Tokio,	,,	29.83	757.6	...	...	N W	4	...	,,	30.14	765.6	...	...	W	2	...
Kochi,	,,	30.11	764.8	...	...	W	6	...	,,	30.31	769.8	...	...	S W	4	...
Nagasaki,	,,	30.31	769.8	...	...	N	8	...	,,	30.39	771.8	...	...	N	4	...
Kagoshima,	,,	30.23	767.9	...	...	N	6	...	,,	30.39	771.9	...	...	N	2	...
Oshima,	,,	30.28	769.1	...	...	N	8	...	,,	30.32	770.1	...	...	N W	2	...
Naha,	,,	30.32	770.2	...	...	N	8	...	,,	30.32	770.2	...	...	N E	2	...
Ishigakijima,	,,	30.33	770.3	...	...	N E	6	...	,,	30.33	770.3	...	...	N E	6	...
Chefoo,	3 p.	30.35	770.9	34	90	N W	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.35	770.9	27	...	W	2	b	9 a.	30.19	766.8	36	...	W	4	b
Hankow,	,,	30.59	777.0	47	41	E N E	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.57	776.5	47	48	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.53	775.4	39	38	N	2	b	9 a.	30.49	774.4	36	...	S	1	b
Gutzlaff,	,,	30.51	774.9	37	53	N W	3	cv	,,	30.47	773.9	40	65	S W	1	bv
Sharp Peak,	,,	30.39	771.9	53	73	E N E	3	b	,,	30.45	773.4	49	71	W N W	1	b
Amoy,	,,	30.22	767.6	62	56	N E	3	b	6 a.	30.32	770.1	50	72	N N E	1	o
Swatow,	,,	30.23	767.8	61	60	E N E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.40	772.1	...	...	E	6	...	5 a.	30.37	771.4	...	...	E	4	...
Taichu,	,,	30.26	768.5	...	...	N	2	...	,,	30.30	769.5	...	...	...	0	...
Tainan,	,,	30.22	767.7	...	...	N	6	...	,,	30.28	769.1	...	...	N	2	...
Koshun,	,,	30.23	767.9	...	...	N E	10	...	,,	30.25	768.2	...	...	N E	8	...
Pescadores,	,,	30.26	768.7	...	...	N E	10	...	,,	30.29	769.3	...	...	N	8	...
Canton,	3 p.	30.29	769.3	61	88	N	1	b	9 a.	30.41	772.4	54	87	N W	1	c
Hongkong,	4 p.	30.27	768.8	59	43	E	3	b	10 a.	30.37	771.4	59	50	N E	1	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.32	770.1	58	...	N E	1	c	,,	30.41	772.4	...	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.29	769.4	63	...	N W	2	c	10 a.	30.40	772.1	63	...	N	3	o
Tourane,	,,	30.19	766.9	70	...	N E	3	o	,,	30.30	769.6	68	...	N W	2	o
Cape St. James,	,,	29.94	760.6	82	...	W S W	1	o	,,	30.01	762.1	81	...	S E	1	c
Aparri,	2 p.	30.11	764.8	73	...	N E	2	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	81	76	...	0	c	10 a.	30.04	763	79	76	N E	0	o
Legaspi,	2 p.	29.91	759.6	82	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.83	757.7	85	...	N E	2	c	,,	29.89	759.2	81	...	N E	1	c
Cebu,	,,	29.85	758.2	84	...	N	3	o	,,	29.94	760.5	80	...	N	2	o
Labuan,	,,	29.85	758.2	83	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 27th at 12.05 p.—The barometer has risen in Japan, the depression having moved into the Pacific to the E. of Hokkaido.

The anticyclone is still central over the Yangtze, but pressure is giving way over China, particularly in the North. Probably another depression will appear over Manchuria.

Gradients have decreased over S. China, but continue rather steep over the China Sea.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate to light; fair.
2.—Formosa Channel,	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 27th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th December, 1906, P.M.								28th December, 1906, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	W	4	...	6 a.	29.81	757.1	...	...	S E	4	...
Hakodate,	,,	30.01	762.2	...	...	S W	6	...	,,	29.69	754.2	...	...	.	0	...
Tokio,	,,	30.10	764.6	...	...	S	2	...	,,	29.99	761.6	...	...	N W	2	...
Kochi,	,,	30.23	767.8	...	...	S W	4	...	,,	30.15	765.8	...	...	W	2	...
Nagasaki,	,,	30.31	769.8	...	...	S E	4	...	,,	30.11	764.8	...	...	N W	6	...
Kagoshima,	,,	30.31	769.9	...	...	N W	4	...	,,	30.15	765.9	...	...	N	4	...
Oshima,	,,	30.28	769.1	...	...	...	0	...	,,	30.20	767.1	...	...	S	2	...
Naha,	,,	30.28	769.2	...	...	N E	4	...	,,	30.21	767.2	...	...	N	6	...
Ishigakijima,	,,	30.25	768.3	...	...	E	6	...	,,	30.21	767.3	...	...	N E	4	...
Chefoo,	3 p.	30.25	768.3	30	100	S W	2	b	6 a.	30.20	767.1	29	...	N N W	2	b
Weihaiwei,	,,	30.13	765.3	31	...	N W	5	ovr	9 a.	30.14	765.5	29	...	W	4	b
Hankow,	,,	30.56	776.2	51	46	N W	1	b	6 a.	30.59	777.0	33	79	N E	1	b
Kiukiang,	,,	30.47	773.9	45	61	W	1	o	,,	30.56	776.2	29	...	...	0	b
Shanghai,	,,	30.34	770.6	46	26	W	2	b	9 a.	30.34	770.6	36	...	W	1	b
Gutzlaff,	,,	30.35	770.9	45	46	W S W	2	bv	,,	30.40	772.1	35	80	N N W	3	bm
Sharp Peak,	,,	30.30	769.6	53	73	N E	2	o	,,	30.38	771.6	52	73	N E	1	b
Amoy,	,,	30.20	767.1	62	67	N E	3	b	6 a.	30.24	768.1	54	80	W	1	b
Swatow,	,,	30.23	767.8	62	61	E	2	b	,,	...	...	49	93	N	1	b
Taihoku,	1 p.	30.26	768.7	...	...	E	8	...	5 a.	30.29	769.4	...	...	E	2	...
Taichu,	,,	30.20	767.2	...	...	N	4	...	,,	30.25	768.4	...	...	...	0	...
Tainan,	,,	30.23	767.8	...	...	N E	8	...	,,	30.22	767.5	...	...	N	4	...
Koshun,	,,	30.19	766.9	...	...	N E	8	...	,,	30.22	767.5	...	...	N	2	...
Pescadores,	,,	30.24	768.1	...	...	N E	8	...	,,	30.24	768.1	...	...	N	10	...
Canton,	3 p.	30.26	768.6	67	79	N W	1	b	9 a.	30.41	772.4	52	86	N W	1	b
Hongkong,	4 p.	30.25	768.3	61	49	W	1	o	10 a.	30.34	770.6	62	25	N	3	b
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.30	769.6	61	...	N E	1	c	,,	30.39	771.9	57	...	N	2	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.28	769.0	63	...	N N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.18	766.6	70	...	N	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.1	79	...	W S W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	81	62	N N E	2	o	10 a.	30.00	762	81	70	N N E	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.83	757.7	84	...	N E	3	c	,,	29.89	759.2	81	...	N E	2	o
Cebu,	,,	29.84	757.9	85	...	N E	1	c	,,	29.90	759.4	83	...	N	1	b
Labuan,	,,	29.79	756.6	82	...	...	...	...	,,	29.91	759.7	80	...	...	...	...

On the 28th at 11.45 a.—The barometer has fallen considerably over Japan, owing to the passage of the depression from Manchuria to the N. part of the Sea of Japan.

The anticyclone still lies over the continent to the North of the Yangtze.

The monsoon will freshen again in the Formosa Channel, and continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 28th December, 1906.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th December, 1906, P.M.								29th December, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.45	748.1	...	...	S	10	...	6 a.	29.65	753.1	...	...	W	2	...
Hakodate,	,,	29.77	756.2	...	...	W	8	...	,,	29.69	754.2	...	...	.	0	...
Tokio,	,,	29.83	757.6	...	...	S	6	...	,,	29.71	754.6	...	...	N W	2	...
Kochi,	,,	29.99	761.8	...	...	S E	2	...	,,	29.95	760.8	...	...	S	2	...
Nagasaki,	,,	30.07	763.8	...	...	N	6	...	,,	30.07	763.8	...	...	N	8	...
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	30.08	763.9	...	...	N W	4	...
Oshima,	,,	30.12	765.1	...	...	N W	4	...	,,	30.20	767.1	...	...	N	8	...
Naha,	,,	30.17	766.2	...	...	N W	6	...	,,	30.25	768.2	...	...	N	10	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.29	769.3	...	...	N	4	...
Chefoo,	3 p.	30.18	766.6	33	100	N W	4	b	6 a.	30.39	771.9	31	90	N W	2	b
Weihaiwei,	,,	30.09	764.3	31	...	W	...	c	9 a.	30.30	769.6	30	...	W N W	3	b
Hankow,	,,	30.56	776.2	52	41	W	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.49	774.4	28	...	S W	1	or	,,	30.59	777.0	31	90	S W	1	b
Shanghai,	,,	30.35	770.9	43	36	W	1	b	9 a.	30.53	775.4	35	...	W	2	b
Gutzlaff,	,,	30.33	770.4	40	56	N W	3	bm	,,	30.49	774.4	35	80	N W	4	bm
Sharp Peak,	,,	30.29	769.3	55	74	E N E	1	b	,,	30.45	773.4	51	79	N	1	b
Amoy,	,,	30.12	765.0	62	51	E N E	2	b	6 a.	30.23	767.8	47	70	N E	2	b
Swatow,	,,	30.20	767.1	64	63	E	2	b	,,	...	...	...	..	...	...	...
Taihoku,	1 p.	30.30	769.6	...	...	E	4	...	5 a.	30.41	772.4	...	...	E	2	...
Taichu,	,,	30.20	767.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tainan,	,,	30.20	767.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
Koshun,	,,	30.17	766.4	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.21	767.4	...	...	N	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.24	768.1	65	84	N	1	b	9 a.	...	...	...	...	...	...	b
Hongkong,	4 p.	30.19	766.8	65	34	E S E	1	b	10 a.	30.35	770.9	63	19	N N E	1	b
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.25	768.3	63	...	N	1	b	,,	30.39	771.9	56	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.26	768.6	70	...	S W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.18	766.6	64	...	W N W	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.2	79	...	N E	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	81	70	N E	1	o	10 a.	30.00	762	81	70	E	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.79	756.6	84	...	N E	2	c	,,	29.85	758.2	80	...	N E	2	o
Cebu,	,,	29.82	757.4	86	...	N	3	c	,,	29.88	758.9	83	...	N	3	c
Labuan,	,,	29.77	756.1	83	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

On the 29th at 11.50 a.—The barometer has fallen over Japan, and risen in N. China.
The depression lying over N.E. Japan yesterday, has moved into the Pacific.
The anticyclonic area is still lying over the Yangtze.
Gradients are moderate to slight on the China Coast, and rather steep elsewhere.
Fresh to strong monsoon will prevail in the Formosa Channel, and hard monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 29th December, 1906.

(Printed by Koroshia & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th DECEMBER, 1906, P.M.								30th DECEMBER, 1906, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.53	750.1	...	...	S	4	...	6 a.	29.73	755.1	...	...	W	6	...
Hakodate,	,,	29.65	753.2	...	...	N W	2	...	,,	29.85	758.2	...	...	W	6	...
Tokio,	,,	29.55	750.6	...	...	...	0	...	,,	30.10	764.6	...	...	W	2	...
Kochi,	,,	30.03	762.8	...	...	N W	6	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N	8	...	,,	30.27	768.8	...	...	S E	4	...
Kagoshima,	,,	30.15	765.9	...	...	N W	8	...	,,	30.27	768.9	...	...	N E	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	N	10	...	,,	30.25	768.2	...	...	...	0	...
Ishigakijima,	,,	30.29	769.3	...	...	N	8	...	,,	30.25	768.3	...	...	N E	2	...
Chefoo,	3 p.	30.26	768.6	36	100	W	2	b	6 a.	...	...	...	..	...	...	...
Weihaiwei,	,,	30.22	767.6	34	...	W	2	b	9 a.	30.02	762.5	28	...	W	2	ovr
Hankow,	,,	30.48	774.2	50	38	E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.45	773.4	52	41	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.42	772.6	43	21	N W	2	b	9 a.	30.24	768.1	40	...	S S E	2	b
Gutzlaff,	,,	30.41	772.4	40	39	N N W	...	bm	,,	30.25	768.3	43	51	S	4	bv
Sharp Peak,	,,	30.33	770.4	54	68	N E	3	b	,,	30.29	769.3	48	74	W N W	3	b
Amoy,	,,	30.07	763.8	63	57	N E	4	b	6 a.	30.15	765.8	49	71	N W	3	b
Swatow,	,,	30.21	767.3	64	48	N E	2	b	,,	30.17	766.3	47	93	N	2	b
Taihoku,	1 p.	30.37	771.5	...	...	E	6	...	5 a.	30.23	767.8	...	...	E	4	...
Taichu,	,,	30.20	767.0	...	...	N	6	...	,,	30.21	767.2	...	...	...	0	...
Tainan,	,,	30.19	766.9	...	...	N	4	...	,,	30.19	766.8	...	...	N	2	...
Koshun,	,,	30.20	767.1	...	...	N E	8	...	,,	30.10	764.4	...	...	N E	8	...
Pescadores,	,,	30.22	767.5	...	...	N	10	...	,,	30.19	766.8	...	...	N	8	...
Canton,	3 p.	30.23	767.8	67	79	N W	1	b	9 a.	30.24	768.1	51	93	N	1	b
Hongkong,	4 p.	30.21	767.3	61	44	E	3	b	10 a.	30.25	768.3	62	53	E	3	c
Victoria Peak,	,,	...	...	...	...	S E	0	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.36	771.1	65	...	...	0	c	,,	30.30	769.6	54	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.9	66	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.13	765.3	72	...	N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.5	77	...	S E	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.13	765.2	70	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	79	55	N E	2	c	10 a.	30.00	762	81	56	S W	1	b
Legaspi,	2 p.	29.88	758.9	79	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	3	od	9 a.	...	...	...	...	N E	3	od
Iloilo,	,,	29.79	756.6	84	...	N E	4	c	,,	29.89	759.2	78	...	N E	2	cd
Cebu,	,,	29.81	757.2	84	...	N	1	c	,,	29.89	759.2	80	...	N	3	o
Labuan,	,,	29.73	755.1	86	...	...	...	...	,,	29.84	757.9	80	...	...	...	...

On the 30th at 11.55 a.—The barometer has risen considerably over Japan, and fallen quickly over China, particularly in the North.

Another depression, which will probably move Eastwards, has appeared over N. China, and pressure is now highest over W. Japan.

Gradients are slight to moderate, and decreasing monsoon may be expected in the Formosa Channel, and fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 30th December, 1906.

[Printed by Kumkina & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th DECEMBER, 1906, P.M.									31st DECEMBER, 1906, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	S W	6	...		6 a.	29.73	755.1	...	...	W	2	...
Hakodate,	,,	29.81	757.2	...	...	S W	6	...		,,	29.93	760.2	...	...	W	8	...
Tokio,	,,	30.06	763.6	...	...	S E	4	...		,,	30.02	762.6	...	...	W	2	...
Kochi,	,,	30.19	766.8	...	...	S	2	...		,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	W	4	...		,,	30.19	766.8	...	...	N	6	...
Kagoshima,	,,	30.23	767.9	...	...	W	6	...		,,	30.19	766.9	...	...	...	0	...
Oshima,	,,	30.20	767.1	...	...	...	0	...		,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.20	767.2	...	...	N	2	...		,,	30.25	768.2	...	...	...	0	...
Ishigakijima,	,,	30.21	767.3	...	...	E	4	...		,,	30.21	767.3	...	...	N	2	...
Chefoo,	3 p.	29.99	761.7	44	76	W S W	2	b		6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.92	759.9	45	...	S W	2	b		9 a.	30.26	768.6	32	...	W	3	b
Hankow,	,,	30.29	769.3	55	50	S E	1	b		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.24	768.1	56	45	...	0	b		,,	...	...	...	...	...	...	...
Shanghai,	,,	30.14	765.5	52	35	S S W	1	b		9 a.	...	...	39	73	N E	1	b
Gutzlaff,	,,	30.14	765.5	50	65	S W	2	bv		,,	30.31	769.9	42	92	N N W	1	b
Sharp Peak,	,,	30.19	766.8	56	78	...	0	b		,,	30.27	768.8	53	76	W N W	2	b
Amoy,	,,	30.09	764.3	61	66	S W	1	b		6 a.	30.09	764.3	50	86	N	1	b
Swatow,	,,	30.13	765.3	66	45	N E	1	b		,,	30.17	766.3	51	86	N	1	b
Taihoku,	1 p.	30.19	766.7	...	...	E	2	...		5 a.	30.22	767.6	...	...	E	2	...
Taichu,	,,	30.18	766.5	...	...	S W	2	...		,,	30.23	767.9	...	...	...	0	...
Tainan,	,,	30.20	767.0	...	...	N	4	...		,,	30.19	766.7	...	...	N	2	...
Koshun,	,,	30.17	766.2	...	...	N E	6	...		,,	30.13	765.2	...	...	N E	8	...
Pescadores,	,,	30.20	767.0	...	...	N W	10	...		,,	30.18	766.6	...	...	N	6	...
Canton,	3 p.	30.19	766.8	63	83	N	1	b		9 a.	30.25	768.3	59	88	...	0	o
Hongkong,	4 p.	30.13	765.3	62	51	E N E	3	c		10 a.	30.23	767.8	67	57	E	2	o
Victoria Peak,	,,	...	...	...	...	E	3	...		,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Macao,	,,	30.18	766.6	66	...	S E	1	b		,,	30.26	768.6	64	...	N	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.14	765.5	60	94	S E	1	b		,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.8	68	...	E S E	3	b		10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.2	66	...	W	2	or		,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	81	56	E	1	b		10 a.	30.00	762	79	61	N E	0	c
Legaspi,	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	or		9 a.	...	...	...	...	N E	1	or
Iloilo,	,,	29.79	756.6	80	...	N E	2	or		,,	29.85	758.2	78	...	N E	3	c
Cebu,	,,	29.82	757.4	80	...	N	3	c		,,	29.89	759.2	79	...	N	1	o
Labuan,	,,	29.72	754.9	83	...	...	...	...		,,	29.90	759.4	76	...	...	...	...

On the 31st at 12.15 p.—The barometer has fallen over S. Japan, and risen in N. China.
The depression has crossed the N. part of the Sea of Japan, and pressure is again highest over the Yangtze.
The monsoon will freshen again in the Formosa Channel, and continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 31st December, 1906.

[Printed by NOBOKHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER, 1906, P.M.								1st JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	N W	6	...	6 a.	29.57	751.1	...	...	N	6	...
Hakodate,	,,	30.01	762.2	...	...	W	8	...	,,	30.01	762.2	...	...	N	2	...
Tokio,	,,	30.02	762.6	...	...	N	2	...	,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	30.19	766.8	...	...	W	4	...	,,	30.23	767.8	...	...	...	0	...
Kagoshima,	,,	30.19	766.9	...	...	N	2	...	,,	30.23	767.9	...	...	...	0	...
Oshima,	,,	30.20	767.1	...	...	N	4	...	,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.20	767.2	...	...	N	4	...	,,	30.21	767.2	...	...	N E	2	...
Ishigakijima,	,,	30.17	766.3	...	...	E	6	...	,,	30.17	766.3	...	...	N E	4	...
Chefoo,	3 p.	30.23	767.8	43	83	S S W	2	c	6 a.	30.47	773.9	31	100	N N E	6	c
Weihaiwei,	,,	30.18	766.6	30	...	N W	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.36	771.1	52	60	...	0	o	6 a.	30.69	779.5	45	46	N	2	o
Kiukiang,	,,	30.30	769.6	52	66	...	0	o	,,	30.53	775.4	45	61	W	2	o
Shanghai,	,,	30.24	768.1	56	35	S E	1	b	9 a.	30.44	773.2	40	82	N N W	1	o
Gutzlaff,	,,	30.25	768.3	48	78	N N W	1	bm	,,	30.38	771.6	43	92	N	3	om
Sharp Peak,	,,	30.21	767.3	57	81	E	2	b	,,	30.28	769.1	58	81	N W	1	b
Amoy,	,,	29.98	761.5	65	53	S E	3	b	6 a.	30.04	763.0	55	94	S W	3	b
Swatow,	,,	30.14	765.5	65	63	E	2	b	,,	30.21	767.3	57	58	N	1	c
Taihoku,	1 p.	30.17	766.3	...	...	E	6	...	5 a.	30.20	767.0	...	...	...	0	...
Taichu,	,,	30.14	765.6	...	...	W	2	...	,,	30.19	766.8	...	...	...	0	...
Tainan,	,,	30.13	765.4	...	...	N	4	...	,,	30.16	766.1	...	...	N	6	...
Koshun,	,,	30.11	764.7	...	...	N E	8	...	,,	30.13	765.3	...	...	N	4	...
Pescadores,	,,	30.17	766.2	...	...	N	8	...	,,	30.18	766.5	...	...	N	6	...
Canton,	3 p.	30.24	768.1	72	83	...	0	b	9 a.	30.24	768.1	57	94	N E	1	b
Hongkong,	4 p.	30.13	765.3	68	37	E	3	c	10 a.	30.25	768.3	71	45	N	4	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.18	766.6	71	...	...	0	c	,,	30.30	769.6	65	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.10	764.5	66	...	N E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.3	72	...	N W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	81	...	S	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	82	57	E N E	1	c	10 a.	29.96	761	77	75	N	1	o
Legaspi,	2 p.	29.89	759.2	81	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	or	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.79	756.6	79	...	N E	4	o	,,	29.81	757.2	78	...	N E	4	o
Cebu,	,,	29.82	757.4	81	...	...	0	o	,,	29.89	759.2	79	...	N	2	c
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.86	758.4	81	...	...	...	...

On the 1st at 11.45 a.—The depression is moving away over the Pacific to the N.E. of Japan.

The barometer has risen over China, particularly in the North, and fallen slightly over the Philippines.

An anticyclone of considerable intensity is now central over the continent to the North of the Yangtze, and gradients are rather steep generally.

Hard monsoon may be expected over the whole of the China Coast and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh to strong; fine, falling temperature.
2.—Formosa Channel,	N. to N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 1st January, 1907.

[Printed by Koronha & Co., Government Printers.]