Hong Kong. Royal Observatory
China coast meteorological register, 1907

LIBRARY
WEATHER BUREAU
No. 27935

N.B.—The Barometric Observations at some of the China treaty ports are, from various causes, frequently in error.

LIBRARY
U.S. W.B.

QC
990
.E18
C56
1907

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER, 1906, P.M.								1st JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	N W	6	...	6 a.	29.57	751.1	...	...	N	6	...
Hakodate,	,,	30.01	762.2	...	...	W	8	...	,,	30.01	762.2	...	...	N	2	...
Tokio,	,,	30.02	762.6	...	...	N	2	...	,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	30.19	766.8	...	...	W	4	...	,,	30.23	767.8	...	...	...	0	...
Kagoshima,	,,	30.19	766.9	...	...	N	2	...	,,	30.23	767.9	...	...	...	0	...
Oshima,	,,	30.20	767.1	...	...	N	4	...	,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.20	767.2	...	...	N	4	...	,,	30.21	767.2	...	...	N E	2	...
Ishigakijima,	,,	30.17	766.3	...	...	E	6	...	,,	30.17	766.3	...	...	N E	4	...
Chefoo,	3 p.	30.23	767.8	43	83	S S W	2	c	6 a.	30.47	773.9	31	100	N N E	6	c
Weihaiwei,	,,	30.18	766.6	30	...	N W	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.36	771.1	52	60	...	0	o	6 a.	30.69	779.5	45	46	N	2	o
Kiukiang,	,,	30.30	769.6	52	66	...	0	o	,,	30.53	775.4	45	61	W	2	o
Shanghai,	,,	30.24	768.1	56	35	S E	1	b	9 a.	30.44	773.2	40	82	N N W	1	o
Gutzlaff,	,,	30.25	768.3	48	78	N N W	1	bm	,,	30.38	771.6	43	92	N	3	om
Sharp Peak,	,,	30.21	767.3	57	81	E	2	b	,,	30.28	769.1	58	81	N W	1	b
Amoy,	,,	29.98	761.5	65	53	S E	3	b	6 a.	30.04	763.0	55	94	S W	3	b
Swatow,	,,	30.14	765.5	65	63	E	2	b	,,	30.21	767.3	57	58	N	1	c
Taihoku,	1 p.	30.17	766.3	...	...	E	6	...	5 a.	30.20	767.0	...	...	...	0	...
Taichu,	,,	30.14	765.6	...	...	W	2	...	,,	30.19	766.8	...	...	...	0	...
Tainan,	,,	30.13	765.4	...	...	N	4	...	,,	30.16	766.1	...	...	N	6	...
Koshun,	,,	30.11	764.7	...	...	N E	8	...	,,	30.13	765.3	...	...	N	4	...
Pescadores,	,,	30.17	766.2	...	...	N	8	...	,,	30.18	766.5	...	...	N	6	...
Canton,	3 p.	30.24	768.1	72	83	...	0	b	9 a.	30.24	768.1	57	94	N E	1	b
Hongkong,	4 p.	30.13	765.3	68	37	E	3	c	10 a.	30.25	768.3	71	45	N	4	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.18	766.6	71	...	...	0	c	,,	30.30	769.6	65	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.10	764.5	66	...	N E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.3	72	...	N W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	81	...	S	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	82	57	E N E	1	c	10 a.	29.96	761	77	75	N	1	o
Legaspi,	2 p.	29.89	759.2	81	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	or	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.79	756.6	79	...	N E	4	o	,,	29.81	757.2	78	...	N E	4	o
Cebu,	,,	29.82	757.4	81	...	...	0	o	,,	29.89	759.2	79	...	N	2	c
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.86	758.4	81	...	...	...	...

On the 1st at 11.45 a.—The depression is moving away over the Pacific to the N.E. of Japan.

The barometer has risen over China, particularly in the North, and fallen slightly over the Philippines.

An anticyclone of considerable intensity is now central over the continent to the North of the Yangtze, and gradients are rather steep generally.

Hard monsoon may be expected over the whole of the China Coast and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh to strong; fine, falling temperature.
2.—Formosa Channel,	N. to N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 1st January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JANUARY, 1907, P.M.								2nd JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	W	4	...	6 a.	29.89	759.1	...	...	N W	8	...
Hakodate,	,,	29.93	760.2	...	...	N W	8	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	N	2	...	,,	29.87	758.6	...	...	N W	2	...
Kochi,	,,	29.99	761.8	...	...	W	4	...	,,	29.91	759.8	...	...	W	4	...
Nagasaki,	,,	30.11	764.8	...	...	N	4	...	,,	30.11	764.8	...	...	N W	10	...
Kagoshima,	,,	30.07	763.9	...	...	N W	4	...	,,	30.12	764.9	...	...	N	6	...
Oshima,	,,	30.12	765.1	...	...	N W	4	...	,,	30.16	766.1	...	...	N W	6	...
Naha,	,,	30.13	765.2	...	...	E	2	...	,,	30.21	767.2	...	...	N	10	...
Ishigakijima,	,,	30.09	764.3	...	...	S E	2	...	,,	30.25	768.3	...	...	N	8	...
Chefoo,	3 p.	30.41	772.4	29	100	N W	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.33	770.4	27	...	N	3	b	9 a.	30.12	765.0	30	...	N W	5	c
Hankow,	,,	30.69	779.5	48	36	N W	5	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.53	775.4	45	61	W	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.41	772.4	42	66	W N W	3	o	9 a.	30.46	773.7	36	...	W	1	b
Gutzlaff,	,,	30.33	770.4	42	83	N W	5	om	,,	30.43	772.9	36	70	W N W	4	cm
Sharp Peak,	,,	30.22	767.6	59	82	E N E	3	b	,,	30.41	772.4	54	61	N N W	1	b
Amoy,	,,	30.03	762.7	67	64	S W	2	b	6 a.	30.15	765.8	51	79	N E	1	b
Swatow,	,,	30.09	764.3	70	57	N	1	b	,,	30.24	768.1	50	58	N N W	2	c
Taihoku,	1 p.	30.20	767.2	...	...	E	6	...	5 a.	30.34	770.6	...	...	E	4	...
Taichu,	,,	30.12	765.0	...	...	N	6	...	,,	30.21	767.2	...	...	...	0	...
Tainan,	,,	30.11	764.8	...	...	N	6	...	,,	30.17	766.3	...	...	N	6	...
Koshun,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	...	...	N E	10	...
Pescadores,	,,	30.14	765.5	...	...	N	6	...	,,	30.21	767.4	...	...	N	10	...
Canton,	3 p.	30.28	769.1	71	90	N E	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.17	766.3	72	29	N N E	3	b	10 a.	30.33	770.4	57	22	N	4	b
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N N E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.33	770.4	71	...	N	2	c	,,	30.38	771.6	53	...	N	2	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.21	767.4	66	...	N	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.15	765.7	75	...	W	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	79	...	N E	5	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	81	62	N N E	1	o	10 a.	29.92	760	77	84	N E	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	...	...	...	...	N E	1	o	,,	29.85	758.2	81	...	N E	2	c
Cebu,	,,	29.81	757.2	81	...	N	1	o	,,	29.87	758.7	82	...	N	2	c
Labuan,	,,	29.78	756.4	84	...	...	...	...	,,	29.84	757.9	77	...	...	...	...

On the 2nd at 11.55 a.—The barometer has fallen over S. Japan and N. China, and risen in S. China.

A depression appears to be lying off the S.E. coast of Japan, and there are indications of the existence of another depression over Manchuria.

The anticyclone is still lying over the Yangtze, and pressure is low to the South of the Philippine Archipelago.

Gradients continue rather steep, and hard monsoon will be met with in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N. to N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 2nd January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd January, 1907, P.M.								3rd January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	...	0	...	6 a.	29.77	756.1	...	...	S	4	...
Hakodate,	,,	29.85	758.2	...	...	N	2	...	,,	29.77	756.2	...	...	W	6	...
Tokio,	,,	29.79	756.6	...	...	N W	4	...	,,	29.95	760.6	...	...	..	0	...
Kochi,	,,	29.95	760.8	...	...	N W	8	...	,,	30.07	763.8	...	...	...	0	...
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	30.19	766.8	...	...	N	6	...
Kagoshima,	,,	30.11	764.9	...	...	N W	6	...	,,	30.19	766.9	...	...	N	4	...
Oshima,	,,	30.16	766.1	...	...	N	6	...	,,	30.20	767.1	...	...	N W	4	...
Naha,	,,	30.20	767.2	...	...	N	8	...	,,	30.28	769.2	...	...	N	4	...
Ishigakijima,	,,	30.25	768.3	...	...	N	6	...	,,	30.29	769.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.10	764.5	34	79	W S W	2	b
Weihaiwei,	,,	30.12	765.0	30	...	W N W	5	ovr	9 a.	30.11	764.8	35	...	W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.55	775.9	49	44	N W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.38	771.6	43	28	W N W	4	o	9 a.	30.37	771.4	39	46	S W	2	b
Gutzlaff,	,,	30.34	770.6	42	75	N N W	4	cm	,,	30.35	770.9	42	75	W S W	3	bm
Sharp Peak,	,,	30.33	770.4	56	63	N N E	3	b	,,	30.41	772.4	49	71	N N W	1	b
Amoy,	,,	...	...	64	43	N E	4	b	6 a.	30.15	765.8	47	77	N E	1	b
Swatow,	,,	30.19	766.8	61	45	E	2	b	,,	30.26	768.6	46	69	N	1	b
Taihoku,	1 p.	30.35	770.8	...	...	E	6	...	5 a.	30.32	770.1	...	...	E	6	...
Taichu,	,,	30.13	765.2	...	...	N	8	...	,,	30.21	767.3	...	...	...	0	...
Tainan,	,,	30.15	765.8	...	...	N	6	...	,,	30.20	767.1	...	...	N	2	...
Koshun,	,,	30.14	765.6	...	...	N E	10	...	,,	30.19	766.7	...	...	N E	10	...
Pescadores,	,,	30.20	767.0	...	...	N	10	...	,,	30.21	767.3	...	...	N	10	...
Canton,	3 p.	30.28	769.1	62	83	N N W	1	b	9 a.	30.39	771.9	49	85	N W	1	b
Hongkong,	4 p.	30.23	767.8	61	19	N N E	2	b	10 a.	30.32	770.1	60	26	N	1	b
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.28	769.1	59	...	N	2	b	,,	30.37	771.4	53	...	N	2	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	79	69	...	0	o	10 a.	29.96	761	81	62	N N W	1	o
Legaspi,	2 p.	29.87	758.8	81	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.75	755.6	85	...	N E	3	b	,,	29.86	758.4	79	...	N E	4	o
Cebu,	,,	...	...	84	...	N	2	b	,,	29.88	758.9	82	...	N	2	b
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	29.82	757.4	77	...	...	...	...

On the 3rd at 11.55 a.—The barometer has fallen over N.E. Japan and the E. Coast of China, and risen over S. Japan and the Loochoos.

An area of low pressure lies over N.E. Japan, and pressure continues low over Manchuria. The anticyclonic area remains over Central China, with relatively low pressure over the S. part of the China Sea.

The monsoon will moderate in the Formosa Channel, and continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 3rd January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JANUARY, 1907, P.M.								4th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	S	4	...	6 a.	29.89	759.1	...	...	N W	6	...
Hakodate,	,,	29.77	756.2	...	...	N	2	...	,,	30.09	764.2	...	...	N W	4	...
Tokio,	,,	29.83	757.6	...	...	N W	2	...	,,	30.18	766.6	...	...	N W	6	...
Kochi,	,,	30.07	763.8	...	...	W	4	...	,,	30.27	768.8	...	...	W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N W	8	...	,,	30.35	770.8	...	...		0	...
Kagoshima,	,,	30.19	766.9	...	...	N W	8	...	,,	30.35	770.9	...	...	N W	4	...
Oshima,	,,	30.24	768.1	...	...	N W	4	...	,,	30.32	770.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	N	6	...	,,	30.22	770.2	...	...	N E	2	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	6	...	,,	30.25	768.3	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.25	768.3	31	100	W S W	1	b
Weihaiwei,	,,	30.17	766.3	40	...	W	2	b	9 a.	30.21	767.3	38	...	N E	3	b
Hankow,	,,	30.45	773.4	50	72	S	1	c	6 a.	30.41	772.4	41	83	N E	1	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.39	771.9	33	90	...	0	b
Shanghai,	,,	30.29	769.3	52	34	W	2	b	9 a.	30.36	771.1	43	75	S	2	b
Gutzlaff,	,,	30.30	769.6	49	78	W S W	2	bm	,,	30.36	771.1	45	92	S W	1	...
Sharp Peak,	,,	30.30	769.6	54	68	E	3	b	,,	30.34	770.6	50	72	N E	2	o
Amoy,	,,	30.03	762.7	63	52	N E	2	b	6 a.	30.06	763.5	47	85	N E	1	b
Swatow,	,,	30.20	767.1	63	47	N E	2	b	,,	30.25	768.3	46	77	N	1	b
Taihoku,	1 p.	30.27	768.8	...	...	E	8	...	5 a.	30.21	767.2	...	...	E	2	...
Taichu,	,,	30.12	765.1	...	...	N W	4	...	,,	30.21	767.3	...	...	...	0	...
Tainan,	,,	30.13	765.3	...	...	N W	4	...	,,	30.19	766.7	...	...	N	2	...
Koshun,	,,	30.10	764.6	...	...	N E	8	...	,,	30.17	766.2	...	...	N E	8	...
Pescadores,	,,	30.15	765.9	...	...	N	8	...	,,	30.20	767.0	...	...	N	8	...
Canton,	3 p.	30.22	767.6	65	84	N W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.19	766.8	61	37	E	2	b	10 a.	30.30	769.6	63	31	E	1	b
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.24	768.1	61	...	N E	1	b	,,	30.33	770.4	58	...	N E	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.9	66	...	S S W	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.15	765.9	72	...	N N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	81	...	S W	2	f	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	63	...	0	c	10 a.	29.96	761	79	69	...	0	o
Legaspi,	2 p.	29.89	759.3	82	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.79	756.6	81	...	N E	4	o	,,	29.85	758.2	79	...	N E	3	c
Cebu,	,,	29.83	757.7	82	...	N	3	o	,,	29.90	759.4	80	...	N	1	c
Labuan,	,,	29.74	755.4	79	...	...	...	...	,,	29.83	757.7	80	...	...	...	...

On the 4th at 11.55 a.—The barometer has risen over Japan and N. China, and fallen over the Yangtze and S.E. Coast.

The low area lying over N.E. Japan yesterday, has moved into the Pacific. Pressure in highest between Central China and W. Japan. It is relatively low over the S. part of the China Sea.

Gradients are slight on the China Coast and moderate monsoon may be expected in the Formosa Channel. They continue rather steep over the China Sea where strong monsoon will still prevail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to light; fine.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 4th January, 1907.

[Printed by NOMONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th January, 1907, P.M.								5th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	N W	8	...	6 a.	30.32	770.1	...	...	...	0	...
Hakodate,	,,	30.28	769.2	...	...	W	6	...	,,	30.36	771.2	...	...	S W	4	...
Tokio,	,,	30.30	769.6	...	...	E	6	...	,,	30.42	772.6	...	...	N W	4	...
Kochi,	,,	30.27	768.8	...	...	S E	4	...	,,	30.35	770.8	...	...	W	2	...
Nagasaki,	,,	30.31	769.8	...	...	N	4	...	,,	30.31	769.8	...	...		0	...
Kagoshima,	,,	30.27	768.9	...	...	S	2	...	,,	30.31	769.9	...	...	N E	4	...
Oshima,	,,	30.24	768.1	...	...	N	2	...	,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	N E	6	...	,,	30.25	768.2	...	...	...	0	...
Ishigakijima,	,,	30.21	767.3	...	...	S E	6	...	,,	30.21	767.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.95	760.7	39	73	S	1	b
Weihaiwei,	,,	30.07	763.8	40	...	S	4	ovr	9 a.	29.90	759.4	44	...	W	1	b
Hankow,	,,	30.30	769.6	62	36	S	3	b	6 a.	30.34	770.6	41	92	E	2	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.23	767.8	54	21	S S E	1	c	9 a.	30.22	767.6	43	67	S S W	1	b
Gutzlaff,	,,	30.25	768.3	50	72	S S W	...	cm	,,	30.23	767.8	48	78	S S W	2	bm
Sharp Peak,	,,	30.23	767.8	56	75	E N E	1	c	,,	30.28	769.1	56	75	...	0	b
Amoy,	,,	30.17	766.3	62	61	S E	3	b	6 a.	30.17	766.3	52	79	W	3	b
Swatow,	,,	30.17	766.3	64	63	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.17	766.4	...	...	S E	6	...	5 a.	30.23	767.9	...	...	...	0	...
Taichu,	,,	30.16	766.1	...	...	W	2	...	,,	30.24	768.0	...	...	...	0	...
Tainan,	,,	30.17	766.2	...	...	N W	2	...	,,	30.22	767.5	...	...	N	2	...
Koshun,	,,	...	...	...	...	...	...	...	,,	30.19	766.9	...	...	N	2	...
Pescadores,	,,	30.19	766.7	...	...	N	8	...	,,	30.22	767.5	...	...	N	4	...
Canton,	3 p.	30.19	766.8	69	85	S W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.18	766.6	62	51	E S E	3	b	10 a.	30.27	768.8	64	53	E	2	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.23	767.8	64	...	E	1	b	,,	30.30	769.6	62	...	N E	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.8	70	...	W S W	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.17	766.2	72	...	N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.94	760.4	75	...	S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.05	763.3	79	...	N E	1	o	6 a.	30.11	764.7	70	...	S	0	o
Manila,	4 p.	29.92	760	81	62	...	0	o	10 a.	30.00	762	82	57	S	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.95	760.8	77	...	N E	2	p
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.79	756.6	83	...	N E	1	b	,,	29.89	759.2	78	...	N E	3	o
Cebu,	,,	29.83	757.7	84	...	N	2	b	,,	29.91	759.7	84	...	N	3	c
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.86	758.4	79	...	...	...	...

On the 5th at 11.55 a.—The barometer has risen considerably over E. Japan, and fallen rapidly over N. China. A depression, which will probably move Eastwards, has appeared over N. China, and the high pressure area is now shown over S.E. Japan.

Gradients are slight over S. China, and light to moderate E. winds may be expected in the Formosa Channel. Fresh monsoon is indicated over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate to light; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 5th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th January, 1907, P.M.								6th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.28	769.1	...	...	S	4	...	6 a.	30.04	763.1	...	...	S W	4	...
Hakodate,	,,	30.24	768.2	...	...	N E	2	...	,,	30.01	762.2	...	...	...	0	...
Tokio,	,,	30.30	769.6	...	...	N	4	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.23	767.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	S E	8	...	,,	30.15	765.8	...	...	N W	8	...
Kagoshima,	,,	30.23	767.9	...	...	S E	2	...	,,	30.19	766.9	...	...	N	2	...
Oshima,	,,	30.20	767.1	...	...	N W	2	...	,,	30.20	767.1	...	...	S	2	...
Naha,	,,	30.20	767.2	...	...	N	4	...	,,	30.21	767.2	...	...	N E	2	...
Ishigakijima,	,,	30.17	766.3	...	...	W	4	...	,,	30.17	766.3	...	...	N E	2	...
Chefoo,	3 p.	29.98	761.5	41	49	N W	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.01	762.2	37	...	W N W	4	b	9 a.	...	...	39	...	W N W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.38	771.6	40	82	N E	1	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.16	766.0	60	25	W S W	2	b	9 a.	30.38	771.6	40	65	N W	1	b
Gutzlaff,	,,	30.18	766.6	51	79	W S W	2	bm	,,	30.38	771.6	40	91	N N W	2	bm
Sharp Peak,	,,	30.15	765.8	60	85	...	0	b	,,	30.31	769.9	56	75	...	0	b
Amoy,	,,	30.03	762.7	65	68	S E	2	b	6 a.	30.19	766.8	54	87	S E	1	b
Swatow,	,,	30.11	764.8	69	56	E S E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.16	766.1	...	...	N	2	...	5 a.	30.23	767.8	...	...	...	0	...
Taichu,	,,	30.16	766.0	...	...	N W	4	...	,,	30.23	767.7	...	...	...	0	...
Tainan,	,,	30.14	765.5	...	...	N	4	...	,,	30.17	766.4	...	...	...	0	...
Koshun,	,,	30.18	766.5	...	...	N	6	...	,,	30.16	766.1	...	...	N W	4	...
Pescadores,	,,	30.17	766.2	...	...	N	6	...	,,	30.19	766.8	...	...	N	6	...
Canton,	3 p.	30.17	766.3	70	80	...	0	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.15	765.8	68	48	W	1	b	10 a.	30.24	768.1	67	42	...	0	b
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.21	767.3	67	...	E S E	1	b	,,	...	...	64	...	...	0	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.8	72	...	W N W	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.15	765.7	75	...	N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.92	759.9	79	...	E S E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	81	56	N E	1	b	10 a.	29.96	761	81	56	E N E	1	c
Legaspi,	2 p.	29.91	759.6	82	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.83	757.7	83	...	N E	4	c	,,	29.85	758.2	79	...	N E	3	c
Cebu,	,,	29.85	758.2	81	...	N	1	c	,,	29.87	758.7	80	...	N	1	c
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	29.82	757.4	81	...	...	...	...

On the 6th at 11.55 a.—The barometer has fallen considerably over Japan, and risen moderately in N. China.

The depression appears to have passed from the continent to the N. part of the Sea of Japan. Pressure is highest over the the continent to the North of the Yangtze.

The monsoon is expected to freshen in the Formosa Channel. Fresh to strong monsoon is indicated over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, light to moderate; fine.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 6th January, 1907.

[Printed by Nohonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th JANUARY, 1907, P.M.								7th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	S W	6	...	6 a.	29.97	761.1	...	...	N	4	...
Hakodate,	,,	29.85	758.2	...	...	...	0	...	,,	30.05	763.2	...	...	N W	4	...
Tokio,	,,	29.89	759.3	...	...	N	2	...	,,	30.10	764.6	...	...	W	6	...
Kochi,	,,	29.99	761.8	...	...	W	6	...	,,	30.23	767.8	...	...	W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N W	6	...	,,	30.27	768.8	...	...	N E	2	...
Kagoshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.23	767.9	...	...	N E	4	...
Oshima,	,,	30.16	766.1	...	...	N	6	...	,,	30.16	766.1	...	...	N	4	...
Naha,	,,	30.17	766.2	...	...	N	6	...	,,	30.17	766.2	...	...	N E	2	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.16	766.0	41	...	W	1	b	9 a.	30.14	765.5	39	...	W	3	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.24	768.1	64	30	N E	2	b	,,	30.24	768.1	40	91	...	0	b
Shanghai,	,,	30.26	768.6	53	31	N E	1	b	9 a.	30.24	768.1	47	70	S W	2	c
Gutzlaff,	,,	30.29	769.3	47	85	N N W	1	bm	,,	30.23	767.8	47	85	S	3	cm
Sharp Peak,	,,	30.22	767.6	59	73	E N E	3	b	,,	30.26	768.6	55	74	N N W	1	b
Amoy,	,,	30.07	763.8	70	48	E	3	c	6 a.	30.13	765.3	52	86	W	1	b
Swatow,	,,	30.11	764.8	65	73	E S E	1	b	,,	30.15	765.8	47	93	N	1	b
Taihoku,	1 p.	30.20	767.2	...	...	E	6	...	5 a.	30.16	766.0	...	...	E	6	...
Taichu,	,,	30.08	764.1	...	...	N	6	...	,,	30.08	764.1	...	...	...	0	...
Tainan,	,,	30.12	765.1	...	...	N	4	...	,,	30.09	764.3	...	...	N	2	...
Koshun,	,,	30.11	764.7	...	...	N E	8	...	,,	30.09	764.3	...	...	N E	6	...
Pescadores,	,,	30.15	765.7	...	...	N	10	...	,,	30.08	764.0	...	...	N	8	...
Canton,	3 p.	30.08	764.0	73	86	N	1	b	9 a.	30.22	767.6	55	94	N	1	f
Hongkong,	4 p.	30.12	765.0	67	38	E	3	b	10 a.	30.19	766.8	65	39	E S E	3	b
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.19	766.8	67	...	S E	1	b	,,	30.24	768.1	63	...	N E	2	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.16	766.0	70	95	E	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.8	70	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.10	764.5	75	...	N	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.83	759	81	50	N N E	2	c	10 a.	29.96	761	75	67	...	0	o
Legaspi,	2 p.	29.83	757.6	82	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.79	756.6	81	...	N E	2	o	,,	29.81	757.2	79	...	N E	2	c
Cebu,	,,	29.78	756.4	82	...	N	1	o	,,	29.83	757.7	82	...	N	2	b
Labuan,	,,	29.71	754.6	84	...	...	...	...	,,	29.80	756.9	78	...	...	...	...

On the 7th at 12.05 p.—The depression lying over the N. part of the Sea of Japan yesterday, has moved into the Pacific.

The barometer has fallen again over China, particularly in the North. Probably another depression has appeared over S. Manchuria. Pressure is highest between the E. Coast of China and W. Japan. It is low, apparently, to the South of the Philippine Archipelago.

Gradients are slight to moderate, and moderate monsoon may be expected in the Formosa Channel, and fresh monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to light : fine.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 7th January, 1907.

[Printed by Nonohna & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th January, 1907, P.M.								8th January, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	E	2	...	6 a.	29.65	763.1	...	...	S W	6	..
Hakodate,	,,	29.93	760.2	...	...	S W	4	...	,,	29.81	757.2	...	...	W	6	...
Tokio,	,,	30.10	764.6	...	...	S	4	...	,,	29.99	761.6	...	...	W	2	...
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	W	4	...	,,	30.15	765.8	...	...	N	2	...
Kagoshima,	,,	30.15	765.9	...	...	S E	2	...	,,	30.15	765.9	...	...	...	0	...
Oshima,	,,	30.12	765.1	...	...	S	2	...	,,	30.12	765.1	...	...	..	0	...
Naha,	,,	30.13	765.2	...	...	S E	6	...	,,	30.09	764.2	...	...	N E	4	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.23	767.8	37	...	N W	3	c	9 a.	...	...	32	...	S E	3	o
Hankow,	,,	30.36	771.1	56	40	N	2	f	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.25	768.3	57	58	...	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.11	764.8	59	43	W	2	b	9 a.	30.33	770.4	43	92	N W	1	b
Gutzlaff,	,,	30.13	765.3	52	86	S S W	2	bm	,,	30.29	769.3	45	100	N	2	cm
Sharp Peak,	,,	30.15	765.8	59	70	E N E	1	b	,,	30.21	767.3	56	74	N N W	2	b
Amoy,	,,	29.97	761.2	68	65	N E	2	b	6 a.	30.06	763.5	54	87	N W	1	b
Swatow,	,,	30.08	764.0	65	68	E	2	b	,,	...	...	48	93	N	1	b
Taiboku,	1 p.	30.10	764.5	...	...	E	8	...	5 a.	30.12	764.9	...	...	E	2	...
Taichu,	,,	30.06	763.5	...	...	S W	2	...	,,	30.09	764.2	...	...	...	0	...
Tainan,	,,	30.05	763.2	...	...	W	6	...	,,	30.05	763.3	...	...	N E	2	...
Koshun,	,,	30.06	763.5	...	...	N	6	...	,,	30.07	763.8	...	...	N E	6	...
Pescadores,	,,	30.07	763.8	...	...	N	8	...	,,	30.18	766.4	...	...	N	6	...
Canton,	3 p.	30.10	764.5	71	85	S E	1	b	9 a.	30.19	766.8	55	87	N E	1	b
Hongkong,	4 p.	30.08	764.0	64	57	E	4	b	10 a.	30.19	766.8	66	59	E	1	b
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	68	...	S E	1	b	,,	30.22	767.6	62	...	N N E	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.9	72	...	S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.06	763.5	73	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	758.0	72	...	S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	81	50	S	1	c	10 a.	29.92	760	75	53	N N W	1	c
Legaspi,	2 p.	29.81	757.1	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	1	o
Hoilo,	,,	29.75	755.6	83	...	N E	4	c	,,	29.83	757.7	88	...	N E	1	o
Cebu,	,,	29.74	755.4	84	...	N	2	b	,,	29.83	757.7	82	...	...	0	o
Labuan,	,,	29.68	753.9	82	...	...	...	...	,,	29.81	757.2	77	...	...	...	...

On the 8th at 11.50 a.—The barometer has fallen over Japan, and risen in N. China.

The depression lying over E. Manchuria yesterday, is moving into the Pacific to the North of Hokkaido. Pressure is highest over the Yangtze. It remains low to the South of the Philippine Archipelago.

Fresh monsoon may be expected in the Formosa Channel, and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 8th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th January, 1907, P.M.								9th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	W	6	...	6 a.	29.81	757.1	...	...	W	6	..
Hakodate,	,,	29.81	757.2	...	...	N W	6	...	,,	29.89	759.2	...	...	W	6	...
Tokio,	,,	29.87	758.6	...	...	...	0	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	30.03	762.8	...	...	S W	2	...	,,	30.15	765.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N	4	...	,,	30.27	768.8	...	...	N E	4	...
Kagoshima,	,,	30.07	763.9	...	...	W	4	...	,,	30.27	768.9	...	...	N W	2	...
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.16	766.1	...	...	N	4	...
Naha,	,,	30.05	763.2	...	...	N E	4	...	,,	30.13	765.2	...	...	N	8	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N	4	...
Chefoo,	3 p.	30.21	767.3	55	80	N W	4	c	6 a.	30.38	771.6	24	100	N E	5	o
Weihaiwei,	,,	30.21	767.3	56	...	W	4	c	9 a.	30.45	773.4	...	...	...	...	c
Hankow,	,,	30.39	771.9	55	50	N E	2	b	6 a.	30.54	775.7	44	68	N	3	c
Kiukiang,	,,	30.45	773.4	53	61	N E	3	b	,,	30.45	773.4	43	83	...	0	b
Shanghai,	,,	30.31	769.9	51	59	E N E	1	c	9 a.	30.55	775.9	41	66	N	3	c
Gutzlaff,	,,	30.27	768.8	46	92	N	3	bm	,,	30.47	773.9	45	84	N	4	cm
Sharp Peak,	,,	30.14	765.5	60	76	E N E	3	b	,,	30.31	769.9	56	75	N N E	2	o
Amoy,	,,	29.93	760.2	64	68	S E	4	b	6 a.	30.03	762.7	53	86	N E	3	b
Swatow,	,,	30.08	764.0	67	69	E	2	b	,,	30.11	764.8	52	66	N E	1	b
Taihoku,	1 p.	30.08	764.1	...	...	E	8	...	5 a.	30.18	766.5	...	...	E	4	...
Taichu,	,,	30.02	762.5	...	...	S	4	...	,,	30.11	764.8	...	...	N	4	...
Tainan,	,,	30.04	763.0	...	...	N	4	...	,,	30.08	763.9	...	...	N	4	...
Koshun,	,,	30.03	762.7	...	...	N E	4	...	,,	30.06	763.5	...	...	...	0	...
Pescadores,	,,	30.07	763.8	...	...	N	8	...	,,	30.09	764.3	...	...	N	8	...
Canton,	3 p.	30.09	764.3	73	86	N N W	1	b	9 a.	30.28	769.1	55	87	N	1	b
Hongkong,	4 p.	30.08	764.0	64	60	E S E	2	b	10 a.	30.24	768.1	66	52	...	0	b
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.12	765.0	65	...	S E	1	b	,,	30.28	769.1	60	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.14	765.5	70	100	N E	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.09	764.4	72	...	S S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.08	764.0	75	...	N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.8	82	...	E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.97	761.3	75	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	51	S S E	1	b	10 a.	29.92	760	75	53	N N W	3	c
Legaspi,	2 p.	29.79	756.6	82	...	N	2	o	6 a.	29.79	756.7	77	...	N	1	...
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.75	755.6	83	...	N E	3	b	,,	29.82	757.4	78	...	N	1	o
Cebu,	,,	29.75	755.6	84	...	N	1	c	,,	29.82	757.4	80	...	N	2	c
Labuan,	,,	29.70	754.4	81	...	...	...	...	,,	29.93	760.2	75	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen over China and Japan.

A high pressure area lies over the continent to the North of the Yangtze, and pressure remains low to the Southeast of the Philippine Archipelago.

Gradients are rather steep in the South, and hard monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening: fine.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 9th January, 1907.

[Printed by Nohonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th January, 1907, P.M.								10th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	N	2	...	6 a.	29.93	760.1	...	...	S W	2	..
Hakodate,	,,	29.93	760.2	...	...	N W	6	...	,,	29.97	761.2	...	...	N	6	...
Tokio,	,,	29.79	756.6	...	...	N E	2	...	,,	30.02	762.6	...	...	N	2	...
Kochi,	,,	30.07	763.8	...	...	S W	4	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	30.27	768.8	...	...	N W	8	...	,,	30.35	770.8	...	...	N	6	...
Kagoshima,	,,	30.23	767.9	...	...	N	8	...	,,	30.31	769.9	...	...	N	4	...
Oshima,	,,	30.16	766.1	...	...	N	8	...	,,	30.28	769.1	...	...	N	8	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.25	768.2	...	...	N	10	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	8	...	,,	30.21	767.3	...	...	N	6	...
Chefoo,	3 p.	30.52	775.2	53	90	W	3	b	6 a.	30.57	776.5	24	...	N W	4	o
Weihaiwei,	,,	30.36	771.1	28	...	W	2	c	9 a.	30.54	775.7	22	...	W N W	3	c
Hankow,	,,	30.65	778.5	43	51	N	4	o	6 a.	30.74	780.8	35	70	N	2	o
Kiukiang,	,,	30.58	776.7	41	60	N E	...	o	,,	30.69	779.5	35	45	N E	4	o
Shanghai,	,,	30.51	774.9	34	...	N	4	o	9 a.	30.68	779.3	28	...	N N W	3	c
Gutzlaff,	,,	30.47	773.9	41	...	N	5	cm	,,	30.61	777.5	33	90	N N W	5	om
Sharp Peak,	,,	30.26	768.6	57	75	E N E	4	c	,,	30.46	773.7	52	73	N N E	5	o
Amoy,	,,	29.96	761.0	66	68	N E	2	b	6 a.	30.12	765.0	49	78	N E	4	b
Swatow,	,,	30.16	766.0	66	59	E	2	b	,,	30.18	766.6	38	72	N	2	b
Taihoku,	1 p.	30.20	767.0	...	...	E	6	...	5 a.	30.35	770.8	...	...	E	6	...
Taichu,	,,	30.09	764.2	...	...	N	6	...	,,	30.17	766.3	...	...	N	6	...
Tainan,	,,	30.09	764.3	...	...	N	6	...	,,	30.17	766.2	...	...	N	6	...
Koshun,	,,	30.06	763.6	...	...	N E	8	...	,,	30.12	765.1	...	...	N E	8	...
Pescadores,	,,	30.15	765.8	...	...	N	10	...	,,	30.21	767.4	...	...	N	10	...
Canton,	3 p.	30.18	766.6	69	90	N	1	b	9 a.	30.41	772.4	52	93	N	1	b
Hongkong,	4 p.	30.14	765.5	66	55	S E	1	b	10 a.	30.34	770.6	60	48	N	1	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.19	766.8	65	...	N E	1	b	,,	30.38	771.6	55	...	N	2	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.16	766.0	60	100	W	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.6	70	...	S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.11	764.9	72	...	N E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.90	759.5	81	...	N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	761.0	77	...	N E	1	c	6 a.	30.02	762.6	72	...	N E	1	c
Manila,	4 p.	29.80	757	81	62	E N E	1	o	10 a.	29.92	760	79	61	N N E	1	o
Legaspi,	2 p.	29.74	755.5	77	...	N	1	o	6 a.	29.77	756.1	75	...	N	2	o
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.75	755.6	82	...	N E	1	o	,,	29.81	757.2	80	...	N E	2	o
Cebu,	,,	29.72	754.9	83	...	...	0	o	,,	29.78	756.4	80	...	...	0	or
Labuan,	,,	29.80	756.9	80	...	...	...	...	,,	29.88	758.9	79	...	...	...	...

On the 10th at 11.55 a.—The barometer has risen over China and Japan.

The anticyclone, which is of considerable intensity, is central over the continent to the North of the Yangtze. Over the S. part of the Philippine Archipelago pressure remains low, and a depression appears to be situated in the neighbourhood of Mindanao.

Gradients are rather steep, particularly over the China Sea, and N. and N.E. gales may be expected over that area and also in the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine, colder.
2.—Formosa Channel,	N. to N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 10th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th JANUARY, 1907, P.M.								11th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	E	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.89	759.2	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.94	760.6	...	...	E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.15	765.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.35	770.8	...	...	N	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.27	768.9	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.24	768.2	...	...	N	8	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.49	774.4	28	...	N W	3	b	6 a.	30.53	775.4	21	100	S W	2	b
Weihaiwei,	,,	30.46	773.7	20	...	N	4	c	9 a.	30.51	774.9	26	...	W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.63	778.0	40	39	N E	4	c	,,	30.53	775.4	33	69	N E	3	o
Shanghai,	,,	30.58	776.7	34	...	N	2	c	9 a.	30.60	777.2	34	...	N N W	1	c
Gutzlaff,	,,	30.55	775.9	34	...	N	4	cv	,,	30.54	775.7	38	91	N N E	2	o
Sharp Peak,	,,	30.40	772.1	53	70	E N E	4	c	,,	30.44	773.2	48	66	N N E	3	o
Amoy,	,,	...	...	58	53	N E	4	b	6 a.	30.14	765.5	47	63	N E	5	o
Swatow,	,,	30.19	766.8	59	94	E	2	b	,,	30.15	765.8	46	77	E	2	b
Taihoku,	1 p.	30.34	770.7	...	...	E	6	...	5 a.	30.35	770.9	...	...	E	4	...
Taichu,	,,	30.10	764.5	...	...	N	8	...	,,	30.21	767.4	...	...	N	2	...
Tainan,	,,	30.09	764.3	...	...	N	6	...	,,	30.19	766.9	...	...	N	4	...
Koshun,	,,	30.06	763.5	...	...	N E	10	...	,,	30.13	765.2	...	...	N E	10	...
Pescadores,	,,	30.16	766.0	...	...	N	10	...	,,	30.18	766.6	...	...	N	10	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.21	767.3	62	48	E N E	2	b	10 a.	30.34	770.6	58	62	E N E	3	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.26	768.6	62	...	N N E	1	b	,,	30.36	771.1	55	...	N N E	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.18	766.5	70	...	S S E	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.13	765.4	79	...	N N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.1	81	...	E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.02	762.5	73	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	81	50	N N E	2	o	10 a.	29.92	760	79	61	N	2	o
Legaspi,	2 p.	29.72	754.9	75	...	N	2	o	6 a.	29.81	757.2	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	or	9 a.	...	...	...	...	N W	1	c
Iloilo,	,,	29.72	754.9	80	...	N E	3	or	,,	29.80	756.9	78	...	N E	1	or
Cebu,	,,	29.66	753.3	79	...	...	3	or	,,	29.85	758.2	81	...	...	0	b
Labuan,	,,	29.89	756.9	84	...	...	...	...	,,	29.89	759.2	79	...	...	...	...

On the 11th at 11.55 a.—The barometer has fallen slightly over N. China, and risen a little at the Philippine stations, except at Iloilo.

The depression noted yesterday morning appears to be moving Westwards to the S. of Iloilo. The anticyclone is still central over the continent to the North of the Yangtze.

Gradients continue rather steep, and hard monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 11th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th January, 1907, P.M.								12th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	W	10	...	6 a.	29.97	761.1	...	...	W	8	...
Hakodate,	,,	30.05	763.2	...	...	N W	6	...	,,	30.17	766.2	...	...	W	4	...
Tokio,	,,	30.10	764.6	...	...	N W	6	...	,,	30.26	768.6	...	...	N W	4	...
Kochi,	,,	30.27	765.8	...	...	S E	2	...	,,	30.47	773.8	...	...	S W	2	...
Nagasaki,	,,	30.39	771.8	...	...	N	6	...	,,	30.47	773.8	...	...	E	4	...
Kagoshima,	,,	30.35	770.9	...	...	N	6	...	,,	30.43	772.9	...	...	N E	4	...
Oshima,	,,	30.32	770.1	...	...	N	8	...	,,	30.36	771.1	...	...	S	4	...
Naha,	,,	30.28	769.2	...	...	N E	6	...	,,	30.23	769.2	...	...	N E	4	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	6	...	,,	30.21	767.3	...	...	E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.47	773.9	25	100	S	1	b
Weihaiwei,	,,	30.45	773.4	31	...	W S W	1	b	9 a.	30.42	772.6	32	...	N W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.57	776.5	35	70	N	2	o
Kiukiang,	,,	30.51	774.9	36	54	N E	3	o	,,	30.48	774.2	33	79	...	0	...
Shanghai,	,,	30.52	775.2	41	49	E N E	1	o	9 a.	30.44	773.2	44	76	E N E	2	om
Gutzlaff,	,,	30.49	774.4	41	100	N	3	cv	,,	30.42	772.6	46	92	E	3	ov
Sharp Peak,	,,	30.34	770.6	52	73	N N E	2	o	,,	30.37	771.4	52	79	N N E	2	o
Amoy,	,,	30.08	764.0	57	69	N E	3	c	6 a.	30.09	764.3	52	86	W	2	o
Swatow,	,,	30.22	767.6	62	61	E	3	b	,,	30.23	767.8	43	92	N E	2	b
Taihoku,	1 p.	30.29	769.4	...	...	E	8	...	5 a.	30.26	768.5	...	...	E	4	...
Taichu,	,,	30.16	766.0	...	...	W	2	...	,,	30.21	767.2	...	...	N E	2	...
Tainan,	,,	30.15	765.9	...	...	N	2	...	,,	30.17	766.4	...	...	N	2	...
Koshun,	,,	30.13	765.4	...	...	N E	10	...	,,	30.14	765.5	...	...	N	10	...
Pescadores,	,,	30.19	766.3	...	...	N	10	...	,,	30.19	766.9	...	...	N	8	...
Canton,	3 p.	30.23	767.8	63	94	N W	1	b	9 a.	30.32	770.1	54	94	N	1	b
Hongkong,	4 p.	30.21	767.3	57	60	S E	2	b	10 a.	30.29	769.3	62	55	E	2	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.25	768.3	59	...	E N E	1	b	,,	30.34	770.6	60	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.23	767.8	77	95	E S E	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.12	765.0	66	...	E S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.11	764.8	64	...	N	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.7	79	...	S E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	81	62	N N E	2	c	10 a.	29.96	761	84	58	E N E	2	c
Legaspi,	2 p.	29.83	757.6	82	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	N W	1	b
Iloilo,	,,	29.75	755.6	81	...	S W	1	o	,,	29.89	759.2	80	...	...	0	b
Cebu,	,,	29.78	756.4	84	...	S	1	c	,,	29.92	759.9	82	...	N	1	o
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 12th at 12.05 p.—The barometer has risen over Japan and the Philippine Archipelago, and fallen on the Coast of China.

The high pressure area lies over the Yangtze and W. Japan. The depression in the South has probably continued to move Westwards over the S. part of the China Sea.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 12th January, 1907.

[Printed by Nosokha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th January, 1907, P.M.								13th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	N W	10	...	6 a.	30.28	769.1	...	...	W	2	..
Hakodate,	,,	30.20	767.2	...	...	W	6	...	,,	30.32	770.2	...	...	N	2	...
Tokio,	,,	30.26	768.6	...	...	N W	6	...	,,	30.38	771.6	...	...	N W	2	...
Kochi,	,,	30.35	770.8	...	...	S W	2	...	,,	30.35	770.8	...	...	W	2	...
Nagasaki,	,,	30.39	771.8	...	...	E	4	...	,,	30.31	769.8	...	...	...	0	...
Kagoshima,	,,	30.35	770.9	...	...	...	0	...	,,	30.31	769.9	...	...	N E	4	...
Oshima,	,,	30.28	769.1	...	...	N	2	...	,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	E	6	...	,,	30.21	767.2	...	...	...	0	...
Ishigakijima,	,,	30.17	766.3	...	...	E	8	...	,,	30.13	765.3	...	...	E	8	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.25	768.3	30	100	S W	1	b
Weihaiwei,	,,	30.33	770.4	37	...	S W	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.50	774.7	38	63	N W	1	o	6 a.	30.47	772.9	36	70	N W	1	o
Kiukiang,	,,	30.44	773.2	38	81	N W	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.35	770.9	47	70	E	2	o	9 a.	30.28	769.1	43	92	...	0	o
Gutzlaff,	,,	30.33	770.4	47	100	E N E	2	ov	,,	30.27	768.8	48	100	E	2	ov
Sharp Peak,	,,	30.27	768.8	54	80	N	1	o	,,	30.27	768.8	56	87	...	0	o
Amoy,	,,	30.04	763.0	59	70	W	1	o	6 a.	30.06	763.5	55	94	S S W	3	o
Swatow,	,,	30.16	766.0	63	72	E	2	b	,,	30.27	768.8	42	92	N E	1	b
Taihoku,	1 p.	30.19	766.7	...	...	E	6	...	5 a.	30.15	765.7	...	...	...	0	...
Taichu,	,,	30.13	765.3	...	...	N W	4	...	,,	30.15	765.9	...	...	...	0	...
Tainan,	,,	30.14	765.6	...	...	N W	4	...	,,	30.15	765.7	...	...	N	2	...
Koshun,	,,	30.12	764.9	...	...	N E	8	...	,,	30.08	764.1	...	...	N E	4	...
Pescadores,	,,	30.17	766.3	...	...	N	8	...	,,	30.16	766.1	...	...	N	8	...
Canton,	3 p.	30.18	766.6	68	56	N W	1	b	9 a.	30.26	768.6	56	89	N	1	b
Hongkong,	4 p.	30.16	766.0	61	67	E	3	b	10 a.	30.22	767.6	65	53	S E	1	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	63	...	S S E	1	b	,,	30.26	763.6	61	...	N	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.5	63	...	E N E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.09	764.4	72	...	N N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.2	77	...	S E	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	79	84	S S W	1	op	10 a.	29.96	761	73	100	W N W	1	d
Legaspi,	2 p.	29.87	758.6	84	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	N N E	1	c
Iloilo,	,,	29.79	756.6	84	...	N E	1	b	,,	29.89	759.2	81	...	N E	1	c
Cebu,	,,	29.82	757.4	87	...	N	1	b	,,	29.91	759.7	84	...	N	2	b
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 13th at 12.10 p.—The barometer has risen in E. Japan, and fallen over China and W. Japan.

Pressure is high over S.E. Japan and the Upper Yangtze. It appears to be low over Manchuria.

Gradients are slight on the China Coast, and moderate monsoon is indicated in the Formosa Channel, and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 13th January, 1907.

(Printed by Nobonha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th January, 1907, P.M.								14th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.32	770.1	...	...	S W	2	...	6 a.	30.24	768.1	...	...	S	6	..
Hakodate,	,,	30.24	768.2	...	...	N	2	...	,,	30.09	764.2	...	...	S E	4	...
Tokio,	,,	30.30	769.6	...	...	N W	4	...	,,	30.22	767.6	...	...	N W	4	...
Kochi,	,,	30.23	767.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N E	4	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.19	766.9	...	...	N E	2	...	,,	30.12	764.9	...	...	N	2	...
Oshima,	,,	30.12	765.1	...	...	S	4	...	,,	30.04	763.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	E	4	...	,,	30.05	763.2	...	...	S	2	...
Ishigakijima,	,,	30.09	764.3	...	...	S E	8	...	,,	30.05	763.3	...	...	N	6	...
Chefoo,	3 p.	30.15	765.8	45	100	S W	2	b	6 a.	30.22	767.6	29	100	...	0	b
Weihaiwei,	,,	30.11	764.8	42	...	S W	1	b	9 a.	30.26	768.6	34	...	W	...	b
Hankow,	,,	30.36	771.1	50	38	S W	2	b	6 a.	...	...	36	90	S W	1	b
Kiukiang,	,,	30.36	771.1	48	49	W	3	b	,,	30.37	771.4	32	90	S E	1	b
Shanghai,	,,	30.21	767.3	47	77	N W	1	o	9 a.	30.35	770.9	38	72	N N W	1	b
Gutzlaff,	,,	30.21	767.3	47	100	W N W	2	ov	,,	30.33	770.4	40	91	N N W	2	bm
Sharp Peak,	,,	30.11	764.8	58	88	N	1	o	,,	30.27	768.8	57	87	N N E	4	og
Amoy,	,,	29.92	759.9	60	76	S S E	2	b	6 a.	30.03	762.7	54	94	S W	1	o
Swatow,	,,	30.08	764.0	64	63	...	0	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.11	764.7	...	...	W	2	...	5 a.	30.17	766.2	...	...	...	0	...
Taichu,	,,	30.07	763.8	...	...	N	6	...	,,	30.11	764.7	...	...	...	0	...
Tainan,	,,	30.09	764.2	...	...	N	6	...	,,	30.09	764.2	...	...	N	4	...
Koshun,	,,	30.05	763.3	...	...	N W	6	...	,,	30.04	763.1	...	...	S	2	...
Pescadores,	,,	30.11	764.9	...	...	N	6	...	,,	30.10	764.6	...	...	N	8	...
Canton,	3 p.	30.14	765.5	71	90	N	1	b	9 a.	30.24	768.1	57	94	W S W	1	b
Hongkong,	4 p.	30.08	764.0	67	60	W S W	1	b	10 a.	30.20	767.1	68	40	E	1	b
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	67	...	N E	1	b	,,	...	...	64	...	N N E	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.8	68	...	E N E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.09	764.3	70	...	N E	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	72	...	N N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	75	100	W N W	0	o	10 a.	30.00	762	79	84	N W	1	b
Legaspi,	2 p.	29.88	759.0	82	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.80	756.9	85	...	N E	1	c	,,	29.89	759.2	81	...	N	1	or
Cebu,	,,	29.86	758.4	75	...	N	1	b	,,	29.83	757.7	84	...	N	2	c
Labuan,	,,	29.78	756.4	86	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 14th at 11.55 a.—The barometer has fallen considerably over Japan and the Loochoos, and risen slightly in N. China.

A depression appears to be passing from the continent to the N. part of the Sea of Japan, and a second shallow area of low pressure lies to the W. of the Loochoos. The highest pressure seems be lying over the Yangtze valley.

The monsoon will freshen in the Formosa Channel, and continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, freshening; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 14th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th JANUARY, 1907, P.M.								15th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock.	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	S	6	...	6 a.	30.08	764.1	...	...	N	8	..
Hakodate,	,,	...	...	...	...	W	2	...	,,	30.17	766.2	...	...	N W	6	...
Tokio.	,,	30.10	764.6	...	...	N W	2	...	,,	30.06	763.6	...	...	N W	4	...
Kochi.	,,	30.03	762.8	...	...	...	0	...	,,	30.19	766.8	...	...	N	4	...
Nagasaki,	,,	30.11	764.8	...	...	N	6	...	,,	30.31	769.8	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	N	6	...	,,	30.27	768.9	...	...	N W	6	...
Oshima.	,,	30.04	763.1	...	...	N	8	...	,,	30.20	767.1	...	...	N	8	...
Naha.	,,	30.09	764.2	...	...	N	8	...	,,	30.17	766.2	...	...	N E	6	...
Ishigakijima,	,,	30.09	764.3	...	...	N	6	...	,,	30.21	767.3	...	...	N E	6	...
Chefoo,	3 p.	30.28	769.1	39	91	N W	1	b	6 a.	30.34	770.6	26	...	...	0	b
Weihaiwei.	,,	30.28	769.1	37	...	W N W	1	b	9 a.	30.27	768.8	38	...	N E	1	b
Hankow,	,,	30.44	773.2	53	54	N E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang.	,,	30.38	771.6	55	74	...	0	b	,,	30.33	770.4	35	80	N E	1	b
Shanghai.	,,	30.32	770.1	53	19	N N W	2	b	9 a.	30.49	772.1	42	...	E	1	bm
Gutzlaff.	,,	30.31	769.9	45	92	N N W	1	bm	,,	30.39	771.9	43	100	N N E	1	cm
Sharp Peak,	,,	30.24	768.1	56	84	N E	3	o	,,	30.33	770.4	53	73	N W	2	o
Amoy,	,,	29.95	760.7	65	63	N E	4	b	6 a.	30.04	763.0	51	93	N E	3	b
Swatow,	,,	30.14	765.5	62	77	E	2	b	,,	30.19	766.8	50	86	E	1	b
Taihoku,	1 p.	30.20	767.0	...	...	E	6	...	5 a.	30.25	768.2	...	...	E	6	...
Taichu,	,,	30.07	763.8	...	...	N	8	...	,,	30.15	765.8	...	...	...	0	...
Tainan.	,,	30.07	763.8	...	...	N	6	...	,,	30.13	765.2	...	...	N	2	...
Koshun.	,,	30.05	763.3	...	...	N E	8	...	,,	30.15	765.9	...	...	N E	10	...
Pescadores,	,,	30.12	765.1	...	...	N	10	...	,,	30.16	766.0	...	...	N	8	...
Canton,	3 p.	30.15	765.8	71	95	S E	1	b	9 a.	30.26	768.6	57	81	...	0	b
Hongkong,	4 p.	30.13	765.3	68	53	W	1	b	10 a.	30.24	768.1	61	61	E N E	4	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.17	766.3	68	...	N E	1	b	,,	30.27	768.8	64	...	E	3	b
Hoihow.	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.5	68	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.13	765.4	91	...	...	0	o	,,	...	...	...	...	...	...	...
Cape St. James.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.98	761.5	75	...	N	1	b	6 a.	...	...	...	...	...	...	...
Manila.	4 p.	29.92	760	82	70	N N E	1	c	10 a.	30.04	763	77	75	W	1	c
Legaspi,	2 p.	29.93	760.1	84	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	or	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.83	757.7	85	...	N E	4	c	,,	29.97	761.2	80	...	N E	2	c
Cebu,	,,	29.86	758.4	84	...	N	2	b	,,	29.90	759.4	84	...	N	3	b
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 15th at 11.30 a.—The barometer has risen generally, except over E. Japan and Central China.

The depressions noted yesterday, have passed to the Eastward of Japan. Pressure is highest over the E. Coast of China.

Gradients are moderate to slight, and fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 15th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th January, 1907, P.M.								16th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	N	10	...	6 a.	30.32	770.1	...	...	N	10	...
Hakodate,	,,	30.24	768.2	...	...	N	6	...	,,	30.40	772.2	...	...	N	4	...
Tokio,	,,	30.10	764.6	...	...	N W	8	...	,,	30.22	767.6	...	...	N W	4	...
Kochi,	,,	30.23	767.8	...	...	E	6	...	,,	30.31	769.8	...	...	S W	4	...
Nagasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.35	770.8	...	...	N E	2	...
Kagoshima,	,,	30.27	768.9	...	...	S E	2	...	,,	30.31	769.9	...	...	...	0	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	30.28	769.1	...	...	S	4	...
Naha,	,,	30.20	767.2	...	...	N E	6	...	,,	30.25	768.2	...	...	...	0	...
Ishigakijima,	,,	30.21	767.3	...	...	E	6	...	,,	30.21	767.3	...	...	N E	2	...
Chefoo,	3 p.	30.31	769.9	50	100	S S E	2	b	6 a.	30.33	770.4	11	...	S	2	o
Weihaiwei,	,,	30.33	770.4	43	...	S	2	b	9 a.	30.28	769.1	36	...	E	2	c
Hankow,	,,	30.23	767.8	59	76	S	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.23	767.8	61	88	...	0	b	,,	30.26	768.6	44	92	...	0	o
Shanghai,	,,	30.33	770.4	51	...	S S E	1	o	9 a.	30.23	767.8	51	72	S	2	c
Gutzlaff,	,,	30.31	769.9	51	93	E S E	2	cv	,,	30.33	767.8	50	100	S S E	3	cm
Sharp Peak,	,,	30.25	768.3	58	76	N N E	2	c	,,	30.25	768.3	58	81	N	1	o
Amoy,	,,	29.93	760.2	68	70	N E	3	b	6 a.	29.96	761.0	57	87	...	0	o
Swatow,	,,	30.17	766.3	65	63	E	2	o	,,	30.16	766.0	59	82	E	1	b
Taihoku,	1 p.	30.20	767.1	...	...	E	8	...	5 a.	30.17	766.3	...	...	E	2	...
Taichu,	,,	30.13	765.4	...	...	S W	4	...	,,	30.16	766.0	...	...	...	0	...
Tainan,	,,	30.14	765.5	...	...	N W	4	...	,,	30.17	766.4	...	...	N	4	...
Koshun,	,,	30.14	765.6	...	...	N E	8	...	,,	30.14	765.5	...	...	N E	8	...
Pescadores,	,,	30.12	765.1	...	...	N	8	...	,,	30.17	766.3	...	...	N	4	...
Canton,	3 p.	30.16	766.0	71	62	...	0	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.17	766.3	61	69	E	4	o	10 a.	30.21	767.3	63	74	E S E	3	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.21	767.3	66	...	E S E	1	o	,,	30.23	767.8	55	...	N N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.13	765.3	72	62	S	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.10	764.5	77	...	S E	6	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.12	765.0	70	...	W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.2	82	...	S W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.09	764.3	75	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.96	761	82	57	E	2	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.96	761.0	84	...	N W	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	or	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.89	759.2	82	...	N E	2	o	,,	29.93	760.2	78	...	N E	3	b
Cebu,	,,	29.81	757.2	84	...	N	2	c	,,	29.89	759.2	81	...	N	1	c
Labuan,	,,	29.85	758.2	86	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 16th at 11.45 a.—The barometer has risen over Japan, and fallen over China, particularly on the E. Coast.

A depression, which will probably move Eastwards, has appeared over Central China, and the high pressure area now lies over the Sea of Japan.

Moderate to light monsoon may be expected in the Formosa Channel, and fresh to moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate to light; cloudy, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 16th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th January, 1907, P.M.								17th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.32	770.1	...	...	N	8	...	6 a.	30.40	772.1	...	...	N E	6	..
Hakodate,	,,	30.36	771.2	...	...	N	4	...	,,	30.36	771.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	N W	8	...	,,	30.14	765.6	...	...	N W	4	...
Kochi,	,,	30.23	767.8	...	...	S E	4	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	30.27	768.8	...	...	N	2	...	,,	30.23	767.8	...	...	N E	2	...
Kagoshima,	,,	30.23	767.9	...	...	S E	2	...	,,	30.19	766.9	...	...	N	2	...
Oshima,	,,	30.20	767.1	...	...	N	2	...	,,	30.16	766.1	...	...	S	2	...
Naha,	,,	30.20	767.2	...	...	S E	4	...	,,	30.17	766.2	...	...	...	0	...
Ishigakijima,	,,	30.17	766.3	...	...	S	6	...	,,	30.13	765.3	...	...	E	2	...
Chefoo,	3 p.	30.28	769.1	42	92	E	2	o	6 a.	30.38	771.6	38	100	...	0	or
Weihaiwei,	,,	30.22	767.6	39	...	E S E	2	c	9 a.	30.31	769.9	39	...	E S E	3	o
Hankow,	,,	30.30	769.6	60	76	N E	1	b	6 a.	30.38	771.6	46	77	N E	2	o
Kiukiang,	,,	30.21	767.3	59	70	...	0	c	,,	30.32	770.1	48	78	...	0	c
Shanghai,	,,	30.14	765.5	64	48	S W	1	c	9 a.	30.30	769.6	45	68	N W	2	o
Gutzlaff,	,,	30.15	765.8	57	81	S S W	2	cm	,,	30.28	769.1	44	...	N N W	3	bm
Sharp Peak,	,,	30.15	765.8	61	82	E	1	b	,,	30.21	767.3	60	85	...	0	b
Amoy,	,,	29.85	758.2	64	73	S W	3	o	6 a.	29.93	760.2	56	94	S E	1	o
Swatow,	,,	30.10	764.5	70	61	E	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.15	765.8	...	...	E	4	...	5 a.	30.19	766.7	...	...	W	2	...
Taichu,	,,	30.11	764.9	...	...	N	6	...	,,	30.16	766.0	...	...	N	2	...
Tainan,	,,	30.14	765.5	...	...	N W	4	...	,,	30.14	765.5	...	...	N	2	...
Koshun,	,,	30.12	765.0	...	...	N E	6	...	,,	30.12	764.9	...	...	N W	2	...
Pescadores,	,,	30.16	766.0	...	...	N	6	...	,,	30.13	765.4	...	...	N	6	...
Canton,	3 p.	30.14	765.5	62	94	...	0	or	9 a.	30.21	767.3	63	94	...	0	or
Hongkong,	4 p.	30.12	765.0	64	73	E	4	o	10 a.	30.19	766.8	69	61	S E	1	o
Victoria Peak,	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	E S E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.17	766.3	66	...	S S E	1	o	,,	...	...	68	...	N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.8	72	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.06	763.5	75	...	...	0	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	759.2	79	...	N E	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.04	763.0	75	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.96	761	79	76	N N W	1	c	10 a.	30.04	763	79	61	E N E	1	c
Legaspi,	2 p.	29.94	760.6	84	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.87	758.7	83	...	N E	2	b	,,	29.93	760.2	77	...	N E	1	c
Cebu,	,,	29.90	759.4	83	...	N	3	b	,,	29.92	759.9	80	...	N	2	c
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 17th at 12.20 p.—The barometer has risen in N. China, and fallen over S. Japan and the Loochoos.

The shallow depression which passed from the continent last night, is faintly indicated in the neighbourhood of S.W. Japan.

Areas of high pressure are lying to the N.E. Japan, and to the North of the Yangtze.

Moderate to fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 17th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th January, 1907, P.M.								18th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.39	772.1	...	...	N	6	...	6 a.	30.52	775.1	...	...	N	6	..
Hakodate,	,,	30.36	771.2	...	...	N W	2	...	,,	30.44	773.2	...	...	N	2	...
Tokio,	,,	30.06	763.6	...	...	N	8	...	,,	30.22	767.6	...	...	N W	6	...
Kochi,	,,	30.07	763.8	...	...	S E	...	...	,,	30.15	765.8	...	...	N	6	...
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	30.19	766.8	...	...	E	4	...
Kagoshima,	,,	30.07	763.9	...	...	E	2	...	,,	30.15	765.9	...	...	N E	2	...
Oshima,	,,	30.08	764.1	...	...	W	2	...	,,	30.08	764.1	...	...	N	6	...
Naha,	,,	30.09	764.2	...	...	S W	2	...	,,	30.09	764.2	...	...	N E	4	...
Ishigakijima,	,,	30.09	764.3	...	...	S W	4	...	,,	30.10	764.3	...	...	N	6	...
Chefoo,	3 p.	30.37	771.4	42	92	N E	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.31	769.9	37	...	N E	2	b	9 a.	30.39	771.9	34	...	W	2	b
Hankow,	,,	30.42	772.6	56	63	N E	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.35	770.9	57	75	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	30.35	770.9	44	84	...	0	cm
Gutzlaff,	,,	30.27	768.8	41	100	N N W	0	om	,,	30.35	770.9	45	92	N N W	2	cm
Sharp Peak,	,,	30.17	766.3	61	80	E N E	3	b	,,	30.28	769.1	57	81	N N E	2	b
Amoy,	,,	...	...	65	78	S E	3	c	6 a.	...	...	57	87	N E	2	c
Swatow,	,,	30.08	764.0	67	74	E S E	2	b	,,	30.13	765.3	59	76	N E	2	b
Taihoku,	1 p.	30.14	765.6	...	...	N	2	...	5 a.	30.19	766.9	...	...	E	4	...
Taichu,	,,	30.07	763.7	...	...	N W	8	...	,,	30.14	765.5	...	...	...	0	...
Tainan,	,,	30.09	764.3	...	...	N E	4	...	,,	30.12	765.0	...	...	N	0	...
Koshun,	,,	30.07	763.9	...	...	N E	6	...	,,	30.19	764.4	...	...	N E	8	...
Pescadores,	,,	30.11	764.9	...	...	N E	6	...	,,	30.13	765.3	...	...	N	8	...
Canton,	3 p.	30.13	765.3	62	94	N W	1	o	9 a.	30.16	766.0	65	95	...	0	o
Hongkong,	4 p.	30.11	764.8	68	62	E	3	o	10 a.	30.19	766.8	64	69	E	5	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.16	766.0	71	...	E	1	o	,,	30.21	767.3	68	...	E S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.03	762.7	77	...	E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	79	69	E	0	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.93	760.3	81	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.83	757.7	82	...	N E	2	b	,,	29.93	760.2	77	...	N E	2	c
Cebu,	,,	29.77	756.1	82	...	N	2	o	,,	29.85	758.2	81	...	N	1	c
Labuan,	,,	29.85	758.2	85	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 18th at 12.05 p.—The barometer has risen moderately over E. Japan and the E. Coast of China, and fallen slightly over the Loochoos.

The shallow area of low pressure is now situated to the N.E. of the Loochoos. Areas of high pressure are lying to the N.E. of Japan and over N. China.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 18th January, 1907.

[Printed by Nonosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th January, 1907, P.M.								19th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.44	773.1	...	...	N E	4	...	6 a.	30.32	770.1	...	...	N W	2	..
Hakodate,	,,	30.36	771.2	...	...	E	8	...	,,	30.32	770.2	...	...	N E	2	...
Tokio,	,,	30.18	766.6	...	...	N W	8	...	,,	30.26	768.6	...	...	N W	4	...
Kochi,	,,	30.11	764.8	...	...	N	4	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	30.27	768.8	...	...	N E	2	...
Kagoshima,	,,	30.11	764.9	...	...	E	2	...	,,	30.23	767.9	...	...	N E	2	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.16	766.1	...	...	S	2	...
Naha,	,,	30.05	763.2	...	...	N	8	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N E	4	...
Chefoo,	3 p.	30.44	773.2	42	83	N	1	b	6 a.	30.39	771.9	34	90	S	1	o
Weihaiwei,	,,	30.33	770.4	42	...	N N W	1	b	9 a.	30.30	769.6	34	...	N W	1	c
Hankow,	,,	30.37	771.4	48	78	N E	2	o	6 a.	30.31	769.9	41	92	N E	1	or
Kiukiang,	,,	30.30	769.6	57	69	N E	3	c	,,	30.27	768.8	47	63	N E	2	o
Shanghai,	,,	30.28	769.1	52	66	N N E	1	om	9 a.	30.28	769.1	48	85	E	2	cm
Gutzlaff,	,,	30.27	768.8	49	100	N N W	2	om	,,	30.27	768.8	49	100	E N E	3	ov
Sharp Peak,	,,	30.19	766.8	58	81	N N E	3	b	,,	30.23	767.8	56	78	N W	1	o
Amoy,	,,	...	...	66	68	N E	4	b	6 a.	...	...	53	86	S W	3	c
Swatow,	,,	30.09	764.3	65	68	E	3	b	,,	30.12	765.0	53	73	N E	2	b
Taihoku,	1 p.	30.19	766.7	...	...	E	6	...	5 a.	30.17	766.2	...	...	E	2	...
Taichu,	,,	30.06	763.4	...	...	N	8	...	,,	30.11	764.8	...	...	...	0	...
Tainan,	,,	30.08	764.0	...	...	N	4	...	,,	30.06	763.5	...	...	...	0	...
Koshun,	,,	30.06	763.4	...	...	N E	8	...	,,	30.08	763.9	...	...	N E	8	...
Pescadores,	,,	30.11	764.8	...	...	N	10	...	,,	30.09	764.3	...	...	N	8	...
Canton,	3 p.	30.08	764.0	73	55	E	1	o	9 a.	30.17	766.3	62	77	...	0	b
Hongkong,	4 p.	30.08	764.0	65	64	E	4	b	10 a.	30.18	766.6	62	72	E	4	c
Victoria Peak,	,,	...	...	...	...	E	7	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.12	765.0	71	...	S S E	3	c	,,	30.20	767.1	68	...	E	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.08	764.0	73	67	S E	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.6	68	...	E S E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.00	762.1	77	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.9	82	...	E N E	4	b	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.99	761.7	79	...	E	1	o	6 a.	30.05	763.2	68	...	S W	0	o
Manila,	4 p.	29.92	760	75	83	...	0	o	10 a.	30.04	763	77	75	E	0	c
Legaspi,	2 p.	29.93	760.2	79	...	E	1	c	6 a.	29.98	761.5	75	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.83	757.7	82	...	N E	2	c	,,	29.95	760.7	78	...	N E	3	o
Cebu,	,,	29.88	758.9	85	...	N	4	b	,,	29.89	759.2	81	...	N	1	b
Labuan,	,,	29.76	755.9	82	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 19th at 12.10 p.—The barometer has fallen over N.E. Japan and Central China, and risen over S. Japan and the Philippines.

Pressure is highest over N. China and the Sea of Japan. Probably a depression is developing over Central China.

Gradients are mostly slightly, and fresh to moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, fresh to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 19th January, 1907.

[Printed by Nonoma & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JANUARY, 1907, P.M.								20th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.28	769.1	...	...	...	0	...	6 a.	30.28	769.1	...	...	N E	4	..
Hakodate,	,,	30.24	768.2	...	...	...	0	...	,,	30.25	768.2	...	...	N E	4	...
Tokio,	,,	30.18	766.6	...	...	E	2	...	,,	30.26	768.6	...	...	W	2	...
Kochi,	,,	30.15	765.8	...	...	S	2	...	,,	30.15	765.8	...	...	W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N W	4	...	,,	30.15	765.8	...	...	S E	2	...
Kagoshima,	,,	30.15	765.9	...	...	S E	2	...	,,	30.12	764.9	...	...	S E	2	...
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	30.08	764.1	...	...	...	0	...
Naha,	,,	30.09	764.2	...	...	E	4	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	4	...	,,	30.01	762.3	...	...	S	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.23	767.8	34	90	N W	2	o
Weihaiwei,	,,	30.20	767.1	36	...	N W	1	c	9 a.	30.18	766.6	33	...	W N W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.20	767.1	46	100	...	0	o	,,	30.27	768.8	41	83	N N W	2	or
Shanghai,	,,	30.13	765.3	54	74	E	2	o	9 a.	30.04	763.0	47	93	W	3	or
Gutzlaff,	,,	30.12	765.0	54	94	E S E	3	...	,,	30.12	765.0	48	100	W	4	fd
Sharp Peak,	,,	30.10	764.5	60	79	N E	1	c	,,	30.08	764.0	59	78	N N W	1	o
Amoy,	,,	...	...	66	68	N E	3	b	6 a.	...	...	58	88	N W	1	or
Swatow,	,,	30.04	763.0	64	78	E	2	b	,,	30.04	763.0	59	82	...	0	o
Taihoku,	1 p.	30.09	764.2	...	...	E	6	...	5 a.	30.06	763.5	...	...	E	2	...
Taichu,	,,	30.05	763.3	...	...	N W	2	...	,,	30.09	764.2	...	...	...	0	...
Tainan,	,,	30.07	763.9	...	...	W	2	...	,,	30.08	763.9	...	...	N E	4	...
Koshun,	,,	30.04	763.1	...	...	N W	6	...	,,	30.03	762.8	...	...	N	2	...
Pescadores,	,,	30.09	764.3	...	...	N	8	...	,,	30.05	763.8	...	...	N	4	...
Canton,	3 p.	30.03	762.7	69	65	S E	1	o	9 a.	...	...	59	94	N E	1	c
Hongkong,	4 p.	30.04	763.0	62	74	E	4	o	10 a.	30.12	765.0	65	82	E S E	1	o
Victoria Peak,	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	N	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.08	764.0	70	...	E	3	o	,,	30.16	766.0	67	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	68	...	S E	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.96	761.1	77	...	...	0	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.1	81	...	N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.00	762.0	79	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	79	69	S E	1	c	10 a.	30.04	763	73	74	N W	0	c
Legaspi,	2 p.	29.95	760.8	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.87	758.7	78	...	N E	3	o	,,	29.95	760.7	77	...	N E	2	c
Cebu,	,,	29.81	757.2	82	...	N	3	b	,,	29.89	759.2	80	...	...	0	c
Labuan,	,,	29.82	757.4	87	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 20th at 11.55 a.—The barometer has fallen over Japan and the China Coast.
The depression lying over the Lower Yangtze yesterday, has moved into the Yellow Sea.
Pressure is highest to the N.E. of Japan, and over the Upper Yangtze.
Light but increasing winds from N. and N.E., will probably prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, light to moderate; fair.
2.—Formosa Channel	N. to N.E. winds, light to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 20th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JANUARY, 1907, P.M.								21st JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.24	768.1	...	...	N E	2	...	6 a.	30.08	764.1	...	...	...	0	..
Hakodate,	,,	30.17	766.2	...	...	S E	6	...	,,	30.05	763.2	...	...	N	2	...
Tokio,	,,	30.18	766.6	...	...	N W	2	...	,,	29.95	760.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	29.72	754.8	...	...	...	0	...
Nagasaki,	,,	29.95	760.8	...	...	N E	2	...	,,	29.91	759.8	...	...	N	8	...
Kagoshima,	,,	30.00	761.9	...	...	...	0	...	,,	29.88	758.9	...	...	N W	6	...
Oshima,	,,	30.00	762.1	...	...	S	6	...	,,	30.04	763.1	...	...	N W	6	...
Naha,	,,	30.01	762.2	...	...	S	4	...	,,	30.13	765.2	...	...	N	6	...
Ishigakijima,	,,	30.01	762.3	...	...	S	6	...	,,	30.13	765.3	...	...	N	6	...
Chefoo,	3 p.	30.21	767.3	35	80	N W	3	b	6 a.	30.24	768.1	32	100	N W	3	o
Weihaiwei,	,,	30.13	765.3	37	...	N	2	ovr	9 a.	30.21	767.3	29	...	W N W	3	c
Hankow,	,,	30.40	772.1	45	76	S W	1	o	6 a.	30.43	772.9	40	82	N W	1	b
Kiukiang,	,,	30.32	770.1	44	92	N W	3	o	,,	30.40	772.1	41	79	...	0	o
Shanghai,	,,	30.09	764.3	44	92	W	5	o	9 a.	30.36	771.1	41	92	N	1	o
Gutzlaff,	,,	30.04	763.0	45	100	N W	7	om	,,	30.35	770.9	41	92	N	4	ov
Sharp Peak,	,,	30.00	762.0	65	68	W S W	2	b	,,	30.29	769.3	58	76	E N E	3	b
Amoy,	,,	...	...	63	83	S E	3	b	6 a.	30.06	763.5	54	87	N E	3	b
Swatow,	,,	30.00	762.0	76	75	W	1	b	,,	30.12	765.0	54	87	W	2	c
Taihoku,	1 p.	30.04	763.0	...	...	W	4	...	5 a.	30.21	767.2	...	...	E	6	...
Taichu,	,,	30.04	762.9	...	...	N W	2	...	,,	30.12	765.0	...	...	...	0	...
Tainan,	,,	30.04	762.9	...	...	N W	4	...	,,	30.10	764.6	...	...	N	4	...
Koshun,	,,	29.99	761.7	...	...	S W	4	...	,,	30.09	764.2	...	...	N E	6	...
Pescadores,	,,	30.05	763.3	...	...	N W	8	...	,,	30.12	765.1	...	...	N E	6	...
Canton,	3 p.	30.09	762.0	70	70	N E	2	b	9 a.	30.24	768.1	57	75	N N W	1	b
Hongkong,	4 p.	30.04	763.0	67	75	W	1	o	10 a.	30.20	76.71	65	61	E N E	3	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.09	764.3	70	...	N	1	o	,,	30.24	768.1	67	...	N	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.03	762.8	70	...	S S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.01	762.3	79	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	81	...	N E	3	f	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	760.9	82	...	S E	1	b	6 a.	30.06	763.4	66	...	S W	1	b
Manila,	4 p.	29.92	760	81	62	S E	2	c	10 a.	30.04	763	77	68	S W	1	b
Legaspi,	2 p.	29.95	760.7	82	...	N	1	c	6 a.	30.02	762.6	70	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	1	b	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.87	758.7	80	...	N E	1	c	,,	29.95	760.7	77	...	N E	2	b
Cebu,	,,	29.82	757.4	81	...	N	1	c	,,	29.89	759.2	81	...	N	2	c
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	29.92	759.9	82	...	...	...	...

On the 21st at 11.45 a.—The barometer has fallen quickly over Japan, and risen over China, particularly on the E. Coast.

The depression is moving Eastwards across Japan. A high pressure area now lies over the continent to the North of the Yangtze.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 21st January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JANUARY, 1907, P.M.								22nd JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	N	2	...	6 a.	29.81	757.1	...	...	E	2	..
Hakodate,	,,	29.93	760.2	...	...	N E	2	...	,,	29.85	758.2	...	...	N W	6	...
Tokio,	,,	29.59	751.6	...	...	N W	6	...	,,	29.87	758.6	...	...	N W	2	...
Kochi,	,,	29.83	757.8	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.03	762.8	...	...	N	6	...	,,	30.15	765.8	...	...	N	4	...
Kagoshima,	,,	30.00	761.9	...	...	N W	6	...	,,	30.12	764.9	...	...	N W	2	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.12	765.1	...	...	N	6	...
Naha,	,,	30.13	765.2	...	...	N	6	...	,,	30.17	766.2	...	...	N E	4	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N E	4	...
Chefoo,	3 p.	30.17	766.3	34	75	W	2	o	6 a.	30.28	769.1	33	90	...	0	o
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.26	768.6	32	...	N W	2	c
Hankow,	,,	30.38	771.6	48	93	S	1	o	6 a.	30.29	769.3	44	92	N E	2	o
Kiukiang,	,,	30.34	770.6	48	78	...	0	o	,,	30.24	768.1	42	92	...	0	b
Shanghai.	,,	30.29	769.3	41	92	N	1	o	9 a.	30.27	768.8	41	83	E	2	om
Gutzlaff,	,,	30.27	768.8	42	83	N N W	2	ov	,,	30.27	768.8	44	76	N E	2	ov
Sharp Peak.	,,	30.21	767.3	59	70	N E	2	b	,,	30.21	767.3	56	75	N N E	1	o
Amoy,	,,	30.06	763.5	66	64	N E	3	b	6 a.	30.07	763.8	55	80	N E	1	o
Swatow,	,,	30.12	765.0	62	72	E	3	c	,,	30.10	764.5	57	81	E	2	c
Taihoku,	1 p.	30.18	766.6	...	...	E	8	...	5 a.	30.11	764.8	...	...	E	6	...
Taichu,	,,	30.07	763.8	...	...	N	4	...	,,	30.10	764.4	...	...	N	2	...
Tainan,	,,	30.05	763.3	...	...	N	2	...	,,	30.11	764.8	...	...	...	0	...
Koshun.	,,	30.07	763.7	...	...	N E	10	...	,,	30.07	763.7	...	...	N E	8	...
Pescadores,	,,	30.13	765.2	...	...	N	10	...	,,	30.08	764.0	...	...	N	6	...
Canton.	3 p.	30.11	764.8	69	61	...	0	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.10	764.5	63	67	E	4	o	10 a.	30.10	764.5	69	90	E	4	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.12	765.0	68	...	E	1	c	,,	30.09	764.3	67	...	E	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.4	64	...	E N E	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.02	762.6	75	...	S E	1	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.8	81	...	N E	4	f	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.99	761.8	79	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila.	4 p.	29.92	760	81	62	N W	1	c	10 a.	30.04	760	77	75	W N W	1	b
Legaspi,	2 p.	29.94	760.5	82	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.83	757.7	82	...	N E	1	c	,,	29.97	761.2	78	...	N E	1	c
Cebu,	,,	29.79	756.6	82	...	N	2	o	,,	29.87	758.7	80	...	N	1	b
Labuan,	,,	29.81	757.2	84	...	...	...	...	,,	29.92	759.9	83	...	...	...	...

On the 22nd at 11.40 a.—The barometer has risen in S. Japan, and fallen again over China, except on the N.E. Coast.

The depression lying over Japan yesterday has moved Eastwards into the Pacific. Another depression appears to be forming over China to the S. of the Yangtze. Pressure is highest over N. China.

Moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; misty, some rain.
2.—Formosa Channel,	N.E. to E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 22nd January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JANUARY, 1907, P.M.								23rd JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.73	755.1	...	...	N	4	...	6 a.	30.01	762.1	...	...	N W	4	..
Hakodate, ...	,,	29.85	758.2	...	...	N	6	...	,,	30.05	763.2	...	...	N	2	...
Tokio, ...	,,	29.91	759.6	...	...	N W	4	...	,,	30.06	763.6	...	...	N W	4	...
Kochi, ...	,,	30.03	762.8	...	...	S	2	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki, ...	,,	30.15	765.8	...	...	N W	4	...	,,	30.11	764.8	...	...	...	0	...
Kagoshima, ...	,,	30.12	764.9	...	...	S W	4	...	,,	30.12	764.9	...	...	N W	2	...
Oshima, ...	,,	30.12	765.1	...	...	W	2	...	,,	30.04	763.1	...	...	S	2	...
Naha, ...	,,	30.13	765.2	...	...	N	4	...	,,	30.05	763.2	...	...	N E	4	...
Ishigákijima, ...	,,	...	...	...	...	...	...	...	,,	29.93	760.3	...	...	S	6	...
Chefoo, ...	3 p.	30.22	767.6	38	63	...	0	o	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.19	766.8	35	...	N E	2	ovr	9 a.	30.31	769.9	32	...	N	3	ovr
Hankow, ...	,,	30.28	769.1	46	84	N	2	or	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	30.17	766.3	45	92	...	0	or	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.16	766.0	46	62	E	2	o	9 a.	30.35	770.9	42	92	N	2	o
Gutzlaff, ...	,,	30.17	766.3	44	92	N E	2	ov	,,	30.30	769.6	43	100	N N E	4	omd
Sharp Peak, ...	,,	30.06	763.5	57	78	N N E	2	o	,,	30.16	766.0	58	88	...	0	c
Amoy, ...	,,	29.90	759.4	64	68	E S E	3	or	6 a.	29.96	761.0	56	100	...	0	o
Swatow, ...	,,	30.02	762.5	64	78	E	1	c	,,	30.05	763.2	59	88	...	0	o
Taihoku, ...	1 p.	30.04	763.0	...	...	S E	4	...	5 a.	30.06	763.4	...	...	...	0	...
Taichu, ...	,,	30.06	763.6	...	...	S W	2	...	,,	30.09	764.3	...	...	E	2	...
Tainan, ...	,,	30.07	763.7	...	...	N	6	...	,,	30.04	762.9	...	...	N	6	...
Koshun, ...	,,	30.02	762.4	...	...	E	8	...	,,	29.99	761.8	...	...	N	4	...
Pescadores, ...	,,	30.06	763.6	...	...	N	6	...	,,	30.05	763.3	...	...	N	4	...
Canton, ...	3 p.	30.02	762.5	60	94	...	0	or	9 a.	30.21	767.3	59	82	N N W	1	b
Hongkong, ...	4 p.	30.00	762.0	60	92	E	3	od	10 a.	30.16	766.0	67	67	N N E	3	b
Victoria Peak, ...	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	N E	3	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	30.06	763.5	66	...	N	2	od	,,	30.21	767.3	66	...	N	1	o
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.91	759.8	75	...	S	6	b	10 a.	...	...	...	...	...	...	...
Tourane, ...	,,	29.94	760.6	79	...	E S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James, ..	,,	29.87	758.7	81	...	E N E	3	b	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.92	760	82	57	W S W	0	c	10 a.	30.04	763	81	62	E S E	0	c
Legaspi, ...	2 p.	29.94	760.4	77	...	N	1	o	6 a.	...	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	...	2	c
Iloilo, ...	,,	29.85	758.2	82	...	N E	2	o	,,	29.93	760.2	78	...	N E	2	b
Cebu, ...	,,	29.89	759.2	83	...	N	2	c	,,	29.92	759.9	83	...	N	2	c
Labuan, ...	,,	29.83	757.7	84	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 23rd at 12.05 p.—The barometer has risen over E. Japan, and the E. and S. Coasts of China, and fallen over Formosa and the Loochoos.

A shallow depression, which will probably move to the N.E. is lying near Meiaco Sima. Pressure is highest over the Continent to the North of the Yangtze.

The monsoon is expected to freshen again in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, freshening; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 23rd January, 1907.

[Printed by Nonoha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JANUARY, 1907, P.M.								24th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	...	0	...	6 a.	29.97	761.1	...	...	N W	8	..
Hakodate,	,,	29.97	761.2	...	...	...	0	...	,,	30.17	766.2	...	...	N W	6	...
Tokio,	,,	29.98	761.6	...	...	N	...	...	,,	30.18	766.6	...	...	N W	6	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N E	4	...	,,	30.31	769.8	...	...	...	0	...
Kagoshima,	,,	30.15	765.9	...	...	...	0	...	,,	30.31	769.9	...	...	N E	4	...
Oshima,	,,	30.12	765.1	...	...	...	0	...	,,	30.20	767.1	...	...	S	2	...
Naha,	,,	30.05	763.2	...	...	S E	0	...	,,	30.13	765.2	...	...	E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	N	6	...	,,	30.13	765.3	...	...	N E	4	...
Chefoo,	3 p.	30.34	770.6	34	90	N E	1	b	6 a.	30.34	770.6	35	90	S E	2	b
Weihaiwei,	,,	30.35	770.9	35	...	W N W	...	b	9 a.	30.30	769.6	36	...	W	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.26	768.6	44	92	E	2	or
Kiukiang,	,,	30.36	771.1	46	84	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.32	770.1	48	71	N E	2	o	9 a.	30.29	769.3	46	77	E	2	o
Gutzlaff,	,,	30.30	769.6	44	92	N	3	ov	,,	30.30	769.6	42	92	E	3	om
Sharp Peak,	,,	30.16	766.0	59	82	N N E	4	b	,,	30.27	768.8	56	81	...	0	o
Amoy,	,,	...	...	65	73	S E	2	b	6 a.	30.07	763.8	51	93	N E	1	b
Swatow,	,,	30.04	763.0	69	75	W	1	b	,,	30.22	767.6	53	...	E	1	b
Taihoku,	1 p.	30.17	766.4	...	...	N	6	...	5 a.	30.16	761.0	...	...	E	6	...
Taichu,	,,	30.07	763.9	...	...	N W	8	...	,,	30.14	765.6	...	...	...	0	...
Tainan,	,,	30.04	763.1	...	...	N	8	...	,,	30.14	765.5	...	...	N	2	...
Koshun,	,,	30.00	762.0	...	...	N	4	...	,,	30.11	764.8	...	...	N E	8	...
Pescadores,	,,	30.09	764.2	...	...	N	8	...	,,	30.13	765.3	...	...	N	8	...
Canton,	3 p.	30.09	764.3	70	80	N E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.07	763.8	67	69	E	2	b	10 a.	30.19	766.8	64	73	E	4	b
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.12	765.0	70	...	N E	1	c	,,	30.22	767.6	68	...	E	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.6	64	...	E N E	5	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.02	762.5	79	...	S E	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.8	81	...	N E	3	dh	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	86	53	S S E	1	b	10 a.	30.04	763	81	70	S W	1	o
Legaspi,	2 p.	29.94	760.5	84	...	E	1	b	6 a.	30.01	762.1	77	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N N E	1	c
Iloilo,	,,	29.83	757.7	84	...	N E	2	c	,,	29.93	760.2	80	...	N N E	1	c
Cebu,	,,	29.78	756.4	84	...	N	2	b	,,	29.87	758.7	80	...	N	1	c
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 24th at 11.25 a.—The barometer has risen over Japan, the Loochoos and S. China, and fallen over Central China.

Pressure is highest over the Yellow Sea.

Gradients are mostly slight, and fresh to moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 24th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th January, 1907, P.M.								28th January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	29.93	760.1	...	...	S	6	...	6 a.	29.97	761.1	...	...	N W	8	..
Hakodate,	,,	29.81	757.2	...	...	N E	4	...	,,	30.21	767.2	...	...	N W	6	...
Tokio,	,,	29.87	758.6	...	...	N	4	...	,,	30.18	766.6	...	...	W	6	...
Kochi,	,,	30.03	762.8	...	...	N E	6	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	E	6	...	,,	30.19	766.8	...	...	E	6	...
Kagoshima,	,,	30.04	762.9	...	...	E	2	...	,,	30.19	766.9	...	...	N E	8	...
Ishima,	,,	30.04	763.1	...	...	N	4	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	E	4	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	8	...	,,	30.01	762.3	...	...	S E	6	...
Chefoo,	3 p.	30.35	770.9	38	72	N N E	2	b	6 a.	30.31	769.9	35	70	...	0	o
Weihaiwei,	,,	30.29	769.3	40	...	N W	1	b	9 a.	30.28	769.1	34	...	N W	...	o
Hankow,	,,	30.26	768.6	50	79	N	1	o	6 a.	30.29	769.3	43	92	N	2	o
Kiukiang,	,,	30.20	767.1	44	92	N E	2	o	,,	30.27	768.8	41	...	N E	2	o
Shanghai,	,,	30.18	766.6	48	78	E N E	2	o	9 a.	30.19	766.8	45	100	N N E	1	omd
Sutzlaff,	,,	30.16	766.0	47	93	N N E	4	om	,,	30.16	766.0	47	100	N E	4	om
Sharp Peak,	,,	30.10	764.5	57	94	N E	4	o	,,	30.10	764.5	58	91	..	0	og
Amoy,	,,	...	...	61	88	N E	5	o	6 a.	30.05	763.2	56	94	N E	1	o
Swatow,	,,	30.02	762.5	65	78	E	3	c	,,	30.06	763.5	59	88	E	1	o
Taihoku,	1 p.	30.03	762.8	...	...	E	8	...	5 a.	30.07	763.7	...	...	E	2	...
Hoichu,	,,	29.94	760.4	...	...	N	6	...	,,	30.04	762.9	...	...	...	0	...
Tainan,	,,	29.96	761.0	...	...	N	6	...	,,	30.04	762.9	...	...	N	2	...
Koshun,	,,	29.95	760.8	...	...	E	8	...	,,	30.02	762.4	...	...	...	0	...
Pescadores,	,,	29.99	761.7	...	...	N	8	...	,,	30.04	763.0	...	...	N	4	...
Canton,	3 p.	29.85	758.2	70	95	E	2	t	9 a.	30.01	762.2	64	95	E	2	o
Hongkong,	4 p.	29.93	760.2	67	90	E	3	o	10 a.	30.03	762.7	64	86	E	5	o
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	E S E	6	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.95	760.7	71	...	S E	2	o	,,	30.05	763.2	68	...	E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Saulien,	4 p.	29.76	755.9	72	...	S E	1	o	10 a.	...	...	...	...	...	...	...
Saurane,	,,	29.85	758.2	81	...	E S E	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	81	...	N E	2	c	,,	...	...	...	...	...	...	...
Iturup,	2 p.	29.91	759.7	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	58	E S E	1	b	10 a.	30.00	762	79	69	W	1	b
Legaspi,	2 p.	29.93	760.2	84	...	E	1	b	6 a.	...	...	...	...	...	...	...
Iloilo,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	2	b
Cebu,	,,	29.83	757.7	83	...	N E	1	b	,,	29.91	759.7	78	...	N E	1	od
Basilan,	,,	29.89	759.2	84	...	N	1	b	,,	29.95	760.7	82	...	N	1	b
Zamboanga,	,,	29.77	756.1	86	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 28th at 11.55 a.—The barometer has risen quickly over Japan, the depression having moved away Eastwards.

The barometer has fallen slightly over the E. coast of China, and risen a little on the S. coast.

Pressure is highest over N. China. It remains low over the Northern shores of the China Sea.

Moderate N.E. winds may be expected in the Formosa Channel, and fresh to strong E. winds off the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. winds, fresh or strong; squally, showery.
Formosa Channel,	N.E. winds, moderate.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 28th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JANUARY, 1907, P.M.								27th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.20	767.1	...	...	W	4	...	6 a.	30.04	763.1	...	...	S W	2	...
Hakodate,	,,	30.20	767.2	...	...	N	2	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	30.14	765.6	...	...	N W	4	...	,,	29.95	760.6	...	...	N W	2	...
Kochi,	,,	29.99	761.8	...	...	W	2	...	,,	29.91	759.8	...	...	E	2	...
Nagasaki,	,,	29.99	761.8	...	...	N	2	...	,,	29.99	761.8	...	...	N	2	...
Kagoshima,	,,	30.00	761.9	...	...	E	4	...	,,	29.96	760.9	...	...	N	6	...
Oshima,	,,	30.00	762.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.01	762.2	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.03	762.7	40	82	...	0	o	6 a.	30.31	769.9	34	90	W	1	o
Weihaiwei,	,,	30.11	764.8	35	...	N W	1	c	9 a.	30.33	770.4	37	...	N E	2	b
Hankow,	,,	30.24	768.1	46	84	N	2	o	6 a.	30.28	769.1	44	92	N E	2	o
Kiukiang,	,,	30.22	767.6	86	96	N W	1	c	,,	30.22	767.6	43	100	N E	2	or
Shanghai,	,,	29.94	760.5	45	100	N E	3	or	9 a.	30.25	768.3	46	84	N E	2	o
Gutzlaff,	,,	29.99	761.7	47	93	N W	3	r	,,	30.21	767.3	46	100	N	...	om
Sharp Peak,	,,	29.96	761.0	60	88	...	0	o	,,	30.13	765.3	56	87	E N E	3	og
Amoy,	,,	...	...	62	83	S E	2	c	6 a.	...	...	60	94	N E	2	o
Swatow,	,,	29.98	761.5	66	83	N E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.97	761.3	...	...	...	0	...	5 a.	30.02	762.4	...	...	...	0	...
Taichu,	,,	29.97	761.3	...	...	W	2	...	,,	29.95	760.8	...	...	...	0	...
Tainan,	,,	29.98	761.6	...	...	W	4	...	,,	30.00	762.0	...	...	N	4	...
Koshun,	,,	29.96	760.9	...	...	E	6	...	,,	29.95	760.8	...	...	...	0	...
Pescadores,	,,	29.98	761.4	...	...	N	4	...	,,	29.96	760.9	...	...	N	2	...
Canton,	3 p.	29.95	760.7	71	90	E S E	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.94	760.5	69	82	E	1	o	10 a.	29.99	761.7	69	83	E S E	2	o
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.99	761.7	73	...	S E	2	o	,,	30.06	762.0	70	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.86	758.5	70	...	S S E	5	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.3	79	...	E S E	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.9	82	...	E N E	3	b	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.3	86	...	S E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	52	S E	4	b	10 a.	29.96	761	79	70	W N W	1	b
Legaspi,	2 p.	29.95	760.7	84	...	E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.83	757.7	85	...	N E	1	b	,,	29.95	760.7	79	...	N E	2	c
Cebu,	,,	29.90	759.4	86	...	N	2	b	,,	29.99	761.7	84	...	N	1	c
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

On the 27th at 12.10 p.—The barometer has risen over N. China, and fallen over Japan and the S. coast of China.

A depression is moving Eastwards off the S. coast of Japan. Pressure is highest over N. China. It is relatively low over the S. coast.

The monsoon is expected to freshen again in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, increasing to fresh or strong breezes; cloudy, some rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 27th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JANUARY, 1907, P.M.								26th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
emuro,	,,	30.12	765.1	...	...	N	8	...	6 a.	30.20	767.1	...	...	N W	6	..
akodate,	,,	30.17	766.2	...	...	N	6	...	,,	30.25	768.2	...	...	N	2	...
okio,	,,	30.06	763.6	...	...	...	0	...	,,	30.18	766.6	...	...	N	2	...
ochi,	,,	30.03	762.8	...	...	S W	2	...	,,	30.03	762.8	...	...	S W	2	...
agasaki,	,,	29.99	761.8	...	...	N	2	...	,,	30.07	763.8	...	...	N E	2	...
agoshima,	,,	29.95	760.9	...	...	N W	2	...	,,	30.04	762.9	...	...	...	0	...
hima,	,,	30.00	762.1	...	...	N W	2	...	,,	30.06	763.5	...	...	S	4	...
aha,	,,	30.05	763.2	...	...	W	2	...	,,	30.05	763.2	...	...	...	0	...
higakijima,	,,	30.09	764.3	...	...	S W	2	...	,,	30.05	763.3	...	...	N E	2	...
aefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.19	766.8	34	100	S W	1	b
eihaiwei,	,,	30.16	766.0	40	...	E N E	1	ovr	9 a.	30.16	766.0	32	...	N W	1	c
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang,	,,	30.19	766.8	47	85	N E	2	o	,,	30.16	766.0	41	100	...	0	or
anghai,	,,	30.11	764.8	48	78	N W	3	o	9 a.	30.09	764.3	48	85	N E	1	omd
atzlaff,	,,	30.11	764.8	47	93	N W	3	om	,,	30.09	764.3	49	100	E N E	2	om
arp Peak,	,,	30.20	762.0	60	91	E	1	b	,,	30.08	764.0	59	91	N E	2	f
oy,	,,	29.81	757.2	65	84	S E	4	b	6 a.	29.93	760.2	58	100	N E	3	f
atow,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	58	94	...	0	f
hoku,	1 p.	30.07	763.7	...	...	...	0	...	5 a.	30.05	763.3	...	...	...	0	...
chu,	,,	30.06	763.5	...	...	N W	2	...	,,	30.05	763.2	...	...	...	0	...
inan,	,,	30.08	764.0	...	...	N W	3	...	,,	30.02	762.6	...	...	...	0	...
oshun,	,,	30.04	763.1	...	...	N E	6	...	,,	30.01	762.2	...	...	...	0	...
escadores,	,,	30.07	763.8	...	...	N W	2	...	,,	30.02	762.6	...	...	N	2	...
anton,	3 p.	30.03	762.7	72	85	...	0	c	9 a.	30.08	764.0	66	95	E	1	b
ongkong,	4 p.	30.02	762.5	67	84	E	3	b	10 a.	30.07	763.8	70	84	S E	1	o
ctoria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	S	1	...
p Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao,	,,	30.07	763.8	70	...	S E	1	c	,,	30.11	764.8	70	...	E	1	o
ihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
alien,	4 p.	29.94	760.5	70	...	S E	1	o	10 a.	...	...	...	...	...	...	...
rane,	,,	29.98	761.6	79	...	S E	1	b	,,	...	...	...	...	...	...	...
e St. James,	,,	29.87	758.8	81	...	E N E	3	f	,,	...	...	...	...	...	...	...
rri,	2 p.	29.96	761.0	82	...	S	1	b	6 a.	...	...	...	...	...	...	...
ila,	4 p.	29.92	760	84	64	E S E	1	c	10 a.	30.04	763	81	62	N E	0	b
aspi,	2 p.	29.95	760.8	81	...	E	1	c	6 a.	...	...	...	...	...	...	...
olod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	b
o,	,,	29.83	757.7	85	...	N E	3	b	,,	29.93	760.2	81	...	N E	3	c
n,	,,	29.79	756.6	84	...	N	3	b	,,	29.88	758.9	84	...	N	1	c
nan,	,,	29.81	757.2	86	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 26th at 11.45 a.—The barometer has risen over E. Japan, and fallen over China and Formosa.

Pressure is highest over the N. part of the Sea of Japan. It is low over China, where a depression appears to be orming.

Gradients are slight generally, and light E. and S.E. winds may be expected in the Formosa Channel and light nonsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. to S.E. winds, light; cloudy, misty.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 26th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JANUARY, 1907, P.M.								25th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	N	6	...	6 a.	30.04	763.1	...	...	W	2	..
Hakodate,	,,	30.17	766.2	...	...	W	4	...	,,	30.09	764.2	...	...	N W	6	...
Tokio,	,,	30.22	767.6	...	...	S	4	...	,,	30.18	766.6	...	...	W	4	...
Kochi,	,,	30.23	767.8	...	...	S E	4	...	,,	30.19	766.8	...	...	W	2	...
Nagasaki,	,,	30.23	767.8	...	...	S E	6	...	,,	30.11	764.8	...	...	N	4	...
Kagoshima,	,,	30.23	767.9	...	...	E	4	...	,,	30.08	763.9	...	...	S	2	...
Oshima,	,,	30.16	766.1	...	...	E	2	...	,,	30.08	764.1	...	...	S	4	...
Naha,	,,	30.13	765.2	...	...	E	4	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.13	765.3	...	...	E	4	...	,,	30.13	765.3	...	...	N E	2	...
Chefoo,	3 p.	30.22	767.6	42	83	...	0	o	6 a.	30.09	764.3	42	92	N W	1	b
Weihaiwei,	,,	30.23	767.8	39	...	S S E	1	c	9 a.	30.21	767.3	40	...	E	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	..	...
Kiukiang,	,,	30.14	765.5	46	100	...	0	or	,,	30.23	767.8	45	100	...	0	o
Shanghai,	,,	30.11	764.8	51	86	E S E	3	o	9 a.	30.16	766.0	47	93	N W	3	o
Gutzlaff,	,,	30.14	765.5	50	93	S E	2	om	,,	30.14	765.5	46	100	N W	3	om
Sharp Peak,	,,	30.15	765.8	60	82	E	1	c	,,	30.13	765.3	58	81	...	0	b
Amoy,	,,	29.99	761.7	63	78	E S E	3	c	6 a.	29.95	760.7	56	94	N E	1	b
Swatow,	,,	30.13	765.3	63	72	E	2	c	,,	30.10	764.5	59	65	...	0	c
Taiboku,	1 p.	30.12	765.1	...	...	E	4	...	5 a.	30.13	765.2	...	...	...	0	...
Taichu,	,,	30.14	765.6	...	...	W	2	...	,,	30.17	766.4	...	...	...	0	...
Tainan,	,,	30.14	765.5	...	...	N	4	...	,,	30.14	765.5	...	...	N	2	...
Koshun,	,,	30.11	764.8	...	...	E	4	...	,,	30.10	764.5	...	...	W	2	...
Pescadores,	..	30.15	765.9	...	...	N	6	...	,,	30.14	765.5	...	...	N	4	...
Canton,	3 p.	30.12	765.0	69	85	S E	1	o	9 a.	30.16	766.0	66	89	E	1	c
Hongkong,	4 p.	30.11	764.8	62	80	E	3	o	10 a.	30.15	765.8	66	79	E	4	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	..	30.15	765.8	68	...	S E	2	o	..	30.18	766.6	69	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.6	68	...	N E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	..	30.04	762.9	79	...	S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	758.9	79	...	N E	4	f	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	82	77	N W	1	c	10 a.	30.04	763	79	77	W N W	1	c
Legaspi,	2 p.	29.96	761.0	81	...	E	1	o	6 a.	30.01	762.2	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	2	b
Iloilo,	..	29.87	758.7	83	...	N E	2	c	,,	29.97	761.2	80	...	N E	2	c
Cebu,	..	29.90	759.4	84	...	N	2	c	,,	29.89	759.2	83	...	N	1	c
Labuan,	,,	29.85	758.2	84	...	...	...	...	..	29.96	761.0	82	...	...	...	...

On the 25th at 11.55 a.—The barometer has fallen considerably over the E. Coast of China and W. Japan.

A shallow depression has passed over the E. Coast of China moving Eastwards. It lies now off the S.W. Coast of Japan. Pressure is highest over Central China.

Gradients are slight in the South, and moderate N.E. and E. winds may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 25th January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th JANUARY, 1907, P.M.								29th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.20	767.1	...	...	N E	2	...	6 a.	30.08	764.1	...	...	...	0	..
Hakodate,	,,	30.13	765.2	...	...	W	2	...	,,	30.17	766.2	...	...	N	6	...
Tokio,	,,	30.10	764.6	...	...	N E	4	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	S W	4	...
Nagasaki,	,,	29.95	760.8	...	...	S E	6	...	,,	29.91	759.8	...	...	N E	2	...
Kagoshima,	,,	30.07	763.9	...	...	S E	4	...	,,	29.92	759.9	...	...	E	2	...
Oshima,	,,	30.00	762.1	...	...	S W	2	...	,,	29.93	760.1	...	...	S	4	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	N W	2	...
Chefoo,	3 p.	30.37	771.4	31	79	N	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.30	769.6	31	...	N	3	c	9 a.	30.37	771.4	17	...	N	6	ovr
Hankow,	,,	30.42	772.6	41	92	N	4	or	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.13	765.3	45	100	N	3	om	9 a.	30.36	771.1	36	90	N N W	3	or
Gutzlaff,	,,	30.10	764.5	48	100	N	3	f	,,	30.29	769.3	39	100	N N W	6	omd
Sharp Peak,	,,	30.02	762.5	60	88	E	1	o	,,	30.13	765.3	58	87	N E	4	od
Amoy,	,,	29.93	760.2	61	88	S E	2	o	6 a.	30.05	763.2	59	94	N E	1	or
Swatow,	,,	29.90	759.4	65	84	E S E	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.04	762.9	...	...	E	...	...	5 a.	30.02	762.5	...	...	E	2	...
Taichu,	,,	29.99	761.8	...	...	N	6	...	,,	30.01	762.3	...	...	...	0	...
Tainan,	,,	29.97	761.3	...	...	N W	4	...	,,	29.99	761.7	...	...	N E	2	...
Koshun,	,,	29.94	760.6	...	...	E	6	...	,,	29.96	761.0	...	...	E	2	...
Pescadores,	,,	29.99	761.8	...	...	N	8	...	,,	29.99	761.7	...	...	N	4	...
Canton,	3 p.	29.96	761.0	63	94	...	0	or	9 a.	...	...	...	...	...	.	...
Hongkong,	4 p.	29.93	760.2	65	85	E S E	2	od	10 a.	30.14	765.5	55	80	N	1	od
Victoria Peak,	,,	...	...	...	...	N W	5	...	,,	...	...	...	...	N	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.99	761.7	68	...	S E	1	o	,,	30.19	766.8	60	...	N	2	or
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.6	73	...	E S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.3	81	...	S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	82	...	E S E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.1	82	...	N E	1	b	6 a.	29.94	760.4	68	...	S	1	b
Manila,	4 p.	29.84	758	84	58	S S E	2	c	10 a.	29.96	761	77	70	W	1	b
Legaspi,	2 p.	29.91	759.6	86	...	E	1	b	6 a.	29.93	760.2	72	...	W	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.81	757.2	84	...	N E	1	b	,,	29.89	759.2	78	...	N E	1	b
Cebu,	,,	29.91	759.7	85	...	N	3	b	,,	29.90	759.4	82	...	N	1	c
Labuan,	,,	29.78	756.4	83	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 29th at 12.30 p.—The barometer has risen moderately on the China coast, and fallen considerably over W. Japan and the Loochoos.

A depression, which will probably move Eastwards, lies off the S.W. coast of Japan, and a high pressure area lies over the continent to the North of the Yangtze.

Gradients are rather steep, and the monsoon is expected to freshen to a gale in the Formosa Channel and the N. part of the China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening to strong breezes; rain at first, improving later.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 29th January, 1907.

[Printed by Nokosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th JANUARY, 1907, P.M.								30th JANUARY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	N	4	...	6 a.	29.97	761.1	...	...	N E	6	..
Hakodate,	,,	30.09	764.2	...	...	N	4	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.91	759.6	...	...	N E	4	...	,,	29.87	758.6	...	...	N W	2	...
Kochi,	,,	29.83	757.8	...	...	S W	2	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	...	...	N	6	...
Kagoshima,	,,	29.88	758.9	...	...	N	2	...	,,	29.96	760.9	...	...	N W	2	...
Oshima,	,,	29.89	759.1	...	...	S	2	...	,,	29.97	761.1	...	...	N	8	...
Naha,	,,	29.89	759.2	...	...	S W	4	...	,,	30.01	762.2	...	...	N	10	...
Ishigakijima,	,,	29.97	761.3	...	...	N	6	...	,,	30.05	763.3	...	...	N	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.29	769.3	21	100	N	2	o
Weihaiwei,	,,	30.35	770.9	17	...	N W	5	o	9 a.	30.24	768.1	18	...	N	3	o
Hankow,	,,	30.59	777.9	39	64	N N W	4	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.57	776.5	31	90	N E	2	o
Shanghai,	,,	30.32	770.1	34	90	N	3	os	9 a.	...	...	...	...	N W	3	b
Gutzlaff,	,,	30.24	768.1	36	90	N N W	7	ons	,,	30.42	772.6	33	69	N N W	6	ov
Sharp Peak,	,,	30.08	764.0	54	84	E N E	5	or	,,	30.29	769.3	51	75	N E	4	or
Amoy,	,,	29.98	761.5	62	89	N E	4	or	6 a.	30.16	766.9	52	93	N E	5	o
Swatow,	,,	30.02	762.5	53	93	S	1	or	,,	...	...	49	71	N	2	o
Taihoku,	1 p.	30.06	763.6	...	...	E	6	...	5 a.	30.22	767.5	...	...	S E	2	...
Taichu,	,,	29.94	760.6	...	...	N	6	...	,,	30.10	764.4	...	...	N	6	...
Tainan,	,,	29.92	760.0	...	...	N	6	...	,,	30.08	764.1	...	...	N	8	...
Koshun,	,,	29.93	760.1	...	...	W	4	...	,,	30.01	762.2	...	...	N E	10	...
Pescadores,	,,	29.99	761.7	...	...	N E	6	...	,,	30.11	764.8	...	...	N E	10	...
Canton,	3 p.	30.15	765.6	52	86	N N W	1	o	9 a.	30.32	770.1	48	71	N	1	b
Hongkong,	4 p.	30.05	763.2	56	64	N	2	o	10 a.	30.25	768.3	54	56	N	2	o
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.11	764.8	58	...	N	2	o	,,	30.29	769.3	56	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.04	763.0	50	...	N N E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.98	761.4	72	...	N N W	5	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	86	...	S E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.90	759.4	82	...	N	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758.0	86	59	E S E	1	b	10 a.	29.96	761	79	69	N N W	2	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.91	759.8	70	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.81	757.2	85	...	N E	...	o	,,	29.89	759.2	81	...	N E	1	b
Cebu,	,,	29.83	757.7	84	...	...	0	o	,,	29.89	759.2	89	...	...	0	o
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 30th at 12.20 p.—The barometer has risen over China, except on the N.E. coast, and fallen over E. Japan.

The depression is moving Eastwards across Japan. The anticyclonic area is still lying over Central China.

Gradients remain somewhat steep, and N. and N.E. gales will continue to prevail in the Formosa Channel and the China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fair.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 30th January, 1907.

[Printed by Nobosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th January, 1907, P.M.								31st January, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	E	6	...	6 a.	29.81	757.1	...	...	S E	6	..
Hakodate,	,,	29.73	755.2	...	...	...	0	...	,,	29.50	749.1	...	...	E	8	...
Tokio,	,,	29.83	757.6	...	...	N	4	...	,,	29.67	753.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	W	4	...	,,	29.95	760.8	...	...	W	4	...
Nagasaki,	,,	29.99	761.8	...	...	N E	8	...	,,	30.07	763.8	...	...	N E	4	...
Kagoshima,	,,	29.96	760.9	...	...	...	0	...	,,	30.08	763.9	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	N	8	...	,,	30.08	764.1	...	...	N	6	...
Naha,	,,	30.01	762.2	...	...	N	8	...	,,	30.13	765.2	...	...	N	8	...
Ishigakijima,	,,	30.05	763.3	...	...	N	6	...	,,	30.17	766.3	...	...	N	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.08	764.0	21	100	S W	2	b
Weihaiwei,	,,	30.22	767.6	20	...	W	5	c	9 a.	30.05	763.2	24	...	W	5	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.45	773.4	32	90	N	1	b
Kiukiang,	,,	30.55	775.9	57	71	N E	1	b	,,	30.50	774.7	30	90	W	1	b
Shanghai,	,,	30.37	771.4	31	...	N W	3	o	9 a.	30.35	770.9	34	...	W	2	b
Gutzlaff,	,,	30.32	770.1	33	69	N W	5	ov	,,	30.35	770.9	32	90	W N W	3	cv
Sharp Peak,	,,	30.24	768.1	48	78	N E	3	or	,,	30.33	770.4	49	71	N E	3	o
Amoy,	,,	30.07	763.8	54	74	N E	3	c	6 a.	30.26	768.6	47	85	N E	3	o
Swatow,	,,	30.23	767.8	52	60	S W	2	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.20	767.0	...	...	E	4	...	5 a.	30.23	767.8	...	...	E	2	...
Taichu,	,,	30.10	764.6	...	...	N	8	...	,,	30.21	767.3	...	...	N	2	...
Tainan,	,,	30.11	764.7	...	...	N	8	...	,,	30.20	767.0	...	...	N	6	...
Koshun,	,,	30.04	763.1	...	...	N	8	...	,,	30.14	765.6	...	...	N	6	...
Pescadores,	,,	30.08	764.1	...	...	N	10	...	,,	30.22	767.5	...	...	N	10	...
Canton,	3 p.	30.25	768.3	52	60	N	2	o	9 a.	30.37	771.4	44	68	N	1	b
Hongkong,	4 p.	30.18	766.6	53	54	N N E	2	o	10 a.	30.31	769.9	50	64	...	0	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.22	767.6	58	...	N	1	o	,,	30.36	771.1	54	...	N	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.8	55	...	N E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.06	763.6	70	...	N	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.6	82	...	E N E	3	f	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.3	77	...	N E	1	o	6 a.	30.02	762.6	70	...	N E	1	p
Manila,	4 p.	29.84	758	86	58	S S W	1	b	10 a.	29.96	761	81	76	...	0	c
Legaspi,	2 p.	29.88	768.9	95	...	E	1	b	6 a.	29.91	759.9	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.79	756.6	86	...	N E	1	c	,,	29.89	759.2	80	...	N E	1	c
Cebu,	,,	29.87	758.7	83	...	N	2	c	,,	29.92	759.9	81	...	N	1	b
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.92	759.9	82	...	...	...	...

On the 31st at 11.55 a.—The barometer has fallen over E. Japan and N. China, and risen over W. Japan and S. China.

The depression over Japan is moving N.E. and approaching the neighbourhood of Hakodate. The area of high pressure remains over Central China.

Gradients are easier on the China coast, and the monsoon will moderate in the Formosa Channel. Over the China Sea they remain steep and N. and N.E. gales will continue to prevail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, strong to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 31st January, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

31st JANUARY, 1907. P.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...
Nemuro	..	29.59	755.1	...	...	E	8	...
Hakodate	..	29.42	747.2	..	...	W	8	.
Tokio	..	29.59	751.6	...	...	N	1	...
Kobe	.	29.95	760.8	..	..	N	6	..
Nagasaki	..	30.03	762.8	...	.	N W	3	..
Kagoshima	..	30.01	762.0		...	N W	3	...
Oshima	.	30.08	764.1		..	N	3	.
Naha	.	30.13	766.2	.	...	N	6	.
Ishigakijima	..	30.17	766.3	.	..	N	6	...
Chefoo	3 p.	30.05	763.2	25	100	N W	5	c
Weihaiwei	.		.	24		N W	1	c
Hankow	..	30.45	773.4	46	54	S W	2	b
Kiukiang	..	30.40	772.1	45	53	W	1	b
Shanghai	..	30.24	768.1	41	41	W S W	3	b
Gutzlaff	..	30.25	768.5	39	82	W N W	3	c
Sharp Peak	..	30.27	768.8	54	43	N E	2	c
Amoy	.	30.14	765.5	52	73	N E	3	c
Swatow	..	30.20	767.1	55	56	E	1	b
Taihoku	1 p	30.27	768.9	.	.	E	4	...
Taichu	..	30.18	766.6	...	..	N	3	...
Tainan	..	30.18	766.6	..	...	N	6	.
Koshun	..	30.14	765.6	.	...	N W	8	.
Pescadores	..	30.29	767.0	...	..	N	8	...
Canton	3 p.	30.26	768.6	55	50	N N W	1	b
Hongkong	1 p.	30.21	767.3	52	56	N N E	1	c
Victoria Peak	..	...			...	N W	3	..
Gap Rock	..	...	...	...	...	...	...	
Macao	.	30.26	768.6	56	.	N	2	c
Hoihow	3 p.	...	...	...	.	.	...	
Pakhoi	..	..	...		...	..	..	
Phulien	4 p.	30.20	767.2	55	...	S	3	c
Touraine	..	30.12	765.0	68		N	3	c
Cape St. James	.	29.88	759.0	79	..	N E	4	b
Aparri	2 p.	.	.	...	.		.	.
Manila	1 p.	29.88	759	86	58	S W	1	b
Legaspi	2 p.	29.86	759.0	86	...	E	1	c
Bacolod	3 p.	.	.	...	.	N E	3	b
Iloilo		29.83	757.7	85	.	N E	1	c
Cebu	..	29.83	757.7	84	...	N	3	b
Labuan	..	29.83	757.7	84	.		...	..

1st FEBRUARY, 1907. A.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	7 a.	..	..	...	...	...	...	
Nemuro	6 a.	29.58	746.1	..	..	S W	6	.
Hakodate	..	29.62	752.2	...	..	W	6	
Tokio	.	29.87	758.6	...	...	N W	2	..
Kobe	..	30.03	762.8	..	...	E	2	...
Nagasaki	..	30.03	762.8	...	..	W	4	.
Kagoshima	..	30.12	764.9	...	...	N W	2	..
Oshima	..	30.08	764.1	..	...	N W	2	..
Naha	..	30.17	766.2	..	.	N	6	.
Ishigakijima	..	30.17	766.3	.	.	N E	2	
Chefoo	6 a.	...	..	...	...	.	...	...
Weihaiwei	9 a.	.	.	.	...			.
Hankow	6 a.	30.45	773.4	34	90	S W	1	b
Kiukiang	..	30.43	772.9	31	90	W	1	b
Shanghai	9 a.	30.35	770.9	37	71	N	2	b
Gutzlaff	..	30.43	773.4	37	100	N	2	bv
Sharp Peak	..	30.32	770.1	47	77	N N W	1	c
Amoy	6 a.	30.26	768.6	50	93	N E	3	c
Swatow		30.15	766.8	44	68	N W	2	b
Taihoku	5 a.	..		..	..	.	.	...
Taichu	..		...	..	...		...	..
Tainan	..	.	..	...	.		...	..
Koshun	..	...	.	..			...	.
Pescadores	..	...	.	.		..	...	..
Canton	9 a.	30.13	770.4	47	70	N	1	c
Hongkong	10 a.	30.25	769.3	54	44	N	2	c
Victoria Peak	..	...	.	.	.	N E	2	..
Gap Rock	..	...		..		W	2	..
Macao	..	.	..	.	...	..	..	.
Hoihow	9 a.		...	..	...	...	..	..
Pakhoi	..	.	..		...	...	.	...
Phulien	10 a.	...	..	..	...	.	..	...
Touraine	..	.	.	...	...		...	.
Cape St. James	..		..	.	...	.	...	..
Aparri	6 a.	..	..	.	...	..	..	..
Manila	10 a.	.	..		..	..	..	.
Legaspi	6 a.	.	.	..			...	
Bacolod	9 a.	..	.	.	..	N E	1	c
Iloilo	..	29.80	759.2	81	..	N E		b
Cebu	..	29.81	759.7	86	...	N	1	c
Labuan	..	29.80	759.4	81		..	...	..

On the 1st at 11.55 a. The depression is moving into the Pacific to the N.E. of Hokkaido.

Pressure is increasing over E. Japan, and is little changed elsewhere. It is highest over Central China.

Gradients are still rather steep over the China Sea, where strong monsoon will continue to prevail. Moderate monsoon is indicated in the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	N. winds, moderate; fair.
2.—Formosa Channel	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	N. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 1st February, 1907.

(Printed by Noronha & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st February, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd February, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.37	746.1	...	...	W	8	...	6 a.	29.41	747.1	...	...	S W	8	...
Hakodate,	,,	29.54	750.2	...	...	W	8	...	,,	29.62	752.2	...	...	W	6	...
Tokyo,	,,	29.67	753.6	...	...	S W	6	...	,,	29.75	755.6	...	...	...	0	...
Kobe,	,,	29.95	760.8	...	...	W	6	...	,,	30.03	762.8	...	...	W	4	...
Nagasaki,	,,	30.07	763.8	...	...	N E	10	...	,,	30.19	766.8	...	...	N W	4	...
Kagoshima,	,,	30.04	762.9	...	...	N W	8	...	,,	30.19	766.9	...	...	N W	4	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.20	767.1	...	...	N	6	...
Naha,	,,	30.17	766.2	...	...	N	6	...	,,	30.21	767.2	...	...	N	8	...
Ishigakijima,	,,	30.17	766.3	...	...	N	6	...	,,	30.29	769.9	...	...	N	4	...
Wenchow,	3 p.	30.35	770.9	29	100	N N W	2	c	6 a.	30.40	772.1	15	...	...	0	b
Weihaiwei,	,,	30.33	770.4	16	...	N W	4	c	9 a.	30.38	771.6	20	...	W	3	c
Kinkow,	,,	30.54	775.7	46	47	N E	3	b	6 a.	30.46	773.7	33	79	S E	3	c
Shanhaikiang,	,,	30.45	773.4	50	45	N W	1	c	,,	30.49	774.4	32	79	N E	2	b
Gutzlaff,	,,	30.28	769.1	37	47	N	3	o	9 a.	30.50	774.7	31	...	N W	2	b
Shanghai,	,,	30.32	770.1	38	...	N N W	4	ou	,,	30.46	773.7	32	100	N	3	cv
Sharp Peak,	,,	30.28	769.1	50	68	E N E	3	o	,,	30.36	771.1	48	78	E N E	3	og
Amoy,	,,	30.15	765.8	56	63	N E	3	o	6 a.	30.31	769.9	47	85	N E	3	b
Swatow,	,,	30.21	767.3	58	47	E	1	b	,,	30.18	766.6	45	84	...	0	b
Tathoku,	1 p.	30.26	768.6	...	...	E	4	...	5 a.	30.29	769.3	...	...	E	6	...
Tachu,	,,	30.17	766.4	...	...	N	6	...	,,	30.19	766.7	...	...	...	0	...
Kinan,	,,	30.20	767.0	...	...	N	6	...	,,	30.19	766.8	...	...	N	2	...
Pakhoi,	,,	30.13	765.2	...	...	N W	6	...	,,	30.15	765.7	...	...	N E	8	...
Escadores,	,,	30.20	767.2	...	...	N	6	...	,,	30.21	767.4	...	...	N	8	...
Canton,	3 p.	30.24	768.1	57	52	N N W	1	o	9 a.	30.31	769.9	49	64	N	3	b
Hongkong,	4 p.	30.20	767.1	60	44	...	0	c	10 a.	30.28	769.1	56	62	N E	3	o
Victoria Peak,	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	E	5	...
Mid Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.21	767.3	58	...	N	2	o	,,	30.28	769.1	56	...	N	2	o
Haihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Makhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shulien,	4 p.	30.21	767.3	55	...	N	2	o	10 a.	...	...	...	...	...	...	...
Aurane,	,,	30.13	765.4	72	...	N	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	759.0	77	...	E N E	6	f	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.00	762.0	75	...	N	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	57	...	0	o	10 a.	30.00	762	81	62	N E	1	b
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Iloilo,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	2	c
Cebu,	,,	29.83	757.7	84	...	N E	1	o	,,	29.89	759.2	79	...	N E	1	c
Labu,	,,	29.80	756.9	86	...	N	1	o	,,	29.92	759.9	83	...	N	3	c
Labuan,	,,	29.83	757.7	83	...	...	...	...	,,	29.91	759.7	79	...	...	...	...

On the 2nd at 11.45 a.—The barometer has risen over N. China and S.W. Japan, but remains low over E. Japan owing to the depression which is still shown over the Pacific to the N.E. of Hokkaido.

The area of high pressure is lying over the Lower Yangtze.

Gradients are steeper over S. China, and strong monsoon will prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 2nd February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd February, 1907, P.M.									3rd February, 1907, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...	...	...
Nemuro	"	29.37	746.1	...	...	S W	6	...		6 a.	29.49	749.1	...	...	W	8	..
Hakodate	"	29.57	751.2	...	...	S W	6	...		"	29.77	756.2	...	...	S W	6	...
Tokio	"	29.79	756.6	...	...	N W	6	...		"	30.02	762.6	...	...	W	2	...
Kochi	"	30.03	762.8	...	...	W	3	...		"	30.23	767.8	...	...	S W	2	...
Nagasaki	"	30.23	767.8	...	...	N	6	...		"	30.31	769.8	...	...	...	0	...
Kagoshima	"	30.19	766.9	...	...	N	6	...		"	30.31	769.9	...	...	N	4	...
Oshima	"	30.20	767.1	...	...	N	8	...		"	30.24	768.1	...	...	S	2	...
Naha	"	30.20	767.2	...	...	N	8	...		"	30.21	767.2	...	...	E	4	...
Ishigakijima	"	30.21	767.3	...	...	N	6	...		"	30.17	766.3	...	...	N E	4	...
Chefoo	3 p.	30.33	770.4	28	...	S W	1	b		6 a.	30.33	770.4	21	100	...	0	b
Weihaiwei	"	30.41	772.4	24	...	W	3	b		9 a.	30.33	770.4	31	...	N N W	...	b
Hankow	"	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Kiukiang	"	30.36	771.1	38	72	N E	2	o		"	30.29	769.3	35	90	...	0	s
Shanghai	"	30.41	772.4	34	...	N N E	1	c		9 a.	30.32	770.1	35	90	E	2	os
Gutzlaff	"	30.39	771.9	36	100	N N E	2	cv		"	30.27	768.8	40	...	E S E	2	ov
Sharp Peak	"	30.28	769.1	48	78	E N E	4	o		"	30.25	768.3	48	78	N N W	1	og
Amoy	"	30.16	766.0	58	64	N E	4	b		6 a.	30.23	767.8	49	71	N E	2	o
Swatow	"	30.16	766.0	60	65	E	2	b		"	30.14	765.5	50	86	N N E	1	o
Taihoku	1 p.	30.27	768.9	...	...	E	6	...		5 a.	30.18	766.6	...	...	E	4	...
Taichu	"	30.17	766.2	...	...	N E	2	...		"	30.18	766.6	...	...	N	3	...
Tainan	"	30.15	765.9	...	...	N W	2	...		"	30.16	766.0	...	...	N	4	...
Koshun	"	30.13	765.3	...	...	N E	8	...		"	30.12	765.1	...	...	N W	6	...
Pescadores	"	30.20	767.1	...	...	N	8	...		"	30.15	765.9	...	...	N	8	...
Canton	3 p.	30.16	766.0	68	42	...	0	b		9 a.	...	...	56	81	E	2	o
Hongkong	4 p.	30.16	766.0	57	56	E N E	3	o		10 a.	30.17	766.3	60	81	E	4	o
Victoria Peak	"	...	...	...	...	E	3	...		"	...	...	...	...	E S E	5	...
Gap Rock	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Macao	"	30.15	765.8	59	...	E	1	o		"	30.16	766.0	62	...	S E	2	c
Hoihow	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Pakhoi	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Phulien	4 p.	30.09	764.4	59	...	E	1	c		10 a.	...	...	...	...	...	...	...
Tourane	"	30.08	764.1	72	...	W	1	c		"	...	...	...	...	...	...	...
Cape St. James	"	29.87	758.7	79	...	N E	4	f		"	...	...	...	...	...	...	...
Aparri	2 p.	30.02	762.6	79	...	N E	1	b		6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.88	759	81	70	N W	1	c		10 a.	29.96	761	77	68	W	1	c
Legaspi	2 p.	29.91	759.8	81	...	N E	1	o		6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	N E	3	c		9 a.	...	...	...	...	N E	1	od
Iloilo	"	29.81	757.2	81	...	N E	3	c		"	29.89	759.2	79	...	N	4	o
Cebu	"	29.83	757.7	85	...	N	2	c		"	29.91	759.7	82	...	N	2	c
Labuan	"	29.79	756.6	83	...	...	...	...		"	29.88	758.9	81	...	...	...	...

On the 3rd at 12.20 p.—The barometer has fallen considerably on the China coast, probably owing to the formation of a depression over Central China.

The barometer has risen in Japan, but is still low over Hokkaido. Pressure is highest over the Yellow Sea.

The monsoon may be expected to decrease in strength in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; cloudy, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 3rd February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd February, 1907, P.M.								4th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	..	29.61	752.1	...	...	N W	8	...	6 a.	29.89	759.1	...	...	S W	6	..
Hakodate	..	29.89	759.2	...	...	N W	8	...	..	30.05	763.2	...	...	W	8	...
Tokio	..	30.06	763.6	...	...	S	2	...	..	30.18	766.6	...	...	N W	2	...
Kochi	..	30.19	766.8	...	...	S E	2	...	..	30.23	767.8	...	...	W	2	...
Nagasaki	..	30.23	767.8	...	...	S E	2	...	..	30.27	768.8	...	...	N	2	...
Kagoshima	..	30.23	767.9	...	...	...	0	...	..	30.19	766.9	...	...	N E	4	...
Oshima	..	30.16	766.1	...	...	N	2	...	..	30.08	764.1	...	...	S	2	...
Naha	..	30.17	766.2	...	...	...	0	...	..	30.05	763.2	...	...	S W	2	...
Ishigakijima	..	30.13	765.3	...	...	S	2	...	..	30.09	764.3	...	...	...	0	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	30.34	770.6	29	...	...	0	b
Weihaiwei	..	30.37	771.4	31	...	N	2	o	9 a.	30.31	769.9	28	...	W	1	o
Hankow	..	30.33	770.4	40	82	N N E	1	o	6 a.	30.49	774.4	38	91	N E	1	b
Kiukiang	..	30.28	769.1	36	90	N E	1	o	..	...	...	...	...	...	...	...
Shanghai	..	30.20	767.1	39	91	E	2	or	9 a.	30.32	770.1	37	91	W N W	3	o
Gutzlaff	..	30.19	766.8	43	92	S	1	omd	..	30.30	769.6	37	100	N W	4	om
Sharp Peak	..	30.16	766.0	55	50	N	1	og	..	30.23	767.8	52	86	...	0	...
Amoy	..	30.15	765.8	54	80	N E	3	o	6 a.	30.14	765.5	52	93	N E	3	o
Swatow	..	30.05	763.2	60	71	S E	1	b	..	30.10	764.5	56	81	N E	1	b
Taihoku	1 p.	30.16	766.1	...	...	S W	0	...	5 a.	30.15	765.9	...	...	...	0	...
Taichu	..	30.13	765.3	...	...	N	4	...	..	30.14	765.6	...	...	...	0	...
Tainan	..	30.14	765.5	...	...	N	4	...	..	30.12	765.1	...	...	N E	2	...
Koshun	..	30.07	763.7	...	...	N E	4	...	..	30.09	764.2	...	...	N	2	...
Pescadores	..	30.13	765.3	...	...	N E	6	...	..	30.13	765.3	...	...	N E	8	...
Canton	3 p.	30.08	764.0	62	83	S	2	o	9 a.	30.19	766.8	60	88	N N W	1	o
Hongkong	4 p.	30.08	764.0	60	84	E	3	o	10 a.	30.18	766.6	65	74	E	3	b
Victoria Peak	..	...	...	...	...	S E	7	...	..	...	...	...	...	S S E	1	...
Gap Rock	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Macao	..	30.07	763.8	63	...	S E	2	o	..	...	...	...	...	...	...	...
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien	4 p.	29.98	761.6	50	...	S	1	o	10 a.	...	...	...	...	...	...	...
Tourane	..	30.01	762.3	77	...	S E	2	b	..	...	...	...	...	...	...	...
Cape St. James	..	29.87	758.8	81	...	E S E	4	b	..	...	...	...	...	...	...	...
Aparri	2 p.	29.97	761.2	81	...	E	1	b	6 a.	30.01	772.3	70	...	S	1	b
Manila	4 p.	29.88	759	82	57	...	0	c	10 a.	30.00	762	81	70	E	0	c
Legaspi	2 p.	29.93	760.1	81	...	N E	1	c	6 a.	29.95	760.8	75	...	N E	1	o
Bacolod	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	o
Iloilo	..	29.85	758.2	81	...	N E	2	od	..	29.89	759.2	80	...	N E	2	c
Cebu	..	29.78	756.4	81	...	N	1	o	..	29.91	759.7	81	...	N	1	.e
Labuan	..	29.81	757.2	83	...	...	...	...	..	29.92	759.9	81	...	...	...	...

On the 4th at 11.35 a.—The barometer has risen in E. Japan, and fallen over S.W. Japan and the Loochoos.
The shallow area of low pressure is moving Eastwards over the Eastern Sea to the W. of the Loochoos.
Pressure is increasing on the China coast, and is again high over Central China.
The monsoon is expected to freshen again in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fair.
2.—Formosa Channel	N.E. winds, moderate to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 4th February, 1907.

[Printed by Nemosha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th February, 1907, P.M.								5th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	...	0	...	6 a.	29.97	761.1	...	...	S W	2	..
Hakodate,	,,	30.05	763.2	...	...	W	6	...	,,	30.05	763.2	...	...	N W	4	...
Tokio,	,,	30.14	765.6	...	...	N E	2	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	2	...	,,	30.19	766.8	...	...	N	2	...
Kagoshima,	,,	30.11	764.9	...	...	E	2	...	,,	30.15	765.9	...	...	N W	4	...
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.12	765.1	...	...	N W	2	...
Naha,	,,	30.09	764.2	...	...	N	4	...	,,	30.13	765.2	...	...	N	6	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	4	...	,,	30.17	766.3	...	...	N	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.15	765.8	...	...	W	1	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.47	773.9	40	74	W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.39	771.9	41	83	N E	1	o	,,	30.40	772.1	32	100	...	0	b
Shanghai,	,,	30.29	769.3	39	25	N N W	2	od	9 a.	30.41	772.4	39	91	N	1	om
Gutzlaff,	,,	30.26	768.6	41	100	N N W	4	ound	,,	30.38	771.6	40	100	N	2	cv
Sharp Peak,	,,	30.16	766.0	55	84	N N E	2	b	,,	30.30	769.6	52	83	N E	4	o
Amoy,	,,	30.03	762.7	62	77	S E	3	b	6 a.	30.16	766.0	52	93	N E	3	o
Swatow,	,,	30.05	763.2	62	77	S E	1	b	,,	30.12	765.0	56	81	N E	1	o
Taihoku,	1 p.	30.16	766.1	...	...	E	2	...	5 a.	30.22	767.5	...	...	E	6	...
Taichu,	,,	30.08	764.1	...	...	N	6	...	,,	30.14	765.6	...	...	...	0	...
Tainan,	,,	30.09	764.2	...	...	N	8	...	,,	30.13	765.2	...	...	N	2	...
Koshun,	,,	30.06	763.4	...	...	N	4	...	,,	30.09	764.3	...	...	N E	8	...
Pescadores,	,,	30.12	765.0	...	...	N	8	...	,,	30.14	765.5	...	...	N	8	...
Canton,	3 p.	30.10	764.5	66	79	E	2	o	9 a.	30.21	767.3	57	81	N W	1	o
Hongkong,	4 p.	30.07	763.8	65	75	E S E	2	c	10 a.	30.19	766.8	63	78	E	4	o
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.09	764.3	69	...	S E	1	c	,,	30.20	767.1	67	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.02	762.6	64	...	S E	4	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.03	762.7	75	...	S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.8	79	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.98	761.5	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	44	W	1	o	10 a.	30.00	762	79	70	...	0	o
Legaspi,	2 p.	29.91	759.6	82	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.83	757.7	83	...	N E	3	o	,,	29.89	759.2	78	...	N E	2	o
Cebu,	,,	29.84	757.9	82	...	N	1	o	,,	29.83	757.7	77	...	N	1	or
Labuan,	,,	29.81	757.2	83	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 5th at 11.55 a.—The barometer has fallen slightly over S. Japan, and risen a little over the Loochoos and the China coast.

Pressure remains high over China to the North of the Yangtze.

Gradients are moderate, and fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 5th February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th February, 1907, P.M.								6th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S	4	...	6 a.	29.97	761.1	...	...	E	4	..
Hakodate,	,,	30.05	763.2	...	...	W	4	...	,,	29.89	759.2	...	...	N W	6	...
Tokio,	,,	30.02	762.6	...	...	N W	2	...	,,	30.02	762.6	...	...	...	0	...
Kochi,	,,	30.03	762.8	...	...	W	4	...	,,	30.19	766.8	...	...	N W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N W	8	...	,,	30.27	768.8	...	...	N	4	...
Kagoshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.27	768.9	...	...	N	2	...
Oshima,	,,	30.16	766.1	...	...	N W	6	...	,,	30.20	767.1	...	...	...	0	...
Naha,	,,	30.13	765.2	...	...	N	6	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	2	...
Chefoo,	3 p.	30.40	772.1	24	...	N	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.26	768.6	23	...	N W	3	b	9 a.	...	...	22	...	W	1	b
Hankow,	,,	30.40	772.1	48	100	N E	2	o	6 a.	30.43	772.9	39	91	N W	2	c
Kiukiang,	,,	30.34	770.6	47	70	N E	1	o	,,	30.41	772.4	38	91	N E	2	o
Shanghai,	,,	30.34	770.6	44	60	N	1	o	9 a.	30.39	771.9	40	91	N E	1	o
Gutzlaff,	,,	30.33	770.4	43	75	N	2	cv	,,	30.37	771.4	41	100	N E	2	omd
Sharp Peak,	,,	30.22	767.6	54	80	E N E	3	o	,,	30.25	768.3	53	90	N	1	o
Amoy,	,,	30.05	763.2	59	70	N E	4	c	6 a.	30.10	764.5	56	87	N W	1	o
Swatow,	,,	30.11	764.8	61	77	E	2	o	,,	30.08	764.0	55	87	N N E	1	b
Taihoku,	1 p.	30.18	766.6	...	...	E	6	...	5 a.	30.09	764.3	...	...	E	0	...
Taichu,	,,	30.08	764.1	...	...	N W	6	...	,,	30.08	764.0	...	...	N	2	...
Tainan,	,,	30.08	764.1	...	...	N	4	...	,,	30.10	764.6	...	...	N	6	...
Koshun,	,,	30.04	763.1	...	...	N E	8	...	,,	30.04	763.1	...	...	N W	8	...
Pescadores,	,,	30.13	765.4	...	...	N	8	...	,,	30.08	764.0	...	...	N	8	...
Canton,	3 p.	30.12	765.0	63	78	N N E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.09	764.3	62	75	E	4	b	10 a.	30.17	763.8	63	74	E	2	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.10	764.5	69	...	E S E	1	o	,,	30.19	766.8	67	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	762.8	63	...	E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.3	77	...	S S E	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.90	759.5	81	...	N E	3	b	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	761.1	81	...	N E	1	c	6 a.	30.01	762.1	70	...	S W	1	b
Manila,	4 p.	29.88	759	84	64	W S W	0	c	10 a.	30.00	762	77	68	N W	1	b
Legaspi,	2 p.	29.95	760.9	84	...	E	1	c	6 a.	29.97	761.2	77	...	N E	1	o
Iloilo,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3	od
Cebu,	,,	29.83	757.7	82	...	N E	2	c	,,	29.93	760.2	77	...	N E	2	c
Davao,	,,	29.82	757.4	80	...	N	2	or	,,	29.90	759.4	80	...	N	1	c
Zamboanga,	,,	29.79	756.6	84	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 6th at 11.45 a.—The barometer has risen in W. Japan, and fallen over Formosa and Meiaco Sima.

A depression appears to be forming to the E. of Formosa. Pressure is highest over the continent to the North of the Yangtze.

Gradients are moderate to slight. Fresh N. winds may be expected in the Formosa Channel, and moderate monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
No. 1—Hongkong and Neighbourhood,	E. to N. winds, moderate; fair.
No. 2—Formosa Channel,	N. winds, fresh.
No. 3—South coast of China between Hongkong and Lamocks,	Same as No. 1.
No. 4—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 6th February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th February, 1907, P.M.								7th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S E	6	...	6 a.	30.08	764.1	...	...	S W	4	...
Hakodate,	,,	30.05	763.2	...	...	W	8	...	,,	30.17	766.2	...	...	N	4	...
Tokio,	,,	30.02	762.6	...	...	S E	2	...	,,	30.14	765.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	W	4	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	...	...	...	...	N	8	...	,,	30.35	770.8	...	...	N E	2	...
Kagoshima,	,,	30.27	768.9	...	...	N	2	...	,,	30.31	769.9	...	...	N E	2	...
Oshima,	,,	30.12	765.1	...	...	N	2	...	,,	30.20	767.1	...	...	N	4	...
Naha,	,,	30.05	763.2	...	...	...	0	...	,,	30.09	764.2	...	...	N E	6	...
Ishigakijima,	,,	30.09	764.3	...	...	N W	4	...	,,	30.09	764.3	...	...	N E	4	...
Chefoo,	3 p.	30.35	770.9	29	...	W N W	2	c	6 a.	30.41	772.4	22	...	S W	2	b
Weihaiwei,	,,	30.23	767.8	22	...	W	3	o	9 a.	30.26	768.6	26	...	W	1	b
Hankow,	,,	30.37	771.4	46	77	E	3	c	6 a.	30.46	773.7	40	91	N W	2	o
Kiukiang,	,,	30.36	771.1	41	92	N E	2	o	,,	30.42	772.6	40	91	N E	1	or
Shanghai,	,,	30.35	770.9	43	67	N E	2	o	9 a.	30.43	772.9	41	74	E N E	1	o
Gutzlaff,	,,	30.29	769.3	43	92	N E	3	ov	,,	30.40	772.1	41	83	E N E	3	omd
Sharp Peak,	,,	30.20	767.1	52	86	N E	3	o	,,	30.26	768.6	52	86	N N W	2	o
Amoy,	,,	29.98	761.5	63	72	N E	4	b	6 a.	30.09	764.3	54	87	N E	1	o
Swatow,	,,	30.08	764.0	61	82	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.15	765.7	...	...	S E	2	...	5 a.	30.15	765.7	...	...	E	4	...
Taichu,	,,	30.11	764.8	...	...	N	6	...	,,	30.11	764.8	...	...	...	0	...
Tainan,	,,	30.06	763.6	...	...	N	8	...	,,	30.08	763.9	...	...	N	4	...
Koshun,	,,	30.02	762.5	...	...	N	2	...	,,	30.07	763.7	...	...	N E	8	...
Pescadores,	,,	30.10	764.5	...	...	N E	8	...	,,	30.12	765.0	...	...	N	8	...
Canton,	3 p.	30.09	764.3	66	73	E	1	o	9 a.	30.22	767.6	56	87	N N W	2	o
Hongkong,	4 p.	30.06	763.5	63	79	E	3	c	10 a.	30.20	767.1	63	82	N E	3	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	69	...	S E	1	o	,,	30.20	767.1	66	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.6	66	...	E S E	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.03	762.8	77	...	E	1	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.1	...	...	E N E	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	761.1	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	52	S E	3	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.92	759.9	84	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1	or
Iloilo,	,,	29.83	757.7	82	...	N E	2	o	,,	29.93	760.2	79	...	N E	2	o
Cebu,	,,	29.76	755.9	82	...	N	1	o	,,	29.86	758.4	82	...	N	1	o
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	29.89	759.2	79	...	...	...	...

On the 7th at 11.50 a.—The barometer has risen moderately to slightly over Japan and China respectively. Pressure is highest over the Continent to the North of the Yangtze, and gradients continue moderate to slight. Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fair.
2.—Formosa Channel	N. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 7th February, 1907.

[Printed by Nosokha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th February, 1907, P.M.								8th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	N	2	...	6 a.	30.12	765.1	...	...	S	6	...
Hakodate,	,,	30.13	765.2	...	...	...	0	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.10	764.6	...	...	N	2	...	,,	30.18	766.6	...	...	N W	4	...
Kochi,	,,	30.19	766.8	...	...	S E	2	...	,,	30.27	768.8	...	...	S W	4	...
Nagasaki,	,,	30.35	770.8	...	...	N W	4	...	,,	30.31	769.8	...	...	N	4	...
Kagoshima,	,,	30.31	769.9	...	...	N	6	...	,,	30.31	769.9	...	...	N	4	...
Oshima,	,,	30.16	766.1	...	...	N E	6	...	,,	30.20	767.1	...	...	...	0	...
Naha,	,,	30.05	763.2	...	...	N E	6	...	,,	30.13	765.2	...	...	N	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.05	763.3	...	...	N	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.45	773.4	25	100	S W	2	b
Weihaiwei,	,,	30.35	770.9	29	...	...	3	ovr	9 a.	30.32	770.1	31	...	N E	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.52	775.2	43	92	E	2	or
Kiukiang,	,,	30.40	772.1	42	92	N E	1	o	,,	30.36	771.1	40	100	N E	1	o
Shanghai,	,,	30.32	770.1	44	68	E N E	2	o	9 a.	30.44	773.2	41	66	N E	3	o
Gutzlaff,	,,	30.30	769.6	42	75	N E	4	ov	,,	30.40	772.1	43	75	N E	3	ov
Sharp Peak,	,,	30.18	766.6	51	93	N E	2	od	,,	30.28	769.1	52	90	N N W	2	o
Amoy,	,,	29.96	761.0	64	73	S E	2	b	6 a.	30.12	765.0	52	93	N E	2	c
Swatow,	,,	30.19	764.5	63	72	E S E	2	b	,,	...	...	...	...	...	...	...
Taiheku,	1 p.	30.11	764.7	...	...	E	6	...	5 a.	30.15	765.7	...	...	...	0	...
Taichu,	,,	30.04	763.0	...	...	N W	6	...	,,	30.13	765.4	...	...	N	2	...
Tainan,	,,	30.07	763.9	...	...	N	4	...	,,	30.11	764.7	...	...	N	6	...
Koshun,	,,	30.03	762.8	...	...	N E	6	...	,,	30.08	763.9	...	...	N	2	...
Pescadores,	,,	30.09	764.4	...	...	N	8	...	,,	30.15	765.9	...	...	N	8	...
Canton,	3 p.	30.10	764.5	59	82	N N W	1	o	9 a.	30.20	767.1	57	87	...	0	o
Hongkong,	4 p.	30.07	763.8	62	76	E	3	o	10 a.	30.21	767.3	64	78	E S E	3	c
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.07	763.8	69	...	S E	1	c	,,	30.20	767.1	68	...	E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.01	762.2	63	...	N E	4	f	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.03	762.7	79	...	S E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	759.0	81	...	N E	3	f	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	760.9	81	...	N E	1	b	6 a.	30.02	762.5	70	...	S W	1	b
Manila,	4 p.	29.88	759	84	58	S W	1	c	10 a.	30.00	762	77	75	W N W	1	b
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.96	761.0	77	...	N E	1	c
Iloilo,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.83	757.7	84	...	N E	2	c	,,	29.91	759.7	80	...	N E	1	c
Cebu,	,,	29.87	758.7	84	...	N	2	c	,,	29.91	759.7	82	...	N	2	c
Cebuan,	,,	29.78	756.4	84	...	...	...	...	,,	29.89	759.2	79	...	...	...	...

On the 8th at 11.50 a.—Pressure is very little changed. It is highest over the Continent to the North of the Yangtze, and gradients continue moderate to slight.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. to E. winds, fresh; fair.
Formosa Channel,	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 8th February, 1907.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th February, 1907, P.M.								9th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	...	0	...	6 a.	29.65	753.1	...	...	E	8	...
Hakodate,	,,	29.89	759.2	...	...	N E	6	...	,,	29.81	757.2	...	...	N W	8	...
Tokio,	,,	29.94	760.6	...	...	S	2	...	,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	30.11	764.8	...	...	W	6	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki,	,,	30.31	769.8	...	...	N W	4	...	,,	30.35	770.8	...	...	N E	2	...
Kagoshima,	,,	30.23	767.9	...	...	N W	6	...	,,	30.23	767.9	...	...	N	8	...
Oshima,	,,	30.20	767.1	...	...	N	8	...	,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	N E	6	...	,,	30.13	765.2	...	...	N E	8	...
Ishigakijima,	,,	30.05	763.3	...	...	E	6	...	,,	30.05	763.3	...	...	S E	6	...
Chefoo,	3 p.	30.45	773.4	32	100	N E	1	b	6 a.	30.41	772.4	24	...	N E	0	b
Weihaiwei,	,,	30.40	772.1	32	...	N N E	1	b	9 a.	30.28	769.1	31	...	N E	1	b
Hankow,	,,	30.48	774.2	44	92	N E	1	or	6 a.	30.37	771.4	40	91	...	0	or
Kiukiang,	,,	30.31	769.9	31	90	N E	2	o	,,	30.25	768.3	39	100	N E	1	or
Shanghai,	,,	30.36	771.1	40	65	N E	3	o	9 a.	30.27	768.8	42	100	E N E	...	or
Gutzlaff,	,,	30.32	770.1	42	75	N E	4	ov	,,	30.26	768.6	44	100	E	3	omd
Sharp Peak,	,,	30.22	767.6	52	93	N	1	od	,,	30.15	765.8	53	93	N	1	o
Amoy,	,,	29.94	760.5	60	65	N E	3	b	6 a.	30.02	762.5	55	100	N E	3	or
Swatow,	,,	...	...	...	...	...	...	...	,,	30.16	766.0	55	87	N E	2	o
Taihoku,	1 p.	30.13	765.3	...	...	E	6	...	5 a.	30.08	763.9	...	...	...	0	...
Taichu,	,,	30.08	764.0	...	...	N	6	...	,,	30.12	764.9	...	...	...	0	...
Tainan,	,,	30.05	763.3	...	...	N	6	...	,,	30.07	763.7	...	...	N	2	...
Koshun,	,,	30.05	763.2	...	...	N W	4	...	,,	30.03	762.7	...	...	N	4	...
Pescadores,	,,	30.12	764.9	...	...	N	10	...	,,	30.07	763.8	...	...	N	8	...
Canton,	3 p.	30.10	764.5	68	60	...	0	o	9 a.	30.10	764.5	60	88	E	1	o
Hongkong,	4 p.	30.07	763.8	62	78	E	2	o	10 a.	30.09	764.3	62	78	E	4	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E S E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	69	...	E S E	2	c	,,	30.09	764.3	66	...	E S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.5	64	...	E S E	6	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.98	761.4	70	...	E S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.88	758.9	79	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.97	761.3	81	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.38	759	86	47	S E	2	b	10 a.	30.00	762	82	57	W	1	b
Legaspi,	2 p.	29.93	760.1	82	...	N E	0	c	6 a.	...	...	...	...	...	...	...
Bacoled,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.83	757.7	82	...	N E	2	o	,,	29.89	759.2	79	...	N E	1	o
Cebu,	,,	...	...	84	...	N	2	c	,,	29.82	757.4	80	...	N	1	c
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.91	759.7	80	...	...	...	...

On the 9th at 11.55 a.—The barometer has fallen rapidly over N.E. Japan owing to a depression which is moving N.E. over Hokkaido.

Pressure has also given way considerably in S. China, where a depression appears to the forming. The highest pressure is over N. China and Korea.

Fresh to moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; cloudy, some drizzling rain.
2.—Formosa Channel,	N.E. to E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 9th February, 1907.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th February, 1907, P.M.								10th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	N E	8	...	6 a.	29.93	760.1	...	...	N	10	..
Hakodate,	,,	29.93	760.2	...	...	N W	10	...	,,	30.09	764.2	...	...	N	6	...
Tokio,	,,	30.96	763.6	...	...	N W	8	...	,,	30.18	766.6	...	...	N W	4	...
Kochi,	,,	30.23	767.8	...	...	S E	2	...	,,	30.15	765.8	...	...	S W	...	...
Nagasaki,	,,	30.27	768.8	...	...	N E	4	...	,,	30.11	764.8	...	...	N E	6	...
Kagoshima,	,,	30.23	767.9	...	...	E	2	...	,,	30.04	762.9	...	...	E	8	...
Oshima,	,,	30.16	766.1	...	...	S E	4	...	,,	29.85	758.1	...	...	E	6	...
Naha	,,	30.05	763.2	...	...	E	4	...	,,	29.89	759.2	...	...	W	2	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	4	...	,,	29.86	758.3	...	...	N W	4	...
Chefoo,	3 p.	30.47	773.9	38	91	S	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.37	771.4	38	...	N E	1	b	9 a.	30.26	768.6	29	...	N E	4	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.24	768.1	42	92	N W	1	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.12	765.0	44	100	S	2	or	9 a.	30.06	763.5	40	100	N E	3	o
Gutzlaff,	,,	30.11	764.8	45	100	E S E	4	omr	,,	30.02	762.5	43	100	N E	5	om
Sharp Peak,	,,	29.99	761.7	56	91	N N E	1	o	,,	29.97	761.2	56	94	N N W	1	or
Amoy,	,,	29.85	758.2	62	83	S E	3	b	6 a.	29.85	758.2	60	88	S E	2	or
Swatow,	,,	...	...	...	...	...	...	...	,,	29.99	761.7	58	88	N N W	1	or
Taihoku,	1 p.	30.01	762.3	...	...	N	6	...	5 a.	29.94	760.5	...	...	W	2	...
Taichu,	,,	30.00	761.9	...	...	N	4	...	,,	29.95	760.7	...	...	...	0	...
Tainan,	,,	29.99	761.8	...	...	N W	6	...	,,	29.94	760.5	...	...	N	4	...
Koshun,	,,	29.96	760.9	...	...	N	4	...	,,	29.89	759.3	...	...	N	2	...
Pescadores,	,,	30.01	762.3	...	...	N	6	...	,,	29.90	759.5	...	...	N E	4	...
Canton,	3 p.	30.00	762.0	63	83	...	0	o	9 a.	30.11	764.8	56	94	N	1	o
Hongkong,	4 p.	29.96	761.0	62	81	E	4	o	10 a.	30.06	763.5	62	89	W	1	od
Victoria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	N W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.96	761.0	67	...	N	1	o	,,	30.07	763.8	65	...	N W	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.89	759.2	66	...	W S W	4	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.90	759.5	79	...	S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.7	81	...	E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	86	53	S	2	b	10 a.	29.96	761	79	69	W	1	c
Legaspi,	2 p.	29.91	759.6	81	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	84	...	N E	1	c	,,	29.89	759.2	80	...	N E	1	c
Cebu,	,,	29.78	756.4	85	...	N	1	c	,,	29.91	759.7	82	...	N	1	c
Labuan,	,,	29.76	755.9	83	...	...	...	...	,,	29.88	758.9	77	...	...	...	...

On the 10th at 11.55 a.—The barometer has risen considerably over E. Japan, and fallen quickly over W. Japan, the Loochoos and the E. and S.E. coasts of China.

The depression is in the Eastern Sea to the W. of the Loochoos. It appears to be moving Eastwards.

Pressure is high over the Continent to the North of the Upper Yangtze.

Strong N. winds may be expected in the Formosa Channel, and moderate but increasing monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; squally and showery at first, probably improving later.
2.—Formosa Channel,	N. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 10th February, 1907.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th February, 1907, P.M.								11th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	N	8	...	6 a.	...	...	...	...	...	...	..
Hakodate,	,,	30.09	764.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.10	764.6	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.87	758.8	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.80	756.9	...	...	E	10	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.69	754.1	...	...	S	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.77	756.2	...	...	W	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	N	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.15	765.8	33	100	N E	1	o	6 a.	30.18	766.6	30	100	N W	1	c
Weihaiwei,	,,	30.33	770.4	33	...	E	3	o	9 a.	30.27	768.8	30	...	N W	4	c
Hankow,	,,	30.32	770.1	46	69	N E	2	b	6 a.	30.33	770.4	36	90	E	1	b
Kinkiang,	,,	30.26	768.6	41	83	N W	3	o	,,	30.30	769.6	40	91	...	0	o
Shanghai,	,,	30.03	762.7	37	100	N W	3	r	9 a.	30.29	769.3	39	82	N N W	1	o
Gutzlaff,	,,	29.97	761.2	42	100	N	4	om	,,	30.24	768.1	38	81	N N W	4	cv
Sharp Peak,	,,	29.92	759.9	56	94	...	0	...	,,	30.19	766.8	53	86	N N E	2	c
Amoy,	,,	29.83	757.7	63	78	S E	3	o	6 a.	29.96	761.0	52	86	N E	1	b
Swatow,	,,	29.90	759.4	65	73	N N W	2	c	,,	30.09	764.3	48	78	N	1	b
Taihoku,	1 p.	29.94	760.4	...	...	W	2	...	5 a.	30.13	765.2	...	...	...	0	...
Taichu,	,,	29.96	760.9	...	...	N E	2	...	,,	30.03	762.8	...	...	N	6	...
Tainan,	,,	29.96	761.1	...	...	N	6	...	,,	30.04	762.9	...	...	N	6	...
Koshun,	,,	29.86	758.4	...	...	N W	8	...	,,	29.98	761.5	...	...	...	0	...
Pescadores,	,,	29.93	760.2	...	...	E	2	...	,,	30.02	762.6	...	...	N	8	...
Canton,	3 p.	30.06	763.5	67	55	N	2	b	9 a.	30.17	766.3	53	80	N W	1	b
Hongkong,	4 p.	29.97	761.2	65	68	N	2	o	10 a.	30.15	765.9	62	55	E	2	b
Victoria Peak,	,,	...	...	...	...	N N W	5	...	,,	...	...	...	...	E S E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.99	761.7	68	...	N W	3	c	,,	30.16	766.0	63	...	N	2	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	66	...	S S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.94	760.5	77	...	N .	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	81	...	S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.7	81	...	N	1	b	6 a.	29.96	760.9	73	...	N	1	c
Manila.	4 p.	29.80	757	86	65	W	1	c	10 a.	29.96	761	82	63	N N W	0	b
Legaspi,	2 p.	29.86	758.5	84	...	E	1	o	6 a.	29.90	759.5	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	73	...	N E	1	c	,,	29.89	759.2	80	...	N E	1	b
Cebu,	,,	29.79	756.6	82	...	...	0	b	,,	29.92	759.9	82	...	N	1	c
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	29.85	758.2	80	...	...	...	...

On the 11th at 12.5 p.—The barometer has risen considerably over the E. coast of China and Formosa.

The Japanese returns are lacking this morning, but probably the depression is moving towards N.E. along the S. coast of Japan.

Pressure is highest over China to North of the Yangtze.

Fresh to moderate monsoon is indicated in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 11th February, 1907.

[Printed by Noronha & Co., Government Printer.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th February, 1907, P.M.								12th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.08	764.0	34	90	W	2	o	6 a.	30.18	766.6	30	100	N W	1	o
Weihaiwei,	,,	30.15	765.8	30	...	N W	4	ovr	9 a.	30.04	763.0	30	...	W	3	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.27	768.8	43	75	N	1	c
Kiukiang,	,,	30.25	768.3	49	71	N	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.20	767.1	42	58	N N W	2	o	9 a.	30.26	768.6	40	74	...	0	om
Gutzlaff,	,,	30.20	767.1	41	74	N N W	3	cv	,,	30.25	768.3	40	82	N	1	ov
Sharp Peak,	,,	30.12	765.0	55	87	E	3	b	,,	30.20	767.1	53	83	W	2	o
Amoy,	,,	...	...	62	61	N E	2	b	6 a.	30.11	764.8	51	86	N	3	b
Swatow,	,,	30.04	763.0	61	66	N E	1	b	,,	30.08	764.0	54	87	N	1	b
Taihoku,	1 p.	30.08	764.1	...	...	E	8	...	5 a.	30.12	765.1	...	...	E	6	...
Taichu,	,,	30.02	762.4	...	...	N E	4	...	,,	30.10	764.4	...	...	...	0	...
Tainan,	,,	29.98	761.6	...	...	N	6	...	,,	30.09	764.2	...	...	N	4	...
Koshun,	,,	30.00	762.0	...	...	N E	8	...	,,	30.05	763.3	...	...	N E	8	...
Pescadores,	,,	30.06	763.4	...	...	N	10	...	,,	30.00	762.0	...	...	N	8	...
Canton,	3 p.	30.03	762.7	67	79	S E	1	b	9 a.	30.08	764.0	59	76	N E	1	b
Hongkong,	4 p.	30.01	762.2	62	64	E	2	b	10 a.	30.10	764.5	61	66	E	5	b
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.01	762.2	68	...	S E	1	c	,,	30.10	764.5	65	...	S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	54	...	S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.92	759.9	75	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.5	82	...	S E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.94	760.5	77	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	65	S W	1	o	10 a.	29.96	761	77	68	W N W	1	c
Legaspi,	2 p.	29.86	758.3	84	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.79	756.6	86	...	N E	2	c	,,	29.85	758.2	79	...	N E	1	c
Cebu,	,,	29.79	756.6	83	...	N	2	b	,,	29.92	759.9	84	...	N	1	...
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	29.81	757.2	83	...	...	...	...

On the 12th at 12.5 p.—The barometer has fallen slightly on the China coast.
Pressure is highest over Central China, and gradients are mostly slight.
Fresh to moderate monsoon may be expected in the Formosa Channel and the China Sea.
The Japanese returns are lacking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fine at first, cloudy and misty later.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 12th February, 1907.

[Printed by Noronha & Co., Government Printer.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th February, 1907, P.M.								13th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	N W	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.93	759.2	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.94	760.6	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.03	762.8	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.15	765.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.11	764.9	...	...	N	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.09	764.2	...	...	E	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.13	765.3	...	...	N	2	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.22	767.6	32	100	N W	5	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.04	763.0	33	...	N W	3	ovr	9 a.	30.18	766.6	24	...	N W	5	c
Hankow,	,,	30.26	768.6	46	84	N E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.26	768.6	42	92	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.20	767.1	40	74	N E	1	o	9 a.	30.35	770.9	38	72	N	2	o
Gutzlaff,	,,	30.18	766.6	41	74	N N E	1	ov	,,	30.26	768.6	39	...	N	4	om
Sharp Peak,	,,	30.09	764.3	57	87	E	1	b	,,	30.20	767.1	52	86	N E	3	or
Amoy,	,,	30.01	762.2	65	89	N	2	b	6 a.	30.03	762.7	54	87	N E	1	c
Swatow,	,,	30.02	762.7	63	67	E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.05	763.2	...	...	S E	2	...	5 a.	30.08	764.0	...	...	E	2	...
Taichu,	,,	30.04	763.0	...	...	W	2	...	,,	30.06	763.5	...	...	...	0	...
Tainan,	,,	30.06	763.5	...	...	N W	4	...	,,	30.05	763.3	...	...	N	4	...
Koshun,	,,	30.02	762.4	...	...	N E	6	...	,,	30.01	762.3	...	...	N	4	...
Pescadores,	,,	30.09	764.4	...	...	N	6	...	,,	30.05	763.2	...	...	N	8	...
Canton,	3 p.	30.01	762.2	70	99	N E	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.98	761.5	61	77	E N E	5	o	10 a.	30.06	763.5	61	80	E	5	o
Victoria Peak,	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.98	761.5	67	...	E S E	3	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.86	758.4	52	...	S E	5	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.2	77	...	S E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	81	...	N E	3	f	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	761.1	77	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	82	57	N E	1	o	10 a.	29.92	761	79	69	W	1	c
Legaspi,	2 p.	29.88	758.9	79	...	E	1	o	6 a.	29.92	760.0	66	...	S W	1	b
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N	2	b
Iloilo,	,,	29.79	756.6	80	...	N E	2	c	,,	29.87	758.7	79	...	N	2	b
Cebu,	,,	29.87	758.7	84	...	N	2	b	,,	29.90	759.4	82	...	N	2	b
Labuan,	,,	29.72	754.9	84	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

On the 13th at 11.55 a.—The barometer has risen moderately in N. China, and fallen slightly over Formosa and the S. coast of China.

Pressure is highest over China to the North of the Yangtze. It is relatively low over the S. coast and Tongking.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to strong; cloudy, misty.
2.—Formosa Channel	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 13th February, 1907.

[Printed by Noronha & Co., Government Printer.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th February, 1907, P.M.								14th February, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	..	...	...	...	...	...	...	...	6 a.	29.81	757.1	...	...	N	4	..
Hakodate	..	...	...	...	...	...	...	...	..	29.77	756.2	...	...	E	6	...
Tokio	..	...	...	...	...	...	...	...	..	29.83	757.6	...	...	N W	4	...
Kochi	..	...	...	...	...	...	...	...	..	30.03	762.8	...	...	S W	2	...
Nagasaki	..	...	...	...	...	...	...	...	..	30.19	766.8	...	...	N	6	...
Kagoshima	..	...	...	...	...	...	...	...	..	30.15	765.9	...	...	N W	6	...
Oshima	..	...	...	...	...	...	...	...	..	30.12	765.1	...	...	N	6	...
Naha	..	...	...	...	...	...	...	...	..	30.09	764.2	...	...	N E	6	...
Ishigakijima	..	...	...	...	...	...	...	...	..	30.05	763.3	...	...	S	4	...
Chefoo	3 p.	30.32	770.1	27	100	N W	5	b	6 a.	...	...	...	...	...	...	...
Weihaiwei	..	30.27	768.8	26	...	N W	5	c	9 a.	30.34	770.6	26	...	N E	3	vr
Hankow	..	30.34	770.6	42	83	N E	3	o	6 a.	30.52	775.2	46	92	N E	2	o
Kiukiang	..	30.34	770.6	57	94	N E	4	or	..	...	...	...	...	...	...	...
Shanghai	..	30.33	770.4	38	54	N	2	o	9 a.	30.45	773.4	36	...	N N E	2	o
Gutzlaff	..	30.28	769.1	39	64	N	4	om	..	30.38	771.6	37	81	N N E	4	ov
Sharp Peak	..	30.13	765.3	49	93	N N E	3	od	..	30.29	769.3	48	93	N E	3	o
Amoy	..	30.06	763.5	60	71	N E	2	o	6 a.	30.15	765.8	53	80	N E	2	b
Swatow	..	30.00	762.0	62	77	E	2	b	..	30.09	764.3	47	78	E	3	o
Taihoku	1 p.	30.07	763.7	...	...	E	8	...	5 a.	30.13	765.2	...	...	E	6	...
Taichu	..	30.00	761.9	...	...	N	6	...	..	30.08	763.9	...	...	N E	2	...
Tainan	..	29.93	760.1	...	...	N W	6	...	..	30.05	763.3	...	...	N	6	...
Koshun	..	29.97	761.3	...	...	E	8	...	..	30.01	762.1	...	...	N W	6	...
Pescadores	..	30.03	762.8	...	...	N	8	...	..	30.08	764.1	...	...	N	10	...
Canton	3 p.	30.01	762.2	62	77	E	2	b	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	29.98	761.5	63	82	E	4	o	10 a.	30.13	765.3	62	72	E	5	o
Victoria Peak	..	...	...	...	...	E S E	4	...	..	...	...	...	...	E	5	...
Gap Rock	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Macao	..	29.98	761.5	67	...	E N E	3	c	..	30.14	765.5	66	...	N	2	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Cape St. James	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.80	757	82	57	E S E	2	c	10 a.	...	...	...	...	...	...	...
Legaspi	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Iloilo	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	1	c
Iloilo	..	29.79	756.6	85	...	N E	3	b	..	29.89	759.2	89	...	N E	3	c
Cebu	..	29.79	756.6	86	...	N	3	c	..	29.91	759.7	82	...	N	1	c
Labuan	..	29.72	754.9	86	...	...	...	...	..	29.86	758.4	82	...	...	...	...

On the 14th at 11.55 a.—A high pressure area is lying over China to the North of the Yangtze, and the barometer has risen along the coast generally.

A shallow area of low pressure lies to the E. of Formosa, and pressure is low also, over E. Japan.

Gradients are moderate to rather steep and strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, strong; fair.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 14th February, 1907.

[Printed by NORONHA & Co., Government Printer.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th February, 1907, P.M.								15th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	N	6	...	6 a.	...	...	...	...	...	...	..
Hakodate,	,,	29.77	756.2	...	...	E	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.79	756.6	...	...	S	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.99	761.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.19	766.8	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.13	765.2	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.05	763.3	...	...	E	8	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.34	770.6	23	...	N W	5	c	9 a.	30.26	768.6	27	...	N E	3	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.43	772.9	33	69	N E	5	s
Shanghai,	,,	30.42	772.6	37	...	N N E	2	o	9 a.	30.49	774.4	31	106	N N E	1	os
Gutzlaff,	,,	30.37	771.4	38	81	N	4	ov	,,	30.42	772.6	37	91	N	5	ov
Sharp Peak,	,,	30.24	768.1	49	85	N N E	3	o	,,	30.33	770.4	48	85	N N E	3	o
Amoy,	,,	30.12	765.0	...	...	N E	...	...	6 a.	30.25	768.3	53	80	N N E	3	c
Swatow,	,,	30.06	763.5	59	82	E S E	2	o	,,	30.18	766.6	51	86	N E	2	b
Taihoku,	1 p.	30.16	766.0	...	...	E	8	...	5 a.	30.21	767.3	...	...	E	6	...
Taichu,	,,	30.03	762.7	...	...	N	6	...	,,	30.11	764.7	...	...	...	0	...
Tainan,	,,	30.06	763.5	...	...	N	6	...	,,	30.11	764.7	...	...	N	4	...
Koshun,	,,	30.03	762.7	...	...	N	6	...	,,	30.08	764.0	...	...	N	8	...
Pescadores,	,,	30.08	764.0	...	...	N E	10	...	,,	30.11	764.7	...	...	N	10	...
Canton,	3 p.	30.12	765.0	60	76	N	1	o	9 a.	30.18	766.6	55	87	N W	1	o
Hongkong,	4 p.	30·07	763.8	61	77	E	4	o	10 a.	30.21	767.3	69	77	E	5	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	67	...	S E	1	o	,,	30.21	767.3	65	...	S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.3	68	...	E N E	5	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.94	750.6	77	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	77	...	E N E	3	f	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.90	759.3	81	...	N E	1	b	6 a.	30.01	762.3	68	...	S	1	b
Manila,	4 p.	29.88	758.9	86	47	E S E	2	c	10 a.	30.00	762	79	69	W	1	o
Legaspi,	2 p.	29.90	759.5	75	...	E	1	o	6 a.	29.96	761.0	75	...	N	1	c
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.83	757.7	84	...	N E	2	o	,,	29.91	759.7	80	...	N E	3	c
Cebu,	,,	29.85	758.2	84	...	N	1	c	,,	29.93	760.2	82	...	N	1	b
Labuan,	,,	29.80	756.9	86	...	...	...	...	,,	29.87	758.7	81	...	...	...	...

On the 15th at 12.10 p.—The barometer has risen in S. China and the Philippines, and fallen in N. China. The high pressure area remains over Central China, and gradients continue moderate to rather steep. Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 15th February, 1907.

[Printed by Noronha & Co., Government Printer.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th February, 1907, P.M.								16th February, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	..	29.89	759.1	...	...	N	8	...	6 a.	30.04	763.1	...	...	N W	6	...
Hakodate	..	29.97	761.2	...	...	N	4	...	..	30.13	765.2	...	...	...	0	...
Tokio	..	29.87	758.6	...	...	N W	6	...	..	30.14	765.6	...	...	N W	2	...
Kochi	..	30.19	766.8	...	...	N E	6	...	..	30.27	768.8	...	...	N	2	...
Nagasaki	..	30.27	768.8	...	...	N E	4	...	..	30.27	768.8	...	...	N E	8	...
Kagoshima	..	30.19	766.9	...	...	E	4	...	..	30.27	768.9	...	...	N	2	...
Oshima	..	...	...	...	...	...	...	...	..	30.12	765.1	...	...	S	2	...
Naha	..	30.17	766.2	...	...	N E	4	...	..	...	...	...	...	...	...	...
Ishigakijima	..	...	...	...	...	...	...	...	..	30.01	762.3	...	...	E	6	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	30.49	774.4	24	...	N	1	b
Weihaiwei	..	30.35	770.9	38	...	S	3	c	9 a.	30.49	772.1	30	...	N	2	b
Hankow	..	30.38	771.6	34	79	N	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang	..	30.38	771.6	30	100	N E	5	s	..	30.47	773.9	31	90	N E	2	o
Shanghai	..	30.37	771.4	33	...	N N E	1	o	9 a.	30.38	771.6	38	81	N N W	2	o
Gutzlaff	..	30.34	770.6	33	100	N	2	s	..	30.32	770.1	40	91	N N E	4	om
Sharp Peak	..	30.20	767.1	48	93	N	3	o	..	30.25	768.3	48	93	N E	3	od
Amoy	..	...	...	...	...	...	...	...	6 a.	30.12	765.0	54	87	N E	3	c
Swatow	..	30.03	762.7	60	71	E	2	c	..	30.14	765.5	48	85	N E	2	o
Taihoku	1 p.	30.12	765.1	...	...	E	8	...	5 a.	30.12	765.1	...	...	N E	4	...
Taichu	..	30.06	763.4	...	...	N	2	...	..	30.08	764.1	...	...	N	4	...
Tainan	..	30.08	764.0	...	...	N	8	...	..	30.07	763.7	...	...	N	6	...
Toshun	..	30.03	762.7	...	...	N E	8	...	..	30.02	762.4	...	...	N	4	...
Pescadores	..	30.12	765.1	...	...	N	10	...	..	30.10	764.5	...	...	N	10	...
Canton	3 p.	30.07	763.8	63	78	N W	2	c	9 a.	30.16	766.0	52	86	N N W	1	o
Hongkong	4 p.	30.05	763.2	60	71	E	3	b	10 a.	30.13	765.3	69	82	E	3	o
Victoria Peak	..	...	...	...	...	E	3	...	..	...	...	...	...	E	4	...
Gap Rock	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Macao	..	30.06	763.5	67	...	S E	2	o	..	30.14	765.5	65	...	N W	1	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien	4 p.	30.08	764.0	68	...	E	5	o	10 a.	...	...	...	...	...	...	...
Tourane	..	29.97	761.3	79	...	E	1	b	..	...	...	...	...	...	...	...
Cape St. James	..	29.85	758.1	79	...	N E	4	f	..	...	...	...	...	...	...	...
Aparri	2 p.	29.93	760.3	70	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.88	759	84	46	E N E	1	c	10 a.	30.00	762	77	68	W	1	b
Legaspi	2 p.	29.92	759.9	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Iloilo	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N E	1	o
Cebu	..	29.85	758.2	84	...	N E	1	c	..	29.89	759.2	81	...	N E	1	c
Calbu	..	29.91	759.7	85	...	N	3	c	..	29.88	758.9	83	...	...	0	c
Labuan	..	29.80	756.9	84	...	...	...	...	..	29.88	758.9	80	...	...	...	...

On the 16th at 11.50 a.—The barometer has risen over Japan, and fallen over the Loochoos and the E. and S. coasts of China.

The high pressure area remains over the Continent to the North of the Yangtze, and a depression appears to be forming to the E. of Formosa.

Strong N.E. and N. winds may be expected in the Formosa Channel, and fresh to moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
Formosa Channel,	N.E. to N. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 16th February, 1907.

[Printed by Noronha & Co., Government Printer.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th February, 1907, P.M.								17th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	30.04	763.1	...	...	N	8	...	6 a.	30.12	765.1	...	...	N W	4	..
Hakodate	,,	30.09	764.2	...	...	S E	4	...	,,	30.09	764.2	...	...	S W	6	...
Tokio	,,	30.10	764.6	...	...	N W	6	...	,,	30.22	767.6	...	...	N W	6	...
Kochi	,,	30.19	766.8	...	...	N	4	...	,,	30.23	767.8	...	...	N E	2	...
Nagasaki	,,	30.23	767.8	...	...	E	6	...	,,	30.15	765.8	...	...	E	8	...
Kagoshima	,,	30.23	767.9	...	...	...	0	...	,,	30.12	764.9	...	...	N E	6	...
Oshima	,,	30.12	765.1	...	...	...	0	...	,,	29.97	761.1	...	...	S	2	...
Naha	,,	30.01	762.2	...	...	N E	6	...	,,	29.89	759.2	...	...	E	4	...
Ishigakijima	,,	29.97	761.3	...	...	N E	6	...	,,	29.86	758.3	...	...	N E	2	...
Chefoo	3 p.	30.47	773.9	32	27	N N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	30.44	773.2	34	...	N N W	2	b	9 a.	...	...	...	...	...	...	...
Hankow	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	30.42	772.6	34	...	N E	1	o	,,	...	...	...	...	...	...	...
Shanghai	,,	30.31	769.9	42	66	N N E	3	o	9 a.	30.28	769.1	34	90	N N W	2	os
Gutzlaff	,,	30.26	768.6	43	75	N N E	4	cv	,,	30.22	767.6	36	100	N N W	5	omd
Sharp Peak	,,	30.17	766.3	48	93	N E	3	or	,,	30.16	765.8	49	20	N W	1	b
Amoy	,,	30.06	763.5	58	81	N E	3	o	6 a.	30.04	763.0	53	89	W	2	c
Swatow	,,	30.06	763.5	59	82	E	3	c	,,	30.09	764.3	47	77	E	3	o
Taihoku	1 p.	30.13	765.2	...	...	E	6	...	5 a.	30.07	763.8	...	...	S W	8	...
Taichu	,,	30.03	762.8	...	...	N	6	...	,,	30.10	764.5	...	...	...	0	...
Tainan	,,	30.04	762.9	...	...	N	6	...	,,	30.07	763.7	...	...	N	4	...
Koshun	,,	...	...	...	...	...	...	...	,,	29.99	761.7	...	...	N	6	...
Pescadores	,,	30.08	764.0	...	...	N	10	...	,,	30.05	763.3	...	...	N	8	...
Canton	3 p.	30.02	762.5	49	93	N N W	1	or	9 a.	30.20	767.1	46	92	N N W	2	o
Hongkong	4 p.	30.05	763.2	59	89	E	2	o	10 a.	30.17	766.3	56	64	N	1	o
Victoria Peak	,,	...	...	...	...	E	4	...	,,	...	...	...	...	...	...	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	30.06	763.5	62	...	N N W	3	od	..	30.19	766.8	58	...	N	2	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	30.07	763.8	53	93	N E	3	o	..	...	...	...	...	...	...	...
Phulien	4 p.	29.95	760.7	66	...	E	7	o	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.94	760.6	77	...	E S E	1	c	..	...	...	...	...	...	...	...
Cape St. James	,,	29.80	757.0	82	...	N E	3	c	..	...	...	...	...	...	...	...
Aparri	2 p.	29.89	759.1	81	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.88	759	86	47	S E	2	b	10 a.	29.96	761	79	76	W S W	1	b
Legaspi	2 p.	29.90	759.4	88	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	2	c
Iloilo	,,	29.85	758.2	86	...	N E	2	c	,,	29.89	759.2	81	...	N E	1	c
Cebu	,,	29.84	757.9	85	...	S	1	gr	,,	29.96	759.5	85	...	N	1	c
Labuan	,,	29.85	758.2	86	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 17th at 12.0 p.—The barometer has risen slightly on the S. coast of China, and fallen moderately over the E. coasts and the Loochoos.

A depression, which will probably move to the N.E., is situated near the S. Loochoos.

The area of high pressure remains over China to the North of the Yangtze.

Fresh N. winds are indicated in the Formosa Channel, and fresh to strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate; fair.
2.—Formosa Channel, ...	N. winds, fresh.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 17th February, 1907.

[Printed by Noronha & Co., Government Printer.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th February, 1907, P.M.								18th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	30.16	766.1	...	...	S E	6	...	6 a.	30.44	773.1	...	...	N W	4	..
Hakodate,	,,	30.24	768.2	...	...	N E	4	...	,,	30.44	773.2	...	...	N	2	...
Tokio,	,,	30.22	767.6	...	...	N W	6	...	,,	30.30	769.6	...	...	N	6	...
Kochi,	,,	30.15	765.8	...	...	N	2	...	,,	30.03	762.8	...	...	...	0	...
Nagasaki,	,,	30.07	763.8	...	...	N E	6	...	,,	30.15	765.8	...	...	N E	4	...
Kagoshima,	,,	29.96	760.9	...	...	E	6	...	,,	30.08	763.9	...	...	N W	6	...
Oshima,	,,	29.69	754.1	...	...	S	6	...	,,	30.01	762.1	...	...	N	8	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	N	8	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.17	766.3	...	...	N	4	...
Chefoo,	3 p.	30.34	770.6	34	100	N W	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.25	768.3	31	...	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.48	774.2	32	100	N E	1	s
Kiukiang,	,,	30.43	772.9	34	90	W	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.25	768.3	40	65	N	3	c	9 a.	30.37	771.4	34	90	N W	1	o
Gutzlaff,	,,	30.20	767.1	41	83	N N W	5	cv	,,	30.32	770.1	38	81	N	2	ov
Sharp Peak,	,,	30.13	765.3	53	90	N N E	3	c	,,	30.26	768.6	48	85	N E	3	o
Amoy,	,,	30.05	763.2	56	87	S E	3	c	6 a.	30.24	768.1	47	77	N E	5	c
Swatow,	,,	29.99	761.7	64	63	E S E	1	b	,,	30.06	763.5	51	86	N E	2	b
Taihoku,	1 p.	30.16	766.0	...	...	N	6	...	5 a.	30.23	767.9	...	...	E	2	...
Taichu,	,,	30.04	763.1	...	...	N	6	...	,,	30.13	765.3	...	...	...	0	...
Tainan,	,,	30.04	763.0	...	...	N	8	...	,,	30.14	765.5	...	...	N	2	...
Koshun,	,,	29.97	761.3	...	...	N W	10	...	,,	30.09	764.2	...	...	N E	4	...
Pescadores,	,,	30.09	764.2	...	...	N	4	...	,,	30.12	765.1	...	...	...	10	...
Canton,	3 p.	30.05	763.2	54	68	N N W	2	o	9 a.	30.21	767.3	47	93	N N E	1	or
Hongkong,	4 p.	30.03	762.7	60	56	S W	1	o	10 a.	30.17	766.3	57	79	E	5	o
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.04	763.0	61	...	N	2	o	,,	30.15	765.8	62	...	E	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.11	764.8	50	79	N	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	761.9	70	...	E	1	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.97	761.2	73	...	E	1	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	81	...	E N E	3	b	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	86	53	S S E	2	b	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Sacolod,	3 p.	...	...	...	...	N	1	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.83	757.7	84	...	N E	3	ot	,,	29.93	760.2	81	...	N E	3	c
Cebu,	,,	29.75	755.6	82	...	N	1	or	,,	29.92	759.9	83	...	...	0	c
Labuan,	,,	29.82	757.4	85	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 18th at 12.10 p.—The barometer has fallen over Central Japan, and risen over N.E. Japan and the E. coast of China.

The depression is probably moving Eastwards over the Pacific to the S. of Japan.

Pressure is high over Central China and over N.E. Japan.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; squally, probably some rain.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 18th February, 1907.

[Printed by Noronha & Co., Government Printer.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th February, 1907, P.M.								19th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.40	772.1	...	...	N	4	...	6 a.	30.40	772.1	...	...	...	0	...
Hakodate,	,,	30.40	772.2	...	...	E	4	...	,,	30.32	770.2	...	...	N E	2	...
Tokio,	,,	30.22	767.6	...	...	N W	6	...	,,	30.30	769.6	...	...	N W	4	...
Kochi,	,,	30.11	764.8	...	...	N W	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N	6	...	,,	30.23	767.8	...	...	N E	2	...
Kagoshima,	,,	30.11	764.9	...	...	N	6	...	,,	30.19	766.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	6	...
Naha,	,,	30.09	764.2	...	...	N	6	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	4	...	,,	30.13	765.3	...	...	N	2	...
Chefoo,	3 p.	30.30	762.0	38	91	E N E	1	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.24	768.1	36	...	W	1	b	9 a.	30.26	768.6	33	...	W	4	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.30	769.6	41	49	N E	1	o	9 a.	30.39	771.9	38	91	N W	1	o
Gutzlaff,	,,	30.27	768.8	39	91	N N E	2	ov	,,	30.32	770.1	37	...	N W	3	ot
Sharp Peak,	,,	30.24	768.1	47	85	N W	1	or	,,	30.30	769.6	49	85	N N W	1	o
Amoy,	,,	30.09	764.3	56	75	N E	2	o	6 a.	30.15	765.8	50	93	N E	2	c
Swatow,	,,	30.15	765.8	55	74	N	1	o	,,	30.18	766.6	51	86	N E	2	o
Taihoku,	1 p.	30.12	765.1	...	...	E	8	...	5 a.	30.19	766.9	...	...	...	0	...
Taichu,	,,	30.05	763.3	...	...	W	2	...	,,	30.15	765.7	...	...	N	2	...
Tainan,	,,	30.11	764.9	...	...	N W	4	...	,,	30.13	765.2	...	...	N	4	...
Koshun,	,,	30.04	763.0	...	...	E	8	...	,,	30.11	764.8	...	...	...	0	...
Pescadores,	,,	30.10	764.6	...	...	N	10	...	,,	30.16	766.0	...	...	N	8	...
Canton,	3 p.	30.18	766.6	47	93	N N W	1	o	9 a.	30.30	769.6	47	85	N	1	o
Hongkong,	4 p.	30.10	764.5	56	80	W S W	1	o	10 a.	30.25	768.3	55	76	E S E	1	o
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.12	765.0	58	...	N N W	4	o	,,	30.27	768.8	57	...	N	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.7	55	...	N N E	2	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.95	760.7	77	...	E N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	79	...	N E	3	b	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.00	762.0	73	...	N E	4	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	86	58	S	1	c	10 a.	29.96	761	81	70	W N W	1	c
Legaspi,	2 p.	29.88	758.9	81	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.83	757.7	85	...	N E	2	c	,,	29.93	760.2	81	...	N E	2	b
Cebu,	,,	29.84	757.9	85	...	N	3	b	,,	29.95	760.7	84	...	...	0	c
Labuan,	,,	29.81	757.2	84	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 19th at 11.55 a.—The barometer has fallen slightly in N.E. Japan, and risen moderately over W. Japan, the Loochoos and the S. coast of China.

Areas of high pressure are lying over China to the North of the Yangtze, and over N.E. Japan.

Gradients are slight on the China coast and rather steep over the China Sea. Fresh to moderate monsoon may be expected in the Formosa Channel, and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; cloudy, dull.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 19th February, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th February, 1907, P.M.								20th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	30.36	771.1	...	...	N	4	...	6 a.	30.24	768.1	...	...	N W	2	..
Hakodate,	,,	30.24	768.2	...	...	E	6	...	,,	30.13	765.2	...	...	E	6	...
Tokio,	,,	30.14	765.6	...	...	N E	4	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	S W	2	...	,,	29.99	761.8	...	...	W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	4	...	,,	30.07	763.8	...	...	N W	6	...
Kagoshima,	,,	30.11	764.9	...	...	S E	2	...	,,	30.08	763.9	...	...	N	2	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.12	765.1	...	...	N W	2	...
Naha,	,,	30.13	765.2	...	...	N E	2	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.25	768.3	34	...	N W	5	c	9 a.	30.28	769.1	25	...	N W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.31	769.9	45	68	N W	1	c	9 a.	30.44	773.2	36	80	N N W	3	c
Gutzlaff,	,,	30.29	769.3	44	76	N	2	cv	,,	30.37	771.4	37	81	N	5	cm
Sharp Peak,	,,	30.20	767.1	51	90	E	1	o	,,	30.29	769.3	50	93	N E	4	od
Amoy,	,,	30.04	763.0	59	82	N W	3	c	6 a.	30.10	764.5	52	86	N E	1	or
Swatow,	,,	30.10	764.5	61	71	E N E	2	o	,,	...	...	...	...	...	...	..
Taihoku,	1 p.	30.15	765.9	...	...	E	6	...	5 a.	30.15	765.8	...	...	E	6	...
Taichu,	,,	30.10	764.5	...	...	N	4	...	,,	30.12	764.9	...	...	N	4	...
Tainan,	,,	30.10	764.5	...	...	N	4	...	,,	30.13	765.3	...	...	N	6	...
Koshun,	,,	30.09	764.4	...	...	N E	6	...	,,	30.10	764.4	...	...	N	2	...
Pescadores,	,,	30.11	764.7	...	...	N	8	...	,,	30.13	765.2	...	...	N	8	...
Canton,	3 p.	30.19	766.8	51	79	N N W	1	o	9 a.	30.32	770.1	47	91	N N W	2	o
Hongkong,	4 p.	30.12	765.0	58	71	E S E	1	o	10 a.	30.24	768.1	55	74	N	1	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	59	...	N	2	o	,,	30.26	768.6	56	...	N W	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.9	59	...	...	9	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.3	73	...	N N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	81	...	N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.01	762.3	77	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	82	70	W N W	1	o	10 a.	30.00	762	79	69	W S W	1	o
Legaspi,	2 p.	29.93	760.3	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.83	757.7	86	...	N	1	b	,,	29.89	759.2	81	...	N E	1	c
Cebu,	,,	29.86	758.4	86	...	N	2	b	,,	29.92	759.9	84	...	N	1	c
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 20th at 12.0 p.—The barometer has fallen considerably over Japan, and risen slightly on the E. coast of China.

The high pressure area remains over China to the North of the Yangtze, and pressure is low over S. Japan and also to the S. of the Loochoos.

Strong monsoon may be expected on the China coast, and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate or fresh; dull, probably rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N. winds, fresh or strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 20th February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th February, 1907, P.M.								21st February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	E	6	...	6 a.	30.01	762.1	...	...	N E	10	..
Hakodate,	,,	30.01	762.2	...	...	E	6	...	,,	29.93	760.2	...	...	...	0	...
Tokio,	,,	29.79	756.6	...	...	N W	2	...	,,	29.79	756.6	...	...	N W	2	...
Kochi,	,,	29.87	758.8	...	...	N W	4	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N	8	...	,,	30.03	762.8	...	...	N	4	...
Kagoshima,	,,	29.96	760.9	...	...	N W	6	...	,,	30.00	761.9	...	...	N	2	...
Oshima,	,,	30.00	762.1	...	...	N W	8	...	,,	30.04	763.1	...	...	N	8	...
Naha,	,,	30.05	763.2	...	...	N	8	...	,,	30.13	765.2	...	...	N	8	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	8	...	,,	30.17	766.3	...	...	N	6	...
Chefoo,	3 p.	30.40	772.1	16	100	N W	4	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.36	771.1	24	...	N	3	b	9 a.	30.37	771.4	22	...	N	6	vr
Hankow,	,,	30.58	776.7	46	62	N E	3	b	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.50	774.7	43	67	N W	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.39	771.9	35	70	N W	4	c	9 a.	30.50	774.7	35	...	N N W	3	b
Gutzlaff,	,,	30.33	770.4	37	71	N N W	6	ov	,,	30.45	773.4	33	79	N W	5	cm
Sharp Peak,	,,	30.24	768.1	47	40	E N E	4	od	,,	30.37	771.4	47	85	E N E	4	c
Amoy,	,,	30.01	762.2	56	81	N E	3	o	6 a.	30.16	766.0	45	92	N E	3	o
Swatow,	,,	30.16	766.0	56	69	N	2	o	,,	...	...	...	...	...	...	..
Taihoku,	1 p.	30.22	767.5	...	...	E	4	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	30.12	765.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tainan,	,,	30.11	764.7	...	...	N	6	...	,,	...	...	...	...	...	...	...
Koshun,	,,	30.04	763.0	...	...	N	6	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.16	766.1	...	...	N	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.25	768.3	49	78	N W	2	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.15	765.8	54	65	N	1	od	10 a.	30.29	769.3	52	66	N E	1	o
Victoria Peak,	,,	...	...	...	...	N	5	...	,,	...	...	...	...	E N E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.16	766.0	55	...	N	4	o	,,	30.31	769.9	54	...	N	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.3	61	...	E N E	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.2	75	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	81	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.94	760.6	82	...	E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	64	W	2	c	10 a.	30.00	762	82	63	S W	1	c
Legaspi,	2 p.	29.91	759.6	81	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	1	or
Iloilo,	,,	29.83	757.7	87	...	N E	3	c	,,	29.93	760.2	80	...	N E	3	o
Cebu,	,,	29.84	757.9	85	...	N	2	b	,,	29.93	760.2	82	...	N	1	b
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 21st at 11.55 a.—The barometer has fallen over Japan owing to the depression which is off the S.E. coast and moving apparently to the N.E.

Pressure has increased slightly over China, the high pressure area still being central over the continent to the North of the Yangtze.

Very strong monsoon may be expected along the China coast, and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; cloudy, dull.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 21st February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st FEBRUARY, 1907, P.M.								22nd FEBRUARY, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	N	10	...	6 a.	29.77	756.1	...	...	N	10	..
Hakodate,	,,	29.89	759.2	...	...	...	0	...	,,	29.93	760.2	...	...	N	4	...
Tokio,	,,	29.75	755.6	...	...	N W	6	...	,,	29.91	759.6	...	...	N W	2	...
Kochi,	,,	29.83	757.8	...	...	S E	4	...	,,	29.91	759.8	...	...	W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N W	8	...	,,	30.11	764.8	...	...	N W	6	...
Kagoshima,	,,	30.03	762.8	...	...	N W	8	...	,,	30.08	763.9	...	...	N W	6	...
Oshima,	,,	30.08	764.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	8	...
Naha,	,,	30.17	766.2	...	...	N	8	...	,,	30.21	767.2	...	...	N	8	...
Ishigakijima,	,,	30.21	767.3	...	...	N	6	...	,,	30.29	769.3	...	...	N	4	...
Chefoo,	3 p.	30.47	773.9	25	...	N W	5	o	6 a.	30.52	775.2	23	...	W N W	5	c
Weihaiwei,	,,	30.41	772.4	22	...	N	5	c	9 a.	30.36	771.1	18	...	N	4	c
Hankow,	,,	30.41	772.4	46	54	N E	1	c	6 a.	30.70	779.8	33	79	N	1	b
Kiukiang,	,,	30.52	775.2	41	57	N E	2	o	,,	30.61	777.5	33	79	...	0	b
Shanghai,	,,	30.46	773.7	37	...	N	4	c	9 a.	30.58	776.7	33	...	N N W	3	b
Gutzlaff,	,,	30.40	772.1	36	70	N	5	cv	,,	30.50	774.7	34	79	N N W	4	cv
Sharp Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Amoy,	,,	30.08	764.0	56	69	N E	5	b	6 a.	30.22	767.6	44	68	N E	5	b
Swatow,	,,	30.25	768.3	53	67	E N E	2	o	,,	30.24	768.1	40	91	N	1	o
Taihoku,	1 p.	30.32	770.2	...	...	E	2	...	5 a.	30.39	771.9	...	...	E	2	...
Taichu,	,,	30.20	767.1	...	...	N	4	...	,,	30.28	769.0	...	...	N	4	...
Tainan,	,,	30.19	766.8	...	...	N	6	...	,,	30.25	768.2	...	...	E	6	...
Koshun,	,,	30.11	764.9	...	...	N E	10	...	,,	30.18	766.6	...	...	N	10	...
Pescadores,	,,	30.22	767.7	...	...	N	10	...	,,	30.28	769.0	...	...	N	10	...
Canton,	3 p.	30.26	768.6	53	67	N	1	o	9 a.	30.41	762.4	49	64	N	1	o
Hongkong,	4 p.	30.22	767.6	52	71	N E	1	o	10 a.	30.38	771.6	55	49	N N E	1	o
Victoria Peak,	,,	...	...	...	...	N	...	...	,,	...	...	...	...	E N E	4	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.26	768.6	58	...	N	2	od	,,	30.40	772.1	55	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chulien,	4 p.	30.17	766.2	57	...	E N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.08	764.0	73	...	N E	1	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.3	79	...	N E	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.03	762.7	73	...	N E	1	q	6 a.	30.11	764.7	68	...	N E	1	c
Manila,	4 p.	29.88	759	84	64	W S W	9	c	10 a.	30.04	763	82	63	S S W	1	c
Legaspi,	2 p.	29.94	760.4	79	...	...	0	o	6 a.	29.99	761.6	75	...	E	1	c
Iloilo,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.83	757.7	84	...	N E	2	c	,,	29.93	760.2	81	...	N E	2	c
Cebu,	,,	29.84	757.9	84	...	N	3	c	,,	29.95	760.7	83	...	N E	2	c
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.99	759.4	80	...	...	...	...

On the 22nd at 12.05 p.—The depression noted yesterday is moving away over the Pacific to the E. of Japan. The high pressure area is still central over the continent to the North of the Yangtze, and the barometer has risen generally except over N.E. Japan.

Strong monsoon will continue to prevail along the China coast and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N. to N.E. winds, moderate; fair.
—Formosa Channel,	N.E. winds, strong.
—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
—South coast of China between Hongkong and Hainan,	N. to N.E. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 22nd February, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd February, 1907, P.M.								23rd February, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	N	10	...	6 a.	29.93	760.1	...	...	N W	6	..
Hakodate,	,,	29.93	760.2	...	...	N	6	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	S	4	...	,,	29.95	760.6	...	...	N W	4	...
Kochi,	,,	29.83	757.8	...	...	W	6	...	,,	30.23	767.8	...	...	...	0	...
Nagasaki,	,,	30.11	764.8	...	...	N	8	...	,,	30.19	766.8	...	...	N	6	...
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N W	4	...
Oshima,	,,	30.16	766.1	...	...	N	8	...	,,	30.20	767.1	...	...	N	8	...
Naha,	,,	30.20	767.2	...	...	N W	8	...	,,	30.25	768.2	...	...	N	8	...
Ishigakijima,	,,	30.29	769.3	...	...	N	6	...	,,	30.29	769.3	...	...	N	6	...
Chefoo,	3 p.	30.57	776.5	24	100	N W	4	b	6 a.	30.52	775.2	25	100	N W	1	b
Weihaiwei,	,,	30.35	770.9	20	...	N N W	4	o	9 a.	30.26	768.1	28	...	W N W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.48	774.2	46	54	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.54	775.7	34	...	N N W	3	c	9 a.	30.55	775.9	32	...	N N W	2	c
Gutzlaff,	,,	30.49	774.4	34	90	N W	5	ov	,,	30.50	774.7	32	100	N N W	4	ov
Sharp Peak,	,,	30.49	772.1	47	85	E	4	b	,,	30.46	773.7	45	84	N E	4	o
Amoy,	,,	30.18	766.6	55	50	N E	4	b	6 a.	30.24	768.1	43	75	N E	4	b
Swatow,	,,	30.21	768.1	55	68	E	2	b	,,	30.25	768.3	44	92	E	2	b
Taihoku,	1 p.	30.42	772.6	...	...	E	2	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	30.26	768.6	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tainan,	,,	30.30	769.5	...	...	N	6	...	,,	...	...	...	...	...	...	...
Koshun,	,,	30.21	767.4	...	...	N	10	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.29	769.4	...	...	N	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.34	770.6	52	53	N	2	o	9 a.	30.36	771.1	51	72	...	0	o
Hongkong,	4 p.	30.27	768.8	55	61	E	2	o	10 a.	30.31	769.9	55	62	E	3	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.28	769.1	57	...	N	3	o	,,	30.31	769.9	57	...	E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.31	769.9	54	74	N E	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.23	767.8	55	...	N N E	1	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.12	765.0	70	...	N N W	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.5	79	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.08	764.0	73	...	N E	1	p	6 a.	30.12	765.0	68	...	N E	1	p
Manila,	4 p.	29.92	760	82	57	...	0	o	10 a.	30.04	763	79	69	W	1	o
Legaspi,	2 p.	29.92	760.0	77	...	N E	1	o	6 a.	30.00	762.0	73	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.81	757.2	82	...	N E	3	or	,,	29.93	760.2	79	...	N E	2	o
Cebu,	,,	29.84	757.9	85	...	N	2	b	,,	29.98	761.5	82	...	N	1	b
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 23rd at 11.50 a.—The barometer has risen in Japan, and fallen over the S. coast of China.

The anticyclonic area is still central over the continent to the North of the Yangtze, and pressure is relatively low over E. Japan and over the S. part of the China Sea.

Strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 23rd February, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd February, 1907, P.M.								24th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock....	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro, ...	,,	29.89	759.1	...	...	N W	4	...	6 a.	29.97	761.1	...	...	S W	4	..
Hakodate, ...	,,	29.97	761.2	...	...	...	0	...	,,	30.09	764.2	...	...	W	4	...
Tokio.	,,	29.98	761.6	...	...	N W	6	...	,,	30.18	766.6	...	...	W	2	...
Kochi.	,,	30.11	764.8	...	...	N	8	...	,,	30.31	769.8	...	...	...	0	...
Nagasaki.	,,	30.19	766.8	...	...	N E	4	...	,,	30.27	768.8	...	...	...	0	...
Kagoshima, ...	,,	30.15	765.9	...	...	S E	2	...	,,	30.27	768.9	...	...	N E	2	...
Oshima, ...	,,	30.16	766.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	4	...
Naha.....	,,	30.24	768.2	...	...	N	10	...	,,	30.25	768.2	...	...	E	2	...
Ishigakijima, ...	,,	30.33	770.3	...	...	N	4	...	,,	30.25	768.3	...	...	N	2	...
Chefoo, ...	3 p.	30.40	772.1	32	100	N W	1	b	6 a.	30.34	770.6	29	...	S W	1	b
Weihaiwei.....	,,	30.35	770.9	28	...	N W	3	b	9 a.	30.33	770.4	34	...	N W	2	b
Hankow.	,,	30.57	776.5	41	66	S	2	o	6 a.	30.50	774.7	36	90	E	3	c
Kiukiang.....	,,	30.53	775.4	39	64	N E	2	o	..	30.47	773.9	32	...	...	0	o
Shanghai, ...	,,	30.41	772.4	32	...	N	1	o	9 a.	30.46	773.7	35	...	S E	1	Lm
Sutzlaff.	,,	30.41	772.4	38	91	N N W	3	cv	,,	30.46	773.7	33	100	N	2	bv
Sharp Peak,.....	,,	30.36	771.1	48	78	N E	3	o	,,	30.38	771.6	45	84	N E	2	o
Amoy:.....	,,	30.14	765.5	54	55	N E	5	b	6 a.	30.14	765.5	45	61	E N E	3	o
Swatow, ...	,,	30.28	769.1	56	94	E	3	b	,,	30.29	769.3	48	93	...	0	b
Taihoku,.....	1 p.	30.35	770.8	...	...	E	6	...	5 a.	30.28	769.1	...	...	E	4	...
Taichu.	,,	30.21	767.3	...	...	N	6	...	,,	30.24	768.0	...	...	...	0	...
Tainan.....	,,	30.20	767.2	...	...	N	4	...	,,	30.21	767.4	...	...	N	2	...
Koshun.....	,,	30.19	766.8	...	...	N E	8	...	,,	30.18	766.6	...	...	N E	8	...
Pescadores, ...	,,	30.24	768.1	...	...	N	8	...	,,	30.24	768.0	...	...	N	8	...
Canton,.....	3 p.	30.28	769.1	58	53	N	1	c	9 a.	30.29	769.3	50	72	N	2	o
Hongkong.	4 p.	30.24	768.1	54	63	E S E	4	o	10 a.	30.25	768.3	56	57	E	4	c
Victoria Peak,...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E S E	5	...
Gap Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao.	,,	30.24	768.1	58	...	N E	1	o	..	30.25	768.3	60	...	S E	2	c
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi.....	..	30.30	769.6	47	93	N	4	or	..	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.19	766.9	54	...	N E	3	o	10 a.	...	...	...	...	...	...	...
Nourane, ...	,,	30.10	764.5	72	...	...	0	o	,,	...	...	...	...	...	...	...
Cape St. James,..	,,	29.88	759.0	63	...	N E	3	c	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	30.11	764.8	55	...	N E	1	o	6 a.	30.12	765.0	70	...	E	1	d
Manila, ...	4 p.	29.92	760	82	57	E S E	2	c	10 a.	30.04	763	79	69	W N W	1	o
Legaspi, ...	2 p.	29.98	761.6	75	...	N E	1	o	6 a.	30.01	762.3	57	...	N E	1	o
Iloilo.	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	o
Iloilo, ...	..	29.83	757.7	81	...	N E	2	o	,,	29.93	760.2	77	...	N E	2	or
Cebu, ...	..	29.88	758.9	84	...	N	2	b	,,	29.91	759.7	80	...	N	1	c
Labuan, ...	..	29.78	756.4	84	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 24th at 11.45 a.—The barometer has risen in Japan, and fallen over China.

The high pressure area lies over the Lower Yangtze, and there are indications of the appearance shortly, of a depression over W. China.

The monsoon will probably moderate in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	N.E. to E. winds, fresh; fair.
—Formosa Channel,.....	N.E. winds, fresh to moderate.
—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 24th February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th February, 1907, P.M.								25th February, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S W	6	...	6 a.	29.93	760.1	...	...	S W	2	..
Hakodate,	,,	30.01	762.2	...	...	S W	6	...	,,	30.01	762.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	S	6	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.23	767.8	...	...	S E	2	...	,,	30.19	766.8	...	...	...	0	...
Nagasaki,	,,	30.23	767.8	...	...	S E	6	...	,,	30.27	768.8	...	...	N	2	...
Kagoshima,	,,	30.19	766.9	...	...	S E	2	...	,,	30.23	767.9	...	...	N W	4	...
Oshima,	,,	30.24	768.1	...	...	N W	4	...	,,	30.24	768.1	...	...	S	4	...
Naha,	,,	30.24	768.2	...	...	E	2	...	,,	30.25	768.2	...	...	...	0	...
Ishigakijima,	,,	30.25	768.2	...	...	E	4	...	,,	30.17	766.3	...	...	...	0	...
Chefoo,	3 p.	30.35	770.9	33	90	N	2	b	6 a.	30.40	772.1	23	...	S W	1	b
Weihaiwei,	,,	...	...	...	...	...	..	...	9 a.	30.35	770.9	33	...	N	1	b
Hankow,	,,	30.46	773.7	38	91	S E	2	or	6 a.	30.48	774.2	36	90	W	2	o
Kiukiang,	,,	30.40	772.1	36	80	N W	1	s	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.35	770.9	43	51	E	1	b	9 a.	30.40	772.1	40	74	E N E	1	ob
Gutzlaff,	,,	30.33	770.4	38	91	N E	1	bv	..	30.36	771.1	39	100	E N E	3	ov
Sharp Peak,	,,	30.26	768.6	53	61	N N E	4	o	,,	...	...	...	...	...	...	...
Amoy,	,,	30.17	766.3	58	76	E	2	c	6 a.	30.14	765.5	52	86	N E	2	o
Swatow,	,,	30.21	767.3	56	100	E	2	b	,,	30.18	766.6	51	86	E	1	c
Taihoku,	1 p.	30.22	767.6	...	...	E	8	...	5 a.	30.22	767.5	...	...	E	2	...
Taichu,	,,	30.18	766.5	...	...	N	4	...	,,	30.17	766.3	...	...	N	6	...
Tainan,	,,	30.20	767.0	...	...	N E	6	...	,,	30.20	767.0	...	...	N	4	...
Koshun,	,,	30.16	766.1	...	...	S	4	...	,,	30.12	765.0	...	...	N	4	...
Pescadores,	,,	30.21	767.4	...	...	N	8	...	..	30.21	767.2	...	...	N	8	...
Canton,	3 p.	30.12	765.0	66	76	S	2	b	9 a.	30.19	766.8	56	75	N	1	o
Hongkong,	4 p.	30.12	765.0	58	69	E S E	5	b	10 a.	30.19	766.8	60	69	E	4	o
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	62	...	S E	1	c	,,	30.21	767.3	62	...	S S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.7	52	...	E N E	1	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.03	762.8	77	...	N W	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.1	81	...	N E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.05	763.2	84	...	...	0	o	6 a.	30.10	764.6	70	...	S W	1	o
Manila,	4 p.	29.96	761	82	57	E	1	o	10 a.	30.08	764	77	68	N W	2	o
Legaspi,	2 p.	29.99	761.8	79	...	E	2	...	6 a.	30.02	762.4	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N	2	o
Iloilo,	..	29.87	758.7	81	...	N E	4	o	,,	29.95	760.7	77	...	N E	2	c
Cebu,	,,	29.92	759.9	80	...	N	2	or	,,	29.88	758.9	79	...	N	1	b
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

On the 25th at 11.55 a.—The barometer has fallen over S. China and E. Japan.

Pressure is highest over Central China, and gradients are moderate to slight.

Fresh to moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh ; fair.
2.—Formosa Channel,	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 25th February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th February, 1907, P.M.								26th February, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
emuro,	,,	29.89	759.1	...	...	S	4	...	6 a.	30.12	765.1	...	...	...	9	..
akodate,	,,	30.05	763.2	...	...	N W	8	...	,,	30.17	766.2	...	...	W	6	...
okio,	,,	30.06	763.6	...	...	S	2	...	,,	30.22	767.6	...	...	N E	2	...
ochi,	,,	30.11	764.8	...	...	S E	2	...	,,	30.23	767.8	...	...	W	2	...
agasaki,	,,	30.19	766.8	...	...	W	2	...	,,	30.27	768.8	...	...	...	0	...
agoshima,	,,	30.19	766.9	...	...	W	4	...	,,	30.23	767.9	...	...	S E	2	...
shima,	,,	30.20	767.1	...	...	N W	4	...	,,	30.20	767.1	...	...	S	2	...
aha,	,,	30.24	768.2	...	...	...	6	...	,,	30.21	767.2	...	...	S	2	...
higakijima,	,,	30.17	766.3	...	...	S	6	...	,,	30.13	765.3	...	...	S	6	...
hefoo,	3 p.	30.28	769.1	35	90	...	0	o	6 a.	30.19	766.8	35	80	S W	1	b
eihaiwei,	,,	30.30	769.6	33	...	N E	1	ovr	9 a.	...	...	...	...	...	...	...
ankow,	,,	30.32	770.1	43	75	S	1	o	6 a.	30.42	772.6	38	91	S W	1	b
iukiang,	,,	30.37	771.4	36	100	S S W	2	f	,,	30.34	770.6	38	100	...	0	o
anghai,	,,	30.32	770.1	43	59	E N E	1	o	9 a.	30.30	769.6	42	100	E	1	omd
ntzlaff,	,,	30.30	769.6	41	83	N N E	2	ov	,,	30.26	768.6	42	100	E	3	omd
arp Peak,	,,	30.24	768.1	48	93	N N W	1	o	,,	30.28	769.1	50	93	...	0	or
noy,	,,	29.98	761.5	56	81	N E	4	c	6 a.	30.13	765.3	56	87	N W	3	o
yatow,	,,	30.01	762.2	59	88	E	2	o	,,	30.12	765.0	54	87	E	1	c
hoku,	1 p.	30.18	766.6	...	...	E	8	...	5 a.	30.12	765.0	...	...	...	0	...
ichu,	,,	30.13	765.4	...	...	N	6	...	,,	30.16	766.1	...	...	N	2	...
inan,	,,	30.14	765.5	...	...	N W	6	...	,,	30.13	765.4	...	...	N	4	...
oshun,	,,	30.07	763.8	...	...	E	6	...	,,	30.10	764.5	...	...	E	2	...
escadores,	,,	30.19	766.8	...	...	N	8	...	,,	30.15	765.8	...	...	N	6	...
anton,	3 p.	30.01	762.2	65	68	N	1	c	9 a.	30.21	767.3	56	87	N	2	o
ongkong,	4 p.	30.08	764.0	61	73	E	4	c	10 a.	30.20	767.1	62	79	E	4	o
ictoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	S E	2	...
ap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao,	,,	30.08	764.0	65	...	E S E	1	o	,,	30.20	767.1	64	...	E	1	o
oibow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
kkhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	30.05	763.2	55	...	N N W	2	or	10 a.	...	...	...	...	...	...	...
urane,	,,	30.01	762.2	75	...	N W	1	c	,,	...	...	...	...	...	...	...
pe St. James,	,,	29.89	759.3	79	...	N E	1	c	,,	...	...	...	...	...	...	...
arri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
nila,	4 p.	29.96	761	84	46	E	3	c	10 a.	30.08	764	82	50	N E	0	o
gaspi,	2 p.	29.92	760.0	81	...	E	1	o	6 a.	...	...	...	...	...	...	...
acolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3	o
oilo,	,,	29.87	758.7	82	...	N E	2	o	,,	29.97	761.2	78	...	N E	3	c
ebu,	,,	29.82	757.4	82	...	N	2	b	,,	29.91	759.7	78	...	N	1	o
abuan,	,,	29.78	756.4	84	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 26th at 12.05 p.—The barometer has risen in E. Japan, and fallen over the E. coast of China and the Loochoos.

A low pressure area appears to be developing over the Eastern Sea, and the highest pressure is over Central China.

Moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	E. to N. winds, moderate or light; fair.
—Formosa Channel,	N.E. to N. winds, moderate.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 26th February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th February, 1907, P.M.								27th February, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	...	0	..
Hakodate,	,,	30.09	764.2	...	...	W	4	...	,,	29.89	759.2	...	...	N E	2	...
Tokio,	,,	30.18	766.6	...	...	S E	4	...	,,	30.14	765.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	S E	4	...	,,	30.23	767.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	N W	2	...	,,	30.27	768.8	...	...	...	0	...
Kagoshima,	,,	30.23	767.9	...	...	N	4	...	,,	30.23	767.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	...	6	...	,,	30.16	766.1	...	...	...	0	...
Naha,	,,	30.13	765.2	...	...	S	6	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.13	765.3	...	...	S W	6	...	,,	30.13	765.3	...	...	N E	6	...
Chefoo,	3 p.	30.09	764.3	55	44	W S W	1	b	6 a.	30.15	765.8	37	91	...	0	c
Weihaiwei,	,,	30.09	764.3	48	...	S W	1	b	9 a.	30.27	768.8	25	...	N E	4	c
Hankow,	,,	30.27	768.8	55	44	S S W	1	b	6 a.	30.34	770.6	40	100	N E	2	o
Kiukiang,	,,	30.43	772.9	47	77	...	0	c	,,	30.27	768.8	43	100	...	0	o
Shanghai,	,,	30.25	768.3	43	100	E	1	omd	9 a.	30.28	769.1	42	100	E	1	omd
Gutzlaff,	,,	30.24	768.1	42	100	E N E	2	fd	,,	30.25	768.3	43	92	E	3	omr
Sharp Peak,	,,	30.20	767.1	52	93	N	1	og	,,	30.23	767.8	52	93	N	1	og
Amoy,	,,	29.92	759.9	58	81	S E	2	b	6 a.	30.04	763.0	58	76	S S W	1	o
Swatow,	,,	29.99	761.7	63	100	E	1	b	,,	30.12	765.0	57	87	E	1	o
Taihoku,	1 p.	30.15	765.9	...	...	N	4	...	5 a.	30.15	765.9	...	...	...	0	...
Taichu,	,,	30.11	764.7	...	...	N	4	...	,,	30.13	765.4	...	...	...	0	...
Tainan,	,,	30.12	765.0	...	...	W	4	...	,,	30.12	764.9	...	...	N	4	...
Koshun,	,,	...	...	...	...	...	...	...	,,	30.11	764.7	...	...	...	0	...
Pescadores,	,,	30.13	765.3	...	...	N	8	...	,,	30.13	765.4	...	...	N	8	...
Canton,	3 p.	30.14	765.5	59	82	S W	2	o	9 a.	30.19	766.8	57	94	...	0	o
Hongkong,	4 p.	30.09	764.3	64	85	E	2	o	10 a.	30.18	766.6	63	82	E	3	o
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E S E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.04	763.0	66	...	S E	1	o	,,	30.18	766.6	66	...	N N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.06	763.6	59	...	N W	1	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.03	762.8	73	...	N N W	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.6	79	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.08	764.1	70	...	S	1	c
Manila,	4 p.	29.96	761	86	41	E N E	1	o	10 a.	30.04	763	82	57	N N E	1	c
Legaspi,	2 p.	29.99	761.8	84	...	E	1	c	6 a.	30.01	762.1	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.88	758.9	83	...	N E	3	c	,,	29.94	760.5	78	...	N N E	3	or
Cebu,	,,	29.87	758.7	84	...	N	3	c	,,	29.91	759.7	81	...	N	2	c
Labuan,	,,	29.82	757.4	82	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 27th at 12.05 p.—The barometer has fallen considerably over N.E. Japan, where a slight depression exists.

Pressure continues to give way slowly over S. China. It is highest over N. China and the Yellow Sea.

Gradients are mostly slight, and moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 27th February, 1907.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th February, 1907, P.M.								28th February, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	29.69	754.1	...	...	S W	6	...	6 a.	29.65	753.1	...	...	S W	4	..
Hakodate,	,,	29.81	757.2	...	...	W	8	...	,,	29.69	754.2	...	...	N W	4	...
Aomori,	,,	30.02	762.6	...	...	S	6	...	,,	29.83	757.6	...	...	W	2	...
Sawhi,	,,	30.11	764.8	...	...	S E	4	...	,,	29.95	760.8	...	...	S W	4	...
Nagasaki,	,,	30.15	765.8	...	...	W	4	...	,,	30.07	763.8	...	...	N W	6	...
Kagoshima,	,,	30.12	764.9	...	...	S	2	...	,,	30.08	763.9	...	...	N	2	...
Oshima,	,,	30.12	765.1	...	...	N E	2	...	,,	30.04	763.1	...	...	N	10	...
Naha,	,,	30.09	764.2	...	...	S E	2	...	,,	30.01	762.2	...	...	N	4	...
Ishigakijima,	,,	30.09	764.3	...	...	S E	6	...	,,	30.05	763.3	...	...	...	0	...
Amoy,	3 p.	30.35	770.9	29	...	N E	4	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.33	770.4	27	...	N E	4	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.38	771.6	50	65	N W	1	o	6 a.	30.62	777.7	40	65	N	3	o
Kiukiang,	,,	30.27	769.3	46	92	S W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.19	766.8	44	92	E	1	omr	9 a.	30.55	775.9	36	61	N	3	o
Nutzlaff,	,,	30.17	766.3	42	100	N E	1	fd	,,	30.48	774.2	37	71	N	6	om
Sharp Peak,	,,	30.11	764.8	55	94	...	6	o	,,	...	...	...	...	...	...	...
Amoy,	,,	29.84	757.9	61	88	S W	3	b	6 a.	29.91	759.7	56	87	N E	6	or
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.13	765.3	...	...	S W	2	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	30.11	764.8	...	...	N	4	...	,,	...	...	...	...	...	...	...
Tainan,	,,	30.09	764.4	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Koshun,	,,	30.07	763.9	...	...	E	6	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.13	765.4	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.11	764.8	63	89	...	0	o	9 a.	30.22	767.6	57	81	N	1	o
Hongkong,	4 p.	30.07	763.8	66	79	E	2	o	10 a.	30.15	765.8	66	72	N N E	1	o
Victoria Peak,	,,	...	...	...	...	W	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.08	764.0	68	...	S E	1	o	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	50	...	...	0	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.03	762.7	75	...	N N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.5	81	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.01	762.2	81	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	86	41	E S E	2	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.96	760.9	82	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.83	757.7	83	...	N E	4	o	,,	29.89	759.2	80	...	N E	2	c
Cebu,	,,	29.77	756.1	84	...	N	3	o	,,	29.82	757.4	80	...	N	1	o
Zamboanga,	,,	29.80	756.9	85	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 28th at 10.40 a.—The barometer has fallen considerably over Japan and the Loochoos, and risen very rapidly over Central and Northern China.

The depression still lies over N.E. Japan, and a second area of low pressure is moving N.E. to the E. of the Loochoos.

A high pressure area of considerable intensity has appeared over China to the North of the Yangtze.

Gradients are steep and hard N. and N.E. gales may be expected over the Eastern Sea, the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
.—Hongkong and Neighbourhood,	N.E. winds, strong to a moderate gale; probably some rain, colder.
—Formosa Channel	N.E. strong gales.
.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong to a gale.
—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 28th February, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th February, 1907, P.M.								1st March, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	.
Nemuro,	,,	29.53	750.1	...	...	N	8	...	6 a.	29.65	753.1	...	...	N W	6	
Hakodate,	,,	29.65	753.2	...	...	W	8	...	,,	29.73	755.2	...	...	N	2	.
Tokio,	,,	29.47	748.6	...	...	S W	8	...	,,	29.87	758.6	...	...	N W	6	
Kochi,	,,	20.83	757.8	...	...	W	6	...	,,	30.11	764.8	...	...	W	2	.
Nagasaki,	,,	30.11	764.8	...	...	N W	8	...	,,	30.23	767.8	...	...	N	6	
Kagoshima,	,,	30.07	763.9	...	...	N W	8	...	,,	30.19	766.9	...	...	N W	6	.
Oshima,	,,	30.08	764.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	8	..
Naha,	,,	...	...	...	...	...	...	...	,,	30.21	767.2	...	...	N E	6	.
Ishigakijima,	,,	30.13	765.3	...	...	N	8	...	,,	30.21	767.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.41	772.4	23	...	S S W	2	b
Weihaiwei,	,,	30.47	773.9	24	...	N	4	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	44	37	N E	4	o	6 a.	30.65	778.4	33	60	N W	2	b
Kiukiang,	,,	30.59	777.0	38	39	N E	5	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.49	774.4	33	...	N N W	2	o	9 a.	30.52	775.2	33	...	W N W	2	b
Gutzlaff,	,,	30.44	773.2	35	70	N N W	6	om	,,	30.48	774.2	31	90	N W	3	om
Sharp Peak,	,,	30.29	769.3	50	93	N E	5	o	,,	30.40	772.1	48	85	E N E	4	o
Amoy,	,,	...	...	56	81	N E	5	o	6 a.	...	...	59	82	N E	3	c
Swatow,	,,	30.18	766.6	53	86	E	2	or	,,	...	...	47	70	E	2	or
Taihoku,	1 p.	30.25	768.4	...	...	N E	6	...	5 a.	30.32	770.1	...	...	E	6	...
Taichu,	,,	30.07	763.7	...	...	N	6	...	,,	30.17	766.4	...	...	N	6	...
Tainan,	,,	30.07	763.8	...	...	N	6	...	,,	30.21	767.2	...	...	N	6	...
Koshun,	,,	30.06	763.4	...	...	N E	10	...	,,	30.13	765.2	...	...	N E	10	...
Pescadores,	,,	30.13	765.3	...	...	N	10	...	,,	30.23	767.8	...	...	N	10	...
Canton,	3 p.	30.20	767.1	53	86	N N W	1	o	9 a.	30.33	770.4	48	85	N N W	1	o
Hongkong,	4 p.	30.12	765.0	59	75	N N E	1	o	10 a.	30.30	769.6	50	74	N	2	o
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	61	...	N	3	od	,,	30.33	770.4	57	...	N	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.09	764.4	61	...	N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.99	761.7	75	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.9	81	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.3	81	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	88	42	E S E	1	c	10 a.	29.96	761	79	61	W N W	1	c
Legaspi,	2 p.	29.92	760.0	82	...	E	2	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.82	757.4	83	...	N E	3	o	,,	29.87	758.7	80	...	N E	3	b
Cebu,	,,	29.86	758.4	93	...	N	1	o	,,	29.99	759.4	81	...	N	1	b
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.84	757.9	79	...	...	...	...

On the 1st at 11.50 a.—The barometer has risen considerably over W. Japan, the Loochoos and S. China, a fallen slightly in the Philippines.

The depression lying over N.E. Japan yesterday, has moved into the Pacific, and the high pressure area rema over Central China.

Gradients are easier on the China coast, but strong monsoon may still be expected in the Formosa Channel. Ov the N. part of the China Sea, N. and N.E. gales will continue to pr evail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh ; dull, some rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 1st March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st March, 1907, P.M.								2nd March, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro,	,,	29.77	756.1	...	...	N W	8	...	6 a.	29.89	759.1	...	...	...	0	..
odate,	,,	29.81	757.2	...	...	N W	4	...	,,	29.93	760.2	...	...	...	0	...
io,	,,	29.94	760.6	...	...	N W	6	...	,,	30.14	765.6	...	...	S W	4	...
hi,	,,	30.11	764.8	...	...	S E	4	...	,,	30.23	767.8	...	...	N W	6	...
asaki,	,,	30.23	767.8	...	...	N	4	...	,,	30.19	766.8	...	...	N	4	...
oshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.19	766.9	...	...	N	4	...
ma,	,,	30.16	766.1	...	...	N W	6	...	,,	30.20	767.1	...	...	N	6	...
a,	,,	30.20	767.2	...	...	N	8	...	,,	30.25	768.2	...	...	N E	4	...
akijima,	,,	30.21	767.3	...	...	N	4	...	,,	...	...	...	...	...	...	...
o,	3 p.	30.20	767.1	38	100	N W	4	b	6 a.	30.19	766.8	33	90	N	2	b
aiwei,	,,	30.17	766.3	35	...	W	4	b	9 a.	30.29	769.3	30	...	N W	4	b
ow,	,,	30.56	776.2	45	31	E	1	c	6 a.	30.52	775.2	35	80	S W	1	b
ang,	,,	30.46	773.7	33	90	N E	2	b	,,	30.46	773.7	31	100	...	0	b
hai,	,,	30.38	771.6	40	31	N W	2	c	9 a.	30.41	772.4	38	...	W S W	1	b
aff,	,,	30.37	771.4	37	71	N N W	2	cm	,,	30.38	771.6	36	100	W	2	bv
Peak,	,,	30.31	769.9	47	85	N	4	o	,,	30.38	771.6	46	84	N	1	b
,	,,	30.24	768.1	50	72	N E	5	c	6 a.	30.32	770.1	44	84	N N E	2	c
w,	,,	30.18	766.6	51	72	E	2	o	,,	...	...	...	...	...	...	...
u,	1 p.	30.28	769.1	...	...	E	6	...	5 a.	...	...	...	...	...	...	...
,	,,	30.17	766.3	...	...	N	6	...	,,	...	...	...	...	...	...	...
,	,,	30.17	766.4	...	...	N	6	...	,,	...	...	...	...	...	...	...
m,	,,	30.09	764.3	...	...	N E	10	...	,,	...	...	...	...	...	...	...
dores,	,,	30.20	767.2	...	...	N	10	...	,,	...	...	...	...	...	...	...
n,	3 p.	30.29	769.3	48	78	N N W	1	o	9 a.	30.53	770.4	49	78	N N W	1	o
kong,	4 p.	30.21	767.3	51	80	N	1	o	10 a.	30.27	768.8	59	45	E N E	1	c
ria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	E	5	...
Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
o,	,,	30.22	767.6	55	...	N	3	o	,,	30.29	769.3	57	...	N N E	2	c
ow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
pi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en,	4 p.	30.18	766.6	59	...	W S W	1	o	10 a.	30.27	768.8	55	...	E N E	2	o
ne,	,,	30.06	763.6	70	...	N	4	o	,,	30.18	766.6	70	...	W S W	1	or
St. James,	,,	29.84	757.9	81	...	E N E	3	o	,,	29.93	760.3	81	...	N E	4	c
n,	2 p.	29.97	761.2	75	...	N E	1	o	6 a.	...	...	...	...	...	...	...
a,	4 p.	29.84	758	86	53	E N E	1	c	10 a.	30.00	762	81	70	W S W	1	c
pi,	2 p.	29.90	759.4	81	...	N E	1	o	6 a.	...	...	...	...	...	...	...
od,	3 p.	...	...	...	...	N	3	o	9 a.	...	...	...	...	N E	1	o
,	,,	29.79	756.6	85	...	N	4	o	,,	29.89	759.2	79	...	N E	1	c
ui,	,,	29.74	755.4	83	...	N	3	c	,,	29.82	757.4	81	...	N	1	c
uan,	,,	29.75	755.6	84	...	...	...	...	,,	29.83	757.7	79	...	...	...	...

On the 2nd at 11.50 a.m.—The barometer has risen over Japan, and fallen over Central and Northern China.
The fall of the mercury in N. China appears to be caused by an area of low pressure over E. Manchuria.
Pressure is still high over Central China.
Gradients continue rather steep over the China Sea where very strong monsoon will continue to prevail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh ; fine.
Formosa Channel,	N.E. winds, strong to fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 2nd March, 1907.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd March, 1907, P.M.								3rd March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	N W	2	...	6 a.	29.89	759.1	...	...	...	0	..
Hakodate,	,,	29.93	760.2	...	...	N W	4	...	,,	30.01	762.2	...	...	N W	2	...
Tokio,	,,	29.98	761.6	...	...	E	4	...	,,	30.06	763.6	...	...	W	6	...
Kochi,	,,	30.07	763.8	...	...	W	6	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	W	6	...	,,	30.19	766.8	...	...	N E	2	...
Kagoshima,	,,	30.19	766.9	...	...	N	8	...	,,	30.23	767.9	...	...	N	2	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	4	...
Naha	,,	30.24	768.2	...	...	N	6	...	,,	30.21	767.2	...	...	N E	2	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	6	...
Chefoo,	3 p.	30.30	769.6	32	...	N W	2	b	6 a.	30.22	767.6	26	...	S W	2	b
Weihaiwei,	,,	30.24	768.1	33	...	N W	3	b	9 a.	30.21	767.3	35	...	E	2	b
Hankow,	,,	30.45	773.4	50	45	E	3	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.48	774.2	50	79	N W	2	b	,,	30.33	770.4	38	91	...	0	c
Shanghai,	,,	30.38	771.6	51	34	W N W	2	b	9 a.	30.34	770.6	45	61	S E	1	b
Gutzlaff,	,,	30.34	770.6	45	76	W S W	2	bv	,,	30.34	770.6	43	83	S S W	2	cn
Sharp Peak,	,,	30.29	769.3	49	85	E N E	3	b	,,	30.34	770.6	46	84	N N W	2	b
Amoy	,,	30.17	766.3	57	63	N E	3	b	6 a.	30.30	769.6	50	65	N E	2	b
Swatow,	,,	30.20	767.1	58	64	E	4	b	,,	30.22	767.6	48	71	N E	2	c
Taihoku,	1 p.	30.27	768.9	...	...	E	6	...	5 a.	30.25	768.2	...	...	E	6	...
Taichu,	,,	30.16	766.1	...	...	N	6	...	,,	30.19	766.8	...	...	...	0	...
Tainan,	,,	30.18	766.5	...	...	N	4	...	,,	30.19	766.8	...	...	N	2	...
Koshun	,,	30.13	765.4	...	...	N E	8	...	,,	30.13	765.2	...	...	N E	4	...
Pescadores,	,,	30.20	767.6	...	...	N E	10	...	..	30.19	766.8	...	...	N	8	...
Canton,	3 p.	30.21	767.3	59	65	N W	1	c	9 a.	..	...	...	...	...	...	...
Hongkong,	4 p.	30.17	766.3	57	65	E S E	3	o	10 a.	30.23	767.8	57	56	E S E	2	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.15	765.8	61	...	E S E	1	o	,,	30.23	767.8	61	...	N	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.22	767.6	54	94	N E	1	or	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.4	59	...	E S E	1	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.07	763.7	68	...	...	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.6	79	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.01	762.3	73	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	758.9	82	61	E	1	o	10 a.	30.00	762	82	57	E	1	o
Legaspi,	2 p.	29.92	760.0	70	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.82	757.4	84	...	E N E	3	o	,,	29.93	760.2	81	...	N E	2	o
Cebu,	,,	29.86	758.4	83	...	N	3	b	,,	29.95	760.7	81	...	N	2	o
Labuan,	,,	29.77	756.1	82	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 3rd at 11.50 a.—The barometer has fallen over the China coast, and probably a depression will soon appear over W. China.

Pressure is highest over the Eastern Sea.

Gradients are decreasing, and the monsoon will moderate in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate ; fair.
2.—Formosa Channel,	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 3rd March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd March, 1907, P.M.								4th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro,	,,	29.93	760.1	...	...	N	4	...	6 a.	30.01	762.1	...	...	...	9	..
kodate,	,,	30.01	762.2	...	...	W	8	...	,,	29.85	758.2	...	...	E	6	...
kio,	,,	30.10	764.6	...	...	E	2	...	,,	30.06	763.6	...	...	W	4	...
chi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.11	764.8	...	...	...	0	...
gasaki,	,,	30.23	767.8	...	...	W	6	...	,,	30.19	766.8	...	...	N	2	...
goshima,	,,	30.19	766.9	...	...	N W	4	...	,,	30.19	766.9	...	...	N	4	...
hima,	,,	30.24	768.1	...	...	N	2	...	,,	30.16	766.1	...	...	S	2	...
ha,	,,	30.20	767.2	...	...	E	2	...	,,	30.05	763.2	...	...	N E	2	...
igakijima,	,,	30.17	766.3	...	...	E	6	...	,,	30.09	764.3	...	...	N W	8	...
efoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.39	771.9	30	...	N N E	2	b
ihaiwei,	,,	30.19	766.8	41	...	N	4	b	9 a.	30.47	773.9	31	...	N E	3	b
nkow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	30.26	768.6	49	57	W	2	o	,,	30.52	775.2	41	74	W	2	b
nghai,	,,	30.22	757.6	49	37	S E	2	c	9 a.	30.33	770.4	47	63	N W	3	b
tzlaff,	,,	30.24	768.1	45	68	S E	2	cv	,,	30.33	770.4	41	83	N W	3	bn
rp Peak,	,,	30.23	767.8	52	50	N E	2	o	,,	30.37	771.4	51	90	N E	1	b
by,	,,	30.21	767.3	57	69	N N E	2	o	6 a.	30.20	767.1	53	86	N E	2	c
tow,	,,	30.15	765.8	62	89	N E	2	c	,,	30.24	768.1	54	87	N	2	or
hoku,	1 p.	30.14	765.6	...	...	E	6	...	5 a.	30.27	768.8	...	...	N W	4	...
chu,	,,	30.13	765.3	...	...	N	4	...	,,	30.24	768.0	...	...	...	0	...
nan,	,,	30.11	764.7	...	...	E	6	...	,,	30.19	766.8	...	...	N	6	...
shun,	,,	30.09	764.3	...	...	N E	6	...	,,	30.11	764.8	...	...	N W	6	...
cadores,	,,	30.19	766.7	...	...	N	8	...	,,	30.22	767.5	...	...	N	8	...
ton,	3 p.	30.21	767.3	60	71	N W	1	c	9 a.	30.37	771.4	57	81	N N W	2	b
ngkong,	4 p.	30.12	765.6	59	56	E S E	3	o	10 a.	30.31	769.9	62	55	N	2	c
ctoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	N N E	4	...
p Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
cao,	,,	30.13	765.3	63	...	S E	1	o	,,	30.24	768.1	61	...	N	3	c
ihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi,	,,	30.17	766.3	54	94	N	2	or	,,	...	...	...	...	...	...	...
alien,	4 p.	30.11	764.7	64	...	N E	3	o	10 a.	...	...	...	...	...	...	...
rane,	,,	30.05	763.3	75	...	E	1	o	,,	...	...	...	...	...	...	...
e St. James,	,,	29.87	758.8	79	...	N E	4	c	,,	...	...	...	...	...	...	...
rri,	2 p.	30.02	762.5	77	...	N E	1	c	6 a.	...	...	...	...	...	...	...
uila.	4 p.	29.88	759	88	42	E	2	o	10 a.	30.00	762	81	69	W	1	c
naspi,	2 p.	29.93	760.3	82	...	N E	1	c	6 a.	...	...	...	...	...	...	...
solod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	c
ilo,	,,	29.83	757.7	84	...	N E	2	b	,,	29.93	760.2	81	...	N E	2	c
ou,	,,	29.88	758.9	81	...	N	1	b	,,	29.93	760.2	81	...	N	2	o
buan,	,,	29.78	756.4	82	...	...	...	...	,,	29.91	759.7	79	...	...	...	...

On the 4th at 11.50 a.—The barometer has risen over China, and fallen over Japan and the Loochoos.

A depression appears to moving Eastwards in the N. part of the Sea of Japan, and a second area of low pressure is moving N.E. to the S. of the Loochoos.

Pressure is again high over Central and Northern China.

The monsoon will freshen again in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N. winds, moderate ; fine.
—Formosa Channel,	N. to N.E. winds, moderate to strong.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 4th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th March, 1907, P.M.								5th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	N	2	...	6 a.	29.81	757.1	...	...	N W	2	...
Hakodate,	,,	29.81	757.2	...	...	N W	8	...	,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	...	0	...	,,	29.87	758.6	...	...	N	4	...
Kochi,	,,	29.95	760.8	...	...	W	2	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	W	8	...	,,	30.19	766.8	...	...	N W	8	...
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N W	6	...
Oshima,	,,	30.12	765.1	...	...	N W	6	...	,,	30.20	767.1	...	...	N	8	...
Naha,	,,	30.13	765.2	...	...	N	8	...	,,	30.28	769.2	...	...	N	10	...
Ishigakijima,	,,	30.17	766.3	...	...	N	6	...	,,	30.37	771.3	...	...	N	8	...
Chefoo,	3 p.	30.42	772.6	32	100	N W	4	b	6 a.	30.39	771.9	30	...	S W	1	b
Weihaiwei,	,,	30.39	771.9	32	...	N W	4	b	9 a.	30.33	770.4	38	...	W N W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.56	776.2	56	51	N W	3	o	,,	30.67	779.0	34	90	...	0	b
Shanghai,	,,	30.42	772.6	43	51	N	4	c	9 a.	30.56	776.2	40	56	N	1	b
Gutzlaff,	,,	30.37	771.4	43	75	N N W	6	cm	,,	30.53	775.4	36	80	N N W	4	bm
Sharp Peak,	,,	30.32	770.1	53	93	E N E	2	c	,,	30.51	774.9	49	85	N E	4	c
Amoy,	,,	30.23	767.8	61	60	N W	4	c	6 a.	30.39	771.9	50	86	N E	5	b
Swatow,	,,	30.23	767.8	60	82	E	3	b	,,	30.36	771.1	47	70	N E	1	b
Taihoku,	1 p.	30.34	770.7	...	...	N W	8	...	5 a.	30.43	772.9	...	...	E	6	...
Taichu,	,,	30.21	767.3	...	...	N	8	...	,,	30.26	768.6	...	...	N	2	...
Tainan,	,,	30.17	766.4	...	...	N	8	...	,,	30.26	768.6	...	...	N	4	...
Koshun,	,,	30.11	764.9	...	...	N	6	...	,,	30.25	768.4	...	...	N E	10	...
Pescadores,	,,	30.24	768.2	...	...	N	10	...	,,	30.29	769.3	...	...	N	10	...
Canton,	3 p.	30.31	769.9	66	59	N N W	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.22	767.6	66	34	N N E	2	b	10 a.	30.44	773.2	61	28	N	3	b
Victoria Peak,	,,	...	...	...	...	N	3	...	,,	...	...	...	...	N N E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.24	768.1	67	...	N	3	c	,,	30.46	773.7	61	...	N	4	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.34	770.6	58	...	N	5	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.29	769.4	61	...	E N E	1	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.6	73	...	N E	5	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.98	761.6	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	86	59	W S W	1	c	10 a.	30.04	763	82	63	E S E	1	o
Legaspi,	2 p.	29.92	759.9	81	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.81	757.2	83	...	N E	4	or	,,	29.93	760.2	80	...	N E	4	o
Cebu,	,,	29.89	759.2	85	...	N	2	c	,,	29.88	758.9	77	...	...	0	or
Labuan,	,,	29.78	756.4	82	...	...	...	...	,,	29.89	759.2	80	...	...	...	...

On the 5th at 11.45 a.—The depression has moved into the Pacific to the E. of Japan.

The anticyclone, which is of considerable intensity is lying over Central China, and pressure has increased quickly along the coast, except in Shantung.

Gradients are steep over the China Sea, and N. and N.E. gales may be expected over that area.

Very strong monsoon will prevail in the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh ; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N. to N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 5th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th March, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th March, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro,	,,	29.69	754.1	...	...	S	4	...	6 a.	29.61	752.1	...	...	S	2	..
kodate,	,,	29.73	755.2	...	...	N W	6	...	,,	29.65	753.2	...	...	W	4	...
io,	,,	29.83	757.6	...	...	N	4	...	,,	29.95	760.6	...	...	W	4	...
chi,	,,	30.07	763.8	...	...	N W	6	...	,,	30.15	765.8	...	...	S W	4	...
asaki,	,,	30.23	767.8	...	...	W	6	...	,,	30.27	768.8	...	...	N W	4	...
shima,	,,	30.19	766.8	...	...	N W	8	...	,,	30.27	768.9	...	...	N	4	...
[illegible]	,,	...	...	...	...	...	...	...	,,	30.28	769.1	...	...	N	6	...
[illegible]	,,	...	...	...	...	...	...	...	,,	30.32	770.2	...	...	N E	4	...
Kijima,	,,	30.41	772.3	...	...	N	6	...	,,	30.33	770.3	...	...	N	2	...
[illegible]	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ihaiwei,	,,	30.26	768.6	43	...	W	3	b	9 a.	30.12	765.0	53	...	S W	...	b
kow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kiang,	,,	30.60	777.2	55	28	...	0	o	,,	...	...	...	...	...	...	...
nghai,	,,	30.48	774.2	51	28	N	2	b	9 a.	30.40	772.1	45	46	S W	1	b
tzlaff,	,,	30.46	773.7	44	45	N N W	2	bm	,,	30.39	771.9	43	75	S W	2	bm
rp Peak,	,,	30.45	773.4	52	79	E	3	b	,,	30.43	772.9	48	85	N N W	1	c
oy,	,,	30.28	769.1	58	64	N E	2	b	6 a.	30.36	769.6	48	85	N E	3	c
atow,	,,	30.34	770.6	57	63	E S E	4	b	,,	30.32	770.1	47	77	N N E	2	c
hoku,	1 p.	30.46	773.8	...	...	N	6	...	5 a.	30.35	770.9	...	...	E	4	...
chu,	,,	30.31	770.0	...	...	N	8	...	,,	30.30	769.5	...	...	...	0	...
nan,	,,	30.28	769.2	...	...	N	8	...	,,	30.28	769.2	...	...	...	0	...
hun,	,,	30.28	769.2	...	...	N E	10	...	,,	30.25	768.3	...	...	N E	8	...
cadores,	,,	30.34	770.7	...	...	N	10	...	,,	30.28	769.2	...	...	N	8	...
ton,	3 p.	30.35	770.9	69	56	N	2	b	9 a.	...	...	...	...	...	...	...
gkong,	4 p.	30.31	769.9	60	44	E	3	c	10 a.	30.32	770.1	59	65	S E	2	b
toria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	E	2	...
Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ao,	,,	30.32	770.1	66	...	N	3	c	,,	30.33	770.4	63	...	E S E	1	c
how,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,	4 p.	30.35	770.9	79	...	S S E	2	o	10 a.	...	...	...	...	...	...	...
rane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
St. James,	,,	29.89	759.3	79	...	N E	4	c	,,	...	...	...	...	...	...	...
ri,	2 p.	...	...	...	...	...	...	...	6 a.	30.19	766.8	66	...	E	2	p
ila,	4 p.	29.96	761	81	56	N	1	o	10 a.	30.04	763	84	46	...	0	o
aspi,	2 p.	29.99	761.7	82	...	E	1	o	6 a.	...	...	...	...	...	...	...
lod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N E	3	c
o,	,,	29.85	758.2	83	...	N E	3	o	,,	29.93	760.2	79	...	N E	1	c
a,	,,	29.90	759.4	80	...	N	2	o	,,	29.94	760.5	79	...	N	3	b
man,	,,	29.79	756.6	83	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen in S. Japan, and fallen over N.E. Japan and China.

A depression is lying to the North of Hokkaido, and a second area of low pressure appears to be situated over N. China.

Pressure is highest over Central China.

Gradients have decreased in the South, and fresh to moderate monsoon may be expected in the Formosa Channel, and strong but moderating monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh to moderate; fine.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 6th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th March, 1907, P.M.								7th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.57	751.1	...	...	S W	4	...	6 a.	29.85	758.1	...	...	W	2	...
Hakodate,	,,	29.73	755.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S	6	...	,,	30.10	764.6	...	...	...	0	...
Kochi,	,,	30.07	763.8	...	...	S	4	...	,,	30.19	766.8	...	...	W	2	...
Nagasaki,	,,	30.23	767.8	...	...	W	8	...	,,	30.23	767.8	...	...	...	0	...
Kagoshima,	,,	30.19	766.9	...	...	N W	6	...	,,	30.27	768.9	...	...	...	0	...
Oshima,	,,	30.24	768.1	...	...	N	4	...	,,	30.28	769.1	...	...	S	3	...
Naha	,,	30.28	769.2	...	...	N	6	...	,,	30.25	768.2	...	...	E	2	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	2	...
Chefoo,	3 p.	30.00	762.0	65	53	S W	2	b	6 a.	30.06	763.5	47	63	S	1	b
Weihaiwei,	,,	30.02	762.5	59	...	S W	2	b	9 a.	30.01	762.2	41	...	S E	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.23	767.8	56	40	N E	1	o	,,	30.03	762.7	52	66	N E	1	or
Shanghai,	,,	30.24	768.1	56	30	S S E	2	c	9 a.	30.04	763.6	49	71	S S E	3	o
Gutzlaff,	,,	30.27	768.8	49	57	S E	2	bv	,,	30.11	764.8	48	78	S S E	4	cv
Sharp Peak,	,,	30.27	768.8	53	86	E	2	c	,,	30.17	766.3	53	80	N	1	c
Amoy,	,,	30.12	765.0	59	70	N E	4	b	6 a.	30.23	767.8	50	86	S W	3	c
Swatow,	,,	30.24	768.1	59	88	N E	4	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.26	768.5	...	...	E	8	...	5 a.	30.17	766.4	...	...	...	0	...
Taichu,	,,	30.20	767.2	...	...	N	2	...	,,	30.20	767.1	...	...	...	0	...
Tainan,	,,	30.26	768.6	...	...	W	4	...	,,	30.17	766.4	...	...	N	2	...
Koshun,	,,	30.20	767.2	...	...	N E	8	...	,,	30.13	765.4	...	...	N E	4	...
Pescadores,	,,	30.23	767.9	...	...	N	8	...	,,	30.18	766.6	...	...	N	6	...
Canton,	3 p.	30.17	766.3	70	48	...	0	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.18	766.6	58	48	E	4	c	10 a.	30.15	765.8	62	59	E	4	o
Victoria Peak,	,,	...	...	...	...	E N E	5	...	,,	...	...	...	...	S E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.18	766.6	64	...	S E	1	c	,,	30.15	765.8	64	...	E N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.3	68	...	S S E	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.12	765.0	72	...	N N W	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.7	79	...	N E	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.12	765.1	73	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	82	51	N E	1	o	10 a.	30.04	763	77	68	W N W	1	c
Legaspi,	2 p.	29.97	761.3	77	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.84	757.9	82	...	N E	3	od	,,	29.93	760.2	78	...	N E	3	c
Cebu,	,,	29.89	759.2	86	...	N	3	o	,,	29.92	759.9	85	...	N	2	c
Labuan,	,,	29.77	756.1	83	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 7th at 11.50 a.—The barometer has risen in E. Japan, and fallen quickly over China.
A depression is moving Eastwards over Shantung.
Pressure is now highest over the Pacific in the neighbourhood of the Loochoos.
Light or moderate variable winds may be expected in the Formosa Channel, and moderate to light monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate to light; fair.
2.—Formosa Channel,	Variable winds, moderate or light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 7th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th March, 1907, P.M.								8th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro,	,,	29.77	756.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	S W	2	..
odate,	,,	29.77	756.2	...	...	S W	6	...	,,	29.69	754.2	...	...	...	0	...
o,	,,	30.06	763.6	...	...	S	4	...	,,	29.95	760.6	...	...	W	2	...
hi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	4	...
asaki,	,,	30.19	766.8	...	...	W	6	...	,,	30.07	763.8	...	...	S E	8	...
oshima,	,,	30.23	767.9	...	...	W	4	...	,,	30.12	764.9	...	...	N	2	...
ima,	,,	30.20	767.1	...	...	N	2	...	,,	30.12	765.1	...	...	S	4	...
a,	,,	30.20	767.2	...	...	S E	4	...	,,	30.13	765.2	...	...	...	0	...
gakijima,	,,	30.13	765.3	...	...	S	6	...	,,	30.05	763.3	...	...	N E	2	...
oo,	3 p.	29.91	759.7	44	92	E N E	2	or	6 a.	29.87	758.7	41	92	N E	1	b
aiwei,	,,	30.04	763.0	39	...	E	1	r	9 a.	30.05	763.2	40	...	W	1	r
kow,	,,	...	...	...	...	...	...	...	6 a.	29.96	761.0	56	94	W N W	1	c
iang,	,,	29.90	759.4	71	45	S W	1	b	..	29.96	761.0	56	87	...	0	o
ghai,	,,	29.92	759.9	52	...	S S E	4	b	9 a.	29.96	761.0	56	75	S W	2	om
laff,	,,	29.94	760.5	53	73	S S E	4	c	..	29.98	761.5	55	68	S W	3	cm
p Peak,	,,	30.03	762.7	57	87	S E	1	b	,,	30.05	763.2	56	87	...	0	...
y,	,,	30.03	762.7	60	71	S E	3	b	6 a.	30.10	764.5	56	87	N E	1	o
w,	,,	...	...	...	...	...	...	...	,,	30.03	762.7	60	94	W	1	c
oku,	1 p.	30.15	765.8	...	...	W	2	...	5 a.	30.06	763.6	...	...	W	2	...
hu,	,,	30.09	764.2	...	...	W	2	...	,,	30.06	763.6	...	...	N	2	...
an,	,,	30.12	765.1	...	...	N	4	...	,,	30.04	763.0	...	...	N	4	...
hun,	,,	30.07	763.8	...	...	E	8	...	,,	30.02	762.6	...	...	N	4	...
adores,	,,	30.12	765.1	...	...	N E	4	...	,,	30.02	762.6	...	...	N E	4	...
ton,	3 p.	30.04	763.0	69	70	S E	1	o	9 a.	30.06	763.5	65	95	N	1	o
gkong,	4 p.	30.02	762.5	63	74	E	3	o	10 a.	30.07	763.8	66	89	E	2	o
oria Peak,	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	S	2	...
Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ao,	,,	30.03	762.7	65	...	S E	1	o	,,	30.11	764.8	67	...	S E	1	o
how,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi,	,,	30.04	763.0	73	63	S W	0	b	..	...	...	...	...	...	...	...
lien,	4 p.	29.94	760.4	66	...	S E	5	b	10 a.	...	...	...	...	...	...	...
rane,	..	29.98	761.5	77	...	N N W	1	b	,,	...	...	...	...	...	...	...
St. James,	,,	29.88	759.0	81	...	E	2	c	,,	...	...	...	...	...	...	...
rri,	2 p.	30.01	762.2	79	...	N E	1	b	6 a.	30.01	762.2	70	...	S	...	b
ila,	4 p.	29.92	760	81	62	S S E	1	c	10 a.	30.00	762	79	69	N W	2	o
aspi,	2 p.	29.96	760.9	82	...	E	1	c	6 a.	29.99	761.8	75	...	N E	1	o
olod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2	c
o,	,,	29.83	757.7	73	...	N E	2	c	,,	29.93	760.2	80	...	N E	2	c
n,	,,	29.87	758.7	83	...	N	3	...	,,	29.86	758.4	80	...	...	0	o
uan,	,,	...	...	...	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 8th at 11.45 a.—The barometer has fallen generally, except in the S. Philippines.

The depression in the North appears to be moving into the Yellow Sea. A second depression seems to be situated in the neighbourhood of Hakodate.

Pressure is highest over the Pacific to the E. of the Loochoos.

The monsoon is interrupted on the China coast, and light or moderate variable winds, probably accompanied by foggy weather, may be expected in the Formosa Channel. Light E. or variable winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	Variable winds, light or moderate; foggy, probably some rain.
Formosa Channel,	Same as No. 1.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 8th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th March, 1907, P.M.								9th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.41	747.1	...	...	W	6	...	6 a.	29.85	758.1	...	...	S	2	...
Hakodate,	,,	29.65	753.2	...	...	W	6	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	...	0	...	,,	29.99	761.6	...	...	S W	4	...
Kochi,	,,	29.99	761.8	...	...	S E	4	...	,,	29.95	760.8	...	...	N W	2	...
Nagasaki,	,,	29.99	761.8	...	...	S W	8	...	,,	29.99	761.8	...	...	N E	2	...
Kagoshima,	,,	30.04	762.9	...	...	S	2	...	,,	30.00	761.9	...	...	...	0	...
Oshima,	,,	30.08	764.1	...	...	S	6	...	,,	30.01	762.1	...	...	S	2	...
Naha,	,,	30.09	764.2	...	...	S	4	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	S	6	...	,,	29.97	761.3	...	...	S	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.03	762.7	36	100	E	2	f
Weihaiwei,	,,	30.05	763.2	43	...	E	1	c	9 a.	30.02	762.5	37	...	W	0	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.95	760.7	59	82	N E	1	c
Kiukiang,	,,	29.96	761.0	76	95	S E	1	b	,,	29.98	761.5	59	88	...	0	o
Shanghai,	,,	29.89	759.2	...	...	W	1	c	9 a.	29.99	761.7	60	65	N E	1	c
Gutzlaff,	,,	29.91	759.7	62	56	W S W	1	om	,,	30.06	763.5	54	74	S E	3	c
Sharp Peak,	,,	29.94	760.5	61	88	S E	1	b	,,	29.98	761.5	61	94	...	0	f
Amoy,	,,	29.92	759.9	68	85	S E	4	b	6 a.	30.03	762.7	60	88	...	0	f
Swatow,	,,	29.99	761.7	69	80	S E	2	b	,,	29.96	761.0	65	89	...	0	o
Taihoku,	1 p.	30.03	762.8	...	...	...	0	...	5 a.	29.98	761.5	...	...	S W	2	...
Taichu,	,,	30.00	762.0	...	...	N W	2	...	,,	29.99	761.7	...	...	...	0	...
Tainan,	,,	30.02	762.5	...	...	W	4	...	,,	29.97	761.3	...	...	...	0	...
Koshun,	,,	30.01	762.2	...	...	E	4	...	,,	29.94	760.5	...	...	...	0	...
Pescadores,	,,	30.01	762.3	...	...	N	4	...	,,	29.96	760.9	...	...	W	4	...
Canton,	3 p.	29.96	761.0	77	69	S E	1	c	9 a.	30.02	762.5	66	95	...	6	f
Hongkong,	4 p.	29.96	761.0	66	88	E	1	c	10 a.	30.02	762.5	67	89	E	2	o
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.95	760.7	70	...	S E	1	c	,,	30.02	762.5	68	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.8	72	...	S E	4	c	10 a.	29.97	761.3	73	...	S	3	c
Tourane,	,,	29.91	759.7	79	...	S E	2	b	,,	29.97	761.3	79	...	...	0	b
Cape St. James,	,,	29.85	758.2	81	...	E N E	2	o	,,	29.95	760.7	79	...	E N E	2	o
Aparri,	2 p.	29.93	760.1	82	...	N E	1	b	6 a.	29.95	760.8	70	...	S	1	...
Manila,	4 p.	29.88	759	86	47	E S E	2	c	10 a.	29.96	761	79	61	N N E	1	c
Legaspi,	2 p.	29.95	760.7	82	...	N E	1	o	6 a.	29.93	760.1	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.85	758.2	84	...	N E	2	o	,,	29.89	759.2	79	...	N E	2	c
Cebu,	,,	29.89	759.2	85	...	N	3	c	,,	29.92	759.9	82	...	N	1	c
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.87	758.7	81	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen in E. Japan, and fallen elsewhere, except on the E. coast of China.

The depression lying over N.E. Japan yesterday, has moved into the Pacific.

Pressure remains low and considerably below the normal over Central China and W. Japan.

Gradients are very slight in all areas, and light variable winds, accompanied by foggy weather, may be expected along the China coast, and light E. and S.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; cloudy, foggy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 9th March, 1907.

[Printed by Nokoha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TATION.	9TH MARCH, 1907, P.M.								10TH MARCH, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock. ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro, ...	,,	29.77	756.1	...	...	S	6	...	6 a.	29.93	760.1	...	...	...	0	..
odate.	,,	29.85	758.2	...	...	N W	6	...	,,	29.93	761.2	...	...	N	2	...
, ...	,,	29.91	759.6	...	...	S E	4	...	,,	29.91	759.6	...	...	...	0	...
i, ...	,,	29.92	759.8	...	...	S E	4	...	,,	29.95	760.8	...	...	W	2	....
saki.	,,	29.92	759.8	...	...	S W	4	...	,,	29.95	760.8	...	...	...	0	...
shima.	,,	92.92	759.9	...	...	S	2	...	,,	29.96	760.9	...	...	...	0	...
oa, ...	,,	92.96	761.1	...	...	N	4	...	,,	30.01	762.1	...	...	S	2	...
.....	,,	29.97	761.2	...	...	S W	4	...	,,	30.01	762.2	...	...	...	0	...
akijima.	..	29.97	761.3	...	...	S	6	...	,,	29.93	760.3	...	...	S	6	...
o.	3 p.	29.99	761.7	41	100	...	0	dh	6 a.	...	...	...	...	...	...	...
aiwei.	,,	30.09	762.0	40	...	S E	1	c	9 a.	29.93	760.2	36	...	E	1	c
ow, ...	..	29.94	760.5	77	...	...	0	b	6 a.	...	...	...	...	...	...	...
iang.	,,	29.92	759.9	74	59	N E	1	b	,,	..	...	...	...	...	...	...
ghai.	,,	29.90	759.4	62	51	N E	2	cm	9 a.	29.94	760.5	48	100	N E	1	of
iaff.	,,	29.91	759.7	52	80	E N E	3	m	,,	29.92	759.9	46	100	E	3	f
Peak.	,,	29.87	758.7	64	92	...	0	b	,,	29.92	759.9	59	94	...	0	f
.....	,,	29.84	757.9	61	77	S E	2	b	6 a.	29.92	759.9	64	89	S E	2	f
w, ...	,,	29.96	761.0	77	61	S	1	b	,,	...	...	...	...	...	...	...
ku, ...	1 p.	29.92	759.9	...	...	N	6	...	5 a.	29.94	760.4	...	...	...	0	...
u.	,,	29.90	759.5	...	...	W	4	...	,,	29.93	760.3	...	...	...	0	...
n, ...	,,	29.94	760.5	...	...	S W	6	...	,,	29.92	760.0	...	...	N E	2	...
un.	,,	29.94	760.4	...	...	S	4	...	,,	29.91	759.7	...	...	...	0	...
adores, ...	,,	29.93	760.2	...	...	W	2	...	,,	29.91	759.8	...	...	S W	4	...
on, ...	3 p.	29.90	759.4	76	77	...	0	o	9 a.	...	...	...	...	...	...	...
gkong.	4 p.	29.90	759.4	70	80	E	1	o	10 a.	29.99	761.7	69	84	W N W	1	b
oria Peak, ...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S W	2	...
Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ao, ...	,,	29.92	759.9	70	...	S E	1	o	,,	29.97	761.2	70	...	E S E	1	of
ow.	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
oi, ...	..	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien, ...	4 p.	29.81	757.1	75	...	S S E	3	c	10 a.	...	...	...	...	...	...	...
ane, ...	..	29.85	758.3	79	...	S E	2	or	,,	...	...	...	...	...	...	...
St. James...	,,	29.82	757.5	82	...	E S E	2	c	,,	...	...	...	...	...	...	...
ri, ...	2 p.	29.89	759.2	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
ila.	4 p.	29.84	757.9	86	59	W S W	1	c	10 a.	29.92	760	77	75	W N W	1	c
spi, ...	2 p.	29.88	758.9	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
lod, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	od
o.	,,	29.79	756.6	84	...	N E	2	c	,,	29.89	759.2	80	...	N E	3	c
n, ...	,,	29.82	757.4	84	...	N	2	b	,,	29.89	756.9	80	...	...	0	o
uan, ...	,,	29.76	755.9	83	...	...	...	...	,,	29.82	757.4	82	...	...	...	...

On the 10th at 11.55 a.—The barometer has risen slightly over N.E. Japan, and fallen a little elsewhere.

Pressure remains low over China and S. Japan, particularly over the E. coast of China where it is about 0.3 inch elow the normal.

Pressure is slightly higher in the neighbourhood of the Loochoos than elsewhere, but gradients are gentle in all reas, and light variable winds, accompanied by foggy weather, may be expected along the China coast. Light E. nd S.E. winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	Variable winds, light; fair, fog at night.
Formosa Channel.....	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 10th March, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th March, 1907, P.M.								11th March, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.96	761.1	...	...	S W	4	...	6 a.	30.04	763.1	...	...	...	0	...
Hakodate	,,	29.97	761.2	...	...	S E	4	...	,,	29.93	760.2	...	...	...	0	...
Tokio	,,	29.94	760.6	...	...	S E	4	...	,,	29.95	760.6	...	...	...	0	...
Kochi	,,	29.87	758.8	...	...	S E	4	...	,,	29.91	759.8	...	...	W	2	...
Nagasaki	,,	29.91	759.8	...	...	S W	4	...	,,	29.91	759.8	...	...	...	0	...
Kagoshima	,,	92.92	759.9	...	...	...	0	...	,,	29.92	759.9	...	...	...	0	...
Oshima	,,	92.93	760.1	...	...	N	2	...	,,	29.93	760.1	...	...	S	2	...
Naha	,,	29.97	761.2	...	...	S	4	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima	,,	29.93	760.3	...	...	S	6	...	,,	29.89	759.3	...	...	S	6	...
Chefoo	3 p.	29.88	758.9	43	92	...	0	o	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	29.96	761.0	49	...	E	1	c	9 a.	29.95	760.7	37	...	...	0	f
Hankow	,,	29.95	760.7	61	94	N W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	29.89	759.2	67	79	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai	,,	29.84	757.9	53	93	E	1	om	9 a.	29.89	759.2	49	100	N N W	1	of
Gutzlaff	,,	29.84	757.9	52	86	E S E	1	b	,,	29.86	758.4	47	100	S W	1	f
Sharp Peak	,,	29.83	757.7	63	45	...	0	b	,,	29.87	758.7	60	94	...	0	...
Amoy	,,	29.82	757.4	71	66	S	3	b	6 a.	29.92	759.9	68	90	...	0	f
Swatow	,,	29.81	757.2	75	95	S E	2	b	,,	29.88	758.9	63	94	...	0	f
Taihoku	1 p.	29.89	759.1	...	...	N W	4	...	5 a.	29.89	759.1	...	...	...	0	...
Taichu	,,	29.86	758.4	...	...	W	4	...	,,	29.91	759.7	...	...	...	0	...
Tainan	,,	29.91	759.7	...	...	S W	6	...	,,	29.89	759.3	...	...	E	2	...
Koshun	,,	29.90	759.5	...	...	S	6	...	,,	29.89	759.1	...	...	...	0	...
Pescadores	,,	29.90	759.4	...	...	S E	4	...	,,	29.87	758.7	...	...	W	4	...
Canton	3 p.	29.85	758.2	79	87	S	1	b	9 a.	29.95	760.7	70	90	...	0	c
Hongkong	4 p.	29.84	757.9	76	65	W	1	b	10 a.	29.94	760.5	75	76	W	1	o
Victoria Peak	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	S W	2	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.84	757.9	73	...	S S E	2	c	,,	29.95	760.7	72	...	S E	1	of
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.78	756.4	73	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.81	757.2	79	...	S W	1	b	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.76	756.0	82	...	E S E	1	b	,,	...	...	...	...	...	...	...
Aparri	2 p.	29.84	758.0	81	...	S	1	b	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.84	758	84	64	S E	4	c	10 a.	29.92	760	81	62	W N W	2	b
Legaspi	2 p.	29.91	759.8	84	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	2	o
Iloilo	,,	29.79	756.6	82	...	N E	1	o	,,	29.87	758.7	81	...	N E	2	b
Cebu	,,	29.71	754.6	80	...	N	1	o	,,	29.79	756.6	80	...	...	0	c
Labuan	,,	29.73	755.1	86	...	...	...	...	,,	29.80	756.9	80	...	...	...	...

On the 11th at 11.55 a.m. The barometer has risen slightly in E. Japan, and fallen a little over S.W. Japan, the Loochoos and China.

Pressure remains low over China and the Eastern and Yellow Seas. It is lowest over the E. coast of China, where the departure from the normal is about 0.35 inch. Gradients are, however, very slight in all areas.

Light variable winds, accompanied by foggy weather, may be expected along the China coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	Variable winds, light; fair, fog at times.
2.—Formosa Channel	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 11th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th March, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th March, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro,	,,	30.00	762.1	...	...	S	6	...	6 a.	29.85	758.1	...	...	S	2	..
odate,	..	29.89	759.2	...	...	S E	2	...	..	29.85	758.2	...	...	...	0	...
io,	..	29.87	758.6	...	...	S	2	...	,,	29.87	758.6	...	...	N W	2	...
hi,	,,	29.87	758.8	...	...	...	0	...	,,	29.80	756.8	...	...	...	0	...
asaki,	,,	29.83	757.8	...	...	N	8	...	..	29.76	755.8	...	...	...	0	...
oshima,	..	29.84	757.9	...	...	...	0	...	,,	29.80	756.9	...	...	W	2	...
ma,	..	29.89	759.1	...	...	S	4	...	,,	29.85	758.1	...	...	S	4	...
a,	..	29.93	760.2	...	...	S	4	...	,,	29.93	760.2	...	...	S	2	...
gakijima,	..	29.89	759.3	...	...	S W	8	...	,,	29.86	758.3	...	...	S W	8	...
foo,	3 p.	29.89	759.2	44	100	E	1	f	6 a.	...	...	...	...	...	...	...
haiwei,	..	29.90	759.4	34	...	N E	1	f	9 a.	30.07	763.8	36	...	N N W	2	c
kow,	..	29.88	758.9	63	89	E	1	o	6 a.	29.90	759.4	58	94	W	1	o
kiang,	,,	29.84	757.9	65	78	N E	2	b	,,	...	...	...	...	...	...	...
nghai,	,,	29.81	757.2	57	87	N	2	o	9 a.	29.94	760.5	46	100	N N E	2	om
zlaff,	..	29.82	757.4	50	100	N N W	1	f	,,	29.95	760.7	45	100	N N E	2	f
p Peak,	,,	29.82	757.4	68	90	...	0	b	,,	29.87	758.7	62	94	N E	1	f
y,	..	29.74	755.4	70	75	S E	4	b	6 a.	29.82	757.4	64	95	...	0	f
ow,	,,	29.80	756.9	76	73	S	2	b	,,	29.84	757.9	65	95	...	0	f
oku,	1 p.	29.85	758.1	...	...	N	6	...	5 a.	29.84	757.8	...	...	...	0	...
hu,	..	29.87	758.7	...	...	W	4	...	,,	29.91	759.8	...	...	...	0	...
nan,	..	29.89	759.1	...	...	S E	6	...	,,	29.87	758.7	...	...	...	0	...
hun,	..	29.89	759.1	...	...	W	4	...	,,	29.85	758.2	...	...	W	2	...
cadores,	..	29.87	758.8	...	...	S E	6	...	,,	29.85	758.1	...	...	S	2	...
ton,	3 p.	29.82	757.4	79	70	S S W	1	c	9 a.	...	...	...	...	...	...	...
ngkong,	4 p.	29.83	757.7	74	72	S S W	1	o	10 a.	29.91	759.7	73	79	S	1	o
toria Peak,	..	...	...	...	...	S S W	3	...	,,	...	...	...	...	S S W	1	...
Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
cao,	,,	29.84	757.9	73	...	S E	1	o	..	29.91	759.7	70	...	S	1	o
how,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
lien,	4 p.	29.77	756.2	73	...	S S E	5	o	10 a.	...	...	...	...	...	...	...
rane,	,,	29.78	756.3	79	...	N N W	1	c	..	...	...	...	...	...	...	...
e St. James,	,,	29.79	756.6	81	...	E	2	b	,,	...	...	...	...	...	...	...
rri,	2 p.	29.87	758.7	84	...	N E	1	b	6 a.	29.89	759.3	72	...	S	0	b
ila,	4 p.	29.80	757	90	55	S E	5	b	10 a.	29.92	760	82	70	W	1	b
aspi,	2 p.	29.87	758.6	84	...	E	1	c	6 a.	29.92	760.0	77	...	E	1	b
olod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	1	c
o,	..	29.79	756.6	87	...	N E	2	c	,,	29.89	759.2	82	...	N E	1	c
a,	,,	29.80	756.9	85	...	N	2	b	..	29.91	759.7	84	...	N	2	b
uan,	,,	29.72	754.9	85	...	...	...	...	,,	29.79	756.6	83	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen over Japan, and risen over N. China.

The area of low pressure, which appears to be moving Eastwards, lies now over W. Japan. Pressure is highest over N. China.

Gradients have increased in the North, and N.E. and E. winds will probably set in again in the Formosa Channel and along the N. shores of the China Sea during the next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	S.E. to E. winds, light to moderate; foggy, probably some light rain.
Formosa Channel,	N.E. winds, light to moderate
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 12th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th March, 1907, P.M.								13th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	..	29.81	757.1	...	...	S E	2	...	6 a.	29.73	755.1	...	...	N W	2	..
Hakodate	..	29.77	756.2	...	...	N W	2	...	..	29.81	757.2	...	...	...	0	...
Tokio	..	29.75	755.6	...	...	S E	4	...	..	29.87	758.6	...	...	...	0	...
Kochi	..	29.76	755.8	...	...	...	0	...	..	29.88	758.8	...	...	W	2	...
Nagasaki	..	29.80	756.8	...	...	...	0	...	..	29.88	758.8	...	...	N	4	...
Kagoshima	..	29.76	755.9	...	...	W	2	...	..	29.84	757.9	...	...	N	2	...
Oshima	..	...	...	...	...	...	...	...	..	29.81	757.1	...	...	...	0	...
Naha	..	29.89	759.2	...	...	S W	6	...	..	29.85	758.2	...	...	S	4	...
Ishigakijima	..	29.89	759.2	...	...	S W	8	...	..	29.82	757.3	...	...	S W	6	..
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	30.24	768.1	35	70	N E	4	c
Weihaiwei	..	30.16	766.9	38	...	N	2	c	9 a.	30.29	769.3	38	...	N	2	b
Hankow	..	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang	..	29.88	758.9	58	94	N E	2	o	..	...	...	...	...	...	...	
Shanghai	..	29.88	758.9	54	87	N E	2	om	9 a.	30.06	763.5	46	77	E N E	4	o
Gutzlaff	..	29.90	759.4	48	100	N E	2	om	..	30.02	762.5	46	92	N E	4	om
Sharp Peak	..	29.79	756.6	64	89	E N E	3	of	..	29.93	760.2	60	88	N E	1	of
Amoy	..	29.74	755.4	74	72	S	2	f	6 a.	29.82	757.4	68	90	N E	2	f
Swatow	..	29.74	755.4	81	67	N W	2	b	..	29.77	756.1	70	95	...	0	f
Taihoku	1 p.	29.83	757.8	...	...	N	2	...	5 a.	29.86	758.5	...	...	...	0	...
Taichu	..	29.84	758.0	...	...	S	4	...	..	29.88	758.9	...	...	...	0	...
Tainan	..	29.89	759.1	...	...	S W	4	...	..	29.88	758.9	...	...	...	0	...
Koshun	..	29.87	758.7	...	...	W	6	...	..	29.86	758.2	...	...	N W	6	...
Pescadores	..	29.87	758.6	...	...	S	6	...	..	29.85	758.2	...	...	S E	4	...
Canton	3 p.	29.81	757.2	75	86	S E	1	o	9 a.	29.90	759.4	71	95	...	0	o
Hongkong	4 p.	29.81	757.2	75	79	S	1	o	10 a.	29.92	759.9	75	84	...	0	o
Victoria Peak	..	...	...	...	...	S W	3	...	..	...	...	...	...	S	3	...
Gap Rock	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Macao	..	29.82	757.4	72	...	S E	1	o	..	29.92	759.9	73	...	S E	1	of
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	..
Phulien	4 p.	29.73	755.2	72	...	E S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane	..	29.77	756.2	79	...	S E	2	c	..	...	...	...	...	...	...	...
Cape St. James	..	29.78	756.3	86	...	E	1	c	..	...	...	...	...	...	...	..
Aparri	2 p.	29.84	758.0	84	...	N E	1	b	6 a.	29.86	758.5	73	...	S W	1	b
Manila	4 p.	29.76	756	91	49	S E	1	b	10 a.	29.92	760	99	48	S E	0	c
Legaspi	2 p.	29.87	758.8	84	...	E	1	...	6 a.	29.90	759.5	73	...	E	1	b
Bacolod	3 p.	...	...	...	...	N E	2	b	9 a.	...	...	...	...	N E	1	b
Iloilo	..	29.79	756.6	88	...	N E	2	b	..	29.89	759.2	82	...	N E	1	b
Cebu	..	29.83	757.7	86	...	N	1	b	..	29.91	759.7	84	...	...	0	b
Labuan	..	29.72	754.9	88	...	...	...	...	..	29.86	758.4	80	...	...	...	...

On the 13th at 12.40 p.—The barometer has risen considerably over N. China, and fallen slightly over N.E. Japan and the Loochoos.

The low pressure area appears to have passed to the E. of Japan. A second low area seems to be forming over the Eastern Sea near the Loochoos. Pressure is high over N. China.

Fresh N.E. winds may be expected in the Formosa Channel, and light to moderate S.E. and E. winds over the N. part of the China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. to E. winds, light to fresh; foggy, probably some [rain.
2.—Formosa Channel.....	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 13th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th March, 1907, P.M.								14th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro.	..	29.73	755.1	...	...	N	2	...	6 a.	29.85	758.1	...	...	W	4	..
odate.	..	29.81	757.2	...	...	W	6	...	..	30.01	762.2	...	...	N W	4	...
o.	..	29.87	758.6	...	...	E	4	...	..	29.91	759.6	...	...	N	4	...
ni.	..	29.83	757.8	...	...	S W	2	...	..	29.84	757.8	...	...	W	4	...
asaki.	..	29.87	758.8	...	...	N	4	...	..	29.91	759.8	...	...	N	6	...
oshima.	..	29.84	757.9	...	...	S W	2	...	..	29.88	758.9	...	...	N	4	...
ma.	..	29.85	758.1	...	...	N	4	...	..	29.85	758.1	...	...	S	4	...
a.	..	29.85	758.2	...	...	S W	6	...	..	29.89	759.2	...	...	...	0	...
akijima.	..	29.85	758.3	...	...	S W	4	...	..	29.89	759.3	...	...	N	4	...
oo.	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
aiwei.	..	30.23	767.8	38	...	N N W	4	ovr	9 a.	...	...	...	...	...	...	...
ow.	..	29.99	761.7	48	93	N	3	or	6 a.	...	...	...	...	...	...	...
iang.	..	30.91	762.2	49	85	N E	5	o	..	...	...	...	...	...	...	...
ghai.	..	30.00	762.0	49	57	N E	4	c	9 a.	30.30	769.6	38	81	N N E	3	or
laff.	..	29.98	761.5	46	84	N N E	5	om	..	30.22	767.6	40	91	N N E	6	om
p Peak.	..	29.90	759.4	59	88	N E	3	o	..	30.12	765.0	55	94	N E	4	ofd
y.	..	29.75	755.6	65	78	S E	4	f	6 a.	29.96	761.0	60	88	N N E	3	f
w.	..	29.79	756.6	79	78	S S W	2	c	..	29.84	757.9	67	100	E	2	o
kn.	1 p.	29.88	759.0	...	...	N	4	...	5 a.	29.97	761.2	...	...	N	2	...
n.	..	29.86	758.5	...	...	S W	4	...	..	29.96	760.9	...	...	...	0	...
n.	..	29.87	758.6	...	...	W	4	...	..	29.95	760.6	...	...	N E	4	...
un.	..	29.91	759.8	...	...	N W	8	...	..	29.90	759.4	...	...	N	4	...
adores.	..	29.88	759.0	...	...	S	4	...	..	29.91	759.8	...	...	N E	2	...
on.	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
gkong.	4 p.	29.83	757.7	74	...	S S E	1	o	10 a.	30.00	762.0	74	89	..	0	o
oria Peak. ...	..	...	...	...	...	S S W	5	...	..	...	...	...	...	S	4	...
Rock.	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
o.	..	29.82	757.4	75	...	S S E	2	o	..	29.99	761.7	73	...	E S E	1	of
now.	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
noi.	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
ien.	4 p.	29.76	755.8	73	...	S E	6	o	10 a.	...	...	...	...	...	...	...
ane.	..	29.78	756.4	81	...	S E	2	c	..	...	...	...	...	...	...	...
St. James...	..	29.77	756.2	84	...	E	1	c	..	...	...	...	...	...	...	...
ri.	2 p.	29.87	758.8	84	...	N E	1	b	6 a.	29.93	760.3	70	...	S W	1	o
la.	4 p.	29.80	757	91	49	S E	1	b	10 a.	29.96	761	82	63	W	1	b
spi.	2 p.	29.88	758.9	84	...	E	1	o	6 a.	29.93	760.1	75	...	E	1	b
lod.	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	1	b
, ...	..	29.79	756.6	88	...	N E	1	c	..	29.89	759.2	83	...	N E	1	b
, ...	..	29.82	757.4	87	...	N	2	b	..	29.91	759.7	85	...	N	2	...
nan.	..	29.71	754.6	86	...	...	...	...	..	29.82	757.4	84	...	...	...	...

On the 14th at 12.30 p.—The barometer has risen over China, particularly in the North where pressure is now igh.

Pressure remains low, about 0.2 inch below the normal, over S.W. Japan and the Loochoos.

Gradients are rather steep over the Eastern Sea where N. and N.E. gales will prevail. Strong N.E. winds may c expected in the Formosa Channel, and freshening N.E. and E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. winds, freshening; foggy, some rain, cooler.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 14th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th March, 1907, P.M.								15th March, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	N E	6	...	6 a.	29.89	759.1	...	...	S E	2	.
Hakodate,	,,	29.97	761.2	...	...	N W	2	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	N E	6	...	,,	29.95	760.6	...	...	N W	2	...
Kochi,	,,	29.80	756.8	...	...	...	0	...	,,	29.95	760.8	...	...	N	2	...
Nagasaki,	,,	29.91	759.8	...	...	N	6	...	,,	30.15	765.8	...	...	N	6	...
Kagoshima,	,,	29.84	757.9	...	...	N W	4	...	,,	30.12	764.9	...	...	N W	4	...
Oshima,	,,	29.93	760.1	...	...	N	6	...	,,	30.08	764.1	...	...	N	8	...
Naha,	,,	29.93	760.2	...	...	N W	6	...	,,	30.13	765.2	...	...	N	8	...
Ishigakijima,	,,	29.97	761.3	...	...	N	6	...	,,	30.17	766.3	...	...	N	6	...
Chefoo,	3 p.	30.28	769.1	37	37	N W	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.38	771.6	42	...	N W	4	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.44	773.2	40	56	N E	5	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.35	770.9	40	56	N	3	o	9 a.	30.52	775.2	36	80	N W	1	o
Gutzlaff,	,,	30.28	769.1	40	74	N	6	om	,,	30.46	773.7	38	63	N	5	ov
Sharp Peak,	,,	30.11	764.8	53	93	N N E	5	og	,,	30.36	771.1	49	85	E N E	5	ob
Amoy,	,,	29.95	760.7	68	85	N E	2	or	6 a.	29.14	765.5	50	93	N E	4	or
Swatow,	,,	30.01	762.2	63	94	N E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.07	763.8	...	...	E	4	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	29.97	761.3	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tainan,	,,	29.98	761.6	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Koshun,	,,	29.96	761.0	...	...	W	4	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.98	761.4	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.92	759.9	77	91	...	0	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.94	760.5	74	88	...	0	o	10 a.	30.19	766.8	59	93	E N E	5	ol
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.94	760.5	74	...	S E	1	of	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.85	758.1	72	...	S E	4	dh	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.82	757.5	81	...	S E	5	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	81	...	E N E	4	b	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.2	82	...	N	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.81	758	90	48	S E	4	b	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.92	759.9	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	2	b
Hoilo,	,,	29.83	757.7	88	...	N E	3	b	,,	29.93	760.2	82	...	E N E	2	b
Cebu,	,,	29.75	755.6	86	...	N	2	b	,,	...	...	...	...	...	...	...
Labuan,	,,	29.72	754.9	87	...	...	...	...	,,	29.86	758.4	86	...	...	...	.

On the 15th at 12.10 p.—The barometer has risen rapidly over China, W. Japan and the Loochoos.

A high pressure area is lying over China to the North of the Yangtze, and pressure is relatively low over E. Japan and the China Sea.

Gradients are rather steep generally, and strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong: misty, rain at times.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 15th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th March, 1907, P.M.								16th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro, ...	,,	29.73	755.1	...	...	S W	6	...	6 a.	29.77	756.1	...	...	N W	6	..
odate, ...	,,	29.93	760.2	...	...	N W	4	...	..	29.93	760.2	...	...	N E	4	...
o, ...	,,	29.94	760.6	...	...	N	2	...	,,	29.99	761.6	...	...	N W	6	...
i, ...	,,	29.99	761.8	...	...	N W	6	...	,,	30.15	765.8	...	...	N	4	...
saki, ...	,,	30.15	765.8	...	...	N	6	...	,,	30.27	768.8	...	...	N	4	...
shima, ...	,,	30.12	764.9	...	...	N	6	...	,,	30.23	767.9	...	...	N	4	...
na, ...	,,	30.12	765.1	...	...	N	6	...	..	30.24	768.1	...	...	N	8	...
,, ...	,,	30.13	765.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	8	...
akijima, ...	,,	30.17	766.3	...	...	N	6	...	,,	30.25	768.3	...	...	N	6	...
oo, ...	3 p.	30.55	775.9	29	...	N	3	c	6 a.	30.52	775.2	24	100	W	2	b
aiwei, ...	,,	30.43	772.9	39	...	N W	4	b	9 a.	30.47	773.9	30	...	W N W	4	b
zow, ...	,,	...	...	...	...	...	...	...	6 a.	30.69	779.5	35	90	N E	1	b
iang, ...	,,	30.62	777.7	39	82	N E	3	c	,,	...	...	...	...	...	...	...
ghai, ...	,,	...	...	...	...	...	...	..	9 a.	30.58	776.7	39	55	N	2	b
laff, ...	,,	...	...	38	72	W N W	3	o	,,	30.53	775.4	37	71	N	3	cd
p Peak, ...	,,	30.33	770.4	49	78	N E	4	ow	,,	30.47	773.9	46	71	N N E	3	og
y, ...	,,	30.14	765.5	69	75	N E	5	o	6 a.	30.25	768.3	46	92	N E	4	or
ow, ...	,,	30.21	767.3	57	75	E	2	o	,,	30.28	769.1	50	86	N N E	2	o
ku, ...	1 p.	30.24	768.1	...	...	E	6	...	5 a.	30.37	771.3	...	...	E	2	...
au, ...	,,	30.14	765.6	...	...	N	4	...	,,	30.23	767.8	...	...	N	4	...
an, ...	,,	30.09	764.4	...	...	N	4	...	,,	30.21	767.2	...	...	N	6	...
un, ...	,,	30.08	764.0	...	...	N E	8	...	,,	30.15	765.9	...	...	N E	10	...
adores, ...	,,	30.17	766.2	...	...	N	10	...	,,	30.25	768.2	...	...	N	10	...
on, ...	3 p.	30.24	768.1	55	94	N N W	2	o	9 a.	30.41	772.4	48	85	N	1	or
gkong, ...	4 p.	30.17	766.3	61	83	N E	1	o	10 a.	30.33	770.4	54	75	N	2	o
oria Peak, ...	,,	...	...	...	...	N	2	...	,,	...	...	...	...	N	3	...
Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ao, ...	,,	30.15	765.8	67	...	N N E	2	o	,,	30.35	770.9	58	...	N	4	o
now, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi, ...	,,	30.18	766.6	54	87	N	2	o	,,	...	...	...	...	...	...	...
lien, ...	4 p.	30.02	762.6	66	...	E N E	6	o	10 a.	...	...	...	...	...	...	...
ane, ...	,,	30.00	762.0	81	...	S E	3	c	,,	...	...	...	...	...	...	...
St. James...	,,	29.87	758.6	82	...	E	4	c	,,	...	...	...	...	...	...	...
ri, ...	2 p.	30.00	761.9	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
ila, ...	4 p.	29.92	760	88	47	N N E	1	b	10 a.	30.04	763	81	76	W	2	o
aspi, ...	2 p.	29.93	760.3	84	...	E	1	b	6 a.	...	...	...	...	...	...	...
olod, ...	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N E	3	b
lo, ...	,,	29.83	757.7	86	...	N E	1	c	,,	29.97	761.2	81	...	N E	1	b
u, ...	,,	29.87	758.7	84	...	N	2	b	,,	299.7	761.2	84	...	N	3	b
uan, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 16th at 12.10 p.—The barometer has fallen in N.E. Japan, and risen elsewhere.

The anticyclonic area is central over the continent to the North of the Yangtze, and pressure is low over the Pacific to the N.E. of Japan.

Gradients continue rather steep and strong monsoon may be expected in the Formosa Channel, and N. and N.E. gales over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. to N.E. winds, fresh; dull, some light rain.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 2.
South coast of China between Hongkong and Hainan, ...	N. to N.E. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 16th March, 1907.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th March, 1907, P.M.								17th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	W	4	...	6 a.	29.97	761.1	...	...	N W	4	...
Hakodate,	,,	29.93	760.2	...	...	W	6	...	,,	30.05	763.2	...	...	N	4	...
Tokio,	,,	29.98	761.6	...	...	N W	6	...	,,	30.22	767.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	N	2	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	30.27	768.8	...	...	N	6	...	,,	30.27	768.8	...	...	E	2	...
Kagoshima,	,,	30.23	767.9	...	...	N W	6	...	,,	30.27	768.9	...	...	N	4	...
Oshima,	,,	30.24	768.1	...	...	N W	8	...	,,	30.24	768.1	...	...	N W	4	...
Naha,	,,	30.24	768.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	2	...
Ishigakijima,	,,	30.29	769.3	...	...	N	6	...	,,	30.21	767.3	...	...	N E	4	...
Chefoo,	3 p.	30.36	771.1	35	100	N W	5	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.36	771.1	36	...	W N W	...	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.61	777.5	45	61	N E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.57	776.5	42	75	N E	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.47	773.9	40	56	N	2	o	9 a.	30.46	773.7	40	48	W	1	b
Gutzlaff,	,,	30.45	773.4	39	64	N	3	ov	,,	30.41	772.4	38	63	N	2	...
Sharp Peak,	,,	30.41	772.4	45	84	N N E	3	ow	,,	30.42	772.6	45	84	N W	2	...
Amoy,	,,	30.19	766.8	50	79	N E	3	or	6 a.	30.21	767.3	47	77	N N E	3	...
Swatow,	,,	30.28	769.1	51	93	E N E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.33	770.5	...	...	E	6	...	5 a.	30.30	769.6	...	...	E	4	...
Taichu,	,,	30.25	768.3	...	...	N	4	...	,,	30.23	767.8	...	...	N	2	...
Tainan,	,,	30.22	767.6	...	...	N	6	...	,,	30.20	767.0	...	...	N	8	...
Koshun,	,,	30.17	766.4	...	...	N E	10	...	,,	30.16	766.0	...	...	N W	6	...
Pescadores,	,,	30.24	768.2	...	...	N	10	...	,,	30.23	767.9	...	...	N	10	...
Canton,	3 p.	30.32	770.1	54	...	N N E	2	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.24	768.1	54	73	N	1	o	10 a.	30.33	770.4	52	81	...	0	...
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.25	768.3	57	...	N	3	o	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.21	767.3	54	...	N	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.07	763.8	81	...	E N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	81	...	N E	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	759.9	86	65	S	1	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	4	b	9 a.	...	...	...	...	N E	3	b
Iloilo,	,,	29.88	758.9	87	...	E N E	2	b	,,	29.94	760.5	81	...	E N E	2	b
Cebu,	,,	29.89	759.2	86	...	N	2	c	,,	29.89	759.2	86	...	N	2	b
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 17th at 12.05 p.—The barometer has risen in E. Japan, and fallen over N. China.

The anticyclone still lies over China, and pressure is relatively low to the N.E. Japan and over the S. part of the China Sea.

Gradients are easier on the China coast and the monsoon will moderate in the Formosa Channel. Strong N. and N.E. winds to gales will continue to prevail over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; cloudy, dull.
2.—Formosa Channel,	N.E. winds, strong to fresh.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong to fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 17th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

17th MARCH, 1907, P.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...
Nemuro	..	29.96	761.1	...	...	S W	8	
Hakodate	..	30.06	763.2	.	...	N W	6	...
Tokio	..	30.14	765.6	...	...	S	4	...
Kochi	..	30.11	764.8	...	...	S E	4	...
Nagasaki	..	30.23	767.8	...	...	N W	6	...
Kagoshima	..	30.19	766.9		...	N W	6	...
Oshima	..	30.20	767.1	...	...	N	4	...
Naha	.	30.20	767.2	.	...	N	6	.
Ishigakijima	..	30.21	767.3		...	N E	6	..
Chefoo	3 p.	30.29	769.3	34	90	N	5	b
Weihaiwei	..	30.26	768.6	35	..	N W	6	b
Hankow	..	30.49	774.4	51	59	S	1	b
Kiukiang	..	30.47	773.9	45	46	W S W	2	c
Shanghai	..	30.37	771.4	48	13	W N W	1	c
Gutzlaff	..	30.37	771.4	44	53	N	1	c
Sharp Peak	..	30.35	770.9	45	88	N N E	3	or
Amoy	..	30.11	764.8	50	93	E	3	or
Swatow	..	30.26	768.6	50	93	N E	1	or
Tailaku	1 p.	30.29	769.4	...	...	E	4	...
Taichu	..	30.21	767.4	...	...	N	6	...
Tainan	..	30.21	767.3	...	...	N	8	...
Koshun	..	..	...	...	..	...	...	...
Pescadores	..	30.23	767.9	...	...	N	10	...
Canton	3 p.	30.37	771.4	49	85	N	1	c
Hongkong	1 p.	30.24	768.1	54	73	N	1	o
Victoria Peak	..		..	...	...	N	2	...
Cape Rock	..	.	.	.	...	...	...	.
Macao		30.25	768.2	55	..	N N E	2	o
Hoihow	3 p.	.		...	.	.	...	.
Pakhoi	..	...	...	..	...	..	...	
Phulien	4 p.	30.21	767.3	59	...	S E	1	o
Tourane	..	30.11	764.7	75	...	N W	3	c
Cape St. James	..	29.85	758.3	79	..	N E	5	c
Aparri	2 p.	...	..	.	...	.	...	...
Manila	1 p.	29.92	760	82	77	S E	2	..
Legaspi	2 p.	...	...		...	...	...	..
Bacolod	3 p.		...	...	...	N E	4	b
Iloilo	..	29.86	758.4	85	..	N E	3	b
Cebu	..	29.87	758.7	86	...	N	2	b
Laboan	..	29.81	757.2	86	..	...	...	...

18th MARCH, 1907, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	.	.	...	...	.	...	...
6 a.	...	...	.	...	..	...	.
..	..	...	...	..	.	...	...
..	...	.	...	...	...	...	...
..	...	.	...	..		...	..
..	...		..	...	...	...	...
..	..	...	...	...	..	...	...
.	..	...	...	...	...	...	...
..		...	..	...	...	...	...
6 a.			...			...	...
9 a.	30.36	771.1	44	.	W N W	4	b
6 a.	.		...	...	...	..	...
..	.	..		...	.	...	..
9 a.	...		..	.	..		.
..			..	...		...	...
..	30.43	772.9	17	78	N E	3	o
6 a.	30.24	768.1	48	85	N E	2	c
.		...	.	.		...	.
6 a.	30.31	769.9	..	...	E	1	..
..	30.23	767.8	...	...	N	4	...
..	30.23	768.8	...	...	N	4	..
..	30.15	766.8	...	..	N E	5	...
..	30.23	768.8	...	...	N	8	..
9 a.			...	...	..	...	..
10 a.	30.34	770.6	56	70	E	1	o
..		..	..	..	E N E	2	...
..	...		..	..	.	...	..
..	..	..	..	.	...	..	.
9 a.		...	..	.	.	.	...
..		...		..	...	...	...
10 a.		..		..	..	...	..
.	.	..		...	...	...	...
..	...	..	...	...	.	..	...
6 a.		.		.	...	...	...
10 a.		...	.	..	..	...	..
6 a.	...	.	...	...	...	...	..
9 a.	...	.	...	.	.	..	..
..		..	.	.	..	...	...
..	..	..		...	..	..	..
..		.	...	...	.	..	...

On the 18th at 1.20 p.m. The barometer has risen over N. China.

The anticyclone still lies over China, and strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Owing to the interruption of telegraphic communication between the Observatory and the Cable Office the returns have been delayed.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	N.E. winds, fresh; cloudy, dull.
2.—Formosa Channel.	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 2.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Monday, 18th March, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th March, 1907, P.M.								19th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S	8	...	6 a.	29.85	758.1	...	...	N	6	...
Hakodate,	,,	29.93	760.2	...	...	W	6	...	,,	29.93	760.2	...	...	N W	8	...
Tokio,	,,	29.91	759.6	...	...	S E	4	...	,,	30.06	763.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	N W	6	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.27	768.8	...	...	N	6	...	,,	30.27	768.8	...	...	W	2	...
Kagoshima,	,,	30.23	767.9	...	...	N W	8	...	,,	30.31	769.9	...	...	...	0	...
Oshima,	,,	30.28	769.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	6	...
Naha,	,,	30.28	769.2	...	...	N	6	...	,,	30.25	768.2	...	...	N E	2	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	6	...	,,	30.17	766.3	...	...	E	6	...
Chefoo,	3 p.	30.27	76.88	42	66	N W	2	b	6 a.	30.28	769.1	37	81	S W	2	b
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.33	770.4	46	92	S	1	c
Kiukiang,	,,	30.35	770.9	56	45	N E	2	c	,,	30.30	769.6	48	85	...	0	c
Shanghai,	,,	30.41	772.4	49	44	E	2	c	9 a.	30.36	771.1	41	49	E	2	c
Gutzlaff,	,,	30.41	772.4	45	61	N E	2	cm	,,	30.34	770.6	44	76	S E	3	c
Sharp Peak,	,,	30.34	770.6	49	85	N E	3	o	,,	30.32	770.1	50	79	N N W	1	c
Amoy,	,,	30.11	764.8	57	63	N E	3	o	6 a.	30.11	764.8	53	80	...	0	c
Swatow,	,,	30.24	768.1	62	56	E	2	o	,,	30.20	767.1	53	93	N N E	1	c
Taiboku,	1 p.	30.30	769.5	...	...	E	6	...	5 a.	30.22	767.5	...	...	E	2	...
Taichu,	,,	30.22	767.5	...	...	N	6	...	,,	30.18	766.6	...	...	...	0	...
Tainan,	,,	30.20	767.1	...	...	N	4	...	,,	30.16	766.1	...	...	N	4	...
Koshun,	,,	30.17	766.4	...	...	N E	8	...	,,	30.13	765.3	...	...	N W	4	...
Pescadores,	,,	30.24	768.0	...	...	N	10	...	,,	30.22	767.6	...	...	N	8	...
Canton,	3 p.	30.26	768.6	54	74	N N E	1	b	9 a.	30.29	769.3	55	87	N W	1	o
Hongkong,	4 p.	30.21	767.3	57	77	E N E	1	o	10 a.	30.26	768.6	61	65	E	4	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.21	767.3	56	...	N	1	o	,,	30.26	768.6	59	...	E S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.2	61	...	S	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.11	764.8	73	...	N W	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.1	82	...	E N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.06	763.6	79	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.92	760	88	54	W S W	1	c	10 a.	30.08	764	81	70	W	1	c
Legaspi,	2 p.	29.97	761.2	86	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.87	758.7	81	...	N E	3	o	,,	29.97	761.2	81	...	N E	3	c
Cebu,	,,	29.81	757.2	85	...	N	3	b	,,	29.90	759.4	82	...	N	1	o
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.93	760.2	83	...	...	...	...

On the 19th at 11.45 a.—The barometer has fallen over China, and risen over S. Japan.

A depression has passed from N. Japan to the Pacific. Pressure is now highest between the E. coast of China and W. Japan.

Gradients have decreased and the monsoon will moderate over the China Sea.

Moderate monsoon may be expected in the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 19th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

19th MARCH, 1907, P.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...
Nagasaki	"	29.77	756.1	...	...	N	6	...
Hakodate	"	29.93	760.2	...	...	N	4	...
Tokio	"	30.02	762.6	...	...	N W	4	...
Kochi	"	30.15	765.8	...	...	S W	2	...
Nagasaki	"	30.27	768.8	...	...	N	4	...
Kagoshima	"	30.23	767.9	...	...	W	4	...
Oshima	"	30.24	768.1	...	...	N	4	...
Naha	"	30.24	768.2	...	...	E	4	...
Ishigakijima	"	30.17	766.3	...	...	E	6	...
Chefoo	3 p.	30.25	768.3	54	30	N W	1	b
Weihaiwei	"	...	...	...	...	...	...	...
Hankow	"	...	...	...	...	...	...	...
Kiukiang	"	30.29	769.3	51	72	S E	2	o
Shanghai	"	30.29	769.3	53	59	S E	2	o
Gutzlaff	"	30.28	769.1	59	65	S E	...	ov
Sharp Peak	"	30.24	768.1	51	86	N E	2	og
Amoy	"	30.02	762.5	60	71	N E	2	b
Swatow	"	30.18	766.6	60	88	E	2	o
Taihoku	1 p.	30.20	767.0	...	...	E	6	...
Taichu	"	30.14	765.5	...	...	N W	6	...
Tainan	"	30.14	765.6	...	...	N W	6	...
Koshun	"	30.13	765.2	...	...	S W	4	...
Pesendores	"	30.18	766.5	...	...	N	8	...
Canton	3 p.	30.17	766.3	65	73	N E	1	c
Hongkong	4 p.	30.14	765.5	62	75	E	4	o
Victoria Peak	"	...	...	...	...	S E	1	...
Gap Rock	"	...	...	...	...	...	...	...
Macao	"	30.13	765.2	63	...	E S E	1	...
Heihow	3 p.	...	...	...	...	...	...	...
Pakhoi	"	...	...	...	...	...	...	...
Pakhoi	4 p.	30.10	764.5	63	...	N N E	1	or
Tourane	"	30.07	763.7	81	...	N W	1	b
Cape St. James	"	29.93	759.5	84	...	W	4	c
Aparri	2 p.	30.05	763.2	84	...	N E	1	b
Manila	4 p.	29.96	761	84	64	N W	1	c
Legaspi	2 p.	29.98	761.4	88	...	E	1	b
Bacolod	3 p.	...	...	...	...	N E	5	b
Iloilo	"	29.87	758.7	87	...	N E	1	b
Cebu	"	29.87	758.7	87	...	N	3	c
Laoang	"	29.86	758.4	85	...	...	...	...

20th MARCH, 1907, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	...	...	...	...	...	...	...
8 a.	30.01	762.1	...	...	N W	6	...
"	30.00	761.2	...	...	N	4	...
"	30.18	766.6	...	...	N W	2	...
"	30.31	769.8	...	...	S	2	...
"	30.35	770.8	...	...	...	0	...
"	30.31	769.9	...	...	N	2	...
"	30.24	768.1	...	...	N E	2	...
"	30.21	767.2	...	...	N E	4	...
"	30.05	763.3	...	...	S E	6	...
8 a.	30.28	769.1	38	63	S W	1	b
9 a.	30.34	770.6	42	...	N	1	b
6 a.	30.21	767.3	48	86	E	1	or
"	...	...	...	...	...	...	...
9 a.	30.28	769.1	46	92	E	2	o
"	30.24	768.1	46	92	E S E	4	on
"	30.20	767.1	51	93	N N W	1	ow
6 a.	30.03	762.7	54	87	S W	2	o
"	...	...	...	...	...	...	...
5 a.	30.09	764.3	...	...	...	0	...
"	30.09	764.2	...	...	N	4	...
"	30.06	763.5	...	...	N	2	...
"	30.04	763.1	...	...	...	0	...
"	30.07	763.7	...	...	N	8	...
9 a.	...	...	...	...	...	...	...
10 a.	30.15	766.8	62	83	E	3	o
"	...	...	...	...	S E	4	...
"	...	...	...	...	...	...	...
"	30.14	765.5	61	...	S E	1	o
9 a.	...	...	...	...	...	...	...
"	...	...	...	...	...	...	...
10 a.	...	...	...	...	...	...	...
"	...	...	...	...	...	...	...
6 a.	30.29	762.7	72	...	S	1	o
10 a.	30.09	762	81	76	W N W	1	b
8 a.	29.99	761.8	79	...	N E	1	c
9 a.	...	...	...	...	N E	1	od
"	29.97	761.2	80	...	N E	1	or
"	29.97	761.2	82	...	N	2	...
"	29.94	760.5	82	...	...	...	...

On the 20th at 11.20 a.m.—The barometer has risen in Japan, and fallen over China and Formosa.

Pressure is highest over the Yellow Sea and W. Japan, and a depression appears to be forming to the E. of Formosa.

Gradients are mostly slight, and moderate variable winds will probably prevail in the Formosa Channel, and moderate E. and S.E. winds over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds moderate; fair, misty.
2.—Formosa Channel,	N.E. or variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 20th March, 1907.

[Printed by NOROSHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th March, 1907, P.M.								21st March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	30.08	764.1	...	...	N	4	...	6 a.	30.28	769.1	...	...	W	2	...
Hakodate	,,	30.17	766.2	...	...	N	4	...	,,	30.32	770.2	...	...	...	0	...
Tokio	,,	30.30	769.6	...	...	N W	8	...	,,	30.42	772.6	...	...	W	2	
Kochi	,,	30.27	768.8	...	...	N	6	...	,,	30.39	771.8	...	...	W	2	
Nagasaki	,,	30.31	769.8	...	...	N E	6	...	,,	30.27	768.8	...	...	S W	8	
Kagoshima	,,	30.27	768.9	...	...	S	2	...	,,	30.27	768.9	...	...	N E	6	
Oshima	,,	30.24	768.1	...	...	S E	2	...	,,	30.20	767.1	...	...	S E	4	
Naha	,,	30.17	766.2	...	...	E	4	...	,,	30.09	764.2	...	...	E	6	
Ishigakijima	,,	30.05	763.3	...	...	S E	8	...	,,	29.97	761.3	...	...	E	2	
Chefoo	3 p.	30.26	768.6	41	92	E	2	o	6 a.	30.26	768.6	50	72	S W	1	...
Weihaiwei	,,	30.25	768.3	50	...	E	1	ovr	9 a.	...	...	...	...	...	...	...
Hankow	,,	30.15	765.8	51	93	N E	1	o	6 a.	30.18	766.6	47	93	N	2	...
Kiukiang	,,	30.11	764.8	50	100	...	0	or	,,	30.10	764.5	50	100	W	2	...
Shanghai	,,	30.15	765.8	45	92	E S E	4	ov	9 a.	30.04	763.0	51	100	W S W	1	...
Gutzlaff	,,	30.15	765.8	46	92	S E	5	omd	,,	30.02	762.5	50	100	S	2	...
Sharp Peak	,,	30.10	764.5	54	94	...	0	o	,,	30.05	763.2	55	94	...	0	...
Amoy	,,	29.92	759.9	60	71	S E	4	b	6 a.	30.07	763.8	56	94	S S E	3	...
Swatow	,,	30.01	762.2	65	73	E S E	2	b	,,	...	...	...	...	...	...	...
Taihoku	1 p.	30.09	764.2	...	...	N	2	...	5 a.	30.03	762.8	...	...	...	0	...
Taichu	,,	30.05	763.3	...	...	N W	4	...	,,	30.03	762.8	...	...	...	0	...
Tainan	,,	30.05	763.3	...	...	N W	6	...	,,	30.06	763.4	...	...	N	6	...
Koshun	,,	30.03	762.7	...	...	N W	4	...	,,	29.98	761.5	...	...	...	0	...
Pescadores	,,	30.09	764.3	...	...	N	8	...	,,	30.02	762.5	...	...	N	2	...
Canton	3 p.	30.02	762.5	69	80	E S E	1	c	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	30.01	762.2	64	83	E	4	o	10 a.	30.06	763.5	66	86	E	3	o
Victoria Peak	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	S E	2	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	30.01	762.2	63	...	S E	1	o	,,	30.06	763.5	64	...	S E	1	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.93	760.2	66	...	E S E	5	o	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.93	760.1	81	...	S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.87	758.8	82	...	N E	3	c	,,	...	...	...	...	...	...	...
Aparri	2 p.	29.95	760.8	82	...	N E	1	b	6 a.	29.97	761.2	73	...	S	1	b
Manila	4 p.	29.88	759	86	59	S E	2	c	10 a.	30.00	762	84	52	E S E	1	o
Legaspi	2 p.	29.96	760.9	86	...	E	1	b	6 a.	29.98	761.4	77	...	N E	1	b
Bacolod	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	b
Iloilo	,,	29.87	758.7	81	...	N E	2	o	,,	29.93	760.2	81	...	N E	1	c
Cebu	,,	29.82	757.4	80	...	N	4	o	,,	29.87	758.7	82	...	N	2	c
Labuan	,,	29.83	757.7	84	...	...	...	...	,,	29.95	760.7	83	...	...	...	...

On the 21st at 11.35 a.m. The barometer has risen considerably over E. Japan, and fallen over China, particularly on the E. coast.

A depression is moving into the Yellow Sea to the North of Shanghai, and a high pressure area lies over S.E. Japan.

Gradients are slight in the South, and light to moderate variable winds, accompanied by foggy weather, may be expected in the Formosa Channel. Light S.E. winds will prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. or variable winds, light; cloudy, foggy.
2.—Formosa Channel.....	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 21st March, 1907.

[Printed by Norokha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

21st MARCH, 1907, P.M.

Stations.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.							
Newchwang		30.28	769.1			N W	2	
Hakodate		30.28	769.2	...		W	4	
Tokio		30.58	771.6	...		S	4	
Kochi		30.35	770.8			S W	2	
Nagasaki		30.19	766.8			N E	1	
Kagoshima		30.19	766.8			E	1	
Oshima		30.08	764.1			S E	1	
Naze		30.05	763.2			S E	1	
Nagasakijima		29.97	761.2			S W	1	
Taipeh	3 p.	30.11	764.8	73	75	E	2	
Tamsui		30.09	764.3	73		E	1	c
Hongkew		30.15	765.8	18	78	N	1	c
Tientsing		30.08	764.3	54	91	N E	2	r
Shanghai		29.92	759.9	54	87	N W	2	
Woosung		29.93	760.2	56	100	N N W	2	cm
Sharp Peak		29.94	760.7	66	97	S	4	b
Amoy		29.76	755.9	63	88	S E	2	b
Swatow		29.94	760.5	65	95	E S E	2	b
Takokau	1 p.	29.98	761.5			N	2	
Taichu		29.95	760.6			S	2	
Pratas		29.99	761.7			W	6	
Koshun		29.97	761.2			S E		
Pescadores		30.01	762.2			N W	2	
Canton	3 p.	29.95	760.7	75	72	E S E	2	c
Hongkong	4 p.	29.94	760.5	78	79	E	3	c
Victoria Peak						S	2	
Gap Rock								
Macao		29.96	761.0	66		S E	1	c
Hulchow	3 p.							
Pakhoi								
Phulien	1 p.	29.84	757.9	79		E	5	c
Tourane		29.91	759.7	81		S E	3	b
Cape St. James		29.87	758.6	82		S E	2	c
Aparri	2 p.	29.92	760.0	84		N E	1	f
Manila	4 p.	29.88	759	90	66	E S E	1	c
Legaspi	2 p.	29.91	760.5	86		E	1	b
Borneo	3 p.					N	4	b
Iloilo		29.87	758.7	86		N E	2	b
Cebu		29.90	759.4	85		N	2	b
Labuan		29.81	757.2	84				

22nd MARCH, 1907, A.M.

Stations.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
	7 a.							
	8 a.	30.32	770.1			S	2	
		30.36	771.2				0	
		30.34	770.6			W	1	
		30.15	765.8			W	2	
		29.88	758.8			S E	10	
		29.93	760.0			E	4	
		29.97	761.1			S	3	
		29.97	761.2			S	4	
		29.93	760.0			S W	3	
	6 a.							
	9 a.	29.94	760.7	37		N	2	c
	6 a.							
	9 a.	30.00	762.0	47	93	W	2	o
		30.04	762.2	46	100	W N W	3	fd
		29.92	759.9	57	100	S E	3	f
	6 a.	29.79	756.9	62	89	N E	2	f
		29.99	761.7	57	87		3	f
	6 a.	29.94	760.5				1	
		29.95	760.1			S W	2	
		29.95	760.6			N	2	
		29.89	759.0			N W	2	
		29.91	760.8			W	2	
	9 a.	29.98	761.5	65	100		0	o
	10 a.	30.12	762.5	70	91		0	o
						S W	3	
		29.96	760.5	67		E S E	1	cf
	9 a.							
	10 a.							
	6 a.							
	10 a.	30.00	762	82	70	W N W	1	c
	6 a.							
	9 a.					N E	1	c
		29.97	761.2	81		N E	1	c
		29.90	759.4	81		N	3	b
		29.96	761.0	80				

On the 22nd at 11.55 a. The barometer has fallen rapidly over Shantung and W. Japan owing to the depression, which appears to be moving Eastwards and approaching Southern Korea.

Pressure is still high over E. Japan.

Gradients continue slight in the South, and light to moderate variable winds, accompanied by foggy weather, may be expected in the Formosa Channel. Light S.E. and variable winds are indicated over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	S. or variable winds, light; cloudy, foggy.
2.—Formosa Channel	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 22nd March, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd March, 1907, P.M.								23rd March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro.	..	30.32	770.1	...	...	S E	4	...	6 a.	30.28	769.1	...	...	E	4	...
Hakodate.	..	30.28	769.2	...	...	S E	6	...	..	29.97	761.2	...	...	E	10	...
Tokio.	..	30.26	768.6	...	...	N W	4	...	..	29.79	756.6	...	...	...	0	...
Kochi.	..	30.03	762.8	...	...	S E	4	...	..	29.72	754.8	...	...	S W	4	...
Nagasaki.	..	29.83	757.8	...	...	N W	8	...	..	29.91	759.8	...	...	N W	6	...
Kagoshima.	..	29.88	758.9	...	...	...	0	...	..	29.92	759.9	...	...	N W	6	...
Oshima.	..	29.89	759.1	...	...	S W	2	...	..	30.01	762.1	...	...	N	4	...
Naha.	..	29.89	759.2	...	...	S	6	...	..	30.01	762.2	...	...	N	6	...
Ishigakijima.	..	29.93	760.3	...	...	S W	8	...	..	30.01	762.3	...	...	N E	6	...
Chefoo.	3 p.	29.86	758.4	41	83	N W	2	c	6 a.	29.97	761.2	42	83	S W	2	...
Weihaiwei.	..	29.88	758.9	39	..	W N W	3	c	9 a.	...	...	..	...	...	...	...
Hankow.	..	30.10	764.5	56	69	S E	1	b	6 a.	...	...	48	93	N E	1	...
Kinkiang.	..	30.10	764.5	54	74	W	1	c	..	30.08	764.0	48	100	...	0	...
Shanghai.	..	29.99	761.7	47	77	W N W	3	o	9 a.	30.14	765.5	50	65	S	1	...
Gutzlaff.	..	30.00	762.0	45	100	N W	3	om	..	30.15	765.8	48	85	E N E	1	...
Sharp Peak.	..	30.04	763.0	58	94	E	1	og	..	30.13	765.3	56	94	N N E	1	...
Amoy.	..	29.93	760.2	68	79	W S W	4	o	6 a.	...	...	60	82	N E	3	...
Swatow.	..	29.93	760.2	78	61	...	0	b	..	29.96	761.0	67	95	N N E	1	...
Taihoku.	1 p.	29.96	761.0	...	...	N W	8	...	5 a.	30.02	762.5	...	...	E	4	...
Taichu.	..	30.02	762.5	...	...	S W	4	...	..	29.99	761.6	...	...	...	0	...
Tainan.	..	30.02	762.6	...	...	S W	6	...	..	29.99	761.8	...	...	N E	2	...
Koshun.	..	29.97	761.2	...	...	N W	6	...	..	29.98	761.4	...	...	N	2	...
Pescadores.	..	30.02	762.5	...	...	W	8	...	..	29.98	761.4	...	...	W	6	...
Canton.	3 p.	29.92	759.9	74	86	N E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong.	4 p.	29.93	760.2	69	88	E	1	o	10 a.	30.02	762.5	71	91	E S E	1	o
Victoria Peak.	..	...	...	...	...	S	1	...	..	...	...	...	...	S	5	...
Gap Rock.	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Macao.	..	29.92	759.9	69	...	S E	1	o	..	30.01	762.2	68	...	S E	1	o
Hoihow.	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi.	..	29.99	759.4	80	82	N W	1	b	..	...	...	...	...	...	...	...
Phulien.	4 p.	29.82	757.4	72	...	S E	5	o	10 a.	...	..	...	...	...	...	...
Tourane.	..	29.85	758.1	81	...	S S E	1	c	..	...	...	...	...	...	...	...
Cape St. James.	..	29.83	757.6	84	...	S	2	c	..	...	...	...	...	...	...	...
Aparri,	2 p.	..	...	...	...	...	...	...	6 a.	30.00	761.9	72	...	S W	1	b
Manila.	4 p.	29.88	759	90	44	S E	2	c	10 a.	30.00	762	82	63	W N W	1	o
Legaspi.	2 p.	...	...	...	...	...	...	...	6 a.	29.96	761.0	77	...	N E	1	o
Bacolod.	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	..	29.87	758.7	86	...	N E	2	c	..	29.93	760.2	81	...	N E	1	b
Cebu.	..	29.78	756.4	84	...	N	3	b	..	29.85	758.2	83	...	N	1	c
Labuan.	..	29.78	756.4	88	...	...	...	...	..	29.89	759.2	82	...	...	...	...

On the 23rd at 11.55 a.—The barometer has fallen much over Central and Eastern Japan, and risen moderately over the coast of China.

The depression is moving Eastwards over Japan and pressure is highest over the E. coast of China.

Moderate N.E. winds may be expected in the Formosa Channel, and light to moderate S.E. and E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. to E. winds, light to moderate, some showers, fogs.
2.—Formosa Channel.	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 23rd March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

23rd MARCH, 1907. P.M.

Station	Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostok	2 p.				..			
Nagasaki								
Hakodate	..	29.77	755.2		...	E	10	
Tokio	..	29.56	751.6			N W	8	
Kobe		29.80	756.8			N E	4	...
Nagasaki		29.90	761.8			S W	8	
Fusan	..	29.96	760.9			N W	6	
Chemulpo	..	30.00	762.1			N	4	
Nagasaki	..	30.05	763.2			N	1	
Shanghai	..	30.04	762.5		..	E	6	
Chefoo	3 p.	30.04	762.5	90	74	N W	2	
Weihaiwei		29.89	759.3	10		W	2	...
Harbow		30.10	764.5	54	93	N N E	2	
Takutang	..	30.03	762.7	50	93	N E	1	...
Shanghai		29.98	761.5	50	82	S S E	3	...
Gutzlaff	..	29.97	761.2	51	73	E S E	2	
Sharp Peak		30.00	762.0	59	94	N E	1	...
Amoy		29.97	761.2	63	83	S E	3	b
Swatow	..	29.89	759.2	67	97	E S E	2	...
Tathokiu	1 p.	29.98	761.6	..		E	3	
Toledo		29.98	761.5	...		W	2	
Taiwan	..	29.99	761.8			W	1	
Kosham	..	29.99	761.8	...		N	6	
Pescadores		30.00	762.0			N	6	
Canton	3 p.	29.92	759.9	75	93	S E	1	
Hongkong	4 p.	29.92	759.9	75	81	S	1	...
Victoria Peak			...			E	5	
Gap Bay	..			...			...	
Macao		29.92	759.9	72		S S E	2	...
Hoihow	3 p.						...	
Pakhoi								
Phulin	1 p.	29.81	757.0	72		S S E	6	...
Tourane	..	29.81	757.2	79		S E	3	b
Cape St. James		29.85	758.2	82		E S E	2	...
Ajaccio	2 p.	29.96	760.9	84		N E	1	b
Manila	1 p.	29.88	758.9	86	59	S E	3	...
Legaspi	2 p.	29.92	760.0	86	...	E	1	b
Baguio	3 p.					N E	5	b
Hoihow		29.87	758.7	87		N E	2	...
Colombo	..	29.90	759.4	86	..	N	3	b
Labuan		29.79	756.6	87	...		..	...

24th MARCH, 1907. A.M.

Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.							
8 a.							
	29.89	759.2			S W	8	
	29.86	758.4	..	...		1	
	30.03	762.8			W	2	
	30.07	763.8		...		3	
	30.04	762.9			N W	2	
	30.04	762.9		..		0	
	29.97	761.2		..		0	
	29.93	760.3	..		S W	6	
6 a.	29.78	756.6	40	100	S W	1	b
8 a.	30.25	768.3	13		S E	1	b
9 a.							
			..	..		...	...
9 a.	30.12	765.0	46	92	N E	1	...
	30.12	765.0	46	92	N E	2	...
	30.02	762.5	57	94	N E	1	...
9 a.	29.94	760.5	64	89	E S E	1	b
						...	
9 a.	29.97	761.2			E	2	
	29.99	761.8				0	
	30.04	762.2	...		E	4	
	29.98	761.4	..	...	N	2	
	29.98	761.5				0	
9 a.	29.90	761.0	72	95	S E	1	...
10 a.	30.02	762.5	71	90	E	2	...
	...			..	S S W	4	...
						...	
	30.01	762.2	73	..	S E	1	...
9 a.							...
							...
10 a.							
	...			...			
6 a.							
10 a.	30.00	762	84	55	N N W	1	b
6 a.							
9 a.							
	29.93	760.2	82		N E	1	...
	29.86	758.4	85	...	N	2	...
	29.95	760.7	84	..			

On the 24th at 11.55 *a.m.*—The barometer has risen considerably over N. China and S. Japan, and fallen slightly in the S. Loochoos.

The depression has entered the Pacific to the E. of Japan. Pressure is highest over N. China.

Gradients continue slight in the South, and moderate N.E. or variable winds are indicated in the Formosa Channel, and light to moderate S.E. and E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TOMORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	S.E. to E. winds, light to moderate, foggy, some rain.
2.—Formosa Channel.	N.E. or variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Sunday, 24th March, 1907.

[Printed by NORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th March, 1907, P.M.								25th March, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate	,,	...	...	...	...	...	...	...	..	30.13	765.2	...	...	N W	4	...
Tokio	,,	30.02	762.6	...	...	S E	4	...	,,	30.10	764.6	...	...	N W	2	...
Kochi	,,	29.99	761.8	...	...	S	2	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki	,,	29.99	761.8	...	...	S E	4	...	..	29.99	761.8	...	...	N E	2	...
Kagoshima	,,	30.00	761.9	...	...	S E	2	...	,,	29.96	760.9	...	...	N W	2	...
Oshima	,,	29.96	761.1	...	...	S E	2	...	..	29.93	760.1	...	...	N W	2	...
Naha	,,	29.93	760.2	...	...	S	4	...	..	29.93	761.2	...	...	S W	2	...
Ishigakijima	,,	29.97	761.3	...	...	S W	8	...	,,	29.93	761.3	...	...	S W	6	...
Chefoo	3 p.	30.18	766.6	45	61	E	2	b	6 a.	30.13	765.3	36	80	...	0	...
Weihaiwei	..	30.18	766.6	43	...	N E	2	ovr	9 a.	30.15	765.8	43	...	E	1	...
Hankow	..	30.10	764.5	52	93	N	2	or	6 a.	30.17	766.3	49	93	...	0	...
Kiukiang	,,	30.02	762.5	48	93	N E	1	or	..	30.19	766.8	47	93	N E	2	...
Shanghai	..	30.07	763.8	48	93	N	2	o	9 a.	30.09	764.3	46	92	N E	2	...
Gutzlaff	,,	29.99	761.7	46	100	N E	3	omp	..	30.05	763.2	46	100	N E	4	...
Sharp Peak	..	29.97	761.2	57	91	N E	4	o	..	30.05	763.2	55	94	E N E	2	...
Amoy	..	29.89	759.2	75	77	S	4	b	6 a.	30.02	762.5	60	88	N E	2	...
Swatow	,,	29.81	757.2	75	77	S	3	b	..	...	...	...	...	...	...	...
Taihoku	1 p.	29.97	761.1	...	...	N	6	...	5 a.	29.96	761.0	...	...	...	0	...
Taichu	..	29.96	760.9	...	...	W	6	...	..	29.97	761.3	...	...	...	0	...
Tainan	..	29.98	761.6	...	...	W	6	...	..	29.98	761.4	...	...	E	2	...
Koshun	..	29.97	761.2	...	...	W	6	...	..	29.96	760.9	...	...	N W	4	...
Pescadores	,,	29.97	761.2	...	...	S W	6	...	..	29.96	761.0	...	...	...	0	...
Canton	3 p.	29.89	759.2	80	78	S E	2	c	9 a.	29.97	761.2	73	95	E	1	...
Hongkong	4 p.	29.92	759.9	76	82	S	2	o	10 a.	29.99	761.7	77	76	S	1	...
Victoria Peak	..	...	...	...	...	S S W	5	...	..	...	...	...	...	S S W	5	...
Gap Rock	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Macao	,,	29.91	759.7	72	...	S S E	2	of	..	29.98	761.5	73	...	S S E	2	...
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	..	29.88	758.9	79	78	W N W	1	b	..	...	...	...	...	...	...	...
Phulien	4 p.	29.80	756.9	73	...	S E	5	o	10 a.	...	...	...	...	...	...	...
Tourane	..	29.90	759.4	81	...	S E	2	b	..	...	...	...	...	...	...	...
Cape St. James	..	29.92	759.9	82	...	E	2	c	..	...	...	...	...	...	...	...
Aparri	2 p.	29.94	760.4	86	...	N E	1	b	6 a.	29.97	761.3	73	...	S	1	...
Manila	4 p.	29.88	759	90	44	S E	3	b	10 a.	30.00	762	88	44	S E	3	...
Legaspi	2 p.	29.94	760.5	86	...	S E	1	b	6 a.	29.99	761.6	77	...	N E	1	...
Bacolod	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	4	...
Hoilo	..	29.87	758.7	86	...	N E	1	c	..	29.95	760.7	82	...	N E	1	...
Cebu	..	29.92	759.9	84	...	N	3	o	..	29.97	761.2	84	...	N	1	...
Labuan	..	29.84	757.9	87	...	...	...	...	..	29.94	760.5	80	...	...	...	...

On the 25th at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen slightly over the China coast, W. Japan and the Loochoos.

Pressure is highest over N. China and the Sea of Japan. It is lowest in a shallow depression lying near the Northern Loochoos.

Light to moderate N.E. winds may be expected in the Formosa Channel, and light S.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. to E. winds, light to moderate, cloudy, misty.
2.—Formosa Channel,	N.E. to E. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 25th March, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

25TH MARCH, 1907, P.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...		...	..		.	.
Nagasaki	..	30.00	762.1	..	...	S	6	.
Hakodate	..	..		.	...			.
Tokio	..	30.06	763.6	...	..	N	6	.
Kochi	..	29.95	760.8	.	..		6	.
Nagasaki	..	29.95	760.8	.	..	N	4	.
Kagoshima	..	29.96	760.9			E	2	.
Oshima	..	29.93	760.1	.	..	N E	1	...
Naha	.	29.97	761.2	.	..	N	2	..
Ishigakijima	..	29.97	761.2	.	.	S W	6	..
Hongkong	3 p.	30.11	764.8	48	40	N E	2	.
Weihaiwei	..	30.11	764.8	45	.	E	2	cyr
Hankow	..	30.09	764.3	49	100	N E	2	cl
Kiukiang	..	30.06	763.2	50	100	N E	2	cr
Swatow	.	30.03	762.7	55	68	N E	1	.
Gutzlaff	..	30.04	763.0	49	93	N N E	2	cm
Sharp Peak	.	29.97	761.2	60	94	E	1	..
Amoy	..	29.89	759.2	53	86	S E	4	f
Swatow	..	29.93	760.2	70	100	S E	1	c
Taihoku	1 p.	29.98	761.5	...	...	W	2	.
Taichu	..	29.96	760.9	...	..	W	4	.
Tainan	..	29.97	761.3	..	...	N W	6	..
Koshun	..	29.94	760.5	.	.	N W	6	..
Pescadores	..	29.95	760.7	...		N W	2	.
Canton	3 p.	...	..	80	74	S E	1	c
Hongkong	4 p.	29.89	759.2	75	85	S	2	c
Victoria Peak	..				...	S S E	4	
Gap Rock	..	...		..	..			
Macao		29.93	760.2	75		S S E	2	c
Hoihow	3 p.		..		.		...	..
Pakhoi	..				...			
Pratas	4 p.	29.77	756.2	72	..	S E	5	c
Turnabe	..	29.86	757.9	79	.	S E	2	f.
Cape St. James	..	29.88	759.0	84	.	S	2	c
Aparri	2 p.	29.94	760.5	86	...	W	1	b
Manila	1 p.	29.88	759	88	47	S S E	3	c
Legaspi	2 p.	29.95	760.7	86	..	S E	1	b
Bacolod	3 p.	..	.		.	N E	5	b
Iloilo	.	29.87	758.7	88	.	N E	1	b
Cebu	..	29.90	759.4	87	..	N	3	b
Labuan		29.84	757.9	86	..	.	..	

26TH MARCH, 1907, A.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	7 a.				..		..	.
Nagasaki	6 a.			..	.		..	..
Hakodate	..	29.94	761.2	.	.	W	2	.
Tokio	..	30.10	764.6	...	..	N W	2	.
Kochi	.	30.07	763.8	..	..	S W	2	.
Nagasaki	..	30.07	763.8	.	...	N E	1	.
Kagoshima	..	29.94	762.9	.	.	N E	2	..
Oshima	.	29.97	761.1	...	.		0	.
Naha		29.97	761.2	..	...		0	.
Ishigakijima	.	29.97	761.3	.	..	S W	6	..
Hongkong	6 a.	30.14	765.5	65	70	.	0	f
Weihaiwei	9 a.						..	
Hankow	6 a.	.	.		..	..	..	..
Kiukiang	.							
Swatow	9 a.	30.21	767.3	49	100	E S E	2	cm
Gutzlaff		29.99	761.7	48	100	E S E	1	.
Sharp Peak	.	30.01	762.2	58	94	S E	1	cf
Amoy	6 a.	30.01	762.2	58	88	S E	1	f
Swatow				..	.		...	.
Taihoku	5 a.	29.99	761.7	..	.	..	0	..
Taichu	.	29.94	762.1	..	...		0	.
Tainan	..	29.99	761.5	.	.	N	2	..
Koshun	.	29.99	761.7		.	...	0	.
Pescadores	.	29.98	761.6	..	...		0	..
Canton	9 a.							..
Hongkong	10 a.	30.01	762.2	76	81	S	2	c
Victoria Peak	..		.	...		S	6	
Gap Rock	.							..
Macao	..	29.93	762.7	77		S S E	5	c
Hoihow	9 a.	.	.	.	.	.	.	...
Pakhoi	..					...	.	...
Pratas	10 a.	.			..	.	.	.
Turnabe	..	..		.			.	..
Cape St. James	..				.			...
Aparri	6 a.	29.99	761.8	75	.	S	1	b
Manila	10 a.	30.04	763	82	63	W	2	b
Legaspi	6 a.	30.01	762.2	79	..		0	b
Bacolod	9 a.				...	N E	3	b
Iloilo	..	29.97	761.2	82	...	N E	1	b
Cebu	..	29.92	759.9	84		N	1	c
Labuan	.	29.91	759.5	83	..	.		..

On the 26th at 12.45 p. Except over the E. coast of China, the barometer has risen slightly at all stations. Pressure is highest over the Sea of Japan. It appears to be low over Central China.
Moderate S.E. and S. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1. Hongkong and Neighbourhood	S.E. to S. winds moderate; fair to showery.
2.— Formosa Channel	S.E. winds, moderate.
3.— South coast of China between Hongkong and Lamocks	Same as No. 1.
4.— South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Tuesday, 26th March, 1907.

[Printed by NORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th MARCH, 1907, P.M.								27th MARCH, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S W	4	...	6 a.	30.04	763.1	...	...	N	4	...
Hakodate,	,,	30.05	763.2	...	...	W	4	...	,,	30.13	765.2	...	...	N W	6	...
Tokio,	,,	30.06	763.6	...	...	S E	4	...	,,	30.06	763.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	S	2	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N W	4	...	,,	29.88	758.8	...	...	N	4	...
Kagoshima,	,,	30.00	761.9	...	...	S	2	...	,,	29.84	757.9	...	...	N E	6	...
Oshima,	,,	29.93	760.1	...	...	S	2	...	,,	29.85	758.1	...	...	W	4	...
Naha,	,,	29.93	760.2	...	...	S W	6	...	,,	29.89	759.2	...	...	S W	6	...
Ishigakijima,	,,	29.97	761.3	...	...	S W	8	...	,,	29.93	760.3	...	...	S W	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.24	768.1	38	63	N E	2	b
Weihaiwei,	,,	30.16	766.0	44	...	E	2	ovr	9 a.	30.30	769.6	38	...	N E	3	o
Hankow,	,,	30.17	766.3	51	93	N W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.94	760.5	50	100	...	0	or	,,	30.19	766.8	47	93	W	2	o
Shanghai,	,,	29.90	759.4	51	100	E	2	omd	9 a.	30.18	766.6	48	85	N N E	3	o
Gutzlaff,	,,	29.89	759.2	50	100	E	4	f	,,	30.13	765.3	45	100	N N E	6	ou
Sharp Peak,	,,	29.89	759.2	60	91	...	0	f	,,	29.99	761.7	58	97	N W	1	of
Amoy,	,,	29.87	758.7	69	80	S E	3	b	6 a.	29.83	757.7	64	89	...	0	f
Swatow,	,,	29.94	760.5	78	74	S E	3	b	,,	29.89	759.2	69	95	...	0	c
Taihoku,	1 p.	29.94	760.6	...	...	W	4	...	5 a.	29.89	759.2	...	...	S	2	...
Taichu,	,,	29.96	761.0	...	...	W	2	...	,,	29.96	760.9	...	...	...	0	...
Tainan,	,,	29.99	761.8	...	...	W	6	...	,,	29.97	761.3	...	...	...	0	...
Koshun,	,,	29.98	761.5	...	...	S	4	...	,,	29.93	760.2	...	...	N	2	...
Pescadores,	,,	29.98	761.4	...	...	S W	4	...	,,	29.93	760.3	...	...	S	2	...
Canton,	3 p.	29.86	758.4	82	71	S E	1	c	9 a.	30.02	762.5	74	90	E	1	o
Hongkong,	4 p.	29.90	759.4	78	77	S	1	o	10 a.	30.03	762.7	74	89	...	0	o
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	W	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.88	758.9	74	...	S S E	2	o	,,	30.03	762.7	72	...	S E	1	of
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.3	73	...	S S E	6	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.87	758.7	77	...	S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.91	759.6	82	...	S	1	b	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.2	86	...	N E	1	b	6 a.	29.98	761.4	75	...	S	1	b
Manila,	4 p.	29.88	759	90	44	E S E	2	b	10 a.	30.04	763	82	63	W	1	b
Legaspi,	2 p.	29.97	761.2	88	...	E	1	b	6 a.	30.01	762.1	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N E	3	b
Iloilo,	,,	29.89	759.2	88	...	E N E	2	b	,,	29.99	761.7	83	...	N E	1	b
Cebu,	,,	29.91	759.7	86	...	N	3	b	,,	30.01	762.2	83	...	...	0	...
Labuan,	,,	29.90	759.4	85	...	...	...	...	,,	29.99	761.7	78	...	...	...	...

On the 27th at 12.20 p.—The barometer has fallen considerably over S.W. Japan, and the Loochoos, and risen quickly over N. China.

The depression lying over the Lower Yangtze yesterday, has moved Eastwards and lies now off the coast of S.W. Japan.

Pressure is high over the Gulf of Pechili.

Fresh N.E. winds will probably set in again in the Formosa Channel and the N. part of the China Sea during next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, freshening: misty, probably some rain [cooler.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 27th March, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

27th MARCH 1907. P.M.

Stations.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock	2 p.	..						
Nemuro	..							
Hakodate	..	30.01	762.2	..		W	6	
Yokohama	..	29.98	761.6			N	4	
Kobe	..	29.80	756.8			N	2	
Nagasaki	..	29.87	758.8			N E	6	
Kagoshima		29.80	756.9			S E	2	
Oshima		29.85	758.1			N W	6	
Naha	..	29.89	759.2				6	
Sakishima	..	29.89	759.3			S W	4	
Chefoo	3 p.	30.36	771.1	41	11	N N W	4	b
Weihaiwei		30.32	770.1	41		N N E	5	b
Haichow		30.31	770.0	51	79	N	2	
Kiukiang	..	30.28	769.1	53	80	N W	2	
Shanghai	..	30.22	767.6	52	66	N	3	c
Gutzlaff	..	30.16	766.0	47	85	N	5	cm
Sharp Peak		30.07	763.5	55	94	N E	4	od
Amoy		29.84	757.9	70	90	S E	4	b
Swatow	..	30.02	762.6	80	74	S	2	c
Taihoku	1 p.	30.02	762.6			E	4	...
Taichu	..	30.00	762.0			W	4	..
Tainan	..	30.00	762.1			W	1	...
Koshun	..	29.97	761.3			N W	10	
Pescadores	..	30.00	761.9			S W	4	
Canton	3 p.	29.85	760.7	76	85	N	1	
Hongkong	1 p.	29.91	759.7	76	81	N W	1	..
Victoria Peak	..					S	2	..
Gap Rock	..							
Macao		29.92	759.9	74		S E	2	..
Hollow	3 p.							
Pakhoi	..							
Haiphong	1 p.	29.80	756.8	77		S E	..	b
Tourane	..	29.84	758.0	79	..		0	c
Cape St. James	..	29.88	759.0	86		S	2	c
Aparri	2 p.	29.93	760.9	83		N E	1	b
Manila	4 p.	29.88	759	90	48	W	1	b
Legaspi	2 p.				..			
Bacolod	3 p.				...	N E	4	c
Iloilo	..	29.87	758.7	89	...	N E	2	c
Cebu		29.87	758.7	87	...	N	2	c
Labuan	..	29.87	758.7	80	...			

28th MARCH. 1907. A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.							
8 a.	30.08	764.1	..		N E	2	
	30.06	764.2	..		N	2	
..	30.02	762.6			N W	4	...
..	29.94	761.8			...	0	
..	30.30	766.8	...	...		1	
..	30.15	765.9	..		N W	2	..
..	30.08	764.1	...	..	N	2	..
..	30.05	763.2	..		N E	1	..
..	30.09	764.3			N E	4	
6 a.							
9 a.	..						
8 a.							
9 a.	30.31	769.5	51	52	E S E	4	
	30.27	768.8	46	81	N E	2	cm
..	30.22	767.6	55	87	N E	2	c
6 a.	30.06	763.5	54	87	N E	5	b
5 a.	30.15	765.7			E	5	
	30.04	763.0			N	3	..
..	30.02	762.5	..		N	3	
..			..	..			
..	30.04	763.1			N E	10	...
9 a.							
10 a.	30.10	764.5	65	82	E	6	o
..	..	..			E	3	..
..	..						..
..							..
9 a.							
10 a.							
..							...
6 a.							
10 a.							
9 a.					N E	3	b
..	29.97	761.2	82		N E	1	c
	29.90	759.4	85		N	2	b
..	29.96	761.0	80				

On the 28th at 11.55 a. The barometer has risen moderately to considerably over the China coast, S.W. Japan and the Loochoos, and fallen slightly in S.E. Japan.

The depression noted yesterday is moving away over the Pacific to the S.E. of Japan.

Pressure is high over N. China.

Strong monsoon may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	N.E. winds, strong; cloudy drizzling rain or mist.
2.—Formosa Channel.	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 28th March, 1907.

Printed by NORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th March, 1907, P.M.								29th March, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.08	764.1	...	...	N	8	...	6 a.	30.24	768.1	...	...	N	6	
Hakodate,	,,	30.13	765.2	...	...	N	6	...	,,	30.32	770.2	...	...	W	6	
Tokio,	,,	30.06	763.6	...	...	N W	6	...	,,	30.42	772.6	...	...	N W	2	
Kochi,	,,	30.19	766.8	...	...	N E	6	...	,,	30.31	769.8	...	...	...	0	
Nagasaki,	,,	30.23	767.8	...	...	N E	6	...	,,	30.23	767.8	...	...	...	0	
Kagoshima,	,,	30.19	766.9	...	...	S E	4	...	,,	30.23	767.9	...	...	N E	2	
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.08	764.1	...	...	S E	4	
Naha,	,,	30.09	764.2	...	...	E	4	...	,,	30.05	763.2	...	...	...	0	
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.05	763.3	...	...	S E	4	
Chefoo,	3 p.	30.27	768.8	41	74	...	0	o	6 a.	30.40	772.1	37	81	N E	2	
Weihaiwei,	,,	30.31	769.9	38	...	N	2	c	9 a.	30.51	774.9	40	...	N E	4	
Hankow,	,,	30.25	768.3	51	86	N E	1	o	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.19	766.8	48	93	N E	2	or	,,	30.36	771.1	46	92	N E	3	
Shanghai,	,,	30.18	766.6	50	51	E N E	2	o	9 a.	30.31	769.9	45	76	N E	3	
Gutzlaff,	,,	30.18	766.6	48	78	...	...	om	,,	30.24	768.1	45	84	N E	...	
Sharp Peak,	,,	30.13	765.3	57	87	N E	2	og	,,	30.16	766.0	55	94	N E	2	
Amoy,	,,	29.96	761.0	64	75	E	4	o	6 a.	29.98	761.5	59	82	S E	3	
Swatow,	,,	30.02	762.5	65	95	N E	1	c	,,	30.07	763.8	60	100	N N E	1	
Taihoku,	1 p.	30.07	763.8	...	...	E	6	...	5 a.	30.06	763.4	...	...	N W	2	
Taichu,	,,	30.02	762.6	...	...	N W	4	...	,,	30.02	762.5	...	...	...	0	
Tainan,	,,	30.02	762.6	...	...	W	6	...	,,	30.04	763.0	...	...	N	4	
Koshun,	,,	30.02	762.5	...	...	N E	8	...	,,	30.02	762.5	...	...	S	2	
Pescadores,	,,	30.05	763.3	...	...	N	8	...	,,	30.03	762.8	...	...	N E	4	
Canton,	3 p.	29.96	761.0	69	85	...	0	o	9 a.	30.02	762.5	66	95	E	1	
Hongkong,	4 p.	29.99	761.7	64	84	E	5	o	10 a.	30.09	764.3	67	89	E	3	
Victoria Peak,	,,	...	...	...	...	E S E	6	...	,,	...	...	...	...	S E	7	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.97	761.2	69	...	E	3	o	,,	30.09	764.3	67	...	S E	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.81	757.2	75	...	S E	4	o	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.85	758.2	79	...	E S E	2	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.87	758.8	84	...	S	1	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.98	761.5	86	...	N E	1	b	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.88	759	88	54	S E	4	b	10 a.	30.04	763	82	57	W	1	
Legaspi,	2 p.	29.94	760.5	86	...	N	1	b	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N E	4	
Iloilo,	,,	29.88	758.9	87	...	N E	3	b	,,	29.96	761.0	81	...	N E	3	
Cebu,	,,	29.88	758.9	85	...	N	3	b	,,	29.97	761.2	84	...	N	2	
Labuan,	,,	29.88	758.9	86	...	...	...	...	,,	29.96	761.0	82	...	...	...	

On the 29th at 12.15 p.—The barometer has risen moderately to considerably over N. China and E. Japan, and fallen slightly over S. China and Formosa.

An area of high pressure is lying over N. China and the Sea of Japan, and pressure is relatively low between the Loochoos and Formosa, and also over S.W. China and Tongking.

Fresh to strong monsoon is indicated in the Formosa Channel, and moderate E. and S.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, fresh; cloudy, foggy.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 29th March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	29TH MARCH, 1907, P.M.								30TH MARCH, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o,.....	,,	30.24	768.1	...	...	N	4	...	6 a.	30.28	769.1	...	...	W	4	..
te,.....	,,	30.32	770.2	...	...	W	6	...	,,	30.25	768.2	...	...	N E	4	...
.....	,,	30.38	771.6	...	...	E	2	...	,,	30.34	770.6	...	...	N	2	...
.....	,,	30.27	768.8	...	...	...	0	...	,,	30.23	767.8	...	...	S W	2	...
ki,.....	,,	30.27	768.8	...	...	N E	2	...	,,	30.23	767.8	...	...	N E	8	...
ima,.....	,,	30.19	766.9	...	...	N E	6	...	,,	30.19	766.9	...	...	E	4	...
.....	,,	30.04	763.1	...	...	S E	6	...	,,	30.01	762.1	...	...	N	4	...
.....	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	N	6	...
ijima,....	,,	30.05	763.3	...	...	S W	4	...	,,	30.05	763.3	...	...	N	2	...
.....	3 p.	30.51	774.9	42	66	N E	1	b	6 a.	30.46	773.7	32	90	...	0	b
wei,.....	,,	30.49	774.4	43	...	N E	2	b	9 a.	30.44	773.2	38	...	S E	1	c
w,.....	,,	...	...	...	...	...	...	...	6 a.	30.51	774.9	44	92	N N E	1	or
ng,.....	,,	30.41	772.4	46	84	N E	4	o	,,	30.38	771.6	45	92	N E	3	o
ai,.....	,,	30.30	769.6	45	84	N N E	4	or	9 a.	30.41	772.4	47	77	N E	2	o
,.....	,,	30.24	768.1	46	100	N N E	5	omd	,,	30.31	769.9	47	85	N N E	4	om
eak,.....	,,	30.14	765.5	55	94	N E	2	or	,,	30.25	768.3	55	90	N N E	2	o
.....	,,	29.98	761.5	54	74	S E	1	o	6 a.	29.13	765.3	53	93	N E	2	o
.....	,,	30.06	763.5	69	95	N E	1	o	,,	...	...	...	...	...	...	...
a,.....	1 p.	30.08	764.1	...	...	N W	2	...	5 a.	30.18	766.6	...	...	S	2	...
.....	,,	30.02	762.5	...	...	N W	4	...	,,	30.08	764.0	...	...	N	6	...
.....	,,	30.01	762.3	...	...	W	4	...	,,	30.07	763.8	...	...	N	4	...
n.....	,,	30.01	762.3	...	...	S	6	...	,,	29.99	761.8	...	...	N E	6	...
ores,.....	,,	30.05	763.2	...	...	N E	6	...	,,	30.05	763.3	...	...	N	10	...
,.....	3 p.	29.97	761.2	69	95	N E	1	or	9 a.	...	...	...	...	...	...	...
ong,.....	4 p.	30.00	762.0	67	89	E	3	o	10 a.	30.14	765.5	65	84	E	5	o
ia Peak,...	,,	...	...	...	...	S	3	...	,,	...	...	...	...	...	...	...
ock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	,,	29.99	761.7	70	...	S E	1	o	,,	30.15	765.8	66	...	S E	1	o
w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
i,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n,.....	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
e,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
t. James,..	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	2 p.	29.97	761.3	86	...	N E	1	b	6 a.	30.02	762.5	73	...	S W	1	b
,.....	4 p.	29.92	759.9	86	53	S E	1	c	10 a.	30.00	762	82	57	W S W	2	b
pi,.....	2 p.	29.98	761.5	86	...	S E	1	c	6 a.	30.00	761.9	72	...	...	0	b
d,.....	3 p.	...	...	...	...	N E	4	b	9 a.	...	...	...	...	N E	4	b
.....	,,	29.87	758.7	85	...	N E	1	c	,,	29.93	760.2	82	...	N E	1	c
.....	,,	29.81	757.2	86	...	N	1	c	,,	29.90	759.4	85	...	N	2	c
n,.....	,,	29.87	758.7	85	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 30th at 11.55 a.—The barometer has risen moderately on the China coast, and fallen slightly over Japan d the Loochoos.

The shallow depression has passed to the Eastward of the Loochoos.

The high pressure area is still central over the continent to the North of the Yangtze, and pressure remains re-ively low over Tongking and the S. coast of China.

Strong monsoon is expected to prevail in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, strong; drizzling rain or misty.
Formosa Channel,.....	Same as No. 1.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	E. winds, strong.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 30th March, 1907.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	30th March, 1907, P.M.								31st March, 1907, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	F c
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro,	,,	30.16	766.1	...	...	S	6	...	6 a.	30.16	766.1	...	...	S W	
Hakodate,	,,	30.20	767.2	...	...	W	2	...	,,	30.21	767.2	...	...	S E	
Tokio,	,,	30.22	767.6	...	...	N W	6	...	,,	30.30	769.6	...	...	N W	
Kochi,	,,	30.19	766.8	...	...	N	6	...	,,	30.19	766.8	...	...	W	
Nagasaki,	,,	30.23	767.8	...	...	N E	6	...	,,	30.19	766.8	...	...	E	
Kagoshima,	,,	30.16	765.9	...	...	E	8	...	,,	30.19	766.9	...	...	N E	
Oshima,	,,	30.04	763.1	...	...	S W	2	...	,,	30.01	762.1	...	...	E	
Naha,	,,	30.01	762.2	...	...	N	6	...	,,	29.97	761.2	...	...	...	
Ishigakijima,	,,	30.01	762.3	...	...	N E	6	...	,,	30.01	762.3	...	...	N E	
Chefoo,	3 p.	30.40	772.1	44	84	E	2	c	6 a.	30.26	768.6	44	53	E S E	
Weihaiwei,	,,	30.36	771.1	49	...	N E	1	ovr	9 a.	30.24	768.1	40	...	W N W	
Hankow,	,,	30.45	773.4	46	92	N W	1	or	6 a.	30.61	777.5	41	92	N N W	
Kiukiang,	,,	30.36	771.1	44	100	N E	2	or	,,	30.47	773.9	45	92	N E	
Shanghai,	,,	30.26	768.6	51	79	N E	2	o	9 a.	30.34	770.6	45	84	N W	
Gutzlaff,	,,	30.23	767.8	49	93	N E	3	om	,,	30.27	768.8	47	85	N N W	
Sharp Peak,	,,	30.18	766.6	55	87	N N E	1	od	,,	30.24	768.1	55	87	...	
Amoy,	,,	29.98	761.5	64	78	N E	3	o	6 a.	30.13	765.3	57	87	N E	
Swatow,	,,	30.06	763.5	60	94	N N E	2	c	,,	30.13	765.3	59	94	N E	
Taihoku,	1 p.	30.13	765.2	...	...	E	6	...	5 a.	30.16	766.1	...	...	...	
Taichu,	,,	30.07	763.7	...	...	...	8	...	,,	30.12	765.0	...	...	N	
Tainan,	,,	30.06	763.6	...	...	N	6	...	,,	30.09	764.2	...	...	N	
Koshun,	,,	...	...	...	...	...	...	...	,,	30.03	762.8	...	...	...	
Pescadores,	,,	30.09	764.3	...	...	N	8	...	,,	30.11	764.8	...	...	N	
Canton,	3 p.	30.09	764.3	61	88	N	2	o	9 a.	30.22	767.6	55	80	N	
Hongkong,	4 p.	30.06	763.5	64	76	E	3	o	10 a.	30.22	767.6	62	55	N	
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	N	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Macao,	,,	30.06	763.5	66	...	S E	1	od	,,	30.19	766.8	60	...	N	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.96	760.9	70	...	E S E	4	o	10 a.	...	...	...	...	...	
Tourane,	,,	29.94	760.6	82	...	S E	3	b	,,	...	...	...	...	...	
Cape St. James,	,,	29.87	758.7	84	...	S E	2	c	,,	...	...	...	...	...	
Aparri,	2 p.	29.95	760.8	84	...	N E	1	b	6 a.	29.99	761.6	72	...	S W	
Manila,	4 p.	29.98	758.9	90	44	S S E	4	b	10 a.	30.00	762	82	57	W	
Legaspi,	2 p.	29.93	760.3	86	...	E	1	o	6 a.	29.93	760.1	73	...	...	
Bacolod,	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N E	
Iloilo,	,,	29.87	758.7	87	...	E N E	3	c	,,	29.91	759.7	80	...	N E	
Cebu,	,,	29.88	758.9	85	...	N	3	b	,,	29.93	760.2	84	...	N	
Labuan,	,,	29.82	757.4	85	...	...	...	...	,,	29.89	759.2	84	...	...	

On the 31st at 11.55 a.—The barometer has fallen considerably in N. China and slightly over Japan Loochoos. It has risen slightly over Central and Southern China.

A depression probably exists over Manchuria, and a second area of low pressure is shown over the Pacifi S.E. of the Loochoos.

The anticyclonic area is lying over Central China.

Strong monsoon is expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; cloudy, dull.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—Sou[illegible] coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assis

Hongkong Observatory, Sunday, 31st March, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	31st MARCH, 1907, P.M.								1st APRIL, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...tock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.08	764.1	...	...	S W	8	...	6 a.	30.01	762.1	...	...	S W	4	..
.....	,,	30.05	763.2	...	...	W	2	...	,,	30.05	763.2	...	...	...	0	...
.....	,,	30.18	766.6	...	...	E	2	...	,,	29.87	758.6	...	...	N W	6	...
.....	,,	30.07	763.8	...	...	N	2	...	,,	29.68	753.8	...	...	S W	2	...
.....	,,	29.99	761.8	...	...	N	6	...	,,	29.91	759.8	...	...	N	4	...
...a, ...	,,	29.96	760.9	...	...	N E	6	...	,,	29.92	759.9	...	...	N W	4	...
.....	,,	29.81	757.1	...	...	S E	6	...	,,	29.93	760.1	...	...	N	8	...
.....	,,	29.93	760.2	...	...	N W	8	...	,,	30.05	763.2	...	...	N	10	...
...ao,	,,	30.05	763.3	...	...	N	6	...	,,	30.13	765.3	...	...	N E	6	...
.....	3 p.	30.23	767.8	41	74	N N W	4	b	6 a.	30.18	766.6	39	33	S W	1	b
...ei, ...	,,	30.20	767.1	27	...	N W	3	ovr	9 a.	30.15	765.8	50	...	W	2	b
.....	,,	30.49	774.4	59	54	N E	3	b	6 a.	...	...	...	...	...	...	...
.....	,,	30.48	774.2	55	68	...	0	c	,,	30.44	773.2	41	92	...	0	b
.....	,,	30.27	768.8	51	46	N W	4	o	9 a.	30.33	770.4	49	44	N N W	2	b
.....	,,	30.25	768.3	49	64	N N W	5	v	,,	30.29	769.3	41	...	N W	4	bm
...eak, ...	,,	30.26	768.6	55	91	N N E	2	o	,,	30.31	769.9	54	80	N N E	3	b
.....	,,	30.04	763.0	60	82	N	2	c	6 a.	30.34	770.6	54	87	N E	2	b
.....	,,	30.06	763.5	60	94	N	1	b	,,	30.21	767.3	58	94	N	1	o
.....	1 p.	30.20	767.1	...	...	W	2	...	5 a.	30.28	769.0	...	...	N	4	...
.....	,,	30.07	763.7	...	...	N	8	...	,,	30.13	765.2	...	...	N	6	...
.....	,,	30.02	762.6	...	...	N	8	...	,,	30.12	764.9	...	...	N	8	...
.....	,,	30.00	762.0	...	...	N	6	...	,,	30.08	764.1	...	...	N E	8	...
...es, ...	,,	30.10	764.6	...	...	N	10	...	,,	30.15	765.8	...	...	N	10	...
.....	3 p.	30.17	766.3	55	74	N	1	o	9 a.	30.33	770.4	59	54	N	1	b
...g, ...	4 p.	30.14	765.5	61	51	N	2	o	10 a.	30.27	768.8	60	50	N N E	2	o
...Peak, ...	,,	...	...	...	...	N	5	...	,,	...	...	...	...	N N E	3	...
...k, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.16	766.0	60	...	N	4	o	,,	30.28	769.1	58	...	N	2	o
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.19	766.8	59	...	N N E	4	o	10 a.	...	...	...	...	...	...	...
.....	,,	30.03	762.8	77	...	N	4	o	,,	...	...	...	...	...	...	...
...James...	,,	29.87	758.8	...	...	E N E	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.84	758	90	44	S E	3	c	10 a.	29.96	761	82	63	W	2	b
.....	2 p.	...	...	...	...	...	...	..	6 a.	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	E	3	b
.....	,,	29.83	757.7	85	...	N E	2	o	,,	29.89	759.2	82	...	N E	...	c
.....	,,	29.85	758.2	85	...	N	2	b	,,	29.92	759.9	84	...	N	1	b
.....	,,	29.81	757.2	85	...	...	...	...	,,	29.96	761.0	82	...	...	...	...

...the 1st at 11.55 a.—The barometer has risen moderately in S. China, and fallen rapidly over Japan.
...e depression appears to be moving to the N.E. off the S. coast of Japan.
...e anticyclonic area remains over Central China.
...rong monsoon will prevail in the Formosa Channel and the China Sea.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...gkong and Neighbourhood, ...	N. to N.E. winds, fresh; fine.
...mosa Channel.....	N. to N.E. winds, strong.
...th coast of China between Hongkong and Lamocks,.	Same as No. 1.
...h coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
First Assistant.

...ongkong Observatory, Monday, 1st April, 1907.

...d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st APRIL, 1907, P.M.								2nd APRIL, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S E	2	...	6 a.	29.73	755.1	...	...	N	8
Hakodate,	,,	29.93	760.2	...	...	...	0	...	,,	29.89	759.2	...	...	N W	6
Tokio,	,,	29.51	749.6	...	...	N W	8	...	,,	29.91	759.6	...	...	W	6
Kochi,	,,	29.80	756.8	...	...	N	6	...	,,	30.15	765.8	...	...	S W	2
Nagasaki,	,,	29.95	760.8	...	...	N	10	...	,,	30.19	766.8	...	...	E	4
Kagoshima,	,,	29.96	760.9	...	...	N W	8	...	,,	30.19	766.9	...	...	N	4
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	30.12	765.1	...	...	N	6
Naha,	,,	30.05	763.2	...	...	N	8	...	,,	30.09	764.2	...	...	E	4
Ishigakijima,	,,	30.17	766.3	...	...	N	6	...	,,	30.17	766.3	...	...	N	2
Chefoo,	3 p.	30.06	763.5	52	86	N W	2	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.07	763.8	57	...	N W	2	b	9 a.	30.10	764.5	56	...	S W	3
Hankow,	,,	30.40	772.1	59	38	S	1	b	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.33	770.4	55	62	N E	1	b	,,	...	...	...	...	...	...
Shanghai,	,,	30.26	768.6	55	28	N N W	2	b	9 a.	30.25	768.3	49	50	S S E	2
Gutzlaff,	,,	30.23	767.8	50	45	N	2	bv	,,	30.23	767.8	47	63	S	2
Sharp Peak,	,,	30.14	765.5	57	81	E	2	c	,,	30.27	768.8	52	79	N N W	2
Amoy,	,,	30.12	765.0	62	67	N E	4	b	6 a.	30.14	765.5	56	87	N E	3
Swatow,	,,	30.15	765.8	62	94	E	2	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.26	768.6	...	...	E	6	...	5 a.	...	...	...	...	...	...
Taichu,	,,	30.14	765.6	...	...	N	4	...	,,	...	...	...	...	...	...
Tainan,	,,	30.12	765.1	...	...	N	6	...	,,	...	...	...	...	...	...
Koshun,	,,	30.04	763.0	...	...	N	8	...	,,	...	...	...	...	...	...
Pescadores,	,,	30.17	766.2	...	...	N	10	...	,,	...	...	...	...	...	...
Canton,	3 p.	30.29	767.1	62	77	N	2	o	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	30.15	765.8	62	50	E	2	o	10 a.	30.20	767.1	62	68	E	2
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E	3
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	30.15	765.8	62	...	N	2	o	,,	30.20	767.1	61	...	N	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	30.18	766.6	59	...	S S E	2	o	10 a.	...	...	...	...	...	...
Tourane,	,,	30.12	765.1	70	...	N W	4	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.84	758.0	84	...	E N E	4	c	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.84	758	86	58	W N W	0	o	10 a.	30.00	762	79	84	S E	0
Legaspi,	2 p.	29.84	758.0	84	...	E	2	o	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	4	b	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.83	757.7	88	...	N E	2	b	,,	29.93	760.2	83	...	N E	1
Cebu,	,,	29.85	758.2	86	...	N	3	b	,,	29.95	760.7	85	...	N	1
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.91	759.7	84	...	...	...

On the 2nd at 12.25 p.—The depression noted yesterday has passed to the E. of Japan.

Pressure has increased quickly over S. Japan, and given way slightly on the China coast. It is highest on China.

Gradients are easier, and fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; cloudy, probably some rai
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant

Hongkong Observatory, Tuesday, 2nd April, 1907.

[Printed by NORONHA & Co., Government Printers.]

2nd APRIL, 1907, P.M.

Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.							
	29.91	762.2			N	8	
	30.10	764.6			N W	8	
	30.11	764.8			N E	3	
	30.23	767.8			W	4	
	30.19	766.9			S E	2	
	30.16	766.1			N	4	
	30.09	764.2			E	4	
	30.13	765.3			N E	6	
3 p.							
	30.08	764.0	59		S W	5	b
	30.18	766.6	60	56	S	1	b
	30.17	766.3	66	54	S E	1	b
	30.18	766.6	56	24	S E	3	b
	30.16	766.0	53	48	S E	2	c
	30.21	767.3	62	79	N W	1	c
	30.17	766.3	59	88	N E	2	c
	30.17	766.3	60	65	E	2	c
4 p.	30.15	765.4	...	...	N E	6	...
	30.11	764.7	...	...	N	1	...
	30.15	765.7	...		N	4	...
	30.09	764.2		...	N E	8	...
	30.12	765.1		...	N	8	...
5 p.	30.23	767.9	61	66	...	6	c
6 p.	30.10	764.5	62	61	E	2	c
	30.10	764.5	62	...	N E	1	c
7 p.							
	30.11	764.8	65	73	N W	1	c
8 p.	30.07	763.7	66		S S E	3	c
	30.00	762.0	73	...	N W	3	c
	29.95	760.3	82	...	E N E	5	ch
9 p.	30.02	762.4	79	...	N E	2	c
10 p.	29.92	760	81	58	S E	2	c
11 p.			...				
12 p.					N E	5	c
	29.87	758.7	86		N E	2	c
	29.79	756.6	85		N	2	c
	29.82	757.7	87				...

3rd APRIL, 1907, A.M.

Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.							
8 a.	30.28	769.1			N	7	
	30.40	772.2			N	12	
	30.46	773.6			N W	1	
	30.35	770.8			N W	1	
	30.35	770.8				1	
	30.31	769.9			N E	2	
	30.28	769.1			N	1	
	30.27	768.8				1	
	30.17	766.3			N E	2	
9 a.							
10 a.	30.36	771.1	52		S	1	b
11 a.							
12 a.							
1 a.	30.30	769.6	52	65	S E	3	b
	30.27	768.8	52	66	S E	3	bm
	30.29	769.3	54	70	N N E	1	c
2 a.	30.25	768.8	56	75	N E	2	c
	30.16	766.0	56	65	E N E	2	c
3 a.							
4 a.							
5 a.							
6 a.							
7 a.							
8 a.	30.18	766.6	62	77	E	1	c
10 a.	30.18	766.6	63	65	E	3	c
11 a.					E	5	
12 a.							
1 a.							
2 a.							
3 a.							
4 a.							
5 a.							
6 a.							
7 a.							
8 a.					N E	4	b
9 a.	29.97	761.2	82		N E	1	c
	29.91	759.7	83		N	1	c
	29.85	757.7	82				

the 3rd at 11.55 a.m. The barometer has risen rapidly over N. China and Japan, and a slight fall has d on the S. coast of China.

high pressure area lies over the Sea of Japan, and pressure is probably low over W. China.

esh to moderate N.E. and E. winds are expected to prevail in the Formosa Channel and the N. part of the Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood,	E. winds, fresh, fair.
osa Channel.	N.E. to E. winds, fresh to moderate.
h coast of China between Hongkong and Lamocks,	Same as No. 1.
h coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

ongkong Observatory, Wednesday, 3rd April, 1907.

c by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd April, 1907, P.M.								4th April, 1907, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.36	771.1	...	...	N W	4	...	6 a.	30.56	776.1	...	...	...	...
Hakodate,	,,	30.48	774.2	...	...	S	4	...	,,	30.52	775.2	...	...	...	...
Tokio,	,,	30.46	773.6	...	...	S E	4	...	,,	30.62	777.6	...	...	N W	...
Kochi,	,,	30.35	770.8	...	...	S E	4	...	,,	30.47	773.8	...	...	S W	...
Nagasaki,	,,	30.35	770.8	...	...	W	6	...	,,	30.39	771.8	...	...	S E	...
Kagoshima,	,,	30.35	770.9	...	...	S E	2	...	,,	30.39	771.9	...	...	...	...
Oshima,	,,	30.28	769.1	...	...	N	4	...	,,	30.28	769.1	...	...	S	...
Naha,	,,	30.24	768.2	...	...	N E	6	...	,,	30.25	768.2	...	...	N E	...
Ishigakijima,	,,	30.21	767.3	...	...	E	4	...	,,	30.21	767.3	...	...	E	...
Chefoo,	3 p.	30.35	770.9	58	32	S S E	4	c	6 a.	30.21	767.3	49	64	S W	...
Weihaiwei,	,,	30.32	770.1	52	...	S	3	b	9 a.	30.25	768.3	51	...	S S W	...
Hankow,	,,	30.16	766.0	69	56	E	3	b	6 a.	30.22	767.6	51	72	N N W	...
Kiukiang,	,,	30.14	765.5	70	95	N E	2	b	,,	30.16	766.0	56	94	N E	...
Shanghai,	,,	30.24	768.1	61	45	S E	3	b	9 a.	30.18	766.6	60	71	S S E	...
Gutzlaff,	,,	30.07	765.8	57	75	S E	3	cv	,,	29.99	761.7	54	87	S E	...
Sharp Peak,	,,	30.23	767.8	57	87	N E	2	o	,,	30.16	766.6	60	88	...	...
Amoy,	,,	30.17	766.3	45	61	E	3	b	6 a.	30.15	765.8	60	88	S E	...
Swatow,	,,	30.15	765.8	64	73	E	2	b	,,	30.16	766.6	60	82	E	...
Taihoku,	1 p.	30.17	766.3	...	...	E	6	...	5 a.	30.15	765.7	...	...	E	...
Taichu,	,,	30.16	766.0	...	...	N	4	...	,,	30.19	766.8	...	...	...	...
Tainan,	,,	30.15	765.9	...	...	N W	6	...	,,	30.15	765.8	...	...	N E	...
Koshun,	,,	30.14	765.5	...	...	E	6	...	,,	30.15	765.7	...	...	N	...
Pescadores,	,,	30.17	766.4	...	...	N	6	...	,,	30.16	766.0	...	...	N E	...
Canton,	3 p.	30.11	764.8	69	65	E S E	1	o	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	30.12	765.0	64	72	E	4	o	10 a.	30.15	765.8	67	76	E	...
Victoria Peak,	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	S E	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	30.10	764.5	65	...	S E	1	o	,,	30.14	765.5	66	...	S E	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.4	66	...	S E	4	o	10 a.	...	...	...	...	...	...
Tourane,	,,	30.02	762.4	81	...	S E	1	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.90	759.5	84	...	E N E	4	f	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.10	764.6	72	...	S W	...
Manila,	4 p.	29.96	761	84	64	S E	1	c	10 a.	30.04	763	84	58	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	30.02	762.6	77	...	N E	...
Bacolod,	3 p.	...	...	...	...	N E	6	b	9 a.	...	...	...	...	N	...
Iloilo,	,,	29.93	760.2	86	...	N E	2	o	,,	29.97	761.2	81	...	N E	...
Cebu,	,,	29.84	757.9	86	...	N	2	b	,,	30.00	762.0	84	...	N	...
Labuan,	,,	29.86	758.4	88	...	...	...	...	,,	29.92	759.9	93	...	...	...

On the 4th at 11.50 a.—A further increase of pressure has taken place over Japan, and a moderate de
the E. coast of China.

The anticyclone, of considerable intensity is now lying over E. Japan, and an area of low pressure is
Eastwards over the Yangtze valley.

Moderate E. and S.E. winds are expected to prevail in the Formosa Channel and the N. part of the Ch

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assis

Hongkong Observatory, Thursday, 4th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...
Nemuro,	,,	30.45	774.1	...	...	S W	8	...
Hakodate,	,,	30.44	773.2	...	...	S	4	...
Tokio,	,,	30.54	775.6	...	...	S	4	...
Kochi,	,,	30.43	772.8	...	...	W	2	...
Nagasaki,	,,	30.31	769.8	...	...	S E	4	...
Kagoshima,	,,	30.31	769.9	...	...	S E	2	...
Oshima,	,,	30.28	769.1	...	...	S E	6	...
Naha,	,,	30.20	767.2	...	...	E	6	...
Ishigakijima,	,,	30.17	766.3	...	...	S E	8	...
Chefoo,	3 p.	30.23	767.8	45	84	N W	2	b
Weihaiwei,	,,	30.25	768.3	41	...	W	4	c
Hankow,	,,	30.39	771.9	52	86	N	4	o
Kiukiang,	,,	30.27	768.8	53	100	N E	2	o
Shanghai,	,,	30.15	765.8	58	88	S S E	1	or
Gutzlaff,	,,	...	...	53	100	S S E	5	f
Sharp Peak,	,,	30.12	765.0	59	88	N	1	od
Amoy,	,,	30.04	763.0	65	73	S E	4	b
Swatow,	,,	30.12	765.0	70	66	...	0	o
Taiboku,	1 p.	30.11	764.9	...	...	N W	2	...
Taichu,	,,	30.13	765.4	...	...	W	6	...
Tainan,	,,	30.12	765.0	...	...	W	6	...
Koshun,	,,	30.11	764.9	...	...	N E	6	...
Pescadores,	,,	30.14	765.6	...	...	N W	6	...
Canton,	3 p.	30.06	763.5	71	85	E S E	1	o
Hongkong,	4 p.	30.05	763.2	68	79	E	3	o
Victoria Peak,	,,	...	...	...	...	S E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...
Macao,	,,	30.05	763.2	68	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.95	760.7	68	...	E S E	3	f
Tourane,	,,	29.93	760.3	79	...	S E	3	c
Cape St. James,	,,	29.85	758.2	75	...	E	4	f
Aparri,	2 p.	30.02	762.5	82	...	N E	1	b
Manila,	4 p.	29.92	760	84	58	E	3	c
Legaspi,	2 p.	29.95	760.8	84	...	S E	1	b
Bacolod,	3 p.	...	...	...	...	N E	5	b
Iloilo,	,,	29.87	758.7	87	...	N E	3	c
Cebu,	,,	29.80	756.9	85	...	N	3	b
Labuan,	,,	29.83	757.7	88	...	...	...	...

Station.	5th April, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	...	...	...	...	...	...	...
Nemuro,	6 a.	30.32	770.1	...	...	S W	8	...
Hakodate,	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.50	774.6	...	...	W	2	...
Kochi,	,,	30.39	771.8	...	...	...	0	...
Nagasaki,	,,	30.23	767.8	...	...	S	6	...
Kagoshima,	,,	30.27	768.9	...	...	S E	6	...
Oshima,	,,	30.24	768.1	...	...	S E	4	...
Naha,	,,	30.17	766.2	...	...	S E	4	...
Ishigakijima,	,,	30.13	765.3	...	...	S E	4	...
Chefoo,	6 a.	...	...	...	...	...	...	...
Weihaiwei,	9 a.	30.23	767.8	46	...	W	...	b
Hankow,	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...
Shanghai,	9 a.	30.31	769.9	52	53	N	3	b
Gutzlaff,	,,	...	...	48	85	N	6	om
Sharp Peak,	,,	30.20	767.1	59	94	N N E	1	f
Amoy,	6 a.	30.13	765.3	60	88	N E	1	o
Swatow,	,,	...	...	...	...	...	...	...
Taiboku,	5 a.	30.12	765.0	...	...	W	2	...
Taichu,	,,	30.13	765.3	...	...	...	0	...
Tainan,	,,	30.10	764.6	...	...	N	2	...
Koshun,	,,	30.10	764.5	...	...	E	4	...
Pescadores,	,,	30.11	764.7	...	...	N E	4	...
Canton,	9 a.	30.15	765.8	69	90	...	0	o
Hongkong,	10 a.	30.15	765.8	70	81	E	2	o
Victoria Peak,	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	69	...	E S E	1	o
Hoihow,	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...
Aparri,	6 a.	...	...	...	...	...	...	...
Manila,	10 a.	30.04	763	82	70	S S E	0	c
Legaspi,	6 a.	...	...	...	...	...	...	...
Bacolod,	9 a.	...	...	...	...	N E	4	b
Iloilo,	,,	29.93	760.2	81	...	N E	1	c
Cebu,	,,	29.87	758.7	84	...	N E	3	b
Labuan,	,,	29.94	760.5	83	...	...	...	...

On the 5th at 12.10 p.—The barometer has fallen over Japan, and risen on the E. coast of China.

Areas of high pressure are lying to the S.E. of Japan, and over the continent to the North of the Yangtze. The shallow depression lies now between the E. coast of China and S.W. Japan.

The wind will freshen again from N.E. in the Formosa Channel and over the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, freshening; fair.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 5th April, 1907.

[Printed by NOKONBA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th April, 1907, P.M.								6th April, 1907, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	S W	10	...	6 a.	30.12	765.1	...	...	W	8
Hakodate,	,,	30.13	765.2	...	...	S W	8	...	,,	30.05	763.2	...	...	S W	6
Tokio,	,,	30.30	769.6	...	...	S	6	...	,,	30.14	765.6	...	...	W	2
Kochi,	,,	30.27	768.8	...	...	S E	4	...	,,	30.03	762.8	...	...	...	0
Nagasaki,	,,	30.15	765.8	...	...	S	6	...	,,	30.07	763.8	...	...	...	0
Kagoshima,	,,	30.19	766.9	...	...	S	8	...	,,	30.08	763.9	...	...	N W	6
Oshima,	,,	30.20	767.1	...	...	S E	6	...	,,	30.08	764.1	...	...	S	4
Naha,	,,	30.17	766.2	...	...	S E	6	...	,,	30.21	767.2	...	...	...	0
Ishigakijima,	,,	30.13	765.3	...	...	E	6	...	,,	30.09	764.3	...	...	E	2
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.16	766.0	42	50	N N W	1
Weihaiwei,	,,	30.14	765.5	51	...	W N W	3	b	9 a.	...	...	...	...	...	...
Hankow,	,,	30.49	774.4	55	56	N W	2	o	6 a.	...	...	...	...	...	...
Kiukiang	,,	30.42	772.6	54	61	N N E	2	o	,,	...	...	...	...	...	...
Shanghai,	,,	30.28	769.1	55	92	N N W	3	o	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	...	...	50	51	N	5	om	,,	...	...	...	...	...	...
Sharp Peak,	,,	30.15	765.8	59	91	N E	3	o	,,	...	...	...	...	...	...
Amoy,	,,	30.13	765.3	65	84	N E	2	o	6 a.	30.19	766.8	58	88	N E	3
Swatow,	,,	30.00	762.0	69	80	E	2	c	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.11	764.7	...	...	N	4	...	5 a.	...	...	...	...	...	...
Taichu,	,,	30.08	764.1	...	...	N	4	...	,,	...	...	...	...	...	...
Tainan,	,,	30.09	764.3	...	...	N W	8	...	,,	...	...	...	...	...	...
Koshun,	,,	30.08	764.0	...	...	E	6	...	,,	...	...	...	...	...	...
Pescadores,	,,	30.11	764.8	...	...	N E	6	...	,,	...	...	...	...	...	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	30.05	763.2	70	75	E	2	o	10 a.	30.21	767.3	63	80	N E	1
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N E	1
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	30.06	763.5	68	...	N W	2	o	,,	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	63	...	N N E	5	or	10 a.	...	...	...	...	...	...
Tourane,	,,	29.95	760.7	73	...	S E	3	o	,,	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.2	84	...	E	3	f	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	57	E S E	1	c	10 a.	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	6	b	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.85	758.2	86	...	N E	2	o	,,	29.93	760.2	80	...	N E	2
Cebu,	,,	29.88	758.9	86	...	N	5	c	,,	29.95	760.7	85	...	S	2
Labuan,	,,	29.82	757.4	88	...	...	...	...	,,	...	...	...	...	...	...

On the 6th at 12.50 p.—The barometer has risen slightly in S. China, and fallen considerably over Japan. The depression appears to be moving N.E. over the Sea of Japan. The area of high pressure probably remains over the continent to the North of the Yangtze.

Fresh to strong monsoon will probably prevail in the Formosa Channel and the China Sea.

Many of the returns are not yet to hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; cloudy, some rain.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 6th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th APRIL, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock	2 p.	...	..	..	...	.	...	...
Seoul	..	30.08	764.1	...	.	S	6	...
Hakodate	..	29.97	761.2	..	..	..	0	...
Tokio	..	30.02	762.6	..	...	S E	2	...
Aomori	..	29.91	759.8	...	...	S E	2	...
Nagasaki	..	30.07	763.8	...	...	N W	8	..
Nagashima	..	30.04	762.9	.	..	N W	6	...
Ishima	..	30.08	764.1	...	...	N W	1	...
Naha	..	30.09	764.2	.	...	N W	4	..
Ishigakijima	..	30.05	763.3		...	N W	4	..
Isabel	3 p.	30.08	764.0	59	59	E N E	2	b
Weihaiwei	..	30.01	762.2	62		S W	1	b
Hankow	..	30.28	769.1	60	76	S	1	o
Kiukiang	..	30.29	769.3	61	53	S S W	1	b
Shanghai	..	30.16	766.0	65	..	N W	7	b
Gutzlaff	..	.	...	57	69	W N W	2	bm
Sharp Peak	..	30.21	767.3	59	76	E N E	3	o
Amoy	..	30.09	764.5	65	63	N E	2	c
Swatow	..	30.12	765.0	63	94	E	2	o
Taihoku	1 p.	30.21	767.3	...	...	E	4	..
Taichu	..	30.10	764.4	..	...	N	2	...
Tainan	..	30.10	764.5	...	...	N	6	...
Koshun	.	30.08	764.1	..	..	E	4	...
Pescadores	..	30.12	765.1	..	..	N	10	..
Canton	3 p.	30.16	766.0	64	73	N	1	o
Hongkong	1 p.	30.21	767.8	65	77	..	0	o
Victoria Peak	..	.	.	...	..	E N E	2	.
Cape Rock	..	.	.	.	...	.	.	
Macao	..	30.12	765.0	64		N	1	od
Heikow	3 p.	..	...	...	...	.	..	..
Pakhoi	..	30.22	767.6	55	94	N	4	o
Haiphong	4 p.	30.15	765.8	55	...	N N W	2	c
Tourane	.	30.03	762.8	72	...	N W	4	or
Cape St. James	.	.	...	...	..	...	.	
Aparri	2 p.			...	...	..	..	.
Manila	4 p.	29.88	759.0	86	59	W	1	c
Legaspi	2 p.	...	.	...	...	..	...	..
Borobod	3 p.	...	...	..	...	N E	4	b
Iloilo	.	29.83	757.7	87	...	N E	3	b
Cebu	..	29.86	758.2	86	...	N	4	b
Labuan	..	29.79	756.5	87	..	.	.	...

Station.	7th APRIL, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
	7 a.	...	..	.	.		.	..
	6 a.	..			...	.	...	
	..	29.89	759.2	.	..	..	0	.
	..	29.91	759.6		...	N W	4	..
	..	30.03	762.8	...	..	N E	2	..
	..	30.15	765.8	..	...	.	0	..
	..	30.12	765.0	.	...	N W	4	..
	..	30.12	765.1	...	..	N W	6	...
	..	30.09	764.2	..	..	N E	2	..
	..	30.09	764.3	.	.	N E	2	..
	6 a.	..		.	...		.	...
	9 a.	...	.	...	..	..	...	...
	6 a.	..	...	...		.	..	...
	..	...	.	.	.	.	.	...
	9 a.	30.20	767.1	58	17	S	3	o
	..	..	..	58	8	S E	3	cm
	..	30.21	767.3	56	75	N N W	1	or
	6 a.	30.09	764.3	57	69	N W	2	c
	..	30.10	764.5	58	64	E	1	o
	5 a.	30.10	764.6	..	...	E	4	.
	..	30.08	764.1	..	..	.	0	..
	..	30.09	764.3	.	..	N	4	.
	..	30.05	763.3	..	..	N	6	..
	..	30.09	764.3	...	...	N	6	...
	9 a.	30.13	765.3	60	82	N E	1	o
	10 a.	30.17	766.3	61	89	E	2	od
	..	...	...	.	.	...	...	..
	..	.			..			...
	..	30.16	766.0	61	..	N N W	1	o
	9 a.	...			...	.	...	...
	..	...	...	.	...	.	..	..
	10 a.	...	..	.	..	..	.	...
	..	...	.		.	.	.	..
	..				...	.	...	..
	6 a.	30.03	762.7	70		S	1	b
	10 a.	30.00	762	81	70	W	3	c
	6 a.	29.97	761.3	77	..	E	1	c
	9 a.	..			..	N E	4	b
	..	29.91	759.5	82	...	E N E	3	b
	..	29.92	759.9	83	...	S	2	c
	..	29.91	759.7	81	...	.	...	.

On the 7th at 12.45 a.m.—The barometer has risen in W. Japan, and fallen over E. Japan and the China coast.

The depression lying over the Sea of Japan yesterday is passing to the Pacific, and a new depression seems to be approaching N. China from the Westward.

Pressure is highest between the E. coast of China and W. Japan.

Moderate E. winds are expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	E. winds, moderate; cloudy, some rain.
2.—Formosa Channel.	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 7th April, 1907.

[Printed by NOKONIHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th April, 1907, P.M.								8th April, 1907, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	N	4	...	6 a.	30.16	766.1	...	...	...	0
Hakodate,	,,	29.97	761.2	...	...	...	0	...	,,	30.21	767.2	...	...	N W	4
Tokio,	,,	29.94	760.6	...	...	W	6	...	,,	30.26	768.6	...	...	N W	2
Kochi,	,,	30.03	762.8	...	...	S	2	...	,,	30.19	766.8	...	...	...	0
Nagasaki,	,,	30.15	765.8	...	...	W	6	...	,,	30.19	766.8	...	...	...	0
Kagoshima,	,,	30.11	764.9	...	...	S E	4	...	,,	30.19	766.9	...	...	N E	2
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	30.16	766.1	...	...	S	2
Naha,	,,	30.13	765.2	...	...	N E	4	...	,,	30.13	765.2	...	...	...	0
Ishigakijima,	,,	30.09	764.3	...	...	S E	4	...	,,	30.05	763.3	...	...	S E	2
Chefoo,	3 p.	30.00	762.0	75	26	S W	3	b	6 a.	30.04	763.0	54	43	S	1
Weihaiwei,	,,	30.03	762.7	71	...	...	3	b	9 a.	...	...	...	...	...	...
Hankow,	,,	30.15	765.8	69	56	S	2	b	6 a.	30.04	763.0	57	87	N	1
Kiukiang,	,,	30.10	764.5	69	47	N E	2	b	,,	30.06	763.5	56	94	...	0
Shanghai,	,,	30.10	764.5	58	42	S E	2	o	9 a.	30.13	765.3	51	86	S E	3
Gutzlaff,	,,	...	...	55	68	S E	3	cm	,,	...	...	51	86	S E	3
Sharp Peak,	,,	30.13	765.3	58	81	N	1	od	,,	30.13	765.3	53	91	...	0
Amoy,	,,	30.08	764.0	67	64	S E	3	o	6 a.	30.05	763.2	54	94	...	0
Swatow,	,,	30.06	763.5	66	64	E	1	o	,,	30.05	763.2	59	88	E	1
Taihoku,	1 p.	30.08	764.1	...	...	E	6	...	5 a.	...	...	...	...	...	...
Taichu,	,,	30.08	764.1	...	...	N	2	...	,,	...	...	...	...	...	...
Tainan,	,,	30.08	764.0	...	...	N W	6	...	,,	...	...	...	...	.	...
Koshun,	,,	30.07	763.7	...	...	E	4	...	,,	...	...	...	...	...	...
Pescadores,	,,	30.10	764.6	...	...	N	6	...	,,	...	...	...	...	...	...
Canton,	3 p.	30.06	763.5	61	94	N	1	or	9 a.	30.09	764.3	63	100	...	0
Hongkong,	4 p.	30.06	763.5	63	74	E	2	od	10 a.	30.11	764.8	65	87	E	2
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	30.06	763.5	65	...	N N E	1	od	,,	30.11	764.8	65	...	S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	30.00	761.9	64	...	S S E	4	c	10 a.	...	...	...	...	...	...
Tourane,	,,	30.00	761.9	79	...	N	3	c	,,	...	...	...	...	...	...
Cape St. James	,,	29.86	758.4	79	...	E	3	c	,,	...	...	...	...	...	...
Aparri,	2 p.	30.01	762.3	77	...	N E	1	o	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	58	S S E	2	o	10 a.	30.04	763	81	69	W	2
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	30.00	761.9	77	...	N E	1
Bacolod,	3 p.	...	...	...	...	N E	5	o	9 a.	...	...	...	...	N E	4
Iloilo,	,,	29.87	758.7	85	...	N E	3	c	,,	29.93	760.2	82	...	N E	2
Cebu,	,,	29.89	759.2	84	...	N	2	b	,,	29.89	759.2	87	...	N	2
Labuan,	,,	29.80	756.9	85	...	...	...	...	,,	29.92	759.9	84	...	...	...

On the 8th at 11.35 a.—The barometer has risen considerably in E. Japan, and fallen moderately over Chi
The highest pressure is now shown over S.E. Japan, and the depression over China appears to be moving l
wards in the Yangtze valley.

Gradients are slight in the South, and moderate to light E. and S.E. winds are expected to prevail in the
mosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, light; misty or foggy.
2.—Formosa Channel,	S.E. winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 8th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...
Nemuro	,,	30.16	766.1	...	...	S	4	...
Hakodate	,,	30.20	767.2	...	...	S W	6	...
Tokio	,,	30.26	768.6	...	...	S	4	...
Kochi	,,	30.19	766.8	...	...	S	2	...
Nagasaki	,,	30.15	765.8	...	...	S W	4	...
Kagoshima	,,	30.19	766.9	...	...	S E	4	...
Oshima	,,	30.16	766.1	...	...	S	2	...
Naha	,,	30.13	765.2	...	...	S	4	...
Ishigakijima	,,	30.05	763.3	...	...	S	8	...
Chefoo	3 p.	30.09	764.3	68	95	S	3	c
Weihaiwei	,,	30.11	764.8	62	...	S W	2	c
Hankow	,,	30.13	765.3	60	71	S W	1	o
Kiukiang	,,	30.09	764.3	60	93	N W	1	c
Shanghai	,,	30.04	763.0	52	93	S E	2	ov
Gutzlaff	,,	30.04	763.0	49	100	S E	5	f
Sharp Peak	,,	30.05	763.2	60	94	...	0	o
Amoy	,,	29.98	761.5	66	68	S W	1	b
Swatow	,,	30.02	762.5	70	75	E	2	c
Taihoku	1 p.	30.02	762.4	...	...	E	2	...
Taichu	,,	30.06	763.6	...	...	W	2	...
Tainan	,,	30.05	763.4	...	...	N	2	...
Koshun	,,	30.07	763.9	...	...	N E	6	...
Pescadores	,,	30.05	763.2	...	...	N	6	...
Canton	3 p.	30.01	762.2	70	85	...	0	o
Hongkong	4 p.	29.99	761.7	68	87	E	3	o
Victoria Peak	,,	...	...	...	...	S E	3	...
Gap Rock	,,	...	...	...	...	...	...	...
Macao	,,	29.99	761.7	68	...	S E	1	o
Hoihow	3 p.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.96	761.0	68	...	N N E	1	o
Tourane	,,	29.95	760.8	84	...	N E	1	c
Cape St. James	,,	29.86	758.4	82	...	E	2	c
Aparri	2 p.	...	...	...	...	...	...	...
Manila	4 p.	29.92	760	90	48	S E	1	c
Legaspi	2 p.	29.95	760.8	81	...	N E	1	c
Bacolod	3 p.	...	...	...	...	N E	4	b
Hoilo	,,	29.87	758.7	89	...	N E	2	c
Cebu	,,	29.79	756.6	86	...	N	2	...
Labuan	,,	29.81	757.2	87	...	...	...	...

Station.	9th April, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	7 a.	...	...	...	...	...	...	...
Nemuro	6 a.	30.08	764.1	...	...	S W	6	..
Hakodate	,,	30.21	767.2	...	...	...	0	...
Tokio	,,	30.34	770.6	...	...	N W	2	...
Kochi	,,	30.23	767.8	...	...	S W	2	...
Nagasaki	,,	30.15	765.8	...	...	E	6	...
Kagoshima	,,	30.19	766.9	...	...	E	4	...
Oshima	,,	30.12	765.1	...	...	S E	4	...
Naha	,,	30.09	764.2	...	...	S E	2	...
Ishigakijima	,,	30.01	762.3	...	...	S	8	...
Chefoo	6 a.	30.14	765.5	44	84	S	0	b
Weihaiwei	9 a.	...	...	...	...	...	...	...
Hankow	6 a.	30.19	766.8	54	94	S W	1	c
Kiukiang	,,	30.14	765.5	55	94	W	1	c
Shanghai	9 a.	30.02	762.5	57	87	W N W	2	o
Gutzlaff	,,	...	...	52	100	W	2	f
Sharp Peak	,,	30.14	765.5	59	97	...	0	f
Amoy	6 a.	30.02	762.5	58	100	N W	1	c
Swatow	,,	...	...	...	...	...	...	...
Taihoku	5 a.	30.02	762.4	...	...	...	0	...
Taichu	,,	30.04	763.1	...	...	...	0	...
Tainan	,,	30.04	763.1	...	...	...	0	...
Koshun	,,	30.00	762.0	...	...	...	0	...
Pescadores	,,	30.01	762.1	...	...	E	2	...
Canton	9 a.	...	...	...	...	...	...	...
Hongkong	10 a.	30.13	765.3	73	85	...	0	o
Victoria Peak	,,	...	...	...	...	N W	1	...
Gap Rock	,,	...	...	...	...	...	...	...
Macao	,,	30.14	765.5	71	...	S E	1	c
Hoihow	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...
Phulien	10 a.	...	...	...	...	...	...	...
Tourane	,,	...	...	...	...	...	...	...
Cape St. James	,,	...	...	...	...	...	...	...
Aparri	6 a.	...	...	...	...	...	...	...
Manila	10 a.	30.04	763	82	63	N W	1	c
Legaspi	6 a.	...	...	...	...	...	...	...
Bacolod	9 a.	...	...	...	...	N E	3	b
Hoilo	,,	29.97	761.2	83	...	N E	1	b
Cebu	,,	29.91	759.7	86	...	N	2	b
Labuan	,,	29.94	760.5	86	..	...	...	...

On the 9th at 11.55 a.—The barometer has risen over Central China, and fallen on the E. coast. The depression is passing from the continent to the Yellow Sea. Pressure remains high over S.E. Japan. Gradients continued slight in the South, and light or moderate variable winds are expected to prevail in the Formosa Channel, and light to moderate N.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable or N. winds, light to moderate; fair.
2.—Formosa Channel,	Variable winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 9th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th April, 1907, P.M.								10th April, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.00	762.1	...	...	W	6	...	6 a.	30.12	765.1	...	...	S E	2	
Hakodate,	,,	30.13	765.2	...	...	W	4	...	,,	30.13	765.2	...	...	N E	2	
Tokio,	,,	30.22	767.6	...	...	S	6	...	,,	30.14	765.6	...	...	N W	2	
Kochi,	,,	30.19	766.8	...	...	...	0	...	,,	29.99	761.8	...	...	S W	2	
Nagasaki,	,,	30.03	762.8	...	...	S E	8	...	,,	29.88	758.8	...	...	S W	8	
Kagoshima,	,,	30.11	764.9	...	...	S	6	...	,,	29.92	759.9	...	...	W	6	
Oshima,	,,	30.04	763.1	...	...	S	8	...	,,	29.97	761.1	...	...	N W	4	
Naha,	,,	30.09	764.2	...	...	S E	2	...	,,	29.97	761.2	...	...	N W	4	
Ishigakijima,	,,	30.01	762.3	...	...	S	8	...	,,	29.97	761.3	...	...	...	0	
Chefoo,	3 p.	30.17	766.3	57	52	E	2	b	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.06	763.5	59	...	N E	1	c	9 a.	...	...	...	...	...	...	
Hankow,	,,	30.16	766.0	71	62	S	1	b	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.14	765.5	70	66	N W	1	b	,,	30.11	764.8	56	94	...	0	
Shanghai,	,,	29.99	761.7	57	81	W N W	3	o	9 a.	30.08	764.0	56	75	W	1	
Gutzlaff,	,,	...	...	56	87	N W	4	om	,,	...	...	53	86	N N W	1	
Sharp Peak,	,,	29.99	761.7	65	97	...	0	b	,,	30.09	764.3	62	91	N E	2	
Amoy,	,,	29.90	759.4	70	70	S E	2	b	6 a.	29.98	761.5	66	89	...	1	
Swatow,	,,	29.99	761.7	84	96	S W	2	b	,,	30.01	762.2	65	89	...	2	
Taihoku,	1 p.	30.04	763.0	...	...	W	4	...	5 a.	30.02	762.4	...	...	...	1	
Taichu,	,,	30.05	763.2	...	...	N W	2	...	,,	30.03	762.7	...	...	...	0	
Tainan,	,,	30.04	762.9	...	...	N W	6	...	,,	30.02	762.6	...	...	N	2	
Koshun,	,,	30.02	762.6	...	...	W	4	...	,,	30.00	761.9	...	...	...	0	
Pescadores,	,,	30.06	763.4	...	...	N	6	...	,,	29.99	761.8	...	...	N	2	
Canton,	3 p.	30.02	762.5	81	71	...	0	b	9 a.	30.07	763.8	69	95	...	0	
Hongkong,	4 p.	30.00	762.0	76	76	W N W	1	b	10 a.	30.07	763.8	76	74	W	1	
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	S	1	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	30.02	762.5	73	...	E S E	1	c	,,	30.07	763.8	72	...	E S E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.02	762.5	68	...	W S W	4	db	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.98	761.5	82	...	N E	1	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.87	758.8	82	...	E	3	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.97	761.3	84	...	N E	1	b	6 a.	29.99	761.6	72	...	S W	1	
Manila,	4 p.	29.88	759	88	59	S E	4	c	10 a.	30.00	762	84	64	N W	2	
Legaspi,	2 p.	29.97	761.2	82	...	E	1	c	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N E	4	b	9 a.	...	...	...	...	N E	3	
Hoilo,	,,	29.87	758.7	89	...	N E	1	b	,,	29.97	761.2	84	...	N E	2	
Cebu,	,,	29.88	758.9	86	...	N	3	b	,,	29.97	761.2	84	...	N	2	
Labuan,	,,	29.80	756.9	88	...	...	...	...	,,	29.89	759.2	85	...	...	...	

On the 10th at 11.55 a.—The barometer has fallen considerably in S. Japan, owing to the depression, wh now moving Eastwards in the neighbourhood of Korea Straits.

Except over the E. coast where a slight increase of pressure has occurred, the barometer is inclined to fall over China.

Gradients continue slight in the South, and light variable winds may be expected in the Formosa Channel the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 10th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th April, 1907, P.M.								11th April, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S E	6	...	6 a.	29.97	761.1	...	...	S E	4	..
Hakodate,	,,	29.97	761.2	...	...	S E	6	...	,,	29.65	753.2	...	...	N W	2	...
Tokio,	,,	30.02	762.6	...	...	S	6	...	,,	29.67	753.6	...	...	W	4	...
Kochi,	,,	29.80	756.8	...	...	N W	2	...	,,	29.84	757.8	...	...	W	4	...
Nagasaki,	,,	29.87	758.8	...	...	S W	6	...	,,	29.99	761.8	...	...	..	0	...
Kagoshima,	,,	29.92	759.9	...	...	W	6	...	,,	30.00	761.9	...	...	...	0	...
Oshima,	,,	30.00	762.1	...	...	N W	4	...	,,	30.04	763.1	...	...	N	6	...
Naha,	,,	30.01	762.2	...	...	N	6	...	,,	30.01	762.2	...	...	N	4	...
Ishigakijima,	,,	30.01	762.3	...	...	E	6	...	,,	30.05	763.3	...	...	...	0	...
Chefoo,	3 p.	29.80	756.9	69	85	W	2	b	6 a.	29.82	757.4	62	56	S	1	b
Weihaiwei,	,,	29.79	756.6	73	...	W	2	o	9 a.	29.85	758.2	72	...	W S W	4	ovr
Hankow,	,,	30.06	763.5	70	53	S	1	b	6 a.	29.94	760.5	65	78	E	2	b
Kiukiang,	,,	30.03	762.7	79	47	N	1	b	,,	29.94	760.5	59	94	...	0	b
Shanghai,	,,	30.00	762.0	69	43	W S W	1	b	9 a.	29.99	761.7	60	88	S S E	2	b
Gutzlaff,	,,	...	...	58	76	N N W	1	bv	,,	...	...	51	93	S E	4	f
Sharp Peak,	,,	30.02	762.5	65	89	N	1	o	,,	30.08	764.0	65	89	...	0	o
Amoy,	,,	29.91	759.7	68	79	S E	5	c	6 a.	30.01	762.2	58	88	..	0	f
Swatow,	,,	29.96	761.0	75	68	E	2	b	,,	30.01	762.2	64	95	W	1	c
Taihoku,	1 p.	30.03	762.7	...	...	E	6	...	5 a.	30.00	761.9	...	...	...	0	...
Taichu,	,,	30.01	762.2	...	...	N	6	...	,,	29.99	761.8	...	...	...	0	...
Tainan,	,,	30.02	762.5	...	...	N W	4	...	,,	29.98	761.5	...	...	N	2	...
Koshun,	,,	30.02	762.4	...	...	W	2	...	,,	29.97	761.2	...	...	N	2	...
Pescadores,	,,	30.01	762.3	...	...	N W	6	...	,,	29.98	761.5	...	...	N	6	...
Canton,	3 p.	29.98	761.5	85	68	S	1	b	9 a.	30.03	762.7	71	90	...	0	o
Hongkong,	4 p.	29.97	761.2	77	73	N N W	1	b	10 a.	30.03	762.7	76	77	E	1	c
Victoria Peak,	..	...	...	...	...	S S W	1	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Macao,	,,	30.01	762.2	75	...	S E	1	c	,,	30.04	763.0	74	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	760.9	77	...	S E	3	c	10 a.	...	...	...	...	...	...	..
Tourane,	,,	29.96	761.1	82	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.2	82	...	E N E	4	c	..	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	760.9	84	...	N E	1	b	6 a.	...	...	...	...	...	..	...
Manila,	4 p.	29.88	759	90	48	S E	3	c	10 a.	29.96	761	90	48	E	1	b
Legaspi,	2 p.	29.95	760.7	88	...	E	1	b	6 a.	...	...	...	...	...	..	...
Bacolod,	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N E	4	b
Iloilo,	,,	29.87	758.7	89	...	N E	1	c	,,	29.93	760.2	83	...	N E	1	c
Cebu,	..	29.88	758.9	86	...	N	3	b	,,	29.94	760.5	86	...	N	2	b
Laboan,	,,	29.84	757.9	87	...	...	...	...	,,	29.90	759.4	86	...	...	...	...

On the 11th at 11.40 a.—The depression is moving into the Pacific to the E. of Japan.

The barometer has risen in W. Japan, and the fall over China continues.

A new depression seems to be approaching N. China from the Westward. Pressure is highest over the Eastern Sea.

Gradients continue slight in the South, and light to moderate E. and S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 11th April, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th April, 1907, P.M.								12th April, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	S E	8	...	6 a.	29.57	751.1	...	...	S E	6
Hakodate,	,,	29.54	750.2	...	...	N W	4	...	,,	29.65	753.2	...	...	W	8
Tokio,	,,	29.63	752.6	...	...	S W	2	...	,,	29.87	758.6	...	...	N W	6
Kochi,	,,	29.87	758.8	...	...	E	4	...	,,	29.99	761.8	...	...	W	2
Nagasaki,	,,	30.03	762.8	...	...	S W	6	...	,,	29.99	761.8	...	...	...	0
Kagoshima,	,,	29.96	760.9	...	...	N W	6	...	,,	30.04	762.9	...	...	N E	2
Oshima,	,,	30.04	763.1	...	...	N	4	...	,,	30.01	762.1	...	...	S	2
Naha,	,,	30.05	763.2	...	...	N	2	...	,,	30.01	762.2	...	...	...	0
Ishigakijima,	,,	30.01	762.3	...	...	E	6	...	,,	29.97	761.3	...	...	S E	2
Chefoo,	3 p.	29.76	755.9	76	91	S	5	o	6 a.	29.74	755.4	53	86	S	1
Weihaiwei,	,,	29.77	756.1	73	...	W S W	6	c	9 a.	29.76	755.9	45	...	E	4
Hankow,	,,	29.81	757.2	88	52	S	2	b	6 a.	29.71	754.6	73	76	S E	1
Kiukiang,	,,	29.80	756.9	84	47	N E	1	b	,,	29.70	754.4	76	69	S W	4
Shanghai,	,,	29.85	758.2	72	62	S S E	3	b	9 a.	29.73	755.1	69	75	S	3
Gutzlaff,	,,	...	...	54	94	S E	6	f	,,	...	...	59	88	S	3
Sharp Peak,	,,	29.96	761.0	70	85	N	1	c	,,	29.92	759.9	65	95	S	1
Amoy,	,,	29.89	759.2	68	85	S E	4	b	6 a.	29.91	759.7	64	89	...	0
Swatow,	,,	30.06	763.5	74	72	S E	2	b	,,	29.93	760.2	65	95	S	1
Taihoku,	1 p.	29.96	761.1	...	...	S E	2	...	5 a.	29.93	760.2	...	...	...	0
Taichu,	,,	29.97	761.3	...	...	N	4	...	,,	29.95	760.6	...	...	...	0
Tainan,	,,	30.00	762.0	...	...	W	6	...	,,	29.95	760.6	...	...	N E	2
Koshun,	,,	29.98	761.4	...	...	E	8	...	,,	29.89	759.3	...	...	S W	2
Pescadores,	,,	29.97	761.3	...	...	S E	6	...	,,	29.91	759.8	...	...	...	0
Canton,	3 p.	29.92	759.9	81	74	S S E	2	c	9 a.	29.95	760.7	72	85	E S E	1
Hongkong,	4 p.	29.94	760.5	73	85	E	3	o	10 a.	29.96	761.0	77	68	S S E	2
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	S S E	3
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	29.95	760.7	74	...	S E	1	c	,,	29.96	761.0	73	...	E S E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.85	758.1	75	...	S S E	5	c	10 a.	...	...	...	...	...	...
Tourane,	,,	29.89	759.3	79	...	E	1	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	84	...	E	4	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.91	759.6	86	...	E	1	b	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.84	758	90	48	S E	3	c	10 a.	29.92	760	86	59	S E	4
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	6	b	9 a.	...	...	...	...	N E	4
Iloilo,	,,	29.83	757.7	89	...	N E	2	b	,,	29.89	759.2	83	...	N E	1
Cebu,	,,	29.80	756.9	88	...	N	3	c	,,	29.92	759.9	84	...	N	2
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	29.81	757.2	86	...	...	...

On the 12th at 11.55 a.—A rather deep depression is moving Eastwards over China to the North of the Ya[illegible] and pressure has given way along the coast generally.

The other depression is moving towards the Pacific over N.E. Japan, and the highest pressure is now over Japan.

Moderate to fresh S. winds are expected to prevail in the Formosa Channel, and moderate S.E. and S. [illegible] over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; fair to showery.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 12th April, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th April, 1907, P.M.								13th April, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.49	749.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	...	...	W	4	...
Tokio,	,,	29.87	758.6	...	...	S	4	...	,,	29.91	759.6	...	...	N	2	...
Kochi,	,,	29.95	760.8	...	...	S	2	...	,,	29.91	759.8	...	...	S W	3	...
Nagasaki,	,,	29.95	760.8	...	...	W	6	...	,,	29.76	755.8	...	...	S	8	...
Kagoshima,	,,	29.96	760.9	...	...	S E	2	...	,,	29.84	757.9	...	...	S W	2	...
Oshima,	,,	29.96	761.1	...	...	S	8	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.97	761.2	...	...	S	2	...	,,	29.85	758.2	...	...	S	2	...
Ishigakijima,	,,	29.93	760.3	...	...	S	4	...	,,	29.82	757.3	...	...	S W	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.62	752.3	44	...	N E	4	c	9 a.	29.57	751.1	44	...	W N W	3	c
Hankow,	,,	29.68	753.9	79	74	S W	1	o	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	29.65	753.1	84	96	S W	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.56	750.8	79	51	S	7	c	9 a.	29.77	756.1	59	82	W N W	5	b
Gutzlaff,	,,	...	...	67	50	S	5	dcm	,,	...	...	59	94	W N W	6	ocm
Sharp Peak,	,,	29.74	755.4	72	83	S	3	b	,,	29.76	755.9	69	95	S	2	c
Amoy,	,,	29.76	755.9	74	81	S E	3	b	6 a.	29.72	754.9	68	90	...	0	b
Swatow,	,,	29.80	756.9	81	71	E	3	b	,,	29.87	758.7	68	95	S E	1	b
Taihoku,	1 p.	29.88	758.9	...	...	N W	4	...	5 a.	29.78	756.4	...	...	S E	2	...
Taichu,	,,	29.90	759.4	...	...	W	4	...	,,	29.89	759.1	...	...	...	0	...
Tainan,	,,	29.91	759.8	...	...	S W	6	...	,,	29.88	758.8	...	...	...	0	...
Koshun,	,,	29.91	759.6	...	...	S	6	...	,,	29.84	757.8	...	...	W	2	...
Pescadores,	,,	29.90	759.5	...	...	S W	4	...	,,	29.83	757.7	...	...	S	4	...
Canton,	3 p.	29.83	757.7	77	82	E S E	2	c	9 a.	29.87	758.7	77	86	...	0	b
Hongkong,	4 p.	29.84	757.9	77	72	S	1	o	10 a.	29.90	759.4	76	84	...	0	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.83	757.7	75	...	S S E	1	c	,,	29.90	759.4	75	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.86	758.4	78	82	W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.5	73	...	S E	5	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.83	757.7	82	...	S E	3	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	84	...	E S E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.86	758.4	88	...	N E	1	b	6 a.	29.85	758.2	72	...	S W	1	b
Manila,	4 p.	29.84	758	88	54	S E	3	b	10 a.	29.92	760	86	53	S E	2	b
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N N E	3	b
Iloilo,	,,	29.79	756.6	88	...	N E	2	b	,,	29.89	759.2	83	...	N E	1	b
Cebu,	,,	29.73	755.1	86	...	N	3	c	,,	29.80	756.9	84	...	N E	...	b
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 13th at 12.40 p.—Pressure has given way considerably over W. Japan and the N.E. coast of China, and less so in S. China and Formosa.

The depression is crossing the Yellow Sea and approaching Korea.

Fresh S.W. winds may be expected in the Formosa Channel, and moderate S. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 13th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th April, 1907, P.M.								14th April, 1907, A.M.						
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	S	6	...	6 a.	29.81	757.1	...	...	E	4
Hakodate,	,,	29.81	757.2	...	...	W	4	...	,,	29.65	753.2	...	...	E	4
Tokio,	,,	29.79	756.6	...	...	S	8	...	,,	29.55	750.6	...	...	S	10
Kochi,	,,	29.76	755.8	...	...	S	2	...	,,	29.72	754.8	...	...	W	4
Nagasaki,	,,	29.56	750.8	...	...	S	10	...	,,	29.88	758.8	...	...	W	8
Kagoshima,	,,	29.68	753.9	...	...	S	8	...	,,	29.88	758.9	...	...	N W	4
Oshima,	,,	29.77	756.1	...	...	S	8	...	,,	29.97	761.1	...	...	N	6
Naha,	,,	29.85	758.2	...	...	S	6	...	,,	29.97	761.2	...	...	N	6
Ishigakijima,	,,	29.85	758.3	...	...	S W	6	...	,,	29.89	759.3	...	...	N E	6
Chefoo,	3 p.	29.70	754.4	49	57	N W	4	c	6 a.	29.81	757.2	45	100	S W	1
Weihaiwei,	,,	29.65	753.1	46	...	W N W	4	c	9 a.	29.94	760.5	50	...	W	2
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.02	762.5	61	94	E	2
Kiukiang,	,,	30.01	762.2	73	63	N W	1	b	,,	...	...	...	...	...	...
Shanghai,	,,	29.87	758.7	62	61	N W	3	o	9 a.	30.05	763.2	64	63	S S W	1
Gutzlaff,	,,	...	...	55	87	N N W	5	ov	,,	...	...	57	87	S S W	1
Sharp Peak,	,,	29.74	755.4	75	90	...	0	...	,,	30.07	763.8	66	87	N N E	2
Amoy,	,,	29.70	754.4	85	61	S W	1	b	6 a.	29.86	758.4	64	84	N E	1
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.4	...	...	W	6	...	5 a.	29.97	761.3	...	...	S E	8
Taichu,	,,	29.83	757.6	...	...	W	6	...	,,	29.91	759.7	...	...	...	0
Tainan,	,,	29.87	758.6	...	...	W	6	...	,,	29.89	759.2	...	...	S W	2
Koshun,	,,	29.85	758.1	...	...	W	8	...	,,	29.90	759.4	...	...	...	0
Pescadores,	,,	29.84	757.8	...	...	S E	6	...	,,	29.89	759.3	...	...	...	0
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.83	757.7	76	84	...	0	od	10 a.	29.96	761.0	74	81	E	2
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S	1
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	29.83	757.7	76	...	S E	1	o	,,	29.97	761.2	74	...	E	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.72	755.0	75	...	E S E	5	c	10 a.	...	...	...	...	...	...
Tourane,	,,	29.79	756.6	82	...	S S W	3	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.2	82	...	E S E	2	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.88	759.0	86	...	N E	1	b	6 a.	29.92	760.0	72	...	S W	1
Manila,	4 p.	29.80	757	91	34	S E	3	...	10 a.	29.96	761	99	48	S E	2
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.93	760.2	77	...	...	0
Bacolod,	3 p.	...	...	...	...	N N E	4	b	9 a.	...	...	...	...	N E	4
Iloilo,	,,	29.79	756.6	89	...	N E	1	b	,,	29.93	760.2	83	...	N E	2
Cebu,	,,	29.80	756.9	87	...	N	3	b	,,	29.94	760.5	84	...	N	2
Labuan,	,,	29.71	754.6	90	...	...	...	...	,,	29.86	758.4	86	...	...	...

On the 14th at 12.05 p. The barometer has fallen rapidly in E. Japan owing to the depression which is ing between Tokio and Hakodate in its advance towards the Pacific.

Pressure has increased elsewhere, particularly in the North. It is highest over the E. coast of China and Eastern Sea.

Fresh or moderate N.E. winds are expected to prevail in the Formosa Channel, and moderate E. and S.E. over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate: showery.
2.—Formosa Channel,	N.E. winds, fresh or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. and S.E. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 14th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th April, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.61	752.1	...	...	E	8	...	6 a.	29.49	749.1	...	...	S W	4	...
Hakodate,	,,	29.50	749.2	...	...	S E	6	...	,,	29.65	753.2	...	...	S W	8	...
Tokio,	,,	29.47	748.6	...	...	S	8	...	,,	29.83	757.6	...	...	N W	4	...
Kochi,	,,	29.80	756.8	...	...	S E	2	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	N W	6	...	,,	30.07	763.8	...	...	...	0	...
Kagoshima,	,,	29.96	760.9	...	...	N W	8	...	,,	30.19	766.9	...	...	N W	2	...
Oshima,	,,	30.00	762.1	...	...	N	4	...	,,	30.04	763.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	E	4	...	,,	30.01	762.2	...	...	N E	2	...
Ishigakijima,	,,	29.97	761.3	...	...	E	8	...	,,	29.93	760.3	...	...	E	6	...
Chefoo,	3 p.	29.94	760.5	57	63	N E	2	b	6 a.	30.04	763.0	46	92	N E	1	or
Weihaiwei,	,,	29.93	760.2	60	...	W	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.00	762.0	77	61	S E	1	o	6 a.	29.99	761.7	66	84	N E	1	o
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	64	84	N E	1	o
Shanghai,	,,	30.00	762.0	69	43	S E	1	c	9 a.	30.00	762.0	58	76	S E	3	o
Gutzlaff,	,,	...	...	62	77	S S E	2	bm	,,	...	...	56	81	S	4	om
Sharp Peak,	,,	30.01	762.2	69	85	N	1	o	,,	30.04	763.0	62	88	N	1	or
Amoy,	,,	29.89	759.2	74	63	N E	3	b	6 a.	29.95	760.7	64	89	...	0	c
Swatow,	,,	29.96	761.0	70	95	N E	2	o	,,	29.96	761.0	65	95	E	2	o
Taihoku,	1 p.	30.02	762.6	...	...	E	6	...	5 a.	29.94	760.5	...	...	S E	6	...
Taichu,	,,	29.96	761.1	...	...	...	0	...	,,	29.94	760.4	...	...	...	0	...
Tainan,	,,	29.95	760.8	...	...	W	6	...	,,	29.95	760.7	...	...	E	2	...
Koshun,	,,	29.95	760.7	...	...	N E	4	...	,,	29.95	760.7	...	...	N	2	...
Pescadores,	,,	29.96	761.0	...	...	N	8	...	,,	29.93	760.3	...	...	N	4	...
Canton,	3 p.	29.87	758.7	81	78	E	1	c	9 a.	29.95	760.7	72	95	E	1	o
Hongkong,	4 p.	29.91	759.7	73	90	E	3	o	10 a.	30.00	762.0	71	89	E	3	o
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	S E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.91	759.7	74	...	S S E	1	o	,,	29.98	761.5	72	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.4	75	...	E S E	5	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.81	757.1	79	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	86	...	S E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.99	761.8	81	...	N	1	b	6 a.	29.92	759.9	73	...	S W	2	b
Manila,	4 p.	29.80	757	90	44	S E	5	c	10 a.	29.96	761	84	58	W	2	b
Legaspi,	2 p.	29.96	761.0	84	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.83	757.7	86	...	N E	1	b	,,	29.89	759.2	83	...	N E	1	c
Cebu,	,,	29.85	758.2	86	...	N	2	b	,,	29.92	759.9	86	...	N	2	b
Labuan,	,,	29.81	757.2	80	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 15th at 11.55 a.—The depression has moved into the Pacific to the N.E. of Japan.

The barometer has risen over S. Japan, and is inclined to fall again over China.

Pressure is highest over W. Japan, and another area of low pressure is probably developing in the Yangtze valley.

Moderate variable winds are expected to prevail in the Formosa Channel, and light S.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate; misty, some rain.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 15th April, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th April, 1907, P.M.								16th April, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.45	748.1	...	...	S W	8	...	6 a.	29.69	754.1	...	...	S W	2	
Hakodate,	,,	29.73	755.2	...	...	W	6	...	,,	29.73	755.2	...	...	S W	4	
Tokio,	,,	29.87	758.6	...	...	S	4	...	,,	29.87	758.6	...	...	W	2	
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	29.95	760.8	...	...	S W	2	
Nagasaki,	,,	30.03	762.8	...	...	S W	6	...	,,	30.03	762.8	...	...	...	0	
Kagoshima,	,,	30.00	761.9	...	...	W	2	...	,,	30.00	761.9	...	...	N	4	
Oshima,	,,	30.00	762.1	...	...	E	4	...	,,	29.97	761.1	...	...	...	0	
Naha,	,,	29.97	761.2	...	...	E	6	...	,,	29.89	759.2	...	...	E	2	
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...	,,	29.89	759.3	...	...	N	2	
Chefoo,	3 p.	30.26	768.6	56	69	N W	2	b	6 a.	30.21	767.3	45	68	...	0	
Weihaiwei,	,,	30.13	765.3	56	...	N	1	b	9 a.	...	...	...	...	...	...	
Hankow,	,,	29.90	759.4	71	80	N N E	2	o	6 a.	30.09	764.3	62	77	N N E	3	
Kiukiang,	,,	29.96	761.0	72	76	N E	1	o	,,	30.04	763.0	63	89	N E	2	
Shanghai,	,,	29.91	759.7	65	68	S S E	3	o	9 a.	30.13	765.3	58	64	E N E	3	
Gutzlaff,	,,	...	...	58	81	S S E	4	om	,,	...	...	54	80	N E	5	
Sharp Peak,	,,	29.98	761.5	64	89	N N W	1	or	,,	29.99	761.7	64	94	...	0	
Amoy,	,,	29.88	758.9	68	79	S E	3	o	6 a.	29.81	757.2	66	89	N E	1	
Swatow,	,,	29.95	760.7	72	76	E	3	c	,,	29.92	759.9	69	95	N	1	
Taihoku,	1 p.	29.94	760.5	...	...	N W	4	...	5 a.	29.94	760.5	...	...	S	2	
Taichu,	,,	29.97	761.2	...	...	N W	4	...	,,	29.93	760.3	...	...	...	0	
Tainan,	,,	29.93	760.3	...	...	W	6	...	,,	29.91	759.8	...	...	E	2	
Koshun,	,,	29.95	760.8	...	...	W	4	...	,,	29.91	759.6	...	...	...	0	
Pescadores,	,,	29.96	761.1	...	...	W	6	...	,,	29.89	759.2	...	...	N	2	
Canton,	3 p.	29.90	759.4	75	100	E	1	or	9 a.	29.95	760.7	75	95	S E	1	
Hongkong,	4 p.	29.93	760.2	71	92	E	3	o	10 a.	29.96	761.0	72	93	E	2	
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	S	2	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.93	760.2	82	...	S S E	1	od	,,	29.96	761.0	73	...	S E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.77	756.1	72	...	E S E	6	b	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.89	759.1	79	...	E S E	3	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.83	757.8	82	...	S E	1	b	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.92	759.9	86	...	E	1	b	6 a.	29.88	759.0	75	...	S W	1	
Manila,	4 p.	29.84	758	91	89	S E	1	b	10 a.	29.92	760	90	55	W S W	1	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	N N E	4	b	9 a.	...	...	...	...	N N E	3	
Hoilo,	,,	29.83	757.7	89	...	N E	1	b	,,	29.89	759.2	84	...	N E	1	
Cebu,	,,	29.90	759.4	88	...	N	2	b	,,	29.90	759.4	84	...	W	2	
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	29.82	757.4	84	...	...	...	

On the 16th at 11.45 a.—The barometer has risen moderately in N. China and fallen slightly over S. China, Loochoos and the Philippines.

Pressure is high over N. China, and still low to the N.E. of Japan. It is also slightly low over the Pacific the S. of the Loochoos.

The wind will probably freshen from N.E. in the Formosa Channel, and moderate S.E. and E. winds are expected over the N part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate or fresh; unsettled, thunder
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 16th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th April, 1907, P.M.								17th April, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	S W	8	...	6 a.	29.69	754.1	...	...	N	2	..
Hakodate,	,,	29.69	754.2	...	...	W	6	...	,,	29.81	757.2	...	...	W	4	...
Tokio,	,,	29.79	756.6	...	...	N W	2	...	,,	29.99	761.6	...	...	N W	2	...
Kochi,	,,	29.91	759.8	...	...	N E	2	...	,,	30.03	762.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	N	6	...	,,	30.07	763.8	...	...	...	0	...
Kagoshima,	,,	29.95	760.9	...	...	N	6	...	,,	30.04	762.9	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	N	4	...	,,	30.01	762.1	...	...	S	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	...	...	E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	N W	2	...	,,	29.89	759.3	...	...	E	6	...
Chefoo,	3 p.	30.18	766.6	56	51	N W	2	b	6 a.	30.18	766.6	46	84	...	0	dh
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.21	767.3	57	...	E	1	b
Hankow,	,,	30.05	763.2	73	63	N E	2	o	6 a.	30.04	763.0	61	83	N N E	2	o
Kiukiang,	,,	30.05	763.2	64	78	N E	4	o	,,	30.04	763.0	55	100	N E	7	o
Shanghai,	,,	30.11	764.8	63	...	E N E	3	b	9 a.	30.14	765.5	56	51	E N E	2	o
Gutzlaff,	,,	...	...	56	69	N E	3	bm	,,	...	...	53	73	E N E	3	om
Sharp Peak,	,,	29.97	761.2	61	94	N E	3	ofd	,,	30.04	763.0	62	88	N E	2	og
Amoy,	,,	29.81	757.2	69	85	N E	2	or	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.90	759.4	70	95	E	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.95	760.7	...	...	E	4	...	5 a.	29.91	759.7	...	...	E	4	...
Taichu,	,,	29.90	759.4	...	...	W	2	...	,,	29.91	759.7	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	N	2	...	,,	29.91	759.6	...	...	N	2	...
Koshun,	,,	29.90	759.5	...	...	N W	4	...	,,	29.86	758.3	...	...	...	0	...
Pescadores,	,,	29.92	759.9	...	...	N W	6	...	,,	29.91	759.7	...	...	N E	4	...
Canton,	3 p.	29.85	758.2	79	91	S E	1	c	9 a.	29.90	759.4	76	95	E S E	2	c
Hongkong,	4 p.	29.86	758.4	71	91	E	3	o	10 a.	29.94	760.5	73	94	S E	3	op
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	S S E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.84	757.9	74	...	S E	1	o	,,	29.92	759.9	73	...	S E	1	op
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	75	...	E S E	6	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	84	...	E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.84	758.0	86	...	N E	2	b	6 a.	29.86	758.3	73	...	S W	1	o
Manila,	4 p.	29.80	757	91	39	S E	1	b	10 a.	29.92	760	90	48	...	0	d
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.90	759.4	79	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N E	3	b
Iloilo,	..	29.79	756.6	89	...	N E	2	b	,,	29.89	759.2	85	...	N E	1	c
Cebu,	..	29.82	757.4	87	...	N	2	b	,,	29.89	759.2	86	...	N	2	b
Labuan,	..	29.68	753.9	87	...	...	...	...	,,	29.79	756.6	86	...	...	...	...

On the 17th at 11.55 a.—The barometer has risen moderately to slightly over Japan and the Loochoos, while it is inclined to fall over China and Formosa.

Pressure is high over N. China, and low over S.W. China and Tongking.

Fresh N.E. winds may be expected in the Formosa Channel, and moderate S.E. winds over the N part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate or fresh: unsettled, showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 17th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th April, 1907, P.M.								18th April, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	S W	4	...	6 a.	29.97	761.1	...	...	N W	4
Hakodate,	,,	29.81	757.2	...	...	W	4	...	,,	30.01	762.2	...	...	N W	2
Tokio,	,,	29.98	761.6	...	...	S	4	...	,,	30.06	763.6	...	...	N W	2
Kochi,	,,	29.99	761.8	...	...	S E	2	...	,,	30.07	763.8	...	...	W	4
Nagasaki,	,,	30.03	762.8	...	...	S W	6	...	,,	30.11	764.8	...	...	N	4
Kagoshima,	,,	30.00	761.9	...	...	S	2	...	,,	30.08	763.9	...	...	E	2
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	30.04	763.1	...	...	S E	2
Naha,	,,	29.97	761.2	...	...	N E	4	...	,,	29.97	761.2	...	...	E	2
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...	,,	29.93	760.3	...	...	S E	4
Chefoo,	3 p.	30.20	767.1	56	63	E	2	b	6 a.	30.26	768.6	47	63	...	0
Weihaiwei,	,,	30.17	766.3	56	...	E	1	b	9 a.	...	...	...	...	...	...
Hankow,	,,	30.06	763.5	63	83	N	1	or	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.03	762.7	57	94	N E	3	or	,,	...	...	...	...	...	...
Shanghai,	,,	30.11	764.8	58	47	N E	2	o	9 a.	30.17	766.3	50	93	E N E	2
Gutzlaff,	,,	...	...	56	75	E N E	2	om	,,	...	...	54	74	N E	3
Sharp Peak,	,,	30.00	762.0	61	88	N E	3	og	,,	30.09	764.3	59	91	N E	3
Amoy,	,,	29.80	756.9	68	85	E	3	o	6 a.	29.88	758.9	66	89	E	3
Swatow,	,,	29.92	759.9	70	80	E	2	c	,,	...	...	...	...	...	...
Taiboku,	1 p.	29.92	760.0	...	...	W	2	...	5 a.	29.96	760.9	...	...	S E	2
Taichu,	,,	29.89	759.3	...	...	N	6	...	,,	29.93	760.3	...	...	...	0
Tainan,	,,	29.89	759.1	...	...	S W	8	...	,,	29.94	760.5	...	...	N	4
Koshun,	,,	29.89	759.1	...	...	S	6	...	,,	29.91	759.6	...	...	N	2
Pescadores,	,,	29.92	760.0	...	...	N	8	...	,,	29.93	760.3	...	...	N	8
Canton,	3 p.	29.85	758.2	72	95	...	0	or	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.87	758.7	68	95	N	1	orlt	10 a.	29.92	759.9	69	93	E N E	4
Victoria Peak,	,,	...	...	...	...	N	5	...	,,	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	29.85	758.2	71	...	N N E	1	o	,,	29.90	759.4	81	...	S E	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.72	755.0	75	...	S E	5	c	10 a.	...	...	...	...	...	...
Tourane,	,,	29.80	756.8	82	...	E N E	3	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.9	84	...	E	3	b	,,	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.6	88	...	N E	1	b	6 a.	29.88	759.0	75	...	S	2
Manila,	4 p.	29.76	756	93	40	S E	2	b	10 a.	29.92	760	82	70	W N W	1
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.79	756.6	89	...	N E	1	b	,,	29.89	759.2	85	...	N E	1
Cebu,	,,	...	...	91	...	N	3	c	,,	29.90	759.4	87	...	N	2
Labuan,	,,	29.68	753.9	88	...	...	...	...	,,	29.85	758.2	86	...	...	...

On the 18th at 11.45 a.—The barometer has risen considerably over N.E. Japan, and slightly over China except on the S. coast.

Pressure is low over the Northern shores of the China Sea and Tongking. It remains high over N. China.

Fresh N.E. winds are expected to prevail in the Formosa Channel, and fresh or strong E. winds along the coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; unsettled, squally with thunderst
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. to S.E. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 18th April, 1907.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th April, 1907, P.M.									19th April, 1907, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.09	762.1	...	...	S W	6	...		6 a.	30.16	766.1	...	...	S W	4	..
Hakodate,	,,	30.09	764.2	...	...	S W	4	...		,,	30.28	769.2	...	...	...	0	...
Tokio,	,,	30.06	763.6	...	...	N E	2	...		,,	30.34	770.6	...	...	...	0	...
Kochi,	,,	30.11	764.8	...	...	S	2	...		,,	30.23	767.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N E	6	...		,,	30.15	765.8	...	...	E	6	...
Kagoshima,	,,	30.07	763.9	...	...	S E	2	...		,,	30.15	765.9	...	...	S E	8	...
Oshima,	,,	30.04	763.1	...	...	S E	4	...		,,	30.04	763.1	...	...	S	8	...
Naha,	,,	30.01	762.2	...	...	E	6	...		,,	29.97	761.2	...	...	S E	4	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	8	...		,,	29.89	759.3	...	...	S	6	...
Chefoo,	3 p.	30.22	767.6	55	68	E	1	b		6 a.	...	...	...	...	..	...	...
Weihaiwei,	,,	30.24	768.1	56	...	E S E	1	b		9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.15	765.8	56	94	N E	2	or		6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Shanghai,	,,	30.12	765.0	54	80	E	1	cd		9 a.	29.98	761.5	54	94	E N E	2	om
Gutzlaff,	,,	...	...	53	86	N E	3	omd		,,	...	...	53	100	E N E	3	fd
Sharp Peak,	,,	30.03	762.7	58	91	N E	2	og		,,	29.99	761.7	59	94	...	0	or
Amoy,	,,	29.80	756.9	67	74	N E	2	o		6 a.	29.84	757.9	58	100	N E	2	or
Swatow,	,,	29.91	759.7	67	84	N E	2	o		,,	...	...	...	...	..	...	...
Taihoku,	1 p.	29.95	760.8	...	...	W	2	...		5 a.	29.95	760.7	...	...	...	0	...
Taichu,	,,	29.93	760.2	...	...	N	4	...		,,	29.93	760.2	...	...	...	0	...
Tainan,	,,	29.92	760.0	...	...	N W	4	...		,,	29.93	760.3	...	...	N	2	...
Koshun,	,,	29.91	759.8	...	...	E	4	...		,,	29.91	759.8	...	...	...	0	...
Pescadores,	,,	29.94	760.5	...	...	N E	8	...		,,	29.90	759.4	...	...	N E	6	...
Canton,	3 p.	29.85	758.2	70	100	E	1	or		9 a.	29.94	760.5	70	95	E	1	o
Hongkong,	4 p.	29.89	759.2	68	95	E	3	orlt		10 a.	29.96	761.0	69	90	E	4	o
Victoria Peak,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	71	...	S E	3	or		,,	29.93	761.5	71	...	S E	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.8	75	...	E S E	6	o		10 a.	...	...	...	...	...	...	..
Tourane,	,,	29.80	756.8	81	...	E S E	3	c		,,	...	...	...	...	...	...	...
Cape St. James..	,,	29.81	757.2	82	...	E	2	b		,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.8	86	...	N E	1	b		6 a.	29.92	759.9	77	...	S	1	b
Manila,	4 p.	29.80	757	93	40	E S E	2	b		10 a.	29.92	760	90	60	E S E	1	b
Legaspi,	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	..
Bacolod,	3 p.	...	...	...	...	N N E	4	b		9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.79	756.6	91	...	N E	1	c		,,	29.89	759.2	86	...	N E	1	b
Cebu,	,,	29.82	757.4	88	...	N	2	b		,,	29.91	759.7	86	...	N	2	b
Labuan,	,,	29.70	754.4	89	...	...	...	...		,,	29.85	758.2	85	...	...	...	...

On the 19th at 11.30 a.—The barometer has fallen quickly on the E. coast of China, and risen considerably over E. Japan.

A depression appears to be passing from the continent to the Eastern Sea.

Pressure is high over S.E. Japan. Moderate variable winds are likely to prevail in the Formosa Channel, and moderate S.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. or variable winds, moderate; squally, thunderstorms.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. or variable winds, moderate.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 19th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

19TH APRIL, 1907, P.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.							
Nemuro	..	30.18	764.1	...	..	S W	6	..
Hakodate	..	30.20	767.2	..	...	S W	6	...
Tokio	..	30.30	769.6	..	..	E	4	..
Kochi	..	30.19	766.8	...	...	S E	4	...
Nagasaki	..	30.03	762.8	...	...	S E	6	...
Kagoshima	..	30.07	763.9	..	...	E	10	...
Oshima	..	29.98	761.1	...	...	S E	6	...
Naha	..	29.97	761.2	...	..		0	..
Ishigakijima	..	29.89	759.3	...	..	S W	4	...
Chefoo	3 p.	29.96	761.0	66	..	S	2	..
Weihaiwei	..	29.88	758.9	69	..	S W	3	b
Hankow	..	30.12	765.0	55	81	W	1	c
Kiukiang	..	..	..	...	..	..	..	..
Shanghai	..	29.90	759.4	51	91	N	1	...ode
Gutzlaff	..	...	..	53	93	N N W	1	f
Sharp Peak	..	29.90	759.4	71	92	S S E	1	c
Amoy	..	29.73	755.1	68	87	N E	3	b
Swatow	..	29.92	759.9	64	84	N E	2	c
Taibokto	1 p.	29.93	760.3	...	...	N	2	..
Tuckn	..	29.97	761.2	...	..	E	2	...
Tainan	..	29.93	760.2	...	..	S E	2	...
Kosiam	..	29.90	759.4	..	..	N	4	..
Pescadores	..	29.91	759.8	...	...	N	4	
Canton	3 p.	29.88	758.9	71	100	E	1	..
Hongkong	4 p.	29.88	758.9	68	95	E	2	ov
Victoria Peak	..	.	.	..	..	S S E	6	...
Gap Rock	..	..	..	...	...			
Macao	..	29.84	757.9	70	...	S E	1	ov
Heihow	3 p.	...	...	...		.		
Pakhoi	..	..	..	...	...			
Phulien	4 p.	29.78	756.5	75	.	E S E	3	o
Tourane	..	29.78	756.4	82	..	S E	2	o
Cape St. James	.	29.81	757.1	82	...	E S E	2	o
Aparri	2 p.	29.87	758.6	88	...	N E	1	b
Manila	4 p.	29.80	757	93	16	S E	1	b
Legaspi	2 p.		..	...	...	.		...
Bacolod	3 p.	...	...		.	N N E	4	b
Iloilo	..	29.81	757.2	90	...	N E	1	b
Cebu	..	29.89	759.2	88	..	N	3	c
Labuan	..	29.74	755.4	91	...	..	...	..

20TH APRIL, 1907, A.M.

Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	...	...	...	...		...	..
6 a.	30.29	767.1	...	...	S W	6	..
..	30.17	766.2	..	..	...	0	..
..	30.16	768.6	...	...	N W	2	..
..	29.99	761.8	...	...	S E	2	..
..	29.76	755.8	...	...	S E	10	.
..	29.84	757.9	...	...	..	0	..
..	29.85	758.1	...	...	S	4	..
..	29.89	759.2	..	..	S W	4	..
..	29.91	760.3	..	...	N E	2	..
6 a.	29.95	760.7	61	66	S	1	b
9 a.	...	...	...		...	...	...
6 a.	30.09	764.3	54	91	E N E	2	b
..	30.05	763.2	50	87	..	0	c
9 a.	30.02	762.5	58	91	N N W	1	a
..	..	...	55	87	N N W	3	ov
..	29.98	761.5	63	94	..	0	ci
6 a.	29.76	755.9	61	94	N N E	1	c
..	...	...	..	...	...	...	.
5 a.	29.94	760.5	..	...	...	0	..
..	29.95	760.8	...	...	...	0	..
..	29.94	760.3	...	..	N E	2	..
..	29.91	759.8	...	..	N W	2	...
..	29.91	759.6	...	...	S	2	.
9 a.	...	...	..	...	..	..	.
10 a.	29.90	759.4	77	83	S	2	o
..	.	..	..	...	S S W	4	...
.	..	..	..		..	..	...
..	29.90	759.4	75	...	S E	4	o
9 a.	..	.	..	...	...	..	...
..	.	...	..	.	..	..	..
10 a.	.	..	...	...	...	..	...
..	...	..	..	...	...	..	...
..	...	..		...	...	..	..
6 a.	.	..	..	...	...	..	..
10 a.	29.92	760	91	46	S E	3	b
6 a.	...	...	...	.	...	...	...
9 a.	...	...	...	...	N E	1	b
..	29.93	760.2	89	..	N E	1	b
..	29.89	759.2	87	...	N	2	b
..	29.85	758.2	85	...	...	...	...

On the 20th at 11.40 a. The barometer has fallen quickly over S. Japan owing to the depression, which is approaching the neighbourhood of Nagasaki from the Westward.

Pressure is inclined to give way again over China. It remains low over S.W. China and Tongking.

Moderate variable winds are expected to prevail in the Formosa Channel, and moderate S.E. and S. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	S.E. or variable winds, moderate squally; thunder-showers.
2.—Formosa Channel.	Variable winds moderate.
3.—South coast of China between Hongkong and Lamocks.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 20th April, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

20th APRIL, 1907, P.M.

Station.	Hours.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wei-hai-wei	2 p.	...	...	...	...	...	...	...
Newchwang	..	30.16	766.1	...	...	E	4	.
Hakodate	..	29.97	761.2	...	...	W	2	...
Chefoo	..	30.10	764.6	...	.	S	6	...
Gaspi	..	29.75	755.8	...	...	E	2	...
Nagasaki	..	29.80	756.8	...	...	S E	6	
Kagoshima	..	29.84	757.9	..	...	W	4	..
Okinawa	..	29.89	759.1	...	.	N	1	..
Naha	..	29.93	760.2	..	...	N	6	..
Tokarakijima	..	29.85	760.3	...	.	E	4	.
Chefoo	3 p.	30.09	764.3	51	79	N W	2	b
Weihaiwei	..	30.07	763.8	56	.	N W	...	b
Tientsin	..	30.07	763.8	63	72	N E	2	c
Kalgan	..	30.03	762.7	62	83	N E	2	o
Shanghai	..	30.02	762.5	60	71	N N E	1	o
Wuchow	..	29.85	758.2	55	80	N	2	ov
Sharp Peak	..	29.95	760.7	64	94	N E	2	odf
Amoy	..	29.75	755.6	69	90	S E	2	or
Swatow	..	29.89	759.2	70	95	N E	1	o
Tai-shan	1 p.	29.93	760.3	...	...	E	4	..
Taichow	..	29.91	759.7	..		N W	2	...
Tai-an	..	29.90	759.5	..	...	W	4	..
Ichang	..	29.89	759.3	...	..	N W	4	..
Pescadores	..	29.99	759.5	..	...	S	4	.
Canton	3 p.	29.84	757.9	74	100	.	0	or
Hongkong	4 p.	29.82	757.4	77	84	S S W	1	op
Victoria Peak	..	..	..	...	..	S	2	.
Cape Rock	..	...	.	..	...		.	...
Macao	..	29.82	757.4	74	..	S S E	2	op
Holnow	3 p.	.	.	...	.	..	...	.
Pakhoi	..	..	..	..	...		..	...
Pentien	4 p.	29.79	754.4	77	..	S S E	8	o
Tourane	..	29.79	756.6	81		E S E	2	c
Cape St. James	..	29.80	757.0	86	..	E S E	2	c
Aparri	2 p.	...	...	...	...	...		...
Manila	4 p.	29.80	757.0	93	31	S E	4	b
Legaspi	2 p.	29.85	758.9	86		E	1	b
Bacolod	3 p.	...	...	...	..	N N E	5	b
Iloilo	..	29.79	756.6	91	.	N E	3	b
Cebu	.	29.82	757.4	88	.	N	2	b
Labuan	..	29.72	754.9	85	. .	...	...	..

21st APRIL, 1907, A.M.

Hours.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	.	...	.	...	...	...	...
6 a.	29.85	758.1	..	...	S E	10	..
..	29.55	751.2		...	S E	2	..
..	29.71	754.6	...	.	N W	4	...
..	29.88	758.8	..	..	W	2	..
..	29.99	761.8	.	...	..	0	...
..	29.96	760.9	.	...	N W	1	..
..	29.97	761.1	.	...	N W	2	...
..	...	...	.	..	...	...	...
..	29.89	759.3	.	...	E	6	...
6 a.	..	..	..	..	...	..	...
9 a.		.	...		.	...	...
6 a	...	.	.	.	.	...	..
..	..	...	...	..	..	.	...
9 a.	30.15	765.8	56	57	N N E	2	o
..	...	...	52	86	E N E	3	om
.	30.04	763.0	59	94	N E	1	or
6 a.	...	...	..	...	...	...	...
..	...	..	...	...	.	...	..
5 a.	29.95	760.6	...	...	E	6	...
..	29.90	759.5	..	...		0	..
..	29.91	759.7	...	..	N	2	..
..	29.89	759.3	...	...	E	2	...
.	29.88	759.0	..	...	N	2	...
9 a.	29.85	758.2	74	95		0	or
10 a.	29.87	758.7	77	85	S E	2	oq
..	...	...	...	...	N	7	...
..	..	...	...	..		...	...
..	29.86	758.4	77	...	S	3	o
9 a.	..	.	..	...	...	...	..
	..	...	...	.	..	...	...
10 a.	...	.	.	..	...	...	..
..	...	...	..	...	...	.	..
..	..	..	...	..	..	...	...
6 a.		...	.	...	...	..	...
10 a.	29.92	760	90	55	S E	2	c
6 a.	.	.	...	..	...	...	...
9 a.	..	.	...	.	N E	3	b
..	29.89	759.2	86	...	N E	1	b
..	29.91	759.7	87	...	N	3	b
..	29.84	757.9	86	..	...	...	...

On the 21st at 12.05 p.—The barometer has fallen rapidly in E. Japan owing to the depression, which is crossing N. Nippon in its advance towards the Pacific.

The barometer has risen moderately over S.W. Japan and N. China, and fallen slightly on the S. coast of China.

Pressure remains low over S.W. China and Tongking. It is now high over N. China.

Fresh or strong N.E. and E. winds are expected to prevail in the Formosa Channel, and fresh S.E. and S winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	S. winds, fresh; squally thunderstorms.
2.—Formosa Channel.	N.E. to E. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks.	S.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 21st April, 1907.

[Printed by NOHOFHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st APRIL, 1907, P.M.								22nd APRIL, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	S E	10	...	6 a.	29.65	753.1	...	...	S W	8	...
Hakodate,	,,	29.77	756.2	...	...	W	8	...	,,	29.77	756.2	...	...	S W	8	...
Tokio,	,,	29.79	756.6	...	...	N W	6	...	,,	30.02	762.6	...	...	N E	4	...
Kochi,	,,	29.91	759.8	...	...	N	4	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	W	4	...	,,	29.99	761.8	...	...	N E	2	...
Kagoshima,	,,	29.96	760.9	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.96	761.1	...	...	N	2	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.97	761.2	...	...	E	2	...	,,	29.89	759.2	...	...	S W	6	...
Ishigakijima,	,,	29.89	759.3	...	...	S E	4	...	,,	29.86	758.3	...	...	...	0	...
Chefoo,	3 p.	30.10	764.5	53	61	N	1	b	6 a.	30.21	767.3	44	76	...	0	b
Weihaiwei,	,,	30.13	767.8	51	...	N W	...	b	9 a.	30.20	767.1	56	...	N E	2	b
Hankow,	,,	30.17	766.6	63	83	N	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.23	767.8	55	80	N E	2	o
Shanghai,	,,	30.09	764.3	58	47	N E	1	o	9 a.	30.10	764.5	51	79	N	1	o
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	...	...	51	93	N N E	2	omp
Sharp Peak,	,,	30.02	762.5	58	97	N E	4	or	,,	30.03	762.7	58	88	E N E	1	og
Amoy,	,,	29.78	756.4	62	94	N E	3	or	6 a.	29.93	760.2	59	88	E	2	or
Swatow,	,,	29.87	758.7	64	95	E N E	2	or	,,	29.91	759.7	62	94	N E	1	o
Taihoku,	1 p.	29.96	761.0	...	...	N W	2	...	5 a.	29.92	760.0	...	...	E	4	...
Taichu,	,,	29.93	760.2	...	...	W	2	...	,,	29.89	759.1	...	...	N	2	...
Tainan,	,,	29.92	760.0	...	...	N W	4	...	,,	29.86	758.3	...	...	E	4	...
Koshun,	,,	29.89	759.3	...	...	E	4	...	,,	29.85	758.2	...	...	N W	2	...
Pescadores,	,,	29.92	759.9	...	...	N	6	...	,,	29.84	757.9	...	...	N E	6	...
Canton,	3 p.	29.87	758.7	73	95	...	0	b	9 a.	29.96	761.0	71	100	N	1	c
Hongkong,	4 p.	29.79	756.6	73	95	...	0	or	10 a.	29.94	760.5	71	91	E	1	o
Victoria Peak,	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.78	756.4	74	...	N	2	o	,,	29.94	760.5	72	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.73	755.2	75	...	E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	755.9	86	...	S E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	86	...	S E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.82	757.5	91	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	91	39	S E	4	b	10 a.	29.92	760	90	55	E	1	b
Legaspi,	2 p.	29.88	758.9	86	...	E	1	b	6 a.	29.90	759.4	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N E	3	b
Iloilo,	,,	29.79	756.6	89	...	N E	1	c	,,	29.89	759.2	86	...	N E	1	c
Cebu,	,,	29.80	756.9	88	...	N	2	b	,,	29.90	759.4	86	...	N	2	c
Labuan,	,,	29.72	754.9	87	...	...	...	...	,,	29.85	758.2	85	...	...	...	...

On the 22nd at 11.55 a.—The depression lying over N.E. Japan yesterday is moving away over the Pacific.

The barometer has risen over S.E. Japan and the S. coast of China, and fallen over the E. coast and the Loochoos.

Pressure is low in the neighbourhood of the Loochoos. It remains high over N. China.

Fresh N.E. winds are expected to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate or fresh; rain at first, probably improving later.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, fresh.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 22nd April, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd April, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.57	751.1	...	...	S W	8	...	6 a.	29.89	759.1	...	...	N W	6	..
Hakodate,	,,	29.81	757.2	...	...	W	8	...	,,	30.01	762.2	...	...	N	6	...
Tokio,	,,	29.98	761.6	...	...	S E	4	...	,,	29.99	761.6	...	...	N	2	...
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.99	761.8	...	...	W	2	...
Nagasaki,	,,	29.95	760.8	...	...	N	4	...	,,	29.99	761.8	...	...	N	2	...
Kagoshima,	,,	29.88	758.9	...	...	N	4	...	,,	29.96	760.9	...	...	N E	4	...
Oshima,	,,	29.81	757.1	...	...	E	2	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.81	757.2	...	...	N	4	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.20	767.1	59	100	N	1	b	6 a.	30.11	764.8	42	66	...	0	b
Weihaiwei,	,,	30.13	765.3	60	...	N N W	...	b	9 a.	30.09	764.3	55	...	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.19	766.8	53	93	E	2	b
Kiukiang,	,,	30.14	765.5	60	71	N E	1	o	,,	30.12	765.0	47	93	...	0	b
Shanghai,	,,	30.07	763.8	55	87	N	1	o	9 a.	30.11	764.8	59	54	N N E	1	c
Gutzlaff,	,,	29.90	759.4	53	100	N N E	3	om	,,	29.95	760.2	54	80	N E	2	cm
Sharp Peak,	,,	29.98	761.5	59	88	N E	2	o	,,	30.05	763.2	59	88	E N E	2	o
Amoy,	,,	29.96	761.0	65	95	S E	3	o	6 a.	29.94	760.5	62	94	N E	3	o
Swatow,	,,	29.92	759.9	67	84	E	2	o	,,	29.97	761.2	60	88	N E	2	o
Taihoku,	1 p.	29.96	761.1	...	...	E	2	...	5 a.	29.98	761.5	...	...	S E	2	...
Taichu,	,,	29.92	760.0	...	...	N	6	...	,,	29.91	759.7	...	...	N	4	...
Tainan,	,,	29.91	759.7	...	...	N	4	...	,,	29.91	759.6	...	...	N	4	...
Koshun,	,,	29.87	758.6	...	...	N W	4	...	,,	29.89	759.3	...	...	...	0	...
Pescadores,	,,	29.92	759.9	...	...	N E	8	...	,,	29.90	759.5	...	...	N	8	...
Canton,	3 p.	29.90	759.4	78	82	N W	1	c	9 a.	30.01	762.2	68	74	N N W	1	c
Hongkong,	4 p.	29.87	758.7	68	92	E	2	o	10 a.	29.98	761.5	67	85	E N E	2	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.88	758.9	72	...	S E	1	o	,,	29.98	761.5	70	...	N N E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.84	758.0	75	...	S S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.77	756.2	84	...	N W	5	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	86	...	S	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.85	758.3	84	...	N	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	90	48	W	2	b	10 a.	29.88	759	91	49	S S E	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N E	4	b	9 a.	...	...	...	...	N N E	2	b
Iloilo,	,,	29.75	755.6	92	...	N E	2	c	,,	29.89	759.2	85	...	N E	1	c
Cebu,	,,	29.78	756.4	88	...	N	2	b	,,	29.90	759.4	86	...	N	1	b
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	29.86	758.4	77	...	...	...	...

On the 23rd at 12.15 p.—The barometer has risen over N.E. Japan and S. China, and fallen over N. China. Pressure remains low in the neighbourhood of the Loochoos. It is highest over China to the N. of the Yangtze. Fresh or moderate N.E. winds are expected to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; cloudy, misty.
2.—Formosa Channel,	N.E. winds, fresh or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 23rd April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd APRIL, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th APRIL, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	N	8	...	6 a.	30.20	767.1	...	...	...	0	...
Hakodate,	,,	30.05	763.2	...	...	S	6	...	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	E	4	...	,,	30.26	768.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	30.15	765.8	...	...	W	2	...
Nagasaki,	,,	29.95	760.8	...	...	N E	4	...	,,	30.11	764.8	...	...	...	0	...
Kagoshima,	,,	29.96	760.9	...	...	E	6	...	,,	30.08	763.9	...	...	E	6	...
Oshima,	,,	29.85	758.1	...	...	N E	4	...	,,	29.93	760.1	...	...	E	2	...
Naha,	,,	29.86	758.2	...	...	N	6	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	N	2	...	,,	29.97	761.3	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.94	760.5	50	51	S	4	c
Weihaiwei,	,,	30.03	762.7	61	...	E	1	b	9 a.	30.15	765.8	58	...	W	2	ovr
Hankow,	,,	30.20	767.1	68	79	N E	2	b	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.07	763.8	70	44	N E	1	b	,,	30.08	764.0	51	93	...	0	b
Shanghai,	,,	30.03	762.7	62	46	E S E	1	c	9 a.	30.14	765.5	63	57	S E	1	b
Gutzlaff,	,,	29.83	758.9	57	69	N E	2	c	,,	...	...	57	81	E N E	2	bm
Sharp Peak,	,,	29.99	761.7	63	83	E N E	3	b	,,	30.09	764.3	60	82	N E	1	o
Amoy,	,,	29.89	759.2	68	79	N E	2	b	6 a.	30.02	762.5	61	88	N E	2	c
Swatow,	,,	29.92	759.9	70	95	N E	1	b	,,	29.98	761.5	62	94	N E	1	o
Taihoku,	1 p.	30.00	761.9	...	...	E	6	...	5 a.	30.01	762.3	...	...	E	4	...
Taichu,	,,	29.92	760.0	...	...	...	0	...	,,	29.95	760.7	...	...	...	0	...
Tainan,	,,	29.90	759.5	...	...	N	4	...	,,	29.92	759.9	...	...	N	4	...
Koshun,	,,	29.91	759.6	...	...	N	6	...	,,	29.91	759.8	...	...	E	4	...
Pescadores,	,,	29.92	759.9	...	...	N	6	...	,,	29.88	758.9	...	...	N E	8	...
Canton,	3 p.	29.92	759.9	77	57	N N W	1	c	9 a.	30.02	762.5	72	76	N E	1	b
Hongkong,	4 p.	29.89	759.2	69	79	E	2	o	10 a.	30.00	762.0	71	69	E S E	3	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.90	759.4	71	...	N E	1	o	,,	30.01	762.2	72	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.86	758.5	72	...	S	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.82	757.3	79	...	N W	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.3	84	...	S	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	86	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	95	37	S E	3	b	10 a.	29.88	759	90	55	S S E	1	b
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N E	4	b	9 a.	...	...	...	...	N N E	3	c
Iloilo,	,,	29.75	755.6	91	...	N E	2	o	,,	29.87	758.7	85	...	N E	1	b
Cebu,	,,	29.77	756.1	87	...	N	2	c	,,	29.89	759.2	87	...	N	1	c
Labuan,	,,	29.72	754.9	85	...	...	...	...	,,	29.82	757.2	87	...	...	...	...

On the 24th at 11.55 a.—The barometer has risen considerably over Japan, and slightly on the China coast.

A high pressure area lies over E. Japan, and pressure is still in defect over the Pacific to the S.E. of the Loochoos. It appears to be slightly low also over the middle part of the China Sea.

Moderate or fresh N.E. and E. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, moderate or fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 24th April, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th April, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.29	767.1	...	...	S	6	...	6 a.	30.28	769.1	...	...	S W	4	..
Hakodate,	,,	30.17	766.2	...	...	S	2	...	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.26	768.6	...	...	N E	2	...	,,	30.34	770.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	S E	4	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	W	2	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	E	6	...	,,	30.15	765.9	...	...	E	6	...
Oshima,	,,	30.00	762.1	...	...	N E	4	...	,,	30.04	763.1	...	...	S	4	...
Naha,	,,	29.89	759.2	...	...	E	4	...	,,	29.97	761.2	...	...	E	2	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	2	...	,,	29.93	760.3	...	...	N E	2	...
Chefoo,	3 p.	30.06	763.5	69	75	S S W	2	b	6 a.	30.34	763.0	50	32	S	1	b
Weihaiwei,	,,	30.08	764.0	63	...	S W	5	ovr	9 a.	30.19	766.8	57	...	W	...	o
Hankow,	,,	30.05	763.2	73	63	E	2	c	6 a.	30.06	763.5	64	78	N E	2	or
Kiukiang,	,,	30.03	762.7	62	83	N E	2	o	,,	30.05	763.2	75	72	N N E	1	b
Shanghai,	,,	30.07	763.8	67	60	E	1	b	9 a.	30.05	763.2	...	...	S E	1	...
Gutzlaff,	,,	...	...	61	77	E	2	bm	,,	...	...	57	100	E	3	f
Sharp Peak,	,,	29.99	761.7	64	78	E N E	3	b	,,	30.03	762.7	62	80	...	0	o
Amoy,	,,	29.83	758.9	70	66	N E	4	b	6 a.	30.05	763.2	61	82	N E	3	b
Swatow,	,,	29.87	758.7	70	70	N E	2	b	,,	29.96	761.0	60	94	S E	1	b
Taihoku,	1 p.	29.98	761.5	...	...	E	6	...	5 a.	29.98	761.5	...	...	E	2	...
Taichu,	,,	29.92	760.0	...	...	N W	4	...	,,	29.97	761.3	...	...	...	0	...
Tainan,	,,	29.92	760.0	...	...	N	4	...	,,	29.99	761.8	...	...	N	2	...
Koshun,	,,	29.92	760.0	...	...	N E	8	...	,,	29.94	760.4	...	...	N	2	...
Pescadores,	,,	29.93	760.3	...	...	N	8	...	,,	29.96	760.9	...	...	N	6	...
Canton,	3 p.	29.91	759.7	79	54	S E	1	c	9 a.	30.00	762.0	68	85	E	1	o
Hongkong,	4 p.	29.92	759.9	70	73	E S E	3	b	10 a.	30.00	762.0	68	75	E	4	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Macao,	,,	29.91	759.7	72	...	S S E	1	c	,,	29.98	761.5	70	...	E	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	70	...	E	3	o	10 a.	...	...	...	...	...	...	..
Tourane,	,,	29.81	757.2	79	...	N W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.9	86	...	S	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
Manila,	4 p.	29.72	755	90	66	W S W	2	b	10 a.	29.92	760	86	71	W	1	b
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.90	759.4	81	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.75	755.6	92	...	N E	1	b	,,	29.89	759.2	87	...	N E	1	o
Cebu,	,,	29.83	757.7	88	...	N	2	b	,,	29.90	759.4	89	...	S	1	c
Labuan,	,,	29.74	755.4	87	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 25th at 11.55 a.—The barometer has risen over Japan and the Loochoos, and fallen on the E. coast of China.

The high pressure area still lies over Japan, and pressure appears to be slightly low over Tongking and the N.W. part of the China Sea.

Moderate N.E. or variable winds will probably prevail in the Formosa Channel, and fresh E. winds over the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; squally, some rain.
2.—Formosa Channel,	N.E. or variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 25th April, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th April, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	30.24	768.1	...	...	S W	8	...	6 a.	30.16	766.1	...	...	N W	10	...
Hakodate	,,	30.17	766.2	...	...	S	6	...	,,	30.17	766.2	...	...	N W	2	...
Tokio	,,	30.30	769.6	...	...	S	4	...	,,	30.30	769.6	...	...	W	2	...
Kochi	,,	30.23	767.8	...	...	S E	4	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki	,,	30.07	763.8	...	...	S E	10	...	,,	29.99	761.8	...	...	S E	4	...
Kagoshima	,,	30.11	764.9	...	...	E	8	...	,,	30.00	761.9	...	...	E	8	...
Oshima	,,	30.04	763.1	...	...	S E	6	...	,,	29.93	760.1	...	...	S E	4	...
Naha	,,	29.93	760.2	...	...	S E	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima	,,	29.97	761.3	...	...	S W	2	...	,,	29.89	759.3	...	...	S W	4	...
Chefoo	3 p.	30.05	763.2	57	81	...	0	o	6 a.	30.00	762.0	47	63	...	0	c
Weihaiwei	,,	30.04	763.0	60	...	N	1	ovr	9 a.	29.97	761.2	52	...	S E	1	b
Hankow	,,	30.11	764.8	66	68	N N E	2	o	6 a.	30.16	766.0	54	94	N W	1	b
Kiukiang	,,	30.04	763.0	67	74	S S W	1	o	,,	30.03	762.7	60	94	...	0	o
Shanghai	,,	29.95	760.7	62	94	S S E	1	om	9 a.	29.95	760.7	64	89	N W	2	o
Gutzlaff	,,	...	...	59	94	S E	3	fp	,,	...	...	58	94	N W	3	om
Sharp Peak	,,	29.94	760.5	69	82	...	0	b	,,	29.97	761.2	64	89	N N W	1	og
Amoy	,,	29.90	759.4	68	74	S E	3	c	6 a.	29.88	758.9	64	89	N E	2	o
Swatow	,,	29.89	759.2	72	67	S E	2	b	,,	29.89	759.2	65	95	...	0	b
Taihoku	1 p.	29.95	760.8	...	...	E	4	...	5 a.	29.90	759.4	...	...	...	0	...
Taichu	,,	29.94	760.5	...	...	...	0	...	,,	29.90	759.4	...	...	...	0	...
Tainan	,,	29.94	760.5	...	...	W	4	...	,,	29.84	758.0	...	...	N E	2	...
Koshun	,,	29.92	759.9	...	...	N W	4	...	,,	29.88	758.9	...	...	...	0	...
Pescadores	,,	29.95	760.8	...	...	N	4	...	,,	29.88	758.8	...	...	N E	2	...
Canton	3 p.	29.92	759.9	73	67	E	1	o	9 a.	29.91	759.7	67	100	N	1	o
Hongkong	4 p.	29.88	758.9	68	76	E	4	o	10 a.	29.88	758.9	68	95	W N W	1	or
Victoria Peak	,,	...	...	...	...	E	5	...	,,	...	...	...	...	N N W	2	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.89	759.2	70	...	E	2	o	,,	29.90	759.4	70	...	N	1	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.80	756.8	77	...	E S E	1	o	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.80	757.0	81	...	S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.78	756.4	86	...	S	3	c	,,	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.76	756	88	59	N E	1	c	10 a.	29.88	759	84	64	W	1	b
Legaspi	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	2	b
Iloilo	,,	29.79	756.6	92	...	N E	1	c	,,	29.87	758.7	86	...	N E	1	c
Cebu	,,	29.80	756.9	89	...	N	4	b	,,	29.88	758.9	87	...	N	2	b
Labuan	,,	29.73	756.1	88	...	...	...	...	,,	29.81	757.2	83	...	...	...	...

On the 26th at 11.45 a.—The barometer has fallen generally, except at the Yangtze stations.
A depression, moving Eastwards, has passed from the E. coast of China to the N. part of the Eastern Sea.
The area of high pressure remains over S.E. Japan.
Moderate N.E. or variable winds will probably prevail in the Formosa Channel, and moderate variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; unsettled, thunder-[storms.
2.—Formosa Channel,	N.E. or variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 26th April, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th APRIL, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	S	10	...
Hakodate,	,,	30.09	764.2	...	...	S E	6	...
Tokio,	,,	30.18	766.6	...	...	S	6	...
Kochi,	,,	30.07	763.8	...	...	S E	4	...
Nagasaki,	,,	29.87	758.8	...	...	S	8	...
Kagoshima,	,,	29.96	760.9	...	...	S E	6	...
Oshima,	,,	29.89	759.1	...	...	S E	6	...
Naha,	,,	29.89	759.2	...	...	N W	4	...
Ishigakijima,	,,	29.89	759.3	...	...	S	4	...
Chefoo,	3 p.	29.91	759.7	54	87	E	2	f
Weihaiwei,	,,	29.90	759.4	61	...	N W	...	b
Hankow,	,,	30.05	763.2	76	53	W	1	c
Kinkiang,	,,	30.01	762.2	76	56	S W	1	b
Shanghai,	,,	29.91	759.7	67	69	N W	2	c
Gutzlaff,	,,	29.79	756.6	58	94	N W	3	om
Sharp Peak,	,,	29.91	759.7	66	95	...	0	o
Amoy,	,,	29.86	758.4	67	84	N E	3	or
Swatow,	,,	29.89	759.2	66	95	N E	2	o
Taihoku,	1 p.	29.93	760.2	...	...	N W	2	...
Taichu,	,,	29.91	759.7	...	...	N	4	...
Tainan,	,,	29.88	759.0	...	...	N	6	...
Koshun,	,,	29.86	758.4	...	...	S E	6	...
Pescadores,	,,	29.89	759.1	...	...	N	6	...
Canton,	3 p.	29.84	757.9	73	86	...	0	o
Hongkong,	4 p.	29.80	756.9	73	74	N N E	1	o
Victoria Peak,	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...
Macao,	,,	29.82	757.4	73	...	N N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	70	...	S S E	1	f
Tourane,	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	86	...	S	1	c
Aparri,	2 p.	29.80	756.8	86	...	E	1	c
Manila,	4 p.	29.72	755	93	51	W	1	c
Legaspi,	2 p.	29.83	757.6	86	...	E	1	c
Bacolod,	3 p.	...	...	...	...	N N E	5	b
Iloilo,	,,	29.75	755.6	91	...	N E	2	c
Cebu,	,,	29.78	756.4	88	...	N	2	b
Labuan,	,,	29.73	755.1	86	...	...	...	...

Station.	27th APRIL, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	...	...	...	...	...	...	...
Nemuro,	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.97	761.2	...	...	N W	2	...
Tokio,	,,	30.10	764.6	...	...	...	0	...
Kochi,	,,	29.88	758.8	...	...	E	4	...
Nagasaki,	,,	29.84	757.8	...	...	S E	6	...
Kagoshima,	,,	29.84	757.9	...	...	N W	2	...
Oshima,	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.86	758.3	...	...	S E	4	...
Chefoo,	6 a.	...	...	...	...	...	...	...
Weihaiwei,	9 a.	29.92	759.9	63	...	W N W	1	b
Hankow,	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...
Shanghai,	9 a.	30.02	762.5	59	76	E N E	1	om
Gutzlaff,	,,	...	...	52	100	N N E	1	f
Sharp Peak,	,,	29.98	761.5	66	89	E N E	1	b
Amoy,	6 a.	29.88	758.9	62	94	N E	1	o
Swatow,	,,	29.89	759.2	66	79	E N E	1	o
Taihoku,	5 a.	29.88	759.0	...	...	E	6	...
Taichu,	,,	29.85	758.2	...	...	...	0	...
Tainan,	,,	29.84	757.8	...	...	N	4	...
Koshun,	,,	29.80	757.0	...	...	N E	6	...
Pescadores,	,,	29.83	757.6	...	...	N	6	...
Canton,	9 a.	29.95	760.7	72	81	N	1	o
Hongkong,	10 a.	29.94	760.5	73	78	E S E	2	o
Victoria Peak,	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...
Macao,	,,	29.95	760.7	70	...	E S E	1	o
Hoihow,	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...
Aparri,	6 a.	...	...	...	...	...	...	...
Manila,	10 a.	29.88	759	86	65	W N W	1	c
Legaspi,	6 a.	...	...	...	...	...	...	...
Bacolod,	9 a.	...	...	...	...	N N E	2	b
Iloilo,	,,	29.85	758.2	87	...	N E	1	c
Cebu,	,,	29.88	758.9	86	...	S	1	c
Labuan,	,,	29.83	757.7	82	...	...	...	...

On the 27th at 11.55 a.—The barometer has fallen considerably over Japan, owing to the depression which is now moving slowly Eastwards over Kiusiu.

Pressure has increased slightly over S. China, and fallen a little in Formosa. A shallow area of low pressure appears to be lying to the South of that island.

Moderate or fresh N.E. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate: showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 27th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th April, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	30.04	763.1	...	...	S	8	...	6 a.	29.97	761.1	...	...	S W	2	...
Hakodate	,,	29.97	761.2	...	...	S E	4	...	,,	29.89	759.2	...	...	...	0	...
Tokio	,,	29.98	761.6	...	...	S	4	...	,,	29.79	756.6	...	...	...	0	...
Kochi	,,	29.76	755.8	...	...	S W	2	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki	,,	29.87	758.8	...	...	W	6	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima	,,	29.84	757.9	...	...	W	6	...	,,	29.96	760.9	...	...	...	0	...
Oshima	,,	29.93	760.1	...	...	N W	2	...	,,	29.93	760.1	...	...	S	2	...
Naha	,,	29.89	759.2	...	...	N	4	...	,,	29.93	760.2	...	...	N E	2	...
Ishigakijima	,,	29.90	759.3	...	...	N E	4	...	,,	29.86	758.3	...	...	...	0	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	29.86	758.4	76	...	S E	2	c	9 a.	29.82	757.4	68	...	W	5	b
Hankow	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	29.99	761.7	81	91	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai	,,	29.96	761.0	70	67	E S E	1	c	9 a.	29.96	761.0	63	62	E S E	2	b
Gutzlaff	,,	...	...	61	77	N E	2	cm	,,	...	...	58	81	S E	3	b
Sharp Peak	,,	29.94	759.2	69	85	S S E	3	b	,,	29.97	761.2	65	89	N E	2	o
Amoy	,,	29.84	757.9	70	80	N E	2	o	6 a.	29.92	759.9	66	84	S E	1	c
Swatow	,,	29.90	759.4	73	76	N N E	2	c	,,	29.90	759.4	65	89	W	1	b
Taihoku	1 p.	29.93	760.3	...	...	E	6	...	5 a.	29.87	758.7	...	...	E	4	...
Taichu	,,	29.85	758.3	...	...	N	6	...	,,	29.84	758.0	...	...	...	0	...
Tainan	,,	29.84	757.9	...	...	N	6	...	,,	29.84	758.0	...	...	...	0	...
Koshun	,,	29.84	757.9	...	...	N E	6	...	,,	29.85	758.1	...	...	N	4	...
Pescadores	,,	29.85	758.2	...	...	N	8	...	,,	29.84	759.8	...	...	N	6	...
Canton	3 p.	29.87	758.7	80	66	S W	1	c	9 a.	29.92	799.9	73	76	S E	1	o
Hongkong	4 p.	29.88	758.9	72	72	E	2	o	10 a.	29.92	759.9	73	75	E	3	c
Victoria Peak	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	4	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.87	758.7	72	...	S E	1	o	,,	29.92	759.9	73	...	S E	1	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.82	757.5	75	...	E N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.83	757.7	81	...	N W	3	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.77	756.1	86	...	S	2	c	,,	...	...	...	...	...	...	...
Aparri	2 p.	29.80	757.0	86	...	N	1	o	6 a.	29.86	758.5	77	...	S	1	b
Manila	4 p.	29.72	755	88	72	W S W	...	b	10 a.	29.88	759	86	65	W	1	c
Legaspi	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	N N E	1	b
Iloilo	,,	29.74	755.4	92	...	N E	1	b	,,	29.89	759.2	87	...	N E	1	b
Cebu	,,	29.79	756.6	88	...	N	3	b	,,	29.90	759.4	85	...	N	1	b
Labuan	,,	29.73	755.1	86	...	...	...	...	,,	29.89	759.2	78	...	...	...	...

On the 28th at 11.55 a.—The depression has reached S.E. Japan in its advance towards the Pacific.

The barometer has risen in W. Japan, and fallen over N. China. A new depression has appeared over Manchuria.

Moderate N.E. winds may be expected in the Formosa Channel, and moderate E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 28th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...
Nemuro	,,	29.89	759.1	...	...	S E	4	...
Hakodate	,,	29.85	758.2	...	...	S	4	...
Tokio	,,	29.79	756.6	...	...	S E	4	...
Kochi	,,	29.87	758.8	...	...	S E	4	...
Nagasaki	,,	29.91	759.8	...	...	S W	4	...
Kagoshima	,,	29.92	759.9	...	...	S E	2	...
Oshima	,,	29.89	759.1	...	...	N	2	...
Naha	,,	29.89	759.2	...	...	E	4	...
Ishigakijima	,,	29.85	758.3	...	...	E	6	...
Chefoo	3 p.	29.78	756.4	76	31	S	2	b
Weihaiwei	,,	29.79	756.6	67	...	S W	5	b
Hankow	,,	29.85	758.2	76	45	S E	2	o
Kiukiang	,,	29.81	757.2	76	64	N E	1	o
Shanghai	,,	29.85	758.2	69	52	E S E	3	b
Gutzlaff	,,	...	...	60	76	S E	4	cv
Sharp Peak	,,	29.89	759.2	65	87	...	0	o
Amoy	,,	29.91	759.7	70	80	N E	3	c
Swatow	,,	29.89	759.2	79	58	S S E	1	b
Taiholu	1 p.	29.87	758.8	...	...	E	6	...
Taichu	,,	29.85	758.3	...	...	N W	2	...
Tainan	,,	29.87	758.6	...	...	N W	6	...
Koshun	,,	29.84	758.0	...	...	N W	4	...
Pescadores	,,	29.87	758.7	...	...	N W	8	...
Canton	3 p.	29.82	757.4	77	73	S E	1	o
Hongkong	4 p.	29.83	757.7	72	80	E	3	o
Victoria Peak	,,	...	...	...	...	E S E	2	...
Gap Rock	,,	...	...	...	...	...	...	...
Macao	,,	29.82	757.4	73	...	S E	2	o
Hoihow	3 p.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.72	754.8	75	...	S S E	3	o
Tourane	,,	29.82	757.3	81	...	S S E	1	ft
Cape St. James	,,	29.76	756.0	80	...	S S E	1	c
Aparri	2 p.	...	...	...	...	...	...	...
Manila	4 p.	29.76	756	90	60	S S W	1	c
Legaspi	2 p.	...	...	...	...	...	...	...
Bacolod	3 p.	...	...	...	...	N N E	1	o
Iloilo	,,	29.78	756.4	89	...	S W	1	c
Cebu	,,	29.78	756.4	87	...	N	2	b
Labuan	,,	29.76	755.9	86	...	...	...	...

29th April, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	...	...	...	...	...	...	...
6 a.	29.89	759.1	...	...	N	2	..
,,	29.93	760.2	...	...	...	0	...
,,	29.95	760.6	...	...	N	4	...
,,	29.95	760.8	...	...	S W	4	...
,,	29.91	759.8	...	...	E	4	...
,,	29.92	759.9	...	...	E	2	...
,,	29.89	759.1	...	...	S	2	...
,,	29.82	757.2	...	...	...	0	...
,,	29.78	756.3	...	...	E	4	...
6 a.	...	...	...	...	...	...	...
9 a.	29.76	755.9	55	...	E	2	b
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	29.70	754.4	58	81	S E	3	od
,,	...	...	56	94	S S E	5	f
,,	29.76	755.9	65	89	...	0	og
6 a.	29.86	758.4	68	90	S E	1	o
,,	29.76	755.9	65	89	S E	1	o
5 a.	29.78	756.3	...	...	S W	2	...
,,	29.81	757.2	...	...	...	0	...
,,	29.82	757.3	...	...	...	0	...
,,	29.82	757.4	...	...	...	0	...
,,	29.79	756.6	...	...	N W	2	...
9 a.	29.72	754.9	75	95	S E	1	o
10 a.	29.76	755.9	76	89	S	2	o
,,	...	...	...	...	S S W	7	...
,,	...	...	...	...	...	...	...
,,	29.74	755.4	75	...	S S E	3	o
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
10 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
6 a.	29.82	757.5	77	...	W	1	b
10 a.	29.84	758	88	66	S S W	1	b
6 a.	29.86	758.4	73	...	...	0	b
9 a.	...	...	...	...	N N E	1	b
,,	29.85	758.2	86	...	...	0	c
,,	29.90	759.4	86	...	...	0	...
,,	29.81	757.2	85	...	...	...	...

On the 29th at 11.40 a.—The barometer has risen moderately in S.E. Japan, and fallen rapidly over China.

A rather deep depression is progressing Eastwards over Central China, and the highest pressure is now over S. Japan.

Fresh or strong S.E. to S.W. winds are expected to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to S.W. winds, fresh or strong; squally, showery.
2.—Formosa Channel,	S.E. to S. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 29th April, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th April, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	W	2	...	6 a.	30.04	763.1	...	...	...	0	...
Hakodate,	,,	29.97	761.2	...	...	W	4	...	,,	30.01	762.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	N W	2	...	,,	30.02	762.6	...	...	N E	2	...
Kochi,	,,	29.91	759.8	...	...	S E	4	...	,,	29.84	757.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	E	4	...	,,	29.52	749.8	...	...	S E	10	...
Kagoshima,	,,	29.84	757.9	...	...	S	2	...	,,	29.60	751.9	...	...	E	6	...
Oshima,	,,	29.81	757.1	...	...	W	4	...	,,	29.61	752.1	...	...	S	6	...
Naha,	,,	29.73	755.2	...	...	E	6	...	,,	29.69	754.2	...	...	S W	4	...
Ishigakijima,	,,	29.74	755.3	...	...	S W	6	...	,,	29.70	754.3	...	...	S	6	...
Chefoo,	3 p.	29.59	751.6	60	71	S E	4	c	6 a.	29.58	751.3	50	86	W	3	o 7
Weihaiwei,	,,	29.66	753.3	57	...	S E	...	o	9 a.	29.58	751.3	47	...	W	1	o
Hankow,	,,	29.68	753.9	83	63	W	2	c	6 a.	29.85	758.2	65	78	N	3	b
Kiukiang,	,,	29.68	752.6	76	73	N W	2	c	,,	29.81	757.2	65	84	N W	2	c
Shanghai,	,,	29.53	750.0	59	94	S E	3	or	9 a.	29.73	755.1	64	78	N W	3	o
Gutzlaff,	,,	...	...	57	100	S S E	6	omr	,,	29.55	750.6	59	88	N N W	5	ov
Sharp Peak,	,,	29.63	752.6	66	89	N	1	og	,,	29.70	754.4	69	97	...	0	or
Amoy,	,,	29.70	754.4	72	81	S E	4	c	6 a.	29.67	753.6	68	95	E	1	f
Swatow,	,,	29.67	753.6	71	90	N E	2	o	,,	...	...	...	...	...	...	
Taihoku,	1 p.	29.69	754.2	...	...	N	4	...	5 a.	29.67	753.5	...	...	S E	2	...
Taichu,	,,	29.72	754.8	...	...	S	4	...	,,	29.73	755.1	...	...	...	0	...
Tainan,	,,	29.74	755.4	...	...	S W	6	...	,,	29.73	755.2	...	...	S E	2	...
Koshun,	,,	29.74	755.5	...	...	W	4	...	,,	29.74	755.3	...	...	N W	4	...
Pescadores,	,,	29.73	755.1	...	...	S	6	...	,,	29.69	754.0	...	...	S E	6	...
Canton,	3 p.	29.63	752.6	85	72	S E	2	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.66	753.3	79	79	S W	3	oq	10 a.	29.69	754.1	78	88	S W.	5	opr
Victoria Peak,	,,	...	...	...	...	S	8	...	,,	...	...	...	...	S	8	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.65	753.1	76	...	S	1	od	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.52	749.7	81	...	E S E	4	lf	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.0	90	...	S E	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.9	88	...	S	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.72	754.9	86	...	N E	1	b	6 a.	29.78	756.5	77	...	S	1	b
Manila,	4 p.	29.69	754.1	90	60	W S W	2	c	10 a.	29.84	758	86	71	W	2	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.83	757.7	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	1	b	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.75	755.6	90	...	N E	2	b	,,	29.85	758.2	86	...	N E	1	b
Cebu,	,,	29.76	755.9	87	...	N	2	c	,,	29.85	758.2	85	...	E	1	c
Labuan,	,,	29.69	754.1	87	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

On the 30th at 11.30 a.—The barometer has risen moderately over Central China and E. Japan, and fallen rapidly over S.W. Japan.

The depression moving Eastwards, passed over the E. coast of China last night. This morning it is approaching the neighbourhood of Nagasaki.

Pressure is still giving way over the S. coast of China, and another area of low pressure appear to be lying over S.W. China.

Strong S.E. to S.W. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	S.W. winds, strong to a moderate gale; squally, probably thunderstorms
2.—Formosa Channel,	S.E. winds, srong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

E. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 30th April, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th April, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock.	2 p.	...	...	...	...	...	...	...
Gensan,	,,	30.08	764.1	...	...	S E	4	...
Hakodate,	,,	29.97	761.2	...	...	E	10	...
Tokio,	,,	29.98	761.6	...	...	E	6	...
Kochi,	,,	29.76	755.8	...	...	N W	2	...
Nagasaki,	,,	29.60	751.8	...	...	S W	6	...
Kagoshima,	,,	29.60	751.9	...	...	W	2	...
Koshima,	,,	...	...	...	...	...	...	...
Naha,	,,	29.73	755.2	...	...	N W	2	...
Ishigakijima,	,,	29.74	755.3	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	52	...	S W	4	b
Hankow,	,,	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.77	756.1	70	44	N W	2	c
Sutzlaff,	,,	...	...	60	76	N N E	2	cv
Sharp Peak,	,,	29.70	754.4	68	95	N	1	orf
Amoy,	,,	29.67	753.6	68	74	...	0	or
Swatow,	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.74	755.3	...	...	...	0	...
Taichu,	,,	29.82	757.3	...	...	S	2	...
Tainan,	,,	29.74	755.3	...	...	S	6	...
Koshun,	,,	29.75	755.7	...	...	W	6	...
Pescadores,	,,	29.69	754.2	...	...	S W	8	...
Canton,	3 p.	29.67	753.6	73	100	...	0	o
Hongkong,	4 p.	29.67	753.6	72	93	E	2	ot
Victoria Peak,	,,	...	...	...	...	N E	2	...
Cap Rock,	,,	...	...	...	...	...	...	...
Macao,	,,	29.67	753.6	74	...	S S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.57	751.0	84	...	E S E	5	b
Tourane,	,,	29.62	752.4	91	...	S S E	3	c
Cape St. James,	,,	29.72	754.8	88	...	S W	3	c
Aparri,	2 p.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	90	60	W S W	3	b
Legaspi,	2 p.	29.77	756.1	88	...	E	1	b
Iloilo,	3 p.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.75	755.6	90	...	S W	3	b
Cebu,	,,	29.76	755.9	88	...	S	1	b
Labuan,	,,	29.70	754.4	88	...	...	...	...

Station.	1st May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock.	7 a.	...	...	...	...	...	...	...
Gensan,	6 a.	30.08	764.1	...	...	S E	8	..
Hakodate,	,,	29.77	756.2	...	...	E	6	...
Tokio,	,,	29.91	759.6	...	...	N W	2	...
Kochi,	,,	29.68	753.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	N W	4	...
Kagoshima,	,,	29.80	756.9	...	...	N W	4	...
Koshima,	,,	29.77	756.1	...	...	N	2	...
Naha,	,,	29.81	757.2	...	...	...	0	...
Ishigakijima,	,,	29.70	754.3	...	...	W	8	...
Chefoo,	6 a.	29.71	754.6	51	66	W	2	b
Weihaiwei,	9 a.	...	...	...	...	...	...	...
Hankow,	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...
Shanghai,	9 a.	29.92	759.9	66	54	S W	2	b
Sutzlaff,	,,	...	...	60	71	S S W	2	bv
Sharp Peak,	,,	29.98	761.5	63	83	N	2	o
Amoy,	6 a.	29.85	758.2	68	79	N E	4	o
Swatow,	,,	...	...	...	...	...	...	...
Taihoku,	5 a.	29.85	758.2	...	...	E	6	...
Taichu,	,,	29.82	757.3	...	...	N	4	...
Tainan,	,,	29.80	757.0	...	...	N	2	...
Koshun,	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.82	757.4	...	...	N E	8	...
Canton,	9 a.	29.91	759.7	73	81	N	1	o
Hongkong,	10 a.	29.90	759.4	73	87	E	2	o
Victoria Peak,	,,	...	...	...	...	E	4	...
Cap Rock,	,,	...	...	...	...	...	...	...
Macao,	,,	29.90	759.4	75	...	N N E	1	o
Hoihow,	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...
Aparri,	6 a.	...	...	...	...	...	...	...
Manila,	10 a.	29.84	758	86	71	W S W	2	c
Legaspi,	6 a.	...	...	...	...	...	...	...
Iloilo,	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.85	758.2	87	...	...	0	b
Cebu,	,,	29.88	758.9	86	...	S	1	c
Labuan,	,,	29.81	757.2	85	...	...	...	...

On the 1st at 11.55 a.—The barometer has fallen considerably over E. Japan, and risen quickly over W. Japan and the coast of China.

The depression appears to be moving towards E.N.E. over the S. part of the Sea of Japan.

Fresh N.E. winds are expected to prevail in the Formosa Channel, and fresh E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, moderate; cloudy, misty.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 1st May, 1907.

[Printed by Noronha & Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

1st MAY, 1907. P.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	..	..	..	..	..	..	..
Nemuro	..	..	..	..	..	..	..	..
Hakodate	..	29.69	754.2	..	..	..	5	..
Tokio	..	29.75	755.6	..	..	N	2	..
Kochi	..	29.68	753.8	..	..	S W	2	..
Nagasaki	..	29.80	756.8	..	..	N	3	..
Kagoshima	..	29.76	755.9	..	..	..	3	..
Oshima	..	29.81	757.1	..	..	N	6	..
Naha	..	29.84	757.2	..	..	N	5	..
Ishigakijima	..	29.82	756.8	..	..	N W	6	..
Chefoo	3 p.	29.79	754.1	58	47	N W	3	b
Weihaiwei	..	29.79	754.4	67	..	N W	2	b
Hankow	..	29.64	753.0	75	69	S	1	b
Kiukiang	..	29.63	752.2	71	53	W	1	b
Shanghai	..	29.85	758.2	74	49	S W	2	b
Gutzlaff	..	..	..	66	65	W S W	2	bv
Sharp Peak	..	29.85	759.7	69	89	E N E	2	b
Amoy	..	29.81	756.9	78	86	N E	3	c
Swatow	..	..	..	..	..	..	..	..
Taihoku	1 p.	29.95	760.8	..	..	S E	4	..
Taichu	..	29.87	758.6	..	..	N	1	..
Tainan	..	29.87	758.6	..	..	N	6	..
Koshun	..	29.85	758.2	..	..	E	4	..
Pescadores	..	29.89	759.3	..	..	N E	3	..
Canton	3 p.	29.85	758.2	84	66	..	0	b
Hongkong	4 p.	29.86	758.4	72	83	E	3	o
Victoria Peak	..	..	..	..	..	E	4	..
Gap Rock	..	..	..	..	..	..	..	..
Macao	..	29.85	758.2	75	..	E S E	1	o
Hoihow	3 p.	..	..	..	..	..	..	..
Pakhoi	..	..	..	..	..	..	..	..
Phulien	4 p.	29.80	756.9	77	..	N N E	2	o
Tourane	..	..	..	..	..	..	..	..
Cape St. James	..	29.71	754.7	86	..	S W	2	o
Aparri	2 p.	..	..	..	..	..	..	..
Manila	4 p.	29.72	755	90	60	S W	2	c
Legaspi	2 p.	29.81	757.2	88	..	E	1	b
Bacolod	3 p.	..	..	..	..	N N E	4	b
Iloilo	..	29.75	755.6	91	..	N E	1	b
Cebu	..	29.78	756.4	88	..	E	2	b
Labuan	..	29.73	755.1	90	..	..	..	..

2nd MAY, 1907. A.M.

Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	..	..	..	..	..	..	..
8 a.	29.65	753.1	..	..	S E	3	..
..	29.62	752.2	..	..	W	1	..
..	29.63	752.6	..	..	..	0	..
..	29.64	752.8	..	..	S W	2	..
..	29.67	753.8	..	..	N W	4	..
..	29.66	753.9	..	..	N	2	..
..	29.64	753.3	..	..	N W	1	..
..	29.67	754.2	..	..	E	2	..
..	29.67	754.5	..	..	N E	2	..
9 a.	29.77	756.1	51	66	..	0	..
10 a.	29.75	755.6	62	..	N	1	b
11 a.	29.62	753.9	64	94	S S E	1	b
..	29.67	754.2	66	94	N E	1	..
12 a.	29.67	754.2	66	88	S	1	b
..	..	..	64	77	S W	2	b
..	29.62	752.5	66	74	N N E	1	..
1 p.	29.59	751.2	65	89	N E	3	..
..	..	..	..	..	..	..	..
5 a.	29.65	753.8	..	..	E	6	..
..	29.58	751.0	..	..	..	0	..
..	29.60	751.5	..	..	N	2	..
..	29.59	751.1	..	..	N E	3	..
..	29.58	750.8	..	..	N	3	..
9 a.	29.65	753.7	73	86	E	1	c
10 a.	29.64	753.5	71	66	E	4	o
..	..	..	..	..	E	5	..
..	29.60	752.2	73	..	E S E	1	o
3 a.	..	..	..	..	..	..	..
10 a.	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..
6 a.	..	..	..	..	..	..	..
10 a.	29.58	750	91	69	S S W	2	..
6 a.	29.68	753.8	81	..	..	0	..
9 a.	..	..	..	..	N N E	1	..
..	29.59	751.2	87	..	N E	1	b
..	29.58	750.9	87	..	E	1	c
..	29.56	750.4	85	..	..	..	..

On the 2nd at 11.55 a. The barometer has fallen quickly over E. Japan and risen considerably over W. Japan and the Loochoos.

The depression is moving towards the Pacific over N.E. Japan and pressure is now highest over the Eastern Sea.

Moderate to fresh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood	E. winds, fresh; fair at first, some rain later.
2.— Formosa Channel	N.E. winds, moderate to fresh.
3.— South coast of China between Hongkong and Lamocks	Same as No. 1.
4.— South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 2nd May, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

2ND MAY, 1907. P.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
[illegible]	2 p.	..	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	..	29.19	749.[illegible]	..	...	N W	4	.
[illegible]	.	29.37	751.2		.	S W	8	...
[illegible]	.	29.71	754.6		.	N E	4	
[illegible]	..	29.91	759.8	.		N W	1	
[illegible]	..	29.93	760.8	..	.	S W	2	
[illegible]		30.00	761.9	..		W	2	
[illegible]	..	29.94	760.[illegible]		.	N	6	...
[illegible]	..	30.01	762.1	.		E	2	..
[illegible]	..	29.97	761.8	...		E	8	.
[illegible]	3 p.	29.[illegible]	7[illegible]	65	7[illegible]	E	2	c
[illegible]	.	29.07	758.6	71		N E	4	b
[illegible]	..	.	.	..			.	
[illegible]	..							
[illegible]	..	29.88	758.9	74	64	S E	3	b
[illegible]	..			66	88	S E	3	b
[illegible] Peak	..	29.97	761.2	72	76	N E	1	b
[illegible]	..	29.82	757.4	72	76	N E	3	b
[illegible]				..	.			
[illegible]	4 p.	29.93	760.2		..	E	6	
[illegible]		29.90	759.5	...			9	
[illegible]	..	29.93	759.8			W	2	
[illegible]		29.91	759.8		.	E	8	
[illegible]	..	29.91	759.7	..		N	6	
[illegible]	3 p.	29.88	758.9	76	77	E	2	c
[illegible]	4 p.	29.89	759.2	76	71	E N E	4	c
[illegible] Peak			..			E S E	4	
[illegible] Rock								
[illegible]	.	29.88	758.9	72	...	S E	2	.
[illegible]	4 p.		.				.	.
[illegible]	.	...	..		.		..	
[illegible]	4 p.	29.77	756.2	73	..	E S E	6	c
[illegible]	..	29.90	759.1	82		E N E	2	c
[illegible] St. James	..	29.77	756.1	86	.	E S E	1	..
[illegible]	2 p.	29.84	758.0	88	...	N E	1	...
[illegible]	4 p.	29.76	756	93	50	S E	1	..
[illegible]	2 p.	29.84	757.9	88		E	1	
[illegible]	3 p				.	N N E	4	c
[illegible]	.	29.79	756.6	92		N E	3	b
[illegible]	..	29.76	755.9	88	...	N	3	b
[illegible]	..	29.75	755.6	88	...		..	

3RD MAY, 1907. A.M.

Station.	Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
[illegible]	7 a.						...	
[illegible]	8 a.	29.65	753.1		.	S W	1	.
..		29.81	757.2	..		W	6	
.		30.01	762.6			S W	2	..
		30.19	766.8	.	..	S W	2	..
		30.19	766.8			S E	4	..
		30.19	766.9	.	..	E	2	..
		30.12	765.1		.		0	..
..		30.09	764.2			S E	4	.
.		30.04	762.8		..	S E	6	
[illegible]	9 a	29.81	757.9	62	66	S	1	b
[illegible]	9 a.				..	..	..	.
[illegible]	9 a.	.			.		.	.
							...	.
[illegible]	9 a	29.91	759.5	70	61	S	3	c
.		.		63	89	S S E	4	c
		[illegible]	[illegible]	66	89	W S W	1	c
[illegible]		29.89	759.2	66	89	N E	2	or
					.		.	..
[illegible]	9 a.	29.93	759.8		.	S E	2	.
..		29.93	759.8				0	.
.		29.93	759.8	.		N	4	.
		29.91	759.7		.	E	6	.
		29.93	759.1			N	6	
[illegible]	9 a.	29.96	761.0	70	39	.	0	c
[illegible]	10 a.	29.97	761.2	70	92	E N E	1	c
			...			E S E	6	...
							.	..
.		29.95	760.7	72	.	S E	2	c
[illegible]	9 a	.						...
..			...			..	.	.
[illegible]	10 a				.		...	.
					..	...	..	
				.	.		.	..
[illegible]	9 a.						..	.
[illegible]	10 a.	29.92	760	80	65		0	c
[illegible]	9 a	29.91	760.[illegible]	79		N E	1	b
[illegible]	9 a.	.			.	N E	3	b
..		29.89	759.2	85		N E	2	c
.		29.91	759.7	87	.	N	2	c
..		29.89	758.[illegible]	86	..		.	..

On the 3rd at 11.55 a.m. The barometer has fallen slightly on the E. coast of China, and risen rapidly over S. Japan.

An area of high pressure covers S. Japan, and pressure appears to be low over Central and N. China.

Moderate N.E. to E. winds are likely to prevail in the Formosa Channel and fresh or moderate E. and S.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood.	E. winds, fresh or moderate [illegible]
Formosa Channel.	N.E. winds, moderate.
South coast of China between Hongkong and Lamocks.	Same as No. 1.
South coast of China between Hongkong and Hainan.	E. to S.E. winds, fresh or moderate.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Friday, 3rd May, 1907.

Printed by NORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd MAY, 1907, P.M.								4th MAY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.69	754.1	...	...	S W	8	...	6 a.	29.77	756.1	...	...	S W	4	..
Hakodate	,,	29.93	760.2	...	...	W	8	...	,,	29.93	760.2	...	...	S W	4	...
Tokio	,,	30.10	764.6	...	...	S	4	...	,,	30.18	766.6	...	...	...	0	...
Kochi	,,	30.15	765.8	...	...	S W	2	...	,,	30.19	766.8	...	...	W	2	...
Nagasaki	,,	30.15	765.8	...	...	S	6	...	,,	30.15	765.8	...	...	E	0	...
Kagoshima	,,	30.15	765.9	...	...	S E	2	...	,,	30.15	765.9	...	...	N E	4	...
Oshima	,,	30.12	765.1	...	...	S E	6	...	,,	30.08	764.1	...	...	S E	4	...
Naha	,,	30.05	763.2	...	...	S E	6	...	,,	30.01	762.2	...	...	S E	2	...
Ishigakijima	,,	...	.	...	...	S E	8	...	,,	29.97	761.3	...	...	S	6	...
Chefoo	3 p.	29.85	758.2	80	87	S E	3	c	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	29.83	757.7	72	...	S	1	b	9 a.	29.82	757.4	57	...	S	2	or
Hankow	,,	29.84	757.9	81	91	S S E	2	o	6 a.	29.90	759.4	71	95	E	1	c
Kiukiang	,,	29.87	758.7	75	77	N E	1	b	,,	29.82	757.4	73	86	...	0	c
Shanghai	,,	29.87	758.7	70	85	S S E	5	o	9 a.	29.85	758.2	71	80	S	1	c
Gutzlaff	,,	...	...	61	100	S S E	5	omd	,,	...	...	65	89	S	3	cv
Sharp Peak	,,	29.96	761.0	68	92	N E	1	or	,,	29.98	761.5	69	95	...	0	of
Amoy	,,	29.88	758.9	68	79	N	1	or	6 a.	29.88	758.9	66	95	W	3	o
Swatow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku	1 p.	29.98	761.5	...	...	N	2	...	5 a.	29.93	760.1	...	...	...	0	...
Taichu	,,	29.99	761.7	...	...	N	4	...	,,	29.95	760.7	...	...	...	0	...
Tainan	,,	29.99	761.8	...	...	N W	4	...	,,	29.94	760.5	...	...	N	2	...
Koshun	,,	...	...	...	...	...	...	...	,,	29.95	760.6	...	...	E	6	...
Pescadores	,,	29.98	761.6	...	...	N	6	...	,,	29.95	760.6	...	...	N	2	...
Canton	3 p.	29.88	758.9	77	86	E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong	4 p.	29.86	758.4	71	93	E	3	op	10 a.	29.97	761.2	72	97	E	3	•
Victoria Peak	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	...	...	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.85	758.2	74	...	S E	1	o	,,	29.96	761.0	74	...	S E	1	[illegible]
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.76	755.9	75	...	S S E	4	o	10 a.	...	...	...	...	...	...	..
Tourane	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.68	753.9	88	...	E	2	c	,,	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.80	757	91	89	E S E	2	c	10 a.	29.92	760	90	55	...	0	c
Legaspi	2 p.	29.88	758.9	86	...	N E	1	c	6 a.	29.89	759.2	81	...	E	1	b
Bacolod	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N E	4	c
Hoilo	,,	29.81	757.2	91	...	N E	2	c	,,	29.89	759.2	86	...	N E	2	c
Cebu	,,	29.84	757.9	87	...	N	2	b	,,	29.91	759.7	81	...	...	0	or
Labuan	,,	29.73	755.1	88	...	...	...	...	,,	29.85	758.2	86	...	...	...	...

On the 4th at 12.15 p.—The barometer has fallen slightly over N. China, and risen moderately over N.E. Japan. The area of high pressure remains over S. Japan, and a depression appears to be developing over N. China. Moderate S.E. winds are expectad to prevail in the Formosa Channel, and N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate or light; misty, showery.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 4th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

4TH MAY 1907. P.M.

Stations.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.							
Nagasaki	..	29.69	754.1			S W	3	
Hakodate		29.85	758.2	...	..	S W	1	
Tokio	..	30.03	763.6		..	S	6	
Kobe	..	30.19	766.8			S E	2	
Nagasaki		30.07	763.8		..	S E	6	..
Kagoshima	..	30.12	764.9	..		S E	6	..
Formosa	..	30.08	764.1		..	S E	6	
Naha	..	30.05	763.2	...		S E	2	
Ishigakijima		30.01	762.3			S	2	
Tamsui	3 p.	29.68	753.9	69	70	S	1	o
Weihaiwei	..	29.68	753.9	61		S S E	2	o
Hongkong	..	29.77	756.1	82	67	S W	2	o
Kiukiang	..	29.79	756.6	82	89	S W	2	o
Shanghai	..	29.77	756.1	82	95	S W	3	o
Chefoo	..			68	85	S S W	4	o
Sharp Peak		29.92	759.9	72	48	S S E	1	or
Amoy	..	29.83	757.7	74	81	S E	4	o
Swatow	..	29.93	761.0	70	95	E N E	1	o
Takao	1 p.	29.91	760.6		..	N	4	
Tachu	..	29.93	760.9			N	4	
Taihoku	..	..	...	..	...			...
Kelung	..	29.99	761.7			E	6	
Pescadores	..	29.93	761.0			N W	2	
Canton	3 p.	29.87	758.7	81	87	E	1	o
Hongkong	4 p.	29.88	758.9	74	94	E	3	o
Victoria Peak	..		..		..	S E	3	
Cap Rock	..							
Macao	..	29.87	758.7	75	...	S E	2	o
Bolhow	3 p.							
Pakhoi								
Haiphon	4 p.	29.74	755.6	81	...	S	5	o
Touane	..	29.81	757.3	86		W N W	2	o
Cape St. James	..	29.77	756.1	81		E	2	o
Aparri	2 p.			..	...			...
Manila	4 p.	29.84	758	91	15	E	2	o
Legaspi	2 p.				..			
Baguio	3 p.			...	..	S S W	1	or
Iloilo		29.83	757.7	90	...	N E	1	c
Cebu	..	29.82	757.4	85		N	2	c
Labuan	..	29.79	756.6	90		...		

5TH MAY. 1907. A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.							
8 a.	29.89	759.1			N	2	
..	29.85	758.2				3	
..	29.99	761.6			S W	4	
..	30.03	762.8	...			9	
..	29.88	758.5			S S E	10	..
..	29.96	760.9		..		2	..
..	30.04	762.7		..	S	4	
..	30.04	762.2		..		9	...
..	29.97	761.3	..		S	6	
6 a.	29.78	756.0	54	100		0	or
9 a.	29.75	755.5	52	...	W N W	3	c
7 a.							
	29.80	756.9	70	95	S W	2	or
9 a.	29.79	756.4	73	74	W	2	o
			66	75	S S W	5	om
..	29.89	759.2	74	88		0	o
8 a.	29.80	756.4	74	90	S E	1	o
..	29.96	761.0	70	90	S E	2	o
7 a.	29.93	760.3	..	...	S	2	
..	29.95	760.8	..			0	...
..	29.97	761.1		..		0	
	29.96	760.9	..		E	4	..
	29.93	760.2			S W	2	
9 a	29.92	759.9	76	95	S E	1	or
10 a	29.97	761.2	77	88	E	2	o
		...			S S W	1	..
	29.98	761.5	76		S E	1	of
9 a.			...				
10 a.							
..	..			...			
..				..			...
6 a.							
10 a	29.90	760	85	59	E	2	b
8 a.	29.93	760.1	81		E	1	c
9 a.					N N E	1	b
..	29.89	759.2	85	..	N E	1	c
..	29.92	759.9	84		N	2	c
..	29.87	758.7	84				

On the 5th at 11.55 a.m. The barometer has fallen considerably over N. China and Japan, and risen slightly in the Philippines.

The depression is moving Eastwards to the North of Shantung.

Pressure is highest over the Pacific to the E. of the Loochoos.

Moderate S. to S.W. winds are expected to prevail in the Formosa Channel, and light or moderate S.E. and variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW

Forecast District.	
1.—Hongkong and Neighbourhood.	Variable winds, light, showery
2.—Formosa Channel.	S. to S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Sunday, 5th May, 1907.

(Printed by NORONHA & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.77	756.3	...	...	E	3	...	6 a.	29.49	749.1	...	...	N E	8	...
Hakodate	,,	29.73	755.2	...	...	S W	4	...	,,	29.34	745.2	...	...	N	2	...
Tokio	,,	29.79	756.6	...	...	S	8	...	,,	29.59	751.6	...	...	...	0	...
Kochi	,,	29.91	759.8	...	...	...	0	...	,,	29.72	754.8	...	...	...	0	...
Nagasaki	,,	29.83	757.8	...	...	S	10	...	,,	29.68	753.8	...	...	S	8	...
Kagoshima	,,	29.92	759.9	...	...	S	4	...	,,	29.76	755.9	...	...	S W	6	...
Oshima	,,	...	...	...	...	...	...	...	,,	29.85	758.1	...	...	S W	2	...
Naha	,,	29.97	761.2	...	...	S	4	...	,,	29.89	759.2	...	...	S	2	...
Ishigakijima	,,	...	...	...	...	...	...	...	,,	29.89	759.3	...	...	S	6	...
Chefoo	3 p.	29.59	751.6	55	94	N W	2	o	6 a.	29.85	758.2	52	73	N W	2	b
Weihaiwei	,,	29.61	752.1	51	...	N W	...	c	9 a.	...	...	...	...	...	...	...
Hankow	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	29.85	758.2	72	85	S W	3	o	,,	...	...	...	...	...	...	...
Shanghai	,,	29.69	754.1	74	90	W	2	op	9 a.	29.89	759.2	64	84	W S W	1	o
Gutzlaff	,,	...	...	67	95	W	4	om	,,	...	...	61	100	W N W	2	om
Sharp Peak	,,	29.79	756.6	77	86	S	2	c	,,	29.83	757.7	74	93	...	0	ofr
Amoy	,,	29.77	756.1	79	82	S E	3	c	6 a.	29.79	756.6	72	90	S E	2	o
Swatow	,,	29.95	760.7	81	87	S	1	b	,,	29.87	758.7	73	95	S W	1	b
Taihoku	1 p.	29.91	759.7	...	...	N W	5	...	5 a.	29.83	757.7	...	...	S E	2	...
Taichu	,,	29.94	760.5	...	...	W	4	...	,,	29.88	759.0	...	...	...	0	...
Tainan	,,	29.91	759.8	...	...	S	8	...	,,	29.88	759.0	...	...	E	2	...
Koshun	,,	29.93	760.2	...	...	S E	6	...	,,	29.88	758.8	...	...	...	0	...
Pescadores	,,	29.95	760.7	...	...	S	6	...	,,	29.85	758.2	...	...	S	4	...
Canton	3 p.	29.85	758.2	84	78	S E	1	o	9 a.	29.90	759.4	78	91	...	0	o
Hongkong	4 p.	29.87	758.7	80	82	W	1	o	10 a.	29.92	759.9	78	86	S W	2	op
Victoria Peak	...	...	...	...	...	S	2	...	,,	...	...	...	...	S S W	5	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.86	758.4	78	...	S S E	2	o	,,	29.93	760.2	80	...	S	1	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.78	756.5	81	...	S S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.85	758.2	86	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.77	756.1	84	...	E	2	o	,,	...	...	...	...	...	...	...
Aparri	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila	4 p.	29.84	758	93	46	S E	2	c	10 a.	29.92	760	84	71	W N W	2	b
Legaspi	2 p.	...	...	...	...	...	...	...	6 a.	29.91	759.7	81	...	N E	1	b
Bacolod	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	N N E	2	b
Iloilo	,,	29.91	759.7	90	...	N E	1	b	,,	29.89	759.2	87	...	N E	1	b
Cebu	,,	29.84	757.9	87	...	N	2	b	,,	29.90	759.4	86	...	S	1	c
Labuan	,,	29.79	756.6	87	...	...	...	...	,,	29.82	754.9	87	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen considerably in N. China, and fallen rapidly over Japan. The depression is moving Eastwards over E. Japan.

Moderate variable winds may be expected in the Formosa Channel, and moderate S. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, moderate; squally, showery.
2.—Formosa Channel, ...	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 6th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

6TH MAY, 1907. P.M.

Stations.	Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock.	2 p.							
Nagasaki.		29.64	776.1			N E	10	
Hakodate.		29.42	747.2			S E	6	
[illegible]		29.43	747.3			S	10	
Kobe.		29.60	751.8			S W	4	
Nagasaki.		29.72	754.8			N W	4	
Kagoshima.		29.72	754.9			W	4	
Shiro.		29.81	757.1				6	
Naha.		29.85	758.2			S W	3	
Ishigakijima.		29.85	758.3			S	6	
Hongkong.	3 p.	29.88	758.9	58	53	N W	4	b
Weihaiwei.		29.85	758.2	53		W		b
Harbow.								
Nanking.		29.60	752.0	70	69	S W	2	b
Shanghai.		29.89	759.2	68	56	N E	3	o
Tsingtau.		29.[illegible]	755.1	63	94	N N E	3	r o
Sharp Peak.		29.81	757.9	67	84	N E	4	or
Amoy.		29.73	755.1	78	86	S E	3	or
Swatow.		29.83	757.7	84	75	W	2	
Taihoku.	1 p.	29.85	757.6			N W	5	
Taichu.		29.91	759.8			W	4	
Tainan.		29.92	759.5			S	4	
Koshun.		29.89	759.2			W	1	
Lasaderes.		29.87	758.7			S W	6	
Canton.	3 p.	29.81	757.2	85	79	S W	1	or
Hongkong.	4 p.	29.82	757.4	81	76	S W	1	o
Victoria Peak.						S	5	
Cape Rock.								
Macao.		29.82	757.4	75		S	1	o
Bolhow.	5 p.							
Takhoi.								
Cadiens.	4 p.	29.75	755.6	81		S E	5	r
Fornane.		29.82	757.4	86		S E	3	b
Cape St. James.		29.75	756.9	86		S S E	1	r
Aparri.	2 p.							
Manila.	4 p.	29.76	756	95	42	S E	2	b
Legaspi.	2 p.	29.86	758.4	88		S E	1	b
Iloilo.	3 p.					N N E	4	b
Cebu.		29.79	756.6	92		N E	1	b
Calbayog.		29.79	756.6	88		N	2	b
Tacloban.		29.72	754.9	88				

7TH MAY, 1907. A.M.

Stations.	Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock.	7 a.							
Nagasaki.	6 a.	29.73	755.1			N E	6	
Hakodate.		29.69	754.2			S E	5	
Kobe.		29.55	750.7			N	4	
Nagasaki.		29.72	754.8				0	
Kagoshima.		29.88	758.8			N W	2	
Shiro.		29.84	757.9			N W	1	
Naha.		29.93	760.1			N W	5	
Ishigakijima.		29.84	758.2			N E	3	
Hongkong.		29.86	758.5			E	6	
Weihaiwei.	6 a.	29.91	760.5	52	79	S W	1	b
Harbow.	9 a.							
Nanking.	6 a.	29.86	760.5	60	83	N E	2	b
Shanghai.		29.93	760.5	62	54	S W	1	b
Tsingtau.	9 a.	29.95	761.0	55	11	N W	1	b
Sharp Peak.		29.81	757.2	61	90	N E	1	bv
Amoy.		29.95	760.2	68	79	N	1	rg
Swatow.	6 a.	29.88	759.9	77	95	N E	4	or
Taihoku.	5 a.	29.94	760.9			E	4	
Taichu.		29.88	759.5			N	4	
Tainan.		29.87	759.2			N	4	
Koshun.		29.86	759.0			N	2	
Lasaderes.		29.88	759.0			N E	7	
Canton.	9 a.	29.84	758.5	77	95	N N W	2	o
Hongkong.	10 a.	29.95	760.7	74	90	E	2	od
Victoria Peak.						S E	5	
Cape Rock.								
Macao.		29.94	760.5	77		E N E	1	od
Bolhow.	9 a.							
Takhoi.								
Cadiens.	10 a.							
Fornane.								
Cape St. James.								
Aparri.	6 a.							
Manila.	10 a.	29.92	760	98	85	W S W	1	r
Legaspi.	6 a.	29.89	759.3	95		E	1	r
Iloilo.	9 a.					N N E	1	b
Cebu.		29.82	757.2	88		N E	1	r
Calbayog.		29.87	758.7	88			0	e
Tacloban.		29.86	758.4	84				

On the 7th at 12.25 p. The barometer is rising over Japan, and pressure has also increased on the China coast particularly in the North.

The depression has passed to the E. of Japan.

Pressure is highest over Central China. It is slightly low over the Pacific to the S.E. of Formosa.

Fresh N.E. winds may be expected in the Formosa Channel, and moderate variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	E. winds moderate or fresh; thunder showers
2.—Formosa Channel.	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamock.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Tuesday, 7th May, 1907.

(Printed by NEROKDA & Co., Government Printers.)

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	N	6	...	6 a.	30.04	763.1	...	...	N E	6	..
Hakodate,	,,	29.81	757.2	...	...	S E	6	...	,,	30.09	764.2	...	...	...	0	...
Tokio,	,,	29.71	754.6	...	...	N E	6	...	,,	30.02	762.6	...	...	N	2	...
Kochi,	,,	29.76	755.8	...	...	N W	6	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	29.91	759.8	...	...	N	6	...	,,	30.03	762.8	...	...	N E	2	...
Kagoshima,	,,	29.92	759.9	...	...	W	6	...	,,	30.04	762.9	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	N	6	...	,,	29.97	761.1	...	...	S	2	...
Naha,	,,	29.97	761.2	...	...	N E	4	...	,,	29.97	761.2	...	...	N E	2	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...	,,	29.93	760.3	...	...	N E	4	...
Chefoo,	3 p.	29.98	761.5	69	75	E	1	b	6 a.	29.93	760.2	59	65	S	1	b
Weihaiwei,	,,	29.96	761.0	64	...	S E	1	b	9 a.	29.91	759.7	63	...	S	1	c
Hankow,	,,	30.08	764.0	79	51	N E	1	c	6 a.	29.94	760.5	69	80	E	3	o
Kiukiang,	,,	30.02	762.5	77	46	N E	2	b	,,	29.93	760.2	65	95	...	0	or
Shanghai,	,,	30.04	763.0	70	44	E N E	2	b	9 a.	29.94	760.5	63	52	S E	3	c
Gutzlaff,	,,	...	...	65	58	N N E	2	cv	,,	...	...	61	60	S S E	3	cv
Sharp Peak,	,,	30.02	762.5	70	77	E N E	2	o	,,	30.02	762.5	67	81	N E	1	og
Amoy,	,,	29.88	758.9	71	76	N E	2	o	6 a.	29.88	758.9	66	89	N E	2	o
Swatow,	,,	...	...	67	89	N E	3	or	,,	29.99	761.7	67	95	N E	1	o
Taihoku,	1 p.	30.01	762.3	...	...	E	6	...	5 a.	29.94	760.4	...	...	E	6	...
Taichu,	,,	29.95	760.7	...	...	N	6	...	,,	29.92	760.0	...	...	...	0	...
Tainan,	,,	29.93	760.3	...	...	N W	4	...	,,	29.93	760.1	...	...	N E	2	...
Koshun,	,,	29.93	760.1	...	...	N	8	...	,,	29.93	760.2	...	...	N E	6	...
Pescadores,	,,	29.94	760.6	...	...	N	8	...	,,	29.92	760.0	...	...	N	4	...
Canton,	3 p.	29.90	759.4	76	92	...	0	or	9 a.	29.94	760.5	73	90	E	1	o
Hongkong,	4 p.	29.88	758.9	71	92	E	4	o	10 a.	29.96	761.0	71	92	E	3	od
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	S E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	76	...	E S E	1	o	,,	29.93	760.2	74	...	E S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.1	93	...	E N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.8	88	...	S E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	93	46	E S E	1	c	10 a.	29.92	760	86	65	W N W	2	c
Legaspi,	2 p.	29.86	758.5	88	...	E	1	b	6 a.	29.90	759.5	81	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.79	756.6	91	...	N E	2	o	,,	29.89	759.2	86	...	N E	1	c
Cebu,	,,	29.81	757.2	88	...	S	2	b	,,	29.89	759.2	87	...	...	0	b
Labuan,	,,	29.78	756.4	82	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 8th at 11.50 a.—The barometer has risen considerably over Japan, and fallen moderately over Central China.

A new depression appears to be forming over the Yangtze valley, and pressure is now highest over the Sea of Japan.

Moderate E. to S.E. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

E. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 8th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th May. 1907, P.M.								9th May, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S E	4	...	6 a.	30.12	765.1	...	...	...	0	..
Hakodate,	,,	30.09	764.2	...	...	S E	4	...	,,	30.13	765.2	...	...	N W	2	...
Tokio,	,,	30.10	764.5	...	...	N E	4	...	,,	29.79	756.6	...	...	N	2	...
Kochi,	,,	29.99	761.8	...	...	S E	2	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	S E	4	...	,,	29.88	758.8	...	...	S E	S	...
Kagoshima,	,,	29.96	760.9	...	...	S	2	...	,,	29.88	758.9	...	...	E	4	...
Oshima,	,,	29.93	760.1	...	...	S	6	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.97	761.2	...	...	E	4	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	N E	6	...	,,	29.82	757.3	...	...	E	2	...
Chefoo,	3 p.	29.80	756.9	75	100	S	2	c	6 a.	29.62	752.3	55	68	S E	1	c
Weihaiwei,	,,	29.80	756.9	64	...	S W	3	o	9 a.	29.61	752.1	61	...	S S E	3	ovr
Hankow,	,,	30.00	762.0	70	80	N W	2	o	6 a.	29.95	760.7	62	94	S W	1	c
Kiukiang,	,,	29.92	759.9	66	95	S	2	or	,,	29.91	759.7	63	94	W	1	c
Shanghai,	,,	29.82	757.4	63	67	S E	2	qpd	9 a.	29.81	757.2	68	74	W N W	1	c
Gutzlaff,	,,	29.68	753.9	60	71	S S E	5	cv	,,	29.63	752.6	62	94	S S W	1	om
Sharp Peak,	,,	29.93	760.2	65	87	N E	1	or	,,	29.84	757.9	67	89	N W	1	ofr
Amoy,	,,	29.76	755.9	70	70	...	0	c	6 a.	29.71	754.6	69	95	S W	1	o
Swatow,	,,	29.88	758.9	73	90	N E	1	o	,,	29.80	756.9	68	95	...	0	o
Taihoku,	1 p.	29.92	759.9	...	...	...	0	...	5 a.	29.88	758.8	...	...	...	0	...
Taichu,	,,	29.92	759.9	...	...	...	0	...	,,	29.87	758.6	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	W	4	...	,,	29.89	759.1	...	...	E	2	...
Koshun,	,,	29.89	759.1	...	...	E	6	...	,,	29.86	758.4	...	...	...	0	...
Pescadores,	,,	29.91	759.6	...	...	N	6	...	,,	29.83	757.7	...	...	W	2	...
Canton,	3 p.	29.85	758.2	77	86	E S E	2	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.84	757.9	71	90	E	4	o	10 a.	29.87	758.7	77	87	E N E	1	o
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.83	757.7	75	...	E S E	2	o	,,	29.86	758.4	77	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.8	81	...	S S E	5	c	10 a.	...	...	...	...	...	...	..
Tourane,	,,	29.77	756.1	88	...	S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.1	86	...	S E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.84	758.0	88	...	N E	1	b	6 a.	29.86	758.3	75	...	S W	1	b
Manila,	4 p.	29.76	756	93	40	S E	4	b	10 a.	29.88	759	90	48	W N W	1	b
Legaspi,	2 p.	29.85	758.3	88	...	N E	1	b	6 a.	29.88	758.9	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N N E	2	b
Iloilo,	,,	29.79	756.6	92	...	N E	2	c	,,	29.89	759.2	87	...	N E	1	c
Cebu,	,,	29.79	756.6	90	...	N	2	c	,,	29.89	759.2	87	...	...	0	b
Labuan,	,,	29.71	754.6	87	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 9th at 11.50 a.—The barometer has risen slightly in N.E. Japan, and fallen elsewhere, particularly in N. China.

A depression is moving Eastwards in the Gulf of Pechili, and the highest pressure is now over N.E. Japan.

Moderate S.W. winds are likely to prevail in the Formosa Channel, and light or moderate S. and variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. or variable winds, light to moderate; showery.
2.—Formosa Channel,	S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 9th May, 1907.

[Printed by NOHONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S W	6	...	6 a.	30.08	764.1	...	...	S	4	...
Hakodate,	,,	30.05	763.2	...	...	S E	8	...	,,	29.89	759.2	...	...	N	2	...
Tokio,	,,	30.14	765.6	...	...	E	4	...	,,	29.91	759.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	S E	4	...	,,	29.52	749.8	...	...	N W	2	...
Nagasaki,	,,	29.76	755.8	...	...	S E	6	...	,,	29.68	753.8	...	...	S	4	...
Kagoshima,	,,	29.80	756.9	...	...	S E	2	...	,,	29.68	753.9	...	...	N W	4	...
Oshima,	,,	29.77	756.1	...	...	S	8	...	,,	29.77	756.1	...	...	N W	6	...
Naha,	,,	29.77	756.2	...	...	S	2	...	,,	29.81	757.2	...	...	N W	6	...
Ishigakijima,	,,	29.82	757.3	...	...	S W	6	...	,,	29.78	756.3	...	...	N W	4	...
Chefoo,	3 p.	29.58	751.3	64	48	W	5	b	6 a.	29.66	753.3	50	72	W N W	4	c
Weihaiwei,	,,	29.58	751.3	60	...	W	1	or	9 a.	29.54	750.3	49	...	W	5	or
Hankow,	,,	29.99	761.7	76	73	S W	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.92	759.9	73	63	S W	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.72	754.9	77	49	W S W	2	b	9 a.	29.96	761.0	64	39	N N W	3	bm
Gutzlaff,	,,	29.56	750.8	69	80	S S E	2	bm	,,	29.75	755.6	61	82	N	5	cm
Sharp Peak,	,,	29.74	755.4	70	95	...	0	o	,,	29.92	759.9	68	82	S W	1	o
Amoy,	,,	29.61	752.1	70	70	...	0	or	6 a.	29.72	754.9	69	95	N W	3	or
Swatow,	,,	29.75	755.6	80	96	S S E	3	b	,,	29.81	757.2	72	100	N N W	1	o
Taihoku,	1 p.	29.81	757.2	...	...	W	4	...	5 a.	29.84	757.8	...	...	E	6	...
Taichu,	,,	29.82	757.4	...	...	S	2	...	,,	29.81	757.1	...	...	N	6	...
Tainan,	,,	29.83	757.7	...	...	S W	4	...	,,	29.82	757.5	...	...	...	0	...
Koshun,	,,	29.84	758.0	...	...	W	6	...	,,	29.81	757.1	...	...	N W	4	...
Pescadores,	,,	29.82	757.5	...	...	S	6	...	,,	29.76	755.8	...	...	S	2	...
Canton,	3 p.	29.78	756.4	78	95	...	0	or	9 a.	29.94	760.5	75	81	N N W	1	c
Hongkong,	4 p.	29.77	756.1	81	76	S W	2	o	10 a.	29.90	759.4	79	66	N N W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	6	...	,,	...	...	...	...	N	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.77	756.1	79	...	S S W	2	od	,,	29.92	759.9	75	...	N	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.0	82	...	S S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.4	88	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.5	86	...	E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	88	...	N E	1	b	6 a.	29.87	758.7	77	...	W	1	b
Manila,	4 p.	29.76	756	95	32	S E	3	b	10 a.	29.88	759	88	66	W N W	1	c
Legaspi,	2 p.	29.83	757.8	88	...	E	1	b	6 a.	29.88	758.9	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S E	2	or	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.79	756.6	92	...	N E	2	ot	,,	29.89	759.2	88	...	N E	1	b
Cebu,	,,	29.78	756.4	89	...	N	2	b	,,	29.89	759.2	86	...	N	2	c
Labuan,	,,	29.72	754.9	86	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 10th at 12.10 p.—The barometer has risen moderately over China, and fallen considerably over Japan.
The depression appears to have moved Eastwards into the Sea of Japan.
Pressure is probably high over Central China.
Moderate N. to N.E. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	N. to N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 10th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th MAY, 1907, P.M.								11th MAY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.77	756.2	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.63	752.6	...	...	E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.52	749.8	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	W	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.72	754.9	...	...	W	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.81	757.1	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.85	758.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	N	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.71	754.6	54	55	W N W	2	b
Weihaiwei,	,,	29.65	753.1	46	...	W N W	6	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.15	765.8	74	47	E	1	b	6 a.	30.10	764.5	62	83	S E	2	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	55	94	...	0	b
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	30.01	762.2	57	87	W	3	b
Gutzlaff,	,,	29.72	754.9	65	71	N W	5	cm	,,	29.82	757.4	62	51	W N W	4	bm
Sharp Peak,	,,	29.91	759.7	73	81	S	1	b	,,	30.06	763.5	69	80	N	1	c
Amoy,	,,	29.73	755.4	71	76	N E	2	b	6 a.	29.85	758.2	67	95	N E	1	o
Swatow,	,,	29.90	759.4	70	95	E	2	o	,,	29.90	759.4	64	95	...	0	o
Taiboku,	1 p.	29.96	761.0	...	...	S W	4	...	5 a.	29.98	761.4	...	...	E	6	...
Taichu,	,,	29.89	759.2	...	...	N E	6	...	,,	29.95	760.8	...	...	...	0	...
Tainan,	,,	29.91	759.7	...	...	N	6	...	,,	29.93	760.3	...	...	...	0	...
Koshun,	,,	29.86	758.5	...	...	N W	4	...	,,	29.93	760.2	...	...	N E	8	...
Pescadores,	,,	29.90	759.5	...	...	N	8	...	,,	29.92	759.9	...	...	N	8	...
Canton,	3 p.	29.89	759.2	84	57	N N W	1	b	9 a.	30.02	762.5	75	81	N N W	1	b
Hongkong,	4 p.	29.84	757.9	78	67	E N E	1	c	10 a.	30.01	762.2	78	45	E S E	2	b
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	80	...	N E	2	c	,,	30.02	762.5	76	...	N E	1	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.94	760.5	83	96	N	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.85	758.2	79	...	S S W	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.88	759.0	77	...	N N W	5	f	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	86	...	E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	91	56	W S W	2	b	10 a.	29.92	760	86	71	W	2	c
Legaspi,	2 p.	29.83	757.6	88	...	E	1	b	6 a.	...	...	...	...	...	...	...
Pacolod,	3 p.	...	...	...	...	S E	1	odt	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	89	...	S W	2	olt	,,	29.89	759.2	85	...	N E	1	c
Cebu,	,,	29.78	756.4	89	...	S	1	c	,,	29.92	759.9	86	...	N	1	c
Labuan,	,,	29.75	755.6	84	...	...	...	...	,,	29.90	759.4	87	...	...	...	...

On the 11th at 12.05 p.—The barometer has risen moderately on the China coast.

Pressure is high over Central China, and probably the depression has reached E. Japan.

The Japanese returns are, however, *not yet to hand*.

Moderate to fresh N.E. and E. winds are expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 11th May, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th May, 1907, P.M.								12th May, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.18	741.1	...	...	S E	8	...	6 a.	29.18	741.1	...	...	S W	8	...
Hakodate,	,,	29.22	742.2	...	...	S W	8	...	,,	29.34	746.2	...	...	S	4	...
Tokio,	,,	29.39	746.6	...	...	S W	8	...	,,	29.59	751.6	...	...	N W	2	...
Kochi,	,,	29.64	752.8	...	...	W	4	...	,,	29.80	756.8	...	...	E	2	...
Nagasaki,	,,	29.80	756.8	...	...	S W	8	...	,,	29.88	758.8	...	...	W	6	...
Kagoshima,	,,	29.84	757.9	...	...	N W	8	...	,,	29.92	759.9	...	...	N W	2	...
Oshima,	,,	29.93	760.1	...	...	N W	6	...	,,	30.01	762.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	N	4	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.78	756.4	59	...	W	3	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.13	765.3	78	95	S S E	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.96	761.0	73	28	W N W	3	cm	9 a.	30.05	763.2	73	43	S W	2	b
Gutzlaff,	,,	...	...	70	57	W	2	bm	,,	...	...	63	73	S S W	3	bm
Sharp Peak,	,,	30.00	762.0	72	78	E S E	2	b	,,	30.11	764.8	70	89	N	1	b
Amoy,	,,	29.77	756.1	75	81	E N E	3	b	6 a.	29.80	756.9	69	85	N E	1	b
Swatow,	,,	29.99	761.7	75	77	E S E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.98	761.4	...	...	E	8	...	5 a.	30.02	762.6	...	...	S E	2	...
Taichu,	,,	29.97	761.3	...	...	N	4	...	,,	30.03	762.8	...	...	...	0	...
Tainan,	,,	29.97	761.3	...	...	S W	4	...	,,	30.00	762.0	...	...	N E	2	...
Koshun,	,,	29.97	761.2	...	...	N E	8	...	,,	30.01	762.2	...	...	N E	4	...
Pescadores,	,,	29.98	761.5	...	...	N E	8	...	,,	30.01	762.1	...	...	N	4	...
Canton,	3 p.	29.98	761.5	86	61	E	1	b	9 a.	...	...	76	64	S	1	b
Hongkong,	4 p.	29.96	761.0	75	65	E	3	b	10 a.	30.07	763.8	76	70	E	2	b
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.96	761.0	77	...	S E	1	b	,,	30.07	763.8	77	...	E S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.90	759.3	82	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.1	86	...	N N W	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.83	757.8	81	...	S W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.90	759.5	86	...	E	1	o	6 a.	29.95	760.8	77	...	S W	1	b
Manila,	4 p.	29.80	757	95	42	S E	2	c	10 a.	29.96	761	88	59	E	1	o
Legaspi,	2 p.	29.86	758.5	90	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.83	757.7	87	...	N E	1	o	,,	29.93	760.2	86	...	N E	1	b
Cebu,	,,	29.83	757.7	89	...	N N E	3	b	,,	29.89	759.2	88	...	N	3	b
Labuan,	,,	29.75	755.6	88	...	...	...	...	,,	29.91	759.7	85	...	...	...	...

On the 12th at 11.55 a.—The barometer has risen considerably over S. Japan, and slightly over the China coast and the Philippines.

The depression is passing to the Pacific to the N.E. of Japan. The high pressure area is lying over the Eastern Sea.

Moderate N.E. to E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; fine.
2.—Formosa Channel,	N.E. to E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 12th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.30	744.1	...	...	N	6	...	6 a.	29.73	755.1	...	...	N	6	..
Hakodate,	,,	29.38	746.2	...	...	W	2	...	,,	29.81	757.2	...	...	N	4	...
Tokio,	,,	29.63	752.6	...	...	S	4	...	,,	29.83	757.6	...	...	W	2	...
Kochi,	,,	29.80	756.8	...	...	W	4	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	S W	6	...	,,	30.03	762.8	...	...	W	2	...
Kagoshima,	,,	29.96	760.9	...	...	W	8	...	,,	30.00	761.9	...	...	S W	2	...
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.08	764.1	...	...	...	0	...
Naha,	,,	30.13	765.2	...	...	N	4	...	,,	30.13	765.2	...	...	...	0	..
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.09	764.3	...	...	E	4	...
Chefoo,	3 p.	29.89	759.2	67	60	N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.88	758.9	67	...	W	1	b	9 a.	...	...	...	...	...	...	..
Hankow,	,,	30.03	762.7	82	87	E S E	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.07	763.8	82	45	...	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.00	762.0	81	26	W S W	2	c	9 a.	30.02	762.5	74	40	S	1	...
Gutzlaff,	,,	29.81	757.2	71	57	S W	2	bm	,,	...	...	67	60	S S W	2	cm
Sharp Peak,	,,	30.06	763.5	73	83	E	1	b	,,	30.08	764.0	72	85	N	1	c
Amoy,	,,	29.85	758.2	77	69	E	3	b	6 a.	29.88	758.9	71	90	E	1	c
Swatow,	,,	...	...	78	91	S E	2	b	,,	...	...	68	95	S E	1	b
Taihoku,	1 p.	30.04	763.1	...	...	E	4	...	5 a.	30.05	763.2	...	...	S	2	...
Taichu,	,,	30.05	763.2	...	...	N	4	...	,,	30.05	763.2	...	...	...	0	...
Tainan,	,,	30.05	763.3	...	...	W	6	...	,,	30.06	763.4	...	...	...	0	...
Koshun,	,,	30.05	763.2	...	...	E	6	...	,,	30.04	762.9	...	...	N E	6	...
Pescadores,	,,	30.04	763.1	...	...	N	6	...	,,	30.04	763.0	...	...	N W	4	...
Canton,	3 p.	29.98	761.5	87	65	E	1	b	9 a.	30.05	763.2	78	74	E	1	b
Hongkong,	4 p.	29.99	761.7	77	42	E	3	c	10 a.	30.03	762.7	74	81	E	2	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.98	761.5	78	...	S	1	c	,,	30.03	762.7	77	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	81	...	S E	3	c	10 a.	...	...	...	...	...	...	..
Tourane,	,,	29.92	759.9	84	...	S S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.2	84	...	E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.00	761.9	77	...	E	1	c
Manila,	4 p.	29.88	759	82	77	...	0	c	10 a.	29.96	761	84	71	W N W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.93	760.2	81	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N N E	4	c
Iloilo,	,,	29.83	757.7	89	...	N E	1	c	,,	29.93	760.2	85	...	N E	1	c
Cebu,	,,	29.87	758.7	88	...	N	3	...	,,	29.90	759.4	88	...	N	3	c
Labuan,	,,	29.80	756.9	86	...	...	...	...	,,	29.89	759.2	85	...	...	...	..

On the 13th at 11.35 a.—The barometer is *inclined to fall on the* China coast, and a rapid increase of pressu has taken place over E. Japan.

The area of high pressure remains over the Eastern Sea and the Loochoos.

Gradients are slight in the South, and light or moderate E. and S.E. winds may be expected in the Formo Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, *light or moderate; fair.*
2.—*Formosa Channel,*	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China *between Hongkong* and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 13th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th May, 1907, P.M.								14th May, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	N W	6	...	6 a.	29.97	761.1	...	...	S	4	...
Hakodate,	,,	29.85	758.2	...	...	S E	6	...	,,	29.73	755.2	...	...	E	6	...
Tokio,	,,	29.91	759.6	...	...	S	4	...	,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	E	2	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	S W	6	...	,,	30.03	762.8	...	...	S W	8	...
Kagoshima,	,,	30.04	762.9	...	...	S W	6	...	,,	30.08	763.9	...	...	N W	2	...
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.09	764.2	...	...	E	4	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...	,,	30.01	762.3	...	...	...	0	...
Chefoo,	3 p.	29.91	759.7	65	53	N	1	b	6 a.	29.99	761.7	53	67	E	2	b
Weihaiwei,	,,	29.86	758.4	69	...	N W	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.03	762.7	65	95	S E	2	or	6 a.	30.06	763.5	62	94	E	1	b
Kiukiang,	,,	30.03	762.7	65	78	E	2	or	,,	30.00	762.0	61	94	N E	2	o
Shanghai,	,,	29.95	760.7	75	40	S S E	1	o	9 a.	30.04	763.0	74	51	S E	1	c
Gutzlaff,	,,	29.79	756.6	68	70	S	2	cm	,,	29.84	757.9	65	78	S W	1	ov
Sharp Peak,	,,	30.00	752.0	75	79	E N E	1	c	,,	29.96	761.0	71	85	N E	1	or
Amoy,	,,	29.88	758.9	75	77	S W	3	c	6 a.	29.81	757.2	73	76	N E	3	or
Swatow,	,,	30.00	762.0	75	81	E	1	c	,,	...	...	...	...	...	...	...
Taiboku,	1 p.	29.98	761.6	...	...	E	2	...	5 a.	29.94	760.4	...	...	...	0	...
Taichu,	,,	29.99	761.8	...	...	W	2	...	,,	29.95	760.7	...	...	...	0	...
Tainan,	,,	30.00	761.9	...	...	W	6	...	,,	29.93	760.2	...	...	E	2	...
Kosbun	,,	30.01	762.3	...	...	E	6	...	,,	29.95	760.7	...	...	N E	4	...
Pescadores,	,,	30.00	762.0	...	...	N W	4	...	,,	29.92	759.9	...	...	N E	2	...
Canton,	3 p.	29.94	760.5	81	71	E	2	c	9 a.	29.91	759.7	80	82	E S E	1	c
Hongkong,	4 p.	29.92	759.9	76	81	E	2	o	10 a.	29.91	759.7	79	86	E	1	o
Victoria Peak,	,,	...	...	...	...	E S E	0	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.91	759.7	77	...	E S E	1	o	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.92	760.0	86	...	E	2	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	79	92	...	0	o	10 a.	29.92	760	84	64	W	1	c
Legaspi,	2 p.	29.89	759.2	86	...	S E	1	b	6 a.	29.92	760.0	79	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.83	757.7	91	...	N E	2	c	,,	29.89	759.2	85	...	N E	...	b
Cebu,	,,	29.84	757.9	89	...	N	2	b	,,	29.91	759.7	86	...	N	2	b
Labuan,	,,	29.77	756.1	85	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 14th at 11.45 a.—The barometer has fallen moderately over S. China and Formosa, and risen considerably over N. China.

The high pressure area is over the Pacific in the neighbourhood of the Loochoos, and pressure is low over the N. part of the Sea of Japan, and over S.W. China.

Moderate N. E. and variable winds may be expected in the Formosa Channel, and moderate S.E. and S. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; showery.
2.—Formosa Channel,	N.E. and variable winds, moderate
3.—South coast of China between Hongkong and Lamocks,	S.E. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 14th May, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th May, 1907, P.M.								15th May, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S E	4	...	6 a.	29.73	755.1	...	...	S W	2	...
Hakodate,	,,	29.69	754.2	...	...	S W	6	...	,,	29.89	759.2	...	...	N W	2	...
Tokio,	,,	29.71	754.6	...	...	S W	6	...	,,	30.02	762.6	...	...	N W	6	...
Kochi,	,,	29.91	759.8	...	...	W	6	...	,,	30.11	764.5	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N W	6	...	,,	30.11	764.8	...	...	S E	2	...
Kagoshima,	,,	30.04	762.9	...	...	N W	8	...	,,	30.12	764.9	...	...	...	0	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.04	763.1	...	...	S E	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	6	...	,,	29.89	759.3	...	...	S E	6	...
Chefoo,	3 p.	29.91	759.7	64	68	E	3	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.94	760.5	70	...	S	2	b	9 a.	29.92	759.9	76	...	S W	1	b
Hankow,	,,	30.12	765.0	75	91	N E	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.97	761.2	71	76	N E	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.98	761.5	75	48	S E	3	b	9 a.	29.98	761.5	63	94	S E	3	opd
Gutzlaff,	,,	...	...	69	75	S S E	2	ov	,,	...	...	67	94	S S E	5	oair
Sharp Peak,	,,	29.94	760.5	70	87	N E	1	or	,,	29.90	759.4	70	92	...	0	oq
Amoy,	,,	29.69	754.1	71	71	...	0	or	6 a.	29.71	754.6	68	95	N E	2	or
Swatow,	,,	29.71	754.6	75	72	S E	2	or	,,	29.78	756.4	71	90	E	1	o
Taihoku,	1 p.	29.96	761.1	...	...	N W	4	...	5 a.	29.87	758.6	...	...	E	2	...
Taichu,	,,	29.96	761.0	...	...	N	2	...	,,	29.85	758.1	...	...	...	0	...
Tainan,	,,	29.93	760.3	...	...	N	4	...	,,	29.82	757.3	...	...	E	2	...
Koshun,	,,	29.92	759.9	...	...	N E	6	...	,,	29.81	757.2	...	...	...	0	...
Pescadores,	,,	29.92	759.9	...	...	N E	4	...	,,	29.80	757.0	...	...	N E	4	...
Canton,	3 p.	29.81	757.2	82	67	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.78	756.4	82	72	S W	1	o	10 a.	29.82	757.4	77	88	S W	1	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.78	756.4	82	...	S	1	c	,,	29.89	759.2	78	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.1	73	...	S	4	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	88	...	S S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	93	51	S S W	1	c	10 a.	29.88	759	86	65	W N W	1	b
Legaspi,	2 p.	29.87	758.6	90	...	E	1	b	6 a.	29.87	758.6	81	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	5	b	9 a.	...	...	...	...	N E	1	...
Iloilo,	,,	29.79	756.6	91	...	N E	1	c	,,	29.85	758.2	87	...	N E	1	b
Cebu,	,,	29.76	755.9	89	...	N	2	...	,,	29.88	758.9	87	...	S	1	c
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 15th at 11.50 a.—The barometer has risen in S. Japan, and fallen over China and Formosa
The depression lying over the N. part of the Sea of Japan yesterday, is moving into the Pacific.
Pressure is high over W. Japan, and it remains low over S.W. China.
Moderate E. winds *may* be expected in the Formosa Channel, and moderate S.E. to S.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to S.W. winds, moderate or fresh; squally, thunder-[storms.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	S. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 15th May, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th May, 1907, P.M.								16th May, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	N W	6	...	6 a.	30.08	764.1	...	...	N	6	...
Hakodate,	,,	29.97	761.2	...	...	N W	8	...	,,	30.21	767.2	...	...	W	2	...
Tokio,	,,	30.06	763.6	...	...	S	2	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.11	764.8	...	...	S E	2	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	S W	4	...	,,	30.07	763.8	...	...	S E	2	...
Kagoshima,	,,	30.07	763.9	...	...	S W	4	...	,,	30.08	763.9	...	...	N E	2	...
Oshima,	,,	30.08	764.1	...	...	S E	4	...	,,	29.97	761.1	...	...	S E	4	...
Naha,	,,	30.05	763.2	...	...	E	6	...	,,	29.93	760.2	...	...	S E	4	...
Ishigakijima,	,,	29.89	759.3	...	...	S E	6	...	,,	29.78	756.3	...	...	S	6	...
Chefoo,	3 p.	29.84	757.9	85	63	S	3	b	6 a.	29.80	756.9	71	85	S	2	o
Weihaiwei,	,,	29.89	759.2	78	...	S W	4	b	9 a.	29.81	757.2	69	...	E S E	2	or
Hankow,	,,	29.93	760.2	76	82	S	1	c	6 a.	29.91	759.7	69	95	S W	2	c
Kiukiang,	,,	29.89	759.2	74	76	E	1	o	,,	29.83	757.7	67	95	...	0	b
Shanghai,	,,	29.94	760.5	62	100	E S E	3	od	9 a.	29.74	755.4	67	95	S E	2	or
Gutzlaff,	,,	29.76	755.9	62	89	S S E	6	om	,,	29.58	751.3	64	100	S	4	oc
Sharp Peak,	,,	29.86	758.4	70	90	N N E	1	og	,,	29.74	755.4	71	95	N W	1	or
Amoy,	,,	29.64	752.8	70	70	N E	3	o	6 a.	29.78	756.4	69	95	N E	3	or
Swatow,	,,	29.78	756.4	73	95	E	2	o	,,	29.73	755.1	70	95	S E	1	or
Taihoku,	1 p.	29.85	758.1	...	...	E	6	...	5 a.	29.75	755.5	...	...	...	0	...
Taichu,	,,	29.85	758.2	...	...	N	2	...	,,	29.78	756.3	...	...	S E	2	...
Tainan,	,,	29.82	757.5	...	...	S E	6	...	,,	29.80	756.8	...	...	S E	4	...
Koshun,	,,	29.87	758.6	...	...	S	2	...	,,	29.81	757.2	...	...	W	2	...
Pescadores,	,,	29.83	757.6	...	...	E	4	...	,,	29.76	756.0	...	...	S	4	...
Canton,	3 p.	29.75	755.6	77	95	S E	2	or	9 a.	29.77	756.1	77	91	N N W	1	c
Hongkong,	4 p.	29.75	755.6	76	92	N	1	od	10 a.	29.75	755.6	81	87	S W	4	o
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S W	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.73	755.1	79	...	S S E	1	c	,,	29.77	756.1	79	...	S W	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.7	93	...	W S W	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.75	755.7	91	...	S E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	88	...	S S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	90	60	W S W	2	o	10 a.	29.88	759	86	71	W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.87	758.7	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S E	1	od	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.80	756.9	88	...	N E	1	or	,,	29.86	758.4	85	...	N E	1	b
Cebu,	,,	29.81	757.2	88	...	S	1	b	,,	29.86	758.4	87	...	S	2	b
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 16th at 11.45 a.—The barometer has risen considerably in E. Japan, and fallen over the Loochoos, Formosa and China, particularly at the mouth of the Yangtze.

A depression, which will probably move Eastwards, has appeared over the Lower Yangtze, and a high pressure area is lying over E. Japan.

Unsettled squally weather is indicated over the whole of the China coast, accompanied by thunderstorms in the South. Fresh S.W. winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. to W. winds, fresh; squally, thunderstorms.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 16th May, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th May, 1907, P.M.								17th May, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	S E	6	...	6 a.	30.28	769.1	...	...	S	6	...
Hakodate,	,,	30.17	766.2	...	...	S E	4	...	,,	30.13	765.2	...	...	N	2	...
Tokio,	,,	30.18	766.6	...	...	S E	6	...	,,	30.18	766.6	...	...	S E	4	...
Kochi,	,,	30.11	764.8	...	...	S E	4	...	,,	29.91	759.8	...	...	S E	4	...
Nagasaki,	,,	29.95	760.8	...	...	S E	6	...	,,	29.44	747.8	...	...	S E	10	...
Kagoshima,	,,	30.00	761.9	...	...	S E	6	...	,,	29.60	751.9	...	...	E	8	...
Oshima,	,,	29.89	759.1	...	...	S E	6	...	,,	29.57	751.1	...	...	S	4	...
Naha,	,,	29.81	757.2	...	...	S E	6	...	,,	29.65	753.2	...	...	S W	6	...
Ishigakijima,	,,	29.74	755.3	...	...	S	4	...	,,	29.66	753.3	...	...	...	0	...
Chefoo,	3 p.	29.69	754.1	60	94	S E	3	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.72	754.9	53	...	E	2	b	9 a.	29.62	752.3	50	...	W N W	3	or
Hankow,	,,	29.81	757.2	86	65	W S W	2	b	6 a.	29.94	760.5	70	95	N N E	1	c
Kiukiang,	,,	29.80	756.9	80	62	N W	2	b	,,	29.85	758.2	67	95	S W	1	b
Shanghai,	,,	29.64	752.8	69	90	N W	1	od	9 a.	29.74	755.4	74	72	N W	2	b
Gutzlaff,	,,	29.49	749.0	64	100	S	3	fd	,,	29.56	750.8	66	95	N W	4	bm
Sharp Peak,	,,	29.65	753.1	73	93	S E	1	o	,,	29.78	756.4	74	93	...	0	b
Amoy,	,,	29.65	753.1	70	85	S E	2	o	6 a.	29.67	753.6	74	90	...	0	f
Swatow,	,,	29.61	752.1	78	91	...	0	b	,,	29.67	753.6	75	95	N W	1	c
Taihoku,	1 p.	29.73	755.2	...	...	N	2	...	5 a.	29.71	754.5	...	...	W	4	...
Taichu,	,,	29.80	757.0	...	...	S	4	...	,,	29.74	755.4	...	...	...	0	...
Tainan,	,,	29.67	753.5	...	...	W	4	...	,,	29.73	755.2	...	...	N E	2	...
Koshun,	,,	29.79	756.7	...	...	N W	6	...	,,	29.73	755.2	...	...	W	6	...
Pescadores,	,,	29.74	755.5	...	...	S W	8	...	,,	29.69	754.2	...	...	...	0	...
Canton,	3 p.	29.70	754.4	82	79	E	1	c	9 a.	29.82	757.4	78	74	N E	1	c
Hongkong,	4 p.	29.66	753.3	82	85	W S W	2	o	10 a.	29.79	756.6	83	58	N	1	o
Victoria Peak,	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.67	753.6	82	...	S E	1	c	,,	29.82	757.4	80	...	N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.9	82	...	S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.77	756.2	88	...	S E	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.4	79	...	W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.81	757.1	77	...	W	1	o
Manila.	4 p.	29.76	756	90	66	S W	2	b	10 a.	29.84	758	88	66	W S W	1	c
Legaspi,	2 p.	29.81	757.2	90	...	E	1	c	6 a.	29.86	758.4	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	ot	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.79	756.6	89	...	S W	1	c	,,	29.89	759.2	85	...	S W	1	c
Cebu,	,,	...	...	...	...	N	1	c	,,	29.89	759.2	85	...	S	1	o
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 17th at 11.16 a.—A very rapid fall of the mercury has taken place over W. Japan and the Loochoos, while the barometer is rising slowly over China.

The depression, which appears to have deepened, continues to move Eastwards, and is approaching the neighbourhood of Nagasaki.

The area of high pressure lies to the E. of Japan.

Light to moderate N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 17th May, 1907.

[Printed by NOSONSHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.20	767.1	...	...	S	3	...	6 a.	29.97	766.1	...	...	S E	8	...
Hakodate,	,,	29.89	759.2	...	...	S W	6	...	,,	29.50	749.2	...	...	S E	10	...
Tokio,	,,	30.02	762.6	...	...	S E	6	...	,,	29.47	748.6	...	...	S W	2	...
Kochi,	,,	29.56	750.8	...	...	N E	4	...	,,	29.60	751.8	...	...	S W	4	...
Nagasaki,	,,	29.44	747.8	...	...	N W	6	...	,,	29.72	754.8	...	...	W	6	...
Kagoshima,	,,	29.52	749.9	...	...	W	8	...	,,	29.76	755.9	...	...	N W	2	...
Oshima,	,,	29.65	753.1	...	...	N	4	...	,,	29.81	757.1	...	...	N W	4	...
Naha,	,,	29.65	753.2	...	...	N	4	...	,,	29.86	758.2	...	...	...	0	...
Ishigakijima,	,,	29.74	755.3	...	...	N	6	...	,,	29.86	758.3	...	...	N	2	...
Chefoo,	3 p.	29.57	751.1	61	77	N W	3	b	6 a.	29.60	751.8	60	65	...	0	b
Weihaiwei,	,,	29.56	750.8	53	...	W N W	5	c	9 a.	29.68	753.9	65	...	N E	1	b
Hankow,	,,	29.91	759.7	89	96	N W	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	89	53	W	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	29.81	757.2	76	64	S	1	b
Gutzlaff,	,,	...	...	66	84	N W	3	om	,,	...	...	68	79	S W	1	bm
Sharp Peak,	,,	29.76	755.9	80	87	S E	1	b	,,	29.89	759.2	75	77	...	0	b
Amoy,	,,	29.64	752.8	78	82	S E	2	b	6 a.	29.84	757.9	75	86	S W	1	b
Swatow,	,,	29.70	754.4	83	68	E	2	b	,,	29.82	757.4	73	90	N W	1	c
Taihoku,	1 p.	29.81	757.1	...	...	S E	4	...	5 a.	29.84	758.0	...	...	S	2	...
Taichu,	,,	29.75	755.7	...	...	N	4	...	,,	29.82	757.3	...	...	S	2	...
Tainan,	,,	29.73	755.2	...	...	S W	6	...	,,	29.82	757.5	...	...	N	2	...
Koshun,	,,	29.74	755.4	...	...	S W	4	...	,,	29.83	757.6	...	...	E	6	...
Pescadores,	,,	29.74	755.3	...	...	N	6	...	,,	29.82	757.3	...	...	N	4	...
Canton,	3 p.	29.78	756.4	86	61	N N W	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.75	755.6	83	70	W S W	1	o	10 a.	29.88	758.9	81	76	E	2	c
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	S	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.77	756.1	84	...	E N E	1	o	,,	29.89	759.2	81	...	S E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.86	758.5	75	...	W	5	c	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.82	759.3	79	...	N N W	4	t	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.76	755.9	86	...	...	3	t	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.79	756.7	86	...	N E	1	o	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.76	756	88	72	S W	3	c	10 a.	29.88	759	68	71	...	0	
Legaspi,	2 p.	29.79	756.6	90	...	E	1	l	6 a.	29.88	758.9	79	...	...	0	
Bacolod,	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	N E	1	
Iloilo,	,,	29.79	756.6	88	...	S W	2	o	,,	29.85	758.2	84	...	N E	1	
Cebu,	,,	29.86	758.4	86	...	S	1	o	,,	29.84	758.4	87	...	S	2	
Labuan,	,,	29.78	756.4	86	...	...	...	...	,,	29.88	758.9	82	...	...	...	

On the 18th at 12.05 p.—The barometer has fallen very rapidly over E. Japan owing to the depression, which crossing E. Nippon in its advance towards the Pacific.

Pressure has increased considerably over W. Japan and the Loochoos, and a moderate rise of the mercury h taken place on the China coast.

Gradients are slight over S. China, and light to moderate variable winds may be expected in the Formosa Chann and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. or variable winds, light; fair.
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 18th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th May, 1907, P.M.								19th May, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	S E	10	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.34	745.2	...	...	S E	8	...	,,	29.38	746.2	...	...	S	8	...
Tokio,	,,	29.40	746.6	...	...	S	6	...	,,	29.67	753.6	...	...	N W	2	...
Kochi,	,,	29.64	752.8	...	...	S W	4	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	29.80	756.8	...	...	W	6	...	,,	29.91	759.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	W	6	...	,,	29.96	760.9	...	...	...	0	...
Oshima,	,,	29.82	757.1	...	...	N	4	...	,,	30.01	762.1	...	...	S	2	...
Naha,	,,	29.82	757.2	...	...	N	6	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	N	6	...	,,	29.97	761.3	...	...	N E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.72	754.9	71	...	W	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.84	757.9	89	66	S	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.83	757.7	93	96	W	1	b	,,	29.88	758.9	69	80	...	0	b
Shanghai,	,,	29.76	755.9	86	36	W	2	b	9 a.	29.85	758.2	79	61	S E	2	b
Gutzlaff,	,,	...	...	74	72	S W	1	bm	,,	...	...	69	75	S	3	b
Sharp Peak,	,,	29.84	757.9	80	82	S E	1	b	,,	29.97	761.2	74	83	E S E	1	b
Amoy,	,,	29.74	755.4	78	82	S E	3	b	6 a.	29.94	760.5	73	86	S E	1	o
Swatow,	,,	29.84	757.9	81	62	E	2	b	,,	29.86	758.4	71	90	S S W	1	c
Taihoku,	1 p.	29.83	757.8	...	...	N W	2	...	5 a.	29.93	760.2	...	...	...	0	...
Taichu,	,,	29.86	758.5	...	...	W	2	...	,,	29.94	760.4	...	...	...	0	...
Tainan,	,,	29.89	759.1	...	...	...	0	...	,,	29.93	760.3	...	...	...	0	...
Koshun,	,,	29.87	758.7	...	...	E	6	...	,,	29.91	759.7	...	...	N	4	...
Pescadores,	,,	29.86	758.4	...	...	N W	4	...	,,	29.90	759.4	...	...	W	2	...
Canton,	3 p.	29.83	757.7	92	54	S E	1	b	9 a.	29.90	759.4	86	55	S E	1	b
Hongkong,	4 p.	29.83	757.7	79	78	E S E	2	c	10 a.	29.95	760.7	78	76	E	2	o
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E S E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.83	757.7	81	...	S E	1	o	,,	29.95	760.7	79	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.8	75	...	S S E	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.80	756.9	86	...	N W	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.2	86	...	S W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.87	758.7	75	...	S	1	c
Manila,	4 p.	29.76	755.9	90	66	S W	3	c	10 a.	29.88	759	84	77	...	0	o
Legaspi,	2 p.	29.82	757.4	81	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	ot	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.79	756.6	89	...	S W	1	ct	,,	29.89	759.2	85	...	S W	1	b
Cebu,	,,	29.77	756.1	88	...	S	1	or	,,	29.90	759.4	84	...	S	1	c
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	29.91	759.7	79	...	...	...	...

On the 19th at 12.05 p.—The barometer has risen considerably over S. Japan and the Loochoos, but remains low in N. Japan owing to the depression which is still over that area.

Pressure has increased moderately on the China coast. It is now high over the Loochoos and the Eastern Sea, and still in defect over N. China.

Light E. to S.E winds are indicated in the Formosa Channel, and moderate E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light or moderate; fair.
2.—Formosa Channel,	E. to S.E. winds, light
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 19th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th MAY, 1907, P.M.								20th MAY, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.41	747.1	...	...	S W	8	...	6 a.	29.97	761.1	...	...	W	4	...
Hakodate,	,,	29.46	748.2	...	...	W	3	...	,,	29.77	756.2	...	...	...	0	...
Tokio,	,,	29.67	753.6	...	...	S E	4	...	,,	30.02	762.6	...	...	N	2	...
Kochi,	,,	29.82	757.8	...	...	W	6	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	W	6	...	,,	29.99	761.8	...	...	S E	2	...
Kagoshima,	,,	29.96	760.9	...	...	N W	6	...	,,	30.04	762.9	...	...	...	0	...
Oshima,	,,	30.00	762.1	...	...	N	4	...	,,	30.04	763.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	N	2	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	E	4	...	,,	29.97	761.3	...	...	N E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.74	755.4	73	...	S W	5	o	9 a.	29.81	757.2	64	...	S	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.85	758.2	77	82	S E	2	b
Kiukiang,	,,	29.85	758.2	95	29	S W	2	b	,,	29.82	757.4	80	55	S W	4	c
Shanghai,	,,	29.78	756.4	85	51	S E	2	b	9 a.	29.85	758.2	80	55	S	1	cv
Gutzlaff,	,,	...	...	72	81	S S E	3	bv	,,	...	...	68	90	S	4	bn
Sharp Peak,	,,	29.90	759.4	80	82	S	1	b	,,	29.97	761.2	75	86	N	1	c
Amoy,	,,	29.84	757.9	81	74	S E	3	b	6 a.	29.90	759.4	76	91	W	1	c
Swatow,	,,	29.85	758.2	83	79	E	2	c	,,	29.93	760.2	76	100	E	1	b
Taihoku,	1 p.	29.93	760.1	...	...	N W	4	...	5 a.	29.95	760.7	...	...	S	2	...
Taichu,	,,	29.94	760.5	...	...	W	4	...	,,	29.95	760.8	...	...	...	0	...
Tainan,	,,	29.93	760.1	...	...	N W	5	...	,,	29.93	760.3	...	...	...	0	...
Koshun,	,,	29.96	761.3	...	...	N E	6	...	,,	29.93	760.2	...	...	N E	6	...
Pescadores,	,,	29.93	760.3	...	...	N W	2	...	,,	29.93	760.1	...	...	...	0	...
Canton,	3 p.	29.85	758.2	86	61	S S E	1	b	9 a.	29.94	760.5	81	87	E	1	c
Hongkong,	4 p.	29.87	758.7	78	84	E	3	o	10 a.	29.94	760.5	80	88	E	3	o
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	S	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.87	758.7	81	...	S E	2	c	,,	29.94	760.5	81	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.4	82	...	S S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.79	756.6	91	...	S	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.4	81	...	S W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	90	60	N W	0	c	10 a.	29.96	761	86	71	W	0	o
Legaspi,	2 p.	29.78	758.6	91	...	E	1	b	6 a.	29.91	759.8	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	ot	9 a.	...	...	...	...	S W	0	c
Iloilo,	,,	29.83	757.7	86	...	N W	1	o	,,	...	...	83	...	S E	1	o
Cebu,	,,	29.82	757.4	87	...	...	0	c	,,	29.92	759.9	86	...	S	2	b
Labuan,	,,	29.83	757.7	86	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 20th at 12.05 p.—The barometer has risen considerably to moderately over Japan, and is little changed elsewhere.

Pressure is highest over the Eastern Sea and the Loochoos. It remains in defect over N. China.

Light or moderate E. and S.E winds will prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 20th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	N E	2	...	6 a.	29.85	758.1	...	...	N	2	..
Hakodate,	,,	29.77	756.2	...	...	W	8	...	,,	29.89	759.2	...	...	S W	2	...
Tokio,	,,	29.94	760.6	...	...	S	6	...	,,	29.91	759.6	...	...	W	2	...
Kochi,	,,	29.95	760.8	...	...	S E	4	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	S W	6	...	,,	29.99	761.8	...	...	S	2	...
Kagoshima,	,,	30.04	762.9	...	...	N W	4	...	,,	30.04	762.9	...	...	...	0	...
Oshima,	,,	30.00	762.1	...	...	N	4	...	,,	30.04	763.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	S	2	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	S	4	...	,,	29.97	761.3	...	...	S E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.78	756.4	64	89	N W	2	o
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.81	757.2	61	...	E	1	o
Hankow,	,,	29.84	757.9	74	81	S W	1	b	6 a.	29.85	758.2	79	91	S E	2	b
Kiukiang,	,,	29.83	757.7	74	95	W	1	b	,,	29.82	757.4	78	86	S W	4	b
Shanghai,	,,	29.78	756.4	88	56	S S E	2	b	9 a.	29.81	757.2	80	62	S	2	c
Gutzlaff,	,,	29.61	752.1	74	81	S	3	bm	,,	29.65	753.1	68	90	S S E	4	bm
Sharp Peak,	,,	29.90	759.4	81	85	S E	1	c	,,	30.01	762.2	78	95	S E	1	c
Amoy,	,,	29.88	758.9	81	67	S E	3	o	6 a.	29.83	757.7	76	91	...	0	c
Swatow,	,,	29.86	758.4	78	95	S E	3	c	,,	29.86	758.4	77	95	S W	1	c
Taihoku,	1 p.	29.96	761.4	...	...	N	2	...	5 a.	29.93	760.1	...	...	S	2	...
Taichu,	,,	29.96	761.1	...	...	N	4	...	,,	29.95	760.7	...	...	...	0	...
Tainan,	,,	29.99	761.7	...	...	N W	4	...	,,	29.93	760.2	...	...	N	2	...
Koshun,	,,	29.96	760.9	...	...	N E	4	...	,,	29.93	760.1	...	...	N E	4	...
Pescadores,	,,	29.95	760.7	...	...	N	4	...	,,	29.90	759.4	...	...	...	0	...
Canton,	3 p.	29.84	757.9	81	91	E S E	1	or	9 a.	29.94	760.5	82	87	E	1	c
Hongkong,	4 p.	29.85	758.2	80	90	E	2	o	10 a.	29.94	760.5	82	84	E	2	c
Victoria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	81	...	S E	1	o	,,	29.94	760.5	82	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.1	81	...	S S E	4	c	10 a.	...	...	...	...	...	...	..
Tourane,	,,	29.79	756.7	88	...	E N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	63	...	...	0	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	88	72	S W	1	c	10 a.	29.96	761	86	71	W N W	1	c
Legaspi,	2 p.	29.87	758.7	90	...	E	1	c	6 a.	29.93	760.3	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	S W	0	c
Iloilo,	,,	29.83	757.7	88	...	S	1	c	,,	29.91	759.7	85	...	...	0	c
Cebu,	,,	29.87	758.7	88	...	...	0	b	,,	29.91	759.7	86	...	...	0	c
Labuan,	,,	29.83	757.7	88	...	...	...	...	,,	29.95	760.7	84	...	...	...	...

On the 21st at 11.40 a.—The barometer has risen moderately in N.E. Japan, and fallen slightly on the E. coast of China.

Pressure remains high, between 0.1 and 0.2 inch in excess of the normal, over the Pacific in the neigbourhood of the Loochoos; and low, below the average by about 0.1 inch, over N. China.

Gradients continue slight in the South, and light to moderate E. and S.E. breezes may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 21st May, 1907.

[Printed by Nomonha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st MAY, 1907, P.M.								22nd MAY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	S	4	...	6 a.	29.81	757.1	...	...	S	4	...
Hakodate,	,,	29.85	758.2	...	...	N W	6	...	,,	29.85	758.2	...	...	S	2	...
Tokio,	,,	29.87	758.6	...	...	S E	4	...	,,	29.87	758.6	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	S E	4	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	S W	6	...	,,	29.88	758.8	...	...	S E	6	...
Kagoshima,	,,	29.96	760.9	...	...	W	2	...	,,	29.92	759.9	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	S	4	...	,,	29.93	760.1	...	...	...	0	...
Naha,	,,	29.97	761.2	...	...	S E	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	4	...	,,	29.82	757.3	...	...	S E	6	...
Chefoo,	3 p.	29.78	756.4	65	84	N E	1	o	6 a.	29.81	757.2	55	100	N	1	f
Weihaiwei,	,,	29.78	756.4	62	...	E S E	1	c	9 a.	29.81	757.2	55	...	E	1	f
Hankow,	,,	29.82	757.4	81	91	S E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.80	756.9	82	79	S E	1	lt	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.70	754.4	84	60	S S E	2	o	9 a.	29.65	753.1	74	90	S E	1	o
Gutzlaff,	,,	...	...	74	81	S	3	om	,,	...	...	79	100	S	1	f
Sharp Peak,	,,	29.89	759.2	79	89	S	3	otr	,,	29.74	755.4	79	89	...	0	o
Amoy,	,,	29.74	755.4	80	78	S E	3	t	6 a.	29.72	754.9	78	91	N E	1	b
Swatow,	,,	29.81	757.2	83	87	S	2	c	,,	29.79	756.6	77	86	S W	2	b
Taihoku,	1 p.	29.90	759.5	...	...	N E	2	...	5 a.	29.79	756.7	...	...	...	0	...
Taichu,	,,	29.96	761.0	...	...	W	4	...	,,	29.84	757.8	...	...	...	0	...
Tainan,	,,	29.93	760.1	...	...	S W	4	...	,,	29.81	757.2	...	...	E	2	...
Koshun,	,,	29.94	760.4	...	...	S W	4	...	,,	29.85	758.1	...	...	...	0	...
Pescadores,	,,	29.92	759.9	...	...	S W	4	...	,,	29.78	756.5	...	...	S	4	...
Canton,	3 p.	29.84	757.9	86	80	E S E	2	c	9 a.	29.80	756.9	84	83	E S E	1	c
Hongkong,	4 p.	29.83	757.7	81	81	E	2	c	10 a.	29.80	756.9	85	73	S	3	o
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.82	757.4	83	...	S E	1	o	,,	29.80	756.9	83	...	S S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.73	755.2	84	...	S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.75	755.7	86	...	E	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.8	77	...	...	0	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.88	758.9	88	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	86	71	S	2	c	10 a.	29.88	759	88	66	W S W	1	c
Legaspi,	2 p.	29.87	758.8	90	...	S E	1	b	6 a.	29.89	759.1	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	0	c
Iloilo,	,,	29.87	758.7	86	...	N E	1	o	,,	29.39	759.2	84	...	N E	1	c
Cebu,	,,	...	...	...	...	S	2	c	,,	29.89	759.2	86	...	S	2	b
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.87	758.7	86	...	...	...	...

On the 22nd at 12.05 p.—Except over the N.E. coast of China, the barometer has fallen generally, particularly over S. China and the Loochoos.

A depression appears to be moving Eastwards over the Yangtze Valley, and pressure is highest over the Pacific to the E. of the Loochoos.

Fresh S. and S.W. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to S.W. winds, fresh; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday, 22nd May, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd MAY, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd MAY, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	29.65	753.1	...	...	S E	8	...	6 a.	29.57	751.1	...	...	S	4	...
Hakodate,	,,	29.57	751.2	...	...	S W	6	...	,,	29.69	754.2	...	...	E	2	...
Tokio,	,,	29.75	755.6	...	...	W	2	...	,,	29.71	754.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	S E	4	...	,,	29.72	754.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S	4	...	,,	29.68	753.8	...	...	S E	8	...
Kagoshima,	,,	29.84	757.9	...	...	S	4	...	,,	29.64	752.9	...	...	N E	6	...
Ishima,	,,	29.85	758.1	...	...	S	6	...	,,	29.61	752.1	...	...	S	4	...
Naha,	,,	29.85	758.2	...	...	S	2	...	,,	29.69	754.2	...	...	S	4	...
Ishigakijima,	,,	29.82	757.3	...	...	S	8	...	,,	29.70	754.3	...	...	S	8	...
Chefoo,	3 p.	29.71	754.6	61	88	E	2	c	6 a.	29.79	756.6	60	94	E	1	b
Weihaiwei,	,,	29.70	754.4	62	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.72	754.9	96	93	N E	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.72	754.9	72	90	W	2	or	,,	29.76	755.9	72	95	W	1	or
Shanghai,	,,	29.56	750.8	78	78	W	1	o	9 a.	29.70	754.4	67	89	N E	3	o
Gutzlaff,	,,	29.39	746.5	74	90	W N W	1	om	,,	29.48	748.8	65	95	N E	5	omp
Sharp Peak,	,,	29.62	752.3	81	87	S E	2	o	,,	29.69	754.1	78	98	S	3	o
Amoy,	,,	29.56	750.8	82	83	S E	5	b	6 a.	29.64	752.8	78	86	S E	1	t
Swatow,	,,	29.69	754.1	86	80	S W	2	b	,,	29.71	754.6	79	91	S W	2	b
Taihoku,	1 p.	29.75	755.6	...	...	N W	4	...	5 a.	29.67	753.7	...	...	...	0	...
Taichu,	,,	29.79	756.7	...	...	W	6	...	,,	29.77	756.2	...	...	...	0	...
Tainan,	,,	29.83	757.6	...	...	S	4	...	,,	29.79	756.6	...	...	S E	4	...
Koshun,	,,	29.81	757.1	...	...	N W	6	...	,,	29.76	755.9	...	...	N W	4	...
Pescadores,	,,	29.78	756.5	...	...	N W	6	...	,,	29.74	755.4	...	...	S W	6	...
Canton,	3 p.	29.68	753.9	88	73	S E	2	c	9 a.	29.71	754.6	80	91	...	0	o
Hongkong,	4 p.	29.69	754.1	83	77	S	2	o	10 a.	29.70	754.4	83	72	S W	2	o
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.68	753.9	83	...	S S E	2	o	,,	29.70	754.4	81	...	S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.69	754.0	89	66	S S W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.5	84	...	S S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.8	84	...	E S E	1	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.7	77	...	S S W	3	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.79	756.5	90	...	N E	1	b	6 a.	29.82	757.3	77	...	S	1	b
Manila,	4 p.	29.80	757	88	59	W S W	4	o	10 a.	29.84	758	88	72	...	0	c
Legaspi,	2 p.	29.81	757.2	88	...	E	1	c	6 a.	29.86	758.3	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	ot	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.79	756.6	89	...	S W	1	c	,,	29.89	759.2	84	...	W	1	b
Cebu,	,,	29.76	755.9	87	...	S	1	c	,,	29.89	759.2	86	...	S	2	b
Labuan,	,,	29.76	755.9	91	...	...	...	...	,,	29.83	757.7	87	...	...	...	...

On the 23rd at 11.50 a.—The barometer has risen slightly over the Yangtze, and fallen elsewhere, particularly over Japan and the Loochoos.

The depression having passed over the E. coast of China last night, is now moving Eastwards to the S.W. of Japan. Another depression is moving into the Pacific to the N.E. of Hokkaido.

Moderate or fresh variable winds will probably prevail in the Formosa Channel and fresh S. and S.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. or variable winds, moderate; squally, thunder-[showers.
2.—Formosa Channel,	Variable winds, moderate or fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday, 23rd May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd MAY, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th MAY, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.61	752.1	...	...	S	6	...	6 a.	29.49	749.1	...	...	E	4
Hakodate,	,,	29.57	751.2	...	...	S E	6	...	,,	29.58	751.2	...	...	N W	6
Tokio,	,,	29.63	752.6	...	...	S	6	...	,,	29.67	753.6	...	...	N W	4
Kochi,	,,	29.68	753.8	...	...	S E	2	...	,,	29.72	754.8	...	...	S W	4
Nagasaki,	,,	29.60	751.8	...	...	N E	6	...	,,	29.76	755.8	...	...	...	0
Kagoshima,	,,	29.56	750.9	...	...	S E	8	...	,,	29.76	755.9	...	...	...	0
Oshima,	,,	29.57	751.1	...	...	S W	2	...	,,	29.73	755.1	...	...	...	0
Naha,	,,	29.65	753.2	...	...	S W	6	...	,,	29.73	755.2	...	...	...	0
Ishigakijima,	,,	29.70	754.3	...	...	S W	6	...	,,	29.66	753.3	...	...	N E	6
Chefoo,	3 p.	29.81	757.2	59	88	N E	2	dh	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.75	755.6	63	...	N	1	c	9 a.	29.85	758.2	71	...	E N E	1
Hankow,	,,	29.89	759.2	70	80	N N E	2	o	6 a.	29.91	759.7	67	89	N W	1
Kiukiang,	,,	29.82	757.4	69	95	N W	2	or	,,	...	...	...	...	...	...
Shanghai,	,,	29.75	755.6	71	76	N N E	1	o	9 a.	29.85	758.2	...	...	N E	1
Gutzlaff,	,,	...	...	68	90	N N E	5	...	,,	...	...	68	90	N E	1
Sharp Peak,	,,	29.61	752.1	80	87	S	2	oltr	,,	29.76	755.9	73	86	N E	4
Amoy,	,,	29.63	752.6	82	87	S E	4	c	6 a.	29.66	753.3	79	78	S E	2
Swatow,	,,	29.61	752.1	81	91	S	2	c	,,	29.65	753.1	73	90	N E	1
Taihoku,	1 p.	29.66	753.3	...	...	W	8	...	5 a.	29.70	754.4	...	...	N	2
Taichu,	,,	29.73	755.2	...	...	S	4	...	,,	29.72	754.9	...	...	S E	2
Tainan,	,,	29.76	756.0	...	...	S W	4	...	,,	29.71	754.7	...	...	E	4
Koshun,	,,	29.74	755.5	...	...	N W	6	...	,,	29.71	754.6	...	...	S W	2
Pescadores,	,,	29.72	754.9	...	...	S E	6	...	,,	29.69	754.2	...	...	S W	6
Canton,	3 p.	29.62	752.3	82	87	E	1	or	9 a.	29.74	755.4	80	78	N	1
Hongkong,	4 p.	29.60	751.8	80	90	S	1	op	10 a.	29.71	754.6	81	88	W	1
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	W N W	1
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	29.60	751.8	83	...	S S E	1	o	,,	29.72	754.9	82	...	N	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.7	77	...	N N E	4	lt	10 a.	...	...	...	...	...	...
Tourane,	,,	29.62	752.3	82	...	...	0	c	,,	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.6	79	...	S W	3	o	,,	...	...	...	...	...	...
Aparri,	2 p.	29.74	755.4	90	...	N E	1	b	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.72	755	88	72	S W	2	b	10 a.	29.84	758	88	66	W	1
Legaspi,	2 p.	29.78	756.4	90	...	E	1	o	6 a.	29.85	758.1	75	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	1	ot	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.75	755.6	88	...	S W	2	c	,,	29.85	758.2	85	...	N E	1
Cebu,	,,	29.76	755.9	87	...	...	0	o	,,	29.86	758.4	87	...	S	2
Labuan,	,,	29.75	755.6	89	...	...	...	...	,,	29.86	758.4	86	...	...	...

On the 24th at 11.55 a.—The barometer has fallen over N.E. Japan owing to the depression, which has passe to the Pacific to the S. of Hokkaido.

Pressure has increased moderately to slightly over China, W. Japan and the Loochoos, and decreased slightl in Formosa. It is highest over Central China, and relatively low over the S. coast and Formosa.

Fresh variable to N.E. winds, may be expected in the Formosa Channel and moderate S.W. and variable wind over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable to N.E. winds, moderate or fresh; squally [thunder showers
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday, 24th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.45	748.1	...	...	N W	6	...	6 a.	29.73	755.1	...	...	N	4	,,
Hakodate,	,,	29.69	754.2	...	...	W	8	...	,,	29.81	757.2	...	...	N W	6	...
Tokio,	,,	29.67	753.6	...	...	E	4	...	,,	29.87	758.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	S E	4	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.80	756.8	...	...	S W	6	...	,,	29.88	758.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	S	2	...	,,	29.84	757.9	...	...	N W	2	...
Oshima,	,,	29.81	757.1	...	...	E	2	...	,,	29.65	758.1	...	...	...	0	...
Naha,	,,	29.73	755.2	...	...	N E	2	...	,,	29.81	757.2	...	...	N E	2	...
Ishigakijima,	,,	29.74	755.3	...	...	N E	6	...	,,	29.74	755.3	...	...	N E	2	...
Chefoo,	3 p.	29.88	758.9	68	70	N E	2	b	6 a.	30.03	762.7	59	76	W	1	b
Weihaiwei,	,,	29.88	758.9	73	...	E N E	1	c	9 a.	30.05	763.2	69	...	N E	3	b
Hankow,	,,	29.93	760.2	79	74	N W	2	o	6 a.	30.01	762.2	70	97	N	1	c
Kinkiang,	,,	29.89	759.2	79	74	N	2	b	,,	29.96	761.0	68	95	...	0	b
Shanghai,	,,	29.83	757.7	77	61	S E	1	o	9 a.	29.99	761.7	73	76	N E	1	c
Gutzlaff,	,,	29.63	752.6	78	46	N E	1	ov	,,	29.80	756.9	66	89	N N E	1	cv
Sharp Peak,	,,	29.78	756.4	73	81	N N W	3	od	,,	29.91	759.7	72	81	N E	2	o
Amoy,	,,	29.66	753.3	76	82	N E	5	or	6 a.	29.80	756.9	78	91	N E	4	or
Swatow,	,,	29.61	752.1	81	91	S	2	c	,,	...	...	71	95	E N E	2	o
Taihoku,	1 p.	29.72	755.0	...	...	...	0	...	5 a.	29.81	757.1	...	...	...	0	...
Taichu,	,,	29.71	754.6	...	...	S	6	...	,,	29.76	755.8	...	...	...	0	...
Tainan,	,,	29.76	756.0	...	...	W	2	...	,,	29.75	755.6	...	...	E	6	...
Koshun,	,,	29.77	756.1	...	...	S W	4	...	,,	29.75	755.5	...	...	S	2	...
Pescadores,	,,	29.71	754.6	...	...	S W	4	...	,,	29.73	755.0	...	...	...	0	...
Canton,	3 p.	29.66	753.3	89	66	N N W	1	b	9 a.	29.87	758.7	78	78	N N W	1	c
Hongkong,	4 p.	29.65	753.1	79	90	N N E	1	or	10 a.	29.85	758.2	76	83	E	4	o
Victoria Peak,	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.65	753.1	85	...	N W	1	c	,,	29.86	758.4	80	...	E S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.5	90	...	N N E	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.71	754.6	75	...	N W	3	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.8	79	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.73	755.1	93	...	S	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	86	71	S	2	o	10 a.	29.88	759	88	66	...	0	o
Legaspi,	2 p.	29.78	756.4	95	...	S W	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	b	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.76	755.9	90	...	W	3	b	,,	29.89	759.2	85	...	S W	1	c
Cebu,	,,	29.77	756.1	88	...	S	2	b	,,	29.89	759.2	89	...	S	1	c
Labuan,	,,	29.75	755.6	90	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 25th at 11.35 a.—The barometer has risen considerably over China and Japan, and less so over Formosa and the Philippines.

Pressure is high over China to the North of the Yangtze. It is still relatively low in the neighbourhood of S. Formosa.

Fresh to strong N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh or strong breezes; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 25th May, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th MAY, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th MAY, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	N E	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.81	757.2	...	...	N W	6	...	,,	29.85	758.2	...	...	W	6	...
Tokio,	,,	29.79	756.6	...	...	E	4	...	,,	29.83	757.6	...	...	N W	2	...
Kochi,	,,	29.80	756.8	...	...	E	4	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki,	,,	29.84	757.8	...	...	N	6	...	,,	29.99	761.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	N W	6	...	,,	29.96	760.9	...	...	N	6	...
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	29.93	760.1	...	...	N E	6	...
Naha,	,,	29.85	758.2	...	...	E	4	...	,,	29.89	759.2	...	...	N E	2	...
Ishigakijima,	,,	29.81	757.3	...	...	N E	3	...	,,	29.89	759.3	...	...	N E	6	...
Chefoo,	3 p.	30.05	763.2	73	95	N E	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.09	762.0	75	...	N E	1	b	9 a.	29.95	760.7	76	...	W	1	b
Hankow,	,,	30.08	764.0	80	78	S	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.02	762.5	83	96	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.00	762.0	77	88	E N E	2	b	9 a.	30.05	763.2	73	46	E	1	b
Gutzlaff,	,,	29.81	757.2	68	95	N E	2	cv	,,	...	...	66	73	N E	2	bv
Sharp Peak,	,,	29.91	759.7	76	69	N E	3	c	,,	30.00	762.0	71	76	N E	4	c
Amoy,	,,	29.73	755.1	78	65	N E	2	b	6 a.	29.78	756.4	70	75	N E	2	b
Swatow,	,,	29.81	757.2	80	82	E	2	c	,,	29.83	757.7	70	85	W	1	b
Taihoku,	1 p.	29.87	758.8	...	...	E	6	...	5 a.	29.91	759.6	...	...	E	6	...
Taicha,	,,	29.78	756.5	...	...	N	4	...	,,	...	...	...	...	...	0	...
Tainan,	,,	29.78	756.4	...	...	S	2	...	,,	29.80	757.0	...	...	W	4	...
Koshun,	,,	29.81	757.2	...	...	S W	4	...	,,	29.80	756.9	...	...	N E	10	...
Pescadores,	,,	29.79	756.6	...	...	N	8	...	,,	29.80	756.9	...	...	N E	6	...
Canton,	3 p.	29.81	757.2	86	75	N N W	1	c	9 a.	29.91	759.7	72	95	N E	1	c
Hongkong,	4 p.	29.80	756.9	76	81	E	4	o	10 a.	29.90	759.4	81	46	E	3	c
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.80	756.9	80	...	S E	2	o	,,	29.91	759.7	81	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.8	91	...	N	4	c	10 a.	29.89	759.2	86	...	N E	2	c
Tourane,	,,	29.75	755.7	82	...	N W	2	c	,,	29.88	759.0	82	...	...	0	o
Cape St. James,	,,	29.80	756.8	79	...	S W	3	o	,,	29.91	759.6	84	...	S W	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	86	78	W S W	3	o	10 a.	29.88	759	86	71	...	0	o
Legaspi,	2 p.	29.83	757.6	79	...	S W	1	b	6 a.	29.91	759.6	79	...	S W	1	c
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.83	757.7	88	...	S W	2	o	,,	29.93	760.2	86	...	S W	1	c
Cebu,	,,	29.83	757.7	88	...	S	3	b	,,	29.89	759.2	88	...	S	1	b
Labuan,	,,	29.79	756.6	91	...	...	...	...	,,	...	...	...	...	...	...	...

On the 26th at 12.40 p.—The barometer has fallen moderately in Shantung, and risen moderately to slightly over S.W. Japan, the Loochoos and S. China.

Pressure remains high over the Yangtze, and it is still low to the S. of Formosa.

Fresh to strong N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday, 26th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.61	752.1	...	...	N W	6	...	6 a.	29.69	754.1	...	...	N	2	..
Hakodate,	,,	29.77	756.2	...	...	W	8	...	,,	29.81	757.2	...	...	W	2	...
Tokio,	,,	29.79	756.6	...	...	N	2	...	,,	29.91	759.6	...	...	N W	0	...
Kochi,	,,	29.87	758.8	...	...	N	6	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.95	760.8	...	...	N W	6	...	,,	30.03	762.8	...	...	...	0	...
Kagoshima,	..	29.92	759.9	...	...	S E	4	...	,,	30.04	762.9	...	...	...	0	...
Oshima,	..	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	S	2	...
Naha,	..	29.93	760.2	...	...	N E	6	...	,,	29.97	761.2	...	...	N	2	...
Ishigakijima,	,,	29.89	759.3	...	...	N E	8	...	,,	29.97	761.3	...	...	N	2	...
Chefoo,	3 p.	29.87	758.7	89	93	...	0	b	6 a.	29.87	758.7	62	41	...	0	b
Weihaiwei,	..	29.89	759.2	78	...	E S E	4	b	9 a.	...	...	...	...	...	...	...
Hankow,	..	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.99	761.7	86	65	N E	3	b	,,	29.95	760.7	...	...	...	0	b
Shanghai,	,,	30.02	762.5	76	84	E	2	b	9 a.	29.98	761.5	70	61	S E	3	b
Gutzlaff,	..	...	...	70	66	E N E	2	bv	,,	...	...	68	70	S S E	4	cv
Sharp Peak,	..	29.97	761.2	73	76	N E	4	c	,,	29.99	761.7	70	75	N N E	2	b
Amoy,	..	29.82	757.4	79	61	N E	3	b	6 a.	29.92	759.9	69	80	N E	2	b
Swatow,	,,	29.99	761.7	84	96	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.94	760.6	...	...	E	8	...	5 a.	29.94	760.5	...	...	E	6	...
Taichu,	,,	29.88	758.9	...	...	N	2	...	,,	29.88	759.0	...	...	...	0	...
Tainan,	..	29.86	758.5	...	...	N	4	...	,,	29.88	759.0	...	...	...	0	...
Koshun,	..	29.85	758.1	...	...	N E	10	...	,,	29.86	758.5	...	...	N E	8	...
Pescadores,	,,	29.87	758.7	...	...	N	10	...	,,	29.86	758.5	...	...	N	6	...
Canton,	3 p.	29.84	757.9	85	87	N W	1	c	9 a.	29.93	760.2	79	70	E	1	b
Hongkong,	4 p.	29.85	758.2	78	62	E	4	c	10 a.	29.92	759.9	77	61	E	4	c
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	81	...	E S E	2	c	,,	29.92	759.9	78	...	E S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.86	758.4	88	96	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.8	82	...	E	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.80	756.8	86	..	N W	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.3	81	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.86	758.4	79	...	N	1	p	6 a.	29.86	758.4	77	...	S	1	d
Manila,	4 p.	29.84	758	88	66	W S W	3	c	10 a.	29.88	759	86	71	S W	1	c
Legaspi,	2 p.	29.83	757.7	96	...	W	1	c	6 a.	29.88	759.0	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	0	b
Iloilo,	..	29.83	757.7	88	...	S W	3	c	,,	29.89	759.2	85	...	S W	1	b
Cebu,	,,	29.74	755.4	89	...	S	2	b	,,	29.89	759.2	86	...	...	0	b
Labuan,	,,	29.75	755.6	90	...	...	...	...	,,	29.86	758.4	86	...	...	...	...

On the 27th at 12.05 p.—The barometer has fallen in N. China, and risen over Japan, the Loochoos and Formosa.

Pressure is now highest over the Eastern Sea and W. Japan. It appears to the relatively low, in an area between N.E. and S.W. winds, over the middle part of the China Sea.

N.E. winds decreasing in force, may be expected in the Formosa Channel, and fresh N.E. and E. winds over the North part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday, 27th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th May, 1907, P.M.								28th May, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	S	6	...	6 a.	29.65	753.1	...	...	S	2	...
Hakodate,	,,	29.73	755.2	...	...	S W	8	...	,,	29.85	758.2	...	...	S W	4	...
Tokio,	,,	29.91	759.6	...	...	S	4	...	,,	29.95	760.6	...	...	W	2	...
Kochi,	,,	29.95	760.8	...	...	E	2	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	S W	6	...	,,	29.99	761.8	...	...	...	0	...
Kagoshima,	,,	30.00	761.9	...	...	S	2	...	,,	30.00	761.9	...	...	E	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	S	2	...
Naha,	,,	29.97	761.2	...	...	E	4	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	F	6	...	,,	29.89	759.3	...	...	E	6	...
Chefoo,	3 p.	29.78	756.4	89	73	S	4	b	6 a.	29.76	755.9	63	89	...	0	o
Weihaiwei,	,,	29.77	756.1	81	...	S W	2	b	9 a.	29.71	754.6	61	...	S	2	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.91	759.7	83	57	S	1	c	,,	29.89	759.2	70	90	...	o	b
Shanghai,	,,	29.88	758.9	73	55	S E	3	o	9 a.	29.74	755.4	75	60	S S E	2	c
Gutzlaff,	,,	29.73	755.1	70	75	S S E	4	ov	,,	29.60	751.8	70	90	S	4	ovm
Sharp Peak,	,,	29.91	759.7	73	81	N E	3	o	,,	29.85	758.2	73	81	N N W	1	o
Amoy,	,,	29.83	757.7	76	73	N E	4	b	6 a.	29.81	757.2	74	72	S W	1	c
Swatow,	,,	29.87	758.7	77	91	E	3	b	,,	29.83	757.7	70	95	S S E	1	b
Taihoku,	1 p.	29.87	758.8	...	...	S E	6	...	5 a.	29.82	757.3	...	...	...	0	...
Taichu,	,,	29.85	758.2	...	...	W	4	...	,,	29.83	757.6	...	...	...	0	...
Tainan,	,,	29.85	758.1	...	...	W	6	...	,,	29.87	758.6	...	...	S E	2	...
Koshun,	,,	29.83	757.6	...	...	N E	8	...	,,	29.84	757.8	...	...	N E	2	...
Pescadores,	,,	29.86	758.5	...	...	N	6	...	,,	29.82	757.3	...	...	N	6	...
Canton,	3 p.	29.84	757.9	88	66	E	1	b	9 a.	29.88	758.9	80	70	...	0	b
Hongkong,	4 p.	29.83	757.7	77	60	E S E	4	c	10 a.	29.87	758.7	77	72	E S E	2	c
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.83	757.7	78	...	S E	1	c	,,	29.87	758.7	79	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.6	84	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.5	84	...	N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.5	86	...	S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.8	81	...	S	1	d	6 a.	29.84	757.9	75	...	S	1	o
Manila,	4 p.	29.84	758	82	77	W	2	o	10 a.	29.88	759	88	66	...	0	o
Legaspi,	2 p.	29.81	757.2	91	...	W	1	c	6 a.	29.88	758.9	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	c
Hoilo,	,,	29.81	757.2	...	...	S W	2	o	,,	29.89	759.2	85	...	S W	1	b
Cebu,	,,	29.85	758.2	88	...	S	2	b	,,	29.89	759.2	89	...	S	1	b
Labuan,	,,	29.77	756.1	91	...	...	...	...	,,	29.84	757.9	86	...	...	...	...

On the 28th at 11.45 a.—The barometer has fallen over China, particularly on the E. coast.

A depression is moving Eastwards over N. China, and a second area of low pressure lies to the North of Hokkaido. Pressure is high over W. Japan.

Moderate S. winds may be expected in the Formosa Channel, and light S. or variable winds over the North part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. or variable winds, light; fair.
2.—Formosa Channel,	S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday, 28th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th MAY, 1907, P.M.								29th MAY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	S E	2	...	6 a.	29.81	757.1	...	...	...	0	...
Hakodate,	,,	29.85	758.2	...	...	S W	6	...	,,	29.81	757.2	...	...	...	0	...
Tokio,	,,	29.91	759.6	...	...	S	8	...	,,	29.91	759.6	...	...	S	4	...
Kochi,	,,	29.99	761.8	...	...	E	4	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki,	,,	29.91	759.8	...	...	S	4	...	,,	29.84	757.6	...	...	S E	8	...
Kagoshima,	,,	29.96	760.9	...	...	S E	4	...	,,	29.92	759.9	...	...	S	2	...
Oshima,	,,	29.98	760.1	...	...	S E	6	...	,,	29.85	758.1	...	...	...	0	...
Naha	,,	29.89	759.2	...	...	S E	2	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	S E	6	...	,,	29.78	756.3	...	...	S E	4	...
Chefoo,	3 p.	29.66	753.3	...	...	S E	1	or	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.66	753.3	62	...	N W	1	c	9 a.	29.56	750.8	55	...	W N W	4	or
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.89	759.2	76	91	N E	4	b	,,	29.97	761.2	67	64	N E	1	b
Shanghai,	,,	29.68	753.9	88	87	S W	3	b	9 a.	29.83	757.7	68	47	W	...	c
Gutzlaff,	,,	...	...	76	77	S	3	cm	,,	...	...	66	59	N W	5	cm
Sharp Peak,	,,	29.79	756.6	77	82	N E	2	o	,,	29.83	757.7	75	88	N E	2	o
Amoy,	,,	29.72	754.9	78	74	S E	3	b	6 a.	29.71	754.6	74	81	S W	2	o
Swatow,	,,	29.80	756.9	80	87	N E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.5	...	...	S	2	...	5 a.	29.77	756.2	...	...	...	0	...
Taichu,	,,	29.79	756.6	...	...	N W	4	...	,,	29.77	756.2	...	...	N	2	...
Tainan,	,,	29.82	757.4	...	...	W	4	...	,,	29.54	757.8	...	...	N	2	...
Koshun,	,,	29.80	756.9	...	...	E	8	...	,,	29.74	755.4	...	...	...	0	...
Pescadores,	,,	29.80	756.9	...	...	N W	4	...	,,	29.75	755.7	...	...	N	4	...
Canton,	3 p.	29.79	756.6	87	62	S	1	b	9 a.	29.84	757.9	81	71	N N W	1	b
Hongkong,	4 p.	29.76	755.9	79	60	E	2	c	10 a.	29.80	756.9	83	68	E	1	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	1	...
Cap Bock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.77	756.1	81	...	S E	1	c	,,	29.81	757.2	82	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.9	84	...	E S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.73	755.2	84	...	N	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	84	...	S	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	756.4	83	...	S W	1	o	6 a.	29.80	756.8	77	...	S	1	o
Manila,	4 p.	29.76	756	86	72	W S W	4	o	10 a.	29.88	759	88	72	S W	1	o
Legaspi,	2 p.	29.79	756.7	95	...	W	1	c	6 a.	29.84	758.0	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	b	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.79	756.6	89	...	S W	1	b	,,	29.80	759.2	85	...	S W	1	b
Cebu,	,,	29.78	756.4	90	...	...	0	b	,,	29.91	759.7	87	...	S	1	b
Labuan,	,,	29.77	756.1	90	...	...	...	...	,,	29.84	757.9	86	...	...	...	...

On the 29th at 11.55 a.—The barometer has risen *along the Yangtze*, and fallen over Shantung, W. Japan, the Loochoos and S. China.

The depression is moving Eastwards over the N. part of the Yellow Sea. *Pressure is somewhat low also, in the* neighbourhood of S. Formosa.

The winds is expected to freshen from N.E. in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, freshening; fair.
2.—Formosa Channel,	Same as No. 1.
3.—*South coast of* China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Figg,
Director.

Hongkong Observatory, Wednesday, 29th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	S E	4	...	6 a.	29.81	757.1	...	...	S	4	...
Hakodate,	,,	29.81	757.2	...	...	S W	6	...	,,	29.77	756.2	...	...	S	2	...
Tokio,	,,	29.91	759.6	...	...	S	8	...	,,	29.79	756.6	...	...	S	6	...
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	29.68	753.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S	10	...	,,	29.76	755.8	...	...	N W	2	...
Kagoshima,	,,	29.84	757.9	...	...	S	4	...	,,	29.76	755.9	...	...	N	2	...
Oshima,	,,	29.81	757.1	...	...	S	4	...	,,	29.77	756.1	...	...	N W	6	...
Naha,	,,	29.81	757.2	...	...	S E	2	...	,,	29.77	756.2	...	...	N	6	...
Ishigakijima,	,,	29.78	756.3	...	...	S E	4	...	,,	29.82	757.3	...	...	N	4	...
Chefoo,	3 p.	29.61	752.1	65	63	W	3	b	6 a.	29.59	751.6	67	95	S W	1	b
Weihaiwei,	,,	29.61	752.1	58	...	W	3	b	9 a.	29.59	751.6	79	...	...	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.97	761.2	81	38	N E	2	c	,,	29.94	760.5	62	77	...	0	b
Shanghai,	,,	29.80	756.9	77	31	N W	3	c	9 a.	29.85	758.2	74	29	S W	2	c
Gutzlaff,	,,	29.62	752.3	71	53	N N W	5	cv	,,	29.66	753.3	69	80	W S W	3	cm
Sharp Peak,	,,	29.81	757.2	75	75	N E	1	c	,,	29.90	759.4	74	79	N	2	c
Amoy,	,,	29.64	752.8	76	73	S E	4	c	6 a.	29.78	756.4	74	81	N E	3	c
Swatow,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	72	95	E N E	2	c
Taihoku,	1 p.	29.80	756.9	...	...	E	6	...	5 a.	29.87	758.7	...	...	E	4	...
Taichu,	,,	29.76	755.9	...	...	N	6	...	,,	29.80	756.8	...	...	S	4	...
Tainan,	,,	29.77	756.2	...	...	N W	6	...	,,	29.81	757.1	...	...	...	0	...
Koshun,	,,	29.76	756.0	...	...	N W	6	...	,,	29.80	757.0	...	...	N	2	...
Pescadores,	,,	29.77	756.1	...	...	N	8	...	,,	29.79	756.7	...	...	N	6	...
Canton,	3 p.	29.79	756.6	87	58	N N W	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.76	755.9	82	70	S E	1	c	10 a.	29.80	756.9	80	70	E N E	4	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.75	755.6	85	...	N	1	c	,,	29.81	757.2	80	...	N N E	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.73	755.2	82	...	E N E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.8	88	...	...	0	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	82	...	S S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.84	757.8	75	...	E	1	c
Manila,	4 p.	29.80	757	88	66	W	2	c	10 a.	29.88	759	88	63	S S W	1	c
Legaspi,	2 p.	29.80	757.0	95	...	W	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.83	757.7	90	...	S W	1	b	,,	29.89	759.2	86	...	S W	1	b
Cebu,	,,	29.83	757.7	87	...	S	2	b	,,	29.90	759.4	85	...	...	0	c
Labuan,	,,	29.77	756.1	88	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 30th at 11.55 a.—The barometer has fallen moderately over Japan, and risen slightly over Formosa and the China coast to the Northward of Hongkong.

The depression in the North is probably moving slowly Eastwards into the N. part of the Sea of Japan.

A low pressure trough appears to be lying over the N. part of the China Sea, and strong N.E. winds and squally weather may be expected along the S. coast of China. Fresh N.E. winds will probably prevail in the Formosa Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh or strong; squally, rain later.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 30th May, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th May, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	31st May, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	29.77	756.1	...	...	S	6	...	6 a.	29.65	753.1	...	...	S E	6	..
Hakodate,	,,	29.65	753.2	...	...	S	6	...	,,	29.58	751.2	...	...	W	2	...
Tokio,	,,	29.63	752.6	...	...	S E	2	...	,,	29.63	752.6	...	...	N W	2	...
Kochi,	,,	29.56	750.8	...	...	S W	4	...	,,	29.80	756.8	...	...	S W	1	...
Nagasaki,	,,	29.76	755.8	...	...	W	6	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima,	,,	29.72	754.9	...	...	N W	8	...	,,	29.83	758.9	...	...	...	0	...
Oshima,	,,	29.81	757.1	...	...	N	6	...	,,	29.89	759.1	...	...	N	2	...
Naha,	,,	29.85	758.2	...	...	N	6	...	,,	29.93	760.2	...	...	...	0	...
Shigakijima,	,,	29.85	758.3	...	...	N	4	...	,,	29.89	759.3	...	...	E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.60	751.8	65	78	S	1	b
Weihaiwei,	,,	29.62	752.3	84	...	W	0	b	9 a.	29.67	753.6	84	...	W	1	b
Hankow,	,,	29.91	759.7	82	45	S	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.91	759.7	82	30	S W	1	c	,,	29.89	759.2	63	89	...	0	b
Shanghai,	,,	29.79	756.6	86	22	S W	1	b	9 a.	29.85	758.2	78	43	S	1	b
Sutzlaff,	,,	...	...	75	60	S W	2	cm	,,	...	...	71	71	S	2	bv
Sharp Peak,	,,	29.89	759.2	75	74	N N E	1	or	,,	29.87	758.7	72	81	N N E	2	or
Amoy,	,,	29.70	754.4	78	74	N E	3	b	6 a.	29.71	754.6	76	73	N E	3	o
Swatow,	,,	29.80	756.9	79	70	E	4	c	,,	29.74	755.4	70	90	E N E	2	o
Taiboku,	1 p.	29.88	758.9	...	...	E	6	...	5 a.	29.81	757.1	...	...	E	4	...
Taichu,	,,	29.83	757.6	...	...	N	2	...	,,	29.80	757.0	...	...	...	0	...
Tainan,	,,	29.80	757.0	...	...	W	4	...	,,	29.77	756.1	...	...	E	2	...
Koshun,	,,	29.83	757.6	...	...	E	8	...	,,	29.79	756.4	...	...	E	6	...
Pescadores,	,,	29.80	756.8	...	...	N	6	...	,,	29.77	756.1	...	...	N	6	...
Canton,	3 p.	29.77	756.1	87	55	E	2	c	9 a.	29.78	756.4	79	58	N	1	b
Hongkong,	4 p.	29.73	755.1	78	56	E	5	o	10 a.	29.75	755.6	80	69	E S E	1	c
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.73	755.1	81	...	E	3	c	,,	29.76	755.9	82	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kiaochow,	4 p.	29.71	754.6	82	...	S E	3	c	10 a.	29.75	755.6	81	...	E	4	o
Tourane,	,,	29.74	755.3	82	...	N	1	o	,,	29.77	756.1	84	...	N W	1	o
Cape St. James,	,,	29.73	756.4	84	...	S W	1	c	,,	29.84	758.[illegible]	86	...	W	1	c
Aparri,	2 p.	29.81	757.2	90	...	N E	1	o	6 a.	29.81	757.1	75	...	S	1	o
Manila,	4 p.	29.80	757	90	55	W S W	3	c	10 a.	29.82	759	90	63	S E	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.86	758.5	72	...	...	0	b
Iloilo,	3 p.	...	...	...	...	S S E	2	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	90	...	S W	3	c	,,	29.85	758.2	86	...	N E	1	c
Cebu,	,,	29.78	756.4	88	...	S	1	b	,,	29.96	761.0	86	...	N E	1	c
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 31st at 11.55 a.—The barometer has risen moderately over W. Japan and the Loochoos; and fallen considerably over E. Japan, and slightly over S. China and Formosa.

The northern depression is moving Eastwards over N.E. Japan.

The low pressure trough over the N. part of the China Sea may give rise to a circular depression, and disturbed weather with strong N.E. winds will probably continue to prevail along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh or strong; squally, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 31st May, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st MAY, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.41	747.1	...	...	N	6	...	6 a.	29.53	750.1	...	...	N W	8	...
Hakodate,	,,	29.57	751.2	...	...	W	2	...	,,	29.77	756.2	...	...	W	2	...
Tokio,	,,	29.67	753.6	...	...	S E	4	...	,,	29.87	758.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	S	2	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	W	6	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	N W	4	...	,,	29.96	760.9	...	...	N	4	...
Oshima	,,	29.93	760.1	...	...	N W	2	...	,,	29.97	761.1	...	...	S	2	...
Naha	,,	29.93	760.2	...	...	N E	4	...	,,	29.89	759.2	...	...	S E	4	...
Ishigakijima,	,,	29.85	758.3	...	...	E	6	...	,,	29.82	757.3	...	...	S	8	...
Chefoo,	3 p.	29.56	750.8	79	70	E	2	b	6 a.	29.75	755.6	65	78	W	1	b
Weihaiwei,	,,	29.70	754.4	79	...	W	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.88	758.9	76	53	S E	1	c	6 a.	29.82	757.4	67	89	E S E	2	c
Kiukiang,	,,	29.84	757.9	78	54	W	1	o	,,	29.83	757.7	66	100	...	0	or
Shanghai,	,,	29.78	756.4	81	35	S S E	2	c	9 a.	29.87	758.7	...	...	S S E	3	o
Gutzlaff,	,,	29.62	752.3	74	72	S	4	ev	,,	...	...	68	85	S E	4	om
Sharp Peak,	,,	29.86	761.0	71	90	N E	1	ofd	,,	29.76	755.9	73	86	N	1	ov
Amoy,	,,	29.66	753.3	76	82	N E	4	o	6 a.	29.80	756.9	74	81	N E	1	b
Swatow,	,,	29.69	754.1	80	66	E	2	c	,,	29.78	756.4	72	90	S W	1	o
Taihoku,	1 p.	29.83	757.6	...	...	E	6	...	5 a.	29.64	752.9	...	...	S	2	...
Taichu,	,,	29.80	756.8	...	...	E	10	...	,,	29.69	754.2	...	...	...	0	...
Tainan,	,,	29.75	755.6	...	...	E	4	...	,,	29.73	755.0	...	...	N W	6	...
Koshun,	,,	29.77	756.2	...	...	E	6	...	,,	29.73	755.2	...	...	N W	8	...
Pescadores,	,,	29.72	755.0	...	...	S E	6	...	,,	29.71	754.7	...	...	N	8	...
Canton,	3 p.	29.71	754.6	89	56	...	0	b	9 a.	29.77	756.1	82	75	E	1	c
Hongkong,	4 p.	29.69	754.1	78	72	E	2	c	10 a.	29.78	756.4	77	82	E	3	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.70	754.4	81	...	S E	1	o	,,	29.76	755.9	78	...	S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.6	81	...	E S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	84	...	E S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.2	77	...	S W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.79	756.6	86	...	S	1	o	6 a.	29.82	757.4	77	...	S	1	o
Manila,	4 p.	29.80	757	86	59	S S E	2	o	10 a.	29.88	759	88	66	S S W	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	odt	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.79	756.6	90	...	S W	2	b	,,	29.87	758.7	87	...	N E	1	b
Cebu,	,,	29.79	756.6	88	...	N	3	b	,,	29.87	758.7	86	...	...	0	c
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	29.80	756.9	87	...	...	...	...

On the 1st at 12.05 p.—The barometer has risen in Japan, and fallen over Formosa and Central China.

The northern depression has moved into the Pacific to the N.E. of Japan. A slight depression, developed in the low pressure trough to the S.W. of Formosa, moved to the N.E. last night and is now situated in the neighbourhood of N. Formosa.

Pressure is highest over S.W. Japan. It is still somewhat low over the N. part of the China Sea.

Fresh variable winds may be expected in the Formosa Channel, and fresh E. winds along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; squally, rainy.
2.—Formosa Channel,	Variable winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 1st June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st June, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd June, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	N	6	...	6 a.	29.73	755.1	...	...	N E	2	,,
Hakodate,	,,	29.77	756.2	...	...	W	6	...	,,	29.77	756.2	...	...	S	2	...
Tokio,	,,	29.87	758.6	...	...	S	6	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	29.91	760.4	...	...	S E	2	...	,,	29.96	760.8	...	...	...	0	...
Nagasaki,	,,	29.90	759.7	...	...	S W	4	...	,,	29.96	760.8	...	...	...	0	...
Kagoshima,	,,	29.94	760.9	...	...	...	0	...	,,	30.04	762.9	...	...	E	6	...
Sakishima,	,,	29.87	760.1	...	...	S E	4	...	,,	29.69	754.1	...	...	S	6	...
Naha,	,,	29.89	759.2	...	...	S E	6	...	,,	29.73	755.2	...	...	S W	4	...
Shingshima,	,,	29.62	752.3	...	...	S E	12	...	,,	29.70	754.3	...	...	...	...	...
Chefoo,	3 p.	29.84	757.9	73	76	N E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.88	758.9	76	...	E	1	b	9 a.	29.76	755.9	73	...	S W	3	b
Hankow,	,,	29.89	759.2	74	76	S E	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.85	758.2	72	85	S E	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.82	757.4	68	90	S E	3	or	9 a.	29.87	758.7	69	80	E	2	o
Gutzlaff,	,,	29.83	757.7	67	95	E S E	5	omd	,,	29.87	758.7	66	89	E	4	om
Sharp Peak,	,,	29.72	754.9	79	87	E S E	2	cv	,,	29.87	758.7	74	88	N N E	2	o
Amoy,	,,	29.77	756.1	79	82	S E	4	c	6 a.	29.79	756.6	76	95	S E	2	or
Swatow,	,,	29.74	755.4	80	78	E	2	b	,,	29.76	755.9	75	95	S E	1	o
Taihoku,	1 p.	29.74	755.3	...	...	W	6	...	5 a.	29.82	757.4	...	...	N W	2	...
Taichu,	,,	29.79	756.4	...	...	W	2	...	,,	29.84	757.9	...	...	...	0	...
Tainan,	,,	29.78	756.3	...	...	W	2	...	,,	29.83	757.7	...	...	S W	2	...
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.76	756.0	...	...	W	4	...	,,	29.79	756.6	...	...	S E	4	...
Canton,	3 p.	29.71	754.6	84	75	E S E	1	c	9 a.	29.70	754.4	78	91	S E	1	o
Hongkong,	4 p.	29.70	754.4	75	96	E	8	od	10 a.	29.80	756.9	78	87	S S W	3	orq
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	S	S	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.68	753.9	77	...	E S E	2	od	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.58	751.3	84	...	S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	75	...	N W	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	84	...	S S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	90	...	N	1	c	6 a.	29.89	759.2	77	...	S	1	c
Manila,	4 p.	29.76	756	86	79	S	1	o	10 a.	29.83	759	91	55	S E	1	c
Legaspi,	2 p.	29.81	757.2	90	...	E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	...	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	92	...	N E	1	o	,,	29.85	758.2	85	...	N E	1	o
Cebu,	,,	29.79	756.6	86	...	N	4	or	,,	29.87	758.7	84	...	N	1	c
Labuan,	,,	29.70	754.4	89	...	...	...	...	,,	29.84	757.9	87	...	...	...	...

On the 2nd at 11.55 a.—The barometer has fallen over the Loochoos, and risen in Formosa.

The depression, which is now situated to the W. of the Loochoos, continues to move towards N.E. or E.N.E. Pressure appears to be low over S.W. China and Tongking. It is high over S. Japan.

Fresh to strong S.E. to S.W. winds may be expected in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to S.W. winds, fresh or strong; squally, rainy.
2.—Formosa Channel,	S.E. winds, fresh.
3.—Coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—North coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 2nd June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd June, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd June, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.77	756.1	...	...	S E	2	...	6 a.	29.97	761.1	...	...	N E	2	...
Hakodate	,,	29.81	757.2	...	...	W	4	...	,,	30.01	762.2	...	...	...	0	...
Tokio	,,	29.87	758.6	...	...	S E	6	...	,,	29.87	758.6	...	...	N	2	...
Kochi	,,	29.91	759.8	...	...	S E	2	...	,,	29.64	757.7	...	...	S W	2	...
Nagasaki	,,	29.83	757.8	...	...	E	4	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima	,,	29.84	757.9	...	...	E	8	...	,,	29.84	757.9	...	...	N E	4	...
Oshima	,,	29.65	753.1	...	...	S W	6	...	,,	29.81	757.4	...	...	...	0	...
Naha	,,	29.81	757.2	...	...	S W	4	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima	,,	29.85	758.3	...	...	S E	4	...	,,	29.82	757.3	...	...	E	4	...
Chefoo	3 p.	...	...	84	50	S	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	29.79	756.6	75	...	S W	4	or	9 a.	29.85	758.2	69	...	S E	1	or
Hankow	,,	29.84	757.9	76	82	S	1	c	6 a.	29.88	758.9	72	95	E	1	c
Kinkiang	,,	29.77	756.1	71	95	N E	2	or	,,	29.80	756.9	71	95	W	1	c
Shanghai	,,	...	...	65	58	E	2	r	9 a.	29.72	754.9	67	100	E	2	or
Gutzlaff	,,	29.84	757.9	68	90	E	4	om	,,	29.73	755.1	68	100	E S E	3	fr
Sharp Peak	,,	29.83	757.7	76	88	E	2	og	,,	29.76	755.9	74	95	N W	1	og
Amoy	,,	29.74	755.4	77	91	E	2	o	6 a.	29.75	755.6	78	86	S W	1	o
Swatow	,,	29.77	756.1	75	86	S	1	or	,,	29.86	758.4	77	95	W	1	c
Taihoku	1 p.	29.85	758.1	...	...	E	4	...	5 a.	29.79	756.7	...	...	...	0	...
Taichu	,,	29.87	758.7	...	...	S W	2	...	,,	29.87	758.7	...	...	S	2	...
Tainan	,,	29.91	759.8	...	...	S	4	...	,,	29.86	758.5	...	...	S E	2	...
Koshun	,,	29.89	759.3	...	...	W	4	...	,,	...	...	...	...	...	...	...
Pescadores	,,	29.85	758.1	...	...	S	6	...	,,	29.83	757.6	...	...	S	6	...
Canton	3 p.	29.70	754.4	86	76	S	1	c	9 a.	29.83	757.7	83	87	S E	1	o
Hongkong	4 p.	29.75	755.6	83	78	S W	3	oq	10 a.	29.85	758.2	84	79	S W	3	o
Victoria Peak	,,	...	...	...	...	S	8	...	,,	...	...	...	...	S S W	5	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.75	755.6	81	...	S S W	2	o	,,	29.85	758.2	80	...	S S W	3	od
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.66	753.3	82	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.72	755.0	88	...	E S E	3	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri	2 p.	29.84	757.9	91	...	N E	1	c	6 a.	29.88	759.0	75	...	S	1	b
Manila	4 p.	29.76	756	95	68	S E	2	c	10 a.	29.88	759	91	52	E S E	1	c
Legaspi	2 p.	29.84	758.0	88	...	E	1	b	6 a.	29.90	759.4	79	...	N E	1	b
Bacolod	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	S W	1	b
Iloilo	,,	29.79	756.6	88	...	N E	1	o	,,	29.87	758.7	86	...	N E	1	b
Cebu	,,	29.81	757.2	86	...	N	1	c	,,	29.88	758.9	86	...	N	2	b
Labuan	,,	29.70	754.4	93	...	...	...	...	,,	29.83	757.7	83	...	...	...	...

On the 3rd at 11.45 a.—The barometer has fallen moderately over S. Japan, and risen considerably to moderately over N.E. Japan and the Loochoos respectively.

The depression lying near the Loochoos yesterday, is moving Eastwards over the Pacific to the S. of Japan.

A second depression, which is probably moving Eastwards, is shown over the Lower Yangtze this morning.

Fresh S.W. winds may be expected in the Formosa Channel and moderate S.W. and S. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, fresh or moderate; squally, showery.
2.—Formosa Channel,	S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. W. FIGG,
Director.

Hongkong Observatory, Monday, 3rd June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	N W	4	...	6 a.	30.08	764.1	...	...	N E	4	..
Hakodate,	,,	29.97	761.2	...	...	S	4	...	,,	30.01	762.2	...	...	E	6	...
Tokio,	,,	29.87	758.6	...	...	N E	4	...	,,	29.95	760.6	...	...	N E	4	...
Kochi,	,,	29.83	757.8	...	...	...	0	...	,,	29.84	757.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S W	4	...	,,	29.76	755.8	...	...	N	2	...
Kagoshima,	,,	29.80	756.9	...	...	E	4	...	,,	29.72	754.9	...	...	E	4	...
Oshima,	,,	29.73	755.1	...	...	S	4	...	,,	29.69	754.1	...	...	S W	4	...
Naha,	,,	29.77	756.2	...	...	S W	4	...	,,	29.77	756.2	...	...	S W	4	...
Ishigakijima,	,,	29.78	756.3	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.85	758.2	66	...	S E	2	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.85	758.2	87	96	N	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.81	757.2	82	67	S W	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.74	755.4	69	95	E N N	3	ov	9 a.	29.84	757.9	73	63	N E	1	b
Gutzlaff,	,,	29.73	755.1	67	100	E N E	4	ouad	,,	29.82	757.4	68	85	N N E	2	cv
Sharp Peak,	,,	29.71	754.6	77	95	S E	1	og	,,	29.79	756.6	76	95	N N E	1	fd
Amoy,	,,	29.62	752.3	84	75	S S E	5	b	6 a.	29.75	755.6	78	91	S W	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	80	96	E	1	c
Taihoku,	1 p.	29.74	755.4	...	...	W	6	...	5 a.	29.76	755.7	...	...	W	2	...
Taichu,	,,	29.83	757.6	...	...	W	6	...	,,	29.86	758.3	...	...	...	0	...
Tainan,	,,	29.90	759.4	...	...	S	4	...	,,	29.87	758.6	...	...	S E	2	...
Koshun,	,,	29.85	758.2	...	...	W	6	...	,,	29.83	757.7	...	...	N W	4	...
Pescadores,	,,	29.83	757.6	...	...	S	6	...	,,	29.83	757.7	...	...	S	6	...
Canton,	3 p.	29.73	755.1	90	70	S E	3	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.76	755.9	84	75	S W	2	o	10 a.	29.84	757.9	83	74	S W	2	o
Victoria Peak,	,,	...	...	...	...	S S W	7	...	,,	...	...	...	...	S	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.75	755.6	82	...	S	2	o	,,	29.84	757.9	82	...	S	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tralien,	4 p.	29.69	754.1	84	...	S E	5	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.3	88	...	N E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	86	...	S S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	93	46	E S E	2	o	10 a.	29.92	760	88	66	E S E	1	o
Legaspi,	2 p.	29.83	757.8	90	...	E	1	...	6 a.	29.92	759.9	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.81	757.2	91	...	S W	1	c	,,	29.93	760.2	83	...	S W	1	c
Cebu,	,,	29.78	756.4	88	...	N	2	b	,,	29.89	759.2	85	...	N	1	or
Labuan,	..	29.79	756.6	87	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 4th at 11.50 a.—The barometer has risen on the E. coast of China, and fallen over S.W. Japan and the Loochoos.

The depression, which passed S. of Shanghai last evening, has continued to move Eastwards and lies now to the N. of the Loochoos.

Pressure remains high over N.E. Japan.

The wind will probably shift to the N.E. again in the Formosa Channel. Moderate S. monsoon will prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; squally, showery.
2.—Formosa Channel,	Variable winds, moderate or fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 4th June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millis.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S E	2	...	6 a.	30.04	763.1	...	...	S E	4	...
Hakodate,	,,	30.01	762.2	...	...	S E	8	...	,,	29.93	760.2	...	...	E	6	...
Tokio,	,,	29.91	759.6	...	...	N E	6	...	,,	29.95	760.6	...	...	N W	2	...
Kochi,	,,	29.80	756.8	...	...	S E	2	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.76	755.8	...	...	E	2	...	,,	29.76	755.8	...	...	E	4	...
Kagoshima,	,,	29.72	754.9	...	...	S E	6	...	,,	29.76	755.9	...	...	E	4	...
Oshima,	,,	29.69	764.1	...	...	N	2	...	,,	29.73	755.1	...	...	...	0	...
Naha,	,,	29.73	755.2	...	...	W	4	...	,,	29.73	755.2	...	...	...	0	...
Ishigakijima,	,,	29.78	756.3	...	...	S	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.85	758.2	70	70	E	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.84	757.9	69	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.85	758.2	84	83	E N N	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.88	758.9	88	66	N E	2	c	,,	29.79	756.6	73	72	N E	2	o
Shanghai,	,,	29.79	756.6	79	54	E N E	2	c	9 a.	29.78	756.4	71	71	N E	1	om
Gutzlaff,	,,	29.80	756.9	71	80	N N E	2	bv	,,	29.77	756.1	68	90	N E	1	om
Sharp Peak,	,,	29.75	755.6	75	90	N E	3	or	,,	29.69	754.1	73	93	N	1	cf
Amoy,	,,	29.72	754.9	82	91	S W	1	o	6 a.	29.67	753.6	80	91	S W	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.76	755.8	...	...	W	6	...	5 a.	29.73	755.1	...	...	...	0	...
Taichu,	,,	29.84	758.0	...	...	W	2	...	,,	29.78	756.2	...	...	...	0	...
Tainan,	,,	29.80	757.0	...	...	S W	4	...	,,	29.80	756.8	...	...	S E	4	...
Koshun,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	...	...	N W	2	...
Pescadores,	,,	29.82	757.4	...	...	S	8	...	,,	29.74	755.3	...	...	S	8	...
Canton,	3 p.	29.74	755.4	82	87	E S E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.76	755.9	81	78	S W	3	oq	10 a.	29.73	755.1	82	78	S W	3	oq
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	8	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.71	754.6	83	...	S	2	o	,,	29.72	754.9	81	...	S	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.27	743.4	82	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.5	88	...	S E	3	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.9	84	...	S	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.84	757.9	79	...	S W	1	b
Manila,	4 p.	29.80	757	91	61	S W	3	c	10 a.	29.84	758	90	66	S W	1	c
Legaspi,	2 p.	29.84	757.9	83	...	S E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.83	757.7	86	...	E	1	o	,,	29.89	759.2	85	...	N E	1	b
Cebu,	,,	29.82	757.4	87	...	N	2	b	,,	29.88	758.9	87	...	N	2	c
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	29.86	758.4	86	...	...	...	...

On the 5th at 11.50 a.—The barometer has fallen moderately over China and Luzon, and risen slightly in W. Japan.

The depression lying near the Loochoos yesterday appears to have filled up.

This morning an elongated depression lies over S. China and the Eastern Sea.

Pressure remains high over N.E. Japan.

Strong S. and S.W. winds and squally weather will prevail in the Formosa Channel and along the Northern shores of the China Sea.

N.B.—The Phulien Observations, if correct, indicate the passage. Westwards, of a depression to the North of that station yesterday afternoon.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, strong to a moderate gale; squally, showery.
2.—Formosa Channel,	S. to S.W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 5th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...
Nemuro,	"	30.00	762.1	...	...	S	6	...
Hakodate,	"	29.89	759.2	...	...	E	8	...
Tokio,	"	29.87	758.6	...	...	N E	2	...
Kochi,	"	29.76	755.8	...	...		0	...
Nagasaki,	"	29.72	754.8	...	...	N	2	...
Kagoshima,	"	29.68	753.9	...	...	N	2	...
Oshima,	"	29.69	754.1	...	...	N E	2	...
Naha,	"	29.69	754.2	...	...	S W	2	...
Ishigakijima,	"	29.70	754.5	...	...	S W	2	...
Chefoo,	3 p.	29.76	755.9	68	79	N	2	b
Weihaiwei,	"	29.76	755.9	69	...	N W	1	b
Hankow,	"	29.93	760.2	79	87	N E	2	o
Kiukiang,	"	29.85	758.2	71	85	N	4	o
Shanghai,	"	29.74	755.4	73	76	N E	2	or
Gutzlaff,	"	29.73	755.1	65	95	N E	2	omd
Sharp Peak,	"	29.59	751.6	73	93	E N E	3	or
Amoy,	"	29.52	749.8	81	91	S S E	6	c
Swatow,	"	...	...	...	...	...	...	...
Taihoku,	1 p.	29.63	752.7	...	...	W	2	...
Taichu,	"	29.70	754.3	...	...	S W	6	...
Tainan,	"	29.72	755.0	...	...	S	4	...
Koshun,	"	29.74	755.4	...	...	W	4	...
Pescadores,	"	29.70	754.4	...	...	S	6	...
Canton,	3 p.	29.65	753.1	74	95	[illegible]	0	or
Hongkong,	4 p.	29.67	753.6	74	90	W	2	oplt
Victoria Peak,	"	...	...	...	...	W	9	...
Gap Rock,	"	...	...	...	...	...	...	...
Macao,	"	29.68	753.9	75	...	W S W	3	od
Hoihow,	3 p.	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.0	86	...	N E	6	c
Tourane,	"	29.68	753.9	90	...	S E	2	c
Cape St. James,	"	29.75	755.6	88	...	S S W	2	c
Ajaccio,	2 p.	29.76	755.8	90	...	N E	1	b
Manila,	4 p.	29.72	755	88	66	S W	2	c
Legaspi,	2 p.	29.79	756.7	90	...	E	1	b
Bacolod,	3 p.	...	...	...	...	S E	1	rt
Iloilo,	"	29.77	756.1	90	...	S W	1	c
Cebu,	"	29.80	756.0	89	...	N	1	b
Labuan,	"	29.76	755.9	87	...	...	...	...

Station.	6th JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	...	...	...	...	...	...	...
Nemuro,	6 a.	29.93	760.1	...	...	S E	6	..
Hakodate,	"	29.73	755.2	...	...	S E	4	...
Tokio,	"	29.71	754.6	...	...	N W	2	...
Kochi,	"	29.56	75.08	...	...	...	0	...
Nagasaki,	"	29.60	751.8	...	...	N	2	...
Kagoshima,	"	29.66	750.9	...	...	...	0	...
Oshima,	"	29.57	751.1	...	...	...	0	...
Naha,	"	29.58	751.2	...	...	S	4	...
Ishigakijima,	"	29.68	751.3	...	...	S	10	...
Chefoo,	6 a.	29.73	755.1	55	94	S W	1	b
Weihaiwei,	9 a.	29.71	754.6	63	...	W N W	1	o
Hankow,	6 a.	...	...	...	...	...	...	...
Kiukiang,	"	29.94	759.7	63	83	S W	1	b
Shanghai,	9 a.	29.76	755.9	68	79	W N W	1	o
Gutzlaff,	"	29.74	755.4	67	84	N	1	om
Sharp Peak,	"	29.75	755.6	69	87	N W	1	od
Amoy,	6 a.	29.60	751.8	78	94	N E	1	o
Swatow,	"	...	...	...	...	...	...	...
Taihoku,	5 a.	29.63	752.7	...	...	N	6	..
Taichu,	"	29.71	754.5	...	...	...	0	...
Tainan,	"	29.70	754.3	...	...	S W	4	...
Koshun,	"	29.70	754.3	...	...	W	6	...
Pescadores,	"	29.66	753.3	...	...	W	6	...
Canton,	9 a.	29.84	757.9	73	86	N W	1	o
Hongkong,	10 a.	29.79	756.6	77	57	N	1	o
Victoria Peak,	"	...	...	...	...	N N E	4	...
Gap Rock,	"	...	...	...	...	...	...	...
Macao,	"	29.80	756.9	76	...	N	2	o
Hoihow,	9 a.	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...
Phulien,	10 a.	...	...	...	...	...	...	...
Tourane,	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...
Ajaccio,	6 a.	29.78	756.5	79	...	S	1	o
Manila,	10 a.	29.84	758	86	75	W S W	2	c
Legaspi,	6 a.	29.86	758.4	75	...	W	1	b
Bacolod,	9 a.	...	...	...	...	N E	1	c
Iloilo,	"	29.85	758.2	85	...	S E	1	c
Cebu,	"	29.88	758.9	87	...	N	1	c
Labuan,	"	29.85	758.2	82	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen moderately in S. China, and fallen considerably over Japan and the Loochoos.

The elongated depression, which is moving towards E.N.E., extends from N. Formosa to S.W. Japan.

Pressure appears to be high over N.W. China.

Moderate N. winds may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 6th June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th June, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th June, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	S E	8	...	6 a.	29.49	749.1	...	...	E	8	...
Hakodate,	,,	29.69	754.2	...	...	S E	2	...	,,	29.54	750.2	...	...	N W	6	...
Tokio,	,,	29.51	749.6	...	...	N W	4	...	,,	29.55	750.6	...	...	N W	2	...
Kochi,	,,	29.56	750.8	...	...	...	0	...	,,	29.72	754.8	...	...	...	0	...
Nagasaki,	,,	29.64	752.8	...	...	N	4	...	,,	29.80	756.8	...	...	...	0	...
Kagoshima,	,,	29.60	751.9	...	...	...	0	...	,,	29.80	756.9	...	...	W	4	...
Oshima,	,,	29.57	751.1	...	...	N	4	...	,,	29.81	757.1	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	...	...	N E	6	...
Ishigakijima,	,,	29.66	753.3	...	...	N W	4	...	,,	29.82	757.3	...	...	N	2	...
Chefoo,	3 p.	29.69	754.1	67	69	N W	2	b	6 a.	29.72	754.9	57	87	...	0	b
Weihaiwei,	,,	29.67	753.6	69	...	N W	2	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.87	758.7	81	62	S	1	b	6 a.	29.90	759.4	70	66	S E	1	b
Kiukiang,	,,	29.85	758.2	82	36	N	1	b	,,	29.88	758.9	65	95	...	0	b
Shanghai,	,,	29.70	754.4	79	78	S W	1	c	9 a.	29.83	757.7	76	56	S W	2	b
Gutzlaff,	,,	29.74	755.4	71	80	N	1	cv	,,	29.82	757.4	71	76	W S W	2	br
Sharp Peak,	,,	29.77	756.1	73	86	E	1	ov	,,	29.88	758.9	70	85	N N W	1	c
Amoy,	,,	29.64	752.8	78	82	N E	2	c	6 a.	29.67	753.6	78	91	N E	2	o
Swatow,	,,	29.74	755.4	77	77	E	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.74	755.5	...	...	N W	6	...	5 a.	29.84	757.8	...	...	S E	2	...
Taichu,	,,	29.73	755.2	...	...	N	6	...	,,	29.80	756.8	...	...	...	0	...
Tainan,	,,	29.75	755.6	...	...	S E	4	...	,,	29.77	756.1	...	...	N	4	...
Koshun,	,,	29.73	755.1	...	...	N W	4	...	,,	29.76	756.0	...	...	...	0	...
Pescadores,	,,	29.73	755.1	...	...	N	8	...	,,	29.78	756.3	...	...	N	4	...
Canton,	3 p.	29.77	756.1	83	63	N W	1	b	9 a.	29.85	758.2	78	65	...	0	b
Hongkong,	4 p.	29.73	755.1	78	51	N	1	o	10 a.	29.84	757.9	77	75	E	3	o
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.74	755.4	78	...	N	1	o	,,	29.84	757.9	77	...	E N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.2	88	...	N	2	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.77	756.2	81	...	N W	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.6	84	...	...	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.73	755.2	90	...	N	1	o	6 a.	29.78	756.5	77	...	S	1	o
Manila,	4 p.	29.76	756	90	60	W S W	4	c	10 a.	29.84	758	90	60	S S W	1	c
Legaspi,	2 p.	29.78	756.3	90	...	N E	1	o	6 a.	29.84	757.8	77	...	N	1	b
Bacolod,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.79	756.6	89	...	N E	1	or	,,	29.85	758.2	86	...	E N E	1	b
Cebu,	,,	29.78	756.4	89	...	N	2	c	,,	29.87	758.7	86	...	S	1	b
Labuan,	,,	29.75	755.6	88	...	...	...	...	,,	29.85	758.2	85	...	...	...	...

On the 7th at 11.55 a.—The barometer has fallen quickly over E. Japan owing to the depression, which is moving away over the Pacific to the South of Hokkaido.

Pressure has increased considerably over W. Japan and the Loochoos, and the barometer has also risen moderately on the China coast.

Pressure is highest over China to the South of the Yangtze. A low pressure trough will probably form again over the N. part of the China Sea.

Moderate or fresh N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate or fresh; fair at first.
2.—Formosa Channel,	Same as No. 1. [showery later.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 7th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...
Gensan,	,,	29.37	746.1	...	...	N W	8	...
Hakodate,	,,	29.61	752.2	...	...	N W	6	...
Tokio,	,,	29.67	753.6	...	...	N E	4	...
Kochi,	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	S W	4	...
Kagoshima,	,,	29.84	757.9	...	...	W	4	...
Oshima,	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	N	2	...
Ishigakijima,	,,	29.85	758.3	...	...	N E	6	...
Chefoo,	3 p.	29.76	755.9	72	76	E	2	b
Weihaiwei,	,,	29.77	756.1	71	...	S E	1	b
Hankow,	,,	...	...	...	...	...	...	...
Kiukiang,	,,	29.90	759.4	87	39	S E	1	b
Shanghai,	,,	29.83	757.7	85	55	S W	2	c
Sutzlaff,	,,	29.84	757.9	68	85	S W	2	bm
Sharp Peak,	,,	29.86	758.4	76	82	S E	2	c
Amoy,	,,	29.74	755.4	78	74	N E	3	c
Swatow,	,,	29.81	757.2	78	74	E	2	b
Tailoku,	1 p.	29.90	759.5	...	...	E	6	...
Taichu,	,,	29.84	758.0	...	...	...	0	...
Tainan,	,,	29.81	757.2	...	...	N	2	...
Koshun,	,,	29.80	757.0	...	...	N E	4	...
Pescadores,	,,	29.83	757.7	...	...	N E	4	...
Canton,	3 p.	29.81	757.2	84	60	E S E	1	b
Hongkong,	4 p.	29.79	756.6	76	68	E	3	o
Victoria Peak,	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...
Macao,	,,	29.78	756.4	77	...	E S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...
Pakhoi,	,,	29.85	758.2	81	71	N E	1	c
Phulien,	4 p.	29.77	756.2	82	...	S S E	3	c
Tourane,	,,	29.77	756.1	81	...	N	4	o
Cape St. James,	,,	29.70	754.5	84	...	S S W	3	c
Aparri,	2 p.	29.74	755.5	88	...	E	1	t
Manila,	4 p.	29.76	756	88	66	S W	2	o
Legaspi,	2 p.	29.80	756.8	91	...	E	1	b
Bacolod,	3 p.	...	...	...	...	N N E	1	...
Iloilo,	,,	29.75	755.6	90	...	S W	1	o
Cebu,	,,	29.79	756.6	89	...	N	2	b
Labuan,	,,	29.71	754.6	85	...	...	...	...

Station.	8th JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	7 a.	...	...	...	...	...	...	...
Gensan,	6 a.	29.65	753.1	...	...	W	6	...
Hakodate,	,,	29.69	754.2	...	...	W	2	...
Tokio,	,,	29.87	758.6	...	...	N	2	...
Kochi,	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.99	761.8	...	...	...	2	...
Kagoshima,	,,	30.00	761.9	...	...	S	2	...
Oshima,	,,	30.04	763.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	N E	2	...
Ishigakijima,	,,	29.89	759.3	...	...	E	10	...
Chefoo,	6 a.	...	...	...	...	...	...	...
Weihaiwei,	9 a.	29.82	757.4	76	...	S	2	b
Hankow,	6 a.	29.94	760.5	72	71	S E	2	b
Kiukiang,	,,	...	...	...	...	...	...	...
Shanghai,	9 a.	29.96	761.0	87	20	S	2	b
Sutzlaff,	,,	29.94	760.5	73	67	S S W	2	bv
Sharp Peak,	,,	29.92	759.9	72	83	N	3	og
Amoy,	6 a.	29.76	755.9	78	91	N E	2	c
Swatow,	,,	29.88	758.9	68	85	N	1	c
Tailoku,	5 a.	29.86	758.4	...	...	E	6	...
Taichu,	,,	29.83	757.7	...	...	...	0	...
Tainan,	,,	29.79	756.7	...	...	N	4	...
Koshun,	,,	29.78	756.4	...	...	E	8	...
Pescadores,	,,	29.79	756.6	...	...	N	4	...
Canton,	9 a.	29.88	758.9	77	73	N	1	c
Hongkong,	10 a.	29.87	758.7	77	55	E	4	o
Victoria Peak,	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...
Macao,	,,	29.87	758.7	77	...	S E	1	c
Hoihow,	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...
Aparri,	6 a.	29.84	757.8	75	...	S	1	o
Manila,	10 a.	29.84	758	86	71	W	1	c
Legaspi,	6 a.	29.84	757.8	77	...	...	0	c
Bacolod,	9 a.	...	...	...	...	N N E	1	c
Iloilo,	,,	29.85	758.2	86	...	N E	1	o
Cebu,	,,	29.91	759.7	88	...	...	0	c
Labuan,	,,	29.81	757.2	83	...	...	...	...

On the 8th at 11.55 a.—The barometer has risen considerably over Japan and the Loochoos, and a moderate to slight rise of the mercury has taken place also, along the China coast.

The depression lying over N.E. Japan yesterday, has moved away over the Pacific.

An area of high pressure is central over the Loochoos, and a low pressure trough appears to be lying over the China Sea between the Paracels and S. Formosa.

Strong N.E. and E. winds may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh to strong; fair at first, rain later.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 8th June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th June, 1907, P.M.								9th June, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	S	4	...	6 a.	30.04	763.1	...	...	N	2	...
Hakodate,	,,	29.77	756.2	...	...	W	6	...	,,	30.13	765.2	...	...	N W	4	...
Tokio,	,,	29.91	759.6	...	...	S E	4	...	,,	30.14	765.6	...	...	N	2	...
Kochi,	,,	29.99	761.8	...	...	S E	2	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	W	6	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.04	762.9	...	...	W	4	...	,,	30.15	765.9	...	...	...	0	...
Oshima,	,,	30.04	763.1	...	...	E	4	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	N E	4	...	,,	30.01	762.2	...	...	E	4	...
Ishigakijima,	,,	29.89	759.3	...	...	E	8	...	,,	29.93	760.3	...	...	S E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	29.74	755.4	85	...	S	1	b	9 a.	30.06	763.5	78	...	S	1	b
Hankow,	,,	29.90	759.4	86	76	S E	3	c	6 a.	29.89	759.2	73	81	...	0	b
Kinkiang	,,	29.91	759.7	86	39	S W	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.93	760.2	82	26	S S E	3	c	9 a.	29.96	761.0	71	90	S E	4	ov
Gutzlaff,	,,	29.94	760.5	74	72	S E	3	cv	,,	29.94	760.5	70	90	S E	6	ou
Sharp Peak,	,,	29.90	759.4	71	88	N N W	2	od	,,	29.89	759.2	72	90	...	0	o
Amoy,	,,	29.78	756.4	78	82	N E	2	or	6 a.	29.81	757.2	78	91	N E	1	or
Swatow,	,,	29.82	757.4	78	78	E	3	o	,,	29.83	757.7	73	86	E N E	2	o
Taihoku,	1 p.	29.87	758.7	...	...	S E	2	...	5 a.	29.86	758.5	...	...	...	0	...
Taichu,	,,	29.84	757.9	...	...	N	2	...	,,	29.92	759.9	...	...	...	0	...
Tainan,	,,	29.85	758.2	...	...	...	0	...	,,	29.86	758.4	...	...	S E	4	...
Koshun	,,	29.87	758.6	...	...	E	4	...	,,	29.87	758.7	...	...	N W	2	...
Pescadores,	,,	29.83	757.8	...	...	N	6	...	,,	29.84	757.9	...	...	S E	2	...
Canton,	3 p.	29.85	758.2	80	62	...	0	o	9 a.	29.83	757.7	71	95	...	0	or
Hongkong,	4 p.	29.81	757.2	76	70	E	3	o	10 a.	29.86	758.4	76	84	E N E	2	op
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.81	757.2	77	...	E S E	1	o	,,	29.87	758.7	74	...	N	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	82	...	S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	755.9	86	...	N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.70	754.5	82	...	S W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.7	86	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	77	92	E	1	r	10 a.	29.88	759	77	92	...	0	od
Legaspi,	2 p.	29.81	757.1	90	...	E	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.77	756.1	88	...	N E	1	o	,,	29.83	757.7	84	...	N E	...	c
Cebu,	,,	29.77	756.1	89	...	N	3	b	,,	29.92	759.9	86	...	N	2	c
Labuan,	,,	29.72	754.9	85	...	...	...	...	,,	29.82	757.4	78	...	...	...	...

On the 9th at 11.50 a.—The barometer is inclined to fall over S. China. It has risen considerably over N. China and Japan.

The area of high pressure is lying over Japan, and pressure is relatively low over the N. part of the China Sea. It is in excess of the normal over China and Japan generally, the amount varying from about 0.30 inch over the latter area to about 0.05 inch on the S. coast of China.

Fresh N.E. and E. winds are indicated in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

C. FIGG,
Director.

Hongkong Observatory, Sunday, 9th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensuro,	,,	30.12	765.1	...	...	S	6	...	6 a.	30.16	766.1	...	...	S	6	..
Hakodate,	,,	30.17	766.2	...	...	...	0	...	,,	30.21	767.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	S E	4	...	,,	30.30	769.6	...	...	...	0	...
Kochi,	,,	30.19	766.8	...	...	S E	4	...	,,	30.27	768.8	...	...	S E	2	...
Nagasaki,	,,	30.15	765.8	...	...	S W	6	...	,,	30.19	766.8	...	...	S E	4	...
Kagoshima,	,,	30.15	765.9	...	...	S E	2	...	,,	30.19	766.9	...	...	E	4	...
Oshima,	,,	30.12	765.1	...	...	S E	4	...	,,	30.12	765.1	...	...	E	6	...
Naha,	,,	30.05	763.2	...	...	S E	4	...	,,	30.09	764.2	...	...	S E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	6	...	,,	29.97	761.3	...	...	S E	6	...
Chefoo,	3 p.	29.92	759.9	87	88	S	3	b	6 a.	29.89	759.2	60	100	W S W	2	or
Weihaiwei,	,,	29.96	761.0	77	...	S	1	c	9 a.	29.88	758.9	57	...	E	4	or
Hankow,	,,	29.87	758.7	86	92	S E	2	c	6 a.	29.89	759.2	73	100	S E	3	b
Kiukiang,	,,	29.89	759.2	83	57	S	2	b	,,	29.90	759.4	69	90	...	0	b
Shanghai,	,,	29.89	759.2	70	100	S E	3	or	9 a.	29.82	757.4	80	87	S	2	b
Sutzlaff,	,,	29.88	758.9	70	95	S E	6	omd	,,	29.88	758.9	73	95	S	2	cv
Sharp Peak,	,,	29.87	758.7	75	90	...	0	og	,,	29.97	761.2	75	90	...	0	o
Amoy,	,,	29.81	757.2	72	95	...	0	or	6 a.	29.87	758.7	78	82	...	0	c
Swatow,	,,	29.87	758.7	75	90	...	0	c	,,	29.88	758.9	72	90	S E	1	o
Taihoku,	1 p.	29.86	758.5	...	...	E	4	...	5 a.	29.96	760.9	...	...	...	0	...
Taichu,	,,	29.90	759.4	...	...	...	0	...	,,	29.95	760.6	...	...	...	0	...
Tainan,	,,	29.89	759.2	...	...	S	6	...	,,	29.94	760.5	...	...	N	2	...
Koshun,	,,	29.91	759.7	...	...	E	6	...	,,	29.92	760.0	...	...	E	6	...
Pescadores,	,,	29.86	758.4	...	...	S	6	...	,,	29.90	759.5	...	...	N W	2	...
Canton,	3 p.	29.80	756.9	78	86	S	1	or	9 a.	29.94	760.5	78	91	E	1	c
Hongkong,	4 p.	29.81	757.2	77	86	E	2	o	10 a.	29.94	760.5	81	82	E S E	2	o
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.82	757.4	76	...	N E	1	od	,,	29.94	760.5	79	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.7	81	...	S E	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.3	82	...	E S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.6	84	...	S W	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.6	88	...	S	1	o	6 a.	29.91	759.7	77	...	S	1	b
Manila,	4 p.	29.76	756	86	71	W N W	2	c	10 a.	29.88	759	84	71	N N E	0	o
Legaspi,	2 p.	29.85	758.3	84	...	N E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.77	756.1	87	...	N E	3	c	,,	29.85	758.2	86	...	N E	1	c
Cebu,	,,	29.78	756.4	88	...	N	2	c	,,	29.92	759.9	85	...	...	0	or
Labuan,	,,	29.68	753.9	84	...	...	...	...	,,	29.78	756.4	84	...	...	...	...

On the 10th at 11.55 a.—The barometer has fallen slightly in N. China, and risen moderately over Japan and S. China.

The anticyclonic area is now Central over S.E. Japan, and a slight depression appears to exist over N. China.

Except over N. China and the Philippines, pressure is in excess of the normal generally, the amount varying from about 0.4 inch over S.E. Japan to slightly over 0.1 inch on the S. coast of China.

Moderate S.E. winds may be expected in the Formosa Channel and moderate E. to N.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, moderate or light, showery.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 10th June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th June, 1907, P.M.								11th June, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.04	763.1	...	...	S W	6	...	6 a.	29.89	759.1	...	...	S	6	...
Hakodate, ...	,,	30.13	765.2	...	...	N E	2	...	,,	30.01	762.2	...	...	...	0	...
Tokio, ...	,,	30.22	767.6	...	...	S E	8	...	,,	30.10	764.6	...	...	S E	4	...
Kochi, ...	,,	30.23	767.8	...	...	S E	4	...	,,	30.15	765.8	...	...	...	0	...
Nagasaki, ...	,,	30.15	765.8	...	...	S E	6	...	,,	30.03	762.8	...	...	S E	10	...
Kagoshima, ...	,,	30.19	766.9	...	...	S	4	...	,,	30.12	764.9	...	...	...	0	...
Oshima, ...	,,	30.12	765.1	...	...	S E	6	...	,,	30.04	763.1	...	...	S E	4	...
Naha, ...	,,	30.09	764.2	...	...	S E	4	...	,,	30.01	762.2	...	...	S E	2	...
Ishigakijima, ...	,,	30.01	762.3	...	...	S E	6	...	,,	29.97	761.3	...	...	E	4	...
Chefoo, ...	3 p.	29.73	755.1	64	95	E	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	29.74	755.4	63	...	E	2	o	9 a.	29.78	756.4	64	...	W	1	c
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	29.78	756.4	87	96	...	0	c	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	29.83	757.7	84	64	S	3	c	9 a.	29.80	756.9	83	67	S	3	b
Gutzlaff, ...	,,	29.84	757.9	75	90	S	4	cv	,,	29.82	757.4	74	90	S	4	cm
Sharp Peak, ...	,,	29.95	760.7	80	91	E S E	1	c	,,	29.94	760.5	79	93	...	0	b
Amoy, ...	,,	29.81	757.2	82	75	S E	2	b	6 a.	29.89	759.2	77	86	...	0	f
Swatow, ...	,,	29.94	760.5	82	79	E	2	b	,,	29.92	759.9	78	95	...	0	c
Taihoku, ...	1 p.	29.96	761.1	...	...	N W	4	...	5 a.	29.94	760.4	...	...	...	0	...
Taichu, ...	,,	29.97	761.3	...	...	N W	4	...	,,	29.95	760.7	...	...	...	0	...
Tainan, ...	,,	29.96	761.0	...	...	W	4	...	,,	29.94	760.5	...	...	N	2	...
Koshun, ...	,,	29.96	761.1	...	...	E	8	...	,,	29.93	760.2	...	...	N E	6	...
Pescadores, ...	,,	29.94	760.5	...	...	N	4	...	,,	29.93	760.2	...	...	N E	2	...
Canton, ...	3 p.	29.90	759.4	86	68	E S E	2	c	9 a.	29.98	761.5	80	78	...	0	b
Hongkong, ...	4 p.	29.90	759.4	79	84	E	3	o	10 a.	29.96	761.0	83	81	E	2	c
Victoria Peak, ...	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E S E	2	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	29.89	759.2	79	...	S E	1	o	,,	29.96	761.0	81	...	E	1	o
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.80	757.0	81	...	S E	4	o	10 a.	...	...	...	...	...	...	...
Tourane, ...	,,	29.83	757.7	84	...	S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James, .	,,	29.74	755.3	82	...	S	1	o	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.88	758.9	79	...	S W	1	o
Manila, ...	4 p.	29.80	757	86	71	N N W	1	o	10 a.	29.84	758	79	92	N N E	0	od
Legaspi, ...	2 p.	29.83	757.6	90	...	E	1	b	6 a.	29.83	757.7	75	...	N E	1	o
Bacolod, ...	3 p.	...	...	...	...	N	2	b	9 a.	...	...	...	...	N N E	1	c
Iloilo, ...	,,	29.79	756.6	90	...	N E	2	b	,,	29.81	757.2	86	...	N E	2	c
Cebu, ...	,,	29.76	755.9	89	...	N	2	b	,,	29.82	757.4	84	...	N	2	o
Labuan, ...	,,	29.71	754.6	86	...	...	...	...	,,	29.80	756.9	80	...	...	...	...

On the 11th at 11.55 a.—The barometer has fallen considerably over Japan, and a slight fall has occurred also over the Philippines.

The depression in the North has moved Eastwards and is now situated over N. Korea.

This morning pressure appears to be low over the Pacific to the S.E. of the Philippine Archipelago.

Pressure remains high over the Pacific to the S.E. Japan.

Light or moderate variable winds are indicated in the Formosa Channel, and moderate to fresh N.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, light; fair.
2.—Formosa Channel, ...	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 11th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th JUNE, 1907, P.M.								12th JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.57	751.1	...	...	S E	6	...
Hakodate,	,,	29.89	759.2	...	...	S	2	...	,,	29.58	751.2	...	...	W	2	...
Tokio,	,,	29.98	761.6	...	...	S	6	...	,,	29.79	756.6	...	...	...	0	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki,	,,	29.99	761.8	...	...	S E	8	...	,,	29.88	758.8	...	...	S	8	...
Kagoshima,	,,	30.04	762.9	...	...	S	6	...	,,	29.88	758.9	...	...	S	2	...
Oshima,	,,	30.00	762.1	...	...	E	4	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	E	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	6	...	,,	29.86	758.3	...	...	S E	4	...
Chefoo,	3 p.	29.76	755.9	65	95	N	2	o	6 a.	29.66	753.3	61	100	N W	1	o
Weihaiwei,	,,	29.74	755.4	64	...	E	1	o	9 a.	29.61	752.1	62	...	W S W	1	or
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	29.76	755.9	90	60	S W	4	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.70	754.4	90	56	S S W	3	c	9 a.	29.67	753.6	73	100	N N E	1	or
Gutzlaff,	,,	29.72	754.9	77	86	S	4	cm	,,	29.70	754.4	73	100	W N W	0	omd
Sharp Peak,	,,	29.84	757.9	83	87	S E	2	b	,,	29.79	756.6	81	87	S	1	b
Amoy,	,,	29.81	757.2	81	83	S E	3	b	6 a.	29.79	756.6	80	87	S W	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.91	759.6	...	...	N W	6	...	5 a.	29.85	758.1	...	...	...	0	...
Taichu,	,,	29.93	760.2	...	...	N W	4	...	,,	29.87	758.6	...	...	...	0	...
Tainan,	,,	29.92	759.9	...	...	N W	4	...	,,	29.91	759.8	...	...	N	2	...
Koshun,	,,	29.93	760.2	...	...	N E	6	...	,,	29.84	758.0	...	...	E	2	...
Pescadores,	,,	29.93	760.1	...	...	N	4	...	,,	29.84	758.1	...	...	N W	2	...
Canton,	3 p.	29.90	759.4	90	60	E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.87	758.7	81	83	E	2	c	10 a.	29.86	758.4	83	76	E	2	c
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.88	758.9	83	...	S E	1	c	,,	29.87	758.7	82	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.8	81	...	S S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.81	757.2	86	...	E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.6	81	...	N E	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.85	758.2	90	...	N E	1	b	6 a.	29.83	757.7	77	...	S W	1	c
Manila,	4 p.	29.80	757	84	64	E S E	1	d	10 a.	29.80	757	81	85	E N E	0	c
Legaspi,	2 p.	29.79	756.7	84	...	N E	1	c	6 a.	29.80	756.9	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	...	0	c
Iloilo,	,,	29.75	755.6	90	...	N E	1	c	,,	29.81	757.2	86	...	N E	1	o
Cebu,	,,	29.77	756.1	88	...	N	2	c	,,	29.82	757.4	86	...	...	0	c
Labuan,	,,	29.73	755.1	81	...	...	...	...	,,	29.78	756.4	81	...	...	...	...

On the 12th at 11.50 a.—The barometer has fallen generally, *particularly over* Japan and the China coast.

Two depressions exist in the North, one over N.E. Japan, the other in the Yellow Sea. Both are progressing in an Easterly direction.

Pressure is highest over the Pacific to the S. of Japan. It remains in defect over the S. Philippines and the China Sea to the South of the 15th parallel.

Moderate S. winds will probably *prevail in the Formosa* Channel, and moderate N.E. and E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending *at 10 a.m. to-day*, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	E. winds, light: fine.
2.—Formosa Channel,	S. winds, *moderate*.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 12th June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th JUNE, 1907, P.M.								13th JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.57	751.1	...	...	N	4	...	6 a.	29.65	753.1	...	...	E	2	...
Hakodate,	,,	29.65	753.2	...	...	N W	6	...	,,	29.61	752.2	...	...	...	0	...
Tokio,	,,	29.71	754.6	...	...	E	4	...	,,	29.63	752.6	...	...	S	6	...
Kochi,	,,	29.83	757.8	...	...	...	0	...	,,	29.52	749.8	...	...	S W	2	...
Nagasaki,	,,	29.76	755.8	...	...	S	6	...	,,	29.60	751.8	...	...	S W	4	...
Kagoshima,	,,	29.80	756.9	...	...	S	6	...	,,	29.60	751.9	...	...	N W	6	...
Oshima,	,,	29.85	758.1	...	...	S	6	...	,,	29.73	755.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	S W	2	...	,,	29.77	756.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	S E	4	...	,,	29.74	755.3	...	...	S W	6	...
Chefoo,	3 p.	29.58	751.3	67	89	N W	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.56	750.8	62	...	N W	2	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.64	752.8	73	95	N E	1	ov	9 a.	29.67	753.6	78	78	W	2	b
Gutzlaff,	,,	29.66	753.3	71	95	N	1	omr	,,	29.68	753.9	73	95	W	2	bu
Sharp Peak,	,,	29.68	753.9	85	83	S	2	b	,,	29.72	754.9	81	87	S	1	c
Amoy,	,,	29.74	755.4	86	68	S S E	4	b	6 a.	29.76	755.9	78	91	S W	1	b
Swatow,	,,	29.80	756.9	87	69	S E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.5	...	...	N W	4	...	5 a.	29.74	755.3	...	...	...	0	...
Taichu,	,,	29.83	757.6	...	...	W	4	...	,,	29.78	756.4	...	...	...	0	...
Tainan,	,,	29.83	757.7	...	...	W	4	...	,,	29.79	756.6	...	...	...	0	...
Koshun,	,,	29.83	757.6	...	...	S E	4	...	,,	29.78	756.4	...	...	N	2	...
Pescadores,	,,	29.82	757.4	...	...	W	4	...	,,	29.75	756.7	...	...	S	4	...
Canton,	3 p.	29.79	756.6	90	63	...	0	b	9 a.	29.82	757.4	82	83	...	0	c
Hongkong,	4 p.	29.78	756.4	81	80	E	3	c	10 a.	29.82	757.4	82	71	E S E	1	c
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	S S W	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.78	756.4	83	...	S E	1	c	,,	29.82	757.4	82	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.7	84	...	S S E	5	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.4	88	...	N N E	3	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.7	75	...	N N E	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.78	756.3	88	...	N E	1	b	6 a.	29.77	756.1	77	...	S W	1	b
Manila,	4 p.	29.72	755	86	71	N	1	o	10 a.	29.39	757	84	71	W N W	1	c
Legaspi,	2 p.	29.74	755.3	91	...	E	1	b	6 a.	29.78	756.4	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.72	754.9	86	...	N E	1	o	,,	29.79	756.6	84	...	S W	1	b
Cebu,	,,	29.72	754.9	88	...	N	2	b	,,	29.86	758.4	86	...	S	2	b
Labuan,	,,	29.70	754.4	86	...	...	...	...	,,	29.79	756.6	80	...	...	...	...

On the 13th at 11.55 a.—The barometer has fallen quickly over S. Japan, while it is inclined to rise on the China coast.

Of the two depressions in the North, one moved into the Pacific to the N.E. of Japan yesterday afternoon, and the other is travelling Eastwards in the Sea of Japan this morning.

Pressure is normal over the S. coast of China and Formosa, and below its average height by between 0.2 and 0.3 inch over N. China and Japan. It is still in slight to moderate defect over the Philippines.

Moderate S.W. winds may be expected in the Formosa Channel, and light variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fine.
2.—Formosa Channel,	S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 13th June, 1907.

[Printed by NOROHNA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th JUNE, 1907, P.M.								15th JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.41	747.1	...	...	N	6	...	6 a.	29.57	751.1	...	...	N W	6	...
Hakodate	,,	29.46	748.2	...	...	N	10	...	,,	29.65	753.2	...	...	N W	4	...
Tokio	,,	29.39	746.6	...	...	N W	8	...	,,	29.71	754.6	...	...	N	2	...
Kochi	,,	29.64	752.8	...	...	N	6	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki	,,	29.72	754.8	...	...	N	4	...	,,	29.84	757.8	...	...	N E	4	...
Kagoshima	,,	29.68	753.9	...	...	S	4	...	,,	29.80	756.9	...	...	N W	2	...
Oshima	,,	29.69	754.1	...	...	N	4	...	,,	29.77	756.1	...	...	S E	2	...
Naha	,,	29.77	756.2	...	...	N W	4	...	,,	29.81	757.2	...	...	...	0	...
Ishigakijima	,,	29.78	756.3	...	...	S	2	...	,,	29.74	755.3	...	...	N E	2	...
Chefoo	3 p.	29.86	758.2	71	100	N N E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei	,,	29.80	756.9	71	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow	,,	29.85	758.2	86	68	S E	1	c	6 a.	29.87	758.7	76	91	N E	1	b
Kiukiang	,,	29.77	756.1	85	61	E	1	b	,,	...	...	...	...	...	...	...
Shanghai	,,	29.77	756.1	84	57	N	1	c	9 a.	29.85	758.2	76	69	S E	2	b
Gutzlaff	,,	29.77	756.1	76	77	N E	1	cv	,,	29.84	757.9	73	81	S E	2	c
Sharp Peak	,,	29.73	755.1	81	89	E	2	og	,,	29.81	757.2	79	91	N	1	o
Amoy	,,	...	...	86	68	S E	5	c	6 a.	29.59	751.6	80	87	E	1	o
Swatow	,,	29.72	754.9	91	70	S E	2	b	,,	...	...	...	...	...	...	...
Taihoku	1 p.	29.74	755.5	...	...	N	6	...	5 a.	29.78	756.4	...	...	...	0	...
Taichu	,,	29.76	756.0	...	...	S W	4	...	,,	29.82	757.4	...	...	...	0	...
Tainan	,,	29.79	756.7	...	...	S W	6	...	,,	29.82	757.5	...	...	...	0	...
Koshun	,,	29.77	756.1	...	...	N W	6	...	,,	29.78	756.5	...	...	...	0	...
Pescadores	,,	29.76	756.0	...	...	S	6	...	,,	29.77	756.2	...	...	S	4	...
Canton	3 p.	29.73	755.1	93	67	S	1	b	9 a.	29.73	755.1	84	83	S	2	b
Hongkong	4 p.	29.73	755.1	87	69	W	1	c	10 a.	29.79	756.6	85	75	W	1	c
Victoria Peak	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S W	1	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.73	755.1	87	...	S	1	c	,,	29.80	756.9	83	...	S W	1	c
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.72	754.8	84	...	S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.74	755.3	88	...	N E	3	b	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.74	755.3	79	...	S W	4	c	,,	...	...	...	...	...	...	...
Aparri	2 p.	29.77	756.2	86	...	N	1	b	6 a.	29.81	757.2	79	...	S W	1	b
Manila	4 p.	29.76	756	90	66	S W	2	o	10 a.	29.84	758	84	71	W	1	o
Legaspi	2 p.	29.76	755.8	90	...	W	1	o	6 a.	29.83	757.6	77	...	S W	1	...
Bacolod	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	o
Iloilo	,,	29.81	757.2	86	...	S W	2	o	,,	29.83	757.7	84	...	S W	1	o
Cebu	,,	29.78	756.4	84	...	S	2	or	,,	29.85	758.2	83	...	S	2	o
Labuan	,,	29.74	755.4	85	...	...	...	...	,,	29.84	757.9	80	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen considerably over Japan, and a moderate to slight rise of the mercury has taken place over the E. coast of China and the Philippines.

The depression lying off the E. coast of Japan yesterday, is moving away over the Pacific.

Pressure is highest over the Yellow Sea in the North, and over the China Sea in the South.

Light or moderate variable winds are indicated in the Formosa Channel, and moderate S.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light to moderate; fair.
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 15th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JUNE, 1907, P.M.								16th JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Jemuro,	,,	29.61	752.1	...	...	S W	6	...	6 a.	29.81	757.1	...	...	S W	2	...
Hakodate,	,,	29.65	753.2	...	...	N W	2	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.71	754.6	...	...	S E	6	...	,,	29.91	759.6	...	...	...	0	...
Tochi,	,,	29.76	755.8	...	...	S E	2	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.83	757.8	...	...	W	4	...	,,	29.95	760.8	...	...	E	2	...
Kagoshima,	,,	29.80	756.9	...	...	S E	2	...	,,	29.92	759.9	...	...	N E	2	...
Ishima,	,,	29.84	757.1	...	...	N	2	...	,,	29.93	760.1	...	...	...	0	...
Saba,	,,	29.81	757.2	...	...	N	2	...	,,	29.86	758.2	...	...	S E	2	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	2	...	,,	29.82	757.3	...	...	S E	4	...
Tsefoo,	3 p.	29.68	753.9	74	63	...	0	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.79	756.6	71	...	S	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.78	756.4	85	76	N E	2	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.85	758.2	89	73	...	0	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.77	756.1	81	59	E	2	c	9 a.	29.74	755.4	76	82	S E	3	v
Gutzlaff,	,,	29.79	756.6	74	76	S E	3	cy	,,	29.75	755.6	73	90	S S E	4	om
Sharp Peak,	,,	29.79	756.9	79	89	E	3	c	,,	29.89	756.9	79	91	S	1	o
Amoy,	,,	...	...	80	91	S E	5	b	6 a.	29.78	756.4	80	96	N E	1	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.79	756.6	...	...	N W	4	...	5 a.	29.78	756.3	...	...	...	0	...
Taichu,	,,	29.79	756.7	...	...	S	2	...	,,	29.80	756.8	...	...	...	0	...
Tainan,	,,	29.79	756.7	...	...	W	4	...	,,	29.84	757.8	...	...	...	0	...
Koshun,	,,	29.80	757.0	...	...	W	4	...	,,	29.82	757.5	...	...	...	0	...
Pescadores,	,,	29.77	756.2	...	...	W	4	...	,,	29.80	757.0	...	...	W	4	...
Canton,	3 p.	29.66	753.3	93	67	S	1	b	9 a.	29.80	756.9	84	83	S	1	b
Hongkong,	4 p.	29.73	755.1	86	66	S	2	b	10 a.	29.81	757.2	83	80	S S W	1	o
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.73	755.1	85	...	S S E	1	c	,,	29.80	756.9	83	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.9	84	...	S S E	6	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.73	755.1	88	...	N E	2	f	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	82	...	S S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.78	756.3	90	...	N	1	b	6 a.	29.84	758.0	77	...	S W	1	b
Manila,	4 p.	29.76	756	86	71	S W	2	t	10 a.	29.84	758	86	71	...	0	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Iloilo,	3 p.	...	...	...	...	N E	1	r	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.77	756.1	86	...	W	3	o	,,	29.85	758.2	83	...	S W	2	c
Cebu,	,,	29.78	756.4	86	...	S	2	b	,,	29.87	758.7	86	...	S	1	b
Labuan,	,,	29.77	756.1	82	...	...	...	...	,,	29.84	757.9	81	...	...	...	...

On the 16th at 11.50 a.—The barometer has risen considerably over Japan, and fallen moderately on the E. coast of China.

A depression is probably developing over China to the North of the Yangtze.

Pressure is now highest over S. Japan.

Light to moderate S. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours *ending* at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, light to moderate: showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 16th June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	N E	6	...	6 a.	30.04	763.1	...	...	W	4	...
Hakodate,	,,	29.93	760.2	...	...	N W	4	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	S E	4	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.91	759.8	...	...	S	2	...	,,	29.91	759.8	...	...	S E	6	...
Kagoshima,	,,	29.96	760.9	...	...	S	2	...	,,	29.92	759.9	...	...	S E	6	...
Oshima,	,,	29.93	760.1	...	...	S E	4	...	,,	29.85	758.1	...	...	S E	4	...
Naha,	,,	29.85	758.2	...	...	S E	6	...	,,	29.81	757.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	S	4	...	,,	29.78	756.3	...	...	S	6	...
Chefoo,	3 p.	29.70	754.4	73	76	S E	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.85	758.2	70	...	S	1	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.65	753.4	88	73	S S E	1	o	6 a.	29.73	755.1	75	95	W	1	o
Kiukiang,	,,	29.67	753.6	91	63	S W	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.62	752.3	78	86	S E	2	o	9 a.	29.59	751.6	80	87	S W	1	o
Gutzlaff,	,,	29.69	754.1	72	100	S S E	4	om	,,	29.60	751.8	74	95	S S W	3	om
Sharp Peak,	,,	29.70	754.4	83	87	S	3	o	,,	29.73	755.1	82	87	S	2	c
Amoy,	,,	29.78	756.4	82	87	S E	5	b	6 a.	...	...	80	87	S E	2	,,
Swatow,	,,	29.75	755.6	90	70	S	4	b	,,	...	...	80	91	S W	1	b
Taihoku,	1 p.	29.78	756.6	...	...	N	4	...	5 a.	29.78	756.3	...	...	...	0	...
Taichu,	,,	29.82	757.3	...	...	S W	6	...	,,	29.82	757.5	...	...	...	0	...
Tainan,	,,	29.81	757.1	...	...	S W	4	...	,,	29.82	757.2	...	...	S E	2	...
Koshun,	,,	29.82	757.4	...	...	W	6	...	,,	29.82	757.5	...	...	W	2	...
Pescadores,	,,	29.82	757.4	...	...	S W	4	...	,,	29.80	756.8	...	...	S	4	...
Canton,	3 p.	29.68	753.9	92	74	S	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.74	755.4	83	77	S	1	o	10 a.	29.83	757.7	86	72	S W	2	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S S W	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.73	755.1	84	...	S S E	1	c	,,	29.83	757.7	85	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.0	84	...	S S E	6	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.71	754.6	93	...	N N W	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.2	81	...	S W	5	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	90	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	77	92	...	0	c	10 a.	29.84	758	86	79	E S E	0	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.79	756.6	86	...	S W	1	c	,,	29.89	759.2	84	...	S W	2	c
Cebu,	,,	29.81	757.2	87	...	S	1	c	,,	29.91	759.7	86	...	S	2	b
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.84	757.9	81	...	...	...	...

On the 17th at 11.50 a.—The barometer has fallen moderately over the E. and N.E. coasts of China, and risen considerably in E. Japan.

The depression is the North is moving Eastwards over Shantung, and the high pressure area lies over E. Japan. Pressure is in excess of the normal by between 0.2 and 0.3 inch over E. Japan, and below the average by about 0.2 inch on the E. coast of China.

Fresh S.W. winds may be expected in the Formosa Channel, and light S. monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light to moderate; fair.
2.—Formosa Channel,	S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 17th June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	...	...	...	...	...	...	...	6 a.	30.12	765.1	...	...	S W	4	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	...	0	...
Tokio,	,,	...	...	...	...	...	...	...	,,	30.06	763.6	...	...	N E	2	...
Tschi,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.64	752.8	...	...	S E	6	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.64	752.9	...	...	E	8	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.69	754.1	...	...	S	6	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.73	755.2	...	...	S W	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	...	...	S W	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.77	756.1	64	95	S E	1	b
Weihaiwei,	,,	29.69	754.1	68	...	S	5	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	29.70	754.4	81	83	N W	2	o	,,	29.76	755.9	78	95	...	0	ov
Shanghai,	,,	29.53	750.0	76	100	S W	2	or	9 a.	29.69	754.1	74	81	N W	2	o
Gutzlaff,	,,	29.57	751.1	78	91	S	3	om	,,	29.67	753.6	72	85	N N W	3	ov
Sharp Peak,	,,	29.66	753.3	86	84	S	4	c	,,	29.71	754.6	83	91	S	1	b
Amoy,	,,	29.72	754.9	87	72	S	4	c	6 a.	29.71	754.6	80	82	S E	2	o
Swatow,	,,	29.75	755.6	93	64	S W	3	b	,,	29.77	756.1	81	87	S W	1	b
Taihoku,	1 p.	29.76	755.9	...	...	W	6	...	5 a.	29.71	754.7	...	...	S	2	...
Taichu,	,,	29.82	757.5	...	...	S W	4	...	,,	29.79	756.7	...	...	...	0	...
Tainan,	,,	29.85	758.2	...	...	S W	4	...	,,	29.78	756.3	...	...	S E	4	...
Koshun,	,,	29.82	757.3	...	...	W	8	...	,,	29.78	756.4	...	...	N W	4	...
Pescadores,	,,	29.82	757.5	...	...	S	6	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.75	755.6	93	78	E	1	c	9 a.	29.82	757.4	86	98	S E	1	b
Hongkong,	4 p.	29.75	755.6	86	70	S	2	c	10 a.	29.82	757.4	86	70	S W	2	o
Victoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	S W	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.74	755.4	87	...	S	1	c	,,	29.83	757.7	85	...	S S W	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.5	86	...	S E	6	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.4	95	...	N N E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	755.9	86	...	W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.77	756.1	90	...	N	1	b	6 a.	29.86	758.4	77	...	S W	1	b
Manila,	4 p.	29.76	756	88	72	S	1	o	10 a.	29.84	758	90	55	S E	2	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N N E	1	c
Iloilo,	,,	29.81	757.2	87	...	S W	1	...	,,	29.89	759.2	85	...	...	0	o
Cebu,	,,	29.79	756.6	86	...	S	1	c	,,	29.92	759.9	85	...	S	1	c
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 18th at 11.20 a.—The barometer has fallen *considerably in* W. Japan, and risen moderately over N. China.

The depression is in the Yellow Sea, and advancing towards the neighbourhood of *Nagasaki*.

Pressure is still high over E. Japan.

S.W. or variable winds, fresh to moderate, may be expected in the Formosa Channel, and light to *moderate* S. monsoon over the *N. part of the China Sea.*

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—*Hongkong and* Neighbourhood.	S.W. winds, light to moderate; fair.
2.—Formosa Channel.	S.W. or variable winds, fresh to moderate.
3.—South coast of China between *Hongkong and Lamocks*.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 18th June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S W	8	...	6 a.	30.08	764.1	...	...	S	4	...
Hakodate,	,,	30.01	762.2	...	...	S E	6	...	,,	29.93	760.2	...	...	S E	6	...
Tokio,	,,	29.94	760.6	...	...	E	4	...	,,	29.67	753.6	...	...	N	6	...
Kochi,	,,	29.68	753.8	...	...	...	0	...	,,	29.52	749.8	...	...	S W	2	...
Nagasaki,	,,	29.56	750.8	...	...	S W	4	...	,,	29.64	752.8	...	...	N	4	...
Kagoshima,	,,	29.60	751.9	...	...	S W	4	...	,,	29.64	752.9	...	...	N W	4	...
Oshima,	,,	29.61	752.1	...	...	S	6	...	,,	29.65	753.1	...	...	N W	2	...
Naha,	,,	29.73	755.2	...	...	S W	6	...	,,	29.69	754.2	...	...	S W	4	...
Ishigakijima,	,,	29.74	755.3	...	...	S W	4	...	,,	29.70	754.3	...	...	E	2	...
Chefoo,	3 p.	29.79	756.6	72	81	N E	2	b	6 a.	29.79	756.6	61	94	...	0	f
Weihaiwei,	,,	29.79	756.6	72	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.80	756.9	85	76	S E	1	c	6 a.	29.85	758.2	77	91	E	1	c
Kiukiang,	,,	29.78	758.9	81	83	N E	1	o	,,	29.80	756.9	75	95	N E	1	c
Shanghai,	,,	29.70	754.4	73	86	N	2	o	9 a.	29.79	756.6	72	81	N E	1	o
Gutzlaff,	,,	29.68	753.9	73	90	N	2	ov	,,	29.78	756.4	69	90	N N E	3	ov
Sharp Peak,	,,	29.63	752.6	87	86	S	3	o	,,	29.73	755.1	81	87	N N E	1	o
Amoy,	,,	29.70	754.4	90	77	S W	4	c	6 a.	29.74	755.4	82	83	S	1	c
Swatow,	,,	29.68	753.9	95	62	W S W	2	b	,,	29.71	754.6	80	91	W S W	1	b
Taihoku,	1 p.	29.71	754.6	...	...	S W	8	...	5 a.	29.74	755.3	...	...	S W	2	...
Taichu,	,,	29.81	757.1	...	...	W	4	...	,,	29.76	756.0	...	...	...	0	...
Tainan,	,,	29.82	757.3	...	...	S W	4	...	,,	29.77	756.2	...	...	S	4	...
Koshun,	,,	29.78	756.3	...	...	N W	4	...	,,	29.75	755.5	...	...	N W	6	...
Pescadores,	,,	29.78	756.5	...	...	S	6	...	,,	29.74	755.4	...	...	S	4	...
Canton,	3 p.	29.72	754.9	93	78	S E	1	o	9 a.	29.79	756.6	86	84	S E	1	b
Hongkong,	4 p.	29.73	755.1	87	67	S W	2	o	10 a.	29.79	756.6	86	68	W	1	c
Victoria Peak,	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.73	755.1	87	...	S	1	c	,,	29.79	756.6	86	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.3	86	...	S E	5	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.71	754.7	95	...	N	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.2	84	...	S S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.78	756.5	90	...	N	1	b	6 a.	29.82	757.5	79	...	S	1	o
Manila,	4 p.	29.76	756	88	66	W S W	5	o	10 a.	29.84	758	88	65	S	1	c
Legaspi,	2 p.	29.80	756.9	91	...	E	1	c	6 a.	29.88	758.8	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	...	0	c
Iloilo,	,,	29.79	756.6	88	...	S W	2	b	,,	29.87	758.7	85	...	S W	1	b
Cebu,	,,	29.79	756.6	87	...	S	1	c	,,	29.88	758.9	85	...	S	1	c
Labuan,	,,	29.77	756.1	89	...	...	...	...	,,	29.89	759.2	86	...	...	...	...

On the 19th at 11.40 a.—The barometer has fallen quickly over Central and E. Japan, and risen moderately on the E. coast of China.

The depression is advancing Eastwards over Central Japan.

Pressure is still high to the N.E. of Japan.

Gradients are slight on the China coast, for N.E. winds in the North, and for S.W. winds in the South.

Moderate variable winds are likely to prevail in the Formosa Channel, and light to moderate S. monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light to moderate; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 19th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th June, 1907, P.M.								20th June, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	29.81	757.1	...	...	N E	8	...	6 a.	...	...	...	...	...	...	...
Hakodate	,,	29.81	757.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
Tokio	,,	29.83	757.6	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Kochi	,,	29.68	753.8	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Nagasaki	,,	29.72	754.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Kagoshima	,,	29.68	753.9	...	...	...	9	...	,,	...	...	...	...	...	...	...
Oshima	,,	29.73	755.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha	,,	29.73	755.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
Ishigakijima	,,	29.74	755.3	...	...	...	0	...	,,	...	...	...	...	...	...	...
Chefoo	3 p.	29.79	756.6	74	76	E	2	b	6 a.	29.68	753.9	65	95	S	1	b
Weihaiwei	,,	29.75	755.6	74	...	E S E	1	b	9 a.	...	...	...	...	...	...	...
Haukow	,,	29.80	756.9	86	68	E	1	o	6 a.	29.87	758.7	78	74	N E	2	c
Kinkiang	,,	29.78	758.9	85	64	N E	2	b	,,	29.76	755.9	73	86	N E	3	or
Shanghai	,,	29.74	755.4	76	60	E N E	1	c	9 a.	29.82	757.4	75	68	S E	1	o
Gutzlaff	,,	29.75	755.6	79	74	N E	2	ev	,,	29.82	757.4	69	90	E S E	2	ov
Sharp Peak	,,	29.71	754.6	89	87	N E	4	og	,,	29.72	754.9	76	88	N E	3	og
Amoy	,,	29.71	754.6	89	77	S S E	5	b	6 a.	29.69	754.1	89	82	S	2	o
Swatow	,,	29.73	755.1	97	59	S W	2	b	,,	...	...	...	...	...	...	...
Taihoku	4 p.	29.74	755.4	...	...	N	2	...	5 a.	29.75	755.5	...	...	...	0	...
Taichu	,,	29.76	755.9	...	...	S W	4	...	,,	29.75	755.5	...	...	...	0	...
Tainan	,,	29.78	756.3	...	...	S W	4	...	,,	29.76	756.0	...	...	S E	2	...
Koshun	,,	29.76	756.0	...	...	N W	6	...	,,	29.76	755.9	...	...	...	0	...
Pescadores	,,	29.75	755.6	...	...	S	6	...	,,	29.74	754.7	...	...	S	4	...
Canton	3 p.	29.68	753.9	91	84	S E	1	or	9 a.	29.73	755.1	85	87	S E	1	c
Hongkong	4 p.	29.68	753.9	88	65	W	1	b	10 a.	29.72	754.9	86	70	S	1	o
Victoria Peak	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S	3	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.68	753.9	86	...	S S E	1	c	,,	29.72	754.9	84	...	S	1	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.63	752.5	84	...	S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.69	754.2	88	...	N E	1	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.76	756.0	79	...	S W	1	o	,,	...	...	...	...	...	...	...
Aparri	2 p.	29.76	756.0	90	...	N	1	c	6 a.	29.83	757.6	77	...	S	1	b
Manila	4 p.	29.76	756	88	66	S W	2	c	10 a.	29.88	759	79	84	W S W	3	od
Legaspi	2 p.	29.76	756.0	91	...	N E	1	b	6 a.	29.87	758.6	77	...	W	1	b
Bacolod	3 p.	...	...	...	...	N W	1	c	9 a.	...	...	...	...	S E	1	c
Iloilo	,,	29.79	756.6	89	...	S W	1	c	,,	29.89	759.2	86	...	S W	2	c
Cebu	,,	29.80	756.9	87	...	S	1	c	,,	29.89	759.2	86	...	S	1	b
Labuan	,,	29.84	757.9	88	...	...	...	...	,,	29.95	760.7	78	...	...	...	...

On the 20th at 11.55 a.—The barometer has fallen moderately over the N.E. and S. coasts of China, and risen slightly in the Philippines.

Pressure is highest to the N. of the Yangtze in the North, and over the S. part of the China Sea in the South. It is relatively low over S. China.

Moderate variable winds will probably prevail in the Formosa Channel, and moderate to fresh S. monsoon over the N. part of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate or fresh: showery.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 20th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.82	757.4	75	95	E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.83	757.7	72	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.90	759.4	81	74	S	1	o	6 a.	29.94	760.5	74	81	N W	1	c
Kiukiang,	,,	29.85	758.2	80	62	N	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.81	757.2	79	61	E S E	2	c	9 a.	29.90	759.4	76	64	S E	2	b
Gutzlaff,	,,	29.82	757.4	75	77	E	2	cv	,,	29.89	759.2	74	76	E S E	3	cu
Sharp Peak,	,,	29.75	755.6	73	90	N E	5	ofr	,,	29.81	757.2	72	88	N E	1	ofr
Amoy,	,,	...	...	85	79	S E	4	b	6 a.	29.75	755.6	80	82	N E	2	or
Swatow,	,,	29.67	753.6	90	88	S	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.73	755.2	...	...	N W	4	...	5 a.	29.75	755.5	...	...	...	0	...
Taichu,	,,	29.74	755.4	...	...	S W	4	...	,,	29.75	755.6	...	...	...	0	...
Tainan,	,,	29.75	755.7	...	...	S	6	...	,,	29.71	754.6	...	...	S E	4	...
Koshun,	,,	29.75	755.7	...	...	S W	2	...	,,	29.75	755.5	...	...	...	0	...
Pescadores,	,,	29.72	754.8	...	...	S W	4	...	,,	29.71	754.7	...	...	S W	4	...
Canton,	3 p.	29.68	753.9	84	83	S	1	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.65	753.1	85	68	S W	1	o	10 a.	29.74	755.4	80	91	...	0	ap
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.65	753.1	86	...	S S E	1	o	,,	29.74	755.4	82	...	S E	1	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.7	84	...	E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.7	97	...	E S E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	79	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.74	755.3	91	...	S	1	c	6 a.	29.78	756.3	77	...	S W	1	c
Manila,	4 p.	29.76	756	86	65	S W	3	c	10 a.	29.84	758	82	77	S	1	o
Legaspi,	2 p.	29.82	757.4	84	...	W	1	c	6 a.	29.85	758.2	79	...	W	1	b
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.81	757.2	89	...	S W	2	c	,,	29.87	758.7	86	...	W S W	1	c
Cebu,	,,	29.80	756.9	87	...	N	1	c	,,	29.87	758.7	86	...	S	2	b
Labuan,	,,	29.88	758.9	79	...	...	...	...	,,	29.92	759.9	80	...	...	...	...

On the 21st at 11.45 a.—The barometer has risen moderately on the E. coast of China, and fallen slightly over the Philippines.

Pressure is highest over the Yangtze valley in the North, and over the S. part of the China Sea in the South. It is relatively low in a trough lying over the S. coast of China.

Moderate N.E. winds are likely to prevail in the Formosa Channel, and moderate S. monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable or S.E. winds, moderate ; thunder showers.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	S.E. to E. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 21st June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JUNE, 1907, P.M.								22nd JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Chalivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Jemmro,	,,	...	...	...	...	...	...	...	6 a.	29.93	760.1	...	...	N E	6	...
Hakodate,	,,	29.85	758.2	...	...	W	4	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S	4	...	,,	29.99	761.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	S	2	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	S W	4	...	,,	29.58	758.8	...	...	N E	2	...
Kagoshima,	,,	29.84	757.9	...	...	...	0	...	,,	29.88	758.9	...	...	N E	6	...
Oshima,	,,	29.85	758.1	...	...	E	2	...	,,	29.81	757.1	...	...	...	0	...
Saba,	,,	29.81	757.2	...	...	N W	2	...	,,	29.77	756.2	...	...	...	0	...
Shigakijima,	,,	29.74	755.3	...	...	S W	8	...	,,	29.78	756.3	...	...	S W	6	...
Tofuku,	2 p.	...	...	...	...	...	...	...	6 a.	29.79	756.6	67	79	S E	1	b
Weihaiwei,	,,	29.83	757.7	82	...	S S E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.98	761.5	75	95	S E	1	c
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.88	758.9	78	58	E S E	3	c	9 a.	29.89	759.2	76	64	E N E	1	b
Gutzlaff,	,,	29.87	758.7	74	76	E	3	cm	,,	29.88	758.9	72	81	E	2	cm
Sharp Peak,	,,	29.81	757.2	72	90	E N E	3	or	,,	29.85	758.2	72	85	N N E	1	og
Amoy,	,,	...	...	83	67	S E	3	o	6 a.	29.81	757.2	74	81	N E	2	o
Swatow,	,,	29.73	755.1	81	87	E	3	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.74	755.3	...	...	E	4	...	5 a.	29.73	755.1	...	...	S E	2	...
Taichu,	,,	29.76	755.9	...	...	N W	6	...	,,	29.82	757.3	...	...	...	0	...
Tainan,	,,	29.76	755.9	...	...	W	6	...	,,	29.76	755.5	...	...	S E	2	...
Koshun,	,,	29.78	756.5	...	...	S E	2	...	,,	29.77	756.2	...	...	...	0	...
Pescadores,	,,	29.74	755.5	...	...	W	2	...	,,	29.74	755.4	...	...	N W	2	...
Canton,	3 p.	29.68	753.9	82	91	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.67	753.6	80	88	E N E	1	o	10 a.	29.74	755.4	77	93	E N E	3	or
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.66	753.3	84	...	S E	1	o	,,	29.73	755.1	81	...	E S E	1	o
Bolhow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.62	752.4	82	...	N E	1	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.69	754.1	86	...	S W	2	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	756.7	77	...	S W	3	o	,,	...	...	...	...	...	...	...
Ajarri,	2 p.	29.78	756.3	90	...	N	1	o	6 a.	29.76	756.8	77	...	S W	1	o
Manila,	4 p.	29.76	756	84	71	S W	3	o	10 a.	29.80	757	81	85	S S W	3	o
Legaspi,	2 p.	29.78	756.5	95	...	W	1	c	6 a.	29.81	757.2	77	...	S W	1	c
Tacolod,	3 p.	...	...	...	...	...	1	o	9 a.	...	...	...	...	S E	1	c
Iloilo,	,,	29.79	756.6	88	...	S W	3	o	,,	29.85	758.2	85	...	S W	1	c
Cebu,	,,	29.77	756.1	88	...	...	...	c	,,	29.92	759.9	86	...	S	4	c
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 22nd at 11.50 a.—The barometer has risen considerably in E. Japan, and fallen slightly over Luzon.

The low pressure trough now lies off the S. coast of China, and pressure is relatively high over the Yangtze valley and Japan in the North, and over the S. part of the China Sea in the South.

Fresh N.E. and E. winds and squally weather may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 5.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; squally, rainy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 22nd June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JUNE, 1907, P.M.								23rd JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.93	760.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.94	760.6	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.87	758.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.83	757.8	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.84	757.9	...	...	E	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.81	757.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.77	756.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.74	755.3	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.78	756.4	86	65	N E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.78	756.4	76	...	S E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.85	758.2	88	71	S E	1	o	6 a.	...	...	...	...	...	...	...
Kinkiang	,,	29.85	758.2	81	67	N	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.83	757.7	80	58	E	2	c	9 a.	29.83	757.7	75	72	S S E	1	o
Gutzlaff,	,,	29.82	757.4	72	81	N E	2	om	,,	29.83	757.7	72	85	E	2	om
Sharp Peak,	,,	29.79	756.6	74	88	N	1	og	,,	29.77	756.1	72	93	N	1	og
Amoy,	,,	29.73	755.1	80	82	N E	3	f	6 a.	29.81	757.2	76	86	N E	2	c
Swatow,	,,	29.72	754.9	82	79	E	2	o	,,	29.72	754.9	76	91	E N E	2	o
Taihoku,	1 p.	29.74	755.4	...	...	E	4	...	5 a.	29.75	755.5	...	...	...	0	...
Taichu,	,,	29.74	755.3	...	...	N W	2	...	,,	29.73	755.2	...	...	...	0	...
Tainan,	,,	29.72	754.9	...	...	S W	4	...	,,	29.70	754.4	...	...	N E	2	...
Koshun,	,,	29.74	755.4	...	...	S	4	...	,,	29.71	754.6	...	...	N E	2	...
Pescadores,	,,	29.73	755.1	...	...	N E	8	...	,,	29.71	754.6	...	...	N E	4	...
Canton,	3 p.	29.68	753.9	82	87	E S E	1	o	9 a.	29.70	754.4	80	87	E S E	1	o
Hongkong,	4 p.	29.65	753.1	79	91	E	3	o	10 a.	29.70	754.4	80	83	E	3	ol
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.64	752.8	82	...	S E	1	o	,,	29.70	754.4	81	...	E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.6	79	...	N E	4	lt	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.59	751.7	91	...	N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.70	754.5	90	...	N E	1	o	6 a.	29.67	754.1	77	...	W	1	b
Manila,	4 p.	29.69	754	82	77	S	1	o	10 a.	29.69	754	86	65	S S W	1	c
Legaspi,	2 p.	29.74	755.5	84	...	S W	1	o	6 a.	29.71	754.6	77	...	W	1	o
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.75	755.6	87	...	S W	3	o	,,	29.76	755.9	80	...	S W	5	o
Cebu,	,,	29.76	755.6	87	...	S	4	c	,,	29.78	756.4	89	...	S	6	...
Labuan,	,,	29.77	756.1	89	...	...	...	...	,,	29.86	758.4	84	...	...	...	...

On the 23rd at 12.05 p.—The barometer has fallen considerably over the Philippines, and a slight to moderate fall of the mercury has occurred also, on the China coast and in Formosa.

A circular depression appears to be developing, probably, to the E.N.E. of the Paracels, in the low pressure trough lying across the N. part of the China Sea.

Disturbed weather may be expected over the middle and northern parts of the China Sea, with strong N.E. winds along its Northern shores and in the Formosa Channel.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 23rd June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JUNE, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S	8	...
Hakodate,	,,	29.77	756.2	...	...	S E	2	...
Tokio,	,,	29.83	757.6	...	...	N E	2	...
Kochi,	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S W	4	...
Kagoshima,	,,	29.80	756.9	...	...	S E	2	...
Oshima,	,,	29.77	756.1	...	...	S	4	...
Naha,	,,	29.77	756.2	...	...	E	2	...
Ishigakijima,	,,	29.74	755.3	...	...	S E	4	...
Chefoo,	3 p.	29.75	755.6	77	73	N W	2	b
Weihaiwei,	,,	29.73	755.1	75	...	N	1	b
Hankow,	,,	29.88	758.9	74	93	E N E	2	or
Kiukiang,	,,	29.84	757.9	73	81	N E	2	o
Shanghai,	,,	29.78	756.4	80	66	E S E	1	o
Gutzlaff,	,,	29.78	756.4	78	82	E SE	2	om
Sharp Peak,	,,	29.74	755.4	75	90	N E	3	og
Amoy,	,,	29.74	755.4	82	79	E	4	c
Swatow,	,,	29.64	752.8	83	83	E	3	c
Taihoku,	1 p.	29.71	754.7	...	...	N E	6	...
Taichu,	,,	29.68	753.9	...	...	N W	4	...
Tainan,	,,	29.69	754.0	...	...	N	4	...
Koshun,	,,	29.68	753.9	...	...	E	6	...
Pescadores,	,,	29.69	754.1	...	...	N	8	...
Canton,	3 p.	29.62	752.3	86	84	S E	2	c
Hongkong,	4 p.	29.61	752.1	80	86	E	4	o
Victoria Peak,	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...
Macao,	,,	29.61	752.1	81	...	E S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.50	749.4	84	...	S S E	3	lt
Tourane,	,,	29.59	751.7	90	...	...	0	o
Cape St. James,	,,	29.66	753.3	84	...	N W	2	c
Aparri,	2 p.	29.63	752.6	90	...	N E	1	b
Manila,	4 p.	29.61	752	86	71	S W	2	o
Legaspi,	2 p.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S S W	1	g
Iloilo,	,,	29.68	753.9	80	...	S W	5	or
Cebu,	,,	29.68	753.9	85	...	S	1	or
Labuan,	,,	29.72	754.9	88	...	...	...	...

Station.	24th JUNE, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	...	...	...	...	...	...	...
Nemuro,	6 a.	29.93	760.1	...	...	S	4	..
Hakodate,	,,	29.77	756.2	...	...	N W	2	...
Tokio,	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.72	754.8	...	...	...	0	...
Nagasaki,	,,	29.76	755.8	...	...	...	0	...
Kagoshima,	,,	29.76	755.9	...	...	N E	6	...
Oshima,	,,	29.69	754.1	...	...	...	0	...
Naha,	,,	29.69	754.2	...	...	...	0	...
Ishigakijima,	,,	29.66	753.3	...	...	N E	4	...
Chefoo,	6 a.	29.76	755.9	72	62	S E	1	b
Weihaiwei,	9 a.	29.83	757.7	75	...	S S E	1	o
Hankow,	6 a.	29.75	755.6	72	96	E	2	or
Kiukiang,	,,	...	...	...	...	...	...	...
Shanghai,	9 a.	29.81	757.2	75	86	..	0	om
Gutzlaff,	,,	29.81	757.2	73	90	E N E	1	om
Sharp Peak,	,,	29.75	755.6	75	86	N	2	o
Amoy,	6 a.	29.70	754.4	79	82	N E	3	c
Swatow,	,,	29.67	753.6	77	91	S	1	c
Taihoku,	5 a.	29.64	752.8	...	...	N	4	...
Taichu,	,,	29.65	753.0	...	...	...	0	...
Tainan,	,,	29.63	752.7	...	...	...	0	...
Koshun,	,,	29.62	752.3	...	...	N	2	...
Pescadores,	,,	29.63	752.6	...	...	N	6	...
Canton,	9 a.	...	...	...	...	...	...	...
Hongkong,	10 a.	29.69	754.1	81	79	E	4	o
Victoria Peak,	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	..	...	...
Macao,	,,	29.69	754.1	80	...	E	2	od
Hoihow,	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...
Phulien,	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...
Aparri,	6 a.	29.60	751.8	77	...	S	1	o
Manila,	10 a.	29.65	753	81	85	S S W	3	o
Legaspi,	6 a.	29.68	753.9	75	...	W	1	o
Bacolod,	9 a.	...	...	...	...	S W	1	p
Iloilo,	,,	29.74	755.4	81	...	S W	6	pq
Cebu,	,,	29.76	755.9	85	...	S	4	c
Labuan,	,,	29.79	756.6	82	...	...	...	...

On the 24th at 12.05 p.—The barometer has fallen moderately over Formosa, the Loochoos and Japan, and a slight fall has occurred over the Philippines and S. China.

The low pressure trough still lies over the N. part of the China Sea, probably in about 19° Lat.. A depression may be forming in the trough in the neighbourhood of the Balingtang Channel.

Disturbed weather will continue to prevail over the China Sea, and strong N.E. winds may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E. winds, fresh or strong; squally, showery.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 24th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th June, 1907, P.M.								25th June, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	S	4	...
Hakodate,	,,	29.77	756.2	...	...	S	2	...	,,	29.73	755.2	...	...	N W	2	...
Tokio,	,,	29.83	757.6	...	...	S E	2	...	,,	29.79	756.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	S E	2	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.76	755.8	...	...	W	4	...	,,	29.76	755.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	...	0	...	,,	29.80	756.9	...	...	N W	2	...
Oshima,	,,	29.77	756.1	...	...	N	4	...	,,	29.73	755.1	...	...	...	0	...
Naha,	,,	29.69	754.2	...	...	N	4	...	,,	29.62	752.2	...	...	E	4	...
Ishigakijima,	,,	29.62	752.3	...	...	N E	8	...	,,	29.54	750.3	...	...	N E	6	...
Chefoo,	3 p.	29.75	755.6	84	87	S	1	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.74	755.4	85	...	W N W	2	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.88	758.9	76	95	N	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.81	757.2	77	77	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.77	756.1	81	71	E S E	1	o	9 a.	29.79	756.6	79	70	N W	1	b
Gutzlaff,	,,	29.78	756.4	77	86	E S E	1	cm	,,	29.78	756.4	75	86	...	0	cm
Sharp Peak,	,,	29.69	754.1	77	88	N N E	3	o	,,	29.71	754.6	75	77	N N E	4	o
Amoy,	,,	29.68	753.9	85	79	S E	3	o	6 a.	29.71	754.6	79	78	N E	2	b
Swatow,	,,	29.61	752.1	84	79	S E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.67	753.5	...	...	E	8	...	5 a.	29.61	752.1	...	...	E	6	...
Taichu,	,,	29.59	751.7	...	...	N	4	...	,,	29.53	750.0	...	...	...	0	...
Tainan,	,,	29.60	751.9	...	...	N W	4	...	,,	29.52	749.8	...	...	N	2	...
Koshun,	,,	29.61	752.2	...	...	N	6	...	,,	29.52	749.8	...	...	N	6	...
Pescadores,	,,	29.63	752.6	...	...	N	8	...	,,	29.52	749.8	...	...	N	10	...
Canton,	3 p.	29.62	752.3	92	74	S E	1	b	9 a.	29.67	753.6	81	96	...	0	o
Hongkong,	4 p.	29.61	752.1	81	76	E	3	c	10 a.	29.65	753.1	82	77	E	3	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.60	751.8	83	...	E S E	1	c	,,	29.65	753.1	83	...	...	0	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.54	750.3	84	...	E	3	lt	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.56	750.7	93	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.5	81	...	W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.61	752.0	84	...	N	2	o	6 a.	29.54	750.3	77	...	S	1	d
Manila,	4 p.	29.61	752	81	85	S W	2	o	10 a.	29.69	754	82	77	S S W	4	g
Legaspi,	2 p.	29.66	753.3	84	...	S W	1	o	6 a.	29.72	754.9	75	...	S W	1	o
Bacolod,	3 p.	...	...	...	...	S S W	1	opg	9 a.	...	...	...	...	...	0	g
Iloilo,	,,	29.70	754.4	82	...	S W	4	or	,,	29.78	756.4	80	...	S W	5	or
Cebu,	,,	29.71	754.6	83	...	S	3	o	,,	29.83	757.7	82	...	S	2	o
Labuan,	,,	29.71	754.6	90	...	...	...	...	,,	29.76	755.9	84	...	...	...	...

On the 25th at 12.05 p.—The barometer has fallen considerably over Formosa and the Southern Loochoos, and a further slight fall has occurred over S. China. In the Southern Philippines pressure is slowly increasing.

The depression, which is probably becoming deeper, appears to be situated to the S.E. of Formosa and to be moving slowly towards N.W.

N.E. gales are expected to prevail in the Formosa Channel, and fresh or strong N.E. and N. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to N. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	N.E. to N. winds, strong.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 25th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JUNE, 1907, P.M.								26th JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro,	,,	29.85	758.1	...	...	S	6	...	6 a.	29.73	755.1	...	...	S W	2	..
kodate,	,,	29.73	755.2	...	...	S	4	...	,,	29.73	755.2	...	...	S W	2	...
zio,	,,	29.79	756.6	...	...	S E	4	...	,,	29.75	755.6	...	...	...	0	...
chi,	,,	29.76	755.8	...	...	E	2	...	,,	29.72	754.8	...	...	S W	2	...
gasaki,	,,	29.76	755.8	...	...	W	4	...	,,	29.72	754.8	...	...	...	0	...
goshima,	,,	29.76	755.9	...	...	...	0	...	,,	29.68	753.9	...	...	N	2	...
hima,	,,	29.73	755.1	...	...	S E	2	...	,,	29.61	752.1	...	...	N E	2	...
ha,	,,	29.65	753.2	...	...	N E	8	...	,,	29.50	749.2	...	...	N E	8	...
igakijima,	,,	29.54	750.3	...	...	N E	6	...	,,	29.54	750.3	...	...	N E	8	...
efoo,	3 p.	29.71	754.6	75	81	N E	2	b	6 a.	29.74	755.4	68	85	S	1	b
ihaiwei,	,,	29.80	756.9	76	...	E	2	b	9 a.	...	...	...	...	...	...	...
nkow,	,,	...	...	...	...	...	...	...	6 a.	29.83	757.7	72	90	W	1	b
ukiang,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	71	95	N E	1	b
anghai,	,,	29.72	754.9	86	51	E N E	1	c	9 a.	29.73	755.1	79	61	N E	...	b
atzlaff,	,,	29.75	755.6	79	74	E S E	1	cm	,,	29.73	755.1	74	81	E N E	2	cm
arp Peak,	,,	29.66	753.3	76	79	N N E	4	o	,,	29.65	753.1	76	69	N	3	b
moy,	,,	29.60	751.8	86	61	N E	6	c	6 a.	29.67	753.6	85	79	N E	3	o
atow,	,,	29.53	750.0	83	75	E S E	4	c	,,	29.57	751.1	77	91	N E	2	c
aihoku,	1 p.	29.61	752.2	...	...	E	6	...	5 a.	29.59	751.5	...	...	S E	2	...
aichu,	,,	29.50	749.4	...	...	N	4	...	,,	29.51	749.5	...	...	...	0	...
ainan,	,,	29.49	749.0	...	...	N W	4	...	,,	29.52	749.9	...	...	N	2	...
oshun,	,,	29.50	749.3	...	...	N W	4	...	,,	29.49	749.1	...	...	N W	4	...
escadores,	,,	29.51	749.6	...	...	N	10	...	,,	29.50	749.3	...	...	N	8	...
anton,	3 p.	29.54	750.3	83	84	E	1	c	9 a.	29.64	752.8	78	91	...	0	o
ongkong,	4 p.	29.53	750.0	82	79	...	0	o	10 a.	29.62	752.3	81	75	N E	1	o
ictoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	E N E	2	...
ap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
iacao,	,,	29.54	750.3	83	...	S E	1	o	,,	29.63	752.6	79	...	N E	1	od
oihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.54	750.3	86	...	E S E	4	c	10 a.	...	...	...	...	...	...	...
ourane,	,,	29.59	751.7	79	...	S	1	or	,,	...	...	...	...	...	...	...
ape St. James,	,,	29.65	753.2	82	...	W	4	o	,,	...	...	...	...	...	...	...
parri,	2 p.	29.54	750.4	84	...	S	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.61	752	79	84	S	2	o	10 a.	29.73	755	82	70	S	2	o
egaspi,	2 p.	29.71	754.6	84	...	S W	1	o	6 a.	...	...	...	...	...	...	...
acolod,	3 p.	...	...	...	...	S W	1	gr	9 a.	...	...	...	...	S W	1	pg
loilo,	,,	29.72	754.9	82	...	S W	6	pg	,,	29.78	756.4	81	...	S W	4	o
ebu,	,,	29.71	754.6	86	...	S	2	c	,,	29.80	757.2	83	...	...	0	c
abuan,	,,	29.69	754.1	89	...	...	...	...	,,	29.77	756.1	84	...	...	...	...

On the 26th at 12.05 p.—Except over the Southern Philippines, the barometer has fallen generally, slightly on the China coast and in Formosa and considerably over the Loochoos and S.W. Japan.

The depression appears to be moving slowly northwards to the S.E. of Meiaco Sima.

Pressure is highest over the Yangtze Valley.

Strong N.E. and N. winds may be expected in the Formosa Channel, and fresh N.E. to N.W. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
.—Hongkong and Neighbourhood,	N.E. to N. fresh or moderate; squally, showery.
.—Formosa Channel,	N.E. and N. winds, strong.
.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
.—South coast of China between Hongkong and Hainan,	N.W. to W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 26th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JUNE, 1907, P.M.								27th JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.65	753.1	...	...	...	0	...
Hakodate,	,,	29.69	754.2	...	...	S W	4	...	,,	29.77	756.2	...	...	W	2	...
Tokio,	,,	29.71	754.6	...	...	...	0	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.72	754.8	...	...	S E	2	...	,,	29.64	752.8	...	...	...	0	...
Nagasaki,	,,	29.64	752.8	...	...	N	6	...	,,	29.60	751.8	...	...	N	2	...
Kagoshima,	,,	29.68	753.9	...	...	E	6	...	,,	29.52	749.9	...	...	N W	6	...
Oshima,	,,	29.49	749.1	...	...	N E	4	...	,,	29.65	753.1	...	...	N	6	...
Naha,	,,	29.50	749.2	...	...	N	6	...	,,	29.69	754.2	...	...	...	0	...
Ishigakijima,	,,	29.54	750.3	...	...	N E	8	...	,,	29.70	754.3	...	...	N E	2	...
Chefoo,	3 p.	29.67	753.6	86	92	E	2	b	6 a.	29.66	753.3	75	48	S	2	b
Weihaiwei,	,,	29.67	753.6	75	...	S	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.79	756.6	90	38	N E	1	b	6 a.	29.83	757.7	75	90	W	1	b
Kiukiang,	,,	29.76	755.9	90	47	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.69	754.1	81	59	N E	1	c	9 a.	29.76	755.9	77	61	S E	1	b
Gutzlaff,	,,	29.70	754.4	81	78	N E	2	cm	,,	29.77	756.1	75	77	E S E	1	cm
Sharp Peak,	,,	29.63	752.6	79	74	E N E	3	b	,,	29.73	755.1	74	76	N	2	o
Amoy,	,,	29.61	752.1	87	58	N E	6	c	6 a.	29.70	754.4	83	79	N E	3	c
Swatow,	,,	29.54	750.3	84	64	E	4	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.63	752.5	...	...	E	6	...	5 a.	29.68	753.9	...	...	E	4	...
Taichu,	,,	29.55	750.5	...	...	...	0	...	,,	29.65	753.1	...	...	...	0	...
Tainan,	,,	29.54	750.3	...	...	E	2	...	,,	29.62	752.2	...	...	N E	2	...
Koshun,	,,	29.55	750.5	...	...	E	6	...	,,	29.61	752.0	...	...	E	8	...
Pescadores,	,,	29.52	749.9	...	...	N E	10	...	,,	29.60	751.8	...	...	N	2	...
Canton,	3 p.	29.56	750.8	83	73	N N W	1	c	9 a.	29.64	752.8	83	75	N	1	b
Hongkong,	4 p.	29.54	750.3	82	72	E S E	3	o	10 a.	29.61	752.1	84	39	E N E	2	b
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.55	750.5	84	...	...	0	o	,,	29.62	752.3	83	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.54	750.3	88	...	N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.56	750.7	...	...	S	2	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.65	753.9	84	...	S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.65	753	86	65	S	3	o	10 a.	29.80	757	82	77	S	3	o
Legaspi,	2 p.	29.72	755.0	88	...	S W	1	o	6 a.	29.82	757.4	77	...	S W	1	b
Bacolod,	3 p.	...	...	...	...	S W	1	gd	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.75	755.6	82	...	S W	4	o	,,	29.83	757.7	82	...	...	0	b
Cebu,	,,	29.79	756.6	82	...	S	2	b	,,	29.85	758.2	85	...	S	1	b
Labuan,	,,	29.71	754.6	90	...	...	...	...	,,	29.83	757.7	86	...	...	...	...

On the 27th at 11.50 a.—The depression moving towards N.N.E., passed to the E. of the Loochoos last night and is this morning situated to the S.E. of Kiusiu.

The barometer has risen considerably to moderately over the Loochoos, Formosa and the S. Philippines, while in the neighbourhood of Hongkong it is unchanged.

The low pressure trough still lies over the N. part of the China Sea, probably in about 19° Lat.. A circular depression may have formed or be forming in it to the S.E. of Hongkong.

Disturbed weather may be expected over the N. part of the China Sea, with strong N.E. winds in the Formosa Channel, and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair to squally, and unsettled.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 27th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th June, 1907, P.M.								28th June, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro,	,,	29.69	754.1	...	...	S E	2	...	6 a.	29.69	754.1	...	...	...	0	..
kodate,	,,	29.73	755.2	...	...	W	4	...	,,	29.69	754.2	...	...	...	0	...
kio,	,,	29.83	757.6	...	...	...	0	...	,,	29.63	752.6	...	...	N W	2	...
chi,	,,	29.52	749.8	...	...	E	6	...	,,	29.76	755.8	...	...	...	0	...
gasaki,	,,	29.64	752.8	...	...	N	6	...	,,	29.84	757.8	...	...	...	0	...
goshima,	,,	29.64	752.9	...	...	W	6	...	,,	29.88	758.9	...	...	...	0	...
hima,	,,	29.73	755.1	...	...	W	2	...	,,	29.85	758.1	...	...	...	0	...
ha,	,,	29.77	756.2	...	...	S W	2	...	,,	29.85	758.2	...	...	S	4	...
higakijima,	,,	29.78	756.3	...	...	S E	2	...	,,	29.78	756.3	...	...	S	10	...
efoo,	3 p.	29.64	752.8	97	38	S E	1	b	6 a.	29.68	753.9	72	62	S W	2	c
eihaiwei,	,,	29.66	753.3	88	...	S S E	2	b	9 a.	...	...	...	...	...	...	...
ankow,	,,	...	...	...	...	...	...	...	6 a.	29.78	756.4	76	95	S E	1	b
ukiang,	,,	29.78	756.4	89	96	N E	1	b	,,	29.74	755.4	73	95	S E	1	b
anghai,	,,	29.72	754.9	83	40	S E	2	b	9 a.	...	...	78	58	S S E	2	cm
utzlaff,	,,	29.75	755.6	79	78	S E	1	cv	,,	29.73	755.1	75	90	S S E	3	cm
arp Peak,	,,	29.72	754.9	77	82	N E	3	c	,,	29.63	752.6	73	88	N W	3	ofd
moy,	,,	29.66	753.3	82	60	N E	6	o	6 a.	29.60	751.8	76	82	N W	2	o
watow,	,,	29.59	751.6	86	45	N E	3	c	,,	...	...	...	...	...	...	...
aihoku,	1 p.	29.70	754.3	...	...	S E	6	...	5 a.	29.65	753.0	...	...	S W	2	...
aichu,	,,	29.70	754.3	...	...	W	2	...	,,	29.67	753.5	...	...	S E	2	...
ainan,	,,	29.68	753.9	...	...	N	4	...	,,	29.70	754.4	...	...	S	4	...
oshun,	,,	29.64	752.9	...	...	S E	8	...	,,	29.72	754.8	...	...	S	6	...
escadores,	,,	29.64	752.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
anton,	3 p.	29.60	751.8	91	81	...	0	b	9 a.	29.74	755.4	82	79	...	0	b
ongkong,	4 p.	29.58	751.3	83	56	E	3	c	10 a.	29.74	755.4	84	70	W	1	c
ictoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	...	...	...
ap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao,	,,	29.59	751.6	85	...	S E	1	c	,,	29.74	755.4	83	...	S	1	c
oihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.62	752.4	82	...	E	2	c	10 a.	...	...	...	...	...	...	...
ourane,	,,	29.68	753.8	75	...	...	0	or	,,	...	...	...	...	...	...	...
ape St. James,	,,	29.65	753.1	86	...	W	3	c	,,	...	...	...	...	...	...	...
parri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
anila,	4 p.	29.76	756	86	65	S S W	3	o	10 a.	29.88	759	83	59	S S E	0	o
egaspi,	2 p.	29.78	756.4	93	...	S W	1	c	6 a.	29.83	759.3	79	...	W	1	b
acolod,	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	S W	1	c
oilo,	,,	29.79	756.6	87	...	S W	2	c	,,	29.89	759.2	85	...	S W	1	c
ebu,	,,	29.87	758.7	88	...	S	1	c	,,	29.90	759.4	88	...	...	0	b
abuan,	,,	29.77	756.1	90	...	...	...	...	,,	29.88	758.9	85	...	...	...	...

On the 28th at 11.55 a.—The barometer has risen considerably in Hongkong, and fallen quickly at Sharp Peak. The China Sea depression, which appears to be shallow, moved up the Formosa Channel last night, and is this morning situated off the coast in the neighbourhood of Foochow.

The other depression is moving to the N.E. over S.E. Japan.

Pressure has reached the normal over the Philippines, and nearly so in Hongkong. It is highest over the Pacific to the E. of the Philippines.

Strong S.W. winds may be expected in the Formosa Channel, and fresh S. monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate to fresh; fair.
2.—Formosa Channel,	S.W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 28th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th JUNE, 1907, P.M.								29th JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.61	752.1	...	...	N W	4	...	6 a.	29.53	750.1	...	...	S W	4	...
Hakodate,	,,	29.61	752.2	...	...	S E	2	...	,,	29.65	753.2	...	...	...	0	...
Tokio,	,,	29.55	750.6	...	...	S E	4	...	,,	29.55	750.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	S W	2	...	,,	29.76	755.8	...	...	...	0	...
Nagasaki,	,,	29.83	757.8	...	...	S W	6	...	,,	29.68	753.8	...	...	S W	6	...
Kagoshima,	,,	29.88	758.9	...	...	S	2	...	,,	29.68	753.9	...	...	W	6	...
Oshima,	,,	29.89	759.1	...	...	S	4	...	,,	29.81	757.1	...	...	S	4	...
Naha,	,,	29.89	759.2	...	...	S	4	...	,,	29.81	757.2	...	...	S W	4	...
Ishigakijima,	,,	29.82	757.3	...	...	S	10	...	,,	29.78	756.3	...	...	S	8	...
Chefoo,	3 p.	29.62	752.3	88	80	N E	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.72	754.9	95	53	S	1	b
Kiukiang,	,,	29.71	754.6	93	40	...	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.62	752.3	86	65	S E	2	c	9 a.	29.68	753.9	82	75	S W	1	b
Gutzlaff,	,,	29.64	752.8	78	95	S E	...	om	,,	29.68	753.9	78	91	W	1	cu
Sharp Peak,	,,	29.66	753.1	78	84	S	2	cv	,,	29.74	755.4	78	84	S	1	b
Amoy,	,,	29.73	755.1	84	63	S W	3	b	6 a.	29.79	756.6	83	71	S W	1	c
Swatow,	,,	29.67	753.6	89	73	S	2	b	,,	29.71	754.6	78	91	...	0	c
Taihoku,	1 p.	29.71	754.6	...	...	W	4	...	5 a.	29.75	755.6	...	...	...	0	...
Taichu,	,,	29.73	755.2	...	...	...	0	...	,,	29.77	756.1	...	...	...	0	...
Tainan,	,,	29.78	756.4	...	...	S E	6	...	,,	29.78	756.5	...	...	S E	2	...
Koshun,	,,	...	...	...	...	...	...	...	,,	29.79	756.7	...	...	...	...	...
Pescadores,	,,	29.72	755.0	...	...	S E	6	...	,,	29.75	755.7	...	...	S	4	...
Canton,	3 p.	29.69	754.1	92	61	E S E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.70	754.4	82	75	S S W	2	c	10 a.	29.77	756.1	83	66	E	2	c
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.70	754.4	83	...	S S E	1	c	,,	29.77	756.1	83	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.1	86	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.71	754.6	79	...	S E	1	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.70	754.3	82	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.79	756.6	90	...	S	1	o	6 a.	29.82	757.5	77	...	S	1	o
Manila,	4 p.	29.80	757	88	66	W S W	4	c	10 a.	29.88	759	84	71	W	1	c
Legaspi,	2 p.	29.85	758.3	90	...	E	1	b	6 a.	29.89	759.1	77	...	W	1	b
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.83	757.7	86	...	S W	2	c	,,	29.85	757.2	83	...	S W	1	b
Cebu,	,,	29.83	757.7	87	...	S	2	b	,,	29.88	758.9	85	...	S	2	b
Labuan,	,,	29.80	756.9	91	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 29th at 11.45 a.—The barometer has fallen quickly over S.W. Japan, and risen moderately at the Formosa Channel stations.

The depression appears to have moved quickly to the N.N.E., and to be now situated over Korea.

The depression lying over S.E. Japan yesterday, is moving away over the Pacific.

Pressure is practically normal over S. China and the Philippines, but inclined to give way again over the S. part of the latter area.

Moderate S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate ; fine at first, showery later.
2.—Formosa Channel,	S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 29th June, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th JUNE, 1907, P.M.								30th JUNE, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro,	,,	29.49	749.1	...	...	S W	4	...	6 a.	...	...	...	...	...	...	..
kodate,	,,	29.57	751.2	...	...	S W	4	...	,,	29.58	751.2	...	...	...	0	...
kio,	,,	29.67	753.6	...	...	S	6	...	,,	29.59	751.6	...	...	...	0	...
chi,	,,	29.60	751.8	...	...	S	2	...	,,	29.72	754.8	...	...	S W	2	...
gasaki,	,,	29.64	752.8	...	...	S W	4	...	,,	29.76	755.8	...	...	S W	4	...
goshima,	,,	29.68	753.9	...	...	S W	6	...	,,	29.76	755.9	...	...	...	0	...
hima,	,,	29.77	756.1	...	...	S	4	...	,,	29.81	757.1	...	...	S	2	...
ha,	,,	29.85	758.2	...	...	S	4	...	,,	29.85	758.2	...	...	S W	2	...
igakijima,	,,	29.82	757.3	...	...	S	6	...	,,	29.82	757.3	...	...	S W	6	...
efoo,	3 p.	29.62	752.3	81	100	N W	2	c	6 a.	29.68	753.9	66	95	E S E	1	o
eihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ankow,	,,	...	...	93	67	S	1	c	6 a.	...	...	...	...	...	...	...
ukiang,	,,	29.69	754.1	...	...	W	2	b	,,	29.70	754.4	78	86	...	0	b
anghai,	,,	29.66	753.3	89	66	E	2	c	9 a.	29.63	752.6	88	59	S W	1	c
utzlaff,	,,	29.66	753.3	85	79	S E	2	bm	,,	29.65	753.1	78	86	S	2	bm
arp Peak,	,,	29.70	754.4	82	83	S	4	c	,,	29.74	755.4	80	91	S	1	o
moy,	,,	29.73	755.1	82	83	S E	4	c	6 a.	...	...	80	87	S E	2	or
watow,	,,	29.74	755.4	86	76	S S E	2	c	,,	...	...	...	...	...	...	...
aihoku,	1 p.	29.77	756.2	...	...	W	4	...	5 a.	...	...	...	...	...	...	...
aichu,	,,	29.81	757.2	...	...	S	2	...	,,	...	...	...	...	...	...	...
ainan,	,,	29.83	757.6	...	...	S E	4	...	,,	...	...	...	...	...	...	...
oshun	,,	29.82	757.5	...	...	S W	4	...	,,	...	...	...	...	...	...	...
escadores,	,,	29.78	756.4	...	...	S	4	...	,,	...	...	...	...	...	...	...
anton,	3 p.	29.73	755.1	91	54	S E	1	lt	9 a.	29.76	755.9	79	95	S E	1	o
ongkong,	4 p.	29.72	754.9	83	72	E S E	2	o	10 a.	29.79	756.6	81	83	S	2	op
ictoria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	S	4	...
ap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao,	,,	29.73	755.1	83	...	S E	1	o	,,	29.77	756.1	81	...	S S E	1	o
oihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.66	753.4	86	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
ourane,	,,	29.72	754.8	84	...	E S E	1	lt	,,	...	...	...	...	...	...	...
ape St. James,	,,	29.70	754.6	82	...	S W	3	c	,,	...	...	...	...	...	...	...
pari,	2 p.	29.83	757.8	88	...	N	1	o	6 a.	29.85	758.2	81	...	S W	1	b
anila,	4 p.	29.80	757	86	71	S W	1	c	10 a.	29.88	759	86	82	S S W	1	c
egaspi,	2 p.	29.82	757.5	90	...	E	1	b	6 a.	29.90	759.5	77	...	...	0	o
acolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N E	1	c
oilo,	,,	29.79	756.6	87	...	S W	1	o	,,	29.87	758.7	82	...	S W	1	c
ebu,	,,	29.77	756.1	88	...	...	0	c	,,	29.92	759.9	83	...	...	0	o
abuan,	,,	29.77	756.1	89	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 30th at 11.45 a.—The depression is moving towards N.E. over E. Japan.

The barometer has risen moderately in W. Japan, and fallen slightly on the E. coast of China. Pressure is low apparently, over China to the North of the Yangtze. It is normal over S. China, the Loochoos and the Philippines.

Moderate to fresh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	S. winds, moderate to fresh; squally, thunder showers.
—Formosa Channel,	Same as No. 1.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 30th June, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th June, 1907, P.M.								1st July, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.69	754.1	...	...	N E	6	...	6 a.	29.81	757.1	...	...	...	0	
Hakodate,	,,	29.61	752.2	...	...	W	2	...	,,	29.73	755.2	...	...	S	4	
Tokio,	,,	29.67	753.6	...	...	S E	6	...	,,	29.79	756.6	...	...	...	0	
Kochi,	,,	29.72	754.8	...	...	S E	4	...	,,	29.76	755.8	...	...	...	0	
Nagasaki,	,,	29.72	754.8	...	...	S W	6	...	,,	29.68	753.8	...	...	S W	4	
Kagoshima,	,,	29.76	755.9	...	...	W	4	...	,,	29.72	754.9	...	...	S	2	
Oshima,	,,	29.77	756.1	...	...	S	4	...	,,	29.81	757.1	...	...	...	0	
Naha,	,,	29.77	756.2	...	...	S W	4	...	,,	29.81	757.2	...	...	S	2	
Ishigakijima,	,,	29.82	757.3	...	...	S	6	...	,,	29.78	756.3	...	...	S	6	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.54	750.3	67	100	E	1	
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.66	753.3	97	45	S W	3	b	,,	...	...	...	...	...	...	
Shanghai,	,,	29.55	750.5	96	37	S W	1	c	9 a.	29.59	751.6	85	72	S W	1	
Gutzlaff,	,,	29.58	751.3	81	87	S S W	2	cm	,,	29.59	751.6	80	91	S S W	2	
Sharp Peak,	,,	29.68	753.9	82	87	S	2	ort	,,	29.75	755.5	81	89	S	2	
Amoy,	,,	29.74	755.4	82	91	S E	3	o	6 a.	29.73	755.1	80	87	[illegible]		
Swatow,	,,	29.75	755.6	81	96	W	1	c	,,	29.75	755.6	80	96	S	...	
Taihoku,	1 p.	29.75	755.7	...	...	W	4	...	5 a.	29.76	756.0	...	...		2	
Taichu,	,,	29.82	757.3	...	...	W	4	...	,,	29.84	757.8	...	...	...	0	
Tainan,	,,	29.81	757.1	...	...	S	4	...	,,	29.84	757.9	...	...	S E	4	
Koshun,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	...	...	W	4	
Pescadores,	,,	29.80	757.0	...	...	S	6	...	,,	29.80	756.9	...	...	S	6	
Canton,	3 p.	29.72	754.9	83	83	S	1	o	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.71	754.6	82	78	S	3	oq	10 a.	29.78	756.4	84	75	S S W	3	
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	7	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.70	754.4	82	...	S	2	o	,,	29.77	756.1	84	...	S	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.62	752.4	84	...	S S E	5	c	10 a.	...	...	...	...	...		
Tourane,	,,	29.70	754.3	88	...	N E	2	lt	,,	...	...	...	...		...	
Cape St. James,	,,	29.75	755.6	82	...	W	2	c	,,	...	...	...	...		...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	75	...	W	1	
Manila,	4 p.	29.80	757	86	71	S W	2	o	10 a.	29.92	760	86	71	W	1	
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.93	760.1	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	1	
Iloilo,	,,	29.83	757.7	84	...	W	1	c	,,	29.89	759.2	82	...	S W	1	
Cebu,	,,	29.83	757.7	85	...	S	1	b	,,	29.92	759.9	85	...	...	0	
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.89	759.2	84	...	...	...	

On the 1st at 11.35 a.—The barometer has risen considerably in E. Japan, and fallen slightly to moderate over W. Japan and N. China.

A depression appears to be moving towards E.N.E. over Shantung, with pressure about 0.2 inch below the average at Shanghai. Pressure is high, about 0.05 inch in excess of the normal, over the Philippines.

Fresh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to S.W. winds, fresh; squally, thunder showers.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 1st July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JULY, 1907, P.M.								2nd JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
emuro, ...	,,	29.77	756.1	...	...	S	4	...	6 a.	29.81	757.1	...	...	S E	2	..
akodate, ...	,,	29.73	755.2	...	...	S E	6	...	,,	29.77	756.2	...	...	S E	2	...
kio, ...	,,	29.75	755.6	...	...	S	4	...	,,	29.71	754.6	...	...	S W	2	...
ochi, ...	,,	29.72	754.8	...	...	E	2	...	,,	29.72	754.8	...	...	...	0	...
agasaki, ...	,,	29.68	753.8	...	...	S W	6	...	,,	29.68	753.8	...	...	S W	4	...
agoshima, ...	,,	29.76	755.9	...	...	S W	2	...	,,	29.76	755.9	...	...	S	2	...
hima, ...	,,	...	...	...	...	...	...	...	,,	29.81	757.1	...	...	S	2	...
iha, ...	,,	29.85	758.2	...	...	S	4	...	,,	29.85	758.2	...	...	S	4	...
aigakijima, ...	,,	29.82	757.3	...	...	S	8	...	,,	29.86	758.3	...	...	S W	6	...
efoo, ...	3 p.	29.50	749.3	68	90	N	2	o	6 a.	29.60	751.8	64	100	W N W	2	c
eihaiwei, ...	,,	29.50	749.3	70	...	E	2	o	9 a.	29.66	753.3	69	...	N W	3	ovr
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ukiang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai, ...	,,	29.57	751.1	91	57	W N W	2	c	9 a.	29.65	753.1	78	91	...	1	o
tzlaff, ...	,,	29.60	751.8	79	82	N E	1	om	,,	29.66	753.3	76	95	S S W	2	om
[illegible] Peak, ...	,,	29.79	754.4	82	89	S	3	o	,,	29.75	755.6	80	91	S	2	og
[illegible]	,,	29.75	755.6	81	91	S W	5	or	6 a.	29.75	755.6	79	87	S W	4	o
[illegible]	,,	29.75	755.6	85	83	S W	3	o	,,	29.74	755.4	80	96	S W	2	c
ihoku, ...	1 p.	29.78	756.3	...	...	W	6	...	5 a.	29.78	756.3	...	...	...	0	...
ichu, ...	,,	29.84	758.0	...	...	S	4	...	,,	29.83	757.7	...	...	S	2	...
inan, ...	,,	29.86	758.4	...	...	S	6	...	,,	29.84	757.9	...	...	S E	2	...
oshun.....	,,	...	...	...	...	...	...	...	,,	29.85	758.1	...	...	N W	2	...
escadores, ...	,,	29.82	757.3	...	...	S	8	...	,,	29.80	756.8	...	...	S	6	...
nton, ...	3 p.	29.72	754.9	81	96	E S E	1	or	9 a.	29.76	755.9	85	79	S E	2	c
ongkong, ...	4 p.	29.72	754.9	82	83	S S W	3	opq	10 a.	29.78	756.4	82	84	S W	2	opq
ctoria Peak, ...	,,	...	...	...	...	S	7	...	,,	...	...	...	...	...	...	...
p Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao, ...	,,	29.70	754.4	83	...	S	3	o	,,	29.74	755.4	84	...	S	3	o
ihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	29.61	752.0	86	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
urane, ...	,,	29.71	754.6	90	...	N E	2	c	,,	...	...	...	...	...	...	...
pe St. James,	,,	29.72	755.0	90	...	W	1	c	,,	...	...	...	...	...	...	...
arri, ...	2 p.	29.84	757.9	88	...	N	1	o	6 a.	29.89	759.2	77	...	S W	1	o
anila, ...	4 p.	29.80	757	88	66	W S W	1	c	10 a.	29.92	760	84	77	W	1	c
gaspi, ...	2 p.	29.85	758.1	88	...	N E	1	c	6 a.	29.89	759.3	77	...	...	0	c
olod, ...	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	...	1	b
ilo, ...	,,	29.83	757.7	86	...	S E	2	c	,,	29.89	759.2	82	...	S W	1	b
bu, ...	,,	29.81	757.2	86	...	N	1	c	,,	29.92	759.9	85	...	...	0	c
buan, ...	,,	29.77	756.1	89	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 2nd at 12.05 p.—The barometer has risen moderately over N. China, and fallen a little in Central Japan.
The depression in the North appears to be moving into the Sea of Japan.
Pressure remains high and in slight excess of the normal over the Philippines.
Fresh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S. to S.W. winds, fresh or strong; squally, thunder [showers.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 2nd July, 1907.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd July, 1907, P.M.								3rd July, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.85	758.1	...	...	E	4	...	6 a.	29.81	757.1	...	...	E	6	
Hakodate,	,,	29.73	755.2	...	...	S E	6	...	,,	29.65	753.2	...	...	E	2	
Tokio,	,,	29.67	753.6	...	...	S	6	...	,,	29.63	752.6	...	...	S	6	
Kochi,	,,	29.72	754.8	...	...	S E	2	...	,,	29.60	751.8	...	...	E	2	
Nagasaki,	,,	29.68	753.8	...	...	S W	8	...	,,	29.68	753.8	...	...	W	6	
Kagoshima,	,,	29.72	754.9	...	...	S W	8	...	,,	29.72	754.9	...	...	W	6	
Oshima,	,,	29.81	757.1	...	...	S W	6	...	,,	29.81	757.1	...	...	S W	0	
Naha,	,,	29.85	758.2	...	...	S	4	...	,,	29.85	758.2	...	...	S W	2	
Ishigakijima,	,,	29.82	757.3	...	...	S	6	...	,,	29.82	757.3	...	...	S	6	
Chefoo,	3 p.	29.64	752.8	77	77	N W	2	b	6 a.	29.70	754.4	67	89	S W	1	b
Weihaiwei,	,,	29.61	752.1	74	...	W	5	b	9 a.	29.74	755.4	79	...	W N W	1	b
Hankow,	,,	29.75	755.6	86	76	N E	1	c	6 a.	29.80	756.9	77	86	E N E	2	b
Kiukiang,	,,	29.73	755.1	81	78	E	3	o	,,	...	...	...	...	...	...	
Shanghai,	,,	29.67	753.6	76	82	N E	1	o	9 a.	29.79	756.6	79	66	N N E	1	c
Gutzlaff,	,,	29.65	753.1	76	95	N N E	4	om	,,	29.78	756.4	76	77	N E	2	c
Sharp Peak,	,,	29.71	754.6	80	89	S	3	og	,,	29.77	756.1	80	91	S	2	o
Amoy,	,,	...	...	81	96	S W	4	or	6 a.	29.69	754.1	80	96	S W	4	r
Swatow,	,,	29.76	755.9	87	80	S S W	4	c	,,	...	...	...	...	...		
Taihoku,	1 p.	29.78	756.3	...	...	W	4	...	5 a.	29.81	757.1	...	...	...	0	
Taichu,	,,	29.82	757.5	...	...	S W	6	...	,,	29.86	758.4	...	...	S	2	
Tainan,	,,	29.86	758.5	...	...	S W	4	...	,,	29.86	758.4	...	...	S E	4	
Koshun,	,,	29.85	758.2	...	...	W	6	...	,,	29.85	758.1	...	...	N	2	
Pescadores,	,,	29.82	757.5	...	...	S	8	...	,,	29.83	757.7	...	...	S	6	
Canton,	3 p.	29.70	754.4	89	69	S E	2	c	9 a.	29.78	756.4	83	83	S E	1	o
Hongkong,	4 p.	29.72	754.9	83	78	S S W	4	oq	10 a.	29.81	757.2	84	74	S S W	4	c
Victoria Peak,	,,	...	...	...	...	S	8	...	,,	...	...	...	...	S	7	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.71	754.6	84	...	S	3	o	,,	29.79	756.6	83	...	S	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.58	751.4	91	...	S	5	c	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.70	754.5	90	...	S E	2	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.78	756.4	79	...	W	3	or	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.87	758.8	88	...	N	1	b	6 a.	29.89	759.3	77	...	S W	1	b
Manila,	4 p.	29.84	758	88	65	W	1	o	10 a.	29.92	760	84	71	W	1	c
Legaspi,	2 p.	29.85	758.3	88	...	...	0	...	6 a.	...	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	N E	1	
Iloilo,	,,	29.83	757.7	87	...	S W	1	b	,,	29.89	759.2	81	...	S W	2	c
Cebu,	,,	29.82	757.4	87	...	N	1	b	,,	29.91	759.7	80	...	S	2	c
Labuan,	,,	29.81	757.2	88	...	...	...	...	,,	29.95	760.7	74	...	...	...	

On the 3rd at 12.10 p.—The barometer has fallen moderately over Japan, and risen a like amount in N. China. The depression is still progressing Eastwards in the Sea of Japan.

Pressure remains high over the Philippines. It is relatively low in a trough, between N.E. and S.W. winds lying over China to the South of the Yangtze.

Fresh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to S.W. winds, fresh; squally, thunder showers.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 3rd July, 1907.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

Station.	3rd JULY, 1907, P.M.								4th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock....	2 p.	...	...	...	...	...	...	...	7 a.	...	...	..	...	...	...	...
mo.....	..	29.77	756.1	...	...	N E	4	...	6 a.	29.41	747.1	...	...	W	6	..
odate.....	..	29.61	752.2	...	...	E	6	...	..	29.50	749.2	...	...	S W	6	...
.....	..	29.51	749.6	...	...	S	10	...	..	29.71	754.6	...	...	S	2	...
chi	..	29.64	752.8	...	...	S	2	...	..	29.84	757.8	...	...	...	0	...
gasaki.	..	29.76	755.8	...	...	S W	6	...	..	29.84	757.8	...	...	...	0	...
goshima.	..	...	...	...	...	...	...	...	..	29.84	757.9	...	...	N	2	...
ima.....	..	29.89	759.1	...	...	S E	2	...	..	29.85	758.1	...	...	S W	2	...
ha.....	..	29.85	758.2	...	...	S	4	...	..	29.93	760.2	...	...	S W	2	...
igakijima, ...	..	29.85	758.3	...	...	S	6	...	..	29.86	758.3	...	...	S	8	...
efoo.....	3 p.	...	...	..	...	...	...	..	6 a.	29.73	755.1	76	86	S W	2	o
ihaiwei.....	..	29.80	756.9	84	...	N E	1	b	9 a.	29.75	755.6	83	.	W	1	o
nkow.	..	...	...	...	...	...	.	..	6 a.	...	...	...	...	...	...	..
nkiang.....	..	29.79	756.6	80	82	E	1	o	..	...	...	...	...	...	...	..
nghai.	..	29.78	756.4	83	49	E S E	2	c	9 a.	29.79	756.6	75	86	S E	2	o
tzlaff.	..	29.77	756.1	78	82	E S E	2	cv	..	29.79	756.6	74	95	S E	4	om
arp Peak.....	..	29.74	755.4	81	91	S	4	ogp	..	29.82	757.4	81	91	S	2	c
ey.....	..	29.72	754.9	83	87	S W	3	o	6 a.	29.85	758.2	81	91	S W	3	c
atow.....	..	29.76	755.9	89	73	S W	3	c	..	...	.	80	96	S W	2	c
hoku.....	1 p.	29.82	757.4	...	...	N W	4	...	5 a.	29.83	757.7	...	...	.	0	..
hu.	..	29.86	758.4	...	...	S	4	...	..	29.87	758.7	...	.	.	0	...
nan.....	..	29.88	759.0	...	...	S	4	...	..	29.91	759.6	...	...	...	0	...
shun.....	..	29.87	758.6	...	...	W	6	...	..	29.87	758.6	...	..	W	2	...
adores, ...	..	29.85	758.2	...	...	S	6	...	..	29.84	758.0	...	.	S	4	..
nton.....	3 p.	29.74	755.4	81	91	...	0	o	9 a.	29.83	757.7	82	91	.	0	o
ngkong.	4 p.	29.75	755.6	83	77	S S W	3	oq	10 a.	29.83	757.7	85	76	S	3	oq
toria Peak,....	..	..	...	...	...	S	7	..	..	...	..	...	.	S	5	...
p Rock.....	..	...	...	...	...	...	...	...	..	...	...	...	..	.	.	..
ao.....	..	29.74	755.4	84	...	S	3	o	..	29.82	757.4	84		S	2	o
ihow.....	3 p.	...	...	...	...	...	...	..	9 a.	...	...	...	..	...	.	..
khoi.....	..	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
nlien,.....	4 p.	29.60	751.8	93	..	S	5	c	10 a.	...	...	..	...	...	...	..
nane.	..	29.73	755.1	90	..	S E	2	c	..	...	..	..	.	...	..	..
pe St. James..	..	29.77	756.1	84	...	S W	2	c	..	..	...	..	..	...	.	..
arri.....	2 p.	29.87	758.7	90	...	N E	1	b	6 a.	29.90	759.5	77	..	S	1	b
nila, ...	4 p.	29.84	758	75	91	N E	1	d	10 a.	29.92	760	82	77	..	1	c
gaspi,.....	2 p.	...	...	...	...	..	...	...	6 a.	.	..	.	.	..	...	..
colod,.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	..	N N E	1	b
olo.....	..	29.83	757.7	81	...	S W	1	o	..	29.89	759.2	82	...	.	0	c
bu	..	29.81	757.2	82	...	...	0	c	..	29.89	759.2	84	...	..	0	c
boan.	..	29.82	757.4	83	...	.	...	...	..	29.85	758.9	84	..	...	...	..

On the 4th at 12.15 p.—The depression is moving into the Pacific to the N.E. of Japan.

The barometer has risen quickly in S. Japan, and a slight rise has taken place also over Formosa and S. China.

Pressure is high over the N. Philippines and the Pacific towards the Loochoos. It is relatively low over W. China and Tongking.

Fresh to moderate S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood.	S. winds, fresh to moderate; squally, showery.
—Formosa Channel.....	Same as No. 1.
—South coast of China between Hongkong and Lamocks..	Same as No. 1.
—South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Thursday, 4th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th July, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th July, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock....	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.37	746.1	...	...	S	8	...	6 a.	29.57	751.1	...	...	W	6
Hakodate, ...	,,	29.57	751.2	...	...	W	6	...	,,	29.77	756.2	...	...	W	6
Tokio, ...	,,	29.71	754.6	...	...	S	4	...	,,	29.87	758.6	...	...	N	2
Kochi, ...	,,	29.83	757.8	...	...	S E	4	...	,,	29.88	758.8	...	...	...	0
Nagasaki, ...	,,	29.83	757.8	...	...	S W	4	...	,,	29.88	758.8	...	...	E	4
Kagoshima, ...	,,	29.88	758.9	...	...	S E	4	...	,,	29.88	758.9	...	...	E	2
Oshima, ...	,,	29.89	759.1	...	...	W	2	...	,,	29.89	759.1	...	...	...	0
Naha, ...	,,	29.89	759.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0
Ishigakijima, ...	,,	29.90	759.3	...	...	S	6	...	,,	29.89	759.3	...	...	S W	6
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Weihaiwei.....	,,	29.75	755.6	88	...	S	2	b	9 a.	...	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.72	754.9	77	86	S E	2	o	9 a.	29.70	754.4	76	100	S W	...
Gutzlaff, ...	,,	29.74	755.4	77	95	E N E	4	om	,,	29.71	754.6	76	100	S S W	3
Sharp Peak.....	,,	29.76	755.9	83	87	S	4	o	,,	29.83	757.7	82	85	S	2
Amoy, ...	,,	29.78	756.4	83	87	S W	4	c	6 a.	29.85	758.2	82	83	S W	1
Swatow, ...	,,	29.81	757.2	87	80	S	4	c	,,	29.85	758.2	80	91	S W	1
Taihoku, ...	1 p.	29.84	758.0	...	...	N W	2	...	5 a.	29.87	758.7	...	...	W	2
Taichu, ...	,,	29.85	758.3	...	...	S W	4	...	,,	29.99	759.4	...	...	...	0
Tainan.....	,,	29.88	758.9	...	...	S	4	...	,,	29.87	758.7	...	...	S E	2
Koshun.....	,,	29.90	759.4	...	...	S	4	...	,,	29.89	759.1	...	...	...	0
Pescadores, ...	,,	29.86	758.5	...	...	S	3	...	,,	29.87	758.6	...	...	S	2
Canton, ...	3 p.	29.75	755.6	87	80	E	2	b	9 a.	29.86	758.4	85	79	E S E	2
Hongkong, ...	4 p.	29.77	756.1	82	84	S S W	3	opq	10 a.	29.87	758.7	86	66	S	2
Victoria Peak,...	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S	3
Gap Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao, ...	,,	29.76	755.9	84	...	S S E	3	o	,,	29.86	758.4	84	...	S S E	1
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.65	753.0	90	...	W S W	5	c	10 a.	...	...	...	...	...	...
Tourane, ...	,,	29.74	755.5	90	...	S W	1	lt	,,	...	...	...	...	...	...
Cape St. James,.	,,	29.76	756.0	84	...	S S W	2	c	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.85	758.2	88	...	N E	1	b	6 a.	29.89	759.3	75	...	S W	1
Manila, ...	4 p.	29.80	757	90	60	W S W	1	b	10 a.	29.92	760	82	77	N N W	1
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.90	759.5	77	...	...	...
Bacolod, ...	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N N E	1
Iloilo, ...	,,	29.79	756.6	84	...	S W	1	b	,,	29.89	759.2	84	...	S E	1
Cebu, ...	,,	29.84	757.9	85	...	N	2	b	,,	29.94	760.5	84	...	...	0
Labuan, ...	,,	29.78	756.4	89	...	...	...	...	,,	29.88	758.9	86	...	...	...

On the 5th at 11.45 a.—The barometer has risen considerably in E. Japan, and fallen moderately on the E. coa of China.

The depression lying over N.E. Japan yesterday, has passed to Pacific. A slight depression is shown this mor ing over Shantung. It appears to be moving towards N.E.

Pressure is high over the N. part of the China Sea and the Pacific to the South of the Loochoos. It exceeds t normal by about 0.1 inch over the S. coast of China, Formosa and the Loochoos.

Moderate S. monsoon may be expected in the Formosa Channel and along the Northern shores of the China S

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. winds, moderate; fair.
2.—Formosa Channel,.....	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 5th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station	5th JULY, 1907, P.M.								6th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
auro,	,,	29.65	753.1	...	...	N W	8	...	6 a.	...	...	...	...	...	...	...
kodate,	,,	29.85	758.2	...	...	W	4	...	,,	...	...	...	...	...	...	...
kio,	,,	29.83	757.6	...	...	S E	6	...	,,	...	...	...	...	...	...	...
chi,	,,	29.87	758.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
gasaki,	,,	29.83	757.8	...	...	S	6	...	,,	...	...	...	...	...	...	...
goshima,	,,	29.88	758.9	...	...	S W	2	...	,,	...	...	...	...	...	...	...
hima,	,,	29.89	759.1	...	...	...	0	...	,,	...	...	...	...	...	...	...
ha,	,,	29.89	759.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
higakijima,	,,	29.89	759.3	...	...	S	6	...	,,	...	...	...	...	...	...	...
efoo,	3 p.	29.72	754.9	86	96	S	2	c	6 a.	29.64	752.8	71	90	E S E	1	b
eihaiwei,	,,	29.72	754.9	80	...	E S E	3	o	9 a.	...	...	...	...	...	...	...
ankow,	,,	29.68	753.9	91	70	S W	2	c	6 a.	29.74	755.4	82	96	N W	1	c
iukiang,	,,	29.74	755.4	93	61	S W	1	c	,,	29.74	755.4	85	68	S W	1	c
anghai,	,,	29.62	752.3	83	83	S S W	3	ot	9 a.	29.63	752.6	87	76	S W	2	o
utzlaff,	,,	29.65	753.1	76	100	S	2	om	,,	29.65	753.1	78	95	S S W	2	cm
arp Peak,	,,	29.74	755.4	85	85	S	2	b	,,	29.80	756.9	83	87	S	2	b
moy,	,,	29.78	756.4	85	83	S W	3	c	6 a.	29.78	756.4	81	87	S W	1	b
watow,	,,	29.81	757.2	90	73	S	4	c	,,	29.85	758.2	79	70	...	0	b
aihoku,	1 p.	29.83	757.8	...	...	W	2	...	5 a.	29.84	757.8	...	...	...	0	...
aichu,	,,	29.86	758.5	...	...	W	4	...	,,	29.88	758.8	...	...	...	0	...
ainan,	,,	29.89	759.1	...	...	S	4	...	,,	29.86	758.4	...	...	...	0	...
oshun,	,,	29.88	758.9	...	...	W	4	...	,,	29.86	758.3	...	...	N W	2	...
escadores,	,,	29.86	758.5	...	...	W	4	...	,,	29.86	758.3	...	...	S W	2	...
anton,	3 p.	...	...	...	...	...	...	...	9 a.	29.86	758.4	85	79	E S E	2	b
ongkong,	4 p.	29.80	756.9	84	76	S	3	o	10 a.	29.89	759.2	84	68	S	2	o
ictoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S	2	...
ap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao,	,,	29.80	756.9	84	...	S S E	2	o	,,	29.88	758.9	85	...	S S E	1	c
oihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.65	753.1	88	...	S	5	c	10 a.	...	...	...	...	...	...	...
ourane,	,,	29.78	756.5	90	...	E	2	c	,,	...	...	...	...	...	...	...
ape St. James,	,,	29.74	755.5	81	...	...	0	c	,,	...	...	...	...	...	...	...
parri,	2 p.	29.85	758.1	90	...	N E	1	b	6 a.	29.89	759.2	75	...	S	1	b
anila,	4 p.	29.80	757	88	66	W N W	1	c	10 a.	29.88	759	86	71	W S W	1	c
egaspi,	2 p.	29.83	757.8	90	...	E	1	b	6 a.	29.89	759.2	77	...	N	1	b
acolod,	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	N N E	1	c
oilo,	,,	29.79	756.6	88	...	S W	1	b	,,	29.89	759.2	85	...	N E	1	c
ebu,	,,	29.86	758.4	90	...	N	1	c	,,	29.89	759.2	84	...	S	1	b
abuan,	,,	29.76	755.9	85	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 6th at 12.05 p.—The barometer has fallen moderately over N. China owing to the depression which appears to be slowly moving Eastwards over Shantung.

Pressure is over 0.1 inch in defect of the normal in Shanghai, while it is high over the N. part of the China Sea and above the average by 0.1 inch on the S. coast of China.

Fresh monsoon may be expected in the Formosa Channel and light monsoon and variable winds over the N. part of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate to light; fair.
2.—Formosa Channel,	S. to S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 6th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th JULY, 1907, P.M.								7th JULY, 1907, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	N E	4	...	6 a.	29.81	757.1	...	...	...	0
Hakodate,	,,	29.81	757.2	...	...	W	4	...	,,	29.81	757.2	...	...	N W	2
Tokio,	,,	29.83	757.6	...	...	S	4	...	,,	29.79	756.6	...	...	N E	2
Kochi,	,,	29.72	754.8	...	...	...	0	...	,,	29.64	752.8	...	...	...	0
Nagasaki,	,,	29.64	752.8	...	...	S W	4	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.64	752.9	...	...	W	8	...	,,	29.64	752.9	...	...	W	4
Oshima,	,,	29.81	757.1	...	...	S W	4	...	,,	29.77	756.1	...	...	S W	4
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	29.77	757.2	...	...	S	4
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	...	...	S	6
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.50	749.3	67	100	N E	1
Weihaiwei,	,,	29.71	754.6	80	...	E	1	c	9 a.	29.49	749.0	67	...	E N E	3
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.71	754.6	96	50	S W	3	b	,,	29.71	754.6	77	91	S W	2
Shanghai,	,,	29.58	751.3	88	80	S W	1	o	9 a.	29.64	752.8	80	77	W N W	2
Gutzlaff,	,,	29.60	751.8	84	83	S S W	2	cm	,,	29.60	751.8	79	95	N W	2
Sharp Peak,	,,	29.72	754.9	87	86	S	3	b	,,	29.72	754.9	83	87	S	2
Amoy,	,,	29.81	757.2	88	76	S W	2	b	6 a.	29.74	755.4	82	87	S W	1
Swatow,	,,	29.81	757.2	85	83	N E	2	c	,,	29.81	757.2	79	91	S W	1
Taihoku,	1 p.	29.85	758.2	...	...	W	4	...	5 a.	29.76	756.0	...	...	...	0
Taichu,	,,	29.87	758.6	...	...	S W	4	...	,,	29.82	757.5	...	...	...	0
Tainan,	,,	29.87	758.7	...	...	W	4	...	,,	29.82	757.4	...	...	...	0
Koshun,	,,	29.86	758.5	...	...	W	6	...	,,	29.79	756.6	...	...	W	6
Pescadores,	,,	29.86	758.5	...	...	S W	6	...	,,	29.79	756.6	...	...	S W	4
Canton,	3 p.	29.83	757.7	88	69	S E	1	c	9 a.	29.79	756.6	83	83	S E	1
Hongkong,	4 p.	29.82	757.4	84	74	S	3	c	10 a.	29.85	758.2	85	72	W S W	1
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S S W	3
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	29.82	757.4	85	...	S S E	2	o	,,	29.85	758.2	84	...	W S W	1
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.2	86	...	S S E	5	c	10 a.	...	...	...	...	...	...
Tourane,	,,	29.81	757.2	90	...	S E	2	b	,,	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.6	86	...	S S W	1	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.85	758.1	90	...	N	1	b	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	63	E	0	o	10 a.	29.88	759	86	71	S W	1
Legaspi,	2 p.	29.85	758.1	82	...	N W	1	b	6 a.	29.86	758.4	75	...	...	o
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	N E	1
Iloilo,	,,	29.77	756.1	86	...	S W	1	c	,,	29.85	758.2	84	...	...	0
Cebu,	,,	29.80	756.9	85	...	N	1	...	,,	29.89	759.2	85	...	N	2
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.84	757.9	81	...	...	...

On the 7th at 11.55 a.—The barometer has fallen generally, particularly over the N.E. coast of China and Japan.

The depression is moving Eastwards in the Yellow Sea.

Pressure is highest over the China Sea, and still in moderate excess of the normal along the S. coast of China.

Fresh to strong monsoon may be expected in the Formosa Channel, and moderate to light monsoon over the part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	S.W. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 7th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th JULY, 1907, P.M.								8th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	29.85	758.1	...	...	...	0	...	6 a.	29.93	760.1	...	...	E	2	...
Hakodate,	,,	29.77	756.2	...	...	S E	6	...	,,	29.58	751.2	...	...	E	6	...
Tokio,	,,	29.71	754.6	...	...	N	4	...	,,	29.71	754.6	...	...	...	0	...
Kochi,	,,	29.60	751.8	...	...	...	0	...	,,	29.64	752.8	...	...	S	2	...
Nagasaki,	,,	29.56	750.8	...	...	S W	8	...	,,	29.68	753.8	...	...	S	2	...
Kagoshima,	,,	29.64	752.9	...	...	W	6	...	,,	29.72	754.9	...	...	S W	6	...
Naha,	,,	29.77	756.1	...	...	S W	4	...	,,	29.81	757.1	...	...	S W	4	...
Ishigakijima,	,,	29.77	756.2	...	...	S W	4	...	,,	29.85	758.2	...	...	S W	2	...
Chefoo,	,,	29.78	756.3	...	...	S	6	...	,,	29.82	757.3	...	...	S	6	...
Chefoo,	3 p.	29.47	748.5	75	95	N E	1	o	6 a.	29.57	751.1	65	95	N W	2	or
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Shankow,	,,	29.77	756.1	74	95	W	2	or	6 a.	29.93	760.2	72	95	...	0	f
Kiukiang,	,,	29.79	756.6	73	95	N W	2	or	,,	29.80	756.9	73	90	...	0	c
Shanghai,	,,	29.60	751.8	77	77	W N W	2	op	9 a.	29.72	754.9	81	78	W S W	2	c
Gutzlaff,	,,	29.60	751.8	75	95	N N W	...	opm	,,	29.72	754.9	79	87	W S W	2	cv
Sharp Peak,	,,	29.65	753.1	87	88	S	3	c	,,	29.75	755.6	84	89	S	1	c
Amoy,	,,	29.69	754.1	89	73	S W	1	b	6 a.	29.75	755.6	83	87	S W	1	b
Swatow,	,,	29.63	753.9	93	71	S	1	b	,,	29.77	756.1	81	87	S W	1	b
Taihoku,	1 p.	29.73	755.1	...	...	N W	4	...	5 a.	29.77	756.1	...	...	...	0	...
Taichu,	,,	29.79	756.7	...	...	S W	4	...	,,	29.82	757.3	...	...	S	2	...
Tainan,	,,	29.84	757.9	...	...	S W	4	...	,,	29.82	757.4	...	...	...	0	...
Koshun,	,,	29.80	756.9	...	...	N W	8	...	,,	29.81	757.2	...	...	N W	4	...
Pescadores,	,,	29.80	757.0	...	...	S	6	...	,,	29.79	756.6	...	...	S	6	...
Canton,	3 p.	29.78	756.4	91	67	S W	1	b	9 a.	29.83	757.7	85	79	S	1	b
Hongkong,	4 p.	29.76	755.9	86	66	S W	3	c	10 a.	29.83	757.7	86	68	W S W	3	c
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.75	755.6	87	...	S	1	c	,,	29.84	757.9	84	...	W S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.1	86	...	S S E	6	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	756.0	90	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.6	86	...	W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	77	N E	1	c	10 a.	29.88	759	82	77	W N W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Dacolod,	3 p.	...	...	...	...	S E	1	c	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.79	756.6	86	...	...	0	o	,,	29.85	758.2	83	...	...	0	c
Cebu,	,,	29.77	756.1	85	...	S	2	o	,,	29.92	759.9	84	...	...	0	c
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 8th at 11.25 a.—The barometer has risen moderately over N. China and S.W. Japan, and fallen considerably in Hakodate.

The depression is moving Eastwards over the Sea of Japan. Pressure is highest over the China Sea, and the Pacific to the South of the Loochoos.

Moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 8th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th July, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th July, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.89	759.1	...	...	E	4	...	6 a.	29.93	760.1	...	...	N E	2	
Hakodate,	,,	29.85	758.2	...	...	E	6	...	,,	29.81	757.2	...	...	E	8	
Tokio,	,,	29.75	756.6	...	...	E	4	...	,,	29.87	758.6	...	...	...	0	
Kochi,	,,	29.72	754.8	...	...	...	0	...	,,	29.84	757.8	...	...	...	0	
Nagasaki,	,,	29.76	755.8	...	...	S E	4	...	,,	29.88	758.8	...	...	S E	2	
Kagoshima,	,,	29.76	755.9	...	...	W	6	...	,,	29.88	758.9	...	...	...	0	
Oshima,	,,	29.81	757.1	...	...	S W	6	...	,,	29.93	760.1	...	...	...	0	
Naha,	,,	29.89	759.2	...	...	S W	4	...	,,	29.93	760.2	...	...	...	0	
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.89	759.3	...	...	S	4	
Chefoo,	3 p.	29.69	754.1	74	76	W	2	b	6 a.	29.91	759.7	66	95	N E	1	b
Weihaiwei,	,,	29.69	754.1	70	...	W N W	4	c	9 a.	...	...	...	...	...	...	
Hankow,	,,	29.84	757.9	82	71	S S W	1	o	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.83	757.7	99	86	...	0	o	,,	...	...	...	...	...	...	
Shanghai,	,,	29.71	754.6	87	62	N W	1	b	9 a.	29.87	758.7	77	95	E	1	o
Gutzlaff,	,,	29.71	754.6	80	82	S W	2	cm	,,	29.86	758.4	77	95	...	0	o
Sharp Peak,	,,	29.72	754.9	85	87	S	3	o	,,	29.86	758.4	83	91	S	2	c
Amoy,	,,	29.72	754.9	88	73	S W	3	b	6 a.	29.78	756.4	82	83	...	0	c
Swatow,	,,	29.76	755.9	93	67	S	2	c	,,	...	...	81	87	S	1	b
Taihoku,	1 p.	29.73	756.3	...	...	W	2	...	5 a.	29.87	758.6	...	...	...	0	
Taichu,	,,	29.83	757.6	...	...	S W	2	...	,,	29.88	759.0	...	...	...	0	
Tainan,	,,	29.85	758.1	...	...	S W	4	...	,,	29.88	758.8	...	...	E	2	
Koshun,	,,	29.83	757.7	...	...	W	8	...	,,	29.88	758.9	...	...	...	0	
Pescadores,	,,	29.82	757.5	...	...	S W	6	...	,,	29.82	757.5	...	...	S W	6	
Canton,	3 p.	29.76	755.9	93	58	S E	1	c	9 a.	29.89	759.2	85	79	S E	1	c
Hongkong,	4 p.	29.77	756.1	86	67	S W	2	c	10 a.	29.90	759.4	87	71	S	2	c
Victoria Peak,	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	S	4	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.76	755.9	87	...	S	1	c	,,	29.91	759.7	85	...	S	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.69	754.2	88	...	S S E	5	c	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.74	755.5	91	...	N E	1	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.75	755.7	82	...	S W	1	o	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.82	757.4	90	...	E	2	b	6 a.	29.90	759.5	77	...	S	1	b
Manila,	4 p.	29.76	756	88	65	...	0	o	10 a.	29.92	760	79	84	N	1	c
Legaspi,	2 p.	29.81	757.1	86	...	E	1	q	6 a.	29.88	758.8	77	...	W	1	c
Bacolod,	3 p.	...	...	...	...	S W	0	...	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.77	756.1	87	...	N E	1	o	,,	29.87	758.7	84	...	...	0	d
Cebu,	,,	29.79	756.6	84	...	N	1	o	,,	29.89	759.2	83	...	S	1	b
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.90	759.4	78	...	...	...	

On the 9th at 12.05 p.—The barometer has risen generally, particularly over N. China and S. Japan.

The depression lying over the Sea of Japan yesterday, appears to have filled up.

The highest pressure probably lies over the Pacific to the E. of the Loochoos. It exceeds the normal by about 0.1 inch over the China coast, Formosa and the Loochoos.

Moderate S.E. winds are likely to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to S.E. winds, light or moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 9th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th July, 1907, P.M.								10th July, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
omuro,	,,	29.93	760.1	...	...	S E	4	...	6 a.	29.97	761.1	...	...	S	2	..
akodate,	,,	29.85	758.2	...	...	S E	2	...	,,	29.93	760.2	...	...	...	0	...
kio,	,,	29.91	759.6	...	...	S E	2	...	,,	29.91	759.6	...	...	...	0	...
ochi,	,,	29.87	758.8	...	...	S E	2	...	,,	29.91	759.8	...	...	S W	2	...
agasaki,	,,	29.87	758.8	...	...	N W	4	...	,,	29.88	758.8	...	...	...	0	...
agoshima,	,,	29.92	759.9	...	...	S	2	...	,,	29.88	758.9	...	...	...	0	...
hima,	,,	29.96	761.1	...	...	S W	4	...	,,	29.93	760.1	...	...	...	0	...
aha,	,,	29.97	761.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0	...
higakijima,	,,	29.93	760.3	...	...	S	6	...	,,	29.89	759.3	...	...	S	4	...
hefoo,	3 p.	29.80	756.9	77	82	E	2	b	6 a.	29.89	759.2	71	90	N W	2	b
eihaiwei,	,,	29.82	757.4	78	...	E	2	o	9 a.	...	...	...	...	...	...	...
ankow,	,,	29.90	759.4	72	100	...	0	o	6 a.	...	...	...	...	...	...	..
inkiang,	,,	29.90	759.4	70	100	N E	2	or	,,	...	...	...	...	...	...	...
hanghai,	,,	29.87	758.7	71	90	E	1	or	9 a.	29.82	757.4	68	100	N E	1	or
utzlaff,	,,	29.88	758.9	69	95	E N E	2	omr	,,	29.77	756.1	73	100	N E	5	omr
harp Peak,	,,	29.79	756.6	87	84	S	4	b	,,	29.84	757.9	84	89	S	1	c
moy,	,,	29.78	756.4	87	76	S W	5	b	6 a.	29.83	757.7	83	87	S W	3	c
swatow,	,,	29.82	757.4	93	61	S	3	b	,,	...	...	...	...	...	...	...
aihokn,	1 p.	29.87	758.8	...	...	E	4	...	5 a.	29.88	758.8	...	...	...	0	...
aichu,	,,	29.91	759.7	...	...	S W	4	...	,,	29.91	759.8	...	...	...	0	...
ainan,	,,	29.92	759.9	...	...	S W	6	...	,,	29.89	759.3	...	...	S E	2	...
oshun,	,,	29.91	759.8	...	...	W	4	...	,,	29.91	759.8	...	...	...	0	...
escadores,	,,	29.89	759.3	...	...	S	4	...	,,	29.88	758.9	...	...	S W	6	...
anton,	3 p.	...	...	...	...	...	...	...	9 a.	29.93	760.2	85	76	S E	1	c
ongkong,	4 p.	29.84	757.9	86	68	S	2	o	10 a.	29.93	760.2	86	69	S	1	c
ictoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	..	S	2	...
ap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao,	,,	29.84	757.9	86	...	S	1	o	,,	29.93	760.2	86	...	S	1	c
oihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.3	86	...	S S E	4	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.81	757.1	90	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	82	...	S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.7	90	...	N E	1	b	6 a.	29.91	759.7	79	...	S	1	b
Manila,	4 p.	29.80	757	86	71	N N E	1	o	10 a.	29.92	760	84	77	W N W	1	c
Legaspi,	2 p.	29.86	758.5	88	...	S E	1	o	6 a.	29.89	759.3	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S S W	1	od	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.83	757.7	84	...	S W	1	c	,,	29.89	759.2	82	...	S W	1	b
Cebu,	,,	29.81	757.2	85	...	S	1	c	,,	29.90	759.4	86	...	S	1	b
Labuan,	,,	29.85	758.2	85	...	...	...	...	,,	29.89	759.2	77	...	...	...	...

On the 10th at 11.55 a.— The barometer has fallen slightly on the E. coast of China, and risen a little over E. Japan.

A shallow area of low pressure lies off the E. coast to the S. of Gutzlaff. Elsewhere pressure is in slight to moderate excess of the normal. It is highest over the N. part of the China Sea and the Pacific to the Southward and Eastward of Japan.

Fresh S.W. winds may be expected in the Formosa Channel and light monsoon and variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, light; fair.
2.—Formosa Channel,	S.W. winds fresh.
3.—South coast of China between Hongkong and Lamocks,	S. winds, light to moderate.
4.—South coast of China between Hongkong and Hainan,	Same as No. 3.

F. G. FIGG.
Director.

Hongkong Observatory, Wednesday, 10th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th July, 1907, P.M.								11th July, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	S E	4	
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.77	756.2	...	...	E	4	
Tokio,	,,	...	...	...	...	...	...	...	,,	29.71	754.6	...	...	S	6	
Kochi,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	...	...	S W	2	
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.76	755.8	...	...	N	2	
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	...	...	W	2	
Oshima,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	...	...	S	2	
Naha	,,	...	...	...	...	...	...	...	,,	29.81	757.2	...	...	...	0	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	...	...	...	0	
Chefoo	3 p.	29.73	755.1	81	83	E	1	b	6 a.	29.68	753.9	67	95	S W	1	
Weihaiwei	,,	29.70	754.4	81	...	E	1	b	9 a.	29.72	754.9	72	...	E	1	
Hankow,	,,	29.90	759.4	74	95	S S W	1	or	6 a.	29.89	759.2	75	95	E	1	
Kinkiang	,,	29.85	758.2	78	86	N E	3	o	,,	29.81	757.2	74	95	N E	1	
Shanghai,	,,	29.79	756.6	70	95	E	1	or	9 a.	29.78	756.4	78	70	E N E	1	
Gutzlaff,	,,	29.77	756.1	70	95	E	3	omr	,,	29.77	756.1	74	86	E N E	3	
Sharp Peak	,,	29.77	756.1	87	47	S	3	c	,,	29.75	755.6	84	85	S	1	
Amoy	,,	29.79	756.6	87	80	S W	2	b	6 a.	29.79	756.6	83	87	S W	1	
Swatow,	,,	29.82	757.4	90	66	S	3	b	,,	29.77	756.1	80	87	N W	1	
Taihoku	1 p.	29.87	758.7	...	...	W	6	...	5 a.	29.81	757.1	...	...	S	2	
Taichu,	,,	29.90	759.4	...	...	W	4	...	,,	29.85	758.1	...	...	...	0	
Tainan,	,,	29.91	759.6	...	...	S W	2	...	,,	29.84	757.9	...	...	S E	2	
Koshun	,,	29.90	759.4	...	...	S E	4	...	,,	29.83	757.7	...	...	...	0	
Pescadores,	,,	29.89	759.2	...	...	W	4	...	,,	29.82	757.4	...	...	W	2	
Canton,	3 p.	29.85	758.2	92	61	E S E	1	b	9 a.	29.86	758.4	84	79	S	1	
Hongkong,	4 p.	29.84	757.9	86	64	S S W	2	c	10 a.	29.86	758.4	86	68	W S W	2	
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S S W	2	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.84	757.9	87	...	S	1	c	,,	29.86	758.4	85	...	S S W	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.74	755.5	84	...	S S E	5	c	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.81	757.1	90	...	E	2	b	,,	...	...	...	...	...	...	
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.85	758.1	90	...	E	1	c	6 a.	29.83	757.7	79	...	S	1	
Manila,	4 p.	29.80	757	90	60	W N W	1	o	10 a.	29.84	758	84	77	...	0	
Legaspi,	2 p.	29.83	757.7	88	...	E	1	b	6 a.	29.85	758.1	77	...	...	0	
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S W	1	
Iloilo,	,,	29.82	757.4	86	...	S W	1	b	,,	29.85	758.2	83	...	S W	0	
Cebu,	,,	29.83	757.7	86	...	N	1	b	,,	29.85	758.2	84	...	S	2	
Labuan,	,,	29.85	758.2	83	...	...	...	...	,,	29.91	759.7	79	...	...	...	

On the 11th at 11.55 a.—The barometer has fallen generally, particularly over Japan.
The shallow depression appears to be moving Eastwards over the S. part of the Sea of Japan.
Pressure is still relatively high over the N. part of the China Sea.
Fresh S. monsoon may be expected in the Formosa Channel, and light variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light to moderate; fair.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 11th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th July, 1907, P.M.								12th July, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	29.89	759.1	...	...	E	6	...	6 a.	29.61	752.1	...	...	S W	4	...
Hakodate,	,,	29.54	750.2	...	...	E	8	...	,,	29.73	755.2	...	...	S W	4	...
Tokio,	,,	29.71	754.6	...	...	S	6	...	,,	29.75	755.6	...	...	S	4	...
Sendai,	,,	29.72	754.8	...	...	S E	4	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.76	755.8	...	...	W	4	...	,,	29.76	755.8	...	...	S E	2	...
Kagoshima,	,,	29.76	755.9	...	...	S	4	...	,,	29.80	756.9	...	...	S E	2	...
Naha,	,,	29.77	756.1	...	...	N	2	...	,,	29.77	756.1	...	...	...	0	...
Ishigakijima,	,,	29.81	757.2	...	...	S W	2	...	,,	29.77	756.2	...	...	...	0	...
Chefoo,	,,	29.82	757.3	...	...	S	4	...	,,	29.74	755.3	...	...	S	4	...
Weihaiwei,	3 p.	29.68	753.9	78	82	E	2	b	6 a.	29.65	753.1	74	90	S	1	c
Tientsin,	,,	29.66	753.3	72	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.73	755.1	89	91	N E	1	o	6 a.	29.79	756.6	77	100	E	2	o
Kiukiang,	,,	29.72	754.9	80	87	...	0	o	,,	29.66	753.3	76	95	...	0	c
Shanghai,	,,	29.73	755.1	82	67	E S E	1	b	9 a.	29.72	754.9	78	74	S E	2	o
Gutzlaff,	,,	29.73	755.1	79	78	E S E	2	bv	,,	29.72	754.9	78	86	E S E	3	cm
Sharp Peak,	,,	29.68	753.9	85	85	S	3	o	,,	29.71	754.6	81	87	N	2	og
Amoy,	,,	29.66	753.3	88	76	S W	3	c	6 a.	29.69	754.1	84	87	...	0	c
Swatow,	,,	...	...	95	...	W	1	b	,,	29.66	753.3	81	87	S W	1	b
Taihoku,	1 p.	29.77	756.2	...	...	W	4	...	5 a.	29.72	754.8	...	...	...	0	...
Taichu,	,,	29.81	757.2	...	...	W	4	...	,,	29.75	755.7	...	...	...	0	...
Tainan,	,,	29.82	757.3	...	...	W	4	...	,,	29.76	756.0	...	...	E	2	...
Koshun,	,,	...	...	...	...	...	...	...	,,	29.74	755.5	...	...	...	0	...
Pescadores,	,,	29.80	756.8	...	...	S	4	...	,,	29.71	754.6	...	...	S	4	...
Canton,	3 p.	29.74	755.4	93	55	S	1	b	9 a.	29.75	755.6	85	76	S S E	1	b
Hongkong,	4 p.	29.74	755.4	86	68	S S W	3	o	10 a.	29.76	755.9	86	69	S W	3	c
Victoria Peak,	,,	...	...	...	...	S S W	6	...	,,	...	...	...	...	S S W	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.74	755.4	87	...	S	2	c	,,	29.75	755.6	85	...	S W	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.4	86	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	756.0	91	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.6	84	...	N W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.78	756.3	90	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	82	85	E	1	o	10 a.	29.76	756	82	70	W N W	1	o
Legaspi,	2 p.	29.78	756.5	86	...	N	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.75	755.6	86	...	S W	2	o	,,	29.81	757.2	83	...	S W	1	o
Cebu,	,,	29.79	756.6	83	...	N	4	or	,,	29.80	756.9	85	...	S	1	c
Labuan,	,,	29.75	755.6	83	...	...	...	...	,,	29.92	757.4	82	...	...	...	...

On the 12th at 12.05 p.—The barometer has fallen moderately over China and the Philippines.

A shallow area of low pressure appears to be lying over the Lower Yangtze, and pressure is low also, over the Pacific to the E. of Luzon.

The depression lying in the Sea of Japan yesterday, is moving into the Pacific to the N.E. of Japan.

Moderate S. and variable winds are likely to prevail in the Formosa Channel, and light or moderate variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair to showery.
2.—Formosa Channel,	S. or variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 12th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th July, 1907, P.M.								13th July, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock....	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro, ...	,,	29.65	753.1	...	...	S W	6	...	6 a.	29.85	758.1	...	...	S	2	
Hakodate, ...	,,	29.81	757.2	...	...	S W	6	...	,,	29.89	759.2	...	...	S W	2	
Tokio, ...	,,	29.79	756.6	...	...	S E	6	...	,,	29.91	759.6	...	...	S	2	
Kochi, ...	,,	29.76	755.8	...	...	...	0	...	,,	29.88	758.8	...	...	...	0	
Nagasaki, ...	,,	29.76	755.8	...	...	S W	4	...	,,	29.80	756.8	...	...	E	2	
Kagoshima, ...	,,	29.76	755.9	...	...	S E	2	...	,,	29.84	757.9	...	...	...	0	
Oshima, ...	,,	29.73	755.1	...	...	N E	4	...	,,	29.81	757.1	...	...	...	0	
Naha, ...	,,	29.73	755.2	...	...	W	4	...	,,	29.77	756.2	...	...	...	0	
Ishigakijima, ...	,,	29.73	755.3	...	...	S	4	...	,,	29.78	756.3	...	...	S E	2	
Chefoo, ...	3 p.	29.66	753.3	79	87	E	2	o	6 a.	29.77	756.1	71	95	E	1	b
Weihaiwei.....	,,	29.67	753.6	...	...	E S E	1	c	9 a.	29.80	756.9	81	...	N E	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	29.73	755.1	77	100	...	0	o
Kiukiang.....	,,	29.64	752.8	84	83	...	0	c	,,	29.71	754.6	79	95	...	0	o
Shanghai, ...	,,	29.70	754.4	77	82	S E	1	o	9 a.	29.75	755.6	76	91	E	2	o
Gutzlaff, ...	,,	29.68	753.9	76	91	S E	3	ov	,,	29.74	755.4	74	100	E S E	5	o
Sharp Peak.....	,,	29.67	753.6	84	87	N N E	2	o	,,	29.77	756.1	82	91	..	0	b
Amoy.....	,,	29.63	752.6	88	76	S W	2	c	6 a.	29.68	753.9	83	87	...	0	c
Swatow.....	,,	29.65	753.1	73	100	W	1	or	,,	29.89	756.9	81	96	S W	1	b
Taihoku.....	1 p.	29.70	754.5	...	...	N W	4	...	5 a.	29.77	756.2	...	...	S	2	
Taichu, ...	,,	29.73	755.1	...	...	S W	4	...	,,	29.80	756.8	...	...	...	0	
Tainan.....	,,	29.73	755.1	...	...	W	4	...	,,	29.76	756.0	...	...	E	2	
Koshun.....	,,	29.73	755.1	...	...	N W	8	...	,,	29.77	756.1	...	...	N W	2	
Pescadores, ...	,,	29.71	754.6	...	...	S W	6	...	,,	29.75	755.6	...	...	W	2	
Canton,.....	3 p.	29.65	753.1	94	52	S E	1	b	9 a.	29.79	756.6	86	76	S E	1	b
Hongkong, ...	4 p.	29.67	753.6	86	65	S W	2	o	10 a.	29.79	756.6	87	68	S W	2	c
Victoria Peak,...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S	3	
Gap Rock.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao, ...	,,	29.66	753.3	87	...	S	2	c	,,	29.79	756.6	86	...	S S W	1	c
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	29.57	751.0	86	...	S S E	6	c	10 a.	...	...	...	...	...	...	
Tourane, ...	,,	29.69	754.0	90	...	E	2	c	,,	...	...	...	...	...	...	
Cape St. James,.	,,	29.69	754.0	81	...	S W	3	...	,,	...	...	...	...	...	...	
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila, ...	4 p.	29.69	754	88	65	W	1	o	10 a.	29.84	758	84	77	S S W	1	c
Legaspi, ...	2 p.	29.76	756.0	75	...	...	0	t	6 a.	29.83	757.7	75	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	S W	1	...	9 a.	...	...	...	...	W S W	1	c
Iloilo, ...	,,	29.73	755.1	86	...	S W	1	o	,,	29.81	757.2	82	...	S W	0	c
Cebu, ...	,,	29.74	755.4	85	...	S	3	o	,,	29.82	757.4	85	...	...	0	c
Labuan, ...	,,	29.73	755.1	86	...	...	...	...	,,	29.81	757.2	83	...	...	...	

On the 13th at 11.45 a.—The barometer has risen considerably over E. Japan, and a slight rise of the mercu has taken place also, over the China coast and the Philippines.

Pressure is highest over the Pacific to the E. of Japan, with lower pressure over Central China. Departur from the normal are small in amount generally.

Moderate variable winds are likely to prevail in the Formosa Channel, and light S. monsoon over the N. pa of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, light or moderate; fair.
2.—Formosa Channel,.....	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 13th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th July, 1907, P.M.								14th July, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	29.81	757.1	...	...	S W	6	...	6 a.	29.89	759.1	...	...	S	2	...
Hakodate,	,,	29.85	758.5	...	...	S	4	...	,,	29.89	759.2	...	...	S	2	...
Tokio,	,,	29.91	759.6	...	...	S	4	...	,,	29.95	760.6	...	...	S	4	...
Kochi,	,,	29.87	758.8	...	...	S	2	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S	8	...	,,	29.84	757.8	...	...	S W	4	...
Kagoshima,	,,	29.84	757.9	...	...	S E	2	...	,,	29.88	758.9	...	...	...	0	...
Oshima,	,,	29.81	757.1	...	...	N	2	...	,,	29.81	757.1	...	...	...	0	...
Naha,	,,	29.81	757.2	...	...	N	4	...	,,	29.77	756.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	6	...	,,	29.78	756.3	...	...	N	2	...
Chefoo,	3 p.	29.78	756.4	79	87	E	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.80	756.9	81	...	E N E	1	o	9 a.	29.82	757.4	79	...	N N W	2	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.77	756.1	86	80	...	0	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.72	754.9	78	86	E	2	o	9 a.	29.71	754.6	78	95	S W	1	or
Sutzlaff,	,,	29.71	754.6	76	95	E S E	5	f	,,	29.72	754.9	76	100	S	2	om
Sharp Peak,	,,	29.70	754.4	87	84	S	3	b	,,	...	...	...	...	...	...	...
Amoy,	,,	29.71	754.6	88	76	S W	3	b	6 a.	29.77	756.1	84	83	S W	1	c
Swatow,	,,	29.77	756.1	93	74	S	3	b	,,	...	...	81	83	S W	1	b
Taihoku,	1 p.	29.78	756.3	...	...	N	6	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	29.79	756.7	...	...	W	4	...	,,	...	...	...	...	...	...	...
Tainan,	,,	29.80	757.0	...	...	W	6	...	,,	...	...	...	...	...	...	...
Koshun,	,,	29.79	756.7	...	...	W	6	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.79	756.7	...	...	S	4	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.73	755.1	87	76	...	0	or	9 a.	29.85	758.2	85	76	S	2	c
Hongkong,	4 p.	29.74	755.4	86	67	S S W	2	c	10 a.	29.85	758.2	87	68	W S W	1	c
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S S W	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.73	755.1	88	...	S	2	c	,,	29.85	758.2	87	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.1	84	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.73	755.1	90	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.70	754.4	81	...	S S E	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	90	...	N	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	84	77	S S W	1	o	10 a.	29.84	758	84	77	W	1	c
Legaspi,	2 p.	29.78	756.4	84	...	S E	1	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S W	1	c
Iloilo,	,,	29.75	755.6	84	...	S W	1	o	,,	29.85	758.2	81	...	S W	1	b
Cebu,	,,	29.81	757.2	86	...	S	1	c	,,	29.86	758.4	85	...	S	2	c
Labuan,	,,	29.76	755.9	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 14th at 12.10 p.—The barometer has risen slightly over S. China, and fallen a little on the E. coast.

Pressure is slightly low over the Yellow Sea. It is highest over the Pacific to the E. of Japan in the North, and over the N. part of the China Sea in the South.

Moderate S.W. or variable winds will probably prevail in the Formosa Channel, and light variable winds over the N. part of the China Sea.

The Formosa returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light; fine.
2.—Formosa Channel,	S.W. or variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 14th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th JULY, 1907, P.M.								15th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.89	759.1	...	...	S E	4	...	6 a.	29.93	760.1	...	...	S E	4	
Hakodate,	,,	29.89	759.2	...	...	S E	2	...	,,	29.89	759.2	...	...	...	0	
Tokio,	,,	29.91	759.6	...	...	S	6	...	,,	29.87	758.6	...	...	S	4	
Kochi,	,,	29.87	758.8	...	...	E	2	...	,,	29.84	757.8	...	...	S W	2	
Nagasaki,	,,	29.83	757.8	...	...	S W	4	...	,,	29.72	754.8	...	...	S E	4	
Kagoshima,	,,	29.80	756.9	...	...	S E	2	...	,,	29.76	755.9	...	...	S E	2	
Oshima,	,,	29.81	757.1	...	...	S	4	...	,,	29.73	755.1	...	...	S E	2	
Naha,	,,	29.77	756.2	...	...	E	4	...	,,	29.69	754.2	...	...	N E	2	
Ishigakijima,	,,	29.78	756.3	...	...	N W	2	...	,,	29.70	754.3	...	...	N	2	
Chefoo,	3 p.	29.82	757.4	80	87	N N W	2	c	6 a.	29.76	755.9	71	95	N E	1	c
Weihaiwei,	,,	29.80	756.9	80	...	E	1	b	9 a.	29.79	756.6	85	...	N E	1	o
Hankow,	,,	29.90	759.4	79	87	N W	2	o	6 a.	29.92	759.9	73	90	N	2	c
Kiukiang,	,,	29.80	756.9	80	82	W	2	o	,,	29.87	758.7	73	95	N W	1	c
Shanghai,	,,	29.67	753.6	78	86	S W	1	o	9 a.	29.63	753.9	76	82	N W	3	c
Gutzlaff,	,,	29.69	754.1	78	95	S S W	2	om	,,	29.64	752.8	74	90	N N W	2	c
Sharp Peak,	,,	...	...	...	...	...	...	...	,,	29.63	753.9	84	87	..	0	c
Amoy,	,,	29.73	755.1	89	69	S E	4	c	6 a.	29.68	753.9	84	87	...	0	c
Swatow,	,,	29.73	755.1	97	51	S S W	1	c	,,	29.70	754.4	83	87	S W	2	c
Taiboku,	1 p.	...	...	...	...	...	...	...	5 a.	29.73	755.0	...	...	S W	2	
Taichu,	,,	...	...	...	...	...	...	...	,,	29.77	756.2	...	...	...	0	
Tainan,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	...	...	S E	2	
Koshun,	,,	...	...	...	...	...	...	...	,,	29.75	755.5	...	...	N W	6	
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	...	...	S	6	
Canton,	3 p.	29.78	756.4	95	47	S	1	b	9 a.	29.81	757.2	86	72	S	1	b
Hongkong,	4 p.	29.80	756.9	87	64	S W	2	b	10 a.	29.81	757.2	87	70	W S W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S W	4	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.80	756.9	89	...	S	1	c	,,	29.81	757.2	85	...	W S W	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.76	756.0	86	...	S S E	3	c	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.78	756.5	91	...	E	2	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.76	756.0	84	...	S W	2	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.83	757.6	88	...	N	1	b	6 a.	29.82	757.4	77	...	S	1	b
Manila,	4 p.	29.76	756	90	60	W S W	1	c	10 a.	29.84	758	86	71	S	1	c
Legaspi,	2 p.	29.80	757.0	90	...	...	0	c	6 a.	29.85	758.1	77	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.79	756.6	86	...	S W	2	b	,,	29.85	758.2	82	...	S W	1	c
Cebu,	,,	...	...	87	...	S	3	c	,,	...	...	85	...	S	2	c
Labuan,	,,	29.79	756.6	87	...	...	...	...	,,	29.88	758.9	78	...	...	...	

On the 15th at 12.20 p.—The barometer has fallen slightly to moderately over the China coast, S. Japan and the Loochoos, and risen in Central China.

A depression is moving Eastwards in the Yellow Sea, and there are some indications of the existence of a second area of low pressure over the Pacific to the S.E. of the Loochoos.

Fresh variable winds may be expected in the Formosa Channel, and light to moderate monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. to W. winds, light or moderate; fair.
2.—Formosa Channel,	Variable winds, fresh
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 15th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JULY, 1907, P.M.								16th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate	,,	29.89	759.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Tokio	,,	29.87	758.6	...	...	S	4	...	,,	...	...	...	...	...	...	...
Kochi	,,	29.80	756.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
Nagasaki	,,	29.64	752.8	...	...	S	8	...	,,	...	...	...	...	...	...	...
Kagoshima	,,	29.68	753.9	...	...	S	6	...	,,	...	...	...	...	...	...	...
Ishima	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha	,,	29.61	752.2	...	...	S	2	...	,,	...	...	...	...	...	...	...
Ishigakijima	,,	29.66	753.3	...	...	W	4	...	,,	...	...	...	...	...	...	...
Chefoo	3 p.	...	...	...	...	...	...	...	6 a.	29.70	754. 4	67	100	...	0	b
Weihaiwei	,,	29.73	755.1	79	...	N E	2	b	9 a.	...	...	...	...	...	...	...
Hankow	,,	29.87	758.7	83	75	N E	1	c	6 a.	29.83	757.7	75	99	S	1	b
Kiukiang	,,	29.78	756.4	83	67	N E	2	c	,,	29.80	756.9	71	95	N	1	b
Shanghai	,,	29.64	752.8	73	95	N N W	2	op	9 a.	29.59	751.6	75	81	N W	2	o
Gutzlaff	,,	29.63	752.6	75	86	N	4	cv	,,	29.56	750.8	73	90	N N W	5	ompd
Sharp Peak	,,	29.60	751.8	85	87	S	5	opt	,,	29.64	752.8	79	87	N N E	3	ogd
Amoy	,,	29.70	754.4	90	70	S W	2	c	6 a.	29.69	754.1	83	87	N E	2	c
Swatow	,,	29.61	752.1	98	54	S	2	b	,,	...	...	...	...	...	...	...
Taihoku	1 p.	29.70	754.3	...	...	N	2	...	5 a.	29.62	752.2	...	...	E	4	...
Taichu	,,	29.74	755.3	...	...	S	4	...	,,	29.64	752.8	...	...	...	0	...
Tainan	,,	29.73	755.2	...	...	S W	4	...	,,	29.60	751.8	...	...	...	0	...
Koshun	,,	29.72	754.9	...	...	N W	8	...	,,	29.60	751.9	...	...	S W	2	...
Pescadores	,,	29.69	754.2	...	...	S	4	...	,,	29.59	751.5	...	...	...	2	...
Canton	3 p.	...	...	...	...	...	...	...	9 a.	29.67	753.6	84	83	...	0	c
Hongkong	4 p.	29.68	753.9	88	67	W S W	2	b	10 a.	29.65	753.1	88	74	W	1	c
Victoria Peak	,,	...	...	...	...	S W	5	...	,,	...	...	...	...	S W	1	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.69	754.1	89	...	S S W	2	c	,,	29.66	753.3	87	...	S S W	1	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.73	755.1	90	...	S	4	c	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.79	756.6	93	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.76	755.8	82	...	S	2	o	,,	...	...	...	...	...	...	...
Aparri	2 p.	29.73	755.2	90	...	N	1	c	6 a.	29.68	753.9	79	...	S W	1	c
Manila	4 p.	29.76	756	88	65	S W	3	o	10 a.	29.76	756	82	77	W	3	o
Legaspi	2 p.	29.76	755.9	88	...	S W	1	c	6 a.	29.78	756.5	75	...	...	0	o
Bacolod	3 p.	...	...	...	...	W S W	1	...	9 a.	...	...	...	...	S W	1	o
Iloilo	,,	29.79	756.6	87	...	S W	3	c	,,	29.81	757.2	85	...	S W	2	o
Cebu	,,	29.80	756.9	88	...	S	3	c	,,	29.80	756.9	86	...	S	3	b
Labuan	,,	29.77	756.1	86	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

On the 16th at 12.10 p.— The barometer has fallen generally, particularly over Formosa and the S. coast of China.

The depression in the North which has probably deepened, appears to be still situated between the E. coast of China and W. Japan. The Japanese returns are, however, not yet to hand.

A second low area, apparently shallow, has developed over Formosa and the Channel.

Unsettled, squally weather is indicated in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and variable winds, moderate or fresh; squally, [thunder showers.
2.—Formosa Channel,	N.E. or variable winds, fresh.
3.—South coast of China between Hongkong and Lamocks..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 16th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th July, 1907, P.M.								17th July, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	N	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.97	761.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.91	759.6	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.80	756.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.68	753.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.72	754.9	...	...	E	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.57	751.1	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.50	749.2	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.54	750.3	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.68	753.9	80	66	N E	4	b	6 a.	29.62	752.3	71	90	S E	2	c
Weihaiwei,	,,	29.70	754.4	79	...	E N E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.76	755.9	86	65	N E	1	c	6 a.	29.78	756.4	75	90	N W	2	c
Kiukiang,	,,	29.71	754.6	89	59	N E	2	b	,,	29.72	754.9	85	91	N E	1	b
Shanghai,	,,	29.52	749.8	74	95	N W	3	or	9 a.	29.58	751.3	75	91	S W	1	o
Gutzlaff,	,,	29.50	749.3	75	95	N	3	cv	,,	29.60	751.8	74	90	N N W	1	cm
Sharp Peak,	,,	29.60	751.8	85	79	S	1	b	,,	29.61	752.1	81	87	S	1	b
Amoy,	,,	29.64	752.8	85	72	S E	4	c	6 a.	29.65	753.1	82	83	...	0	c
Swatow,	,,	29.54	750.3	89	69	E	2	c	,,	...	...	...	...	...	...	...
Taiboku,	1 p.	29.58	751.3	...	...	S	4	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	29.58	751.4	...	...	W	2	...	,,	...	...	...	...	...	...	...
Tainan,	,,	29.56	750.9	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Koshun,	,,	29.57	751.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.56	750.8	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.55	750.5	97	54	W	1	b	9 a.	29.63	752.6	83	87	E	1	c
Hongkong,	4 p.	29.55	750.5	85	80	W	1	o	10 a.	29.63	752.6	77	92	S	1	ord
Victoria Peak,	,,	...	...	...	...	W	2	...	,,	...	...	...	...	N W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.55	750.5	89	...	S S E	1	o	,,	29.63	752.6	84	...	W N W	1	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.54	750.4	88	...	S S E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.64	752.9	90	...	E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.6	82	...	S W	1	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.62	752.4	90	...	N	1	o	6 a.	29.63	752.5	81	...	S W	1	c
Manila,	4 p.	29.69	754	81	85	S W	2	o	10 a.	29.76	756	81	85	W S W	3	o
Legaspi,	2 p.	29.71	754.7	88	...	W	1	o	6 a.	29.76	755.8	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.73	755.1	86	...	S W	2	o	,,	29.80	756.9	82	...	S W	2	...
Cebu,	,,	...	...	87	...	S	3	c	,,	29.71	754.6	87	...	S	1	b
Labuan,	,,	29.70	754.4	87	...	...	...	...	,,	29.78	756.4	83	...	...	...	...

On the 17th at 12.25 p.—The Japanese observations of yesterday afternoon, received here this morning, show that a depression was lying then to the S. of the Loochoos. The returns both from Japan and Formosa are lacking this morning.

The barometer has fallen slightly over China and remains low, about 0.15 inch below normal over the coast generally. It is also about 0.1 inch in defect over the Philippines.

Unsettled, squally weather will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. or variable winds, moderate or fresh; squally, thunder showers.
2.—Formosa Channel,	Variable winds, moderate or fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 17th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th JULY, 1907, P.M.								18th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiwan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.63	752.6	...	...	S	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.64	752.8	73	...	S S E	4	o	9 a.	29.75	755.6	68	...	E N E	1	c
Tientsin,	,,	29.75	755.6	85	64	S	1	b	6 a.	29.81	757.2	75	95	W	1	b
Tientsin,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.55	750.5	82	75	W	1	o	9 a.	29.54	750.3	80	78	N W	3	o
Gutzlaff,	,,	29.57	751.1	81	91	...	0	cv	,,	29.49	749.0	74	100	N N W	6	ond
Sharp Peak,	,,	29.55	750.5	86	84	S	1	b	,,	...	...	...	...	...	...	...
Amoy,	,,	...	...	85	72	S E	4	b	6 a.	29.69	754.1	82	83	S W	1	c
Swatow,	,,	29.55	750.5	90	88	S E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.56	750.9	...	...	N W	4	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	29.56	750.9	...	...	...	0	...	,,	...	...	...	...	...	...	...
Tainan,	,,	29.59	751.5	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Koshun,	,,	29.56	750.7	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.57	751.0	...	...	N	6	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	29.69	754.1	78	91	N	1	o
Hongkong,	4 p.	29.55	750.5	82	83	W	1	o	10 a.	29.67	753.6	84	81	W	1	o
Victoria Peak,	,,	...	...	...	...	W	3	...	,,	...	...	...	...	N W	1	...
Saddle Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.56	750.8	85	...	S	1	o	,,	29.68	753.9	84	...	N N W	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.50	749.2	88	...	S S E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.57	751.2	95	...	S S E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.59	751.6	82	...	W	2	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.62	752.3	90	...	N	1	o	6 a.	29.66	753.4	79	...	S	1	c
Manila,	4 p.	29.69	754	77	92	S W	3	q	10 a.	29.76	756	82	77	S W	1	o
Legaspi,	2 p.	29.70	754.3	90	...	S W	1	b	6 a.	29.76	755.9	77	...	W	1	o
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.72	754.9	84	...	S W	2	od	,,	29.81	757.2	83	...	S W	2	c
Cebu,	,,	29.69	754.1	90	...	S	3	b	,,	29.82	757.4	86	...	S	1	c
Labuan,	,,	29.71	754.6	87	...	...	...	...	,,	29.78	756.4	83	...	...	...	...

On the 18th at 12.15 p.—The barometer has fallen moderately at the mouth of the Yangtze, and risen slightly on the N.E. and S. coasts of China.

A depression, which is probably moving Eastwards, appears to have passed from the continent to the Yellow Sea.

Moderate or fresh W. to S.W. winds will probably prevail in the Formosa Channel and the N. part of the China Sea.

The returns from Formosa and Japan are lacking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, light or moderate; thunder showers.
2.—Formosa Channel,	W. to S.W. winds, moderate or fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 18th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th JULY, 1907, P.M.								19th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.75	755.6	69	95	E	3	or	6 a.	29.77	756.1	69	100	N	2	or
Weihaiwei,	,,	29.78	756.4	67	...	E N E	2	r	9 a.	29.76	755.9	69	...	E	3	or
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.86	758.4	76	91	N E	1	b
Kiukiang,	,,	29.76	755.9	90	44	N E	1	c	,,	29.82	757.4	74	90	N E	1	b
Shanghai,	,,	29.54	750.3	79	78	N N W	4	o	9 a.	29.65	753.1	76	82	W N W	4	c
Gutzlaff,	,,	29.51	749.5	75	95	N W	6	cv	,,	29.65	753.1	75	86	W	4	c
Sharp Peak,	,,	29.59	751.6	86	88	S	2	c	,,	29.71	754.6	82	87	...	0	o
Amoy,	,,	...	...	86	76	S E	3	c	6 a.	29.76	755.9	83	83	S W	1	c
Swatow,	,,	29.58	751.3	85	79	E	1	c	,,	29.62	752.3	78	91	...	0	c
Taihoku,	1 p.	29.63	752.7	...	...	W	4	...	5 a.	29.67	753.7	...	...	...	0	..
Taichu,	,,	29.61	752.2	...	...	S W	2	...	,,	29.69	754.0	...	...	...	0	..
Tainan,	,,	29.65	753.2	...	...	S W	6	...	,,	29.65	753.1	...	...	E	2	..
Koshun,	,,	29.67	753.6	...	...	W	2	...	,,	29.67	753.7	...	...	..	0	..
Pescadores,	,,	29.60	751.8	...	...	S W	4	...	,,	29.65	753.1	...	...	W	2	..
Canton,	3 p.	29.66	753.3	86	68	...	0	or	9 a.	29.73	755.1	84	75	N	1	c
Hongkong,	4 p.	29.61	752.1	86	77	...	0	o	10 a.	29.72	754.9	80	79	S	1	o
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	W	1	..
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Macao,	,,	29.62	752.3	82	...	N W	1	o	,,	29.73	755.1	85	...	...	0	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	..
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Phulien,	4 p.	29.61	752.1	84	...	N N W	1	o	10 a.	...	...	...	...	...	...	..
Tourane,	,,	29.63	752.7	90	...	N W	3	c	,,	...	...	...	...	...	...	..
Cape St. James,	,,	29.69	754.2	84	...	S W	2	c	,,	...	...	...	...	...	...	..
Aparri,	2 p.	29.67	753.7	90	...	N	1	o	6 a.	29.72	754.8	77	...	S	1	c
Manila,	4 p.	29.72	755	82	85	S W	2	o	10 a.	29.84	758	75	109	S S W	3	d
Legaspi,	2 p.	29.74	755.5	88	...	S W	1	c	6 a.	29.79	756.7	79	...	W	1	c
Bacolod,	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.75	755.6	83	...	S W	1	o	,,	29.81	757.2	81	...	S W	2	o
Cebu,	,,	29.77	756.1	88	...	S	2	...	,,	29.84	757.9	86	...	S	3	c
Labuan,	,,	29.75	755.6	83	...	...	...	...	,,	29.83	757.7	81	...	...	...	..

On the 19th at 11.55 a.—The barometer has risen generally, particularly on the E. coast of China.

Pressure is still low over the S. part of the Yellow Sea. It is highest over Central China in the North, and over the S. part of the China Sea in the South.

Moderate variable winds will probably prevail in the Formosa Channel, and moderate S. monsoon over the N. part of the China Sea.

The Japanese returns are lacking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; thunder showers.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 19th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JULY, 1907, P.M.								20th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	30.04	763.1	...	...	N	6	...	6 a.	29.93	760.1	...	...	N	2	..
Hakodate,	,,	30.09	764.2	...	...	S E	6	...	,,	30.01	762.2	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	N	2	...	,,	29.99	761.6	...	...	N	2	...
Kochi,	,,	29.80	756.8	...	...	S E	2	...	,,	29.84	757.8	...	...	S	2	...
Nagasaki,	,,	29.72	754.8	...	...	W	6	...	,,	29.76	755.8	...	...	...	0	...
Kagoshima,	,,	29.72	754.9	...	...	S	4	...	,,	29.76	755.9	...	...	E	6	...
Ishima,	,,	29.69	754.1	...	...	N	4	...	,,	29.69	754.1	...	...	N W	4	...
Naha,	,,	29.69	754.2	...	...	N W	0	...	,,	29.69	754.2	...	...	..	0	...
Ishigakijima,	,,	29.70	754.3	...	...	S E	4	...	,,	29.70	754.3	...	...	N E	2	...
Chefoo,	3 p.	29.75	755.6	70	95	E	2	or	6 a.	29.64	752.8	60	100	E	2	c
Weihaiwei,	,,	29.68	753.9	69	...	N E	3	or	9 a.	29.64	752.8	70	...	E N E	5	or
Hankow,	,,	29.87	758.7	89	66	N E	1	c	6 a.	29.82	757.4	78	86	S W	1	b
Kiukiang,	,,	...	...	90	44	...	0	c	,,	29.84	757.9	75	86	N E	1	b
Shanghai,	,,	29.62	752.3	80	70	W	4	c	9 a.	29.72	754.9	77	82	W N W	1	o
Gutzlaff,	,,	29.62	752.3	75	90	W	3	cv	,,	29.73	755.1	77	86	W	1	ov
Sharp Peak,	,,	29.66	753.3	86	88	N E	1	o	,,	29.71	754.6	84	85	S E	1	o
Amoy,	,,	...	...	82	79	...	0	or	6 a.	29.79	756.6	80	87	N W	3	c
Swatow,	,,	29.63	752.6	87	80	E	1	c	,,	29.66	753.3	78	95	E	1	c
Taiboku,	1 p.	29.67	753.7	...	...	E	2	...	5 a.	29.69	754.2	...	...	...	0	...
Taichu,	,,	29.63	752.7	...	...	N W	4	...	,,	29.71	754.7	...	...	...	0	...
Taihan,	,,	29.65	753.2	...	...	S W	6	...	,,	29.69	754.2	...	...	...	0	...
Koshun,	,,	29.69	754.2	...	...	S	4	...	,,	29.68	753.9	...	...	N E	2	...
Pescadores,	,,	29.66	753.3	...	...	N	2	...	,,	29.67	753.7	...	...	N	2	...
Canton,	3 p.	29.66	753.3	91	57	N N W	1	c	9 a.	29.72	754.9	84	79	N	1	b
Hongkong,	4 p.	29.63	752.6	85	68	...	0	o	10 a.	29.71	754.6	81	86	E S E	1	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.64	752.8	86	...	...	0	g	,,	29.72	754.9	85	...	...	0	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.1	84	...	E N E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	84	...	N W	2	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.7	79	...	S W	5	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.66	753.4	91	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	77	92	S	2	od	10 a.	29.76	755	79	84	W	1	o
Legaspi,	2 p.	29.74	755.5	86	...	W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W S W	2	gq	9 a.	...	...	...	...	W S W	1	c
Iloilo,	,,	29.75	755.6	81	...	S W	5	or	,,	29.81	757.2	83	...	S W	1	c
Cebu,	,,	29.77	756.1	88	...	S	1	c	,,	...	...	89	...	S	2	c
Labuan,	,,	29.75	755.6	86	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

On the 20th at 12.20 p.—The barometer has risen at the mouth of the Yangtze, and fallen in Shantung.

The area of low pressure is still lying over the Yellow Sea.

Pressure is high over E. Japan, and it appears to be low over the Pacific to the S. of the Loochoos.

Light or moderate variable winds are indicated in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 20th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JULY, 1907, P.M.								21st JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.89	759.1	...	...	N	6	...	6 a.	...	...	...	...	...	...	
Hakodate,	,,	29.89	759.2	...	...	S E	4	...	,,	...	...	...	...	...	...	
Tokio,	,,	29.94	760.6	...	...	N	4	...	,,	...	...	...	...	...	...	
Kochi,	,,	29.83	757.8	...	...	E	4	...	,,	...	...	...	...	...	...	
Nagasaki,	,,	29.72	754.8	...	...	S E	4	...	,,	...	...	...	...	...	...	
Kagoshima,	,,	29.72	754.9	...	...	E	6	...	,,	...	...	...	...	...	...	
Oshima,	,,	29.69	754.1	...	...	N	4	...	,,	...	...	...	...	...	...	
Naha,	,,	29.65	753.2	...	...	N	8	...	,,	...	...	...	...	...	...	
Ishigakijima,	,,	29.70	754.3	...	...	E	6	...	,,	...	...	...	...	...	...	
Chefoo,	3 p.	29.56	750.8	77	86	S E	3	c	6 a.	29.77	756.1	71	95	E	1	
Weihaiwei,	,,	29.59	751.6	72	...	S E	5	o	9 a.	...	...	...	...	...	...	
Hankow,	,,	29.81	757.2	89	50	E N E	1	b	6 a.	29.77	756.1	78	82	S W	1	
Kiukiang,	,,	29.77	756.1	91	42	W	1	b	,,	29.79	756.6	75	86	N E	1	
Shanghai,	,,	29.69	754.1	83	67	W S W	1	c	9 a.	29.77	756.1	83	71	E	2	
Gutzlaff,	,,	29.70	754.4	81	74	S W	1	cv	,,	29.75	755.6	80	81	S E	1	
Sharp Peak,	,,	29.67	753.6	85	89	N E	2	o	,,	29.73	755.1	81	85	N E	2	
Amoy,	,,	29.77	756.1	85	76	E	1	c	6 a.	29.76	755.9	82	87	N N E	2	
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Taihoku,	1 p.	29.66	753.4	...	...	N W	2	...	5 a.	29.68	753.9	...	...	S	2	
Taichu,	,,	29.67	753.6	...	...	N	4	...	,,	29.69	754.1	...	...	...	0	
Tainan,	,,	29.66	753.4	...	...	S W	4	...	,,	29.66	753.4	...	...	N E	2	
Koshun,	,,	29.67	753.7	...	...	E	4	...	,,	29.65	753.0	...	...	E	4	
Pescadores,	,,	29.67	753.5	...	...	S W	2	...	,,	29.66	753.4	...	...	W	2	
Canton,	3 p.	29.64	752.8	91	67	...	0	b	9 a.	29.67	753.6	84	79	N	1	
Hongkong,	4 p.	29.65	753.1	79	85	N W	1	oplt	10 a.	29.69	754.1	85	74	E	1	
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	E	2	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.65	753.1	86	...	S E	1	o	,,	29.79	754.4	86	...	E S E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.65	753.1	81	...	W	2	or	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.68	753.8	88	...	N	2	c	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.65	753.2	81	...	S W	5	c	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.67	753.5	86	...	N	1	t	6 a.	29.66	753.3	77	...	S	1	
Manila,	4 p.	29.69	754	82	77	S W	3	o	10 a.	29.73	755	77	92	N N W	1	
Legaspi,	2 p.	29.70	754.5	91	...	W	1	c	6 a.	29.73	755.1	77	...	W	1	
Bacolod,	3 p.	...	...	...	...	N W	1	o	9 a.	...	...	...	...	S S W	1	
Iloilo,	,,	29.73	755.1	86	...	W S W	5	og	,,	29.79	756.6	82	...	W	4	
Cebu,	,,	...	...	88	...	S	3	c	,,	29.80	756.9	87	...	...	...	
Labuan,	,,	29.72	754.9	87	...	...	...	...	,,	29.82	757.4	81	...	...	...	

On the 21st at 11.55 a.—The barometer has risen moderately over the N.E. coast of China, and fallen slight over S. China and the Philippines.

A low pressure trough appears to be lying over the N. part of the China Sea and extending Eastwards over t Pacific to the S. of the Loochoos. It may give rise to a circular depression. The low area lying over the Yellow S appears to have entered Shantung yesterday afternoon.

Moderate or fresh N.E. and E. winds may be expected in the Formosa Channel and along the Northern sho of the China Sea.

The Japanese returns are lacking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate or fresh; squally, show
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 21st July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JULY, 1907, P.M.								22nd JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	29.85	758.1	...	...	S E	4	...	6 a.	29.89	759.1	...	...	...	0	..
Hakodate,	,,	29.77	756.2	...	...	N	4	...	,,	29.81	757.2	...	...	E	2	...
Tokio,	,,	29.87	758.6	...	...	S E	6	...	,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.83	757.8	...	...	S W	4	...	,,	29.88	758.8	...	...	S	2	...
Nagasaki,	,,	29.76	755.8	...	...	W	4	...	,,	29.80	756.8	...	...	N	2	...
Kagoshima,	,,	29.72	754.9	...	...	N E	6	...	,,	29.80	756.9	...	...	...	0	...
Oshima,	,,	29.65	753.1	...	...	E	4	...	,,	29.57	751.1	...	...	N E	4	...
Naha	,,	29.61	752.2	...	...	N	6	...	,,	29.54	750.2	...	...	N	6	...
Ishigakijima,	,,	29.66	753.3	...	...	N E	6	...	,,	29.62	752.3	...	...	N	2	...
Chefoo,	3 p.	29.82	757.4	77	86	E	2	c	6 a.	29.79	756.6	71	100	...	0	o
Weihaiwei,	,,	29.84	757.9	72	...	E	2	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.88	758.9	78	86	S	1	c
Kiukiang,	,,	29.77	756.1	94	47	N E	2	b	,,	29.80	756.9	78	91	...	0	b
Shanghai,	,,	29.74	755.4	86	65	E	2	c	9 a.	29.74	755.4	77	91	N	1	...
Gutzlaff,	,,	29.75	755.6	79	87	E	2	om	,,	29.76	755.9	76	95	E S E	3	m
Sharp Peak,	,,	29.71	754.6	84	83	N E	3	c	,,	...	...	...	...	...	...	...
Amoy,	,,	29.77	756.1	86	76	N E	4	c	6 a.	29.76	755.9	79	87	S W	1	o
Swatow,	,,	29.65	753.1	86	96	E	2	c	,,	29.74	755.4	78	95	N E	1	c
Taihoku,	1 p.	29.69	754.1	...	...	E	6	...	5 a.	29.67	753.6	...	...	S	2	...
Taichu,	,,	29.65	753.2	...	...	N	6	...	,,	29.66	753.4	...	...		0	...
Tainan,	,,	29.66	753.3	...	...	N	6	...	,,	29.65	753.2	...	...	E	2	...
Koshun,	,,	29.66	753.3	...	...	N E	6	...	,,	29.64	752.9	...	...	N E	4	...
Pescadores,	,,	29.61	752.1	...	...	N W	4	...	,,	29.60	751.9	...	...	N E	4	...
Canton,	3 p.	29.60	751.8	93	46	S E	1	c	9 a.	29.72	754.9	84	75	N	1	c
Hongkong,	4 p.	29.63	752.6	80	84	E	2	op	10 a.	29.70	754.4	83	63	E	4	oq
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.61	752.1	87	...	E S E	1	o	,,	29.70	754.4	86	...	N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.8	84	...	S S E	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	91	...	S E	2	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.0	77	...	W S W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.65	753	81	92	S	3	o	10 a.	29.73	755	82	77	S S W	1	o
Legaspi,	2 p.	29.69	754.1	90	...	S W	1	c	6 a.	29.74	755.4	77	...	W	1	o
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	g
Iloilo,	,,	29.73	755.1	82	...	S W	2	or	,,	29.81	757.2	79	...	S W	1	c
Cebu,	,,	29.78	756.4	88	...	S	3	o	,,	29.82	757.4	85	...	S	3	...
Labuan,	,,	29.77	756.1	84	...	...	...	...	,,	29.81	757.2	83	...	...	...	...

On the 22nd at 11.45 a.—The barometer has fallen moderately over the Loochoos, and is little changed elsewhere.

A depression, probably a typhoon, is situated to the S.E. of the Loochoos. It appears to be moving slowly towards N.W. at present.

A second centre may develop to the South of Hongkong, in the low pressure trough lying over the N. part of the China Sea.

Fresh to strong N.E. and E. winds are likely to prevail in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh or strong; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 22nd July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JULY, 1907, P.M.								23rd JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.85	758.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...	
Hakodate,	,,	29.81	757.2	...	...	S E	4	...	,,	...	...	...	...	...	...	
Tokio,	,,	29.87	758.6	...	...	S E	4	...	,,	...	...	...	...	...	...	
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	...	...	...	...	...	...	
Nagasaki,	,,	29.76	755.8	...	...	N W	2	...	,,	...	...	...	...	...	...	
Kagoshima,	,,	29.76	755.9	...	...	N E	6	...	,,	...	..	...	...	...	...	
Oshima,	,,	29.57	751.1	...	...	N	6	...	,,	...	...	...	...	...	...	
Naha,	,,	29.57	751.2	...	...	N E	6	...	,,	...	...	...	...	...	...	
Ishigakijima,	,,	29.62	752.3	...	...	N	4	...	,,	...	...	...	...	...	...	
Chefoo,	3 p.	29.68	758.9	75	100	...	0	o	6 a.	29.88	758.9	71	100	...	0	
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.90	759.4	75	...	N W	1	
Hankow,	,,	29.84	757.9	89	59	N E	1	b	6 a.	29.90	759.4	79	87	E	1	
Kiukiang,	,,	29.81	757.2	91	54	N E	2	b	,,	29.81	757.2	78	86	N E	1	
Shanghai,	,,	29.78	756.4	77	91	E	2	opvr	9 a.	29.84	757.9	80	78	N E	2	
Gutzlaff,	,,	29.76	755.9	77	91	E	3	om	,,	29.83	757.7	74	95	E	3	
Sharp Peak,	,,	29.69	754.1	85	79	N N E	3	c	,,	29.75	755.6	80	93	N	3	
Amoy,	,,	29.78	756.4	89	59	E	1	b	6 a.	29.83	757.7	81	83	N E	2	
Swatow,	,,	29.60	751.8	86	80	E	2	b	,,	...	...	...	...	...	...	
Taiboku,	1 p.	29.68	753.8	...	...	S E	4	...	5 a.	29.68	753.9	...	...	S E	4	
Taichu,	,,	29.64	752.9	...	...	N	4	...	,,	29.67	753.5	...	...	...	0	
Tainan,	,,	29.61	752.1	...	...	W	4	...	,,	29.66	753.3	...	...	...	0	
Koshun,	,,	29.66	753.3	...	...	E	6	...	,,	29.69	754.0	...	...	E	2	
Pescadores,	,,	29.61	752.1	...	...	N E	8	...	,,	29.65	753.0	...	...	N	4	
Canton,	3 p.	29.66	753.3	81	87	S E	1	or	9 a.	29.72	754.9	84	68	N	1	
Hongkong,	4 p.	29.63	752.6	83	72	E S E	3	o	10 a.	29.67	753.6	84	70	N E	4	
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	5	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.63	752.6	86	...	S E	1	o	,,	29.67	753.6	86	...	N E	1	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.62	752.3	84	...	S S E	3	o	10 a.	...	...	...	...	...	...	
Tourane,	,,	29.64	752.8	86	...	N	1	o	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.69	754.1	79	...	W	2	o	,,	...	...	...	...	...	...	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.68	753.9	75	...	S	1	
Manila,	4 p.	29.65	753	81	84	S W	4	o	10 a.	29.76	756	84	56	S S W	2	
Legaspi,	2 p.	29.70	754.4	88	...	S W	1	c	6 a.	29.77	756.1	79	...	W	1	
Bacolod,	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	S W	1	
Iloilo,	,,	29.72	754.9	80	...	S W	1	o	,,	29.80	756.9	81	...	S W	1	
Cebu,	,,	...	...	87	...	S	4	c	,,	...	...	86	...	S	2	
Labuan,	,,	29.79	756.6	88	...	...	...	...	,,	29.79	756.6	83	...	...	...	

On the 23rd at 11.45 a.—The barometer has fallen slightly in the neighbourhood of Hongkong, and risen a lit over the E. coast of China and the Philippines.

A circular depression appears to have formed or to be forming over the China Sea to the Southward of Hon kong, probably in from 18° to 20° Lat.

Pressure is high, about 0.1 inch above the normal over N. China, while it is about 0.1 inch below the average the stations around the N. part of the China Sea.

Strong N.E. winds will prevail in the Formosa Channel and along the Northern shores of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; squally, rain later.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. to N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 23rd July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JULY, 1907, P.M.								24th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	...	0	..
Hakodate,	,,	29.85	758.2	...	...	S E	6	...	,,	29.93	760.2	...	...	S E	2	...
Tokio,	,,	29.83	757.6	...	...	S	2	...	,,	29.83	757.6	...	...	N	6	...
Kochi,	,,	29.68	753.8	...	...	S W	2	...	,,	29.64	752.8	...	...	S W	2	...
Nagasaki,	,,	29.68	753.8	...	...	N	6	...	,,	29.72	754.8	...	...	N	4	...
Kagoshima,	,,	29.64	752.9	...	...	E	6	...	,,	29.64	753.9	...	...	N E	2	...
Oshima,	,,	29.65	753.1	...	...	N	4	...	,,	29.69	754.1	...	...	S	2	...
Naha,	,,	29.65	753.2	...	...	N	4	...	,,	29.73	755.2	...	...	N	2	...
Ishigakijima,	,,	29.70	754.3	...	...	...	0	...	,,	29.74	755.3	...	...	S E	2	...
Chefoo,	3 p.	29.84	757.9	80	87	...	0	c	6 a.	29.79	756.6	70	100	...	0	o
Weihaiwei,	,,	29.84	757.9	80	...	N W	1	o	9 a.	29.84	757.9	79	...	W N W	...	ovr
Hankow,	,,	29.85	758.2	90	56	N E	1	c	6 a.	29.87	758.7	81	91	E S E	1	c
Kiukiang,	,,	29.82	758.4	90	56	N E	2	b	,,	29.82	757.4	79	91	E	2	b
Shanghai,	,,	...	...	83	71	E N E	1	o	9 a.	29.83	757.7	78	74	E	1	o
Gutzlaff,	,,	29.78	756.4	77	91	N N E	2	om	,,	29.82	757.4	77	91	E	2	om
Sharp Peak,	,,	29.72	754.9	81	89	N N E	4	oq	,,	29.78	756.4	80	87	N	3	og
Amoy,	,,	29.70	754.4	80	91	E	4	o	6 a.	29.70	754.4	80	82	N E	3	or
Swatow,	,,	29.64	752.8	85	87	E	3	c	,,	29.65	753.1	78	95	E N E	2	o
Taihoku,	1 p.	29.69	754.2	...	...	E	6	...	5 a.	29.71	754.7	...	...	E	2	...
Taichu,	,,	29.65	753.9	...	...	N W	4	...	,,	29.72	754.9	...	...	...	0	...
Tainan,	,,	29.69	754.1	...	...	W	4	...	,,	29.74	755.3	...	...	S	4	...
Koshun,	,,	29.70	754.4	...	...	E	4	...	,,	29.73	755.2	...	...	E	2	...
Pescadores,	,,	29.68	753.9	...	...	N W	6	...	,,	29.71	754.6	...	...	...	0	...
Canton,	3 p.	29.63	752.6	94	55	N E	1	b	9 a.	29.66	753.3	86	68	N E	1	c
Hongkong,	4 p.	29.59	751.6	83	76	E	6	cq	10 a.	29.62	752.3	79	95	E N E	3	op
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.60	751.8	88	...	S S E	1	c	,,	29.63	752.6	82	...	N E	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.1	86	...	W S W	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.62	752.4	81	...	N W	1	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.9	77	...	W S W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.66	753.4	91	...	N E	1	c	6 a.	29.74	755.4	77	...	S W	1	o
Manila,	4 p.	29.69	754	86	71	W S W	1	o	10 a.	29.80	757	86	65	S S W	1	o
Legaspi,	2 p.	29.75	755.6	90	...	W	1	c	6 a.	29.82	757.4	77	...	W	1	c
Iacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.75	755.6	82	...	W	2	o	,,	29.81	757.2	81	...	S W	1	c
Cebu,	,,	29.78	756.4	87	...	S	3	or	,,	29.84	757.9	84	...	S	1	c
Labuan,	,,	29.73	755.1	90	...	...	...	...	,,	29.79	756.6	84	...	...	...	...

On the 23rd at 4.40 p.—Orders issued to hoist the Black Cone point downwards, (indicates Typhoon South of Colony within 300 miles).

On the 24th at 12.10 p.—The barometer continues to fall slowly in the neighbourhood of Hongkong, while it has risen slightly over Formosa and the Philippines.

The depression is still lying to the Southward of Hongkong, probably in about 19° to 20° Lat. It appears to be moving very slowly towards W.N.W. or N.W.

The depression lying to the S.E. of Loochoos on the 22nd, has reached the S. coast of Japan.

Pressure remains high over N. China.

Fresh N.E. and E. winds may be expected in the Formosa Channel, and strong cyclonic winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, strong; squally, showery.
2.—Formosa Channel,	N.E. to E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 24th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JULY, 1907, P.M.								25th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	E	2	...	6 a.	29.89	759.1	...	...	S	2	...
Hakodate,	,,	29.89	759.2	...	...	S E	6	...	,,	29.89	759.2	...	...	E	2	...
Tokio,	,,	29.83	757.6	...	...	N E	6	...	,,	29.83	757.6	...	...	N W	2	...
Kochi,	,,	29.60	751.8	...	...	N	4	...	,,	29.64	752.8	...	...	S W	2	...
Nagasaki,	,,	29.64	752.8	...	...	N	6	...	,,	29.72	754.8	...	...	N	2	...
Kagoshima,	,,	29.64	752.9	...	...	S	2	...	,,	29.72	754.9	...	...	N W	2	...
Oshima,	,,	29.69	754.1	...	...	N	4	...	,,	29.73	755.1	...	...	S W	10	...
Naha,	,,	29.73	755.2	...	...	N	4	...	,,	29.73	755.2	...	...	...	0	...
Ishigakijima,	,,	29.74	755.3	...	...	N E	4	...	,,	29.74	755.3	...	...	...	0	...
Chefoo,	3 p.	29.82	757.4	83	83	E	2	b	6 a.	29.79	756.6	73	95	...	0	c
Weihaiwei,	,,	29.81	757.2	81	...	N W	1	o	9 a.	29.83	757.7	78	...	S E	1	b
Hankow,	,,	29.79	756.6	92	67	N E	1	c	6 a.	29.81	757.2	80	91	E	1	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.72	754.9	80	87	S S E	1	b
Shanghai,	,,	29.78	756.4	83	67	E	1	c	9 a.	29.81	757.2	80	74	E S E	1	b
Gutzlaff,	,,	29.79	756.6	78	86	E N E	1	cv	,,	29.80	756.9	77	91	E	2	cu
Sharp Peak,	,,	29.78	756.4	79	89	N	1	ogd	,,	29.81	757.2	78	93	N	1	or
Amoy,	,,	29.74	755.4	79	87	N E	3	o	6 a.	29.65	753.1	78	95	N E	2	ov
Swatow,	,,	29.64	752.8	78	95	E	2	or	,,	29.65	753.1	77	95	E	2	o
Taihoku,	1 p.	29.72	755.0	...	...	N	2	...	5 a.	29.77	756.1	...	...	...	0	...
Taichu,	,,	29.74	755.5	...	...	N W	4	...	,,	29.77	756.1	...	...	...	0	...
Tainan,	,,	29.73	755.2	...	...	S	4	...	,,	29.75	755.6	...	...	S E	2	...
Koshun,	,,	29.71	754.7	...	...	S	2	...	,,	29.78	756.3	...	...	N	2	...
Pescadores,	,,	29.71	754.7	...	...	S E	4	...	,,	29.75	755.5	...	...	S E	4	...
Canton,	3 p.	29.63	752.6	86	72	N E	1	o	9 a.	29.72	754.9	82	87	E	2	b
Hongkong,	4 p.	29.61	752.1	77	96	E N E	1	od	10 a.	29.72	754.9	84	78	E	1	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	S S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.60	751.8	81	...	N E	1	o	,,	29.72	754.9	82	...	S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.51	749.6	79	...	W N W	5	lt	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.56	750.7	79	...	N W	1	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.0	75	...	W S W	4	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.72	754.9	88	...	N	1	o	6 a.	29.81	757.1	77	...	S W	1	o
Manila,	4 p.	29.76	756	84	71	W S W	3	o	10 a.	29.84	758	86	71	S W	1	c
Legaspi,	2 p.	29.76	756.0	90	...	W	1	o	6 a.	29.85	758.1	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	...	0	cp
Iloilo,	,,	29.75	755.6	84	...	S W	2	c	,,	29.83	757.7	83	...	...	0	o
Cebu,	,,	29.77	756.1	86	...	S	2	c	,,	29.92	759.9	83	...	...	0	or
Labuan,	,,	29.71	754.6	90	...	...	...	...	,,	29.82	757.4	84	...	...	...	...

On the 24th at 3.00 p.—Orders issued to hoist the Black Cone point downwards and Ball.

The depression to the S.W. of Hongkong, appears to be moving towards the neighbourhood of Hainan Straits.

On the 25th at 3.00 a.—Signal lowered.

On the 25th at 12.05 p.—The barometer has risen moderately in the neighbourhood of Hongkong, and a slight increase of pressure has occurred also over Formosa and the Philippines.

The depression has probably moved into the Gulf of Tongking. The depression in the North lies over S.W. Japan.

Pressure remains somewhat high over Central and N. China.

Moderate N.E. winds may be expected in the Formosa Channel, and fresh S.E. and S. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; squally, showery.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	E. to S.E. winds, moderate.
4.—South coast of China between Hongkong and Hainan,	S.E. and S. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 25th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JULY, 1907, P.M.								26th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	S E	2	...	6 a.	29.69	754.1	...	...	N	4	..
Hakodate,	,,	29.81	757.2	...	...	S	6	...	,,	29.73	755.2	...	...	...	0	...
Tokio,	,,	29.79	756.6	...	...	N	4	...	,,	29.75	755.6	...	...	N	2	...
Kochi,	,,	29.68	753.8	...	...	S	2	...	,,	29.72	754.8	...	...	S W	2	...
Nagasaki,	,,	29.68	753.8	...	...	W	4	...	,,	29.72	754.8	...	...	N	2	...
Kagoshima,	,,	29.68	753.9	...	...	N W	6	...	,,	29.72	754.9	...	...	...	0	...
Oshima,	,,	29.69	754.1	...	...	N	4	...	,,	29.69	754.1	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.70	754.3	...	...	...	0	...
Chefoo,	3 p.	29.76	755.9	83	83	E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.77	756.1	84	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.79	756.6	90	76	N E	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.74	755.4	86	61	E S E	2	c	9 a.	29.74	755.4	77	69	E S E	1	o
Gutzlaff,	,,	29.75	755.6	82	75	E	2	cv	,,	29.72	754.9	78	86	E S E	2	bv
Sharp Peak,	,,	29.77	756.1	79	93	E N E	1	ogd	,,	29.72	754.9	80	93	...	0	o
Amoy,	,,	29.71	754.6	79	90	N E	2	or	6 a.	29.71	754.6	76	91	W	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.5	...	...	N	6	...	5 a.	29.73	755.2	...	...	S	2	...
Taichu,	,,	29.77	756.2	...	...	...	0	...	,,	29.76	756.0	...	...	...	0	...
Tainan,	,,	29.78	756.4	...	...	S	2	...	,,	29.78	756.5	...	...	E	2	...
Koshun,	,,	29.78	756.4	...	...	N W	2	...	,,	29.75	755.7	...	...	N W	2	...
Pescadores,	,,	29.77	756.1	...	...	S E	8	...	,,	29.73	755.2	...	...	S	4	...
Canton,	3 p.	29.68	753.9	89	69	E	1	or	9 a.	29.77	756.1	82	91	E	1	c
Hongkong,	4 p.	29.69	754.1	84	73	E S E	1	c	10 a.	29.76	755.9	83	85	N W	1	c
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.68	753.9	84	...	S E	2	o	,,	29.76	755.9	84	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.44	747.8	79	...	N	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.6	84	...	N N W	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.7	79	...	W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	755.9	90	...	N E	1	c	6 a.	29.78	756.3	77	...	S W	1	o
Manila,	4 p.	29.76	756	86	79	S W	2	c	10 a.	29.80	757	82	77	N W	2	c
Legaspi,	2 p.	29.78	756.4	90	...	S	1	o	6 a.	29.79	756.7	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.75	755.6	85	...	S W	2	c	,,	29.81	757.2	83	...	N E	1	c
Cebu,	,,	29.80	756.9	81	...	...	0	o	,,	29.83	757.7	82	...	S	1	b
Labuan,	,,	29.76	755.9	90	...	...	...	...	,,	29.81	757.2	84	...	...	...	...

On the 26th at 11.55 a.—Yesterday afternoon the depression was approaching the neighbourhood of Haiphong. The barometer has risen slightly in Hongkong and fallen moderately over the E. coast of China and N.E. Japan. The area of low pressure lying over W. Japan yesterday, appears to be moving away over N.E. Japan.

The barometer is inclined to fall over the Loochoos and the Philippines, and pressure seems to be again in defect over the Pacific to the N.E. of Luzon.

Moderate variable winds may be expected in the Formosa Channel, and moderate S. and variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. or variable winds, light; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 26th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JULY, 1907, P.M.								27th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.65	753.1	...	...	...	0	...
Hakodate,	,,	29.69	754.2	...	...	S	4	...	,,	29.69	754.2	...	...	...	0	...
Tokio,	,,	29.67	753.6	...	...	N E	4	...	,,	29.75	755.6	...	...	W	2	...
Kochi,	,,	29.68	753.8	...	...	S E	4	...	,,	29.76	755.8	...	...	...	0	...
Nagasaki,	,,	29.68	753.8	...	...	S W	4	...	,,	29.72	754.8	...	...	...	0	...
Kagoshima,	,,	29.68	753.9	...	...	S	2	...	,,	29.76	755.9	...	...	...	0	...
Oshima,	,,	29.69	754.1	...	...	S	2	...	,,	29.73	755.1	...	...	...	0	...
Naha,	,,	29.69	754.2	...	...	W	2	...	,,	29.69	754.2	...	...	...	0	...
Ishigakijima,	,,	29.74	755.3	...	...	N	2	...	,,	29.74	755.3	...	...	...	0	...
Chefoo,	3 p.	29.67	753.6	81	87	N E	2	b	6 a.	29.68	753.9	71	95	S	1	b
Weihaiwei	,,	29.68	753.9	82	...	E N E	1	b	9 a.	29.73	755.1	78	...	S E	1	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.71	754.6	91	60	S W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.68	753.9	84	57	E	1	o	9 a.	29.74	755.4	80	78	E	1	o
Gutzlaff,	,,	29.67	753.6	82	83	E S E	2	cm	,,	29.71	754.6	78	86	E S E	2	om
Sharp Peak,	,,	29.68	753.9	82	93	S E	2	cv	,,	29.69	754.1	80	91	...	0	o
Amoy,	,,	29.68	753.9	84	87	S E	3	c	6 a.	29.69	754.1	80	82	...	0	c
Swatow,	,,	29.68	753.9	87	84	S	1	b	,,	29.66	753.3	81	91	S W	1	c
Taihoku,	1 p.	29.75	755.7	...	...	E	2	...	5 a.	29.70	754.4	...	...	S	2	...
Taichu,	,,	29.78	756.4	...	...	S	2	...	,,	29.75	755.6	...	...	S E	2	...
Tainan,	,,	29.77	756.2	...	...	W	2	...	,,	29.74	755.4	...	...	E	2	...
Koshun	,,	29.76	755.8	...	...	N W	6	...	,,	29.74	755.4	...	...	W	4	...
Pescadores,	,,	29.74	755.4	...	...	S W	4	...	,,	29.71	754.7	...	...	S W	4	...
Canton,	3 p.	29.72	754.9	91	67	E	1	c	9 a.	29.76	755.9	84	72	S	1	b
Hongkong,	4 p.	29.70	754.4	86	70	W	1	c	10 a.	29.76	755.9	85	75	W S W	2	o
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	S S W	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.70	754.4	86	...	S E	1	c	,,	29.76	755.9	85	...	S	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.6	84	...	S S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	91	...	N	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.9	82	...	S S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.75	755.7	90	...	N E	1	c	6 a.	29.77	756.2	79	...	S	1	b
Manila,	4 p.	29.72	755	86	85	S W	2	o	10 a.	29.80	757	86	71	S W	1	o
Legaspi,	2 p.	29.76	755.8	88	...	...	0	c	6 a.	29.80	757.0	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	E N E	1	c
Iloilo,	,,	...	...	83	...	N E	2	o	,,	29.81	757.2	82	...	S W	1	c
Cebu,	,,	29.81	757.2	85	...	N	2	c	,,	29.72	754.9	84	...	S	2	c
Labuan,	,,	29.73	755.1	89	...	...	...	...	,,	29.81	757.2	84	...	...	...	...

On the 27th at 11.55 a.—Barometric changes are unimportant.

Pressure is highest, apparently, over the S. part of the China Sea. It is still in slight defect of the normal over the Philippines, and in moderate defect over the Loochoos and Japan.

Gradients are slight generally, and light or moderate S.E. to S.W. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, light; fair.
2.—Formosa Channel,	S. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 27th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th July, 1907, P.M.								28th July, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Yemuro,	,,	29.69	754.1	...	...	S	4	...	6 a.	29.77	756.1	...	...	...	0	..
Hakodate,	,,	29.69	754.2	...	...	S	6	...	,,	29.81	757.2	...	...	...	0	...
Tokio,	,,	29.71	754.6	...	...	S	6	...	,,	29.87	758.6	...	...	N W	2	...
Tochi,	,,	29.76	755.8	...	...	S E	4	...	,,	29.83	758.8	...	...	...	0	...
Nagasaki,	,,	29.72	754.8	...	...	S W	4	...	,,	29.80	756.8	...	...	S E	4	...
Kagoshima,	,,	29.72	754.9	...	...	S	4	...	,,	29.80	756.9	...	...	N E	4	...
Oshima,	,,	29.73	755.1	...	...	S E	4	...	,,	29.77	756.1	...	...	...	0	...
Naha,	,,	29.65	753.2	...	...	N W	2	...	,,	29.73	755.2	...	...	...	0	...
Ishigakijima,	,,	29.70	754.3	...	...	...	0	...	,,	29.74	755.3	...	...	N	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.71	754.6	73	90	S S E	1	c
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.69	754.1	94	68	S	1	c	6 a.	29.67	753.6	82	91	S E	1	b
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	80	87	N E	1	b
Shanghai,	,,	29.66	753.3	83	71	E	2	c	9 a.	29.67	753.6	81	78	S E	2	o
Gutzlaff,	,,	29.67	753.6	80	82	E S E	3	om	,,	29.69	754.1	79	87	S E	2	bm
Sharp Peak,	,,	29.66	753.3	82	89	S	1	ogv	,,	29.68	753.9	81	91	S	1	c
Amoy,	,,	29.62	752.3	82	87	S E	2	o	6 a.	29.62	752.3	73	86	N E	1	o
Swatow,	,,	29.61	752.1	92	74	W	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.69	754.2	...	...	W	6	...	5 a.	29.72	754.8	...	...	...	0	...
Taichu,	,,	29.76	755.9	...	...	S W	2	...	,,	29.75	755.6	...	...	S	2	...
Tainan,	,,	29.83	757.8	...	...	W	4	...	,,	29.75	755.5	...	...	E	2	...
Koshun	,,	29.72	754.9	...	...	N W	6	...	,,	29.76	755.9	...	...	...	0	...
Pescadores,	,,	29.73	755.2	...	...	S E	4	...	,,	29.71	754.6	...	...	S	6	...
Canton,	3 p.	29.67	753.6	93	61	S	1	b	9 a.	29.74	755.4	85	79	S	1	b
Hongkong,	4 p.	29.66	753.3	86	73	S S W	1	o	10 a.	29.73	755.1	85	75	S W	3	o
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.66	753.3	88	...	S	1	c	,,	29.74	755.4	84	...	S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.3	86	...	S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.70	754.1	93	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.70	754.5	84	...	S S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.74	755.4	90	...	N	1	b	6 a.	29.79	756.7	77	...	W	1	o
Manila,	4 p.	29.69	754	88	71	W S W	2	c	10 a.	29.84	758	84	77	S S W	1	o
Legaspi,	2 p.	29.74	755.5	86	...	W	1	o	6 a.	29.82	757.4	77	...	...	0	c
Bacolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	S E	1	c
Iloilo,	,,	29.73	755.1	82	...	S W	1	o	,,	29.85	758.2	82	...	S W	1	or
Cebu,	,,	29.76	755.9	86	...	S	2	c	,,	29.86	758.4	81	...	S	2	o
Labuan,	,,	29.74	755.4	91	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 28th at 11.45 a.—The barometer has fallen a little on the China coast, and risen moderately to slightly over Japan and the Philippines respectively.

Pressure is lowest over Central China. It is highest over the Philippines in the South, and over Central Japan in the North.

Moderate to fresh S. monsoon may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate to fresh; fair at first, squally and [showery later.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 28th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th July, 1907, P.M.								29th July, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	"	29.69	754.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	"	29.81	757.2	...	...	S W	4	...	"	...	...	...	...	...	...	...
Tokio,	"	29.83	757.6	...	...	S	6	...	"	...	...	...	...	...	...	...
Kochi,	"	29.83	757.8	...	...	S E	4	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.76	755.8	...	...	S E	4	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.76	755.9	...	...	E	4	...	"	...	...	...	...	...	...	...
Oshima,	"	29.73	755.1	...	...	N E	4	...	"	...	...	...	...	...	...	...
Naha,	"	29.77	756.2	...	...	S W	2	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.70	754.3	...	...	S E	4	...	"	...	...	...	...	...	...	...
Chefoo,	3 p.	29.64	752.8	80	91	S E	3	c	6 a.	29.68	753.9	75	90	S	1	c
Weihaiwei,	"	29.66	753.3	72	...	S S W	3	our	9 a.	29.75	755.6	76	...	E S E	1	o
Hankow,	"	29.58	751.3	94	61	S S E	2	c	6 a.	29.71	754.6	80	91	N E	1	or
Kiukiang,	"	29.57	751.1	94	64	E S E	2	b	"	29.65	753.1	80	87	N E	1	o
Shanghai,	"	29.62	752.3	77	...	S E	3	c	9 a.	29.63	752.6	81	78	S	2	c
Gutzlaff,	"	29.63	752.6	80	87	S S E	4	cm	"	29.64	752.8	78	91	S E	3	cv
Sharp Peak,	"	29.62	752.3	82	89	S	3	o	"	29.70	754.4	80	89	S E	2	og
Amoy,	"	29.65	753.1	80	91	S E	3	or	6 a.	29.62	752.3	80	91	W	1	c
Swatow,	"	29.63	752.6	90	70	N N E	1	o	"	29.64	752.8	80	91	S S W	1	c
Taihoku,	1 p.	29.68	753.9	...	...	E	4	...	5 a.	29.74	755.4	...	...	...	0	...
Taichu,	"	29.72	754.9	...	...	S W	4	...	"	29.76	756.0	...	...	...	0	...
Tainan,	"	29.75	755.6	...	...	E	2	...	"	29.75	755.6	...	...	S E	2	...
Koshun,	"	29.75	755.6	...	...	W	4	...	"	29.76	756.0	...	...	...	0	...
Pescadores,	"	29.71	754.7	...	...	S E	8	...	"	29.73	755.2	...	...	S	4	...
Canton,	3 p.	29.67	753.6	92	61	S W	1	b	9 a.	29.74	755.4	84	83	S	1	c
Hongkong,	4 p.	29.66	753.3	86	67	S	2	o	10 a.	29.74	755.4	85	71	S W	1	o
Victoria Peak,	"	...	...	...	...	S S W	6	...	"	...	...	...	...	S S W	5	...
Gap Rock,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Macao,	"	29.65	753.1	87	...	S	2	o	"	29.74	755.4	84	...	S	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.1	84	...	S S E	5	c	10 a.	...	...	...	...	...	...	...
Tourane,	"	29.66	753.3	88	...	E	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.65	753.1	82	...	W S W	3	o	"	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	756.0	90	...	N E	1	b	6 a.	29.79	756.6	79	...	W	1	b
Manila,	4 p.	29.72	755	82	77	S W	2	c	10 a.	29.80	757	82	77	S	1	o
Legaspi,	2 p.	29.80	757.0	77	...	...	0	o	6 a.	29.84	757.8	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S W	1	or	9 a.	...	...	...	...	S E	1	o
Iloilo,	"	29.75	755.6	80	...	S W	1	o	"	29.81	757.2	81	...	S W	1	c
Cebu,	"	29.79	756.6	84	...	...	0	o	"	29.81	757.2	85	...	S	1	c
Labuan,	"	29.74	755.4	86	...	...	...	...	"	29.83	757.7	80	...	...	...	...

On the 29th at 11.55 a.—The barometer has fallen slightly on the E. coast of China.

A shallow area of low pressure appears to be lying over the Lower Yangtze, and pressure is highest over the Philippines.

Moderate to fresh S. monsoon is expected to prevail in the Formosa Channel and the N. part of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate or fresh; squally, showery.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 29th July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th JULY, 1907, P.M.								30th JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	29.77	756.1	...	...	S E	4	...	6 a.	29.81	757.1	...	...	S	4	..
Hakodate,	,,	29.81	757.2	...	...	S	4	...	,,	29.85	758.2	...	...	N	2	...
Tokio,	,,	29.87	758.6	...	...	S	6	...	,,	29.87	758.6	...	...	S W	2	...
Kochi,	,,	29.80	756.8	...	...	E	4	...	,,	29.80	756.8	...	...	S	2	...
Nagasaki,	,,	29.80	756.8	...	...	W	4	...	,,	29.84	757.8	...	...	S	2	...
Kagoshima,	,,	29.80	756.9	...	...	S E	2	...	,,	29.84	757.9	...	...	...	0	...
Oshima,	,,	29.81	757.1	...	...	S	6	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.81	757.2	...	...	S W	4	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.78	756.3	...	...	S	6	...	,,	29.78	756.3	...	...	S	4	...
Chefoo,	3 p.	29.70	754.4	78	82	N E	3	o	6 a.	29.75	755.6	73	95	...	0	c
Weihaiwei,	,,	29.72	754.9	81	...	E	1	c	9 a.	29.76	755.9	72	...	N E	2	or
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.59	751.6	87	69	S S E	1	b	9 a.	29.65	753.1	87	69	S S W	1	b
Gutzlaff,	,,	29.60	751.8	81	87	S E	3	cm	,,	29.66	753.3	82	91	S	3	cm
Sharp Peak,	,,	29.66	753.3	82	91	S	2	o	,,	29.74	755.4	82	91	S	1	c
Amoy,	,,	29.59	751.6	83	87	S E	2	o	6 a.	29.62	752.3	81	87	...	0	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.72	754.7	...	...	W	2	...	5 a.	29.75	755.6	...	...	...	0	...
Taichu,	,,	29.75	755.7	...	...	S W	4	...	,,	29.78	756.3	...	...	...	0	...
Tainan,	,,	29.78	756.4	...	...	S	4	...	,,	29.76	755.8	...	...	E	2	...
Koshun,	,,	29.77	756.1	...	...	S W	4	...	,,	29.77	756.2	...	...	S E	2	...
Pescadores,	,,	29.74	755.4	...	...	S	4	...	,,	29.74	755.3	...	...	...	0	...
Canton,	3 p.	29.67	753.6	90	63	S	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.69	754.1	85	71	S W	2	oq	10 a.	29.74	755.4	84	76	S	1	op
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.68	753.9	86	...	S	2	o	,,	29.74	755.4	84	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.5	82	...	S S E	5	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.7	88	...	E N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.65	753.0	81	...	W S W	3	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.74	755.5	90	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	81	85	E S E	0	o	10 a.	29.80	757	77	92	S E	0	r
Legaspi,	2 p.	29.78	756.4	82	...	W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.75	755.6	85	...	S W	1	c	,,	29.83	757.7	80	...	S W	3	o
Cebu,	,,	29.76	755.9	87	...	S	3	c	,,	29.85	758.2	84	...	S	1	c
Labuan,	,,	29.78	756.4	79	...	...	...	...	,,	29.79	756.6	82	...	...	...	...

On the 30th at 12.05 p.—Barometric changes are slight.

Pressure is highest over the Pacific to the S. of Japan. It is still low over the Lower Yangtze.

Light to moderate S.E. and S. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, light to moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 30th July, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th JULY, 1907, P.M.								31st JULY, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	S W	4	...	6 a.	29.93	760.1	...	...	S W	2	...
Hakodate,	,,	29.85	758.2	...	...	S	4	...	,,	29.93	760.2	...	...	W	2	...
Tokio,	,,	29.87	758.6	...	...	S E	6	...	,,	29.99	761.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	...	0	...	,,	29.88	758.8	...	...	S E	2	...
Nagasaki,	,,	29.80	756.8	...	...	S W	4	...	,,	29.91	759.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	N W	6	...	,,	29.84	757.9	...	...	...	0	...
Oshima,	,,	29.85	758.1	...	...	N E	4	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	S	2	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	6	...	,,	29.82	757.3	...	...	S E	4	...
Chefoo,	3 p.	29.71	754.6	75	90	E	1	o	6 a.	29.70	754.4	72	95	...	0	o
Weihaiwei,	,,	29.72	754.9	73	...	E	3	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.79	756.6	77	95	S W	1	or
Kiukiang,	,,	29.60	751.8	79	91	S W	2	o	,,	29.75	755.6	76	95	S W	2	or
Shanghai,	,,	29.64	752.8	88	62	S S W	2	c	9 a.	29.70	754.4	85	79	S	1	o
Gutzlaff,	,,	29.65	753.1	82	91	S	4	cm	,,	29.71	754.6	82	91	S	2	cm
Sharp Peak,	,,	29.69	754.1	84	91	S	2	c	,,	29.77	756.1	83	89	S	1	b
Amoy,	,,	29.65	753.1	84	83	S E	3	c	6 a.	29.65	753.1	84	91	...	0	b
Swatow,	,,	29.70	754.4	87	76	S E	1	c	,,	29.71	754.6	80	87	N N E	1	c
Taihoku,	1 p.	29.75	755.7	...	...	N W	6	...	5 a.	29.76	756.0	...	...	...	0	...
Taichu,	,,	29.76	756.0	...	...	W	4	...	,,	29.79	756.7	...	...	...	0	...
Tainan,	,,	29.76	755.9	...	...	S W	6	...	,,	29.76	756.0	...	...	...	0	...
Koshun,	,,	29.75	755.6	...	...	E	6	...	,,	29.77	756.1	...	...	E	4	...
Pescadores,	,,	29.75	755.7	...	...	W	2	...	,,	29.76	755.9	...	...	E	2	...
Canton,	3 p.	29.69	754.1	80	91	...	0	o	9 a.	29.78	756.4	84	83	E	1	b
Hongkong,	4 p.	29.70	754.4	85	74	S	1	o	10 a.	29.77	756.1	84	78	E	2	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	E S E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.71	754.6	84	...	S S E	1	od	,,	29.77	756.1	85	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.6	84	...	S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.64	752.9	88	...	N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.64	752.8	82	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.76	756.0	75	...	S	1	c
Manila,	4 p.	29.76	756	79	92	S	1	d	10 a.	29.84	758	79	84	...	0	o
Legaspi,	2 p.	29.80	756.8	82	...	...	0	o	6 a.	29.84	757.9	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S S W	1	or	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.77	756.1	80	...	S W	2	o	,,	29.85	758.2	81	...	S W	1	b
Cebu,	,,	29.81	757.2	85	...	S	2	o	,,	29.92	759.9	84	...	...	0	c
Labuan,	,,	29.75	755.6	87	...	...	...	...	,,	29.82	757.4	82	...	...	...	

On the 31st at 11.59 a.—The barometer has risen moderately over E. Japan, and a slight rise of the mercury ha taken place also over S. China and the Philippines.

Pressure remains somewhat low to the North of the Lower Yangtze, also it appears to be in slight defect ove the N.W. part of the China Sea. Pressure is high over S.E. Japan.

Moderate S.E. and E. winds are likely to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; showery.
2.—Formosa Channel,	S.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Wednesday, 31st July, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st JULY, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st AUGUST, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	29.93	760.1	...	...	S	4	...	6 a.	29.97	761.1	...	...	S W	4	..
Hakodate,	,,	29.89	759.2	...	...	S	4	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	S	4	...	,,	30.02	762.6	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	S	4	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	W	4	...	,,	29.88	758.8	...	...	S E	2	...
Kagoshima,	,,	29.84	757.9	...	...	E	6	...	,,	29.92	759.9	...	...	N E	4	...
Oshima,	,,	29.85	755.1	...	...	N	4	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	N W	2	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	6	...	,,	29.82	757.3	...	...	N E	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.66	753.3	81	...	E	1	b	9 a.	29.75	755.6	76	...	E N E	1	or
Hankow,	,,	29.82	757.4	84	82	S W	1	or	6 a.	...	...	...	...	...	..	...
Kiukiang,	,,	29.76	755.9	81	91	S E	1	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.65	753.1	86	80	W	2	o	9 a.	29.74	755.4	76	95	S	2	ovr
Gutzlaff,	,,	29.67	753.6	88	84	S S E	2	cm	,,	29.76	755.9	77	77	S S E	2	omd
Sharp Peak,	,,	29.74	755.4	87	88	E S E	1	b	,,	29.78	756.4	84	83	S E	1	b
Amoy,	,,	29.64	752.8	84	91	S	2	c	6 a.	29.66	753.3	82	91	...	0	c
Swatow,	,,	29.71	754.6	90	63	...	0	c	,,	29.71	754.6	81	87	N E	2	c
Taihoku,	1 p.	29.74	755.4	...	...	N	4	...	5 a.	29.78	756.5	...	...	S	2	...
Taichu,	,,	29.76	755.8	...	...	N	4	...	,,	29.79	756.7	...	...	...	0	...
Hainan,	,,	29.75	755.6	...	...	N	4	...	,,	29.77	756.2	...	...	E	2	...
Koshun,	,,	29.79	756.6	...	...	E	4	...	,,	29.78	756.5	...	...	E	6	...
Pescadores,	,,	29.75	755.7	...	...	N	4	...	,,	29.75	755.6	...	...	S E	4	...
Canton,	3 p.	29.71	754.6	93	61	S E	1	b	9 a.	29.76	755.9	86	76	W N W	1	b
Hongkong,	4 p.	29.71	754.6	85	74	E	3	o	10 a.	29.74	755.4	87	65	N N E	1	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.71	754.6	87	...	S E	1	c	,,	29.75	755.6	87	...	N N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.1	86	...	S S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.8	93	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.70	754.3	82	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.74	755.4	86	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	77	W N W	2	c	10 a.	29.84	758	84	71	S	1	o
Legaspi,	2 p.	29.80	756.8	90	...	S W	1	b	6 a.	29.87	758.7	79	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.79	756.6	85	...	S W	1	c	,,	29.85	758.2	83	...	S W	1	b
Cebu,	,,	29.80	756.9	86	...	S	2	b	,,	29.87	758.7	87	...	S	2	b
Haiman,	,,	29.77	756.1	90	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 1st at 11.55 a.—The barometer has fallen slightly in the neighbourhood of Hongkong, and risen a little over N. China and Japan.

Pressure is low apparently, over the N. part of the China Sea, and a depression may be developing to the Southward of Hongkong in from 18° to 20° Lat.

Pressure is high, and in excess of the normal by between 0.1 and 0.2 inch, over E. Japan.

Fresh E. winds are likely to prevail in the Formosa Channel, and fresh to strong N.E. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, probably freshening; squally, showery.
2.—Formosa Channel,	E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 1st August, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st August, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd August, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S E	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.89	759.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.99	761.6	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.91	759.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.88	758.9	...	...	S	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.85	758.1	...	...	N E	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.85	758.2	...	...	N	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.76	755.9	73	95	E	1	b
Weihaiwei,	,,	29.78	756.4	79	...	S E	...	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	80	100	...	0	b
Shanghai,	,,	29.68	753.9	89	66	S S W	1	o	9 a.	29.72	754.9	84	83	S S W	1	b
Gutzlaff,	,,	29.69	754.1	81	96	S	4	om	,,	29.72	754.9	81	96	S	2	bn
Sharp Peak,	,,	29.74	755.4	88	86	E S E	1	c	,,	29.80	756.9	83	87	S	1	b
Amoy,	,,	29.70	754.4	85	83	S E	5	c	6 a.	29.67	753.6	82	91	S	1	c
Swatow,	,,	29.79	756.6	85	79	E	3	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.4	...	...	W	4	...	5 a.	29.80	756.9	...	...	S E	2	...
Taichu,	,,	29.77	756.1	...	...	N W	4	...	,,	29.82	757.5	...	...	...	0	...
Tainan,	,,	29.81	757.1	...	...	S	8	...	,,	29.80	756.8	...	...	S E	4	...
Koshun,	,,	29.83	757.7	...	...	S E	6	...	,,	29.82	757.3	...	...	S E	2	...
Pescadores,	,,	29.76	756.0	...	...	S	8	...	,,	29.78	756.4	...	...	S	6	...
Canton,	3 p.	29.66	753.3	95	53	N	1	c	9 a.	29.76	755.9	84	72	E N E	1	c
Hongkong,	4 p.	29.66	753.3	81	78	E	4	od	10 a.	29.67	753.6	79	90	N E	3	op
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.65	753.1	89	...	N E	1	o	,,	29.68	753.9	82	...	N	2	oi
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.2	91	...	S S E	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.9	79	...	N W	3	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.1	77	...	W	2	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.9	99	...	N E	1	b	6 a.	29.82	757.5	75	...	S	1	c
Manila,	4 p.	29.89	757	84	77	W S W	3	o	10 a.	29.92	759	84	77	S	1	c
Legaspi,	2 p.	29.80	757.0	90	...	S E	1	b	6 a.	29.90	759.4	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	S E	1	o
Iloilo,	,,	29.81	757.2	85	...	S W	3	c	,,	29.89	759.2	83	...	S W	1	b
Cebu,	,,	29.79	756.6	89	...	S	1	c	,,	29.87	758.7	85	...	...	0	b
Labuan,	,,	29.79	756.6	91	...	...	...	...	,,	29.95	760.7	79	...	...	...	...

On the 1st at 6.30 p.—Orders issued to hoist the Black Cone point downwards (indicates a typhoon South of the Colony within 300 miles). A depression is situated to the South of Hongkong. It does not appear to be of great intensity.

On the 2nd at 11.50 a.—The barometer has fallen moderately in the neighbourhood of Hongkong, and rises slightly over Formosa and the Philippines.

The depression to the Southward of Hongkong is probably situated in about 20° Lat. It appears to be moving towards N.W.

Pressure is high over the Philippines, about 0.05 inch in excess of the normal in Manila. It is in defect by 0.1 inch in Hongkong.

Fresh S.E. winds are likely to prevail in the Formosa Channel, and strong cyclonic winds to gales over the N. part of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, strong; squally, showery.
2.—Formosa Channel,	S.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 2nd August, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd August, 1907, P.M.								3rd August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	29.89	759.1	...	...	N E	6	...	6 a.	29.89	759.1	...	...	...	0	...
Hakodate,	,,	29.89	759.2	...	...	S E	4	...	,,	29.85	758.2	...	...	S E	4	...
Tokio,	,,	29.94	760.6	...	...	E	2	...	,,	29.91	759.6	...	...	N	2	...
Kochi,	,,	29.83	757.8	...	...	...	0	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki,	,,	29.83	757.8	...	...	S W	4	...	,,	29.84	757.8	...	...	E	2	...
Kagoshima,	,,	29.84	757.9	...	...	E	4	...	,,	29.84	757.9	...	...	N E	4	...
Oshima,	,,	29.85	758.1	...	...	S W	2	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.85	758.2	...	...	N	2	...	,,	29.85	758.2	...	...	N W	4	...
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.82	757.3	...	...	S	6	...
Chefoo,	3 p.	29.70	754.4	76	100	E	4	o	6 a.	29.69	754.1	73	95	N E	1	c
Weihaiwei,	,,	29.71	754.6	75	...	E	5	o	9 a.	29.71	754.6	77	...	S E	2	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.76	755.9	84	91	E	0	b
Kiukiang,	,,	29.76	755.9	96	59	N E	1	b	,,	29.71	754.6	81	91	...	0	b
Shanghai,	,,	29.66	753.3	92	64	S	1	c	9 a.	29.69	754.1	87	76	S S E	1	b
Gutzlaff,	,,	29.67	753.6	87	88	S E	2	cm	,,	29.69	754.1	85	87	S	2	bm
Sharp Peak,	,,	29.76	755.9	87	84	S	2	b	,,	29.79	756.6	83	91	S	1	ogd
Amoy,	,,	29.71	754.6	82	91	S E	4	or	6 a.	29.59	751.6	81	91	S W	3	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.81	757.2	...	...	W	2	...	5 a.	29.78	756.5	...	...	...	0	...
Taichu,	,,	29.81	757.1	...	...	S W	4	...	,,	29.80	756.8	...	...	...	0	...
Tainan,	,,	29.86	758.4	...	...	S	4	...	,,	29.83	757.6	...	...	E	2	...
Koshun,	,,	29.87	758.6	...	...	S	6	...	,,	29.82	757.3	...	...	...	0	...
Pescadores,	,,	29.80	756.8	...	...	S	6	...	,,	29.76	756.0	...	...	S E	6	...
Canton,	3 p.	29.60	751.8	92	96	E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.55	750.5	79	92	E N E	3	op	10 a.	29.73	755.1	77	88	S W	2	od
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.58	751.3	82	...	N N E	3	od	,,	29.72	754.9	78	...	S W	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.1	91	...	S S E	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.70	754.4	90	...	N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	77	...	W S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.84	758.0	88	...	N	1	b	6 a.	29.84	757.9	75	...	S	1	c
Manila,	4 p.	29.84	758	86	71	W S W	3	o	10 a.	29.88	759	84	77	S S E	0	c
Legaspi,	2 p.	29.84	757.9	88	...	W	1	c	6 a.	...	...	...	...	...	...	...
Iloilo,	3 p.	...	...	...	...	S S E	1	o	9 a.	...	...	...	...	S	1	c
Iloilo,	,,	29.81	757.2	86	...	S W	3	o	,,	29.87	758.7	82	...	S W	1	c
Cebu,	,,	29.85	758.2	85	...	S	1	o	,,	29.89	759.2	83	...	S	2	b
Labuan,	,,	29.85	758.2	87	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 3rd at 5.30 a.—Orders issued to lower Signals.

At 11.55 a.—The depression, moving northwards, entered the coast near Hongkong last night.

The barometer has risen moderately in Hongkong, and a slight fall has occurred along the China coast to the northward.

Pressure is still high over the Pacific to the E. of Japan, but a slight decrease has taken place over the Philippines.

Fresh S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, fresh to moderate; showery.
2.—Formosa Channel,	S. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 3rd August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd August, 1907, P.M.								4th August, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	N E	4	...	6 a.	29.85	758.1	...	...	N E	6	...
Hakodate,	,,	29.81	757.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0	...
Tokio.	,,	29.87	758.6	...	...	N	2	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	S	2	...	,,	29.80	756.8	...	...	S W	4	...
Nagasaki,	,,	29.83	757.8	...	...	...	0	...	,,	29.80	756.8	...	...	S E	6	...
Kagoshima,	,,	29.84	757.9	...	...	E	4	...	,,	29.80	756.9	...	...	N E	2	...
Oshima,	,,	29.81	757.1	...	...	N	2	...	,,	29.77	756.1	...	...	S	2	...
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	S	4	...	,,	29.78	756.3	...	...	S W	4	...
Chefoo.	3 p.	29.67	753.6	79	91	E	1	o	6 a.	29.68	753.9	77	95	E	1	c
Weihaiwei,	,,	29.74	755.4	77	...	E S E	2	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.71	754.6	95	...	S W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.62	752.3	91	70	S S E	1	ct	9 a.	29.67	753.6	88	76	E	1	o
Gutzlaff,	,,	29.63	752.6	89	84	S S E	1	cm	,,	29.67	753.6	85	91	N	1	cm
Sharp Peak,	,,	29.73	755.1	83	87	S	3	o	,,	29.73	756.4	83	87	S	1	c
Amoy,	,,	29.75	755.6	81	87	S E	3	o	6 a.	29.71	754.6	80	91	E	4	o
Swatow,	,,	29.69	754.1	84	87	S	2	c	,,	...	...	...	...	...	...	...
Taihoku.	1 p.	29.78	756.5	...	...	W	2	...	5 a.	29.73	755.0	...	...	S	2	...
Taichu,	,,	29.81	757.1	...	...	S	4	...	,,	29.79	756.6	...	...	...	0	...
Tainan,	,,	29.82	757.5	...	...	S	6	...	,,	29.80	756.8	...	...	S E	2	...
Koshun.	,,	29.84	757.9	...	...	S E	4	...	,,	29.81	757.2	...	...	...	0	...
Pescadores,	,,	29.79	756.6	...	...	S	6	...	,,	29.76	756.0	...	...	S E	6	...
Canton.	3 p.	29.66	753.3	77	95	S	2	or	9 a.	29.67	753.6	78	91	E	2	o
Hongkong,	4 p.	29.67	753.6	78	85	S S E	1	od	10 a.	29.75	755.6	79	81	S	3	op
Victoria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao.	,,	29.67	753.6	80	...	S S E	1	o	,,	29.72	754.9	80	...	S S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien.	4 p.	29.52	749.7	90	...	S S E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.2	82	...	N W	1	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.3	82	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	90	...	N E	1	c	6 a.	29.83	757.6	77	...	S W	1	b
Manila,	4 p.	29.80	757	84	71	S W	1	o	10 a.	29.84	758	84	77	S S W	1	o
Legaspi,	2 p.	29.82	757.4	86	...	...	0	c	6 a.	29.85	758.2	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	...	0	op
Hoilo.	,,	29.79	756.6	84	...	S W	2	c	,,	29.86	758.4	81	...	...	0	o
Cebu.	,,	29.79	756.6	88	...	S	2	or	,,	29.80	756.9	81	...	N	1	or
Labuan,	,,	29.80	756.9	86	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

On the 4th at 12.10 p.— The barometer has fallen slightly over S. Japan and the Philippines.

Pressure is lowest over SW and Central China, and highest over N Japan in the North and over the Philippines in the South.

Moderate S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate ; showery.
2.—Formosa Channel,	S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 4th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th August, 1907, P.M.								5th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.85	758.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.79	756.6	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.76	755.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.72	754.8	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.76	755.9	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.77	756.1	...	...	...	0	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.81	757.2	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Shigakijima,	,,	29.82	757.3	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.63	752.6	76	95	...	0	or
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.64	752.8	74	...	S S E	1	or
Hankow,	,,	29.70	754.4	90	57	S	2	c	6 a.	29.74	755.4	82	87	S E	1	o
Kiukiang,	,,	29.69	754.1	94	49	S W	2	c	,,	29.69	754.1	84	68	S W	3	c
Shanghai,	,,	29.64	752.8	74	100	N	2	orlt	9 a.	29.70	754.4	84	83	S S W	1	c
Gutzlaff,	,,	29.62	752.3	86	92	N N W	3	...	,,	29.68	753.9	83	91	S	2	o
Sharp Peak,	,,	29.72	754.9	85	83	S	1	o	,,	29.77	756.1	83	89	S	1	c
Amoy,	,,	29.70	754.4	82	87	S	4	o	6 a.	29.72	754.9	83	87	S W	2	c
Swatow,	,,	29.63	752.6	87	100	S S E	2	c	,,	29.72	754.9	80	91	S S E	2	c
Taihoku,	1 p.	29.78	756.5	...	...	N	2	...	5 a.	29.78	756.4	...	...	...	0	...
Taichu,	,,	29.80	756.8	...	...	S	4	...	,,	29.81	757.1	...	...	...	0	...
Tainan,	,,	29.81	757.2	...	...	S	6	...	,,	29.80	756.9	...	...	E	2	...
Koshun,	,,	29.82	757.3	...	...	S E	2	...	,,	29.80	756.9	...	...	...	0	...
Pescadores,	,,	29.78	756.5	...	...	S	6	...	,,	29.77	756.1	...	...	S E	4	...
Canton,	3 p.	29.62	752.3	85	79	S E	2	c	9 a.	29.75	755.6	79	95	...	0	or
Hongkong,	4 p.	29.68	753.9	82	84	E	1	o	10 a.	29.76	755.9	84	76	S S E	2	op
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S S W	6	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.66	753.3	87	...	S E	1	o	,,	29.74	755.4	85	...	S E	1	op
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.54	750.2	81	...	E	5	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.62	752.4	90	...	E S E	1	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.9	77	...	S W	3	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.77	756.2	91	...	N E	1	b	6 a.	29.81	757.1	81	...	W	1	o
Manila,	4 p.	29.76	756	82	77	S W	3	o	10 a.	29.84	758	79	84	S W	1	o
Legaspi,	2 p.	29.79	756.7	86	...	S W	1	o	6 a.	29.83	757.6	73	...	...	0	o
Tacolod,	3 p.	...	...	...	...	S W	1	cp	9 a.	...	...	...	...	W S W	1	cp
Iloilo,	,,	29.79	756.6	82	...	S W	2	o	,,	29.85	758.2	80	...	S W	1	o
Cebu,	,,	29.80	756.9	83	...	S	2	o	,,	29.89	759.2	78	...	...	0	o
Labuan,	,,	29.73	756.4	87	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 5th at 11.55 a.—Except a moderate fall over the N.E. coast of China, barometric changes are unimportant. Pressure is highest over the S. Philippines, and lowest over N. China in the North and over Tongking in the South Moderate S. monsoon will prevail in the Formosa Channel and the N. part of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; showery to fair.
2.—Formosa Channel,	S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 5th August, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd August, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th August, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro	,,	29.85	758.1	...	...	N E	4	...	6 a.	29.85	758.1	...	...	N E	6
Hakodate	,,	29.81	757.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0
Tokio	,,	29.87	758.6	...	...	N	2	...	,,	29.83	757.6	...	...	...	0
Kochi	,,	29.80	756.8	...	...	S	2	...	,,	29.80	756.8	...	...	S W	4
Nagasaki	,,	29.83	757.8	...	...	...	0	...	,,	29.80	756.8	...	...	S E	1
Kagoshima	,,	29.84	757.9	...	...	E	4	...	,,	29.80	756.9	...	...	N E	2
Oshima	,,	29.81	757.1	...	...	N	2	...	,,	29.77	756.1	...	...	S	2
Naha	,,	29.85	758.2	...	...	S W	4	...	,,	...	...	...	...	...	
Ishigakijima	,,	29.85	758.3	...	...	S	4	...	,,	29.78	756.3	...	...	S W	4
Chefoo	3 p.	29.67	753.6	79	91	E	1	o	6 a.	29.68	753.9	77	95	E	1
Weihaiwei	,,	29.74	755.4	77	...	E S E	2	o	9 a.	...	...	...	...	...	
Hankow	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang	,,	29.71	754.6	95	...	S W	2	b	,,	...	...	...	...	...	
Shanghai	,,	29.62	752.3	91	70	S S E	1	ct	9 a.	29.67	753.6	88	76	E	1
Gutzlaff	,,	29.63	752.6	89	84	S S E	1	cm	,,	29.67	753.6	85	91	N	1
Sharp Peak	,,	29.73	755.1	83	87	S	3	o	,,	29.78	756.4	83	87	S	1
Amoy	,,	29.75	755.6	81	87	S E	3	o	6 a.	29.71	754.6	80	91	E	1
Swatow	,,	29.69	754.1	84	87	S	2	c	,,	...	...	...	...	...	
Taihoku	1 p.	29.78	756.5	...	...	W	2	...	5 a.	29.73	755.0	...	...	S	2
Taichu	,,	29.81	757.1	...	...	S	4	...	,,	29.79	756.6	...	...	...	
Tainan	,,	29.82	757.5	...	...	S	6	...	,,	29.80	756.8	...	...	S E	2
Koshun	,,	29.84	757.9	...	...	S E	4	...	,,	29.81	757.2	...	...	...	
Pescadores	,,	29.79	756.6	...	...	S	6	...	,,	29.76	756.0	...	...	S E	
Canton	3 p.	29.66	753.3	77	95	S	2	or	9 a.	29.67	753.6	78	91	E	2
Hongkong	4 p.	29.67	753.6	78	85	S S E	1	od	10 a.	29.75	755.6	79	81	S	
Victoria Peak	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S S W	
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Macao	,,	29.67	753.6	80	...	S S E	1	o	,,	29.72	754.9	80	...	S S E	1
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien	4 p.	29.52	749.7	90	...	S S E	3	o	10 a.	...	...	...	...	...	
Tourane	,,	29.65	753.2	82	...	N W	1	lt	,,	...	...	...	...	...	
Cape St. James	,,	29.74	755.3	82	...	S W	3	o	,,	...	...	...	...	...	
Aparri	2 p.	29.80	756.8	90	...	N E	1	c	6 a.	29.83	757.6	77	...	S W	1
Manila	4 p.	29.80	757	84	71	S W	1	o	10 a.	29.84	758	84	77	S S W	2
Legaspi	2 p.	29.82	757.4	86	...	...	0	c	6 a.	29.85	758.2	75	...	...	
Bacolod	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	...	
Iloilo	,,	29.79	756.6	84	...	S W	2	c	,,	29.86	758.4	81	...	...	
Cebu	,,	29.79	756.6	88	...	S	2	or	,,	29.80	756.9	81	...	N	1
Labuan	,,	29.80	756.9	86	...	...	...	...	,,	29.84	757.9	82	...	...	

On the 4th at 12.10 p.—The barometer has fallen slightly over S. Japan and the Philippines.

Pressure is lowest over SW and Central China, and highest over N Japan in the North and over the Philippines in the South.

Moderate S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood	S.E. winds, moderate; showery.
2.—Formosa Channel	S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Sunday, 4th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd August, 1907, P.M.								4th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	N E	4	...	6 a.	29.85	758.1	...	...	N E	6	...
Hakodate,	,,	29.81	757.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	N	2	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	S	2	...	,,	29.80	756.8	...	...	S W	4	...
Nagasaki,	,,	29.83	757.8	...	...	...	0	...	,,	29.80	756.8	...	...	S E	6	...
Kagoshima,	,,	29.84	757.9	...	...	E	4	...	,,	29.80	756.9	...	...	N E	2	...
Oshima,	,,	29.81	757.1	...	...	N	2	...	,,	29.77	756.1	...	...	S	2	...
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	S	4	...	,,	29.78	756.3	...	...	S W	4	...
Chefoo,	3 p.	29.67	753.6	79	91	E	1	o	6 a.	29.68	753.9	77	95	E	1	c
Weihaiwei,	,,	29.74	755.4	77	...	E S E	2	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.71	754.6	95	...	S W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.62	752.3	91	70	S S E	1	ct	9 a.	29.67	753.6	88	76	E	1	c
Gutzlaff,	,,	29.63	752.6	89	84	S S E	1	cm	,,	29.67	753.6	85	91	N	1	cm
Sharp Peak,	,,	29.73	755.1	83	87	S	3	o	,,	29.73	756.4	83	87	S	1	c
Amoy,	,,	29.75	755.6	81	87	S E	3	o	6 a.	29.71	754.6	80	91	E	4	c
Swatow,	,,	29.69	754.1	84	87	S	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.5	...	...	W	2	...	5 a.	29.73	755.0	...	...	S	2	...
Taichu,	,,	29.81	757.1	...	...	S	4	...	,,	29.79	756.6	...	...	...	0	...
Tainan,	,,	29.82	757.5	...	...	S	6	...	,,	29.80	756.8	...	...	S E	2	...
Koshun,	,,	29.84	757.9	...	...	S E	4	...	,,	29.81	757.2	...	...	...	0	...
Pescadores,	,,	29.79	756.6	...	...	S	6	...	,,	29.76	756.0	...	...	S E	6	...
Canton,	3 p.	29.66	753.3	77	95	S	2	or	9 a.	29.67	753.6	78	91	E	2	o
Hongkong,	4 p.	29.67	753.6	78	85	S S E	1	od	10 a.	29.75	755.6	79	81	S	3	opq
Victoria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.67	753.6	80	...	S S E	1	o	,,	29.72	754.9	80	...	S S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.52	749.7	90	...	S S E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.2	82	...	N W	1	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.3	82	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	90	...	N E	1	c	6 a.	29.83	757.6	77	...	S W	1	b
Manila,	4 p.	29.80	757	84	71	S W	1	o	10 a.	29.84	758	84	77	S S W	1	o
Legaspi,	2 p.	29.82	757.4	86	...	...	0	c	6 a.	29.85	758.2	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	...	0	op
Iloilo,	,,	29.79	756.6	84	...	S W	2	c	,,	29.86	758.4	81	...	...	0	o
Cebu,	,,	29.79	756.6	88	...	S	2	or	,,	29.80	756.9	81	...	N	1	or
Labuan,	,,	29.80	756.9	86	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

On the 4th at 12.10 p.—The barometer has fallen slightly over S. Japan and the Philippines.

Pressure is lowest over SW and Central China, and highest over N Japan in the North and over the Philippines in the South.

Moderate S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, moderate; showery.
2.—Formosa Channel,	S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 4th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th August, 1907, P.M.								6th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro	,,	30.08	764.1	...	...	S E	7	...	6 a.	...	...	...	...	...	...	...
Hakodate	,,	29.97	761.2	...	...	S E	8	...	,,	30.01	762.2	...	...	S E	8	...
Tokio	,,	29.83	757.6	...	...	S	2	...	,,	29.91	759.6	...	...	S E	4	...
Kochi	,,	29.72	754.8	...	...	S E	2	...	,,	29.84	757.8	...	...	...	0	...
Nagasaki	,,	29.72	754.8	...	...	E	2	...	,,	29.76	755.8	...	...	...	0	...
Kagoshima	,,	29.68	753.9	...	...	E	4	...	,,	29.76	755.9	...	...	...	0	...
Oshima	,,	29.81	757.1	...	...	S W	2	...	,,	29.85	758.1	...	...	N W	2	...
Naha	,,	29.81	757.2	...	...	S W	4	...	,,	29.85	758.2	...	...	S W	2	...
Ishigakijima	,,	29.82	757.3	...	...	S W	4	...	,,	29.82	757.3	...	...	S W	2	...
Chefoo	3 p.	29.62	752.3	77	95	S	1	o	6 a.	29.68	753.9	63	100	...	0	o
Weihaiwei	,,	29.64	752.8	74	...	S W	0	o	9 a.	29.73	755.1	75	...	E	1	or
Hankow	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	29.72	754.9	92	...	S W	2	c	,,	...	...	...	...	...	...	...
Shanghai	,,	29.62	752.3	94	58	S S W	1	c	9 a.	29.70	754.4	80	82	N N E	2	o
Gutzlaff	,,	29.64	752.8	88	84	S W	1	c	,,	29.69	754.1	85	87	S E	2	cm
Sharp Peak	,,	29.72	754.9	88	84	S	3	b	,,	29.77	756.1	84	87	S	1	c
Amoy	,,	29.75	755.6	85	79	S E	3	c	6 a.	29.79	756.6	83	87	S W	3	c
Swatow	,,	29.75	755.6	88	84	S	2	b	,,	29.78	756.4	80	91	S S E	1	b
Taihoku	1 p.	29.79	756.6	...	...	N	4	...	5 a.	29.80	757.0	...	...	S	2	...
Taichu	,,	29.81	757.2	...	...	S	2	...	,,	29.82	757.4	...	...	...	0	...
Tainan	,,	29.82	757.3	...	...	S W	6	...	,,	29.80	756.8	...	...	E	2	...
Koshun	,,	29.82	757.3	...	...	S	4	...	,,	29.80	756.8	...	...	...	0	...
Pescadores	,,	29.78	756.4	...	...	S	4	...	,,	29.79	756.7	...	...	S	4	...
Canton	3 p.	29.70	754.4	81	91	...	0	or	9 a.	29.82	757.4	82	91	N E	1	b
Hongkong	4 p.	29.70	754.4	83	76	S E	4	c	10 a.	29.80	756.9	84	77	E	2	c
Victoria Peak	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	S	2	...
Gap Rock	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.70	754.4	82	...	S E	1	od	,,	29.80	756.9	87	...	S E	1	o
Hoihow	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.57	751.3	84	...	S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane	,,	29.65	753.2	91	...	N	2	c	,,	...	...	...	...	...	...	...
Cape St. James	,,	29.73	755.1	77	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri	2 p.	29.77	756.1	86	...	N E	1	o	6 a.	29.80	756.8	75	...	S W	1	o
Manila	4 p.	29.76	756	79	84	S W	3	o	10 a.	29.84	758	73	100	N N E	1	od
Legaspi	2 p.	29.77	756.2	75	...	W	1	o	6 a.	29.74	755.4	73	...	W	1	o
Bacolod	3 p.	...	...	...	...	S W	1	or	9 a.	...	...	...	...	S W	1	o
Iloilo	,,	29.79	756.6	79	...	W S W	5	or	,,	29.81	757.2	81	...	S W	2	o
Cebu	,,	29.82	757.4	80	...	S	2	or	,,	29.81	757.2	82	...	S	3	c
Labuan	,,	29.75	755.6	88	...	...	...	...	,,	29.86	758.4	85	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen slightly to moderately over China and Japan, and fallen slightly over the Philippines.

Pressure appears to be low over the Pacific to the E. of Luzon, and a high pressure area is lying to the E. of Japan.

Moderate S.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. to E. winds, light to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 6th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th August, 1907, P.M.								7th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	30.12	765.1	...	...	S E	8	...	6 a.	30.01	762.1	...	...	S	6	..
Hakodate,	,,	29.93	760.2	...	...	S E	8	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	S	4	...	,,	29.91	759.6	...	...	S	2	...
Kochi,	,,	29.72	754.8	...	...	E	2	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.76	755.8	...	...	W	6	...	,,	29.84	757.8	...	...	S W	6	...
Kagoshima,	,,	29.76	755.9	...	...	N W	4	...	,,	29.88	758.9	...	...	N W	2	...
Ishima,	,,	29.85	758.1	...	...	S	4	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	S	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S E	4	...	,,	29.86	758.3	...	...	S	4	...
Chefoo,	3 p.	29.71	754.6	78	95	...	0	b	6 a.	29.72	754.9	73	100	E	1	f
Weihaiwei,	,,	29.71	754.6	80	...	E S E	2	ovr	9 a.	29.70	754.4	77	...	E	2	ovr
Tankow,	,,	29.80	756.9	92	74	S W	1	c	6 a.	29.82	757.4	82	96	S E	1	b
Kiukiang,	,,	29.78	756.4	78	95	S	1	or	,,	29.78	756.4	80	96	...	0	c
Shanghai,	,,	29.66	753.3	85	83	S E	1	o	9 a.	29.74	755.4	85	79	S W	1	c
Gutzlaff,	,,	29.65	753.1	86	88	S S E	1	om	,,	29.73	755.1	83	91	W	2	cm
Sharp Peak,	,,	29.74	755.4	88	86	S	3	b	,,	29.79	756.6	84	89	...	0	b
Amoy,	,,	29.77	756.2	86	76	S E	3	b	6 a.	29.79	756.6	84	91	S W	2	b
Swatow,	,,	29.81	757.2	87	84	E	1	b	,,	...	...	...	...	...	...	...
Kahoku,	1 p.	29.80	757.0	...	...	N	4	...	5 a.	29.81	757.1	...	...	...	0	...
Haichu,	,,	29.82	757.5	...	...	S W	2	...	,,	29.81	757.2	...	...	...	0	...
Hainan,	,,	29.83	757.6	...	...	S W	2	...	,,	29.80	756.9	...	...	...	0	...
Koshun,	,,	29.82	757.3	...	...	E	6	...	,,	29.80	756.8	...	...	E	4	...
Pescadores,	,,	29.81	757.2	...	...	S W	4	...	,,	29.78	756.4	...	...	...	0	...
Canton,	3 p.	29.77	756.1	91	63	E	1	b	9 a.	29.82	757.4	84	79	E	1	b
Hongkong,	4 p.	29.76	755.9	83	78	E	3	c	10 a.	29.79	756.6	85	71	E	2	c
Victoria Peak,	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.75	755.6	84	...	E S E	1	c	,,	29.79	756.6	84	...	E S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haiphong,	4 p.	29.68	753.9	82	...	E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	755.9	90	...	S W	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	756.0	79	...	N	1	r	6 a.	29.71	754.5	79	...	E	1	o
Manila,	4 p.	29.72	755	77	92	W S W	3	o	10 a.	29.73	755	79	84	S	1	d
Legaspi,	2 p.	29.74	755.5	81	...	W	1	o	6 a.	29.80	756.8	77	...	S W	1	o
Iloilo,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	W S W	1	c
Iloilo,	,,	29.75	755.6	84	...	S W	1	o	,,	29.81	757.2	82	...	S W	1	o
Cebu,	,,	29.78	756.4	86	...	S	3	c	,,	29.84	757.9	83	...	S	3	c
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 7th at 11.55 a.—The barometer has risen slightly over N. China, W. Japan and the Loochoos, and fallen moderately over N. Luzon.

A depression apparently of slight intensity, having crossed Luzon, is now situated off the N.W. coast of that island.

Pressure remains high over the Pacific to the E. of Japan.

Moderate E. winds are expected to prevail in the Formosa Channel, and freshening E. and N.E. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, moderate to fresh; fine at first, [showery later.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 7th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th August, 1907, P.M.									8th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...		6 a.	29.85	758.1	...	...	...	0	...
Hakodate,	,,	29.81	757.2	...	...	S W	2	...		,,	29.77	756.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S	6	...		,,	29.75	755.6	...	...	S	4	...
Kochi,	,,	29.80	756.8	...	...	W	2	...		,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	29.83	757.8	...	...	S	8	...		,,	29.80	756.8	...	...	S W	10	...
Kagoshima,	,,	29.88	758.9	...	...	S W	4	...		,,	29.88	758.9	...	...	S W	4	...
Oshima,	,,	29.89	759.1	...	...	S	4	...		,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	S	2	...		,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	S E	6	...		,,	29.82	757.3	...	...	S E	6	...
Chefoo,	3 p.	29.69	754.1	81	91	E N E	2	b		6 a.	29.66	753.3	75	100	...	0	o
Weihaiwei,	,,	29.69	754.1	80	...	E S E	1	o		9 a.	29.69	754.1	79	...	N W	0	c
Hankow,	,,	29.79	756.6	92	54	S W	1	c		6 a.	29.76	755.9	84	87	S S E	2	b
Kiukiang,	,,	29.75	755.6	94	64	...	0	c		,,	...	...	...	...	...	...	...
Shanghai,	,,	29.66	753.3	90	70	S W	1	c		9 a.	29.72	754.9	87	76	S	1	b
Gutzlaff,	,,	29.67	753.6	88	84	S S W	2	cm		,,	29.71	754.6	84	87	S	2	bw
Sharp Peak,	,,	29.74	755.4	88	86	S E	2	b		,,	29.75	755.6	84	83	N	1	b
Amoy,	,,	29.77	756.1	89	73	S W	3	c		6 a.	29.72	754.9	85	79	...	0	b
Swatow,	,,	29.81	757.2	92	70	S	1	b		,,	29.70	754.4	80	96	N E	1	c
Taihoku,	1 p.	29.78	756.4	...	...	N	4	...		5 a.	29.75	755.5	...	...	...	0	...
Taichu,	,,	29.78	756.3	...	...	N W	4	...		,,	29.75	755.6	...	...	...	0	...
Tainan,	,,	29.78	756.3	...	...	N W	4	...		,,	29.74	755.3	...	...	...	0	...
Koshun,	,,	29.78	756.4	...	...	N E	8	...		,,	29.75	755.7	...	...	E	6	...
Pescadores,	,,	29.77	756.2	...	...	N W	4	...		,,	29.73	755.1	...	...	N	2	...
Canton,	3 p.	29.77	756.1	92	67	...	0	b		9 a.	29.73	755.1	87	69	N E	1	b
Hongkong,	4 p.	29.73	755.1	85	68	E S E	2	b		10 a.	29.70	754.4	85	75	E	5	o
Victoria Peak,	,,	...	...	...	...	E	1	...		,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Macao,	,,	29.73	755.1	87	...	S E	1	c		,,	29.71	754.6	85	...	E N E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.2	84	...	S S E	3	b		10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.0	90	...	N W	2	c		,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.7	79	...	W	5	o		,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.69	754.0	90	...	E	1	o		6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	79	92	S W	4	oq		10 a.	29.76	756	79	92	S E	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W S W	2	oq		9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.75	755.6	79	...	S W	5	or		,,	29.81	757.2	80	...	S W	3	o
Cebu,	,,	29.79	756.6	85	...	S	4	c		,,	29.81	757.2	83	...	S	...	o
Labuan,	,,	29.77	756.1	88	...	...	...	...		,,	29.81	757.2	84	...	...	...	...

On the 7th at 9.00 p.—Orders issued to make No. 1 Night Signal (indicates a typhoon distant from Colony more than 300 miles).

On the 8th at 5.15 a.—Orders issued to hoist Red Cone point downwards and Drum (indicates a typhoon S.E. of Colony distant more than 300 miles).

At 10.40 a.—Orders issued to hoist the Black Cone point downwards (indicates a typhoon South of Colony within 300 miles).

At 11.35 a.—The barometer has fallen moderately to slightly over the S. coast of China and Formosa respectively.

The depression has probably become deeper. It appears to be situated to the S.S.E. of Hongkong in about 18° Lat., and to be moving towards W.N.W.

Pressure has given way over Japan, but remains high over the Pacific to the E. of the Loochoos.

Fresh E. to S.E. winds are likely to prevail in the Formosa Channel, and strong cyclonic winds to gales over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, strong, possibly a gale; squally [showery
2.—Formosa Channel,	E. to S.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 8th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th August, 1907, P.M.								9th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	N E	4	...	6 a.	29.89	759.1	...	...	...	0	..
Hakodate,	,,	29.73	755.2	...	...	S	4	...	,,	29.77	756.2	...	...	E	4	...
Tokio,	,,	29.71	754.6	...	...	S W	2	...	,,	29.75	755.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	E	4	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S W	8	...	,,	29.84	757.8	...	...	S W	8	...
Kagoshima,	,,	29.84	757.9	...	...	W	6	...	,,	29.88	758.9	...	...	W	2	...
Oshima,	,,	29.89	759.1	...	...	N E	2	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	S	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	6	...	,,	29.82	757.3	...	...	S E	6	...
Chefoo,	3 p.	29.63	752.6	76	100	N W	2	or	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.73	755.1	88	...	E N E	1	o	9 a.	29.52	749.8	78	...	W	1	or
Hankow,	,,	29.78	756.4	96	62	W	1	c	6 a.	29.84	757.9	78	95	N	1	b
Kiukiang,	,,	29.73	755.1	98	51	S W	1	b	,,	...	...	...	...	...	...	..
Shanghai,	,,	29.62	752.3	92	70	S	1	c	9 a.	29.73	755.1	85	79	S	2	c
Gutzlaff,	,,	29.67	753.6	86	88	S	3	cm	,,	29.73	755.1	83	91	S	3	cm
Sharp Peak,	,,	29.70	754.4	85	85	S E	2	b	,,	29.77	756.1	87	80	S E	1	b
Amoy,	,,	29.69	754.1	89	77	S E	4	b	6 a.	29.72	754.9	86	92	S	1	b
Swatow,	,,	29.77	756.1	89	80	E	2	b	,,	29.68	753.9	80	91	S E	2	c
Taihoku,	1 p.	29.71	754.7	...	...	W	4	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	29.73	755.1	...	...	...	0	...	,,	...	...	...	...	...	..	...
Tainan,	,,	29.72	755.0	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Koshun,	,,	29.77	756.2	...	...	E	6	...	,,	...	...	...	...	..	...	...
Pescadores,	,,	29.73	755.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.66	753.3	91	60	E	2	o	9 a.	29.72	754.9	82	79	E	1	o
Hongkong,	4 p.	29.60	751.8	83	77	E	5	oq	10 a.	29.67	753.6	79	87	E	5	opq
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E S E	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.61	752.1	84	...	E	3	o	,,	29.66	753.3	80	...	E	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Fhulien,	4 p.	29.60	751.8	88	...	S S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.58	751.4	86	...	...	0	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.64	752.9	82	...	W	5	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.70	754.5	86	...	N E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	79	92	S S E	1	o	10 a.	29.80	757	79	92	S	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	S S W	1	c
Iloilo,	,,	29.75	755.6	84	...	S W	1	o	,,	29.81	757.2	81	...	S W	1	o
Cebu,	,,	29.76	755.9	84	...	S	3	b	,,	29.83	757.7	83	...	S	3	c
Labuan,	,,	29.74	755.4	88	...	...	...	...	,,	29.77	756.1	83	...	...	...	...

On the 9th at 6.15 a.—Orders issued to hoist the Black Cone point downwards and Ball (indicates a typhoon South west of Colony within 300 miles).

At 12.10 p.—The barometer has fluctuated irregularly in Hongkong, and has fallen slightly on the whole.

The depression is probably situated to the S.S.W. of Hongkong in about 19° Lat. It appears to be moving towards N.W.

Pressure remains high over the Pacific to the E. of the Loochoos, and a depression is shown this morning over N. China.

Moderate S.E. winds are expected to prevail in the Formosa Channel, and strong cyclonic winds and gales over the N. part of the China Sea.

The Formosa returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate or fresh gale; squally.
2.—Formosa Channel,	S.E. winds, moderate. [showery.
3.—South coast of China between Hongkong and Lamocks,	E. to S.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N.E. and N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 9th August, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th August, 1907, P.M.								10th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	N E	4	...	6 a.	29.85	758.1	...	...	S	6	...
Hakodate,	,,	29.73	755.2	...	...	E	6	...	,,	29.77	756.2	...	...	...	0	...
Tokio,	,,	29.71	754.6	...	...	S	6	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	S E	2	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki,	,,	29.83	757.8	...	...	S W	6	...	,,	29.91	759.8	...	...	S W	6	...
Kagoshima,	,,	29.88	758.9	...	...	W	4	...	,,	29.92	759.9	...	...	W	2	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	S	2	...
Naha,	,,	29.85	758.2	...	...	S E	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	S	6	...	,,	29.86	758.3	...	...	S E	4	...
Chefoo,	3 p.	29.59	751.6	72	100	N W	4	or	6 a.	29.66	753.3	75	95	S	1	c
Weihaiwei,	,,	29.55	750.5	75	...	W N W	2	o	9 a.	29.71	754.6	81	...	S E	1	ovr
Hankow,	,,	29.85	758.2	93	71	N W	1	o	6 a.	29.89	759.2	89	88	S W	1	c
Kiukiang,	,,	29.78	756.4	94	58	S W	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.69	754.1	93	71	S	1	c	9 a.	29.80	756.9	86	76	S	2	b
Gutzlaff,	,,	29.70	754.4	85	91	S	1	cm	,,	29.79	756.6	84	87	S	3	bm
Sharp Peak,	,,	29.59	751.6	85	83	S E	1	b	,,	29.85	758.2	86	83	N E	1	c
Amoy,	,,	29.76	755.9	89	69	S E	3	b	6 a.	29.76	755.9	86	84	S E	1	or
Swatow,	,,	29.81	757.2	81	87	E	1	c	,,	29.73	755.1	80	91	S E	3	c
Taihoku,	1 p.	29.74	755.5	...	...	N	4	...	5 a.	29.80	757.0	...	...	S	2	...
Taichu,	,,	29.77	756.2	...	...	W	2	...	,,	29.79	756.7	...	...	...	0	...
Tainan,	,,	29.77	756.1	...	...	S W	2	...	,,	29.78	756.5	...	...	E	2	...
Koshun,	,,	29.80	756.9	...	...	N E	6	...	,,	29.81	757.2	...	...	E	4	...
Pescadores,	,,	29.75	755.7	...	...	N W	4	...	,,	29.78	756.4	...	...	N	2	...
Canton,	3 p.	29.66	753.3	84	75	E	2	o	9 a.	29.68	753.9	84	75	E	2	c
Hongkong,	4 p.	29.61	752.1	79	87	E	6	opq	10 a.	29.70	754.4	77	91	S E	4	opq
Victoria Peak,	,,	...	...	...	...	E S E	7	...	,,	...	...	...	...	S E	8	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.59	751.6	89	...	E	4	o	,,	29.68	753.9	79	...	S E	4	op
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.52	749.9	90	...	W S W	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.50	749.3	84	...	N W	2	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.64	752.9	79	...	W	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.76	755.9	90	...	E	3	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	81	85	...	0	o	10 a.	29.84	758	84	77	...	0	c
Legaspi,	2 p.	29.79	756.6	81	...	...	0	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	W S W	1	oq	9 a.	...	...	...	...	S S W	1	o
Iloilo,	,,	29.75	755.6	80	...	S W	2	o	,,	29.81	757.2	81	...	S W	1	o
Cebu,	,,	29.78	756.4	85	...	S	2	c	,,	29.87	758.7	86	...	S	2	c
Labuan,	,,	29.70	754.4	91	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

On the 10th at 10.45 a.—Signals lowered.

At 11.50 a.—The barometer is now inclined to rise in Hongkong, and a slight to moderate increase of pressure has taken place along the China coast to the Northward of the Colony, and in Japan.

The depression which appears to have gradually deepened during the past two days, has probably reached the neighbourhood of Hainan Straits as a typhoon.

Pressure remains high over the Pacific to the E. of the Loochoos.

Moderate S.E. winds are expected to prevail in the Formosa Channel, and the weather will improve over the N. part of the China Sea, except in the Gulf of Tongking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, gradually decreasing in force; squally [showery
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	S.E. winds, strong to moderate.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 10th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th August, 1907, P.M.								11th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.85	758.1	...	...	S	6	...	6 a.	29.93	760.1	...	...	S W	4	..
Hakodate,	,,	29.81	757.2	...	...	S	4	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	E	2	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	29.91	759.8	...	...	W	2	...
Nagasaki,	,,	29.91	759.8	...	...	W	6	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.92	759.9	...	...	N W	4	...	,,	29.96	760.9	...	...	N	2	...
Oshima,	,,	29.93	760.1	...	...	N	4	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	E	4	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	S E	6	...	,,	29.86	758.3	...	...	E	2	...
Chefoo,	3 p.	29.67	753.6	89	88	S S W	2	o	6 a.	29.82	757.4	77	91	S	1	b
Weihaiwei,	,,	29.70	754.4	84	...	S	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.81	757.2	98	...	...	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.76	755.9	91	67	S S E	1	c	9 a.	29.88	758.9	86	68	S	1	b
Gutzlaff,	,,	29.78	756.4	86	84	S S E	2	bm	,,	29.86	758.4	82	87	S	2	cv
Sharp Peak,	,,	29.79	756.6	85	85	E N E	2	b	,,	29.86	758.4	85	89	N E	3	c
Amoy,	,,	29.80	756.9	87	72	S E	4	c	6 a.	29.83	757.7	82	87	...	0	b
Swatow,	,,	29.75	755.6	80	87	E	1	o	,,	29.82	757.4	78	91	S E	2	c
Taihoku,	1 p.	29.78	756.5	...	...	E	2	...	5 a.	29.87	758.6	...	...	...	0	...
Taichu,	,,	29.81	757.2	...	...	N	6	...	,,	29.88	759.0	...	...	...	0	...
Tainan,	,,	29.81	757.2	...	...	N W	4	...	,,	29.86	758.5	...	...	...	0	...
Koshun,	,,	29.83	757.7	...	...	E	4	...	,,	29.84	757.9	...	...	...	0	...
Pescadores,	,,	29.81	757.1	...	...	S W	2	...	,,	29.84	758.0	...	...	W	2	...
Canton,	3 p.	29.71	754.6	78	95	E	2	or	9 a.	29.75	755.6	79	87	S E	1	o
Hongkong,	4 p.	29.71	754.6	77	91	E	4	opq	10 a.	29.78	756.4	78	89	E S E	2	op
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.67	753.6	89	...	S E	2	o	,,	29.78	756.4	78	...	S E	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.46	748.2	77	...	N N W	6	or	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.46	748.3	73	...	S	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.66	753.3	82	...	W S W	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.81	757.1	86	...	N	1	o	6 a.	29.84	758.0	75	...	S W	1	o
Manila,	4 p.	29.84	758	75	91	W	2	r	10 a.	29.88	759	82	77	E	1	o
Legaspi,	2 p.	29.80	757.0	75	...	W	1	...	6 a.	29.82	757.4	77	...	W	1	o
Bacolod,	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S E	1	c
Iloilo,	,,	29.77	756.1	84	...	S W	1	c	,,	29.80	756.9	81	...	...	0	c
Cebu,	,,	29.79	756.6	87	...	S	2	c	,,	29.87	758.7	84	...	...	0	c
Labuan,	,,	29.74	755.4	91	...	...	...	...	,,	...	...	...	...	...	...	...

On the 11th at 11.50 a.—The typhoon probably passed near Haiphong during the night.

The barometer has risen to the normal in Hongkong, and a slight to moderate rise of the mercury has taken place over China and Japan generally.

Pressure is high over the Pacific to the S. of Japan. It exceeds the normal by 0.1 inch and upwards over the E. coast of China, the Loochoos and S. Japan.

Moderate E. winds are likely to prevail in the Formosa Channel, and fresh to moderate S.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. to E. winds, moderate: weather gradually improving.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 11th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th August, 1907, P.M.								12th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S	4	...	6 a.	29.97	761.1	...	...	S	2	...
Hakodate,	,,	29.93	760.2	...	...	S E	4	...	,,	29.93	760.2	...	...	S E	2	...
Tokio,	,,	29.94	760.6	...	...	S	6	...	,,	30.02	762.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki,	,,	29.91	759.8	...	...	S W	6	...	,,	29.91	759.8	...	...	...	0	...
Kagoshima,	,,	29.92	759.9	...	...	N	4	...	,,	29.88	758.9	...	...	...	0	...
Oshima,	,,	29.93	760.1	...	...	N	6	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	E	4	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	N E	6	...	,,	29.82	757.3	...	...	N E	4	...
Chefoo,	3 p.	29.86	758.4	82	...	...	0	b	6 a.	29.82	757.4	73	90	...	0	b
Weihaiwei,	,,	29.86	758.4	87	...	E	1	b	9 a.	29.96	761.0	87	...	E	1	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.77	756.1	90	66	S E	2	b	9 a.	29.89	759.2	86	76	S S E	2	b
Gutzlaff,	,,	29.85	758.2	85	83	S S E	2	cv	,,	29.88	758.9	83	91	S S E	1	cv
Sharp Peak,	,,	29.85	758.2	84	91	E N E	3	b	,,	29.88	758.9	85	85	N E	3	b
Amoy,	,,	29.79	756.6	88	69	S S E	1	b	6 a.	29.80	756.9	83	83	N W	2	c
Swatow,	,,	...	...	...	...	...	...	...	,,	29.83	757.7	77	95	...	0	b
Taihoku,	1 p.	29.81	757.2	...	...	E	6	...	5 a.	29.84	758.0	...	...	S E	2	...
Taichu,	,,	29.82	757.4	...	...	N	4	...	,,	29.88	758.8	...	...	...	0	...
Tainan,	,,	29.83	757.6	...	...	N W	6	...	,,	29.84	757.8	...	...	N E	2	...
Koshun,	,,	29.82	757.5	...	...	E	6	...	,,	29.82	757.4	...	...	N	6	...
Pescadores,	,,	29.82	757.4	...	...	N	4	...	,,	29.82	757.5	...	...	W	6	...
Canton,	3 p.	29.75	755.6	81	87	E	1	o	9 a.	29.82	757.4	83	75	...	0	b
Hongkong,	4 p.	29.75	755.6	76	91	E	4	op	10 a.	29.83	757.7	78	84	E	3	o
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.74	755.4	79	...	E S E	3	o	,,	29.82	757.4	79	...	S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.8	81	...	S E	9	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.3	84	...	S	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.3	84	...	S W	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.82	757.3	86	...	N	1	o	6 a.	29.80	756.9	73	...	S W	1	c
Manila,	4 p.	29.76	756	82	77	W S W	1	c	10 a.	29.80	757	82	85	W S W	0	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.80	756.9	77	...	W	1	c
Bacolod,	3 p.	...	...	...	...	S W	1	r	9 a.	...	...	...	...	S E	1	c
Iloilo,	,,	29.79	756.6	80	...	W	3	or	,,	29.82	757.4	82	...	S W	2	o
Cebu,	,,	29.80	756.9	85	...	S	1	or	,,	29.86	758.4	80	...	S	1	o
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.86	758.4	86	...	...	...	...

On the 12th at 11.55 a.—The barometer has risen slightly on the S. coast of China and over E. Japan, and fallen slightly to moderately over Luzon and the Loochoos.

Pressure is low apparently, over the Pacific to the N.E. of Luzon. It is highest to the E. of Japan, and exceeds the normal by from 0.05 to 0.15 inch over the China coast and Japan. In Luzon it is about 0.05 inch below the average.

Moderate to fresh N.E. winds are likely to prevail in the Formosa Channel, and moderate S.E. to N.E. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; showery to fair.
2.—Formosa Channel,	N.E. winds, moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 12th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th August, 1907, P.M.								13th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	S W	6	...	6 a.	29.81	757.1	...	...	S W	2	..
Hakodate,	,,	29.89	759.2	...	...	S	4	...	,,	29.85	758.2	...	...	N W	2	...
Tokio,	,,	29.98	761.6	...	...	...	0	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	S E	4	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki,	,,	29.80	756.8	...	...	N	4	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	S W	2	...	,,	29.80	756.9	...	...	N E	2	...
Oshima,	,,	29.77	756.1	...	...	N	4	...	,,	29.65	753.1	...	...	...	0	...
Naha,	,,	29.77	756.2	...	...	N	6	...	,,	29.69	754.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	N E	6	...	,,	29.74	755.3	...	...	...	0	...
Chefoo,	3 p.	29.89	759.2	82	87	N	2	b	6 a.	29.83	757.7	77	95	..	0	b
Weihaiwei,	,,	29.88	758.9	83	...	E	2	o	9 a.	29.84	757.9	80	...	E	2	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Shanghai,	,,	29.83	757.7	89	66	S E	1	c	9 a.	29.81	757.2	86	68	E	2	c
Gutzlaff,	,,	29.83	757.7	84	83	S E	2	cv	,,	29.78	756.4	84	83	E	2	cv
Sharp Peak,	,,	29.82	757.4	84	87	E N E	3	b	,,	29.79	756.6	86	81	N N E	2	b
Amoy,	,,	29.80	756.9	88	69	E	4	c	6 a.	29.74	755.4	82	75	...	0	b
Swatow,	,,	29.79	756.6	86	80	E S E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.88	759.0	...	...	E	8	...	5 a.	29.77	756.2	...	...	S E	4	...
Taichu,	,,	29.80	756.8	...	...	N	4	...	,,	29.77	756.2	...	...	...	0	...
Tainan,	,,	29.81	757.2	...	...	W	4	...	,,	29.75	755.6	...	...	E	2	...
Koshun,	,,	29.82	757.3	...	...	N E	6	...	,,	29.75	755.7	...	...	N	2	...
Pescadores,	,,	29.80	756.9	...	...	S W	2	...	,,	29.73	755.0	...	...	N	4	...
Canton,	3 p.	29.83	757.7	87	80	E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.76	755.9	82	79	E S E	3	c	10 a.	29.79	756.6	82	79	S E	2	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.75	755.6	81	...	E S E	2	o	..	29.79	756.6	81	...	E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hulien,	4 p.	29.65	753.1	82	...	E S E	6	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	90	...	N N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	73	...	N W	4	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.78	756.5	86	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	84	77	S W	2	o	10 a.	29.76	756	82	85	S W	1	c
Legaspi,	2 p.	29.76	755.9	79	...	...	0	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	or	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.75	755.6	81	...	S W	1	o	,,	29.81	757.2	82	...	S W	1	c
Cebu,	,,	29.78	756.4	84	...	S	1	o	,,	29.82	757.4	82	...	S	3	o
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.86	758.4	78	...	...	...	...

On the 13th at 11.50 a.—The barometer has fallen at all stations, moderately to considerably over Formosa and the Loochoos, and slightly on the S. coast of China and in Luzon.

The depression over the Pacific is probably a typhoon. It appears to be situated to the S.E. of the Loochoos and to be moving towards N.W. at present.

Pressure is still high to the S.E. of Japan, while it has fallen to the normal on the China coast. It is below the average by 0.1 inch in Manila, and by slightly above that amount over the Loochoos.

Fresh N. and N.E. winds are likely to prevail in the Formosa Channel, and moderate N.E. to N.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. or variable winds, light or moderate; fair.
2.—Formosa Channel,	N.E. and N. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 13th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th August, 1907, P.M.								14th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	S	6	...	6 a.	29.85	758.1	...	...	...	...	...
Hakodate,	,,	29.77	756.2	...	...	S	6	...	,,	29.85	758.2	...	...	...	...	...
Tokio,	,,	29.87	758.6	...	...	S	4	...	,,	29.83	757.6	...	...	N W	2	...
Kochi,	,,	29.83	757.8	...	...	S E	2	...	,,	29.76	755.8	...	...	S W	2	...
Nagasaki,	,,	29.76	755.8	...	...	N E	4	...	,,	29.76	755.8	...	...	...	0	...
Kagoshima,	,,	29.76	755.9	...	...	S E	6	...	,,	29.76	755.9	...	...	N	2	...
Oshima,	,,	29.65	753.1	...	...	N E	4	...	,,	29.69	754.1	...	...	...	0	...
Naba,	,,	29.69	754.2	...	...	N	4	...	,,	29.69	754.2	...	...	...	0	...
Ishigakijima,	,,	29.74	755.3	...	...	N W	4	...	,,	29.70	754.3	...	...	N W	2	...
Chefoo,	3 p.	29.77	756.1	85	83	E	1	b	6 a.	29.73	755.1	77	91	S E	2	b
Weihaiwei,	,,	29.73	755.1	83	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.74	755.4	90	56	E N E	1	b	9 a.	29.74	755.4	84	75	S E	2	b
Gutzlaff,	,,	29.74	755.4	...	...	N N E	2	cm	,,	29.73	755.1	82	91	S E	2	cm
Sharp Peak,	,,	29.75	755.6	84	83	E S E	1	b	,,	29.74	755.4	85	81	N E	1	b
Amoy,	,,	29.75	755.6	87	72	S E	2	b	6 a.	29.70	754.4	...	...	S E	2	o
Swatow,	,,	29.72	754.9	85	79	E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.70	754.5	...	...	E	6	...	5 a.	29.73	755.2	...	...	...	0	...
Taichu,	,,	29.73	755.2	...	...	W	4	...	,,	29.74	755.3	...	...	...	0	...
Tainan,	,,	29.74	755.5	...	...	S W	4	...	,,	29.72	754.9	...	...	...	0	...
Koshun,	,,	29.74	755.4	...	...	N E	4	...	,,	29.74	755.4	...	...	...	0	...
Pescadores,	,,	29.72	754.8	...	...	S W	4	...	,,	29.71	754.5	...	...	N	4	...
Canton,	3 p.	29.71	754.6	93	55	N	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.70	754.4	83	73	E	3	b	10 a.	29.77	756.1	83	77	E	1	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E S E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.71	754.6	84	...	S E	1	c	,,	29.77	756.1	81	...	N N E	1	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.9	79	...	E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.2	82	...	...	0	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.6	81	...	W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.70	754.5	86	...	N E	1	c	6 a.	29.71	754.5	77	...	S	1	c
Manila,	4 p.	29.69	754	84	92	S W	3	o	10 a.	29.76	756	82	77	S	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.78	756.4	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S E	1	r	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.73	755.1	79	...	W S W	5	p	,,	29.80	756.9	80	...	S W	2	o
Cebu,	,,	29.77	756.1	82	...	S	2	o	,,	29.86	758.4	82	...	S	2	b
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.84	757.9	80	...	...	...	...

On the 14th at 12.05 p.—The barometer has fallen moderately over S. Japan and N. China.

The depression lying to the S.E. of the Loochoos yesterday, appears to have recurved to the N.E.

Pressure, however, has not increased over Luzon, and it is still in defect of the normal by about 0.1 inch in Manila. Probably a low pressure trough is lying over the N. part of the China Sea.

Light to moderate variable winds are indicated in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. or variable winds, light or moderate; showery.
2.—Formosa Channel,	Variable winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 14th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th August, 1907, P.M.								15th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	N E	2	..
Hakodate,	,,	29.85	758.2	...	...	S E	6	...	,,	29.89	759.2	...	...	S E	8	...
Tokio,	,,	29.83	757.6	...	...	N	4	...	,,	29.83	757.6	...	...	N	4	...
Kochi,	,,	29.64	752.8	...	...	S E	2	...	,,	29.68	753.8	...	...	S W	6	...
Nagasaki,	,,	29.68	753.8	...	...	S W	4	...	,,	29.72	754.8	...	...	...	0	...
Kagoshima,	,,	29.72	754.9	...	...	N E	2	...	,,	29.72	754.9	...	...	E	2	...
Oshima,	,,	29.69	754.1	...	...	N	4	...	,,	29.73	755.1	...	...	S E	2	...
Naha,	,,	29.69	754.2	...	...	...	0	...	,,	29.73	755.2	...	...	...	0	...
Ishigakijima,	,,	29.70	754.3	...	...	N E	4	...	,,	29.74	755.3	...	...	N W	2	...
Chefoo,	3 p.	29.63	752.6	87	92	S	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.69	754.1	85	...	S	3	ovr	9 a.	29.71	754.6	77	...	S	1	or
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.73	755.1	99	44	N W	2	b	,,	...	...	...	...	...	...	..
Shanghai,	,,	29.70	754.4	88	69	S	5	c	9 a.	29.74	755.4	85	...	S S E	2	b
Gutzlaff,	,,	29.72	754.9	84	83	S E	3	cm	,,	29.74	755.4	83	87	S S E	...	bm
Sharp Peak,	,,	29.70	754.4	84	83	S E	2	b	,,	29.79	756.6	86	81	E N E	1	b
Amoy,	,,	29.78	756.4	88	69	S S E	4	b	6 a.	29.72	754.9	84	79	S E	1	c
Swatow,	,,	29.67	753.6	87	76	E	1	b	,,	29.72	754.9	78	70	S S W	1	b
Taihoku,	1 p.	29.71	754.6	...	...	N	4	...	5 a.	29.76	756.0	...	...	...	0	...
Taichu,	,,	29.72	754.8	...	...	W	2	...	,,	29.77	756.1	...	...	...	0	...
Tainan,	,,	29.76	755.9	...	...	W	4	...	,,	29.76	755.9	...	...	E	2	...
Koshun,	,,	29.75	755.6	...	...	W	2	...	,,	29.76	755.9	...	...	N E	2	...
Pescadores,	,,	29.72	754.8	...	...	N	2	...	,,	29.73	755.2	...	...	N	2	...
Canton,	3 p.	29.74	755.4	87	65	E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.71	754.6	82	80	E	2	o	10 a.	29.80	756.9	81	78	E N E	2	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.71	754.6	82	...	...	0	od	,,	29.79	756.6	81	...	E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.9	81	...	E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.1	84	...	W S W	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.7	79	...	S W	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.70	754.5	90	...	N	1	b	6 a.	29.76	756.0	77	...	S	1	o
Manila,	4 p.	29.69	754	79	92	W S W	2	o	10 a.	29.80	757	82	85	S W	1	c
Legaspi,	2 p.	29.74	755.3	86	...	W	1	o	6 a.	29.82	757.5	77	...	S W	1	c
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.75	755.6	81	...	S W	3	c	,,	29.85	758.2	81	...	W	1	or
Cebu,	,,	29.75	755.6	86	...	S	3	c	,,	29.87	758.7	85	...	S	2	c
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen slightly at all stations, except at those in N. China.

Pressure is high to the N.E. of Japan, and low over W. Japan.

Gradients are slight on the China coast, and light variable winds may be expected in the Formosa Channel, and light E. and S.E. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, light; showery.
2.—Formosa Channel,	Variable winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 15th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th August, 1907, P.M.								16th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	E	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.85	758.2	...	...	S E	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.75	755.6	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.69	751.8	...	...	N	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.68	753.8	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.68	753.9	...	...	W	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.73	755.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.77	756.2	...	...	N	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.70	754.3	...	...	N	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.68	753.9	88	76	E	1	b	6 a.	29.66	753.3	76	95	S W	1	b
Weihaiwei,	,,	29.69	754.1	84	...	S	1	ovr	9 a.	29.72	754.9	85	...	S	1	b
Hankow,	,,	29.78	756.4	...	...	W	2	c	6 a.	29.80	756.9	83	87	S E	1	b
Kiukiang,	,,	29.75	755.6	90	36	S W	1	b	,,	29.80	756.9	82	91	...	0	b
Shanghai,	,,	29.69	754.1	90	63	S S E	2	c	9 a.	29.78	756.4	86	80	S S E	1	b
Gutzlaff,	,,	29.69	754.1	85	83	S E	3	bm	,,	29.77	756.1	82	91	S	3	...
Sharp Peak,	,,	29.75	755.6	85	79	S S E	2	bv	,,	29.83	757.7	85	84	E	...	b
Amoy,	,,	29.76	755.9	87	69	S E	3	b	6 a.	29.69	754.1	86	80	S E	2	c
Swatow,	,,	29.72	754.9	88	69	E	2	b	,,	29.78	756.4	79	91	...	0	b
Taiboku,	1 p.	29.73	755.2	...	...	E	2	...	5 a.	29.80	756.8	...	...	S E	2	...
Taichu,	,,	29.75	755.7	...	...	W	2	...	,,	29.81	757.2	...	...	...	0	...
Tainan,	,,	29.76	756.0	...	...	W	4	...	,,	29.78	756.5	...	...	...	0	...
Koshun,	,,	29.76	756.0	...	...	E	6	...	,,	29.80	756.9	...	...	...	0	...
Pescadores,	,,	29.75	755.7	...	...	N	4	...	,,	29.78	756.4	...	...	N E	2	...
Canton,	3 p.	29.74	755.4	89	63	...	0	b	9 a.	29.83	757.7	85	76	E N E	1	b
Hongkong,	4 p.	29.73	755.1	83	79	E	2	c	10 a.	29.84	757.9	81	87	E	2	op
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.73	755.1	83	...	E	1	c	,,	29.84	757.9	83	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.2	82	...	E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.69	754.0	86	...	N N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	81	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.79	756.7	77	...	S	3	o
Manila,	4 p.	29.76	756	81	85	W S W	2	o	10 a.	29.84	758	77	100	...	0	d
Legaspi,	2 p.	29.79	756.6	90	...	W	1	b	6 a.	29.84	757.9	77	...	...	0	c
Bacolod,	3 p.	...	...	...	...	W S W	1	op	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.77	756.1	83	...	S W	3	c	,,	29.85	758.2	81	...	S W	2	or
Cebu,	,,	29.81	757.2	85	...	S	1	c	,,	29.87	758.7	84	...	S	2	b
Labuan,	,,	29.82	757.4	81	...	...	...	...	,,	29.93	760.2	78	...	...	...	...

On the 16th at 11.55 a.—The barometer has fallen a little over the N.E. coast of China, and risen slightly in S. China and the Philippines.

Pressure is relatively high over S. China and the S. part of the China Sea, with slightly lower pressure over the N.W. part of the China Sea and Tongking.

Light or moderate S.E. winds are likely to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, light; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 16th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th August, 1907, P.M.								17th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.85	758.1	...	...	S	6	..
Hakodate,	,,	29.65	753.2	...	...	S E	8	...	,,	29.73	755.2	...	...	...	0	...
Tokio,	,,	29.75	755.6	...	...	S	6	...	,,	29.87	758.6	...	...	S	4	...
Kochi,	,,	29.80	756.8	...	...	S E	2	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S W	6	...	,,	29.88	758.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	S	2	...	,,	29.88	758.9	...	...	...	0	...
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	29.81	757.2	...	...	N	4	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.78	756.3	...	...	E	4	...	,,	29.78	756.3	...	...	E	6	...
Chefoo,	3 p.	29.66	753.3	95	71	S E	2	b	6 a.	29.72	754.9	82	79	S	1	b
Weihaiwei,	,,	29.70	754.4	89	...	S	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.82	757.4	98	69	S	1	b	6 a.	29.84	757.9	85	91	E S E	1	b
Kinkiang,	,,	29.77	756.1	101	52	N E	2	b	,,	29.92	759.9	81	91	...	0	b
Shanghai,	,,	29.72	754.9	93	61	S S E	1	b	9 a.	29.82	757.4	85	76	S S E	2	b
Gutzlaff,	,,	29.74	755.4	88	80	S S E	1	...	,,	29.83	757.7	83	87	S S E	2	bv
Sharp Peak,	,,	29.78	756.4	85	81	S E	2	bv	,,	29.83	757.7	85	85	N N E	2	c
Amoy,	,,	29.83	757.7	87	88	S E	3	b	6 a.	29.81	757.2	85	76	S E	1	b
Swatow,	,,	29.75	755.6	87	76	E	2	c	,,	29.79	756.6	78	91	...	0	b
Taihoku,	1 p.	29.76	756.0	...	...	N E	2	...	5 a.	29.78	756.3	...	...	E	4	...
Taichu,	,,	29.78	756.5	...	...	W	2	...	,,	29.80	756.8	...	...	...	0	...
Tainan,	,,	29.80	756.9	...	...	W	4	...	,,	29.80	756.9	...	...	...	0	...
Koshun,	,,	29.80	757.0	...	...	N	4	...	,,	29.79	756.7	...	...	E	2	...
Pescadores,	,,	29.79	756.6	...	...	N W	4	...	,,	29.77	756.2	...	...	...	0	...
Canton,	3 p.	29.76	755.9	89	66	E	1	b	9 a.	29.84	757.9	85	72	N E	1	b
Hongkong,	4 p.	29.74	755.4	82	74	E S E	3	c	10 a.	29.83	757.7	83	76	E S E	3	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.75	755.6	85	...	S E	1	c	,,	29.83	757.7	84	...	E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.3	81	...	E N E	3	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.70	754.3	84	...	N W	2	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.5	82	...	S W	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.76	756.0	77	...	S W	1	p
Manila,	4 p.	29.76	756	81	92	S W	2	o	10 a.	29.80	757	79	92	S	1	o
Legaspi,	2 p.	29.76	755.8	84	...	S W	1	o	6 a.	29.77	756.1	77	...	W	1	o
Eacolod,	3 p.	...	...	...	...	W S W	1	op	9 a.	...	...	...	...	S W	1	op
Iloilo,	,,	29.79	756.6	82	...	S W	2	o	,,	29.81	757.2	79	...	S W	1	or
Cebu,	,,	29.79	756.6	85	...	S	3	c	,,	29.83	757.7	82	...	S	2	o
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 17th at 11.55 a.—The barometer has fallen slightly over the Philippines, and risen slightly to moderately over N. China and S. Japan.

Pressure is highest over the Pacific to the S. of Japan. The departures from the normal are, about 0.05 inch in excess over the China coast and S. Japan, and a like amount in defect over the Philippines.

A low pressure trough will probably form over the N. part of the China Sea.

Moderate E. winds are likely to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light to moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 17th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th August, 1907, P.M.								18th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	S	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.73	755.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.87	758.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.87	758.8	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.88	758.9	...	...	S	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.85	758.2	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.82	757.3	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.69	754.1	95	78	E S E	2	c	6 a.	29.71	754.6	80	87	S E	2	b
Weihaiwei,	,,	29.71	754.6	89	...	S	2	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.83	757.7	...	...	S W	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.78	756.4	...	...	N E	1	b	,,	29.83	757.7	82	87	...	0	b
Shanghai,	,,	...	...	90	63	S S E	2	b	9 a.	29.79	756.6	84	75	S S E	3	b
Gutzlaff,	,,	29.76	755.9	85	83	S S E	3	b	,,	29.79	756.6	82	91	S S E	2	bm
Sharp Peak,	,,	29.80	756.9	85	85	N	3	bv	,,	29.82	757.4	86	84	N N E	2	b
Amoy,	,,	29.78	756.4	88	73	S E	3	b	6 a.	29.68	753.9	84	83	S E	1	c
Swatow,	,,	29.76	755.9	87	72	E	2	b	,,	29.71	754.6	79	91	...	0	b
Taihoku,	1 p.	29.75	755.6	...	...	S E	6	...	5 a.	29.75	755.4	...	...	E	6	...
Taichu,	,,	29.77	756.2	...	...	W	2	...	,,	29.75	755.6	...	...	...	0	...
Tainan,	,,	29.80	756.8	...	...	S	4	...	,,	29.75	755.6	...	...	E	2	...
Koshun,	,,	29.79	756.6	...	...	E	6	...	,,	29.74	755.4	...	...	N E	4	...
Pescadores,	,,	29.77	756.2	...	...	N W	2	...	,,	29.71	754.7	...	...	W	2	...
Canton,	3 p.	29.76	755.9	94	47	E	1	b	9 a.	29.76	755.9	85	76	S E	1	b
Hongkong,	4 p.	29.75	755.6	83	80	E S E	3	c	10 a.	29.80	756.9	86	70	E	1	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.75	755.6	84	...	S E	1	c	,,	29.81	757.2	85	...	E N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.1	82	...	S E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	755.8	77	...	S W	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.9	81	...	S W	3	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.72	754.9	82	...	N W	1	p	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	82	85	S	1	o	10 a.	29.76	756	82	85	...	0	c
Legaspi,	2 p.	29.74	755.4	86	...	W	1	o	6 a.	29.74	755.3	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S S W	1	cp	9 a.	...	...	...	...	S W	1	cp
Iloilo,	,,	29.75	755.6	80	...	W S W	3	o	,,	29.80	756.9	81	...	S W	3	c
Cebu,	,,	29.77	756.1	84	...	S	2	...	,,	29.81	757.2	81	...	S	2	c
Labuan,	,,	29.76	755.9	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 18th at 11.55 a.—The barometer continues to fall slowly in the Philippines, and a slight fall has taken place also over the China coast and Formosa.

Pressure is near the normal on the China coast, and about 0.1 inch below its average height in Manila.

Pressure is probably low over the Pacific to the E. or N.E. of Luzon.

Light or moderate E. and N.E. winds are likely to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, light; fine.
2.—Formosa Channel,	E. to N.E. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 18th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th August, 1907, P.M.								19th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.70	754.1	...	...	N E	2	...	6 a.	29.69	754.1	...	...	W	2	..
Hakodate,	,,	29.77	756.2	...	...	S W	6	...	,,	29.77	756.2	...	...	S W	8	...
Tokio,	,,	29.91	759.6	...	...	S	6	...	,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	S	4	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	W	4	...	,,	29.84	757.8	...	...	S E	4	...
Kagoshima,	,,	29.84	757.9	...	...	S	2	...	,,	29.84	757.9	...	...	E	4	...
Oshima,	,,	29.81	757.1	...	...	E	4	...	,,	29.81	757.1	...	...	S	2	...
Naha,	,,	29.77	756.2	...	...	E	4	...	,,	29.73	755.2	...	...	E	2	...
Ishigakijima,	,,	29.78	756.3	...	...	E	6	...	,,	29.70	754.3	...	...	...	0	...
Chefoo,	3 p.	29.61	752.1	79	95	S	1	c	6 a.	29.69	754.1	76	100	S	1	o
Weihaiwei,	,,	29.71	754.6	79	...	W	1	o	9 a.	29.73	755.1	77	...	N W	1	or
Hankow,	,,	29.73	755.1	95	...	S E	1	c	6 a.	29.77	756.1	85	91	...	0	c
Kiukiang,	,,	...	...	100	58	S E	2	b	,,	29.77	756.1	82	83	...	0	b
Shanghai,	,,	29.72	754.9	89	63	S E	2	b	9 a.	29.74	755.4	84	68	S S E	3	b
Gutzlaff,	,,	29.74	755.4	84	79	S S E	4	bm	,,	29.75	755.6	82	91	S	2	bv
Sharp Peak,	,,	29.76	755.9	85	83	E N E	3	b	,,	29.78	756.4	83	81	N E	1	b
Amoy,	,,	29.77	756.1	91	63	S E	2	c	6 a.	29.71	754.6	84	79	N N E	2	c
Swatow,	,,	...	...	88	73	S E	2	b	,,	29.72	754.9	80	91	W S W	2	b
Taihoku,	1 p.	29.74	755.4	...	...	S	6	...	5 a.	29.70	754.4	...	...	S E	4	...
Taichu,	,,	29.73	755.1	...	...	W	2	...	,,	29.72	754.9	...	...	...	0	...
Tainan,	,,	29.75	755.6	...	...	W	4	...	,,	29.71	754.5	...	...	...	0	...
Koshun,	,,	29.73	755.1	...	...	N	6	...	,,	29.70	754.4	...	...	N	2	...
Pescadores,	,,	29.74	755.3	...	...	S W	4	...	,,	29.67	753.7	...	...	...	0	...
Canton,	3 p.	29.72	754.9	94	52	S	1	b	9 a.	29.76	755.9	85	79	...	0	c
Hongkong,	4 p.	29.70	754.4	85	64	E	2	b	10 a.	29.72	754.9	88	65	N	1	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.71	754.6	87	...	S E	1	c	,,	29.74	755.4	86	...	E N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	82	...	E S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.70	754.5	82	...	N N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.1	75	...	W N W	3	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.67	753.6	88	...	N E	1	o	6 a.	29.68	753.9	77	...	S	1	b
Manila,	4 p.	29.65	753	84	68	S	1	o	10 a.	29.69	754	79	84	E S E	1	o
Legaspi,	2 p.	29.72	755.0	81	...	W	1	...	6 a.	29.73	755.1	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S E	1	op	9 a.	...	...	...	...	S W	1	cq
Iloilo,	,,	29.75	755.6	80	...	S W	5	or	,,	29.78	756.4	82	...	S W	4	o
Cebu,	,,	29.74	755.4	84	...	S	2	b	,,	29.80	756.9	84	...	S	4	c
Labuan,	,,	29.73	755.1	90	...	...	...	...	,,	29.81	757.2	84	...	...	...	...

On the 19th at 11.55 a.—The barometer has fallen slightly at all stations.

Pressure is highest and a little above the normal over S. Japan. It is in defect elsewhere, particularly over Luzon, where the departure from the average is about 0.15 inch.

The trough of low pressure appears to be lying in about 18° Lat., and to extend across the China Sea and the Pacific to the E. of Luzon.

Moderate N.E. winds are likely to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate ; fair to showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 19th August, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th August, 1907, P.M.								20th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.85	758.1	...	...	..	0	.
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.77	756.2	...	...	S W	8	...
Tokio,	,,	...	...	...	...	...	...	...	,,	29.95	760.6	...	...	S	2	...
Kochi,	,,	...	...	...	...	...	...	...	,,	29.91	759.8	...	...	S W	4	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	...	...	N E	4	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	...	...	N E	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.65	753.2	...	...	N E	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	...	...	N E	2	...
Chefoo,	3 p.	29.69	754.1	83	87	N E	2	b	6 a.	29.79	756.6	76	95	E S E	1	o
Weihaiwei,	,,	29.69	754.1	74	...	E	1	b	9 a.	29.85	758.2	75	...	E S E	0	o
Hankow,	,,	29.72	754.9	93	67	N E	3	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.71	754.6	95	59	N E	2	o	,,	29.77	756.1	81	91	...	0	c
Shanghai,	,,	29.68	753.9	88	56	S S E	2	b	9 a.	29.77	756.1	85	79	S	2	b
Gutzlaff,	,,	29.68	753.9	84	79	S E	4	bm	,,	29.78	756.4	85	83	S S E	1	cv
Sharp Peak,	,,	29.70	754.4	84	77	N E	3	b	,,	29.72	754.9	84	81	N E	2	c
Amoy,	,,	29.68	753.9	92	74	N N E	1	b	6 a.	29.71	754.6	86	76	N E	1	b
Swatow,	,,	29.62	752.3	86	80	E	3	c	,,	29.67	753.6	79	95	N	1	b
Taihoku,	1 p.	29.68	753.9	...	...	N E	6	...	5 a.	29.66	753.4	...	...	E	4	...
Taichu,	,,	29.69	754.1	...	...	E	2	...	,,	29.65	753.2	...	...	S E	2	...
Tainan,	,,	29.69	754.0	...	...	W	4	...	,,	29.65	753.2	...	...	E	2	...
Koshun,	,,	29.67	753.6	...	...	N W	6	...	,,	29.65	753.2	...	...	N E	4	...
Pescadores,	,,	29.68	753.9	...	...	N	4	...	,,	29.63	752.7	...	...	N W	2	...
Canton,	3 p.	29.64	752.8	94	55	S	1	b	9 a.	29.74	755.4	85	79	...	0	c
Hongkong,	4 p.	29.64	752.8	85	73	E	2	c	10 a.	29.73	755.1	86	67	E S E	1	c
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.64	752.8	87	...	S E	1	c	,,	29.73	755.1	87	...	E N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	81	...	N N E	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.2	88	...	N	3	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	754.8	81	...	W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.63	752.5	84	...	S	1	b
Manila,	4 p.	29.61	752	82	70	S	3	o	10 a.	29.65	753	79	84	S	3	o
Legaspi,	2 p.	29.70	754.4	81	...	W	1	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	oq	9 a.	...	...	...	...	W S W	1	or
Iloilo,	,,	29.70	754.4	83	...	S W	5	c	,,	29.78	756.4	80	...	S W	5	o
Cebu,	,,	29.72	754.9	81	...	S	4	b	,,	29.79	756.6	85	...	S	3	o
Labuan,	,,	29.73	755.1	89	...	...	...	...	,,	29.83	757.7	85	...	...	...	...

On the 20th at 11.55 a.—The barometer continues to fall slowly over Luzon, Formosa and the Loochoos. It has risen slightly to moderately over N. China and N.E. Japan.

The low pressure trough is still lying over the N. part of the China Sea and the Pacific to the E. of N. Luzon. Probably a depression exists in it to the N.E. of Luzon.

Pressure is high, about 0.1 inch in excess of the normal, over S.E. Japan, and below the average by about 0.2 inch in Manila, and by 0.1 inch over S. Formosa and the Loochoos.

Moderate or fresh N.E. winds may be expected in the Formosa Channel, and light or moderate N.E. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light or moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

T. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 20th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th August, 1907, P.M.								21st August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	E	4	...	6 a.	30.05	762.1	...	...	N E	2	..
Hakodate,	,,	29.85	758.2	...	...	S	2	...	..	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.91	759.6	...	...	S	6	...	,,	29.99	761.6	...	...	N W	2	...
Kochi,	,,	29.87	758.8	...	...	S	2	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki,	,,	29.83	757.8	...	...	S W	4	...	,,	29.84	757.8	...	...	N E	2	...
Kagoshima,	,,	29.84	757.9	...	...	E	6	...	,,	29.80	756.9	...	...	N E	4	...
Oshima,	,,	29.73	755.1	...	...	E	6	...	,,	29.69	754.1	...	...	N E	4	...
Naha,	,,	29.65	753.2	...	...	E	8	...	,,	29.65	753.2	...	...	N E	4	...
Ishigakijima,	,,	29.66	753.3	...	...	N E	8	...	,,	29.70	754.3	...	...	N E	4	...
Chefoo,	3 p.	29.79	756.6	80	82	E	3	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.77	756.1	96	59	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.73	755.1	91	63	S E	2	c	9 a.	29.78	756.4	86	68	S E	2	c
Gutzlaff,	,,	29.73	755.1	88	80	S E	2	cm	,,	29.78	756.4	86	84	E S E	1	bm
Sharp Peak,	,,	29.69	754.1	85	83	E N E	4	b	,,	29.69	754.1	86	83	E N E	4	b
Amoy,	,,	29.64	752.8	92	...	N E	3	b	6 a.	29.65	753.1	85	76	E N E	4	b
Swatow,	,,	29.61	752.1	90	70	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.65	753.0	...	...	E	10	...	5 a.	29.65	753.0	...	...	E	4	...
Taichu,	,,	29.63	752.5	...	...	N	4	...	,,	29.62	752.4	...	...	...	0	...
Tainan,	,,	29.63	752.7	...	...	W	4	...	,,	29.61	752.1	...	...	E	2	...
Koshun,	,,	29.64	752.8	...	...	N E	4	...	,,	29.60	751.7	...	...	N E	3	...
Pescadores,	,,	29.61	752.1	...	...	N	6	...	,,	29.58	751.2	...	...	...	0	...
Canton,	3 p.	29.63	752.6	51	86	S	1	b	9 a.	29.72	754.9	85	79	E	1	c
Hongkong,	4 p.	29.65	753.1	85	67	W	1	o	10 a.	29.69	754.1	87	61	S E	2	b
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Macao,	,,	29.65	753.1	88	...	S E	1	c	..	29.71	754.6	85	...	...	0	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.2	88	...	S S E	1	b	10 a.	...	...	...	...	...	...	...
Touraine,	,,	29.68	753.9	82	...	N	3	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.7	84	...	W S W	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.54	750.2	88	...	N E	1	b	6 a.	29.54	750.3	79	...	S W	1	o
Manila,	4 p.	29.57	751	79	84	S W	3	q	10 a.	29.61	752	79	92	S W	3	q
Legaspi,	2 p.	29.65	753.1	84	...	W	1	o	6 a.	29.68	753.8	79	...	S W	1	o
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	W S W	1	op
Iloilo,	,,	29.70	754.4	84	...	S W	3	c	,,	29.76	755.9	83	...	S W	5	o
Cebu,	,,	29.68	753.9	86	...	S	5	c	,,	29.79	756.6	83	...	S	4	o
Labuan,	,,	29.75	755.6	88	...	...	...	...	,,	29.84	757.9	84	...	..	...	...

On the 21st at 11.55 a.—The barometer continues to fall slowly over Luzon, S. China, Formosa and the Loochoos. It has risen considerably in N.E. Japan.

The depression is very much elongated. It may contain two centres, one to the S.E. of the Loochoos, the other in the neighbourhood of the Balingtang Channel.

Pressure is high, above the normal by 0.1 inch and upwards, over E. Japan, while it is below the average by between 0.2 and 0.3 inch in Luzon, and by about 0.15 over Formosa and the Loochoos.

Fresh to strong N. and N.E. winds are indicated in the Formosa Channel, and over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to N winds, moderate or fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 21st August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st August, 1907, P.M.								22nd August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	N E	2	...
Hakodate,	,,	29.81	757.2	...	...	S E	8	...	,,	29.93	760.2	...	...	E	6	...
Tokio,	,,	29.91	759.6	...	...	N E	6	...	,,	29.87	758.6	...	...	N W	4	...
Kochi,	,,	29.80	756.8	...	...	S W	2	...	,,	29.72	754.8	...	...	S W	2	...
Nagasaki,	,,	29.76	755.8	...	...	N E	4	...	,,	29.68	753.8	...	...	...	0	...
Kagoshima,	,,	29.76	755.9	...	...	E	6	...	,,	29.64	752.9	...	...	E	6	...
Oshima,	,,	29.65	753.1	...	...	N	6	...	,,	29.53	750.1	...	...	N	6	...
Naha,	,,	29.57	751.2	...	...	N E	8	...	,,	29.54	750.2	...	...	N E	4	...
Ishigakijima,	,,	29.66	753.3	...	...	N E	6	...	,,	29.58	751.3	...	...	N	2	...
Chefoo,	3 p.	29.71	754.6	70	100	...	0	or	6 a.	29.71	754.6	74	90	N W	2	o
Weihaiwei,	,,	29.80	756.9	72	...	E	1	c	9 a.	29.71	754.6	76	...	N W	2	o
Hankow,	,,	29.78	756.4	92	64	N E	1	b	6 a.	29.79	756.6	81	87	N N W	2	b
Kiukiang,	,,	29.72	754.9	98	54	N E	1	b	,,	29.72	754.9	83	83	N E	1	b
Shanghai,	,,	29.72	754.9	87	67	S E	2	b	9 a.	29.69	754.1	86	68	S S E	1	c
Gutzlaff,	,,	29.72	754.9	88	76	E S E	2	cm	,,	29.68	753.9	85	76	S E	1	bv
Sharp Peak,	,,	29.68	753.9	85	83	N E	4	b	,,	29.64	752.8	84	83	N N E	3	b
Amoy,	,,	29.62	752.3	92	92	N E	3	b	6 a.	29.68	753.9	85	76	N E	3	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.63	752.7	...	...	E	8	...	5 a.	29.61	752.0	...	...	E	2	...
Taichu,	,,	29.59	751.6	...	...	S W	2	...	,,	29.57	751.1	...	...	E	2	...
Tainan,	,,	29.60	751.9	...	...	S W	4	...	,,	29.56	750.8	...	...	N E	2	...
Koshun,	,,	29.61	752.0	...	...	N E	8	...	,,	29.54	750.4	...	...	N E	8	...
Pescadores,	,,	29.60	751.8	...	...	N	6	...	,,	29.53	750.0	...	...	N E	4	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.60	751.8	86	62	W N W	1	b	10 a.	29.66	753.3	85	73	W	2	c
Victoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	N W	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.62	752.3	84	...	W S W	1	od	,,	29.68	753.9	85	...	N	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.58	751.3	91	...	S	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.0	84	...	N N W	2	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.63	752.7	79	...	S W	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.45	748.0	77	...	S	1	o
Manila,	4 p.	29.57	751	82	77	S W	4	o	10 a.	29.61	752	82	85	S W	5	o
Legaspi,	2 p.	29.63	752.6	88	...	S W	4	c	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	2	cq	9 a.	...	...	...	...	S S W	1	op
Iloilo,	,,	29.69	754.1	82	...	S W	4	o	,,	29.76	755.9	81	...	S W	5	o
Cebu,	,,	29.71	754.6	85	...	S	3	o	,,	29.79	756.6	84	...	S	4	o
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	29.85	758.2	77	...	...	...	...

On the 22nd at 12.20 p.—The barometer has fallen generally except over the S. Philippines, the most marked fall being shown over the Loochoos and S.W. Japan.

The depression embraces a large area and remains very much elongated. Its axis appears to lie along a line extending from the Balingtang Channel to a point to the E. of the Loochoos. One centre, which appears to be moving Northwards, is lying to the E.S.E. of the Loochoos. Another centre may exist in the neighbourhood of the Balingtang Channel.

Except over E. Japan, pressure is below the normal generally, particularly over Luzon, Formosa and the Loochoos where it is in defect by between 0.2 and 0.3 inch.

Strong N.E. winds are expected to prevail in the Formosa Channel, and strong N. to W. winds over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood.	N.W. winds, moderate or fresh; fair.
2.—Formosa Channel.	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks.	N. to N.W. winds, fresh.
4.—South coast of China between Hongkong and Hainan.	N.W. to W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 22nd August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd August, 1907, P.M.								23rd August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	30.04	763.1	...	...	N E	2	...	6 a.	30.01	762.1	...	...	...	0	..
Hakodate,	,,	29.89	759.2	...	...	S E	8	...	,,	29.85	758.2	...	...	E	6	...
Tokio,	,,	29.79	756.6	...	...	E	6	...	,,	29.75	755.6	...	...	N	2	...
Kochi,	,,	29.64	752.8	...	...	S W	2	...	,,	29.52	749.8	...	...	S W	2	...
Nagasaki,	,,	29.60	751.8	...	...	N E	6	...	,,	29.56	750.8	...	...	N E	2	...
Kagoshima,	,,	29.60	751.9	...	...	E	6	...	,,	29.52	749.9	...	...	N W	2	...
Oshima,	,,	29.49	749.1	...	...	N	8	...	,,	29.45	748.1	...	...	N	6	...
Naha,	,,	29.50	749.2	...	...	N	6	...	,,	29.46	748.2	...	...	N	6	...
Ishigakijima,	,,	29.58	751.3	...	...	N E	6	...	,,	29.50	749.3	...	..	...	0	...
Chefoo,	3 p.	29.68	753.9	79	91	N	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.66	753.3	77	...	N N E	2	ovr	9 a.	29.68	753.9	78	...	N E	2	ovr
Niukow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.68	753.9	91	67	N E	2	c	,,	29.67	753.6	80	96	...	0	c
Shanghai,	,,	29.63	752.6	89	59	E S E	1	c	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.63	752.6	89	73	E S E	1	cv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.60	751.8	85	81	N N E	4	b	,,	29.59	751.6	86	80	N E	2	b
Amoy,	,,	29.61	752.1	95	...	N E	4	b	6 a.	29.58	751.3	85	76	N E	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.58	751.3	...	...	E	6	...	5 a.	29.56	750.7	...	...	S E	0	...
Taichu,	,,	29.52	749.9	...	...	S W	2	...	,,	29.54	750.2	...	...	...	0	...
Tainan,	,,	29.53	750.0	...	...	W	4	...	,,	29.50	749.4	...	...	S E	2	...
Koshun,	,,	29.53	750.1	...	...	N E	8	...	,,	29.51	749.6	...	...	N W	2	...
Pescadores,	,,	29.52	749.9	...	...	N E	8	...	,,	29.49	749.0	...	...	N	8	...
Canton,	3 p.	29.58	751.6	96	50	W	1	b	9 a.	29.62	752.3	87	76	...	0	b
Hongkong,	4 p.	29.55	750.5	86	64	W	2	o	10 a.	29.62	752.3	87	72	W	2	c
Victoria Peak,	,,	...	...	...	...	N W	3	...	,,	...	...	..	...	S W	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.56	750.8	88	...	S E	1	c	,,	29.63	752.6	86	...	S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.0	96	...	S S E	1	lt	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.6	82	...	N	2	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.63	752.7	79	...	S W	5	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.57	751	79	92	W	3	o	10 a.	29.69	754	81	92	S S W	0	o
Legaspi,	2 p.	29.63	752.4	82	...	S W	2	o	6 a.	29.65	753.1	77	...	S W	1	o
Iloilo,	3 p.	...	...	...	...	W S W	1	cpq	9 a.	...	...	...	...	S W	1	opq
Cebu,	,,	29.70	754.4	84	...	S W	5	c	,,	29.78	756.4	82	...	S W	5	or
Labuan,	,,	29.77	756.1	87	...	S	4	c	,,	29.82	757.4	85	...	S	5	c
	,,	29.76	755.9	85	...	...	...	...	,,	29.82	757.4	83	...	...	...	...

On the 23rd at 11.55 a.—The barometer has fallen moderately to considerably over the Loochoos and S. Japan, and a slight fall has taken place also over the China coast and Formosa. It has risen slightly in the Philippines.

The depression remains very much elongated in a S.W. and N.E. direction, and differences of pressure at stations situated near its major axis, S. Formosa to S.W. Japan, are small. Probably the area of actual lowest pressure is still situated to the E.S.E. of the Loochoos, and it appears to be moving slowly northwards.

Pressure is high, about 0.1 inch above the normal over E. Hokkaido, and in defect by between 0.3 and 0.4 inch over the Loochoos, and by about 0.2 inch over S. Japan, S. China, Formosa and Luzon.

Fresh N. to N.W. winds are likely to prevail in the Formosa Channel, and freshening W. to S.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, moderate or fresh; fair to showery.
2.—Formosa Channel,	N. to N.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 23rd August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd August, 1907, P.M.								24th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	E	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.81	757.2	...	...	E	10	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.71	754.6	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.48	748.8	...	...	E	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.48	748.8	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.44	747.9	...	...	E	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.41	747.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.50	749.3	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	29.64	752.8	75	81	N W	2	c
Weihaiwei,	,,	29.66	753.3	78	...	N W	1	c	9 a.	29.63	752.6	77	...	N N E	3	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.66	753.1	92	61	N W	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.55	750.5	88	62	N E	1	b	9 a.	29.60	751.8	74	90	N	2	or
Gutzlaff,	,,	29.56	750.8	87	76	N N E	1	cm	,,	29.57	751.1	84	83	N N E	1	cm
Sharp Peak,	,,	29.54	750.3	85	81	E N E	3	b	,,	29.58	751.3	85	74	E N E	1	b
Amoy,	,,	29.49	749.0	89	92	S E	4	b	6 a.	29.58	751.3	85	79	S S E	2	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.54	750.4	...	...	E	6	...	5 a.	29.57	751.0	...	...	S	2	...
Taichu,	,,	29.50	749.4	...	...	N	8	...	,,	29.57	751.0	...	...	...	0	...
Tainan,	,,	29.52	749.9	...	...	W	6	...	,,	29.56	750.8	...	...	E	2	...
Koshun,	,,	29.53	750.0	...	...	N E	6	...	,,	29.56	750.8	...	...	W	10	...
Pescadores,	,,	29.52	749.9	...	...	N	8	...	,,	29.56	750.7	...	...	N W	6	...
Canton,	3 p.	29.53	750.0	99	...	...	0	b	9 a.	29.65	753.1	85	79	...	0	c
Hongkong,	4 p.	29.54	750.3	82	67	...	0	o	10 a.	29.65	753.1	88	72	W	1	c
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	W S W	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.55	750.5	89	...	N W	2	o	,,	29.65	753.1	87	...	S S W	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.57	751.0	90	...	S	2	c	10 a.	29.68	753.9	...	...	S W	1	b
Tourane,	,,	29.69	751.9	86	...	N N E	1	lt	,,	29.71	754.5	86	...	N	3	b
Cape St. James,	,,	29.63	752.7	77	...	S W	5	o	,,	29.72	754.9	79	...	W S W	5	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.61	752	81	85	S W	3	o	10 a.	29.73	755	82	85	S W	3	o
Legaspi,	2 p.	29.64	752.9	86	...	S W	4	o	6 a.	29.72	754.8	79	...	S W	1	o
Bacolod,	3 p.	...	...	...	...	S W	1	cp	9 a.	...	...	...	...	W S W	1	o
Iloilo,	,,	29.73	755.1	79	...	S W	5	p	,,	29.80	756.9	82	...	S W	2	c
Cebu,	,,	29.74	755.4	86	...	S	3	o	,,	29.80	756.9	83	...	S	3	c
Labuan,	,,	29.75	755.6	88	...	...	...	...	,,	29.81	757.2	84	...	...	...	...

On the 24th at 12.10 p.—The barometer is rising slowly over S. China, Formosa and Luzon. It has fallen slightly in N. China.

The depression has probably approached S.W. Japan. The observations from thence are, however, lacking this morning.

Pressure is still below the normal by about 0.2 inch over the China coast and Formosa, and by about 0.1 inch in Manila.

Moderate or fresh N.W. to S.W. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, moderate; fair to showery.
2.—Formosa Channel,	N.W. to S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 24th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th August, 1907, P.M.								25th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S E	4	...	6 a.	29.97	761.1	...	...	S E	4	..
Hakodate,	,,	29.81	757.2	...	...	S E	10	...	,,	29.77	756.2	...	...	S E	10	...
Tokio,	,,	29.47	748.6	...	...	E	8	...	,,	29.55	750.6	...	...	E	6	...
Kochi,	,,	29.24	742.8	...	...	S W	2	...	,,	29.36	745.8	...	...	S W	2	...
Nagasaki,	,,	29.40	746.8	...	...	N	8	...	,,	29.44	747.8	...	...	N	2	...
Kagoshima,	,,	29.29	743.9	...	...	N	6	...	,,	29.41	746.9	...	...	N W	6	...
Oshima,	,,	29.41	747.1	...	...	N	6	...	,,	29.45	748.1	...	...	N	4	...
Naha,	,,	29.46	748.2	...	...	N W	4	...	,,	29.54	750.2	...	...	N W	4	...
Ishigakijima,	,,	29.54	750.3	...	...	W	8	...	,,	29.62	752.3	...	...	N W	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.58	751.3	80	...	N W	2	b	9 a.	29.60	751.8	78	...	...	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	..	...	...	...
Kiukiang,	,,	29.70	754.4	91	96	N E	2	b	,,	...	...	...	..	...	...	...
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	29.65	753.1	82	67	N W	2	b
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	29.63	752.6	80	82	N N W	2	cv
Sharp Peak,	,,	29.51	749.5	86	76	S S E	3	b	,,	29.65	753.1	84	85	...	0	o
Amoy,	,,	29.51	749.5	89	92	E S E	5	b	6 a.	...	...	83	91	S E	1	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.57	751.0	...	...	N	6	...	5 a.	29.64	752.9	...	...	S	2	...
Taichu,	,,	29.58	751.4	...	...	N W	4	...	,,	29.65	753.0	...	...	...	0	...
Tainan,	,,	29.58	751.4	...	...	N W	6	...	,,	29.71	754.6	...	...	...	0	...
Koshun,	,,	29.60	751.8	...	...	N W	6	...	,,	29.66	753.3	...	...	N W	2	...
Pescadores,	,,	29.59	751.5	...	...	N W	4	...	,,	29.62	752.3	...	...	S	4	...
Canton,	3 p.	29.56	750.8	97	56	S	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.56	750.8	88	76	W S W	1	c	10 a.	29.70	754.4	87	70	S W	2	c
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	S W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.57	751.1	91	...	S S W	2	c	,,	29.71	754.6	86	...	W S W	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.5	91	...	S	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.61	752.0	88	...	N N E	3	c	,,	...	...	...	...	..	...	...
Cape St. James,	,,	29.64	752.9	79	...	S W	6	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.69	754	81	85	S W	5	o	10 a.	29.80	757	84	77	S W	3	c
Legaspi,	2 p.	29.70	754.5	86	...	W	1	c	6 a.	29.80	756.8	77	...	W	1	b
Bacolod,	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	S E	1	o
Iloilo,	,,	29.75	755.6	84	...	S W	3	c	,,	29.85	758.2	81	...	S W	2	c
Cebu,	,,	29.79	756.6	85	...	S	4	c	,,	29.87	758.7	85	...	S	4	o
Labuan,	,,	29.78	756.4	91	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 25th at 11.55 a.—The barometer has fallen slightly in E. Japan, and risen slightly to moderately elsewhere. The depression which has continued to move in a Northerly direction, is now situated over Central Japan.

Pressure remains high, about 0.1 inch above normal at Nemuro, to the E. of N. Japan. It has approached the normal over the S. Philippines, but is still in moderate to considerable defect over the China coast.

Moderate or fresh W. and S.W. winds are likely to prevail in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, moderate or fresh; fair to showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 25th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th August, 1907, P.M.								26th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S E	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.73	755.2	...	...	S E	10	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.59	751.6	...	...	E	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.36	745.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.44	747.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.41	746.9	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.66	753.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.59	751.6	80	74	W	3	o	6 a.	29.68	753.9	76	86	S E	4	b
Weihaiwei,	,,	29.61	752.1	80	...	W N W	3	b	9 a.	29.65	753.1	80	...	W	4	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.80	756.9	81	83	E	1	c
Kiukiang,	,,	29.71	754.6	94	77	N E	2	b	,,	29.74	755.4	77	91	S W	1	c
Shanghai,	,,	29.63	752.6	85	91	N W	2	t	9 a.	29.68	753.9	83	67	N W	1	c
Gutzlaff,	,,	29.60	751.8	88	69	N N W	3	bcv	,,	29.66	753.3	81	83	N W	2	cv
Sharp Peak,	,,	29.63	752.6	85	86	S E	3	c	,,	29.69	754.1	86	85	N E	1	og
Amoy,	,,	...	...	89	88	S E	3	c	6 a.	29.58	751.3	86	76	N E	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.65	753.9	...	...	N	2	...	5 a.	29.66	753.3	...	...	S	2	...
Taichu,	,,	29.66	753.3	...	...	S W	6	...	,,	29.70	754.4	...	...	...	0	...
Tainan,	,,	29.70	754.3	...	...	S W	6	...	,,	29.69	754.2	...	...	S E	2	...
Koshun	,,	29.69	754.2	...	...	W	6	...	,,	29.70	754.3	...	...	W	4	...
Pescadores,	,,	29.65	753.9	...	...	S W	6	...	,,	29.67	753.5	...	...	S	4	...
Canton,	3 p.	29.65	753.1	85	76	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.65	753.1	88	66	W	1	o	10 a.	29.74	755.4	87	69	S W	2	c
Victoria Peak,	,,	...	...	...	...	S W	4	...	,,	...	...	...	...	S W	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.65	753.1	88	...	S	2	c	,,	29.74	755.4	85	...	W S W	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.76	755.9	91	63	W	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.8	90	...	S S E	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.4	79	...	S W	1	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.2	81	...	S W	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.79	754.3	88	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	82	79	S W	5	c	10 a.	29.84	758	82	77	S W	4	o
Legaspi,	2 p.	29.77	756.1	88	...	W	1	c	6 a.	29.82	757.5	77	...	W	1	o
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	W S W	1	o
Iloilo,	,,	29.79	756.6	83	...	S W	4	c	,,	29.87	758.7	82	...	S W	2	c
Cebu,	,,	29.82	757.4	86	...	S	3	c	,,	29.89	759.2	85	...	S	2	c
Labuan,	,,	29.81	757.2	91	...	...	...	...	,,	29.89	759.2	85	...	...	...	...

On the 26th at 11.55 a.—The barometer continues to rise slowly over China and the Philippines.

The Japanese returns are not yet to hand, but probably the depression is over the Sea of Japan.

Pressure is highest and normal over the S. Philippines. It is still in slight to moderate defect over the China coast and Formosa.

Moderate variable winds are likely to prevail in the Formosa Channel, and moderate S.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and S.W. winds, moderate; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 26th August, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th AUGUST, 1907, P.M.								27th AUGUST, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gensan,	,,	...	...	...	...	...	...	...	6 a.	29.85	758.1	...	...	S E	4	..
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	...	...	S E	8	...
Tokio,	,,	29.55	750.6	...	...	S E	4	...	,,	29.59	751.6	...	...	N W	4	...
Kochi,	,,	29.52	749.8	...	...	N W	2	...	,,	29.56	750.8	...	...	S W	2	...
Nagasaki,	,,	29.56	750.8	...	...	S W	6	...	,,	29.56	750.8	...	...	...	0	...
Kagoshima,	,,	29.53	749.9	...	...	N W	4	...	,,	29.56	750.9	...	...	...	0	...
Ishima,	,,	29.57	751.1	...	...	N	4	...	,,	29.57	751.1	...	...	N	4	...
Taba,	,,	29.61	752.2	...	...	N W	4	...	,,	29.62	752.2	...	...	N	4	...
Ishigakijima,	,,	29.70	754.3	...	...	N	2	...	,,	29.66	753.3	...	...	...	0	...
Chefoo,	3 p.	29.65	753.1	85	79	N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.69	754.1	84	...	W	4	b	9 a.	..	...	...	...	...	...	...
Tankow,	,,	29.77	756.1	91	67	E	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.73	755.1	91	74	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.68	753.9	87	55	N N W	2	c	9 a.	29.69	754.1	81	74	N	1	o
Ratzlaff,	,,	29.64	752.8	88	69	N N W	2	cv	,,	29.67	753.6	81	78	N N E	1	cv
Sharp Peak,	,,	29.62	752.3	85	85	N N E	2	c	,,	29.69	754.1	86	81	N N E	2	b
Amoy,	,,	29.55	750.5	89	96	S E	3	c	6 a.	29.59	751.6	85	79	N W	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.67	753.5	...	...	N	2	...	5 a.	29.69	754.0	...	...	E	2	...
Taichu,	,,	29.70	754.5	...	...	S	4	...	,,	29.70	754.3	...	...	...	0	...
Tainan,	,,	29.72	754.9	...	...	S W	4	...	,,	29.68	753.9	...	...	E	2	...
Koshun,	,,	29.70	754.5	...	...	N W	6	...	,,	29.66	753.3	...	...	N W	2	...
Pescadores,	,,	29.69	754.2	...	...	S	6	...	,,	29.67	753.5	...	...	S	2	...
Canton,	3 p.	29.64	752.8	95	62	...	0	b	9 a.	29.70	754.4	86	80	...	0	b
Hongkong,	4 p.	29.64	752.8	88	61	W S W	1	c	10 a.	29.70	754.4	86	67	W	1	b
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.64	752.8	90	...	S S W	1	c	,,	29.71	754.6	85	...	S	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.74	755.4	...	...	S	1	b	,,	...	...	...	...	...	...	...
Haiphong,	4 p.	29.61	752.1	88	...	S S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.68	753.9	90	...	N	3	c	,,	...	...	...	...	..	...	...
Cape St. James,	,,	29.76	755.8	81	...	S W	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.71	754.6	84	...	S	1	d	6 a.	29.69	754.1	79	...	S	1	o
Manila,	4 p.	29.76	756	82	85	S W	3	o	10 a.	29.80	757	82	77	W S W	4	o
Legaspi,	2 p.	29.78	756.5	84	...	W	1	o	6 a.	29.82	757.3	77	...	S W	1	o
Iloilo,	3 p.	...	...	...	...	S S W	1	c	9 a.	...	...	...	...	S W	1	o
Cebu,	,,	29.79	756.6	85	...	S W	4	o	,,	29.85	758.2	82	...	S W	2	c
Labuan,	,,	29.78	756.4	88	...	S	4	c	,,	29.88	758.9	86	...	S	2	c
	,,	29.84	757.9	90	...	...	...	...	,,	...	...	...	...	...	...	...

On the 27th at 12.05 p.—The barometer has risen slightly in S. Japan, and fallen a little over S. China and the Philippines.

Pressure remains low, about 0.3 inch below the normal, over S. Japan and the Loochoos, and it is still in defect by 0.1 inch and upwards on the China coast. Presssure is highest and normal over the S. Philippines.

Moderate N.W. winds are indicated in the Formosa Channel, and moderate W. to S.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, moderate; fine.
2.—Formosa Channel,	N.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Tuesday, 27th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th August, 1907, P.M.								28th August, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.66	753.2	...	...	S E	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.51	749.6	...	...	N	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.52	749.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.52	749.8	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.51	749.9	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.57	751.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.61	752.2	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.66	753.3	...	...	N	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.65	753.1	82	87	N E	2	c	6 a.	29.56	750.8	74	95	S	2	o
Weihaiwei,	,,	29.63	752.6	84	...	E N E	2	b	9 a.	29.60	751.8	76	...	E	0	or
Hankow,	,,	29.67	753.6	92	77	E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.66	753.3	94	96	N E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.61	752.1	88	46	N N W	1	b	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.61	752.1	86	72	N N E	1	cv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.59	751.6	85	83	E	1	b	,,	29.63	752.6	85	87	N	1	b
Amoy,	,,	29.53	750.0	89	92	S E	4	b	6 a.	29.60	751.8	83	79	S E	2	o
Swatow,	,,	29.58	751.3	87	92	N N W	1	o	,,	29.60	751.8	82	87	W	1	c
Taihoku,	1 p.	29.65	753.0	...	...	N	2	...	5 a.	29.64	752.8	...	...	S	2	...
Taichu,	,,	29.67	753.6	...	...	W	4	...	,,	29.67	753.6	...	...	S E	2	...
Tainan,	,,	29.68	753.8	...	...	S W	6	...	,,	29.67	753.5	...	...	E	2	...
Koshun,	,,	29.67	753.6	...	...	N W	6	...	,,	29.65	753.2	...	...	N E	4	...
Pescadores,	,,	29.65	753.2	...	...	S W	4	...	,,	29.63	752.6	...	...	S W	4	...
Canton,	3 p.	29.57	751.1	96	53	...	0	b	9 a.	29.69	754.1	87	80	S	1	b
Hongkong,	4 p.	29.61	752.1	87	66	W	1	o	10 a.	29.69	754.1	87	69	S W	1	c
Victoria Peak,	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S W	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.61	752.1	81	...	S	1	c	,,	29.69	754.1	86	...	S S W	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.7	88	...	S S E	4	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.3	91	...	N W	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.70	754.4	79	...	S W	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.69	754.1	90	...	N	1	o	6 a.	29.69	754.2	77	...	S	1	c
Manila,	4 p.	29.76	756	82	77	S W	2	o	10 a.	29.84	758	77	92	...	0	d
Legaspi,	2 p.	29.76	756.0	84	...	W	1	o	6 a.	29.80	756.9	79	...	S W	1	...
Bacolod,	3 p.	...	...	...	...	S E	2	c	9 a.	...	...	...	...	S S W	1	o
Iloilo,	,,	29.79	756.6	84	...	S W	3	o	,,	29.85	758.2	83	...	S W	2	c
Cebu,	,,	29.79	756.6	86	...	S	2	b	,,	29.87	758.7	86	...	S	2	b
Labuan,	,,	29.84	757.9	90	...	...	...	...	,,	...	...	...	...	...	...	...

On the 28th at 12.10 p.—The barometer has fallen moderately to slightly over the N.E. and S.E. Coasts of China respectively.

Pressure is highest and near the normal over the S. Philippines. It remains low on the China coast, particularly in the North.

The Japanese returns for this morning are not yet to hand. Those of yesterday afternoon showed that presssure remained very low over and to the Southward of S. Japan.

Moderate variable winds may be expected in the Formosa Channel, and moderate or fresh S.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. to S.W. winds, moderate or fresh; fair to showery
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 28th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th August, 1907, P.M.								29th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.54	750.2	...	...	E	6	...	,,	29.38	746.2	...	...	N	2	...
Tokio,	,,	29.35	745.6	...	...	S	6	...	,,	29.55	750.6	...	...	...	0	...
Kochi,	,,	29.48	748.8	...	...	S E	2	...	,,	29.60	751.8	...	...	S W	2	...
Nagasaki,	,,	29.56	750.8	...	...	N W	2	...	,,	29.64	752.8	...	...	...	0	...
Kagoshima,	,,	29.52	749.9	...	...	W	2	...	,,	29.64	752.9	...	...	...	0	...
Oshima,	,,	29.57	751.1	...	...	S	...	...	,,	29.65	753.1	...	...	S	2	...
Naha,	,,	29.61	752.2	...	...	N W	4	...	,,	29.62	752.2	...	...	...	0	...
Ishigakijima,	,,	29.66	753.3	...	...	W	4	...	,,	29.66	753.3	...	...	...	0	...
Chefoo,	3 p.	29.56	750.8	80	78	S W	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.54	750.3	78	...	W	1	c	9 a.	29.63	752.6	76	...	N W	3	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.65	753.1	97	48	N E	1	b	,,	29.71	754.6	79	87	N W	3	o
Shanghai,	,,	29.57	751.1	87	62	E S E	1	c	9 a.	29.66	753.3	86	68	W	1	c
Gutzlaff,	,,	29.60	751.8	86	80	E	1	cv	,,	29.64	752.8	82	87	E S E	1	cv
Sharp Peak,	,,	29.54	750.3	87	88	S S E	3	b	,,	29.65	753.1	87	88	S	1	c
Amoy,	,,	29.52	749.8	89	92	S E	4	b	6 a.	29.63	752.6	85	79	S E	2	b
Swatow,	,,	29.54	750.3	94	68	...	0	b	,,	29.60	751.8	83	87	...	0	c
Taihoku,	1 p.	29.61	752.2	...	...	N W	4	...	5 a.	29.64	752.9	...	...	S	2	...
Taichu,	,,	29.63	752.5	...	...	E	2	...	,,	29.67	753.7	...	...	...	0	...
Tainan,	,,	29.68	753.8	...	...	W	4	...	,,	29.68	753.9	...	...	...	0	...
Koshun,	,,	29.65	753.2	...	...	N W	6	...	,,	29.67	753.7	...	...	...	0	...
Pescadores,	,,	29.65	753.0	...	...	S	6	...	,,	29.61	752.1	...	...	S	2	...
Canton,	3 p.	29.59	751.6	97	59	S	1	b	9 a.	29.69	754.1	87	80	S	1	b
Hongkong,	4 p.	29.60	751.8	89	66	S S W	1	c	10 a.	29.69	754.1	87	72	W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	6	...	,,	...	...	...	...	S	1	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.60	751.8	90	...	S	1	c	,,	29.69	754.1	88	...	N N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.55	750.5	97	...	S S E	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	81	...	S W	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.67	753.6	90	...	N	1	c	6 a.	29.71	754.7	77	...	S W	1	c
Manila,	4 p.	29.76	756	75	100	N W	2	r	10 a.	29.84	758	75	100	S W	1	or
Legaspi,	2 p.	29.76	755.9	88	...	W	1	o	6 a.	29.81	757.2	79	...	W	1	o
Iscolod,	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	W S W	1	q
Iloilo,	,,	29.75	755.6	84	...	S W	2	c	,,	29.85	758.2	83	...	S W	2	c
Cebu,	,,	29.80	756.9	88	...	S	2	c	,,	29.88	758.9	87	...	S	2	b
Labuan,	,,	29.76	755.9	88	...	...	...	...	,,	29.88	758.9	86	...	...	...	...

On the 29th at 11.55 a.—The barometer has fallen in Hakodate, and risen over S. Japan.

A depression which was moving Northwards off the E. coast of Japan yesterday, is situated to the S. of Hokkaido this morning.

Pressure is highest and normal over the S. Philippines. It is inclined to increase on the China coast, but it is still from 0.1 to 0.2 inch below the normal.

Moderate variable winds are expected to prevail in the Formosa Channel, and moderate S.W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. or variable winds, light to moderate; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 29th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th August, 1907, P.M.								30th August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.69	754.1	...	...	S W	2	...
Hakodate,	,,	29.54	750.2	...	...	W	6	...	,,	29.69	754.2	...	...	E	2	...
Tokio,	,,	29.59	751.6	...	...	S E	4	...	,,	29.71	754.6	...	...	...	0	...
Kochi,	,,	29.60	751.8	...	...	S E	2	...	,,	29.72	754.8	...	...	S W	2	...
Nagasaki,	,,	29.64	752.8	...	...	S W	6	...	,,	29.72	754.8	...	...	...	0	...
Kagoshima,	,,	29.64	752.9	...	...	N W	2	...	,,	29.72	754.9	...	...	N W	2	...
Oshima,	,,	29.57	751.1	...	...	N	4	...	,,	29.73	755.1	...	...	S	2	...
Naha,	,,	29.65	753.2	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.74	755.3	...	...	S E	2	...	,,	29.78	756.3	...	...	...	0	...
Chefoo,	3 p.	29.64	752.3	80	87	N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.63	752.6	79	...	W N W	2	b	9 a.	29.78	756.4	77	...	W	4	b
Hankow,	,,	29.89	759.2	77	69	N E	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.78	756.4	75	68	N E	3	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	29.79	756.6	74	86	E S E	1	om
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	29.76	755.9	77	77	N	3	cv
Sharp Peak,	,,	29.58	751.3	88	86	S	2	b	,,	29.72	754.9	87	86	S E	1	b
Amoy,	,,	29.51	749.5	90	96	S E	3	b	6 a.	29.59	751.6	83	83	N W	2	c
Swatow,	,,	29.57	751.1	92	79	S	2	b	,,	29.60	751.8	82	91	N E	1	c
Taihoku,	1 p.	29.63	752.5	...	...	N W	4	...	5 a.	29.68	753.9	...	...	S E	2	...
Taichu,	,,	29.65	753.1	...	...	S W	4	...	,,	29.70	754.3	...	...	E	2	...
Tainan,	,,	29.67	753.6	...	...	S W	4	...	,,	29.68	753.9	...	...	E	2	...
Koshun,	,,	29.67	753.6	...	...	N W	4	...	,,	29.69	754.2	...	...	E	2	...
Pescadores,	,,	29.63	752.7	...	...	S	4	...	,,	29.66	753.3	...	...	...	0	...
Canton,	3 p.	29.58	751.3	99	57	S	1	b	9 a.	29.73	755.1	79	95	N W	1	c
Hongkong,	4 p.	29.57	751.1	88	63	W	1	o	10 a.	29.70	754.4	84	81	W N W	3	or
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	S W	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.58	751.3	90	...	S S E	1	o	,,	29.72	754.9	85	...	N	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	29.65	753.1	88	80	S W	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.54	750.3	95	...	W	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.7	93	...	N N E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.6	86	...	W S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.68	753.8	86	...	N	1	c	6 a.	29.70	754.4	75	...	S	1	d
Manila,	4 p.	29.72	755	79	92	S W	1	d	10 a.	29.80	757	77	92	N	0	o
Legaspi,	2 p.	29.78	756.3	88	...	S W	1	o	6 a.	29.81	757.1	79	...	W	1	b
Bacolod,	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	S S W	1	c
Iloilo,	,,	29.79	756.6	85	...	S W	3	c	,,	29.85	758.2	84	...	S W	2	c
Cebu,	,,	29.79	756.6	87	...	S	3	b	,,	29.86	758.4	87	...	S	1	b
Labuan,	,,	29.81	757.2	83	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 30th at 11.50 a.—The barometer is inclined to fall over the Philippines. It has risen elsewhere, particularly over N. China and Japan.

The depression lying over Hokkaido yesterday has moved away Northwards.

Pressure appears to be high over China to the North of the Upper Yangtze. It is relatively low over the N. part of the China Sea.

Moderate N.E. winds are expected to prevail in the Formosa Channel, and moderate variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable to N.E. winds, light or moderate; showery
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 30th August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th August, 1907, P.M.								31st August, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	S	6	...	6 a.	29.85	758.1	...	...	S	4	...
Hakodate,	,,	29.69	754.2	...	...	S E	4	...	,,	29.85	758.2	...	...	N	2	...
Tokio,	,,	29.71	754.6	...	...	S	6	...	,,	29.83	757.6	...	...	S	2	...
Kochi,	,,	29.72	754.8	...	...	S E	4	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.72	754.8	...	...	W	4	...	,,	29.80	756.8	...	...	N E	2	...
Kagoshima,	,,	29.72	754.9	...	...	S E	2	...	,,	29.80	756.9	...	...	...	0	...
Oshima,	,,	29.73	755.1	...	...	N	4	...	,,	29.77	756.1	...	...	S	2	...
Naha	,,	29.73	755.2	...	...	N W	2	...	,,	29.73	755.2	...	...	N E	2	...
Ishigakijima,	,,	29.70	754.3	...	...	S	4	...	,,	29.74	755.3	...	...	N E	2	...
Chefoo,	3 p.	29.63	752.6	82	87	N W	2	b	6 a.	29.76	755.9	65	73	S W	2	...
Weihaiwei,	,,	29.73	755.1	80	...	W	3	b	9 a.	...	...	...	...	...	...	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.94	760.5	74	90	S	1	c
Kiukiang,	,,	29.87	758.7	76	77	N E	2	o	,,	29.89	759.2	73	86	N E	2	c
Shanghai,	,,	29.84	757.9	67	84	N N E	1	or	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.75	755.6	77	86	N N E	4	om	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.68	753.9	87	80	N E	2	o	,,	29.75	755.6	84	87	N N E	3	oq
Amoy	,,	29.59	751.6	88	88	S E	4	b	6 a.	29.70	754.4	83	87	S E	1	or
Swatow,	,,	29.61	752.1	87	76	E	2	b	,,	29.61	752.1	81	91	N E	1	b
Taihoku,	1 p.	29.68	753.9	...	...	N	4	...	5 a.	29.71	754.7	...	...	...	0	...
Taichu,	,,	29.69	754.2	...	...	W	4	...	,,	29.72	754.9	...	...	...	0	...
Tainan,	,,	29.70	754.4	...	...	S W	6	...	,,	29.73	755.0	...	...	E	2	...
Koshun	,,	29.71	754.7	...	...	S	4	...	,,	29.71	754.6	...	...	E	2	...
Pescadores,	,,	29.69	754.1	...	...	E	2	...	,,	29.70	754.3	...	...	...	0	...
Canton,	3 p.	29.64	752.8	88	76	N N W	1	c	9 a.	29.74	755.4	85	79	N N W	1	b
Hongkong,	4 p.	29.62	752.3	86	66	...	0	o	10 a.	29.68	753.9	86	67	E	2	o
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	E N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.63	752.6	86	...	N	1	o	,,	29.70	754.4	86	...	N N E	2	o
Honhow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.2	86	...	N	1	lt	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.1	88	...	N	3	lt	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	82	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.68	753.8	90	...	S E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.72	755	81	92	S W	1	o	10 a.	29.80	757	79	92	W N W	1	o
Legaspi,	2 p.	29.76	755.9	90	...	S W	1	c	6 a.	29.80	757.0	77	...	W	1	b
Bacolod,	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	W S W	1	c
Iloilo,	,,	29.77	756.1	85	...	S W	2	b	,,	29.85	758.2	83	...	W	2	...
Cebu,	,,	29.79	756.6	88	...	S	1	b	,,	29.84	757.9	87	...	S	2	b
Labuan,	,,	29.77	756.1	89	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 31st at 11.50 a.—The barometer has risen moderately in Japan, and a slight rise has taken place over China, except on the S. coast.

A low pressure trough, which may give rise to a circular depression, lies over the N. part of the China Sea and the Pacific to the E. of N. Luzon.

Pressure is relatively high over China to the North of the Upper Yangtze.

Fresh N.E. winds may be expected in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 31st August, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st AUGUST, 1907, P.M.								1st SEPTEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.81	757.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.79	756.6	...	...	S	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.76	755.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.76	755.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.73	755.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.69	754.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.74	755.3	...	...	E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.83	757.7	80	96	N W	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.91	759.7	84	72	N N E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.88	758.9	78	70	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.80	756.9	73	83	E N E	1	o	9 a.	29.86	758.4	77	82	N E	2	o
Gutzlaff,	,,	29.77	756.1	71	88	N E	5	ompl	,,	29.84	757.9	75	81	E N E	3	ov
Sharp Peak,	,,	29.70	754.4	82	91	N N E	4	or	,,	29.77	756.1	83	83	N E	2	og
Amoy,	,,	29.67	753.6	81	91	...	0	or	6 a.	29.68	753.9	80	96	N E	2	or
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.66	753.3	...	...	E	4	...	5 a.	29.72	754.9	...	...	S E	2	...
Taichu,	,,	29.69	754.2	...	...	S W	4	...	,,	29.74	755.4	...	...	...	0	...
Tainan,	,,	29.72	754.8	...	...	S W	4	...	,,	29.73	755.2	...	...	E	2	...
Koshun,	,,	29.70	754.5	...	...	E	4	...	,,	29.72	754.9	...	...	E	2	...
Pescadores,	,,	29.69	754.0	...	...	S W	4	...	,,	29.70	754.4	...	...	...	0	...
Canton,	3 p.	29.63	752.6	93	67	...	0	b	9 a.	...	...	83	87	N N E	1	o
Hongkong,	4 p.	29.59	751.6	85	65	E N E	4	og	10 a.	29.67	753.6	81	83	E	4	oq
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E S E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.60	751.8	88	...	N N E	1	o	,,	29.66	753.3	87	...	E N E	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.7	82	...	N N W	2	c	10	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.7	82	...	...	0	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6	29.73	755.2	77	...	S	1	d
Manila,	4 p.	29.72	755	79	92	S W	1	o	1	29.76	756	77	100	S E	1	r
Legaspi,	2 p.	29.74	755.3	90	...	W	1	b	6	29.73	755.0	79	...	S W	1	b
Bacolod,	3 p.	...	...	...	...	S W	2	c	8	...	...	...	...	S W	2	c
Iloilo,	,,	29.75	755.6	85	...	S W	3	b		29.81	757.2	83	...	W	3	o
Cebu,	,,	29.75	755.6	87	...	S	1	c	,,	29.81	757.2	87	...	S	2	c
Labuan,	,,	29.77	756.1	84	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 31st at 6.00 p.—Orders issued to hoist the Black Cone poi downwards (indicates a typhoon South of Colony within 300 miles).

A depression appears to be developing over the China Sea to the uthward of Hongkong in from 18° to 20° Lat.

On the 1st at 11.40 a.—Orders issued to hoist the Black Cone poin downwards and Ball (indicates a typhoon S.W. of Colony within 300 miles). The barometer has risen slightly on the China coast, except in the neighbourhood of Hongkong; and fallen a little over the Philippines.

The depression, which appears to be shallow, is to the S.W. of Hongkong, and moving apparently towards Haina

Pressure is still relatively high over China to the North of the Yangtze.

Fresh N.E. winds may be expected in the Formosa Channel, and strong cyclonic winds over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. and N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 1st September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st September, 1907, P.M.								2nd September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	29.85	758.1	...	...	E	4	...	6 a.	29.85	758.1	...	...	...	0	..
Hakodate,	,,	29.81	757.2	...	...	N E	2	...	,,	29.93	760.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	S E	2	...	,,	29.91	759.6	...	...	S	4	...
Kochi,	,,	29.80	756.8	...	...	...	0	...	,,	29.88	758.8	...	...	S	2	...
Nagasaki,	,,	29.80	756.8	...	...	N	4	...	,,	29.84	757.8	...	...	N	4	...
Kagoshima,	,,	29.76	755.9	...	...	E	6	...	,,	29.84	757.9	...	...	N E	2	...
Ishima,	,,	29.73	755.1	...	...	N	4	...	,,	29.77	756.1	...	...	S	2	...
Naha,	,,	29.73	755.2	...	...	N	2	...	,,	29.73	755.2	...	...	N E	2	...
Ishigakijima,	,,	29.70	754.3	...	...	N E	4	...	,,	29.74	755.3	...	...	N	2	...
Chefoo,	3 p.	29.86	758.4	83	67	N	1	b	6 a.	29.94	760.5	72	90	N E	1	b
Weihaiwei,	,,	29.88	758.9	71	...	N W	1	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.95	760.7	85	79	E	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.87	758.7	76	82	N E	5	o	,,	29.96	761.0	74	72	N E	3	o
Shanghai,	,,	29.83	757.7	77	69	E N E	1	o	9 a.	29.95	760.7	70	85	N E	3	or
Sutzluff,	,,	29.80	756.9	77	86	E	2	ov	,,	29.87	758.7	76	82	N E	6	om
Sharp Peak,	,,	29.71	754.6	82	89	N N E	4	o	,,	29.78	756.4	85	81	E N E	2	o
Amoy,	,,	29.66	753.3	85	91	E	3	o	6 a.	29.72	754.9	81	78	S W	2	c
Swatow,	,,	29.65	753.1	83	87	S E	3	c	,,	29.76	755.9	78	95	N N E	1	c
Taihoku,	1 p.	29.70	754.3	...	...	E	6	...	5 a.	29.75	755.5	...	...	S E	2	...
Keelung,	,,	29.74	755.3	...	...	W	2	...	,,	29.77	756.2	...	...	...	0	...
Tainan,	,,	29.72	754.9	...	...	W	2	...	,,	29.73	755.2	...	...	N E	2	...
Koshun,	,,	29.71	754.6	...	...	S W	2	...	,,	29.73	755.1	...	...	...	0	...
Pescadores,	,,	29.70	754.4	...	...	W	4	...	,,	29.71	754.7	...	...	N E	2	...
Canton,	3 p.	...	...	...	...	..	...	...	9 a.	29.77	756.1	74	72	N E	1	c
Hongkong,	4 p.	29.62	752.3	82	82	E	4	oq	10 a.	29.75	755.6	82	85	E	3	opq
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	..	...	...	...	E S E	3	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.61	752.1	80	...	E	3	od	,,	29.72	754.9	82	...	E	3	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.62	752.4	[illegible]	[illegible]	S W	6	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.2	[illegible]	[illegible]	N	4	o	,,	...	...	...	...	..	...	...
Cape St. James,	,,	29.65	753.2	[illegible]	[illegible]	S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.69	754.0	9[illegible]	[illegible]	N E	1	c	6 a.	29.71	754.7	75	...	S	1	c
Manila,	4 p.	29.69	754	7[illegible]	[illegible]	W	2	o	10 a.	29.80	757	81	76	W S W	3	o
Legaspi,	2 p.	29.74	755.3	84	[illegible]	W	1	o	6 a.	29.75	755.7	77	...	W	1	o
Bacolod,	3 p.	...	...	...	...	S S W	1	c	9 a.	...	...	...	...	...	0	c
Iloilo,	,,	29.72	754.9	85	[illegible]	S W	3	o	,,	29.81	757.2	79	...	S W	2	od
Cebu,	,,	...	...	87	[illegible]	S	3	...	,,	29.83	757.7	84	...	S	2	o
Calmun,	,,	29.77	756.1	86	[illegible]	..	...	...	,,	29.90	759.4	83	...	...	...	...

On the 1st at 5.30 p.—Signals lowere

On the 2nd at 12.05 p.—The barometer has risen moderately in the neighbourhood of Hongkong, and a slight rise has taken place also over N. China and Japan.

Pressure is high over N. China and the Sea of Japan, and low over the N.W. part of the China Sea, and over the Pacific to the N.E. of Luzon.

Fresh to strong N.E. winds are expected to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. to E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 2nd September, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st AUGUST, 1907, P.M.								1st SEPTEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.81	757.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.79	756.6	...	...	S	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.76	755.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.76	755.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.73	755.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.69	754.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.74	755.3	...	...	E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.83	757.7	80	96	N W	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.91	759.7	84	72	N N E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.88	758.9	78	70	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.80	756.9	73	83	E N E	1	o	9 a.	29.86	758.4	77	82	N E	2	o
Gutzlaff,	,,	29.77	756.1	71	88	N E	5	ompl	,,	29.84	757.9	75	81	E N E	3	ov
Sharp Peak,	,,	29.70	754.4	82	91	N N E	4	or	,,	29.77	756.1	83	83	N E	2	og
Amoy,	,,	29.67	753.6	81	91	...	0	or	6 a.	29.68	753.9	80	96	N E	2	or
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.66	753.3	...	...	E	4	...	5 a.	29.72	754.9	...	...	S E	2	...
Taichu,	,,	29.69	754.2	...	...	S W	4	...	,,	29.74	755.4	...	...	...	0	...
Tainan,	,,	29.72	754.8	...	...	S W	4	...	,,	29.73	755.2	...	...	E	2	...
Koshun	,,	29.70	754.5	...	...	E	4	...	,,	29.72	754.9	...	...	E	2	...
Pescadores,	,,	29.69	754.0	...	...	S W	4	...	,,	29.70	754.4	...	...	...	0	...
Canton,	3 p.	29.63	752.6	93	67	...	0	b	9 a.	...	...	83	87	N N E	1	o
Hongkong,	4 p.	29.59	751.6	85	65	E N E	4	og	10 a.	29.67	753.6	81	83	E	4	oq
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E S E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.60	751.8	88	...	N N E	1	o	,,	29.66	753.3	87	...	E N E	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.7	82	...	N N W	2	c	10	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.7	82	...	...	0	o	[illegible]	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	[illegible]	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	[illegible]	[illegible].73	755.2	77	...	S	1	d
Manila,	4 p.	29.72	755	79	92	S W	1	o	1[illegible]	[illegible]9.76	756	77	100	S E	1	r
Legaspi,	2 p.	29.74	755.3	90	...	W	1	b	[illegible]	[illegible]9.73	755.0	79	...	S W	1	b
Bacolod,	3 p.	...	...	...	...	S W	2	c	[illegible]	...	...	...	...	S W	2	c
Iloilo,	,,	29.75	755.6	85	...	S W	3	b	[illegible]	29.81	757.2	83	...	W	3	o
Cebu,	,,	29.75	755.6	87	...	S	1	c	,,	29.81	757.2	87	...	S	2	c
Labuan,	,,	29.77	756.1	84	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 31st at 6.00 p.—Orders issued to hoist the Black Cone poir lownwards (indicates a typhoon South of Colony within 300 miles).

A depression appears to be developing over the China Sea to the uthward of Hongkong in from 18° to 20° Lat.

On the 1st at 11.40 a.—Orders issued to hoist the Black Cone poin downwards and Ball (indicates a typhoon S.W. of Colony within 300 miles). The barometer has risen slightly on the China coast, except in the neighbourhood of Hongkong; and fallen a little over the Philippines.

The depression, which appears to be shallow, is to the S.W. of Hongkong, and moving apparently towards Haina

Pressure is still relatively high over China to the North of the Yangtze.

Fresh N.E. winds may be expected in the Formosa Channel, and strong cyclonic winds over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. and N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 1st September, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st September, 1907, P.M.								2nd September, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	29.85	758.1	...	...	E	4	...	6 a.	29.85	758.1	...	...	...	0	..
Hakodate,	,,	29.81	757.2	...	...	N E	2	...	,,	29.93	760.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	S E	2	...	,,	29.91	759.6	...	...	S	4	...
Kochi,	,,	29.80	756.8	...	...	...	0	...	,,	29.88	758.8	...	...	S	2	...
Nagasaki,	,,	29.80	756.8	...	...	N	4	...	,,	29.84	757.8	...	...	N	4	...
Kagoshima,	,,	29.76	755.9	...	...	E	6	...	,,	29.84	757.9	...	...	N E	2	...
Ishima,	,,	29.73	755.1	...	...	N	4	...	,,	29.77	756.1	...	...	S	2	...
Taiwan,	,,	29.73	755.2	...	...	N	2	...	,,	29.73	755.2	...	...	N E	2	...
Shigakijima,	,,	29.70	754.3	...	...	N E	4	...	,,	29.74	755.3	...	...	N	2	...
Chefoo,	3 p.	29.86	758.4	83	67	N	1	b	6 a.	29.94	760.5	72	90	N E	1	b
Weihaiwei,	,,	29.88	758.9	71	..	N W	1	ovr	9 a.	...	...	...	...	...	...	...
Tientsin,	,,	29.95	760.7	85	79	E	1	c	6 a.	...	...	...	...	...	...	...
Tientsiukiang,	,,	29.87	758.7	76	82	N E	5	o	,,	29.96	761.0	74	72	N E	3	o
Shanghai,	,,	29.83	757.7	77	69	E N E	1	o	9 a.	29.95	760.7	70	85	N E	3	or
Hutzlaff,	,,	29.80	756.9	77	86	E	2	ov	,,	29.87	758.7	76	82	N E	6	om
Sharp Peak,	,,	29.71	754.6	82	89	N N E	4	o	,,	29.78	756.4	85	81	E N E	2	o
Amoy,	,,	29.66	755.3	85	91	E	3	o	6 a.	29.72	754.9	81	78	S W	2	c
Swatow,	,,	29.65	753.1	83	87	S E	3	c	,,	29.76	755.9	78	95	N N E	1	c
Taiboku,	1 p.	29.70	754.3	...	...	E	6	...	5 a.	29.75	755.5	...	...	S E	2	...
Taichu,	,,	29.74	755.3	...	...	W	2	...	,,	29.77	756.2	...	...	...	0	...
Tainan,	,,	29.72	754.9	...	...	W	2	...	,,	29.73	755.2	...	...	N E	2	...
Koshun,	,,	29.71	754.6	...	...	S W	2	...	,,	29.73	755.1	...	...	...	0	...
Pescadores,	,,	29.70	754.4	...	...	W	4	...	,,	29.71	754.7	...	...	N E	2	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	29.77	756.1	74	72	N E	1	c
Hongkong,	4 p.	29.62	752.3	82	82	E	4	oq	10 a.	29.75	755.6	82	85	E	3	opq
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E S E	3	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.61	752.1	80	...	E	3	od	,,	29.72	754.9	82	...	E	3	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	..	...	...	...
Pakhoi,	,,	...	...		...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.62	752.4			S W	6	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.2			N	4	o	,,	...	...	...	...	..	...	...
Cape St. James,	,,	29.65	753.2			S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.69	754.0	9		N E	1	c	6 a.	29.71	754.7	75	...	S	1	c
Manila,	4 p.	29.69	754	7		W	2	o	10 a.	29.80	757	81	76	W S W	3	o
Legaspi,	2 p.	29.74	755.3	84		W	1	o	6 a.	29.75	755.7	77	...	W	1	o
Iloilo,	3 p.	...	...			S S W	1	c	9 a.	...	...	...	...	...	0	c
Iloilo,	,,	29.72	754.9	85		S W	3	o	,,	29.81	757.2	79	...	S W	2	od
Cebu,	,,	...	...	87		S	3	...	,,	29.83	757.7	84	...	S	2	o
Labuan,	,,	29.77	756.1	86		...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 1st at 5.30 p.—Signals lowere

On the 2nd at 12.05 p.—The barometer has risen moderately in the neighbourhood of Hongkong, and a slight rise has taken place also over N. China and Japan.

Pressure is high over N. China and the Sea of Japan, and low over the N.W. part of the China Sea, and over the Pacific to the N.E. of Luzon.

Fresh to strong N.E. winds are expected to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. to E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 2nd September, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd September, 1907, P.M.								3rd September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	...	0	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.91	759.6	...	...	S	6	...	,,	29.95	760.6	...	...	S	4	...
Kochi,	,,	29.87	758.8	...	...	N E	2	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.83	757.8	...	...	N E	4	...	,,	29.88	758.8	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	S	4	...	,,	29.88	758.9	...	...	N E	4	...
Oshima,	,,	29.81	757.1	...	...	S E	4	...	,,	29.81	757.1	...	...	S	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.77	756.2	...	...	N E	4	...
Ishigakijima,	,,	29.74	755.3	...	...	N E	6	...	,,	29.74	755.3	...	...	N E	2	...
Chefoo,	3 p.	29.93	760.2	80	87	E	2	b	6 a.	29.94	760.5	72	95	S	1	b
Weihaiwei,	,,	30.07	763.8	79	...	N	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.03	762.7	76	86	N N W	1	o	6 a.	30.05	763.2	70	90	N	1	o
Kiukiang,	,,	30.00	762.0	74	76	N E	4	o	,,	30.00	762.0	69	95	N E	2	o
Shanghai,	,,	29.91	759.7	73	81	N E	3	o	9 a.	29.94	760.5	76	95	N E	1	o
Gutzlaff,	,,	29.85	758.2	74	82	N E	6	om	,,	...	...	...	86	N E	3	ov
Sharp Peak,	,,	29.74	755.4	84	83	E N E	4	o	,,	29.80	756.9	84	83	N E	2	o
Amoy,	,,	29.73	755.1	86	80	E	2	c	6 a.	29.70	754.4	72	81	N E	2	o
Swatow,	,,	29.70	754.4	83	87	E S E	2	c	,,	29.77	756.1	77	91	N N W	1	c
Taihoku,	1 p.	29.70	754.5	...	...	N E	6	...	5 a.	29.75	755.7	...	...	E	4	...
Taichu,	,,	29.72	754.9	...	...	N W	4	...	,,	29.75	755.5	...	...	...	0	...
Tainan,	,,	29.73	755.2	...	...	S W	4	...	,,	29.73	755.0	...	...	S E	2	...
Koshun,	,,	29.72	755.0	...	...	N W	6	...	,,	29.74	755.3	...	...	...	0	...
Pescadores,	,,	29.70	754.4	...	...	N E	6	...	,,	29.70	754.4	...	...	...	0	...
Canton,	3 p.	29.70	754.4	85	83	N E	1	c	9 a.	29.82	757.4	85	76	N E	1	c
Hongkong,	4 p.	29.69	754.1	82	85	E	3	o	10 a.	29.80	756.9	84	73	E	3	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.70	754.4	81	...	E	1	o	,,	29.80	756.9	82	...	N E	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.1	73	...	W	6	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.64	752.9	86	...	N	5	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.2	84	...	S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.70	754.4	84	...	N	1	b	6 a.	29.71	754.6	77	...	S	1	d
Manila,	4 p.	29.72	755	79	92	S W	4	c	10 a.	29.76	755	82	84	S W	1	o
Legaspi,	2 p.	29.73	755.1	86	...	W	1	o	6 a.	29.76	755.8	77	...	W	1	o
Bacolod,	3 p.	...	...	...	...	W S W	2	op	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.75	755.6	78	...	S W	4	or	,,	29.81	757.2	80	...	S W	4	o
Cebu,	,,	29.75	755.6	86	...	S	4	c	,,	29.80	756.9	82	...	S	1	o
Labuan,	,,	29.76	755.9	88	...	...	...	...	,,	29.86	758.4	85	...	...	...	...

On the 3rd at 12.05 p.—The barometer has risen slightly on the S. coast of China, and in Japan.
The existence of a low pressure area over the Pacific to the N.E. of Luzon, is still indicated.
Pressure is high over Central China and E. Japan.
Fresh to strong N.E. winds are expected to prevail in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 3rd September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd September, 1907, P.M.								4th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	S	2	..
Hakodate,	,,	29.97	761.2	...	...	S	4	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	S	6	...	,,	29.95	760.6	...	...	S E	2	...
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	N	2	...	,,	29.88	758.8	...	...	...	0	...
Kagoshima,	,,	29.88	758.9	...	...	...	0	...	,,	29.84	757.9	...	...	N E	4	...
Oshima,	,,	29.81	757.1	...	...	N E	4	...	,,	29.77	756.1	...	...	...	0	...
Taiwan,	,,	29.77	756.2	...	...	E	4	...	,,	29.69	754.2	...	...	E	2	...
Ishigakijima,	,,	29.74	755.3	...	...	N E	6	...	,,	29.70	754.3	...	...	N E	4	...
Chefoo,	3 p.	29.94	760.5	88	76	S	2	c	6 a.	30.00	762.0	66	100	N W	2	o
Weihaiwei,	,,	29.95	760.7	77	...	S	1	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.04	763.0	76	91	N	1	o	6 a.	30.04	763.0	70	95	N N W	1	c
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	69	95	N E	2	or
Shanghai,	,,	29.90	759.4	71	90	N E	2	or	9 a.	29.83	758.9	69	90	N E	2	o
Gutzlaff,	,,	29.85	758.2	...	...	N E	3	cv	,,	29.82	757.4	73	90	N E	5	om
Sharp Peak,	,,	29.75	755.6	84	87	E N E	4	b	,,	29.76	755.9	81	91	N E	1	op
Amoy,	,,	29.67	753.6	89	73	N E	2	b	6 a.	29.70	754.4	83	83	N E	1	c
Swatow,	,,	29.67	753.6	89	77	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.74	755.3	...	...	E	4	...	5 a.	29.71	754.5	...	...	E	4	...
Taichu,	,,	29.74	755.4	...	...	N E	4	...	,,	29.70	754.0	...	...	...	0	...
Tainan,	,,	29.74	755.3	...	...	W	4	...	,,	29.77	753.7	...	...	E	2	...
Koshun,	,,	29.72	754.9	...	...	E	4	...	,,	29.68	753.9	...	...	N	6	...
Pescadores,	,,	29.73	755.2	...	...	N E	4	...	,,	29.62	752.4	...	...	N	8	...
Canton,	3 p.	29.76	755.9	87	76	N W	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.73	755.1	84	75	E	2	ot	10 a.	29.77	756.1	83	72	N E	2	c
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.75	755.6	81	...	W S W	1	o	,,	29.79	756.6	81	...	N N E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.4	81	...	E S E	6	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.70	754.7	86	...	E S E	4	c	,,	...	...	...	...	..	...	...
Cape St. James,	,,	29.75	755.7	81	...	S W	3	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.68	753.8	86	...	N	1	b	6 a.	29.66	753.3	77	...	S W	1	c
Manila,	4 p.	29.69	754	82	77	S W	1	o	10 a.	29.69	754	84	71	S S E	0	o
Legaspi,	2 p.	29.71	754.6	86	...	S W	1	o	6 a.	29.72	754.8	77	...	W	1	o
Bacolod,	3 p.	...	...	...	...	S E	1	c	9 a.	...	...	...	...	S S W	2	cp
Iloilo,	,,	29.73	755.1	81	...	S W	2	o	,,	29.76	755.9	81	...	S W	3	o
Cebu,	,,	29.75	755.6	83	...	S	3	o	,,	29.82	757.4	84	...	S	3	c
Zamboanga,	,,	29.77	756.1	89	...	...	...	...	,,	29.82	757.4	82	...	...	...	...

On the 4th at 11.30 a.—The barometer has fallen slightly over the Loochoos, Formosa and the Philippines.

The depression over the Pacific appears to be situated to the Eastward of the Balingtang Channel, and to be moving towards W.N.W. at present.

Pressure remains high over N. China and E. Japan.

Strong N. and N.E. winds are expected to prevail in the Formosa Channel, and over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; squally.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 4th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th September, 1907, P.M.								5th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	N	4	...	,,	29.93	760.2	...	...	S	2	...
Tokio,	,,	29.91	759.6	...	...	S	6	...	,,	29.87	758.6	...	...	N E	2	...
Kochi,	,,	29.83	757.8	...	...	...	0	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S E	4	...	,,	29.76	755.8	...	...	E	6	...
Kagoshima,	,,	29.80	756.9	...	...	E	4	...	,,	29.68	753.9	...	...	S E	2	...
Oshima,	,,	29.73	755.1	...	...	E	4	...	,,	29.57	751.1	...	...	E	6	...
Naha,	,,	29.65	753.2	...	...	E	6	...	,,	29.58	751.2	...	...	N E	4	...
Ishigakijima,	,,	29.62	752.3	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.94	760.5	68	95	N E	2	c	6 a.	30.00	762.0	60	94	S W	1	b
Weihaiwei,	,,	29.97	761.2	62	...	N	1	o	9 a.	29.99	761.7	75	...	N	1	c
Hankow,	,,	29.99	761.7	82	87	N W	1	c	6 a.	30.05	763.2	67	100	N	2	c
Kinkiang,	,,	29.99	761.7	71	95	N E	3	c	,,	29.98	761.5	69	90	N E	2	o
Shanghai,	,,	29.83	757.7	72	85	N E	2	cd	9 a.	...	...	72	95	N	1	o
Gutzlaff,	,,	29.77	756.1	75	86	N E	5	om	,,	29.83	757.7	75	86	N N E	4	om
Sharp Peak,	,,	29.65	753.1	84	87	E N E	4	c	,,	29.72	754.9	84	77	N E	3	o
Amoy,	,,	29.59	751.6	91	67	N N E	3	b	6 a.	29.66	753.3	83	79	N E	2	b
Swatow,	,,	29.58	751.3	91	67	...	0	c	,,	29.69	754.8	79	82	N N W	2	c
Taihoku,	1 p.	29.67	753.7	...	...	N E	6	...	5 a.	29.65	753.0	...	...	E	2	...
Taichu,	,,	29.65	753.0	...	...	N W	4	...	,,	29.62	752.4	...	...	...	0	...
Tainan,	,,	29.63	752.6	...	...	W	2	...	,,	29.60	751.9	...	...	E	2	...
Kosbun,	,,	29.63	752.5	...	...	N	6	...	,,	29.61	752.0	...	...	...	0	...
Pescadores,	,,	29.62	752.4	...	...	N E	8	...	,,	29.58	751.3	...	...	N E	8	...
Canton,	3 p.	29.70	754.4	90	66	N N W	1	b	9 a.	29.77	756.1	82	74	N	2	b
Hongkong,	4 p.	29.64	752.8	85	66	N N W	2	c	10 a.	29.73	755.1	82	64	N	1	o
Victoria Peak,	,,	...	...	...	...	N N W	3	...	,,	...	...	...	...	N N E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.65	753.1	86	...	N	2	c	,,	29.74	755.4	82	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.8	81	...	N	4	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.4	81	...	N	5	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.7	79	...	S W	3	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.57	751.2	86	...	N	1	b	6 a.	29.56	750.9	77	...	S W	1	d
Manila,	4 p.	29.57	751	82	77	S W	1	c	10 a.	29.65	753	75	75	S W	3	q
Legaspi,	2 p.	29.62	752.3	84	...	W	1	o	6 a.	29.62	752.4	77	...	S W	1	o
Bacolod,	3 p.	...	...	...	...	S W	2	cp	9 a.	...	...	...	...	S S W	3	c
Iloilo,	,,	29.66	753.3	81	...	S W	5	or	,,	29.74	755.4	79	...	W S W	5	o
Cebu,	,,	...	...	86	...	S	4	c	,,	29.72	754.9	84	...	S	4	c
Labuan,	,,	29.70	754.4	88	...	...	...	...	,,	29.77	756.1	83	...	...	...	c

On the 5th at 11.55 a.—The barometer has fallen considerably over the Loochoos, and a slight to moderate fall has occurred also over S. China, Formosa and Luzon.

The typhoon which appears to be situated to the South of the Loochoos in about 21° Lat., seems to be now moving northwards.

Pressure remains high over N. China and the N. part of the Sea of Japan.

Strong N. and N.E. winds are expected to prevail in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; squally, fair.
2.—Formosa Channel,	N.E. and N. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 5th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th September, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th September, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro,	,,	30.04	763.1	...	...	E	2	...	6 a.	30.04	763.1	...	...	E	6	...
kodate,	,,	30.01	762.2	...	...	S E	6	...	,,	29.85	758.2	...	...	S E	8	...
io,	,,	29.94	760.6	...	...	S	6	...	,,	29.99	761.6	...	...	S	4	...
hi,	,,	29.83	757.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
asaki,	,,	29.80	756.8	...	...	N	2	...	,,	29.76	755.8	...	...	N	2	...
oshima,	,,	29.76	755.9	...	...	S E	4	...	,,	29.76	755.9	...	...	E	6	...
ima,	,,	29.65	753.1	...	...	S E	6	...	,,	29.49	749.1	...	...	N E	6	...
a,	,,	29.54	750.2	...	...	E	8	...	,,	29.34	745.2	...	...	N E	8	...
gakijima,	,,	29.54	750.3	...	...	N E	8	...	,,	29.46	748.3	...	...	N	6	...
foo,	3 p.	29.96	761.0	77	91	N	2	b	6 a.	30.00	762.0	65	95	...	0	b
ihaiwei,	,,	29.95	760.7	77	...	N	2	b	9 a.	30.00	762.0	76	...	S	1	b
nkow,	,,	30.03	762.7	81	91	N E	1	o	6 a.	...	...	71	95	N	1	b
kiang,	,,	29.99	761.7	77	69	N E	4	o	,,	29.96	761.0	72	85	N E	2	b
ngbai,	,,	29.54	757.9	78	74	N N E	2	o	9 a.	29.87	758.7	77	69	N W	3	c
tzlaff,	,,	29.79	756.6	76	86	N N E	4	cv	,,	29.80	756.9	76	82	N N E	5	on
np Peak,	,,	29.67	753.6	84	83	E N E	4	og	,,	29.71	754.6	84	77	N	2	bv
oy,	,,	29.58	751.3	90	84	N E	2	c	6 a.	29.65	753.1	83	79	N E	3	b
atow,	,,	29.58	751.3	89	73	E	4	c	,,	29.63	752.6	78	82	N N W	1	c
hoku,	1 p.	29.64	752.8	...	...	E	6	...	5 a.	29.61	752.0	...	...	N E	2	...
chu,	,,	29.56	750.9	...	...	N	6	...	,,	29.59	751.5	...	...	N	4	...
nan,	,,	29.57	751.2	...	...	N	2	...	,,	29.57	751.1	...	...	N	4	...
shun,	,,	29.57	751.1	...	...	N W	6	...	,,	29.56	750.8	...	...	N W	2	...
cadores,	,,	29.57	751.1	...	...	N	10	...	,,	29.59	751.5	...	...	N	10	...
ston,	3 p.	29.68	753.9	91	60	N	2	b	9 a.	29.77	756.1	82	71	N N W	2	b
ngkong,	4 p.	29.63	752.6	88	58	N	1	c	10 a.	29.72	754.9	84	61	N	1	c
toria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	N	1	...
p Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
cao,	,,	29.65	753.1	82	...	N	2	c	,,	29.75	755.6	81	...	N	2	o
ihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
uhen,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
ame,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
pe St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
arri,	2 p.	29.54	750.4	81	...	N W	1	d	6 a.	29.57	751.0	77	...	S	1	d
ila,	4 p.	29.61	752	77	92	W S W	3	d	10 a.	29.73	755	77	92	S W	4	d
gasji,	2 p.	29.59	751.7	82	...	S W	1	p	6 a.	29.68	753.8	77	...	S W	1	o
colod,	3 p.	...	...	...	...	W S W	4	cpq	9 a.	...	...	...	...	W S W	1	c
ilo,	,,	29.68	753.9	82	...	S W	5	oq	,,	29.78	756.4	83	...	S W	2	o
ta,	,,	29.67	753.6	85	...	S	3	o	,,	29.78	756.4	86	...	S	3	b
Suan,	,,	29.70	754.4	87	...	...	...	...	,,	29.81	757.2	83	...	...	...	...

On the 6th at 11.55 a.—The barometer has fallen considerably over the Loochoos, and risen slightly in the Philippines.

The typhoon is now situated to the South of Naha (Loochoos). It continues to move slowly northwards.

Pressure remains high over China to the North of the Yangtze, and over N.E. Japan.

Strong N. winds are expected to prevail in the Formosa Channel, and fresh N. to W. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N. winds, fresh; fair, squally.
Formosa Channel,	N. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	N.W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 6th September, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th September, 1907, P.M.								7th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.85	758.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.94	760.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.87	758.8	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.86	758.9	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.18	741.1	...	...	N	10	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.26	743.2	...	...	N	10	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.50	749.3	...	...	N	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.93	760.2	79	87	N	1	b	6 a.	29.95	769.7	68	95	S E	1	b
Weihaiwei,	,,	29.94	760.5	81	...	N E	1	b	9 a.	29.86	758.4	76	...	N N E	1	b
Hankow,	,,	29.95	760.7	84	83	N E	1	b	6 a.	29.97	761.2	73	95	E N E	1	b
Kiukiang,	,,	29.97	761.2	82	96	E	4	c	,,	29.93	760.2	68	95	S E	2	b
Shanghai,	,,	29.80	756.9	80	62	N	4	c	9 a.	29.78	756.4	76	82	N	4	cm
Gutzlaff,	,,	29.74	755.4	77	77	N N E	4	cm	,,	29.73	755.1	77	65	N	3	c
Sharp Peak,	,,	29.63	752.6	86	78	E N E	3	bv	,,	29.74	755.4	86	76	N E	2	b
Amoy,	,,	29.56	750.8	91	100	E N E	3	b	6 a.	29.68	753.9	84	79	W N W	2	o
Swatow,	,,	29.62	752.3	88	73	E	1	b	,,	29.73	755.1	80	87	W	2	c
Taihoku,	1 p.	29.65	753.0	...	...	N W	2	...	5 a.	29.71	754.6	...	...	W	2	...
Taichu,	,,	29.60	751.8	...	...	N	8	...	,,	29.68	753.8	...	...	...	0	...
Tainan,	,,	29.59	751.5	...	...	N	4	...	,,	29.67	753.7	...	...	E	2	...
Koshun,	,,	29.58	751.4	...	...	N E	2	...	,,	29.68	753.8	...	...	N	2	...
Pescadores,	,,	29.62	752.3	...	...	N	10	...	,,	29.67	753.7	...	...	N E	8	...
Canton,	3 p.	29.71	754.6	91	63	N W	2	b	9 a.	29.85	758.2	83	71	N	1	b
Hongkong,	4 p.	29.67	753.6	86	69	W S W	1	c	10 a.	29.77	756.1	85	64	S E	1	b
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	...	0	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.69	754.1	87	...	N N E	1	o	,,	29.79	756.6	85	...	S E	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.0	90	...	E N E	2	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.2	81	...	W S W	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.60	751.8	84	...	E	1	o	6 a.	29.54	755.4	77	...	S	1	o
Manila,	4 p.	29.69	754	75	100	S W	1	od	10 a.	29.84	757.9	75	100	W S W	2	d
Legaspi,	2 p.	29.70	754.5	84	...	S W	1	o	6 a.	29.78	756.3	77	...	W	1	o
Bacolod,	3 p.	...	...	...	...	S S W	2	c	9 a.	...	...	...	...	W S W	1	cp
Iloilo,	,,	29.73	755.1	81	...	W S W	5	or	,,	29.83	757.7	82	...	S W	2	o
Cebu,	,,	29.75	755.6	85	...	S	2	c	,,	29.86	758.4	85	...	S	2	b
Labuan,	,,	29.72	754.9	88	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 7th at 11.55 a.—The barometer has fallen moderately over the E. and N. coasts of China, and risen slightly to moderately over S. China, Formosa and the Philippines.

The Japanese returns are not yet to hand, but probably the typhoon has passed to the Eastward of the Loochoos and is now approaching the S. coast of Japan.

Pressure is still high over China to the North of the Yangtze.

Moderate N. to N.E. winds are expected to prevail in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 7th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th September, 1907, P.M.								8th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro.	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ao.	,,	29.87	758.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
hi.	,,	29.40	746.8	...	...	S E	8	...	,,	...	...	...	...	...	...	...
gasaki,	,,	29.13	739.8	...	...	N E	8	...	,,	...	...	...	...	...	...	...
goshima,	,,	29.09	738.9	...	...	S E	4	...	,,	...	...	...	...	...	...	...
ima.	,,	29.25	743.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
la.	,,	29.54	750.2	...	...	N W	8	...	,,	...	...	...	...	...	...	...
gakijima,	,,	29.66	753.3	...	...	N	6	...	,,	...	...	...	...	...	...	...
foo.	3 p.	29.78	756.4	80	87	N	1	b	6 a.	...	...	69	100	S W	1	b
ihaiwei,	,,	29.85	758.2	71	...	N	1	b	9 a.	29.72	754.9	78	...	N W	1	ovr
nkow,	,,	29.90	759.0	86	82	N W	1	b	6 a.	29.92	759.9	72	95	S E	1	c
kiang,	,,	29.93	760.2	86	45	N E	2	c	,,	29.88	758.9	67	90	...	0	b
nghai,	,,	29.70	754.4	81	56	N N W	3	c	9 a.	29.74	755.4	77	73	W N W	2	b
wlaff,	,,	29.66	753.3	80	74	N N W	4	cm	,,	29.71	754.6	74	81	N W	3	cm
up Peak,	,,	29.69	754.1	84	81	N E	3	bv	,,	...	...	...	...	...	...	...
y.	,,	29.65	753.1	86	72	E S E	4	b	6 a.	29.68	753.9	78	86	N E	2	c
atow.	,,	29.66	753.3	86	80	E S E	2	b	,,	29.71	754.6	80	78	N	1	c
iaoku,	1 p.	29.72	754.9	...	...	N W	4	...	5 a.	...	...	...	...	...	...	...
ichu.	,,	29.70	754.4	...	...	N	2	...	,,	...	...	...	...	...	...	...
ihan,	,,	29.70	754.5	...	...	S	4	...	,,	...	...	...	...	...	...	...
shun.	,,	29.71	754.7	...	...	S E	4	...	,,	...	...	...	...	...	...	...
scadores,	,,	29.72	754.8	...	...	N E	8	...	,,	...	...	...	...	...	...	...
nton,	3 p.	29.73	755.1	94	55	W	1	b	9 a.	29.74	755.4	84	91	N	1	b
ngkong,	4 p.	29.71	754.6	86	66	W	1	c	10 a.	29.75	755.6	87	64	W	1	b
ctoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	N N E	1	...
p Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
cao.	,,	29.72	754.9	88	...	S E	1	c	,,	29.77	756.1	86	...	N	1	c
ihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi.	,,	29.78	756.4	89	63	N W	2	c	,,	...	...	...	...	...	...	...
ulien,	4 p.	29.72	755.0	90	...	S	1	b	10 a.	...	...	...	...	...	...	...
urane,	,,	29.73	755.1	82	...	N W	2	t	,,	...	...	...	...	...	...	...
pe St. James,	,,	29.71	754.7	82	...	S W	3	c	,,	...	...	...	...	...	...	...
arri,	2 p.	29.70	754.5	88	...	N E	1	o	6 a.	...	...	...	...	...	...	...
nila.	4 p.	29.76	756	81	85	S W	1	o	10 a.	29.84	757.9	79	92	S W	2	o
gaspi,	2 p.	29.79	756.7	84	...	W	1	q	6 a.	29.84	757.9	77	...	W	1	c
olod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	...	...	...
ilo.	,,	29.79	756.6	84	...	S W	2	o	,,	29.87	758.7	82	...	S W	1	o
u.	,,	29.79	756.6	87	...	S	2	b	,,	29.86	758.4	87	...	S	2	b
hian,	,,	29.77	756.1	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 8th at 12.5 p.—The barometer has fallen moderately over the N.E. coast of China.

Yesterday afternoon the typhoon was moving Northwards in the neighbourhood of Nagasaki. The Japanese and Formosan returns for this morning are not yet to hand.

Pressure is still relatively high over the Upper Yangtze.

Moderate N.E. to N.W. winds are likely to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N. winds, light to moderate; fine.
—Formosa Channel,	Same as No. 1.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 8th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th September, 1907, P.M.								9th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.73	755.2	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.75	755.6	...	...	S	8	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.44	747.8	...	...	S E	8	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.28	743.8	...	...	N W	10	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.37	745.9	...	...	W	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.57	751.1	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.65	753.2	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.74	755.3	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.70	754.4	77	82	N W	2	b	6 a.	29.73	755.1	67	90	W	1	b
Weihaiwei,	,,	...	...	79	...	N W	2	b	9 a.	29.76	755.9	75	...	W	4	b
Hankow,	,,	29.86	758.4	85	91	N E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.92	759.9	87	42	N E	3	b	,,	29.88	758.9	68	90	...	0	b
Shanghai,	,,	29.68	753.9	84	50	N W	2	c	9 a.	29.81	757.2	78	78	N W	1	c
Gutzlaff,	,,	29.65	753.1	85	68	N N W	2	cm	,,	29.78	756.4	77	86	N N W	2	cm
Sharp Peak,	,,	29.67	753.6	84	77	S E	2	o	,,	29.79	756.6	82	85	N N E	3	og
Amoy,	,,	29.67	753.6	84	79	N E	3	b	6 a.	29.66	753.3	82	83	N E	2	b
Swatow,	,,	29.61	752.1	85	79	E	2	c	,,	29.72	754.9	78	86	N	1	c
Taihoku,	1 p.	29.69	754.0	...	...	N E	6	...	5 a.	29.69	754.2	...	...	E	4	...
Taichu,	,,	29.69	754.0	...	...	N W	4	...	,,	29.72	754.9	...	...	...	0	...
Tainan,	,,	29.70	754.3	...	...	S W	4	...	,,	29.68	753.9	...	...	N E	2	...
Koshun,	,,	29.72	754.8	...	...	E	4	...	,,	29.71	754.6	...	...	N E	6	...
Pescadores,	,,	29.70	754.4	...	...	N	6	...	,,	29.70	754.3	...	...	N	4	...
Canton,	3 p.	29.69	754.1	95	53	N	1	b	9 a.	29.77	756.1	86	80	N E	1	b
Hongkong,	4 p.	29.65	753.1	88	67	S	1	c	10 a.	29.75	755.6	83	79	W	1	o
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	...	0	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.67	756.1	87	...	E S E	1	c	,,	29.75	755.6	86	...	...	0	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	86	...	S	1	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.69	754.2	82	...	N W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	755.0	79	...	W S W	3	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.70	754.3	86	...	N E	1	o	6 a.	29.73	755.1	75	...	S	1	p
Manila,	4 p.	29.72	755	84	92	S W	3	o	10 a.	29.80	757	79	84	W	2	o
Legaspi,	2 p.	29.76	755.9	86	...	W	1	o	6 a.	29.82	757.4	79	...	W	1	c
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S W	1	c
Hoilo,	,,	29.79	756.6	84	...	S W	2	o	,,	29.85	758.2	82	...	W S W	1	c
Cebu,	,,	29.78	756.4	87	...	S	2	b	,,	29.82	757.4	85	...	S	1	c
Labuan,	,,	29.78	756.4	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 9th at 11.55 a.—The barometer is inclined to fall over Formosa and the Philippines. It has risen slightly over the E. coast of China.

Yesterday afternoon the typhoon was lying near and to the Eastward of Nagasaki. It appeared to be moving very slowly towards N.E. The Japanese returns for this morning are not yet to hand.

Pressure is still high over China to the North of the Upper Yangtze, and relatively low over the N.E. part of the China Sea.

Moderate to fresh N. and N.E. winds are expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate; fair to showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 9th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th September, 1907, P.M.								10th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,....	2 p.	29.51	749.5	56	...	N	7	or	7 a.	29.84	757.9	55	50	...	0	b
nuro, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
kodate, ...	,,	29.50	749.2	...	...	S E	4	...	,,	29.81	757.2	...	...	W	4	...
kio.	,,	29.75	755.6	...	...	S	8	...	,,	29.83	757.6	...	...	...	0	...
chi.	,,	29.72	754.8	...	...	S E	4	...	,,	29.84	757.8	...	...	S W	2	...
gasaki, ...	,,	29.72	754.8	...	...	S E	4	...	,,	29.84	757.8	...	...	E	2	...
goshima, ...	,,	...	...	...	...	...	...	...	,,	29.84	757.9	...	...	N E	2	...
hima.....	,,	...	...	...	...	...	...	...	,,	29.81	757.1	...	...	S	2	...
ha.....	,,	29.73	755.2	...	...	N	4	...	,,	29.81	757.2	...	...	...	0	...
igakijima, ...	,,	29.78	756.3	...	...	N W	4	...	,,	29.78	756.3	...	...	N E	2	...
efoo.....	3 p.	29.78	756.4	75	77	N W	2	b	6 a.	29.85	758.2	65	95	S W	1	b
ihaiwei,.....	,,	29.76	755.9	77	...	W	4	b	9 a.	...	...	...	...	...	...	...
akow, ...	,,	29.90	759.4	84	91	N E	1	b	6 a.	29.93	760.2	75	100	N E	1	c
nkiang,.....	,,	29.87	758.7	89	41	N E	2	c	,,	29.87	758.7	71	90	...	0	b
anghai, ...	,,	29.79	756.6	86	48	N	1	b	9 a.	29.88	758.9	77	77	E	1	cm
itzlaff, ...	,,	29.77	756.1	83	71	N	1	cm	,,	29.84	757.9	78	74	N E	1	cv
arp Peak,.....	,,	29.76	755.9	82	77	N E	3	o	,,	29.82	757.2	82	83	N N E	3	b
noy,.....	,,	29.65	753.1	84	83	N E	2	b	6 a.	29.71	754.6	80	82	N E	2	b
atow, ...	,,	29.66	753.3	86	72	E	3	b	,,	29.80	756.9	82	83	...	0	o
ihoku,.....	1 p.	29.74	755.5	...	...	E	8	...	5 a.	29.75	755.5	...	...	E	6	...
ichu.	,,	29.69	754.2	...	...	N W	4	...	,,	29.72	754.8	...	...	...	0	...
inan.....	,,	29.71	754.7	...	...	W	4	...	,,	29.76	755.9	...	...	N	2	...
oshun.....	,,	29.70	754.3	...	...	E	8	...	,,	29.72	754.8	...	...	N E	6	...
scadores, ...	,,	29.70	754.5	...	...	N	8	...	,,	29.71	754.5	...	...	N	6	...
nton,.....	3 p.	29.69	754.1	89	69	E	1	c	9 a.	...	...	...	...	...	...	...
ongkong, ...	4 p.	29.68	753.9	83	81	E	1	o	10 a.	29.80	756.9	85	63	E	2	c
ctoria Peak,...	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E S E	2	...
y Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao.....	,,	29.68	753.9	86	...	E S E	1	o	,,	29.81	757.2	85	...	E S E	1	o
ihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ikhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
fulien, ...	4 p.	29.65	753.2	88	...	S	1	c	10 a.	...	...	...	...	...	...	...
ouvane, ...	,,	29.68	753.9	82	...	N	3	c	,,	...	...	...	...	...	...	...
ye St. James,.	,,	29.68	753.8	81	...	W S W	3	c	,,	...	...	...	...	...	...	...
parri.	2 p.	29.70	754.5	82	...	W	1	o	6 a.	29.73	755.0	75	...	S W	1	b
anila, ...	4 p.	29.76	756	77	92	S S E	1	od	10 a.	29.84	758	75	100	W S W	2	r
gaspi.	2 p.	29.76	756.0	88	...	S W	1	o	6 a.	29.78	756.5	79	...	...	0	b
acolod.	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	S W	1	c
oilo.	,,	29.79	756.6	85	...	S W	1	c	,,	29.85	758.2	83	...	S W	3	c
ebu.....	,,	29.79	756.6	88	...	S	2	b	,,	29.87	758.7	87	...	S	2	b
ahian.	,,	29.77	756.1	87	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

On the 10th at 11.50 a.—The barometer has risen slightly to considerably over China and Japan respectively.

The typhoon traversed the Sea of Japan moving in a N.E. direction yesterday, passing between Wladivostok and Hakodate in the evening. It appears to have re-gained the Pacific to the North of Hokkaido this morning.

Pressure is highest over China to the N. of the Yangtze, and gradients are slight for the most part. A low pressure trough will probably form across the N. part of the China Sea.

Moderate to fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	N.E. winds, moderate or fresh; fair.
—Formosa Channel,.....	Same as No. 1.
—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 10th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th September, 1907, P.M.								11th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.82	757.4	71	...	N W	1	b	7 a.	29.98	761.5	59	57	...	0	o
Nemuro,	,,	29.65	753.1	...	...	S W	4	...	6 a.	29.89	759.1	...	...	E	2	
Hakodate,	,,	29.85	758.2	...	...	N W	6	...	,,	29.97	761.2	...	...	N W	6	
Tokio,	,,	29.87	758.6	...	...	N W	2	...	,,	29.99	761.6	...	...	N W	2	
Kochi,	,,	29.83	757.8	...	...	S E	3	...	,,	29.83	753.8	...	...	...	0	
Nagasaki,	,,	29.83	757.8	...	...	S W	4	...	,,	29.88	758.8	...	...	S E	4	
Kagoshima,	,,	29.84	757.9	...	...	S E	2	...	,,	29.88	758.9	...	...	N W	2	
Oshima,	,,	29.81	757.1	...	...	N	4	...	,,	29.85	758.1	...	...	S	2	
Naha,	,,	29.81	757.2	...	...	...	0	...	,,	29.85	758.2	...	...	...	0	
Ishigakijima,	,,	29.78	756.3	...	...	E	6	...	,,	...	...	...	...	...	...	
Chefoo,	3 p.	29.93	759.1	80	70	N E	2	b	6 a.	29.96	761.0	64	95	E N E	1	o
Weihaiwei,	,,	29.92	759.9	80	...	N E	1	b	9 a.	...	...	...	...	...	...	
Hankow,	,,	29.94	760.5	86	91	E	1	c	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.90	759.4	91	34	N E	2	b	,,	...	...	...	...	...	...	
Shanghai,	,,	29.85	758.2	81	67	N E	2	c	9 a.	29.93	760.2	78	86	N E	2	
Gutzlaff,	,,	29.83	757.7	78	82	N E	2	cv	,,	29.88	758.9	77	86	N E	2	c
Sharp Peak,	,,	29.78	756.4	81	81	E N E	4	c	,,	29.84	757.9	79	87	N E	3	o
Amoy,	,,	29.69	754.1	89	63	E S E	3	b	6 a.	29.75	755.6	81	87	N E	2	c
Swatow,	,,	29.71	754.6	85	72	E	3	b	,,	...	...	...	...	...	...	
Taihoku,	1 p.	29.74	755.5	...	...	E	6	...	5 a.	29.78	756.3	...	...	E	4	
Taichu,	,,	29.70	754.5	...	...	N W	4	...	,,	29.75	755.7	...	...	...	0	
Tainan,	,,	29.74	755.3	...	...	S W	4	...	,,	29.75	755.6	...	...	...	0	
Koshun,	,,	29.77	756.1	...	...	N E	4	...	,,	29.77	756.2	...	...	E	4	
Pescadores,	,,	29.73	755.1	...	...	N	8	...	,,	29.73	755.1	...	...	N	6	
Canton,	3 p.	29.75	755.6	90	66	E	1	b	9 a.	29.82	757.4	85	79	S W	1	b
Hongkong,	4 p.	29.73	755.1	84	64	E	2	c	10 a.	29.83	757.7	83	76	W	1	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	1	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.74	755.4	86	...	S E	1	c	,,	29.85	758.2	89	...	S E	1	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.72	755.0	82	...	S E	1	d	6 a.	29.75	755.7	75	...	S E	1	o
Manila,	4 p.	29.80	757	75	100	S	1	o	10 a.	29.84	758	79	92	W S W	2	o
Legaspi,	2 p.	29.79	756.7	91	...	W	1	c	6 a.	29.85	758.2	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S S W	2	c	9 a.	...	...	...	...	S W	1	b
Iloilo,	,,	29.81	757.2	85	...	S W	2	c	,,	29.87	758.7	83	...	S W	1	c
Cebu,	,,	29.80	756.9	88	...	S	1	c	,,	29.89	759.2	87	...	S	2	c
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.88	758.9	86	...	...	...	

On the 11th at 11.55 a.—The barometer has risen considerably over N.E. Japan, and a slight rise has taken place also over the China coast, Formosa and the Philippines.

Pressure is high over N. China and the Sea of Japan, while a low pressure trough is lying over the N. part of the China Sea.

Fresh N.E. winds are expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate ; showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 11th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th September, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th September, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
amuro,	,,	...	...	...	...	...	...	...	6 a.	30.04	763.1	...	...	E	2	...
kodate,	,,	29.97	761.2	...	...	N	4	...	,,	30.05	763.2	...	...	...	0	...
kio,	,,	29.94	760.6	...	...	N E	4	...	,,	30.02	762.6	...	...	N W	4	...
chi,	,,	29.87	758.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	4	...
gasaki,	,,	29.87	758.8	...	...	S W	4	...	,,	29.95	760.8	...	...	N E	2	...
goshima,	,,	29.84	757.9	...	...	W	2	...	,,	29.92	759.9	...	...	N E	4	...
hina,	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	S	2	...
ha,	,,	29.85	758.2	...	...	...	0	...	,,	29.93	760.2	...	...	...	0	...
igak jima,	,,	29.89	759.3	...	...	S	2	...	,,	29.86	758.3	...	...	S E	6	...
foo,	3 p.	29.98	761.5	81	67	E	2	b	6 a.	30.00	762.0	67	84	S E	1	b
haiwei,	,,	29.99	761.7	80	...	E N E	2	b	9 a.	30.06	763.5	76	...	E	1	ovr
kow,	,,	29.98	761.5	84	87	N W	1	o	6 a.	...	...	...	...	...	...	...
chiang,	,,	29.91	759.7	85	61	N E	2	c	,,	29.92	759.9	74	95	N E	2	or
anghai,	,,	29.89	759.2	79	74	N E	2	o	9 a.	29.96	761.0	76	91	E	1	om
tzlaff,	,,	29.86	758.4	79	82	N E	2	cm	,,	29.91	759.7	79	87	E S E	2	ov
arp Peak,	,,	29.79	756.6	81	87	N N E	3	o	,,	29.80	756.9	78	95	N N E	3	ogr
oy,	,,	29.68	753.9	87	69	N E	2	c	6 a.	29.70	754.4	82	83	N E	2	b
atew,	,,	29.70	754.4	87	76	E S E	3	o	,,	29.72	754.9	79	82	N E	2	c
ihoku,	1 p.	29.73	755.2	...	...	E	6	...	5 a.	29.75	755.7	...	...	E	4	...
ohu,	,,	29.74	755.4	...	...	W	4	...	,,	29.79	756.7	...	...	...	0	...
ihan,	,,	29.75	755.7	...	...	N	2	...	,,	29.78	756.5	...	...	N	2	...
shun,	,,	29.75	755.6	...	...	E	6	...	,,	29.76	755.9	...	...	E	6	...
scadores,	,,	29.76	755.8	...	...	N	4	...	,,	29.75	755.7	...	...	N	4	...
nton,	3 p.	29.74	755.4	92	64	...	0	b	9 a.	29.81	757.2	85	79	...	0	b
ngkong,	4 p.	29.73	755.1	82	84	...	0	o	10 a.	29.79	756.6	84	78	W	2	o
ctoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	...	0	...
p Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ao,	,,	29.74	755.4	84	...	S E	1	c	,,	29.80	756.9	83	...	N	1	o
show,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	29.70	754.4	86	...	E	1	c	10 a.	...	...	...	...	...	...	...
mane,	,,	29.73	755.2	90	...	N	1	c	,,	...	...	...	...	...	...	...
pe St. James,	,,	29.76	755.9	81	...	S W	3	lt	,,	...	...	...	...	...	...	...
arri,	2 p.	29.74	755.5	84	...	N	1	o	6 a.	29.81	757.1	75	...	S E	1	o
ila,	4 p.	29.80	757	81	85	W S W	2	o	10 a.	29.88	759	82	95	S S E	0	c
gasapi,	2 p.	29.80	757.0	91	...	W	1	b	6 a.	29.86	758.3	77	...	...	0	b
colod,	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	W	1	c
ie,	,,	29.81	757.2	86	...	S W	2	b	,,	29.84	757.9	83	...	S W	1	b
ha,	,,	29.82	757.4	88	...	S	2	b	,,	29.88	758.9	87	...	S	2	b
hian,	,,	29.77	756.1	88	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 12th at 11.55 a.—The barometer has risen moderately over Japan and the Loochoos, and fallen slightly on the S. and S.E. coasts of China.

Pressure remains high over N. China and the Sea of Japan, and low over the N.E. part of the China Sea.

A depression may be forming in this area to the S.W. of Formosa.

Fresh to strong N.E. winds will probably prevail in the Formosa Channel, and N. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N. winds, moderate or fresh; showery.
—Formosa Channel,	N.E. winds, fresh to strong.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Thursday, 12th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th September, 1907, P.M.								13th September, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.96	761.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.01	762.2	...	...	N	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.98	761.6	...	...	N	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.95	760.8	...	...	N	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.95	760.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.96	760.9	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.89	759.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.85	758.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	S	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	29.99	761.7	78	70	E	1	o	6 a.	30.00	762.0	65	100	S E	1	o
Weihaiwei,	,,	30.02	762.5	77	...	E	2	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.98	761.5	75	95	N E	2	o	6 a.	29.99	761.7	75	90	N N E	1	o
Kiukiang,	,,	29.90	759.4	81	74	N E	2	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.90	759.4	80	74	E	2	o	9 a.	29.94	760.5	77	82	E	1	o
Gutzlaff,	,,	29.88	758.9	79	87	E S E	2	ov	,,	29.91	759.7	80	82	E	2	cm
Sharp Peak,	,,	29.75	755.6	81	89	N E	4	op	,,	29.84	757.9	82	93	N E	3	og
Amoy,	,,	29.66	753.3	90	66	N N W	2	b	6 a.	29.74	755.4	81	91	E	2	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.75	755.7	...	...	S E	6	...	5 a.	29.79	756.7	...	...	E	4	...
Taichu,	,,	29.76	755.9	...	...	N	2	...	,,	29.82	757.3	...	...	...	0	...
Tainan,	,,	29.76	755.9	...	...	S W	10	...	,,	29.79	756.6	...	...	S E	2	...
Koshun,	,,	29.81	757.1	...	...	E	6	...	,,	29.82	757.4	...	...	E	6	...
Pescadores,	,,	29.75	755.6	...	...	N	4	...	,,	29.78	756.4	...	...	S E	6	...
Canton,	3 p.	29.70	754.4	96	50	W	1	b	9 a.	29.76	755.9	86	68	N N W	1	b
Hongkong,	4 p.	29.67	753.6	85	69	W	1	o	10 a.	29.67	753.6	83	65	N	4	oq
Victoria Peak,	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	N N E	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.68	753.9	88	...	S E	1	c	,,	29.71	754.6	84	...	N N W	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.9	88	...	S S E	3	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.72	755.0	88	...	N N E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.5	82	...	S S W	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.77	756.1	86	...	E	1	o	6 a.	29.83	757.6	75	...	S	1	o
Manila,	4 p.	29.80	757	82	85	W S W	4	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.79	756.6	91	...	W	1	o	6 a.	29.85	758.1	77	...	W	1	b
Bacolod,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	W S W	1	c
Iloilo,	,,	29.79	756.6	85	...	S W	4	c	,,	29.85	758.2	81	...	S W	1	b
Cebu,	,,	29.76	755.9	87	...	S	1	c	,,	29.85	758.2	87	...	S	1	b
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.90	759.4	79	...	...	...	...

On the 12th at 9.30 p.—Orders issued to hoist No. 2 night signal.

A depression appears to be developing in the China Sea, probably to the S.E. of Hongkong.

On the 13th at 5.45 a.—Orders issued to hoist the Black Cone point downwards and Drum (indicates a typhoon S.E. of Colony within 300 miles).

At 11.00 a.—The barometer has risen slightly over Formosa and the S.E. coast of China, and fallen considerably in Hongkong. The depression may be a typhoon. It appears to be situated about 125 miles to the S.E. of Hongkong and to be moving towards W.N.W. at present.

Pressure remains high over N. China.

Strong E. winds are likely to prevail in the Formosa Channel, and cyclonic gales along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. probably veering to S.E. gale; squally, rainy.
2.—Formosa Channel,	E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	E. to S.E. gale.
4.—South coast of China between Hongkong and Hainan,	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 13th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th September, 1907, P.M.								14th September, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
emuro,	,,	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	N	6	...
akodate,	,,	30.05	763.2	...	...	S W	8	...	,,	30.05	763.2	...	...	N	4	...
okio,	,,	30.10	764.6	...	...	N	2	...	,,	30.06	763.6	...	...	...	0	...
ochi,	,,	30.03	762.8	...	...	...	0	...	,,	29.99	761.8	...	...	S W	2	...
agasaki,	,,	29.99	761.8	...	...	S W	4	...	,,	29.99	761.8	...	...	N E	2	...
agoshima,	,,	29.96	760.9	...	...	E	6	...	,,	29.92	759.9	...	...	E	6	...
shima,	,,	29.89	759.1	...	...	S W	2	...	,,	29.85	758.1	...	...	...	0	...
aba,	,,	29.89	759.2	...	...	E	4	...	,,	29.85	758.2	...	...	...	0	...
higakijima,	,,	29.85	758.3	...	...	E	6	...	,,	29.86	758.3	...	...	N E	2	...
nefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.02	762.5	65	100	...	0	b
eihaiwei,	,,	30.02	762.5	80	...	N E	2	b	9 a.	30.09	764.3	77	...	S	1	b
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
inkiang,	,,	29.90	759.4	86	65	N E	1	c	,,	29.94	760.5	76	95	N E	2	o
hanghai,	,,	29.91	759.7	75	95	E N E	2	or	9 a.	29.96	761.0	78	78	E N E	2	o
utzlaff,	,,	29.88	758.9	81	83	E	2	om	,,	29.92	759.9	78	86	E N E	3	cm
harp Peak,	,,	29.82	757.4	83	89	E N E	2	og	,,	29.87	758.7	80	91	N E	2	ogr
moy,	,,	29.74	755.4	86	76	S E	2	o	6 a.	29.80	756.9	83	79	N E	2	c
swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
aihoku,	1 p.	29.82	757.3	...	...	N W	4	...	5 a.	29.85	758.1	...	...	E	4	...
aichu,	,,	29.82	757.5	...	...	N	4	...	,,	29.86	758.4	...	...	...	0	...
ainan,	,,	29.84	757.9	...	...	S E	4	...	,,	29.85	758.1	...	...	...	0	...
oshun,	,,	29.85	758.1	...	...	E	2	...	,,	29.85	758.2	...	...	E	2	...
escadores,	,,	29.81	757.2	...	...	S E	6	...	,,	29.84	757.8	...	...	S E	2	...
anton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
longkong,	4 p.	29.54	750.3	78	87	N	5	odq	10 a.	29.69	753.9	78	84	S S E	5	orq
ictoria Peak,	,,	...	...	...	...	N	9	...	,,	...	...	...	...	...	...	...
ap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao,	,,	29.58	751.3	82	...	N	5	...	,,	...	...	...	...	...	...	...
oihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.64	752.9	90	...	S	2	c	10 a.	...	...	...	...	...	...	...
ourane,	,,	29.71	754.7	75	...	N	3	lt	,,	...	...	...	...	...	...	...
ape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
parri,	2 p.	29.82	757.5	86	...	N	1	c	6 a.	29.85	758.2	75	...	S W	1	b
anila,	4 p.	29.80	757	84	71	W S W	1	c	10 a.	29.84	758	84	78	S W	1	c
egaspi,	2 p.	29.79	756.6	84	...	...	0	o	6 a.	29.80	757.0	77	...	...	0	b
acolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S W	1	c
oilo,	,,	29.79	756.6	86	...	S W	2	c	,,	29.84	757.9	81	...	S W	1	b
ebu,	,,	29.79	756.6	87	...	N	1	...	,,	29.86	758.4	86	...	S	1	b
abuan,	,,	29.78	756.4	84	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 14th at 6.30 a.—Orders issued to hoist the Black Cone point downwards and Ball (indicates a typhoon S.W. of Colony within 300 miles.)

At 12.35 p.—The typhoon has probably reached the Coast to the S.W. of Macao, after passing near Gap Rock early this morning.

The barometer is rising quickly in Hongkong, and a slight rise has taken place also, along the China coast to the Northward. Over Japan and the Loochoos pressure has decreased. The highest pressure is still shown over N. China and the Sea of Japan,

Moderate N.E. winds are expected to prevail in the Formosa Channel, and cyclonic strong winds and gales over the North part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 5.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, decreasing; squally, showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	S.E. to E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 14th September, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th September, 1907, P.M.								15th September, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.96	761.1	...	...	N	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.01	762.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.95	760.6	...	...	N	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.91	759.8	...	...	S E	10	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.91	759.8	...	...	E	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.92	795.9	...	...	W	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.81	757.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
Ishigukijima,	,,	29.85	758.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.03	762.7	79	82	E N E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.11	764.8	79	...	S	3	b	9 a.	30.04	763.0	77	...	S E	1	b
Hankow,	,,	29.94	760.5	85	96	N E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.92	759.9	89	80	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.92	759.9	79	78	E N E	3	o	9 a.	29.95	760.7	81	71	E	1	c
Gutzlaff,	,,	29.89	759.2	81	78	E	3	cm	,,	29.91	759.7	82	75	E S E	3	bm
Sharp Peak,	,,	29.87	758.7	82	85	N E	3	cv	,,	29.89	759.2	82	87	N	1	c
Amoy,	,,	29.79	756.6	88	73	S E	2	c	6 a.	29.80	756.9	81	78	N E	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.84	757.9	...	...	N E	6	...	5 a.	29.86	758.4	...	...	S E	2	...
Taichu,	,,	29.84	757.9	...	...	N W	2	...	,,	29.84	757.9	...	...	...	0	...
Tainan,	,,	29.85	758.2	...	...	W	6	...	,,	29.82	757.5	...	...	...	0	...
Koshun,	,,	29.85	758.2	...	...	N	2	...	,,	29.83	757.7	...	...	N W	2	...
Pescadores,	,,	29.85	758.1	...	...	N W	4	...	,,	29.82	757.3	...	...	N E	4	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.71	754.6	79	84	S S E	4	odq	10 a.	29.82	757.4	82	84	S E	3	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.62	752.3	79	...	E	7	o	,,	29.80	756.9	80	...	E	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 r.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.5	88	...	W S W	3	lt	10 r.	29.71	754.7	79	...	W	2	lt
Tourane,	,,	29.69	754.0	88	...	N	2	c	,,	29.84	757.9	81	...	S W	3	c
Cape St. James,	,,	29.74	755.3	84	...	S W	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.82	757.5	86	...	N	1	b	6 a.	29.82	757.3	75	...	W	1	c
Manila.	4 p.	29.80	757	82	77	S W	2	d	10 a.	29.84	758	84	64	N N W	1	c
Legaspi,	2 p.	29.77	756.2	86	...	W	6	o	6 a.	29.78	756.4	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	S E	1	c
Iloilo,	,,	29.77	756.1	83	...	S W	1	c	,,	29.82	757.4	81	...	...	0	o
Cebu,	,,	29.79	756.6	88	...	S	1	c	,,	29.83	757.7	84	...	S	1	o
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 14th at 2.30 p.—Signals lowered.

On the 15th at 12.45 p.—The barometer has risen considerably in the neighbourhood of Macao, and fallen slightly over Formosa and the Philippines.

The typhoon, which has probably filled up considerably, appears to be situated over S.W. China about North of Pakhoi.

The Philippine and Formosa observations indicate that pressure is low over the Pacific to the Eastward of the former area.

Pressure remains high over N. China.

Moderate N.E. winds are indicated in the Formosa Channel, and fresh E. and S.E. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. to E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 15th September, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th September, 1907, P.M.								16th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro, ...	,,	30.00	762.1	...	...	N W	8	...	6 a.	...	...	...	...	...	...	...
kodate, ...	,,	30.09	764.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
kio, ...	,,	29.94	760.6	...	...	N E	4	...	,,	...	...	...	...	...	...	...
chi, ...	,,	29.87	758.8	...	...	N	4	...	,,	...	...	...	...	...	...	...
gasaki, ...	,,	29.87	758.8	...	...	N E	4	...	,,	...	...	...	...	...	...	...
goshima, ...	,,	29.88	798.9	...	...	E	6	...	,,	...	...	...	...	...	...	...
hima, ...	,,	29.85	758.1	...	...	N E	6	...	,,	...	...	...	...	...	...	...
ha, ...	,,	29.77	756.2	...	...	N E	8	...	,,	...	...	...	...	...	...	...
igakijima, ...	,,	29.78	756.3	...	...	N E	10	...	,,	...	...	...	...	...	...	...
efoo, ...	3 p.	29.92	759.9	78	95	E N E	2	b	6 a.	...	...	...	...	...	...	...
ihaiwei, ...	,,	29.94	760.5	80	...	S	3	o	9 a.	29.89	759.2	77	...	S	4	o
nkow, ...	,,	29.90	759.4	90	88	N E	2	b	6 a.	29.92	759.9	78	95	N E	1	c
akiang, ...	,,	29.87	758.7	93	96	W	1	b	,,	...	...	...	...	...	...	...
anghai, ...	,,	29.88	758.9	80	78	E	2	o	9 a.	29.89	759.2	81	74	S E	1	b
itzlaff, ...	,,	...	...	83	75	E S E	3	cm	,,	29.86	75.84	80	78	S E	2	bm
arp Peak, ...	,,	29.83	757.7	83	87	E S E	4	b	,,	29.87	758.7	82	93	N	1	b
rey, ...	,,	29.73	755.1	88	72	N E	2	b	6 a.	29.80	756.9	83	75	N E	2	c
atow, ...	,,	...	...	...	...	...	...	...	,,	29.78	756.4	77	95	...	0	c
ihoku, ...	1 p.	29.82	757.4	...	...	E	6	...	5 a.	29.81	757.2	...	...	E	4	...
ichu, ...	,,	29.79	756.7	...	...	N E	2	...	,,	29.80	757.0	...	...	...	0	...
inan, ...	,,	29.82	757.3	...	...	W	4	...	,,	29.79	756.6	...	...	E	2	...
shun, ...	,,	29.82	757.3	...	...	N	4	...	,,	29.77	756.2	...	...	N	8	...
scadores, ...	,,	29.81	757.1	...	...	N	6	...	,,	29.76	756.0	...	...	N	6	...
nton, ...	3 p.	29.78	756.4	76	95	E	1	or	9 a.	29.85	758.2	81	91	E	1	c
ngkong, ...	4 p.	29.76	755.9	78	93	S	1	or	10 a.	29.85	758.2	82	79	E	2	o
ctoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
p Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
cao, ...	,,	29.75	755.6	81	...	E	3	o	,,	29.84	757.9	89	...	E	3	od
chow, ...	3 p.	...	...	...	...	...	...	...	9 r.	...	...	...	...	...	...	...
khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nlien, ...	4 p.	29.62	752.4	82	...	S S E	2	o	10 r.	29.70	754.4	82	...	S	3	o
urane, ...	,,	29.73	755.1	88	...	...	0	c	,,	29.82	757.5	82	...	...	0	o
e St. James, .	,,	29.75	755.6	81	...	S W	6	c	,,	29.87	758.7	81	...	S W	2	c
arri, ...	2 p.	29.78	756.3	82	...	N W	1	o	6 a.	29.78	756.3	75	...	W	1	o
nila, ...	4 p.	29.76	756	77	92	W S W	1	c	10 a.	29.76	756	82	77	W N W	2	b
gaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.73	755.0	79	...	W	1	c
colod, ...	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	S W	1	c
ilo, ...	,,	29.75	755.6	84	...	S W	1	c	,,	29.81	757.2	83	...	S W	1	c
bu, ...	,,	29.75	755.6	87	...	S	2	or	,,	29.82	757.4	86	...	S	1	b
nuan, ...	,,	29.78	756.4	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 16th at 12.35 p.—The barometer has risen a little in the neighbourhood of Hongkong, and fallen slightly over the Philippines, Formosa and the E. coast of China.

The depression over the Pacific is a typhoon. This morning it appears to be situated to the East of North Luzon, and to be moving towards N.W. or W.N.W. The Japanese returns are, however, not yet to hand.

The high pressure is probably lying over the N. part of the Sea of Japan.

The N.E. winds are expected to freshen in the Formosa Channel, and E. backing to N. winds will probably prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 5.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	E. to N.E. winds, moderate; fair.
Formosa Channel, ...	N.E. winds, freshening.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	S.E. to E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 16th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th September, 1907, P.M.								17th September, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	...	0	...	6 a.	30.12	765.1	...	...	S E	4	...
Hakodate,	,,	30.09	764.2	...	...	S E	8	...	,,	30.01	762.2	...	...	N W	2	...
Tokio,	,,	30.02	762.6	...	...	N E	6	...	,,	29.95	760.6	...	...	N	6	...
Kochi,	,,	29.83	757.8	...	...	S E	2	...	,,	29.72	754.8	...	...	S W	4	...
Nagasaki,	,,	29.83	757.8	...	...	W	4	...	,,	29.76	755.8	...	...	...	0	...
Kagoshima,	,,	29.84	797.9	...	...	E	4	...	,,	29.72	754.9	...	...	N E	4	...
Oshima,	,,	29.73	755.1	...	...	N	6	...	,,	29.65	753.1	...	...	N	8	...
Naha,	,,	29.73	755.2	...	...	N	8	...	,,	29.69	754.2	...	...	N	6	...
Ishigakijima,	,,	29.78	756.3	...	...	N E	4	...	,,	29.78	756.3	...	...	W	2	...
Chefoo,	3 p.	29.84	757.9	75	95	S	1	o	6 a.	29.88	758.9	70	95	N	4	or
Weihaiwei,	,,	29.87	758.7	76	...	S S W	4	c	9 a.	29.90	759.4	70	...	N W	5	c
Hankow,	,,	29.84	757.9	86	96	E	1	c	6 a.	29.95	760.7	75	90	E N E	2	or
Kiukiang,	,,	29.79	756.6	61	71	...	0	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.81	757.2	85	64	E	2	c	9 a.	29.86	758.4	79	66	E	1	c
Gutzlaff,	,,	29.80	756.9	85	68	E S E	3	cm	,,	29.83	757.7	77	90	E N E	2	or
Sharp Peak,	,,	29.81	757.2	83	79	N E	2	o	,,	29.83	757.7	81	85	...	0	o
Amoy,	,,	29.72	754.9	90	66	E N E	2	b	6 a.	29.75	755.6	81	78	N E	2	c
Swatow,	,,	29.77	756.1	87	74	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.3	...	...	E	8	...	5 a.	29.79	756.7	...	...	E	4	...
Taichu,	,,	29.75	755.7	...	...	N W	2	...	,,	29.78	756.3	...	...	...	0	...
Tainan,	,,	29.78	756.3	...	...	S W	6	...	,,	29.78	756.3	...	...	S E	2	...
Koshun,	,,	29.78	756.4	...	...	E	6	...	,,	29.77	756.2	...	...	S E	2	...
Pescadores,	,,	29.78	756.3	...	...	N E	8	...	,,	29.75	755.6	...	...	N	6	...
Canton,	3 p.	29.76	755.9	86	76	S E	1	c	9 a.	29.86	758.4	85	76	E	1	b
Hongkong,	4 p.	29.77	756.1	82	77	E S E	2	c	10 a.	29.85	758.2	84	71	E	1	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.76	755.9	82	...	S S E	4	o	,,	29.85	758.2	82	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.6	82	...	S S E	3	lt	10 a.	29.75	755.6	79	...	S	1	or
Tourane,	,,	29.72	754.8	90	...	N N E	1	c	,,	29.82	757.5	82	...	N N W	1	c
Cape St. James,	,,	29.67	753.6	82	...	S W	5	c	,,	29.86	758.2	81	...	S W	2	c
Aparri,	2 p.	29.75	755.7	79	...	S W	1	o	6 a.	29.78	756.4	73	...	S W	1	b
Manila,	4 p.	29.69	754	79	92	W N W	2	o	10 a.	29.80	757	82	77	W N W	2	c
Legaspi,	2 p.	29.69	754.0	81	...	W	1	o	6 a.	29.75	755.7	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	W S W	1	o
Iloilo,	,,	29.72	754.9	84	...	S W	1	c	,,	29.80	756.9	82	...	S W	1	c
Cebu,	,,	29.70	754.4	86	...	N	1	or	,,	29.80	756.9	86	...	S	1	c
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.87	756.7	83	...	...	...	...

On the 17th at 1.25 p.—The barometer has fallen considerably over the Loochoos and S.W. Japan, and is very little changed in other areas.

The typhoon appears to be now moving Northwards to the E.S.E. of the Loochoos.

There are indications also of the existence of a shallow depression to the S.W. of Formosa.

Fresh N.E. winds are likely to prevail in the Formosa Channel, and variable winds over the N. part of the China Sea.

Telegraphic communication between the Observatory and Hongkong is interrupted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Variable winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 17th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th September, 1907, P.M.								18th September, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
amuro, ...	,,	30.04	763.1	...	...	S	4	...	6 a.	30.01	762.1	...	...	E	4	...
kodate, ...	,,	29.93	760.2	...	...	S E	6	...	,,	29.81	757.2	...	...	E	4	...
kio, ...	,,	29.83	757.6	...	...	S W	4	...	,,	29.51	749.6	...	...	E	6	...
chi.	,,	...	...	...	...	N E	6	...	,,	29.60	751.8	...	...	N W	2	...
gasaki, ...	,,	29.64	752.8	...	...	N	8	...	,,	29.76	755.8	...	...	N E	2	...
goshima, ...	,,	29.56	750.9	...	...	W	4	...	,,	29.68	753.9	...	...	N	6	...
hima, ...	,,	29.61	752.1	...	...	N	6	...	,,	29.69	754.1	...	...	N W	4	...
ha, ...	,,	29.69	754.2	...	...	N	6	...	,,	29.73	755.2	...	...	N	4	...
igakijima, ...	,,	29.74	755.3	...	...	N	6	...	,,	29.82	757.3	...	...	N	2	...
ifoo, ...	3 p.	30.00	762.0	71	85	N W	3	o	6 a.	29.97	761.2	77	75	N	4	c
eihaiwei, ...	,,	29.88	758.9	71	...	N W	4	c	9 a.	...	...	70	...	N N E	5	b
nkow, ...	,,	...	...	...	...	...	...	...	6 a.	30.14	765.5	69	95	N W	1	b
nkiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai, ...	,,	29.81	757.2	82	56	N	1	c	9 a.	29.96	761.0	76	73	N	1	b
tzlaff, ...	,,	29.81	757.2	79	70	N E	2	cv	,,	29.93	760.2	76	73	N N E	2	cv
arp Peak, ...	,,	29.77	756.1	83	75	N E	2	b	,,	29.92	759.9	82	79	E N E	2	c
aoy, ...	,,	29.73	755.1	86	72	S S E	2	b	6 a.	29.80	756.9	82	75	N E	2	o
atow, ...	,,	29.75	755.6	85	79	...	0	o	,,	29.79	756.6	78	91	E	1	o
ihoku, ...	1 p.	29.78	756.5	...	...	E	2	...	5 a.	29.87	758.6	...	...	S	2	...
ichu, ...	,,	29.79	756.6	...	...	N	4	...	,,	29.85	758.2	...	...	...	0	...
inan, ...	,,	29.78	756.5	...	...	S W	6	...	,,	29.84	757.8	...	...	E	2	...
eshun.....	,,	29.79	756.7	...	...	N W	2	...	,,	29.84	757.8	...	...	..	0	...
scadores, ...	,,	29.78	756.4	...	...	N	6	...	,,	29.84	758.0	...	...	N	4	...
nton, ...	3 p.	29.77	756.1	91	60	E	1	b	9 a.	...	...	...	...	...	...	...
ongkong, ...	4 p.	29.76	755.9	83	60	E	2	b	10 a.	29.89	759.2	83	78	E	2	o
ictoria Peak, ...	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	...	0	...
ep Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao, ...	,,	29.76	755.9	84	...	S E	1	c	,,	29.91	759.7	83	...	...	0	o
ochow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
akhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	29.67	753.6	79	...	E N E	2	o	10 a.	29.84	757.9	75	...	S E	3	o
aurane, ...	,,	29.75	755.7	86	...	N	2	c	,,	29.87	758.7	81	...	...	0	b
ape St. James, .	,,	29.73	755.2	88	...	W S W	2	o	,,	29.87	758.6	79	...	W S W	2	o
parri, ...	2 p.	29.76	755.8	84	...	N	1	o	6 a.	29.84	757.9	73	...	S W	1	o
anila.	4 p.	29.72	755	82	77	S W	1	o	10 a.	29.84	758	82	77	W N W	1	o
egaspi, ...	2 p.	29.72	754.9	81	...	W	1	o	6 a.	29.82	757.4	73	...	...	0	o
acolod, ...	3 p.	...	...	...	...	S W	2	c	9 a.	...	...	...	...	S W	1	c
oilo, ...	,,	29.75	755.6	84	...	S W	3	o	,,	29.85	758.2	80	...	S W	1	c
ebu, ...	,,	29.76	755.9	86	...	S	3	or	,,	29.89	759.2	82	...	S	3	or
abuan, ...	,,	29.78	756.4	88	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 18th at 12.50 p.—The barometer has fallen rapidly over E. Japan, particularly at Tokio. It has risen moderately to slightly over China, Formosa and the Philippines.

The typhoon is moving N.E. and approaching the S.E. coast of Japan in the neighbourhood of Yokohama.

Pressure is high over China to the North of the Upper Yangtze, and the normal is now attained along the China coast.

Fresh N.E. winds are expected to prevail in the Formosa Channel, and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, moderate or fresh; showery.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 2.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 18th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th September, 1907, P.M.								19th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	E	4	...	6 a.	29.69	754.1	...	...	N E	6	...
Hakodate,	,,	29.77	756.2	...	...	E	6	...	,,	29.81	757.2	...	...	N	6	...
Tokio,	,,	29.85	745.6	...	...	N	8	...	,,	29.79	756.6	...	...	N W	4	...
Kochi,	,,	29.63	753.8	...	...	N	4	...	,,	29.91	759.8	...	...	N	2	...
Nagasaki,	,,	29.80	756.8	...	...	N	6	...	,,	29.95	760.8	...	...	N E	4	...
Kagoshima,	,,	29.72	754.9	...	...	E	2	...	,,	29.92	759.9	...	...	E	2	...
Oshima,	,,	29.77	756.1	...	...	N	4	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	29.81	757.2	...	...	N W	4	...	,,	29.85	758.2	...	...	..	0	...
Ishigakijima,	,,	29.85	758.3	...	...	S	4	...	,,	29.89	759.3	...	...	N	2	...
Chefoo,	3 p.	...	...	74	59	N	4	c	6 a.	30.09	764.3	71	95	N E	3	c
Weihaiwei,	,,	30.03	762.7	73	...	N N W	4	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.25	768.3	66	95	N	1	or
Kiukiang,	,,	30.03	762.7	89	73	S W	2	o	,,	...	...	..	...	...	...	...
Shanghai,	,,	29.93	760.2	79	78	N W	1	o	9 a.	30.04	763.0	78	78	N	1	c
Gutzlaff,	,,	29.90	759.4	83	75	N N E	1	cv	,,	29.99	761.7	77	82	N N E	2	cv
Sharp Peak,	,,	29.87	758.7	81	83	N E	3	o	,,	30.01	762.2	81	80	N E	3	o
Amoy,	,,	29.79	756.6	86	68	E S E	2	o	6 a.	29.83	757.7	80	66	N E	2	c
Swatow,	,,	29.84	757.9	83	75	E	1	o	,,	29.91	759.7	75	95	E	1	c
Taihoku,	1 p.	29.88	759.0	...	...	E	4	...	5 a.	29.96	760.9	...	...	E	2	...
Taichu,	,,	29.86	758.4	...	...	N	4	...	,,	29.93	760.1	...	...	...	0	...
Tainan,	,,	29.86	758.4	...	...	N E	6	...	,,	29.91	759.7	...	...	S E	2	...
Koshun,	,,	29.86	753.5	...	...	E	4	...	,,	29.93	760.1	...	...	N E	2	...
Pescadores,	,,	29.85	758.1	...	...	N E	8	...	,,	29.91	759.7	...	...	S E	2	...
Canton,	3 p.	29.82	757.4	89	69	...	0	o	9 a.	30.02	762.5	82	75	N E	1	o
Hongkong,	4 p.	29.85	758.2	77	91	...	0	od	10 a.	30.00	762.0	82	73	E	3	o
Victoria Peak,	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	83	...	S E	1	o	,,	30.01	762.2	83	...	E	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.5	82	...	E S E	3	c	10 a.	29.97	761.3	79	...	E N E	3	c
Tourane,	,,	29.79	756.7	90	...	S	3	c	,,	29.95	760.8	82	...	...	0	b
Cape St. James,	,,	29.75	755.7	86	...	N W	2	c	,,	29.87	758.6	81	...	N N W	2	c
Aparri,	2 p.	29.82	757.4	86	...	E	1	b	6 a.	29.90	759.4	73	...	S W	1	b
Manila,	4 p.	29.76	755.9	84	71	S S E	0	o	10 a.	29.92	760	79	92	E S E	1	o
Legaspi,	2 p.	29.79	756.6	88	...	S	1	c	6 a.	29.88	759.0	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S S W	2	c	9 a.	...	...	...	...	S S W	3	c
Iloilo,	,,	29.79	756.6	80	...	S W	5	or	,,	29.89	759.2	81	...	S W	1	b
Cebu,	,,	29.79	756.6	85	...	E	2	o	,,	29.93	760.2	85	...	S	1	b
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.92	759.9	84	...	...	...	...

On the 19th at 11.45 a.—The barometer has fallen quickly in E. Hokkaido owing to the typhoon, which is moving away over the Pacific to the E. of Japan.

Pressure has increased elsewhere, considerably over S. Japan, and moderately over China and the Philippines. It remains high over China to the North of the Upper Yangtze, and the normal is now exceeded by from 0.1 to 0.05 inch along the China coast, and over Formosa and Luzon.

Fresh N.E. winds are expected to prevail in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 19th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th September, 1907, P.M.								20th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
muro,	,,	29.85	758.1	...	...	N E	4	...	6 a.	29.93	760.1	...	...	W	2	...
kodate,	,,	29.93	760.2	...	...	S	0	...	,,	30.09	764.2	...	...	N	2	...
lio,	,,	29.87	758.6	...	...	N E	2	...	,,	30.06	763.6	...	...	N W	2	...
chi,	,,	29.91	759.8	...	...	N	4	...	,,	29.99	761.8	...	...	S W	2	...
gasaki,	,,	29.95	760.8	...	...	E	6	...	,,	29.99	761.8	...	...	E	2	...
goshima,	,,	29.92	759.9	...	...	...	0	...	,,	30.00	761.9	...	...	N E	4	...
hima,	,,	29.89	759.1	...	...	E	2	...	,,	29.93	760.1	...	...	...	0	...
ha,	,,	29.89	759.2	...	...	...	0	...	,,	29.89	759.2	...	...	...	0	...
igakijima,	,,	29.89	759.3	...	...	N	6	...	,,	29.89	759.3	...	...	N	2	...
efoo,	3 p.	30.09	764.3	72	76	N N W	2	c	6 a.	30.05	763.2	79	57	N E	3	c
ihaiwei,	,,	30.09	764.3	74	...	N E	3	b	9 a.	30.09	764.3	74	...	N E	5	ovr
nkow,	,,	...	...	...	...	...	...	...	6 a.	30.20	767.1	67	95	N W	1	o
nkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
anghai,	,,	30.01	762.2	77	82	N E	1	o	9 a.	30.02	762.5	72	90	N N E	...	m
nzlaff,	,,	29.97	761.2	79	78	N N E	2	cv	,,	29.98	761.5	72	100	N	1	omd
arp Peak,	,,	29.96	761.0	83	79	N E	3	cv	,,	30.00	762.0	82	85	N	1	b
noy,	,,	29.86	758.4	88	69	N E	2	c	6 a.	29.87	758.7	80	74	S W	2	b
atow,	,,	29.88	758.9	85	64	E	3	b	,,	...	...	...	...	...	...	...
ihoku,	1 p.	29.94	760.6	...	...	E	6	...	5 a.	29.94	760.4	...	...	S	2	...
ichu,	,,	29.90	759.5	...	...	N E	2	...	,,	29.93	760.1	...	...	N	2	...
inan,	,,	29.92	760.0	...	...	S W	4	...	,,	29.91	759.6	...	...	E	2	...
shun,	,,	29.93	760.1	...	...	N E	4	...	,,	29.92	759.9	...	...	...	0	...
scadores,	,,	29.93	760.2	...	...	N	8	...	,,	29.89	759.1	...	...	N	4	...
aton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ongkong,	4 p.	29.92	760.0	81	72	E	3	b	10 a.	30.00	762.0	83	65	E	2	b
ctoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	E	2	...
p Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
scao,	,,	29.93	760.2	85	...	S E	1	c	,,	30.00	762.0	84	...	E N E	1	c
ihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	...	...	...	...	...	...	...	10 a.	30.04	763.0	73	...	E N E	5	or
urane,	,,	29.87	758.8	86	...	N	2	c	,,	29.96	761.0	77	...	...	0	o
e St. James,	,,	29.75	755.6	86	...	N E	1	o	,,	29.88	758.8	81	...	N W	1	c
arri,	2 p.	29.88	759.0	86	...	N E	1	b	6 a.	29.90	759.4	75	...	S W	1	b
anila,	4 p.	29.84	758	82	70	...	0	o	10 a.	29.92	760	82	77	W	1	b
gaspi,	2 p.	29.85	758.2	90	...	W	1	b	6 a.	29.89	759.3	77	...	...	0	b
ulod,	3 p.	...	...	...	...	S S W	2	o	9 a.	...	...	...	...	S W	1	b
nilo,	,,	29.83	757.7	84	...	S W	3	b	,,	29.91	759.7	83	...	...	0	b
chu,	,,	29.85	758.2	87	...	S	3	b	,,	29.94	760.5	86	...	E	1	b
ihuan,	,,	29.82	757.4	87	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 20th at 11.55 a.—The barometer has a tendency to fall over China. It has risen considerably in E. Japan. Except over E. Hokkaido, pressure is in slight to moderate excess of the normal generally.

The highest pressure is lying over China to the North of the Upper Yangtze, and the lowest probably in about 15° Lat. both over the China Sea and Pacific. Gradients are slight.

Moderate N.E. winds are expected to prevail in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 20th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th September, 1907, P.M.								21st September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.04	763.1	...	...	S	4	...	6 a.	30.16	766.1	...	...	N W	4	
Hakodate,	,,	30.05	763.2	...	...	W	6	...	,,	30.21	767.2	...	...	N	2	
Tokio,	,,	30.06	763.6	...	...	N W	2	...	,,	30.14	765.6	...	...	N W	4	
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.88	758.8	...	...	S W	2	
Nagasaki,	,,	29.91	759.8	...	...	S E	2	...	,,	29.84	757.8	...	...	...	0	
Kagoshima,	,,	29.92	759.9	...	...	N E	4	...	,,	29.80	756.9	...	...	...	0	
Oshima,	,,	29.89	759.1	...	...	S E	6	...	,,	29.85	758.1	...	...	...	0	
Naha,	,,	29.85	758.2	...	...	W	2	...	,,	29.85	758.2	...	...	...	0	
Ishigakijima,	,,	29.85	758.3	...	...	S E	4	...	,,	29.82	757.3	...	...	N	2	
Bonin Is.	,,	29.93	760.1	...	...	S W	2	...	,,	29.97	761.1	...	...	...	0	
Chefoo,	3 p.	30.04	763.0	75	...	N E	2	b	6 a.	...	...	...	...	...	...	
Weihaiwei,	,,	30.03	762.7	71	...	S E	3	c	9 a.	30.07	763.8	74	...	E S E	3	
Hankow,	,,	30.18	766.6	76	91	N W	1	o	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.09	764.3	71	90	N E	2	o	,,	...	...	...	...	...	...	
Shanghai,	,,	29.95	760.7	69	100	N N W	1	or	9 a.	29.95	760.7	71	90	N N W	3	
Gutzlaff,	,,	29.91	759.7	72	100	N N E	1	omd	,,	29.86	758.4	73	90	N N W	4	
Sharp Peak,	,,	29.89	759.2	82	81	E N E	2	o	,,	29.93	760.2	82	87	...	0	
Amoy,	,,	29.83	757.7	87	69	S E	2	b	6 a.	29.83	757.7	86	92	S E	1	
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...		
Taihoku,	1 p.	29.90	759.4	...	...	E	6	...	5 a.	29.89	759.2	...	...	S	2	
Taichu,	,,	29.89	759.2	...	...	S W	2	...	,,	29.90	759.4	...	...	...	0	
Tainan,	,,	29.89	759.3	...	...	S W	4	...	,,	29.88	758.8	...	...	E	2	
Koshun,	,,	29.90	759.4	...	...	N W	4	...	,,	29.88	758.8	...	...	N E	2	
Pescadores,	,,	29.89	759.3	...	...	N E	8	...	,,	29.88	758.8	...	...	N	4	
Canton,	3 p.	29.98	761.5	86	72	N	1	c	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.90	759.4	82	65	E	3	b	10 a.	29.93	760.2	86	60	E	1	
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N	1	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.91	759.7	85	...	E	1	c	,,	29.94	760.5	84	...	N E	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.92	760.0	84	...	E S E	2	c	10 a.	29.97	761.3	79	...	N N W	3	
Tourane,	,,	29.89	759.1	77	...	N	3	or	,,	29.95	760.7	77	...	N N W	1	
Cape St. James,	,,	29.77	756.2	86	...	S	1	c	,,	29.84	758.0	75	...	N W	1	
Aparri,	2 p.	29.86	758.5	88	...	N E	1	b	6 a.	29.88	759.0	75	...	W	1	
Manila,	4 p.	29.84	758	86	65	W S W	3	c	10 a.	29.92	760	84	71	W	1	
Legaspi,	2 p.	29.83	757.8	88	...	W	1	b	6 a.	29.86	758.4	77	...	W	1	
Bacolod,	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	S W	1	
Iloilo,	,,	29.83	757.7	85	...	S W	2	b	,,	29.89	759.2	81	...	S W	1	
Cebu,	,,	29.79	756.6	88	...	S	1	b	,,	29.89	759.2	86	...	...	0	
Labuan,	,,	29.84	757.9	83	...	...	...	...	,,	29.94	760.5	78	...	...	...	

On the 21st at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen sharply in W. Japan. slight decrease of pressure has taken place also over China and the Philippines.

A shallow depression has appeared over the Eastern Sea between Meiaco Sima and S.W. Japan.

Pressure is high over the N.E. part of the Sea of Japan, and also over China to the North of the Upper Yangtz

Moderate or fresh N. and N.E. winds may be expected in the Formosa Channel, and the N. part of the Chin Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate; fair.
2.—Formosa Channel,	N. to N.E. winds, moderate or fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 21st September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st SEPTEMBER, 1907, P.M.								22nd SEPTEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
emuro,	,,	30.16	766.1	...	...	S	2	...	6 a.	...	...	...	...	...	...	...
akodate,	,,	30.17	766.2	...	...	S E	6	...	,,	...	...	...	...	...	...	...
okio,	,,	30.02	762.6	...	...	N W	6	...	,,	...	...	...	...	...	...	...
ochi,	,,	29.76	755.8	...	...	S W	2	...	,,	...	...	...	...	...	...	...
agasaki,	,,	29.76	755.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
agoshima,	,,	29.72	754.9	...	...	W	4	...	,,	...	...	...	...	...	...	...
shima,	,,	29.81	757.1	...	...	W	4	...	,,	...	...	...	...	...	...	...
aba,	,,	29.85	758.2	...	...	N W	2	...	,,	...	...	...	...	...	...	...
shigakijima,	,,	29.85	758.3	...	...	N W	4	...	,,	...	...	...	...	...	...	...
onin Is.	,,	29.93	760.1	...	...	S	2	...	,,	...	...	...	...	...	...	...
hefoo,	3 p.	30.01	762.2	76	60	E N E	2	b	6 a.	29.95	760.7	64	89	...	...	b
eihaiwei,	,,	30.01	762.2	77	...	N E	2	c	9 a.	30.06	763.5	73	...	S E	2	b
ankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang	,,	30.05	763.2	83	43	N E	1	b	,,	30.07	763.8	66	95	...	0	b
hanghai,	,,	29.94	760.5	76	69	N N E	2	c	9 a.	30.05	763.2	76	64	...	0	b
utzlaff,	,,	29.89	759.2	75	77	N N E	4	cv	,,	29.99	761.7	75	68	E N E	2	cv
harp Peak,	,,	29.88	758.9	79	87	N E	3	odv	,,	29.99	761.7	78	82	N E	3	og
moy	,,	29.79	756.6	86	76	S E	3	c	6 a.	29.84	757.9	83	87	N E	2	c
watow,	,,	29.81	757.2	87	76	E	2	b	,,	29.88	758.9	75	90	...	0	or
aihoku,	1 p.	29.89	759.1	...	...	N E	6	...	5 a.	29.91	759.6	...	...	E	2	...
aichu,	,,	29.87	758.6	...	...	N	4	...	,,	29.90	759.5	...	...	...	0	...
ainan,	,,	29.87	758.6	...	...	W	4	...	,,	29.38	758.8	...	...	..	0	...
oshun	,,	29.85	758.2	...	...	S W	2	...	,,	29.88	758.8	...	...	N E	4	...
escadores,	,,	29.86	758.5	...	...	N	6	...	,,	29.86	758.5	...	...	N	8	...
anton,	3 p.	29.89	759.2	88	96	N N W	1	c	9 a.	29.96	761.0	83	71	E	2	b
ongkong,	4 p.	29.86	758.4	85	71	S W	1	c	10 a.	29.96	761.0	82	75	N N E	1	c
ictoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	...	0	...
ap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao,	,,	29.87	758.7	81	...	E	1	c	,,	29.96	761.0	85	...	E S E	1	o
oihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
akhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien,	4 p.	29.85	758.2	82	...	E S E	4	c	10 a.	...	...	...	...	...	...	...
ourane,	,,	29.87	758.6	81	...	N	3	o	,,	...	...	...	...	...	...	...
ape St. James,	,,	29.83	757.6	81	...	S E	1	c	,,	...	...	...	...	...	...	...
aparri,	2 p.	29.84	758.0	86	...	N	1	b	6 a.	29.86	758.4	75	...	S W	1	p
anila,	4 p.	29.80	757	86	71	S W	3	c	10 a.	29.92	760	84	71	W	1	o
egaspi,	2 p.	29.83	757.7	82	...	...	0	o	6 a.	29.85	758.1	77	...	W	1	b
acolod,	3 p.	...	...	...	...	W S W	2	c	9 a.	...	...	...	...	S W	1	c
oilo,	,,	29.81	757.2	85	...	S W	1	b	,,	29.89	759.2	83	...	W	1	b
ebu,	,,	29.83	757.7	86	...	S	1	c	,,	29.91	759.7	88	...	S	1	b
abuan,	,,	29.81	757.2	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 22nd at 11.55 a.—The barometer has risen moderately on the E. coast of China, and is little changed at the Southern stations.

Yesterday afternoon the shallow depression was over S.W. Japan, and moving, apparently, to the N.E. The Japanese returns of this morning are not yet to hand.

Gradients are slight on the China coast, and moderate N.E. winds are expected to prevail in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate; showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 22nd September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd SEPTEMBER, 1907, P.M.								23rd SEPTEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.24	768.1	...	...	E	4	...	6 a.	30.16	766.1	...	...	N E	6	...
Hakodate,	,,	30.09	764.2	...	...	E	6	...	,,	30.09	764.2	...	...	N W	2	...
Tokio,	,,	29.83	757.6	...	...	N W	2	...	,,	29.99	761.6	...	...	N W	2	...
Kochi,	,,	29.83	757.8	...	...	N	6	...	,,	29.99	761.8	...	...	S W	4	...
Nagasaki,	,,	29.91	759.8	...	...	N	6	...	,,	30.03	762.8	...	...	...	0	...
Kagoshima,	,,	29.87	758.9	...	...	N	2	...	,,	30.04	762.9	...	...	...	0	...
Oshima,	,,	29.93	760.1	...	...	N	4	...	,,	29.97	761.1	...	...	W	2	...
Naha,	,,	29.93	760.2	...	...	N	4	...	,,	29.93	760.2	...	...	N E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.93	760.3	...	...	N E	2	...
Bonin Is.	,,	29.93	760.1	...	...	S	2	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,	3 p.	29.99	761.7	77	61	S S E	1	o	6 a.	30.02	762.5	65	84	S E	1	o
Weihaiwei,	,,	30.03	762.7	76	...	E S E	1	c	9 a.	30.06	763.5	73	...	S E	1	b
Hankow,	,,	30.09	764.3	80	87	N E	1	c	6 a.	30.09	764.3	71	100	N E	1	b
Kiukiang,	,,	29.96	761.0	86	68	N E	1	b	,,	30.03	762.7	71	99	N E	1	c
Shanghai,	,,	29.99	761.7	77	65	E	1	c	9 a.	30.07	763.8	78	70	S E	1	c
Gutzlaff,	,,	29.97	761.2	79	66	E	1	cv	,,	30.02	762.5	75	81	E S E	3	cv
Sharp Peak,	,,	29.96	761.0	79	82	N E	3	b	,,	30.01	762.2	79	68	N	2	og
Amoy,	,,	29.85	758.2	84	87	N E	3	c	6 a.	29.87	758.7	78	68	N E	1	c
Swatow,	,,	29.84	757.9	83	71	E N E	3	o	,,	29.91	759.7	75	90	N E	1	c
Taihoku,	1 p.	29.92	759.9	...	...	N E	6	...	5 a.	29.93	760.1	...	...	E	4	...
Taichu,	,,	29.89	759.1	...	...	N	4	...	,,	29.90	759.5	...	...	...	0	...
Tainan,	,,	29.90	759.5	...	...	N	4	...	,,	29.92	759.9	...	...	E	2	...
Koshun,	,,	29.90	759.4	...	...	N E	6	...	,,	29.91	759.6	...	...	N E	8	...
Pescadores,	,,	29.90	759.5	...	...	N E	10	...	,,	29.91	759.8	...	...	N E	6	...
Canton,	3 p.	29.90	759.4	87	65	W	1	c	9 a.	29.99	761.7	86	90	E S E	1	b
Hongkong,	4 p.	29.89	759.2	81	80	E S E	3	c	10 a.	30.00	762.0	80	78	E	3	o
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.89	759.2	85	...	S E	1	o	,,	29.99	761.7	80	...	E	2	or
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.86	758.3	84	...	E S E	3	b	10 a.	29.95	760.7	81	...	N E	2	lt
Tourane,	,,	29.85	758.1	88	...	N N E	1	c	,,	29.96	761.0	81	...	...	0	c
Cape St. James,	,,	29.77	756.1	81	...	E S E	2	or	,,	29.87	758.7	81	...	S S E	1	o
Aparri,	2 p.	29.84	758.0	84	...	N	1	b	6 a.	29.87	758.7	75	...	S W	1	b
Manila,	4 p.	29.80	757	86	71	W S W	2	b	10 a.	29.88	759	82	77	W	1	b
Legaspi,	2 p.	29.84	757.9	88	...	N	1	o	6 a.	29.84	758.0	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	85	...	W	3	o	,,	29.87	758.7	83	...	...	0	b
Cebu,	,,	...	...	88	...	S	1	c	,,	29.87	758.7	88	...	S	1	b
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 23rd at 11.45 a.—The barometer has fallen moderately in N.E. Japan. and risen considerably over S. Japan.

The shallow depression is moving away over the Pacific to the E. of Japan.

Pressure has increased and is slightly above the normal along the China coast. It is normal but has a tendency to give way over the Philippines.

The highest pressure is over N. China and the Sea of Japan, the lowest over the Pacific to the E. of the Philippines.

Fresh N.E. winds are expected to prevail in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate or fresh; showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 23rd September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd September, 1907, P.M.								24th September, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Gemuro,	,,	30.08	764.1	...	...	N E	8	...	6 a.	30.20	767.1	...	...	N	4	...
Hakodate,	,,	30.09	764.2	...	...	S	4	...	,,	30.21	767.2	...	...	N	2	...
Tokio,	,,	30.06	763.6	...	...	S E	2	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	S E	4	...	,,	30.07	763.8	...	...	E	2	...
Kagoshima,	,,	30.04	762.9	...	...	E	...	...	,,	30.08	763.9	...	...	E	4	...
Oshima,	,,	30.01	762.1	...	...	S E	4	...	,,	30.01	762.1	...	...	S E	2	...
Naha	,,	29.97	761.2	...	...	E	4	...	,,	29.97	761.2	...	...	N E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	E	8	...	,,	29.93	760.3	...	...	N E	6	...
Sonin Is.	,,	29.97	761.1	...	...	N E	2	...	,,	29.97	761.1	...	...	N E	2	...
Chefoo,	3 p.	30.03	762.7	86	76	E N E	2	c	6 a.	30.06	763.5	65	95	E S E	2	o
Weihaiwei,	,,	...	...	78	...	N N E	1	ovr	9 a.	30.08	764.0	66	...	W N W	3	c
Tankow,	,,	30.06	763.5	83	87	N E	1	c	6 a.	30.11	764.8	...	...	N N W	0	b
Chinkiang,	,,	30.00	762.0	86	55	N W	1	c	,,	30.00	762.0	74	81	...	0	c
Shanghai,	,,	30.01	762.2	79	54	S E	2	c	9 a.	30.05	763.2	79	95	E	1	c
Gutzlaff,	,,	29.98	761.2	81	62	E S E	3	cv	,,	30.02	762.5	78	74	E S E	2	cu
Sharp Peak,	,,	29.97	761.2	80	82	N E	3	og	,,	30.00	762.0	80	82	E N E	1	b
Amoy,	,,	29.88	758.9	87	69	E	2	b	6 a.	29.90	759.4	79	87	N N E	2	c
Swatow,	,,	29.91	759.7	85	72	E S E	2	b	,,	29.92	759.9	75	95	N E	1	c
Taihoku,	1 p.	29.95	760.8	...	...	E	6	...	5 a.	29.93	760.3	...	...	E	4	...
Taichu,	,,	29.89	759.3	...	...	S	2	...	,,	29.91	759.7	...	...	...	0	...
Tainan,	,,	29.93	760.2	...	...	W	2	...	,,	29.94	760.4	...	...	E	4	...
Koshun	,,	29.93	760.2	...	...	N E	6	...	,,	29.89	759.3	...	...	N E	8	...
Pescadores,	,,	29.93	760.1	...	...	N	8	...	,,	29.89	759.2	...	...	N	4	...
Canton,	3 p.	29.94	760.5	83	83	S	1	or	9 a.	30.00	762.0	85	76	...	0	b
Hongkong,	4 p.	29.92	759.9	82	74	E	4	c	10 a.	30.00	762.0	81	79	S E	1	op
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	S S E	1	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao	,,	29.92	759.9	83	...	E	3	o	,,	29.99	761.7	84	...	E S E	2	c
Lichow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Kiaochow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haiphong,	4 p.	29.86	758.5	82	...	E S E	2	o	10 a.	29.95	760.7	81	...	E	2	c
Turane,	,,	29.88	758.9	84	...	E N E	2	c	,,	29.97	761.2	77	...	E	1	c
Cape St. James,	,,	29.82	757.5	84	...	W S W	2	c	,,	29.87	758.6	81	...	W S W	1	c
Aparri,	2 p.	29.85	758.2	86	...	N E	1	b	6 a.	29.84	758.0	77	...	W	1	p
Manila,	4 p.	29.80	757	88	66	S S E	1	...	10 a.	29.88	759	86	71	W	2	c
Legaspi,	2 p.	29.83	757.7	81	...	N W	1	o	6 a.	29.84	757.8	75	...	...	0	b
Iloilo,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	S E	1	c
Cebu,	,,	29.79	756.6	86	...	S W	2	c	,,	29.85	758.2	82	...	...	0	c
Calbuan,	,,	29.78	756.4	88	...	...	0	o	,,	29.88	758.9	84	...	S	1	o
	,,	29.81	757.2	86	...	...	...	...	,,	...	...	81	...	...	...	...

On the 24th at 11.45 a.—The barometer has risen moderately in E. Japan, and no marked change has taken place in other areas. There is still a tendency for pressure to give way over Luzon.

Pressure is high over the N.E. part of the Sea of Japan, the normal being exceeded by about 0.25 inch over E. Japan. Over the Philippines the mercury stands near its average point. The lowest pressure appears to be lying over the Pacific to the N.E. of Luzon.

Fresh N.E. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	E. to N.E. winds, moderate; showery.
Formosa Channel,	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 24th September, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th September, 1907, P.M.								25th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	N	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.17	766.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.18	766.6	...	...	N	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.07	763.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.03	762.8	...	...	W	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.00	762.1	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.97	761.2	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	N E	2	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.05	763.2	74	72	N N W	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.04	763.0	73	...	N W	2	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.14	765.5	90	100	N N W	1	o	6 a.	30.09	764.3	79	100	N	1	or
Kiukiang,	,,	30.04	763.0	76	82	N E	2	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.00	762.0	78	82	N E	1	o	9 a.	30.04	763.0	76	77	N E	1	o
Gutzlaff,	,,	29.96	761.0	78	70	E N E	2	cm	,,	29.93	761.5	75	81	N E	4	cm
Sharp Peak,	,,	29.94	760.5	81	78	N E	3	b	,,	29.95	760.7	80	82	N E	2	c
Amoy,	,,	29.83	757.7	88	62	E S E	3	b	6 a.	29.86	758.4	80	78	N N E	1	c
Swatow,	,,	29.86	758.4	85	76	E	2	b	,,	29.87	758.7	77	86	N E	1	c
Taihoku,	1 p.	29.91	759.8	...	...	N E	8	...	5 a.	29.88	759.0	...	...	E	4	...
Taichu,	,,	29.89	759.1	...	...	W	2	...	,,	29.85	758.1	...	...	...	0	...
Tainan,	,,	29.89	759.2	...	...	N W	4	...	,,	29.86	758.3	...	...	S E	2	...
Koshun	,,	29.89	759.3	...	...	N	6	...	,,	29.87	758.7	...	...	E	6	...
Pescadores,	,,	29.89	759.3	...	...	N E	10	...	,,	29.84	757.9	...	...	N	4	...
Canton,	3 p.	29.91	759.7	87	65	N E	1	b	9 a.	29.96	761.0	84	75	...	0	b
Hongkong,	4 p.	29.89	759.2	81	68	E	1	c	10 a.	29.94	760.5	84	66	S E	1	c
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.90	759.4	85	...	S E	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.8	82	...	...	3	c	10 a.	29.92	760.0	82	...	E N E	2	c
Tourane,	,,	29.86	758.4	86	...	N	1	c	,,	29.94	760.4	81	...	...	0	b
Cape St. James,	,,	29.80	757.0	82	...	S	1	o	,,	29.87	758.6	82	...	...	0	b
Aparri,	2 p.	29.80	756.9	84	...	N	1	o	6 a.	...	...	...	...	...	...	...
Manila.	4 p.	29.76	756	88	72	S W	1	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.79	756.6	88	...	W	1	b	6 a.	29.82	757.5	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S E	1	c
Iloilo,	,,	29.79	756.6	85	...	S W	2	b	,,	29.83	757.7	83	...	S W	1	b
Cebu,	,,	29.80	756.9	87	...	S	2	b	,,	29.88	758.9	88	...	S	1	b
Labuan,	,,	29.80	756.9	88	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 25th at 11.55 a.—The barometer has fallen slightly over the China coast, Formosa and Luzon.

An area of low pressure, apparently shallow, appears to be situated in the neighbourhood of N. Luzon. The returns from Japan and Aparri are, however, not yet to hand.

Pressure is highest over China to the North of the Upper Yangtze. It is normal over the China coast and Formosa and in slight defect in S. Luzon.

Fresh N.E. winds are expected to prevail in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate or fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 25th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th September, 1907, P.M.								26th September, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	.	..
auro, ...	,,	30.24	768.1	...	...	S E	4	...	6 a.	30.28	769.1	...	...	E	4	...
kodate, ...	,,	30.09	764.2	...	...	S E	10	...	,,	30.01	762.2	...	...	E	10	...
io, ...	,,	30.10	764.6	...	...	N E	2	...	,,	30.02	762.6	...	...	N W	4	...
hi, ...	,,	29.95	760.8	...	...	S E	4	...	,,	29.95	760.8	...	...	S W	2	...
gasaki, ...	,,	29.95	760.8	...	...	S	2	...	,,	29.95	760.8	...	...	S W	2	...
goshima, ...	,,	29.96	760.9	...	...	...	0	...	,,	29.96	760.9	...	...	N E	4	...
ima, ...	,,	...	...	...	...	S E	2	...	,,	29.89	759.1	...	...	...	0	...
ha, ...	,,	...	...	...	...	...	..	...	,,	29.85	758.2	...	...	...	0	...
igakijima, ...	,,	...	...	...	...	...	...	...	,,	29.86	758.3	...	...	E	2	...
n Is.	,,	29.77	756.1	...	...	N E	4	...	,,	29.77	756.1	...	...	N E	2	...
foo, ...	3 p.	30.05	763.2	69	74	N W	2	o	6 a.	30.06	763.5	66	94	N W	1	b
ihaiwei, ...	,,	30.05	763.2	67	...	N W	2	c	9 a.	30.08	764.0	69	...	N E	1	b
kow, ...	,,	30.10	764.5	71	100	N	1	or	6 a.	30.14	765.5	67	95	N	1	c
kiang, ...	,,	30.00	762.0	70	95	N E	1	or	,,	30.06	763.5	67	90	N E	3	o
nghai, ...	,,	29.96	761.0	76	69	N E	2	o	9 a.	30.02	762.5	71	81	N	1	om
zlaff, ...	,,	29.92	759.9	75	86	N E	4	om	,,	29.97	756.1	71	81	E N E	...	om
rp Peak, ...	,,	29.87	758.7	81	83	E N E	3	b	,,	29.91	759.7	79	82	N N E	2	og
oy	,,	29.78	756.4	89	59	E N E	2	c	6 a.	29.80	756.9	89	73	N E	1	b
atow, ...	,,	29.78	756.4	86	83	S E	2	b	,,	29.80	756.9	78	91	N E	1	c
hoku, ...	1 p.	29.84	758.0	...	...	E	8	...	5 a.	29.81	757.1	...	...	E	6	...
ihu, ...	,,	29.82	757.4	...	...	W	2	...	,,	29.82	757.4	...	...	...	0	...
nan, ...	,,	29.83	757.6	...	...	S	4	...	,,	29.83	757.7	...	...	E	2	...
hun	,,	29.84	757.9	...	...	N E	6	...	,,	29.82	757.3	...	...	N E	6	...
adores, ...	,,	29.82	757.5	...	...	N	8	...	,,	29.80	757.0	...	...	N	4	...
ston	3 p.	29.85	758.2	91	60	...	0	b	9 a.	29.93	760.2	77	91	...	0	o
gkong, ...	4 p.	29.83	757.7	83	65	E	1	b	10 a.	29.92	759.9	77	89	E N E	1	op
toria Peak, ...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E S E	1	...
Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ao, ...	,,	29.84	757.9	86	...	S E	1	c	,,	29.90	759.4	84	...	S E	1	o
ihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
khoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	29.82	757.3	86	...	S S E	2	c	10 a.	29.91	759.8	81	...	N E	1	c
mane, ...	,,	29.83	757.6	88	...	N E	2	c	,,	29.93	760.1	82	...	...	0	b
St. James, .	,,	29.74	755.4	84	...	S W	1	c	,,	29.87	758.6	82	...	W	1	c
arri, ...	2 p.	...	...	...	...	..	...	...	6 a.	...	...	...	...	..	...	...
hila, ...	4 p.	29.72	754.9	86	72	S W	2	b	10 a.	29.84	758	86	71	...	0	o
gasapi, ...	2 p.	29.74	755.5	88	...	W	1	b	6 a.	...	...	...	...	...	...	...
tolod, ...	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	S W	2	c
ko, ...	,,	29.75	755.6	76	...	S W	2	c	,,	29.85	758.2	83	...	S W	1	b
ho, ...	,,	29.77	756.1	87	...	S	1	c	,,	29.91	759.7	88	...	S	2	c
hian, ...	,,	29.80	756.9	86	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

On the 26th at 11.45 a.—The barometer has fallen moderately to slightly over Japan, Formosa and S. China. It is inclined to rise over the S. Philippines and Central China.

The shallow area of low pressure appears to be still lying in the neighbourhood of N. Luzon, and observations from the Bonins indicate the existence of a depression to the Southward of those islands.

Pressure is highest over the Pacific to the N.E. of Japan, and over China to the North of the Upper Yangtze.

Fresh N. and N.E. winds are expected to prevail in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. and N.E. winds, moderate or fresh; fair to showery.
Formosa Channel, ...	N. and N.E. winds, fresh to strong.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 26th September, 1907.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th September, 1907, P.M.								27th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro, ...	,,	30.24	768.1	...	...	E	8	...	6 a.	30.12	765.1	...	...	S E	6	...
Hakodate, ...	,,	29.97	761.2	...	...	S E	10	...	,,	29.93	760.2	...	...	S W	4	...
Tokio, ...	,,	29.98	761.6	...	...	N	2	...	,,	29.95	760.6	...	...	...	0	...
Kochi, ...	,,	29.95	760.8	...	...	S W	2	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki, ...	,,	29.91	759.8	...	...	N E	4	...	,,	29.88	758.8	...	...	N	2	...
Kagoshima, ...	,,	29.88	758.9	...	...	N E	2	...	,,	29.88	758.9	...	...	E	8	...
Oshima,.....	,,	29.85	758.1	...	...	N	2	...	,,	29.81	757.1	...	...	S	2	...
Naha,.....	,,	29.85	758.2	...	...	N W	4	...	,,	29.77	756.2	...	...	...	0	...
Ishigakijima,....	,,	29.85	758.3	...	...	E	4	...	,,	29.82	757.3	...	...	N E	2	...
Bonin Is.....	,,	29.69	754.1	...	...	N E	4	...	,,	29.65	753.1	...	...	N E	4	...
Chefoo,.....	3 p.	30.05	763.2	72	71	N W	1	o	6 a.	29.99	761.7	66	100	N	1	b
Weihaiwei,.....	,,	30.05	763.2	72	...	N	1	b	9 a.	30.04	763.0	71	...	E N E	1	ovr
Hankow, ...	,,	30.10	764.5	76	73	N E	1	o	6 a.	30.07	763.8	68	90	N E	2	c
Kinkiang.....	,,	30.06	763.5	68	95	N E	2	or	,,	30.04	763.0	66	89	N E	3	o
Shanghai, ...	,,	29.96	761.0	73	86	E N E	2	om	9 a.	30.00	762.0	65	95	W	1	dr
Gutzlaff, ...	,,	29.92	759.9	75	77	N E	3	ov	,,	29.94	760.5	67	95	N N E	1	om
Sharp Peak,.....	,,	29.85	758.2	81	81	E N E	3	b	,,	29.86	758.4	82	85	N E	3	b
Amoy,.....	,,	29.75	755.6	89	69	E	3	c	6 a.	29.79	756.6	82	75	N E	1	c
Swatow, ...	,,	29.77	756.1	87	76	E S E	2	b	,,	29.80	756.9	79	85	N W	2	c
Taihoku,.....	1 p.	29.79	756.7	...	...	E	6	...	5 a.	29.79	756.7	...	...	E	2	...
Taichu, ...	,,	29.80	756.8	...	...	N W	4	...	,,	29.81	757.1	...	...	...	0	...
Tainan,.....	,,	29.80	756.9	...	...	S W	4	...	,,	29.80	756.8	...	...	N E	2	...
Koshun.....	,,	29.82	757.5	...	...	E	6	...	,,	29.80	756.8	...	...	E	6	...
Pescadores, ...	,,	29.79	756.7	...	...	N	6	...	,,	29.79	756.6	...	...	N E	2	...
Canton,.....	3 p.	29.82	757.4	89	66	N W	1	b	9 a.	29.90	759.4	83	67	N N W	1	b
Hongkong, ...	4 p.	29.81	757.2	83	75	W N W	1	o	10 a.	29.88	758.9	82	78	E	1	o
Victoria Peak,...	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	E N E	1	...
Gap Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	29.82	757.4	84	...	...	0	o	,,	29.88	758.9	83	...	N N E	1	c
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien.....	4 p.	29.82	757.5	86	...	S S E	2	c	10 a.	29.90	759.5	85	...	E S E	2	or
Tourane, ...	,,	29.81	757.2	90	...	N E	2	b	,,	29.91	759.8	82	...	...	0	b
Cape St. James,.	,,	29.74	755.4	84	...	S W	1	c	,,	29.84	757.8	81	...	S W	1	c
Aparri, ...	2 p.	29.76	755.9	88	...	N E	1	o	6 a.	29.78	756.4	77	...	S	1	o
Manila, ...	4 p.	29.76	756	86	72	S W	4	c	10 a.	29.80	757	86	79	W	1	c
Legaspi, ...	2 p.	29.75	755.6	86	...	...	0	c	6 a.	29.78	756.3	77	...	...	0	c
Bacolod, ...	3 p.	...	...	...	...	W S W	1	d	9 a.	...	...	...	...	S S W	2	c
Iloilo, ...	,,	29.75	755.6	85	...	S W	2	o	,,	29.85	758.2	83	...	S W	2	b
Cebu,.....	,,	29.78	756.4	87	...	S	2	or	,,	29.84	757.9	86	...	S	1	b
Labuan, ...	,,	29.78	756.4	89	...	...	...	...	,,	29.88	758.9	84	...	...	...	..

On the 27th at 11.45 a.—The barometer has fallen generally. The decrease of pressure is slight over the China coast, Formosa and Luzon, and moderate over Japan, the Bonins and Loochoos.

The depression over the Pacific appears to be still situated to the Southward of, and at a considerable distance from, the Bonin islands.

Also a shallow area of low pressure seems to be lying over the N.E. part of the China Sea.

Pressure is high over the Pacific to the E. of N. Japan.

Fresh N. and N.E. winds are expected to prevail in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. and N.E. winds, moderate or fresh; showery.
2.—Formosa Channel,.....	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 27th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th September, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th September, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...dirostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
...aro,.....	,,	30.08	764.1	...	...	S E	4	...	6 a.	29.97	761.1	...	...	E	6	...
...odate,.....	,,	29.93	760.2	...	...	S W	2	...	,,	29.97	761.2	...	...	N	6	...
...o,.....	,,	29.91	759.6	...	...	N	2	...	,,	29.95	760.6	...	...	N W	2	...
...hi.....	,,	29.87	758.8	...	...	S	2	...	,,	29.88	758.8	...	...	S W	2	...
...asaki,.....	,,	29.83	757.8	...	...	N E	4	...	,,	29.88	758.8	...	...	N E	2	...
...oshima,.....	,,	29.84	757.9	...	...	E	8	...	,,	29.84	757.9	...	...	N E	4	...
...ima.....	,,	29.77	756.1	...	...	E	4	...	,,	29.73	755.1	...	...	S E	2	...
...a.....	,,	29.77	756.2	...	...	N W	4	...	,,	29.73	755.2	...	...	...	0	...
...gakijima,....	,,	29.78	756.3	...	...	N E	4	...	,,	29.78	756.3	...	...	N	2	...
...n Is.....	,,	29.65	753.1	...	...	N E	4	...	,,	29.65	753.1	...	...	E	4	...
...koo.....	3 p.	29.96	761.0	75	72	E	2	b	6 a.	29.93	760.2	68	79	S W	2	b
...hiwei,.....	,,	29.96	761.0	75	...	E	2	b	9 a.	29.91	759.7	73	...	W	4	c
...kow,.....	,,	30.09	764.3	75	72	S	1	c	6 a.	30.12	765.0	67	100	N	1	b
...kiang,.....	,,	30.03	762.7	74	68	N	2	c	,,	30.04	763.0	65	84	N E	1	b
...nghai,.....	,,	...	...	70	70	N	1	o	9 a.	29.99	761.7	71	89	N	1	c
...ahff.....	,,	29.89	759.2	68	95	N	1	omp	,,	29.94	760.5	73	76	N N E	3	ct
...p Peak,.....	,,	29.79	756.6	82	85	E N E	3	b	,,	29.90	759.4	80	82	N	1	ov
...y.....	,,	29.68	753.9	85	72	S E	4	b	6 a.	29.75	755.6	79	82	N E	2	c
...ow.....	,,	29.72	754.9	87	76	E S E	2	b	,,	29.76	755.9	77	86	N E	1	o
...oku,.....	1 p.	29.77	756.1	...	...	N W	2	...	5 a.	29.82	757.4	...	...	...	0	...
...hu.....	,,	29.79	756.7	...	...	N W	2	...	,,	29.79	756.7	...	...	...	0	...
...an.....	,,	29.80	756.8	...	...	W	4	...	,,	29.78	756.5	...	...	...	0	...
...hun.....	,,	29.78	756.4	...	...	N	4	...	,,	29.78	756.4	...	...	E	2	...
...adores,.....	,,	29.78	756.3	...	...	N	6	...	,,	29.78	756.3	...	...	N	6	...
...ion.....	3 p.	29.82	757.4	91	63	N W	2	b	9 a.	29.92	759.9	82	63	N N W	2	b
...gkong.....	4 p.	29.78	756.4	83	77	W	1	c	10 a.	29.87	758.7	82	59	N	1	b
...oria Peak,...	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	N E	2	...
... Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ao.....	,,	29.79	756.6	86	...	E N E	1	o	,,	29.89	759.2	82	...	N	2	c
...ow.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...hoi.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...lien,.....	4 p.	29.78	756.3	84	...	E S E	3	c	10 a.	29.90	759.5	82	...	N E	2	c
...ane,.....	,,	29.80	756.9	88	...	S S E	2	b	,,	29.89	759.3	81	...	...	0	b
...St. James,.	,,	29.72	754.9	86	...	S W	1	c	,,	29.83	757.6	77	...	N W	2	or
...ri.....	2 p.	29.73	755.2	84	...	N E	1	o	6 a.	29.76	756.9	77	...	S	1	o
...ila.....	4 p.	29.72	755	86	71	S W	2	c	10 a.	29.80	757	82	85	W	1	o
...spi,.....	2 p.	29.74	755.4	84	...	W	2	c	6 a.	29.74	755.4	77	...	W	1	b
...lad,.....	3 p.	...	...	...	...	S S E	1	c	9 a.	...	...	...	...	S E	1	o
...a.....	,,	29.75	755.6	83	...	S W	2	c	,,	29.83	757.7	82	...	S W	2	c
...k.....	,,	29.75	755.6	87	...	S	3	c	,,	29.80	756.9	87	...	S	1	b
...an.....	,,	29.75	755.6	88	...	...	...	...	,,	29.83	757.7	84	...	...	...	...

On the 28th at 11.25 a.—The barometer has fallen slightly over the Loochoos and Philippines, and a moderate ...l has taken place over the N.E. coast of China.

The depression over the Pacific appears to be situated about S.W. of the Bonins and S.E. of the Loochoos. It is ...bably moving towards N.W. at present.

Pressure is low, apparently, over E. Manchuria.

The highest pressure is now shown over China to the North of the Upper Yangtze.

Fresh N.E. and N. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...Hongkong and Neighbourhood, ...	N. winds, moderate or fresh; fine.
...Formosa Channel,.....	N.E. and N. winds, fresh.
...South coast of China between Hongkong and Lamocks,.	Same as No. 1.
...South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 28th September, 1907.

...inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th September, 1907, P.M.								29th September, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	
Nemuro,	,,	29.96	761.1	...	...	E	6	...	6 a.	...	...	...	...	...	...	
Hakodate,	,,	29.97	761.2	...	...	N W	6	...	,,	...	...	...	...	...	...	
Tokio,	,,	29.94	760.6	...	...	N E	2	...	,,	...	...	...	...	...	...	
Kochi,	,,	29.87	758.8	...	...	W	2	...	,,	...	...	...	...	...	...	
Nagasaki,	,,	29.83	757.8	...	...	E	6	...	,,	...	...	...	...	...	...	
Kagoshima,	,,	29.80	756.9	...	...	E	8	...	,,	...	...	...	...	...	...	
Oshima,	,,	29.69	754.1	...	...	N	4	...	,,	...	...	...	...	...	...	
Naha,	,,	29.69	754.2	...	...	N	8	...	,,	...	...	...	...	...	..	
Ishigakijima,	,,	29.78	756.3	...	...	N	6	...	,,	...	...	...	...	...	...	
Bonin Is.	,,	29.57	751.1	...	...	E	4	...	,,	...	...	...	...	...	...	
Chefoo,	3 p.	29.92	759.9	68	85	N W	4	o	6 a.	30.10	764.5	62	51	N	2	
Weihaiwei,	,,	29.92	759.9	65	...	N N W	4	ovr	9 a.	...	...	...	...	...	...	
Hankow,	,,	30.12	765.0	79	91	N E	1	b	6 a.	30.17	766.3	70	95	N E	2	
Kiukiang,	,,	30.05	763.2	78	58	N E	2	b	,,	30.11	764.8	65	95	...	0	
Shanghai,	,,	29.94	760.5	78	61	N E	2	c	9 a.	30.08	764.0	75	77	N W	1	
Gutzlaff,	,,	29.89	759.2	76	73	N N E	2	cv	,,	30.02	762.5	75	77	N N E	2	
Sharp Peak,	,,	29.86	758.4	79	80	E N E	3	o	,,	29.98	761.5	79	72	N E	3	
Amoy,	,,	29.74	755.4	85	78	N E	1	c	6 a.	29.75	755.6	79	82	N E	2	
Swatow,	,,	29.77	756.1	81	83	E N E	2	or	,,	29.86	758.4	75	81	N E	1	
Taihoku,	1 p.	29.83	757.8	...	...	E	4	...	5 a.	29.90	759.4	...	...	S E	2	
Taichu,	,,	29.78	756.3	...	...	N	6	...	,,	29.84	758.0	...	...	...	0	
Tainan,	,,	29.78	756.5	...	...	W	4	...	,,	29.82	757.5	...	...	N E	4	
Koshun,	,,	29.78	756.4	...	...	N E	4	...	,,	29.81	757.2	...	...	N E	8	
Pescadores,	,,	29.79	756.7	...	...	N	10	...	,,	29.84	757.8	...	...	N	10	
Canton	3 p.	29.83	757.7	90	47	N N W	2	b	9 a.	29.90	759.4	80	58	S E	1	
Hongkong,	4 p.	29.80	756.9	83	62	E	2	b	10 a.	29.95	760.7	79	71	E	3	
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	6	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.81	757.2	86	...	N	2	c	,,	29.95	760.7	82	...	N N E	2	
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.81	757.2	...	...	E S E	4	lt	10 a.	29.91	759.8	82	...	E N E	4	
Tourane,	,,	29.80	756.8	...	...	N E	1	b	,,	29.91	759.8	81	...	...	0	
Cape St. James,	,,	29.72	755.0	...	...	S W	2	o	,,	29.84	757.8	82	...	S W	1	
Aparri,	2 p.	29.74	755.3	86	...	N E	1	o	6 a.	29.79	756.6	75	...	S W	1	
Manila.	4 p.	29.69	754	86	72	S W	3	c	10 a.	29.80	757	86	71	S W	1	
Legaspi,	2 p.	29.72	755.0	84	...	S W	1	o	6 a.	29.78	756.4	75	...	S W	1	
Bacolod,	3 p.	...	...	...	...	S S W	1	r	9 a.	...	...	...	...	S W	2	
Hoilo,	,,	29.75	755.6	84	...	S W	2	o	,,	29.85	758.2	81	...	S W	1	
Cebu,	,,	29.76	755.9	85	...	S	2	c	,,	29.85	758.2	85	...	S	1	
Labuan,	,,	29.73	755.1	86	...	...	...	...	,,	29.84	757.9	85	...	...	...	

On the 29th at 11.55 a.—The barometer has risen moderately on the China coast, and a slight rise has tak place also over Formosa and the Philippines.

Pressure is highest over N. China, and lowest apparently, over the N.E. part of the China Sea where a l pressure trough probably exists. Along the China coast pressure is normal. It is still in slight defect over Formosa and Luzon.

The Japanese returns of this morning are not yet to hand. Those of yesterday afternoon indicated a tende for the depression lying to the S.W. of the Bonin islands, to recurve Northwards.

Fresh to strong N.E. winds are expected to prevail in the Formosa Channel and along the Northern shores of t China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 29th September, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	29TH SEPTEMBER, 1907, P.M.								30TH SEPTEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
kostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	..	...	...	...	..	...
w,	,,	30.16	766.1	...	...	N E	6	...	6 a.	...	...	...	...	...	...	...
date,	,,	30.09	764.2	...	...	S E	8	...	,,	30.09	764.2	...	...	S E	10	...
	,,	29.94	760.6	...	...	E	2	...	,,	30.02	762.6	...	...	N W	2	...
i	,,	29.87	758.8	...	...	S W	2	...	,,	29.99	761.8	...	...	S W	4	...
aki,	,,	29.91	759.8	...	...	N	6	...	,,	30.03	762.8	...	...	N E	2	...
hima,	,,	29.88	758.9	...	...	E	2	...	,,	30.00	761.9	...	...	N	4	...
a	,,	29.81	757.1	...	...	N E	4	...	,,	29.93	760.1	...	...	N	4	...
	,,	29.81	757.2	...	...	N	6	...	,,	29.89	759.2	...	...	N E	6	...
kijima,	,,	29.82	757.3	...	...	N	6	...	,,	29.89	759.3	...	...	E	4	...
ls.	,,	29.45	748.1	...	...	S E	6	...	,,	29.45	748.1	...	...	S E	8	...
o.	3 p.	30.08	764.0	72	76	N W	3	b	6 a.	30.19	766.8	54	80	S W	2	b
siwei,	,,	30.07	763.8	71	...	...	3	ovr	9 a.	30.25	768.3	68	...	S W	1	b
ow,	,,	30.18	766.6	77	95	N	2	c	6 a.	30.25	768.3	67	95	N E	1	c
iang,	,,	30.10	764.5	76	60	N E	2	b	,,	30.20	767.1	67	74	N E	3	o
ghai,	,,	30.03	762.7	76	68	N E	2	o	9 a.	30.18	766.6	73	58	N E	2	c
laff,	,,	29.98	761.5	77	73	N	3	cv	,,	30.11	764.8	72	67	N E	3	cm
Peak,	,,	29.95	760.7	78	80	...	5	b	,,	30.06	763.5	79	78	N N E	3	c
	,,	29.82	757.4	85	58	N E	4	c	6 a.	29.96	761.0	76	77	N E	3	c
ow,	,,	29.91	759.7	85	61	E	4	c	,,	29.99	761.7	71	76	N E	1	b
oku,	1 p.	29.92	760.0	...	...	E	6	...	5 a.	29.97	761.3	...	...	E	4	...
hu.	,,	29.83	757.7	...	...	N	6	...	,,	29.93	760.1	...	...	...	0	...
an.	,,	29.84	758.0	...	...	N	2	...	,,	29.90	759.5	...	...	...	0	...
nn.	,,	29.84	758.0	...	...	N E	10	...	,,	29.89	759.2	...	...	N E	8	...
adores,	,,	29.85	758.1	...	...	N	10	...	,,	29.90	759.5	...	...	N	10	...
on.	3 p.	29.85	758.2	85	61	...	0	b	9 a.	30.04	763.0	85	72	N E	1	b
gkong,	4 p.	29.89	759.2	81	63	E	3	o	10 a.	30.02	762.5	82	44	E	5	b
oria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E S E	5	...
Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
ao.	,,	29.89	759.2	84	...	E	1	o	,,	30.02	762.5	82	...	E	3	c
how,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
hoi.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hen,	4 p.	29.85	758.1	82	...	S E	6	c	10 a.	30.00	762.0	75	...	E N E	5	or
hane,	,,	29.83	757.7	88	...	E N E	2	c	,,	29.95	760.6	75	...	N N E	1	lt
e St. James,	,,	29.75	755.7	81	...	S W	1	o	,,	29.85	758.2	82	...	...	0	c
ni.	2 p.	29.80	756.9	88	...	N E	1	b	6 a.	29.88	758.8	77	...	S W	1	p
ila.	4 p.	29.76	756	82	77	S E	2	o	10 a.	29.88	759	84	77	S	1	o
aspi,	2 p.	29.77	756.2	77	...	W	1	o	6 a.	29.84	758.0	75	...	..	0	b
olod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N W	1	o
	,,	29.77	756.1	81	...	S W	1	od	,,	29.89	759.2	82	...	S W	1	b
a.	,,	29.78	756.4	87	...	S	2	b	,,	29.90	759.4	87	...	S	1	b
nan.	,,	29.80	756.9	86	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 30th at 11.55 a.—The depression over the Pacific is still situated to the West of the Bonin islands. It ppears to be slowly recurving to the N.E.

Pressure has increased moderately to slightly in other areas. It is high over China to the North of the Yangtze, d relatively low over the middle part of the China Sea.

Fresh to strong N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
Formosa Channel,	N.E. winds, strong.
South coast of China between Hongkong and Lamocks,	Same as No. 2.
South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 30th September, 1907.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th SEPTEMBER. 1907, P.M.								1st OCTOBER. 1907, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.93	760.1	...	...	S	2
Hakodate,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	N E	2
Tokio,	,,	...	...	...	...	...	...	...	,,	29.99	761.6	...	...	N W	4
Kochi,	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	S W	2
Nagasaki,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	...	...	N E	4
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.04	762.9	...	...	N	4
Oshima,	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	S	2
Naha,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	N E	2
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.02	762.3	...	...	N	2
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.29	769.3	64	63	E N E	3
Weihaiwei,	,,	30.21	767.3	70	...	E	2	b	9 a.	30.30	769.6	67	...	E N E	3
Hankow,	,,	30.23	767.8	76	95	N E	1	b	6 a.	30.28	769.1	67	95	N E	1
Kiukiang,	,,	30.18	766.6	77	61	N E	2	b	,,	30.21	767.3	69	75	N E	4
Shanghai,	,,	30.16	766.0	75	48	N E	1	c	9 a.	30.22	767.6	75	60	E N E	2
Gutzlaff,	,,	30.11	764.8	73	63	N E	4	cv	,,	30.15	765.8	72	67	E N E	3
Sharp Peak,	,,	30.03	762.7	78	84	N N E	4	b	,,	30.12	765.0	78	74	N N E	3
Amoy,	,,	29.89	759.2	82	71	N E	2	c	6 a.	29.96	761.0	76	82	N E	2
Swatow,	,,	29.90	759.4	85	72	E	2	b	,,	30.00	762.0	73	81	N E	1
Taihoku,	1 p.	30.00	762.1	...	...	E	4	...	5 a.	30.04	763.0	...	...	E	4
Taichu,	,,	29.92	759.9	...	...	W	2	...	,,	29.99	761.6	...	...	...	0
Tainan,	,,	29.92	759.9	...	...	W	4	...	,,	29.97	761.1	...	...	N E	2
Koshun,	,,	29.92	759.9	...	...	N	6	...	,,	29.98	761.4	...	...	N E	8
Pescadores,	,,	29.92	759.9	...	...	N E	10	...	,,	29.98	761.4	...	...	N	16
Canton,	3 p.	29.95	760.7	87	62	N E	1	o	9 a.	30.07	763.8	83	71	...	0
Hongkong,	4 p.	29.94	760.5	80	62	E	3	b	10 a.	30.04	763.0	81	61	E	5
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	6
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Macao,	,,	29.94	760.5	83	...	E S E	2	b	,,	30.05	763.2	84	...	N E	2
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.7	81	...	E N E	4	f	10 a.	...	...	...	...	...	...
Tourane,	,,	29.89	759.1	75	...	N E	2	or	,,	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.2	86	...	W S W	2	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.86	758.4	88	...	N E	1	b	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	81	...	...	o	10 a.	29.92	760	88	66	S E	1
Legaspi,	2 p.	29.80	756.9	84	...	N W	1	o	6 a.	29.90	759.4	77	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	W S W	1
Iloilo,	,,	29.79	756.6	84	...	S W	2	o	,,	29.93	760.2	83	...	S W	1
Cebu,	,,	29.79	756.6	84	...	S	3	c	,,	29.95	760.7	86	...	S	1
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.88	758.9	83	...	...	...

On the 1st at 11.55 a.—The barometer has fallen a little in E. Japan, and risen slightly to moderately elsewh Yesterday the depression appeared to be approaching the neighbourhood of the Bonin islands, and to be moving wards E.N.E. The return from thence is lacking this morning.

Pressure is high over N. China, and the normal is exceeded by about 0.1 inch along the coast, and over F mosa and the Loochoos.

Pressure is relatively low over the middle part of the China Sea.

Fresh to strong N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 1st October, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st October, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd October, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
livostock, ...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
ro, ...	,,	29.85	758.1	...	...	N E	6	...	6 a.	...	...	...	...	...	...	...
ate, ...	,,	30.01	762.2	...	...	N W	8	...	,,	...	...	...	...	...	...	...
.....	,,	29.87	758.6	...	...	N	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.95	760.8	...	...	N	6	...	,,	...	...	...	...	...	...	...
ki, ...	,,	30.03	762.8	...	...	N	6	...	,,	...	...	...	...	...	...	...
hima, ...	,,	30.00	761.9	...	...	N E	2	...	,,	...	...	...	...	...	...	...
a, ...	,,	30.00	762.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
.....	,,	30.01	762.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
akijima, ...	,,	30.01	762.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
n Is.	,,	29.49	749.1	...	...	S	8	...	,,	...	...	...	...	...	...	...
o, ...	3 p.	30.19	766.8	61	94	E	2	c	6 a.	30.13	765.3	59	94	S	2	o
aiwei, ...	,,	30.18	766.6	66	...	E N E	3	c	9 a.	30.11	764.8	61	...	W	1	o
kow, ...	,,	30.25	768.3	71	100	N N W	1	or	6 a.	...	...	...	...	...	...	...
iang, ...	,,	...	...	...	...	...	...	...	,,	30.16	766.0	64	95	N W	1	o
ghai, ...	,,	30.14	765.5	76	45	E	3	b	9 a.	30.11	764.8	69	75	E	1	o
laff, ...	,,	30.10	764.5	74	55	E N E	3	ov	,,	30.07	763.8	71	71	E S E	3	ov
Peak, ...	,,	30.06	763.5	78	82	N E	3	og	,,	30.09	764.3	79	82	N	1	b
y, ...	,,	29.93	760.2	87	65	N N E	3	b	6 a.	29.96	761.0	78	74	N E	1	c
ow, ...	,,	29.95	760.7	83	67	E	3	c	,,	30.08	764.0	75	81	E N E	2	c
oku, ...	1 p.	30.03	762.7	...	...	E	8	...	5 a.	30.02	762.5	...	...	E	4	...
nu, ...	,,	29.96	761.0	...	...	N	2	...	,,	30.05	763.2	...	...	...	0	...
an, ...	,,	29.98	761.5	...	...	W	4	...	,,	30.02	762.6	...	...	...	0	...
un, ...	,,	29.98	761.6	...	...	N E	6	...	,,	30.01	762.1	...	...	E	2	...
dores, ...	,,	29.99	761.7	...	...	N	10	...	,,	30.00	762.0	...	...	N	6	...
m, ...	3 p.	29.98	761.5	90	50	E	1	b	9 a.	30.07	763.8	85	68	N E	1	b
kong, ...	4 p.	29.97	761.2	80	69	E	3	b	10 a.	30.06	763.5	81	72	E	4	c
ria Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	5	...
Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
o, ...	,,	29.97	761.2	83	...	E S E	2	c	,,	30.06	763.5	82	...	E	1	o
w, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.93	760.3	79	...	E N E	5	f	10 a.	30.00	762.0	77	...	N N E	3	f
ne, ...	,,	29.85	758.1	81	...	E	3	o	,,	29.93	760.2	75	...	E	1	or
St. James, .	,,	29.76	755.8	79	...	W S W	2	o	,,	29.86	758.5	81	...	W	2	c
i, ...	2 p.	29.90	759.5	88	...	E	1	c	6 a.	30.05	763.3	77	...	S W	1	c
la, ...	4 p.	29.88	759	88	65	W S W	3	c	10 a.	29.96	761	84	77	W	1	c
spi, ...	2 p.	29.84	758.0	91	...	W	1	c	6 a.	29.93	760.2	75	...	...	0	b
lod, ...	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N N E	1	c
.....	,,	29.85	758.2	86	...	S W	2	b	,,	...	...	83	...	...	0	b
.....	,,	29.91	759.7	85	...	...	1	b	,,	29.89	759.2	86	...	...	0	c
, ...	,,	29.30	756.9	87	...	...	...	...	,,	29.91	759.7	85	...	...	...	...

On the 2nd at 12.15 p.—The barometer has fallen considerably in N. China, and risen slightly over S. Formosa Luzon.

Pressure appears to be highest over China to the North of the Upper Yangtze. It is probably low over Mania.

The Japanese returns are lacking this morning.

Fresh N.E. and E. winds are expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh; fair.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 2nd October, 1907.

nted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd October, 1907, P.M.								3rd October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	N W	6	...	6 a.	29.85	758.1	...	...	S W	4	...
Hakodate,	,,	29.97	761.2	...	...	W	8	...	,,	29.93	760.2	...	...	S W	2	...
Tokio,	,,	29.98	761.6	...	...	N	6	...	,,	30.06	763.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	E	4	...	,,	30.07	763.8	...	...	...	0	...
Kagoshima,	,,	30.04	762.9	...	...	...	0	...	,,	30.07	763.9	...	...	N E	2	...
Oshima,	,,	30.00	762.1	...	...	...	2	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	N	4	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	E	4	...	,,	30.05	763.3	...	...	N E	4	...
Bonin Is.	,,	29.93	760.1	...	...	N	2	...	,,	30.04	763.1	...	...	N E	2	...
Chefoo,	3 p.	29.99	761.7	72	58	W S W	2	b	6 a.	30.04	763.0	63	83	S W	1	b
Weihaiwei,	,,	30.00	762.0	73	...	S W	4	ovr	9 a.	30.09	764.3	70	...	W	1	o
Hankow,	,,	30.20	767.1	71	95	N W	1	o	6 a.	30.27	768.8	65	95	N W	1	o
Kiukiang,	,,	30.19	766.8	69	85	W	1	o	,,	30.18	766.6	67	90	N W	1	o
Shanghai,	,,	30.04	763.0	65	95	E N E	1	omd	9 a.	30.15	765.8	71	85	N E	1	o
Gutzlaff,	,,	30.00	762.0	71	76	S E	2	ov	,,	30.09	764.3	70	90	E	3	o
Sharp Peak,	,,	29.99	761.7	79	82	N E	3	b	,,	...	...	82	87	N	1	b
Amoy,	,,	29.88	758.7	87	68	S E	3	b	6 a.	29.96	761.0	79	78	N E	1	c
Swatow,	,,	29.92	759.9	84	79	E S E	2	c	,,	29.97	761.2	77	86	E S E	1	l
Taihoku,	1 p.	29.99	761.8	...	...	E	6	...	5 a.	30.04	763.0	...	...	...	0	...
Taichu,	,,	29.98	761.4	...	...	N	4	...	,,	30.02	762.5	...	...	...	0	...
Tainan,	,,	29.97	761.3	...	...	W	4	...	,,	30.02	762.4	...	...	N E	2	...
Koshun	,,	29.98	761.5	...	...	E	6	...	,,	30.01	762.3	...	...	N	2	...
Pescadores,	,,	29.98	761.5	...	...	N	8	...	,,	30.02	762.5	...	...	N E	4	...
Canton,	3 p.	29.95	760.7	91	57	E	1	b	9 a.	30.07	763.8	84	75	E	1	...
Hongkong,	4 p.	29.96	761.0	82	66	E	3	o	10 a.	30.07	763.8	82	75	E	4	...
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.96	761.0	83	...	E S E	2	o	,,	30.07	763.8	83	...	E S E	2	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.7	77	...	E N E	4	or	10 a.	29.97	761.2	73	...	N	2	...
Tourane,	,,	29.82	757.5	81	...	S E	2	c	,,	29.94	760.4	82	...	S E	1	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	81	...	N N E	1	...
Aparri,	2 p.	29.94	760.4	88	...	E	1	b	6 a.	29.99	761.6	75	...	S W	1	...
Manila,	4 p.	29.88	759	82	77	...	0	o	10 a.	29.96	761	81	85	N E	1	...
Legaspi,	2 p.	29.88	759.0	86	...	W	1	o	6 a.	29.92	760.0	75	...	...	0	...
Bacolod,	3 p.	...	...	...	...	S W	1	r	9 a.	...	...	...	...	N E	1	...
Iloilo,	,,	...	...	86	...	S W	2	o	,,	29.93	760.2	82	...	...	0	...
Cebu,	,,	29.85	758.2	87	...	N	2	b	,,	29.96	761.0	86	...	N	1	...
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.95	760.7	84	...	...	...	...

On the 3rd at 12.10 p.—The barometer has risen considerably at the Bonin islands and fallen slightly over N. part of the Sea of Japan.

Pressure is highest over China to the North of the Upper Yangtze. It is low, apparently over the N. part the Sea of Japan.

Fresh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, moderate or fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 3rd October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd October, 1907, P.M.								4th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
divostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
uro,	,,	29.85	758.1	...	...	S W	2	...	6 a.	29.77	756.1	...	...	N W	2	...
odate,	,,	29.85	758.2	...	...	..	0	...	,,	29.89	759.2	...	...	...	0	...
o,	,,	29.98	761.6	...	...	S	6	...	,,	30.02	762.6	...	...	...	0	...
hi,	,,	29.99	761.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	2	...
gasaki,	,,	30.07	763.8	...	...	N	6	...	,,	30.15	765.8	...	...	N E	2	...
goshima,	,,	30.07	763.9	...	...	N	6	...	,,	30.15	765.9	...	...	N	2	...
ima,	,,	30.08	764.1	...	...	S W	4	...	,,	30.08	764.1	...	...	S	2	...
ha,	,,	30.05	763.2	...	...	N	6	...	,,	30.09	764.2	...	...	...	0	...
igakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	4	...
nin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	30.04	763.1	...	...	...	0	...
efoo,	3 p.	29.99	761.7	71	71	E	1	b	6 a.	30.13	765.3	67	84	E	1	o
ihaiwei,	,,	30.06	763.5	72	...	E	1	b	9 a.	...	...	...	...	...	...	...
nkow,	,,	...	...	...	...	...	...	...	6 a.	30.15	765.8	66	95	W	1	or
ukiang,	,,	30.20	767.1	73	76	N E	1	o	,,	30.13	765.3	67	100	N E	1	or
anghai,	,,	30.09	764.3	74	72	E	2	o	9 a.	30.02	762.5	71	90	E	1	or
tzlaff,	,,	30.07	763.8	71	85	E	2	o	,,	29.99	761.7	70	95	S E	5	omd
rp Peak,	,,	30.03	762.7	81	85	E N E	3	b	,,	30.04	763.0	83	85	N E	1	b
oy,	,,	29.92	759.9	85	68	E S E	4	b	6 a.	29.95	760.7	79	78	E N E	1	c
atow,	,,	29.95	760.7	84	79	S E	2	b	,,	29.98	761.5	76	91	N N E	1	b
ihoku,	1 p.	30.01	762.3	...	...	E	6	...	5 a.	30.01	762.3	...	...	E	4	...
ichu,	,,	30.01	762.2	...	...	N W	4	...	,,	30.02	762.4	...	...	...	0	...
nan,	,,	30.03	762.7	...	...	W	6	...	,,	30.02	762.4	...	...	E	2	...
shun,	,,	30.02	762.5	...	...	E	6	...	,,	30.02	762.4	...	...	N E	8	...
cadores,	,,	30.03	762.7	...	...	N	6	...	,,	29.99	761.8	...	...	N	4	...
ion,	3 p.	29.99	761.7	88	66	N E	1	c	9 a.	30.07	763.8	83	83	E	1	c
ngkong,	4 p.	29.99	761.7	82	78	E	3	o	10 a.	30.05	763.2	82	77	E S E	4	o
toria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	S E	3	...
Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
cao,	,,	29.98	761.5	84	...	E S E	2	c	,,	30.05	763.2	84	...	S E	1	o
ihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
choi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	29.93	760.2	73	...	E N E	2	o	10 a.	...	...	...	...	...	...	...
rane,	,,	29.87	758.9	84	...	E S E	2	c	,,	...	...	...	...	...	...	...
e St. James,	,,	29.87	758.7	82	...	W S W	3	o	,,	...	..	...	...	...	...	...
anti,	2 p.	29.97	761.2	88	...	N E	1	b	6 a.	30.00	761.9	75	...	S W	1	b
ila,	4 p.	29.88	759	82	77	...	0	o	10 a.	30.00	762	79	84	N E	1	d
aspi,	2 p.	29.87	758.6	88	...	S E	1	c	6 a.	29.92	760.0	77	...	...	0	o
olod,	3 p.	...	...	...	...	W S W	1	c	9 a.	...	...	...	...	N N E	1	o
ilo,	,,	29.83	757.7	86	...	S W	1	c	,,	29.93	760.2	83	...	N E	1	..
u,	,,	29.91	759.7	86	...	...	...	...	,,	29.92	759.9	86	...	...	1	c
uan,	,,	29.84	757.9	87	...	...	...	...	,,	29.88	759.2	85	...	...	...	...

On the 4th at 11.50 a.—The barometer has risen slightly over N.E. China and W. Japan, and fallen moderately t the Yangtze stations.

The area of low pressure lying over the N.E. part of the Sea of Japan yesterday, appears to have passed to the acific. This morning a shallow depression is moving Eastwards over the Lower Yangtze.

Moderate N.E. and E. winds are expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood,	E. winds, moderate; fair to showery.
mosa Channel,	Same as No. 1.
th coast of China between Hongkong and Lamocks,	Same as No. 1.
th coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 4th October, 1907.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th October, 1907, P.M.								5th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	
Nemuro,	,,	29.65	753.1	...	...	S	8	...	6 a.	...	...	...	...	...	...	
Hakodate,	,,	29.93	760.2	...	...	N	8	...	,,	...	...	...	...	...	...	
Tokio,	,,	30.02	762.6	...	...	N	4	...	,,	...	...	...	...	...	...	
Kochi,	,,	30.07	763.8	...	...	S W	2	...	,,	...	...	...	...	...	...	
Nagasaki,	,,	30.07	763.8	...	...	S E	4	...	,,	...	...	...	...	...	...	
Kagoshima,	,,	30.07	763.9	...	...	..	0	...	,,	...	...	...	...	...	...	
Oshima,	,,	30.04	763.1	...	...	S E	2	...	,,	...	...	...	...	...	...	
Naha,	,,	30.01	762.2	...	...	E	4	...	,,	...	...	...	...	...	...	
Ishigakijima,	,,	30.01	762.3	...	...	S E	4	...	,,	...	...	...	...	...	...	
Bonin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	...	...	...	...	...	...	
Chefoo,	3 p.	29.99	761.7	78	61	S	2	c	6 a.	30.01	762.2	64	84	S E	1	b
Weihaiwei,	,,	30.01	762.2	77	...	S	2	ovr	9 a.	...	...	...	...	...	...	
Hankow,	,,	30.09	764.3	77	95	W	1	b	6 a.	30.12	765.0	67	95	S E	1	b
Kiukiang,	,,	30.06	763.5	70	90	W	2	o	,,	30.09	764.3	66	100	N W	1	o
Shanghai,	,,	29.90	759.4	69	95	N	1	o	9 a.	30.00	762.0	73	72	N	2	c
Gutzlaff,	,,	29.90	759.4	72	95	S	2	om	,,	29.93	760.2	69	90	N N E	...	c
Sharp Peak,	,,	29.93	760.2	81	87	E	1	og	,,	29.97	761.2	82	79	...	0	b
Amoy,	,,	29.89	759.2	84	68	E S E	2	b	6 a.	29.85	758.2	78	82	S W	1	b
Swatow,	,,	...	...	85	79	S	2	c	,,	29.95	760.7	79	87	N W	1	o
Taihoku,	1 p.	29.94	760.5	...	...	S W	2	...	5 a.	29.95	760.7	...	...	S W	2	..
Taichu,	,,	29.98	761.5	...	...	W	4	...	,,	29.97	761.3	...	...	N E	2	..
Tainan,	,,	29.99	761.7	...	...	W	4	...	,,	29.94	760.4	...	...	N E	2	..
Koshun	,,	29.98	761.5	...	...	E	6	...	,,	29.95	760.6	...	...	N E	2	..
Pescadores,	,,	29.97	761.2	...	...	N W	2	...	,,	29.95	760.6	...	...	S	2	..
Canton,	3 p.	29.97	761.2	87	100	S E	1	o	9 a.	30.02	762.5	81	87	...	0	c
Hongkong,	4 p.	29.94	760.5	82	76	E	3	o	10 a.	30.01	762.2	82	75	E	1	o
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S E	1	..
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Macao,	,,	29.95	760.7	84	...	S E	1	c	,,	30.01	762.2	84	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	..
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Phulien,	4 p.	29.90	759.5	81	...	S S W	1	c	10 a.	30.01	762.1	73	...	S S W	4	or
Tourane,	,,	29.89	759.2	86	...	S W	3	b	,,	30.00	762.0	81	...	...	0	b
Cape St. James,	,,	29.83	757.6	84	...	N E	1	c	,,	29.92	760.0	82	...	N E	1	c
Aparri,	2 p.	29.91	759.7	86	...	S	1	b	6 a.	29.95	760.6	75	...	S W	1	b
Manila,	4 p.	29.88	759	84	72	...	0	o	10 a.	29.96	761	36	71	S W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.92	759.9	77	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N	1	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.85	758.2	88	...	N E	1	b	,,	29.93	760.2	84	...	N E	1	c
Cebu,	,,	29.85	758.2	88	...	N	2	b	,,	29.95	760.7	86	...	N	2	c
Labuan,	,,	29.77	756.1	92	...	...	...	...	,,	29.89	759.2	85	...	...	...	...

On the 5th at 12.05 p.—The barometer has fallen slightly at all stations.

The shallow depression lying near the mouth of the Yangtze yesterday, has moved Eastwards into the Yellow Sea.

Gradients are slight generally, and light to moderate variable winds are expected to prevail in the Formosa Channel, and moderate E. and N.E. winds over the N. part of the China Sea.

The Japanese returns are not yet to hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate ; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 5th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th October, 1907, P.M.								6th October, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
omuro, ...	,,	30.16	766.1	...	...	W	4	...	6 a.	30.24	768.1	...	...	S E	2	...
akodate, ...	,,	30.17	766.2	...	...	N	4	...	,,	30.13	765.2	...	...	E	4	...
okio, ...	,,	30.22	767.6	...	...	S W	4	...	,,	30.06	763.6	...	...	W	2	...
ochi, ...	,,	30.19	766.8	...	...	E	4	...	,,	30.11	764.8	...	...	S	2	...
agasaki, ...	,,	30.03	762.8	...	...	...	0	...	,,	29.84	757.8	...	...	N	4	...
agoshima, ...	,,	29.84	757.9	...	...	E	6	...	,,	29.80	756.9	...	...	N	2	...
hima,.....	,,	29.85	758.1	...	...	E	10	...	,,	29.89	759.1	...	...	S	2	...
aha.....	,,	29.85	758.2	...	...	S	6	...	,,	29.93	760.2	...	...	N W	4	...
higakijima,....	,,	29.93	760.3	...	...	S W	4	...	,,	29.93	760.3	...	...	N	2	...
oin Is.....	,,	30.00	762.1	...	...	N E	2	...	,,	30.01	762.1	...	...	S E	2	...
efoo,.....	3 p.	29.93	760.2	...	...	S	2	f	6 a.	29.92	759.9	66	...	N	5	b
eihaiwei,.....	,,	29.92	759.9	72	...	E	2	b	9 a.	...	...	63	...	N	5	o
ankow, ...	,,	30.08	764.0	78	95	N E	1	o	6 a.	...	...	...	...	...	...	...
iukiang,.....	,,	30.03	762.7	77	69	N E	4	b	,,	30.02	762.5	68	95	N W	1	o
anghai, ...	,,	29.95	760.7	75	60	N E	2	c	9 a.	30.01	762.2	73	76	N E	1	o
utzlaff, ...	,,	29.91	759.7	74	72	N N E	3	cv	,,	29.97	761.2	71	80	E N E	2	om
arp Peak,.....	,,	29.90	759.4	82	83	...	0	gv	,,	29.96	761.0	77	91	N E	2	or
oey,.....	,,	29.79	756.6	85	76	S E	2	b	6 a.	29.83	757.7	78	85	W	1	o
xatow, ...	,,	29.86	758.4	88	73	S	4	c	,,	29.83	757.7	75	95	N N E	1	b
aihoku,.....	1 p.	29.93	760.1	...	...	N W	4	...	5 a.	29.93	760.1	...	...	E	2	...
aichu, ...	,,	29.92	760.0	...	...	S W	2	...	,,	29.94	760.5	...	...	...	0	...
ainan,.....	,,	29.93	760.2	...	...	N W	4	...	,,	29.93	760.2	...	...	E	2	...
oshun.....	,,	29.94	760.5	...	...	S W	2	...	,,	29.93	760.3	...	...	...	0	...
escadores, ...	,,	29.92	759.9	...	...	W	4	...	,,	29.91	759.6	...	...	...	0	...
anton,.....	3 p.	29.90	759.4	90	60	...	0	c	9 a.	29.92	759.9	82	100	E S E	1	c
ongkong, ...	4 p.	29.89	759.2	85	68	S	1	o	10 a.	29.94	760.5	85	61	...	0	o
ictoria Peak,...	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S S E	2	...
ap Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
acao, ...	,,	29.90	759.4	85	...	S E	1	o	,,	29.95	760.7	84	...	S E	1	o
ithow, ...	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
hoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,.....	4 p.	29.85	758.2	79	...	S E	2	o	10 a.	29.91	759.7	75	...	S	4	lt
urane, ...	,,	29.88	758.9	86	...	N E	0	b	,,	29.96	761.0	81	...	...	0	b
ape St. James,.	,,	29.82	757.3	84	...	E	1	c	,,	29.93	760.3	82	...	N N E	1	c
parri, ...	2 p.	29.88	758.9	90	...	S	1	b	6 a.	29.92	759.9	75	...	S	1	c
anila, ...	4 p.	29.88	759	84	77	E	1	o	10 a.	29.96	761	86	71	...	0	b
egaspi, ...	2 p.	29.88	759.0	84	...	E	1	o	6 a.	29.91	759.6	73	...	...	0	b
acolod, ...	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	N E	1	c
oilo, ...	,,	29.85	758.2	88	...	N E	1	o	,,	29.85	758.2	83	...	N E	1	b
ebu,.....	,,	29.89	759.2	90	...	N	1	b	,,	29.89	759.2	83	...	...	0	c
abuan, ...	,,	29.79	756.6	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 6th at 12.05 p.—The barometer has risen over E. Hokkaido, and fallen in W. Japan. A slight to moderate decrease of pressure has taken place also over S. China and the S. Philippines.

The depression is moving Eastwards over SW. Japan, and pressure is high to the E. of N. Japan.

Gradients continue slight in the South, and moderate NE winds may be expected in the Formosa Channel, and light or moderate variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	Variable winds, light or moderate; fair at first, showery later.
Formosa Channel,.....	NE winds, moderate.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 6th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th October, 1907, P.M.								7th October, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...		...
Nemuro,	,,	30.16	766.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	S E	8	...
Hakodate,	,,	30.01	762.2	...	...	E	4	...	,,	29.73	755.2	...	...	S E	8	...
Tokio,	,,	29.75	755.6	...	...	N W	6	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	S E	2	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	N	4	...	,,	29.99	761.8	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	W	6	...	,,	30.00	761.9	...	...	N W	4	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	30.01	762.1	...	...	N	4	...
Naha,	,,	29.93	760.2	...	...	N W	2	...	,,	30.01	762.2	...	...	N E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...	,,	29.97	761.3	...	...	N E	4	...
Bonin Is.	,,	29.96	761.1	...	...	S	4	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	3 p.	30.06	763.5	62	72	N W	3.	b	6 a.	30.15	765.8	59	70	N	2	b
Weihaiwei,	,,	30.05	763.2	60	...	N W	5	ovr	9 a.	30.28	769.1	58	...	N	4	b
Hankow,	,,	30.06	763.5	82	91	N E	1	c	6 a.	30.16	766.0	65	95	N E	3	c
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	68	85	N E	0	o
Shanghai,	,,	29.99	761.7	75	68	N E	1	c	9 a.	30.19	766.8	68	60	N E	0	o
Gutzlaff,	,,	29.95	760.7	73	81	N E	1	ovr	,,	30.11	764.8	69	95	N E	5	ovr
Sharp Peak,	,,	29.91	759.7	75	93	N	2	ofr	,,	30.06	763.5	72	90	N N E	3	ofr
Amoy,	,,	29.81	757.2	83	79	S E	3	c	6 a.	29.86	758.4	76	91	N E	2	or
Swatow,	,,	29.85	758.2	82	83	S S E	2	or	,,	29.98	761.5	78	86	S E	1	b
Taihoku,	1 p.	29.89	759.2	...	...	N E	4	...	5 a.	29.93	760.3	...	...	E	4	...
Taichu,	,,	29.91	759.7	...	...	W	2	...	,,	29.92	760.0	...	...	...	0	...
Tainan,	,,	29.92	759.9	...	...	S W	4	...	,,	29.91	759.8	...	...	E	2	...
Koshun,	,,	29.90	759.5	...	...	E	4	...	,,	29.91	759.8	...	...	N	2	...
Pescadores,	,,	29.91	759.8	...	...	W	4	...	,,	29.91	759.6	...	...	N E	2	...
Canton,	3 p.	29.84	757.9	86	100	S E	1	c	9 a.	29.92	759.9	80	87	E	1	c
Hongkong,	4 p.	29.85	758.2	84	69	S	1	c	10 a.	29.93	760.2	83	70	S S E	1	o
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S S E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	84	...	S S E	1	or	,,	29.93	760.2	81	...	S E	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.76	755.9	82	...	S	4	f	10 a.	29.84	757.8	79	...	S	4	lt
Tourane,	,,	29.83	757.8	86	...	S	2	c	,,	29.90	759.5	79	...	S	1	c
Cape St. James,	,,	29.81	757.1	86	...	S S W	1	c	,,	29.87	758.6	81	...	N N E	1	b
Aparri,	2 p.	29.85	758.2	88	...	N E	1	b	6 a.	29.91	759.7	75	...	S W	1	b
Manila,	4 p.	29.84	758	82	85	N E	0	c	10 a.	29.92	760	86	72	S S W	1	b
Legaspi,	2 p.	29.86	758.4	90	...	E	1	b	6 a.	29.87	758.6	77	...	...	0	c
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	E N E	1	o
Iloilo,	,,	29.83	757.7	84	...	N E	1	o	,,	29.91	759.7	82	...	N E	1	c
Cebu,	,,	29.79	756.6	88	...	S	1	c	,,	29.91	759.7	85	...	...	0	c
Labuan,	,,	29.80	756.9	85	...	...	...	...	,,	29.95	760.7	85	...	...	...	

On the 7th at 12.15 p.—The barometer has risen considerably over N. China, S.W. Japan and the Loochoos, and fallen much over E. and N. Japan.

The depression is moving Eastwards in the Sea of Japan.

Pressure has given way slightly over Luzon and Tongking, and is low over the latter area. High pressure now covers N. China.

Strong N.E. winds are expected to set in again in the Formosa Channel, and freshening winds from S.E. to N.E. will probably prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. to N.E. winds, freshening; squally, showery.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 7th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th October, 1907, P.M.								8th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Kemuro,	,,	29.77	756.1	...	...	S E	10	...	6 a.	29.73	755.1	...	...	S W	4	...
Hakodate,	,,	...	...	...	...	S W	6	...	,,	29.93	760.2	...	...	W	6	...
Tokio,	,,	...	...	...	...	S	2	...	,,	30.10	764.6	...	...	N W	6	...
Kochi,	,,	29.91	759.8	...	...	S W	2	...	,,	30.11	764.8	...	...	S W	4	...
Nagasaki,	,,	30.03	762.8	...	...	N	6	...	,,	30.11	764.8	...	...	E	4	...
Kagoshima,	,,	30.00	761.9	...	...	N W	4	...	,,	30.08	763.9	...	...	E	4	...
Oshima,	,,	30.04	763.1	...	...	N	2	...	,,	30.04	763.1	...	...	S E	2	...
Naha,	,,	30.01	762.2	...	...	N E	4	...	,,	29.97	761.2	...	...	E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...	,,	29.93	760.3	...	...	E	4	...
Bonin Is.	,,	30.00	762.1	...	...	S W	2	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	3 p.	30.24	768.1	62	51	N W	3	b	6 a.	30.20	767.1	54	74	S S W	1	c
Weihaiwei,	,,	30.24	768.1	61	...	N	1	b	9 a.	30.20	767.1	60	...	N	1	c
Hankow,	,,	30.15	765.8	70	85	N	1	or	6 a.	30.14	765.5	65	95	N N E	1	o
Kiukiang,	,,	30.13	765.3	66	95	N E	6	or	,,	30.04	763.0	63	94	N E	5	or
Shanghai,	,,	30.14	765.5	68	56	N E	3	o	9 a.	30.09	764.3	59	94	N E	2	or
Gutzlaff,	,,	30.09	764.3	69	65	E N E	4	om	,,	30.00	762.0	62	89	E N E	4	omr
Sharp Peak,	,,	29.95	760.7	73	90	N E	5	or	,,	29.90	759.4	74	88	...	0	ogv
Amoy,	,,	29.85	758.2	76	91	N E	5	or	6 a.	29.91	759.7	76	86	N E	1	o
Swatow,	,,	29.83	757.7	79	91	E	2	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.91	759.7	...	...	E	6	...	5 a.	29.86	758.5	...	...	...	0	...
Taichu,	,,	29.90	759.5	...	...	N E	2	...	,,	29.89	759.3	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	E	4	...	,,	29.89	759.1	...	...	N E	2	...
Koshun,	,,	29.93	760.1	...	...	E	4	...	,,	29.89	759.2	...	...	E	4	...
Pescadores,	,,	29.90	759.5	...	...	E	4	...	,,	29.87	758.6	...	...	...	0	...
Canton,	3 p.	29.87	758.7	76	95	...	0	or	9 a.	29.91	759.7	77	95	...	0	o
Hongkong,	4 p.	29.86	758.4	81	74	S	1	o	10 a.	29.92	759.9	78	86	E	1	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.86	758.4	78	...	S W	1	od	,,	29.90	759.4	79	...	S S E	1	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.3	77	...	E N E	3	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.83	757.6	88	...	N N E	1	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	86	...	S	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.8	82	...	E	1	o	6 a.	29.89	759.1	77	...	S W	1	b
Manila,	4 p.	29.80	757	88	66	W N W	1	ot	10 a.	29.92	760	77	91	N	1	o
Legaspi,	2 p.	29.83	757.7	86	...	E	1	o	6 a.	29.89	758.2	79	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	E N E	1	c	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.79	756.6	87	...	N E	1	c	,,	29.87	758.7	83	...	N E	1	c
Cebu,	,,	29.79	756.6	87	...	S	1	c	,,	29.93	760.2	86	...	...	0	c
Labuan,	,,	29.85	758.2	84	...	...	...	...	,,	29.89	759.2	80	...	...	...	...

On the 8th at 12.05 p.—The depression lying over the Sea of Japan yesterday is passing to the Pacific to the North of Hokkaido.

The barometer has risen considerably over S. Japan, and fallen moderately over China, except on the S. coast.

An area of low pressure which appears to be moving Eastwards, has developed over China between the S. coast and the Yangtze. The highest pressure is over N. China.

Fresh variable winds and squally weather are expected to prevail in the Formosa Channel, and light or moderate variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood,	S. and variable winds, moderate; squally and showery at first; probably improving later.
2.— Formosa Channel,	Variable winds, fresh.
3.— South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.— South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 8th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th October, 1907, P.M.								9th October, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	S W	6	...	6 a.	29.97	761.1	...	...	S W	4	...
Hakodate,	,,	30.05	763.2	...	...	W	6	...	,,	30.09	764.2	...	...	N W	2	...
Tokio,	,,	30.14	765.6	...	...	E	4	...	,,	30.14	765.6	...	...	N W	4	...
Kochi,	,,	30.11	764.8	...	...	S W	2	...	,,	30.03	762.8	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	S E	4	...	,,	29.95	760.8	...	...	N E	6	...
Kagoshima,	,,	30.07	763.9	...	...	N E	4	...	,,	29.80	756.9	...	...	E	6	...
Oshima,	,,	29.96	761.1	...	...	S E	6	...	,,	29.93	760.1	...	...	S	4	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	8	...	,,	29.93	760.3	...	...	N	2	...
Bonin Is.	,,	30.04	763.1	...	...	S E	6	...	,,	30.08	764.1	...	...	S E	2	...
Chefoo,	3 p.	30.11	764.8	68	60	N E	1	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.13	765.3	67	...	N	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.15	765.8	70	100	N W	1	o	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.08	764.0	65	84	N E	6	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.00	762.0	61	94	N E	3	or	9 a.	30.16	766.0	70	70	N N E	1	b
Gutzlaff,	,,	29.92	759.9	61	...	N E	6	omr	,,	30.09	764.3	68	74	N E	4	cv
Sharp Peak,	,,	29.85	758.2	76	86	E	1	ogv	,,	30.03	764.0	72	90	N	2	ofd
Amoy,	,,	29.78	756.4	80	82	S E	2	o	6 a.	29.85	758.2	78	91	...	0	o
Swatow,	,,	29.80	756.9	80	87	S	1	c	,,	29.78	756.4	76	86	E S E	1	o
Taihoku,	1 p.	29.86	758.4	...	...	N W	4	...	5 a.	29.96	760.9	...	...	...	0	...
Taichu,	,,	29.85	758.1	...	...	W	4	...	,,	29.95	760.6	...	...	...	0	...
Tainan,	,,	29.90	759.4	...	...	W	6	...	,,	29.93	760.1	...	...	E	2	...
Koshun	,,	29.90	759.4	...	...	S	4	...	,,	29.92	760.0	...	...	N	2	...
Pescadores,	,,	29.85	758.1	...	...	W	6	...	,,	29.92	759.9	...	...	N E	2	...
Canton	3 p.	29.83	757.7	80	78	N W	1	b	9 a.	30.03	762.7	72	90	N E	1	o
Hongkong,	4 p.	29.82	757.4	81	76	...	0	c	10 a.	29.99	761.7	77	92	...	0	o
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.81	757.2	82	...	S E	1	c	,,	30.01	762.2	77	...	N	2	o
Hoihow,	3 p.	...	...	...	...	,,	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.8	75	...	N E	2	o	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.80	756.9	88	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	86	...	S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.84	757.9	86	...	S	1	c	6 a.	29.92	760.0	77	...	S	1	b
Manila,	4 p.	29.84	758	82	77	N W	1	o	10 a.	29.92	760	90	66	S E	0	c
Legaspi,	2 p.	29.81	757.2	86	...	E	1	o	6 a.	29.89	759.1	79	...	S E	0	b
Bacolod,	3 p.	...	...	...	...	E N E	1	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.77	756.1	84	...	S W	1	o	,,	29.89	759.2	84	...	N E	1	c
Cebu,	,,	29.79	756.6	87	...	S	1	c	,,	29.90	759.4	85	...	N	1	c
Labuan,	,,	29.78	756.4	86	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 9th at 12.10 p.—The barometer has risen moderately on the China coast, and fallen considerably in W. Japan.

The depression is now off the S.W. coast of Japan, and it appears to be moving towards N.E. Pressure is highest over N. China.

Fresh N.E. winds are expected to set again in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, moderate to fresh; showery to fair
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 9th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th October, 1907, P.M.								10th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	S W	4	...
Hakodate,	,,	30.01	762.2	...	...	W	6	...	,,	30.13	765.2	...	...	N	2	...
Tokio,	,,	30.02	762.6	...	...	N E	4	...	,,	30.14	765.6	...	...	N W	4	...
Kochi,	,,	29.91	759.8	...	...	S W	2	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	29.99	761.8	...	...	N	6	...	,,	30.23	767.8	...	...	N E	8	...
Kagoshima,	,,	29.96	760.9	...	...	N E	4	...	,,	30.19	766.9	...	...	...	6	...
Oshima,	,,	29.96	761.1	...	...	W	4	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	W	2	...	,,	30.09	764.2	...	...	N E	2	...
Ishigakijima,	,,	30.02	762.3	...	...	N E	4	...	,,	30.05	763.3	...	...	N E	4	...
Bonin Is.	,,	30.04	763.1	...	...	S	4	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	3 p.	30.20	767.1	71	66	E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.20	767.1	71	...	N W	1	b	9 a.	30.27	768.8	68	...	S	0	b
Hankow,	,,	30.20	767.1	71	85	S E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.20	767.1	68	79	N E	4	o	,,	30.20	767.1	65	100	N E	2	o
Shanghai,	,,	30.15	765.8	72	58	N E	2	c	9 a.	30.23	767.8	71	71	E	1	c
Gutzlaff,	,,	30.10	764.5	70	70	N E	3	cv	,,	30.17	766.3	72	71	S E	3	cv
Sharp Peak,	,,	30.05	763.2	72	83	N	2	or	,,	30.17	766.3	73	88	N E	2	o
Amoy,	,,	29.91	759.7	76	86	N E	4	or	6 a.	30.01	762.2	76	82	N E	1	c
Swatow,	,,	29.90	759.4	80	91	E	2	or	,,	20.02	762.5	77	86	E	1	o
Taihoku,	1 p.	30.00	762.0	...	...	E	6	...	5 a.	30.07	763.7	...	...	E	4	...
Taichu,	,,	29.95	760.7	...	...	N W	2	...	,,	30.03	762.6	...	...	...	0	...
Tainan,	,,	29.96	760.9	...	...	W	4	...	,,	30.04	762.9	...	...	...	0	...
Koshun,	,,	29.94	760.6	...	...	E	6	...	,,	30.04	762.9	...	...	E	2	...
Pescadores,	,,	29.96	760.9	...	...	N	8	...	,,	30.03	762.7	...	...	N	8	...
Canton,	3 p.	29.97	761.2	80	78	...	0	o	9 a.	30.11	764.8	75	95	N	1	o
Hongkong,	4 p.	29.95	760.7	81	80	E	1	o	10 a.	30.08	764.0	79	80	E	4	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.96	761.0	81	...	N E	1	o	,,	30.09	764.3	80	...	E N E	1	o
Woihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Fhulien,	4 p.	29.90	759.5	73	...	W	2	c	10 a.	30.04	763.1	73	...	N	2	o
Tourane,	,,	29.88	759.0	88	...	S E	2	c	,,	30.01	762.3	82	...	...	0	c
Cape St. James,	,,	29.78	756.4	86	...	S W	2	c	,,	29.89	759.3	79	...	N W	1	c
Aparri,	2 p.	29.89	759.2	88	...	E	1	b	6 a.	29.99	761.7	75	...	S W	1	c
Manila,	4 p.	29.84	758	84	71	E	3	p	10 a.	29.96	761	86	71	N W	2	o
Legaspi,	2 p.	29.85	758.1	86	...	N E	1	c	6 a.	29.92	759.9	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S W	1	cr	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.81	757.2	88	...	N E	1	c	,,	29.93	760.2	88	...	N E	1	c
Cebu,	,,	29.78	756.4	87	...	N	2	c	,,	29.95	760.7	84	...	S	1	od
Labuan,	,,	29.85	758.2	85	...	...	...	...	,,	29.39	759.2	79	...	...	...	...

On the 10th at 12.30 p.—The depression lying over S.W. Japan yesterday, has moved away over the Pacific. The barometer has risen generally, particularly over W. Japan.

Pressure is high over N. China and the Sea of Japan, and exceeds the normal by 0.1 inch and upwards over China and S. Japan.

Fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 10th October, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th October, 1907, P.M.								11th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	..	...	...	...	..	...
Nemuro,	,,	29.96	761.1	...	...	N	4	...	6 a.	30.12	765.1	...	...	S W	2	...
Hakodate,	,,	30.13	765.2	...	...	N W	8	...	,,	30.21	767.2	...	...	N	2	...
Tokio,	,,	30.18	766.6	...	...	S E	4	...	,,	30.30	769.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N E	4	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.15	765.9	...	...	E	4	...	,,	30.15	765.9	...	...	N E	2	...
Oshima,	,,	30.12	765.1	...	...	S E	4	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.09	764.2	...	...	N E	2	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	2	...	,,	30.05	763.3	...	...	N E	4	...
Bonin Is.	,,	30.04	763.1	...	...	S	2	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	3 p.	30.19	766.8	76	56	S S E	2	b	6 a.	30.18	766.6	64	95	S W	1	or
Weihaiwei,	,,	30.19	766.8	75	...	S	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.18	766.6	72	95	S S E	1	c	6 a.	30.17	766.3	70	100	...	0	o
Kiukiang,	,,	30.21	767.3	73	76	N W	1	o	,,	30.16	766.0	67	100	N E	1	o
Shanghai,	,,	30.14	765.5	73	72	S S E	2	o	9 a.	30.13	765.3	74	86	E	1	b
Gutzlaff,	,,	30.12	765.0	75	77	E S E	3	cv	,,	30.09	764.3	73	90	S E	1	cm
Sharp Peak,	,,	30.13	765.3	74	88	N N E	2	og	,,	30.13	765.3	77	64	N	1	b
Amoy,	,,	29.98	761.5	81	78	N E	2	o	6 a.	29.96	761.0	76	81	N E	1	c
Swatow,	,,	30.00	762.0	82	83	E	3	b	,,	30.05	763.2	79	91	...	0	b
Taihoku,	1 p.	30.07	763.7	...	...	E	6	...	5 a.	30.04	762.9	...	...	E	4	...
Taichu,	,,	30.00	762.1	...	...	W	2	...	,,	30.03	762.8	...	...	N	2	...
Tainan,	,,	30.03	762.8	...	...	N W	4	...	,,	30.07	763.8	...	...	...	0	...
Koshun,	,,	30.04	762.9	...	...	N E	6	...	,,	30.03	762.7	...	...	...	0	...
Pescadores,	,,	30.03	762.8	...	...	W	8	...	,,	30.02	762.4	...	...	N	6	...
Canton,	3 p.	30.02	762.5	84	79	...	0	c	9 a.	30.10	764.5	85	76	...	0	b
Hongkong,	4 p.	30.01	762.2	80	78	E	4	o	10 a.	30.07	763.8	82	69	E	3	c
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.99	761.7	81	...	E S E	1	o	,,	30.08	764.0	82	...	E N E	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.97	761.2	82	...	S S E	3	c	10 a.	30.04	763.1	77	...	N E	4	c
Tourane,	,,	...	...	84	...	N E	1	c	,,	30.01	762.3	81	...	...	0	c
Cape St. James,	,,	29.82	757.4	82	...	E N E	2	c	,,	29.93	760.1	75	...	N N E	1	or
Aparri,	2 p.	29.95	760.7	88	...	E	1	b	6 a.	29.97	761.3	73	...	W	1	c
Manila,	4 p.	29.88	759	82	85	...	0	o	10 a.	29.92	760	84	72	W N W	1	c
Legaspi,	2 p.	29.85	758.2	88	...	E	2	b	6 a.	29.87	758.6	81	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.81	757.2	87	...	N E	1	b	,,	29.87	758.7	84	...	N E	2	c
Cebu,	,,	29.83	757.7	87	...	N	1	b	,,	29.88	758.9	87	...	N	1	c
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	29.91	759.7	77	...	...	...	...

On the 11th at 12.05 p.—The barometer has risen moderately in E. Japan, and fallen moderately to slightly over N. China and the Philippines.

An area of high pressure lies over Japan, and the lowest pressure is shown over the Pacific to the S.E. of the Philippines.

Gradients have decreased on the China coast, and fresh to moderate N.E. winds may be expected in the Formosa Channel, and fresh N.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 11th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th October, 1907, P.M.								12th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	S W	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.05	763.2	...	...	S W	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.10	764.6	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.11	764.8	...	...	W	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.11	764.9	...	...	S	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.04	763.1	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.01	762.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.01	762.3	...	...	N	4	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.13	765.3	67	69	...	4	or	6 a.	30.19	766.8	62	67	N E	5	o
Weihaiwei,	,,	30.14	765.5	64	...	N	1	c	9 a.	30.22	767.6	60	...	N N E	3	or
Hankow,	,,	30.19	766.8	71	100	N E	1	or	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.18	766.6	72	90	N E	3	or	,,	30.11	764.8	66	100	...	0	or
Shanghai,	,,	30.00	762.0	76	82	S S W	1	o	9 a.	29.99	761.7	68	100	N N E	1	omr
Gutzlaff,	,,	30.01	762.2	77	82	S E	1	cm	,,	29.94	760.5	69	95	S E	2	omd
Sharp Peak,	,,	30.02	762.5	79	87	E N E	2	b	,,	30.00	762.0	79	87	N	1	b
Amoy,	,,	29.93	760.2	82	79	N E	1	o	6 a.	29.95	760.7	77	86	N E	1	c
Swatow,	,,	29.94	760.5	83	83	E	3	b	,,	...	...	72	90	N E	1	b
Taihoku,	1 p.	30.02	762.5	...	...	E	6	...	5 a.	29.99	761.6	...	...	E	6	...
Taichu,	,,	30.00	761.9	...	...	N	4	...	,,	29.99	761.8	...	...	...	0	...
Tainan,	,,	30.00	762.0	...	...	W	4	...	,,	30.00	762.0	...	...	E	2	...
Koshun	,,	29.98	761.5	...	...	N	6	...	,,	29.98	761.4	...	...	N E	2	...
Pescadores,	,,	29.98	761.6	...	...	N	8	...	,,	29.99	761.8	...	...	N	4	...
Canton,	3 p.	29.99	761.7	88	69	S S W	1	c	9 a.	30.04	763.0	79	91	...	0	c
Hongkong,	4 p.	29.98	761.5	81	76	E	3	b	10 a.	30.02	762.5	83	73	E	1	c
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.98	761.5	83	...	S E	1	c	,,	30.04	763.0	84	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien	4 p.	29.95	760.8	82	...	E N E	3	c	10 a.	30.03	762.7	82	...	N E	3	b
Tourane,	,,	29.93	760.1	86	...	E	2	c	,,	30.01	762.1	79	...	N E	1	c
Cape St. James,	,,	29.83	757.8	68	...	N N E	2	c	,,	29.87	758.7	82	...	N N E	1	c
Aparri,	2 p.	29.96	761.1	86	...	E	1	o	6 a.	29.95	760.7	75	...	S W	1	c
Manila,	4 p.	29.84	758	82	85	...	0	o	10 a.	29.92	760	82	77	...	0	o
Legaspi,	2 p.	29.83	757.7	79	...	N E	1	o	6 a.	29.88	758.9	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	E N E	1	o
Iloilo,	,,	29.79	756.6	88	...	N E	1	c	,,	29.87	758.7	82	...	N E	1	c
Cebu,	,,	29.79	756.6	87	...	N	1	c	,,	29.90	759.4	84	...	...	0	c
Labuan,	,,	29.86	758.4	81	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 12th at 12.05 p.—The barometer has fallen considerably on the E. coast of China owing to a shallow depression which is lying at the mouth of the Yangtze.

Pressure is highest and increasing over N. China.

Gradients are slight in the South, and light but increasing monsoon may be expected in the Formosa Channel, and moderate N.E. winds over the N. part of the China Sea.

The Japanese returns are not yet to hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, light to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 12th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th October, 1907, P.M.								13th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.93	760.2	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.98	761.6	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.99	761.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.99	761.8	...	...	S	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.00	761.9	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.96	761.1	...	...	S	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.93	760.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.93	760.3	...	...	S	2	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	S	2	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.22	767.6	60	55	N	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.19	766.8	60	...	N	3	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	..	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.99	761.7	68	95	N	2	omd	9 a.	30.19	766.8	70	66	N N E	3	b
Gutzlaff,	,,	29.93	760.2	68	100	N	3	fd	,,	30.12	765.0	68	79	N N E	4	cm
Sharp Peak,	,,	29.91	759.7	80	85	S E	1	b	,,	30.07	763.8	77	86	N E	3	o
Amoy,	,,	29.85	758.2	82	79	S S E	2	b	6 a.	29.95	760.7	82	83	N E	1	c
Swatow,	,,	29.90	759.4	84	79	E	2	b	,,	29.87	758.7	78	86	...	0	c
Taihoku,	1 p.	29.93	760.2	...	...	N E	4	...	5 a.	30.00	761.9	...	...	E	2	...
Taichu,	,,	29.95	760.7	...	...	S W	4	...	,,	29.99	761.6	...	...	...	0	...
Tainan,	,,	...	...	...	...	...	...	...	,,	29.98	761.4	...	...	E	4	...
Koshun,	,,	29.93	760.2	...	...	N W	4	...	,,	29.97	761.1	...	...	...	0	...
Pescadores,	,,	29.96	761.0	...	...	N	8	...	,,	29.97	761.1	...	...	N	6	...
Canton,	3 p.	29.93	760.2	90	66	...	0	b	9 a.	30.00	762.0	80	87	N E	1	b
Hongkong,	4 p.	29.92	759.9	82	74	E	2	b	10 a.	30.01	762.2	84	70	E	1	c
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.93	760.2	85	...	S E	1	c	,,	30.03	762.7	83	...	N N E	1	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.5	82	...	N E	4	c	10 a.	30.04	763.0	81	...	N N W	2	b
Tourane,	,,	29.89	759.2	84	...	N	2	c	,,	30.01	762.3	73	...	N	1	or
Cape St. James,	,,	29.77	756.1	86	...	N N E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.89	759.2	86	...	E	1	c	6 a.	29.95	760.7	75	...	S W	1	d
Manila,	4 p.	29.84	758	81	92	...	0	o	10 a.	29.92	760	81	85	S E	1	d
Legaspi,	2 p.	29.82	757.5	88	...	E	1	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	84	...	N E	2	o	,,	29.89	759.2	82	...	N E	1	c
Cebu,	,,	29.79	756.6	86	...	N	2	c	,,	29.91	759.7	85	...	E	1	c
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.88	759.2	82	...	...	...	...

On the 13th at 12.20 p.—The barometer has risen considerably on the E. coast of China, and no important change has occurred at the Southern stations.

Pressure is highest over N. China, and gradients have increased somewhat along the coast.

Fresh monsoon may be expected in the Formosa Channel and along the Northern shores of the China Sea.

The Japanese returns are not yet on hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, freshening; fair to showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 13th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th October, 1907, P.M.								14th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.04	763.1	...	...	N	4	...	6 a.	30.20	767.1	...	...	...	0	...
Hakodate,	,,	30.13	765.2	...	...	W	4	...	,,	30.25	768.2	...	...	N W	2	...
Tokio,	,,	30.10	764.6	...	...	N W	2	...	,,	30.14	765.6	...	...	N W	4	...
Kochi,	,,	29.95	760.8	...	...	N	2	...	,,	30.03	762.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N	6	...	,,	30.07	763.8	...	...	N	4	...
Kagoshima,	,,	29.92	759.9	...	...	S E	2	...	,,	30.04	762.9	...	...	N E	4	...
Oshima,	,,	29.96	761.1	...	...	N W	2	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	29.97	761.2	...	...	N W	2	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	E	4	...	,,	29.97	761.3	...	...	N E	2	...
Bonin Is.	,,	30.04	763.1	...	...	S	2	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	3 p.	30.21	767.3	66	54	N N E	1	b	6 a.	30.26	768.6	59	70	S	1	b
Weihaiwei,	,,	30.22	767.6	67	62	...	...	b	9 a.	30.26	768.6	65	...	W	1	b
Hankow,	,,	..	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.18	766.6	65	63	N E	3	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.15	765.8	71	66	N N E	2	o	9 a.	30.24	768.1	70	80	N	1	boc
Gutzlaff,	,,	30.09	764.3	70	66	N N E	4	cv	,,	30.18	766.6	67	84	E	3	omp
Sharp Peak,	,,	30.04	763.0	77	84	N E	4	o	,,	30.11	764.8	75	86	N E	3	o
Amoy,	,,	29.93	760.2	83	79	N E	3	b	6 a.	29.96	761.0	75	81	N E	1	c
Swatow,	,,	...	...	84	75	E	2	b	,,	30.01	762.2	73	90	E	1	b
Taihoku,	1 p.	30.00	761.9	...	...	E	8	...	5 a.	30.02	762.6	...	...	E	6	...
Taichu,	,,	29.94	760.6	...	...	N E	2	...	,,	30.01	762.0	...	...	...	0	...
Tainan,	,,	29.98	761.4	...	...	N W	4	...	,,	30.03	762.7	...	...	...	0	...
Koshun	,,	29.97	761.3	...	...	N E	6	...	,,	29.99	761.6	...	...	N	2	...
Pescadores,	,,	29.97	761.2	...	...	N	8	...	,,	29.99	761.7	...	...	N	8	...
Canton,	3 p.	29.94	760.5	88	69	N E	1	c	9 a.	30.08	764.0	77	91	N W	1	c
Hongkong,	4 p.	29.95	760.7	82	73	E	3	c	10 a.	30.05	763.2	81	74	E	3	c
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.95	760.7	85	...	S E	1	c	,,	30.06	763.5	84	...	E N E	1	c
Beihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.6	82	...	N	2	lt	10 a.	30.03	762.8	81	...	N E	2	b
Tourane,	,,	29.94	760.4	79	...	N W	3	o	,,	29.99	761.6	75	...	...	0	or
Cape St. James,	,,	29.78	756.4	84	...	N N W	2	c	,,	29.86	758.5	82	...	N N E	2	c
Aparri,	2 p.	29.89	759.2	90	...	E	1	b	6 a.	29.93	760.2	75	...	S W	1	o
Manila,	4 p.	29.84	758	84	71	...	0	c	10 a.	29.92	759.9	81	76	N	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.88	758.8	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	E N E	1	c
Iloilo,	,,	29.78	756.4	84	...	...	...	ot	,,	29.89	759.2	82	...	S W	1	c
Cebu,	,,	29.85	758.2	86	...	S	1	c	,,	29.91	759.7	86	...	...	0	b
Labuan,	,,	29.85	758.2	86	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 14th at 11.35 a.—The barometer has risen slightly to moderately over China and Japan respectively.

Pressure is highest over China to the North of the Yangtze, and over the N. part of the Sea of Japan. It is lowest over the S. part of the China Sea.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair to showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 14th October, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th October, 1907, P.M.								15th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	..
Nemuro,	,,	30.12	765.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.17	766.2	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.10	764.6	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.07	763.8	...	...	...	6	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.11	754.8	...	...	N	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.97	761.2	...	...	W	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.97	762.3	...	...	E	4	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.96	761.1	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.20	767.1	71	66	N W	2	dh	6 a.	...	...	...	...	...	...	..
Weihaiwei,	,,	30.20	767.1	71	...	N N E	2	b	9 a.	30.23	767.8	69	...	W	1	b
Hankow,	,,	30.24	768.1	73	100	N E	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	62	61	N E	2	b	,,	30.19	766.8	63	94	...	0	b
Shanghai,	,,	30.18	766.6	73	55	N E	2	b	9 a.	30.22	767.6	70	66	E	1	c
Gutzlaff,	,,	30.14	765.5	70	78	N N E	2	cv	,,	30.19	766.8	69	65	E N E	3	cv
Sharp Peak,	,,	30.08	764.0	74	86	N E	4	og	,,	30.11	764.8	75	81	N E	3	o
Amoy,	,,	29.89	759.2	81	74	N E	2	c	6 a.	29.96	761.0	74	86	N E	2	b
Swatow,	,,	29.93	760.2	82	79	E	2	b	,,	30.03	762.7	70	85	N E	1	b
Taihoku,	1 p.	30.04	762.9	...	...	E	6	...	5 a.	30.03	762.8	...	...	E	4	...
Taichu,	,,	29.96	761.0	...	...	N	6	...	,,	29.97	761.2	...	...	...	0	...
Tainan,	,,	29.96	761.1	...	...	N W	2	...	,,	29.97	761.2	...	...	N E	2	...
Koshun	,,	29.97	761.2	...	...	N E	6	...	,,	29.94	760.5	...	...	N E	6	...
Pescadores,	,,	30.00	761.9	...	...	N	8	...	,,	29.96	760.9	...	...	N	10	...
Canton	3 p.	29.97	761.2	86	67	N	1	b	9 a.	30.05	763.2	81	74	...	0	b
Hongkong,	4 p.	29.96	761.0	80	75	E	4	o	10 a.	30.03	762.7	79	67	E	4	c
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.96	761.0	81	...	S E	2	od	,,	30.04	763.0	82	...	E N E	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.4	82	...	E S E	4	c	10 a.	30.01	762.1	73	...	N N E	4	or
Tourane,	,,	29.89	759.3	84	...	N	2	c	,,	29.93	760.3	79	...	...	0	c
Cape St. James,	,,	29.89	756.8	79	...	W N W	3	or	,,	29.84	757.9	79	...	W N W	2	c
Aparri,	2 p.	29.96	760.9	77	...	S E	1	p	6 a.	29.95	760.8	72	...	S	1	o
Manila,	4 p.	29.80	757	84	64	S S E	2	o	10 a.	29.92	760	82	70	N W	1	c
Legaspi,	2 p.	29.82	757.4	86	...	...	0	o	6 a.	29.86	758.5	75	...	...	0	h
Bacolod,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	S E	1	o
Iloilo,	,,	29.79	756.6	85	...	S W	1	c	,,	29.89	759.2	82	...	N E	1	c
Cebu,	,,	29.81	757.2	85	...	N E	1	or	,,	29.89	759.2	86	...	S	2	c
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.88	758.9	84	...	...	...	...

On the 15th at 12.05 p.—The barometer has fallen slightly at the stations around the China Sea, and pressure is low apparently to the Southward of the Paracels.

The highest pressure is over China to the North of the Yangtze.

Fresh to strong N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

The Japanese returns are not yet on hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 15th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th October, 1907, P.M.								16th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.04	763.1	...	...	N	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.13	765.2	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.18	766.6	...	...	N	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.11	764.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.15	765.8	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.11	764.9	...	...	E	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Naha	,,	29.97	761.2	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.14	765.5	76	95	S S E	2	c	6 a.	30.15	765.8	64	78	S E	1	c
Weihaiwei,	,,	30.14	765.5	74	...	...	...	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.12	765.0	78	66	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.12	765.0	72	62	E	1	c	9 a.	30.09	764.3	73	67	E S E	2	c
Gutzlaff,	,,	30.10	764.5	76	56	E S E	2	cv	,,	30.06	763.5	72	71	S E	2	v
Sharp Peak,	,,	30.04	763.0	75	84	E N E	4	og	,,	30.05	763.2	75	84	N N E	1	o
Amoy,	,,	29.92	759.9	82	75	E N E	2	c	6 a.	29.88	758.9	76	77	N E	1	b
Swatow,	,,	29.92	759.9	93	74	E	1	c	,,	29.97	761.2	71	85	E	1	b
Taihoku,	1 p.	30.02	762.4	...	...	E	6	...	5 a.	29.95	760.8	...	...	E	6	...
Taichu,	,,	29.94	760.4	...	...	S	2	...	,,	29.95	760.6	...	...	...	0	...
Tainan,	,,	29.96	760.9	...	...	W	4	...	,,	29.94	760.5	...	...	...	0	...
Koshun	,,	29.95	760.8	...	...	N E	6	...	,,	29.93	760.1	...	...	E	4	...
Pescadores,	,,	29.97	761.3	...	...	N	10	...	,,	29.93	760.3	...	...	N	6	...
Canton,	3 p.	29.95	760.7	86	78	...	0	b	9 a.	30.02	762.5	82	75	N E	1	b
Hongkong,	4 p.	29.94	760.5	81	66	E	2	c	10 a.	29.98	761.5	80	71	E	4	c
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.94	760.5	84	...	E N E	1	c	,,	29.98	761.5	83	...	N E	3	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Fauhien,	4 p.	29.91	759.7	73	...	N N E	1	or	10 a.	29.97	761.1	73	...	N	3	or
Tourane,	,,	29.85	758.3	77	...	N E	3	or	,,	29.89	759.1	79	...	N E	1	c
Cape St. James,	,,	29.72	754.9	82	...	W S W	2	c	,,	29.79	756.7	77	...	W N W	1	or
Aparri,	2 p.	29.87	758.7	86	...	N E	1	b	6 a.	29.92	759.9	75	...	S	1	b
Manila,	4 p.	29.80	757	81	85	...	0	o	10 a.	29.92	760	84	71	W	1	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.85	758.1	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.79	756.6	85	...	S W	1	c	,,	29.87	758.7	80	...	..	0	c
Cebu,	,,	29.79	756.6	83	...	...	0	o	,,	29.88	758.9	83	...	...	0	b
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

On the 16th at 11.55 a.—The barometer has fallen moderately over N. China, and a slight fall has occurred also at the Southern stations.

Pressure remains low over the China Sea to the Southward of the Paracels, and apparently a depression is developing over Central China. The highest pressure is probably over Japan, but the returns from thence are not yet to hand.

Fresh to moderate N.E. and E. winds may be expected in the Formosa Channel, and fresh and strong N.E. and E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 16th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th October, 1907, P.M.								17th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	S	6	...	6 a.	29.81	757.1	...	...	S W	6	...
Hakodate,	,,	30.09	764.2	...	...	S W	4	...	,,	29.93	760.2	...	...	N	2	...
Tokio,	,,	30.18	766.6	...	...	S E	4	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	S E	6	...	,,	30.07	763.8	...	...	N	2	...
Kagoshima,	,,	30.07	763.9	...	...	E	4	...	,,	30.04	762.9	...	...	N E	6	...
Oshima,	,,	30.00	762.1	...	...	S E	4	...	,,	30.08	764.1	...	...	S	2	...
Naha	,,	29.97	761.2	...	...	E	4	...	,,	29.93	760.2	...	...	N E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	N E	6	...	,,	29.89	759.3	...	...	N E	2	...
Bonin Is.	,,	29.89	759.1	...	...	N E	4	...	,,	29.85	758.1	...	...	N E	4	...
Chefoo,	3 p.	30.11	764.8	71	80	N E	2	b	6 a.	30.20	767.1	60	100	N E	1	c
Weihaiwei,	,,	30.12	765.0	73	...	S	1	b	9 a.	30.23	767.8	68	...	E	1	ov
Hankow,	,,	30.14	765.5	74	95	S S W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.05	763.2	68	100	E	1	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.02	762.5	74	63	E	2	o	9 a.	30.11	764.8	66	84	N N E	1	on
Gutzlaff,	,,	30.01	762.2	74	95	E S E	3	cv	,,	30.05	763.2	68	90	N E	2	on
Sharp Peak,	,,	29.96	761.0	77	82	N N E	3	o	,,	30.03	762.7	75	86	N	1	o
Amoy,	,,	29.88	758.9	84	64	N E	2	c	6 a.	29.91	759.7	75	77	N E	1	b
Swatow,	,,	29.88	758.9	83	79	E S E	2	b	,,	29.95	760.7	73	86	N E	1	b
Taihoku	1 p.	29.93	760.1	...	...	E	6	...	5 a.	29.91	759.8	...	...	E	4	...
Taichu,	,,	29.91	759.6	...	...	W	2	...	,,	29.94	760.4	...	...	...	0	...
Tainan	,,	29.93	760.1	...	...	N W	4	...	,,	29.92	760.0	...	...	S E	2	...
Koshun	,,	29.91	759.8	...	...	N E	6	...	,,	29.92	759.9	...	...	S	4	...
Pescadores,	,,	29.94	760.4	...	...	N	6	...	,,	29.93	760.1	...	...	N	6	...
Canton,	3 p.	29.91	759.7	87	62	E	1	b	9 a.	30.00	762.0	83	75	N	1	b
Hongkong,	4 p.	29.89	759.2	80	72	E	3	c	10 a.	29.98	761.5	80	76	E	3	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.89	759.2	83	...	E S E	3	c	,,	29.98	761.5	79	...	E	3	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Phulien,	4 p.	29.82	757.5	82	...	S E	2	b	10 a.	29.92	760.0	77	...	N N E	3	c
Tourane,	,,	29.79	756.6	73	...	N	3	or	,,	29.85	758.2	79	...	N N E	1	c
Cape St. James,	,,	29.70	754.5	81	...	W N W	1	o	,,	29.80	757.0	81	...	W S W	2	c
Aparri,	2 p.	29.86	758.5	83	...	N E	1	b	6 a.	29.89	759.3	75	...	S W	1	b
Manila,	4 p.	29.80	757	86	65	...	0	c	10 a.	29.92	760	84	64	...	0	o
Legaspi,	2 p.	29.82	757.4	86	...	E	1	b	6 a.	29.85	758.1	73	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.77	756.1	85	...	N E	1	or	,,	29.87	758.7	82	...	N E	1	b
Cebu,	,,	29.78	756.4	85	...	S	1	c	,,	29.90	759.4	85	...	N E	1	b
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.91	759.7	76	...	...	...	...

On the 16th at 12.05 p.—The barometer has fallen rapidly in E. Japan, owing to a depression which appears to be moving Eastwards to the N. of Hokkaido.

Pressure has increased slightly over N China, and decreased moderately over the S. Loochoos and the Bonins. It remains low over the China Sea to the Southward of the Paracels. The highest pressure is now over N. China.

Fresh to strong N.E. and E. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 17th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th October, 1907, P.M.								18th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	N	8	...	6 a.	29.89	759.1	...	...	W	2	...
Hakodate,	,,	30.09	764.2	...	...	N	6	...	,,	29.97	761.2	...	...	N	2	...
Tokio,	,,	30.06	763.6	...	...	N	2	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	30.11	764.8	...	...	S W	2	...	,,	30.15	765.8	...	...	S W	4	...
Nagasaki,	,,	30.07	763.8	...	...	E	4	...	,,	30.11	764.8	...	...	S E	2	...
Kagoshima,	,,	30.07	763.9	...	...	E	6	...	,,	30.12	764.9	...	...	E	4	...
Oshima,	,,	29.96	761.1	...	...	E	4	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	29.93	760.2	...	...	E	6	...	,,	29.97	761.2	...	...	N E	4	...
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...	,,	29.93	760.3	...	...	N E	2	...
Bonin Is.	,,	29.81	757.1	...	...	S E	2	...	,,	29.85	758.1	...	...	N E	2	...
Chefoo,	3 p.	30.18	766.6	69	92	E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.19	766.8	70	...	E	3	b	9 a.	30.20	767.1	69	...	E	2	b
Hankow,	,,	30.12	765.0	69	100	N N E	1	or	6 a.	30.12	765.0	65	100	N E	2	o
Kiukiang,	,,	30.09	764.3	65	100	N E	2	o	,,	30.09	764.3	63	94	N E	3	o
Shanghai,	,,	30.04	763.0	69	90	E N E	2	o	9 a.	30.02	762.5	71	85	S W	1	cm
Gutzlaff,	,,	30.01	762.2	70	90	N E	2	om	,,	29.98	761.5	70	100	N E	1	om
Sharp Peak,	,,	29.95	760.7	78	86	E N E	4	b	,,	30.02	762.5	79	82	N	1	b
Amoy,	,,	29.85	760.2	85	64	N E	1	b	6 a.	29.91	759.7	76	86	N E	1	b
Swatow,	,,	29.88	758.9	78	91	S E	2	b	,,	29.96	761.0	75	86	E N E	1	b
Taihoku,	1 p.	29.92	759.9	...	...	E	6	...	5 a.	29.95	760.8	...	...	E	4	...
Taichu,	,,	29.90	759.4	...	...	N W	4	...	,,	29.95	760.7	...	...	...	0	...
Tainan,	,,	29.92	759.9	...	...	S W	2	...	,,	29.95	760.8	...	...	E	2	...
Koshun,	,,	29.91	759.7	...	...	N	6	...	,,	29.94	760.5	...	...	N E	4	...
Pescadores,	,,	29.92	759.9	...	...	N	8	...	,,	29.94	760.4	...	...	N	6	...
Canton,	3 p.	29.90	759.4	87	65	S	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.89	759.2	80	73	E	3	o	10 a.	30.00	762.0	80	80	E	3	c
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.90	759.4	80	...	E	3	o	,,	30.00	762.0	82	...	E S E	3	c
Moihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haiphong,	4 p.	29.83	757.6	81	...	E N E	5	c	10 a.	29.93	760.1	75	...	N N E	4	or
Tourane,	,,	29.85	758.1	81	...	N N W	2	o	,,	29.90	759.5	77	...	W S W	1	o
Cape St. James,	,,	29.76	755.9	77	...	S W	4	or	,,	29.88	758.8	76	...	S W	2	o
Aparri,	2 p.	29.86	758.4	86	...	N	1	b	6 a.	29.91	759.8	75	...	S W	1	p
Manila,	4 p.	29.80	757	88	59	W	1	b	10 a.	29.92	760	82	77	W N W	1	o
Legaspi,	2 p.	29.80	756.9	90	...	E	1	b	6 a.	29.87	758.6	73	...	...	0	b
Iloilo,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	87	...	N E	1	c	,,	29.89	759.2	82	...	...	0	b
Cebu,	,,	29.80	756.9	86	...	N	2	c	,,	29.91	759.7	83	...	N	2	b
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 18th at 12.30 p.—The barometer has risen moderately over the Annam coast, and fallen slightly on the E. coast of China.

Pressure is highest over N. China, and lowest over the Pacific to the Southward of the Bonins.

Gradients are slight over S. China, and moderate monsoon may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 18th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th October, 1907, P.M.								19th October, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.20	767.1	...	...	S W	6	...	6 a.	30.12	765.1	...	...	...	0	...
Hakodate,	,,	30.24	768.2	...	...	S	4	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.26	768.6	...	...	N	4	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.11	764.8	...	...	S W	2	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	N	4	...	,,	30.03	762.8	...	...	N E	2	...
Kagoshima,	,,	30.04	762.9	...	...	E	8	...	,,	30.00	761.9	...	...	N E	2	...
Oshima,	,,	30.00	762.1	...	...	N E	4	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.93	760.2	...	...	E	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	E	4	...	,,	29.93	760.3	...	...	N	2	...
Bonin Is.	,,	29.81	757.1	...	...	N E	4	...	,,	29.85	758.1	...	...	N E	4	...
Chefoo,	3 p.	30.15	765.8	69	95	E	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	69	...	E	1	b	9 a.	30.08	764.0	65	...	E	2	c
Hankow,	,,	30.18	766.6	67	95	N N E	1	o	6 a.	30.19	764.5	66	100	N W	1	o
Kiukiang,	,,	30.05	763.2	65	100	N E	2	or	,,	30.02	762.5	65	73	N W	2	o
Shanghai,	,,	29.94	760.5	75	77	N E	1	om	9 a.	29.89	759.2	74	81	S E	1	o
Gutzlaff,	,,	29.93	760.2	73	95	E N E	1	om	,,	29.88	758.9	71	100	S E	1	om
Sharp Peak,	,,	29.91	759.7	79	84	E	1	b	,,	29.94	760.5	83	85	...	0	c
Amoy,	,,	29.84	757.9	82	75	S E	2	b	6 a.	29.85	758.2	78	91	N E	1	c
Swatow,	,,	29.87	758.7	83	75	E S E	2	b	,,	29.93	760.2	77	86	N N E	1	b
Taihoku,	1 p.	29.89	759.1	...	...	E	4	...	5 a.	29.89	759.2	...	...	...	0	...
Taichu,	,,	29.91	759.6	...	...	W	2	...	,,	29.93	760.3	...	...	...	0	...
Tainan,	,,	29.92	760.0	...	...	S W	4	...	,,	29.92	760.0	...	...	...	0	...
Koshun	,,	29.92	760.0	...	...	E	4	...	,,	29.92	760.0	...	...	...	0	...
Pescadores,	,,	29.93	760.2	...	...	N	6	...	,,	29.91	759.8	...	...	N	2	...
Canton,	3 p.	29.90	759.4	87	65	S E	1	b	9 a.	29.99	761.7	84	79	E	1	b
Hongkong,	4 p.	29.90	759.4	80	76	E S E	3	c	10 a.	29.97	761.2	84	71	E	2	c
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.91	759.7	83	...	S E	1	c	,,	29.97	761.2	82	...	E	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.84	757.9	73	...	N E	4	or	10 a.	29.89	759.3	75	...	N N E	2	or
Tourane,	,,	29.81	757.2	84	...	N	2	c	,,	29.91	759.8	81	...	N	1	c
Cape St. James,	,,	29.83	757.3	77	...	S W	4	or	,,	29.89	759.1	79	...	N	1	o
Aparri,	2 p.	29.87	758.8	86	...	N	1	b	6 a.	29.90	759.5	75	...	S W	1	b
Manila,	4 p.	29.80	757	84	77	...	0	ct	10 a.	29.92	760	86	65	...	0	b
Legaspi,	2 p.	29.81	757.2	90	...	E	1	b	6 a.	29.88	758.8	73	...	...	0	c
Bacolod,	3 p.	...	...	...	...	W N W	2	c	9 a.	...	...	...	...	E N E	1	c
Iloilo,	,,	29.81	757.2	84	...	S W	1	or	,,	29.84	757.9	83	...	E N E	1	b
Cebu,	,,	29.81	757.2	86	...	N	2	b	,,	29.91	759.7	87	...	N	1	c
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 19th at 11.50 a.—The barometer has fallen moderately over the E. coast of China, and risen considerably in E. Japan.

A shallow depression, which will probably move Eastwards, has developed over the Lower Yangtze, and the highest pressure is now over the N part of the Sea of Japan. Pressure remains low over the Pacific to the Southward of the Bonin islands.

Moderate variable winds are expected to prevail in the Formosa Channel, and light monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, light or moderate; fair to showery.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 19th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th October, 1907, P.M.								20th October, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S	4	...	6 a.	29.85	758.1	...	...	W	6	...
Hakodate,	,,	30.01	762.2	...	...	S W	4	...	,,	29.97	761.2	...	...	N W	4	...
Tokio,	,,	30.10	764.6	...	...	E	4	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.95	760.8	...	...	S E	2	...	,,	29.80	756.8	...	...	S E	10	...
Kagoshima,	,,	29.96	760.9	...	...	E	4	...	,,	29.88	758.9	...	...	E	6	...
Oshima,	,,	29.89	759.1	...	...	S E	4	...	,,	29.85	758.1	...	...	S	2	...
Naha,	,,	29.85	758.2	...	...	E	2	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	2	...	,,	29.89	759.3	...	...	...	0	...
Bonin Is.	,,	29.81	757.1	...	...	N E	4	...	,,	29.85	758.1	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.02	762.5	66	...	E	2	b	9 a.	29.97	761.2	68	...	E N E	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.19	764.5	65	95	N	1	o
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	66	95	W	1	o
Shanghai,	,,	29.79	756.6	75	72	W	2	o	9 a.	29.96	761.0	69	80	N	2	o
Gutzlaff,	,,	29.79	756.6	75	86	S S W	1	cv	,,	29.90	759.4	69	90	N	4	om
Sharp Peak,	,,	29.83	757.7	81	89	...	0	o	,,	29.93	760.2	83	83	...	0	b
Amoy,	,,	29.88	758.9	84	83	S E	2	b	6 a.	29.99	759.4	78	95	...	0	b
Swatow,	,,	29.84	757.9	84	75	S S E	2	b	,,	29.86	758.4	77	86	...	0	c
Taihoku,	1 p.	29.86	758.4	...	...	W	6	...	5 a.	29.89	759.3	...	...	...	0	...
Taichu,	,,	29.82	757.5	...	...	W	4	...	,,	29.91	759.5	...	...	...	0	...
Tainan,	,,	29.90	759.5	...	...	W	4	...	,,	29.91	759.8	...	...	...	0	...
Koshun,	,,	29.89	759.3	...	...	N W	4	...	,,	29.88	759.0	...	...	...	0	...
Pescadores,	,,	29.91	759.6	...	...	N	4	...	,,	29.89	759.3	...	...	W	2	...
Canton,	3 p.	29.86	758.4	88	96	E	1	b	9 a.	...	...	81	83	E	2	c
Hongkong,	4 p.	29.85	758.2	83	73	S	1	c	10 a.	29.96	761.0	80	84	N W	1	c
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S S W	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	82	...	S E	1	c	,,	29.96	761.0	81	...	S E	1	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haiphong,	4 p.	29.79	756.6	79	...	E	5	o	10 a.	29.89	759.1	75	...	N N E	2	or
Tourane,	,,	29.80	757.0	84	...	N E	1	c	,,	29.91	759.6	81	...	N	1	c
Cape St. James,	,,	29.76	755.8	82	...	S	2	c	,,	29.91	759.8	82	...	S E	1	c
Aparri,	2 p.	29.85	758.1	86	...	E	1	b	6 a.	29.89	759.2	75	...	S	1	b
Manila,	4 p.	29.80	757	90	65	S	0	b	10 a.	29.92	760	84	64	W S W	1	b
Legaspi,	2 p.	29.81	757.2	90	...	E	1	b	6 a.	29.88	759.0	75	...	...	0	b
Iloilo,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	N E	1	c
Cebu,	,,	29.79	756.6	86	...	S W	1	c	,,	29.89	759.2	83	...	N E	1	b
Labuan,	,,	29.78	756.4	87	...	N	2	b	,,	29.90	759.4	87	...	...	0	b
	,,	29.82	757.4	86	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 20th at 11.55 a.—The barometer has fallen considerably over Japan, and risen slightly on the E. coast of China.

The depression is moving Eastwards in the Yellow Sea and approaching the W. coast of Kiusiu. The highest pressure is over China to the North of the Upper Yangtze

Gradients are gentle in the South, and light variable winds may be expected over the N. part of the China Sea. In the Formosa Channel the wind will probably freshen from N.E. during the next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fair to showery.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 20th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th October, 1907, P.M.								21st October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.03	762.1	...	...	N W	8	...	6 a.	30.16	766.1	...	...	E	2	...
Hakodate,	,,	30.05	763.2	...	...	N W	4	...	,,	30.05	763.2	...	...	N E	2	...
Tokio,	,,	30.02	762.6	...	...	N	...	...	,,	30.02	762.6	...	...	N E	2	...
Kochi,	,,	29.91	759.8	...	...	S W	2	...	,,	29.88	758.8	...	...	N E	2	...
Nagasaki,	,,	29.76	755.8	...	...	S E	10	...	,,	29.84	757.8	...	...	S E	4	...
Kagoshima,	,,	29.76	755.9	...	...	S E	2	...	,,	29.84	757.9	...	...	N	2	...
Oshima,	,,	29.81	757.1	...	...	W	2	...	,,	29.89	759.1	...	...	S	2	...
Naha	,,	29.81	757.2	...	...	W	2	...	,,	29.89	759.2	...	...	N	2	...
Ishigakijima,	,,	29.85	758.3	...	...	W	6	...	,,	29.93	760.3	...	...	...	0	...
Bonin Is.	,,	29.77	756.1	...	...	N W	4	...	,,	29.73	755.1	...	...	N	4	...
Chefoo,	3 p.	29.98	761.5	65	89	N E	1	b	6 a.	29.96	761.0	57	94	W N W	2	o
Weihaiwei,	,,	29.94	760.5	67	...	N	1	b	9 a.	30.07	763.8	56	...	N W	4	o
Hankow,	,,	30.05	763.2	64	95	N W	1	or	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.99	761.7	66	95	N E	2	or	,,	30.06	763.5	65	100	...	0	o
Shanghai,	,,	29.88	758.9	72	76	N	1	o	9 a.	30.04	763.0	73	76	E	1	cm
Gutzlaff,	,,	29.87	758.7	73	81	N N W	2	cm	,,	30.01	762.2	70	85	N N E	1	ov
Sharp Peak,	,,	29.86	758.4	81	87	E	1	o	,,	29.98	761.5	78	93	N E	2	og
Amoy,	,,	29.85	758.2	82	75	N E	2	c	6 a.	29.85	758.2	79	87	N E	1	c
Swatow,	,,	29.84	757.9	88	69	S E	1	b	,,	29.92	759.9	76	95	...	0	dh
Taihoku,	1 p.	29.87	758.8	...	...	N W	4	...	5 a.	29.93	760.3	...	...	...	0	...
Taichu,	,,	29.88	759.0	...	...	W	2	...	,,	29.93	760.2	...	...	...	0	...
Tainan,	,,	29.90	759.4	...	...	W	6	...	,,	29.93	760.1	...	...	...	0	...
Koshun	,,	29.89	759.3	...	...	S	4	...	,,	29.93	760.3	...	...	...	0	...
Pescadores,	,,	29.90	759.5	...	...	W	4	...	,,	29.92	759.9	...	...	N	2	...
Canton,	3 p.	...	...	86	72	S E	2	c	9 a.	30.00	762.0	81	87	E	1	o
Hongkong,	4 p.	29.86	758.4	84	65	S	1	c	10 a.	29.99	761.7	83	74	E	1	c
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.86	758.4	83	...	S E	1	o	,,	29.99	761.7	83	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.5	81	...	S E	3	c	10 a.	29.91	759.6	77	...	E S E	2	o
Tourane,	,,	29.80	756.9	86	...	E N E	2	b	,,	29.93	760.3	81	...	...	0	c
Cape St. James,	,,	29.77	756.1	86	...	S S W	1	c	,,	29.90	759.4	81	...	S W	1	o
Aparri,	2 p.	29.84	757.9	86	...	N E	1	b	6 a.	29.93	760.3	75	...	S W	1	b
Manila,	4 p.	29.80	757	90	60	...	0	b	10 a.	29.96	761	86	71	W S W	1	c
Legaspi,	2 p.	29.81	757.2	90	...	E	1	b	6 a.	29.89	759.2	81	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.79	756.6	86	...	S W	1	o	,,	29.93	760.2	83	...	E N E	1	b
Cebu,	,,	29.80	756.9	86	...	...	0	b	,,	29.82	757.4	85	...	S	1	c
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.92	759.9	82	...	...	...	...

On the 21st at 12.05 p.—The barometer has risen slightly over China and the Philippines.

Pressure remains low over S.W. Japan, and an area of low pressure is shown over the Pacific to the S.E. of the Bonin islands.

The highest pressure is over N.E. Japan, and over China to the N. of the Upper Yangtze

Gradients continue slight on the China coast, and moderate N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light to moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 21st October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st October, 1907, P.M.								22nd October, 1907, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.00	762.1	...	...	S E	6	...	6 a.	29.81	757.1	...	...	N E	8	...
Hakodate,	,,	29.81	757.2	...	...	S E	6	...	,,	29.85	758.2	...	...	N	6	...
Tokio,	,,	29.87	758.6	...	...	...	0	...	,,	29.79	756.6	...	...	W	6	...
Kochi,	,,	29.76	755.8	...	...	...	0	...	,,	29.95	760.8	...	...	N	6	...
Nagasaki,	,,	29.83	757.8	...	...	N	6	...	,,	29.95	760.8	...	...	N E	8	...
Kagoshima,	,,	29.84	757.9	...	...	N W	4	...	,,	29.92	759.9	...	...	N E	2	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	N	4	...
Naha,	,,	29.89	759.2	...	...	S E	6	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	N	4	...	..	29.93	760.3	...	...	N	2	...
Bonin Is.	,,	29.69	754.1	...	...	N	4	...	,,	29.85	758.1	...	...	N W	4	...
Chefoo,	3 p.	30.07	763.8	56	87	N W	3	o	6 a.	29.99	761.7	52	93	...	0	c
Weihaiwei,	,,	30.07	763.8	55	...	N W	4	c	9 a.	30.00	762.0	55	...	N N W	1	o
Hankow,	,,	30.06	763.5	66	95	N	1	or	6 a.	30.04	763.0	60	100	N W	2	or
Kiukiang	,,	30.01	762.2	68	90	N E	3	o	..	29.88	758.9	61	94	N	2	or
Shanghai,	,,	30.00	762.0	71	76	N E	1	o	9 a.	29.87	758.7	68	90	S E	2	o
Gutzlaff,	,,	29.97	761.2	71	76	N N E	2	cv	,,	29.88	758.9	69	90	S E	4	om
Sharp Peak,	,,	29.93	760.2	76	95	N E	1	od	,,	29.95	760.7	79	91	...	0	og
Amoy	,,	29.83	757.7	82	83	S E	2	b	6 a.	29.85	758.2	79	87	N E	1	c
Swatow,	,,	29.87	758.2	86	76	S	2	b	,,	29.94	760.5	75	95	...	0	c
Taihoku,	1 p.	29.91	759.6	...	...	N E	4	...	5 a.	29.92	759.9	...	...	E	4	...
Taichu,	,,	29.93	760.3	...	...	W	2	...	,,	29.94	760.5	...	...	...	0	...
Hainan,	,,	29.94	760.4	...	...	S E	4	...	,,	29.94	760.5	...	...	..	0	...
Koshun	,,	29.93	760.2	...	...	S E	4	...	,,	29.93	760.3	...	...	E	2	...
Pescadores,	,,	29.94	760.4	...	...	W	2	...	,,	29.92	759.9	...	...	...	0	...
Canton	3 p.	29.90	759.4	87	69	S E	1	c	9 a.	29.97	761.2	83	83	S E	1	b
Hongkong,	4 p.	29.90	759.4	83	67	S E	1	o	10 a.	29.97	761.2	84	67	S	1	c
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S S E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.90	759.4	83	...	S S E.	1	c	,,	29.97	761.2	83	...	S E	1	c
Moihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Makhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shulien,	4 p.	29.77	756.1	81	...	S S E	5	o	10 a.	29.83	758.8	79	...	S	4	o
Fourane,	,,	29.85	758.2	84	...	E S E	2	lt	,,	29.95	760.7	81	...	...	0	c
Cape St. James,	,,	29.80	756.8	84	...	S S W	1	c	,,	29.92	759.9	81	...	W N W	2	c
Aparri,	2 p.	29.89	759.2	86	...	N E	1	b	6 a.	29.95	760.6	73	...	S W	1	b
Manila,	4 p.	29.84	758	88	72	...	0	b	10 a.	29.96	761	84	71	S	1	c
Legaspi,	2 p.	29.84	757.9	90	...	E	1	b	6 a.	29.90	759.4	75	...	...	0	b
Iloilo,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.81	757.2	88	...	N E	1	b	,,	29.93	760.2	84	...	N E	1	b
Cebu,	,,	29.83	757.7	86	...	...	0	o	,,	29.93	760.2	86	...	N	1	b
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.93	760.2	79	...	...	...	...

On the 22nd at 11.55 a.—The depression lying over W. Japan yesterday has moved Eastwards and reached the Pacific to the E. of Japan.

It is followed by another depression over the Lower Yangtze Valley, where pressure has decreased quickly during the past 24 hours.

The depression will move Eastwards, and strong monsoon will probably set in again in the North by to-morrow. Moderate variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	S.E. winds, light to moderate; fair.
—Formosa Channel,	Variable winds, moderate.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 22nd October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd October, 1907, P.M.								23rd October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	N	8	...	6 a.	30.16	766.1	...	...	...	0	...
Hakodate,	,,	29.97	761.2	...	...	N	6	...	,,	29.97	761.2	...	...	S E	10	...
Tokio,	,,	29.94	760.6	...	...	N E	4	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	S E	4	...	,,	29.80	756.8	...	...	S	6	...
Kagoshima,	,,	29.88	758.9	...	...	S E	2	...	,,	29.84	757.9	...	...	...	0	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.90	759.1	...	...	S	4	...
Naha,	,,	29.89	759.2	...	...	N W	2	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S W	4	...	,,	29.93	760.3	...	...	N E	2	...
Bonin Is.	,,	29.89	759.1	...	...	N	2	...	,,	30.04	763.1	...	...	E	2	...
Chefoo,	3 p.	29.89	759.2	53	93	S S W	2	or	6 a.	29.90	759.4	56	75	N W	4	b
Weihaiwei,	,,	29.93	760.2	52	...	N N W	1	o	9 a.	30.03	762.7	57	...	N	1	b
Hankow,	,,	30.17	766.3	64	95	N	1	c	6 a.	30.29	769.3	53	100	N W	2	b
Kiukiang,	,,	30.01	762.2	65	78	N W	3	o	,,	30.22	767.6	57	81	N W	2	o
Shanghai,	,,	29.73	755.1	63	100	S S E	3	or	9 a.	30.11	754.8	62	72	N W	3	c
Gutzlaff,	,,	29.79	756.6	70	57	S S E	1	omr	,,	30.04	753.0	63	89	N N W	5	cv
Sharp Peak,	,,	29.82	757.4	81	89	S E	2	b	,,	29.96	761.0	77	83	N E	5	ofr
Amoy	,,	29.79	756.6	84	75	S E	3	b	6 a.	29.80	756.9	78	86	S W	1	b
Swatow,	,,	29.94	760.5	86	72	S	3	b	,,	29.91	759.7	76	91	...	0	b
Taihoku	1 p.	29.87	758.8	...	...	N	4	...	5 a.	29.91	759.8	...	...	S	4	...
Taichu,	,,	29.92	759.9	...	...	S	2	...	,,	29.93	760.2	...	...	...	0	...
Tainan,	,,	29.93	760.1	...	...	W	4	...	,,	29.91	759.8	...	...	E	2	...
Koshun	,,	29.93	760.1	...	...	N W	4	...	,,	29.91	759.6	...	...	...	0	...
Pescadores,	,,	29.93	760.3	...	...	W	4	...	,,	29.91	759.6	...	...	S W	2	...
Canton,	3 p.	29.86	758.4	85	79	S E	1	c	9 a.	29.95	760.7	...	95	S E	1	or
Hongkong,	4 p.	29.87	758.7	82	71	S	1	c	10 a.	29.98	761.5	78	88	W	1	op
Victoria Peak,	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	W	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.86	758.4	83	...	S S E	2	c	,,	30.01	762.2	75	...	N N W	2	od
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.81	757.2	73	...	S S E	5	lt	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.84	758.0	76	...	S S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	757.0	82	...	S W	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.88	759.0	88	...	E	1	b	6 a.	29.92	760.0	75	...	S	1	b
Manila,	4 p.	29.84	758	90	60	S	0	b	10 a.	29.92	760	86	65	S	1	b
Legaspi,	2 p.	29.85	758.2	86	...	E	1	b	6 a.	29.90	759.4	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	1	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.83	757.7	86	...	S W	3	or	,,	29.91	759.7	82	...	N E	1	c
Cebu,	,,	29.80	756.9	86	...	S	1	b	,,	29.93	760.3	86	...	N	2	b
Labuan,	,,	29.82	757.4	85	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 23rd at 11.55 a.—The barometer has risen quickly over Central China and the E. coast, and fallen moderately in W. Japan.

The depression passed to the North of Shanghai last night, and has reached the neighbourhood of S. Korea this morning. It is followed by an area of high pressure which appears to be central to the North of the Upper Yangtze.

Strong monsoon is expected to set in again over the Formosa Channel and the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, freshening; showery, cooler.
2.—Formosa Channel,	N.E- winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 23rd October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd October, 1907, P.M.								24th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	S	6	...	6 a.	29.53	750.1	...	...	W	6	...
Hakodate,	,,	29.73	755.2	...	...	S E	6	...	,,	29.69	754.2	...	...	W	6	...
Tokio,	,,	29.87	758.6	...	...	W	2	...	,,	29.75	755.6	...	...	...	0	...
Kochi,	,,	29.87	755.8	...	...	E	2	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.76	755.8	...	...	N	6	...	,,	30.07	763.8	...	...	N	4	...
Kagoshima,	,,	29.84	757.9	...	...	W	6	...	,,	30.04	762.9	...	...	N	2	...
Oshima,	,,	29.93	760.1	...	...	W	4	...	,,	30.04	763.1	...	...	N W	6	...
Naha,	,,	29.93	760.2	...	...	S W	2	...	,,	30.05	763.2	...	...	N E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	S	4	...	,,	30.01	762.3	...	...	N E	2	...
Bonin Is.	,,	29.96	761.1	...	...	S E	4	...	,,	30.08	764.1	...	...	S	2	...
Chefoo,	3 p.	30.03	762.7	69	44	N W	4	b	6 a.	30.06	763.5	52	66	S W	2	b
Weihaiwei,	,,	29.99	761.7	59	...	N W	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.21	767.3	68	56	N E	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.09	764.3	64	58	N W	3	b	9 a.	30.26	768.6	62	56	N W	1	b
Gutzlaff,	,,	30.04	763.0	65	68	N N W	4	cv	,,	30.19	766.8	62	72	N N W	2	bm
Sharp Peak,	,,	29.99	761.7	72	90	N E	5	or	,,	30.18	766.6	69	85	N E	4	ogd
Amoy,	,,	29.82	757.4	86	68	N E	1	b	6 a.	29.97	761.2	72	81	N E	2	c
Swatow,	,,	29.87	758.7	87	69	W	1	c	,,	30.04	763.0	73	81	N	2	c
Taihoku,	1 p.	29.94	760.5	...	...	E	6	...	5 a.	30.04	763.1	...	...	E	4	...
Taichu,	,,	29.93	760.2	...	...	W	2	...	,,	30.00	761.9	...	...	...	0	...
Tainan,	,,	29.93	760.3	...	...	N W	4	...	,,	29.98	761.5	...	...	...	0	...
Koshun	,,	29.93	760.2	...	...	N W	4	...	,,	29.98	761.5	...	...	N E	6	...
Pescadores,	,,	29.94	760.4	...	...	W	4	...	,,	29.99	761.7	...	...	N W	8	...
Canton,	3 p.	29.98	761.5	78	86	N	1	o	9 a.	30.12	765.0	71	80	N	1	o
Hongkong,	4 p.	29.90	759.4	80	79	W N W	1	o	10 a.	30.08	764.0	78	75	N E	1	o
Victoria Peak,	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.93	760.2	76	...	N N W	2	o	,,	30.09	764.3	76	...	N	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Takhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	79	...	W	2	o	10 a.	30.02	762.4	73	...	N E	4	c
Tourane,	,,	29.87	758.8	81	...	N	3	o	,,	29.98	761.5	79	...	...	0	c
Cape St. James,	,,	29.76	755.8	82	...	S	1	c	,,	29.89	759.3	79	...	...	0	o
Aparri,	2 p.	29.89	759.1	88	...	E	1	b	6 a.	29.95	760.7	75	...	W	1	b
Manila,	4 p.	29.84	758	82	70	E N E	1	o	10 a.	29.96	761	84	64	W	1	b
Legaspi,	2 p.	29.84	757.9	88	...	E	1	b	6 a.	29.88	759.0	77	...	...	0	b
Tacolod,	3 p.	...	...	...	...	E N E	2	c	9 a.	...	...	...	...	N E	1	b
Iloilo,	,,	29.81	757.2	87	...	N E	1	c	,,	29.89	759.2	83	...	N E	1	...
Cebu,	,,	29.81	757.2	85	...	E	1	c	,,	29.90	759.4	86	...	N	0	c
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 24th at 11.55 a.—The barometer has fallen rapidly in E. Japan, and risen moderately to considerably over China and W. Japan.

The depression is moving into the Pacific to the N.E. of Japan. The high pressure area is over Central China. Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 24th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th October, 1907, P.M.								25th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.61	752.1	...	...	N	8	...	6 a.	29.85	758.1	...	...	N W	6	...
Hakodate,	,,	29.85	758.2	...	...	W	8	...	,,	29.97	761.2	...	...	W	6	...
Tokio,	,,	29.87	758.6	...	...	N W	2	...	,,	30.14	765.6	...	...	W	2	...
Kochi,	,,	29.99	761.8	...	...	S E	4	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N	6	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	N	4	...	,,	30.15	765.9	...	...	N	2	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	30.05	763.2	...	...	N	8	...	,,	30.09	764.2	...	...	N E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	6	...
Bonin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	30.08	764.1	...	...	N W	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.15	765.8	59	65	S	1	b
Weihaiwei,	,,	30.15	765.8	60	...	W	1	b	9 a.	30.22	767.6	64	...	W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.28	769.1	63	94	N W	1	o
Kiukiang,	,,	30.20	767.1	68	60	N E	3	b	,,	30.26	768.6	60	83	N E	1	o
Shanghai,	,,	30.20	767.1	68	51	N E	1	b	9 a.	30.25	768.3	62	89	E	1	om
Gutzlaff,	,,	30.15	765.8	66	64	N N E	1	bm	,,	30.20	767.1	65	78	E N E	3	om
Sharp Peak,	,,	30.12	765.0	69	85	N E	1	om	,,	30.18	766.6	72	83	N	1	o
Amoy	,,	29.97	761.2	77	73	E N E	2	o	6 a.	30.00	762.0	73	81	N N E	2	c
Swatow,	,,	..	...	82	71	E	2	b	,,	30.12	765.0	70	85	N N E	2	c
Taihoku,	1 p.	30.07	763.9	...	...	E	4	...	5 a.	30.07	763.8	...	...	E	4	...
Taichu,	,,	30.00	761.9	...	...	N	2	...	,,	30.03	762.7	...	...	...	0	...
Tainan,	,,	29.98	761.6	...	...	N W	6	...	,,	30.02	762.4	...	...	N	2	...
Koshun	,,	29.99	761.7	...	...	N E	8	...	,,	30.01	762.2	...	...	N E	4	...
Pescadores,	,,	30.03	762.8	...	...	N	10	...	,,	30.02	762.5	...	...	N	8	...
Canton,	3 p.	30.03	762.7	79	78	...	0	c	9 a.	30.13	765.3	80	78	N	1	b
Hongkong,	4 p.	29.99	761.7	79	77	E	5	o	10 a.	30.10	764.5	80	69	E	2	b
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.99	761.7	80	...	N E	1	o	,,	30.11	764.8	80	...	N E	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.2	75	...	N E	3	o	10 a.	30.05	763.2	77	...	N	2	c
Tourane,	,,	29.91	759.6	...	...	S E	2	c	,,	30.03	762.8	81	...	...	0	b
Cape St. James,	,,	29.30	756.8	82	...	E N E	2	c	,,	29.90	759.4	81	...	N N E	3	c
Aparri,	2 p.	29.94	760.6	88	...	N E	1	b	6 a.	29.95	760.6	77	...	S W	1	b
Manila,	4 p.	29.84	758	86	65	N W	1	c	10 a.	29.92	760	82	77	N	1	c
Legaspi,	2 p.	29.88	759.0	91	...	N E	1	b	6 a.	29.88	758.8	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E N E	2	c	9 a.	...	...	...	...	N N E	1	o
Iloilo,	,,	29.81	757.2	87	...	N E	1	b	,,	29.85	758.2	82	...	N E	1	c
Cebu,	,,	29.79	756.6	87	...	N	1	c	,,	29.89	759.2	86	...	...	0	c
Labuan,	,,	29.78	756.4	83	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 25th at 11.55 a.—The barometer has risen considerably in Japan, the depression having moved away over the Pacific.

Pressure changes in other areas are unimportant. The highest pressure is over China to the North of the Upper Yangtze, and gradients are slight to moderate.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 25th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th October, 1907, P.M.								26th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	W	8	...	6 a.	29.73	755.1	...	...	W	8	...
Hakodate,	,,	29.93	760.2	...	...	W	8	...	,,	29.97	761.2	...	...	N W	6	...
Tokio,	,,	30.06	763.6	...	...	E	2	...	,,	30.02	762.6	...	...	N	4	...
Kochi,	,,	30.07	763.8	...	...	S	2	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N E	6	...	,,	30.19	766.8	...	...	...	0	...
Kagoshima,	,,	30.11	764.9	...	...	N W	4	...	,,	30.15	765.9	...	...	N	2	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.12	765.1	...	...	N E	4	...
Naha,	,,	30.09	764.2	...	...	N	6	...	,,	30.13	765.2	...	...	N E	4	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	8	...	,,	30.05	763.3	...	...	N E	6	...
Bonin Is.	,,	30.04	763.1	...	...	S W	2	...	,,	30.08	764.1	...	...	N	4	...
Chefoo,	3 p.	30.11	764.8	66	84	N W	2	b	6 a.	30.20	767.1	53	93	...	0	c
Weihaiwei,	,,	30.20	767.1	64	...	N W	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.21	767.3	66	79	N E	2	o	,,	30.27	768.8	58	94	N E	1	o
Shanghai,	,,	30.19	766.8	62	89	E	...	om	9 a.	30.23	767.8	61	88	E N E	1	od
Gutzlaff,	,,	30.15	765.8	67	74	E N E	3	ov	,,	30.18	766.6	65	73	E S E	4	om
Sharp Peak,	,,	30.08	764.0	76	84	N E	2	o	,,	30.14	765.5	74	86	N	2	og
Amoy,	,,	29.93	760.2	84	68	E N E	2	b	6 a.	29.96	761.0	76	77	N N E	2	c
Swatow,	,,	30.01	762.2	80	78	E	3	b	,,	30.06	763.5	72	90	..	0	b
Taihoku,	1 p.	30.03	762.7	...	...	E	8	...	5 a.	30.01	762.3	...	...	E	6	...
Taichu,	,,	29.98	761.6	...	...	S W	2	...	,,	29.99	761.7	...	...	...	0	...
Tainan,	,,	30.00	762.0	...	...	W	6	...	,,	30.02	762.4	...	...	...	0	...
Koshun	,,	30.00	762.0	...	...	N E	6	...	,,	29.98	761.4	...	...	N E	8	...
Pescadores,	,,	30.02	762.4	...	...	N	8	...	,,	29.97	761.3	...	...	N	8	...
Canton,	3 p.	30.02	762.5	86	65	...	0	c	9 a.	30.10	764.5	79	87	N W	1	b
Hongkong,	4 p.	30.02	762.5	80	70	S E	3	b	10 a.	30.07	763.8	81	67	E	4	c
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.02	762.5	82	...	S E	1	c	,,	30.08	764.0	82	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	81	...	E S E	1	c	10 a.	...	...	...	...	...	...	...
Tourane,	,,	29.95	760.8	84	...	...	0	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.1	84	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.90	759.5	88	...	N E	1	o	6 a.	29.84	758.0	81	...	E	2	p
Manila,	4 p.	29.80	757	86	59	N	2	o	10 a.	29.69	754	75	100	W	4	...
Legaspi,	2 p.	29.79	756.6	86	...	E	1	o	6 a.	29.80	756.9	72	...	...	...	o
Bacolod,	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	S W	2	o
Iloilo,	,,	29.79	756.6	86	...	N W	2	cr	,,	29.85	758.2	84	...	S W	1	c
Cebu,	,,	29.79	756.6	85	...	N	1	b	,,	29.87	758.7	87	...	S	2	b
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.89	759.2	83	...	...	...	...

On the 26th at 11.40 a.—The barometer has fallen rapidly in Luzon owing to a typhoon which has approached the E. coast of the island near Manila.

The disturbance is expected to move in a Westerly direction and to cause rough weather over the China Sea during the next two or three days.

Pressure is highest over China to the North of the Yangtze. It is giving way slowly in S. China.

Strong N.E. winds are expected to prevail in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong.; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 26th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th October, 1907, P.M.								27th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.93	760.1	...	...	N W	10	...
Hakodate,	,,	29.97	761.2	...	...	N W	6	...	,,	30.17	766.2	...	...	..	0	...
Tokio,	,,	30.02	762.6	...	...	W	2	...	,,	30.26	768.6	...	...	N	4	...
Kochi,	,,	30.11	764.8	...	...	N	4	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	4	...	,,	30.23	767.8	...	...	N E	2	...
Kagoshima,	,,	30.11	764.9	...	...	S E	2	...	,,	30.19	766.9	...	...	N E	2	...
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	30.16	766.1	...	...	S	2	...
Naha,	,,	30.09	764.2	...	...	E	4	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	8	...	,,	30.05	763.3	...	...	...	0	...
Bonin Is.	,,	30.01	762.2	...	...	S	4	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	3 p.	30.22	767.6	66	79	N E	2	c	6 a.	30.21	767.3	55	94	...	0	b
Weihaiwei,	,,	30.21	767.3	67	...	E	1	c	9 a.	30.30	769.6	63	...	W N W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.25	768.3	64	89	W	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.16	766.0	61	100	N E	...	od	9 a.	30.24	768.1	64	95	E	1	omr
Gutzlaff,	,,	30.11	764.8	65	89	E S E	4	om	,,	30.19	766.3	65	100	E N E	4	omd
Sharp Peak,	,,	30.07	763.8	76	84	N	2	o	,,	30.13	765.3	77	79	N E	3	og
Amoy,	,,	29.91	759.7	82	79	N E	2	c	6 a.	29.95	760.7	78	86	N N E	1	c
Swatow,	,,	29.96	761.0	84	72	E	3	b	,,	30.03	762.7	72	90	..	0	c
Taihoku,	1 p.	30.00	762.1	...	...	E	8	...	5 a.	30.00	762.0	...	...	E	8	...
Taichu,	,,	29.95	760.7	...	...	W	2	...	,,	29.97	761.3	...	...	...	0	...
Tainan,	,,	29.97	761.3	...	...	W	4	...	,,	29.97	761.2	...	...	S E	2	...
Koshun	,,	29.98	761.4	...	...	N E	6	...	,,	29.98	761.4	...	...	N E	8	...
Pescadores,	,,	29.98	761.6	...	...	N	8	...	,,	29.97	761.1	...	...	N	6	...
Canton,	3 p.	29.98	761.5	84	72	N W	1	b	9 a.	30.08	764.0	78	95	N E	2	b
Hongkong,	4 p.	29.97	761.2	81	68	E	3	c	10 a.	30.03	762.7	82	60	E N E	4	oq
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.97	761.2	84	...	E S E	1	c	,,	30.05	763.2	78	...	N E	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.1	82	...	E S E	3	b	10 a.	30.05	763.2	77	...	N N W	3	b
Tourane,	,,	29.93	760.2	77	...	N	2	or	,,	30.01	762.2	75	...	...	0	or
Cape St. James,	,,	29.80	757.0	84	...	W	1	c	,,	29.88	758.8	77	...	N W	1	o
Aparri,	2 p.	29.84	758.0	81	...	N E	1	o	6 a.	29.95	760.7	75	...	S W	1	c
Manila,	4 p.	29.80	757	73	100	S E	2	op	10 a.	29.96	761	86	71	S S E	1	c
Legaspi,	2 p.	29.81	757.1	84	...	S	1	c	6 a.	29.93	760.1	77	...	...	0	...
Bacolod,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	E N E	1	c
Iloilo,	,,	29.79	756.6	86	...	S W	2	o	,,	29.93	760.3	83	...	N E	1	b
Cebu,	,,	29.77	756.1	88	...	S	3	c	,,	29.96	761.0	86	...	N	1	c
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 26th at 5.50 p.—Orders issued to hoist the Red Cone point downwards and Drum.

The typhoon has crossed Luzon to the North of Manila and entered the China Sea.

On the 27th at 11.55 a.—The barometer has fallen slightly on the S. coast of China, and risen considerably over the Philippines and E. Japan.

The typhoon is probably situated about S.S.E. of Hongkong and East of the Paracels. It appears to be moving towards W.N.W.

Pressure is highest over N. China and the Sea of Japan.

Strong N.E. winds are indicated in the Formosa Channel and rough weather over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, probably freshening to a moderate [gale; squally.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. and N.E. winds, strong to a gale.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 27th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th October, 1907, P.M.								28th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	N W	8	...	6 a.	30.12	765.1	...	...	W	4	...
Hakodate,	,,	30.20	767.2	...	...	N	4	...	,,	30.16	766.2	...	...	...	0	...
Tokio,	,,	30.22	767.6	...	...	N	6	...	,,	30.39	769.6	...	...	N W	2	...
Kochi,	,,	30.23	767.8	...	...	...	0	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	S E	4	...	,,	30.19	766.8	...	...	E	2	...
Kagoshima,	,,	30.19	766.9	...	...	N E	2	...	,,	30.19	766.9	...	...	N E	4	...
Oshima,	,,	30.12	765.1	...	...	N E	4	...	,,	30.12	765.1	...	...	...	0	...
Naha,	,,	30.13	765.2	...	...	E	2	...	,,	30.09	764.2	...	...	..	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.05	763.3	...	...	S E	8	...
Bonin Is.	,,	30.08	764.1	...	...	N	2	...	,,	30.16	766.1	...	...	N	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.17	766.3	60	76	S W	1	b
Weihaiwei,	,,	30.21	767.3	66	...	N W	1	ovr	9 a.	30.17	766.3	65	...	W	2	b
Hankow,	,,	30.32	770.1	62	100	N W	1	or	6 a.	30.33	770.4	59	100	N W	1	or
Kiukiang,	,,	...	...	...	...	...	...	...	..	30.25	768.3	62	89	N E	2	o
Shanghai,	,,	30.16	766.0	65	84	...	3	om	9 a.	30.16	766.0	66	95	N	1	omd
Gutzlaff,	,,	30.13	765.3	66	68	E	4	om	,,	30.13	765.3	67	100	S W	1	om
Sharp Peak,	,,	30.04	763.0	75	86	N E	4	or	,,	30.09	764.3	74	90	N	2	og
Amoy,	,,	29.89	759.2	84	64	N E	2	c	6 a.	29.90	759.4	78	82	N E	1	c
Swatow,	,,	29.99	761.7	85	64	N	3	c	,,	30.02	762.5	74	81	N E	1	b
Taihoku,	1 p.	30.00	761.9	...	...	E	8	...	5 a.	30.01	762.3	...	...	...	0	...
Taichu,	,,	29.95	760.8	...	...	W	2	...	,,	30.00	761.9	...	...	...	0	...
Tainan,	,,	29.98	761.5	...	...	W	4	...	,,	29.98	761.4	...	...	...	0	...
Koshun	,,	29.98	761.6	...	...	N E	6	...	,,	30.00	761.9	...	...	E	2	...
Pescadores,	,,	29.97	761.2	...	...	N	6	...	,,	29.99	761.8	...	...	N	2	...
Canton,	3 p.	29.96	761.0	85	64	N E	2	b	9 a.	30.04	763.0	76	82	N N W	1	c
Hongkong,	4 p.	29.93	760.2	82	71	E	3	o	10 a.	30.00	762.0	79	81	E	5	opq
Victoria Peak,	,,	...	...	...	...	E N E	5	...	,,	...	...	...	...	E S E	5	...
Cap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.93	760.2	82	...	N	3	o	,,	30.00	762.0	79	...	N	2	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chulien,	4 p.	29.91	759.8	84	...	E N E	2	b	10 a.	29.96	760.9	75	...	N	3	c
Tourane,	,,	29.85	758.3	79	...	N W	2	o	,,	29.80	756.9	77	...	N	2	or
Cape St. James,	,,	29.75	755.7	81	...	W S W	1	o	,,	29.85	758.1	77	...	W N W	3	o
Aparri,	2 p.	29.92	760.0	86	...	N E	1	p	6 a.	29.99	761.7	75	...	S	1	b
Manila,	4 p.	29.84	758	88	66	E S E	1	c	10 a.	30.00	762	86	65	E	2	b
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.96	761.0	77	...	N E	1	o
Iloilo,	3 p.	...	...	...	...	E N E	1	o	9 a.	...	...	...	...	N N E	2	b
Iloilo,	,,	29.85	758.2	85	...	E N E	1	o	,,	29.92	760.2	84	...	N E	1	c
Cebu,	,,	29.87	758.7	86	...	N	1	c	,,	29.97	761.2	85	...	...	0	c
Labuan,	,,	29.79	756.6	87	...	...	...	...	,,	29.91	759.7	77	...	...	...	...

On the 27th at 4.45 p.—Orders issued to hoist the Red Cone point downwards. (Indicates a typhoon South of Colony beyond 300 miles).

On the 28th at 11.55 a.—The barometer has fallen considerably over Tongking and N. Annam, and a slight fall has taken place also on the China coast.

The typhoon appears to be situated between the Paracels and Hainan, and to be moving towards the Southern entrance to the Gulf of Tongking.

Pressure is high over China to the N. of the Upper Yangtze and over S.E. Japan. It is low apparently over Manchuria.

Fresh N.E. winds may be expected in the Formosa Channel and rough weather over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; squally and showery at first, improving later.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	N.E. and E. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 28th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th October, 1907, P.M.								29th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.89	759.1	...	...	S W	6	...	6 a.	29.73	755.1	...	...	S W	8	...
Hakodate,	,,	29.93	760.2	...	...	W	6	...	,,	29.81	757.2	...	...	N	2	...
Tokio,	,,	30.14	765.6	...	...	S	4	...	,,	29.99	761.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N E	2	...	,,	30.03	762.8	...	...	N E	4	...
Kagoshima,	,,	30.11	764.9	...	...	...	0	...	,,	30.00	761.9	...	...	N E	2	...
Oshima,	,,	30.08	764.1	...	...	N	2	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	30.05	763.2	...	...	S E	2	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	S E	6	...	,,	29.97	761.3	...	...	S W	4	...
Bonin Is.	,,	30.12	765.1	...	...	N E	4	...	,,	30.04	763.1	...	...	S W	4	...
Chefoo,	3 p.	30.08	764.0	67	64	N W	2	o	6 a.	30.23	767.8	58	76	S W	1	b
Weihaiwei,	,,	30.08	764.0	66	...	N W	2	ovr	9 a.	30.04	763.0	66	...	W N W	1	b
Hankow,	,,	30.29	769.3	61	94	N W	1	or	6 a.	30.29	769.3	59	100	N W	1	o
Kiukiang,	,,	30.31	769.9	63	94	N W	2	o	,,	30.21	767.3	60	94	N W	2	o
Shanghai,	,,	30.08	764.0	66	95	N W	1	om	9 a.	30.10	764.5	63	89	N	1	om
Gutzlaff,	,,	30.15	765.3	68	100	N W	2	om	,,	30.07	763.8	64	95	N N W	4	ov
Sharp Peak,	,,	30.00	762.0	75	90	N N E	2	og	,,	30.08	764.0	75	90	N N E	3	og
Amoy,	,,	29.86	768.4	83	83	S E	3	c	6 a.	29.90	759.4	79	82	N E	5	b
Swatow,	,,	29.91	759.7	82	83	E	3	o	,,	29.87	758.7	75	100	N E	1	or
Taihoku,	1 p.	29.93	760.3	...	...	S E	2	...	5 a.	29.97	761.1	...	...	S E	2	...
Taichu,	,,	29.98	761.4	...	...	S	2	...	,,	29.97	761.3	...	...	...	0	...
Tainan,	,,	29.98	761.4	...	...	W	4	...	,,	29.96	761.0	...	...	...	0	...
Koshun	,,	30.00	761.9	...	...	E	6	...	,,	29.95	760.8	...	...	E	2	...
Pescadores,	,,	29.99	761.8	...	...	N	6	...	,,	29.95	760.8	...	...	N	4	...
Canton,	3 p.	29.95	760.7	82	71	N N W	1	o	9 a.	30.01	762.2	79	95	...	0	or
Hongkong,	4 p.	29.91	759.7	80	82	E	4	oq	10 a.	29.92	759.9	78	85	E	3	o
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.91	759.7	81	...	E S E	3	o	,,	29.88	758.9	78	...	E	4	oqt
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	81	...	N	6	o	10 a.	29.85	758.1	72	...	N	9	or
Tourane,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	79	...	...	0	c
Cape St. James,	,,	29.78	756.5	77	...	N	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.93	760.3	88	...	N E	1	b	6 a.	29.95	760.7	75	...	S	1	b
Manila,	4 p.	29.88	759	86	65	N N E	1	b	10 a.	29.96	761	86	71	...	0	b
Legaspi,	2 p.	29.91	759.6	84	...	N E	1	b	6 a.	29.94	760.5	79	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N N E	1	c
Iloilo,	,,	29.85	758.2	88	...	N E	2	b	,,	29.93	760.2	84	...	E N E	2	b
Cebu,	,,	29.86	758.4	87	...	N	2	c	,,	29.96	761.0	87	...	N	1	c
Labuan,	,,	29.79	756.6	87	...	...	...	...	,,	29.96	761.0	80	...	...	...	...

On the 28th at 12.30 p.—Orders issued to hoist the Red Cone point downwards and Ball (Indicates a typhoon S.W. of Colony beyond 300 miles).

On the 29th at 11.55 a.—The barometer has fallen moderately on the S. coast of China, and in Haiphong. The typhoon is situated to the West of Hainan Straits. It appears to have moved Northwards since yesterday and to have a tendency to recurve to the N.E.

Another depression lies to the N. of Hokkaido and a rapid decrease of pressure has taken place over Japan. Pressure is highest over China to the N. of the Yangtze.

Fresh to strong N.E. winds are indicated in the Formosa Channel and rough weather over the N.W. part of the China Sea.

Red Ball hoisted (indicates a typhoon to the W. of Colony beyond 300 miles).

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, strong to a gale

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 29th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th October, 1907, P.M.								30th October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.65	753.1	...	...	N W	6	...	6 a.	29.77	756.1	...	...	W	2	...
Hakodate,	,,	29.77	756.2	...	...	N W	8	...	,,	29.77	756.2	...	...	...	9	...
Tokio,	,,	29.87	758.6	...	...	N W	2	...	,,	29.95	760.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	N	4	...	,,	29.99	761.8	...	...	...	0	...
Kagoshima,	,,	29.92	759.9	...	...	...	0	...	,,	29.92	759.9	...	...	N E	4	...
Oshima,	,,	29.93	760.1	...	...	...	0	...	,,	29.89	759.1	...	...	N	4	...
Naha,	,,	29.89	759.2	...	...	W	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	N W	2	...	,,	29.89	759.3	...	...	N E	4	...
Bonin Is.	,,	29.93	760.1	...	...	S	4	...	,,	29.93	760.1	...	...	S E	2	...
Chefoo,	3 p.	29.96	761.0	69	75	N W	4	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.96	761.0	67	...	N W	2	b	9 a.	29.99	761.7	64	...	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.13	765.3	60	106	S	1	o
Kiukiang,	,,	30.18	766.6	64	89	W	1	c	,,	30.08	764.0	60	94	W	1	o
Shanghai,	,,	30.07	763.8	66	79	N	1	o	9 a.	30.05	763.2	65	78	N E	1	cm
Gutzlaff,	,,	30.01	762.2	65	84	N E	3	om	,,	30.03	762.7	65	89	N N E	2	ov
Sharp Peak,	,,	29.97	761.2	75	86	E N E	4	oq	,,	29.99	761.7	71	90	N E	4	or
Amoy,	,,	29.83	757.7	80	78	E N E	2	c	6 a.	29.86	758.2	74	81	N E	2	or
Swatow,	,,	29.85	758.2	78	95	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.94	760.5	...	...	E	6	...	5 a.	29.97	761.2	...	...	E	2	...
Taichu,	,,	29.90	759.4	...	...	N	4	...	,,	29.88	758.8	...	...	...	0	...
Tainan,	,,	29.92	760.0	...	...	W	6	...	,,	29.86	758.5	...	...	E	2	...
Koshun,	,,	29.91	759.7	...	...	E	4	...	,,	29.87	758.7	...	...	N E	2	...
Pescadores,	,,	29.93	760.1	...	...	N	4	...	,,	29.88	759.0	...	...	N E	8	...
Canton,	3 p.	29.88	758.9	69	95	N	2	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.85	758.2	74	90	E	2	ot	10 a.	29.84	757.9	77	79	S W	3	opq
Victoria Peak,	,,	...	...	...	...	S E	6	...	,,	...	...	...	...	S W	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.82	757.4	...	...	S	4	opq	,,	29.84	757.9	76	...	W S W	3	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.4	77	...	N	7	c	10 a.	29.99	761.8	73	...	N	3	b
Tourane,	,,	29.83	757.3	81	...	S W	3	c	,,	29.97	761.1	79	...	N W	1	c
Cape St. James,	,,	29.78	756.3	82	...	S	2	o	,,	29.87	758.7	81	...	...	0	o
Aparri,	2 p.	29.87	758.6	88	...	S	1	b	6 a.	29.90	759.5	75	...	S	1	b
Manila,	4 p.	29.84	758	90	60	S E	1	c	10 a.	29.92	760	88	66	E S E	0	b
Legaspi,	2 p.	29.87	758.8	88	...	N E	1	b	6 a.	29.92	759.9	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E N E	2	ot	9 a.	...	...	...	...	E N E	2	o
Iloilo,	,,	29.83	757.7	90	...	N E	1	c	,,	29.91	759.7	85	...	N E	1	b
Cebu,	,,	29.84	757.9	87	...	S	3	b	,,	29.92	759.9	87	...	S	1	c
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 30th at 1.30 a.—Orders issued to hoist No. 2 night signal. At 4.30 a. to hoist the Black Ball (indicates a typhoon W. of Colony within 300 miles).

At 11.15 a. to hoist the Black Cone point upwards and Ball (indicates a typhoon N.W. of Colony within 300 miles).

At 11.55 a.—The barometer is rising over Tongking and in Hongkong, and falling in the Formosa Channel and on the China coast to the Northward.

The typhoon was recurving to the N.E. yesterday, and is now situated to the N.W. of Hongkong. The highest pressure appears to lie over Western China. Except at the Southern stations, it is in moderate to considerable defect of the normal generally.

Strong variable winds and unsettled weather may be expected in the Formosa Channel, and fresh and strong S.W. to N.W. winds along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. to N.W. winds, strong to fresh; the weather is expected to improve.
2.—Formosa Channel,	Variable winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.W. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 30th October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th October, 1907, P.M.								31st October, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.57	751.1	...	...	N W	6	...	6 a.	29.73	755.1	...	...	N	4	
Hakodate,	,,	29.77	756.2	...	...	W	8	...	,,	29.89	759.2	...	...	N	4	
Tokio,	,,	29.87	758.6	...	...	S	2	...	,,	29.91	759.6	...	...	N W	2	
Kochi,	,,	29.91	759.8	...	...	S W	2	...	,,	29.95	760.8	...	...	S W	2	
Nagasaki,	,,	29.91	759.8	...	...	N W	2	...	,,	29.99	761.8	...	...	N E	4	
Kagoshima,	,,	29.92	759.9	...	...	...	0	...	,,	29.96	760.9	...	...	N	4	
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	N	8	
Naha,	,,	29.85	758.2	...	...	N	4	...	,,	29.73	755.2	...	...	S	2	
Ishigakijima,	,,	29.89	759.3	...	...	S E	6	...	,,	29.86	758.3	...	...	N	2	
Bonin Is.	,,	29.89	759.1	...	...	S	6	...	,,	29.89	759.1	...	...	S W	6	
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	61	82	S	1	
Weihaiwei,	,,	29.89	759.2	72	...	E	1	b	9 a.	30.07	763.8	67	...	W	2	
Hankow,	,,	30.11	764.8	69	95	N E	1	c	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.05	763.2	65	84	N E	1	o	,,	30.10	754.5	69	95	...	0	
Shanghai,	,,	29.98	761.5	68	70	E	1	o	9 a.	...	...	...	...	...	...	
Gutzlaff,	,,	29.96	761.0	67	84	N N E	1	or	,,	...	...	...	...	...	...	
Sharp Peak,	,,	29.91	759.7	70	90	N N E	4	ogr	,,	30.08	764.0	68	90	N	2	
Amoy	,,	29.72	754.9	70	90	N E	2	or	6 a.	29.88	758.9	68	85	N E	2	
Swatow,	,,	29.79	756.6	70	95	S E	1	c	,,	29.89	759.2	66	95	N	2	
Taihoku,	1 p.	29.85	758.2	...	...	E	8	...	5 a.	29.96	761.0	...	...	E	2	
Taichu,	,,	29.82	757.3	...	...	S	4	...	,,	29.91	759.6	...	...	N	2	
Tainan,	,,	29.82	757.4	...	...	S	2	...	,,	29.88	758.9	...	...	E	2	
Koshun	,,	29.88	759.0	...	...	N E	4	...	,,	29.89	759.1	...	...	S	2	
Pescadores,	,,	29.82	757.4	...	...	S	6	...	,,	29.88	759.0	...	...	N E	8	
Canton,	3 p.	29.84	757.9	71	80	N N E	1	o	9 a.	30.07	763.8	70	75	N	1	
Hongkong,	4 p.	29.78	756.4	72	83	N	1	o	10 a.	30.01	762.2	75	74	...	0	
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N	1	
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Macao,	,,	29.81	757.2	72	...	N	3	o	,,	30.00	762.0	72	...	N	2	
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.89	759.1	81	...	...	2	b	10 a.	30.04	763.1	72	...	E N E	3	
Tourane,	,,	29.89	759.2	81	...	N N W	4	o	,,	30.03	762.8	79	...	...	0	
Cape St. James,	,,	29.76	755.9	84	...	S	2	c	,,	29.88	758.9	81	...	N N E	1	
Aparri,	2 p.	29.87	758.7	86	...	N	1	b	6 a.	29.93	760.2	75	...	S	1	
Manila,	4 p.	29.80	757	86	71	...	0	b	10 a.	29.96	761	82	85	W N W	1	
Legaspi,	2 p.	29.83	757.8	90	...	E	1	b	6 a.	29.91	759.6	81	...	S E	1	
Bacolod,	3 p.	...	...	...	...	N N E	1	ot	9 a.	...	...	...	...	N E	1	
Iloilo,	,,	29.81	757.2	88	...	E N E	1	o	,,	29.89	759.2	84	...	E N E	1	
Cebu,	,,	29.77	756.1	86	...	N	2	c	,,	29.94	760.5	86	...	...	0	
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	29.87	758.7	85	...	...	...	

On the 30th at 2.45 p.—Signals lowered.

On the 31st at 11.55 a.—The barometer has risen on the China coast, particularly in the neighbourhood of Hongkong.

The depression has almost filled up. It is still faintly indicated in the S. part of the Formosa Channel.

The highest pressure appears to be lying over the Upper Yangtze.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 31st October, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	31st OCTOBER, 1907, P.M.								1st NOVEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
ro, ...	,,	29.73	755.1	...	...	N	2	...	6 a.	29.81	757.1	...	...	N W	6	...
ate, ...	,,	29.85	758.2	...	...	W	8	...	,,	30.05	763.2	...	...	N W	8	...
.....	,,	29.87	758.6	...	...	N	2	...	,,	30.10	764.6	...	...	N W	8	...
, ...	,,	29.95	760.8	...	...	W	2	...	,,	30.23	767.8	...	...	S W	2	...
aki, ...	,,	29.99	761.8	...	...	N	6	...	,,	30.23	767.8	...	...	N	4	...
hima, ...	,,	29.96	760.9	...	...	N	2	...	,,	30.23	767.9	...	...	N	4	...
a, ...	,,	29.96	761.1	...	...	N E	6	...	,,	30.12	765.1	...	...	S	2	...
.....	,,	29.93	760.2	...	...	N E	6	...	,,	30.05	763.2	...	...	N E	4	...
kijima, ...	,,	29.93	760.3	...	...	N E	8	...	,,	30.01	762.3	...	...	N E	8	...
Is.	,,	29.81	757.1	...	...	S	4	...	,,	30.01	762.1	...	...	N	2	...
, ...	3 p.	...	...	...	...	...	...	...	6 a.	30.19	766.8	56	87	...	0	b
iwei, ...	,,	30.09	764.3	67	...	W	3	b	9 a.	30.17	766.3	67	...	W	2	ovr
w, ...	,,	...	...	...	...	...	...	...	6 a.	30.17	766.3	64	95	E	1	c
ang, ...	,,	...	...	...	...	...	...	...	,,	30.10	764.5	61	94	...	0	c
hai, ...	,,	30.13	765.3	71	94	N E	1	b	9 a.	30.26	768.6	68	56	S E	2	b
iff, ...	,,	30.10	764.5	68	60	E N E	...	bv	,,	30.21	767.3	67	64	S E	2	cv
Peak, ...	,,	30.08	764.0	69	87	N E	3	og	,,	30.16	766.0	72	81	N	3	b
.....	,,	29.84	757.9	72	81	N E	3	c	6 a.	29.97	761.2	70	90	N E	2	c
ow, ...	,,	29.92	759.9	75	81	N E	1	c	,,	29.97	761.2	67	100	N	1	b
ku, ...	1 p.	29.99	761.8	...	...	S E	4	...	5 a.	30.06	763.5	...	...	E	4	...
m, ...	,,	29.93	760.3	...	...	...	0	...	,,	30.00	761.9	...	...	...	0	...
m, ...	,,	29.93	760.2	...	...	...	0	...	,,	29.99	761.7	...	...	...	0	...
m, ...	,,	29.93	760.2	...	...	E	4	...	,,	29.97	761.3	...	...	N E	8	...
dores, ...	,,	29.94	760.5	...	...	N	4	...	,,	29.99	761.6	...	...	N	6	...
n, ...	3 p.	...	...	...	...	...	...	...	9 a.	30.12	765.0	73	83	N	1	b
kong, ...	4 p.	29.95	760.7	74	78	E	1	op	10 a.	30.10	764.5	76	72	N E	1	o
ia Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E N E	3	...
ock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
o, ...	,,	29.92	759.9	75	...	N	1	o	,,	30.11	764.8	76	...	N	2	o
ow, ...	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
oi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
nen, ...	4 p.	29.93	760.2	77	...	S S E	3	c	10 a.	30.08	764.1	75	...	E N E	2	b
ane, ...	,,	29.94	760.4	81	...	N N W	3	c	,,	30.08	764.0	79	...	N	1	c
St. James,	,,	29.77	756.2	86	...	S E	3	c	,,	29.91	759.8	81	...	N N E	2	c
ri, ...	2 p.	29.91	759.7	86	...	N	1	b	6 a.	29.97	761.2	77	...	S	1	b
a.	4 p.	29.84	758	88	66	...	0	o	10 a.	29.96	761	86	65	N E	1	c
spi, ...	2 p.	29.85	758.1	84	...	N	1	c	6 a.	29.93	760.2	79	...	...	1	o
lod, ...	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	E N E	1	o
, ...	,,	29.83	757.7	89	...	N E	2	o	,,	29.89	759.2	84	...	N E	1	c
.....	,,	29.81	757.2	87	...	N	3	b	,,	29.93	760.2	86	...	N	1	c
an, ...	,,	29.76	755.9	88	...	...	...	...	,,	29.86	758.4	86	...	...	...	...

On the 1st at 11.55 a.—The barometer has risen moderately to considerably over the China coast and Japan pectively.

An area of high pressure lies over the Yellow Sea, and the lowest pressure is over the Pacific to the N.E. of an. Gradients are moderate to slight.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate; fair.
Formosa Channel, ...	N.E. winds, fresh.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 1st November, 1907.

nted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st November, 1907, P.M.								2nd November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.85	758.1	...	...	N W	10	...	6 a.	30.16	766.1	...	...	S	2	...
Hakodate,	,,	30.20	767.2	...	...	N W	6	...	,,	30.25	768.2	...	...	N E	2	...
Tokio,	,,	30.26	768.6	...	...	N	4	...	,,	30.46	763.6	...	...	...	0	...
Kochi,	,,	30.23	767.8	...	...	S	2	...	,,	30.35	770.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	S E	4	...	,,	30.27	768.8	...	...	E	6	...
Kagoshima,	,,	30.23	767.9	...	...	E	4	...	,,	30.27	768.9	...	...	N E	6	...
Oshima,	,,	30.16	766.1	...	...	S E	2	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	30.05	763.2	...	...	E	4	...	,,	30.05	763.2	...	...	E	2	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	6	...	,,	30.01	762.3	...	...	N E	2	...
Bonin Is.	,,	30.08	764.1	...	...	N	4	...	,,	30.24	768.1	...	...	N E	4	...
Chefoo,	3 p.	30.16	766.0	68	70	W N W	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.16	766.0	66	...	N W	1	c	9 a.	30.11	764.8	58	...	N N E	4	or
Hankow,	,,	30.20	767.1	74	90	N W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.14	765.5	70	75	N E	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.13	765.3	71	53	S S E	2	b	9 a.	30.12	765.0	70	80	S	1	b
Gutzlaff,	,,	30.12	765.0	71	66	S S E	2	bv	,,	30.12	765.0	69	90	S E	1	bm
Sharp Peak,	,,	30.07	763.8	72	83	N E	4	og	,,	30.14	765.5	73	76	N N W	1	b
Amoy,	,,	29.95	760.7	79	82	N E	2	c	6 a.	29.99	761.7	70	85	N E	1	b
Swatow,	,,	29.98	761.5	80	78	E	3	b	,,	29.99	761.7	69	100	N	1	b
Taihoku,	1 p.	30.04	763.1	...	...	E	8	...	5 a.	30.06	763.5	...	...	E	2	...
Taichu,	,,	29.97	761.3	...	...	N W	2	...	,,	30.03	762.8	...	...	...	0	...
Tainan,	,,	29.98	761.5	...	...	N W	2	...	,,	30.03	762.7	...	...	...	0	...
Koshun	,,	29.98	761.5	...	...	N E	8	...	,,	30.01	762.3	...	...	N	2	...
Pescadores,	,,	30.00	762.1	...	...	N W	10	...	,,	30.03	762.8	...	...	N	6	...
Canton,	3 p.	30.01	762.2	80	70	S W	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.00	762.0	77	72	E	2	o	10 a.	30.08	764.0	79	68	E	2	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.00	762.0	77	...	N E	1	o	,,	30.10	764.5	77	...	E	1	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.5	79	...	S E	4	b	10 a.	30.08	763.9	75	...	E N E	3	b
Tourane,	,,	29.98	761.5	81	...	E N E	2	c	,,	30.02	762.4	75	...	...	0	c
Cape St. James,	,,	29.79	756.6	82	...	N E	4	c	,,	29.91	759.6	82	...	N E	2	c
Aparri,	2 p.	29.92	760.0	88	...	E	1	o	6 a.	29.98	761.4	75	...	S W	2	b
Manila,	4 p.	29.88	759	82	85	W N W	1	c	10 a.	29.96	761	82	70	...	0	c
Legaspi,	2 p.	29.86	758.5	86	...	N E	1	o	6 a.	29.92	760.0	79	...	N E	1	o
Eacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	o
Hoilo,	,,	29.81	757.2	87	...	N E	2	c	,,	29.91	759.7	84	...	N E	1	b
Cebu,	,,	29.78	756.4	87	...	N	2	c	,,	29.92	749.9	85	...	N	2	c
Labuan,	,,	29.74	755.4	88	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 2nd at 11.55 a.—The barometer has risen rapidly over E. Japan, and fallen moderately on the E. coast of China.

A shallow depression appears to be passing from the continent to the Yellow Sea, and the high pressure area which has increased in intensity, is now central over S.E. Japan.

Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fair as a whole, but probably [some light rain.
2.—Formosa Channel,	N.E. winds, fresh or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 2nd November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd November, 1907, P.M.								3rd November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.00	762.1	...	...	S W	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.13	765.2	...	...	S W	8	...	,,	29.81	757.2	...	...	S W	4	...
Tokio,	,,	30.30	769.6	...	...	S	6	...	,,	30.18	766.6	...	...	N E	2	...
Kochi,	,,	30.27	768.8	...	...	N E	4	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	E	8	...	,,	30.11	764.8	...	...	N E	2	...
Kagoshima,	,,	30.11	764.9	...	...	E	8	...	,,	30.08	763.9	...	...	N	2	...
Oshima,	,,	30.08	764.1	...	...	S	6	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	S E	2	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,	,,	30.02	762.3	...	...	S E	4	...	,,	30.09	764.3	...	...	N	2	...
Bonin Is.	,,	30.24	768.1	...	...	N E	4	...	,,	30.29	767.1	...	...	E	4	...
Chefoo,	3 p.	..	...	...	...	...	...	...	6 a.	30.34	770.6	46	77	N	2	b
Weihaiwei,	,,	30.12	765.0	56	...	N N E	2	c	9 a.	30.40	772.1	55	...	E	1	b
Hankow,	,,	30.32	770.1	60	100	N W	1	or	6 a.	30.38	771.6	58	100	N	1	or
Kiukiang,	,,	30.20	767.1	71	76	W	3	o	,,	30.33	770.4	59	88	W	3	or
Shanghai,	,,	30.07	763.8	72	67	N W	2	o	9 a.	30.31	769.9	63	73	N N E	2	or
Gutzlaff,	,,	30.06	763.5	77	65	S W	1	cm	,,	30.22	767.6	66	73	N E	5	om
Sharp Peak,	,,	30.04	763.0	75	77	S E	1	b	,,	30.19	766.8	74	81	N E	3	og
Amoy,	,,	29.94	760.5	80	82	S E	...	b	6 a.	...	...	72	90	N E	2	b
Swatow,	,,	30.01	762.2	79	78	E	2	c	,,	30.08	764.0	70	95	N	1	b
Taihoku,	1 p.	30.02	762.3	...	...	N	4	...	5 a.	30.11	764.8	...	...	E	2	...
Taichu,	,,	30.01	762.2	...	...	N	6	...	,,	30.08	764.1	...	...	...	0	...
Tainan,	,,	30.02	762.5	...	...	N	4	...	,,	30.08	763.9	...	...	N	2	...
Koshun	,,	30.02	762.6	...	...	E	6	...	,,	30.06	763.6	...	...	...	0	...
Pescadores,	,,	30.03	762.7	...	...	N	8	...	,,	30.07	763.8	...	...	N	4	...
Canton,	3 p.	30.02	762.5	84	64	...	0	b	9 a.	30.13	765.3	80	82	S E	1	c
Hongkong,	4 p.	30.02	762.5	76	73	E	2	o	10 a.	30.14	765.5	78	79	E	3	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E S E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.01	762.2	81	...	E S E	2	c	,,	30.14	765.5	79	...	S E	1	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	81	...	S S E	3	b	10 a.	30.25	768.3	79	...	...	2	c
Tourane,	,,	29.98	761.5	81	...	N N W	2	o	,,	30.08	764.0	77	...	...	0	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.92	760.0	79	...	N N E	2	o
Aparri,	2 p.	29.95	760.7	84	...	N E	1	p	6 a.	30.02	762.5	75	...	S	1	b
Manila.	4 p.	29.88	759	84	71	N	1	o	10 a.	30.00	762	88	65	E	1	c
Legaspi,	2 p.	29.89	759.2	88	...	N E	1	c	6 a.	29.94	760.4	82	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N N E	2	c
Iloilo,	,,	29.83	757.7	89	...	N E	1	b	,,	29.93	760.2	84	...	N E	3	b
Cebu,	,,	29.83	757.7	87	...	N	3	c	,,	29.96	761.0	86	...	N	2	c
Labuan,	,,	29.72	759.4	88	...	...	...	...	,,	...	...	..	...	...	...	...

On the 3rd at 11.55 a.—The barometer has fallen quickly over Japan, and risen elsewhere, particularly over N. China.

A depression is moving Eastwards to the North of Japan, and a shallow area of low pressure lies over W. Japan. Pressure is now high over N. China.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 3rd November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd November, 1907, P.M.								4th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.73	755.1	...	...	W	6	...	6 a.	30.16	766.1	...	...	N W	4	...
Hakodate,	,,	30.05	763.2	...	...	N W	8	...	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.10	764.6	...	...	N W	2	...	,,	30.18	766.6	...	...	N	2	...
Kochi,	,,	30.03	762.8	...	...	N E	4	...	,,	30.11	764.8	...	...	...	0	...
Nagasaki,	,,	30.11	764.8	...	...	N	2	...	,,	30.19	766.8	...	...	N	4	...
Kagoshima,	,,	30.07	763.9	...	...	N	6	...	,,	30.12	764.9	...	...	N	2	...
Oshima,	,,	30.04	763.1	...	...	W	6	...	,,	30.13	765.1	...	...	N E	2	...
Naha,	,,	30.09	764.2	...	...	N	4	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	N E	2	...
Bonin Is.	,,	30.16	766.1	...	...	N E	4	...	,,	30.12	765.1	...	...	E	2	...
Chefoo,	3 p.	30.36	771.1	55	56	N E	1	b	6 a.	30.31	769.9	48	63	S	1	b
Weihaiwei,	,,	30.36	771.1	54	...	N W	1	b	9 a.	30.33	770.4	58	...	W	2	c
Hankow,	,,	30.39	771.9	60	94	N E	3	c	6 a.	30.45	773.4	55	94	N	1	c
Kinkiang,	,,	30.36	771.1	61	94	N E	4	or	,,	30.41	772.4	56	87	N E	3	o
Shanghai,	,,	30.27	768.8	61	66	N E	2	omr	9 a.	30.36	770.9	59	82	N E	1	om
Gutzlaff,	,,	30.20	767.1	68	56	N E	5	om	,,	30.29	769.3	57	94	E	3	omd
Sharp Peak,	,,	30.13	765.3	74	81	N E	4	b	,,	30.21	767.3	69	87	N N E	3	ogr
Amoy	,,	29.99	761.7	81	62	E N E	3	b	6 a.	30.01	762.2	73	81	N E	2	b
Swatow,	,,	...	...	79	100	E	2	b	,,	30.08	764.0	70	95	N E	2	c
Taihoku,	1 p.	30.08	764.0	...	...	E	6	...	5 a.	30.07	763.8	...	...	E	4	...
Taichu,	,,	30.05	763.3	...	...	N W	2	...	,,	30.07	763.8	...	...	...	0	...
Tainan,	,,	30.06	763.4	...	...	N W	4	...	,,	30.06	763.6	...	...	N E	2	...
Koshun	,,	30.04	762.9	...	...	N E	6	...	,,	30.04	763.1	...	...	N	6	...
Pescadores,	,,	30.07	763.9	...	...	N	6	...	,,	30.07	763.7	...	...	N	8	...
Canton,	3 p.	...	...	83	67	S	2	c	9 a.	30.24	768.1	65	89	W N W	2	o
Hongkong,	4 p.	30.03	762.7	77	75	E	3	c	10 a.	30.17	766.3	73	77	N W	1	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.03	762.7	83	...	S E	2	c	,,	30.18	766.6	71	...	N	3	od
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	81	...	S E	3	b	10 a.	30.19	766.9	64	...	N	5	or
Tourane,	,,	29.99	761.7	81	...	N N E	2	c	,,	30.09	764.3	77	...	...	0	c
Cape St. James,	,,	29.82	757.4	84	...	N E	4	c	,,	29.93	760.1	79	...	S W	2	o
Aparri,	2 p.	29.99	761.7	81	...	E	1	c	6 a.	30.02	762.4	73	...	S	1	b
Manila,	4 p.	29.92	760	86	71	E S E	1	c	10 a.	29.96	761	84	64	...	0	b
Legaspi,	2 p.	29.91	759.6	88	...	E	1	b	6 a.	29.94	760.4	79	...	N	1	b
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.84	757.9	87	...	N E	1	c	,,	29.93	760.2	83	...	N E	2	b
Cebu,	,,	29.87	758.7	86	...	N	2	c	,,	29.94	760.5	86	...	N E	2	b
Labuan,	,,	29.75	755.6	89	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 4th at 12.30 p.—The barometer has risen considerably in N.E. Japan, and a slight rise has taken place also over S. Japan and the China coast.

A high pressure area lies over China to the North of the Upper Yangtze, and pressure is lowest over the S. part of the China Sea. Gradients are slight to moderate.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh ; showery to fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 4th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th November, 1907, P.M.								5th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.08	764.1	...	...	W	6	...	6 a.	30.12	765.1	...	...	N	6	...
Hakodate,	,,	30.24	768.2	...	...	N	2	...	,,	30.28	769.2	...	...	N	2	...
Tokio,	,,	30.22	767.6	...	...	N	2	...	,,	30.30	769.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	N	4	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N	4	...	,,	30.19	766.8	...	...	E	8	...
Kagoshima,	,,	30.11	764.9	...	...	...	0	...	,,	30.19	766.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.09	764.2	...	...	N E	2	...	,,	30.01	762.2	...	...	S E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	S	4	...	,,	30.05	763.3	...	...	N E	4	...
Bonin Is.	,,	30.08	764.1	...	...	E	2	...	,,	30.04	763.1	...	...	N	2	...
Chefoo,	3 p.	30.27	768.8	64	39	S S E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	..	...	...	...	...	...	...	9 a.	30.29	769.3	60	...	W	1	b
Hankow,	,,	30.42	772.6	65	95	S	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.38	771.6	61	71	N E	2	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.26	768.6	62	67	N N E	1	o	9 a.	30.34	770.6	62	56	N N E	1	b
Gutzlaff,	,,	30.22	767.6	62	72	N E	3	ov	,,	30.29	769.3	61	66	N N E	2	cv
Sharp Peak,	,,	30.14	765.5	68	85	N N E	2	og	,,	30.23	767.8	67	79	N N E	3	o
Amoy,	,,	29.99	761.7	77	82	N E	3	c	6 a.	30.04	763.0	69	85	N E	2	c
Swatow,	,,	30.05	763.2	76	86	E	3	o	,,	30.15	765.8	66	84	N	2	c
Taihoku,	1 p.	30.09	764.3	...	...	E	6	...	5 a.	30.15	765.8	...	...	S W	2	...
Taichu,	,,	30.04	762.9	...	...	N W	2	...	,,	30.08	763.9	...	...	N	6	...
Tainan,	,,	30.04	763.1	...	...	N	4	...	,,	30.08	763.9	...	...	N	4	...
Koshun	,,	30.04	763.1	...	...	E	6	...	,,	30.06	763.4	...	...	N E	2	...
Pescadores,	,,	30.08	764.1	...	...	N	10	...	,,	30.08	764.0	...	...	N	10	...
Canton,	3 p.	30.14	765.5	71	81	N N W	1	c	9 a.	30.19	766.8	68	74	N	1	b
Hongkong,	4 p.	30.06	763.5	75	66	N	1	o	10 a.	30.15	765.8	74	64	...	0	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.07	763.8	73	...	N	2	o	,,	30.15	765.8	72	...	N	3	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	10 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.97	761.2	88	...	E	1	b	6 a.	30.00	762.0	73	...	W	1	c
Manila,	4 p.	29.88	759	82	77	N W	1	c	10 a.	29.92	760	86	65	N N E	1	c
Legaspi,	2 p.	29.89	759.1	88	...	E	1	b	6 a.	29.91	759.7	81	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	E N E	2	c	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.83	757.7	88	...	N E	3	b	,,	29.89	759.2	85	...	N E	2	c
Cebu,	,,	29.84	757.9	87	...	N E	2	c	,,	29.90	759.4	86	...	N	3	c
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 5th at 11.55 a.—The barometer has risen moderately in S.E. Japan, and fallen slightly over the Loochoos and Philippines.

Areas of high pressure are lying over Central China and the Sea of Japan, and pressure is slightly low over the Pacific to the S. of the Loochoos.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood,	N. to N.E. winds, moderate; fair.
2.— Formosa Channel,	N.E. winds, strong.
3.— South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.— South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 5th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th November, 1907, P.M.								6th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.20	767.1	...	...	N E	2	...	6 a.	30.40	772.1	...	...	N W	4	...
Hakodate,	,,	30.28	769.2	...	...	N W	4	...	,,	30.44	773.2	...	...	N	2	...
Tokio,	,,	30.34	770.6	...	...	N W	2	...	,,	30.42	772.6	...	...	N W	4	...
Kochi,	,,	30.19	766.8	...	...	...	0	...	,,	30.27	768.8	...	...	W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N E	4	...	,,	30.23	767.8	...	...	E	2	...
Kagoshima,	,,	30.15	765.9	...	...	E	6	...	,,	30.19	766.9	...	...	E	8	...
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.08	764.1	...	...	...	0	...
Naha	,,	30.01	762.2	...	...	N	8	...	,,	30.05	763.2	...	...	N E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	2	...
Bonin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	29.89	759.1	...	...	N E	6	...
Chefoo,	3 p.	30.22	767.6	66	40	S	2	b	6 a.	30.17	766.3	56	75	S	2	b
Weihaiwei,	,,	30.23	767.8	65	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	...	...	...	...	...	...	...	,,	30.29	769.3	50	...	...	0	b
Shanghai,	,,	30.26	768.6	68	...	N E	1	b	9 a.	30.27	768.8	65	63	E	1	b
Gutzlaff,	,,	30.22	767.6	63	62	N N E	2	cv	,,	30.25	768.3	65	73	E S E	2	bv
Sharp Peak,	,,	30.15	765.8	69	77	N N E	4	o	,,	30.20	767.1	66	84	N	1	og
Amoy,	,,	30.06	763.5	69	95	N E	3	o	6 a.	30.04	763.0	69	80	N E	2	c
Swatow,	,,	...	...	...	...	...	...	...	,,	30.12	765.0	67	84	N	1	c
Taihoku,	1 p.	30.11	764.9	...	...	E	6	...	5 a.	30.12	764.9	...	...	E	4	...
Taichu,	,,	30.01	762.2	...	...	N	6	...	,,	30.06	763.6	...	...	...	0	...
Tainan,	,,	30.01	762.3	...	...	N W	4	...	,,	30.04	762.9	...	...	N	2	...
Koshun	,,	30.00	762.9	...	...	N E	10	...	,,	30.02	762.6	...	...	N E	6	...
Pescadores,	,,	30.06	763.6	...	...	N	10	...	,,	30.06	763.4	...	...	N	8	...
Canton,	3 p.	30.10	764.5	75	64	N W	1	b	9 a.	30.20	767.1	68	79	N	1	o
Hongkong,	4 p.	30.06	763.5	74	65	N	1	o	10 a.	30.18	766.6	76	60	E	2	b
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	74	...	N	2	o	,,	30.18	766.6	73	...	N N E	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.06	763.4	77	...	W	5	b	10 a.	30.18	766.6	70	...	N N W	2	b
Tourane,	,,	30.00	761.9	79	...	N E	4	o	,,	30.09	764.3	75	...	N N W	1	o
Cape St. James,	,,	29.75	755.6	82	...	E N E	5	c	,,	29.91	759.7	81	...	N N E	2	c
Aparri,	2 p.	29.94	760.5	88	...	N E	1	b	6 a.	29.99	761.7	75	...	W	1	b
Manila,	4 p.	29.84	758	86	65	N E	1	c	10 a.	30.00	762	88	59	W	1	b
Legaspi,	2 p.	29.84	758.0	90	...	N E	1	b	6 a.	29.90	759.5	81	...	N	1	b
Bacolod,	3 p.	...	...	...	...	E N E	3	c	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.79	756.6	88	...	N E	2	b	,,	29.91	759.7	84	...	N E	3	b
Cebu,	,,	29.80	756.9	88	...	N	3	...	,,	29.91	759.7	85	...	N	2	b
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 6th at 12.10 p.—The barometer has risen considerably in E. Japan,, and fallen slightly on the E. and N.E. coasts of China.

The observations from the Bonin islands indicate the existence of a depression to the Southward of the Group.

A high pressure area lies over the Sea of Japan.

Gradients are moderate to slight in the South, and fresh monsoon is expected to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 6th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th November, 1907, P.M.								7th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.48	774.1	...	...	N E	2	...	6 a.	30.01	762.1	...	...	S	4	...
Hakodate,	,,	30.48	774.2	...	...	S E	4	...	,,	30.25	768.2	...	...	S E	8	...
Tokio,	,,	30.42	772.6	...	...	N W	6	...	,,	30.22	767.6	...	...	N W	6	...
Kochi,	,,	30.19	766.8	...	...	S W	2	...	,,	30.11	764.8	...	...	S E	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	4	...	,,	30.07	763.8	...	...	...	0	...
Kagoshima,	,,	30.15	765.9	...	...	E	8	...	,,	30.04	762.9	...	...	E	6	...
Oshima,	,,	30.08	764.1	...	...	N	2	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	30.05	763.2	...	...	N	6	...	,,	30.01	762.2	...	...	N W	2	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	30.05	763.3	...	...	E	2	...
Bonin Is.	,,	29.61	752.1	...	...	N E	4	...	,,	29.73	755.1	...	...	W	8	...
Chefoo,	3 p.	30.01	762.2	66	54	S	4	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.00	762.0	63	...	S S W	5	ovr	9 a.	30.20	767.1	35	...	N W	6	c
Hankow,	,,	30.31	769.9	67	95	S W	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	30.36	771.1	67	60	W	1	b	,,	30.33	770.4	58	88	S W	1	b
Shanghai,	,,	30.16	766.0	67	55	S	1	o	9 a.	30.25	768.3	69	82	N N W	2	o
Gutzlaff,	,,	30.15	765.8	70	66	E S E	2	bv	,,	30.18	766.6	62	77	N N W	4	cm
Sharp Peak,	,,	30.11	764.8	71	78	N E	3	o	,,	30.19	766.8	71	83	N	1	c
Amoy,	,,	30.00	762.0	79	78	N E	2	b	6 a.	30.02	762.5	69	85	...	0	b
Swatow,	,,	30.05	763.2	77	73	E S E	3	b	,,	30.10	764.5	66	64	N E	2	c
Taihoku,	1 p.	30.06	763.4	...	...	E	6	...	5 a.	30.10	764.5	...	...	...	0	...
Taichu,	,,	30.04	762.9	...	...	N W	2	...	,,	30.08	763.9	...	...	...	0	...
Tainan,	,,	30.05	763.2	...	...	W	4	...	,,	30.06	763.5	...	...	N	2	...
Koshun	,,	30.04	762.9	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	2	...
Pescadores,	,,	30.07	763.8	...	...	N	8	...	,,	30.08	764.1	...	...	N	6	...
Canton,	3 p.	30.12	765.0	77	65	W	1	b	9 a.	30.21	767.3	71	76	N W	2	b
Hongkong,	4 p.	30.09	764.3	76	71	E	1	o	10 a.	30.17	766.3	76	52	N	2	b
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.08	764.0	78	...	N E	1	c	,,	30.17	766.3	74	...	N	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.08	764.0	79	...	N W	0	b	10 a.	...	...	...	...	...	...	...
Tourane,	,,	30.02	762.4	75	...	N N W	2	or	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	84	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.96	761.1	86	...	N E	1	c	6 a.	30.02	762.5	75	...	S W	1	o
Manila,	4 p.	29.88	759	88	59	W S W	1	b	10 a.	30.00	762	88	65	...	0	b
Legaspi,	2 p.	29.87	758.7	90	...	N E	1	b	6 a.	29.94	760.4	79	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	E N E	2	c
Iloilo,	,,	29.83	757.7	88	...	N E	1	b	,,	29.93	760.2	84	...	N E	2	c
Cebu,	,,	29.82	757.4	87	...	N E	3	c	,,	29.94	760.5	85	...	N	2	c
Labuan,	,,	29.76	755.9	88	...	...	...	...	,,	29.88	759.2	84	...	...	...	...

On the 7th at 12.05 p.—The barometer is rising over N. China, and falling in Japan.

A depression appears to be passing from E. Manchuria to the N. part of the Sea of Japan. The depression, probably a typhoon, which was situated to the Southward of the Bonin islands yesterday, has moved Northwards and is now to the N.E. of the Group.

Pressure is high over Central China.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood,	N. winds, fresh ; fine.
2.— Formosa Channel,	N.E. winds, strong.
3.— South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.— South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 7th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th November, 1907, P.M.									8th November, 1907, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.24	768.1	...	...	S E	6	...		6 a.	29.77	756.1	...	...	S E	6	...
Hakodate,	,,	30.01	762.2	...	...	S E	8	...		,,	29.77	756.2	...	...	W	6	...
Tokio,	,,	29.98	761.6	...	...	N W	6	...		,,	29.91	769.6	...	...	...	0	...
Kochi,	,,	29.95	760.8	...	...	W	2	...		,,	30.03	762.8	...	...	S W	4	...
Nagasaki,	,,	29.99	761.8	...	...	N	2	...		,,	30.15	765.8	...	...	N W	4	...
Kagoshima,	,,	30.00	761.9	...	...	N	2	...		,,	30.12	764.9	...	...	N W	4	...
Oshima,	,,	29.96	761.1	...	...	N	6	...		,,	30.08	764.1	...	...	N	6	...
Naha,	,,	30.05	763.2	...	...	N W	6	...		,,	30.05	763.2	...	...	N E	2	...
Ishigakijima,	,,	30.09	764.3	...	...	N	6	...		,,	30.05	763.3	...	...	N E	4	...
Bonin Is.	,,	29.85	758.1	...	...	S W	4	...		,,	29.97	761.1	...	...	...	0	...
Chefoo,	3 p.	30.23	767.8	42	66	W N W	6	c		6 a.	30.07	766.3	40	48	S W	2	c
Weihaiwei,	,,	30.07	763.8	40	...	W N W	5	c		9 a.	30.18	766.6	45	...	W	3	c
Hankow,	,,	30.41	772.4	67	95	N N E	1	c		6 a.	30.36	771.1	55	100	S E	1	b
Kiukiang,	,,	30.34	770.6	66	54	E	3	b		,,	30.30	769.6	53	100	...	0	b
Shanghai,	,,	30.27	768.8	59	48	N N W	3	c		9 a.	30.27	768.8	57	58	S E	1	cm
Gutzlaff,	,,	30.20	767.1	60	71	N	6	cm		,,	30.23	767.8	55	62	N N E	1	cm
Sharp Peak,	,,	30.12	765.0	72	78	E N E	4	b		,,	30.23	767.8	68	82	N E	3	og
Amoy	,,	30.00	762.0	78	74	E S E	2	b		6 a.	30.03	762.7	69	80	N E	2	b
Swatow,	,,	30.03	762.7	75	68	E	2	b		,,	30.11	764.8	67	84	N E	2	c
Taihoku,	1 p.	30.12	765.0	...	...	E	4	...		5 a.	30.14	765.6	...	...	E	2	...
Taichu,	,,	30.03	762.7	...	...	N	6	...		,,	30.06	763.5	...	...	N	2	...
Tainan,	,,	30.04	763.0	...	...	N	6	...		,,	30.05	763.3	...	...	N	4	...
Koshun	,,	30.04	763.1	...	...	N W	6	...		,,	30.06	763.4	...	...	N E	6	...
Pescadores,	,,	30.08	764.1	...	...	N	8	...		,,	30.08	764.0	...	...	N	10	...
Canton,	3 p.	30.11	764.8	78	58	N W	1	b		9 a.	30.23	767.8	69	70	N W	1	...
Hongkong,	4 p.	30.06	763.5	77	52	S E	1	b		10 a.	30.18	766.6	76	41	N	1	b
Victoria Peak,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Macao,	,,	30.08	764.0	78	...	N	2	c		,,	30.19	766.8	73	...	N	3	c
Hoihow,	3 p.	...	...	...	...	..	...	...		9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.12	765.0	81	...	N N W	3	c		10 a.	30.23	767.9	...	...	...	...	...
Tourane,	,,	30.03	763.2	75	...	E	6	o		,,	30.12	765.1	77	...	N	2	c
Cape St. James,	,,	29.79	756.6	82	...	N E	4	c		,,	29.87	758.6	81	...	N E	2	c
Aparri,	2 p.	29.97	761.2	84	...	E	1	b		6 a.	29.98	761.4	73	...	S W	1	b
Manila,	4 p.	29.88	759	88	59	E S E	1	b		10 a.	29.96	761	86	65	...	0	b
Legaspi,	2 p.	29.89	759.1	88	...	E	1	b		6 a.	29.91	759.6	81	...	E	1	b
Bacolod,	3 p.	...	...	...	...	N E	3	c		9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.83	757.7	82	...	N E	3	b		,,	29.89	756.6	83	...	N E	2	c
Cebu,	,,	29.84	757.9	86	...	N	1	b		,,	29.92	759.9	84	...	N	2	or
Labuan,	,,	29.77	756.1	86	...	...	...	...		,,	29.84	757.9	84	...	...	...	...

On the 8th at 11.55 a.—The barometer has fallen rapidly in N.E. Japan owing to the depression which is moving Eastwards to the North of Hokkaido.

Pressure has increased moderately in W. Japan, and decreased slightly over the Philippines. It is highest over Central China, and gradients are slight to moderate.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate ; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 8th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th November, 1907, P.M.								9th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.65	753.1	...	...	S W	4	...	6 a.	29.77	756.1	...	...	S W	6	...
Hakodate,	,,	29.57	757.2	...	...	W	8	...	,,	29.89	759.2	...	...	S W	4	...
Tokio,	,,	29.87	758.6	...	...	S E	2	...	,,	29.91	759.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	30.07	763.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N	6	...	,,	30.15	765.8	...	...	N W	2	...
Kagoshima,	,,	30.07	763.9	...	...	N W	4	...	,,	30.15	765.9	...	...	N	2	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.16	766.1	...	...	N	4	...
Naba,	,,	30.09	764.2	...	...	N	6	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	4	...	,,	30.13	765.3	...	...	N E	4	...
Bonin Is.	,,	29.96	761.1	...	...	S W	2	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	3 p.	30.10	764.5	53	48	N W	2	b	6 a.	30.13	765.3	41	57	...	0	b
Weihaiwei,	,,	30.11	764.8	52	...	W N W	2	b	9 a.	30.17	766.3	53	...	...	...	b
Hankow,	,,	30.35	770.9	66	79	S	1	c	6 a.	30.33	770.4	57	100	E	1	dh
Kiukiang,	,,	30.27	768.8	70	61	W	2	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.16	766.0	63	52	S S W	2	b	9 a.	30.26	768.6	58	70	W	1	b
Gutzlaff,	,,	30.17	766.3	64	53	S S W	1	bv	,,	30.23	767.8	56	57	N W	2	bm
Sharp Peak,	,,	30.16	766.0	70	75	E N E	2	b	,,	30.23	767.8	68	79	N	1	b
Amoy,	,,	30.02	762.5	76	73	E N E	2	b	6 a.	30.04	763.0	68	79	N E	2	b
Swatow,	,,	30.06	763.5	77	65	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.15	765.9	...	...	E	6	...	5 a.	30.14	765.5	...	...	E	6	...
Taichu,	,,	30.06	763.6	...	...	N	6	...	,,	30.06	763.5	...	...	...	0	...
Tainan,	,,	30.06	763.4	...	...	N	6	...	,,	30.06	763.6	...	...	N	2	...
Koshun	,,	30.04	763.0	...	...	N E	8	...	,,	30.01	762.2	...	...	N E	10	...
Pescadores,	,,	30.09	764.3	...	...	N	10	...	,,	30.06	763.5	...	...	N	10	...
Canton,	3 p.	30.11	764.8	78	46	N	1	b	9 a.	30.20	767.1	70	61	N W	1	b
Hongkong,	4 p.	30.07	763.8	77	55	E S E	1	b	10 a.	30.15	765.8	75	43	E	2	b
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.08	764.0	78	...	N	2	b	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.7	77	...	N N W	3	b	10 a.	30.16	766.1	66	...	N N W	2	b
Tourane,	,,	30.04	763.1	79	...	N	4	c	,,	30.07	763.8	75	...	N	2	o
Cape St. James,	,,	29.79	756.6	82	...	...	5	c	,,	29.88	758.8	81	...	N E	1	c
Aparri,	2 p.	29.94	760.4	82	...	N	1	b	6 a.	29.99	761.8	75	...	E	1	p
Manila,	4 p.	29.84	758	88	47	E	1	b	10 a.	29.92	760	86	59	E S E	1	b
Legaspi,	2 p.	29.84	758.0	90	...	E	1	b	6 a.	29.89	759.1	81	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	E N E	3	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.79	756.6	87	...	N E	3	c	,,	29.87	758.7	83	...	N E	2	c
Cebu,	,,	29.81	757.2	86	...	N E	3	b	,,	29.88	758.9	84	...	N	2	c
Labuan,	,,	29.75	756.6	86	...	...	...	...	,,	29.83	757.7	82	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen moderately over N.E. Japan and the Loochoos, and fallen slightly over S. China and the Philippines.

The depression lying to the North of Hokkaido yesterday is moving away over the Pacific.

Pressure is highest over Central China. It is relatively low over the S. part of the China Sea.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 9th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th November, 1907, P.M.								10th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.73	755.1	...	...	N	4	...	6 a.	29.73	755.1	...	...	W	2	...
Hakodate,	,,	29.81	757.2	...	...	S W	6	...	,,	29.89	759.2	...	...	N W	4	...
Tokio,	,,	29.91	759.6	...	...	S	4	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	S W	6	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	30.19	766.8	...	...	N W	6	...	,,	30.23	767.8	...	...	...	0	...
Kagoshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.23	767.9	...	...	N	4	...
Oshima,	,,	30.16	766.1	...	...	N	4	...	,,	30.20	767.1	...	...	S	4	...
Naha,	,,	30.13	765.2	...	...	N E	8	...	,,	30.17	766.2	...	...	N E	2	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	8	...	,,	30.09	764.3	...	...	N E	4	...
Bonin Is.	,,	30.00	762.1	...	...	W	2	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	3 p.	30.14	765.5	57	63	N	1	b	6 a.	30.13	765.3	52	86	...	0	b
Weihaiwei,	,,	30.12	765.0	57	...	N	1	b	9 a.	30.23	767.8	52	...	E S E	4	c
Hankow,	,,	30.28	769.1	69	90	S	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.22	767.6	72	90	...	0	b	..	30.24	768.1	51	100	...	0	b
Shanghai,	,,	30.17	766.3	68	47	S W	1	b	9 a.	30.20	767.1	65	73	S	1	b
Gutzlaff,	,,	30.17	766.3	64	48	N W	1	bm	,,	30.19	766.8	65	68	S	2	bm
Sharp Peak,	,,	30.15	765.8	71	73	N E	3	b	,,	30.17	766.3	68	77	N E	2	og
Amoy,	,,	30.00	762.0	77	77	N E	2	b	6 a.	29.99	761.7	68	85	N E	1	b
Swatow,	,,	30.05	763.2	76	56	E	2	b	,,	30.07	763.8	64	78	N	2	c
Taihoku,	1 p.	30.12	765.1	...	...	E	8	...	5 a.	30.08	763.9	...	...	E	6	...
Taichu,	,,	30.03	762.7	...	...	N	2	...	,,	30.04	763.1	...	...	...	0	...
Tainan,	,,	30.03	762.7	...	...	N W	4	...	,,	30.04	762.9	...	...	...	0	...
Koshun,	,,	30.01	762.3	...	...	N E	10	...	,,	30.03	762.7	...	...	N E	8	...
Pescadores,	,,	30.07	763.9	...	...	N	10	...	,,	30.09	764.3	...	...	N	8	...
Canton,	3 p.	30.08	764.0	78	62	N	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.06	763.5	75	51	E S E	1	c	10 a.	30.13	765.3	72	57	E N E	1	o
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.07	763.8	77	...	N E	1	c	,,	30.12	765.0	73	...	N	2	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.8	79	...	W N W	1	c	10 a.	30.13	765.3	66	...	N W	3	c
Tourane,	,,	29.99	761.8	75	...	N	4	c	,,	30.04	762.9	73	...	N	1	o
Cape St. James,	,,	29.79	756.6	82	...	N E	3	c	,,	29.88	758.9	79	...	N N E	1	c
Aparri,	2 p.	29.93	760.1	73	...	S W	1	p	6 a.	29.96	761.0	73	...	S W	1	c
Manila,	4 p.	29.80	757	86	59	E S E	1	c	10 a.	29.92	760	84	71	S W	1	c
Legaspi,	2 p.	29.82	757.5	86	...	E	1	c	6 a.	29.88	758.9	77	...	E	1	o
Bacolod,	3 p.	...	...	...	...	E N E	3	c	9 a.	...	...	...	...	N N E	1	o
Iloilo,	,,	29.77	756.1	86	...	N E	3	b	,,	29.85	758.2	83	...	N E	4	c
Cebu,	,,	29.79	756.6	86	...	N	3	c	,,	29.87	758.7	84	...	N	2	c
Labuan,	,,	29.73	755.1	86	...	...	...	...	,,	29.82	757.4	84	...	...	...	...

On the 10th at 11.25 a.—The barometer has risen moderately in S. Japan, and fallen slightly over China and the Philippines.

Pressure is highest over Central China and the Eastern Sea, and lowest to the N.E. of Japan in the North and over the S. part of the China Sea in the South.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; cloudy, some light rain.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 10th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th November, 1907, P.M.								11th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.77	756.1	...	...	N W	8	...	6 a.	29.97	761.1	...	...	N W	4	...
Hakodate,	,,	29.97	761.2	...	...	W	6	...	,,	30.09	764.2	...	...	W	4	...
Tokio,	,,	30.02	762.6	...	...	S	2	...	,,	30.14	765.6	...	...	N W	4	...
Kochi,	,,	30.15	765.8	...	...	S W	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	S E	4	...	,,	30.15	765.8	...	...	S E	6	...
Kagoshima,	,,	30.19	766.9	...	...	E	2	...	,,	30.15	765.9	...	...	N E	4	...
Oshima,	,,	30.16	766.1	...	...	N E	2	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	E	4	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	30.01	762.3	...	...	S E	4	...
Ponin Is.	,,	30.04	763.1	...	...	N	4	...	,,	30.08	764.1	...	...	N	2	...
Chefoo,	3 p.	...	...	48	93	E	4	or	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	47	...	E N E	5	c	9 a.	...	..	51	...	W N W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.20	767.1	...	...	W	1	b	,,	30.34	770.6	55	80	W	2	b
Shanghai,	,,	30.12	765.0	66	54	S	2	c	9 a.	30.20	767.1	56	57	W	2	b
Gutzlaff,	,,	30.09	764.3	69	80	S	2	cm	,,	30.16	766.0	55	68	N W	5	bm
Sharp Peak,	,,	30.09	764.3	69	80	N E	3	og	,,	30.13	765.3	70	80	N	2	o
Amoy,	,,	29.96	761.0	73	81	N E	2	b	6 a.	29.97	761.2	71	80	...	0	c
Swatow,	,,	29.91	759.7	74	68	N E	2	c	,,	30.03	762.7	68	79	N	1	o
Taihoku,	1 p.	30.03	762.8	...	...	S E	6	...	5 a.	30.04	763.0	...	...	.	0	...
Taichu,	,,	30.02	762.6	...	...	...	0	...	,,	30.03	762.8	...	...	...	0	...
Tainan,	,,	30.02	762.6	...	...	...	0	...	,,	30.03	762.7	...	...	...	0	...
Koshun	,,	30.02	762.4	...	...	N E	6	...	,,	30.02	762.4	...	...	W	4	...
Pescadores.	,,	30.02	762.6	...	...	N	4	...	,,	30.02	762.6	...	...	N	6	...
Canton,	3 p.	30.08	764.0	75	52	N E	2	o	9 a.	30.16	766.0	66	68	N	1	o
Hongkong.	4 p.	30.03	762.7	73	59	N	1	od	10 a.	30.09	764.3	71	57	N N E	1	o
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	N N W	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.04	763.0	72	...	N	2	o	,,	30.10	764.5	71	...	N	2	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.7	73	...	N N W	4	c	10 a.	30.13	765.4	66	...	N N W	4	o
Tourane,	,,	29.98	761.6	73	...	W N W	4	or	,,	30.04	762.9	70	...	N W	1	or
Cape St. James,	,,	29.79	756.7	82	...	S E	1	o	,,	29.84	757.8	81	...	...	0	c
Aparri,	2 p.	29.91	759.6	84	...	N E	1	c	6 a.	29.95	760.6	75	...	S	1	o
Manila,	4 p.	29.89	757	82	85	N W	1	o	10 a.	29.92	760	84	71	W N W	0	c
Legaspi,	2 p.	29.79	756.6	81	...	N E	1	o	6 a.	29.87	758.6	77	...	N	1	o
Iacolod,	3 p.	...	...	...	...	E N E	1	c	9 a.	...	...	...	...	N N E	1	o
Iloilo,	,,	29.75	755.6	83	...	W	1	o	,,	29.85	758.2	81	...	N E	1	c
Cebu,	,,	29.79	756.6	84	...	N	2	b	,,	29.87	758.7	85	...	N	2	c
Labuan,	,,	29.73	755.1	86	...	...	...	...	,,	29.86	758.4	78	...	...	...	...

On the 11th at 11.25 a.—The barometer has risen considerably in N.E. Japan, and fallen moderately over S.W. Japan and the Loochoos.

An area of low pressure appears to be developing between Formosa and the Loochoos.

Pressure is highest over Central China. It is relatively low over the S. part of the China Sea.

Fresh to strong N. and N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate to fresh; cloudy, probably some light [rain
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 11th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th November, 1907, P.M.								12th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro, ...	,,	30.00	762.1	...	...	N	2	...	6 a.	30.12	765.1	...	...	S W	2	...
Hakodate, ...	,,	30.09	764.2	...	...	W	6	...	,,	30.13	765.2	...	...	...	0	...
Tokio, ...	,,	30.14	765.6	...	...	S	2	...	,,	30.14	765.6	...	...	N W	4	...
Kochi, ...	,,	30.11	764.8	...	...	S E	2	...	,,	30.03	762.8	...	...	S W	4	...
Nagasaki, ...	,,	30.03	762.8	...	...	E	2	...	,,	30.11	764.8	...	...	N	2	...
Kagoshima, ...	,,	30.04	762.9	...	...	S E	4	...	,,	30.12	764.9	...	...	N	2	...
Oshima, ...	,,	30.04	763.1	...	...	S	4	...	,,	30.12	765.1	...	...	N	4	...
Naha, ...	,,	30.05	763.2	...	...	...	0	...	,,	30.05	763.2	...	...	N E	2	...
Ishigakijima, ...	,,	30.01	762.3	...	...	S	2	...	,,	30.05	763.3	...	...	E	4	...
Bonin Is.	,,	30.04	763.1	...	...	N E	2	...	,,	30.01	762.1	...	...	N	2	...
Chefoo, ...	3 p.	29.91	759.7	57	75	S W	4	c	6 a.	30.09	764.3	50	86	...	0	b
Weihaiwei, ...	,,	30.00	762.0	55	...	W	2	b	9 a.	30.16	766.0	58	...	N W	0	b
Hankow, ...	,,	30.25	768.3	73	90	S	1	b	6 a.	30.24	768.1	58	42	N E	1	b
Kiukiang, ...	,,	30.21	767.3	60	34	...	0	b	,,	30.20	767.1	52	93	...	0	b
Shanghai, ...	,,	30.14	765.5	63	43	W N W	2	c	9 a.	30.22	767.6	55	74	S S E	1	o
Gutzlaff, ...	,,	30.11	764.8	60	49	N W	3	cm	,,	30.19	766.8	60	71	S S E	1	om
Sharp Peak, ...	,,	30.09	764.3	70	78	N E	3	c	,,	30.17	766.3	69	80	N	1	o
Amoy, ...	,,	29.96	761.0	76	73	N E	3	c	6 a.	30.02	762.5	65	78	N E	2	o
Swatow, ...	,,	29.99	761.7	77	73	N E	1	o	,,	30.04	763.0	67	79	N	1	c
Taihoku, ...	1 p.	30.06	763.6	...	...	E	6	...	5 a.	30.08	764.0	...	...	E	6	...
Taichu, ...	,,	29.97	761.2	...	...	N	6	...	,,	30.02	762.5	...	...	...	0	...
Tainan, ...	,,	29.98	761.4	...	...	N	6	...	,,	30.02	762.4	...	...	N E	2	...
Koshun.....	,,	29.98	761.6	...	...	N E	6	...	,,	30.01	762.3	...	...	N E	6	...
Pescadores, ...	,,	30.02	762.5	...	...	N	8	...	,,	30.02	762.6	...	...	N	8	...
Canton, ...	3 p.	30.07	763.8	66	68	N W	2	or	9 a.	30.16	766.0	64	78	N W	1	o
Hongkong, ...	4 p.	30.02	762.5	72	56	N	1	od	10 a.	30.10	764.5	75	57	N E	1	o
Victoria Peak, ...	..	...	...	...	...	N E	5	...	,,	...	...	...	...	E N E	4	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	30.03	762.7	71	...	N	2	od	,,	30.10	764.5	71	...	N W	2	o
Hoihow, ...	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.06	763.6	76	...	N N W	4	or	10 a.	30.10	764.5	64	...	N N W	2	o
Tourane, ...	,,	29.96	761.0	75	...	N W	4	o	,,	30.03	762.8	70	...	N W	1	or
Cape St. James, .	,,	29.75	755.6	81	...	N E	3	c	,,	29.86	758.4	77	...	N W	1	o
Aparri, ...	2 p.	29.93	759.7	84	...	N E	1	o	6 a.	29.99	761.8	75	...	S W	1	b
Manila, ...	4 p.	29.84	758	75	91	...	0	c	10 a.	29.92	760	82	77	N W	1	o
Legaspi, ...	2 p.	29.82	757.5	82	...	E	1	...	6 a.	29.90	759.4	77	...	E	1	c
Bacolod, ...	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	N E	1	o
Iloilo, ...	,,	29.79	756.6	85	...	N E	2	o	,,	29.89	759.2	82	...	E N E	1	c
Cebu, ...	,,	29.80	756.9	86	...	N	2	b	,,	29.90	759.4	85	...	N	2	c
Labuan, ...	,,	29.74	755.4	84	...	...	...	...	,,	29.83	757.7	84	...	...	...	...

On the 12th at 11.25 a.—The barometer has risen slightly in N.E. Japan, and fallen moderately over Central Japan and Central China.

The shallow area of low pressure lies over the S. part of the Sea of Japan, and a depression appears to be forming in the Yangtze valley.

Moderate monsoon may be expected in the Formosa Channel, and fresh monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; cloudy, some light rain.
2.—Formosa Channel, ...	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 12th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th November, 1907, P.M.								13th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.04	773.1	...	...	S W	6	...	6 a.	29.97	761.1	...	...	N W	6	...
Hakodate,	,,	30.01	762.2	...	...	E	2	...	,,	30.09	764.2	...	...	N W	6	...
Tokio,	,,	30.10	764.6	...	...	N W	4	...	,,	30.06	763.6	...	...	N W	4	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	4	...
Nagasaki,	,,	30.11	764.8	...	...	W	4	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	N W	4	...	,,	30.12	764.9	...	...	N E	4	...
Oshima,	,,	30.08	764.1	...	...	N W	6	...	,,	30.08	764.1	...	...	S W	6	...
Naha,	,,	30.09	764.2	...	...	N	6	...	,,	30.09	764.2	...	...	N E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	E	6	...	,,	30.05	763.3	...	...	E	6	...
Bonin Is.	,,	29.96	761.1	...	...	N E	2	...	,,	29.93	760.1	...	...	N W	2	...
Chefoo,	3 p.	30.08	764.0	58	94	N E	2	c	6 a.	30.19	766.8	55	92	N E	2	b
Weihaiwei,	,,	30.19	766.8	59	...	E	2	ovr	9 a.	30.19	766.8	55	...	E N E	3	o
Hankow,	,,	30.20	767.1	72	90	S	1	b	6 a.	30.24	768.1	57	94	E	1	b
Kiukiang,	,,	30.17	766.3	71	53	...	0	b	,,	30.16	766.0	53	100	...	0	b
Shanghai,	,,	30.15	765.8	62	...	S E	1	o	9 a.	30.17	766.3	65	78	E	1	c
Gutzlaff,	,,	30.13	765.3	63	72	S S E	2	om	,,	30.14	765.5	66	73	E S E	3	cv
Sharp Peak,	,,	30.11	764.8	71	76	N E	2	o	,,	30.14	765.5	69	82	N E	1	og
Amoy,	,,	29.98	761.5	77	65	E N E	1	o	6 a.	29.98	761.5	73	85	N E	1	o
Swatow,	,,	30.02	762.5	74	81	E	1	o	,,	30.04	763.0	69	90	N	1	o
Taihoku,	1 p.	30.05	763.3	...	...	E	2	...	5 a.	30.05	763.3	...	...	E	6	...
Taichu,	,,	30.01	762.2	...	...	W	2	...	,,	30.02	762.5	...	...	...	0	...
Tainan,	,,	30.01	762.3	...	...	W	4	...	,,	30.01	762.3	...	...	N	2	...
Koshun	,,	30.00	762.1	...	...	N E	6	...	,,	30.03	762.7	...	...	E	2	...
Pescadores,	,,	30.04	763.0	...	...	N	8	...	,,	30.02	762.5	...	...	N	8	...
Canton,	3 p.	30.07	763.8	67	79	N	1	o	9 a.	30.14	765.5	66	95	N	1	o
Hongkong,	4 p.	30.04	763.0	70	78	...	0	od	10 a.	30.10	764.5	72	70	N N E	2	o
Victoria Peak,	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.04	763.0	69	...	N	2	o	,,	30.11	764.8	70	...	N	2	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.6	73	...	W N W	2	c	10 a.	30.10	764.4	68	...	N W	2	o
Tourane,	,,	29.98	761.4	72	...	N W	2	or	,,	30.04	762.9	73	...	N W	2	c
Cape St. James,	,,	29.79	756.6	81	...	N E	3	c	,,	29.83	757.8	81	...	N N E	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.98	761.5	75	...	E	1	o
Manila,	4 p.	29.84	758	86	59	E	2	c	10 a.	29.96	761	80	87	S S W	1	c
Legaspi,	2 p.	29.84	757.9	82	...	E	1	o	6 a.	29.91	759.6	79	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.79	756.6	87	...	N E	1	b	,,	29.89	759.2	83	...	N E	1	or
Cebu,	,,	29.81	757.2	87	...	N	1	b	,,	29.90	759.4	86	...	N	2	c
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.86	758.4	80	...	...	...	...

On the 13th at 11.55 a.—The barometer has fallen slightly over E. Japan, the Bonins and the E. coast of China and risen a little in W. Japan.

The shallow depression appears to have moved into the Pacific to the N.E. of Japan. Pressure seems to be low also over the Pacific to the Eastward of the Bonins. It is highest over N. China.

Gradients are slight on the China coast and moderate monsoon may be expected in the Formosa Channel, and fresh monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate or fresh; cloudy, some light rain.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 13th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th November, 1907, P.M.								14th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.04	763.1	...	...	N	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.09	764.2	...	...	N	6	...	,,	30.17	766.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	N E	4	...	,,	30.06	763.6	...	...	N W	2	...
Kochi,	,,	29.99	761.8	...	...	N E	4	...	,,	30.03	762.8	...	...	S W	4	...
Nagasaki,	,,	30.07	763.8	...	...	N	4	...	,,	30.07	763.8	...	...	E	2	...
Kagoshima,	,,	30.04	762.9	...	...	S E	2	...	,,	30.08	763.9	...	...	N E	2	...
Oshima,	,,	30.04	763.1	...	...	N W	4	...	,,	30.01	762.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	N	4	...	,,	29.97	761.2	...	...	N E	2	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	6	...	,,	29.97	761.3	...	...	N	2	...
Bonin Is.	,,	29.85	758.1	...	...	N	2	...	,,	29.85	758.1	...	...	S W	2	...
Chefoo,	3 p.	30.09	764.3	59	83	E S E	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.11	764.8	58	...	E N E	1	c	9 a.	30.08	764.0	58	...	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.15	765.8	57	94	E	1	b
Kiukiang,	,,	30.14	765.5	68	74	...	0	b	,,	30.11	764.8	54	94	...	0	dh
Shanghai,	,,	30.07	763.8	67	74	E	2	b	9 a.	30.08	764.0	67	79	E	2	c
Gutzlaff,	,,	30.05	763.2	66	79	E S E	3	cv	,,	30.05	763.2	65	84	E S E	3	cv
Sharp Peak,	,,	30.05	763.2	71	85	N E	2	om	,,	30.02	762.5	69	87	N	2	og
Amoy,	,,	29.93	760.2	73	81	N E	1	or	6 a.	29.89	759.2	69	90	S S E	1	or
Swatow,	,,	29.97	761.2	73	81	N	2	o	,,	29.94	760.5	68	90	N	1	or
Taihoku,	1 p.	30.00	762.1	...	...	E	6	...	5 a.	29.93	760.2	...	...	E	4	...
Taichu,	,,	29.96	761.1	...	...	...	0	...	,,	29.94	760.4	...	...	...	0	...
Tainan,	,,	29.97	761.2	...	...	S W	2	...	,,	29.95	760.7	...	...	N	4	...
Koshun,	,,	29.97	761.3	...	...	N	6	...	,,	29.92	759.9	...	...	N E	8	...
Pescadores,	,,	29.98	761.6	...	...	N	8	...	,,	29.95	760.7	...	...	N	4	...
Canton,	3 p.	30.03	762.7	74	81	W	1	c	9 a.	30.02	762.5	69	95	...	0	c
Hongkong,	4 p.	30.01	762.2	69	90	E	3	or	10 a.	29.99	761.7	73	77	N N E	1	o
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.01	762.2	70	...	N E	2	od	,,	30.02	762.5	71	...	N	1	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	75	...	...	0	o	10 a.	30.01	762.3	72	...	N N W	3	o
Tourane,	,,	29.93	760.3	77	...	W	3	o	,,	29.97	761.1	77	...	...	0	c
Cape St. James,	,,	29.78	756.4	86	...	N E	2	c	,,	29.86	758.3	81	...	N N E	1	c
Aparri,	2 p.	29.91	759.6	84	...	N E	1	b	6 a.	29.89	759.3	72	...	S W	1	b
Manila,	4 p.	29.84	758	86	65	N	1	c	10 a.	29.88	759	81	70	N N W	1	b
Legaspi,	2 p.	29.82	757.3	90	...	N E	1	b	6 a.	29.86	758.3	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E N E	2	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	86	...	N E	2	b	,,	29.86	758.4	82	...	N E	1	b
Cebu,	,,	29.78	756.4	87	...	N	2	b	,,	29.86	758.4	86	...	N	2	b
Labuan,	,,	29.75	755.6	86	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 14th at 11.55 a.—The barometer has risen slightly over N.E. Japan, and fallen moderately elsewhere, except in the extreme South.

A low pressure area appears to moving Northwards to the N.E. of the Bonins, and a second centre may exist to the E. of Luzon, while a third depression is probably forming over Central China. Pressure is highest over N.E. Japan.

Fresh or moderate N.E. winds may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. or variable winds, light or moderate; showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 14th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th November, 1907, P.M.								15th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.16	766.1	...	...	E	4	...
Hakodate,	,,	30.13	765.2	...	...	...	0	...	,,	30.13	765.2	...	...	N	2	...
Tokio,	,,	30.06	763.6	...	...	N E	4	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N W	2	...	,,	30.07	763.8	...	...	E	2	...
Kagoshima,	,,	30.04	762.9	...	...	N E	0	...	,,	30.08	763.9	...	...	N E	2	...
Oshima,	,,	30.00	762.1	...	...	...	0	...	,,	30.01	762.1	...	...	S	2	...
Naha,	,,	29.97	761.2	...	...	N E	4	...	,,	29.93	760.2	...	...	N E	2	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...	,,	29.89	759.3	...	...	N E	2	...
Bonin Is.	,,	29.85	758.1	...	...	N W	2	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.01	762.2	61	...	S W	1	vor	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.05	763.2	70	95	E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.03	762.7	70	70	N E	2	b	,,	30.04	763.0	56	94	...	0	b
Shanghai,	,,	30.00	762.0	68	74	E	2	b	9 a.	30.01	762.2	67	79	E S E	2	b
Gutzlaff,	,,	30.00	762.0	65	78	E S E	2	o	,,	29.99	761.7	67	79	E S E	2	bv
Sharp Peak,	,,	29.95	760.7	71	66	N E	3	og	,,	30.02	762.5	72	85	N N W	1	bv
Amoy,	,,	29.86	758.4	73	81	S E	1	c	6 a.	29.89	759.2	69	85	N E	1	c
Swatow,	,,	29.90	759.4	72	85	E	2	o	,,	29.93	760.2	65	89	N	1	b
Taihoku,	1 p.	29.94	760.4	...	...	E	2	...	5 a.	29.94	760.4	...	...	...	0	...
Taichu,	,,	29.92	759.9	...	...	N	2	...	,,	29.91	759.7	...	...	N W	2	...
Tainan,	,,	29.91	759.8	...	...	N	4	...	,,	29.95	760.6	...	...	E	2	...
Koshun,	,,	29.92	759.9	...	...	N	6	...	,,	29.91	759.6	...	...	N	4	...
Pescadores,	,,	29.94	760.4	...	...	N	4	...	,,	29.94	760.5	...	...	N	4	...
Canton,	3 p.	29.90	759.4	78	70	S E	1	c	9 a.	30.02	762.5	73	81	E	1	...
Hongkong,	4 p.	29.88	758.9	73	76	E	2	o	10 a.	29.99	761.7	76	70	E	2	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.89	759.2	74	...	E	1	c	,,	29.99	761.7	73	...	N E	1	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.84	758.0	77	...	S E	3	b	10 a.	29.93	760.2	75	...	E N E	4	b
Tourane,	,,	29.85	758.2	79	...	S W	2	c	,,	29.87	758.6	77	...	...	0	c
Cape St. James,	,,	29.75	755.6	82	...	N E	2	c	,,	29.82	757.5	79	...	N	2	c
Aparri,	2 p.	29.85	758.1	84	...	E	1	c	6 a.	29.88	758.8	73	...	S W	1	b
Manila,	4 p.	29.76	756	86	65	S	1	c	10 a.	29.88	759	84	71	S S W	1	c
Legaspi,	2 p.	29.78	756.5	86	...	N E	1	b	6 a.	29.84	757.9	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E N E	1	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.75	755.6	87	...	N E	1	b	,,	29.85	758.2	82	...	N E	1	b
Cebu,	,,	29.78	756.4	87	...	...	2	b	,,	29.87	758.9	85	...	...	0	c
Labuan,	,,	29.75	755.6	85	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen moderately in S.E. Japan, and fallen slightly over the S. Loochoos, Central China and Tongking.

Pressure is high and in moderate excess of the average over S.E. Japan; low and in considerable to moderate defect of the normal over China and the Loochoos. It appears to be lowest over the middle part of the China Sea and the Pacific to the S. of the Loochoos.

Gradients are slight and moderate to fresh monsoon may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 15th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th November, 1907, P.M.								16th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.08	764.1	...	...	S W	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.01	762.2	...	...	S	2	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	S E	2	...	,,	30.10	764.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	29.99	761.8	...	...	S W	4	...
Nagasaki,	,,	29.99	761.8	...	...	S E	4	...	,,	29.95	760.8	...	...	N E	4	...
Kagoshima,	,,	30.00	761.9	...	...	E	4	...	,,	29.92	759.9	...	...	E	4	...
Oshima,	,,	29.93	760.1	...	...	S E	2	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	N E	2	...	,,	29.85	758.2	...	...	N E	2	...
Ishigakijima,	,,	29.85	758.3	...	...	N	2	...	,,	29.85	758.3	...	...	N E	2	...
Bonin Is.	,,	29.93	760.1	...	...	E	1	...	,,	29.89	759.1	...	...	S E	4	...
Chefoo,	3 p.	30.05	763.2	45	92	W N W	4	o	6 a.	30.19	766.8	39	73	N W	4	c
Weihaiwei,	,,	30.05	763.2	44	...	N W	4	c	9 a.	30.20	767.1	41	...	N N E	3	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.16	766.0	52	100	N E	4	o
Kiukiang,	,,	29.98	761.5	67	74	N E	3	c	,,	30.04	763.0	58	94	N E	3	b
Shanghai,	,,	29.93	760.2	71	57	S S E	1	c	9 a.	29.98	761.5	61	100	N E	1	omi
Gutzlaff,	,,	29.93	760.2	69	89	S S E	2	bv	,,	29.94	760.5	65	84	E	2	ov
Sharp Peak,	,,	29.91	759.7	72	83	N E	2	bv	,,	29.94	760.5	70	80	W N W	1	c
Amoy	,,	29.83	757.7	76	82	E	1	b	6 a.	29.83	757.7	69	80	...	0	b
Swatow,	,,	29.85	758.2	75	77	E	2	b	,,	29.89	759.2	66	89	N E	1	c
Taihoku,	1 p.	29.91	759.7	...	...	N W	6	...	5 a.	29.89	759.2	...	...	...	0	...
Taichu,	,,	29.88	758.9	...	...	N	4	...	,,	29.90	759.5	...	...	...	0	...
Tainan,	,,	29.87	758.7	...	...	N W	6	...	,,	29.89	759.1	...	...	N	2	...
Koshun	,,	29.87	758.6	...	...	N W	4	...	,,	29.88	758.8	...	...	E	2	...
Pescadores,	,,	29.95	760.7	...	...	S W	6	...	,,	29.89	759.1	...	...	N	4	...
Canton,	3 p.	29.85	758.2	79	66	E	1	b	9 a.	29.97	761.2	72	85	N	2	c
Hongkong,	4 p.	29.85	758.2	75	77	E	2	c	10 a.	29.95	760.7	74	77	E N E	4	o
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.85	758.2	75	...	S E	1	c	,,	29.95	760.7	75	...	E S E	2	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.6	79	...	S E	4	c	10 a.	29.90	759.4	77	...	N W	2	b
Tourane,	,,	29.82	757.4	84	...	E	2	c	,,	29.91	759.6	79	...	E	1	c
Cape St. James,	,,	29.70	754.5	82	...	E N E	2	c	,,	29.80	756.9	79	...	E N E	1	c
Aparri,	2 p.	29.79	756.7	88	...	N E	1	o	6 a.	29.88	759.0	73	...	S W	1	b
Manila,	4 p.	29.76	756	86	59	...	0	c	10 a.	29.92	760	86	71	S W	1	b
Legaspi,	2 p.	29.77	756.2	88	...	N E	1	o	6 a.	29.88	758.8	72	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N W	2	c	9 a.	...	...	...	...	N	1	c
Iloilo,	,,	29.76	755.9	83	...	N E	1	c	,,	29.87	758.7	82	...	N E	1	b
Cebu,	,,	29.78	756.4	85	...	N	2	c	,,	29.90	759.4	84	...	N	1	c
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.91	759.7	77	...	...	...	...

On the 16th at 11.55 a.—The barometer has risen considerably on the N.E. coast of China, and fallen moderately over Japan and the Loochoos.

Pressure remains in considerable defect of the normal over S. China, the Loochoos and W. Japan. It is highest over N. China, and lowest over the Pacific to the S.E. of the Loochoos where the depression appears to be situated.

Moderate to fresh N. and N.E. winds may be expected in the Formosa Channel and along the Northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N. winds, moderate or fresh; probably some rain.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 16th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th November, 1907, P.M.								17th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.85	758.1	...	...	...	0	...	6 a.	29.97	761.1	...	...	N	8	...
Hakodate,	,,	29.89	759.2	...	...	W	6	...	,,	29.93	760.2	...	...	N	8	...
Tokio,	,,	29.98	761.6	...	...	N W	2	...	,,	29.75	755.6	...	...	N W	4	...
Kochi,	,,	29.87	758.8	...	...	W	2	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.83	757.8	...	...	N	4	...	,,	29.88	758.8	...	...	N	4	...
Kagoshima,	,,	29.84	757.9	...	...	N E	2	...	,,	29.88	758.9	...	...	N W	4	...
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.81	757.2	...	...	N	4	...	,,	29.93	760.2	...	...	N W	4	...
Ishigakijima,	,,	29.85	758.3	...	...	S	2	...	,,	29.97	761.3	...	...	N	2	...
Bonin Is.	,,	29.73	755.1	...	...	E	6	...	,,	29.73	755.1	...	...	S	8	...
Chefoo,	3 p.	30.19	766.8	42	66	N N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.15	765.8	42	...	N	3	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.19	766.8	55	100	N E	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.08	764.0	60	82	N E	3	o	,,	30.17	766.3	55	94	N E	2	o
Shanghai,	,,	29.99	761.7	61	88	N	2	om	9 a.	30.17	766.3	56	94	N	2	om
Gutzlaff,	,,	29.92	759.9	62	94	N	2	om	,,	30.08	764.0	65	73	N N E	3	cv
Sharp Peak,	,,	29.88	758.9	72	81	S E	1	og	,,	30.07	763.8	72	85	E N E	3	o
Amoy	,,	29.85	758.2	73	81	...	0	c	6 a.	29.93	760.2	68	90	...	0	b
Swatow,	,,	29.87	758.7	76	77	...	0	c	,,	29.98	761.5	67	84	N	1	c
Taihoku,	1 p.	29.88	759.0	...	...	N	4	...	5 a.	30.01	762.2	...	...	S	2	...
Taichu,	,,	29.90	759.5	...	...	W	2	...	,,	29.97	761.2	...	...	N	2	...
Tainan,	,,	29.89	759.3	...	...	W	2	...	,,	29.95	760.8	...	...	N	2	...
Koshun	,,	29.87	758.8	...	...	N W	4	...	,,	29.94	760.5	...	...	S	4	...
Pescadores,	,,	29.91	759.6	...	...	N	4	...	,,	29.96	761.0	...	...	N	6	...
Canton,	3 p.	29.91	759.7	69	92	E	1	or	9 a.	30.02	762.5	71	85	E	1	o
Hongkong,	4 p.	29.88	758.9	75	72	E	2	o	10 a.	30.01	762.2	76	61	E	4	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.88	758.9	75	...	E	2	o	,,	30.01	762.2	75	...	E	2	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.6	82	...	W S W	2	b	10 a.	29.95	760.8	75	...	E	4	c
Tourane,	,,	29.81	757.1	82	...	N E	2	b	,,	29.96	760.9	79	...	...	0	b
Cape St. James,	,,	29.72	754.9	81	...	E N E	3	c	,,	29.87	758.7	77	...	E N E	1	or
Aparri,	2 p.	29.84	757.9	86	...	N E	1	b	6 a.	29.95	760.6	75	...	S W	1	b
Manila,	4 p.	29.80	757	86	65	S S W	1	c	10 a.	30.00	762	82	77	N W	0	o
Legaspi,	2 p.	29.83	757.6	88	...	E	1	b	6 a.	29.94	760.5	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N N E	1	b
Iloilo,	,,	29.79	756.6	87	...	W	1	b	,,	29.95	760.7	82	...	N E	1	b
Cebu,	,,	29.83	757.7	86	...	N	1	b	,,	29.87	758.7	86	...	N	1	b
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 17th at 11.55 a.—The barometer has fallen considerably over S.E. Japan and the Bonins, and risen moderately over China, the Loochoos and the Philippines.

The depression has recurved to the N.E. and is now situated to the N.W. of the Bonin islands.

Pressure is highest over N. China and gradients continue slight along the coast.

Moderate to fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood,	N.E. winds, moderate or fresh ; fair.
2.— Formosa Channel,	N.E. winds, fresh.
3.— South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.— South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 17th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th November, 1907, P.M.								18th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.85	758.1	...	...	N	6	...	6 a.	29.81	757.1	...	...	...	0	...
Hakodate,	,,	29.81	757.2	...	...	N	6	...	,,	29.85	758.2	...	...	N	6	...
Tokio,	,,	29.75	755.6	...	...	...	0	...	,,	29.83	757.6	...	...	S	4	...
Kochi,	,,	29.80	756.8	...	...	W	4	...	,,	30.03	762.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	S	4	...	,,	30.19	766.8	...	...	N	4	...
Kagoshima,	,,	29.92	759.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N	4	...
Oshima,	,,	29.96	761.1	...	...	N	6	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	29.97	761.2	...	...	N	4	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	E	6	...
Bonin Is.	,,	29.89	759.1	...	...	N E	4	...	,,	30.04	763.1	...	...	S W	2	...
Chefoo,	3 p.	30.31	769.9	36	90	N	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.32	770.1	38	...	N W	4	c	9 a.	30.52	775.2	37	...	N	3	ovr
Hankow,	,,	...	...	...	...	.	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.10	764.0	55	87	N E	5	o	,,	30.35	770.9	46	47	N E	7	o
Shanghai,	,,	30.17	766.3	57	81	N	2	o	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.09	764.3	59	82	N E	3	omd	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.02	762.5	71	83	N E	3	...	,,	30.12	765.0	72	83	N E	1	b
Amoy,	,,	29.93	760.2	74	76	N E	1	b	6 a.	29.98	761.5	79	90	W	1	c
Swatow,	,,	29.95	760.7	76	73	E N E	2	b	,,	30.01	762.2	68	95	N E	2	or
Taihoku,	1 p.	30.01	762.2	...	...	N E	6	...	5 a.	30.06	763.4	...	...	E	6	...
Taichu,	,,	29.94	760.6	...	...	W	2	...	,,	30.05	763.2	...	...	N E	2	...
Tainan,	,,	29.97	761.2	...	...	S W	4	...	,,	30.04	763.0	...	...	E	2	...
Koshun	,,	29.97	761.3	...	...	E	8	...	,,	30.04	763.0	...	...	S E	4	...
Pescadores,	,,	29.98	761.5	...	...	N	6	...	,,	30.03	762.7	...	...	N	2	...
Canton,	3 p.	29.91	759.7	76	77	S E	2	o	9 a.	30.09	764.3	74	86	N E	1	c
Hongkong,	4 p.	29.91	759.7	76	80	E	4	o	10 a.	30.09	764.3	76	82	E	3	o
Victoria Peak,	,,	...	...	...	...	E S E	6	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.90	759.4	74	...	E	2	c	,,	30.08	764.0	75	...	S E	2	od
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	81	...	S S E	5	c	10 a.	30.00	761.9	81	...	S	4	c
Tourane,	,,	29.85	758.3	82	...	E	1	b	,,	30.03	762.7	82	...	S	1	c
Cape St. James,	,,	29.80	756.8	79	...	S E	2	o	,,	29.95	760.9	75	...	E N E	1	or
Aparri,	2 p.	29.93	760.1	88	...	E	1	b	6 a.	30.06	763.4	73	...	S E	1	b
Manila.	4 p.	29.88	759	84	71	...	0	c	10 a.	30.04	763	84	64	S S E	1	c
Legaspi,	2 p.	29.92	759.9	88	...	S E	1	b	6 a.	29.98	761.5	79	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	E N E	2	c	9 a.	...	...	...	...	E N E	2	o
Iloilo,	,,	29.87	758.7	85	...	N E	2	b	,,	29.97	761.2	80	...	N E	1	o
Cebu,	,,	29.88	758.9	85	...	N	2	b	,,	29.98	761.5	83	...	N	2	o
Labuan,	,,	...	...	85	...	...	...	...	,,	30.00	762.0	83	...	...	...	...

On the 18th at 12.05 p.—Except over N.E. Japan, the barometer has risen generally, particularly over N. China and S.W. Japan.

The depression is still shown over the Pacific to the E. of Japan.

An area of high pressure covers N. China, and pressure is relatively low over Tongking and S.W. China.

Very strong monsoon is expected to set in in the Formosa Channel, and strong E. winds will probably prevail over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, strong; squally, some rain.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 18th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th November, 1907, P.M.								19th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.49	774.4	39	...	N E	2	b	9 a.	30.37	771.4	39	...	W	1	c
Hankow,	,,	30.46	773.7	41	92	N	3	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.42	772.6	45	92	N E	5	or	,,	30.43	772.9	44	100	N W	4	or
Shanghai,	,,	30.28	769.1	53	93	N E	3	od	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.22	767.6	56	87	N E	5	omd	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.07	763.8	74	84	N	1	og	,,	30.13	765.3	72	85	N E	1	ogd
Amoy	,,	30.00	762.0	73	86	N E	1	o	6 a.	29.99	761.7	72	90	E N E	1	o
Swatow,	,,	30.01	762.2	73	90	E	2	o	,,	30.04	763.0	71	95	.	0	o
Taihoku,	1 p.	30.06	763.5	...	...	S W	2	...	5 a.	30.09	764.3	...	...	...	0	...
Taichu,	,,	30.09	764.2	...	...	N	2	...	,,	30.10	764.5	...	...	...	0	...
Tainan,	,,	30.09	764.2	...	...	N	4	...	,,	30.09	764.2	...	...	N	2	...
Koshun	,,	30.07	763.8	...	...	E	4	...	,,	30.07	763.8	...	...	E	2	...
Pescadores,	,,	30.08	764.0	...	...	N	4	...	,,	30.08	763.9	...	...	N	2	...
Canton,	3 p.	30.00	762.0	80	82	E S E	1	o	9 a.	30.12	765.0	65	95	N	1	o
Hongkong,	4 p.	30.02	762.5	74	91	E	3	od	10 a.	30.11	764.8	79	81	E	2	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	...	0	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.00	762.0	76	...	S E	2	o	,,	30.08	764.0	73	...	E S E	1	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.90	759.4	82	...	S S E	5	c	10 a.	30.05	763.2	79	...	S	3	o
Tourane,	,,	29.95	760.7	82	...	S E	2	c	,,	30.08	763.9	81	...	...	0	b
Cape St. James,	,,	29.87	758.7	82	...	E N E	2	c	,,	29.99	761.8	82	...	N E	1	c
Aparri,	2 p.	30.02	762.6	86	...	N E	1	b	6 a.	30.08	763.9	81	...	S E	1	b
Manila,	4 p.	29.96	761	86	65	W	1	o	10 a.	30.04	763	84	58	...	0	c
Legaspi,	2 p.	29.94	760.6	88	...	E	1	c	6 a.	29.99	761.7	72	...	E	1	b
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.89	759.2	84	...	N E	2	c	,,	29.97	761.2	80	...	N E	2	d
Cebu,	,,	29.90	759.4	87	...	N	2	b	,,	29.90	759.9	81	...	...	0	o
Labuan,	,,	29.88	758.9	86	...	...	...	...	,,	29.94	760.5	83	...	...	...	...

On the 19th at 12.05 p.—The barometer has fallen moderately in N. China and risen slightly in S. China.

Pressure is high over China to the North of the Upper Yangtze, and relatively low over Tongking, the S. coast of China, and Formosa.

The wind probably freshen from N. and N.E. in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N. winds, freshening; cloudy, some light rain.
2.—Formosa Channel,	N.E. and N. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 19th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th November, 1907, P.M.								20th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	.	...
Nemuro,	,,	30.20	767.1	...	...	S W	2	...	6 a.	30.12	765.1	...	...	W	2	...
Hakodate,	,,	30.28	769.2	...	...	N W	4	...	,,	30.25	768.2	...	...	N E	4	...
Tokio,	,,	30.34	770.6	...	...	S E	2	...	,,	29.95	760.6	...	...	N W	4	...
Kochi,	,,	30.15	765.8	...	...	S W	2	...	,,	29.01	759.8	...	...	W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N E	4	...	,,	30.07	763.8	...	...	N	4	...
Kagoshima,	,,	30.00	761.9	...	...	E	8	...	,,	30.04	762.9	...	...	N W	2	...
Oshima,	,,	30.00	762.1	...	...	S	...	...	,,	30.08	764.1	...	...	N	6	...
Naha,	,,	30.05	763.2	...	...	S W	4	...	,,	30.09	764.2	...	...	N	4	...
Ishigakijima,	,,	30.05	763.3	...	...	S	6	...	,,	30.05	763.3	...	...	N E	4	...
Bonin Is.	,,	30.12	765.1	...	...	E	2	...	,,	30.12	765.1	...	...	.	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.25	768.3	41	...	W	...	c	9 a.	30.35	770.9	42	...	N E	1	ovr
Hankow,	,,	30.42	772.6	41	100	W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.44	763.2	45	100	W	4	or	..	30.37	771.4	44	...	W	1	b
Shanghai,	,,	30.18	766.6	55	74	N	2	o	9 a.	30.33	770.4	55	87	N	1	o
Gutzlaff,	,,	30.13	765.3	57	87	N	4	om	,,	30.26	768.6	57	75	N	3	gov
Sharp Peak,	,,	30.06	763.5	71	90	N E	2	od	,,	30.18	766.6	65	89	E N E	4	ogd
Amoy,	,,	30.01	762.2	75	90	E S E	1	o	6 a.	29.99	761.7	68	85	N E	2	o
Swatow,	,,	29.98	761.5	77	91	...	0	c	,,	30.02	762.5	68	95	N	2	b
Taihoku,	1 p.	30.05	763.2	...	...	E	4	...	5 a.	30.10	764.5	...	...	S E	4	...
Taichu,	,,	30.04	762.9	...	...	S	2	...	,,	30.05	763.2	...	...	...	0	...
Tainan,	,,	30.04	763.1	...	...	S	4	...	,,	30.05	763.2	...	...	N	2	...
Koshun	,,	30.05	763.2	...	...	E	6	...	,,	30.03	762.7	...	...	...	0	...
Pescadores,	,,	30.07	763.8	...	...	S	4	...	,,	30.06	763.5	...	...	N	6	...
Canton,	3 p.	30.06	763.5	63	94	N W	1	or	9 a.	30.13	766.6	60	94	N W	2	or
Hongkong,	4 p.	30.02	762.5	73	90	W N W	1	o	10 a.	30.11	764.8	75	84	E	1	o
Victoria Peak,	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	E N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.02	762.5	72	...	N E	3	o	,,	30.13	765.3	69	...	N N W	2	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.5	79	...	S S E	5	c	10 a.	30.02	762.6	73	...	S W	4	c
Tourane,	,,	29.96	760.9	82	...	S E	2	b	,,	30.05	763.3	81	...	...	0	c
Cape St. James,	,,	29.87	758.8	82	...	E N E	2	c	,,	29.92	759.9	81	...	N E	1	c
Aparri,	2 p.	29.99	761.7	88	...	N E	1	b	6 a.	30.02	762.4	72	...	S W	1	b
Manila,	4 p.	29.92	760	86	65	E N E	1	c	10 a.	29.96	761	81	76	N	1	o
Legaspi,	2 p.	29.93	760.1	86	...	E	1	c	6 a.	29.91	759.6	79	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E N E	3	c
Iloilo,	,,	29.83	757.7	84	...	N E	2	c	,,	29.89	759.2	81	...	N E	2	b
Cebu,	,,	29.84	757.9	85	...	N	2	b	,,	29.92	759.9	83	...	N	1	c
Labuan,	,,	29.89	759.2	82	...	...	...	...	,,	29.89	759.2	81	...	...	...	...

On the 20th at 12.05 p.—The barometer has fallen over Japan and risen on the E. coast of China,

A depression which formed over the Eastern Sea has moved to the N.E. and is now over Central Japan.

Pressure has given way moderately over the Philippines. It is highest over China to the North of the Yangtze, and still relatively low over Tongking.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood,	N.E. winds, moderate or fresh ; cloudy, some rain.
2.— Formosa Channel,	N.E. winds, fresh to strong.
3.— South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.— South coast of China between Hongkong and Hainan,	E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 20th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th November, 1907, P.M.								21st November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.89	759.1	...	...	S E	4	...	6 a.	29.89	759.1	...	...	W	8	...
Hakodate,	,,	29.77	756.2	...	...	S W	6	...	,,	30.17	766.2	...	...	N	6	...
Tokio,	,,	29.91	759.6	...	...	...	0	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	N	4	...	,,	30.27	768.8	...	...	S W	4	...
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	30.31	769.8	...	...	S E	8	...
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	30.27	768.9	...	...	N E	4	...
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.20	767.1	...	...	S	2	...
Naha,	,,	30.09	764.2	...	...	N	8	...	,,	30.17	766.2	...	...	N E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	E	6	...	,,	30.09	764.3	...	...	N E	6	...
Bonin Is.	,,	30.04	763.1	...	...	S	2	...	,,	30.12	765.1	...	...	N W	2	...
Chefoo,	3 p.	30.39	771.9	42	66	N N E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.38	771.6	40	...	N	3	c	9 a.	30.50	774.7	43	...	N E	1	ovr
Hankow,	,,	30.26	768.6	46	92	N W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.37	771.4	49	93	N	2	or	,,	30.26	768.6	50	100	N E	2	or
Shanghai,	,,	30.26	768.6	58	70	N E	2	o	9 a.	30.30	769.6	59	94	E	1	o
Gutzlaff,	,,	30.23	767.8	58	76	N E	2	ov	,,	30.26	768.6	60	68	E	4	om
Sharp Peak,	,,	30.14	765.5	66	89	N E	1	r	,,	30.18	766.6	65	95	N E	3	ogd
Amoy,	,,	29.97	761.2	68	90	N E	3	or	6 a.	30.00	762.0	69	96	N N E	1	o
Swatow,	,,	30.01	762.2	71	90	E N E	4	or	,,	30.03	762.7	66	95	N E	1	o
Taihoku,	1 p.	30.08	764.0	...	...	E	6	...	5 a.	30.08	764.1	...	...	E	4	...
Taichu,	,,	30.03	762.8	...	...	N W	2	...	,,	30.04	763.0	...	...	...	0	...
Tainan,	,,	30.04	763.0	...	...	N	4	...	,,	30.04	763.1	...	...	...	0	...
Koshun,	,,	30.05	763.2	...	...	E	4	...	,,	30.03	762.8	...	...	E	4	...
Pescadores,	,,	30.06	763.5	...	...	N	8	...	,,	30.03	762.8	...	...	N	8	...
Canton,	3 p.	30.07	763.8	63	94	N W	1	or	9 a.	30.14	765.5	65	95	N W	1	o
Hongkong,	4 p.	29.99	761.7	74	85	E N E	2	o	10 a.	30.11	764.8	73	83	E	3	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.00	762.0	70	...	N	1	o	,,	30.10	764.5	70	...	N	2	od
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.4	72	...	E S E	4	o	10 a.	30.03	762.7	72	...	E N E	4	o
Tourane,	,,	29.93	760.3	82	...	E	1	c	,,	30.02	762.6	79	...	...	0	c
Cape St. James,	,,	29.83	757.7	81	...	E N E	1	o	,,	29.88	759.0	77	...	N N E	1	o
Aparri,	2 p.	29.96	760.9	86	...	N E	1	b	6 a.	29.97	761.3	73	...	S W	1	b
Manila,	4 p.	29.84	758	84	71	S E	1	o	10 a.	29.92	760	86	59	...	0	c
Legaspi,	2 p.	29.88	758.9	77	...	...	0	o	6 a.	29.88	759.0	79	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	W N W	2	c
Iloilo,	,,	29.81	757.2	87	...	N E	2	c	,,	29.85	758.2	80	...	N E	2	o
Cebu,	,,	29.82	757.4	86	...	N	2	o	,,	29.93	760.2	79	...	N	1	od
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	29.83	757.7	80	...	...	...	...

On the 21st at 11.55 a.—The depression has moved into the Pacific to the N.E. of Japan.

The barometer has risen considerably in S. Japan, and fallen slightly over China and the Philippines.

Pressure is highest over N. China, and gradients are moderate to slight along the coast.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh ; cloudy, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 21st November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st NOVEMBER, 1907, P.M.								22nd NOVEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.04	763.1	...	...	N W	8	...	6 a.	30.32	770.1	...	...	N W	8	...
Hakodate,	,,	30.28	769.2	...	...	N W	6	...	,,	30.52	775.2	...	...	N W	6	...
Tokio,	,,	30.30	769.6	...	...	N E	2	...	,,	30.54	775.6	...	...	N W	2	...
Kochi,	,,	30.27	768.8	...	...	E	...	...	,,	30.39	771.8	...	...	W	2	...
Nagasaki,	,,	30.27	768.8	...	...	N E	4	...	,,	30.27	768.8	...	...	N E	4	...
Kagoshima,	,,	30.23	767.9	...	...	E	4	...	,,	30.27	768.9	...	...	N E	6	...
Oshima,	,,	30.16	766.1	...	...	N E	2	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	S	6	...
Bonin Is.	,,	30.12	765.1	...	...	E	2	...	,,	30.24	768.1	...	...	E	2	...
Chefoo,	3 p.	30.42	772.6	46	69	E S E	2	o	6 a.	30.34	770.6	48	78	E S E	5	o
Weihaiwei,	,,	30.44	773.2	43	...	E	1	c	9 a.	30.37	771.4	49	...	E	1	c
Hankow,	,,	30.24	768.1	50	93	N W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.21	767.3	57	81	N	1	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.15	765.8	58	94	E	2	or	9 a.	30.16	766.0	57	...	W N W	2	om
Gutzlaff,	,,	30.12	765.0	62	83	E S E	5	om	,,	30.12	765.0	61	100	W N W	3	f
Sharp Peak,	,,	30.06	763.5	67	95	N E	4	o g	,,	30.12	765.0	72	90	N	1	b
Amoy,	,,	29.96	761.0	76	83	N E	2	c	6 a.	29.98	761.5	71	90	...	0	o
Swatow,	,,	30.00	762.0	76	91	E	4	c	,,	30.03	762.7	71	95	N E	1	o
Taihoku,	1 p.	30.00	762.1	...	...	E	6	...	5 a.	30.08	764.0	...	...	S E	2	...
Taichu,	,,	30.01	762.3	...	...	W	2	...	,,	30.07	763.7	...	...	...	0	...
Tainan,	,,	30.02	762.4	...	...	N W	4	...	,,	30.06	763.4	...	...	N	4	...
Koshun	,,	30.03	762.8	...	...	N W	6	...	,,	30.07	763.8	...	...	N E	2	...
Pescadores,	,,	30.03	762.8	...	...	N	8	...	,,	30.07	763.7	...	...	N	2	...
Canton,	3 p.	30.02	762.5	75	81	...	0	c	9 a.	30.10	764.5	73	95	...	0	c
Hongkong,	4 p.	30.01	762.2	74	82	E	3	o	10 a.	30.08	764.0	77	85	E	1	o
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.00	762.0	73	...	S E	1	o	,,	30.08	764.0	74	...	N N E	1	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.95	760.8	79	...	S S E	3	c	10 a.	30.03	762.7	75	...	E N E	3	b
Tourane,	,,	29.95	760.7	82	...	E	2	c	,,	29.99	761.6	79	...	...	0	c
Cape St. James,	,,	29.79	756.7	79	...	...	2	o	,,	29.85	758.1	73	...	N N E	2	or
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	64	E N E	0	op	10 a.	29.92	760	88	54	E	1	c
Legaspi,	2 p.	29.88	758.9	81	...	...	0	o	6 a.	29.90	759.5	79	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	E N E	1	c	9 a.	...	...	...	...	E N E	3	b
Iloilo,	,,	29.79	756.6	81	...	N E	2	o	,,	29.87	758.7	81	...	N E	4	b
Cebu,	,,	29.83	757.7	81	...	N	2	o	,,	29.89	758.9	84	...	N	1	d
Labuan,	,,	29.73	755.1	85	...	...	...	...	,,	29.86	758.4	78	...	...	...	...

On the 22nd at 11.55 a.—The barometer has fallen moderately on the E. and N.E. coasts of China, owing to a depression which has passed from the continent to the Yellow Sea near the mouth of the Yangtze,

A high pressure area lies now over the Sea of Japan, and the barometer has risen rapidly in E. Japan.

The monsoon is likely to freshen in the Formosa Channel and the N. part of the China Sea during the next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; cloudy, misty.
2.—Formosa Channel,	N.E. winds, moderate to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 22nd November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd November, 1907, P.M.								23rd November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.44	773.1	...	...	N W	4	...	6 a.	30.36	771.1	...	...	W	2	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	30.40	772.2	...	...	N	2	...
Tokio,	,,	30.54	775.6	...	...	N	4	...	,,	30.42	772.6	...	...	N	2	...
Kochi,	,,	30.31	769.8	...	...	S W	4	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	30.15	765.8	...	...	N	4	...	,,	30.11	764.8	...	...	S E	6	...
Kagoshima,	,,	30.23	767.9	...	...	E	8	...	,,	30.12	764.9	...	...	E	6	...
Oshima,	,,	30.12	765.1	...	...	S W	2	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	30.09	764.2	...	...	S	2	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	S	4	...	,,	30.09	764.3	...	...	N E	2	...
Bonin Is.	,,	30.16	766.1	...	...	E	2	...	,,	30.20	767.1	...	...	S E	2	...
Chefoo,	3 p.	30.38	771.6	52	73	E N E	3	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.30	769.6	49	...	E N E	2	c	9 a.	30.32	770.1	41	...	N	4	c
Hankow,	,,	30.35	770.9	48	100	N W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.25	768.3	50	100	W	2	or	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.13	765.3	60	82	W N W	3	o	9 a.	30.22	767.6	55	94	W N W	4	ov
Gutzlaff,	,,	30.08	764.0	62	89	N W	2	cm	,,	30.16	766.0	56	94	N W	4	omd
Sharp Peak,	,,	30.04	763.0	73	86	E S E	1	b	,,	30.15	765.8	76	86	S E	1	b
Amoy,	,,	29.95	760.7	77	82	S E	3	b	6 a.	30.00	762.0	71	85	N E	1	c
Swatow,	,,	29.96	761.0	79	82	E S E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.06	763.4	...	...	N	4	...	5 a.	30.06	763.4	...	...	W	2	...
Taichu,	,,	30.02	762.6	...	...	N	6	...	,,	30.08	764.1	...	...	...	0	...
Tainan,	,,	30.02	762.4	...	...	N W	6	...	,,	30.08	765.9	...	...	...	0	...
Koshun	,,	30.03	762.7	...	...	E	6	...	,,	30.07	763.7	...	...	E	4	...
Pescadores,	,,	30.06	763.5	...	...	N	6	...	,,	30.08	763.9	...	...	N	4	...
Canton,	3 p.	29.98	761.5	81	74	S E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.99	761.7	76	85	E	2	o	10 a.	30.13	765.3	80	68	E	3	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.95	760.7	76	...	E	1	od	,,	30.12	765.0	78	...	N E	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.3	79	...	S E	4	c	10 a.	30.09	764.3	75	...	N N E	4	c
Tourane,	,,	29.93	760.2	81	...	N N E	4	o	,,	30.03	762.7	75	...	E	1	o
Cape St. James,	,,	29.76	756.0	77	...	N E	3	o	,,	29.81	757.1	79	...	N E	5	c
Aparri,	2 p.	29.96	760.9	86	...	N E	1	b	6 a.	30.01	752.3	73	...	S	1	b
Manila,	4 p.	29.84	758	86	65	E	1	b	10 a.	29.96	761	84	71	N E	1	c
Legaspi,	2 p.	29.85	758.3	86	...	N E	1	b	6 a.	29.89	759.1	81	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	...	0	cp
Iloilo,	,,	29.79	756.6	86	...	N E	2	b	,,	29.87	758.7	81	...	...	0	o
Cebu,	,,	29.81	757.2	85	...	N	2	b	,,	29.91	759.7	80	...	...	0	or
Labuan,	,,	29.73	755.1	85	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

On the 23rd at 11.40 a.—The barometer has fallen moderately over Japan, and risen slightly over China and Tongking.

The depression is moving slowly Eastwards and approaching the neighbourhood of Korea Straits.

Pressure is still high over E. Japan and N. China. It appears to be low over the S. part of the China Sea.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 23rd November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd NOVEMBER, 1907, P.M.								24th NOVEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.24	768.1	...	...	...	0	...	6 a.	29.85	758.1	...	...	N E	6	...
Hakodate,	,,	30.20	767.2	...	...	E	2	...	,,	29.77	756.2	...	...	S E	2	...
Tokio,	,,	30.14	765.6	...	...	N	2	...	,,	29.71	754.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	S W	6	...	,,	30.07	763.8	...	...	N W	6	...
Kagoshima,	,,	30.04	762.9	...	...	S W	6	...	,,	30.08	763.9	...	...	W	4	...
Oshima,	,,	30.08	764.1	...	...	N E	2	...	,,	30.11	764.8	...	...	N W	6	...
Naha,	,,	30.09	764.2	...	...	S W	2	...	,,	30.13	765.2	...	...	N	4	...
Ishigakijima,	,,	30.09	764.3	...	...	S E	4	...	,,	30.09	764.3	...	...	N E	2	...
Bonin Is.	,,	30.12	765.1	...	...	E	2	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	3 p.	30.39	771.9	38	81	N N W	5	c	6 a.	30.36	771.1	34	90	W N W	4	o
Weihaiwei,	,,	30.36	771.1	38	...	N W	4	o	9 a.	30.48	774.2	29	...	N N W	2	c
Hankow,	,,	30.40	772.1	50	93	N	2	o	6 a.	30.58	776.7	46	100	N	3	o
Kiukiang,	,,	30.45	773.4	48	100	W	2	o	,,	30.55	775.9	48	85	N E	4	o
Shanghai,	,,	30.26	768.6	55	94	N N W	3	o	9 a.	30.50	774.7	48	78	N N W	2	o
Gutzlaff,	,,	30.18	766.6	57	94	N	6	om	,,	30.37	771.4	52	73	N	4	om
Sharp Peak,	,,	30.08	764.0	74	84	E S E	2	b	,,	30.28	769.1	65	84	N E	5	ogd
Amoy,	,,	29.99	761.7	78	82	S E	2	b	6 a.	30.06	763.5	69	80	N E	4	c
Swatow,	,,	30.02	762.5	78	82	E S E	1	c	,,	30.08	764.0	70	90	N	2	o
Taihoku,	1 p.	30.06	763.6	...	...	S	0	...	5 a.	30.16	766.1	...	...	E	6	...
Taichu,	,,	30.07	763.8	...	...	S W	2	...	,,	30.08	763.9	...	...	N	2	...
Tainan,	,,	30.07	763.7	...	...	N	4	...	,,	30.08	763.8	...	...	N	2	...
Koshun	,,	30.06	763.5	...	...	E	6	...	,,	30.07	763.7	...	...	N E	6	...
Pescadores,	,,	30.09	764.2	...	...	N E	6	...	,,	30.09	764.3	...	...	N	6	...
Canton,	3 p.	30.07	763.8	77	73	N W	2	c	9 a.	30.26	768.6	64	78	N	2	c
Hongkong,	4 p.	30.04	763.0	79	73	E	2	c	10 a.	30.19	766.8	71	71	N N E	1	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.03	762.7	79	...	E S E	1	c	,,	30.16	766.0	70	...	N	3	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	81	...	E	4	c	10 a.	30.17	766.3	70	...	N	...	o
Tourane,	,,	29.95	760.8	82	...	N E	...	c	,,	30.05	763.2	81	...	N E	1	o
Cape St. James,	,,	29.76	755.9	77	...	N E	4	or	,,	29.84	757.9	79	...	N E	3	c
Aparri,	2 p.	29.97	761.2	88	...	N E	1	b	6 a.	30.01	762.2	75	...	N E	2	p
Manila,	4 p.	29.84	758	84	64	N	2	c	10 a.	29.92	760	82	70	N E	1	c
Legaspi,	2 p.	29.86	758.5	82	...	N E	1	o	6 a.	29.90	759.4	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N N E	2	cp
Iloilo,	,,	29.79	756.6	81	...	N E	4	o	,,	29.83	757.7	79	...	N E	3	c
Cebu,	,,	29.82	757.4	79	...	N	2	o	,,	29.87	758.7	79	...	N	1	c
Labuan,	,,	29.76	755.9	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 24th at 11.25 a.—The depression which has deepened, has continued to move Eastwards and is now situated over E. Japan, where a very rapid fall of the mercury has taken place.

Pressure has increased considerably over China, an anticyclonic area being central to the North of the Upper Yangtze. Pressure is relatively low over the S. part of the China Sea, with a tendency to give way in the Philippines.

Very strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh to strong; fair.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 24th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th November, 1907, P.M.								25th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.73	755.1	...	...	E	4	...	6 a.	29.69	754.1	...	...	W	6	...
Hakodate,	,,	29.77	756.2	...	...	W	6	...	,,	29.97	761.2	...	...	N W	6	...
Tokio,	,,	29.75	755.6	...	...	N	4	...	,,	29.91	759.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	S W	6	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N W	6	...	,,	30.31	769.8	...	...	N	6	...
Kagoshima,	,,	30.11	764.9	...	...	N W	8	...	,,	30.27	768.9	...	...	N W	4	...
Oshima,	,,	30.12	765.1	...	...	N W	6	...	,,	30.24	768.1	...	...	N	6	...
Naha,	,,	30.09	764.2	...	...	N	8	...	,,	30.21	767.2	...	...	N E	6	...
Ishigakijima,	,,	30.09	764.3	...	...	...	...	...	,,	30.17	766.3	...	...	N E	6	...
Bonin Is.	,,	30.04	763.1	...	...	S E	2	...	,,	30.12	765.1	...	...	...	0	...
Chefoo,	3 p.	30.47	773.9	30	90	N W	5	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.42	772.6	30	...	N W	5	c	9 a.	30.35	770.9	30	...	W	4	c
Hankow,	,,	30.62	777.7	46	92	N	4	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.58	776.7	46	77	N E	4	o	,,	30.63	778.0	42	83	N E	5	c
Shanghai,	,,	30.46	773.7	47	55	N	4	o	9 a.	30.61	777.5	38	45	N W	3	b
Gutzlaff,	,,	30.34	770.6	51	66	N	5	om	,,	30.50	774.7	43	67	N W	4	bcv
Sharp Peak,	,,	30.24	768.1	64	34	N E	4	og	,,	30.40	772.1	60	79	N E	5	og
Amoy	,,	30.10	764.5	70	80	N N E	3	b	6 a.	30.14	765.5	63	78	N E	2	b
Swatow,	,,	30.11	764.8	68	95	N	1	o	,,	30.21	767.3	60	88	N	1	c
Taihoku,	1 p.	30.19	766.8	...	...	E	6	...	5 a.	30.29	769.3	...	...	E	6	...
Taichu,	,,	30.06	763.6	...	...	N	6	...	,,	30.12	764.9	...	...	N	6	...
Tainan,	,,	30.06	763.5	...	...	N	4	...	,,	30.10	764.4	...	...	N	4	...
Koshun	,,	30.06	763.5	...	...	N E	8	...	,,	30.08	764.1	...	...	N E	8	...
Pescadores,	,,	30.06	763.6	...	...	N	10	...	,,	30.13	765.3	...	...	N	10	...
Canton,	3 p.	30.16	766.0	63	73	N	2	c	9 a.	30.33	770.4	60	76	N N W	2	o
Hongkong,	4 p.	30.12	765.0	68	70	N	2	o	10 a.	30.25	768.3	66	64	N	2	o
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.13	765.3	63	...	N	3	o	,,	30.26	768.6	60	...	N	3	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.10	764.7	66	...	W N W	1	or	10 a.	30.21	767.2	66	...	N N E	3	o
Tourane,	,,	29.99	761.7	82	...	N E	4	c	,,	30.08	763.9	77	...	N E	3	o
Cape St. James,	,,	29.75	755.7	81	...	N E	5	c	,,	29.84	757.8	77	...	N E	4	c
Aparri,	2 p.	29.96	760.9	82	...	N E	1	c	6 a.	30.02	762.6	72	...	S W	1	b
Manila,	4 p.	29.84	758	84	52	E	2	c	10 a.	29.96	761	84	64	...	0	c
Legaspi,	2 p.	29.86	758.4	84	...	E	1	o	6 a.	29.89	759.3	77	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	E N E	3	o
Iloilo,	,,	...	...	...	...	N E	2	c	,,	29.85	758.2	81	...	N E	1	c
Cebu,	,,	29.83	757.7	81	...	N	1	o	,,	29.88	758.9	80	...	N	1	c
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	29.91	757.2	84	...	...	...	...

On the 25th at 11.55 a.—The depression is moving away over the Pacific to the N.E. of Japan.

The barometer has risen considerably in S. Japan, and a moderate rise has taken place also over China.

The anticyclone covering China is central to the North of the Yangtze. Pressure remains relatively low over the S. part of the China Sea.

Very strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh to strong; fair.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 25th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th November, 1907, P.M.								26th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.81	757.1	...	...	W	6	...	6 a.	...	..	...	...	...	...	...
Hakodate,	,,	30.01	762.2	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.98	761.6	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.15	765.8	...	...	S W	4	...	,,	...	...	...	...	...	..	...
Nagasaki,	,,	30.31	769.8	...	...	N	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.27	768.9	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.24	768.1	...	...	N	8	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.20	767.2	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.08	764.1	...	...	S	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.44	773.2	34	90	W N W	5	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.40	772.1	31	...	W N W	4	c	9 a.	30.37	771.4	28	...	W N W	3	b
Hankow,	,,	30.63	778.0	44	92	N N W	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.55	775.9	43	75	N E	4	o	,,	30.45	773.4	40	82	N E	2	c
Shanghai,	,,	30.49	774.4	40	89	N N W	2	c	9 a.	30.44	773.2	42	75	N W	1	c
Gutzlaff,	,,	30.42	772.6	45	53	N W	3	cv	,,	30.36	771.1	48	78	N E	1	cv
Sharp Peak,	,,	30.29	769.3	60	79	E N E	5	o	,,	30.30	769.6	58	73	N E	3	og
Amoy,	,,	30.11	764.8	70	70	N E	2	o	6 a.	30.15	765.8	60	76	N E	2	o
Swatow,	,,	30.12	765.0	67	79	E N E	4	o	,,	30.18	766.6	60	94	N E	2	c
Taihoku,	1 p.	30.28	769.1	...	...	E	6	...	5 a.	30.23	767.9	...	...	E	6	...
Taichu,	,,	30.09	764.3	...	...	N	3	...	,,	30.11	764.8	...	...	...	0	...
Tainan,	,,	30.07	763.8	...	...	N	6	...	,,	30.10	764.4	...	...	N	4	...
Koshun	,,	30.07	763.7	...	...	N E	10	...	,,	30.06	763.4	...	...	N E	10	...
Pescadores,	,,	30.13	765.3	...	...	N	10	...	,,	30.12	764.9	...	...	N	10	...
Canton,	3 p.	30.20	767.1	66	64	N W	1	b	9 a.	30.26	768.6	60	76	N N W	2	c
Hongkong,	4 p.	30.15	765.8	66	67	N N E	2	o	10 a.	30.19	766.8	63	67	E	3	c
Victoria Peak,	,,	...	...	...	...	N N E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	68	...	N	2	o	,,	30.16	766.0	67	...	N	2	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.3	66	...	N	2	o	10 a.	30.17	766.4	64	...	N E	3	o
Tourane,	,,	29.98	761.4	79	...	N E	3	o	,,	30.02	762.5	77	...	N N E	4	or
Cape St. James,	,,	29.75	755.7	81	...	N E	5	c	,,	29.84	757.9	77	...	N E	3	o
Aparri,	2 p.	29.98	761.4	86	...	...	0	b	6 a.	30.02	762.5	72	...	S E	1	b
Manila.	4 p.	29.84	758	84	57	...	0	o	10 a.	29.92	760	84	58	...	0	b
Legaspi,	2 p.	29.82	757.4	81	...	N E	1	o	6 a.	29.88	759.0	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.77	756.1	85	...	N E	2	o	,,	29.85	758.2	81	...	N E	3	c
Cebu,	,,	29.79	756.6	82	...	N	3	o	,,	29.88	758.9	84	...	...	0	b
Labuan,	,,	29.71	754.6	86	...	...	...	...	,,	29.76	755.9	80	...	...	...	...

On the 26th at 12.05 p.—The barometer has fallen over China, particularly on the E. coast.

The anticyclonic area is still central to the North of the Upper Yangtze, and pressure continues relatively low over the S. part of the China Sea.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

The Japanese returns are lacking this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh ; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 26th November, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th November, 1907, P.M.								27th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	W	2	...	6 a.	30.32	770.1	...	...	W	2	...
Hakodate,	,,	30.24	768.2	...	...	S	6	...	,,	30.21	767.2	...	...	E	6	...
Tokio,	,,	30.26	768.6	...	...	N E	2	...	,,	30.26	768.6	...	...	N W	4	...
Kochi,	,,	30.31	769.8	...	...	S E	2	...	,,	30.27	768.8	...	...	S W	4	...
Nagasaki,	,,	30.35	770.8	...	...	N W	2	...	,,	30.31	769.8	...	...	...	0	...
Kagoshima,	,,	30.31	769.9	...	...	E	4	...	,,	30.23	767.9	...	...	N	2	...
Oshima,	,,	30.24	768.1	...	...	N	4	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.17	766.2	...	...	N E	6	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	E	8	...	,,	30.01	762.3	...	...	E	4	...
Bonin Is.	,,	30.16	766.1	...	...	E	2	...	,,	30.20	767.1	...	...	E	2	...
Chefoo,	3 p.	30.38	771.6	36	70	W S W	2	dh	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.28	769.1	32	...	W	3	ovr	9 a.	30.46	773.7	28	...	N W	5	c
Hankow,	,,	30.55	775.9	41	100	W N W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.47	773.9	34	100	N E	2	s	,,	30.65	778.5	38	91	N	2	c
Shanghai,	,,	30.33	770.4	46	62	N N E	1	o	9 a.	30.52	775.2	40	74	N W	1	o
Gutzlaff,	,,	30.28	769.1	49	71	N N E	2	ov	,,	30.42	772.6	45	76	N N W	4	om
Sharp Peak,	,,	30.17	766.3	59	82	E N E	3	og	,,	30.29	769.3	59	88	N E	4	or
Amoy,	,,	30.02	762.5	69	70	N N E	4	c	6 a.	30.04	763.0	66	84	N E	1	c
Swatow,	,,	30.04	763.0	71	71	E	2	b	,,	30.11	764.8	62	89	N E	1	c
Taihoku,	1 p.	30.11	764.8	...	...	E	8	...	5 a.	30.13	765.2	...	...	E	2	...
Taichu,	,,	30.03	762.8	...	...	W	2	...	,,	30.07	763.8	...	...	N	4	...
Tainan,	,,	30.01	762.2	...	...	N W	4	...	,,	30.06	763.4	...	...	...	0	...
Koshun,	,,	30.00	762.1	...	...	N E	8	...	,,	30.02	762.4	...	...	N	4	...
Pescadores,	,,	30.07	763.8	...	...	N	8	...	,,	30.06	763.6	...	...	N	8	...
Canton,	3 p.	30.11	764.8	69	65	N N W	2	o	9 a.	30.24	768.1	57	75	N W	2	o
Hongkong,	4 p.	30.07	763.8	71	63	E S E	1	c	10 a.	30.18	766.6	66	63	N N E	1	o
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	N N W	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	70	...	N	2	c	,,	30.19	766.8	65	...	N	2	o
Hoihow,	3 p.	...	...	...	...	,,	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.9	68	...	N	2	or	8 a.	30.18	766.6	63	...	N	2	o
Tourane,	,,	29.95	760.7	75	...	E N E	4	or	,,	30.04	762.9	77	...	...	0	c
Cape St. James,	,,	29.77	756.1	79	...	N E	4	o	,,	29.84	758.0	79	...	...	3	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	84	58	N N E	2	c	10 a.	29.92	760	75	46	...	0	o
Legaspi,	2 p.	29.79	756.6	84	...	E	1	b	6 a.	29.84	758.0	73	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	...	0	b
Iloilo,	,,	29.75	755.6	86	...	N E	1	c	,,	29.85	758.2	82	...	...	0	c
Cebu,	,,	29.76	755.9	85	...	N E	1	c	,,	29.89	759.2	80	...	...	0	or
Labuan,	,,	29.73	755.1	82	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 27th at 12.10 p.—The barometer has risen slightly over N. China, and fallen moderately over the Loochoos.

The anticyclonic area is still central to the North of the Upper Yangtze. Pressure is relatively low between Formosa and the Loochoos, and over the S. part of the China Sea.

Gradients are steeper over the China coast, and strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 27th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th November, 1907, P.M.								28th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.12	765.1	...	...	S E	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.97	761.2	...	...	S W	6	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.14	765.6	...	...	S E	2	...	,,	30.10	764.6	...	...	..	0	...
Kochi,	,,	30.15	765.8	...	...	S W	2	...	,,	30.19	766.8	...	...	N	2	...
Nagasaki,	,,	30.23	767.8	...	...	N	6	...	,,	30.27	768.8	...	...	N	4	...
Kagoshima,	,,	30.19	766.9	...	...	N	2	...	,,	30.23	767.9	...	...	N	6	...
Oshima,	,,	30.12	765.1	...	...	N	8	...	,,	30.20	767.1	...	...	N	6	...
Naha,	,,	30.05	763.2	...	...	N	10	...	,,	30.13	765.2	...	...	N E	6	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	8	...	,,	30.09	764.3	...	...	N E	6	...
Bonin Is.	,,	30.08	764.1	...	...	E	4	...	,,	30.03	764.1	...	...	S E	2	...
Chefoo,	3 p.	30.48	774.2	35	90	N W	5	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.45	773.4	33	...	W N W	3	o	9 a.	30.45	773.4	31	...	W	4	b
Hankow,	,,	30.65	778.5	48	93	N E	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.58	776.7	44	60	N E	3	o	,,	30.52	775.2	39	82	N E	2	b
Shanghai,	,,	30.50	774.7	42	58	N N W	2	o	9 a.	30.54	775.7	42	58	N N W	2	c
Gutzlaff,	,,	30.40	772.1	46	69	N	4	om	,,	30.44	773.2	45	84	N N W	4	cm
Sharp Peak,	,,	30.25	768.3	59	88	N E	5	ogr	,,	30.33	770.4	57	75	N N E	3	og
Amoy	,,	30.07	763.8	67	79	N N E	1	o	6 a.	30.15	765.8	59	79	N E	2	o
Swatow,	,,	30.08	764.0	65	78	N	4	o	,,	30.19	766.8	56	94	N	2	o
Taihoku,	1 p.	30.21	767.4	...	...	E	6	...	5 a.	30.24	768.0	...	...	E	6	...
Taichu,	,,	30.02	762.6	...	...	N	6	...	,,	30.08	764.1	...	...	N	6	...
Tainan,	,,	30.00	762.1	...	...	N	3	...	,,	30.06	763.5	...	...	N	6	...
Koshun	,,	29.98	761.6	...	...	N E	8	...	,,	30.01	762.3	...	...	N E	10	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.10	764.4	...	...	N	10	...
Canton,	3 p.	30.18	766.6	63	67	N W	2	o	9 a.	30.33	770.4	54	74	N W	2	c
Hongkong,	4 p.	30.10	764.5	65	62	N N E	1	o	10 a.	30.25	768.3	60	65	N	2	c
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	N N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.11	764.8	65	...	N	3	o	,,	30.26	768.6	60	...	N	3	o
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.12	765.0	61	...	N	3	o	8 a.	30.28	769.2	73	...	E N E	2	o
Tourane,	,,	29.96	760.9	77	...	N E	5	or	,,	30.10	764.6	73	...	N N E	4	or
Cape St. James,	,,	29.76	755.9	81	...	E N E	3	c	,,	29.85	758.2	81	...	N E	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	81	87	...	0	o	10 a.	29.98	759	81	85	W N W	1	o
Legaspi,	2 p.	29.81	757.1	81	...	...	0	o	6 a.	29.84	758.0	77	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	S W	1	c	9 a.	...	...	...	...	E N E	2	c
Hoilo,	,,	29.75	755.6	84	...	N E	1	c	,,	29.85	758.2	79	...	N E	1	o
Cebu,	,,	29.77	756.1	83	...	S	1	c	,,	29.86	758.4	81	...	...	0	b
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	29.83	757.7	82	...	...	...	...

On the 28th at 12.05 p.—The barometer has risen slightly on the China coast and over the Loochoos, and fallen over E. Japan and the Bonins.

The anticyclonic area is still central over the continent to the North of the Upper Yangtze, and pressure is relatively low over the Philippines and the S. part of the China Sea.

Strong to heavy monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N. winds, fresh or strong; fair.
Formosa Channel,	N.E. winds, strong to a gale.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	N. winds, strong to gale.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 28th November, 1907.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th November, 1907, P.M.								29th November, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro, ...	,,	30.08	764.1	...	...	N W	8	...	6 a.	30.32	770.1	...	...	S W	2	...
Hakodate, ...	,,	30.24	768.2	...	...	N W	8	...	,,	30.32	770.2	...	...	..	0	...
Tokio, ...	,,	30.22	767.6	...	...	N E	2	...	,,	30.26	768.6	...	...	N W	4	...
Kochi, ...	,,	30.19	766.8	...	...	N W	2	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki, ...	,,	30.31	769.8	...	...	N	6	...	,,	30.31	769.8	...	...	W	2	...
Kagoshima, ...	,,	30.23	767.9	...	...	N	6	...	,,	30.23	767.9	...	...	N	6	...
Oshima, ...	,,	30.20	767.1	...	...	N	8	...	,,	30.20	767.1	...	...	N	6	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	30.17	766.2	...	...	N E	8	...
Ishigakijima, ...	,,	30.09	764.3	...	...	N E	8	...	,,	30.09	764.3	...	...	N E	6	...
Bonin Is.	,,	30.04	763.1	...	...	S E	4	...	,,	30.03	764.1	...	...	S E	2	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.42	772.6	37	...	W	3	b	9 a.	30.37	771.4	30	...	N W	4	c
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	30.51	774.9	49	50	N E	2	b	,,	30.58	776.7	37	91	...	0	b
Shanghai, ...	,,	30.44	773.2	47	48	N N W	1	b	9 a.	30.52	775.2	43	59	N W	1	c
Gutzlaff, ...	,,	30.38	771.6	50	56	N	2	cv	,,	30.44	773.2	49	57	N N W	2	bv
Sharp Peak, ...	,,	30.25	768.3	57	78	N E	3	og	,,	30.35	770.9	59	73	N N E	3	o
Amoy, ...	,,	30.07	763.8	66	79	N N E	3	c	6 a.	30.14	765.5	62	77	N E	2	b
Swatow, ...	,,	30.11	764.8	67	69	N E	1	c	,,	30.21	767.3	58	88	N	1	o
Taihoku, ...	1 p.	30.19	766.8	...	...	E	S	...	5 a.	30.24	768.1	...	...	E	6	...
Taichu, ...	,,	30.01	762.2	...	...	N	6	...	,,	30.12	764.9	...	...	N	4	...
Tainan, ...	,,	30.03	762.8	...	...	N	6	...	,,	30.10	764.5	...	...	N	6	...
Koshun	,,	29.98	761.5	...	...	N E	10	...	,,	30.04	763.0	...	...	N E	8	...
Pescadores, ...	,,	30.09	764.2	...	...	N	10	...	,,	30.11	764.8	...	...	N	10	...
Canton, ...	3 p.	30.20	767.1	63	71	N W	3	b	9 a.	...	...	55	74	...	1	o
Hongkong, ...	4 p.	30.15	765.8	65	53	N	1	c	10 a.	30.28	769.1	63	60	N N E	2	o
Victoria Peak, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	30.15	765.8	64	...	N	2	c	,,	30.29	769.3	61	...	N	2	c
Hoihow, ...	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.19	766.7	63	...	N	2	o	8 a.	30.32	770.2	59	...	N E	2	o
Tourane, ...	,,	30.05	763.2	73	...	N N E	4	o	,,	30.15	765.8	77	...	N E	3	c
Cape St. James, .	,,	29.76	756.0	84	...	E N E	2	c	,,	29.89	759.1	75	...	N N E	1	or
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.76	756	84	71	N E	1	c	10 a.	29.88	759	82	77	...	0	o
Legaspi, ...	2 p.	29.80	756.8	88	...	E	1	b	6 a.	29.84	757.8	77	...	N E	1	b
Bacolod, ...	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	N E	1	o
Iloilo, ...	,,	29.75	755.6	85	...	N E	1	c	,,	29.85	758.2	83	...	N E	1	c
Cebu, ...	,,	29.76	755.9	85	...	S	1	b	,,	29.87	758.7	85	...	S E	1	b
Labuan, ...	,,	29.76	755.9	86	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 29th at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen slightly over N. China.

The anticyclonic area is still central over the continent to the North of the Upper Yangtze, with pressure from 0.1 to 0.2 inch above normal along the China coast.

Pressure remains low, nearly 0.1 inch below the average, over the Philippines.

Gradients are rather steep and very strong monsoon will continue to blow in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, fresh or strong; fair.
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	N. winds, strong to a gale.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 29th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th November, 1907, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th November, 1907, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.16	766.1	...	...	W	2	...	6 a.	29.97	761.1	...	...	N	6	...
Hakodate,	,,	30.09	764.2	...	...	S E	4	...	,,	29.97	761.2	...	...	N	2	...
Tokio,	,,	30.14	765.6	...	...	N W	6	...	,,	29.95	760.6	...	...	N W	3	...
Kochi,	,,	30.11	764.8	...	...	...	0	...	,,	30.11	764.8	...	...	W	2	...
Nagasaki,	,,	30.27	768.8	...	...	N	6	...	,,	30.23	767.8	...	...	N	6	...
Kagoshima,	,,	30.19	766.9	...	...	N W	8	...	,,	30.23	767.9	...	...	N W	2	...
Oshima,	,,	30.16	766.1	...	...	N	12	...	,,	30.20	767.1	...	...	N	8	...
Naha,	,,	30.13	765.2	...	...	...	8	...	,,	30.21	767.2	...	...	N	8	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	8	...	,,	30.21	767.3	...	...	N E	6	...
Bonin Is.	,,	29.96	761.1	...	...	E	4	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,	3 p.	30.42	772.6	34	90	N	4	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.43	772.9	29	...	N N W	4	c	9 a.	30.57	776.5	28	...	N E	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.56	776.2	49	57	N E	2	b	,,	30.52	775.2	42	83	N E	2	c
Shanghai,	,,	30.48	774.2	45	53	N N W	2	o	9 a.	30.60	777.2	39	64	N N W	2	c
Gutzlaff,	,,	30.42	772.6	45	53	N N W	3	ov	,,	30.49	774.4	45	68	N N W	4	cm
Sharp Peak,	,,	30.26	768.6	60	71	E N E	3	o	,,	30.43	772.9	58	64	N N W	4	b
Amoy,	,,	30.12	765.0	72	58	N E	1	b	6 a.	30.15	765.8	57	75	N E	2	c
Swatow,	,,	30.13	765.3	68	100	N	0	o	,,	30.23	767.8	56	94	N	1	b
Taihoku,	1 p.	30.22	767.6	...	...	E	3	...	5 a.	30.32	770.2	...	...	E	4	...
Taichu,	,,	30.05	763.3	...	...	N	6	...	,,	30.13	765.4	...	...	N	4	...
Tainan,	,,	30.06	763.4	...	...	N	6	...	,,	30.12	765.1	...	...	N	6	...
Koshun	,,	30.06	763.5	...	...	N E	10	...	,,	30.07	763.8	...	...	N E	10	...
Pescadores,	,,	30.11	764.8	...	...	N	10	...	,,	30.16	766.0	...	...	N	10	..
Canton,	3 p.	30.21	767.3	65	58	N W	2	b	9 a.	30.37	771.4	56	63	N W	1	c
Hongkong,	4 p.	30.16	766.0	66	52	N	1	b	10 a.	30.29	769.3	67	41	N	1	b
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.15	765.8	66	...	N	2	c	,,	30.29	769.3	67	44	N	3	c
Hoihow,	3 p.	...	...	...	...	..	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.18	766.6	64	...	N N E	2	o	8 a.	30.31	769.9	61	...	E N E	4	o
Tourane,	,,	30.06	763.6	73	...	N N E	4	o	,,	30.17	766.2	75	...	N E	2	o
Cape St. James,	,,	29.76	755.8	81	...	N N E	1	o	,,	29.88	759.0	75	...	N E	2	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	84	64	N N E	1	c	10 a.	29.92	760	81	85	S S W	1	c
Legaspi,	2 p.	29.81	757.2	86	...	E	1	c	6 a.	29.88	758.8	79	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	E N E	1	c
Iloilo,	,,	29.75	755.6	85	...	N E	2	c	,,	29.87	758.7	81	...	N E	2	o
Cebu,	,,	29.77	756.1	86	...	S	1	b	,,	29.89	759.2	81	...	...	0	or
Labuan,	,,	29.72	754.9	87	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 30th at 11.55 a.—The barometer has fallen considerably in E. Japan, and risen moderately over N. China. The anticyclone is still central over the continent to the North of the Upper Yangtze, and pressure is in moderate to considerable excess of the normal over the S. and E. coasts of China respectively.

A depression lies to the E. of Japan, and pressure is relatively low over the Philippine area.

Gradients continue rather steep and very strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh or strong; fine.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. to N.E. winds, strong to a gale.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 30th November, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th NOVEMBER, 1907, P.M.								1st DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Gemuro,	,,	29.85	758.1	...	...	N	6	...	6 a.	29.77	756.1	...	...	N W	6	...
Hakodate,	,,	29.86	758.2	...	...	N	4	...	,,	29.93	760.2	...	...	N W	4	...
Tokio,	,,	29.71	754.6	...	...	N W	4	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	W	6	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.31	769.8	...	...	N W	8	...	,,	30.35	770.8	...	...	N	6	...
Kagoshima,	,,	30.23	767.9	...	...	N	8	...	,,	30.31	769.9	...	...	N	4	...
Oshima,	,,	...	...	...	...	..	...	...	,,	30.24	768.1	...	...	N	4	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.25	768.2	...	...	N	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.21	767.3	...	...	N E	6	...
Bonin Is.	,,	29.89	759.1	...	...	N W	2	...	,,	29.97	761.1	...	...	N E	4	...
Chefoo,	3 p.	30.46	773.7	26	90	W	3	b	6 a.	30.45	773.4	34	100	S W	2	b
Weihaiwei,	,,	30.46	773.7	29	...	N E	3	c	9 a.	30.47	773.9	37	...	W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.55	775.9	...	...	N E	4	c	,,	30.59	777.0	40	74	N E	2	o
Shanghai,	,,	30.52	775.2	42	58	N N W	3	c	9 a.	30.58	776.7	40	74	N W	1	c
Gutzlaff,	,,	30.44	773.2	46	62	N N W	4	cm	,,	30.43	774.2	43	83	N N W	3	cv
Sharp Peak,	,,	30.33	770.4	58	70	E N E	5	b	,,	30.41	772.4	56	75	N N E	3	b
Amoy,	,,	30.18	766.6	67	79	N E	2	b	6 a.	30.28	769.1	56	81	N E	2	b
Swatow,	,,	30.14	765.5	67	69	E	3	b	,,	30.26	768.6	52	93	N	1	b
Taihoku,	1 p.	30.30	769.7	...	...	E	6	...	5 a.	30.30	769.5	...	...	E	4	...
Taichu,	,,	30.14	765.5	...	...	N	6	...	,,	30.14	765.5	...	...	N	2	...
Tainan,	,,	30.14	765.6	...	...	N	6	...	,,	30.12	765.0	...	...	N	4	...
Koshun	,,	30.11	764.7	...	...	N E	10	...	,,	30.10	764.6	...	...	N E	10	...
Pescadores,	,,	30.18	766.5	...	...	N	10	...	,,	30.19	766.8	...	...	N	10	...
Canton,	3 p.	30.19	766.8	66	45	N W	2	b	9 a.	...	...	59	76	N E	1	b
Hongkong,	4 p.	30.17	766.3	65	58	E S E	2	b	10 a.	30.31	769.9	65	51	E S E	1	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.15	765.8	67	...	N	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	30.30	769.6	60	60	N	3	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.9	68	...	W	2	c	8 a.	30.28	769.0	...	...	N	2	o
Tourane,	,,	30.06	763.6	75	...	N N E	3	or	,,	30.15	765.8	...	...	N N E	2	o
Cape St. James,	,,	29.76	756.0	81	...	N N E	1	o	,,	29.89	759.1	...	...	N N W	2	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	77	...	0	o	10 a.	29.92	760	81	76	...	0	c
Legaspi,	2 p.	29.82	757.4	86	...	N E	1	c	6 a.	29.88	758.9	79	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.77	756.1	82	...	N E	1	o	,,	29.87	758.7	82	...	N E	1	c
Cebu,	,,	29.86	756.9	83	...	N	2	c	,,	29.89	759.2	86	...	N	1	b
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 1st at 11.55 a.—The depression is moving away over the Pacific to the NE of Japan. Pressure has increased over S. Japan and there is a tendency for it to give way over N. China.

The anticyclone is still central over the continent to the North of the Yangtze, and pressure remains relatively low over the Philippines and the S. part of the China Sea.

Very strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 1st December, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st December, 1907, P.M.								2nd December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.77	756.1	...	...	W	2	...	6 a.	29.77	756.1	...	...	W	6	...
Hakodate,	,,	29.89	759.2	...	...	N W	6	...	,,	29.93	760.2	...	...	N W	6	...
Tokio,	,,	29.98	761.6	...	...	N W	6	...	,,	30.06	763.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	30.23	767.8	...	...	S W	4	...
Nagasaki,	,,	30.31	769.8	...	...	N	6	...	,,	30.31	769.8	...	...	...	0	...
Kagoshima,	,,	30.27	768.9	...	...	N	6	...	,,	30.31	769.9	...	...	N	4	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	6	...
Naha,	,,	30.20	767.2	...	...	N	8	...	,,	30.21	767.2	...	...	N E	4	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	6	...
Bonin Is.	,,	29.96	761.1	...	...	N W	4	...	,,	30.01	762.1	...	...	N	4	...
Chefoo,	3 p.	30.42	772.6	38	81	N	3	o	6 a.	30.45	773.4	33	69	S W	1	b
Weihaiwei,	,,	30.43	772.9	39	...	W	2	b	9 a.	30.54	775.7	35	...	W	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.57	776.5	48	78	N E	3	o	,,	30.53	775.4	40	82	...	0	c
Shanghai,	,,	30.51	774.9	44	68	N W	1	c	9 a.	30.50	774.7	42	66	N	1	b
Gutzlaff,	,,	30.41	772.9	48	85	N N W	3	cv	,,	30.43	772.9	49	71	N	2	bv
Sharp Peak,	,,	30.32	770.1	58	73	E	3	b	,,	30.37	771.4	57	75	N	2	og
Amoy,	,,	30.22	767.6	68	79	N E	2	b	6 a.	30.20	767.1	59	82	N N E	1	c
Swatow,	,,	30.18	766.6	67	84	E N E	1	b	,,	30.25	768.3	54	94	N	1	b
Taihoku,	1 p.	30.27	768.8	...	...	E	6	...	5 a.	30.28	769.1	...	...	E	4	...
Taichu,	,,	30.14	765.5	...	...	N	6	...	,,	30.16	766.1	...	...	...	0	...
Tainan,	,,	30.13	765.3	...	...	N	2	...	,,	30.15	765.9	...	...	N	4	...
Koshun	,,	30.13	765.2	...	...	N E	10	...	,,	30.13	765.4	...	...	N E	10	...
Pescadores,	,,	30.18	766.6	...	...	N	10	...	,,	30.18	766.5	...	...	N	10	...
Canton,	3 p.	...	...	71	53	N	1	b	9 a.	30.35	770.9	57	58	N W	1	b
Hongkong,	4 p.	30.20	767.1	67	38	N	1	b	10 a.	30.30	769.6	65	47	N	1	b
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.19	766.8	67	...	N	1	b	,,	30.29	769.3	63	...	N	2	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.7	66	...	N N W	2	c	8 a.	30.28	769.1	61	...	N N E	4	o
Tourane,	,,	30.06	763.4	73	...	N N E	4	or	,,	30.15	765.8	73	...	N N E	3	o
Cape St. James,	,,	29.83	757.8	72	...	S W	3	or	,,	29.86	758.3	77	...	N	1	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila.	4 p.	29.84	758	77	92	N	1	d	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.82	757.4	88	...	E	1	c	6 a.	29.88	758.9	79	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	...	0	cp
Iloilo,	,,	29.79	756.6	84	...	N E	1	o	,,	29.82	757.4	80	...	E N E	2	or
Cebu,	,,	29.81	757.2	84	...	N E	1	b	,,	29.88	758.9	79	...	W	1	or
Labuan,	,,	29.77	756.1	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 2nd at 11.55 a.—Pressure is very little changed except over the E. coast of China, where the barometer has fallen slightly.

Pressure remains low over the Pacific to the N.E. of Japan, and over the S. Philippines and the S. part of the China Sea.

The anticyclonic area still covers China.

Very strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh ; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 2nd December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd December, 1907, P.M.								3rd December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.93	760.2	...	...	N	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.02	762.6	...	...	N	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.15	765.8	...	...	S E	4	...	,,	...	...	...	...	..	...	...
Nagasaki,	,,	30.27	768.8	...	...	W	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.23	767.9	...	...	N	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.96	761.1	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.32	770.1	42	58	W S W	3	b	6 a.	30.16	766.0	37	62	W S W	1	b
Weihaiwei,	,,	30.31	769.9	39	...	W	3	b	9 a.	30.18	766.6	38	...	W	2	b
Hankow,	,,	30.56	776.2	47	63	S W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.49	774.4	45	61	N E	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.37	771.4	49	57	N	1	c	9 a.	30.31	769.9	45	68	W N W	1	b
Gutzlaff,	,,	30.34	770.6	53	61	N	2	cv	,,	30.28	769.1	47	63	N W	3	bcm
Sharp Peak,	,,	30.26	768.6	58	70	N	2	og	,,	30.27	768.8	61	76	N	1	b
Amoy,	,,	30.14	765.5	69	85	N E	1	b	6 a.	30.13	765.3	61	88	...	0	b
Swatow,	,,	30.13	765.3	67	84	E	2	b	,,	30.12	765.0	56	94	N	1	b
Taihoku,	1 p.	30.22	767.7	...	...	E	8	...	5 a.	30.20	767.1	...	...	E	2	...
Taichu,	,,	30.11	764.7	...	...	N	2	...	,,	30.15	765.7	...	...	...	0	...
Tainan,	,,	30.09	764.2	...	...	W	2	...	,,	30.13	765.2	...	...	N W	4	...
Koshun,	,,	30.12	765.0	...	...	N E	8	...	,,	30.10	764.5	...	...	N	6	...
Pescadores,	,,	30.16	766.1	...	...	N	10	...	,,	30.15	765.9	...	...	N	6	...
Canton,	3 p.	30.20	767.1	67	50	W N W	1	b	9 a.	30.30	769.6	55	68	N	1	b
Hongkong,	4 p.	30.17	766.3	65	66	E S E	2	b	10 a.	30.22	767.6	65	41	N	3	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.17	766.3	67	...	N E	1	c	,,	30.23	767.8	62	...	N	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.2	66	...	W	2	o	8 a.	30.25	768.4	61	...	N N E	2	o
Tourane,	,,	30.04	763.0	73	...	N E	5	or	,,	30.11	764.8	70	...	N N E	3	or
Cape St. James,	,,	29.76	755.8	81	...	N E	5	c	,,	29.88	758.9	75	...	N E	2	or
Aparri,	2 p.	30.02	762.5	77	...	N E	1	o	6 a.	30.03	762.7	70	...	S E	1	d
Manila,	4 p.	29.88	759	81	76	N E	1	c	10 a.	29.96	761	75	84	...	0	o
Legaspi,	2 p.	29.85	758.1	81	...	E	2	g	6 a.	29.90	759.5	79	...	E	1	c
Bacolod,	3 p.	...	...	...	...	E N E	1	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.79	756.6	79	...	N E	2	o	,,	29.87	758.7	79	...	N E	1	o
Cebu,	,,	29.82	757.4	77	...	N E	1	or	,,	29.90	759.4	79	...	N	2	o
Labuan,	,,	29.79	756.6	87	...	...	...	...	,,	29.86	758.4	81	...	...	...	...

On the 3rd at 12.05 p.—The barometer has fallen over China, slightly in the South and considerably in the North.

A depression is probably moving Eastwards over Manchuria.

The high pressure area remains over the continent to the North of the Upper Yangtze, but gradients are somewhat easier along the China coast.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate or fresh ; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh or strong.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 3rd December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd DECEMBER, 1907, P.M.								4th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	W	8	...	6 a.	29.93	760.1	...	...	N W	6	...
Hakodate,	,,	29.93	760.2	...	...	N W	8	...	,,	30.05	763.2	...	...	N	2	...
Tokio,	,,	29.95	760.6	...	...	N W	2	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	4	...
Nagasaki,	,,	30.11	764.8	...	...	N W	2	...	,,	30.15	765.8	...	...	N	2	...
Kagoshima,	,,	30.11	764.9	...	...	N	2	...	,,	30.15	765.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	30.16	766.1	...	...	N	4	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.13	765.2	...	...	E	2	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N E	4	...
Bonin Is.	,,	30.01	762.2	...	...	N E	2	...	,,	30.04	763.1	...	...	S E	2	...
Chefoo,	3 p.	30.19	766.8	41	74	N N W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.19	766.8	38	...	N E	3	ovr	9 a.	30.36	771.1	38	...	N W	2	c
Hankow,	,,	30.45	773.4	55	56	N W	1	c	6 a.	30.51	774.9	41	92	S W	1	c
Kiukiang,	,,	30.40	772.1	49	64	W	1	o	,,	30.43	772.9	45	61	...	0	o
Shanghai,	,,	30.24	768.1	50	58	W N W	3	c	9 a.	30.40	772.1	44	84	N W	1	om
Gutzlaff,	,,	30.22	767.6	50	58	W N W	2	cm	,,	30.32	770.1	46	84	N W	3	om
Sharp Peak,	,,	30.16	766.0	63	75	E	3	b	,,	30.30	769.6	59	73	N E	3	og
Amoy,	,,	30.07	763.8	71	90	N E	1	b	6 a.	30.11	764.3	60	88	E N E	1	b
Swatow,	,,	30.06	763.5	68	74	E	2	b	,,	30.14	765.5	58	88	N	1	c
Taiboku,	1 p.	30.16	766.0	...	...	E	6	...	5 a.	30.19	766.8	...	...	E	6	...
Taichu,	,,	30.07	763.8	...	...	N	6	...	,,	30.11	764.8	...	...	...	0	...
Tainan,	,,	30.06	763.6	...	...	N	4	...	,,	30.10	764.6	...	...	N	4	...
Koshun	,,	30.07	763.7	...	...	N	6	...	,,	30.08	763.9	...	...	N	6	...
Pescadores,	,,	30.12	765.0	...	...	N	8	...	,,	30.13	765.2	...	...	N	8	...
Canton,	3 p.	30.16	766.0	67	41	N N W	2	b	9 a.	30.28	769.1	58	64	N	1	c
Hongkong,	4 p.	30.11	764.8	67	55	...	0	b	10 a.	30.22	767.6	65	41	N	2	b
Victoria Peak,	,,	...	...	...	...	W N W	1	...	,,	...	...	...	...	N N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.12	765.0	67	...	N	1	...	,,	30.23	767.8	63	...	N	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	70	...	N N E	2	c	8 a.	30.26	768.7	59	...	N	2	o
Tourane,	,,	30.02	762.7	70	...	N	4	or	,,	30.09	764.3	70	...	N N W	4	or
Cape St. James,	,,	29.77	756.1	81	...	N E	1	c	,,	29.85	758.1	77	...	N N E	1	o
Aparri,	2 p.	29.97	761.2	81	...	E	1	c	6 a.	30.03	762.7	68	...	S	1	b
Manila,	4 p.	29.84	758	81	62	E	1	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.85	758.1	82	...	E	1	o	6 a.	29.91	759.7	77	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N N E	3	o
Iloilo,	,,	29.76	755.9	82	...	N E	3	c	,,	29.87	758.7	79	...	N E	4	b
Cebu,	,,	29.79	756.6	81	...	N	3	o	,,	29.89	759.2	79	...	N	3	c
Labuan,	,,	29.76	755.9	82	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 4th at 12.05 p.—The barometer has risen moderately over N. China, and fallen slightly in S. Japan.

The anticyclonic area remains over the continent to the North of the Upper Yangtze, and a shallow area of low pressure appears to lie over the Sea of Japan.

Gradients are somewhat steeper along the China coast, and strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 4th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th DECEMBER, 1907, P.M.								5th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.96	761.1	...	...	N	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.01	762.2	...	...	N	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.98	761.6	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.03	762.8	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.11	764.9	...	...	N	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.13	765.2	...	...	N	6	...	,,	...	...	...	...	..	...	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	W	2	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.33	770.4	38	72	N W	2	b	6 a.	...	...	...	...	...	...	..
Weihaiwei,	,,	30.34	770.6	37	...	N N W	1	c	9 a.	30.36	771.1	39	...	S W	4	b
Hankow,	,,	30.59	774.7	51	72	S S W	1	o	6 a.	..	...	...	...	..	...	...
Kiukiang,	,,	30.45	773.4	50	72	..	0	o	,,	30.47	773.9	46	62	..	0	o
Shanghai,	,,	30.35	770.9	50	58	N	1	o	9 a.	30.42	772.6	46	84	...	0	om
Gutzlaff,	,,	30.30	769.6	50	79	N W	3	om	,,	30.36	771.1	48	78	N N E	2	om
Sharp Peak,	,,	30.24	768.1	59	73	N E	3	or	,,	30.34	770.6	56	78	N N E	3	ogd
Amoy,	,,	30.14	765.5	66	84	N E	2	c	6 a.	30.16	766.0	59	88	N E	1	c
Swatow,	,,	30.10	764.5	70	66	E N E	2	b	,,	30.23	767.8	59	94	N	1	b
Taihoku,	1 p.	30.22	767.5	...	...	E	6	...	5 a.	30.24	768.1	...	...	E	4	...
Taichu,	,,	30.09	764.2	...	...	N	6	...	,,	30.12	765.0	...	...	...	0	...
Tainan,	,,	30.08	764.1	...	...	N	4	...	,,	30.12	765.1	...	...	N	4	...
Koshun,	,,	30.07	763.9	...	...	N E	6	...	,,	30.08	764.0	...	...	N E	8	...
Pescadores,	,,	30.13	765.2	...	...	N	10	...	,,	30.14	765.6	...	...	N	19	...
Canton,	3 p.	30.19	766.8	65	49	N	2	o	9 a.	30.34	770.6	51	93	N	2	or
Hongkong,	4 p.	30.12	765.0	67	39	N	1	o	10 a.	30.26	768.6	59	59	N	2	o
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	N	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.13	765.3	66	...	N	2	o	,,	30.27	768.8	59	...	N	3	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.22	767.7	...	...	N	...	...	8 a.	30.35	770.9	50	...	N N W	5	o
Tourane,	,,	30.03	762.7	70	...	N W	3	or	,,	30.17	766.4	68	...	N W	3	o
Cape St. James,	,,	29.76	755.8	79	...	N E	3	c	,,	29.87	758.6	79	...	N E	4	c
Aparri,	2 p.	29.99	761.7	81	...	E	1	o	6 a.	30.03	762.7	70	...	S	1	o
Manila,	4 p.	29.88	759	81	56	N E	1	c	10 a.	30.00	762	73	83	N	1	o
Legaspi,	2 p.	29.88	759.0	81	...	N	1	o	6 a.	29.88	758.9	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.85	758.2	84	...	N E	1	o	,,	29.87	758.7	80	...	N E	1	c
Cebu,	,,	29.81	757.2	84	...	N	2	o	,,	29.88	758.9	82	...	N	1	b
Labuan,	,,	29.79	756.6	81	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 5th at 12.05 p.—The barometer has risen slightly over China.

The anticyclonic area is still central over the continent to the North of the Upper Yangtze, and gradients continue rather steep over the Southern areas.

Very strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh ; cloudy, probably some rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 5th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th December. 1907, P.M.								6th December. 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	W	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.13	765.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.18	766.6	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.15	765.8	...	...	N	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.13	769.8	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.23	767.9	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.20	767.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.17	766.2	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.08	764.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.09	764.3	50	38	S	2	b	6 a.	30.34	770.6	35	62	W N W	6	c
Weihaiwei,	,,	30.05	763.2	49	...	S W	1	b	9 a.	30.47	773.9	32	...	N E	3	ovr
Hankow,	,,	30.46	773.4	57	63	S S W	1	b	6 a.	30.55	775.9	43	92	S E	1	dh
Kiukiang,	,,	30.49	772.1	55	68	...	0	o	,,	30.47	773.9	43	92	...	0	o
Shanghai,	,,	30.30	769.6	50	51	S S W	1	c	9 a.	30.42	772.6	48	28	N W	1	cm
Gutzlaff,	,,	30.28	769.1	51	72	N N E	1	om	,,	30.36	771.1	50	72	N W	3	cm
Sharp Peak,	,,	30.24	768.1	55	87	N	2	od	,,	30.32	770.1	57	87	N N E	2	ogv
Amoy,	,,	30.15	765.8	63	89	N N E	1	o	6 a.	30.15	765.8	59	94	N E	1	o
Swatow,	,,	30.14	765.5	63	71	N W	3	o	,,	30.22	767.6	55	94	N	1	b
Taihoku,	1 p.	30.18	766.5	...	...	E	6	...	5 a.	30.22	767.5	...	...	E	4	...
Taichu,	,,	30.09	764.2	...	...	N	4	...	,,	30.14	765.5	...	...	N	2	...
Tainan,	,,	30.09	764.4	...	...	N	4	...	,,	30.12	765.1	...	...	N	4	...
Koshun,	,,	30.10	764.5	...	...	N E	8	...	,,	30.09	764.4	...	...	N	6	...
Pescadores,	,,	30.14	765.6	...	...	N	10	...	,,	30.12	765.0	...	...	N	8	...
Canton,	3 p.	30.26	768.6	55	80	N	3	o	9 a.	30.30	769.6	55	80	N W	1	o
Hongkong,	4 p.	30.18	766.6	56	89	N	1	od	10 a.	30.24	768.1	60	80	N	1	o
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.19	766.8	57	...	N	3	od	,,	30.25	768.3	58	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.26	768.5	52	...	N N W	4	or	8 a.	30.34	770.7	50	...	N W	2	or
Tourane,	,,	30.49	764.6	70	...	N W	4	o	,,	30.19	766.9	66	...	N W	2	o
Cape St. James,	,,	29.79	756.7	81	...	E	5	c	,,	29.93	760.2	77	...	N N E	1	o
Aparri,	2 p.	29.99	761.8	79	...	E	2	o	6 a.	30.03	762.7	72	...	N E	1	d
Manila,	4 p.	29.92	760	75	83	N N E	1	o	10 a.	29.96	761	82	63	E	1	b
Legaspi,	2 p.	29.87	758.7	79	...	N	2	o	6 a.	29.87	758.7	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N	3	c	9 a.	...	...	...	...	E N E	2	o
Iloilo,	,,	29.81	757.2	84	...	N E	3	o	,,	29.87	758.7	80	...	N E	3	c
Cebu,	,,	29.82	757.4	85	...	S	1	c	,,	29.88	758.9	81	...	S	1	od
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 6th at 12.05 p.—The barometer has risen over N. China in rear of a depression which appears to have been moving Eastwards over S. Manchuria yesterday.

Pressure remains high over China to the North of the Yangtze.

Strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; cloudy, drizzling rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 6th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th December, 1907, P.M.								7th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.46	748.2	...	...	S	8	...	,,	29.89	759.2	...	...	N W	10	...
Tokio,	,,	29.87	758.6	...	...	N W	4	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	S W	4	...	,,	30.35	770.8	...	...	W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N W	8	...	,,	30.35	770.8	...	...	N E	6	...
Kagoshima,	,,	30.19	766.9	...	...	N W	8	...	,,	30.31	769.9	...	...	N E	4	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	6	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.17	766.2	...	...	N E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.13	765.3	...	...	N E	8	...
Bonin Is.	,,	30.08	764.1	...	...	N	2	...	,,	30·12	765.1	...	...	N E	4	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.54	775.7	31	...	N N W	3	b	9 a.	30.48	774.2	33	...	S E	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.44	773.2	53	80	...	0	b	,,	30.45	773.4	42	92	...	0	c
Shanghai,	,,	30.41	772.4	52	60	N E	2	o	9 a.	30.46	773.7	47	70	N E	2	om
Gutzlaff,	,,	30.35	770.9	53	86	N N W	2	om	,,	30.43	772.9	48	78	E N E	3	omd
Sharp Peak,	,,	30.26	768.6	59	65	N E	5	og	,,	30.32	770.1	56	87	N E	2	ogd
Amoy,	,,	30.13	765.3	65	89	N N E	2	o	6 a.	30.16	766.0	59	94	N N E	2	o
Swatow,	,,	30.14	765.5	63	83	...	0	o	,,	30.17	766.3	58	94	N N W	1	or
Taihoku,	1 p.	30.24	768.1	...	...	E	8	...	5 a.	30.19	766.8	...	...	E	6	...
Taichu,	,,	30.06	763.5	...	...	N	8	...	,,	30.10	764.5	...	...	...	0	...
Tainan,	,,	30.07	763.8	...	...	N	6	...	,,	30.10	764.5	...	...	N	4	...
Koshun,	,,	30.05	763.3	...	...	N E	6	...	,,	30.06	763.5	...	...	N E	8	...
Pescadores,	,,	30.13	765.2	...	...	N	10	...	,,	30.11	764.8	...	...	N	10	...
Canton,	3 p.	30.22	767.6	59	76	N W	2	or	9 a.	30.29	769.3	58	81	N W	1	c
Hongkong,	4 p.	30.17	766.3	62	71	N	1	o	10 a.	30.25	768.3	61	80	N E	2	o
Victoria Peak,	,,	...	...	...	...	N N W	3	...	,,	...	...	...	...	N	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.17	766.3	60	...	N	2	o	,,	30.24	768.1	60	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.29	767.2	61	...	N	1	o	8 a.	30.26	768.7	57	...	N	2	c
Tourane,	,,	30.11	764.7	70	...	N W	3	o	,,	30.19	766.7	68	...	N W	3	o
Cape St. James,	,,	29.87	758.7	77	...	N N E	6	c	,,	29.91	759.7	79	...	N E	1	c
Aparri,	2 p.	29.98	761.5	82	...	N E	1	b	6 a.	...	...	...	...	...	...	...
Manila.	4 p.	29.84	758	82	70	W	0	c	10 a.	29.92	760	79	76	W	1	b
Legaspi,	2 p.	29.83	757.7	84	...	N E	1	o	6 a.	29.86	758.5	72	...	...	0	...
Bacolod,	3 p.	...	...	...	...	E N E	2	c	9 a.	...	...	...	...	N N E	2	o
Iloilo,	,,	29.79	756.6	83	...	N E	1	c	,,	29.85	758.2	81	...	N E	2	c
Cebu,	,,	29.82	757.4	82	...	...	0	or	,,	29.89	759.2	83	...	N	1	o
Labuan,	,,	29.89	756.9	86	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 7th at 11.55 a.—The depression which reached the N. part of the Sea of Japan yesterday, is moving away over the Pacific to the E. of Hokkaido.

Pressure is increasing over Japan, and it has a tendency to give way over Formosa and Luzon. It is highest over N. China and relatively low over the Philippine area.

Strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 7th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th December, 1907, P.M.								8th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.16	766.1	...	...	N W	8	...
Hakodate,	,,	30.13	765.2	...	...	N W	8	...	,,	30.22	770.2	...	...	N W	2	...
Tokio,	,,	30.22	767.6	...	...	N W	6	...	,,	30.38	771.6	...	...	N W	4	...
Kochi,	,,	30.31	769.8	...	...	...	0	...	,,	30.35	770.8	...	...	S W	2	...
Nagasaki,	,,	30.31	769.8	...	...	N E	2	...	,,	30.35	770.8	...	...	...	0	...
Kagoshima,	,,	30.31	769.9	...	...	N E	4	...	,,	30.31	769.9	...	...	N E	4	...
Oshima,	,,	30.20	767.1	...	...	N E	2	...	,,	30.20	767.1	...	...	S E	2	...
Naha,	,,	30.17	766.2	...	...	N E	6	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	8	...	,,	30.05	763.3	...	...	N E	6	...
Bonin Is.	,,	30.12	765.1	...	...	N	4	...	,,	30.20	767.1	...	...	N	2	...
Chefoo,	3 p.	30.39	771.9	42	58	S	2	b	6 a.	30.53	775.4	37	81	S	1	b
Weihaiwei,	,,	30.42	772.6	38	...	W S W	1	ovr	9 a.	30.46	773.7	41	...	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.47	773.9	44	92	S E	1	b
Kiukiang,	,,	30.37	771.4	55	68	N E	2	b	,,	30.42	772.6	41	92	...	1	o
Shanghai,	,,	30.34	770.6	54	55	N E	1	c	9 a.	30.43	772.9	51	66	N E	2	bm
Gutzlaff,	,,	30.30	769.6	53	67	E N E	2	ov	,,	30.36	771.1	53	67	N E	3	bv
Sharp Peak,	,,	30.21	767.3	59	88	N	2	od	,,	30.19	766.8	60	82	N E	2	og
Amoy,	,,	30.10	764.5	70	95	N E	2	b	6 a.	...	...	...	...	...	...	...
Swatow,	,,	30.05	763.2	67	74	E	2	c	,,	30.17	766.3	58	88	N E	1	c
Taihoku,	1 p.	30.18	766.6	...	...	E	6	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	30.05	763.3	...	...	N	4	...	,,	...	...	...	...	...	...	...
Tainan,	,,	30.05	763.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
Koshun,	,,	30.02	762.4	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.11	764.8	...	...	N	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.16	766.6	68	65	N W	1	b	9 a.	...	...	56	75	N	1	b
Hongkong,	4 p.	30.11	764.8	68	63	...	0	c	10 a.	30.22	767.6	67	62	N N E	1	b
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.10	764.5	69	...	N	1	c	,,	...	...	...	...	...	...	...
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.12	765.0	66	...	W	3	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	30.05	763.2	70	...	N W	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	82	...	S W	1	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	84	71	S S W	1	b	10 a.	29.92	760	81	85	W	1	o
Legaspi,	2 p.	29.80	757.0	86	...	N	1	c	6 a.	29.88	758.8	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N N E	2	c
Iloilo,	,,	29.77	756.1	86	...	N E	2	b	,,	29.87	758.7	82	...	N E	2	b
Cebu,	,,	29.82	757.4	74	...	N	2	c	,,	29.89	759.2	85	...	N	1	b
Labuan,	,,	29.89	756.9	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 8th at 12.05 p.—The barometer is inclined to fall over China and the Loochoos. It has risen in E. Japan.

The high pressure area is lying now over N.E. China and the Sea of Japan.
Pressure is relatively low over the Pacific between the Philippines and the Loochoos.
Strong monsoon may still be expected to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 8th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th December, 1907, P.M.								9th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.40	772.1	56	65	S	1	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.34	770.6	46	...	N W	1	b	9 a.	30.28	769.1	46	...	W N W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.32	770.1	55	74	N E	2	b	,,	30.42	772.6	46	92	N E	2	b
Shanghai,	,,	30.35	770.9	54	68	N E	2	c	9 a.	30.31	769.9	51	86	N	1	om
Gutzlaff,	,,	30.31	769.9	54	68	N E	2	cv	,,	30.27	768.8	52	93	N N W	1	om
Sharp Peak,	,,	30.18	766.6	61	85	N E	4	og	,,	30.22	767.6	62	89	N	1	og
Amoy,	,,	30.08	764.0	70	90	N E	1	b	6 a.	30.08	764.0	65	84	...	0	c
Swatow,	,,	30.07	763.8	70	66	E	1	c	,,	30.15	765.8	62	83	...	0	c
Taihoku,	1 p.	30.15	765.7	...	...	E	6	...	5 a.	..	...	...	...	...	...	...
Taichu,	,,	30.02	762.4	...	...	N	4	...	,,	...	...	...	...	..	...	...
Tainan,	,,	30.04	762.9	...	...	N	4	...	,,	...	...	...	...	...	...	...
Koshun	,,	30.02	762.4	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.07	763.8	...	...	N	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	...	...	69	56	N	1	b	9 a.	30.31	769.9	50	72	N N W	2	b
Hongkong,	4 p.	30.13	765.3	65	69	E	3	b	10 a.	30.24	768.1	69	49	N	1	c
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N W	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.13	765.3	66	...	E	1	c	,,	30.26	768.6	65	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.9	66	...	N N W	2	o	8 a.	30.24	768.1	64	...	N E	3	o
Tourane,	,,	30.05	763.3	72	...	N W	1	o	,,	30.16	766.0	70	...	N W	1	or
Cape St. James,	,,	29.80	756.8	79	...	E N E	4	c	,,	29.91	759.6	75	...	N N E	1	o
Aparri,	2 p.	29.96	760.9	81	...	N	1	c	6 a.	29.94	760.4	75	...	N	1	d
Manila,	4 p.	29.84	758	86	71	W S W	1	b	10 a.	29.92	760	82	70	...	1	b
Legaspi,	2 p.	29.86	758.4	84	...	N E	1	c	6 a.	29.88	758.8	75	...	E	2	b
Bacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N N E	3	o
Iloilo,	,,	29.80	756.9	85	...	E N E	1	c	,,	29.89	759.2	82	...	N E	1	c
Cebu,	,,	29.81	757.2	85	...	N	1	b	,,	29.90	759.4	83	...	N	1	b
Labuan,	,,	29.89	756.9	86	...	...	...	...	,,	29.85	758.9	83	...	...	...	...

On the 9th at 12.30 p.—The barometer has fallen moderately over N. China and the E. coast.

The high pressure area is lying over the Upper Yangtze, and pressure appears to be low over Manchuria and also over the Pacific in the neighbourhood of the Loochoos.

The returns from Formosa and Japan are, however, lacking.

Fresh N. and N.E. winds are indicated in the Formosa Channel, and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N. and N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 9th December, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th DECEMBER, 1907, P.M.								10th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	S	6	...
Hakodate,	,,	30.20	767.2	...	...	N W	4	...	,,	29.62	752.2	...	...	W	2	...
Tokio,	,,	30.38	771.6	...	...	S W	2	...	,,	29.95	760.6	...	...	S W	4	...
Kochi,	,,	30.35	770.8	...	...	S E	2	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	S E	10	...	,,	30.11	764.8	...	...	N	2	...
Kagoshima,	,,	30.27	768.9	...	...	S E	4	...	,,	30.08	763.9	...	...	N	2	...
Oshima,	,,	30.20	767.1	...	...	S E	6	...	,,	30.04	763.1	...	...	S	4	...
Naha,	,,	30.13	765.2	...	...	S E	4	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	E	8	...	,,	30.01	762.3	...	...	N	6	...
Bonin Is.	,,	30.20	767.1	...	...	N E	4	...	,,	30.20	767.1	...	...	S E	2	...
Chefoo,	3 p.	30.24	768.1	44	76	W N W	5	b	6 a.	30.55	775.9	34	90	N W	5	b
Weihaiwei,	,,	30.25	768.3	41	...	W	5	c	9 a.	30.59	777.0	31	...	N W	3	b
Hankow,	,,	30.60	777.2	55	68	N W	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.45	773.4	55	68	N W	3	b	,,	30.60	777.2	43	67	N E	5	b
Shanghai,	,,	30.31	769.9	57	63	N W	3	c	9 a.	30.55	775.9	41	74	N W	2	b
Gutzlaff,	,,	30.24	768.3	56	81	N N W	1	om	,,	30.46	773.7	45	76	N N W	5	om
Sharp Peak,	,,	30.14	765.5	65	87	N	1	og	,,	30.32	770.1	60	76	N E	6	og
Amoy,	,,	30.05	763.2	72	81	S S E	1	b	6 a.	30.13	765.3	63	83	N E	2	o
Swatow,	,,	30.05	763.2	76	86	W	2	b	,,	30.16	766.0	69	94	N	1	b
Taihoku,	1 p.	30.06	763.5	...	...	E	2	...	5 a.	30.23	767.9	...	...	E	6	...
Taichu,	,,	30.04	762.9	...	...	N	4	...	,,	30.05	763.3	...	...	N	6	...
Tainan,	,,	30.05	763.2	...	...	N W	4	...	,,	30.03	762.8	...	...	N	6	...
Koshun,	,,	30.02	762.6	...	...	N W	4	...	,,	30.01	762.2	...	...	N	2	...
Pescadores,	,,	30.10	764.6	...	...	N	10	...	,,	30.09	764.2	...	...	N	10	...
Canton,	3 p.	30.19	766.8	70	61	N W	2	b	9 a.	30.34	770.6	58	70	N W	2	b
Hongkong,	4 p.	30.13	765.3	70	43	N N E	1	b	10 a.	30.24	768.1	65	48	N E	1	c
Victoria Peak,	,,	...	...	...	...	N	3	...	,,	...	...	...	...	N N W	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.09	764.3	69	...	N W	2	b	,,	30.27	768.8	62	...	N	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.22	767.7	64	...	N N W	1	or	8 a.	30.32	770.2	63	...	N N E	6	b
Tourane,	,,	30.09	764.3	75	...	N E	2	or	,,	30.21	767.2	73	...	N N E	3	c
Cape St. James,	,,	29.84	757.9	77	...	N E	2	o	,,	29.89	759.1	77	...	N	1	or
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	86	65	W	1	b	10 a.	29.92	760	82	70	N	0	c
Legaspi,	2 p.	29.85	758.3	82	...	N E	1	o	6 a.	29.88	758.8	79	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.81	757.2	85	...	N E	2	o	,,	29.87	758.7	82	...	N E	...	c
Cebu,	,,	29.80	756.9	85	...	N	1	...	,,	29.89	759.2	85	...	N	2	c
Labuan,	,,	29.80	756.9	86	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 10th at 12.25 p.—The barometer has fallen very rapidly over Japan owing to the depression, which is moving Eastwards in the N. part of the Sea of Japan.

Pressure has increased quickly over Northern and Central China which is now covered by an anticyclonic area of considerable intensity.

Gradients are steep generally, and strong monsoon gales may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, strong; fine.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 10th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th December, 1907, P.M.								11th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.85	758.1	...	...	W	6	...
Hakodate,	,,	29.46	748.2	...	...	W	10	...	,,	30.13	765.2	...	...	W	6	...
Tokio,	,,	29.71	754.6	...	...	N W	6	...	,,	30.18	766.6	...	...	N W	6	...
Kochi,	,,	30.03	762.8	...	...	N	8	...	,,	30.27	768.8	...	...	S W	4	...
Nagasaki,	,,	30.19	766.8	...	...	N	8	...	,,	30.27	768.8	...	...	N E	4	...
Kagoshima,	,,	30.15	765.9	...	...	N	6	...	,,	30.23	767.9	...	...	N E	4	...
Oshima,	,,	30.12	765.1	...	...	N	8	...	,,	30.12	765.1	...	...	...	0	...
Naha,	,,	30.09	764.2	...	...	N W	10	...	,,	30.13	765.2	...	...	N E	4	...
Ishigakijima,	,,	30.13	765.3	...	...	N	8	...	,,	30.13	765.3	...	...	N E	4	...
Bonin Is.	,,	30.05	763.1	...	...	S E	4	...	,,	30.04	763.1	...	...	S	4	...
Chefoo,	3 p.	30.53	775.4	39	46	W N W	2	b	6 a.	30.32	770.1	52	79	S W	1	b
Weihaiwei,	,,	30.52	775.2	37	...	W	1	b	9 a.	30.27	768.8	34	...	W	1	ovr
Hankow,	,,	30.66	778.7	50	32	N E	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.57	776.5	48	43	N E	4	b	,,	30.56	776.2	33	90	...	0	b
Shanghai,	,,	30.49	774.4	47	55	N	3	c	9 a.	30.42	772.6	44	53	N N W	2	b
Gutzlaff,	,,	30.40	772.1	49	64	N	5	cm	,,	30.36	771.1	48	63	N N W	4	bv
Sharp Peak,	,,	30.29	769.3	59	82	N E	6	og	,,	30.34	770.6	55	74	N N W	1	o
Amoy,	,,	30.14	765.5	65	73	N E	5	c	6 a.	30.15	765.3	58	81	N E	1	b
Swatow,	,,	30.13	765.3	67	74	E	2	c	,,	30.24	768.1	58	94	N E	2	c
Taihoku,	1 p.	30.29	769.4	...	...	E	6	...	5 a.	30.26	768.5	...	...	E	4	...
Taichu,	,,	30.04	763.0	...	...	N	8	...	,,	30.15	765.9	...	...	N	4	...
Tainan,	,,	30.05	763.2	...	...	N	6	...	,,	30.14	765.5	...	...	N	4	...
Koshun	,,	30.01	762.3	...	...	N E	10	...	,,	30.08	764.1	...	...	N E	10	...
Pescadores,	,,	30.11	764.9	...	...	N	10	...	,,	30.17	766.4	...	...	N	8	...
Canton,	3 p.	30.22	767.6	67	55	N N W	1	b	9 a.	30.38	771.6	54	68	W	1	b
Hongkong,	4 p.	30.18	766.6	67	43	N	1	c	10 a.	30.30	769.6	61	49	N N E	1	b
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.18	766.6	67	...	N	1	b	,,	30.31	769.9	60	...	N	2	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.20	767.9	70	...	S E	1	b	8 a.	30.37	771.3	61	...	N E	3	b
Tourane,	,,	30.15	765.8	72	...	N	3	c	,,	30.23	767.9	68	...	N W	2	o
Cape St. James,	,,	29.84	757.9	79	...	N E	5	o	,,	29.97	761.2	73	...	N N E	1	o
Aparri,	2 p.	29.93	760.2	84	...	N	1	c	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	71	S	1	d	10 a.	29.92	760	82	77	N W	1	o
Legaspi,	2 p.	29.86	758.4	81	...	N E	1	o	6 a.	29.91	759.6	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	E N E	3	cp	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.81	757.2	...	...	N E	2	c	,,	29.89	759.2	82	...	N E	1	c
Cebu,	,,	29.82	757.4	85	...	N	1	c	,,	29.92	759.9	85	...	N	1	c
Labuan,	,,	29.83	757.7	77	...	...	...	...	,,	29.89	759.2	79	...	...	...	...

On the 11th at 12.05 p.—The barometer has risen quickly over Japan, the depression having passed to the Pacific to the N.E. of Hokkaido. It is followed by another depression which is apparently situated over S. Manchuria, a quick fall of the mercury having taken place in N. China.

The anticyclone remains over the Continent to the North of the Upper Yangtze, but gradients are less steep along the China coast and the monsoon is moderating in the Formosa Channel.

Over the China Sea monsoon gales will continue to prevail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 11th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th December, 1907, P.M.								12th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.00	762.1	...	...	N W	8	...	6 a.	29.97	761.1	...	...	S	4	...
Hakodate,	,,	30.13	765.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.18	766.6	...	...	S E	2	...	,,	29.79	756.6	...	...	N W	6	...
Kochi,	,,	30.15	765.8	...	...	N	2	...	,,	29.91	795.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	S E	6	...	,,	30.07	763.8	...	...	N	4	...
Kagoshima,	,,	30.11	764.9	...	...	N E	2	...	,,	30.04	762.9	...	...	N W	6	...
Oshima,	,,	30.04	763.1	...	...	E	2	...	,,	30.16	766.1	...	...	N	6	...
Naha,	,,	30.05	763.2	...	...	N	6	...	,,	30.09	764.2	...	...	N	8	...
Ishigakijima,	,,	30.09	764.3	...	...	N	6	...	,,	30.17	766.3	...	...	N	6	...
Bonin Is.	,,	29.96	761.1	...	...	N E	2	...	,,	29.53	750.1	...	...	S	6	...
Chefoo,	3 p.	30.08	764.0	41	41	W S W	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.11	764.8	37	...	W	3	b
Hankow,	,,	30.52	775.2	50	49	S W	2	b	6 a.	30.49	774.4	41	92	S W	1	b
Kiukiang,	,,	30.51	774.9	51	46	W	1	b	,,	30.46	773.7	36	90	...	0	b
Shanghai,	,,	30.28	769.1	46	47	W	2	b	9 a.	30.32	770.1	44	68	W	2	b
Gutzlaff,	,,	30.25	768.3	46	62	N W	3	bv	,,	30.27	768.8	46	62	N W	4	bm
Sharp Peak,	,,	30.22	767.6	59	76	E N E	3	b	,,	30.31	769.9	57	72	N W	1	b
Amoy,	,,	30.12	765.0	65	68	S E	1	b	6 a.	30.15	765.3	56	75	N E	1	b
Swatow,	,,	30.12	765.0	68	65	N	3	b	,,	30.20	767.1	52	93	N	2	b
Taihoku,	1 p.	30.19	766.8	...	...	E	6	...	5 a.	30.28	769.0	...	...	...	0	...
Taichu,	,,	30.11	764.8	...	...	N	6	...	,,	30.15	765.9	...	...	N	6	...
Tainan,	,,	30.08	764.1	...	...	N	6	...	,,	30.13	765.4	...	...	N	6	...
Koshun	,,	30.05	763.3	...	...	N	8	...	,,	30.09	764.3	...	...	N E	8	...
Pescadores,	,,	30.15	765.7	...	...	N	10	...	,,	30.18	766.5	...	...	N	10	...
Canton,	3 p.	30.18	766.6	64	53	N W	2	b	9 a.	30.34	770.6	52	66	N W	1	b
Hongkong,	4 p.	30.19	766.8	64	38	N	1	b	10 a.	30.26	768.6	61	20	N N E	3	b
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.19	766.8	64	...	N	3	b	,,	30.27	768.8	59	...	N	3	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.25	768.4	68	...	N W	3	b	8 a.	30.34	770.5	57	...	N	4	b
Tourane,	,,	30.14	765.7	68	...	N W	4	o	,,	30.24	768.1	68	...	W S W	3	o
Cape St. James,	,,	29.87	758.7	79	...	S W	2	o	,,	29.93	760.1	72	...	N N E	1	o
Aparri,	2 p.	29.94	760.4	77	...	N E	2	p	6 a.	29.99	761.7	75	...	N E	2	r
Manila,	4 p.	29.88	759	77	92	N	1	o	10 a.	29.92	760	81	85	N W	1	c
Legaspi,	2 p.	29.85	758.1	82	...	N	1	c	6 a.	29.81	759.6	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.79	756.6	87	...	N E	2	b	,,	29.89	759.2	83	...	N E	2	c
Cebu,	,,	29.81	757.2	86	...	N	1	b	,,	...	...	...	...	N	1	c
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen considerably to moderately over Japan and N. China respectively.

The depression lying over S. Manchuria yesterday, appears to have moved into the N. part of the Sea of Japan.
The high pressure area still lies over the Upper Yangtze.
Very strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh ; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 12th December, 1907.

[Printed by NORONHA & Co., Government-Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th DECEMBER, 1907, P.M.								13th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	29.69	754.1	...	...	N W	8	...
Hakodate, ...	,,	29.57	751.2	...	...	...	0	...	,,	29.89	759.2	...	...	N W	2	...
Tokio, ...	,,	29.63	752.6	...	...	.	0	...	,,	29.99	761.6	...	...	N W	4	...
Kochi, ...	,,	...	...	...	...	W	6	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki, ...	,,	30.03	762.8	...	...	N W	8	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima, ...	,,	30.04	762.9	...	...	N W	4	...	,,	30.19	766.9	...	...	N	2	...
Oshima, ...	,,	30.08	764.1	...	...	N	6	...	,,	30.20	767.1	...	...	S	2	...
Naha, ...	,,	30.13	765.2	...	...	N	8	...	,,	30.21	767.2	...	...	E	2	...
Ishigakijima, ...	,,	30.17	766.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N	2	...
Bonin Is.	,,	29.85	758.1	...	...	S	4	...	,,	30.04	763.1	...	...	N	4	...
Chefoo, ...	3 p.	29.97	761.2	47	34	W S W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.01	762.2	...	...	W S W	1	b	9 a.	29.93	760.2	42	...	W	0	b
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	30.32	770.1	44	92	E	1	b
Kiukiang, ...	,,	30.27	768.8	59	43	N E	1	b	,,	30.27	768.8	40	91	...	0	b
Shanghai, ...	,,	30.19	766.8	52	35	W	2	b	9 a.	30.19	766.8	48	56	S W	1	b
Gutzlaff, ...	,,	30.18	766.6	52	66	W	2	bm	,,	30.15	765.8	54	68	S S W	2	bm
Sharp Peak, ...	,,	30.23	767.8	59	65	E N E	3	b	,,	30.24	768.1	56	75	W N W	3	b
Amoy	,,	30.08	764.0	65	58	N N E	1	b	6 a.	30.14	765.5	53	100	N E	1	b
Swatow, ...	,,	30.09	764.3	68	56	E	1	b	,,	30.18	766.6	49	71	N	2	b
Taihoku, ...	1 p.	30.23	767.9	...	...	E	6	...	5 a.	30.14	765.6	...	...	E	4	...
Taichu, ...	,,	30.10	764.6	...	...	N	6	...	,,	30.12	765.1	...	...	...	0	...
Tainan, ...	,,	30.11	764.7	...	...	N	4	...	,,	30.12	765.0	...	...	N	2	...
Koshun	,,	30.09	764.3	...	...	N E	10	...	,,	30.10	764.6	...	...	N E	10	...
Pescadores, ...	,,	30.16	766.1	...	...	N	10	...	,,	30.12	765.1	...	...	N	6	...
Canton, ...	3 p.	30.17	766.3	65	45	N W	1	b	9 a.	30.24	768.1	52	73	...	0	b
Hongkong, ...	4 p.	30.13	765.3	64	32	E	2	b	10 a.	30.20	767.1	65	45	E S E	3	c
Victoria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	...
Gap Rock, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	30.12	765.2	64	...	N	2	c	,,	30.21	767.3	62	...	N E	2	c
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.15	765.8	70	...	S	2	b	8 a.	...	...	...	...	...	...	...
Tourane, ...	,,	30.11	764.9	73	...	N	3	o	,,	...	...	...	...	...	...	...
Cape St. James, .	,,	29.81	757.1	79	...	N N W	1	o	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	29.98	761.4	73	...	N E	2	d	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.80	757	84	71	...	0	o	10 a.	29.96	761	81	69	...	0	o
Legaspi, ...	2 p.	29.83	757.8	86	...	E	1	o	6 a.	29.89	759.2	79	...	N E	1	b
Bacolod, ...	3 p.	...	...	...	...	N	3	c	9 a.	...	...	...	...	N N E	3	o
Iloilo, ...	,,	29.75	755.6	88	...	N E	1	c	,,	29.89	759.2	32	...	N E	1	c
Cebu, ...	,,	29.79	756.6	86	...	N	1	b	,,	29.90	759.4	83	...	N	1	c
Labuan, ...	,,	29.74	755.4	88	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

On the 13th at 11.55 a.—The depression lying over the Sea of Japan yesterday, has moved into the Pacific to the E. of Hokkaido, and pressure has increased considerably in S. Japan.

The barometer has fallen over China particularly in the North, another depression having appeared over S. Manchuria. Pressure is highest over the Upper Yangtze.

Fresh to moderate monsoon may be expected in the Formosa Channel, and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; fine.
2.—Formosa Channel, ...	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 2.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 13th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th December, 1907, P.M.								14th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	N W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.93	760.2	...	...	S W	4	...	,,	29.42	747.2	...	...	N E	6	...
Tokio,	,,	30.02	762.6	...	...	E	2	...	,,	29.87	758.6	...	...	S W	4	...
Kochi,	,,	30.11	764.8	...	...	S W	2	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	S W	6	...	,,	30.11	764.8	...	...	W	10	...
Kagoshima,	,,	30.15	765.9	...	...	N W	4	...	,,	30.19	766.9	...	...	...	0	...
Oshima,	,,	30.20	767.1	...	...	N E	4	...	,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.17	766.2	...	...	E	2	...	,,	30.17	766.2	...	...	.	0	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N E	4	...
Bonin Is.	,,	30.12	765.1	...	...	N E	4	...	,,	30.20	767.1	...	...	N	2	...
Chefoo,	3 p.	29.91	759.7	46	62	W N W	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.90	759.4	49	...	W N W	3	ovr	9 a.	30.58	776.7	22	...	N	3	c
Hankow,	,,	30.30	769.6	53	80	E	1	o	6 a.	30.47	773.9	49	78	N W	1	c
Kiukiang,	,,	30.22	767.6	61	40	N E	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.15	765.8	59	43	S W	1	c	9 a.	30.43	772.9	49	64	N E	3	o
Gutzlaff,	,,	30.09	764.3	54	74	S S W	2	cm	,,	30.33	770.4	51	86	N N E	4	bm
Sharp Peak,	,,	30.15	765.8	63	75	N N E	1	b	,,	30.27	768.8	61	74	N W	1	b
Amoy,	,,	30.08	764.0	66	68	S S E	2	b	6 a.	30.11	764.8	55	87	N W	1	b
Swatow,	,,	30.10	764.5	68	65	E	2	b	,,	30.18	766.6	57	75	N	1	b
Taihoku,	1 p.	30.10	764.6	...	...	E	6	...	5 a.	30.19	766.8	...	...	...	0	...
Taichu,	,,	30.10	764.5	...	...	...	0	...	,,	30.17	766.4	...	...	...	0	...
Tainan,	,,	30.10	764.6	...	...	N W	4	...	,,	30.15	765.7	...	...	N	4	...
Koshun	,,	30.09	764.3	...	...	N E	8	...	,,	30.11	764.7	...	...	N	2	...
Pescadores,	,,	30.14	765.5	...	...	N	8	...	,,	30.15	765.9	...	...	N	6	...
Canton,	3 p.	30.13	765.3	67	55	N	1	b	9 a.	30.25	768.3	56	69	N	1	b
Hongkong,	4 p.	30.12	765.0	65	45	E	2	c	10 a.	30.20	767.1	71	41	N E	1	c
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	N E	2	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.11	764.8	65	...	N E	1	c	,,	30.20	767.1	65	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.10	764.5	68	...	S S E	3	b	8 a.	30.24	768.1	61	...	N	2	o
Tourane,	,,	30.03	763.2	54	...	N W	3	o	,,	30.12	765.1	70	...	N W	1	o
Cape St. James,	,,	29.80	756.9	77	...	S W	1	o	,,	29.94	760.4	75	...	W	1	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.01	762.2	73	...	E	0	d
Manila,	4 p.	29.88	759	84	71	W S W	0	o	10 a.	29.96	761	82	77	W	1	c
Legaspi,	2 p.	29.87	758.6	81	...	N E	1	o	6 a.	29.91	759.7	79	...	N	2	c
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N N E	2	c
Iloilo,	,,	29.81	757.2	85	...	N E	3	o	,,	29.87	758.7	32	...	N E	2	c
Cebu,	,,	29.82	757.4	84	...	N	2	c	,,	29.93	760.2	83	...	N	1	c
Labuan,	,,	29.73	755.1	86	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

On the 14th at 11.40 a.—The depression lying over S. Manchuria yesterday, has traversed the Sea of Japan and is situated in the neighbourhood of Hakodate this morning.

A very rapid increase of pressure has taken place over N. China which is now covered by an anticyclonic area.

The monsoon is expected to freshen considerably in the Formosa Channel and over the N. part of the China Sea by to-morrow.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening considerably; fair.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 14th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th DECEMBER, 1907, P.M.								15th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.10	739.1	...	...	W	2	...	6 a.	29.73	755.1	...	...	S W	8	...
Hakodate,	,,	29.61	752.2	...	...	N W	8	...	,,	30.01	762.2	...	...	N W	8	...
Tokio,	,,	29.71	754.6	...	...	S W	6	...	,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	30.03	762.8	...	...	W	6	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	N W	6	...	,,	30.35	770.8	...	...	N E	4	...
Kagoshima,	,,	30.15	765.9	...	...	W	8	...	,,	30.35	770.9	...	...	N	2	...
Oshima,	,,	30.20	767.1	...	...	N W	2	...	,,	30.28	769.1	...	...	N	6	...
Naha,	,,	30.17	766.2	...	...	N	4	...	,,	30.21	767.2	...	...	N E	2	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	6	...	,,	30.13	765.3	...	...	S E	8	...
Bonin Is.	,,	30.12	765.1	...	...	N	2	...	,,	30.16	766.1	...	...	N	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.54	775.7	24	...	N	2	c	9 a.	30.62	777.7	28	...	N E	1	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Shanghai,	,,	30.45	773.4	46	62	N N E	3	o	9 a.	30.46	773.7	48	71	N E	2	o
Gutzlaff,	,,	30.36	771.1	48	71	N N E	6	om	,,	30.45	773.4	49	71	E N E	3	ov
Sharp Peak,	,,	30.23	767.8	62	72	N E	3	c	,,	30.36	771.1	56	87	N E	3	or
Amoy,	,,	30.10	764.5	69	80	N N E	1	c	C a.	30.14	765.5	58	88	N E	1	c
Swatow,	,,	30.08	764.0	69	56	E	1	c	,,	30.18	766.6	56	94	E	2	or
Taihoku,	1 p.	30.17	766.3	...	...	E	6	...	5 a.	30.18	766.6	...	...	E	6	...
Taichu,	,,	30.08	764.1	...	...	N	6	...	,,	30.10	764.5	...	...	N	2	...
Tainan,	,,	30.09	764.4	...	...	N	6	...	,,	30.12	764.9	...	...	N	2	...
Koshun	,,	30.08	764.1	...	...	N	6	...	,,	30.08	764.1	...	...	N E	6	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.15	765.7	...	...	N	10	...
Canton,	3 p.	30.17	766.3	65	63	N	1	o	9 a.	30.25	768.3	58	70	N W	1	o
Hongkong,	4 p.	30.11	764.8	71	45	E	1	o	10 a.	30.24	768.1	62	74	N E	1	od
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	N E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.11	764.8	66	...	N	2	o	,,	30.23	767.8	63	...	N	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.9	70	...	N W	1	o	8 a.	30.26	768.5	63	...	N N E	2	o
Tourane,	,,	...	...	...	...	...	...	...	,,	30.15	765.9	66	...	N W	1	or
Cape St. James,	,,	29.81	757.1	84	...	S E	1	c	,,	29.88	758.9	77	...	N N E	2	o
Aparri,	2 p.	29.97	761.3	81	...	E	1	o	6 a.	30.01	762.3	72	...	S	0	o
Manila,	4 p.	29.84	758	84	64	E S E	1	o	10 a.	29.92	760	82	77	N	1	c
Legaspi,	2 p.	29.87	758.7	84	...	E	1	o	6 a.	29.89	759.2	79	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N W	3	o
Iloilo,	,,	29.79	756.6	86	...	N E	3	o	,,	29.85	758.2	32	...	N E	4	b
Cebu,	,,	29.82	757.4	83	...	N	1	or	,,	29.87	758.7	80	...	N	1	c
Labuan,	,,	29.73	755.1	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 15th at 11.55 a.—The depression lying over N.E. Japan yesterday, has moved into the Pacific.

The barometer has risen rapidly over Japan, and a slight rise of the mercury has taken place also on the China coast. Over the Philippines there is a tendency for pressure to give way.

The anticyclonic area remains over N. China.

Very strong monsoon may be expected in the Formosa Channel and the China Sea

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; rainy at first, improving later.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 15th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th DECEMBER, 1907, P.M.								16th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.81	757.1	...	...	W	10	...	6 a.	29.93	760.1	...	...	W	6	...
Hakodate,	,,	30.05	763.2	...	...	N W	8	...	,,	30.13	765.2	...	...	N W	6	...
Tokio,	,,	30.06	763.6	...	...	N W	6	...	,,	30.26	768.6	...	...	N	4	...
Kochi,	,,	30.23	767.8	...	...	N	6	...	,,	30.31	769.8	...	...	N	4	...
Nagasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.39	771.8	...	...	N E	4	...
Kagoshima,	,,	30.27	768.9	...	...	N	4	...	,,	30.35	770.9	...	...	N	4	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	6	...
Naha,	,,	30.21	767.2	...	...	N E	6	...	,,	30.25	768.2	...	...	N E	4	...
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...	,,	30.17	766.3	...	...	N E	6	...
Bonin Is.	,,	30.08	764.1	...	...	N	2	...	,,	30.12	765.1	...	...	N	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.48	774.2	29	...	...	2	c	9 a.	30.67	779.0	29	...	N	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	.	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.43	772.9	49	64	E N E	2	c	9 a.	30.56	776.2	47	77	N E	2	o
Gutzlaff,	,,	30.39	771.9	50	65	E N E	3	cm	,,	30.49	774.4	49	71	N E	3	con
Sharp Peak,	,,	30.28	769.1	55	91	N	3	og	,,	30.36	771.1	58	84	N N E	3	og
Amoy	,,	30.14	765.5	61	83	N E	1	c	6 a.	30.15	765.8	60	82	N E	2	c
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	59	94	N	1	c
Taihoku,	1 p.	30.25	768.3	...	...	E	4	...	5 a.	30.20	767.1	...	...	E	6	...
Taichu,	,,	30.11	764.8	...	...	N	2	...	,,	30.08	764.0	...	...	N	4	...
Tainan,	,,	30.09	764.3	...	...	N	6	...	,,	30.13	765.4	...	...	N	2	...
Koshun	,,	...	...	...	...	...	...	...	,,	30.04	763.1	...	...	N	10	...
Pescadores,	,,	30.14	765.5	...	...	N	10	...	,,	30.13	765.3	...	...	N	10	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.14	765.5	63	62	N	1	o	10 a.	30.23	767.8	63	54	N N E	2	c
Victoria Peak,	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.13	765.3	68	...	N	2	o	,,	30.24	768.1	65	...	N	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.8	64	...	W S W	3	o	8 a.	30.27	768.8	64	...	N	3	o
Tourane,	,,	30.07	763.9	68	...	N W	3	o	,,	30.18	766.6	66	...	N W	1	o
Cape St. James,	,,	29.77	756.2	84	...	N N E	1	c	,,	29.85	753.1	73	...	N N E	1	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.01	762.1	70	...	S	1	b
Manila,	4 p.	29.84	758	81	76	N N E	1	c	10 a.	29.92	760	81	72	N E	1	c
Legaspi,	2 p.	29.84	758.0	84	...	N E	1	o	6 a.	29.88	758.8	79	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.77	756.1	83	...	N E	3	b	,,	29.85	758.2	31	...	N E	3	c
Cebu,	,,	29.80	756.9	86	...	N	2	od	,,	29.88	758.9	80	...	N	2	o
Labuan,	,,	29.81	757.2	84	...	...	...	...	,,	29.86	758.4	81	...	...	...	...

On the 16th at 11.55 a.—The barometer has risen moderately to slightly over Japan and N. China respectively.

The anticyclonic area remains over the continent to the North of the Yangtze, and gradients continue rather steep along the China coast.

Very strong monsoon will continue to prevail in the Formosa Channel and the China Sea

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 16th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th December, 1907, P.M.								17th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	N W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.09	764.2	...	...	N W	8	...	,,	30.01	762.2	...	...	N W	6	...
Tokio,	,,	30.18	766.6	...	...	E	2	...	,,	30.10	764.6	...	...	N W	4	...
Kochi,	,,	30.23	767.8	...	...	E	2	...	,,	30.31	769.8	...	...	N W	2	...
Nagasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.43	772.8	...	...	N W	2	...
Kagoshima,	,,	30.27	768.9	...	...	N W	4	...	,,	30.51	774.9	...	...	N	6	...
Oshima,	,,	30.24	768.1	...	...	N	8	...	,,	30.28	769.1	...	...	N	6	...
Naha,	,,	30.20	767.2	...	...	N E	6	...	,,	30.25	768.2	...	...	N E	6	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	8	...	,,	30.17	766.3	...	...	N E	8	...
Bonin Is.	,,	30.12	765.1	...	...	N E	2	...	,,	30.12	765.1	...	...	N	2	...
Chefoo,	3 p.	30.65	778.5	30	100	W	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.66	778.7	28	...	N W	2	ov	9 a.	30.67	779.0	37	...	N	1	ovr
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.52	775.2	49	65	N N E	2	bv	9 a.	30.57	776.5	46	77	N	2	c
Gutzlaff,	,,	30.46	773.7	50	71	N E	3	om	,,	30.50	774.7	50	65	N	3	cm
Sharp Peak,	,,	30.32	770.1	59	76	N E	3	og	,,	30.39	771.9	56	81	N N E	3	og
Amoy,	,,	30.13	765.3	67	74	N E	2	c	6 a.	30.18	766.6	57	81	N E	4	c
Swatow,	,,	30.14	765.5	68	70	E	4	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.27	768.9	...	...	E	6	...	5 a.	30.30	769.6	...	...	E	6	...
Taichu,	,,	30.13	765.2	...	...	N	6	...	,,	30.09	764.3	...	...	N	6	...
Tainan,	,,	30.11	764.8	...	...	N	6	...	,,	30.09	764.3	...	...	N	4	...
Koshun,	,,	30.07	763.7	...	...	N	8	...	,,	30.02	762.5	...	...	N E	12	...
Pescadores,	,,	30.16	766.0	...	...	N	10	...	,,	30.13	765.2	...	...	N	10	...
Canton,	3 p.	30.18	766.6	71	62	N N W	1	b	9 a.	30.31	769.9	61	71	N	2	b
Hongkong,	4 p.	30.15	765.8	67	62	E	2	c	10 a.	30.26	768.6	64	65	N N E	1	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	68	...	N	2	c	,,	30.25	768.3	65	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.6	72	...	S	1	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	30.07	763.8	70	...	N W	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.7	79	...	N N E	1	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.95	760.8	82	...	N E	1	c	6 a.	29.97	761.2	72	...	W	0	o
Manila,	4 p.	29.84	758	79	84	N E	1	c	10 a.	29.88	759	82	70	...	0	o
Legaspi,	2 p.	29.83	757.7	84	...	E	1	c	6 a.	29.84	757.9	77	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N N E	3	c
Iloilo,	,,	29.75	755.6	84	...	N E	3	c	,,	29.83	757.7	81	...	N E	1	c
Cebu,	,,	29.79	756.6	82	...	...	1	o	,,	29.84	757.9	82	...	N	1	b
Labuan,	,,	29.71	754.6	85	...	...	...	...	,,	29.86	758.4	79	...	...	...	...

On the 17th at 12.05 p.—The barometer has fallen slightly and is now about 0.1 inch below normal over the Philippines. An area of low pressure apparently exists over the Pacific to the Eastward of the Archipelago.

The anticyclone is still central over the continent to the North of the Yangtze, and pressure is in considerable excess of the normal over the E. and N.E. coasts of China. Gradients continue rather steep, and N.E. monsoon gales may be expected in the Formosa Channel and the China Sea

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fair.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 17th December, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th December, 1907, P.M.								18th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	W	6	...
Hakodate,	,,	30.09	764.2	...	...	W	6	...	,,	30.17	766.2	...	...	N W	2	...
Tokio,	,,	30.14	765.6	...	...	N W	6	...	,,	30.22	767.6	...	...	N W	4	...
Kochi,	,,	30.27	768.8	...	...	N	6	...	,,	30.31	769.8	...	...	S W	4	...
Nagasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.35	770.8	...	...	E	2	...
Kagoshima,	,,	30.31	769.9	...	...	N W	4	...	,,	30.31	769.9	...	...	N	4	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	30.32	770.1	...	...	N	4	...
Naha,	,,	30.20	767.2	...	...	N E	8	...	,,	30.31	767.2	...	...	N E	6	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	8	...	,,	30.17	766.3	...	...	N E	6	...
Bonin Is.	,,	30.08	764.1	...	...	N	2	...	,,	30.16	766.1	...	...	N	2	...
Chefoo,	3 p.	30.60	777.2	39	88	N N W	2	b	6 a.	..	...	30	100	S	2	o
Weihaiwei,	,,	30.58	776.7	29	...	N N E	1	b	9 a.	30.54	775.7	31	...	N N W	2	c
Hankow,	,,	30.61	777.5	45	76	N N W	1	o	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	...	...	...	...	...	...	...	,,	30.61	777.5	44	76	N E	2	b
Shanghai,	,,	30.50	774.7	46	54	N	2	o	9 a.	30.55	775.9	42	75	N	...	o
Gutzlaff,	,,	30.45	773.4	47	63	N	4	om	,,	30.49	774.4	46	77	N	3	bev
Sharp Peak,	,,	30.30	769.6	58	71	N E	3	og	,,	30.39	771.9	56	78	N E	4	og
Amoy,	,,	30.18	766.6	66	59	N E	4	c	6 a.	30.18	766.6	58	76	N E	2	b
Swatow,	,,	30.13	765.3	68	60	E	1	c	,,	30.12	765.0	59	82	N N E	1	b
Taihoku,	1 p.	30.24	768.2	...	...	E	6	...	5 a.	30.28	769.2	...	...	E	6	...
Taichu,	,,	30.10	764.6	...	...	N	6	...	,,	30.14	765.6	...	...	N	6	...
Tainan,	,,	30.10	764.5	...	...	N	6	...	,,	30.13	765.3	...	...	N	6	...
Koshun,	,,	30.06	763.6	...	...	N E	10	...	,,	30.10	764.4	...	...	N E	8	...
Pescadores,	,,	30.15	765.8	...	...	N	10	...	,,	30.16	766.1	...	...	N	10	...
Canton,	3 p.	30.18	766.6	70	61	N N W	2	b	9 a.	30.32	770.1	57	75	N	2	c
Hongkong,	4 p.	30.15	765.8	64	74	E	2	o	10 a.	30.26	768.6	63	51	N	1	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.14	765.5	69	...	N N E	2	c	,,	30.27	768.8	64	...	N	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.12	765.0	70	...	S E	3	c	8 a.	30.24	768.1	63	...	N E	5	c
Tourane,	,,	30.04	762.9	68	...	W N W	2	o	,,	30.10	764.4	73	...	N E	2	o
Cape St. James,	,,	29.77	756.2	81	...	E N E	1	o	,,	29.85	758.1	81	...	N E	1	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	57	N E	1	o	10 a.	29.84	758	82	57	N N E	3	o
Legaspi,	2 p.	29.78	756.3	86	...	N E	1	c	6 a.	29.76	755.8	77	...	N E	1	...
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	1	cp
Iloilo,	,,	29.73	755.1	85	...	N E	2	c	,,	29.76	755.9	80	...	N E	1	o
Cebu,	,,	29.73	755.1	86	...	N	1	c	,,	29.75	755.6	84	...	E	1	o
Labuan,	,,	29.72	754.9	83	...	...	...	...	,,	29.77	756.1	80	...	...	...	...

On the 18th at 12.05 p.—The barometer continues to fall over the Philippines owing to the depression, which appears to be situated to the Eastward of the S. part of the Archipelago and to be moving Westwards.

The anticyclone remains over the continent to the North of the Yangtze, but pressure is inclined to give way over the N.E. coast of China.

Very strong monsoon will continue to prevail in the Formosa Channel, and N. and N.E. gales may be expected over the China Sea

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or strong; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 18th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th December. 1907, P.M.								19th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...		...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.04	763.1	...	...	S W	2	...
Hakodate,	,,	30.13	765.2	...	...	N	8	...	,,	30.17	766.2	...	...	N	2	...
Tokio,	,,	30.18	766.6	...	...	N W	6	...	,,	30.18	766.6	...	...	...	0	...
Kochi,	,,	30.23	767.8	...	...	S	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.27	768.8	...	...	N W	2	...	,,	30.23	767.8	...	...	N	2	...
Kagoshima,	,,	30.23	767.9	...	...		...	...	,,	30.23	767.9	...	...	N	2	...
Oshima,	,,	30.24	768.1	...	...	N W	6	...	,,	30.12	765.1	...	...	N E	6	...
Naha,	,,	30.17	766.2	...	...	N E	6	...	,,	30.13	765.2	...	...	N E	4	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N	6	...
Bonin Is.	,,	30.08	764.1	...	...	N	2	...	,,	30.12	765.1	...	...	N E	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.45	773.4	31	...	N W	2	c	9 a.	30.32	770.1	31	...	S E	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	30.56	776.2	47	77	N E	3	o	,,	30.55	775.9	49	91	N W	2	b
Shanghai,	,,	30.44	773.2	44	68	N	2	c	9 a.	30.42	772.6	42	75	N W	1	b
Gutzlaff,	,,	30.39	771.9	45	60	N	3	ov	,,	30.38	771.6	43	67	N N W	3	cm
Sharp Peak,	,,	30.29	769.3	58	76	E N E	4	o	,,	30.30	769.6	55	80	N E	3	og
Amoy,	,,	30.16	766.0	66	64	N E	4	b	6 a.	30.16	766.0	57	81	N E	1	c
Swatow,	,,	30.12	765.0	66	68	E	2	b	,,	30.11	764.8	58	81	N	2	c
Taihoku,	1 p.	30.24	768.0	...	...	E	6	...	5 a.	30.23	767.8	...	...	E	4	...
Taichu,	,,	30.08	764.0	...	...	N	6	...	,,	30.08	764.0	...	...	N	2	...
Tainan,	,,	30.07	763.9	...	...	N	4	...	,,	30.10	764.6	...	...	N	4	...
Koshun,	,,	30.04	763.1	...	...	N E	10	...	,,	30.10	764.6	...	...	N E	10	...
Pescadores,	,,	30.14	765.6	...	...	N	10	...	,,	30.14	765.6	...	...	N	10	...
Canton,	3 p.	30.22	767.6	65	58	N W	3	b	9 a.	30.36	771.1	52	73	N N W	3	b
Hongkong,	4 p.	30.16	766.0	66	42	N N E	2	b	10 a.	30.27	768.8	59	42	N	2	b
Victoria Peak,	,,	...	...	...	...	N	3	...	,,	...	...	...	...	N	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.17	766.3	66	...	N	2	c	,,	30.29	769.3	59	...	N	3	b
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haiphong,	4 p.	30.18	766.5	66	...	S S E	2	c	8 a.	30.35	770.9	59	...	N	3	b
Tourane,	,,	30.06	763.4	72	...	N N E	3	o	,,	30.19	766.8	70	...	N N E	3	o
Cape St. James,	,,	29.75	755.7	79	...	N E	4	c	,,	29.84	757.9	77	...	N N E	1	o
Aparri,	2 p.	29.94	760.4	82	...	...	0	b	6 a.	29.94	760.4	75	...	N E	2	d
Manila,	4 p.	29.76	755.9	82	57	N N E	3	o	10 a.	29.76	756	77	84	N	0	o
Legaspi,	2 p.	29.68	753.3	77	...	N E	1	o	6 a.	29.66	753.3	75	...	S E	1	o
Iloilo,	3 p.	...	...	...	...	N N E	2	cp	9 a.	...	...	...	...	N	2	o
Iloilo,	,,	29.68	753.9	82	...	N E	2	o	,,	29.74	755.4	81	...	N E	1	o
Cebu,	,,	29.65	753.1	83	...	S W	1	o	,,	29.76	755.9	82	...	S W	1	o
Labuan,	,,	29.70	754.4	84	...	...	...	...	,,	29.77	756.1	81	...	...	...	...

On the 19th at 12.20 p.—The barometer has fallen over the Philippines, and the depression appears to be now situated over the Archipelago to the South of Luzon, and to be moving Westwards.

Pressure has decreased also over N. China, probably owing to the advance of a depression from the Westward. The anticyclonic area remains over the Upper Yangtze.

Strong monsoon may be expected in the Formosa Channel, and hard N. and N.E. gales over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, strong; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 19th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th December, 1907, P.M.								20th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.16	766.1	...	...	W	2	...
Hakodate,	,,	30.17	766.2	...	...	W	6	...	,,	30.28	769.2	...	...	N	2	...
Tokio,	,,	30.10	764.6	...	...	N	2	...	,,	30.26	768.6	...	...	N W	4	...
Kochi,	,,	30.15	765.8	...	...	...	0	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	N	4	...	,,	30.23	767.8	...	...	...	0	...
Kagoshima,	,,	30.19	766.9	...	...	N	4	...	,,	30.23	767.9	...	...	N	2	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.16	766.1	...	...	..	0	...
Naha,	,,	30.09	764.2	...	...	N	6	...	,,	30.13	765.2	...	...	N	4	...
Ishigakijima,	,,	30.09	764.3	...	...	N	6	...	,,	30.13	765.3	...	...	N	2	...
Bonin Is.	,,	30.08	764.1	...	...	E	2	...	,,	30.04	763.1	...	...	N E	4	...
Chefoo,	3 p.	30.13	765.3	44	74	S	2	b	6 a.	29.98	761.5	35	70	W	6	o
Weihaiwei,	,,	30.16	766.0	39	...	S S W	3	b	9 a.	29.96	761.0	30	...	W N W	6	c
Hankow,	,,	30.46	773.7	52	53	S W	2	b	6 a.	30.52	775.2	40	91	S W	1	b
Kiukiang,	,,	30.42	772.6	55	44	W	1	b	,,	30.50	774.7	39	82	S W	1	b
Shanghai,	,,	30.30	769.6	47	63	W	1	o	9 a.	30.30	769.6	43	75	S W	2	b
Gutzlaff,	,,	30.31	769.9	50	58	N	2	bv	,,	30.28	769.1	47	77	W	4	bm
Sharp Peak,	,,	30.23	767.8	56	75	N N E	3	bv	,,	30.34	770.6	53	76	W N W	1	b
Amoy,	,,	30.19	766.8	62	72	N N E	1	o	6 a.	30.18	766.6	50	79	W	1	b
Swatow,	,,	30.13	765.3	65	53	N	3	b	,,	30.12	765.0	54	80	N	1	c
Taiboku,	1 p.	30.21	767.3	.	...	N E	4	...	5 a.	30.23	767.8	...	...	E	2	...
Taichu,	,,	30.11	764.9	...	...	N	8	...	,,	30.17	766.3	...	...	N	4	...
Tainan,	,,	30.08	764.1	...	...	N	8	...	,,	30.15	765.9	...	...	N	4	...
Koshun,	,,	30.06	763.5	...	...	N	8	...	,,	30.12	765.0	...	...	...	0	...
Pescadores,	,,	30.15	765.8	...	...	N	10	...	,,	30.18	766.6	...	...	N	8	...
Canton,	3 p.	30.24	768.1	61	60	N	2	b	9 a.	30.39	771.9	49	71	N	1	b
Hongkong,	4 p.	30.18	766.6	61	34	N	2	b	10 a.	30.31	769.9	56	27	N	5	b
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	N	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.19	766.8	63	...	N	4	c	,,	30.32	770.1	56	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.23	767.8	66	...	N	3	b	8 a.	30.38	771.5	55	...	N	4	b
Tourane,	,,	30.15	765.9	63	...	N W	2	or	,,	30.25	768.2	63	...	N N W	4	or
Cape St. James,	,,	29.78	756.4	81	...	N E	2	o	,,	29.89	759.2	72	...	N	1	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	..	...	...	...	...	...	...
Manila,	4 p.	29.72	755	75	92	N N E	1	d	10 a.	29.84	758	73	100	...	0	d
Legaspi,	2 p.	29.67	753.7	82	...	N E	1	o	6 a.	29.78	756.5	79	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.68	753.9	84	...	N E	2	o	,,	29.78	756.4	30	...	N E	2	c
Cebu,	,,	29.68	753.9	85	...	...	0	o	,,	29.80	756.9	84	...	N	1	o
Labuan,	,,	29.75	755.6	86	...	...	...	...	,,	29.80	756.9	82	...	...	...	...

On the 20th at 12.20 p.—The barometer has risen slightly over the Philippines and at the other stations around the China Sea. The depression situated to the S. of Luzon yesterday, appears to exist this morning as a diffused area of low pressure lying over the S. Philippines and adjacent waters.

The depression in the North is moving Eastwards to the North of Shantung, and a rapid decrease of pressure has taken place over N. China. The anticyclonic area remains over the Upper Yangtze.

Strong N. winds may be expected in the Formosa Channel and hard N. and N.E. gales over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 20th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th December, 1907, P.M.								21st December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	30.16	766.1	...	...	N W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.13	765.2	...	...	N	2	...	,,	29.42	747.2	...	...	E	10	...
Tokio,	,,	30.14	765.6	...	...	N W	4	...	,,	29.55	750.6	...	...	S	2	...
Kochi,	,,	30.03	762.8	...	...	S E	4	...	,,	29.80	756.8	...	...	W	4	...
Nagasaki,	,,	30.07	763.8	...	...	S	6	...	,,	29.99	761.8	...	...	N W	8	...
Kagoshima,	,,	30.11	764.9	...	...	W	2	...	,,	30.00	761.9	...	...	N W	8	...
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	30.16	766.1	...	...	N W	6	...
Naha,	,,	30.13	765.2	...	...	N	8	...	,,	30.17	766.2	...	...	N	8	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	6	...	,,	30.29	769.3	...	...	N E	8	...
Bonin Is.	,,	30.00	762.1	...	...	S E	2	...	,,	29.89	759.1	...	...	S	2	...
Chefoo,	3 p.	30.10	764.5	24	100	N W	6	s	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.10	764.5	21	...	W N W	5	c	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.66	778.7	49	37	N E	2	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.55	775.9	55	50	N E	1	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.35	770.9	43	36	N W	6	b	9 a.	30.51	774.9	31	...	N W	3	b
Gutzlaff,	,,	30.28	769.1	46	47	N W	7	bm	,,	30.45	773.4	32	79	N W	6	bm
Sharp Peak,	,,	30.26	768.6	60	71	N E	2	b	,,	30.44	773.2	54	73	N W	1	b
Amoy,	,,	30.18	766.6	65	53	N E	1	b	6 a.	30.26	768.6	53	73	N E	1	b
Swatow,	,,	30.16	766.0	68	42	N	2	b	,,	..	...	43	83	N	1	c
Taihoku,	1 p.	30.24	768.2	.	...	S	2	...	5 a.	30.36	771.1	...	...	S E	2	...
Taichu,	,,	30.25	768.4	...	...	N	8	...	,,	30.23	767.8	...	...	N E	6	...
Tainan,	,,	30.14	765.6	...	...	N	8	...	,,	30.29	767.0	...	...	N	6	...
Koshun,	,,	30.10	764.5	...	...	N E	8	...	,,	30.15	765.8	...	...	N E	10	...
Pescadores,	,,	30.19	766.7	...	...	N	10	...	,,	30.24	768.1	...	...	N	10	...
Canton,	3 p.	30.25	768.3	65	44	N	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.22	767.6	63	23	N N E	3	c	10 a.	30.38	771.6	59	36	N E	4	c
Victoria Peak,	,,	...	...	...	...	N E	5	...	,,	...	...	...	...	N N E	8	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	...	...	62	...	N	3	c	,,	30.39	771.9	59	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.26	768.7	70	...	...	2	b	8 a.	30.42	772.7	61	...	N	3	b
Tourane,	,,	30.19	766.8	64	...	N W	3	o	,,	30.28	769.2	68	...	N N W	2	c
Cape St. James,	,,	29.84	757.7	77	...	N N E	1	o	,,	29.86	758.4	72	...	N	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	..	...	...	...	...	...	...
Manila,	4 p.	29.80	757	77	92	N N W	2	d	10 a.	29.88	759	79	84	N	2	c
Legaspi,	2 p.	29.75	755.7	84	...	E	2	c	6 a.	29.82	757.4	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N E	1	c
Iloilo,	,,	29.72	754.9	86	...	N E	1	cr	,,	29.81	757.2	82	...	N E	1	c
Cebu,	,,	29.72	754.9	84	...	N	1	c	,,	29.82	757.4	85	...	N	0	...
Labuan,	,,	29.75	755.6	80	...	...	...	...	,,	29.76	755.9	79	...	...	...	...

On the 21st at 12.10 p.—The northern depression is crossing the Sea of Japan and approaching the neighbourhoon of Hakodate where pressure has decreased very rapidly.

The barometer has risen moderately to considerably over China and a slight rise has taken place also over the Philippines.

Pressure is, however, still low over the latter area and the S.E. part of the China Sea.

The anticyclonic area remains over the Upper Yangtze.

Gradients are steep generally, and hard monsoon gales will continue to prevail over the China Sea, and very strong monsoonalong the whole of the China coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.— Hongkong and Neighbourhood,	N. winds, strong; fine.
2.— Formosa Channel,	N.E. winds, strong to a gale.
3.— South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.— South coast of China between Hongkong and Hainan,	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 21st December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st DECEMBER, 1907, P.M.								22nd DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	..
Nemuro,	,,	29.33	745.1	...	...	W	10	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.10	739.2	...	...	S	6	...	,,	29.06	738.2	...	...	N W	8	...
Tokio,	,,	29.28	743.6	...	...	S W	8	...	,,	29.55	750.6	...	...	W	2	...
Kochi,	,,	29.80	756.8	...	...	W	4	...	,,	29.95	760.8	...	...	W	4	...
Nagasaki,	,,	29.99	761.8	...	...	N W	8	...	,,	30.15	765.8	...	...	N	8	...
Kagoshima,	,,	29.96	760.9	...	...	N W	8	...	,,	30.12	764.9	...	...	N	6	...
Oshima,	,,	30.12	765.1	...	...	N	8	...	,,	30.20	767.1	...	...	N W	8	...
Naha	,,	30.24	768.2	...	...	N	10	...	,,	30.25	768.2	...	...	N	10	...
Ishigakijima,	,,	30.29	769.3	...	...	N	4	...	,,	30.29	769.3	...	...	N	6	...
Bonin Is.	,,	29.85	758.1	...	...	N W	4	...	,,	29.89	759.1	...	...	N	3	...
Chefoo,	3 p.	30.29	769.3	25	100	N W	3	o	6 a.	30.40	772.1	23	100	W	2	c
Weihaiwei,	,,	30.29	769.3	22	...	N W	3	c	9 a.	..	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.49	774.4	40	91	E	1	b
Kiukiang,	,,	30.36	776.2	51	40	...	0	b	,,	30.56	776.2	34	90	...	0	b
Shanghai,	,,	30.44	773.2	36	...	W N W	3	b	9 a.	30.50	774.7	35	...	N N W	1	b
Gutzlaff,	,,	30.40	772.1	38	91	N W	5	bm	,,	30.44	773.2	41	57	N	2	bm
Sharp Peak,	,,	30.35	770.9	59	61	E N E	1	b	,,	30.43	772.9	54	74	W N W	2	b
Amoy,	,,	30.26	768.6	63	57	N E	2	b	6 a.	30.26	768.6	49	64	N E	2	b
Swatow,	,,	30.22	767.6	65	95	E	2	b	,,	30.08	764.0	51	72	N	1	c
Taihoku,	1 p.	30.37	771.5	.	...	N E	4	...	5 a.	30.35	770.8	...	...	E	4	...
Taichu,	,,	30.23	767.8	...	...	N	8	...	,,	30.23	767.7	...	...	...	2	...
Tainan,	,,	30.21	767.3	...	...	N	6	...	,,	30.19	766.9	...	...	NE	2	...
Koshun	,,	30.20	767.1	...	...	N E	10	...	,,	30.18	766.6	...	...	N E	8	...
Pescadores,	,,	30.26	768.7	...	...	N	10	...	,,	30.21	767.4	...	...	N	10	...
Canton,	3 p.	30.29	769.3	67	41	N	2	b	9 a.	...	...	50	58	N	1	b
Hongkong,	4 p.	30.23	767.8	65	21	N	2	c	10 a.	30.34	770.6	58	34	E	2	b
Victoria Peak,	,,	...	...	...	...	N N E	5	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.23	767.8	64	...	N	3	c	,,	30.34	770.6	59	...	N	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.30	769.7	70	...	W S W	2	b	8 a.	...	...	...	...	...	...	...
Tourane,	,,	30.22	767.5	68	...	N N E	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.1	79	...	S W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	..	...	...	...	...	...	...
Manila,	4 p.	29.80	757	79	69	N	3	o	10 a.	29.96	761	75	74	N E	1	d
Legaspi,	2 p.	29.78	756.5	84	...	E	1	c	6 a.	29.84	758.0	75	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.72	754.9	86	...	N E	1	b	,,	29.83	757.7	81	...	N E	1	or
Cebu,	,,	29.74	755.4	85	...	N	2	b	,,	29.85	758.2	81	...	...	0	or
Labuan,	,,	29.70	754.4	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 22nd at 11.55 a.—The depression in the North is passing to the Pacific to the E. of Hokkaido.

The barometer has risen over S. Japan and the Philippines, and there is a tendency for pressure to decrease over China.

The anticyclonic area is lying over Central China, and pressure remains relatively low over the Philippines and adjacent waters.

Strong monsoon may be expected in the Formosa Channel, and monsoon gales over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 22nd December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd December, 1907, P.M.								23rd December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...		...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.61	752.1	...	...	N W	8	...
Hakodate,	,,	29.42	747.2	...	...	N W	6	...	,,	29.77	756.2	...	...	N W	6	...
Tokio,	,,	29.59	751.6	...	...	N W	2	...	,,	29.91	759.6	...	...	...	6	...
Kochi,	,,	29.99	761.8	...	...	W	6	...	,,	30.19	766.8	...	...	W	2	...
Nagasaki,	,,	30.23	767.8	...	...	N	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.19	766.9	...	...	N	8	...	,,	30.34	769.9	...	...	N	6	...
Oshima,	,,	30.20	767.1	...	...	N	8	...	,,	30.28	769.1	...	...	N	8	...
Naha,	,,	30.28	769.2	...	...	N	8	...	,,	30.32	770.2	...	...	N	8	...
Ishigakijima,	,,	30.29	769.3	...	...	N	6	...	,,	30.33	770.3	...	...	N E	4	...
Bonin Is.	,,	29.93	760.1	...	...	N W	6	...	,,	30.01	762.1	...	...	N W	6	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.40	772.1	24	...	...	3	c	9 a.	30.47	773.9	24	...	W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang	,,	30.45	773.4	58	37	W	1	b	,,	30.49	774.4	39	91	...	0	b
Shanghai,	,,	30.44	773.2	43	28	E	0	b	9 a.	30.52	775.2	40	64	N W	1	b
Gutzlaff,	,,	30.42	772.6	45	61	N	1	bm	,,	30.48	774.2	44	68	N N E	2	bm
Sharp Peak,	,,	30.36	771.1	55	68	N E	3	b	,,	30.42	772.6	53	73	N W	2	og
Amoy,	,,	30.24	768.1	61	60	N E	2	b	6 a.	30.26	768.6	53	73	N E	2	b
Swatow,	,,	30.23	767.8	61	40	E	2	b	,,	30.38	771.6	50	65	E	2	c
Taiboku,	1 p.	30.37	771.3	.	...	E	6	...	5 a.	30.36	771.0	...	...	E	4	...
Taichu,	,,	30.22	767.6	...	...	N	2	...	,,	30.23	767.9	...	...	NE	2	...
Tainan,	,,	30.20	767.1	...	...	N W	2	...	,,	30.21	767.3	...	...	N	2	...
Koshun,	,,	30.21	767.3	...	...	N E	8	...	,,	30.19	766.8	...	...	N E	10	...
Pescadores,	,,	30.23	767.8	...	...	N	10	...	,,	30.23	767.9	...	...	N	10	...
Canton,	3 p.	...	...	64	53	N	1	b	9 a.	30.34	770.6	55	68	N	1	c
Hongkong,	4 p.	30.26	768.6	59	44	E	3	b	10 a.	30.29	769.3	61	40	E	5	c
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.24	768.1	62	...	N N E	1	c	,,	30.30	769.6	59	...	N	2	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.22	767.7	68	...	S	2	b	8 a.	...	...	...	...	...	...	...
Tourane,	,,	30.13	765.4	66	...	N N W	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.1	75	...	N N W	2	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	73	83	N	0	o	10 a.	29.96	761	81	70	...	0	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.92	760.0	75	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	N	2	c
Iloilo,	,,	29.77	756.1	80	...	N E	1	c	,,	29.87	758.7	81	...	N E	1	c
Cebu,	,,	...	...	81	...	N	3	c	,,	29.91	759.7	80	...	N	1	o
Labuan,	,,	29.65	753.1	89	...	...	...	...	,,	29.76	755.9	83	...	...	...	...

On the 23rd at 11.55 a.—The barometer has risen considerably over Japan, the depression having moved into the Pacific.

Pressure has increased slightly over the Philippines, and given way a little on the S. coast of China.

The anticyclonic area remains over Central China, and pressure is relatively low over the S. part of the China Sea.

Strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 23rd December, 1907.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd DECEMBER, 1907, P.M.								24th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	N W	6	...	6 a.	29.85	758.1	...	...	W	2	...
Hakodate,	,,	30.24	768.2	...	...	W	8	...	,,	29.97	761.2	...	...	S W	8	...
Tokio,	,,	30.02	762.6	...	...	N W	6	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	30.23	767.8	...	...	S E	4	...	,,	30.31	769.8	...	...	S W	4	...
Nagasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.35	770.8	...	...	S E	4	...
Kagoshima,	,,	30.31	769.9	...	...	N W	4	...	,,	30.35	770.9	...	...	N	4	...
Oshima,	,,	30.28	769.1	...	...	N	8	...	,,	30.28	769.1	...	...	S	2	...
Naha,	,,	30.28	769.2	...	...	N	8	...	,,	30.25	768.2	...	...	N E	4	...
Ishigakijima,	,,	30.29	769.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	2	...
Bonin Is.	,,	30.00	762.1	...	...	N W	6	...	,,	30.16	766.1	...	...	N	4	...
Chefoo,	3 p.	30.31	769.9	25	53	S	2	b	6 a.	30.01	762.2	38	81	S	2	b
Weihaiwei,	,,	30.36	771.1	32	...	S W	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.40	772.1	56	63	S E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.38	771.6	54	68	N E	2	b	,,	30.22	767.6	38	91	...	0	b
Shanghai,	,,	30.40	772.1	49	50	E S E	1	b	9 a.	30.21	767.3	48	78	S	2	b
Gutzlaff,	,,	30.39	771.9	46	54	N N E	...	bm	,,	30.23	767.8	52	66	S S E	2	bv
Sharp Peak,	,,	30.34	770.6	55	78	N E	3	o	,,	30.25	768.3	56	81	N W	1	og
Amoy,	,,	30.22	767.6	61	71	N N E	2	c	6 a.	30.15	765.8	57	81	N E	1	c
Swatow,	,,	30.19	766.8	62	56	E	4	o	,,	30.07	763.8	55	68	...	0	c
Taihoku,	1 p.	30.30	769.6	..	...	E	8	...	5 a.	30.17	766.2	...	...	E	6	...
Taichu,	,,	30.20	767.2	...	...	N W	2	...	,,	30.15	765.9	...	...	...	0	...
Tainan,	,,	30.20	767.1	...	...	N E	2	...	,,	30.14	765.6	...	...	N E	2	...
Koshun	,,	30.19	766.8	...	...	N E	10	...	,,	30.12	764.9	...	...	N E	8	...
Pescadores,	,,	30.21	767.4	...	...	N	10	...	,,	30.15	765.8	...	...	N E	4	...
Canton,	3 p.	30.22	767.6	66	68	W	1	b	9 a.	30.22	767.6	58	76	N W	1	o
Hongkong,	4 p.	30.21	767.3	61	59	E	4	o	10 a.	30.19	766.8	61	63	E N E	2	od
Victoria Peak,	,,	...	...	...	...	E N E	5	...	,,	...	...	...	...	E N E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.20	767.1	62	...	E	1	o	,,	30.18	766.6	62	...	N	1	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.21	767.4	61	...	N W	1	o	8 a.	30.21	767.2	52	...	N W	5	or
Tourane,	,,	30.08	764.0	68	...	W N W	2	o	,,	30.07	763.7	66	...	W	2	o
Cape St. James,	,,	29.81	757.1	79	...	N	1	o	,,	29.82	757.5	72	...	N W	3	o
Aparri,	2 p.	29.88	759.0	84	...	E	0	o	6 a.	..	...	...	...	...	...	...
Manila,	4 p.	29.88	759	79	84	N	2	o	10 a.	29.96	761	81	70	S	1	c
Legaspi,	2 p.	29.87	758.7	77	...	E	1	o	6 a.	29.91	759.8	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N E	1	o
Iloilo,	,,	29.79	756.6	84	...	N E	4	b	,,	29.82	757.4	80	...	N E	2	b
Cebu,	,,	29.82	757.4	86	...	N	2	b	,,	29.96	759.4	83	...	N	1	c
Labuan,	,,	29.71	754.6	84	...	...	...	...	,,	29.86	758.4	77	...	...	...	...

On the 24th at 11.55 a.—The barometer has risen over Japan, and fallen over China, particularly in the North.

A depression which will probably move Eastwards has appeared over N. China, and the highest pressure is now over S.W. Japan.

Gradients have decreased over S. China and the China Sea, and light monsoon may be expected in the Formosa Channel, and fresh to moderate monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to N. winds, moderate; cloudy, some light rain.
2.—Formosa Channel,	N.E. winds, moderate or light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 24th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th DECEMBER, 1907, P.M.								25th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.77	756.1	...	...	S	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.77	756.2	...	...	S W	6	...	,,	29.73	755.2	...	...	N W	8	...
Tokio,	,,	30.10	764.6	...	...	S	2	...	,,	30.02	762.6	...	...	..	0	...
Kochi,	,,	30.19	766.8	...	...	S E	2	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	30.23	767.8	...	...	S E	6	...	,,	30.19	766.8	...	...	S E	8	...
Kagoshima,	,,	30.27	768.9	...	...	S W	4	...	,,	30.23	767.9	...	...	N E	4	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.16	766.1	...	...	...	0	...
Naha,	,,	30.17	766.2	...	...	S	4	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	2	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	30.20	767.1	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.04	763.0	48	...	S W	3	b	9 a.	30.10	764.5	39	...	E	1	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.20	767.1	63	42	N	1	b	,,	30.18	766.6	40	100	...	0	b
Shanghai,	,,	30.05	763.2	56	57	S	3	b	9 a.	30.15	765.8	43	78	W S W	1	b
Gutzlaff,	,,	30.07	763.8	54	68	S	4	cv	,,	30.14	765.5	49	78	W	2	bm
Sharp Peak,	,,	...	...	57	84	N E	2	og	,,	30.16	766.0	58	88	...	0	og
Amoy,	,,	...	...	...	...	...	...	...	6 a.	30.10	764.5	56	81	S E	1	c
Swatow,	,,	30.05	763.2	62	67	N	1	o	,,	30.12	765.0	57	87	N	1	or
Taihoku,	1 p.	30.09	764.3	.	...	E	4	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	30.10	764.6	...	...	...	0	...	,,	...	...	...	...	...	...	...
Tainan,	,,	30.11	764.7	...	...	N	4	...	,,	...	...	...	...	...	...	...
Koshun	,,	30.07	763.7	...	...	E	6	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.14	765.5	...	...	N	6	...	,,	...	...	...	...	..	...	...
Canton,	3 p.	30.10	764.5	59	82	E	1	or	9 a.	30.16	766.0	59	83	N N E	1	o
Hongkong,	4 p.	30.07	763.8	62	61	...	0	od	10 a.	30.13	765.3	64	64	E S E	2	od
Victoria Peak,	,,	...	...	...	...	N E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.08	764.0	61	...	N	2	od	,,	30.13	765.3	61	...	N	2	od
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.7	57	...	N W	0	o	8 a.	30.10	767.4	57	...	N N W	3	o
Tourane,	,,	29.98	761.6	66	...	N W	4	or	,,	30.01	762.2	64	...	...	0	or
Cape St. James,	,,	29.78	756.4	72	...	N N W	2	or	,,	29.86	758.3	70	...	N N W	2	o
Aparri,	2 p.	29.98	761.4	77	...	E	1	b	6 a.	30.02	762.4	70	...	S E	0	o
Manila,	4 p.	29.84	758	81	41	E S E	1	o	10 a.	29.96	761	81	76	W	1	c
Legaspi,	2 p.	29.87	758.7	75	...	E	1	o	6 a.	29.93	760.3	75	...	E	1	c
Bacolod,	3 p.	...	...	...	...	N E	3	b	9 a.	...	...	...	...	N	2	o
Iloilo,	,,	29.79	756.6	85	...	N E	3	b	,,	29.89	759.2	80	...	N E	1	c
Cebu,	,,	29.82	757.4	84	...	N	2	b	,,	29.92	759.9	84	...	N	1	b
Labuan,	,,	29.75	755.6	84	...	...	...	...	,,	29.86	758.4	80	...	...	...	...

On the 25th at 12.10 p.—The barometer has fallen moderately to slightly over Japan and China respectively.

The depression is moving into the Pacific to the N.E. of Japan. A second area of low pressure appears to be lying over the Yellow Sea.

Pressure is relatively high over S.W. Japan and the Upper Yangtze,

Gradients are slight, and light to moderate monsoon may be expected in the Formosa Channel, and moderate to fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; cloudy, rain at times.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 25th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th DECEMBER, 1907, P.M.								26th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	..	...	...	...	.	...
Nemuro,	,,	29.61	752.1	...	...	N W	8	...	6 a.	30.01	762.1	...	...	N	4	...
Hakodate,	,,	29.85	758.2	...	...	W	6	...	,,	30.01	762.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	S	2	...	,,	30.06	763.6	...	...	..	0	...
Kochi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	S E	6	...	,,	30.03	762.8	...	...	W	6	...
Kagoshima,	,,	30.15	765.9	...	...	E	2	...	,,	30.08	763.9	...	...	S	2	...
Oshima,	,,	30.12	765.1	...	...	...	0	...	,,	30.08	764.1	...	...	S	4	...
Naha,	,,	30.09	764.2	...	...	S	2	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	S	2	...	,,	30.05	763.3	...	...	N W	2	...
Bonin Is.	,,	30.16	766.1	...	...	E	2	...	,,	30.12	765.1	...	...	N	2	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.00	762.0	43	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.34	770.6	44	76	N W	1	b
Kiukiang,	,,	30.25	768.3	62	56	...	0	b	,,	30.26	768.6	43	100	...	0	b
Shanghai,	,,	30.08	764.0	55	80	W	2	b	9 a.	30.17	766.3	45	76	N W	1	b
Gutzlaff,	,,	30.09	764.3	54	74	W	1	bm	,,	30.14	765.5	49	78	N N W	1	bm
Sharp Peak,	,,	30.15	765.8	62	85	...	0	o	,,	30.16	766.0	61	82	...	0	og
Amoy,	,,	30.08	764.0	62	83	S	1	o	6 a.	30.08	764.0	61	94	S E	1	o
Swatow,	,,	29.99	761.7	64	89	...	0	o	,,	30.10	764.5	60	100	...	0	or
Taihoku,	1 p.	30.09	764.4	.	...	N	2	...	5 a.	30.10	764.5	...	...	...	0	...
Taichu,	,,	30.08	764.0	...	...	N	2	...	,,	30.06	763.5	...	...	...	0	...
Tainan,	,,	30.05	763.2	...	...	N	4	...	,,	30.05	763.3	...	...	N	2	...
Koshun,	,,	30.02	762.5	...	...	E	6	...	,,	30.06	763.5	...	...	N E	2	...
Pescadores,	,,	30.06	763.6	...	...	N E	6	...	,,	30.07	763.7	...	...	N	4	...
Canton,	3 p.	30.07	763.8	62	94	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.04	763.0	67	80	E	1	o	10 a.	30.10	764.5	68	78	E	3	o
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.04	763.0	64	...	N N E	1	o	,,	30.11	764.8	68	...	N	1	o
Heihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.03	762.8	63	...	W N W	1	or	8 a.	30.10	764.5	63	...	N N W	4	or
Tourane,	,,	29.92	760.0	70	...	W	...	o	,,	30.02	762.4	72	...	N W	1	o
Cape St. James,	,,	29.78	756.5	75	...	S E	1	o	,,	29.89	759.1	75	...	N N W	1	dh
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.01	762.1	68	...	E	1	b
Manila,	4 p.	29.84	758	82	70	W	1	b	10 a.	29.96	761	81	73	...	0	c
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.93	760.0	77	...	N E	1	...
Bacolod,	3 p.	...	...	...	...	N	2	o	9 a.	...	...	...	...	N	3	o
Iloilo,	,,	29.81	757.2	84	...	N E	2	b	,,	29.89	759.2	80	...	N N E	2	b
Cebu,	,,	29.84	757.9	85	...	N	1	b	,,	29.91	759.7	82	...	N	1	c
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 26th at 12.05 p.—The barometer has risen over N.E. Japan, and fallen in W. Japan.

The shallow depression appears to be situated over Korea and the W. part of the Sea of Japan, and to be moving Eastwards. Pressure is highest over the Upper Yangtze.

Moderate to fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; cloudy, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 26th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th December, 1907, P.M.								27th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...		...
Nemuro,	,,	29.96	761.1	...	...	S E	2	...	6 a.	29.34	745.1	...	...	W	6	...
Hakodate,	,,	29.81	757.2	...	...	E	4	...	,,	29.38	746.2	...	...	S W	4	...
Tokio,	,,	29.87	758.6	...	...	S E	2	...	,,	29.63	752.6	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki,	,,	29.95	760.8	...	...	W	6	...	,,	30.15	765.8	...	...	N W	6	...
Kagoshima,	,,	30.00	761.9	...	...	N W	4	...	,,	30.12	764.9	...	...	N W	6	...
Oshima,	,,	30.04	763.1	...	...	...	0	...	,,	30.12	765.1	...	...	N	6	...
Naha,	,,	30.05	763.2	...	...	S	2	...	,,	30.13	765.2	...	...	N E	6	...
Ishigakijima,	,,	30.05	763.3	...	...	N W	4	...	,,	30.13	765.3	...	...	N E	6	...
Bonin Is.	,,	30.04	763.1	...	...	S E	4	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	3 p.	30.08	764.0	39	55	N W	6	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.04	763.0	36	...	W	3	ovr	9 a.	30.26	768.6	37	...	S	2	b
Hankow,	,,	30.31	769.9	60	55	N W	1	b	6 a.	30.35	770.9	45	92	N E	1	b
Kiukiang,	,,	30.19	766.8	61	94	E S E	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.10	764.5	55	44	W N W	2	b	9 a.	30.34	770.6	42	83	...	0	b
Gutzlaff,	,,	30.14	765.5	52	79	...	0	cm	,,	30.26	768.6	50	72	N N E	1	bm
Sharp Peak,	,,	30.09	764.3	60	88	...	0	ogd	,,	30.26	768.6	59	76	N E	3	og
Amoy,	,,	30.07	763.8	62	89	...	0	or	6 a.	30.10	764.5	69	83	E N E	1	o
Swatow,	,,	30.02	762.5	66	95	N	2	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.06	763.4	..	...	N	2	...	5 a.	30.17	766.4	...	...	E	4	...
Taichu,	,,	30.03	762.8	...	...	N	4	...	,,	30.08	764.1	...	...	...	0	...
Tainan,	,,	30.03	762.8	...	...	N	4	...	,,	30.08	764.1	...	...	N	4	...
Kosbun	,,	30.01	762.2	...	...	N	6	...	,,	30.04	762.9	...	...	N E	8	...
Pescadores,	,,	29.99	761.8	...	...	N	6	...	,,	30.09	764.3	...	...	N	8	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.03	762.7	67	83	E	2	od	10 a.	30.16	766.0	61	96	E	3	od
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.03	762.7	65	...	N N E	1	od	,,	30.15	765.8	64	...	E	1	odt
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.01	762.2	70	...	N	4	o	8 a.	30.13	765.4	66	...	E N E	0	o
Tourane,	,,	29.93	760.1	75	...	N W	2	c	,,	30.05	763.3	73	...	N W	1	c
Cape St. James,	,,	29.80	756.8	81	...	S S W	2	c	,,	29.89	759.1	81	...	N E	2	c
Aparri,	2 p.	29.92	760.0	82	...	E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	64	S E	1	c	10 a.	29.96	761	79	84	W N W	1	c
Legaspi,	2 p.	29.86	758.5	86	...	E	1	c	6 a.	29.91	759.6	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N	4	c	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.81	757.2	85	...	N E	1	c	,,	29.89	759.2	80	...	N E	3	c
Cebu,	,,	29.82	757.4	85	...	N	1	c	,,	29.90	759.4	81	...	N	1	o
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 27th at 11.55 a.—The barometer has fallen very rapidly in E. Japan owing to the depression which is moving Eastwards over Hokkaido.

Pressure has increased over China, particularly in the North. It is highest over Central China.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; rainy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 27th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th DECEMBER, 1907, P.M.								28th DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro, ...	,,	29.22	742.1	...	...	N W	6	...	6 a.	29.61	752.1	...	...	W	6	...
Hakodate, ...	,,	29.61	752.2	...	...	W	8	...	,,	29.85	758.2	...	...	N W	6	...
Tokio, ...	,,	29.79	756.6	...	...	N W	6	...	,,	29.95	760.6	...	...	N W	2	...
Kochi, ...	,,	29.99	761.8	...	...	S E	6	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki, ...	,,	30.15	765.8	...	...	N	4	...	,,	30.19	766.8	...	...	S E	2	...
Kagoshima, ...	,,	30.11	764.9	...	...	N W	4	...	,,	30.19	766.9	...	...	N	4	...
Oshima,.....	,,	30.16	766.1	...	...	N	4	...	,,	30.16	766.1	...	...	S	2	...
Naha,.....	,,	30.13	765.2	...	...	N E	6	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima, ...	,,	30.09	764.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	4	...
Bonin Is.....	,,	29.96	761.1	...	...	S	2	...	,,	30.01	762.1	...	...	N	2	...
Chefoo,.....	3 p.	30.09	764.3	44	45	S	2	b	6 a.	30.31	769.9	30	77	N E	5	b
Weihaiwei,.....	,,	30.10	764.5	41	...	S	2	b	9 a.	30.41	772.4	26	...	N	2	b
Hankow, ...	,,	30.27	768.8	62	61	E	1	b	6 a.	30.31	769.9	45	92	...	0	b
Kiukiang,.....	,,	30.18	766.6	58	53	S E	1	b	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.20	767.1	54	38	S E	1	b	9 a.	30.17	766.3	45	100	W S W	1	bm
Gutzlaff, ...	,,	30.22	767.6	53	73	...	0	bm	,,	30.16	766.0	53	86	S W	2	bm
Sharp Peak,.....	,,	30.19	766.8	59	73	N	2	ogr	,,	30.18	766.6	59	82	N	2	og
Amoy,.....	,,	30.09	764.3	63	83	E N E	2	o	6 a.	30.08	764.0	58	70	S W	1	c
Swatow, ...	,,	30.06	763.5	60	82	E	4	or	,,	30.15	765.8	58	94	...	0	or
Taihoku,.....	1 p.	30.14	765.6	.	...	E	6	...	5 a.	30.10	764.4	...	...	...	0	...
Taichu, ...	,,	30.05	763.2	...	...	N W	2	...	,,	30.09	764.2	...	...	N	2	...
Tainan,.....	,,	30.04	762.9	...	...	N	4	...	,,	30.08	763.9	...	...	N	4	...
Koshun.....	,,	30.03	762.7	...	...	E	10	...	,,	30.03	762.7	...	...	N E	2	...
Pescadores, ...	,,	30.07	763.9	...	...	N	3	...	,,	30.11	764.8	...	...	N	8	...
Canton,.....	3 p.	30.07	763.8	66	95	N	1	or	9 a.	30.17	766.3	64	100	...	0	or
Hongkong, ...	4 p.	30.06	763.5	62	92	E	3	od	10 a.	30.15	765.8	62	94	E S E	3	o
Victoria Peak,...	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	3	...
Gap Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	30.06	763.5	63	...	E	1	odt	,,	30.15	765.8	63	...	E	1	odf
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.03	762.8	73	...	S S E	2	c	8 a.	30.14	765.5	66	...	E N E	1	o
Tourane, ...	,,	29.99	761.7	77	...	N W	3	c	,,	...	...	...	...	...	...	...
Cape St. James,.	,,	29.83	757.7	81	...	N N E	2	c	,,	29.94	760.5	77	...	N E	1	o
Aparri, ...	2 p.	29.97	761.2	82	...	E	1	b	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.88	759	82	70	...	0	o	10 a.	29.96	761	81	70	W N W	1	c
Legaspi, ...	2 p.	29.85	758.3	79	...	E	1	o	6 a.	29.89	759.2	77	...	N E	1	o
Bacolod, ...	3 p.	...	...	...	...	N	3	o	9 a.	...	...	...	...	N	2	o
Iloilo, ...	,,	29.80	756.9	82	...	N E	3	o	,,	29.85	758.2	78	...	N E	2	o
Cebu, ...	,,	29.81	757.2	82	...	N	1	od	,,	29.88	758.9	79	...	N	2	or
Labuan, ...	,,	29.78	756.4	84	...	...	...	...	,,	29.89	759.2	80	...	...	...	...

On the 28th at 11.50 a.—The depression lying over N.E. Japan yesterday, is moving away over the Pacific.

The barometer has risen in E. Japan and over N. China, and fallen on the E. coast of China. A shallow area of low pressure has appeared over the Yellow Sea.

Pressure is highest over N. China.

The monsoon has fallen light in the Formosa Channel, but it will probably freshen again by to-morrow. Moderate to fresh monsoon may be expected in the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate or fresh; drizzling rain or mist.
2.—Formosa Channel,.....	N.E. winds, light to fresh.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 28th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th December, 1907, P.M.								29th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro, ...	,,	29.65	753.1	...	...	W	8	...	6 a.	29.73	755.1	...	...	W	6	...
Hakodate, ...	,,	29.77	756.2	...	...	W	6	...	,,	29.85	758.2	...	...	...	0	...
Tokio, ...	,,	29.91	759.6	...	...	S	4	...	,,	29.87	758.6	...	...	N W	2	...
Kochi, ...	,,	30.03	762.8	...	...	E	4	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki, ...	,,	30.11	764.8	...	...	W	4	...	,,	30.19	766.8	...	...	N W	6	...
Kagoshima, ...	,,	30.11	764.9	...	...	N W	4	...	,,	30.15	765.9	...	...	N W	2	...
Oshima,.....	,,	...	...	...	...	...	...	...	,,	30.16	766.1	...	...	S	2	...
Naha,.....	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,....	,,	...	...	...	...	...	...	...	,,	30.05	763.3	...	...	S	4	...
Bonin Is.....	,,	30.00	762.1	...	...	N	4	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,.....	3 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Weihaiwei,.....	,,	30.37	771.4	27	...	N	2	b	9 a.	30.50	774.7	25	...	N W	2	o
Hankow, ...	,,	30.37	771.4	60	71	N E	2	b	6 a.	30.52	775.2	40	82	N W	1	b
Kiukiang,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	,,	30.16	766.0	54	55	N W	2	b	9 a.	30.44	773.2	45	61	N N E	2	b
Gutzlaff, ...	,,	30.14	765.5	53	80	N N W	2	bm	,,	30.38	771.6	49	71	N N E	3	cm
Sharp Peak,.....	,,	30.10	764.5	62	83	N	2	o	,,	30.23	767.8	61	82	N E	3	b
Amoy,.....	,,	30.03	762.7	65	89	S E	1	c	6 a.	30.10	764.5	60	94	E N E	2	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	30.14	765.5	61	94	E	1	or
Taiboku,.....	1 p.	30.07	763.8	..	...	N	4	...	5 a.	30.13	765.3	...	...	...	0	...
Taichu, ...	,,	30.04	762.9	...	...	N	6	...	,,	30.11	764.7	...	...	N	4	...
Tainan,.....	,,	30.02	762.6	...	...	N	6	...	,,	30.10	764.4	...	...	N	4	...
Koshun.....	,,	30.03	762.8	...	...	N E	6	...	,,	30.07	763.7	...	...	...	0	...
Pescadores, ...	,,	30.08	764.1	...	...	N	3	...	,,	30.10	764.6	...	...	N	8	...
Canton,.....	3 p.	30.06	763.5	66	95	...	0	or	9 a.	30.15	765.8	66	100	E	1	or
Hongkong, ...	4 p.	30.05	763.2	62	93	S E	2	od	10 a.	30.15	765.8	64	93	E	4	o
Victoria Peak,...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao, ...	,,	30.05	763.2	63	...	...	0	od	,,	30.15	765.8	65	...	E	1	of
Hoihow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.02	762.4	73	...	S S E	3	c	8 a.	30.13	765.2	68	...	E	3	b
Tourane, ...	,,	29.98	761.5	75	...	N W	3	c	,,	30.10	764.5	72	...	S W	1	o
Cape St. James,.	,,	29.83	757.7	81	...	E S E	2	c	,,	29.94	760.5	77	...	N E	6	c
Aparri, ...	2 p.	29.96	761.0	81	...	E	1	c	6 a.	30.01	762.2	66	...	S	0	b
Manila, ...	4 p.	29.84	758	84	64	W	0	o	10 a.	29.96	761	81	76	...	0	o
Legaspi, ...	2 p.	29.83	757.7	77	...	N E	1	o	6 a.	29.89	759.3	77	...	N E	1	o
Bacolod,.....	3 p.	...	...	...	...	N	3	op	9 a.	...	...	...	...	N N E	4	o
Iloilo, ...	,,	29.75	755.6	80	...	N E	1	o	,,	29.85	758.2	77	...	N E	3	o
Cebu,.....	,,	29.79	756.6	79	...	N	1	or	,,	29.88	758.9	77	...	N	2	or
Labuan, ...	,,	29.82	757.4	82	...	...	...	...	,,	...	...	...	...	...	...	...

On the 29th at 11.55 a.—The barometer has risen considerably on the E. coast of China, and fallen slightly over S.E. Japan.

An area of high pressure now lies over China to the North of the Yangtze, and pressure is low over E. Japan.

Gradients are steeper along the China coast, and strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh to strong: drizzling rain or mist.
2.—Formosa Channel,.....	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 29th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th December, 1907, P.M.								30th December, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...		...
Nemuro,	,,	29.61	752.1	...	...	W	6	...	6 a.	29.61	752.1	...	...	W	6	...
Hakodate,	,,	29.77	756.2	...	...	W	8	...	,,	29.77	756.2	...	...	W	6	...
Tokio,	,,	29.79	756.6	...	...	S W	2	...	,,	30.18	766.6	...	...	N W	4	...
Kochi,	,,	29.99	761.8	...	...	W	4	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	N	8	...	,,	30.31	769.8	...	...	N E	2	...
Kagoshima,	,,	30.11	764.9	...	...	N W	6	...	,,	30.31	769.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	8	...
Naha,	,,	30.13	765.2	...	...	N W	8	...	,,	30.21	767.2	...	...	N E	6	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N E	6	...
Bonin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	30.01	762.1	...	...	N W	4	...
Chefoo,	3 p.	30.49	774.4	32	100	N E	2	b	6 a.	30.49	774.4	24	90	...	0	b
Weihaiwei,	,,	30.49	774.4	30	...	N	1	b	9 a.	30.49	774.4	27	...	S	1	b
Hankow,	,,	30.41	772.4	52	73	E	1	c	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.35	770.9	50	72	N E	4	b	,,	30.36	771.1	40	82	N E	4	c
Shanghai,	,,	30.42	772.6	45	53	N	2	c	9 a.	...	...	45	61	N E	1	b
Gutzlaff,	,,	30.37	771.4	49	57	N N E	3	cv	,,	30.41	772.4	45	61	E N E	2	ov
Sharp Peak,	,,	30.23	767.8	59	73	N E	4	og	,,	30.31	769.9	56	80	N	2	og
Amoy,	,,	30.08	764.0	66	73	N E	2	b	6 a.	30.12	765.0	58	81	N E	1	b
Swatow,	,,	30.09	764.3	66	73	E	1	b	,,	30.05	763.2	53	88	E	4	c
Taihoku,	1 p.	30.18	766.6	..	...	E	6	...	5 a.	30.24	768.0	...	...	E	6	...
Taichu,	,,	30.08	764.0	...	...	N	4	...	,,	30.09	764.2	...	...	N E	2	...
Tainan,	,,	30.06	763.4	...	...	N	6	...	,,	30.08	764.1	...	...	N	4	...
Koshun,	,,	30.03	762.8	...	...	N E	4	...	,,	30.05	763.3	...	...	N E	10	...
Pescadores,	,,	30.09	764.3	...	...	N	10	...	,,	30.13	765.2	...	...	N	10	...
Canton,	3 p.	30.06	763.5	66	100	E	1	or	9 a.	30.19	766.8	61	94	N E	1	or
Hongkong,	4 p.	30.06	763.5	65	87	E	4	o	10 a.	30.16	766.0	62	75	E	6	o
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.05	763.2	64	...	E S E	2	o	,,	30.15	765.8	63	...	E S E	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.0	68	...	S S E	4	o	8 a.	30.06	763.5	67	...	S E	1	o
Tourane,	,,	29.99	761.8	72	...	N W	3	o	,,	30.07	763.7	73	...	...	0	c
Cape St. James,	,,	29.83	757.7	82	...	S E	2	c	,,	29.94	760.4	77	...	N E	1	c
Aparri,	2 p.	29.95	760.8	81	...	E	1	b	6 a.	30.01	762.2	75	...	N E	1	b
Manila,	4 p.	29.84	758	81	71	...	0	c	10 a.	29.92	760	79	76	N W	1	o
Legaspi,	2 p.	29.85	758.3	81	...	N E	1	o	6 a.	29.87	758.6	73	...	...	0	r
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N N E	3	o
Iloilo,	,,	29.75	755.6	81	...	N E	3	c	,,	29.83	757.7	80	...	N E	3	c
Cebu,	,,	29.79	756.6	80	...	...	0	o	,,	29.87	758.7	82	...	N	2	c
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.89	759.2	75	...	...	...	...

On the 30th at 11.55 a.—The barometer has fallen over Central China, and risen in S. Japan.
The high pressure area is moving Eastwards and is now over the Yellow Sea.
Pressure remains low over N. Japan, and it is inclined to give way over the Philippines.
Gradients continue rather steep over S. China, and strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, strong; cloudy, probably some rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 30th December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th DECEMBER, 1907, P.M.								31st DECEMBER, 1907, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.57	751.1	...	...	W	6	...	6 a.	29.77	756.1	...	...	W	8	...
Hakodate,	,,	29.77	756.2	...	...	N W	8	...	,,	30.01	762.2	...	...	W	4	...
Tokio,	,,	29.94	760.6	...	...	N W	4	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	S E	2	...	,,	30.31	769.8	...	...	S W	4	...
Nagasaki,	,,	30.27	768.8	...	...	N	4	...	,,	30.31	769.8	...	...	...	0	...
Kagoshima,	,,	30.23	767.9	...	...	N	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.24	768.1	...	...	N E	2	...	,,	30.24	768.1	...	...	S	2	...
Naha,	,,	30.20	767.2	...	...	N	6	...	,,	30.17	766.2	...	...	S	4	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	8	...	,,	30.09	764.3	...	...	E	8	...
Bonin Is.	,,	30.04	763.1	...	...	W	4	...	,,	30.24	768.1	...	...	N	2	...
Chefoo,	3 p.	30.35	770.9	32	100	...	0	or	6 a.	30.19	766.8	35	80	W	1	o
Weihaiwei,	,,	30.38	771.6	29	...	S E	2	o	9 a.	30.37	771.4	30	...	N W	3	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.37	771.4	42	92	N E	1	or
Kiukiang,	,,	30.26	768.6	50	72	S S E	2	b	,,	30.29	769.3	45	100	N	1	or
Shanghai,	,,	30.31	769.9	49	50	E S E	2	c	9 a.	30.27	768.8	46	92	N W	1	o
Gutzlaff,	,,	30.30	769.6	46	69	E S E	3	ov	,,	30.25	768.3	52	79	S E	2	ov
Sharp Peak,	,,	30.22	767.6	57	81	N W	2	og	,,	30.19	766.8	58	81	N	2	og
Amoy,	,,	30.11	764.8	66	79	N E	3	c	6 a.	30.10	764.5	58	88	N E	1	c
Swatow,	,,	30.06	763.5	65	84	E	3	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.17	766.2	..	...	E	6	...	5 a.	30.10	764.5	...	...	E	4	...
Taichu,	,,	30.07	763.7	...	...	N	4	...	,,	30.10	764.6	...	...	...	0	...
Tainan,	,,	30.09	764.2	...	...	N	6	...	,,	30.09	764.3	...	...	N	4	...
Koshun	,,	30.04	763.0	...	...	N E	10	...	,,	30.06	763.6	...	...	N	6	...
Pescadores,	,,	30.11	764.8	...	...	N	10	...	,,	30.16	764.5	...	...	N	8	...
Canton,	3 p.	30.68	764.0	63	100	...	0	or	9 a.	30.14	765.5	63	89	E	1	c
Hongkong,	4 p.	30.07	763.8	62	78	E	6	o	10 a.	30.16	766.0	64	74	E	3	c
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.06	763.5	63	...	N E	1	o	,,	30.13	765.3	63	...	E S E	3	c
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.1	68	...	S S E	1	or	8 a.	30.04	762.9	68	...	S S E	4	o
Tourane,	,,	29.96	761.1	57	...	E	2	c	,,	30.06	763.5	75	...	...	0	c
Cape St. James,	,,	29.79	756.7	81	...	E	1	c	,,	29.92	760.0	75	...	N E	1	c
Aparri,	2 p.	29.96	761.0	81	...	E	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	82	70	...	0	o	10 a.	29.97	761	81	76	E	1	o
Legaspi,	2 p.	29.83	757.7	81	...	N E	1	o	6 a.	29.90	759.4	75	...	E	1	c
Bacolod,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N	2	c
Iloilo,	,,	29.77	756.1	83	...	N E	1	c	,,	29.85	758.2	81	...	N E	2	c
Cebu,	,,	29.82	757.4	82	...	N	2	b	,,	29.92	759.9	83	...	N	1	b
Labuan,	,,	29.80	756.9	76	...	...	...	...	,,	29.85	758.2	79	...	...	...	...

On the 31st at 11.55 a.—The barometer has risen in E. Japan, and fallen over the E. and N. coasts of China.

A slight depression has passed from the continent to the Yellow Sea. Pressure is highest over W. Japan, in the East, and over the Upper Yangtze in the West.

Gradients have decreased over S. China, and moderate to fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	N.E. winds, moderate or fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 31st December, 1907.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station	31st DECEMBER, 1907, P.M.								1st JANUARY, 1908, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	..	...
Nemuro,	,,	29.53	750.1	...	...	W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.05	763.2	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.18	766.6	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.23	767.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.27	768.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.23	767.9	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.16	766.1	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.13	765.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.09	764.3	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.20	767.1	...	...	E	2	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.63	778.0	25	...	N N W	4	c
Weihaiwei,	,,	30.46	773.7	22	...	W N W	4	o	9 a.	30.69	779.5	24	...	N	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.36	771.1	43	100	N E	4	or	,,	30.73	780.5	36	80	N E	4	c
Shanghai,	,,	30.21	767.3	51	79	N E	1	om	9 a.	30.60	777.2	36	80	N W	3	c
Gutzlaff,	,,	30.17	766.3	50	93	E N E	3	omd	,,	30.52	775.2	40	65	N N W	5	om
Sharp Peak,	,,	30.08	764.0	63	83	N	1	o	,,	30.35	770.9	56	91	N E	5	od
Amoy	,,	30.04	763.0	66	79	S E	1	c	6 a.	...	...	61	82	N E	2	c
Swatow,	,,	30.02	762.5	67	79	E	2	b	,,	30.17	766.3	61	88	S E	1	o
Taihoku,	1 p.	30.00	762.1	..	...	E	6	...	5 a.	30.20	767.0	...	...	...	0	...
Taichu,	,,	30.03	762.7	...	...	S E	4	...	,,	30.15	765.9	...	...	...	0	...
Tainan,	,,	30.06	763.5	...	...	N	2	...	,,	30.12	765.1	...	...	N	6	...
Koshun	,,	30.05	763.3	...	...	N	6	...	,,	30.08	764.1	...	...	...	0	...
Pescadores,	,,	30.09	764.3	...	...	N	8	...	,,	30.14	765.5	...	...	N	8	...
Canton,	3 p.	30.06	763.5	70	80	...	0	c	9 a.	30.33	770.4	54	87	N E	2	or
Hongkong,	4 p.	30.06	763.5	63	81	E	4	b	10 a.	30.36	769.6	60	61	N	3	o
Victoria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	N N E	3	...
Gap Rock,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.05	763.2	65	...	S E	1	c	,,	30.31	769.9	60	...	N	2	o
Hoihow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.5	73	...	S S E	4	o	8 a.	30.22	767.5	64	...	E N E	6	o
Tourane,	,,	29.99	761.8	75	...	S E	2	b	,,	30.17	766.3	73	...	W	1	c
Cape St. James,	,,	29.83	757.7	82	...	N E	1	c	,,	29.97	761.2	77	...	N E	1	c
Aparri,	2 p.	29.96	761.0	70	...	E	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	77	...	0	o	10 a.	30.04	763	82	70	...	0	b
Legaspi,	2 p.	29.87	758.7	82	...	E	1	c	6 a.	29.94	760.4	77	...	N	1	c
Bacolod,	3 p.	...	...	...	...	N	3	c	9 a.	...	...	...	...	N	1	c
Iloilo,	,,	29.79	756.6	85	...	N E	2	c	,,	29.93	760.2	82	...	N E	1	c
Cebu,	,,	29.83	757.7	85	...	N	1	b	,,	29.98	761.5	82	...	...	0	o
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.89	759.2	79	...	...	...	...

On the 1st at 12.10 p.—The barometer has risen generally, particularly over China.

An anticyclonic area of considerable intensity lies now over China to the North of the Yangtze, and gradients are rather steep along the coast.

Hard monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, strong; fair.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 1st January, 1908.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER,

1907.

LIBRARY.
Ack
APR 9 1908
Weather Bureau