Hongkong, Royal Observatory

CHINA COAST
METEOROLOGICAL REGISTER.
1909.

LIBRARY
FEB 23 1911
Weather Bureau

LIBRARY
NOAA
U.S. Dept. of Commerce

QC
990
.E18
C56
1909

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

LIBRARY
WEATHER BUREAU
No. 31162

N.B.—The Barometric Observations at some of the China treaty ports are, from various causes, frequently in error.

LIBRARY
WEATHER BUREAU
No. 31162

LIBRARY
FEB 23 19
Weather Bureau

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER, 1908, P.M.								1st JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.99	761.6	12	...	W	2	o	7 a.	30.10	764.6	1	58	N E	0	b
Nemuro,	,,	29.65	753.1	...	...	N W	8	...	6 a.	29.73	755.1	...	...	S W	2	...
Hakodate,	,,	29.85	758.2	...	...	W	6	...	,,	29.77	756.2	...	...	N	2	...
Tokio,	,,	29.98	761.6	...	...	N	2	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	30.03	762.8	...	...	S W	6	...	,,	30.15	765.8	...	...	N	2	...
Nagasaki,	,,	30.27	768.8	...	...	N W	8	...	,,	30.31	769.8	...	...	N	6	...
Kagoshima,	,,	30.19	766.9	...	...	N	8	...	,,	30.31	769.9	...	...	...	0	...
Oshima,	,,	30.20	767.1	...	...	N	6	...	,,	30.28	769.1	...	...	N	8	...
Naha,	,,	30.17	766.2	...	...	N E	2	...	,,	30.21	767.2	...	...	N E	4	...
Ishigakijima,	,,	30.17	766.3	...	...	E	6	...	,,	30.21	767.3	...	...	N E	6	...
Bonin Is.	,,	30.08	764.1	...	...	N W	4	...	,,	30.08	764.1	...	...	W	2	...
Chefoo,	3 p.	30.45	773.4	41	92	N W	6	b	6 a.	30.45	774.2	26	100	S W	1	b
Weihaiwei,	,,	30.43	772.9	27	...	N W	...	o	9 a.	30.50	774.7	29	...	W	2	b
Hankow,	,,	30.67	779.0	37	71	N	1	o	6 a.	30.65	778.5	29	77	N E	2	b
Kiukiang,	,,	30.58	776.7	39	73	N E	5	o	,,	30.63	778.0	32	69	N E	4	b
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	30.59	777.0	33	...	N W	1	b
Gutzlaff,	,,	...	...	40	65	N	3	o	,,	30.59	774.7	39	73	N N W	4	cm
Sharp Peak,	,,	30.24	768.1	60	82	E N E	4	c	,,	30.44	773.2	54	74	N N E	5	c
Amoy,	,,	30.17	766.3	66	79	N E	1	c	6 a.	30.28	769.1	57	69	N E	1	o
Swatow,	,,	30.10	764.5	68	51	W	1	c	,,	30.23	767.8	58	81	N E	2	c
Taiboku,	1 p.	30.14	765.5	...	...	E	4	...	5 a.	30.30	769.6	...	...	E	4	...
Taichu,	,,	30.09	764.4	...	...	N W	4	...	,,	30.17	766.3	...	...	N	6	...
Tainan,	,,	30.10	764.6	...	...	N	4	...	,,	30.15	765.8	...	...	N	6	...
Koshun,	,,	30.07	763.9	...	...	N E	10	...	,,	30.12	765.6	...	...	N E	8	...
Pescadores,	,,	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...
Canton,	3 p.	...	...	73	95	N	1	b	9 a.	...	...	55	94	N E	2	o
Hongkong,	4 p.	30.16	766.0	65	74	E S E	1	o	10 a.	30.28	769.1	62	54	N E	1	o
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N E	3	...
Gap Rock,	,,	30.13	765.3	...	...	E N E	4	...	,,	30.23	767.8	...	...	N E	4	...
Macao,	,,	30.15	765.8	67	...	N N E	1	o	,,	30.27	768.8	61	...	N W	3	o
Wuchow,	3 p.	30.22	767.6	67	...	N	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.15	765.8	69	70	N E	4	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	69	70	N	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.8	64	...	E N E	3	or	8 a.	30.23	767.8	63	...	E N E	5	o
Tourane,	,,	30.09	764.5	72	...	N W	2	o	,,	30.17	766.3	66	..	N W	1	c
Cape St. James,	,,	29.87	758.9	81	...	E S E	2	c	,,	29.95	760.7	75	...	N N W	2	c
Aparri,	2 p.	29.97	761.2	...	...	E	1	d	6 a.	30.04	762.9	...	...	E	1	o
Manila,	4 p.	29.88	759	81	70	N E	1	c	10 a.	29.96	761	77	92	E	0	o
Legaspi,	2 p.	29.86	758.5	73	...	E	1	r	6 a.	29.91	759.7	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	E N E	4	op	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.79	756.6	80	...	E N E	2	c	,,	29.87	758.7	79	...	N E	...	b
Cebu,	,,	29.79	756.6	80	...	N	2	or	,,	29.83	758.9	80	...	N	1	c
Labuan,	,,	29.80	756.9	85	...	...	...	...	,,	29.78	756.4	84	...	...	...	...

On the 1st at 11.40 a.—The barometer has risen over China, and fallen in S.E. Japan.

The anticyclonic area still covers China, and pressure remains low over E. Japan.

Gradients are moderate to rather steep along the China coast, and strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 1st January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JANUARY, 1909, P.M.								2nd JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.66	763.6	1	...	S	0	b	7 a.	30.04	763.0	4	92	...	0	b
Nemuro,	,,	29.65	753.1	...	...	W	6	...	6 a.	29.77	756.1	...	...	W	10	...
Hakodate,	,,	29.85	758.2	...	...	N	8	...	,,	29.97	761.2	...	...	N W	4	...
Tokio,	,,	29.87	758.6	...	...	N W	8	...	,,	30.14	765.6	...	...	W	4	...
Kochi,	,,	30.19	766.8	...	...	N W	4	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki,	,,	30.35	770.8	...	...	N	8	...	,,	30.35	770.3	...	...	N E	2	...
Kagoshima,	,,	30.27	768.9	...	...	N	8	...	,,	30.31	769.9	...	...	N E	2	...
Oshima,	,,	30.28	769.1	...	...	N	8	...	,,	30.16	766.1	...	...	S	4	...
Naha,	,,	30.28	769.2	...	...	N	4	...	,,	30.25	768.2	...	...	N E	2	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.17	766.3	...	...	E	6	...
Bonin Is.	,,	29.96	761.1	...	...	S W	6	...	,,	30.16	766.1	...	...	N	4	...
Chefoo,	3 p.	30.41	772.4	39	91	W	3	b	6 a.	30.30	769.6	28	...	S W	1	b
Weihaiwei,	,,	30.43	772.9	32	...	S W	2	b	9 a.	30.31	769.9	34	...	S W	1	o
Hankow,	,,	30.62	777.7	44	53	S S E	2	b	6 a.	30.32	770.4	39	73	N E	1	b
Kinkiang,	,,	30.40	772.1	42	66	N E	2	b	,,	30.29	769.3	37	91	...	0	o
Shanghai,	,,	30.46	773.7	43	51	E N E	1	o	9 a.	30.28	769.1	46	77	E S E	1	b
Gutzlaff,	,,	30.41	772.4	45	68	N N W	3	om	,,	30.25	768.3	52	66	S E	3	...
Sharp Peak,	,,	30.32	770.1	49	76	N E	5	o	,,	30.25	768.3	56	87	N	2	o
Amoy,	,,	30.20	767.1	61	71	N E	1	c	6 a.	30.15	765.8	61	77	N E	1	o
Swatow,	,,	30.14	765.5	62	72	E S E	2	o	,,	30.15	765.8	55	80	E	2	c
Taihoku,	1 p.	30.26	768.6	...	...	E	6	...	5 a.	30.15	765.9	...	...	E	6	...
Taichu,	,,	30.05	763.3	...	...	N	6	...	,,	30.09	764.3	...	...	...	0	...
Tainan,	,,	30.11	764.7	...	...	N	6	...	,,	30.10	764.4	...	...	...	0	...
Koshun	,,	30.07	763.9	...	...	E	10	...	,,	30.12	764.9	...	...	E	8	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.22	767.6	64	89	N E	1	o	9 a.	30.17	766.3	59	94	...	0	o
Hongkong,	4 p.	30.13	765.3	62	71	E	4	o	10 a.	30.15	765.8	62	67	E	4	c
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	30.10	764.5	...	...	E N E	4	...	,,	30.10	764.5	...	...	E	7	...
Macao,	,,	30.13	765.3	64	...	N E	1	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.09	764.3	64	73	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.11	764.8	67	74	E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.06	763.7	66	...	E S E	3	b	8 a.	30.10	764.5	61	...	E N E	2	o
Tourane,	,,	30.04	762.9	70	...	N E	3	o	,,	30.06	763.6	68	...	N W	1	o
Cape St. James,	,,	29.81	757.2	81	...	S	2	c	,,	29.91	759.7	73	...	N N W	1	o
Aparri,	2 p.	29.98	761.6	...	...	N E	1	o	6 a.	30.01	762.6	...	...	S	1	b
Manila,	4 p.	29.84	758	79	69	...	0	o	10 a.	29.96	761	79	69	...	0	o
Legaspi,	2 p.	29.86	758.5	75	...	E	1	o	6 a.	29.88	758.8	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E N E	2	cp
Iloilo,	,,	29.77	756.1	83	...	N E	2	o	,,	29.87	758.7	79	...	N E	1	c
Cebu,	,,	29.78	756.4	82	...	N	2	c	,,	29.90	759.4	81	...	...	1	c
Labuan,	,,	29.75	755.6	84	...	...	...	...	,,	29.86	758.4	78	...	...	...	...

On the 2nd at 11.55 a.—The barometer has risen considerably in S.E. Japan; and fallen quickly over China, particularly along the Yangtze valley where a depression appears to be developing.

Pressure is now highest over the Yellow Sea and W. Japan.

Gradients have decreased and moderate monsoon may be expected in the Formosa Channel. and fresh monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong to moderate; fair.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 2nd January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd January, 1909, P.M.								3rd January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.98	761.5	29	...	S	0	b	7 a.	29.94	760.4	12	92	...	0	b
Nemuro,	,,	29.89	759.1	...	...	N W	10	...	6 a.	29.97	761.1	...	...	...	0	...
Hakodate,	,,	30.01	762.2	...	...	N W	4	...	,,	30.01	762.2	...	...	W	2	...
Tokio,	,,	30.14	765.6	...	...	W	2	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	30.27	768.8	...	...	S E	2	...	,,	30.23	767.8	...	...	W	2	...
Nagasaki,	,,	30.31	769.8	...	...	S W	2	...	,,	30.15	765.8	...	...	E	6	...
Kagoshima,	,,	30.27	768.9	...	...	N E	2	...	,,	30.19	766.9	...	...	N W	4	...
Oshima,	,,	30.20	767.1	...	...	E	2	...	,,	30.12	765.1	...	...	...	0	...
Naha,	,,	30.17	766.2	...	...	N E	2	...	,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...	,,	30.01	762.3	...	...	S E	8	...
Bonin Is.	,,	30.16	766.1	...	...	N E	2	...	,,	30.24	768.1	...	...	E	2	...
Chefoo,	3 p.	30.17	766.3	43	51	S W	3	c	6 a.	30.02	762.7	73	100	...	0	o
Weihaiwei,	,,	30.21	767.3	43	...	W S W	1	o	9 a.	30.01	762.2	49	...	N E	1	o
Hankow,	,,	30.27	768.8	39	91	N E	1	o	6 a.	30.26	768.6	37	91	N W	2	c
Kiukiang,	,,	30.12	765.0	48	78	N W	1	o	,,	30.20	767.1	41	100	W	2	o
Shanghai,	,,	30.13	765.3	53	67	S S E	2	o	9 a.	30.11	764.8	45	92	N W	2	om
Gutzlaff,	,,	30.14	765.5	53	80	S E	2	cv	,,	30.07	763.8	48	100	N W	3	om
Sharp Peak,	,,	30.08	764.0	58	94	N	3	o	,,	30.07	763.8	62	100	...	0	c
Amoy,	,,	30.08	764.0	65	73	N E	1	c	6 a.	30.06	763.5	62	89	E	2	c
Swatow,	,,	...	...	65	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	1 p.	30.02	762.6	...	...	E	8	...	5 a.	30.00	762.0	...	...	W	2	...
Taichu,	,,	30.00	762.0	...	...	N	2	...	,,	30.02	762.6	...	...	...	0	...
Tainan,	,,	30.02	762.4	...	...	W	2	...	,,	30.01	762.2	...	...	N	6	...
Koshun	,,	30.00	762.1	...	...	E	8	...	,,	29.97	761.1	...	...	E	4	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.02	762.5	68	95	...	0	o	9 a.	30.02	762.5	60	94	N E	1	o
Hongkong,	4 p.	30.00	762.0	62	68	E	4	o	10 a.	30.06	763.5	67	78	E	1	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.99	761.7	...	...	E N E	5	...	,,	30.03	762.7	...	...	E N E	4	...
Macao,	,,	30.00	762.0	66	...	E	1	c	,,	30.07	763.8	67	...	N	1	o
Wuchow,	3 p.	30.05	763.2	62	..	N	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.97	761.2	68	79	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.00	762.0	69	80	S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.4	72	...	S S E	3	b	8 a.	30.02	762.6	64	...	E S E	3	c
Tourane,	,,	29.92	759.9	73	...	N N W	3	c	,,	30.01	762.3	70	...	N W	1	c
Cape St. James,	,,	29.79	756.7	81	...	E S E	2	c	,,	29.87	758.6	...	...	N W	1	c
Aparri,	2 p.	29.93	760.1	...	...	N E	1	o	6 a.	29.94	760.4	...	...	S E	1	o
Manila,	4 p.	29.84	758	81	70	...	0	o	10 a.	29.92	760	79	84	E N E	0	or
Legaspi,	2 p.	29.83	757.6	75	...	N E	1	d	6 a.	29.88	759.0	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N W	2	o
Iloilo,	,,	29.79	756.6	83	...	N E	1	b	,,	29.87	758.7	80	...	N E	1	c
Cebu,	,,	29.78	756.4	83	...	N	1	c	,,	29.88	758.9	80	...	N	1	...
Labuan,	,,	29.79	756.6	82	...	...	...	...	,,	...	...	...	...	...	...	...

On the 3rd at 11.55 a.—The barometer has risen moderately in N.E. Japan, and fallen considerably over S.W. Japan and the E. and N.E. coasts of China.

The depression has passed from the continent to the Yellow Sea. Pressure is highest over the Pacific to the S.E. of Japan in the East and over the Upper Yangtze in the West.

The monsoon is expected to freshen in the Formosa Channel and along the northern shores of China Sea by to-morrow.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N. winds, light to fresh; probably some rain.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 3rd January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd January, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th January, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.91	759.7	31	...	W S W	0	b	7 a.	29.81	757.2	23	85	N	2	o
Nemuro,	,,	29.89	759.1	...	...	W	2	...	6 a.	29.69	754.1	...	...	W	2	...
Hakodate,	,,	29.89	759.2	...	...	...	0	...	,,	29.81	757.2	...	...	W	6	...
Tokio,	,,	30.06	763.6	...	...	...	0	...	,,	29.95	760.6	...	...	N W	2	...
Kochi,	,,	30.11	764.8	...	...	...	0	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	E	8	...	,,	29.91	759.3	...	...	W	8	...
Kagoshima,	,,	30.07	763.9	...	...	...	0	...	,,	29.96	760.9	...	...	N W	2	...
Oshima,	,,	30.04	763.1	...	...	...	0	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	30.05	763.2	...	...	S	4	...	,,	30.01	762.2	...	...	S	2	...
Ishigakijima,	,,	29.97	761.3	...	...	S	8	...	,,	29.97	761.3	...	...	E	6	...
Bonin Is.	,,	29.96	761.1	...	...	E	2	...	,,	30.12	765.1	...	...	N	2	...
Chefoo,	3 p.	29.98	761.5	38	91	N W	4	o	6 a.	30.16	766.0	32	100	S W	1	c
Weihaiwei,	,,	29.95	760.7	38	...	N	2	o	9 a.	30.10	764.5	34	...	W	3	ovr
Hankow,	,,	30.22	767.6	49	71	S S E	1	b	6 a.	30.17	766.3	44	92	S E	2	c
Kiukiang,	,,	30.11	764.8	46	84	N W	1	o	,,	30.05	763.2	43	100	N W	1	o
Shanghai,	,,	30.04	763.0	46	69	W N W	2	om	9 a.	30.14	765.5	41	92	...	0	bm
Gutzlaff,	,,	30.03	762.7	47	77	N N W	4	om	,,	30.11	764.8	48	78	N N W	1	bm
Sharp Peak,	,,	29.96	761.0	62	94	E	1	b	,,	30.10	764.5	61	89	E	2	o
Amoy,	,,	29.98	761.5	62	77	N E	1	c	6 a.	29.98	761.5	65	89	...	0	o
Swatow,	,,	29.92	759.9	69	75	S	1	o	,,	29.94	760.5	64	94	...	0	o
Taihoku,	1 p.	30.00	762.0	...	...	W	2	...	5 a.	29.97	761.3	...	...	...	0	...
Taichu,	,,	29.95	760.7	...	...	N	4	...	,,	29.95	760.7	...	...	...	0	...
Tainan,	,,	29.98	761.4	...	...	N	4	...	,,	29.93	760.1	...	...	N E	2	...
Koshun,	,,	29.94	760.4	...	...	...	0	...	,,	29.91	759.7	...	...	...	0	...
Pescadores,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.92	759.9	65	95	N E	1	o	9 a.	30.00	762.0	65	100	...	0	c
Hongkong,	4 p.	29.93	760.2	68	74	E	3	o	10 a.	30.00	762.0	69	71	E	4	o
Victoria Peak,	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.92	759.9	...	...	E N E	4	...	,,	29.98	761.5	...	...	E N E	4	...
Macao,	,,	29.95	760.7	68	...	E	1	c	,,	30.01	762.2	69	...	N E	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.90	759.4	87	96	N E	3	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.94	760.5	70	85	S E	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.89	759.2	73	...	S E	3	b	8 a.	29.94	760.5	66	...	E S E	4	c
Tourane,	,,	29.91	759.7	73	...	N W	2	c	,,	29.97	761.1	70	...	...	0	c
Cape St. James,	,,	29.79	756.6	88	...	W N W	2	c	,,	29.86	758.5	77	...	N W	2	o
Aparri,	2 p.	29.89	759.2	...	...	E	1	o	6 a.	29.90	759.5	...	...	S E	1	o
Manila,	4 p.	29.84	758	81	85	N	1	c	10 a.	29.92	760	84	64	E S E	1	o
Legaspi,	2 p.	29.85	758.1	79	...	E	1	o	6 a.	29.88	758.9	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	E S E	2	c	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.81	757.2	82	...	N E	1	o	,,	29.87	758.7	80	...	N E	1	c
Cebu,	,,	29.80	756.9	83	...	...	0	c	,,	29.88	758.9	81	...	N	2	c
Labuan,	,,	29.77	756.1	84	...	...	...	...	,,	29.82	757.4	81	...	...	...	...

On the 4th at 11.55 a.—The barometer has fallen considerably in Japan, and risen slightly on the E. and N.E. coasts of China.

There are two depressions over the Japanese area, one moving into the Pacific to the N.E. of Hokkaido and the other moving towards N.E. in the Sea of Japan.

Pressure, which remains considerably below the normal over China, is giving way again along the Yangtze Valley where another depression appears to be developing.

Moderate to light monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate; cloudy, drizzling rain or mist.
2.—Formosa Channel, ...	N.E. winds, moderate or light.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 4th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th January, 1909, P.M.									5th January, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.88	759.0	25	...	N E	4	c		7 a.	30.08	764.0	22	57	N W	2	c
Nemuro, ...	,,	29.57	751.1	...	...	N E	4	...		6 a.	29.69	754.1	...	...	N W	6	...
Hakodate, ...	,,	29.73	755.2	...	...	N W	6	...		,,	29.85	758.2	...	...	N W	6	...
Tokio, ...	,,	29.71	754.6	...	...	N W	4	...		,,	29.87	758.6	...	...	W	2	...
Kochi, ...	,,	29.80	756.8	...	...	S W	4	...		,,	29.91	759.3	...	...	S W	2	...
Nagasaki, ...	,,	29.95	760.8	...	...	N W	6	...		,,	29.99	761.8	...	...	N W	4	...
Kagoshima, ...	,,	29.92	759.9	...	...	N W	6	...		,,	29.96	760.9	...	...	N	4	...
Oshima, ...	,,	29.96	761.1	...	...	N	6	...		,,	29.97	761.1	...	...	S	2	...
Naha, ...	,,	30.01	762.2	...	...	N	2	...		,,	29.97	761.2	...	...	...	0	...
Ishigakijima, ...	,,	29.93	760.3	...	...	E	6	...		,,	29.86	758.3	...	...	S	2	...
Bonin Is.	,,	29.93	760.1	...	...	S E	4	...		,,	29.89	759.1	...	...	...	0	...
Chefoo, ...	3 p.	30.10	764.5	39	73	N W	2	c		6 a.	30.15	765.8	33	69	N	4	c
Weihaiwei, ...	,,	30.12	765.0	38	...	W	2	c		9 a.	30.18	766.6	32	...	N W	3	o
Hankow, ...	,,	30.22	767.6	47	85	N E	1	o		6 a.	30.22	767.6	44	100	N W	1	o
Kinkiang, ...	,,	...	...	50	72	N E	1	c		,,	30.10	764.5	46	100	S E	1	or
Shanghai, ...	,,	30.04	763.0	51	46	E N E	...	bm		9 a.	30.06	763.5	47	85	N E	1	om
Gutzlaff, ...	,,	30.05	763.2	50	79	N	1	bm		,,	30.01	762.2	50	93	E N E	3	om
Sharp Peak, ...	,,	29.99	761.7	61	89	E N E	1	o		,,	30.01	762.2	61	100	...	0	o
Amoy, ...	,,	29.91	759.7	69	85	N E	1	o		6 a.	29.96	761.0	64	95	...	0	or
Swatow, ...	,,	29.90	759.4	66	84	E	2	c		,,	29.94	760.5	63	94	N E	1	c
Taihoku, ...	1 p.	29.93	760.1	...	...	E	6	...		5 a.	29.95	760.8	...	...	S	2	...
Taichu, ...	,,	29.91	759.7	...	...	N	2	...		,,	29.95	760.6	...	...	...	0	...
Tainan, ...	,,	29.92	759.9	...	...	N	4	...		,,	29.93	760.2	...	...	N	4	...
Koshun, ...	,,	29.91	759.7	...	...	E	2	...		,,	29.91	759.7	...	...	E	2	...
Pescadores, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Canton, ...	3 p.	29.89	759.2	74	...	S	1	c		9 a.	29.97	761.2	66	100	...	0	or
Hongkong, ...	4 p.	29.88	758.9	68	79	E	4	o		10 a.	29.98	761.5	65	94	E	4	od
Victoria Peak, ...	,,	...	...	...	...	E	4	...		,,	...	...	...	...	E	3	...
Gap Rock, ...	,,	29.87	758.7	...	...	E	4	...		,,	29.94	760.5	...	...	E	5	...
Macao, ...	,,	29.89	759.2	68	...	S E	2	o		,,	29.97	761.2	67	...	S E	1	od
Wuchow, ...	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.91	759.7	79	61	N E	1	cr		,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.85	758.2	72	...	S S E	5	c		8 a.	29.92	759.9	66	...	S S E	3	o
Tourane, ...	,,	29.88	758.9	77	...	N N E	1	c		,,	29.92	759.9	75	...	...	0	o
Cape St. James, .	,,	29.79	756.6	...	...	E N E	2	o		,,	29.87	758.6	75	...	W	1	or
Aparri, ...	2 p.	29.83	757.8	...	...	N E	1	c		6 a.	29.88	758.8	...	...	S E	1	b
Manila, ...	4 p.	29.80	757	84	64	E S E	2	c		10 a.	29.88	759	79	76	...	0	o
Legaspi, ...	2 p.	29.82	757.5	82	...	E	1	o		6 a.	29.86	758.4	75	...	N E	1	c
Bacolod, ...	3 p.	...	...	...	...	N E	3	or		9 a.	...	...	...	...	N W	1	o
Iloilo, ...	,,	29.79	756.6	84	...	N E	3	c		,,	29.87	758.7	81	...	N	1	b
Cebu, ...	,,	29.78	756.4	84	...	N	2	c		,,	29.85	758.2	82	...	N	1	c
Labuan, ...	,,	29.74	755.4	86	...	...	...	...		,,	29.83	757.7	82	...	...	...	...

On the 5th at 12.05 p.—The barometer has risen at the stations around the Sea of Japan, and fallen over the E. coast of China and the S. Loochoos.

The depression lying over Japan yesterday has moved into the Pacific. Another one appears to be developing over the Eastern Sea.

Pressure remains considerably below the normal at all stations. It is highest over N. China.

Light or moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate; cloudy, drizzling rain.
2.—Formosa Channel, ...	N.E. winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 5th January, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th JANUARY, 1909, P.M.								6th JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.07	762.8	11	...	N E	3	b	7 a.	30.11	764.7	8	70	E	0	b
Nemuro,	,,	29.73	755.1	...	...	N W	6	...	6 a.	29.89	759.1	...	...	S	2	...
Hakodate,	,,	29.85	758.2	...	...	N W	6	...	,,	30.01	762.2	...	...	N	4	...
Tokio,	,,	29.79	756.6	...	...	N	4	...	,,	29.95	760.6	...	...	N	2	...
Kochi,	,,	29.83	757.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki,	,,	29.91	759.8	...	...	E	2	...	,,	30.03	762.3	...	...	N	2	...
Kagoshima,	,,	29.83	758.9	...	...	N	2	...	,,	30.00	761.9	...	...	N	4	...
Oshima,	,,	29.89	759.1	...	...	N W	2	...	,,	29.97	761.1	...	...	N W	2	...
Naha,	,,	29.89	759.2	...	...	N	4	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	N E	6	...	,,	29.93	760.3	...	...	N E	2	...
Bonin Is.	,,	29.81	757.1	...	...	W	2	...	,,	29.89	759.1	...	...	W	2	...
Chefoo,	3 p.	30.29	767.1	33	90	N N W	8	b	6 a.	30.26	768.6	30	100	N	5	b
Weihaiwei,	,,	30.17	766.3	32	...	N W	3	b	9 a.	30.29	769.2	30	...	N	2	ovr
Hankow,	,,	30.21	767.3	44	84	N	1	o	6 a.	30.27	768.8	39	91	N E	2	o
Kiukiang,	,,	...	...	45	84	N E	2	o	,,	30.16	766.0	41	92	N E	3	o
Shanghai,	,,	30.05	763.2	46	100	N	1	omd	9 a.	30.22	767.6	43	92	N E	2	om
Gutzlaff,	,,	30.00	762.0	48	100	N	3	fd	,,	30.14	765.5	47	85	N N E	4	om
Sharp Peak,	,,	29.92	759.9	62	100	...	0	c	,,	30.10	764.5	59	94	N E	1	or
Amoy,	,,	29.88	758.9	66	89	S E	1	o	6 a.	29.95	760.7	66	84	N E	1	o
Swatow,	,,	29.87	758.7	69	85	E	2	b	,,	29.92	759.9	64	95	E	2	c
Taihoku,	1 p.	29.89	759.2	...	...	N	2	...	5 a.	29.97	761.3	...	...	...	0	...
Taichu,	,,	29.87	758.8	...	...	N	4	...	,,	29.94	760.5	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	N	4	...	,,	29.94	760.4	...	...	N	2	...
Koshun,	,,	29.87	758.6	...	...	N	4	...	,,	30.00	761.9	...	...	E	2	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.92	760.0	...	...	N E	8	...
Canton,	3 p.	29.88	758.9	72	85	...	0	o	9 a.	29.95	760.7	68	100	...	0	or
Hongkong,	4 p.	29.87	758.7	65	92	E	3	o	10 a.	29.97	761.2	66	96	E	3	o
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	S E	6	...
Gap Rock,	,,	29.84	757.9	...	...	E	4	...	,,	29.94	760.5	...	...	S E	2	...
Macao,	,,	29.88	758.9	67	...	N E	1	od	,,	29.95	760.7	69	...	S E	1	o
Wuchow,	3 p.	29.86	758.4	79	...	W	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.85	758.2	71	90	N E	1	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.88	758.9	76	86	S	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.81	757.2	75	...	S S E	3	c	8 a.	29.93	760.3	68	...	S S W	2	o
Tourane,	,,	29.81	757.1	79	...	N	2	c	,,	29.92	760.0	75	...	...	0	o
Cape St. James,	,,	29.75	755.7	84	...	W S W	2	o	,,	29.87	758.7	79	...	E S E	2	o
Aparri,	2 p.	29.83	757.6	...	...	N E	0	b	6 a.	29.90	758.4	...	...	S	0	b
Manila,	4 p.	29.80	757	82	70	...	0	o	10 a.	29.92	760	82	77	S W	1	o
Legaspi,	2 p.	29.80	757.0	82	...	E	1	o	6 a.	29.87	758.6	77	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	E N E	3	c	9 a.	...	...	...	...	N	1	cr
Iloilo,	,,	29.77	756.1	85	...	N E	1	o	,,	29.87	758.7	80	...	N E	1	c
Cebu,	,,	29.78	756.4	85	...	N	2	b	,,	29.86	758.4	83	...	N	1	b
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.84	757.9	80	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen moderately over the E. and N.E. coasts of China and E. Japan.

Pressure remains considerably below the normal over S. China, W. Japan and the Loochoos. It is highest over N. China, and relatively low over Tongking and the northern shores of the China Sea.

Fresh N.E. winds may be expected in the Formosa Channel, and light to moderate monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate to fresh; misty some rain.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 6th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th January, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th January, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	N W	2	...	6 a.	30.01	762.1	...	...	...	0	...
Hakodate,	,,	30.01	762.2	...	...	W	8	...	,,	30.01	762.2	...	...	N	2	...
Tokio,	,,	29.98	761.6	...	...	N	4	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	29.91	759.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N	4	...	,,	30.03	762.3	...	...	...	0	...
Kagoshima,	,,	29.96	760.9	...	...	W	4	...	,,	30.04	762.9	...	...	N	2	...
Oshima,	,,	29.96	761.1	...	...	N	4	...	,,	30.01	762.1	...	...	N W	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	E	4	...	,,	29.89	759.3	...	...	S E	6	...
Bonin Is.	,,	29.85	758.1	...	...	N W	2	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	3 p.	30.17	766.3	32	100	W	2	o	6 a.	30.30	769.6	29	100	S W	1	b
Weihaiwei,	,,	30.25	768.3	30	...	N N W	1	ovr	9 a.	30.36	771.1	28	...	W	2	os
Hankow,	,,	30.32	770.1	39	100	N	1	or	6 a.	30.34	770.6	39	100	N W	1	o
Kiukiang,	,,	30.14	765.5	40	100	N E	2	or	,,	30.22	767.6	39	91	N E	2	o
Shanghai,	,,	30.15	765.8	44	76	N	1	omd	9 a.	30.28	769.1	43	75	N	1	om
Gutzlaff,	,,	30.07	763.8	46	84	N	4	omp	,,	30.20	767.1	46	69	N	4	ov
Sharp Peak,	,,	29.99	761.7	60	89	E N E	2	or	,,	30.12	765.0	59	78	N E	4	or
Amoy,	,,	29.92	759.9	65	89	...	0	o	6 a.	29.96	761.0	63	89	N E	1	o
Swatow,	,,	29.89	759.2	64	95	E	1	o	,,	29.92	760.2	62	94	N N E	1	o
Taiboku,	1 p.	29.92	759.9	...	...	E	6	...	5 a.	29.92	760.0	...	...	E	2	...
Taichu,	,,	29.93	760.1	...	...	N	2	...	,,	29.96	760.9	...	...	N	2	...
Tainan,	,,	29.93	760.1	...	...	W	4	...	,,	29.94	760.5	...	...	N	4	...
Koshun,	,,	29.92	759.9	...	...	E	6	...	,,	29.95	760.8	...	...	...	0	...
Pescadores,	,,	29.94	760.6	...	...	N	8	...	,,	29.94	760.5	...	...	N	6	...
Canton,	3 p.	29.86	758.4	69	95	N	1	or	9 a.	30.01	762.2	57	94	N	2	or
Hongkong,	4 p.	29.88	758.9	66	97	E	3	o	10 a.	30.00	762.0	65	97	E	4	od
Victoria Peak,	,,	...	...	...	...	S S E	3	...	,,	...	...	...	...	S E	4	...
Gap Rock,	,,	29.86	758.4	...	...	S E	3	...	,,	29.94	760.5	...	...	E	3	...
Macao,	,,	29.92	759.9	68	...	S E	1	od	,,	29.97	761.2	63	...	N N W	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.88	758.9	75	81	W N W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.5	73	...	N N W	1	o	8 a.	29.95	760.7	66	...	N	1	o
Tourane,	,,	29.82	757.5	79	...	S E	2	b	,,	29.91	759.7	75	...	...	0	c
Cape St. James,	,,	29.76	755.8	79	...	N N E	4	c	,,	29.85	758.1	75	...	N E	4	o
Aparri,	2 p.	29.90	759.4	...	...	N E	1	b	6 a.	29.89	759.2	...	...	S E	1	b
Manila,	4 p.	29.80	757	86	65	E	1	c	10 a.	29.92	760	81	76	...	0	o
Legaspi,	2 p.	29.80	757.0	84	...	E	1	o	6 a.	29.87	758.6	77	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.79	756.6	81	...	N N E	1	c	,,	29.87	758.7	81	...	N E	1	b
Cebu,	,,	29.80	756.9	85	...	N	2	c	,,	29.85	758.2	83	...	N	1	b
Labuan,	,,	29.75	755.6	84	...	...	...	...	,,	29.83	757.7	82	...	...	...	...

On the 7th at 11.45 a.—The barometer has risen slightly over China and Japan.

Except over E. Japan, pressure is still in moderate to considerable defect of the normal at all stations. It is highest over China to the North of the Yangtze, and relatively low over the northern shores of the China Sea.

Fresh N.E. winds may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, fresh: unsettled, rainy.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 7th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th January, 1909, P.M.								8th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.11	764.8	20	...	...	0	b	7 a.	30.32	770.0	2	75	...	0	o
Nemuro, ...	,,	29.96	761.1	...	...	N	2	...	6 a.	30.01	762.1	...	...	W	4	...
Hakodate, ...	,,	29.97	761.2	...	...	W	6	...	,,	30.21	767.2	...	...	N W	4	...
Tokio, ...	,,	29.94	760.6	...	...	N	4	...	,,	30.14	765.6	...	...	N	2	...
Kochi, ...	,,	29.95	760.8	...	...	N	2	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki, ...	,,	30.07	763.8	...	...	N	6	...	,,	30.23	767.8	...	...	N E	6	...
Kagoshima, ...	,,	30.04	762.9	...	...	N W	4	...	,,	30.15	765.9	...	...	N	4	...
Oshima, ...	,,	30.04	763.1	...	...	N	4	...	,,	30.08	764.1	...	...	...	0	...
Naha,.....	,,	30.01	762.2	...	...	N	2	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,....	,,	29.89	759.3	...	...	S	6	...	,,	29.97	761.3	...	...	N E	4	...
Bonin Is.....	,,	29.93	760.1	...	...	W	2	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,.....	3 p.	30.40	772.1	33	50	N N E	2	c	6 a.	30.44	773.2	24	100	N E	1	b
Weihaiwei,.....	,,	30.41	772.4	39	...	N	1	ovr	9 a.	30.47	773.9	30	...	N E	1	b
Hankow, ...	,,	30.38	771.6	42	83	N	1	or	6 a.	30.42	772.6	39	91	N W	1	o
Kiukiang,.....	,,	30.14	765.5	41	83	N N E	1	o	,,	30.28	769.1	93	100	N E	1	o
Shanghai, ...	,,	30.25	768.3	46	62	N E	1	om	9 a.	30.34	770.6	46	69	N E	1	om
Gutzlaff, ...	,,	30.17	766.3	44	84	N N E	4	ov	,,	30.27	768.8	48	71	N E	4	ov
Sharp Peak,.....	,,	30.08	764.0	58	75	N	5	or	,,	30.22	767.6	57	87	N E	3	or
Amoy.....	,,	29.99	761.7	63	83	N E	1	or	6 a.	30.06	763.5	60	88	N E	3	o
Swatow, ...	,,	29.95	760.7	61	88	E	2	o	,,	29.93	760.2	58	94	E	3	c
Taihoku.....	1 p.	30.00	762.0	...	...	E	6	...	5 a.	30.06	763.6	...	...	E	6	...
Taichu, ...	,,	29.93	760.3	...	...	N	6	...	,,	30.01	762.3	...	...	...	0	...
Tainan,.....	,,	29.94	760.4	...	...	N	6	...	,,	30.00	761.9	...	...	N	4	...
Koshun.....	,,	29.89	759.3	...	...	N	4	...	,,	29.97	761.2	...	...	E	6	...
Pescadores, ...	,,	29.96	761.0	...	...	N E	8	...	,,	30.02	762.4	...	...	N E	10	...
Canton,.....	3 p.	30.00	762.0	56	100	N	1	or	9 a.	30.10	764.5	54	100	N	1	or
Hongkong, ...	4 p.	29.96	761.0	64	94	E	2	o	10 a.	30.05	763.2	62	90	E	6	od
Victoria Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	7	...
Gap Rock,.....	,,	29.92	759.9	...	...	N N E	4	...	,,	29.99	761.7	...	...	E	7	...
Macao, ...	,,	29.96	761.0	62	...	N W	1	od	,,	30.05	763.2	62	...	N N W	2	od
Wuchow,.....	3 p.	30.06	763.0	59	...	E	2	o	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	29.91	759.7	72	100	N E	3	c	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	29.94	760.5	68	77	N	2	o	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.90	759.5	70	...	S E	4	c	8 a.	30.01	762.3	64	...	E N E	1	o
Tourane, ...	,,	29.86	758.4	81	...	N W	2	c	,,	29.97	761.2	77	...	S E	1	c
Cape St. James,.	,,	29.78	756.5	81	...	N E	3	c	,,	29.91	759.6	79	...	N N E	4	c
Aparri, ...	2 p.	29.89	759.2	...	...	S W	1	b	6 a.	29.95	760.8	...	...	S W	1	o
Manila, ...	4 p.	29.80	757	86	65	W N W	0	c	10 a.	29.96	761	81	76	W	1	b
Legaspi, ...	2 p.	29.84	758.0	86	...	E	1	c	6 a.	29.90	759.4	79	...	N E	1	...
Bacolod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N E	2	c
Iloilo, ...	,,	29.89	759.2	86	...	N E	1	b	,,	29.91	759.7	80	...	N E	1	b
Cebu,.....	,,	29.81	757.2	85	...	N	2	b	,,	29.91	759.7	83	...	N	1	b
Labuan, ...	,,	29.76	755.9	85	...	...	...	...	,,	29.84	757.9	81	...	...	...	...

On the 8th at 11.55 a.—The barometer has risen generally, more decidedly in the North than in the South.

An anticyclonic area lies over N. China, and pressure remains relatively low over the northern shores of the China Sea.

Gradients are rather steep over the Formosa Channel and S. coast of China where strong N.E. winds will continue to prevail.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong; squally, rainy.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 8th January, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th January, 1909, P.M.								9th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.27	768.9	14	...	...	0	c	7 a.	30.36	771.0	3	70	...	0	b
Nemuro,	,,	30.04	763.1	...	...	W	6	...	6 a.	30.20	767.1	...	...	N W	6	...
Hakodate,	,,	30.20	767.2	...	...	N W	8	...	,,	30.32	770.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	S	8	...	,,	30.30	769.6	...	...	N W	4	...
Kochi,	,,	30.11	764.8	...	...	N W	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	N W	4	...	,,	30.19	766.3	...	...	N E	4	...
Kagoshima,	,,	30.11	764.9	...	...	...	0	...	,,	30.15	765.9	...	...	N E	6	...
Oshima,	,,	30.12	765.1	...	...	N E	6	...	,,	30.04	763.1	...	...	S W	2	...
Naha,	,,	30.01	762.2	...	...	N	4	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...	,,	29.97	761.3	...	...	N	2	...
Bonin Is.	,,	30.00	762.1	...	...	N W	2	...	,,	30.12	765.1	...	...	N W	2	...
Chefoo,	3 p.	30.34	770.6	35	53	E	2	b	6 a.	30.34	770.6	32	100	E N E	1	c
Weihaiwei,	,,	30.37	771.4	32	...	E	2	b	9 a.	30.39	771.9	32	...	S E	2	ovr
Hankow,	,,	30.33	770.4	43	75	N E	1	c	6 a.	30.33	770.4	39	100	S	1	...
Kiukiang,	,,	30.19	766.8	44	84	N E	1	o	,,	30.23	767.8	42	92	N E	1	o
Shanghai,	,,	30.23	767.8	47	70	E	1	o	9 a.	30.28	769.1	42	83	E N E	3	om
Gutzlaff,	,,	30.18	766.6	48	78	E N E	4	om	,,	30.23	767.8	46	84	N N E	5	ov
Sharp Peak,	,,	30.11	764.8	56	94	N	1	or	,,	30.23	767.8	59	100	...	0	b
Amoy,	,,	30.03	762.7	61	89	N E	2	o	6 a.	30.06	763.5	60	94	N W	1	or
Swatow,	,,	30.00	762.0	60	82	E	2	o	,,	30.05	763.2	59	94	N E	1	c
Taihoku,	1 p.	30.02	762.6	...	...	E	8	...	5 a.	30.07	763.8	...	...	S E	2	...
Taichu,	,,	29.96	761.1	...	...	W	2	...	,,	30.10	764.5	...	...	E	4	...
Tainan,	,,	30.00	761.9	...	...	W	2	...	,,	30.09	764.2	...	...	N	6	...
Koshun	,,	29.96	761.1	...	...	N E	6	...	,,	30.05	763.3	...	...	N W	6	...
Pescadores,	,,	29.97	761.3	...	...	N	8	...	,,	30.04	763.1	...	...	E	4	...
Canton,	3 p.	30.03	762.7	53	100	N	1	or	9 a.	30.18	766.6	54	94	N	1	or
Hongkong,	4 p.	29.99	761.7	62	84	E N E	1	o	10 a.	30.12	765.0	65	85	W	1	o
Victoria Peak,	,,	...	...	...	...	N E	6	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	29.94	760.5	...	...	N N E	7	...	,,	30.08	764.0	...	...	N N E	4	...
Macao,	,,	30.01	762.2	59	...	N N W	1	o	,,	30.15	765.8	60	...	N N W	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.97	761.2	64	100	N	4	or	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.95	760.7	59	82	N	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.6	66	...	N E	1	o	8 a.	30.11	764.7	63	...	N E	1	o
Tourane,	,,	...	...	...	...	...	...	...	,,	30.04	763.0	73	...	...	0	o
Cape St. James,	,,	29.81	757.2	81	...	N N E	3	c	,,	29.92	760.0	77	...	N E	4	c
Aparri,	2 p.	29.90	759.5	...	...	N E	1	b	6 a.	29.99	761.8	...	...	S	1	d
Manila,	4 p.	29.84	758	82	77	S E	1	c	10 a.	29.96	761	82	63	...	0	c
Legaspi,	2 p.	29.86	758.5	84	...	E	1	o	6 a.	29.93	760.3	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	E N E	2	c
Iloilo,	,,	29.81	757.2	86	...	N E	1	o	,,	29.91	759.7	80	...	N E	1	b
Cebu,	,,	29.81	757.2	85	...	N	2	b	,,	29.92	759.9	84	...	N	2	c
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.86	758.4	84	...	...	...	...

On the 9th at 11.35 a.—The barometer has risen moderately over E. Japan and the S. coast of China, and fallen slightly over the Yangtze Valley and the Loochoos.

The high pressure has shifted to the Eastward and lies now over Manchuria and the N. part of the Sea of Japan. Pressure is relatively low over the Pacific to the S. of the Loochoos.

Moderate or fresh N. and N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate or fresh; showery to fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 9th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th January, 1909, P.M.								10th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.36	771.1	8	...	N E	3	b	7 a.	30.46	773.6	10	60	N E	2	b
Nemuro,.....	,,	30.24	768.1	...	...	W	4	...	6 a.	...	...	...	...	...	...	...
Hakodate,.....	,,	30.32	770.2	...	...	W	6	...	,,	...	..	...	...	...	...	...
Tokio, ...	,,	30.22	767.6	...	...	N	4	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	30.19	766.8	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	30.19	766.8	...	...	N	4	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	30.04	762.9	...	...	N	4	...	,,	...	...	...	...	...	...	...
Oshima,.....	,,	30.00	762.1	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Naha,.....	,,	30.01	762.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
Ishigakijima,....	,,	30.01	762.3	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Bonin Is.....	,,	30.08	764.1	...	...	E	2	...	,,	...	..	...	...	...	...	...
Chefoo,.....	3 p.	30.35	770.9	41	57	S S W	2	o	6 a.	30.49	774.4	35	90	N N E	3	o
Weihaiwei,.....	,,	30.36	771.1	34	...	N	2	o	9 a.	30.57	776.5	31	...	N N E	3	o
Hankow, ...	,,	30.33	770.4	45	84	E	1	c	6 a.	30.38	771.6	43	100	S S E	2	o
Kiukiang,.....	,,	30.19	766.8	48	85	...	0	o	,,	30.29	769.3	43	100	N E	1	o
Shanghai, ...	,,	30.26	768.6	46	77	N N E	2	om	9 a.	30.46	773.7	46	69	N E	1	...
Gutzlaff, ...	,,	30.20	767.1	49	78	N N E	4	ov	,,	30.41	772.4	49	71	N N E	1	ov
Sharp Peak,.....	,,	30.12	765.0	60	89	N E	2	c	,,	30.32	770.1	58	94	N E	1	o
Amoy,.....	,,	30.04	763.0	64	89	N E	1	o	6 a.	30.14	765.5	61	88	N E	1	c
Swatow,.....	,,	30.01	762.2	68	79	N E	2	c	,,	30.13	765.3	68	100	N E	4	b
Taihoku,.....	1 p.	30.13	765.2	...	...	N	4	...	5 a.	30.17	766.4	...	...	E	4	...
Taichu, ...	,,	30.07	763.7	...	...	N	6	...	,,	30.11	764.8	...	...	...	0	...
Tainan,.....	,,	30.07	763.8	...	...	N	6	...	,,	30.12	764.9	...	...	N	4	...
Koshun.....	,,	30.02	762.4	...	...	E	2	...	,,	30.08	763.9	...	...	N E	2	...
Pescadores, ...	,,	30.08	764.1	...	...	N E	8	...	,,	30.13	765.2	...	...	N	10	...
Canton,.....	3 p.	30.10	764.5	63	78	N	1	o	9 a.	30.18	766.6	58	94	N	2	o
Hongkong, ...	4 p.	30.03	762.7	67	80	W	1	o	10 a.	30.17	766.3	65	82	E	5	o
Victoria Peak,...	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	E	6	...
Gap Rock,.....	,,	30.02	762.5	...	...	N N W	4	...	,,	30.13	765.3	...	...	E	5	...
Macao, ...	,,	30.05	763.2	64	...	N N W	1	o	,,	30.16	766.9	65	...	E	1	o
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.08	764.0	65	100	N E	2	or	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.02	762.5	68	...	S	3	o	8 a.	...	...	...	...	...	...	...
Tourane, ...	,,	29.96	760.9	75	...	W N W	3	o	,,	...	...	...	...	...	...	...
Cape St. James,.	,,	29.82	757.4	79	...	N E	5	o	,,	...	...	...	...	...	...	...
Aparri,.....	2 p.	29.98	761.4	...	...	N E	1	b	6 a.	30.03	762.8	...	...	S W	1	b
Manila, ...	4 p.	29.88	759	84	64	S	0	o	10 a.	30.00	762	79	76	W	1	c
Legaspi,.....	2 p.	29.90	759.4	84	...	E	1	b	6 a.	29.97	761.2	77	...	E	1	b
Bacolod,.....	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N E	4	c
Iloilo,.....	,,	29.85	758.2	85	...	N E	1	b	,,	29.97	761.2	80	...	N E	3	b
Cebu,.....	,,	29.86	758.4	85	...	N	1	b	,,	29.96	761.0	83	...	N	2	c
Labuan, ...	,,	29.82	757.4	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 10th at 12.15 p.—The barometer has risen over China, particularly on the E. and N.E. coasts.

The anticyclonic area remains over N. China and Manchuria, while pressure is still relatively low over the northern shores of the China Sea.

Gradients are rather steep in the South, and strong monsoon may be expected in the Formosa Channel and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong; fair, misty.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 10th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th January, 1909, P.M.									11th January, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.24	768.1	...	...	...	0	...		6 a.	30.28	769.1	...	...	N E	6	...
Hakodate,	,,	30.24	768.2	...	...	N	6	...		,,	30.28	769.2	...	...	N W	2	...
Tokio,	,,	30.18	766.6	...	...	N W	2	...		,,	30.22	767.6	...	...	N	2	...
Kochi,	,,	30.19	766.8	...	...	S W	2	...		,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	30.31	769.8	...	...	N W	6	...		,,	30.31	769.8	...	...	...	0	...
Kagoshima,	,,	30.23	767.9	...	...	N	6	...		,,	30.31	769.9	...	...	...	0	...
Oshima,	,,	30.24	768.1	...	...	N	6	...		,,	30.20	767.1	...	...	N	4	...
Naha,	,,	30.30	767.2	...	...	N E	2	...		,,	30.17	766.2	...	...	N E	2	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	8	...		,,	30.05	763.3	...	...	E	6	...
Bonin Is.	,,	29.96	761.1	...	...	N	4	...		,,	30.08	764.1	...	...	N	2	...
Chefoo,	3 p.	30.60	777.2	32	69	N N E	1	b		6 a.	30.71	780.0	26	100	N	5	c
Weihaiwei,	,,	30.59	777.0	33	...	N W	3	ovr		9 a.	30.70	779.8	26	...	N E	3	ovr
Hankow,	,,	30.39	771.9	43	92	N N E	2	or		6 a.	30.48	774.2	38	91	N	1	or
Kiukiang,	✓ ,,	30.27	768.8	45	92	N E	2	or		,,	30.31	769.9	39	91	N E	5	or
Shanghai,	,,	30.33	770.4	48	71	N E	2	o		9 a.	30.52	775.2	42	83	N N E	3	oqr
Gutzlaff,	,,	30.31	769.9	50	65	N E	4	ov		,,	30.43	772.9	46	69	N E	6	om
Sharp Peak,	✓ ,,	30.20	767.1	59	82	N N E	4	o		,,	30.29	769.3	58	83	N	2	or
Amoy,	✓ ,,	30.07	763.8	67	79	N E	1	b		6 a.	30.12	765.0	62	83	N E	1	o
Swatow,	✓ ,,	30.05	763.2	67	73	N E	4	b		,,	30.12	765.0	62	77	N E	2	c
Taiboku,	1 p.	30.15	765.9	...	...	E	8	...		5 a.	30.13	765.2	...	...	E	6	...
Taichu,	,,	30.06	763.6	...	...	N	6	...		,,	30.03	763.9	...	...	N	2	...
Tainan,	,,	30.07	763.8	...	...	N	4	...		,,	30.07	763.7	...	...	N	4	...
Koshun,	,,	30.06	763.4	...	...	N E	8	...		,,	30.04	763.1	...	...	N	2	...
Pescadores,	,,	30.11	764.8	...	...	N	10	...		,,	30.10	764.4	...	...	N	10	...
Canton,	3 p.	30.08	764.0	62	89	N	2	o		9 a.	30.17	766.3	64	89	...	0	o
Hongkong,	4 p.	30.06	763.5	65	79	E	5	o		10 a.	30.16	766.0	64	86	E	5	o
Victoria Peak,	,,	...	...	...	...	E	5	...		,,	...	...	...	...	E	5	...
Gap Rock,	,,	30.03	762.7	...	...	E	5	...		,,	30.11	764.8	...	...	E	6	...
Macao,	,,	30.05	763.2	65	...	E S E	2	o		,,	30.15	765.8	68	...	S E	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow,	✓ ,,	30.01	762.2	71	95	N E	3	c		,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	29.97	761.3	70	...	E S E	4	o		8 a.	30.11	764.7	68	...	E	1	or
Tourane,	✓ ,,	29.97	761.3	75	...	N W	2	c		,,	30.08	764.1	73	...	...	0	o
Cape St. James,	✓ ,,	29.85	758.1	79	...	E N E	6	f		,,	29.95	760.7	77	...	N E	2	f
Aparri,	2 p.	29.98	761.4	...	...	N E	1	b		6 a.	30.00	762.0	...	...	E	0	p
Manila,	4 p.	29.88	759	84	64	E S E	0	c		10 a.	30.00	762	81	69	...	0	o
Legaspi,	2 p.	29.91	759.6	84	...	E	1	c		6 a.	29.93	760.2	75	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	3	o		9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.85	758.2	83	...	N E	1	b		,,	29.91	759.7	80	...	N E	1	b
Cebu,	,,	29.85	758.2	84	...	N	1	b		,,	29.91	759.7	84	...	N	1	c
Labuan,	✓ ,,	29.74	755.4	86	...	...	...	...		,,	29.89	759.2	84	...	...	...	...

On the 11th at 11.55 a.—The barometer has risen moderately over N. China, while it is inclined to fall over the S. coast, Formosa and the Philippines.

The anticyclonic area, which is of considerable intensity, remains over N. China and Manchuria, and pressure is still relatively low over the northern shores of the China Sea.

Gradients are rather steep over the China coast generally, and hard monsoon is expected to prevail along the whole of the coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong to a gale; squally, misty.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 11th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th JANUARY, 1909, P.M.								12th JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.32	770.1	...	...	N W	8	...	6 a.	30.52	775.1	...	...	N	6	...
Hakodate,	,,	30.28	769.2	...	...	N	6	...	,,	30.48	774.2	...	...	N	2	...
Tokio,	,,	30.22	767.6	...	...	N	4	...	,,	30.46	773.6	...	...	N	2	...
Kochi,	,,	30.39	771.8	...	...	N	4	...	,,	30.39	771.8	...	...	...	0	...
Nagasaki,	,,	30.35	770.8	...	...	E	8	...	,,	30.31	769.8	...	...	E	6	...
Kagoshima,	,,	30.27	768.9	...	...	N	2	...	,,	30.27	768.9	...	...	E	8	...
Oshima,	,,	30.20	767.1	...	...	...	...	...	,,	30.12	765.1	...	...	...	0	...
Naha,	,,	30.13	765.2	...	...	N E	4	...	,,	30.05	763.2	...	...	N E	4	...
Ishigakijima,	,,	30.05	763.3	...	...	E	6	...	,,	29.97	761.3	...	...	E	8	...
Bonin Is.	,,	30.04	763.1	...	...	N W	2	...	,,	30.08	764.1	...	...	N	6	...
Chefoo,	3 p.	30.64	778.2	28	100	N N E	...	c	6 a.	30.43	772.9	26	100	W	1	f
Weihaiwei,	,,	30.57	776.5	28	...	E N E	1	ovr	9 a.	30.40	772.1	26	...	W	2	o
Hankow,	,,	30.57	776.5	38	91	N	1	o	6 a.	30.51	774.9	33	90	N	1	o
Kiukiang,	✓ ,,	30.41	772.4	39	91	N E	5	or	,,	30.40	772.1	38	81	N E	2	o
Shanghai,	,,	30.42	772.6	44	68	N E	3	o	9 a.	30.34	770.6	41	83	N N W	1	o
Gutzlaff,	,,	30.37	771.4	46	61	N E	5	om	,,	30.28	769.1	45	84	N	4	ov
Sharp Peak,	✓ ,,	30.23	767.8	58	88	N	3	or	,,	30.23	767.8	54	94	N	1	o
Amoy,	✓ ,,	30.07	763.8	65	78	N E	1	o	6 a.	30.10	764.5	61	82	N E	1	o
Swatow,	✓ ,,	30.08	764.0	64	83	E	3	c	,,	30.11	764.8	59	88	N E	1	o
Taihoku,	1 p.	30.14	765.5	...	...	E	6	...	5 a.	30.10	764.5	...	...	...	0	...
Taichu,	,,	30.07	763.7	...	...	N	4	...	,,	30.03	762.7	...	...	N	2	...
Tainan,	,,	30.07	763.7	...	...	N	6	...	,,	30.02	762.2	...	...	N	6	...
Koshun,	,,	30.04	762.9	...	...	N	6	...	,,	30.00	761.5	...	...	...	0	...
Pescadores,	,,	30.11	764.8	...	...	N	10	...	,,	30.06	763.4	...	...	N	10	...
Canton,	3 p.	30.10	764.5	62	89	N	2	o	9 a.	30.24	768.1	52	93	N	2	or
Hongkong,	4 p.	30.09	764.3	64	84	E	3	o	10 a.	30.18	766.6	62	83	N E	1	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	30.03	762.7	...	...	N E	6	...	,,	30.14	765.5	...	...	N E	4	...
Macao,	,,	30.08	764.0	66	...	E S E	1	od	,,	30.19	766.8	61	...	N	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	✓ ,,	30.04	763.0	71	100	N E	4	c	,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	30.08	764.0	71	95	S S E	2	o	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	30.01	762.3	73	...	S E	2	c	8 a.	30.11	764.8	64	...	E	4	o
Tourane,	✓ ,,	30.02	762.4	79	...	...	0	b	,,	30.08	764.1	72	...	...	0	c
Cape St. James,	✓ ,,	29.91	758.8	79	...	N N E	5	f	,,	29.95	760.7	79	...	N	2	c
Aparri,	2 p.	29.93	760.1	...	...	S	1	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.88	759	84	64	W	1	c	10 a.	29.96	761	79	76	W	1	b
Legaspi,	2 p.	29.91	759.7	84	...	E	1	b	6 a.	29.93	760.2	73	...	E	1	o
Bacolod,	3 p.	...	...	...	...	E N E	2	cr	9 a.	...	...	...	...	N E	2	b
Iloilo,	,,	29.85	758.2	86	...	N E	1	b	,,	29.91	759.7	81	...	N E	1	...
Cebu,	,,	29.86	758.4	84	...	N	2	b	,,	29.92	759.9	83	...	N	2	b
Labuan,	✓ ,,	29.75	755.6	88	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 12th at 11.55 a.—The barometer has risen quickly in E. Japan, and fallen considerably to moderately over the N.E. coast of China and the Loochoos respectively,

A depression, while will probably move towards N.E., has developed over the Pacific to the South of the Meiaco Sima.

Areas of high pressure are lying over the N.E. part of the Sea of Japan, and the Upper Yangtze.

Strong monsoon may be expected in the Formosa Channel, and moderate to fresh monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate to fresh ; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 12th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th January, 1909, P.M.								13th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.35	771.0	2	...	N E	3	o	7 a.	30.38	771.5	1	87	N E	8	s
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	30.44	773.1	...	...	N W	8	...
Hakodate, ...	,,	30.48	774.2	...	...	N	2	...	,,	30.44	773.2	...	...	N E	4	...
Tokio, ...	,,	30.42	772.6	...	...	N	4	...	,,	30.30	769.6	...	...	N W	4	...
Kochi, ...	,,	30.27	768.8	...	...	S E	2	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki, ...	,,	30.23	767.8	...	...	E	2	...	,,	30.15	765.3	...	...	...	0	...
Kagoshima, ...	,,	30.19	766.9	...	...	E	8	...	,,	30.08	763.9	...	...	N	2	...
Oshima, ...	,,	30.00	762.1	...	...	S E	4	...	,,	29.93	760.1	...	...	S E	2	...
Naha, ...	,,	29.97	761.2	...	...	N E	4	...	,,	29.93	760.2	...	...	N W	4	...
Ishigakijima, ...	,,	29.97	761.3	...	...	N E	6	...	,,	30.01	762.3	...	...	N E	6	...
Bonin Is.	,,	30.04	763.1	...	...	N E	10	...	,,	30.04	763.1	...	...	E	2	...
Chefoo, ...	3 p.	30.33	770.4	32	100	W N W	3	o	6 a.	30.60	777.2	19	100	N N W	8	s
Weihaiwei, ...	,,	30.33	770.4	30	...	W	2	ovr	9 a.	30.59	777.0	16	...	N W	5	o
Hankow, ...	,,	30.47	773.9	37	81	N W	2	o	6 a.	30.52	775.2	36	91	N W	1	o
Kiukiang, ...	,,	30.31	769.9	42	83	N E	1	o	,,	30.43	772.9	39	73	N E	3	o
Shanghai, ...	,,	30.25	768.3	43	75	N N W	2	o	9 a.	30.42	772.6	40	65	N N W	2	o
Gutzlaff, ...	,,	30.20	767.1	45	84	N N W	6	om	,,	30.31	769.9	43	75	N	6	om
Sharp Peak, ...	,,	30.14	765.5	55	87	E	3	o	,,	30.24	768.1	55	81	N N E	4	o
Amoy, ...	,,	30.04	763.0	66	73	N E	1	o	6 a.	30.08	764.9	58	76	N E	2	o
Swatow, ...	,,	30.03	762.7	63	78	N E	1	o	,,	30.11	764.8	59	87	...	0	o
Taiboku, ...	1 p.	30.06	763.6	...	...	E	6	...	5 a.	30.11	764.7	...	...	S W	2	...
Taichu, ...	,,	29.99	761.7	...	...	N	8	...	,,	30.04	763.1	...	...	N	6	...
Tainan, ...	,,	30.00	761.9	...	...	N	6	...	,,	30.02	762.7	...	...	N	6	...
Koshun, ...	,,	29.96	761.1	...	...	N W	4	...	,,	30.00	761.9	...	...	...	0	...
Pescadores, ...	,,	30.03	762.7	...	...	N	10	...	,,	30.07	763.8	...	...	N	10	...
Canton, ...	3 p.	30.12	765.0	59	76	N	1	c	9 a.	30.22	767.6	52	86	N	1	o
Hongkong, ...	4 p.	30.05	763.2	60	86	W	1	o	10 a.	30.17	766.3	62	72	N N E	1	o
Victoria Peak, ...	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	E	1	...
Gap Rock, ...	,,	30.04	763.0	...	...	N	4	...	,,	30.14	765.5	...	...	E N E	4	...
Macao, ...	,,	30.07	763.8	62	...	N	2	o	,,	30.18	766.6	59	...	N	1	o
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.05	763.2	66	95	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.07	763.8	58	88	N	4	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.00	761.9	63	...	E S E	5	o	8 a.	30.10	764.4	61	...	E N E	5	c
Tourane, ...	,,	29.99	761.8	72	...	S W	2	o	,,	30.05	763.2	72	...	...	0	c
Cape St. James, .	,,	29.86	758.5	81	...	N N E	3	o	,,	29.91	759.6	79	...	N E	5	c
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.93	760.2	...	...	W	1	b
Manila, ...	4 p.	29.80	757	84	64	S	1	c	10 a.	29.92	760	82	70	S	1	c
Legaspi, ...	2 p.	29.85	758.1	84	...	S E	1	b	6 a.	29.88	758.8	68	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N N E	3	c
Iloilo, ...	,,	29.81	757.2	86	...	N E	1	b	,,	29.89	759.2	80	...	N E	1	b
Cebu, ...	,,	29.81	757.2	85	...	N	1	b	,,	29.87	758.7	84	...	N	1	b
Labuan, ...	,,	29.78	756.4	85	...	...	...	...	,,	29.89	759.2	80	...	...	...	...

On the 13th at 11.55 a.—The barometer has fallen considerably over S. Japan and the Loochoos, and risen quickly in N. China.

The depression is now situated over the Loochoos. It continues to move towards N.E. A second area of low pressure appears to have passed from Manchuria to the Sea of Japan.

Areas of high pressure are lying over N. China and the N.E. part of the Sea of Japan.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh ; fine.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 13th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th January, 1909, P.M.								14th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.36	771.1	...	...	N	8	...	6 a.	30.32	770.1	...	...	W	6	...
Hakodate,	,,	30.32	770.2	...	...	N E	4	...	,,	30.25	768.2	...	...	E	4	...
Tokio,	,,	30.14	765.6	...	...	N W	6	...	,,	29.87	758.6	...	...	N W	6	...
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.99	761.8	...	...	W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N	6	...	,,	30.15	765.3	...	...	N	6	...
Kagoshima,	,,	30.00	761.9	...	...	...	0	...	,,	30.08	763.9	...	...	...	0	...
Oshima,	,,	29.85	758.1	...	...	N E	4	...	,,	30.04	763.1	...	...	N	6	...
Naha,	,,	29.85	758.2	...	...	N W	6	...	,,	30.09	764.2	...	...	N	6	...
Ishigakijima,	,,	30.01	762.3	...	...	N	6	...	,,	30.13	765.3	...	...	N	6	...
Bonin Is.	,,	29.93	760.1	...	...	E	4	...	,,	29.81	757.1	...	...	S E	4	...
Chefoo,	3 p.	30.58	776.7	20	100	N	8	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.59	777.0	18	...	N	5	o	9 a.	30.52	775.2	21	...	N W	3	o
Hankow,	,,	30.65	778.5	37	71	N E	1	o	6 a.	30.68	779.3	30	88	N E	2	o
Kiukiang,	,,	30.49	774.4	39	73	N E	6	o	,,	30.60	777.2	31	78	N E	5	b
Shanghai,	,,	30.44	773.2	36	61	N N W	4	...	9 a.	30.54	775.7	29	...	W N W	4	os
Gutzlaff,	,,	30.35	770.9	39	82	N N W	7	om	,,	30.43	772.9	33	90	N W	8	om
Sharp Peak,	,,	30.20	767.1	55	80	N E	4	c	,,	30.46	773.7	52	79	N N E	4	c
Amoy,	,,	30.09	764.3	60	76	N E	1	o	6 a.	30.22	767.6	53	73	N E	2	o
Swatow,	,,	30.10	764.5	58	76	N	2	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.13	765.3	...	...	N	2	...	5 a.	30.28	769.0	...	...	E	4	...
Taichu,	,,	30.03	762.7	...	...	N	6	...	,,	30.12	764.9	...	...	N	4	...
Tainan,	,,	30.03	762.7	...	...	N	6	...	,,	30.12	765.0	...	...	N	6	...
Koshun	,,	29.99	761.8	...	...	N	4	...	,,	30.07	763.8	...	...	N	8	...
Pescadores,	,,	30.09	764.2	...	...	N	10	...	,,	30.16	766.1	...	...	N E	10	...
Canton,	3 p.	30.15	765.8	57	69	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.09	764.3	61	66	N	2	c	10 a.	30.31	769.9	56	69	N N W	1	o
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N	3	...
Gap Rock,	,,	30.06	763.5	...	...	N E	4	...	,,	30.27	768.8	...	...	N N E	5	...
Macao,	,,	30.08	764.0	61	...	N	1	o	,,	30.33	770.4	54	...	N	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.07	763.8	65	89	N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.08	764.0	51	93	N	5	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.06	763.5	61	...	E N E	4	o	8 a.	30.28	769.1	54	...	E N E	4	o
Tourane,	,,	29.97	761.2	77	...	N E	2	c	,,	30.13	765.4	70	...	...	0	c
Cape St. James,	,,	29.85	758.1	79	...	E N E	4	o	,,	29.96	760.9	77	...	N E	5	b
Aparri,	2 p.	29.89	759.2	...	...	N E	1	b	6 a.	29.99	761.8	...	...	N E	0	q
Manila,	4 p.	29.80	757	84	64	E S E	1	c	10 a.	30.00	762	75	91	S E	1	od
Legaspi,	2 p.	29.82	757.5	86	...	E	1	b	6 a.	29.91	759.7	70	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E N E	4	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.81	757.2	85	...	N E	1	b	,,	29.93	760.2	80	...	N E	1	b
Cebu,	,,	29.79	756.6	85	...	N	3	b	,,	29.93	760.2	84	...	N	1	b
Labuan,	,,	29.80	756.9	85	...	...	...	...	,,	29.91	759.7	80	...	...	...	...

On the 14th at 12.05 p.—The barometer has fallen considerably over E. Japan and the Bonins; and risen elsewhere, particularly over S. China and the Loochoos.

The depression over the Pacific is moving towards E.N.E. between S.E. Japan and the Bonins.

The anticyclonic area remains over China to the North of the Yangtze.

Gradients are rather steep and hard monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 14th January, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th January, 1909, P.M.								15th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.24	768.1	...	...	N	6	...	6 a.	30.16	766.1	...	...	N	8	...
Hakodate, ...	,,	30.17	766.2	...	...	E	6	...	,,	30.21	767.2	...	...	N W	6	...
Tokio, ...	,,	29.87	758.6	...	...	N E	6	...	,,	30.06	763.6	...	...	N	2	...
Kochi, ...	,,	30.07	763.8	...	...	N	6	...	,,	30.19	766.8	...	...	N E	4	...
Nagasaki, ...	,,	30.15	765.8	...	...	N	6	...	,,	30.31	769.3	...	...	N E	2	...
Kagoshima, ...	,,	30.11	764.9	...	...	N W	4	...	,,	30.27	768.9	...	...	N E	4	...
Oshima, ...	,,	30.04	763.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	6	...
Naha, ...	,,	30.09	764.2	...	...	N	4	...	,,	30.17	766.2	...	...	N E	2	...
Ishigakijima, ...	,,	30.17	766.3	...	...	N	6	...	,,	30.21	767.3	...	...	N E	2	...
Bonin Is.	,,	29.65	753.1	...	...	N	4	...	,,	29.89	759.1	...	...	N W	4	...
Chefoo, ...	3 p.	...	...	...	...	...	...	...	6 a.	30.47	773.9	24	100	N W	2	c
Weihaiwei, ...	,,	30.48	774.2	25	...	N N W	2	o	9 a.	30.47	773.9	26	...	N W	4	os
Hankow, ...	,,	30.69	779.5	36	61	N W	1	b	6 a.	30.58	776.7	29	100	N	2	b
Kiukiang, ...	,,	30.54	775.7	36	61	N E	2	c	,,	30.53	775.4	30	100	N E	2	o
Shanghai, ...	,,	30.49	774.4	32	79	N W	3	o	9 a.	30.51	774.9	32	...	N W	1	b
Gutzlaff, ...	,,	30.41	772.4	36	80	N W	7	om	,,	30.45	773.4	35	99	N N W	4	ov
Sharp Peak, ...	,,	30.31	769.9	52	73	N E	5	c	,,	30.40	772.1	52	86	N E	2	b
Amoy, ...	,,	30.20	767.1	57	75	N E	3	c	6 a.	30.29	769.3	51	86	N E	2	c
Swatow, ...	,,	30.21	767.3	56	69	N	1	o	,,	30.26	768.6	48	78	N	1	b
Taihoku, ...	1 p.	30.29	769.4	...	...	N E	4	...	5 a.	30.28	769.2	...	...	S	2	...
Taichu, ...	,,	30.16	766.0	...	...	N	6	...	,,	30.20	767.0	...	...	N	4	...
Tainan, ...	,,	30.14	765.6	...	...	N	6	...	,,	30.17	766.4	...	...	N	6	...
Koshun	,,	30.12	765.0	...	...	N	8	...	,,	...	...	...	...	...	...	...
Pescadores, ...	,,	30.20	767.2	...	...	N	10	...	,,	30.22	767.5	...	...	N E	10	...
Canton, ...	3 p.	30.27	768.8	57	58	N	2	c	9 a.	30.37	771.4	47	70	N	2	o
Hongkong, ...	4 p.	30.21	767.3	57	63	N	3	c	10 a.	30.31	769.9	54	74	E	1	o
Victoria Peak, ...	,,	...	...	...	...	N N W	2	...	,,	...	...	...	...	E	4	...
Gap Rock, ...	,,	30.19	766.8	...	...	N N E	4	...	,,	30.25	768.3	...	...	N E	4	...
Macao, ...	,,	30.22	767.6	58	...	N	3	c	,,	30.31	769.9	54	...	N	3	o
Wuchow, ...	3 p.	30.32	770.1	54	...	N	2	o	9 a.	30.40	772.1	45	...	N	2	o
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.28	769.1	52	86	N	6	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.23	767.8	55	...	N	1	o	8 a.	30.29	769.3	52	...	N E	2	or
Tourane, ...	,,	30.08	764.0	72	...	S E	2	c	,,	30.17	766.3	68	...	...	0	or
Cape St. James, .	,,	29.89	759.1	77	...	E N E	6	c	,,	29.99	761.6	77	...	N N E	6	b
Aparri, ...	2 p.	30.02	762.4	...	...	N E	1	d	6 a.	30.09	764.3	...	...	E	1	c
Manila, ...	4 p.	29.92	760	79	76	...	0	o	10 a.	30.04	763	77	75	...	0	o
Legaspi, ...	2 p.	29.86	759.0	86	...	E	1	b	6 a.	29.93	760.3	75	...	E	1	o
Bacolod, ...	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	E N E	4	c
Iloilo, ...	,,	29.85	758.2	85	...	E N E	1	b	,,	29.95	760.7	80	...	N E	2	b
Cebu, ...	,,	29.83	757.7	84	...	N	3	c	,,	29.98	761.5	82	...	N	2	c
Labuan, ...	,,	29.82	757.4	85	...	...	...	...	,,	29.92	759.9	83	...	...	...	...

On the 15th at 11.55 a.—The depression is moving away over the Pacific to the N.E. of the Bonins, and the barometer has risen considerably over S. Japan and the Loochoos.

The anticyclonic area still covers China, but pressure has a tendency to give way and gradients are decreasing. Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, fresh ; fair.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 15th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th JANUARY, 1909, P.M.								16th JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.31	769.8	1	...	N E	7	c	7 a.	30.33	770.4	6	70	N E	7	b
Nemuro, ...	,,	30.08	764.1	...	...	N	6	...	6 a.	30.12	765.1	...	...	N W	6	...
Hakodate, ...	,,	30.17	766.2	...	...	N	8	...	,,	30.25	768.2	...	...	N	6	...
Tokio, ...	,,	30.06	763.6	...	...	N	6	...	,,	30.22	767.6	...	...	N	4	...
Kochi, ...	,,	30.19	766.8	...	...	N	6	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki, ...	,,	30.23	767.8	...	...	E	2	...	,,	30.31	769.3	...	...	N	2	...
Kagoshima, ...	,,	30.19	766.9	...	...	...	0	...	,,	30.27	768.9	...	...	N	4	...
Oshima, ...	,,	30.16	766.1	...	...	N	6	...	,,	30.20	767.1	...	...	S	2	...
Naha, ...	,,	30.17	766.2	...	...	N	2	...	,,	30.17	766.2	...	...	...	0	...
Ishigakijima, ...	,,	30.17	766.3	...	...	N	6	...	,,	30.17	766.3	...	...	N E	2	...
Bonin Is.	,,	29.89	759.1	...	...	N E	4	...	,,	30.01	762.1	...	...	N	10	...
Chefoo, ...	3 p.	30.46	773.7	30	100	N W	3	c	6 a.	30.51	774.9	27	100	N W	1	b
Weihaiwei, ...	,,	30.44	773.2	28	...	N W	2	o	9 a.	30.50	774.7	29	..	N E	2	ovr
Hankow, ...	,,	30.61	777.5	34	100	N	1	o	6 a.	30.47	773.9	34	100	N E	1	o
Kiukiang, ...	,,	30.44	773.2	36	90	N E	2	c	..	30.39	771.9	34	100	N E	1	o
Shanghai, ...	,,	30.44	773.2	37	47	N	1	b	9 a.	30.39	771.9	36	80	N N W	2	o
Gutzlaff, ...	,,	30.40	772.1	41	57	N N W	3	cv	,,	30.35	770.9	43	83	N E	3	ov
Sharp Peak, ...	,,	30.31	769.9	52	73	N E	5	b	,,	30.33	770.4	50	85	N	2	o
Amoy	,,	30.20	767.1	59	70	N E	3	b	6 a.	30.24	768.1	54	74	N E	1	o
Swatow, ...	,,	30.19	766.8	59	59	E	2	b	,,	30.22	767.6	49	85	N	1	c
Taihoku, ...	1 p.	30.28	769.0	...	...	E	4	...	5 a.	30.22	767.5	...	...	E	4	...
Taichu, ...	,,	30.17	766.4	...	...	N	6	...	,,	30.19	766.7	...	...	...	0	...
Tainan, ...	,,	30.17	766.3	...	...	N	6	...	,,	30.16	766.0	...	...	N	6	...
Koshun	,,	...	...	...	...	...	...	...	,,	30.10	764.5	...	...	N	8	...
Pescadores, ...	,,	30.20	767.2	...	...	N	10	...	,,	30.19	766.9	...	...	N	10	...
Canton, ...	3 p.	30.26	768.6	54	61	N N E	1	c	9 a.	30.30	769.6	50	79	N	1	o
Hongkong, ...	4 p.	30.20	767.1	58	63	E N E	1	o	10 a.	30.25	768.3	57	72	E	2	o
Victoria Peak, ...	,,	...	...	...	...	E N E	2	...	,,	...	...	...	...	E	3	...
Gap Rock, ...	,,	30.18	766.6	...	...	N E	5	...	,,	30.23	767.8	...	...	E N E	5	...
Macao, ...	,,	30.21	767.3	66	...	N E	2	c	,,	30.25	768.3	54	...	N	2	o
Wuchow, ...	3 p.	30.30	769.6	50	...	N	2	o	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.18	766.6	61	88	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.25	768.3	50	79	N	6	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.18	766.6	59	...	E	2	o	8 a.	30.21	767.3	55	...	E N E	3	o
Tourane, ...	,,	30.09	764.4	70	...	N W	2	or	,,	...	...	...	...	...	...	...
Cape St. James, .	,,	29.91	759.7	77	...	E N E	7	b	,,	29.99	761.7	75	...	N E	5	c
Aparri, ...	2 p.	30.06	763.5	...	...	N E	1	p	6 a.	30.08	764.0	...	...	N E	1	p
Manila, ...	4 p.	29.92	760	79	69	N W	1	o	10 a.	30.04	763	79	69	...	0	c
Legaspi, ...	2 p.	29.95	760.8	59	...	N E	1	o	6 a.	29.98	761.5	75	...	E	1	c
Bacolod, ...	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	E N E	3	o
Iloilo, ...	,,	29.85	758.2	84	...	N N E	1	b	,,	29.95	760.7	78	...	N N E	2	o
Cebu, ...	,,	29.86	758.4	83	...	N	2	c	,,	29.97	761.2	80	...	N	2	b
Labuan, ...	,,	29.83	757.7	85	...	...	...	...	,,	29.91	759.7	83	...	...	...	...

On the 16th at 11.40 a.—The barometer has risen moderately over S.E. Japan and the Bonins, and fallen moderately to slightly over the Yangtze Valley and S. China respectively.

The high pressure area remains over N. China, and strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh ; fair.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 16th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th JANUARY, 1909, P.M.								17th JANUARY, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	..	...	...	...
Nemuro,	,,	30.12	765.1	...	...	N W	8	...	6 a.	30.28	769.1	...	...	N W	8	...
Hakodate,	,,	30.28	769.2	...	...	N	6	...	,,	30.40	772.2	...	...	N W	6	...
Tokio,	,,	30.22	767.6	...	...	N W	8	...	,,	30.42	772.6	...	...	...	0	...
Kochi,	,,	30.23	767.8	...	...	S	4	...	,,	30.31	769.8	...	...	...	0	...
Nagasaki,	,,	30.27	768.8	...	...	N E	4	...	,,	30.27	768.3	...	...	E	4	...
Kagoshima,	,,	30.23	767.9	...	...	S E	4	...	,,	30.23	767.9	...	...	N E	4	...
Oshima,	,,	30.16	766.1	...	...	N E	2	...	,,	30.16	766.1	...	...	...	0	...
Naha,	,,	30.13	766.2	...	...	N E	4	...	,,	30.17	766.2	...	...	...	0	...
Ishigakijima,	,,	30.13	765.3	...	...	N	4	...	,,	30.13	765.3	...	...	N E	2	...
Bonin Is.	,,	30.00	762.1	...	...	N	2	...	,,	30.12	765.1	...	...	...	0	...
Chefoo,	2 p.	30.45	773.4	34	60	E	3	o	6 a.	30.39	771.9	23	100	S W	1	b
Weihaiwei,	,,	30.46	773.7	32	...	E N E	1	o	9 a.	30.42	772.6	29	...	W	1	o
Hankow,	,,	30.48	774.2	42	66	S W	1	o	6 a.	30.27	768.8	35	90	E	2	c
Kiukiang,	,,	30.31	769.9	30	100	N E	2	o	,,	30.25	768.3	34	90	N E	1	o
Shanghai,	,,	30.33	770.4	42	83	N N E	1	or	9 a.	30.28	769.1	44	76	E	2	om
Gutzlaff,	,,	30.30	769.6	44	84	N E	2	omd	,,	30.27	768.8	46	76	E	3	ov
Sharp Peak,	,,	30.22	767.6	52	86	N	1	o	,,	30.26	768.6	53	93	N	1	o
Amoy	,,	30.13	765.3	60	71	S E	1	b	6 a.	30.17	766.3	58	88	N E	1	o
Swatow,	,,	30.12	765.0	59	65	E	2	b	,,	30.13	765.3	53	93	N E	1	b
Taihoku,	1 p.	30.15	765.7	...	...	E	8	...	5 a.	30.13	765.3	...	...	...	0	...
Taichu,	,,	30.12	765.1	...	...	N	6	...	,,	30.12	765.1	...	...	...	0	...
Tainan,	,,	30.14	765.6	...	...	N	2	...	,,	30.13	765.2	...	...	N	2	...
Koshun	,,	30.12	765.1	...	...	N	6	...	,,	30.09	764.3	...	...	E	4	...
Pescadores,	,,	30.18	766.5	...	...	N	8	...	,,	30.14	765.5	...	...	N	8	...
Canton,	3 p.	30.17	766.3	57	63	N	1	o	9 a.	...	...	52	86	...	0	o
Hongkong,	4 p.	30.12	765.0	60	70	E	2	c	10 a.	30.17	766.3	61	78	E	4	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	30.12	765.0	...	...	E N E	5	...	,,	30.12	765.0	...	...	E	6	...
Macao,	,,	30.12	765.0	60	...	N E	1	c	,,	30.15	765.8	51	...	E S E	3	o
Wuchow,	3 p.	30.22	767.6	51	72	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.10	764.5	63	89	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.18	766.6	50	93	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.09	764.2	57	...	E	1	or	8 a.	30.09	764.2	...	...	E N E	3	o
Tourane,	,,	30.04	762.9	72	...	N W	3	c	,,	30.08	763.9	68	...	...	0	o
Cape St. James,	,,	29.88	758.9	77	...	E N E	6	c	,,	29.95	760.8	75	...	N N E	2	c
Aparri,	2 p.	30.04	762.9	...	...	N E	1	b	6 a.	30.02	762.4	...	...	N E	1	p
Manila,	4 p.	29.92	760	79	61	E N E	1	o	10 a.	30.00	762	77	68	N E	0	o
Legaspi,	2 p.	29.94	760.4	79	...	E	1	o	6 a.	29.95	760.6	75	...	E	1	o
Bacolod,	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	E N E	3	c
Iloilo,	,,	29.85	758.2	82	...	N N E	2	o	,,	29.93	760.2	77	...	N N E	4	b
Cebu,	,,	29.87	758.7	82	...	N	3	o	,,	29.92	759.9	81	...	N	2	b
Labuan,	,,	29.77	756.1	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 17th at 11.55 a.—The barometer has risen considerably in E. Japan, and fallen decidedly over China.

The high pressure area has shifted to the Eastward and lies now over the Sea of Japan, and a depression is probably developing over the Upper Yangtze.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to E. winds, fresh ; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 17th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th JANUARY, 1909, P.M.									18th JANUARY, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.34	770.5	9	...	N E	4	c		7 a.	30.33	770.4	2	70	N E	5	c
Nemuro,	,,	30.24	768.1	...	...	W	8	...		6 a.	30.36	771.1	...	...	N W	6	...
Hakodate,	,,	30.40	772.2	...	...	N	6	...		,,	...	...	...	...	...	0	...
Tokio,	,,	30.38	771.6	...	...	N E	2	...		,,	30.42	772.6	...	...	N W	2	...
Kochi,	,,	30.27	768.8	...	...	N	2	...		,,	30.11	764.8	...	...	S W	4	...
Nagasaki,	,,	30.19	766.8	...	...	N	2	...		,,	30.15	765.3	...	...	...	0	...
Kagoshima,	,,	30.19	766.9	...	...	N E	4	...		,,	30.12	764.9	...	...	W	2	...
Oshima,	,,	30.08	764.1	...	...	W	4	...		,,	30.16	766.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	N	2	...		,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...		,,	30.09	764.3	...	...	...	0	...
Bonin Is.	,,	30.12	765.1	...	...	N E	2	...		,,	30.28	769.1	...	...	N	4	...
Chefoo,	3 p.	30.38	771.6	34	69	E N E	1	o		6 a.	30.34	770.6	31	90	N E	3	c
Weihaiwei,	,,	30.34	770.6	33	...	E	1	o		9 a.	30.48	774.2	31	...	N	2	o
Hankow,	,,	30.34	770.6	37	91	N N E	1	o		6 a.	30.37	771.4	35	99	N	1	c
Kiukiang,	,,	30.26	768.6	34	100	N W	1	or		,,	30.21	767.3	35	100	N E	1	o
Shanghai,	,,	30.18	766.6	43	92	E	2	...		9 a.	30.25	768.3	44	92	E N E	2	o
Gutzlaff,	,,	30.18	766.6	44	92	E	4	omd		,,	30.21	767.3	47	93	E N E	3	ov
Sharp Peak,	,,	30.11	764.8	55	94	N	1	o		,,	30.15	765.8	60	106	...	0	b
Amoy,	,,	30.11	764.8	60	82	S W	1	b		6 a.	30.14	765.5	60	88	N E	1	o
Swatow,	,,	30.15	765.8	62	77	E	2	b		,,	30.13	765.3	...	...	N E	1	c
Taihoku,	1 p.	30.09	764.2	...	...	E	8	...		5 a.	30.08	764.1	...	...	...	0	...
Taichu,	,,	30.07	763.7	...	...	N	2	...		,,	30.07	763.7	...	...	...	0	...
Tainan,	,,	30.09	764.2	...	...	N	4	...		,,	30.05	763.3	...	...	N	4	...
Koshun	,,	30.04	763.1	...	...	N	8	...		,,	30.02	762.4	...	...	E	6	...
Pescadores,	,,	30.15	765.7	...	...	N	8	...		,,	30.07	763.8	...	...	N E	6	...
Canton,	3 p.	...	...	59	76	N	1	o		9 a.	30.12	765.0	58	88	...	0	o
Hongkong,	4 p.	30.04	763.0	62	82	E	4	c		10 a.	30.10	764.5	64	84	E	3	o
Victoria Peak,	,,	...	...	...	...	E	2	...		,,	...	...	...	...	E S E	5	...
Gap Rock,	,,	30.00	762.0	...	...	E	6	...		,,	30.05	763.2	...	...	E	5	...
Macao,	,,	30.05	763.2	63	...	E S E	2	c		,,	30.10	764.5	63	...	N	1	o
Wuchow,	3 p.	30.06	763.5	57	...	N E	1	o		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.96	761.0	73	81	S E	3	c		,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.00	762.0	69	85	S E	3	o		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.95	760.8	66	...	S S E	2	o		8 a.	29.99	761.8	64	...	E S E	3	c
Tourane,	,,	29.96	761.1	77	...	S E	1	c		,,	30.03	762.7	68	...	...	0	b
Cape St. James,	,,	29.84	757.9	79	...	N E	2	c		,,	29.94	760.4	73	...	N N E	3	o
Aparri,	2 p.	29.99	761.7	...	...	N E	1	b		6 a.	29.99	761.7	...	...	S W	1	b
Manila,	4 p.	29.88	759	81	56	N E	1	b		10 a.	29.96	761	81	62	...	0	b
Legaspi,	2 p.	29.87	758.8	82	...	N E	1	o		6 a.	29.89	759.3	72	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N N E	3	c		9 a.	...	...	...	...	E N E	2	c
Iloilo,	,,	29.85	758.2	81	...	N E	2	b		,,	29.93	760.2	80	...	E N E	2	b
Cebu,	,,	29.83	757.7	83	...	N	1	o		,,	29.92	759.9	84	...	N	1	b
Labuan,	,,	29.80	756.9	87	...	...	...	...		,,	29.85	758.2	81	...	...	...	...

On the 18th at 11.55 a.—The barometer has fallen over S.W. Japan and S. China, and risen at the Bonins.

Areas of high pressure are lying over E. Japan and N. China, while a shallow depression is situated over W. Japan. Pressure is low also over Tongking.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh ; cloudy, drizzling rain or mist.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 18th January, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th January, 1909, P.M.									19th January, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.30	769.6	9	...	N E	3	o		7 a.	30.30	769.5	3	80	N E	3	o
Nemuro,	,,	30.40	772.1	...	...	N W	6	...		6 a.	30.36	771.1	...	...	S E	2	...
Hakodate,	,,	30.40	772.2	...	...	S E	2	...		,,	30.17	766.2	...	...	E	2	...
Tokio,	,,	30.38	771.6	...	...	N W	6	...		,,	30.22	767.6	...	...	N	4	...
Kochi,	,,	30.07	763.8	...	...	S E	2	...		,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	S W	4	...		,,	29.99	761.8	...	...	S E	8	...
Kagoshima,	,,	30.11	764.9	...	...	N W	4	...		,,	30.08	763.9	...	...	S E	2	...
Oshima,	,,	30.16	766.1	...	...	...	0	...		,,	30.04	763.1	...	...	N W	4	...
Naha,	,,	30.13	765.2	...	...	S	4	...		,,	30.13	765.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	S	6	...		,,	30.05	763.3	...	...	S	6	...
Bonin Is.	,,	30.28	769.1	...	...	N E	2	...		,,	30.32	770.1	...	...	...	0	...
Chefoo,	3 p.	30.34	770.6	32	79	N N W	2	o		6 a.	30.43	772.9	22	86	N N E	6	o
Weihaiwei,	,,	30.32	770.1	30	...	N	2	o		9 a.	30.43	772.9	18	...	N	4	o
Hankow,	,,	30.27	768.8	36	100	N N W	1	o		6 a.	30.59	774.7	30	88	N	2	s
Kiukiang,	,,	30.12	765.0	37	100	N E	1	or		,,	30.30	769.6	33	100	N E	2	s
Shanghai,	,,	30.15	765.8	45	92	E N E	3	omd		9 a.	30.32	770.1	38	91	N	4	or
Gutzlaff,	,,	30.12	765.0	46	93	N E	3	omp		,,	30.21	767.3	43	100	N N E	6	omd
Sharp Peak,	,,	30.08	764.0	59	88	E	2	o		,,	30.05	763.2	...	...	...	0	o
Amoy,	,,	30.02	762.5	62	83	N E	1	c		6 a.	30.05	763.2	61	94	N E	1	c
Swatow,	,,	29.99	761.7	64	78	E	2	c		,,	30.09	764.3	60	94	N	1	c
Taihoku,	1 p.	30.05	763.3	...	...	N E	2	...		5 a.	30.04	763.0	...	...	E	2	...
Taichu,	,,	30.02	762.4	...	...	N	2	...		,,	30.04	763.0	...	...	N E	2	...
Tainan,	,,	30.03	762.7	...	...	N	4	...		,,	30.04	762.9	...	...	...	0	...
Koshun	,,	30.02	762.5	...	...	E	8	...		,,	30.01	762.2	...	...	E	4	...
Pescadores,	,,	30.07	763.8	...	...	N	6	...		,,	30.03	762.7	...	...	N	6	...
Canton,	3 p.	30.01	762.2	69	75	...	0	c		9 a.	30.10	764.5	64	89	...	0	b
Hongkong,	4 p.	30.02	762.5	65	80	E	2	o		10 a.	30.11	764.8	68	79	E	2	c
Victoria Peak,	,,	...	...	...	...	E	3	...		,,	...	...	...	...	E	1	...
Gap Rock,	,,	29.98	761.5	...	...	E	4	...		,,	30.07	763.8	...	...	E	3	...
Macao,	,,	30.01	762.2	65	...	E N E	2	o		,,	30.10	764.5	69	...	N N W	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.96	761.0	75	81	N E	2	b		,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.96	761.0	75	71	S	2	b		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	70	...	S S E	6	c		8 a.	30.04	763.1	68	...	E	2	o
Tourane,	,,	29.94	760.4	77	...	S E	2	b		,,	30.07	763.7	88	...	...	0	b
Cape St. James,	,,	29.87	758.8	81	...	N E	3	o		,,	29.98	761.4	75	...	N E	3	o
Aparri,	2 p.	29.95	760.8	...	...	N E	1	o		6 a.	29.98	761.6	...	...	S	1	c
Manila,	4 p.	29.88	759	82	70	...	0	o		10 a.	30.00	762	81	85	...	0	o
Legaspi,	2 p.	29.86	758.4	79	...	E	1	o		6 a.	29.93	760.2	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	3	c		9 a.	...	...	...	...	N N W	1	b
Iloilo,	,,	29.81	757.2	87	...	N N E	1	b		,,	29.95	760.7	81	...	N N E	1	o
Cebu,	,,	29.82	757.4	85	...	N	1	b		,,	29.95	760.7	82	...	...	0	o
Labuan,	,,	29.77	756.1	89	...	...	...	...		,,	29.85	758.2	84	...	...	...	...

On the 19th at 11.45 a.—The barometer has risen over Central and Northern China, and fallen in Japan.

A depression, which has developed over the Eastern Sea, is approaching S.W. Japan.

The area of high pressure extending over N. China appears to be of considerable intensity, and the monsoon is expected to become very strong in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, freshening considerably; fair [colder.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 19th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th January, 1909, P.M.								20th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.08	764.1	...	...	S E	8	...	6 a.	29.89	759.1	...	...	N	8	...
Hakodate,	,,	29.97	761.2	...	...	...	0	...	,,	29.97	761.2	...	...	N	6	...
Tokio,	,,	30.02	762.6	...	...	...	0	...	,,	29.87	758.6	...	...	N	6	...
Kochi,	,,	29.95	760.8	...	...	S W	2	...	,,	29.99	761.8	...	...	E	2	...
Nagasaki,	,,	29.91	759.8	...	...	W	4	...	,,	30.15	765.3	...	...	N	2	...
Kagoshima,	,,	29.96	760.9	...	...	S	2	...	,,	30.12	764.9	...	...	N	2	...
Oshima,	,,	30.00	762.1	...	...	S	6	...	,,	30.12	765.1	...	...	N	8	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.25	768.2	...	...	N	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.05	763.3	...	...	N E	8	...
Bonin Is.	,,	30.24	768.1	...	...	S	4	...	,,	30.28	769.1	...	...	S	4	...
Chefoo,	3 p.	30.46	773.7	19	100	N W	6	o	6 a.	30.44	773.2	20	85	S W	2	b
Weihaiwei,	,,	30.43	772.9	18	...	N W	3	o	9 a.	30.44	773.2	22	...	N W	3	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.66	778.7	30	100	N	2	o
Kiukiang	,,	30.46	773.7	33	90	N W	1	o	,,	30.49	774.4	28	100	N E	3	o
Shanghai,	,,	30.36	771.1	38	81	N N W	4	o	9 a.	30.52	775.2	30	100	N N W	1	os
Gutzlaff,	,,	30.26	768.6	40	91	N N W	7	om	,,	30.45	773.4	33	100	N N W	4	oms
Sharp Peak,	,,	30.03	762.7	62	...	N	1	c	,,	30.34	770.6	54	74	N N E	5	o
Amoy,	,,	29.99	761.7	64	89	S E	1	c	6 a.	30.18	766.6	55	87	N E	2	o
Swatow,	,,	29.97	761.2	69	56	E	2	c	,,	30.07	763.8	57	81	N	2	c
Taihoku	1 p.	30.06	763.6	...	...	N	4	...	5 a.	30.18	766.5	...	...	E	6	...
Taichu,	,,	30.03	762.7	...	...	N	4	...	,,	30.06	763.6	...	...	N	6	...
Tainan,	,,	30.02	762.5	...	...	W	4	...	,,	30.04	762.9	...	...	N	8	...
Koshun	,,	30.01	762.3	...	...	E	4	...	,,	29.96	760.9	...	...	N	10	...
Pescadores,	,,	30.03	762.8	...	...	N	6	...	,,	30.08	764.1	...	...	N	10	...
Canton,	3 p.	30.07	763.8	60	71	N	1	b	9 a.	30.26	768.6	49	73	N	2	o
Hongkong,	4 p.	30.01	762.2	71	75	W S W	3	c	10 a.	30.22	767.6	61	71	W N W	1	o
Victoria Peak,	,,	...	...	...	...	W N W	2	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	29.99	761.7	...	...	E N E	3	...	,,	30.19	766.8	...	...	N N E	4	...
Macao,	,,	30.02	762.5	68	...	N W	1	c	,,	30.23	767.8	59	...	N N W	1	c
Wuchow,	3 p.	30.11	764.8	51	...	N	2	o	9 a.	30.34	770.6	45	76	N	2	o
Hoihow,	,,	30.01	762.2	73	86	E N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.00	762.0	63	72	N N W	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	70	...	E S E	3	o	8 a.	30.15	765.7	57	...	E N E	3	o
Tourane,	,,	29.95	760.8	79	...	S E	1	b	,,	30.12	764.9	70	...	N	1	c
Cape St. James,	,,	29.91	759.6	81	...	E N E	4	c	,,	30.00	761.9	77	...	N E	2	c
Aparri,	2 p.	29.96	760.9	...	...	N E	1	b	6 a.	30.00	761.9	...	...	S E	1	b
Manila,	4 p.	29.88	759	84	77	...	0	c	10 a.	30.04	763	82	70	...	0	c
Legaspi,	2 p.	29.93	760.3	86	...	E	1	b	6 a.	29.97	761.3	77	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N	4	o	9 a.	...	...	...	...	N N W	2	o
Iloilo,	,,	29.89	759.2	82	...	N	2	b	,,	29.99	761.7	82	...	N N W	1	b
Cebu,	,,	29.88	758.9	85	...	N	1	b	,,	29.99	761.7	82	...	N	1	c
Labuan,	,,	29.79	756.6	88	...	...	...	...	,,	29.88	758.9	85	...	...	...	...

On the 20th at 11.55 a.—The barometer has fallen quickly in E. Japan owing to the depression which is moving into the Pacific to the S. of Hokkaido.

The anticyclonic area is lying over the continent to the North of the Yangtze, and pressure has increased considerably in S. China. It remains low to the S.E. of Formosa.

Hard monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh ; dull, temperature falling.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 20th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JANUARY, 1909, P.M.								21st JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.21	767.4	11	...	N	2	b	7 a.	30.10	764.6	0	90	N E	0	o
Nemuro,	,,	30.08	764.1	...	...	N W	8	...	6 a.	30.24	768.1	...	...	N	2	...
Hakodate,	,,	30.17	766.2	...	...	N	8	...	,,	30.21	767.2	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	E	2	...	,,	30.14	765.6	...	...	N W	6	...
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	30.03	762.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	4	...	,,	30.15	765.3	...	...	N	4	...
Kagoshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.15	765.9	...	...	...	0	...
Oshima,	,,	30.16	766.1	...	...	N W	6	...	,,	30.12	765.1	...	...	N	6	...
Naha,	,,	30.13	765.2	...	...	N E	4	...	,,	30.09	764.2	...	...	N E	2	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	4	...
Bonin Is.	,,	30.20	767.1	...	...	S	4	...	,,	30.20	767.1	...	...	N	4	...
Chefoo,	3 p.	30.35	770.9	25	100	W N W	3	s	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.39	771.9	23	...	W N W	4	o	9 a.	30.49	774.4	22	...	N	3	b
Hankow,	,,	30.69	779.5	29	100	N W	1	o	6 a.	30.63	779.3	24	100	N	1	c
Kiukiang,	,,	30.46	773.7	31	90	N E	1	o	,,	30.46	773.7	33	90	N W	1	o
Shanghai,	,,	30.41	772.4	33	90	N N W	2	o	9 a.	30.47	773.9	29	...	N W	1	b
Gutzlaff,	,,	30.37	771.4	35	80	N N W	3	ov	,,	30.45	773.4	35	70	N N W	4	cv
Sharp Peak,	,,	30.25	768.3	54	74	N E	5	o	,,	30.34	770.6	51	72	N N E	5	o
Amoy,	,,	30.13	765.3	62	72	N E	3	c	6 a.	30.18	766.6	58	81	N E	1	c
Swatow,	,,	30.13	765.3	56	81	N N E	2	o	,,	30.20	767.1	55	87	N E	1	c
Taihoku,	1 p.	30.17	766.4	...	...	E	6	...	5 a.	30.20	767.0	...	...	E	2	...
Taichu,	,,	30.06	763.6	...	...	N	6	...	,,	30.13	765.3	...	...	N	6	...
Tainan,	,,	30.09	764.3	...	...	N	4	...	,,	30.12	764.9	...	...	W	6	...
Koshun	,,	30.04	762.9	...	...	N	8	...	,,	30.08	764.0	...	...	...	0	...
Pescadores,	,,	30.12	765.0	...	...	N	10	...	,,	30.16	766.1	...	...	N	10	...
Canton,	3 p.	30.18	766.6	54	74	N	1	o	9 a.	30.30	769.6	47	85	N	1	o
Hongkong,	4 p.	30.13	765.3	60	80	E	1	o	10 a.	30.27	768.8	58	75	N	1	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	30.10	764.5	...	...	N E	4	...	,,	30.22	767.6	...	...	N E	4	...
Macao,	,,	30.13	765.3	57	...	N W	1	o	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.25	768.3	48	...	N	2	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.10	764.5	66	84	N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.08	764.1	57	...	E N E	3	or	8 a.	30.25	768.2	54	...	N E	4	o
Tourane,	,,	30.02	762.6	79	...	N N W	2	c	,,	30.15	765.7	79	...	...	0	o
Cape St. James,	,,	29.91	759.6	79	...	E N E	6	b	,,	30.00	762.0	77	...	N E	2	c
Aparri,	2 p.	29.97	761.3	...	...	S E	0	b	6 a.	30.01	762.3	...	...	N W	1	c
Manila,	4 p.	29.92	760	84	64	...	0	c	10 a.	30.06	762	84	64	N E	1	b
Legaspi,	2 p.	29.93	760.1	88	...	E	1	b	6 a.	29.98	761.4	75	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N	3	o	9 a.	...	...	...	...	E N E	2	o
Iloilo,	,,	29.85	758.2	87	...	N N E	1	c	,,	29.95	760.7	81	...	N N E	1	c
Cebu,	,,	29.86	758.4	84	...	N	1	c	,,	29.93	760.2	77	...	N	4	cr
Labuan,	,,	29.80	756.9	87	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 21st at 11.30 a.—The barometer has risen considerably to moderately over E. Japan and Formosa respectively.

The anticyclonic area remains over the continent to the North of the Yangtze, while pressure is still relatively low to the S. of the Loochoos.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh or moderate; fair, cloudy.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 21st January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JANUARY, 1909, P.M.								22nd JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.11	764.8	17	...	N E	1	b	7 a.	30.17	766.4	−8	56	N	1	h
Nemuro,	,,	30.08	764.1	...	...	W	...	...	6 a.	29.61	752.1	...	...	N W	8	...
Hakodate,	,,	29.97	761.2	...	...	E	6	...	,,	29.93	760.2	...	...	W	6	...
Tokio,	,,	29.94	760.6	...	...	N W	4	...	,,	29.91	759.6	...	...	N W	6	...
Kochi,	,,	29.95	760.8	...	...	S W	2	...	,,	30.07	763.8	...	...	N	4	...
Nagasaki,	,,	30.15	765.8	...	...	...	6	...	,,	30.19	766.8	...	...	N	2	...
Kagoshima,	,,	30.11	764.9	...	...	W	8	...	,,	30.19	766.9	...	...	...	0	...
Oshima,	,,	30.12	765.1	...	...	W	8	...	,,	30.16	766.1	...	...	N	6	...
Naha,	,,	29.97	761.2	...	...	N	4	...	,,	30.17	766.2	...	...	N	2	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N	4	...
Bonin Is.	,,	30.08	764.1	...	...	S	4	...	,,	29.97	761.1	...	...	S	6	...
Chefoo,	3 p.	30.45	773.4	26	100	N	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.45	773.4	23	...	...	2	b	9 a.	30.47	773.9	23	...	W S W	4	ovr
Hankow,	,,	30.63	778.0	32	90	E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.53	775.4	30	88	N E	2	f	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.42	772.6	32	...	N W	2	o	9 a.	30.56	776.2	31	...	N W	2	b
Gutzlaff,	,,	30.38	771.6	34	69	N N W	4	om	,,	30.48	774.2	36	80	N N W	5	bm
Sharp Peak,	,,	30.26	768.6	51	79	N	4	o	,,	30.42	772.6	46	84	N E	3	o
Amoy,	,,	30.17	766.3	59	82	N E	1	c	6 a.	30.20	767.1	53	80	N E	4	o
Swatow,	,,	30.11	764.8	...	...	N E	2	c	,,	...	...	...	...	...	...	...
Taiboku,	1 p.	30.20	767.2	...	...	E	6	...	5 a.	30.27	768.9	...	...	E	4	...
Taichu,	,,	30.12	765.0	...	...	N	6	...	,,	30.19	766.7	...	...	N	6	...
Tainan,	,,	30.12	765.1	...	...	N	8	...	,,	30.17	766.3	...	...	N	6	...
Koshun	,,	30.09	764.3	...	...	N	6	...	,,	30.14	765.5	...	...	N	4	...
Pescadores,	,,	30.20	767.1	...	...	N	10	...	,,	30.21	767.3	...	...	E	10	...
Canton,	3 p.	30.22	767.6	49	78	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.15	765.8	61	65	N	1	o	10 a.	30.35	770.9	53	74	W	1	o
Victoria Peak,	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	N W	1	...
Gap Rock,	,,	30.14	765.5	...	...	N	5	...	,,	30.30	769.6	...	...	N E	4	...
Macao,	,,	30.17	766.3	56	...	N W	1	o	,,	30.33	770.4	50	...	N W	3	o
Wuchow,	3 p.	30.15	765.8	45	...	N E	2	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.17	766.3	58	94	N	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.25	768.3	46	92	N	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.8	54	...	E N E	2	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	30.06	763.5	75	...	N E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.89	759.3	79	...	N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.98	761.4	...	...	N E	1	o	6 a.	30.02	762.4	...	...	N E	1	o
Manila,	4 p.	29.92	760	75	100	E	1	opt	10 a.	30.00	762	82	70	...	0	c
Legaspi,	2 p.	29.92	759.9	82	...	E	1	o	6 a.	29.97	761.1	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	E N E	1	or	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.87	758.7	81	...	E N E	1	c	,,	29.95	760.7	80	...	N E	3	c
Cebu,	,,	29.89	759.2	80	...	N	1	o	,,	29.95	760.7	83	...	N	2	b
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.86	758.4	84	...	...	...	...

On the 22nd at 11.35 a.—The barometer has fallen rapidly in S. Japan owing to a depression which having increased in depth over the Sea of Japan yesterday, is now passing to the Pacific to the E. of Hokkaido.

The anticyclonic area remains over the continent to the North of the Yangtze, and pressure has increased moderately over S. China.

Very strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh ; fair, cloudy.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 22nd January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JANUARY, 1909, P.M.								23rd JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.81	757.1	...	...	N W	6	...	6 a.	30.01	762.1	...	...	N W	2	...
Hakodate, ...	,,	30.01	762.2	...	...	N W	8	...	,,	30.13	765.2	...	...	N W	6	...
Tokio, ...	,,	29.94	760.6	...	...	N E	2	...	,,	30.14	765.6	...	...	N W	4	...
Kochi, ...	,,	30.07	763.8	...	...	W	4	...	,,	30.35	770.8	...	...	S W	2	...
Nagasaki, ...	,,	30.27	768.8	...	...	N W	8	...	,,	30.43	772.3	...	...	N E	4	...
Kagoshima, ...	,,	30.23	767.9	...	...	N W	8	...	,,	30.43	772.9	...	...	...	0	...
Oshima, ...	,,	30.20	767.1	...	...	N	6	...	,,	30.36	771.1	...	...	N	8	...
Naha, ...	,,	30.20	767.2	...	...	N	4	...	,,	30.32	770.2	...	...	N E	4	...
Ishigakijima, ...	,,	30.17	766.3	...	...	N E	6	...	,,	30.21	767.3	...	...	E	6	...
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	30.08	764.1	...	...	N	4	...
Chefoo, ...	3 p.	30.42	772.6	22	100	S W	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei, ...	,,	30.40	772.1	23	...	W	4	o	9 a.	...	...	...	...	...	...	...
Hankow, ...	,,	30.61	777.5	35	53	S E	1	b	6 a.	30.51	774.9	32	100	E	1	o
Kiukiang, ...	,,	30.58	776.7	37	91	N E	2	b	,,	30.43	772.9	30	83	...	0	o
Shanghai, ...	,,	30.49	774.4	36	71	N N W	2	c	9 a.	30.46	773.7	33	...	N	1	o
Gutzlaff, ...	,,	30.44	773.2	37	...	N N W	3	cm	,,	30.42	772.6	42	58	E	2	ov
Sharp Peak, ...	,,	30.35	770.9	48	71	N N E	5	o	,,	30.37	771.4	48	85	N	3	c
Amoy	,,	30.20	767.1	58	70	N E	1	o	6 a.	30.28	769.1	55	74	N E	1	o
Swatow, ...	,,	30.23	767.8	55	68	N	1	o	,,	30.20	767.1	50	86	N	1	b
Taiboku, ...	1 p.	30.30	769.6	...	...	S W	2	...	5 a.	30.27	768.9	...	...	E	6	...
Taichu, ...	,,	30.19	766.7	...	...	N	8	...	,,	30.19	766.7	...	...	...	0	...
Tainan, ...	,,	30.17	766.3	...	...	N	8	...	,,	30.17	766.2	...	...	N	2	...
Koshun	,,	30.15	765.7	...	...	N	o	...	,,	30.12	765.1	...	...	N	8	...
Pescadores, ...	,,	30.20	767.0	...	...	N	10	...	,,	30.22	767.5	...	...	N	10	...
Canton, ...	3 p.	30.30	769.6	50	65	N	1	o	9 a.	30.30	769.6	48	78	N	1	o
Hongkong, ...	4 p.	30.22	767.6	54	62	N	1	o	10 a.	30.28	769.1	56	80	E N E	4	o
Victoria Peak, ...	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	E	6	...
Gap Rock, ...	,,	30.19	766.8	...	...	N N E	4	...	,,	30.22	767.6	...	...	E N E	6	...
Macao, ...	,,	30.19	766.8	58	...	N N W	2	o	,,	30.28	769.1	53	...	N W	2	o
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.31	769.9	47	85	N	6	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.23	767.9	54	...	N	1	o	8 a.	...	...	...	...	...	...	...
Tourane, ...	,,	30.12	765.1	70	...	N N E	3	o	,,	...	...	...	...	...	...	...
Cape St. James, ..	,,	29.92	759.9	81	...	E	2	c	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	30.01	762.3	...	...	N E	1	o	6 a.	30.04	762.9	...	...	N E	1	p
Manila, ...	4 p.	29.88	759	86	53	E S E	1	b	10 a.	30.00	76[illegible]	79	76	S W	0	b
Legaspi, ...	2 p.	29.92	760.0	86	...	E	1	o	6 a.	29.96	760.9	77	...	N E	1	o
Bacolod, ...	3 p.	...	...	...	...	N	4	c	9 a.	...	...	...	...	N N E	3	o
Iloilo, ...	,,	29.85	758.2	86	...	N N E	1	b	,,	29.93	760.2	80	...	N N E	2	o
Cebu, ...	,,	29.83	757.7	85	...	N	3	c	,,	29.92	759.9	83	...	N	1	c
Labuan, ...	,,	29.81	757.2	85	...	...	...	...	,,	29.86	758.4	81	...	...	...	...

On the 23rd at 11.20 a.—The depression lying off Hokkaido yesterday, has moved away over the Pacific, and pressure has increased considerably over Japan and the Loochoos.

The high pressure area has spread Eastwards over W. Japan and the barometer is falling over China.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. fresh or strong ; fair, cloudy.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 23rd January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd January, 1909, P.M.								24th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.16	766.0	15	...	...	0	b	7 a.	29.93	760.1	9	90	...	0	b
Nemuro,	,,	30.12	765.1	...	...	N W	6	...	6 a.	30.16	766.1	...	...	...	0	...
Hakodate,	,,	30.24	768.2	...	...	N	6	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.22	767.6	...	...	N	6	...	,,	30.30	769.6	...	...	N	4	...
Kochi,	,,	30.31	769.8	...	...	S	2	...	,,	30.35	770.8	...	...	...	0	...
Nagasaki,	,,	30.39	771.8	...	...	S E	6	...	,,	30.31	769.8	...	...	E	2	...
Kagoshima,	,,	30.35	770.9	...	...	N E	2	...	,,	30.27	768.9	...	...	E	2	...
Oshima,	,,	30.32	770.1	...	...	N E	4	...	,,	30.16	766.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	N E	6	...	,,	30.13	765.2	...	...	S E	2	...
Ishigakijima,	,,	30.17	766.3	...	...	E	8	...	,,	30.05	763.3	...	...	N W	2	...
Bonin Is.	,,	30.16	766.1	...	...	N W	4	...	,,	30.28	769.1	...	...	...	0	...
Chefoo,	3 p.	...	...	...	...	...	...	...	6 a.	30.24	768.1	27	100	S	1	b
Weihaiwei,	,,	30.18	766.6	32	...	S W	2	o	9 a.	30.30	769.6	30	...	W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.47	773.9	30	100	N	1	o
Kiukiang,	,,	30.31	769.9	34	100	...	0	o	,,	30.35	770.9	43	...	...	0	b
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	30.35	770.9	33	90	W	1	c
Gützlaff,	,,	30.34	770.6	44	76	E	1	om	,,	30.33	770.4	36	80	N	2	om
Sharp Peak,	,,	30.25	768.3	49	93	N	1	c	,,	30.25	768.3	52	93	E	3	c
Amoy,	,,	30.17	766.3	60	76	N E	1	b	6 a.	30.13	765.3	53	73	S	1	c
Swatow,	,,	30.13	765.3	60	71	E	1	c	,,	30.07	763.8	54	80	N	1	b
Taihoku,	1 p.	30.15	765.7	...	...	E	6	...	5 a.	30.14	765.6	...	...	N W	2	...
Taichu,	,,	30.14	765.5	...	...	N	2	...	,,	30.15	765.7	...	...	N	2	...
Tainan,	,,	30.16	766.0	...	...	N	4	...	,,	30.12	765.0	...	...	N	6	...
Koshun	,,	30.14	765.5	...	...	N	8	...	,,	30.08	763.9	...	...	N	2	...
Pescadores,	,,	30.20	767.0	...	...	N	8	...	,,	30.16	766.1	...	...	N	8	...
Canton,	3 p.	30.20	767.1	51	79	N	2	o	9 a.	...	...	51	79	N	1	o
Hongkong,	4 p.	30.17	766.3	58	72	E	2	o	10 a.	30.20	767.1	60	68	W	1	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	30.16	766.0	...	...	E N E	5	...	,,	30.18	766.6	...	...	N	4	...
Macao,	,,	30.18	766.6	58	...	N W	1	o	,,	30.21	767.3	61	...	N N W	2	b
Wuchow,	3 p.	30.31	769.1	48	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.23	767.8	50	93	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.17	766.2	54	...	W N W	3	o	8 a.	30.21	767.4	54	...	N E	2	o
Tourane,	,,	30.03	762.7	75	...	S	...	c	,,	30.13	765.2	70	...	N W	1	c
Cape St. James,	,,	29.87	758.7	81	...	E N E	3	o	,,	29.95	760.8	75	...	N	1	f
Aparri,	2 p.	29.99	761.8	...	...	N E	1	o	6 a.	29.99	761.6	...	...	S E	1	b
Manila,	4 p.	29.92	760	82	70	E S E	2	o	10 a.	29.96	761	82	63	N W	0	c
Legaspi,	2 p.	29.92	760.0	84	...	E	1	o	6 a.	29.95	760.6	77	...	W	1	b
Bacolod,	3 p.	...	...	...	...	N N W	4	o	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.87	758.7	84	...	N N E	2	b	,,	29.91	759.7	80	...	N N E	3	o
Cebu,	,,	29.86	758.4	85	...	N	2	c	,,	29.92	759.9	82	...	N	1	o
Labuan,	,,	29.87	758.7	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 24th at 11.55 a.—The barometer has risen over S.E. Japan and the Bonins, and fallen elsewhere particularly over the Loochoos and at Wladiwostok.

A depression is moving Eastwards in the neighbourhood of the latter station, and a second area of low pressure appears to be developing between Meiaco Sima and the Loochoos.

Pressure is highest over the Upper Yangtze in the West, and over the Pacific to the S.E. of Japan in the East.

Moderate to fresh N. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate to fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 24th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th January, 1909, P.M.								25th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.96	761.0	30	...	...	0	b	7 a.	30.07	763.7	9	66	...	0	c
Nemuro,	,,	29.93	760.1	...	...	S	8	...	6 a.	30.08	764.1	...	...	S W	4	...
Hakodate,	,,	29.89	759.2	...	...	W	6	...	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.10	764.6	...	...	N E	2	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	30.23	767.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	...	0	...	,,	29.99	761.3	...	...	...	0	...
Kagoshima,	,,	30.19	766.9	...	...	N E	2	...	,,	29.96	760.9	...	...	E	4	...
Oshima,	,,	30.04	763.1	...	...	S	6	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	30.09	764.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	N W	6	...	,,	29.93	760.3	...	...	...	0	...
Bonin Is.	,,	30.20	767.1	...	...	S E	2	...	,,	30.29	767.1	...	...	...	0	...
Chefoo,	3 p.	30.15	765.8	37	71	S	1	o	6 a.	30.10	764.5	30	100	...	0	b
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.09	764.3	32	...	S W	0	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.25	768.3	39	82	W	1	o	,,	30.27	768.8	33	79	S W	1	o
Shanghai,	,,	30.22	767.6	44	...	N	1	om	9 a.	30.18	766.6	34	100	W N W	2	mos
Gutzlaff,	,,	30.23	767.8	39	90	N N W	2	om	,,	30.15	765.8	35	100	N W	4	om
Sharp Peak,	,,	30.12	765.0	53	80	E	5	c	,,	30.10	764.5	53	100	...	0	c
Amoy,	,,	30.04	763.0	61	77	E	2	b	6 a.	30.09	764.3	57	88	N E	1	b
Swatow,	,,	30.02	762.5	66	68	E	1	b	,,	29.99	761.7	54	94	E	1	b
Taihoku	1 p.	30.11	764.7	...	...	W	2	...	5 a.	30.03	762.8	...	...	...	0	...
Taichu,	,,	30.02	762.4	...	...	N	6	...	,,	30.05	763.2	...	...	...	0	...
Tainan,	,,	30.01	762.3	...	...	N	6	...	,,	30.02	762.6	...	...	N	4	...
Koshun	,,	30.04	763.1	...	...	N E	6	...	,,	30.01	762.1	...	...	N	2	...
Pescadores,	,,	30.06	763.5	...	...	E	6	...	,,	30.06	763.6	...	...	N	6	...
Canton,	3 p.	30.04	763.0	59	88	S	1	b	9 a.	30.18	766.6	55	89	N	1	o
Hongkong,	4 p.	30.03	762.7	64	63	W	1	b	10 a.	30.15	765.8	62	72	W	1	o
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	N W	6	...
Gap Rock,	,,	30.02	762.5	...	...	N	3	...	,,	30.12	765.0	...	...	N	4	...
Macao,	,,	30.07	763.8	61	...	E N E	1	b	,,	30.16	766.0	62	...	N W	1	c
Wuchow,	3 p.	30.20	767.1	51	...	N W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.08	764.0	57	...	E N E	0	o	8 a.	30.19	766.7	54	...	E N E	4	or
Tourane,	,,	30.03	762.7	72	...	N W	1	o	,,	30.08	763.9	68	...	...	0	o
Cape St. James,	,,	29.83	757.9	79	...	E N E	4	c	,,	29.96	761.0	75	...	N	2	f
Aparri,	2 p.	29.90	759.4	...	...	S E	1	b	6 a.	29.96	760.9	...	...	S E	1	b
Manila,	4 p.	29.88	759	83	59	E S E	2	...	10 a.	29.96	761	82	70	N N W	1	b
Legaspi,	2 p.	29.89	759.2	86	...	E	1	b	6 a.	29.92	760.0	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N W	1	o
Iloilo,	,,	29.81	757.2	84	...	N N W	1	c	,,	29.91	759.7	81	...	...	1	b
Cebu,	,,	29.82	757.4	83	...	N	1	c	,,	29.90	759.4	84	...	...	1	c
Labuan,	,,	29.78	756.4	85	...	...	...	...	,,	29.88	758.4	79	...	...	...	...

On the 25th at 11.45 a.—The barometer has fallen considerably at the stations around the Eastern Sea the depression, which is moving towards N.E. to the N.W. of the Loochoos, having become deeper.

The depression lying over the N.E. part of the Sea of Japan yesterday, has moved into the Pacific and the barometer has risen moderately over N. Japan.

Pressure is highest over the Upper Yangtze.

Fresh N. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 25th January, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JANUARY, 1909, P.M.								26th JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.01	762.2	25	...	...	0	f	7 a.	29.82	757.6	26	95	...	0	o
Nemuro,	,,	30.20	767.1	...	...	N E	4	...	6 a.	30.01	762.1	...	...	E	8	...
Hakodate,	,,	30.17	766.2	...	...	E	2	...	,,	29.73	755.2	...	...	E	4	...
Tokio,	,,	30.10	764.6	...	...	N W	4	...	,,	29.24	742.6	...	...	N	2	...
Kochi,	,,	29.76	755.8	...	...	S W	2	...	,,	29.76	755.8	...	...	W	2	...
Nagasaki,	,,	29.80	756.8	...	...	N E	6	...	,,	29.99	761.3	...	...	N W	6	...
Kagoshima,	,,	29.76	755.9	...	...	...	0	...	,,	30.00	761.9	...	...	N W	4	...
Oshima,	,,	29.85	758.1	...	...	N	4	...	,,	30.04	763.1	...	...	N	8	...
Naha,	,,	29.93	760.2	...	...	N	4	...	,,	30.13	765.2	...	...	N	4	...
Ishigakijima,	,,	29.93	760.3	...	...	N W	6	...	,,	30.09	764.3	...	...	N E	4	...
Bonin Is.	,,	30.08	764.1	...	...	S E	4	...	,,	29.85	758.1	...	...	S	8	...
Chefoo,	3 p.	30.03	762.7	45	39	W S W	3	b	6 a.	30.19	766.8	32	68	S S W	4	b
Weihaiwei,	,,	30.01	762.2	43	...	W	1	b	9 a.	30.29	769.3	30	...	N	2	b
Hankow,	,,	30.38	771.6	37	81	S E	1	o	6 a.	30.41	772.4	35	90	S E	1	o
Kiukiang,	,,	30.26	768.6	39	82	W	2	o	,,	30.30	769.6	36	90	...	0	o
Shanghai,	,,	30.12	765.0	39	...	N W	2	c	9 a.	30.42	772.6	36	100	N N W	2	om
Gutzlaff,	,,	30.11	764.8	42	83	N W	3	bm	,,	30.29	769.3	40	91	N W	4	om
Sharp Peak,	,,	30.06	763.5	57	81	N N E	4	b	,,	30.26	768.6	55	87	N	4	b
Amoy,	,,	29.98	761.5	63	78	N E	1	b	6 a.	30.11	764.8	56	75	N E	2	b
Swatow,	,,	29.96	761.0	70	57	W	2	b	,,	30.03	762.7	55	80	E	4	o
Taihoku,	1 p.	30.06	763.5	...	...	N	6	...	5 a.	30.15	765.9	...	...	E	6	...
Taichu,	,,	30.03	762.8	...	...	N	6	...	,,	30.07	763.7	...	...	N	2	...
Tainan,	,,	30.01	762.3	...	...	N	8	...	,,	30.05	763.2	...	...	N	6	...
Koshun	,,	29.96	760.9	...	...	N W	8	...	,,	30.01	762.2	...	...	E	10	...
Pescadores,	,,	30.06	763.4	...	...	N	6	...	,,	30.11	764.7	...	...	N	10	...
Canton,	3 p.	30.05	763.2	64	58	N	1	c	9 a.	30.17	766.3	56	81	...	0	o
Hongkong,	4 p.	30.01	762.2	64	65	W	1	b	10 a.	30.16	766.0	60	83	E	3	o
Victoria Peak,	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	30.02	762.5	...	...	N N W	4	...	,,	30.13	765.3	...	...	E N E	3	...
Macao,	,,	30.02	762.5	64	...	E N E	1	b	,,	30.16	766.0	60	...	N	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.97	761.2	58	87	N N W	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.06	763.4	57	...	E N E	0	o	8 a.	30.10	764.6	57	...	N E	2	o
Tourane,	,,	30.00	761.9	72	...	N W	2	o	,,	30.08	763.9	72	...	...	0	c
Cape St. James,	,,	29.85	758.2	81	...	E N E	4	o	,,	29.94	760.5	75	...	N N E	3	o
Aparri,	2 p.	29.92	759.9	...	...	N W	1	b	6 a.	29.98	761.5	...	...	N E	1	p
Manila,	4 p.	29.84	758	86	65	W	1	o	10 a.	29.96	761	82	70	N N W	1	b
Legaspi,	2 p.	29.89	759.1	82	...	E	1	o	6 a.	30.05	763.3	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N W	2	c	9 a.	...	...	...	...	N N W	1	o
Iloilo,	,,	29.85	758.2	86	...	N N W	1	b	,,	29.93	760.2	80	...	N N W	1	b
Cebu,	,,	29.85	758.2	85	...	N	2	c	,,	29.94	760.5	85	...	N	1	b
Labuan,	,,	29.81	757.2	80	...	...	...	...	,,	29.90	759.4	78	...	...	...	...

On the 26th at 12.05 p.—The barometer has fallen rapidly in E. Japan owing to the depression which is moving towards N.E. in the neighbourhood of Tokio.

Pressure has increased moderately over the Loochoos and the E. coast of China. It is highest over the Yangtze Valley.

Fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair, cloudy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 26th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JANUARY, 1909, P.M.								27th JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.53	750.1	...	...	N	10	...	6 a.	29.45	748.1	...	...	N W	10	...
Hakodate,	,,	29.50	749.2	...	...	N	8	...	,,	29.77	756.2	...	...	N	6	...
Tokio,	,,	29.39	746.6	...	...	W	8	...	,,	29.95	760.6	...	...	N W	4	...
Kochi,	,,	29.83	757.8	...	...	N W	6	...	,,	30.15	765.8	...	...	S W	4	...
Nagasaki,	,,	30.07	763.8	...	...	N W	8	...	,,	30.19	766.8	...	...	N E	2	...
Kagoshima,	,,	30.04	762.9	...	...	N	8	...	,,	30.19	766.9	...	...	N	4	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.16	766.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	N	2	...	,,	30.21	767.2	...	...	...	0	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.09	764.3	...	...	E	6	...
Bonin Is.	,,	29.85	758.1	...	...	W	8	...	,,	30.04	763.1	...	...	N	4	...
Chefoo,	3 p.	30.33	770.4	32	100	N N W	3	b	6 a.	30.26	768.6	35	100	...	0	b
Weihaiwei,	,,	30.31	769.9	34	...	W	1	b	9 a.	30.32	770.1	28	...	W S W	1	c
Hankow,	,,	30.39	771.9	40	82	N N E	1	o	6 a.	30.38	771.6	38	100	N W	1	or
Kiukiang,	,,	30.21	767.3	44	84	N E	2	o	,,	30.25	768.3	39	91	...	0	or
Shanghai,	,,	30.26	768.6	46	47	N N E	2	c	9 a.	30.27	768.8	41	74	N E	2	om
Gutzlaff,	,,	30.26	768.6	45	76	N N W	2	bm	,,	30.26	768.6	43	83	N E	1	om
Sharp Peak,	,,	30.26	768.6	56	87	N E	3	o	,,	30.20	767.1	53	93	N	1	c
Amoy,	,,	30.04	763.0	63	67	N E	1	b	6 a.	30.10	764.5	59	82	N E	1	o
Swatow,	,,	30.03	762.7	63	67	E	2	b	,,	30.04	763.0	55	81	N E	2	o
Taihoku,	1 p.	30.12	765.0	...	...	E	8	...	5 a.	30.10	764.5	...	...	E	4	...
Taichu,	,,	30.05	763.2	...	...	N	2	...	,,	30.08	763.9	...	...	N	2	...
Tainan,	,,	30.05	763.3	...	...	N	4	...	,,	30.06	763.6	...	...	N	6	...
Koshun,	,,	30.03	762.9	...	...	N E	8	...	,,	30.03	762.7	...	...	N E	4	...
Pescadores,	,,	30.09	764.4	...	...	N	10	...	,,	30.10	764.5	...	...	N	10	...
Canton,	3 p.	30.10	764.5	56	81	N	1	o	9 a.	30.13	765.3	55	87	N	1	c
Hongkong,	4 p.	30.05	763.2	60	77	E	3	o	10 a.	30.11	764.8	63	76	E	4	b
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E S E	3	...
Gap Rock,	,,	30.01	762.2	...	...	E N E	5	...	,,	30.08	764.0	...	...	E	6	...
Macao,	,,	30.06	763.5	62	...	E N E	1	o	,,	30.11	764.8	63	...	S E	1	c
Wuchow,	3 p.	30.12	765.0	58	...	S E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.97	761.2	59	...	E S E	1	or	8 a.	30.05	763.3	61	...	E N E	3	o
Tourane,	,,	29.97	761.2	77	...	S E	2	c	,,	30.05	763.3	72	...	...	0	c
Cape St. James,	,,	29.83	757.7	79	...	E N E	6	c	,,	29.93	760.2	75	...	N N E	2	f
Aparri,	2 p.	29.94	760.4	...	...	N E	1	d	6 a.	29.95	760.7	...	...	N E	1	d
Manila,	4 p.	29.84	758	84	64	E S E	0	c	10 a.	29.96	761	82	63	W	1	b
Legaspi,	2 p.	29.89	759.2	86	...	E	1	b	6 a.	29.93	760.1	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N E	2	b
Iloilo,	,,	29.85	758.2	86	...	N N E	1	b	,,	29.91	759.7	80	...	N N E	1	c
Cebu,	,,	29.84	757.9	85	...	N	2	b	,,	29.90	759.4	85	...	N	2	c
Labuan,	,,	29.82	757.4	81	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 27th at 11.50 a.—The depression is moving away over the Pacific to the N.E. of Japan.

Pressure has increased considerably over S. Japan, and fallen slightly in S. China. It is highest over N. China. Gradients are slight and fresh or moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 27th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th January, 1909, P.M.								28th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.73	755.1	...	...	N W	10	...	6 a.	30.08	764.1	...	...	W	2	...
Hakodate,	,,	29.93	760.2	...	...	N	4	...	,,	30.09	764.2	...	...	N W	2	...
Tokio,	,,	30.02	762.6	...	...	N W	6	...	,,	30.10	764.6	...	...	N W	2	...
Kochi,	,,	30.11	764.8	...	...	N E	2	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	S E	6	...	,,	30.11	764.3	...	...	...	0	...
Kagoshima,	,,	30.15	765.9	...	...	S	2	...	,,	30.08	763.9	...	...	N E	2	...
Oshima,	,,	30.12	765.1	...	...	N	2	...	,,	30.01	762.1	...	...	...	0	...
Naha,	,,	30.09	764.2	...	...	E	6	...	,,	29.97	761.2	...	...	E	4	...
Ishigakijima,	,,	30.01	762.3	...	...	S E	8	...	,,	29.93	760.3	...	...	N	2	...
Bonin Is.	,,	30.04	763.1	...	...	N W	4	...	,,	29.93	760.1	...	...	N	2	...
Chefoo,	3 p.	30.23	767.8	38	63	S W	1	o	6 a.	30.34	770.6	31	100	N E	4	b
Weihaiwei,	,,	30.24	768.1	33	...	W	1	o	9 a.	30.39	771.9	30	...	N	1	b
Hankow,	,,	30.37	771.4	45	76	N W	1	o	6 a.	30.47	773.9	36	100	N W	1	b
Kiukiang,	,,	30.24	768.1	42	100	...	0	o	,,	30.33	770.4	39	91	...	0	b
Shanghai,	,,	...	...	43	75	E N E	2	om	9 a.	30.32	770.1	39	82	N N W	2	c
Gutzlaff,	,,	30.19	766.8	43	83	E	3	ov	,,	30.27	768.8	42	83	N	3	cv
Sharp Peak,	,,	30.10	764.5	56	94	E	1	o	,,	30.18	766.6	54	94	N	1	c
Amoy,	,,	29.99	761.7	63	78	S W	1	b	6 a.	30.07	763.8	59	88	N E	1	o
Swatow,	,,	30.00	762.0	64	68	E	2	b	,,	29.98	761.5	55	94	N	1	o
Taihoku,	1 p.	30.06	763.4	...	...	N	6	...	5 a.	30.06	763.6	...	...	S W	2	...
Taichu,	,,	30.04	763.1	...	...	N	4	...	,,	30.01	762.3	...	...	E	0	...
Tainan,	,,	30.02	762.6	...	...	N	4	...	,,	29.99	761.6	...	...	N	6	...
Koshun	,,	30.03	762.9	...	...	N W	4	...	,,	30.00	762.0	...	...	N	0	...
Pescadores,	,,	30.04	763.1	...	...	N	8	...	,,	30.02	762.6	...	...	N	8	...
Canton,	3 p.	30.04	763.0	66	69	N W	1	c	9 a.	30.20	767.1	53	86	N	1	o
Hongkong,	4 p.	30.00	762.0	63	78	E	2	b	10 a.	30.14	765.5	62	71	N	1	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	30.01	762.2	...	...	E N E	4	...	,,	30.10	764.5	...	...	N N W	5	...
Macao,	,,	30.02	762.5	64	...	E N E	1	o	,,	30.15	765.8	57	...	N W	2	o
Wuchow,	3 p.	30.09	764.3	57	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.1	64	...	E N E	0	o	8 a.	30.11	764.7	58	...	E N E	2	o
Tourane,	,,	29.96	760.9	77	...	S E	2	c	,,	30.06	763.5	73	...	S E	1	c
Cape St. James,	,,	29.86	758.4	81	...	E	3	c	,,	29.93	760.1	79	...	E N E	4	c
Aparri,	2 p.	29.91	759.6	...	...	N	1	o	6 a.	29.90	759.5	...	...	S	1	b
Manila,	4 p.	29.84	758	84	64	...	0	o	10 a.	29.92	760	81	76	N W	1	b
Legaspi,	2 p.	29.87	758.8	84	...	E	1	b	6 a.	29.89	759.2	72	...	...	0	c
Bacolod,	3 p.	...	...	...	...	...	3	o	9 a.	...	...	...	...	E N E	3	o
Iloilo,	,,	29.85	758.2	86	...	N	2	b	,,	29.91	759.7	81	...	E N E	1	b
Cebu,	,,	29.84	757.9	85	...	N	1	b	,,	29.90	759.4	85	...	N	1	c
Labuan,	,,	29.83	757.7	84	...	...	...	...	,,	29.88	759.9	78	...	...	...	...

On the 28th at 11.55 a.—The barometer has risen quickly in E. Japan, and fallen considerably over the Loochoos.

A depression is developing over the Pacific to the Southward of the latter area. It will probably move towards N.E.

An anticyclonic area appears to be spreading over N. China, where pressure is increasing.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; cloudy, dull.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 28th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th JANUARY, 1909, P.M.								29th JANUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.04	763.1	24	...	N E	1	b	7 a.	30.23	767.8	8	78	N E	0	b
Nemuro,	,,	30.04	763.1	...	...	E	2	...	6 a.	29.93	760.1	...	...	N E	6	...
Hakodate,	,,	29.97	761.2	...	...	...	0	...	,,	29.89	759.2	...	...	N	6	...
Tokio,	,,	29.94	760.6	...	...	N W	4	...	,,	29.79	756.6	...	...	N W	6	...
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	30.03	762.8	...	...	N W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N E	6	...	,,	30.15	765.3	...	...	N W	2	...
Kagoshima,	,,	30.00	761.9	...	...	N	6	...	,,	30.12	764.9	...	...	N W	4	...
Oshima,	,,	29.93	760.1	...	...	N W	6	...	,,	30.04	763.1	...	...	N	8	...
Naha,	,,	29.93	760.2	...	...	N	6	...	,,	30.05	763.2	...	...	N	6	...
Ishigakijima,	,,	29.97	761.3	...	...	N	6	...	,,	30.05	763.3	...	...	N	6	...
Bonin Is.	,,	30.00	762.1	...	...	S E	2	...	,,	29.69	754.1	...	...	N E	2	...
Chefoo,	3 p.	30.43	772.9	31	...	N N W	5	b	6 a.	30.42	772.6	22	100	...	0	b
Weihaiwei,	,,	30.53	775.4	29	...	N W	3	b	9 a.	30.44	773.2	30	...	N	1	b
Hankow,	,,	30.42	772.6	49	64	N E	1	b	6 a.	30.47	773.9	35	90	E	1	b
Kiukiang,	,,	30.31	769.9	45	76	N E	3	b	,,	30.35	770.9	35	90	...	0	o
Shanghai,	,,	30.30	769.6	43	51	N	1	...	9 a.	30.42	772.6	38	63	N	1	cm
Gutzlaff,	,,	30.26	768.6	45	68	N	4	cv	,,	30.37	771.9	41	57	N	3	ov
Sharp Peak,	,,	30.14	765.5	53	73	N E	5	o	,,	30.31	769.9	49	85	N	2	c
Amoy,	,,	30.04	763.0	60	76	N E	1	o	6 a.	30.21	767.3	55	80	N E	2	o
Swatow,	,,	30.05	763.2	56	94	N W	1	or	,,	30.04	763.0	51	86	N E	3	o
Taihoku,	1 p.	30.07	763.9	...	...	E	2	...	5 a.	30.18	766.6	...	...	E	2	...
Taichu,	,,	29.98	761.5	...	...	N	8	...	,,	30.06	763.4	...	...	N	6	...
Tainan,	,,	29.99	761.7	...	...	N	6	...	,,	30.08	763.9	...	...	N	6	...
Koshun,	,,	29.97	761.2	...	...	N W	6	...	,,	30.03	762.7	...	...	N E	10	...
Pescadores,	,,	30.04	763.1	...	...	N	10	...	,,	30.10	764.6	...	...	N E	10	...
Canton,	3 p.	30.10	764.5	59	67	N	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.04	763.0	61	68	N	1	o	10 a.	30.18	766.6	56	83	E	4	o
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	E N E	6	...
Gap Rock,	,,	30.01	762.2	...	...	N	5	...	,,	30.12	765.0	...	...	E N E	7	...
Macao,	,,	30.06	763.5	59	...	N	1	o	,,	30.19	766.8	55	...	N	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.12	765.0	52	93	N	4	or	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.02	762.5	59	...	S E	1	o	8 a.	30.03	764.1	55	...	E N E	3	o
Tourane,	,,	29.96	761.0	77	...	S E	2	c	,,	30.06	763.6	68	...	...	0	c
Cape St. James,	,,	29.84	757.9	81	...	...	4	c	,,	29.89	759.2	75	...	N E	4	f
Aparri,	2 p.	29.98	758.9	...	...	N W	1	p	6 a.	29.93	760.3	...	...	N E	1	r
Manila,	4 p.	29.80	757	84	71	W S W	2	b	10 a.	29.92	760	79	...	S S E	1	...
Legaspi,	2 p.	29.82	757.5	82	...	E	1	o	6 a.	29.85	758.2	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	3	c	9 a.	...	...	...	...	N E	2	c
Iloilo,	,,	29.81	757.2	88	...	N N E	1	c	,,	29.87	758.7	82	...	N N E	1	b
Cebu,	,,	29.80	756.9	84	...	N	1	c	,,	29.85	758.2	84	...	N	1	c
Labuan,	,,	29.75	755.6	82	...	...	...	...	,,	29.86	758.4	80	...	...	...	...

On the 29th at 11.55 a.—The barometer has fallen considerably over E. Japan and the Bonins, and risen moderately over the Loochoos and the China coast.

The depression is moving away over the Pacific in the neighbourhood of the Bonins.

An anticyclonic area lies over N. China, while pressure is in slight defect of the normal and giving way over the S. Philippines.

Strong monsoon will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; dull, some rain.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 29th January, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th January, 1909, P.M.								30th January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.23	767.9	18	...	N E	1	b	7 a.	30.22	767.5	19	85	...	0	b
Nemuro,	,,	29.69	754.1	...	...	N	10	...	6 a.	29.65	753.1	...	...	N	10	...
Hakodate,	,,	29.85	758.2	...	...	N	8	...	,,	29.93	760.2	...	...	N	6	...
Tokio,	,,	29.83	757.6	...	...	N W	8	...	,,	29.99	761.6	...	...	N W	4	...
Kochi,	,,	30.03	762.8	...	...	N	6	...	,,	30.23	767.8	...	...	...	0	...
Nagasaki,	,,	30.19	766.8	...	...	N	6	...	,,	30.31	769.8	...	...	E	4	...
Kagoshima,	,,	30.11	764.9	...	...	N	6	...	,,	30.31	769.9	...	...	N W	2	...
Oshima,	,,	30.08	764.1	...	...	N	10	...	,,	30.24	768.1	...	...	N E	2	...
Naha,	,,	30.13	765.2	...	...	N	4	...	,,	30.21	767.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	N E	6	...	,,	30.13	765.3	...	...	E	6	...
Bonin Is.	,,	29.57	751.1	...	...	N	6	...	,,	29.89	759.1	...	...	W	6	...
Chefoo,	3 p.	30.36	771.1	35	62	E	1	b	6 a.	30.35	770.9	28	65	...	0	b
Weihaiwei,	,,	30.27	768.8	34	...	E	1	b	9 a.	30.35	770.9	20	...	E	1	o
Hankow,	,,	30.37	771.4	47	70	N E	1	b	6 a.	30.37	771.4	41	92	N W	1	o
Kiukiang,	,,	30.29	769.3	47	63	N E	2	b	,,	30.29	769.3	39	91	...	0	o
Shanghai,	,,	30.35	770.9	42	50	N N E	2	o	9 a.	30.31	769.9	41	74	E	2	or
Gutzlaff,	,,	30.32	770.1	43	67	N	2	ov	,,	30.28	769.1	44	63	E	3	ov
Sharp Peak,	,,	30.25	768.3	50	72	N N E	5	c	,,	30.22	767.6	52	86	N N W	1	o
Amoy,	,,	30.11	764.8	60	65	N E	3	o	6 a.	30.13	765.3	55	74	N E	1	o
Swatow,	,,	30.11	764.8	57	69	E N E	3	o	,,	30.17	766.3	52	86	N E	3	o
Taihoku,	1 p.	30.18	766.6	...	...	E	6	...	5 a.	30.14	765.5	...	...	E	4	...
Taichu,	,,	30.03	762.8	...	...	N	6	...	,,	30.10	764.4	...	...	...	0	...
Tainan,	,,	30.06	763.6	...	...	N	4	...	,,	30.10	764.5	...	...	N	2	...
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.11	764.7	...	...	N	10	...	,,	30.10	764.4	...	...	N E	10	...
Canton,	3 p.	30.14	765.5	53	73	N	1	o	9 a.	30.18	766.6	52	93	N	1	o
Hongkong,	4 p.	30.09	764.3	57	82	E	3	o	10 a.	30.17	766.3	58	67	E	5	o
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	30.06	763.5	...	...	E	7	...	,,	30.13	765.3	...	...	E	7	...
Macao,	,,	30.09	764.3	55	...	N	2	o	,,	30.16	766.0	58	...	S E	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.03	762.7	67	89	E N E	3	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.10	764.5	53	93	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.1	57	...	E N E	3	o	8 a.	30.08	764.0	55	...	E N E	3	or
Tourane,	,,	29.95	760.7	77	...	S E	2	c	,,	30.04	763.0	73	...	...	0	c
Cape St. James,	,,	29.82	757.3	79	...	E N E	5	f	,,	29.89	759.2	75	...	N E	6	f
Aparri,	2 p.	29.94	760.4	...	...	N E	1	d	6 a.	30.00	761.9	...	...	S W	1	p
Manila,	4 p.	29.80	757	82	70	E S E	0	c	10 a.	29.96	761	79	69	W	1	o
Legaspi,	2 p.	29.81	757.1	86	...	N E	1	b	6 a.	29.89	759.3	75	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	E N E	4	o
Iloilo,	,,	29.79	756.6	85	...	N E	3	b	,,	29.89	759.2	80	...	E N E	4	b
Cebu,	,,	29.77	756.1	84	...	N	2	b	,,	29.89	759.2	82	...	N	2	c
Labuan,	,,	29.74	755.4	83	...	...	...	...	,,	29.85	758.2	80	...	...	...	...

On the 30th at 11.40 a.—The depression is moving away over the Pacific to the E. of Japan, and pressure has increased considerably over S. Japan and Loochoos.

The barometer has fallen moderately over Central and Northern China and the highest pressure is now shown over the Yellow Sea.

Gradients are less steep in the South and the monsoon will probably moderate in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, strong to moderate ; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 30th January, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th January, 1909, P.M.								31st January, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.23	767.9	25	...	N E	6	b	7 a.	30.13	765.4	5	80	...	0	b
Nemuro,	,,	29.57	751.1	...	...	N W	10	...	6 a.	29.77	756.1	...	...	N W	8	...
Hakodate,	,,	29.93	760.2	...	...	N	8	...	,,	30.09	764.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	N W	10	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	30.23	767.8	...	...	N	6	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki,	,,	30.27	768.8	...	...	S E	2	...	,,	30.23	767.8	...	...	S E	4	...
Kagoshima,	,,	30.23	767.9	...	...	S E	2	...	,,	30.23	767.9	...	...	N E	4	...
Oshima,	,,	30.20	767.1	...	...	N	6	...	,,	30.16	766.1	...	...	...	0	...
Naha,	,,	30.17	766.2	...	...	E	4	...	,,	30.09	764.2	...	...	E	...	...
Ishigakijima,	,,	30.09	764.3	...	...	S E	6	...	,,	30.01	762.3	...	...	S W	4	...
Bonin Is.	,,	29.93	760.1	...	...	N	4	...	,,	30.08	764.1	...	...	N W	2	...
Chefoo,	3 p.	30.27	768.8	40	48	N N E	1	o	6 a.	30.26	768.6	27	100	...	0	c
Weihaiwei,	,,	30.28	769.1	37	...	S	1	o	9 a.	30.29	769.3	34	...	S E	1	o
Hankow,	,,	30.34	770.6	48	63	W N W	1	o	6 a.	30.33	770.4	42	83	N W	1	b
Kiukiang,	✓ ,,	30.24	768.1	43	75	...	0	o	,,	30.20	767.1	39	91	...	0	o
Shanghai,	,,	30.20	767.1	44	76	E S E	2	om	9 a.	30.20	767.1	43	92	E N E	2	omd
Gutzlaff,	,,	30.19	766.8	44	84	E	3	ov	,,	30.18	766.6	45	92	E N E	3	omd
Sharp Peak,	✓ ,,	30.12	765.0	54	94	N	1	o	,,	30.19	766.8	55	100	...	0	c
Amoy,	✓ ,,	30.13	765.3	61	71	E	1	b	6 a.	30.09	764.3	58	81	N E	2	c
Swatow,	✓ ,,	30.06	763.5	61	71	E	2	b	,,	30.00	762.0	55	87	N E	2	c
Taihoku,	1 p.	30.06	763.5	...	...	E	2	...	5 a.	30.06	763.6	...	...	W	2	...
Taichu,	,,	30.06	763.6	...	...	N	4	...	,,	30.06	763.5	...	...	...	0	...
Tainan,	,,	30.09	764.2	...	...	N	6	...	,,	30.06	763.5	...	...	N	4	...
Koshun	,,	30.06	763.6	...	...	N W	6	...	,,	30.03	762.7	...	...	N W	2	...
Pescadores,	,,	30.12	765.1	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	6	...
Canton,	3 p.	30.08	764.0	60	76	N	1	o	9 a.	30.10	764.5	55	89	N	1	c
Hongkong,	4 p.	30.03	762.7	59	73	E	4	o	10 a.	30.13	765.3	62	77	E	3	c
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.99	761.7	...	...	E N E	6	...	,,	...	...	...	...	...	...	...
Macao,	,,	30.05	763.2	62	...	E S E	1	o	,,	30.12	765.0	65	...	E	1	o
Wuchow,	✓ 3 p.	30.14	765.5	54	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	✓ ,,	29.99	761.7	76	69	E S E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	30.08	764.0	52	93	N	3	o	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	30.00	762.1	57	...	N W	0	or	8 a.	30.06	763.6	59	...	E	2	dh
Tourane,	✓ ,,	29.95	760.7	79	...	S E	3	c	,,	30.04	763.1	72	...	S E	1	b
Cape St. James,	✓ ,,	29.81	757.2	77	...	E N E	6	f	,,	29.91	759.6	75	...	N E	5	f
Aparri,	2 p.	29.96	761.0	...	...	E	1	o	6 a.	29.97	761.3	...	...	S	1	o
Manila,	4 p.	29.80	757	82	63	W	1	c	10 a.	29.96	761	79	78	E S E	0	o
Legaspi,	2 p.	29.86	758.4	81	...	N E	1	o	6 a.	29.90	759.4	75	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.81	757.2	85	...	N N E	2	b	,,	29.85	758.2	78	...	N N E	1	o
Cebu,	,,	29.80	756.9	84	...	N	3	o	,,	29.89	759.2	82	...	N	4	o
Labuan,	✓ ,,	29.71	754.6	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 31st at 11.40 a.—The barometer has risen moderately in E. Japan, and fallen decidedly over the Loochoos and the E. coast of China.

A depression has developed over the Eastern Sea to the North of Meiaco Sima. It will probably move towards N.E.

Pressure is highest over the Yellow Sea and the S.W. part of the Sea of Japan.

Moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, moderate ; fine.
Formosa Channel,	Same as No. 1.
North coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 31st January, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st JANUARY, 1909, P.M.									1st FEBRUARY, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.15	765.9	32	...	...	0	b		7 a.	30.00	761.9	13	85	...	0	c
Nemuro,	,,	29.89	759.1	...	...	N W	8	...		6 a.	30.08	764.1	...	...	W	4	...
Hakodate,	,,	30.09	764.2	...	...	W	8	...		,,	30.09	764.2	...	...	S W	2	...
Tokio,	,,	30.18	766.6	...	...	N	4	...		,,	30.26	768.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	S E	4	...		,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	S E	6	...		,,	30.03	762.3	...	...	N E	8	...
Kagoshima,	,,	30.19	765.9	...	...	S E	4	...		,,	29.96	760.9	...	...	N E	8	...
Oshima,	,,	30.04	763.1	...	...	S E	2	...		,,	29.93	760.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	S	4	...		,,	30.05	763.2	...	...	N W	2	...
Ishigakijima,	,,	30.01	762.3	...	...	W	4	...		,,	30.01	762.3	...	...	N E	2	...
Bonin Is.	,,	30.08	764.1	...	...	N	2	...		,,	30.20	767.1	...	...	N	2	...
Chefoo,	3 p.	30.21	767.3	40	56	E	1	b		6 a.	30.20	767.1	27	100	...	0	b
Weihaiwei,	,,	30.24	770.6	37	...	N	1	b		9 a.	30.23	767.8	34	...	N N W	...	b
Hankow,	,,	...	...	...	...	...	...	...		6 a.	30.21	767.3	42	92	E	1	o
Kiukiang,	,,	30.16	766.0	46	69	...	0	o		,,	30.18	766.6	42	92	N E	1	o
Shanghai,	,,	30.13	765.3	45	84	E N E	2	om		9 a.	30.14	765.5	41	92	N	1	om
Gutzlaff,	,,	30.12	765.0	45	92	N	1	ov		,,	30.15	765.8	43	92	N	1	ov
Sharp Peak,	,,	30.05	763.2	57	94	E	1	c		,,	30.18	766.6	56	94	E	1	o
Amoy,	,,	30.01	762.2	61	82	N E	1	b		6 a.	30.09	764.3	59	88	N E	1	o
Swatow,	,,	30.09	764.3	62	77	E	1	b		,,	30.02	762.5	55	94	N E	1	o
Taihoku,	1 p.	30.04	763.1	...	...	N	2	...		5 a.	30.05	763.3	...	...	...	0	...
Taichu,	,,	30.02	762.6	...	...	N	4	...		,,	30.05	763.2	...	...	...	0	...
Tainan,	,,	30.04	763.1	...	...	N	6	...		,,	30.02	762.5	...	...	N	4	...
Koshun	,,	30.02	762.5	...	...	W	2	...		,,	29.99	761.6	...	...	...	0	...
Pescadores,	,,	30.05	763.3	...	...	N E	6	...		,,	30.04	762.9	...	...	N E	8	...
Canton,	3 p.	30.02	762.5	67	69	N	1	c		9 a.	30.07	763.8	62	89	...	0	o
Hongkong,	4 p.	30.00	762.0	61	81	E	4	b		10 a.	30.10	764.5	60	87	S E	3	o
Victoria Peak,	,,	...	...	...	...	E	3	...		,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.00	762.0	...	...	E N E	4	...		,,	30.06	763.5	...	...	E N E	5	...
Macao,	,,	30.00	762.0	64	...	S E	1	c		,,	30.00	764.3	62	...	S E	1	c
Wuchow,	3 p.	30.07	763.8	54	...	N	2	o		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.97	761.2	74	81	N E	3	b		,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	760.9	64	...	S E	1	o		8 a.	30.00	761.9	61	...	E	3	o
Tourane,	,,	29.94	760.4	77	...	S E	2	b		,,	30.00	761.9	68	...	...	0	c
Cape St. James,	,,	29.81	757.2	79	...	E N E	5	f		,,	29.90	759.5	73	...	N N E	3	f
Aparri,	2 p.	29.95	760.8	...	...	N E	1	c		6 a.	29.95	760.7	...	...	S E	1	b
Manila,	4 p.	29.88	759	79	76	...	0	o		10 a.	29.96	761	79	69	W	1	b
Legaspi,	2 p.	29.89	759.3	81	...	E	1	c		6 a.	29.89	759.3	73	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N N E	4	...		9 a.	...	...	...	...	N E	5	c
Iloilo,	,,	29.81	757.2	83	...	N N E	2	b		,,	29.89	759.2	78	...	N N E	2	b
Cebu,	,,	29.84	757.9	83	...	N	1	b		,,	29.93	760.2	82	...	N	2	b
Labuan,	,,	29.74	755.4	86	...	...	...	...		,,	29.86	758.4	82	...	...	...	...

On the 1st at 12.40 p.—The barometer has fallen considerably in S.W. Japan, and risen moderately over S.E. Japan and the Bonins.

The depression is moving towards N.E. to the South of Kiusiu.

Pressure is relatively high over N. China and S.E. Japan.

Moderate monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 1st February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st February, 1909, P.M.								2nd February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.95	760.7	29	...	E	0	o	7 a.	29.93	760.3	21	70	N E	3	c
Nemuro,	,,	29.85	758.1	...	...	S	10	...	6 a.	29.93	760.1	...	...	W	2	...
Hakodate,	,,	30.01	762.2	...	...	N W	4	...	,,	30.01	762.2	...	...	W	4	...
Tokio,	,,	30.22	767.6	...	...	N	2	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	30.07	763.8	...	...	S W	2	...	,,	30.03	762.8	...	...	W	2	...
Nagasaki,	,,	29.95	760.8	...	...	N E	6	...	,,	30.07	763.3	...	...	...	0	...
Kagoshima,	,,	29.92	759.9	...	...	N	4	...	,,	30.03	763.9	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	N W	4	...	,,	30.04	763.1	...	...	S	2	...
Naha,	,,	30.05	763.2	...	...	W	2	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	S E	6	...	,,	30.01	762.3	...	...	S	4	...
Bonin Is.	,,	30.12	765.1	...	...	S E	2	...	,,	30.04	763.1	...	...	S	6	...
Chefoo,	3 p.	30.13	765.3	42	58	E	1	b	6 a.	30.14	765.5	34	90	S	1	b
Weihaiwei,	,,	...	...	42	...	E	1	b	9 a.	30.20	767.1	37	...	W	2	b
Hankow,	,,	30.16	766.0	47	85	N E	1	o	6 a.	30.23	767.8	44	84	N W	1	o
Kiukiang,	✓ ,,	30.08	764.0	45	92	N E	1	or	,,	30.18	766.6	43	100	N E	1	or
Shanghai,	,,	30.10	764.5	47	70	N E	1	om	9 a.	30.14	765.5	43	92	N E	...	omd
Gutzlaff,	,,	30.07	763.8	45	92	N	1	om	,,	30.17	766.3	45	100	N N E	3	f
Sharp Peak,	✓ ,,	30.04	763.0	57	94	E	1	o	,,	30.06	763.5	60	100	...	0	b
Amoy	✓ ,,	29.98	761.5	61	82	N E	1	o	6 a.	30.00	762.0	60	94	S W	1	o
Swatow,	✓ ,,	29.97	761.2	59	82	N	1	o	,,	29.98	761.5	57	94	N	1	o
Taihoku	1 p.	29.99	761.7	...	...	E	2	...	5 a.	30.02	762.5	...	...	...	0	...
Taichu,	,,	29.96	761.0	...	...	N	2	...	,,	30.02	762.4	...	...	N	2	...
Tainan,	,,	29.98	761.4	...	...	N W	6	...	,,	30.01	762.1	...	...	N	4	...
Koshun	,,	29.98	761.4	...	...	E	4	...	,,	29.98	761.5	...	...	E	4	...
Pescadores,	,,	30.00	762.0	...	...	N	6	...	,,	30.01	762.3	...	...	N E	6	...
Canton,	3 p.	29.95	760.7	74	63	E S E	1	b	9 a.	30.07	763.8	63	84	E	1	b
Hongkong,	4 p.	29.96	761.0	61	82	E	4	b	10 a.	30.08	764.0	65	81	E	1	c
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.93	760.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.97	761.2	64	...	S E	1	b	,,	30.07	763.8	67	...	N E	1	c
Wuchow,	✓ 3 p.	29.96	761.0	63	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	✓ ,,	29.93	760.2	74	81	E N E	3	b	,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	30.01	762.2	74	76	S	1	b	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	29.89	759.3	66	...	E S E	4	o	8 a.	29.99	761.8	66	...	E	2	o
Tourane,	✓ ,,	29.89	759.3	77	...	E S E	2	c	,,	30.00	761.9	79	...	W S W	1	b
Cape St. James,	✓ ,,	29.83	757.7	81	...	E N E	4	c	,,	29.92	760.0	77	...	N E	3	c
Aparri,	2 p.	29.92	759.9	...	...	E	1	b	6 a.	29.96	760.9	...	...	S	1	b
Manila,	4 p.	29.84	758	82	57	E	1	o	10 a.	30.00	762	79	61	...	0	o
Legaspi,	2 p.	29.88	758.9	77	...	N E	1	o	6 a.	29.90	759.4	75	...	N E	1	c
Macolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	E N E	3	c
Iloilo,	,,	29.81	757.2	83	...	N E	3	b	,,	29.93	760.2	80	...	E N E	4	b
Cebu,	,,	29.81	757.2	83	...	N	2	b	,,	29.91	759.7	81	...	N	1	c
Labuan,	✓ ,,	29.73	755.1	85	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 2nd at 11.55 a.—The barometer has fallen over S.E. Japan and the Bonins, and risen in S.W. Japan, The depression is moving away over the Pacific to the S.E. of Japan.

Pressure remains in considerable defect of the normal over China. It is highest over the Yangtze valley.

Light to moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, light to moderate; fair.
2.—Formosa Channel,	N.E. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 2nd February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd February, 1909, P.M.								3rd February, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.97	761.2	30	...	N E	1	c.	7 a.	29.93	760.2	15	54	...	0	b
Nemuro, ...	,,	29.89	759.1	...	...	...	0	...	6 a.	29.97	761.1	...	...	...	0	...
Hakodate, ...	,,	29.97	761.2	...	...	N W	6	...	,,	29.93	760.2	...	...	N	4	...
Tokio, ...	,,	29.94	760.6	...	...	N	2	...	,,	29.99	761.6	...	...	N	2	...
Kochi, ...	,,	29.95	760.8	...	...	S	2	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki, ...	,,	30.03	762.8	...	...	S E	2	...	,,	29.91	759.8	...	...	N	2	...
Kagoshima, ...	,,	30.04	762.9	...	...	...	0	...	,,	29.92	759.9	...	...	...	0	...
Oshima, ...	,,	30.00	762.1	...	...	W	2	...	,,	29.89	759.1	...	...	...	0	...
Naha, ...	,,	30.01	762.2	...	...	E	2	...	,,	29.89	759.2	...	...	S	2	...
Ishigakijima, ...	,,	29.97	761.3	...	...	S W	6	...	,,	29.93	760.3	...	...	S W	6	...
Bonin Is.	,,	29.96	761.1	...	...	S W	6	...	,,	30.01	762.1	...	...	N W	2	...
Chefoo, ...	3 p.	30.13	765.3	36	80	N W	3	o	6 a.	30.17	766.3	33	79	N W	2	b
Weihaiwei, ...	,,	30.11	764.8	38	...	W	2	o	9 a.	30.19	766.8	33	...	N W	1	b
Hankow, ...	,,	30.26	768.6	47	77	N W	...	o	6 a.	30.37	771.4	40	91	W	1	c
Kiukiang.....	,,	30.12	765.0	44	92	...	0	or	,,	30.29	769.3	42	100	N E	1	b
Shanghai, ...	,,	30.05	763.2	43	100	N E	2	or	9 a.	30.24	768.1	42	83	N W	1	om
Gutzlaff, ...	,,	30.02	762.5	44	100	N N E	3	omr	,,	30.18	766.6	45	84	N N W	4	bv
Sharp Peak, ...	,,	29.95	760.7	60	94	E	1	dh	,,	30.12	765.0	57	87	N N E	3	dh
Amoy, ...	,,	29.98	761.5	64	94	S E	1	b	6 a.	30.00	762.0	60	82	N E	1	f
Swatow, ...	,,	29.92	759.9	66	79	E	2	b	,,	29.96	761.0	56	94	N W	1	dh
Taihoku.....	1 p.	29.98	761.4	...	...	N W	2	...	5 a.	30.00	762.0	...	...	W	2	...
Taichu, ...	,,	30.00	761.9	...	...	W	2	...	,,	30.01	762.3	...	...	E	2	...
Tainan, ...	,,	30.00	762.0	...	...	N W	4	...	,,	29.99	761.7	...	...	N	2	...
Koshun.....	,,	30.00	762.1	...	...	S	6	...	,,	29.96	761.0	...	...	N	2	...
Pescadores, ...	,,	30.00	761.9	...	...	E	6	...	,,	29.99	761.7	...	...	N E	4	...
Canton, ...	3 p.	...	...	78	...	S	1	c	9 a.	...	...	...	...	..	...	...
Hongkong, ...	4 p.	29.95	760.7	64	85	E	3	b	10 a.	30.08	764.0	68	79	W	1	b
Victoria Peak, ...	,,	...	...	...	...	W	1	...	,,	...	...	...	...	N W	2	...
Gap Rock, ...	,,	29.95	760.7	...	...	E	3	...	,,	30.06	763.5	...	...	N	2	...
Macao, ...	,,	29.92	759.9	65	...	S E	1	c	,,	30.09	764.3	69	...	S E	1	c
Wuchow, ...	3 p.	29.94	760.5	67	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.91	759.7	75	77	S	1	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.89	759.3	70	...	E S E	3	o	8 a.	30.03	762.7	66	...	S E	3	o
Tourane, ...	,,	29.89	759.3	77	...	S E	2	c	,,	30.02	762.5	73	...	...	0	b
Cape St. James, .	,,	29.82	757.3	81	...	N E	4	c	,,	29.92	759.9	79	...	N E	3	f
Aparri, ...	2 p.	29.93	760.3	...	...	S E	1	b	6 a.	29.94	760.5	...	...	S	1	o
Manila, ...	4 p.	29.88	759	81	62	W	1	o	10 a.	29.96	761	79	67	E S E	1	o
Legaspi, ...	2 p.	29.87	758.8	84	...	E	1	b	6 a.	29.89	759.3	75	...	...	0	o
Bacolod, ...	3 p.	...	...	...	...	N	4	o	9 a.	...	...	...	...	N E	3	c
Iloilo, ...	,,	29.83	757.7	85	...	N N E	1	o	,,	29.87	758.7	81	...	N N E	1	o
Cebu, ...	,,	29.83	757.7	85	...	N	2	b	,,	29.89	759.2	83	...	N	1	b
Labuan, ...	,,	29.76	755.9	84	...	...	...	...	,,	29.83	757.7	83	...	...	...	...

On the 3rd at 11.55 a.—The barometer has fallen considerably over the Loochoos and S.W. Japan, and risen moderately over Central China.

Another depression has developed over the Eastern Sea to the West of the Loochoos. It will probably move towards N.E.

Pressure is highest over the Yangtze valley.

The monsoon will probably freshen in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, freshening; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 3rd February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd February, 1909, P.M.								4th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.92	759.9	29	...	N	0	c	7 a.	29.93	760.1	5	58	N E	2	b
Nemuro,	,,	29.85	758.1	...	...	N E	4	...	6 a.	29.57	751.1	...	...	N E	4	...
Hakodate,	,,	29.85	758.2	...	...	S E	2	...	,,	29.58	751.2	...	...	N	8	...
Tokio,	,,	29.75	755.6	...	...	N W	4	...	,,	29.51	749.6	...	...	...	0	...
Kochi,	,,	29.71	754.8	...	...	...	0	...	,,	29.84	757.8	...	...	N W	6	...
Nagasaki,	,,	29.87	758.8	...	...	N	6	...	,,	30.11	764.3	...	...	N	8	...
Kagoshima,	,,	29.88	758.9	...	...	N W	6	...	,,	30.04	762.9	...	...	N W	8	...
Oshima,	,,	29.89	759.1	...	...	N	6	...	,,	30.08	764.1	...	...	N W	8	...
Naha,	,,	29.97	761.2	...	...	N	2	...	,,	30.13	765.2	...	...	N	6	...
Ishigakijima,	,,	29.93	760.3	...	...	N E	4	...	,,	30.13	765.3	...	...	N	6	...
Bonin Is.	,,	29.93	760.1	...	...	S E	2	...	,,	29.89	759.1	...	...	S W	6	...
Chefoo,	3 p.	30.21	767.3	32	100	N W	4	c	6 a.	30.35	770.9	25	100	W	3	b
Weihaiwei,	,,	30.19	766.8	20	...	N W	4	o	9 a.	30.36	771.1	28	...	W	4	b
Hankow,	,,	30.43	772.9	51	40	N N E	3	b	6 a.	30.57	776.5	34	90	W	1	b
Kiukiang,	✓ ,,	30.32	770.1	45	92	...	0	o	,,	30.51	774.9	35	70	E	2	c
Shanghai,	,,	30.23	767.8	47	55	N W	3	c	9 a.	30.47	773.9	36	70	N N W	2	b
Gutzlaff,	,,	30.17	766.3	53	...	N N W	5	om	,,	30.41	772.4	40	65	N N W	5	cm
Sharp Peak,	✓ ,,	30.11	764.8	55	87	N N E	4	or	,,	30.37	771.4	52	79	N N E	4	c
Amoy,	✓ ,,	30.01	762.2	62	94	N E	1	c	6 a.	30.22	767.6	54	100	N E	2	o
Swatow,	✓ ,,	30.01	762.2	62	89	S E	2	o	,,	30.11	764.8	54	80	N	2	b
Taihoku,	1 p.	30.03	762.8	...	...	W	2	...	5 a.	30.12	764.9	...	...	S	2	...
Taichu,	,,	29.98	761.5	...	...	N	6	...	,,	30.15	765.8	...	...	N	6	...
Tainan,	,,	30.00	761.9	...	...	N	6	...	,,	30.12	765.0	...	...	N	8	...
Koshun	,,	29.95	760.7	...	...	N W	6	...	,,	30.11	764.7	...	...	N	8	...
Pescadores,	,,	30.02	762.4	...	...	N	8	...	,,	30.17	766.3	...	...	N	10	...
Canton,	3 p.	30.06	763.5	61	88	N	1	o	9 a.	30.30	769.6	53	73	N	1	o
Hongkong,	4 p.	30.01	762.2	67	80	W	3	c	10 a.	30.26	768.6	57	65	N	1	o
Victoria Peak,	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	N E	4	...
Gap Rock,	,,	29.98	761.5	...	...	N N W	4	...	,,	30.21	767.3	...	...	E N E	5	...
Macao,	,,	30.03	762.7	68	...	N N W	3	c	,,	30.25	768.3	58	...	N	2	o
Wuchow,	✓ 3 p.	30.19	766.8	53	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	✓ ,,	30.01	762.2	73	86	E	3	or	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	29.99	761.7	64	...	E	5	or	8 a.	30.17	766.2	55	...	E N E	2	or
Tourane,	✓ ,,	29.94	760.4	79	...	S E	2	b	,,	30.07	763.8	75	...	E N E	3	c
Cape St. James,	✓ ,,	29.87	758.6	81	...	E N E	5	c	,,	29.90	759.5	75	...	E N E	5	c
Aparri,	2 p.	29.91	759.8	...	...	S W	1	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	86	59	...	0	b	10 a.	29.96	761	79	76	W	1	c
Legaspi,	2 p.	29.87	758.6	82	...	E	1	o	6 a.	29.91	759.7	77	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.83	757.7	87	...	E N E	2	b	,,	29.93	760.2	81	...	N E	1	c
Cebu,	,,	29.82	757.4	84	...	N	4	or	,,	29.89	759.2	83	...	N	3	c
Labuan,	✓ ,,	29.74	755.4	85	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 4th at 11.55 a.—The barometer has fallen rapidly over E. Japan owing to the depression which is moving towards N.E. to the South of Hokkaido.

An anticyclonic area lies over the Yangtze Valley and pressure has increased considerably over the China coast and the Loochoos.

Strong monsoon will prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair, cloudy.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 4th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th February, 1909, P.M.								5th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.96	760.9	17	...	E	3	b	7 a.	29.95	760.7	2	72	...	0	c
Nemuro,	,,	29.77	756.1	...	...	N W	10	...	6 a.	29.73	755.1	...	...	W	4	...
Hakodate,	,,	29.61	752.2	...	...	N	10	...	,,	29.89	759.2	...	...	N W	6	...
Tokio,	,,	29.59	751.6	...	...	N W	8	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	N	8	...	,,	30.27	768.3	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	8	...	,,	30.31	769.3	...	...	N	6	...
Kagoshima,	,,	30.11	764.9	...	...	N	8	...	,,	30.31	769.9	...	...	N	2	...
Oshima,	,,	30.12	765.1	...	...	N	8	...	,,	30.24	768.1	...	...	N	6	...
Naha,	,,	30.24	768.2	...	...	E	4	...	,,	30.28	769.2	...	...	N	4	...
Ishigakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.29	769.3	...	...	N E	4	...
Bonin Is.	,,	29.85	758.1	...	...	S W	4	...	,,	30.04	763.1	...	...	W	6	...
Chefoo,	3 p.	30.29	769.3	34	100	W N W	6	b	6 a.	30.33	770.4	31	100	W	2	b
Weihaiwei,	,,	30.30	769.6	33	...	W	5	b	9 a.	30.39	771.9	34	...	N E	1	ovr
Hankow,	,,	30.51	774.9	44	37	N E	1	o	6 a.	30.52	775.2	40	56	N E	1	c
Kiukiang,	,,	30.49	774.4	..	...	N E	1	...	,,	30.53	775.4	38	81	W	1	o
Shanghai,	,,	30.43	772.9	41	41	N W	3	b	9 a.	30.50	774.7	36	61	...	0	b
Gutzlaff,	,,	30.40	772.1	41	83	N N W	...	bm	,,	30.47	773.9	41	57	N N E	1	bv
Sharp Peak,	,,	30.31	769.9	53	80	N	4	c	,,	30.42	772.6	51	79	N E	3	c
Amoy,	,,	30.20	767.1	58	94	N E	3	o	6 a.	30.28	769.1	53	86	N E	1	o
Swatow,	,,	30.18	766.6	57	81	E	2	o	,,	30.21	767.3	52	79	N E	3	b
Taihoku,	1 p.	30.28	769.2	...	...	E	6	...	5 a.	30.33	770.3	...	...	N	6	...
Taichu,	,,	30.11	764.9	...	...	N	6	...	,,	30.24	768.0	...	...	N	2	...
Tainan,	,,	30.14	765.5	...	...	N	6	...	,,	30.21	767.4	...	...	N	4	...
Koshun	,,	30.13	765.3	...	...	N	10	...	,,	30.18	766.6	...	...	N	8	...
Pescadores,	,,	30.20	767.0	...	...	N E	10	...	,,	30.22	767.5	...	...	N	10	...
Canton,	3 p.	30.22	767.6	56	63	N	1	o	9 a.	30.36	771.1	51	79	N	1	o
Hongkong,	4 p.	30.20	767.1	58	62	N E	1	o	10 a.	30.32	770.1	59	72	E	2	o
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	E N E	4	...
Gap Rock,	,,	30.17	766.3	...	...	E N E	5	...	,,	30.28	769.1	...	...	E N E	6	...
Macao,	,,	30.20	767.1	58	...	N	3	o	,,	30.32	770.1	58	...	N	2	o
Wuchow,	3 p.	30.28	769.1	54	80.	N	2	o	9 a.	30.41	772.4	48	...	N	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.17	766.3	51	95	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.6	54	...	N E	2	or	8 a.	30.27	768.8	52	...	N N E	0	or
Tourane,	,,	30.05	763.3	79	...	E N E	4	c	,,	30.16	766.0	73	...	E N E	3	o
Cape St. James,	,,	29.83	757.6	79	...	E N E	8	c	,,	29.96	761.0	73	...	E N E	3	f
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.08	764.1	...	...	N E	1	d
Manila,	4 p.	29.88	759	86	65	S E	2	o	10 a.	30.04	763	81	62	E S E	2	o
Legaspi,	2 p.	29.91	759.8	84	...	E	1	o	6 a.	29.99	761.7	75	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	E S E	2	c
Iloilo,	,,	29.85	758.2	85	...	N N E	1	c	,,	29.99	761.7	80	...	N N E	2	b
Cebu,	,,	29.87	758.7	85	...	N	2	b	,,	...	...	...	...	...	...	...
Labuan,	,,	29.71	754.6	85	...	...	...	...	,,	29.86	758.4	80	...	...	...	...

On the 5th at 11.45 a.—The barometer has risen quickly in Japan the depression having moved away over the Pacific.

The anticyclonic area remains over the Yangtze Valley and pressure has increased slightly to moderately over S. China and the stations around the China Sea.

Strong monsoon will continue to prevail in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh ; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 5th February, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th February, 1909, P.M.								6th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.95	760.8	18	...	...	0	s	7 a.	30.08	763.9	−1	56	N	1	b
Nemuro,	,,	29.81	757.1	...	...	N W	6	...	6 a.	29.85	758.1	...	...	...	0	...
Hakodate,	,,	29.89	759.2	...	...	N W	8	...	,,	...	...	...	...	N W	2	...
Tokio,	,,	29.94	760.6	...	...	S W	6	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	W	6	...	,,	30.19	766.8	...	...	W	2	...
Nagasaki,	,,	30.31	769.8	...	...	N	6	...	,,	30.31	769.8	...	...	N W	6	...
Kagoshima,	,,	30.27	768.9	...	...	N	6	...	,,	30.27	768.9	...	...	N W	2	...
Oshima,	,,	30.24	768.1	...	...	N	4	...	,,	30.24	768.1	...	...	N	4	...
Naha,	,,	30.28	769.2	...	...	N	2	...	,,	30.28	769.2	...	...	...	0	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	2	...
Bonin Is.	,,	30.04	763.1	...	...	N W	2	...	,,	30.16	766.1	...	...	W	2	...
Chefoo,	3 p.	30.42	772.6	31	100	N N E	3	c	6 a.	30.46	773.7	22	100	S W	2	c
Weihaiwei,	,,	30.44	773.2	26	...	N	2	ovr	9 a.	30.54	775.7	15	...	N E	3	c
Hankow,	,,	30.51	774.9	43	59	N	1	o	6 a.	30.59	777.0	35	80	N W	1	b
Kiukiang,	,,	30.45	773.4	44	68	N E	1	o	,,	30.54	775.7	38	100	...	0	b
Shanghai,	,,	30.42	772.6	43	44	W N W	1	c	9 a.	30.51	774.9	41	66	N N W	1	b
Gutzlaff,	,,	30.41	772.4	44	53	N	1	cv	,,	30.47	773.9	45	68	N W	3	cm
Sharp Peak,	,,	30.35	770.9	51	86	N	3	c	,,	30.45	773.4	49	85	N E	2	c
Amoy,	,,	30.24	768.1	59	88	N E	1	o	6 a.	30.33	770.4	55	94	N E	1	o
Swatow,	,,	30.23	767.8	61	82	E N E	2	b	,,	30.21	767.3	53	80	N E	2	b
Taiboku,	1 p.	30.28	769.0	...	...	E	8	...	5 a.	30.34	770.6	...	...	...	0	...
Taichu,	,,	30.19	766.9	...	...	N	6	...	,,	30.28	769.0	...	...	N	6	...
Tainan,	,,	30.20	767.0	...	...	W	6	...	,,	30.25	768.2	...	...	N	8	...
Koshun,	,,	...	...	...	...	N	8	...	,,	30.21	767.2	...	...	W	2	...
Pescadores,	,,	30.25	768.4	...	...	N	8	...	,,	30.31	769.9	...	...	N	10	...
Canton,	3 p.	30.28	769.1	57	63	N	1	o	9 a.	30.37	771.4	51	79	N	1	o
Hongkong,	4 p.	30.23	767.8	60	74	E	1	o	10 a.	30.32	770.1	60	68	N N E	1	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	30.20	767.1	...	...	N E	6	...	,,	30.28	769.1	...	...	N E	4	...
Macao,	,,	30.22	767.6	61	...	N	2	c	,,	30.32	770.1	57	...	N	2	o
Wuchow,	3 p.	30.35	770.9	49	...	N	2	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.19	766.8	66	89	E N E	3	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.23	767.8	51	86	...	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.22	767.6	54	...	N E	2	or	8 a.	30.30	769.6	52	...	N E	3	or
Tourane,	,,	30.11	764.7	75	...	N W	4	o	,,	30.18	766.6	68	...	N W	4	or
Cape St. James,	,,	29.91	759.6	81	...	N N E	4	c	,,	30.02	762.5	75	...	N N E	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	30.11	764.7	...	...	E	1	c
Manila,	4 p.	29.96	761	82	57	E	2	o	10 a.	30.04	763	81	76	E	1	d
Legaspi,	2 p.	29.98	761.6	84	...	E	1	b	6 a.	29.99	761.8	79	...	E	1	c
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	S N E	3	c
Iloilo,	,,	29.91	759.7	84	...	N E	3	...	,,	29.97	761.2	81	...	E N E	4	b
Cebu,	,,	29.90	759.4	85	...	N	3	o	,,	29.96	761.0	82	...	N	3	c
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen moderately over the N.E. coast of China, and fallen slightly in S.E. Japan.

The anticyclonic area remains over the continent to the North of the Yangtze, and pressure is still relatively low to the E. of Japan.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh or moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 6th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th February, 1909, P.M.								7th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.64	763.1	8	...	N	2	b	7 a.	30.08	764.1	−2	53	...	0	b
Nemuro,	,,	29.65	753.1	...	...	N E	2	...	6 a.	29.57	751.1	...	...	...	0	...
Hakodate,	,,	29.73	755.2	...	...	N W	6	...	,,	29.77	756.2	...	...	W	6	...
Tokio,	,,	29.75	755.6	...	...	N	2	...	,,	29.95	760.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	W	6	...	,,	30.15	765.8	...	...	W	4	...
Nagasaki,	,,	30.27	768.8	...	...	N W	8	...	,,	30.35	770.8	...	...	N	6	...
Kagoshima,	,,	30.23	767.9	...	...	N	6	...	,,	30.35	770.9	...	...	N	8	...
Oshima,	,,	30.20	767.1	...	...	N	4	...	,,	30.32	770.1	...	...	N	8	...
Naha,	,,	30.28	769.2	...	...	N	2	...	,,	30.36	771.2	...	...	N	6	...
Ishigakijima,	,,	30.25	768.3	...	...	N E	6	...	,,	30.33	770.3	...	...	N E	6	...
Bonin Is.	,,	30.08	764.1	...	...	N W	4	...	,,	30.04	763.1	...	...	N W	6	...
Chefoo,	3 p.	30.50	774.7	23	86	N W	8	o	6 a.	30.55	775.9	23	100	W	3	b
Weihaiwei,	,,	30.52	775.2	16	...	W	1	o	9 a.	30.53	775.4	24	...	N W	4	ovr
Hankow,	,,	30.66	778.7	51	40	N E	1	b	6 a.	30.70	779.8	34	32	N	2	b
Kiukiang,	✓ ,,	30.55	775.9	52	53	N E	1	b	,,	30.76	779.8	33	69	E	3	c
Shanghai,	,,	30.47	773.9	46	47	N N W	4	c	9 a.	30.67	779.0	29	...	N W	2	o
Gutzlaff,	,,	30.41	772.4	46	62	N N W	3	bm	,,	30.60	777.2	33	79	N	4	ov
Sharp Peak,	✓ ,,	30.37	771.4	51	79	N E	4	c	,,	30.50	774.7	48	71	N N E	6	or
Amoy	✓ ,,	30.25	768.3	58	81	N E	1	o	6 a.	30.34	770.6	53	67	N E	3	o
Swatow,	✓ ,,	30.24	768.1	58	76	E	2	o	,,	30.26	768.6	50	93	N E	3	o
Taihoku,	1 p.	30.33	770.3	...	...	E	6	...	5 a.	30.45	773.4	...	...	E	6	...
Taichu,	,,	30.21	767.4	...	...	N	6	...	,,	30.28	769.1	...	...	N	6	...
Tainan,	,,	30.16	766.1	...	...	N	6	...	,,	30.26	768.5	...	...	N	6	...
Koshun,	,,	30.18	766.6	...	...	N	8	...	,,	30.21	767.2	...	...	N	6	...
Pescadores,	,,	30.26	768.5	...	...	N	10	...	,,	30.30	769.7	...	...	N	10	...
Canton,	3 p.	30.33	770.4	51	72	N	2	o	9 a.	30.40	772.1	44	84	N	1	o
Hongkong,	4 p.	30.27	768.8	60	63	N	1	o	10 a.	30.34	770.6	53	72	N E	1	o
Victoria Peak,	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	N E	4	...
Gap Rock,	,,	30.25	768.3	...	...	N N E	3	...	,,	30.30	769.6	...	...	E N E	6	...
Macao,	,,	30.28	769.1	57	...	N N W	2	o	,,	30.35	770.9	53	...	N	3	o
Wuchow,	✓ 3 p.	30.38	771.6	57	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	✓ ,,	30.25	768.3	60	88	N N E	5	o	,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	30.28	769.1	48	93	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	30.27	768.9	54	...	N E	2	or	8 a.	30.35	770.8	...	...	N N E	2	o
Tourane,	✓ ,,	30.13	765.2	73	...	N W	4	o	,,	30.17	766.4	70	...	...	...	o
Cape St. James,	✓ ,,	29.95	760.8	79	...	N E	5	f	,,	30.00	761.9	73	...	N N E	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.96	761	81	76	S	1	o	10 a.	30.08	764	81	62	W S W	1	c
Legaspi,	2 p.	29.97	761.3	77	...	E	1	o	6 a.	30.03	762.7	77	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	E N E	5	o
Iloilo,	,,	29.89	759.2	86	...	E N E	1	b	,,	29.97	761.2	81	...	E N E	4	b
Cebu,	,,	29.91	759.7	84	...	N	3	b	,,	29.97	761.2	82	...	N	4	o
Labuan,	✓ ,,	29.76	755.9	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 7th at 11.55 a.—Pressure remains low over the Pacific to the N.E. of Japan, and the barometer has fallen over Hokkaido.

The anticyclonic area, of considerable intensity, remains over the continent to the North of Yangtze, and pressure has increased moderately over N. China, S.W. Japan and the Loochoos.

Hard monsoon will continue to prevail over the whole of the China coast and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair, cloudy.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 7th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th February, 1909, P.M.								8th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.06	763.5	19	...	N W	0	c	7 a.	30.04	763.0	10	60	...	0	b
Nemuro,	,,	29.61	752.1	...	...	N W	6	...	6 a.	29.77	756.1	...	...	N W	2	...
Hakodate,	,,	29.77	756.2	...	...	N W	6	...	,,	29.85	758.2	...	...	N W	8	...
Tokio,	,,	29.94	760.6	...	...	N	4	...	,,	30.10	764.6	...	...	W	2	...
Kochi,	,,	30.19	766.8	...	...	N W	2	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki,	,,	30.39	771.8	...	...	N	8	...	,,	30.39	771.8	...	...	N E	2	...
Kagoshima,	,,	30.31	769.9	...	...	N	8	...	,,	30.39	771.9	...	...	N	2	...
Oshima,	,,	30.32	770.1	...	...	N	8	...	,,	30.32	770.1	...	...	S	2	...
Naha,	,,	30.36	771.2	...	...	N	6	...	,,	30.32	770.2	...	...	N E	2	...
Ishigakijima,	,,	30.33	770.3	...	...	N E	6	...	,,	30.25	768.3	...	...	E	4	...
Bonin Is.	,,	30.04	763.1	...	...	W	4	...	,,	30.16	766.1	...	...	N	4	...
Chefoo,	3 p.	30.44	773.2	31	...	N W	6	b	6 a.	30.37	771.4	27	...	S W	1	b
Weihaiwei,	,,	30.45	773.4	29	...	N W	3	b	9 a.	30.40	772.1	29	...	W	2	ovr
Hankow,	,,	30.61	777.5	39	65	E	1	c	6 a.	30.54	775.7	34	69	S	1	b
Kiukiang,	,,	30.71	780.0	35	70	E	2	o	,,	30.51	774.9	32	90	...	0	o
Shanghai,	,,	30.57	776.5	33	...	N N E	2	o	9 a.	30.46	773.7	33	...	E N E	1	os
Gutzlaff,	,,	30.53	775.4	34	79	N N W	3	ov	,,	30.40	772.1	38	72	N	3	om
Sharp Peak,	,,	30.40	772.1	46	69	N N E	5	o	,,	30.34	770.6	47	93	N	1	or
Amoy,	,,	30.30	769.6	51	72	N E	2	or	6 a.	30.24	768.1	50	86	N E	1	or
Swatow,	,,	30.26	768.6	51	79	E N E	2	o	,,	30.20	767.1	47	85	N E	2	or
Taihoku,	1 p.	30.39	771.8	...	...	E	6	...	5 a.	30.25	768.3	...	...	E	4	...
Taichu,	,,	30.22	767.6	...	...	N	6	...	,,	30.21	767.3	...	...	N	2	...
Tainan,	,,	30.20	767.2	...	...	N	6	...	,,	30.21	767.8	...	...	N	4	...
Koshun,	,,	30.17	766.2	...	...	N	10	...	,,	30.17	766.2	...	...	N	8	...
Pescadores,	,,	30.25	768.3	...	...	N E	10	...	,,	30.22	767.6	...	...	N	10	...
Canton,	3 p.	30.29	769.3	46	74	N	1	o	9 a.	30.27	768.8	44	92	N	1	o
Hongkong,	4 p.	30.24	768.1	54	77	N N E	1	o	10 a.	30.25	768.3	51	84	N	1	o
Victoria Peak,	,,	...	...	...	...	N	2	...	,,	...	...	...	...	N E	3	...
Gap Rock,	,,	30.21	767.3	...	...	N E	6	...	,,	30.20	767.1	...	...	N N E	5	...
Macao,	,,	30.25	768.3	52	...	N W	2	o	,,	30.27	768.8	50	...	N N W	2	o
Wuchow,	3 p.	30.39	771.9	43	...	N	1	or	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.23	767.8	56	100	N	4	or	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.32	770.1	45	92	N	5	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.27	768.8	52	...	N	1	o	8 a.	30.28	769.0	...	...	N E	1	o
Tourane,	,,	30.10	764.6	72	...	N W	5	f	,,	30.16	766.0	68	...	N W	5	or
Cape St. James,	,,	29.91	759.7	79	...	N E	5	c	,,	30.01	762.1	77	...	N E	3	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.96	761	82	57	E	1	c	10 a.	30.08	764	82	57	E	1	o
Legaspi,	2 p.	29.98	761.5	88	...	E	2	b	6 a.	30.04	763.0	77	...	E	1	c
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	5	o
Iloilo,	,,	29.93	760.2	83	...	E N E	3	b	,,	29.97	761.2	79	...	N E	4	c
Cebu,	,,	29.91	759.7	83	...	N	2	c	,,	29.94	760.5	79	...	N	4	o
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 8th at 12.05 p.—The barometer has risen in Japan, and fallen over China particularly in the North.

The high pressure area, which has decreased in intensity remains over the Yangtze Valley, and pressure is still relatively low over N.E. Japan.

Gradients have decreased.

Fresh monsoon may be expected in the Formosa Channel and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; cloudy, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 8th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th February, 1909, P.M.								9th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.67	763.8	28	...	N W	1	b	7 a.	30.10	764.5	8	80	...	0	b
Nemuro,	,,	29.81	757.1	...	...	...	0	...	6 a.	29.93	760.1	...	...	S W	4	...
Hakodate,	,,	29.97	761.2	...	...	N W	6	...	,,	30.09	764.2	...	...	W	6	...
Tokio,	,,	30.10	764.6	...	...	N E	2	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.27	768.8	...	...	S E	4	...	,,	30.27	768.8	...	...	N W	2	...
Nagasaki,	,,	30.35	770.8	...	...	N W	2	...	,,	30.27	768.3	...	...	N E	2	...
Kagoshima,	,,	30.31	769.9	...	...	...	0	...	,,	30.23	767.9	...	...	N	4	...
Oshima,	,,	30.24	768.1	...	...	N E	2	...	,,	30.12	765.1	...	...	...	0	...
Naha,	,,	30.20	767.2	...	...	E	4	...	,,	30.09	764.2	...	...	E	6	...
Ishigakijima,	,,	30.09	764.3	...	...	S E	8	...	,,	30.05	763.3	...	...	N	6	...
Bonin Is.	,,	30.24	768.1	...	...	...	...	...	,,	30.24	768.1	...	...	...	0	...
Chefoo,	3 p.	30.34	770.6	35	90	N W	3	o	6 a.	30.29	769.3	25	...	S W	1	b
Weihaiwei,	,,	30.35	770.9	32	...	W	1	o	9 a.	30.36	771.1	32	...	W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.42	772.6	36	80	N W	1	b
Kiukiang,	,,	30.35	770.9	46	54	...	0	b	,,	30.35	770.9	33	...	N E	1	b
Shanghai,	,,	30.36	771.1	34	90	N	1	os	9 a.	30.36	771.1	37	...	N E	1	cm
Gutzlaff,	,,	30.33	770.4	40	82	N	1	om	,,	30.37	771.4	43	75	N N E	3	cv
Sharp Peak,	,,	30.20	767.1	49	93	N	1	or	,,	30.25	768.3	50	93	N	1	or
Amoy,	,,	30.17	766.3	52	86	...	0	or	6 a.	30.14	765.5	54	80	N W	1	or
Swatow,	,,	30.12	765.0	51	93	N	2	or	,,	...	...	50	100	N	1	or
Taihoku,	1 p.	30.09	764.4	...	...	W	2	...	5 a.	30.16	766.0	...	...	...	0	...
Taichu,	,,	30.10	764.6	...	...	N	8	...	,,	30.15	765.9	...	...	S	2	...
Tainan,	,,	30.09	764.4	...	...	N W	6	...	,,	30.11	764.7	...	...	E	4	...
Koshun	,,	30.07	763.8	...	...	N	6	...	,,	30.07	763.8	...	...	...	0	...
Pescadores,	,,	30.15	765.9	...	...	N	8	...	,,	30.11	764.8	...	...	N E	8	...
Canton,	3 p.	30.19	766.8	45	92	N	1	or	9 a.	30.25	768.3	46	92	N	1	o
Hongkong,	4 p.	30.12	765.0	54	80	...	0	od	10 a.	30.20	767.1	53	94	...	0	od
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	N E	1	...
Gap Rock,	,,	30.10	764.5	...	...	N	5	...	,,	30.17	766.3	...	...	N N E	4	...
Macao,	,,	30.13	765.3	51	...	N	2	od	,,	30.17	766.3	49	...	N W	2	od
Wuchow,	3 p.	30.24	768.1	46	...	W	1	or	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.15	765.8	56	87	N	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.21	767.3	45	92	N	5	or	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.7	54	...	S S E	0	c	8 a.	30.21	767.4	50	...	E N E	1	or
Tourane,	,,	30.04	763.1	70	...	N W	6	o	,,	30.14	765.5	68	...	N W	4	o
Cape St. James,	,,	29.91	759.6	79	...	N E	6	c	,,	29.98	761.5	75	...	N N E	4	or
Aparri,	2 p.	29.99	761.8	...	...	S E	1	b	6 a.	30.06	763.5	...	...	S	1	c
Manila,	4 p.	29.96	761	84	58	E	2	c	10 a.	30.08	764	82	57	N	1	o
Legaspi,	2 p.	29.98	761.6	84	...	E	1	o	6 a.	30.03	762.8	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	...	c	9 a.	...	...	...	...	N E	4	o
Iloilo,	,,	29.85	758.2	83	...	N N E	2	c	,,	29.99	761.7	79	...	N N E	2	b
Cebu,	,,	29.95	760.7	77	...	N	2	or	,,	30.01	762.2	80	...	N	1	b
Labuan,	,,	29.82	757.4	84	...	...	...	...	,,	29.99	761.7	73	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen in E. Japan, and fallen over China and the Loochoos.
A depression, which will probably move towards N.E., has developed to the Southward of the latter area.
Pressure is highest over China to the North of the Yangtze.
Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate to fresh; rainy at first, [probably improving later.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 9th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th February, 1909, P.M.								10th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.05	763.2	32	...	W	0	b	7 a.	30.02	762.5	11	85	...	0	b
Nemuro,	,,	29.85	758.1	...	...	W	6	...	6 a.	30.04	763.1	...	...	...	0	...
Hakodate,	,,	30.09	764.2	...	...	N W	8	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	S E	2	...	,,	30.22	767.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	...	0	...	,,	30.23	767.3	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	N E	2	...	,,	30.23	767.3	...	...	E	2	...
Kagoshima,	,,	30.19	766.9	...	...	N E	2	...	,,	30.23	767.9	...	...	N E	6	...
Oshima,	,,	30.00	762.1	...	...	S E	4	...	,,	30.16	766.1	...	...	N E	2	...
Naha,	,,	30.01	762.2	...	...	N E	4	...	,,	30.17	766.2	...	...	N E	2	...
Ishigakijima,	,,	30.04	763.1	...	...	N E	4	...	,,	30.13	765.3	...	...	E	4	...
Bonin Is.	,,	30.20	767.1	...	...	S E	2	...	,,	30.08	764.1	...	...	S E	2	...
Chefoo,	3 p.	30.24	768.1	44	92	S W	3	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.25	768.3	42	...	S	2	b	9 a.	30.17	766.3	35	...	W S W	1	o
Hankow,	,,	30.32	770.1	51	46	S E	1	b	6 a.	30.35	770.9	39	82	N W	1	or
Kinkiang,	✓ ,,	30.27	768.8	52	53	N E	1	b	,,	30.28	769.1	42	92	N E	1	o
Shanghai,	,,	30.29	769.3	47	55	E S E	2	c	9 a.	30.24	768.1	42	83	E	1	o
Gutzlaff,	,,	30.28	769.1	46	69	N N E	2	cv	,,	30.24	768.1	45	84	N E	1	ov
Sharp Peak,	✓ ,,	30.21	767.3	50	93	E	1	or	,,	30.23	767.5	53	93	W	1	or
Amoy,	✓ ,,	30.15	765.8	55	87	N E	1	o	6 a.	30.16	766.0	55	87	S W	1	or
Swatow,	✓ ,,	30.12	765.0	56	87	N	1	o	,,	30.16	766.0	54	94	S S E	1	o
Taihoku,	1 p.	30.12	765.1	...	...	...	0	...	5 a.	30.15	765.8	...	...	E	4	...
Taichu,	,,	30.15	765.9	...	...	N	6	...	,,	30.15	765.7	...	...	...	0	...
Tainan,	,,	30.12	765.1	...	...	N	6	...	,,	30.15	765.7	...	...	...	0	...
Koshun,	,,	30.05	763.2	...	...	N	4	...	,,	30.11	764.7	...	...	N E	6	...
Pescadores,	,,	30.14	765.6	...	...	N	8	...	,,	30.13	765.4	...	...	N E	8	...
Canton,	3 p.	30.14	765.5	63	80	N	1	o	9 a.	30.23	767.6	51	93	N	1	o
Hongkong,	4 p.	30.10	764.5	57	92	...	0	od	10 a.	30.20	767.1	58	95	E	2	od
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	30.08	764.0	...	...	N E	4	...	,,	30.16	766.0	...	...	N E	6	...
Macao,	,,	30.12	765.0	53	...	N N W	1	o	,,	30.16	766.0	54	...	N W	2	o
Wuchow,	✓ 3 p.	30.19	766.8	51	...	N E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	✓ ,,	30.10	764.5	59	94	N	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	30.15	765.8	54	87	N	2	o	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	30.09	764.2	55	...	W N W	0	o	8 a.	30.20	767.0	55	...	N W	2	f
Tourane,	✓ ,,	30.02	762.5	73	...	N W	3	c	,,	30.13	765.2	70	...	...	0	c
Cape St. James,	✓ ,,	29.90	759.5	79	...	N E	4	o	,,	29.99	761.6	77	...	N E	5	c
Aparri,	2 p.	29.99	761.7	...	...	N	1	b	6 a.	30.03	762.8	...	...	E	0	o
Manila,	4 p.	29.96	761	84	64	W	1	c	10 a.	30.08	764	79	69	W	1	o
Legaspi,	2 p.	29.96	761.0	84	...	S E	1	c	6 a.	30.03	762.8	77	...	E	1	c
Bacolod,	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	N N E	4	o
Iloilo,	,,	29.91	759.7	84	...	E N E	2	b	,,	29.99	761.7	78	...	N N E	3	c
Cebu,	,,	29.90	759.4	82	...	N	1	c	,,	29.99	761.7	82	...	N	2	c
Labuan,	✓ ,,	29.84	757.9	78	...	...	...	...	,,	29.96	761.0	82	...	...	...	...

On the 10th at 11.55 a.—The barometer has risen over the Loochoos and fallen at the Bonins, the depression having moved Eastwards towards the latter islands.

Pressure has continued to give way in N. China owing apparently, to the existence of a depression over Manchuria.

The highest pressure is shown over the Upper Yangtze.

Moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, moderate; unsettled, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hong kong Observatory, Wednesday, 10th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th February, 1909, P.M.								11th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.91	759.6	31	...	...	0	c	7 a.	29.65	753.2	18	55	N	1	b
Nemuro,	,,	29.96	761.1	...	...	...	0	...	6 a.	29.81	757.1	...	...	S	2	...
Hakodate,	,,	30.09	764.2	...	...	W	6	...	,,	29.69	754.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	S E	2	...	,,	29.95	760.6	...	...	S	4	...
Kochi,	,,	30.15	765.8	...	...	S E	4	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	S	6	...	,,	30.07	763.3	...	...	N	4	...
Kagoshima,	,,	30.15	765.9	...	...	E	2	...	,,	30.08	763.9	...	...	N	2	...
Oshima,	,,	30.12	765.1	...	...	S E	2	...	,,	30.04	763.1	...	...	N	6	...
Naha,	,,	30.13	765.2	...	...	E	2	...	,,	30.09	764.2	...	...	W	2	...
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...	,,	30.09	764.3	...	...	N	2	...
Bonin Is.	,,	29.96	761.1	...	...	S W	4	...	,,	30.04	763.1	...	...	N E	2	...
Chefoo,	3 p.	30.13	765.3	40	82	W N W	5	c	6 a.	30.20	767.1	31	...	N W	5	b
Weihaiwei,	,,	30.15	765.8	35	...	N W	3	ovr	9 a.	30.24	768.1	29	...	N W	3	b
Hankow,	,,	30.40	772.1	56	51	N E	1	b	6 a.	30.53	775.4	40	65	N	1	b
Kiukiang,	,,	30.30	769.6	52	60	...	0	c	,,	30.42	772.6	40	91	W	1	b
Shanghai,	,,	30.22	767.6	43	83	W N W	1	omd	9 a.	30.40	772.1	42	83	N W	1	b
Gutzlaff,	,,	30.23	767.8	43	92	N W	2	omd	,,	30.35	770.9	46	84	N N W	2	bm
Sharp Peak,	,,	30.14	765.5	56	100	...	0	c	,,	30.36	771.1	55	87	E	2	o
Amoy,	,,	30.12	765.0	57	94	S W	1	or	6 a.	30.23	767.8	57	87	N E	1	o
Swatow,	,,	30.09	764.3	61	88	N	2	c	,,	30.19	766.8	55	87	N W	1	c
Taihoku,	1 p.	30.09	764.3	...	...	W	4	...	5 a.	30.21	767.3	...	...	...	0	...
Taichu,	,,	30.11	764.7	...	...	W	4	...	,,	30.18	766.6	...	...	...	0	...
Tainan,	,,	30.13	765.3	...	...	N W	6	...	,,	30.15	765.7	...	...	N	6	...
Koshun	,,	30.07	763.9	...	...	E	4	...	,,	30.11	764.7	...	...	...	0	...
Pescadores,	,,	...	...	...	...	N	8	...	,,	30.19	766.8	...	...	N	8	...
Canton,	3 p.	30.18	766.6	55	93	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.12	765.0	58	93	N W	1	od	10 a.	30.31	769.9	59	52	N N E	1	o
Victoria Peak,	,,	...	...	...	...	N W	2	...	,,	...	...	...	...	N N E	4	...
Gap Rock,	,,	30.10	764.5	...	...	N N W	5	...	,,	30.27	765.8	...	...	N N W	4	...
Macao,	,,	30.14	765.5	56	...	N W	2	od	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.24	768.1	55	...	W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.13	765.3	65	95	N E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.14	765.5	57	94	N	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.14	765.6	59	...	N N W	1	or	8 a.	30.34	770.6	55	...	E N E	1	or
Tourane,	,,	30.05	763.3	75	...	N W	2	c	,,	30.19	766.8	70	...	N W	4	o
Cape St. James,	,,	29.94	760.4	73	...	N E	5	or	,,	29.99	761.8	77	...	N E	6	c
Aparri,	2 p.	30.02	762.4	...	...	N E	1	b	6 a.	30.08	764.1	...	...	S W	0	b
Manila,	4 p.	29.96	761	84	52	E	1	o	10 a.	30.08	764	79	69	N	1	c
Legaspi,	2 p.	29.96	761.0	82	...	E	1	o	6 a.	30.02	762.4	72	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	5	o	9 a.	...	...	...	...	E N E	3	o
Iloilo,	,,	29.91	759.7	82	...	N E	4	c	,,	29.99	761.7	79	...	N N E	2	b
Cebu,	,,	29.91	759.7	83	...	N	2	b	,,	29.99	761.7	82	...	N	1	b
Labuan,	,,	29.81	757.2	84	...	...	...	...	,,	29.96	761.0	83	...	...	...	...

On the 11th at 11.55 a.—The barometer has risen moderately over China, and fallen considerably in Wladiwostok and Japan.

The depression lying over Manchuria yesterday, has moved into the N. part of the Sea of Japan.

An area of high pressure is situated over the continent to the North of the Upper Yangtze.

Fresh to strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh to strong.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 11th February, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th February, 1909, P.M.								12th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.66	753.5	29	...	N N W	1	o	7 a.	29.78	756.5	11	48	...	0	b
Nemuro,	,,	29.49	749.1	...	...	S W	6	...	6 a.	29.18	741.1	...	...	N W	4	...
Hakodate,	,,	29.54	750.2	...	...	W	6	...	,,	29.46	748.2	...	...	N W	2	...
Tokio,	,,	29.60	752.6	...	...	S W	4	...	,,	29.67	753.6	...	...	N W	2	...
Kochi,	,,	29.80	756.8	...	...	W	8	...	,,	30.03	762.8	...	...	N W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N W	10	...	,,	30.19	766.3	...	...	N	8	...
Kagoshima,	,,	30.04	762.9	...	...	N	8	...	,,	30.15	765.9	...	...	N W	8	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	6	...
Naha,	,,	30.13	765.2	...	...	N	6	...	,,	30.32	770.2	...	...	N	6	...
Ishigakijima,	,,	30.17	766.3	...	...	N	4	...	,,	30.29	769.3	...	...	N E	4	...
Bonin Is.	,,	29.93	760.1	...	...	W	2	...	,,	29.97	761.1	...	...	W	2	...
Chefoo,	3 p.	30.27	768.8	28	88	N W	8	b	6 a.	30.22	767.6	28	100	N W	4	c
Weihaiwei,	,,	30.25	768.3	25	...	W	4	ovr	9 a.	30.31	769.9	27	...	N E	2	b
Hankow,	,,	30.51	774.9	59	28	N W	1	b	6 a.	30.56	776.2	38	72	N E	2	b
Kiukiang,	,,	30.42	772.6	56	40	S W	1	b	,,	30.50	774.7	33	100	N E	1	c
Shanghai,	,,	30.31	769.9	51	52	W N W	3	b	9 a.	30.50	774.7	37	71	W	1	b
Gutzlaff,	,,	30.30	769.6	48	63	N N W	1	bm	,,	30.46	773.7	40	56	N W	2	bm
Sharp Peak,	,,	30.29	769.3	56	87	E N E	3	c	,,	30.47	773.9	55	94	N	1	b
Amoy,	,,	30.20	767.1	58	81	N E	1	c	6 a.	30.37	771.4	55	74	N	2	b
Swatow,	,,	30.18	766.6	59	88	E	2	b	,,	30.33	770.4	51	86	E	2	b
Taiboku,	1 p.	30.20	769.7	...	...	...	0	...	5 a.	30.36	771.2	...	...	E	2	...
Taichu,	,,	30.20	767.1	...	...	N	6	...	,,	30.26	768.5	...	...	N	4	...
Tainan,	,,	30.17	766.4	...	...	N	8	...	,,	30.24	768.1	...	...	N	6	...
Koshun,	,,	30.12	765.1	...	...	N	8	...	,,	30.21	767.2	...	...	N	8	...
Pescadores,	,,	30.22	767.5	...	...	N	10	...	,,	30.27	768.9	...	...	N	10	...
Canton,	3 p.	30.23	767.8	67	97	N	1	b	9 a.	30.43	772.9	54	61	N	1	b
Hongkong,	4 p.	30.20	767.1	64	49	N	1	c	10 a.	30.39	771.9	59	43	E N E	1	c
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E N E	2	...
Gap Rock,	,,	30.17	766.3	...	...	N E	3	...	,,	30.35	770.9	...	...	N E	4	...
Macao,	,,	30.20	767.1	60	...	N	1	c	,,	30.39	771.9	60	...	N	2	c
Wuchow,	3 p.	30.31	769.9	62	...	S	2	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.26	768.5	61	...	N E	2	o	8 a.	30.38	771.5	57	...	E N E	2	o
Tourane,	,,	30.12	765.1	70	...	N W	4	o	,,	30.26	768.7	66	...	N W	3	o
Cape St. James,	,,	29.91	759.6	79	...	E N E	6	c	,,	30.02	762.4	73	...	N N E	4	f
Aparri,	2 p.	30.04	763.1	...	...	N	1	b	6 a.	30.12	765.0	...	...	N E	1	p
Manila,	4 p.	29.92	760	82	70	N W	1	c	10 a.	30.08	764	82	63	N N E	1	c
Legaspi,	2 p.	29.95	760.8	82	...	N E	1	o	6 a.	29.99	761.7	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	E N E	5	o	9 a.	...	...	...	...	N E	3	or
Iloilo,	,,	29.89	759.2	82	...	E N E	2	b	,,	29.95	760.7	80	...	N E	2	b
Cebu,	,,	29.86	758.4	85	...	N	2	c	,,	29.95	760.7	80	...	...	0	c
Labuan,	,,	29.90	759.4	84	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 12th at 11.45 a.—The depression, which has deepened considerably, is moving into the Pacific near Nemuro.

The barometer has risen elsewhere, except over the S. Philippines where a slight fall has taken place.

The anticyclonic area remains over the continent to the North of the Yangtze.

Strong to hard monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 12th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th February, 1909, P.M.								13th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.78	756.3	15	...	N E	1	o	7 a.	30.04	762.9	2	51	...	0	b
Nemuro,	,,	29.22	742.1	...	...	N W	6	...	6 a.	29.57	751.1	...	...	N	4	...
Hakodate,	,,	29.73	755.2	...	...	N W	8	...	,,	29.77	756.2	...	...	W	6	...
Tokio,	,,	29.67	753.6	...	...	N W	2	...	,,	29.99	760.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	N W	6	...	,,	30.15	765.8	...	...	S E	2	...
Nagasaki,	,,	30.23	767.8	...	...	N	10	...	,,	30.31	769.3	...	...	N	8	...
Kagoshima,	,,	30.19	766.9	...	...	N	8	...	,,	30.31	769.9	...	...	N	2	...
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	30.36	771.1	...	...	N	8	...
Naha,	,,	30.32	770.2	...	...	N	6	...	,,	30.36	771.2	...	...	N	4	...
Ishigakijima,	,,	30.33	770.3	...	...	N	6	...	,,	30.37	771.3	...	...	N E	2	...
Bonin Is.	,,	29.96	761.1	...	...	N W	6	...	,,	30.12	765.1	...	...	N	6	...
Chefoo,	3 p.	30.26	768.6	34	96	N W	3	b	6 a.	30.23	767.3	30	...	S W	1	b
Weihaiwei,	,,	30.27	768.8	30	...	W	2	b	9 a.	30.26	768.6	34	...	E	1	b
Hankow,	,,	30.39	771.9	58	22	S	2	b	6 a.	30.46	773.7	39	82	E	1	b
Kiukiang,	,,	30.46	773.7	56	46	N E	1	b	,,	30.40	772.1	35	90	N E	1	b
Shanghai,	,,	30.43	772.9	48	29	W N W	3	b	9 a.	30.43	772.9	42	34	S S W	1	b
Gutzlaff,	,,	30.39	771.9	45	53	W S W	2	bm	,,	30.40	772.1	47	55	S S W	1	bm
Sharp Peak,	,,	30.36	771.1	51	79	E N E	4	b	,,	30.42	772.6	54	94	N	1	b
Amoy,	,,	30.26	768.6	60	65	N E	3	b	6 a.	30.32	770.1	56	63	N	2	b
Swatow,	,,	30.27	768.8	60	65	N E	2	b	,,	30.29	769.3	45	92	N N E	2	c
Taihoku,	1 p.	30.35	771.0	...	...	E	6	...	5 a.	30.37	771.4	...	...	E	6	...
Taichu,	,,	30.22	767.7	...	...	N	6	...	,,	30.27	768.8	...	...	...	0	...
Tainan,	,,	30.24	768.0	...	...	N	6	...	,,	30.26	768.7	...	...	N	2	...
Koshun,	,,	30.22	767.5	...	...	N	10	...	,,	30.23	767.9	...	...	N E	10	...
Pescadores,	,,	30.27	768.8	...	...	N E	10	...	,,	30.24	768.0	...	...	N	10	...
Canton,	3 p.	30.30	769.6	66	40	N	1	b	9 a.	30.36	771.1	54	74	N	1	c
Hongkong,	4 p.	30.27	768.8	60	55	E	2	c	10 a.	30.34	770.6	59	59	E	2	b
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	30.28	769.1	...	...	E N E	4	...	,,	30.27	768.8	...	...	E N E	6	...
Macao,	,,	30.28	769.1	61	...	N E	2	c	,,	30.33	770.4	62	...	N E	2	c
Wuchow,	3 p.	30.32	770.1	66	...	S	1	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.25	768.3	61	73	N E	4	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.32	770.1	66	54	W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.26	768.6	61	...	N N E	0	o	8 a.	30.28	769.1	59	...	N E	2	o
Tourane,	,,	30.16	766.1	72	...	N W	4	c	,,	30.23	767.8	66	...	N W	3	or
Cape St. James,	,,	29.92	759.9	77	...	E N E	6	f	,,	30.02	762.4	73	...	N N E	4	b
Aparri,	2 p.	30.11	764.7	...	...	N E	2	o	6 a.	30.15	765.9	...	...	N E	1	d
Manila,	4 p.	29.96	761	84	58	E	1	c	10 a.	30.04	763	81	56	N N E	1	o
Legaspi,	2 p.	29.98	761.6	81	...	N E	1	o	6 a.	29.99	761.7	73	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	3	cp	9 a.	...	...	...	...	N E	4	o
Iloilo,	,,	29.89	759.2	83	...	N N E	2	c	,,	29.95	760.7	78	...	N	2	c
Cebu,	,,	29.87	758.7	85	...	N	1	b	,,	29.91	759.7	81	...	N	2	o
Labuan,	,,	29.84	757.9	83	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 13th at 11.25 a.—The barometer is rising in Japan, and falling over China.

Pressure is now highest over the E. coast of China and the Eastern Sea. It is still relatively low over E. Japan.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 13th February, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th February, 1909, P.M.								14th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.04	762.9	20	...	S E	2	b	7 a.	29.84	757.8	23	95	S	0	o
Nemuro,	,,	29.81	757.1	...	...	N W	6	...	6 a.	30.12	765.1	...	...	...	0	...
Hakodate,	,,	29.89	759.2	...	...	W	6	...	,,	30.21	767.2	...	...	N W	2	...
Tokio,	,,	30.02	762.6	...	...	N W	6	...	,,	30.34	770.6	...	...	N W	2	...
Kochi,	,,	30.19	766.8	...	...	E	4	...	,,	30.35	770.8	...	...	W	2	...
Nagasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.35	770.8	...	...	E	4	...
Kagoshima,	,,	30.31	769.9	...	...	N	6	...	,,	30.35	770.9	...	...	N	2	...
Oshima,	,,	30.32	770.1	...	...	N	6	...	,,	30.28	769.1	...	...	S	4	...
Naha,	,,	30.32	770.2	...	...	N	4	...	,,	30.32	770.2	...	...	...	0	...
Ishigakijima,	,,	30.33	770.3	...	...	E	6	...	,,	30.21	767.3	...	...	S E	6	...
Bonin Is.	,,	30.12	765.1	...	...	W	6	...	,,	30.24	768.1	...	...	N W	4	...
Chefoo,	3 p.	30.10	764.5	48	63	S S W	3	c	6 a.	29.86	758.4	44	45	S	4	o
Weihaiwei,	,,	30.14	765.5	47	...	S W	2	b	9 a.	29.93	760.2	41	...	W	2	o
Hankow,	,,	30.17	766.3	61	40	S E	2	c	6 a.	30.24	768.1	51	52	N E	1	b
Kiukiang,	,,	30.25	768.3	61	40	W	1	b	,,	30.19	766.8	49	71	N E	1	c
Shanghai,	,,	30.29	769.3	52	29	S S E	2	b	9 a.	30.17	766.3	49	64	S S W	2	o
Gutzlaff,	,,	30.30	769.6	51	52	S S W	1	bm	,,	30.11	764.8	47	77	S W	4	om
Sharp Peak,	,,	30.29	769.3	59	88	N N E	3	b	,,	30.33	767.8	56	100	W	1	o
Amoy,	,,	30.21	767.3	63	62	N E	3	b	6 a.	30.21	767.3	55	66	W	2	c
Swatow,	,,	30.20	767.1	62	51	E	2	b	,,	30.16	766.0	54	87	N N W	1	c
Taihoku,	1 p.	30.27	768.9	...	...	E	8	...	5 a.	30.17	766.4	...	...	S	4	...
Taichu,	,,	30.20	767.0	...	...	W	4	...	,,	30.20	767.0	...	...	N	2	...
Tainan,	,,	30.23	767.9	...	...	N	6	...	,,	30.19	766.8	...	...	N	2	...
Koshun,	,,	30.22	767.6	...	...	N	10	...	,,	30.17	766.4	...	...	N E	2	...
Pescadores,	,,	30.24	768.0	...	...	N	8	...	,,	30.15	765.7	...	...	E	6	...
Canton,	3 p.	30.25	768.3	68	42	...	0	b	9 a.	...	...	57	87	N E	1	c
Hongkong,	4 p.	30.18	766.6	61	46	E	4	b	10 a.	30.22	767.6	64	52	E	2	o
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E S E	2	...
Gap Rock,	,,	30.16	766.0	...	...	E N E	6	...	,,	30.19	766.8	...	...	E N E	4	...
Macao,	,,	30.20	767.1	62	...	E	1	c	,,	30.20	767.1	64	...	N	1	c
Wuchow,	3 p.	30.20	767.1	66	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.17	766.3	69	80	E N E	4	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.18	766.6	68	58	S S E	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.15	765.9	64	...	...	0	o	8 a.	30.17	766.2	61	...	E	3	o
Tourane,	,,	30.11	764.8	79	...	N W	3	c	,,	30.13	765.3	72	...	S S E	1	b
Cape St. James,	,,	29.89	759.1	79	...	N N E	6	b	,,	30.00	762.0	79	...	E N E	3	f
Aparri,	2 p.	30.10	764.6	...	...	E	1	o	6 a.	30.11	764.7	...	...	S E	0	o
Manila,	4 p.	29.96	761	79	61	N N E	3	o	10 a.	30.04	763	82	57	N E	0	o
Legaspi,	2 p.	29.94	760.4	73	...	N E	1	r	6 a.	29.97	761.2	72	...	E	1	...
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	E N E	2	c
Iloilo,	,,	29.87	758.7	85	...	N N E	3	b	,,	29.95	760.7	79	...	N E	2	o
Cebu,	,,	29.85	758.2	84	...	N	1	c	,,	29.93	760.2	84	...	N	1	c
Labuan,	,,	29.89	756.9	83	...	...	...	...	,,	...	...	...	...	...	...	...

On the 14th at 11.50 a.—The barometer has fallen over China, particularly in the North, a deep depression having approached Manchuria from the Westward.

The high pressure area is now lying over the Pacific to the South of Japan, and the barometer has risen rapidly in E. Japan.

Moderate variable winds may be expected in the Formosa Channel, and moderate to light monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N. winds, moderate; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 14th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th February, 1909, P.M.								15th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.83	757.6	31	...	W	0	b	7 a.	29.85	758.1	12	90	N E	3	b
Kemuro, ...	,,	30.16	766.1	...	...	S	4	...	6 a.	30.08	764.1	...	...	E	4	...
Hakodate, ...	,,	30.13	765.2	...	...	S W	4	...	,,	29.93	760.2	...	...	E	4	...
Tokio, ...	,,	30.22	767.6	...	...	S E	2	...	,,	30.10	764.6	...	...	N W	2	...
Kochi, ...	,,	30.23	767.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	4	...
Nagasaki, ...	,,	30.15	765.8	...	...	S E	6	...	,,	30.11	764.8	...	...	S W	8	...
Kagoshima, ...	,,	30.19	766.9	...	...	S E	2	...	,,	30.15	765.9	...	...	...	0	...
Oshima, ...	,,	30.12	765.1	...	...	S W	6	...	,,	30.08	764.1	...	...	N W	6	...
Naha, ...	,,	30.17	766.2	...	...	S	4	...	,,	30.17	766.2	...	...	N	4	...
Ishigakijima, ...	,,	30.13	765.3	...	...	S	4	...	,,	30.13	765.3	...	...	N E	2	...
Bonin Is.	,,	30.26	767.1	...	...	E	2	...	,,	30.24	768.1	...	...	...	0	...
Chefoo, ...	3 p.	30.01	762.2	37	71	N W	4	b	6 a.	30.17	766.3	26	87	S W	1	b
Weihaiwei, ...	,,	30.02	762.5	38	...	N W	2	b	9 a.	30.20	767.1	35	...	W	1	b
Hankow, ...	,,	30.19	766.8	62	51	S	1	b	6 a.	30.23	767.8	48	85	N E	1	o
Kiukiang, ...	,,	30.14	765.5	64	43	N W	1	b	,,	30.20	767.1	49	93	...	0	o
Shanghai, ...	,,	30.08	764.0	61	40	W	3	b	9 a.	...	...	...	...	...	...	...
Gutzlaff, ...	,,	30.08	764.0	52	66	W	3	bm	,,	30.21	767.3	47	85	E N E	3	bm
Sharp Peak, ...	,,	30.08	764.0	59	88	S E	3	b	,,	30.21	767.3	58	100	W N W	1	b
Amoy, ...	,,	30.15	765.8	58	76	N W	1	b	6 a.	30.16	766.0	59	82	N E	1	c
Swatow, ...	,,	30.11	764.8	60	71	N	1	c	,,	...	...	...	...	...	...	...
Taihoku, ...	1 p.	30.16	766.1	...	...	W	2	...	5 a.	30.19	766.7	...	...	...	0	...
Taichu, ...	,,	30.17	766.3	...	...	N	4	...	,,	30.18	766.5	...	...	...	0	...
Tainan, ...	,,	30.16	766.0	...	...	N	4	...	,,	30.14	765.6	...	...	N	2	...
Koshun	,,	30.12	765.0	...	...	...	0	...	,,	30.14	765.5	...	...	N	2	...
Pescadores, ...	,,	30.16	766.0	...	...	N	6	...	,,	30.12	765.1	...	...	N	4	...
Canton, ...	3 p.	30.12	765.0	67	60	E	1	c	9 a.	30.15	765.8	64	78	E	1	c
Hongkong, ...	4 p.	30.06	763.5	65	56	E	3	o	10 a.	30.16	766.0	66	77	E S E	2	o
Victoria Peak, ...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E S E	4	...
Gap Rock, ...	,,	30.06	763.5	...	...	E	4	...	,,	30.12	765.0	...	...	E	4	...
Macao, ...	,,	30.09	764.3	64	...	E	1	c	,,	30.15	765.8	64	...	E N E	1	o
Wuchow, ...	3 p.	30.08	764.0	60	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.04	763.0	71	85	E N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.08	764.0	69	80	S E	1	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.01	762.3	66	...	S S W	1	o	8 a.	30.06	763.6	63	...	E N E	3	o
Tourane, ...	,,	30.04	762.9	77	...	N W	2	c	,,	30.08	764.0	73	...	S E	1	c
Cape St. James, .	,,	29.85	758.1	79	...	N E	5	b	,,	29.98	761.5	73	...	N N E	2	f
Aparri, ...	2 p.	30.03	762.8	...	...	N E	0	o	6 a.	30.02	762.5	...	...	E	0	o
Manila, ...	4 p.	...	...	81	62	...	...	od	10 a.	30.00	762	77	84	...	0	o
Legaspi, ...	2 p.	29.91	759.8	72	...	...	0	...	6 a.	29.92	759.9	75	...	N E	1	b
Bacolod, ...	3 p.	...	...	...	...	E N E	2	od	9 a.	...	...	...	...	N N E	2	c
Iloilo, ...	,,	29.86	758.4	83	...	N E	4	c	,,	29.89	759.2	80	...	N N E	1	b
Cebu, ...	,,	29.85	758.2	83	...	N	2	b	,,	29.92	759.9	84	...	N	1	c
Labuan, ...	,,	29.81	757.2	85	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 15th at 11.30 a.—The depression lying over Manchuria yesterday, has moved into the N. part of the Sea of Japan.

Pressure has increased considerably over N. China, and given way slightly in the Philippines. It is highest over the Pacific in the neighbourhood of the Bonins in the East, and over the Yangtze valley in the West.

Gradients continue slight and moderate monsoon may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate; fair.
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 15th February, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th February, 1909, P.M.								16th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S E	8	...	6 a.	29.65	753.1	...	...	S	6	...
Hakodate,	,,	30.01	762.2	...	...	S	6	...	,,	29.89	759.2	...	...	W	8	...
Tokio,	,,	29.83	757.6	...	...	S W	8	...	,,	30.06	763.6	...	...	N	2	...
Kochi,	,,	29.99	761.8	...	...	W	6	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N W	6	...	,,	30.19	766.8	...	...	E	4	...
Kagoshima,	,,	30.11	764.9	...	...	N W	8	...	,,	30.19	766.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.12	765.1	...	...	S	2	...
Naha,	,,	30.13	765.2	...	...	E	2	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...	,,	30.05	763.3	...	...	S E	4	...
Bonin Is.	,,	30.12	765.1	...	...	S E	2	...	,,	30.16	766.1	...	...	...	0	...
Chefoo,	3 p.	30.04	763.0	47	93	S	5	b	6 a.	30.26	768.6	28	100	N W	3	b
Weihaiwei,	,,	30.11	764.8	41	...	S W	3	b	9 a.	30.33	770.4	26	...	N W	3	b
Hankow,	,,	30.26	768.6	54	61	N W	1	o	6 a.	30.36	771.1	45	84	N E	1	b
Kiukiang,	,,	30.13	765.3	51	86	...	0	o	,,	30.27	768.8	45	92	...	0	b
Shanghai,	,,	30.14	765.5	50	72	E S E	3	o	9 a.	30.25	768.3	51	72	W	2	b
Gutzlaff,	,,	30.14	765.5	45	100	E S E	3	om	,,	30.22	767.6	47	85	...	3	cm
Sharp Peak,	,,	30.18	766.6	64	...	E	1	b	,,	30.22	767.6	57	75	N E	5	o
Amoy,	,,	30.05	763.2	63	78	S E	2	c	6 a.	30.10	764.5	59	82	N E	1	o
Swatow,	,,	30.03	762.7	70	61	E	2	c	,,	30.07	763.8	57	87	S E	1	o
Taihoku,	1 p.	30.05	763.3	...	...	E	4	...	5 a.	30.07	763.7	...	...	E	4	...
Taichu,	,,	30.06	763.5	...	...	W	2	...	,,	30.10	764.4	...	...	...	0	...
Tainan,	,,	30.05	763.3	...	...	N	4	...	,,	30.07	763.8	...	...	N E	2	...
Koshun	,,	30.06	763.5	...	...	E	6	...	,,	30.05	763.3	...	...	...	0	...
Pescadores,	,,	30.08	764.0	...	...	N	6	...	,,	30.08	764.0	...	...	N	4	...
Canton,	3 p.	30.04	763.0	76	64	E	1	c	9 a.	30.20	767.1	62	89	N	1	o
Hongkong,	4 p.	30.03	762.7	65	79	E S E	2	o	10 a.	30.17	766.3	67	85	...	0	of
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	N W	1	...
Gap Rock,	,,	29.99	761.7	...	...	E	3	...	,,	30.13	765.3	...	...	N E	2	...
Macao,	,,	30.04	763.0	65	...	S E	1	o	,,	30.20	767.1	67	...	N W	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.00	762.0	81	100	S E	3	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.04	763.0	72	85	S S E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	70	...	S S E	2	o	8 a.	30.15	765.8	66	...	N E	2	dh
Tourane,	,,	29.96	760.9	77	...	S E	2	b	,,	30.12	764.9	73	...	E S E	2	o
Cape St. James,	,,	29.90	759.4	81	...	E N E	4	f	,,	29.97	761.2	79	...	N E	3	b
Aparri,	2 p.	29.98	761.4	...	...	E	1	o	6 a.	30.00	761.9	...	...	S E	1	o
Manila,	4 p.	29.88	759	82	70	N W	1	c	10 a.	30.00	762	82	63	W S W	1	c
Legaspi,	2 p.	29.91	759.6	84	...	E	1	b	6 a.	29.94	760.5	77	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	3	or	9 a.	...	...	...	...	E N E	3	o
Iloilo,	,,	29.85	758.2	82	...	N E	2	or	,,	29.91	759.7	80	...	E N E	4	b
Cebu,	,,	29.84	757.9	81	...	N	3	o	,,	29.91	759.7	79	...	...	0	o
Labuan,	,,	29.76	755.9	85	...	...	...	...	,,	29.86	758.4	82	...	...	...	...

On the 16th at 11.50 a.—The depression is moving Eastwards to the North of Hokkaido.

The barometer has risen slightly over China, and fallen moderately over Formosa and the Loochoos. A depression will probably develop to the Southward of the latter area.

Pressure is highest over China to the North of the Yangtze.

Moderate to fresh monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 16th February, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th February, 1909, P.M.								17th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	297.9	756.7	12	...	N E	3	s	7 a.	30.01	762.2	12	77	N E	1	b
Nemuro,	,,	29.65	753.1	...	...	W	6	...	6 a.	29.85	758.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	W	8	...	,,	...	...	...	...	W	4	...
Tokio,	,,	29.98	761.6	...	...	E	2	...	,,	29.87	758.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	30.11	764.8	...	...	...	0	...
Nagasaki,	,,	30.11	764.8	...	...	S E	6	...	,,	30.27	768.8	...	...	N W	2	...
Kagoshima,	,,	30.11	764.9	...	...	...	0	...	,,	30.23	767.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	N	10	...	,,	30.24	768.1	...	...	N	6	...
Naha,	,,	30.05	763.2	...	...	S	4	...	,,	30.28	769.2	...	...	N E	2	...
Ishigakijima,	,,	30.09	764.3	...	...	N	6	...	,,	30.17	766.3	...	...	N E	4	...
Bonin Is.	,,	30.08	764.1	...	...	S W	4	...	,,	30.04	763.1	...	...	W	4	...
Chefoo,	3 p.	30.33	767.8	30	89	N W	4	b	6 a.	30.28	769.1	25	87	S W	1	b
Weihaiwei,	,,	30.33	767.8	29	...	N W	2	b	9 a.	30.33	770.4	27	...	S	1	ovr
Hankow,	,,	30.33	767.8	63	52	S S E	1	b	6 a.	30.26	768.6	44	92	N E	1	b
Kiukiang,	,,	30.25	768.3	65	44	...	0	b	,,	30.24	768.1	44	84	N E	1	b
Shanghai,	,,	30.28	769.1	53	42	N W	3	b	9 a.	30.32	770.1	46	77	S S E	2	b
Gutzlaff,	,,	30.25	768.3	49	78	N	4	bm	,,	30.30	769.6	49	78	S S E	3	bm
Sharp Peak,	,,	30.23	767.8	57	94	E	1	c	,,	30.28	769.1	58	88	N N W	3	b
Amoy,	,,	30.14	765.5	59	82	N E	2	o	6 a.	30.21	767.3	57	81	...	0	b
Swatow,	,,	30.08	764.0	63	83	E	2	b	,,	30.17	766.3	57	94	E	1	c
Taiboku,	1 p.	30.19	766.7	...	...	S W	2	...	5 a.	30.19	766.9	...	...	E	4	...
Taichu,	,,	30.11	764.9	...	...	N	6	...	,,	30.13	765.4	...	...	...	0	...
Tainan,	,,	30.09	764.3	...	...	N	6	...	,,	30.12	765.0	...	...	N	2	...
Koshun	,,	30.05	763.2	...	...	N E	6	...	,,	30.09	764.2	...	...	N E	10	...
Pescadores,	,,	30.14	765.6	...	...	N	10	...	,,	30.14	765.5	...	...	N	10	...
Canton,	3 p.	30.12	765.0	68	70	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.06	763.5	69	73	...	0	o	10 a.	30.23	767.8	62	69	E	5	o
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	E S E	6	...
Gap Rock,	,,	30.06	763.5	...	...	...	0	...	,,	30.19	766.8	...	...	E N E	6	...
Macao,	,,	30.08	764.0	70	...	N	1	c	,,	30.22	767.6	65	...	S E	2	c
Wuchow,	3 p.	30.15	765.8	70	...	W	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.09	764.3	73	86	N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.06	763.5	70	75	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.7	72	...	S S W	3	c	8 a.	30.14	765.6	64	...	E N E	0	o
Tourane,	,,	30.03	762.7	82	...	N E	2	c	,,	30.12	764.9	70	...	...	0	c
Cape St. James,	,,	29.88	758.9	79	...	E N E	2	o	,,	29.95	760.8	75	...	N N W	1	c
Aparri,	2 p.	29.97	761.2	...	...	N	1	o	6 a.	30.01	762.3	...	...	N E	0	o
Manila,	4 p.	29.88	759	84	64	...	0	c	10 a.	30.00	762	81	70	W N W	1	c
Legaspi,	2 p.	29.90	759.4	88	...	E	1	c	6 a.	29.91	759.7	75	...	N E	1	o
Bacolod,	3 p.	...	...	...	...	N E	2	cd	9 a.	...	...	...	...	E	2	cp
Iloilo,	,,	29.85	758.2	84	...	N N E	2	c	,,	29.91	759.7	79	...	N E	1	o
Cebu,	,,	29.85	758.2	82	...	N	1	o	,,	29.91	759.7	81	...	...	1	b
Labuan,	,,	29.74	755.4	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 17th at 11.25 a.—The barometer has risen moderately on the South coast of China, and over Formosa and the Loochoos. It has fallen slightly in the interior of the Continent.

The greatest pressure now lies over Shantung and Korea, the anticyclonic area having shifted to the Eastward since yesterday. The depression in the North of Japan has nearly disappeared in the extreme north east.

Moderate to fresh monsoon may be expected in the Formosa Channel, and fresh easterly winds along the South coast of China and in the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

J. I. PLUMMER,
Acting Director.

Hongkong Observatory, Wednesday, 17th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th February, 1909, P.M.								18th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.77	756.1	...	...	...	0	...	6 a.	30.01	762.1	...	...	N W	10	...
Hakodate, ...	,,	29.61	752.2	...	...	N	6	...	,,	30.32	770.2	...	...	...	0	...
Tokio, ...	,,	29.91	759.6	...	...	N W	8	...	,,	30.22	767.6	...	...	N	4	...
Kochi, ...	,,	30.15	765.8	...	...	S E	6	...	,,	30.35	770.8	...	...	S W	4	...
Nagasaki, ...	,,	30.27	768.8	...	...	S W	6	...	,,	30.35	770.3	...	...	E	2	...
Kagoshima, ...	,,	30.23	767.9	...	...	N	6	...	,,	30.35	770.9	...	...	N E	2	...
Oshima, ...	,,	30.20	767.1	...	...	N	6	...	,,	30.28	769.1	...	...	...	0	...
Naha, ...	,,	30.24	768.2	...	...	N E	6	...	,,	30.25	768.2	...	...	E	2	...
Ishigakijima, ...	,,	30.17	766.3	...	...	E	6	...	,,	30.09	764.3	...	...	S E	6	...
Bonin Is.	,,	30.08	764.1	...	...	N	4	...	,,	30.01	762.1	...	...	N	2	...
Chefoo, ...	3 p.	30.15	765.8	46	84	S W	2	b	6 a.	30.06	763.5	43	100	S E	3	c
Weihaiwei, ...	,,	30.20	767.1	41	...	S W	1	b	9 a.	30.06	763.5	39	...	S E	3	o
Hankow, ...	,,	30.21	767.3	62	51	S W	1	o	6 a.	30.10	764.5	52	86	E	1	o
Kiukiang, ...	✓ ,,	30.16	766.0	64	53	...	0	b	,,	30.02	762.5	52	100	...	0	o
Shanghai, ...	,,	30.20	767.1	55	56	S	4	b	9 a.	30.08	764.0	50	100	S E	3	omr
Gutzlaff, ...	,,	30.20	767.1	53	67	S S E	2	cm	,,	30.08	764.0	50	100	S E	4	fr
Sharp Peak, ...	✓ ,,	30.22	767.6	59	94	N	1	c	,,	30.11	764.8	60	94	...	0	c
Amoy	✓ ,,	30.11	764.8	65	68	N E	1	b	6 a.	30.12	765.0	60	82	N W	1	b
Swatow, ...	✓ ,,	30.10	764.5	64	67	E	2	b	,,	30.12	765.0	58	83	N N E	1	o
Taihoku	1 p.	30.11	764.8	...	...	E	6	...	5 a.	30.11	764.8	...	...	...	0	...
Taichu, ...	,,	30.10	764.6	...	...	N	2	...	,,	30.12	765.1	...	...	...	0	...
Tainan, ...	,,	30.11	764.7	...	...	N W	6	...	,,	30.10	764.5	...	...	N	4	...
Koshun	,,	30.10	764.5	...	...	N E	8	...	,,	30.07	763.7	...	...	...	0	...
Pescadores, ...	,,	30.15	765.7	...	...	N	8	...	,,	30.10	764.6	...	...	N	6	...
Canton, ...	3 p.	30.10	764.5	73	58	...	0	b	9 a.	30.12	765.0	62	83	...	0	o
Hongkong, ...	4 p.	30.09	764.3	64	63	E	4	c	10 a.	30.11	764.8	66	68	E	3	c
Victoria Peak, ...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	S E	2	...
Gap Rock, ...	,,	30.06	763.5	...	...	E	5	...	,,	30.08	764.0	...	...	E	4	...
Macao, ...	,,	30.08	764.0	64	...	S E	2	c	,,	30.10	764.5	68	...	S E	1	c
Wuchow, ...	✓ 3 p.	30.11	764.8	71	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	✓ 4 p.	30.03	762.8	68	...	E S E	4	c	8 a.	30.06	763.6	66	...	E S E	4	o
Tourane, ...	✓ ,,	30.02	762.6	79	...	E	1	f	,,	30.06	763.4	73	..	S E	1	c
Cape St. James, .	✓ ,,	29.86	758.5	79	...	E N E	3	c	,,	29.94	760.4	75	...	N N E	2	o
Aparri, ...	2 p.	30.00	761.9	...	...	N E	1	o	6 a.	30.00	761.9	...	...	S E	0	o
Manila, ...	4 p.	29.84	758	84	64	...	0	o	10 a.	29.96	761	81	70	...	0	o
Legaspi, ...	2 p.	29.89	759.2	81	...	E	1	o	6 a.	29.91	759.8	77	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	E N E	3	op	9 a.	...	...	...	...	N W	2	o
Iloilo, ...	,,	29.83	757.7	83	...	E N E	2	b	,,	29.91	759.7	80	...	N W	2	c
Cebu, ...	,,	29.83	757.7	81	...	N	3	c	,,	29.91	759.7	81	...	N	1	o
Labuan, ...	✓ ,,	29.77	756.1	86	...	...	...	...	,,	29.87	758.7	81	...	...	...	...

On the 18th at 11.30 a.—The barometer has fallen considerably in North China and over the Yangtze Valley, and to a less extent in South China. It has risen in Japan, and the anticyclonic area is now central over those islands.

A depression is indicated as existing over the Northwest provinces of China, probably moving eastward.

Light variable winds may be expected in the Formosa Channel, and in the north part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Light E. to S.E. winds, fine.
2.—Formosa Channel, ...	Light variable winds.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

J. I. PLUMMER,
Acting Director.

Hongkong Observatory, Thursday, 18th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th February, 1909, P.M.								19th February, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.20	767.1	...	...	N W	6	...	6 a.	30.24	768.1	...	...	...	0	...
Hakodate,	,,	30.24	768.2	...	...	N	4	...	,,	29.85	753.2	...	...	...	0	...
Tokio,	,,	30.26	768.6	...	...	N W	6	...	,,	30.30	769.6	...	...	N W	2	...
Kochi,	,,	30.31	769.8	...	...	S E	4	...	,,	30.07	763.8	...	...	S	2	...
Nagasaki,	,,	30.27	768.8	...	...	E	4	...	,,	29.76	755.8	...	...	E	2	...
Kagoshima,	,,	30.23	767.9	...	...	...	0	...	,,	29.80	756.9	...	...	S	6	...
Oshima,	,,	30.20	767.1	...	...	S E	6	...	,,	29.85	758.1	...	...	S	10	...
Naha,	,,	30.17	766.2	...	...	E	4	...	,,	29.93	760.2	...	...	N W	6	...
Ishigakijima,	,,	30.05	763.3	...	...	S E	8	...	,,	29.93	760.3	...	...	S	6	...
Bonin Is.	,,	30.24	768.1	...	...	N	4	...	,,	30.24	768.1	...	...	N E	2	...
Chefoo,	3 p.	29.93	760.2	54	94	S	4	b	6 a.	30.13	765.3	25	100	N N W	6	o
Weihaiwei,	,,	29.93	760.2	51	...	S	3	ovr	9 a.	30.22	767.8	20	...	N E	...	o
Hankow,	,,	30.02	762.5	53	100	N	1	or	6 a.	30.12	765.0	50	100	N W	1	o
Kiukiang,	,,	...	...	54	87	...	0	or	,,	29.97	761.2	52	93	...	0	o
Shanghai,	,,	29.92	759.9	54	100	S E	4	omr	9 a.	30.00	762.0	52	93	N W	2	om
Gutzlaff,	,,	29.91	759.7	51	100	S E	2	f	,,	29.98	761.5	50	100	N W	2	f
Sharp Peak,	,,	29.96	761.5	63	...	S	1	b	,,	29.93	760.2	64	100	...	0	b
Amoy,	,,	29.99	761.7	64	78	S E	1	o	6 a.	29.98	761.5	64	84	S W	1	c
Swatow,	,,	29.99	761.7	66	73	E	1	c	,,	29.95	760.7	61	82	S S E	1	o
Taihoku,	1 p.	30.03	762.7	...	...	N W	2	...	5 a.	29.96	760.9	...	...	...	0	...
Taichu,	,,	30.03	762.8	...	...	N	4	...	,,	30.00	761.9	...	...	...	0	...
Tainan,	,,	30.04	763.1	...	...	N W	4	...	,,	29.93	761.5	...	...	N	2	...
Koshun,	,,	30.03	762.8	...	...	E	6	...	,,	...	...	...	...	...	0	...
Pescadores,	,,	30.06	763.4	...	...	N	6	...	,,	29.92	760.0	...	...	N	4	...
Canton,	3 p.	30.00	762.0	74	68	...	0	b	9 a.	30.02	762.5	67	84	...	0	c
Hongkong,	4 p.	29.97	761.2	68	69	E	3	c	10 a.	30.00	762.0	69	88	...	0	cf
Victoria Peak,	,,	...	...	...	...	...	0	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	29.98	761.5	...	...	E	3	...	,,	29.99	761.7	...	...	N N E	2	...
Macao,	,,	29.99	761.7	66	...	S E	1	o	,,	30.03	762.7	68	...	S E	1	of
Wuchow,	3 p.	29.99	761.7	71	...	S E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	77	73	S W	3	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.1	75	...	S S E	3	c	8 a.	29.97	761.1	66	...	S E	4	dh
Tourane,	,,	29.92	760.0	79	...	E S E	2	c	,,	29.97	761.3	75	...	S E	1	c
Cape St. James,	,,	29.84	758.0	81	...	E N E	4	c	,,	29.90	759.5	79	...	N E	2	c
Aparri,	2 p.	29.94	760.5	...	...	N E	1	o	6 a.	29.91	759.8	...	...	S E	1	b
Manila,	4 p.	29.84	758	86	65	E S E	3	c	10 a.	29.96	761	82	70	W	1	c
Legaspi,	2 p.	29.91	759.6	77	...	E	1	o	6 a.	29.91	759.7	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N E	2	c
Iloilo,	,,	29.81	757.2	85	...	N N E	1	b	,,	29.91	759.7	82	...	N N E	2	b
Cebu,	,,	29.81	757.2	84	...	N	1	b	,,	29.92	759.9	84	...	N	1	c
Labuan,	,,	29.75	755.6	85	...	...	...	...	,,	29.91	759.7	80	...	...	...	...

On the 19th at 11.20 a.—The barometer has risen moderately in the northern parts of China and of Japan.

It has fallen rapidly to the Southwest of Japan and in the neighbourhood of the Loochoos, and moderately over Formosa and South China.

A well marked depression exists to the South west of Kiusiu moving quickly to the Eastward.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Light E. winds, tending to become more northerly later, fine but hazy.
2.—Formosa Channel,	Light variable winds, with fog in places.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

J. I. PLUMMER,
Acting Director.

Hong kong Observatory, Friday, 19th February, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th February, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th February, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.16	766.1	...	...	S	8	...	6 a.	29.53	750.1	...	...	S E	8	...
Hakodate, ...	,,	30.05	763.2	...	...	S	6	...	,,	29.42	747.2	...	...	W	8	...
Tokio, ...	,,	30.06	763.6	...	...	N W	4	...	,,	29.63	752.6	...	...	W	2	...
Kochi, ...	,,	29.76	755.8	...	...	S	2	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki, ...	,,	29.80	756.8	...	...	W	6	...	,,	30.07	763.3	...	...	N W	6	...
Kagoshima, ...	,,	29.76	755.9	...	...	N W	6	...	,,	30.00	761.9	...	...	N W	6	...
Oshima, ...	,,	29.85	758.1	...	...	W	4	...	,,	29.97	761.1	...	...	N	6	...
Naha.....	,,	29.93	760.2	...	...	W	2	...	,,	30.01	762.2	...	...	N E	2	...
Ishigakijima, ...	,,	29.93	760.3	...	...	S	4	...	,,	29.93	760.3	...	...	E	6	...
Bonin Is.....	,,	30.08	764.1	...	...	E	6	...	,,	29.93	760.1	...	...	S	6	...
Chefoo, ...	3 p.	30.25	768.3	23	...	N	6	b	6 a.	30.21	767.3	21	100	S W	3	b
Weihaiwei, ...	,,	30.26	768.6	20	...	N	5	ovr	9 a.	30.25	768.3	25	...	W	5	b
Hankow, ...	,,	30.26	768.6	48	63	N	2	b	6 a.	30.41	772.4	41	83	N	2	b
Kiukiang.....	,,	30.09	764.3	54	87	N E	2	o	,,	30.29	769.3	37	91	N E	4	o
Shanghai, ...	,,	30.12	765.0	46	76	N	3	o	9 a.	...	...	...	...	...	...	...
Gutzlaff, ...	,,	30.04	763.0	45	100	N N W	5	om	,,	30.32	770.1	40	65	N	4	om
Sharp Peak,.....	,,	29.92	759.9	64	89	N E	2	c	,,	30.20	767.1	57	75	E	5	or
Amoy.....	,,	29.86	758.9	69	80	S E	2	b	6 a.	30.03	762.7	60	71	N E	4	o
Swatow, ...	,,	29.86	758.4	77	65	E	1	b	,,	29.96	761.0	61	83	S E	1	o
Taihoku.....	1 p.	29.93	760.3	...	...	N W	2	...	5 a.	30.01	762.2	...	...	E	6	...
Taichu, ...	,,	29.91	759.8	...	...	W	4	...	,,	29.95	760.7	...	...	N	2	...
Tainan,.....	,,	29.94	760.4	...	...	W	4	...	,,	29.95	760.7	...	...	N	4	...
Koshun.....	,,	29.91	759.7	...	...	S W	4	...	,,	29.96	761.0	...	...	...	0	...
Pescadores, ...	,,	29.94	760.6	...	...	W	4	...	,,	29.97	761.2	...	...	N	8	...
Canton,.....	3 p.	29.92	759.9	75	72	E	1	o	9 a.	30.02	762.5	68	95	...	0	o
Hongkong, ...	4 p.	29.91	759.7	70	80	W N W	1	o	10 a.	30.04	763.0	71	77	...	0	of
Victoria Peak,...	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	N W	1	...
Gap Rock,.....	,,	29.90	759.4	...	...	N	2	...	,,	30.00	762.0	...	...	N	2	...
Macao, ...	,,	29.94	760.5	69	...	S	1	o	,,	30.03	762.7	70	...	N N W	1	o
Wuchow,.....	3 p.	29.94	760.5	71	...	W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	29.93	760.2	75	81	N	1	c	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	76	73	W	1	c	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.89	759.2	72	...	S S E	3	o	8 a.	29.99	761.6	66	...	E	0	dh
Tourane, ...	,,	29.86	758.4	79	...	S E	3	c	,,	29.97	761.1	75	...	S E	1	b
Cape St. James,.	,,	29.83	757.7	81	...	E	3	c	,,	29.90	759.5	73	...	N W	1	c
Aparri, ...	2 p.	29.88	759.0	...	...	N E	1	c	6 a.	29.92	760.0	...	...	S	1	o
Manila, ...	4 p.	29.88	759	81	76	N N E	1	p	10 a.	30.00	762	82	100	W	1	b
Legaspi, ...	2 p.	29.87	758.8	82	...	E	1	o	6 a.	29.91	759.7	73	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N W	1	c
Iloilo, ...	,,	29.85	758.2	87	...	N E	1	b	,,	29.95	760.7	83	...	N W	1	b
Cebu,.....	,,	29.83	757.7	84	...	N	1	c	,,	29.91	759.7	85	...	N	1	c
Labuan, ...	,,	29.78	756.4	84	...	...	...	...	,,	29.88	758.9	80	...	...	...	...

On the 20th at 11.42 a.—The barometer has risen rapidly over the Yangtze Valley, but remains nearly stationary along the South coast of China, and over the China Sea.

A deep depression has approached the northwest of Japan from Manchuria, and the shallow depression to the South of Japan has moved towards the east south east and is approaching the Bonin Islands.

Anticyclonic conditions are restored over the interior of China and fresh monsoon will be experienced on the coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Moderate N.E. winds, fine, cloudy.
2.—Formosa Channel, ...	Fresh to strong N.E. winds.
3.—South coast of China between Hongkong and Lamocks,..	Moderate to fresh N.E. winds.
4.—South coast of China between Hongkong and Hainan,...	Moderate E. winds.

J. I. PLUMMER,
Acting Director.

Hongkong Observatory, Saturday, 20th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th February, 1909, P.M.								21st February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.59	751.7	29	...	N	2	o	7 a.	29.75	755.7	4	69	N	3	o
Nemuro,	,,	29.18	741.1	...	...	S	10	...	6 a.	28.94	735.1	...	...	W	8	...
Hakodate,	,,	29.42	747.2	...	...	W	10	...	,,	28.59	726.2	...	...	W	8	...
Tokio,	,,	29.51	749.6	...	...	N	2	...	,,	29.59	751.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	N W	4	...	,,	29.95	760.8	...	...	S	2	...
Nagasaki,	,,	30.07	763.8	...	...	N	8	...	,,	30.19	766.3	...	...	N	8	...
Kagoshima,	,,	30.00	761.9	...	...	N	4	...	,,	30.12	764.9	...	...	N	8	...
Oshima,	,,	30.00	762.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	8	...
Naha,	,,	30.01	762.2	...	...	N	4	...	,,	30.13	765.2	...	...	N E	4	...
Ishigakijima,	,,	29.97	761.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N E	4	...
Bonin Is.	,,	29.89	759.1	...	...	W	4	...	,,	29.85	758.1	...	...	...	0	...
Chefoo,	3 p.	30.30	769.6	23	86	N	4	c	6 a.	30.35	770.9	21	86	W	3	c
Weihaiwei,	,,	30.29	769.3	24	...	W N W	4	ovr	9 a.	30.42	772.6	18	...	N E	2	o
Hankow,	,,	30.42	772.6	43	75	N	1	o	6 a.	30.42	772.6	40	74	N E	2	o
Kiukiang,	,,	30.31	770.1	41	70	N E	6	o	,,	30.30	769.6	38	81	N E	3	o
Shanghai,	,,	30.31	769.9	42	83	N N W	2	o	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.27	768.8	43	59	N	3	cv	,,	30.39	771.9	39	64	N	3	om
Sharp Peak,	,,	30.16	766.0	54	80	E N E	4	o	,,	30.30	769.6	51	72	N E	5	o
Amoy,	,,	30.07	763.8	58	75	N E	2	o	6 a.	30.17	766.3	55	62	N E	3	o
Swatow,	,,	30.01	762.2	60	82	E	2	o	,,	30.07	763.8	56	87	N E	2	o
Taihoku,	1 p.	30.11	764.8	...	...	E	8	...	5 a.	30.18	766.6	...	...	E	6	...
Taichu,	,,	30.00	762.0	...	...	N	6	...	,,	30.09	764.2	...	...	N	4	...
Tainan,	,,	30.02	762.4	...	...	N	8	...	,,	30.07	763.7	...	...	N	4	...
Koshun,	,,	29.96	760.9	...	...	N E	6	...	,,	30.03	762.8	...	...	N E	8	...
Pescadores,	,,	30.05	763.3	...	...	N	10	...	,,	30.10	764.4	...	...	N E	10	...
Canton,	3 p.	29.96	761.0	76	95	N	1	o	9 a.	30.10	764.5	59	100	N E	1	o
Hongkong,	4 p.	29.99	761.7	62	94	E	4	of	10 a.	30.09	764.3	60	77	E	6	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	6	...
Gap Rock,	,,	29.97	761.2	...	...	E N E	4	...	,,	30.05	763.2	...	...	E	6	...
Macao,	,,	29.98	761.5	71	...	S S E	1	c	,,	30.09	764.3	72	...	S E	2	o
Wuchow,	3 p.	30.00	762.0	72	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.94	760.5	74	86	N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.91	759.7	78	74	S	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	73	...	S E	4	c	8 a.	29.99	761.7	68	...	E S E	1	o
Tourane,	,,	29.89	759.2	81	...	S E	1	c	,,	29.96	760.9	75	...	S	1	o
Cape St. James,	,,	29.80	757.0	84	...	S S W	1	c	,,	29.88	758.8	75	...	N E	2	c
Aparri,	2 p.	29.91	759.6	...	...	N W	1	o	6 a.	29.97	761.2	...	...	N E	1	o
Manila,	4 p.	29.84	758	86	71	W N W	1	c	10 a.	29.92	760	84	77	W S W	1	c
Legaspi,	2 p.	29.87	758.7	86	...	E	1	c	6 a.	29.89	759.2	79	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	N	2	c
Iloilo,	,,	29.85	758.2	87	...	N N E	1	c	,,	29.91	759.7	83	...	N N E	2	c
Cebu,	,,	29.85	758.2	85	...	N	1	b	,,	29.90	759.4	85	...	N	2	c
Labuan,	,,	29.81	757.2	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 21st at 11.50 a.—The barometer has risen moderately over South China, Formosa, the Loochoos Islands and south western Japan, and fallen considerably in the Hokkaido.

An extensive anticyclonic area occupies the whole of northern China as well as the Yangtze Valley and the Eastern Sea.

The depression in Japan has moved somewhat to the eastward and is now central over the Hokkaido, it appears to be of exceptional depth.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Fresh to strong N.E. winds, cloudy, probably some drizzling rain.
2.—Formosa Channel,	Strong N.E. winds, overcast.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Fresh E. winds, cloudy.

J. I. PLUMMER,
Acting Director.

Hongkong Observatory, Sunday, 21st February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st FEBRUARY, 1909, P.M.								22nd FEBRUARY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.82	757.3	23	...	N E	1	c	7 a.	29.93	760.2	3	52	N E	0	b
Nemuro,	,,	29.41	747.1	...	...	N	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.57	751.2	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.94	760.6	...	...	N	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.15	765.8	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.15	765.8	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.11	764.9	...	...	N	8	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.12	765.1	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.17	766.2	...	...	N E	10	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.85	758.1	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Chefoo,	3 p.	30.38	769.1	22	100	N W	2	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.40	772.1	20	...	N E	3	c	9 a.	30.41	772.4	23	...	W N W	2	ovr
Hankow,	,,	30.47	773.9	34	90	N	2	s	6 a.	30.44	773.2	31	100	N E	1	s
Kiukiang,	✓ ,,	30.39	771.9	35	90	N E	6	o	,,	30.35	770.9	33	90	N E	8	o
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	30.42	772.6	33	...	N N E	1	c
Gutzlaff,	,,	30.34	770.6	37	61	N	3	om	,,	30.36	771.1	34	79	N	3	ov
Sharp Peak,	✓ ,,	30.20	767.1	50	79	N	4	o	,,	30.29	769.3	50	93	N	1	or
Amoy	✓ ,,	30.15	765.8	58	58	E	0	b	6 a.	30.17	766.3	50	86	N E	2	or
Swatow,	✓ ,,	30.05	763.2	58	94	N E	5	c	,,	30.09	764.3	52	86	N E	5	or
Taihoku,	1 p.	30.15	765.7	...	...	E	8	...	5 a.	30.18	766.6	...	...	E	6	...
Taichu,	,,	30.06	763.4	...	...	N	4	...	,,	30.08	764.0	...	...	N	2	...
Tainan,	,,	30.05	763.2	...	...	N	4	...	,,	30.06	763.4	...	...	N	6	...
Koshun	,,	30.07	763.7	...	...	E	10	...	,,	30.11	764.8	...	...	N E	8	...
Pescadores,	,,	30.10	764.6	...	...	N	10	...	,,	30.08	763.9	...	...	N	10	...
Canton,	3 p.	30.10	764.5	59	100	N E	2	or	9 a.	30.13	765.3	57	94	N	1	or
Hongkong,	4 p.	30.03	762.7	59	84	E	5	od	10 a.	30.11	764.8	57	94	E	4	od
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E N E	7	...
Gap Rock,	,,	29.97	761.2	...	...	E N E	4	...	,,	30.05	763.2	...	...	E	6	...
Macao,	,,	30.03	762.7	61	...	E S E	2	o	,,	30.11	764.8	60	...	E N E	2	od
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	✓ ,,	29.92	759.9	75	95	N E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	29.94	760.5	72	81	E S E	2	o	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	29.90	759.5	72	...	S E	5	c	8 a.	29.98	761.4	66	...	E	3	or
Tourane,	✓ ,,	29.86	758.5	64	...	S	2	c	,,	29.97	761.3	75	...	S E	1	o
Cape St. James,	✓ ,,	29.80	756.8	79	...	E N E	4	c	,,	29.91	759.8	77	...	E N E	4	c
Aparri,	2 p.	29.93	760.3	...	...	N E	2	o	6 a.	29.96	760.9	...	...	S E	1	o
Manila,	4 p.	29.84	758	86	71	...	0	o	10 a.	29.96	761	84	64	N E	0	c
Legaspi,	2 p.	29.86	758.4	86	...	E	1	c	6 a.	29.92	760.0	77	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	S E	2	c
Iloilo,	,,	29.81	757.2	86	...	N N E	2	c	,,	29.91	759.7	83	...	S E	1	b
Cebu,	,,	29.83	757.7	85	...	N	2	c	,,	29.90	759.4	85	...	N	2	c
Labuan,	✓ ,,	29.75	755.6	84	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 22nd at 11.38 a.—The changes of barometric pressure over China and the China Sea are slight and unimportant.

The barometer has risen sensibly at Wladiwostock and probably also over Japan generally, but the observations from that quarter are wanting this morning.

The anticyclonic area persists over North China, through there are indications that it has shifted slightly to the Eastward.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Fresh E. to N.E. winds, overcast, probably rain.
2.—Formosa Channel,	Strong N.E. winds, dull, with rain.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

J. I. PLUMMER,
Acting Director.

Hongkong Observatory, Monday, 22nd February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd February, 1909, P.M.								23rd February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.94	760.5	19	...	N E	3	b	7 a.	30.04	763.0	0	69	...	0	b
Nemuro,	,,	29.49	749.1	...	...	W	10	...	6 a.	29.65	753.1	...	...	N W	8	...
Hakodate,	,,	29.69	754.2	...	...	W	6	...	,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	N E	2	...	,,	29.99	761.6	...	...	N W	2	...
Kochi,	,,	30.03	762.8	...	...	W	6	...	,,	30.19	766.8	...	...	...	0	...
Nagasaki,	,,	30.23	767.8	...	...	N	8	...	,,	30.23	767.3	...	...	N W	4	...
Kagoshima,	,,	30.19	766.9	...	...	N	8	...	,,	30.19	766.9	...	...	N	4	...
Oshima,	,,	30.16	766.1	...	...	N	6	...	,,	30.16	766.1	...	...	...	0	...
Naha,	,,	30.17	766.2	...	...	N E	2	...	,,	30.13	765.2	...	...	N E	2	...
Ishigakijima,	,,	30.09	764.3	...	...	E	6	...	,,	30.01	762.3	...	...	S E	6	...
Bonin Is.	,,	29.96	761.1	...	...	W	6	...	,,	30.04	763.1	...	...	W	6	...
Chefoo,	3 p.	30.36	771.1	29	100	N N W	1	c	6 a.	30.27	768.8	24	100	S W	1	o
Weihaiwei,	,,	30.38	771.6	26	...	N W	2	b	9 a.	30.29	769.3	26	...	N W	1	o
Hankow,	,,	30.39	771.9	34	100	N	1	o	6 a.	30.37	771.4	32	100	N	1	o
Kiukiang,	✓ ,,	30.33	770.4	31	100	N E	5	or	,,	30.29	769.3	31	90	N E	2	o
Shanghai,	,,	30.34	770.6	43	...	N E	2	o	9 a.	30.26	768.6	38	91	E N E	1	om
Gutzlaff,	,,	30.30	769.6	34	90	N	3	s	,,	30.24	768.1	38	...	E N E	3	ov
Sharp Peak,	✓ ,,	30.20	767.1	51	86	N	3	or	,,	30.20	767.1	52	93	N	1	or
Amoy	✓ ,,	30.09	764.3	57	75	N E	1	c	6 a.	30.10	764.5	56	87	...	0	o
Swatow,	✓ ,,	30.06	763.5	56	81	E	2	o	,,	29.96	761.0	54	94	N E	2	o
Taihoku,	1 p.	30.11	764.7	...	...	E	8	...	5 a.	30.06	763.5	...	...	E	2	...
Taichu,	,,	30.08	764.9	...	...	N	4	...	,,	30.07	763.7	...	...	N	2	...
Tainan,	,,	30.06	763.5	...	...	N	6	...	,,	30.05	763.2	...	...	N	2	...
Koshun	,,	30.02	762.6	...	...	N E	10	...	,,	30.02	762.4	...	...	N	2	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	30.07	763.7	...	...	N	8	...
Canton,	3 p.	30.06	763.5	60	100	N	1	o	9 a.	30.12	765.0	58	94	N	1	or
Hongkong,	4 p.	30.02	762.5	60	84	E	3	o	10 a.	30.10	764.5	60	91	E	3	od
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	30.00	762.0	...	...	E N E	6	...	,,	30.05	763.2	...	...	E N E	5	...
Macao,	,,	30.03	762.7	61	...	E N E	1	o	,,	30.10	764.5	62	...	N N E	0	od
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	29.95	760.7	70	85	E S E	2	o	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	29.90	759.4	68	...	E	2	dh	8 a.	29.99	761.7	66	...	E	4	f
Tourane,	✓ ,,	29.88	759.0	79	...	W S W	3	c	,,	29.99	761.8	79	...	...	0	o
Cape St. James,	✓ ,,	29.83	757.8	81	...	E N E	4	c	,,	29.96	760.9	79	...	N N E	2	c
Aparri,	2 p.	29.93	760.3	...	...	N E	1	o	6 a.	29.93	760.1	...	...	S	1	b
Manila,	4 p.	29.84	758	88	59	S E	2	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.89	759.1	88	...	N E	1	b	6 a.	29.93	760.1	75	...	E	1	o
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N W	2	c
Iloilo,	,,	29.81	757.2	88	...	N N E	1	b	,,	29.91	759.7	83	...	N N E	1	b
Cebu,	,,	29.84	757.9	86	...	N	1	b	,,	29.93	760.2	85	...	N	1	b
Labuan,	✓ ,,	29.83	757.7	86	...	...	...	...	,,	29.91	759.7	82	...	...	...	...

On the 23rd at 11.32 a.—The barometer has fallen moderately over the whole of China and the Eastern Sea, and has risen generally over Japan, and the coasts of Annam.

An area of high pressure still occupies the central parts of China and the lowest pressure is also still to be found to the north east of Hokkaido.

Ordinary N.E. monsoon conditions prevail but in a more moderate form than yesterday.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Moderate E. to N.E. winds, dull, hazy, some drizzling [rain.
2.—Formosa Channel,	Moderate N.E. winds, overcast.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

J. I. PLUMMER,
Acting Director.

Hongkong Observatory, Tuesday, 23rd February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd February, 1909, P.M.								24th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.02	762.4	25	...	W	0	b	7 a.	29.95	760.6	12	95	...	0	b
Nemuro,	,,	29.73	755.1	...	...	N W	8	...	6 a.	29.89	759.1	...	...	W	6	...
Hakodate,	,,	29.89	759.2	...	...	W	6	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	N W	4	...	,,	30.06	763.6	...	...	N W	2	...
Kochi,	,,	30.11	764.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	W	2	...	,,	30.07	763.3	...	...	N E	2	...
Kagoshima,	,,	30.15	765.9	...	...	N	4	...	,,	30.08	763.9	...	...	N E	4	...
Oshima,	,,	30.08	764.1	...	...	...	0	...	,,	29.93	760.1	...	...	S	2	...
Naha,	,,	30.05	763.2	...	...	S	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	S	6	...	,,	29.89	759.3	...	...	...	0	...
Bonin Is.	,,	30.04	763.1	...	...	N W	4	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	3 p.	30.18	766.6	33	100	E N E	1	c	6 a.	30.05	763.2	20	...	S W	1	b
Weihaiwei,	,,	30.20	767.1	30	...	N	1	ovr	9 a.	30.02	762.5	35	...	S S W	1	b
Hankow,	,,	30.29	769.3	35	90	S E	1	o	6 a.	30.20	767.1	37	91	E	1	o
Kiukiang,	,,	30.23	767.8	34	90	N E	1	o	,,	30.08	764.0	34	100	...	0	o
Shanghai,	,,	30.17	766.3	40	100	E N E	1	om	9 a.	29.95	760.7	44	100	S S E	1	om
Gutzlaff,	,,	30.16	766.0	41	100	N E	2	omd	,,	29.98	761.5	46	92	S E	2	omd
Sharp Peak,	,,	30.02	762.5	54	94	E	1	o	,,	29.99	761.7	57	100	...	0	o
Amoy	,,	30.03	762.7	58	88	S W	1	o	6 a.	29.99	761.7	57	87	N E	1	o
Swatow,	,,	29.99	761.7	60	88	E	2	c	,,	29.96	761.0	56	100	N	1	o
Taihoku	1 p.	30.06	763.5	...	...	N	2	...	5 a.	29.96	761.0	...	...	...	0	...
Taichu,	,,	30.00	762.9	...	...	N	6	...	,,	29.88	759.0	...	...	...	0	...
Tainan,	,,	30.00	761.9	...	...	N	6	...	,,	29.95	760.7	...	...	N	4	...
Koshun	,,	...	...	...	...	...	...	...	,,	29.93	760.1	...	...	N	2	...
Pescadores,	,,	30.02	762.6	...	...	N E	8	...	,,	29.97	761.2	...	...	N	6	...
Canton,	3 p.	29.99	761.7	65	95	...	0	o	9 a.	29.96	761.0	63	100	...	0	or
Hongkong,	4 p.	29.96	761.0	62	93	E	3	od	10 a.	29.97	761.2	61	94	E	4	od
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	S E	7	...
Gap Rock,	,,	29.93	760.2	...	...	E N E	4	...	,,	29.93	760.2	...	...	E	4	...
Macao,	,,	29.97	761.2	63	...	N E	2	of	,,	29.97	761.2	63	...	S E	2	od
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.91	759.7	73	86	E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.92	759.9	71	90	S E	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.7	70	...	E S E	3	o	8 a.	29.88	758.8	68	...	S S E	4	f
Tourane,	,,	29.89	759.1	79	...	E	1	c	,,	29.91	759.7	81	...	...	0	c
Cape St. James,	,,	29.83	757.8	81	...	E N E	4	c	,,	29.91	759.8	81	...	N E	4	c
Aparri,	2 p.	29.89	759.2	...	...	N E	1	b	6 a.	29.89	759.2	...	...	S W	0	b
Manila,	4 p.	29.84	758	90	60	E S E	0	o	10 a.	29.92	760	84	64	E	1	c
Legaspi,	2 p.	29.88	759.0	79	...	E	1	o	6 a.	29.90	759.5	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N N E	1	c
Iloilo,	,,	29.85	758.2	88	...	N E	2	b	,,	29.91	759.7	82	...	E	1	b
Cebu,	,,	29.83	757.7	86	...	N	1	c	,,	29.89	759.2	85	...	N	1	c
Labuan,	,,	29.76	755.9	85	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 24th at 11.52 a.—The barometer has continued to rise on the eastern shores of Japan consequent on the movement of the late depression in that region to the north eastward.

It has fallen at all other stations, most considerably on the eastern coasts of China and over the Eastern Sea. Everywhere it is below the normal.

The highest pressure remains over the interior of China north of the Yangtze and there are indications of a depression approaching from the western provinces of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate to fresh, cloudy.
2.—Formosa Channel,	N.E. to E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	E. winds, moderate.
4.—South coast of China between Hongkong and Hainan	Same as No. 1.

J. I. PLUMMER,
Acting Director.

Hongkong Observatory, Wednesday, 24th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th February, 1909, P.M.								25th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.89	759.1	28	...	S E	1	c	7 a.	29.83	757.7	9	90	N E	1	c
Nemuro,	,,	29.89	759.1	...	...	S W	6	...	6 a.	29.73	755.1	...	...	S	6	...
Hakodate,	,,	29.93	760.2	...	...	N W	6	...	,,	29.77	756.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	S	2	...	,,	29.67	753.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	99.95	760.8	...	...	N E	4	...	,,	29.99	761.8	...	...	N	2	...
Kagoshima,	,,	29.88	758.9	...	...	E	2	...	,,	30.00	761.9	...	...	N	4	...
Oshima,	,,	29.81	757.1	...	...	S W	4	...	,,	29.93	760.1	...	...	N	6	...
Naha,	,,	29.89	759.2	...	...	W	4	...	,,	29.93	760.2	...	...	N W	2	...
Ishigakijima,	,,	29.85	758.3	...	...	S W	2	...	,,	29.89	759.3	...	...	...	0	...
Bonin Is.	,,	30.04	763.1	...	...	W	2	...	,,	29.93	760.1	...	...	S	6	...
Chefoo,	3 p.	29.93	760.2	41	92	W N W	3	c	6 a.	30.18	766.6	31	100	N W	1	b
Weihaiwei,	,,	29.93	760.2	37	...	W	3	o	9 a.	30.24	768.1	27	...	N N W	4	b
Hankow,	,,	30.18	766.6	43	75	N W	1	o	6 a.	30.26	768.6	45	92	E	1	o
Kiukiang,	,,	30.09	764.3	39	82	S W	1	o	,,	30.18	766.6	39	90	...	0	o
Shanghai,	,,	29.96	761.0	41	92	N N W	3	om	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.94	760.5	40	100	N W	2	fd	,,	30.18	766.6	43	75	N	4	om
Sharp Peak,	,,	29.93	760.2	59	94	S	1	c	,,	30.11	764.8	56	87	E N E	2	o
Amoy,	,,	29.88	758.9	63	83	S E	1	c	6 a.	29.98	761.5	60	88	N E	1	or
Swatow,	,,	29.87	758.7	66	79	E	1	c	,,	29.91	759.7	61	94	N W	1	o
Taihoku	1 p.	29.93	760.1	...	...	W	6	...	5 a.	29.99	761.8	...	...	N	0	...
Taichu,	,,	29.91	759.8	...	...	N W	4	...	,,	29.95	760.6	...	...	N	2	...
Tainan,	,,	29.92	759.9	...	...	N W	4	...	,,	29.94	760.4	...	...	N E	2	...
Koshun	,,	29.90	759.5	...	...	W	4	...	,,	29.91	759.7	...	...	N	4	...
Pescadores,	,,	29.93	760.2	...	...	N	6	...	,,	29.95	760.6	...	...	N	4	...
Canton,	3 p.	29.86	758.4	68	90	E	1	o	9 a.	29.95	760.7	67	100	...	0	o
Hongkong,	4 p.	29.86	758.4	62	95	E	4	od	10 a.	29.97	761.2	67	98	E	3	of
Victoria Peak,	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.84	757.9	...	...	E	4	...	,,	29.93	760.2	...	...	E	3	...
Macao,	,,	29.86	758.4	65	...	N E	1	odf	,,	29.97	761.2	67	...	W S W	1	of
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.89	759.2	79	82	N N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.84	757.9	75	90	S	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.1	68	...	S E	4	dh	8 a.	29.86	758.4	72	...	E S E	3	or
Tourane,	,,	29.83	757.6	79	...	S E	1	o	,,	29.89	759.2	...	...	...	0	c
Cape St. James,	,,	29.81	757.2	81	...	E N E	4	c	,,	29.90	759.4	81	...	E N E	3	c
Aparri,	2 p.	29.85	758.3	...	...	N E	1	b	6 a.	29.93	760.1	...	...	S W	1	b
Manila,	4 p.	29.84	758	90	48	S E	1	c	10 a.	29.96	761	84	64	W S W	1	b
Legaspi,	2 p.	29.86	758.5	84	...	E	1	c	6 a.	29.93	760.2	77	...	E	1	b
Bacolod,	3 p.	...	...	...	...	N N E	3	...	9 a.	...	...	...	...	N W	1	c
Iloilo,	,,	29.81	757.2	87	...	N N E	1	b	,,	29.91	759.7	81	...	N N E	1	b
Cebu,	,,	29.84	757.9	86	...	N	1	b	,,	29.93	760.2	83	...	...	0	c
Labuan,	,,	29.75	755.6	85	...	...	...	...	,,	29.79	756.6	81	...	...	...	...

On the 25th at 12.05 p.—The barometer has risen in North China, and fallen very slightly along the South coast.

It has also fallen generally in Japan, more particularly in the South. There is a tendency for pressure to increase over the Philippines.

The maximum pressure is still over China to the northward of the Yangtze and moderate N.E. monsoon will prevail generally.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Light E. winds, overcast, foggy.
2.—Formosa Channel,	Moderate N.E. winds, overcast.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

J. I. PLUMMER,
Acting Director.

Hongkong Observatory, Thursday, 25th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th February, 1909, P.M.								26th February, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.85	758.3	20	...	N	1	b	7 a.	30.03	762.7	5	79	...	0	b
Nemuro,	,,	29.61	752.1	...	...	N	6	...	6 a.	29.85	758.1	...	...	N	4	...
Hakodate,	,,	29.69	754.2	...	...	N W	6	...	,,	29.89	759.2	...	...	N W	2	...
Tokio,	,,	29.63	752.6	...	...	S W	4	...	,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.83	757.8	...	...	N	6	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	99.99	761.8	...	...	W	10	...	,,	30.15	765.3	...	...	N W	2	...
Kagoshima,	,,	29.96	760.9	...	...	N W	6	...	,,	30.04	762.9	...	...	N	2	...
Oshima,	,,	29.96	761.1	...	...	N	6	...	,,	30.04	763.1	...	...	N	6	...
Naha,	,,	29.97	761.2	...	...	N E	4	...	,,	30.05	763.2	...	...	N E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	N E	4	...	,,	29.97	761.3	...	...	E	6	...
Bonin Is.	,,	29.81	757.1	...	...	S	6	...	,,	29.89	759.1	...	...	W	2	...
Chefoo,	3 p.	30.25	768.3	30	100	N W	4	b	6 a.	30.36	771.1	25	100	N W	1	o
Weihaiwei,	,,	30.25	768.3	27	...	N W	4	ovr	9 a.	30.43	772.9	30	...	N E	1	ovr
Hankow,	,,	30.27	768.8	45	76	N E	1	o	6 a.	30.30	769.6	42	83	N E	1	o
Kiukiang,	✓ ,,	30.18	766.6	41	92	N E	3	o	,,	30.21	767.3	40	82	N E	3	o
Shanghai,	,,	30.18	766.6	44	45	N	3	o	9 a.	30.34	770.6	40	74	E N E	2	o
Gutzlaff,	,,	30.15	765.8	42	58	N	4	om	,,	30.59	777.0	42	66	N N E	3	ov
Sharp Peak,	✓ ,,	30.01	762.2	54	74	N E	5	o	,,	30.22	767.6	53	93	N	1	o
Amoy	✓ ,,	29.99	761.7	58	81	N E	3	o	6 a.	30.08	764.0	56	87	N E	1	o
Swatow,	✓ ,,	29.92	759.9	60	100	E	1	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.01	762.3	...	...	E	6	...	5 a.	30.04	763.1	...	...	E	6	...
Taichu,	,,	29.96	761.0	...	...	N	2	...	,,	30.02	762.5	...	...	...	0	...
Tainan,	,,	29.94	760.4	...	...	N	6	...	,,	30.00	762.0	...	...	N	8	...
Koshun	,,	29.93	760.1	...	...	N W	4	...	,,	29.97	761.3	...	...	N	2	...
Pescadores,	,,	29.96	761.1	...	...	N E	6	...	,,	30.04	762.9	...	...	N	8	...
Canton,	3 p.	29.95	760.7	69	95	...	0	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.86	758.4	66	98	E	2	of	10 a.	30.05	763.2	60	94	E	4	o
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	E S E	6	...
Gap Rock,	,,	29.83	757.7	...	...	E S E	3	...	,,	29.98	761.5	...	...	E	5	...
Macao,	,,	29.86	758.4	67	...	S E	1	odf	,,	30.03	762.7	63	...	S E	3	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	29.81	757.2	75	81	S	1	c	,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	29.78	756.5	90	...	S E	1	c	8 a.	...	...	70	...	E S E	4	f
Tourane,	✓ ,,	29.74	755.3	72	...	E S E	4	o	,,	29.91	759.7	81	...	...	0	c
Cape St. James,	✓ ,,	29.80	756.9	82	...	E N E	4	c	,,	29.95	760.6	79	...	N E	2	c
Aparri,	2 p.	29.90	759.4	...	...	N	1	b	6 a.	29.92	760.0	...	...	...	0	b
Manila,	4 p.	29.84	758	90	55	E S E	2	b	10 a.	30.00	762.4	84	52	E	1	b
Legaspi,	2 p.	29.89	759.2	86	...	E	1	b	6 a.	29.94	760.5	73	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	W N W	1	c
Iloilo,	,,	29.85	758.2	87	...	N E	2	b	,,	29.93	760.2	81	...	W N W	2	b
Cebu,	,,	29.84	757.9	85	...	N	2	c	,,	29.91	759.7	83	...	N	2	c
Labuan,	✓ ,,	29.77	756.1	84	...	...	...	...	,,	29.80	756.9	81	...	...	...	...

On the 26th at 11.25 a.—The barometer has risen considerably in North China, Korea and over the Japan Sea, and more moderately at nearly all other stations.

The highest pressure is now over the Gulf of Pechili and surrounding coasts, and appears to have shifted slightly to the eastward since yesterday. It is relatively low upon eastern shores of Japan.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Fresh E. winds, cloudy, hazy.
2.—Formosa Channel,	Fresh to strong N.E. winds, overcast.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Fresh E. to S.E. winds, cloudy.

J. I. PLUMMER,
Acting Director.

Hongkong Observatory, Friday, 26th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th February, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th February, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.15	765.8	20	...	N E	2	b	7 a.	30.13	765.4	0	15	...	0	b
Nemuro,	,,	29.85	758.1	...	...	...	0	...	6 a.	30.04	763.1	...	...	N	4	...
Hakodate,	,,	29.81	757.2	...	...	N W	8	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	N W	6	...	,,	30.18	766.6	...	...	N	4	...
Kochi,	,,	30.03	762.8	...	...	S E	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	N	6	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.11	764.9	...	...	S W	2	...	,,	30.15	765.9	...	...	N E	2	...
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.08	764.1	...	...	...	0	...
Naha,	,,	30.05	763.2	...	...	N E	4	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	E	4	...	,,	29.93	760.3	...	...	S E	2	...
Bonin Is.	,,	29.93	760.1	...	...	N	2	...	,,	30.08	764.1	...	...	N	2	...
Chefoo,	3 p.	30.36	771.1	34	100	N E	1	o	6 a.	30.24	768.1	39	100	S E	1	o
Weihaiwei,	,,	30.36	771.1	31	...	N W	1	o	9 a.	30.22	767.6	31	...	N W	1	o
Hankow,	,,	30.30	769.6	43	75	N E	1	o	6 a.	30.36	771.1	36	90	W	1	c
Kiukiang,	,,	30.18	766.6	39	100	N E	3	or	,,	30.23	767.8	37	91	N E	2	o
Shanghai,	,,	30.20	767.1	41	66	E N E	...	o	9 a.	30.24	768.1	40	74	N E	2	om
Gutzlaff,	,,	30.18	766.6	43	67	E N E	3	ov	,,	30.19	766.8	42	83	N E	3	ov
Sharp Peak,	,,	30.13	765.3	54	94	N	1	or	,,	30.15	765.8	54	94	N	1	o
Amoy,	,,	30.05	763.2	58	88	N E	1	o	6 a.	30.06	763.5	56	94	N E	1	o
Swatow,	,,	30.00	762.0	58	88	E	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.06	763.5	...	...	E	6	...	5 a.	30.04	762.9	...	...	W	2	...
Taichu,	,,	30.00	762.1	...	...	N	6	...	,,	30.02	762.4	...	...	N	2	...
Tainan,	,,	29.98	761.5	...	...	N W	2	...	,,	30.00	761.9	...	...	N	6	...
Koshun,	,,	29.99	761.7	...	...	N	4	...	,,	29.98	761.5	...	...	...	0	...
Pescadores,	,,	30.04	763.0	...	...	E	8	...	,,	30.02	762.4	...	...	N	8	...
Canton,	3 p.	29.96	761.0	61	100	N	1	or	9 a.	30.08	764.0	58	94	N	1	or
Hongkong,	4 p.	29.96	761.0	59	96	E	5	od	10 a.	30.06	763.5	61	91	E	4	od
Victoria Peak,	,,	...	...	...	...	E S E	6	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.91	759.7	...	...	E N E	6	...	,,	30.02	762.5	...	...	E N E	5	...
Macao,	,,	29.95	760.7	63	...	S E	1	od	,,	30.06	763.5	64	...	N N E	1	od
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.94	760.5	88	66	S E	1	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.88	758.9	76	82	N W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.4	73	...	S E	4	or	8 a.	29.96	760.9	72	...	E	2	f
Tourane,	,,	29.83	757.7	79	...	S E	3	c	,,	29.94	760.5	79	...	S	2	c
Cape St. James,	,,	29.82	757.4	84	...	E	3	c	,,	29.92	759.9	79	...	E N E	4	c
Aparri,	2 p.	29.91	759.8	...	...	N E	1	b	6 a.	29.94	760.4	...	...	S W	1	b
Manila,	4 p.	29.88	759	90	48	S E	1	b	10 a.	29.96	761	82	63	W S W	1	c
Legaspi,	2 p.	29.91	759.7	86	...	E	1	b	6 a.	29.95	760.6	77	...	N E	1	c
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N E	2	c
Iloilo,	,,	29.85	758.2	87	...	N N E	2	o	,,	29.91	759.7	82	...	N N E	1	c
Cebu,	,,	29.86	758.4	84	...	N	2	b	,,	29.94	760.5	83	...	N	2	b
Labuan,	,,	29.75	755.6	85	...	...	...	...	,,	29.78	756.4	83	...	...	...	...

On the 27th at 12.25 p.—The barometer has risen considerably over Japan and the neighbouring seas, and fallen on the eastern coasts of China.

In the south and over the China Sea the changes of pressure are of small importance.

The maximum pressure remains over the interior of north China and rather fresh N.E. monsoon will prevail generally.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Moderate to fresh N.E. winds, overcast, hazy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Moderate E. winds, cloudy.

J. I. PLUMMER,
Chief Assistant.

Hongkong Observatory, Saturday, 27th February, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th February, 1909, P.M.									28th February, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.07	763.8	28	...	W	0	b		7 a.	29.84	757.8	19	95	...	0	o
Nemuro,	,,	30.04	763.1	...	...	S W	4	...		6 a.	30.24	768.1	...	...	S E	6	...
Hakodate,	,,	30.17	766.2	...	...	N W	4	...		,,	30.13	765.2	...	...	N E	4	...
Tokio,	,,	30.26	768.6	...	...	...	0	...		,,	30.06	763.6	...	...	N W	6	...
Kochi,	,,	30.11	764.8	...	...	...	0	...		,,	29.91	759.8	...	...	S W	4	...
Nagasaki,	,,	30.07	763.8	...	...	S E	2	...		,,	29.99	761.3	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	N E	2	...		,,	30.00	761.9	...	...	N	2	...
Oshima,	,,	29.96	761.1	...	...	N	2	...		,,	29.97	761.1	...	...	N	6	...
Naha,	,,	29.97	761.2	...	...	S W	2	...		,,	29.97	761.2	...	...	N W	6	...
Ishigakijima,	,,	29.93	760.3	...	...	N W	4	...		,,	29.97	761.3	...	...	N E	2	...
Bonin Is.	,,	30.08	764.1	...	...	N E	2	...		,,	30.04	763.1	...	...	E	4	...
Chefoo,	3 p.	30.09	764.3	45	92	W	1	c		6 a.	30.14	765.5	36	100	S W	1	b
Weihaiwei,	,,	30.15	765.8	41	...	S W	1	ovr		9 a.	30.12	765.0	39	...	W	2	b
Hankow,	,,	30.27	768.8	49	64	N W	1	b		6 a.	30.38	771.6	33	91	N W	1	b
Kiukiang,	✓ ,,	30.20	767.1	42	83	...	0	o		,,	30.21	767.3	32	100	...	0	b
Shanghai,	,,	30.16	766.0	42	66	N	1	o		9 a.	30.27	768.8	40	82	...	0	om
Gutzlaff,	,,	30.14	765.5	42	75	N	3	ov		,,	30.23	767.8	41	83	N N E	2	ov
Sharp Peak,	✓ ,,	30.05	763.2	55	80	E N E	4	o		,,	30.18	766.6	53	80	N E	4	o
Amoy,	✓ ,,	30.04	763.0	60	82	E	3	o		6 a.	30.07	763.8	58	81	N E	2	o
Swatow,	✓ ,,	29.98	761.5	61	88	E S E	1	c		,,	30.02	762.5	56	94	N E	1	o
Taiboku,	1 p.	30.04	762.9	...	...	N W	4	...		5 a.	30.06	763.4	...	...	W	2	...
Taichu,	,,	30.01	762.3	...	...	N	6	...		,,	30.01	762.2	...	...	N	4	...
Tainan,	,,	30.01	762.3	...	...	N	6	...		,,	29.99	761.7	...	...	N	4	...
Koshun,	,,	29.98	761.6	...	...	N	4	...		,,	29.98	761.5	...	...	...	0	...
Pescadores,	,,	30.03	762.7	...	...	N	8	...		,,	30.01	762.3	...	...	N	8	...
Canton,	3 p.	30.00	762.0	59	94	N	1	o		9 a.	...	...	55	68	N	1	o
Hongkong,	4 p.	29.96	761.0	62	94	E	3	od		10 a.	30.09	764.3	62	92	...	0	o
Victoria Peak,	,,	...	...	...	...	S E	3	...		,,	...	...	...	...	E	2	...
Gap Rock,	,,	29.92	759.9	...	...	E N E	4	...		,,	30.06	763.5	...	...	N N E	3	...
Macao,	,,	29.96	761.0	65	...	...	0	o		,,	30.10	764.5	60	...	N N W	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow,	✓ ,,	29.89	759.2	81	78	N E	2	b		,,	...	...	...	...	...	...	...
Pakhoi,	✓ ,,	29.95	760.7	68	79	N	3	o		,,	...	...	...	...	...	...	...
Phulien,	✓ 4 p.	29.86	758.5	90	...	E S E	4	o		8 a.	30.02	762.4	68	...	E	3	o
Tourane,	✓ ,,	29.85	758.2	82	...	S E	2	b		,,	29.99	761.6	77	...	...	0	o
Cape St. James,	✓ ,,	29.83	757.7	81	...	E	5	b		,,	29.92	759.9	79	...	E N E	6	c
Aparri,	2 p.	29.91	759.8	...	...	S	1	b		6 a.	29.93	760.3	...	...	S W	1	b
Manila,	4 p.	29.84	758	86	59	S E	2	c		10 a.	29.96	761	86	53	N E	0	c
Legaspi,	2 p.	29.91	759.6	88	...	E	1	b		6 a.	29.91	759.6	77	...	N E	1	b
Bacolod,	3 p.	...	...	...	...	N E	...	c		9 a.	...	...	...	...	N N E	2	c
Iloilo,	,,	29.85	758.2	87	...	N E	3	b		,,	29.91	759.7	81	...	N N E	4	b
Cebu,	,,	29.85	758.2	85	...	N	2	c		,,	29.90	759.4	85	...	N	1	b
Labuan,	✓ ,,	29.74	755.4	86	...	...	...	...		,,	...	...	...	...	...	...	...

On the 28th at 11.55 a.—The barometer has fallen considerably in Wladivostok and S. Japan, a depression having approached the neighbourhood of the former station from the Westward.

A shallow depression appears to be developing also over the Pacific between the Loochoos and the Bonins.

Pressure is highest over the Yangtze Valley and the barometer is inclined to rise over S. China.

Moderate to fresh monsoon may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, moderate to fresh; dull, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 28th February, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th February, 1909, P.M.								1st March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.83	757.7	29	...	S E	0	b	7 a.	29.85	758.2	18	95	...	0	b
Nemuro,	,,	30.16	766.1	...	...	S E	6	...	6 a.	29.93	760.1	...	...	N E	8	...
Hakodate,	,,	29.97	761.2	...	...	E	8	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	N	4	...	,,	29.95	760.6	...	...	N W	6	...
Kochi,	,,	29.83	757.8	...	...	N W	6	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N	6	...	,,	30.03	762.3	...	...	N W	2	...
Kagoshima,	,,	29.96	760.9	...	...	N	6	...	,,	30.00	761.9	...	...	N	4	...
Oshima,	,,	29.96	761.1	...	...	N	6	...	,,	30.01	762.1	...	...	S	4	...
Naha,	,,	30.01	762.2	...	...	N	8	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	6	...	,,	30.01	762.3	...	...	N E	4	...
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.93	760.1	...	...	W	2	...
Chefoo,	3 p.	30.05	763.2	40	100	N W	3	b	6 a.	30.02	762.5	39	100	N W	3	b
Weihaiwei,	,,	30.05	763.2	43	...	W	1	ovr	9 a.	30.00	762.0	43	...	W S W	1	ovr
Hankow,	,,	30.29	769.3	56	57	...	0	b	6 a.	30.30	769.6	40	91	S	1	b
Kiukiang,	,,	30.22	767.6	54	55	W	1	b	,,	30.23	767.8	67	95	...	0	b
Shanghai,	,,	30.19	766.8	47	48	N	1	c	9 a.	30.19	766.8	45	76	S S W	1	b
Gutzlaff,	,,	30.17	766.3	48	63	N N W	1	ov	,,	30.18	766.6	44	76	W	1	bm
Sharp Peak,	,,	30.11	764.8	52	73	E	5	o	,,	30.17	766.3	51	94	N	1	o
Amoy,	,,	30.05	763.2	61	82	N E	1	o	6 a.	30.13	765.3	55	87	...	0	o
Swatow,	,,	30.05	763.2	56	87	N E	1	o	,,	30.01	762.2	52	86	N	1	or
Taihoku,	1 p.	30.07	763.7	...	...	E	6	...	5 a.	30.06	763.6	...	...	N W	2	...
Taichu,	,,	29.99	761.7	...	...	N	2	...	,,	30.03	762.8	...	...	N	4	...
Tainan,	,,	29.99	761.8	...	...	N	6	...	,,	30.03	762.8	...	...	N	6	...
Koshun	,,	29.98	761.5	...	...	E	4	...	,,	29.98	761.5	...	...	S E	2	...
Pescadores,	,,	30.02	762.5	...	...	N	10	...	,,	30.68	763.9	...	...	N E	6	...
Canton,	3 p.	...	...	54	100	N	1	or	9 a.	30.13	765.3	53	93	N	1	o
Hongkong,	4 p.	30.02	762.5	60	93	W	1	o	10 a.	30.12	765.0	60	81	W S W	1	o
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	30.00	762.0	...	...	N N E	4	...	,,	30.09	764.3	...	...	N N E	2	...
Macao,	,,	30.01	762.2	58	...	N N W	1	od	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.99	761.7	65	100	N N E	4	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.00	762.0	69	71	N	5	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.0	64	...	E	1	or	8 a.	30.09	764.3	61	...	N E	2	or
Tourane,	,,	29.93	760.1	81	...	N W	1	c	,,	30.02	762.6	75	...	S S E	3	c
Cape St. James,	,,	29.80	757.0	81	...	E N E	5	b	,,	29.90	759.4	79	...	N E	6	c
Aparri,	2 p.	29.89	759.3	...	...	S	2	b	6 a.	29.93	760.1	...	...	S W	2	b
Manila,	4 p.	29.84	758	88	47	S E	2	b	10 a.	29.96	761	86	46	N N W	1	c
Legaspi,	2 p.	29.89	759.2	79	...	E	2	c	6 a.	29.91	759.6	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.85	758.2	86	...	E N E	4	b	,,	...	...	...	...	...	...	...
Cebu,	,,	29.83	757.7	86	...	N	1	b	,,	29.91	759.7	83	...	N	1	c
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

On the 1st at 11.55 a.—The depression is moving away over the Pacific to the E. of Japan.

Pressure has increased slightly over S.W. Japan and Loochoos, and given way a little over N. China. It remains low over Manchuria, and highest over the Yangtze Valley.

Moderate monsoon may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fair, cloudy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 1st March, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st March, 1909, P.M.								2nd March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	29.85	758.1	31	...	S E	3	b	7 a.	29.82	757.5	26	79	N E	0	o
Gemuro,	,,	29.85	758.1	...	...	N E	4	...	6 a.	30.01	762.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	E	2	...	,,	30.01	762.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	...	0	...	,,	30.02	762.6	...	...	N W	4	...
Kochi,	,,	29.99	761.8	...	...	S W	2	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	30.03	762.8	...	...	N W	4	...	,,	30.11	764.8	...	...	...	0	...
Kagoshima,	,,	29.99	761.9	...	...	N W	2	...	,,	30.12	764.9	...	...	N	4	...
Oshima,	,,	30.00	762.1	...	...	N	6	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	N	2	...	,,	30.05	763.2	...	...	N E	2	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	4	...	,,	30.05	763.3	...	...	N E	2	...
Bonin Is.	,,	29.93	760.1	...	...	..	0	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,	3 p.	29.94	760.5	46	77	N N E	1	b	6 a.	30.47	773.9	33	100	N W	6	c
Weihaiwei,	,,	29.92	759.9	52	...	S W	1	b	9 a.	30.36	771.1	29	...	N	4	b
Hankow,	,,	30.20	767.1	58	53	E	1	b	6 a.	30.30	769.6	46	84	S W	1	b
Kiukiang,	,,	30.20	767.1	56	63	W	1	c	,,	30.21	767.3	43	92	...	0	o
Shanghai,	,,	30.12	765.0	54	49	S S W	2	c	9 a.	30.22	767.6	51	72	W	1	c
Gutzlaff,	,,	30.10	764.5	51	59	S W	1	cv	,,	30.20	767.1	48	56	W	2	cm
Sharp Peak,	,,	30.10	764.5	54	94	E	4	c	,,	30.19	766.8	54	94	N	1	c
Amoy	,,	30.10	764.5	59	82	S E	1	o	6 a.	30.14	765.5	56	81	...	0	o
Swatow,	,,	30.01	762.2	61	77	N	1	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.08	764.0	...	...	N W	2	...	5 a.	30.09	764.3	...	...	E	6	...
Taichu,	,,	30.05	763.2	...	...	N	6	...	,,	30.07	763.7	...	...	...	0	...
Tainan,	,,	30.02	762.5	...	...	N	6	...	,,	30.06	763.4	...	...	N	4	...
Koshun	,,	29.99	761.8	...	...	N	4	...	,,	30.02	762.6	...	...	...	0	...
Pescadores,	,,	30.04	763.1	...	...	N	8	...	,,	30.10	764.6	...	...	N E	8	...
Canton,	3 p.	30.05	763.2	64	95	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.01	762.2	62	75	W	1	o	10 a.	30.12	765.0	62	77	E	4	o
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	E	6	...
Gap Rock,	,,	29.99	761.7	...	...	N	4	...	,,	30.07	763.8	...	...	E N E	5	...
Macao,	,,	30.03	762.7	61	...	N N E	1	o	,,	30.11	764.8	62	...	E	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.6	63	...	E N E	1	o	8 a.	30.04	763.0	61	...	E N E	2	dh
Tourane,	,,	29.96	761.1	81	...	S S E	1	b	,,	30.02	762.5	72	...	S E	1	c
Cape St. James,	,,	29.82	757.5	81	...	E N E	5	c	,,	29.93	760.3	81	...	N E	3	c
Aparri,	2 p.	29.91	759.6	...	...	N	2	b	6 a.	29.95	760.8	...	...	S	2	b
Manila,	4 p.	29.84	758	90	48	S S W	1	c	10 a.	30.00	762	84	64	W	1	b
Legaspi,	2 p.	29.87	758.7	86	...	E	2	b	6 a.	29.90	759.5	77	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	E N E	3	o
Iloilo,	,,	29.83	757.7	87	...	E N E	2	b	,,	29.91	759.7	82	...	E N E	4	c
Cebu,	,,	29.81	757.2	85	...	N	2	c	,,	29.91	759.7	82	...	N	1	c
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 2nd at 11.45 a.—The barometer has risen rapidly on the N.E. coast of China, and fallen slightly at Wladiwostok.

A depression is progressing Eastwards in the neighbourhood of the latter station, and an area of high pressure has appeared over N. China.

The monsoon will probably freshen considerably in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; cloudy, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 2nd March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd March, 1909, P.M.								3rd March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S E	2	...	6 a.	29.73	755.1	...	...	S	6	...
Hakodate,	,,	29.89	759.2	...	...	S E	6	...	,,	29.58	751.2	...	...	S W	6	...
Tokio,	,,	29.91	759.6	...	...	N W	2	...	,,	29.83	757.6	...	...	N W	6	...
Kochi,	,,	29.99	761.8	...	...	S E	6	...	,,	30.11	764.8	...	...	N W	6	...
Nagasaki,	,,	30.07	763.8	...	...	S W	8	...	,,	30.19	766.8	...	...	N	6	...
Kagoshima,	,,	30.07	763.9	...	...	N	6	...	,,	30.15	765.9	...	...	N	4	...
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.12	765.1	...	...	N	6	...
Naha,	,,	30.09	764.2	...	...	N E	4	...	,,	30.13	765.2	...	...	N	4	...
Ishigakijima,	,,	30.05	763.3	...	...	E	2	...	,,	30.05	763.3	...	...	N E	4	...
Bonin Is.	,,	29.96	761.1	...	...	N W	2	...	,,	29.97	761.1	...	...	N W	4	...
Chefoo,	3 p.	30.36	771.1	35	100	N W	5	b	6 a.	30.39	771.9	36	100	S W	1	b
Weihaiwei,	,,	30.34	770.6	33	...	N W	3	b	9 a.	30.36	771.1	34	...	N W	1	b
Hankow,	,,	30.30	769.6	55	39	N W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.26	768.6	57	63	...	0	o	,,	30.24	768.1	40	91	E	3	f
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	30.35	770.9	43	59	E N E	2	c
Gutzlaff,	,,	30.18	766.6	50	72	N	4	bm	,,	30.31	769.9	43	67	N E	4	cv
Sharp Peak,	,,	30.15	765.8	55	87	N	2	c	,,	30.23	767.8	53	86	N	3	or
Amoy,	,,	30.06	763.5	62	77	N E	1	o	6 a.	30.15	765.8	56	81	N E	2	or
Swatow,	,,	30.03	762.7	64	67	E	2	c	,,	...	...	52	86	E N E	5	or
Taihoku	1 p.	30.09	764.4	...	...	E	8	...	5 a.	30.16	766.1	...	...	N E	6	...
Taichu,	,,	30.05	763.2	...	...	N	6	...	,,	30.05	763.3	...	...	N	6	...
Tainan,	,,	30.04	762.9	...	...	N W	6	...	,,	30.05	763.3	...	...	N	4	...
Koshun	,,	30.02	762.5	...	...	W	2	...	,,	30.01	762.2	...	...	N	8	...
Pescadores,	,,	30.07	763.7	...	...	N	8	...	,,	30.09	764.2	...	...	N	8	...
Canton,	3 p.	30.05	763.2	61	96	N	1	o	9 a.	30.11	764.8	59	100	N	1	or
Hongkong,	4 p.	30.01	762.2	63	76	E	4	o	10 a.	30.03	764.0	57	90	E N E	4	od
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	29.99	761.7	...	...	E N E	5	...	,,	30.00	762.0	...	...	E	6	...
Macao,	,,	30.00	762.0	64	...	N N E	1	o	,,	30.08	764.0	60	...	N N E	1	od
Wuchow,	3 p.	30.11	764.8	57	...	N	...	or	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.95	760.7	71	92	N E	4	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.05	763.2	60	94	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.1	64	...	E N E	1	or	8 a.	30.06	763.4	63	...	N	3	or
Tourane,	,,	29.89	759.1	81	...	S E	2	b	,,	29.99	761.6	72	...	S E	2	o
Cape St. James,	,,	29.84	757.9	64	...	E N E	1	or	,,	29.93	760.3	79	...	N E	4	c
Aparri,	2 p.	29.95	760.8	...	...	N E	2	b	6 a.	29.95	760.6	...	...	S	2	b
Manila,	4 p.	29.84	758	91	55	...	0	c	10 a.	29.96	761	84	58	W S W	1	b
Legaspi,	2 p.	29.90	759.4	86	...	E	2	b	6 a.	29.92	760.0	79	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N	4	c	9 a.	...	...	...	...	N E	1	o
Iloilo,	,,	29.85	758.2	87	...	N N E	1	b	,,	29.91	759.7	82	...	N N E	1	o
Cebu,	,,	29.84	757.9	85	...	N	1	b	,,	29.92	759.9	83	...	N	1	b
Labuan,	,,	29.75	755.6	85	...	...	...	...	,,	29.84	757.9	83	...	...	...	...

On the 3rd at 11.45 a.—The barometer has fallen rapidly in N. Japan, the depression lying in neighbourhood of Wladiwostok yesterday having reached Hokkaido.

Pressure has increased moderately on the E. coast of China, and given way slightly on the S. coast. It remains high over N. China, and relatively low over the N. part of the China Sea.

Gradients are steeper in the South, and strong N.E. winds will continue to prevail in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; squally, rainy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 3rd March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd March, 1909, P.M.								4th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.00	761.9	33	...	...	0	b	7 a.	29.97	761.3	21	97	...	0	b
Nemuro, ...	,,	29.41	747.1	...	...	E	6	...	6 a.	29.65	753.1	...	...	N W	10	...
Hakodate, ...	,,	29.81	757.2	...	...	W	8	...	,,	30.05	763.2	...	...	N W	8	...
Tokio, ...	,,	29.94	760.6	...	...	N	8	...	,,	30.18	766.6	...	...	N	4	...
Kochi, ...	,,	30.11	764.8	...	...	N E	6	...	,,	30.16	765.8	...	...	S W	2	...
Nagasaki, ...	,,	30.19	766.8	...	...	N W	4	...	,,	30.11	764.3	...	...	...	0	...
Kagoshima, ...	,,	30.11	764.9	...	...	S	2	...	,,	30.12	764.9	...	...	N E	4	...
Oshima, ...	,,	30.12	765.1	...	...	N	6	...	,,	30.04	763.1	...	...	S	2	...
Naha,.....	,,	30.01	762.2	...	...	E	2	...	,,	29.93	760.2	...	...	S E	6	...
Ishigakijima,....	,,	30.05	763.3	...	...	E	8	...	,,	29.89	759.3	...	...	N E	4	...
Bonin Is.....	,,	30.00	762.1	...	...	N	4	...	,,	30.04	763.1	...	...	N	2	...
Chefoo,.....	3 p.	30.21	767.3	49	93	S S W	2	b	6 a.	30.07	763.8	37	81	S	6	c
Weihaiwei,.....	,,	30.21	767.3	42	...	S	2	b	9 a.	30.09	764.3	41	...	S W	4	b
Hankow, ...	,,	30.26	768.6	53	73	S	1	o	6 a.	30.24	768.1	42	92	S E	1	b
Kiukiang,.....	,,	30.17	766.3	45	84	N E	2	o	,,	30.15	765.8	38	91	...	0	o
Shanghai, ...	,,	30.22	767.6	45	61	E	2	o	9 a.	30.16	766.0	47	77	S	1	b
Gutzlaff, ...	,,	30.19	766.8	43	75	E N E	3	ov	,,	30.14	765.5	48	78	N N E	...	bm
Sharp Peak,.....	,,	30.12	765.0	54	87	N	2	or	,,	30.15	765.8	53	86	N	1	b
Amoy,.....	,,	30.04	763.0	56	81	N E	2	or	6 a.	30.09	764.3	55	87	N E	1	o
Swatow, ...	,,	30.03	762.7	53	80	N N W	1	or	,,	29.99	761.7	51	93	N E	1	b
Taihoku.....	1 p.	30.04	762.9	...	...	E	6	...	5 a.	30.09	764.2	...	...	W	6	...
Taichu, ...	,,	30.00	762.1	...	...	...	0	...	,,	30.05	763.3	...	...	N	6	...
Tainan,.....	,,	30.00	762.0	...	...	N	6	...	,,	30.03	762.8	...	...	N	6	...
Koshun.....	,,	29.96	761.0	...	...	N E	8	...	,,	29.98	761.5	...	...	N	2	...
Pescadores, ...	,,	30.00	761.9	...	...	N	8	...	,,	30.06	763.6	...	...	N E	8	...
Canton,.....	3 p.	30.07	763.8	54	100	N	1	or	9 a.	30.14	765.5	57	94	N	1	b
Hongkong, ...	4 p.	30.03	762.7	58	89	N	1	od	10 a.	30.11	764.8	62	79	E	1	c
Victoria Peak,...	,,	...	...	...	...	N N W	4	...	,,	...	...	...	...	E	2	...
Gap Rock,.....	,,	29.98	761.5	...	...	N	7	...	,,	30.06	763.5	...	...	E N E	4	...
Macao, ...	,,	30.04	763.0	58	...	N	1	od	,,	30.10	764.5	61	...	N W	1	o
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	30.06	763.5	58	88	N	2	o	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.99	761.7	64	...	E N E	2	o	8 a.	30.07	763.7	61	...	E N E	3	o
Tourane, ...	,,	29.90	759.4	75	...	N N W	3	c	,,	30.01	762.3	75	...	N N W	2	c
Cape St. James,.	,,	29.83	757.6	84	...	E N E	6	c	,,	29.89	759.3	79	...	N E	5	c
Aparri, ...	2 p.	29.88	758.9	...	...	N E	2	b	6 a.	29.94	760.5	...	...	S W	2	b
Manila, ...	4 p.	29.84	758	88	47	S E	2	c	10 a.	29.96	761	82	63	W	1	c
Legaspi, ...	2 p.	29.88	758.9	86	...	E	2	c	6 a.	29.91	759.8	73	...	...	0	c
Bacolod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2	o
Iloilo, ...	,,	29.85	758.2	87	...	N E	2	b	,,	29.93	760.2	82	...	N E	3	b
Cebu,.....	,,	29.84	757.9	86	...	N	2	c	,,	29.90	759.4	85	...	N	1	c
Labuan, ...	,,	29.75	755.6	84	...	...	...	...	,,	29.83	757.7	81	...	...	...	...

On the 4th at 11.55 a.—The depression lying over Hokkaido yesterday has moved into the Pacific.

The barometer has risen in E. Japan and fallen very decidedly over N. China and the Loochoos.

A depression, which will probably move towards N.E., has developed over the Pacific to the Southward of the latter area, and a second area of low pressure appears to be progressing Eastwards over Manchuria.

Moderate monsoon may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, moderate; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 4th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th March, 1909, P.M.								5th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.97	761.3	29	...	W	2	b	7 a.	29.91	759.8	28	95	...	0	o
Nemuro,	,,	29.89	759.1	...	...	N W	10	...	6 a.	30.24	768.1	...	...	S W	2	...
Hakodate,	,,	30.13	765.2	...	...	W	8	...	,,	30.21	767.2	...	...	N W	2	...
Tokio,	,,	30.14	765.6	...	...	S E	2	...	,,	30.10	764.6	...	...	N	6	...
Kochi,	,,	30.03	762.8	...	...	S W	2	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	N	4	...	,,	30.11	764.8	...	...	...	0	...
Kagoshima,	,,	30.00	761.9	...	...	N	4	...	,,	30.12	764.9	...	...	N E	2	...
Oshima,	,,	29.93	760.1	...	...	S E	2	...	,,	30.12	765.1	...	...	N	6	...
Naha,	,,	29.93	760.2	...	...	...	0	...	,,	30.01	762.2	...	...	N E	4	...
Ishigakijima,	,,	30.01	762.3	...	...	N	6	...	,,	30.09	764.3	...	...	...	0	...
Bonin Is.	,,	30.00	762.1	...	...	S E	4	...	,,	29.93	760.1	...	...	S E	8	...
Chefoo,	3 p.	29.98	761.5	55	44	S S W	3	b	6 a.	29.77	756.1	45	84	S W	6	o
Weihaiwei,	,,	30.00	762.0	47	...	S	3	b	9 a.	29.82	757.4	46	...	S W	6	o
Hankow,	,,	30.15	765.8	58	88	S	1	b	6 a.	30.04	763.0	46	92	E	2	b
Kiukiang,	,,	30.12	765.0	59	59	W	1	f	,,	30.01	762.2	44	92	...	0	o
Shanghai,	,,	30.07	763.8	60	39	S S W	2	c	9 a.	30.02	762.5	51	79	S S E	3	c
Gutzlaff,	,,	30.10	764.5	53	61	W S W	1	cm	,,	30.04	763.0	51	79	S S E	4	cm
Sharp Peak,	,,	30.10	764.5	54	87	E	3	b	,,	30.12	765.0	53	93	W N W	1	b
Amoy,	,,	30.03	762.7	59	82	S E	3	b	6 a.	30.09	764.3	56	75	N E	1	b
Swatow,	,,	29.98	761.5	63	83	E	2	b	,,	29.99	761.7	54	87	N E	2	b
Taihoku,	1 p.	30.08	764.1	...	...	N	6	...	5 a.	30.05	763.2	...	...	E	6	...
Taichu,	,,	30.01	762.3	...	...	N	6	...	,,	30.06	763.6	...	...	...	0	...
Tainan,	,,	30.02	762.4	...	...	N	6	...	,,	30.04	763.0	...	...	N	4	...
Koshun,	,,	29.99	761.8	...	...	N W	4	...	,,	30.01	762.3	...	...	N E	8	...
Pescadores,	,,	30.04	763.0	...	...	N	8	...	,,	30.05	763.2	...	...	N	6	...
Canton,	3 p.	30.04	763.0	64	...	N	1	o	9 a.	30.11	764.8	62	95	E N E	1	o
Hongkong,	4 p.	30.00	762.0	63	73	E	1	o	10 a.	30.04	763.0	63	67	E	4	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	29.98	761.5	...	...	E N E	4	...	,,	30.02	762.5	...	...	E	5	...
Macao,	,,	30.01	762.2	62	...	E	1	o	,,	30.04	763.0	63	...	E S E	2	o
Wuchow,	3 p.	30.08	764.0	58	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.01	764.8	64	95	E	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.4	66	...	S	1	o	8 a.	29.95	760.8	64	...	S E	0	dh
Tourane,	,,	29.90	759.5	77	...	N W	3	f	,,	29.97	761.1	75	...	S S W	4	b
Cape St. James,	,,	29.83	757.6	82	...	E N E	4	c	,,	29.89	759.3	81	...	N E	6	f
Aparri,	2 p.	29.92	759.9	...	...	N E	2	b	6 a.	29.98	761.4	...	...	E	0	c
Manila,	4 p.	29.84	758	90	48	S E	4	c	10 a.	29.96	761	84	52	N W	1	c
Legaspi,	2 p.	29.88	759.0	86	...	E	2	b	6 a.	29.95	760.6	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	4	...	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.89	759.2	87	...	N N E	1	b	,,	29.95	760.7	82	...	N N E	1	b
Cebu,	,,	29.82	757.4	87	...	N	1	o	,,	29.96	761.0	82	...	N	1	c
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.86	758.4	80	...	...	...	...

On the 5th at 11.55 a.—The depression lying to the Southward of the Loochoos yesterday, has moved towards E.N.E. and is now situated to the Westward of the Bonins.

The barometer has risen over the Loochoos and N.E. Japan, and fallen over China particularly in the North.

A rather deep depression is moving Eastwards over the continent to the North of the Gulf of Pechili, and the highest pressure is now shown over N.E. Japan.

Moderate to light monsoon may be expected in the Formosa Channel and moderate E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	N.E. and E. winds, moderate to light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 5th March, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th March, 1909, P.M.								6th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.88	759.0	25	...	S E	3	c	7 a.	29.59	751.6	28	97	N E	3	s
Nemuro,	,,	30.24	768.1	...	...	S W	4	...	6 a.	30.36	771.1	...	...	S	6	...
Hakodate,	,,	30.20	767.2	...	...	S E	6	...	,,	30.13	765.2	...	...	S E	10	...
Tokio,	,,	30.10	764.6	...	...	N W	6	...	,,	30.18	766.6	...	...	N	2	...
Kochi,	,,	30.03	762.8	...	...	S E	4	...	,,	30.07	763.8	...	...	S	2	...
Nagasaki,	,,	30.07	763.8	...	...	S W	6	...	,,	29.88	758.3	...	...	S	10	...
Kagoshima,	,,	30.07	763.9	...	...	S E	2	...	,,	30.00	761.9	...	...	...	0	...
Oshima,	,,	30.08	764.1	...	...	N	4	...	,,	30.04	763.1	...	...	S	4	...
Naha,	,,	30.05	763.2	...	...	S E	2	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	S W	2	...	,,	29.97	761.3	...	...	S E	6	...
Bonin Is.	,,	29.81	757.1	...	...	W	6	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	3 p.	29.90	759.4	39	38	W N W	4	o	6 a.	30.20	767.1	30	88	N W	5	b
Weihaiwei,	,,	29.89	759.2	35	...	N W	5	o	9 a.	30.13	765.3	32	...	N W	5	ovr
Hankow,	,,	29.99	761.7	61	66	N E	1	o	6 a.	30.31	769.9	48	29	N E	3	o
Kinkiang,	,,	30.03	762.7	51	93	...	0	o	,,	30.18	766.6	48	93	N E	1	o
Shanghai,	,,	29.88	758.9	55	68	S	2	...	9 a.	30.25	768.3	45	39	N	3	c
Gutzlaff,	,,	29.88	758.9	51	79	S	5	ov	,,	30.17	766.3	45	53	N	7	om
Sharp Peak,	,,	29.92	759.9	56	94	E	1	b	,,	30.09	764.3	58	100	...	0	or
Amoy,	,,	29.96	761.5	60	76	S E	1	c	6 a.	29.96	761.0	61	83	...	0	c
Swatow,	,,	29.94	760.5	65	63	E	1	c	,,	29.94	760.5	57	87	W	1	o
Taihoku,	1 p.	29.95	760.8	...	...	E	4	...	5 a.	29.99	761.8	...	...	...	0	...
Taichu,	,,	29.96	761.1	...	...	W	2	...	,,	29.94	760.5	...	...	N	2	...
Tainan,	,,	29.98	761.5	...	...	W	4	...	,,	29.94	760.5	...	...	N E	2	...
Koshun,	,,	29.99	761.7	...	...	E	6	...	,,	29.96	760.9	...	...	E	6	...
Pescadores,	,,	30.01	762.2	...	...	N	6	...	,,	29.93	760.2	...	...	N	4	...
Canton,	3 p.	30.02	762.5	66	100	...	0	o	9 a.	29.99	761.7	63	100	...	0	o
Hongkong,	4 p.	29.92	759.9	61	87	E	4	od	10 a.	30.00	762.0	65	96	E	2	op
Victoria Peak,	,,	...	...	...	...	S E	6	...	,,	...	...	...	...	S E	5	...
Gap Rock,	,,	29.88	758.9	...	...	E	4	...	,,	29.95	760.7	...	...	S S E	3	...
Macao,	,,	29.90	759.4	62	...	E S E	2	od	,,	29.98	761.5	66	...	S E	1	odf
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.86	758.4	76	82	S	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	757.0	66	...	S E	2	or	8 a.	29.91	759.7	70	...	S E	2	dh
Tourane,	,,	29.85	758.1	81	...	S E	3	b	,,	29.94	760.5	77	...	S	2	b
Cape St. James,	,,	29.80	756.9	82	...	E N E	3	c	,,	29.95	760.7	81	...	N E	4	c
Aparri,	2 p.	29.93	760.1	...	...	E	2	o	6 a.	29.98	761.5	...	...	S	2	o
Manila,	4 p.	29.84	758	90	44	S E	2	c	10 a.	30.00	762	82	63	W N W	1	c
Legaspi,	2 p.	29.92	759.9	86	...	E	2	b	6 a.	29.95	760.6	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.85	758.2	87	...	N E	2	b	,,	29.97	761.2	83	...	N E	2	b
Cebu,	,,	29.86	758.4	86	...	N	2	b	,,	29.94	760.5	84	...	N	2	c
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.91	759.7	78	...	...	...	...

On the 6th at 11.45 a.—The depression lying over S. Manchuria yesterday, has moved into the Sea of Japan, and pressure has increased considerably over N. China.

The barometer has risen over S.E. Japan and the Bonins, the depression lying near the latter area last evening, having moved away Eastwards.

Pressure is high to the East of Northern Japan and over N. China. It is relatively low over the S. coast of China.

Strong N.E. winds are expected to set in again in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, freshening considerably; squally, [showery.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 6th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th March, 1909, P.M.								7th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.28	769.1	...	...	S	6	...	6 a.	29.73	755.1	...	...	S	10	...
Hakodate,	,,	29.93	760.2	...	...	E	8	...	,,	29.85	758.2	...	...	W	4	...
Tokio,	,,	29.98	761.6	...	...	S	6	...	,,	29.83	757.6	...	...	N	4	...
Kochi,	,,	29.87	758.8	...	...	S	4	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	N	6	...	,,	30.11	764.8	...	...	N	2	...
Kagoshima,	,,	29.96	760.9	...	...	N W	2	...	,,	30.08	763.9	...	...	N	2	...
Oshima,	,,	29.96	761.1	...	...	S	2	...	,,	30.04	763.1	...	...	N	6	...
Naha,	,,	30.01	762.2	...	...	S	2	...	,,	30.01	762.2	...	...	N	8	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	2	...	,,	30.01	762.3	...	...	N E	4	...
Bonin Is.	,,	30.04	763.1	...	...	E	2	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	3 p.	30.13	765.3	34	100	N W	5	b	6 a.	30.10	764.5	33	100	W	1	b
Weihaiwei,	,,	30.10	764.5	33	...	W N W	5	b	9 a.	30.17	766.3	38	...	W	2	ovr
Hankow,	,,	30.27	768.8	58	94	N E	2	o	6 a.	30.21	767.3	45	76	E	1	b
Kiukiang,	,,	30.19	766.8	55	...	E	2	f	,,	30.15	765.8	43	83	...	0	c
Shanghai,	,,	30.20	767.1	47	34	N	3	o	9 a.	30.23	767.8	47	48	E S E	1	bm
Gutzlaff,	,,	30.17	766.3	45	61	N	4	om	,,	30.20	767.1	47	55	E N E	2	...
Sharp Peak,	,,	30.13	765.3	56	75	N E	5	or	,,	30.18	766.6	52	86	N	1	or
Amoy,	,,	29.98	761.5	...	...	N E	2	or	6 a.	...	...	56	87	N E	3	b
Swatow,	,,	29.92	759.9	60	100	E	1	or	,,	29.97	761.2	54	94	E N E	4	or
Taihoku	1 p.	30.01	762.3	...	...	S	4	...	5 a.	30.09	764.3	...	...	E	6	...
Taichu,	,,	29.96	761.1	...	...	N	6	...	,,	30.03	762.8	...	...	N	2	...
Tainan,	,,	29.94	760.4	...	...	W	4	...	,,	30.00	761.9	...	...	N	6	...
Koshun	,,	29.92	760.0	...	...	N W	0	...	,,	29.98	761.5	...	...	N	6	...
Pescadores,	,,	29.95	760.7	...	...	N	4	...	,,	30.02	762.4	...	...	N E	8	...
Canton,	3 p.	29.81	757.2	66	100	N E	0	or	9 a.	30.04	763.0	61	94	E	1	o
Hongkong,	4 p.	29.88	758.9	66	98	E	3	o	10 a.	30.04	763.0	62	86	E	4	o
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	29.83	757.7	...	...	E	4	...	,,	29.99	761.7	...	...	E	5	...
Macao,	,,	29.89	759.2	67	...	E S E	1	o	,,	30.04	763.0	63	...	S E	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.7	73	...	S E	4	c	8 a.	29.94	760.5	68	...	E N E	4	c
Tourane,	,,	29.83	757.7	82	...	S	3	b	,,	29.92	759.9	79	...	S W	2	c
Cape St. James,	,,	29.85	758.1	82	...	E	4	c	,,	29.93	760.1	82	...	E	2	c
Aparri,	2 p.	29.92	759.9	...	...	S	2	b	6 a.	29.96	760.9	...	...	W	2	o
Manila,	4 p.	29.88	759	91	39	S E	2	c	10 a.	29.96	761	84	64	W	1	c
Legaspi,	2 p.	29.93	760.1	86	...	E	2	b	6 a.	29.93	760.1	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.89	759.2	88	...	N N E	1	b	,,	29.95	760.7	82	...	N N E	1	o
Cebu,	,,	29.87	758.7	85	...	N	1	b	,,	29.91	759.7	86	...	N	1	c
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 7th at 11.50 a.—The depression after crossing the Sea of Japan yesterday, has reached Hokkaido.

The barometer has risen slightly over S. China, and fallen a little in N. China.

Pressure is highest over the E. coast of China. It is still relatively low in Tongking.

Strong to fresh N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; cloudy, probably some rain.
2.—Formosa Channel,	N.E. and E. winds, strong to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 7th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th March, 1909, P.M.								8th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.80	756.8	34	...	N W	2	c	7 a.	29.95	760.8	17	74	N E	0	c
Nemuro,	,,	29.69	754.1	...	...	N	2	...	6 a.	29.85	758.1	...	...	S W	4	...
Hakodate,	,,	29.81	757.2	...	...	W	4	...	,,	29.97	761.2	...	...	W	10	...
Tokio,	,,	29.87	758.6	...	...	E	4	...	,,	30.06	763.6	...	...	N	4	...
Kochi,	,,	29.91	759.8	...	...	S E	4	...	,,	30.11	764.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	N W	6	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.00	761.9	...	...	W	4	...	,,	30.12	764.9	...	...	N E	2	...
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	N	6	...	,,	30.05	763.2	...	...	N E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	S E	6	...
Bonin Is.	,,	29.96	761.1	...	...	S	2	...	,,	30.04	763.1	...	...	N W	4	...
Chefoo,	3 p.	30.16	766.0	37	100	E	2	b	6 a.	29.95	760.7	40	100	S S W	4	e
Weihaiwei,	,,	30.12	765.0	40	...	N E	3	ovr	9 a.	29.99	761.7	44	...	S W	5	o
Hankow,	,,	30.12	765.0	58	75	E	1	c	6 a.	30.05	763.2	48	78	E	1	b
Kiukiang,	,,	30.12	765.0	51	72	E	2	o	,,	30.01	762.2	47	93	...	0	b
Shanghai,	,,	30.12	765.0	52	35	E S E	2	b	9 a.	30.01	762.2	50	79	E S E	2	...
Gutzlaff,	,,	30.12	765.0	48	49	E	2	bm	,,	30.03	762.7	49	85	S E	3	om
Sharp Peak,	,,	30.10	764.5	53	93	N	1	o	,,	30.05	763.2	52	93	S	1	or
Amoy,	,,	...	...	58	88	N E	1	b	6 a.	30.00	762.0	58	88	...	0	or
Swatow,	,,	30.00	762.0	60	76	E N E	2	o	,,	29.96	761.0	56	94	N E	2	o
Taihoku,	1 p.	30.04	763.1	...	...	E	6	...	5 a.	29.97	761.1	...	...	E	2	...
Taichu,	,,	30.00	762.1	...	...	N	4	...	,,	29.97	761.3	...	...	...	0	...
Tainan,	,,	30.01	762.2	...	...	N	6	...	,,	29.95	760.8	...	...	N	4	...
Koshun	,,	29.99	761.8	...	...	E	2	...	,,	29.94	760.5	...	...	N E	2	...
Pescadores,	,,	30.02	762.5	...	...	N	8	...	,,	29.96	761.0	...	...	N E	8	...
Canton,	3 p.	29.94	760.5	61	100	N E	2	or	9 a.	29.93	760.2	64	95	E	1	o
Hongkong,	4 p.	29.93	760.2	60	92	E	5	o	10 a.	29.96	761.0	61	97	E	4	od
Victoria Peak,	,,	...	...	...	...	E	6	...	,,	...	...	...	...	S E	7	...
Gap Rock,	,,	29.87	758.7	...	...	E	5	...	,,	29.91	759.7	...	...	E	4	...
Macao,	,,	29.92	759.9	62	...	E	1	od	,,	29.94	760.5	64	...	S E	2	of
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.93	760.2	79	87	N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.4	72	...	E N E	5	c	8 a.	29.81	757.1	70	...	E S E	3	c
Tourane,	,,	29.81	757.1	81	...	S E	2	b	,,	29.83	757.6	79	...	S S W	2	c
Cape St. James,	,,	29.83	757.8	84	...	S E	4	c	,,	29.90	759.5	82	...	E S E	2	c
Aparri,	2 p.	29.92	759.9	...	...	N E	2	b	6 a.	29.92	760.0	...	...	S W	2	b
Manila,	4 p.	29.84	758	90	43	S S E	2	c	10 a.	29.92	760	84	58	W	1	b
Legaspi,	2 p.	29.89	759.2	86	...	E	2	b	6 a.	29.91	759.6	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	E N E	4	c	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.85	758.2	86	...	N N E	1	b	,,	29.91	759.7	82	...	N N E	2	c
Cebu,	,,	29.83	757.7	86	...	N	1	c	,,	29.89	759.2	81	...	...	0	c
Labuan,	,,	29.79	756.6	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 8th at 11.50 a.—The barometer has risen over Japan, and fallen elsewhere particularly over China.
A depression is moving Eastwards over N. China, and a second area of low pressure is lying over Tongking.
The highest pressure is now shown over W. Japan.
Moderate E. and S.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, moderate; drizzling rain and fog.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 8th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th March, 1909, P.M.								9th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.94	760.5	30	...	W	1	o	7 a.	30.02	762.4	21	97	N	1	b
Nemuro,	,,	29.89	759.1	...	...	W	6	...	6 a.	30.01	762.1	...	...	S	6	...
Hakodate,	,,	30.05	763.2	...	...	N W	8	...	,,	29.97	761.2	...	...	E	2	...
Tokio,	,,	30.06	763.6	...	...	N	2	...	,,	30.02	762.6	...	...	...	0	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	S E	6	...	,,	30.07	763.8	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	S E	2	...	,,	30.08	763.9	...	...	E	4	...
Oshima,	,,	30.00	762.1	...	...	S E	6	...	,,	29.97	761.1	...	...	S	4	...
Naha,	,,	29.97	761.2	...	...	S E	2	...	,,	29.97	761.2	...	...	S E	2	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	6	...	,,	29.89	759.3	...	...	S E	6	...
Bonin Is.	,,	29.96	761.1	...	...	N	2	...	,,	30.08	764.1	...	...	E	2	...
Chefoo,	3 p.	29.95	760.7	55	34	W	3	b	6 a.	30.11	764.8	36	90	E	1	o
Weihaiwei,	,,	29.96	761.0	53	...	S W	3	ovr	9 a.	30.16	766.0	37	...	S E	4	o
Hankow,	,,	30.01	762.2	51	93	N E	1	or	6 a.	29.93	760.2	49	93	N W	1	or
Kinkiang,	,,	29.82	757.4	49	93	...	0	b	,,	29.90	759.4	49	100	N E	1	b
Shanghai,	,,	29.91	759.7	58	58	S S E	3	...	9 a.	29.80	756.9	50	100	N	3	om
Gutzlaff,	,,	29.94	760.5	53	80	S S E	3	cm	,,	29.80	756.9	52	100	S E	3	f
Sharp Peak,	,,	29.93	760.2	54	100	...	0	o	,,	29.86	758.4	54	100	...	0	c
Amoy	,,	29.92	759.9	59	88	N W	1	or	6 a.	29.90	759.4	60	94	S S W	1	o
Swatow,	,,	29.88	758.9	60	94	E	1	o	,,	29.86	758.4	60	100	...	0	f
Taiboku	1 p.	29.94	760.5	...	...	W	2	...	5 a.	29.88	758.9	...	...	...	0	...
Taichu,	,,	29.93	760.3	...	...	N W	2	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.93	760.3	...	...	W	2	...	,,	29.89	759.1	...	...	E	2	...
Koshun	,,	29.93	760.1	...	...	E	4	...	,,	29.88	758.9	...	...	...	0	...
Pèscadores,	,,	29.93	760.3	...	...	N	6	...	,,	29.87	758.7	...	...	N	4	...
Canton,	3 p.	29.82	757.4	70	100	E	1	o	9 a.	29.86	758.4	70	100	E	1	o
Hongkong,	4 p.	29.82	757.4	63	98	E	3	of	10 a.	29.88	758.9	67	94	E	4	of
Victoria Peak,	,,	...	...	...	...	S E	6	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.80	756.9	...	...	E	4	...	,,	29.85	758.2	...	...	E	3	...
Macao,	,,	29.79	756.6	65	...	S E	2	of	,,	29.87	758.7	68	...	S E	1	of
Wuchow,	3 p.	29.78	756.4	70	...	E	0	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.6	72	...	E S E	5	o	8 a.	29.79	756.6	72	...	S S E	3	f
Tourane,	,,	29.74	755.3	82	...	S E	2	c	,,	29.83	757.5	75	...	S W	3	c
Cape St. James,	,,	29.80	756.8	82	...	S S E	3	c	,,	29.87	758.6	81	...	E	4	c
Aparri,	2 p.	29.85	758.1	...	...	S E	2	b	6 a.	29.89	759.2	...	...	S	2	b
Manila,	4 p.	29.80	757	90	38	S E	3	b	10 a.	29.92	760	81	62	N W	1	e
Legaspi,	2 p.	29.87	758.6	86	...	E	2	b	6 a.	29.90	759.5	79	...	E	2	b
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	E N E	3	o
Iloilo,	,,	29.85	758.2	87	...	N E	5	b	,,	29.91	759.7	82	...	E N E	1	b
Cebu,	,,	29.82	757.4	83	...	N	1	c	,,	29.92	759.9	84	...	N	1	b
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.80	756.9	82	...	...	...	...

On the 9th at 11.55 a.—The barometer has risen over the N.E. coast of China, and fallen over the E. coast.

The depression now lies at the mouth of the Yangtze. It appears to be moving Eastwards.

Pressure is highest over N. China. It remains low over Tongking.

Light to moderate variable winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. or variable winds, light to moderate; foggy, some [showers
2.—Formosa Channel,	Variable winds. light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 9th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th March, 1909, P.M.								10th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.81	757.1	...	...	S	10	...	6 a.	30.16	766.1	...	...	...	0	...
Hakodate,	,,	30.01	762.2	...	...	W	8	...	,,	30.25	768.2	...	...	N	2	...
Tokio,	,,	30.06	763.6	...	...	S W	2	...	,,	30.10	764.6	...	...	N	4	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	29.72	754.8	...	...	N W	4	...
Nagasaki,	,,	29.91	759.5	...	...	E	4	...	,,	29.68	753.3	...	...	N	4	...
Kagoshima,	,,	29.88	758.9	...	...	E	8	...	,,	29.72	754.9	...	...	...	0	...
Oshima,	,,	29.85	758.1	...	...	S	8	...	,,	29.81	757.1	...	...	S W	6	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	S	4	...
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.82	757.3	...	...	S W	6	...
Bonin Is.	,,	30.04	763.1	...	...	S	2	...	,,	30.04	763.1	...	...	S	2	...
Chefoo,	3 p.	30.04	763.0	40	65	E	3	o	6 a.	29.98	761.5	33	90	...	0	b
Weihaiwei,	,,	30.04	763.0	38	...	E	3	o	9 a.	30.04	763.0	40	...	W	1	b
Hankow,	,,	29.96	761.0	51	93	N W	1	o	6 a.	29.96	761.0	46	100	N W	1	o
Kiukiang,	,,	29.49	749.0	50	100	N W	1	o	,,	30.06	763.5	48	100	N E	1	b
Shanghai,	,,	29.67	753.6	51	100	N E	3	omd	9 a.	29.98	761.5	47	100	N N W	2	om
Gutzlaff,	,,	29.66	753.3	51	100	N E	1	fr	,,	29.94	760.5	46	100	N N W	5	om
Sharp Peak,	,,	29.70	754.4	60	100	N	1	b	,,	29.88	758.9	64	100	...	0	c
Amoy,	,,	29.77	756.1	66	89	S E	3	c	6 a.	29.81	757.2	66	89	...	0	f
Swatow,	,,	29.80	756.9	67	95	S S W	1	c	,,	29.81	757.2	66	100	...	0	f
Taihoku,	1 p.	29.80	756.8	...	...	...	0	...	5 a.	29.79	756.7	...	...	S	4	...
Taichu,	,,	29.84	758.0	...	...	S	6	...	,,	29.86	758.3	...	...	...	0	...
Tainan,	,,	29.87	758.8	...	...	S	6	...	,,	29.89	759.2	...	...	S E	2	...
Koshun,	,,	29.88	759.0	...	...	S W	6	...	,,	29.88	759.0	...	...	...	0	...
Pescadores,	,,	29.85	758.3	...	...	S W	4	...	,,	29.87	758.6	...	...	S	6	...
Canton,	3 p.	29.74	755.4	77	100	S	2	o	9 a.	29.85	758.2	72	100	E N E	1	o
Hongkong,	4 p.	29.76	755.9	75	88	S S W	1	o	10 a.	29.89	759.2	74	94	...	0	of
Victoria Peak,	,,	...	...	...	...	S S W	6	...	,,	...	...	...	...	S	5	...
Gap Rock,	,,	29.75	755.6	...	...	S	4	...	,,	29.86	758.4	...	...	S S E	4	...
Macao,	,,	29.76	755.9	72	...	S S E	2	o	,,	29.88	758.9	72	...	S S E	1	odf
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.59	751.6	89	96	S S W	1	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.74	755.4	77	86	W	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.3	73	...	S E	4	o	8 a.	29.80	756.9	72	...	S E	3	o
Tourane,	,,	29.72	755.0	82	...	S S E	1	o	,,	29.84	757.8	81	...	S S W	1	o
Cape St. James,	,,	29.81	757.1	84	...	E N E	2	c	,,	29.89	759.1	79	...	E	2	o
Aparri,	2 p.	29.85	758.3	...	...	N E	2	b	6 a.	29.91	759.7	...	...	S W	2	b
Manila,	4 p.	29.80	757	90	48	E S E	2	b	10 a.	29.92	760	86	53	E	1	b
Legaspi,	2 p.	29.87	758.6	88	...	E	2	b	6 a.	29.88	759.0	79	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	5	o	9 a.	...	...	...	...	N N E	3	o
Iloilo,	,,	29.81	757.2	82	...	N N E	1	o	,,	29.89	759.2	82	...	N E	1	o
Cebu,	,,	29.81	757.2	85	...	N	2	c	,,	29.89	759.2	82	...	N	1	c
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.83	757.7	84	...	...	...	...

On the 10th at 11.55 a.—The barometer has fallen quickly over W. Japan and the Loochoos, the depression, which continues to move Eastwards, having reached the former area.

Pressure has increased moderately over the E. coast of China and over N.E. Japan. It is now high over the latter area.

The wind will probably back to the N.E. again in the Formosa Channel. Moderate S. to E. winds may be expected along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to E. winds, moderate; foggy, some rain.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 10th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th March, 1909, P.M.								11th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.98	761.4	31	...	S	2	o	7 a.	30.09	764.3	14	85	N E	3	o
Nemuro, ...	,,	30.20	767.1	...	...	S	4	...	6 a.	30.01	762.1	...	...	S E	4	...
Hakodate, ...	,,	30.13	765.2	...	...	E	4	...	,,	30.01	762.2	...	...	N	2	...
Tokio, ...	,,	29.91	759.6	...	...	N	8	...	,,	29.87	758.6	...	...	N	6	...
Kochi, ...	,,	29.64	752.8	...	...	...	0	...	,,	29.95	760.8	...	...	E	2	...
Nagasaki, ...	,,	29.76	755.8	...	...	N	4	...	,,	29.99	761.3	...	...	N E	6	...
Kagoshima, ...	,,	29.72	754.9	...	...	W	6	...	,,	29.92	759.9	...	...	N	2	...
Oshima, ...	,,	29.81	757.1	...	...	W	2	...	,,	29.93	760.1	...	...	...	0	...
Naha, ...	,,	29.85	758.2	...	...	S E	4	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima, ...	,,	29.85	758.3	...	...	S W	6	...	,,	29.89	759.3	...	...	E	6	...
Bonin Is.	,,	29.96	761.1	...	...	S	6	...	,,	29.93	760.1	...	...	S W	2	...
Chefoo, ...	4 p.	30.02	762.5	48	43	N W	3	b	6 a.	30.16	766.0	35	90	...	0	o
Weihaiwei, ...	,,	30.02	762.5	48	...	N W	1	b	9 a.	30.17	766.3	35	...	N W	1	o
Hankow, ...	,,	30.01	762.2	53	80	E	1	o	6 a.	29.97	761.2	51	93	N W	1	o
Kiukiang, ...	,,	30.05	763.2	54	80	E	2	o	,,	29.96	761.0	48	93	N E	2	o
Shanghai, ...	,,	30.00	762.0	48	93	N N E	2	om	9 a.	30.01	762.2	51	86	E S E	2	om
Gutzlaff, ...	,,	29.97	761.2	48	93	N N W	3	ov	,,	30.00	762.0	50	93	E	3	om
Sharp Peak, ...	,,	29.86	758.4	60	82	E N E	5	o	,,	29.97	761.2	59	83	E	2	o
Amoy, ...	,,	29.79	756.6	74	86	S E	3	c	6 a.	29.93	760.2	63	89	N E	1	or
Swatow, ...	,,	29.80	756.9	74	81	S	1	o	,,	29.86	758.4	63	95	S E	2	o
Taihoku	1 p.	29.83	757.7	...	...	W	6	...	5 a.	29.95	760.7	...	...	E	6	...
Taichu, ...	,,	29.89	759.3	...	...	S	2	...	,,	29.90	759.5	...	...	...	0	...
Tainan, ...	,,	29.90	759.5	...	...	S W	6	...	,,	29.89	759.3	...	...	S E	2	...
Koshun	,,	29.90	759.4	...	...	W	6	...	,,	29.92	759.9	...	...	E	4	...
Pescadores, ...	,,	29.89	759.3	...	...	S	6	...	,,	29.88	759.0	...	...	S	2	...
Canton, ...	3 p.	29.77	756.1	71	100	N	1	or	9 a.	29.84	757.9	73	100	E S E	1	o
Hongkong, ...	4 p.	29.78	756.4	74	94	S	2	op	10 a.	29.83	758.9	76	94	S	1	o
Victoria Peak, ...	,,	...	...	...	...	S S W	8	...	,,	...	...	...	...	S	6	...
Gap Rock, ...	,,	29.76	755.9	...	...	S S E	4	...	,,	29.84	757.9	...	...	S E	4	...
Macao, ...	,,	29.77	756.1	72	...	S S E	3	odf	,,	29.87	758.7	73	...	S S E	3	od
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.66	753.4	72	...	E S E	4	o	8 a.	29.75	755.5	73	...	S E	3	c
Tourane, ...	,,	29.76	756.0	81	...	S S E	2	o	,,	29.83	757.7	81	...	W	1	b
Cape St. James, .	,,	...	...	84	...	N N E	2	c	,,	29.91	759.6	81	...	S S E	2	c
Aparri, ...	2 p.	29.85	758.3	...	...	N E	2	b	6 a.	29.89	759.3	...	...	S W	2	b
Manila, ...	4 p.	29.80	757	90	44	E S E	3	c	10 a.	29.92	760	82	63	W	1	c
Legaspi, ...	2 p.	29.85	758.3	88	...	E	2	c	6 a.	29.88	758.8	79	...	N E	2	c
Bacolod, ...	3 p.	...	...	...	...	E N E	4	o	9 a.	...	...	...	...	N N E	2	o
Iloilo, ...	,,	29.83	757.7	87	...	E N E	3	b	,,	29.89	759.2	81	...	N N E	1	c
Cebu, ...	,,	29.79	756.6	87	...	N	2	b	,,	29.89	759.2	81	...	N	1	o
Labuan, ...	,,	29.74	755.4	85	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 11th at 11.40 a.—The barometer has fallen over Japan and the Bonins, and risen over W. Japan the Loochoos and the E. coast of China.

The depression is moving away over the Pacific to the S.E. of Japan.

Pressure is now highest over N. China. It remains low over S.W. China and Tongking.

Moderate E. winds may be expected in the Formosa Channel, and moderate S.E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. winds, moderate; squally, foggy, some rain.
2.—Formosa Channel, ...	E. winds. moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 11th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th March, 1909, P.M.									12th March, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.11	764.7	23	...	N N E	1	o		7 a.	30.21	767.3	11	54	E	1	c
Nemuro, ...	,,	29.89	759.1	...	...	S W	6	...		6 a.	30.08	764.1	...	...	N E	8	...
Hakodate, ...	,,	30.01	762.2	...	...	W	6	...		,,	30.13	765.2	...	...	N	4	...
Tokio, ...	,,	29.98	761.6	...	...	E	4	...		,,	30.10	764.6	...	...	N	2	...
Kochi, ...	,,	29.95	760.8	...	...	E	2	...		,,	29.95	760.8	...	...	S W	2	...
Nagasaki, ...	,,	29.95	760.8	...	...	E	6	...		,,	29.76	755.3	...	...	S E	6	...
Kagoshima, ...	,,	29.96	760.9	...	...	S	2	...		,,	29.88	758.9	...	...	N E	2	...
Oshima, ...	,,	29.93	760.1	...	...	...	0	...		,,	29.85	758.1	...	...	S	4	...
Naha, ...	,,	29.93	760.2	...	...	N	4	...		,,	29.85	758.2	...	...	S	4	...
Ishigakijima, ...	,,	29.89	759.3	...	...	S E	4	...		,,	29.86	758.3	...	...	S W	4	...
Bonin Is.	,,	29.93	760.1	...	...	S W	4	...		,,	30.01	762.1	...	...	S E	2	...
Chefoo, ...	4 p.	30.21	767.3	34	90	N N W	3	o		6 a.	...	...	29	100	N	6	o
Weihaiwei, ...	,,	30.20	767.1	33	...	N W	2	o		9 a.	30.28	769.1	28	...	N	4	o
Hankow, ...	,,	29.96	761.0	51	93	N W	1	or		6 a.	30.22	767.6	38	100	N W	3	b
Kinkiang, ...	,,	29.87	758.7	49	100	E	1	or		,,	...	...	...	...	...	...	...
Shanghai, ...	,,	29.88	758.9	52	93	E S E	3	or		9 a.	30.03	762.7	43	100	N N E	5	omd
Gutzlaff, ...	,,	29.87	758.7	51	93	S E	3	omd		,,	29.97	761.2	45	92	N	7	omd
Sharp Peak, ...	,,	29.89	759.2	59	100	...	0	o		,,	29.89	759.2	60	100	...	0	or
Amoy, ...	,,	29.85	758.2	63	89	S E	3	or		6 a.	29.86	758.4	63	89	...	0	o
Swatow, ...	,,	29.83	757.7	63	94	E	1	o		,,	...	...	...	...	...	...	...
Taihoku, ...	1 p.	29.88	759.0	...	...	E	6	...		5 a.	29.86	758.3	...	...	S	2	...
Taichu, ...	,,	29.91	759.8	...	...	E	2	...		,,	29.88	758.8	...	...	S	2	...
Tainan, ...	,,	29.89	759.3	...	...	S W	6	...		,,	29.83	759.0	...	...	E	2	...
Koshun, ...	,,	...	...	...	...	S	4	...		,,	29.88	759.0	...	...	...	0	...
Pescadores, ...	,,	29.90	759.5	...	...	S	2	...		,,	29.86	758.5	...	...	S	2	...
Canton, ...	3 p.	29.73	755.1	77	100	S S E	2	o		9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	29.76	755.9	75	90	S E	1	od		10 a.	29.89	759.2	73	95	E	2	o
Victoria Peak, ...	,,	...	...	...	...	S	6	...		,,	...	...	...	...	S	3	...
Gap Rock, ...	,,	29.73	755.1	...	...	S S E	4	...		,,	29.85	758.2	...	...	E S E	3	...
Macao, ...	,,	29.74	755.4	73	...	S	2	od		,,	29.87	758.7	71	...	S E	2	of
Wuchow, ...	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.68	753.9	83	72	S S W	2	f		,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.60	751.9	79	...	S S E	5	f		8 a.	29.75	755.5	72	...	E S E	4	f
Tourane, ...	,,	29.66	753.3	82	...	S E	2	c		,,	29.82	757.4	81	..	S W	3	b
Cape St. James, .	,,	29.78	756.5	84	...	S S E	3	c		,,	29.83	758.8	81	...	S W	1	c
Aparri, ...	2 p.	29.85	758.1	...	...	N E	2	b		6 a.	29.88	758.8	...	...	S	2	b
Manila, ...	4 p.	29.84	758	86	53	N W	2	c		10 a.	29.92	760	82	57	W	2	c
Legaspi, ...	2 p.	29.83	757.7	...	...	E	2	c		6 a.	29.85	758.1	77	...	N E	2	o
Bacolod, ...	3 p.	...	...	...	...	N N E	4	o		9 a.	...	...	...	...	N E	2	o
Iloilo, ...	,,	29.81	757.2	86	...	N E	1	o		,,	29.87	758.7	82	...	N N E	1	c
Cebu, ...	,,	29.79	756.6	84	...	N	2	o		,,	29.86	758.4	82	...	N	1	o
Labuan, ...	,,	29.76	755.9	85	...	...	...	...		,,	29.85	758.2	84	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen over W. Japan and the Loochoos, and risen over E. Japan and N. China.

A depression, formed to the South of the Lower Yangtze, has moved into the Eastern Sea and will reach the coast of S.W. Japan to-day.

An area of high pressure is spreading over N. China from the N.W., and N.E. monsoon conditions will probably be re-established in the Formosa Channel, and along the northern shores of the China Sea by to-morrow.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Wind backing to E. and N.E. and freshening; squally.
2.—Formosa Channel, ...	Same as No. 1. [rainy, fog at times.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 12th March, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th March, 1909, P.M.								13th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.08	764.1	...	...	E	4	...	6 a.	29.85	753.1	...	...	S E	8	...
Hakodate, ...	,,	30.05	763.2	...	...	N	4	...	,,	29.89	759.2	...	...	N	8	...
Tokio, ...	,,	29.94	760.6	...	...	N	2	...	,,	29.55	750.6	...	...	N	6	...
Kochi, ...	,,	29.72	754.8	...	...	...	0	...	,,	29.88	758.8	...	...	N W	6	...
Nagasaki, ...	,,	29.56	750.8	...	...	N E	4	...	,,	30.07	763.3	...	...	N	6	...
Kagoshima, ...	,,	29.60	751.9	...	...	E	4	...	,,	30.00	761.9	...	...	N	6	...
Oshima, ...	,,	29.73	755.1	...	...	S	4	...	,,	30.01	762.1	...	...	N E	8	...
Naha, ...	,,	29.85	758.2	...	...	S	6	...	,,	30.01	762.2	...	...	N	6	...
Ishigakijima, ...	,,	29.89	759.3	...	...	W	6	...	,,	30.01	762.3	...	...	N E	4	...
Bonin Is.	,,	29.93	760.1	...	...	S	2	...	,,	29.93	760.1	...	...	S W	2	...
Chefoo, ...	4 p.	30.34	770.6	32	100	N	6	o	6 a.	30.50	774.7	28	100	N	2	b
Weihaiwei, ...	,,	30.29	769.3	30	...	N W	5	o	9 a.	30.41	772.4	29	...	E	2	b
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang, ...	,,	30.24	768.1	46	84	E	3	o	,,	...	...	...	...	...	..	...
Shanghai, ...	,,	30.17	766.3	42	83	N N E	4	o	9 a.	30.39	771.9	40	65	N N E	2	om
Gutzlaff, ...	,,	30.09	764.3	44	92	N	7	om	,,	30.30	769.6	38	66	N	4	om
Sharp Peak, ...	,,	29.88	758.9	62	89	N N E	3	o	,,	30.27	768.8	56	87	N N E	2	or
Amoy	,,	29.83	757.7	67	69	...	0	c	6 a.	30.11	764.8	55	87	N E	5	or
Swatow, ...	,,	29.81	757.2	68	95	E	1	c	,,	30.04	763.0	57	94	N E	2	or
Taihoku, ...	1 p.	29.88	758.9	...	...	N	2	...	5 a.	30.12	765.1	...	...	E	6	...
Taichu, ...	,,	29.89	759.1	...	...	S	2	...	,,	29.98	761.5	...	...	N	2	...
Tainan, ...	,,	29.91	759.6	...	...	W	6	...	,,	29.97	761.3	...	...	N	4	...
Koshun	,,	29.87	758.8	...	...	W	6	...	,,	29.95	760.8	...	...	N E	8	...
Pescadores, ...	,,	29.89	759.2	...	...	S W	2	...	,,	30.00	761.9	...	...	N E	10	...
Canton, ...	3 p.	29.81	757.2	64	100	N	2	or	9 a.	30.16	766.0	56	94	N	2	or
Hongkong, ...	4 p.	29.78	756.4	74	88	S E	1	o	10 a.	30.08	764.0	61	82	N E	1	od
Victoria Peak, ...	,,	...	...	...	...	S S E	6	...	,,	...	...	...	...	E N E	4	...
Gap Rock, ...	,,	29.76	755.9	...	...	S E	4	...	,,	30.04	763.0	...	...	N E	5	...
Macao, ...	,,	29.78	756.4	74	...	S E	2	o	,,	30.10	764.5	60	...	N N W	3	od
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	29.70	754.4	90	96	N N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.79	756.6	71	76	N	4	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.66	753.3	77	...	E S E	5	f	8 a.	30.05	763.3	64	...	E N E	0	o
Tourane, ...	,,	29.69	754.1	84	...	S E	2	b	,,	29.89	759.1	77	...	N W	3	c
Cape St. James, .	,,	29.75	755.7	86	...	S	4	c	,,	29.83	758.8	81	...	S S E	2	o
Aparri, ...	2 p.	29.85	758.1	...	...	N	2	b	6 a.	29.89	759.3	...	...	S W	2	b
Manila, ...	4 p.	29.76	756	88	54	W	1	o	10 a.	29.92	760	88	47	E	1	c
Legaspi, ...	2 p.	29.83	757.6	77	...	E	2	o	6 a.	29.89	759.1	75	...	N E	2	c
Bacolod, ...	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	E S E	2	o
Iloilo, ...	,,	29.79	756.6	87	...	N E	...	...	,,	29.89	759.2	82	...	E S E	2	c
Cebu, ...	,,	29.78	756.4	85	...	N	1	b	,,	29.90	759.4	82	...	N	1	c
Labuan, ...	,,	29.77	756.1	85	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

On the 13th at 12.25 p.—The barometer has fallen quickly over E. Japan owing to the deprsssion which is now moving towards E.N.E. off the S.E. coast.

An area of high pressure occupies N. China, and the barometer has risen considerably over the whole of the China coast.

Strong monsoon will prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong; dull, rainy.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 13th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th March, 1909, P.M.								14th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.65	753.1	...	...	N E	10	...	6 a.	29.89	759.1	...	...	W	8	...
Hakodate, ...	,,	29.85	758.2	...	...	N W	10	...	,,	30.09	764.2	...	...	N W	8	...
Tokio, ...	,,	29.75	755.6	...	...	N	6	...	,,	30.18	766.6	...	...	N	2	...
Kochi, ...	,,	29.95	760.8	...	...	N	6	...	,,	30.23	767.3	...	...	S W	2	...
Nagasaki, ...	,,	30.11	764.8	...	...	N	6	...	,,	30.35	770.3	...	...	...	0	...
Kagoshima, ...	,,	30.04	762.9	...	...	N W	6	...	,,	30.31	769.9	...	...	N	2	...
Oshima, ...	,,	30.04	763.1	...	...	N	8	...	,,	30.24	768.1	...	...	N	6	...
Naha, ...	,,	30.05	763.2	...	...	N E	4	...	,,	30.17	766.2	...	...	N E	4	...
Ishigakijima, ...	,,	30.05	763.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N E	6	...
Bonin Is.	,,	29.89	759.1	...	...	S W	4	...	,,	30.08	764.1	...	...	N W	4	...
Chefoo, ...	4 p.	30.31	769.6	35	90	N E	3	b	6 a.	30.53	775.4	28	76	E	1	c
Weihaiwei, ...	,,	30.34	770.6	30	...	N W	1	ovr	9 a.	30.57	776.5	30	...	E	1	ovr
Hankow, ...	,,	30.42	772.6	45	76	S E	1	o	6 a.	30.43	774.2	41	92	S E	1	b
Kiukiang, ...	,,	30.38	771.6	43	67	N E	2	o	,,	30.45	773.4	35	100	N	1	c
Shanghai, ...	,,	30.33	770.4	45	68	N N W	2	o	9 a.	30.46	773.7	47	63	E S E	3	c
Gutzlaff, ...	,,	30.29	769.3	44	76	N	3	om	,,	30.43	772.9	47	63	E N E	3	cv
Sharp Peak, ...	,,	30.20	767.1	55	74	N E	5	o	,,	30.33	771.6	51	83	N	2	c
Amoy, ...	,,	30.08	764.0	56	81	N E	3	o	6 a.	30.26	768.6	54	94	N E	4	or
Swatow, ...	,,	30.05	763.2	56	94	E	1	o	,,	30.15	765.8	53	100	N N E	2	o
Taihoku, ...	1 p.	30.15	765.9	...	...	E	6	...	5 a.	30.27	768.9	...	...	E	6	...
Taichu, ...	,,	30.04	762.9	...	...	W	2	...	,,	30.09	764.2	...	...	N	6	...
Tainan, ...	,,	30.00	761.9	...	...	N	8	...	,,	30.11	764.7	...	...	N	6	...
Koshun	,,	29.99	761.7	...	...	N E	8	...	,,	30.09	764.2	...	...	N E	10	...
Pescadores, ...	,,	30.05	763.2	...	...	N	10	...	,,	30.15	765.7	...	...	N	10	...
Canton, ...	3 p.	30.06	763.5	53	100	N E	2	or	9 a.	30.29	769.3	53	100	N N E	1	o
Hongkong, ...	4 p.	30.04	763.0	58	86	N	1	o	10 a.	30.26	768.6	57	81	...	0	o
Victoria Peak, ...	,,	...	...	...	...	N N E	3	...	,,	...	...	...	...	E N E	4	...
Gap Rock, ...	,,	29.99	761.7	...	...	N E	5	...	,,	30.22	767.6	...	...	N E	5	...
Macao, ...	,,	30.05	763.2	58	...	N	3	od	,,	30.27	768.8	57	...	N N E	2	o
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	29.97	761.2	63	95	N N E	4	f	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.99	761.7	68	...	S S W	1	o	8 a.	30.25	768.3	59	...	N E	2	o
Tourane, ...	,,	29.87	758.7	75	...	N W	4	b	,,	30.10	764.4	75	..	N W	2	c
Cape St. James, .	,,	29.86	758.8	82	...	E S E	2	o	,,	29.96	760.9	79	...	E N E	5	c
Aparri, ...	2 p.	29.89	759.1	...	...	N E	2	b	6 a.	30.01	762.3	...	...	S	2	o
Manila, ...	4 p.	29.84	758	88	42	E	1	o	10 a.	30.00	762	82	57	N N E	1	o
Legaspi, ...	2 p.	29.85	758.3	86	...	E	2	o	6 a.	29.92	760.0	79	...	N E	2	b
Bacolod, ...	3 p.	...	...	...	...	N N E	5	o	9 a.	...	...	...	...	N E	4	o
Iloilo, ...	,,	29.81	757.2	86	...	N N E	1	c	,,	29.93	760.2	81	...	N E	2	c
Cebu, ...	,,	29.81	757.2	85	...	N	3	c	,,	29.91	759.7	83	...	N	1	c
Labuan, ...	,,	29.73	755.1	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 14th at 11.50 a.—The depression lying to the East of Japan yesterday, has moved away over the Pacific.

Pressure has increased generally, particularly over Japan and S. China.

The anticyclonic area is still central over the continent to the North of the Gulf of Pechili.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh; weather improving.
2.—Formosa Channel, ...	N.E. winds, strong to moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 14th March, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th March, 1909, P.M.								15th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.96	761.1	...	...	W	2	...	6 a.	30.04	763.1	...	...	S W	4	...
Hakodate, ...	,,	30.13	765.2	...	...	W	8	...	,,	30.21	767.2	...	...	N W	8	...
Tokio, ...	,,	30.10	764.6	...	...	E	4	...	,,	30.26	768.6	...	...	N	2	...
Kochi, ...	,,	30.23	767.8	...	...	W	6	...	,,	30.39	771.3	...	...	S W	2	...
Nagasaki, ...	,,	30.35	770.8	...	...	N	6	...	,,	30.43	772.3	...	...	...	0	...
Kagoshima, ...	,,	30.27	768.9	...	...	W	2	...	,,	30.43	772.9	...	...	N E	4	...
Oshima, ...	,,	30.28	769.1	...	...	N E	6	...	,,	30.32	770.1	...	...	...	0	...
Naha, ...	,,	30.20	767.2	...	...	N	6	...	,,	30.25	768.2	...	...	S E	6	...
Ishigakijima, ...	,,	30.17	766.3	...	...	N E	4	...	,,	30.17	766.3	...	...	S E	6	...
Bonin Is.	,,	30.08	764.1	...	...	N W	2	...	,,	30.28	769.1	...	...	N	2	...
Chefoo, ...	4 p.	30.52	775.2	31	100	N E	3	o	6 a.	30.54	775.7	29	88	N E	4	s
Weihaiwei, ...	,,	30.52	775.2	29	...	N	2	o	9 a.	30.62	777.7	27	...	E	2	o
Hankow, ...	,,	30.46	773.7	54	61	S E	1	b	6 a.	30.32	770.1	44	92	N E	2	o
Kiukiang, ...	,,	...	...	55	68	W N W	2	b	,,	30.24	768.1	46	92	N E	1	o
Shanghai, ...	,,	30.39	771.9	51	86	E N E	2	c	9 a.	30.32	770.1	45	100	E N E	2	omr
Gutzlaff, ...	,,	30.35	770.9	47	70	E N E	3	cv	,,	30.29	769.3	...	...	E	4	omr
Sharp Peak, ...	,,	30.26	768.6	54	80	N	3	o	,,	30.23	767.8	54	100	...	0	o
Amoy, ...	,,	30.17	766.3	58	76	N E	1	o	6 a.	30.14	765.5	60	82	N E	1	o
Swatow, ...	,,	30.15	765.8	59	76	N E	2	o	,,	30.18	766.6	57	87	E	1	c
Taihoku, ...	1 p.	30.23	767.9	...	...	E	4	...	5 a.	30.15	765.7	...	...	S W	4	...
Taichu, ...	,,	30.17	766.3	...	...	N	2	...	,,	30.14	765.5	...	...	...	0	...
Tainan, ...	,,	30.15	765.9	...	...	N	6	...	,,	30.15	765.7	...	...	N	2	...
Koshun	,,	30.10	764.5	...	...	N E	10	...	,,	30.13	765.2	...	...	N	4	...
Pescadores, ...	,,	30.16	766.1	...	...	N E	10	...	,,	30.17	766.3	...	...	N	8	...
Canton, ...	3 p.	30.13	765.3	59	70	E	1	o	9 a.	30.15	765.8	63	100	...	0	o
Hongkong, ...	4 p.	30.11	764.8	60	83	E	3	o	10 a.	30.17	766.3	65	71	E	3	c
Victoria Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	6	...
Gap Rock, ...	,,	30.07	763.8	...	...	E	5	...	,,	30.13	765.3	...	...	E	6	...
Macao, ...	,,	30.09	764.3	61	...	N E	2	c	,,	30.15	765.8	64	...	S E	2	o
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.07	763.8	64	89	N E	3	o	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.13	765.3	60	71	N	3	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.04	763.0	64	...	S S E	1	o	8 a.	30.17	766.3	63	...	N N E	1	o
Tourane, ...	,,	30.00	762.0	73	...	N W	4	o	,,	30.11	764.8	72	...	...	4	c
Cape St. James, .	,,	29.86	758.5	84	...	E N E	6	c	,,	29.99	761.6	79	...	N N E	2	c
Aparri, ...	2 p.	29.98	761.5	...	...	N E	2	o	6 a.	30.03	762.7	...	...	S	2	c
Manila, ...	4 p.	29.88	759	86	36	N E	1	c	10 a.	30.00	762	82	70	N N W	1	o
Legaspi, ...	2 p.	29.89	759.1	81	...	N E	2	o	6 a.	29.92	760.0	77	...	N E	2	c
Bacolod, ...	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	E N E	4	o
Iloilo, ...	,,	29.87	758.7	84	...	N N E	1	o	,,	29.97	761.2	81	...	E N E	2	b
Cebu, ...	,,	29.85	758.2	85	...	N	1	b	,,	29.92	759.9	83	...	N	1	c
Labuan, ...	,,	29.85	758.2	84	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 15th at 11.55 a.—The barometer has risen moderately in Japan, and fallen rather quickly over S. China. Another depression appears to be developing over China to the South of the Yangtze.

The anticyclonic area, which is still central over the continent to the North of the Gulf of Pechili, is spreading over the Sea of Japan.

Moderate E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, fresh to moderate; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 15th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th March, 1909, P.M.								16th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.32	770.0	26	...	S	1	c	7 a.	30.23	767.8	12	80	...	0	c
Nemuro,	,,	29.96	761.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.20	767.2	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.26	768.6	...	...	N W	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.31	769.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.31	769.8	...	...	N	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.27	768.9	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.20	767.1	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.24	768.1	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	30.45	773.4	33	100	E	2	o	6 a.	30.40	772.1	34	90	E	3	o
Weihaiwei,	,,	30.47	773.9	30	...	E	3	o	9 a.	30.42	772.6	30	...	E	1	os
Hankow,	,,	30.31	769.9	54	74	N E	1	o	6 a.	30.32	770.1	41	92	N E	1	or
Kiukiang,	,,	30.23	767.8	48	93	N E	0	o	,,	30.15	765.8	45	100	N E	3	or
Shanghai,	,,	30.25	768.3	44	100	N E	4	omd	9 a.	30.26	768.6	45	92	N E	2	om
Gutzlaff,	,,	30.19	766.8	46	100	N E	5	om	,,	30.22	767.6	48	93	N N E	3	om
Sharp Peak,	,,	30.09	764.3	56	94	N	1	c	,,	30.18	766.6	55	89	E	4	o
Amoy,	,,	30.06	763.5	62	89	S E	2	b	6 a.	30.11	764.8	60	82	N E	1	o
Swatow,	,,	30.05	763.2	66	79	E S E	1	b	,,	30.07	763.8	59	94	E S E	2	c
Taihoku,	1 p.	30.14	765.6	...	...	W	4	...	5 a.	30.13	765.3	...	...	E	2	...
Taichu,	,,	30.10	764.6	...	...	N	6	...	,,	30.09	764.2	...	...	N	2	...
Tainan,	,,	30.08	764.1	...	...	N W	6	...	,,	30.06	763.6	...	...	N	4	...
Koshun	,,	30.11	764.7	...	...	E	6	...	,,	30.03	762.8	...	...	N E	4	...
Pescadores,	,,	30.09	764.2	...	...	N	6	...	,,	30.08	764.0	...	...	N	8	...
Canton,	3 p.	30.04	763.0	68	95	...	0	c	9 a.	30.13	765.3	67	100	N E	2	o
Hongkong,	4 p.	30.04	763.0	65	78	E S E	2	o	10 a.	30.10	764.5	67	87	E S E	2	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	1	...
Gap Rock,	,,	30.01	762.2	...	...	E N E	5	...	,,	30.06	763.5	...	...	E N E	5	...
Macao,	,,	30.04	763.0	66	...	S E	1	o	,,	30.09	764.3	71	...	E	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.01	762.2	73	90	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.8	68	...	S E	1	o	8 a.	30.06	763.4	64	...	E S E	1	dh
Tourane,	,,	29.96	761.1	75	...	N N W	2	c	,,	30.05	763.3	75	...	N N W	1	b
Cape St. James,	,,	29.86	758.5	82	...	E	6	c	,,	29.95	760.8	81	...	E N E	5	c
Aparri,	2 p.	29.98	761.6	81	...	S E	2	c	6 a.	29.97	761.2	73	...	S E	2	c
Manila,	4 p.	29.88	759	82	70	E S E	0	...	10 a.	29.96	761	82	70	W	1	c
Legaspi,	2 p.	29.90	759.5	84	...	E	2	o	6 a.	29.92	760.0	77	...	E	2	o
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.85	758.2	86	...	N N E	1	c	,,	29.91	759.7	82	...	N	2	c
Cebu,	,,	29.84	757.9	85	...	N	2	...	,,	29.91	759.7	81	...	N	3	o
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

On the 16th at 12.20 p.—The barometer continues to fall over China, particularly in the North.

Pressure is still high over N. China, while it is low probably to the South of Japan. The Japanese returns are however, not yet to hand.

Fresh E. and N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N.E. winds, fresh ; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 16th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th March, 1909, P.M.								17th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.12	765.0	28	...	S	1	c	7 a.	30.05	763.2	14	60	N	1	b
Nemuro,	,,	30.28	769.1	...	...	W	8	...	6 a.	29.93	760.1	...	...	S W	6	...
Hakodate,	,,	30.09	764.2	...	...	W	8	...	,,	30.01	762.2	...	...	N E	2	...
Tokio,	,,	30.18	766.6	...	...	N E	2	...	,,	29.95	760.6	...	...	N	4	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	29.91	759.8	...	...	N E	6	...
Nagasaki,	,,	30.07	763.8	...	...	N	2	...	,,	30.07	763.3	...	...	N	2	...
Kagoshima,	,,	30.00	761.9	...	...	N E	4	...	,,	29.96	760.9	...	...	N W	8	...
Oshima,	,,	29.89	759.1	...	...	N W	6	...	,,	29.97	761.1	...	...	N	6	...
Naha,	,,	29.97	761.2	...	...	W	6	...	,,	29.97	761.2	...	...	N	6	...
Ishigakijima,	,,	30.01	762.3	...	...	N E	2	...	,,	29.97	761.3	...	...	N E	2	...
Bonin Is.	,,	30.16	766.1	...	...	E	2	...	,,	29.97	761.1	...	...	S	4	...
Chefoo,	4 p.	30.40	772.1	33	100	N	4	o	6 a.	30.44	773.2	31	100	N W	4	b
Weihaiwei,	,,	30.39	771.9	30	...	N	3	o	9 a.	30.46	773.7	32	...	W N W	2	b
Hankow,	,,	30.38	771.6	38	100	N W	2	or	6 a.	30.57	776.5	36	90	N	2	o
Kiukiang,	,,	30.21	767.3	44	100	N E	2	or	,,	30.37	771.4	40	91	N E	4	c
Shanghai,	,,	30.18	766.6	40	100	N N E	3	or	9 a.	30.43	772.9	41	66	N	2	om
Gutzlaff,	,,	30.14	765.5	44	92	N N E	7	omr	,,	30.38	771.6	43	75	N	6	om
Sharp Peak,	,,	30.05	763.2	57	87	E	2	c	,,	30.28	769.1	53	73	N E	5	or
Amoy,	,,	29.99	761.7	63	83	S E	2	o	6 a.	30.09	764.3	58	81	N E	2	o
Swatow,	,,	29.98	761.5	65	84	E	1	c	,,	30.03	762.7	59	88	N E	3	c
Taihoku,	1 p.	30.01	762.3	...	...	E	6	...	5 a.	30.08	764.1	...	...	E	4	...
Taichu,	,,	30.01	762.3	...	...	W	2	...	,,	30.04	762.9	...	...	N	4	...
Tainan,	,,	30.00	762.0	...	...	N	4	...	,,	30.01	762.1	...	...	N	6	...
Koshun,	,,	29.99	761.7	...	...	E	8	...	,,	29.98	761.4	...	...	...	0	...
Pescadores,	,,	30.01	762.3	...	...	N E	8	...	,,	30.03	762.7	...	...	N	8	...
Canton,	3 p.	29.95	760.7	74	100	...	0	o	9 a.	30.12	765.0	59	100	N N E	2	o
Hongkong,	4 p.	29.95	760.7	66	83	E	3	b	10 a.	30.11	764.8	65	84	E	1	o
Victoria Peak,	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.93	760.2	...	...	E	5	...	,,	30.05	763.2	...	...	E N E	5	...
Macao,	,,	29.95	760.7	67	...	S E	3	c	,,	30.11	764.8	65	...	N W	2	od
Wuchow,	3 p.	...	...	...	...	N E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.90	759.4	83	74	S E	2	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.93	760.2	78	78	S	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.88	759.0	70	...	S S W	1	o	8 a.	30.05	763.2	70	...	E N E	1	o
Tourane,	,,	29.89	759.1	81	...	S S E	2	c	,,	29.97	761.2	75	...	S S E	1	c
Cape St. James,	,,	29.89	759.1	84	...	E N E	5	c	,,	29.93	760.3	64	...	N E	5	f
Aparri,	2 p.	29.91	759.6	88	...	S E	2	b	6 a.	29.93	760.1	73	...	S	2	b
Manila,	4 p.	29.84	758	86	59	...	0	o	10 a.	29.96	761	84	64	W N W	1	b
Legaspi,	2 p.	29.89	759.2	77	...	S E	2	o	6 a.	29.90	759.4	72	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N N E	3	o
Iloilo,	,,	29.85	758.2	84	...	N N E	...	...	,,	29.93	760.2	84	...	N N E	...	...
Cebu,	,,	29.84	757.9	81	...	N	1	c	,,	29.92	759.9	82	...	E	1	b
Labuan,	,,	29.76	755.9	87	...	...	...	...	,,	29.86	758.4	84	...	...	...	...

On the 17th at 11.20 a.—The barometer has fallen quickly in Japan, and risen considerably over Central China and the E. coast.

The depression lying near the Northern Loochoos yesterday, has progressed Eastwards and is situated this morning, between the S.E. coast of Japan and the Bonins.

The area of high pressure remains over the continent to the North of the Yangtze.

Gradients are rather steep along the China coast, and strong N. and N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; dull, some rain.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 17th March, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th March, 1909, P.M.								18th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.05	763.2	26	...	N	1	c	7 a.	30.10	764.6	10	86	...	0	b
Nemuro,	,,	29.89	759.1	...	...	S E	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.89	759.2	...	...	W	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.94	760.6	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.99	761.8	...	...	N	8	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.07	763.8	...	...	N	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.04	763.1	...	...	N	8	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.05	763.2	...	...	N	8	...	,,	..	...	...	...	...	...	...
Ishigakijima,	,,	30.05	763.3	...	...	N E	6	...	,,	...	...	...	...	..	...	...
Bonin Is.	,,	29.93	760.1	...	...	S W	4	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	30.41	772.4	34	100	N W	2	c	6 a.	30.39	771.9	25	87	S W	1	b
Weihaiwei,	,,	30.40	772.1	33	...	N W	4	b	9 a.	30.45	773.4	35	...	S E	1	b
Hankow,	,,	30.55	775.9	47	77	N E	1	o	6 a.	30.43	772.9	40	91	E	1	o
Kiukiang,	,,	30.42	772.6	45	84	N E	2	c	,,	30.36	771.1	38	91	N E	2	c
Shanghai,	,,	30.37	771.4	42	50	N	2	o	9 a.	30.43	772.9	44	53	N	1	c
Gutzlaff,	,,	30.34	770.6	44	68	N	4	cv	,,	30.41	772.4	43	59	N E	2	cv
Sharp Peak,	,,	30.23	767.8	54	74	N N E	5	c	,,	30.33	770.4	52	73	N N E	5	or
Amoy,	,,	30.08	764.0	59	76	N E	2	o	6 a.	30.19	766.8	54	74	N E	3	o
Swatow,	,,	30.06	763.5	49	78	E	2	o	,,	30.17	766.3	53	80	E N E	3	c
Taihoku,	1 p.	30.21	767.4	...	...	E	6	...	5 a.	30.23	767.7	...	...	E	6	...
Taichu,	,,	30.05	763.3	...	...	N	8	...	,,	30.09	764.2	...	...	N	2	...
Tainan,	,,	29.99	761.7	...	...	N	8	...	,,	30.08	764.1	...	...	N	4	...
Koshun,	,,	30.00	762.1	...	...	N E	8	...	,,	30.05	763.3	...	...	N E	10	...
Pescadores,	,,	30.06	763.6	...	...	N E	10	...	,,	30.10	764.5	...	...	N E	10	...
Canton,	3 p.	30.06	763.5	58	100	N	1	c	9 a.	30.16	766.0	54	100	N	1	o
Hongkong,	4 p.	30.04	763.0	62	78	N	1	o	10 a.	30.17	766.3	59	87	E N E	3	o
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	30.01	762.2	...	...	N E	4	...	,,	30.12	765.0	...	...	E N E	7	...
Macao,	,,	30.04	763.0	63	...	N W	2	o	,,	30.19	766.8	58	...	N N E	2	od
Wuchow,	3 p.	30.20	767.1	53	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.98	761.5	72	90	N E	5	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.09	764.3	58	81	N	6	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.97	761.3	63	...	E N E	2	or	8 a.	30.13	765.2	59	...	E N E	1	or
Tourane,	,,	29.90	759.5	81	...	N N W	1	c	,,	30.02	762.6	75	...	...	0	o
Cape St. James,	,,	29.83	757.6	84	...	E	3	f	,,	29.91	759.8	82	...	N E	5	c
Aparri,	2 p.	29.89	759.3	86	...	N E	2	b	6 a.	29.96	761.0	77	...	N E	2	b
Manila,	4 p.	29.80	757	90	55	S	0	c	10 a.	29.96	761	82	70	N W	0	o
Legaspi,	2 p.	29.86	758.4	86	...	E	2	b	6 a.	29.90	759.4	75	...	E	2	c
Bacolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	E N E	3	c
Iloilo,	,,	29.81	757.2	87	...	N N E	1	c	,,	29.91	759.7	84	...	N N E	2	c
Cebu,	,,	29.81	757.2	85	...	N	3	c	,,	29.89	759.2	85	...	N	2	c
Labuan,	,,	29.76	755.9	86	...	...	...	...	,,	29.84	757.9	81	...	...	...	...

On the 18th at 12.05 p.—The barometer has risen slightly over S. China, while it is inclined to fall in N. China. The area of high pressure is lying to the North of the Lower Yangtze.

Gradients continue rather steep in the South, and strong N.E. winds will continue to prevail in the Formosa Channel and the N. part of the China Sea.

The Japanese returns are not yet to hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 18th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th March, 1909, P.M.								19th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.09	764.3	28	...	S	1	o	7 a.	30.26	768.6	14	91	...	0	b
Nemuro,	,,	30.04	763.1	...	...	N W	4	...	6 a.	30.24	768.1	...	...	W	2	...
Hakodate,	,,	30.13	765.2	...	...	W	6	...	,,	30.32	770.2	...	...	N W	2	...
Tokio,	,,	30.18	766.6	...	...	N	2	...	,,	30.42	772.6	...	...	N	4	...
Kochi,	,,	30.19	766.8	...	...	S	2	...	,,	30.43	772.8	...	...	...	0	...
Nagasaki,	,,	30.31	769.8	...	...	N	6	...	,,	30.35	770.8	...	...	...	0	...
Kagoshima,	,,	30.23	767.9	...	...	N	6	...	,,	30.35	770.9	...	...	N E	4	...
Oshima,	,,	30.20	767.1	...	...	N	6	...	,,	30.24	768.1	...	...	...	0	...
Naha,	,,	30.17	766.2	...	...	N	6	...	,,	30.17	766.2	...	...	S E	2	...
Ishigakijima,	,,	30.17	766.3	...	...	N E	4	...	,,	30.09	764.3	...	...	S E	6	...
Bonin Is.	,,	30.04	763.1	...	...	W	2	...	,,	30.24	768.1	...	...	N	4	...
Chefoo,	4 p.	30.33	770.4	46	100	S W	2	c	6 a.	30.34	770.6	35	90	S	3	b
Weihaiwei,	,,	30.36	771.1	41	...	S	2	b	9 a.	30.39	771.9	36	...	E	1	o
Hankow,	,,	30.36	771.1	45	68	S E	2	o	6 a.	30.37	771.4	42	92	N W	1	o
Kiukiang,	,,	30.27	768.8	48	78	N E	2	or	,,	30.16	766.0	41	100	N E	1	o
Shanghai,	,,	30.35	770.9	46	54	E	1	o	9 a.	30.28	769.1	45	92	E S E	1	omd
Gutzlaff,	,,	30.33	770.4	45	61	E N E	3	c	,,	30.27	768.8	45	100	...	2	fd
Sharp Peak,	,,	30.27	768.8	51	86	N	4	o	,,	30.22	767.6	51	93	W N W	1	o
Amoy,	,,	30.12	765.0	60	71	N E	2	o	6 a.	30.14	765.5	58	81	N E	1	o
Swatow,	,,	30.09	764.3	60	71	N E	2	c	,,	30.12	765.0	55	87	E N E	2	c
Taihoku,	1 p.	30.19	766.9	...	...	E	8	...	5 a.	30.10	764.4	...	...	W	4	...
Taichu,	,,	30.13	765.8	...	...	N	6	...	,,	30.12	765.0	...	...	...	0	...
Tainan,	,,	30.08	764.1	...	...	N W	6	...	,,	30.11	764.8	...	...	N	4	...
Koshun,	,,	30.08	764.0	...	...	N E	8	...	,,	30.08	763.9	...	...	N E	4	...
Pescadores,	,,	30.13	765.3	...	...	N E	10	...	,,	30.13	765.4	...	...	N	8	...
Canton,	3 p.	30.05	763.2	60	100	N N W	1	c	9 a.	30.15	765.8	59	100	N	1	o
Hongkong,	4 p.	30.05	763.2	61	77	E	4	o	10 a.	30.13	765.3	64	73	E	3	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	6	...
Gap Rock,	,,	30.03	762.7	...	...	E N E	7	...	,,	30.06	763.5	...	...	E N E	6	...
Macao,	,,	30.06	763.5	61	...	N N E	1	o	,,	30.14	765.5	64	...	E S E	2	o
Wuchow,	3 p.	30.14	765.5	54	...	N	1	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.99	761.7	70	95	N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.05	763.2	55	94	N	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.98	761.5	59	...	N E	2	o	8 a.	30.06	763.6	63	...	N E	1	dh
Tourane,	,,	29.93	760.2	82	...	E S E	1	b	,,	30.03	762.7	73	...	N N W	1	c
Cape St. James,	,,	29.82	757.5	82	...	E	6	c	,,	29.92	759.9	79	...	N N E	3	c
Aparri,	2 p.	29.94	760.6	84	...	N E	4	b	6 a.	29.98	761.4	73	...	S	2	o
Manila,	4 p.	29.88	759	77	92	...	0	o	10 a.	29.96	761	86	59	...	0	c
Legaspi,	2 p.	29.86	758.4	86	...	E	2	b	6 a.	29.91	759.6	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N E	5	c	9 a.	...	...	...	...	N E	4	c
Iloilo,	,,	29.83	757.7	88	...	N E	4	b	,,	29.95	760.7	83	...	N E	4	r
Cebu,	,,	29.82	757.4	86	...	N	1	b	,,	29.91	759.7	83	...	N	1	b
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 19th at 11.55 a.—The barometer has risen considerably in Japan, and fallen moderately over the E. coast of China and N. Formosa.

A depression, which will probably move Eastwards, appears to be developing over the Eastern Sea.

The area of high pressure is now shown over S. Japan.

Moderate N. and N.E. winds may be expected in the Formosa Channel, and fresh to moderate monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to moderate; fair.
2.—Formosa Channel,	N. and N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 19th March, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th March, 1909, P.M.								20th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.27	768.8	31	...	S S W	0	b	7 a.	30.22	767.6	24	99	N E	1	s
Nemuro, ...	,,	30.28	769.1	...	...	S W	4	...	6 a.	30.32	770.1	...	...	W	4	...
Hakodate, ...	,,	30.32	770.2	...	...	N W	6	...	,,	30.43	774.2	...	...	N	2	...
Tokio, ...	,,	30.46	773.6	...	...	S	2	...	,,	30.42	772.6	...	...	N	4	...
Kochi, ...	,,	30.39	771.8	...	...	...	0	...	,,	30.27	768.3	...	...	S W	2	...
Nagasaki, ...	,,	30.27	768.8	...	...	E	6	...	,,	30.03	762.3	...	...	E	6	...
Kagoshima, ...	,,	30.27	768.9	...	...	E	6	...	,,	30.04	762.9	...	...	E	8	...
Oshima, ...	,,	30.20	767.1	...	...	S E	6	...	,,	30.04	763.1	...	...	S	4	...
Naha, ...	,,	30.13	765.2	...	...	S E	4	...	,,	30.09	764.2	...	...	...	0	...
Ishigakijima, ...	,,	30.09	764.3	...	...	S E	6	...	,,	30.05	763.3	...	...	S E	2	...
Bonin Is.	,,	30.28	769.1	...	...	E	4	...	,,	30.28	769.1	...	...	E	2	...
Chefoo, ...	4 p.	30.24	768.1	44	100	S	2	o	6 a.	30.25	768.3	40	100	S	3	b
Weihaiwei, ...	,,	30.28	769.1	39	...	S	2	o	9 a.	30.29	769.3	37	...	N W	2	o
Hankow, ...	,,	30.32	770.1	48	78	S	1	o	6 a.	30.38	771.6	44	92	N W	1	o
Kiukiang, ...	,,	30.23	767.8	44	92	W	1	or	,,	30.28	769.1	44	92	...	0	b
Shanghai, ...	,,	30.20	767.1	49	93	E S E	1	omd	9 a.	30.24	768.1	48	100	N N E	1	om
Gutzlaff, ...	,,	30.20	767.1	49	100	E S E	1	om	,,	30.21	767.3	48	93	N	2	ov
Sharp Peak, ...	,,	30.13	765.3	56	94	N	1	c	,,	30.19	766.8	56	87	E	3	c
Amoy, ...	,,	30.08	764.0	62	83	S E	2	b	6 a.	30.09	764.3	61	82	N E	1	o
Swatow, ...	,,	30.03	762.7	66	73	E	1	c	,,	30.08	764.0	60	94	E	1	c
Taihoku, ...	1 p.	30.07	763.7	...	...	N W	4	...	5 a.	30.10	764.6	...	...	...	0	...
Taichu, ...	,,	30.06	763.4	...	...	N	4	...	,,	30.07	763.8	...	...	N	2	...
Tainan, ...	,,	30.06	763.5	...	...	N W	6	...	,,	30.07	763.7	...	...	N	6	...
Koshun	,,	30.05	763.2	...	...	E	8	...	,,	30.04	762.9	...	...	N	4	...
Pescadores, ...	,,	30.09	764.4	...	...	N	8	...	,,	30.09	764.2	...	...	N	6	...
Canton, ...	3 p.	29.99	761.7	63	95	N W	1	c	9 a.	30.08	764.0	61	100	N	1	c
Hongkong, ...	4 p.	30.02	762.5	62	92	E S E	2	o	10 a.	30.09	764.3	72	75	E S E	1	b
Victoria Peak, ...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	S	2	...
Gap Rock, ...	,,	29.96	761.0	...	...	N	5	...	,,	30.08	764.0	...	...	E	4	...
Macao, ...	,,	30.02	762.5	66	...	N E	1	od	,,	30.09	764.3	69	...	N	1	b
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.00	762.0	76	86	E N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.03	762.7	61	89	N	2	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.96	760.9	66	...	E S E	2	or	8 a.	30.10	764.4	63	...	N W	1	dh
Tourane, ...	,,	29.92	760.0	82	...	S E	1	c	,,	30.05	763.2	77	...	S S W	2	c
Cape St. James, .	,,	29.84	757.9	...	...	E N E	...	...	,,	29.93	760.1	82	...	N E	5	c
Aparri, ...	2 p.	29.95	760.7	84	...	N E	2	o	6 a.	29.97	761.3	73	...	S E	0	b
Manila, ...	4 p.	29.84	758	88	47	N E	1	b	10 a.	29.96	761	...	...	E N E	1	c
Legaspi, ...	2 p.	29.89	759.1	81	...	E	2	c	6 a.	29.89	759.3	77	...	N E	2	c
Bacolod, ...	3 p.	...	...	...	...	N E	5	c	9 a.	...	...	...	...	N E	4	o
Iloilo, ...	,,	29.83	757.7	87	...	N N E	1	o	,,	29.91	759.7	82	...	N N E	1	o
Cebu, ...	,,	29.82	757.4	85	...	N	2	c	,,	29.87	758.7	83	...	N	2	o
Labuan, ...	,,	29.79	756.6	86	...	...	...	...	,,	29.87	758.7	85	...	...	...	...

On the 20th at 12.05 p.—The depression over the Eastern Sea has become deeper. It is now approaching the coast of S.W. Japan where the barometer has fallen considerably.

The area of high pressure is now shown over E. Japan. Pressure is relatively high also over the Upper Yangtze.

Moderate to fresh N. and N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, *0.00* inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and N. winds, moderate or fresh ; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 20th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th March, 1909, P.M.								21st March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.36	771.1	...	...	E	2	...	6 a.	30.12	765.1	...	...	E	6	...
Hakodate, ...	,,	30.32	770.2	...	...	S	2	...	,,	30.01	762.2	...	...	E	8	...
Tokio, ...	,,	30.22	767.6	...	...	N	2	...	,,	29.83	757.6	...	...	N	4	...
Kochi, ...	,,	29.99	761.8	...	...	S W	2	...	,,	30.03	762.8	...	...	N W	2	...
Nagasaki, ...	,,	29.91	759.8	...	...	N	6	...	,,	30.19	766.3	...	...	N W	2	...
Kagoshima, ...	,,	29.96	760.9	...	...	S	2	...	,,	30.12	764.9	...	...	N	2	...
Oshima, ...	,,	30.04	763.1	...	...	N	2	...	,,	30.08	764.1	...	...	N	6	...
Naha, ...	,,	30.05	763.2	...	...	S	2	...	,,	30.09	764.2	...	...	N	6	...
Ishigakijima, ...	,,	30.05	763.3	...	...	S E	4	...	,,	30.05	763.3	...	...	N E	6	...
Bonin Is.	,,	30.16	766.1	...	...	S E	6	...	,,	30.08	764.1	...	...	S	4	...
Chefoo, ...	4 p.	30.35	770.9	32	100	N	2	s	6 a.	30.48	774.2	26	100	N N W	1	b
Weihaiwei, ...	,,	30.33	770.4	34	...	N	3	o	9 a.	30.52	775.2	33	...	N W	1	b
Hankow, ...	,,	30.36	771.1	54	74	S	1	c	6 a.	30.44	773.2	48	85	N E	2	o
Kiukiang, ...	,,	30.28	769.1	51	86	S W	1	o	,,	...	...	46	92	N E	2	o
Shanghai, ...	,,	30.21	767.3	48	93	N N W	1	omd	9 a.	30.44	773.2	46	77	N N E	3	o
Gutzlaff, ...	,,	30.19	766.8	46	100	N N W	2	omd	,,	30.39	771.9	46	84	N N E	4	om
Sharp Peak, ...	,,	30.10	764.6	57	87	N	2	c	,,	30.34	770.6	54	80	E N E	5	or
Amoy, ...	,,	30.01	762.2	64	83	S E	2	c	6 a.	30.10	764.5	59	82	N E	3	o
Swatow, ...	,,	29.99	761.7	65	84	E	2	b	,,	30.09	764.3	59	83	E N E	1	c
Taihoku, ...	1 p.	30.09	764.4	...	...	N	4	...	5 a.	30.15	765.9	...	...	E	6	...
Taichu, ...	,,	30.04	762.9	...	...	N	6	...	,,	30.05	763.3	...	...	N	4	...
Tainan, ...	,,	30.04	762.9	...	...	N	4	...	,,	30.02	762.6	...	...	N	6	...
Koshun	,,	30.03	762.7	...	...	E	4	...	,,	30.01	762.3	...	...	N E	8	...
Pescadores, ...	,,	30.07	763.8	...	...	N E	6	...	,,	30.06	763.6	...	...	N E	10	...
Canton, ...	3 p.	29.98	761.5	69	100	N N W	1	c	9 a.	30.18	766.6	58	94	N W	1	o
Hongkong, ...	4 p.	29.99	761.7	72	76	W	1	c	10 a.	30.15	765.8	64	92	E	1	o
Victoria Peak, ...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E	2	...
Gap Rock, ...	,,	29.96	761.0	...	...	N	1	...	,,	30.10	764.5	...	...	E N E	6	...
Macao, ...	,,	30.00	762.0	72	...	N W	1	o	,,	30.15	765.8	64	...	N W	2	of
Wuchow, ...	3 p.	30.15	765.8	55	...	W	1	odr	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	29.97	761.2	76	86	N E	3	c	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.98	761.6	64	...	E N E	2	f	8 a.	...	...	...	...	...	...	...
Tourane, ...	,,	29.94	760.6	77	...	N W	1	c	,,	...	...	...	...	...	...	...
Cape St. James, .	,,	29.83	757.6	84	...	E N E	8	c	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	29.93	760.2	88	...	N E	2	b	6 a.	29.95	760.7	72	...	S W	0	b
Manila, ...	4 p.	29.88	759	84	64	E N E	1	o	10 a.	29.92	760	86	53	N	2	o
Legaspi, ...	2 p.	29.85	758.2	84	...	E	2	o	6 a.	29.85	758.1	77	...	E	2	o
Bacolod, ...	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	E N E	4	c
Iloilo, ...	,,	29.85	758.2	80	...	N N E	4	r	,,	29.87	758.7	80	...	N N E	1	o
Cebu, ...	,,	29.83	757.7	81	...	...	0	or	,,	29.83	757.7	87	...	S	2	c
Labuan, ...	,,	29.78	756.4	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 21st at 11.30 a.—The barometer has fallen rapidly in E. Japan owing to the depression, which is now moving Eastwards off the S.E. coast.

The barometer has risen moderately to considerably over China and S.W. Japan, and fallen slightly in the Philippines.

An anticyclonic area has spread over N. China from the N.W., while a shallow area of low pressure appears to be lying over the S. part of the Philippine Archipelago.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong; cloudy, drizzling rain or mist.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 21st March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st MARCH, 1909, P.M.								22nd MARCH, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.15	765.7	33	...	S E	1	c	7 a.	30.30	769.6	24	94	N	1	c
Nemuro,	,,	29.96	761.1	...	...	E	6	...	6 a.	30.16	766.1	...	...	N W	6	...
Hakodate,	,,	29.85	758.2	...	...	E	8	...	,,	30.21	767.2	...	...	N W	6	...
Tokio,	,,	29.87	758.6	...	...	N E	4	...	,,	30.26	768.6	...	...	N W	4	...
Kochi,	,,	30.03	762.8	...	...	N W	4	...	,,	30.35	770.3	...	...	N E	4	...
Nagasaki,	,,	30.19	766.8	...	...	N	6	...	,,	30.31	769.3	...	...	E	8	...
Kagoshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.27	768.9	...	...	N E	6	...
Oshima,	,,	30.16	766.1	...	...	N	8	...	,,	30.24	768.1	...	...	S	4	...
Naha,	,,	30.13	765.2	...	...	N E	4	...	,,	30.17	766.2	...	...	N E	4	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.13	765.3	...	...	E	6	...
Bonin Is.	,,	30.00	762.1	...	...	S E	4	...	,,	30.12	765.1	...	...	N	2	...
Chefoo,	4 p.	30.40	772.1	39	100	N	1	b	6 a.	30.38	771.6	35	100	..	0	b
Weihaiwei,	,,	30.43	772.9	35	...	W N W	1	b	9 a.	30.39	771.9	34	...	E	2	o
Hankow,	,,	30.34	770.6	52	73	S E	2	o	6 a.	30.17	766.3	49	93	S E	2	lt
Kiukiang,	,,	30.24	768.1	50	86	N E	2	o	,,	30.12	765.0	47	100	S W	1	or
Shanghai,	,,	30.37	771.4	47	63	N W	2	o	9 a.	30.24	768.1	47	85	E S E	4	om
Gutzlaff,	,,	30.35	770.9	47	77	N N E	3	om	,,	30.25	768.3	47	85	S E	5	ov
Sharp Peak,	,,	30.26	768.6	55	80	N	5	o	,,	30.23	767.8	55	87	N	2	o
Amoy,	,,	30.11	764.8	63	72	N E	2	c	6 a.	30.11	764.8	61	77	N E	1	o
Swatow,	,,	30.09	764.3	63	78	E	1	o	,,	30.10	764.5	59	76	E N E	2	c
Taihoku,	1 p.	30.22	767.6	...	...	E	6	...	5 a.	30.12	765.0	...	...	E	6	...
Taichu,	,,	30.07	763.7	...	...	N	6	...	,,	30.06	763.5	...	...	...	0	...
Tainan,	,,	30.05	763.3	...	...	N	8	...	,,	30.05	763.2	...	...	N	4	...
Koshun	,,	30.06	763.5	...	...	N E	10	...	,,	30.06	763.4	...	...	E	6	...
Pescadores,	,,	30.11	764.9	...	...	N E	10	...	,,	30.06	763.5	...	...	N	10	...
Canton,	3 p.	30.08	764.0	65	73	N W	1	c	9 a.	30.08	764.0	64	89	E	1	c
Hongkong,	4 p.	30.06	763.5	64	81	E	3	o	10 a.	30.12	765.0	63	74	E	4	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	30.06	762.5	...	...	E	6	...	,,	30.08	764.0	...	...	E N E	6	...
Macao,	,,	30.01	762.2	67	...	N E	1	o	,,	30.11	764.8	64	...	S E	3	o
Wuchow,	3 p.	30.14	765.5	59	...	N	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.99	761.7	74	86	E	3	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.03	762.7	58	94	N	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.00	761.9	64	...	S S E	1	o	8 a.	30.04	762.9	64	...	N E	1	f
Tourane,	,,	29.94	760.4	82	...	W N W	2	c	,,	30.05	763.2	73	..	S S E	1	or
Cape St. James,	,,	29.83	757.8	82	...	E N E	5	c	,,	29.95	760.7	82	...	N E	5	f
Aparri,	2 p.	29.95	760.7	86	...	N E	2	c	6 a.	30.00	761.9	77	...	N E	2	o
Manila,	4 p.	29.80	757	83	42	N E	3	c	10 a.	29.92	760	82	63	N E	2	o
Legaspi,	2 p.	29.76	756.0	79	...	N E	2	o	6 a.	29.81	757.2	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	E N E	2	op	9 a.	...	...	...	...	N N W	3	cp
Iloilo,	,,	29.77	756.1	82	...	N N E	1	o	,,	29.87	758.7	81	...	N N W	1	o
Cebu,	,,	29.85	758.2	83	...	N	2	c	,,	29.94	760.5	82	...	...	0	c
Labuan,	,,	29.79	756.6	88	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 22nd at 11.55 a.—The barometer has risen quickly in Japan, and fallen over China, particularly along the Yangtze Valley where a depression has appeared. It will probably move Eastwards.

The area of high pressure is spreading over the Sea of Japan.

The depression in the South is shown to the Eastward of the S. part of the Philippine Archipelago.

The monsoon will moderate in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong to moderate; fair, cloudy.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 22nd March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd March, 1909, P.M.								23rd March, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.20	767.1	...	...	...	0	...	6 a.	30.32	770.1	...	...	W	6	...
Hakodate,	,,	30.28	769.2	...	...	W	8	...	,,	30.40	772.2	...	...	...	0	...
Tokio,	,,	30.30	769.6	...	...	N	6	...	,,	30.38	771.6	...	...	N W	4	...
Kochi,	,,	30.35	770.8	...	...	S E	4	...	,,	30.31	769.8	...	...	S W	2	...
Nagasaki,	,,	30.27	768.8	...	...	E	4	...	,,	30.11	764.3	...	...	S E	6	...
Kagoshima,	,,	30.27	768.9	...	...	N E	6	...	,,	30.19	766.9	...	...	E	6	...
Oshima,	,,	30.24	768.1	...	...	S E	6	...	,,	30.12	765.1	...	...	S E	2	...
Naha,	,,	30.17	766.2	...	...	E	6	...	,,	30.09	764.2	...	...	E	6	...
Ishigakijima,	,,	30.09	764.3	...	...	E	8	...	,,	30.01	762.3	...	...	S E	6	...
Bonin Is.	,,	30.16	766.1	...	...	N E	4	...	,,	30.28	769.1	...	...	E	2	...
Chefoo,	4 p.	30.22	767.6	38	100	S E	3	o	6 a.	30.09	764.3	29	100	N	1	or
Weihaiwei,	,,	30.24	768.1	37	...	E	3	o	9 a.	...	...	35	...	N	3	o
Hankow,	,,	30.12	765.0	50	100	E	1	or	6 a.	30.14	765.5	42	100	N W	1	or
Kiukiang,	,,	29.96	761.0	50	93	...	0	o	,,	30.01	762.2	47	100	N E	2	or
Shanghai,	,,	30.09	764.3	49	100	S E	3	or	9 a.	29.97	761.2	49	93	N W	3	o
Gutzlaff,	,,	30.10	764.5	50	93	S E	4	omd	,,	29.94	760.5	50	100	N E	2	om
Sharp Peak,	,,	30.07	763.8	56	100	N N W	1	o	,,	30.01	762.2	57	100	...	0	f
Amoy,	,,	30.09	764.3	63	77	S E	1	b	6 a.	30.03	762.7	62	89	S	1	o
Swatow,	,,	30.02	762.5	68	70	E	1	c	,,	30.06	763.5	62	89	E	1	c
Taihoku,	1 p.	30.01	762.2	...	...	S E	6	...	5 a.	30.03	762.8	...	...	...	0	...
Taichu,	,,	30.04	763.1	...	...	W	2	...	,,	30.04	763.1	...	...	...	0	...
Tainan,	,,	30.06	763.4	...	...	W	6	...	,,	30.04	762.9	...	...	N	6	...
Koshun	,,	30.07	763.8	...	...	N E	6	...	,,	29.99	761.8	...	...	E	2	...
Pescadores,	,,	30.10	764.6	...	...	N	6	...	,,	30.03	762.7	...	...	N E	6	...
Canton,	3 p.	29.97	761.2	70	76	E	1	c	9 a.	...	...	68	85	...	0	o
Hongkong,	4 p.	30.00	762.0	66	74	E	3	o	10 a.	30.04	763.0	71	82	E	2	c
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E S E	2	...
Gap Rock,	,,	29.96	761.0	...	...	E	5	...	,,	30.00	762.0	...	...	E N E	3	...
Macao,	,,	30.02	762.5	67	...	E S E	1	o	,,	30.04	763.0	73	...	E	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.90	759.4	72	...	E S E	2	c	8 a.	29.97	761.3	70	...	E	2	o
Tourane,	,,	29.92	760.0	77	...	S E	2	c	,,	29.97	761.1	79	...	S S E	3	c
Cape St. James,	,,	29.86	758.4	84	...	N E	3	c	,,	29.95	760.7	79	...	E N E	4	c
Aparri,	2 p.	29.94	760.6	84	...	E	4	d	6 a.	29.92	760.0	73	...	S	2	o
Manila,	4 p.	29.80	757	84	58	N	3	o	10 a.	29.88	759	82	70	N	2	...
Legaspi,	2 p.	29.76	755.9	79	...	N E	2	...	6 a.	29.79	756.6	77	...	E	4	...
Bacolod,	3 p.	...	...	...	...	N N W	1	o	9 a.	...	...	...	...	...	0	op
Iloilo,	,,	29.77	756.1	84	...	...	0	c	,,	29.83	757.7	81	...	...	0	o
Cebu,	,,	29.74	755.4	84	...	N	1	c	,,	29.84	757.9	82	...	S	1	o
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.88	758.9	85	...	...	...	...

On the 23rd at 11.55 a.—The barometer has fallen over China and W. Japan owing to the depression which has moved into the Eastern Sea to the South of Shanghai.

The depression in the South which apparently remains shallow, seems to have spread Westwards over the S. part of the Philippine Archipelago.

The area of high pressure is now shown over E. Japan.

The wind will probably freshen from N.E. in the Formosa Channel by to-morrow. Moderate or light E. and N.E. winds may be expected along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to N. winds, light or moderate; fair.
2.—Formosa Channel,	Variable to N.E. winds; light to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 23rd March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd March, 1909, P.M.								24th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.28	769.1	...	...	N W	6	...	6 a.	30.08	764.1	...	...	S E	8	...
Hakodate, ...	,,	30.28	769.2	...	...	S	2	...	,,	29.69	754.2	...	...	E	8	...
Tokio, ...	,,	30.26	768.6	...	...	N W	4	...	,,	29.71	754.6	...	...	N	4	...
Kochi, ...	,,	30.15	765.8	...	...	S W	2	...	,,	29.72	754.8	...	...	S W	4	...
Nagasaki, ...	,,	29.83	757.8	...	...	S E	10	...	,,	29.95	760.3	...	...	N	10	...
Kagoshima, ...	,,	30.00	761.9	...	...	S	6	...	,,	29.92	759.9	...	...	N	4	...
Oshima, ...	,,	30.04	763.1	...	...	S	6	...	,,	30.01	762.1	...	...	N W	4	...
Naha, ...	,,	30.01	762.2	...	...	S E	4	...	,,	30.01	762.2	...	...	N	8	...
Ishigakijima, ...	,,	29.97	761.3	...	...	S E	4	...	,,	30.01	762.3	...	...	N E	6	...
Bonin Is.	,,	30.20	767.1	...	...	E	2	...	,,	30.12	765.1	...	...	S	2	...
Chefoo, ...	4 p.	29.99	761.7	36	80	N W	5	c	6 a.	30.11	764.8	30	100	N W	6	o
Weihaiwei, ...	,,	29.98	761.5	34	...	N W	4	o	9 a.	30.15	765.8	30	...	N W	5	o
Hankow, ...	,,	30.33	770.4	48	78	N	2	o	6 a.	30.57	776.5	41	49	N W	2	c
Kiukiang, ...	,,	30.19	766.8	49	100	S S W	5	or	,,	30.43	772.9	44	76	N W	2	o
Shanghai, ...	,,	30.04	763.0	44	92	W N W	4	o	9 a.	30.42	772.6	40	48	N W	2	b
Gutzlaff, ...	,,	29.99	761.7	45	92	N W	5	omd	,,	30.25	770.9	42	58	N N W	6	bm
Sharp Peak, ...	,,	29.89	759.2	66	100	...	0	dh	,,	30.29	769.3	56	69	E N E	6	o
Amoy, ...	,,	29.90	759.4	68	79	S E	3	b	6 a.	30.05	763.2	60	88	N E	4	or
Swatow, ...	,,	29.91	759.7	73	81	E	1	b	,,	...	...	...	...	...	...	..
Taihoku, ...	1 p.	29.98	761.4	...	...	N W	2	...	5 a.	30.15	765.9	...	...	E	8	...
Taichu, ...	,,	29.98	761.5	...	...	N	6	...	,,	30.02	762.5	...	...	...	0	...
Tainan, ...	,,	29.95	760.8	...	...	N W	6	...	,,	29.95	761.4	...	...	N	6	...
Koshun	,,	30.00	762.0	...	...	E	6	...	,,	30.01	762.2	...	...	N	2	...
Pescadores, ...	,,	29.98	761.4	...	...	N	4	...	,,	30.01	762.1	...	...	N	8	...
Canton, ...	3 p.	29.94	760.5	79	91	...	0	b	9 a.	...	...	61	94	N N E	5	c
Hongkong, ...	4 p.	29.91	759.7	74	77	E	1	c	10 a.	30.12	765.0	66	54	N	1	o
Victoria Peak, ...	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	N	3	...
Gap Rock, ...	,,	29.90	759.4	...	...	E N E	3	...	,,	30.09	764.3	...	...	N	4	...
Macao, ...	,,	29.92	759.9	72	...	S E	1	c	,,	30.15	765.8	67	...	N	4	c
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.86	758.4	72	...	E S E	3	o	8 a.	30.08	763.9	70	...	E N E	5	o
Tourane, ...	,,	29.81	757.3	81	...	S E	3	b	,,	30.02	762.4	75	..	S S E	2	o
Cape St. James, .	,,	29.82	757.5	81	...	E	4	f	,,	29.94	760.4	81	...	N N E	2	o
Aparri, ...	2 p.	29.89	759.1	82	...	E	0	o	6 a.	29.90	759.5	75	...	S	2	o
Manila, ...	4 p.	29.80	757	77	94	E	1	r	10 a.	29.92	760	86	65	E S E	1	o
Legaspi, ...	2 p.	29.80	757.0	79	...	E	2	o	6 a.	29.85	758.2	79	...	E	2	o
Bacolod, ...	3 p.	...	...	...	...	...	0	op	9 a.	...	...	...	...	N N W	1	c
Iloilo, ...	,,	29.74	755.4	81	...	S W	0	o	,,	29.87	758.7	81	...	N N E	0	c
Cebu, ...	,,	29.76	755.9	82	...	...	0	o	,,	29.87	758.7	81	...	...	0	o
Labuan, ...	,,	29.77	756.1	87	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 24th at 11.45 a.—The barometer has fallen very rapidly over Central and Eastern Japan owing to the depression, which is moving towards E.N.E. over the latter area.

Pressure has increased quickly over China, an anticyclonic area of considerable intensity now occupying the Yangtze Valley. The barometer has also risen slightly over the S. Philippines.

Gradients are rather steep generally, and strong N. and N.E. winds to gales may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, strong; fair, squally.
2.—Formosa Channel, ...	N. to N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 24th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th March, 1909, P.M.								25th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.42	747.3	33	...	N W	1	or	7 a.	29.60	751.9	25	72	N W	1	o
Nemuro,	,,	29.53	750.1	...	...	S E	8	...	6 a.	29.26	743.1	...	...	S W	4	...
Hakodate,	,,	29.38	746.2	...	...	E	8	...	,,	29.54	750.2	...	...	W	6	...
Tokio,	,,	29.43	747.6	...	...	S	2	...	,,	29.71	754.6	...	...	N	6	...
Kochi,	,,	29.76	755.8	...	...	W	6	...	,,	30.03	762.8	...	...	S W	4	...
Nagasaki,	,,	30.03	762.8	...	...	W	10	...	,,	30.23	767.3	...	...	N	8	...
Kagoshima,	,,	30.04	762.9	...	...	N W	8	...	,,	30.19	766.9	...	...	N	8	...
Oshima,	,,	30.08	764.1	...	...	N	8	...	,,	30.20	767.1	...	...	N	8	...
Naha,	,,	30.13	765.2	...	...	N	10	...	,,	30.25	768.2	...	...	N	8	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.25	768.3	...	...	N E	6	...
Bonin Is.	,,	30.08	764.1	...	...	S	6	...	,,	29.69	754.1	...	...	S	4	...
Chefoo,	4 p.	30.18	766.6	34	69	N W	9	b	6 a.	30.29	769.3	32	100	N W	4	b
Weihaiwei,	,,	30.16	766.0	32	...	W	6	b	9 a.	30.37	771.4	31	...	N W	5	o
Hankow,	,,	30.57	776.5	50	45	N E	1	b	6 a.	30.57	776.5	41	83	N W	1	b
Kiukiang,	,,	30.44	773.2	49	57	N E	2	f	,,	30.48	774.2	37	85	S W	0	b
Shanghai,	,,	30.35	770.9	44	37	N W	4	o	9 a.	30.51	774.9	44	53	N W	2	c
Gutzlaff,	,,	30.32	770.1	43	51	N N W	6	cm	,,	30.46	773.7	47	70	N W	2	cm
Sharp Peak,	,,	30.26	768.6	54	74	E	5	o	,,	30.45	773.4	52	73	N N E	5	c
Amoy,	,,	30.13	765.3	58	81	N W	4	o	6 a.	30.24	768.1	54	74	N E	2	o
Swatow,	,,	30.10	764.5	62	61	N	1	o	,,	...	...	...	...	...	...	..
Taihoku,	1 p.	30.24	768.2	...	...	E	6	...	5 a	30.25	770.9	...	...	E	6	...
Taichu,	,,	30.06	763.6	...	...	N	8	...	,,	30.15	765.8	...	...	N	4	...
Tainan,	,,	30.02	762.4	...	...	N	8	...	,,	30.15	765.9	...	...	N	4	...
Koshun	,,	30.03	762.7	...	...	N E	10	...	,,	30.13	765.2	...	...	N	10	...
Pescadores,	,,	30.09	764.2	...	...	N	10	...	,,	30.19	766.8	...	...	N E	10	...
Canton,	3 p.	...	...	64	53	N N E	3	c	9 a.	30.37	771.4	53	54	N N E	4	o
Hongkong,	4 p.	30.09	764.3	65	56	N	1	o	10 a.	30.29	769.3	62	46	E	3	c
Victoria Peak,	,,	...	...	...	...	N	4	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.07	763.8	...	...	N	5	...	,,	30.27	768.8	...	...	N E	6	...
Macao,	,,	30.11	764.8	64	...	N	3	o	,,	30.30	769.6	62	...	N N E	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.07	763.8	66	...	E N E	2	o	8 a.	30.28	769.0	77	...	E N E	4	o
Tourane,	,,	29.96	761.1	77	...	W	1	o	,,	30.13	765.3	75	..	N E	4	o
Cape St. James,	,,	29.81	757.2	84	...	S E	2	f	,,	29.97	761.1	77	...	N	2	o
Aparri,	2 p.	29.89	759.1	84	...	N E	2	o	6 a.	30.00	761.9	73	...	N E	4	d
Manila,	4 p.	29.76	756	90	55	S E	1	o	10 a.	29.96	761	86	65	E N E	2	c
Legaspi,	2 p.	29.83	757.7	82	...	E	2	c	6 a.	29.93	760.1	79	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N W	2	o	9 a.	...	...	...	...	E N E	2	o
Iloilo,	,,	29.81	757.2	87	...	N W	1	c	,,	29.95	760.7	83	...	E N E	1	b
Cebu,	,,	29.81	757.2	85	...	N	1	c	,,	29.94	760.5	83	...	N	1	b
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 25th at 12.05 p.—The barometer has fallen very rapidly at Nemuro owing to the depression, which is moving into the Pacific in the neighbourhood of that station.

Except over E. Japan and the Bonins, pressure has increased generally, particularly over W. Japan, the Loochoos and S. China.

The anticyclonic area remains over the Yangtze Valley.

Strong N.E. winds may be expected in the Formosa Channel and strong N. and N.E. winds to gales over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 25th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	25th March, 1909, P.M.								26th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.74	755.5	35	...	N E	1	c	7 a.	30.16	766.1	21	69	N E	1	c
Nemuro,	,,	29.41	747.1	...	...	W	10	...	6 a.	30.04	763.1	...	...	N	4	...
Hakodate,	,,	29.77	756.2	...	...	W	8	...	,,	30.09	764.2	...	...	N	2	...
Tokio,	,,	29.83	757.6	...	...	N	2	...	,,	30.06	763.6	...	...	N	2	...
Kochi,	,,	30.11	764.8	...	...	S W	6	...	,,	30.23	767.8	...	...	N E	2	...
Nagasaki,	,,	30.31	769.8	...	...	N W	6	...	,,	30.39	771.3	...	...	...	0	...
Kagoshima,	,,	30.23	767.9	...	...	N W	8	...	,,	30.35	770.9	...	...	N	4	...
Oshima,	,,	30.28	769.1	...	...	N	6	...	,,	30.36	771.1	...	...	N	8	...
Naha,	,,	30.28	769.2	...	...	N	8	...	,,	30.36	771.2	...	...	N	8	...
Ishigakijima,	,,	30.29	769.3	...	...	N E	6	...	,,	30.37	771.3	...	...	N E	6	...
Bonin Is.	,,	30.08	764.1	...	...	S	6	...	,,	30.12	765.1	...	...	...	0	...
Chefoo,	4 p.	30.42	772.6	32	100	N N W	5	b	6 a.	30.55	775.9	26	100	S W	1	b
Weihaiwei,	,,	30.42	772.6	31	...	W N W	5	ovr	9 a.	30.56	776.2	33	...	W	1	b
Hankow,	,,	30.53	775.4	58	42	N E	1	b	6 a.	30.63	778.0	46	69	N E	2	b
Kiukiang,	,,	30.43	772.9	58	53	E	1	b	,,	30.59	777.0	44	84	N E	2	b
Shanghai,	,,	30.44	773.2	51	40	N N W	1	c	9 a.	30.66	778.7	41	41	N N W	2	c
Gutzlaff,	,,	30.44	773.2	48	49	N E	2	cm	,,	30.62	777.7	43	59	N	3	bv
Sharp Peak,	,,	30.38	771.6	52	73	N E	6	dh	,,	30.51	774.9	52	79	N N E	2	f
Amoy,	,,	30.19	766.8	62	72	N E	3	b	6 a.	30.36	771.1	57	58	N E	2	b
Swatow,	,,	30.21	767.3	59	70	E	3	b	,,	...	...	...	...	...	...	..
Taihoku,	1 p.	30.36	771.2	...	...	E	6	...	5 a.	30.43	772.8	...	...	E	6	...
Taichu,	,,	30.17	766.3	...	...	N	6	...	,,	30.29	769.3	...	...	N	4	...
Tainan,	,,	30.21	767.3	...	...	N	6	...	,,	30.28	769.0	...	...	N	6	...
Koshun,	,,	30.17	766.4	...	...	N E	10	...	,,	30.23	768.2	...	...	N E	10	...
Pescadores,	,,	30.23	767.9	...	...	N E	10	...	,,	30.30	769.7	...	...	N	10	...
Canton,	3 p.	30.23	767.8	64	39	N N E	2	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.20	767.1	63	58	E S E	3	o	10 a.	30.40	772.1	60	59	N	1	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N N E	3	...
Gap Rock,	,,	30.16	766.0	...	...	E N E	5	...	,,	30.34	770.6	...	...	E N E	6	...
Macao,	,,	30.20	767.1	65	...	N N E	1	o	,,	30.40	772.1	63	...	N	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.19	766.8	63	...	N N W	1	o	8 a.	30.38	771.7	57	...	N N E	2	o
Tourane,	,,	30.97	763.9	72	...	N W	3	o	,,	30.19	766.9	72	...	N E	4	o
Cape St. James,	,,	29.86	758.4	84	...	S S E	2	c	,,	29.91	759.7	81	...	N N E	1	o
Aparri,	2 p.	30.02	762.6	75	...	N E	4	o	6 a.	30.11	764.8	72	...	N E	4	d
Manila,	4 p.	29.88	759	88	59	E	1	o	10 a.	30.04	763	84	64	E N E	1	c
Legaspi,	2 p.	29.91	759.8	82	...	E	2	o	6 a.	29.99	761.6	77	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N E	3	...
Iloilo,	,,	29.85	758.2	87	...	N N E	1	o	,,	29.97	761.2	83	...	N N E	2	c
Cebu,	,,	29.85	758.2	85	...	N	2	c	,,	29.91	759.7	84	...	N	2	c
Labuan,	,,	29.80	756.9	86	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

On the 26th at 11.40 a.—The barometer has risen rapidly over E. Japan, the depression having moved away over the Pacific.

The anticyclonic area is still central over the continent to the North of the Yangtze, and pressure has increased generally except over the S. part of the China Sea, where it remains relatively low.

Strong N.E. winds may be expected in the Formosa Channel, and strong N. and N.E. winds to gales over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 26th March, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th March, 1909, P.M.								27th March, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	S E	2	...	6 a.	30.20	767.1	...	...	...	0	...
Hakodate,	,,	30.09	764.2	...	...	S	2	...	,,	30.28	769.2	...	...	W	4	...
Tokio,	,,	30.02	762.6	...	...	E	6	...	,,	30.34	770.6	...	...	N	4	...
Kochi,	,,	30.23	767.8	...	...	W	6	...	,,	30.47	773.8	...	...	S W	2	...
Nagasaki,	,,	30.43	772.8	...	...	N	10	...	,,	30.50	774.3	...	...	...	0	...
Kagoshima,	,,	30.35	770.9	...	...	N	8	...	,,	30.51	774.9	...	...	N	4	...
Oshima,	,,	30.36	771.1	...	...	N	8	...	,,	30.40	772.1	...	...	N E	2	...
Naha,	,,	30.40	772.2	...	...	N	10	...	,,	30.36	771.2	...	...	N	4	...
Ishigakijima,	,,	30.41	772.3	...	...	N E	6	...	,,	30.33	770.3	...	...	N E	2	...
Bonin Is.	,,	30.08	764.1	...	...	N E	2	...	,,	30.16	766.1	...	...	N W	6	...
Chefoo,	4 p.	30.48	774.2	41	57	E	3	b	6 a.	30.33	770.4	37	71	S W	1	b
Weihaiwei,	,,	30.36	771.1	41	...	E	2	b	9 a.	30.38	771.6	42	...	S	3	ovr
Hankow,	,,	30.65	778.5	55	39	S E	2	b	6 a.	30.37	771.4	37	53	E	2	o
Kiukiang,	,,	30.50	774.7	54	55	N E	4	b	,,	30.34	770.6	43	83	N E	1	o
Shanghai,	,,	30.60	777.2	46	40	N N E	2	b	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.60	777.2	44	53	N	3	bv	,,	30.47	773.9	45	61	S S E	2	cv
Sharp Peak,	,,	30.47	773.9	52	73	N E	6	dh	,,	30.42	772.6	49	78	N	4	o
Amoy,	,,	30.32	770.1	59	54	N E	4	o	6 a.	30.30	769.6	56	63	N E	1	o
Swatow,	,,	30.30	769.6	63	42	E	2	c	,,	30.27	768.8	53	48	E N E	2	o
Taihoku,	1 p.	30.46	773.7	...	...	...	...	...	5 a.	30.42	772.5	...	...	E	8	...
Taichu,	,,	30.30	769.7	...	...	N	6	...	,,	30.30	769.7	...	...	...	0	...
Tainan,	,,	30.30	769.7	...	...	N	6	...	,,	30.28	769.2	...	...	N	2	...
Koshun,	,,	30.28	769.1	...	...	N E	10	...	,,	30.25	768.2	...	...	N E	8	...
Pescadores,	,,	30.31	770.0	...	...	N E	10	...	,,	30.23	769.0	...	...	N E	8	...
Canton,	3 p.	30.28	769.1	61	50	N	1	o	9 a.	30.28	769.1	61	71	N E	1	o
Hongkong,	4 p.	30.28	769.1	61	58	E	1	o	10 a.	30.30	769.6	61	51	E	2	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.25	768.3	...	...	E N E	5	...	,,	30.27	768.8	...	...	E N E	6	...
Macao,	,,	30.29	769.3	64	...	N	1	o	,,	30.30	769.6	61	...	N E	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.30	769.6	57	63	N	4	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.26	768.7	57	...	E N E	2	o	8 a.	30.29	769.4	57	...	N	1	o
Tourane,	,,	30.11	764.8	72	...	N E	4	o	,,	30.15	765.8	68	...	N W	4	o
Cape St. James,	,,	29.85	758.1	82	...	S E	1	o	,,	29.95	760.8	75	...	N N E	5	or
Aparri,	2 p.	30.11	764.8	73	...	N E	4	d	6 a.	30.15	765.8	70	...	N E	2	d
Manila,	4 p.	29.92	760	88	54	E	1	c	10 a.	30.04	763	77	92	...	0	d
Legaspi,	2 p.	29.94	760.4	81	...	E	2	o	6 a.	29.98	761.5	79	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	E N E	5	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.87	758.7	88	...	N N E	1	b	,,	29.99	761.7	83	...	N E	5	b
Cebu,	,,	29.88	758.9	85	...	W	2	b	,,	30.00	762.0	82	...	N	2	o
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

On the 27th at 11.50 a.—The barometer has risen considerably over Japan, and fallen over China, particularly in the North.

The anticyclonic area is now central over W. Japan, and probably a depression is advancing towards N. China from the Westward.

Gradients are decreasing, and moderate N.E. winds may be expected in the Formosa Channel, and strong but decreasing N.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh to moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 27th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th March, 1909, P.M.								28th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.02	762.5	36	...	S E	1	c	7 a.	29.92	759.9	33	96	...	0	o
Nemuro,	,,	30.16	766.1	...	...	S	8	...	6 a.	30.28	769.1	...	...	S	2	...
Hakodate,	,,	30.28	769.2	...	...	S W	6	...	,,	30.25	768.2	...	...	W	2	...
Tokio,	,,	30.38	771.6	...	...	S E	4	...	,,	30.42	772.6	...	...	N W	2	...
Kochi,	,,	30.43	772.8	...	...	S E	2	...	,,	30.39	771.3	...	...	S W	2	...
Nagasaki,	,,	30.43	772.8	...	...	S E	4	...	,,	30.27	768.3	...	...	E	4	...
Kagoshima,	,,	30.43	772.9	...	...	S E	2	...	,,	30.27	768.9	...	...	E	6	...
Oshima,	,,	30.36	771.1	...	...	S E	4	...	,,	30.12	765.1	...	...	...	0	...
Naha,	,,	30.32	770.2	...	...	E	4	...	,,	30.21	767.2	...	...	...	0	...
Ishigakijima,	,,	30.25	768.3	...	...	E	6	...	,,	30.17	766.3	...	...	...	0	...
Bonin Is.	,,	30.24	768.1	...	...	N E	6	...	,,	30.28	769.1	...	...	N E	4	...
Chefoo,	4 p.	30.24	768.1	45	46	S S W	3	o	6 a.	30.32	770.1	38	81	...	0	o
Weihaiwei,	,,	30.27	768.8	44	...	S W	4	o	9 a.	30.37	771.4	37	...	N W	1	b
Hankow,	,,	30.34	770.6	55	62	S S E	1	o	6 a.	30.38	771.6	46	92	S E	1	b
Kiukiang,	,,	30.25	768.3	49	78	S W	1	o	,,	30.31	769.9	41	100	N E	1	o
Shanghai,	,,	30.23	767.8	46	62	S S E	4	o	9 a.	30.35	770.9	50	65	N W	2	c
Gutzlaff,	,,	30.30	769.6	47	70	S S E	4	ov	,,	30.31	769.9	51	72	N N W	2	bm
Sharp Peak,	,,	30.29	769.3	51	86	N	3	o	,,	30.31	769.9	52	86	N	1	o
Amoy,	,,	30.20	767.1	62	88	N E	1	o	6 a	30.20	767.1	60	76	N E	1	c
Swatow,	,,	30.20	767.1	60	71	E	1	c	,,	30.25	768.3	55	81	N	2	o
Taihoku,	1 p.	30.29	769.4	...	...	E	6	...	5 a.	30.23	767.9	...	...	N	2	...
Taichu,	,,	30.20	767.1	...	...	N	4	...	,,	30.21	767.3	...	...	N	2	...
Tainan,	,,	30.22	767.5	...	...	W	6	...	,,	30.20	767.1	...	...	N	6	...
Koshun	,,	30.19	766.8	...	...	E	8	...	,,	30.17	766.3	...	...	N W	2	...
Pescadores,	,,	30.24	768.1	...	...	N	8	...	,,	30.21	767.4	...	...	N E	8	...
Canton,	3 p.	30.15	765.8	63	62	...	...	o	9 a.	...	...	61	77	N W	1	o
Hongkong,	4 p.	30.16	766.0	63	54	E	1	o	10 a.	30.20	767.1	64	78	E S E	2	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	30.16	766.0	...	...	N E	5	...	,,	30.16	766.0	...	...	E	5	...
Macao,	,,	30.17	766.3	64	...	N E	1	o	,,	30.21	767.3	65	...	N	1	o
Wuchow,	3 p.	30.25	768.3	62	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.14	765.5	68	95	N E	5	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.18	766.6	58	53	E S E	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.11	764.9	66	...	S S W	2	o	8 a.	30.17	766.4	61	...	E N E	2	o
Tourane,	,,	30.05	763.3	72	...	N W	4	o	,,	30.10	764.5	72	..	W N W	2	o
Cape St. James,	,,	29.85	758.3	81	...	N E	6	c	,,	29.93	760.3	79	...	N E	7	c
Aparri,	2 p.	30.09	764.3	79	...	N E	2	o	6 a.	30.07	763.8	73	...	E	2	o
Manila,	4 p.	29.92	760	82	63	E	3	o	10 a.	30.04	763	84	71	W N W	1	c
Legaspi,	2 p.	29.95	760.7	86	...	E	2	b	6 a.	30.00	762.0	77	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N N E	5	o	9 a.	...	...	...	...	N N E	3	o
Iloilo,	,,	29.89	759.2	88	...	N N E	3	b	,,	29.99	761.7	82	...	N N E	1	o
Cebu,	,,	29.88	758.9	85	...	N	2	c	,,	29.98	761.5	84	...	N	3	c
Labuan,	,,	29.79	756.6	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 28th at 11.30 a.—The barometer has fallen in Wladiwostock owing to a depression, which appears to be moving Eastwards to the North of that station.

The barometer has also fallen considerably at the stations around the Eastern Sea, where a second area of low pressure is developing.

The area of high pressure is now shown over S.E. Japan.

Moderate N. and N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 28th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th March, 1909, P.M.								29th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.91	759.8	28	...	N E	1	b	7 a.	30.13	765.2	28	50	N	1	b
Nemuro, ...	,,	30.16	766.1	...	...	S	8	...	6 a.	30.04	763.1	...	...	S	6	...
Hakodate, ...	,,	30.13	765.2	...	...	W	8	...	,,	30.17	766.2	...	...	W	4	...
Tokio, ...	,,	30.26	768.6	...	...	S	4	...	,,	30.14	765.6	...	...	N	4	...
Kochi, ...	,,	30.27	768.8	...	...	S E	2	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki, ...	,,	30.19	766.8	...	...	N	4	...	,,	30.15	765.3	...	...	E	2	...
Kagoshima, ...	,,	30.15	765.9	...	...	E	6	...	,,	30.08	763.9	...	...	N W	6	...
Oshima, ...	,,	30.12	765.1	...	...	S W	2	...	,,	30.08	764.1	...	...	N	6	...
Naha, ...	,,	30.17	766.2	...	...	S	4	...	,,	30.13	765.2	...	...	N	6	...
Ishigakijima, ...	,,	30.17	766.3	...	...	N	2	...	,,	30.13	765.3	...	...	N	4	...
Bonin Is.	,,	30.20	767.1	...	...	E	4	...	,,	30.12	765.1	...	...	E	2	...
Chefoo, ...	4 p.	30.36	771.1	41	66	N	3	o	6 a.	30.37	771.4	29	100	S W	1	b
Weihaiwei, ...	,,	30.34	770.6	40	...	N N W	2	o	9 a.	30.38	771.6	41	...	W	1	b
Hankow, ...	,,	30.37	771.4	59	88	S S E	1	b	6 a.	30.36	771.1	51	86	N E	1	o
Kiukiang, ...	,,	30.32	770.1	54	68	S W	1	o	,,	30.26	768.6	49	85	...	0	o
Shanghai, ...	,,	30.28	769.1	54	55	N	4	...	9 a.	30.36	771.1	50	72	N E	1	om
Gutzlaff, ...	,,	30.26	768.6	51	79	N N E	2	cm	,,	30.33	770.4	48	85	N N E	1	om
Sharp Peak, ...	,,	30.24	768.1	54	80	E N E	4	c	,,	30.30	769.6	54	94	N N E	1	c
Amoy, ...	,,	30.14	765.5	64	72	N E	3	c	6 a.	30.18	766.6	59	65	N E	1	c
Swatow, ...	,,	30.13	765.3	58	70	N E	2	b	,,	...	...	...	...	...	...	...
Taihoku, ...	1 p.	30.22	767.5	...	...	E	8	...	5 a.	30.19	766.9	...	...	E	6	...
Taichu, ...	,,	30.14	765.5	...	...	N	6	...	,,	30.14	765.5	...	...	N	4	...
Tainan, ...	,,	30.14	765.6	...	...	N	6	...	,,	30.13	765.2	...	...	N	6	...
Koshun	,,	30.14	765.6	...	...	E	6	...	,,	30.10	764.5	...	...	N E	4	...
Pescadores, ...	,,	30.19	766.8	...	...	N	8	...	,,	30.15	765.8	...	...	N E	10	...
Canton, ...	3 p.	...	...	68	79	...	1	b	9 a.	...	...	65	78	...	0	o
Hongkong, ...	4 p.	30.10	764.5	67	60	E	2	o	10 a.	30.21	767.3	64	59	E	3	o
Victoria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E S E	3	...
Gap Rock, ...	,,	30.06	763.5	...	...	E N E	4	...	,,	30.15	765.8	...	...	E	6	...
Macao, ...	,,	30.09	764.3	68	...	E N E	1	c	,,	30.18	766.6	67	...	E	2	c
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	30.17	766.8	70	90	E N E	4	o	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.13	765.3	60	94	N	2	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	30.06	763.5	66	...	E	0	o	8 a.	30.15	765.9	63	...	N W	2	dh
Tourane, ...	,,	30.01	762.3	75	...	N W	3	o	,,	30.12	765.0	73	..	N W	1	c
Cape St. James, .	,,	29.85	758.1	81	...	N E	6	c	,,	29.94	760.5	82	...	N E	5	b
Aparri, ...	2 p.	30.01	762.3	82	...	N E	2	b	6 a.	30.01	762.3	73	...	N E	2	d
Manila, ...	4 p.	29.92	760	79	94	N W	2	c	10 a.	30.00	762	88	54	E N E	1	c
Legaspi, ...	2 p.	29.94	760.5	86	...	E	2	b	6 a.	29.98	761.5	79	...	N E	2	b
Bacolod, ...	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N E	3	o
Iloilo, ...	,,	29.89	759.2	87	...	N N E	1	b	,,	29.97	761.2	83	...	N N E	1	o
Cebu, ...	,,	29.86	758.4	85	...	N	3	b	,,	29.98	761.5	84	...	N	1	b
Labuan, ...	,,	29.80	756.9	88	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 29th at 12.05 p.—The barometer has fallen considerably over Japan, and risen slightly over N. China.

The depression lying in the neighbourhood of Wladiwostock yesterday, is moving Eastwards to the North of Hokkaido. The Eastern Sea depression is now moving Eastwards to the South of Japan.

Pressure is highest over China to the North of the Yangtze Valley.

Fresh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh; fair.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 29th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th March, 1909, P.M.								30th March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.12	765.0	24	...	N E	1	b	7 a.	30.17	766.2	23	96	...	0	b
Nemuro,	,,	29.96	761.1	...	...	S	6	...	6 a.	30.16	766.1	...	...	E	4	...
Hakodate,	,,	30.17	766.2	...	...	N W	6	...	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.06	763.6	...	...	N W	4	...	,,	30.02	762.6	...	...	N	6	...
Kochi,	,,	29.95	760.8	...	...	N	6	...	,,	30.07	763.8	...	...	N	2	...
Nagasaki,	,,	30.07	763.8	...	...	N W	8	...	,,	30.15	765.8	...	...	N E	2	...
Kagoshima,	,,	30.04	762.9	...	...	N W	6	...	,,	30.08	763.9	...	...	N	4	...
Oshima,	,,	30.12	765.1	...	...	N	4	...	,,	30.08	764.1	...	...	N	6	...
Naha,	,,	30.13	765.2	...	...	N W	4	...	,,	30.09	764.2	...	...	N	2	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	6	...	,,	30.09	764.3	...	...	N E	2	...
Bonin Is.	,,	30.04	763.1	...	...	S E	4	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	30.28	769.1	47	48	N E	2	b	6 a.	30.15	765.8	37	62	W	1	b
Weihaiwei,	,,	30.26	768.6	49	...	E N E	1	b	9 a.	30.21	767.3	45	...	S E	2	b
Hankow,	,,	30.35	770.9	58	75	N E	1	o	6 a.	30.31	769.9	46	92	E	1	b
Kiukiang,	,,	30.22	767.6	54	74	N E	1	o	,,	30.21	767.3	47	100	...	0	b
Shanghai,	,,	30.28	769.1	52	66	E N E	1	o	9 a.	30.28	769.1	47	77	E	2	om
Gutzlaff,	,,	30.28	769.1	48	78	N	2	om	,,	30.28	769.1	47	77	N E	1	om
Sharp Peak,	,,	30.24	768.1	55	87	N	2	c	,,	30.22	767.6	52	93	N W	1	o
Amoy,	,,	30.12	765.0	66	73	N E	2	b	6 a.	30.12	765.0	69	71	N E	1	o
Swatow,	,,	30.10	764.5	62	77	E	2	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.17	766.4	...	...	E	8	...	5 a.	30.11	764.8	...	...	E	6	...
Taichu,	,,	30.10	764.5	...	...	W	2	...	,,	30.09	764.3	...	...	N	2	...
Tainan,	,,	30.11	764.8	...	...	N	4	...	,,	30.11	764.8	...	...	N	4	...
Koshun	,,	30.11	764.7	...	...	N E	6	...	,,	30.06	763.4	...	...	N E	6	...
Pescadores,	,,	30.13	765.3	...	...	N E	10	...	,,	30.09	764.2	...	...	N	8	...
Canton,	3 p.	30.05	763.2	79	80	S	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	30.07	763.8	64	67	E	3	o	10 a.	30.14	765.5	63	79	E	3	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	30.03	762.7	...	...	E	6	...	,,	30.10	764.5	...	...	E N E	5	...
Macao,	,,	30.07	763.8	67	...	S E	1	c	,,	30.12	765.0	67	...	E	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	30.03	762.7	74	95	N E	3	or	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.11	764.8	61	96	N	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.03	762.7	68	...	E	1	or	8 a.	30.10	764.4	64	...	N W	1	dh
Tourane,	,,	29.98	761.5	77	...	N W	2	o	,,	30.06	763.5	77	...	...	0	o
Cape St. James,	,,	29.78	756.4	82	...	N E	6	c	,,	29.95	760.7	81	...	N E	2	b
Aparri,	2 p.	30.00	762.0	82	...	N E	2	o	6 a.	30.00	761.9	73	...	S	0	b
Manila,	4 p.	29.88	759	90	48	S E	1	b	10 a.	30.00	762	86	65	N W	0	b
Legaspi,	2 p.	29.93	760.3	86	...	E	2	b	6 a.	29.96	761.0	79	...	N E	2	b
Bacolod,	3 p.	...	...	...	...	N N E	4	c	9 a.	...	...	...	...	E N E	3	b
Iloilo,	,,	29.89	759.2	88	...	N N E	2	b	,,	29.95	760.7	83	...	N N E	1	b
Cebu,	,,	29.87	758.7	86	...	N	3	c	,,	29.95	760.7	84	...	N	2	c
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.86	758.4	85	...	...	...	...

On the 30th at 11.55 a.—The depression lying to the South of Japan yesterday, is moving away over the Pacific between the S.E. coast and the Bonins.

Pressure has increased in N.E. Japan, and given way over China, particularly on the N.E. coast. It is highest over the Lower Yangtze Valley.

Fresh to moderate N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh to moderate; fair, cloudy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 30th March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th March, 1909, P.M.								31st March, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.14	765.6	22	...	W	1	b	7 a.	30.15	765.7	32	78	S E	1	b
Nemuro, ...	,,	30.16	766.1	...	...	N E	4	...	6 a.	30.28	769.1	...	...	N	6	...
Hakodate, ...	,,	30.17	766.2	...	...	W	4	...	,,	30.28	769.2	...	...	...	0	...
Tokio, ...	,,	30.06	763.6	...	...	N W	2	...	,,	30.18	766.6	...	...	N	6	...
Kochi, ...	,,	29.99	761.8	...	...	N	4	...	,,	30.07	763.8	...	...	S W	2	...
Nagasaki, ...	,,	30.07	763.8	...	...	N W	8	...	,,	30.19	766.3	...	...	N E	6	...
Kagoshima, ...	,,	30.04	762.9	...	...	S E	4	...	,,	30.12	764.9	...	...	N	4	...
Oshima, ...	,,	30.08	764.1	...	...	N	6	...	,,	30.12	765.1	...	...	N	6	...
Naha, ...	,,	30.09	764.2	...	...	N	2	...	,,	30.09	764.2	...	...	N E	2	...
Ishigakijima, ...	,,	30.09	764.3	...	...	E	4	...	,,	30.05	763.3	...	...	E	6	...
Bonin Is.	,,	29.93	760.1	...	...	S W	4	...	,,	29.93	760.1	...	...	...	0	...
Chefoo, ...	4 p.	30.07	763.8	58	53	S S E	2	b	6 a.	30.05	763.2	48	71	S	4	b
Weihaiwei, ...	,,	30.22	767.6	52	...	S	3	b	9 a.	30.08	764.0	53	...	S W	6	b
Hankow, ...	,,	30.24	768.1	64	48	S E	1	b	6 a.	30.29	767.1	59	93	E	1	b
Kiukiang, ...	,,	30.15	765.8	65	49	...	0	b	,,	30.14	765.5	47	100	...	0	b
Shanghai, ...	,,	30.18	766.6	57	46	E N E	2	c	9 a.	30.23	767.8	53	67	S E	2	b
Gutzlaff, ...	,,	30.20	767.1	52	73	N E	1	ov	,,	30.22	767.6	52	86	S E	1	c
Sharp Peak, ...	,,	30.16	766.0	53	89	E	4	o	,,	30.21	767.3	53	93	N N E	1	o
Amoy	,,	30.08	764.0	61	83	N E	1	o	6 a.	30.13	765.3	59	82	N E	1	or
Swatow, ...	,,	30.05	763.2	62	83	E	1	o	,,	30.09	764.3	57	87	N E	2	o
Taihoku	1 p.	30.11	764.8	...	...	E	6	...	5 a.	30.09	764.3	...	...	E	6	...
Taichu, ...	,,	30.11	764.9	...	...	N	2	...	,,	30.06	763.4	...	...	N	2	...
Tainan, ...	,,	30.09	764.3	...	...	N	6	...	,,	30.02	762.6	...	...	N	4	...
Koshun	,,	30.05	763.3	...	...	N W	4	...	,,	30.00	761.9	...	...	N E	8	...
Pescadores, ...	,,	30.10	764.6	...	...	N	8	...	,,	30.04	763.1	...	...	N	8	...
Canton, ...	3 p.	30.02	762.5	65	84	N N W	2	o	9 a.	30.08	764.0	64	84	...	0	o
Hongkong, ...	4 p.	30.03	762.7	66	71	E	1	o	10 a.	30.11	764.8	64	84	E	5	o
Victoria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	5	...
Gap Rock, ...	,,	30.01	762.2	...	...	E N E	4	...	,,	30.06	763.5	...	...	E	5	...
Macao, ...	,,	30.04	763.0	66	...	E S E	1	o	,,	30.12	765.0	66	...	E S E	1	o
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	29.98	761.5	75	86	N E	3	c	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.06	763.5	59	100	N	4	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.99	761.8	64	...	E N E	3	o	8 a.	30.03	762.8	64	...	S S E	1	o
Tourane, ...	,,	29.95	760.8	77	...	N W	3	o	,,	30.02	762.6	75	...	N W	2	o
Cape St. James, .	,,	29.82	757.5	81	...	E N E	6	c	,,	29.92	760.0	82	...	N E	3	c
Aparri, ...	2 p.	29.93	760.2	82	...	E	2	b	6 a.	29.95	760.6	73	...	S W	2	b
Manila, ...	4 p.	29.84	758	90	48	S E	2	c	10 a.	29.96	761	88	59	S E	2	b
Legaspi, ...	2 p.	29.91	759.7	84	...	E	2	b	6 a.	29.94	760.4	79	...	E	2	b
Bacolod, ...	3 p.	...	...	...	...	N N E	5	o	9 a.	...	...	...	...	N W	2	b
Iloilo, ...	,,	29.87	758.7	88	...	N N E	3	b	,,	29.95	760.7	83	...	N N E	1	o
Cebu, ...	,,	29.87	758.7	86	...	N	1	b	,,	29.96	761.6	85	...	N	1	b
Labuan, ...	,,	29.77	756.1	88	...	...	...	...	,,	29.90	759.4	86	...	...	...	...

On the 31st at 11.55 a.—The barometer has risen moderately in E. Japan, and fallen over China, particularly in the North.

A depression is advancing towards N. China from the Westward, and the highest pressure is now shown over the N.E. part of the Sea of Japan.

Fresh to moderate N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh to moderate; fair, cloudy.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 31st March, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st MARCH, 1909, P.M.								1st APRIL, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.28	769.1	...	...	N E	6	...	6 a.	30.36	771.1	...	...	N	4	...
Hakodate, ...	,,	30.28	769.2	...	...	S E	6	...	,,	30.36	771.2	...	...	S E	6	...
Tokio, ...	,,	30.14	765.6	...	...	N E	4	...	,,	30.30	769.6	...	...	N W	2	...
Kochi, ...	,,	30.07	763.8	...	...	S E	2	...	,,	30.23	767.8	...	...	W	2	...
Nagasaki, ...	,,	30.15	765.8	...	...	N	8	...	,,	30.19	766.3	...	...	...	0	...
Kagoshima, ...	,,	30.07	763.9	...	...	W	4	...	,,	30.19	766.9	...	...	N	2	...
Oshima, ...	,,	30.12	765.1	...	...	N	6	...	,,	30.16	766.1	...	...	S	2	...
Naha,.....	,,	30.09	764.2	...	...	N	8	...	,,	30.13	765.2	...	...	N	2	...
Ishigakijima,....	,,	30.09	764.3	...	...	E	6	...	,,	30.05	763.3	...	...	E	6	...
Bonin Is.....	,,	29.93	760.1	...	...	N W	2	...	,,	30.04	763.1	...	...	S E	2	...
Chefoo,.....	4 p.	30.02	762.5	64	25	S S W	2	o	6 a.	30.36	771.1	46	92	N W	1	b
Weihaiwei,.....	,,	30.05	763.2	53	...	S W	6	o	9 a.	30.38	771.6	49	...	S E	1	ovr
Hankow, ...	,,	30.23	767.8	69	56	N E	1	c	6 a.	30.39	771.9	55	74	N W	2	o
Kiukiang,.....	,,	30.10	764.5	69	62	...	0	b	,,	30.20	767.1	55	94	...	0	c
Shanghai, ...	,,	30.15	765.8	61	45	S S E	3	c	9 a.	30.20	767.1	55	80	S S E	1	cm
Gutzlaff, ...	,,	30.17	766.3	53	86	S E	2	bm	,,	30.20	767.1	51	93	S S E	3	om
Sharp Peak,.....	,,	30.15	765.8	56	94	N	1	c	,,	30.18	766.6	55	94	W	1	o
Amoy.....	,,	30.06	763.5	64	78	N E	1	o	6 a.	30.07	763.8	60	94	E	1	or
Swatow, ...	,,	30.05	763.2	64	78	E N E	1	c	,,	30.08	764.0	59	88	...	0	o
Taihoku.....	1 p.	30.09	764.4	...	...	E	8	...	5 a.	30.03	762.7	...	...	W	2	...
Taichu, ...	,,	30.07	763.9	...	...	N	2	...	,,	30.06	763.4	...	...	N	4	...
Tainan,.....	,,	30.05	763.3	...	...	N	6	...	,,	30.05	763.2	...	...	N	6	...
Koshun.....	,,	30.09	764.3	...	...	N E	6	...	,,	30.02	762.5	...	...	N	6	...
Pescadores, ...	,,	30.09	764.4	...	...	N	8	...	,,	30.03	762.7	...	...	N	6	...
Canton,.....	3 p.	29.98	761.5	66	84	...	0	o	9 a.	30.09	764.3	64	89	N	1	or
Hongkong, ...	4 p.	30.01	762.2	63	79	E	4	o	10 a.	30.11	764.8	65	85	E	2	o
Victoria Peak,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E	5	...
Gap Rock,.....	,,	29.98	761.5	...	...	E	4	...	,,	30.07	763.8	...	...	E N E	5	...
Macao, ...	,,	30.02	762.5	67	...	S E	2	o	,,	30.11	764.8	64	...	N	1	od
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.94	760.6	66	...	S E	2	or	8 a.	30.04	763.0	66	...	E N E	3	o
Tourane, ...	,,	29.92	759.9	82	...	S E	1	c	,,	30.00	762.0	75	...	S S W	2	b
Cape St. James,.	,,	29.82	757.4	82	...	E N E	6	c	,,	29.87	758.7	81	...	N E	7	c
Aparri, ...	2 p.	29.92	760.0	84	...	N	2	b	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.84	758	90	48	S E	1	c	10 a.	29.96	761	88	54	E	1	c
Legaspi, ...	2 p.	29.91	759.6	86	...	E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod, ...	3 p.	...	...	...	...	N N E	5	o	9 a.	...	...	...	...	N E	2	b
Iloilo, ...	,,	29.87	758.7	88	...	N N E	2	b	,,	29.95	760.7	84	...	...	...	b
Cebu,.....	,,	29.84	757.9	87	...	N	1	c	,,	29.93	760.2	84	...	N	2	c
Labuan, ...	,,	29.76	755.9	88	...	...	...	...	,,	29.90	759.4	86	...	...	...	...

On the 1st at 11.55 a.—The barometer has risen considerably over the N.E. coast of China, and moderately in E. Japan.

The depression lying over N. China yesterday, has apparently moved Eastwards across Manchuria.

Pressure is high over N. China and N.E. Japan.

Fresh N.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh: cloudy, some rain.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 1st April, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st APRIL, 1909, P.M.									2nd APRIL, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.82	757.4	30	...	S E	6	s		7 a.	30.15	765.9	24	92	E	1	o
Nemuro, ...	,,	30.32	770.1	...	...	N	4	...		6 a.	30.36	771.1	...	...	S	3	...
Hakodate, ...	,,	30.28	769.2	...	...	E	6	...		,,	30.25	768.2	...	...	W	2	...
Tokio, ...	,,	30.22	767.6	...	...	E	2	...		,,	30.34	770.6	...	...	N	2	...
Kochi, ...	,,	30.15	765.8	...	...	S	2	...		,,	30.27	768.8	...	...	S W	2	...
Nagasaki, ...	,,	30.19	766.8	...	...	N	6	...		,,	30.27	768.8	...	...	...	0	...
Kagoshima, ...	,,	30.15	765.9	...	...	S	2	...		,,	30.27	768.9	...	...	...	0	...
Oshima, ...	,,	30.16	766.1	...	...	N	4	...		,,	30.20	767.1	...	...	S	2	...
Naha, ...	,,	30.13	765.2	...	...	E	4	...		,,	30.17	766.2	...	...	N E	4	...
Ishigakijima, ...	,,	30.09	764.3	...	...	E	8	...		,,	30.05	763.3	...	...	E	6	...
Bonin Is.	,,	30.08	764.1	...	...	N	2	...		,,	30.16	765.1	...	...	E	4	...
Chefoo, ...	4 p.	30.15	765.8	48	56	E	2	b		6 a.	30.07	763.8	48	63	S	6	b
Weihaiwei, ...	,,	30.16	766.0	50	...	S E	3	b		9 a.	30.04	763.0	53	...	S	5	ovr
Hankow, ...	,,	30.35	770.9	68	51	S E	1	b		6 a.	30.24	768.1	58	70	S E	2	o
Kiukiang, ...	,,	30.17	766.3	67	21	N E	2	o		,,	30.18	766.6	55	100	...	0	or
Shanghai, ...	,,	30.17	766.3	64	58	E	2	b		9 a.	30.18	766.6	55	80	S S E	1	om
Gutzlaff, ...	,,	30.20	767.1	53	93	E	2	bm		,,	30.19	766.8	51	100	S S E	4	om
Sharp Peak, ...	,,	30.14	765.5	58	94	N	1	or		,,	30.14	765.5	57	87	N N W	3	or
Amoy, ...	,,	30.07	763.8	63	83	E	1	o		6 a.	30.06	763.5	62	89	E	1	o
Swatow, ...	,,	30.05	763.2	65	84	E N E	1	o		,,	30.05	763.2	60	94	...	0	c
Taihoku, ...	1 p.	30.09	764.3	...	...	W	4	...		5 a.	30.02	762.4	...	...	E	2	...
Taichu, ...	,,	30.11	764.9	...	...	...	0	...		,,	30.03	762.7	...	...	...	0	...
Tainan, ...	,,	30.07	763.7	...	...	N	6	...		,,	30.02	762.5	...	...	N	4	...
Koshun	,,	30.04	762.9	...	...	N	6	...		,,	30.04	763.0	...	...	N W	2	...
Pescadores, ...	,,	30.08	764.0	...	...	N E	6	...		,,	30.04	763.0	...	...	N	8	...
Canton, ...	3 p.	30.02	762.5	65	95	N	1	or		9 a.	30.07	763.8	65	87	...	0	or
Hongkong, ...	4 p.	30.03	762.7	68	84	...	0	o		10 a.	30.11	764.8	65	87	E	4	o
Victoria Peak, ...	,,	...	...	...	...	E	3	...		,,	...	...	...	...	E	5	...
Gap Rock, ...	,,	30.02	762.5	...	...	E N E	4	...		,,	30.06	763.5	...	...	E	5	...
Macao, ...	,,	30.05	763.2	66	...	N	1	od		,,	30.11	764.8	67	...	S E	2	c
Wuchow, ...	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	29.96	761.0	79	82	N E	4	b		,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	30.05	763.2	65	95	N	3	o		,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.98	761.5	70	...	S S E	2	dh		8 a.	30.07	763.7	66	...	S E	2	o
Tourane, ...	,,	29.93	760.2	77	...	S E	1	b		,,	30.04	762.9	77	...	S S E	1	b
Cape St. James, .	,,	29.80	756.9	81	...	E N E	7	c		,,	29.91	759.8	81	...	N E	6	c
Aparri, ...	2 p.	29.91	759.7	86	...	N	2	b		6 a.	29.94	760.5	75	...	S W	2	b
Manila, ...	4 p.	29.84	758	88	54	E	2	c		10 a.	30.00	762	84	64	W S W	1	b
Legaspi, ...	2 p.	29.91	759.6	86	...	E	2	c		6 a.	29.93	760.1	79	...	E	2	b
Bacolod, ...	3 p.	...	...	...	...	N E	4	o		9 a.	...	...	...	...	N E	2	c
Iloilo, ...	,,	29.87	758.7	89	...	N N E	1	b		,,	29.97	761.2	84	...	N E	3	b
Cebu, ...	,,	29.86	758.4	86	...	S	2	b		,,	29.94	760.5	84	...	N	2	b
Labuan, ...	,,	29.71	754.6	88	...	...	...	...		,,	29.83	757.7	85	...	...	...	...

On the 2nd at 12.05 p.—The barometer has fallen rapidly over N. China owing to the advance of another depression from the Westward.

Pressure has increased slightly and remains high over Japan.

Gradients have decreased in the South, and moderate E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate; cloudy, misty.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 2nd April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd April, 1909, P.M.								3rd April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.12	765.0	30	...	S	2	o	7 a.	30.06	763.5	30	99	N	1	c
Nemuro,	,,	30.24	768.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	...	0	...
Hakodate,	,,	30.32	770.2	...	...	N W	6	...	,,	30.36	771.2	...	...	E	4	...
Tokio,	,,	30.34	770.6	...	...	S E	6	...	,,	30.33	771.6	...	...	N W	2	...
Kochi,	,,	30.27	768.8	...	...	S E	2	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.23	767.8	...	...	S	4	...	,,	30.15	765.8	...	...	...	0	...
Kagoshima,	,,	30.23	767.9	...	...	S	2	...	,,	30.12	764.9	...	...	E	4	...
Oshima,	,,	30.16	766.1	...	...	S	4	...	,,	30.01	762.1	...	...	S E	10	...
Naha,	,,	30.09	764.2	...	...	S E	4	...	,,	29.89	759.2	...	...	S E	4	...
Ishigakijima,	,,	30.01	762.3	...	...	S E	6	...	,,	29.89	759.3	...	...	S W	6	...
Bonin Is.	,,	30.20	767.1	...	...	N E	6	...	,,	30.24	768.1	...	...	E	4	...
Chefoo,	4 p.	29.93	760.2	65	40	S W	8	b	6 a.	30.01	762.2	46	92	N	1	b
Weihaiwei,	,,	29.96	761.0	56	...	S W	6	b	9 a.	30.05	763.2	50	...	E	1	ovr
Hankow,	,,	30.23	767.8	63	72	S W	1	o	6 a.	30.24	768.1	55	100	W	1	o
Kiukiang,	,,	30.05	763.2	60	88	...	0	or	,,	30.06	763.5	55	100	...	0	o
Shanghai,	,,	30.11	764.8	53	86	S	2	od	9 a.	30.13	765.3	52	...	N	1	omd
Gutzlaff,	,,	30.14	765.5	52	86	S S E	2	omg	,,	30.10	764.5	52	93	N E	3	om
Sharp Peak,	,,	30.05	763.2	59	94	N	1	o	,,	30.06	763.5	58	94	...	0	dh
Amoy,	,,	29.98	761.5	63	84	E S E	1	b	6 a.	29.98	761.5	64	83	S E	1	o
Swatow,	,,	30.00	762.0	67	77	E	1	c	,,	30.05	763.2	61	95	...	0	c
Taihoku,	1 p.	29.96	761.0	...	...	W	6	...	5 a.	29.99	761.7	...	...	W	2	...
Taichu,	,,	30.02	762.5	...	...	N	6	...	,,	29.99	761.6	...	...	...	0	...
Tainan,	,,	30.02	762.4	...	...	N W	6	...	,,	29.99	761.6	...	...	N W	2	...
Koshun	,,	29.99	761.7	...	...	W	4	...	,,	29.97	761.1	...	...	N W	6	...
Pescadores,	,,	30.02	762.6	...	...	N	6	...	,,	30.00	762.0	...	...	N	4	...
Canton,	3 p.	29.98	761.5	67	90	...	0	o	9 a.	30.02	762.5	69	90	...	0	o
Hongkong,	4 p.	30.01	762.2	69	80	E	2	c	10 a.	30.05	763.2	72	75	E	1	b
Victoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	S W	1	...
Gap Rock,	,,	29.98	761.5	...	...	E	4	...	,,	30.04	763.0	...	...	E S E	2	...
Macao,	,,	30.02	762.5	69	...	S E	3	c	,,	30.06	763.5	71	...	S E	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.97	761.2	81	78	N E	3	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.02	762.5	71	90	S S W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.96	761.0	73	...	S E	3	c	8 a.	30.03	762.7	68	...	E S E	3	o
Tourane,	,,	29.96	761.0	77	...	S S E	1	b	,,	30.01	762.2	77	..	S S W	2	b
Cape St. James,	,,	29.84	757.9	82	...	E N E	6	o	,,	29.95	760.6	81	...	N E	6	c
Aparri,	2 p.	29.91	759.6	88	...	N E	2	b	6 a.	29.95	760.8	75	...	S	2	b
Manila,	4 p.	29.84	758	90	48	S E	2	b	10 a.	30.00	762	84	64	N W	1	b
Legaspi,	2 p.	29.91	759.6	86	...	E	2	b	6 a.	29.95	760.7	79	...	E	2	c
Bacolod,	3 p.	...	...	...	...	E S E	3	o	9 a.	...	...	...	...	N N W	3	c
Iloilo,	,,	29.85	758.2	89	...	N N E	1	b	,,	29.97	761.2	84	...	N N W	2	b
Cebu,	,,	29.86	758.4	84	...	N	3	c	,,	29.93	760.2	85	...	N	2	c
Labuan,	,,	29.74	755.4	88	...	...	...	...	,,	29.87	758.7	85	...	...	...	...

On the 3rd at 11.55 a.—The barometer has fallen moderately to considerably at the stations around the Eastern Sea owing to the development of a depression over that area. It will probably move towards N.E.

The depression lying over N. China yesterday, has moved away northeastwards.

Pressure remains high over S.E. Japan.

Light or moderate variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; fair.
2.—Formosa Channel,	Variable to N. winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 3rd April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd April, 1909, P.M.								4th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.08	764.0	24	...	N E	1	b	7 a.	30.10	764.5	32	97	S	1	o
Nemuro,	,,	30.36	771.1	...	...	S	6	...	6 a.	30.24	763.1	...	...	N W	2	...
Hakodate,	,,	30.24	768.2	...	...	S E	2	...	,,	30.28	769.2	...	...	...	0	...
Tokio,	,,	30.30	769.6	...	...	N	2	...	,,	30.30	769.6	...	...	N	4	...
Kochi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.07	763.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	...	0	...	,,	30.11	764.8	...	...	N E	2	...
Kagoshima,	,,	30.11	764.9	...	...	N E	4	...	,,	30.04	762.9	...	...	E	4	...
Oshima,	,,	29.85	758.1	...	...	S	8	...	,,	29.93	760.1	...	...	S W	2	...
Naha,	,,	29.89	759.2	...	...	S	2	...	,,	29.89	759.2	...	...	S	2	...
Ishigakijima,	,,	29.97	761.3	...	...	N	6	...	,,	29.97	761.3	...	...	N	2	...
Bonin Is.	,,	30.12	765.1	...	...	S E	4	...	,,	29.97	761.1	...	...	N	6	...
Chefoo,	4 p.	29.94	760.5	63	...	S W	2	b	6 a.	29.97	761.2	57	81	S S W	4	o
Weihaiwei,	,,	29.96	761.0	60	...	S E	3	b	9 a.	30.06	763.5	62	...	S W	5	ovr
Hankow,	,,	30.17	766.3	67	69	S E	1	o	6 a.	30.16	766.6	59	94	E	1	o
Kiukiang,	,,	29.98	761.5	67	64	...	0	o	,,	29.99	761.7	60	100	...	0	o
Shanghai,	,,	30.05	763.2	64	73	E	2	c	9 a.	30.11	764.8	56	94	S E	1	om
Gutzlaff,	,,	30.04	763.0	56	87	N E	2	om	,,	30.10	764.5	53	100	E	2	omf
Sharp Peak,	,,	30.03	762.7	59	100	...	0	o	,,	30.10	764.5	60	100	...	0	c
Amoy,	,,	29.93	760.2	67	79	S E	2	b	6 a.	30.03	762.7	65	73	E	1	b
Swatow,	,,	29.92	759.9	76	69	S S E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.01	762.2	...	...	N	2	...	5 a.	30.03	762.8	...	...	E	2	...
Taichu,	,,	29.98	761.5	...	...	N	2	...	,,	30.03	762.7	...	...	N	2	...
Tainan,	,,	29.98	761.4	...	...	N W	6	...	,,	30.02	762.6	...	...	N	2	...
Koshun,	,,	29.95	760.8	...	...	N W	6	...	,,	29.99	761.8	...	...	N	4	...
Pescadores,	,,	30.00	762.1	...	...	N	4	...	,,	30.02	762.6	...	...	N	6	...
Canton,	3 p.	29.94	760.5	73	90	...	0	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.93	760.2	78	63	W	1	b	10 a.	30.06	763.5	72	89	E	1	o
Victoria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S	1	...
Gap Rock,	,,	29.93	760.2	...	...	E	2	...	,,	30.03	762.7	...	...	E S E	2	...
Macao,	,,	29.95	760.7	72	...	S E	2	c	,,	30.06	763.5	73	...	S E	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.88	759.0	75	...	S S E	4	o	8 a.	29.99	761.6	73	...	E S E	2	o
Tourane,	,,	29.91	759.8	79	...	S E	2	b	,,	30.02	762.4	77	..	...	0	b
Cape St. James,	,,	29.87	758.8	81	...	E N E	6	o	,,	29.97	761.3	81	...	N N E	2	o
Aparri,	2 p.	29.93	760.1	84	...	N	2	b	6 a.	29.97	761.3	72	...	W	2	b
Manila,	4 p.	29.88	759	91	49	E S E	1	c	10 a.	30.00	762	86	65	W N W	1	b
Legaspi,	2 p.	29.92	760.0	82	...	E	2	o	6 a.	29.96	761.0	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	5	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.87	758.7	90	...	N N E	1	b	,,	29.95	760.7	85	...	N N E	1	b
Cebu,	,,	29.85	758.2	87	...	N	3	b	,,	29.95	760.7	86	...	N	1	b
Labuan,	,,	29.77	756.1	88	...	...	...	...	,,	...	...	...	...	...	...	...

On the 4th at 12.05 p.—The barometer has risen slightly at Meiaco Sima, and fallen moderately to considerably over S. Japan and the Bonins respectively.

The depression over the Eastern Sea has progressed slowly to the N.E. and is now over the N. Loochoos. A second depression appears to be approaching the neighbourhood of the Bonins.

Pressure remains high over E. Japan, and low over N. China.

Light or moderate variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 4th April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th April, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th April, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.08	764.0	34	...	S	4	or	7 a.	30.10	764.6	13	97	N E	1	f
Nemuro, ...	,,	30.28	769.1	...	...	N W	2	...	6 a.	30.36	771.1	...	...	...	0	...
Hakodate, ...	,,	30.24	768.2	...	...	S E	6	...	,,	30.24	768.2	...	...	N E	2	...
Tokio, ...	,,	30.18	766.6	...	...	N W	4	...	,,	30.14	765.6	...	...	N W	4	...
Kochi, ...	,,	30.03	762.8	...	...	S E	2	...	,,	30.03	762.3	...	...	S W	2	...
Nagasaki, ...	,,	30.03	762.8	...	...	S W	2	...	,,	30.07	763.3	...	...	...	0	...
Kagoshima, ...	,,	30.00	761.9	...	...	N E	6	...	,,	30.04	762.9	...	...	N E	2	...
Oshima, ...	,,	29.96	761.1	...	...	N E	2	...	,,	30.01	762.1	...	...	S	2	...
Naha, ...	,,	29.93	760.2	...	...	N W	4	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima, ...	,,	30.01	762.3	...	...	N W	4	...	,,	29.97	761.3	...	...	...	0	...
Bonin Is.	,,	29.98	759.1	...	...	...	0	...	,,	29.73	755.1	...	...	N W	4	...
Chefoo, ...	4 p.	30.01	762.2	60	94	E N E	2	c	6 a.	30.06	763.5	53	67	S W	1	o
Weihaiwei, ...	,,	30.02	762.5	68	...	S W	3	b	9 a.	30.04	763.0	53	...	E	1	o
Hankow, ...	,,	30.05	763.2	72	67	S E	1	b	6 a.	30.19	764.5	64	95	N	1	o
Kiukiang, ...	,,	29.97	761.2	72	67	N E	1	c	,,	29.92	759.9	60	100	...	0	b
Shanghai, ...	,,	30.03	762.7	61	82	S E	1	o	9 a.	29.98	761.5	57	87	S E	3	...
Gutzlaff, ...	,,	30.04	763.0	54	94	E N E	1	om	,,	30.00	762.0	54	93	S E	3	om
Sharp Peak, ...	,,	30.02	762.5	61	100	E	2	c	,,	30.01	762.2	60	94	...	0	or
Amoy, ...	,,	30.07	763.8	63	89	...	0	c	6 a.	29.98	761.5	64	83	...	0	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	29.98	761.5	74	90	N E	1	o
Taiboku, ...	1 p.	30.02	762.5	...	...	E	4	...	6 a.	29.97	761.2	...	...	E	2	...
Taichu, ...	,,	30.02	762.6	...	...	...	0	...	,,	29.99	761.6	...	...	...	0	...
Tainan, ...	,,	30.02	762.4	...	...	N W	6	...	,,	29.99	761.7	...	...	N	2	...
Koshun	,,	30.00	761.9	...	...	N W	4	...	,,	29.97	761.2	...	...	N E	2	...
Pescadores, ...	,,	30.03	762.8	...	...	N	4	...	,,	29.98	761.8	...	...	...	0	...
Canton, ...	3 p.	29.89	759.2	80	91	W	1	o	9 a.	29.91	759.7	76	82	S S E	2	c
Hongkong, ...	4 p.	29.96	761.0	69	87	E	3	o	10 a.	29.99	761.7	70	88	E	2	c
Victoria Peak, ...	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	S	4	...
Gap Rock, ...	,,	29.93	760.2	...	...	S E	2	...	,,	29.96	761.0	...	...	E S E	2	...
Macao, ...	,,	29.94	760.5	72	...	S E	3	c	,,	29.98	761.5	72	...	S E	2	c
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	29.92	759.9	81	78	E N E	2	b	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.91	759.7	81	78	W	1	b	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.85	758.1	79	...	S E	3	b	8 a.	29.93	760.1	75	...	S E	3	c
Tourane, ...	,,	29.87	758.7	79	...	S E	3	b	,,	29.95	760.7	79	...	S S W	3	c
Cape St. James, .	,,	29.88	758.9	81	...	E N E	3	o	,,	29.95	760.6	81	...	E N E	5	c
Aparri, ...	2 p.	29.95	760.7	84	...	N	2	b	6 a.	29.95	760.6	75	...	S W	2	b
Manila, ...	4 p.	29.88	759	93	50	S E	2	b	10 a.	29.96	761	86	59	W	1	q
Legaspi, ...	2 p.	29.91	759.8	88	...	E	2	b	6 a.	29.94	760.4	79	...	N E	2	c
Bacolod, ...	3 p.	...	...	...	...	E S E	2	c	9 a.	...	...	...	...	E S E	2	...
Iloilo, ...	,,	29.87	758.7	88	...	N N E	1	b	,,	29.95	760.7	84	...	N N E	1	b
Cebu, ...	,,	29.87	758.7	86	...	N	2	c	,,	29.88	758.9	84	...	N	2	c
Labuan, ...	,,	29.84	757.9	88	...	...	...	...	,,	29.89	759.2	85	...	...	...	...

On the 5th at 11.55 a.—The barometer has risen over the Loochoos, and fallen over S.E. Japan and the Bonins. The depression lying to the S.E. of the latter area yesterday, has moved Northwards and is now shown to the E.N.E. of the islands.

Pressure has given way moderately over China, and a depression appears to be developing over the Yangtze Valley. High pressure still covers N.E. Japan.

Light or moderate S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea, with fog along the coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. winds, light to moderate; fair, fog at times.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 5th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th April, 1909, P.M.								6th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	30.05	763.2	41	...	...	0	o	7 a.	29.72	754.9	29	99	N E	1	o
Nemuro,.....	,,	30.28	769.1	...	...	N E	4	...	6 a.	30.24	768.1	...	...	E	6	...
Hakodate,.....	,,	30.17	766.2	...	...	S E	2	...	,,	30.05	763.2	...	...	E	10	...
Tokio, ...	,,	30.06	763.6	...	...	N	4	...	,,	29.99	761.6	...	...	N W	4	...
Kochi, ...	,,	29.99	761.8	...	...	S	2	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki, ...	,,	29.99	761.8	...	...	S W	6	...	,,	29.72	754.8	...	...	...	0	...
Kagoshima, ...	,,	30.00	761.9	...	...	S E	2	...	,,	29.72	754.9	...	...	E	4	...
Oshima,.....	,,	30.00	762.1	...	...	N	4	...	,,	29.69	754.1	...	...	S	6	...
Naha,.....	,,	29.97	761.2	...	...	E	4	...	,,	29.69	754.2	...	...	S E	4	...
Ishigakijima,....	,,	29.93	760.3	...	...	S E	6	...	,,	29.74	755.3	...	...	N	4	...
Bonin Is.....	,,	30.00	762.1	...	...	S W	6	...	,,	29.73	755.1	...	...	N	6	...
Chefoo,.....	4 p.	30.03	762.7	45	92	W N W	3	o	6 a.	30.04	763.0	35	95	W	1	b
Weihaiwei,.....	,,	29.98	761.5	52	...	W N W	3	o	9 a.	30.06	763.5	40	...	N W	1	b
Hankow, ...	,,	30.08	766.6	60	88	N N W	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,.....	,,	29.94	760.5	62	94	...	0	or	,,	30.20	767.1	64	87	...	0	o
Shanghai, ...	,,	29.89	759.2	58	94	S E	2	omdr	9 a.	30.09	764.3	51	52	N W	4	c
Gutzlaff, ...	,,	29.87	758.7	55	100	S E	3	omr	,,	30.03	762.7	52	79	N N W	7	cm
Sharp Peak,.....	,,	29.84	757.9	61	100	S S W	1	f	,,	29.99	761.7	64	95	W S W	2	c
Amoy,.....	,,	29.87	758.7	65	84	...	0	or	6 a.	29.88	758.9	66	89	...	0	o
Swatow, ...	,,	29.86	758.4	70	85	N N W	1	o	,,	29.91	759.7	64	89	N W	2	o
Taihoku,.....	1 p.	29.89	759.3	...	...	W	4	...	5 a.	29.87	758.7	...	...	N W	8	...
Taichu, ...	,,	29.93	760.1	...	...	W	2	...	,,	29.87	758.7	...	...	S E	2	...
Tainan,.....	,,	29.94	760.4	...	...	W	6	...	,,	29.88	758.9	...	...	...	0	...
Koshun.....	,,	29.93	760.1	...	...	S E	6	...	,,	29.83	757.6	...	...	N W	8	...
Pescadores, ...	,,	29.94	760.4	...	...	W	2	...	,,	29.87	758.6	...	...	W	6	...
Canton,.....	3 p.	...	...	78	78	E S E	2	o	9 a.	...	...	68	79	N	1	c
Hongkong, ...	4 p.	29.86	758.4	77	77	S	1	o	10 a.	30.04	763.0	69	53	S	3	o
Victoria Peak,...	,,	...	...	...	...	S	4	...	,,	...	...	...	...	N	8	...
Gap Rock,.....	,,	29.84	757.9	...	...	S	3	...	,,	30.01	762.2	...	...	N N E	4	...
Macao, ...	,,	29.86	758.4	75	...	S	3	c	,,	30.06	763.5	69	...	N N W	3	od
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,.....	,,	29.83	757.7	85	64	S S W	4	b	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	29.88	758.9	79	82	W	2	b	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.80	756.9	77	...	S S E	5	o	8 a.	30.07	763.7	70	...	N E	6	o
Tourane, ...	,,	29.87	758.6	81	...	S	2	b	,,	29.93	760.1	82	...	...	0	f
Cape St. James,.	,,	29.86	758.4	82	...	E N E	4	c	,,	29.93	760.3	81	...	N E	2	f
Aparri, ...	2 p.	29.87	758.7	88	...	N E	2	b	6 a.	29.88	758.9	73	...	N W	2	c
Manila, ...	4 p.	29.84	758	90	48	S E	2	b	10 a.	29.92	760	84	71	W S W	2	b
Legaspi, ...	2 p.	29.90	759.5	86	...	E	2	b	6 a.	29.91	759.6	72	...	...	0	c
Bacolod,.....	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N W	2	c
Iloilo, ...	,,	29.87	758.7	90	...	N N E	2	b	,,	29.95	760.7	85	...	N N E	1	o
Cebu,.....	,,	29.85	758.2	86	...	N	1	b	,,	29.94	760.5	86	...	S	1	b
Labuan, ...	,,	29.78	756.4	88	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 6th at 11.55 a.—The barometer has risen over China, particularly along the Yangtze Valley. It has fallen rapidly in Wladiwostok, and over S.W. Japan and the Loochoos.

The depression lying over the Yangtze Valley yesterday, has moved Eastwards into the Eastern Sea and is now situated to the West of the Loochoos. A second depression is shown over the N. part of the Sea of Japan.

Pressure now appears to be high over the Upper Yangtze.

Strong N. and N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea,

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, strong; squally with rain at first, [improving later.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 6th April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th April, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th April, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.71	754.6	22	...	N E	5	s	7 a.	29.43	747.5	33	92	N E	6	s
Nemuro, ...	,,	30.16	766.1	...	...	S E	8	...	6 a.	29.97	761.1	...	...	S E	8	...
Hakodate, ...	,,	29.89	759.2	...	...	S E	10	...	,,	29.50	749.2	...	...	E	10	...
Tokio, ...	,,	29.83	757.6	...	...	S E	4	...	,,	29.51	749.6	...	...	S E	8	...
Kochi, ...	,,	29.60	751.8	...	...	S E	8	...	,,	29.44	747.8	...	...	N	6	...
Nagasaki, ...	,,	29.52	749.8	...	...	N W	10	...	,,	29.68	753.3	...	...	N W	6	...
Kagoshima, ...	,,	29.33	744.9	...	...	N E	8	...	,,	29.68	753.9	...	...	N	6	...
Oshima, ...	,,	29.53	750.1	...	...	N W	6	...	,,	29.85	758.1	...	...	N	10	...
Naha,.....	,,	29.77	756.2	...	...	N W	10	...	,,	29.93	760.2	...	...	N	10	...
Ishigakijima,....	,,	29.93	760.3	...	...	N	8	...	,,	30.01	762.3	...	...	N E	4	...
Bonin Is.....	,,	29.69	754.1	...	...	N E	4	...	,,	29.57	751.1	...	...	S	6	...
Chefoo,.....	4 p.	30.01	762.2	43	59	N E	3	b	6 a.	29.91	759.7	33	79	S W	1	b
Weihaiwei,.....	,,	29.99	761.7	39	...	N	3	b	9 a.	29.91	759.7	38	...	W N W	2	b
Hankow, ...	,,	30.39	771.9	65	49	S W	1	or	6 a	29.16	766.0	50	79	S	1	b
Kiukiang,.....	,,	30.16	766.0	65	35	W	2	b	,,	30.10	764.5	47	77	...	0	o
Shanghai, ...	,,	30.04	763.0	58	37	N N W	4	b	9 a.	29.95	760.7	60	55	W	2	b
Gutzlaff, ...	,,	30.02	762.5	54	61	N N W	6	bm	,,	29.95	760.7	52	73	W	4	bm
Sharp Peak,.....	,,	30.02	762.5	62	100	E S E	1	b	,,	30.10	764.5	50	93	W	1	b
Amoy.....	,,	29.96	761.0	70	80	N E	1	o	6 a.	30.09	763.2	60	82	...	0	b
Swatow, ...	,,	29.96	761.0	68	54	N W	1	o	,,	...	...	...	...	...	...	...
Taihoku,.....	1 p.	30.06	763.4	...	...	N E	4	...	5 a.	30.07	763.8	...	...	S E	2	...
Taichu, ...	,,	29.94	760.5	...	...	N	6	...	,,	30.01	762.2	...	...	...	0	...
Tainan,.....	,,	29.95	760.7	...	...	N	8	...	,,	30.02	762.1	...	...	N	6	...
Koshun.....	,,	29.89	759.3	...	...	E	6	...	,,	30.02	762.2	...	...	N E	8	...
Pescadores, ...	,,	29.96	761.0	...	...	N E	10	...	,,	30.02	762.5	...	...	N	8	...
Canton,.....	3 p.	...	...	71	53	N	1	c	9 a.	...	...	65	59	N N W	1	c
Hongkong, ...	4 p.	30.00	762.0	69	34	N	1	o	10 a.	30.10	764.5	68	29	N	1	o
Victoria Peak,...	,,	...	...	...	...	N N E	4	...	,,	...	...	...	...	N N E	3	...
Gap Rock,.....	,,	29.97	761.2	...	...	N N E	5	...	,,	30.08	764.0	...	...	N E	4	...
Macao, ...	,,	30.02	762.5	69	...	N	3	o	,,	30.11	764.8	67	...	N	1	c
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	30.11	764.8	70	53	N	4	c	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.09	764.3	70	...	N N E	2	o	8 a.	30.15	765.9	66	...	E	3	o
Tourane, ...	,,	29.93	760.1	72	...	N W	5	f	,,	30.09	764.3	68	..	N W	5	o
Cape St. James,.	,,	29.85	758.2	84	...	S E	2	c	,,	29.97	761.1	82	...	E N E	2	c
Aparri, ...	2 p.	29.86	758.4	82	...	N W	2	b	6 a.	29.90	759.5	72	...	N E	4	od
Manila, ...	4 p.	29.80	757	86	69	S W	3	b	10 a.	29.92	760	86	65	N W	1	b
Legaspi, ...	2 p.	29.83	757.7	88	...	E	2	b	6 a.	29.86	758.3	72	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	W N W	2	c	9 a.	...	...	...	...	N W	1	c
Iloilo, ...	,,	29.83	757.7	89	...	W N W	1	b	,,	29.91	759.7	...	...	N N E	0	b
Cebu,.....	,,	29.81	757.2	88	...	N	2	b	,,	29.90	759.4	86	...	S E	1	c
Labuan, ...	,,	29.79	756.6	87	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 7th at 11.55 a.—The barometer has risen considerably over the Loochoos, and fallen quickly over E. Japan and the Bonins.

The two depressions mentioned yesterday have deepened considerably. This morning one is situated over the N. part of the Sea of Japan and the other over the Pacific to the South of Japan. Both are moving Eastwards.

Pressure has increased over S. China and Tongking, and given way again over the Yangtze Valley. It is highest over China to the South of the latter area.

Moderate N. winds may be expected in the Formosa Channel, and fresh N. and N.E. winds over the N. part of the China Sea,

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 7th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th April, 1909, P.M.								8th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.23	742.5	27	...	N E	6	s	7 a.	29.11	739.3	32	99	N E	2	s
Nemuro,.....	,,	29.73	755.1	...	...	S E	10	...	6 a.	29.45	748.1	...	...	S E	8	...
Hakodate,.....	,,	29.14	740.2	...	...	S E	6	...	,,	29.50	749.2	...	...	...	0	...
Tokio, ...	,,	29.04	737.6	...	...	S W	8	...	,,	29.59	751.6	...	...	N W	2	...
Kochi, ...	,,	29.52	749.8	...	...	S W	4	...	,,	29.68	753.8	...	...	S E	2	...
Nagasaki, ...	,,	29.72	754.8	...	...	W	8	...	,,	29.63	756.3	...	...	S W	10	...
Kagoshima, ...	,,	29.76	755.9	...	...	W	8	...	,,	29.80	756.9	...	...	W	6	...
Oshima,.....	,,	29.85	758.1	...	...	N	8	...	,,	29.93	760.1	...	...	N W	4	...
Naha,.....	,,	29.97	761.2	...	...	N	8	...	,,	30.01	762.2	...	...	S W	2	...
Ishigakijima,....	,,	30.01	762.3	...	...	N	4	...	,,	30.01	762.3	...	...	...	...	...
Bonin Is.....	,,	29.65	753.1	...	...	W	6	...	,,	29.93	760.1	...	...	N E	6	...
Chefoo,.....	4 p.	29.75	755.6	46	69	E	3	b	6 a.	29.60	751.8	49	37	S	1	b
Weihaiwei,.....	,,	29.74	755.4	53	...	W	2	b	9 a.	29.65	753.1	56	...	E	1	b
Hankow, ...	,,	30.03	762.7	74	47	S W	1	b	6 a.	29.99	761.7	58	81	S E	1	o
Kiukiang,.....	,,	29.99	761.7	75	33	N E	1	b	,,	29.91	759.7	55	87	...	0	c
Shanghai.	,,	29.83	757.7	70	32	N W	3	b	9 a.	29.77	756.1	62	56	S W	2	o
Gutzlaff, ...	,,	29.86	758.4	59	70	W S W	3	bm	,,	29.89	759.2	57	63	S W	3	cm
Sharp Peak,.....	,,	30.00	762.0	63	100	S E	1	b	,,	30.01	762.2	60	89	W S W	1	c
Amoy,.....	,,	29.99	761.7	65	73	S E	2	b	6 a.	29.98	761.5	58	94	S W	1	b
Swatow, ...	,,	29.99	761.7	67	60	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,.....	1 p.	30.03	762.7	...	...	E	4	...	5 a.	29.99	761.7	...	...	S E	2	...
Taichu, ...	,,	30.03	762.7	...	...	N	6	...	,,	30.00	761.9	...	...	...	0	...
Tainan,.....	,,	30.00	761.9	...	...	W	4	...	,,	30.00	761.9	...	...	E	2	...
Koshun.....	,,	30.02	762.4	...	...	N E	6	...	,,	29.98	761.5	...	...	E	4	...
Pescadores, ...	,,	30.05	763.2	...	...	N	6	...	,,	29.99	761.7	...	...	N W	2	...
Canton,.....	3 p.	29.97	761.2	76	95	...	0	b	9 a.	29.99	761.7	69	52	...	0	o
Hongkong, ...	4 p.	29.99	761.7	69	30	E	1	b	10 a.	30.02	762.5	69	64	E	1	o
Victoria Peak,...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E S E	1	...
Gap Rock,.....	,,	30.00	762.0	...	...	E	3	...	,,	29.98	761.5	...	...	N E	3	...
Macao, ...	,,	30.01	762.2	70	...	N E	1	c	,,	30.03	762.5	70	...	N E	1	c
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	30.02	762.4	66	...	N N E	2	or	8 a.	30.30	761.9	63	...	S E	3	c
Tourane, ...	,,	29.97	761.2	70	...	N W	3	c	,,	29.98	761.4	75	..	N W	1	b
Cape St. James,.	,,	29.84	758.0	82	...	E N E	4	c	,,	29.93	760.1	81	...	N E	4	f
Aparri, ...	2 p.	29.94	760.5	70	...	N E	2	d	6 a.	...	...	...	...	...	...	...
Manila, ...	4 p.	29.76	756	86	65	W S W	2	b	10 a.	29.92	760	84	71	W	1	o
Legaspi, ...	2 p.	29.81	757.1	86	...	E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,.....	3 p.	...	...	...	...	N N W	3	c	9 a.	...	...	...	...	N N W	2	c
Iloilo, ...	,,	29.83	757.7	89	...	N N W	2	b	,,	29.93	760.2	85	...	N N W	1	b
Cebu,.....	,,	29.80	756.9	87	...	N	1	b	,,	29.92	759.9	84	...	N	2	b
Labuan, ...	,,	29.79	756.6	84	...	...	...	...	,,	29.89	759.2	80	...	...	...	...

On the 8th at 12.10 p.—The barometer has fallen quickly in Wladiwostok and over E. Hokkaido, and risen considerably over S.E. Japan and the Bonins.

Of the two depressions noted yesterday, one appears to have moved into the Pacific to the E. of Japan, while the other remains over the N. part of the Sea of Japan.

The barometer continues to fall over China particularly in the North, and a new depression would appear to be advancing towards N. China from the Westward.

Pressure is highest over S. China.

Light or moderate variable winds may be expected in the Formosa Channel and moderate N.E. and E. winds over the N. part of the China Sea,

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, light; fair to unsettled.
2.—Formosa Channel, ...	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 8th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th April, 1909, P.M.								9th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.29	744.0	41	...	N E	1	o	7 a.	29.63	752.6	29	99	N E	1	b
Nemuro,	,,	29.57	751.1	...	...	S W	6	...	6 a.	29.73	755.1	...	...	W	6	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.65	753.2	...	...	W	6	...
Tokio,	,,	29.51	749.6	...	...	S W	6	...	,,	29.95	760.6	...	...	N	2	...
Kochi,	,,	29.64	752.8	...	...	W	6	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.83	757.8	...	...	S W	8	...	,,	29.95	760.3	...	...	...	0	...
Kagoshima,	,,	29.88	758.9	...	...	N W	8	...	,,	30.04	762.9	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	N W	6	...	,,	30.04	763.1	...	...	S	4	...
Naha,	,,	30.05	763.2	...	...	S W	4	...	,,	30.05	763.2	...	...	S E	...	...
Ishigakijima,	,,	30.01	762.3	...	...	S E	4	...	,,	30.01	762.3	...	...	S E	8	...
Bonin Is.	,,	29.96	761.1	...	...	S W	6	...	,,	29.77	756.1	...	...	...	0	...
Chefoo,	4 p.	29.51	749.5	70	40	S E	3	b	6 a.	29.62	752.3	42	92	W	1	o
Weihaiwei,	,,	29.55	750.5	55	...	E S E	3	b	9 a.	29.63	753.9	46	...	W N W	...	o
Hankow,	,,	29.85	758.2	80	44	S W	2	b	6 a.	29.94	760.5	58	81	S E	1	b
Kiukiang,	,,	29.81	757.2	80	31	S W	2	b	,,	29.93	760.2	55	87	...	0	b
Shanghai,	,,	29.78	756.4	72	34	S W	3	c	9 a.	29.89	759.2	67	50	S W	4	b
Gutzlaff,	,,	29.86	758.4	59	65	S S W	3	om	,,	29.91	759.7	...	...	S W	...	bm
Sharp Peak,	,,	29.95	760.7	61	100	N N W	1	o	,,	30.02	762.5	62	100	S	1	b
Amoy,	,,	29.95	760.7	65	73	...	0	o	6 a	29.95	760.7	62	72	E N E	1	o
Swatow,	,,	29.94	760.5	69	52	...	0	o	,,	29.93	760.2	63	73	N N W	1	o
Taihoku,	1 p.	29.98	761.6	...	...	W	4	...	5 a.	29.98	761.4	...	...	...	0	...
Taichu,	,,	30.01	762.2	...	...	W	2	...	,,	29.98	761.4	...	...	...	0	...
Tainan,	,,	30.00	762.0	...	...	S W	4	...	,,	29.95	760.7	...	...	N	2	...
Koshun	,,	29.98	761.5	...	...	E	6	...	,,	29.93	760.2	...	...	S	2	...
Pescadores,	,,	29.98	761.6	...	...	N	2	...	,,	29.95	760.8	...	...	N E	4	...
Canton,	3 p.	29.91	759.7	67	95	...	0	o	9 a.	30.00	762.0	66	84	E	1	o
Hongkong,	4 p.	29.93	760.2	67	66	E	1	o	10 a.	30.00	762.0	68	61	E	1	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S E	2	...
Gap Rock,	,,	29.91	759.7	...	...	E N E	3	...	,,	29.97	761.2	...	...	E	3	...
Macao,	,,	29.94	760.5	69	...	N E	1	o	,,	30.00	762.0	67	...	N N E	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.90	759.4	76	64	N E	4	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.94	760.5	72	76	S	3	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.7	72	...	E S E	0	c	8 a.	29.95	760.6	66	...	E N E	4	or
Tourane,	,,	29.85	758.1	90	...	S E	2	b	,,	29.93	760.2	79	..	S E	1	b
Cape St. James,	,,	29.83	757.7	88	...	E	6	f	,,	29.92	760.0	81	...	E N E	3	f
Aparri,	2 p.	29.91	759.6	77	...	N E	2	o	6 a.	29.89	759.1	73	...	S	2	b
Manila,	4 p.	29.80	757	88	59	E	1	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.84	758.0	88	...	E	2	b	6 a.	29.92	760.0	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	S W	3	b
Iloilo,	,,	29.85	758.2	88	...	N N E	1	...	,,	29.95	760.7	85	...	N N E	1	o
Cebu,	,,	29.84	757.9	86	...	N	1	b	,,	29.95	760.7	80	...	S E	1	o
Labuan,	,,	29.72	754.9	86	...	...	...	...	,,	29.86	758.4	84	...	...	...	...

On the 9th at 11.40 a.—The depression lying over the N. part of the Sea of Japan yesterday, has moved away Northeastwards, and pressure has increased considerably in Japan.

Pressure increased slightly in N. China, the depression lying over that area yesterday having moved apparently towards N. Korea.

Pressure is highest over the Pacific in the neighbourhood of the Loochoos.

Light or moderate variable winds may be expected in the Formosa Channel, and light E. winds over the N. part of the China Sea,

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light; fair.
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 9th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th April, 1909, P.M.								10th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.61	752.0	29	...	S	1	o	7 a.	29.34	745.2	34	91	N E	1	o
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	S	4	...
Hakodate,	,,	29.85	758.2	...	...	W	6	...	,,	29.85	758.2	...	...	E	2	...
Tokio,	,,	29.98	761.6	...	...	S W	6	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	29.99	761.8	...	...	S E	4	...	,,	30.03	762.8	...	...	S W	4	...
Nagasaki,	,,	29.95	760.8	...	...	S	10	...	,,	30.07	763.8	...	...	S W	2	...
Kagoshima,	,,	30.04	762.9	...	...	S	4	...	,,	30.08	763.9	...	...	W	2	...
Oshima,	,,	30.04	763.1	...	...	S	6	...	,,	30.08	764.1	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	S E	6	...	,,	29.97	761.3	...	...	E	6	...
Bonin Is.	,,	30.16	766.1	...	...	N	2	...	,,	30.20	767.1	...	...	...	0	...
Chefoo,	4 p.	29.70	754.4	58	100	N	1	b	6 a.	29.95	760.7	42	66	N	4	c
Weihaiwei,	,,	29.70	754.4	58	...	W	1	b	9 a.	30.00	762.0	37	...	N N W	4	b
Hankow,	,,	29.97	761.2	78	54	W N W	2	b	6 a.	30.01	762.2	62	94	S E	1	b
Kiukiang,	,,	29.93	760.2	77	49	N E	1	b	,,	29.99	761.7	57	87	...	0	o
Shanghai,	,,	29.82	757.4	80	37	S	3	b	9 a.	30.01	762.2	72	62	S S W	1	b
Gutzlaff,	,,	29.86	758.4	69	52	S	2	bm	,,	30.01	762.2	64	68	N W	1	bm
Sharp Peak,	,,	29.94	760.5	65	100	E	1	b	,,	30.04	763.0	65	100	...	0	b
Amoy,	,,	29.93	760.2	62	89	N E	1	c	6 a.	30.02	762.5	66	95	S E	1	o
Swatow,	,,	29.94	760.5	69	61	W S W	1	o	,,	29.99	761.7	62	89	...	0	o
Taihoku,	1 p.	29.96	761.0	...	...	...	0	...	5 a.	29.98	761.5	...	...	...	0	...
Taichu,	,,	29.96	761.1	...	...	...	0	...	,,	29.98	761.4	...	...	...	0	...
Tainan,	,,	29.94	760.5	...	...	N	6	...	,,	29.97	761.1	...	...	...	0	...
Kosbun	,,	29.94	760.5	...	...	E	2	...	,,	29.95	760.7	...	...	...	0	...
Pescadores,	,,	29.96	761.1	...	...	N E	6	...	,,	29.97	761.2	...	...	...	0	...
Canton,	3 p.	29.95	760.7	69	85	E	1	or	9 a.	30.00	762.0	71	80	...	0	c
Hongkong,	4 p.	29.91	759.7	70	66	E	2	o	10 a.	30.02	762.5	75	68	E	1	c
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	29.91	759.7	...	...	E	4	...	,,	30.00	762.0	...	...	E N E	2	...
Macao,	,,	29.92	759.9	70	...	N E	1	o	,,	30.03	762.7	71	...	N N E	1	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.84	758.0	73	...	E	2	o	8 a.	29.98	761.5	68	...	E N E	3	o
Tourane,	,,	29.80	757.0	79	...	S E	3	c	,,	29.93	760.1	79	..	W N W	1	b
Cape St. James,	,,	29.82	757.5	82	...	E	3	f	,,	29.92	760.0	82	...	E N E	4	c
Aparri,	2 p.	29.85	758.2	82	...	N	2	b	6 a.	29.94	760.4	73	...	W	2	b
Manila,	4 p.	29.84	758	88	66	S W	2	b	10 a.	29.92	759	86	71	W	1	b
Legaspi,	2 p.	29.86	758.5	88	...	S E	2	b	6 a.	29.93	760.1	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.87	758.7	90	...	N N E	1	o	,,	29.95	760.7	84	...	N W	1	b
Cebu,	,,	29.83	757.7	86	...	N	1	b	,,	...	...	...	...	...	...	...
Labuan,	,,	29.81	757.2	89	...	...	...	...	,,	29.86	758.4	85	...	...	...	...

On the 10th at 11.55 a.—The barometer has fallen considerably in Wladiwostok, the depression lying to the North of Korea yesterday, having approached the neighbourhood of that station.

Pressure has increased over China, particularly in the North and a moderate rise is shown also over N.E. Japan. The highest pressure is situated over the Pacific to the East of the Loochoos.

Gradients are slight over S. China, and light variable and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. or variable winds, light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 10th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th April, 1909, P.M.								11th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.61	752.1	...	...	S	10	...
Hakodate,	,,	29.69	754.2	...	...	...	0	...	,,	...	...	...	...	S W	8	...
Tokio,	,,	29.91	759.6	...	...	S W	8	...	,,	29.71	754.6	...	...	S W	4	...
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.99	761.8	...	...	S W	4	...
Nagasaki,	,,	29.95	760.8	...	...	S W	6	...	,,	30.11	764.3	...	...	N W	6	...
Kagoshima,	,,	30.00	761.9	...	...	S W	6	...	,,	30.12	764.9	...	...	W	2	...
Oshima,	,,	30.04	763.1	...	...	S E	2	...	,,	30.08	764.1	...	...	S	2	...
Naha,	,,	30.01	762.2	...	...	N E	4	...	,,	30.05	763.2	...	...	N E	2	...
Ishigakijima,	,,	29.97	761.3	...	...	E	6	...	,,	30.01	762.3	...	...	W	2	...
Bonin Is.	,,	30.16	766.1	...	...	E	2	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	4 p.	30.17	766.3	42	34	N	4	b	6 a.	30.13	765.3	32	69	S W	1	b
Weihaiwei,	,,	30.19	766.8	37	...	N	3	b	9 a.	30.18	766.6	45	..	S	2	b
Hankow,	,,	30.09	764.3	79	58	S	1	b	6 a.	30.06	763.5	65	78	E	1	o
Kinkiang,	,,	30.01	762.2	81	96	...	0	f	,,	30.06	763.5	60	83	N E	1	...
Shanghai,	,,	30.02	762.5	63	89	N	2	c	9 a.	30.22	767.6	58	53	S E	2	o
Gutzlaff,	,,	30.02	762.5	62	72	N E	2	bm	,,	30.20	767.1	55	68	E S E	3	cm
Sharp Peak,	,,	30.01	762.2	68	100	N E	1	b	,,	30.15	765.8	64	83	N N E	4	c
Amoy,	,,	29.92	759.9	69	75	S E	1	b	6 a.	30.03	762.7	65	84	S W	1	b
Swatow,	,,	29.93	760.2	75	68	E	1	b	,,	30.03	762.7	62	89	N E	1	c
Taihoku,	1 p.	29.98	761.6	...	...	N W	6	...	6 a.	30.03	762.7	...	...	E	6	...
Taichu,	,,	29.97	761.2	...	...	N	6	...	,,	29.99	761.7	...	...	...	0	...
Tainan,	,,	29.96	761.1	...	...	N W	8	...	,,	29.99	761.6	...	...	N E	2	...
Koshun	,,	29.96	760.9	...	...	W	4	...	,,	29.96	760.9	...	...	N	8	...
Pescadores,	,,	30.00	761.9	...	...	N	4	...	,,	29.99	761.7	...	...	N E	6	...
Canton,	3 p.	29.91	759.7	81	71	E	1	b	9 a.	...	...	72	90	E	1	c
Hongkong,	4 p.	29.95	760.7	74	74	E	1	o	10 a.	30.08	764.0	79	89	E	3	o
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	29.94	760.5	...	...	N E	2	...	,,	30.02	762.5	...	...	E	3	...
Macao,	,,	29.96	761.0	...	...	E	1	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.92	760.0	72	...	E N E	2	o	8 a.	30.01	762.3	70	...	E N E	2	o
Tourane,	,,	29.87	758.7	75	...	N W	3	f	,,	29.99	761.6	79	..	...	0	f
Cape St. James,	,,	29.84	757.9	82	...	E	4	f	,,	29.93	760.3	81	...	N E	4	c
Aparri,	2 p.	29.91	759.7	84	...	N	2	b	6 a.	29.95	760.8	73	...	N W	0	o
Manila,	4 p.	29.80	757	93	46	S E	2	b	10 a.	29.96	761	84	71	W S W	1	c
Legaspi,	2 p.	29.87	758.7	88	...	E	2	b	6 a.	29.93	760.3	79	...	E	2	c
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N W	1	b
Iloilo,	,,	29.85	758.2	81	...	N N W	1	b	,,	29.95	760.7	85	...	N W	2	b
Cebu,	,,	29.84	757.9	88	...	N	2	b	,,	29.94	760.5	86	...	N	1	c
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 11th at 11.25 a.—The barometer has fallen rapidly in E. Japan the depression lying over the N. part of the Sea of Japan yesterday, having reached Hokkaido.

The barometer has risen over China particularly on the E. coast, the Yellow Sea now being covered by an area of high pressure.

Fresh N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair, cloudy.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 11th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	11th APRIL, 1909, P.M.								12th APRIL, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.61	752.0	33	...	N W	1	o	7 a.	29.73	755.0	36	54	S	1	c
Nemuro,	,,	29.65	753.1	...	...	S	8	...	6 a.	29.89	759.1	...	...	S	4	...
Hakodate,	,,	29.77	756.2	...	...	W	10	...	,,	30.01	762.2	...	...	W	4	...
Tokio,	,,	29.63	752.6	...	...	W	6	...	,,	30.13	766.6	...	...	N	2	...
Kochi,	,,	29.91	759.8	...	...	S W	6	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	S E	4	...	,,	30.15	765.3	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	W	4	...	,,	30.15	765.9	...	...	N W	2	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	30.12	765.1	...	...	S	4	...
Naha,	,,	30.09	764.2	...	...	N E	6	...	,,	30.09	764.2	...	...	N E	6	...
Ishigakijima,	,,	30.05	763.3	...	...	E	6	...	,,	30.05	763.3	...	...	E	6	...
Bonin Is.	,,	30.04	763.1	...	...	...	0	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	4 p.	30.02	762.5	54	39	S	3	b	6 a.	29.79	756.6	51	72	S	6	b
Weihaiwei,	,,	30.07	763.8	54	...	S	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.02	762.5	83	40	S	2	b	6 a.	30.10	764.5	66	84	S E	1	b
Kiukiang,	,,	30.01	762.2	77	61	N E	2	b	,,	29.96	761.0	64	89	...	0	c
Shanghai,	,,	30.12	765.0	63	42	S S E	4	c	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.13	765.3	57	69	S S E	3	cm	,,	30.02	762.5	57	94	S S E	4	bm
Sharp Peak,	,,	30.10	764.5	65	84	E N E	4	b	,,	30.09	764.3	65	95	N	1	b
Amoy,	,,	30.02	762.5	74	72	N E	2	b	6 a	30.05	763.2	67	79	S E	1	o
Swatow,	,,	30.01	762.2	70	80	E	3	b	,,	30.04	763.0	62	95	N E	1	c
Taihoku,	1 p.	30.05	763.3	...	...	E	S	...	5 a.	30.01	762.2	...	...	S	2	...
Taichu,	,,	29.98	761.5	...	...	W	2	...	,,	30.02	762.6	...	...	...	0	...
Tainan,	,,	30.00	762.0	...	...	W	6	...	,,	30.02	762.5	...	...	...	0	...
Koshun	,,	30.00	762.0	...	...	N	8	...	,,	30.01	762.1	...	...	N E	8	...
Pescadores,	,,	30.02	762.5	...	...	N	8	...	,,	30.03	762.7	...	...	N	6	...
Canton,	3 p.	...	...	80	74	S	2	c	9 a.	30.03	762.8	72	85	E	1	c
Hongkong,	4 p.	30.01	762.2	72	75	E	4	o	10 a.	30.09	764.3	71	77	E	2	o
Victoria Peak,	,,	...	...	...	...	E	5	...	,,	...	...	...	...	S E	3	...
Gap Rock,	,,	29.99	761.7	...	...	E	4	...	,,	30.04	763.0	...	...	E	4	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.7	73	...	S S E	3	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.91	759.6	79	...	N W	1	f	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.3	82	...	E N E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.86	758.5	86	...	N E	2	b	6 a.	29.95	760.8	73	...	S	1	b
Manila,	4 p.	29.84	758	90	48	S E	2	b	10 a.	30.00	762	82	63	W N W	1	c
Legaspi,	2 p.	29.89	759.1	88	...	E	2	b	6 a.	29.95	760.6	79	...	E	1	b
Bacolod,	3 p.	...	...	...	...	E N E	3	c	9 a.	...	...	...	...	N N W	2	c
Iloilo,	,,	29.87	758.7	87	...	E N E	2	b	,,	29.95	760.7	86	...	N N E	1	b
Cebu,	,,	29.85	758.2	87	...	N	1	b	,,	29.96	761.0	86	...	N	1	b
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 12th at 11.55 a.—The depression lying over Hokkaido yesterday, has moved away over the Pacific and pressure has increased considerably in E. Japan.

The barometer has again fallen quickly over N. China, another depression having advanced towards that area from the Westward.

The high pressure area has shifted Eastwards and lies now over S. Japan.

Moderate or light E. to S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate or light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 12th April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th April, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th April, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.64	752.8	39	...	S	0	o	7 a.	29.61	752.1	37	90	...	0	c
Nemuro,	,,	29.96	761.1	...	...	S	8	...	6 a.	30.04	763.1	...	...	S	8	...
Hakodate,	,,	30.01	762.2	...	...	S W	6	...	,,	29.97	761.2	...	...	N	2	...
Tokio,	,,	30.10	764.6	...	...	S E	2	...	,,	30.18	766.6	...	...	N W	2	...
Kochi,	,,	30.15	765.8	...	...	S E	2	...	,,	30.19	766.8	...	...	S W	2	...
Nagasaki,	,,	30.11	764.8	...	...	S W	6	...	,,	30.11	764.3	...	...	S E	8	...
Kagoshima,	,,	30.11	764.9	...	...	S W	6	...	,,	30.15	765.9	...	...	N E	2	...
Oshima,	,,	30.08	764.1	...	...	S E	4	...	,,	29.97	761.1	...	...	S E	6	...
Naha,	,,	30.09	764.2	...	...	S E	4	...	,,	30.05	763.2	...	...	...	0	...
Ishigakijima,	,,	30.05	763.3	...	...	S E	6	...	,,	30.13	765.3	...	...	S	2	...
Bonin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	30.08	764.1	...	...	S E	2	...
Chefoo,	4 p.	29.63	752.6	83	27	S	4	b	6 a.	29.63	752.6	63	56	S S W	2	b
Weihaiwei,	,,	29.67	753.6	77	...	S W	5	cvr	9 a.	...	...	79	...	S W	4	b
Hankow,	,,	29.98	761.5	...	...	S	1	o	6 a.	29.83	758.9	68	95	N N E	2	c
Kiukiang,	,,	29.91	759.7	78	74	...	0	b	,,	29.84	757.9	66	95	N E	1	o
Shanghai,	,,	29.91	759.7	72	67	S S E	3	b	9 a.	29.88	758.9	70	76	S	3	b
Gutzlaff,	,,	29.94	760.5	63	83	S	6	bm	,,	29.92	759.9	61	95	S	4	om
Sharp Peak,	,,	30.01	762.2	67	90	E N E	2	c	,,	29.99	761.7	67	100	...	0	f
Amoy,	,,	29.97	761.2	71	76	S E	2	b	6 a	29.96	761.0	66	89	S E	1	b
Swatow,	,,	29.98	761.5	72	76	E	2	c	,,	29.96	761.0	66	95	N N E	1	c
Taihoku,	1 p.	29.99	761.8	...	...	E	2	...	5 a.	29.97	761.1	...	...	...	0	...
Taichu,	,,	30.02	762.5	...	...	N	4	...	,,	29.97	761.3	...	...	...	0	...
Tainan,	,,	30.02	762.6	...	...	W	6	...	,,	29.96	760.9	...	...	...	0	...
Koshun,	,,	30.02	762.4	...	...	N E	4	...	,,	29.97	761.1	...	...	N E	2	...
Pescadores,	,,	30.01	762.2	...	...	N	6	...	,,	29.96	760.9	...	...	N E	2	...
Canton,	3 p.	29.94	760.5	80	66	S	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.97	761.2	73	76	E	3	c	10 a.	30.02	762.5	72	89	E	1	o
Victoria Peak,	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	S S E	1	...
Gap Rock,	,,	29.95	760.7	...	...	E	4	...	,,	29.99	761.7	...	...	E	3	...
Macao,	,,	29.89	761.5	71	...	S E	2	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.8	77	...	S S E	4	c	8 a.	29.95	760.8	73	...	S S E	4	o
Tourane,	,,	29.89	759.1	77	...	S E	3	c	,,	29.96	760.9	81	...	S S W	3	b
Cape St. James,	,,	29.85	758.1	82	...	E N E	3	f	,,	29.92	759.9	82	...	N E	5	f
Aparri,	2 p.	29.92	759.9	86	...	N E	2	b	6 a.	29.93	760.3	75	...	S E	2	b
Manila,	4 p.	29.84	758	...	...	S E	2	c	10 a.	29.96	761	99	55	W	1	c
Legaspi,	2 p.	29.91	759.8	88	...	E	2	b	6 a.	29.93	760.3	79	...	E	2	c
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	E S E	2	c
Iloilo,	,,	29.87	758.7	90	...	N E	3	b	,,	29.93	760.2	85	...	N N E	2	o
Cebu,	,,	29.86	758.4	87	...	N	2	b	,,	29.91	759.7	85	...	N	1	c
Labuan,	,,	29.79	756.6	88	...	...	...	...	,,	29.87	758.7	83	...	...	...	...

On the 13th at 12.05 p.—The barometer has fallen over China, particularly in the North. It has risen over E. Hokkaido.

The depression in the North is progressing Eastwards over S. Manchuria.

The area of high pressure remains over S. Japan.

Light or moderate E. and S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 13th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th April, 1909, P.M.									14th April, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.72	755.0	33	...	N E	0	o		7 a.	29.80	757.3	34	53	...	0	c
Nemuro,	,,	30.00	762.1	...	...	S	8	...		6 a.	29.89	759.1	...	...	S	10	...
Hakodate,	,,	29.93	760.2	...	...	S W	10	...		,,	29.81	757.2	...	...	S W	10	...
Tokio,	,,	30.10	764.6	...	...	S W	6	...		,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	30.11	764.8	...	...	S E	2	...		,,	30.07	763.8	...	...	...	0	...
Nagasaki,	,,	30.07	763.8	...	...	S	8	...		,,	29.88	758.3	...	...	E	8	...
Kagoshima,	,,	30.07	763.9	...	...	S	4	...		,,	30.00	761.9	...	...	E	2	...
Oshima,	,,	30.08	764.1	...	...	S E	4	...		,,	29.97	761.1	...	...	S	6	...
Naha,	,,	30.05	763.2	...	...	S	4	...		,,	29.93	760.2	...	...	S	2	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	4	...		,,	29.89	759.3	...	...	S	6	...
Bonin Is.	,,	30.04	763.1	...	...	N E	2	...		,,	30.08	764.1	...	...	E	2	...
Chefoo,	4 p.	29.69	754.1	62	61	N W	3	o		6 a.	30.00	762.0	44	45	N N E	2	b
Weihaiwei,	,,	29.63	752.6	74	...	N W	4	ovr		9 a.	30.05	763.2	44	...	N E	3	ovr
Hankow,	,,	29.81	757.2	72	95	S W	1	o		6 a.	29.90	759.4	67	95	S E	1	c
Kiukiang,	,,	29.79	756.6	75	81	S W	1	o		,,	29.81	757.2	69	100	N E	1	or
Shanghai,	,,	29.79	756.6	75	68	S	4	o		9 a.	29.79	756.6	70	95	...	0	om
Gutzlaff,	,,	29.83	757.7	61	94	S	6	om		,,	29.81	757.2	62	100	S W	3	f
Sharp Peak,	,,	29.90	759.4	68	95	E	1	f		,,	29.86	758.4	68	100	...	0	b
Amoy,	,,	29.89	759.2	73	81	S E	2	b		6 a.	29.96	761.0	70	85	S E	1	b
Swatow,	,,	29.90	759.4	82	63	...	0	b		,,	29.86	758.4	70	95	W S W	1	c
Taihoku,	1 p.	29.94	760.5	...	...	E	8	...		5 a.	29.89	759.1	...	...	S	2	...
Taichu,	,,	29.96	760.9	...	...	W	4	...		,,	29.93	760.1	...	...	...	0	...
Tainan,	,,	29.95	760.8	...	...	W	4	...		,,	29.92	760.0	...	...	...	0	...
Koshun,	,,	29.95	760.8	...	...	S	4	...		,,	29.93	760.1	...	...	W	0	...
Pescadores,	,,	29.96	761.1	...	...	N	4	...		,,	29.91	759.7	...	...	S	2	...
Canton,	3 p.	29.88	758.9	80	74	S	1	c		9 a.	29.98	761.5	77	86	E	1	c
Hongkong,	4 p.	29.91	759.7	78	75	S E	1	c		10 a.	29.98	761.5	76	85	E	1	o
Victoria Peak,	,,	...	...	...	...	S	2	...		,,	...	...	...	...	S S W	2	...
Gap Rock,	,,	29.91	759.7	...	...	E	2	...		,,	29.96	761.0	...	...	W S W	1	...
Macao,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Wuchow,	3 p.	29.88	758.9	81	...	...	0	c		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.88	758.9	90	96	S E	2	c		,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.89	759.2	83	71	W	1	c		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.84	758.0	75	...	S S E	6	o		8 a.	29.93	760.3	75	...	S E	3	o
Tourane,	,,	29.85	758.2	79	...	S E	3	b		,,	29.94	760.5	79	...	S E	3	c
Cape St. James,	,,	29.84	757.9	82	...	E	5	c		,,	29.93	760.3	82	...	E N E	4	f
Aparri,	2 p.	29.89	759.1	90	...	N E	2	b		6 a.	29.93	760.1	75	...	S	2	b
Manila,	4 p.	29.84	758	93	40	S E	3	b		10 a.	29.92	760	86	59	W N W	2	b
Legaspi,	2 p.	29.90	759.4	81	...	N E	2	b		6 a.	29.91	759.6	79	...	E	2	c
Bacolod,	3 p.	...	...	...	...	N E	4	o		9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.85	758.2	90	...	N E	2	b		,,	29.91	759.7	85	...	N N E	2	o
Cebu,	,,	29.84	757.9	88	...	N	2	b		,,	29.91	759.7	84	...	N	1	...
Labuan,	,,	29.79	756.6	87	...	...	...	...		,,	29.85	758.2	85	...	...	...	...

On the 14th at 12.95 p.—The barometer has risen quickly on the N.E. coast of China, and fallen moderately over Japan, the Loochoos and the E. coast of China.

The depression lying over Manchuria yesterday, has moved into the N. part of the Sea of Japan. A second depression, which will probably move Eastwards, has developed over the E. coast of China.

Pressure is relatively high over N. China and over the Pacific in the neighbourhood of the Bonins.

Moderate S.W. winds may be expected in the Formosa Channel, and light variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. or variable winds, light; fair.
2.—Formosa Channel,	S.W. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 14th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th April, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th April, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.89	759.1	...	...	S	10	...	6 a.	29.81	757.1	...	...	S	8	...
Hakodate, ...	,,	29.81	757.2	...	...	S W	6	...	,,	29.54	750.2	...	...	...	0	...
Tokio, ...	,,	29.94	760.6	...	...	S	8	...	,,	29.71	754.6	...	...	S W	6	...
Kochi, ...	,,	29.95	760.8	...	...	E	2	...	,,	29.68	753.8	...	...	...	0	...
Nagasaki, ...	,,	29.72	754.8	...	...	S E	8	...	,,	29.88	758.3	...	...	N W	4	...
Kagoshima, ...	,,	29.80	756.9	...	...	S E	8	...	,,	29.89	756.9	...	...	N	6	...
Oshima, ...	,,	29.89	759.1	...	...	S	6	...	,,	29.85	758.1	...	...	N	6	...
Naha,.....	,,	29.93	760.2	...	...	S	6	...	,,	29.85	758.2	...	...	S W	2	...
Ishigakijima,....	,,	29.89	759.3	...	...	S	6	...	,,	29.86	758.3	...	...	N	2	...
Bonin Is.....	,,	30.00	762.1	...	...	N E	2	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,.....	4 p.	30.04	763.0	47	48	N N W	3	b	6 a.	30.22	767.6	45	39	N W	2	b
Weihaiwei,.....	,,	30.03	762.7	45	...	N W	2	b	9 a.	30.29	769.3	40	...	N	2	b
Hankow, ...	,,	29.97	761.2	72	57	N	2	o	6 a.	30.10	764.5	64	83	E	2	c
Kiukiang,.....	,,	29.87	758.7	75	86	N E	1	o	,,	30.07	763.8	55	68	N E	3	o
Shanghai, ...	,,	29.87	758.7	56	81	N	3	om	9 a.	30.23	767.8	53	54	N E	2	o
Gutzlaff, ...	,,	29.80	756.9	54	100	N	6	f	,,	30.20	767.1	52	60	N N E	4	ov
Sharp Peak,.....	,,	29.77	756.1	72	90	W	2	c	,,	30.13	765.3	60	71	N N E	6	or
Amoy,.....	,,	29.81	757.2	78	82	S E	2	c	6 a.	29.88	758.9	74	81	N W	1	or
Swatow, ...	,,	29.80	756.9	87	96	S	1	c	,,	29.86	758.4	72	95	W S W	1	c
Taihoku,.....	1 p.	29.85	758.1	...	...	W	4	...	5 a.	29.89	759.2	...	...	W	6	...
Taichu, ...	,,	29.91	759.6	...	...	W	2	...	,,	29.89	759.3	...	...	...	0	...
Tainan,.....	,,	29.94	760.5	...	...	W	6	...	,,	29.90	759.5	...	...	...	0	...
Koshun.....	,,	29.92	760.0	...	...	N W	6	...	,,	29.89	759.2	...	...	N	6	...
Pescadores, ...	,,	29.93	760.2	...	...	W	6	...	,,	29.98	759.3	...	...	S	6	...
Canton,.....	3 p.	29.86	758.4	85	64	S	1	c	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	29.87	758.7	81	68	S	2	c	10 a.	29.96	761.0	78	80	W	1	o
Victoria Peak,...	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S W	1	...
Gap Rock,.....	,,	29.85	758.2	...	...	S	1	...	,,	29.95	760.7	...	...	...	0	...
Macao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,.....	3 p.	29.84	757.9	83	...	S W	3	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	29.88	758.9	82	75	S W	3	c	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.81	757.1	77	...	S S E	4	o	8 a.	29.95	760.8	77	...	E N E	3	c
Tourane, ...	,,	29.84	758.0	77	...	S E	3	o	,,	29.94	760.5	82	..	E S E	2	b
Cape St. James,.	,,	29.84	758.0	82	...	E N E	4	c	,,	29.95	760.6	82	...	E N E	2	c
Aparri, ...	2 p.	29.87	758.8	90	...	N E	2	b	6 a.	29.93	760.2	73	...	W	2	b
Manila, ...	4 p.	29.84	758	82	70	N N W	2	t	10 a.	29.92	760	91	55	S S W	1	c
Legaspi, ...	2 p.	29.86	758.5	88	...	E	2	b	6 a.	29.89	759.3	79	...	E	2	c
Bacolod, ...	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N E	2	o
Iloilo, ...	,,	29.81	757.2	89	...	N N E	1	b	,,	29.93	760.2	84	...	N N E	1	o
Cebu,.....	,,	29.82	757.4	87	...	N	2	c	,,	29.92	759.9	84	...	N	...	o
Labuan, ...	,,	29.79	756.6	88	...	...	...	...	,,	29.87	758.7	85	...	...	...	...

On the 15th at 11.30 a.—The barometer has fallen quickly in Japan, and risen rapidly over N. China and the E. coast.

The depression which crossed the Yellow Sea yesterday, is this morning moving towards N.E. in the S. part of the Sea of Japan.

An area of high pressure now occupies N. China and gradients are rather steep over S. China.

The wind will shift to the N.E. and blow strongly in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, strong; fair to squally with rain.
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 15th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th April, 1909, P.M.									16th April, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.79	756.6	42	...	N E	0	c		7 a.	29.93	760.1	53	69	...	0	b
Nemuro, ...	,,	...	...	...	...	...	...	...		6 a.	29.81	757.1	...	...	S W	6	...
Hakodate, ...	,,	29.69	754.2	...	...	W	8	...		,,	29.93	760.2	...	...	W	6	...
Tokio, ...	,,	29.55	750.6	...	...	S W	6	...		,,	30.10	764.6	...	...	N	6	...
Kochi, ...	,,	29.80	756.8	...	...	N	8	...		,,	30.11	764.8	...	...	N	2	...
Nagasaki, ...	,,	29.95	760.8	...	...	N	8	...		,,	30.15	765.3	...	...	N E	4	...
Kagoshima, ...	,,	29.88	758.9	...	...	...	0	...		,,	30.08	763.9	...	...	N E	6	...
Oshima, ...	,,	29.93	760.1	...	...	N	8	...		,,	30.01	762.1	...	...	S	2	...
Naha, ...	,,	29.93	760.2	...	...	N	8	...		,,	29.97	761.2	...	...	N E	2	...
Ishigakijima, ...	,,	29.93	760.3	...	...	N E	6	...		,,	29.97	761.3	...	...	N E	4	...
Bonin Is.	,,	29.89	759.1	...	...	S	4	...		,,	29.93	760.1	...	...	S	2	...
Chefoo, ...	4 p.	30.25	768.3	45	46	N N E	3	b		6 a.	...	...	39	46	...	0	b
Weihaiwei, ...	,,	30.23	767.8	43	...	N W	2	b		9 a.	30.13	765.3	47	...	E S E	2	ovr
Hankow, ...	,,	30.21	767.3	73	40	E	1	b		6 a.	30.02	762.5	63	52	S E	5	c
Kiukiang, ...	,,	30.10	764.5	68	51	N E	3	c		..	30.04	763.0	55	87	N E	1	c
Shanghai, ...	,,	30.20	767.1	57	41	N E	2	...		9 a.	30.16	766.0	55	57	E S E	2	c
Gutzlaff, ...	,,	30.19	766.8	56	57	N	4	cm		,,	30.17	766.3	52	60	E S E	3	bv
Sharp Peak, ...	,,	30.13	765.3	61	77	N	5	or		,,	30.14	765.5	60	76	N E	5	c
Amoy, ...	,,	30.01	762.2	64	78	N E	3	o		6 a.	30.03	762.7	61	66	N E	1	c
Swatow, ...	,,	29.95	760.7	65	78	E	3	o		,,	30.01	762.2	51	72	E N E	2	c
Taiboku, ...	1 p.	30.06	763.6	...	...	E	6	...		5 a.	30.04	763.1	...	...	E	6	...
Taichu, ...	,,	29.94	760.5	...	...	N	6	...		,,	29.98	761.4	...	...	N	2	...
Tainan, ...	,,	29.97	761.2	...	...	N	6	...		,,	29.96	760.9	...	...	...	0	...
Koshun	,,	29.91	759.8	...	...	W	6	...		,,	29.97	761.1	...	...	N E	6	...
Pescadores, ...	,,	30.05	763.2	...	...	N	10	...		,,	29.97	761.3	...	...	N E	10	...
Canton, ...	3 p.	29.88	758.9	84	64	N	1	c		9 a.	30.02	762.5	68	85	...	0	c
Hongkong, ...	4 p.	29.86	758.4	81	72	W	1	o		10 a.	30.03	762.7	68	70	E	5	oq
Victoria Peak, ...	,,	...	...	...	...	N N E	1	...		,,	...	...	...	...	E	6	...
Gap Rock, ...	,,	29.87	758.7	...	...	S	1	...		,,	29.98	761.5	...	...	E	6	...
Macao, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Wuchow, ...	3 p.	29.92	759.9	81	...	W	1	b		9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.83	757.6	81	...	S S E	5	b		8 a.	29.93	760.2	75	...	S S E	4	o
Tourane, ...	,,	29.78	756.3	79	...	S E	2	c		,,	29.92	760.0	79	...	S S E	1	c
Cape St. James, .	,,	29.82	757.3	...	...	E S E	4	c		,,	29.93	760.1	82	...	E S E	2	c
Aparri, ...	2 p.	29.87	758.7	86	...	N	2	c		6 a.	29.90	759.5	77	...	E	2	...
Manila, ...	4 p.	29.76	756	93	41	S E	2	c		10 a.	29.92	760	84	71	W	1	c
Legaspi, ...	2 p.	29.84	758.0	88	...	E	2	b		6 a.	29.88	758.8	81	...	S E	2	...
Bacolod, ...	3 p.	...	...	...	...	N N W	4	o		9 a.	...	...	...	...	N N W	2	o
Iloilo, ...	,,	29.81	757.2	89	...	N N E	1	c		,,	29.91	759.7	85	...	N N W	1	b
Cebu, ...	,,	29.80	756.9	86	...	N	2	b		,,	29.89	759.2	84	...	N	1	o
Labuan, ...	,,	29.77	756.1	87	...	...	...	...		,,	29.84	757.8	84	...	...	...	...

On the 16th at 11.55 a.—The depression noted yesterday is moving into the Pacific to the North of Hokkaido, and pressure has increased rapidly over S. Japan.

The barometer has risen moderately in S. China, but has fallen again over N. China. A new depression is probably developing over the Upper Yangtze.

The area of high pressure lies now over the Yellow Sea.

N.E. and E. winds decreasing in force, may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, strong to moderate; fair, cloudy.
2.—Formosa Channel, ...	N.E. and E. winds, strong to moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 16th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th April, 1909, P.M.								17th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.94	760.4	49	...	S	0	c	7 a.	30.05	763.3	36	90	S E	1	o
Nemuro,	,,	29.85	758.1	...	...	S	8	...	6 a.	30.28	769.1	...	...	S	2	...
Hakodate,	,,	30.05	763.2	...	...	W	8	...	,,	30.28	769.2	...	...	W	4	...
Tokio,	,,	30.14	765.6	...	...	S E	4	...	,,	30.38	771.6	...	...	N W	4	...
Kochi,	,,	30.15	765.8	...	...	N E	4	...	,,	30.23	767.8	...	...	W	2	...
Nagasaki,	,,	30.11	764.8	...	...	N	6	...	,,	30.11	764.3	...	...	E	10	...
Kagoshima,	,,	30.11	764.9	...	...	S E	2	...	,,	30.15	765.9	...	...	N E	2	...
Oshima,	,,	30.04	763.1	...	...	S E	2	...	,,	30.04	763.1	...	...	..	0	...
Naha,	,,	30.01	762.2	...	...	E	6	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	E	6	...	,,	29.97	761.3	...	...	N E	2	...
Bonin Is.	,,	29.93	760.1	...	...	N	2	...	,,	30.04	763.1	...	...	E	4	...
Chefoo,	4 p.	29.99	761.7	59	33	S	4	o	6 a.	29.90	759.4	49	64	S	2	b
Weihaiwei,	,,	30.03	762.7	44	...	E S E	3	ovr	9 a.	29.90	759.4	53	...	S	3	ovr
Hankow,	,,	29.96	761.0	69	61	E	1	b	6 a.	29.92	759.9	61	77	S E	2	b
Kiukiang,	,,	29.94	760.5	66	69	N E	1	o	,,	29.90	759.4	56	94	...	0	b
Shanghai,	,,	30.03	762.7	62	36	E S E	2	b	9 a.	29.94	760.5	62	56	S S E	3	c
Gutzlaff,	,,	30.07	763.8	55	74	S E	3	cv	,,	29.95	760.7	58	88	S	3	cv
Sharp Peak,	,,	30.06	763.5	60	82	E	4	c	,,	30.02	762.5	60	100	...	0	c
Amoy,	,,	29.97	761.2	69	61	E N E	1	b	6 a.	29.98	761.5	64	78	S E	1	o
Swatow,	,,	29.96	761.0	66	69	E	1	o	,,	29.95	760.7	62	89	N N E	1	o
Taihoku,	1 p.	30.02	762.5	...	...	E	6	...	5 a.	29.97	761.1	...	...	W	2	...
Taichu,	,,	29.97	761.3	...	...	N	2	...	,,	29.98	761.5	...	...	...	0	...
Tainan,	,,	30.02	762.5	...	...	W	4	...	,,	29.97	761.2	...	...	N	2	...
Koshun	,,	29.97	761.2	...	...	N	8	...	,,	30.04	763.0	...	...	E	2	...
Pescadores,	,,	29.99	761.7	...	...	N	8	...	,,	29.97	761.3	...	...	N	6	...
Canton,	3 p.	29.94	760.5	71	80	E	1	o	9 a.	29.98	761.5	70	80	...	0	c
Hongkong,	4 p.	29.93	760.2	67	78	E	5	oq	10 a.	29.99	761.7	70	78	E	2	c
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	S E	4	...
Gap Rock,	,,	29.89	759.2	...	...	E	6	...	,,	29.95	760.7	...	...	E	5	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	29.87	758.7	74	...	E	3	or	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.86	758.4	85	68	W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.8	77	...	S S E	5	lt	8 a.	29.91	759.6	75	...	S S E	3	o
Tourane,	,,	29.80	756.8	77	...	S E	3	c	,,	29.90	759.5	82	...	N N E	1	b
Cape St. James,	,,	29.80	756.8	86	...	S S E	2	c	,,	29.87	758.7	82	...	N E	2	o
Aparri,	2 p.	29.89	759.1	86	...	N E	2	b	6 a.	29.91	759.6	77	...	E	2	b
Manila,	4 p.	29.84	758	82	70	N E	1	o	10 a.	29.92	760	82	70	W	1	o
Legaspi,	2 p.	29.85	758.1	88	...	E	2	c	6 a.	29.90	759.4	79	...	E	2	c
Bacolod,	3 p.	...	...	...	...	N W	2	odt	9 a.	...	...	...	...	N N W	1	c
Iloilo,	,,	29.81	757.2	89	...	N N E	1	o	,,	29.91	759.7	86	...	N N W	2	b
Cebu,	,,	29.79	756.6	87	...	N	2	c	,,	29.89	759.2	85	...	N	2	c
Labuan,	,,	29.77	756.1	86	...	...	...	...	,,	29.84	757.9	81	...	...	...	...

On the 17th at 11.20 a.—The barometer has risen quickly in E. Japan, and fallen considerably over N. China.

A depression is moving Eastwards over China to the North of the Yangtze valley, and the area of high pressure now occupies E. Japan.

Moderate to light E. and S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate to light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 17th April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th April, 1909, P.M.								18th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.06	763.6	38	...	S E	0	or	7 a.	30.10	764.5	38	93	...	0	o
Nemuro,	,,	30.28	769.1	...	...	S	6	...	6 a.	30.40	772.1	...	...	S E	4	...
Hakodate,	,,	30.32	770.2	...	...	S	6	...	,,	30.28	769.2	...	...	...	0	...
Tokio,	,,	30.30	769.6	...	...	S	4	...	,,	30.30	769.6	...	...	N	2	...
Kochi,	,,	30.23	767.8	...	...	...	0	...	,,	30.19	766.8	...	...	S	2	...
Nagasaki,	,,	30.07	763.8	...	...	S E	6	...	,,	30.03	762.8	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	E	4	...	,,	30.08	763.9	...	...	E	4	...
Oshima,	,,	30.04	763.1	...	...	N	4	...	,,	30.01	762.1	...	...	S	2	...
Naha,	,,	29.97	761.2	...	...	E	4	...	,,	29.97	761.2	...	...	E	2	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	4	...	,,	29.93	760.3	...	...	N E	2	...
Bonin Is.	,,	30.04	763.1	...	...	E	4	...	,,	30.01	762.1	...	...	E	2	...
Chefoo,	4 p.	29.92	759.9	61	55	S	3	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.94	760.5	52	...	S	4	ovr	9 a.	300.0	752.0	42	...	N W	1	f
Hankow,	,,	29.95	760.7	75	77	E	2	o	6 a.	30.10	764.5	64	53	N	2	or
Kiukiang,	,,	29.87	758.7	74	72	N E	1	o	,,	29.99	761.7	58	94	N E	5	or
Shanghai,	,,	29.85	758.2	72	50	S	2	c	9 a.	29.92	759.9	61	94	S E	1	or
Gutzlaff,	,,	29.88	758.9	62	89	S S E	2	cm	,,	29.89	759.2	62	100	S	3	om
Sharp Peak,	,,	29.94	760.5	63	94	S E	1	c	,,	29.96	761.0	64	100	S S E	1	b
Amoy,	,,	29.92	759.9	68	74	E	1	b	6 a.	29.92	759.9	68	85	S E	1	c
Swatow,	,,	29.91	759.7	73	67	E	2	c	,,	29.92	759.9	69	90	N E	1	c
Taihoku,	1 p.	29.95	760.8	...	...	N W	2	...	5 a.	29.93	760.2	...	...	S	2	...
Taichu,	,,	29.94	760.4	...	...	N	4	...	,,	29.96	760.9	...	...	...	...	...
Tainan,	,,	29.93	760.1	...	...	W	6	...	,,	29.94	760.5	...	...	N	2	...
Koshun	,,	29.97	761.3	...	...	E	6	...	,,	29.94	760.4	...	...	E	2	...
Pescadores,	,,	29.95	760.8	...	...	N	6	...	,,	29.95	760.6	...	...	N E	2	...
Canton,	3 p.	29.90	759.4	75	77	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.90	759.4	71	82	E	3	o	10 a.	29.99	761.7	74	86	E	2	o
Victoria Peak,	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	S	2	...
Gap Rock,	,,	29.88	758.9	...	...	E	4	...	,,	29.95	760.7	...	...	E	3	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	29.88	758.9	76	...	E	3	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	88	96	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.4	79	...	S S E	5	c	8 a.	29.91	759.7	77	...	E S E	4	o
Tourane,	,,	29.80	756.8	79	...	S E	3	c	,,	29.89	759.3	82	...	S S E	1	c
Cape St. James,	,,	29.80	756.8	82	...	E	3	c	,,	29.90	759.5	82	...	E N E	2	c
Aparri,	2 p.	29.86	758.5	88	...	N E	2	b	6 a.	29.89	759.2	75	...	S	0	b
Manila,	4 p.	29.80	757	91	45	S E	3	c	10 a.	29.92	760	90	48	E	1	c
Legaspi,	2 p.	29.85	758.1	88	...	E	2	b	6 a.	29.91	759.6	79	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N W	2	c
Iloilo,	,,	29.81	757.2	90	...	N N E	1	b	,,	29.95	760.7	85	...	N N E	1	o
Cebu,	,,	29.81	757.2	87	...	N	1	b	,,	29.93	760.2	86	...	N	1	b
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 18th at 11.30 a.—The barometer has fallen slightly over the E. coast of China and in S. Japan, and risen moderately in the Yangtze valley.

The depression noted yesterday is progressing Eastwards near the mouth of the Yangtze, while the area of high pressure lies over the Pacific to the East of Japan.

The wind will probably shift to the NE in the Formosa Channel by to-morrow. Light SE winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. or variable winds, light to moderate; fair.
2.—Formosa Channel,	S.E. to N.E. winds, light to fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 18th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th April, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th April, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.13	765.2	45	...	N E	0	o	7 a.	29.95	760.6	37	90	N E	2	or
Nemuro, ...	,,	30.36	771.1	...	...	S E	6	...	6 a.	30.32	770.1	...	...	S E	4	...
Hakodate, ...	,,	30.24	768.2	...	...	S	8	...	,,	30.13	765.2	...	...	E	6	...
Tokio, ...	,,	30.22	767.6	...	...	S E	4	...	,,	30.06	763.6	...	...	N	4	...
Kochi, ...	,,	30.15	765.8	...	...	S E	2	...	,,	29.81	757.8	...	...	...	0	...
Nagasaki, ...	,,	29.95	760.8	...	...	S E	6	...	,,	29.80	756.3	...	...	N W	8	...
Kagoshima, ...	,,	30.04	762.9	...	...	E	8	...	,,	29.72	754.9	...	...	W	4	...
Oshima, ...	,,	30.00	762.1	...	...	S	10	...	,,	29.85	758.1	...	...	S	4	...
Naha, ...	,,	29.97	761.2	...	...	S E	2	...	,,	29.89	759.2	...	...	N W	2	...
Ishigakijima, ...	,,	29.97	761.3	...	...	S E	6	...	,,	29.89	759.3	...	...	N E	6	...
Bonin Is.	,,	30.00	762.1	...	...	...	0	...	,,	29.93	760.1	...	...	...	0	...
Chefoo, ...	4 p.	30.03	762.7	43	92	N W	5	c	6 a.	30.02	762.5	43	83	N W	3	b
Weihaiwei, ...	,,	30.01	762.2	...	...	N W	4	f	9 a.	30.0	762.0	43	...	N N W	4	b
Hankow, ...	,,	...	...	64	58	N N E	2	f	6 a.	30.18	766.6	55	87	N E	1	b
Kiukiang, ...	,,	30.16	766.0	60	82	N	3	o	,,	30.14	765.5	55	94	N E	1	b
Shanghai, ...	,,	29.99	761.7	54	94	N N W	3	rq	9 a.	30.11	764.8	52	73	N W	2	b
Gutzlaff, ...	,,	29.95	760.7	54	94	N N W	7	omd	,,	30.07	763.8	56	75	N W	3	cm
Sharp Peak, ...	,,	29.86	758.4	69	100	N	1	b	,,	30.09	764.3	63	83	E N E	4	o
Amoy, ...	,,	29.89	759.2	73	81	S E	1	b	6 a.	29.92	759.9	68	85	N E	3	o
Swatow, ...	,,	29.88	758.9	80	70	S	3	c	,,	29.93	760.2	69	90	W	1	b
Taihoku, ...	1 p.	29.93	760.3	...	...	N	6	...	5 a.	29.98	761.4	...	...	E	8	...
Taichu, ...	,,	29.93	760.3	...	...	W	2	...	,,	29.96	760.9	...	...	...	0	...
Tainan, ...	,,	29.96	760.9	...	...	W	6	...	,,	29.94	760.5	...	...	N E	2	...
Koshun, ...	,,	29.96	760.9	...	...	S	6	...	,,	29.92	760.0	...	...	N W	2	...
Pescadores, ...	,,	29.96	761.0	...	...	W	6	...	,,	29.94	760.4	...	...	...	0	...
Canton, ...	3 p.	29.88	758.9	86	65	S S W	1	b	9 a.	29.97	761.2	79	82	...	0	c
Hongkong, ...	4 p.	29.91	759.7	80	74	S E	1	c	10 a.	29.95	760.7	80	68	S E	1	c
Victoria Peak, ...	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	N	1	...
Gap Rock, ...	,,	29.90	759.4	...	...	E	3	...	,,	29.94	760.5	...	...	E	1	...
Macao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow, ...	3 p.	29.91	759.7	83	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.86	758.5	77	...	S S E	6	or	8 a.	29.93	760.2	81	...	S S E	3	c
Tourane, ...	,,	29.85	758.2	81	...	S E	2	b	,,	29.96	761.0	79	...	S	2	b
Cape St. James, .	,,	29.81	757.1	84	...	S E	2	lt	,,	29.89	759.2	82	...	N N E	2	c
Aparri, ...	2 p.	29.87	758.6	90	...	N E	2	b	6 a.	29.90	759.5	77	...	S W	2	b
Manila, ...	4 p.	29.80	757	91	49	S E	2	b	10 a.	29.92	760	91	45	S E	1	b
Legaspi, ...	2 p.	29.87	758.7	88	...	E	2	b	6 a.	29.91	759.6	77	...	...	0	b
Pacolod, ...	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N W	2	c
Iloilo, ...	,,	29.83	757.7	89	...	N N E	1	b	,,	29.95	760.7	85	...	N N E	1	b
Cebu, ...	,,	29.82	757.4	87	...	N	2	b	,,	29.91	759.7	86	...	N	0	b
Labuan, ...	,,	29.77	756.1	87	...	...	...	...	,,	29.87	758.7	85	...	...	...	...

On the 19th at 11.05 a.—The barometer has fallen quickly in Japan, and risen considerably over the E. coast of China.

The depression which passed near Shanghai yesterday has reached S.W. Japan.

The area of high pressure is still shown over the Pacific to the E. of N. Japan.

Fresh N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening; fine to cloudy and misty, [cooler.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 19th April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th April, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th April, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.89	759.2	40	...	N E	3	or	7 a.	29.72	754.8	41	97	N E	1	o
Nemuro,	,,	29.96	761.1	...	...	E	8	...	6 a.	29.93	760.1	...	...	S E	8	...
Hakodate,	,,	29.85	758.2	...	...	W	2	...	,,	29.62	752.2	...	...	E	8	...
Tokio,	,,	29.55	750.6	...	...	S W	2	...	,,	29.47	748.6	...	...	S W	8	...
Kochi,	,,	29.80	756.8	...	...	W	8	...	,,	29.72	754.8	...	...	W	2	...
Nagasaki,	,,	29.80	756.8	...	...	W	8	...	,,	29.84	757.3	...	...	N W	2	...
Kagoshima,	,,	29.88	758.9	...	...	N	6	...	,,	29.84	757.9	...	...	...	0	...
Oshima,	,,	29.89	759.1	...	...	N	6	...	,,	29.89	759.1	...	...	N	4	...
Naha,	,,	29.93	760.2	...	...	N	6	...	,,	29.93	760.2	...	...	N	4	...
Ishigakijima,	,,	29.93	760.3	...	...	N	6	...	,,	29.93	760.3	...	...	N E	2	...
Bonin Is.	,,	29.85	758.1	...	...	S W	2	...	,,	29.81	757.1	...	...	S W	2	...
Chefoo,	4 p.	29.99	761.7	51	52	N W	4	b	6 a.	29.84	757.9	52	53	S W	1	c
Weihaiwei,	,,	29.94	760.5	43	...	N N W	6	b	9 a.	29.85	758.2	63	...	N N W	1	ovr
Hankow,	,,	30.07	763.8	67	59	S E	1	o	6 a.	29.99	761.7	56	100	N	1	or
Kiukiang,	,,	...	...	68	55	N E	1	b	,,	29.92	759.9	56	94	N E	1	or
Shanghai,	,,	29.93	760.2	62	51	N N E	2	b	9 a.	29.96	761.0	53	73	S S E	1	o
Gutzlaff,	,,	30.09	762.6	58	70	N N W	2	cv	,,	29.96	761.0	55	74	S E	1	ov
Sharp Peak,	,,	30.01	762.2	64	89	E	4	c	,,	29.98	761.5	62	95	E	1	o
Amoy,	,,	29.95	760.7	68	79	N E	2	o	6 a.	29.95	760.7	67	79	N E	1	o
Swatow,	,,	29.90	759.4	71	80	E	2	c	,,	29.89	759.2	64	95	N E	2	c
Taihoku,	1 p.	30.01	762.3	...	...	E	8	...	5 a.	29.90	759.5	...	...	E	6	...
Taichu,	,,	29.92	759.9	...	...	N	6	...	,,	29.91	759.6	...	...	...	0	...
Tainan,	,,	29.91	759.8	...	...	N W	6	...	,,	29.91	759.6	...	...	N E	2	...
Koshun	,,	29.92	759.9	...	...	N	8	...	,,	29.89	759.3	...	...	...	0	...
Pescadores,	,,	29.96	760.9	...	...	N	8	...	,,	29.92	759.9	...	...	N	4	...
Canton,	3 p.	29.88	758.9	89	56	...	0	c	9 a.	29.92	759.9	81	74	E	1	b
Hongkong,	4 p.	29.85	758.2	81	70	S	1	b	10 a.	29.94	760.5	73	85	E	3	o
Victoria Peak,	,,	...	...	...	...	S S E	2	...	,,	...	...	...	...	S E	3	...
Gap Rock,	,,	29.86	758.4	...	...	E S E	2	...	,,	29.91	759.7	...	...	E	4	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	29.86	758.4	80	...	N W	3	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.86	758.4	87	65	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.6	79	...	S S E	5	c	8 a.	29.87	758.7	77	...	S S E	4	c
Tourane,	,,	29.80	756.9	79	...	S E	3	b	,,	29.88	758.9	82	...	S	1	c
Cape St. James,	,,	29.78	756.3	84	...	E	5	lt	,,	29.87	758.6	81	...	E N E	4	c
Aparri,	2 p.	29.85	758.1	88	...	N E	2	b	6 a.	29.86	758.4	75	...	S W	2	b
Manila,	4 p.	29.76	756	93	46	S E	1	c	10 a.	29.88	759	90	48	E S E	1	b
Legaspi,	2 p.	29.83	757.8	88	...	E	2	b	6 a.	29.88	758.9	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N W	1	c
Iloilo,	,,	29.81	757.2	91	...	N N E	1	b	,,	29.91	759.7	86	...	N N E	...	b
Cebu,	,,	29.81	757.2	86	...	N	2	b	,,	29.87	758.7	86	...	N	1	b
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

On the 20th at 12.05 p.—The barometer has fallen rapidly in E. Japan owing to the depression, which is moving towards E.N.E. over the S.E. part of the Sea of Japan.

Pressure has given way again over China, particularly in the North, another depression having appeared over the Yangtze Valley.

Moderate E. and S.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 20th April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th April, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st April, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.63	752.5	59	...	E N E	1	b	7 a.	29.63	752.6	39	97	N W	1	o
Nemuro,	,,	29.73	755.1	...	...	S E	6	...	6 a.	29.34	745.1	...	...	S	8	...
Hakodate,	,,	29.46	748.2	...	...	S	6	...	,,	29.62	752.2	...	...	W	6	...
Tokio,	,,	29.47	748.6	...	...	S	6	...	,,	29.75	755.6	...	...	...	0	...
Kochi,	,,	29.72	754.8	...	...	S E	2	...	,,	29.84	757.8	...	...	S E	2	...
Nagasaki,	,,	29.84	757.8	...	...	S W	6	...	,,	29.83	758.3	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	N W	4	...	,,	29.88	758.9	...	...	...	0	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	29.93	760.2	...	...	N	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	4	...	,,	29.86	758.3	...	...	S E	4	...
Bonin Is.	,,	29.81	757.1	...	...	S W	2	...	,,	29.89	759.1	...	...	...	0	...
Chefoo,	4 p.	29.82	757.4	61	45	N N W	2	b	6 a.	29.84	757.9	43	75	W	1	b
Weihaiwei,	,,	29.81	757.2	63	...	N N W	1	ovr	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.98	761.5	62	73	N W	1	o	6 a.	29.98	761.5	58	83	S W	1	c
Kiukiang,	,,	29.90	759.4	63	89	...	0	o	,,	29.92	759.9	60	94	N W	2	o
Shanghai,	,,	29.89	759.2	60	49	E	1	o	9 a.	...	...	...	...	...	...	ov
Gutzlaff,	,,	29.89	759.2	55	74	E N E	2	ov	,,	29.95	760.7	55	87	E S E	1	...
Sharp Peak,	,,	29.99	759.4	64	95	E	2	c	,,	29.89	759.2	63	95	E	1	or
Amoy,	,,	29.86	758.4	69	75	S E	2	o	6 a.	29.87	758.7	67	89	...	0	c
Swatow,	,,	29.87	758.7	74	68	E	1	b	,,	29.88	758.9	67	95	E	1	b
Taihoku,	1 p.	29.89	759.1	...	...	...	0	...	5 a.	29.86	758.4	...	...	E	2	...
Taichu,	,,	29.89	759.1	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	W	4	...	,,	29.89	759.1	...	...	N E	2	...
Koshun	,,	29.90	759.4	...	...	W	2	...	,,	29.85	758.2	...	...	N	4	...
Pescadores,	,,	29.91	759.6	...	...	N	4	...	,,	29.87	758.7	...	...	W	2	...
Canton,	3 p.	29.84	757.9	82	71	S E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.86	758.4	73	85	E	3	c	10 a.	29.92	759.9	77	85	E	1	o
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	29.85	758.2	...	...	E	4	...	,,	29.89	759.2	...	...	S	2	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.80	756.9	90	96	N N E	3	b	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.79	756.6	87	73	S S W	3	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	756.0	79	...	S S E	6	c c	8 a.	29.85	758.1	77	...	S E	4	c
Tourane,	,,	29.79	756.7	81	...	S E	3	c	,,	29.87	758.7	79	...	...	0	c
Cape St. James,	,,	29.78	756.4	82	...	E	3	c	,,	29.90	759.4	82	...	E N E	4	c
Aparri,	2 p.	29.82	757.3	88	...	N	2	b	6 a.	29.87	758.7	73	...	S E	2	b
Manila,	4 p.	29.76	756	91	45	S E	1	c	10 a.	29.92	760	86	65	W S W	1	c
Legaspi,	2 p.	29.83	757.7	90	...	E	2	b	6 a.	29.89	759.1	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	W S W	1	c
Iloilo,	,,	29.81	757.2	90	...	N N E	2	b	,,	29.93	760.2	87	...	N N E	1	o
Cebu,	,,	29.80	756.9	88	...	N	2	b	,,	29.92	759.9	85	...	N	1	b
Labuan,	,,	29.79	756.6	87	...	...	...	...	,,	29.85	758.2	85	...	...	...	...

On the 21st at 11.55 a.—The depression lying over the Sea of Japan yesterday, is moving into the Pacific to the North of Hokkaido.

Pressure has increased moderately in S.E. Japan, and given way slightly over S. China and the Loochoos. It remains low over the E. coast of China.

Variable winds light or moderate, may be expected in the Formosa Channel, and S.E. to S. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and S. winds, light to moderate; showery.
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 21st April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st April, 1909, P.M.								22nd April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.56	750.9	45	...	S E	1	o	7 a.	29.65	753.2	38	45	W N W	1	b
Nemuro,.....	,,	29.53	750.1	...	...	N	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,.....	,,	29.73	755.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	29.75	755.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	29.80	756.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	29.84	757.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	29.84	757.9	...	...	W	4	...	,,	...	...	...	...	...	...	...
Oshima,.....	,,	29.89	759.1	...	...	...	4	...	,,	...	...	...	...	...	...	...
Naha,.....	,,	29.89	759.2	...	...	...	0	...	,,	...	...	...	...	...	...	...
Ishigakijima,....	,,	29.85	758.3	...	...	S	4	...	,,	...	...	...	...	...	...	...
Bonin Is.....	,,	29.93	760.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Chefoo,.....	4 p.	29.92	759.9	53	61	N N W	...	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,.....	,,	29.89	759.2	55	...	N N W	4	ovr	9 a.	30.01	762.2	55	...	S	1	b
Hankow, ...	,,	30.09	764.3	72	81	N W	1	b	6 a.	30.03	762.7	62	89	S E	1	c
Kiukiang,.....	,,	30.04	763.0	62	77	N E	2	o	,,	30.01	762.2	56	94	...	0	c
Shanghai, ...	,,	...	...	...	...	...	...	...	9 a.	30.04	763.0	58	76	N N E	1	...
Gutzlaff, ...	,,	29.94	760.5	56	87	N	1	ov	,,	30.04	763.0	58	88	N W	1	om
Sharp Peak,.....	,,	29.86	758.4	64	95	E	2	o	,,	30.05	763.2	61	88	N	3	or
Amoy,.....	,,	29.83	757.7	72	81	S E	1	o	6 a.	29.91	759.7	67	84	S E	3	o
Swatow, ...	,,	29.82	757.4	77	82	S	1	o	,,	29.85	758.2	68	95	E N E	2	o
Taihoku,.....	1 p.	29.83	757.8	...	...	N W	4	...	5 a.	29.91	759.6	...	...	E	4	...
Taichu, ...	,,	29.91	759.7	...	...	W	4	...	,,	29.89	759.1	...	...	...	0	...
Tainan,.....	,,	29.89	759.1	...	...	W	6	...	,,	29.88	758.9	...	...	...	0	...
Koshun.....	,,	29.86	758.5	...	...	N W	8	...	,,	29.87	758.7	...	...	N	4	...
Pescadores, ...	,,	29.89	759.2	...	...	W	4	...	,,	29.88	758.9	...	...	N E	6	...
Canton,.....	3 p.	29.82	757.4	81	87	...	0	o	9 a.	29.93	760.2	75	86	N	1	o
Hongkong, ...	4 p.	29.82	757.4	81	78	S	1	o	10 a.	29.89	759.2	79	82	W N W	1	o
Victoria Peak,...	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S W	4	...
Gap Rock,.....	,,	29.81	757.2	...	...	S S E	2	...	,,	29.88	758.9	...	...	W N W	3	...
Macao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.75	755.6	81	...	S S E	5	c	8 a.	29.89	759.3	79	...	S E	4	o
Tourane, ...	,,	29.79	756.6	81	...	...	0	o	,,	29.88	759.0	82	...	S S W	1	c
Cape St. James,.	,,	29.80	756.8	84	...	S E	4	c	,,	29.88	759.0	84	...	E	3	c
Aparri, ...	2 p.	29.83	757.6	90	...	N E	2	b	6 a.	29.89	759.1	77	...	S W	0	b
Manila, ...	4 p.	29.80	757	93	81	S E	1	b	10 a.	29.92	760	90	55	...	0	c
Legaspi, ...	2 p.	29.81	757.1	88	...	S E	2	b	6 a.	29.91	759.7	81	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N W	1	c
Iloilo, ...	,,	29.83	757.7	91	...	N N E	1	b	,,	29.93	760.2	86	...	N N W	1	b
Cebu,.....	,,	29.83	757.7	86	...	N	2	b	,,	29.92	759.9	84	...	N	1	c
Labuan, ...	,,	29.73	755.1	87	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 22nd at 12.05 p.—The barometer has risen moderately over China, except on the S. coast.

A shallow area of low pressure lies over the S. coast of China, and the highest pressure is shown over the Yangtze Valley.

The Japanese returns are not yet to hand.

Fresh N.E. winds may be expected in the Formosa Channel and variable winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable to N.E. winds, moderate to fresh; squally. [thundershowers.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 22nd April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd April, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd April, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.68	753.8	47	...	S W	2	c	7 a.	29.78	756.4	39	65	W	1	b
Nemuro,	,,	29.73	755.1	...	...	S E	6	...	6 a.	29.85	758.1	...	...	N E	6	...
Hakodate,	,,	29.69	754.2	...	...	W	4	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.71	754.6	...	...	S	4	...	,,	29.87	758.6	...	...	N	6	...
Kochi,	,,	29.80	756.8	...	...	S E	2	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	29.84	757.8	...	...	S W	6	...	,,	29.91	759.3	...	...	N	2	...
Kagoshima,	,,	29.84	757.9	...	...	S W	2	...	,,	29.84	757.9	...	...	N W	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	S W	2	...	,,	29.93	760.1	...	...	S	2	...
Chefoo,	4 p.	29.99	761.7	72	95	S	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	30.01	762.2	56	...	N N W	2	ovr	9 a.	29.87	758.7	56	...	E	1	ovr
Hankow,	,,	30.05	763.2	73	43	S E	1	b	6 a.	29.95	761.0	69	82	S E	1	b
Kiukiang,	,,	29.98	761.5	74	95	N E	1	b	,,	29.96	761.0	56	94	...	0	b
Shanghai,	,,	29.98	761.5	68	34	N E	2	...	9 a.	30.03	762.7	63	38	S S E	1	b
Gutzlaff,	,,	30.00	762.0	60	71	N E	1	cv	,,	30.03	762.7	60	65	S	1	bv
Sharp Peak,	,,	29.99	761.7	61	89	N N E	4	o	,,	30.04	763.0	61	95	N	1	b
Amoy,	,,	29.91	759.7	65	84	N E	5	o	6 a.	29.96	761.0	63	83	N E	1	b
Swatow,	,,	29.88	758.9	65	95	E	1	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.98	761.4	...	...	E	6	...	5 a.	30.02	762.6	...	...	E	0	...
Taichu,	,,	29.89	759.3	...	...	N	8	...	,,	29.92	759.9	...	...	N	2	...
Tainan,	,,	29.89	759.3	...	...	N W	6	...	,,	29.92	759.9	...	...	N	6	...
Koshun	,,	29.89	759.2	...	...	W	6	...	,,	29.89	759.2	...	...	S E	0	...
Pescadores,	,,	29.92	760.0	...	...	N E	8	...	,,	29.92	760.0	...	...	N E	8	...
Canton,	3 p.	29.90	759.4	74	81	N	1	c	9 a.	29.97	761.2	73	76	E	1	o
Hongkong,	4 p.	29.84	757.9	72	90	E	2	o	10 a.	29.97	761.2	71	82	E	3	o
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.83	757.7	...	...	N N E	3	...	,,	29.94	760.5	...	...	E	5	...
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	29.90	759.4	76	...	S E	0	c	9 a.	...	...	...	...	..	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.80	756.9	77	...	E S E	4	or	8 a.	29.85	758.8	75	...	E	5	o
Tourane,	,,	29.77	756.2	81	...	S E	3	b	,,	29.89	759.1	82	..	...	0	b
Cape St. James,	,,	29.80	757.0	84	...	E	4	c	,,	29.91	759.6	84	...	S S E	2	c
Aparri,	2 p.	29.82	757.5	88	...	N E	2	b	6 a.	29.85	758.8	75	...	S W	2	b
Manila,	4 p.	29.76	756	93	51	S S W	0	b	10 a.	29.88	759	88	66	...	0	c
Legaspi,	2 p.	29.80	757.0	88	...	E	2	b	6 a.	29.89	759.2	73	...	...	0	b
Baccolod,	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	N W	2	c
Iloilo,	,,	29.81	757.2	91	...	E	0	b	,,	29.93	760.2	87	...	N W	1	b
Cebu,	,,	29.80	756.9	88	...	N	2	b	,,	29.89	759.2	85	...	N	1	c
Labuan,	,,	29.69	754.1	89	...	...	...	...	,,	29.82	757.4	84	...	...	...	...

On the 23rd at 11.55 a.—The barometer has risen over Japan and the S. coast of China, and fallen over N. China. A new depression appears to be developing over China to the North of the Yangtze, and the highest pressure is now shown over the Eastern Sea.

Moderate E. to S.E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; cloudy, misty.
2.—Formosa Channel,	E. to S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 23rd April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd April, 1909, P.M.								24th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.81	757.2	55	...	S W	0	b	7 a.	29.89	759.1	40	73	S E	0	b
Nemuro,	,,	29.89	759.1	...	...	E	6	...	6 a.	29.97	761.1	...	...	...	0	...
Hakodate,	,,	29.97	761.2	...	...	S	6	...	,,	30.05	763.2	...	...	W	2	...
Tokio,	,,	29.91	759.6	...	...	N E	6	...	,,	30.02	762.6	...	...	N	2	...
Kochi,	,,	29.80	756.8	...	...	N	6	...	,,	30.03	762.8	...	...	S W	2	...
Nagasaki,	,,	29.91	759.8	...	...	N	8	...	,,	30.07	763.3	...	...	N	2	...
Kagoshima,	,,	29.84	757.9	...	...	S E	2	...	,,	30.04	762.9	...	...	E	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.85	758.1	...	...	S	6	...	,,	29.89	759.1	...	...	W	2	...
Chefoo,	4 p.	29.85	758.2	75	37	S S E	2	c	6 a.	29.83	757.7	56	69	N W	3	b
Weihaiwei,	,,	29.77	756.1	73	...	S W	4	...	9 a.	29.93	760.2	71	...	E	2	b
Hankow,	,,	29.96	761.0	73	63	S E	1	o	6 a.	29.97	761.2	62	89	S E	1	b
Kiukiang,	,,	29.96	761.0	75	60	...	0	c	,,	29.94	760.5	56	94	...	0	o
Shanghai,	,,	29.98	761.5	...	...	S S E	2	o	9 a.	30.04	763.2	66	36	S S E	2	b
Gutzlaff,	,,	30.02	762.5	61	55	S S E	1	ov	,,	30.05	763.2	59	82	S E	3	bv
Sharp Peak,	,,	30.00	762.0	63	95	E	2	c	,,	30.05	763.2	61	95	N	1	b
Amoy,	,,	29.93	760.2	68	70	S E	2	b	6 a	29.97	761.2	65	78	...	0	o
Swatow,	,,	29.94	760.5	69	70	E	1	c	,,	29.94	760.5	63	72	N E	2	or
Taihoku,	1 p.	29.98	761.4	...	...	N E	6	...	5 a.	29.94	760.4	...	...	E	4	...
Taichu,	,,	29.92	760.0	...	...	N	6	...	,,	29.92	759.9	...	...	W	2	...
Tainan,	,,	29.88	759.0	...	...	N W	6	...	,,	29.92	760.0	...	...	...	0	...
Koshun,	,,	29.93	760.2	...	...	N	6	...	,,	29.93	760.2	...	...	N	4	...
Pescadores,	,,	29.96	761.0	...	...	N	8	...	,,	29.92	759.9	...	...	N E	6	...
Canton,	3 p.	29.94	760.5	75	77	...	0	o	9 a.	29.93	760.2	69	61	E	2	o
Hongkong,	4 p.	29.89	759.2	69	81	E	4	o	10 a.	29.94	760.5	68	77	E	4	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	6	...
Gap Rock,	,,	29.86	758.4	...	...	E	5	...	,,	29.89	759.2	...	...	E	6	...
Macao,	,,	29.89	759.2	71	...	S E	2	o	,,	29.93	760.2	70	...	S E	4	o
Wuchow,	3 p.	29.88	758.9	79	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.86	758.4	81	74	N N W	3	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.84	757.9	79	85	E S E	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	755.9	79	...	E S E	5	c	8 a.	29.82	757.4	77	...	S E	5	o
Tourane,	,,	29.82	757.5	79	...	S S E	2	o	,,	29.84	757.8	82	...	S S W	2	c
Cape St. James,	,,	29.79	756.6	84	...	S E	4	c	,,	29.68	759.0	82	...	E	2	c
Aparri,	2 p.	29.85	758.3	88	...	N E	2	b	6 a.	29.83	758.9	75	...	S W	2	b
Manila,	4 p.	29.80	757	88	65	W S W	3	o	10 a.	29.88	759	86	71	W N W	1	b
Legaspi,	2 p.	29.84	758.0	90	...	E	2	b	6 a.	29.89	759.1	79	...	E	2	b
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N W	2	c
Iloilo,	,,	29.81	757.2	91	...	S W	1	b	,,	29.91	759.7	86	...	N W	1	b
Cebu,	,,	29.80	756.9	87	...	N	1	b	,,	29.88	758.9	85	...	...	1	b
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.93	757.7	86	...	...	...	...

On the 24th at 11.55 a.—The barometer has risen moderately in Japan, and fallen slightly over the S. coast of China and Tongking.

Pressure is low over the latter area. It is highest over the Eastern Sea and Japan.

Moderate E. winds may be expected in the Formosa Channel and fresh to strong E. and S.E. along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to strong: squally, some rain.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 24th April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th April, 1909, P.M.								25th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.86	758.5	45	...	S E	1	o	7 a.	29.88	758.8	41	99	S	1	f
Nemuro,	,,	29.96	761.1	...	...	N	4	...	6 a.	30.20	767.1	...	...	...	0	...
Hakodate,	,,	30.05	763.2	...	...	W	6	...	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.10	764.6	...	...	S	6	...	,,	30.30	769.6	...	...	...	0	...
Kochi,	,,	30.11	764.8	...	...	S	2	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	S W	6	...	,,	30.23	767.8	...	...	S E	2	...
Kagoshima,	,,	30.07	763.9	...	...	S	2	...	,,	30.23	767.9	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	30.08	764.1	...	...	N E	4	...
Chefoo,	4 p.	29.86	758.4	74	95	E	2	b	6 a.	29.92	759.9	60	34	S S W	8	b
Weihaiwei,	,,	29.90	759.4	74	...	S W	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.94	760.5	78	50	N E	2	b	6 a.	29.81	757.2	66	79	S E	1	c
Kinkiang,	,,	29.94	760.5	78	54	S W	1	c	,,	29.93	760.2	66	79	N E	1	or
Shanghai,	,,	29.99	761.7	70	32	S S E	2	c	9 a.	30.03	762.7	67	69	S S E	4	b
Gutzlaff,	,,	30.02	762.5	61	77	S E	3	cm	,,	30.04	763.0	61	88	S E	4	cm
Sharp Peak,	,,	30.00	762.0	63	89	E	2	o	,,	30.01	762.2	63	94	N	1	o
Amoy,	,,	29.97	761.2	58	88	N W	2	or	6 a.	29.94	760.5	62	94	N E	1	o
Swatow,	,,	29.91	759.7	61	89	N E	1	o	,,	29.98	761.5	61	94	N W	1	or
Taiboku,	1 p.	29.94	760.5	...	...	E	6	...	5 a.	...	...	...	...	...	...	...
Taichu,	,,	29.93	760.2	...	...	N	2	...	,,	...	...	...	...	...	...	...
Tainan,	,,	29.92	759.9	...	...	W	4	...	,,	...	...	...	...	...	...	...
Koshun	,,	29.91	759.7	...	...	E	8	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.93	760.1	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	29.85	758.2	73	86	E	1	or	9 a.	29.92	759.9	69	99	S E	2	o
Hongkong,	4 p.	29.87	758.7	67	82	E	4	od	10 a.	29.93	760.2	70	84	E	4	o
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	S E	3	...
Gap Rock,	,,	29.83	757.7	...	...	E	6	...	,,	29.89	759.2	...	...	E	5	...
Macao,	,,	29.86	758.4	69	...	S E	4	o	,,	29.93	760.2	70	...	S E	4	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.6	79	...	S S E	6	c	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.5	81	...	S S E	2	c	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	86	...	S E	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.7	86	...	N E	2	b	6 a.	29.87	758.7	75	...	S E	2	b
Manila,	4 p.	29.76	756	91	61	E S E	1	c	10 a.	29.92	760	88	65	W S W	1	c
Legaspi,	2 p.	29.85	758.1	88	...	E	2	b	6 a.	29.89	759.3	75	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N	4	o	9 a.	...	...	...	...	N N W	2	c
Iloilo,	,,	29.81	757.2	92	...	N N E	1	b	,,	29.93	760.2	86	...	N N W	1	b
Cebu,	,,	29.80	756.9	88	...	N	2	b	,,	29.89	759.2	86	...	N	1	b
Labuan,	,,	29.71	754.6	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 25th at 12.20 p.—The barometer has risen considerably in Japan, while it is inclined to fall over S. China.

An anticyclonic area occupies Japan, and pressure is relatively low over the continent.

The returns from Formosa and Indo-China are not yet in hand.

Moderate E. winds may be expected in the Formosa Channel, and fresh to strong E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh or strong; squally, some rain.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 25th April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th April, 1909, P.M.								26th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.83	757.6	41	...	S E	1	or	7 a.	29.82	757.5	44	87	S E	1	c
Nemuro,	,,	30.16	766.1	...	...	S	8	...	6 a.	30.20	767.1	...	...	S	6	...
Hakodate,	,,	30.20	767.2	...	...	S	6	...	,,	30.25	768.2	...	...	...	0	...
Tokio,	,,	30.30	769.6	...	...	S	6	...	,,	30.42	772.6	...	...	N W	2	...
Kochi,	,,	30.27	768.8	...	...	S E	4	...	,,	30.35	770.8	...	...	S W	2	...
Nagasaki,	,,	30.19	766.8	...	...	W	4	...	,,	30.23	767.3	...	...	S E	6	...
Kagoshima,	,,	30.23	767.9	...	...	E	6	...	,,	30.23	767.9	...	...	E	8	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.12	765.1	...	...	N E	4	...	,,	30.12	765.1	...	...	N E	2	...
Chefoo,	4 p.	29.88	758.9	78	20	S S E	5	b	6 a.	29.86	758.4	61	83	S E	1	o
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.82	757.4	54	...	N E	1	o
Hankow,	,,	29.83	757.7	73	76	S E	1	c	6 a.	29.86	758.4	63	90	S E	1	o
Kiukiang,	,,	29.82	757.4	79	58	S E	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.92	759.9	73	55	S E	4	c	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.96	761.0	63	83	S E	6	cm	,,	30.10	764.5	67	90	S	4	o
Sharp Peak,	,,	29.95	760.7	64	95	N	1	or	,,	29.92	759.9	66	100	...	0	c
Amoy,	,,	29.98	761.5	65	95	S E	1	o	6 a.	29.91	759.7	67	95	...	0	o
Swatow,	,,	29.94	760.5	71	81	N E	1	o	,,	29.91	759.7	68	95	N W	1	f
Taihoku,	1 p.	29.94	760.6	...	...	S W	2	...	5 a.	29.91	759.6	...	...	...	0	...
Taichu,	,,	29.95	760.8	...	...	...	0	...	,,	29.92	759.9	...	...	...	0	...
Tainan,	,,	29.93	760.3	...	...	N E	4	...	,,	29.91	759.8	...	...	N	2	...
Koshun	,,	29.91	759.8	...	...	N	8	...	,,	29.91	759.6	...	...	E	2	...
Pescadores,	,,	29.93	760.1	...	...	E	4	...	,,	29.90	759.4	...	...	E	2	...
Canton,	3 p.	29.84	757.9	75	86	S E	2	o	9 a.	29.93	760.2	78	82	E	2	b
Hongkong,	4 p.	29.85	758.2	70	92	E	4	o	10 a.	29.94	760.5	75	89	E	2	o
Victoria Peak,	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	S	3	...
Gap Rock,	,,	29.82	757.4	...	...	E	5	...	,,	29.92	759.9	...	...	E	4	...
Macao,	,,	29.82	757.4	71	...	S E	4	c	,,	29.93	760.2	75	...	S E	4	c
Wuchow,	3 p.	29.89	759.2	75	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.69	754.2	79	...	S E	7	o	8 a.	29.82	757.5	79	...	S E	5	o
Tourane,	,,	29.74	755.5	82	...	S S E	2	b	,,	29.88	758.8	82	...	S E	1	b
Cape St. James,	,,	29.78	756.4	88	...	S S E	2	c	,,	29.88	759.0	82	...	S E	1	c
Aparri,	2 p.	29.82	757.5	91	...	N E	1	b	6 a.	29.89	759.2	77	...	S	2	b
Manila,	4 p.	29.76	756	91	45	S E	2	c	10 a.	29.92	760	90	60	E S E	2	c
Legaspi,	2 p.	29.88	758.9	90	...	E	2	b	6 a.	29.90	759.4	81	...	E	2	b
Bacolod,	3 p.	...	...	...	...	N E	2	o	9 a.	...	...	...	...	N N E	1	o
Iloilo,	,,	29.83	757.7	89	...	N E	1	o	,,	29.93	760.2	86	...	N N E	1	o
Cebu,	,,	29.80	756.9	87	...	N	2	b	,,	29.91	759.7	87	...	S	1	b
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 26th at 12.05 p.—The barometer has risen in S.E. Japan, and fallen over the S.E. coast of China.

The anticyclonic area is still central over S.E. Japan, and pressure remains relatively low over Tongking and China.

Moderate S.E. winds may be expected in the Formosa Channel, and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—*Hongkong and Neighbourhood,*	S.E. winds, *moderate*; fair, fog at times.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 26th April, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th April, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th April, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.85	758.1	46	...	E	1	o	7 a.	...	...	45	90	N W	1	or
Nemuro, ...	,,	30.12	765.1	...	...	S	8	...	6 a.	30.20	767.1	...	...	S	6	...
Hakodate, ...	,,	30.20	767.2	...	...	S W	8	...	,,	30.17	766.2	...	...	...	0	...
Tokio, ...	,,	30.34	770.6	...	...	S E	4	...	,,	30.26	768.6	...	...	...	0	...
Kochi, ...	,,	30.27	768.8	...	...	S E	6	...	,,	30.19	766.8	...	...	...	0	...
Nagasaki, ...	,,	30.11	764.8	...	...	S E	6	...	,,	29.99	761.3	...	...	S E	6	...
Kagoshima, ...	,,	30.15	765.9	...	...	S E	8	...	,,	30.04	762.9	...	...	E	8	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	S E	6	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	S	2	...
Ishigakijima, ...	,,	...	...	...	...	...	...	...	,,	29.86	758.3	...	...	...	0	...
Bonin Is.....	,,	30.04	763.1	...	...	N E	4	...	,,	30.01	762.1	...	...	N E	2	...
Chefoo, ...	4 p.	29.79	756.6	53	100	N	3	o	6 a.	29.98	761.5	49	100	N W	2	f
Weihaiwei, ...	,,	29.73	755.1	50	...	S E	4	o	9 a.	...	...	48	...	N N W	4	b
Hankow, ...	,,	29.89	759.2	77	70	...	0	b	6 a.	29.92	759.9	69	95	N E	1	c
Kiukiang, ...	,,	29.87	758.7	73	86	...	0	o	,,	29.82	757.4	68	95	...	0	o
Shanghai, ...	,,	29.77	756.1	68	90	S	2	o	9 a.	29.92	759.9	75	40	N	3	c
Gutzlaff, ...	,,	29.77	756.1	62	100	S	6	om	,,	29.89	759.2	59	88	N	3	ov
Sharp Peak, ...	,,	29.85	758.2	69	95	S	1	c	,,	29.86	758.4	70	100	...	0	c
Amoy, ...	,,	29.87	758.7	70	90	S E	1	o	6 a.	29.86	758.4	70	90	...	0	o
Swatow, ...	,,	29.84	757.9	77	82	S E	1	c	,,	29.79	756.6	70	100	W	1	c
Taihoku, ...	1 p.	29.89	759.1	...	...	N W	6	...	5 a.	29.87	758.7	...	...	...	0	...
Taichu, ...	,,	29.89	759.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Tainan, ...	,,	29.91	759.6	...	...	W	6	...	,,	29.89	759.2	...	...	...	0	...
Koshun.....	,,	29.89	759.2	...	...	N W	6	...	,,	29.88	759.0	...	...	...	0	...
Pescadores, ...	,,	29.90	759.5	...	...	W	2	...	,,	29.88	758.9	...	...	W	2	...
Canton, ...	3 p.	29.84	757.9	84	75	S E	2	o	9 a.	29.92	759.9	81	82	S E	1	c
Hongkong, ...	4 p.	29.85	758.2	77	84	E	2	c	10 a.	29.92	759.9	78	90	E	1	c
Victoria Peak, ...	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	S W	3	...
Gap Rock, ...	,,	29.83	757.7	...	...	E	3	...	,,	29.90	759.4	...	...	E S E	1	...
Macao, ...	,,	29.86	758.4	77	...	S E	2	c	,,	29.93	760.2	79	...	S E	1	cf
Wuchow, ...	3 p.	29.81	757.2	84	...	N	1	c	9 a.	29.78	756.4	77	...	E	1	c
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.72	754.8	81	...	S E	5	c	8 a.	29.84	757.8	81	...	E S E	3	o
Tourane, ...	,,	29.75	755.6	81	...	S E	3	b	,,	29.84	759.0	84	..	...	0	b
Cape St. James,.	,,	29.79	756.7	86	...	S S E	2	c	,,	29.91	759.8	84	...	N E	2	c
Aparri, ...	2 p.	29.83	757.8	90	...	N E	2	b	6 a.	29.88	758.9	75	...	S W	2	b
Manila.	4 p.	29.80	757	93	68	S E	4	c	10 a.	29.92	760	88	54	W	1	o
Legaspi, ...	2 p.	29.84	757.9	88	...	E	2	b	6 a.	29.88	758.9	79	...	...	0	c
Bacolod, ...	3 p.	...	...	...	...	N N E	5	c	9 a.	...	...	...	...	N N E	2	b
Iloilo, ...	,,	29.81	757.2	92	...	N N E	2	b	,,	29.91	759.7	87	...	N N E	1	b
Cebu, ...	,,	29.78	756.4	89	...	N	3	b	,,	29.86	758.4	87	...	N	1	c
Labuan, ...	,,	29.73	755.1	91	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 27th at 12.05 p.—The barometer has fallen considerably in S. Japan, and risen slightly over N. China.

A depression, formed over the Yangtze Valley, has moved into the Eastern Sea.

The area of high pressure is now lying over the Pacific to the East of Japan

Light or moderate variable winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds, light or moderate; fair to unsettled [and showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 27th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th April, 1909, P.M.								28th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.86	758.4	51	...	N	1	o	7 a.	29.91	759.6	39	99	N E	1	o
Nemuro, ...	,,	30.12	765.1	...	...	S W	8	...	6 a.	29.93	760.1	...	...	S	6	...
Hakodate, ...	,,	30.05	763.2	...	...	S E	2	...	,,	29.89	759.2	...	...	...	0	...
Tokio, ...	,,	30.10	764.6	...	...	S	4	...	,,	29.99	761.6	...	...	N	2	...
Kochi, ...	,,	30.07	763.8	...	...	S E	4	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki, ...	,,	29.91	759.8	...	...	S E	10	...	,,	29.84	757.3	...	...	E	6	...
Kagoshima, ...	,,	30.00	761.9	...	...	S	4	...	,,	29.88	758.9	...	...	E	6	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.96	761.1	...	...	N	2	...	,,	30.04	763.1	...	...	...	0	...
Chefoo, ...	4 p.	30.04	763.0	56	51	N N W	3	c	6 a.	29.93	760.2	51	59	N	2	c
Weihaiwei, ...	,,	30.02	762.5	61	...	N N W	2	ovr	9 a.	30.09	764.3	52	...	N N W	4	ovr
Hankow, ...	,,	...	...	68	74	...	3	o	6 a.	30.09	764.3	54	87	N E	4	or
Kiukiang, ...	,,	29.96	761.0	65	95	N E	7	or	,,	29.94	760.5	55	68	N E	1	c
Shanghai, ...	,,	29.90	759.4	60	82	N	3	o	9 a.	29.94	760.5	58	70	N	2	o
Gutzlaff, ...	,,	29.87	758.7	56	87	N	3	om	,,	29.90	759.4	56	94	N N W	3	om
Sharp Peak, ...	,,	29.81	757.2	71	90	E N E	3	c	,,	29.89	759.2	68	90	E	2	o
Amoy, ...	,,	29.77	756.1	76	90	N E	1	b	6 a.	29.83	757.7	73	86	S E	1	c
Swatow, ...	,,	29.80	756.9	84	75	S S W	1	b	,,	29.81	757.2	71	95	W	1	c
Taihoku, ...	1 p.	29.84	757.9	...	...	N	4	...	5 a.	29.84	757.9	...	...	...	0	...
Taichu, ...	,,	29.85	758.2	...	...	S W	4	...	,,	29.86	758.5	...	...	...	0	...
Tainan, ...	,,	29.87	758.8	...	...	W	6	...	,,	29.86	758.3	...	...	...	0	...
Koshun	,,	29.86	758.5	...	...	W	6	...	,,	29.86	758.5	...	...	...	0	...
Pescadores, ...	,,	29.87	758.8	...	...	S W	4	...	,,	29.85	758.1	...	...	S	4	...
Canton, ...	3 p.	29.80	756.9	86	72	S E	1	c	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	29.82	757.4	83	61	S W	1	b	10 a.	29.89	759.2	83	73	S S W	3	cq
Victoria Peak, ...	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S S W	5	...
Gap Rock, ...	,,	29.80	756.9	...	...	S W	3	...	,,	29.87	758.7	...	...	S S W	3	...
Macao, ...	,,	29.82	757.4	82	...	S	3	c	,,	29.89	759.2	82	...	S S W	2	c
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.71	754.7	82	...	S S E	5	b	8 a.	29.83	757.6	79	...	S S E	4	o
Tourane, ...	,,	29.76	756.0	81	...	S E	2	b	,,	29.88	758.8	86	..	S S W	2	b
Cape St. James, .	,,	29.80	757.0	84	...	S E	4	c	,,	29.93	760.2	84	...	N N E	2	c
Aparri, ...	2 p.	29.84	757.9	86	...	N	2	b	6 a.	29.87	758.6	75	...	S W	0	b
Manila, ...	4 p.	29.76	756	93	51	W	0	b	10 a.	29.88	759	90	60	W S W	1	b
Legaspi, ...	2 p.	29.82	757.3	88	...	E	2	b	6 a.	29.87	758.6	75	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	N N E	2	c
Iloilo, ...	,,	29.81	757.2	92	...	N N W	1	b	,,	29.91	759.7	88	...	N E	1	b
Cebu, ...	,,	29.79	756.6	88	...	N	2	b	,,	29.89	759.2	87	...	N	1	b
Labuan, ...	,,	29.80	756.9	85	...	...	...	...	,,	29.90	759.4	83	...	...	...	...

On the 28th at 11.30 a.—The barometer has fallen considerably in Japan, and risen moderately over the Yangtze Valley.

The depression over the Eastern Sea appears to be approaching S.W. Japan. A second area of low pressure lies over the N.E. part of the Sea of Japan.

Pressure is relatively high over China to the North of the Yangtze, and over the Pacific in the neighbourhood of the Bonins.

Moderate N.E. winds may be expected in the Formosa Channel, and moderate S. to E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. to E. winds, moderate; squally, showery later.
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 28th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th April, 1909, P.M.								29th April, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.88	759.0	52	...	S W	1	o	7 a.	29.88	759.0	41	85	S E	0	c
Nemuro,	,,	29.77	756.1	...	...	S E	2	...	6 a.	29.93	760.1	...	...	...	0	...
Hakodate,	,,	29.89	759.2	...	...	N	2	...	,,	29.97	761.2	...	...	S E	2	...
Tokio,	,,	29.87	758.6	...	...	S W	6	...	,,	29.79	756.6	...	...	S W	4	...
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.68	753.8	...	...	S W	2	...
Nagasaki,	,,	29.80	756.8	...	...	S E	4	...	,,	29.72	754.8	...	...	W	2	...
Kagoshima,	,,	29.92	759.9	...	...	N E	2	...	,,	29.72	754.9	...	...	N	4	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	N E	2	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	30.09	764.3	52	66	N N E	3	o	6 a.	30.07	763.8	45	68	S W	2	b
Weihaiwei,	,,	30.08	764.0	52	...	N N W	5	ovr	9 a.	30.06	763.5	50	...	...	2	b
Hankow,	,,	30.27	768.8	52	86	N E	2	or	6 a.	30.27	771.4	45	92	N W	2	b
Kiukiang,	,,	30.04	763.0	50	93	N E	8	or	,,	30.21	767.3	49	85	S W	2	b
Shanghai,	,,	29.89	759.2	52	100	N	3	or	9 a.	...	...	60	60	N	2	c
Gutzlaff,	,,	29.85	758.2	55	94	N N W	6	ovrcd	,,	30.07	763.8	56	75	N	4	cv
Sharp Peak,	,,	29.80	756.9	67	90	E N E	3	or	,,	29.99	761.7	65	84	N N E	4	o
Amoy,	,,	29.76	755.9	73	86	S E	3	b	6 a.	29.86	758.4	70	99	N E	2	or
Swatow,	,,	29.74	755.4	86	65	S S W	2	c	,,	29.90	759.4	66	73	N N W	2	c
Taihoku,	1 p.	29.82	757.3	...	...	W	6	...	5 a.	29.84	757.9	...	...	E	4	...
Taichu,	,,	29.87	758.7	...	...	W	4	...	,,	29.84	757.9	...	...	E	2	...
Tainan,	,,	29.88	759.0	...	...	W	6	...	,,	29.85	758.2	...	...	E	2	...
Koshun	,,	29.84	757.9	...	...	W	8	...	,,	29.83	757.6	...	...	N W	6	...
Pescadores,	,,	29.87	758.6	...	...	S W	6	...	,,	29.81	757.2	...	...	S	2	...
Canton,	3 p.	29.70	754.4	88	66	S	1	c	9 a.	30.11	764.8	66	68	N	2	c
Hongkong,	4 p.	29.77	756.1	84	71	S W	3	cq	10 a.	29.99	761.7	71	55	N N W	2	o
Victoria Peak,	,,	...	...	...	...	S W	5	...	,,	...	...	...	...	N	6	...
Gap Rock,	,,	29.77	756.1	...	...	S S E	3	...	,,	29.95	760.7	...	...	N N W	6	...
Macao,	,,	29.78	756.4	82	...	S S W	3	c	,,	30.03	762.7	69	...	N N W	4	c
Wuchow,	3 p.	29.83	757.7	87	...	W	1	c	9 a.	30.18	766.6	64	...	N	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.80	756.9	86	68	W	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.7	84	...	S E	4	b	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.76	755.8	82	...	S E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.8	88	...	S E	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.83	757.6	88	...	N E	2	b	6 a.	29.87	758.6	73	...	S W	1	b
Manila,	4 p.	29.76	756	90	72	S W	2	c	10 a.	29.88	759	86	71	W	1	c
Legaspi,	2 p.	29.81	757.1	90	...	S E	2	b	6 a.	29.87	758.6	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E S E	3	ot	9 a.	...	...	...	...	N W	2	c
Iloilo,	,,	29.81	757.2	91	...	E S E	2	o	,,	29.91	759.7	86	...	N W	1	b
Cebu,	,,	29.79	756.6	89	...	N	1	b	,,	29.86	758.4	87	...	S	1	b
Labuan,	,,	29.74	755.4	88	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 29th at 12.05 p.—The barometer has fallen considerably in S. Japan, the depression lying over the Eastern Sea yesterday now being situated over W. Japan.

An anticyclonic area is lying over the Upper Yangtze, and pressure has increased quickly in S. China.

A shallow area of low pressure is situated over S. Formasa.

Strong N. and N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, strong to moderate; fair, squally.
2.—Formosa Channel,	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 29th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th April, 1909, P.M.									30th April, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.78	756.4	61	...	N W	1	c		7 a.	29.70	754.4	42	76	S E	1	b
Nemuro,	,,	29.89	759.1	...	...	E	4	...		6 a.	29.61	752.1	...	...	N	6	...
Hakodate,	,,	29.81	757.2	...	...	...	0	...		,,	29.69	754.2	...	...	S W	2	...
Tokio,	,,	29.67	753.6	...	...	S W	6	...		,,	29.59	751.6	...	...	N	4	...
Kochi,	,,	29.60	751.8	...	...	...	0	...		,,	29.72	754.8	...	...	...	0	...
Nagasaki,	,,	29.76	755.8	...	...	N	6	...		,,	29.95	760.3	...	...	N	2	...
Kagoshima,	,,	29.68	753.9	...	...	W	4	...		,,	29.83	758.9	...	...	N W	4	...
Oshima,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	S	2	...		,,	29.89	759.1	...	...	...	0	...
Chefoo,	4 p.	30.00	762.0	55	39	N W	4	b		6 a.	29.93	760.2	51	59	S W	2	b
Weihaiwei,	,,	...	...	61	...	...	4	b		9 a.	...	...	60	...	...	2	b
Hankow,	,,	...	...	...	...	...	...	...		6 a.	30.22	767.6	55	87	W	1	b
Kinkiang,	,,	30.18	766.6	62	51	N W	2	b		,,	30.16	766.0	54	94	...	0	c
Shanghai,	,,	30.08	764.0	63	38	N N W	3	o		9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.06	763.5	59	54	N	5	cv		,,	...	...	...	...	...	...	...
Sharp Peak,	,,	30.05	763.2	64	84	E	4	c		,,	...	...	...	...	...	...	...
Amoy	,,	29.98	761.5	66	84	N E	2	c		6 a.	30.08	764.0	64	78	N E	2	b
Swatow,	,,	29.93	760.2	75	52	N	1	c		,,	30.08	764.0	61	83	E N E	2	c
Taihoku,	1 p.	30.04	762.9	...	...	E	4	...		5 a.	30.05	763.3	...	...	E	2	...
Taichu,	,,	29.91	759.7	...	...	N	6	...		,,	29.99	761.6	...	...	N	2	...
Tainan,	,,	29.88	758.9	...	...	N	6	...		,,	29.97	761.3	...	...	N	6	...
Koshun	,,	29.86	758.4	...	...	W	6	...		,,	29.95	760.6	...	...	N E	10	...
Pescadores,	,,	29.91	759.7	...	...	N	10	...		,,	30.01	762.2	...	...	N	10	...
Canton,	3 p.	30.00	762.0	72	81	N	2	c		9 a.	30.13	765.3	70	53	N	1	c
Hongkong,	4 p.	29.94	760.5	71	46	N N W	1	o		10 a.	30.10	764.5	69	41	N E	2	o
Victoria Peak,	,,	...	...	...	...	N E	4	...		,,	...	...	...	...	E S E	4	...
Gap Rock,	,,	29.90	759.4	...	...	N N E	5	...		,,	30.06	763.5	...	...	N E	4	...
Macao,	,,	29.96	761.0	70	...	N N W	2	o		,,	30.11	764.8	69	...	N E	2	o
Wuchow,	3 p.	30.06	763.5	74	...	N	1	c		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	90	70	N W	4	b		,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.02	762.5	76	95	N	4	c		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.79	761.3	75	...	S S E	3	c		8 a.	30.08	764.0	90	...	E N E	4	c
Tourane,	,,	...	...	...	...	...	...	...		,,	30.00	762.0	73	...	N W	4	o
Cape St. James,	,,	29.74	755.4	86	...	S S E	4	o		,,	29.99	759.4	82	...	N	1	c
Aparri,	2 p.	29.82	757.3	91	...	N	2	b		6 a.	29.89	759.3	77	...	N	2	p
Manila,	4 p.	29.80	757	86	71	S S W	1	o		10 a.	29.92	760	86	71	W	1	c
Legaspi,	2 p.	29.81	757.1	90	...	E	2	b		6 a.	29.86	758.4	73	...	..	0	b
Bacolod,	3 p.	...	...	...	...	S S W	2	ot		9 a.	...	...	...	...	N N W	2	c
Iloilo,	,,	29.83	757.7	90	...	S	1	c		,,	29.91	759.7	86	...	N N W	1	b
Cebu,	,,	29.79	756.6	88	...	N	1	b		,,	29.89	759.2	85	...	E	1	b
Labuan,	,,	29.79	756.6	89	...	...	...	...		,,	29.80	756.9	80	...	...	...	...

On the 30th at 11.55 a.—The depression lying over W. Japan yesterday, has moved into the Pacific to the E. of Japan.

The barometer has risen over W. Japan and S. China, and fallen again over N. China.

A new depression has approached Manchuria from the Westward.

The area of high pressure remains over the Yangtze Valley.

Fresh N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 30th April, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th April, 1909, P.M.								1st May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.69	754.0	42	...	S	1	b	7 a.	29.62	752.4	45	93	S	2	o
Nemuro,	,,	29.69	754.1	...	...	N	6	...	6 a.	29.89	759.1	...	...	S W	2	...
Hakodate,	,,	29.73	755.2	...	...	E	2	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.75	755.6	...	...	N E	4	...	,,	30.10	764.6	...	...	N	2	...
Kochi,	,,	29.83	757.8	...	...	N	6	...	,,	30.15	765.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	W	6	...	,,	30.15	765.8	...	...	N W	2	...
Kagoshima,	,,	29.96	760.9	...	...	N W	8	...	,,	30.12	764.9	...	...	N E	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	29.85	758.1	...	...	S	4	...	,,	29.97	761.1	...	...	N W	2	...
Chefoo,	4 p.	29.82	757.4	76	21	S W	3	c	6 a.	29.87	758.7	56	65	S	4	b
Weihaiwei,	,,	...	...	63	...	...	4	b	9 a.	...	...	60	...	S	1	b
Hankow,	,,	30.12	765.0	71	53	S W	1	c	6 a.	30.30	762.0	63	83	S	1	c
Kiukiang,	,,	30.05	763.2	72	46	N E	1	b	,,	29.97	761.2	58	81	...	0	o
Shanghai,	,,	30.04	763.0	71	26	W S W	1	c	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	30.07	763.8	64	68	S S W	2	cv	,,	30.12	765.0	58	76	S S E	4	ov
Sharp Peak,	,,	30.10	764.5	64	89	E	2	c	,,	30.11	764.8	62	89	N N W	2	o
Amoy,	,,	30.03	762.7	66	73	E N E	2	b	6 a.	30.00	762.0	68	79	N E	1	c
Swatow,	,,	30.02	762.5	71	57	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.08	764.1	...	...	E	8	...	5 a.	30.00	762.0	...	...	E	6	...
Taichu,	,,	30.00	761.9	...	...	S E	2	...	,,	29.97	761.2	...	...	...	0	...
Tainan,	,,	30.02	762.5	...	...	...	0	...	,,	29.99	761.6	...	...	...	0	...
Koshun	,,	30.01	762.2	...	...	N E	10	...	,,	29.98	761.5	...	...	N E	8	...
Pescadores,	,,	30.03	762.7	...	...	N	10	...	,,	29.97	761.3	...	...	N	6	...
Canton,	3 p.	30.03	762.7	75	44	S E	1	c	9 a.	30.07	763.8	68	74	N W	1	o
Hongkong,	4 p.	30.00	762.0	69	58	E	3	c	10 a.	30.05	763.2	66	73	E	4	od
Victoria Peak,	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.97	761.2	...	...	E	6	...	,,	29.99	761.7	...	...	E	6	...
Macao,	,,	30.00	762.0	70	...	E N E	1	c	,,	30.05	763.2	69	...	E	2	od
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.03	762.7	78	95	E N E	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.97	761.3	75	...	S S E	3	o	8 a.	30.00	761.9	68	...	N	2	o
Tourane,	,,	29.88	759.0	73	...	N W	4	o	,,	29.95	760.8	77	...	N W	3	c
Cape St. James,	,,	29.78	756.3	84	...	S S W	5	c	,,	29.89	759.1	82	...	N E	2	c
Aparri,	2 p.	29.90	759.5	91	...	N E	2	o	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	91	55	...	0	b	10 a.	29.88	759	90	69	N N E	0	b
Legaspi,	2 p.	29.82	757.4	90	...	E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	E S E	2	o	9 a.	...	...	...	...	N N W	2	o
Iloilo,	,,	29.81	757.2	90	...	S W	1	c	,,	29.89	759.2	87	...	N W	1	b
Cebu,	,,	29.78	756.4	89	...	N	2	b	,,	29.88	758.9	86	...	N	1	b
Labuan,	,,	29.75	755.6	85	...	...	...	...	,,	29.89	756.9	84	...	...	...	...

On the 1st at 12.05 p.—The barometer has risen quickly over Japan, and fallen moderately over China.

Areas of low pressure are lying over Manchuria and over N.W. China, and the highest pressure is now situated over W. Japan.

Fresh to moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh to moderate; cloudy, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 1st May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st MAY, 1909, P.M.								2nd MAY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.67	753.6	52	...	S E	1	c	7 a.	29.76	756.0	47	82	S E	1	c
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	S W	8	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	S W	6	...
Tokio,	,,	...	...	...	...	...	...	...	,,	30.30	766.6	...	...	N W	2	...
Kochi,	,,	...	...	...	...	...	...	...	,,	30.27	768.8	...	...	S W	2	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	30.19	768.8	...	...	S E	6	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.19	766.9	...	...	S E	4	...
Oshima,	,,	...	...	...	...	...	...	...	,,	30.12	765.1	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	30.08	764.1	...	...	N E	4	...
Chefoo,	4 p.	29.91	759.7	80	22	S S W	5	b	6 a.	29.98	761.5	59	51	S W	2	b
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	30.02	762.5	57	...	S	3	b
Hankow,	,,	...	...	71	53	S S E	2	c	6 a.	30.00	762.0	63	89	S E	1	c
Kiukiang,	,,	29.96	761.0	66	73	E	1	o	,,	29.95	760.7	60	89	...	0	or
Shanghai,	,,	30.06	763.5	62	56	S	2	o	9 a.	30.05	763.2	59	94	E S E	2	or
Gutzlaff,	,,	30.07	763.8	59	70	S	...	cv	,,	30.06	763.5	58	94	S E	4	om
Sharp Peak,	,,	30.09	764.3	62	94	N	1	or	,,	30.03	762.7	63	100	...	0	or
Amoy,	,,	30.01	762.2	67	74	...	0	o	6 a.	29.98	761.5	65	84	N E	1	or
Swatow,	,,	29.98	761.5	65	58	...	0	o	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.03	762.7	...	...	E	6	...	5 a.	29.98	761.4	...	...	N W	0	...
Taichu,	,,	30.00	762.1	...	...	W	2	...	,,	29.96	761.0	...	...	...	0	...
Tainan,	,,	30.00	762.0	...	...	N W	2	...	,,	29.96	760.9	...	...	N	2	...
Koshun	,,	30.01	762.2	...	...	N	8	...	,,	29.92	760.0	...	...	N	8	...
Pescadores,	,,	30.02	762.4	...	...	N	8	...	,,	29.97	761.1	...	...	N	6	...
Canton,	3 p.	29.96	761.0	70	70	...	0	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.94	760.5	63	80	E	3	od	10 a.	29.97	761.2	69	88	E	2	o
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.89	759.2	...	...	E	6	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.94	760.5	66	...	E S E	1	od	,,	29.97	761.2	70	...	E	1	o
Wuchow,	3 p.	30.00	762.0	69	...	E	1	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.90	759.4	74	72	S E	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.6	75	...	S E	5	c	8 a.	29.94	760.4	72	...	N E	2	o
Tourane,	,,	...	...	...	...	...	...	...	,,	29.91	759.7	79	..	N W	2	b
Cape St. James,	,,	..	...	...	...	...	...	...	,,	29.87	758.7	82	...	E	4	c
Aparri,	2 p.	29.90	759.4	84	...	N E	2	o	6 a.	29.87	758.6	75	...	S E	2	p
Manila,	4 p.	29.80	757	84	64	N N E	1	o	10 a.	29.88	759	88	59	E	1	b
Legaspi,	2 p.	29.82	757.4	90	...	E	2	b	6 a.	29.87	758.6	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	N N W	2	b
Iloilo,	,,	29.81	757.2	90	...	N N W	2	c	,,	29.91	759.7	86	...	N	1	b
Cebu,	,,	29.80	756.9	88	...	N	1	b	,,	29.89	759.2	87	...	N	1	b
Labuan,	,,	29.73	755.1	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 2nd at 11.55 a.—The barometer has risen moderately over Japan, and fallen slightly over S. China.

Pressure remains low over Manchuria and a depression appears to be forming over the Yangtze Valley.

The area of high pressure has shifted Eastwards and now occupies S.E. Japan.

Fresh to moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh to moderate; cloudy, some rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 2nd May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd May, 1909, P.M.								3rd May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S	8	...	6 a.	29.97	761.1	...	...	S	8	...
Hakodate,	,,	30.05	763.2	...	...	S W	8	...	,,	30.13	765.2	...	...	W	6	...
Tokio,	,,	30.26	768.6	...	...	S W	4	...	,,	30.26	768.6	...	...	...	0	...
Kochi,	,,	30.19	766.8	...	...	S E	4	...	,,	30.23	767.8	...	...	S W	2	...
Nagasaki,	,,	30.15	765.8	...	...	S E	6	...	,,	30.11	764.8	...	...	E	10	...
Kagoshima,	,,	30.15	765.9	...	...	S W	4	...	,,	30.12	764.9	...	...	E	2	...
Oshima,	,,	30.12	765.1	...	...	S E	4	...	,,	30.04	763.1	...	...	S	4	...
Naha,	,,	30.05	763.2	...	...	E	4	...	,,	30.01	762.2	...	...	S E	2	...
Ishigakijima,	,,	30.01	762.3	...	...	E	6	...	,,	29.93	760.3	...	...	E	6	...
Bonin Is.	,,	30.12	765.1	...	...	N E	4	...	,,	30.12	765.1	...	...	E	2	...
Chefoo,	4 p.	29.94	760.5	70	53	S	3	c	6 a.	29.97	761.2	56	87	S	3	o
Weihaiwei,	,,	29.82	757.4	58	...	S	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.95	760.7	72	67	S E	1	c	6 a.	29.97	761.2	61	100	N E	2	b
Kiukiang,	,,	29.93	760.2	64	89	...	0	o	,,	29.99	761.7	62	89	...	0	c
Shanghai,	,,	29.94	760.5	61	94	S E	2	o	9 a.	29.98	761.5	66	79	N W	1	o
Gutzlaff,	,,	29.98	764.0	59	100	S	3	omd	,,	29.93	761.5	61	94	N W	1	om
Sharp Peak,	,,	29.95	760.7	64	100	...	0	or	,,	30.01	762.2	65	100	...	0	f
Amoy,	,,	...	...	65	84	N W	1	b	6 a.	29.94	760.5	68	90	N E	1	c
Swatow,	,,	29.92	759.9	73	72	E N E	1	o	,,	29.92	759.9	68	95	N	2	o
Taihoku,	1 p.	29.96	761.0	...	...	N W	2	...	5 a.	29.95	760.8	...	...	...	0	...
Taichu,	,,	29.95	760.7	...	...	N	2	...	,,	29.93	760.3	...	...	...	0	...
Tainan,	,,	29.95	760.8	...	...	N	2	...	,,	29.94	760.4	...	...	N	4	...
Koshun	,,	29.93	760.3	...	...	N	6	...	,,	29.91	759.8	...	...	E	2	...
Pescadores,	,,	29.97	761.3	...	...	N	6	...	,,	29.95	760.8	...	...	N E	6	...
Canton,	3 p.	29.93	760.2	69	90	N E	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.87	758.7	71	85	E	3	o	10 a.	29.99	761.7	74	84	E	2	c
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.84	757.9	...	...	E	4	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.88	758.9	71	...	E S E	1	o	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	29.90	759.4	70	...	E	1	o	9 a.	29.98	761.5	71	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.83	757.7	84	68	W S W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.5	77	...	S E	3	c	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.3	79	...	S E	1	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	86	...	S	3	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.85	758.1	86	...	N E	2	o	6 a.	29.90	759.5	75	...	S	2	b
Manila,	4 p.	29.76	756	91	45	E S E	1	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	81	...	E	2	b
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N W	1	b
Iloilo,	,,	29.81	757.2	89	...	N N E	1	b	,,	29.91	759.7	86	...	N N E	1	o
Cebu,	,,	29.80	756.9	88	...	N	2	b	,,	29.86	758.4	87	...	N	1	c
Labuan,	,,	29.69	754.1	90	...	...	...	...	,,	29.80	756.9	86	...	...	...	...

On the 3rd at 11.55 a.—The barometer has fallen slightly over W. Japan, the Loochoos and the E. coast of China.

A shallow depression has passed from the continent to the Yellow Sea near the mouth of the Yangtze.

The area of high pressure remains over S.E. Japan.

Light to moderate N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 3rd May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd May, 1909, P.M.								4th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.89	759.3	...	...	N	1	b	7 a.	29.80	757.0	45	99	S E	1	b
Nemuro,	,,	29.89	759.1	...	...	S	8	...	6 a.	30.08	764.1	...	...	E	4	...
Hakodate,	,,	30.05	763.2	...	...	S W	8	...	,,	30.05	763.2	...	...	...	0	...
Tokio,	,,	30.18	766.6	...	...	S W	8	...	,,	30.10	764.6	...	...	...	0	...
Kochi,	,,	30.15	765.8	...	...	N E	2	...	,,	30.03	762.8	...	...	...	0	...
Nagasaki,	,,	30.03	762.8	...	...	E	2	...	,,	29.91	759.8	...	...	...	0	...
Kagoshima,	,,	30.04	762.9	...	...	E	4	...	,,	29.88	758.9	...	...	N E	2	...
Oshima,	,,	30.00	762.1	...	...	S	4	...	,,	29.93	760.1	...	...	...	0	...
Naha,	,,	29.97	761.2	...	...	...	0	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	E	4	...	,,	29.89	759.3	...	...	N E	4	...
Bonin Is.	,,	30.08	764.1	...	...	E	2	...	,,	30.01	762.1	...	...	S E	2	...
Chefoo,	4 p.	29.96	761.0	59	76	E	2	b	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.95	760.7	59	...	N E	2	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.97	761.2	75	81	E	2	c	6 a.	29.94	760.5	66	89	N	1	c
Kiukiang,	,,	29.92	759.9	78	58	N E	1	b	,,	29.85	758.2	65	95	E	2	o
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.93	760.2	68	79	N	1	bm	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.90	759.4	69	100	...	0	b	,,	...	...	...	...	...	...	...
Amoy,	,,	29.89	759.2	72	85	S E	1	b	6 a.	29.90	759.4	70	90	...	0	f
Swatow,	,,	29.89	759.2	79	74	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.94	760.4	...	...	N W	2	...	5 a.	29.89	759.2	...	...	...	0	...
Taichu,	,,	29.94	760.4	...	...	W	2	...	,,	29.91	759.6	...	...	...	0	...
Tainan,	,,	29.93	760.2	...	...	W	4	...	,,	29.90	759.5	...	...	...	0	...
Koshun,	,,	29.93	760.1	...	...	S E	4	...	,,	29.90	759.4	...	...	...	0	...
Pescadores,	,,	29.95	760.7	...	...	N	4	...	,,	29.89	759.2	...	...	N	2	...
Canton,	3 p.	29.87	758.7	84	68	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.87	758.7	73	89	E	3	c	10 a.	29.98	761.5	79	79	E	1	c
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	...	...	...
Gap Rock,	,,	29.85	758.2	...	...	E	4	...	,,	...	...	...	...	...	...	...
Macao,	,,	29.88	758.9	75	...	S E	2	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	29.85	758.2	81	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.77	756.2	79	...	S E	5	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.4	81	...	S S W	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.6	83	...	N	2	b	6 a.	29.87	758.7	77	...	S W	2	b
Manila,	4 p.	29.76	756	95	65	S E	1	c	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.85	758.1	88	...	E	2	b	6 a.	29.86	758.5	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N W	3	c
Iloilo,	,,	29.81	757.2	91	...	N N E	2	b	,,	29.91	759.7	85	...	N N E	1	b
Cebu,	,,	29.80	756.9	89	...	N	2	b	,,	29.89	759.2	87	...	N	1	b
Labuan,	,,	29.73	755.1	99	...	...	...	...	,,	...	...	...	...	...	...	...

On the 4th at 12.50 p.—The barometer has fallen considerably over S. Japan and the Lower Yangtze.

Pressure is highest over the Pacific to the East of Japan. It remains low apparently over the E. coast of China and the Eastern Sea. Many of the telegrams are, however, lacking this morning.

Light or moderate variable winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 4th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th May, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th May, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S E	2	...	6 a.	29.85	758.1	...	...	S W	6	...
Hakodate,	,,	29.97	761.2	...	...	S E	6	...	,,	29.93	760.2	...	...	W	6	...
Tokio,	,,	30.02	762.6	...	...	S W	4	...	,,	29.95	760.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	W	6	...	,,	29.88	758.8	...	...	S	2	...
Kagoshima,	,,	29.84	757.9	...	...	N W	4	...	,,	29.83	758.9	...	...	N W	2	...
Oshima,	,,	29.93	760.1	...	...	N	4	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.93	760.2	...	...	W	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	E	2	...	,,	29.86	758.3	...	...	S	6	...
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	29.81	757.2	60	76	N W	2	b	6 a.	29.82	757.4	55	89	N W	1	c
Weihaiwei,	,,	29.86	758.4	59	...	S E	2	ovr	9 a.	29.82	757.4	61	...	...	1	ovr
Hankow,	,,	29.93	760.2	81	87	S	1	b	6 a.	29.94	760.5	70	95	S	1	c
Kiukiang,	,,	29.83	757.7	80	58	...	0	c	,,	29.88	758.9	67	95	...	0	b
Shanghai,	,,	29.83	757.7	71	76	E	2	o	9 a.	29.89	759.2	64	89	N E	1	om
Gutzlaff,	,,	29.87	758.7	62	89	S E	2	ov	,,	29.89	759.2	61	94	N	1	f
Sharp Peak,	,,	29.87	758.7	70	100	...	0	o	,,	29.89	759.2	70	100	...	0	dh
Amoy,	,,	29.86	758.4	72	90	S E	1	b	6 a.	29.87	758.7	71	95	...	0	f
Swatow,	,,	29.84	757.9	82	71	S S E	1	c	,,	29.86	758.4	77	95	W	1	dh
Taihoku,	1 p.	29.87	758.8	...	...	N	4	...	5 a.	29.86	758.4	...	...	S W	2	...
Taichu,	,,	29.91	759.6	...	...	W	2	...	,,	29.90	759.4	...	...	...	0	...
Tainan,	,,	29.92	759.9	...	...	W	6	...	,,	29.90	759.4	...	...	E	6	...
Koshun,	,,	29.91	759.6	...	...	S E	4	...	,,	29.88	758.9	...	...	N W	2	...
Pescadores,	,,	29.92	760.0	...	...	N	4	...	,,	29.89	759.1	...	...	S	2	...
Canton,	3 p.	29.83	757.7	83	71	S E	1	c	9 a.	29.92	759.9	78	83	...	0	c
Hongkong,	4 p.	29.84	757.9	78	87	E	1	c	10 a.	29.91	759.7	80	73	E	1	o
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	S W	1	...
Gap Rock,	,,	29.84	757.9	...	...	E	2	...	,,	29.90	759.4	...	...	S E	1	...
Macao,	,,	29.85	758.2	78	...	S E	2	c	,,	29.91	759.7	78	...	S E	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.83	757.7	89	84	S W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.7	81	...	S S E	5	c	8 a.	29.84	757.8	77	...	S S E	4	or
Tourane,	,,	29.77	756.2	81	...	S E	2	b	,,	29.84	757.9	84	..	S S W	3	b
Cape St. James,	,,	29.78	756.3	86	...	S E	4	c	,,	29.87	758.7	86	...	E N E	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	90	60	...	0	o	10 a.	29.88	759	86	65	N W	2	c
Legaspi,	2 p.	29.83	757.7	88	...	E	2	b	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N W	2	c
Iloilo,	,,	29.81	757.2	90	...	N N E	2	c	,,	29.91	759.7	85	...	N N E	1	o
Cebu,	,,	29.79	756.6	90	...	N	1	c	,,	29.85	758.2	88	...	S	1	c
Labuan,	,,	29.69	754.1	89	...	...	...	...	,,	29.87	758.7	80	...	...	...	...

On the 5th at 12.20 p.—The barometer has fallen considerably over E. Japan and N. China, and slightly elsewhere.

A depression appears to be passing Eastwards to the North of Hokkaido, and pressure is low also over N. China.

Gradients are slight generally, and light variable winds may be expected in the Formosa Channel and the N. part of the China Sea, accompanied by fog over the former area.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fair.
2.—Formosa Channel,	Variable winds, light; foggy.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 5th May, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th MAY, 1909, P.M.								6th MAY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.92	760.0	60	...	W	1	o	7 a.	29.90	759.5	46	76	N W	1	o
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	30.16	766.1	...	...	N E	4	...
Hakodate,	,,	29.93	760.2	...	...	S E	4	...	,,	30.05	763.2	...	...	S E	8	...
Tokio,	,,	29.87	758.6	...	...	S	6	...	,,	29.95	760.6	...	...	N E	4	...
Kochi,	,,	29.80	756.8	...	...	S W	2	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	W	6	...	,,	29.84	757.8	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	S	2	...	,,	29.84	757.9	...	...	...	0	...
Oshima,	,,	29.81	757.1	...	...	N	2	...	,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.93	760.2	...	...	S W	4	...	,,	29.85	758.2	...	...	S W	2	...
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.82	757.3	...	...	S	4	...
Bonin Is.	,,	29.89	759.1	...	...	S	4	...	,,	29.97	761.1	...	...	W	2	...
Chefoo,	4 p.	29.85	758.2	54	61	N W	4	c	6 a.	...	...	51	72	W	1	b
Weihaiwei,	,,	29.91	759.7	52	...	N N E	4	ovr	9 a.	29.98	761.5	54	...	N W	4	b
Hankow,	,,	29.99	761.7	72	90	N E	1	c	6 a.	29.99	761.7	68	89	N	2	c
Kiukiang,	,,	29.88	758.9	72	85	...	0	o	,,	29.91	759.7	66	73	E	2	b
Shanghai,	,,	29.83	757.7	72	71	N E	1	o	9 a.	29.95	760.7	65	73	E N E	1	om
Gutzlaff,	,,	29.88	758.9	63	89	N N E	2	om	,,	29.96	761.0	58	100	N E	1	f
Sharp Peak,	,,	29.79	756.6	72	100	...	0	c	,,	29.90	759.4	69	95	N E	1	or
Amoy,	,,	29.79	756.6	74	90	S E	2	c	6 a.	29.81	757.2	74	90	N E	1	or
Swatow,	,,	29.77	756.1	85	72	S S E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.83	757.7	...	...	N W	4	...	5 a.	29.85	758.2	...	...	...	0	...
Taichu,	,,	29.85	758.3	...	...	W	2	...	,,	29.87	758.6	...	...	...	0	...
Tainan,	,,	29.88	758.9	...	...	W	6	...	,,	29.87	758.6	...	...	...	0	...
Koshun	,,	29.86	758.5	...	...	N W	6	...	,,	29.86	758.5	...	...	...	0	...
Pescadores,	,,	29.87	758.8	...	...	S W	4	...	,,	29.86	758.3	...	...	S	2	...
Canton,	3 p.	29.85	758.2	83	71	...	0	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.78	756.4	81	77	S	1	o	10 a.	29.86	758.4	82	73	S	2	o
Victoria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S W	5	...
Gap Rock,	,,	29.77	756.1	...	...	S E	3	...	,,	29.83	757.7	...	...	S S E	2	...
Macao,	,,	29.79	756.6	80	...	S S E	2	c	,,	29.86	758.4	80	...	S S W	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.9	79	...	S E	5	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.9	82	...	E S E	3	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.77	756.1	86	...	S E	4	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.81	757.2	99	...	N E	2	b	6 a.	29.83	757.6	79	...	S	2	b
Manila,	4 p.	29.76	756	90	60	N E	4	ot	10 a.	29.88	759	86	71	...	0	c
Legaspi,	2 p.	29.80	757.0	86	...	E	2	o	6 a.	29.84	757.8	79	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N W	...	c
Iloilo,	,,	29.79	756.6	90	...	N W	2	o	,,	29.89	759.2	87	...	N W	1	c
Cebu,	,,	29.77	756.1	90	...	S	1	b	,,	29.85	758.2	87	...	S E	1	b
Labuan,	,,	29.76	755.9	85	...	...	...	...	,,	29.83	757.7	81	...	...	...	...

On the 6th at 12.25 p.—The barometer has risen moderately over E. Japan and N. China, and fallen slightly over W. Japan and S. China.

A shallow depression is situated over W. Japan, and a low pressure trough lies to the North of the S. coast of China.

Pressure is high to the N.E. of Japan, and relatively so over N.W. China.

Fresh N.E. winds may be expected in the Formosa Channel, and fresh S.W. and variable winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. and variable winds, fresh; squally, probably some [thunder showers.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 6th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th May, 1909, P.M.								7th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.85	758.3	58	...	N	1	c	7 a.	29.76	755.8	45	99	N	1	o
Nemuro,	,,	30.12	765.1	...	...	E	4	...	6 a.	30.12	765.1	...	...	E	4	...
Hakodate,	,,	30.01	762.2	...	...	E	8	...	,,	29.89	759.2	...	...	S E	8	...
Tokio,	,,	29.87	758.6	...	...	E	4	...	,,	29.75	755.6	...	...	N W	2	...
Kochi,	,,	29.83	757.8	...	...	S	2	...	,,	29.80	756.8	...	...	S	2	...
Nagasaki,	,,	29.83	757.8	...	...	W	4	...	,,	29.88	758.8	...	...	S E	6	...
Kagoshima,	,,	29.80	756.9	...	...	...	0	...	,,	29.88	758.9	...	...	N W	4	...
Oshima,	,,	29.85	758.1	...	...	...	0	...	,,	29.89	759.1	...	...	N	6	...
Naha,	,,	29.93	760.2	...	...	...	0	...	,,	29.89	759.2	...	...	N	6	...
Ishigakijima,	,,	29.85	758.3	...	...	N W	4	...	,,	29.82	757.3	...	...	S E	2	...
Bonin Is.	,,	29.93	760.1	...	...	S	2	...	,,	29.93	760.1	...	...	S W	2	...
Chefoo,	4 p.	29.87	758.7	61	69	N W	2	b	6 a.	29.84	757.9	53	42	...	0	b
Weihaiwei,	,,	29.86	758.4	60	...	...	2	b	9 a.	...	...	...	..	N W	2	b
Hankow,	,,	30.00	762.0	74	90	N E	1	o	6 a.	29.97	761.2	66	95	E	2	c
Kiukiang,	,,	29.93	760.2	73	63	N E	2	o	,,	29.92	759.9	63	95	N E	2	c
Shanghai,	,,	29.93	760.2	67	74	E N E	1	o	9 a.	30.00	762.0	61	94	S	1	cm
Gutzlaff,	,,	29.94	760.5	61	83	N N E	1	ov	,,	30.00	762.0	61	89	...	0	cv
Sharp Peak,	,,	29.85	758.2	69	95	N	1	or	,,	29.99	761.7	66	95	N	1	c
Amoy	,,	29.80	756.9	74	90	S E	4	or	6 a.	29.87	758.7	67	89	E N E	2	or
Swatow,	,,	29.78	756.4	80	87	...	0	c	,,	29.81	757.2	75	95	N E	1	or
Taihoku,	1 p.	29.86	758.4	...	...	N W	4	...	5 a.	29.89	759.3	...	...	E	6	...
Taichu,	,,	29.86	758.4	...	...	...	0	...	,,	29.86	758.4	...	...	E	2	...
Tainan,	,,	29.85	758.3	...	...	W	4	...	,,	29.85	758.2	...	...	N	2	...
Koshun	,,	29.85	758.2	...	...	W	4	...	,,	29.83	757.6	...	...	..	0	...
Pescadores,	,,	29.86	758.5	...	...	S W	4	...	,,	29.90	759.5	...	...	N	8	...
Canton,	3 p.	29.72	754.9	84	79	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.77	756.1	84	71	S W	1	c	10 a.	29.86	758.4	81	83	S	2	o
Victoria Peak,	,,	...	...	...	...	S W	5	...	,,	...	...	...	...	S W	6	...
Gap Rock,	,,	29.75	755.6	...	...	S	3	...	,,	29.83	757.7	...	...	S S E	1	...
Macao,	,,	29.79	756.6	82	...	S	2	c	,,	29.85	758.2	80	...	S S E	3	o
Wuchow,	3 p.	29.73	755.1	79	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.75	755.6	90	88	S	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	81	...	S E	5	o	8 a.	29.75	755.5	79	...	S E	4	o
Tourane,	,,	29.72	754.9	86	...	N N E	1	c	,,	29.80	756.8	86	..	S S E	2	b
Cape St. James,	,,	29.75	755.7	86	...	S E	3	c	,,	29.84	758.0	88	...	S E	2	c
Aparri,	2 p.	29.80	756.8	91	...	N E	2	b	6 a.	29.83	757.7	77	...	S E	2	b
Manila,	4 p.	29.72	755	91	55	S E	1	c	10 a.	29.84	758	91	55	...	0	c
Legaspi,	2 p.	29.80	756.9	88	...	E	2	c	6 a.	29.82	757.4	81	...	E	2	c
Bacolod,	3 p.	...	...	...	...	N N E	5	o	9 a.	...	...	...	...	N N W	2	o
Iloilo,	,,	29.77	756.1	87	...	N W	0	c	,,	29.89	759.2	81	...	N N W	1	c
Cebu,	,,	29.76	755.9	89	...	N	1	c	,,	29.85	758.2	85	...	S E	1	c
Labuan,	,,	29.72	754.9	88	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 7th at 12.35 p.—The barometer has fallen over E. Japan owing to the depression which is moving towards N.E. in the Sea of Japan.

Pressure has increased slightly over the E. coast of China and S.W. Japan. It remains low over S.W. China and Tongking, and high to the N.E. of Japan and over the E. coast of China.

Fresh N.E. winds may be expected in the Formosa Channel, and fresh S. backing to E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 7th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th May, 1909, P.M.								8th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	E	6	...	6 a.	29.65	753.1	...	...	E	8	...
Hakodate,	,,	29.81	757.2	...	...	S E	8	...	,,	29.65	753.2	...	...	S	2	...
Tokio,	,,	29.67	753.6	...	...	S E	2	...	,,	29.71	754.6	...	...	...	0	...
Kochi,	,,	29.71	754.8	...	...	S	2	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	W	8	...	,,	29.91	759.8	...	...	...	0	...
Kagoshima,	,,	29.84	757.9	...	...	W	6	...	,,	29.92	759.9	...	...	N W	4	...
Oshima,	,,	29.93	760.1	...	...	N	4	...	,,	29.89	759.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	E	4	...	,,	29.81	757.2	...	...	N	6	...
Ishigakijima,	,,	29.82	757.3	...	...	E	6	...	,,	29.78	756.3	...	...	N E	4	...
Bonin Is.	,,	29.93	760.1	...	...	S	2	...	,,	29.89	759.1	...	...	S W	4	...
Chefoo,	4 p.	29.87	758.7	68	47	E	2	b	6 a.	29.75	755.6	58	70	...	0	b
Weihaiwei,	,,	29.81	757.2	70	...	N W	1	b	9 a.	29.77	756.1	70	...	S S E	2	b
Hankow,	,,	29.99	761.7	71	95	S E	1	o	6 a.	30.02	762.5	64	95	N N E	1	c
Kiukiang,	,,	29.88	758.9	69	85	N E	1	o	,,	29.95	760.7	61	100	N E	1	c
Shanghai,	,,	29.93	760.2	72	50	S S E	1	o	9 a.	29.97	761.2	71	53	W S W	1	b
Gutzlaff,	,,	29.96	761.0	64	73	S E	1	ov	,,	29.97	761.2	64	78	W	2	c
Sharp Peak,	,,	29.93	760.2	67	95	N	1	or	,,	30.00	762.0	62	94	N	1	or
Amoy,	,,	29.88	758.9	71	85	N E	2	o	6 a.	29.89	759.2	65	89	N E	1	or
Swatow,	,,	29.85	758.2	71	90	E	2	o	,,	29.84	757.9	65	95	N E	2	or
Taihoku,	1 p.	29.92	759.9	...	...	E	4	...	5 a.	29.88	758.8	...	...	N E	2	...
Taichu,	,,	29.87	758.6	...	...	N	4	...	,,	29.86	758.5	...	...	...	0	...
Tainan,	,,	29.89	759.2	...	...	W	6	...	,,	29.89	759.2	...	...	N E	2	...
Koshun,	,,	29.84	758.0	...	...	W	6	...	,,	29.85	758.1	...	...	N	2	...
Pescadores,	,,	29.89	759.3	...	...	N E	8	...	,,	29.87	758.6	...	...	N E	6	...
Canton,	3 p.	29.74	755.4	84	79	S E	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.76	755.9	82	79	S	1	o	10 a.	29.81	757.9	75	93	E	1	orlt
Victoria Peak,	,,	...	...	...	...	W	6	...	,,	...	...	...	...	W	6	...
Gap Rock,	,,	29.75	755.6	...	...	S S E	3	...	,,	29.80	756.9	...	...	S	3	...
Macao,	,,	29.76	755.9	81	...	S S E	3	o	,,	29.82	757.4	78	...	S	3	odt
Wuchow,	3 p.	29.66	753.3	83	...	S W	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.9	82	...	S S E	5	b	8 a.	29.81	757.1	75	...	E N E	5	o
Tourane,	,,	29.72	754.9	84	...	S W	3	c	,,	29.82	757.5	86	,,	...	0	b
Cape St. James,	,,	29.74	755.4	86	...	S E	3	c	,,	29.84	758.0	86	...	N W	1	c
Aparri,	2 p.	29.79	756.7	90	...	N E	2	b	6 a.	29.82	757.3	77	...	S	2	b
Manila,	4 p.	29.76	756	88	65	...	0	t	10 a.	29.84	758	88	65	W N W	1	b
Legaspi,	2 p.	29.79	756.7	86	...	E	2	c	6 a.	29.81	757.1	81	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S W	3	orlt	9 a.	...	...	...	...	W S W	2	c
Iloilo,	,,	29.81	757.2	86	...	N W	1	c	,,	29.87	758.7	84	...	W S W	1	c
Cebu,	,,	29.79	756.6	86	...	S	1	c	,,	29.86	758.4	83	...	...	0	c
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	29.84	757.9	79	...	...	...	...

On the 8th at 11.55 a.—The barometer has fallen quickly in N.E. Japan the depression lying over the Sea of Japan yesterday, having reached Hokkaido.

Pressure has increased slightly and is highest over the Yangtze Valley. It has given way over the N.E. coast of China and the Loochoos, and a depression appears to be forming over the Pacific to the S.E. of the latter area.

The low pressure trough still lies over the S. coast of China.

Fresh N.E. winds may be expected in the Formosa Channel, and N.E. or variable winds with squally weather along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. or variable winds, fresh; squally, thunderstorms.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 8th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th May, 1909, P.M.								9th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.70	754.3	47	...	S E	1	o	7 a.	29.75	755.5	40	99	S	1	f
Nemuro,	,,	29.45	748.1	...	...	N	8	...	6 a.	29.65	753.1	...	...	N	6	...
Hakodate,	,,	29.61	752.2	...	...	N W	2	...	,,	29.62	752.2	...	...	W	4	...
Tokio,	,,	29.67	753.6	...	...	E	4	...	,,	29.79	756.6	...	...	N	4	...
Kochi,	,,	29.80	756.8	...	...	E	2	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	S W	6	...	,,	29.80	756.8	...	...	S E	8	...
Kagoshima,	,,	29.88	758.9	...	...	N W	2	...	,,	29.92	759.9	...	...	...	0	...
Oshima,	,,	29.93	760.1	...	...	...	0	...	,,	29.93	760.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	N E	6	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.82	757.3	...	...	E	8	...	,,	29.78	756.3	...	...	E	6	...
Bonin Is.	,,	29.85	758.1	...	...	S	2	...	,,	29.89	759.1	...	...	S	2	...
Chefoo,	4 p.	29.79	756.6	62	51	N W	2	c	6 a.	29.63	752.6	65	95	S	4	b
Weihaiwei,	,,	29.75	755.6	60	...	N N W	3	ovr	9 a.	29.66	753.3	69	...	S S E	4	ovr
Hankow,	,,	...	...	78	90	S	1	c	6 a.	29.93	760.2	66	95	N	1	c
Kiukiang,	,,	29.87	758.7	77	58	S W	2	c	,,	29.88	758.9	63	95	...	0	b
Shanghai,	,,	29.87	758.7	77	35	W	1	c	9 a.	29.88	758.9	72	50	S	1	c
Gutzlaff,	,,	29.90	759.4	67	65	S W	1	cv	,,	29.90	759.4	68	65	S	1	cv
Sharp Peak,	,,	29.93	760.2	64	95	N N E	1	or	,,	29.91	759.7	64	100	...	0	or
Amoy,	,,	29.88	758.9	67	74	N E	1	o	6 a.	29.89	759.2	66	89	S W	1	o
Swatow,	,,	29.83	757.7	60	100	E	1	or	,,	29.85	758.2	65	95	N E	1	o
Taihoku,	1 p.	29.89	759.2	...	...	E	6	...	5 a.	29.84	758.0	...	...	...	0	...
Taichu,	,,	29.87	758.6	...	...	W	2	...	,,	29.86	758.3	...	...	...	0	...
Tainan,	,,	29.84	757.9	...	...	W	4	...	,,	29.83	757.6	...	...	N	2	...
Koshun,	,,	29.83	757.8	...	...	W	4	...	,,	29.82	757.3	...	...	...	0	...
Pescadores,	,,	29.86	758.5	...	...	N E	8	...	,,	29.84	757.8	...	...	N	6	...
Canton,	3 p.	29.81	757.2	73	86	N	1	o	9 a.	29.89	759.2	70	90	N E	1	o
Hongkong,	4 p.	29.77	756.1	74	95	E	2	od	10 a.	29.89	759.2	74	88	E	2	o
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	S	2	...
Gap Rock,	,,	29.74	755.4	...	...	S	3	...	,,	29.86	758.4	...	...	E N E	2	...
Macao,	,,	29.79	756.6	76	...	S W	1	o	,,	29.88	758.9	71	...	N	2	o
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.3	82	...	N	1	o	8 a.	29.90	759.4	73	...	E	0	o
Tourane,	,,	29.72	755.0	84	...	...	0	c	,,	29.85	758.1	84	..	N W	1	b
Cape St. James,	,,	29.73	755.2	86	...	S E	3	c	,,	29.86	758.4	84	...	E	1	or
Aparri,	2 p.	29.78	756.3	90	...	N E	1	b	6 a.	29.81	757.2	77	...	S W	2	b
Manila,	4 p.	29.72	755	90	60	...	0	o	10 a.	29.84	758	86	71	W	2	c
Legaspi,	2 p.	29.76	756.0	90	...	E	2	...	6 a.	29.82	757.5	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	N W	2	o
Iloilo,	,,	29.77	756.1	89	...	...	1	o	,,	29.89	759.2	84	...	N W	1	o
Cebu,	,,	29.80	756.9	85	...	...	0	c	,,	29.86	758.4	84	...	S	1	o
Labuan,	,,	29.73	755.1	83	...	...	...	...	,,	...	...	...	...	...	...	...

On the 9th at 11.45 a.—The depression lying over N.E. Japan yesterday, has moved into the Pacific.

Pressure has increased slightly over the Loochoos, the S. coast of China and Tongking, and given way moderately over the E. and N.E. coasts of China.

A depression is advancing Eastwards over N. China, and pressure is relatively high over S. China and the Pacific towards the Loochoos.

Light N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, light; fair, cloudy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 9th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th May, 1909, P.M.									10th May, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.82	757.4	39	...	S E	1	or		7 a.	30.07	763.8	41	91	...	0	o
Nemuro,	,,	29.77	756.1	...	...	N	6	...		6 a.	30.01	762.1	...	...	E	6	...
Hakodate,	,,	29.73	755.2	...	...	S W	10	...		,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	S W	4	...		,,	30.06	763.6	...	...	N	2	...
Kochi,	,,	29.91	759.8	...	...	S E	2	...		,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	S W	6	...		,,	29.91	759.8	...	...	S	4	...
Kagoshima,	,,	29.92	759.9	...	...	S E	2	...		,,	29.92	759.9	...	...	...	0	...
Oshima,	,,	29.93	760.1	...	...	E	4	...		,,	29.85	758.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	E	4	...		,,	29.81	757.2	...	...	S W	2	...
Ishigakijima,	,,	29.82	757.3	...	...	S W	6	...		,,	29.82	757.3	...	...	N	4	...
Bonin Is.	,,	29.93	760.1	...	...	N E	2	...		,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	29.59	751.6	72	98	N W	4	o		6 a.	29.73	755.1	52	86	N W	4	c
Weihaiwei,	,,	29.62	752.3	67	...	S S W	3	o		9 a.	29.77	756.1	51	...	...	2	f
Hankow,	,,	29.88	758.9	83	87	S W	1	o		6 a.	30.01	762.2	66	95	N N E	2	o
Kiukiang,	,,	29.84	757.9	82	95	W N W	2	o		,,	29.97	761.2	65	59	...	0	o
Shanghai,	,,	29.81	757.2	73	55	S	3	c		9 a.	29.96	761.0	67	46	N N W	3	...
Gutzlaff,	,,	29.84	757.9	66	84	S S E	3	cv		,,	29.92	759.9	66	83	N N W	3	cm
Sharp Peak,	,,	29.87	758.7	65	100	...	0	or		,,	29.94	760.5	67	...	...	0	b
Amoy,	,,	29.88	758.9	68	90	...	0	or		6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.84	757.9	71	85	E	1	o		,,	29.90	759.4	69	95	...	0	o
Taiboku,	1 p.	29.87	758.8	...	...	W	2	...		5 a.	29.89	759.2	...	...	W	0	...
Taichu,	,,	29.87	758.6	...	...	...	0	...		,,	29.89	759.1	...	...	...	0	...
Tainan,	,,	29.85	758.2	...	...	W	6	...		,,	29.83	758.8	...	...	N	2	...
Koshun	,,	29.85	758.2	...	...	W	6	...		,,	29.86	758.5	...	...	N W	4	...
Pescadores,	,,	29.88	759.0	...	...	N	4	...		,,	29.89	759.1	...	...	E	4	...
Canton,	3 p.	...	...	80	74	E	2	c		9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.84	757.9	74	88	E	1	o		10 a.	29.95	760.7	77	76	E S E	1	c
Victoria Peak,	,,	...	...	...	...	N E	1	...		,,	...	...	...	...	S E	1	...
Gap Rock,	,,	29.81	757.2	...	...	N E	4	...		,,	29.92	759.9	...	...	N E	2	...
Macao,	,,	29.85	758.2	76	...	N	1	o		,,	29.96	761.0	76	...	E	1	c
Wuchow,	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.8	81	...	W S W	2	c		8 a.	29.93	760.1	81	...	N W	2	c
Tourane,	,,	29.80	756.8	77	...	N W	2	o		,,	29.94	760.5	79	..	N W	1	f
Cape St. James,	,,	29.75	755.7	88	...	S	3	c		,,	29.90	759.4	84	...	N W	1	c
Aparri,	2 p.	...	...	...	...	...	...	...		6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.80	757	82	70	E	2	t		10 a.	29.88	759	86	71	...	0	o
Legaspi,	2 p.	29.80	757.0	81	...	W	2	o		6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	S S W	1	c		9 a.	...	...	...	...	N N W	1	c
Iloilo,	,,	29.83	757.7	83	...	S S W	2	...		,,	29.93	760.2	82	...	N	1	b
Cebu,	,,	29.82	757.4	84	...	...	0	o		,,	29.92	759.9	83	...	...	0	b
Labuan,	,,	29.79	755.4	87	...	...	...	...		,,	29.83	758.9	79	...	...	...	...

On the 10th at 11.45 a.—The barometer has fallen slightly over the Loochoos, and risen elsewhere particularly in E. Japan.

The depression lying over N. China yesterday, has progressed Eastwards towards N. Korea. A shallow depression is shown this morning in the neighbourhood of the Loochoos.

Pressure is relatively high over E. Japan and W. China.

Light or moderate N. and N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, light; fine.
2.—Formosa Channel,	N. to N.E. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 10th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th May, 1909, P.M.								11th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.13	765.4	54	...	W	1	b	7 a.	30.13	765.2	41	87	...	0	b
Nemuro,	,,	30.12	765.1	...	...	N E	8	...	6 a.	30.24	768.1	...	...	E	6	...
Hakodate,	,,	30.09	764.2	...	...	S E	6	...	,,	30.17	766.2	...	...	...	0	...
Tokio,	,,	29.91	759.6	...	...	E	4	...	,,	30.06	763.6	...	...	N	4	...
Kochi,	,,	29.95	760.8	...	...	S	2	...	,,	29.99	761.8	...	...	S W	2	...
Nagasaki,	,,	29.91	759.8	...	...	S W	6	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.92	759.9	...	...	N E	4	...	,,	30.00	761.9	...	...	...	0	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.97	761.1	...	...	S	2	...
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	29.97	761.2	...	...	N	2	...
Ishigakijima,	,,	29.89	759.3	...	...	N	6	...	,,	29.97	761.3	...	...	N	2	...
Bonin Is.	,,	29.96	761.1	...	...	N E	2	...	,,	29.89	759.1	...	...	S	2	...
Chefoo,	4 p.	29.90	759.4	59	59	N W	4	c	6 a.	30.03	762.7	50	86	N W	2	c
Weihaiwei,	,,	29.84	757.9	51	...	N N W	3	ovr	9 a.	30.09	764.3	51	...	S S E	2	ovr
Hankow,	,,	30.00	762.0	81	96	N E	1	b	6 a.	30.10	764.5	70	95	N E	2	b
Kiukiang,	,,	29.95	760.7	80	44	N E	2	b	,,	30.02	762.5	65	84	...	0	t
Shanghai,	,,	29.95	760.7	76	34	N N W	2	b	9 a.	30.11	764.8	69	56	S S W	1	c
Gutzlaff,	,,	29.95	760.7	66	73	N N E	3	bm	,,	30.09	764.3	64	76	S S W	1	cm
Sharp Peak,	,,	29.93	760.2	71	95	S E	1	b	,,	30.10	764.5	68	90	E	2	b
Amoy,	,,	29.89	759.2	72	90	S E	1	b	6 a.	29.97	761.2	69	92	...	0	b
Swatow,	,,	29.88	758.9	77	86	E	2	b	,,	29.98	761.5	70	95	E N E	1	f
Taihoku,	1 p.	29.95	760.8	...	...	N W	2	...	5 a.	30.01	762.1	...	...	E	6	...
Taichu,	,,	29.91	759.6	...	...	...	0	...	,,	29.96	761.0	...	...	...	0	...
Tainan,	,,	29.91	759.8	...	...	W	6	...	,,	29.96	760.9	...	...	...	0	...
Koshun	,,	29.89	759.1	...	...	N W	6	...	,,	29.95	760.6	...	...	E	4	...
Pescadores,	,,	29.92	759.9	...	...	N E	6	...	,,	29.97	761.1	...	...	N E	6	...
Canton,	3 p.	29.88	758.9	80	78	N	1	c	9 a.	30.01	762.2	78	86	...	0	c
Hongkong,	4 p.	29.86	758.4	78	78	E	2	c	10 a.	30.01	762.2	77	71	E	2	o
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	S	4	...
Gap Rock,	,,	29.84	757.9	...	...	N E	2	...	,,	29.98	761.5	...	...	E	3	...
Macao,	,,	29.86	758.4	79	...	N	1	c	,,	30.01	762.2	77	...	E S E	3	c
Wuchow,	3 p.	29.88	758.9	78	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.3	84	...	S S E	3	b	8 a.	29.94	760.4	79	...	E N E	1	c
Tourane,	,,	29.80	756.9	81	...	S E	1	c	,,	29.90	759.5	84	...	S E	2	c
Cape St. James,	,,	29.77	756.1	88	...	S E	3	lt	,,	29.91	759.7	84	...	E N E	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.90	759.4	79	...	S W	1	o
Manila,	4 p.	29.84	758	77	92	...	0	o	10 a.	29.92	760	86	71	E	1	c
Legaspi,	2 p.	29.85	758.1	86	...	E	2	o	6 a.	29.91	759.8	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N N W	1	c
Iloilo,	,,	29.85	758.2	83	...	S E	1	o	,,	29.93	760.2	84	...	N E	1	o
Cebu,	,,	29.83	757.7	87	...	S E	1	c	,,	29.91	759.7	86	...	N	1	b
Labuan,	,,	29.83	757.7	87	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 11th at 11.55 a.—The barometer has fallen moderately over the Bonins and risen elsewhere, particularly in the North.

The shallow depression lying near the Loochoos yesterday, appears to have reached the neighbourhood of the former area.

Pressure is high over China and the N. part of the Sea of Japan.

Fresh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 11th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th May, 1909, P.M.								12th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.13	765.2	44	...	S W	1	b	7 a.	30.11	764.7	42	92	...	0	b
Nemuro,	,,	30.20	767.1	...	...	N	8	...	6 a.	30.16	766.1	...	...	N E	8	...
Hakodate,	,,	30.13	765.2	...	...	S E	4	...	,,	30.13	765.2	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	N	4	...	,,	30.02	762.6	...	...	N	6	...
Kochi,	,,	...	...	...	...	S W	2	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki,	,,	29.99	761.8	...	...	S W	6	...	,,	30.07	763.8	...	...	N E	4	...
Kagoshima,	,,	29.96	760.9	...	...	W	4	...	,,	30.00	761.9	...	...	N	2	...
Oshima,	,,	30.00	762.1	...	...	N	4	...	,,	30.01	762.1	...	...	N	6	...
Naha,	,,	30.01	762.2	...	...	N	6	...	,,	30.01	762.2	...	...	N E	4	...
Ishigakijima,	,,	30.01	762.3	...	...	E	6	...	,,	30.01	762.3	...	...	N E	2	...
Bonin Is.	,,	29.89	759.1	...	...	S W	6	...	,,	29.89	759.1	...	...	...	0	...
Chefoo,	4 p.	30.14	765.5	55	80	N E	2	b	6 a.	30.18	766.6	52	93	...	0	b
Weihaiwei,	,,	30.13	765.3	55	...	...	2	b	9 a.	30.20	767.1	58	...	...	1	b
Hankow,	,,	30.08	764.0	82	90	S E	1	c	6 a.	30.07	763.8	70	95	S E	1	or
Kiukiang,	,,	30.00	762.0	83	...	E	2	f	,,	30.03	762.7	65	89	E	1	or
Shanghai,	,,	30.05	763.2	80	37	N	2	b	9 a.	30.15	765.8	64	63	N E	2	c
Gutzlaff,	,,	30.05	763.2	70	66	...	0	bm	,,	30.14	765.5	61	71	N E	2	o.n
Sharp Peak,	,,	30.06	763.5	69	90	E	2	b	,,	30.09	764.3	69	95	N E	1	b
Amoy,	,,	29.97	761.2	70	80	N E	1	b	6 a.	29.99	761.7	69	80	...	0	b
Swatow,	,,	29.96	761.0	76	90	E	2	b	,,	29.99	761.7	67	79	N E	1	b
Taihoku,	1 p.	30.02	762.4	...	...	E	6	...	5 a.	29.99	761.7	...	...	E	6	...
Taichu,	,,	29.95	760.7	...	...	N W	2	...	,,	29.96	761.0	...	...	...	0	...
Tainan,	,,	29.95	760.7	...	...	W	6	...	,,	29.95	760.8	...	...	...	0	...
Koshun,	,,	29.96	761.0	...	...	N	8	...	,,	29.96	761.0	...	...	N	2	...
Pescadores,	,,	29.97	761.3	...	...	N	8	...	,,	29.97	761.2	...	...	N	2	...
Canton,	3 p.	29.95	760.7	80	82	N	1	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.94	760.5	75	76	E	4	o	10 a.	30.00	762.0	75	59	E N E	4	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.92	759.9	...	...	E	4	...	,,	29.97	761.2	...	...	E	4	...
Macao,	,,	29.94	760.5	76	...	S E	2	c	,,	30.00	762.0	76	...	S E	2	o
Wuchow,	3 p.	29.93	760.2	81	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.82	757.4	81	...	S E	6	c	8 a.	29.90	759.5	81	...	S E	3	c
Tourane,	,,	29.81	757.2	81	...	S E	3	c	,,	29.90	759.4	86	...	S E	2	c
Cape St. James,	,,	29.82	757.3	86	...	E S E	2	c	,,	29.83	759.0	86	...	E N E	3	c
Aparri,	2 p.	29.88	759.0	90	...	N E	2	b	6 a.	29.91	759.8	77	...	S	2	o
Manila,	4 p.	29.80	757	86	71	S S E	1	o	10 a.	29.92	760	86	71	...	0	o
Legaspi,	2 p.	29.85	758.2	90	...	E	2	b	6 a.	29.88	758.9	79	...	...	0	c
Bacolod,	3 p.	...	...	...	...	E S E	2	o	9 a.	...	...	...	...	N N W	1	o
Iloilo,	,,	29.83	757.7	83	...	E S E	2	o	,,	29.91	759.7	84	...	N N E	1	o
Cebu,	,,	29.81	757.2	88	...	N	1	c	,,	29.90	759.4	85	...	...	0	c
Labuan,	,,	29.81	757.2	87	...	...	...	...	,,	29.86	758.4	85	...	...	...	...

On the 12th at 11.55 a.—The barometer has fallen slightly in E. Japan and risen moderately over N. China.

Pressure remains moderately to considerably above the normal over China and Japan. It is highest over N. China, and relatively low over the Pacific in the neighbourhood of the Bonins.

Fresh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 12th May, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th May, 1909, P.M.								13th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.09	764.2	53	...	S E	1	b	7 a.	30.01	762.3	41	97	...	0	f
Nemuro,	,,	30.16	766.1	...	...	N E	8	...	6 a.	30.20	767.1	...	...	...	0	...
Hakodate,	,,	30.09	764.2	...	...	S	4	...	,,	30.17	766.2	...	...	S E	4	...
Tokio,	,,	30.02	762.6	...	...	N E	6	...	,,	30.02	762.6	...	...	N	4	...
Kochi,	,,	29.91	759.8	...	...	N	6	...	,,	29.99	761.8	...	...	S	2	...
Nagasaki,	,,	30.03	762.8	...	...	N	8	...	,,	30.03	762.8	...	...	N E	2	...
Kagoshima,	,,	29.92	759.9	...	...	N W	4	...	,,	30.00	761.9	...	...	N	2	...
Oshima,	,,	30.00	762.1	...	...	N	4	...	,,	29.97	761.1	...	...	N	4	...
Naha,	,,	29.97	761.2	...	...	N	4	...	,,	30.01	762.2	...	...	N E	2	...
Ishigakijima,	,,	30.01	762.3	...	...	E	6	...	,,	29.93	760.3	...	...	N	4	...
Bonin Is.	,,	29.81	757.1	...	...	...	0	...	,,	29.85	758.1	...	...	...	0	...
Chefoo,	4 p.	30.13	765.3	64	68	E	3	b	6 a.	30.12	765.0	58	88	N	1	b
Weihaiwei,	,,	30.12	765.0	62	...	...	1	b	9 a.	30.14	765.5	58	...	...	1	b
Hankow,	,,	30.04	763.0	65	100	E	3	o	6 a.	30.01	762.2	63	94	N	2	or
Kiukiang,	,,	29.95	760.7	65	95	E	2	or	,,	29.84	757.9	64	100	E	1	o
Shanghai,	,,	30.07	763.8	70	57	E	1	c	9 a.	30.02	762.5	61	83	E S E	3	o
Gutzlaff,	,,	30.10	764.5	62	82	E N E	1	om	,,	30.06	763.5	59	82	S E	4	ov
Sharp Peak,	,,	30.03	762.7	70	90	N N E	3	b	,,	29.99	761.7	68	95	N E	1	c
Amoy,	,,	29.96	761.0	76	73	N E	1	b	6 a.	29.94	760.5	71	76	N E	1	b
Swatow,	,,	29.93	760.2	78	65	E	1	c	,,	29.92	759.9	71	76	E N E	2	o
Taihoku,	1 p.	29.98	761.6	...	...	E	8	...	5 a.	29.92	759.9	...	...	E	2	...
Taichu,	,,	29.93	760.3	...	...	W	2	...	,,	29.91	759.7	...	...	...	0	...
Tainan,	,,	29.97	761.2	...	...	W	4	...	,,	29.91	759.7	...	...	...	0	...
Koshun,	,,	29.96	760.9	...	...	E	6	...	,,	29.92	759.9	...	...	N E	6	...
Pescadores,	,,	29.98	761.6	...	...	N	6	...	,,	29.92	759.9	...	...	N	6	...
Canton,	3 p.	29.92	759.9	84	68	S	1	c	9 a.	29.90	759.4	80	82	E	1	c
Hongkong,	4 p.	29.90	759.4	75	78	E	3	o	10 a.	29.90	759.4	74	83	E	3	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.88	758.9	...	...	E	5	...	,,	29.89	759.2	...	...	E	5	...
Macao,	,,	29.90	759.4	77	...	S E	1	o	,,	29.91	759.7	76	...	S E	3	o
Wuchow,	3 p.	29.88	758.9	81	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.78	756.3	82	...	S S E	6	c	8 a.	29.84	757.9	81	...	S E	3	c
Tourane,	,,	29.80	756.8	82	...	S E	2	c	,,	29.86	758.3	84	..	...	0	b
Cape St. James,	,,	29.80	756.9	86	...	E S E	3	c	,,	29.83	759.9	86	...	S W	2	c
Aparri,	2 p.	29.91	759.7	77	...	S	2	o	6 a.	29.88	759.0	75	...	S	0	c
Manila,	4 p.	29.80	757	90	66	S	1	o	10 a.	29.88	759	84	77	W N W	1	o
Legaspi,	2 p.	29.85	758.1	88	...	E	2	c	6 a.	29.86	758.4	81	...	...	0	...
Bacolod,	3 p.	...	...	...	...	E	2	or	9 a.	...	...	...	...	W S W	2	c
Iloilo,	,,	29.83	757.7	86	...	E	2	c	,,	29.89	759.2	83	...	W S W	1	o
Cebu,	,,	29.82	757.4	88	...	N	2	c	,,	29.89	759.2	86	...	N	1	b
Labuan,	,,	29.79	756.6	88	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 13th at 11.55 a.—The barometer has risen slightly in E. Japan and fallen elsewhere, particularly over China.

A depression appears to be developing over the Yangtze Valley, and pressure remains low over the Pacific in the neighbourhood of the Bonins.

Pressure is still high over N.E. Japan.

Moderate N.E. and E. winds may be expected in the Formosa Channel and fresh to moderate E. and S.E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh to moderate; fair.
2.—Formosa Channel,	N.E. and E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 13th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th May, 1909, P.M.								14th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.96	761.1	50	...	S E	1	b	7 a.	29.86	758.5	42	100	S E	0	f
Nemuro,	,,	30.12	765.1	...	...	S	6	...	6 a.	30.12	765.1	...	...	S	2	...
Hakodate,	,,	30.13	765.2	...	...	S E	6	...	,,	30.09	764.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	N	4	...	,,	29.91	759.6	...	...	N	6	...
Kochi,	,,	29.91	759.8	...	...	S	4	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki,	,,	29.95	760.8	...	...	S E	6	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.96	760.9	...	...	S E	2	...	,,	29.96	760.9	...	...	E	2	...
Oshima,	,,	29.96	761.1	...	...	N	4	...	,,	29.93	760.1	...	...	S	2	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	E	8	...	,,	29.89	759.3	...	...	S	4	...
Bonin Is.	,,	29.81	757.1	...	...	N E	8	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	30.11	764.8	58	76	E N E	3	o	6 a.	30.05	763.2	49	78	W	2	b
Weihaiwei,	,,	30.08	764.0	61	...	N N E	1	ovr	9 a.	30.03	762.7	54	...	...	2	b
Hankow,	,,	30.01	762.2	64	95	N W	2	o	6 a.	30.12	765.0	58	94	N	2	o.
Kiukiang,	,,	29.85	758.2	65	95	N E	2	or	,,	30.05	763.7	60	82	N E	3	o
Shanghai,	,,	29.97	761.2	58	94	E S E	3	od	9 a.	30.07	763.8	62	77	E N E	2	o
Gutzlaff,	,,	29.97	761.2	58	88	S E	4	ond	,,	30.04	763.0	57	100	N E	3	ov
Sharp Peak,	,,	29.93	760.2	69	90	N	3	c	,,	29.94	760.5	67	99	E	4	or
Amoy,	,,	29.91	759.7	74	81	S E	3	o	6 a.	29.86	758.4	72	81	...	0	c
Swatow,	,,	29.86	758.4	75	77	E	1	c	,,	29.83	757.7	70	90	N E	1	o
Taihoku,	1 p.	29.88	759.0	...	...	S E	4	...	5 a.	29.86	758.5	...	...	S	2	...
Taichu,	,,	29.89	757.8	...	...	N W	2	...	,,	29.86	758.4	...	...	W	2	...
Tainan,	,,	29.89	759.1	...	...	W	6	...	,,	29.85	758.1	...	...	N	2	...
Koshun	,,	29.89	759.2	...	...	E	8	...	,,	29.85	758.1	...	...	E	6	...
Pescadores,	,,	29.90	759.5	...	...	N E	6	...	,,	29.86	758.4	...	...	N E	6	...
Canton,	3 p.	29.81	757.2	87	80	S E	1	b	9 a.	29.88	758.0	76	95	N	1	o
Hongkong,	4 p.	29.81	757.2	75	80	E	4	o	10 a.	29.85	758.2	77	80	E	1	o
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.78	756.4	...	...	E	5	...	,,	29.82	757.4	...	...	E	3	...
Macao,	,,	29.82	757.4	76	...	S E	2	o	,,	29.86	758.4	76	...	S E	2	o
Wuchow,	3 p.	29.78	756.4	82	...	E	1	b	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.71	754.6	87	92	S W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.7	81	...	S S E	5	lt	8 a.	29.80	757.0	82	...	S S E	2	c
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	82	..	N N W	2	c
Cape St. James,	,,	29.74	755.5	84	...	S	4	o	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.81	757.2	88	...	N E	2	b	6 a.	29.86	758.3	75	...	S	2	o
Manila,	4 p.	29.80	757	82	77	S	1	o	10 a.	29.88	759	86	78	S W	1	c
Legaspi,	2 p.	29.82	757.3	88	...	E	2	b	6 a.	29.86	758.5	77	...	...	0	b
Bacolod,	3 p.	...	...	...	...	S S E	2	o	9 a.	...	...	...	...	N N W	1	c
Iloilo,	,,	29.81	757.2	88	...	S W	1	o	,,	29.89	759.2	84	...	N N W	1	o
Cebu,	,,	29.80	756.9	88	...	N	1	b	,,	29.86	758.4	84	...	S E	1	c
Labuan,	,,	29.75	755.6	87	...	...	...	...	,,	29.80	756.9	83	...	...	...	...

On the 14th at 11.55 a.—The barometer has risen over the Yangtze Valley and at the Bonins, and fallen over Japan and Northern and Southern China.

Pressure is low over E. Manchuria, the Pacific to the S.E. of Japan and over the northern shores of the China. It is high over China to the North of the Yangtze, and over N.E. Japan.

Fresh to strong N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh or strong; squally, rainy.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 14th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th May, 1909, P.M.								15th May, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.82	757.3	43	...	S E	1	o	7 a.	29.79	756.6	47	87	...	0	b
Nemuro, ...	,,	30.08	764.1	...	...	S	6	...	6 a.	29.93	760.1	...	...	E	2	...
Hakodate, ...	,,	30.01	762.2	...	...	E	8	...	,,	29.93	760.2	...	...	E	2	...
Tokio, ...	,,	29.91	759.6	...	...	N	4	...	,,	29.95	760.6	...	...	N W	2	...
Kochi, ...	,,	29.91	759.8	...	...	S W	2	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki, ...	,,	29.95	760.8	...	...	S	2	...	,,	29.91	759.8	...	...	...	0	...
Kagoshima, ...	,,	29.92	759.9	...	...	N W	2	...	,,	29.92	759.9	...	...	...	0	...
Oshima, ...	,,	29.93	760.1	...	...	N E	4	...	,,	29.93	760.1	...	...	...	0	...
Naha, ...	,,	29.89	759.2	...	...	...	0	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima, ...	,,	29.89	759.3	...	...	S	6	...	,,	29.82	757.3	...	...	S E	8	...
Bonin Is.	,,	29.89	759.1	...	...	W	2	...	,,	30.01	762.1	...	...	...	0	...
Chefoo, ...	4 p.	30.01	762.2	60	60	N W	3	c	6 a.	...	...	57	69	S W	1	c
Weihaiwei, ...	,,	29.97	761.2	59	...	N W	2	b	9 a.	29.93	760.2	63	...	...	1	ovr
Hankow, ...	,,	30.19	766.8	67	95	N E	2	c	6 a.	30.15	765.8	55	100	N W	1	c
Kiukiang, ...	,,	30.05	763.2	65	100	N E	3	o	,,	30.06	763.5	60	82	N W	2	c
Shanghai, ...	,,	30.02	762.5	67	64	E	2	o	9 a.	29.99	761.7	64	68	S W	1	o
Gutzlaff, ...	,,	30.02	762.6	62	72	N E	3	ov	,,	30.00	762.0	61	77	...	0	ov
Sharp Peak, ...	,,	29.92	759.9	66	89	E N E	3	or	,,	29.86	758.4	65	89	E	2	o
Amoy, ...	,,	29.85	758.2	72	90	N E	1	or	6 a.	29.86	758.4	68	95	N E	1	or
Swatow, ...	,,	29.78	756.4	76	82	E	1	o	,,	29.84	757.9	67	100	E N E	1	or
Taihoku, ...	1 p.	29.87	758.6	...	...	N W	4	...	5 a.	29.86	758.4	...	...	E	6	...
Taichu, ...	,,	29.83	757.8	...	...	...	0	...	,,	29.81	757.1	...	...	N	4	...
Tainan, ...	,,	29.85	758.1	...	...	S W	6	...	,,	29.77	756.2	...	...	N	2	...
Koshun, ...	,,	29.84	758.0	...	...	E	6	...	,,	29.79	756.7	...	...	E	2	...
Pescadores, ...	,,	29.86	758.4	...	...	N	8	...	,,	29.80	757.0	...	...	N E	10	...
Canton, ...	3 p.	29.81	757.2	68	100	N	1	or	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	29.76	755.9	77	82	E	2	o	10 a.	29.94	760.5	70	83	E N E	1	od
Victoria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	N E	5	...
Gap Rock, ...	,,	29.76	755.9	...	...	E	3	...	,,	29.91	759.7	...	...	N N E	5	...
Macao, ...	,,	29.77	756.1	76	...	N W	1	o	,,	29.94	760.5	71	...	N N E	3	o
Wuchow, ...	3 p.	29.88	758.9	70	...	N E	1	od	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.82	757.4	73	97	N	4	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.71	754.7	82	...	E	5	c	8 a.	29.99	761.8	68	...	N W	3	o
Tourane, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Cape St. James, .	,,	29.72	755.0	90	...	S	3	c	,,	29.89	759.1	75	...	N W	3	or
Aparri, ...	2 p.	29.79	756.7	88	...	N E	2	b	6 a.	29.82	757.3	75	...	S	2	b
Manila, ...	4 p.	29.76	756	88	65	W	1	o	10 a.	29.84	758	86	71	...	0	c
Legaspi, ...	2 p.	29.82	757.5	88	...	E	2	b	6 a.	29.87	758.7	79	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	N N E	2	c	9 a.	...	...	...	...	N W	1	c
Iloilo, ...	,,	29.81	757.2	89	...	N N E	1	b	,,	29.89	759.2	86	...	N W	1	b
Cebu, ...	,,	29.79	756.6	88	...	N	2	b	,,	29.68	758.9	87	...	N	1	b
Labuan, ...	,,	29.70	754.4	86	...	...	...	...	,,	29.80	756.9	84	...	...	...	...

On the 15th at 11.50 a.—The barometer has risen moderately over S.W. China and Tongking, and fallen slightly over Formosa, the S. Loochoos and N. Luzon.

A depression formed over the N.E. part of the China Sea, is situated this morning to the South of Formosa. It is probably moving towards N.E.

An area of low pressure is shown over E. Manchuria, and the barometer has fallen moderately at the northern stations.

A high pressure area covers W. China.

Fresh to strong N. and N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, fresh; weather improving.
2.—Formosa Channel, ...	N.E. and N. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 15th May, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th May, 1909, P.M.								16th May, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.76	756.0	59	...	S W	1	c	7 a.	29.74	758.4	51	87	...	0	c
Nemuro,	,,	30.00	762.1	...	...	S	6	...	6 a.	29.93	760.1	...	...	S	6	...
Hakodate,	,,	29.89	759.2	...	...	S E	2	...	,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S	4	...	,,	29.75	755.6	...	...	S	4	...
Kochi,	,,	29.87	758.8	...	...	...	0	...	,,	29.52	749.8	...	...	W	2	...
Nagasaki,	,,	29.87	758.8	...	...	...	0	...	,,	29.80	756.8	...	...	N	4	...
Kagoshima,	,,	29.88	758.9	...	...	...	0	...	,,	29.76	755.9	...	...	N W	2	...
Oshima,	,,	29.81	757.1	...	...	S	2	...	,,	29.81	757.1	...	...	S	8	...
Naha,	,,	29.77	756.2	...	...	S	2	...	,,	29.85	758.2	...	...	N	8	...
Ishigakijima,	,,	29.78	756.3	...	...	S W	8	...	,,	29.93	760.3	...	...	N	6	...
Bonin Is.	,,	29.96	761.1	...	...	N	2	...	,,	29.93	760.1	...	...	S	4	...
Chefoo,	4 p.	29.89	759.2	67	50	E N E	1	o	6 a.	29.93	760.2	56	69	W	2	b
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	30.16	765.8	75	90	W	1	b	6 a.	30.10	764.5	60	100	S W	1	c
Kiukiang,	,,	29.99	761.7	71	49	W	4	b	,,	30.06	763.5	58	88	...	0	b
Shanghai,	,,	29.87	758.7	67	64	N W	2	ov	9 a.	30.06	763.5	68	65	N	2	c
Gutzlaff,	,,	29.94	759.7	64	68	S W	1	bv	,,	30.00	762.0	65	73	N E	2	c
Sharp Peak,	,,	29.90	759.4	66	89	E	3	c	,,	90.07	763.8	65	100	S E	0	c
Amoy,	,,	29.83	757.7	72	85	S E	1	c	6 a.	29.95	760.7	60	82	N E	1	o
Swatow,	,,	29.81	757.2	79	66	W	1	c	,,	29.95	760.7	63	90	E N E	1	c
Taihoku,	1 p.	29.89	759.1	...	...	E	6	...	6 a.	29.99	761.6	...	...	...	0	...
Taichu,	,,	29.79	756.7	...	...	N	6	...	,,	29.91	759.6	...	...	...	0	...
Tainan,	,,	29.77	756.2	...	...	N	8	...	,,	29.89	759.1	...	...	N	2	...
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.85	758.1	...	...	N E	8	...	,,	29.93	760.1	...	...	N E	8	...
Canton,	3 p.	29.89	759.2	69	91	N	1	c	9 a.	30.01	762.2	73	86	N	1	c
Hongkong,	4 p.	29.85	758.2	77	68	...	0	o	10 a.	30.00	762.0	73	76	E	2	o
Victoria Peak,	,,	...	...	...	...	N	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.84	757.9	...	...	N N E	3	...	,,	29.96	761.0	...	...	E N E	4	...
Macao,	,,	29.88	758.9	75	...	N	1	o	,,	29.99	761.7	74	...	N N E	2	o
Wuchow,	3 p.	29.95	760.7	76	...	N	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.89	759.2	73	95	N E	2	o	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.89	759.3	75	...	N	2	o	8 a.	29.96	761.0	63	...	E N E	3	or
Tourane,	,,	...	...	...	...	...	...	...	,,	29.94	760.4	75	...	N N W	3	c
Cape St. James,	,,	29.75	755.6	86	...	S W	2	c	,,	29.92	760.0	77	...	S E	1	or
Aparri,	2 p.	29.80	756.8	84	...	N	2	p	6 a.	29.88	758.8	77	...	S W	2	o
Manila,	4 p.	29.76	756	90	60	W	2	c	10 a.	29.88	759	83	65	N N W	1	o
Legaspi,	2 p.	29.81	757.1	90	...	E	4	b	6 a.	29.87	758.6	73	...	...	0	t
Bacolod,	3 p.	...	...	...	...	S E	2	ot	9 a.	...	...	...	...	W S W	1	o
Iloilo,	,,	29.81	757.2	89	...	S E	1	b	,,	29.93	760.2	85	...	N N E	1	b
Cebu,	,,	29.79	756.6	90	...	N	1	b	,,	29.91	759.7	85	...	S	1	c
Labuan,	,,	29.72	754.9	90	...	...	...	...	,,	...	...	...	...	...	...	...

On the 16th at 11.35 a.—The depression which was crossing the Eastern Sea yesterday evening, has reached Southern Japan.

Pressure has increased moderately to slightly over S. China, Formosa and N. Luzon. It remains high over Central China.

Moderate to fresh N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 16th May 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th May, 1909, P.M.								17th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.76	755.8	63	...	N	1	b	7 a.	29.74	755.3	51	60	...	0	b
Nemuro,	,,	29.93	760.1	...	...	E	6	...	6 a.	29.53	750.1	...	...	N E	10	...
Hakodate,	,,	29.69	754.2	...	...	...	0	...	,,	29.50	749.2	...	...	N	2	...
Tokio,	,,	29.35	745.6	...	...	S	4	...	,,	29.51	749.6	...	...	W	2	...
Kochi,	,,	29.64	752.8	...	...	N W	4	...	,,	29.91	759.8	...	...	...	0	...
Nagasaki,	,,	29.83	757.8	...	...	N	8	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	N	8	...	,,	29.96	760.9	...	...	N W	2	...
Oshima,	,,	29.89	759.1	...	...	N	8	...	,,	29.97	761.1	...	...	N	6	...
Naha,	,,	29.93	760.2	...	...	N	8	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	N	6	...	,,	29.97	761.3	...	...	N	2	...
Bonin Is.	,,	29.81	757.1	...	...	S	6	...	,,	29.85	758.1	...	...	N W	4	...
Chefoo,	4 p.	29.92	759.9	67	50	E	3	b	6 a.	29.85	758.2	65	58	N W	1	o
Weihaiwei,	,,	29.89	759.2	67	...	...	1	b	9 a.	29.95	760.7	75	...	...	1	o
Hankow,	,,	30.06	763.5	77	95	S	1	b	6 a.	30.07	763.8	64	94	N E	1	c
Kiukiang,	,,	30.02	762.5	77	46	W	1	c	,,	30.01	762.2	64	84	N E	1	o
Shanghai,	,,	30.00	762.0	74	43	N W	2	b	9 a.	30.02	762.5	69	56	S S E	2	o
Gutzlaff,	,,	30.02	762.5	68	69	N N E	1	cv	,,	30.04	763.0	63	62	S S E	2	cv
Sharp Peak,	,,	30.02	762.5	67	95	E	1	c	,,	30.07	763.8	65	95	N	1	o
Amoy,	,,	29.96	761.0	74	76	N E	1	c	6 a.	29.93	761.5	70	76	N E	1	o
Swatow,	,,	29.95	760.7	75	72	E	3	o	,,	29.93	760.2	63	79	N N E	1	b
Taihoku,	1 p.	30.01	762.2	...	...	N E	6	...	5 a.	29.97	761.2	...	...	E	6	...
Taichu,	,,	29.93	760.2	...	...	...	0	...	,,	29.97	761.1	...	...	...	0	...
Tainan,	,,	29.94	760.5	...	...	N W	2	...	,,	29.97	761.1	...	...	...	0	...
Koshun	,,	29.95	760.7	...	...	N E	6	...	,,	29.97	761.2	...	...	N E	4	...
Pescadores,	,,	29.96	761.0	...	...	N E	8	...	,,	29.96	760.9	...	...	N E	6	...
Canton,	3 p.	29.94	760.5	77	77	E S E	1	c	9 a.	30.00	762.0	73	90	...	0	o
Hongkong,	4 p.	29.92	759.9	74	71	E	4	o	10 a.	29.98	761.5	74	81	E	4	o
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E S E	5	...
Gap Rock,	,,	29.90	759.4	...	...	E	5	...	,,	29.94	760.5	...	...	E	5	...
Macao,	,,	29.94	760.5	74	...	E N E	1	o	,,	29.98	761.5	75	...	E S E	2	od
Wuchow,	3 p.	29.96	761.0	65	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	29.89	759.2	81	83	...	3	c	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.92	759.9	75	95	N	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.90	759.4	70	...	N N W	2	o	8 a.	29.99	761.6	68	...	N	2	o
Tourane,	,,	29.83	757.6	77	...	N W	2	c	,,	29.93	760.2	79	..	N W	2	c
Cape St. James,	,,	29.79	756.6	86	...	E S E	2	o	,,	29.91	759.7	84	...	E S E	1	o
Aparri,	2 p.	29.85	758.3	88	...	N	2	c	6 a.	29.89	759.2	79	...	N E	2	o
Manila,	4 p.	29.76	756	91	55	W	1	c	10 a.	29.88	759	83	72	S W	1	c
Legaspi,	2 p.	29.32	757.4	90	...	E	2	c	6 a.	29.36	758.4	79	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S E	1	ct	9 a.	...	...	...	...	...	0	c
Iloilo,	,,	29.85	758.2	86	...	S W	1	c	,,	29.93	760.2	83	...	S W	1	o
Cebu,	,,	29.85	758.2	84	...	S	1	o	,,	29.91	759.7	84	...	S	1	o
Labuan,	,,	29.74	755.4	88	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 17th at 11.25 a.—The depression, which has deepened considerably, has moved into the Pacific to the E. of Japan.

Pressure has increased quickly over W. Japan and the Loochoos. It is still high but has a tendency to give way over Central and Southern China.

Fresh N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; cloudy, misty.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 17th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th May, 1909, P.M.								18th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.41	747.1	...	...	N E	8	...	6 a.	29.34	745.1	...	...	N	4	...
Hakodate, ...	,,	29.57	751.2	...	...	N W	8	...	,,	29.58	751.2	...	...	N W	10	...
Tokio, ...	,,	29.63	752.6	...	...	N W	8	...	,,	29.87	758.6	...	...	N W	6	...
Kochi, ...	,,	29.87	758.8	...	...	S W	2	...	,,	29.99	761.8	...	...	W	2	...
Nagasaki, ...	,,	29.95	760.8	...	...	W	6	...	,,	30.03	762.8	...	...	...	0	...
Kagoshima, ...	,,	29.96	760.9	...	...	W	6	...	,,	30.04	762.9	...	...	...	0	...
Oshima, ...	,,	29.96	761.1	...	...	N	6	...	,,	30.01	762.1	...	...	S	2	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima, ...	,,	30.01	762.3	...	...	S E	6	...	,,	29.97	761.3	...	...	S E	4	...
Bonin Is.	,,	29.89	759.1	...	...	N W	2	...	,,	29.97	761.1	...	...	...	0	...
Chefoo, ...	4 p.	29.82	757.4	81	32	S W	4	o	6 a.	29.73	755.1	63	52	S W	6	c
Weihaiwei, ...	,,	29.80	756.9	73	...	...	1	o	9 a.	29.76	755.9	76	...	...	2	b
Hankow, ...	,,	30.00	762.0	77	90	S W	1	b	6 a.	30.01	762.2	64	100	S W	1	c
Kiukiang, ...	,,	29.94	760.5	75	60	S E	1	o	,,	29.94	760.5	64	89	...	0	b
Shanghai, ...	,,	29.91	759.7	71	57	S S E	2	o	9 a.	29.94	760.5	75	64	S	2	c
Gutzlaff, ...	,,	29.94	760.5	67	69	S E	4	ov	,,	29.96	761.0	67	89	S S E	2	om
Sharp Peak, ...	,,	29.98	761.5	67	100	...	0	c	,,	30.00	762.0	67	95	...	0	or
Amoy, ...	,,	29.93	760.2	74	76	S E	1	c	6 a.	29.94	760.5	71	85	...	0	o
Swatow, ...	,,	29.91	759.7	74	72	E	2	c	,,	29.92	759.9	70	85	N N E	1	c
Taihoku, ...	1 p.	29.97	761.3	...	...	E	4	...	5 a.	29.95	760.8	...	...	...	0	...
Taichu, ...	,,	29.94	760.6	...	...	...	0	...	,,	29.97	761.1	...	...	...	0	...
Tainan, ...	,,	29.95	760.8	...	...	N W	4	...	,,	29.93	760.3	...	...	N E	2	...
Koshun	,,	29.96	761.0	...	...	E	6	...	,,	29.94	760.5	...	...	E	4	...
Pescadores, ...	,,	29.92	760.0	...	...	N E	6	...	,,	29.94	760.5	...	...	N E	2	...
Canton, ...	3 p.	29.92	759.9	71	95	N	1	or	9 a.	29.96	761.0	71	100	...	0	or
Hongkong, ...	4 p.	29.90	759.4	74	83	E	3	o	10 a.	29.95	760.7	73	92	E	4	op
Victoria Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	6	...
Gap Rock, ...	,,	29.86	758.4	...	...	E	4	...	,,	29.91	759.7	...	...	E	4	...
Macao, ...	,,	29.89	759.2	75	...	E S E	2	o	,,	29.96	761.0	75	...	E N E	1	od
Wuchow, ...	3 p.	29.95	760.7	71	...	E	1	or	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.90	759.4	76	91	N	2	o	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.85	758.3	75	...	S E	2	o	8 a.	29.95	760.8	75	...	...	0	or
Tourane, ...	,,	29.82	757.4	79	...	N W	3	c	,,	29.93	760.3	81	...	N N E	1	c
Cape St. James, .	,,	29.78	756.4	86	...	E S E	2	c	,,	29.91	759.7	84	...	N	2	c
Aparri, ...	2 p.	29.84	758.0	88	...	N E	2	b	6 a.	29.88	759.0	77	...	S	2	c
Manila, ...	4 p.	29.80	757	82	85	...	0	d	10 a.	29.92	760	88	66	E S E	1	o
Legaspi, ...	2 p.	29.83	757.7	88	...	S W	2	o	6 a.	29.89	759.1	75	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	S S E	2	orlt	9 a.	...	...	...	...	N W	1	c
Iloilo, ...	,,	29.85	758.2	85	...	S W	3	o	,,	29.93	760.2	83	...	E N E	1	b
Cebu, ...	,,	29.82	757.4	86	...	S	1	c	,,	29.90	759.4	85	...	S	1	b
Labuan, ...	,,	29.76	755.9	89	...	...	...	...	,,	29.87	758.7	79	...	...	...	...

On the 18th at 12.05 p.—The depression is still shown over the Pacific off the coast of N.E. Japan.

Pressure has increased in S. Japan, and given way over China, particularly in the North.

A depression is moving Eastwards over Manchuria, and the highest pressure is now shown over the Eastern Sea.

Moderate E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate; squally, showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 18th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th May, 1909, P.M.								19th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.76	755.8	63	...	S	0	c	7 a.	29.76	755.8	45	92	N	0	o
Nemuro,	,,	29.34	745.1	...	...	N	6	...	6 a.	29.73	755.1	...	...	N	10	...
Hakodate,	,,	29.65	753.2	...	...	W	8	...	,,	29.89	759.2	...	...	W	6	...
Tokio,	,,	29.94	760.6	...	...	N W	2	...	,,	29.99	761.6	...	...	N W	2	...
Kochi,	,,	29.95	760.8	...	...	S	2	...	,,	29.95	760.8	...	...	S W	2	...
Nagasaki,	,,	29.99	761.8	...	...	S	6	...	,,	29.95	760.8	...	...	S	6	...
Kagoshima,	,,	30.00	761.9	...	...	S E	2	...	,,	29.96	760.9	...	...	...	0	...
Oshima,	,,	30.00	762.1	...	...	S	4	...	,,	29.93	760.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	...	0	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	4	...	,,	29.93	760.3	...	...	S	6	...
Bonin Is.	,,	29.96	761.1	...	...	N E	2	...	,,	30.04	763.1	...	...	N E	2	...
Chefoo,	4 p.	29.76	755.9	69	65	E	1	c	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.72	754.9	68	...	S E	1	b	9 a.	29.77	756.1	58	...	N W	2	b
Hankow,	,,	30.02	762.5	78	90	S W	0	o	6 a.	30.02	762.5	73	86	N	1	c
Kiukiang,	,,	29.90	759.4	80	62	N E	1	c	,,	29.94	760.5	69	90	...	0	c
Shanghai,	,,	29.86	758.4	80	48	S S E	2	c	9 a.	29.88	758.9	78	61	W S W	1	b
Gutzlaff,	,,	29.91	759.7	68	85	S S E	1	cm	,,	29.89	759.2	68	90	S	1	cm
Sharp Peak,	,,	29.93	760.2	68	100	...	0	or	,,	29.94	760.5	69	95	...	0	o
Amoy,	,,	29.91	759.7	73	81	S E	1	o	6 a.	29.89	759.2	73	86	...	0	o
Swatow,	,,	29.89	759.2	76	73	...	0	o	,,	29.91	759.7	72	95	...	0	o
Taihoku,	1 p.	29.94	760.5	...	...	N E	2	...	5 a.	29.92	759.9	...	...	...	0	...
Taichu,	,,	29.94	760.4	...	...	W	2	...	,,	29.93	760.1	...	...	...	0	...
Tainan,	,,	29.94	760.5	...	...	W	2	...	,,	29.93	760.1	...	...	N	2	...
Koshun	,,	29.93	760.2	...	...	E	4	...	,,	29.88	758.8	...	...	E	2	...
Pescadores,	,,	29.94	760.6	...	...	N E	6	...	,,	29.91	759.8	...	...	E	2	...
Canton,	3 p.	29.89	759.2	77	90	...	0	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.86	758.4	75	91	E	2	o	10 a.	29.94	760.5	80	81	E	1	o
Victoria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S S W	1	...
Gap Rock,	,,	29.87	758.7	...	...	E	3	...	,,	29.93	760.2	...	...	E	3	...
Macao,	,,	29.88	758.9	78	...	E	1	c	,,	29.95	760.7	78	...	...	0	c
Wuchow,	3 p.	29.89	759.2	77	...	W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	79	...	S S E	3	c	8 a.	29.94	760.4	77	...	S E	2	o
Tourane,	,,	29.84	758.0	81	...	S	1	c	,,	29.95	760.6	82	...	...	0	c
Cape St. James,	,,	29.80	756.9	88	...	S S E	2	c	,,	29.93	760.3	82	...	N W	1	c
Aparri,	2 p.	29.84	758.0	91	...	N E	2	c	6 a.	29.89	759.3	77	...	S W	2	b
Manila,	4 p.	29.80	757	90	66	W	2	o	10 a.	29.92	760	90	66	W N W	0	c
Legaspi,	2 p.	29.25	758.2	90	...	E	2	b	6 a.	29.91	759.7	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N W	1	o	9 a.	...	...	...	...	N N W	2	c
Iloilo,	,,	29.85	758.2	87	...	N N W	2	b	,,	29.95	760.7	85	...	N N E	1	b
Cebu,	,,	29.82	757.4	89	...	N	2	b	,,	29.92	759.9	86	...	N	2	b
Labuan,	,,	29.79	756.6	87	...	...	...	...	,,	29.83	758.9	84	...	...	...	...

On the 19th at 11.55 a.—The barometer has risen quickly in E. Japan, and fallen slightly at the stations around the Eastern Sea.

Pressure is relatively high over the Pacific in the neighbourhood of the Bonins, and over the Upper Yangtze Valley. It is low in N. Korea, and over the Pacific to the East of N. Japan.

Gradients are slight in the South, and light variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 19th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th May, 1909, P.M.								20th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.75	755.6	51	...	N W	1	o	7 a.	29.64	752.9	47	81	N	1	o
Nemuro,	,,	29.89	759.1	...	...	N	8	...	6 a.	30.04	763.1	...	...	S E	4	...
Hakodate,	,,	29.89	759.2	...	...	W	4	...	,,	29.81	757.2	...	...	S E	8	...
Tokio,	,,	29.91	759.6	...	...	S W	6	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	W	6	...	,,	29.80	756.8	...	...	S W	6	...
Kagoshima,	,,	29.92	759.9	...	...	S E	2	...	,,	29.80	756.9	...	...	N	2	...
Oshima,	,,	29.93	760.1	...	...	S	4	...	,,	29.81	757.1	...	...	N	6	...
Naha,	,,	29.89	759.2	...	...	S	2	...	,,	29.81	767.2	...	...	N W	2	...
Ishigakijima,	,,	29.93	760.3	...	...	N E	6	...	,,	29.86	758.3	...	...	N	2	...
Bonin Is.	,,	30.00	762.1	...	...	E	2	...	,,	29.93	760.1	...	...	S E	2	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	29.74	755.4	61	35	S W	3	b
Weihaiwei,	,,	29.78	756.4	61	...	N W	3	b	9 a.	29.68	753.9	77	...	N N W	4	b
Hankow,	,,	30.03	762.7	82	63	S E	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.80	756.9	86	39	W	1	c	9 a.	29.94	760.5	73	39	...	0	b
Gutzlaff,	,,	29.85	758.2	72	81	S W	2	b	,,	29.93	760.2	69	65	...	0	bm
Sharp Peak,	,,	29.86	758.4	71	100	...	0	c	,,	29.97	761.2	70	100	...	0	o
Amoy,	,,	29.84	757.9	76	90	S E	1	c	6 a.	29.87	758.7	74	90	N E	1	or
Swatow,	,,	29.84	757.9	82	83	E	1	b	,,	29.90	759.4	76	95	S E	1	c
Taihoku,	1 p.	29.87	758.8	...	...	N	6	...	5 a.	29.88	759.0	...	...	...	0	...
Taichu,	,,	29.85	758.2	...	...	W	4	...	,,	29.88	758.8	...	...	N	4	...
Tainan,	,,	29.90	759.5	...	...	W	2	...	,,	29.87	758.7	...	...	...	0	...
Koshun	,,	29.89	759.1	...	...	W	4	...	,,	29.86	758.4	...	...	...	0	...
Pescadores,	,,	29.94	760.4	...	...	N	2	...	,,	29.88	758.9	...	...	N	6	...
Canton,	3 p.	29.88	758.9	84	83	...	0	c	9 a.	29.90	759.4	77	95	...	0	or
Hongkong,	4 p.	29.82	757.4	78	88	E	2	c	10 a.	29.88	758.9	82	79	...	0	c
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	S S E	1	...
Gap Rock,	,,	29.81	757.2	...	...	E	2	...	,,	29.87	758.7	...	...	E	1	...
Macao,	,,	29.84	757.9	80	...	S S E	1	c	,,	29.90	759.4	82	...	S E	1	c
Wuchow,	3 p.	29.86	758.4	80	...	W	1	o	9 a.	29.89	759.2	76	95	E	1	or
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.83	757.9	87	96	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.79	756.6	79	...	S S E	3	c	8 a.	29.86	758.5	79	...	E	2	c
Tourane,	,,	29.83	757.7	81	...	E	1	c	,,	29.86	758.3	82	...	...	0	c
Cape St. James,	,,	29.77	756.1	84	...	S	1	c	,,	29.85	758.2	82	...	N W	1	c
Aparri,	2 p.	29.84	758.0	91	...	N	2	b	6 a.	29.87	758.7	77	...	W	2	b
Manila,	4 p.	29.80	757	91	67	S	0	c	10 a.	29.88	759	86	65	S W	1	b
Legaspi,	2 p.	29.86	758.5	88	...	E	2	c	6 a.	29.88	758.9	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	E S E	1	o	9 a.	...	...	...	...	N W	1	o
Iloilo,	,,	29.85	758.2	87	...	E S E	1	o	,,	29.91	759.7	84	...	..	0	o
Cebu,	,,	29.83	757.7	89	...	N	1	b	,,	29.86	758.4	87	...	N	1	c
Labuan,	,,	29.82	757.4	86	...	...	...	...	,,	29.81	757.2	83	...	...	...	...

On the 20th at 12.05 p.—The barometer has risen considerably over E. Hokkaido and a slight rise has taken place over the E. coast of China. It has fallen elsewhere, particularly over S. Japan and the Loochoos.

A depression is moving Eastwards in the Sea of Japan, and a second area of low pressure appears to be developing over the Pacific to the East of the Loochoos.

Moderate N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate; fair at first, thunder [showers later.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 20th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th May, 1909, P.M.								21st May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	51	...	N W	1	or	7 a.	29.62	752.4	43	96	N	1	o
Kemuro, ...	,,	30.04	763.1	...	...	S E	4	...	6 a.	29.89	759.1	...	...	S E	6	...
Hakodate, ...	,,	29.81	757.2	...	...	S E	6	...	,,	29.62	752.2	...	...	...	0	...
Tokio, ...	,,	29.75	755.6	...	...	S W	6	...	,,	29.71	754.6	...	...	...	0	...
Kochi, ...	,,	29.64	752.8	...	...	S	2	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki, ...	,,	29.80	756.8	...	...	W	8	...	,,	29.88	758.8	...	...	S	8	...
Kagoshima, ...	,,	29.76	755.9	...	...	N W	6	...	,,	29.88	758.9	...	...	S E	2	...
Oshima, ...	,,	29.85	758.1	...	...	N	6	...	,,	29.93	760.1	...	...	S	2	...
Naha, ...	,,	29.89	759.2	...	...	N	6	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima, ...	,,	29.89	759.3	...	...	...	0	...	,,	29.89	759.3	...	...	N E	6	...
Bonin Is.	,,	29.89	759.1	...	...	S	4	...	,,	29.85	758.1	...	...	S W	4	...
Chefoo, ...	4 p.	29.60	751.8	72	38	N W	4	o	6 a.	29.77	756.1	57	69	...	0	b
Weihaiwei, ...	,,	29.59	751.6	76	...	...	...	...	9 a.	29.83	757.7	63	...	S E	1	b
Hankow, ...	,,	29.98	761.5	81	89	S E	1	c	6 a.	29.95	760.7	79	95	E S E	1	c
Kiukiang, ...	,,	29.91	759.7	81	96	N W	1	o	,,	29.88	758.9	70	76	...	0	o
Shanghai, ...	,,	29.87	758.7	82	26	N W	1	...	9 a.	29.86	758.4	75	48	S W	1	c
Gutzlaff, ...	,,	29.91	759.7	71	57	S W	1	cm	,,	29.86	758.4	69	75	S	2	cm
Sharp Peak, ...	,,	29.90	759.4	71	100	...	0	o	,,	29.94	760.5	68	95	...	0	or
Amoy, ...	,,	29.88	758.9	74	86	N E	1	o	6 a.	29.89	759.2	71	85	S E	1	o
Swatow, ...	,,	29.84	757.9	72	95	E	1	or	,,	29.81	757.2	68	90	E N E	1	o
Taihoku, ...	1 p.	29.94	760.5	...	...	S	4	...	5 a.	29.86	758.3	...	...	E	4	...
Taichu, ...	,,	29.87	758.6	...	...	N	2	...	,,	29.86	758.4	...	...	...	0	...
Tainan, ...	,,	29.87	758.6	...	...	W	4	...	,,	29.86	758.5	...	...	...	0	...
Koshun	,,	29.88	758.9	...	...	E	6	...	,,	29.86	758.4	...	...	E	4	...
Pescadores, ...	,,	29.87	758.7	...	...	N E	8	...	,,	29.86	758.4	...	...	N E	4	...
Canton, ...	3 p.	29.79	756.6	81	90	...	0	o	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	29.77	756.1	82	74	S E	2	c	10 a.	29.86	758.4	74	92	E	3	o
Victoria Peak, ...	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	S E	2	...
Gap Rock, ...	,,	29.80	756.9	...	...	E S E	2	...	,,	29.82	757.4	...	...	N E	3	...
Macao, ...	,,	29.77	756.1	83	...	S E	1	c	,,	29.85	758.2	77	...	N E	2	op
Wuchow, ...	3 p.	29.81	757.2	79	...	W	1	d	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.81	757.2	77	86	S	1	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.70	754.5	82	...	S S E	5	c	8 a.	29.77	756.2	81	...	S E	3	o
Tourane, ...	,,	29.73	755.2	82	...	E S E	1	b	,,	29.78	756.3	86	..	E	1	b
Cape St. James, .	,,	29.77	756.1	86	...	S	2	lt	,,	29.82	757.5	84	...	W N W	1	c
Aparri, ...	2 p.	29.83	757.7	88	...	N E	2	b	6 a.	29.85	758.2	77	...	S	2	b
Manila, ...	4 p.	29.76	756	93	46	S E	2	b	10 a.	29.84	758	90	65	E	1	b
Legaspi, ...	2 p.	29.83	757.6	90	...	E	2	b	6 a.	29.87	758.7	79	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	E S E	2	o	9 a.	...	...	...	...	E S E	3	c
Iloilo, ...	,,	29.81	757.2	88	...	E	1	c	,,	29.89	759.2	86	...	E S E	2	c
Cebu, ...	,,	29.80	756.9	88	...	N	1	b	,,	29.89	759.2	86	...	N	1	c
Labuan, ...	,,	29.73	755.1	87	...	...	...	...	,,	29.83	757.7	83	...	...	...	...

On the 21st at 11.45 a.—The depression, which continues to advance Eastwards over the Sea of Japan, is approaching Hokkaido.

Pressure has increased moderately over S.W. Japan and the Loochoos, and given way slightly to moderately over S. China, Tongking and Annam.

It is highest over the Pacific in the neighbourhood of the Loochoos, and relatively low over the N.W. part of the China Sea.

Moderate E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, moderate; squally, showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 21st May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st MAY, 1909, P.M.								22nd MAY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.67	753.6	62	...	N	1	o	7 a.	29.71	754.5	44	99	S	1	f
Nemuro,	,,	29.77	756.1	...	...	E	10	...	6 a.	29.41	747.1	...	...	N	8	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.62	752.2	...	...	W	2	...
Tokio,	,,	29.59	756.1	...	...	S W	4	...	,,	29.71	754.6	...	...	N W	4	...
Kochi,	,,	29.76	755.8	...	...	S E	4	...	,,	29.88	758.8	...	...	S W	2	...
Nagasaki,	,,	29.87	758.8	...	...	W	6	...	,,	29.95	760.8	...	...	...	0	...
Kagoshima,	,,	29.88	758.9	...	...	N W	6	...	,,	29.96	760.9	...	...	...	0	...
Oshima,	,,	29.96	761.1	...	...	...	0	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.82	757.3	...	...	S	8	...
Bonin Is.	,,	29.89	759.1	...	...	N E	2	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,	4 p.	29.84	757.9	66	68	E	2	b	6 a.	29.91	759.7	54	94	N E	1	b
Weihaiwei,	,,	29.73	755.1	63	...	S E	1	b	9 a.	29.89	759.2	69	...	S E	1	b
Hankow,	,,	29.98	761.5	77	95	S W	1	o	6 a.	30.02	762.5	66	100	N W	1	c
Kiukiang,	,,	29.90	759.4	76	64	W	1	o	,,	29.93	760.2	67	84	...	0	o
Shanghai,	,,	29.80	756.9	80	44	E	1	c	9 a.	29.91	759.7	76	64	S S E	1	om
Gutzlaff,	,,	29.86	758.4	71	80	S S E	1	cm	,,	29.92	759.9	70	85	S	1	cm
Sharp Peak,	,,	29.91	759.7	69	95	...	0	or	,,	29.97	761.2	67	89	N E	2	or
Amoy,	,,	29.86	758.4	72	95	N E	1	or	6 a.	29.86	758.4	71	90	...	0	or
Swatow,	,,	29.83	757.7	72	90	...	0	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.88	758.9	...	...	E	4	...	5 a.	29.78	756.3	...	...	...	0	...
Taichu,	,,	29.86	758.5	...	...	N	2	...	,,	29.84	758.0	...	...	...	0	...
Tainan,	,,	29.87	758.8	...	...	S	4	...	,,	29.85	758.2	...	...	S E	2	...
Koshun	,,	29.86	758.4	...	...	E	6	...	,,	29.86	758.5	...	...	...	0	...
Pescadores,	,,	29.88	758.9	...	...	N	6	...	,,	29.84	758.0	...	...	S W	6	...
Canton,	3 p.	29.80	756.9	82	91	...	0	o	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.79	756.6	74	95	E	3	od	10 a.	29.88	758.9	76	95	E	1	o
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	S	2	...
Gap Rock,	,,	29.75	755.6	...	...	E	3	...	,,	29.87	758.7	...	...	S S W	1	...
Macao,	,,	29.78	756.4	77	...	S E	2	c	,,	29.89	759.2	75	...	S S E	2	od
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.5	81	...	S E	4	c	8 a.	29.86	758.5	72	...	N E	6	lt
Tourane,	,,	29.70	754.3	82	...	S E	2	b	,,	29.74	755.3	88	...	...	0	b
Cape St. James,	,,	29.74	755.4	86	...	S	3	o	,,	29.85	758.2	82	...	N W	1	c
Aparri,	2 p.	29.80	756.9	90	...	N E	2	b	6 a.	29.87	758.6	79	...	S	2	b
Manila,	4 p.	29.76	756	93	81	S E	1	b	10 a.	29.83	759	90	60	E S E	1	b
Legaspi,	2 p.	29.83	757.7	90	...	E	2	b	6 a.	29.91	759.6	81	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N N W	2	c
Iloilo,	,,	29.81	757.2	88	...	S W	1	b	,,	29.91	759.7	83	...	N N W	1	b
Cebu,	,,	29.80	756.9	88	...	N	1	c	,,	29.89	759.2	86	...	N	2	c
Labuan,	,,	29.74	755.4	87	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

On the 22nd at 11.50 a.—The depression lying over the Sea of Japan yesterday, has moved into the Pacific to the East of Hokkaido.

The barometer has fallen slightly over N. Formosa and the Southern Loochoos a shallow depression having formed over the S. part of the Eastern Sea.

Pressure has increased slightly to moderately over S. Japan, China and Tongking. It is relatively high over the Upper Yangtze Valley, and over the Pacific between S.W. Japan and the Bonins.

Moderate variable winds and squally weather may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, moderate; squally, thunder showers.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 22nd May, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd May, 1909, P.M.								23rd May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.72	754.8	50	...	S	2	c	7 a.	29.76	755.8	46	99	S	1	o
Nemuro,	,,	29.41	747.1	...	...	N W	8	...	6 a.	29.69	754.1	...	...	N W	8	...
Hakodate,	,,	29.61	752.2	...	...	N W	8	...	,,	29.89	759.2	...	...	W	6	...
Tokio,	,,	29.79	756.6	...	...	N	6	...	,,	30.02	762.6	...	...	...	0	...
Kochi,	,,	29.91	759.8	...	...	S W	2	...	,,	30.03	762.8	...	...	S W	2	...
Nagasaki,	,,	29.95	760.8	...	...	W	2	...	,,	30.03	762.8	...	...	...	0	...
Kagoshima,	,,	29.96	760.9	...	...	W	2	...	,,	30.04	762.9	...	...	...	0	...
[illegible]jima,	,,	30.00	762.1	...	...	...	0	...	,,	30.04	763.1	...	...	S	2	...
[illegible]ha,	,,	29.89	759.2	...	...	N E	8	...	,,	29.93	760.2	...	...	E	4	...
[illegible]igakijima,	,,	29.82	757.3	...	...	S E	4	...	,,	29.89	759.3	...	...	N E	2	...
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	29.83	757.7	85	29	S	2	b	6 a.	29.86	758.4	60	65	W	1	b
Weihaiwei,	,,	29.84	757.9	77	...	S S W	...	b	9 a.	29.81	757.2	64	...	S E	1	o
Hankow,	,,	30.03	762.7	84	96	S E	1	b	6 a.	30.03	762.7	70	100	...	0	c
Kiukiang,	,,	29.96	761.0	86	42	...	0	b	,,	29.99	761.7	63	85	...	0	b
Shanghai,	,,	29.90	759.4	82	49	S S E	3	b	9 a.	29.98	761.5	76	45	S	3	b
Gutzlaff,	,,	29.93	760.2	71	71	S	3	cv	,,	29.93	761.5	68	79	S	3	bv
Sharp Peak,	,,	30.00	762.0	67	95	...	0	or	,,	30.03	762.7	67	100	...	0	b
Amoy,	,,	29.91	759.7	70	90	N E	2	o	6 a.	29.93	760.2	70	85	N E	1	o
Swatow,	,,	29.87	758.7	72	90	E	2	or	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.93	760.3	...	...	E	4	...	6 a.	29.95	760.7	...	...	...	0	...
Taichu,	,,	29.92	760.0	...	...	E	2	...	,,	29.97	761.2	...	...	...	0	...
Tainan,	,,	29.92	759.9	...	...	S	2	...	,,	29.93	760.2	...	...	N	2	...
Koshun	,,	29.88	759.0	...	...	N	6	...	,,	29.92	760.0	...	...	E	2	...
Pescadores,	,,	29.92	759.9	...	...	N	8	...	,,	29.94	760.4	...	...	N E	4	...
Canton,	3 p.	29.89	759.2	77	100	N	1	or	9 a.	30.01	762.2	77	95	N N E	1	o
Hongkong,	4 p.	29.84	757.9	76	90	W	1	o	10 a.	29.96	761.0	73	96	E	3	or
Victoria Peak,	,,	...	...	...	...	W	3	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.84	757.9	...	...	W S W	3	...	,,	29.93	760.2	...	...	E	3	...
Macao,	,,	29.85	758.2	78	...	S W	1	o	,,	29.96	761.0	75	...	S S E	2	od
Wuchow,	3 p.	29.89	759.2	78	...	W	1	or	9 a.	...	...	...	...	...	...	...
Hoihow,		...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,		...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	4 p.	29.84	758.0	77	...	N N W	4	c	8 a.	29.95	760.8	77	...	N W	3	c
Tourane,	,,	29.77	756.2	82	...	E N E	1	b	,,	29.91	759.6	81	..	N W	2	c
Cape St. James,	,,	29.81	757.1	77	...	S W	5	o	,,	29.92	759.9	82	...	S W	3	c
Aparri,	2 p.	29.85	758.2	93	...	N E	2	b	6 a.	29.93	760.3	77	...	S	2	b
Manila,	4 p.	29.80	757	91	49	...	0	c	10 a.	29.92	760	90	66	E	1	b
Legaspi,	2 p.	29.31	757.2	88	...	E	2	b	6 a.	29.95	760.7	82	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N W	3	c	9 a.	...	...	...	...	N W	1	c
Iloilo,	,,	29.85	758.2	88	...	N N E	1	b	,,	29.97	761.2	84	...	...	0	b
Cebu,	,,	29.83	757.7	89	...	N	1	b	,,	29.95	760.7	88	...	N	2	b
Labuan,	,,	29.77	756.6	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 23rd at 11.45 a.—The barometer has risen generally except on the N.E. coast of China, where it has fallen slightly.

The depression lying off the N.E. coast of Japan yesterday, has moved away over the Pacific.

A band of high pressure lies over S. China, the Eastern Sea and the Pacific to the South of Japan. Pressure is relatively low over Manchuria and over the middle part of the China Sea.

Moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, moderate; showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 23rd May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd May, 1909, P.M.								24th May, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		W
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.72	754.9	51	...	S	2	o	7 a.	29.74	755.3	43	99	W	3	o
Nemuro, ...	,,	29.77	756.1	...	...	W	8	...	6 a.	30.01	762.1	...	...	E	2	.
Hakodate, ...	,,	29.89	759.2	...	...	W	8	...	,,	29.93	760.2	...	...	...	0	.
Tokio, ...	,,	29.98	761.6	...	...	S	6	...	,,	30.02	762.6	...	...	S W	4	.
Kochi, ...	,,	29.99	716.8	...	...	E	4	...	,,	30.03	762.8	...	...	S W	2	.
Nagasaki, ...	,,	30.03	762.8	...	...	W	6	...	,,	29.99	761.8	...	...	S E	2	.
Kagoshima, ...	,,	30.00	761.9	...	...	...	...	...	,,	30.04	762.9	...	...	...	0	.
Oshima, ...	,,	30.00	762.1	...	...	S E	4	...	,,	29.97	761.1	...	...	S E	2	.
Naha, ...	,,	29.93	760.2	...	...	E	6	...	,,	29.89	759.2	...	...	E	2	.
Ishigakijima, ...	,,	29.93	760.3	...	...	N E	6	...	,,	29.86	758.3	...	...	N E	2	.
Bonin Is.	,,	30.00	762.1	...	...	N	2	...	,,	30.01	762.1	...	...	E	4	.
Chefoo, ...	4 p.	29.76	755.9	74	40	S S E	1	b	6 a.	29.53	750.0	68	59	N W	2	b
Weihaiwei, ...	,,	29.75	755.6	69	...	N N W	1	b	9 a.	29.60	751.8	70	...	N N W	1	b
Hankow, ...	,,	29.94	760.5	87	91	E N E	1	b	6 a.	39.89	759.2	72	95	S E	1	c
Kiukiang, ...	,,	29.87	758.7	87	45	S W	2	b	,,	29.97	761.2	69	90	E	1	b
Shanghai, ...	,,	29.91	759.7	83	36	S	2	b	9 a.	29.83	757.7	75	68	S S E	3	b
Gutzlaff, ...	,,	29.94	760.5	71	80	S S E	3	cv	,,	29.85	758.2	67	90	S S E	3	f
Sharp Peak, ...	,,	29.96	761.0	68	90	N E	2	c	,,	29.92	759.9	69	100	...	0	o
Amoy, ...	,,	29.96	761.0	72	85	N E	1	or	6 a.	29.90	759.4	70	95	...	0	o
Swatow, ...	,,	29.93	760.2	70	95	N E	2	or	,,	29.89	759.2	69	95	N E	1	o
Taihoku, ...	1 p.	29.96	761.0	...	...	E	2	...	5 a.	29.90	759.5	...	...	...	0	..
Taichu, ...	,,	29.94	760.6	...	...	...	0	...	,,	29.90	759.5	...	...	...	0	..
Tainan, ...	,,	29.94	760.5	...	...	N	4	...	,,	29.91	759.7	...	...	...	0	4
Koshun.....	,,	29.93	760.3	...	...	S	4	...	,,	29.90	759.5	...	...	N	2	..
Pescadores, ...	,,	29.95	760.8	...	...	N E	6	...	,,	29.90	759.5	...	...	N E	2	..
Canton, ...	3 p.	29.93	760.2	78	95	...	0	o	9 a.	29.88	758.9	76	100	...	0	o
Hongkong, ...	4 p.	29.90	759.4	73	95	E	3	od	10 a.	29.88	758.9	74	97	E	2	o
Victoria Peak, ...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	...	...	..
Gap Rock, ...	,,	29.87	758.7	...	...	E	3	...	,,	29.85	758.2	...	...	N N W	2	..
Macao, ...	,,	29.84	757.9	75	...	E S E	2	od	,,	29.87	758.7	76	...	S E	2	o
Wuchow, ...	3 p.	29.87	758.7	80	78	E	1	o	9 a.	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi, ...	,,	29.87	758.7	84	75	...	1	b	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	29.83	757.7	81	...	W	2	c	8 a.	29.86	758.8	79	...	S	3	
Tourane, ...	,,	29.82	757.4	81	...	N W	4	c	,,	29.90	759.4	79	...	...	0	c
Cape St. James, .	,,	29.86	758.5	79	...	N W	2	or	,,	29.91	759.7	84	...	N W	1	c
Aparri, ...	2 p.	29.87	758.7	91	...	N E	2	b	6 a.	29.90	759.5	79	...	S	2	o
Manila, ...	4 p.	29.84	758	90	60	S E	1	b	10 a.	29.92	760	86	71	W N W	1	c
Legaspi, ...	2 p.	29.89	759.2	90	...	S E	4	b	6 a.	29.91	759.8	79	...	...	0	c
Bacolod, ...	3 p.	...	...	...	...	E S E	2	e	9 a.	...	...	...	...	N N W	1	c
Iloilo, ...	,,	29.87	758.7	88	...	E S E	1	c	,,	29.95	760.7	85	...	E N E	1	b
Cebu, ...	,,	29.85	758.2	89	...	N	2	b	,,	29.83	758.9	87	...	S E	1	c
Labuan, ...	,,	29.75	755.6	83	...	...	...	...	,,	29.86	758.4	84	...	...	...	..

On the 24th at 12.05 p.—The barometer has risen in N.E. Japan, and fallen over China, particularly in the North.

A depression is moving Eastwards over the North part of the Yellow Sea, and the highest pressure lies over the Pacific to the S.E. of Japan.

Light or moderate variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Variable winds, light or moderate; thunder showers
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 24th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th May, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th May, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,...	2 p.	29.67	753.7	45	...	W	1	o	7 a.	29.65	753.1	42	99	S W	1	o
...,.....	,,	30.04	763.1	...	...	S	4	...	6 a.	30.12	765.1	...	...	S E	4	...
...ite,.....	,,	29.89	759.2	...	...	S	6	...	,,	29.97	761.2	...	...	E	2	...
...,.....	,,	29.94	760.6	...	...	S	6	...	,,	29.99	761.6	...	...	...	0	...
...,.....	,,	29.99	761.8	...	...	S E	4	...	,,	29.95	760.8	...	...	...	0	...
...ki, ...	,,	29.95	760.8	...	...	W	6	...	,,	29.84	757.8	...	...	S E	6	...
...ima, ...	,,	29.96	760.9	...	...	S E	2	...	,,	29.83	756.9	...	...	E	4	...
...a,.....	,,	29.93	760.1	...	...	S E	2	...	,,	29.77	756.1	...	...	...	0	...
...,.....	,,	29.93	760.2	...	...	...	0	...	,,	29.81	757.2	...	...	S	2	...
...kijima,....	,,	29.85	758.3	...	...	S	2	...	,,	29.78	756.3	...	...	N	2	...
...a Is.....	,,	29.96	761.1	...	...	E	2	...	,,	29.97	761.1	...	...	...	0	...
...,.....	4 p.	...	...	...	...	...	...	...	6 a.	29.83	757.7	54	74	...	0	b
...wei,.....	,,	29.75	755.6	...	...	N N W	1	o	9 a.	29.90	759.4	61	...	N N W	1	b
...w, ...	,,	29.77	756.1	87	96	S	1	b	6 a.	29.89	759.2	76	90	N	2	c
...ng,.....	,,	...	...	...	...	...	...	...	,,	29.86	758.4	73	86	...	2	c
...hai, ...	,,	29.74	755.4	80	55	S S E	2	b	9 a.	29.74	755.4	72	95	N E	2	om
...ff, ...	,,	29.77	756.1	71	85	S S E	4	bm	,,	29.72	754.9	72	90	...	0	ov
... Peak,.....	,,	29.86	758.4	69	95	...	0	or	,,	29.79	756.6	71	100	...	0	b
...,.....	,,	29.85	758.2	73	90	...	0	o	6 a.	29.81	757.2	72	95	...	0	o
...w, ...	,,	29.80	756.9	65	73	...	0	o	,,	...	...	...	...	...	...	...
...ku,.....	1 p.	29.86	758.4	...	...	N W	2	...	5 a.	29.79	756.7	...	...	...	0	...
...n, ...	,,	29.86	758.5	...	...	W	2	...	,,	29.82	757.3	...	...	...	0	...
...,.....	,,	29.90	759.5	...	...	E	2	...	,,	29.83	757.6	...	...	S E	2	...
...k.....	,,	29.89	759.3	...	...	N	2	...	,,	29.82	757.5	...	...	...	0	...
...ores, ...	,,	29.88	759.0	...	...	S E	6	...	,,	29.82	757.5	...	...	S	6	...
...,.....	3 p.	29.78	756.4	81	96	...	0	b	9 a.	29.84	757.9	77	100	...	o	or
...ong, ...	4 p.	29.78	756.4	76	95	E	2	o	10 a.	29.81	757.2	80	89	...	0	o
...a Peak,...	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	S S E	3	...
...ock,.....	,,	29.76	755.9	...	...	E S E	3	...	,,	29.81	757.2	...	...	S	3	...
...,.....	,,	29.77	756.1	79	...	S E	1	c	,,	29.82	757.4	79	...	S W	2	od
...w,.....	3 p.	29.78	756.4	82	...	W	1	o	9 a.	...	...	...	...	...	...	...
...,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...,.....	4 p.	29.71	754.7	82	...	S S E	4	b	8 a.	29.77	756.2	79	...	E	2	or
...s, ...	,,	29.74	755.4	82	...	S E	1	c	,,	29.79	756.7	84	..	...	0	c
...t. James,.	,,	29.81	757.2	84	...	S W	4	c	,,	29.87	758.7	81	...	W N W	2	o
...,.....	2 p.	29.83	757.6	90	...	N E	2	c	6 a.	29.85	758.1	79	...	S	2	o
...,.....	4 p.	29.76	756	93	51	...	0	ct	10 a.	29.84	758	90	71	S E	2	o
...,.....	2 p.	29.83	757.8	90	...	E	2	b	6 a.	29.87	758.7	81	...	...	0	b
...d,.....	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N N W	1	c
...,.....	,,	29.83	757.7	89	...	S W	2	b	,,	29.91	759.7	85	...	E	1	b
...,.....	,,	29.81	757.2	89	...	N	2	b	,,	29.89	759.2	87	...	N	1	b
...,.....	,,	29.77	756.1	89	...	...	...	...	,,	29.84	757.9	85	...	...	...	...

On the 25th at 12.05 p.—The barometer has risen considerably on the N.E. coast of China the depression, lying the N. part of the Yellow Sea yesterday, having moved away towards N.E.

Pressure has given away moderately over S. China, W. Japan and the Loochoos another depression formed over Yangtze Valley, having reached the E. coast of China to the South of Shanghai.

Pressure is high over the Pacific to the E. of Japan.

Fresh S.W. and variable winds with squally weather may be expected in the Formosa Channel and along the ...ern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	S.W. and variable winds, fresh; squally, thunderstorms.
...rmosa Channel, ...	Same as No. 1.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 25th May, 1909.

...inted by Noronha & Co., Government P.inters.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th MAY, 1909, P.M.								26th MAY, 1909 A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.66	753.3	43	...	S	2	o	7 a.	29.69	754.0	39	99	...	0
Nemuro,	,,	30.08	764.1	...	...	S E	2	...	6 a.	30.08	764.1	...	...	S E	2
Hakodate,	,,	29.93	760.2	...	...	S E	4	...	,,	29.81	757.2	...	...	...	0
Tokio,	,,	29.94	760.6	...	...	S	8	...	,,	29.67	753.6	...	...	S E	4
Kochi,	,,	29.87	758.8	...	...	S E	6	...	,,	29.56	750.8	...	...	...	0
Nagasaki,	,,	29.76	755.8	...	...	N	2	...	,,	29.68	753.8	...	...	E	2
Kagoshima,	,,	29.76	755.9	...	...	E	6	...	,,	29.64	752.9	...	...	W	2
Oshima,	,,	29.73	755.1	...	...	N W	2	...	,,	29.69	754.1	...	...	N W	2
Naha,	,,	29.77	756.2	...	...	S W	4	...	,,	29.73	755.2	...	...	N	2
Ishigakijima,	,,	29.78	756.3	...	...	S	4	...	,,	29.74	755.3	...	...	N E	2
Bonin Is.	,,	29.96	761.1	...	...	S	2	...	,,	29.97	761.1	...	...	S	2
Chefoo,	4 p.	29.86	758.4	65	40	N N W	2	b	6 a.	29.75	755.6	56	45	...	0
Weihaiwei,	,,	29.84	757.9	65	...	N N E	1	b	9 a.	29.76	755.9	60	...	N N W	2
Hankow,	,,	29.99	761.7	82	96	N E	1	c	6 a.	30.08	764.0	64	95	N E	2
Kiukiang,	,,	29.85	758.2	79	47	N E	3	c	,,	29.96	761.0	63	67	N E	1
Shanghai,	,,	29.78	756.4	69	80	N	2	o	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.74	755.4	68	90	N N E	2	om	,,	29.90	759.4	67	59	N N E	2
Sharp Peak,	,,	29.73	755.1	74	95	S	1	c	,,	29.91	759.6	70	99	E N E	2
Amoy,	,,	29.71	754.6	76	95	S E	1	or	6 a.	29.81	757.2	73	90	...	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.76	756.0	...	...	W	6	...	5 a.	29.81	757.1	...	...	S	2
Taichu,	,,	29.84	757.9	...	...	E	2	...	,,	29.76	756.0	...	...	W	2
Tainan,	,,	29.82	757.3	...	...	...	0	...	,,	29.79	756.6	...	...	N E	2
Koshun,	,,	29.80	756.8	...	...	N W	6	...	,,	29.79	756.6	...	...	...	0
Pescadores,	,,	29.81	757.1	...	...	S	2	...	,,	29.78	756.4	...	...	N	6
Canton,	3 p.	29.73	755.1	79	100	...	0	or	9 a.	29.92	759.9	73	100	N	1
Hongkong,	4 p.	29.72	754.9	81	83	N W	1	o	10 a.	29.86	758.4	74	77	N N E	2
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	N E	4
Gap Rock,	,,	29.69	754.1	...	...	S S W	2	...	,,	29.83	757.7	...	...	N E	4
Macao,	,,	29.72	7549	81	...	S E	2	cd	,,	29.88	758.9	74	...	N	1
Wuchow,	3 p.	29.70	754.4	85	...	N W	1	c	9 a.	29.94	760.5	73	...	E	1
Hoihow,	,,	29.68	753.9	88	91	S W	2	c	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.64	752.8	81	...	S S E	5	lt	8 a.	29.87	758.7	73	...	W N W	4
Tourane,	,,	29.69	754.0	84	...	...	0	c	,,	29.80	756.3	84	..	...	0
Cape St. James,	,,	29.75	755.7	86	...	S W	1	c	,,	29.86	758.3	81	...	S W	2
Aparri,	2 p.	29.76	756.0	90	...	S	2	o	6 a.	29.81	757.1	75	...	S	2
Manila,	4 p.	29.76	756	90	66	W S W	1	o	10 a.	29.84	758	86	71	W S W	0
Legaspi,	2 p.	29.68	756.5	91	...	E	2	b	6 a.	29.88	758.8	79	...	...	0
Bacolod,	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	W N W	2
Iloilo,	,,	29.83	757.7	86	...	S W	1	r	,,	29.91	759.7	84	...	W S W	1
Cebu,	,,	29.79	756.6	88	...	S	1	b	,,	29.89	759.2	83	...	S	2
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	29.81	757.2	85	...	...	...

On the 26th at 11.45 a.—The barometer has fallen quickly in Japan, the depression lying over the Eastern yesterday, having reached the neighbourhood of the Kii Channel.

Pressure has increased considerably to moderately over the Yangtze Valley and S. China respectively. It is high over the former area.

Fresh N. to N.E. winds may be expected in the Formosa Channel and along the northern shores of the C Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 26th May, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	26TH MAY, 1909, P.M.								27TH MAY, 1909, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	29.64	752.8	53	...	...	...	c	7 a.	29.32	744.3	45	96	S W	0	o
o, ...	,,	30.00	762.1	...	...	E	6	...	6 a.	29.53	750.1	...	...	[illegible]	[illegible]	...
ate, ...	,,	29.69	754.2	...	...	E	8	...	,,	29.59	749.2	...	...	S W	4	...
.....	,,	29.47	748.6	...	...	S	8	...	,,	29.47	748.6	...	...	S	8	...
.....	,,	29.6[illegible]	751.5	...	...	...	[illegible]	...	,,	29.72	754.8	...	...	W	2	...
aki, ...	,,	29.68	753.[illegible]	...	...	N W	4	...	,,	29.80	756.8	...	...	W	8	...
shima, ...	,,	29.68	753.9	...	...	W	4	...	,,	29.84	757.9	...	...	N	2	...
a, ...	,,	29.73	75[illegible]	...	...	N	2	...	,,	29.89	759.1	...	...	N	6	...
.....	,,	29.77	756.2	...	...	N	6	...	,,	29.89	759.2	...	...	N	[illegible]	...
kijima, ...	,,	29.82	757.3	...	...	N	[illegible]	...	,,	29.89	759.3	...	...	N	2	...
Is.	,,	29.93	760.1	...	...	S W	4	...	,,	29.93	760.1	...	...	S	2	...
o, ...	4 p.	29.78	75[illegible].4	59	70	S S W	4	b	6 a.	29.67	753.6	57	53	S W	1	b
iwei, ...	,,	29.84	757.9	65	...	N W	1	b	9 a.	29.62	752.3	65	...	N W	3	b
ow, ...	,,	30.05	763.2	77	91	S E	1	b	6 a.	30.03	762.7	63	95	S	1	c
ang, ...	,,	29.97	761.2	78	26	N W	1	b	,,	...	...	...	...	...	...	...
hai, ...	,,	29.85	758.2	75	19	W	[illegible]	c	9 a.	...	...	...	...	...	...	...
aff, ...	,,	29.89	759.2	68	47	W	1	cv	,,	29.87	758.7	68	60	W S W	3	bm
Peak, ...	,,	29.91	759.7	71	95	S	1	c	,,	29.97	761.2	71	95	N E	1	b
.....	,,	29.87	758.7	73	86	N E	1	o	6 a.	29.92	759.9	70	90	...	0	c
w, ...	,,	29.85	758.2	72	90	E N E	2	or	,,	...	...	...	...	...	...	...
ku, ...	1 p.	29.91	759.8	...	...	S E	4	...	5 a.	29.93	760.1	...	...	S E	2	...
u, ...	,,	29.85	758.1	...	...	N	4	...	,,	29.90	759.5	...	...	N	2	...
n, ...	,,	29.86	758.2	...	...	N	8	...	,,	29.89	759.2	...	...	...	0	...
m, ...	,,	29.77	756.2	...	...	N	6	...	,,	29.87	758.7	...	...	N E	3	...
flores, ...	,,	29.86	758.4	...	...	N	8	...	,,	29.88	759.0	...	...	N E	6	...
n, ...	3 p.	29.89	759.2	76	100	N	1	o	9 a.	29.98	761.5	76	...	N	1	b
kong, ...	4 p.	29.85	758.2	72	83	N	2	odq	10 a.	29.96	761.0	76	63	E	1	o
ia Peak, ...	,,	...	...	...	...	N	6	...	,,	...	...	...	...	E N E	1	...
Rock, ...	,,	29.83	757.7	...	...	E N E	4	...	,,	29.93	760.2	...	...	N E	3	...
, ...	,,	29.87	758.7	73	...	N E	2	od	,,	29.96	761.0	78	...	N	1	c
ow, ...	3 p.	29.89	759.2	77	...	S E	1	o	9 a.	...	...	...	...	...	...	...
w, ...	,,	29.84	757.9	74	100	E N E	6	or	,,	...	...	...	...	...	...	...
.....	,,	29.89	759.2	75	95	N	3	or	,,	...	...	...	...	...	...	...
w, ...	4 p.	29.89	759.3	68	...	N N E	3	or	8 a.	29.99	761.7	72	...	N N W	2	or
ye, ...	,,	29.78	756.3	75	...	N W	3	or	,,	29.89	759.2	75	...	N W	4	o
. James, .	,,	29.79	756.6	82	...	W S W	2	o	,,	29.89	759.2	64	...	W N W	1	o
.....	2 p.	29.78	756.4	88	...	N E	2	o	6 a.	29.85	758.2	77	...	S W	0	o
.....	4 p.	29.76	756	86	71	S W	2	o	10 a.	29.84	758	86	71	...	0	c
i, ...	2 p.	29.78	756.4	88	...	E	2	b	6 a.	29.86	758.5	77	...	...	0	b
d, ...	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S W	1	c
.....	,,	29.83	757.7	85	...	S W	3	o	,,	29.91	759.7	84	...	S S W	1	o
.....	,,	29.81	757.2	87	...	S	1	b	,,	29.89	759.2	87	...	S	1	b
n, ...	,,	29.74	755.4	89	...	...	...	...	,,	29.87	758.7	81	...	...	...	...

On the 27th at 12.05 p.—The depression lying in the neighbourhood of the Kii Channel yesterday morning, has ed E. Japan.

Another depression which appeared over Manchuria yesterday, is moving Eastwards to the North of Wladi-tock.

Pressure has increased moderately to considerably over the S. China and S.W. Japan respectively. It is high China to the South of the Yangtze Valley.

Moderate N. and N.E. winds are expected to prevail in the Formosa Channel and along the northern shores of the a Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	N. and N.E. winds, moderate; fair.
ormosa Channel, ...	Same as No. 1.
outh coast of China between Hongkong and Lamocks,..	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 27th May, 1909.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th MAY, 1909, P.M.								28 th MAY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	29.26	743.3	51	...	S	3	c	7 a.	2[illegible].4	745.2	45	90	S W	1
Nemuro, ...	,,	29.41	747.1	...	...	S	2	...	6 a.	29.77	756.1	...	...	S W	8
Hakodate, ...	,,	29.57	751.2	...	...	S W	6	...	,,	29.77	756.2	...	...	S W	2
Tokio, ...	,,	29.55	750.6	...	...	S W	4	...	,,	29.87	758.6	...	...	...	0
Kochi, ...	,,	29.76	755.8	...	...	E	4	...	,,	29.91	759.8	...	...	S W	2
Nagasaki, ...	,,	29.83	757.8	...	...	W	6	...	,,	29.88	758.8	...	...	S	8
Kagoshima, ...	,,	29.84	757.9	...	...	W	6	...	,,	29.96	760.9	...	...	...	0
Oshima, ...	,,	29.93	760.1	...	...	N	2	...	,,	30.01	762.1	...	...	...	6
Naha, ...	,,	29.93	760.2	...	...	N E	4	...	,,	30.01	762.2	...	...	...	0
Ishigakijima, ...	,,	29.93	760.3	...	...	E	4	...	,,	29.97	761.3	...	...	N	4
Bonin Is.	,,	29.93	760.1	...	...	S	6	...	,,	30.01	762.1	...	...	S	2
Chefoo, ...	4 p.	29.54	750.3	70	80	W N W	6	c	6 a.	29.67	753.6	50	79	...	0
Weihaiwei, ...	,,	29.55	750.5	68	...	N W	...	b	9 a.	[illegible]	755.6	64	...	N W	1
Hankow, ...	,,	29.95	760.7	85	89	S	1	b	6 a.	29.92	759.9	69	75	S E	1
Kiukiang, ...	,,	29.95	758.2	85	21	...	0	b	,,	29.96	761.0	63	62	S W	1
Shanghai, ...	,,	29.77	756.1	81	14	W	4	b	9 a.	29.88	758.9	79	30	S	2
Gutzlaff, ...	,,	29.80	756.9	72	54	S W	5	bm	,,	29.89	759.2	70	61	W S W	3
Sharp Peak, ...	,,	29.92	759.9	72	95	E S E	1	c	,,	29.99	761.7	71	95	N W	1
Amoy, ...	,,	29.88	758.9	73	81	S E	3	b	6 a.	29.94	760.5	69	85	...	0
Swatow, ...	,,	29.89	759.2	76	73	E S E	1	c	,,	...	...	...	...	...	...
Taihoku, ...	1 p.	29.90	759.5	...	...	E	6	...	5 a.	29.95	760.7	...	...	S	2
Taichu, ...	,,	29.94	760.5	...	...	S	2	...	,,	29.93	760.3	...	...	...	0
Tainan, ...	,,	29.90	759.5	...	...	N E	2	...	,,	29.92	759.9	...	...	E	2
Koshun, ...	,,	29.89	759.2	...	...	N	8	...	,,	29.91	759.7	...	...	N	4
Pescadores, ...	,,	29.92	760.0	...	...	N	4	...	,,	29.93	760.3	...	...	N	4
Canton, ...	3 p.	29.89	759.2	84	100	N	1	b	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.86	758.4	78	50	E S E	1	o	10 a.	29.90	761.7	77	57	E	1
Victoria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2
Gap Rock, ...	,,	29.85	758.2	...	...	E N E	3	...	,,	29.96	761.0	...	...	E	4
Macao, ...	,,	29.88	758.9	79	...	N E	2	o	,,	29.98	761.5	78	...	E S E	1
Wuchow, ...	3 p.	29.88	758.9	82	...	E	1	e	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.89	759.1	81	...	S E	1	c	8 a.	29.96	761.0	77	...	...	[illegible]
Tourane, ...	,,	29.80	756.8	75	...	N W	4	o	,,	29.91	759.7	73	..	N W	4
Cape St. James, .	,,	29.76	755.8	88	...	S W	2	o	,,	29.86	758.5	79	...	N W	4
Aparri, ...	2 p.	29.75	755.6	84	...	N	2	t	6 a.	29.84	758.0	75	...	S E	2
Manila, ...	4 p.	29.76	756	88	72	W S W	2	o	10 a.	29.84	758	86	71	W N W	1
Legaspi, ...	2 p.	29.78	756.5	86	...	S	2	o	6 a.	29.88	758.8	75	...	...	0
Bacolod, ...	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	N W	1
Iloilo, ...	,,	29.81	757.2	87	...	S W	1	o	,,	29.89	759.2	83	...	...	0
Cebu, ...	,,	29.79	756.6	88	...	S	1	c	,,	29.88	758.9	86	...	S	1
Labuan, ...	,,	29.73	755.1	87	...	...	...	...	,,	29.81	757.2	84	...	...	...

On the 28th at 12.05 p.—The depression to the North of Wladiwostock is moving slowly towards N.E. other depression appea s to have moved into the Pacific to the N.E. of Japan.

The barometer has risen considerably over Japan and the Loochoos, and fallen moderately over the U Yangtze. It is inclined to fall also in N. Luzon, and pressure appears to be somewhat low over the China Sea to N.W. of the island.

A band of high pressure lies over S. China and the Pacific towards the Bonins.

Moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the C Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, moderate; fine.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 28th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	28TH MAY, 1909, P.M.								29TH MAY, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
..., ...	"	29.81	757.1	...	...	S	8	...	6 a.	29.93	760.1	...	...	S	4	...
...te, ...	"	29.77	756.2	...	...	W	10	...	"	29.93	760.2	...	...	S W	6	...
.....	"	29.91	759.6	...	...	S	8	...	"	30.10	764.6	...	...	...	0	...
.....	"	29.91	759.8	...	...	S	2	...	"	30.11	764.8	...	...	W	2	...
...ki, ...	"	29.87	758.8	...	...	S W	10	...	"	30.11	764.8	...	...	...	0	...
...jima, ...	"	29.96	760.9	...	...	W	8	...	"	30.15	765.9	...	...	...	...	...
...a, ...	"	30.04	763.1	...	...	N	4	...	"	30.16	766.1	...	...	S	2	...
.....	"	30.01	762.2	...	...	E	4	...	"	30.09	764.2	...	...	E	2	...
...kijima, ...	"	30.01	762.3	...	...	E	6	...	"	30.05	763.3	...	...	E	6	...
...Is.	"	30.00	762.1	...	...	N E	2	...	"	30.12	765.1	...	...	N E	2	...
.....	4 p.	29.74	755.4	72	50	E	3	b	6 a.	29.75	755.6	72	95	S	5	b
...wei, ...	"	29.73	755.1	73	...	S E	...	b	9 a.	29.89	756.9	86	...	N N W	4	b
...w, ...	"	29.86	758.4	88	43	S E	2	b	6 a.	30.01	762.2	74	68	E S E	1	c
...ng, ...	"	29.91	759.7	89	75	...	0	b	"	29.93	761.5	67	89	...	0	b
...hai, ...	"	29.86	758.4	90	...	W S W	2	b	9 a.	30.04	763.0	82	33	S S W	2	c
...ff, ...	"	29.88	758.9	76	53	S W	2	bm	"	30.03	762.7	72	67	S	3	cv
...Peak, ...	"	29.97	761.2	75	95	E	1	b	"	30.07	763.8	73	86	N	4	b
.....	"	29.91	759.7	75	86	N E	1	b	6 a.	29.96	761.0	71	80	N E	1	b
...w, ...	"	29.90	759.4	79	66	E	1	b	"	29.97	761.2	65	89	...	0	b
...cu.	1 p.	29.95	760.8	...	...	E	6	...	5 a.	30.00	762.0	...	...	E	6	...
..., ...	"	29.93	760.1	...	...	N W	4	...	"	29.97	761.3	...	...	...	0	...
..., ...	"	29.93	760.3	...	...	N	4	...	"	29.96	760.9	...	...	E	2	...
...n.	"	29.93	760.3	...	...	N	8	...	"	29.93	760.3	...	...	N E	10	...
...lores, ...	"	29.94	760.6	...	...	N	6	...	"	29.95	760.8	...	...	N	4	...
..., ...	3 p.	29.89	759.2	86	80	...	0	b	9 a.	30.01	762.2	79	95	...	0	b
...ong, ...	4 p.	29.89	759.2	77	60	E	2	b	10 a.	29.98	761.5	73	37	E N E	4	c
...a Peak, ...	"	...	...	...	...	E	2	...	"	...	...	...	...	E	4	...
...ock, ...	"	29.87	758.7	...	...	E	4	...	"	29.96	761.0	...	...	E	6	...
.....	"	29.90	759.4	78	...	S E	1	c	"	29.99	761.7	80	...	N E	1	c
...ow, ...	3 p.	29.88	758.9	85	47	E	1	c	9 a.	...	...	...	...	...	...	...
...w, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
.....	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
...ay, ...	4 p.	29.86	758.5	82	...	S S E	5	b	8 a.	29.96	760.9	79	...	E N E	3	c
...p, ...	"	29.82	757.4	75	...	N N W	4	c	"	29.88	758.9	77	...	N W	4	c
... James, .	"	29.78	756.3	86	...	W	2	lt	"	29.84	759.0	82	...	N W	2	f
.....	2 p.	29.81	757.2	82	...	N	2	o	6 a.	29.88	758.9	75	...	S E	2	d
.....	4 p.	29.76	756	88	66	...	0	o	10 a.	29.84	758	88	72	S	1	o
.....	2 p.	29.79	756.6	85	...	E	2	c	6 a.	29.85	758.2	77	...	...	0	b
..., ...	3 p.	...	...	...	...	E N E	2	orlt	9 a.	...	...	...	...	N W	1	c
.....	"	29.81	757.2	89	...	N N E	1	c	"	29.89	759.2	83	...	N W	1	c
.....	"	29.78	756.4	89	...	N	2	b	"	29.87	758.7	86	...	N	1	c
.....	"	29.74	755.4	90	...	...	...	...	"	29.85	758.2	83	...	...	...	...

On the 29th at 11.55 a.—The barometer has a tendency to fall at the stations around the China Sea. It has elsewhere particularly over Japan, the Loochoos and the E. coast of China.

Pressure is high over the Pacific to the South of Japan, and it is in considerable excess of the normal also over S. ...a. Over the middle part of the China Sea pressure is apparently somewhat low.

Fresh to strong N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ongkong and Neighbourhood, ...	E. winds, strong; fine at first, unsettled later.
...rmosa Channel, ...	N.E. and E. winds, fresh.
...uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
...uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 29th May, 1909.

...ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th May, 1909, P.M.								30th May, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.65	753.1	61	...	...	0	b	7 a.	29.80	756.8	54	95	...	0
Nemuro,	"	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	S	6
Hakodate,	"	...	...	...	...	...	...	...	"	30.05	763.2	...	...	S W	2
Tokio,	"	...	...	...	...	...	...	...	"	30.14	765.6	...	...	N	2
Kochi,	"	...	...	...	...	...	...	...	"	30.15	765.8	...	...	S W	2
Nagasaki,	"	...	...	...	...	...	...	...	"	30.19	766.8	...	...	...	0
Kagoshima,	"	...	..	...	...	...	...	...	"	30.15	765.9	...	...	...	0
Oshima,	"	...	...	...	...	...	...	...	"	30.16	766.1	...	...	S	2
Naha,	"	...	...	...	...	...	...	...	"	30.09	764.2	...	...	E	4
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.97	761.3	...	...	E	8
Bonin Is.	"	...	...	...	...	...	...	...	"	30.04	763.1	...	...	N	4
Chefoo,	4 p.	29.76	755.9	...	...	S S W	3	b	6 a.	29.89	759.2	80	31	S W	1
Weihaiwei,	"	29.80	756.9	94	...	S S W	2	b	9 a.	29.91	759.7	85	...	S W	3
Hankow,	"	29.99	761.7	87	55	S E	1	o	6 a.	29.99	761.7	77	82	S E	1
Kiukiang,	"	29.89	759.2	91	74	E	1	f	"	29.93	761.5	74	72	...	0
Shanghai,	"	30.01	762.2	85	18	S	5	o	9 a.	30.05	763.2	72	76	S S E	4
Gutzlaff,	"	30.02	762.5	76	49	S S E	3	ov	"	30.04	763.0	70	80	S S E	3
Sharp Peak,	"	30.04	763.0	75	86	N	3	b	"	30.00	762.0	72	85	N	2
Amoy	"	29.94	760.5	78	65	E	3	b	6 a.	29.96	761.0	73	81	...	0
Swatow,	"	29.92	759.9	82	83	E	2	b	"	29.93	760.2	72	85	...	0
Taihoku	1 p.	30.00	762.0	...	...	E	8	...	5 a.	29.93	760.3	...	...	E	6
Taichu,	"	29.95	760.8	...	...	N	4	...	"	29.95	760.7	...	...	...	0
Tainan,	"	29.95	760.7	...	...	N W	4	...	"	29.93	760.1	...	...	...	0
Koshun	"	...	...	...	...	N E	10	...	"	29.93	760.3	...	...	N E	6
Pescadores,	"	29.95	760.8	...	...	N E	4	...	"	29.95	760.6	...	...	N E	6
Canton,	3 p.	29.98	761.5	87	96	...	0	b	9 a.	29.93	760.2	81	96	S E	1
Hongkong,	4 p.	29.90	759.4	77	61	E	4	c	10 a.	29.95	760.7	75	78	E	3
Victoria Peak,	"	...	...	...	...	E N E	3	...	"	...	...	...	...	N E	7
Gap Rock,	"	29.91	759.7	...	...	E	6	...	"	29.90	759.4	...	...	E	6
Macao,	"	29.91	759.7	78	...	E	3	c	"	29.96	761.0	76	...	N E	2
Wuchow,	3 p.	29.94	760.5	75	...	E	1	c	9 a.	29.94	760.5	74	...	E	1
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Pakhoi,	"	29.92	759.9	85	91	E S E	2	c	"	...	...	...	...	...	...
Phulien,	4 p.	29.85	758.2	81	...	S E	5	c	8 a.	...	...	...	...	...	...
Tourane,	"	29.80	756.8	77	...	N W	3	c	"	...	...	...	..	...	...
Cape St. James,	"	29.76	756.0	77	...	N N W	2	lt	"	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.6	81	...	E	2	d	6 a.	29.90	759.4	75	...	S W	2
Manila,	4 p.	29.80	757	82	77	W N W	1	o	10 a.	29.88	759	82	85	N N E	1
Legaspi,	2 p.	29.82	757.4	83	...	E	2	d	6 a.	29.79	756.7	75	...	N E	2
Bacolod,	3 p.	...	...	...	...	S S W	2	odt	9 a.	...	...	...	...	N E	1
Iloilo,	"	29.81	757.2	86	...	S S W	1	c	"	29.85	758.2	83	...	N N E	1
Cebu,	"	29.80	756.9	88	...	N	1	c	"	29.83	757.7	85	...	...	0
Labuan,	"	29.75	755.6	88	...	...	...	...	"	...	...	...	...	...	...

On the 30th at 12.20 p.—The barometer has risen moderately at the stations in the extreme North, and f slightly over the Bonins, S. China and the S. Philippines.

The area of high pressure remains over the Pacific to the South of Japan, and pressure continues low appare over the China Sea between S. Luzon and the Gulf of Tongking. The returns from Indo China are however, no to hand.

Fresh N.E. winds may be expected in the Formosa Channel and strong N.E. and E. winds over the N. pa the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, strong; squally, some showe
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Sunday, 30th May, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TATION.	30TH MAY, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	31ST MAY, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	29.86	758.5	65	...	S	1	b	7 a.	29.89	759.2	54	87	N E	1	o
ro, ...	,,	29.96	761.1	...	...	S E	2	...	6 a.	30.08	764.1	...	...	S	6	...
date, ...	,,	30.05	763.2	...	...	S W	8	...	,,	30.01	762.2	...	...	...	0	...
, ...	,,	30.06	763.6	...	...	S	4	...	,,	30.10	764.6	...	...	...	0	...
i, ...	,,	30.11	764.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S W	2	...
aki, ...	,,	30.07	763.8	...	...	S W	6	...	,,	30.07	763.8	...	...	...	0	...
shima, ...	,,	30.07	763.9	...	...	S E	2	...	,,	30.08	763.9	...	...	E	2	...
ne, ...	,,	30.12	765.1	...	...	E	4	...	,,	30.04	763.1	...	...	S E	2	...
.....	,,	30.05	763.2	...	...	E	6	...	,,	29.93	760.2	...	...	E	4	...
akijima, ...	,,	29.97	761.3	...	...	E	6	...	,,	[illegible]	758.3	...	...	S E	6	...
Is.	,,	30.00	762.1	...	...	...	0	...	,,	30.01	762.1	...	...	N	2	...
o, ...	4 p.	29.85	758.2	89	30	S W	5	c	6 a.	29.90	759.4	66	89	S	3	c
aiwei, ...	,,	29.88	758.9	84	...	S W	3	b	9 a.	...	...	66	...	S S E	2	o
ow, ...	,,	29.97	761.2	80	73	S E	1	o	6 a.	29.96	761.0	71	90	E	1	c
ang, ...	,,	29.97	761.2	85	51	S W	1	c	,,	29.95	760.7	67	95	...	0	b
ai, ...	,,	29.97	761.2	77	65	S	3	q	9 a.	29.99	761.7	79	58	S E	3	b
, ...	,,	29.99	761.7	71	80	S S E	8	om	,,	29.99	761.7	67	95	S E	2	ev
eak, ...	,,	29.96	761.0	71	95	N W	5	or	,,	30.00	762.0	71	95	N E	1	c
.....	,,	29.91	759.7	77	77	N E	2	o	6 a.	29.92	759.9	74	86	S E	1	o
.....	,,	29.88	758.9	79	70	E	2	c	,,	29.90	759.4	72	90	N E	2	o
.....	1 p.	29.89	759.3	...	...	E	6	...	5 a.	29.88	759.0	...	...	S	2	...
.....	,,	29.90	759.5	...	...	N	2	...	,,	29.89	759.3	...	...	...	0	...
.....	,,	29.92	760.0	...	...	W	4	...	,,	29.89	759.1	...	...	N	2	...
.....	,,	29.88	759.0	...	...	N	6	...	,,	29.87	758.6	...	...	...	0	...
res, ...	,,	29.93	760.1	...	...	N	6	...	,,	29.90	759.4	...	...	N	6	...
.....	3 p.	29.87	758.7	84	100	S E	1	o	9 a.	29.93	760.2	80	96	...	0	o
ng, ...	4 p.	29.85	758.2	75	82	E	3	o	10 a.	29.90	759.4	77	82	E	4	o
Peak, ...	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	E N E	7	...
k, ...	,,	29.81	757.2	...	...	E	6	...	,,	29.86	758.4	...	...	E	4	...
.....	,,	29.86	758.4	80	...	N E	1	c	,,	29.90	759.4	78	...	E S E	2	o
, ...	3 p.	29.88	758.9	84	...	E	1	o	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	29.85	758.2	88	66	N E	3	o	,,	...	...	...	...	...	...	...
.....	4 p.	29.79	756.6	86	...	E	4	b	8 a.	29.85	758.2	75	...	N E	2	or
.....	,,	29.67	753.6	75	...	N W	4	or	,,	29.68	753.8	75	..	E	1	o
ames,	,,	29.69	754.1	84	...	S W	2	o	,,	29.75	755.6	77	...	W N W	5	o
.....	2 p.	29.79	756.7	86	...	E	2	o	6 a.	29.82	757.5	75	...	S	0	b
.....	4 p.	29.72	755	86	65	E	2	o	10 a.	29.84	758	86	71	S W	1	o
.....	2 p.	29.78	756.5	88	...	E	2	b	6 a.	29.80	757.0	82	...	E	2	b
.....	3 p.	...	..	...	...	S S W	...	cplt	9 a.	...	...	...	...	N W	1	c
.....	,,	29.77	756.1	83	...	E	1	cr	,,	29.87	758.7	82	...	N E	1	b
.....	,,	29.80	756.9	84	...	...	0	c	,,	29.83	757.7	81	...	E	1	b
.....	,,	29.75	755.6	87	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

n the 30th at 7.0 p.m.—A depression appears to be developing over the China Sea in the neighbourhood of the ls.

the 31st at 11.55 a.—The depression appears to have reached the northern coast of Annam in the neighbour- f Tourane.

he barometer has fallen moderately over S.W. Japan and the Loochoos, and a slight fall has taken place over a. It has risen in E. Hokkaido.

depression is likely to form over the Pacific to the E. of Formosa.

he area of high pressure has shifted Eastwards and is now situated to the E. of Japan.

esh to strong N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of na Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N.E. and E. winds, fresh or strong; squally, showery.
mosa Channel, ...	N.E. winds, fresh.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 31st May, 1909.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st MAY, 1909, P.M.								1st JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.92	760.0	77	...	E	1	b	7 a.	29.96	761.0	62	50	S E	1	
Nemuro,	"	30.00	762.1	...	...	S	4	...	6 a.	30.08	764.1	...	...	N	4	
Hakodate,	"	29.93	760.2	...	...	S W	6	...	"	30.05	763.2	...	...	S	2	
Tokio,	"	30.06	763.6	...	...	S	6	...	"	30.06	763.6	...	...	N W	2	
Kochi,	"	30.07	763.8	...	...	S E	2	...	"	30.07	763.8	...	...	...	0	
Nagasaki,	"	30.03	762.8	...	...	W	4	...	"	30.07	763.8	...	...	...	0	
Kagoshima,	"	30.07	763.9	...	...	...	0	...	"	30.04	762.9	...	...	N E	2	
Oshima,	"	30.04	763.1	...	...	E	4	...	"	29.97	761.1	...	...	...	0	
Naha,	"	29.97	761.2	...	...	E	6	...	"	29.89	759.2	...	...	S	2	
Ishigakijima,	"	29.89	759.3	...	...	S	4	...	"	29.89	759.3	...	...	N	2	
Bonin Is.	"	29.96	761.1	...	...	E	2	...	"	30.04	763.1	...	...	...	0	
Chefoo,	4 p.	29.90	759.4	83	60	S	2	b	6 a.	29.92	759.9	68	74	S W	1	
Weihaiwei,	"	29.90	759.4	75	...	S S E	2	b	9 a.	29.94	760.5	74	...	S S E	2	
Hankow,	"	29.97	761.2	85	54	S E	1	o	6 a.	29.98	761.5	72	85	W	1	
Kiukiang,	"	29.91	759.7	88	43	E	1	b	"	29.96	761.0	70	90	...	0	
Shanghai,	"	29.96	761.0	82	45	S E	3	b	9 a.	...	...	...	...	...	...	
Gutzlaff,	"	29.98	761.5	73	81	S E	2	bm	"	29.99	761.7	73	76	N E	1	
Sharp Peak,	"	29.96	761.0	72	90	E N E	2	b	"	30.02	762.5	70	95	N	1	
Amoy,	"	29.90	759.4	77	86	N E	1	c	6 a.	29.94	760.5	72	85	...	0	
Swatow,	"	29.86	758.4	77	77	E	2	c	"	...	...	...	...	...	...	
Taihoku,	1 p.	29.92	760.0	...	...	S	4	...	5 a.	29.94	760.4	...	...	S	2	
Taichu,	"	29.88	758.9	...	...	N	6	...	"	29.91	759.6	...	...	...	0	
Tainan,	"	29.91	769.6	...	...	N	6	...	"	29.88	759.0	...	...	N E	2	
Koshun,	"	29.86	758.4	...	...	E	4	...	"	29.83	758.8	...	...	...	0	
Pescadores,	"	29.96	759.5	...	...	N	8	...	"	29.90	759.5	...	...	N E	8	
Canton,	3 p.	29.83	757.7	85	96	...	0	o	9 a.	29.92	759.9	80	100	E	1	
Hongkong,	4 p.	29.84	757.9	77	86	E	3	o	10 a.	29.94	760.5	76	78	E	4	
Victoria Peak,	"	...	...	...	...	E	5	...	"	...	...	...	...	E N E	6	
Gap Rock,	"	29.80	756.9	...	...	E	4	...	"	29.89	759.2	...	...	E	4	
Macao,	"	29.84	757.9	78	...	E S E	3	o	"	29.94	760.5	77	...	E S E	1	
Wuchow,	3 p.	29.87	758.7	78	...	...	...	or	9 a.	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	
Pakhoi,	"	29.88	758.9	79	91	N	2	o	"	...	...	...	...	...	...	
Phulien,	4 p.	29.79	756.7	75	...	N	3	or	8 a.	29.85	758.2	79	...	N E	4	
Tourane,	"	29.66	753.3	79	...	S E	4	o	"	29.76	755.8	77	..	S E	[illegible]	
Cape St. James,	"	29.69	754.0	79	...	W S W	4	or	"	29.77	756.1	81	...	W	1	
Aparri,	2 p.	29.78	756.5	88	...	N E	2	b	6 a.	29.84	757.9	79	...	S	2	
Manila,	4 p.	29.76	756	90	55	S E	1	o	10 a.	29.84	758	86	65	S	1	
Legaspi,	2 p.	29.77	756.2	90	...	E	2	b	6 a.	29.84	757.9	81	...	...	0	
Bacolod,	3 p.	...	...	...	...	E S E	2	o	9 a.	...	...	...	...	N N E	1	
Iloilo,	"	29.77	756.1	82	...	...	0	d	"	29.87	758.7	83	...	N	1	
Cebu,	"	29.76	755.9	83	...	N	1	b	"	29.87	758.7	86	...	...	0	
Labuan,	"	29.73	755.1	87	...	...	...	...	"	29.80	756.9	83	...	...	...	

On the 1st at 12.05 p.—The barometer has fallen slightly over the Loochoos, and risen moderately to sl over Annam, S. China and the Philippines.

The depression entered Annam yesterday.

Pressure remains high over Japan and in moderate excess of the normal also over China. It is relatively over the China Sea.

Fresh or moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; fair at first, some rai
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIG
Director.

Hongkong Observatory, Tuesday, 1st June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st JUNE, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd JUNE, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
uro,.....	,,	30.12	765.1	...	...	...	0	...	6 a.	...	...	...	...	...	...	...
odate,.....	,,	30.09	764.2	...	...	S	6	...	,,	...	...	...	...	...	...	...
io, ...	,,	30.02	762.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
hi, ...	,,	30.03	762.8	...	...	...	...	...	,,	...	...	...	...	...	...	...
asaki, ...	,,	29.99	761.8	...	...	S W	4	...	,,	...	...	...	...	...	...	...
oshima, ...	,,	30.00	761.9	...	...	S	4	...	,,	...	...	...	...	...	...	...
ima,.....	,,	29.89	759.1	...	...	N W	2	...	,,	...	...	...	...	...	...	...
a.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
gakijima,....	,,	29.93	760.3	...	...	N W	6	...	,,	...	...	...	...	...	...	...
n Is.....	,,	30.00	762.1	...	...	N E	2	...	,,	...	...	...	...	...	...	...
oo,.....	4 p.	29.85	758.2	78	61	N W	2	c	6 a.	29.99	759.4	74	95	S W	3	b
haiwei,.....	,,	29.88	758.9	82	...	S S W	2	b	9 a.	29.93	760.2	81	...	S S E	1	b
kow,.....	,,	29.96	761.0	87	55	S E	1	b	6 a.	29.88	758.9	77	86	N W	1	b
iang,.....	,,	29.87	758.7	92	43	E	2	b	,,	29.90	759.4	74	99	N E	1	c
ghai, ...	,,	29.94	760.5	81	45	E	2	b	9 a.	29.97	761.2	77	61	S E	3	c
lff, ...	,,	29.95	760.7	74	72	N E	1	bm	,,	29.97	761.2	71	85	E	2	om
Peak,.....	,,	29.95	760.7	72	95	E	1	c	,,	29.99	761.7	72	95	N	1	c
,.....	,,	29.91	759.7	75	81	...	0	o	6 a.	29.93	760.2	73	86	N E	1	o
w,.....	,,	29.88	758.9	81	96	E	1	c	,,	29.90	759.4	75	86	N E	1	c
u,.....	1 p.	29.96	761.1	...	...	E	4	...	5 a.	29.93	760.2	...	...	E	2	...
.....	,,	29.90	759.5	...	...	N	4	...	,,	29.91	759.7	...	...	...	0	...
.....	,,	29.91	759.7	...	...	W	4	...	,,	29.91	759.7	...	...	N	2	...
.....	,,	29.91	759.8	...	...	E	6	...	,,	29.91	759.7	...	...	N	0	...
res, ...	,,	29.93	760.2	...	...	N E	10	...	,,	29.91	759.8	...	...	N E	4	...
.....	3 p.	29.87	758.7	81	96	...	0	o	9 a.	29.94	760.5	80	96	E	1	o
ng, ...	4 p.	29.86	758.4	76	73	E	3	o	10 a.	29.93	760.2	76	81	E	2	o
Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	3	...
rock,.....	,,	29.84	757.9	...	...	E	4	...	,,	29.89	759.2	...	...	E	4	...
o,.....	,,	29.86	758.4	77	...	S E	3	o	,,	29.92	759.9	77	...	S E	2	o
how,.....	3 p.	29.87	758.7	82	...	N E	1	o	9 a.	...	...	...	...	...	...	...
ow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi,.....	,,	29.83	757.4	81	72	E	2	o	,,	...	...	...	...	...	...	...
en,.....	4 p.	29.75	755.6	82	...	E S E	5	c	8 a.	29.81	757.2	79	...	E	6	c
ne, ...	,,	29.68	753.9	79	...	E S E	1	o	,,	29.75	755.6	79	..	S E	1	c
St. James,.	,,	29.70	754.3	79	...	S W	2	or	,,	29.80	757.0	81	...	W S W	4	o
ri, ...	2 p.	29.82	757.4	90	...	N E	2	b	6 a.	29.86	758.5	77	...	S	2	b
la, ...	4 p.	29.76	756	90	60	...	0	b	10 a.	29.88	759	77	61	N W	1	b
spi, ...	2 p.	29.81	757.2	90	...	E	2	b	6 a.	29.87	758.7	82	...	N E	2	b
od,.....	3 p.	...	...	...	...	N W	2	o	9 a.	...	...	...	...	W N W	1	c
.....	,,	29.81	757.2	88	...	N	1	o	,,	29.89	759.2	84	...	N E	1	b
.....	,,	29.78	756.4	89	...	N	1	b	,,	29.86	758.4	87	...	N	1	b
n, ...	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...

On the 2nd at 12.05 p.—The barometer has risen slightly in the Philippines, and fallen moderately to slightly he Yangtze Valley.

ressure is still relatively low over Annam and the N.W. part of the China Sea. It continues in moderate of the normal over the China coast, and is highest apparently over the Eastern Sea. The Japanese returns are in hand.

oderate E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	E. winds, moderate; fair, misty.
osa Channel, ...	Same as No. 1.
a coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Wednesday, 2nd June, 1909.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd June, 1909, P.M.								3rd June, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	30.01	762.2	63	...	S	1	o	7 a.	29.84	758.0	54	83	S	1	b
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Hakodate, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Chefoo, ...	4 p.	29.86	758.4	91	31	S E	2	b	6 a.	29.85	758.2	66	73	S	1	c
Weihaiwei, ...	,,	29.88	758.9	73	...	S S W	2	b	9 a.	29.85	758.2	66	...	S S E	1	b
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	29.68	754.1	73	96	S W	2	o
Kiukiang, ...	,,	29.72	754.9	77	90	...	0	or	,,	...	...	77	86	N E	1	or
Shanghai, ...	,,	29.88	758.9	80	55	E S E	3	c	9 a.	29.84	757.9	79	90	E S E	3	od
Gutzlaff, ...	,,	29.91	759.7	73	81	E S E	2	bm	,,	29.83	757.7	68	95	S E	5	on
Sharp Peak, ...	,,	29.91	759.7	74	95	E	1	b	,,	29.90	759.4	75	95	E	1	c
Amoy, ...	,,	29.90	759.4	77	85	S E	2	c	6 a.	29.85	758.2	74	90	,,	0	c
Swatow, ...	,,	29.86	758.4	79	74	E	1	c	,,	29.83	757.7	74	81	N E	1	o
Taihoku, ...	1 p.	29.92	760.0	...	...	E	4	...	5 a.	29.86	758.5	...	...	...	0	...
Taichu, ...	,,	29.91	759.7	...	...	W	2	...	,,	29.88	758.8	...	...	...	0	...
Tainan, ...	,,	29.91	759.7	...	...	W	6	...	,,	29.87	758.6	...	...	...	0	...
Koshun, ...	,,	29.91	759.7	...	...	E	6	...	,,	29.88	758.8	...	...	E	2	...
Pescadores, ...	,,	29.92	760.0	...	...	N E	6	...	,,	29.86	758.5	...	...	N E	4	...
Canton, ...	3 p.	29.80	756.9	86	96	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong, ...	4 p.	29.81	757.2	77	87	E	3	o	10 a.	29.85	758.2	83	77	E S E	3	o
Victoria Peak, ...	,,	...	...	...	...	E N E	5	...	,,	...	...	...	...	S	6	...
Gap Rock, ...	,,	29.78	756.4	...	...	E	4	...	,,	29.85	758.2	...	...	S E	3	...
Macao, ...	,,	29.81	757.2	79	...	E S E	3	c	,,	29.84	757.9	78	...	S S E	4	o
Wuchow, ...	3 p.	29.81	757.2	84	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.78	756.4	85	80	E	3	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.68	753.8	82	...	E S E	6	c	8 a.	29.72	754.9	77	...	S E	5	or
Tourane, ...	,,	29.66	753.3	79	...	E S E	1	c	,,	29.74	755.3	79	...	...	0	c
Cape St. James, .	,,	29.72	755.0	77	...	N N W	3	or	,,	29.82	757.3	82	...	S W	2	o
Aparri, ...	2 p.	29.84	757.9	90	...	N E	2	b	6 a.	29.86	758.3	79	...	S	2	b
Manila, ...	4 p.	29.76	756	90	60	N N W	1	c	10 a.	29.84	758	93	46	E S E	1	b
Legaspi, ...	2 p.	29.81	757.2	90	...	E	2	b	6 a.	29.85	758.1	81	...	E	2	o
Bacolod, ...	3 p.	...	...	...	...	N N W	3	c	9 a.	...	...	...	...	N W	2	c
Iloilo, ...	,,	29.79	756.6	85	...	N E	2	b	,,	29.83	757.7	85	...	S W	2	c
Cebu, ...	,,	29.77	756.1	89	...	N	2	b	,,	29.85	758.2	86	...	S	1	...
Labuan, ...	,,	29.73	755.1	90	...	...	...	...	,,	29.80	756.9	87	...	...	...	...

On the 3rd at 12.10 p.—The barometer has fallen moderately over China and Tongking.

A depression, which appears to be moving Eastwards, has appeared over the Yangtze Valley, and pressure is low also over Tongking.

Pressure is highest probably over Japan, but the returns from thence are not yet in hand.

Fresh S.E. to S. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. to S. winds, fresh; squally, showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Thursday, 3rd June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd June, 1909, P.M.								4th June, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock,...	2 p.	29.82	757.4	40	...	S E	1	o	7 a.	29.78	756.5	50	99	S	1	f
muro, ...	,,	30.16	766.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	S W	4	...
kodate, ...	,,	30.01	762.2	...	...	...	0	...	,,	30.01	762.2	...	...	...	0	...
kio, ...	,,	29.98	761.6	...	...	S W	4	...	,,	30.02	762.6	...	...	N	2	...
chi, ...	,,	29.99	761.8	...	...	S E	2	...	,,	29.99	761.8	...	...	S W	2	...
gasaki, ...	,,	29.87	758.8	...	...	S W	6	...	,,	29.91	759.8	...	...	S E	6	...
goshima, ...	,,	29.88	758.9	...	...	S W	6	...	,,	29.92	759.9	...	...	N E	6	...
hima, ...	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	S	2	...
ha, ...	,,	29.89	759.2	...	...	W	2	...	,,	29.93	760.2	...	...	...	0	...
igakijima, ...	,,	29.89	759.3	...	...	S	4	...	,,	29.89	759.3	...	...	S E	6	...
nin Is.	,,	29.96	761.1	...	...	S E	4	...	,,	29.97	761.1	...	...	...	0	...
efoo, ...	4 p.	29.83	757.7	77	53	S E	2	o	6 a.	29.70	754.4	62	95	N	3	o
eihaiwei, ...	,,	29.83	757.7	74	...	S S E	1	o	9 a.	29.64	752.8	61	...	S E	4	r
nkow, ...	,,	29.75	755.6	74	95	S W	2	or	6 a.	29.77	756.1	68	95	N N E	1	or
ukiang, ...	,,	29.71	754.6	78	82	S W	2	o	,,	29.72	754.9	70	100	S W	0	or
anghai.	,,	29.72	754.9	73	86	E S E	3	o	9 a.	29.66	753.3	83	63	S	3	c
itzlaff, ...	,,	29.75	755.6	70	90	S E	5	ov	,,	29.70	754.4	74	85	S	4	om
arp Peak, ...	,,	29.76	755.9	77	95	E S E	1	b	,,	29.85	758.2	78	90	S	3	b
noy, ...	,,	29.83	757.7	77	86	S E	2	c	6 a.	29.85	758.2	78	99	.	0	o
atow, ...	,,	29.81	757.2	81	87	E	1	b	,,	29.89	759.2	78	84	S E	1	c
iboku, ...	1 p.	29.85	758.2	...	...	N	4	...	6 a.	29.85	758.2	...	...	...	0	...
ichu, ...	,,	29.85	758.3	...	...	S W	4	...	,,	29.86	758.3	...	...	...	0	...
inan, ...	,,	29.87	758.8	...	...	S W	6	...	,,	29.87	758.6	...	...	S E	2	...
shun.	,,	29.89	759.1	...	...	E	6	...	,,	29.88	758.9	...	...	E	4	...
scadores, ...	,,	29.89	759.1	...	...	N W	2	...	,,	29.85	758.2	...	...	S	6	...
nton, ...	3 p.	29.76	755.9	84	100	S E	1	c	9 a.	29.80	756.9	80	100	E N E	1	o
ongkong, ...	4 p.	29.78	756.4	82	79	S S E	2	o	10 a.	29.82	757.4	83	79	S S E	5	oq
ctoria Peak, ...	,,	...	...	...	...	S S E	5	...	,,	...	...	...	...	S	7	...
p Rock, ...	,,	29.74	755.4	...	...	S S E	4	...	,,	29.79	756.6	...	...	S E	4	...
cao, ...	,,	29.77	756.1	80	...	S E	2	c	,,	29.82	757.4	81	...	S E	4	c
uchow, ...	3 p.	29.72	754.9	82	...	S	1	o	9 a.	29.67	753.6	78	...	E	1	or
ihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi, ...	,,	29.70	754.4	83	87	S	2	o	,,	...	...	...	...	...	...	...
ulien, ...	4 p.	29.60	751.8	77	...	E S E	6	o	8 a.	29.71	754.5	73	...	S S E	4	lt
urane, ...	,,	29.64	752.9	82	...	...	0	c	,,	29.72	754.9	82	..	S E	1	c
pe St. James,.	,,	29.73	755.2	82	...	S W	3	or	,,	29.83	757.6	82	...	S W	2	c
arri, ...	2 p.	29.79	756.6	91	...	N E	2	b	6 a.	29.87	758.7	77	...	S	2	b
nila, ...	4 p.	29.76	756	93	51	E S E	1	c	10 a.	29.84	758	91	51	E N E	2	c
gaspi, ...	2 p.	29.82	757.5	84	...	E	2	o	6 a.	29.86	758.5	81	...	E	2	c
colod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N W	1	c
ilo, ...	,,	29.77	756.1	90	...	N E	1	b	,,	29.87	758.7	86	...	N	1	b
bu, ...	,,	29.78	756.4	89	...	N	1	b	,,	29.87	758.7	86	...	N	1	c
buan, ...	,,	29.69	754.1	92	...	...	...	...	,,	29.80	756.9	85	...	...	...	...

On the 4th at 11.55 a.—The barometer has fallen quickly over the E. and N.E. coasts of China owing to the depression which is moving into the Yellow Sea to the North of Shanghai.

Pressure remains low over Tongking and the barometer has fallen slightly over the S. coast of China. High pressure still covers E. Japan and adjacent seas.

Fresh S.E. and S. winds and squally weather may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S.E. and S. winds, fresh; squally, showery.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 4th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th JUNE, 1909, P.M.								5th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.76	756.0	57	...	S	1	f	7 a.	29.61	752.0	57	99	S E	1	oi
Nemuro,	,,	30.00	762.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	S	4	...
Hakodate,	,,	30.01	762.2	...	...	S	4	...	,,	29.89	759.2	...	...	W	4	...
Tokio,	,,	29.98	761.6	...	...	S	4	...	,,	29.99	761.6	...	...	S W	4	...
Kochi,	,,	29.99	761.8	...	...	W	2	...	,,	29.91	759.8	...	...	E	2	...
Nagasaki,	,,	29.87	758.8	...	...	E	4	...	,,	29.80	756.8	...	...	S	10	...
Kagoshima,	,,	29.92	759.9	...	...	S	2	...	,,	29.92	759.9	...	...	S	2	...
Oshima,	,,	29.93	760.1	...	...	N	4	...	,,	29.93	760.1	...	...	S	4	...
Naha,	,,	29.93	760.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	6	...	,,	29.89	759.3	...	...	S	4	...
Bonin Is.	,,	29.93	760.1	...	...	...	0	...	,,	29.89	759.1	...	...	N E	2	...
Chefoo,	4 p.	29.62	749.8	62	100	E	5	o	6 a.	29.68	753.9	61	82	N	3	o
Weihaiwei,	,,	29.54	750.3	60	...	S E	2	o	9 a.	29.68	753.9	60	...	N N W	4	b
Hankow,	,,	29.79	756.6	79	73	S W	1	o	6 a.	29.81	757.2	72	95	S E	1	b
Kiukiang,	,,	29.77	756.1	75	90	N W	1	or	,,	29.73	755.1	72	100	...	0	b
Shanghai,	,,	29.68	753.9	82	63	W N W	5	cq	9 a.	29.76	755.9	74	96	S S W	2	om
Gutzlaff,	,,	29.68	753.9	80	74	W S W	1	om	,,	29.77	756.1	71	100	...	0	om
Sharp Peak,	,,	29.76	755.9	82	96	S S E	2	b	,,	29.83	757.7	79	90	S	3	b
Amoy,	,,	29.80	756.9	81	87	S E	2	b	6 a.	29.81	757.2	79	90	S E	1	b
Swatow,	,,	29.77	756.1	86	80	S S E	2	c	,,	29.88	758.9	80	82	S S W	1	o
Taihoku	1 p.	29.83	757.7	...	...	N	2	...	5 a.	29.84	757.9	...	...	...	0	...
Taichu,	,,	29.85	758.1	...	...	S W	2	...	,,	29.87	758.7	...	...	...	0	...
Tainan,	,,	29.86	758.5	...	...	S	6	...	,,	29.86	758.5	...	...	S E	2	...
Koshun	,,	29.93	760.1	...	...	E	6	...	,,	29.89	759.2	...	...	...	0	...
Pescadores,	,,	29.85	758.3	...	...	S W	8	...	,,	29.85	758.1	...	...	S	6	...
Canton,	3 p.	29.73	755.1	82	91	S	2	c	9 a.	29.87	758.7	73	100	S E	2	or
Hongkong,	4 p.	29.76	755.9	83	79	S	3	oq	10 a.	29.85	758.2	84	75	S S W	3	oq
Victoria Peak,	,,	...	...	...	...	S	8	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.74	755.4	...	...	S S E	4	...	,,	29.82	757.4	...	...	S	3	...
Macao,	,,	29.73	755.1	82	...	S S E	4	c	,,	29.86	758.4	83	...	S S E	2	c
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	..	...	..
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Phulien,	4 p.	29.62	752.3	77	...	S S E	5	or	8 a.	29.74	755.4	73	...	E S E	6	o
Tourane,	,,	29.64	752.8	84	...	S E	1	c	,,	29.70	754.4	82	..	S S W	2	c
Cape St. James,	,,	29.73	755.2	84	...	W S W	4	lt	,,	29.81	757.2	84	...	E S E	2	c
Aparri,	2 p.	29.85	757.3	88	...	E	2	b	6 a.	29.87	758.6	79	...	S	2	o
Manila,	4 p.	29.76	756	93	74	E S E	1	o	10 a.	29.84	758	90	60	S	1	c
Legaspi,	2 p.	29.83	757.6	90	...	E	2	b	6 a.	29.85	758.1	81	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.79	756.6	89	...	S W	2	b	,,	29.85	758.2	85	...	S W	2	b
Cebu,	,,	29.79	756.6	89	...	N	1	b	,,	29.83	757.7	87	...	N	2	c
Labuan,	,,	29.66	753.3	82	...	...	...	...	,,	29.75	755.6	84	...	...	...	..

On the 5th at 11.55 a.—The barometer has risen slightly on the E. and N.E. coasts of China, and fallen moderately at the stations around the Sea of Japan.

The depression has continued to move towards N.E. and is situated this morning off the N.E. coast of Korea.

Pressure continues low over Tongking and N. Annam, and high over the Pacific to the E. of Japan.

Fresh or moderate S.E. and S. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and S. winds, fresh or moderate; squally, showe
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 5th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th June, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th June, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock,...	2 p.	29.41	747.0	...	...	N E	1	o	7 a.	29.62	752.3	52	57	..	0	c
muro, ...	,,	29.93	760.1	...	...	E	8	...	6 a.	29.65	753.1	...	...	S	8	...
kodate, ...	,,	29.73	755.2	...	...	S E	2	...	,,	29.50	749.2	...	...	W	8	...
kio, ...	,,	29.87	758.6	...	...	S	6	...	,,	29.71	754.6	...	...	S W	4	...
chi, ...	,,	29.87	758.8	...	...	S	2	...	,,	29.68	753.8	...	...	...	0	...
gasaki, ...	,,	29.76	755.8	...	...	S	10	...	,,	29.76	755.8	...	...	S	2	...
goshima, ...	,,	29.84	757.9	...	...	S	6	...	,,	29.80	756.9	...	...	N W	2	...
hima, ...	,,	29.89	759.1	...	...	...	0	...	,,	29.85	758.1	...	...	S	2	...
ha, ...	,,	29.89	759.2	...	...	S	4	...	,,	29.97	761.2	...	...	S W	4	...
igakijima, ...	,,	29.89	759.3	...	...	S	6	...	,,	29.89	759.3	...	...	S	6	...
nin Is.	,,	29.89	759.1	...	...	E	2	...	,,	29.89	759.1	...	...	...	0	...
efoo, ...	4 p.	29.77	756.1	62	72	N W	4	b	6 a.	29.74	755.4	61	76	W	3	o
ihaiwei, ...	,,	29.74	755.4	65	...	N N W	2	b	9 a.	29.74	755.4	...	...	N N W	1	ovr
nkow, ...	,,	29.87	758.7	86	65	S	1	b	6 a.	29.77	756.1	75	95	S E	1	b
ukiang, ...	,,	29.75	755.6	84	72	S E	1	c	,,	29.77	756.1	73	95	...	0	b
anghai, ...	,,	29.76	755.9	75	90	S S W	2	om	9 a.	29.76	755.9	75	90	E S E	1	om
tzlaff, ...	,,	29.75	755.6	72	95	S W	1	om	,,	29.75	755.6	70	100	...	0	om
arp Peak, ...	,,	29.77	756.1	82	91	S	5	lt	,,	29.82	757.4	80	96	...	0	c
noy, ...	,,	29.83	757.7	78	86	S W	2	o	6 a.	29.84	757.9	77	95	S W	1	c
atow, ...	,,	29.84	757.9	78	86	N W	2	or	,,	...	...	76	...	...	0	c
ihoku, ...	1 p.	29.83	757.7	...	...	N E	2	...	5 a.	29.85	758.1	...	...	S E	2	...
ichu, ...	,,	29.85	758.1	...	...	S	2	...	,,	29.88	758.8	...	...	...	0	...
inan, ...	,,	29.88	758.9	...	...	S	2	...	,,	29.88	759.0	...	...	E	2	...
shun	,,	29.89	759.2	...	...	S E	6	...	,,	29.88	758.8	...	...	...	0	...
scadores, ...	,,	29.88	758.9	...	...	S	6	...	,,	29.87	758.6	...	...	S	2	...
nton, ...	3 p.	29.80	756.9	77	100	N	1	or	9 a.	29.85	758.2	68	95	S	1	o
ngkong, ...	4 p.	29.82	757.4	78	91	...	0	op	10 a.	29.89	759.2	79	91	E N E	1	ot
ctoria Peak, ...	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S	4	...
p Rock, ...	,,	29.79	756.6	...	...	S	4	...	,,	29.88	758.9	...	...	S S E	3	...
cao, ...	,,	29.83	757.7	80	...	N N E	2	o	,,	29.90	759.4	78	...	S E	1	o
uchow, ...	3 p.	29.83	757.7	74	...	E	1	or	9 a.	...	...	...	...	...	...	...
ihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
uhien, ...	4 p.	29.69	754.1	75	...	E S E	8	or	8 a.	29.79	756.6	79	...	S E	5	c
urane, ...	,,	29.70	754.4	82	...	S E	2	c	,,	29.79	756.7	84	..	S S W	1	c
e St. James, .	,,	29.73	755.2	84	...	E S E	3	o	,,	29.79	756.7	82	...	S W	2	c
arri, ...	2 p.	29.84	757.9	91	...	N E	2	b	6 a.	29.86	758.3	79	...	S	2	b
nila, ...	4 p.	29.76	756	95	46	S S E	2	c	10 a.	29.84	758	90	60	E S E	1	c
aspi, ...	2 p.	29.82	757.3	90	...	E	2	b	6 a.	29.85	758.1	81	...	...	0	o
olod, ...	3 p.	...	...	...	...	N E	4	ort	9 a.	...	...	...	...	N N E	2	c
lo, ...	,,	29.77	756.1	88	...	N N E	2	c	,,	29.87	758.7	84	...	N E	1	c
u, ...	,,	29.80	756.9	85	...	N	1	o	,,	29.85	758.2	86	...	N	1	b
uan, ...	,,	29.64	752.8	87	...	...	...	...	,,	...	...	...	...	...	...	...

On the 6th at 11.55 a.—The barometer has fallen quickly over Central and Northeast Japan, and risen slightly n the NE and S coasts of China and over Tongking.

The depression having crossed the N. part of the Sea of Japan, has reached the W. coast of Hokkaido.

The highest pressure is now shown over the Pacific between the Loochoos and the Bonins.

Light or moderate S and SE winds may be expected in the Formosa Channel and along the northern shores of e China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S. and S.E. winds, light or moderate; thunder showers at first, probably improving later.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks,..	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 6th June, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th June, 1909, P.M.								7th June, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.63	752.7	67	...	N E	1	c	7 a.	29.53	751.3	50	93	S	1	o
Nemuro,	,,	29.57	751.1	...	...	S	8	...	6 a.	29.81	757.1	...	...	...	0	...
Hakodate,	,,	29.61	752.2	...	...	W	4	...	,,	29.69	754.2	...	...	...	0	...
Tokio,	,,	29.67	753.6	...	...	N W	2	...	,,	29.67	753.6	...	...	...	0	...
Kochi,	,,	29.64	752.8	...	...	S E	2	...	,,	29.68	753.8	...	...	S W	2	...
Nagasaki,	,,	29.76	755.8	...	...	S W	4	...	,,	29.76	755.8	...	...	N W	4	...
Kagoshima,	,,	29.76	755.9	...	...	W	2	...	,,	29.76	755.9	...	...	N	2	...
Oshima,	,,	29.81	757.1	...	...	S W	4	...	,,	29.81	757.1	...	...	S	4	...
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	29.89	759.2	...	...	S	2	...
Ishigakijima,	,,	29.85	758.3	...	...	S W	6	...	,,	29.86	758.3	...	...	S	8	...
Bonin Is.	,,	29.89	759.1	...	...	S W	2	...	,,	29.89	759.1	...	...	S	2	...
Chefoo,	4 p.	29.78	756.4	56	87	N W	2	or	6 a.	29.83	757.7	53	93	...	0	b
Weihaiwei,	,,	29.76	755.9	56	...	N N W	1	or	9 a.	29.82	757.4	63	...	N W	1	b
Hankow,	,,	29.71	754.6	88	73	W SW	2	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.66	753.3	91	63	N W	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.63	753.9	82	79	E S E	2	c	9 a.	...	...	...	...	...	...	...
Gutzlaff,	,,	29.70	754.4	74	90	S S E	1	cv	,,	...	...	...	...	...	...	...
Sharp Peak,	,,	29.75	755.6	83	96	S	1	b	,,	29.80	756.9	82	...	...	0	b
Amoy,	,,	29.81	757.2	82	83	S W	1	c	6 a.	29.81	757.2	79	90	...	0	b
Swatow,	,,	29.81	757.2	85	80	S	1	c	,,	29.83	757.7	81	83	S S W	1	b
Taihoku,	1 p.	29.83	757.7	...	...	W	4	...	5 a.	29.81	757.2	...	...	S	4	...
Taichu,	,,	29.87	758.7	...	...	S W	2	...	,,	29.87	758.6	...	...	...	0	...
Tainan,	,,	29.88	758.9	...	...	W	4	...	,,	29.87	758.6	...	...	...	0	...
Koshun	,,	29.88	758.9	...	...	W	4	...	,,	29.85	758.1	...	...	N W	2	...
Pescadores,	,,	29.93	760.2	...	...	W	4	...	,,	29.85	758.2	...	...	S	2	...
Canton,	3 p.	29.82	757.4	85	96	S W	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.81	757.2	82	81	S S W	1	o	10 a.	29.90	759.4	84	73	S W	1	o
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	3	...
Gap Rock,	,,	29.79	756.6	...	...	S E	2	...	,,	29.87	758.7	...	...	S	3	...
Macao,	,,	29.82	757.4	81	...	S S E	2	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.78	756.4	88	76	S E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.72	754.9	81	...	S S E	6	or	8 a.	29.82	757.3	81	...	S S E	6	c
Tourane,	,,	29.74	755.3	82	...	S E	3	c	,,	29.83	757.7	86	...	S W	2	b
Cape St. James,	,,	29.74	755.3	84	...	E	5	c	,,	29.84	757.8	79	...	...	3	or
Aparri,	2 p.	29.80	756.9	93	...	N E	2	b	6 a.	29.86	758.3	81	...	S	2	b
Manila,	4 p.	29.80	757	88	65	N E	1	o	10 a.	...	...	...	...	...	...	...
Legaspi,	2 p.	29.81	757.1	90	...	E	2	c	6 a.	29.86	758.4	79	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N E	2	c	9 a.	...	...	...	...	N W	1	o
Iloilo,	,,	29.81	757.2	88	...	N E	1	o	,,	29.87	758.7	85	...	S W	2	b
Cebu,	,,	29.78	756.4	89	...	N	2	b	,,	29.86	758.4	87	...	N	2	c
Labuan,	,,	29.69	754.1	88	...	...	...	...	,,	29.79	756.6	83	...	...	...	...

On the 6th at 12.15 p.—The barometer has fallen slightly over the S.E. coast of China and the Loochoos, and risen moderately over the N.E. coast of China and N.E. Japan.

The depression lying over Hokkaido yesterday, has moved away Northeastwards. A new depression has appeared over E. Manchuria.

The highest pressure is shown over the Pacific between the S. Loochoos and the Bonins.

The returns from the Yangtze stations are not in hand.

Light or moderate S. to S.W. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. to S.W. winds, light or moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 7th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th JUNE, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th JUNE, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
mmuro, ...	,,	...	...	...	...	...	...	...	6 a.	29.69	754.1	...	...	W	2	...
akodate.	,,	...	...	...	...	...	...	...	,,	29.81	757.2	...	...	N W	4	...
kio, ...	,,	...	...	...	...	...	...	...	,,	29.83	757.6	...	...	N W	2	...
ochi, ...	,,	...	...	...	...	...	...	...	,,	29.80	756.8	...	...	S W	2	...
agasaki, ...	,,	...	...	...	...	...	...	...	,,	29.80	756.8	...	...	...	0	...
agoshima, ...	,,	...	...	...	...	...	...	...	,,	29.80	756.9	...	...	E	2	...
shima, ...	,,	...	...	...	...	...	...	...	,,	29.81	757.1	...	...	S	4	...
aha, ...	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	S	2	...
higakijima, ...	,,	...	...	...	...	...	...	...	,,	29.82	757.3	...	...	S	6	...
onin Is.	,,	...	...	...	...	...	...	...	,,	29.89	759.1	...	...	W	6	...
hefoo, ...	4 p.	29.78	756.4	68	79	E	3	b	6 a.	29.69	754.1	59	93	...	0	c
eihaiwei, ...	,,	29.77	756.1	67	...	N E	1	b	9 a.	29.66	753.3	63	...	S S E	2	o
ankow, ...	,,	29.71	754.6	75	95	N E	2	o	6 a.	29.65	753.1	70	95	N W	1	o
iukiang.....	,,	29.72	754.9	82	91	S	1	or	,,	29.59	751.6	80	87	N E	2	o
hanghai.	,,	29.79	756.6	71	85	E	2	om	9 a.	29.54	750.3	72	95	S S E	4	omd
utzlaff, ...	,,	29.73	756.4	68	95	E N E	3	cm	,,	29.57	751.1	79	100	S S E	6	omr
harp Peak, ...	,,	29.74	755.4	82	91	S	3	or	,,	29.73	755.1	81	...	...	0	b
moy.....	,,	29.79	756.6	84	83	S E	3	c	6 a.	29.76	755.9	79	90	...	0	b
watow, ...	,,	29.79	756.6	91	67	S W	2	b	,,	29.80	756.9	89	82	W S W	1	b
aihoku, ...	1 p.	29.80	757.0	...	...	W	6	...	5 a.	29.80	756.8	...	...	S	2	...
aichu, ...	,,	29.85	758.3	...	...	W	4	...	,,	29.86	758.4	...	...	...	0	...
ainan, ...	,,	29.88	758.9	...	...	W	4	...	,,	29.86	758.5	...	...	E	2	...
oshun.....	,,	29.85	758.2	...	...	W	6	...	,,	29.86	758.5	...	...	N W	2	...
escadores, ...	,,	29.80	757.0	...	...	W	6	...	,,	29.84	757.9	...	...	S W	6	...
anton, ...	3 p.	29.80	756.9	90	100	S	1	b	9 a.	29.87	758.7	80	100	S	1	c
ongkong, ...	4 p.	29.84	757.9	85	69	W	1	c	10 a.	29.88	758.9	85	77	S W	3	cq
ictoria Peak, ...	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S S E	6	...
ap Rock, ...	,,	29.85	758.2	...	...	S	2	...	,,	29.85	758.2	...	...	S W	4	...
acao, ...	,,	29.84	757.9	83	...	S	1	c	,,	29.88	758.9	84	...	S S W	2	c
uchow, ...	3 p.	...	...	..	...	...	...	...	9 a.	...	...	...	...	...	...	...
oihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hulien, ...	4 p.	29.77	756.1	81	...	S S E	4	c	8 a.	...	...	...	...	...	...	...
ourane, ...	,,	29.78	756.4	82	...	S E	2	b	,,	...	...	...	..	...	...	...
ape St. James, .	,,	29.78	756.4	79	...	E N E	4	or	,,	...	...	...	...	...	...	...
parri, ...	2 p.	29.84	757.9	91	...	N E	2	c	6 a.	29.87	758.7	79	...	W	2	b
anila, ...	4 p.	29.76	756	93	46	S E	2	b	10 a.	29.88	759	88	59	...	0	o
egaspi, ...	2 p.	29.83	757.7	88	...	E	2	c	6 a.	29.83	759.0	81	...	...	0	o
acolod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N W	2	c
oilo, ...	,,	29.81	757.2	89	...	N E	1	b	,,	29.91	759.7	85	...	N N E	1	o
bu, ...	,,	29.82	757.4	90	...	N	2	b	,,	29.90	759.4	86	...	N	2	c
ebuan, ...	,,	29.75	755.6	87	...	...	...	...	,,	29.83	757.7	81	...	...	...	...

On the 8th at 12.10 p.—The depression noticed yesterday over E. Manchuria is moving into the Pacific to the N.E. of Japan.

The barometer has risen over the Sea of Japan, and fallen quickly over the E. and N.E. coast of China.

A new depression has appeared over the Yangtze Valley. It is moving Eastwards and approaching the neighbourhood of Shanghai.

The highest pressure is shown over the N. part of the China Sea and the Pacific to the Eastward of Luzon.

Strong S.W. winds may be expected in the Formosa Channel and moderate to fresh S. and S.W. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood, ...	S.W. winds, moderate to fresh; squally, showery later.
—Formosa Channel, ...	S.W. winds, fresh to strong.
—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 8th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th June, 1909, P.M.									9th June, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.60	751.9	53	...	S	4	b		7 a.	29.41	747.1	50	100	S	0	o
Nemuro, ...	,,	29.77	756.1	...	...	S	6	...		6 a.	29.93	760.1	...	...	S	2	...
Hakodate, ...	,,	29.85	758.2	...	...	S W	6	...		,,	29.69	754.2	...	...	S E	8	...
Tokio, ...	,,	29.83	757.6	...	...	S	6	...		,,	29.79	756.6	...	...	S E	2	...
Kochi, ...	,,	29.80	756.8	...	...	S E	2	...		,,	29.52	749.8	...	...	E	2	...
Nagasaki, ...	,,	29.72	754.8	...	...	W	4	...		,,	29.44	747.8	...	...	S	10	...
Kagoshima, ...	,,	29.76	755.9	...	...	S	2	...		,,	29.52	749.9	...	...	S E	8	...
Oshima, ...	,,	29.81	757.1	...	...	W	2	...		,,	29.69	754.1	...	...	S	4	...
Naha, ...	,,	29.81	757.2	...	...	S	4	...		,,	29.73	755.2	...	...	S W	4	...
Ishigakijima, ...	,,	29.78	756.3	...	...	S W	8	...		,,	29.70	754.3	...	...	S W	10	...
Bonin Is.	,,	29.89	759.1	...	...	W	6	...		,,	29.93	760.1	...	...	S	2	...
Chefoo, ...	4 p.	29.63	752.6	71	71	E	3	o		6 a.	29.74	755.4	62	61	N N W	2	o
Weihaiwei, ...	,,	29.61	752.1	65	...	S S E	1	o		9 a.	29.72	754.9	63	...	N N E	1	o
Hankow, ...	,,	29.66	753.3	72	95	N W	1	or		6 a.	29.77	756.1	70	95	N W	1	o
Kiukiang, ...	,,	29.51	749.5	88	69	S W	2	c		,,	29.70	754.4	70	95	N E	3	or
Shanghai, ...	,,	29.42	747.2	84	79	S	2	o		9 a.	29.71	754.6	70	85	N N E	2	om
Gutzlaff, ...	,,	29.45	748.0	74	90	S S W	5	ov		,,	29.72	754.9	66	90	N N E	4	om
Sharp Peak, ...	,,	29.64	752.8	85	87	S	4	b		,,	29.65	753.1	82	91	S	2	b
Amoy, ...	,,	29.77	756.1	87	88	S E	3	b		6 a.	29.74	755.4	81	78	...	0	b
Swatow, ...	,,	29.74	755.4	89	66	S W	2	b		,,	29.75	755.6	81	83	W S W	2	b
Taihoku, ...	1 p.	29.75	755.6	...	...	W	8	...		5 a.	29.70	754.4	...	...	S	2	...
Taichu, ...	,,	29.84	758.0	...	...	S W	6	...		,,	29.84	757.8	...	...	S	2	...
Tainan, ...	,,	29.87	758.6	...	...	S W	2	...		,,	29.84	757.8	...	...	E	2	...
Koshun	,,	29.84	758.0	...	...	W	8	...		,,	29.80	756.8	...	...	N W	6	...
Pescadores, ...	,,	29.86	758.5	...	...	W	6	...		,,	29.83	757.6	...	...	S W	6	...
Canton, ...	3 p.	29.73	755.1	92	96	S	2	o		9 a.	29.78	756.4	86	...	S	4	b
Hongkong, ...	4 p.	29.78	756.4	86	74	S W	4	cq		10 a.	29.84	757.9	84	75	S W	3	cq
Victoria Peak, ...	,,	...	...	...	...	S	5	...		,,	...	...	...	...	S S W	7	...
Gap Rock, ...	,,	29.75	755.6	...	...	S W	5	...		,,	29.82	757.4	...	...	W S W	5	...
Macao, ...	,,	29.79	756.6	85	...	S S W	3	c		,,	29.84	757.9	84	...	S W	4	cq
Wuchow, ...	3 p.	29.67	753.6	89	...	W	1	c		9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.70	754.4	86	...	S S E	6	b		8 a.	29.79	756.7	84	...	S	4	b
Tourane, ...	,,	29.77	756.2	82	...	S E	2	b		,,	29.84	758.0	86	..	S W	1	b
Cape St. James, .	,,	29.82	757.3	86	...	E	3	c		,,	29.90	759.5	86	...	S E	2	c
Aparri, ...	2 p.	29.83	757.8	90	...	N	2	b		6 a.	29.86	758.3	77	...	W	2	o
Manila, ...	4 p.	29.80	757	90	60	...	0	o		10 a.	29.88	759	90	60	...	0	c
Legaspi, ...	2 p.	29.84	757.9	90	...	E	2	o		6 a.	29.90	759.4	79	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	N N W	4	crlt		9 a.	...	...	...	...	N N W	1	c
Iloilo, ...	,,	29.85	758.2	87	...	W	1	c		,,	29.93	760.2	84	...	S W	1	c
Cebu, ...	,,	29.81	757.2	89	...	N	1	c		,,	29.88	758.9	86	...	N	1	c
Labuan, ...	,,	29.75	755.6	85	...	...	...	...		,,	29.85	758.2	84	...	...	...	...

On the 9th at 11.50 a.—The barometer has risen considerably along the Yangtze Valley, and fallen quickly in Wladiwostok and over S.W. Japan.

The depression noticed over the Lower Yangtze valley yesterday, has reached the neighbourhood of Korea Straits. A second centre is shown in the vicinity of Wladiwostok.

Pressure remains relatively high over the N. part of the China Sea and over the Pacific between the Philippines and the Bonins. It is highest apparently to the Eastward of the latter area.

The wind will probably shift to the N.E. in the Formosa Channel by to-morrow. Fresh S.W. winds may be expected along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, fresh; squally, probably becoming un[settled by to-morrow
2.—Formosa Channel, ...	S.W. to N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 9th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th JUNE, 1909, P.M.								10th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.39	746.6	65	...	S W	1	b	7 a.	29.44	747.7	55	75	...	0	o
Nemuro,	,,	29.73	755.1	...	...	E	6	...	6 a.	29.34	745.1	...	...	E	6	...
Hakodate,	,,	29.50	749.2	...	...	E	4	...	,,	29.38	746.2	...	...	N	2	...
Tokio,	,,	29.47	748.6	...	...	S	6	...	,,	29.39	746.5	...	...	N W	4	...
Kochi,	,,	29.40	746.8	...	...	N E	2	...	,,	29.64	752.8	...	...	...	0	...
Nagasaki,	,,	29.46	748.8	...	...	S W	4	...	,,	29.72	754.8	...	...	...	6	...
Kagoshima,	,,	29.52	749.9	...	...	W	6	...	,,	29.72	754.9	...	...	N W	4	...
Oshima,	,,	29.65	753.1	...	...	S W	6	...	,,	29.77	756.1	...	...	...	0	...
Naha,	,,	29.73	755.2	...	...	S	6	...	,,	29.77	756.2	...	...	W	2	...
Ishigakijima,	,,	29.74	755.3	...	...	S	6	...	,,	29.74	755.3	...	...	N E	2	...
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.89	759.1	...	...	S	4	...
Chefoo,	4 p.	29.68	753.9	69	47	N W	3	b	6 a.	29.76	755.9	62	51	S W	2	b
Weihaiwei,	,,	29.72	754.9	68	...	N W	2	b	9 a.	29.73	755.1	76	...	S S W	1	b
Hankow,	,,	29.91	759.7	70	95	N	1	or	6 a.	29.84	757.9	71	90	E S E	1	c
Kiukiang,	,,	29.85	758.2	71	95	N E	2	or	,,	29.78	756.4	69	90	N E	2	o
Shanghai,	,,	29.72	754.9	70	80	N	1	o	9 a.	29.84	757.9	72	54	E N E	1	c
Gutzlaff,	,,	29.70	754.4	67	89	N	3	om	,,	29.82	757.4	67	69	E N E	2	cv
Sharp Peak,	,,	29.61	752.1	84	87	S	4	b	,,	29.79	756.6	77	95	S W	1	or
Amoy,	,,	29.68	753.9	88	80	S S E	3	b	6 a.	29.73	755.1	82	87	...	0	b
Swatow,	,,	29.69	754.1	94	71	S S W	2	b	,,	29.74	755.4	82	78	W	1	c
Taihoku,	1 p.	29.67	753.6	...	...	W	8	...	5 a.	29.76	755.9	...	...	...	0	...
Taichu,	,,	29.82	757.4	...	...	S W	6	...	,,	29.81	757.1	...	...	...	0	...
Tainan,	,,	29.87	758.6	...	...	W	2	...	,,	29.82	757.2	...	...	S E	2	...
Koshun,	,,	29.80	757.0	...	...	N W	10	...	,,	29.78	756.4	...	...	N	8	...
Pescadores,	,,	29.82	757.5	...	...	S W	8	...	,,	29.80	756.8	...	...	S W	6	...
Canton,	3 p.	29.69	754.1	93	96	S	2	b	9 a.	29.81	757.2	87	96	S	1	c
Hongkong,	4 p.	29.75	755.6	85	75	S W	3	cq	10 a.	29.83	757.7	85	78	S	2	cq
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S S W	6	...
Gap Rock,	,,	29.74	755.4	...	...	S W	6	...	,,	29.81	757.2	...	...	S W	4	...
Macao,	,,	29.75	755.6	86	...	S S W	3	c	,,	29.81	757.2	84	...	S S W	2	c
Wuchow,	3 p.	29.70	754.4	80	...	W	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.75	755.6	87	73	S W	4	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	90	...	S S E	6	c	8 a.	29.76	755.8	84	...	S	3	c
Tourane,	,,	29.77	756.1	84	...	S S W	1	b	,,	29.81	757.2	90	..	..	0	b
Cape St. James,	,,	29.84	757.9	84	...	S E	3	o	,,	29.90	759.5	81	...	S W	3	o
Aparri,	2 p.	29.83	757.8	88	...	N	2	c	6 a.	29.86	758.3	77	...	S W	2	b
Manila,	4 p.	29.76	756	91	61	W S W	2	c	10 a.	29.84	758	90	72	W S W	1	c
Legaspi,	2 p.	29.80	757.0	90	...	E	2	c	6 a.	29.88	758.9	79	...	..	0	b
Bacolod,	3 p.	...	...	...	...	N N W	1	o	9 a.	...	...	...	...	N W	2	c
Iloilo,	,,	29.81	757.2	89	...	E N E	1	o	,,	29.91	759.7	85	...	E	1	b
Cebu,	,,	29.81	757.2	89	...	N	2	b	,,	29.88	758.9	87	...	S E	1	b
Labuan,	,,	29.71	754.6	82	...	...	...	...	,,	29.65	753.2	83	...	...	...	...

On the 10th at 12.10 p.—The depression lying over Korea Straits yesterday morning has moved quickly towards E.N.E. and is now passing to the Pacific to the South of Hokkaido. The other centre is moving slowly towards N.E. to the North of Wladiwostok.

The barometer has risen moderately over W. Japan and the E. coast of China.

Pressure is highest over the N. part of the China Sea and the Pacific towards the Bonins. A second maximum lies over the Yangtze valley, with relatively low pressure lying over S. China.

Moderate variable winds may be expected in the Formosa Channel, and moderate S.W. and S. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. and S. winds, fresh or moderate; squally, showery later.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 10th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th JUNE, 1909, P.M.								11th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.47	748.6	73	...	S E	0	c	7 a.	29.49	749.0	54	95	...	0	c
Nemuro,	,,	29.26	743.1	...	...	W	2	...	6 a.	29.57	751.1	...	...	S E	4	...
Hakodate,	,,	29.50	749.2	...	...	N W	8	...	,,	29.77	756.2	...	...	W	4	...
Tokio,	,,	29.55	750.6	...	...	N W	6	...	,,	29.95	760.6	...	...	N W	2	...
Kochi,	,,	29.72	754.8	...	...	S	2	...	,,	29.84	757.8	...	...	S W	2	...
Nagasaki,	,,	29.76	755.8	...	...	S W	6	...	,,	29.80	756.8	...	...	S	4	...
Kagoshima,	,,	29.76	755.9	...	...	W	4	...	,,	29.80	756.9	...	...	N E	4	...
Oshima,	,,	29.77	756.1	...	...	N E	4	...	,,	29.77	756.1	...	...	S	6	...
Naha,	,,	29.77	756.2	...	...	W	2	...	,,	29.73	755.2	...	...	S	2	...
Ishigakijima,	,,	29.74	755.3	...	...	N E	6	...	,,	29.78	756.3	...	...	S	4	...
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,	4 p.	29.64	752.8	84	31	S	4	c	6 a.	29.60	751.8	66	59	S	2	b
Weihaiwei,	,,	29.64	752.8	77	...	S S W	2	o	9 a.	29.59	751.6	71	...	S S W	2	b
Hankow,	,,	29.85	758.2	77	77	S E	1	o	6 a.	29.74	755.4	72	95	S E	1	c
Kiukiang,	,,	29.73	755.1	78	74	N E	1	o	,,	29.68	753.9	70	100	...	0	or
Shanghai,	,,	29.76	755.9	70	61	S E	2	o	9 a.	29.71	754.6	63	99	S S E	3	om
Gutzlaff,	,,	29.77	756.1	66	79	E S E	2	om	,,	29.73	755.1	65	100	S E	2	om
Sharp Peak,	,,	29.77	756.1	87	91	E	3	c	,,	29.73	755.1	77	100	...	0	f
Amoy,	,,	29.70	754.4	87	80	S E	3	b	6 a.	29.74	755.4	81	87	S E	1	b
Swatow,	,,	29.70	754.4	92	96	S S W	2	b	,,	29.77	756.1	80	78	W S W	1	b
Taihoku,	1 p.	29.76	755.9	...	...	W	2	...	5 a.	29.79	756.7	...	...	..	0	...
Taichu,	,,	29.82	757.4	...	...	S W	6	...	,,	29.83	757.7	...	...	S E	2	...
Tainan,	,,	29.86	758.4	...	...	S W	4	...	,,	29.84	757.9	...	...	S E	2	...
Koshun	,,	29.82	757.5	...	...	W	8	...	,,	29.84	757.9	...	...	W	2	...
Pescadores,	,,	29.82	757.5	...	...	W	6	...	,,	29.82	757.3	...	...	S W	6	...
Canton,	3 p.	29.66	753.3	83	100	S	2	b	9 a.	...	...	87	...	S	1	b
Hongkong,	4 p.	29.75	755.6	84	74	S W	2	o	10 a.	29.82	757.4	84	75	S W	1	o
Victoria Peak,	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S S E	6	...
Gap Rock,	,,	29.74	755.4	...	...	S W	5	...	,,	29.80	756.9	...	...	S W	4	...
Macao,	,,	29.74	755.4	84	...	S S W	3	c	,,	29.82	757.4	84	...	S S W	3	c
Wuchow,	3 p.	29.64	752.8	92	...	W	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.72	754.9	89	73	S W	3	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.5	91	...	S S E	3	b	8 a.	29.74	755.4	84	...	S	5	b
Tourane,	,,	29.74	755.4	84	...	S	1	b	,,	29.83	757.7	90	..	S	1	b
Cape St. James,	,,	29.81	757.1	86	...	S W	2	c	,,	29.88	758.9	81	...	W	1	o
Aparri,	2 p.	29.82	757.3	90	...	N	2	b	6 a.	29.86	758.5	79	...	S W	2	b
Manila,	4 p.	29.76	756	88	72	S W	2	otl	10 a.	29.84	758	88	65	W	1	c
Legaspi,	2 p.	29.80	756.8	91	...	E	2	b	6 a.	29.85	758.2	79	...	E	2	b
Bacolod,	3 p.	...	...	...	...	E S E	2	o	9 a.	...	...	...	...	N W	1	c
Iloilo,	,,	29.81	757.2	88	...	N W	1	c	,,	29.89	759.2	84	...	S W	1	b
Cebu,	,,	29.80	756.9	90	...	N	1	c	,,	29.86	758.4	87	...	S E	1	c
Labuan,	,,	29.76	755.9	82	...	...	...	...	,,	29.85	758.4	81	...	...	...	...

On the 11th at 12.10 p.—The depression lying over N.E. Japan yesterday has moved away over the Pacific and pressure has increased quickly over the E. and S.E. coasts.

The barometer has fallen again over N. China, a new depression having appeared over Manchuria. Also a shallow area of low pressure is lying over the Lower Yangtze valley.

Pressure is high over the Pacific in the neighbourhood of the Bonins.

Moderate to fresh S. and S.W. winds may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, moderate to fresh; squally, some [showers.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 11th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	11th JUNE, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th JUNE, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.53	750.0	72	...	S	1	o	7 a.	29.54	750.2	58	85	N	1	b
Nemuro,	,,	29.65	753.1	...	...	S	8	...	6 a.	29.69	754.1	...	...	S W	2	...
Hakodate,	,,	29.81	757.2	...	...	W	6	...	,,	29.73	755.2	...	...	...	0	...
Tokio,	,,	29.91	759.6	...	...	S	2	...	,,	29.83	757.6	...	...	N E	2	...
Kochi,	,,	29.83	757.8	...	...	...	0	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki,	,,	29.76	755.8	...	...	E	2	...	,,	29.88	758.8	...	...	...	0	...
Kagoshima,	,,	29.76	755.9	...	...	E	6	...	,,	29.88	758.9	...	...	S E	2	...
Oshima,	,,	29.81	757.1	...	...	S	2	...	,,	29.93	760.1	...	...	...	0	...
Naha,	,,	29.81	757.2	...	...	S	4	...	,,	29.85	758.2	...	...	S W	2	...
Ishigakijima,	,,	29.78	756.3	...	...	S W	6	...	,,	29.82	757.3	...	...	S	10	...
Bonin Is.	,,	29.93	760.1	...	...	S	2	...	,,	30.01	762.1	...	...	S	2	...
Chefoo,	4 p.	29.61	752.1	80	95	N N E	3	c	6 a.	29.74	755.4	66	84	...	0	o
Weihaiwei,	,,	29.59	751.6	78	...	S W	3	o	9 a.	29.76	755.9	71	...	S S E	1	b
Hankow,	,,	29.74	755.4	74	90	S W	1	or	6 a.	29.71	754.6	74	100	E S E	2	or
Kiukiang,	,,	29.67	753.6	71	100	N E	1	or	,,	29.71	754.6	73	90	...	0	o
Shanghai,	,,	29.69	754.1	73	81	S S E	2	o	9 a.	29.78	756.4	71	95	S E	1	om
Gutzlaff,	,,	29.70	754.4	69	95	S E	2	om	,,	29.77	756.1	70	90	S E	2	om
Sharp Peak,	,,	29.66	753.3	81	87	S	4	b	,,	29.80	756.9	81	96	S	1	b
Amoy,	,,	29.71	754.6	87	80	S S E	3	c	6 a.	...	...	...	...	...	...	...
Swatow,	,,	29.71	754.6	93	98	S W	2	b	,,	29.90	759.4	81	78	S W	1	c
Taihoku,	1 p.	29.74	755.3	...	...	W	4	...	5 a.	29.80	757.0	...	...	...	0	...
Taichu,	,,	29.80	756.9	...	...	S W	6	...	,,	29.85	758.2	...	...	...	0	...
Tainan,	,,	29.85	758.1	...	...	W	4	...	,,	29.87	758.6	...	...	E	2	...
Koshun,	,,	29.81	757.1	...	...	W	8	...	,,	29.86	758.3	...	...	N W	2	...
Pescadores,	,,	29.83	757.7	...	...	S	6	...	,,	29.85	758.2	...	...	S	6	...
Canton,	3 p.	29.66	753.3	93	96	S W	1	b	9 a.	29.84	758.2	86	96	S	1	b
Hongkong,	4 p.	29.74	755.4	85	72	S S W	2	c	10 a.	29.86	758.4	85	70	S W	2	o
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S S W	4	...
Gap Rock,	,,	29.73	755.1	...	...	S W	4	...	,,	29.83	757.7	...	...	S W	4	...
Macao,	,,	29.74	755.4	83	...	S	3	c	,,	29.86	758.4	85	...	S W	2	c
Wuchow,	3 p.	29.64	752.8	93	...	W	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.6	88	...	S S E	4	c	8 a.	29.75	755.6	84	...	S S E	4	c
Tourane,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	88	...	...	0	b
Cape St. James,	,,	29.80	756.9	88	...	W S W	2	c	,,	29.88	758.8	81	...	N W	1	c
Aparri,	2 p.	29.81	757.2	91	...	N E	2	b	6 a.	29.86	758.5	77	...	S	2	b
Manila,	4 p.	29.76	756	95	46	S E	1	c	10 a.	29.88	759	86	59	W N W	1	c
Legaspi,	2 p.	29.82	757.3	88	...	E	2	o	6 a.	29.86	758.4	79	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N W	1	c
Iloilo,	,,	29.81	757.2	89	...	N N E	1	o	,,	29.89	759.2	84	...	E	1	b
Cebu,	,,	29.79	756.6	90	...	N	1	b	,,	29.87	758.7	88	...	S E	1	b
Labuan,	,,	29.81	757.2	79	...	...	...	...	,,	29.87	758.7	89	...	...	...	...

On the 12th at 11.50 a.—The depression lying over Manchuria yesterday, appears to be moving away over the continent to the N.E. of Wladiwostok.

The barometer has risen moderately over S.W. Japan, the Loochoos and N. China, and a slight rise has taken place also over S. China.

Pressure remains high over the Pacific in the neighbourhood of the Bonins. It is relatively low over the interior of the continent between Tougking and N. China.

Moderate S. monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 12th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th JUNE, 1909, P.M.								13th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.58	750.2	70	...	W S W	2	c	7 a.	29.65	753.0	58	75	S E	1	o
Nemuro,	,,	29.61	752.1	...	...	S	6	...	6 a.	29.73	755.1	...	...	N W	2	...
Hakodate,	,,	29.69	754.2	...	...	S W	8	...	,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	S	4	...	,,	29.91	759.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	29.88	758.8	...	...	W	2	...
Nagasaki,	,,	29.83	757.8	...	...	S W	4	...	,,	29.84	757.8	...	...	S	6	...
Kagoshima,	,,	29.88	758.9	...	...	S	4	...	,,	29.88	758.9	...	...	S	2	...
Oshima,	,,	29.89	759.1	...	...	S	2	...	,,	29.93	760.1	...	...	S	2	...
Naha,	,,	29.89	759.2	...	...	S E	4	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.89	759.3	...	...	S	6	...
Bonin Is.	,,	30.00	762.1	...	...	S	4	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	29.71	754.6	78	74	S	3	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.71	754.6	71	...	S S E	3	o	9 a.	29.67	753.6	65	...	S E	1	f
Hankow,	,,	29.71	754.6	79	90	E	1	o	6 a.	29.78	756.4	75	63	N W	1	o
Kiukiang,	,,	29.60	751.8	86	80	N E	1	c	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.69	754.1	75	90	S E	1	od	9 a.	29.62	752.3	82	83	S S W	2	o
Gutzlaff,	,,	29.70	754.4	70	100	S E	5	...	,,	29.63	752.6	73	99	S	5	om
Sharp Peak,	,,	29.73	755.1	84	87	S	4	b	,,	29.80	756.9	82	96	S	1	b
Amoy,	,,	29.77	756.1	86	84	S E	3	c	6 a.	29.83	757.7	81	87	S E	1	c
Swatow,	,,	29.77	756.1	90	60	S W	2	c	,,	29.85	758.2	80	91	S W	1	b
Taihoku,	1 p.	29.82	757.5	...	...	W	4	...	5 a.	29.87	758.6	...	...	...	0	...
Taichu,	,,	29.77	756.1	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.88	758.9	...	...	S W	4	...	,,	29.89	759.3	...	...	S W	2	...
Koshun	,,	29.88	758.9	...	...	W	2	...	,,	29.90	759.4	...	...	...	0	...
Pescadores,	,,	29.87	758.7	...	...	S	6	...	,,	29.88	759.0	...	...	S W	4	...
Canton,	3 p.	29.72	754.9	93	96	S	1	b	9 a.	29.86	758.4	85	96	S	1	c
Hongkong,	4 p.	29.70	756.6	84	74	S	2	o	10 a.	29.90	759.4	86	74	S W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S S W	5	...
Gap Rock,	,,	29.78	756.4	...	...	S W	4	...	,,	29.89	759.2	...	...	S W	4	...
Macao,	,,	29.79	756.6	85	...	S	2	c	,,	29.90	759.4	85	...	S W	2	c
Wuchow,	3 p.	29.69	754.1	92	...	S	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.76	755.9	90	70	S W	2	b	,,	...	...	...	...	..	...	...
Phulien,	4 p.	29.67	753.5	88	...	S S E	5	c	8 a.	29.80	756.8	81	...	S S E	8	c
Tourane,	,,	29.72	754.9	84	...	S E	1	b	,,	29.93	760.2	88	..	...	0	b
Cape St. James,	,,	29.78	756.5	86	...	S S W	2	c	,,	29.90	759.5	79	...	W	4	o
Aparri,	2 p.	29.83	757.7	93	...	N E	2	b	6 a.	29.89	759.1	79	...	S	2	b
Manila,	4 p.	29.80	757	88	65	...	0	o	10 a.	29.92	760	90	60	E S E	1	c
Legaspi,	2 p.	29.83	757.7	90	...	E	2	c	6 a.	29.91	759.8	79	...	E	2	o
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N W	...	o
Iloilo,	,,	29.83	757.7	90	...	S W	1	b	,,	29.99	761.7	83	...	S E	1	c
Cebu,	,,	29.80	756.9	89	...	N	2	c	,,	29.92	759.9	86	...	N	1	b
Labuan,	,,	29.80	756.9	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 13th at 11.45 a.—The barometer has fallen moderately over the E. and NE coasts of China, and risen slightly elsewhere except over W. Japan.

Another depression has developed over the Lower Yangtze valley. It appears to be moving towards NE.

The area of high pressure is central apparently over the Pacific to the Eastward of the Bonins.

Fresh to moderate S. monsoon may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; fair.
2.—Formosa Channel,	S. to SW winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 13th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th June, 1909, P.M.								14th June, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.60	751.9	63	...	S E	1	o	7 a.	29.52	749.7	53	88	W	1	o
Nemuro,	,,	29.77	756.1	...	...	S E	4	...	6 a.	29.69	754.1	...	...	E	6	...
Hakodate,	,,	29.77	756.2	...	...	S	4	...	,,	29.50	749.2	...	...	E	6	...
Tokio,	,,	29.83	757.6	...	...	S	4	...	,,	29.39	746.6	...	...	S	10	...
Kochi,	,,	29.83	757.8	...	...	...	0	...	,,	29.56	750.8	...	...	E	4	...
Nagasaki,	,,	29.76	755.8	...	...	S W	8	...	,,	29.64	752.8	...	...	S W	8	...
Kagoshima,	,,	29.84	757.9	...	...	S	6	...	,,	29.72	754.9	...	...	S W	10	...
Oshima,	,,	29.89	759.1	...	...	S	4	...	,,	29.65	758.1	...	...	S	4	...
Naha,	,,	29.89	759.2	...	...	S	4	...	,,	29.85	758.2	...	...	S	2	...
Ishigakijima,	,,	29.89	759.3	...	...	S	8	...	,,	29.86	758.3	...	...	S W	6	...
Bonin Is.	,,	30.00	762.1	...	...	S	4	...	,,	29.97	761.1	...	...	S	10	...
Chefoo,	4 p.	29.68	753.9	62	95	W	3	f	6 a.	29.72	754.9	62	72	W	1	b
Weihaiwei,	,,	29.65	753.1	69	...	N N W	2	o	9 a.	29.77	756.1	67	...	N W	4	b
Hankow,	,,	29.82	757.4	75	95	N W	1	or	6 a.	29.90	759.4	69	95	N W	1	o
Kinkiang,	,,	29.71	754.6	79	91	W	4	o	,,	29.81	757.2	70	100	N E	2	or
Shanghai,	,,	29.56	750.8	91	60	S	4	o	9 a.	29.83	757.7	69	90	N E	2	om
Gutzlaff,	,,	29.59	751.6	77	86	S	4	...	,,	29.83	757.7	67	100	N N E	1	om
Sharp Peak,	,,	29.75	755.6	86	87	S	4	b	,,	29.79	756.6	83	96	S	1	b
Amoy,	,,	29.81	757.2	87	76	S S E	3	b	6 a.	29.83	757.7	82	87	...	0	b
Swatow,	,,	29.83	757.7	92	67	S W	3	c	,,	29.82	757.4	80	66	W S W	1	b
Taihoku,	1 p.	29.85	758.1	...	...	W	4	...	5 a.	29.85	758.2	...	...	...	0	...
Taichu,	,,	29.88	759.0	...	...	W	6	...	,,	29.89	759.3	...	...	...	0	...
Tainan,	,,	29.91	759.7	...	...	S W	6	...	,,	29.89	759.3	...	...	E	2	...
Koshun	,,	29.91	759.8	...	...	S W	2	...	,,	29.89	759.2	...	...	...	0	...
Pescadores,	,,	29.91	759.7	...	...	S W	6	...	,,	29.88	758.9	...	...	S W	4	...
Canton,	3 p.	29.80	756.9	92	96	S	1	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.83	757.7	88	65	S W	1	c	10 a.	29.90	759.4	85	71	S W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.81	757.2	...	...	S W	3	...	,,	29.83	758.9	...	...	S W	3	...
Macao,	,,	29.83	757.7	87	...	S S W	1	c	,,	29.91	759.7	85	...	S W	2	c
Wuchow,	3 p.	...	...	91	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.79	756.6	92	61	S	3	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.73	755.1	86	...	S S E	4	c	8 a.	29.82	757.3	84	...	S S E	5	c
Tourane,	,,	29.76	756.0	84	...	E S E	2	c	,,	29.81	757.1	88	...	...	0	b
Cape St. James,	,,	29.84	757.9	82	...	S	6	c	,,	29.93	760.1	77	...	S W	3	o
Aparri,	2 p.	29.84	758.0	95	...	E	2	b	6 a.	29.91	759.6	75	...	S W	2	b
Manila,	4 p.	29.80	757	91	49	S E	1	o	10 a.	29.92	760	84	77	N W	1	o
Legaspi,	2 p.	29.88	759.0	77	...	E	2	o	6 a.	29.90	759.4	81	...	E	2	b
Bacolod,	3 p.	...	...	...	...	S W	1	cp	9 a.	...	...	...	...	...	0	o
Iloilo,	,,	...	...	84	...	S E	1	o	,,	29.93	760.2	81	...	N	1	o
Cebu,	,,	29.86	758.4	85	...	...	0	b	,,	29.92	759.9	83	...	S	1	o
Labuan,	,,	29.79	756.6	87	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 14th at 11.55 a.—The barometer has fallen quickly in Japan, and risen considerably along the Yangtze and over the N.E. coast of China.

The depression lying near the mouth of the Yangtze yesterday, has moved quickly towards E.N.E. and is now situated over the S.E. part of the Sea of Japan.

Pressure remains high over the China Sea and the Pacific towards the Bonins. It is highest to the Eastward of the latter area.

Moderate S.W. and variable winds may be expected in the Formosa Channel and moderate S. monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, moderate; fair.
2.—Formosa Channel,	S.W. and variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 14th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th JUNE, 1909, P.M.								15th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.52	749.8	64	...	S W	1	o	7 a.	29.71	754.6	59	78	S	1	o
Nemuro,	,,	29.49	749.1	...	...	E	8	...	6 a.	29.10	739.1	...	...	N	8	...
Hakodate,	,,	29.18	741.2	...	...	E	6	...	,,	29.62	752.2	...	...	N	6	...
Tokio,	,,	29.28	743.6	...	...	S W	6	...	,,	29.67	753.6	...	...	N W	8	...
Kochi,	,,	29.64	752.8	...	...	S W	2	...	,,	29.80	756.8	...	...	S W	2	...
Nagasaki,	,,	29.72	754.8	...	...	S W	4	...	,,	29.80	756.8	...	...	S	2	...
Kagoshima,	,,	29.72	754.9	...	...	W	4	...	,,	29.76	755.9	...	...	...	0	...
Oshima,	,,	29.81	757.1	...	...	S	4	...	,,	29.81	757.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	S W	4	...	,,	29.85	758.2	...	...	S W	2	...
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.82	757.3	...	...	S	6	...
Bonin Is.	,,	29.93	760.1	...	...	S	2	...	,,	29.93	760.1	...	...	S	4	...
Chefoo,	4 p.	29.84	757.9	73	58	N N W	2	b	6 a.	29.76	755.9	68	74	...	0	b
Weihaiwei,	,,	29.73	755.1	70	...	N W	1	b	9 a.	29.68	753.9	75	...	N W	1	o
Hankow,	,,	29.90	759.4	75	77	N W	1	or	6 a.	29.92	759.9	67	81	W	1	o
Kiukiang,	,,	29.87	758.7	70	95	N E	1	or	,,	29.83	757.7	63	100	W	1	or
Shanghai,	,,	29.79	756.6	71	90	E	1	o	9 a.	29.84	757.9	69	90	S E	1	om
Gutzlaff,	,,	29.80	756.9	68	95	...	0	omr	,,	29.84	757.9	66	100	E	1	om
Sharp Peak,	,,	29.71	754.6	85	91	S	2	b	,,	29.80	756.9	80	95	E	1	o
Amoy,	,,	29.76	755.9	88	80	S E	1	b	6 a.	29.79	756.6	82	87	S S E	1	b
Swatow,	,,	29.75	755.6	95	62	S S W	2	b	,,	29.80	756.9	80	90	N W	2	b
Taihoku,	1 p.	29.79	756.6	...	...	W	6	...	5 a.	29.82	757.3	...	...	...	0	...
Taichu,	,,	29.83	757.8	...	...	S W	2	...	,,	29.91	759.7	...	...	...	0	...
Tainan,	,,	29.87	758.7	...	...	S W	4	...	,,	29.87	758.6	...	...	E	2	...
Kosbun	,,	29.83	757.8	...	...	W	8	...	,,	29.85	758.1	...	...	N W	4	...
Pescadores,	,,	29.85	758.3	...	...	W	6	...	,,	29.85	758.2	...	...	S W	6	...
Canton,	3 p.	29.74	755.4	94	68	S	1	b	9 a.	29.82	757.4	86	84	S	1	b
Hongkong,	4 p.	29.80	756.9	87	63	S W	1	b	10 a.	29.90	759.4	86	68	S W	2	c
Victoria Peak,	,,	...	...	...	...	W S W	4	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.80	756.9	...	...	S W	2	...	,,	29.87	758.7	...	...	S W	4	...
Macao,	,,	29.81	757.2	86	...	S	2	c	,,	29.90	759.4	85	...	S W	2	c
Wuchow,	3 p.	29.77	756.1	89	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.78	756.4	95	...	S W	1	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.7	84	...	S S E	6	c	8 a.	29.82	757.3	84	...	S S E	5	c
Tourane,	,,	29.74	755.4	82	...	S E	2	b	,,	29.84	757.8	86	..	...	0	b
Cape St. James,	,,	29.81	757.2	75	...	S W	4	lt	,,	29.89	759.3	79	...	S S E	2	c
Aparri,	2 p.	29.82	757.5	91	...	N E	2	b	6 a.	29.89	759.3	75	...	S	2	b
Manila,	4 p.	29.80	757	88	72	N W	0	o	10 a.	29.92	760	86	71	W	1	c
Legaspi,	2 p.	29.84	758.0	90	...	E	2	b	6 a.	29.90	759.5	79	...	...	0	o
Bacolod,	3 p.	...	...	...	...	E N E	1	c	9 a.	...	...	...	...	S E	1	o
Iloilo,	,,	29.85	758.2	84	...	N E	1	o	,,	29.99	761.7	82	...	N E	1	o
Cebu,	,,	29.83	757.7	86	...	S	2	o	,,	29.91	759.7	85	...	S	1	c
Labuan,	,,	29.80	756.9	83	...	...	...	...	,,	29.90	759.4	84	...	...	...	...

On the 15th at 11.55 a.—The depression crossed E. Nippon during the night and is situated this morning off the coast of Hokkaido near Nemuro.

The barometer has risen quickly over S. Japan, while it is inclined to fall over the S. coast of China and Formosa.

Pressure remains high over the Upper Yangtze, and over the N. part of the China Sea and the Pacific towards the Bonins.

Moderate variable winds may be expected in the Formosa Channel, and moderate S. monsoon along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 15th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th June, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th June, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.74	755.5	53	...	S	3	o	7 a.	29.80	757.0	49	76	S E	2	or
Nemuro,	,,	29.77	756.1	...	...	N	8	...	6 a.	30.04	763.1	...	...	N	2	...
Hakodate,	,,	29.77	756.2	...	...	W	4	...	,,	29.97	761.2	...	...	S E	8	...
Tokio,	,,	29.76	755.6	...	...	S	6	...	,,	29.91	759.6	...	...	E	2	...
Kochi,	,,	29.80	756.8	...	...	...	0	...	,,	29.84	757.8	...	...	W	2	...
Nagasaki,	,,	29.80	756.8	...	...	S	4	...	,,	29.83	758.8	...	...	...	0	...
Kagoshima,	,,	29.80	756.9	...	...	N	2	...	,,	29.88	758.9	...	...	...	0	...
Oshima,	,,	29.77	756.1	...	...	N E	4	...	,,	29.85	758.1	...	...	N	4	...
Naha	,,	29.85	758.2	...	...	S W	4	...	,,	29.81	757.2	...	...	S W	2	...
Ishigakijima,	,,	29.82	757.3	...	...	S	6	...	,,	29.86	758.3	...	...	...	0	...
Bonin Is.	,,	29.93	760.1	...	...	S W	2	...	,,	29.89	759.1	...	...	...	0	...
Chefoo,	4 p.	29.69	754.1	70	76	N W	4	c	6 a.	29.79	756.6	60	76	...	0	b
Weihaiwei,	,,	29.71	754.6	72	...	S E	...	o	9 a.	29.86	758.4	73	...	N N W	1	b
Hankow,	,,	29.94	760.5	80	66	S	1	b	6 a.	29.89	759.2	74	95	E	1	or
Kinkiang	,,	29.86	758.4	78	74	...	0	o	,,	29.82	757.4	70	100	...	0	or
Shanghai,	,,	29.82	757.4	77	69	S	2	c	9 a.	29.86	758.4	78	74	S S E	1	cm
Gutzlaff,	,,	29.84	757.9	71	85	S W	1	cv	,,	29.87	758.7	72	90	S S E	1	cv
Sharp Peak,	,,	29.77	756.1	83	91	N N W	2	b	,,	29.83	758.9	79	95	N E	1	o
Amoy,	,,	29.76	755.9	87	80	S E	2	b	6 a.	29.81	757.2	83	83	E N E	1	b
Swatow,	,,	29.77	756.1	96	62	W S W	...	b	,,	29.85	758.2	81	83	W N W	2	b
Taihoku,	1 p.	29.81	757.2	...	...	W	6	...	5 a.	29.86	758.3	...	...	S E	2	...
Taichu,	,,	29.87	758.7	...	...	W	6	...	,,	29.87	758.7	...	...	...	0	...
Tainan,	,,	29.91	759.6	...	...	W	6	...	,,	29.87	758.7	...	...	...	0	...
Koshun	,,	29.87	758.7	...	...	N W	8	...	,,	29.86	758.5	...	...	...	0	...
Pescadores,	,,	29.89	759.1	...	...	S W	6	...	,,	29.86	758.5	...	...	S W	2	...
Canton,	3 p.	29.81	757.2	83	75	S	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.83	757.7	87	66	S W	1	c	10 a.	29.91	759.7	81	82	S	3	op
Victoria Peak,	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S S W	2	...
Gap Rock,	,,	29.82	757.4	...	...	S W	4	...	,,	29.87	758.7	...	...	S W	3	...
Macao,	,,	29.83	757.7	86	...	S	2	c	,,	29.90	759.4	85	...	S	2	c
Wuchow,	3 p.	29.80	756.9	90	...	E	1	b	9 a.	29.88	758.9	84	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	90	73	W	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.4	84	...	S S E	5	c	8 a.	...	...	...	...	...	...	..
Tourane,	,,	29.76	755.8	84	...	S E	2	b	,,	...	...	...	..	...	...	...
Cape St. James,	,,	29.83	757.8	79	...	S W	3	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.87	758.7	88	...	...	0	o	6 a.	29.88	759.0	77	...	S W	0	o
Manila,	4 p.	29.84	758	86	71	S W	3	o	10 a.	29.92	760	84	71	W N W	1	o
Legaspi,	2 p.	29.86	758.5	91	...	N	2	b	6 a.	29.90	759.4	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	...	0	op	9 a.	...	...	...	...	S E	1	...
Iloilo,	,,	29.87	758.7	83	...	N	1	c	,,	29.95	760.7	82	...	S W	1	b
Cebu,	,,	29.86	758.4	85	...	N	1	o	,,	29.95	760.7	85	...	S	1	c
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 16th at 12.15 p.—The barometer has risen rapidly over E. Japan, and fallen slightly over the S. Loochoos and the Bonins.

Pressure is now high over N.E. Japan and it continues high also over the Eastern part of the China Sea and the Philippines. It is relatively low over Manchuria, and over the Pacific between the Loochoos and the Bonins.

Light variable winds may be expected in the Formosa Channel, and light S. monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, light; fair.
2.—Formosa Channel,	Variable winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 16th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th JUNE, 1909, P.M.								17th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.81	757.1	51	...	...	0	o	7 a.	29.83	757.6	51	72	N	1	c
Nemuro,	,,	30.08	764.1	...	...	S E	4	...	6 a.	30.08	764.1	...	...	S	2	...
Hakodate,	,,	29.97	761.2	...	...	E	8	...	,,	29.93	760.2	...	...	N E	5	...
Tokio,	,,	29.91	759.6	...	...	S E	5	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	29.83	757.8	...	...	S E	2	...	,,	29.83	757.8	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	S W	6	...	,,	29.88	758.8	...	...	S	2	...
Kagoshima,	,,	29.84	757.9	...	...	S	2	...	,,	29.92	759.9	...	...	N	4	...
Oshima,	,,	29.85	758.1	...	...	N	6	...	,,	29.69	759.1	...	...	...	0	...
Naha,	,,	29.85	758.2	...	...	N W	4	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	E	6	...	,,	29.86	758.3	...	...	S	6	...
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.89	759.1	...	...	...	0	...
Chefoo,	4 p.	29.83	757.7	71	76	E	1	b	6 a.	29.81	757.2	67	59	S W	1	b
Weihaiwei,	,,	29.82	757.4	77	...	S E	1	b	9 a.	29.82	757.4	76	...	S E	1	b
Hankow,	,,	29.86	758.4	73	100	N E	1	or	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.74	755.4	77	86	...	0	or	,,	29.70	754.4	71	95	N E	2	or
Shanghai,	,,	29.85	758.2	75	72	S	2	o	9 a.	29.83	757.7	70	85	S E	2	ond
Gutzlaff,	,,	29.87	758.7	72	90	...	0	ov	,,	29.82	757.4	67	79	S E	4	ov
Sharp Peak,	,,	29.82	757.4	79	90	E	2	c	,,	29.80	756.9	79	95	...	0	o
Amoy,	,,	29.80	756.9	84	83	S W	2	c	6 a.	29.81	757.2	82	87	S W	1	b
Swatow,	,,	29.75	755.6	94	58	S S W	1	b	,,	29.79	756.6	81	83	W N W	2	b
Taihoku,	1 p.	29.85	758.3	...	...	S W	4	...	5 a.	29.85	758.1	...	...	...	0	...
Taichu,	,,	29.87	758.7	...	...	W	4	...	,,	29.87	758.7	...	...	...	0	...
Tainan,	,,	29.89	759.3	...	...	S	4	...	,,	29.86	758.4	...	...	E	2	...
Koshun,	,,	29.89	759.2	...	...	N W	6	...	,,	29.86	758.5	...	...	...	0	...
Pescadores,	,,	29.90	759.4	...	...	S W	6	...	,,	29.88	758.8	...	...	S	4	...
Canton,	3 p.	29.79	756.6	92	67	S	1	b	9 a.	29.86	758.4	87	83	S	1	b
Hongkong,	4 p.	29.80	756.9	85	65	S W	2	c	10 a.	29.86	758.4	85	68	S S W	1	op
Victoria Peak,	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S S W	4	...
Gap Rock,	,,	29.79	756.6	...	...	S W	3	...	,,	29.82	757.4	...	...	S S W	4	...
Macao,	,,	29.81	757.2	86	...	S S W	2	c	,,	29.85	758.2	85	...	S S W	2	c
Wuchow,	3 p.	29.75	755.6	91	...	E	1	c	9 a.	29.82	757.4	85	...	E	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.70	754.5	86	...	S S E	6	c	8 a.	29.78	756.3	84	...	S S E	5	c
Tourane,	,,	29.73	755.2	84	...	...	0	b	,,	29.83	757.7	88	..	E S E	1	b
Cape St. James,	,,	29.81	757.1	81	...	W S W	3	or	,,	29.92	760.0	81	...	S W	4	f
Aparri,	2 p.	29.85	758.3	90	...	N E	2	o	6 a.	29.89	759.1	77	...	S W	2	c
Manila,	4 p.	29.84	758	84	71	S	1	o	10 a.	29.92	760	84	71	W	1	c
Legaspi,	2 p.	29.89	759.2	75	...	...	0	t	6 a.	29.91	759.8	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S S W	2	crt	9 a.	...	...	...	...	S W	1	o
Iloilo,	,,	29.87	758.7	86	...	N E	...	c	,,	29.97	761.2	81	...	N E	2	o
Cebu,	,,	29.84	757.9	87	...	S	1	o	,,	29.93	760.2	82	...	...	0	o
Labuan,	,,	29.79	756.6	88	...	...	...	...	,,	29.89	759.2	89	...	...	...	...

On the 17th at 11.55 a.—The barometer has fallen slightly over China, and risen a little over S. Japan and the Loochoos.

A depression appears to be developing over the Lower Yangtze Valley.

Pressure remains high over the Pacific to the E. of Japan, and over the China Sea and the Philippines.

Moderate to fresh S. monsoon may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. and S.W. winds, moderate to fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan.	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 17th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th JUNE, 1909, P.M.								18th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.77	756.2	63	...	S	1	b	7 a.	29.82	757.4	51	82	S S E	1	c
Nemuro, ...	„	30.00	762.1	...	...	S	6	...	6 a.	29.93	760.1	...	...	S E	2	...
Hakodate, ...	„	29.89	759.2	...	...	S E	4	...	„	29.93	760.2	...	...	...	0	...
Tokio, ...	„	29.91	759.6	...	...	S	6	...	„	29.91	759.6	...	...	N W	2	...
Kochi, ...	„	29.83	757.8	...	...	S E	2	...	„	29.83	758.8	...	...	...	0	...
Nagasaki, ...	„	29.83	757.8	...	...	W	6	...	„	29.80	758.8	...	...	N E	2	...
Kagoshima, ...	„	29.84	757.9	...	...	S	2	...	„	29.84	757.9	...	...	...	0	...
Oshima, ...	„	29.85	758.1	...	...	S	4	...	„	29.77	756.1	...	...	S	4	...
Naha.....	„	29.85	758.2	...	...	S W	2	...	„	29.81	757.2	...	...	...	0	...
Ishigakijima, ...	„	29.82	757.3	...	...	S	6	...	„	29.74	755.3	...	...	S W	8	...
Bonin Is.....	„	29.89	759.1	...	...	...	0	...	„	29.89	759.1	...	...	...	0	...
Chefoo, ...	4 p.	29.76	755.9	81	100	S W	1	f	6 a.	29.73	755.1	69	61	...	0	b
Weihaiwei,.....	„	29.76	755.9	81	...	S E	1	b	9 a.	29.79	756.6	72	...	E	1	o
Hankow, ...	„	29.76	755.9	71	100	N W	1	or	6 a.	29.78	756.4	67	95	N N W	1	or
Kiukiang,.....	„	29.68	752.6	73	95	N E	1	o	„	29.68	753.9	79	100	W	2	or
Shanghai, ...	„	29.76	755.9	67	95	S E	3	or	9 a.	29.55	750.5	72	95	S E	2	or
Gutzlaff, ...	„	29.78	756.4	66	...	S E	3	omp	„	29.56	750.8	71	100	S	3	omr
Sharp Peak,.....	„	29.72	754.9	83	91	S S E	4	b	„	29.69	754.1	82	90	S	1	b
Amoy,.....	„	29.74	755.4	87	80	S W	2	c	6 a.	29.76	755.9	82	87	S W	2	c
Swatow, ...	„	29.74	755.4	87	73	S	2	c	„	29.75	755.6	80	87	W S W	2	c
Taihoku.....	1 p.	29.80	756.8	...	...	W	4	...	5 a.	29.74	755.4	...	...	S	2	...
Taichu, ...	„	29.83	757.7	...	...	W	6	...	„	29.82	757.4	...	...	...	0	...
Tainan,.....	„	29.86	758.4	...	...	W	4	...	„	29.82	757.5	...	...	E	2	...
Koshun.....	„	29.84	758.0	...	...	N W	6	...	„	29.89	757.0	...	...	N W	2	...
Pescadores, ...	„	29.85	758.2	...	...	W	6	...	„	29.30	756.9	...	...	S W	4	...
Canton,.....	3 p.	29.73	755.1	92	67	S	1	b	9 a.	...	...	86	90	S	1	c
Hongkong, ...	4 p.	29.74	755.4	86	71	S S W	2	o	10 a.	29.77	756.1	86	75	S S W	1	c
Victoria Peak,...	„	...	...	...	...	S S W	4	...	„	...	...	...	...	S W	4	...
Gap Rock,.....	„	29.73	755.1	...	...	S S W	4	...	„	29.75	755.6	...	...	S W	4	...
Macao, ...	„	29.74	755.4	85	...	S S W	2	c	„	29.77	756.1	85	...	S S W	2	c
Wuchow,.....	3 p.	29.70	754.4	91	...	W	1	c	9 a.	29.74	755.4	85	...	E	1	c
Hoihow, ...	„	...	...	...	...	...	...	...	„	...	...	...	...	..	...	...
Pakhoi,.....	„	29.76	755.9	89	69	N W	1	c	„	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.60	751.8	88	...	...	6	b	8 a.	29.69	754.1	86	...	S S E	4	c
Tourane, ...	„	29.71	754.6	86	...	E S E	1	b	„	29.75	755.5	90	...	...	0	b
Cape St. James,.	„	29.81	757.2	82	...	S W	4	c	„	29.91	759.6	81	...	S W	4	o
Aparri, ...	2 p.	29.85	758.1	90	...	N E	2	c	6 a.	29.85	758.2	75	...	S W	2	b
Manila.	4 p.	29.84	758	84	77	S W	1	o	10 a.	29.92	760	82	76	W S W	4	o
Legaspi, ...	2 p.	29.88	758.9	68	...	S W	2	o	6 a.	29.89	759.2	79	...	...	0	c
Bacolod, ...	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	W N W	2	...
Iloilo, ...	„	29.89	759.2	82	...	S	1	c	„	29.95	760.7	89	...	S W	1	or
Cebu.....	„	29.89	759.2	85	...	S	2	o	„	29.94	760.5	83	...	S	1	b
Labuan, ...	„	29.79	756.6	89	...	...	...	...	„	29.90	759.4	85	...	...	...	...

On the 18th at 11.50 a.—The depression lying over the Yangtze Valley yesterday, is moving Eastwards and approaching the neighbourhood of Shanghai.

Except over the Upper Yangtze, pressure has given way generally more particularly at the stations around the Eastern Sea.

The high pressure over the Pacific to the East of Japan has shifted to the Eastward. Over the S. part of the China Sea and the S. Philippines the barometer remains high.

Strong S.W. winds may be expected in the Formosa Channel, and moderate to fresh monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds. fresh; fair.
2.—Formosa Channel, ...	S.W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	S. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 18th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th JUNE, 1909, P.M.								19th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.78	756.5	61	...	S	1	b	7 a.	29.77	756.2	54	87	S	1	o
Nemuro,	,,	29.89	759.1	...	...	S	6	...	6 a.	29.97	761.1	...	...	S W	4	...
Hakodate,	,,	29.93	760.2	...	...	S	6	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.87	758.6	...	...	S W	4	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	...	0	...	,,	29.63	753.8	...	...	W	2	...
Nagasaki,	,,	29.80	756.8	...	...	E	4	...	,,	29.56	750.8	...	...	S W	6	...
Kagoshima,	,,	29.80	756.9	...	...	S	2	...	,,	29.64	752.9	...	...	W	6	...
Oshima,	,,	29.77	756.1	...	...	S	4	...	,,	29.73	755.1	...	...	S E	2	...
Naha,	,,	29.77	756.2	...	...	S	4	...	,,	29.73	755.2	...	...	S	2	...
Ishigakijima,	,,	29.74	755.3	...	...	S W	8	...	,,	29.74	755.3	...	...	S	6	...
Bonin Is.	,,	29.93	760.1	...	...	...	0	...	,,	29.93	760.1	...	...	S	2	...
Chefoo,	4 p.	29.78	756.4	73	95	E S E	2	c	6 a.	29.75	755.6	66	73	...	0	b
Weihaiwei,	,,	29.76	755.9	71	...	...	2	o	9 a.	29.77	756.1	74	...	E	2	b
Hankow,	,,	29.82	757.4	77	69	N E	1	c	6 a.	29.85	758.2	71	90	S E	1	o
Kiukiang,	,,	29.75	755.6	73	90	...	0	o	,,	29.78	756.4	59	89	N E	2	o
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	29.80	756.9	68	85	N N E	1	om
Gutzlaff,	,,	29.57	751.1	74	100	W	5	cv	,,	29.77	756.1	66	95	N N E	5	om
Sharp Peak,	,,	29.61	752.1	84	91	S S W	2	b	,,	29.71	754.6	82	90	E N E	3	c
Amoy,	,,	29.72	754.9	86	84	S S E	2	c	6 a.	29.69	754.1	83	87	...	0	b
Swatow,	,,	29.65	753.1	91	...	S S W	1	b	,,	29.66	753.3	81	90	N W	1	c
Taihoku,	1 p.	29.72	754.8	...	...	N W	2	...	5 a.	29.72	754.8	...	...	...	0	...
Taichu,	,,	29.78	756.5	...	...	W	6	...	,,	29.76	755.9	...	...	...	0	...
Tainan,	,,	29.80	757.0	...	...	S W	2	...	,,	29.75	755.7	...	...	S E	2	...
Koshun	,,	29.79	756.6	...	...	W	6	...	,,	29.75	755.7	...	...	W	4	...
Pescadores,	,,	29.79	756.7	...	...	S W	6	...	,,	29.75	755.5	...	...	S W	4	...
Canton,	3 p.	29.66	753.3	92	77	S	1	b	9 a.	29.74	755.4	87	76	...	0	c
Hongkong,	4 p.	29.68	753.9	87	70	S	2	o	10 a.	29.74	755.4	87	69	W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S W	1	...
Gap Rock,	,,	29.67	753.6	...	...	S W	4	...	,,	29.72	754.9	...	...	S W	4	...
Macao,	,,	29.69	754.1	87	...	S	1	c	,,	29.74	755.4	86	...	S S W	2	c
Wuchow,	3 p.	29.67	753.6	89	...	S W	1	c	9 a.	29.72	754.9	83	...	E	1	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.7	88	...	S S E	4	c	8 a.	29.66	753.4	83	...	S E	0	c
Tourane,	,,	29.67	753.7	86	...	S E	1	c	,,	29.73	755.0	83	...	...	0	c
Cape St. James,	,,	29.85	758.1	77	...	S W	3	or	,,	29.89	759.1	81	...	S W	4	c
Aparri,	2 p.	29.80	756.9	90	...	N E	2	b	6 a.	29.83	756.9	77	...	S E	2	c
Manila,	4 p.	29.84	758	86	53	S W	2	c	10 a.	29.84	758	82	77	S S E	1	c
Legaspi,	2 p.	29.86	758.5	81	...	...	0	o	6 a.	29.87	758.6	79	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S S W	2	o	9 a.	...	...	...	...	E S E	2	cp
Iloilo,	,,	29.87	758.7	83	...	...	0	o	,,	29.93	760.2	81	...	...	0	o
Cebu,	,,	29.85	758.2	88	...	S	2	c	,,	29.92	759.9	86	...	S	2	c
Labuan,	,,	29.79	756.6	90	...	...	...	...	,,	29.83	758.9	84	...	...	...	...

On the 19th at 11.55 a.—The depression lying near the mouth of the Yangtze yesterday, has reached the neighbourhood of Korea Straits.

The barometer has risen along the Yangtze, particularly at Shanghai. It has fallen slightly over the S. coast of China, Formosa and the Philippines.

Pressure remains high over the Pacific to the East of Japan and over the S. Philippines. It is relatively low between Tongking and the Formosa Channel.

Moderate variable winds may be expected in the Formosa Channel, and moderate monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. and variable winds, moderate; fine at first, probably thunder showers later.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 19th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JUNE, 1909, P.M.								20th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.75	755.7	55	...	S	1	o	7 a.	29.75	755.6	54	85	S	1	f
Nemuro, ...	,,	29.96	761.1	...	...	S	8	...	6 a.	...	...	...	...	..	...	...
Hakodate, ...	,,	29.89	759.2	...	...	S	6	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	29.87	758.6	...	...	N E	3	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	29.56	750.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	29.60	751.8	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	29.64	752.9	...	...	W	6	...	,,	...	...	...	...	...	...	...
Oshima, ...	,,	29.73	755.1	...	...	W	4	...	,,	...	...	...	...	...	...	...
Naha,.....	,,	29.77	756.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,....	,,	29.74	755.3	...	...	S	6	...	,,	...	...	...	...	...	...	...
Bonin Is.....	,,	29.89	759.1	...	...	S	4	...	,,	...	...	...	...	...	...	...
Chefoo,.....	4 p.	29.72	754.9	77	57	E	2	b	6 a.	29.72	754.6	75	60	...	0	c
Weihaiwei,.....	,,	29.75	755.6	79	...	E	2	b	9 a.	29.74	755.4	76	...	E S E	...	o
Hankow, ...	,,	29.83	757.7	77	77	E	1	o	6 a.	29.83	757.7	73	90	N E	1	o
Kiukiang,.....	,,	29.76	755.9	72	95	E	2	o	,,	29.75	755.6	72	90	N E	2	o
Shanghai, ...	,,	29.78	756.4	73	65	N N E	2	c	9 a.	29.81	757.2	72	90	S E	2	o
Gutzlaff, ...	,,	29.78	756.4	71	85	N N E	3	om	,,	29.82	757.4	68	95	E	2	om
Sharp Peak,.....	,,	29.70	754.4	79	78	N	6	o	,,	29.80	756.9	76	95	...	0	o
Amoy,.....	,,	29.62	752.3	86	80	S E	2	c	6 a.	29.71	754.6	81	87	N E	3	c
Swatow, ...	,,	29.63	752.6	89	69	S	1	b	,,	29.70	754.4	80	95	E S E	1	b
Taihoku,.....	1 p.	29.73	755.1	...	...	N W	6	...	5 a.	29.74	755.4	...	...	E	4	...
Taichu, ...	,,	29.75	755.6	...	...	W	4	...	,,	29.74	755.4	...	...	...	0	...
Tainan,.....	,,	29.78	756.4	...	...	...	0	...	,,	29.75	755.6	...	...	E	2	...
Koshun.....	,,	29.76	756.0	...	...	W	6	...	,,	29.75	755.7	...	...	E	2	...
Pescadores, ...	,,	29.75	755.7	...	...	W	6	...	,,	29.74	755.4	...	...	N E	2	...
Canton,.....	3 p.	29.65	753.1	93	58	...	0	b	9 a.	29.68	753.9	85	83	S	1	c
Hongkong, ...	4 p.	29.65	753.1	87	72	S	1	o	10 a.	29.73	755.1	86	79	E	1	o
Victoria Peak,...	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S	1	...
Gap Rock,.....	,,	29.63	752.6	...	...	S W	3	...	,,	29.70	754.4	...	...	S S W	3	...
Macao, ...	,,	29.66	753.3	85	...	S	1	c	,,	...	...	...	...	...	...	...
Wuchow,.....	3 p.	29.65	753.1	90	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	29.67	753.6	89	73	S W	3	c	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.56	750.7	93	...	S	2	o	8 a.	29.65	753.2	86	...	E N E	3	c
Tourane, ...	,,	29.64	752.8	86	...	S E	2	o	,,	29.70	754.3	90	...	...	0	b
Cape St. James,.	,,	29.82	757.4	81	...	S W	3	lt	,,	29.88	758.9	79	...	W S W	2	c
Aparri, ...	2 p.	29.74	755.4	91	...	N E	2	c	6 a.	29.76	756.0	79	...	S	2	b
Manila, ...	4 p.	29.80	757	82	77	W S W	2	o	10 a.	29.84	758	81	76	S	1	o
Legaspi, ...	2 p.	29.80	756.8	88	...	W	2	o	6 a.	29.85	758.2	75	...	...	0	o
Bacolod, ...	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S S E	2	o
Iloilo, ...	,,	29.85	758.2	82	...	S W	1	o	,,	29.91	759.7	81	...	S S E	1	c
Cebu,.....	,,	29.83	757.7	88	...	S	1	o	,,	29.87	758.7	86	...	S	2	c
Labuan, ...	,,	29.80	756.9	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 20th at 12.10 p.—The depression situated over W. Japan yesterday, has probably continued to move Eastwards. The Japanese returns for this morning are, however, not yet to hand.

The barometer has risen slightly on the E and SE coasts of China, and fallen a little elsewhere.

Pressure is highest over the S. part of the China Sea and the Southern Philippines, and relatively high over over Yangtze valley. It is relatively low over the NW part of the China Sea.

Moderate NE winds may be expected in the Formosa Channel, and moderate SE backing to E winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. and E. winds, moderate; fair to showery.
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 20th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th JUNE, 1909, P.M.								21st JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.76	755.8	63	...	S E	1	o	7 a.	29.76	756.0	57	88	S E	1	f
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	S	6	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	...	...	...	0	...
Tokio,	,,	...	...	...	...	...	...	...	,,	29.95	760.6	...	...	N	2	...
Kochi,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	S W	8	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	...	...	E	4	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.84	757.9	...	...	N E	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.73	755.2	...	...	...	0	...
Ishigakijima,	,,	...	..	...	...	..	...	...	,,	29.70	754.3	...	...	N E	2	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	S	2	...
Chefoo,	4 p.	29.71	754.6	81	62	E N E	2	b	6 a.	29.76	755.9	72	85	S	1	b
Weihaiwei,	,,	29.82	757.4	83	...	E S E	2	b	9 a.	29.86	758.4	76	...	...	2	b
Hankow,	,,	29.82	757.4	79	78	S	1	o	6 a.	29.82	757.4	73	95	E	1	b
Kiukiang,	,,	29.75	755.6	77	85	...	0	o	,,	29.76	755.9	73	90	N E	2	c
Shanghai,	,,	29.79	756.6	71	90	E S E	2	od	9 a.	29.84	757.9	71	80	E S E	2	o
Gutzlaff,	,,	29.79	756.6	70	90	E	2	om	,,	29.83	757.7	67	84	E	3	om
Sharp Peak,	,,	29.73	755.1	78	90	E	2	c	,,	29.80	756.9	78	95	...	0	c
Amoy,	,,	29.68	753.9	84	83	S E	2	b	6 a.	29.69	754.1	82	87	N E	1	o
Swatow,	,,	29.66	753.3	83	87	E S E	3	c	,,	29.65	753.1	78	90	E N E	1	c
Taihoku,	1 p.	29.72	754.9	...	...	E	6	...	5 a.	29.70	754.4	...	...	E	4	...
Taichu,	,,	29.72	754.8	...	...	N W	4	...	,,	29.72	754.8	...	...	...	0	...
Tainan,	,,	29.74	755.3	...	...	S	4	...	,,	29.71	754.7	...	...	E	2	...
Koshun	,,	29.75	755.6	...	...	S	4	...	,,	29.71	754.7	...	...	E	2	...
Pescadores,	,,	29.74	755.3	...	...	E	4	...	..	29.71	754.5	...	...	S	4	...
Canton,	3 p.	29.62	752.3	89	73	N E	1	c	9 a.	29.71	754.6	81	91	...	0	o
Hongkong,	4 p.	29.63	752.6	86	76	N E	1	o	10 a.	29.68	753.9	86	75	E	1	o
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.60	751.8	...	...	S S E	2	...	,,	29.66	753.3	...	...	E N E	3	...
Macao,	,,	29.64	752.8	86	...	S E	1	c	,,	29.79	754.4	85	...	E	1	c
Wuchow,	3 p.	29.69	754.1	82	...	E	1	c	9 a.	29.71	754.6	82	...	E	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.68	753.9	90	70	S	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.7	88	...	E N E	2	c	8 a.	29.66	753.4	82	...	E N E	4	c
Tourane,	,,	29.63	752.7	86	...	S E	1	c	,,	29.77	753.7	86	..	...	0	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.81	757.1	81	...	W S W	4	f
Aparri,	2 p.	29.69	754.2	93	...	N E	2	o	6 a.	29.72	754.9	79	...	S	2	o
Manila,	4 p.	29.76	756	84	71	S W	2	o	10 a.	29.80	757	81	76	S S W	1	o
Legaspi,	2 p.	29.75	756.4	86	...	W	2	o	6 a.	29.80	756.8	79	...	W	2	o
Bacolod,	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	S S W	1	o
Iloilo,	,,	29.81	757.2	84	...	W	1	b	,,	29.87	758.7	80	...	S W	1	o
Cebu,	,,	29.80	756.9	90	...	S	1	c	,,	29.86	758.4	86	...	S	2	o
Labuan,	,,	29.77	756.1	89	...	...	...	...	,,	29.81	757.2	84	...	...	...	...

On the 21st at 11.50 a.—The barometer has risen moderately in Japan, and fallen slightly over the S. Loochoos and at the stations around the China Sea.

A depression appears to be forming to the Southward of Hongkong in about 19° Lat. A second depression is indicated over the Pacific to the S.E. of Meiaco Sima.

Pressure is high over the Pacific to the E. of Japan.

Fresh N.E. and E. winds and squally weather may be expected in the Formosa Channel, and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; squally, showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 21st June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st JUNE, 1909, P.M.								22nd JUNE, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.80	756.8	70	...	S	1	c	7 a.	29.74	755.4	58	87	...	0	f
Nemuro, ...	,,	29.93	760.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	S	4	...
Hakodate, ...	,,	29.89	759.2	...	...	S E	6	...	,,	29.89	759.2	...	...	...	0	...
Tokio, ...	,,	29.91	759.6	...	...	N	2	...	,,	29.95	760.6	...	...	N	2	...
Kochi, ...	,,	29.87	758.8	...	...	...	0	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki, ...	,,	29.87	758.8	...	...	N E	2	...	,,	29.88	758.8	...	...	N E	2	...
Kagoshima, ...	,,	29.84	757.9	...	...	N E	4	...	,,	29.88	758.9	...	...	N E	2	...
Oshima, ...	,,	29.81	757.1	...	...	N	6	...	,,	29.85	758.1	...	...	S W	2	...
Naha,.....	,,	29.73	755.2	...	...	S E	4	...	,,	29.77	756.2	...	...	S	2	...
Ishigakijima,....	,,	29.74	755.3	...	...	N E	6	...	,,	29.74	755.3	...	...	E	2	...
Bonin Is.....	,,	29.96	761.1	...	...	S	4	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,.....	4 p.	29.82	757.4	79	61	E S E	3	b	6 a.	29.86	758.4	74	76	S W	1	b
Weihaiwei,.....	,,	29.93	760.2	79	...	E	2	b	9 a.	29.85	758.2	73	...	S W	1	o
Hankow, ...	,,	29.81	757.2	83	67	N E	1	c	6 a.	...	...	75	95	E S E	1	o
Kiukiang,.....	,,	29.75	755.6	83	67	N E	2	c	,,	29.77	756.1	74	90	N E	2	o
Shanghai, ...	,,	29.85	758.2	73	81	E S E	2	o	9 a.	29.88	758.9	69	95	E	2	om
Gutzlaff, ...	,,	29.83	757.7	69	90	E	3	om	,,	29.85	758.2	68	95	E N E	3	om
Sharp Peak,.....	,,	29.73	755.1	79	90	N	3	b	,,	29.80	756.9	77	82	N N E	6	c
Amoy,.....	,,	29.72	754.9	86	80	N E	1	c	6 a.	29.71	754.6	82	83	N E	1	c
Swatow, ...	,,	29.65	753.1	85	79	E	2	c	,,	...	...	80	91	E N E	2	c
Taihoku,.....	1 p.	29.70	754.5	...	...	E	6	...	5 a.	29.73	755.1	...	...	E	4	...
Taichu, ...	,,	29.71	754.6	...	...	N W	4	...	,,	29.73	755.2	...	...	...	0	...
Tainan,.....	,,	29.72	754.9	...	...	S	6	...	,,	29.75	755.5	...	...	S	2	...
Koshun.....	,,	29.73	755.2	...	...	S	4	...	,,	29.75	755.5	...	...	E	2	...
Pescadores, ...	,,	29.74	755.4	...	...	E	2	...	,,	29.73	755.1	...	...	S	4	...
Canton,.....	3 p.	29.61	752.1	93	64	N	1	b	9 a.	29.69	754.1	83	76	N E	2	b
Hongkong, ...	4 p.	29.60	751.8	85	79	E	2	o	10 a.	29.67	753.6	83	79	E	5	oq
Victoria Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	6	...
Gap Rock,.....	,,	29.57	751.1	...	...	E	4	...	,,	29.63	752.6	...	...	E N E	5	...
Macao, ...	,,	29.62	752.3	85	...	S E	1	c	,,	29.69	754.1	82	...	E	2	od
Wuchow,.....	3 p.	29.64	752.8	87	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.59	751.7	86	...	E S E	3	c	8 a.	29.67	753.4	86	...	E N E	2	c
Tourane, ...	,,	29.61	752.2	84	...	E S E	1	c	,,	29.63	752.7	84	..	...	0	o
Cape St. James,.	,,	29.72	755.0	82	...	W	4	o	,,	29.78	756.3	81	...	W	4	o
Aparri, ...	2 p.	29.72	754.9	86	...	N E	2	o	6 a.	29.75	755.5	77	...	S	2	o
Manila, ...	4 p.	29.72	755	86	65	S W	2	o	10 a.	29.84	758	77	92	S E	0	od
Legaspi, ...	2 p.	29.76	756.0	86	...	W	2	o	6 a.	29.83	757.7	77	...	...	0	o
Bacolod, ...	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	W N W	1	o
Iloilo, ...	,,	29.79	756.6	82	...	S S W	1	o	,,	29.87	758.7	80	...	S E	1	c
Cebu,.....	,,	29.76	755.9	88	...	S	2	c	,,	29.85	758.2	84	...	...	0	b
Labuan, ...	,,	29.72	754.9	87	...	...	...	...	,,	29.79	756.6	84	...	...	...	...

On the 21st at 6.10 p.—Orders issued to hoist the Black Cone point downward (indicates a typhoon to the South of the Colony.

On the 22nd at 11.45 a.—The barometer has fallen a little in the neighbourhood of Hongkong and in Annam, and risen slightly elsewhere, except over N.E. Japan.

The depression, which is situated to the S.S.W. of Hongkong in about 19° Lat., appears to be moving slowly Westwards.

Pressure remains high over the Pacific to the S.E. of Japan, and it is in moderate excess of the normal over N. China.

Fresh N.E. winds may be expected in the Formosa Channel, and rough weather over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. winds, strong; squally, showery.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	N.E. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 22nd June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd JUNE, 1909, P.M.								23rd JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.73	755.2	74	...	S S E	1	c	7 a.	29.73	755.1	59	99	S	1	f
Nemuro,.....	,,	29.85	758.1	...	...	S	5	...	6 a.	29.97	761.1	...	...	S	4	...
Hakodate,.....	,,	29.89	759.2	...	...	W	2	...	,,	29.93	760.2	...	...	...	0	...
Tokio, ...	,,	29.94	760.6	...	...	S	4	...	,,	29.99	761.6	...	...	...	0	...
Kochi, ...	,,	29.91	759.8	...	...	S	2	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki, ...	,,	29.83	757.8	...	...	S E	4	...	,,	29.84	757.8	...	...	N	2	...
Kagoshima, ...	,,	29.88	758.9	...	...	E	2	...	,,	29.88	758.9	...	...	S	...	...
Oshima,.....	,,	29.81	757.1	...	...	S	6	...	,,	29.89	759.1	...	...	S	...	...
Naha,.....	,,	29.81	757.2	...	...	S	4	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,....	,,	29.78	756.3	...	...	S	8	...	,,	29.86	758.3	...	...	S	8	...
Bonin Is.....	,,	30.00	762.1	...	...	S	2	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,.....	4 p.	29.80	756.9	93	38	S	1	b	6 a.	29.82	757.4	73	95	S W	1	b
Weihaiwei,.....	,,	29.89	759.2	85	...	S S E	3	b	9 a.	29.78	756.4	81	...	W N W	2	b
Hankow, ...	,,	...	...	84	83	N N E	2	c	6 a.	29.84	757.9	75	86	N E	1	o
Kiukiang,.....	,,	29.73	755.1	84	83	N E	2	c	,,	29.78	756.4	74	95	N E	2	o
Shanghai, ...	,,	29.84	757.9	73	81	E	-	o	9 a.	29.82	757.4	73	90	E	2	om
Gutzlaff, ...	,,	29.82	757.4	70	90	E	5	om	,,	29.82	757.4	71	95	E S E	1	f
Sharp Peak,.....	,,	29.74	755.4	78	86	E N E	5	c	,,	29.83	757.7	78	100	...	0	c
Amoy.....	,,	29.65	753.9	82	87	N E	1	o	6 a.	29.76	755.9	79	87	N E	1	or
Swatow, ...	,,	29.64	752.8	84	78	E	3	c	,,	29.61	752.1	78	95	E	1	o
Taihoku,.....	1 p.	29.73	755.2	...	...	E	8	...	5 a.	29.82	757.5	...	...	...	0	...
Taichu, ...	,,	29.72	754.9	...	...	W	4	...	,,	29.81	757.2	...	...	...	0	...
Tainan,.....	,,	29.72	755.0	...	...	S	8	...	,,	29.79	756.7	...	...	E	2	...
Koshun.....	,,	29.76	755.8	...	...	E	6	...	,,	29.81	757.2	...	...	E	4	...
Pescadores, ...	,,	29.74	755.4	...	...	S	4	...	..	29.78	756.5	...	...	S	8	...
Canton,.....	3 p.	29.62	752.3	95	96	N E	1	b	9 a.	29.66	753.3	82	91	W	1	c
Hongkong, ...	4 p.	29.59	751.6	83	76	E	5	oq	10 a.	29.67	753.6	77	97	E S E	3	oq
Victoria Peak,...	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E S E	7	...
Gap Rock,.....	,,	29.53	750.0	...	...	E	6	...	,,	29.59	751.6	...	...	S S E	5	...
Macao,.....	,,	29.61	752.1	83	...	E S E	3	c	,,	29.66	753.3	80	...	E S E	4	c
Wuchow,.....	3 p.	29.61	752.1	83	...	S E	1	c	9 a.	29.66	753.3	82	...	N	1	o
Hoihow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	29.57	751.2	90	...	S S E	3	c	8 a.	29.63	752.7	88	...	N	1	c
Tourane, ...	,,	29.57	751.2	84	...	...	0	o	,,	29.60	751.9	81	...	W	1	o
Cape St. James,.	,,	29.69	754.1	82	...	S W	6	o	,,	29.77	756.1	81	...	N N E	3	o
Aparri,.....	2 p.	29.71	754.7	86	...	S	2	c	6 a.	29.82	757.5	79	...	S	2	b
Manila, ...	4 p.	29.76	756	82	85	...	0	o	10 a.	29.84	758	82	70	N E	1	o
Legaspi,.....	2 p.	29.83	757.6	75	...	...	0	o	6 a.	29.84	757.8	73	...	...	0	o
Bacolod,.....	3 p.	...	...	...	...	W	2	o	9 a.	...	...	...	...	N N E	2	o
Iloilo,.....	,,	29.83	757.7	84	...	S W	...	...	,,	29.85	758.2	81	...	N E	2	o
Cebu,.....	,,	29.82	757.4	86	...	S	2	o	,,	29.85	758.2	86	...	N	2	c
Labuan, ...	,,	29.81	757.2	87	...	...	...	...	,,	29.78	756.4	85	...	...	...	...

On the 23rd at 9.5 a.—Black South Cone and Black Ball hoisted.

On the 23rd at 11.55 a.—The barometer is inclined to rise in Hongkong. It has fallen slightly over N. Annam and Tongking.

The depression, which continues moving Westwards, has probably become deeper. It appears to be approaching the N.E. coast of Hainan.

Pressure has increased slightly to moderately over Formosa, the Loochoos and Japan; and given way slightly over N. China. It remains high over the Pacific to the E. of Japan.

Moderate E. and S.E. winds may be expected in the Formosa Channel, and strong cyclonic winds and gales over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. winds, strong; squally, showery.
2.—Formosa Channel, ...	E. and S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	S.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,...	E. to S.E. gale.

F. G. FIGG.
Director.

Hongkong Observatory, Wednesday, 23rd June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd JUNE, 1909, P.M.								24th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.69	754.2	62	...	S S E	2	o	7 a.	29.71	754.5	57	84	N E	1	b
Nemuro,	,,	30.00	762.1	...	...	S	6	...	6 a.	30.08	764.1	...	...	S	6	...
Hakodate,	,,	29.89	759.2	...	...	S	4	...	,,	29.93	760.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	E	2	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	29.87	758.8	...	...	S W	2	...	,,	29.88	758.8	...	...	...	0	...
Nagasaki,	,,	29.83	757.8	...	...	...	0	...	,,	29.88	758.8	...	...	S W	6	...
Kagoshima,	,,	29.88	758.9	...	...	S	4	...	,,	29.92	759.9	...	...	W	4	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	S	4	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	8	...	,,	29.93	760.3	...	...	S E	6	...
Bonin Is.	,,	30.04	763.1	...	...	S	2	...	,,	30.04	763.1	...	...	S	2	...
Chefoo,	4 p.	29.79	756.6	79	58	E	1	b	6 a.	29.83	757.7	66	84	S W	1	b
Weihaiwei,	,,	29.79	756.6	75	...	E	2	b	9 a.	29.91	759.7	73	...	W N W	2	b
Hankow,	,,	29.83	757.7	80	82	N W	1	o	6 a.	...	...	...	...	...	...	...
Kinkiang,	,,	29.75	755.6	82	75	N E	2	o	,,	29.77	756.1	75	100	...	0	o
Shanghai,	,,	29.79	756.6	73	95	E	2	om	9 a.	29.78	756.4	76	95	...	0	rm
Gutzlaff,	,,	29.79	756.6	72	95	S E	3	om	,,	29.78	756.4	74	100	S S W	2	om
Sharp Peak,	,,	29.81	757.2	81	95	E S E	1	b	,,	29.87	758.7	81	96	E S E	1	b
Amoy,	,,	29.73	755.1	82	87	N E	3	o	6 a.	29.82	757.4	82	87	...	0	b
Swatow,	,,	29.70	754.4	79	95	S E	1	o	,,	29.75	755.6	80	91	S E	1	c
Taihoku,	1 p.	29.81	757.1	...	...	N	4	...	5 a.	29.90	759.5	...	...	...	0	...
Taichu,	,,	29.81	757.2	...	...	W	4	...	,,	29.89	759.2	...	...	...	0	...
Tainan,	,,	29.82	757.3	...	...	S	8	...	,,	29.88	759.0	...	...	E	2	...
Koshun	,,	29.83	757.8	...	...	S	6	...	,,	29.91	759.6	...	...	E	2	...
Pescadores,	,,	29.83	757.6	...	...	S	0	...	,,	29.89	759.1	...	...	S	2	...
Canton,	3 p.	29.62	752.3	85	83	E	1	or	9 a.	29.79	756.6	80	95	E	1	or
Hongkong,	4 p.	29.64	752.8	82	81	S E	4	oq	10 a.	29.80	756.9	89	87	S S E	2	op
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	S	6	...
Gap Rock,	,,	29.59	751.6	...	...	S E	7	...	,,	29.76	755.9	...	...	S S E	6	...
Macao,	,,	29.62	752.3	83	...	S E	3	cq	,,	29.78	756.4	82	...	S E	4	cq
Wuchow,	3 p.	29.63	752.6	75	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.51	749.5	80	70	N	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.51	749.6	82	...	N W	3	c	8 a.	29.49	749.1	81	...	N	6	or
Tourane,	,,	29.56	750.9	81	...	N W	1	o	,,	...	...	...	..	...	...	...
Cape St. James,	,,	29.74	756.4	81	...	S W	4	or	,,	29.80	757.0	82	...	S W	3	c
Aparri,	2 p.	29.79	756.6	91	...	N E	2	b	6 a.	29.89	759.2	75	...	S W	2	c
Manila,	4 p.	29.84	758	82	77	...	0	o	10 a.	29.88	759	82	77	N W	1	o
Legaspi,	2 p.	29.82	757.5	82	...	...	0	o	6 a.	29.86	758.5	81	...	E	2	o
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.81	757.2	86	...	N W	1	o	,,	29.87	758.7	82	...	N	2	o
Cebu,	,,	29.79	756.6	88	...	N	1	b	,,	29.85	758.2	86	...	N	1	b
Labuan,	,,	29.69	754.1	88	...	...	...	...	,,	29.80	756.9	85	...	...	...	...

On the 23rd at 6.55 p.—Signals lowered.

On the 24th at 11.55 a.—The depression, which moved into the North part of the Gulf of Tongking last evening, is this morning approaching the neighbourhood of Haiphong.

The barometer has risen considerably to moderately in Hongkong and over Formosa and the Loochoos; and fallen slightly over the E. coast of China and the Sea of Japan.

Pressure remains high over the Pacific to the E. of Japan. It is relatively low between the E. coast of China and the N.W. part of the Sea of Japan.

Moderate S.E. winds may be expected in the Formosa Channel, and strong but decreasing S.E. winds between Hongkong and Hainan.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, strong to moderate; weather gradually [improving.
2.—Formosa Channel,	S.E. moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 24th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JUNE, 1909, P.M.								25th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.67	753.5	75	...	N N E	1	c	7 a.	29.68	753.9	57	...	S E	1	f
Nemuro,	,,	30.04	763.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	S E	6	...
Hakodate,	,,	29.89	759.2	...	...	S E	6	...	,,	29.81	757.2	...	...	E	4	...
Tokio,	,,	29.87	758.6	...	...	N	2	...	,,	29.75	755.6	...	...	N	2	...
Kochi,	,,	29.83	757.8	...	...	S E	2	...	,,	29.80	756.8	...	...	E	2	...
Nagasaki,	,,	29.87	758.8	...	...	S W	10	...	,,	29.80	756.8	...	...	S W	10	...
Kagoshima,	,,	29.86	758.9	...	...	S W	6	...	,,	29.84	757.9	...	...	S W	6	...
Oshima,	,,	29.93	760.1	...	...	W	4	...	,,	29.93	760.1	...	...	S	4	...
Naha,	,,	29.93	760.2	...	...	S W	4	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	4	...	,,	29.93	760.3	...	...	W	2	...
Bonin Is.	,,	30.00	762.1	...	...	S E	2	...	,,	30.01	762.1	...	...	...	0	...
Chefoo,	4 p.	29.81	757.2	77	69	E N E	3	c	6 a.	29.81	757.2	69	85	W S W	1	b
Weihaiwei,	,,	29.78	756.4	80	...	N N W	2	b	9 a.	29.82	757.4	73	...	W N W	3	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.91	759.7	73	95	E	1	o
Kinkiang,	,,	29.85	758.2	72	95	N E	2	or	,,	29.84	757.9	71	100	N E	2	or
Shanghai,	,,	29.76	755.9	79	82	N	2	o	9 a.	29.87	758.7	69	100	...	0	or
Gutzlaff,	,,	29.75	755.6	79	90	...	0	cm	,,	29.84	757.9	70	100	N N E	1	omr
Sharp Peak,	,,	29.82	757.4	85	90	S	3	b	,,	29.84	757.9	82	96	S S E	1	b
Amoy,	,,	29.83	757.7	84	79	E	4	b	6 a.	29.82	757.4	82	83	S W	1	b
Swatow,	,,	29.81	757.2	86	80	S	2	c	,,	29.85	758.2	77	90	N N E	1	c
Taiboku,	1 p.	29.87	758.8	...	...	N	4	...	5 a.	29.91	759.8	...	...	...	0	...
Taichu,	,,	29.87	758.8	...	...	S W	2	...	,,	29.93	760.1	...	...	...	0	...
Tainan,	,,	29.86	758.9	...	...	S W	6	...	,,	29.91	759.8	...	...	E	2	...
Koshun,	,,	29.89	759.2	...	...	E	6	...	,,	29.92	759.9	...	...	...	0	...
Pescadores,	,,	29.89	759.2	...	...	S W	6	...	,,	29.91	759.6	...	...	...	0	...
Canton,	3 p.	29.76	755.9	85	83	S E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.78	756.4	81	84	S E	5	cpq	10 a.	29.89	759.2	77	84	S	3	oq
Victoria Peak,	,,	...	...	...	...	S	8	...	,,	...	...	...	...	S	7	...
Gap Rock,	,,	29.74	756.4	...	...	S	6	...	,,	29.84	757.9	...	...	S S W	3	...
Macao,	,,	29.76	755.9	80	...	S S E	2	od	,,	29.87	758.7	82	...	S S E	3	oq
Wuchow,	3 p.	29.67	753.6	87	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.32	744.7	79	...	N E	7	or	8 a.	29.67	753.6	81	...	S S E	7	c
Tourane,	,,	29.63	752.6	82	...	S E	1	o	,,	29.78	756.4	81	..	S	1	o
Cape St. James,	,,	29.78	756.3	81	...	S S W	4	o	,,	29.83	759.0	82	...	S	2	o
Aparri,	2 p.	29.85	758.1	90	...	N E	2	b	6 a.	29.89	759.2	77	...	S W	2	b
Manila,	4 p.	29.80	757	84	64	W N W	0	o	10 a.	29.86	759	86	71	W N W	1	c
Legaspi,	2 p.	29.81	757.1	90	...	E	2	b	6 a.	29.85	758.2	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N W	2	o
Iloilo,	,,	29.81	757.2	85	...	N	2	c	,,	29.89	759.2	83	...	N E	1	c
Cebu,	,,	29.79	756.6	90	...	N	2	o	,,	29.87	758.7	86	...	S E	1	o
Labuan,	,,	29.71	754.6	90	...	...	...	...	,,	29.83	757.7	84	...	...	...	...

On the 25th at 11.55 a.—The depression entered Tongking near Haiphong last night.

The barometer has risen quickly over the Western and northern shores of the China Sea, and a slight rise has taken place on the E. coast of China. It has fallen moderately over Japan owing to a depression which appears to be moving Eastwards in the Japan Sea.

Pressure remains high over the Pacific to the E. of Japan.

Moderate S. winds may be expected in the Formosa Channel, and along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S. winds, moderate; squally, showery.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 25th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th JUNE, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th JUNE, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.69	754.1	61	...	S	1	b	7 a.	29.65	753.0	53	99	S	1	o
Nemuro,	,,	29.96	761.1	...	...	S E	4	...	6 a.	29.93	760.1	...	...	E	6	...
Hakodate,	,,	29.81	757.2	...	...	E	8	...	,,	29.81	757.2	...	...	E	8	...
Tokio,	,,	29.71	754.6	...	...	...	0	...	,,	29.75	755.6	...	...	...	0	...
Kochi,	,,	29.76	755.8	...	...	S E	2	...	,,	29.72	754.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S W	2	...	,,	29.76	755.8	...	...	N W	2	...
Kagoshima,	,,	29.80	756.9	...	...	W	4	...	,,	29.76	755.9	...	...	N	2	...
Oshima,	,,	29.85	758.1	...	...	N E	2	...	,,	29.77	756.1	...	...	S	4	...
Naha,	,,	29.85	758.2	...	...	S	2	...	,,	29.81	757.2	...	...	S W	2	...
Ishigakijima,	,,	29.85	758.3	...	...	S E	4	...	,,	29.78	756.3	...	...	S	6	...
Bonin Is.	,,	29.96	761.1	...	...	S	2	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	29.72	754.9	80	62	N E	3	b	6 a.	29.67	753.6	72	71	S W	1	b
Weihaiwei,	,,	29.76	755.9	81	...	...	2	b	9 a.	29.65	753.1	81	...	W N W	2	b
Hankow,	,,	29.94	760.5	80	78	N W	1	o	6 a.	29.97	761.2	71	99	W	1	b
Kiukiang,	,,	29.87	758.7	72	95	N E	2	or	,,	29.82	757.4	69	95	...	0	b
Shanghai,	,,	29.80	756.9	70	100	N E	1	or	9 a.	29.80	756.9	74	81	N	1	om
Gutzlaff,	,,	29.79	756.6	79	95	N N E	2	omr	,,	29.78	756.4	72	90	N E	1	cv
Sharp Peak,	,,	29.75	755.6	85	87	S	4	b	,,	29.72	754.9	83	100	...	0	o
Amoy,	,,	29.80	756.9	85	76	N W	3	c	6 a.	29.74	755.4	80	82	S W	1	c
Swatow,	,,	29.84	757.9	87	73	S S W	2	c	,,	29.79	756.6	77	90	W S W	1	c
Taihoku,	1 p.	29.85	758.1	...	...	N	4	...	5 a.	29.75	755.7	...	...	W	2	...
Taichu,	,,	29.86	758.5	...	...	W	2	...	,,	29.81	757.1	...	...	...	0	...
Tainan,	,,	29.90	759.4	...	...	W	4	...	,,	29.84	757.9	...	...	...	0	...
Koshun,	,,	29.87	758.6	...	...	S	4	...	,,	29.83	757.6	...	...	N W	2	...
Pescadores,	,,	29.88	758.9	...	...	W	4	...	,,	29.82	757.3	...	...	S W	6	...
Canton,	3 p.	29.82	757.4	79	87	S E	1	or	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.85	758.2	77	86	S W	1	od	10 a.	29.85	758.2	78	89	W	1	op
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S W	4	...
Gap Rock,	,,	29.81	757.2	...	...	W S W	5	...	,,	29.82	757.4	...	...	N W	5	...
Macao,	,,	29.84	757.9	78	...	S S W	2	od	,,	29.86	758.4	76	...	S	2	od
Wuchow,	3 p.	29.76	755.9	83	...	E	1	c	9 a.	29.82	757.4	81	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.75	755.6	88	69	S W	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.65	753.2	82	...	S S E	8	c	8 a.	29.79	756.6	82	...	S S W	4	c
Tourane,	,,	29.74	755.4	84	...	S E	1	c	,,	29.81	757.2	82	..	N W	1	o
Cape St. James,	,,	29.80	756.9	84	...	S	4	c	,,	29.86	758.5	77	...	W N W	2	c
Aparri,	2 p.	29.83	757.7	91	...	N E	2	b	6 a.	29.85	758.2	77	...	S W	2	c
Manila,	4 p.	29.80	757	82	85	...	0	o	10 a.	29.88	759	86	71	S E	0	b
Legaspi,	2 p.	29.81	757.1	88	...	E	2	c	6 a.	29.86	758.5	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	E S E	1	o	9 a.	...	...	...	...	W S W	1	o
Iloilo,	,,	29.81	757.2	84	...	S E	1	cd	,,	29.89	759.2	81	...	W S W	1	o
Cebu,	,,	29.80	756.9	85	...	S	1	b	,,	29.89	759.2	85	...	S E	1	b
Labuan,	,,	29.73	755.6	85	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

On the 26th at 12.05 p.—The barometer has risen moderately in Tongking, and fallen quickly over the N.E. coast of China and at the stations around the Eastern Sea.

A depression is lying over Manchuria, and areas of low pressure occupy the Eastern Sea and Central Japan.

The highest pressure is still shown over the Pacific to the E. of Japan.

Fresh to strong S.W. winds may be expected in the Formosa Channel, and moderate S.W. and W. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. and W. winds, light or moderate; fair.
2.—Formosa Channel,	S.W. winds, fresh or strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 26th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th June, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th June, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.65	753.2	59	...	S E	1	o	7 a.	29.66	753.4	52	99	S	1	or
Nemuro,	,,	29.89	759.1	...	...	E	8	...	6 a.	29.93	760.1	...	...	N	6	...
Hakodate,	,,	29.81	757.2	...	...	S E	6	...	,,	29.85	758.2	...	...	E	6	...
Tokio,	,,	29.71	754.6	...	...	S	4	...	,,	29.75	755.6	...	...	E	4	...
Kochi,	,,	29.72	754.8	...	...	...	0	...	,,	29.64	752.8	...	...	S	2	...
Nagasaki,	,,	29.72	754.8	...	...	S W	2	...	,,	29.63	753.8	...	...	..	0	...
Kagoshima,	,,	29.72	754.9	...	...	E	2	...	,,	29.63	753.9	...	...	N W	2	...
Oshima,	,,	29.73	755.1	...	...	S	4	...	,,	29.73	755.1	...	...	S	2	...
Naha,	,,	29.73	755.2	...	...	S W	4	...	,,	29.73	755.2	...	...	N	2	...
Ishigakijima,	,,	29.74	755.3	...	...	W	6	...	,,	29.66	755.3	...	...	S	8	...
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.89	759.1	...	...	S	4	...
Chefoo,	4 p.	29.63	752.6	77	73	E	3	c	6 a.	29.55	750.5	...	...	S W	1	e
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.88	758.9	85	64	S W	1	b	6 a.	29.73	755.1	75	95	...	0	c
Kiukiang,	,,	29.75	755.6	83	68	...	0	b	,,	29.70	754.4	71	...	...	0	b
Shanghai,	,,	29.72	754.9	78	74	...	0	c	9 a.	29.70	754.4	78	74	S	2	c
Gutzlaff,	,,	29.74	755.4	75	77	N N E	1	cv	,,	29.71	754.6	75	77	S	1	cm
Sharp Peak,	,,	29.70	754.4	80	82	E N E	5	or	,,	29.73	755.1	78	95	...	0	o
Amoy,	,,	29.68	753.9	85	76	S E	1	b	6 a.	29.68	753.9	83	83	S W	1	o
Swatow,	,,	29.79	756.6	84	79	S W	1	c	,,	29.70	754.4	80	82	W S W	1	c
Taihoku,	1 p.	29.72	755.0	...	...	W	6	...	6 a.	29.72	754.8	...	...	...	0	...
Taichu,	,,	29.81	757.1	...	...	E	4	...	,,	29.76	755.8	...	...	S	2	...
Tainan,	,,	29.82	757.3	...	...	W	4	...	,,	29.78	756.4	...	...	S E	2	...
Koshun,	,,	29.79	756.6	...	...	W	8	...	,,	29.76	755.9	...	...	W	6	...
Pescadores,	,,	29.80	756.9	...	...	W	6	...	,,	29.73	755.2	...	...	S W	6	...
Canton,	3 p.	29.72	754.9	88	76	S	1	c	9 a.	29.77	756.1	82	91	S W	1	b
Hongkong,	4 p.	29.75	755.6	83	79	W	1	o	10 a.	29.75	755.6	85	77	S W	3	o
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S W	6	...
Gap Rock,	,,	29.75	755.6	...	...	S	2	...	,,	29.76	755.9	...	...	S W	3	...
Macao,	,,	29.74	755.4	81	...	S S E	1	c	,,	29.75	755.6	83	...	W S W	1	c
Wuchow,	3 p.	29.74	755.4	82	...	W	1	od	9 a.	29.72	754.9	79	...	E	3	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.75	755.6	85	88	S S W	2	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.68	753.8	90	...	S	3	c	8 a.	29.71	754.7	82	...	S	3	c
Tourane,	,,	29.77	756.1	82	...	...	0	o	,,	29.77	756.2	83	...	S	1	c
Cape St. James,	,,	29.80	756.8	88	...	S W	2	c	,,	29.85	758.1	82	...	W S W	1	c
Aparri,	2 p.	29.76	755.8	91	...	N E	2	b	6 a.	29.81	757.1	77	...	S	2	...
Manila,	4 p.	29.76	756	84	77	S W	1	o	10 a.	29.84	758	84	77	S	1	c
Legaspi,	2 p.	29.78	756.4	88	...	S	2	o	6 a.	29.84	757.8	75	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S E	2	or	9 a.	...	...	...	...	N W	1	o
Iloilo,	,,	29.81	757.2	86	...	S W	1	o	,,	29.89	759.2	82	...	...	0	c
Cebu,	,,	29.81	757.2	86	...	N	1	o	,,	29.88	758.9	85	...	...	0	c
Labuan,	,,	29.76	755.9	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 27th at 11.55 a.—Except in N.E. Japan, the barometer has fallen generally, particularly over China.

The depression still lies over N. China and Manchuria, and a secondary low area is situated over W. Japan.

The highest pressure is shown over the Pacific to the E. of Japan.

Fresh S. monsoon may be expected in the Formosa Channel, and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, fresh; fair, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 27th June, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th JUNE, 1909, P.M.								28th JUNE, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.65	753.0	76	...	...	0	or	7 a.	29.61	752.0	56	99	N N E	2	o
Nemuro,	,,	29.89	759.1	...	...	N E	[illegible]	...	6 a.	29.85	758.1	...	...	N	5	...
Hakodate,	,,	29.85	758.2	...	...	S E	8	...	,,	29.81	757.2	...	...	E	4	...
Tokio,	,,	29.67	753.6	...	...	...	0	...	,,	29.75	755.6	...	...	N W	2	...
Kochi,	,,	29.56	750.8	...	...	S E	2	...	,,	29.76	755.8	...	...	...	0	...
Nagasaki,	,,	29.68	753.8	...	...	S	6	...	,,	29.76	755.8	...	...	S	2	...
Kagoshima,	,,	29.68	753.9	...	...	W	6	...	,,	29.76	755.9	...	...	..	0	...
Oshima,	,,	29.73	755.1	...	...	N	4	...	,,	29.69	754.1	...	...	...	0	...
Naha,	,,	29.69	754.2	...	...	S W	2	...	,,	29.73	755.2	...	...	...	0	...
Ishigakijima,	,,	29.74	755.3	...	...	W	6	...	,,	29.70	754.3	...	...	S	8	...
Bonin Is.	,,	29.85	758.1	...	...	S	4	...	,,	29.73	755.1	...	...	S	2	...
Chefoo,	4 p.	29.57	751.1	72	84	E	1	c	6 a.	29.52	749.8	67	95	...	0	o
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.69	754.1	86	95	W	1	o	6 a.	29.66	753.3	74	86	E	1	o
Kiukiang,	,,	29.69	754.1	87	96	W	1	b	,,	29.52	749.8	73	95	...	0	or
Shanghai,	,,	29.64	752.8	81	67	S	3	b	9 a.	29.58	751.3	78	82	S	2	c
Gutzlaff,	,,	29.65	753.1	76	86	S E	2	bm	,,	29.57	751.1	76	90	S S E	3	cv
Sharp Peak,	,,	29.69	754.1	79	95	...	0	or	,,	29.65	753.1	79	95	...	0	c
Amoy,	,,	29.69	754.1	83	87	S S E	1	or	6 a.	29.67	753.6	82	78	S W	1	b
Swatow,	,,	29.66	753.3	83	83	S S W	1	c	,,	29.66	753.3	79	90	S W	2	c
Taihoku,	1 p.	29.70	754.4	...	...	...	0	...	5 a.	29.69	754.2	...	...	...	0	...
Taichu,	,,	29.78	756.5	...	...	S	4	...	,,	29.76	756.0	...	...	...	0	...
Tainan,	,,	29.81	757.1	...	...	S	6	...	,,	29.78	756.4	...	...	E	4	...
Koshun	,,	29.77	756.2	...	...	W	6	...	,,	29.78	756.3	...	...	W	2	...
Pescadores,	,,	29.75	755.7	...	...	S W	6	...	..	29.74	755.4	...	...	S W	6	...
Canton,	3 p.	...	...	86	87	S E	2	o	9 a.	29.70	754.4	85	83	S	1	b
Hongkong,	4 p.	29.68	753.9	85	75	S S W	4	oq	10 a.	29.73	755.1	83	79	S W	3	oq
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S S W	7	...
Gap Rock,	,,	29.67	755.6	...	...	S W	4	...	,,	29.70	754.4	...	...	S W	6	...
Macao,	,,	29.69	754.1	85	...	S S W	2	c	,,	29.74	755.4	85	...	S S W	4	cq
Fuchow,	3 p.	29.68	753.9	82	...	E	1	o	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.67	753.6	88	73	W S W	4	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.57	751.1	90	...	S	3	c	8 a.	29.65	753.2	82	...	S	5	o
Tourane,	,,	29.70	754.5	84	...	E N E	1	b	,,	29.74	755.4	91	..	...	0	b
Cape St. James,	,,	29.77	756.2	81	...	W	4	lt	,,	29.83	757.7	81	...	W	1	o
Aparri,	2 p.	29.76	755.9	90	...	N E	2	c	6 a.	29.82	757.3	75	...	S	2	c
Manila.	4 p.	29.76	756	79	91	...	0	d	10 a.	29.84	758	84	77	W N W	1	c
Legaspi,	2 p.	29.79	756.6	93	...	S	2	b	6 a.	29.84	757.8	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	E S E	1	o	9 a.	...	...	...	...	S E	1	o
Iloilo,	,,	29.79	756.6	86	...	W	1	c	,,	29.87	758.7	84	...	S W	1	c
Cebu,	,,	29.78	756.4	87	...	N	1	b	,,	29.87	758.7	85	...	N	1	b
Labuan,	,,	29.75	755.6	85	...	...	...	...	,,	29.84	757.9	82	...	...	...	...

On the 28th at 12.05 p.—The barometer has risen in S. Japan the depression lying over that area yesterday, having passed to the Pacific.

The Manchuria depression has moved into the N. part of the Sea of Japan.

Pressure has given way quickly over China owing to the appearance of a depression over the Yangtze Valley. It appears to be moving towards N.E.

The highest pressure is shown over the S. part of the China Sea and the Pacific to the Eastward of the Philippines.

Strong S.W. winds may be expected in the Formosa Channel, and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
5.—Hongkong and Neighbourhood,	S.W. winds, strong; squally, rain later.
4.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 28th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th June, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th June, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.63	752.6	63	...	S	1	o	7 a.	29.71	754.6	59	93	N W	1	o
Nemuro,	,,	29.77	756.1	...	...	E	8	...	6 a.	29.81	757.1	...	...	N W	4	...
Hakodate,	,,	29.81	757.2	...	...	S E	4	...	,,	29.81	757.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	S	4	...	,,	29.83	757.6	...	...	...	0	...
Kochi,	,,	29.80	756.8	...	...	S E	2	...	,,	29.68	753.8	...	...	...	0	...
Nagasaki,	,,	29.72	754.8	...	...	S	4	...	,,	29.52	749.8	...	...	W	6	...
Kagoshima,	,,	29.72	754.9	...	...	S E	2	...	,,	29.68	753.9	...	...	S	6	...
Oshima,	,,	29.73	755.1	...	...	N	2	...	,,	29.73	755.1	...	...	S	6	...
Naha,	,,	29.77	756.2	...	...	S	4	...	,,	29.77	756.2	...	...	S	4	...
Ishigakijima,	,,	29.74	755.3	...	...	S W	6	...	,,	29.78	756.3	...	...	S W	10	...
Bonin Is.	,,	29.93	760.1	...	...	S	4	...	,,	29.97	761.1	...	...	...	0	...
Chefoo,	4 p.	29.53	750.0	71	90	...	0	o	6 a.	29.53	750.0	65	100	N	1	f
Weihaiwei,	,,	29.53	750.0	70	...	W S W	1	r	9 a.	29.64	752.8	71	...	W N W	1	o
Hankow,	,,	29.63	752.6	83	68	S W	1	b	6 a.	29.75	755.6	73	95	S E	1	b
Kiukiang,	,,	29.64	752.8	70	100	N	1	o	,,	29.69	754.1	67	100	...	0	o
Shanghai,	,,	29.56	750.8	70	100	N E	2	or	9 a.	29.73	755.1	75	81	N	1	o
Gutzlaff,	,,	29.53	750.0	80	95	E S E	2	om	,,	29.73	755.1	77	86	N N W	1	cv
Sharp Peak,	,,	29.55	750.5	83	87	S	2	b	,,	29.72	754.9	82	99	S	3	b
Amoy,	,,	29.63	752.6	87	76	S E	4	b	6 a.	29.74	755.4	82	83	S W	3	c
Swatow,	,,	29.65	753.1	89	66	S W	3	c	,,	29.76	755.9	80	87	S W	1	b
Taihoku,	1 p.	29.68	753.9	...	...	W	6	...	5 a.	29.75	755.7	...	...	S	2	...
Taichu,	,,	29.77	756.2	...	...	S	6	...	,,	29.83	757.7	...	...	S	2	...
Tainan,	,,	29.79	756.6	...	...	S W	2	...	,,	29.84	758.0	...	...	E	4	...
Koshun	,,	29.78	756.3	...	...	W	6	...	,,	29.84	758.0	...	...	W	6	...
Pescadores,	,,	29.78	756.5	...	...	S W	6	...	,,	29.83	757.6	...	...	S	6	...
Canton,	3 p.	29.64	752.8	90	66	S	1	b	9 a.	29.79	756.6	89	66	S	1	b
Hongkong,	4 p.	29.70	754.4	85	71	W S W	4	oq	10 a.	29.82	757.4	83	78	S S W	3	oq
Victoria Peak,	,,	...	...	...	...	S S W	6	...	,,	...	...	...	...	S	8	...
Gap Rock,	,,	29.67	753.6	...	...	S W	5	...	,,	29.73	756.4	...	...	S W	4	...
Macao,	,,	29.68	753.9	84	...	S	3	c	,,	29.82	757.4	84	...	S S W	4	c
Wuchow,	3 p.	29.65	753.1	86	...	E	1	o	9 a.	29.74	755.4	81	...	E	1	od
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.66	753.3	86	80	S W	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.9	86	...	S	3	o	8 a.	29.69	754.1	86	...	S	2	c
Tourane,	,,	29.65	753.2	84	...	S E	1	b	,,	29.76	755.9	90	...	N E	1	b
Cape St. James,	,,	29.73	755.1	84	...	S S W	4	c	,,	29.83	757.6	81	...	N W	1	o
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.76	756	86	71	S S W	1	o	10 a.	29.83	759	86	79	S E	1	o
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	73	...	...	0	o
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	S E	1	o
Iloilo,	,,	29.81	757.2	86	...	W	2	c	,,	29.89	759.2	82	...	N E	1	o
Cebu,	,,	29.81	757.2	88	...	N	2	c	,,	29.89	759.2	85	...	N	2	o
Labuan,	,,	29.74	755.4	86	...	...	...	...	,,	29.91	759.7	80	...	...	...	...

On the 29th at 11.55 a.—The barometer has fallen quickly in W. Japan and risen elsewhere, particularly over China.

The depression, which passed over the E. coast of China yesterday, has reached S. Korea.

The other depression has moved into the Pacific to the N.E. of Japan.

Pressure remains high over the Pacific in the neighbourhood of the Bonins.

Fresh to moderate S. monsoon may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. and S. winds, fresh to moderate; squally, and [showery to fair
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. Flood,
Director.

Hongkong Observatory, Tuesday, 29th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	30th JUNE, 1909, P.M.								1st JULY, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	29.73	755.1	70	...	S	1	c	7 a.	29.86	758.5	55	94	S	1	or
.....	„	29.73	755.1	...	...	N	10	...	6 a.	29.73	755.1	...	...	N	8	...
.....	„	29.73	755.2	...	...	S E	2	...	„	29.77	756.2	...	...	E	2	...
.....	„	29.59	751.6	...	...	S	2	...	„	29.83	757.6	...	...	N	2	...
.....	„	29.76	755.8	...	...	N W	4	...	„	29.81	757.8	...	...	S W	2	...
.....	„	29.83	757.8	...	...	S	6	...	„	29.84	757.8	...	...	...	0	...
.....	„	29.84	757.9	...	...	S	2	...	„	29.84	757.9	...	...	N E	2	...
.....	„	29.85	758.1	...	...	N	6	...	„	29.77	756.1	...	...	S	2	...
.....	„	29.85	758.2	...	...	N	2	...	„	29.81	757.2	...	...	...	0	...
.....	„	29.82	757.3	...	...	S E	4	...	„	29.78	756.3	...	...	S	4	...
.....	„	29.89	759.1	...	...	S	6	...	„	29.81	757.1	...	...	...	0	...
.....	4 p.	29.76	755.9	72	85	E S E	2	o	6 a.	29.72	754.9	69	95	S	1	c
.....	„	29.77	756.1	71	...	N E	1	o	9 a.	29.82	757.4	71	...	N E	1	o
.....	„	...	...	83	83	S E	2	o	6 a.	29.67	753.6	79	95	E S E	2	o
.....	„	29.68	753.9	79	90	...	0	o	„	29.63	752.6	78	95	...	0	dh
.....	„	29.70	754.4	86	72	S E	2	c	9 a.	29.66	753.3	76	100	S E	2	omr
.....	„	29.72	754.9	77	95	S E	4	cv	„	29.69	754.1	74	100	S E	1	omr
.....	„	29.74	755.4	85	91	S	2	b	„	29.73	755.1	84	90	S	1	b
.....	„	29.72	754.9	87	84	S	2	c	6 a.	29.73	755.1	80	78	S	3	b
.....	„	29.77	756.1	89	100	S	2	c	„	29.70	754.4	80	87	S S W	1	b
.....	1 p.	29.82	757.5	...	...	W	6	...	5 a.	29.79	756.7	...	...	S	2	...
.....	„	29.39	759.2	...	...	S	2	...	„	29.83	757.6	...	...	...	0	...
.....	„	29.90	759.5	...	...	S W	2	...	„	29.82	757.5	...	...	E	2	...
.....	„	29.89	759.2	...	...	N W	6	...	„	29.82	757.4	...	...	...	0	...
.....	„	29.83	758.9	...	...	S W	6	...	„	29.82	757.3	...	...	S W	4	...
.....	3 p.	29.77	756.1	89	69	S E	1	o	9 a.	29.81	757.2	85	83	S	1	b
.....	4 p.	29.79	756.6	84	75	S S W	2	opq	10 a.	29.81	757.2	84	77	S	3	oq
ak,...	„	...	...	...	...	S	6	...	„	...	...	...	...	S	7	...
.....	„	29.78	756.4	...	...	S W	4	...	„	29.78	756.4	...	...	S W	4	...
.....	„	29.79	756.6	85	...	S	2	c	„	29.82	757.4	83	...	S	3	c
.....	3 p.	29.68	753.9	88	...	N	1	o	9 a.	...	...	...	...	...	...	...
.....	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
.....	„	29.73	755.1	90	66	S W	1	c	„	...	...	...	...	...	...	...
.....	4 p.	29.67	753.7	88	...	S	3	c	8 a.	29.72	754.9	82	...	S	5	c
.....	„	29.73	755.1	84	...	E	1	b	„	29.75	755.7	86	...	S S W	2	b
nes,.	„	29.79	756.7	81	...	S W	4	c	„	29.82	757.5	81	...	W S W	2	c
.....	2 p.	29.86	758.5	90	...	E	2	b	6 a.	29.84	757.8	77	...	S	2	b
.....	4 p.	29.80	757	81	91	...	0	o	10 a.	29.84	758	79	84	...	0	o
.....	2 p.	29.83	757.6	88	...	E	2	c	6 a.	29.83	757.5	75	...	...	0	c
.....	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	N W	1	...
.....	„	29.81	757.2	83	...	...	0	o	„	29.85	758.2	82	...	N E	1	c
.....	„	29.80	756.9	87	...	N	1	c	„	29.81	757.9	84	...	...	0	c
.....	„	29.79	756.6	87	...	...	...	...	„	29.81	757.2	82	...	...	...	...

he 1st at 12.05 p.—The depression lying over E. Japan yesterday, has moved away over the Pacific and the has risen over the Sea of Japan.

barometer has fallen over S. China another depression having appeared over the Yangtze Valley.

sure has given way rather markedly over the S. part of the China Sea and the S. Philippines. It is relati- between N. Luzon and the Bonins, and over the Sea of Japan.

h S. monsoon may be expected in the Formosa Channel and along the northern shores of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	S.W. winds, fresh; showery.
a Channel, ...	S. and S.W. winds, fresh to strong.
oast of China between Hongkong and Lamocks,..	Same as No. 1.
ast of China between Hongkong and Hainan,...	S. winds, fresh.

F. G. FIGG,
Director.

kong Observatory, Thursday, 1st July, 1909.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th JUNE, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th JUNE, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock....	2 p.	29.69	754.0	69	...	N W	1	c	7 a.	29.70	754.4	59	95	E	1
Seoul, ...	,,	29.81	757.1	...	...	N	6	...	6 a.	29.73	755.1	...	...	N	6
Hakodate, ...	,,	29.77	756.2	...	...	S	6	...	,,	...	...	...	...	E	4
Tokio, ...	,,	29.67	753.6	...	...	S E	2	...	,,	29.47	748.6	...	...	N	2
Kobe, ...	,,	...	...	...	...	N W	2	...	,,	29.76	755.8	...	...	W	
Nagasaki, ...	,,	29.60	751.8	...	...	N	8	...	,,	29.88	758.8	...	...	...	6
Kagoshima, ...	,,	29.60	751.9	...	...	N W	6	...	,,	29.88	758.9	...	...	N	6
Oshima, ...	,,	29.85	758.1	...	...	S W	2	...	,,	29.81	757.1	...	...	S	4
Naha, ...	,,	29.81	757.2	...	...	S W	4	...	,,	29.81	757.2	...	...	S	4
Ishigakijima, ...	,,	29.82	757.3	...	...	S	...	...	,,	29.82	757.3	...	...	S	6
Bonin Is.	,,	29.93	760.1	...	...	S	2	...	,,	29.89	759.1	...	...	S E	2
Chefoo, ...	4 p.	29.63	752.6	69	90	S E	1	o	6 a.	29.65	753.1	67	89	S E	1
Weihaiwei, ...	,,	29.69	754.1	68	...	W N W	1	o	9 a.	29.80	756.9	[illegible]	[illegible]	S E	1
Hankow, ...	,,	29.73	755.1	87	45	S S W	1	b	6 a.	29.71	754.6	[illegible]	[illegible]	S E	1
Kiukiang, ...	,,	29.67	753.6	88	80	...	0	b	,,	29.71	754.6	[illegible]	[illegible]	[illegible]	2
Shanghai, ...	,,	29.70	754.4	84	64	E S E	2	c	9 a.	29.77	756.1	81	[illegible]	S E	4
Gutzlaff, ...	,,	29.72	754.9	79	76	S S E	1	bm	,,	29.77	756.1	[illegible]	95	S E	4
Sharp Peak	,,	29.71	754.6	85	91	S	2	b	,,	29.83	757.7	[illegible]	95	...	2
Amoy, ...	,,	29.75	755.6	86	76	S	4	b	6 a.	29.79	756.6	82	87	E	1
Swatow, ...	,,	29.78	756.4	91	70	S W	2	c	,,	29.75	755.6	80	82	S W	2
Taihoku, ...	1 p.	29.78	756.3	...	...	W	8	...	5 a.	29.83	757.6	...	...	S	6
Tamsui, ...	,,	29.84	757.9	...	...	W	6	...	,,	29.88	758.9	...	...	...	6
Taiwan, ...	,,	29.87	758.6	...	...	W	4	...	,,	29.88	758.9	...	...	S	2
Kaohsiung, ...	,,	29.79	756.7	...	...	W	6	...	,,	29.87	758.6	...	...	N W	2
Pescadores, ...	,,	29.85	758.2	...	...	S W	6	...	,,	29.86	758.3	...	...	S W	2
Canton, ...	3 p.	29.74	755.4	91	70	S	1	b	9 a.	...	...	...	...	[illegible]	2
Hongkong	4 p.	29.76	755.9	85	73	S W	3	oq	10 a.	29.87	758.7	84	76	S S W	2
Victoria Peak, ...	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S	4
Cap Rock, ...	,,	29.74	755.4	...	...	S W	4	...	,,	29.84	757.9	...	...	S S W	2
Mocao, ...	,,	29.76	755.9	85	...	S S W	2	c	,,	29.86	758.4	84	...	S	2
Wuchow, ...	3 p.	29.65	753.1	90	...	S E	2	o	9 a.	...	...	...	...	...	
Hoihow	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Haiphong, ...	4 p.	29.61	752.2	86	...	S	8	c	8 a.	29.75	755.5	82	...	S	4
Tourane, ...	,,	29.72	755.0	84	...	S S E	3	c	,,	29.76	755.8	86	...	E	4
Cape St. James, .	,,	29.80	756.8	77	...	W S W	6	or	,,	29.89	759.2	79	...	W S W	4
Aparri, ...	2 p.	29.86	758.5	90	...	N W	0	b	6 a.	29.89	759.3	77	...	S	6
Manila, ...	4 p.	29.80	757	86	71	...	0	o	10 a.	29.92	760	82	77	N W	2
Legaspi, ...	2 p.	29.85	758.1	90	...	E	2	c	6 a.	29.89	759.2	75	...	...	
Iloilo, ...	3 p.	...	...	...	...	N W	2	ot	9 a.	...	...	...	...	W	
Iloilo, ...	,,	29.83	757.7	82	...	N N E	1	o	,,	29.91	759.7	84	...	N E	
Cuba, ...	,,	29.82	757.4	87	...	S	1	b	,,	29.89	759.2	85	...	...	
Labuan, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.91	759.7	81	...	...	

On the 30th at 11.55 a.—The depression is over S.E. Japan and about to move into the Pacific.

The barometer has risen quickly over W. Japan, and a slight to moderate rise has taken place al[illegible] China coast and Tongking. It is inclined to fall over the Upper Yangtze.

The highest pressure is lying over the Pacific between the Philippines and the Bonins.

M[illegible]ate to fresh S. monsoon may be expected in the Formosa Channel and along the northern sh[illegible] China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. winds, moderate or fresh; showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. [illegible]
D[illegible]

Hongkong Observatory, Wednesday, 30th June, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA CO[illegible]ICAL REGISTER

Station.	1st July, 1909, P.M.								2nd July, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	29.90	759.5	55	...	S	1	o	7 a.	29.93	760.1	54	85	W	1	o
Nemuro,.........	,,	29.77	756.1	...	...	N	8	...	6 a.	...	...	...	...	...	...	...
Hakodate,........	,,	29.81	757.2	...	...	S E	4	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	29.79	756.6	...	...	S	2	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	29.80	756.8	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	29.76	755.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	29.80	756.9	...	...	S	2	...	,,	...	...	...	...	...	...	...
Oshima,...........	,,	29.77	756.1	...	...	S	2	...	,,	...	...	...	...	...	...	...
Naha,.............	,,	29.73	755.2	...	...	W	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,....	,,	29.74	755.3	...	...	S W	6	...	,,	...	...	...	...	...	...	...
Bonin Is..........	,,	29.85	758.1	...	...	...	0	...	,,	...	...	...	...	...	...	...
Chefoo,............	4 p.	29.79	756.6	72	90	E	2	o	6 a.	29.69	754.1	66	95	...	0	b
Weihaiwei,.......	,,	29.79	756.6	71	...	N E	2	o	9 a.	29.85	758.2	71	...	N E	2	b
Hankow, ...	,,	29.68	753.9	81	96	S W	1	o	6 a.	29.65	753.1	79	99	N E	1	c
Kiukiang,.........	,,	29.58	751.3	79	91	N W	2	or	,,	29.59	751.6	77	95	...	0	or
Shanghai, ...	,,	29.60	751.8	73	100	E	2	or	9 a.	29.66	753.3	75	90	E N E	2	od
Gutzlaff, ...	,,	29.60	751.8	73	100	S E	4	omr	,,	29.64	752.8	74	95	N E	3	om
Sharp Peak,......	,,	29.61	752.1	86	91	S	2	b	,,	29.64	752.8	84	95	S	1	b
Amoy,.............	,,	29.68	753.9	88	69	S	4	b	6 a.	29.64	752.8	81	78	S W	3	b
Swatow, ...	,,	29.70	754.4	89	63	S W	2	b	,,	29.65	753.1	80	87	W S W	1	o
Taiboku,..........	1 p.	29.73	755.1	...	...	W	6	...	5 a.	29.69	754.0	...	...	S	2	...
Taichu, ...	,,	29.80	756.9	...	...	S E	2	...	,,	29.75	755.7	...	...	...	0	...
Tainan,............	,,	29.82	757.4	...	...	W	2	...	,,	29.75	755.7	...	...	E	2	...
Koshun............	,,	29.80	756.9	...	...	W	6	...	,,	29.75	755.5	...	...	N W	6	...
Pescadores, ...	,,	29.80	757.0	...	...	S W	6	...	,,	29.76	755.9	...	...	N	6	...
Canton,............	3 p.	29.70	754.4	87	91	S	1	b	9 a.	29.73	755.1	84	83	S	1	b
Hongkong, ...	4 p.	29.73	755.1	83	82	S	2	o	10 a.	29.77	756.1	80	93	W	1	op
Victoria Peak,...	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S W	4	...
Gap Rock,........	,,	29.70	754.4	...	...	S W	4	...	,,	29.74	755.4	...	...	S W	4	...
Macao, ...	,,	29.74	755.4	85	...	S W	2	c	,,	...	...	...	...	...	...	...
Wuchow,..........	3 p.	29.65	753.1	89	...	S	2	c	9 a.	29.68	753.9	83	...	E	1	c
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,............	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,..........	4 p.	29.63	752.5	86	...	S	5	c	8 a.	29.67	753.5	82	...	S	5	c
Tourane, ...	,,	29.67	753.7	84	...	S E	2	b	,,	29.70	754.4	88	...	N E	1	c
Cape St. James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	29.76	755.9	91	...	N E	2	b	6 a.	29.76	755.8	77	...	[illegible]	2	[illegible]
Manila, ...	4 p.	29.72	755	88	65	N N W	1	c	10 a.	29.80	757	84	77	W N [illegible]	1	c
Legaspi, ...	2 p.	29.77	756.1	91	...	E	2	b	6 a.	29.77	756.1	77	...	...	[illegible]	[illegible]
Bacolod, ...	3 p.	...	...	...	...	N W	1	ot	9 a.	...	...	...	...	S E	[illegible]	c
Iloilo, ...	,,	29.77	756.1	85	...	N W	1	c	,,	29.83	757.7	84	...	N E	1	[illegible]
[illegible]............	,,	29.75	755.6	86	...	N	1	b	,,	29.81	757.2	82	[illegible]	[illegible]	[illegible]	c
[illegible]n, ...	,,	29.74	755.4	87	...	...	...	...	,,	29.80	756.9	83	[illegible]	[illegible]	[illegible]	[illegible]

On the 2nd at 12.20 p.—The barometer has risen slightly in Wladiwostok and on the N.[illegible] [illegible]en moderately to slightly over S. China and the Philippines.

The depression is moving into the Eastern Sea to the South of Shanghai.

Pressure is high over Manchuria. It is slight defect of the normal over th[illegible]

The Japanese returns are not yet in hand.

Fresh to strong S.W. winds may be expected in the Formosa C[illegible] along the [illegible]thern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at [illegible]

FORECAST FOR THE 24 [illegible] MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	[illegible]
Formosa Channel, ...	[illegible]
South coast of China between Hongkong and Lamocks,	[illegible]
South coast of China between Hongkong and Hainan,...	[illegible] winds, [illegible]

F. G. FIGG,
Director.

[illegible] Observatory, Friday, 2nd July, 1909.

[illegible] & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd July, 1909, P.M.								3rd July, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.04	763.1	...	...	...	0	...	6 a.	30.08	764.1	...	...	E	4	...
Hakodate,	,,	29.93	760.2	...	...	S E	8	...	,,	29.93	760.2	...	...	E	6	...
Tokio,	,,	29.87	758.6	...	...	S W	2	...	,,	29.83	757.6	...	...	N W	2	...
Kochi,	,,	29.80	756.8	...	...	...	0	...	,,	29.88	758.8	...	...	W	2	...
Nagasaki,	,,	29.72	754.8	...	...	E	6	...	,,	29.84	757.8	...	...	N E	8	...
Kagoshima,	,,	29.68	753.9	...	...	N E	6	...	,,	29.80	756.9	...	...	E	6	...
Oshima,	,,	29.65	753.1	...	...	S	2	...	,,	29.65	753.1	...	...	S	2	...
Naha,	,,	29.69	754.2	...	...	S	4	...	,,	29.73	755.2	...	...	S W	2	...
Ishigakijima,	,,	29.70	754.3	...	...	S	8	...	,,	29.74	755.3	...	...	S	6	...
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.97	761.1	...	...	S	2	...
Chefoo,	4 p.	29.85	758.2	75	77	E	2	c	6 a.	29.86	758.4	66	...	S E	1	c
Weihaiwei,	,,	29.85	758.2	71	...	N E	4	b	9 a.	29.95	760.7	75	...	N N E	1	b
Hankow,	,,	29.69	754.1	78	90	N E	1	or	6 a.	29.74	755.4	77	90	N E	1	o
Kiukiang,	,,	29.65	753.1	75	100	E	2	or	,,	29.71	754.6	75	95	N E	1	o
Shanghai,	,,	29.68	753.9	78	82	N E	2	o	9 a.	29.85	758.2	74	81	E	3	o
Gutzlaff,	,,	29.66	753.5	74	95	E N E	4	om	,,	29.83	757.7	74	86	E	4	cm
Sharp Peak,	,,	29.61	752.1	86	91	S	2	c	,,	29.73	755.1	83	99	E	3	o
Amoy,	,,	29.66	753.3	86	76	N E	2	b	6 a.	29.69	754.1	86	88	S W	3	c
Swatow,	,,	29.66	753.3	91	98	S W	4	c	,,	...	...	80	80	W	1	b
Taihoku,	1 p.	29.68	753.8	...	...	W	6	...	5 a.	29.73	755.2	...	...	...	0	...
Taichu,	,,	29.76	756.0	...	...	S W	4	...	,,	29.78	756.5	...	...	...	0	...
Tainan,	,,	29.78	756.3	...	...	W	4	...	,,	29.78	756.5	...	...	E	2	...
Koshun,	,,	29.74	755.5	...	...	N W	6	...	,,	29.76	756.0	...	...	N W	6	...
Pescadores,	,,	29.78	756.3	...	...	S W	6	...	,,	29.77	756.1	...	...	S	4	...
Canton,	3 p.	29.70	754.4	85	100	S	1	o	9 a.	...	...	86	80	S	1	b
Hongkong,	4 p.	29.73	755.1	86	66	S W	1	o	10 a.	29.79	756.6	85	74	S W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	S S W	3	...
Gap Rock,	,,	29.70	754.4	...	...	S W	4	...	,,	29.75	755.6	...	...	S W	3	...
Macao,	,,	29.72	754.9	86	...	S	1	c	,,	29.80	756.9	86	...	S S W	1	c
Wuchow,	3 p.	29.62	752.3	87	...	E	1	c	9 a.	29.74	755.4	83	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.70	754.4	90	66	S	3	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.61	752.1	88	...	S S E	6	c	8 a.	29.72	754.9	81	...	S S E	4	c
Tourane,	,,	29.63	752.7	84	...	S E	3	b	,,	29.72	754.8	86	..	S W	1	b
Cape St. James,	,,	29.65	753.1	88	...	S W	1	o	,,	29.74	755.4	77	...	W N W	3	or
Aparri,	2 p.	29.74	755.3	91	...	N W	2	b	6 a.	29.80	756.8	77	...	S	2	b
Manila,	4 p.	29.72	755	86	73	W N W	1	c	10 a.	29.80	757	84	77	W S W	1	c
Legaspi,	2 p.	29.74	755.3	88	...	E	2	o	6 a.	29.73	756.4	77	...	...	0	c
Bacolod,	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	W N W	1	o
Iloilo,	,,	29.77	756.1	84	...	...	0	o	,,	29.85	758.2	82	...	S W	1	o
Cebu,	,,	29.74	755.4	85	...	S	1	c	,,	29.81	757.2	85	...	S	1	...
Labuan,	,,	29.71	754.6	86	...	...	...	...	,,	29.80	756.9	86	...	...	...	...

On the 3rd at 12.05 p.—The barometer has risen generally, considerably over N. China and slightly elsewhere. The depression which is now situated near the N. Loochoos, appears to be filling up.

Pressure is high over Manchuria and the Pacific to the E. of Japan. It is relatively low over S. China and Tongking.

Moderate to fresh S. to E. winds may be expected in the Formosa Channel, and moderate S.W. to S.E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. to S.E. winds, moderate; fair to showery.
2.—Formosa Channel,	S. to E. winds, moderate or fresh.
3.—South coast of China between Hongkong and Amocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 3rd July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.92	760.0	67	...	N N W	1	b	7 a.	29.92	759.9	59	93	S	1	f
Nemuro,	,,	29.96	761.1	...	...	N E	6	...	6 a.	29.97	761.1	...	...	...	0	...
Hakodate,	,,	29.89	759.2	...	...	E	6	...	,,	30.05	763.2	...	...	W	4	...
Tokio,	,,	29.87	758.6	...	...	S	6	...	,,	30.06	763.6	...	...	N E	2	...
Kochi,	,,	29.87	758.8	...	...	S W	2	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki,	,,	29.83	757.8	...	...	E	8	...	,,	29.91	759.8	...	...	N	2	...
Kagoshima,	,,	29.80	756.9	...	...	E	6	...	,,	29.92	759.9	...	...	N E	4	...
Oshima,	,,	29.73	755.1	...	...	S	4	...	,,	29.89	759.1	...	...	S	2	...
Naba,	,,	29.77	756.2	...	...	S	4	...	,,	29.85	758.2	...	...	S	2	...
Ishigakijima,	,,	29.78	756.3	...	...	S W	6	...	,,	29.82	757.3	...	...	N E	4	...
Bonin Is.	,,	29.96	761.1	...	...	S	2	...	,,	30.04	763.1	...	...	S	2	...
Chefoo,	4 p.	29.93	760.2	75	77	E	1	c	6 a.	29.91	759.7	68	85	S	1	b
Weihaiwei,	,,	29.95	760.7	74	...	N E	1	b	9 a.	...	...	...	...	...	...	...
Hankow,	,,	29.74	755.4	75	100	S E	1	or	6 a.	29.72	754.9	78	95	S E	1	or
Kinkiang,	,,	29.71	754.6	78	91	N E	3	o	,,	...	...	...	...	...	...	...
Shanghai,	,,	29.84	757.9	77	82	E N E	2	...	9 a.	29.87	758.7	74	86	E	2	...
Gutzlaff,	,,	29.83	757.7	74	86	E	4	cm	,,	29.86	758.4	74	86	E S E	3	om
Sharp Peak,	,,	29.75	755.6	82	87	E N E	4	o	,,	29.86	758.4	81	99	E	1	o
Amoy,	,,	29.70	754.4	87	76	S E	2	b	6 a.	29.83	757.7	84	79	S	3	o
Swatow,	,,	29.71	754.6	92	77	W S W	1	c	,,	...	...	79	87	W	1	b
Taiboku,	1 p.	29.72	755.0	...	...	W	6	...	5 a.	29.82	757.5	...	...	S	2	...
Taichu,	,,	29.78	756.5	...	...	S W	2	...	,,	29.84	758.0	...	...	...	0	...
Tainan,	,,	29.80	756.8	...	...	W	4	...	,,	29.83	757.6	...	...	S E	2	...
Koshun	,,	29.78	756.5	...	...	N W	6	...	,,	29.82	757.5	...	...	...	0	...
Pescadores,	,,	29.80	756.8	...	...	S W	4	...	,,	29.83	757.7	...	...	...	0	...
Canton,	3 p.	29.73	755.1	93	61	S	1	b	9 a.	29.76	755.9	85	79	S	2	c
Hongkong,	4 p.	29.75	755.6	86	66	S	1	c	10 a.	29.84	757.9	85	78	W N W	1	c
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S	1	...
Gap Rock,	,,	29.74	755.4	...	...	S S W	3	...	,,	29.82	757.4	...	...	S	2	...
Macao,	,,	29.72	754.9	85	...	S S E	1	c	,,	29.85	758.2	86	...	S S E	[illegible]	c
Wuchow,	3 p.	29.69	754.1	86	...	E	1	c	9 a.	...	...	...	...	...		
Hoihow,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...		
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...		
Phulien,	4 p.	29.67	753.6	86	...	S S E	5	o	8 a.	29.89	757.0	82	...	S	[illegible]	[illegible]
Tourane,	,,	29.67	753.6	82	...	E S E	4	b	,,	29.76	755.9	84	..	N E	[illegible]	[illegible]
Cape St. James,	,,	29.67	753.5	82	...	W N W	2	o	,,	29.77	756.2	79	...	W	[illegible]	[illegible]
Aparri,	2 p.	29.76	756.0	90	...	N E	2	o	6 a.	29.82	757.5	77	...	S	[illegible]	[illegible]
Manila,	4 p.	29.76	756	82	77	S	1	tr	10 a.	29.84	758	79	92	...	[illegible]	[illegible]
Legaspi,	2 p.	29.74	755.4	90	...	E	2	o	6 a.	29.82	757.2	81	...	...	[illegible]	[illegible]
Bacolod,	3 p.	...	...	...	...	S E	2	o	9 a.	...	...	...	...	N W	[illegible]	[illegible]
Iloilo,	,,	29.75	755.6	84	...	S W	1	c	,,	29.85	758.2	81	...	N E	[illegible]	[illegible]
Cebu,	,,	29.76	755.9	85	...	E	1	c	,,	29.84	757.9	85	...	S	2	[illegible]
Labuan,	,,	29.70	754.4	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 4th at 12.05 p.—The barometer has fallen slightly over the Upper Yangtze and E. Hokkaido, [illegible] elsewhere particularly over S. Japan and the Loochoos.

Pressure remains high over the Pacific to the E. of Japan. It is relatively low over the Upper Yang[illegible] W. part of the China Sea.

Moderate S. and SE winds may be expected in the Formosa Channel, and along the northern shores of the China Sea.

Hongk[illegible] for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

[illegible]ST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Force.	District.	
[illegible]	[illegible]ngkong and Neighb[illegible]	S. to S.E. winds, moderate; fair.
[illegible]	[illegible]ormosa Channel	Same as No. 1.
[illegible]	[illegible]outh coast of China between Hongkong and Lamocks	Same as No. 1.
[illegible]	[illegible]outh coast of China between Hongkong and Hainan	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 4th July, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th JULY, 1909, P.M.								5th JULY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	"	30.00	762.1	...	...	N	4	...	6 a.	30.16	766.1	...	...	S	4	...
Hakodate,	"	30.05	763.2	...	...	W	6	...	"	30.09	764.2	...	...	...	0	...
Tokio,	"	30.10	764.6	...	...	N E	2	...	"	30.06	763.6	...	...	N W	4	...
Kochi,	"	29.95	760.8	...	...	...	0	...	"	29.91	759.8	...	...	...	0	...
Nagasaki,	"	29.91	759.8	...	...	E	4	...	"	29.76	755.8	...	...	E	2	...
Kagoshima,	"	29.92	759.9	...	...	E	6	...	"	29.83	758.9	...	...	S W	4	...
Oshima,	"	29.89	759.1	...	...	S	4	...	"	29.96	760.1	...	...	S	2	...
Naha,	"	29.89	759.2	...	...	S	4	...	"	29.91	759.2	...	...	...	0	...
Ishigakijima,	"	29.85	758.3	...	...	S	6	...	"	29.89	759.3	...	...	S	6	...
Bonin Is.	"	30.04	763.1	...	...	S	2	...	"	30.04	763.1	...	...	...	0	...
Chefoo	4 p.	29.91	759.7	76	77	E	2	b	6 a.	29.79	756.6	66	95	...	0	c
Weihaiwei,	"	...	...	72	...	N E	1	b	9 a.	29.83	758.9	79	...	N E	1	b
Hankow,	"	29.75	755.6	78	95	S S W	1	or	6 a.	29.86	758.4	70	99	N N W	1	b
Kiukiang,	"	29.70	754.4	83	87	...	0	c	"	29.77	756.1	73	90	N W	2	o
Shanghai,	"	29.65	758.2	72	100	E	1	r	9 a.	29.79	756.6	75	95	S E	3	or
Gutzlaff,	"	29.83	757.7	74	90	E	4	om	"	29.79	756.6	74	100	S E	4	om
Sharp Peak,	"	29.83	757.7	82	96	E	1	c	"	29.84	757.9	82	96	E	1	b
Amoy,	"	29.83	757.7	85	80	S	5	b	6 a.	29.84	757.9	82	87	S W	1	b
Swatow,	"	29.79	756.6	86	76	S S E	1	b	"	29.84	757.9	78	95	S S E	1	b
Taihoku,	1 p.	29.84	757.9	...	...	E	2	...	5 a.	29.85	758.1	...	...	S E	2	...
Taichu,	"	29.84	758.0	...	...	E	2	...	"	29.87	758.7	...	...	...	0	...
Tainan,	"	29.85	758.3	...	...	N W	4	...	"	29.86	758.5	...	...	E	2	...
Koshun,	"	29.87	758.7	...	...	W	4	...	"	29.89	759.1	...	...	E	2	...
Pescadores,	"	29.85	758.2	...	...	W	2	...	"	29.86	758.3	...	...	S W	2	...
Canton,	3 p.	29.74	755.4	92	96	S	2	c	9 a.	29.87	758.7	85	80	...	0	b
Hongkong,	4 p.	29.79	756.6	85	72	S	1	c	10 a.	29.87	758.7	85	72	E	1	c
Victoria Peak,	"	...	...	...	...	S S W	3	...	"	...	...	...	...	S S E	1	...
Gap Rock,	"	29.77	756.1	...	...	S	2	...	"	29.82	757.4	...	...	E	2	...
Macao,	"	29.79	756.6	85	...	S S E	2	c	"	29.88	758.9	85	...	S E	1	c
Wuchow,	3 p.	29.74	755.4	87	...	S W	2	c	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.73	755.1	88	...	S S E	5	c	8 a.	29.82	757.4	77	...	N N E	2	or
Tourane,	"	29.70	754.4	82	...	E S E	3	c	"	29.76	755.9	86	..	E S E	1	c
Cape St. James,	"	29.69	754.2	84	...	S	4	o	"	29.80	756.8	75	...	S W	6	or
[illegible]arri,	2 p.	29.82	757.4	84	...	S E	2	o	6 a.	29.86	758.4	77	...	S E	2	b
[illegible]ila,	4 p.	29.76	756	82	77	N W	1	od	10 a.	29.84	758	84	77	W S W	1	c
[illegible]spi,	2 p.	29.80	756.9	84	...	E	2	o	6 a.	29.84	758.0	79	...	E	2	o
[illegible]d,	3 p.	...	...	...	...	S S E	1	op	9 a.	...	...	...	...	W N W	1	c
Iloilo,	"	29.79	756.6	80	...	S E	1	r	"	29.87	758.7	81	...	N	1	c
Cebu,	"	29.79	756.6	83	...	S	1	b	"	29.82	757.4	83	...	...	0	c
Labuan,	"	29.69	754.1	87	...	...	...	...	"	29.81	757.2	82	...	...	...	...

On the 5th at 11.50 a.—The barometer has fallen moderately on the E. and N.E. coasts of China, and risen moderately over the Upper Yangtze.

A shallow depression is moving Eastwards over the Lower Yangtze Valley.

Pressure is relatively low also over the middle and Western parts of the China Sea. It remains high over the Pacific to the E. of Japan.

Light or moderate variable winds may be expected in the Formosa Channel, and moderate S.E. and E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, light or moderate; fair to showery
2.—Formosa Channel,	Variable winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 5th July, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.89	759.1	76	...	S	1	c	7 a.	29.86	758.4	61	97	S S E	1	o
Nemuro, ...	,,	30.04	763.1	...	...	...	0	...	6 a.	29.93	760.1	...	...	S	2	...
Hakodate, ...	,,	30.01	762.2	...	...	E	6	...	,,	29.93	760.2	...	...	E	2	...
Tokio, ...	,,	29.94	760.6	...	...	N	2	...	,,	29.91	759.6	...	...	N	2	...
Kochi, ...	,,	29.83	757.8	...	...	...	0	...	,,	29.83	757.8	...	...	...	0	...
Nagasaki, ...	,,	29.87	758.8	...	...	S W	6	...	,,	29.83	757.8	...	...	S E	6	...
Kagoshima, ...	,,	29.88	758.9	...	...	W	2	...	,,	29.92	759.9	...	...	...	0	...
Oshima, ...	,,	29.96	761.1	...	...	S	0	...	,,	29.93	760.1	...	...	...	0	...
Naha, ...	,,	29.93	760.2	...	...	S	2	...	,,	29.93	760.2	...	...	...	0	...
Ishigakijima, ...	,,	29.89	759.1	...	...	S	6	...	,,	29.89	759.3	...	...	S	6	...
Bonin Is.	,,	29.96	761.1	...	...	S E	2	...	,,	29.97	761.1	...	...	...	0	...
Chefoo, ...	4 p.	29.94	760.5	...	...	E S E	1	o	6 a.	29.76	754.4	64	100	E S E	1	or
Weihaiwei, ...	,,	29.86	758.5	72	...	N E	1	r	9 a.	29.69	754.1	67	...	N E	1	r
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang.....	,,	29.78	756.4	78	82	W N W	1	o	,,	29.77	756.1	74	90	...	0	o
Shanghai, ...	,,	29.72	754.9	81	83	S S E	2	o	9 a.	29.79	756.6	77	82	N N W	1	o
Gutzlaff, ...	,,	29.73	755.1	76	95	S	3	om	,,	29.78	756.4	77	99	...	0	om
Sharp Peak, ...	,,	29.81	757.2	84	90	S	3	b	,,	29.85	758.2	83	96	S E	1	b
Amoy, ...	,,	29.83	757.7	85	76	E	3	b	6 a.	29.84	758.4	82	87	...	0	b
Swatow, ...	,,	29.79	756.6	86	76	E	2	b	,,	29.84	757.9	80	91	E	1	c
Taihoku, ...	1 p.	29.88	758.9	...	...	N	6	...	5 a.	29.87	758.7	...	...	...	0	...
Taichu, ...	,,	29.87	758.8	...	...	W	4	...	,,	29.88	758.9	...	...	...	0	...
Tainan, ...	,,	29.88	758.9	...	...	S W	6	...	,,	29.87	758.7	...	...	E	2	...
Koshun.....	,,	29.88	759.0	...	...	E	6	...	,,	29.89	759.1	...	...	E	2	...
Pescadores, ...	,,	29.88	759.0	...	...	W	4	...	,,	29.86	758.5	...	...	S	2	...
Canton, ...	3 p.	29.81	757.2	95	96	S	1	b	9 a.	29.86	758.4	89	73	E	1	b
Hongkong, ...	4 p.	29.78	756.4	86	66	E	1	c	10 a.	29.86	758.4	84	81	E	1	o
Victoria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S E	1	...
Cap Rock, ...	,,	29.77	756.1	...	...	E	2	...	,,	29.83	757.7	...	...	S E	2	...
Macao, ...	,,	29.81	757.2	85	...	S E	1	c	,,	29.87	758.7	86	...	E	1	c
Wuchow, ...	3 p.	29.77	756.1	88	...	E	1	c	9 a.	29.84	757.9	84	...	E	1	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.79	756.6	91	67	S S E	1	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.74	755.3	86	...	S S E	1	c	8 a.	29.84	757.9	79	...	S E	1	c
Tourane, ...	,,	29.69	754.2	81	...	S E	2	c	,,	29.77	756.1	84	...	...	0	o
Cape St. James, .	,,	29.73	755.2	79	...	S W	3	o	,,	29.84	757.8	75	...	N W	1	or
Aparri, ...	2 p.	29.79	756.7	90	...	S	2	o	6 a.	29.85	758.1	77	...	S	2	b
Manila, ...	4 p.	29.76	756	86	71	N W	1	c	10 a.	29.84	758	82	77	W	1	o
Legaspi, ...	2 p.	29.78	756.4	88	...	E	2	c	6 a.	29.83	757.7	73	...	...	0	o
Bacolod, ...	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	S W	1	or
Iloilo, ...	,,	29.77	756.1	85	...	S E	1	o	,,	29.85	758.2	82	...	E	1	c
Cebu, ...	,,	29.77	756.1	86	...	N	2	b	,,	29.84	757.9	83	...	...	0	c
Labuan, ...	,,	29.74	755.4	88	...	...	...	...	,,	29.85	758.2	82	...	...	...	...

On the 6th at 11.55 a.—The barometer has fallen moderately on the N.E. coast of China owing to the depression which is moving towards N.E. over the Yellow Sea.

Pressure remains relatively low over the middle part of the China Sea. It is still high but giving way over E. Japan and the Bonins.

Light or moderate S.E. and E. winds may be expected in the Formosa Channel, and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. and E. winds, light or moderate; showery.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 6th July, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.81	757.1	66	...	S E	1	o	7 a.	29.74	755.4	60	99	S E	1	f
Nemuro,	,,	29.89	759.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	W	2	...
Hakodate,	,,	29.89	759.2	...	...	S E	6	...	,,	[illegible]	758.2	...	...	...	0	...
Tokio,	,,	29.83	757.6	...	...	N E	4	...	,,	29.75	755.6	...	...	S	4	...
Kochi,	,,	29.83	757.8	...	...	E	[illegible]	...	,,	29.80	756.8	...	...	...	0	...
Nagasaki,	,,	29.80	756.8	...	...	S W	8	...	,,	29.80	756.8	...	...	S W	2	...
Kagoshima,	,,	29.84	757.9	...	...	...	0	...	,,	29.80	756.9	...	...	S W	4	...
Oshima,	,,	29.89	759.1	...	...	N E	2	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	S	2	...	,,	29.89	759.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S	6	...	,,	29.86	[illegible]	...	...	S	6	...
Bonin Is.	,,	29.93	760.1	...	...	...	0	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	29.70	754.4	69	90	W N W	5	b	6 a.	...	...	62	94	...	0	o
Weihaiwei,	,,	29.68	[illegible]	62	...	N W	1	o	9 a.	29.74	755.4	70	...	N W	1	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.78	756.4	79	87	...	0	o	,,	29.74	755.4	75	95	...	0	o
Shanghai,	,,	29.77	756.1	76	90	E N E	1	o	9 a.	29.74	755.4	75	95	E	2	om
Gutzlaff,	,,	29.77	756.1	76	90	N E	2	ov	,,	29.75	755.6	74	100	N E	2	f
Sharp Peak,	,,	29.78	756.4	86	90	S	3	b	,,	29.82	757.4	83	96	S	1	b
Amoy,	,,	29.83	757.7	85	80	S E	3	b	6 a.	29.80	756.9	82	87	S S E	1	b
Swatow,	,,	29.79	756.6	86	80	E	2	b	,,	29.79	756.6	82	83	E S E	2	c
Taiheku,	1 p.	29.86	758.4	...	...	N	4	...	5 a.	29.83	757.7	...	...	...	0	...
Taichu,	,,	29.86	758.4	...	...	N W	4	...	,,	29.85	758.1	...	...	...	0	...
Hainan,	,,	29.86	758.9	...	...	W	6	...	,,	29.83	757.7	...	...	...	0	...
Pakhoi,	,,	29.88	758.9	...	...	E	6	...	,,	29.85	758.1	...	...	E	2	...
Pescadores,	,,	29.89	[illegible]	...	...	W	4	...	,,	29.84	757.8	...	...	S W	2	...
Canton,	3 p.	29.81	757.2	94	61	S E	1	o	9 a.	29.84	757.9	88	73	S	1	b
Hongkong,	4 p.	29.80	756.9	87	65	S	1	c	10 a.	29.84	757.9	85	73	E	1	c
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S W	1	...
Cap Rock,	,,	29.77	756.1	...	...	S S E	2	...	,,	29.78	756.4	...	...	E	2	...
Macao,	,,	29.81	757.2	86	...	S S E	1	c	,,	29.85	758.2	86	...	S E	1	c
Wuchow,	3 p.	29.77	756.1	89	...	E	1	c	9 a.	...	...	...	...	...	...	...
Bias Bay,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.82	757.4	90	66	S	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.74	755.5	90	...	S S E	2	c	8 a.	29.80	756.8	81	...	W S W	1	o
Tourane,	,,	29.71	754.7	82	...	...	0	c	,,	29.77	756.2	...	..	N W	3	o
Cape St. James,	,,	29.78	756.3	79	...	S	3	or	,,	29.85	758.1	77	...	S W	4	or
Aparri,	2 p.	29.81	757.2	88	...	S	2	o	6 a.	29.83	757.6	75	...	S E	2	b
Manila,	4 p.	29.76	756	82	77	...	0	o	10 a.	29.84	758	79	92	S E	0	o
Legaspi,	2 p.	29.82	757.4	81	...	E	2	o	6 a.	29.83	757.7	75	...	...	0	o
Dacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	S S E	1	c
Iloilo,	,,	29.79	756.6	81	...	N	1	o	,,	29.85	758.2	89	...	E	2	c
Cebu,	,,	29.79	756.6	82	...	...	0	o	,,	29.85	758.2	80	...	S	1	o
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	29.80	756.9	83	...	...	...	...

On the 7th at 11.55 a.—The barometer has fallen moderately at the stations around the Sea of Japan owing to the depression, which has reached N.E. Korea.

Pressure has given way slightly over China, except on the N.E. coast. It is still relatively low over the N. part of the China Sea.

The highest pressure lies over the Pacific in the neighbourhood of the Bonins.

Light or moderate S.E. and E. winds may be expected in the Formosa Channel, and along the northern shore of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, light or moderate; fair.
2.—Formosa Channel,	S.E. winds, light or moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 7th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	7th July, 1909, P.M.								8th July, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	"	29.85	758.1	...	...	S W	6	...	6 a.	29.93	760.1	...	...	S	2	...
Hakodate,	"	29.81	757.2	...	...	S E	4	...	"	29.89	759.2	...	...	E	4	...
Tokio,	"	29.67	753.6	...	...	W	4	...	"	29.75	755.6	...	...	E	2	...
Kochi,	"	29.76	755.8	...	...	...	0	...	"	29.80	756.8	...	...	...	0	...
Nagasaki,	"	29.80	756.8	...	...	W	3	...	"	29.80	756.8	...	...	...	0	...
Kagoshima,	"	29.80	756.9	...	...	W	6	...	"	29.84	757.9	...	...	...	0	...
Oshima,	"	29.89	759.1	...	...	S W	4	...	"	29.89	759.1	...	...	...	0	...
Naha,	"	29.89	759.2	...	...	S W	4	...	"	29.89	759.2	...	...	...	0	...
Ishigakijima,	"	29.85	758.3	...	...	S	6	...	"	29.86	758.3	...	...	S	6	...
Bonin Is.	"	29.89	759.1	...	...	S	2	...	"	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	29.69	754.1	74	81	E	3	b	6 a.	29.58	751.3	72	85	...	0	c
Weihaiwei,	"	29.71	754.6	72	...	N E	1	b	9 a.	29.77	756.1	76	...	N E	1	o
Hankow,	"	29.73	755.1	85	80	S W	1	c	6 a.	29.66	753.3	82	81	...	2	c
Kiukiang,	"	29.69	754.1	93	64	...	0	c	"	29.67	753.6	79	95	...	0	o
Shanghai,	"	29.74	755.4	76	95	E S E	2	o	9 a.	...	...	...	...	...	...	...
Gutzlaff,	"	29.73	755.1	73	100	E	2	om	"	...	...	...	...	...	...	...
Sharp Peak,	"	29.74	755.4	87	90	S	3	c	"	29.80	756.9	85	96	S	1	b
Amoy	"	29.78	756.4	86	76	S E	3	b	6 a.	29.80	756.9	83	87	...	0	c
Swatow,	"	29.76	755.9	87	75	E	2	b	"	...	...	...	...	...	...	...
Taihoku,	1 p.	29.82	757.5	...	...	N	10	...	5 a.	29.82	757.3	...	...	S	2	...
Taichu,	"	29.83	757.6	...	...	N W	4	...	"	29.82	757.3	...	...	...	0	...
Tainan,	"	29.83	757.7	...	...	N W	4	...	"	29.82	757.5	...	...	S E	4	...
Koshun,	"	29.86	758.5	...	...	E	6	...	"	29.85	758.1	...	...	S	2	...
Pescadores,	"	29.84	758.0	...	...	S	4	...	"	29.84	757.9	...	...	S	6	...
Canton,	3 p.	29.76	755.9	93	96	S	1	b	9 a.	29.77	756.1	89	73	E	1	b
Hongkong,	4 p.	29.75	755.6	85	72	E	2	c	10 a.	29.77	756.1	85	81	E S E	1	c
Victoria Peak,	"	...	...	...	...	S S W	1	...	"	...	...	...	...	S E	2	...
Gap Rock,	"	29.73	755.1	...	...	E	2	...	"	29.74	755.4	...	...	E S E	2	...
Macao,	"	29.76	755.9	85	...	S E	1	c	"	29.77	756.1	85	...	E	1	c
Wuchow,	3 p.	29.73	755.1	87	...	W	2	c	9 a.	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	29.76	755.9	91	96	S S E	1	c	"	...	...	...	...	...	...	...
Phulien,	4 p.	29.71	754.6	84	...	S S E	2	c	8 a.	29.75	755.6	75	...	E	3	or
Tourane,	"	29.69	754.2	82	...	N W	2	c	"	29.73	755.2	84	...	...	0	c
Cape St. James,	"	29.75	755.6	84	...	S W	3	o	"	29.84	757.9	77	...	S W	4	o
Aparri,	2 p.	29.79	756.7	86	...	E	2	o	6 a.	29.84	757.8	77	...	S E	2	o
Manila,	4 p.	29.76	756	82	77	S E	1	o	10 a.	29.84	758	82	77	E S E	1	o
Legaspi,	2 p.	29.79	756.7	84	...	E	2	o	6 a.	29.85	758.1	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	E S E	2	op
Iloilo,	"	29.79	756.6	83	...	S W	4	c	"	29.87	758.7	80	...	S S E	1	c
Cebu,	"	29.79	756.6	83	...	S	2	b	"	29.87	758.7	83	...	S	2	c
Labuan,	"	29.74	755.4	89	...	...	...	...	"	29.83	757.7	84	...	...	...	...

On the 8th at 12.20 p.—The barometer has fallen moderately over the S. coast of China and the Yangtze valley: and risen slightly in N.E. Japan.

A depression appears to be developing over the Upper Yangtze, and pressure is still relatively low over the N.W. part of the China Sea.

The high pressure lies over the Pacific to the E. and S.E. of Japan.

Moderate winds between S. and E. may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, moderate; showery.
2.—Formosa Channel,	S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 8th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th July, 1909, P.M.								9th July, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.77	756.2	65	...	S	1	c	7 a.	29.87	758.7	58	99	S	1	o
Nemuro,	"	29.93	760.1	...	...	E	6	...	6 a.	30.04	763.1	...	...	S	2	...
Hakodate,	"	29.89	759.2	...	...	N E	6	...	"	30.05	763.2	...	...	E	4	...
Tokio,	"	29.79	756.6	...	...	...	0	...	"	29.91	759.6	...	...	N E	4	...
Kochi,	"	29.83	757.8	...	...	E	2	...	"	29.88	758.8	...	...	...	0	...
Nagasaki,	"	29.80	756.8	...	...	S E	6	...	"	29.88	758.8	...	...	...	0	...
Kagoshima,	"	29.84	757.9	...	...	S	2	...	"	29.88	758.9	...	...	S	2	...
Oshima,	"	29.89	759.1	...	...	N	4	...	"	29.93	760.1	...	...	...	0	...
Naha,	"	29.89	759.2	...	...	S	2	...	"	29.93	760.2	...	...	...	0	...
Ishigakijima,	"	29.85	758.3	...	...	S	6	...	"	29.86	758.3	...	...	S	6	...
Bonin Is.	"	29.93	760.1	...	...	S	2	...	"	29.97	761.1	...	...	...	0	...
Chefoo,	4 p.	29.68	753.9	68	49	S	4	b	6 a.	29.68	753.9	67	95	S E	4	b
Weihaiwei,	"	29.71	754.6	71	...	N E	3	b	9 a.	29.78	756.4	71	...	N N E	2	o
Hankow,	"	29.66	753.3	93	61	S W	1	c	6 a.	29.64	752.8	83	83	S E	1	c
Kinkiang,	"	29.69	754.1	92	67	S E	1	c	"	29.64	752.8	84	68	S W	2	b
Shanghai,	"	29.68	753.9	84	87	...	1	o	9 a.	29.67	753.6	81	83	S	1	of
Gutzlaff,	"	29.69	754.1	80	95	S E	1	om	"	29.68	753.9	77	90	S S W	...	om
Sharp Peak,	"	29.75	755.6	86	90	S	3	c	"	29.81	757.2	84	96	S	2	b
Amoy,	"	29.78	756.4	85	79	S E	3	b	6 a.	29.78	756.4	85	80	S S E	1	c
Swatow,	"	29.73	755.1	86	80	E	1	b	"	...	...	...	...	...	...	...
Taiboku,	1 p.	29.80	756.9	...	...	W	4	...	5 a.	29.82	757.5	...	...	...	0	...
Taihku,	"	29.80	756.8	...	...	N W	4	...	"	29.83	757.7	...	...	...	0	...
Tainan,	"	29.80	756.9	...	...	N W	2	...	"	29.82	757.5	...	...	N E	2	...
Kashan	"	29.83	757.6	...	...	E	6	...	"	29.84	758.0	...	...	E	4	...
Pescadores,	"	29.81	757.1	...	...	S	6	...	"	29.82	757.3	...	...	E	2	...
Canton,	3 p.	29.71	754.6	90	70	S E	1	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.72	754.9	86	67	S S E	2	c	10 a.	29.72	754.9	81	81	E	2	c
Victoria Peak,	"	...	...	...	...	S S E	4	...	"	...	...	...	...	E S E	7	...
Cap Rock,	"	29.68	753.9	...	...	S E	4	...	"	29.66	753.3	...	...	E	4	...
Macao,	"	29.73	755.1	83	...	S S E	2	c	"	29.71	754.6	83	...	E S E	2	c
Wenchow,	3 p.	29.66	753.3	89	...	E	1	c	9 a.	...	...	...	...	...	...	...
Amoy,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Thulien,	4 p.	29.64	752.9	86	...	S S E	1	c	8 a.	29.68	753.9	82	...	S E	1	c
Tourane,	"	29.65	[illegible]	84	...	N W	1	b	"	29.69	754.0	84	..	...	0	c
Cape St. James,	"	29.77	756.1	75	...	W S W	3	or	"	29.82	757.4	79	...	W S W	4	o
Aparri,	2 p.	29.77	756.1	88	...	N E	2	o	6 a.	29.82	757.3	77	...	S E	2	c
Manila,	4 p.	29.80	757	79	92	...	0	o	10 a.	29.84	758	79	84	...	0	o
Legaspi,	2 p.	29.83	757.6	77	...	...	0	o	6 a.	29.87	758.6	75	...	...	0	o
Iloilo,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S E	2	o
Iloilo,	"	29.83	757.7	81	...	S W	2	r	"	29.87	758.7	81	...	S W	1	c
Cebu,	"	29.80	756.9	86	...	S	1	o	"	29.87	758.7	83	...	S	1	c
Labuan,	"	29.74	755.4	87	...	...	...	...	"	29.83	757.7	84	...	...	...	...

On the 9th at 11.55 a.—The barometer has fallen slightly over the S. coast of China and Tongking, and along the Yangtze; and risen moderately over Japan.

The low pressure trough which still lies over the N.W. part of the China Sea, may give rise to a circular depression.

Pressure remains low over Central China, and high over the Pacific to the E. of Japan.

Moderate S.E. winds may be expected in the Formosa Channel, and fresh E. and S.E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, fresh; squally, showery.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 9th July, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.85	758.2	64	...	S	1	c	7 a.	29.89	759.2	59	96	S	1	o
Nemuro,	,,	30.04	763.1	...	...	S E	6	...	6 a.	30.16	766.1	...	...	...	0	...
Hakodate,	,,	30.01	762.2	...	...	S E	8	...	,,	30.09	764.2	...	...	E	4	...
Tokio,	,,	29.91	759.6	...	...	N W	4	...	,,	29.99	761.6	...	...	N W	2	...
Kochi,	,,	29.87	758.8	...	...	S W	2	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki,	,,	29.91	759.8	...	...	E	6	...	,,	29.80	756.8	...	...	S	6	...
Kagoshima,	,,	29.88	758.9	...	...	...	0	...	,,	29.88	758.9	...	...	...	0	...
Oshima,	,,	29.89	759.1	...	...	N W	2	...	,,	29.89	759.1	...	...	...	0	...
Naha,	,,	29.89	759.2	...	...	S W	2	...	,,	29.85	758.2	...	...	...	0	...
Ishigakijima,	,,	29.85	758.3	...	...	S	6	...	,,	29.82	757.3	...	...	S	6	...
Bonin Is.	,,	29.89	759.1	...	...	W	2	...	,,	29.93	760.1	...	...	...	0	...
Chefoo,	4 p.	29.74	755.4	75	75	E	3	c	6 a.	29.68	753.9	...	...	E	1	b
Weihaiwei,	,,	29.75	755.6	...	...	N E	3	o	9 a.	29.70	754.4	63	...	N E	2	o
Hankow,	,,	29.65	753.1	94	58	S	1	b	6 a.	29.64	752.8	82	83	S	1	c
Kiukiang,	,,	29.63	752.6	94	52	S W	1	c	,,	29.62	752.8	85	61	S W	2	b
Shanghai,	,,	29.64	752.8	92	70	S S W	2	o	9 a.	29.66	753.3	84	72	S	3	o
Gutzlaff,	,,	29.65	753.1	81	56	S	3	cm	,,	29.68	753.9	79	82	S S W	6	cr
Sharp Peak,	,,	29.73	755.1	88	90	S	3	b	,,	29.72	754.9	85	...	S E	1	b
Amoy,	,,	29.76	755.9	85	79	S E	3	b	6 a.	29.74	755.4	84	83	...	0	o
Swatow,	,,	29.69	754.1	85	79	E	2	o	,,	29.69	754.1	81	83	S E	2	c
Taihoku,	1 p.	29.77	756.2	...	...	N W	4	...	5 a.	29.78	756.4	...	...	S	2	...
Taichu,	,,	29.77	756.1	...	...	E	2	...	,,	29.79	756.6	...	...	...	0	...
Tainan,	,,	29.78	756.4	...	...	S W	4	...	,,	29.73	756.4	...	...	S E	2	...
Koshun	,,	29.80	757.0	...	...	E	6	...	,,	29.80	756.9	...	...	E	4	...
Pescadores,	,,	29.79	756.6	...	...	E	6	...	,,	29.77	756.1	...	...	S	6	...
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	29.67	753.6	87	73	E	1	b
Hongkong,	4 p.	29.65	753.1	81	88	E	3	cq	10 a.	29.65	753.1	81	91	E	3	op
Victoria Peak,	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	29.60	751.8	...	...	E S E	4	...	,,	29.62	752.3	...	...	E	4	[illegible]
Macao,	,,	29.66	753.3	82	...	E S E	3	cd	,,	29.65	753.1	83	...	E S E	4	[illegible]
Wuchow,	3 p.	29.65	753.1	91	...	E	1	b	9 a.	29.67	753.6	80	...	E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	[illegible]
Pakhoi,	,,	29.67	753.6	87	69	S E	1	c	,,	...	...	...	...	...	...	[illegible]
Phulien,	4 p.	29.58	751.4	86	...	S E	3	c	8 a.	29.66	753.3	84	...	N E	2	c
Tourane,	,,	29.59	751.7	84	...	...	0	o	,,	29.63	752.7	84	..	N E	1	c
Cape St. James,	,,	29.76	755.9	77	...	S W	6	or	,,	29.81	757.1	77	...	S W	5	or
Aparri,	2 p.	29.72	754.9	90	...	N E	2	b	6 a.	29.80	756.8	75	...	S	2	b
Manila,	4 p.	29.80	757	82	70	S	2	o	10 a.	29.84	758	82	77	...	0	o
Legaspi,	2 p.	29.73	756.4	88	...	...	0	o	6 a.	29.81	757.2	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.81	757.2	85	...	S	1	o	,,	29.87	758.7	82	...	W S W	1	b
Cebu,	,,	29.79	756.6	87	...	S	1	b	,,	29.87	758.7	83	...	S E	1	c
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 9th at 9.30 p.—The depression over the China Sea appears to be developing to the East of Hainan. No. 2 night signal hoisted.

On the 10th at 5.0 a.—Black South Cone and Black Ball hoisted.

On the 10th at 11.55 a.—The barometer has risen moderately over E. Japan, and fallen moderately to slightly over the Loochoos, S. China and Tongking.

The depression appears to be almost stationary to the E. of Hainan.

Pressure remains low over the Yangtze valley, and high over the Pacific to the N.E. of Japan.

Moderate S.E. and S. winds may be expected in the Formosa Channel, and fresh to strong S.E. to N.E. winds along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and S.E. winds, fresh or strong; squally, showery.
2.—Formosa Channel,	S.E. and S. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	S.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	N.E. and E. winds, fresh to strong.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 10th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	29.89	759.1	69	...	S	1	c	7 a.	29.90	759.5	58	99	S	1	f
Nemuro, ...	,,	30.12	765.1	...	...	S	6	...	6 a.	30.98	764.1	...	...	...	0	...
Hakodate, ...	,,	30.05	763.2	...	...	E	8	...	,,	30.01	762.2	...	...	E	6	...
Tokio, ...	,,	29.98	761.6	...	...	E	2	...	,,	29.99	761.6	...	...	N E	2	...
Kochi, ...	,,	29.95	760.8	...	...	W	2	...	,,	29.91	759.8	...	...	S W	2	...
Nagasaki, ...	,,	29.91	759.8	...	...	...	0	...	,,	29.88	758.8	...	...	S E	4	...
Kagoshima, ...	,,	29.88	758.9	...	...	W	2	...	,,	29.92	759.9	...	...	N E	2	...
Oshima, ...	,,	29.89	759.1	...	...	N E	2	...	,,	29.89	759.1	...	...	...	0	...
Naha, ...	,,	29.85	758.2	...	...	S	2	...	,,	29.85	758.2	...	...	S	2	...
Ishigakijima, ...	,,	29.82	757.3	...	...	S E	6	...	,,	29.82	757.3	...	...	S	6	...
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.93	760.1	...	...	...	0	...
Chefoo, ...	4 p.	29.63	752.6	68	95	E S E	4	or	6 a.	29.25	742.9	70	95	E S E	2	or
Weihaiwei, ...	,,	29.63	752.6	63	...	N E	3	r	9 a.	29.28	743.7	71	...	N E	1	r
Hankow, ...	,,	29.66	753.3	85	76	N E	1	c	6 a.	29.73	755.1	74	95	N	1	or
Kiukiang, ...	,,	29.62	752.3	91	96	S W	1	c	,,	29.66	753.3	79	91	...	0	o
Shanghai, ...	,,	29.61	752.1	84	79	S S E	3	o	9 a.	29.70	754.4	79	82	W N W	1	o
Gutzlaff, ...	,,	29.62	752.3	80	87	S	6	ov	,,	29.68	753.9	79	91	W S W	2	cv
Sharp Peak, ...	,,	29.71	754.6	87	90	S	3	b	,,	29.74	755.4	85	96	S	2	b
Amoy, ...	,,	29.72	754.9	84	83	S E	1	c	6 a.	29.69	754.1	86	72	S E	2	or
Swatow, ...	,,	29.66	753.3	85	72	E	2	b	,,	29.64	752.8	81	87	S E	2	c
Taihoku, ...	1 p.	29.75	755.7	...	...	E	4	...	5 a.	29.77	756.1	...	...	...	0	...
Taichu, ...	,,	29.75	755.7	...	...	N	2	...	,,	29.77	756.2	...	...	...	0	...
Tainan, ...	,,	29.76	755.9	...	...	S	6	...	,,	29.75	755.6	...	...	S E	4	...
Koshun, ...	,,	29.79	756.6	...	...	E	6	...	,,	29.78	756.3	...	...	E	4	...
Pescadores, ...	,,	29.76	756.0	...	...	S	8	...	,,	29.74	755.3	...	...	S	8	...
Canton, ...	3 p.	29.59	751.6	93	96	E	1	c	9 a.	29.61	752.1	80	91	E S E	3	or
Hongkong, ...	4 p.	29.56	750.8	83	79	E	3	c	10 a.	29.62	752.3	84	79	S E	3	c
Victoria Peak, ...	,,	...	...	...	...	E	2	...	,,	...	...	...	...	S E	5	...
Gap Rock, ...	,,	29.53	750.0	...	...	E	3	...	,,	29.54	750.3	...	...	E S E	6	...
Macao, ...	,,	29.57	751.1	83	...	E S E	2	c	,,	29.60	751.8	83	...	E S E	3	c
Wuchow, ...	3 p.	29.60	751.8	90	...	E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi, ...	,,	29.58	751.3	89	73	W S W	1	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.54	750.3	88	...	N N W	1	h	8 a.	29.60	751.7	82	...	N N E	1	c
Tourane, ...	,,	29.59	751.7	84	...	S E	2	o	,,	29.63	752.5	84	...	E	1	o
Cape St. James, .	,,	29.73	755.1	81	...	S W	6	or	,,	29.80	756.9	79	...	S W	5	c
Aparri, ...	2 p.	29.76	755.8	99	...	N E	2	b	6 a.	29.79	756.7	75	...	S	2	b
Manila, ...	4 p.	29.76	756	79	92	E	1	d	10 a.	29.80	757	84	72	N W	1	o
Legaspi, ...	2 p.	29.80	756.8	82	...	W	2	o	6 a.	29.80	756.8	75	...	S W	2	o
Bacolod, ...	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	S S W	1	ot
Iloilo, ...	,,	29.81	757.2	79	...	S W	2	c	,,	29.91	759.97	82	...	W	2	c
Cebu, ...	,,	29.81	757.2	86	...	S	1	o	,,	29.84	757.9	84	...	...	0	c
Labuan, ...	,,	29.74	755.4	88	...	...	...	...	,,	29.80	756.9	81	...	...	...	...

On the 11th at 12.15 p.—The barometer continues to fall slowly over the S. coast of China and Tongking, and the depression now appears to be situated to the East of Hainan Straits and to be moving slowly Northwards.

The barometer has risen slightly along the Yangtze valley, and fallen very rapidly on the N.E. coast of China. The depression lying to the north of the former area yesterday, has deepened considerably and moved towards N.E. It lies now in the neighbourhood of Wei-hai-wei.

Pressure remains high over the Pacific to the N.E. of Japan.

Moderate S.E. winds may be expected in the Formosa Channel and strong cyclonic winds to gales between Hongkong and Hainan.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.E. and S. winds, strong; squally, showery.
2.—Formosa Channel, ...	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	S.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,...	Strong cyclonic winds, to gales.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 11th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	30.04	763.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	W	2	...
Hakodate, ...	,,	29.97	761.2	...	...	S E	4	...	,,	29.97	761.2	...	...	E	2	...
Tokio, ...	,,	29.98	761.6	...	...	...	0	...	,,	30.02	762.6	...	...	...	0	...
Kochi, ...	,,	29.95	760.8	...	...	S	2	...	,,	29.95	760.8	...	...	...	0	...
Nagasaki, ...	,,	29.83	757.8	...	...	S	6	...	,,	29.84	757.8	...	...	S	10	...
Kagoshima, ...	,,	29.88	758.9	...	...	S	4	...	,,	29.92	759.9	...	...	S W	2	...
Oshima, ...	,,	29.89	759.1	...	...	S	6	...	,,	29.93	760.1	...	...	S	2	...
Naha, ...	,,	29.85	758.2	...	...	S	2	...	,,	29.89	759.2	...	...	S	2	...
Ishigakijima, ...	,,	29.82	757.3	...	...	S	8	...	,,	29.82	757.3	...	...	S E	6	...
Bonin Is.	,,	29.93	760.1	...	...	S	2	...	,,	29.97	761.1	...	...	...	0	...
Chefoo, ...	4 p.	29.46	748.3	71	90	N W	3	o	6 a.	29.59	751.6	70	85	...	0	b
Weihaiwei, ...	,,	29.35	745.5	66	...	N N W	2	o	9 a.	29.67	753.6	73	...	N W	1	o
Hankow, ...	,,	29.72	754.9	79	87	E N E	3	o	6 a.	29.65	753.1	76	95	N E	1	o
Kiukiang, ...	,,	29.68	753.9	80	74	E	3	o	,,	29.63	752.6	78	95	E	1	c
Shanghai, ...	,,	29.66	753.3	80	82	S W	1	o	9 a.	29.68	753.9	85	79	S E	2	o
Gutzlaff, ...	,,	29.67	753.6	78	90	N E	1	ov	,,	...	...	80	87	S E	2	cv
Sharp Peak, ...	,,	29.71	754.6	86	88	S S E	3	c	,,	29.79	756.6	84	100	S E	1	b
Amoy, ...	,,	29.71	754.6	85	79	S E	3	c	6 a.	29.72	754.9	83	87	S W	1	c
Swatow, ...	,,	29.65	753.1	85	79	S S E	5	c	,,	29.66	753.3	81	67	S E	2	c
Taihoku, ...	1 p.	29.74	755.3	...	...	N	6	...	5 a.	29.79	756.6	...	...	...	0	...
Taichu, ...	,,	29.76	755.8	...	...	N W	2	...	,,	29.78	756.5	...	...	...	0	...
Tainan, ...	,,	29.75	755.6	...	...	S	8	...	,,	29.77	756.2	...	...	E	2	...
Koshun	,,	29.79	756.6	...	...	S E	6	...	,,	29.79	756.7	...	...	S E	4	...
Pescadores, ...	,,	29.76	755.8	...	...	S W	8	...	,,	29.76	756.0	...	...	S	6	...
Canton, ...	3 p.	29.56	750.8	84	83	E	3	or	9 a.	29.63	752.6	82	87	S E	1	o
Hongkong, ...	4 p.	29.55	750.5	83	78	S E	3	oq	10 a.	29.67	753.6	78	93	S W	3	op
Victoria Peak, ...	,,	...	...	...	...	S S E	6	...	,,	...	...	...	...	S S W	6	...
Gap Rock, ...	,,	29.50	749.3	...	...	S S E	7	...	,,	29.63	752.6	...	...	S W	5	...
Macao, ...	,,	29.52	749.8	82	...	S E	4	cq	,,	29.66	753.3	80	...	S	2	c
Wuchow, ...	3 p.	29.58	751.3	86	...	E	3	p	9 a.	29.56	750.8	83	...	E	4	o
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Pakhoi, ...	,,	29.53	750.0	82	90	N W	1	c	,,	...	...	...	...	...	...	...
Phulien, ...	4 p.	29.48	748.9	90	...	S	1	c	8 a.	...	...	...	...	...	...	...
Tourane, ...	,,	29.57	751.1	84	...	S	1	or	,,	...	...	...	..	...	...	...
Cape St. James, .	,,	29.69	754.1	79	...	W S W	7	or	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	[illegible]	755.7	88	...	...	0	b	6 a.	29.78	756.5	75	...	S W	2	b
Manila, ...	4 p.	29.76	756	86	71	W S W	3	o	10 a.	29.80	757	82	77	S	0	c
Legaspi, ...	2 p.	29.73	756.4	79	...	...	0	o	6 a.	29.76	755.9	73	...	W	2	r
Bacolod, ...	3 p.	...	...	...	...	E	1	op	9 a.	...	...	...	...	S W	2	o
Iloilo, ...	,,	29.81	757.2	79	...	W	1	o	,,	29.85	758.2	79	...	W S W	2	cp
Cebu, ...	,,	29.79	756.6	83	...	S	1	...	,,	29.83	757.7	82	...	S	2	c
Labuan, ...	,,	29.69	754.1	89	...	...	...	...	,,	29.82	757.4	85	...	...	...	...

On the 12th at 6.0 a.—Black Ball hoisted.

On the 12th at 12.10 p.—The barometer has risen slightly in the neighbourhood of Hongkong, and fallen at Wuchow. The depression appears to have entered the coast in the vicinity of Kwong-Chau-wan. The returns from Indo-China are lacking.

The barometer is inclined to fall in the Philippines and pressure would appear to be low over the Pacific to the E. of Luzon.

The depression lying in the neighbourhood of Wei-hai-wei yesterday, has moved away to the N.E.

Pressure remains high over the Pacific to the E. of Japan.

Moderate S.E. winds may be expected in the Formosa Channel, and fresh to strong S. winds along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. winds, fresh; squally, showery.
2.—Formosa Channel, ...	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	S. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 12th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.63	752.5	65	...	S E	4	o	7 a.	29.73	755.2	63	99	S W	1	f
Nemuro,	,,	30.00	762.1	...	...	S	8	...	6 a.	30.04	763.1	...	...	S	6	...
Hakodate,	,,	29.93	760.2	...	...	S	4	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	S	4	...	,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	30.07	763.8	...	...	...	0	...
Nagasaki,	,,	29.87	758.8	...	...	S W	10	...	,,	29.93	761.8	...	...	S E	6	...
Kagoshima,	,,	29.92	759.9	...	...	S	2	...	,,	30.04	762.9	...	...	...	0	...
Oshima,	,,	29.93	760.1	...	...	S	6	...	,,	30.01	762.1	...	...	S E	2	...
Naha,	,,	29.89	759.2	...	...	S E	4	...	,,	29.93	760.2	...	...	S	2	...
Ishigakijima,	,,	29.82	757.3	...	...	S E	6	...	,,	29.86	758.3	...	...	S E	6	...
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	29.66	753.3	93	90	E	1	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.69	754.1	69	...	N E	1	o	9 a.	29.62	752.3	68	...	N E	1	r
Hankow,	,,	29.65	753.1	87	73	S S W	1	o	6 a.	29.69	754.1	75	95	N W	1	or
Kiukiang,	,,	29.61	752.1	92	61	S W	1	b	,,	29.68	753.9	83	71	S W	3	o
Shanghai,	,,	29.66	753.3	88	73	S S E	3	o	9 a.	29.79	756.6	86	72	S S E	4	c
Gutzlaff,	,,	29.68	753.9	82	83	S	6	cv	,,	29.81	757.2	81	87	S	5	cm
Sharp Peak,	,,	29.76	755.9	86	91	E	2	b	,,	29.82	757.4	84	100	...	0	b
Amoy,	,,	29.73	755.1	81	83	S E	2	b	6 a.	29.75	755.6	84	87	...	0	c
Swatow,	,,	29.75	755.6	85	80	S S W	2	o	,,	29.70	754.4	81	99	E S E	1	b
Taiboku,	1 p.	29.76	755.8	...	...	N W	6	...	5 a.	29.79	756.7	...	...	S E	2	...
Taichu,	,,	29.75	755.6	...	...	N	6	...	,,	29.82	757.3	...	...	...	0	...
Tainan,	,,	29.76	756.0	...	...	S W	6	...	,,	29.79	756.6	...	...	N E	2	...
Koshun,	,,	29.80	756.8	...	...	E	2	...	,,	29.79	756.6	...	...	N E	6	...
Pescadores,	,,	29.78	756.3	...	...	S	8	...	,,	29.78	756.5	...	...	N E	2	...
Canton,	3 p.	29.58	751.3	85	100	S E	1	o	9 a.	29.73	755.1	86	84	S E	1	b
Hongkong,	4 p.	29.65	753.1	83	75	S S E	1	o	10 a.	29.75	755.6	84	78	S E	2	o
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S S E	2	...
Gap Rock,	,,	29.60	751.8	...	...	S S E	3	...	,,	29.71	754.6	...	...	S E	4	...
Macao,	,,	29.63	752.6	83	...	S S E	2	c	,,	29.74	755.4	84	...	S E	2	c
Wuchow,	3 p.	29.54	750.3	84	...	E	2	o	9 a.	29.72	754.9	82	...	E	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.52	749.8	83	87	W	3	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.52	749.9	79	...	S W	2	or	8 a.	29.63	752.7	79	...	S	4	o
Tourane,	,,	29.53	750.0	86	...	...	0	o	,,	29.69	754.0	90	...	N	1	b
Cape St. James,	,,	29.71	754.6	88	...	W S W	5	c	,,	29.85	758.2	...	...	...	...	...
Aparri,	2 p.	29.74	755.4	90	...	N	2	b	6 a.	29.63	752.7	79	...	N	4	q
Manila,	4 p.	29.76	756	79	84	S W	2	o	10 a.	29.80	757	79	92	...	0	d
Legaspi,	2 p.	29.72	754.8	82	...	W	2	o	6 a.	29.82	757.3	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S S W	2	op	9 a.	...	...	...	...	W S W	1	o
Iloilo	,,	29.77	756.1	80	...	S W	4	o	,,	29.89	759.2	80	...	S W	1	c
Cebu,	,,	29.77	756.1	82	...	S	1	o	,,	29.86	758.4	84	...	S	2	c
Labuan,	,,	29.72	754.9	90	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 12th at 12.20 p.—Signals lowered.

On the 13th at 11.55 a.—The barometer has fallen quickly in N. Luzon owing to the approach of a typhoon from the Pacific. The disturbance appears to be moving towards W.N.W. at present and therefore threatens the northern shores of the China Sea within two days.

The recent depression has disappeared to the North of Tongking, and the barometer has risen moderately over that area and along the S. coast of China.

Pressure has decreased slightly and is low over the N.E. coast of China. It has increased over the E. coast and in Japan, the high area remaining central over the Pacific to the E. and S.E. of the latter.

The wind will back to the N.E. and freshen in the Formosa Channel, and rough weather will probably set in over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. to E. winds, moderate; showery.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	E. to N.E. winds, moderate or fresh.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 13th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.76	756.0	70	...	S W	1	o	7 a.	29.75	755.6	63	99	S	1	or
Nemuro,	,,	30.04	763.1	...	...	S W	2	...	6 a.	29.97	761.1	...	...	...	0	...
Hakodate,	,,	29.81	757.2	...	...	W	2	...	,,	29.97	761.2	...	...	...	0	...
Tokio,	,,	30.02	762.6	...	...	W	4	...	,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	30.11	764.8	...	...	...	0	...
Nagasaki,	,,	30.03	762.8	...	...	S	6	...	,,	30.07	763.8	...	...	S	2	...
Kagoshima,	,,	30.04	762.9	...	...	S	2	...	,,	30.08	763.9	...	...	...	0	...
Oshima,	,,	30.04	763.1	...	...	S E	4	...	,,	30.04	763.1	...	...	...	0	...
Naha,	,,	29.97	761.2	...	...	S E	4	...	,,	29.97	761.2	...	...	...	0	...
Ishigakijima,	,,	29.89	759.3	...	...	S E	8	...	,,	29.89	759.3	...	...	S E	8	...
Bonin Is.	,,	30.04	763.1	...	...	S E	4	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	4 p.	29.65	753.1	78	86	S W	2	o	6 a.	...	...	...	...	...	...	...
Weihaiwei,	,,	29.67	753.6	71	...	N N W	1	r	9 a.	29.84	757.9	72	...	N W	1	r
Hankow,	,,	29.74	755.4	73	100	S E	1	or	6 a.	29.87	753.7	74	95	S E	1	or
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	76	99	N E	1	o
Shanghai,	,,	29.78	756.4	89	69	S S E	4	...	9 a.	29.89	759.2	85	75	S S E	3	c
Gutzlaff,	,,	29.81	757.2	84	83	S S E	4	cm	,,	29.89	759.2	81	90	S S E	3	cm
Sharp Peak,	,,	29.76	755.9	86	88	N N E	5	b	,,	29.82	757.4	85	90	N	3	b
Amoy,	,,	29.73	755.1	86	80	S E	2	b	6 a.	29.75	755.6	84	87	S S E	1	o
Swatow,	,,	29.71	754.6	87	80	E	1	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.78	756.4	...	...	S E	4	...	5 a.	29.77	756.1	...	...	S E	6	...
Taichu,	,,	29.75	755.6	...	...	N	6	...	,,	29.77	756.2	...	...	...	0	...
Tainan,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	...	...	E	2	...
Koshun,	,,	29.69	754.1	...	...	N E	10	...	,,	29.81	757.2	...	...	E	6	...
Pescadores,	,,	29.79	756.7	...	...	N	6	...	,,	29.78	756.3	...	...	N	2	...
Canton,	3 p.	29.68	753.9	86	84	S E	1	o	9 a.	29.70	754.4	83	73	S E	1	c
Hongkong,	4 p.	29.71	754.6	83	83	E S E	4	c	10 a.	29.65	753.1	84	75	N E	5	opq
Victoria Peak,	,,	...	...	...	...	S E	2	...	,,	...	...	...	...	E	7	...
Gap Rock,	,,	29.68	753.9	...	...	S E	4	...	,,	29.60	751.8	...	...	E	6	...
Macao,	,,	29.70	754.4	84	...	S E	2	c	,,	29.67	753.6	72	...	N N E	2	od
Wuchow,	3 p.	29.65	753.1	80	...	...	...	o	9 a.	29.74	755.4	85	79	E	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.65	753.1	88	80	W S W	3	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.58	751.4	86	...	S E	2	o	8 a.	29.66	753.4	79	...	N N W	1	c
Tourane,	,,	29.65	753.0	86	...	E	1	c	,,	29.66	753.4	88	...	...	0	o
Cape St. James,	,,	29.74	755.4	84	...	S W	4	c	,,	29.81	757.1	79	...	S W	4	o
Aparri,	2 p.	29.61	752.0	81	...	S	4	o	6 a.	29.79	756.7	77	...	S	2	o
Manila,	4 p.	29.76	756	79	84	S S W	1	od	10 a.	29.80	757	81	85	S E	0	o
Legaspi,	2 p.	29.78	756.5	90	...	S W	2	b	6 a.	29.86	758.5	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	S W	...	o	9 a.	...	...	...	...	S S W	1	o
Iloilo,	,,	29.79	756.6	84	...	S W	1	b	,,	29.91	759.7	82	...	S	1	o
Cebu,	,,	29.80	756.9	87	...	S	2	o	,,	29.90	759.4	81	...	W	1	c
Labuan,	,,	29.74	755.4	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 13th at 2.0 p.—The typhoon centre, which is moving towards West North West, has passed to the Westward of Aparri, N. coast of Luzon, and is about to enter the China Sea.

At 5.15 p.—Red South Cone and Drum hoisted.

On the 14th at 4.15 a.—No. 2 night signal hoisted.

On the 14th at 5.0 a.—Black South Cone and Black Drum hoisted.

On the 14th at 11.40 a.—The barometer has fallen moderately in Hongkong, and risen quickly in Aparri.

The typhoon has moved rapidly, at about 20 miles per hour, towards W.N.W. since yesterday, and is now situated to the Southward of Hongkong in from 19° to 20° Lat.

Pressure has increased considerably over N. China, and the high area remains ofthe Pacific to the South of Japan.

Mcderate S.E. winds may be expected in the Formosa Channel, and cyclonic gales along the S. coast of China.

Black South Cone hoisted.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E.N.E. to S.E. gale; squally, showery.
2.—Formosa Channel,	S.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	E. to S.E. winds, strong.
4.—South coast of China between Hongkong and Hainan,	N. gale.

F. G. FIGG, *Director.*

Hongkong Observatory, Wednesday, 14th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th July, 1909, P.M.								15th July, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.73	755.1	64	...	S S W	1	o	7 a.	29.74	755.3	65	99	...	0	f
Nemuro,	,,	29.93	760.1	...	...	N	2	...	6 a.	29.77	756.1	...	...	...	0	...
Hakodate,	,,	29.93	760.2	...	...	N W	2	...	,,	29.85	758.2	...	...	S	8	...
Tokio,	,,	30.02	762.6	...	...	S	4	...	,,	30.06	763.6	...	...	...	0	...
Kochi,	,,	30.07	763.8	...	...	S	2	...	,,	30.11	764.8	...	...	S	2	...
Nagasaki,	,,	30.07	763.8	...	...	S W	4	...	,,	30.11	764.8	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	S E	2	...	,,	30.12	764.9	...	...	N E	2	...
Oshima,	,,	30.04	763.1	...	...	E	4	...	,,	30.04	763.1	...	...	...	0	...
Naha,	,,	29.97	761.2	...	...	E	4	...	,,	29.97	761.2	...	...	S E	4	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	6	...	,,	29.93	760.3	...	...	W	2	...
Bonin Is.	,,	30.08	764.1	...	...	S E	2	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	29.83	757.7	73	95	N E	2	c	6 a.	29.85	758.2	73	95	S W	1	c
Weihaiwei,	,,	29.83	757.7	72	...	N W	...	o	9 a.	29.81	757.2	72	...	N W	1	b
Hankow,	,,	29.92	759.9	76	90	S W	1	o	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	29.84	757.9	82	71	N E	2	o	,,	29.90	759.4	76	99	...	0	o
Shanghai,	,,	29.87	758.7	89	69	S S E	3	b	9 a.	29.96	761.0	86	72	S S E	2	c
Gutzlaff,	,,	29.87	758.7	83	87	S S E	5	bm	,,	29.94	760.5	82	90	E S E	2	cv
Sharp Peak,	,,	29.78	756.4	86	88	N N E	4	b	,,	29.89	759.2	84	90	N N E	3	b
Amoy,	,,	29.78	756.4	85	80	S W	2	b	6 a.	29.84	757.9	84	83	S E	1	c
Swatow,	,,	29.71	754.6	85	83	E	3	o	,,	29.79	756.6	73	86	E S E	2	o
Taihoku,	1 p.	29.80	757.0	...	...	S E	8	...	5 a.	29.88	758.9	...	...	...	0	...
Taichu,	,,	29.80	756.8	...	...	W	2	...	,,	29.88	759.0	...	...	...	0	...
Tainan,	,,	29.82	757.3	...	...	W	6	...	,,	29.87	758.7	...	...	E	2	...
Koshun,	,,	29.85	758.3	...	...	E	8	...	,,	29.89	759.2	...	...	E	4	...
Pescadores,	,,	29.82	757.5	...	...	N	6	...	,,	29.86	758.5	...	...	E	2	...
Canton,	3 p.	29.64	752.8	84	87	E	2	o	9 a.	29.70	754.4	80	90	...	3	c
Hongkong,	4 p.	29.59	751.6	81	84	E N E	6	opq	10 a.	29.71	754.6	77	83	E S E	5	opq
Victoria Peak,	,,	...	...	...	...	E	8	...	,,	...	...	...	...	E S E	9	...
Gap Rock,	,,	29.52	749.8	...	...	E	7	...	,,	29.61	752.1	...	...	E S E	7	...
Macao,	,,	29.59	751.6	83	...	E	5	oq	,,	29.68	753.9	79	...	S E	6	oq
Wuchow,	3 p.	29.63	752.6	91	...	N E	2	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.7	81	...	E N E	3	c	8 a.	29.55	750.6	81	...	N N W	2	c
Tourane,	,,	29.55	750.6	88	...	...	0	o	,,	29.58	751.3	79	...	...	0	or
Cape St. James,	,,	29.72	755.0	77	...	W S W	4	or	,,	29.76	756.0	79	...	S W	4	c
Aparri,	2 p.	29.78	756.4	84	...	S E	2	d	6 a.	29.86	758.4	75	...	S E	2	c
Manila,	4 p.	29.80	757	82	81	N W	1	d	10 a.	29.88	759	86	71	E S E	0	o
Legaspi,	2 p.	29.82	757.3	82	...	S E	2	o	6 a.	29.89	759.1	73	...	...	0	c
Iloilo,	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	N W	3	o
Iloilo,	,,	29.81	757.2	89	...	W	1	c	,,	29.89	759.2	82	...	...	0	c
Cebu,	,,	29.82	757.4	85	...	N	2	c	,,	29.86	758.4	84	...	N	1	c
Labuan,	,,	29.74	755.4	87	...	...	...	...	,,	29.81	757.2	85	...	...	...	...

On the 15th at 5.50 a.—Signals lowered.

On the 15th at 12.05 p.—The barometer is rising in Hongkong and falling over Tongking.

The typhoon has passed into the Gulf of Tongking by way of Hainan Straits and now threatens Haiphong.

Pressure has increased moderately over N. Luzon, Formosa and the E. coast of China, and given away considerably in N.E. Japan.

The high area remains over the Pacific to the South of Japan.

Moderate E. winds may be expected in the Formosa Channel, and S.E. and E. winds slowly decreasing in force, along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, slowly decreasing; squally, [showery.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	S.E. and E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	S.E. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 15th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.74	755.5	78	...	...	0	o	7 a.	29.75	755.7	67	99	...	0	f
Nemuro,	,,	29.69	754.1	...	...	E	4	...	6 a.	29.73	755.1	...	...	W	2	...
Hakodate,	,,	29.85	758.2	...	...	W	4	...	,,	29.85	758.2	...	...	...	0	...
Tokio,	,,	29.98	761.6	...	...	S W	4	...	,,	29.99	761.6	...	...	...	0	...
Kochi,	,,	30.03	762.8	...	...	E	2	...	,,	30.03	762.8	...	...	S W	2	...
Nagasaki,	,,	30.07	763.8	...	...	W	6	...	,,	30.11	764.8	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	S	2	...	,,	30.12	764.9	...	...	N	4	...
Oshima,	,,	30.04	763.1	...	...	S E	4	...	,,	30.08	764.1	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	29.93	760.3	...	...	S E	4	...	,,	29.97	761.3	...	...	E	2	...
Bonin Is.	,,	30.04	763.1	...	...	...	0	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	29.84	757.9	77	86	N E	2	o	6 a.	29.88	758.9	74	90	...	0	b
Weihaiwei,	,,	29.89	759.2	74	...	N E	1	o	9 a.	29.91	759.7	...	...	N E	2	b
Hankow,	,,	29.93	760.2	83	78	S E	3	c	6 a.	29.89	759.2	80	90	S E	1	c
Kiukiang,	,,	29.86	758.4	89	66	N E	1	b	,,	29.89	759.2	78	86	...	0	c
Shanghai,	,,	29.92	759.9	90	63	S E	3	c	9 a.	29.96	761.0	85	72	S S E	3	c
Gutzlaff,	,,	29.92	759.9	82	91	S E	3	cm	,,	29.97	761.2	81	87	S S E	3	cv
Sharp Peak,	,,	29.87	758.7	85	91	N	2	b	,,	29.97	761.2	83	95	...	0	c
Amoy,	,,	29.85	758.2	81	83	S E	2	b	6 a.	29.94	760.5	82	87	...	0	c
Swatow,	,,	29.80	756.9	84	75	E S E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	29.85	758.3	...	...	E	8	...	5 a.	29.97	761.3	...	...	...	0	...
Taichu,	,,	29.86	758.5	...	...	W	4	...	,,	29.98	761.4	...	...	...	0	...
Tainan,	,,	29.89	759.3	...	...	N W	6	...	,,	29.95	760.7	...	...	E	2	...
Koshun,	,,	29.92	759.9	...	...	E	6	...	,,	29.97	761.3	...	...	E	2	...
Pescadores,	,,	29.89	759.2	...	...	N	2	...	,,	29.95	760.8	...	...	E	2	...
Canton,	3 p.	29.71	754.6	79	95	E	3	or	9 a.	29.83	758.9	81	90	E	2	o
Hongkong,	4 p.	29.72	754.9	77	92	S S E	4	orq	10 a.	29.92	759.9	83	81	S S E	4	oq
Victoria Peak,	,,	...	...	...	...	S S E	7	...	,,	...	...	...	...	S S E	6	...
Gap Rock,	,,	29.64	752.8	...	...	E S E	7	...	,,	29.86	758.4	...	...	S E	5	...
Macao,	,,	29.68	753.9	80	...	S S E	5	odq	,,	29.89	759.2	82	...	S S E	4	cq
Wuchow,	3 p.	29.62	752.2	84	...	E	4	or	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.37	745.9	82	...	...	5	o	8 a.	...	...	...	...	...	...	...
Tourane,	,,	29.53	750.0	79	...	S W	3	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.2	81	...	S W	5	or	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.85	758.2	88	...	N E	2	o	6 a.	29.93	760.2	75	...	S	2	b
Manila,	4 p.	29.80	757	88	65	...	0	o	10 a.	29.92	760	82	77	W	1	c
Legaspi,	2 p.	29.82	757.5	88	...	E	2	c	6 a.	29.89	759.2	75	...	...	0	o
Bacolod,	3 p.	...	...	...	...	E N E	1	ot	9 a.	...	...	...	...	N N E	2	c
Iloilo,	,,	29.83	757.7	86	...	N W	1	c	,,	29.91	759.7	81	...	N N E	1	o
Cebu,	,,	29.80	756.9	87	...	S	1	c	,,	29.89	759.2	83	...	...	0	c
Labuan,	,,	29.74	755.4	88	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

On the 16th at 12.15 p.—Yesterday afternoon the typhoon was approaching Haiphong. The return from thence for this morning has not been received.

The barometer has risen quickly in the neighbourhood of Hongkong, and a moderate rise has taken place also over N. Luzon and Formosa.

The high pressure area is central over S.W. Japan, and the normal is exceeded considerably along the China coast, except in the extreme West.

Light or moderate E. and S.E. winds may be expected in the Formosa Channel, and decreasing S.E. winds along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, fresh to moderate; fair.
2.—Formosa Channel,	S.E. and E. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 16th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th July, 1909, P.M.								17th July, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.74	755.4	81	...	...	0	b	7 a.	29.71	754.7	65	95	E	1	f
Nemuro,	,,	29.73	755.1	...	...	N	4	...	6 a.	29.85	758.1	...	...	...	0	...
Hakodate,	,,	29.85	758.2	...	...	S	4	...	,,	29.89	759.2	...	...	...	0	...
Tokio,	,,	29.94	760.6	...	...	S	4	...	,,	29.95	760.6	...	...	...	0	...
Kochi,	,,	29.99	761.8	...	...	S E	4	...	,,	30.03	762.8	...	...	...	0	...
Nagasaki,	,,	30.07	763.8	...	...	S W	6	...	,,	30.07	763.8	...	...	...	0	...
Kagoshima,	,,	30.04	762.9	...	...	N W	2	...	,,	30.04	762.9	...	...	N	2	...
Oshima,	,,	30.04	763.1	...	...	S E	4	...	,,	30.04	763.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	E	4	...	,,	30.01	762.2	...	...	...	0	...
Ishigakijima,	,,	30.01	762.3	...	...	E	2	...	,,	29.97	761.3	...	...	E	2	...
Bonin Is.	,,	30.00	762.1	...	...	N	2	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,	4 p.	29.82	757.4	88	73	S	2	c	6 a.	29.72	754.9	80	87	S W	3	c
Weihaiwei,	,,	29.83	757.7	80	...	N W	1	b	9 a.	29.76	755.9	78	...	N W	2	o
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.83	758.9	90	60	S W	2	b
Shanghai,	,,	29.90	759.4	89	66	S S E	3	c	9 a.	29.90	759.4	87	69	S S E	3	c
Gutzlaff,	,,	29.93	760.2	83	87	S S E	3	cv	,,	29.89	759.2	82	83	S	4	cm
Sharp Peak,	,,	29.94	760.5	86	96	E	1	b	,,	29.96	761.0	84	95	N E	1	b
Amoy,	,,	29.92	759.9	86	76	S E	2	c	6 a.	29.90	759.4	81	87	S E	1	c
Swatow,	,,	29.93	760.2	71	76	...	0	c	,,	29.92	759.9	76	95	...	0	b
Taihoku,	1 p.	29.95	760.7	...	...	E	6	...	5 a.	29.94	760.5	...	...	...	0	...
Taichu,	,,	29.95	760.8	...	...	N W	6	...	,,	29.95	760.6	...	...	...	0	...
Tainan,	,,	29.97	761.2	...	...	N	4	...	,,	29.95	760.6	...	...	E	2	...
Koshun,	,,	29.98	761.4	...	...	E	4	...	,,	29.95	760.6	...	...	N	6	...
Pescadores,	,,	29.98	761.4	...	...	N	4	...	,,	29.96	761.0	...	...	N E	2	...
Canton,	3 p.	29.88	758.9	88	83	E	2	o	9 a.	29.98	761.5	83	87	S E	1	c
Hongkong,	4 p.	29.90	759.4	83	81	S E	2	o	10 a.	29.97	761.2	82	84	E	2	o
Victoria Peak,	,,	...	...	...	...	S E	5	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	29.85	758.2	...	...	S E	4	...	,,	29.92	759.9	...	...	E S E	3	...
Macao,	,,	29.89	759.2	83	...	S E	2	c	,,	29.97	761.2	84	...	S E	1	c
Wuchow,	3 p.	29.87	758.7	80	...	N E	2	or	9 a.	29.93	760.2	83	...	N E	1	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.92	759.9	84	...	N E	2	c	6 a.	29.83	758.3	75	...	S	2	b
Manila,	4 p.	29.84	758	82	85	E S E	1	r	10 a.	29.84	758	79	92	...	0	o
Legazpi,	2 p.	29.82	757.5	88	...	E	2	...	6 a.	29.83	757.6	73	...	...	0	c
Bacolod,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	S S W	1	c
Iloilo,	,,	29.83	757.7	83	...	W	2	...	,,	29.87	758.7	81	...	...	0	o
Cebu,	,,	29.84	757.9	81	...	...	0	od	,,	29.86	758.4	83	...	...	0	o
Lubuan,	,,	29.74	755.4	87	...	...	...	...	,,	29.91	759.7	81	...	...	...	...

On the 17th at 11.55 a.—The barometer has risen moderately on the S. coast of China, and fallen moderately to slightly over the Philippines.

There are indications that another depression is forming over the Pacific to the E. of Luzon.

Pressure has given away in N. China owing to the appearance of a depression over Manchuria.

The high pressure area is still central to the South of Japan.

Light or moderate S.E. to N.E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, light; fine.
2.—Formosa Channel,	E. to N.E. winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	S.E. to E. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 17th July, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	17th JULY, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th JULY, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro, ...	,,	29.85	758.1	...	...	E	6	...	6 a.	29.69	754.1	...	...	S	2	...
Hakodate, ...	,,	29.89	759.2	...	...	S W	6	...	,,	29.73	755.2	...	...	W	6	...
Tokio, ...	,,	29.91	759.6	...	...	S	4	...	,,	29.91	759.6	...	...	...	0	...
Kochi, ...	,,	29.99	761.8	...	...	E	4	...	,,	29.99	761.8	...	...	...	0	...
Nagasaki, ...	,,	29.99	761.8	...	...	W	4	...	,,	29.99	761.8	...	...	S	4	...
Kagoshima, ...	,,	30.00	761.9	...	...	S	2	...	,,	30.04	762.9	...	...	N E	2	...
Oshima, ...	,,	30.04	763.1	...	...	N E	2	...	,,	30.04	763.1	...	...	S	2	...
Naha,.....	,,	30.01	762.2	...	...	S E	4	...	,,	30.01	762.2	...	...	S E	6	...
Ishigakijima,....	,,	29.97	761.3	...	...	E	8	...	,,	29.97	761.3	...	...	E	4	...
Bonin Is.....	,,	30.04	763.1	...	...	S	2	...	,,	30.04	763.1	...	...	...	0	...
Chefoo,.....	4 p.	29.74	755.4	73	95	N	3	or	6 a.	...	...	...	...	...	...	...
Weihaiwei,.....	,,	29.78	756.4	74	...	N W	2	b	9 a.	29.81	757.2	78	...	N E	1	o
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,.....	,,	...	...	...	...	..	...	...	,,	29.85	758.2	81	87	...	0	o
Shanghai, ...	,,	29.84	757.9	90	63	S S E	3	b	9 a.	29.89	759.2	87	69	S S W	2	c
Gutzlaff, ...	,,	29.86	758.4	84	79	S	4	bv	,,	29.89	759.2	82	87	S	3	cv
Sharp Peak,.....	,,	29.96	759.4	85	91	E	2	b	,,	29.92	759.9	81	90	N	3	c
Amoy,.....	,,	29.85	758.2	85	83	S S E	2	b	6 a.	29.89	759.2	83	78	E	1	c
Swatow, ...	,,	...	...	...	...	S W	1	b	,,	29.87	758.7	79	99	...	0	b
Taihoku,.....	1 p.	29.91	759.8	...	...	S E	2	...	5 a.	29.89	759.3	...	...	E	2	...
Taichu, ...	,,	29.93	760.2	...	...	W	4	...	,,	29.92	759.9	...	...	...	0	...
Tainan,.....	,,	29.93	760.1	...	...	N	4	...	,,	29.92	760.0	...	...	E	2	...
Koshun.....	,,	29.94	760.5	...	...	N E	6	...	,,	29.94	760.4	...	...	E	4	...
Pescadores, ...	,,	29.94	760.4	...	...	N	6	...	,,	29.90	759.5	...	...	S W	2	...
Canton,.....	3 p.	29.90	759.4	89	77	S E	1	c	9 a.	29.92	759.9	83	87	N N E	1	b
Hongkong, ...	4 p.	29.87	758.7	84	72	E	1	b	10 a.	29.90	759.4	86	76	E	1	c
Victoria Peak,...	,,	...	...	...	...	...	0	...	,,	...	...	...	...	S E	1	...
Gap Rock,.....	,,	29.85	758.2	...	...	E S E	2	...	,,	29.87	758.7	...	...	N E	2	...
Macao, ...	,,	29.89	759.2	85	...	S E	1	c	,,	29.91	759.7	84	...	E N E	1	c
Wuchow,.....	3 p.	29.87	758.7	86	...	W	1	c	9 a.	29.92	759.9	81	...	E	1	c
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,.....	,,	29.87	758.7	87	73	S W	1	o	,,	...	...	...	...	...	...	...
Phulien,.....	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...	...
Tourane, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri, ...	2 p.	29.85	758.1	88	...	N E	2	b	6 a.	29.83	757.6	75	...	S E	2	o
Manila, ...	4 p.	...	...	79	92	...	0	c	10 a.	29.84	758	84	75	E S E	1	c
Legaspi, ...	2 p.	29.79	756.6	86	...	S E	2	c	6 a.	29.83	757.6	75	...	...	0	b
Bacolod, ...	3 p.	...	...	...	...	E S E	1	odlt	9 a.	...	...	...	...	W N W	1	c
Iloilo, ...	,,	29.77	756.1	85	...	S W	1	c	,,	29.87	758.7	89	...	S W	1	o
Cebu,.....	,,	29.78	756.4	85	...	E	1	c	,,	29.87	758.7	84	...	S	2	b
Labuan, ...	,,	29.81	757.2	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 18th at 12.15 p.—The barometer has fallen at the stations around the N. part of the China Sea, a low pressure trough existing apparently in about 17° Lat.

The barometer has fallen moderately in N.E. Japan owing to a depression which is moving Eastwards to the North of Hokkaido.

The high pressure area remains over the Pacific to the South of Japan.

Moderate E. winds may be expected in the Formosa Channel, and E. and N.E. winds freshening along the northern shores of the China Sea.

The returns from Indo-China are not yet in hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. and N.E. winds, freshening; fine at first, unsettled later.
2.—Formosa Channel, ...	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 18th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.61	752.0	81	...	E S E	0	f	7 a.	29.73	755.0	38	99	W	1	c
Nemuro,	,,	29.61	752.1	...	...	N E	6	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	29.69	754.2	...	...	S	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.83	757.6	...	...	S	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.95	760.8	...	...	E	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.99	761.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.00	761.9	...	...	W	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.00	762.1	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.97	761.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.97	761.3	...	...	S	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	N	2	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	29.76	755.9	91	76	S S W	2	c	6 a.	29.79	756.6	80	87	S	1	b
Weihaiwei,	,,	29.75	755.6	...	...	N E	1	b	9 a.	29.77	756.1	77	...	N E	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.82	757.4	83	83	S E	1	b
Kiukiang,	,,	29.81	757.2	96	50	S W	2	b	,,	29.83	757.7	82	87	...	0	b
Shanghai,	,,	29.83	757.7	82	91	S S E	2	b	9 a.	29.88	758.9	86	68	...	...	b
Gutzlaff,	,,	29.85	758.2	84	79	S S E	3	bv	,,	29.88	758.9	83	87	S	3	bv
Sharp Peak,	,,	29.86	758.4	85	87	E N E	4	b	,,	29.88	758.9	81	87	N N E	4	c
Amoy,	,,	29.83	757.7	85	80	E	1	c	6 a.	29.86	758.4	84	87	S E	1	or
Swatow,	,,	29.80	756.9	83	78	S S E	1	b	,,	29.82	757.4	76	95	N E	1	or
Taihoku,	1 p.	29.90	759.4	...	...	N E	4	...	5 a.	29.89	759.3	...	...	E	4	...
Taichu,	,,	29.85	758.1	...	...	N	2	...	,,	29.91	759.7	...	...	...	0	...
Tainan,	,,	29.90	759.5	...	...	N E	4	...	,,	29.91	759.7	...	...	N E	4	...
Koshun,	,,	29.92	760.0	...	...	S E	4	...	,,	29.92	759.9	...	...	E	4	...
Pescadores,	,,	29.89	759.1	...	...	N	6	...	,,	29.91	759.7	...	...	W	4	...
Canton,	3 p.	29.85	758.2	91	63	N N W	2	b	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.83	757.7	86	61	E	2	b	10 a.	29.87	758.7	79	92	E	3	op
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	5	...
Gap Rock,	,,	29.80	756.9	...	...	E N E	3	...	,,	29.80	756.9	...	...	E	4	...
Macao,	,,	29.85	758.2	87	...	...	0	c	,,	29.86	758.4	82	...	N E	2	c
Wuchow,	3 p.	29.85	758.2	88	...	S E	1	c	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.81	757.2	90	70	S S E	1	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.76	756.0	82	...	S E	5	c	8 a.	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.4	86	...	W S W	2	c	,,	...	...	...	...	...	...	...
Aparri,	2 p.	29.82	757.5	79	...	S E	0	d	6 a.	29.88	758.8	75	...	S E	2	b
Manila,	4 p.	29.76	756	86	71	S	1	ctl	10 a.	29.88	759	84	71	...	0	o
Legaspi,	2 p.	29.80	757.0	84	...	S E	2	o	6 a.	29.89	759.2	77	...	...	0	o
Iloilo,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	...	...	...
Iloilo,	,,	29.81	757.2	83	...	W	1	od	,,	...	...	...	...	...	...	...
Cebu,	,,	29.82	757.4	86	...	S	2	c	,,	...	...	...	...	...	...	...
Labuan,	,,	29.80	756.9	86	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 19th at 12.15 p.—The barometer has fallen slightly on the S. coast of China, and risen moderately in the Philippines.

A circular depression appears to have formed in the low pressure trough to the N.E. of the Paracels. It is probably moving towards W.N.W.

The returns from Indo-China are not yet in hand.

The Japanese returns are also missing, but probably the high pressure area remains over the Pacific to the South of Japan.

Moderate E. winds may be expected in the Formosa Channel, and strong N.E. to S.E. winds along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. to S.E. winds, strong; squally, showery.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 19th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th JULY, 1909, P.M.								20th JULY, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
[illegible]	2 p.	29.72	754.9	75	...	S	1	c	7 a.	29.74	755.3	64	99	S	5	o
[illegible]	,,	...	...	...	...	...	...	...	6 a.	29.93	760.2	...	...	N	6	...
[illegible]	,,	...	...	...	...	...	...	...	,,	29.97	761.2	...	...	...	6	...
[illegible]	,,	...	...	...	...	...	...	...	,,	29.91	759.6	...	...	N	4	...
[illegible]	,,	...	...	...	...	...	...	...	,,	29.91	759.8	...	...	...	0	...
[illegible]	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	...	0	...
[illegible]	,,	...	...	...	...	...	...	...	,,	30.00	761.9	...	...	N W	4	...
[illegible]	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	S	2	...
[illegible]	,,	...	...	...	...	...	...	...	,,	29.97	761.2	...	...	...	0	...
[illegible]	,,	...	...	...	...	...	...	...	,,	29.94	760.3	...	...	S E	4	...
[illegible]	,,	...	...	...	...	...	...	...	,,	29.97	761.1	...	...	...	0	
[illegible]	4 p.	29.69	754.1	93	64	S W	3	c	6 a.	...	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	,,	...	...	83	...	N E	2	b	9 a.	29.67	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	,,	...	...	...	...	...	...	...	6 a.	29.91	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	,,	29.81	757.2	61	71	S W	2	b	,,	29.81	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	,,	29.83	757.7	92	61	S	3	b	9 a.	29.87	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	,,	29.85	758.2	84	79	S S E	3	bv	,,	29.89	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	,,	29.87	758.7	85	90	E N E	3	b	,,	29.93	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	,,	29.88	758.9	83	78	S E	3	b	6 a.	29.87	[illegible]	69	87	S W	1	c
[illegible]	,,	...	...	...	...	...	...	...	,,	...	...	79	91	S E	1	c
[illegible]	1 p.	29.88	759.0	...	...	S E	6	...	5 a.	29.91	759.6	...	...	...	0	...
[illegible]	,,	29.89	759.3	...	...	...	0	...	,,	29.91	759.8	...	...	...	0	...
[illegible]	,,	29.90	759.5	...	...	N	2	...	,,	29.92	759.9	...	...	S	2	...
[illegible]	,,	29.91	759.6	...	...	N E	8	...	,,	29.93	760.2	...	...	E	4	...
[illegible]	,,	29.91	759.6	...	...	N	4	...	,,	29.91	759.7	...	...	...	0	...
[illegible]	3 p.	29.83	757.7	88	69	E	1	o	9 a.	...	...	...	...	...	...	...
[illegible]	4 p.	29.79	756.6	82	76	E	3	cq	10 a.	29.85	758.2	79	92	E	1	op
[illegible]	,,	...	...	...	...	E	4	...	,,	...	...	...	...	S E	4	...
[illegible]	,,	29.74	755.4	...	...	E	5	...	,,	29.79	756.6	...	...	E S E	4	...
[illegible]	,,	29.80	756.9	84	...	E S E	2	c	,,	29.84	757.9	79	...	S E	2	c
[illegible]	3 p.	29.77	756.1	91	95	E	1	c	9 a.	29.82	757.4	83	...	E	1	c
[illegible]	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
[illegible]	,,	29.76	756.4	89	66	S E	1	c	,,	...	...	...	...	...	...	...
[illegible]	4 p.	29.73	755.1	86	...	S E	5	b	8 a.	29.80	756.8	82	...	N N E	2	c
[illegible]	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
[illegible]	,,	29.76	756.0	82	...	S S W	4	c	,,	29.90	759.4	77	...	S W	4	o
[illegible]	2 p.	29.83	757.8	83	...	S E	2	o	6 a.	29.89	759.1	77	...	S W	2	b
[illegible]	4 p.	29.64	758	81	85	S	0	o	10 a.	29.88	759	82	77	S	0	o
[illegible]	2 p.	29.85	757.6	81	...	...	0	o	6 a.	29.89	759.2	75	...	...	0	o
[illegible]	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	...	0	o
[illegible]	,,	29.85	758.2	84	...	S S W	1	o	,,	29.91	759.7	81	...	S	1	o
[illegible]	,,	29.84	757.9	86	...	S	1	c	,,	29.92	759.9	82	...	...	0	o
[illegible]	,,	29.79	756.6	87	...	...	...	...	,,	29.85	758.2	83	...	...	...	...

[illegible]h at 1.30 p.—Black South Cone hoisted.
[illegible]h at 6.0 a.—Black South Cone and Ball hoisted.
[illegible]h at 10.35 a.—Signals lowered.
[illegible]—The barometer is inclined to rise in the neighbourhood of Hongkong. It has fallen slightly over [illegible]ssion, which has continued to move towards W.N.W. appears to have reached the E. coast of Hainan. [illegible]pression has appeared over Manchuria. It is moving Eastwards. [illegible]pressure area remains over the Pacific between the Loochoos and the Bonins. [illegible]nd S.E. winds may be expected in the Formosa Channel, and strong to moderate E. and S.E. winds [illegible]ast of China.

[illegible] Rainfall for the 24 hours ending at 10 a.m. to-day, 0.78 inches.

[illegible]AST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
[illegible] and Neighbourhood, ...	S.E. winds, fresh to moderate; squally, showery.
[illegible]hannel, ...	S.E. and E. winds, light.
[illegible]coast of China between Hongkong and Lamocks,..	S.E. winds, moderate.
[illegible]coast of China between Hongkong and Hainan,...	E. and S.E. winds, strong.

F. G. FIGG,
Director.

[illegible] Observatory, Tuesday, 20th July, 1909.

[illegible]NHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th July, 1909, P.M.								21st July, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.69	754.0	67	...	S	3	o	7 a.	29.54	750.2	65	99	S	2
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	29.97	761.1	...	...	S	6
Hakodate,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	...	0
Tokio,	,,	...	...	...	...	...	...	...	,,	30.02	762.6	...	...	N	2
Kochi,	,,	...	...	...	...	...	...	...	,,	29.95	760.8	...	...	S W	2
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.99	761.8	...	...	...	0
Kagoshima,	,,	...	...	...	...	...	...	...	,,	30.00	761.9	...	...	N	2
Oshima,	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	S	2
Naha,	,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	...	0
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.93	760.3	...	...	N E	2
Bonin Is.	,,	...	...	...	...	...	...	...	,,	30.04	763.1	...	...	...	0
Chefoo,	4 p.	29.51	749.5	98	57	S W	3	b	6 a.	29.71	754.6	78	87	S W	1
Weihaiwei,	,,	29.64	752.8	82	...	N W	2	b	9 a.	29.75	755.6	87	...	N W	1
Hankow,	,,	29.85	758.2	94	55	S	1	b	6 a.	29.82	757.4	83	87	S E	1
Kiukiang,	,,	29.77	756.1	92	61	...	0	b	,,	29.87	758.7	83	79	...	0
Shanghai,	,,	29.79	756.6	93	52	S S W	3	b	9 a.	29.89	759.2	90	63	S S W	1
Gutzlaff,	,,	29.81	757.2	83	83	S	4	cv	,,	29.89	759.2	83	83	S	2
Shark Peak,	,,	29.90	759.4	85	95	E	1	b	,,	29.95	760.7	85	96	N	1
Amoy	,,	29.88	758.9	84	79	S E	3	b	6 a.	29.89	759.2	80	91	S W	1
Swatow,	,,	29.85	758.2	83	87	E	1	b	,,	...	...	76	95	E N E	1
Taihoku,	1 p.	29.89	759.2	...	...	N W	4	...	5 a.	29.94	760.5	...	...	S	2
Taichu,	,,	29.91	759.7	...	...	W	2	...	,,	29.93	760.3	...	...	...	0
Tainan,	,,	29.93	760.2	...	...	W	6	...	,,	29.93	760.2	...	...	E	2
Koshun	,,	29.92	76.00	...	...	E	6	...	,,	29.92	760.0	...	...	E	2
Pescadores,	,,	29.93	760.3	...	...	N W	2	...	,,	29.92	759.9	...	...	N	2
Canton,	3 p.	29.81	757.2	87	76	E	2	c	9 a.	29.90	759.4	86	80	S E	2
Hongkong,	4 p.	29.80	756.9	81	85	E	4	o	10 a.	29.90	759.4	83	80	E	4
Victoria Peak,	,,	...	...	...	...	E S E	4	...	,,	...	...	...	...	E	4
Gap Rock,	,,	29.74	755.4	...	...	S S E	5	...	,,	29.83	757.7	...	...	E S E	5
Macao,	,,	29.79	756.6	82	...	S S E	3	op	,,	29.90	759.4	83	...	S E	2
Wuchow,	3 p.	29.75	755.6	86	...	E	1	r	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.69	751.4	85	80	N E	2	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.67	753.5	93	...	W S W	2	lt	8 a.	29.71	754.7	81	...	N	3
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.2	75	...	W	5	or	,,	29.90	759.5	79	...	S W	2
Aparri,	2 p.	29.85	758.1	86	...	N E	2	b	6 a.	29.87	758.7	77	...	S W	2
Manila,	4 p.	29.84	758	79	84	S W	1	od	10 a.	29.88	759	81	85	W N W	1
Legaspi,	2 p.	29.84	757.9	81	...	N W	2	o	6 a.	29.84	757.8	75	...	...	0
Bacolod,	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S S W	1
Iloilo,	,,	29.83	757.7	82	...	S	1	o	,,	29.89	759.2	82	...	S	1
Cebu,	,,	29.83	757.7	81	...	...	0	c	,,	29.36	758.4	81	...	S	1
Labuan,	,,	29.79	756.6	89	...	...	...	...	,,	29.89	759.2	79	...	...	...

On the 21st at 11.55 a.—The barometer has fallen moderately over Tongking, and risen slightly in Hongkon
The depression has moved into the North part of the Gulf of Tongking, and the neighbourhood of Haiphon again threatened.

The Manchuria depression is approaching Wladiwostok.

Pressure has increased moderately over N. China and given way again over the Philippines. It remains over the Pacific to the South of Japan.

Light variable winds may be expected in the Formosa Channel, and fresh to moderate S.E. and E. winds al the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. and E. winds, moderate; showery to fair.
2.—Formosa Channel,	Variable winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan	S.E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 21st July, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	21st JULY, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd JULY, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
ro, ...	,,	29.89	759.1	...	...	S	6	...	6 a.	29.99	764.1	...	...	S	8	...
date, ...	,,	29.81	757.2	...	...	S W	2	...	,,	29.73	755.2	...	...	W	8	...
.....	,,	29.94	760.6	...	...	S	2	...	,,	29.95	760.6	...	...	S W	2	...
.....	,,	29.95	760.8	...	...	E	6	...	,,	29.99	761.8	...	...	S W	2	...
ki, ...	,,	29.99	761.8	...	...	W	4	...	,,	30.03	762.8	...	...	...	0	...
ima, ...	,,	30.00	761.9	...	...	W	4	...	,,	30.04	762.9	...	...	...	0	...
.....	,,	30.00	762.1	...	...	N E	4	...	,,	30.04	763.1	...	...	S	2	...
.....	,,	29.97	761.2	...	...	E	4	...	,,	30.01	762.2	...	...	...	0	...
kijima, ...	,,	29.93	760.3	...	...	E	6	...	,,	29.93	760.3	...	...	E	4	...
s.....	,,	30.04	763.1	...	...	...	0	...	,,	30.08	764.1	...	[illegible]	[illegible]	[illegible]	[illegible]
.....	4 p.	29.77	756.1	90	66	...	0	c	6 a.	29.99	761.7	75	[illegible]	S	[illegible]	[illegible]
wei, ...	,,	29.79	756.6	86	...	N W	1	b	9 a.	29.94	760.5	73	[illegible]	[illegible]	[illegible]	[illegible]
.....	,,	29.90	759.4	97	54	S W	1	b	6 a.	29.82	757.4	81	[illegible]	[illegible]	[illegible]	[illegible]
ng, ...	,,	29.87	758.7	96	56	N E	1	b	,,	29.83	757.7	80	[illegible]	[illegible]	[illegible]	[illegible]
hai, ...	,,	29.84	757.9	96	50	S S W	1	c	9 a.	29.96	761.0	87	[illegible]	[illegible]	[illegible]	[illegible]
ff, ...	,,	29.86	758.4	85	83	S	2	bv	,,	29.95	760.7	82	[illegible]	[illegible]	[illegible]	[illegible]
Peak, ...	,,	29.90	759.4	85	90	E N E	3	b	,,	29.93	761.5	84	91	[illegible]	[illegible]	[illegible]
.....	,,	29.86	758.4	84	72	S E	3	b	6 a.	29.88	758.9	83	87	N W	1	b
w, ...	,,	29.85	758.2	81	91	...	0	b	,,	...	...	...	...	...	...	...
ku, ...	1 p.	29.89	759.2	...	...	S E	6	...	5 a.	29.93	760.2	...	...	E	4	...
.....	,,	29.90	759.4	...	...	N	6	...	,,	29.92	760.0	...	...	...	0	...
.....	,,	29.91	759.6	...	...	N	4	...	,,	29.92	759.9	...	...	...	0	...
.....	,,	29.91	759.6	...	...	E	6	...	,,	29.93	760.1	...	...	N E	6	...
ores, ...	,,	29.93	760.2	...	...	W	6	...	,,	29.92	759.9	...	...	W	2	...
.....	3 p.	29.86	758.4	86	84	S	2	c	9 a.	29.97	761.2	85	80	S	1	b
ong, ...	4 p.	29.87	758.7	76	98	E	2	cp	10 a.	29.94	760.5	85	74	E	2	o
a Peak, ...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E	2	...
ck, ...	,,	29.81	757.2	...	...	E S E	3	...	,,	29.91	759.7	...	...	E	4	...
.....	,,	29.85	758.2	82	...	S E	1	c	,,	29.95	760.7	85	...	...	0	c
ow, ...	3 p.	29.80	756.9	88	...	E	3	oq	9 a.	29.96	761.0	81	87	E	1	c
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.59	751.7	79	...	E	8	o	8 a.	...	...	...	...	...	...	...
e, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
. James,.	,,	29.80	756.9	86	...	S W	3	c	,,	...	...	...	...	...	...	...
.....	2 p.	29.84	758.0	88	...	N E	2	c	6 a.	29.83	757.6	75	...	W	2	d
.....	4 p.	29.84	758	84	77	S W	1	o	10 a.	29.84	758	82	85	S	0	c
i, ...	2 p.	29.78	756.4	82	...	...	0	c	6 a.	29.84	757.8	75	...	...	0	c
d, ...	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	2	c
.....	,,	29.81	757.2	82	...	S W	1	o	,,	29.87	758.7	81	...	S S W	1	b
.....	,,	29.82	757.4	84	...	S W	2	o	,,	29.86	758.4	84	...	S	2	b
n, ...	,,	29.81	757.2	80	...	...	...	...	,,	29.92	759.9	77	...	...	...	...

On the 22nd at 11.55 a.—Yesterday afternoon the depression passed near and to the South of Haiphong.
The barometer has risen moderately in the neighbourhood of Hongkong and fallen slightly in Luzon.
Probably a low pressure trough lies over the middle part of the China Sea and the Pacific to the E. of Luzon, a circular depression seems likely to develop over the latter area.
Pressure has increased quickly over the N.E. coast of China and given way considerably in N.E. Japan, the hern depression having reached Hokkaido.
The high pressure area remains over the Pacific between the *Loochoos* and the *Bonins*.
Moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the a Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	E. to N.E. winds, moderate; fair.
rmosa Channel, ...	Same as No. 1.
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan....	E. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 22nd July, 1909.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.78	756.3	80	...	N	1	b	7 a.	29.89	759.2	65	85	S E	1
Nemuro,	,,	29.65	753.1	...	...	S	8	...	6 a.	29.31	757.1	...	...	...	0
Hakodate,	,,	29.73	755.2	...	...	W	4	...	,,	29.89	759.2	...	...	W	2
Tokio,	,,	29.91	759.6	...	...	S	6	...	,,	29.95	760.6	...	...	...	0
Kochi,	,,	29.95	760.8	...	...	S E	2	...	,,	29.99	761.8	...	...	S W	2
Nagasaki,	,,	29.99	761.8	...	...	W	6	...	,,	30.03	762.8	...	...	...	0
Kagoshima,	,,	30.00	761.9	...	...	W	6	...	,,	30.04	762.9	...	...	...	0
Oshima,	,,	30.04	763.1	...	...	N	2	...	,,	30.04	763.1	...	...	...	...
Naha,	,,	30.01	762.2	...	...	E	4	...	,,	29.97	761.2	...	...	...	0
Ishigakijima,	,,	29.97	761.3	...	...	E	4	...	,,	29.93	760.3	...	...	E	2
Bonin Is.	,,	30.04	763.1	...	...	S E	2	...	,,	30.04	763.1	...	...	E	2
Chefoo,	4 p.	29.86	758.4	84	79	E	2	b	6 a.	29.91	759.7	76	86	W S W	1
Weihaiwei,	,,	29.87	758.7	72	...	N N W	1	o	9 a.	29.91	759.7	81	...	N E	1
Hank[illegible]	,,	29.95	760.7	94	61	S	1	b	6 a.	29.82	757.4	83	87	S W	1
Kiukiang,	,,	29.92	759.9	99	17	W	1	b	,,	29.94	760.5	82	87	...	0
Shanghai,	,,	29.91	759.7	94	55	S	2	c	9 a.	29.96	761.0	87	69	S	2
Gutzlaff,	,,	29.92	759.9	86	80	S S E	2	cv	,,	29.95	760.7	85	83	S S E	2
Sharp Peak,	,,	29.93	760.2	85	90	E N E	3	b	,,	29.93	760.2	84	87	N	4
Amoy,	,,	29.85	758.2	89	73	N E	4	b	6 a.	29.85	758.2	85	89	...	0
Swatow,	,,	29.83	757.7	88	69	E	1	b	,,	29.82	757.4	80	87	E	1
Taihoku,	1 p.	29.90	759.4	...	...	E	6	...	5 a.	29.88	759.0	...	...	S	4
Taichu,	,,	29.87	758.6	...	...	N	6	...	,,	29.88	759.0	...	...	S	2
Tainan,	,,	29.88	758.9	...	...	S W	4	...	,,	29.87	758.6	...	...	E	2
Koshun,	,,	29.89	759.1	...	...	N E	8	...	,,	29.93	760.2	...	...	E	6
Pescadores,	,,	29.88	758.9	...	...	N E	4	...	,,	29.86	758.4	...	...	W	6
Canton,	3 p.	29.88	758.9	91	63	W	1	c	9 a.	29.91	759.7	84	79	N E	1
Hongkong,	4 p.	29.85	758.2	85	69	E	1	ot	10 a.	29.87	758.7	84	73	N E	2
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N E	3
Gap Rock,	,,	29.84	757.9	...	...	N E	3	...	,,	29.81	757.2	...	...	N E	5
Macao,	,,	29.86	758.4	89	...	E	1	c	,,	29.87	758.7	85	...	N E	1
Wuchow,	3 p.	29.88	758.9	88	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.87	758.7	87	73	E	1	c	,,	...	...	...	...	...	
Phulien,	4 p.	29.87	758.7	73	...	S E	4	or	8 a.	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.5	72	...	W S W	3	or	,,	...	...	...	...	...	...
Aparri,	2 p.	29.80	756.8	82	...	N	0	o	6 a.	29.84	758.0	75	...	S	2
Manila,	4 p.	29.76	756	82	77	S W	1	o	10 a.	29.84	758	86	71	S E	0
Legaspi,	2 p.	29.79	756.7	82	...	E	2	o	6 a.	29.84	758.0	77	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	1
Iloilo,	,,	29.79	756.6	84	...	N W	1	c	,,	29.87	758.7	81	...	W	1
Cebu,	,,	29.80	756.9	86	...	S	1	c	,,	29.86	758.4	84	...	...	0
Labuan,	,,	29.80	756.9	85	...	...	...	...	,,	29.92	759.9	77	...	...	...

On the 23rd at 11.45 a.—Black South Cone and Drum hoisted.

On the 23rd at 11.55 a.—The barometer has fallen moderately on the S. coast of China, and risen consider over the N.E. part of the Sea of Japan.

A circular depression appears to have formed in the low pressure trough to the S.S.E. of Hongkong, probabl about 18° Lat. It seems likely to move towards W.N.W.

The depression lying to the North of Japan yesterday has moved into the Pacific.

The high pressure area remains over the Pacific between the Loochoos and the Bonins.

Moderate E. winds may be expected in the Formosa Channel, and strong N. to E. winds along the north shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, strong; squally, showery.
2.—Formosa Channel,	E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 23rd July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	23rd JULY, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th JULY, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	29.87	758.6	72	...	S	2	o	7 a.	29.69	754.1	67	99	S E	1	o
ro, ...	,,	29.85	758.1	...	...	E	4	...	6 a.	29.89	759.1	...	...	...	0	...
date, ...	,,	29.89	759.2	...	...	S	2	...	,,	29.97	761.2	...	...	...	0	...
.....	,,	29.91	759.6	...	...	S	6	...	,,	29.99	761.6	...	...	...	0	...
.....	,,	29.99	761.8	...	...	S E	4	...	,,	29.99	761.8	...	...	S W	2	...
aki, ...	,,	30.03	762.8	...	...	W	6	...	,,	29.99	761.8	...	...	...	0	...
hima, ...	,,	30.00	761.9	...	...	W	4	...	,,	30.04	762.9	...	...	...	0	...
.....	,,	30.04	763.1	...	...	S	4	...	,,	30.01	762.1	...	...	S	2	...
.....	,,	30.01	762.2	...	...	S E	4	...	,,	29.97	761.2	...	...	...	0	...
kijima, ...	,,	29.97	761.3	...	...	E	6	...	,,	29.89	759.3	...	...	E	2	[illegible]
Is.	,,	30.08	764.1	...	...	E	2	...	,,	30.04	763.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
.....	4 p.	29.82	757.4	94	68	S S W	3	b	6 a.	29.79	756.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
iwei, ...	,,	29.84	757.9	83	...	N E	1	b	9 a.	29.80	756.9	[illegible]	[illegible]	[illegible]	4	[illegible]
w, ...	,,	29.94	760.5	99	48	S W	1	b	6 a.	29.83	757.7	[illegible]	[illegible]	[illegible]	1	b
ng.....	,,	29.83	757.7	100	47	E	1	b	,,	29.92	759.9	[illegible]	[illegible]	[illegible]	[illegible]	b
hai, ...	,,	29.89	759.2	91	63	S E	3	c	9 a.	29.91	759.7	[illegible]	[illegible]	[illegible]	3	b
ff, ...	,,	29.90	759.4	84	87	S S E	3	cv	,,	29.91	759.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Peak, ...	,,	29.91	759.7	85	90	N E	3	b	,,	29.89	759.2	[illegible]	87	N	4	c
.....	,,	29.87	758.7	84	79	S E	3	c	6 a.	29.83	757.7	80	91	N W	1	b
w, ...	,,	29.85	758.2	80	91	E N E	1	o	,,	...	...	...	...	...	...	...
u, ...	1 p.	29.90	759.4	...	...	S E	8	...	5 a.	29.87	758.7	...	...	...	0	...
.....	,,	29.89	759.1	...	...	W	4	...	,,	29.88	758.8	...	...	...	0	...
.....	,,	29.90	759.5	...	...	N W	4	...	,,	29.87	758.6	...	...	E	2	...
.....	,,	29.91	759.6	...	...	N E	6	...	,,	29.86	758.5	...	...	N E	6	...
ores, ...	,,	29.93	760.3	...	...	S	6	...	,,	29.85	758.1	...	...	...	0	...
.....	3 p.	29.79	756.6	91	70	S E	2	c	9 a.	29.86	758.4	84	83	E	1	c
ong, ...	4 p.	29.79	756.6	77	86	E	3	oq	10 a.	29.85	758.2	80	87	E S E	3	op
a Peak, ...	,,	...	...	...	...	E	5	...	,,	...	...	...	...	E S E	5	...
ock, ...	,,	29.73	755.1	...	...	E	6	...	,,	29.79	756.6	...	...	E S E	5	...
.....	,,	29.79	756.6	81	...	E	2	od	,,	29.84	757.9	81	...	S E	2	c
ow, ...	3 p.	29.78	756.4	86	80	S W	1	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.79	756.6	88	...	N W	0	c	8 a.	...	...	...	...	...	...	...
ne, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
St. James,.	,,	29.77	756.1	84	...	W S W	4	c	,,	...	...	...	...	...	...	...
i, ...	2 p.	29.82	757.4	82	...	S E	2	o	6 a.	29.82	757.3	75	...	S W	2	o
a, ...	4 p.	29.76	756	82	85	E S E	0	d	10 a.	...	...	...	...	...	...	...
pi, ...	2 p.	29.77	756.1	86	...	S	2	o	6 a.	29.80	756.8	75	...	...	0	c
d, ...	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S S E	1	o
.....	,,	29.81	757.2	85	...	S W	1	o	,,	29.83	757.7	82	...	S S W	1	b
.....	,,	29.78	756.4	87	...	S	2	b	,,	29.82	757.4	84	...	N	1	b
.....	,,	29.81	757.2	82	...	...	...	...	,,	29.89	759.2	78	...	...	...	...

On the 23rd at 5.15 p.—Black South Cone hoisted.
On the 24th at 6.15 a.—Black South Cone and Black Ball hoisted.
At 12.10 p.—The barometer is almost steady in the neighbourhood of Hongkong, and the depression would ear to have continued to move towards W.N.W. and to be approaching Hainan.
The returns from Indo-China are not yet in hand.
Pressure has given way moderately at the extreme northern stations, another depression having appeared over churia.
The high pressure area remains over the Pacific to the South of Japan. Pressure is relatively low with a tendency ive way over the Philippines.
Moderate E. winds may be expected in the Formosa Channel, and strong N.E. to S.E. winds along the S. coast hina.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	S.E. and E. winds, strong to fresh; squally, showery.
ormosa Channel, ...	E. winds, moderate.
outh coast of China between Hongkong and Lamocks,..	E. winds, fresh.
uth coast of China between Hongkong and Hainan,...	E. to S.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 24th July, 1909.

nted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th JULY, 1909, P.M.								25th JULY, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	..	...
Nemuro, ...	,,	29.85	758.1	...	...	SE	2	...	6 a.	29.69	754.1	...	...	S	6
Hakodate, ...	,,	29.85	758.2	...	...	W	6	...	,,	29.73	755.2	...	...	W	8
Tokio, ...	,,	29.94	760.6	...	...	S	6	...	,,	29.91	759.6	...	...	...	0
Kochi, ...	,,	29.95	760.8	...	...	S E	4	...	,,	29.95	760.8	...	...	S W	2
Nagasaki, ...	,,	29.99	761.8	...	...	W	6	...	,,	29.99	761.8	...	...	S	2
Kagoshima, ...	,,	29.96	760.9	...	...	S W	4	...	,,	30.00	761.9	...	...	...	0
Oshima, ...	,,	30.00	762.1	...	...	S	4	...	,,	29.97	761.1	...	...	S	2
Naha,.....	,,	29.93	760.2	...	...	E	4	...	,,	29.89	759.2	...	...	E	2
Ishigakijima, ..	,,	29.89	759.3	...	...	E	6	...	,,	29.86	758.3	...	...	E	4
Bonin Is.....	,,	...	...	...	...	S E	2	...	,,	30.01	762.1	...	...	E	2
Chefoo,.....	4 p.	29.67	753.6	95	62	S	3	b	6 a.	29.74	755.4	83	83	S	4
Weihaiwei,.....	,,	29.79	756.6	83	...	N E	1	b	9 a.	29.74	755.4	82	...	N E	1
Hankow	,,	29.84	757.9	99	44	S W	1	b	6 a.	29.82	757.4	85	91	S S E	1
Kiukiang,.....	,,	29.82	757.4	96	96	N E	1	b	,,	29.80	756.9	81	87	...	0
Shanghai, ...	,,	29.83	757.7	91	60	S	3	b	9 a.	29.85	758.2	87	65	S	2
Gutzlaff, ...	,,	29.85	758.2	85	79	S S E	3	bv	,,	29.86	758.4	83	83	S	3
Sharp Peak,.....	,,	29.86	753.4	85	90	E N E	3	b	,,	29.86	758.4	84	87	N	2
Amoy,.....	,,	29.82	757.4	87	88	S E	3	b	6 a.	29.82	757.4	83	83	...	0
Swatow, ...	,,	29.80	756.9	86	76	E	1	b	,,	...	...	...	...	...	...
Taihoku.....	1 p.	29.83	757.7	...	...	E	6	...	5 a.	29.82	757.4	...	...	E	4
Taichu, ...	,,	29.86	758.4	...	...	W	2	...	,,	29.81	757.2	...	...	...	0
Tainan,.....	,,	29.87	758.6	...	...	W	4	...	,,	29.82	757.5	...	...	E	2
Koshun.....	,,	29.87	758.8	...	...	E	6	...	,,	29.83	757.6	...	...	N E	[illegible]
Pescadores, ...	,,	29.85	758.1	...	...	N	4	...	,,	29.82	757.3	...	...	...	0
Canton,.....	3 p.	29.83	757.7	88	69	S E	2	c	9 a.	29.84	757.9	83	87	E S E	1
Hongkong, ...	4 p.	29.81	757.2	78	88	E	4	oq	10 a.	29.83	757.7	83	73	E	2
Victoria Peak,...	,,	...	...	...	...	E	6	...	,,	...	...	...	...	E	4
Gap Rock,.....	,,	29.77	756.1	...	...	E	5	...	,,	29.80	756.9	...	...	E	4
Macao, ...	,,	29.80	756.9	80	...	S E	3	od	,,	29.84	757.9	84	...	E	1
Wuchow,.....	3 p.	29.77	756.1	85	...	E	1	or	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.68	753.8	79	...	S	3	lt	8 a.	29.75	755.5	75	...	E	3
Tourane, ...	,,	...	...	...	...	...	...	...	,,	29.74	755.3	82	...	...	0
Cape St. James,.	,,	29.78	756.3	75	...	W	4	or	,,	29.80	757.0	77	...	W	4
Aparri, ...	2 p.	29.79	756.6	86	...	N E	2	o	6 a.	29.79	756.6	75	...	E	2
Manila, ...	4 p.	29.76	756	79	92	...	0	o	10 a.	29.76	756	81	92	N W	1
Legaspi, ...	2 p.	29.74	755.5	75	...	W	2	o	6 a.	29.75	755.5	75	...	W	2
Bacolod, ...	3 p.	...	...	...	...	S S W	2	o	9 a.	...	...	...	...	W S W	1
Iloilo, ...	,,	29.77	756.1	83	...	S W	2	c	,,	29.83	757.7	82	...	S W	5
Cebu,.....	,,	29.81	757.2	85	...	S	1	od	,,	29.79	757.6	83	...	S	3
Labuan, ...	,,	29.78	756.4	84	...	...	...	...	,,	29.83	757.7	78	...	...	...

On the 24th at 5.45 p.—Signals lowered.

On the 25th at 12.25 p.—The depression appears to have reached the S. part of the Gulf of Tongking.

The barometer has fallen generally; slightly over China, Formosa and Luzon, and considerably in N.E. Jap

A depression has appeared over the Pacific to the E. of Luzon. It will probably move towards W.N.W.

The Manchurian depression has moved into the N.E. part of the Sea of Japan.

Pressure remains high over the Pacific to the S. of Japan.

Moderate to fresh E. and N.E. winds may be expected in the Formosa Channel, and along the northern s of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. to N.E. winds, moderate or fresh; unsettled, [bably some sho
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 25th July, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	29.51	749.5	77	...	S E	1	o	7 a.	29.57	751.0	75	92	N	1	o
uro, ...	,,	29.65	753.1	...	...	S	6	...	6 a.	29.53	750.1	...	...	S	8	...
pdate, ...	,,	29.65	753.2	...	...	S W	6	...	,,	29.65	753.2	...	...	S W	8	...
o.	,,	29.87	758.6	...	...	S	6	...	,,	29.87	758.6	...	...	...	0	...
i.	,,	29.95	760.8	...	...	S E	2	...	,,	29.95	760.8	...	...	S W	2	...
aki, ...	,,	29.95	760.8	...	...	W	6	...	,,	29.95	760.8	...	...	S	2	...
shima, ...	,,	29.96	760.9	...	...	S E	2	...	,,	30.00	761.9	...	...	...	0	...
a, ...	,,	29.96	761.1	...	...	E	2	...	,,	29.93	760.1	...	...	...	0	...
.....	,,	29.89	759.2	...	...	N E	6	...	,,	29.85	758.2	...	...	E	2	...
kijima, ...	,,	29.82	757.3	...	...	E	2	...	,,	29.78	756.3	...	...	E	[illegible]	[illegible]
Is.	,,	30.00	762.1	...	...	E	2	...	,,	30.01	762.1	...	[illegible]	[illegible]	[illegible]	[illegible]
o, ...	4 p.	29.65	753.1	99	54	S	3	b	6 a.	29.70	754.4	84	[illegible]	[illegible]	[illegible]	[illegible]
iwei, ...	,,	29.61	752.1	83	...	N E	1	b	9 a.	29.76	755.9	85	[illegible]	[illegible]	[illegible]	[illegible]
ow, ...	,,	29.79	756.6	96	56	S	1	b	6 a.	29.84	757.9	86	[illegible]	[illegible]	[illegible]	[illegible]
ang, ...	,,	29.77	756.1	99	46	S W	1	b	,,	29.78	756.4	83	[illegible]	[illegible]	[illegible]	[illegible]
hai, ...	,,	29.79	756.6	91	60	S S E	4	b	9 a.	29.85	758.2	87	[illegible]	[illegible]	[illegible]	[illegible]
ff, ...	,,	29.81	757.2	85	76	S S E	4	bv	,,	29.86	758.4	83	[illegible]	[illegible]	[illegible]	[illegible]
Peak, ...	,,	29.84	757.9	85	90	N N E	3	b	,,	29.86	758.4	84	[illegible]	[illegible]	[illegible]	b
.....	,,	29.77	756.1	82	67	N W	1	b	6 a.	29.77	756.1	85	72	N E	1	o
w, ...	,,	...	...	...	...	...	...	...	,,	29.75	755.6	79	90	N W	1	b
ku, ...	1 p.	29.80	756.9	...	...	E	6	...	5 a.	29.79	756.7	...	...	E	4	...
r	,,	29.80	756.9	...	...	N	4	...	,,	29.77	756.1	...	...	S E	2	...
r	,,	29.77	756.2	...	...	S W	6	...	,,	29.76	755.8	...	...	...	0	...
.....	,,	29.81	757.2	...	...	N E	6	...	,,	29.76	755.8	...	...	N	4	...
ores, ...	,,	29.81	757.2	...	...	E	2	...	,,	29.75	755.6	...	...	...	0	...
.....	3 p.	29.80	756.9	92	67	E S E	1	b	9 a.	29.83	757.7	86	72	...	0	c
ong, ...	4 p.	29.78	756.4	83	77	E	3	c	10 a.	29.82	757.4	86	66	E	2	c
a Peak, ...	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E	2	...
ock, ...	,,	29.75	755.6	...	...	E	4	...	,,	29.78	756.4	...	...	E N E	4	...
.....	,,	29.80	756.9	82	...	E S E	1	c	,,	29.83	757.7	86	...	N E	1	c
ow, ...	3 p.	29.78	756.4	84	...	N E	1	c	9 a.	29.83	757.7	79	...	S W	1	c
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.72	754.9	81	...	E N E	3	c	8 a.	...	...	...	...	...	...	...
ne, ...	,,	29.68	753.8	81	...	S E	1	o	,,	...	...	...	...	...	...	...
St. James, .	,,	29.76	755.8	79	...	W	3	or	,,	...	...	...	...	...	...	...
i.	2 p.	29.72	755.0	77	...	N E	2	r	6 a.	29.69	754.0	75	...	W	2	r
a.	4 p.	29.72	755	84	77	W	1	o	10 a.	29.76	756	81	85	S W	3	o
pi, ...	2 p.	29.72	754.8	82	...	W	2	o	6 a.	29.73	755.2	79	...	W	2	o
d, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S S W	3	or
.....	,,	29.77	756.1	83	...	S W	5	c	,,	29.83	757.7	83	...	S W	5	b
.....	,,	29.75	755.6	86	...	S	3	b	,,	29.82	757.4	85	...	S	3	b
n, ...	,,	29.74	755.4	87	...	...	...	...	,,	29.82	757.4	81	...	...	...	...

On the 26th at 12.10 p.—The barometer has fallen moderately over N. Luzon, Formosa and the S. Loochoos.
The typhoon appears to be situated to the N.E. Luzon and to be moving towards N.W.
The depression in the North is moving Eastwards to the N. of Hokkaido.
Pressure remains high over the Pacific to the S. of Japan.
Strong N.E. winds may be expected in the Formosa Channel, and moderate to fresh N.E. winds along the coast hina.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	N.E. winds, moderate or fresh; fair to unsettled.
rmosa Channel, ...	N.E. winds, strong.
uth coast of China between Hongkong and Lamocks,..	N.E. winds, fresh.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 26th July, 1909.

ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th JULY, 1909, P.M.								27th JULY, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.56	750.8	88	...	...	0	b	7 a.	29.60	751.8	77	87	N E	1
Nemuro,	,,	29.49	749.1	...	...	S W	2	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.61	752.2	...	...	S W	4	...	,,	...	...	...	...	...	...
Tokio,	,,	29.83	757.6	...	...	S	6	...	,,	...	...	...	...	...	...
Kochi,	,,	29.91	759.8	...	...	E	2	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.95	760.8	...	...	W	6	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.96	760.9	...	...	S	4	...	,,	...	...	...	...	...	...
Oshima,	,,	29.93	760.1	...	...	S E	6	...	,,	...	...	...	...	...	...
Naha,	,,	29.86	758.2	...	...	E	6	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	29.78	756.3	...	...	E	10	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.96	761.1	...	...	E	2	...	,,	...	...	...	...	...	...
Chefoo,	4 p.	29.68	753.9	100	...	W N W	2	c	6 a.	29.73	755.1	84	75	S W	1
Weihaiwei,	,,	29.74	755.6	87	...	N W	...	b	9 a.	29.76	755.9	87	...	...	1
Hankow,	,,	29.80	756.9	98	51	S W	1	b	6 a.	29.81	757.2	87	83	...	0
Kiukiang,	,,	29.74	755.4	101	47	S W	1	b	,,	29.76	755.9	80	82	...	0
Shanghai,	,,	29.80	756.9	92	57	S	3	c	9 a.	29.84	757.9	86	68	S	3
Gutzlaff,	,,	29.83	757.7	86	80	S	4	cv	,,	29.85	758.2	84	83	S S E	2
Sharp Peak,	,,	29.81	757.2	85	91	E N E	2	b	,,	29.77	756.1	84	83	N	5
Amoy,	,,	29.73	755.1	98	74	N E	1	o	6 a.	29.63	753.9	85	76	N E	3
Swatow,	,,	29.71	754.6	88	76	E	2	b	,,	...	...	...	...	...	...
Taiboku,	1 p.	29.78	756.4	...	...	E	8	...	5 a.	29.73	755.1	...	...	E	6
Taichu,	,,	29.70	754.5	...	...	W	2	...	,,	29.68	753.9	...	...	...	0
Tainan,	,,	29.73	755.2	...	...	E	2	...	,,	29.67	753.5	...	...	E	2
Koshun	,,	29.74	755.3	...	...	N E	8	...	,,	29.67	753.6	...	...	N E	8
Pescadores,	,,	29.76	755.8	...	...	N	6	...	,,	29.69	754.0	...	...	E	2
Canton,	3 p.	29.76	755.9	90	70	S W	2	c	9 a.	29.75	755.6	88	76	S	1
Hongkong,	4 p.	29.74	755.4	86	57	E	1	o	10 a.	29.73	755.1	86	74	W S W	1
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	N N W	3
Gap Rock,	,,	29.73	755.1	...	...	E	3	...	,,	29.71	754.6	...	...	W	2
Macao,	,,	29.76	755.9	86	...	...	0	c	,,	29.76	755.6	88	...	...	0
Wuchow,	3 p.	29.77	756.1	88	69	...	...	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.75	755.7	81	...	E N E	5	c	8 a.	29.83	757.7	82	...	N E	2
Tourane,	,,	29.67	753.6	79	...	N W	5	o	,,	29.75	755.7	81	...	W N W	4
Cape St. James,	,,	29.74	755.5	75	...	S W	6	c	,,	29.85	758.2	79	...	W S W	4
Aparri,	2 p.	29.63	752.5	75	...	S W	2	r	6 a.	29.58	751.4	75	...	S	2
Manila,	4 p.	29.69	754	82	77	W S W	3	o	10 a.	29.73	755	77	92	S W	3
Legaspi,	2 p.	29.70	754.5	86	...	W	2	t	6 a.	29.75	755.6	79	...	S W	2
Bacolod,	3 p.	...	...	...	...	W S W	4	o	9 a.	...	...	...	...	S S W	3
Iloilo,	,,	29.75	755.6	84	...	W S W	3	o	,,	29.85	758.2	80	...	W S W	3
Cebu,	,,	29.75	755.6	87	...	S	5	o	,,	29.84	757.9	85	...	S	4
Labuan,	,,	...	...	...	...	...	...	...	,,	29.85	758.2	83	...	...	...

On the 26th at 9.30 p.—No. 1 night signal hoisted.

On the 27th at 5.45 a.—Red Drum hoisted.

On the 27th at 12.20 p.—The barometer has fallen moderately on the S. and S.E. coasts of China and in F[illegible]osa and N. Luzon. It has risen slightly over Indo-China and the S. Philippines. The Japanese returns are lacki[illegible]

The typhoon has moved into the China Sea. It appears to be situated to the West of the Balingtang Char[illegible] and to be moving towards N.W. The coast between Hongkong and Swatow is threatened.

Stormy weather may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening; fair to squally and unsett[illegible]
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. to N.E. gale.
4.—South coast of China between Hongkong and Hainan,	N.W winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 27th July, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	27TH JULY, 1909, P.M.								28TH JULY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	29.62	752.4	76	...	S E	1	or	7 a.	29.69	754.0	65	99	...	0	f
ro, ...	,,	29.81	757.1	...	...	E	4	...	6 a.	29.89	759.1	...	...	E	2	...
date, ...	,,	29.77	756.2	...	...	S	2	...	,,	29.85	758.2	...	...	...	0	...
, ...	,,	29.83	757.6	...	...	S	6	...	,,	29.91	759.6	...	...	S	2	...
i, ...	,,	29.91	759.8	...	...	E	2	...	,,	29.91	759.8	...	...	S	2	...
aki, ...	,,	29.91	759.8	...	...	S	6	...	,,	29.88	758.8	...	...	...	0	...
hima, ...	,,	29.92	759.9	...	...	S W	2	...	,,	29.83	758.9	...	...	N E	2	...
a, ...	,,	29.93	760.1	...	...	S E	5	...	,,	29.85	758.1	...	...	S	2	...
.....	,,	29.85	758.2	...	...	E	6	...	,,	29.77	756.2	...	...	E	2	...
kijima, ...	,,	29.78	756.3	...	...	E	8	...	,,	29.66	753.3	...	...	...	6	...
Is.	,,	29.93	760.1	...	...	E	4	...	,,	29.85	758.1	...	...	E	2	...
o, ...	4 p.	29.74	755.4	79	61	S W	1	c	6 a.	29.70	754.4	77	90	...	...	c
aiwei, ...	,,	29.76	755.9	76	...	N W	1	r	9 a.	29.72	754.9	81	...	N E	1	b
ow, ...	,,	29.81	757.2	98	54	S	1	b	6 a.	...	...	...	...	...	...	...
ang, ...	,,	29.71	754.6	98	43	N E	1	b	,,	29.68	753.9	83	87	...	0	b
hai, ...	,,	29.78	756.4	90	60	S E	3	c	9 a.	29.76	755.9	87	69	S S E	3	b
aff, ...	,,	29.81	757.2	86	89	S S E	4	cv	,,	29.78	756.4	83	87	S E	...	cv
Peak, ...	,,	29.75	755.6	85	80	N N E	6	b	,,	29.71	754.6	84	83	N E	4	b
.....	,,	29.63	752.6	96	62	N E	4	b	6 a.	...	...	...	...	...	...	...
w, ...	,,	29.61	752.1	88	76	E	2	b	,,	29.62	752.3	80	78	N N E	1	b
i, ...	1 p.	29.73	755.2	...	...	S E	8	...	6 a.	29.68	753.8	...	...	E	6	...
a	,,	29.65	753.2	...	...	W	2	...	,,	29.64	752.8	...	...	...	0	...
.....	,,	29.66	753.3	...	...	W	6	...	,,	29.61	752.1	...	...	N E	4	...
4	,,	29.65	753.2	...	...	N E	8	...	,,	29.66	753.4	...	...	E	8	...
dores, ...	,,	29.66	753.3	...	...	W	4	...	,,	29.62	752.2	...	...	W	6	...
i, ...	3 p.	29.65	753.1	93	54	...	0	b	9 a.	29.68	753.9	88	80	S	2	c
kong, ...	4 p.	29.64	752.8	87	63	E	1	o	10 a.	29.67	753.6	86	66	E	2	c
ia Peak, ...	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	E	3	...
ock, ...	,,	29.61	752.1	...	...	W N W	2	...	,,	29.64	752.8	...	...	E	4	...
, ...	,,	29.63	752.6	89	...	...	0	c	,,	29.69	754.1	84	...	...	0	c
ow, ...	3 p.	29.70	754.4	90	...	W	2	c	9 a.	29.67	753.6	83	...	W	1	f
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	29.76	755.9	90	60	...	3	b	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.71	754.7	88	...	S S E	1	c	8 a.	29.73	755.0	82	...	W	2	b
ne, ...	,,	29.69	754.2	77	...	N E	4	or	,,	29.71	754.7	84	...	S W	2	c
St. James, .	,,	29.74	755.5	82	...	W S W	5	o	,,	29.80	757.0	77	...	W S W	5	o
i, ...	2 p.	29.61	752.2	79	...	N W	2	d	6 a.	...	...	...	...	...	...	...
a, ...	4 p.	29.69	754	77	92	S W	5	q	10 a.	29.65	753	79	92	S W	4	oq
pi, ...	2 p.	29.72	754.9	91	...	W	2	c	6 a.	29.70	754.3	79	...	S W	2	o
d, ...	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S S W	3	o
.....	,,	29.79	756.6	85	...	S S W	5	o	,,	29.80	756.9	83	...	S W	5	c
.....	,,	29.78	756.4	87	...	S	3	c	,,	29.80	756.9	86	...	S	5	c
n, ...	,,	29.74	755.4	88	...	...	...	...	,,	29.85	758.2	85	...	...	...	...

On the 27th at 6.0 p.—Black Drum hoisted.
On the 28th at 5.45 a.—Black South Cone and Black Drum hoisted.
At 28th at 12.15 p.—The barometer has risen moderately over the N. part of the Sea of Japan, and fallen mo-
lately over Tongking, S. China, the Loochoos and Luzon.
The typhoon is situated to the S.E. of Hongkong in about 19° Lat. It is apparently moving rather slowly to-
ds W. or W.N.W.
The high pressure has receded to the Eastward of Japan.
Strong N.E. winds may be expected in the Formosa Channel, and rough weather over the N. part of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N.E. winds, freshening; unsettled squally.
rmosa Channel, ...	N.E. winds, strong.
uth coast of China between Hongkong and Lamocks,..	N.E. and E. winds, fresh to strong.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 28th July, 1909.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th July, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th July, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.70	754.4	69	...	S	2	o	7 a.	29.69	754.1	66	99	S	4
Nemuro, ...	,,	...	...	...	...	...	...	...	6 a.	30.01	762.1	...	...	E	6
Hakodate, ...	,,	29.89	759.2	...	...	S E	2	...	,,	29.93	760.2	...	...	E	2
Tokio, ...	,,	29.87	758.6	...	...	S	4	...	,,	29.95	760.6	...	...	S	2
Kochi, ...	,,	29.83	757.8	...	...	S	2	...	,,	29.88	758.8	...	...	...	0
Nagasaki, ...	,,	29.83	757.8	...	...	W	6	...	,,	29.80	756.8	...	...	S	2
Kagoshima, ...	,,	29.84	757.9	...	...	S	4	...	,,	29.80	756.9	...	...	N E	2
Oshima, ...	,,	29.81	757.1	...	...	E	4	...	,,	29.73	755.1	...	...	S	2
Naha,.....	,,	29.73	755.2	...	...	E	10	...	,,	29.65	753.2	...	...	...	0
Ishigakijima,....	,,	29.70	754.3	...	...	E	6	...	,,	29.58	751.3	...	...	N E	6
Bonin Is.....	,,	29.77	756.1	...	...	S E	6	...	,,	29.65	753.1	...	...	S E	6
Chefoo,.....	4 p.	29.64	752.8	85	76	S	1	c	6 a.	29.61	752.1	73	100	...	0
Weihaiwei,.....	,,	29.63	752.6	74	...	N W	...	b	9 a.	29.64	752.8	78	...	N W	1
[illegible]	,,	29.69	754.1	95	65	...	0	b	6 a.	29.70	754.4	85	80	N E	1
Kiukiang,.....	,,	29.62	752.3	100	49	N E	1	b	,,	29.61	752.1	82	91	...	0
Shanghai, ...	,,	29.68	753.9	91	60	S E	3	b	9 a.	29.68	753.9	86	65	S S E	3
Gutzlaff, ...	,,	29.71	754.6	85	80	S E	5	bv	,,	29.71	754.6	84	83	S E	2
Sharp Peak,.....	,,	29.67	753.6	84	87	N N E	4	b	,,	29.64	752.8	84	87	N N E	4
Amoy,.....	,,	29.60	751.8	95	62	N E	6	b	6 a.	29.57	751.1	83	75	N E	1
Swatow, ...	,,	29.55	750.5	88	73	E	2	b	,,	29.55	750.5	81	87	N W	1
Taihoku,.....	1 p.	29.66	753.3	...	...	E	8	...	6 a.	29.59	751.6	...	...	E	[illegible]
Taichu, ...	,,	29.59	751.7	...	...	W	2	...	,,	29.54	750.4	...	...	...	[illegible]
Tainan,.....	,,	29.61	752.2	...	...	S W	6	...	,,	29.55	750.6	...	...	S E	[illegible]
Koshun.....	,,	29.62	752.3	...	...	N E	6	...	,,	29.55	750.5	...	...	N	[illegible]
Pescadores, ...	,,	29.61	752.1	...	...	W	4	...	,,	29.50	749.3	...	...	N	6
Canton,.....	3 p.	29.58	751.3	97	62	W	1	b	9 a.	29.66	753.3	84	87	...	0
Hongkong, ...	4 p.	29.57	751.1	85	72	E	1	o	10 a.	29.66	753.3	85	77	W N W	1
Victoria Peak,...	,,	...	...	...	...	W S W	1	...	,,	...	...	...	...	S W	3
Gap Rock,.....	,,	29.56	750.8	...	...	E N E	3	...	,,	29.64	758.2	...	...	W N W	3
Macao, ...	,,	29.59	751.6	85	...	S S E	1	c	,,	29.66	753.3	85	...	W S W	1
Wuchow,.....	3 p.	29.56	750.3	92	...	W	2	b	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.57	751.2	93	...	W S W	2	b	8 a.	29.70	754.3	88	...	S W	2
Tourane, ...	,,	29.61	752.2	82	...	S W	3	c	,,	29.79	754.3	84	...	N	1
Cape St. James,.	,,	29.76	756.0	81	...	W S W	4	o	,,	29.80	757.0	79	...	W S W	4
Aparri, ...	2 p.	29.51	749.6	81	...	S E	2	d	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.57	751	77	92	S S W	3	q	10 a.	29.61	752	81	94	S W	4
Legaspi, ...	2 p.	29.62	752.3	91	...	W	4	c	6 a.	29.66	753.4	77	...	S W	2
Bacolod, ...	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S S W	2
Iloilo, ...	,,	29.72	754.9	84	...	S W	5	o	,,	29.82	757.4	84	...	S W	4
Cebu,.....	,,	29.70	754.4	87	...	S	5	c	,,	29.79	756.6	86	...	S	5
Labuan, ...	,,	29.74	755.4	88	...	...	...	...	,,	29.79	756.6	83	...	...	...

On the 29th at 12.05 p.—The barometer has risen over E. Japan, and fallen elsewhere except at the extre Southern stations, the fall being considerable over Formosa, the Loochoos and the Bonins.

The low pressure area extends over the N. part of the China Sea and the Pacific towards the Bonins. It appe to contain two centers one in the China Sea almost stationary to the W. of the Balingtang Channel, and the other c the Pacific, possibly in about 20° Lat. 130° Long.

The return from Aparri is not yet in hand.

The high pressure is lying to the E. of Japan.

Rough weather may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, moderate or fresh; unsettled, squally.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,...	N.W winds, moderate or fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 29th July, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	29TH JULY, 1909, P.M.								30TH JULY, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
vostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
ro, ...	,,	30.00	762.1	...	...	...	0	...	6 a.	30.04	763.1	...	...	...	0	...
late, ...	,,	29.93	760.2	...	...	S E	4	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	29.87	758.6	...	...	S	4	...	,,	30.02	762.6	...	...	N	2	...
.....	,,	29.83	757.8	...	...	S	2	...	,,	29.84	757.8	...	...	S W	2	...
aki, ...	,,	29.80	756.8	...	...	E	4	...	,,	29.76	755.8	...	...	E	2	...
hima, ...	,,	29.76	755.9	...	...	N E	6	...	,,	29.76	755.9	...	...	E	8	...
a, ...	,,	29.69	754.1	...	...	N E	4	...	,,	29.61	752.1	...	...	N E	2	...
.....	,,	29.65	753.2	...	...	E	6	...	,,	29.58	751.2	...	...	E	2	...
kijima, ...	,,	29.58	751.3	...	...	E	6	...	,,	29.50	749.3	...	...	N E	4	...
Is.	,,	29.61	752.1	...	...	E	6	...	,,	29.73	755.1	...	...	S E	4	...
,, ...	4 p.	29.62	752.3	84	75	E	2	b	6 a.	29.70	754.4	77	100	...	0	f
iwei, ...	,,	29.62	752.3	82	...	N E	1	o	9 a.	29.75	755.6	75	...	N E	1	o
w, ...	,,	29.70	754.4	95	59	N E	1	b	6 a.	...	...	...	...	...	...	...
ng, ...	,,	29.56	750.8	99	44	N E	2	o	,,	...	...	...	...	...	...	...
hai, ...	,,	29.64	752.8	90	56	S S E	3	...	9 a.	29.72	754.9	88	66	E S E	2	o
ff, ...	,,	29.66	753.3	84	79	S E	4	cv	,,	29.73	755.1	86	79	...	0	cv
Peak, ...	,,	29.61	752.1	85	87	E N E	4	b	,,	29.69	754.1	83	96	N	1	b
.....	,,	29.52	749.8	96	59	N E	2	b	6 a.	29.62	752.3	82	78	N E	1	b
w, ...	,,	29.54	750.3	95	62	S W	1	b	,,	29.61	752.1	76	90	N N E	1	b
ku, ...	1 p.	29.59	751.6	...	...	E	8	...	5 a.	29.63	752.6	...	...	...	0	...
,, ...	,,	29.50	749.3	...	...	S W	2	...	,,	29.62	752.3	...	...	N	2	...
,, ...	,,	29.52	749.9	...	...	W	4	...	,,	29.59	751.6	...	...	E	2	...
,, ...	,,	29.52	749.8	...	...	N E	8	...	,,	29.60	751.9	...	...	...	0	...
dores, ...	,,	29.51	749.5	...	...	N E	8	...	,,	29.53	751.4	...	...	E	2	...
,, ...	3 p.	29.56	750.8	85	61	W	1	b	9 a.	29.72	754.9	80	95	...	0	b
ong, ...	4 p.	29.56	750.8	88	73	W S W	1	c	10 a.	29.72	754.9	86	82	W	1	c
ia Peak, ...	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S S W	2	...
ock, ...	,,	29.55	750.5	...	...	W	3	...	,,	29.69	754.1	...	...	S W	4	...
.....	,,	29.58	751.3	90	...	S W	2	c	,,	29.72	754.9	89	...	S W	2	c
ow, ...	3 p.	29.60	751.8	81	...	W	1	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en, ...	4 p.	29.59	751.6	91	...	S	1	b	8 a.	...	...	...	...	...	...	...
ne, ...	,,	29.62	752.4	84	...	N W	2	b	,,	...	...	...	...	...	...	...
St. James, .	,,	29.74	755.5	79	...	S W	5	or	,,	...	...	...	...	...	...	...
i, ...	2 p.	29.29	744.0	77	...	S W	4	q	6 a.	29.62	752.4	75	...	S	2	o
s, ...	4 p.	29.61	752	79	84	W	4	cq	10 a.	29.84	758	75	94	...	0	od
pi, ...	2 p.	29.62	752.3	90	...	W	4	o	6 a.	29.76	756.0	79	...	W	2	o
d, ...	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S W	1	op
.....	,,	29.74	755.4	85	...	S S W	5	c	,,	29.87	758.7	82	...	S	4	c
.....	,,	29.73	755.1	88	...	S	5	c	,,	29.87	758.7	85	...	S	3	c
n, ...	,,	29.74	755.4	90	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

On the 29th at 5.0 p.—Red Drum hoisted.
The typhoon appears to be situated to the S.W. of Formosa and to be moving northwards.
On the 30th at 8.45 a.—Signals lowered.
At 30th 12.10 p.—The barometer has fallen moderately over the Loochoos and S.W. Japan, and risen elsewhere. icularly in Luzon.
The typhoon has recurved to the N.E. and is situated this morning to the S.E. of Meiaco Sima islands.
Pressure remain high over the Pacific to the E. of Japan.
Fresh N. to W. winds may be expected in the Formosa Channel, and strong monsoon over the N. part of the a Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	S.W. winds, moderate to fresh; thunder showers.
rmosa Channel, ...	N. to W. winds, fresh..
uth coast of China between Hongkong and Lamocks,..	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 30th July, 1909.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th JULY, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	31st JULY, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.69	754.0	75	...	S E	1	c	7 a.	29.78	756.5	68	99	...	0
Nemuro,	,,	30.00	762.1	...	...	E	6	...	6 a.	30.04	763.1	...	...	S	6
Hakodate,	,,	29.97	761.2	...	...	S E	4	...	,,	30.01	762.2	...	...	...	0
Tokio,	,,	29.98	761.6	...	...	E	6	...	,,	30.02	762.6	...	...	N	2
Kochi,	,,	29.76	755.8	...	...	E	6	...	,,	29.76	755.8	...	...	S W	2
Nagasaki,	,,	29.72	754.8	...	...	N E	6	...	,,	29.60	751.8	...	...	N E	2
Kagoshima,	,,	29.64	752.9	...	...	N	4	...	,,	29.60	751.9	...	...	E	8
Oshima,	,,	29.53	750.1	...	...	N E	6	...	,,	29.45	748.1	...	...	S E	9
Naha,	,,	29.50	749.2	...	...	E	4	...	,,	29.42	747.2	...	...	N	8
Ishigakijima,	,,	29.50	749.3	...	...	N	10	...	,,	29.62	752.3	...	...	N W	6
Bonin Is.	,,	29.73	755.1	...	...	S	6	...	,,	29.81	757.1	...	...	S	4
Chefoo,	4 p.	29.74	755.4	83	83	N E	1	b	6 a.	29.87	758.7	73	95	...	0
Weihaiwei,	,,	29.72	754.9	83	...	N E	1	b	9 a.	29.79	756.6	78	...	N E	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang,	,,	29.65	753.1	96	56	...	0	b	,,	...	...	...	...	...	...
Shanghai,	,,	29.66	753.3	92	61	...	3	c	9 a.	29.70	754.4	87	65	N	1
Gutzlaff,	,,	29.68	753.9	87	76	N E	2	cv	,,	29.70	754.4	85	68	N N E	2
Sharp Peak,	,,	29.64	752.8	85	91	E	2	b	,,	29.76	755.9	85	100	...	0
Amoy	,,	29.61	752.1	91	74	S E	5	b	6 a.	29.66	753.3	82	87	W	1
Swatow,	,,	29.67	753.6	90	66	E	1	lt	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.64	752.9	...	...	N	6	...	5 a.	29.70	754.4	...	...	W	2
Taichu,	,,	29.63	752.5	...	...	N	6	...	,,	29.72	754.9	...	...	...	0
Tainan,	,,	29.63	752.6	...	...	N	6	...	,,	29.73	755.2	...	...	N	2
Koshun	,,	29.63	752.7	...	...	N W	4	...	,,	29.70	754.3	...	...	W	8
Pescadores,	,,	29.66	753.3	...	...	N	6	...	,,	29.73	755.0	...	...	N	4
Canton,	3 p.	...	...	94	71	S E	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.67	753.6	88	80	S	1	c	10 a.	29.79	756.6	88	66	W	1
Victoria Peak,	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S W	2
Gap Rock,	,,	29.65	753.1	...	...	S W	4	...	,,	29.77	756.1	...	...	W S W	4
Macao,	,,	29.67	753.6	90	...	S W	1	c	,,	29.79	756.6	87	...	W S W	1
Wuchow,	3 p.	29.66	753.3	92	61	W	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.70	754.4	91	63	S W	1	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.66	753.4	90	...	S S E	1	lt	8 a.	29.79	756.6	73	...	S	0
Tourane,	,,	29.70	754.5	82	...	...	0	o	,,	29.80	757.0	88	...	E N E	1
Cape St. James,	,,	29.82	757.5	79	...	S W	4	or	,,	29.93	760.2	79	...	N W	2
Aparri,	2 p.	29.65	753.2	88	...	N W	2	c	6 a.	29.77	756.1	75	...	S	2
Manila,	4 p.	29.76	756	81	85	...	0	o	10 a.	29.84	758	84	77	W N W	0
Legaspi,	2 p.	29.77	756.2	84	...	W	2	o	6 a.	29.84	757.8	77	...	W	2
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S W	2
Iloilo,	,,	29.87	758.7	82	...	S W	3	o	,,	29.81	759.7	82	...	S W	3
Cebu,	,,	29.82	757.4	86	...	S	4	c	,,	29.83	758.9	85	...	S	2
Labuan,	,,	29.84	757.9	87	...	...	...	...	,,	29.90	759.4	86	...	...	...

On the 31st at 11.40 a.—The barometer has fallen considerably over the Loochoos and S.W. Japan, and moderately over the coasts of S. China and in Formosa and Luzon.

The typhoon is now situated to the East of the Loochoos. It continues to move towards N.E.

Pressure is high over the Pacific to the E. of Japan, and over the S. part of the China Sea.

Moderate mousoon may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 31st July, 1909.

Printed by NORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	31st JULY, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st AUGUST, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	29.79	756.6	80	...	S	1	c	7 a.	29.78	756.5	69	99	...	0	f
wo, ...	,,	30.01	762.1	...	...	S	8	...	6 a.	...	...	...	...	...	...	...
date, ...	,,	29.97	761.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
, ...	,,	29.94	760.6	...	...	S E	6	...	,,	...	...	...	...	...	...	...
i, ...	,,	29.68	753.8	...	...	E	6	...	,,	...	...	...	...	...	...	...
aki, ...	,,	29.56	750.8	...	...	N E	8	...	,,	...	...	...	...	...	...	...
shima, ...	,,	29.56	750.9	...	...	E	8	...	,,	...	...	...	...	...	...	...
s, ...	,,	29.41	747.1	...	...	N E	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.46	748.2	...	...	N W	8	...	,,	...	...	...	...	...	...	...
kijima, ...	,,	29.66	753.3	...	...	N W	8	...	,,	...	...	...	...	...	...	...
Is.	,,	29.81	757.1	...	...	S E	2	...	,,	...	...	...	...	...	...	...
o, ...	4 p.	29.74	755.4	79	87	N E	2	c	6 a.	...	...	...	...	...	...	...
iwei, ...	,,	29.80	756.9	79	...	N E	1	b	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng, ...	,,	29.84	757.9	96	59	...	0	b	,,	...	...	...	...	...	...	...
hai, ...	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
ff, ...	,,	29.67	753.6	85	68	N N E	3	bv	,,	...	...	...	...	...	...	...
Peak, ...	,,	29.64	752.8	87	91	S S E	2	c	,,	29.63	752.6	86	96	N E	1	b
.....	,,	29.63	752.6	92	77	S E	2	o	6 a.	29.61	752.1	81	90	S W	1	b
w, ...	,,	29.65	753.1	93	58	S W	2	b	,,	29.65	753.1	82	83	W	1	b
ku.	1 p.	29.69	754.2	...	...	W	6	...	6 a.	29.66	75[illegible].4	...	...	S	2	...
n, ...	,,	29.73	755.1	...	...	S	2	...	,,	29.72	754.9	...	...	S	2	...
p.	,,	29.75	755.7	...	...	W	6	...	,,	29.73	755.2	...	...	S E	2	...
o.	,,	29.75	755.6	...	...	N W	6	...	,,	...	...	...	...	W		...
lores, ...	,,	29.76	755.8	...	...	S	4	...	,,	29.70	754.4	...	...	S		...
,, ...	3 p.	29.64	752.8	85	64	S W	1	b	9 a.	29.75	755.6	85	87	W S W	1	c
ong, ...	4 p.	29.71	754.6	88	75	S	1	o	10 a.	29.76	755.9	86	76	S W	1	c
ia Peak, ...	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S W	4	...
ock, ...	,,	29.69	754.1	...	...	W S W	3	...	,,	29.74	755.4	...	...	S W	3	...
.....	,,	29.70	754.4	88	...	S S E	1	c	,,	29.76	755.9	88	...	S S W	1	c
ow, ...	3 p.	29.70	754.4	91	...	W	1	c	9 a.	29.76	755.9	83	...	S W	1	c
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.69	[illegible]	88	...	S S E	3	b	8 a.	29.75	755.5	86	...	E N E	0	c
ne, ...	,,	29.74	[illegible]	86	...	...	0	c	,,	29.78	756.4	83	..	...	0	b
t. James, ..		[illegible]	[illegible]	81	...	N W	2	or	,,	29.91	759.7	81	...	W S W	2	c
.....	2 p.	[illegible]	[illegible]	88	...	N	2	b	6 a.	29.77	756.2	76	...	S	2	b
.....	4 p.	29.76	[illegible]	86	78	W S W	1	c	10 a.	29.84	758	84	85	W S W	1	c
.....	2 p.	29.86	[illegible]	90	...	W	2	c	6 a.	29.83	757.6	79	...	W	2	b
.....	3 p.	...	...	...	...	W S W	2	od	9 a.	...	...	...	...	S E	3	o
.....	,,	29.83	757.7	85	...	S S W	2	b	,,	29.91	759.7	82	...	S W	3	o
.....	,,	29.81	757.2	89	...	S	1	b	,,	29.87	758.7	86	...	S	2	c
o, ...	,,	29.85	758.2	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 1st at 12.20 p.—The barometer has fallen slightly over S. China and Tongking.

Pressure remains high over the S. part of the China Sea. It is relatively low over the SE coast of China.

The returns from N. China and Japan are entirely lacking.

Moderate to fresh mousoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	S.W. winds, moderate to fresh; fair.
rmosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 1st August, 1909.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st August, 1909, P.M.								2nd August, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.76	756.0	84	...	N W	1	c	7 a.	29.60	751.7	72	96	N	1
Nemuro,	,,	30.00	762.1	...	...	S	4	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.89	759.2	...	...	S	4	...	,,	...	...	...	...	...	...
Tokio,	,,	29.71	754.6	...	...	S	6	...	,,	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.81	757.1	...	...	S E	2	...	,,	...	...	...	...	...	...
Chefoo,	4 p.	29.59	751.6	78	86	N W	1	o	6 a.	29.49	749.0	72	95	S W	1
Weihaiwei,	,,	29.63	752.6	81	...	N E	1	o	9 a.	...	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.79	756.6	85	64	W N W	3
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.64	752.8	80	82	W	2
Shanghai,	,,	29.57	751.1	90	53	N W	2	c	9 a.	29.59	751.6	87	68	W N W	3
Gutzlaff,	,,	29.57	751.1	80	95	N	3	omd	,,	29.58	751.8	84	79	N W	2
Sharp Peak,	,,	29.56	750.8	88	92	S S E	2	b	,,	29.57	751.1	86	96	...	0
Amoy,	,,	29.54	750.3	93	78	S W	1	b	6 a.	29.56	750.8	82	87	S W	1
Swatow,	,,	29.61	752.1	85	...	S W	2	c	,,	29.60	751.8	81	83	W N W	1
Taihoku,	1 p.	29.61	752.2	...	...	W	6	...	5 a.	29.60	751.9	...	...	S	2
Taichu,	,,	29.70	754.5	...	...	S	4	...	,,	29.67	753.6	...	...	S E	2
Tainan,	,,	29.74	755.4	...	...	W	6	...	,,	29.69	754.0	...	...	S E	4
Koshun,	,,	29.73	755.1	...	...	W	8	...	,,	29.68	753.9	...	...	W	6
Pescadores,	,,	29.71	754.6	...	...	S W	8	...	,,	29.65	753.2	...	...	S	8
Canton,	3 p.	...	...	96	97	W S W	1	c	9 a.	29.64	752.8	80	91	N W	1
Hongkong,	4 p.	29.65	753.1	87	74	S W	1	c	10 a.	29.68	753.9	87	73	S W	2
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S S W	4
Gap Rock,	,,	29.63	752.6	...	...	S W	4	...	,,	29.67	753.6	...	...	S W	4
Macao,	,,	29.66	753.3	89	...	S W	2	c	,,	29.65	753.1	87	...	S W	1
Wuchow,	3 p.	29.65	753.1	92	...	W	1	c	9 a.	29.69	754.1	85	...	W	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.70	754.4	81	62	S	2	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.63	752.7	86	...	S E	3	c	8 a.	29.63	753.9	86	...	E N E	3
Tourane,	,,	29.69	754.1	84	...	...	0	b	,,	29.70	754.4	83	...	...	0
Cape St. James,	,,	29.78	756.5	82	...	S W	2	o	,,	29.88	[illegible]	[illegible]	...	W S W	4
Aparri,	2 p.	29.75	755.6	86	...	N E	2	b	6 a.	29.74	[illegible]	[illegible]	[illegible]	S	2
Manila,	4 p.	...	...	84	77	W S W	3	o	10 a.	29.84	75[illegible]	[illegible]	77	W S W	3
Legaspi,	2 p.	29.79	756.7	91	...	W	2	b	6 a.	29.79	756.7	79	...	W	2
Bacolod,	3 p.	...	...	...	...	S S W	2	o	9 a.	...	...	...	...	S S[illegible]	2
Iloilo,	,,	29.81	757.2	83	...	S W	2	c	,,	29.87	758.7	83	...	S	
Cebu,	,,	29.80	756.9	89	...	S	2	c	,,	29.85	758.2	86	...	S	...
Labuan,	,,	29.80	756.9	89	...	...	...	...	,,	29.86	758.4	84	...	...	...

On the 2nd at 12.05 p.—The returns from the Japanese stations have not been received, but probably typhoon has crossed W. Japan and moved into the Sea of Japan.

The barometer has fallen moderately to slightly over the China coast and Philippines respectively.

Pressure remains high over the S. part of the China Sea.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate to fresh; fair to showery
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 2nd August, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	2ND AUGUST, 1909, P.M.								3RD AUGUST, 1909, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o,.....	,,	29.89	759.1	...	...	S	8	...	6 a.	29.93	760.1	...	...	S	2	...
ate,.....	,,	29.85	758.2	...	...	S	4	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	29.83	757.6	...	...	S W	4	...	,,	29.87	758.6	...	...	N	2	...
.....	,,	29.68	753.8	...	...	S E	6	...	,,	29.72	754.8	...	...	N E	2	...
ki, ...	,,	29.48	748.8	...	...	S	6	...	,,	29.60	751.8	...	...	...	0	...
ima, ...	,,	29.48	748.9	...	...	S	2	...	,,	29.56	750.9	...	...	E	6	...
.....	,,	29.49	749.1	...	...	N W	2	...	,,	29.53	750.1	...	...	N	6	...
.....	,,	29.57	751.2	...	...	N W	6	...	,,	29.58	[illegible]	...	...	N W	4	...
ijima,....	,,	29.62	752.3	...	...	S W	6	...	,,	29.62	[illegible]	...	...	S	4	...
ls.....	,,	29.73	755.1	...	...	N W	2	...	,,	29.77	[illegible]	...	...	N W	2	...
.....	4 p.	29.39	746.5	81	74	E	3	c	6 a.	29.48	[illegible]	[illegible]	96	S	1	b
wei,.....	,,	29.48	748.8	80	...	N W	1	b	9 a.	29.56	[illegible]	[illegible]	...	N E	1	b
w, ...	,,	29.71	754.6	94	47	S W	1	b	6 a.	29.67	[illegible]	[illegible]	87	N W	1	b
ng,.....	,,	29.60	751.8	90	47	W	1	b	,,	29.60	[illegible]	[illegible]	...	...	...	...
ai, ...	,,	29.54	750.3	90	50	W N W	3	c	9 a.	29.64	[illegible]	[illegible]	[illegible]	S	1	b
f, ...	,,	29.55	750.5	89	69	...	0	cv	,,	29.63	752.6	85	72	S S E	1	bv
Peak,.....	,,	29.57	751.1	85	95	S E	1	o	,,	29.63	752.6	85	96	N	1	b
.....	,,	29.54	750.3	94	74	S E	4	b	6 a.	29.59	751.6	80	91	S W	1	b
,.....	,,	29.57	751.1	84	79	W N W	1	c	,,	29.61	752.1	79	91	...	0	c
,.....	1 p.	29.60	751.8	...	...	W	6	...	5 a.	29.64	752.9	...	...	E	2	...
,.....	,,	29.67	753.5	...	...	S	6	...	,,	29.68	753.9	...	...	S E	2	...
,.....	,,	29.70	754.3	...	...	W	4	...	,,	29.69	754.0	...	...	S E	4	...
.....	,,	29.68	753.9	...	...	N W	6	...	,,	29.68	753.8	...	...	W	6	...
res, ...	,,	29.69	754.0	...	...	S W	6	...	,,	29.68	753.8	...	...	S	6	...
.....	3 p.	29.56	750.8	89	69	W	1	b	9 a.	29.64	752.8	81	83	S W	1	c
ong, ...	4 p.	29.60	751.8	87	73	S W	1	c	10 a.	29.71	754.6	78	89	N W	1	od
a Peak,...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	W S W	2	...
ock,.....	,,	29.59	751.6	...	...	S W	3	...	,,	29.67	753.6	...	...	W	3	...
.....	,,	29.62	752.3	87	...	S W	1	c	,,	29.68	753.9	80	...	S E	1	od
w,.....	3 p.	29.59	751.6	92	57	W	2	c	9 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.56	750.8	92	67	S	2	c	,,	...	...	...	...	...	...	...
n,.....	4 p.	29.56	750.7	86	...	S S E	2	lt	8 a.	29.63	753.9	86	...	E S E	1	c
e, ...	,,	29.69	752.4	86	...	S E	1	c	,,	29.68	753.9	83	...	N E	1	c
. James,.	[illegible]	[illegible]	[illegible]	79	...	S W	6	or	,,	29.84	757.8	79	...	W S W	3	c
.....	[illegible]	[illegible]	[illegible]	88	...	N	2	b	6 a.	29.73	755.0	73	...	S	2	c
.....	4 p.	[illegible]	.56	84	77	S W	2	o	10 a.	29.80	757	82	77	W S W	0	c
,, ...	2 p.	29.76	755.8	91	...	W	2	b	6 a.	29.80	757.0	79	...	...	0	b
	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	W S W	3	op
.....	,,	29.79	756.6	84	...	S S W	3	c	,,	29.87	758.7	80	...	S W	3	c
.....	,,	29.78	756.4	99	...	S	1	c	,,	29.87	758.7	84	...	S	2	b
.....	,,	29.79	756.6	89	...	...	...	...	,,	29.88	758.9	76	...	...	...	...

On the 3rd at 12.20 p.—The barometer has risen considerably in W. Japan, and a slight rise has taken place on oasts of S. China.

A new depression may be developing over the Pacific to the Eastward of the Loochoos, where pressure remains

Pressure is low also over N. China. It is highest to the East of Japan in the North, and over the S. part of the Sea in the South.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	S.W. winds, moderate; thunder showers.
mosa Channel, ...	S. winds, moderate.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 3rd August, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd August, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th August, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.60	751.8	74	...	S E	4	o	7 a.	29.71	754.6	68	99	S	2
Nemuro,	,,	29.93	760.1	...	...	S E	6	...	6 a.	30.01	762.1	...	...	S E	4
Hakodate,	,,	29.85	758.2	...	...	S E	6	...	,,	29.93	760.2	...	...	E	4
Tokio,	,,	29.83	757.6	...	...	N	2	...	,,	29.87	758.6	...	...	N	2
Kochi,	,,	29.76	755.8	...	...	S	4	...	,,	29.84	757.8	...	...	S W	2
Nagasaki,	,,	29.60	751.8	...	...	W	6	...	,,	29.76	755.8	...	...	E	2
Kagoshima,	,,	29.60	751.9	...	...	E	6	...	,,	29.72	754.9	...	...	E	6
Oshima,	,,	29.45	748.1	...	...	N	6	...	,,	29.49	749.1	...	...	S	4
Naha,	,,	29.61	752.2	...	...	W	6	...	,,	29.54	750.2	...	...	W	10
Ishigakijima,	,,	29.66	753.3	...	...	N E	2	...	,,	29.66	753.3	...	...	N W	4
Bonin Is.	,,	29.69	754.1	...	...	N W	4	...	,,	29.65	753.1	...	...	W	4
Chefoo,	4 p.	29.51	749.5	80	78	E	2	c	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	29.56	750.8	76	...	N E	1	o	9 a.	29.73	755.1	80	...	N E	1
Hankow,	,,	29.73	755.1	94	41	S W	1	b	6 a.	29.87	758.7	84	68	S E	1
Kiukiang,	,,	29.78	756.4	96	53	...	0	b	,,	29.70	754.4	77	86	...	0
Shanghai,	,,	29.65	753.1	92	45	N W	1	c	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.62	752.3	87	62	S S E	1	bv	,,	29.74	755.4	85	75	N N E	1
Sharp Peak,	,,	29.61	752.1	87	96	E S E	1	c	,,	29.70	754.4	86	...	E	1
Amoy,	,,	29.59	751.6	90	84	S E	4	b	6 a.	29.65	753.1	83	87	S W	1
Swatow,	,,	29.60	751.8	88	73	...	0	c	,,	29.63	752.6	83	79	...	0
Taihoku,	1 p.	29.65	753.0	...	...	W	6	...	5 a.	29.72	754.8	...	...	...	0
Taichu,	,,	29.69	754.2	...	...	W	4	...	,,	29.73	755.0	...	...	...	0
Tainan,	,,	29.71	754.6	...	...	W	4	...	,,	29.72	754.9	...	...	S	2
Koshun	,,	29.70	754.4	...	...	N W	6	...	,,	29.71	754.7	...	...	W	6
Pescadores,	,,	29.70	754.3	...	...	W	6	...	,,	29.71	754.6	...	...	S W	2
Canton,	3 p.	29.58	751.3	87	80	S	2	b	9 a.	29.68	753.9	84	87	S W	1
Hongkong,	4 p.	29.63	752.6	84	77	W	1	o	10 a.	29.72	754.9	85	77	W N W	1
Victoria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	W S W	2
Gap Rock,	,,	29.60	751.8	...	...	S	2	...	,,	29.69	754.1	...	...	W S W	3
Macao,	,,	29.64	752.8	85	...	S E	1	c	,,	29.72	754.9	87	...	S W	1
Wuchow,	3 p.	29.62	752.3	90	...	S W	2	c	9 a.	29.72	754.9	83	83	E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.65	753.1	91	70	S S W	1	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.56	750.8	88	...	S E	5	c	8 a.	29.68	753.8	79	...	E N E	2
Tourane,	,,	29.61	752.0	88	...	N N E	1	b	,,	29.73	755.2	83	..	S E	2
Cape St. James,	,,	29.74	755.3	82	...	S W	4	c	,,	29.88	758.8	79	...	S W	3
Aparri,	2 p.	29.72	755.0	77	...	E	2	t	6 a.	29.76	755.9	75	...	S	2
Manila,	4 p.	29.72	755	82	77	S W	3	c	10 a.	29.84	758	82	77	W S W	3
Legaspi,	2 p.	29.76	755.9	91	...	W	2	c	6 a.	29.81	757.2	79	...	W	2
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S W	2
Iloilo,	,,	29.77	756.1	82	...	S W	1	c	,,	29.87	758.7	82	...	N W	1
Cebu,	,,	29.77	756.1	86	...	S	1	c	,,	29.85	758.2	85	...	S	1
Labuan,	,,	29.80	756.9	82	...	...	...	...	,,	29.89	759.2	79	...	...	...

On the 4th at 12.10 p.—Except over the Loochoos and the Bonins where a slight fall has taken place, the meter has risen generally, particularly over N. China and W. Japan.

The depression noted yesterday as lying to the Eastward of the Loochoos, has moved slowly Westwards a now situated to the West of the Group.

The high pressure is lying to the N.E. of Japan in the North, and over the S. part of the China Sea in the

Moderate W. and S.W. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W. and S.W. winds, moderate; fair.
2.—Formosa Channel,	W. and S.W. winds fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 4th August, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	4TH AUGUST, 1909, P.M.								5TH AUGUST, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.96	761.1	...	...	S E	6	...	6 a.	30.01	762.1	...	...	S W	2	...
e,.....	,,	29.93	760.2	...	...	S E	8	...	,,	29.97	761.2	...	...	E	2	...
.....	,,	29.83	757.6	...	...	N	6	...	,,	29.91	759.6	...	...	N W	4	...
.....	,,	29.83	757.8	...	...	S	2	...	,,	29.76	755.8	...	...	S W	2	...
i, ...	,,	29.72	754.8	...	...	N	6	...	,,	29.76	755.8	...	...	N	2	...
na, ...	,,	29.72	754.9	...	...	E	8	...	,,	...	...	...	...	...	...	...
.....	,,	29.53	750.1	...	...	S E	4	...	,,	29.57	751.1	...	...	E	4	...
.....	,,	29.50	749.2	...	...	N	8	...	,,	29.34	745.2	...	...	N	10	...
jima,....	,,	29.66	753.3	...	...	N W	6	...	,,	29.62	752.3	...	...	N W	[illegible]	[illegible]
.....	,,	29.61	752.1	...	...	S W	6	...	,,	29.69	754.1	...	...	S	[illegible]	[illegible]
.....	4 p.	29.77	756.1	84	75	N E	3	b	6 a.	29.87	758.7	77	95	N	[illegible]	[illegible]
ei,.....	,,	29.75	755.6	84	...	N E	1	o	9 a.	29.86	758.4	80	...	N E	[illegible]	b
, ...	,,	29.77	756.1	95	42	N E	1	b	6 a.	29.82	757.4	84	72	N E	[illegible]	[illegible]
g,.....	,,	29.70	754.4	95	44	N E	0	lt	,,	29.76	755.9	82	75	N E	[illegible]	[illegible]
i, ...	,,	29.74	755.4	89	50	E N E	2	c	9 a.	29.81	757.2	88	69	N E	[illegible]	[illegible]
.....	,,	29.70	754.4	88	66	N E	3	cv	,,	29.77	756.1	85	83	N E	[illegible]	[illegible]
eak,.....	,,	29.70	754.4	86	90	E	3	c	,,	29.73	755.1	84	96	N	1	b
.....	,,	29.64	752.8	86	87	S E	3	c	6 a.	29.68	753.9	80	91	...	0	c
.....	,,	29.65	753.1	84	79	W N W	1	o	,,	29.69	754.1	79	87	N N E	1	o
.....	1 p.	29.70	754.5	...	...	N	6	...	5 a.	29.72	754.8	...	...	W	2	...
.....	,,	29.70	754.5	...	...	N	4	...	,,	29.74	755.3	...	...	...	0	...
.....	,,	29.72	755.0	...	...	W	4	...	,,	29.72	754.8	...	...	...	0	...
.....	,,	29.73	755.1	...	...	N W	6	...	,,	29.69	754.2	...	...	N W	2	...
es, ...	,,	29.72	755.0	...	...	W	2	...	,,	29.73	755.0	...	...	...	0	...
.....	3 p.	29.66	753.3	92	64	W	1	b	9 a.	...	...	...	...	...	...	...
ng, ...	4 p.	29.66	753.3	87	72	W	1	o	10 a.	29.75	755.6	80	99	W	1	o
Peak,...	,,	...	...	...	...	S S W	4	...	,,	...	...	...	...	W N W	3	...
k,.....	,,	29.64	752.8	...	...	W S W	2	...	,,	29.71	754.6	...	...	W N W	2	...
.....	,,	29.66	753.3	89	...	S W	1	c	,,	29.76	755.9	81	...	S S W	2	od
,.....	3 p.	29.65	753.1	92	...	W	1	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.71	754.6	89	69	S	2	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.63	752.5	88	...	S E	2	c	8 a.	29.71	754.5	79	...	E N E	3	or
.....	,,	29.67	753.7	86	...	N N W	1	c	,,	29.74	755.4	90	...	...	0	b
James,.	,,	29.80	757.0	75	...	S W	6	or	,,	29.88	759.0	79	...	S W	3	c
.....	2 p.	29.72	754.8	88	...	N	2	b	6 a.	29.78	756.4	75	...	S	2	c
.....	4 p.	29.76	756	82	77	W S W	3	o	10 a.	29.84	758	82	85	S W	1	o
.....	2 p.	29.76	756.0	90	...	S W	2	b	6 a.	29.83	757.7	77	...	...	0	b
.....	3 p.	...	...	...	...	S S W	2	c	9 a.	...	...	...	...	S S W	3	c
.....	,,	29.81	757.2	85	...	S W	2	b	,,	29.87	758.7	82	...	S W	1	b
.....	,,	29.81	757.2	87	...	S	1	b	,,	29.88	758.9	87	...	S	2	b
.....	,,	29.80	756.9	86	...	...	...	...	,,	29.85	758.2	84	...	...	...	...

n the 5th at 11.55 a.—The depression remains over the Loochoos. It appears to be moving very slowly.
he barometer has risen over China, particularly in the North.
ressure is high over N. China and N.E. Japan, and normal over the China Sea.
oderate or fresh N. to N.W. winds may be expected in the Formosa Channel, and moderate W. and S.W. over the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	W. and S.W. winds, moderate; thunder showers.
nosa Channel, ...	N. and N.W. winds, moderate to fresh.
th coast of China between Hongkong and Lamocks,..	Same as No. 1.
h coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

ongkong Observatory, Thursday, 5th August, 1909.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th August, 1909, P.M.								6th August, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	29.96	761.1	...	...	S	6	...	6 a.	29.97	761.1	...	...	S	6
Hakodate,	"	29.93	760.2	...	...	S E	6	...	"	29.93	760.2	...	...	...	0
Tokio,	"	29.87	758.6	...	...	E	6	...	"	29.91	759.6	...	...	...	0
Kochi,	"	29.64	752.8	...	...	S E	2	...	"	29.60	751.8	...	...	N E	2
Nagasaki,	"	29.68	753.8	...	...	N E	6	...	"	29.52	749.8	...	...	N	6
Kagoshima,	"	29.72	754.9	...	...	E	6	...	"	29.49	748.9	...	...	N W	6
Oshima,	"	29.57	751.1	...	...	S	4	...	"	29.49	749.1	...	...	N	2
Naha,	"	29.46	748.2	...	...	N	12	...	"	..	...	...	...	...	...
Ishigakijima,	"	29.66	753.3	...	...	N W	6	...	"	29.66	753.3	...	...	N E	6
Bonin Is.	"	29.69	754.1	...	...	S E	2	...	"	29.77	756.1	...	...	W	2
Chefoo,	4 p.	29.84	757.9	85	79	N E	3	b	6 a.	29.87	758.7	76	95	...	0
Weihaiwei,	"	29.72	754.9	89	...	N E	1	b	9 a.	29.84	757.9	79	...	N W	1
Hankow,	"	29.85	758.2	94	52	N E	1	b	6 a.	29.90	759.4	84	83	S E	1
Kiukiang,	"	29.78	756.4	95	59	N E	2	b	"	29.73	755.1	83	87	N E	2
Shanghai,	"	29.76	755.9	90	60	N E	3	c	9 a.	29.76	755.9	88	62	N	2
Gutzlaff,	"	29.75	755.6	87	76	N N E	5	cm	"	29.74	755.4	85	75	N N E	2
Sharp Peak,	"	29.72	754.9	85	87	E N E	4	c	"	29.72	754.9	84	96	...	0
Amoy,	"	29.66	753.3	89	80	S E	4	b	6 a.	29.70	754.4	81	91	...	0
Swatow,	"	29.68	753.9	80	90	...	0	o	"	29.70	754.4	80	87	E	1
Taihoku,	1 p.	29.71	754.7	...	...	N E	2	...	5 a.	29.72	754.8	...	...	S	2
Taichu,	"	29.71	754.6	...	...	N	4	...	"	29.73	755.2	...	...	...	0
Tainan,	"	29.73	755.2	...	...	W	6	...	"	29.72	754.8	...	...	E	2
Koshun,	"	29.74	755.3	...	...	W	4	...	"	29.73	755.2	...	...	...	0
Pescadores,	"	29.73	755.2	...	...	N	4	...	..	29.72	754.9	...	...	N W	4
Canton,	3 p.	29.70	754.4	81	96	...	0	or	9 a.	29.68	753.9	80	96	...	0
Hongkong,	4 p.	29.67	753.6	83	81	W	1	o	10 a.	29.75	755.6	77	94	E	1
Victoria Peak,	"	...	...	...	...	S W	1	...	"	...	...	...	...	S E	2
Gap Rock,	"	29.66	753.3	...	...	W	2	...	"	29.73	755.1	...	...	W S W	3
Macao,	"	29.70	754.4	83	...	S W	1	c	"	29.75	755.6	78	...	S S E	2
Wuchow,	3 p.	29.72	754.9	81	...	W	1	o	9 a.	29.74	755.4	81	87	E	1
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...
Pakhoi,	"	29.69	754.1	89	73	S	1	o	"	...	...	...	...	...	...
Phulien,	4 p.	29.62	752.4	86	...	S E	3	c	8 a.	29.69	754.2	81	...	E	1
Tourane,	"	29.67	753.6	86	...	E	1	c	"	29.72	754.9	90	..	S E	1
Cape St. James,	"	29.80	756.8	75	...	N W	2	or	"	29.86	758.3	79	...	W S W	2
Aparri,	2 p.	29.73	755.1	90	...	S E	2	b	6 a.	29.77	756.1	75	...	S	2
Manila,	4 p.	29.76	756	82	77	S W	3	o	10 a.	29.84	758	84	77	W	1
Legaspi,	2 p.	29.80	756.9	88	...	W	2	c	6 a.	29.84	758.0	79	...	W	2
Bacolod,	3 p.	...	...	...	...	W S W	3	c	9 a.	...	...	...	...	S W	2
Iloilo,	"	29.85	758.2	85	...	S W	2	c	"	29.91	759.7	83	...	S W	1
Cebu,	"	29.81	757.2	88	...	S	2	b	"	29.87	758.7	87	...	S	1
Labuan,	"	29.79	756.6	90	...	...	...	...	"	29.36	758.4	85	...	...	...

On the 6th at 11.55 a.—Except over S.W. Japan where the barometer has fallen quickly, changes of pre are slight.

The depression to the E. of the Loochoos appears to be moving slowly northwards.

Pressure remains high over N. China and N.E. Japan, and normal over the S. part of the China Sea.

Light to moderate variable winds may be expected in the Formosa Channel and along the northern shores o China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; thunder sh
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 6th August, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	6TH AUGUST, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7TH AUGUST, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	29.85	758.2	77	...	S	1	c	7 a.	29.79	756.6	69	99	S W	1	o
,.....	,,	29.93	760.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	S	4	...
te,.....	,,	29.89	759.2	...	...	S E	6	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	29.91	759.6	...	...	S E	6	...	,,	29.91	759.6	...	...	...	0	...
.....	,,	29.68	753.8	...	...	E	6	...	,,	29.72	754.8	...	...	...	0	...
ki,.....	,,	29.24	742.8	...	...	S	8	...	,,	29.56	750.8	...	...	E	2	...
ima,.....	,,	29.48	748.9	...	...	S	6	...	,,	29.56	750.9	...	...	E	6	...
.....	,,	29.49	749.1	...	...	N	6	...	,,	29.49	749.1	...	...	N	8	...
.....	,,	29.50	749.2	...	...	N W	8	...	,,	29.62	752.2	...	...	W	4	...
ijima,....	,,	...	...	...	...	S E	6	...	,,	29.79	754.3	...	...	N W	4	...
ls,.....	,,	29.77	756.1	...	...	N	2	...	,,	29.77	756.1	...	...	...	...	...
.....	4 p.	29.88	758.9	85	72	N E	3	b	6 a.	29.76	755.9	73	95	...	0	...
vei,.....	,,	29.75	755.6	...	...	N W	1	b	9 a.	29.71	754.6	80	...	N E	1	...
,.....	,,	29.84	757.9	95	53	N E	1	b	6 a.	29.67	758.7	84	79	E	1	...
g,.....	,,	29.71	754.6	96	56	N E	3	b	,,	29.68	753.9	83	79	N E	2	o
ii,.....	,,	29.68	753.9	92	48	N	2	b	9 a.	...	...	...	...	...	...	...
,.....	,,	29.68	753.9	86	72	N N E	3	cv	,,	29.63	752.6	86	72	N N W	3	cv
'eak,.....	,,	29.71	754.6	87	99	E S E	3	b	,,	29.71	754.6	85	...	E	1	b
.....	,,	29.68	753.9	88	84	S E	4	b	6 a.	29.70	754.4	81	96	N N E	1	b
,.....	,,	29.69	754.1	84	75	S	1	c	,,	29.69	754.1	86	72	N W	1	c
,.....	1 p.	29.73	755.2	...	...	W	4	...	5 a.	29.73	755.0	...	...	S	2	...
.....	,,	29.73	755.1	...	...	W	2	...	,,	29.76	755.9	...	...	...	0	...
.....	,,	29.74	755.5	...	...	W	4	...	,,	29.76	755.8	...	...	S	2	...
.....	,,	29.75	755.7	...	...	W	4	...	,,	29.75	755.5	...	...	W	4	...
res,.....	,,	29.74	755.3	...	...	N	4	...	,,	29.75	755.5	...	...	S W	4	...
.....	3 p.	29.69	754.1	83	87	S E	1	o	9 a.	29.76	755.9	80	91	S E	1	b
ng,.....	4 p.	29.70	754.4	83	77	S	1	o	10 a.	29.76	755.9	82	87	E	1	o
Peak,...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	S E	1	...
k,.....	,,	29.72	754.9	...	...	S S W	2	...	,,	29.72	754.9	...	...	S	3	...
.....	,,	29.70	754.4	82	...	S S W	2	c	,,	29.76	755.9	83	...	E S E	1	c
v,.....	3 p.	29.65	753.1	89	...	E	1	c	9 a.	29.75	755.6	80	...	S W	1	o
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.71	754.6	78	91	...	0	or	,,	...	...	...	...	...	...	...
,.....	4 p.	29.65	753.0	82	...	E	2	o	8 a.	29.70	754.4	79	...	N E	2	or
,.....	,,	29.67	753.5	86	...	N E	1	c	,,	29.73	755.2	90	..	S E	1	b
James,.	,,	29.77	756.2	77	...	S W	6	or	,,	29.88	758.8	81	...	W S W	1	c
.....	2 p.	29.76	756.0	88	...	S	2	o	6 a.	29.78	756.4	77	...	S	2	o
.....	4 p.	29.80	757	84	77	W N W	1	o	10 a.	29.88	759	86	71	W S W	2	c
.....	2 p.	29.82	757.5	91	...	W	2	b	6 a.	29.85	758.2	79	...	...	0	b
.....	3 p.	...	...	...	...	S W	2	b	9 a.	...	...	...	...	S W	2	c
.....	,,	29.85	758.2	86	...	S	1	b	,,	29.91	759.7	84	...	S W	1	b
.....	,,	29.83	757.7	90	...	S	1	b	,,	29.89	759.2	85	...	...	0	b
.....	,,	29.79	756.6	88	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

n the 7th at 12.05 p.—The depression which is still in the vicinity of the N. Loochoos, has moved slowly north- since yesterday.

second depression, apparently of greater energy, passed over S.W. Japan yesterday afternoon moving towards V. It is now situated in the Yellow Sea. This depression has probably traversed the Pacific from the neigh- od of the Bonins. The large area of low pressure lying over the Pacific thus contains two centres.

he barometer has fallen moderately over N. China, and risen slightly in the South.

ressure is high to the E. of Japan, and over the S. part of the China Sea.

oderate S. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	S. winds, light or moderate; thunder showers.
osa Channel, ...	S. winds, moderate.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 7th August, 1909.

d by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th August, 1909, P.M.								8th August, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro, ...	,,	29.81	757.1	...	...	S	8	...	6 a.	29.77	756.1	...	...	S	6	
Hakodate, ...	,,	29.81	757.2	...	...	S E	6	...	,,	29.77	756.2	...	...	...	0	
Tokio, ...	,,	29.87	758.6	...	...	S	4	...	,,	29.87	758.6	...	...	N W	2	
Kochi, ...	,,	29.72	754.8	...	...	N	2	...	,,	29.72	754.8	...	...	...	0	
Nagasaki, ...	,,	29.56	750.8	...	...	E	6	...	,,	29.60	751.8	...	...	E	2	
Kagoshima, ...	,,	29.56	750.9	...	...	E	8	...	,,	29.60	751.9	...	...	N E	4	
Oshima, ...	,,	29.49	749.1	...	...	N	6	...	,,	29.49	749.1	...	...	N	4	
Naha, ...	,,	29.61	752.2	...	...	W	6	...	,,	29.62	752.2	...	...	N	6	
Ishigakijima, ...	,,	29.70	754.8	...	...	N W	6	...	,,	29.70	754.3	...	...	W	2	
Bonin Is.	,,	29.77	756.1	...	...	E	2	...	,,	29.77	756.1	...	...	...	6	
Chefoo, ...	4 p.	29.67	753.6	86	76	N E	3	b	6 a.	...	...	...	...	...	...	
Weihaiwei, ...	,,	29.73	755.1	80	...	N E	1	b	9 a.	...	...	...	...	...	...	
Hankow, ...	,,	29.76	755.9	93	64	N E	1	b	6 a.	29.81	757.2	84	83	S	1	
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	29.63	752.6	80	70	...	0	
Shanghai, ...	,,	29.57	751.1	92	51	N N W	3	c	9 a.	29.58	751.3	87	62	W N W	3	
Gutzlaff, ...	,,	29.56	750.8	89	63	N N W	3	bm	,,	29.57	751.1	83	83	W	2	
Sharp Peak, ...	,,	29.60	751.8	89	87	S S E	4	b	,,	29.64	752.8	86	...	S S E	1	
Amoy, ...	,,	29.68	753.9	89	80	S E	3	b	6 a.	29.66	753.3	81	91	S W	1	
Swatow, ...	,,	29.68	753.9	80	82	W	1	o	,,	29.70	754.4	82	83	N W	1	
Taihoku, ...	1 p.	29.70	754.3	...	...	W	6	...	5 a.	29.68	753.9	...	...	S	2	
Taichu, ...	,,	29.69	754.0	...	...	W	4	...	,,	29.74	755.3	...	...	...	0	
Tainan, ...	,,	29.76	755.8	...	...	S W	6	...	,,	29.75	755.6	...	...	E	2	
Koshun	,,	29.77	756.1	...	...	W	6	...	,,	29.74	755.1	...	...	W	6	
Pescadores, ...	,,	29.76	755.8	...	...	W	6	...	,,	29.72	754.9	...	...	S	6	
Canton, ...	3 p.	29.64	752.8	88	73	S	1	b	9 a.	29.67	753.6	81	87	S W	1	
Hongkong, ...	4 p.	29.68	753.9	80	86	W	1	c	10 a.	29.75	755.6	83	82	W,S W	1	
Victoria Peak, ...	,,	...	...	...	...	W S W	2	...	,,	...	...	...	...	S W	5	
Gap Rock, ...	,,	29.67	753.6	...	...	S W	4	...	,,	29.70	754.4	...	...	W S W	2	
Macao, ...	,,	29.71	754.6	79	...	W	1	od	,,	29.75	755.6	83	...	S W	1	
Wuchow, ...	3 p.	29.70	754.4	79	...	E	1	or	9 a.	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi, ...	,,	29.70	754.4	82	87	S W	1	o	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	29.63	752.5	82	...	S E	3	o	8 a.	29.67	753.7	75	...	E N E	2	
Tourane, ...	,,	29.68	753.8	86	...	E	2	c	,,	29.76	755.8	90	..	...	0	
Cape St. James, .	,,	29.77	756.1	82	...	S S W	4	b	,,	29.90	759.4	81	...	S W	2	
Aparri, ...	2 p.	29.75	755.7	86	...	N	0	d	6 a.	29.80	755.9	77	...	S	0	
Manila, ...	4 p.	29.80	757	86	71	S W	2	c	10 a.	29.88	759	76	71	S W	1	
Legaspi, ...	2 p.	29.80	756.8	93	...	W	2	b	6 a.	29.86	758.5	79	...	W	2	
Bacolod, ...	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	W S W	1	
Iloilo, ...	,,	29.83	757.7	85	...	S W	1	o	,,	29.93	760.2	84	...	S W	1	
Cebu, ...	,,	29.81	757.2	88	...	S	1	c	,,	29.88	758.9	86	...	S	1	
Labuan, ...	,,	29.79	756.6	87	...	...	...	...	,,	...	...	...	...	...	...	

On the 8th at 12.10 p.—The barometer has fallen moderately on the E coast of China and in NE Japan risen slightly over the Philippines and Annam.

The depression still shown to the E. of the N. Loochoos, appears to be almost stationary. The other depr situated over the Yellow Sea, seems to be moving slowly Westwards.

Pressure is high to the E. of Japan in the North, and over the S. part of the China Sea in the South.

Moderate or fresh S and SW winds may be expected in the Formosa Channel and along the northern sh the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. winds, moderate; showery.
2.—Formosa Channel, ...	S. and S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	S. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 8th August, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	8TH AUGUST, 1909, P.M.								9TH AUGUST, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
tock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.69	754.1	...	...	S	6	...	6 a.	29.69	754.1	...	...	W	2	...
,.....	,,	29.73	755.2	...	...	S E	10	...	,,	29.69	754.2	...	...	...	0	...
.....	,,	29.79	756.6	...	...	S	2	...	,,	29.79	756.6	...	...	...	0	...
.....	,,	29.72	754.8	...	...	S E	6	...	,,	29.72	754.8	...	...	S W	2	...
,.....	,,	29.56	750.8	...	...	S E	8	...	,,	29.60	751.8	...	...	E	4	...
na, ...	,,	29.56	750.9	...	...	N	6	...	,,	29.52	749.9	...	...	N E	6	...
.....	,,	29.45	748.1	...	...	N	8	...	,,	29.38	746.1	...	...	N	8	...
.....	,,	29.57	751.2	...	...	W	6	...	,,	29.58	751.2	...	...	N W	6	
ima,....	,,	29.66	753.3	...	...	S	4	...	,,	29.62	752.3	...	...	N E	2	
.....	,,	29.73	755.1	...	...	E	2	...	,,	29.73	755.1	...	...	...	0	...
.....	4 p.	29.62	752.3	81	87	E	1	o	6 a.	...	...	...	...	...	...	...
ei,.....	,,	29.65	753.1	72	...	N E	1	o	9 a.	29.66	753.3	84	...	N E	1	[illegible]
.....	,,	29.69	754.1	89	41	N E	1	b	6 a.	29.69	754.1	86	76	N	1	[illegible]
,.....	,,	29.60	751.5	97	54	...	0	b	,,	29.74	755.4	84	83	...	0	[illegible]
,.....	,,	29.53	750.0	93	52	W N W	4	c	9 a.	29.57	751.1	90	60	S W	2	[illegible]
.....	,,	29.54	750.3	90	66	W	1	cm	,,	29.57	751.1	87	88	S W	2	cv
ak,.....	,,	29.58	751.3	87	83	S S E	4	c	,,	29.64	752.8	86	95	S S E	1	b
.....	,,	29.58	751.3	96	62	S E	1	b	6 a.	29.63	752.6	84	87	W	2	c
.....	,,	29.63	752.6	88	69	N N W	1	c	,,	29.69	754.1	81	87	W N W	1	b
.....	1 p.	29.63	752.7	...	...	W	4	...	5 a.	29.65	753.0	...	...	S	2	...
.....	,,	29.69	754.2	...	...	S	6	...	,,	29.70	754.4	...	...	...	0	...
.....	,,	29.76	755.9	...	...	S	4	...	,,	29.72	754.9	...	...	E	4	...
.....	,,	29.73	755.2	...	...	N W	6	...	,,	29.73	755.0	...	...	W	8	...
es, ...	,,	29.69	754.2	...	...	S W	6	...	,,	29.66	753.4	...	...	W	6	...
.....	3 p.	29.65	753.1	90	70	S W	1	c	9 a.	29.69	754.1	85	83	S W	1	b
g, ...	4 p.	29.69	754.1	85	75	S W	2	o	10 a.	29.75	755.6	84	87	W	1	op
eak,...	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	S W	2	...
g,.....	,,	29.66	753.3	...	...	S W	4	...	,,	29.70	754.4	...	...	S W	4	...
.....	,,	29.68	753.9	85	...	W S W	2	o	,,	29.76	755.9	85	...	W S W	1	c
,.....	3 p.	29.68	753.9	89	...	W	2	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.59	751.5	88	...	S S E	2	c	8 a.	29.70	754.3	82	...	S	4	o
.....	,,	29.69	754.0	86	...	S E	1	c	,,	29.78	756.5	90	...	N E	1	b
James,.	,,	29.80	756.8	84	...	S S W	4	c	,,	29.93	760.2	81	...	S W	2	c
.....	2 p.	29.74	755.5	90	...	S W	4	b	6 a.	29.80	756.9	77	...	S	2	c
.....	4 p.	29.80	757	88	66	W S W	4	o	10 a.	29.92	760	86	71	W N W	1	c
.....	2 p.	29.81	757.2	93	...	W	2	c	6 a.	29.88	758.8	79	...	W	2	b
.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S W	1	o
.....	,,	29.85	758.2	86	...	S W	1	b	,,	29.95	760.7	83	...	S S W	1	b
.....	,,	29.82	757.4	87	...	N	1	c	,,	29.93	760.2	86	...	...	0	b
.....	,,	29.74	755.4	88	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

the 9th at 12.05 p.—The depression situated near and East of Oshima (N. Loochoos) is becoming deeper. ins almost stationary.

e depression lying over the Yellow Sea yesterday, appears to have reached the coast to the North of Shanghai.

e barometer has fallen over E. Japan owing to the passage of a depression to the North of Hokkaido.

essure remains high over the S. part of the China Sea and the S. Philippines.

sh W. and S.W. winds may be expected in the Formosa Channel and the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	W. and S.W. winds, fresh; thunder showers.
osa Channel, ...	S.W. winds, fresh.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Monday, 9th August, 1909.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	9th August, 1909, P.M.								10th August, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.66	753.3	69	...	N E	2	o	7 a.	29.85	758.1	51	98	N E		
Nemuro,	,,	29.65	753.1	...	...	N	4	...	6 a.	29.77	756.1	...	...	N		
Hakodate,	,,	29.65	753.2	...	...	S W	2	...	,,	29.73	755.2	...	...	N		
Tokio,	,,	29.71	754.6	...	...	S	6	...	,,	29.71	754.6	...	...	N W		
Kochi,	,,	29.68	753.8	...	...	S E	2	...	,,	29.68	753.8	...	...	S		
Nagasaki,	,,	29.52	749.8	...	...	E	8	...	,,	29.60	751.8	...	...	E		
Kagoshima,	,,	29.52	749.9	...	...	N E	6	...	,,	29.52	749.9	...	...	E		
Oshima,	,,	29.37	746.1	...	...	N	8	...	,,	29.30	744.1	...	...	N W		
Naha,	,,	29.57	751.2	...	...	W	4	...	,,	29.58	751.2	...	...	W		
Ishigakijima,	,,	29.66	753.3	...	...	N W	6	...	,,	29.66	753.3	...	...	W		
Bonin Is.	,,	29.77	756.1	...	...	S E	2	...	,,	29.73	755.1	...	...	...		
Chefoo,	4 p.	29.65	753.1	85	83	N E	2	c	6 a.	29.65	753.1	78	90	N E		
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	29.67	753.6	83	...	N E		
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...		
Kiukiang,	,,	29.58	751.3	98	48	...	0	b	,,	29.58	751.3	82	71	...		
Shanghai,	,,	29.52	749.8	86	51	W S W	3	...	9 a.	29.57	751.1	87	76	...		
Gutzlaff,	,,	29.54	750.3	91	67	S S W	1	cm	,,	29.56	750.8	87	80	...		
Sharp Peak,	,,	29.55	750.5	83	91	S	2	c	,,	29.62	752.3	83	100	...		
Amoy,	,,	29.60	751.8	95	71	S E	2	b	6 a.	29.66	753.3	84	83	N N E		
Swatow,	,,	29.63	752.6	88	66	S W	2	o	,,	29.67	753.6	82	83	W S W		
Taihoku,	1 p.	29.61	752.1	...	...	W	6	...	5 a.	29.64	752.8	...	...	S E		
Taichu,	,,	29.69	754.2	...	...	S	6	...	,,	29.73	755.2	...	...	S		
Tainan,	,,	29.73	755.2	...	...	W	6	...	,,	29.76	755.8	...	...	E		
Koshun,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	...	...	W		
Pescadores,	,,	29.70	754.8	...	...	S W	6	...	,,	29.71	754.6	...	...	W		
Canton,	3 p.	29.64	752.8	85	83	S E	1	o	9 a.	29.66	753.3	86	80	S W		
Hongkong,	4 p.	29.72	754.9	81	91	E	1	op	10 a.	29.75	755.6	84	84	S W		
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S W		
Gap Rock,	,,	29.69	754.1	...	...	S W	4	...	,,	29.71	754.6	...	...	S W		
Macao,	,,	29.70	754.4	84	...	S S W	3	o	,,	29.74	755.4	84	...	S W		
Wuchow,	3 p.	29.67	753.6	82	...	E	1	...	9 a.	29.65	753.1	83	...	E		
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...		
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...		
Phulien,	4 p.	29.63	752.6	88	...	S W	3	o	8 a.	29.66	753.4	86	...	S		
Tourane,	,,	29.71	754.7	86	...	S E	2	b	,,	29.79	756.7	90	..	N W		
Cape St. James,	,,	29.85	758.2	86	...	W	3	c	,,	29.95	760.8	81	...	W		
Aparri,	2 p.	29.78	756.3	90	...	S W	2	o	6 a.	29.80	756.8	79	...	S		
Manila,	4 p.	29.84	758	86	71	S W	0	o	10 a.	29.92	760	86	71	W N W		
Legaspi,	2 p.	29.85	758.1	91	...	W	2	b	6 a.	29.89	759.1	77	...	...		
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	W S W		
Iloilo,	,,	29.87	758.7	86	...	S	2	o	,,	29.99	761.7	82	...	S W		
Cebu,	,,	29.84	757.9	88	...	S	1	b	,,	29.92	759.9	87	...	S		
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.95	760.7	77	...	...		

On the 10th at 11.55 a.—The depression which is still near Oshima (N. Loochoos), appears to have a very motion towards N.W.

Pressure is low also over Central China. It has increased considerably over the northern shores of the Japan, and remains high over the S. part of the China Sea and the S. Philippines.

Strong W. and S.W. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, strong; squally, thunder showers
2.—Formosa Channel,	S.W. and W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 10th August, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	10TH AUGUST, 1909, P.M.								11TH AUGUST, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
tock,...	2 p.	29.88	758.9	63	...	S	3	o	7 a.	29.89	759.3	62	99	S E	1	or
.....	,,	29.85	758.1	...	...	N	6	...	6 a.	29.97	761.1	...	...	N	2	...
.....	,,	29.81	757.2	...	...	S E	6	...	,,	29.97	761.2	...	...	S E	8	...
.....	,,	29.67	753.6	...	...	S	4	...	,,	29.79	756.6	...	...	N	6	...
.....	,,	29.64	752.8	...	...	S E	2	...	,,	29.68	753.8	...	...	S W	2	...
.....	,,	29.56	750.8	...	...	N E	6	...	,,	29.60	751.8	...	...	N E	8	...
na, ...	,,	29.52	749.9	...	...	E	6	...	,,	29.60	751.9	...	...	S	2	...
.....	,,	29.33	745.1	...	...	N W	6	...	,,	29.37	746.1	...	...	N	10	...
.....	,,	29.57	751.2	...	...	W	6	...	,,	29.58	751.2	...	...	W	6	...
ima,....	,,	29.62	752.3	...	...	S W	6	...	,,	29.66	753.3	...	...	S E	2	...
.....	,,	29.79	755.1	...	...	S W	2	...	,,	29.73	755.1	...	...	...	0	...
.....	4 p.	29.68	753.9	82	75	N N E	2	c	6 a.	29.66	753.3	78	90	N	1	b
ci,.....	,,	29.66	753.3	82	...	N W	1	o	9 a.	...	...	...	...	...	...	...
.....	,,	29.58	751.3	94	53	N W	1	c	6 a.	29.64	752.8	81	95	S E	1	or
,.....	,,	29.53	750.0	88	76	W	1	o	,,	29.53	750.0	80	95	...	0	o
.....	,,	29.52	749.8	90	63	E	1	o	9 a.	29.59	751.6	86	76	S E	2	o
.....	,,	29.52	749.8	85	83	S	1	om	,,	29.58	751.3	83	75	S E	3	o
ak,.....	,,	29.54	750.3	89	88	S	4	b	,,	29.63	752.6	86	96	S	1	b
.....	,,	29.64	752.8	85	83	S W	4	b	6 a.	29.67	753.6	84	95	S	3	b
.....	,,	29.64	752.8	81	87	W S W	2	or	,,	29.64	752.8	81	99	S S W	2	c
.....	1 p.	29.63	752.6	...	...	W	6	...	6 a.	29.64	752.8	...	...	...	0	...
.....	,,	29.74	755.4	...	...	S	6	...	,,	29.76	755.9	...	...	S E	2	...
.....	,,	29.76	756.0	...	...	E	4	...	,,	29.77	756.2	...	...	S E	4	...
.....	,,	...	...	...	...	...	...	...	,,	29.73	755.1	...	...	W	8	...
es, ...	,,	29.72	754.8	...	...	W	4	...	,,	29.74	755.3	...	...	S	6	...
.....	3 p.	29.57	751.1	90	70	S	1	b	9 a.	29.58	751.3	86	83	S E	2	o
.....	4 p.	29.66	753.3	85	79	S W	3	oq	10 a.	29.70	754.4	85	79	S S W	5	oq
eak,...	,,	...	...	...	...	S	6	...	,,	...	...	...	...	S	8	...
.....	,,	29.64	752.8	...	...	S W	5	...	,,	29.65	753.1	...	...	S S W	6	...
.....	,,	29.65	753.1	85	...	S S W	3	c	,,	29.66	753.3	84	...	S S W	3	oq
.....	3 p.	29.61	752.1	85	79	W	1	o	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.72	754.9	86	89	S W	4	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.58	751.4	88	...	S S W	5	o	8 a.	29.66	753.4	82	...	S	2	o
.....	,,	29.72	754.8	86	...	E	1	c	,,	29.75	755.7	90	..	E	1	b
ames,.	,,	29.83	757.8	82	...	S W	4	c	,,	29.92	760.0	79	...	W S W	4	c
.....	2 p.	29.78	756.4	88	...	S W	2	o	6 a.	29.79	756.7	77	...	S	2	t
.....	4 p.	29.84	758	84	77	W S W	3	o	10 a.	29.88	759	86	71	W N W	1	c
.....	2 p.	29.84	758.0	91	...	W	2	c	6 a.	29.88	759.0	77	...	...	0	c
.....	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	E S E	2	c
.....	,,	29.87	758.7	86	...	S S W	2	b	,,	29.93	760.2	84	...	S S W	1	b
.....	,,	29.85	758.2	89	...	N	1	b	,,	29.92	759.9	86	...	S	2	b
.....	,,	29.83	757.7	84	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

the 11th at 11.55 a.—The barometer has risen considerably in N. Japan, and fallen slightly on the S. coast a.

e depression in the vicinity of Oshima (N. Loochoos) remains stationery.

e depression over S. China is becoming deeper.

essure is high over the N.E. part of the Sea of Japan in the North, and over the S. part of the China Sea in th.

ong S. and S.W. winds may be expected in the Formosa Channel and along the northern shores of the China

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	S.W. winds, strong: squally, thunder showers.
sa Channel, ...	S. winds, strong.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Wednesday, 11th August, 1909.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th August, 1909, P.M.								12th August, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S E	4	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.93	760.2	...	...	E	8	...	,,	...	...	...	...	...	...
Tokio,	,,	29.79	756.6	...	...	N	6	...	,,	...	...	...	...	...	...
Kochi,	,,	29.72	754.8	...	...	E	4	...	,,	...	...	...	...	...	...
Nagasaki,	,,	29.60	751.8	...	...	E	8	...	,,	...	...	...	...	...	...
Kagoshima,	,,	29.60	751.9	...	...	N E	...	...	,,	...	...	...	...	...	...
Oshima,	,,	29.41	747.1	...	...	N	12	...	,,	...	...	...	...	...	...
Naha,	,,	29.61	752.2	...	...	W	6	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Bonin Is.	,,	29.69	754.1	...	...	S	2	...	,,	...	...	...	...	...	...
Chefoo,	4 p.	29.70	754.4	79	87	N E	2	o	6 a.	29.65	753.1	73	95	N E	3
Weihaiwei,	,,	29.67	753.6	80	...	N E	2	o	9 a.	29.67	753.6	71	...	N E	3
Hankow,	,,	29.61	752.1	80	91	S E	2	o	6 a.	29.63	752.6	74	90	N E	3
Kiukiang,	,,	29.47	748.5	89	77	N E	2	or	,,	29.49	749.0	78	100	N E	1
Shanghai,	,,	29.54	750.3	90	70	E S E	3	...	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	29.54	750.3	85	83	S E	4	om	,,	...	...	...	...	...	...
Sharp Peak,	,,	29.54	750.3	88	88	S	5	c	,,	29.61	752.1	85	90	S	3
Amoy,	,,	29.63	752.6	84	91	S W	4	o	6 a.	29.64	752.8	81	95	S	4
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.64	752.9	...	...	W	8	...	5 a.	29.65	753.1	...	...	S W	[illegible]
Taichu,	,,	29.73	755.1	...	...	S	6	...	,,	29.72	754.8	...	...	S	[illegible]
Tainan,	,,	29.78	756.4	...	...	S E	6	...	,,	29.75	755.5	...	...	E	2
Koshun	,,	29.77	756.1	...	...	W	8	...	,,	29.73	755.2	...	...	W	6
Pescadores,	,,	29.74	755.4	...	...	S	8	...	,,	29.70	754.4	...	...	S	6
Canton,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.62	752.3	83	73	S W	4	oq	10 a.	29.72	754.9	79	94	W	2
Victoria Peak,	,,	...	...	...	...	S	7	...	,,	...	...	...	...	S S W	7
Gap Rock,	,,	29.61	752.1	...	...	S W	7	...	,,	29.67	753.6	...	...	S W	5
Macao,	,,	29.62	752.3	82	...	S W	1	o	,,	29.71	754.1	80	...	W	2
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.59	751.6	90	...	S S W	3	c	8 a.	29.65	753.0	86	...	S S E	0
Tourane,	,,	29.67	753.6	88	...	E	1	c	,,	29.73	755.1	90	...	S S E	1
Cape St. James,	,,	29.78	756.5	86	...	S S W	2	c	,,	...	...	...	...	...	...
Aparri,	2 p.	29.76	755.8	90	...	N	2	b	6 a.	29.78	756.5	77	...	S W	2
Manila,	4 p.	29.80	757	86	78	S W	3	b	10 a.	29.88	759	84	77	W	1
Legaspi,	2 p.	29.82	757.5	93	...	W	2	c	6 a.	29.86	758.3	79	...	...	0
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S S W	1
Iloilo,	,,	29.81	757.2	85	...	W S W	3	c	,,	29.89	759.2	82	...	S W	[illegible]
Cebu,	,,	29.82	757.4	83	...	S	1	b	,,	29.88	758.9	86	...	...	[illegible]
Labuan,	,,	29.80	756.9	84	...	...	...	...	,,	29.86	758.4	85	...	...	...

On the 12th at 12.20 p.—The returns from Shanghai and Japan are not yet in hand.

The barometer has fallen slightly at the other stations.

The depression remains over S. China, and the highest pressure is shown over the S. part of the China S the S. Philippines.

Strong S. and S.W. winds may be expected in the Formosa Channel and along the northern shores of the Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, strong; squally, thunder showers
2.—Formosa Channel,	S. to S.W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 12th August, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	12TH AUGUST, 1909, P.M.								13TH AUGUST, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
stock,...	2 p.	29.70	754.3	72	...	...	0	c	7 a.	29.75	755.6	62	90	N E	1	f
.....	,,	29.89	759.1	...	...	S E	4	...	6 a.	29.77	756.1	...	...	E	6	...
e, ...	,,	29.73	755.2	...	...	S E	4	...	,,	29.77	756.2	...	...	N	2	...
.....	,,	29.71	754.6	...	...	S W	2	...	,,	29.75	755.6	...	...	...	0	...
.....	,,	29.68	753.8	...	...	...	0	...	,,	29.72	754.8	...	...	S W	2	...
, ...	,,	29.60	751.8	...	...	N E	4	...	,,	29.64	752.8	...	...	E	4	...
na, ...	,,	29.60	751.9	...	...	E	6	...	,,	29.64	752.9	...	...	E	4	...
.....	,,	29.49	749.1	...	...	N	8	...	,,	29.65	753.1	...	...	N	4	...
.....	,,	29.65	753.2	...	...	N W	6	...	,,	29.69	754.2	...	...	...	0	...
jima, ...	,,	29.66	753.3	...	...	S W	8	...	,,	29.66	753.3	...	...	S W	4	...
.....	,,	29.69	754.1	...	...	W	6	...	,,	29.77	756.1	...	...	S W		
.....	4 p.	29.65	753.1	75	95	N E	4	b	6 a.	29.65	753.1	75	86	N E	[illegible]	[illegible]
ei, ...	,,	29.63	752.6	73	...	N E	2	o	9 a.	29.70	754.4	75	...	N E	1	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
g, ...	,,	29.40	746.7	78	98	N E	4	or	,,	29.66	753.3	76	86	N W	3	ah
i, ...	,,	29.47	748.5	88	73	S S E	2	o	9 a.	29.62	752.3	84	75	W	2	o
.....	,,	29.48	748.8	85	88	S E	5	om	,,	29.58	751.3	85	79	N W	2	om
eak, ...	,,	29.52	749.8	86	84	S	6	c	,,	29.68	753.9	85	90	S	3	b
.....	,,	29.59	751.6	86	84	S E	2	o	6 a.	29.69	754.1	82	90	S W	1	c
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	1 p.	29.61	752.2	...	...	S W	8	...	5 a.	29.68	753.9	...	...	S	4	...
.....	,,	29.72	755.0	...	...	S	6	...	,,	29.77	756.2	...	...	S	2	...
.....	,,	29.78	756.3	...	...	S W	6	...	,,	29.79	756.6	...	...	S	2	...
.....	,,	29.77	756.1	...	...	W	8	...	,,	29.78	756.3	...	...	W	6	...
es, ...	,,	29.74	755.4	...	...	S W	6	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.61	752.1	87	80	S W	1	b	9 a.	29.81	757.2	81	90	...	0	o
g, ...	4 p.	29.65	753.1	83	85	S W	4	oq	10 a.	29.80	756.9	84	83	S W	1	oplt
Peak, ...	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S	5	...
k, ...	,,	29.62	752.3	...	...	S W	4	...	,,	29.76	755.9	...	...	S W	3	...
.....	,,	29.64	752.8	84	...	S W	3	c	,,	29.81	757.2	83	...	S W	2	c
, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.54	750.2	93	...	S S E	2	b	8 a.	29.75	755.5	82	...	S S E	2	o
.....	,,	29.63	752.7	88	...	S E	2	b	,,	29.78	756.3	83	..	N	1	b
James, .	,,	29.75	755.6	88	...	W S W	2	lt	,,	29.88	759.0	81	...	W S W	3	c
.....	2 p.	29.76	755.8	90	...	N	2	b	6 a.	29.84	757.9	77	...	S W	0	b
.....	4 p.	29.76	756	86	71	W S W	3	o	10 a.	29.92	760	84	77	W N W	1	c
.....	2 p.	29.78	756.4	93	...	S W	2	c	6 a.	29.86	758.5	75	...	...	0	b
.....	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	W S W	1	c
.....	,,	29.81	757.2	86	...	S S W	1	o	,,	29.93	760.2	83	...	S	1	b
.....	,,	29.79	756.6	89	...	N	1	c	,,	29.91	759.7	84	...	N	1	b
.....	,,	29.80	756.9	83	...	...	...	...	,,	29.87	758.7	82	...	...	...	...

n the 13th at 12.05 p.—The barometer has risen considerably over S. China the depression lying over the ze valley yesterday, having moved into the Yellow Sea.

he depression which has been almost stationary in the neighbourhood of the Loochoos for the past few days, is up.

essure remains high over the S. part of the China Sea and the S. Philippines.

esh S.W. and W. winds may be expected in the Formosa Channel, and moderate monsoon over the N. part of na Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	S.W. winds, moderate; thunder showers.
osa Channel, ...	S.W. and W. winds, fresh.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Friday, 13th August, 1909.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	13th August, 1909, P.M.								14th August, 1909, A.M.						
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.77	756.1	...	...	N	8	...	6 a.	29.85	758.1	...	...	N	
Hakodate, ...	,,	29.77	756.2	...	...	S	6	...	,,	29.85	758.2	...	...	N W	
Tokio, ...	,,	29.75	755.6	...	...	S W	2	...	,,	29.79	756.6	...	...	N E	
Kochi, ...	,,	29.72	754.8	...	...	...	0	...	,,	29.76	755.8	...	...	S W	
Nagasaki, ...	,,	29.68	753.8	...	...	S	4	...	,,	29.68	753.8	...	...	S W	
Kagoshima, ...	,,	29.68	753.9	...	...	N E	6	...	,,	29.72	754.9	...	...	E	
Oshima, ...	,,	29.69	754.1	...	...	N	2	...	,,	29.69	754.1	...	...	...	
Naha, ...	,,	29.73	755.2	...	...	S W	2	...	,,	29.73	755.2	...	...	S W	
Ishigakijima, ...	,,	29.74	755.3	...	...	S W	6	...	,,	29.74	755.3	...	...	...	
Bonin Is.	,,	29.77f	756.1	...	...	S W	6	...	,,	29.73	755.1	...	...	...	
Chefoo, ...	4 p.	29.70	754.4	79	91	N	2	c	6 a.	29.64	752.8	75	86	N E	
Weihaiwei, ...	,,	29.65	753.1	75	...	W	2	o	9 a.	29.65	753.1	...	...	N E	
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai, ...	,,	29.56	750.8	86	76	W N W	2	o	9 a.	29.68	753.9	81	78	W N W	
Gutzlaff, ...	,,	29.57	751.1	85	83	N N W	3	om	,,	29.63	752.6	79	90	N W	
Sharp Peak, ...	,,	29.62	752.3	83	96	S	1	b	,,	29.76	755.9	86	96	S S W	
Amoy, ...	,,	29.69	754.1	90	81	S	4	b	6 a.	29.75	755.6	82	87	S S W	
Swatow, ...	,,	29.71	754.6	86	76	W S W	2	c	,,	29.78	756.4	80	87	W	
Taihoku, ...	1 p.	29.70	754.5	...	...	W	8	...	5 a.	29.75	755.7	...	...	...	
Taichu, ...	,,	29.84	757.9	...	...	S	4	...	,,	29.84	757.9	...	...	...	
Tainan, ...	,,	29.85	758.3	...	...	W	4	...	,,	29.84	758.0	...	...	S	
Koshun	,,	29.83	757.6	...	...	W	8	...	,,	29.81	757.1	...	...	W	
Pescadores, ...	,,	29.82	757.3	...	...	S W	6	...	,,	29.82	757.4	...	...	S	
Canton, ...	3 p.	29.78	756.4	83	91	S E	1	or	9 a.	29.87	758.7	81	99	...	
Hongkong, ...	4 p.	29.78	756.4	80	92	...	0	o	10 a.	29.87	758.7	83	87	W N W	
Victoria Peak, ...	,,	...	...	...	...	S W	3	...	,,	...	...	...	...	S W	
Gap Rock, ...	,,	29.75	755.6	...	...	W N W	3	...	,,	29.84	757.9	...	...	S W	
Macao, ...	,,	29.78	756.4	81	...	S W	1	od	,,	29.87	758.7	83	...	W	
Wuchow, ...	3 p.	29.76	755.9	78	...	S W	7	oqlt	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.69	754.0	90	...	E	1	o	8 a.	29.84	757.8	77	...	N N E	
Tourane, ...	,,	29.71	754.7	86	...	S E	2	o	,,	29.84	757.8	91	...	N E	
Cape St. James, .	,,	29.79	756.6	86	...	W S W	2	o	,,	29.90	759.5	70	...	N	
Aparri, ...	2 p.	29.85	758.1	88	...	N	2	c	6 a.	29.86	758.5	79	...	S	
Manila, ...	4 p.	29.80	757	86	65	W S W	1	c	10 a.	29.88	759	88	66	N N E	
Legaspi, ...	2 p.	29.83	757.7	91	...	E	2	o	6 a.	29.88	758.9	75	...	...	
Bacolod, ...	3 p.	...	...	...	...	W N W	1	o	9 a.	...	...	...	...	S S E	
Iloilo, ...	,,	29.85	758.2	81	...	W	1	b	,,	29.95	760.7	81	...	S	
Cebu, ...	,,	29.83	757.7	87	...	S	1	o	,,	29.92	759.9	81	...	S	
Labuan, ...	,,	29.80	756.9	86	...	...	...	...	,,	29.86	758.4	84	...	...	

On the 14th at 11.55 a.—The barometer has fallen slightly on the N.E. coast of China and at the Bonin risen moderately to slightly elsewhere.

The depression, which remains over the Yellow Sea, appears to be moving slowly towards N.E.

Pressure is high over the China Sea, and also over W. China.

Fresh S.W. winds may be expected in the Formosa Channel, and moderate S.W. and variable winds over t part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S.W. and W. winds, moderate or light; fair.
2.—Formosa Channel, ...	S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 14th August, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	14TH AUGUST, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15TH AUGUST, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
tock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.81	757.1	...	...	N	6	...	6 a.	29.81	757.1	...	...	N	2	...
,.....	,,	29.77	756.2	...	...	S E	4	...	,,	29.77	756.2	...	...	...	0	...
.....	,,	29.75	755.6	...	...	E	4	...	,,	29.79	756.6	...	...	N	2	...
.....	,,	29.72	754.8	...	...	S	2	...	,,	29.68	753.8	...	...	...	0	...
i, ...	,,	29.64	752.8	...	...	S E	6	...	,,	29.52	749.8	...	...	E	6	...
na, ...	,,	29.68	753.9	...	...	E	4	...	,,	29.56	750.9	...	...	N E	[illegible]	...
.....	,,	29.65	753.1	...	...	N	2	...	,,	29.61	752.1	...	...	...	[illegible]	...
.....	,,	29.73	755.2	...	...	S W	2	...	,,	29.65	753.2	...	...	W	[illegible]	...
ima, ...	,,	29.74	755.3	...	...	S	4	...	,,	29.70	754.3	...	...	S W	[illegible]	...
.....	,,	29.69	754.1	...	...	S W	4	...	,,	29.18	741.1	...	...	N	[illegible]	...
.....	4 p.	29.66	753.3	78	86	W	1	b	6 a.	29.64	752.8	75	90	N E	[illegible]	[illegible]
ei, ...	,,	29.65	753.1	75	...	N E	1	o	9 a.	29.63	752.6	77	...	N E	1	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	29.63	752.6	88	59	W	5	o	9 a.	29.60	751.8	81	78	W	4	o
.....	,,	29.62	752.3	87	65	N N W	5	bv	,,	29.58	751.3	81	74	W N W	8	cv
ak, ...	,,	29.66	753.3	83	92	S	2	b	,,	29.70	754.4	87	96	...	0	c
.....	,,	29.71	754.6	92	61	S W	2	c	6 a.	29.68	753.9	85	72	S W	1	b
.....	,,	...	...	...	...	...	...	...	,,	29.74	755.4	80	90	W	1	c
.....	1 p.	29.73	755.1	...	...	W	8	...	5 a.	29.72	754.9	...	...	...	0	...
.....	,,	29.85	758.1	...	...	S	4	...	,,	29.80	756.9	...	...	S E	2	...
.....	,,	29.86	758.5	...	...	W	6	...	,,	29.82	757.4	...	...	E	2	...
.....	,,	29.85	758.3	...	...	W	8	...	,,	29.77	756.1	...	...	N W	8	...
es, ...	,,	29.83	757.8	...	...	S W	6	...	,,	29.79	756.6	...	...	S W	6	...
.....	3 p.	29.78	756.4	89	77	S	1	b	9 a.	29.79	756.6	82	87	...	0	b
g, ...	4 p.	29.80	756.9	86	78	S S W	2	c	10 a.	29.83	757.7	85	79	W	1	c
eak, ...	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S W	3	...
,.....	,,	29.79	756.6	...	...	S W	3	...	,,	29.79	756.6	...	...	W S W	4	...
.....	,,	29.80	756.9	85	...	S S W	2	c	,,	29.84	757.9	85	...	W S W		c
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...		...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...		...
.....	4 p.	29.76	755.9	82	...	E	1	o	8 a.	29.82	757.3	77	...	S S E	[illegible]	o
.....	,,	29.76	755.8	84	...	E	2	b	,,	29.80	757.0	88	..	N	1	[illegible]
ames, .	,,	29.82	757.3	82	...	S W	3	c	,,	29.89	759.1	77	...	W S W	3	c
.....	2 p.	29.86	758.4	88	...	N	2	b	6 a.	29.85	758.2	77	...	S	2	b
.....	4 p.	29.84	758	86	71	S W	1	otl	10 a.	29.68	759	84	77	S W	1	o
.....	2 p.	29.88	758.9	84	...	S	2	o	6 a.	29.88	759.0	77	...	...	0	c
.....	3 p.	...	...	...	...	N N W	2	op	9 a.	...	...	...	...	S S W	1	o
.....	,,	29.89	759.2	81	...	W S W	1	c	,,	29.89	759.2	81	...	S W	1	b
.....	,,	29.87	758.7	81	...	...	0	o	,,	29.91	759.7	82	...	S	2	b
.....	,,	29.84	757.9	87	...	...	...	...	,,	...	...	...	...	...	...	...

1 the 15th at 12.5 p.—The barometer has fallen generally, slightly at the Southern stations and moderately e E. coast of China and SW Japan.

ie depression over the Yellow Sea is becoming deeper as it progresses slowly towards the East.

ie observations from the Bonins show that a typhoon is lying in the vicinity of the islands.

essure remains high over the China Sea and the Philippines.

rong SW winds may be expected in the Formosa Channel, and moderate monsoon over the N. part of the ea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	SW winds, moderate; fair.
osa Channel, ...	SW winds, strong.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Sunday, 15th August, 1909.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	15th August, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th August, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.77	756.1	...	...	N	8	...	6 a.	29.77	756.1	...	...	E	
Hakodate,	,,	29.73	755.2	...	...	S	6	...	,,	29.77	756.2	...	...	E	
Tokio,	,,	29.71	754.6	...	...	S	2	...	,,	29.71	754.6	...	...	S	
Kochi,	,,	29.64	752.8	...	...	E	6	...	,,	29.64	752.8	...	...	...	
Nagasaki,	,,	29.48	748.8	...	...	E	4	...	,,	29.48	748.8	...	...	E	
Kagoshima,	,,	29.52	749.9	...	...	W	4	...	,,	29.56	750.9	...	...	...	
Oshima,	,,	29.61	752.1	...	...	W	4	...	,,	29.57	751.1	...	...	S	
Naha,	,,	29.65	753.2	...	...	W	2	...	,,	29.62	752.2	...	...	...	
Ishigakijima,	,,	29.70	754.3	...	...	S	6	...	,,	29.62	752.3	...	...	...	
Bonin Is.	,,	29.41	747.1	...	...	N	6	...	,,	29.57	751.1	...	...	N	
Chefoo,	4 p.	29.62	752.3	81	78	N E	2	c	6 a.	29.58	751.3	73	95	N E	
Weihaiwei,	,,	29.61	752.1	80	...	N E	1	o	9 a.	29.60	751.8	79	...	...	
Hankow,	,,	29.77	756.1	88	59	N E	1	b	6 a.	...	...	...	...	...	
Kiukiang,	,,	29.70	754.4	95	56	N W	2	b	,,	29.65	753.1	77	87	...	
Shanghai,	,,	29.54	750.3	90	60	W N W	3	o	9 a.	29.59	751.6	80	74	W N W	
Gutzlaff,	,,	29.55	750.5	83	83	N W	4	cv	,,	29.56	750.8	79	82	N W	
Sharp Peak,	,,	29.61	752.1	87	91	S	2	or	,,	29.61	752.1	86	96	E	
Amoy	,,	29.67	753.6	91	63	S W	2	b	6 a.	29.63	752.6	85	83	S S W	
Swatow,	,,	29.73	755.1	98	66	S W	1	c	,,	29.68	753.9	82	83	W S W	
Taihoku,	1 p.	29.67	753.7	...	...	W	8	...	6 a.	29.63	752.7	...	...	S	
Taichu,	,,	29.76	756.0	...	...	S	4	...	,,	29.69	754.2	...	...	S E	
Tainan,	,,	29.76	755.9	...	...	W	6	...	,,	29.75	755.6	...	...	E	
Koshun	,,	29.78	756.4	...	...	W	8	...	,,	29.71	754.7	...	...	W	
Pescadores,	,,	29.75	755.7	...	...	W	6	...	,,	29.71	754.7	...	...	S W	
Canton,	3 p.	29.72	754.9	93	67	S W	1	c	9 a.	29.76	755.9	85	83	W	
Hongkong,	4 p.	29.75	755.6	85	70	W S W	3	c	10 a.	29.76	755.9	85	77	S W	
Victoria Peak,	,,	...	...	...	...	S S W	7	...	,,	...	...	...	...	S W	
Gap Rock,	,,	29.73	755.1	...	...	W S W	4	...	,,	29.74	755.4	...	...	W S W	
Macao,	,,	29.75	755.6	88	...	S W	2	c	,,	29.77	756.1	85	...	W S W	
Wuchow,	3 p.	29.73	755.1	86	76	N W	1	c	9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.69	754.1	86	...	S S E	3	c	8 a.	29.76	755.8	82	...	E S E	
Tourane,	,,	29.72	755.0	84	...	S E	1	b	,,	29.79	756.7	88	...	N E	
Cape St. James,	,,	29.80	756.9	81	...	S W	3	c	,,	29.89	759.2	73	...	S W	
Aparri,	2 p.	29.80	756.9	...	...	N	2	b	6 a.	29.79	756.7	75	...	S W	
Manila,	4 p.	29.80	757	86	71	S W	2	c	10 a.	29.84	758	82	85	W	
Legaspi,	2 p.	29.83	757.6	90	...	W	2	c	6 a.	29.82	757.3	77	...	W	
Bacolod,	3 p.	...	...	...	...	S S W	2	o	9 a.	...	...	...	...	W S W	
Iloilo,	,,	29.83	757.7	84	...	S W	2	c	,,	29.89	759.2	83	...	S W	
Cebu,	,,	29.82	757.4	85	...	...	0	b	,,	29.85	758.2	86	...	S	
Labuan,	,,	29.83	757.7	86	...	...	...	...	,,	29.87	758.7	82	...	...	

On the 16th at 11.50 a.—The barometer has risen considerably at the Bonins the typhoon lying in that bourhood yesterday, having moved away to the Eastward.

The depression lying over the Yellow Sea between the mouth of the Yangtze and Korea Straits, is stationary.

Pressure has given way moderately to slightly over Japan, the China coast and the Philippines. It remai over the S. part of the China Sea.

Strong S.W. and W. winds may be expected in the Formosa Channel, and fresh monsoon over the N. par China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. and W. winds, fresh; fair to showery.
2.—Formosa Channel,	S.W. and W. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 16th August, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	16TH AUGUST, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17TH AUGUST, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.77	756.1	...	...	S E	6	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.73	755.2	...	...	S E	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.71	754.6	...	...	N	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.64	752.8	...	...	S E	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.48	748.8	...	...	E	6	...	,,	...	...	...	...	...	...	...
a, ...	,,	29.52	749.9	...	...	E	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.53	750.1	...	...	W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.61	752.2	...	...	S W	2	...	,,	...	...	...	...	...	...	...
ima, ...	,,	29.62	752.3	...	...	S	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.61	752.1	...	...	S W	2	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.60	751.8	81	83	N E	2	c	6 a.	29.61	752.1	73	95	E	2	c
ci, ...	,,	29.59	751.6	76	...	N E	1	o	9 a.	29.63	752.6	74	...	N W	1	c
.....	,,	29.74	755.4	89	63	N W	1	c	6 a.	29.69	754.1	80	82	N	1	c
.....	,,	29.58	751.3	92	96	W	1	b	,,	29.64	752.6	81	83	N E	1	o
.....	,,	29.54	750.3	88	56	N W	3	c	9 a.	29.63	752.6	86	65	N	2	c
.....	,,	29.53	750.0	85	76	N N W	6	cv	,,	29.62	752.3	85	72	N W	1	cv
ak, ...	,,	29.54	750.3	87	90	S S E	3	c	,,	29.61	752.1	85	96	S E	1	b
.....	,,	29.56	750.8	92	67	S	3	b	6 a.	29.63	752.6	82	91	W	1	o
.....	,,	29.62	752.3	95	59	S W	1	b	,,	29.67	753.6	81	87	W	1	o
.....	1 p.	29.59	751.7	...	...	W	6	...	6 a.	29.64	752.8	...	...	S	2	...
.....	,,	29.70	754.3	...	...	S	2	...	,,	29.71	754.5	...	...	S	2	...
.....	,,	29.73	755.1	...	...	W	4	...	,,	29.72	754.8	...	...	E	2	...
.....	,,	29.72	754.8	...	...	W	8	...	,,	29.70	754.3	...	...	W	8	...
es, ...	,,	29.68	753.9	...	...	W	6	...	,,	29.71	754.7	...	...	S W	6	...
.....	3 p.	29.63	752.6	92	70	W	1	b	9 a.	29.71	754.6	81	83	W	1	b
g, ...	4 p.	29.65	753.1	86	67	S S W	3	bq	10 a.	29.74	755.4	86	77	S W	3	o
.....	,,	...	...	...	...	S W	6	...	,,	...	...	...	...	S S W	7	...
.....	,,	29.65	753.1	...	...	W S W	5	...	,,	29.70	754.4	...	...	S W	4	...
.....	,,	29.65	753.1	87	...	S W	2	c	,,	29.74	755.4	84	...	S W	2	c
.....	3 p.	29.63	752.6	80	...	W	2	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.63	752.5	90	...	S S E	2	c	8 a.	29.67	753.7	88	...	S S E	2	c
.....	,,	29.67	753.5	84	...	S E	2	b	,,	29.75	755.7	88	..	N N W	2	b
ames,	,,	29.79	756.6	84	...	W S W	4	c	,,	29.85	759.1	79	...	...	2	c
.....	2 p.	29.74	755.5	90	...	N E	2	b	6 a.	29.77	756.1	77	...	S W	2	b
.....	4 p.	29.76	756	83	66	W	2	o	10 a.	29.84	758	84	77	W N W	1	c
.....	2 p.	29.79	756.7	82	...	W	2	p	6 a.	29.81	757.1	77	...	...	0	c
.....	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S S W	3	o
.....	,,	29.81	757.2	86	...	S S W	1	b	,,	29.87	758.7	84	...	S W	1	b
.....	,,	29.79	756.6	87	...	S	2	b	,,	29.87	758.7	85	...	S	2	b
.....	,,	29.79	756.6	87	...	...	...	...	,,	29.86	758.4	82	...	...	...	...

the 17th at 11.55 a.—The barometer has fallen slightly over the S. coast of China and Tongking, and risen over the E. coast of China and Japan. A moderate rise has taken place at the Bonins.

e depression, which is situated off the S.W. coast of Japan appears to be filling up. A low pressure trough is er S. China.

ssure remains high over the S. part of the China Sea.

sh S. and S.W. winds may be expected in the Formosa Channel and the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	S.W. winds, fresh; squally, thunder showers.
psa Channel, ...	S.W. winds, fresh.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	S. winds, fresh.

F. G. FIGG,
Director.

gkong Observatory, Tuesday, 17th August, 1909.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	17th August, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th August, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.82	757.5	71	...	S W	1	o	7 a.	29.86	758.4	65	99	N E	
Nemuro,	,,	29.93	760.1	...	...	E	2	...	6 a.	30.00	763.1	...	...	N	
Hakodate,	,,	29.85	758.2	...	...	S E	6	...	,,	29.93	760.2	...	...	E	
Tokio,	,,	29.75	755.6	...	...	E	2	...	,,	29.91	759.6	...	...	...	
Kochi,	,,	29.68	753.8	...	...	S E	4	...	,,	29.80	756.8	...	...	S E	
Nagasaki,	,,	29.56	750.8	...	...	S E	4	...	,,	29.68	753.8	...	...	S	
Kagoshima,	,,	29.60	751.9	...	...	E	2	...	,,	29.72	754.9	...	...	S	
Oshima,	,,	29.61	752.1	...	...	S	2	...	,,	29.77	756.1	...	...	S	
Naha,	,,	29.65	753.2	...	...	N W	2	...	,,	29.77	756.2	...	...	...	
Ishigakijima,	,,	29.66	753.3	...	...	S E	8	...	,,	29.74	755.3	...	...	S	
Bonin Is.	,,	29.73	755.1	...	...	S	4	...	,,	29.89	759.1	...	...	S W	
Chefoo,	4 p.	29.65	753.1	78	86	N N E	2	o	6 a.	29.74	755.4	74	95	N E	
Weihaiwei,	,,	29.62	752.3	77	...	N W	1	o	9 a.	29.78	756.4	77	...	N W	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.71	754.6	79	87	N E	
Shanghai,	,,	29.61	752.1	88	52	N N W	2	...	9 a.	29.77	756.1	80	82	N N E	
Gutzlaff,	,,	29.61	752.1	83	69	...	0	ov	,,	29.74	755.4	81	87	...	
Sharp Peak,	,,	29.57	751.1	86	91	S	3	c	,,	29.72	754.9	85	100	...	
Amoy,	,,	29.59	751.6	86	76	S W	4	o	6 a.	29.69	754.1	85	87	E S E	
Swatow,	,,	29.60	751.8	92	64	W	2	b	,,	...	...	...	...	...	
Taihoku,	1 p.	29.67	753.5	...	...	E	2	...	5 a.	29.76	755.8	...	...	S	
Taichu,	,,	29.73	755.2	...	...	S E	2	...	,,	29.79	756.7	...	...	S E	
Tainan,	,,	29.74	755.5	...	...	W	6	...	,,	29.78	756.5	...	...	E	
Koshun,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	...	...	W	
Pescadores,	,,	29.70	754.5	...	...	S W	6	...	,,	29.77	756.1	...	...	S W	
Canton,	3 p.	29.63	752.6	94	64	W	1	b	9 a.	29.81	757.2	84	91	...	
Hongkong,	4 p.	29.66	753.3	86	75	S W	1	o	10 a.	29.82	757.4	85	81	S W	
Victoria Peak,	,,	...	...	...	...	S	5	...	,,	...	...	...	...	S S W	
Gap Rock,	,,	29.64	752.8	...	...	S W	4	...	,,	29.78	756.4	...	...	S W	
Macao,	,,	29.66	753.3	87	...	S S W	2	c	,,	29.82	757.4	85	...	W S W	
Wuchow,	3 p.	29.67	753.6	77	...	W	1	c	9 a.	...	...	...	...	..	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	29.70	754.4	88	80	S	3	o	,,	...	...	...	...	...	
Phulien,	4 p.	29.58	751.4	91	...	S S W	1	o	8 a.	...	...	...	...	...	
Tourane,	,,	29.67	753.5	86	...	S E	1	b	,,	...	...	...	..	...	
Cape St. James,	,,	29.78	756.4	81	...	S W	4	c	,,	...	...	...	...	...	
Aparri,	2 p.	29.75	755.7	90	...	N E	2	b	6 a.	29.82	757.3	79	...	S W	
Manila,	4 p.	29.76	756	84	71	S W	3	c	10 a.	29.88	759	84	77	W	
Legaspi,	2 p.	29.80	756.8	81	...	W	2	d	6 a.	29.84	758.0	79	...	...	
Bacolod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S S W	
Iloilo,	,,	29.85	758.2	84	...	W	1	o	,,	29.97	761.2	82	...	W	
Cebu,	,,	29.81	757.2	88	...	S	2	o	,,	29.90	759.4	84	...	S	
Labuan,	,,	29.81	757.2	82	...	...	...	...	,,	29.89	759.2	83	...	...	

On the 18th at 12.05 p.—The barometer has risen generally, particularly in the North.

Pressure is high to the North of Japan, and over the S. part of the China Sea. It is relatively low o Eastern Sea.

Moderate variable winds may be expected in the Formosa Channel, and moderate monsoon over the N. the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. winds, moderate; fair to showery.
2.—Formosa Channel,	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	S. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 18th August, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	18th AUGUST, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th AUGUST, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	29.85	758.1	72	...	...	0	o	7 a.	29.83	757.6	65	98	E	1	o
.....	,,	30.00	762.1	...	...	N E	6	...	6 a.	29.97	761.1	...	...	N E	2	...
.....	,,	29.93	760.2	...	...	S E	6	...	,,	29.85	758.2	...	...	E	3	...
.....	,,	29.87	758.6	...	...	S W	2	...	,,	29.87	758.6	...	...	...	0	...
.....	,,	29.80	756.8	...	...	S E	2	...	,,	29.84	757.8	...	...	...	0	...
.....	,,	29.72	754.8	...	...	S W	8	...	,,	29.84	757.8	...	...	...	0	...
a, ...	,,	29.76	755.9	...	...	...	0	...	,,	29.84	757.9	...	...	...	0	...
.....	,,	29.81	757.1	...	...	S	4	...	,,	29.85	758.1	...	...	...	0	...
.....	,,	29.81	757.2	...	...	N W	2	...	,,	29.85	758.2	...	...	...	0	...
a,....	,,	29.78	756.3	...	...	S	4	...	,,	29.82	757.3	...	...	S W	8	...
.....	,,	29.93	760.1	...	...	S	4	...	,,	29.93	760.1	...	...	W	2	...
.....	4 p.	29.80	756.9	80	95	N	2	b	6 a.	29.83	757.7	74	...	W	1	b
,.....	,,	29.79	756.6	79	...	N E	1	b	9 a.	29.86	758.4	77	...	N W	1	...
.....	,,	29.85	758.2	90	60	N E	1	b	6 a.	...	...	...	...	...	...	...
.....	,,	29.77	756.1	91	60	N E	2	c	,,	29.81	757.2	79	91	N E	1	b
.....	,,	29.76	755.9	82	75	N N E	1	o	9 a.	29.84	757.9	81	74	N N E	1	c
.....	,,	29.74	755.4	80	87	N N E	2	ov	,,	29.80	756.9	79	91	N N E	3	omp
k,.....	,,	29.70	754.4	86	90	S S W	3	t	,,	29.79	756.6	84	...	...	0	b
.....	,,	29.70	754.4	91	79	S	4	o	6 a.	29.77	756.1	81	91	S W	1	b
.....	,,	29.70	754.4	93	67	S W	1	b	,,	29.79	756.6	80	...	W S W	2	b
.....	1 p.	29.76	756.0	...	...	N W	2	...	6 a.	29.83	757.6	...	...	...	0	...
.....	,,	29.82	757.4	...	...	S	4	...	,,	29.85	758.1	...	...	...	0	...
.....	,,	29.83	757.6	...	...	W	4	...	,,	29.84	757.9	...	...	S	2	...
.....	,,	29.83	757.6	...	...	N W	6	...	,,	29.85	758.2	...	...	W	2	...
;	,,	29.81	757.2	...	...	S W	6	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.77	756.1	87	80	W	1	o	9 a.	29.88	758.9	85	83	S	1	b
)	4 p.	29.74	755.4	88	74	S W	1	c	10 a.	29.83	758.9	84	79	W	1	c
eak,...	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S	1	...
.....	,,	29.75	755.6	...	...	S W	3	...	,,	29.85	758.1	...	...	S W	2	...
.....	,,	29.75	755.6	88	...	S W	1	c	,,	29.89	759.2	87	...	S W	1	c
.....	3 p.	29.76	755.9	83	...	S W	1	o	9 a.	29.85	758.2	81	...	E	1	c
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.76	755.9	90	73	S W	1	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.72	754.9	88	...	S S E	0	c	8 a.	29.81	757.2	86	...	S E	2	c
.....	,,	29.72	754.8	86	...	E	2	b	,,	29.79	756.6	83	..	E	1	b
mes,.	,,	29.82	757.3	75	...	S W	5	or	,,	29.88	759.0	79	...	S W	3	c
.....	2 p.	29.82	757.5	91	...	S E	2	b	6 a.	29.87	758.6	75	...	S	2	b
.....	4 p.	29.84	758	81	85	S W	2	o	10 a.	29.92	760	84	71	W N W	1	o
.....	2 p.	29.87	758.6	81	...	W	2	o	6 a.	29.89	759.2	77	...	...	0	o
.....	3 p.	...	...	...	...	S W	1	or	9 a.	...	...	...	...	S S W	1	o
.....	,,	29.89	759.2	82	...	N N E	1	or	,,	29.91	759.7	81	...	S W	1	o
.....	,,	29.86	758.4	86	...	S	1	c	,,	29.92	759.9	83	...	S	1	b
.....	,,	29.79	756.6	87	...	...	...	...	,,	29.90	759.4	85	...	...	...	...

the 19th at 11.55 a.—The barometer has fallen slightly over E. Japan, and risen elsewhere particularly over d S.W. Japan.

hallow depression is lying over the Sea of Japan.

ssure remains high to the N.E. of Japan, and over the S. part of the China Sea.

dients are slight generally, and light or moderate monsoon may be expected in the Formosa Channel and the f the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	S.W. winds, light; fair.
sa Channel, ...	S.W. winds, light or moderate.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	S. winds, light.

F. G. FIGG,
Director.

gkong Observatory, Thursday, 19th August, 1909.

y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	19th August, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th August, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.79	756.7	73	...	N W	3	c	7 a.	29.80	757.0	66	99	W N W	
Nemuro, ...	"	29.89	759.1	...	...	N	4	...	6 a.	29.75	755.1	...	...	N	
Hakodate, ...	"	29.69	754.2	...	...	N E	6	...	"	29.69	754.2	...	...	...	
Tokio, ...	"	29.75	755.6	...	...	S	6	...	"	29.71	754.6	...	...	W	
Kochi, ...	"	29.80	756.8	...	...	S E	4	...	"	29.75	755.8	...	...	S W	
Nagasaki, ...	"	29.80	756.8	...	...	W	4	...	"	29.80	756.8	...	...	S W	
Kagoshima, ...	"	29.84	757.9	...	...	S	4	...	"	29.80	756.9	...	...	...	
Oshima, ...	"	29.85	758.1	...	...	E	2	...	"	29.85	758.1	...	...	...	
Naha, ...	"	29.85	758.2	...	...	S W	2	...	"	29.85	758.2	...	...	S W	
Ishigakijima, ...	"	29.85	758.3	...	...	W	6	...	"	29.86	758.3	...	...	S W	
Bonin Is.	"	29.89	759.1	...	...	W	2	...	"	29.81	757.1	...	...	...	
Chefoo, ...	4 p.	29.84	757.9	81	100	N E	3	c	6 a.	29.79	756.6	72	...	S	
Weihaiwei, ...	"	29.83	757.7	81	...	S W	1	b	9 a.	29.79	756.6	79	...	N	
Hankow, ...	"	29.65	758.2	81	87	S E	1	b	6 a.	29.84	757.9	82	71	S E	
Kiukiang, ...	"	29.92	759.9	91	54	N E	1	b	"	...	...	78	91	...	
Shanghai, ...	"	29.81	757.2	86	68	E	1	c	9 a.	29.83	757.7	81	78	N N E	
Gutzlaff, ...	"	29.78	756.4	81	83	N N E	2	cv	"	29.80	756.9	93	87	N N E	
Sharp Peak, ...	"	29.75	755.6	86	90	S	3	c	"	29.80	756.9	85	...	...	
Amoy	"	...	...	...	...	...	...	...	6 a.	29.79	756.6	82	87	S W	
Swatow, ...	"	29.76	755.9	86	68	W	1	b	"	29.75	755.6	79	66	S W	
Taihoku	1 p.	29.83	757.8	...	...	S W	4	...	5 a.	29.84	757.9	...	...	...	
Taichu, ...	"	29.86	758.5	...	...	S	2	...	"	29.86	758.5	...	...	...	
Tainan, ...	"	29.88	758.9	...	...	N W	4	...	"	29.85	758.2	...	...	S E	
Koshun	"	29.88	758.9	...	...	W	6	...	"	29.86	758.3	...	...	...	
Pescadores, ...	"	29.87	758.7	...	...	W	6	...	"	29.84	758.0	...	...	S W	
Canton, ...	3 p.	29.80	756.9	92	67	...	0	b	9 a.	29.86	758.4	83	83	W	
Hongkong, ...	4 p.	29.73	756.4	88	62	S S W	1	o	10 a.	29.85	758.2	85	74	W	
Victoria Peak, ...	"	...	...	...	...	S	2	...	"	...	...	...	...	S	
Gap Rock, ...	"	29.78	756.4	...	...	S W	2	...	"	29.81	757.2	...	...	S S E	
Macao, ...	"	29.80	756.9	86	...	S	1	c	"	29.85	758.2	85	...	S S E	
Wuchow, ...	3 p.	29.75	755.6	87	...	W	1	c	9 a.	...	...	...	...	...	
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	
Pakhoi, ...	"	29.80	756.9	88	76	N W	3	c	"	...	...	...	...	...	
*Phulien, ...	4 p.	29.73	755.1	88	...	S S E	3	c	8 a.	29.80	757.0	81	...	S S E	
Tourane, ...	"	29.72	755.0	84	...	E	2	c	"	29.77	756.2	83	..	S E	
Cape St. James, .	"	29.78	756.4	79	...	S W	5	c	"	29.82	757.5	79	...	S W	
Aparri, ...	2 p.	29.84	757.9	88	...	N	2	b	6 a.	29.83	758.8	76	...	c	
Manila, ...	4 p.	29.84	758	86	71	S S W	1	o	10 a.	29.88	759	84	77	W	
Legaspi, ...	2 p.	29.88	758.9	79	...	W	2	p	6 a.	29.88	759.0	73	...	...	
Bacolod, ...	3 p.	...	...	...	...	W N W	2	o	9 a.	...	...	...	...	N W	
Iloilo, ...	"	29.87	758.7	84	...	W	1	o	"	29.93	760.2	82	...	N E	
Cebu, ...	"	29.85	758.2	86	...	N	2	c	"	29.89	759.2	84	...	N	
Labuan, ...	"	29.74	755.4	88	...	...	...	...	"	29.83	757.7	84	...	...	

On the 20th at 11.55 a.—The depression lying over the Sea of Japan yesterday, has moved into the Pacifi South of Hokkaido.

Pressure is inclined to give way over China and at the Southern stations. It is highest between N. Lu the Loochoos.

Light monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	S. winds, light; fair.
2.—Formosa Channel, ...	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 20th August, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	20th AUGUST, 1909, P.M.								21st AUGUST, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.73	755.1	...	...	N	6	...	6 a.	29.77	756.1	...	...	N	8	...
.....	,,	29.65	753.2	...	...	S E	4	...	,,	29.73	755.2	...	...	E	2	...
.....	,,	29.63	752.6	...	...	S	6	...	,,	29.71	754.6	...	...	N	2	...
.....	,,	29.72	754.8	...	...	...	0	...	,,	29.72	754.8	...	...	...	0	...
.....	,,	29.72	754.8	...	...	S W	4	...	,,	29.76	755.8	...	...	...	0	...
.....	,,	29.76	755.9	...	...	...	0	...	,,	29.76	755.9	...	...	...	[illegible]	...
.....	,,	29.81	757.1	...	...	N	4	...	,,	29.77	756.1	...	...	S	[illegible]	...
.....	,,	29.81	757.2	...	...	W	4	...	,,	29.81	757.2	...	...	...	...	...
.....	,,	29.82	757.3	...	...	S W	6	...	,,	29.82	757.3	...	...	W	6	...
.....	,,	29.73	755.1	...	...	N	2	...	,,	29.77	756.1	...	...	...	[illegible]	...
.....	4 p.	29.76	755.9	83	...	N E	3	b	6 a.	29.69	754.1	72	...	E	1	b
.....	,,	29.75	755.6	92	...	N E	1	b	9 a.	29.79	756.6	78	...	N E	1	c
.....	,,	29.85	758.2	91	60	S E	2	b	6 a.	...	...	...	...	...	...	...
.....	,,	29.72	754.9	92	61	N E	...	b	,,	29.72	754.9	79	92	...	0	b
.....	,,	29.74	755.4	89	59	E N E	2	c	9 a.	29.76	755.9	85	68	S E	2	c
.....	,,	29.75	755.6	84	75	N E	1	cv	,,	29.76	755.9	84	75	S E	2	cv
k,.....	,,	29.75	755.6	85	91	S S W	1	t	,,	29.77	756.1	83	63	...	0	b
.....	,,	29.71	754.6	91	67	S S E	3	b	6 a.	29.77	756.1	83	83	W	1	c
.....	,,	29.73	755.1	92	64	...	0	b	,,	...	...	...	...	...	...	...
.....	1 p.	29.79	756.7	...	...	N E	6	...	5 a.	29.82	757.5	...	...	S	2	...
.....	,,	29.81	757.1	...	...	W	4	...	,,	29.86	758.3	...	...	...	0	...
.....	,,	29.84	757.9	...	...	W	4	...	,,	29.85	758.2	...	...	N E	2	...
.....	,,	29.86	758.5	...	...	W	4	...	,,	29.83	757.7	...	...	N W	2	...
s, ...	,,	29.82	757.5	...	...	W	6	...	,,	29.83	757.7	...	...	S W	2	...
.....	3 p.	29.78	756.4	92	67	S	1	b	9 a.	29.86	758.4	84	83	...	0	b
.....	4 p.	29.77	756.1	84	75	S E	1	o	10 a.	29.86	758.4	86	64	S	1	c
ak,...	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S	3	...
.....	,,	29.75	755.6	...	...	S S E	2	...	,,	29.84	757.9	...	...	S	3	...
.....	,,	29.78	756.4	85	...	S S E	1	c	,,	29.85	758.2	86	...	S S E	1	c
.....	3 p.	29.73	755.1	88	66	S W	1	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.74	755.4	86	...	E S E	1	b	8 a.	29.81	757.2	84	...	N E	2	b
.....	,,	29.67	753.7	84	...	E S E	2	c	,,	...	...	...	...	...	...	..
mes,.	,,	29.72	754.8	81	...	S W	6	o	,,	29.85	758.1	79	...	S W	1	c
.....	2 p.	29.81	757.1	88	...	S E	0	o	6 a.	29.87	758.6	75	...	S	2	c
.....	4 p.	29.80	757	86	78	S S W	1	o	10 a.	29.88	759	86	71	N	1	o
.....	2 p.	29.81	757.2	90	...	E	2	b	6 a.	29.84	758.0	79	...	...	0	b
.....	3 p.	...	...	...	...	N N W	1	c	9 a.	...	...	...	...	W N W	1	o
.....	,,	29.81	757.2	86	...	S W	1	c	,,	29.89	759.2	81	...	N E	1	b
.....	,,	29.80	756.9	88	...	N	1	b	,,	29.87	758.7	84	...	S	1	o
.....	,,	29.73	755.1	91	...	...	...	...	,,	29.81	757.2	84	...	...	...	...

the 21st at 12.05 p.—The barometer has risen slightly in E. Japan, and fallen a little over China, the Loo-
d the S. Philippines.

depression is still shown over the Pacific to the E. of Japan.

ssure is highest over the N. part of the China Sea and N. Luzon. It is relatively low over Central China.

t to moderate monsoon may be expected in the Formosa Channel and along the northern shores of the China

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	S. winds, light or moderate; fair.
sa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Saturday, 21st August, 1909.

y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	21st AUGUST, 1909, P.M.								22nd AUGUST, 1909, A.M					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Win
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	29.73	755.1	...	...	E	6	...	6 a.	29.73	755.1	...	...	...
Hakodate, ...	,,	29.73	755.2	...	...	S E	6	...	,,	29.77	756.2	...	...	...
Tokio, ...	,,	29.71	754.6	...	...	S	4	...	,,	29.83	757.6	...	...	N
Kochi, ...	,,	29.76	755.8	...	...	...	0	...	,,	29.84	757.8	...	...	S W
Nagasaki, ...	,,	29.76	755.8	...	...	N	2	...	,,	29.84	757.8	...	...	...
Kagoshima, ...	,,	29.72	754.9	...	...	S W	2	...	,,	29.84	757.9	...	...	N
Oshima, ...	,,	29.77	756.1	...	...	N	4	...	,,	29.85	758.1	...	...	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	...
Ishigakijima, ...	,,	...	...	...	...	...	...	...	,,	29.82	757.3	...	...	S
Bonin Is.	,,	29.77	756.1	...	...	...	0	...	,,	29.85	758.1	...	...	...
Chefoo, ...	4 p.	29.75	755.6	81	100	N E	1	or	6 a.	29.74	755.4	74	100	S E
Weihaiwei, ...	,,	29.67	753.6	80	...	N E	1	o	9 a.	...	...	...	...	...
Hankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai, ...	,,	29.71	754.6	91	61	E S E	2	c	9 a.	29.73	755.1	87	69	S S W
Gutzlaff, ...	,,	29.72	754.9	82	78	E S E	3	cv	,,	29.72	754.9	86	83	S
Sharp Peak, ...	,,	29.72	754.9	86	87	S S E	3	b	,,	29.80	756.9	84	96	S E
Amoy, ...	,,	29.76	755.9	92	70	S W	1	b	6 a.	29.77	756.1	82	91	W
Swatow, ...	,,	29.75	755.6	88	73	S S W	1	b	,,	...	...	...	...	...
Taihoku, ...	1 p.	29.80	757.0	...	...	W	2	...	5 a.	29.83	757.7	...	...	S
Taichu, ...	,,	29.84	757.9	...	...	S	4	...	,,	29.87	758.6	...	...	...
Tainan, ...	,,	29.86	758.5	...	...	W	4	...	,,	29.87	758.6	...	...	E
Koshun	,,	29.85	758.1	...	...	W	6	...	,,	29.86	758.3	...	...	N
Pescadores, ...	,,	29.85	758.3	...	...	W	6	...	,,	29.84	758.0	...	...	S
Canton, ...	3 p.	29.81	757.2	87	80	S	1	or	9 a.	...	...	85	80	S E
Hongkong, ...	4 p.	29.80	756.9	83	67	S W	1	c	10 a.	29.88	758.9	86	75	W
Victoria Peak, ...	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S S W
Gap Rock, ...	,,	29.89	756.9	...	...	W S W	2	...	,,	29.85	758.2	...	...	W S W
Macao, ...	,,	29.81	757.2	85	...	S S W	2	c	,,	29.89	759.2	83	...	S S W
Wuchow, ...	3 p.	29.75	756.6	88	...	W	2	c	9 a.	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi, ...	,,	29.79	756.6	87	80	S E	1	c	,,	...	...	...	...	...
Phulien, ...	4 p.	29.76	755.8	82	...	S S W	2	lt	8 a.	29.87	758.7	84	...	N N W
Tourane, ...	,,	29.75	755.6	84	...	...	0	c	,,	29.88	759.0	88	...	W N W
Cape St. James, .	,,	29.80	756.8	79	...	S S W	2	o	,,	29.91	759.7	82	...	N E
Aparri, ...	2 p.	29.84	758.0	86	...	N E	2	c	6 a.	29.89	759.1	75	...	S
Manila, ...	4 p.	29.84	758	81	85	E N E	1	odt	10 a.	29.88	759	86	71	W N W
Legaspi, ...	2 p.	29.81	757.1	88	...	S E	2	b	6 a.	29.88	759.0	79	...	...
Bacolod, ...	3 p.	...	...	...	...	E	1	o	9 a.	...	...	...	...	N W
Iloilo, ...	,,	29.81	757.2	84	...	S	1	o	,,	29.89	759.2	83	...	N N E
Cebu, ...	,,	29.80	756.9	87	...	N	1	b	,,	29.87	758.7	87	...	...
Labuan, ...	,,	29.72	754.9	88	...	...	...	...	,,	29.85	758.2	84	...	...

On the 22nd at 12.05 p.—The barometer has fallen a little over the Lower Yangtze, and risen mod slightly in S. Japan and at the Southern stations respectively.

A shallow depression lies between the Lower Yangtze valley and Shantung, and pressure remains hig N. part of the China Sea and the Pacific towards the Loochoos.

Moderate monsoon may be expected in the Formosa Channel and light variable winds over the N. p China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	SW winds, light; showery.
2.—Formosa Channel, ...	S. and SW winds, moderate.
3.—South coast of China between Hongkong and Lamocks,..	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGC
Director.

Hongkong Observatory, Sunday, 22nd August, 1909.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	22nd AUGUST, 1909, P.M.								23rd AUGUST, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	29.88	759.0	76	...	S W	1	o	7 a.	29.91	759.6	69	99	S	1	or
.....	,,	29.77	756.1	...	...	N	6	...	6 a.	29.89	759.1	...	...	W	2	...
.....	,,	29.77	756.2	...	...	W	6	...	,,	29.93	760.2	...	...	N W	2	...
.....	,,	29.83	757.6	...	...	N E	2	...	,,	29.91	759.6	...	...	N W	2	...
.....	,,	29.80	756.8	...	...	S	2	...	,,	29.85	758.8	...	...	...	0	...
.....	,,	29.80	756.8	...	...	W	4	...	,,	29.85	758.8	...	...	S E	2	...
.....	,,	29.84	757.9	...	...	S W	2	...	,,	29.88	758.9	...	...	N E	2	...
.....	,,	29.85	758.1	...	...	N	4	...	,,	29.89	759.1	...	...	S	2	...
.....	,,	29.85	758.2	...	...	N W	2	...	,,	29.89	759.2	...	...	...	0	...
a,.....	,,	29.85	758.3	...	...	S	4	...	,,	29.86	758.3	...	...	E	6	...
.....	,,	29.81	757.1	...	...	E	2	...	,,	29.81	757.1	...	...	N	2	...
.....	4 p.	29.79	754.4	77	100	S E	1	or	6 a.	29.72	754.9	74	100	S E	3	c
.....	,,	29.75	755.6	76	...	N E	1	o	9 a.	...	...	79	...	N N E	1	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.77	756.1	91	96	N W	1	c	,,	29.80	756.9	77	99	E	0	b
.....	,,	29.71	754.6	84	79	W	1	o	9 a.	29.81	757.2	85	72	S S E	1	c
.....	,,	29.70	754.4	87	73	S S W	1	cv	,,	29.80	756.9	86	83	S S E	2	bv
,.....	,,	29.75	755.6	86	87	S	3	b	,,	29.84	757.9	85	95	S E	1	b
.....	,,	29.75	755.6	89	80	S E	3	b	6 a.	29.82	757.4	83	87	S W	1	o
.....	,,	29.75	755.6	92	61	S S E	1	b	,,	29.80	756.9	80	82	W	1	c
.....	1 p.	29.82	757.3	...	...	N W	2	...	5 a.	29.87	758.6	...	...	S	2	...
.....	,,	29.84	758.0	...	...	S W	2	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	29.87	758.6	...	...	W	4	...	,,	29.88	758.8	...	...	S E	2	...
.....	,,	29.86	758.4	...	...	N W	6	...	,,	29.88	758.9	...	...	...	0	...
.....	,,	29.86	758.4	...	...	W	6	...	,,	29.84	758.0	...	...	S W	2	...
.....	3 p.	29.78	756.4	92	67	S W	1	c	9 a.	29.87	758.7	86	89	S W	1	b
.....	4 p.	29.81	757.2	84	75	W S W	1	o	10 a.	29.87	758.7	83	79	E	1	ot
.....	,,	...	...	...	...	S	4	...	,,	...	...	...	...	S	1	...
.....	,,	29.77	756.1	...	...	W S W	2	...	,,	29.82	757.4	...	...	W S W	2	...
.....	,,	29.81	757.2	84	...	S W	2	c	,,	29.85	758.0	85	...	S W	1	c
.....	3 p.	29.78	756.4	79	...	W	1	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.82	757.4	87	76	N W	1	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.79	756.6	82	...	E S E	2	c	8 a.	29.86	758.3	86	...	S	0	c
.....	,,	...	...	...	...	...	...	...	,,	29.85	758.2	86	..	N	3	c
es,.	,,	29.80	757.0	88	...	S W	1	c	,,	29.89	759.3	84	...	N E	2	c
.....	2 p.	29.83	757.8	88	...	N E	2	b	6 a.	29.88	758.8	75	...	S W	2	b
.....	4 p.	29.84	758	83	73	N E	2	o	10 a.	29.88	759	82	77	W N W	0	b
.....	2 p.	29.88	759.0	91	...	E	2	b	6 a.	29.87	758.6	81	...	E	2	c
.....	3 p.	...	...	...	...	E S E	1	ot	9 a.	...	...	...	...	N E	2	o
.....	,,	29.85	758.2	86	...	E	5	crt	,,	29.87	758.7	83	...	N	1	o
.....	,,	29.82	757.4	84	...	...	0	c	,,	29.88	758.9	85	...	N	2	c
.....	,,	29.71	754.6	89	...	...	...	...	,,	29.82	757.4	93	...	...	...	...

e 23rd at 11.55 a.—The barometer has risen moderately to slightly over Japan and the E. coast of China. ure is high over the Sea of Japan, and over the N. part of the China Sea and the Pacific towards the Loo- is relatively low over N. China.

monsoon may be expected in the Formosa Channel and light variable winds over the N. part of the China

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.73 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	S.W. winds, light; thunder showers.
Channel, ...	S. winds, light.
ast of China between Hongkong and Lamocks,..	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

ong Observatory, Monday, 23rd August, 1909.

Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	23rd August, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th August, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	29.94	760.4	74	...	S	1	o	7 a.	29.97	761.2	69	98	N N W
Nemuro,	,,	29.89	759.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	...
Hakodate,	,,	29.93	760.2	...	...	S	4	...	,,	30.01	762.2	...	...	N W
Tokio,	,,	29.87	758.6	...	...	E	2	...	,,	29.95	760.6	...	...	N W
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	29.91	759.8	...	...	...
Nagasaki,	,,	29.87	758.8	...	...	S	2	...	,,	29.91	759.8	...	...	...
Kagoshima,	,,	29.88	758.9	...	...	...	0	...	,,	29.92	759.9	...	...	...
Oshima,	,,	29.94	760.1	...	...	N	[illegible]	...	,,	29.94	760.1	...	...	S
Naba	,,	...	...	...	...	...	0	...	,,	29.93	760.2	...	...	...
Ishigakijima,	,,	29.89	759.3	...	...	S	4	...	,,	29.89	759.3	...	...	...
Bonin Is.	,,	29.81	757.1	...	...	N	2	...	,,	29.77	756.1	...	...	N
Chefoo,	4 p.	29.76	755.9	83	...	E	2	c	6 a.	29.83	757.7	75	100	E
Weihaiwei,	,,	29.76	755.9	82	...	N	1	o	9 a.	29.76	755.9	74	...	N E
Hankow,	,,	29.81	757.2	87	65	N E	1	b	6 a.	...	...	...	...	...
Kiukiang,	,,	29.78	756.4	90	63	S W	1	b	,,	29.83	758.9	77	95	...
Shanghai,	,,	29.75	755.6	83	91	S W	2	c	9 a.	29.87	758.7	85	72	S
Gutzlaff,	,,	29.76	755.9	84	...	S	1	cm	,,	29.86	758.4	85	79	S
Sharp Peak	,,	29.76	755.9	86	91	S S E	2	b	,,	29.92	759.9	84	96	E
Amoy,	,,	29.75	755.6	82	67	S S W	2	b	6 a.	29.85	758.2	78	86	S W
Swatow,	,,	29.74	755.4	89	66	S	2	b	,,	...	...	...	...	...
Taihoku,	1 p.	29.85	758.1	...	...	N	4	...	5 a.	29.89	759.2	...	...	S
Taichu,	,,	29.86	758.4	...	...	S W	2	...	,,	29.90	759.4	...	...	...
Tainan,	,,	29.88	758.9	...	...	N W	4	...	,,	29.90	759.5	...	...	E
Koshun,	,,	29.87	758.8	...	...	N W	6	...	,,	29.91	759.6	...	...	W
Pescadores,	,,	29.86	758.5	...	...	W	4	...	,,	29.88	759.0	...	...	S
Canton,	3 p.	29.78	756.4	92	97	S E	1	b	9 a.	29.93	760.2	85	83	S
Hongkong,	4 p.	29.82	757.4	84	74	W	1	c	10 a.	29.92	759.9	83	76	E
Victoria Peak,	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S
Gap Rock,	,,	29.78	756.4	...	...	S W	3	...	,,	29.89	759.2	...	...	S
Macao,	,,	29.79	756.6	85	...	S S W	2	b	,,	29.92	759.9	83	...	S E
Wuchow,	3 p.	29.76	755.9	89	...	W	3	oq	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.74	755.5	86	...	S S E	2	lt	8 a.	29.85	758.2	77	...	N N E
Tourane,	,,	29.82	757.3	82	...	E N E	2	o	,,	29.84	757.8	81	..	S S W
Cape St. James,	,,	29.78	756.4	82	...	E S E	2	o	,,	...	...	...	...	...
Aparri,	2 p.	29.85	758.2	90	...	N E	2	b	6 a.	29.89	759.1	79	...	S W
Manila,	4 p.	29.89	757	91	67	W	1	c	10 a.	29.88	759	86	65	W
Legaspi,	2 p.	29.83	757.8	90	...	S E	2	c	6 a.	29.87	758.7	79	...	...
Bacolod,	3 p.	...	...	...	...	N N E	3	ort	9 a.	...	...	...	...	N W
Iloilo,	,,	29.81	757.2	88	...	N E	1	b	,,	29.89	759.2	84	...	N
Cebu,	,,	29.81	757.2	87	...	N	2	o	,,	29.87	758.7	86	...	...
Labuan,	,,	29.71	754.6	89	...	...	...	...	,,	29.85	758.2	84	...	...

On the 24th at 12.05 p.—The barometer has risen slightly over China and Japan, and fallen a lit Bonins.

Pressure is low over the Pacific to the S.E. of the latter area. It is high to the North of Japan, and co above the normal over the N. part of the China Sea and the Pacific towards the Loochoos.

Light S.E. winds may be expected in the Formosa Channel, and light variable winds over the N. p China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; thunder showers.
2.—Formosa Channel,	S.E. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIG

Director

Hongkong Observatory, Tuesday, 24th August, 1909.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	24TH AUGUST, 1909, P.M.								25TH AUGUST, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	29.94	760.7	74	...	W	1	c	7 a.	29.89	759.3	71	97	...	0	o
.....	,,	29.96	761.1	...	...	E	2	...	6 a.	30.01	762.1	...	...	...	0	...
.....	,,	29.97	761.2	...	...	S E	4	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	29.91	759.6	...	...	E	4	...	,,	29.95	760.6	...	...	N	4	...
.....	,,	29.87	758.8	...	...	S	2	...	,,	29.91	759.8	...	...	S W	2	...
.....	,,	29.87	758.8	...	...	S W	4	...	,,	29.88	758.8	...	...	...	0	...
.....	,,	29.92	759.9	...	...	N W	4	...	,,	29.92	759.9	...	...	...	0	...
.....	,,	29.93	760.1	...	...	N	2	...	,,	29.89	759.1	...	...	W	2	...
.....	,,	29.89	759.2	...	...	N	4	...	,,	29.89	759.2	...	...	...	0	...
.....	,,	29.89	759.3	...	...	S	4	...	,,	29.89	759.3	...	...	N	2	...
.....	,,	29.77	756.1	...	...	N	4	...	,,	29.73	755.1	...	...	N	2	...
.....	4 p.	29.80	756.9	79	...	E	1	c	6 a.	29.67	753.6	76	100	S S W	3	c
.....	,,	29.79	756.6	82	...	...	1	b	9 a.	29.78	756.4	81	...	N W	1	b
.....	,,	29.80	756.9	88	62	N E	1	b	6 a.	29.93	760.2	84	68	N E	1	b
.....	,,	29.84	757.9	91	48	S	1	lt	,,	29.88	758.9	75	90	...	0	c
.....	,,	29.82	757.4	83	83	W	1	c	9 a.	29.86	758.4	88	69	W S W	1	c
.....	,,	29.83	757.7	88	76	S S W	1	ov	,,	29.85	758.2	86	80	S	2	cv
.....	,,	29.85	758.2	86	...	E	1	b	,,	29.91	759.7	85	...	...	0	b
.....	,,	29.83	757.7	95	75	S E	2	b	6 a.	29.87	758.7	82	87	W	0	c
.....	,,	29.82	757.4	88	66	S	1	b	,,	29.86	758.4	79	87	N W	1	b
.....	1 p.	29.91	759.8	...	...	N	4	...	5 a.	29.91	759.8	...	...	...	0	...
.....	,,	29.91	759.8	...	...	N W	2	...	,,	29.93	760.1	...	...	...	0	...
.....	,,	29.92	759.9	...	...	N W	4	...	,,	29.91	759.7	...	...	S E	2	...
.....	,,	29.94	760.4	...	...	S E	2	...	,,	29.91	759.8	...	...	N E	2	...
.....	,,	29.93	760.3	...	...	W	4	...	,,	29.91	759.6	...	...	...	0	...
.....	3 p.	29.87	758.7	85	83	...	0	o	9 a.	29.95	760.7	86	86	S E	1	b
.....	4 p.	29.85	758.2	84	74	S	1	o	10 a.	29.93	760.2	84	78	E S E	1	o
.....	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E	1	...
.....	,,	29.84	757.9	...	...	S E	3	...	,,	29.90	759.4	...	...	E	2	...
.....	,,	29.85	758.2	84	...	S	1	c	,,	29.94	760.5	86	...	S E	1	c
.....	3 p.	29.80	756.9	87	...	E	1	r	9 a.	29.92	759.9	82	83	E	1	c
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.82	757.4	87	73	S	1	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.76	756.0	81	...	S S E	2	o	8 a.	...	...	...	...	...	...	...
.....	,,	29.79	756.7	84	...	S E	3	c	,,	...	...	...	...	...	...	...
ces,.	,,	29.78	756.4	82	...	E	5	o	,,	...	...	...	...	...	...	c
.....	2 p.	29.84	758.0	91	...	N E	2	b	6 a.	29.88	758.9	77	...	S	2	b
.....	4 p.	29.80	757	91	55	W S W	0	c	10 a.	29.88	759	86	65	N W	0	c
.....	2 p.	29.83	757.6	91	...	E	2	c	6 a.	29.85	758.1	81	...	...	0	c
.....	3 p.	...	...	...	...	N N W	1	o	9 a.	...	...	...	...	N N E	2	o
.....	,,	29.81	757.2	87	...	N N E	1	o	,,	29.87	758.7	83	...	N N E	1	b
.....	,,	29.80	756.9	89	...	N	2	c	,,	29.87	758.7	85	...	N	1	o
.....	,,	29.74	755.4	87	...	...	...	...	,,	29.86	758.4	81	...	...	...	...

e 25th at 12.10 p.—The barometer has fallen slightly at Wladiwostok, and over the Loochoos and the

ure remains low over the Pacific to the S.E. of the latter area. It is still high to the North of Japan and ina.

variable winds may be expected in the Formosa Channel, and light N.E. and E. winds over the N. part na Sea.

tnrns from Indo-China are lacking.

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	Variable winds, light; fair.
Channel, ...	Same as No. 1.
past of China between Hongkong and Lamocks,..	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ong Observatory, Wednesday, 25th August, 1909.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	25th August, 1909, P.M.								26th August, 1909, A.M					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	29.87	758.7	74	...	S	3	c	7 a.	29.76	756.0	66	96	S
Nemuro,	,,	29.96	761.1	...	...	N	2	...	6 a.	29.93	760.1	...	...	...
Hakodate,	,,	29.97	761.2	...	...	S E	4	...	,,	29.93	760.2	...	...	...
Tokio,	,,	29.94	760.6	...	...	N E	2	...	,,	29.95	760.6	...	...	...
Kochi,	,,	29.87	758.8	...	...	S E	2	...	,,	29.91	759.8	...	...	...
Nagasaki,	,,	29.87	758.8	...	...	W	6	...	,,	29.84	757.8	...	...	S W
Kagoshima,	,,	29.88	758.9	...	...	W	2	...	,,	29.88	758.9	...	...	E
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.89	759.1	...	...	...
Naha,	,,	29.89	759.2	...	...	N	4	...	,,	29.85	758.2	...	...	...
Ishigakijima,	,,	29.89	759.3	...	...	W	4	...	,,	29.86	758.3	...	...	N
Bonin Is.	,,	29.73	756.1	...	...	N	4	...	,,	29.77	756.1	...	...	N
Chefoo,	4 p.	29.71	754.6	79	...	N E	2	o	6 a.	29.72	754.9	74	100	S
Weihaiwei,	,,	29.70	754.4	81	...	N W	1	b	9 a.	29.74	755.4	77	...	N W
Hankow,	,,	29.86	758.4	99	88	S W	1	b	6 a.	29.86	758.4	80	95	S S E
Kiukiang,	,,	29.85	758.2	89	91	S W	1	or	,,	29.83	757.7	77	90	...
Shanghai,	,,	29.81	757.2	85	69	E	2	ort	9 a.	29.84	757.9	79	91	S
Gutzlaff,	,,	29.79	756.6	85	76	S	1	ov	,,	29.82	757.4	81	91	N W
Sharp Peak,	,,	29.83	757.7	87	...	E S E	2	b	,,	29.83	758.9	84	96	S
Amoy	,,	29.82	757.4	91	...	S S E	2	b	6 a.	29.86	758.4	79	87	W
Swatow,	,,	29.81	757.2	91	63	S	1	b	,,	29.80	756.9	89	87	N W
Taihoku	1 p.	29.89	759.2	...	...	N	4	...	5 a.	29.87	758.7	...	...	S W
Taichu,	,,	29.89	759.1	...	...	N W	+	...	,,	29.89	759.1	...	...	...
Tainan,	,,	29.90	759.5	...	...	N W	6	...	,,	29.88	759.0	...	...	...
Koshun	,,	29.90	759.5	...	...	E	4	...	,,	29.86	758.4	...	...	E
Pescadores,	,,	29.90	759.5	...	...	W	4	...	,,	29.88	758.9	...	...	W
Canton,	3 p.	29.87	758.7	88	73	S E	1	c	9 a.	29.93	760.2	85	79	...
Hongkong,	4 p.	29.86	758.4	87	63	S	2	c	10 a.	29.92	759.9	86	68	S E
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	E
Gap Rock,	,,	29.83	757.7	...	...	E S E	1	...	,,	29.89	759.2	...	...	N N W
Macao,	,,	29.87	758.7	85	...	S E	1	c	,,	29.92	759.9	86	...	S E
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.90	759.4	80	87	W	3	or	,,	...	...	...	...	...
Phulien,	4 p.	29.81	757.2	77	...	E S E	1	o	8 a.	29.89	759.1	73	...	E N E
Tourane,	,,	29.78	756.4	82	...	E S E	3	c	,,	29.84	758.0	82	..	S
Cape St. James,	,,	29.80	757.6	79	...	S E	4	o	,,	29.88	758.8	77	...	N E
Aparri,	2 p.	29.84	758.0	88	...	N E	2	b	6 a.	29.85	758.2	77	...	S
Manila,	4 p.	29.76	756	91	49	W N W	1	c	10 a.	29.84	758	86	65	N
Legaspi,	2 p.	29.80	756.9	90	...	E	2	c	6 a.	29.82	757.4	81	...	...
Bacolod,	3 p.	...	...	...	...	E S E	1	o	9 a.	...	...	...	...	N W
Iloilo,	,,	29.81	757.2	84	...	N	1	o	,,	29.87	758.7	81	...	N
Cebu,	,,	29.81	757.2	85	...	S	2	o	,,	29.85	758.2	83	...	S
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.85	758.2	83	...	...

On the 26th at 12.10 p.—The barometer has fallen moderately at Wladiwostok, a depression having over Manchuria.

Pressure has given way slightly over China, the Loochoos and the Philippines. It is high over the Paci E. of Japan and over S. China, and relatively low over the Pacific between the Philippines and the Bonins

Light variable winds may be expected in the Formosa Channel and light N.E. winds over the N. pa China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 26th August, 1909.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	26TH AUGUST, 1909, P.M.								27TH AUGUST, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	29.70	754.3	67	...	S	6	or	7 a.	...	...	67	99	S S E	6	or
.....	,,	...	...	...	...	...	...	...	6 a.	29.85	758.1	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.87	758.6	...	...	..	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.88	758.8	...	...	W	2	...
.....	,,	...	...	...	...	...	...	...	,,	29.80	756.8	...	...	S	6	...
.....	,,	...	...	...	...	...	...	...	,,	29.88	758.9	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.85	758.2	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.86	758.3	...	...	N	2	...
.....	,,	...	...	...	...	...	...	...	,,	29.85	758.1	...	...	N E	2	...
.....	4 p.	29.69	754.1	81	...	...	0	b	6 a.	...	...	...	...	...	...	...
.....	,,	29.68	753.9	81	...	N W	1	b	9 a.	29.73	755.1	78	...	N W	1	b
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.79	756.6	86	65	S W	1	c	,,	29.80	756.9	78	86	...	0	...
.....	,,	29.76	755.9	84	68	N N E	1	ct	9 a.	29.81	757.2	87	65	W S W	1	b
.....	,,	29.76	755.9	87	73	S E	1	cv	,,	29.80	756.9	83	78	W S W	2	cv
.....	,,	29.80	756.9	76	90	E	2	b	,,	29.87	758.7	86	96	N	1	b
.....	,,	29.81	757.2	90	70	S S E	2	b	6 a.	29.82	757.4	82	87	S W	...	c
.....	,,	29.79	756.6	90	60	S	1	b	,,	29.79	756.6	78	74	N	1	c
.....	1 p.	29.85	758.1	...	...	N W	4	...	5 a.	29.86	758.5	...	...	S	4	...
.....	,,	29.86	758.5	...	...	S W	2	...	,,	29.83	758.9	...	...	...	0	...
.....	,,	29.88	759.0	...	...	N W	4	...	,,	29.88	758.9	...	...	S E	2	...
.....	,,	29.88	758.9	...	...	S W	2	...	,,	29.88	758.8	...	...	N	2	...
.....	,,	29.88	759.0	...	...	W	4	...	,,	29.85	758.2	...	...	S	2	...
.....	3 p.	29.85	758.2	93	71	...	0	b	9 a.	...	...	...	...	...	...	...
.....	4 p.	29.83	757.7	87	64	...	0	b	10 a.	29.90	759.4	86	71	W N W	1	c
.....	,,	...	...	...	...	S	3	...	,,	...	...	...	...	S	1	...
.....	,,	29.81	757.2	...	...	W N W	1	...	,,	29.89	759.2	...	...	S E	1	...
.....	,,	29.84	757.9	86	...	S E	1	c	,,	29.91	759.7	88	...	S W	1	c
.....	3 p.	29.84	757.9	86	72	W	1	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.81	757.1	77	...	E S E	2	o	8 a.	29.88	758.8	75	...	S E	3	or
.....	,,	29.78	756.3	82	...	S E	2	c	,,	29.87	758.7	86	..	S	2	c
es,.	,,	29.79	756.6	84	...	E	2	c	,,	29.89	759.2	82	...	N E	1	c
.....	2 p.	29.80	756.8	91	...	N E	4	b	6 a.	29.86	758.3	79	...	S	2	b
.....	4 p.	29.76	756	90	60	...	0	c	10 a.	29.88	759	84	71	W	1	c
.....	2 p.	29.80	756.8	88	...	E	2	b	6 a.	29.86	758.3	77	...	...	0	b
.....	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	N W	2	b
.....	,,	29.81	757.2	87	...	N E	1	o	,,	29.91	759.7	85	...	N E	1	b
.....	,,	29.79	756.6	86	...	N	1	b	,,	29.88	758.9	86	...	S E	1	c
.....	,,	29.74	755.4	86	...	...	...	...	,,	29.86	758.4	83	...	...	...	...

27th at 12.05 p.—The barometer has fallen moderately in E. Japan, and risen moderately to slightly onins and Philippines respectively.

pression lying over Manchuria yesterday, is approaching the neighbourhood of Wladiwostok.

re is highest to the S. and S.E. of Japan It remains moderately above the normal over the S. coast of

variable winds may be expected in the Formosa Channel and the N. part of the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	Variable winds, light; fair.
Channel, ...	Same as No. 1.
ast of China between Hongkong and Lamocks,..	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ong Observatory, Friday, 27th August, 1909.

ORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	27th August, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th August, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	29.89	759.1	...	...	E	2	...	6 a.	30.01	762.1	...	...	S E
Hakodate,	,,	29.85	758.2	...	...	S E	4	...	,,	29.85	758.2	...	...	...
Tokio,	,,	29.83	757.6	...	...	S	6	...	,,	29.91	759.6	...	...	...
Kochi,	,,	29.87	758.8	...	...	S	2	...	,,	29.88	758.8	...	...	...
Nagasaki,	,,	29.83	757.8	...	...	S	4	...	,,	29.88	758.8	...	...	S
Kagoshima,	,,	29.88	758.9	...	...	...	0	...	,,	29.83	758.9	...	...	...
Oshima,	,,	29.89	759.1	...	...	N	4	...	,,	29.93	760.1	...	...	S
Naha,	,,	29.89	759.2	...	...	S W	2	...	,,	29.89	759.2	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	S	4	...	,,	29.89	759.3	...	...	...
Bonin Is.	,,	29.89	759.1	...	...	N	2	...	,,	29.93	760.1	...	...	...
Chefoo,	4 p.	29.70	754.4	86	...	E	2	b	6 a.	29.76	755.9	...	...	...
Weihaiwei,	,,	29.68	753.9	83	...	N E	...	b	9 a.	29.78	756.4	85	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	29.77	756.1	90	63	S W	2	b	,,	29.80	756.9	80	78	W
Shanghai,	,,	29.75	755.6	86	68	W S W	1	o	9 a.	29.83	757.7	85	68	S S W
Gutzlaff,	,,	29.76	755.9	88	62	S W	1	cv	,,	29.82	757.4	85	76	S S W
Sharp Peak,	,,	29.80	756.9	87	...	E	1	c	,,	29.86	758.4	84	...	W
Amoy,	,,	29.79	756.6	92	67	S S E	2	b	6 a.	29.84	757.9	82	87	S
Swatow,	,,	29.77	756.1	91	60	S	1	b	,,	...	...	...	...	...
Taihoku,	1 p.	29.84	757.9	...	...	N	2	...	5 a.	29.88	758.9	...	...	S
Taichu,	,,	29.86	758.5	...	...	E	4	...	,,	29.89	759.3	...	...	...
Tainan,	,,	29.88	759.0	...	...	W	4	...	,,	29.88	758.9	...	...	S
Koshun	,,	29.87	758.8	...	...	E	2	...	,,	29.89	759.3	...	...	...
Pescadores,	,,	29.88	758.9	...	...	W	4	...	,,	29.89	759.1	...	...	...
Canton,	3 p.	29.83	757.7	82	64	W S W	1	b	9 a.	...	...	...	...	...
Hongkong,	4 p.	29.81	757.2	88	55	S	1	c	10 a.	29.90	759.4	87	72	E
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	S E
Gap Rock,	,,	29.82	757.4	...	...	W	1	...	,,	29.87	758.7	...	...	S E
Macao,	,,	29.83	757.7	87	...	S S E	1	c	,,	29.90	759.4	87	...	S E
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.78	756.5	77	...	E	3	or	8 a.	29.84	757.8	75	...	E S E
Tourane,	,,	29.79	756.6	84	...	S E	2	b	,,	29.86	758.4	84	...	S W
Cape St. James,	,,	29.80	757.0	82	...	E	3	c	,,	...	...	...	...	...
Aparri,	2 p.	29.81	757.1	91	...	N E	2	b	6 a.	29.87	758.6	75	...	S
Manila,	4 p.	29.76	756	91	73	W	0	c	10 a.	29.88	759	84	71	N
Legaspi,	2 p.	29.82	757.3	91	...	E	2	b	6 a.	29.86	758.3	77	...	...
Bacolod,	3 p.	...	...	...	...	E S E	2	o	9 a.	...	...	...	...	W N W
Iloilo,	,,	29.81	757.2	87	...	S	1	c	,,	29.89	759.2	85	...	N E
Cebu,	,,	29.79	756.6	89	...	N	1	b	,,	29.88	758.9	86	...	...
Labuan,	,,	29.82	757.4	88	...	...	...	...	,,	29.89	759.2	83	...	...

On the 28th at 12.05 p.—The barometer has risen slightly over N. China and at the Japanese stations, a a little in Tongking.

Pressure is highest over the Pacific to the E. of Japan. It is relatively low over N. China.

Light S. winds may be expected in the Formosa Channel and light S.E. and E. winds over the N. pa China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.E. winds, light; fair.
2.—Formosa Channel,	S. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 28th August, 1909.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER

	28TH AUGUST, 1909, P.M.								29TH AUGUST, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
,...	2 p.	29.71	754.6	70	...	S	3	o	7 a.	29.69	754.0	69	95	S	3	f
....	,,	30.00	762.1	...	...	S	4	...	6 a.	30.01	762.1	...	...	S E	2	...
....	,,	29.85	758.2	...	...	S	4	...	,,	29.89	759.2	...	...	...	0	...
....	,,	29.83	757.6	...	...	S W	4	...	,,	29.87	758.6	...	...	N W	2	...
....	,,	29.83	757.8	...	...	...	0	...	,,	29.88	758.8	...	...	...	0	...
....	,,	29.87	758.8	...	...	S E	2	...	,,	29.88	758.8	...	...	...	0	...
....	,,	29.92	759.9	...	...	W	2	...	,,	29.88	758.9	...	...	...	0	...
....	,,	29.93	760.1	...	...	...	0	...	,,	29.89	759.1	...	...	...	0	...
...	,,	29.89	759.2	...	...	E	4	...	,,	29.89	759.2	...	...	...	0	...
...	,,	29.89	759.3	...	...	N	2	...	,,	29.89	759.3	...	...	N	2	
....	,,	29.89	759.1	...	...	N	2	...	,,	29.89	759.1	...	...	...	0	
....	4 p.	29.82	757.4	92	...	S E	2	b	6 a.	...	...	...	...	...	...	
....	,,	29.74	755.4	82	...	N E	1	b	9 a.	29.78	756.4	81	...	N W	...	b
....	,,	...	...	...	...	...	...	...	6 a.	29.86	758.4	89	63	W	2	b
....	,,	29.82	757.4	94	64	E S E	1	b	,,	...	...	...	...	...	...	
....	,,	29.76	755.9	91	60	S S W	1	c	9 a.	29.85	758.2	83	69	S W	1	b
....	,,	29.80	756.9	87	65	S W	1	ov	,,	29.84	757.9	87	76	...	0	ov
....	,,	29.84	757.9	86	...	E S E	2	b	,,	29.87	758.7	85	...	E	1	b
....	,,	29.81	757.2	91	70	S E	2	b	6 a.	29.86	758.4	81	91	S W	1	b
....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
....	1 p.	29.87	758.8	...	...	N	4	...	5 a.	29.91	759.6	...	...	...	0	...
...	,,	29.88	759.0	...	...	W	2	...	,,	29.90	759.4	...	...	...	0	...
...	,,	29.90	759.4	...	...	W	4	...	,,	29.89	759.3	...	...	E	2	...
...	,,	29.89	759.2	...	...	E	4	...	,,	29.88	759.0	...	...	...	0	...
...	,,	29.91	759.6	...	...	E	6	...	,,	29.89	759.1	...	...	S	2	...
...	3 p.	29.85	758.2	91	79	S	1	b	9 a.	29.92	759.9	87	80	S	1	b
...	4 p.	29.83	757.7	84	74	E	2	o	10 a.	29.92	759.9	86	69	E	1	c
...	,,	...	...	...	...	S	2	...	,,	...	...	...	...	E N E	1	...
...	,,	29.81	757.2	...	...	E S E	2	...	,,	29.88	758.9	...	...	E S E	2	...
...	,,	29.83	757.7	86	...	S E	1	c	,,	29.92	759.9	86	...	S E	1	c
...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...	4 p.	29.75	755.7	77	...	E N E	2	o	8 a.	29.91	759.8	72	...	S S W	3	lt
...	,,	29.76	755.8	82	...	S E	2	c	,,	29.84	757.9	82	..	S	1	c
s,.	,,	29.75	755.7	82	...	E	3	o	,,	29.85	758.2	81	...	N E	2	or
...	2 p.	29.83	757.6	90	...	N E	2	b	6 a.	29.86	758.5	75	...	S	2	b
...	4 p.	29.76	756	81	92	E S E	0	otl	10 a.	29.84	758	86	71	W N W	1	c
...	2 p.	29.81	757.2	91	...	E	2	b	6 a.	29.83	757.7	79	...	...	0	c
...	3 p.	...	...	...	...	S E	3	o	9 a.	...	...	...	...	N W	2	c
...	,,	29.81	757.2	89	...	N N E	1	o	,,	29.87	758.7	85	...	N	1	o
...	,,	29.78	756.4	89	...	N	1	b	,,	29.87	758.7	86	...	N	1	c
...	,,	29.73	755.1	87	...	...	...	...	,,	...	...	...	...	...	...	...

: 29th at 12.05 p.—The barometer has risen a little on the China coast, and fallen slightly over the Phi-

re remains high over the Pacific to the E. of Japan, and low over Manchuria. It is relatively high also
na.

nts are slight generally. Light S.E. winds may be expected in the Formosa Channel and light E. and
over the N. part of the China Sea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	E. winds, light; fair.
Channel, ...	S.E. winds, light.
ast of China between Hongkong and Lamocks,..	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ong Observatory, Sunday, 29th August, 1909.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	29th August, 1909, P.M.								30th August, 1909, A.M					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Win
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	29.68	753.8	73	...	S	2	o	7 a.	29.69	754.1	61	97	...
Nemuro,	,,	29.93	760.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	...
Hakodate,	,,	29.85	758.2	...	...	E	4	...	,,	29.81	757.2	...	...	S E
Tokio,	,,	29.79	756.6	...	...	S	4	...	,,	29.87	758.6	...	...	...
Kochi,	,,	29.83	757.8	...	...	S E	2	...	,,	29.84	757.8	...	...	S W
Nagasaki,	,,	29.83	757.8	...	...	S W	4	...	,,	29.84	757.8	...	...	N W
Kagoshima,	,,	29.84	757.9	...	...	S	4	...	,,	29.84	757.9	...	...	...
Oshima,	,,	29.89	759.1	...	...	S	2	...	,,	29.85	758.1	...	...	S
Naha,	,,	29.89	759.2	...	...	S W	2	...	,,	29.89	759.2	...	...	...
Ishigakijima,	,,	29.85	758.3	...	...	S	2	...	,,	...	...	...	...	...
Bonin Is.	,,	29.85	758.1	...	...	N	4	...	,,	29.89	759.1	...	...	...
Chefoo,	4 p.	29.86	756.9	79	...	S S W	1	c	6 a.	29.82	757.4	75	...	S W
Weihaiwei,	,,	29.74	755.4	69	...	N E	1	r	9 a.	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kinkiang,	,,	29.87	758.7	98	46	W	2	b	,,	29.84	757.9	81	83	...
Shanghai,	,,	29.81	757.2	83	75	W	1	ot	9 a.	29.84	757.9	90	66	...
Gutzlaff,	,,	29.80	756.9	89	69	...	0	ov	,,	29.83	757.7	87	84	...
Sharp Peak,	,,	29.83	757.7	87	...	E S E	2	b	,,	29.84	757.9	86	...	S S W
Amoy,	,,	29.86	758.4	83	...	S S E	2	b	6 a.	29.88	758.9	82	87	S W
Swatow,	,,	29.84	757.9	90	56	S	2	b	,,	29.83	757.7	80	87	N
Taihoku,	1 p.	29.87	758.7	...	...	N W	4	...	5 a.	29.89	759.3	...	...	S
Taichu,	,,	29.89	759.2	...	...	N W	2	...	,,	29.90	759.4	...	...	...
Tainan,	,,	29.89	759.3	...	...	N	6	...	,,	29.89	759.1	...	...	E
Koshun,	,,	29.89	759.3	...	...	E	6	...	,,	29.88	759.0	...	...	...
Pescadores,	,,	29.91	759.6	...	...	N W	4	...	,,	29.89	759.2	...	...	...
Canton,	3 p.	29.87	758.7	93	58	S W	1	b	9 a.	29.95	760.7	86	76	W S W
Hongkong,	4 p.	29.85	758.2	86	67	E	2	c	10 a.	29.93	760.2	87	65	...
Victoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	N
Gap Rock,	,,	29.84	757.9	...	...	S E	2	...	,,	29.91	759.7	...	...	N E
Macao,	,,	29.86	758.4	86	...	S E	1	c	,,	29.94	760.5	83	...	N E
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	81	...	E N E	2	o	8 a.	29.95	760.7	81	...	E N E
Tourane,	,,	29.76	756.0	82	...	E S E	2	c	,,	29.89	759.1	86	...	N N W
Cape St. James,	,,	29.76	756.0	81	...	E	4	c	,,	29.87	758.7	82	...	N E
Aparri,	2 p.	29.84	757.9	90	...	E	2	b	6 a.	29.86	758.3	77	...	S
Manila,	4 p.	29.80	757	79	92	E S E	0	d	10 a.	29.83	759	84	71	W
Legaspi,	2 p.	29.79	756.6	91	...	E	2	b	6 a.	29.83	757.7	75	...	...
Bacolod,	3 p.	...	...	...	...	E S E	1	o	9 a.	...	...	...	...	N N W
Iloilo,	,,	29.79	756.6	82	...	N E	1	b	,,	29.89	759.2	84	...	N
Cebu,	,,	29.77	756.1	88	...	N	1	b	,,	29.85	758.2	88	...	N
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.89	759.2	83	...	...

On the 30th at 11.55 a.—The barometer has fallen slightly in Japan, and risen a little over Indo-China. Pressure remains low over Manchuria. It is high over S.W. China, and over the Pacific to the E. of J Gradients continue slight, and light S.W. winds may be expected in the Formosa Channel, and ligh N.E. winds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fine.
2.—Formosa Channel,	S.W. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 30th August, 1909.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

	30th AUGUST, 1909, P.M.								31st AUGUST, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	29.68	753.9	68	...	S S W	3	b	7 a.	29.71	754.7	69	86	N	1	c
.....	,,	29.85	758.1	...	...	S E	4	...	6 a.	29.77	756.1	...	...	N W	2	...
.....	,,	29.77	756.2	...	...	S E	4	...	,,	29.73	755.2	...	...	E	2	...
.....	,,	29.79	756.6	...	...	S	4	...	,,	29.83	757.6	...	...	...	0	...
.....	,,	29.76	755.8	...	...	S E	2	...	,,	29.80	756.8	...	...	W	2	...
.....	,,	29.80	756.8	...	...	W	0	...	,,	29.84	757.8	...	...	...	0	...
.....	,,	29.80	756.9	...	...	...	0	...	,,	29.84	757.9	...	...	S	2	...
.....	,,	29.85	758.1	...	...	N	4	...	,,	29.85	758.1	...	...	...	0	...
...	,,	29.89	759.2	...	...	S E	2	...	,,	29.89	759.2	...	...	S	[illegible]	...
...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	[illegible]	[illegible]
....	,,	29.89	759.1	...	...	N	2	...	,,	29.96	761.1	...	...	...	[illegible]	[illegible]
....	4 p.	29.84	757.9	77	95	N E	2	o	6 a.	...	...	78	86	N	[illegible]	[illegible]
....	,,	29.84	757.9	74	...	...	1	o	9 a.	...	...	...	...	...	[illegible]	[illegible]
....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	[illegible]	...
....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	[illegible]	[illegible]
....	,,	29.77	756.1	...	...	N N E	1	...	9 a.	29.79	756.6	85	76	N	[illegible]	[illegible]
....	,,	29.80	756.9	90	70	...	0	cv	,,	29.81	757.2	86	84	W	[illegible]	[illegible]
.....	,,	29.83	757.7	[illegible]	...	S E	1	b	,,	29.86	758.4	86	...	S W	[illegible]	[illegible]
.....	,,	29.81	757.2	92	67	S S E	1	b	6 a.	29.83	757.7	84	83	S W	[illegible]	[illegible]
.....	,,	29.79	756.6	92	61	S S E	2	b	,,	29.83	757.7	80	87	N N E	[illegible]	[illegible]
.....	1 p.	29.85	758.2	...	...	N	2	...	6 a.	29.88	759.0	..	...	S	[illegible]	[illegible]
....	,,	29.87	758.6	...	...	W	2	...	,,	29.89	759.3	...	...	...	[illegible]	[illegible]
....	,,	29.96	759.5	...	...	N W	4	...	,,	29.89	759.1	...	...	E	[illegible]	[illegible]
....	,,	29.90	759.5	...	...	E	4	...	,,	29.86	758.4	...	...	N	2	...
....	,,	29.89	759.2	...	...	W	4	...	,,	29.88	758.9	...	...	S W	2	...
....	3 p.	29.86	758.4	95	59	W S W	1	b	9 a.	...	...	...	...	...	...	...
....	4 p.	29.83	757.7	89	66	S W	1	b	10 a.	29.93	759.2	86	71	W	1	b
...	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	S S W	1	...
...	,,	29.83	757.7	...	...	E S E	1	...	,,	29.91	759.7	...	...	...	0	...
...	,,	29.84	757.9	87	...	E S E	1	c	,,	29.94	760.5	88	...	S	1	c
...	3 p.	29.90	759.4	...	...	...	2	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.87	758.7	85	80	...	2	o	,,	...	...	...	...	...	...	...
.....	4 p.	29.84	758.0	88	...	S S E	1	c	8 a.	29.95	769.7	81	...	N W	2	[illegible]
.....	,,	29.80	757.0	84	...	S E	2	b	,,	29.91	759.8	84	..	N	[illegible]	[illegible]
es,.	,,	29.80	756.8	81	...	S E	2	o	,,	29.92	759.9	77	...	N W	[illegible]	[illegible]
....	2 p.	29.84	757.9	82	...	S E	2	o	6 a.	29.87	758.7	77	...	S	[illegible]	[illegible]
....	4 p.	29.76	756	82	77	E N E	1	o	10 a.	29.88	759	86	65	...	[illegible]	[illegible]
....	2 p.	29.80	757.0	90	...	E	2	c	6 a.	29.84	757.8	75	...	...	[illegible]	[illegible]
...	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	N W	1	[illegible]
...	,,	29.79	756.6	89	...	N E	1	b	,,	29.87	758.7	85	...	N E	1	
...	,,	29.78	756.4	90	...	N	1	b	,,	29.87	758.7	86	...	...	9	c
...	,,	29.76	755.9	87	...	...	...	...	,,	29.88	758.9	81	...	...	...	...

) 31st at 12.25 p.—The barometer has fallen moderately in N.E. Japan, and risen slightly at the Bonins nnam.

allow depression has passed from Manchuria to the N.E. part of the Sea of Japan.

re is high over the Pacific to the East of the Bonins, and over S.W. China and Tongking.

.W. winds may be expected in the Formosa Channel, and light N.E. and N. winds over the N. part of ea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.90 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	W. or variable winds, light; fine.
Channel, ...	S.W. winds, light.
st of China between Hongkong and Lamocks,..	Same as No. 1.
st of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Tuesday, 31st August, 1909.

CORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	31st AUGUST, 1909, P.M.								1st SEPTEMBER, 1909, A.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Win
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	29.69	754.1	...	...	S	4	...	6 a.	29.69	754.1	...	...	S E
Hakodate,	,,	29.69	754.2	...	...	N	4	...	,,	29.62	752.2	...	...	N
Tokio,	,,	29.71	754.6	...	...	S	6	...	,,	29.75	755.6	...	...	S
Kochi,	,,	29.76	755.8	...	...	S E	2	...	,,	29.84	757.8	...	...	S W
Nagasaki,	,,	29.80	756.8	...	...	W	6	...	,,	29.84	757.8	...	...	S
Kagoshima,	,,	29.84	757.9	...	...	W	4	...	,,	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Naha,	,,	29.85	758.2	...	...	W	2	...	,,	...	...	...	...	...
Ishigakijima,	,,	29.89	759.3	...	...	S W	6	...	,,	...	...	...	...	...
Bonin Is.	,,	29.93	760.1	...	...	E	2	...	,,	30.01	762.1	...	...	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	29.96	761.0	64	...	N
Weihaiwei,	,,	29.85	758.2	77	...	W N W	2	b	9 a.	29.99	761.7	75	...	N E
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	29.78	756.4	78	86	...	0	o	9 a.	29.90	759.4	83	79	E N E
Gutzlaff,	,,	29.78	756.4	78	95	N N E	...	om	,,	29.83	758.9	80	87	E
Sharp Peak,	,,	29.78	756.4	88	...	S S E	3	b	,,	29.87	758.7	85	...	W
Amoy,	,,	29.79	756.6	92	70	S E	3	b	6 a.	29.84	757.9	81	75	S S W
Swatow,	,,	29.77	756.1	90	60	S S E	1	b	,,	29.83	757.7	79	87	S
Taihoku,	1 p.	29.86	758.4	...	...	N E	4	...	6 a.	29.88	758.8	...	...	S
Taichu,	,,	29.69	759.1	...	...	W	2	...	,,	29.69	759.2	...	...	...
Tainan,	,,	29.96	759.4	...	...	W	4	...	,,	29.89	759.1	...	...	E
Koshun,	,,	29.89	759.2	...	...	W	4	...	,,	29.88	759.0	...	...	...
Pescadores,	,,	29.89	759.3	...	...	W	4	...	,,	29.87	758.7	...	...	...
Canton,	3 p.	29.82	757.4	95	59	W	1	b	9 a.	...	...	...	...	...
Hongkong,	4 p.	29.82	757.4	87	64	W	1	c	10 a.	29.93	760.2	86	74	W
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S E
Gap Rock,	,,	29.81	757.2	...	...	W S W	2	...	,,	29.89	759.2	...	...	...
Macao,	,,	29.82	757.4	88	...	S S E	1	c	,,	29.93	760.2	87	...	S E
Wuchow,	3 p.	29.83	757.7	87	...	S W	1	c	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.88	758.9	85	80	...	4	o	,,	...	...	...	...	...
Phulien,	4 p.	29.83	757.7	86	...	N W	1	c	8 a.	29.90	759.5	84	...	E N E
Tourane,	,,	29.82	757.3	82	...	N N E	1	c	,,	29.89	759.3	84	...	...
Cape St. James,	,,	29.81	757.1	82	...	S E	2	lt	,,	29.91	759.6	79	...	N N W
Aparri,	2 p.	29.83	757.8	90	...	N E	2	b	6 a.	29.85	758.1	77	...	S
Manila,	4 p.	29.80	757	86	71	...	0	o	10 a.	29.88	759	84	77	W
Legaspi,	2 p.	29.79	756.6	91	...	E	2	c	6 a.	29.84	757.9	75	...	...
Bacolod,	3 p.	...	...	...	...	N N W	3	o	9 a.	...	...	...	...	N W
Iloilo,	,,	29.79	756.6	89	...	N E	1	o	,,	29.87	758.7	85	...	N N E
Cebu,	,,	29.77	756.1	89	...	N	1	b	,,	29.86	758.4	86	...	...
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.94	760.5	78	...	...

On the 1st at 12.25 p.—The barometer has fallen in E. Japan owing to the depression, which is mov wards over Hokkaido.

Pressure has increased moderately and is now high over N. China. High pressure covers the Pacific a neighbourhood of the Bonins.

Variable winds, light to moderate may be expected in the Formosa Channel, and light N.E. winds ov part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light; fair.
2.—Formosa Channel,	Variable winds, light to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Wednesday, 1st September, 1909.

[Printed by Noronha & Co., Government Printers]

HINA COAST METEOROLOGICAL REGISTER.

	1st SEPTEMBER, 1909, P.M.								2nd SEPTEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.57	751.1	...	...	S W	6	...	6 a.	29.89	759.1	...	...	S	2	...
.....	,,	29.73	755.2	...	...	W	6	...	,,	30.01	762.2	...	...	...	0	...
.....	,,	29.75	755.6	...	...	S W	6	...	,,	29.99	761.6	...	...	N	2	...
.....	,,	29.80	756.8	...	...	S	2	...	,,	29.95	760.8	...	...	...	0	...
.....	,,	29.84	757.8	...	...	S E	4	...	,,	29.91	759.8	...	...	S E	4	...
.....	,,	29.84	757.9	...	...	S	4	...	,,	29.92	759.9	...	...	E	2	...
.....	,,	29.89	759.1	...	...	N	2	...	,,	29.93	760.1	...	...	S	2	...
.....	,,	29.89	759.2	...	...	N W	4	...	,,	29.89	759.2	...	...	...	0	...
.....	,,	29.89	759.3	...	...	S W	2	...	,,	29.89	759.3	...	...	N E	2	...
.....	,,	29.97	761.1	...	...	E	2	...	,,	30.01	762.1	...	...	...	0	...
.....	4 p.	29.86	758.4	79	...	E	1	c	6 a.	29.92	759.9	65	95	E	1	o
.....	,,	29.90	759.4	77	...	N E	1	b	9 a.	29.94	760.5	71	...	N E	1	o
.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.86	758.4	82	71	E	2	o	9 a.	29.87	758.7	81	79	S S E	2	c
.....	,,	29.84	757.9	79	73	E	3	ov	,,	29.86	758.4	86	76	S E	2	cv
.....	,,	29.84	757.9	87	...	E	1	b	,,	29.87	758.7	86	...	S	1	b
.....	,,	29.81	757.2	95	65	S S E	3	b	6 a.	29.87	758.7	81	87	W	1	b
.....	,,	29.79	756.6	91	60	S S E	1	b	,,	29.84	757.9	79	87	N N E	1	o
.....	1 p.	29.89	759.1	...	...	N	6	...	5 a.	29.91	759.7	...	...	S W	2	...
.....	,,	29.90	759.5	...	...	W	2	...	,,	29.92	759.9	...	...	...	0	...
.....	,,	29.90	759.5	...	...	W	4	...	,,	29.90	759.5	...	...	E	2	...
.....	,,	29.90	759.5	...	...	W	2	...	,,	29.91	759.6	...	...	W	2	...
.....	,,	29.92	760.0	...	...	W	4	...	,,	29.90	759.5	...	...	...	0	...
.....	3 p.	29.84	757.9	94	61	W	1	b	9 a.	29.95	760.7	89	73	S W	1	b
.....	4 p.	29.84	757.9	88	72	E	1	b	10 a.	29.94	760.5	87	67	E S E	1	c
.....	,,	...	...	...	...	S S E	1	...	,,	...	...	...	...	E	1	...
.....	,,	29.82	757.4	...	...	E N E	1	...	,,	29.91	759.7	...	...	E N E	2	...
.....	,,	29.83	757.7	87	...	S E	1	c	,,	29.95	760.7	88	...	E S E	1	c
.....	3 p.	29.82	757.4	88	...	W	2	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.85	758.2	86	79	S W	1	b	,,	...	...	...	...	...	...	...
.....	4 p.	29.81	757.1	86	...	S E	3	b	8 a.	29.92	760.0	84	...	N E	1	c
.....	,,	29.79	756.6	82	...	N E	1	b	,,	29.88	758.9	84	..	...	0	c
s,.	,,	29.78	756.4	82	...	S E	2	c	,,	29.88	758.8	77	...	N	2	o
.....	2 p.	29.83	757.8	90	...	N E	2	b	6 a.	29.87	758.6	75	...	S	2	b
.....	4 p.	29.80	757	82	77	E N E	1	o	10 a.	29.88	759	84	77	W S W	1	o
.....	2 p.	29.80	757.0	90	...	E	2	c	6 a.	29.84	757.8	75	...	...	0	...
.....	3 p.	...	...	...	...	E N E	1	opt	9 a.	...	...	...	...	N W	1	o
.....	,,	29.79	756.6	88	...	N	1	o	,,	29.87	758.7	81	...	N E	1	o
.....	,,	29.77	756.1	89	...	N	1	c	,,	29.87	758.7	85	...	...	0	c
.....	,,	29.83	757.7	87	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

2nd at 12.20 p.—The barometer has risen considerably in E. Japan, the depression having moved away

re has given way slightly over N. China. It remains high over the Pacific to the E. of Japan, and mode-
e the normal over S. China.
or moderate S. winds may be expected in the Formosa Channel, and light N.E. winds over the N. part of
ea.

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	Variable winds, light; fine.
Channel, ...	S. winds, light or moderate.
st of China between Hongkong and Lamocks,..	Same as No. 1.
st of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Thursday, 2nd September, 1909.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	2nd September, 1909, P.M.									3rd September, 1909, A.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	S	6	...		6 a.	30.01	763.1	...	...	S
Hakodate,	,,	30.01	762.2	...	...	S	6	...		,,	29.93	760.2	...	...	E
Tokio,	,,	30.02	762.6	...	...	...	0	...		,,	29.99	761.6	...	...	S
Kochi,	,,	29.91	759.8	...	...	S E	2	...		,,	29.95	760.8	...	...	N E
Nagasaki,	,,	29.87	758.8	...	...	S	4	...		,,	29.87	758.8	...	...	S W
Kagoshima,	,,	29.92	759.9	...	...	...	0	...		,,	29.92	759.9	...	...	...
Oshima,	,,	29.93	760.1	...	...	N E	4	...		,,	29.93	760.1	...	...	...
Naha,	,,	29.93	760.2	...	...	...	0	...		,,	29.93	760.2	...	...	...
Ishigakijima,	,,	29.93	760.3	...	...	S	2	...		,,	29.89	759.3	...	...	N E
Bonin Is.	,,	30.00	762.1	...	...	E	4	...		,,	30.04	763.1	...	...	S E
Chefoo,	4 p.	29.88	758.9	71	...	S	3	o		6 a.	29.81	757.2	61	...	S W
Weihaiwei,	,,	29.88	758.9	67	...	N W	1	o		9 a.	29.86	758.4	64	...	N W
Hankow,	,,	...	...	...	...	...	...	...		6 a.	...	...	...	...	...
Kiukiang,	,,	29.82	757.4	89	84	N W	1	b		,,	...	...	...	...	...
Shanghai,	,,	29.79	756.6	89	69	S	2	c		9 a.	...	...	...	...	...
Gutzlaff,	,,	29.80	756.9	87	76	S S E	2	cv		,,	...	...	...	...	...
Sharp Peak,	,,	29.84	757.9	87	...	E S E	3	b		,,	29.87	758.7	86	...	E
Amoy,	,,	29.84	757.9	95	75	S E	3	b		6 a.	29.86	758.4	81	91	S W
Swatow,	,,	29.83	757.7	88	66	S S E	1	b		,,	29.84	757.9	79	91	N N E
Taihoku,	1 p.	29.91	759.8	...	...	N	4	...		6 a.	29.90	759.5	...	...	...
Taichu,	,,	29.91	759.8	...	...	N W	4	...		,,	29.93	760.1	...	...	...
Tainan,	,,	29.92	760.0	...	...	W	6	...		,,	29.91	759.8	...	...	E
Koshun	,,	29.92	759.9	...	...	E	4	...		,,	29.91	759.8	...	...	N E
Pescadores,	,,	29.93	760.1	...	...	N	4	...		,,	29.90	759.5	...	...	...
Canton,	3 p.	29.87	758.7	95	59	S E	1	b		9 a.	29.96	761.0	83	73	S
Hongkong,	4 p.	29.86	758.4	86	67	E	1	b		10 a.	29.95	760.7	87	68	E
Victoria Peak,	,,	...	...	...	...	S S E	1	...		,,	...	...	...	...	E
Gap Rock,	,,	29.83	757.7	...	...	E	2	...		,,	29.91	759.7	...	...	S E
Macao,	,,	29.87	758.7	87	...	S E	1	c		,,	29.95	760.7	88	...	E
Wuchow,	3 p.	29.85	758.2	90	...	S E	1	c		9 a.	...	...	...	...	...
Hoihow,	,,	29.86	758.4	91	60	S W	1	b		,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...
Phulien,	4 p.	29.83	757.6	88	...	S S E	2	b		8 a.	...	...	...	...	...
Tourane,	,,	29.81	757.2	86	...	N N E	1	c		,,	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	79	...	E S E	3	o		,,	...	...	...	...	...
Aparri,	2 p.	29.84	758.0	91	...	N E	2	b		6 a.	29.86	758.5	77	...	S W
Manila,	4 p.	29.80	757	82	85	N E	0	o		10 a.	29.88	759	82	77	W N W
Legaspi,	2 p.	29.80	756.9	90	...	E	2	c		6 a.	29.85	758.1	79	...	E
Bacolod,	3 p.	...	...	...	...	N E	2	o		9 a.	...	...	...	...	W N W
Iloilo,	,,	29.79	756.6	84	...	N W	1	o		,,	29.86	758.4	83	...	S
Cebu,	,,	29.79	756.6	86	...	S	1	c		,,	29.89	759.2	81	...	N E
Labuan,	,,	29.86	758.4	85	...	...	...	...		,,	29.88	758.9	81	...	...

On the 3rd at 12.10 p.—The barometer has fallen moderately on the N.E. coast of China, and risen Hokkaido.

Pressure remains high over the Pacific to the E. of Japan, and in moderate excess of the normal over S

Light S. winds may be expected in the Formosa Channel, and light N.E. winds over the N. part of t Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. or variable winds, light; fine.
2.—Formosa Channel,	S. winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 3rd September, 1909.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

3RD SEPTEMBER, 1909, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
k,...	2 p.	...	...	...	...	...	...	...
.....	,,	29.81	757.1	...	...	E	4	...
.....	,,	29.73	755.2	...	...	E	8	...
.....	,,	29.87	758.6	...	...	S W	8	...
.....	,,	29.87	758.8	...	...	...	0	...
.....	,,	29.87	758.8	...	...	S W	6	...
.....	,,	29.92	759.9	...	...	...	0	...
.....	,,	29.96	761.1	...	...	N E	2	...
.....	,,	29.93	760.2	...	...	S W	2	...
.....	,,	29.89	759.3	...	...	S	6	...
.....	,,	30.00	762.1	...	...	S E	2	...
.....	4 p.	29.84	757.9	75	100	N	1	o
.....	,,	29.84	757.9	74	...	N	1	o
.....	,,	...	...	...	...	...	...	...
.....	,,	29.78	756.4	95	62	S W	1	c
.....	,,	29.79	756.6	93	64	N N W	1	c
.....	,,	29.79	756.6	89	76	...	0	cm
.....	,,	29.83	757.7	86	...	E S E	3	b
.....	,,	29.83	757.7	96	62	S S W	3	b
.....	,,	29.82	757.4	90	63	S	2	b
.....	1 p.	29.91	759.8	...	...	N W	4	...
.....	,,	29.91	759.8	...	...	N W	4	...
.....	,,	29.91	759.6	...	...	N	6	...
.....	,,	29.90	759.5	...	...	N W	4	...
.....	,,	29.92	760.0	...	...	N W	4	...
.....	3 p.	29.87	758.7	94	58	W	1	b
.....	4 p.	29.86	758.4	85	73	E	1	b
k,...	,,	...	...	...	...	N N W	1	...
.....	,,	29.84	757.9	...	...	E	1	...
.....	,,	29.86	758.4	86	...	S E	1	c
.....	3 p.	29.84	757.9	88	...	W	2	c
.....	,,	...	...	...	...	...	...	...
.....	,,	29.88	758.9	90	63	S	1	b
.....	4 p.	29.83	757.7	88	...	S E	2	b
.....	,,	29.83	757.8	86	...	N E	1	c
es,.	,,	29.82	757.3	75	...	E	3	or
.....	2 p.	29.83	757.6	91	...	N E	2	b
.....	4 p.	29.80	757	82	77	N	1	o
.....	2 p.	29.80	756.9	84	...	N E	2	o
...	3 p.	...	...	...	...	E S E	2	op
...	,,	29.81	757.2	82	...	N	2	o
...	,,	29.79	756.6	84	...	S	1	c
...	,,	29.78	756.4	87	...	...	...	...

4TH SEPTEMBER, 1909, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	...	...	...	...	...	...	...
6 a.	29.77	756.1	...	...	E	2	...
,,	29.73	755.2	...	...	N	2	...
,,	29.83	757.6	...	...	S	4	...
,,	29.91	759.8	...	...	W	2	...
,,	29.87	758.8	...	...	S	6	...
,,	29.92	759.9	...	...	...	0	...
,,	29.97	761.1	...	...	S	2	...
,,	29.93	760.2	...	...	...	0	...
,,	29.89	759.3	...	...	...	0	...
,,	30.00	762.1	...	...	...	0	...
6 a.	29.93	760.2	72	...	N W	1	c
9 a.	29.97	761.2	74	...	N E	1	o
6 a.	...	...	...	...	...	...	...
,,	29.84	757.9	81	83	N E	1	c
9 a.	29.88	758.9	88	80	E S E	1	o
,,	29.86	758.4	87	80	S S E	1	cm
,,	29.87	758.7	85	...	E	2	b
6 a.	29.85	758.2	82	87	W	1	b
,,	29.84	757.9	79	91	N W	1	b
5 a.	29.91	759.6	...	...	S	2	...
,,	29.90	759.5	...	...	...	0	...
,,	29.89	759.1	...	...	N E	2	...
,,	29.89	759.1	...	...	...	0	...
,,	29.89	759.3	...	...	...	0	...
9 a.	...	...	...	...	...	...	...
10 a.	29.92	759.9	86	65	W	1	c
,,	...	...	...	...	S E	0	...
,,	29.89	759.2	...	...	E	2	...
,,	29.92	759.9	88	...	S E	1	c
9 a.	29.92	759.9	81	...	E	1	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.88	759.0	...	...	...	2	c
,,	29.89	759.2	86	...	N E	1	c
,,	29.88	758.9	75	...	N	1	or
6 a.	29.86	758.4	77	...	S W	2	b
10 a.	29.84	758	81	85	N E	0	o
6 a.	29.84	758.0	73	...	...	0	c
9 a.	...	...	...	...	W S W	1	o
,,	29.87	758.7	80	...	S W	1	o
,,	29.86	758.4	83	...	S	1	b
,,	29.91	759.7	79	...	...	...	...

e 4th at 11.45 a.—The barometer has risen moderately on the N.E. coast of China, and fallen considerably n.

epression lying over Manchuria yesterday, has reached E. Japan.

are is high over the Pacific in the neighbourhood of the Bonins, and over N. China. There is a tendency ometer to fall at the stations around the China Sea.

or moderate E. and N.E. winds may be expected in the Formosa Channel and the N. part of the China

kong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	E. winds, light or moderate; fair.
Channel, ...	Same as No. 1.
ast of China between Hongkong and Lamocks,..	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ong Observatory, Saturday, 4th September, 1909.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	4th September, 1909, P.M.								5th September, 1909, A					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Win
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	29.78	756.3	76	...	...	0	b	7 a.	29.79	756.7	62	93	S
Nemuro,	,,	29.73	755.1	...	...	N	4	...	6 a.	29.77	756.1	...	...	S
Hakodate,	,,	29.73	755.2	...	...	...	0	...	,,	29.85	758.2	...	...	..
Tokio,	,,	29.79	756.1	...	...	S W	6	...	,,	29.87	758.6	...	...	...
Kochi,	,,	29.83	757.8	...	...	S E	2	...	,,	29.88	758.8	...	...	S W
Nagasaki,	,,	29.87	758.8	...	...	W	6	...	,,	29.88	758.8	...	...	E
Kagoshima,	,,	29.92	759.9	...	...	S W	2	...	,,	29.92	759.9	...	...	...
Oshima,	,,	29.93	760.1	...	...	N E	6	...	,,	29.93	760.1	...	...	S
Naha,	,,	29.89	759.2	...	...	E	2	...	,,	29.85	758.2	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.86	758.5	...	...	N E
Bonin Is.	,,	29.96	761.1	...	...	S E	2	...	,,	29.93	760.1	...	...	...
Chefoo	4 p.	29.96	761.0	79	...	N E	3	c	6 a.	29.89	759.2	66	95	N N E
Weihaiwei,	,,	29.92	759.9	75	...	N E	1	c	9 a.	29.89	759.2	72	...	N E
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Kiukiang,	,,	29.79	756.6	92	70	N E	1	c	,,	...	...	..	...	...
Shanghai,	,,	29.84	757.9	77	...	N E	1	omd	9 a.	29.84	757.9	85	79	S S E
Gutzlaff,	,,	29.77	756.1	81	87	E N E	3	ov	,,	29.82	757.4	86	76	S
Sharp Peak,	,,	29.84	757.9	87	...	E	1	b	,,	29.85	758.2	84	96	N
Amoy,	,,	29.81	757.2	93	74	S E	3	b	6 a.	...	...	...	...	...
Swatow,	,,	29.77	756.1	91	60	S W	1	b	,,	...	...	...	...	...
Taihoku,	1 p.	29.87	758.8	...	...	N W	4	...	5 a.	29.84	757.8	...	...	S
Taichu,	,,	29.88	759.0	...	...	N W	4	...	,,	29.85	758.2	...	...	...
Tainan,	,,	29.88	758.9	...	...	N	6	...	,,	29.89	759.1	...	...	E
Koshun	,,	29.88	759.0	...	...	W	2	...	,,	29.85	758.1	...	...	N E
Pescadores,	,,	29.89	759.3	...	...	N	4	...	..	29.84	758.0	...	...	N W
Canton,	3 p.	29.84	757.9	94	61	W	1	b	9 a.	29.89	759.2	85	79	S E
Hongkong,	4 p.	29.81	757.2	86	68	E	1	c	10 a.	29.87	758.7	87	69	..
Victoria Peak,	,,	...	...	...	...	S	1	...	,,	...	...	...	...	E
Gap Rock,	,,	29.79	756.6	...	...	E	2	...	,,	29.86	758.4	...	...	E N E
Macao,	,,	29.83	757.7	87	...	S E	1	c	,,	29.89	759.2	87	...	S E
Wuchow,	3 p.	29.84	757.9	79	...	W	2	c	9 a.	...	...	...	...	...
Hoihow,	,,	29.86	758.2	90	...	E N E	1	b	,,	...	...	...	...	...
Pakhoi,	,,	29.36	758.4	98	...	S	1	b	,,	...	...	...	...	...
Phulien,	4 p.	29.78	756.5	88	...	S S E	2	b	8 a.	29.88	758.9	84	...	N E
Tourane,	,,	29.78	756.4	84	...	N E	1	b	,,	29.83	757.7	86	..	N
Cape St. James,	,,	29.80	756.8	79	...	E S E	2	o	,,	29.85	758.1	75	...	N E
Aparri,	2 p.	29.80	756.9	90	...	N E	2	b	6 a.	29.80	757.0	77	...	S
Manila,	4 p.	29.76	755.9	86	71	N W	1	o	10 a.	29.84	758	82	77	WSW
Legaspi,	2 p.	29.75	755.7	86	...	E	2	c	6 a.	29.80	757.0	75	...	S W
Bacolod,	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	S S W
Iloilo,	,,	29.77	756.1	84	...	S W	2	o	,,	29.85	758.2	82	...	S S W
Cebu,	,,	29.78	756.4	86	...	S	3	o	,,	29.86	758.4	82	...	S
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	...	...	...	...	...

On the 5th at 12.10 p.—The barometer has risen slightly in Japan, the depression having moved awa Pacific.

Pressure has given way slightly elsewhere, and a low pressure trough is now lying over the China S Pacific to the E. of Luzon probably in about 15° Lat.

The highest pressure is shown over the Pacific to the South of Japan.

Light variable winds may be expected in the Formosa Channel and moderate NE and E. winds over th of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE and E. winds, light or moderate; sho
2.—Formosa Channel,	Variable winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Sunday, 5th September, 1909.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

5TH SEPTEMBER, 1909, P.M.								6TH SEPTEMBER, 1909, A.M.							
Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.74	755.3	76	...	S	3	b	7 a.	29.77	756.1	61	76	S E	1	b
"	29.81	757.1	...	...	S E	4	...	6 a.	29.93	760.1	...	...	S	2	...
"	29.85	758.2	...	...	S W	6	...	"	29.93	760.2	...	...	N W	2	...
"	29.87	758.6	...	...	E	2	...	"	29.91	759.6	...	...	N W	2	...
"	29.83	757.8	...	...	N E	2	...	"	29.87	758.8	...	...	W	2	...
"	29.83	757.8	...	...	W	6	...	"	29.87	758.8	...	...	N	4	...
"	29.84	757.9	...	...	S E	2	...	"	29.88	758.9	...	...	...	0	...
"	29.89	759.1	...	...	N	4	...	"	29.89	759.1	...	...	S	2	...
"	29.85	758.2	...	...	E	4	...	"	29.85	758.2	...	...	...	0	...
"	29.82	757.3	...	...	S E	4	...	"	29.82	757.3	...	...	E	4	...
"	29.85	758.1	...	...	S E	2	...	"	29.89	759.1	...	...	E	2	...
4 p.	29.87	758.7	81	...	E	1	b	6 a.	...	...	...	...	...	...	...
"	29.92	759.9	84	...	N E	1	c	9 a.	29.87	758.7	77	...	N W	1	b
"	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
"	...	...	...	...	...	...	...		...	...	...	...	...	...	...
"	29.70	754.4	83	87	S S E	1	orlt	9 a.	29.81	757.2	81	83	W	1	c
"	29.72	754.9	87	76	S E	3	cv	"	29.81	757.2	83	83	N W	1	cv
"	29.79	756.6	86	..	E	2	b	"	29.83	757.7	84	...	N W	1	b
"	29.79	756.6	91	84	S W	2	b	6 a.	29.88	758.9	83	83	S S E	0	b
"	...	...	89	59	N W	1	b	"	29.77	756.1	78	...	N E	1	b
1 p.	29.81	757.2	...	...	N W	4	...	5 a.	29.78	756.4	...	...	W	2	...
"	29.83	757.7	...	...	N W	2	...	"	29.80	756.9	...	...	...	0	...
"	29.84	757.9	...	...	N	6	...	"	29.86	757.0	...	...	E	2	...
"	29.83	757.7	...	...	N	6	...	"	29.80	757.0	...	...	E	6	...
"	29.84	758.0	...	...	N W	6	...	"	29.80	756.9	...	...	N	2	...
3 p.	29.82	757.4	83	..	S E	1	c	9 a.	29.86	758.4	85	79	S E	1	b
4 p.	29.79	756.6	85	66	...	0	c	10 a.	29.85	758.2	84	70	E	1	c
"	...	...	...	...	E S E	1	...	"	...	...	...	...	E	1	...
"	29.76	755.9	...	...	E N E	3	...	"	29.82	757.4	...	...	N E	3	...
"	29.81	757.2	85	...	E	1	c	"	29.85	758.4	83	...	E	1	c
3 p.	29.76	755.9	90	...	S W	1	c	9 a.	29.86	758.4	82	...	W	1	c
"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
"	29.83	757.7	90	...	S	1	b	"	...	...	...	...	...	...	...
4 p.	29.80	757.0	88	...	S E	2	c	8 a.	29.86	758.5	84	..	N	0	c
"	29.75	755.6	84	...	N	3	c	"	29.82	757.4	81	..	N	1	c
"	29.74	755.4	90	...	S S E	4	b	"	29.84	757.8	81	...	S W	2	c
2 p.	29.75	755.6	90	...	N E	2	c	6 a.	29.78	756.4	77	...	S E	2	c
4 p.	29.72	755	82	70	S S E	1	o	10 a.	29.80	757	82	77	S S E	2	o
2 p.	...	...	...	...	...	...	...	6 a.	29.80	756.9	75	...	...	0	o
3 p.	...	...	...	...	S S W	2	c	9 a.	...	...	...	...	S W	3	c
"	29.81	757.2	83	...	S W	1	b	"	29.87	758.7	82	...	W	1	c
"	29.79	756.6	84	...	S	3	o	"	29.88	758.9	82	...	S	1	c
"	29.79	756.6	84	...	...	...	...	"	29.85	758.2	82	...	...	...	...

6th at 12.05 p.—The barometer has risen moderately in N.E. Japan, and fallen slightly elsewhere ex-
S. Philippines.

le cyclonic circulation is shown over the N. part of the China Sea. A depression is probably developing
r N.W. of Luzon.

ghest pressure lies over the Pacific to the East of Japan.

ate E. and N.E. winds may be expected in the Formosa Channel and along the northern shores of the

ong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
g and Neighbourhood, ...	E. and NE winds, moderate; fair to showery.
Channel, ...	Same as No. 1.
st of China between Hongkong and Lamocks,..	Same as No. 1.
st of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ng Observatory, Monday 6th September, 1909.

GONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTR

Station.	6th September, 1909, P.M.									7th September, 1909, A					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wi	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	
Wladivostock,	2 p.	29.76	755.9	76	...	S S E	1	c	7 a.	29.84	757.9	61	91	N E	
Nemuro,	,,	29.96	761.1	...	...	S E	4	...	6 a.	29.94	760.1	...	...	S	
Hakodate,	,,	29.89	759.2	...	...	E	6	...	,,	29.93	760.2	...	...	...	
Tokio,	,,	29.87	758.6	...	...	S W	2	...	,,	29.91	759.6	...	...	N	
Kochi,	,,	29.83	757.8	...	...	S E	2	...	,,	29.88	758.8	...	...	...	
Nagasaki,	,,	29.83	757.8	...	...	E	2	...	,,	29.84	757.8	...	...	S E	
Kagoshima,	,,	29.84	757.9	...	...	S	2	...	,,	29.88	758.9	...	...	...	
Oshima,	,,	29.89	759.1	...	...	N	2	...	,,	29.89	759.1	...	...	...	
Naha,	,,	29.85	758.2	...	...	E	2	...	,,	29.89	759.2	...	...	...	
Ishigakijima,	,,	29.82	757.3	...	...	S	4	...	,,	29.82	757.3	...	...	N E	
Bonin Is.	,,	29.85	758.1	...	...	E	2	...	,,	29.77	756.1	...	...	E	
Chefoo,	4 p.	29.80	756.9	81	..	N E	3	b	6 a.	29.72	754.9	67	...	...	
Weihaiwei,	,,	29.79	756.6	81	...	N E	1	b	9 a.	29.69	754.1	76	...	N N W	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.77	756.1	76	...	...	
Shanghai,	,,	29.76	755.9	88	66	W	1	c	9 a.	29.73	756.4	86	80	S S E	
Gutzlaff,	,,	29.80	756.9	88	73	W S W	1	cv	,,	29.76	755.9	87	76	S	
Sharp Peak,	,,	29.77	756.1	85	...	E	3	b	,,	29.82	757.4	85	91	E N E	
Amoy,	,,	29.75	755.6	92	74	S E	3	or	6 a.	29.76	755.9	82	87	S	
Swatow,	,,	29.73	755.1	91	60	S E	1	b	,,	29.74	755.9	78	99	N	
Taihoku,	1 p.	29.80	756.8	...	...	W	2	...	6 a.	29.78	756.5	...	...	...	
Taichu,	,,	29.81	757.2	...	...	W	2	...	,,	29.80	756.9	...	...	...	
Tainan,	,,	29.82	757.4	...	...	W	4	...	,,	29.73	756.5	...	...	E	
Koshun	,,	29.81	757.1	...	...	N	4	...	,,	29.73	756.5	...	...	E	
Pescadores,	,,	29.84	757.9	...	...	N	4	...	,,	29.80	756.8	...	...	N	
Canton,	3 p.	29.77	756.1	92	61	S E	1	b	9 a.	29.84	757.9	85	79	W	
Hongkong,	4 p.	29.75	755.6	84	73	E	2	c	10 a.	29.83	757.7	84	75	...	
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	S E	
Gap Rock,	,,	29.73	755.1	...	...	E	3	...	,,	29.79	756.6	...	...	E	
Macao,	,,	29.77	756.1	84	...	S E	1	c	,,	29.83	757.7	83	...	S E	
Wuchow,	3 p.	29.78	756.4	82	...	E	2	c	9 a.	29.84	757.9	80	...	E	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	29.79	756.6	92	...	N N W	2	o	,,	...	...	...	...	...	
Phulien,	4 p.	29.73	755.1	90	...	N N W	...	c	8 a.	29.81	757.1	84	...	N	
Tourane,	,,	29.71	754.8	84	...	N N W	3	c	,,	...	...	...	...	...	
Cape St. James,	,,	29.75	755.6	82	...	S W	5	o	,,	29.80	757.0	79	...	S W	
Aparri,	2 p.	29.72	754.9	88	...	S E	2	c	6 a.	29.74	755.4	75	...	S	
Manila,	4 p.	29.69	754	81	85	W S W	6	o	10 a.	29.76	756	82	77	S E	
Legaspi,	2 p.	29.73	755.2	86	...	W	2	c	6 a.	29.73	756.5	75	...	...	
Bacolod,	3 p.	...	...	...	...	S S E	3	op	9 a.	...	...	...	...	S S W	
Iloilo,	,,	29.79	756.6	82	...	W	2	o	,,	29.85	758.2	81	...	S S W	
Cebu,	,,	29.80	756.9	85	...	S	4	or	,,	29.86	758.4	82	...	S	
Labuan,	,,	29.81	757.2	88	...	...	...	...	,,	29.84	757.9	82	...	...	

On the 7th at 12.05 p.—The barometer has fallen moderately on the N.E. coast of China, and a sligh taken place at the stations around the China Sea.

The depression over the latter area between the W. coast of Luzon and the Paracels, appears to be slowly in depth.

In the North a depression is shown over the Yellow Sea.

Pressure is highest over the Pacific to the E. of Japan.

Light to moderate E. and N.E. winds may be expected in the Formosa Channel, and along the north of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E. winds, light to moderate; fai
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG
Director.

Hongkong Observatory, Tuesday, 7th September, 1909.

[Printed by Noronha & Co., Government Printers.]

INA COAST METEOROLOGICAL REGISTER.

7TH SEPTEMBER, 1909, P.M.

	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...	2 p.	29.76	756.0	73	...	S	2	c
...	,,	29.96	761.1	...	...	S W	4	...
...	,,	29.89	759.2	...	...	S	4	...
...	,,	29.87	758.6	...	...	N	2	...
...	,,	29.83	757.8	...	...	S E	6	...
...	,,	29.80	756.8	...	...	S W	6	...
...	,,	29.84	757.9	...	...	S	2	...
...	,,	29.85	758.1	...	...	N	4	...
...	,,	29.81	757.2	...	...	S E	2	...
...	,,	29.82	757.3	...	...	S E	6	...
...	,,	29.73	755.1	...	...	E	4	...
...	4 p.	29.73	755.1	70	100	N W	3	or
...	,,	29.69	754.1	72	...	N W	1	o
...	,,	29.89	759.2	98	54	W	1	b
...	,,	29.80	756.9	88	66	N E	1	c
...	,,	29.70	754.4	92	64	S W	1	c
...	,,	29.72	754.9	88	76	S W	1	cv
...	,,	29.76	755.9	85	...	E	3	b
...	,,	29.71	754.6	92	77	S E	3	b
...	,,	29.71	754.6	86	72	E	1	b
...	1 p.	29.77	756.1	...	...	S	4	...
...	,,	29.78	756.4	...	...	...	0	...
...	,,	29.78	756.5	...	...	N	4	...
...	,,	29.78	756.5	...	...	E	6	...
...	,,	29.79	756.6	...	...	N	4	...
...	3 p.	29.76	755.9	90	66	W	1	c
...	4 p.	29.73	755.1	86	65	E	2	o
...	,,	...	...	...	...	S E	1	...
...	,,	29.71	754.6	...	...	E	3	...
...	,,	29.74	755.4	87	...	...	0	c
...	3 p.	29.75	755.6	87	...	W	1	c
...	,,	...	...	...	...	...	...	...
...	,,	29.75	755.6	84	82	S W	1	c
...	4 p.	29.69	754.1	86	...	S S E	2	b
...	,,	29.65	753.1	84	...	N N E	1	c
...	,,	29.77	756.2	79	...	N W	4	o
...	2 p.	29.70	754.4	90	...	N E	2	b
...	4 p.	29.69	754	82	77	S	6	o
...	2 p.	29.74	755.4	88	...	W	2	c
...	3 p.	...	...	...	...	W S W	3	op
...	,,	29.77	756.1	79	...	S	1	r
...	,,	29.77	756.1	87	...	S	2	c
...	,,	29.87	758.7	88	...	...	...	...

8TH SEPTEMBER, 1909, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.47	748.5	63	99	S S E	6	or
6 a.	29.93	760.1	...	...	S	2	...
,,	29.85	758.2	...	...	E	4	...
,,	29.87	758.6	...	...	N	2	...
,,	29.84	757.8	...	...	W	2	...
,,	29.80	756.8	...	...	S	4	...
,,	29.88	758.9	...	...	W	2	...
,,	29.85	758.1	...	...	S	2	...
,,	29.85	758.2	...	...	...	0	...
,,	29.82	757.3	...	...	S E	6	...
,,	29.77	756.1	...	...	E	4	...
6 a.	29.79	756.6	63	72	...	0	b
9 a.	29.85	758.2	70	...	N W	1	b
6 a.	29.89	759.2	82	91	E N E	2	b
,,	29.84	757.9	77	...	N E	2	o
9 a.	29.89	759.2	74	80	N	2	cund
,,	29.83	757.7	76	90	N	5	om
,,	29.80	756.9	84	...	N E	1	b
6 a.	29.76	755.9	82	87	S S W	1	b
,,	29.73	755.1	81	80	N	1	b
5 a.	29.79	756.6	...	...	...	0	...
,,	29.78	756.5	...	...	...	0	...
,,	29.73	756.4	...	...	...	0	...
,,	29.73	756.3	...	...	E	2	...
,,	29.76	756.0	...	...	N	2	...
9 a.	...	...	...	...	...	...	...
10 a.	29.76	755.9	89	55	E	1	c
,,	...	...	...	...	E	2	...
,,	29.73	755.1	...	...	N E	3	...
,,	29.77	756.1	90	...	N E	1	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.82	757.2	84	...	N E	1	c
,,	29.79	756.6	84	...	N W	2	c
,,	29.86	758.5	79	...	W S W	5	o
6 a.	29.73	755.1	79	...	S	2	b
10 a.	29.76	756	79	89	W S W	3	r
6 a.	29.76	755.9	79	...	W	2	c
9 a.	...	...	...	...	S S W	1	c
,,	29.87	758.7	82	...	S W	1	o
,,	29.85	758.2	83	...	S	1	c
,,	29.88	758.9	84	...	...	...	...

8th at 12.05 p.—The barometer has fallen slightly on the S. coast of China and risen a little over S.

pression which appears to be almost stationary, is still situated about midway between the W. coast of he Paracels.

ression lying over the N. part of the Yellow Sea yesterday, is approaching the neighbourhood of Wladi-

depression appears to be situated over the Pacific at a considerable distance to the Southward of the

e is high to the E. of Japan and over N.W. China.

nd will probably freshen from N.E. in the Formosa Channel and along the northern shores of the China

ng Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

ECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
and Neighbourhood, ...	N.E. winds, freshening; fair to unsettled.
hannel, ...	Same as No. 1.
t of China between Hongkong and Lamocks,..	Same as No. 1.
t of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

g Observatory, Wednesday, 8th September, 1909.

ONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTI

Station.	8th SEPTEMBER, 1909, P.M.								9th SEPTEMBER, 1909,					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wi
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	29.96	761.1	...	...	E	4	...	6 a.	29.85	758.1	...	...	E
Hakodate,	,,	29.73	755.2	...	...	E	10	...	,,	29.77	756.2	...	...	...
Tokio,	,,	29.83	757.6	...	...	S W	10	...	,,	29.87	758.6	...	...	S
Kochi,	,,	29.80	756.8	...	...	S	8	...	,,	29.80	756.8	...	...	S W
Nagasaki,	,,	29.83	757.8	...	...	S W	4	...	,,	29.80	756.8	...	...	S
Kagoshima,	,,	29.80	756.9	...	...	N W	6	...	,,	29.80	756.9	...	...	...
Oshima,	,,	29.81	757.1	...	...	...	6	...	,,	29.77	756.1	...	...	S
Naha,	,,	29.77	756.2	...	...	S E	2	...	,,	29.77	756.2	...	...	...
Ishigakijima,	,,	29.78	756.3	...	...	S E	6	...	,,	29.78	756.3	...	...	...
Bonin Is.	,,	29.73	755.1	...	...	S E	6	...	,,	29.81	757.1	...	...	S E
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	29.70	754.4	60	82	...
Weihaiwei,	,,	29.73	755.1	76	...	N W	2	b	9 a.	29.75	755.6	76	...	N E
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.98	761.5	72	90	N
Kiukiang,	,,	29.86	758.4	80	86	N E	6	b	,,	29.83	757.7	72	90	...
Shanghai,	,,	29.83	757.7	77	69	N	1	o	9 a.	29.85	758.2	76	75	N N E
Gutzlaff,	,,	29.80	756.9	78	74	N	4	cm	,,	29.82	757.4	77	77	N E
Sharp Peak,	,,	29.72	754.8	85	...	E N E	4	b	,,	29.79	756.6	84	91	E N E
Amoy,	,,	29.68	753.9	91	74	S E	4	b	6 a.	29.71	754.6	87	98	N E
Swatow,	,,	29.66	753.3	86	68	E	2	b	,,	29.79	756.6	80	87	N E
Taihoku,	1 p.	29.72	754.8	...	...	S E	6	...	5 a.	29.71	754.7	...	...	E
Taichu,	,,	29.72	755.0	...	...	N W	4	...	,,	29.73	755.2	...	...	...
Tainan,	,,	29.73	755.2	...	...	W	4	...	,,	29.73	755.1	...	...	S E
Koshun,	,,	29.73	755.2	...	...	E	2	...	,,	29.74	755.5	...	...	E
Pescadores,	,,	29.76	755.8	...	...	N	6	...	,,	29.72	754.9	...	...	N W
Canton,	3 p.	29.68	753.9	95	...	...	0	b	9 a.	29.75	755.6	80	87	S E
Hongkong,	4 p.	29.66	753.3	86	64	E	2	c	10 a.	29.71	754.6	85	68	E
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E N E
Gap Rock,	,,	29.63	752.6	...	...	E	4	...	,,	29.65	753.1	...	...	E N E
Macao,	,,	29.68	753.9	88	...	S E	1	c	,,	29.72	754.9	87	...	E N E
Wuchow,	3 p.	29.77	756.1	90	...	W	2	c	9 a.	29.76	755.9	83	...	N
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.69	754.2	84	...	S E	3	o	8 a.	29.74	755.4	84	...	N W
Tourane,	,,	29.65	753.2	84	...	N W	4	o	,,	29.73	755.0	77	...	N W
Cape St. James,	,,	29.75	755.7	81	...	S W	4	or	,,	29.84	758.0	79	...	W S W
Aparri,	2 p.	29.66	753.4	91	...	S	2	b	6 a.	29.71	754.7	77	...	S E
Manila,	4 p.	29.69	754	77	92	S W	4	oq	10 a.	29.76	756	84	71	W S W
Legaspi,	2 p.	29.75	755.6	77	...	W	2	o	6 a.	29.77	756.1	77	...	W
Bacolod,	3 p.	...	...	...	...	S E	4	op	9 a.	...	...	...	...	S S W
Iloilo,	,,	29.79	756.6	80	...	S W	3	o	,,	29.87	758.7	82	...	S W
Cebu,	,,	29.78	756.4	85	...	S	2	c	,,	29.85	758.2	83	...	S
Labuan,	,,	29.78	756.4	89	...	...	...	...	,,	29.85	758.2	83	...	...

On the 8th at 6.30 p.—Red South Cone and Drum hoisted.
On the 9th at 7.55 a.—Black South Cone and Drum hoisted.
At 11.20 a.—Black South Cone hoisted.
At 11.40 a.—The barometer has fallen moderately over the S. coast of China and Tongking.
The typhoon is situated to the S.S.E. of Hongkong in about 18½° Lat. It appears to be movin W.N.W.

Pressure has given way moderately over the Loochoos and increased slightly at the Bonins. A depress is probably moving towards N.W., is still shown over the Pacific at a considerable distance to the S.W. of

Pressure is highest over the Upper Yangtze.

Bad weather may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. gale; squally with rain.
2.—Formosa Channel,	E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. gale.

F. G. FIG
Director.

Hongkong Observatory, Thursday, 9th September, 1909.

[Printed by Noronha & Co., Government Printers.]

HINA COAST METEOROLOGICAL REGISTER.

9TH SEPTEMBER, 1909, P.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
2 p.	29.70	754.3	70	...	S	1	b
,,	29.81	757.1	...	...	S	4	...
,,	29.81	757.2	...	...	N W	2	...
,,	29.85	757.6	...	...	S	6	...
,,	29.80	756.8	...	...	...	0	...
,,	29.76	755.8	...	...	N W	2	...
,,	29.76	755.9	...	...	S E	6	...
,,	29.77	756.1	...	...	N	6	...
,,	29.73	755.2	...	...	N	6	...
,,	29.74	755.3	...	...	S E	6	...
,,	29.77	756.1	...	...	S E	6	...
4 p.	29.72	754.9	73	...	N W	2	b
,,	29.72	754.9	76	...	N W	2	b
,,	29.93	760.2	81	...	N W	1	c
,,	29.99	759.4	82	71	...	0	b
,,	29.78	756.4	80	74	E N E	1	o
,,	29.78	756.4	79	70	E N E	2	cv
,,	29.73	755.1	84	...	E	4	b
,,	29.73	755.1	90	77	S E	4	c
,,	29.66	753.3	87	76	E	2	c
1 p.	29.70	754.5	...	...	S E	4	...
,,	29.73	755.1	...	...	S W	2	...
,,	29.74	755.4	...	...	W	4	...
,,	29.74	755.5	...	...	E	6	...
,,	29.74	755.4	...	...	N W	6	...
3 p.	29.65	753.1	96	59	S E	1	b
4 p.	29.65	753.1	84	79	E	4	opq
,,	...	...	...	...	E S E	6	...
,,	29.61	752.1	...	...	E	7	...
,,	29.66	753.3	85	...	E	4	c
3 p.	29.66	753.3	92	...	E	2	c
,,	...	...	...	...	...	...	...
,,	29.61	752.1	91	67	N	8	or
4 p.	29.69	751.5	91	...	S W	1	c
,,	29.62	752.3	75	...	W N W	2	or
,,	29.71	754.6	84	...	W	6	o
2 p.	29.68	753.9	88	...	N W	2	b
4 p.	29.72	755	84	71	S S W	2	o
2 p.	29.74	755.4	86	...	W	2	c
3 p.	...	...	...	...	S S W	1	o
,,	29.79	756.6	84	...	S W	1	b
,,	29.78	756.4	87	...	S	2	b
,,	29.78	756.4	89	...	...	...	...

10TH SEPTEMBER, 1909, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.67	753.6	61	93	N E	1	o
6 a.	29.81	757.1	...	...	S W	2	...
,,	29.81	757.2	...	...	...	0	...
,,	29.87	758.6	...	...	S W	6	...
,,	29.80	756.8	...	...	..	0	...
,,	29.80	756.8	...	...	...	0	...
,,	29.76	755.9	...	...	...	0	...
,,	29.69	754.1	...	...	N	6	...
,,	29.73	755.2	...	...	N	6	...
,,	29.78	756.3	...	...	N	2	...
,,	29.77	756.1	...	...	S E	6	...
6 a.	29.88	758.9	70	66	N E	1	b
9 a.	29.88	758.9	72	...	N W	3	b
6 a.	29.96	761.0	71	95	N W	4	o
,,	29.96	761.0	76	64	N E	3	o
9 a.	29.90	759.4	77	73	N N E	1	o
,,	29.86	758.4	77	69	N N E	3	ov
,,	29.84	757.9	83	...	E	2	b
6 a.	29.74	755.4	80	...	N N E	1	b
,,	...	...	...	...	...	...	...
5 a.	29.76	755.8	...	...	...	0	...
,,	29.73	756.3	...	...	...	6	...
,,	29.78	756.3	...	...	E	2	...
,,	29.80	756.8	...	...	...	0	...
,,	29.77	756.2	...	...	W	6	...
9 a.	...	...	...	...	...	...	...
10 a.	29.77	756.1	83	81	E	4	op
,,	...	...	...	...	S E	5	...
,,	29.73	755.1	...	...	E S E	4	...
,,	29.78	756.4	79	...	S E	3	op
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.61	752.1	84	...	N N E	3	c
,,	29.64	752.8	75	..	...	0	o
,,	29.85	758.2	79	...	S W	5	or
6 a.	29.77	756.2	79	...	E	0	...
10 a.	29.84	758	82	85	S W	3	o
6 a.	29.81	757.2	81	...	W	2	c
9 a.	...	...	...	...	S W	1	o
,,	29.91	759.7	80	...	S	1	o
,,	29.88	758.9	85	...	S	2	b
,,	29.90	759.4	85	...	...	...	...

10th at 6.15 a.—Black South Cone and Black Ball hoisted.
.—Signals lowered.
10th at 12.05 p.—The barometer has fallen considerably over Tongking the typhoon having reached the od of Hainan Straits.
has increased over China, Formosa and the Philippines, and given way slightly at the Loochoos and

ression over the Pacific is now situated somewhat nearer to the former than to the latter group. Proving towards N.N.W.
is high over N.W. China.
e N.E. winds may be expected in the Formosa Channel, and S.E. and E. winds decreasing in force. coast of China.

ng Rainfall for the 24 hours ending at 10 a.m. to-day, 0.91 inches.

ECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
and Neighbourhood, ...	S.E. winds, fresh to moderate; squally showery.
hannel, ...	N.E. winds, moderate.
t of China between Hongkong and Lamocks,..	E. winds, moderate.
t of China between Hongkong and Hainan,...	S.E. winds, moderating.

F. G. FIGG,
Director.

g Observatory, Friday, 10th September, 1909.

RONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTR

Station.	10th September, 1909, P.M.								11th September, 1909,					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	29.68	753.9	72	...	N	1	b	7 a.	29.80	757.0	54	95	N
Nemuro,	,,	29.77	756.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	S
Hakodate,	,,	29.77	756.2	...	...	S E	2	...	,,	29.73	755.2	...	...	...
Tokio,	,,	29.83	757.6	...	...	S W	6	...	,,	29.83	757.6	...	...	S
Kochi,	,,	29.72	754.8	...	...	S E	2	...	,,	...	...	...	...	...
Nagasaki,	,,	29.80	756.8	...	...	W	6	...	,,	29.76	755.8	...	...	N
Kagoshima,	,,	29.72	754.9	...	...	E	2	...	,,	29.68	753.9	...	...	N
Oshima,	,,	29.65	753.1	...	...	N	8	...	,,	29.61	752.1	...	...	N
Naha,	,,	29.69	754.2	...	...	N	6	...	,,	29.65	754.2	...	...	N
Ishigakijima,	,,	29.74	755.3	...	...	N	2	...	,,	29.74	755.3	...	...	N
Bonin Is.	,,	29.77	756.1	...	...	S E	4	...	,,	29.73	755.1	...	...	S E
Chefoo,	4 p.	29.78	756.4	75	86	N N W	3	b	6 a.	29.83	758.9	60	100	...
Weihaiwei,	,,	29.92	759.9	74	...	N N W	2	b	9 a.	29.95	760.7	74	...	N E
Hankow,	,,	30.00	762.0	75	90	N E	1	c	6 a.	29.94	760.5	74	95	S E
Kiukiang,	,,	29.89	759.2	77	65	N E	5	c	,,	29.86	758.4	81	87	N E
Shanghai,	,,	29.92	759.9	74	72	N N E	1	o	9 a.	29.91	759.7	73	61	E N E
Gutzlaff,	,,	29.85	758.2	76	56	N N E	4	ov	,,	29.89	759.2	77	56	N E
Sharp Peak,	,,	29.77	756.1	84	91	E	3	b	,,	29.87	758.7	81	91	N
Amoy,	,,	29.71	754.6	91	73	S E	4	b	6 a.	29.78	756.4	79	95	N E
Swatow,	,,	29.71	754.6	84	76	E	1	o	,,	...	...	74	...	N N E
Taihoku,	1 p.	29.77	756.2	...	...	W	4	...	5 a.	29.82	757.5	...	...	S E
Taichu,	,,	29.77	756.1	...	...	W	4	...	,,	29.80	757.0	...	...	...
Tainan,	,,	29.79	756.7	...	...	N W	6	...	,,	29.73	756.4	...	...	E
Koshun,	,,	29.79	756.7	...	...	S	4	...	,,	29.78	756.4	...	...	N E
Pescadores,	,,	29.80	756.8	...	...	N	6	...	,,	29.78	756.3	...	...	N E
Canton,	3 p.	29.72	754.9	86	76	S E	1	or	9 a.	29.83	757.7	86	83	S E
Hongkong,	4 p.	29.71	754.6	83	86	E	1	o	10 a.	29.81	757.2	85	79	E
Victoria Peak,	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	S E
Gap Rock,	,,	29.67	753.6	...	...	S S E	4	...	,,	29.79	756.6	...	...	S E
Macao,	,,	29.72	754.9	83	...	S E	2	c	,,	29.83	757.7	87	...	E S E
Wuchow,	3 p.	29.70	754.4	84	...	S E	2	c	9 a.	29.83	757.7	82	...	S E
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	29.58	751.3	87	73	E	4	c	,,	...	...	...	...	...
Phulien,	4 p.	29.43	748.9	84	...	N E	5	c	8 a.	29.66	753.4	77	...	S S E
Tourane,	,,	...	...	...	...	...	...	...	,,	29.74	755.3	84	...	S W
Cape St. James,	,,	29.76	756.0	79	...	S W	6	or	,,	...	...	...	...	...
Aparri,	2 p.	29.75	755.7	88	...	N E	2	b	6 a.	29.78	756.3	73	...	S
Manila,	4 p.	29.80	757	84	72	W S W	3	o	10 a.	29.88	759	79	94	S
Legaspi,	2 p.	29.78	75.64	83	...	W	2	o	6 a.	29.82	757.4	79	...	W
Bacolod,	3 p.	...	...	...	...	S W	...	o	9 a.	...	...	...	...	W S W
Iloilo,	,,	29.81	757.2	84	...	W	2	o	,,	29.91	759.7	81	...	S
Cebu,	,,	29.77	756.1	88	...	S	2	b	,,	29.89	759.2	78	...	S
Labuan,	,,	29.83	757.7	90	...	...	...	...	,,	29.96	761.0	83	...	...

On the 11th at 11.55 a.—The typhoon entered the Tongking coast near Haiphong during the night.

The barometer has risen over S. China, and fallen over Japan and the Loochoos.

The depression over the Pacific is situated to the E. of the Loochoos. It appears to be moving slowly N.N.W.

Pressure is highest over N. China in the North, and over the S. part of the China Sea in the South.

Moderate N.E. winds may be expected in the Formosa Channel, and moderate S.E. and E. winds al coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 2.
4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate.

F. G. FIGG
Director.

Hongkong Observatory, Saturday 11th September, 1909.

[Printed by Noronha & Co. Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	11th SEPTEMBER, 1909, P.M.								12th SEPTEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	29.81	757.1	...	...	S	2	...	6 a.	29.77	756.1	...	...	N	4	...
.....	,,	29.73	755.2	...	...	S E	2	...	,,	29.81	757.2	...	...	..	0	...
.....	,,	29.71	754.6	...	...	N	2	...	,,	29.79	756.6	...	...	...	0	...
.....	,,	29.66	753.8	...	...	S W	2	...	,,	29.72	754.8	...	...	S W	2	...
.....	,,	29.64	752.8	...	...	N E	8	...	,,	29.64	753.8	...	...	N	4	...
n, ...	,,	29.64	752.9	...	...	E	6	...	,,	29.64	753.9	...	...	N E	2	...
.....	,,	29.57	751.1	...	...	N W	8	...	,,	29.57	751.1	...	...	N	6	...
.....	,,	29.61	752.2	...	...	N	8	...	,,	29.62	752.2	...	...	N	8	...
ma, ...	,,	29.74	755.3	...	...	N	8	...	,,	29.74	755.3	...	...	N	4	...
.....	,,	29.69	754.1	...	...	S W	4	...	,,	29.73	755.1	...	...	S E	4	...
.....	4 p.	29.88	758.9	75	86	E	2	c	6 a.	29.88	758.9	64	90	...	0	b
i, ...	,,	29.95	760.7	75	...	N W	2	b	9 a.	29.94	760.5	76	...	N E	2	b
.....	,,	29.89	759.2	84	...	N E	1	b	6 a.	29.90	759.4	72	100	N E	2	o
.....	,,	29.78	756.4	75	64	...	0	b	,,	29.80	756.9	75	81	N E	2	o
.....	,,	29.84	757.9	82	45	E N E	2	...	9 a.	29.86	758.4	78	70	N	2	c
.....	,,	29.81	757.2	79	54	N E	3	cv	,,	29.82	757.4	78	65	N N E	3	cv
k, ...	,,	29.78	756.4	82	...	E N E	3	b	,,	29.84	757.9	80	...	N	1	b
.....	,,	29.73	755.1	93	64	E	3	b	6 a.	29.74	755.4	80	82	N E	1	b
.....	,,	29.72	754.9	86	72	E S E	2	b	,,	29.76	755.9	79	82	E	2	c
.....	1 p.	29.78	756.5	...	...	E	6	...	5 a.	29.81	757.1	...	...	S	2	...
.....	,,	29.73	755.1	...	...	N	6	...	,,	29.77	756.2	...	...	N	2	...
.....	,,	29.74	755.5	...	...	W	4	...	,,	29.75	755.7	...	...	...	0	...
.....	,,	29.76	756.0	...	...	S E	2	...	,,	29.78	756.3	...	...	W	2	...
.....	,,	29.74	755.3	...	...	N E	8	...	,,	29.77	756.1	...	...	N E	6	...
.....	3 p.	29.73	755.1	92	70	S E	1	b	9 a.	29.84	757.9	85	83	S E	1	b
.....	4 p.	29.73	755.1	83	84	E	2	o	10 a.	29.83	757.7	83	82	E	3	op
k, ...	,,	...	...	...	...	S E	3	...	,,	...	...	...	...	E	3	...
.....	,,	29.70	754.4	...	...	S E	3	...	,,	29.79	756.6	...	...	E S E	3	...
.....	,,	29.73	755.1	85	...	S E	1	c	,,	29.84	757.9	82	...	E	2	o
.....	3 p.	29.74	755.4	80	...	S E	2	o	9 a.	29.81	757.2	83	...	E	2	c
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.71	754.6	87	73	S W	1	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.69	751.9	82	...	S S E	5	c	8 a.	29.73	755.2	82	...	S S E	2	o
.....	,,	29.70	754.5	84	...	E	1	c	,,	29.81	757.1	81	..	S	1	o
mes, .	,,	29.81	757.2	81	...	W N W	3	o	,,	29.89	759.2	84	...	W N W	3	f
.....	2 p.	29.72	754.9	88	...	N E	2	b	6 a.	29.75	755.7	77	...	S W	2	c
.....	4 p.	29.76	756	81	77	S W	2	o	10 a.	29.80	757	81	85	W	2	o
.....	2 p.	29.76	75.60	83	...	W	2	o	6 a.	29.77	756.1	77	...	...	0	b
.....	3 p.	...	...	...	...	S W	4	o	9 a.	...	...	...	...	S W	2	op
.....	,,	29.81	757.2	83	...	S S W	2	o	,,	29.85	758.2	82	...	S W	3	c
.....	,,	29.79	756.6	89	...	S	1	c	,,	29.84	757.9	84	...	S	2	o
.....	,,	29.83	757.7	90	...	...	...	...	,,	...	...	...	...	...	...	...

he 12th at 12.05 p.—The barometer has risen moderately over Indo-China, and fallen slightly over the E. China, SW Japan, the Loochoos and the Philippines.

depression remains over the Pacific to the E. of the Loochoos. It is moving slowly, apparently towards

sure is highest over N. China in the North, and over the S. part of the China Sea in the South.

erate to fresh NE and E. winds may be expected in the Formosa Channel and along the northern shores of Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.11 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	E. winds, moderate to fresh; showery.
a Channel, ...	NE winds, moderate to fresh.
oast of China between Hongkong and Lamocks,..	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Sunday 12th September, 1909.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	12th September, 1909, P.M.								13th September, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.94	760.5	69	...	N E	1	c	7 a.	30.06	764.3	56	94	N	
Nemuro,	,,	29.81	757.1	...	...	N	2	...	6 a.	30.08	764.1	...	...	N	
Hakodate,	,,	29.89	759.2	...	...	N W	2	...	,,	30.01	762.2	...	...	...	
Tokio,	,,	29.83	757.6	...	...	S	4	...	,,	29.95	760.6	...	...	N	
Kochi,	,,	29.83	757.8	...	...	S E	2	...	,,	29.76	755.8	...	...	S W	
Nagasaki,	,,	29.68	753.8	...	...	N E	6	...	,,	29.76	755.8	...	...	N	
Kagoshima,	,,	29.64	752.9	...	...	E	6	...	,,	29.72	754.9	...	...	E	
Oshima,	,,	29.53	750.1	...	...	N	8	...	,,	29.53	750.1	...	...	N	
Naha,	,,	29.57	751.2	...	...	N	8	...	,,	29.54	750.2	...	...	N	
Ishigakijima,	,,	29.70	754.3	...	...	N	8	...	,,	29.70	754.3	...	...	N	
Bonin Is.	,,	29.73	755.1	...	...	S E	6	...	,,	29.85	758.1	...	...	S	
Chefoo,	4 p.	29.90	759.4	77	...	N E	1	b	6 a.	30.02	762.5	70	95	N N E	
Weihaiwei,	,,	29.94	760.5	76	...	N E	2	b	9 a.	30.08	764.0	74	...	N	
Hankow,	,,	29.90	759.4	80	...	N	2	o	6 a.	29.94	760.5	73	95	E N E	
Kiukiang,	,,	29.80	756.9	84	64	N E	2	b	,,	...	...	75	77	E	
Shanghai,	,,	29.82	757.4	80	58	N N E	2	b	9 a.	29.96	761.0	78	61	N E	
Gutzlaff,	,,	29.79	756.6	80	58	N N E	3	bv	,,	29.89	759.2	77	69	N E	
Sharp Peak,	,,	29.76	755.9	82	...	E	1	b	,,	29.86	758.4	81	90	S E	
Amoy,	,,	29.73	755.1	90	70	E	1	b	6 a.	29.80	756.9	87	96	E N E	
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Taihoku,	1 p.	29.78	756.3	...	...	N W	4	...	5 a.	29.83	757.6	...	...	...	
Taichu,	,,	29.74	755.4	...	...	N W	2	...	,,	29.80	756.9	...	...	N	
Tainan,	,,	29.76	755.8	...	...	W	2	...	,,	29.76	755.9	...	...	S	
Koshun	,,	29.75	755.7	...	...	N	2	...	,,	29.79	756.6	...	...	N	
Pescadores,	,,	29.77	756.1	...	...	N	8	...	,,	29.78	756.4	...	...	N	
Canton,	3 p.	29.73	755.1	89	77	S E	2	c	9 a.	29.87	758.7	87	76	S	
Hongkong,	4 p.	29.72	754.9	83	79	E	2	c	10 a.	29.84	757.9	87	69	E	
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	
Gap Rock,	,,	29.69	754.1	...	...	E S E	3	...	,,	29.81	757.2	...	...	E	
Macao,	,,	29.73	755.1	84	...	S E	2	c	,,	29.86	758.4	85	...	E	
Wuchow,	3 p.	29.72	754.9	88	...	W	2	c	9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.64	752.8	83	...	S S E	3	c	8 a.	29.82	757.3	72	...	S W	
Tourane,	,,	29.68	753.8	86	...	S E	1	b	,,	29.82	757.5	81	...	S	
Cape St. James,	,,	29.76	755.8	83	...	W	3	c	,,	...	...	...	...	...	
Aparri,	2 p.	29.71	754.7	88	...	N	2	b	6 a.	29.74	755.4	77	...	S	
Manila,	4 p.	29.72	755	82	71	W S W	1	c	10 a.	29.76	756	84	77	W S W	
Legaspi,	2 p.	29.72	754.9	90	...	W	1	c	6 a.	29.77	756.2	77	...	W	
Bacolod,	3 p.	...	...	...	...	S W	1	o	9 a.	...	...	...	...	S S E	
Iloilo,	,,	29.77	756.1	84	...	S W	2	o	,,	29.85	758.2	82	...	S	
Cebu,	,,	29.75	755.6	88	...	S	2	b	,,	29.83	757.7	87	...	S	
Labuan,	,,	29.83	757.7	89	...	...	...	...	,,	29.88	758.9	84	...	...	

On the 13th at 11.50 a.—The barometer has fallen slightly over the Loochoos, and risen moderately siderably over N. China, Japan and the Bonins.

The depression over the Pacific is still situated to the Eastward of the Loochoos. It appears now to be in a Westerly direction.

Pressure is high over N. China, Manchuria and the N. part of the Sea of Japan.

Moderate to fresh N.E. winds may be expected in the Formosa Channel and along the northern shores China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 13th September, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	13TH SEPTEMBER, 1909, P.M.									14TH SEPTEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.		Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ock,...	2 p.	30.04	762.9	70	...	N	1	c		7 a.	30.12	764.9	57	95	E	1	c
.....	,,	...	...	...	...	...	...	...		6 a.	30.04	763.1	...	...	N W	2	...
.....	,,	...	...	...	...	...	...	...		,,	30.13	765.2	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...		,,	30.10	764.6	...	...	N	2	...
.....	,,	...	...	...	...	...	...	...		,,	29.95	760.8	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...		,,	29.83	758.3	...	...	N E	6	...
.....	,,	...	...	...	...	...	...	...		,,	29.83	758.9	...	...	E	2	...
.....	,,	...	...	...	...	...	...	...		,,	29.61	752.1	...	...	E	7	...
.....	,,	...	...	...	...	...	...	...		,,	28.75	730.2	...	...	N E	10	...
...ma,....	,,	...	...	...	...	...	...	...		,,	29.54	750.3	...	...	N	8	...
.....	,,	...	...	...	...	...	...	...		,,	29.97	761.1	...	...	S E	7	...
.....	4 p.	29.95	760.7	75	...	N E	1	c		6 a.	30.05	763.2	61	95	...	0	b
.....	,,	30.03	762.7	73	...	N N W	0	b		9 a.	30.07	763.8	74	...	N E	1	b
.....	,,	29.98	761.5	81	74	N E	1	o		6 a.	...	...	...	...	...	...	...
.....	,,	29.88	758.9	87	52	N E	5	b		,,	29.92	759.9	75	77	N E	1	c
.....	,,	29.91	759.7	80	58	N E	3	c		9 a.	29.92	759.9	76	77	N N E	3	m
.....	,,	29.86	758.4	80	62	N N E	5	cv		,,	29.84	757.9	74	100	N N E	3	...
.....	,,	29.80	756.9	81	...	E N E	4	b		,,	29.78	756.4	80	90	S	1	b
.....	,,	29.76	755.9	89	73	N E	1	c		6 a.	29.75	755.6	79	82	N E	2	o
.....	,,	29.72	754.9	88	72	E	2	b		,,	...	...	...	...	...	...	...
.....	1 p.	29.80	756.8	...	...	N W	6	...		5 a.	29.73	755.0	...	...	S	4	...
.....	,,	29.79	756.6	...	...	N W	6	...		,,	29.72	754.8	...	...	...	0	...
.....	,,	29.75	755.6	...	...	N	6	...		,,	29.70	754.4	...	...	N E	2	...
.....	,,	29.75	755.7	...	...	N W	4	...		,,	29.69	754.2	...	...	E	2	...
.....	,,	29.80	756.8	...	...	N	8	...		,,	29.72	754.8	...	...	N E	8	...
.....	3 p.	29.76	755.9	94	64	...	0	b		9 a.	29.80	756.9	85	87	...	0	b
.....	4 p.	29.76	755.9	81	77	E	3	c		10 a.	29.78	756.4	83	87	E	1	o
.....	,,	...	...	...	...	E S E	1	...		,,	...	...	...	...	E	1	...
.....	,,	29.72	754.9	...	...	E	3	...		,,	29.76	755.9	...	...	N E	2	...
.....	,,	29.76	755.9	85	...	S E	1	c		,,	29.79	756.6	86	...	N W	1	c
.....	3 p.	29.76	755.9	92	...	E	1	c		9 a.	29.82	757.4	81	...	W	1	c
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	4 p.	29.74	755.3	81	...	N E	3	c		8 a.	29.83	757.6	83	...	N N W	1	b
.....	,,	29.71	754.7	84	...	E	1	c		,,	29.76	756.0	82	..	N W	3	c
...mes,.	,,	29.76	755.9	83	...	W	4	c		,,	29.76	756.0	79	...	W	4	o
.....	2 p.	29.71	754.7	88	...	N E	2	b		6 a.	29.70	754.4	77	...	S W	2	b
.....	4 p.	29.69	754	88	66	W S W	1	c		10 a.	29.73	755	86	71	N W	2	c
.....	2 p.	29.72	754.8	93	...	W	2	b		6 a.	29.72	754.8	79	...	W	2	b
.....	3 p.	...	...	...	...	S S W	3	o		9 a.	...	...	...	...	S S E	3	c
.....	,,	29.77	756.1	85	...	S S W	2	b		,,	29.80	756.9	83	...	S S W	2	o
.....	,,	29.74	755.4	89	...	S	1	b		,,	29.78	756.4	89	...	S	2	b
.....	,,	29.83	757.7	88	...	...	...	...		,,	29.79	756.6	84	...	...	...	...

...he 14th at 12.10 p.—The barometer has risen over Japan and the Bonins, and fallen over the S. Loochoos, ...S. China and the Philippines.

...typhoon over the Pacific is now situated to the S. of the Loochoos. It appears to be moving towards W. or ...

...ssure remain high over N. China and the N. part of the Sea of Japan.

...ng N.E. and N. winds may be expected in the Formosa Channel and moderate N. winds along the S. coast of ...

...gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

...ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...ong and Neighbourhood, ...	N. winds, moderate; fair to unsettled.
...a Channel, ...	N.E. and N. winds, strong.
...coast of China between Hongkong and Lamocks,..	Same as No. 1.
...coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

...rkong Observatory, Tuesday, 14th September, 1909.

...y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTEI

Station.	14th September, 1909, P.M.								15th September, 1909, A.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	30.12	765.1	...	...	W	4	...	6 a.	...	...	...	...	...
Hakodate,	,,	30.17	766.2	...	...	S	4	...	,,	...	...	...	...	...
Tokio,	,,	30.18	766.6	...	...	N	4	...	,,	...	...	...	...	...
Kochi,	,,	29.99	761.8	...	...	...	0	...	,,	...	...	...	...	...
Nagasaki,	,,	29.91	759.8	...	...	N E	6	...	,,	...	...	...	...	...
Kagoshima,	,,	29.92	759.9	...	...	E	6	...	,,	...	...	...	...	...
Oshima,	,,	29.73	755.1	...	...	S E	8	...	,,	...	...	...	...	...
Naha,	,,	29.38	746.2	...	...	S E	10	...	,,	...	...	...	...	...
Ishigakijima,	,,	29.26	743.3	...	...	N W	10	...	,,	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	E	2	...	,,	...	...	...	...	...
Chefoo,	4 p.	29.98	761.5	79	91	E N E	2	b	6 a.	...	...	...	...	...
Weihaiwei,	,,	29.98	761.5	78	...	N E	3	b	9 a.	...	...	...	...	...
Hankow,	,,	29.91	759.7	87	62	N E	1	b	6 a.	...	...	...	...	...
Kiukiang,	,,	29.85	758.2	86	55	E N E	2	b	,,	...	...	...	...	...
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Gutzlaff,	,,	29.78	756.4	79	91	N E	6	om	,,	...	...	...	...	...
Sharp Peak,	,,	29.66	753.3	84	91	N	3	c	,,	...	...	...	...	...
Amoy,	,,	29.66	753.3	90	70	S E	4	b	6 a.	29.34	745.2	81	83	W
Swatow,	,,	29.61	752.1	88	73	E	1	b	,,	29.48	748.8	79	61	N W
Taihoku,	1 p.	29.65	753.1	...	...	N W	6	...	5 a.	...	...	...	...	...
Taichu,	,,	29.66	753.4	...	...	N	2	...	,,	...	...	...	...	...
Tainan,	,,	29.65	753.1	...	...	N	8	...	,,	...	...	...	...	...
Koshun,	,,	29.61	752.0	...	...	W	4	...	,,	...	...	...	...	...
Pescadores,	,,	29.69	754.0	...	...	N	8	...	,,	...	...	...	...	...
Canton,	3 p.	29.66	753.3	97	...	W	1	b	9 a.	29.67	753.6	87	65	N
Hongkong,	4 p.	29.65	753.1	87	76	...	0	c	10 a.	29.60	751.8	85	45	W
Victoria Peak,	,,	...	...	...	...	S W	1	...	,,	...	...	...	...	N W
Gap Rock,	,,	29.65	753.1	...	...	S E	2	...	,,	29.60	751.8	...	...	N N W
Macao,	,,	29.68	75.39	86	...	S S E	1	c	,,	29.64	752.8	83	...	N N W
Wuchow,	3 p.	29.74	755.4	85	...	N	6	or	9 a.	29.71	754.6	83	...	N
Hoihow,	,,	29.74	755.4	88	...	N	3	b	,,	...	...	...	...	...
Pakhoi,	,,	29.74	755.4	91	70	W N W	2	b	,,	29.72	754.9	89	73	N
Phulien,	4 p.	29.70	754.5	88	...	S S E	0	b	8 a.	29.74	755.3	81	...	N W
Tourane,	,,	29.67	753.5	82	...	N W	4	o	,,	29.63	752.7	77	...	E
Cape St. James,	,,	29.68	753.9	81	...	N W	2	o	,,	29.70	754.4	77	...	W N W
Aparri,	2 p.	29.62	752.4	88	...	N	2	o	6 a.	29.62	752.2	77	...	S
Manila,	4 p.	29.69	754	86	71	W S W	4	b	10 a.	29.76	756	86	77	W S W
Legaspi,	2 p.	29.71	754.7	91	...	W	2	c	6 a.	29.71	754.6	79	...	W
Bacolod,	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	S S W
Iloilo,	,,	29.77	756.1	85	...	S	2	b	,,	29.82	757.4	83	...	W
Cebu,	,,	29.71	754.6	90	...	S	1	o	,,	29.78	756.4	88	...	S
Labuan,	,,	29.77	756.1	89	...	...	...	...	,,	29.79	756.6	85	...	...

On the 15th at 10.15 a.—Red North Cone and Drum hoisted.

At 12. 15 p.—The typhoon has moved rapidly Westwards since yesterday and has reached the middle the Formosa Channel. It will probably enter the coast near Amoy, where the barometer has fallen with g pidity.

Reports from Formosa and all stations to the North of Amoy are lacking.

The returns from Indo-China show that, pressure is low over the Annam coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. and W. winds, strong; squally, rain l
2.—Formosa Channel,	Cyclonic gales.
3.—South coast of China between Hongkong and Lamocks,	W. winds, strong to a gale.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Wednesday, 15th September, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	15TH SEPTEMBER, 1909, P.M.								16TH SEPTEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
.....	,,	30.08	764.1	...	...	S	8	...	6 a.	...	...	...	...	...	...	...
.....	,,	30.05	763.2	...	...	S E	2	...	,,	...	...	...	...	...	...	...
.....	,,	30.18	766.6	...	...	S	4	...	,,	...	...	...	...	...	...	...
.....	,,	30.11	764.8	...	...	S E	4	...	,,	...	...	...	...	...	...	...
.....	,,	30.03	762.8	...	...	S E	2	...	,,	...	...	...	...	...	...	...
a, ...	,,	30.04	762.9	...	...	S	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.97	761.1	...	...	S E	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.85	758.2	...	...	E	6	...	,,	...	...	...	...	...	...	...
ma, ...	,,	29.66	753.3	...	...	S E	10	...	,,	...	...	...	...	...	...	...
.....	,,	30.01	762.1	...	...	E	4	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.09	764.3	66	84	E	1	or	6 a.	...	...	...	...	...	...	...
i,.....	,,	30.10	764.5	67	...	N W	1	r	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	..	...	...	6 a.	...	...	...	...	...	..	...
.....	,,	29.76	755.6	83	75	N E	4	o	,,	...	...	...	...	...	...	...
.....	,,	29.85	758.2	86	80	E	4	c	9 a.	...	...	...	...	...	...	...
.....	,,	29.84	757.9	82	87	E S E	4	om	,,	...	...	...	...	...	...	...
k,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.32	744.7	76	100	S E	6	or	6 a.	29.68	753.9	80	95	N N E	3	o
.....	,,	29.41	747.0	76	91	W S W	1	or	,,	29.63	752.6	76	95	N E	1	c
.....	1 p.	29.54	750.3	...	...	W	4	...	5 a.	...	...	...	...	...	...	...
.....	,,	29.56	750.7	...	...	E	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.56	750.8	...	...	S W	6	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.49	749.1	...	...	S	8	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.52	749.8	93	55	N	1	b	9 a.	29.68	753.9	78	90	S	1	o
.....	4 p.	29.50	749.3	86	57	W N W	2	o	10 a.	29.69	754.1	80	83	E	2	o
k,...	,,	...	...	...	...	N W	3	...	,,	...	...	...	...	S S E	2	...
.....	,,	29.48	748.8	...	...	N W	3	...	,,	29.66	753.3	...	...	E	3	...
.....	,,	29.53	750.0	89	...	N W	2	c	,,	29.69	754.1	79	...	S E	1	od
.....	3 p.	29.59	751.6	92	...	N	2	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.60	751.8	94	...	N	4	b	,,	...	...	...	...	...	...	...
.....	4 p.	29.57	751.1	93	...	W	4	c	8 a.	29.66	753.3	84	...	N N E	4	c
.....	,,	29.56	750.7	81	...	E N E	4	c	,,	29.61	752.1	82	..	...	0	o
mes,.	,,	29.63	752.7	77	...	S S W	5	or	,,	29.74	755.4	79	...	S W	6	f
.....	2 p.	29.64	752.8	88	...	S E	2	o	6 a.	29.75	755.6	77	...	S E	2	o
.....	4 p.	29.69	754	81	85	W S W	4	o	10 a.	29.84	758	77	94	...	0	o
.....	2 p.	29.68	753.9	91	...	W	2	c	6 a.	29.74	755.4	79	...	W	0	o
.....	3 p.	...	...	...	...	S W	3	c	9 a.	...	...	...	...	S	2	o
.....	,,	29.75	755.6	84	...	S W	2	o	,,	29.83	757.7	84	...	S S W	1	o
.....	,,	29.74	755.4	85	...	S	1	c	,,	29.80	756.9	85	...	S	1	b
.....	,,	29.67	753.6	91	...	...	...	...	,,	29.82	757.4	81	...	...	...	...

he 15th at 4.50 p.—Black North Cone and Drum hoisted. At 5.10 p.—The typhoon, which continues to stwards, has entered the coast near Amoy.

he 16th at 6.0 a.—Signals lowered.

.10 p.—The typhoon has filled up during its passage over the land.

barometer has risen moderately over the S. coast of China and N. Luzon, and fallen slightly in Tongking m.

sure is relatively low over the N.W. part of the China Sea.

rts from Formosa and all stations to the North of Amoyare lacking.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

RECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ng and Neighbourhood, ...	E. winds, freshening; squally, showery.
Channel, ...	N.E. winds, strong.
ast of China between Hongkong and Lamocks,..	Same as No. 1.
ast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ong Observatory, Thursday, 16th September, 1909.

NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	16th September, 1909, P.M.								17th September, 1909, A.					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Hakodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Chefoo,	4 p.	30.10	764.5	71	87	N E	3	or	6 a.	...	...	...	...	...
Weihaiwei,	,,	30.10	764.5	71	...	N E	1	o	9 a.	...	...	...	...	...
Hankow,	,,	29.96	761.0	88	69	N E	2	b	6 a.	...	...	...	...	...
Kiukiang,	,,	29.79	756.6	90	63	N E	2	c	,,	...	...	...	...	...
Shanghai,	,,	29.91	759.7	88	62	E S E	3	c	9 a.	...	...	...	...	...
Gutzlaff,	,,	29.89	759.2	84	75	S E	3	cm	,,	...	...	...	...	...
Sharp Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Amoy,	,,	29.75	755.6	81	87	N E	2	o	6 a.	29.83	757.7	78	87	N
Swatow,	,,	29.69	754.1	83	87	E	1	c	,,	29.77	756.1	78	87	N E
Taihoku,	1 p.	...	...	...	...	...	...	...	5 a.	...	...	...	...	...
Taichu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Tainan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Canton,	3 p.	29.65	753.1	85	80	S E	1	c	9 a.	29.81	757.2	84	83	E
Hongkong,	4 p.	29.65	753.1	82	85	E	4	o	10 a.	29.80	756.9	78	91	E
Victoria Peak,	,,	...	...	...	...	S E	4	...	,,	...	...	...	...	E S E
Gap Rock,	,,	29.61	752.1	...	...	E	4	...	,,	29.72	754.9	...	...	E
Macao,	,,	29.63	752.6	83	...	E S E	3	od	,,	29.79	756.6	84	...	E S E
Wuchow,	3 p.	29.65	753.1	79	...	S E	2	d	9 a.	29.79	756.6	81	...	E
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.57	751.1	88	...	N N E	3	o	8 a.	29.68	753.8	81	...	N
Tourane,	,,	29.55	750.6	82	...	N N W	1	o	,,	29.67	753.5	82	..	N N E
Cape St. James,	,,	29.72	754.8	72	...	S W	7	or	,,	29.82	757.4	77	...	S W
Aparri,	2 p.	29.72	754.8	86	...	N E	2	c	6 a.	29.72	754.8	75	...	S
Manila,	4 p.	29.76	756	81	76	W	3	o	10 a.	...	...	...	...	...
Legaspi,	2 p.	29.73	755.2	82	...	S W	2	o	6 a.	29.74	755.4	77	...	W
Bacolod,	3 p.	...	...	...	...	S W	3	o	9 a.	...	...	...	...	S S W
Iloilo,	,,	29.77	756.1	84	...	W	3	o	,,	29.89	759.2	81	...	S
Cebu,	,,	29.74	755.4	86	...	S	2	or	,,	29.86	758.4	82	...	S
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.93	760.2	78	...	...

On the 17th at 12.10 p.—The barometer has risen moderately over the S. coast of China, and a slight taken place over Annam and the S. Philippines.

Pressure is still low, probably in a trough-like depression, over the N.W. part of the China Sea.

Reports from Formosa and all stations to the North of Amoy are lacking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, fresh or strong; squally, showery.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 17th September, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	17TH SEPTEMBER, 1909, P.M.								18TH SEPTEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ock,...	2 p.	29.96	761.0	70	...	S	1	o	7 a.	29.97	761.3	60	94	W	1	c
.....	,,	29.96	761.1	...	...	N	6	...	6 a.	30.08	764.1	...	...	S	2	...
.....	,,	30.01	762.2	...	...	W	2	...	,,	30.09	764.2	...	...	W	2	...
.....	,,	30.02	762.6	...	...	E	4	...	,,	30.06	763.6	...	...	N	4	...
.....	,,	29.95	760.8	...	...	W	2	...	,,	29.91	759.8	...	...	N	2	...
.....	,,	29.88	758.8	...	...	N E	4	...	,,	29.80	756.8	...	...	...	0	...
.....	,,	29.88	758.9	...	...	S E	6	...	,,	29.72	754.9	...	...	E	6	...
.....	,,	29.69	754.1	...	...	N E	6	...	,,	29.61	752.1	...	...	S E	6	...
.....	,,	29.58	751.2	...	...	N	8	...	,,	29.50	749.2	...	...	E	4	...
na,....	,,	29.70	754.3	...	...	N	6	...	,,	29.34	745.3	...	...	N E	8	...
.....	,,	30.01	762.1	...	...	S E	6	...	,,	30.04	763.1	...	...	S E	2	...
.....	4 p.	30.03	762.7	80	87	N E	1	c	6 a.	30.00	762.0	69	87	N E	1	c
.....	,,	30.00	762.0	69	...	N E	1	o	9 a.	...	...	...	...	...	...	...
.....	,,	30.02	762.5	85	79	N W	1	o	6 a.	...	...	...	...	...	..	...
.....	,,	29.81	757.2	93	91	N E	...	b	,,	...	...	...	...	...	...	...
.....	,,	29.88	758.9	86	68	E N E	2	c	9 a.	29.84	757.9	79	74	N N E	3	o
.....	,,	29.88	758.9	81	78	E N E	3	cm	,,	29.79	756.6	79	82	N N E	5	om
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.73	755.1	89	73	N E	2	b	6 a.	29.69	754.1	78	87	E N E	1	o
.....	,,	29.69	754.1	88	62	E	2	c	,,	29.68	753.9	77	90	N N W	1	c
.....	1 p.	29.79	756.6	...	...	E	6	...	5 a.	...	...	...	...	...	...	...
.....	,,	29.71	754.7	...	...	N W	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.73	755.2	...	...	W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.74	755.3	...	...	N E	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.72	755.0	...	...	N E	6	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.73	755.1	87	76	E	1	b	9 a.	29.77	756.1	83	82	...	0	c
.....	4 p.	29.70	754.4	82	74	E	4	cq	10 a.	29.74	755.4	85	69	E	1	o
k,....	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	S E	1	...
.....	,,	29.66	753.3	...	...	E	4	...	,,	29.72	754.9	...	...	E	4	...
.....	,,	29.71	754.6	82	...	S E	3	c	,,	29.76	755.9	87	...	E	1	c
.....	3 p.	29.69	754.1	88	...	S E	1	og	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.66	753.3	82	90	E	3	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.59	751.7	79	...	E	2	o	8 a.	29.67	753.7	75	...	N E	5	or
.....	,,	29.57	751.2	81	...	E N E	1	o	,,	29.69	754.1	79	..	N N W	1	c
mes,.	,,	29.71	754.8	79	...	S W	6	or	,,	29.80	757.0	79	...	S W	6	c
.....	2 p.	29.65	753.2	79	...	W	2	o	6 a.	29.64	752.8	75	...	S E	2	b
.....	4 p.	29.72	755	77	92	...	0	d	10 a.	29.73	755	77	92	S W	4	q
.....	2 p.	29.69	754.0	84	...	W	2	o	6 a.	29.71	754.7	77	...	W	2	q
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	S S W	3	c
.....	,,	...	...	...	...	...	...	...	,,	29.83	757.7	82	...	S W	2	or
.....	,,	...	...	...	...	...	...	...	,,	29.83	757.7	84	...	S	1	c
.....	,,	29.79	756.6	84	...	...	...	...	,,	29.87	758.7	84	...	...	...	...

he 18th at 12.30 p.—The barometer has fallen rapidly over Meiaco Sima and the Loochoos, and a slight to fall has taken place over S. China and the Philippines. The returns from Formosa are lacking.
phoon, which is moving towards W.N.W. or N.W., is situated to the S.E. of Meiaco Sima.
sure is high over the Pacific to the E. of Japan, and over N. China. It is still low over the N. part of the a.

weather is expected to set in over the Formosa Channel and the N.E. part of the China Sea during the hours.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.08 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. to N. winds, moderate to fresh; unsettled.
a Channel, ...	N. winds, strong.
oast of China between Hongkong and Lamocks,..	Same as No. 1.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Saturday, 18th September, 1909.

y Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTEI

Station.	18th September, 1909, P.M.								19th September, 1909, A.M.						
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. F c
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	..	...	...	...	
Nemuro,	,,	30.04	763.1	...	...	E	6	...	6 a.	...	...	...	...	...	
Hakodate,	,,	30.05	763.2	...	...	S	4	...	,,	...	...	...	...	...	
Tokio,	,,	30.06	763.6	...	...	N	2	...	,,	...	..	...	...	...	
Kochi,	,,	29.91	759.8	...	...	N E	4	...	,,	...	...	...	...	...	
Nagasaki,	,,	29.76	755.8	...	...	E	8	...	,,	...	...	...	...	...	
Kagoshima,	,,	29.80	756.9	...	...	S E	4	...	,,	...	...	...	...	...	
Oshima,	,,	29.61	752.1	...	...	S	4	...	,,	...	...	...	...	...	
Naha,	,,	29.54	750.2	...	...	S	4	...	,,	...	...	...	...	...	
Ishigakijima,	,,	29.30	744.3	...	...	E	10	...	,,	..	...	...	...	...	
Bonin Is.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Chefoo,	4 p.	29.94	760.5	73	86	N E	1	o	6 a.	29.89	759.2	67	95	...	
Weihaiwei,	,,	30.01	762.2	73	...	N E	1	o	9 a.	29.92	759.9	76	...	N N W	
Hankow,	,,	29.92	759.9	87	73	N W	1	c	6 a.	29.90	759.4	75	95	N E	
Kiukiang,	,,	29.77	756.1	89	56	N E	2	b	,,	...	...	...	...	...	
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	29.80	756.9	78	82	N N E	
Gutzlaff,	,,	29.71	754.6	82	79	N N E	5	om	,,	29.75	755.6	73	90	N E	
Sharp Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Amoy,	,,	29.55	750.5	91	74	S W	2	c	6 a.	29.40	746.7	79	...	S W	
Swatow,	,,	29.54	750.3	89	96	...	...	o	,,	29.48	748.8	80	74	W N W	
Taihoku,	1 p.	29.48	748.7	...	...	N	4	...	5 a.	29.43	747.4	...	...	E	
Taichu,	,,	29.56	750.7	...	...	E	2	...	,,	29.44	747.7	...	...	S	
Tainan,	,,	29.49	748.9	...	...	W	6	...	,,	29.48	748.7	...	...	W	
Koshun	,,	...	...	...	...	...	...	...	,,	29.42	747.2	...	...	W	
Pescadores,	,,	29.59	751.5	...	...	N	8	...	,,	29.43	747.5	...	...	S W	
Canton,	3 p.	29.62	752.3	92	57	N	1	b	9 a.	29.65	753.1	85	68	N W	
Hongkong,	4 p.	29.60	751.8	84	72	W	1	o	10 a.	29.61	752.1	84	65	W	
Victoria Peak,	,,	...	...	...	...	N N W	2	...	,,	...	...	...	...	N N W	
Gap Rock,	,,	29.59	751.6	...	...	W S W	1	...	,,	29.58	751.3	...	...	N W	
Macao,	,,	29.62	752.3	85	...	S E	1	c	,,	29.64	752.8	85	...	N W	
Wuchow,	3 p.	28.65	753.1	89	...	E	1	c	9 a.	29.67	753.6	80	...	W	
Hoihow,	,,	29.65	753.1	84	100	E	2	o	,,	...	...	...	...	...	
Pakhoi,	,,	29.67	753.6	74	76	E S E	1	c	,,	...	...	...	...	...	
Phulien,	4 p.	29.59	751.5	75	...	E N E	5	or	8 a.	29.71	754.7	79	...	N E	
Tourane,	,,	29.59	751.7	82	...	N N W	2	o	,,	29.67	753.5	79	..	...	
Cape St. James,	,,	29.70	754.3	75	...	S W	6	or	,,	29.78	756.4	77	...	W S W	
Aparri,	2 p.	29.54	750.4	88	...	S E	2	b	6 a.	...	...	...	...	...	
Manila,	4 p.	29.65	753	79	84	S W	4	d	10 a.	29.76	756	79	94	S S W	
Legaspi,	2 p.	29.69	754.0	86	...	W	2	o	6 a.	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	S S E	1	op	9 a.	...	...	...	...	W S W	
Iloilo,	,,	29.74	755.4	81	...	S W	3	o	,,	29.87	758.7	79	...	S W	
Cebu,	,,	29.74	755.4	87	...	S	2	c	,,	29.84	757.9	88	...	S	
Labuan,	,,	29.73	755.1	90	...	...	...	...	,,	...	...	...	...	...	

On the 18th at 6.0 p.—Red Drum hoisted.
On the 19th at 12.30 p.—Red North Cone and Drum hoisted.
The barometer has fallen rapidly at the Formosa Channel stations, and risen slightly in the S. Philippi
The typhoon, which has continued to move towards W.N.W., has reached the coast to the North of Am
Pressure is highest over N. China.
The Japanese returns are not yet in hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.W. and W. winds, fresh; unsettled, squal
2.—Formosa Channel,	S. to S.E. gales.
3.—South coast of China between Hongkong and Lamocks,	W. to S.W. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 19th September, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	19th SEPTEMBER, 1909, P.M.								20th SEPTEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	..	...	...	...	...	...
.....	,,	29.93	760.1	...	...	S	8	...	6 a.	29.85	758.1	...	...	S	8	...
.....	,,	29.93	760.2	...	...	S W	2	...	,,	29.89	759.2	...	...	...	0	...
.....	,,	29.91	759.6	...	...	...	0	...	,,	29.83	757.6	...	...	N W	4	...
.....	,,	29.84	757.8	...	...	S	4	...	,,	29.88	758.8	...	...	...	0	...
.....	,,	29.80	756.8	...	...	S W	6	...	,,	29.84	757.8	...	...	S W	6	...
.....	,,	29.84	757.9	...	...	S W	6	...	,,	29.83	758.9	...	...	...	0	...
.....	,,	29.81	757.1	...	...	S E	6	...	,,	29.85	758.1	...	...	S	6	...
.....	,,	29.69	754.2	...	...	S E	6	...	,,	29.69	754.2	...	...	S	4	...
na, ...	,,	29.62	752.3	...	...	S E	6	...	,,	29.66	753.3	...	...	...	0	...
.....	,,	30.00	762.1	...	...	E	2	...	,,	30.04	763.1	...	...	...	0	...
.....	4 p.	29.88	758.9	77	77	...	0	b	6 a.	29.94	760.5	68	95	N	1	c
.....	,,	...	...	77	...	N N W	2	b	9 a.	29.99	761.7	74	...	N E	1	o
.....	,,	30.01	762.2	71	...	S E	1	b	6 a.	29.90	759.4	76	90	N E	2	b
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.76	755.9	79	82	N N E	4	oq	9 a.	29.84	757.9	80	87	N N E	2	om
.....	,,	29.72	754.9	80	87	N E	5	om	,,	29.81	757.2	82	87	N E	2	om
k, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.40	746.7	79	91	E N E	5	or	6 a.	29.64	752.8	78	95	N N E	1	o
.....	,,	29.46	748.3	83	71	W N W	1	c	,,	29.56	750.8	77	90	E N E	1	b
.....	1 p.	29.54	750.4	...	...	E	4	...	5 a.	...	..	...	...	...	...	...
.....	,,	29.56	750.9	...	...	...	0	...	,,	...	...	...	...	...	...	...
.....	,,	29.56	750.9	...	...	S	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.58	751.3	...	...	W	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.55	750.5	...	...	E	4	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.57	751.1	89	59	N W	1	c	9 a.	29.68	753.9	77	95	N	1	or
.....	4 p.	29.53	750.0	85	63	W	1	o	10 a.	29.66	753.3	85	70	S E	1	o
k, ...	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	E	1	...
.....	,,	29.50	749.3	...	...	N N W	5	...	,,	29.63	752.6	...	...	N N E	3	...
.....	,,	29.56	750.8	86	...	N W	2	c	,,	29.68	753.9	85	...	N E	1	c
.....	3 p.	28.64	752.8	90	...	N E	1	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.64	752.8	88	73	W N W	2	b	,,	...	...	...	...	...	...	...
.....	4 p.	29.63	752.5	82	...	N	2	o	8 a.	29.71	754.5	82	...	N N W	3	b
.....	,,	29.60	751.8	77	...	N W	1	o	,,	29.71	754.6	77	..	...	0	or
mes,.	,,	29.71	754.6	77	...	W S W	5	or	,,	29.80	756.9	77	...	S E	5	o
.....	2 p.	29.57	751.2	90	...	S E	2	o	6 a.	29.65	753.1	77	...	S	4	o
.....	4 p.	29.72	755	77	92	S E	1	o	10 a.	29.84	758	75	92	S S W	2	d
.....	2 p.	29.75	755.6	84	...	S W	2	o	6 a.	29.82	757.5	77	...	W	2	o
.....	3 p.	...	...	...	...	W S W	1	o	9 a.	...	...	...	...	S W	2	o
.....	,,	29.77	756.1	82	...	W	1	c	,,	29.87	758.7	81	...	S S W	1	o
.....	,,	29.77	756.1	83	...	S	1	c	,,	29.86	758.4	87	...	S E	1	b
.....	,,	29.73	755.1	87	...	...	...	...	,,	29.84	757.9	84	...	...	...	...

the 19th at 5.55 p.—Black North Cone and Drum hoisted.
typhoon is on the coast to the South of Amoy. It is apparently moving now towards W.S.W.
the 20th at 6.5 a.—Signals lowered.
12.05 p.—The barometer has risen over China and the Philippines, and fallen in Japan.
typhoon has been filling up since yesterday morning. It exists now as a shallow depression off the S. coast

ssure is low to the North of Japan. It is high over the Pacific in the neighbourhood of the Bonins.
sh to strong N.E. winds may be expected in the Formosa Channel and along the S. coast of of China.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.E. winds, freshening; squally, showery.
sa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Monday, 20th September, 1909.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	20th September, 1909, P.M.								21st September, 1909, A.M.						
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro,	,,	29.69	754.1	...	...	S	10	...	6 a.	...	...	...	...	...	
Hakodate,	,,	29.81	757.2	...	...	W	8	...	,,	...	...	...	...	...	
Tokio,	,,	29.83	757.6	...	...	E	4	...	,,	...	...	...	...	...	
Kochi,	,,	29.87	758.8	...	...	...	0	...	,,	...	...	...	...	...	
Nagasaki,	,,	29.91	759.8	...	...	...	0	...	,,	...	...	...	...	...	
Kagoshima,	,,	29.92	759.9	...	...	S	2	...	,,	...	...	...	...	...	
Oshima,	,,	29.85	758.1	...	...	S E	6	...	,,	...	...	...	...	...	
Naha,	,,	29.77	756.2	...	...	S E	6	...	,,	...	...	...	...	...	
Ishigakijima,	,,	29.70	754.3	...	...	S	4	...	,,	...	...	...	...	...	
Bonin Is.	,,	30.00	762.1	...	...	W	2	...	,,	...	...	...	...	...	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	30.07	763.8	70	95	N E	
Weihaiwei,	,,	29.99	761.7	77	...	N E	1	c	9 a.	30.10	764.5	76	...	N E	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Shanghai,	,,	29.80	756.9	86	76	E N E	2	c	9 a.	29.90	759.4	86	80	E S E	
Gutzlaff,	,,	29.79	756.6	84	83	N E	3	cv	,,	29.83	758.9	81	96	S E	
Sharp Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Amoy,	,,	29.64	752.8	83	91	N E	3	or	6 a.	29.65	753.1	79	95	N E	
Swatow,	,,	29.61	752.1	85	79	E	2	b	,,	29.60	751.8	79	91	N W	
Taihoku,	1 p.	29.65	753.0	...	...	N E	6	...	6 a.	...	...	...	...	...	
Taichu,	,,	29.68	753.8	...	...	N	2	...	,,	...	...	...	...	...	
Tainan,	,,	29.68	753.8	...	...	N W	6	...	,,	...	...	...	...	...	
Koshun,	,,	29.67	753.6	...	...	E	4	...	,,	...	...	...	...	...	
Pescadores,	,,	29.68	753.8	...	...	N	4	...	,,	...	...	...	...	...	
Canton,	3 p.	29.62	752.3	83	73	E N E	1	b	9 a.	29.74	755.4	86	80	N	
Hongkong,	4 p.	29.62	752.3	83	78	E	2	o	10 a.	29.72	754.9	85	70	W	
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E N E	
Gap Rock,	,,	29.57	751.1	...	...	E N E	3	...	,,	29.68	753.9	...	...	E N E	
Macao,	,,	29.62	752.3	84	...	E	1	c	,,	29.73	755.1	87	...	N E	
Wuchow,	3 p.	28.65	753.1	80	...	W	1	o	9 a.	29.77	756.1	82	...	E	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	29.67	753.6	85	86	S	1	c	,,	...	...	...	...	...	
Phulien,	4 p.	29.61	752.2	88	...	W S W	1	c	8 a.	29.78	756.3	81	...	N E	
Tourane,	,,	29.62	752.4	77	...	N W	4	c	,,	29.75	755.6	79.2	...	N W	
Cape St. James,	,,	29.73	755.1	79	...	S W	6	or	,,	29.84	757.9	81	...	W S W	
Aparri,	2 p.	29.64	752.8	84	...	S	2	o	6 a.	29.72	754.9	77	...	S	
Manila,	4 p.	29.76	756	75	91	W S W	5	q	10 a.	29.84	758	84	77	S E	
Legaspi,	2 p.	29.78	756.3	88	...	W	2	o	6 a.	29.85	758.2	77	...	...	
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	W N W	
Iloilo,	,,	29.79	756.6	84	...	...	0	c	,,	29.89	759.2	82	...	W	
Cebu,	,,	29.80	756.9	86	...	N	1	o	,,	29.89	759.2	86	...	...	
Labuan,	,,	29.73	755.1	88	...	...	...	...	,,	29.88	758.9	80	...	...	

On the 21st at 12.05 p.—The barometer has risen slightly over the China coast, the Philippines and Ind
The area of low pressure is still shown over the China Sea to the South of the Formosa Channel.
Pressure is high over Manchuria.
The Japanese returns are not in hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, moderate to fresh; showery.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	N. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 21st September, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	21st SEPTEMBER, 1909, P.M.									22nd SEPTEMBER, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
ock,...	2 p.	...	...	...	...	...	...	...		7 a.	...	...	...	...	...	...	...
.....	,,	29.73	755.1	...	...	N E	12	...		6 a.	29.61	752.1	...	...	W	10	...
.....	,,	29.93	760.2	...	...	N	6	...		,,	29.97	761.2	...	...	W	2	...
.....	,,	29.94	760.6	...	...	N	4	...		,,	30.10	764.6	...	...	[illegible]	2	...
.....	,,	29.99	761.8	...	...	N	4	...		,,	[illegible]	763.8	...	...	S W	2	...
.....	,,	30.03	762.8	...	...	E	6	...		,,	30.07	763.8	...	...	E	2	...
a, ...	,,	30.00	761.9	...	...	E	4	...		,,	30.08	763.9	...	...	...	0	...
.....	,,	29.96	761.1	...	...	S E	4	...		,,	30.04	763.1	...	...	...	0	...
.....	,,	29.89	759.2	...	...	E	6	...		,,	29.97	761.2	...	...	...	0	...
na,....	,,	29.74	755.3	...	...	S	10	...		,,	29.89	759.3	...	...	S	10	...
.....	,,	29.96	761.1	...	...	N	2	...		,,	29.97	761.1	...	...	W	4	...
.....	4 p.	30.01	762.2	82	75	E	3	c		6 a.	30.01	762.2	73	90	...	0	c
i,.....	,,	30.03	762.7	78	...	N E	2	b		9 a.	30.05	763.2	75	...	N	2	o
.....	,,	29.96	761.0	85	79	N E	1	o		6 a.	29.91	759.7	77	100	N	2	o
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	,,	29.86	758.4	83	76	S E	2	c		9 a.	29.90	759.4	85	76	E S E	4	c
.....	,,	29.85	758.2	85	79	S E	4	cm		,,	29.83	758.9	84	83	S E	5	cm
k,.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	,,	29.60	751.8	86	83	N E	4	o		6 a.	29.64	752.8	78	95	N E	1	o
.....	,,	29.58	751.3	82	87	...	0	o		,,	29.60	751.8	78	90	E	1	or
.....	1 p.	29.64	752.9	...	...	E	4	...		5 a.	...	...	...	...	...	...	...
.....	,,	29.63	752.7	...	...	W	2	...		,,	...	...	...	...	...	...	...
.....	,,	29.65	753.0	...	...	S	6	...		,,	...	...	...	...	...	...	...
.....	,,	29.68	753.8	...	...	N	2	...		,,	...	...	...	...	...	...	...
.....	,,	29.65	753.1	...	...	S	6	...		,,	...	...	...	...	...	...	...
.....	3 p.	29.65	753.1	92	67	N	1	or		9 a.	29.74	755.4	85	80	N	1	b
.....	4 p.	29.66	753.3	80	89	W	2	orlt		10 a.	29.73	755.1	82	85	W	1	o
k,...	,,	...	...	...	...	S W	1	...		,,	...	...	...	...	N W	1	...
.....	,,	29.61	752.1	...	...	N N E	1	...		,,	29.70	754.4	...	...	W S W	3	...
.....	,,	29.66	753.3	86	...	...	0	od		,,	29.74	755.4	82	...	N W	2	od
.....	3 p.	28.68	753.9	85	...	W	1	or		9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	,,	29.70	754.4	87	76	W N W	2	c		,,	...	...	...	...	...	...	...
.....	4 p.	29.69	754.1	88	...	S S W	1	b		8 a.	29.82	757.4	79	...	N N W	0	o
.....	,,	29.67	753.7	82	...	N W	2	c		,,	29.83	757.7	81	..	...	0	o
mes,.	,,	29.78	756.5	79	...	S W	6	lt		,,	29.90	759.5	79	...	S W	4	f
.....	2 p.	29.72	755.0	70	...	S	2	o		6 a.	29.84	757.9	75	...	S	2	o
.....	4 p.	29.80	757	84	77	W	1	o		10 a.	29.92	760	86	71	S E	0	p
.....	2 p.	29.81	757.1	91	...	S W	2	c		6 a.	29.92	759.9	75	...	...	0	c
.....	3 p.	...	...	...	...	S S E	1	o		9 a.	...	...	...	...	N W	2	c
.....	,,	29.81	757.2	85	...	S W	1	b		,,	29.93	760.2	83	...	N E	1	b
.....	,,	29.81	757.2	88	...	N	1	b		,,	29.91	759.7	87	...	N	1	b
.....	,,	29.78	756.4	87	...	...	...	...		,,	29.94	760.5	86	...	...	...	...

the 21st at 9.15 p.—No. 2 night signal hoisted.
depression which is lying over the China Sea to the South of the Formosa Channel is apparently developing.
he 22nd at 6.0 a.—Black Drum hoisted.
2.10 p.—The barometer is almost steady over the S. and S.E. coasts of China. It has risen considerably in
and at Meiaco Sima.
depression, which seems to be of no great depth, is lying to the South of Swatow. It appears to have a slow
wards N.W.
ther depression is shown over the Pacific to the N.E. of Japan.
sure is high over S. Japan and N. China.
returns from Formosa are not in hand.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.56 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N.W. to S.W winds, fresh or strong; squally, showery.
sa Channel, ...	S.E. winds, strong.
coast of China between Hongkong and Lamocks,..	W. to S. winds, strong.
coast of China between Hongkong and Hainan....	N.W. winds, moderate.

F. G. FIGG,
Director.

gkong Observatory, Wednesday, 22nd September, 1909.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTE

Station.	22nd September, 1909, P.M.								23rd September, 1909, A.					
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	..	...	...	...
Nemuro,	,,	29.73	755.1	...	...	N	8	...	6 a.	...	...	...	...	...
Hakodate,	,,	29.97	761.2	...	...	N	8	...	,,	...	...	...	...	...
Tokio,	,,	30.02	762.6	...	...	S W	4	...	,,	...	...	...	...	...
Kochi,	,,	30.03	762.8	...	...	S W	4	...	,,	...	...	...	...	...
Nagasaki,	,,	30.03	762.8	...	...	...	0	...	,,	...	...	...	...	...
Kagoshima,	,,	30.07	763.9	...	...	E	2	...	,,	...	...	...	...	...
Oshima,	,,	30.04	763.1	...	...	E	4	...	,,	...	...	...	...	...
Naha,	,,	29.97	761.2	...	...	S E	2	...	,,	...	...	...	...	..
Ishigakijima,	,,	29.93	760.3	...	...	S E	8	...	,,	...	...	...	...	...
Bonin Is.	,,	29.96	761.1	...	...	N E	4	...	,,	...	...	...	...	...
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...
Weihaiwei,	,,	29.98	761.5	73	...	N W	1	r	9 a.	...	...	...	...	...
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.88	758.9	77	90	N
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	29.79	756.6	73	95	S E	4	oq	9 a.	29.76	755.9	81	83	S
Gutzlaff,	,,	29.81	757.2	77	95	S S E	7	omp	,,	29.74	755.4	73	95	S
Sharp Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Amoy,	,,	29.62	752.3	83	87	S E	3	o	6 a.	29.79	756.6	79	95	S E
Swatow,	,,	29.58	751.3	81	90	S E	4	o	,,	29.75	755.5	77	95	E
Taihoku,	1 p.	29.82	757.3	...	...	E	2	...	5 a.	...	...	...	...	...
Taichu,	,,	29.83	757.6	...	...	...	0	...	,,	...	...	...	...	...
Tainan,	,,	29.83	757.8	...	...	S	8	...	,,	...	...	...	...	...
Koshun	,,	29.86	758.5	...	...	S	6	...	,,	...	...	...	...	...
Pescadores,	,,	29.78	756.5	...	...	S	10	...	,,	...	...	...	...	...
Canton,	3 p.	29.67	753.6	87	65	N E	1	or	9 a.	29.88	758.9	81	91	...
Hongkong,	4 p.	29.70	754.4	81	82	S W	1	o	10 a.	29.87	758.7	83	79	W
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	W
Gap Rock,	,,	29.66	753.3	...	...	S S W	3	...	,,	29.82	757.4	...	...	W
Macao,	,,	29.69	754.1	82	...	S S W	1	o	,,	29.88	758.9	86	...	S S W
Wuchow,	3 p.	29.68	753.9	88	...	N	2	c	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.70	754.5	88	...	W S W	2	lt	8 a.	29.88	758.9	77	...	N N W
Tourane,	,,	29.73	755.1	82	...	N E	1	lt	,,	29.85	758.2	82	..	N N W
Cape St. James,	,,	29.80	757.0	84	...	S W	4	c	,,	29.92	760.0	81	...	W S W
Aparri,	2 p.	29.83	757.8	91	...	S	2	c	6 a.	29.93	760.3	77	...	E
Manila,	4 p.	29.84	758	84	77	W	0	o	10 a.	29.96	761	82	77	W
Legaspi,	2 p.	29.84	758.0	90	...	E	2	c	6 a.	29.91	759.8	73	...	...
Bacolod,	3 p.	...	...	...	...	N W	2	o	9 a.	...	...	...	...	N N W
Iloilo,	,,	29.83	757.7	86	...	W	1	o	,,	29.99	761.7	82	...	N
Cebu,	,,	29.83	757.7	88	...	S	1	c	,,	29.91	759.7	86	...	S
Labuan,	,,	29.83	757.7	90	...	...	...	...	,,	30.00	762.0	81	...	...

On the 22nd at 5.5 p.—Signals lowered.

The depression has entered the coast to the West of Swatow.

On the 23rd at 12.15 p.—The barometer has risen quickly on the S. and S.E. coasts of China, the d having filled up.

Pressure has given way considerably in N. China, owing to a depression which is advancing Eastwards Lower Yangtze.

Pressure is high probably over the Pacific in the neighbourhood of the Loochoos. The returns from and Japan are, however, not in hand.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	W winds, moderate; fair.
2.—Formosa Channel,	S. and S.W. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.W. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 23rd September, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

s.	23rd SEPTEMBER, 1909, P.M.								24th SEPTEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	29.96	761.1	63	...	S	3	o	7 a.	29.87	758.6	51	72	N E	3	o
.....	,,	30.08	764.1	...	...	N	8	...	6 a.	30.08	764.1	...	...	W	2	...
.....	,,	30.09	764.2	...	...	S E	4	...	,,	29.97	761.3	...	...	S E	5	...
.....	,,	30.06	763.6	...	...	S	4	...	,,	29.99	761.6	...	...	N	2	...
.....	,,	29.99	761.8	...	...	...	0	...	,,	29.84	757.8	...	...	E	6	...
.....	,,	29.99	761.8	...	...	S	4	...	,,	29.60	751.8	...	...	S	10	...
,.....	,,	30.00	761.9	...	...	...	0	...	,,	29.80	756.9	...	...	S W	6	...
.....	,,	29.96	761.1	...	...	S	4	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	...	...	...	...	...	0	...	,,	29.93	760.2	...	...	...	0	...
na,....	,,	...	...	...	...	...	0	...	,,	29.89	759.3	...	...	S	6	...
.....	,,	30.00	762.1	...	...	N E	2	...	,,	30.01	762.1	...	...	E	2	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	29.85	758.2	68	95	N N E	5	c
,.....	,,	29.70	754.4	75	...	N	1	o	9 a.	29.86	758.4	68	...	N	2	o
.....	,,	29.92	759.9	84	76	N E	1	c	6 a.	30.00	762.0	68	85	N E	2	b
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	9 a.	29.83	757.7	78	73	N W	2	o
.....	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	95	N	5	omp
k,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.81	757.2	79	95	S	3	or	6 a.	29.82	757.4	79	95	S	1	o
.....	,,	29.77	756.1	84	79	S S W	4	c	,,	29.78	756.4	80	91	S W	1	c
.....	1 p.	29.87	758.7	...	...	N	2	...	5 a.	...	...	...	...	...	...	...
.....	,,	29.89	759.3	...	...	S	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.93	760.2	...	...	S	6	...	,,	...	...	...	...	...	...	...
.....	,,	29.93	760.2	...	...	S	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.92	759.9	...	...	S W	6	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.80	756.9	87	76	...	0	c	9 a.	29.90	759.4	87	69	N W	1	b
.....	4 p.	29.81	757.2	85	74	S W	1	c	10 a.	29.91	759.7	84	81	N W	1	o
k,....	,,	...	...	...	...	S	2	...	,,	...	...	...	...	W	2	...
.....	,,	29.79	756.6	...	...	S S W	3	...	,,	29.87	758.7	...	...	W	2	...
.....	,,	29.80	756.9	84	...	S S W	1	c	,,	29.92	759.9	84	...	N W	1	c
.....	3 p.	29.79	756.6	88	...	...	0	c	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.82	757.4	87	76	S W	1	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.79	756.6	82	...	S S E	2	o	8 a.	29.90	759.4	81	...	N E	1	o
.....	,,	29.80	756.9	84	...	N W	2	c	,,	29.88	759.0	84	...	N	1	b
nes,.	,,	29.81	757.2	82	...	S S W	5	or	,,	29.94	760.4	79	...	S W	2	c
.....	2 p.	29.90	759.4	88	...	N	2	b	6 a.	29.89	759.3	77	...	S W	2	b
.....	4 p.	29.84	758	81	85	E N E	1	c	10 a.	29.88	759	81	85	E	1	o
.....	2 p.	29.83	757.8	86	...	N E	2	o	6 a.	29.87	758.6	77	...	...	0	o
.....	3 p.	...	...	...	...	N W	1	o	9 a.	...	...	...	...	..	...	...
.....	,,	29.85	758.2	81	...	N W	1	c	,,	...	...	...	...	...	...	...
.....	,,	29.85	758.2	82	...	S	1	o	,,	...	...	...	...	...	...	...
.....	,,	29.86	758.4	88	...	...	...	...	,,	29.94	760.5	83	...	...	...	...

he 24th at 12.10 p.—The barometer has fallen rapidly in W. Japan the depression lying over the Lower yesterday, having now reached Korea Straits.

barometer has fallen a little over the Philippines, and risen slightly over China,

sure is highest to the E. of Japan.

wind will probably shift to the N.E. again in the Formosa Channel by tomorrow. Light or moderate vari- ds may be expected over the N. part of the China Sea.

gkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.19 inches.

ORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	W winds, light; showery.
a Channel, ...	N.E. winds, freshening.
oast of China between Hongkong and Lamocks,..	S.W. winds, light.
oast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

kong Observatory, Friday, 24th September, 1909.

Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	24th September, 1909, P.M.								25th September, 1909, A.M.						
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.83	757.7	67	...	N	1	b	7 a.	29.88	759.0	49	82	N	
Nemuro,	,,	30.00	762.1	...	...	S	6	...	6 a.	29.89	759.1	...	...	N E	
Hakodate,	,,	29.81	757.2	...	...	E	10	...	,,	29.73	755.2	...	...	E	
Tokio,	,,	29.71	754.6	...	...	N W	2	...	,,	29.47	748.6	...	...	W	
Kochi,	,,	29.60	751.8	...	...	S	2	...	,,	29.60	751.8	...	...	S W	
Nagasaki,	,,	29.60	751.8	...	...	W	10	...	,,	29.72	754.8	...	...	...	
Kagoshima,	,,	29.68	753.9	...	...	S W	6	...	,,	29.80	756.9	...	...	N	
Oshima,	,,	29.81	757.1	...	...	S	6	...	,,	29.77	756.1	...	...	S	
Naha,	,,	29.85	758.2	...	...	S	4	...	,,	29.31	757.2	...	...	S W	
Ishigakijima,	,,	29.85	758.3	...	...	S	8	...	,,	29.78	756.3	...	...	S	
Bonin Is.	,,	29.93	760.1	...	...	S E	4	...	,,	29.85	758.1	...	...	S W	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	29.93	760.2	60	...	W	
Weihaiwei,	,,	29.74	755.4	74	...	N	3	b	9 a.	29.94	760.5	68	...	N W	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	29.98	761.5	72	90	E	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	70	85	N E	
Shanghai,	,,	29.83	757.7	75	90	N W	3	o	9 a.	29.91	759.7	73	63	N W	
Gutzlaff,	,,	29.76	755.9	80	95	N	4	ov	,,	29.87	758.7	75	64	N	
Sharp Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Amoy,	,,	29.76	755.9	86	84	S S W	3	o	6 a.	...	...	...	...	...	
Swatow,	,,	29.75	755.6	86	76	...	0	c	,,	29.73	755.1	79	91	...	
Taihoku,	1 p.	29.81	757.1	...	...	N W	2	...	5 a.	...	...	...	...	...	
Taichu,	,,	29.85	758.3	...	...	S	4	...	,,	...	...	...	...	...	
Tainan,	,,	29.89	759.3	...	...	S W	4	...	,,	...	...	...	...	...	
Koshun	,,	29.87	758.8	...	...	W	6	...	,,	...	...	...	...	...	
Pescadores,	,,	29.87	758.7	...	...	S W	6	...	,,	...	...	...	...	...	
Canton,	3 p.	...	...	88	76	S	0	b	9 a.	29.85	758.2	81	87	E	
Hongkong,	4 p.	29.81	757.2	86	72	W	1	o	10 a.	29.85	758.2	82	83	S	
Victoria Peak,	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S	
Gap Rock,	,,	29.78	756.4	...	...	S S W	3	...	,,	29.80	756.9	...	...	S S E	
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Wuchow,	3 p.	29.81	757.2	80	...	N W	1	c	9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	29.82	757.4	85	83	S W	1	o	,,	...	...	...	...	...	
Phulien,	4 p.	29.76	756.0	84	...	S S E	2	c	8 a.	29.83	757.6	84	...	N E	
Tourane,	,,	29.80	756.8	82	...	N E	1	c	,,	29.84	757.8	84	...	S W	
Cape St. James,	,,	29.80	756.9	86	...	S S W	2	c	,,	29.89	759.1	79	...	W S W	
Aparri,	2 p.	29.83	757.6	91	...	N E	2	b	6 a.	...	...	...	...	...	
Manila,	4 p.	29.80	757	82	85	W	1	o	10 a.	29.84	758	81	85	N E	
Legaspi,	2 p.	29.76	756.0	86	...	E	2	c	6 a.	...	...	...	...	...	
Bacolod,	3 p.	...	...	...	...	S W	2	op	9 a.	...	...	...	...	S S E	
Iloilo,	,,	29.81	757.2	82	...	S W	2	o	,,	29.89	759.2	80	...	S W	
Cebu,	,,	29.82	757.4	85	...	S	2	c	,,	29.89	759.2	85	...	S	
Labuan,	,,	29.86	758.4	85	...	...	...	...	,,	29.91	759.7	82	...	...	

On the 25th at 12.10 p.—The barometer has risen slightly over N. China and W. Japan, and fallen el particularly in E. Japan.

The depression is moving Eastwards over S.E. Japan.

Pressure is highest over N. China.

Light or moderate variable winds may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable winds, light or moderate; showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Saturday, 25th September, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	25TH SEPTEMBER, 1909, P.M.								26TH SEPTEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
stock,...	2 p.	29.83	757.6	70	...	N W	0	b	7 a.	29.86	758.3	64	98	...	0	o
.....	,,	29.81	757.1	...	...	S E	6	...	6 a.	29.89	759.1	...	...	N E	4	...
e, ...	,,	29.77	756.2	...	...	S E	4	...	,,	29.93	760.2	...	...	E	2	...
.....	,,	29.55	750.6	...	...	E	4	...	,,	29.95	760.6	...	...	...	0	...
.....	,,	29.68	753.8	...	...	N	4	...	,,	29.91	759.8	...	...	S W	2	...
i, ...	,,	29.68	753.8	...	...	N	4	...	,,	29.84	757.8	...	...	E	2	...
na, ...	,,	29.76	755.9	...	...	S W	4	...	,,	29.92	759.9	...	...	N E	4	...
.....	,,	29.77	756.1	...	...	...	0	...	,,	29.81	757.1	...	...	S	2	...
.....	,,	29.77	756.2	...	...	S W	2	...	,,	29.81	757.2	...	...	...	0	...
jima, ...	,,	29.78	756.3	...	...	S W	4	...	,,	29.86	758.3	...	...	N E	4	...
.....	,,	29.85	758.1	...	...	S W	4	...	,,	29.89	759.1	...	...	S W	4	...
.....	4 p.	29.89	759.2	71	...	N N W	3	b	6 a.	29.90	759.4	64	76	S W	1	c
ei, ...	,,	29.90	759.4	72	...	N	1	b	9 a.	29.84	757.9	68	...	N W	2	o
, ...	,,	29.93	760.2	82	72	S E	1	b	6 a.	...	...	...	...	...	...	...
r, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	29.84	757.9	80	78	N N W	1	c	9 a.	29.91	759.7	76	73	N W	1	c
.....	,,	29.81	757.2	78	65	N	2	cv	,,	29.86	758.4	79	78	N N W	3	cv
ak, ...	,,	29.81	757.2	80	87	N E	3	c	,,	29.91	759.7	78	95	...	0	c
.....	,,	29.78	756.4	81	90	N E	3	o	6 a.	29.83	757.7	81	96	N E	1	0
.....	,,	29.68	753.9	85	79	E	2	c	,,	29.77	756.1	77	95	N E	1	b
.....	1 p.	29.83	757.6	...	...	E	4	...	5 a.	...	...	...	...	...	...	...
.....	,,	29.78	756.5	...	...	N W	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.80	757.0	...	...	W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.78	756.4	...	...	W	6	...	,,	...	...	...	...	...	...	...
es, ...	,,	29.80	757.0	...	...	W	2	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.76	755.9	83	78	E	1	c	9 a.	29.87	758.7	83	87	S E	1	b
, ...	4 p.	29.74	755.4	81	83	N N W	1	o	10 a.	29.86	758.4	85	76	E	1	o
eak, ...	,,	...	...	...	...	S W	2	...	,,	...	...	...	...	S E	1	...
.....	,,	29.71	754.6	...	...	S W	3	...	,,	29.81	757.2	...	...	S E	2	...
.....	,,	29.75	755.6	80	...	S E	1	c	,,	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.77	756.1	83	87	S W	1	o	,,	...	...	...	...	...	...	...
.....	4 p.	29.72	754.9	81	...	E S E	3	o	8 a.	...	...	...	...	...	...	...
.....	,,	29.72	755.0	84	...	S E	1	c	,,	...	...	...	...	...	...	...
James, .	,,	29.80	756.9	82	...	S W	3	o	,,	...	...	...	...	...	...	...
.....	2 p.	29.76	755.8	90	...	N E	2	b	6 a.	29.83	757.6	77	...	S	2	b
.....	4 p.	29.76	756	82	77	S S E	0	ot	10 a.	29.88	759	84	77	S W	1	o
.....	2 p.	29.78	756.5	88	...	W	2	o	6 a.	29.88	758.8	77	...	...	0	o
.....	3 p.	...	...	...	...	W S W	2	op	9 a.	...	...	...	...	S E	1	o
.....	,,	29.81	757.2	89	...	S W	2	o	,,	29.95	760.7	78	...	S W	1	o
.....	,,	29.80	756.9	87	...	S	2	c	,,	29.93	760.2	85	...	S	2	c
.....	,,	29.85	758.2	81	...	...	...	...	,,	...	...	...	...	...	...	...

) the 26th at 12.25 p.—The barometer has risen rapidly in S.E. Japan the depression having disappeared over cific.

essure has given way slightly over N. China and increased a little over S. China and the Philippines. It is over S.E. Japan, and relatively low over the N. part of the China Sea.

oderate N.E. winds may be expected in the Formosa Channel, and moderate S.E. and E. winds over the N. the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	S.E. and E. winds, light to moderate; fair to showery.
osa Channel, ...	N.E. winds, moderate.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Sunday, 26th September, 1909.

by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	26th September, 1909, P.M.								27th September, 1909, A.M						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.82	757.4	61	...	S S E	3	o	7 a.	29.83	757.7	54	74	N W	
Nemuro,	,,	29.93	760.1	...	...	S E	4	...	6 a.	29.97	761.1	...	...	S	
Hakodate,	,,	29.93	760.2	...	...	S E	4	...	,,	29.85	758.2	...	...	...	
Tokio,	,,	29.94	760.6	...	...	E	2	...	,,	29.87	758.6	...	...	N	
Kochi,	,,	29.87	758.8	...	...	S	2	...	,,	29.80	756.8	...	...	S W	
Nagasaki,	,,	29.83	757.8	...	...	N E	4	...	,,	29.88	758.8	...	...	N	
Kagoshima,	,,	29.84	757.9	...	...	E	4	...	,,	29.84	757.9	...	...	W	
Oshima,	,,	29.85	758.1	...	...	W	2	...	,,	29.97	761.1	...	...	S	
Naha,	,,	29.85	758.2	...	...	W	2	...	,,	29.97	761.2	...	...	...	
Ishigakijima,	,,	29.85	758.3	...	...	S	2	...	,,	29.97	761.3	...	...	S W	
Bonin Is.	,,	29.93	760.1	...	...	S	4	...	,,	30.01	762.1	...	...	W	
Chefoo,	4 p.	29.89	759.2	75	68	N W	1	b	6 a.	30.02	762.5	62	76	S W	
Weihaiwei,	,,	29.83	757.7	70	...	N W	2	o	9 a.	30.08	764.0	72	...	N W	
Hankow,	,,	29.92	759.9	83	...	N E	1	c	6 a.	30.00	762.0	72	95	E	
Kiukiang,	,,	29.85	758.2	85	58	N E	1	b	,,	...	...	...	...	...	
Shanghai,	,,	29.85	758.2	84	57	N N W	1	c	9 a.	30.05	763.2	78	74	N	
Gutzlaff,	,,	29.82	757.4	81	78	N N W	2	cv	,,	30.00	762.0	82	78	N	
Sharp Peak,	,,	29.87	758.7	80	...	E	1	c	,,	30.02	762.5	79	95	...	
Amoy,	,,	29.85	758.2	86	76	N E	1	o	6 a.	29.92	759.9	76	95	E	
Swatow,	,,	29.79	756.6	85	79	N W	1	b	,,	29.91	759.7	77	90	N N E	
Taihoku,	1 p.	29.87	758.8	...	...	E	6	...	5 a.	29.97	761.1	...	...	...	
Taichu,	,,	29.85	758.1	...	...	N W	2	...	,,	29.97	761.2	...	...	...	
Tainan,	,,	29.86	758.5	...	...	W	4	...	,,	29.95	760.8	...	...	N E	
Koshun,	,,	29.87	758.6	...	...	E	4	...	,,	29.95	760.8	...	...	E	
Pescadores,	,,	29.80	757.0	...	...	N W	2	...	,,	29.93	760.2	...	...	W	
Canton,	3 p.	29.80	756.9	86	76	S	1	b	9 a.	29.99	761.7	85	79	E	
Hongkong,	4 p.	29.82	757.4	84	74	S E	1	c	10 a.	29.97	761.2	84	75	E	
Victoria Peak,	,,	...	...	...	...	S S W	3	...	,,	...	...	...	...	E S E	
Gap Rock,	,,	29.79	756.6	...	...	S E	3	...	,,	29.90	759.4	...	...	E	
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Phulien,	4 p.	29.73	755.1	75	...	E N E	3	or	8 a.	...	...	...	...	...	
Tourane,	,,	29.72	755.0	84	...	N E	2	c	,,	...	...	...	...	...	
Cape St. James,	,,	29.77	756.2	82	...	S W	4	c	,,	...	...	...	...	...	
Aparri,	2 p.	29.82	757.3	91	...	N E	2	b	6 a.	29.95	760.8	79	...	W	
Manila,	4 p.	29.84	758	84	77	S W	1	c	10 a.	30.00	762	84	71	...	
Legaspi,	2 p.	29.80	757.0	90	...	W	2	c	6 a.	29.97	761.2	77	...	...	
Bacolod,	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	S S E	
Iloilo,	,,	29.85	758.2	81	...	S W	2	b	,,	29.99	761.7	81	...	...	
Cebu,	,,	29.85	758.2	87	...	S	1	c	,,	30.00	762.0	84	...	...	
Labuan,	,,	29.88	758.9	83	...	...	...	...	,,	29.94	760.5	84	...	...	

On the 27th at 12.15 p.—The barometer has fallen slightly over S. Japan, and risen moderately to cons over the China coast, the Loochoos and the Philippines.

A shallow depression lies over Central Japan, and another one over the N.E. part of the Sea of Japan.

Pressure is high over the Pacific between the Philippines and the Bonins, and over N. China

The returns from Indo-China are not in hand.

Moderate N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of th Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate or fresh : fair.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 27th September, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	27TH SEPTEMBER, 1909, P.M.									28TH SEPTEMBER, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
tock,...	2 p.	29.81	757.2	64	...	N	3	c		7 a.	29.99	761.7	63	68	N	3	o
.....	,,	29.85	758.1	...	...	S	8	...		6 a.	29.49	749.1	...	...	E	3	...
.....	,,	29.73	755.2	...	...	S	2	...		,,	29.62	752.2	...	...	W	6	...
.....	,,	29.75	755.6	...	...	N	2	...		,,	29.83	757.6	...	...	N	4	...
.....	,,	29.83	757.8	...	...	N	2	...		,,	29.99	761.8	...	...	S W	4	...
.....	,,	29.95	760.8	...	...	N	6	...		,,	29.99	761.8	...	...	...	0	...
ia, ...	,,	29.88	758.9	...	...	N	6	...		,,	29.96	760.9	...	...	...	0	...
.....	,,	29.96	761.1	...	...	N	4	...		,,	29.97	761.1	...	...	S	4	...
.....	,,	29.97	761.2	...	...	N W	2	...		,,	29.97	761.2	...	...	...	0	...
ima,....	,,	29.97	761.3	...	...	W	2	...		,,	29.97	761.3	...	...	N W	4	...
.....	,,	29.96	761.1	...	...	S E	6	...		,,	29.93	760.1	...	...	S W	6	...
.....	4 p.	30.08	764.0	70	70	N E	2	o		6 a.	30.05	763.2	65	100	N W	3	o
ei.....	,,	30.07	763.8	63	...	N	2	o		9 a.	30.05	763.2	66	...	N W	1	b
.....	,,	29.92	759.9	74	86	E	2	o		6 a.	29.97	761.2	66	95	E	2	or
.....	,,	29.93	760.2	82	67	N E	1	o		,,	...	...	...	...	...	...	...
.....	,,	29.96	761.0	81	75	E N E	1	c		9 a.	29.90	759.4	79	82	S S E	3	o
.....	,,	29.96	761.0	79	82	E	3	cv		,,	29.88	758.9	76	95	S S E	3	ov
k,.....	,,	29.97	761.2	81	96	E	1	c		,,	29.97	761.2	80	...	...	0	b
.....	,,	29.91	759.7	89	77	S E	2	c		6 a.	29.96	761.0	73	95	N E	1	c
.....	,,	29.90	759.4	85	76	E	1	b		,,	29.92	759.9	77	95	E	2	or
.....	1 p.	29.96	760.9	...	...	N	2	...		5 a.	29.98	761.4	...	...	...	0	...
.....	,,	29.97	761.2	...	...	N W	4	...		,,	29.99	761.7	...	...	...	0	...
.....	,,	29.98	761.5	...	...	W	4	...		,,	29.98	761.4	...	...	E	2	...
.....	,,	29.99	761.8	...	...	S E	4	...		,,	29.98	761.5	...	...	N	2	...
s, ...	,,	29.97	761.3	...	...	...	...	...		,,	29.93	761.4	...	...	...	0	...
.....	3 p.	...	...	91	70	S E	1	b		9 a.	30.00	762.0	85	79	S E	1	b
,, ...	4 p.	29.89	759.2	84	78	E	3	o		10 a.	29.96	761.0	84	76	E S E	3	o
eak,...	,,	...	...	...	...	E S E	4	...		,,	...	...	...	...	S E	4	...
.....	,,	29.85	758.2	...	...	E	4	...		,,	29.92	759.9	...	...	S E	4	...
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	3 p.	...	...	...	...	...	...	...		9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	4 p.	29.84	757.1	84	...	E S E	3	c		8 a.	29.89	759.1	81	...	N N E	3	c
.....	,,	29.77	756.1	75	...	...	0	or		,,	29.84	757.8	75	..	E N E	1	o
James,.	,,	29.89	759.1	73	...	S W	5	or		,,	29.95	760.6	79	...	S W	2	c
.....	2 p.	29.94	760.5	88	...	N E	2	b		6 a.	29.98	761.4	72	...	S	2	b
.....	4 p.	29.92	760	82	71	W S W	2	o		10 a.	30.00	762	82	77	N W	1	b
.....	2 p.	29.91	759.7	90	...	E	2	c		6 a.	29.95	760.6	75	...	...	0	b
.....	3 p.	...	...	...	...	N N E	2	o		9 a.	...	...	...	...	N N W	2	o
.....	,,	29.89	759.2	85	...	S	1	c		,,	29.99	761.7	80	...	N E	1	b
.....	,,	29.91	759.7	86	...	N	1	b		,,	29.98	761.5	84	...	S E	1	b
.....	,,	29.88	758.9	88	...	...	...	...		,,	29.94	760.5	83	...	...	...	...

the 28th at 12.10 p.—The depression lying over the Sea of Japan yesterday, is crossing Hokkaido.

e barometer has risen over W. Japan and in Wladiwostok, and fallen on the E. coast of China.

depression has developed over the Lower Yangtze valley.

essure is relatively low over N. Annam. It is high over the Pacific between N. Luzon and the Loochoos, and . China.

oderate E. and S.E. winds may be expected in the Formosa Channel and along the S. coast of China

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	E. and S.E. winds, moderate : showery.
osa Channel, ...	Same as No. 1.
coast of China between Hongkong and Lamocks,..	Same as No. 1.
coast of China between Hongkong and Hainan,...	E. winds, moderate.

F. G. FIGG,
Director.

ngkong Observatory, Tuesday, 28th September, 1909.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	28th September, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th September, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.
Wladivostock,	2 p.	29.98	761.6	64	...	N	3	c	7 a.	29.92	760.0	57	74	S E
Nemuro,	,,	29.30	744.1	...	...	S	6	...	6 a.	29.97	761.1	...	...	E
Hakodate,	,,	29.61	752.2	...	...	N W	8	...	,,	29.97	761.2	...	...	N
Tokio,	,,	29.87	758.6	...	...	W	2	...	,,	29.99	761.6	...	...	N
Kochi,	,,	29.95	760.8	...	...	...	0	...	,,	29.92	759.8	...	...	S W
Nagasaki,	,,	29.95	760.8	...	...	S E	4	...	,,	29.84	757.8	...	...	S E
Kagoshima,	,,	29.92	759.9	...	...	S E	2	...	,,	29.88	758.9	...	...	S E
Oshima,	,,	29.93	760.1	...	...	N E	4	...	,,	29.89	759.1	...	...	S
Naha,	,,	29.85	758.2	...	...	N W	2	...	,,	29.89	759.2	...	...	...
Ishigakijima,	,,	29.93	760.3	...	...	S W	4	...	,,	29.89	759.3	...	...	N W
Bonin Is.	,,	29.93	760.1	...	...	S W	2	...	,,	29.93	760.1	...	...	...
Chefoo,	4 p.	29.89	759.2	68	...	N W	1	b	6 a.	29.96	761.0	64	100	W
Weihaiwei,	,,	29.95	760.7	63	...	N W	2	b	9 a.	29.95	760.7	70	...	N W
Hankow,	,,	...	...	68	89	N N E	1	o	6 a.	30.08	764.0	64	100	N W
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Shanghai,	,,	29.79	756.6	79	78	N	2	o	9 a.	29.95	760.7	69	95	N N W
Gutzlaff,	,,	29.79	756.6	81	91	S	1	ov	,,	29.90	759.4	72	90	N N E
Sharp Peak,	,,	29.85	758.2	83	...	S	1	c	,,	29.86	758.4	83	95	E
Amoy,	,,	...	...	87	84	S E	2	c	6 a.	29.86	758.4	79	95	W
Swatow,	,,	29.86	758.4	85	72	S E	2	b	,,	29.89	759.2	78	90	N N E
Taihoku,	1 p.	29.92	760.0	...	...	N W	4	...	5 a.	...	...	...	...	...
Taichu,	,,	29.92	760.0	...	...	W	2	...	,,	...	...	...	...	...
Tainan,	,,	29.97	761.2	...	...	W	6	...	,,	...	...	...	...	...
Koshun,	,,	29.95	760.8	...	...	W	2	...	,,	...	...	...	...	...
Pescadores,	,,	29.96	761.0	...	...	W	4	...	,,	...	...	...	...	...
Canton,	3 p.	29.88	758.9	86	76	S E	1	c	9 a.	29.90	759.4	83	83	E
Hongkong,	4 p.	29.86	758.4	84	71	S	2	o	10 a.	29.90	759.4	82	73	E
Victoria Peak,	,,	...	...	...	...	S	2	...	,,	...	...	...	...	S
Gap Rock,	,,	29.84	757.9	...	...	S	3	...	,,	29.84	757.9	...	...	E
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.75	755.6	82	...	E N E	3	c	8 a.	29.76	755.9	75	...	N
Tourane,	,,	29.72	754.9	79	...	N N W	2	o	,,	29.78	756.5	81	...	S
Cape St. James,	,,	29.87	758.8	77	...	S W	2	or	,,	29.91	759.6	79	...	W N W
Aparri,	2 p.	29.91	759.6	86	...	N	2	b	6 a.	29.89	759.3	75	...	S W
Manila,	4 p.	29.88	759	79	84	E N E	0	o	10 a.	29.88	759	82	71	W
Legaspi,	2 p.	29.87	758.6	91	...	E	2	b	6 a.	29.83	757.6	81	...	...
Bacolod,	3 p.	...	...	...	...	W N W	2	o	9 a.	...	...	...	...	N N W
Iloilo,	,,	29.87	758.7	81	...	S W	1	or	,,	29.87	758.7	81	...	S
Cebu,	,,	29.83	757.7	87	...	S	1	c	,,	29.86	758.4	85	...	N
Labuan,	,,	29.85	758.2	87	...	...	...	...	,,	29.93	760.2	79	...	...

On the 29th at 11.55 a.—The barometer has risen quickly in N.E. Japan the depression having moved a[illegible] the Pacific.

The depression lying over the Yangtze valley yesterday, has reached the neighbourhood of Korea Strait[illegible]

Pressure has increased over Central China, and given way over S. China, Tongking and the Philippines.

A depression, which appears to have developed in the neighbourhood of the Paracels, is moving up the [illegible] Tongking.

The Philippine observations indicate the existence of a depression over the Pacific to the S.E. of Luzon.

Pressure is highest over N.W. China.

Moderate to fresh N.E. and E. winds may be expected in the Formosa Channel and along the S. coast of [illegible]

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; squally, showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, fresh.

F. G. FIGG.
Director.

Hongkong Observatory, Wednesday, 29th September, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	29TH SEPTEMBER, 1909, P.M.								30TH SEPTEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	29.91	759.8	61	...	S S E	8	o	7 a.	29.84	757.9	52	99	S	2	o
.....	,,	...	...	...	...	...	...	...	6 a.	30.29	767.1	...	...	E	6	...
.....	,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	S E	8	...
.....	,,	...	...	...	...	...	...	...	,,	29.95	760.6	...	...	N W	6	...
.....	,,	...	...	...	...	...	...	...	,,	29.72	754.8	...	...	S W	2	...
.....	,,	...	...	...	...	...	...	...	,,	29.88	758.8	...	...	N	4	...
.....	,,	...	...	...	...	...	...	...	,,	29.84	757.9	...	...	N W	6	...
.....	,,	...	...	...	...	...	...	...	,,	29.89	759.1	...	...	...	0	...
.....	,,	...	...	...	...	...	...	...	,,	29.89	759.2	...	...	N	6	...
na,....	,,	...	...	...	...	...	...	...	,,	29.89	759.3	...	...	N	2	...
.....	,,	...	...	...	...	...	...	...	,,	30.01	762.1	...	...	...	0	...
.....	4 p.	29.98	761.5	69	...	N N E	2	c	6 a.	30.04	763.0	54	100	S W	1	b
i,.....	,,	30.07	763.8	68	...	N E	2	o	9 a.	30.11	764.8	66	...	N W	1	b
.....	,,	29.99	761.7	65	100	N E	1	or	6 a.	30.16	766.0	62	95	N W	1	or
.....	,,	...	...	...	...	...	...	...	,,	30.07	763.8	66	84	N E	2	o
.....	,,	29.92	759.9	72	76	N N E	...	o	9 a.	30.09	764.3	71	80	N N E	2	o
.....	,,	29.87	758.7	75	77	N N E	3	ov	,,	30.05	763.2	73	76	N N E	3	ov
k,.....	,,	29.82	757.4	84	...	S E	1	b	,,	29.99	761.7	81	83	N N E	4	or
.....	,,	29.80	756.9	93	71	S E	2	b	6 a.	29.89	759.2	79	90	N E	1	c
.....	,,	29.77	756.1	87	69	S	1	b	,,	29.87	758.7	77	95	N	1	b
.....	1 p.	29.83	757.8	...	...	N W	4	...	6 a.	...	...	...	...	...	...	...
.....	,,	29.86	758.5	...	...	S W	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.88	759.0	...	...	W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.87	758.7	...	...	N W	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.87	758.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.83	757.7	86	72	S	2	b	9 a.	29.97	761.2	82	83	S E	1	b
.....	4 p.	29.83	757.7	81	77	S	2	o	10 a.	29.96	761.0	81	76	E N E	2	c
ak,...	,,	...	...	...	...	S S W	2	...	,,	...	...	...	...	S E	2	...
.....	,,	29.78	756.4	...	...	E S E	3	...	,,	29.91	759.7	...	...	E	4	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.80	756.9	88	...	S E	3	og	9 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.75	755.6	84	79	S	3	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.69	754.0	81	...	E N E	5	c	8 a.	29.86	758.3	73	...	N E	3	or
.....	,,	29.71	754.6	79	...	W	3	o	,,	29.83	757.6	81	..	W N W	1	c
mes,.	,,	29.77	756.1	82	...	S W	5	c	,,	29.91	759.6	81	...	S W	1	c
.....	2 p.	29.82	757.4	88	...	N E	2	b	6 a.	29.89	759.1	75	...	S W	2	c
.....	4 p.	29.76	756	88	65	W S W	1	c	10 a.	29.84	758	86	71	W S W	1	c
.....	2 p.	29.76	755.9	86	...	N E	2	c	6 a.	29.80	757.0	81	...	N E	2	o
.....	3 p.	...	...	...	...	N W	3	o	9 a.	...	...	...	...	N E	2	o
.....	,,	29.77	756.1	82	...	N E	1	o	,,	29.85	758.2	79	...	N	1	o
.....	,,	29.77	756.1	83	...	S	1	c	,,	29.85	758.2	82	...	...	0	o
.....	,,	29.77	756.1	85	...	...	...	...	,,	29.92	759.9	83	...	...	...	...

the 30th at 12.10 p.—The barometer has fallen in Central Japan, and risen over N.E. Japan.
depression is lying over the Sea of Japan.
ssure has increased moderately over China and Tongking, and fallen slightly in the Philippines.
depression over the Pacific to the E. of Luzon is still indicated.
ssure is high over the Pacific to the N.E. of Japan, and over N. China.
sh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
kong and Neighbourhood, ...	E. winds, moderate or fresh ; showery.
sa Channel, ...	N.E. winds. fresh.
coast of China between Hongkong and Lamocks, .	Same as No. 1.
coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

gkong Observatory, Thursday, 30th September, 1909.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTEI

Station.	30th September, 1909, P.M.								1st October, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	F c
Wladivostock,	2 p.	29.85	758.2	64	...	E	1	b	7 a.	29.97	761.4	47	91	E	
Nemuro,	,,	30.16	766.1	...	...	S E	2	...	6 a.	30.01	762.1	...	...	S E	
Hakodate,	,,	29.97	761.2	...	...	S E	8	...	,,	29.93	760.2	...	...	S W	
Tokio,	,,	29.79	756.6	...	...	N W	2	.	,,	29.95	760.6	...	...	...	
Kochi,	,,	29.76	755.8	...	...	N	6	...	,,	30.03	762.8	...	...	W	
Nagasaki,	,,	29.91	759.8	...	...	N	6	...	,,	30.11	764.8	...	...	...	
Kagoshima,	,,	29.88	758.9	...	...	N	6	...	,,	30.08	763.9	...	...	N	
Oshima,	,,	29.93	760.1	...	...	N	6	...	,,	30.01	762.1	...	...	N	
Naha,	,,	29.93	760.2	...	...	N	6	...	,,	30.01	762.2	...	...	N E	
Ishigakijima,	,,	29.93	760.3	...	...	N E	8	...	,,	29.97	761.3	...	...	N E	
Bonin Is.	,,	29.97	761.1	...	...	S	4	...	,,	30.08	764.1	...	...	...	
Chefoo,	4 p.	30.05	763.2	73	...	N N E	1	b	6 a.	30.12	765.0	61	100	S W	
Weihaiwei,	,,	30.06	763.5	72	...	...	1	b	9 a.	...	...	72	...	N W	
Hankow,	,,	30.19	766.8	65	100	N	1	or	6 a.	30.20	767.1	65	100	N E	
Kiukiang,	,,	30.09	764.3	68	85	N E	3	o	,,	30.14	765.5	66	95	N E	
Shanghai,	,,	30.07	763.8	68	95	W N W	2	omd	9 a.	30.16	766.0	74	72	E N E	
Gutzlaff,	,,	30.03	762.7	74	76	N E	3	ov	,,	30.15	765.8	73	58	N E	
Sharp Peak,	,,	29.96	761.0	80	87	N	4	o	,,	30.08	764.0	78	86	N E	
Amoy,	,,	29.91	759.7	91	74	E N E	2	c	6 a.	29.93	761.5	78	90	E N E	
Swatow,	,,	29.86	758.4	86	76	S E	1	b	,,	29.96	761.0	77	90	N E	
Taihoku,	1 p.	29.92	759.9	...	...	E	6	...	5 a.	...	...	...	...	...	
Taichu,	,,	29.91	759.8	...	...	N W	2	...	,,	...	...	...	...	...	
Tainan,	,,	29.91	759.6	...	...	N	4	...	,,	...	...	...	...	...	
Koshun	,,	29.91	759.8	...	...	N W	6	...	,,	...	...	...	...	...	
Pescadores,	,,	29.93	760.3	...	...	N W	6	...	,,	...	...	...	...	...	
Canton,	3 p.	29.89	759.2	89	66	S E	1	b	9 a.	30.05	763.2	81	83	N	
Hongkong,	4 p.	29.89	759.2	83	76	S E	1	c	10 a.	30.03	762.7	84	68	E	
Victoria Peak,	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E S E	
Gap Rock,	,,	29.84	757.9	...	...	E S E	3	...	,,	29.96	761.0	...	...	E N E	
Macao,	,,	29.90	759.4	82	...	E S E	3	c	,,	30.04	763.0	86	...	N E	
Wuchow,	3 p.	29.88	758.9	88	...	S E	...	og	9 a.	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	
Pakhoi,	,,	29.88	758.9	81	87	S E	2	c	,,	...	...	...	...	...	
Phulien,	4 p.	29.80	757.0	75	...	E N E	3	o	8 a.	...	...	...	...	...	
Tourane,	,,	29.77	756.2	81	...	W N W	1	c	,,	...	...	...	...	...	
Cape St. James,	,,	29.79	756.6	84	...	S	2	b	,,	...	...	...	...	...	
Aparri,	2 p.	29.84	757.9	88	...	N E	2	b	6 a.	29.89	759.2	77	...	S W	
Manila,	4 p.	29.76	756	84	77	...	0	o	10 a.	29.88	759	82	77	S W	
Legaspi,	2 p.	29.76	755.9	88	...	E	2	c	6 a.	29.83	757.6	75	...	...	
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N W	
Iloilo,	,,	29.75	755.6	80	...	N	1	o	,,	29.89	759.2	82	...	N E	
Cebu,	,,	29.74	755.4	83	...	...	0	c	,,	29.87	758.7	85	...	S	
Labuan,	,,	29.82	757.4	88	...	...	...	...	,,	29.93	760.2	85	...	...	

On the 1st at 12.15 p.—The barometer has fallen moderately in N.E. Japan; and risen considerably Japan, moderately over China and slightly in the Philippines.

Pressure is low over the N.E. part of the Sea of Japan, and relatively so about the 14th parallel, both China Sea and the Pacific. It is highest over N. China.

Fresh N.E. and E. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 1st October, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

	1st OCTOBER, 1909, P.M.								2nd OCTOBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ck,...	2 p.	29.96	761.1	65	...	N N E	1	c	7 a.	30.07	763.8	43	95	...	0	b
.....	,,	30.00	762.1	...	...	E	8	...	6 a.	30.01	762.1	...	...	W	6	...
.....	,,	29.97	761.2	...	...	W	6	...	,,	30.05	763.2	...	...	...	0	...
.....	,,	30.02	762.6	...	...	S	2	...	,,	30.14	765.6	...	...	S W	2	...
.....	,,	30.03	762.8	...	...	N E	6	...	,,	30.15	765.8	...	...	S W	2	...
.....	,,	30.11	764.8	...	...	E	4	...	,,	30.15	765.8	...	...	N E	2	...
, ...	,,	30.07	763.9	...	...	S E	2	...	,,	30.08	763.9	...	...	N E	2	...
.....	,,	30.00	762.1	...	...	N	6	...	,,	30.01	762.1	...	...	...	0	...
.....	,,	29.97	761.2	...	...	N E	6	...	,,	29.93	760.2	...	...	E	4	...
na,....	,,	29.97	761.3	...	...	N E	8	...	,,	29.93	760.3	...	...	N E	8	...
.....	,,	30.04	763.1	...	...	S	2	...	,,	30.04	763.1	...	...	...	0	...
.....	4 p.	30.12	765.0	79	...	N W	1	b	6 a.	30.12	765.0	65	100	...	0	c
.....	,,	30.13	765.3	73	...	N E	1	b	9 a.	30.16	766.0	70	...	N W	...	b
.....	,,	30.17	766.3	73	86	S E	1	o	6 a.	30.17	766.3	70	100	N W	1	o
.....	,,	30.10	764.5	77	69	E	1	b	,,	30.08	764.0	69	100	...	0	o
.....	,,	30.13	765.3	76	60	E N E	1	o	9 a.	30.09	764.3	77	69	E	2	...
.....	,,	30.10	764.5	75	56	E	3	ov	,,	30.07	763.8	77	69	E	2	cv
,.....	,,	30.02	762.5	80	87	E N E	4	b	,,	30.03	762.7	77	86	N N E	4	c
.....	,,	29.96	761.0	90	73	N E	2	b	6 a.	29.94	760.5	79	91	N E	1	b
.....	,,	29.93	760.2	85	72	E	2	b	,,	29.92	759.9	76	90	N N E	1	b
.....	1 p.	30.02	762.5	...	...	N E	10	...	5 a.	...	...	...	...	...	...	...
.....	,,	29.91	759.8	...	...	W	2	...	,,	...	...	...	...	...	...	...
.....	,,	29.94	760.4	...	...	N	4	...	,,	...	...	...	...	...	...	...
.....	,,	29.93	760.3	...	...	N E	8	...	,,	...	...	...	...	...	...	...
.....	,,	29.97	761.3	...	...	N E	10	...	,,	...	...	...	...	...	...	...
.....	3 p.	29.96	761.0	89	66	W	1	b	9 a.	30.02	762.5	82	75	N	2	b
.....	4 p.	29.94	760.5	83	74	E	3	c	10 a.	29.97	761.2	85	68	...	0	c
ak,...	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	...	...	...
.....	,,	29.90	759.4	...	...	E N E	5	...	,,	...	...	...	...	...	...	...
.....	,,	29.96	761.0	84	...	S E	1	b	,,	29.96	761.0	86	...	N	1	c
.....	3 p.	29.98	761.5	83	...	S E	2	c	9 a.	30.05	763.2	81	83	E	1	b
.....	,,	29.94	760.5	85	79	N E	4	b	,,	...	...	...	...	...	...	...
.....	,,	29.97	761.2	81	87	E S E	2	c	,,	...	...	...	...	...	...	...
.....	4 p.	29.92	759.9	70	...	N E	4	or	8 a.	30.02	762.6	79	...	N E	2	c
.....	,,	29.86	758.4	83	...	...	0	c	,,	29.97	761.1	82	..	N N E	1	c
mes,.	,,	29.83	757.7	88	...	S W	1	c	,,	29.95	760.6	81	...	N W	1	c
.....	2 p.	29.84	758.0	90	...	N E	2	b	6 a.	29.78	756.5	77	...	W	2	p
.....	4 p.	29.76	756	86	71	...	0	c	10 a.	29.80	757	84	77	S S W	1	o
.....	2 p.	29.76	756.0	91	...	E	2	c	6 a.	29.82	757.3	75	...	...	0	b
.....	3 p.	...	...	...	...	S E	2	or	9 a.	...	...	...	...	S S W	3	c
.....	,,	29.81	757.2	84	...	S	1	o	,,	29.87	758.7	80	...	S W	1	or
.....	,,	29.79	756.6	85	...	S	2	c	,,	29.86	758.4	85	...	S	2	b
.....	,,	29.83	757.7	87	...	...	...	...	,,	29.94	760.5	81	...	...	...	...

the 2nd at 12.05 p.—The barometer has risen moderately in Japan, and fallen moderately to slightly over he Southern Loochoos and China.

yphoon, which appears to be moving towards W.N.W., is situated to the N.E. of Luzon.

ssure is high over S. Japan and N. China.

wind will freshen from N.E. and N. in the Formosa Channel and along the northern shores of the China

ngkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ong and Neighbourhood, ...	N. winds, light to moderate; fair.
sa Channel, ...	N.E. winds, strong.
coast of China between Hongkong and Lamocks,.	N. winds, moderate or fresh.
coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

ngkong Observatory, Saturday, 2nd October, 1909.

by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	2nd October, 1909, P.M.								3rd October, 1909, A.M.					
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.
Wladivostock,	2 p.	30.02	762.5	63	...	N E	1	b	7 a.	30.09	764.2	46	85	N E
Nemuro,	,,	29.89	759.1	...	...	N E	2	...	6 a.	29.93	760.1	...	...	E
Hakodate,	,,	29.97	761.2	...	...	W	6	...	,,	30.09	764.2	...	...	N W
Tokio,	,,	30.06	763.6	...	...	N	2	...	,,	30.02	762.6	...	...	N W
Kochi,	,,	30.03	762.8	...	...	S E	4	...	,,	30.03	762.8	...	...	...
Nagasaki,	,,	30.07	763.8	...	...	S E	2	...	,,	30.03	762.8	...	...	E
Kagoshima,	,,	30.04	762.9	...	...	S E	2	...	,,	30.08	763.9	...	...	E
Oshima,	,,	30.00	762.1	...	...	S E	4	...	,,	29.97	761.1	...	...	...
Naha,	,,	29.93	760.2	...	...	E	4	...	,,	29.89	759.2	...	...	...
Ishigakijima,	,,	...	...	...	...	..	...	...	,,	29.82	757.3	...	...	E
Bonin Is.	,,	29.96	761.1	...	...	S	2	...	,,	29.97	761.1	...	...	...
Chefoo,	4 p.	30.06	763.5	76	...	E N E	2	b	6 a.	30.05	763.2	64	100	...
Weihaiwei,	,,	30.16	766.0	74	...	N W	1	b	9 a.	30.07	763.8	70	...	N W
Hankow,	,,	30.15	765.8	73	90	N	1	o	6 a.	30.13	765.3	66	95	N W
Kiukiang,	,,	30.01	762.2	80	70	...	0	o	,,	30.02	762.5	70	100	N E
Shanghai,	,,	30.00	762.0	79	66	S E	2	o	9 a.	30.00	762.0	75	86	E
Gutzlaff,	,,	30.01	762.2	79	70	E	2	cv	,,	29.93	761.5	73	70	E
Sharp Peak,	,,	29.92	759.9	78	.	N E	4	b	,,	29.88	758.9	77	86	N
Amoy,	,,	29.81	757.2	92	64	N N E	2	b	6 a.	29.82	757.4	81	77	N E
Swatow,	,,	29.77	756.1	85	68	E	1	b	,,	...	...	...	...	...
Taiboku,	1 p.	29.89	759.1	...	...	N E	6	...	5 a.	29.80	756.8	...	...	E
Taichu,	,,	29.74	755.3	...	...	W	4	...	,,	29.72	754.8	...	...	...
Tainan,	,,	29.75	755.7	...	...	N	4	...	,,	29.73	755.0	...	...	...
Koshun,	,,	29.74	755.3	...	...	N	4	...	,,	29.73	755.1	...	...	E
Pescadores,	,,	29.80	756.8	...	...	N	10	...	,,	29.72	754.9	...	...	E
Canton,	3 p.	29.88	758.9	89	63	N	2	b	9 a.	29.87	758.7	83	67	N
Hongkong,	4 p.	29.82	757.4	88	63	N W	1	c	10 a.	29.79	756.6	84	56	N
Victoria Peak,	,,	...	...	...	...	N N W	2	...	,,	...	...	...	...	N
Gap Rock,	,,	29.81	757.2	...	...	N W	4	...	,,	29.74	755.4	...	...	N
Macao,	,,	29.86	758.4	87	...	N N W	1	c	,,	29.82	757.4	85	...	N N W
Wuchow,	3 p.	29.91	759.7	88	62	...	0	c	9 a.	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	84	...	N E	2	b	8 a.	29.93	760.2	81	...	N W
Tourane,	,,	29.85	758.2	82	...	N N W	3	c	,,	29.90	759.5	82	..	W
Cape St. James,	,,	29.83	757.8	86	...	S S E	1	lt	,,	...	...	...	...	...
Aparri,	2 p.	29.65	753.2	79	...	W	2	p	6 a.	29.72	754.8	77	...	S W
Manila,	4 p.	29.72	755	84	71	S W	3	o	10 a.	29.80	757	82	85	W N W
Legaspi,	2 p.	29.74	755.4	90	...	W	2	o	6 a.	29.79	756.6	75	...	...
Bacolod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S S W
Iloilo,	,,	29.77	756.1	81	...	S W	2	or	,,	29.87	758.7	80	...	W
Cebu,	,,	29.78	756.4	86	...	S	3	o	,,	29.85	758.2	85	...	S
Labuan,	,,	29.80	756.9	89	...	...	...	...	,,	...	...	...	...	...

On the 2nd at 5.35 p.—Red Drum hoisted.

On the 3rd 9.45 a.—Black Drum hoisted.

At 12.05 p.—The barometer is inclined to rise over Formosa and the Philippnes. It has fallen over particularly on the S. and SE coasts.

The typhoon appears to be situated in the vicinity of the Pratas Shoal and to be moving towards WNW sent. It therefore threatens to approach the neighbourhood of Hongkong.

Pressure is highest over N. China and Manchuria.

Cyclonic gales may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Cyclonic gales; squally with rain.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 3rd October, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	3RD OCTOBER, 1909, P.M.								4TH OCTOBER, 1909, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ock,...	2 p.	30.07	763.9	39	...	S	1	c	7 a.	29.88	758.8	54	99	S E	6	or
.....	,,	29.85	758.1	...	...	N	8	...	6 a.	30.04	763.1	...	...	N	6	...
.....	,,	30.01	762.2	...	...	N	6	...	,,	30.05	763.2	...	...	...	0	...
.....	,,	29.98	761.6	...	...	E	2	...	,,	30.02	762.6	...	...	N W	2	...
.....	,,	29.95	760.8	...	...	...	0	...	,,	29.95	760.8	...	...	...	0	...
.....	,,	29.99	761.8	...	...	E	6	...	,,	29.91	759.8	...	...	E	4	...
a, ...	,,	29.96	760.9	...	...	E	4	...	,,	29.96	760.9	...	...	N E	3	...
.....	,,	29.89	759.1	...	...	S E	2	...	,,	29.81	757.1	...	...	...	0	...
.....	,,	29.85	758.2	...	...	S E	2	...	,,	29.81	757.2	...	...	...	0	...
ma, ...	,,	29.82	757.3	...	...	E	4	...	,,	29.78	756.3	...	...	N E	4	...
.....	,,	29.89	759.1	...	...	W	2	...	,,	29.89	759.1	...	...	...	0	...
.....	4 p.	30.00	762.0	70	...	N W	2	b	6 a.	30.06	763.5	56	100	N W	2	b
i.....	,,	30.06	763.5	73	...	N W	1	b	9 a.	30.01	763.0	68	...	N W	1	b
.....	,,	29.99	761.7	74	95	N N E	1	o	6 a.	30.11	764.8	68	95	N	2	o
.....	,,	30.00	762.0	72	86	N E	2	o	,,	30.02	762.5	69	90	N E	2	or
.....	,,	29.94	760.5	71	90	N E	1	o	9 a.	30.01	762.2	74	68	N	2	o
.....	,,	29.93	760.2	77	65	E	2	ov	,,	29.98	761.5	72	85	N N E	4	ovp
k, ...	,,	...	...	78	82	N	5	o	,,	...	...	78	91	N	2	c
.....	,,	29.83	757.7	85	76	S E	2	b	6 a.	29.80	756.9	80	78	N E	1	c
.....	,,	29.70	754.4	82	71	N E	3	c	,,	...	...	...	...	...	...	...
.....	1 p.	29.75	755.7	...	...	E	4	...	5 a.	29.78	756.5	...	...	E	6	...
.....	,,	29.77	756.1	...	...	...	0	...	,,	29.80	756.8	...	...	...	0	...
.....	,,	29.77	756.1	...	...	N E	4	...	,,	29.76	756.0	...	...	...	0	...
.....	,,	29.78	756.4	...	...	E	6	...	,,	29.77	756.2	...	...	N	4	...
s, ...	,,	29.77	756.1	...	...	N	6	...	,,	29.77	756.2	...	...	N E	6	...
.....	3 p.	29.74	755.4	91	60	N	3	b	9 a.	29.79	756.6	83	71	N	2	b
g, ...	4 p.	29.68	753.9	84	59	N	4	oq	10 a.	29.74	755.4	80	76	N E	6	opq
eak, ...	,,	...	...	...	...	N	6	...	,,	...	...	...	...	E S E	6	...
.....	,,	29.64	752.8	...	...	N	6	...	,,	29.68	753.9	...	...	E N E	8	...
.....	,,	29.71	754.6	85	...	N	2	o	,,	29.76	755.9	78	...	E N E	3	oq
.....	3 p.	29.86	758.4	89	...	N E	3	c	9 a.	...	...	...	...	...	..	...
.....	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
.....	,,	29.79	756.6	71	100	N	2	t	,,	...	...	...	...	...	...	...
.....	4 p.	29.78	756.5	88	...	W	3	c	8 a.	29.81	757.2	81	...	N N E	2	c
.....	,,	29.76	756.0	82	...	N W	4	c	,,	29.75	755.5	82	..	N W	3	c
ames, .	,,	29.80	756.8	77	...	S W	3	lt	,,	...	...	...	...	...	..	...
.....	2 p.	29.69	754.2	86	...	N E	2	b	6 a.	29.73	755.2	77	...	W	2	q
.....	4 p.	29.72	755	86	71	S W	2	c	10 a.	29.76	756	84	71	W S W	2	c
.....	2 p.	29.77	756.2	84	...	W	2	o	6 a.	29.76	755.9	75	...	...	0	o
.....	3 p.	...	...	...	...	S S W	3	oplt	9 a.	...	...	...	...	S S E	3	o
.....	,,	29.79	756.6	80	...	W	3	op	,,	29.83	757.7	89	...	S	1	o
.....	,,	29.79	756.6	83	...	...	0	o	,,	29.85	758.2	81	...	S	2	o
.....	,,	29.82	757.4	84	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

n the 4th at 6.00 a.—Black South Cone hoisted.

12.05 p.—The barometer is inclined to rise in the neighbourhood of Hongkong. It has fallen considerably ongking and N. Annam.

e typhoon, which appears to be moving Westwards, is situated to the South of Hongkong in about 20° Lat.

e barometer has a tendency to fall again in the Philippines and a marked fall has taken place over the Loo- Probably another depression exists over the Pacific in about 20° Lat., 13[illegible]° Long.

third depression is moving Eastwards over Manchuria.

e highest pressure is shown over N. China.

esh N.E. winds may be expected in the Formosa Channel and cyclonic gales over the N.W. part of the China

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	Moderate E. gale, gradually decreasing; squally.
osa Channel, ...	N.E. winds, fresh. (showery.
h coast of China between Hongkong and Lamocks, .	Same as No. 1.
coast of China between Hongkong and Hainan,...	N. gale.

F. G. FIGG,
Director.

ongkong Observatory, Monday, 4th October, 1909.

t by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	4th October, 1909, P.M.								5th October, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.77	756.2	57	...	E S E	4	o	7 a.	29.65	753.2	46	99	N N W	3	
Nemuro,	,,	30.08	764.1	...	...	N	6	...	6 a.	30.16	766.1	...	...	E	2	
Hakodate,	,,	30.01	762.2	...	...	E	6	...	,,	29.97	761.2	...	...	S E	10	
Tokio,	,,	29.98	761.6	...	...	N	2	...	,,	29.91	759.6	...	...	N	2	
Kochi,	,,	29.87	758.8	...	...	E	2	...	,,	29.88	758.8	...	...	S W	3	
Nagasaki,	,,	29.91	759.8	...	...	N	4	...	,,	29.95	760.8	...	...	...		
Kagoshima,	,,	29.84	757.9	...	...	N E	2	...	,,	29.92	759.9	...	...	N	2	
Oshima,	,,	29.81	757.1	...	...	...	0	...	,,	29.85	758.1	...	...	...		
Naha,	,,	29.77	756.2	...	...	N	4	...	,,	29.85	758.2	...	...	...		
Ishigakijima,	,,	29.78	756.5	...	...	E	6	...	,,	29.82	757.3	...	...	N E	6	
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.93	760.1	...	...	...	0	
Chefoo,	4 p.	30.00	762.0	65	...	N N W	3	b	6 a.	30.06	763.5	64	...	N W	...	
Weihaiwei,	,,	29.98	761.5	64	...	N W	3	b	9 a.	30.12	765.0	64	...	N	2	
Hankow,	,,	30.14	765.5	75	77	N E	1	o	6 a.	30.16	766.0	67	89	N	2	
Kiukiang,	,,	30.01	762.2	82	78	N E	2	o	,,	30.07	763.8	67	84	N E	2	
Shanghai,	,,	29.98	761.5	73	72	N N E	2	o	9 a.	30.14	765.5	67	60	N N E	2	
Gutzlaff,	,,	29.96	761.0	74	68	N N E	4	ov	,,	30.09	764.3	71	57	N N E	4	
Sharp Peak,	,,	29.83	757.7	78	86	N	4	c	,,	29.97	761.2	76	86	N	6	
Amoy,	,,	29.81	757.2	83	78	N E	3	or	6 a.	29.84	757.9	77	86	N E	2	
Swatow,	,,	29.74	755.4	82	72	E	2	o	,,	29.75	755.6	76	82	N E	1	
Taihoku,	1 p.	29.78	756.5	...	...	E	8	...	5 a.	...	...	...	...	...	...	
Taichu,	,,	29.75	755.5	...	...	W	2	...	,,	...	...	...	...	...	...	
Tainan,	,,	29.76	755.9	...	...	W	4	...	,,	...	...	...	...	...	...	
Koshun	,,	29.77	756.2	...	...	N E	6	...	,,	...	...	...	...	...	...	
Pescadores,	,,	29.77	756.1	...	...	N E	6	...	,,	...	...	...	...	...	...	
Canton,	3 p.	29.74	755.4	81	87	N E	1	or	9 a.	29.90	759.4	79	82	N	2	
Hongkong,	4 p.	29.75	755.6	75	92	E	5	orq	10 a.	29.86	758.4	83	71	N	4	
Victoria Peak,	,,	...	...	...	...	E S E	5	...	,,	...	...	...	...	E S E	6	
Gap Rock,	,,	29.65	753.1	...	...	E	6	...	,,	29.79	756.6	...	...	E N E	7	
Macao,	,,	29.72	754.9	77	...	E	3	od	,,	29.86	758.4	81	...	E S E	3	
Wuchow,	3 p.	29.75	755.6	85	...	N	2	c	9 a.	29.90	759.4	77	...	N	2	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.69	754.0	84	...	N	2	o	8 a.	29.76	755.8	...	...	N	5	
Tourane,	,,	29.63	752.6	81	...	N W	6	o	,,	29.70	754.3	81	..	...	0	
Cape St. James,	,,	29.72	755.0	82	...	W	2	lt	,,	29.81	757.2	81	...	S W	4	
Aparri,	2 p.	29.71	754.6	79	...	N W	4	d	6 a.	29.69	754.1	73	...	W	4	
Manila,	4 p.	29.72	755	81	85	S W	2	o	10 a.	29.76	756	84	77	N N W	1	
Legaspi,	2 p.	29.70	754.3	90	...	S W	2	o	6 a.	29.75	755.6	77	...	...	0	
Bacolod,	3 p.	...	...	...	...	S W	3	cp	9 a.	...	...	...	...	S W	2	
Iloilo,	,,	29.77	756.1	80	...	S W	3	or	,,	29.85	758.2	79	...	S W	4	
Cebu,	,,	29.73	755.1	85	...	S	3	o	,,	29.83	757.7	83	...	S	3	
Labuan,	,,	29.78	756.4	83	...	...	...	...	,,	29.86	758.4	84	...	...	...	

On the 4th at 5.00 p.—Black South Cone and Black Ball hoisted.

On the 5th at 6.00 a.—Signals lowered.

At 12.10 p.—The barometer has risen over China, particularly in the neighbourhood of Hongkong. It has fall over Tongking and N. Annam.

The typhoon appears to have reached Hainan.

Pressure is very little changed over the Philippines and the Loochoos, the depression remaining almost stat ary over the Pacific to the N.E. of Luzon.

The northern depression is moving Eastwards near Wladiwostok.

Pressure is high to the N.E. of Japan, and over N. China.

Strong N.E. winds may be expected in the Formosa, and bad weather over the N.W. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E winds, strong; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 5th October, 1909.

[Printed by Noronha & Co., Government Printers]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	5TH OCTOBER, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6TH OCTOBER, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
rostock,...	2 p.	29.56	750.7	44	...	W	4	or	7 a.	29.73	755.1	46	83	N	3	o
ro,.....	,,	30.16	766.1	...	...	E	6	...	6 a.	29.73	755.1	...	...	S E	10	...
Gate,.....	,,	29.77	756.2	...	...	S E	10	...	,,	29.69	754.2	...	...	...	0	...
,.....	,,	29.83	757.6	...	...	...	0	...	,,	29.75	755.6	...	...	N	2	...
,.....	,,	29.83	757.8	...	...	...	0	...	,,	29.91	759.8	...	...	S W	2	...
aki, ...	,,	29.95	760.8	...	...	N	8	...	,,	29.99	761.8	...	...	N	2	...
hima, ...	,,	29.88	758.9	...	...	N	4	...	,,	30.00	761.9	...	...	...	0	...
a,.....	,,	29.89	759.1	...	...	N E	6	...	,,	29.93	760.1	...	...	N	6	...
.....	,,	29.85	758.2	...	...	N E	6	...	,,	29.89	759.2	...	...	N E	6	...
hijima,....	,,	29.82	757.3	...	...	N E	8	...	,,	29.86	758.3	...	...	N E	8	...
Is.....	,,	29.89	759.1	...	...	E	2	...	,,	29.93	760.1	...	...	S	2	...
o,.....	4 p.	30.26	768.6	62	...	N W	5	b	6 a.	30.21	767.3	60	...	N	5	b
iwei,.....	,,	30.14	765.5	60	...	N W	3	b	9 a.	30.24	768.1	61	...	N	1	b
ow,.....	,,	30.26	768.6	68	79	N E	2	o	6 a.	30.28	769.1	60	94	N	1	b
ang,.....	,,	30.14	765.5	69	61	N E	3	o	,,	30.22	767.6	63	78	N E	2	b
hai, ...	,,	30.12	765.0	68	51	N N E	2	o	9 a.	30.20	767.1	68	60	N	3	c
aff	,,	30.08	764.0	69	56	N	3	ov	,,	30.14	765.5	68	70	N N E	4	ovp
Peak,.....	,,	29.95	760.2	76	77	N	6	o	,,	30.05	763.2	73	86	N	2	c
.....	,,	29.86	758.4	84	72	N E	4	c	6 a.	29.93	760.2	74	72	E N E	4	b
w,.....	,,	29.81	757.2	83	63	E	2	c	,,	...	...	...	...	...	...	...
ku.....	1 p.	29.90	759.4	...	...	E	8	...	5 a.	...	...	...	...	...	...	...
n, ...	,,	29.78	756.4	...	...	...	0	...	,,	...	...	...	...	...	...	...
n.....	,,	29.79	756.6	...	...	N	4	...	,,	...	...	...	...	...	...	...
m.....	,,	29.78	756.3	...	...	N E	8	...	,,	...	...	...	...	...	...	...
dores, ...	,,	29.81	757.1	...	...	N E	10	...	,,	...	...	...	...	...	...	...
n.....	3 p.	29.83	757.7	84	75	N	2	b	9 a.	30.01	762.2	77	69	N	2	b
kong, ...	4 p.	29.81	757.2	81	67	E	4	oq	10 a.	29.93	760.2	80	67	N N E	2	c
a Peak,...	,,	...	...	...	...	E S E	6	...	,,	...	...	...	...	E N E	4	...
ck,.....	,,	29.76	755.9	...	...	E	6	...	,,	29.89	759.2	...	...	N E	5	...
.....	,,	29.81	757.2	81	...	E S E	4	cq	,,	29.96	761.0	81	...	N N E	2	c
ow,.....	3 p.	29.86	758.4	81	...	N E	1	og	9 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
en,.....	4 p.	29.67	753.6	77	...	N	8	or	8 a.	29.86	758.5	75	...	N E	7	o
ne, ...	,,	29.63	752.7	79	...	S S W	3	o	,,	29.77	756.2	84	..	S E	2	c
St. James,.	,,	29.73	755.2	79	...	W	4	lt	,,	29.84	758.5	81	...	S W	5	c
,.....	2 p.	29.63	752.6	75	...	S	2	d	6 a.	29.67	753.7	73	...	S E	0	d
s.	4 p.	29.69	754	84	71	W	4	o	10 a.	29.76	756	82	85	S S W	1	c
y,.....	2 p.	29.70	754.4	79	...	..	0	o	6 a.	29.74	755.4	77	...	W	2	o
od,.....	3 p.	...	...	...	...	W S W	3	op	9 a.	...	...	...	...	S W	3	op
.....	,,	29.75	755.6	81	...	S W	2	op	,,	29.85	758.2	80	...	S	2	op
.....	,,	29.74	755.4	85	...	S	2	or	,,	29.86	758.4	85	...	S	1	c
n, ...	,,	29.78	756.4	90	...	...	...	...	,,	29.88	758.9	83	...	...	...	...

On the 5th at 6.0 p.—The Pacific depression is near the Balingtang Channel, apparently moving westwards.
On the 6th at 11.55 a.—The barometer has risen moderately over China, and fallen rapidly in E. Japan.
The recent typhoon has entered Tongking.
The other typhoon has moved Westwards through the Balingtang Channel and entered the China Sea.
The northern depression, which has continued to move Eastwards, is crossing N. Japan.
An area of high pressure covers N. China, and the monsoon has set in strongly in the North.
N.E. gales may be expected in the Formosa Channel, and bad weather over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. winds, strong; fair to squally and unsettled.
Formosa Channel, ...	N.E. gale.
South coast of China between Hongkong and Lamocks,.	N. and N.E. winds, strong.
South coast of China between Hongkong and Hainan,...	E. to N. winds, strong.

F. G. FIGG.
Director.

Hongkong Observatory, Wednesday, 6th October, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th October, 1909, P.M.								7th October, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.79	756.6	59	...	N	3	b	7 a.	30.00	762.0	43	92	...	0
Nemuro,	,,	29.61	752.1	...	...	S	6	...	6 a.	29.69	754.1	...	...	W	6
Hakodate,	,,	29.65	753.2	...	...	W	6	...	,,	29.85	758.2	...	...	W	4
Tokio,	,,	29.83	757.6	...	...	N	2	...	,,	29.95	760.6	...	...	N W	2
Kochi,	,,	29.91	759.8	...	...	W	2	...	,,	29.99	761.8	...	...	S W	4
Nagasaki,	,,	29.95	760.8	...	...	N	4	...	,,	30.03	762.8	...	...	N	2
Kagoshima,	,,	29.96	760.9	...	...	N	4	...	,,	30.00	761.9	...	...	N	2
Oshima,	,,	29.85	758.1	...	...	N	8	...	,,	29.89	759.1	...	...	N	2
Naha,	,,	29.89	759.2	...	...	N	8	...	,,	29.89	759.2	...	...	N	2
Ishigakijima,	,,	29.89	759.3	...	...	N E	8	...	,,	29.89	759.3	...	...	N	0
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.89	759.1	...	...	S	4
Chefoo,	4 p.	30.20	767.1	64	...	N N E	3	b	6 a.	30.17	766.3	51	...	N W	1
Weihaiwei,	,,	30.18	766.6	61	...	N W	3	b	9 a.	30.29	767.1	61	...	N E	2
Hankow,	,,	30.28	769.1	72	50	N E	1	b	6 a.	30.23	767.8	59	82	E	2
Kiukiang,	,,	30.18	766.6	72	49	N E	3	b	,,	30.17	766.3	61	77	N E	2
Shanghai,	,,	30.14	765.5	69	47	N	3	c	9 a.	30.17	766.3	69	56	N N E	2
Gutzlaff,	,,	30.12	765.0	70	53	N	4	cv	,,	30.12	765.0	71	49	N N E	4
Sharp Peak,	,,	29.89	761.5	74	76	N N E	5	c	,,	30.07	763.8	72	90	N	3
Amoy,	,,	29.91	759.7	84	31	N E	4	b	6 a.	29.96	761.0	73	63	N E	3
Swatow,	,,	29.85	758.2	82	52	E	2	b	,,	29.87	758.7	71	95	N N E	1
Taihoku,	1 p.	29.98	761.4	...	...	E	6	...	5 a.	...	...	...	...	...	...
Taichu,	,,	29.80	756.8	...	...	N	6	...	,,	...	...	...	...	...	...
Tainan,	,,	29.80	757.0	...	...	N	6	...	,,	...	...	...	...	...	...
Koshun	,,	29.81	757.2	...	...	N E	10	...	,,	...	...	...	...	...	...
Pescadores,	,,	29.87	758.6	...	...	N E	10	...	,,	...	...	...	...	...	...
Canton,	3 p.	29.92	759.9	84	60	N	3	b	9 a.	30.03	762.7	85	64	N	2
Hongkong,	4 p.	29.90	759.4	80	62	N N E	2	o	10 a.	29.97	761.2	77	60	N	2
Victoria Peak,	,,	...	...	...	...	N E	3	...	,,	...	...	...	...	E N E	4
Gap Rock,	,,	29.85	758.2	...	...	E N E	4	...	,,	29.93	760.2	...	...	E N E	3
Macao,	,,	29.91	759.7	80	...	N	1	o	,,	30.00	762.0	76	...	N	2
Wuchow,	3 p.	29.96	761.0	82	...	N	3	c	9 a.	29.96	761.0	73	...	N E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	29.91	759.7	83	68	E N E	3	c	,,	...	...	...	...	...	...
Phulien,	4 p.	29.86	758.4	75	...	N E	6	o	8 a.	29.97	761.1	77	...	N	3
Tourane,	,,	29.74	755.4	84	...	E S E	3	c	,,	29.86	758.5	79	..	E N E	4
Cape St. James,	,,	29.76	756.0	79	...	S W	3	or	,,	29.86	758.5	81	...	W S W	3
Aparri,	2 p.	29.70	754.5	81	...	E	0	o	6 a.	29.81	757.1	73	...	W	2
Manila,	4 p.	29.72	755	82	77	S S W	1	o	10 a.	29.84	758	81	92	S S E	1
Legaspi,	2 p.	29.74	755.4	84	...	W	2	o	6 a.	29.83	757.6	75	...	...	0
Bacolod,	3 p.	...	...	...	...	S S W	4	op	9 a.	...	...	...	...	W S W	4
Iloilo,	,,	29.79	756.6	81	...	S W	4	o	,,	29.89	759.2	80	...	E	1
Cebu,	,,	29.79	756.6	85	...	S	3	o	,,	29.88	758.9	85	...	S	3
Labuan,	,,	29.80	756.9	90	...	...	...	...	,,	29.68	758.9	84	...	...	...

On the 6th at 2.20 p.—Red South Cone and Drum hoisted.

At 10.10 p.—No. 2 night signal hoisted.

On the 7th at 6.10 a.—Black South Cone hoisted.

At 11.55 a.—The barometer has risen moderately in N. Luzon, while it remains practically steady in the neighbourhood of Hongkong.

The typhoon is probably situated to the S.S.E. of Hongkong in about 18° Lat. It appears to be taking a W.S.W. course under the influence of the continental high pressure.

The northern depression is moving away over the Pacific to the N.E. of Japan.

Pressure remains high over N. China, but with a tendency to give way.

Strong monsoon may be expected in the Formosa Channel, and rough weather over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair, squally.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 7th October, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	7TH OCTOBER, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
estock,....	2 p.	29.96	761.0	64	...	...	0	b
,.....	,,	29.81	757.1	...	...	N	6	...
de,.....	,,	29.89	759.2	...	...	W	6	...
.....	,,	29.91	759.6	...	...	N	4	...
.....	,,	29.91	759.8	...	...	N	6	...
ki, ...	,,	29.95	760.8	...	...	N	6	...
ima, ...	,,	29.88	758.9	...	...	E	2	...
.....	,,	29.85	758.1	...	...	N E	8	...
.....	,,	29.85	758.2	...	...	N W	8	...
jima, ...	,,	29.89	759.3	...	...	N E	6	...
ls.....	,,	29.73	755.1	...	...	S	6	...
.....	4 p.	30.14	765.5	68	...	N E	3	b
wei,.....	,,	...	...	66	...	N W	1	b
w,.....	,,	30.20	767.1	74	59	N	1	b
ng.....	,,	30.08	764.0	75	44	N E	2	b
sl, ...	,,	30.09	764.3	69	61	N	...	c
ff.	,,	30.08	764.0	73	55	N N E	4	cv
Peak,.....	,,	29.98	761.5	74	81	N E	5	c
.....	,,	29.92	759.9	83	46	E N E	3	c
,.....	,,	29.88	758.9	81	56	E	2	b
n.....	1 p.	29.98	761.6	...	...	E	6	...
,.....	,,	29.87	758.6	...	...	N	4	...
.....	,,	29.87	758.6	...	...	N	2	...
.....	,,	29.87	758.6	...	...	N E	8	...
ores, ...	,,	29.90	759.5	...	...	N E	10	...
.....	3 p.	29.92	759.9	82	69	N E	1	b
ong, ...	4 p.	29.88	758.9	80	58	E	2	c
Peak,...	,,	...	...	...	...	E	2	...
ck,.....	,,	29.85	758.2	...	...	E N E	5	...
.....	,,	29.90	759.4	81	...	N	1	c
w,.....	3 p.	...	...	...	...	...	...	...
.....	,,	29.88	758.9	80	78	E N E	4	b
.....	,,	...	...	...	...	...	...	...
a.....	4 p.	29.89	759.3	77	...	W	3	o
e,.....	,,	29.82	757.5	72	...	...	0	or
t. James,.	,,	29.80	756.8	81	...	S W	5	or
.....	2 p.	29.80	756.9	77	...	E	0	o
.....	4 p.	29.80	757	79	84	W S W	3	o
,.....	2 p.	29.79	756.6	86	...	W	2	o
d,.....	3 p.	...	...	...	...	S W	2	o
.....	,,	29.83	757.7	84	...	S S W	1	b
.....	,,	29.82	757.4	89	...	S	1	b
.....	,,	29.78	756.4	90	...	...	...	...

8TH OCTOBER, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	30.06	763.5	43	97	N E	1	b
6 a.	29.97	761.1	...	...	N	2	...
,,	29.97	761.2	...	...	...	0	...
,,	29.87	758.6	...	...	N	6	...
,,	29.95	760.8	...	...	N	8	...
,,	30.03	762.8	...	...	E	2	...
,,	29.96	760.9	...	...	N	4	...
,,	29.97	761.1	...	...	S	4	...
,,	29.99	760.2	...	...	E	4	...
,,	29.93	760.3	...	...	N	4	...
,,	29.53	750.1	...	...	S W	10	...
6 a.	30.12	765.0	55	...	S	1	b
9 a.	30.13	765.3	61	...	N	1	b
6 a.	30.12	765.0	66	84	N W	1	o
,,	30.09	764.3	74	81	N E	1	o
9 a.	30.12	765.0	70	57	E N E	1	c
,,	30.10	764.5	71	62	N N E	1	cv
,,	30.07	763.8	72	90	N	2	c
6 a.	29.96	761.0	72	67	E N E	2	c
,,	29.94	760.5	69	30	N E	1	b
5 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.02	762.5	77	69	N	1	b
10 a.	29.97	761.2	78	62	E	4	o
,,	...	...	...	...	E S E	5	...
,,	29.93	760.2	...	...	E N E	6	...
,,	29.98	761.5	80	...	N E	1	c
9 a.	...	...	75	72	E	1	b
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	29.96	760.9	75	...	N N E	3	b
,,	29.80	756.8	75	..	N W	4	or
,,	29.85	758.2	81	...	W S W	3	o
6 a.	29.89	759.2	75	...	E	2	r
10 a.	29.92	760	86	71	W	1	o
6 a.	29.86	758.3	77	...	...	0	o
9 a.	...	...	...	...	N W	1	c
,,	29.91	759.7	83	...	S S W	1	b
,,	29.91	759.7	88	...	S	1	b
,,	29.94	760.5	84	...	...	...	...

On the 7th at 12.40 p.—Red South Cone hoisted.
At 5.45 p.—Signals lowered.
On the 8th at 11.55 a.—The barometer has fallen over N. Annam and risen in the Philippines.
The typhoon, which continues to move towards W.S.W., is now situated between the Paracels and Hainan.
The barometer has risen in N.E. Japan, and fallen over S.E. Japan and the Bonins.
A typhoon which was lying about midway between the Loochoos and the Bonins yesterday, is moving to the to the North of the latter group this morning.
Pressure is highest, but giving way over N. China.
Fresh monsoon may be expected in the Formosa Channel, and rough weather over the N.W. part of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N.E. and E. winds, strong; fair, squally.
ormosa Channel, ...	N.E. winds, strong.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 8th October, 1909.

inted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th October, 1909, P.M.									9th October, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.05	763.2	57	...	N	1	c		7 a.	30.11	764.7	43	93	..	0	
Nemuro,	,,	29.89	759.1	...	...	S E	2	...		6 a.	30.24	768.1	...	...	N W	6	
Hakodate,	,,	29.93	760.2	...	...	N	6	...		,,	30.05	763.2	...	...	N	4	
Tokio,	,,	29.83	757.6	...	...	N	6	...		,,	30.14	765.6	...	...	N	2	
Kochi,	,,	29.95	760.8	...	...	N	6	...		,,	30.15	765.8	...	...	W	2	
Nagasaki,	,,	29.99	761.8	...	...	N E	6	...		,,	...	...	...	...	...	...	
Kagoshima,	,,	29.96	760.9	...	...	S	2	...		,,	30.12	764.9	...	...	N E	2	
Oshima,	,,	29.96	761.1	...	...	N	6	...		,,	30.04	763.1	...	...	S	2	
Naha,	,,	29.97	761.2	...	...	N E	4	...		,,	30.01	762.2	...	...	...	0	
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...		,,	29.93	760.3	...	...	N E	4	
Bonin Is.	,,	29.73	755.1	...	...	W	6	...		,,	30.01	762.1	...	...	N E	4	
Chefoo,	4 p.	30.02	762.5	74	...	S	3	b		6 a.	29.96	761.0	59	...	S	1	
Weihaiwei,	,,	30.03	762.7	81	...	N E	1	b		9 a.	29.97	760.7	66	...	N W	2	
Hankow,	,,	30.14	765.5	75	48	N W	1	c		6 a.	30.19	764.5	66	77	N E	1	
Kiukiang,	,,	30.02	762.5	73	63	...	0	o		,,	30.03	762.7	66	89	...	0	
Shanghai,	,,	30.02	762.5	74	55	E S E	2	c		9 a.	30.04	763.0	74	72	E S E	1	
Gutzlaff,	,,	29.95	760.7	71	66	E	2	cv		,,	30.04	763.0	73	76	S	1	
Sharp Peak,	,,	29.99	761.7	73	...	N N E	4	c		,,	30.03	762.7	73	95	N		
Amoy,	,,	29.93	760.2	87	73	E N E	3	c		6 a.	29.93	761.5	71	76	S		
Swatow,	,,	29.87	758.7	82	60	E	1	b		,,	...	...	...	...	...	...	
Taihoku,	1 p.	29.97	761.3	...	...	E	6	...		5 a.	...	...	...	...	...	...	
Taichu,	,,	29.87	758.6	...	...	W	2	...		,,	...	...	...	...	...	...	
Tainan,	,,	29.94	760.3	...	...	W	4	...		,,	...	...	...	...	...	...	
Koshun	,,	29.95	760.7	...	...	E	6	...		,,	...	...	...	...	...	...	
Pescadores,	,,	29.94	760.6	...	...	N	8	...		,,	...	...	...	...	...	...	
Canton,	3 p.	29.89	759.2	85	...	N	1	b		9 a.	29.98	761.5	79	78	N E	7	
Hongkong,	4 p.	29.88	758.9	79	69	E	4	oq		10 a.	29.96	761.0	76	79	E	3	
Victoria Peak,	,,	...	...	...	...	E S E	3	...		,,	...	...	...	...	E S E	5	
Gap Rock,	,,	29.81	757.2	...	...	E N E	6	...		,,	29.89	759.2	...	...	E	6	
Macao,	,,	29.89	759.2	79	...	E S E	2	o		,,	29.96	761.0	73	...	E	2	
Wuchow,	3 p.	...	...	85	...	S E	1	c		9 a.	...	...	...	...	...	...	
Hoihow,	,,	29.81	759.7	76	100	E N E	6	or		,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Phulien,	4 p.	29.83	757.6	84	...	W N W	2	c		8 a.	29.87	758.7	77	...	N N E	3	
Tourane,	,,	29.58	751.4	...	...	N N W	9	or		,,	29.43	747.5	75	..	N W	6	
Cape St. James,	,,	29.73	756.4	81	...	S W	5	or		,,	29.86	758.3	81	...	S W	3	
Aparri,	2 p.	29.86	758.4	61	...	N E	2	o		6 a.	29.90	759.4	77	...	N	2	
Manila,	4 p.	29.80	757	84	71	S W	1	o		10 a.	29.92	760	84	71	N N W	1	
Legaspi,	2 p.	29.84	758.0	79	...	W	2	o		6 a.	29.88	758.8	77	...	W	2	
Bacolod,	3 p.	...	...	...	...	S W	2	o		9 a.	...	...	...	...	N W		
Iloilo,	,,	29.81	757.2	86	...	S W	1	o		,,	29.93	760.2	80	...	..		
Cebu,	,,	29.81	757.2	87	...	N	1	c		,,	29.92	759.9	84	...	...		
Labuan,	,,	29.88	758.9	80	...	...	...	...		,,	29.92	759.9	86	...	...		

On the 9th at 12.10 p.—The typhoon is approaching the coast of Annam near Tourane.

The barometer has risen quickly over Japan and the Bonins the typhoon lying to the North of the latter terday, having moved away Eastwards.

Pressure has given way moderately over N. China apparently owing to the appearance of a depression Manchuria.

The highest pressure is now shown over the Sea of Japan.

Moderate monsoon may be expected in the Formosa Channel and rough weather over the N.W. part of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, strong; squally, showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG.
Director.

Hongkong Observatory, Saturday, 9th October, 1909.

[Printed by N ORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

...ION.	9TH OCTOBER, 1909, P.M.								10TH OCTOBER, 1909, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...stock,...	2 p.	30.09	764.2	55	...	...	4	o	7 a.	29.82	757.4	56	97	S	3	o
...,.....	,,	29.93	760.1	...	...	N W	10	...	6 a.	30.24	768.1	...	...	N	6	...
...te,.....	,,	30.09	764.2	...	...	W	6	...	,,	30.25	768.2	...	...	W	2	...
.....	,,	30.18	766.6	...	...	S	4	...	,,	30.26	768.6	...	...	N	2	...
.....	,,	30.11	764.8	...	...	S	2	...	,,	30.15	765.8	...	...	S W	2	...
...hi.	,,	30.07	763.8	...	...	S E	6	...	,,	30.03	762.8	...	...	E	4	...
...ima, ...	,,	30.07	763.9	...	...	S	2	...	,,	30.04	762.9	...	...	E	6	...
.....	,,	30.04	763.1	...	...	S	4	...	,,	30.01	762.1	...	...	S	2	...
.....	,,	29.97	761.2	...	...	E	4	...	,,	29.97	761.2	...	...	...	0	...
...ijima, ...	,,	29.93	760.3	...	...	E	6	...	,,	29.97	761.3	...	...	E	2	...
...s.....	,,	29.96	761.1	...	...	N E	4	...	,,	30.04	763.1	...	...	N E	4	...
.....	4 p.	29.89	759.2	71	62	W N W	4	o	6 a.	30.01	762.2	57	...	S W	1	b
...wei,.....	,,	29.98	761.5	67	...	N W	2	o	9 a.	30.06	763.5	66	...	N W	1	b
...,.....	,,	30.12	765.0	64	100	N E	1	or	6 a.	30.13	765.3	64	94	N E	1	or
...ng.....	,,	30.01	762.2	68	80	S W	1	o	,,	30.05	763.2	62	94	N E	1	or
...ai.	,,	29.94	760.5	74	59	S	2	o	9 a.	30.03	764.0	63	89	W	1	o
...ff, ...	,,	29.96	761.0	75	77	S S E	1	ov	,,	30.06	763.5	67	95	N W	2	ov
...Peak,.....	,,	29.95	760.7	75	...	E	3	c	,,	29.93	761.5	74	95	...	0	c
.....	,,	29.91	759.7	89	69	N W	1	b	6 a.	29.93	760.2	74	76	N E	1	c
...s,.....	,,	29.86	758.4	82	52	E	1	c	,,	29.86	758.4	73	95	N E	1	c
...u.....	1 p.	29.92	760.0	...	...	E	6	...	5 a.	29.95	760.8	...	...	...	0	...
...s.....	,,	29.91	759.7	...	...	S W	2	...	,,	29.95	760.7	...	...	...	0	...
.....	,,	29.94	760.5	...	...	W	4	...	,,	29.95	760.8	...	...	...	0	...
.....	,,	29.93	760.2	...	...	N	4	...	,,	29.95	760.8	...	...	N E	4	...
...res, ...	,,	29.93	760.3	...	...	N	6	...	,,	29.95	760.7	...	...	N	2	...
.....	3 p.	29.89	759.2	79	87	E	1	o	9 a.	...	...	79	82	N	1	o
...ng, ...	4 p.	29.87	758.7	77	82	E	4	o	10 a.	29.96	761.0	78	85	E	4	o
...Peak,....	,,	...	...	...	...	E S E	6	...	,,	...	...	...	...	E S E	4	...
...ck,.....	,,	29.81	757.2	...	...	E S E	6	...	,,	29.99	759.4	...	...	E	5	...
.....	,,	29.89	759.2	78	...	E	2	o	,,	29.96	761.0	82	...	S E	2	c
...w,.....	3 p.	29.88	758.9	80	78	S E	3	oq	9 a.	29.95	760.7	78	...	S E	1	h
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.90	759.4	79	90	N E	2	o	,,	...	...	...	...	...	...	...
...n,.....	4 p.	29.76	756.0	77	...	N	3	o	8 a.	29.79	756.7	79	...	N E	5	c
...e, ...	,,	29.56	750.7	77	...	S S W	4	o	,,	29.75	755.6	82	..	S E	1	c
...t. James,.	,,	29.78	756.3	77	...	W S W	4	or	,,	29.87	758.7	81	...	S W	2	c
.....	2 p.	29.84	757.9	64	...	N	2	b	6 a.	29.99	759.4	77	...	N E	0	d
.....	4 p.	29.80	757	84	71	N	1	o	10 a.	29.88	759	82	77	N W	1	c
...,.....	2 p.	29.81	757.1	82	...	W	2	o	6 a.	29.83	757.6	75	...	...	0	o
...d,.....	3 p.	...	...	...	...	N W	1	o	9 a.	...	...	...	...	N N W	1	o
.....	,,	29.81	757.2	85	...	S W	1	b	,,	29.91	759.7	81	...	N E	1	o
.....	,,	29.81	757.2	84	...	S E	1	c	,,	29.85	758.9	81	...	S	1	c
.....	,,	29.78	756.4	89	...	...	...	...	,,	...	...	...	...	...	...	...

On the 10th at 12.20 p.—The recent typhoon has entered N. Annam.
The barometer has fallen considerably in Wladiwostok, and risen slightly over N. China.
The northern depression is approaching the neighbourhood of Wladiwostok from the Westward.
An area of high pressure now covers E. Japan, where the barometer has risen considerably.
Pressure has a tendency to give way again over the Philippines.
Moderate N.E. winds may be expected in the Formosa Channel, and strong to fresh E. winds along the northern ...s of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
...ongkong and Neighbourhood, ...	E. winds, fresh; weather improving.
...ormosa Channel, ...	N.E. winds, moderate.
...outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
...outh coast of China between Hongkong and Hainan,...	E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 10th October, 1909.

...inted by NORONHA & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th October, 1909, P.M.									11th October, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.83	757.8	66	...	S	1	b		7 a.	29.96	761.0	51	61	N E	1	
Nemuro,	,,	30.28	769.1	...	...	S E	4	...		6 a.	30.28	769.1	...	...	S E	6	
Hakodate,	,,	30.20	767.2	...	...	E	3	...		,,	30.09	764.2	...	...	E	2	
Tokio,	,,	30.22	767.6	...	...	N W	4	...		,,	30.10	764.6	...	...	N	2	
Kochi,	,,	30.07	763.8	...	...	S W	2	...		,,	29.95	760.8	...	...	S	2	
Nagasaki,	,,	29.99	761.8	...	...	S E	6	...		,,	29.99	761.8	...	...	N E	2	
Kagoshima,	,,	30.09	761.9	...	...	E	4	...		,,	29.96	760.9	...	...	...	0	
Oshima,	,,	29.96	761.1	...	...	N	2	...		,,	29.97	761.1	...	...	S	2	
Naha,	,,	29.97	761.2	...	...	N	4	...		,,	29.97	761.2	...	...	...	0	
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...		,,	29.97	761.3	...	...	N E	4	
Bonin Is.	,,	29.96	761.1	...	...	N E	4	...		,,	29.97	761.1	...	...	E	2	
Chefoo,	4 p.	30.02	762.5	72	...	E S E	1	b		6 a.	30.01	762.2	69	94	N W	1	
Weihaiwei,	,,	30.07	763.8	68	...	N W	1	b		9 a.	30.12	765.9	70	...	N W	1	
Hankow,	,,	30.11	764.8	62	100	N E	2	or		6 a.	30.02	762.5	60	100	N E	1	
Kiukiang,	,,	30.02	762.5	62	94	N E	2	or		,,	30.03	762.7	56	94	N E	2	
Shanghai,	,,	29.99	761.7	73	55	N N E	1	o		9 a.	30.06	763.5	71	90	N E	1	
Gutzlaff,	,,	...	...	77	65	N N W	1	cv		,,	30.06	763.5	70	90	E N E	3	
Sharp Peak,	,,	29.94	760.5	77	...	E	4	b		,,	30.02	762.5	77	90	N	3	
Amoy,	,,	29.91	759.7	81	78	S E	3	b		6 a.	29.95	760.7	75	86	N E	1	
Swatow,	,,	29.88	758.9	84	68	E	1	b		,,	29.92	759.9	72	95	E S E	1	
Taiboku,	1 p.	29.91	759.6	...	...	E	2	...		5 a.	29.94	760.5	...	...	E	0	
Taichu,	,,	29.91	759.8	...	...	W	2	...		,,	29.93	760.3	...	...	...	0	
Tainan,	,,	29.94	760.4	...	...	N W	4	...		,,	29.93	760.2	...	...	...	0	
Koshun	,,	29.94	760.4	...	...	N E	4	...		,,	29.93	760.3	...	...	N E	4	
Pescadores,	,,	29.94	760.4	...	...	N	6	...		,,	29.93	760.1	...	...	N	4	
Canton,	3 p.	29.88	758.9	85	79	S E	1	c		9 a.	29.99	761.7	79	87	E	1	
Hongkong,	4 p.	29.88	758.9	79	85	E	3	o		10 a.	29.98	761.5	79	84	E	3	
Victoria Peak,	,,	...	...	...	...	E S E	4	...		,,	...	...	...	...	E S E	4	
Gap Rock,	,,	29.81	757.2	...	...	E	5	...		,,	29.89	759.2	...	...	E	4	
Macao,	,,	29.86	758.4	80	...	E S E	2	c		,,	29.98	761.5	81	...	E S E	2	
Wuchow,	3 p.	29.87	758.7	84	...	N E	2	or		9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Pakhoi,	,,	29.78	756.4	83	76	E	3	c		,,	...	...	...	...	...	...	
Phulien,	4 p.	29.70	754.3	77	...	E S E	5	cr		8 a.	29.86	758.4	84	...	S E	7	
Tourane,	,,	29.71	754.8	82	...	N W	1	o		,,	29.87	758.6	81	..	...	0	
Cape St. James,	,,	29.80	757.0	77	...	W	2	or		,,	29.89	759.1	79	...	W S W	2	
Aparri,	2 p.	29.84	758.0	84	...	N E	2	b		6 a.	29.89	759.1	79	...	N E	2	
Manila,	4 p.	29.76	756	86	71	W	1	c		10 a.	29.88	759	79	84	N N E	0	
Legaspi,	2 p.	29.76	756.0	86	...	E	2	b		6 a.	29.82	757.5	77	...	...	0	
Bacolod,	3 p.	...	...	...	...	E N E	1	r		9 a.	...	...	...	...	N N W	2	
Iloilo,	,,	29.79	756.6	82	...	S S W	1	o		,,	29.89	759.2	83	...	N	1	
Cebu,	,,	29.78	756.4	84	...	S	1	c		,,	29.87	758.7	85	...	...	0	
Labuan,	,,	29.83	757.7	86	...	...	...	...		,,	29.89	759.2	85	...	...	...	

On the 11th at 11.55 a.—The barometer has risen at the Indo-China stations, the depression having moved westwards over N. Annam.

The barometer has risen in Wladiwostok, and fallen over Japan. The high pressure area has shifted Eastwards over the Pacific, and a shallow depression lies now over the Sea of Japan.

Pressure is still inclined to give way over the Philippines.

Moderate N.E. winds may be expected in the Formosa Channel, and moderate E. winds over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate; showery.
2.—Formosa Channel,	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 11th October, 1909.

[Printed by Noronha & Co., Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	11TH OCTOBER, 1909, P.M.								12TH OCTOBER, 1909, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
rostock,...	2 p.	29.94	760.6	63	...	N N E	1	c	7 a.	30.06	763.5	45	75	N E	1	o
ro,.....	,,	30.16	766.1	...	...	S E	6	...	6 a.	29.93	760.1	...	...	S	4	...
date.....	,,	29.97	761.2	...	...	...	0	...	,,	30.01	762.2	...	...	...	0	...
,.....	,,	30.06	763.6	...	...	N W	4	...	,,	29.99	761.6	...	...	N	2	...
,.....	,,	29.87	758.8	...	...	S E	4	...	,,	29.95	760.8	...	...	S	2	...
ski, ...	,,	29.95	760.8	...	...	N	4	...	,,	29.99	761.8	...	...	N E	2	...
hima, ...	,,	29.96	760.9	...	...	S E	2	...	,,	30.00	761.9	...	...	...	0	...
a.....	,,	29.96	761.1	...	...	N	2	...	,,	30.04	762.1	...	...	S	2	...
.....	,,	...	...	...	...	...	...	...	,,	30.01	762.2	...	...	...	0	...
bijima, ...	,,	29.93	760.3	...	...	E	6	...	,,	29.97	761.3	...	...	E	4	...
ls.....	,,	29.96	761.1	...	...	S	2	...	,,	30.01	762.1	...	...	...	0	...
.....	4 p.	30.08	764.0	71	76	N	1	o	6 a.	30.06	763.5	69	89	...	0	b
iwei,.....	,,	30.08	764.0	70	...	N N E	1	o	9 a.	30.05	763.2	67	...	N W	1	b
w, ...	,,	30.13	765.3	61	100	N E	1	or	6 a.	30.20	767.1	63	100	N W	1	o
ang.....	,,	30.00	762.0	62	100	N E	1	or	,,	30.08	764.0	62	100	N E	1	or
ghai.	,,	29.99	761.7	68	95	E	2	omd	9 a.	30.00	762.0	66	95	N E	4	om
iff, ...	,,	29.98	761.5	68	...	E	3	omd	,,	29.92	759.9	69	100	N E	4	om
Peak,.....	,,	29.95	760.7	78	90	N	2	c	,,	29.98	761.5	77	95	...	0	b
.....	,,	29.91	759.7	85	68	S E	2	b	6 a.	29.98	761.5	77	82	N E	1	b
ow, ...	,,	29.88	758.9	83	72	E	2	b	,,	...	...	...	...	...	...	...
ku.....	1 p.	29.91	759.8	...	...	S E	3	...	5 a.	29.96	761.0	...	...	...	0	...
.....	,,	29.91	759.6	...	...	W	2	...	,,	29.96	761.0	...	...	...	0	...
.....	,,	29.94	760.4	...	...	W	4	...	,,	29.96	761.0	...	...	...	0	...
.....	,,	29.91	760.7	...	...	N E	6	...	,,	29.97	761.1	...	...	N	2	...
.....	,,	29.92	760.0	...	...	N	6	...	,,	29.96	760.9	...	...	N	2	...
.....	3 p.	29.91	759.7	85	76	S E	2	b	9 a.	30.03	762.7	81	83	S E	1	b
kong, ...	4 p.	29.92	759.9	78	86	E	2	op	10 a.	30.01	762.2	83	75	E	1	c
a Peak,...	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E S E	1	...
lock,.....	,,	29.86	758.4	...	...	E	4	...	,,	29.96	761.0	...	...	E	4	...
.....	,,	29.91	759.7	80	...	E S E	2	c	,,	30.02	762.5	85	...	E	1	c
ow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ien,.....	4 p.	29.80	756.9	81	...	S E	5	c	8 a.	29.96	760.9	79	...	S S E	3	c
ane, ...	,,	29.80	757.0	81	...	N	1	c	,,	29.93	760.1	81	...	S E	2	c
St. James,.	,,	29.79	756.6	86	...	W N W	2	c	,,	29.90	759.4	77	...	N W	2	o
.....	2 p.	29.87	758.7	88	...	N E	2	b	6 a.	29.94	760.4	75	...	S	2	b
.....	4 p.	29.80	757	84	71	N N W	1	o	10 a.	29.92	760	86	71	W N W	1	c
.....	2 p.	29.80	756.9	88	...	E	2	b	6 a.	29.89	759.1	79	...	N E	1	b
lod,.....	3 p.	...	...	...	...	N N E	3	of	9 a.	...	...	...	...	N N W	2	c
.....	,,	29.79	756.6	86	...	N E	1	b	,,	29.91	759.7	83	...	N E	1	b
.....	,,	29.78	756.4	87	...	N	1	b	,,	29.91	759.7	85	...	S	2	c
.....	,,	29.79	756.6	83	...	...	...	...	,,	29.96	761.0	76	...	...	...	...

On the 12th at 11.55 a.—The barometer has risen over China except on the E. coast where a fall has occurred. hallow depression has advanced from the Westward to the mouth of the Yangtze.

A second depression is moving Eastwards to the North of Japan.

Pressure has increased over the Philippines and Indo-China. It is now highest over N.W. China.

Light variable to moderate N.E. winds may be expected in the Formosa Channel. and moderate E. and N.E. nds over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
Hongkong and Neighbourhood, ...	E. to N.E. winds, light or moderate; fine.
Formosa Channel, ...	Variable to N.E. winds; light to moderate.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 12th October, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th October, 1909, P.M.								13th October, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.97	761.2	58	...	N	1	o	7 a.	29.78	756.4	47	97	N	0
Nemuro,	,,	29.85	758.1	...	...	S W	6	...	6 a.	29.89	759.1	...	...	E	2
Hakodate,	,,	29.93	760.2	...	...	W	2	...	,,	29.93	760.2	...	...	...	0
Tokio,	,,	29.91	759.6	...	...	...	0	...	,,	29.87	758.6	...	...	N	2
Kochi,	,,	29.91	759.5	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2
Nagasaki,	,,	29.95	760.8	...	...	W	2	...	,,	29.95	760.8	...	...	...	0
Kagoshima,	,,	29.92	759.9	...	...	S	2	...	,,	29.96	760.9	...	...	N E	4
Oshima,	,,	29.96	761.1	...	...	N E	2	...	,,	29.93	760.1	...	...	...	0
Naha,	,,	29.93	760.2	...	...	S	2	...	,,	29.97	761.2	...	...	...	0
Ishigakijima,	,,	29.93	760.3	...	...	S	6	...	,,	29.83	760.3	...	...	...	0
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	0
Chefoo,	4 p.	30.01	762.2	70	66	N	2	b	6 a.	30.06	763.5	56	63	N W	1
Weihaiwei,	,,	30.00	762.0	71	...	N	1	b	9 a.	30.11	764.8	60	...	N W	1
Hankow,	,,	30.20	767.1	71	76	N E	1	c	6 a.	30.25	768.3	62	94	E N E	1
Kiukiang,	,,	30.12	765.0	63	100	...	0	or	,,	30.14	765.5	60	100	...	0
Shanghai,	,,	29.97	761.2	65	100	N N W	2	omd	9 a.	30.14	765.5	71	76	N N W	1
Gutzlaff,	,,	29.94	760.5	69	95	N N E	4	omd	,,	30.09	764.3	72	71	N N E	3
Sharp Peak,	,,	29.92	759.9	80	...	E	1	c	,,	30.06	763.5	76	77	N N E	6
Amoy,	,,	29.92	759.9	90	66	S W	2	b	6 a.	29.96	761.0	78	87	N E	3
Swatow,	,,	29.90	759.4	86	68	S S E	1	b	,,	29.93	760.2	75	90	...	0
Taihoku,	1 p.	29.91	759.8	...	...	N	4	...	5 a.	30.01	762.1	...	...	N E	2
Taichu,	,,	29.93	760.2	...	...	W	4	...	,,	29.97	761.1	...	...	...	0
Tainan,	,,	29.94	760.6	...	...	W	4	...	,,	29.97	761.1	...	...	N E	2
Koshun	,,	29.94	760.6	...	...	E	4	...	,,	29.93	760.3	...	...	...	0
Pescadores,	,,	29.95	760.8	...	...	N	2	...	,,	29.96	760.9	...	...	N E	6
Canton,	3 p.	29.94	760.5	88	86	N	1	o	9 a.	30.06	763.5	77	82	N	2
Hongkong,	4 p.	29.93	760.2	81	75	E	1	b	10 a.	30.02	762.5	83	68	E	0
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	1
Gap Rock,	,,	29.89	759.2	...	...	E N E	4	...	,,	29.99	761.7	...	...	N E	3
Macao,	,,	29.94	760.5	83	...	S E	1	c	,,	30.04	763.0	83	...	N N E	2
Wuchow,	3 p.	29.94	760.5	85	...	E	1	b	9 a.	...	...	...	...	...	...
Hoihow,	,,	29.93	760.2	84	...	N E	2	b	,,	...	...	...	...	...	...
Pakhoi,	,,	29.93	760.2	86	72	S E	1	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.8	81	...	S S E	5	o	8 a.	30.02	762.4	77	...	N E	4
Tourane,	,,	29.85	758.2	81	...	E	3	c	,,	29.94	760.4	81	...	S E	1
Cape St. James,	,,	29.79	756.6	82	...	S W	1	or	,,	29.86	758.4	77	...	N E	4
Aparri,	2 p.	29.89	759.3	88	...	N E	2	b	6 a.	29.94	760.4	77	...	S W	2
Manila,	4 p.	29.84	758	88	78	S W	0	c	10 a.	29.92	760	86	71	W	2
Legaspi,	2 p.	29.85	758.3	90	...	E	2	b	6 a.	29.90	759.5	81	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	W N W	1
Iloilo,	,,	29.83	757.7	82	...	N	2	...	,,	29.85	758.2	82	...	N	
Cebu,	,,	29.81	757.2	87	...	N	2	b	,,	29.90	759.4	87	...	N	
Labuan,	,,	29.85	758.2	86	...	...	...	...	,,	29.95	760.7	80	...	...	...

On the 13th at 11.55 a.—The barometer has risen over China, particularly on the E. coast. It has fallen at Japanese stations and in Wladiwostok.

A depression lies over the N. part of the Sea of Japan, and the highest pressure is shown over China to North of the Yangtze.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds; fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 13th October, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

13th OCTOBER, 1909, P.M.

ATION.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	29.72	755.0	58	...	...	0	or
uro,	,,	29.85	758.1	...	...	S E	4	...
dste,	,,	29.85	758.2	...	...	S W	4	...
,	,,	29.87	758.6	...	...	S W	2	...
i,	,,	29.87	758.8	...	...	S E	4	...
uki,	,,	29.95	760.8	...	...	N	6	...
chima,	,,	29.92	759.9	...	...	S	2	...
ua	,,	29.93	760.1	...	...	N	6	...
	,,	29.93	760.2	...	...	W	2	...
ajima,	,,	29.93	760.3	...	...	N E	4	...
ls,	,,	29.93	760.1	...	...	W	2	...
a,	4 p.	30.04	763.0	64	39	N W	4	b
wei,	,,	30.13	765.3	70	...	N W	2	b
w,	,,	30.21	767.3	67	95	N W	1	or
ang,	,,	30.08	764.0	68	85	N E	1	o
ghai,	,,	30.05	763.2	75	56	E N E	1	c
lf,	,,	30.05	763.2	76	56	N N E	2	cv
Peak,	,,	29.93	760.2	76	90	E	2	o
,	,,	29.95	760.7	80	70	E N E	2	o
ow,	,,	29.90	759.4	83	75	E	1	c
ku,	1 p.	29.97	761.3	...	...	E	6	...
a,	,,	29.93	760.2	...	...	W	2	...
,	,,	29.96	761.0	...	...	W	4	...
n,	,,	29.94	760.5	...	...	N	2	...
res,	,,	29.97	761.3	...	...	N	8	...
,	3 p.	29.94	760.5	87	69	W	1	b
ong,	4 p.	29.93	760.2	82	75	E	1	c
a Peak,	,,	...	...	...	...	S	1	...
Rock,	,,	29.90	759.4	...	...	N N E	2	...
,	,,	29.94	760.5	83	...	E	1	c
ow,	3 p.	29.95	760.7	84	...	W	2	c
,	,,	...	...	...	...	...	...	...
i,	,,	...	...	...	...	...	...	...
ien,	4 p.	29.90	759.5	82	...	S E	2	c
ne,	,,	29.87	758.6	79	...	S E	3	o
St. James,	,,	29.82	757.3	79	...	E S E	6	o
,	2 p.	29.87	758.8	83	...	N E	2	b
,	4 p.	29.80	757	99	66	W	1	b
ap,	2 p.	29.82	757.5	88	...	E	2	c
lod,	3 p.	...	...	...	...	N E	3	o
,	,,	29.81	757.2	82	...	N E	2	b
,	,,	29.80	756.9	87	...	N	2	b
,	,,	29.79	756.6	86	...	...	...	...

14th OCTOBER, 1909, A.M.

Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.72	754.9	38	54	N W	3	c
6 a.	29.85	758.1	...	...	E	2	...
,,	29.73	755.2	...	...	S	4	...
,,	29.91	759.6	...	...	N W	2	...
,,	29.95	760.8	...	...	S W	2	...
,,	30.03	762.8	...	...	...	0	...
,,	30.04	762.9	...	...	N	2	...
,,	29.97	761.1	...	...	N	6	...
,,	29.93	760.2	...	...	N E	6	...
,,	29.93	760.3	...	...	N E	4	...
,,	29.93	760.1	...	...	...	0	...
6 a.	30.01	762.2	53	73	N W	1	b
9 a.	30.12	765.0	66	...	N W	1	b
6 a.	30.21	767.3	63	95	N W	1	c
,,	30.11	764.8	65	95	...	0	or
9 a.	30.14	765.5	73	55	N N E	1	c
,,	30.11	764.8	71	71	N N E	2	cv
,,	30.07	763.8	72	90	N	1	or
6 a	29.97	761.2	76	77	N E	1	o
,,	...	...	...	...	...	...	...
5 a.	29.97	761.1	...	...	E	4	...
,,	29.95	760.6	...	...	...	0	...
,,	29.95	760.7	...	...	N	2	...
,,	29.94	760.5	...	...	E	2	...
,,	29.95	760.8	...	...	N	6	...
9 a.	30.03	762.7	81	83	E	1	c
10 a.	30.01	762.2	82	74	E S E	3	c
,,	...	...	...	...	E S E	2	...
,,	29.97	761.2	...	...	E	4	...
,,	30.02	762.5	85	...	E S E	1	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.01	762.3	79	...	N E	3	c
,,	29.96	760.9	79	...	S E	1	o
,,	29.92	760.0	77	...	N N E	2	o
6 a.	29.91	759.7	75	...	S W	2	b
10 a.	29.92	760	86	71	W S W	1	c
6 a.	29.86	758.3	81	...	N E	2	b
9 a.	...	...	...	...	N N E	2	o
,,	29.89	759.2	83	...	N E	1	b
,,	29.86	758.4	88	...	N	1	b
,,	29.92	759.9	86	...	...	...	...

On the 14th at 11.50 a.—The barometer has fallen over N.E. Japan and risen in W. Japan.

The depression is still shown over the N.E. part of the Sea of Japan.

Pressure is highest over China to the North of the Yangtze. It is inclined to give way over the Bonins, the Loochoos and the Philippines.

Moderate monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 14th October, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th October, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th October, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.73	755.1	49	...	N W	3	c	7 a.	29.96	761.0	45	58	N W	1
Nemuro, ...	,,	29.73	755.1	...	...	S	6	...	6 a.	29.73	755.1	...	...	W	6
Hakodate, ...	,,	29.65	753.2	...	...	S	6	...	,,	29.77	756.2	...	...	W	6
Tokio, ...	,,	29.79	756.6	...	...	N	2	...	,,	30.02	762.6	...	...	N	2
Kochi, ...	,,	29.87	758.8	...	...	S E	2	...	,,	30.15	765.8	...	...	S W	4
Nagasaki, ...	,,	30.03	762.8	...	...	N	6	...	,,	30.15	765.8	...	...	...	0
Kagoshima, ...	,,	30.00	761.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N	2
Oshima, ...	,,	30.00	762.1	...	...	N	6	...	,,	30.08	764.1	...	...	S	2
Naha,.....	,,	29.93	760.2	...	...	N E	6	...	,,	29.97	761.2	...	...	N E	4
Ishigakijima, ...	,,	29.93	760.3	...	...	N E	6	...	,,	29.93	760.3	...	...	N E	6
Bonin Is.....	,,	29.89	759.1	...	...	S W	2	...	,,	29.97	761.1	...	...	...	0
Chefoo,.....	4 p.	30.08	764.0	65	40	N	2	b	6 a.	30.05	763.2	62	51	S	3
Weihaiwei,.....	,,	30.09	764.3	65	...	N W	1	b	9 a.	30.16	766.0	66	...	N W	3
Hankow, ...	,,	30.16	766.0	74	63	S W	1	c	6 a.	30.13	765.3	67	90	E	2
Kiukiang,.....	,,	30.05	763.2	74	68	N E	1	c	,,	30.04	763.0	66	95	...	0
Shanghai, ...	,,	30.04	763.0	77	90	E S E	1	c	9 a.	30.17	766.3	72	62	E	1
Gutzlaff, ...	,,	30.06	763.5	74	63	N N E	1	bv	,,	30.14	765.5	72	62	E	3
Sharp Peak,.....	,,	30.00	762.0	72	90	N	2	or	,,	30.07	763.8	71	90	N	3
Amoy,.....	,,	29.94	760.5	81	71	N E	2	o	6 a.	29.97	761.2	75	68	N	3
Swatow, ...	,,	29.88	758.9	82	71	E	2	b	,,	29.95	760.7	74	86	E N E	1
Taihoku,.....	1 p.	29.95	760.7	...	...	E	8	...	5 a.	29.99	761.7	...	...	E	6
Taichu, ...	,,	29.91	759.8	...	...	N W	2	...	,,	29.93	760.1	...	...	...	0
Tainan,.....	,,	29.92	759.9	...	...	N W	6	...	,,	29.92	759.9	...	...	E	2
Koshun.....	,,	29.92	759.9	...	...	N	4	...	,,	29.92	759.9	...	...	N	4
Pescadores, ...	,,	29.92	759.9	...	...	N E	6	...	,,	29.93	760.2	...	...	N	8
Canton,.....	3 p.	29.91	759.7	86	68	N	1	b	9 a.	30.04	763.0	78	82	E	1
Hongkong, ...	4 p.	29.90	759.4	81	77	E	2	b	10 a.	30.01	762.2	79	82	E	0
Victoria Peak,...	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E S E	4
Gap Rock,.....	,,	29.87	758.7	...	...	E	4	...	,,	29.97	761.2	...	...	E	4
Macao, ...	,,	29.92	759.9	82	...	S E	1	c	,,	30.03	762.7	79	...	N	2
Wuchow,.....	3 p.	...	...	82	71	...	0	c	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,.....	,,	29.92	759.9	86	76	N W	1	b	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.88	758.9	82	...	S E	4	c	8 a.	29.98	761.4	82	...	E S E	0
Tourane, ...	,,	29.86	758.5	81	...	S E	3	c	,,	29.94	760.5	82	..	...	0
Cape St. James,.	,,	29.84	757.9	79	...	S E	1	o	,,	29.91	759.6	82	...	E N E	2
Aparri, ...	2 p.	29.85	758.2	86	...	N E	2	b	6 a.	29.86	758.5	75	...	W	2
Manila, ...	4 p.	29.76	756	83	65	W S W	1	c	10 a.	29.84	758	86	71	W	1
Legaspi, ...	2 p.	29.78	756.4	90	...	E	2	b	6 a.	29.79	756.6	75	...	...	0
Bacolod, ...	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N W	1
Iloilo, ...	,,	29.81	757.2	83	...	N E	1	o	,,	29.89	759.2	83	...	E	0
Cebu,.....	,,	29.76	755.9	88	...	S	1	c	,,	29.85	758.2	77	...	S	0
Labuan, ...	,,	29.81	757.2	84	...	...	...	...	,,	29.90	759.4	80	...	...	...

On the 15th at 11.50 a.—The barometer has fallen over the Philippines probably owing to the existence of a depression to the Eastward of the Archipelago.

The depression lying over the N.E. part of the Sea of Japan yesterday, is moving into the Pacific.

Pressure has increased in S. Japan, while it has given way over the Yangtze valley. It is now highest over the Yellow Sea.

Fresh N.E. and E. winds may be expected in the Formosa Channel and along the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. and E. winds, fresh; showery.
2.—Formosa Channel, ...	N.E. winds; fresh.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday 15th October, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	15TH OCTOBER, 1909, P.M.								16TH OCTOBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,...	2 p.	29.98	761.3	51	...	N	2	c	7 a.	30.21	767.2	42	90	E	1	b
ro,.....	,,	29.61	752.1	...	...	W	2	...	6 a.	30.01	762.1	...	...	W	3	...
date,.....	,,	29.89	759.2	...	...	W	6	...	,,	30.17	766.2	...	...	W	6	...
,.....	,,	30.06	763.6	...	...	S	2	...	,,	30.30	769.6	...	...	N	4	...
i,.....	,,	30.07	763.8	...	...	E	2	...	,,	30.31	769.8	...	...	S W	4	...
aki, ...	,,	30.15	765.8	...	...	S	2	...	,,	30.27	768.8	...	...	...	0	...
hima, ...	,,	30.11	764.9	...	...	S E	2	...	,,	30.23	767.9	...	...	E	6	...
a.....	,,	30.04	763.1	...	...	E	6	...	,,	30.12	765.1	...	...	N	2	...
.....	,,	29.97	761.2	...	...	E	8	...	,,	30.01	762.2	...	...	E	6	...
ijima,....	,,	29.93	760.3	...	...	E	8	...	,,	29.93	760.3	...	...	N E	8	...
k.....	,,	29.96	761.1	...	...	E	2	...	,,	30.08	764.1	...	...	N E	2	...
.....	4 p.	30.07	763.8	75	56	S W	2	o	6 a.	30.13	765.3	63	76	S S E	1	b
nei,.....	,,	30.19	766.8	72	...	N W	2	b	9 a.	30.24	768.1	68	...	N W	2	b
w,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
ng.....	,,	30.00	762.0	73	81	...	0	o	,,	30.09	762.0	67	95	...	0	or
lai.	,,	30.08	764.0	73	67	E	3	c	9 a.	30.12	765.0	75	68	S S E	3	c
iff	,,	30.08	764.0	74	55	E S E	3	cv	,,	30.11	764.8	75	72	S E	4	cv
Peak,.....	,,	30.01	762.2	72	90	N	2	o	,,	30.06	763.5	73	86	N	3	o
.....	,,	29.93	760.2	85	68	N E	4	b	6 a.	29.97	761.2	75	90	N	3	b
w,.....	,,	29.90	759.4	83	68	E	1	b	,,	...	...	...	...	...	...	...
in,.....	1 p.	29.96	760.9	...	...	E	8	...	5 a.	29.98	761.4	...	...	E	6	...
n.....	,,	29.89	759.1	...	...	W	2	...	,,	29.99	761.8	...	...	...	0	...
.....	,,	29.91	759.6	...	...	S W	4	...	,,	29.91	759.6	...	...	E	2	...
a.....	,,	29.89	759.3	...	...	E	8	...	,,	29.91	759.7	...	...	N E	6	...
es, ...	,,	29.93	760.2	...	...	N	8	...	,,	29.86	758.4	...	...	N	8	...
.....	3 p.	29.92	759.9	85	72	S	1	b	9 a.	30.03	762.7	83	78	E	1	b
ong, ...	4 p.	29.93	760.2	79	76	E	1	o	10 a.	30.02	762.5	82	73	E	2	c
a Peak,...	,,	...	...	...	...	E S E	3	...	,,	...	...	...	...	E S E	3	...
ock,.....	,,	29.87	758.7	...	...	E	5	...	,,	29.96	761.0	...	...	E	5	...
.....	,,	29.93	760.2	79	...	S E	2	c	,,	30.01	762.2	84	...	E S E	1	c
w,.....	3 p.	29.96	761.0	85	...	W	3	c	9 a.	...	...	...	...	...	...	...
n.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	29.92	759.9	87	73	S S W	3	b	,,	...	...	...	...	...	...	...
n,.....	4 p.	29.88	759.0	86	...	S S E	3	b	8 a.	30.00	762.0	82	...	E S E	1	b
ne, ...	,,	29.87	758.9	81	...	S	1	b	,,	29.97	761.2	81	..	N N W	1	c
St. James,.	,,	29.81	757.1	64	...	S S E	3	c	,,	29.90	759.5	81	...	S S E	2	c
.....	2 p.	29.84	758.0	93	...	N E	2	b	6 a.	29.80	756.8	81	...	N	2	q
.....	4 p.	29.72	755	88	72	S	0	c	10 a.	29.76	756	81	77	N N W	1	c
p, ...	2 p.	29.72	755.0	91	...	N E	2	b	6 a.	29.71	754.7	77	...	W	2	o
od,.....	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N W	1	o
.....	,,	29.77	756.1	87	...	S W	1	o	,,	29.83	757.7	82	...	S W	1	b
.....	,,	29.74	755.4	88	...	S	2	c	,,	29.78	756.4	85	...	S	1	c
k.....	,,	29.76	756.4	87	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 16th at 11.30 a.—The barometer has fallen moderately over the Philippines owing to the typhoon which ew situated to the East of Southern Luzon. It is apparently moving towards W.N.W.

An anticyclonic area covers Japan, where pressure has increased considerably since yesterday.

The barometer is low and still inclined to fall over the Yangtze valley.

Fresh to strong N.E. and N. winds may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate to fresh; fine.
Formosa Channel, ...	N.E. winds; fresh to strong.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 16th October, 1909.

inted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th October, 1909, P.M.								17th October, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.13	766.6	63	...	S S W	3	o	7 a.	30.21	767.3	44	70	...	0	
Nemuro,	,,	30.12	765.1	...	...	N	10	...	6 a.	30.24	768.1	...	...	W	4	
Hakodate,	,,	30.24	768.2	...	...	N W	8	...	,,	30.28	769.2	...	...	...	0	
Tokio,	,,	30.30	769.6	...	...	E	2	...	,,	30.34	770.6	...	...	N W	2	
Kochi,	,,	30.23	767.8	...	...	S	2	...	,,	30.27	768.8	...	...	S W	4	
Nagasaki,	,,	30.19	766.8	...	...	E	2	...	,,	30.23	767.8	...	...	...	0	
Kagoshima,	,,	30.19	766.9	...	...	E	6	...	,,	30.19	766.9	...	...	E	6	
Oshima,	,,	30.08	764.1	...	...	S E	2	...	,,	30.08	764.1	...	...	E	2	
Naha	,,	29.97	761.2	...	...	E	8	...	,,	29.93	760.2	...	...	E	10	
Ishigakijima,	,,	29.89	759.5	...	...	N E	10	...	,,	29.82	757.3	...	...	N E	8	
Bonin Is.	,,	30.04	763.1	...	...	N E	2	...	,,	30.01	762.1	...	...	N E	2	
Chefoo,	4 p.	30.18	766.6	72	58	E	2	c	6 a.	30.16	766.0	66	84	S E	1	
Weihaiwei,	,,	30.20	767.1	71	...	N W	1	o	9 a.	30.24	768.1	52	...	N	1	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.98	761.5	70	95	N E	1	or	,,	30.00	762.0	69	100	...	0	
Shanghai,	,,	30.05	763.2	76	74	E	4	c	9 a.	30.08	764.0	73	...	S E	3	
Gutzlaff,	,,	30.05	763.2	77	69	S E	4	cv	,,	30.07	763.8	73	74	S E	3	
Sharp Peak,	,,	29.97	761.2	75	...	N N E	4	b	,,	29.95	760.7	75	86	N	3	
Amoy,	,,	29.90	759.4	87	69	N E	2	b	6 a.	29.85	758.2	79	66	N	1	
Swatow,	,,	29.84	757.9	82	67	E	2	b	,,	29.83	757.7	74	90	...	0	
Taiboku	1 p.	29.93	760.1	...	...	E	8	...	5 a.	29.86	758.5	...	...	E	6	
Taichu,	,,	29.86	758.4	...	...	W	2	...	,,	29.77	756.2	...	...	...	0	
Tainan,	,,	29.88	758.9	...	...	N W	4	...	,,	29.76	755.9	...	...	N	2	
Koshun	,,	29.87	758.7	...	...	N E	8	...	,,	29.74	755.3	...	...	N E	6	
Pescadores,	,,	29.91	759.8	...	...	N	10	...	,,	29.77	756.1	...	...	N	10	
Canton,	3 p.	29.89	759.2	89	66	E	1	b	9 a.	29.94	760.5	79	90	S	1	
Hongkong,	4 p.	29.89	759.2	81	73	E	1	o	10 a.	29.89	759.2	84	71	W	[illegible]	
Victoria Peak,	,,	...	...	...	...	W S W	1	...	,,	...	...	...	...	N	[illegible]	
Gap Rock,	,,	29.86	758.4	...	...	E	4	...	,,	29.88	758.9	...	...	N E	3	
Macao,	,,	29.90	759.4	82	...	S E	1	c	,,	29.92	759.9	86	...	S E	1	
Wuchow,	3 p.	29.92	759.9	79	...	...	0	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.90	759.5	...	...	S S E	3	b	8 a.	29.94	760.5	79	...	E N E	2	
Tourane,	,,	29.87	758.7	81	...	N N W	2	c	,,	29.92	759.9	79	..	...	0	
Cape St. James,	,,	29.79	756.6	75	...	W S W	2	cr	,,	29.83	758.8	81	...	N W	1	
Aparri,	2 p.	29.74	755.4	86	...	N	2	p	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.65	753	84	77	W	1	od	10 a.	29.53	750	84	71	W	4	
Legaspi,	2 p.	29.62	752.3	88	...	W	2	o	6 a.	29.56	750.9	81	...	W	2	
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	W N W	3	
Iloilo,	,,	29.72	754.9	85	...	S W	2	c	,,	29.76	755.9	83	...	S W	[illegible]	
Cebu,	,,	29.69	754.1	87	...	S	2	o	,,	29.73	755.1	86	...	S	[illegible]	
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	..	...	...	...	...	...	

On the 17th at 11.55 a.—The barometer has fallen rapidly in Luzon, and a moderate to considerable fall taken place also, over S. China, Formosa and the S. Loochoos.

The typhoon is approaching the E. coast of Luzon in from 16° to 17° Lat. It apparently continues to more wards W.N.W.

The anticyclonic area, which has shifted to the Eastward, is now central over S.E. Japan.

Pressure continues relatively low over the Yangtze valley.

N.E. gales may be expected in the Formosa Channel, and bad weather over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, freshening; fair.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, moderate.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 17th October, 1909.

[Printed by N RONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...tion.	17th October, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th October, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ivostock,...	2 p.	30.21	767.4	54	...	N W	1	c	7 a.	30.31	769.9	40	57	N E	1	o
...no,.....	,,	30.08	764.1	...	...	S W	6	...	6 a.	29.97	761.1	...	...	N W	10	...
...date,.....	,,	30.13	765.2	...	...	N	2	...	,,	30.13	765.2	...	...	N	2	...
...3,.....	,,	30.22	767.6	...	...	S W	2	...	,,	30.14	765.6	...	...	N W	2	...
...1,.....	,,	30.15	765.8	...	...	S	2	...	,,	30.11	764.8	...	...	S W	6	...
...ki, ...	,,	30.11	764.8	...	...	N E	2	...	,,	30.11	764.8	...	...	S	2	...
...jima, ...	,,	30.11	764.9	...	...	S E	6	...	,,	30.08	763.9	...	...	N E	2	...
...a,.....	,,	30.04	763.1	...	...	E	4	...	,,	30.01	762.1	...	...	...	0	...
...,.....	,,	29.93	760.2	...	...	E	6	...	,,	29.93	760.2	...	...	E	6	...
...jima, ...	,,	29.82	757.3	...	...	E	10	...	,,	29.78	756.3	...	...	E	8	...
...k.....	,,	29.96	761.1	...	...	E	4	...	,,	29.97	761.1	...	...	...	0	...
...,.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ei,.....	,,	30.20	767.1	64	...	N E	1	o	9 a.	30.07	763.8	63	...	N E	3	r
...w,.....	,,	30.09	764.3	72	95	N	1	or	6 a.	30.11	764.8	65	73	N E	1	o
...ng,.....	,,	29.92	759.9	78	78	S S E	1	c	,,	29.96	761.0	70	100	...	0	o
...hai, ...	,,	29.98	761.5	76	82	E S E	2	c	9 a.	29.99	761.7	73	73	S E	2	c
...iff, ...	,,	29.99	761.7	81	74	S E	3	cv	,,	29.97	761.2	76	90	S E	3	cm
...Peak,.....	,,	29.85	758.2	77	75	N	6	o	,,	29.81	757.2	73	73	N N E	6	c
...,.....	,,	29.79	756.6	87	55	N E	4	b	6 a.	29.64	752.5	83	83	E N E	4	c
...w,.....	,,	29.74	755.4	92	51	S E	1	c	,,	...	...	...	...	...	...	...
...lu,.....	1 p.	29.80	757.0	...	...	E	8	...	5 a.	29.79	754.3	...	...	E	8	...
...,.....	,,	29.66	753.4	...	...	S	2	...	,,	29.55	750.5	...	...	...	0	...
...,.....	,,	29.68	753.9	...	...	W	2	...	,,	29.54	750.4	...	...	E	2	...
...,.....	,,	29.65	753.2	...	...	N E	10	...	,,	29.53	750.1	...	...	N E	10	...
...es, ...	,,	29.67	753.6	...	...	N E	10	...	,,	29.53	750.0	...	...	N E	8	...
.....	3 p.	29.76	755.9	91	63	N	1	b	9 a.	29.76	755.9	81	63	N	1	b
...ong, ...	4 p.	29.73	755.1	85	71	W	2	c	10 a.	29.69	754.1	85	54	N	2	cq
...a Peak,...	,,	...	...	...	...	N W	4	...	,,	...	...	...	...	N	5	...
...ock,.....	,,	29.73	755.1	...	...	N N W	4	...	,,	29.67	753.6	...	...	N	5	...
...,.....	,,	29.76	755.9	88	...	N	1	c	,,	29.72	754.9	86	...	N	2	c
...w,.....	3 p.	29.30	756.9	89	...	W	1	c	9 a.	29.83	757.7	80	...	N	1	c
...a,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...en,.....	4 p.	29.83	757.6	88	...	S S E	2	b	8 a.	29.84	757.8	81	...	N N W	3	b
...ne, ...	,,	29.85	758.3	81	...	N N W	1	o	,,	29.82	757.4	79	..	N W	1	o
St. James,.	,,	29.76	755.8	82	...	S	2	lt	,,	29.86	758.5	77	...	W	2	lt
...d,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...,.....	4 p.	29.49	749	82	77	W	8	o	10 a.	29.65	753	82	85	S W	2	o
...pi, ...	2 p.	29.52	749.9	86	...	W	4	...	6 a.	29.68	753.8	81	...	W	2	o
...lod,.....	3 p.	...	...	...	...	S W	4	o	9 a.	...	...	...	...	S S W	2	o
...,.....	,,	29.66	753.3	84	...	S W	5	c	,,	29.80	756.9	85	...	S W	5	cl
.....	,,	29.65	753.1	88	...	S	4	b	,,	29.79	756.6	87	...	S	3	b
...,.....	,,	29.74	755.4	86	...	...	...	...	,,	29.82	757.4	81	...	...	...	...

On the 17th at 8 p.—The typhoon, which is crossing Luzon in about 17° Lat., will enter the China Sea tonight.
On the 18th at 4.10 a.—No. 1 night signal hoisted.
At 5.45 a.—Red South Cone and Red Drum hoisted.
At noon.—Black South Cone and Black Drum hoisted.
The barometer has risen moderately in the Philippines; and fallen over China and Formosa, particularly over ...e latter and the S. and S.E. coasts.
The typhoon is situated about 300 miles to S.E. by E. of Hongkong. It appears to be moving towards N.W. at ...esent and the S. coast of China is threatened.
Pressure has given way over Japan, and it is low over the Pacific to the E. of Hokkaido.
An area of high pressure lies over E. Manchuria.
Bad weather may be expected in the Formosa Channel and the N. part of the China Sea.
Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. gales; weather becoming unsettled with rain.
Formosa Channel, ...	N.E. gales.
South coast of China between Hongkong and Lamocks,.	N. to N.E. gales.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 18th October, 1909.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th October, 1909, P.M.								19th October, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.93	760.1	...	...	N W	8	...	6 a.	...	...	...	...	..	...	
Hakodate,	,,	30.05	763.2	...	...	W	8	...	,,	...	...	...	...	...	...	
Tokio,	,,	30.06	763.6	...	...	S E	4	...	,,	...	...	...	...	...	...	
Kochi,	,,	30.03	762.8	...	...	...	0	...	,,	...	...	...	...	...	...	
Nagasaki,	,,	29.99	761.8	...	...	N E	4	...	,,	...	...	...	...	...	...	
Kagoshima,	,,	30.00	761.9	...	...	S E	4	...	,,	...	...	...	...	...	...	
Oshima,	,,	29.93	760.1	...	...	S E	2	...	,,	...	...	...	...	...	...	
Naha,	,,	29.85	758.2	...	...	E	6	...	,,	...	...	...	...	...	...	
Ishigakijima,	,,	29.78	756.3	...	...	E	8	...	,,	...	...	...	...	...	...	
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	..	...	...	...	...	...	
Chefoo,	4 p.	30.02	762.5	68	94	N E	6	o	6 a.	.	...	...	...	...	...	
Weihaiwei,	,,	30.00	762.0	58	...	N E	3	r	9 a.	30.17	766.3	55	...	N	3	
Hankow,	,,	30.11	764.8	70	86	N E	1	o	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	29.97	761.2	80	74	N E	1	b	,,	30.03	762.7	67	77	N E	4	
Shanghai,	,,	29.86	758.4	83	68	S	2	b	9 a.	30.04	763.0	67	90	N	2	
Gutzlaff,	,,	29.88	758.9	78	87	S E	2	cm	,,	29.97	761.2	70	87	N	5	
Sharp Peak,	,,	29.74	755.4	79	78	N	5	c	,,	29.79	756.6	78	78	N N E	6	
Amoy,	,,	29.59	751.6	88	66	N E	6	c	6 a.	29.67	753.6	82	83	E N E	4	
Swatow,	,,	29.51	749.5	89	59	E	3	c	,,	...	...	30	73	E N E	3	
Taihoku,	1 p.	29.68	753.8	...	...	E	8	...	5 a.	29.68	753.9	...	...	S	4	
Taichu,	,,	29.52	749.8	...	...	W	2	...	,,	29.69	754.0	...	...	...	0	
Tainan,	,,	29.55	750.6	...	...	N W	2	...	,,	29.69	754.1	...	...	...	0	
Koshun	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pescadores,	,,	29.55	750.5	...	...	N	6	...	,,	29.67	753.5	...	...	N	6	
Canton,	3 p.	29.59	751.6	89	66	N	2	b	9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	29.54	750.3	88	49	N E	3	oq	10 a.	29.47	748.5	76	87	N N E	[illegible]	c
Victoria Peak,	,,	...	...	...	...	N N E	6	...	,,	...	...	...	...	N E	10	
Gap Rock,	,,	29.52	749.8	...	...	N N W	6	...	,,	29.36	745.7	...	...	N	10	
Macao,	,,	29.58	751.3	87	...	N N W	3	o	,,	29.48	748.8	80	...	N	9	
Wuchow,	3 p.	29.67	753.6	88	...	N	2	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	29.63	753.9	90	96	N	2	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.69	754.2	84	...	W	2	c	8 a.	29.76	756.9	81	...	N	4	
Tourane,	,,	29.70	754.3	82	...	N W	3	c	,,	29.73	755.1	81	..	N W	1	
Cape St. James,	,,	29.71	754.7	81	...	W	2	c	,,	29.79	756.7	81	...	W	2	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.61	752	84	77	S W	1	o	10 a.	...	...	...	...	...	...	
Legaspi,	2 p.	29.67	753.5	90	...	S W	2	o	6 a.	29.76	755.9	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	S S W	3	o	9 a.	...	...	...	...	S S W	3	
Iloilo,	,,	29.71	754.6	84	...	S W	3	o	,,	29.85	758.2	83	...	S W	[illegible]	
Cebu,	,,	29.71	754.6	88	...	S	2	c	,,	29.83	757.7	88	...	S W	[illegible]	
Labuan,	,,	29.75	755.6	82	...	...	...	...	,,	29.88	758.9	80	...	...	...	

On the 19th at 11.0 a.—The centre of the typhoon, which is probably situated about sixty miles to the S.S. of Hongkong, is expected to pass near and to the South of Gap Rock. Violent N.E. to S.E. gale, possibly reaching typhoon force in the squalls. expected in the Colony.

At 11.50 a.m.—Orders issued to hoist Black South Cone and Black cross above and fire three bombs.

The barometer has fallen rapidly in the neighbourhood of Hongkong, and risen moderately over Formosa and the Philippines.

It is also rising over the Yangtze valley, a depression from thence having passed out to Sea.

Pressure is highest over N. China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. to S.E. violent gales with rain.
2.—Formosa Channel,	N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	E. gales.
4.—South coast of China between Hongkong and Hainan,	N. to N.W. gales.

F. G. FIGG, *Director.*

Hongkong Observatory, Tuesday, 19th October, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	19TH OCTOBER, 1909, P.M.								20TH OCTOBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...ietock,...	2 p.	30.08	764.1	51	...	N	1	c	7 a.	30.10	764.6	35	72	N E	1	b
...no,.....	,,	29.89	759.1	...	...	N W	6	...	6 a.	29.77	756.1	...	...	N	8	...
...date,.....	,,	29.89	759.2	...	...	...	0	...	,,	29.77	756.2	...	...	N	6	...
...,.....	,,	29.75	755.6	...	...	N	6	...	,,	29.79	756.6	...	...	N	4	...
...i,.....	,,	29.64	752.3	...	...	...	0	...	,,	29.91	759.8	...	...	N	6	...
...ki, ...	,,	29.72	752.8	...	...	N	6	...	,,	29.99	761.8	...	...	N E	6	...
...hima, ...	,,	29.68	753.9	...	...	W	6	...	,,	29.92	759.9	...	...	N	6	...
...a,.....	,,	29.81	757.1	...	...	W	4	...	,,	29.89	759.1	...	...	N	8	...
.....	,,	29.77	756.2	...	...	N W	2	...	,,	29.35	758.2	...	...	N	6	...
...ijima,....	,,	29.82	757.3	...	...	S E	6	...	,,	29.86	758.3	...	...	S E	4	...
...k.....	,,	29.77	756.1	...	...	S.	2	...	,,	29.81	757.1	...	...	S W	6	...
.....	4 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...Sei,.....	,,	30.19	766.8	53	...	N	3	o	9 a.	30.27	768.8	53	...	N	1	b
...low,.....	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...ang,.....	,,	30.09	764.3	66	80	N E	7	o	,,	30.22	767.6	58	81	N E	5	or
...phi, ...	,,	30.01	762.2	68	75	N N E	4	op	9 a.	30.16	766.0	67	54	N N E	2	c
...lif, ...	,,	29.95	760.7	69	75	N	6	ov	,,	30.10	764.5	67	64	N	4	cv
...Peak,.....	,,	29.78	756.4	77	73	N	8	or	,,	30.02	762.5	72	85	N	3	c
...,.....	,,	29.69	754.1	84	78	N E	3	o	6 a.	29.85	758.2	77	86	N E	5	c
...w,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ku,.....	1 p.	29.73	755.2	...	...	E	6	...	5 a.	29.91	759.8	...	...	E	6	...
...u,.....	,,	29.70	754.5	...	...	N	2	...	,,	29.37	758.6	...	...	N	2	...
...,.....	,,	29.74	755.3	...	...	W	4	...	,,	29.82	757.5	...	...	...	0	...
...n.....	,,	29.76	755.8	...	...	S E	4	...	,,	29.84	757.8	...	...	E	4	...
...res, ...	,,	29.72	755.0	...	...	N	4	...	,,	29.83	757.7	...	...	N E	8	...
.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...ng, ...	4 p.	29.24	742.7	76	90	E N E	10	orq	10 a.	29.66	753.3	75	96	S	5	orq
...a Peak,...	,,	...	...	...	...	E S E	...	...	,,	...	...	...	...	...	...	...
...lock,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...,.....	,,	29.25	742.9	77	...	N N E	11	orq	,,	...	...	...	...	...	...	...
...w,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...an,.....	4 p.	29.64	752.9	86	...	N N W	3	c	8 a.	29.72	754.9	79	...	N N W	4	c
...ne, ...	,,	29.61	752.1	82	...	N W	5	c	,,	...	...	...	...	...	...	...
St. James,.	,,	29.67	753.7	88	...	W	2	c	,,	29.81	757.1	81	...	S W	2	o
...,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.72	755	82	85	W S W	2	c	10 a.	29.83	759	86	71	...	0	c
...spi,.....	2 p.	29.73	755.2	90	...	S W	2	o	6 a.	29.84	757.8	73	...	...	0	b
...lod,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	N W	2	c
.....	,,	29.77	756.1	86	...	S W	2	o	,,	29.87	758.7	83	...	S W	1	b
.....	,,	29.76	755.9	87	...	S	1	c	,,	29.86	758.4	87	...	S W	1	b
.....	,,	29.73	755.1	88	...	...	...	...	,,	29.87	758.7	81	...	...	...	...

On the 20th at 6.0 a.—Black Ball hoisted.

At 12.30 p.—The typhoon appears to have entered the coast a few miles to the West of Macao.

Pressure has given way slightly in Tongking. and risen considerably on the China coast from Hongkong northards.

The depression lying over Central Japan yesterday, is moving away over the Pacific.

Pressure is highest over N. China.

N.B.—Gap Rock reported full typhoon force from N.E. as early as 2 p.m, yesterday, barometer 29.02. At the servatory the maximum hourly wind velocity was 75 miles at 11 p.m. from E.S.E.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 10.93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	S. backing to E. winds, strong; squally showery.
Formosa Channel, ...	N.E. gale.
South coast of China between Hongkong and Lamocks,.	E. winds, strong.
South coast of China between Hongkong and Hainan,...	W. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 20th October, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th October, 1909, P.M.								21st October, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	29.65	753.1	...	...	N W	2	...	6 a.	29.77	756.1	...	...	N	8	
Hakodate,	,,	29.77	756.2	...	...	N	6	...	,,	29.89	759.2	...	...	N	2	
Tokio,	,,	29.79	756.6	...	...	N	6	...	,,	30.06	763.6	...	...	...	0	
Kochi,	,,	29.95	760.8	...	...	N	6	...	,,	30.15	765.8	...	...	S	2	
Nagasaki,	,,	30.03	762.8	...	...	N	6	...	,,	30.19	766.8	...	...	...	0	
Kagoshima,	,,	30.00	761.9	...	...	N W	4	...	,,	30.15	765.9	...	...	N	6	
Oshima,	,,	29.93	760.1	...	...	N E	4	...	,,	30.08	764.1	...	...	...	0	
Naha,	,,	29.89	759.2	...	...	N E	6	...	,,	30.01	762.2	...	...	E	4	
Ishigakijima,	,,	29.85	758.3	...	...	E	8	...	,,	29.89	759.3	...	...	E	8	
Bonin Is.	,,	29.77	756.1	...	...	N E	4	...	,,	29.97	761.1	...	...	...	0	
Chefoo,	4 p.	...	...	...	...	...	...	...	6 a.	30.19	766.8	46	84	S	1	
Weihaiwei,	,,	30.21	767.3	53	...	N W	1	b	9 a.	30.20	767.1	55	...	N W	2	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.17	766.3	55	94	...	5	
Kiukiang,	,,	...	...	...	...	...	...	...	,,	30.11	764.8	58	94	N E	6	
Shanghai,	,,	30.13	765.3	68	51	N E	3	o	9 a.	30.18	766.6	61	89	E S E	2	
Gutzlaff,	,,	30.07	763.8	68	65	N	4	ov	,,	30.17	766.3	61	82	N E	2	
Sharp Peak,	,,	29.97	761.2	72	85	N E	4	c	,,	30.06	763.5	70	90	N W	2	
Amoy,	,,	29.85	758.2	72	85	N E	5	or	6 a.	29.91	759.7	69	75	N E	5	
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Taihoku,	1 p.	29.94	760.6	...	...	E	6	...	5 a.	29.97	761.2	...	...	E	4	
Taichu,	,,	29.85	758.1	...	...	N	4	...	,,	29.91	759.8	...	...	...	0	
Tainan,	,,	29.85	758.3	...	...	W	4	...	,,	29.91	759.8	...	...	N	2	
Koshun,	,,	29.86	758.5	...	...	E	6	...	,,	29.89	759.2	...	...	S	4	
Pescadores,	,,	29.87	758.6	...	...	N E	10	...	,,	29.91	759.6	...	...	N E	10	
Canton,	3 p.	29.70	754.4	76	95	E N E	3	or	9 a.	...	...	...	...			
Hongkong,	4 p.	29.64	752.8	77	88	S S E	3	orq	10 a.	29.87	758.7	78	78	W	1	
Victoria Peak,	,,	...	...	...	...	S S W	5	...	,,	...	...	...	...	S S W	1	
Gap Rock,	,,	29.59	751.6	...	...	S S E	6	...	,,	29.85	758.2	...	...	W S W	5	
Macao,	,,	29.61	752.1	77	...	S	4	odq	,,	29.88	758.9	77	...	S W	2	
Wuchow,	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.70	754.4	84	...	N N E	3	o	8 a.	29.97	761.1	75	...	E N E	3	
Tourane,	,,	29.60	754.0	82	...	N W	4	c	,,	29.91	759.6	79	...	N	3	
Cape St. James,	,,	29.74	755.4	86	...	S W	2	o	,,	29.90	759.4	81	...	W S W	2	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.76	756	86	71	W S W	1	c	10 a.	29.92	760	86	78	S S E	1	
Legaspi,	2 p.	29.78	756.4	90	...	S E	2	b	6 a.	29.90	759.5	75	...	...	0	
Bacolod,	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	N W	2	
Iloilo,	,,	29.83	757.7	85	...	W	1	ch	,,	29.93	760.2	83	...	...	c	
Cebu,	,,	29.78	756.4	87	...	...	0	b	,,	29.91	759.7	88	...	S	0	
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	29.95	760.7	79	...	...	...	

On the 20th at 5.0 p.—Signals lowered.

On the 21st at 12.10 p.—The barometer has risen quickly over the S. coast of China and Tongking, and rise moderately over the Yangtze valley.

The recent typhoon appears to have crossed the West river yesterday, and to have recurved to the N.N.E. as depression of moderate intensity. It appears to be situated to the N.E. of Wuchow this morning.

Pressure has increased considerably over Japan, the depression lying off the E. coast yesterday, having appeared over the Pacific.

The highest pressure is now shown over the Yellow Sea.

Strong N.E. and E. winds may be expected in the Formosa Channel, and fresh variable winds over the N. p of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1.12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	S.W. to N.W. winds, fresh; weather clearing up.
2.—Formosa Channel,	N.E. to E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	S.W. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	N.W. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 21st October, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...ATION.	21st OCTOBER, 1909, P.M.								22nd OCTOBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...ivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
...ro,.....	,,	29.89	759.1	...	...	N	6	...	6 a.	29.81	757.1	...	...	W	6	...
...odate,.....	,,	29.97	761.2	...	...	W	8	...	,,	29.85	758.2	...	...	W	2	...
...,.....	,,	30.06	763.6	...	...	S W	4	...	,,	30.02	762.6	...	...	N W	4	...
...i,.....	,,	30.11	764.8	...	...	W	2	...	,,	30.11	764.8	...	...	...	0	...
...uki,.....	,,	30.15	765.8	...	...	S W	2	...	,,	30.11	764.8	...	...	N	2	...
...shima,.....	,,	30.15	765.9	...	...	E	2	...	,,	30.12	764.9	...	...	...	0	...
...a,.....	,,	30.00	762.1	...	...	S E	2	...	,,	30.01	762.1	...	...	...	0	...
.....	,,	30.01	762.2	...	...	E	6	...	,,	29.97	761.2	...	...	E	2	...
...ijima,....	,,	29.89	759.3	...	...	S	8	...	,,	29.89	759.3	...	...	S	8	...
...ls.....	,,	30.00	762.1	...	...	N	4	...	,,	30.03	764.1	...	...	N	2	...
...o,.....	4 p.	30.12	765.0	61	55	W S W	3	c	6 a.	30.15	765.8	55	56	N N E	5	b
...inei,.....	,,	30.11	764.8	58	...	N W	1	o	9 a.	30.21	767.3	55	...	...	...	b
...low,.....	,,	...	...	...	...	...	...	...	6 a.	30.16	766.0	58	83	N	1	o
...ing,.....	,,	...	...	...	...	...	...	...	,,	30.11	764.8	58	94	N E	5	or
...ghai,.....	,,	...	...	...	...	...	...	...	9 a.	30.11	764.8	58	94	N N E	3	or
...aff,.....	,,	30.06	763.5	63	95	N N E	4	omr	,,	30.01	762.2	63	94	N N E	7	omd
...Peak,.....	,,	29.96	761.0	70	90	N	3	or	,,	29.91	759.7	71	95	N	1	or
...y.....	,,	29.87	758.7	71	90	N E	5	or	6 a.	29.89	759.2	72	90	...	0	o
...ow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...shu,.....	1 p.	29.94	760.5	...	...	S E	2	...	5 a.	29.90	759.5	...	...	...	0	...
...u,.....	,,	29.90	759.4	...	...	N	2	...	,,	29.91	759.7	...	...	...	0	...
...n.....	,,	29.92	759.9	...	...	W	4	...	,,	29.91	759.5	...	...	S E	2	...
...n.....	,,	29.90	759.4	...	...	E	2	...	,,	29.93	760.3	...	...	S	2	...
...res,.....	,,	29.89	759.3	...	...	E	8	...	,,	29.99	759.4	...	...	S	6	...
...,.....	3 p.	29.86	758.4	67	89	N	2	o	9 a.	...	...	...	...	...	...	...
...ng,.....	4 p.	29.81	757.2	76	78	W	1	o	10 a.	29.96	761.0	73	76	N W	1	o
...a Peak,...	,,	...	...	...	...	S S W	1	...	,,	...	...	...	...	N N W	1	...
...ock,.....	,,	29.79	756.6	...	...	W S W	4	...	,,	29.93	760.2	...	...	N N W	5	...
...,.....	,,	29.83	757.7	77	...	W N W	2	o	,,	29.97	761.2	71	...	W N W	2	c
...ow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
...w,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...oi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...ien,.....	4 p.	29.89	759.2	82	...	N	2	b	8 a.	30.06	763.6	75	...	N E	3	b
...ane,.....	,,	29.87	758.8	77	...	N N W	0	o	,,	30.00	762.0	77	...	N W	5	o
...St. James,.	,,	29.80	756.9	84	...	W S W	1	c	,,	29.93	760.3	81	...	E	2	o
...i,.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
...a,.....	4 p.	29.84	758	84	77	...	0	c	10 a.	29.92	760	84	77	S S W	0	c
...spi,.....	2 p.	29.84	757.9	91	...	E	2	b	6 a.	29.90	759.4	73	...	...	0	b
...Dod,.....	3 p.	...	...	...	...	N N W	4	c	9 a.	...	...	...	...	N W	1	o
...,.....	,,	29.83	757.7	85	...	W	1	od	,,	29.91	759.7	83	...	N E	1	b
.....	,,	29.83	757.7	86	...	S	1	c	,,	29.39	759.2	85	...	S	1	b
...n,.....	,,	29.86	758.4	87	...	...	...	...	,,	29.95	760.7	82	...	...	...	...

On the 22nd at 12.05 p.—The barometer has fallen moderately over the E. and S.E. coasts of China, and risen a ...e amount in Tongking and the neighbourhood of Hongkong.

The recent typhoon has not yet completely filled up. It has spread towards E.N.E. and is shown this morning a feeble depression lying over the Formosa Channel and the S.E. coast of China.

Pressure is high apparently over N.W. China. It is inclined to give way again over the S. Philippines.

Fresh to strong variable to N. winds may be expected in the Formosa Channel, and strong N. and N.E. winds ...er the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. winds, fresh or strong; fair.
Formosa Channel, ...	Varible to N. winds, fresh to strong.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday. 22nd October, 1909.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd October, 1909, P.M.								23rd October, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	,,	29.65	753.1	...	...	W	4	...	6 a.	29.73	755.1	...	...	W	6
Hakodate, ...	,,	29.57	751.2	...	...	N W	4	...	,,	29.85	758.2	...	...	N	4
Tokio, ...	,,	29.87	758.6	...	...	N W	2	...	,,	29.95	760.6	...	...	N	2
Kochi, ...	,,	29.99	761.8	...	...	...	0	...	,,	29.99	761.8	...	...	S W	2
Nagasaki, ...	,,	30.03	762.8	...	...	N	2	...	,,	30.07	763.8	...	...	...	0
Kagoshima, ...	,,	29.95	760.9	...	...	N E	4	...	,,	30.04	762.9	...	...	N	6
Oshima, ...	,,	29.89	759.1	...	...	S	2	...	,,	30.01	762.1	...	...	N E	6
Naha,.....	,,	29.89	759.2	...	...	S	4	...	,,	29.93	760.2	...	...	N	6
Ishigakijima,....	,,	29.89	759.3	...	...	S E	6	...	,,	29.93	760.3	...	...	N E	4
Bonin Is.....	,,	30.04	763.1	...	...	W	4	...	,,	30.01	762.1	...	...	...	0
Chefoo,.....	4 p.	30.15	765.8	57	46	N N W	3	b	6 a.	30.25	768.3	45	84	S W	1
Weihaiwei,.....	,,	30.17	766.3	55	...	N W	1	b	9 a.	30.29	769.3	55	...	N W	1
Hankow, ...	,,	30.26	768.6	67	74	N N E	2	o	6 a.	30.35	770.9	60	94	N E	1
Kiukiang,.....	,,	30.18	766.6	64	72	N E	2	c	,,	30.22	767.6	60	82	N E	4
Shanghai, ...	,,	30.11	764.8	62	82	N N E	2	o	9 a.	30.26	769.1	65	63	N N E	3
Gutzlaff, ...	,,	30.04	763.0	62	89	N	7	omd	,,	30.22	767.6	67	59	N N E	4
Sharp Peak,.....	,,	29.95	760.7	71	85	N E	4	or	,,	...	...	...	...	...	...
Amoy,.....	,,	29.85	758.2	81	82	S E	1	c	6 a.	30.01	762.2	69	90	N E	2
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Taihoku,.....	1 p.	29.89	759.3	...	...	S	4	...	5 a.	30.01	762.3	...	...	S	2
Taichu, ...	,,	29.87	758.8	...	...	S W	2	...	,,	29.96	761.0	...	...	N	2
Tainan,.....	,,	29.91	759.8	...	...	S	6	...	,,	29.95	760.7	...		N	
Koshun.....	,,	29.91	759.6	...	...	S W	4	...	,,	29.93	760.3	..		N E	
Pescadores, ...	,,	29.89	759.2	...	...	S	4	...	,,	29.95	760.7	...	...	N E	
Canton,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...		...	
Hongkong, ...	4 p.	29.90	759.4	72	74	N W	2	o	10 a.	30.06	763.5	68	[illegible]	N N E	
Victoria Peak,...	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	N N E	
Gap Rock,.....	,,	29.86	758.4	...	...	N N W	5	...	,,	30.02	762.5	...	...	N N E	
Macao, ...	,,	29.93	760.2	72	...	N	2	o	,,	30.07	763.8	72	...	N	
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.96	761.1	82	...	S W	2	b	8 a.	30.14	765.6	73	...	N E	3
Tourane, ...	,,	29.92	759.9	77	...	N W	8	c	,,	30.03	762.8	77	...	N W	6
Cape St. James,.	,,	29.85	758.1	84	...	S W	2	c	,,	29.94	760.5	82	...	E N E	2
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.80	757	86	79	S W	1	c	10 a.	29.84	758	84	77	N N W	3
Legaspi, ...	2 p.	29.79	756.6	91	...	N E	0	o	6 a.	29.72	754.8	77	...	...	0
Bacolod, ...	3 p.	...	...	...	...	W N W	3	...	9 a.	...	...	...	...	S S W	1
Iloilo, ...	,,	29.81	757.2	85	...	S W	3	o	,,	29.83	757.7	82	...	...	0
Cebu,.....	,,	29.78	756.4	87	...	E	1	c	,,	29.82	757.4	84	...	S	0
Labuan, ...	,,	29.84	757.9	88	...	...	...	...	,,	29.95	760.7	85	...	...	...

On the 23rd at 11.55 a.—The barometer has fallen decidedly in the Philippines, and risen over China particularly in the North.

A typhoon, which is apparently moving in a W.N.W. direction, is approaching Southern Luzon.

The recent typhoon, which was shown as a weak depression over the Formosa Channel yesterday, has filled up.

Pressure is now high over China to the North of the Yangtze. It remains low to the N.E. of Japan.

Strong N. and N.E. winds to gales may be expected in the Formosa Channel, and over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. to N.E. winds, fresh; fair.
2.—Formosa Channel, ...	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,.	N.E. winds, strong.
4.—South coast of China between Hongkong and Hainan....	N. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 23rd October, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd October, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th October, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	29.73	755.1	...	...	W	8	...	6 a.	29.93	760.1	...	...	W	6	...
te,.....	,,	29.89	759.2	...	...	N W	4	...	,,	30.05	763.2	...	...	...	0	...
.....	,,	29.94	760.6	...	...	N W	8	...	,,	30.22	767.6	...	...	N	2	...
.....	,,	30.03	762.3	...	...	N	4	...	,,	30.27	768.8	...	...	S	2	...
ki, ...	,,	30.07	763.8	...	...	N	4	...	,,	30.23	767.8	...	...	...	0	...
hima, ...	,,	30.04	762.9	...	...	N	2	...	,,	30.23	767.9	...	...	N	2	...
.....	,,	30.04	763.1	...	...	N E	4	...	,,	30.12	765.1	...	...	...	0	...
.....	,,	30.01	762.2	...	...	E	6	...	,,	30.09	764.2	...	...	N E	4	...
ijima,....	,,	29.93	760.3	...	...	N E	6	...	,,	29.97	761.3	...	...	E	6	...
s.....	,,	29.93	760.1	...	...	S	8	...	,,	30.08	764.1	...	...	...	0	...
.....	4 p.	30.24	768.1	60	49	E	1	b	6 a.	30.26	768.6	53	61	S	4	b
wei,.....	,,	30.23	767.8	57	...	N W	1	b	9 a.	32.28	769.1	61	...	N E	1	b
,.....	,,	30.29	769.3	68	65	N E	1	c	6 a.	30.29	769.3	61	89	E	1	c
ang,.....	,,	30.23	767.8	68	60	N E	3	c	,,	30.18	766.6	56	94	N E	2	b
ghai, ...	,,	30.19	766.8	67	54	N N E	2	c	9 a.	...	...	...	...	...	...	...
laff, ...	,,	30.19	766.8	69	56	N N E	2	cv	,,	30.29	769.3	65	58	E	...	cv
p Peak,.....	,,	30.05	763.2	68	90	N E	3	c	,,	30.05	763.2	68	90	N E	2	c
.....	,,	30.01	762.2	75	77	N E	3	c	6 a.	30.06	763.5	70	70	N E	2	b
w,.....	,,	29.95	760.7	76	73	E	3	c	,,	...	...	...	...	...	...	...
ku.....	1 p.	30.06	763.4	...	...	E	6	...	5 a.	30.06	763.5	...	...	E	6	...
u, ...	,,	29.93	760.2	...	...	N	6	...	,,	29.96	761.0	...	...	...	0	...
n,.....	,,	29.93	760.1	...	...	N	6	...	,,	29.95	760.8	...	...	N E	2	...
n.....	,,	29.91	759.8	...	...	N E	6	...	,,	29.95	760.8	...	...	N E	8	...
lores, ...	,,	29.97	761.2	...	...	N E	8	...	,,	29.99	761.7	...	...	N E	10	...
n,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
gkong, ...	4 p.	29.97	761.2	72	80	N	1	od	10 a.	30.04	763.0	75	69	N	2	o
oria Peak,...	,,	...	...	...	...	N	3	...	,,	...	...	...	...	N E	1	...
Rock,.....	,,	29.94	760.5	...	...	N	4	...	,,	30.00	762.0	...	...	N E	5	...
ao, ...	,,	29.98	761.5	72	...	N	2	o	,,	30.05	763.2	74	...	N	2	o
how,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
w,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
hoi,.....	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
lien,.....	4 p.	30.00	761.9	81	...	W S W	1	b	8 a.	30.08	764.0	73	...	N N E	2	b
rane, ...	,,	29.93	760.3	77	...	N W	6	c	,,	29.99	761.8	75	..	N W	4	o
St. James,.	,,	29.83	757.8	84	...	E	3	c	,,	29.96	760.9	75	...	S S E	4	or
ri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
la, ...	4 p.	29.69	754	79	92	N E	1	r	10 a.	29.73	755	75	100	S S E	2	d
spi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
colol,.....	3 p.	...	...	...	...	S S W	2	op	9 a.	...	...	...	...	S W	3	o
ilo, ...	,,	29.75	755.6	82	...	N W	1	od	,,	29.83	758.9	83	...	S W	1	or
u,.....	,,	29.74	755.4	85	...	S	4	o	,,	29.37	758.7	84	...	S	1	o
man, ...	,,	29.84	757.9	86	...	...	...	...	,,	...	...	...	...	...	...	...

On the 24th at 11.55 a.—Red South Cone and Red Drum hoisted.

The typhoon has entered the China Sea after crossing Luzon in about 16° Lat. during the early hours of this morning. It is believed to be moving quickly, probably at a speed approaching to 15 miles per hour. At present advancing in a direction between W.N.W. and N.W. Bad weather may be expected over the N. part of the China Sea.

The barometer is rising over the Philippines, while it is beginning to fall in Hongkong and Tongking. Pressure has given way slightly over the Yangtze valley and increased considerably in Japan, the "high" area have shifted to the Eastward.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. to N.E. winds, probably freshening; fair to unsettled.
Formosa Channel, ...	N.E. gale.
South coast of China between Hongkong and Lamocks,.	N.E. winds, strong.
South coast of China between Hongkong and Hainan....	N. winds, freshening.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 24th October, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th October, 1909, P.M.								25th October, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro, ...	,,	29.96	761.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	S	8	
Hakodate, ...	,,	30.09	764.2	...	...	W	6	...	,,	30.09	764.2	...	...	W	4	
Tokio, ...	,,	30.22	767.6	...	...	N	2	...	,,	30.34	770.6	...	...	N W	2	
Kochi, ...	,,	30.23	767.8	...	...	S E	2	...	,,	30.35	770.8	...	...	S W	2	
Nagasaki, ...	,,	30.23	767.8	...	...	N W	4	...	,,	30.31	769.8	...	...	...	0	
Kagoshima, ...	,,	30.23	767.9	...	...	E	2	...	,,	30.27	768.9	...	...	N E	2	
Oshima, ...	,,	30.12	765.1	...	...	...	0	...	,,	30.16	766.1	...	...	S E	6	
Naha, ...	,,	30.05	763.2	...	...	E	4	...	,,	30.09	764.2	...	...	E	2	
Ishigakijima, ...	,,	29.97	761.3	...	...	E	6	...	,,	30.05	763.3	...	...	E	3	
Bonin Is.	,,	30.12	765.1	...	...	N	4	...	,,	30.20	767.1	...	...	...	0	
Chefoo, ...	4 p.	30.21	767.3	69	44	W N W	1	b	6 a.	30.12	765.0	52	86	...	0	
Weihaiwei, ...	,,	30.25	768.3	63	...	N E	1	b	9 a.	30.18	766.6	58	...	N E	1	
Hankow, ...	,,	30.18	766.6	70	...	E	1	b	6 a.	30.15	765.8	63	94	E	1	
Kiukiang, ...	,,	30.06	763.5	71	66	N E	2	b	,,	30.10	764.5	62	94	E	0	
Shanghai, ...	,,	30.22	767.6	68	60	E	1	c	9 a.	...	...	...	...	...	...	
Gutzlaff, ...	,,	30.20	767.1	66	58	E N E	3	o	,,	30.14	765.5	68	90	E	3	
Sharp Peak, ...	,,	30.08	764.0	69	85	N	3	or	,,	30.08	764.0	70	90	N	1	
Amoy, ...	,,	30.01	762.2	78	74	N E	4	o	6 a.	30.00	762.0	78	82	N	1	
Swatow, ...	,,	...	...	...	...	...	...	...	,,	29.91	759.7	73	86	N N E	1	
Taihoku, ...	1 p.	29.99	761.8	...	...	E	6	...	5 a.	29.95	760.8	...	...	E	6	
Taichu, ...	,,	29.89	759.8	...	...	N	4	...	,,	29.93	760.1	...	...	...	0	
Tainan, ...	,,	29.92	759.9	...	...	W	2	...	,,	29.95	760.7	...	...	...	0	
Koshun	,,	29.89	759.2	...	...	N E	8	...	,,	29.95	760.6	...	...	E	6	
Pescadores, ...	,,	29.94	760.5	...	...	N E	10	...	,,	29.93	760.3	...	...	N	8	
Canton, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hongkong, ...	4 p.	29.91	759.7	73	68	N	1	o	10 a.	29.83	758.9	77	78	E N E	3	
Victoria Peak, ...	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	E N E	6	
Gap Rock, ...	,,	29.89	759.2	...	...	N E	4	...	,,	29.83	757.7	...	...	N E	7	
Macao, ...	,,	29.90	759.4	79	...	N W	1	c	,,	29.88	758.9	75	...	N N E	2	
Wuchow, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Phulien, ...	4 p.	29.96	760.9	82	...	S	2	b	8 a.	29.98	761.5	75	...	N	1	
Tourane, ...	,,	29.87	758.8	...	...	N W	5	c	,,	29.91	759.6	75	...	W N W	4	
Cape St. James, .	,,	29.82	757.3	81	...	S W	4	o	,,	29.90	759.4	79	...	W N W	3	
Aparri, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila, ...	4 p.	29.72	755	84	77	S E	1	c	10 a.	29.38	759	86	71	S E	3	
Legaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	29.89	759.3	79	...	E	2	
Bacolod, ...	3 p.	...	...	...	...	S W	2	o	9 a.	...	...	...	...	N W	1	
Iloilo, ...	,,	29.81	757.2	84	...	S W	1	o	,,	29.89	759.2	81	...	...	0	
Cebu, ...	,,	29.81	757.2	87	...	S	1	o	,,	29.91	759.7	84	...	E	1	
Labuan, ...	,,	29.84	757.9	86	...	...	...	...	,,	29.95	760.7	80	...	...	...	

On the 24th at 10.00 p.—No. 2 night signal hoisted.
On the 25th at 6.00 a.—Black South Cone and Drum hoisted.
At 11.00 a.—Black South Cone hoisted.
At 11.45 a.—The barometer has risen considerably in Luzon, and fallen over China, particularly on the S. c
The typhoon, which is moving towards W.N.W., is probably situated about 200 miles to the S.S.E. of Hongko
A strong E. gale is expected to prevail in the Colony tonight.
The high pressure area continues to move Eastwards. It lies now over S. Japan.
Bad weather may be expected over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	Strong E. gale; squally, rainy.
2.—Formosa Channel, ...	N.E. and E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks, .	Fresh E. gale.
4.—South coast of China between Hongkong and Hainan,...	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 25th October, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	25TH OCTOBER, 1909, P.M.								26TH OCTOBER, 1909, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
, ...	,,	29.85	758.1	...	...	S W	10	...	6 a.	30.16	766.1	...	...	N	10	...
te, ...	,,	30.05	763.2	...	...	W	8	...	,,	30.21	767.2	...	...	N W	2	...
.....	,,	30.26	768.6	...	...	S	2	...	,,	30.22	767.6	...	...	N	2	...
.....	,,	30.23	767.8	...	...	S	4	...	,,	30.15	765.8	...	...	S	2	...
zi, ...	,,	30.19	766.8	...	...	S E	6	...	,,	29.95	760.8	...	...	S	10	...
ima, ...	,,	30.23	767.9	...	...	S	2	...	,,	30.12	764.9	...	...	S	6	...
.....	,,	30.08	764.1	...	...	S E	4	...	,,	30.12	765.1	...	...	S	6	...
.....	,,	30.17	766.2	...	...	S E	6	...	,,	30.09	764.2	...	...	S	2	...
jima, ...	,,	30.01	762.3	...	...	S E	6	...	,,	30.01	762.3	...	...	S E	3	...
s.....	,,	30.16	766.1	...	...	E	2	...	,,	30.16	766.1	...	...	E	2	...
.....	4 p.	30.12	765.0	64	63	S E	1	o	6 a.	30.07	763.8	54	100	E S E	0	or
ei, ...	,,	30.14	765.5	62	...	N	1	o	9 a.	30.08	764.0	58	...	N	1	o
.....	,,	30.11	764.8	72	100	S W	1	o	6 a.	30.20	767.1	63	94	N E	1	c
g, ...	,,	30.07	763.8	72	71	N E	1	c	,,	30.10	764.5	65	100	...	0	o
gnai, ...	,,	30.01	762.2	71	95	E	2	o	9 a.	30.08	764.0	65	95	N N W	4	or
laff, ...	,,	30.01	762.2	72	95	S E	3	om	,,	30.07	763.8	67	100	W N W	3	omr
Peak, ...	,,	...	...	71	95	N	1	c	,,	30.03	762.7	74	95	...	0	c
y, ...	,,	29.92	759.9	83	79	N N E	1	c	6 a.	29.98	761.5	76	90	N E	1	b
w, ...	,,	29.84	757.9	77	73	N N E	1	o	,,	...	...	...	...	...	...	...
ku, ...	1 p.	29.92	760.0	...	...	W	4	...	5 a.	29.99	761.7	...	...	...	0	...
n, ...	,,	29.92	759.9	...	...	E	2	...	,,	30.00	762.0	...	...	...	0	...
n, ...	,,	29.93	760.2	...	...	W	4	...	,,	29.99	761.8	...	...	N	2	...
n.....	,,	29.95	760.7	...	...	E	8	...	,,	29.99	761.8	...	...	E	4	...
ores, ...	,,	29.94	760.4	...	...	N	6	...	,,	29.93	761.4	...	...	N E	2	...
n, ...	3 p.	29.86	758.4	75	86	N E	1	or	9 a.	...	...	...	...	...	...	...
ong, ...	4 p.	29.72	754.9	78	83	E	6	orq	10 a.	29.89	759.2	77	96	S	4	opq
a Peak, ...	,,	...	...	...	...	E	7	...	,,	...	...	...	...	S S E	8	...
ck, ...	,,	29.66	753.3	...	...	E	8	...	,,	29.84	757.9	...	...	S	7	...
.....	,,	29.71	754.6	73	...	N N E	4	op	,,	29.81	757.2	78	...	E	7	oq
w, ...	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	...
, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.83	757.7	84	...	S W	2	b	8 a.	29.89	759.1	75	...	W N W	4	b
e, ...	,,	...	...	...	...	...	...	...	,,	29.89	759.1	79	..	N W	2	o
t. James, .	,,	29.79	756.6	84	...	...	2	o	,,	29.89	759.1	79	...	N E	2	c
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.84	758	86	71	S S E	2	o	10 a.	29.92	760	86	71	W N W	0	c
.....	2 p.	29.85	758.1	88	...	E	2	...	6 a.	29.91	759.6	79	...	N E	2	b
.....	3 p.	...	...	...	...	...	0	o	9 a.	...	...	...	...	N E	3	c
.....	,,	29.85	758.2	85	...	S W	1	c	,,	29.91	759.7	82	...	N E	1	b
.....	,,	29.82	757.4	88	...	N	1	b	,,	29.90	759.4	85	...	N	2	c
n, ...	,,	29.85	758.2	81	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 26th at 6.0 a.—Black Ball hoisted.
At 12.10 p.—The typhoon reached the coast, probably about half way between Macao and Kwong-chau-wan, r six o'clock this morning.
The barometer is rising in Hongkong, while it has fallen slightly in Tongking.
Pressure has given way quickly over W. Japan, a depression which passed over the E. coast of China last night, ing approached the neighbourhood of Korea Straits.
The highest pressure is shown over E. Japan.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 2.94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.

ongkong and Neighbourhood, ...	S. winds, moderating; weather improving.
ormosa Channel, ...	N.E. winds, light to moderate.
uth coast of China between Hongkong and Lamocks, .	S.E. and E. winds, fresh.
ath coast of China between Hongkong and Hainan,...	Cyclonic gales.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 26th October, 1909.

nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th October, 1909, P.M.								27th October, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	
Nemuro,	,,	30.16	766.1	...	...	W	2	...	6 a.	29.85	753.1	...	...	N E	4	
Hakodate,	,,	30.13	765.2	...	...	...	0	...	,,	29.81	757.2	...	...	N	6	
Tokio,	,,	30.02	762.6	...	...	N W	2	...	,,	29.75	755.6	...	...	N	2	
Kochi,	,,	29.99	761.8	...	...	E	2	...	,,	29.99	761.8	...	...	N	4	
Nagasaki,	,,	29.91	759.8	...	...	W	8	...	,,	30.07	763.8	...	...	N	4	
Kagoshima,	,,	29.96	760.9	...	...	S W	4	...	,,	30.04	762.9	...	...	N	2	
Oshima,	,,	...	...	...	...	...	...	...	,,	30.08	764.1	...	...	N	4	
Naha,	,,	...	...	...	...	...	...	...	,,	30.09	764.2	...	...	...	0	
Ishigakijima,	,,	30.01	762.3	...	...	S	6	...	,,	30.01	762.3	...	...	E	2	
Bonin Is.	,,	30.08	764.1	...	...	S E	6	...	,,	30.08	764.1	...	...	...	0	
Chefoo,	4 p.	30.19	766.8	50	86	N W	4	o	6 a.	30.26	768.6	45	76	N W	5	
Weihaiwei,	,,	30.17	766.3	52	...	...	2	o	9 a.	30.37	771.4	45	...	N	1	
Hankow,	,,	30.17	766.3	68	79	N E	1	o	6 a.	...	...	...	...	...	...	
Kiukiang,	,,	30.12	765.0	62	94	W	1	or	,,	...	...	...	...	...	...	
Shanghai,	,,	...	...	...	...	...	...	..	9 a.	30.26	768.6	65	81	N N E	1	
Gutzlaff,	,,	30.05	763.2	64	89	N N W	5	omd	,,	30.21	767.3	63	89	N E	1	
Sharp Peak,	,,	...	...	76	..	...	0	c	,,	30.05	763.2	73	86	N E	4	
Amoy,	,,	29.97	761.2	82	78	E	2	o	6 a.	30.03	762.7	66	90	N	3	
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Taihoku	1 p.	29.96	761.1	...	...	N	4	...	5 a.	30.01	762.2	...	...	S	2	
Taichu,	,,	29.97	761.3	...	...	S W	2	...	,,	30.01	762.2	...	...	...	0	
Tainan,	,,	29.99	761.7	...	...	W	6	...	,,	29.97	761.4	...	...	...	0	
Koshun	,,	30.02	762.5	...	...	E	6	...	,,	30.01	762.3	...	...	E	2	
Pescadores,	,,	29.98	761.5	...	...	E	4	...	,,	30.01	762.1	...	...	N E	6	
Canton,	3 p.	29.78	756.4	76	95	E	3	or	9 a.	30.02	762.5	78	90	S	1	
Hongkong,	4 p.	29.86	758.4	81	82	S	4	oq	10 a.	30.02	762.5	82	84	S	1	
Victoria Peak,	,,	...	...	...	...	S	8	...	,,	...	...	...	...	S S E	1	
Gap Rock,	,,	29.81	757.2	...	...	S	5	...	,,	30.00	762.0	...	...	S S E	3	
Macao,	,,	29.82	757.4	79	...	S	4	oq	,,	30.02	762.5	81	...	S	2	
Wuchow,	3 p.	29.64	752.3	76	...	N	6	rq	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.80	756.8	88	...	W S W	3	b	8 a.	30.02	762.4	77	...	E N E	2	
Tourane,	,,	29.83	757.8	81	...	S E	2	c	,,	29.97	761.2	82	...	...	0	
Cape St. James,	,,	29.81	757.2	82	...	E S E	2	o	,,	29.90	759.5	77	...	N E	4	
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	
Manila,	4 p.	29.84	758	86	65	E S E	0	c	10 a.	29.92	760	86	71	N W	1	
Legaspi,	2 p.	29.85	758.2	82	...	E	2	b	6 a.	29.90	759.4	77	...	E	2	
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	W N W	3	
Iloilo,	,,	29.81	757.2	86	...	S E	2	o	,,	29.87	758.7	83	...	N	4	
Cebu,	,,	29.80	756.9	86	...	N	1	o	,,	29.87	758.7	85	...	N	3	
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.89	759.2	83	...	...	...	

On the 26th at 2.30 p.—Signals lowered.

On the 27th at 11.55 a.—The typhoon which doubtless commenced to fill up on entering the coast, appears have crossed the West river in the neighbourhood of Wuchow last evening.

The barometer has risen considerably in N. China and over the S. coast of China and Tongking. It has fal quickly in E. Japan, the depression lying near Korea Straits yesterday, having reached the Pacific to the S. Hokkaido.

Pressure is highest over N. China. It has a tendency to give way again over the S. Philippines.

Strong monsoon may be expected in the Formosa Channel, and the wind will probably shift to the N. and N and freshen along the S. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	Variable to N.E. winds, light to fresh; fair at f [rain la
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 27th October, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	27TH OCTOBER, 1909, P.M.								28TH OCTOBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
o, ...	,,	29.77	756.1	...	...	N E	6	...	6 a.	29.97	761.1	...	...	N	4	...
late, ...	,,	29.85	758.2	...	...	W	6	...	,,	30.09	764.2	...	...	W	6	...
, ...	,,	29.79	756.6	...	...	N	4	...	,,	30.10	764.6	...	...	...	0	...
, ...	,,	29.99	761.8	...	...	N	4	...	,,	30.07	763.8	...	...	...	0	...
ski, ...	,,	30.07	763.8	...	...	N	6	...	,,	30.11	764.8	...	...	...	0	...
hima, ...	,,	30.03	762.9	...	...	N W	4	...	,,	30.08	763.9	...	...	N W	2	...
a, ...	,,	30.04	763.1	...	...	N	6	...	,,	30.04	763.1	...	...	N E	4	...
.....	,,	30.01	762.2	...	...	N	2	...	,,	29.97	761.2	...	...	...	0	...
kijima, ...	,,	29.97	761.3	...	...	E	6	...	,,	29.93	760.3	...	...	S	8	...
ls.	,,	29.96	761.1	...	...	W	6	...	,,	29.97	761.1	...	...	S W	2	...
o, ...	4 p.	30.34	770.6	49	64	N	2	c	6 a.	30.22	767.6	50	65	N	4	b
siwei, ...	,,	30.31	769.9	48	...	N N W	1	o	9 a.	30.31	769.9	52	...	N W	1	o
ow, ...	,,	30.28	769.1	58	94	N E	1	o	6 a.	30.37	771.4	53	100	N	2	or
ang, ...	,,	...	...	...	...	...	...	...	,,	30.27	768.8	57	94	N E	4	o
hai, ...	,,	30.13	766.6	60	100	N N E	2	omr	9 a.	...	...	...	...	...	...	...
iff, ...	,,	30.15	765.8	64	89	N E	3	omr	,,	30.21	767.3	62	76	N N E	4	ov
Peak, ...	,,	30.08	764.0	73	95	N E	2	or	,,	30.07	763.8	71	90	N	1	or
.....	,,	29.98	761.5	79	82	E	2	o	6 a.	30.04	763.0	73	86	N E	1	b
w, ...	,,	29.93	760.2	78	86	E	2	c	,,	...	...	...	...	...	...	...
ku, ...	1 p.	29.95	760.7	...	...	E	2	...	5 a.	30.01	762.1	...	...	...	0	...
a, ...	,,	30.02	762.4	...	...	W	2	...	,,	30.00	761.9	...	...	...	0	...
n, ...	,,	30.00	761.9	...	...	W	4	...	,,	29.99	761.8	...	...	N	4	...
m, ...	,,	29.98	761.6	...	...	E	6	...	,,	29.98	761.5	...	...	E	2	...
dores, ...	,,	30.00	762.0	...	...	N	6	...	,,	30.01	762.3	...	...	N E	8	...
n, ...	3 p.	29.95	760.7	83	76	W	1	b	9 a.	...	...	...	...	...	...	...
kong, ...	4 p.	29.93	760.2	81	83	E	1	c	10 a.	30.07	763.8	72	89	N	1	od
ial Peak, ...	,,	...	...	...	...	S	1	...	,,	...	...	...	...	N E	1	...
ck, ...	,,	29.89	759.2	...	...	S S E	2	...	,,	29.99	761.7	...	...	N	5	...
.....	,,	29.94	760.5	80	...	S	1	c	,,	30.06	763.5	77	...	N N W	2	c
w, ...	3 p.	29.90	759.4	76	...	N W	1	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.94	760.5	81	...	E S E	4	b	8 a.	30.05	763.2	75	...	N E	4	b
ne, ...	,,	29.91	759.6	79	...	E	1	c	,,	...	...	...	...	...	...	...
t. James, .	,,	29.80	756.8	82	...	E	4	c	,,	29.89	759.2	79	...	N N E	2	c
, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
, ...	4 p.	29.80	757	82	85	N N W	1	o	10 a.	29.88	759	84	77	W N W	1	o
, ...	2 p.	29.81	757.1	82	...	E	2	o	6 a.	29.84	757.3	79	...	E	2	...
, ...	3 p.	...	...	...	...	N W	4	o	9 a.	...	...	...	...	W S W	3	o
.....	,,	29.77	756.1	87	...	N E	2	b	,,	29.85	758.2	82	...	N E	1	op
.....	,,	29.77	756.1	86	...	N	3	b	,,	29.87	758.7	84	...	N	3	c
, ...	,,	29.79	756.6	84	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 28th at 11.55 a.—The barometer has fallen over the Loochoos a depression of slight intensity having cared to the S.W. of the islands.

The depression lying off the E. coast of Japan yesterday, has moved away over the Pacific.

Pressure is now high over China to the North of the Upper Yangtze. It is slightly low and still inclined to way over the Philippine Archipelago.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3.53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N. winds, fresh; weather improving.
ormosa Channel, ...	N.E. winds, strong.
outh coast of China between Hongkong and Lamocks, .	Same as No. 1.
outh coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 28th October, 1909.

nted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th October, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th October, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.97	761.2	46	...	...	0	o	7 a.	30.03	762.8	33	55	N	1
Nemuro, ...	,,	30.00	762.1	...	...	N	2	...	6 a.	30.01	762.1	...	...	W	2
Hakodate, ...	,,	30.05	763.2	...	...	N W	6	...	,,	29.89	759.2	...	...	...	0
Tokio, ...	,,	30.06	763.5	...	...	E	2	...	,,	29.91	759.6	...	...	N	4
Kochi, ...	,,	29.99	761.8	...	...	...	0	...	,,	29.95	760.8	...	...	S W	2
Nagasaki, ...	,,	30.03	762.8	...	...	...	0	...	,,	30.03	762.8	...	...	...	0
Kagoshima, ...	,,	30.04	762.9	...	...	...	0	...	,,	30.04	762.9	...	...	W	4
Oshima, ...	,,	30.00	762.1	...	...	N	8	...	,,	30.04	763.1	...	...	N	2
Naha,.....	,,	29.93	760.2	...	...	N	6	...	,,	30.01	762.2	...	...	E	2
Ishigakijima, ...	,,	29.93	760.3	...	...	N W	6	...	,,	29.97	761.3	...	...	N	4
Bonin Is.....	,,	29.96	761.1	...	...	S W	2	...	,,	30.01	762.1	...	...	S	2
Chefoo,.....	4 p.	30.23	767.8	55	56	N W	2	b	6 a.	30.19	766.8	53	42	N	3
Weihaiwei,.....	,,	30.21	767.3	58	...	N W	1	o	9 a.	30.29	769.3	49	...	N	1
Hankow, ...	,,	30.44	773.2	59	82	N E	1	o	6 a.	30.47	773.9	52	93	N	1
Kiukiang,.....	,,	30.25	768.3	60	76	N E	3	o	,,	30.37	771.4	56	87	N E	3
Shanghai, ...	,,	30.16	766.0	62	67	N	2	o	9 a.	30.34	770.6	60	65	N W	2
Gutzlaff, ...	,,	30.14	765.5	66	58	N	3	ov	,,	30.27	768.8	63	72	N N W	4
Sharp Peak,.....	,,	30.07	763.8	70	95	N	1	or	,,	30.07	763.8	68	90	N E	1
Amoy,.....	,,	29.99	761.7	80	74	N E	2	c	6 a.	30.07	763.8	72	85	N E	3
Swatow, ...	,,	29.98	761.5	75	90	E	2	b	,,	...	...	...	...	...	...
Taiboku,.....	1 p.	30.02	762.6	...	...	E	6	...	5 a.	30.09	764.3	...	...	E	4
Taichu, ...	,,	29.94	760.6	...	...	N	6	...	,,	29.99	761.8	...	...	N	2
Tainan,.....	,,	29.95	760.8	...	...	N	6	...	,,	29.98	761.5	...	...	N	4
Koshun.....	,,	30.00	761.9	...	...	S	2	...	,,	29.98	761.5	...	...	N E	4
Pescadores, ...	,,	29.98	761.6	...	...	N E	8	...	,,	30.01	762.2	...	...	N E	10
Canton,.....	3 p.	30.02	762.5	78	91	N	1	b	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.96	761.0	77	80	N	1	o	10 a.	30.09	764.3	75	65	N	[illegible]
Victoria Peak,...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N N E	[illegible]
Gap Rock,.....	,,	29.91	759.7	...	...	N N E	3	...	,,	30.06	763.5	...	...	N E	4
Macao, ...	,,	29.97	761.2	76	...	N	2	od	,,	30.04	763.0	75	...	N N E	2
Wuchow,.....	3 p.	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hoihow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,.....	,,	30.00	762.0	85	96	...	0	c	,,	...	...	...	...	...	...
Phulien,.....	4 p.	29.97	761.3	79	...	S S E	2	b	8 a.	30.09	764.3	75	...	N E	4
Tourane, ...	,,	29.90	759.5	77	...	N E	3	o	,,	29.97	761.1	82	..	N E	4
Cape St. James,.	,,	29.80	756.9	79	...	E N E	6	o	,,	29.83	758.8	79	...	S W	2
Aparri, ...	2 p.	29.87	758.7	...	...	E	2	b	6 a.	29.90	759.5	...	...	S	2
Manila, ...	4 p.	29.76	756	82	85	E N E	0	o	10 a.	29.86	759	84	71	E S E	[illegible]
Legaspi, ...	2 p.	29.80	757.0	86	...	E	2	c	6 a.	29.88	758.3	81	...	E	4
Bacolod, ...	3 p.	...	...	...	...	S E	1	o	9 a.	...	...	...	...	N N W	2
Iloilo, ...	,,	29.78	756.4	83	...	S	3	or	,,	29.87	758.7	81	...	N	1
Cebu, ...	,,	29.79	756.6	85	...	S	2	o	,,	29.91	759.7	82	...	...	0
Labuan, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.91	759.7	79	...	...	...

On the 29th at 11.55 a.—The barometer has risen slightly in the S. Philippines, and over China except on N.E. coast. It has fallen moderately over Japan.

A shallow depression probably exists over the China Sea to the North of Palawan, and a second depressio shown over E. Japan.

A high pressure area is lying over the continent to the North of the Upper Yangtze.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh; fine.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 29th October, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	29TH OCTOBER, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30TH OCTOBER, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	29.92	760.0	46	...	N	1	b	7 a.	29.96	761.0	33	56	W	1	o
o, ...	,,	29.85	758.1	...	...	S E	6	...	6 a.	29.73	755.1	...	...	N W	12	...
ate, ...	,,	29.73	755.2	...	...	N W	8	...	,,	29.93	760.2	...	...	N W	4	...
.....	,,	29.79	756.6	...	...	...	0	...	,,	30.06	763.6	...	...	N	4	...
.....	,,	29.91	759.8	...	...	S W	4	...	,,	30.19	766.8	...	...	S W	2	...
ki, ...	,,	30.07	763.8	...	...	N	6	...	,,	30.23	767.8	...	...	N	2	...
hima, ...	,,	30.04	762.9	...	...	N W	6	...	,,	30.23	767.9	...	...	N	4	...
a, ...	,,	30.04	763.1	...	...	N	6	...	,,	30.20	767.1	...	...	S	2	...
.....	,,	30.05	763.2	...	...	N	8	...	,,	30.13	765.2	...	...	N W	8	...
kijima, ...	,,	...	...	...	...	...	...	...	,,	30.09	764.3	...	...	N E	10	...
Is.....	,,	29.96	761.1	...	...	S	6	...	,,	30.04	763.1	...	...	...	0	...
,.....	4 p.	30.21	767.3	52	60	...	0	c	6 a.	...	...	43	67	N W	1	b
iwei,.....	,,	30.22	767.6	50	...	N W	1	b	9 a.	30.23	767.8	50	...	N W	1	b
w, ...	,,	30.43	772.9	61	94	N W	1	c	6 a.	30.40	772.1	55	94	N	1	c
ng,.....	,,	30.21	767.3	61	71	N E	3	o	,,	30.34	770.6	51	100	...	0	b
hai, ...	,,	30.28	769.1	62	46	N W	3	c	9 a.	30.37	771.4	59	43	N N W	2	b
ff, ...	,,	30.25	768.3	62	61	N N W	4	cv	,,	30.33	770.4	63	42	N N W	2	bv
Peak,.....	,,	30.08	764.0	69	89	E N E	2	c	,,	...	...	62	82	N	3	b
.....	,,	30.02	762.5	79	74	N E	4	c	6 a.	30.11	764.8	66	74	N	3	b
w, ...	,,	30.00	762.0	75	77	E	1	c	,,	...	...	...	...	...	...	..
n,.....	1 p.	30.14	765.5	...	...	E	6	...	5 a.	30.17	766.4	...	...	E	6	...
,.....	,,	29.98	761.5	...	...	N	6	...	,,	30.03	762.7	...	...	N	4	...
,.....	,,	29.98	761.4	...	...	N	6	...	,,	30.11	764.7	...	...	N	6	...
n.....	,,	29.95	760.8	...	...	N	10	...	,,	29.97	761.1	...	...	N E	10	...
lores, ...	,,	30.03	762.8	...	...	N E	10	...	,,	30.04	762.9	...	...	N E	10	...
,.....	3 p.	30.07	763.8	77	65	N	2	b	9 a.	30.17	766.3	69	70	N	1	b
ong, ...	4 p.	30.03	762.7	75	70	N E	1	o	10 a.	30.11	764.8	72	67	N E	1	o
a Peak,...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N E	3	...
ock,.....	,,	29.98	761.5	...	...	E N E	5	...	,,	30.04	763.0	...	...	E N E	6	...
.....	,,	30.02	762.5	77	...	N	2	o	,,	30.12	765.0	73	...	N N E	1	c
w,.....	3 p.	30.13	765.3	74	...	N	4	o	9 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	4 p.	30.01	762.2	79	...	N E	3	c	8 a.	30.12	765.0	73	...	N N E	3	b
e, ...	,,	29.90	759.4	72	...	E	2	or	,,	29.92	760.0	77	..	N N E	5	or
. James,.	,,	29.76	755.9	84	...	W S W	3	o	,,	29.80	756.8	77	...	W N W	4	o
.....	2 p.	29.86	758.4	...	...	N E	2	c	6 a.	29.93	760.3	...	...	S E	0	o
.....	4 p.	29.80	757	82	85	...	0	o	10 a.	29.84	758	86	71	E S E	3	c
.....	2 p.	29.81	757.1	84	...	E	2	o	6 a.	29.88	758.9	79	...	E	2	o
.....	3 p.	...	...	...	...	S S E	2	or	9 a.	...	...	...	...	N W	2	c
.....	,,	29.81	757.2	82	...	S W	2	ort	,,	29.87	758.7	82	...	N N E	2	b
.....	,,	29.81	757.2	83	...	S	1	o	,,	29.87	758.7	84	...	N	2	b
.....	,,	29.76	755.9	85	...	...	...	...	,,	29.83	757.7	80	...	...	...	...

On the 30th at 11.55 a.—The depression noted yesterday as lying to the North of Palawan, has developed. It is ably situated to the South of the Macclesfield Bank this morning, and apparently moving in a W.N.W. direction. barometer is falling over Annam.

The depression lying over E. Japan yesterday, is passing to the Pacific to the E. of Hokkaido, and pressure has ased considerably over S. Japan and the Loochoos.

The "high" area remains over the continent to the North of the Upper Yangtze.

Strong N. and N.E. winds to gales may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	N.E. winds, strong; fair.
mosa Channel, ...	N.E. winds, strong to a gale.
th coast of China between Hongkong and Lamocks,.	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday 30th October, 1909.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th October, 1909, P.M.								31st October, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.97	761.2	50	...	N W	1	o	7 a.	30.11	764.7	42	95	S E	1	
Nemuro,	,,	29.96	761.1	...	...	W	10	...	6 a.	30.24	768.1	...	...	W	4	
Hakodate,	,,	30.09	764.2	...	...	W	6	...	,,	30.25	768.2	...	...	...	0	
Tokio,	,,	30.14	765.6	...	...	N	4	...	,,	30.34	770.6	...	...	N	4	
Kochi,	,,	30.19	766.8	...	...	S E	2	...	,,	30.35	770.8	...	...	S W	2	
Nagasaki,	,,	30.23	767.8	...	...	N W	4	...	,,	30.35	770.8	...	...	E	6	
Kagoshima,	,,	30.19	766.9	...	...	N	4	...	,,	30.35	770.9	...	...	N	2	
Oshima,	,,	30.20	767.1	...	...	N	6	...	,,	30.28	769.1	...	...	S	2	
Naha,	,,	30.09	764.2	...	...	N E	6	...	,,	30.21	767.2	...	...	E	4	
Ishigakijima,	,,	30.09	764.3	...	...	N E	8	...	,,	30.05	763.3	...	...	N E	8	
Bonin Is.	,,	30.08	764.1	...	...	N	2	...	,,	30.16	766.1	...	...	N E	2	
Chefoo,	4 p.	30.16	766.0	59	43	S W	2	b	6 a.	...	...	46	62	...	0	
Weihaiwei,	,,	30.17	766.3	57	...	N W	2	b	9 a.	30.24	768.1	59	...	N W	1	
Hankow,	,,	30.38	771.6	65	84	N E	1	o	6 a.	30.35	770.9	59	100	N E	1	
Kiukiang,	,,	30.21	767.3	63	67	E	1	b	,,	30.30	769.6	58	81	N E	1	
Shanghai,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...	
Gutzlaff,	,,	30.29	769.3	65	49	N N W	1	bv	,,	30.35	770.9	60	60	N N E	1	
Sharp Peak,	,,	30.17	766.3	63	83	N E	2	b	,,	30.24	768.1	66	84	N	3	
Amoy,	,,	30.04	763.0	78	61	N N E	5	b	6 a.	30.08	764.0	69	75	N	3	
Swatow,	,,	30.00	762.0	76	64	E	2	b	,,	30.09	764.3	65	90	N E	1	
Taihoku,	1 p.	30.08	764.0	...	...	E	8	...	5 a.	30.12	764.9	...	...	E	6	
Taichu,	,,	29.98	761.4	...	...	S W	2	...	,,	30.04	762.9	...	...	...	0	
Tainan,	,,	30.00	762.0	...	...	N W	4	...	,,	30.02	762.6	...	...	...	0	
Koshun	,,	29.97	761.3	...	...	N E	10	...	,,	30.00	761.9	...	...	N E	10	
Pescadores,	,,	30.03	762.7	...	...	N E	10	...	,,	30.03	762.8	...	...	N E	8	
Canton,	3 p.	30.05	763.2	76	64	N E	1	b	9 a.	30.14	765.5	71	71	N	1	
Hongkong,	4 p.	30.01	762.2	74	68	E	1	o	10 a.	30.10	764.5	74	66	E N E		
Victoria Peak,	,,	...	...	...	...	N E	3	...	,,	...	...	...	...	E N E		
Gap Rock,	,,	29.96	761.0	...	...	E N E	6	...	,,	30.05	763.2	...	...	E N E		
Macao,	,,	30.01	762.2	75	...	N N E	1	c	,,	30.09	764.3	73	...	N E	2	
Wuchow,	3 p.	30.06	763.5	77	...	E	2	c	9 a.	30.18	766.6	69	...	E	3	
Hoihow,	,,	30.00	762.0	74	100	E N E	4	o	,,	...	...	...	...	...	...	
Pakhoi,	,,	...	...	80	53	W	1	c	,,	...	...	...	...	...	...	
Phulien,	4 p.	29.93	761.4	82	...	W S W	1	c	8 a.	...	...	...	...	...	...	
Tourane,	,,	29.83	757.7	75	...	N N E	5	o	,,	...	...	...	...	...	...	
Cape St. James,	,,	29.67	753.6	84	...	W N W	5	o	,,	...	...	...	...	...	...	
Aparri,	2 p.	29.89	759.3	...	...	E	2	b	6 a.	29.95	760.8	...	...	S W	0	
Manila,	4 p.	29.80	757	84	71	E S E	1	o	10 a.	29.92	760	84	64	E	1	
Legaspi,	2 p.	29.82	757.3	86	...	E	2	b	6 a.	29.89	759.2	79	...	E	2	
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N W	1	
Iloilo,	,,	29.77	756.1	86	...	N E	1	c	,,	29.89	759.2	82	...	N E	2	
Cebu,	,,	29.80	756.9	86	...	N W	...	c	,,	29.89	759.2	86	...	N	1	
Labuan,	,,	29.78	756.4	87	...	...	...	...	,,	...	...	...	...	...	...	

On the 31st at 12.25 p.—The returns from Indo-China are lacking, but probably the typhoon is situated to South of the Paracels, and moving towards the Annam coast.

The barometer is inclined to fall over China, while it has risen considerably over Japan.

The high pressure area is shifting to the Eastward. It extends from the Lower Yangtze to E. Japan.

Strong N.E. and E. winds to gales may be expected in the Formosa Channel and the N. part of the China S

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. and E. winds, strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. to E. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday 31st October, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	31st OCTOBER, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st NOVEMBER, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	30.05	763.2	52	...	S	6	c	7 a.	30.14	765.5	49	95	S E	1	o
ro, ...	,,	30.24	768.1	...	...	S	8	...	6 a.	30.23	769.1	...	...	S	6	...
late, ...	,,	30.24	768.2	...	...	S W	2	...	,,	30.28	769.2	...	...	N W	2	...
, ...	,,	30.30	769.6	...	...	N E	2	...	,,	30.34	770.6	...	...	N W	2	...
, ...	,,	30.31	769.8	...	...	E	2	...	,,	30.39	771.8	...	...	S W	2	...
aki, ...	,,	30.35	770.8	...	...	S	6	...	,,	30.35	770.8	...	...	E	2	...
hima, ...	,,	30.31	769.9	...	...	S E	2	...	,,	30.31	769.9	...	...	N E	4	...
a, ...	,,	30.28	769.1	...	...	N E	6	...	,,	30.24	768.1	...	...	S	2	...
.....	,,	30.20	767.2	...	...	N E	8	...	,,	30.17	766.2	...	...	E	2	...
kijima, ...	,,	30.09	764.3	...	...	E	8	...	,,	30.05	766.3	...	...	E	10	...
Is.....	,,	30.16	766.1	...	...	N E	4	...	,,	30.16	766.1	...	...	...	...	...
o, ...	4 p.	30.19	766.5	65	85	S W	2	b	6 a.	30.21	767.3	52	93	...	0	c
iwei, ...	,,	30.19	766.8	60	...	N W	1	b	9 a.	30.25	767.8	62	...	N W	2	b
ow, ...	,,	30.33	770.4	63	94	N E	1	o	6 a.	30.32	770.1	57	94	S E	1	o
ang, ...	,,	30.36	771.1	62	77	N E	2	o	,,	30.31	769.9	57	94	N	1	o
hai, ...	,,	30.29	769.3	59	76	E	1	om	9 a.	...	...	...	...	...	...	...
aff, ...	,,	30.29	769.3	61	66	N E	1	ov	,,	...	...	...	...	...	...	...
Peak, ...	,,	30.18	766.6	67	79	N	4	o	,,	30.17	766.3	68	95	N W	2	c
.....	,,	30.03	762.7	73	58	N	2	c	6 a.	30.06	763.5	...	...	...	...	...
w, ...	,,	30.06	763.5	76	73	N E	2	b	,,	30.07	763.8	70	90	N W	2	b
ku, ...	1 p.	30.08	764.0	...	...	E	8	...	5 a.	30.04	763.1	...	...	E	6	...
a, ...	,,	29.99	761.7	...	...	N W	2	...	,,	30.04	763.0	...	...	...	0	...
a, ...	,,	30.00	762.1	...	...	N W	6	...	,,	30.03	762.8	...	...	S	2	...
n.....	,,	30.01	762.2	...	...	N E	8	...	,,	30.04	762.9	...	...	N E	6	...
lores, ...	,,	30.04	763.0	...	...	N E	10	...	,,	30.04	763.0	...	...	N E	10	...
a, ...	3 p.	30.06	763.5	76	69	N	2	c	9 a.	30.15	765.8	69	90	N	2	o
ong, ...	4 p.	30.02	762.5	76	70	E	1	o	10 a.	30.09	764.3	75	75	E N E	1	o
Peak, ...	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	E N E	3	...
k, ...	,,	29.97	761.2	...	...	E N E	6	...	,,	30.01	762.2	...	...	E	6	...
.....	,,	30.03	762.7	75	...	N E	1	o	,,	30.09	764.3	72	...	N E	2	od
w, ...	3 p.	30.08	764.0	73	...	N	2	c	9 a.	30.19	766.8	70	...	N E	2	b
w, ...	,,	29.95	760.7	76	100	E	6	o	,,	...	...	...	...	...	...	...
i, ...	,,	29.99	761.7	83	63	N E	2	o	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.96	761.1	79	...	N N E	3	o	8 a.	30.05	763.2	70	...	N N E	3	or
ne, ...	,,	...	...	...	...	...	...	...	,,	29.76	756.0	77	...	E N E	5	or
t. James, .	,,	29.64	752.9	77	...	W N W	6	o	,,	29.76	755.9	79	...	W S W	5	o
, ...	2 p.	29.91	759.8	...	...	E	2	b	6 a.	29.97	761.3	75	...	S	0	b
, ...	4 p.	29.84	758	84	71	E	1	o	10 a.	29.96	761	82	77	W	0	o
i, ...	2 p.	29.85	758.2	86	...	E	2	c	6 a.	29.90	759.4	79	...	E	2	b
, ...	3 p.	...	...	...	...	W N W	2	o	9 a.	...	...	...	...	N W	2	c
.....	,,	29.85	758.2	84	...	N E	2	c	,,	29.91	759.7	83	...	N E	2	b
.....	,,	29.83	757.7	87	...	N	1	b	,,	29.91	759.7	85	...	...	0	c
n, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.95	760.7	82	...	...	...	...

On the 1st at 11.55 a.—The typhoon has entered Annam to the South of Tourane.

Barometric changes in other areas are unimportant.

The area of high pressure extends from the Lower Yangtze to E. Japan.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, fresh ; some rain.
Formosa Channel, ...	N.E. winds, strong.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,

Director.

Hongkong Observatory, Monday, 1st November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st November, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd November, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	30.09	764.4	47	...	S E	1	b	7 a.	30.15	765.9	46	92	S E	1
Nemuro, ...	,,	30.24	768.1	...	...	S W	8	...	6 a.	30.28	769.1	...	...	...	0
Hakodate, ...	,,	30.24	768.2	...	...	W	6	...	,,	30.28	769.2	...	...	...	0
Tokio, ...	,,	30.30	769.6	...	...	N E	2	...	,,	30.30	769.6	...	...	N	2
Kochi, ...	,,	30.31	769.8	...	...	...	0	...	,,	30.31	769.8	...	...	S W	2
Nagasaki, ...	,,	30.27	768.8	...	...	N E	2	...	,,	30.23	767.8	...	...	E	2
Kagoshima, ...	,,	30.27	768.9	...	...	N E	6	...	,,	30.19	766.9	...	...	E	3
Oshima, ...	,,	...	...	...	...	E	6	...	,,	30.08	764.1	...	...	S E	4
Naha, ...	,,	30.09	764.2	...	...	E	6	...	,,	30.05	763.2	...	...	E	2
Ishigakijima, ...	,,	30.05	763.3	...	...	E	4	...	,,	29.97	761.3	...	...	E	6
Bonin Is.	,,	30.12	765.1	...	...	N E	2	...	,,	30.12	765.1	...	...	N E	2
Chefoo, ...	4 p.	30.14	765.5	63	95	N	3	b	6 a.	30.18	766.6	58	81	S W	2
Weihaiwei, ...	,,	30.15	765.8	68	...	N W	2	b	9 a.	...	...	...	...	...	...
Hankow, ...	,,	30.39	771.9	62	89	S E	1	o	6 a.	30.22	767.6	59	100	N E	1
Kiukiang, ...	,,	...	...	...	...	...	...	...	,,	30.20	767.1	60	94	N W	1
Shanghai, ...	,,	30.20	767.1	59	94	E N E	1	od	9 a.	30.19	766.8	66	95	E	1
Gutzlaff, ...	,,	30.18	766.6	60	94	N E	4	omd	,,	30.19	766.8	65	95	E N E	4
Sharp Peak, ...	,,	30.00	762.0	70	90	N	1	o	,,	30.06	763.5	70	95	N	1
Amoy, ...	,,	29.99	761.7	80	78	S E	1	o	6 a.	30.02	762.5	74	86	N E	1
Swatow, ...	,,	29.96	761.0	76	86	E	1	o	,,	...	...	...	...	...	...
Taihoku, ...	1 p.	29.98	761.6	...	...	E	4	...	5 a.	30.02	762.5	...	...	...	0
Taichu, ...	,,	29.99	761.8	...	...	W	2	...	,,	30.01	762.1	...	...	N	2
Tainan, ...	,,	30.02	762.4	...	...	N W	6	...	,,	30.01	762.1	...	...	...	0
Koshun	,,	30.00	762.0	...	...	E	6	...	,,	29.99	761.8	...	...	...	0
Pescadores, ...	,,	30.02	762.5	...	...	N	8	...	,,	30.01	762.1	...	...	N E	6
Canton, ...	3 p.	30.02	762.5	76	73	N N E	1	o	9 a.	...	...	...	...	...	...
Hongkong, ...	4 p.	29.99	761.7	76	74	E	1	o	10 a.	30.05	763.2	77	80	E	3
Victoria Peak, ...	,,	...	...	...	...	E N E	3	...	,,	...	...	...	...	E	4
Gap Rock, ...	,,	29.95	760.7	...	...	E	5	...	,,	30.01	762.2	...	...	E N E	5
Macao, ...	,,	29.97	761.2	73	...	N N E	1	od	,,	30.08	764.0	75	...	N E	4
Wuchow, ...	3 p.	30.08	764.0	70	...	E	3	o	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	29.91	759.7	74	100	E N E	6	o	,,	...	...	...	...	...	...
Pakhoi, ...	,,	29.99	761.7	77	100	N E	4	or	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.96	761.0	68	...	N	3	or	8 a.	29.98	761.4	68	...	N N E	3
Tourane, ...	,,	29.69	754.1	77	...	E N E	4	o	,,	29.84	757.8	77	...	E S E	4
Cape St. James, .	,,	29.70	754.3	82	...	S W	5	o	,,	29.85	758.2	81	...	S W	4
Aparri, ...	2 p.	29.92	759.9	84	...	N E	2	o	6 a.	29.95	760.7	75	...	S	0
Manila, ...	4 p.	29.84	758	82	77	W N W	1	c	10 a.	29.92	760	82	70	N W	1
Legaspi, ...	2 p.	29.84	757.9	86	...	N E	2	b	6 a.	29.89	759.2	73	...	...	0
Bacolod, ...	3 p.	...	...	...	...	E	2	o	9 a.	...	...	...	...	N N W	3
Iloilo, ...	,,	29.83	757.7	81	...	N W	2	c	,,	29.91	759.7	82	...	N E	2
Cebu, ...	,,	29.80	758.0	87	...	N	1	c	,,	29.90	759.4	86	...	N	1
Labuan, ...	,,	29.82	757.4	84	...	...	...	...	,,	29.95	760.7	82	...	...	...

On the 2nd at 11.55 a.—The barometer has risen over the Annam coast, the typhoon having moved away inla Pressure has given way over China, W. Japan and the Loochoos. A depression appears to be developing o the Eastern Sea.

The high pressure area lies over E. Japan.

Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	E. to N.E. winds, moderate or fresh ; some rain
2.—Formosa Channel, ...	N.E. winds, moderate.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 2nd November 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	2ND NOVEMBER, 1909, P.M.								3RD NOVEMBER, 1909, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	30.12	765.0	52	...	...	0	b	7 a.	29.93	760.3	50	97	S E	1	o
,.....	,,	30.24	768.1	...	...	S	4	...	6 a.	30.28	769.1	...	...	S	4	...
ite,.....	,,	30.28	769.2	...	...	W	2	...	,,	30.28	769.2	...	...	...	0	...
.....	,,	30.26	768.6	...	...	N	2	...	,,	30.30	769.6	...	...	N	2	...
.....	,,	30.27	768.8	...	...	W	2	...	,,	30.27	768.8	...	...	S W	4	...
ki, ...	,,	30.19	766.8	...	...	S E	2	...	,,	30.11	764.8	...	...	E	4	...
ima, ...	,,	30.15	765.9	...	...	E	8	...	,,	30.12	764.9	...	...	E	6	...
,.....	,,	30.08	764.1	...	...	...	0	...	,,	30.04	763.1	...	...	S	2	...
.....	,,	30.01	762.2	...	...	S E	2	...	,,	30.01	762.2	...	...	...	0	...
hijima,....	,,	29.97	761.3	...	...	S	4	...	,,	29.97	761.3	...	...	N E	2	...
Is.....	,,	30.00	762.1	...	...	N E	2	...	,,	30.08	764.1	...	...	...	0	...
,.....	4 p.	30.12	765.0	66	64	W	3	c	6 a.	29.97	761.2	62	89	S E	2	c
iwei,.....	,,	30.14	765.5	64	...	N	2	b	9 a.	...	...	...	...	...	...	...
w, ...	,,	30.17	766.3	71	90	S E	1	b	6 a.	30.12	765.0	65	...	S E	1	b
ng,.....	,,	30.12	765.0	62	95	W	1	or	,,	30.06	763.5	64	95	S S W	1	o
ai, ...	,,	30.10	764.5	69	85	E	1	c	9 a.	30.07	763.8	68	95	S S E	1	om
ff, ...	,,	30.08	764.0	69	85	E	3	cv	,,	30.05	763.2	70	95	S E	2	cm
Peak,.....	,,	29.95	760.7	71	95	N E	1	c	,,	30.00	762.0	71	...	W	1	b
.....	,,	29.99	761.7	80	74	E N E	3	o	6 a.	29.99	761.7	72	90	...	0	c
v, ...	,,	29.96	761.0	76	86	E	1	o	,,	...	...	...	...	...	...	...
n,.....	1 p.	29.99	761.7	...	...	E	6	...	5 a.	29.99	761.7	...	...	E	2	...
,.....	,,	29.96	760.9	...	...	N	2	...	,,	30.00	761.9	...	...	...	0	...
,.....	,,	29.96	761.1	...	...	W	4	...	,,	30.00	761.9	...	...	N	2	...
,.....	,,	29.96	761.1	...	...	E	2	...	,,	29.99	761.8	...	...	...	0	...
ores, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	3 p.	29.98	761.5	76	86	N	1	or	9 a.	...	...	...	...	...	...	...
ong, ...	4 p.	29.95	760.7	76	83	E	3	o	10 a.	30.05	763.2	78	73	E	3	o
Peak,...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	4	...
ck,.....	,,	29.91	759.7	...	...	E	5	...	,,	29.97	761.2	...	...	E	5	...
.....	,,	29.95	760.7	75	...	S E	4	o	,,	30.07	763.8	75	...	N E	1	o
w,.....	3 p.	29.99	761.7	73	...	S W	1	o	9 a.	...	...	...	...	...	...	...
,.....	,,	29.92	759.9	75	100	E	2	o	,,	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	4 p.	29.89	759.1	72	...	N E	4	or	8 a.	29.97	761.1	73	...	N N E	3	or
e, ...	,,	29.77	756.1	79	...	E S E	3	c	,,	29.91	759.7	79	..	S E	2	o
James,.	,,	29.78	756.3	81	...	S W	4	o	,,	29.91	759.8	81	...	W S W	3	o
.....	2 p.	29.90	759.5	84	...	N E	2	b	6 a.	29.94	760.5	73	...	N E	2	c
.....	4 p.	29.84	758	82	85	...	0	c	10 a.	29.92	760	82	71	...	0	o
,.....	2 p.	29.83	757.6	84	...	N E	2	c	6 a.	29.85	758.2	73	...	...	0	b
,.....	3 p.	...	...	...	...	N W	4	o	9 a.	...	...	...	...	N N W	2	o
.....	,,	29.81	757.2	86	...	N N E	2	c	,,	29.91	759.7	83	...	E N E	1	b
.....	,,	29.79	756.6	86	...	N	2	b	,,	29.86	758.4	87	...	S E	1	c
,.....	,,	29.83	757.7	87	...	...	...	...	,,	29.95	760.7	80	...	...	...	...

On the 3rd at 11.55 a.—The barometer has risen moderately in Annam, and fallen considerably over N. China.
A depression which is probably moving Eastwards, has appeared over Manchuria.
The high pressure area remains over E. Japan.
Gradients are slight over the China coast, and light variable winds may be expected in the Formosa Channel, moderate monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ngkong and Neighbourhood, ...	N.E. winds, moderate; fair.
mosa Channel, ...	Variable winds, light.
th coast of China between Hongkong and Lamocks,.	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 3rd November, 1909.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd November, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th November, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,...	2 p.	29.96	761.0	48	...	W	1	o	7 a.	30.14	765.5	14	48	N	4
Nemuro, ...	,,	30.16	766.1	...	...	S	10	...	6 a.	29.85	758.1	...	...	S	10
Hakodate, ...	,,	30.13	765.2	...	...	S	2	...	,,	29.73	755.2	...	...	W	6
Tokio, ...	,,	30.22	767.6	...	...	N	2	...	,,	30.02	762.6	...	...	...	0
Kochi, ...	,,	30.15	765.8	...	...	S E	2	...	,,	29.95	760.8	...	...	N	2
Nagasaki, ...	,,	30.03	762.8	...	...	E	6	...	,,	29.91	759.8	...	...	N	6
Kagoshima, ...	,,	30.07	763.9	...	...	E	6	...	,,	29.92	759.9	...	...	S	2
Oshima, ...	,,	30.00	762.1	...	...	S E	4	...	,,	29.93	760.1	...	...	S W	2
Naha, ...	,,	29.97	761.2	...	...	S E	2	...	,,	29.93	760.2	...	...	...	0
Ishigakijima, ...	,,	29.97	761.3	...	...	E	4	...	,,	29.97	761.3	...	...	N	2
Bonin Is.	,,	30.00	762.1	...	...	N	6	...	,,	30.00	762.1	...	...	N	2
Chefoo, ...	4 p.	30.25	768.3	47	77	N N W	5	o	6 a.	30.46	773.7	31	78	N N W	6
Weihaiwei, ...	,,	30.14	765.5	41	...	N W	4	...	9 a.	30.43	772.9	31	...	N	3
Hankow, ...	,,	30.26	768.6	63	67	N E	3	o	6 a.	...	...	...	...	...	...
Kiukiang, ...	,,	30.03	762.7	72	71	...	0	b	,,	...	...	...	...	...	...
Shanghai, ...	,,	30.01	762.2	67	95	W	2	o	9 a.	...	...	...	...	...	...
Gutzlaff, ...	,,	30.11	764.8	68	95	N W	1	om	,,	30.31	769.9	56	69	N	6
Sharp Peak, ...	,,	29.94	760.5	73	...	W	1	b	,,	30.10	764.5	...	...	N W	4
Amoy, ...	,,	29.99	761.7	79	82	N E	1	c	6 a.	29.99	761.7	73	90	...	0
Swatow, ...	,,	29.92	759.9	82	71	E S E	2	b	,,	29.96	761.0	73	90	N E	2
Taihoku, ...	1 p.	29.96	761.1	...	...	E	6	...	5 a.	30.01	762.2	...	...	E	2
Taichu, ...	,,	29.95	760.7	...	...	W	2	...	,,	30.00	761.9	...	...	...	0
Tainan, ...	,,	29.98	761.4	...	...	N W	4	...	,,	29.98	761.5	...	...	E	2
Koshun	,,	29.97	761.2	...	...	E	4	...	,,	29.97	761.1	...	...	...	0
Pescadores, ...	,,	29.98	761.6	...	...	N	6	...	,,	29.98	761.5	...	...	N E	6
Canton, ...	3 p.	29.97	761.2	82	75	...	0	c	9 a.	30.03	764.0	69	90	N	2
Hongkong, ...	4 p.	29.96	761.0	76	80	E	2	c	10 a.	30.05	763.2	77	84	E S E	2
Victoria Peak, ...	,,	...	...	...	...	E	4	...	,,	...	...	...	...	E	2
Gap Rock, ...	,,	29.92	759.9	...	...	E	4	...	,,	30.00	762.0	...	...	E N E	3
Macao, ...	,,	29.97	761.2	77	...	E S E	1	c	,,	...	...	80	...	S E	1
Wuchow, ...	3 p.	29.98	761.5	81	...	E	1	o	9 a.	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi, ...	,,	29.95	760.7	81	96	S E	2	c	,,	...	...	...	...	...	...
Phulien, ...	4 p.	29.92	760.0	75	...	W	2	o	8 a.	30.01	762.1	73	...	N E	3
Tourane, ...	,,	29.83	757.7	79	...	S E	3	c	,,	29.94	760.5	82	...	E S E	2
Cape St. James, .	,,	29.80	757.0	84	...	S S W	4	b	,,	...	...	...	...	...	...
Aparri, ...	2 p.	29.89	759.1	82	...	N E	2	c	6 a.	29.93	760.2	75	...	N E	2
Manila, ...	4 p.	29.84	758	84	71	N N E	1	o	10 a.	29.88	759	82	77	E N E	0
Legaspi, ...	2 p.	29.79	756.6	84	...	E	2	c	6 a.	29.84	758.0	75	...	...	0
Bacolod, ...	3 p.	...	...	...	...	N N E	3	c	9 a.	...	...	...	...	N N W	2
Iloilo, ...	,,	29.81	757.2	84	...	S W	1	c	,,	29.87	758.7	81	...	N E	2
Cebu, ...	,,	29.79	756.6	86	...	...	0	od	,,	29.85	758.2	84	...	...	0
Labuan, ...	,,	29.82	757.4	85	...	...	...	...	,,	29.92	759.9	82	...	...	...

On the 4th at 11.55 a.—The barometer has fallen rapidly over N.E. Japan, the depression lying over Manc yesterday, having reached Hokkaido.

An anticyclonic area of considerably intensity now lies over the Continent to the North of the Yangtze v and pressure has increased very quickly over N. China.

Pressure is slightly low and giving way over the S. Philippines.

Heavy monsoon prevails in the North, and N.E. gales are expected to set in over the Formosa Channel and N. part of the China Sea, during the 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, freshening to a moderate gale ; so
2.—Formosa Channel, ...	Strong N.E. gale.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan, ...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 4th November, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ION.	4TH NOVEMBER, 1909, P.M.									5TH NOVEMBER, 1909, A.M.								
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.		HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
stock,...	2 p.	30.20	767.2	18	...	NNE	1	b		7 a.	30.32	770.1	7	54	ENE	1	b
.....	"	29.57	751.1	...	...	S	10	...		6 a.	29.81	757.1	...	...	N	6	...
e, ...	"	29.69	754.2	...	...	N	6	...		"	29.97	761.2	...	...	N	6	...
.....	"	29.87	758.6	...	...	N	2	...		"	29.83	757.6	...	...	N	6	...
.....	"	29.76	755.8	...	...	N	2	...		"	29.95	760.8	...	...	..	0	...
i, ...	"	29.91	759.8	...	...	N	8	...		"	30.11	764.8	...	...	N	6	...
ma, ...	"	29.88	758.9	...	...	N	6	...		"	30.08	763.9	...	...	N W	2	...
.....	"	29.93	760.1	...	...	N	8	...		"	30.08	764.1	...	...	N	8	...
.....	"	29.93	760.2	...	...	N	8	...		"	30.05	763.2	...	...	N	10	...
jima,....	"	29.97	761.3	...	...	N E	6	...		"	30.05	763.3	...	...	N E	8	...
s.....	"	29.93	760.1	...	...	E	2	...		"	29.93	760.1	...	...	S	4	...
.....	4 p.	30.43	772.9	37	62	N	2	b		6 a.	30.41	772.4	36	79	S S W	2	b
ei,.....	"	30.42	772.6	35	...	N	3	b		9 a.	30.43	772.9	44	...	N W	1	b
, ...	"	30.48	774.2	63	57	N E	2	b		6 a.	30.44	773.2	51	93	N E	2	c
g,.....	"	...	...	...	...	...	...	...		"	30.46	773.7	50	86	N E	2	o
i, ...	"	30.34	770.6	52	60	N	3	o		9 a.	30.47	773.9	54	61	N	2	b
.....	"	30.29	769.3	55	62	N	6	om		"	30.41	772.4	55	62	N	4	ov
eak,.....	"	30.07	763.8	69	75	N E	5	c		"	30.20	767.1	65	89	N	2	c
.....	"	30.01	762.2	75	77	N E	6	o		6 a.	30.11	764.8	66	69	N E	4	c
.....	"	29.94	760.5	73	74	E	3	c		"	...	...	...	...	...	...	...
.....	1 p.	30.07	763.9	...	...	E	2	...		5 a.	30.19	766.9	...	...	E	4	...
.....	"	29.95	760.7	...	...	N	6	...		"	30.02	762.4	...	...	N	4	...
.....	"	29.95	760.8	...	...	N W	6	...		"	30.01	762.1	...	...	N E	6	...
.....	"	29.98	761.6	...	...	E	4	...		"	29.98	761.4	...	...	E	10	...
es, ...	"	30.00	761.9	...	...	N E	10	...		"	30.03	762.7	...	...	N E	10	...
.....	3 p.	30.05	763.2	64	95	N	2	o		9 a.	30.24	768.1	59	88	N	2	o
g, ...	4 p.	29.99	761.7	74	88	W	1	o		10 a.	30.16	766.0	68	72	N	1	o
Peak,...	"	...	...	...	...	E N E	2	...		"	...	...	...	...	N E	4	...
s,.....	"	29.93	760.2	...	...	N N W	4	...		"	30.08	764.0	...	...	N E	6	...
.....	"	29.99	761.7	71	...	N N W	5	c		"	30.17	766.3	64	...	N	3	c
.....	3 p.	30.16	766.0	61	90	N	5	od		9 a.	...	...	...	...	...	...	...
.....	"	29.96	761.0	73	...	E	5	b		"	...	...	...	...	...	...	...
.....	"	...	...	67	90	N	6	o		"	...	...	...	...	...	...	...
.....	4 p.	29.93	761.4	70	...	N N E	4	or		8 a.	30.17	766.3	61	...	N N W	3	o
.....	"	29.87	758.6	79	...	E S E	1	c		"	29.95	760.7	...	..	S	...	...
James,.	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
.....	2 p.	29.87	758.8	84	...	N E	2	b		6 a.	29.92	760.0	73	...	N	2	b
.....	4 p.	29.80	757	86	65	E N E	4	c		10 a.	29.88	759	84	71	N E	2	o
.....	2 p.	29.78	756.4	81	...	E	4	o		6 a.	29.80	756.8	81	...	N E	2	c
.....	3 p.	...	...	...	...	N E	3	o		9 a.	...	...	...	...	N N W	1	o
.....	"	29.77	756.1	83	...	N N E	1	o		"	29.83	757.7	81	...	N	1	b
.....	"	29.75	755.6	84	...	...	0	c		"	29.82	757.4	82	...	...	0	o
.....	"	29.82	757.4	84	...	...	...	...		"	29.88	759.9	80	...	...	...	...

n the 5th at 11.55 a.—The depression in the North is moving away over the Pacific to the E. of Japan.
he barometer has risen over the Sea of Japan, the Loochoos and S. China. It has fallen slightly over the S.
pines probably owing to the advance of a depression from the Eastward.
he high pressure area remains over the continent to the North of the Yangtze valley.
rong N. and N.E. winds to gales may be expected in the Formosa Channel and the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N.E. winds, strong: fair.
nosa Channel, ...	N.E. gale.
h coast of China between Hongkong and Lamocks,.	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

ongkong Observatory, Friday, 5th November, 1909.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th November, 1909, P.M.								6th November, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.32	770.2	20	...	N	2	b	7 a.	30.41	772.3	12	62	N E	1
Nemuro,	,,	29.81	757.1	...	...	N W	6	...	6 a.	30.01	762.1	...	...	N	10
Hakodate,	,,	29.97	761.2	...	...	N	6	...	,,	30.25	768.2	...	...	W	6
Tokio,	,,	29.91	759.6	...	...	S E	4	...	,,	30.26	768.6	...	...	N	2
Kochi,	,,	29.99	761.8	...	...	...	0	...	,,	30.35	770.8	...	...	S W	2
Nagasaki,	,,	30.19	766.8	...	...	N	8	...	,,	30.43	772.8	...	...	N	4
Kagoshima,	,,	30.11	764.9	...	...	N	8	...	,,	30.39	771.9	...	...	N	2
Oshima,	,,	30.08	764.1	...	...	N	8	...	,,	30.24	768.1	...	...	N E	6
Naha,	,,	30.09	764.2	...	...	N W	10	...	,,	30.21	767.2	...	...	E	4
Ishigakijima,	,,	30.09	764.3	...	...	N	8	...	,,	30.13	765.3	...	...	N E	6
Bonin Is.	,,	29.89	759.1	...	...	W	6	...	,,	30.08	764.1	...	...	N	2
Chefoo,	4 p.	30.38	771.6	47	85	N	3	or	6 a.	30.43	772.9	41	83	S	1
Weihaiwei,	,,	30.31	769.9	45	...	N	2	o	9 a.	30.46	773.7	49	...	N	1
Hankow,	,,	30.49	774.4	60	60	N E	1	b	6 a.	30.46	773.7	52	73	S E	2
Kiukiang,	,,	30.45	772.9	57	52	N E	5	b	,,	30.40	772.1	50	86	N E	2
Shanghai,	,,	30.43	772.9	58	42	N E	3	c	9 a.	...	...	...	...	...	...
Gutzlaff,	,,	30.38	771.6	57	58	N	4	cv	,,	30.45	773.4	58	58	E	3
Sharp Peak,	,,	30.16	766.0	64	78	N E	4	c	,,	30.27	768.8	63	83	N W	2
Amoy,	,,	30.12	765.0	70	70	N E	5	o	6 a.	30.17	766.3	65	73	N E	2
Swatow,	,,	30.08	764.0	70	75	...	0	o	,,	30.14	765.5	65	73	N	4
Taihoku,	1 p.	30.19	766.9	...	...	E	6	...	5 a.	30.21	767.4	...	...	E	6
Taichu,	,,	30.00	762.1	...	...	N	6	...	,,	30.07	763.7	...	...	N	2
Tainan,	,,	30.01	762.2	...	...	N	4	...	,,	30.06	763.4	...	...	N E	2
Koshun,	,,	29.98	761.5	...	...	N E	10	...	,,	30.03	762.8	...	...	N E	10
Pescadores,	,,	30.05	763.2	...	...	N E	10	...	,,	30.08	763.9	...	...	N E	10
Canton,	3 p.	30.17	766.3	63	84	N	2	o	9 a.	30.24	768.1	63	72	N	2
Hongkong,	4 p.	30.09	764.3	68	67	N	1	o	10 a.	30.18	766.6	69	67	N E	3
Victoria Peak,	,,	...	...	...	...	N	3	...	,,	...	...	...	...	E	3
Gap Rock,	,,	30.04	763.0	...	...	N E	6	...	,,	30.14	765.5	...	...	E N E	5
Macao,	,,	30.10	764.5	66	...	N W	4	o	,,	30.19	766.8	62	...	N W	3
Wuchow,	3 p.	30.23	767.8	59	...	N	3	od	9 a.	30.28	769.1	59	...	N	[illegible]
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.15	765.8	61	89	N	5	o	,,	...	...	...	...	...	...
Phulien,	4 p.	30.08	764.9	...	...	...	1	c	8 a.	30.18	766.5	59	...	N W	2
Tourane,	,,	29.88	759.0	73	...	E S E	3	or	,,	29.99	761.7	75	..	W N W	3
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	29.88	758.9	82	...	E	2	b	6 a.	29.93	760.1	73	...	E	0
Manila,	4 p.	29.80	757	84	61	E N E	0	c	10 a.	29.84	758	81	70	N N E	2
Legaspi,	2 p.	29.74	755.5	88	...	N E	2	o	6 a.	29.70	754.4	81	...	N E	4
Bacolod,	3 p.	...	...	...	...	N N E	1	o	9 a.	...	...	...	...	N N W	5
Iloilo,	,,	29.75	755.6	81	...	...	0	o	,,	29.78	756.4	78	...	...	0
Cebu,	,,	29.71	754.6	83	...	S	1	...	,,	29.65	753.1	80	...	S	3
Labuan,	,,	29.77	756.1	87	...	...	...	...	,,	29.87	758.7	83	...	...	...

On the 6th at 11.55 a.—The barometer has fallen moderately over the S. Philippines the typhoon, moving Westerly direction, having approached the Eastern part of the Archipelago in about 11° Lat.

The barometer has risen quickly over Japan the high pressure area having spread Eastwards. It extends N. China to the Sea of Japan.

Strong N. and N.E. winds to gales may be expected in the Formosa Channel and the N. part of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG.
Director.

Hongkong Observatory, Saturday, 6th November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

on.	6th November, 1909, P.M.									7th November, 1909, A.M.								
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
tock,...	2 p.	30.31	769.8	34	...	S E	1	c		7 a.	30.11	764.9	44	79	S W	1	o
.....	,,	30.16	766.1	...	...	N W	6	...		6 a.	30.24	768.1	...	...	S W	4	...
,.....	,,	30.32	770.2	...	...	W	6	...		,,	30.32	770.2	...	...	W	6	...
.....	,,	30.34	770.6	...	...	N	6	...		,,	30.54	775.6	...	...	N	4	...
.....	,,	30.35	770.8	...	...	N	6	...		,,	30.47	773.8	...	...	S W	2	...
,.....	,,	30.43	772.9	...	...	N	6	...		,,	30.43	772.8	...	...	N	2	...
na, ...	,,	30.40	772.1	...	...	...	0	...		,,	30.43	772.9	...	...	N E	6	...
.....	,,	30.28	769.2	...	...	N E	6	...		,,	30.25	769.1	...	...	S	2	...
.....	,,	...	...	...	...	...	...	...		,,	30.25	768.2	...	...	E	6	...
jima,....	,,	30.13	765.3	...	...	N E	8	...		,,	30.05	763.3	...	...	E	8	...
.....	,,	30.12	765.1	...	...	N	4	...		,,	30.20	767.1	...	...	...	0	...
.....	4 p.	30.35	770.9	55	62	S S W	3	b		6 a.	30.30	769.6	59	76	S	1	or
ei,.....	,,	30.32	770.1	51	...	N	1	b		9 a.	30.26	768.6	49	...	N W	1	o
.....	,,	30.39	771.9	57	75	S E	2	o		6 a.	30.33	770.4	51	93	N	1	o
;.....	,,	30.30	769.6	57	69	N E	2	o		,,	30.27	768.8	53	100	N E	1	o
.....	,,	30.37	771.4	60	60	E	2	o		9 a.	30.22	767.6	60	94	E S E	2	or
.....	,,	30.41	772.4	59	65	E	4	or		,,	30.21	767.3	63	89	S E	5	om
ak,.....	,,	30.18	766.6	65	89	N W	1	c		,,	30.17	766.3	65	89	N	1	c
.....	,,	30.10	764.5	76	64	N E	6	o		6 a.	30.07	763.8	69	85	N	1	c
.....	,,	30.05	763.2	76	77	E	3	b		,,	30.04	763.0	65	84	N	4	b
.....	1 p.	30.16	766.1	...	...	E	8	...		5 a.	30.05	763.3	...	...	E	6	...
.....	,,	30.02	762.6	...	...	W	2	...		,,	30.03	762.7	...	...	...	0	...
.....	,,	30.03	762.8	...	...	W	4	...		,,	30.03	762.8	...	...	...	0	...
.....	,,	30.04	762.9	...	...	N E	6	...		,,	30.02	762.5	...	...	N	6	...
es, ...	,,	30.06	763.6	...	...	N E	10	...		,,	30.03	762.8	...	...	N E	6	...
.....	3 p.	30.13	765.3	68	70	N	2	b		9 a.	30.17	766.3	68	74	N	1	b
g, ...	4 p.	30.10	764.5	70	67	N N E	1	o		10 a.	30.11	764.8	71	59	N	1	c
Peak,...	,,	...	...	...	...	E	3	...		,,	...	...	...	...	N E	3	...
k,.....	,,	30.02	762.5	...	...	E N E	5	...		,,	30.06	763.5	...	...	N E	5	...
.....	,,	30.10	764.5	69	...	N W	4	c		,,	...	...	...	...	...	...	...
,.....	3 p.	...	...	...	...	...	...	...		9 a.	30.30	769.6	61	...	...	0	c
.....	,,	30.05	763.2	71	100	E	6	or		,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	4 p.	30.09	764.4	64	...	N N W	3	o		8 a.	30.20	767.1	61	...	N W	3	or
.....	,,	29.91	759.7	73	...	N W	3	o		,,	30.00	761.9	72	..	N W	4	Or
James,.	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...
.....	2 p.	29.89	759.3	82	...	E	2	p		6 a.	29.89	759.1	77	...	E	3	p
.....	4 p.	29.72	755	77	92	N E	1	o		10 a.	29.73	755	79	84	E	3	od
.....	2 p.	29.61	752.0	82	...	E	6	o		6 a.	...	...	...	...	..	...	...
.....	3 p.	...	...	...	...	W S W	5	op		9 a.	...	...	...	...	W S W	3	op
.....	,,	29.54	750.3	81	...	S W	3	op		,,	29.78	756.4	83	...	S	2	op
.....	,,	29.51	749.5	80	...	S	6	or		,,	29.72	754.9	85	...	N	3	b
.....	,,	29.79	756.6	84	...	...	...	...		,,	...	...	...	...	...	...	...

1 the 7th at 12.20 p.—The barometer has fallen in Luzon and risen over the S. part of the Philippine Archi-

ne typhoon has entered the China Sea and is now situated to the SW of Luzon. It appears to be moving s WNW.

essure has given way over China, particularly in the North. A depression has appeared over Manchuria, and d area of low pressure lies over the Lower Yangtze valley.

he anticyclone in central over SE Japan.

rong N. and N.E. winds to gales may be expected in the Formosa Channel and the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N. winds, fresh to strong; fair.
osa Channel, ...	N. to NE winds, strong to a gale.
h coast of China between Hongkong and Lamocks,.	N. to NE winds, strong.
h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Dircetor.

ongkong Observatory, Sunday, 7th November, 1909.

ed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	7th November, 1909, P.M.								8th November, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.12	765.0	50	...	W	1	o	7 a.	30.30	769.5	36	55	N E	2
Nemuro,	,,	30.04	763.1	...	...	S W	10	...	6 a.	30.24	768.1	...	...	N	0
Hakodate,	,,	30.24	768.2	...	...	W	6	...	,,	30.32	770.2	...	...	...	0
Tokio,	,,	30.42	772.6	...	...	N	2	...	,,	30.34	770.6	...	...	N	2
Kochi,	,,	30.35	770.8	...	...	S E	2	...	,,	30.27	768.8	...	...	S W	2
Nagasaki,	,,	30.27	768.8	...	...	S E	6	...	,,	30.19	766.8	...	...	E	10
Kagoshima,	,,	30.27	768.9	...	...	E	6	...	,,	30.23	767.9	...	...	E	2
Oshima,	,,	30.20	767.1	...	...	S	6	...	,,	30.16	766.1	...	...	...	0
Naha,	,,	30.13	765.2	...	...	S E	6	...	,,	30.09	764.2	...	...	S E	4
Ishigakijima,	,,	30.01	762.3	...	...	E	8	...	,,	30.01	762.3	...	...	E	6
Bonin Is.	,,	30.12	765.1	...	...	N	2	...	,,	30.16	766.1	...	...	N	2
Chefoo,	4 p.	30.14	765.5	50	93	E	1	or	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Hankow,	,,	30.27	768.8	60	76	W S W	1	o	6 a.	30.26	768.6	55	100	S E	2
Kiukiang,	,,	30.20	767.1	58	88	W	1	o	,,	30.21	767.3	51	93	...	0
Shanghai,	,,	30.13	765.3	59	100	W N W	1	od	9 a.	30.25	768.3	58	76	N	1
Gutzlaff,	,,	30.12	765.0	65	100	S E	2	f	,,	30.22	767.6	58	88	N	2
Sharp Peak,	,,	30.07	763.8	66	95	E	1	o	,,	30.11	764.8	69	85	N E	4
Amoy,	,,	29.95	760.7	79	78	S E	1	b	6 a.	29.99	761.7	71	95	...	0
Swatow,	,,	29.96	761.0	79	61	S E	1	b	,,	...	...	68	90	N N E	1
Taihoku,	1 p.	29.99	761.8	...	...	E	6	...	5 a.	29.97	761.1	...	...	...	0
Taichu,	,,	29.99	761.8	...	...	N	2	...	,,	29.97	761.1	...	...	...	0
Tainan,	,,	29.98	761.5	...	...	N	4	...	,,	29.96	761.0	...	...	N	4
Koshun,	,,	29.97	761.3	...	...	N E	8	...	,,	29.94	760.5	...	...	N E	8
Pescadores,	,,	29.96	761.1	...	...	N E	8	...	,,	29.96	761.0	...	...	N	8
Canton,	3 p.	30.03	762.7	77	61	N	1	b	9 a.	30.05	763.2	71	76	N	1
Hongkong,	4 p.	29.99	761.7	77	69	W	1	c	10 a.	30.00	762.0	76	67	E	2
Victoria Peak,	,,	...	...	...	...	E N E	2	...	,,	...	...	...	...	E	1
Gap Rock,	,,	29.96	761.0	...	...	N E	3	...	,,	29.96	761.0	...	...	E N E	3
Macao,	,,	30.00	762.0	77	...	N N W	3	c	,,	30.01	762.2	73	...	N W	4
Wuchow,	3 p.	30.14	765.5	66	...	W N W	2	c	9 a.	30.12	765.0	63	...	W	1
Hoihow,	,,	30.02	762.5	73	86	E N E	4	o	,,	...	...	...	...	...	...
Pakhoi,	,,	30.07	763.8	66	84	N	2	c	,,	...	...	...	...	...	...
Phulien,	4 p.	30.04	763.1	70	...	E N E	2	o	8 a.	30.06	763.5	68	...	N W	3
Tourane,	,,	29.90	759.5	73	...	N	4	o	,,	29.95	760.7	75	...	N N W	3
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.61	752	75	94	E S E	2	q	10 a.	29.80	757	82	85	S E	2
Legaspi,	2 p.	...	...	...	...	...	...	...	6 a.	29.82	757.3	77	...	...	0
Bacolod,	3 p.	...	...	...	...	S S E	2	c	9 a.	...	...	...	...	N W	2
Iloilo,	,,	29.74	755.4	80	...	S W	1	c	,,	29.85	758.2	81	...	...	0
Cebu,	,,	29.75	755.6	84	...	S	2	c	,,	29.85	758.2	84	...	...	0
Labuan,	,,	29.79	756.6	79	...	...	...	...	,,	29.91	759.7	78	...	...	...

On the 8th at 12.05 p.—The barometer has risen moderately in the S. Philippines, and fallen a like amoun S. China and Tongking.

The typhoon is situated about midway between the Macclesfield Bank and the W. coast of Luzon. It seem to be moving in a N.W. direction.

The barometer has risen slightly on the E. coast of China and fallen considerably over S. Japan. The " area lying over the Lower Yangtze yesterday is moving Eastwards over the Eastern Sea.

Pressure is high over the Sea of Japan.

Strong N. and N.E. winds to gales may be expected in the Formosa Channel and the N. part of the China

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong ; fair.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 8th November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	8TH NOVEMBER, 1909, P.M.								9TH NOVEMBER, 1909, A.M.							
	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER. Inches.	BAROMETER. Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
tock,...	2 p.	30.27	768.8	44	...	N E	1	o	7 a.	30.12	765.1	44	97	S	1	o
.....	,,	30.36	771.1	...	...	N	6	...	6 a.	30.40	772.1	...	...	E	2	...
,.....	,,	30.32	770.2	...	...	...	0	...	,,	30.36	771.2	...	...	N W	2	...
.....	,,	30.26	768.6	...	...	N	2	...	,,	30.34	770.6	...	...	N	2	...
.....	,,	30.23	767.8	...	...	...	0	...	,,	30.31	769.8	...	...	S W	2	...
, ...	,,	30.15	765.8	...	...	S	8	...	,,	30.27	768.8	...	...	S E	6	...
na, ...	,,	30.23	767.9	...	...	E	2	...	,,	30.31	769.9	...	...	...	0	...
.....	,,	30.20	767.1	...	...	N E	4	...	,,	30.24	768.1	...	...	...	0	...
.....	,,	30.09	764.2	...	...	S E	6	...	,,	30.17	766.2	...	...	E	4	...
jima,....	,,	30.01	762.3	...	...	E	6	...	,,	30.05	763.3	...	...	E	10	...
.....	,,	30.12	765.1	...	...	E	2	...	,,	30.20	767.1	...	...	...	0	...
.....	4 p.	30.17	766.3	56	81	E S E	1	b	6 a.	30.26	768.6	51	93	...	0	o
ei,.....	,,	30.19	766.8	55	...	N E	1	o	9 a.	30.29	769.3	50	...	N E	1	r
.....	,,	30.22	767.6	65	84	N E	1	c	6 a.	30.34	770.6	58	100	S E	1	or
,.....	,,	30.09	764.3	65	73	N E	1	b	,,	30.19	766.8	45	...	...	0	o
l, ...	,,	30.16	766.0	64	73	E	1	c	9 a.	30.16	766.0	65	100	S E	1	of
.....	,,	29.16	766.0	63	83	N E	1	ov	,,	30.15	765.8	66	100	S E	4	f
ak,.....	,,	30.00	762.0	69	85	N E	2	o	,,	30.09	764.3	71	90	N N E	3	or
.....	,,	29.91	759.7	80	78	N E	2	b	6 a.	29.97	761.2	75	90	N E	1	c
.....	,,	29.89	759.2	76	82	E	2	c	,,	29.95	760.7	71	95	N W	1	o
.....	1 p.	29.95	760.8	...	...	N E	6	...	5 a.	30.01	762.3	...	...	E	6	...
.....	,,	29.90	759.5	...	...	E	2	...	,,	29.96	761.0	...	...	...	0	...
.....	,,	29.93	760.1	...	...	N	4	...	,,	30.01	762.1	...	...	N	2	...
.....	,,	29.93	760.1	...	...	E	8	...	,,	29.96	760.9	...	...	N E	10	...
es, ...	,,	29.95	760.8	...	...	N E	10	...	,,	29.93	760.2	...	...	N	8	...
.....	3 p.	29.92	759.9	81	62	N E	1	b	9 a.	30.04	763.0	74	76	...	0	o
g, ...	4 p.	29.91	759.7	76	77	E	3	o	10 a.	29.98	761.5	81	66	E	3	o
'eak,...	,,	...	...	...	...	E	...	...	,,	...	...	...	...	E	6	...
,.....	,,	29.85	758.2	...	...	E N E	6	...	,,	29.92	759.9	...	...	E N E	7	...
.....	,,	29.91	759.7	80	...	N E	4	c	,,	29.99	761.7	76	...	N N E	2	o
.....	3 p.	29.96	761.0	75	...	S W	1	c	9 a.	30.10	764.5	66	...	E	1	b
.....	,,	29.94	760.5	76	73	E	2	b	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	29.91	759.8	79	...	W N W	2	b	8 a.	30.01	762.2	68	...	N E	2	c
.....	,,	29.85	758.3	77	...	N W	4	c	,,	29.84	757.5	73	..	N W	6	o
James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.72	755	82	85	S E	0	o	10 a.	29.88	759	84	69	E S E	1	c
.....	2 p.	29.74	755.4	88	...	E	2	b	6 a.	29.88	758.8	75	...	...	0	b
.....	3 p.	...	...	...	...	S S W	1	o	9 a.	...	...	...	...	W N W	2	c
.....	,,	29.77	756.1	83	...	S S W	1	c	,,	29.87	758.7	82	...	S W	1	b
.....	,,	29.74	755.4	87	...	S	1	b	,,	29.89	759.2	84	...	S	1	b
.....	,,	29.81	757.2	86	...	...	...	...	,,	29.95	760.7	82	...	...	...	...

n the 8th at 5.5 p.—Red South Cone hoisted.
n the 9th at 12.10 p.—The barometer has risen moderately in Luzon, and fallen slightly to moderately over coast of China and Annam respectively.
ne typhoon appears to be situated to the N.E. of the Paracels and to be moving towards W.N.W.
ressure has increased over Japan and the N.E. coast of China, and given way over the E. coast and in Wladi-
.
ne high pressure area lies now to the E. of Japan, and a "low" area appears to be situated over E. Manchuria.
nd weather may be expected over the N.W. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
gkong and Neighbourhood, ...	N.E. and E. winds, strong breezes to a moderate gale; [cloudy, squally.
osa Channel, ...	N.E. winds, fresh.
h coast of China between Hongkong and Lamocks,.	Same as No. 1.
h coast of China between Hongkong and Hainan....	N.E. gale.

F. G. FIGG,
Director.

ongkong Observatory, Tuesday, 9th November, 1909.

d by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	9th November, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th November, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.09	764.3	46	...	...	0	f	7 a.	30.30	769.5	25	57	N E	
Nemuro,	,,	30.20	767.1	...	...	S	6	...	6 a.	30.01	762.1	...	...	N W	
Hakodate,	,,	30.13	765.2	...	...	E	4	...	,,	29.81	757.2	...	...	N W	
Tokio,	,,	30.22	767.6	...	...	...	0	...	,,	29.83	757.6	...	...	...	
Kochi,	,,	30.19	766.8	...	...	S E	2	...	,,	29.99	761.8	...	...	W	
Nagasaki,	,,	30.15	765.8	...	...	S W	2	...	,,	29.99	761.8	...	...	S W	
Kagoshima,	,,	30.19	766.9	...	...	...	0	...	,,	30.08	763.9	...	...	E	
Oshima,	,,	30.16	766.1	...	...	S E	6	...	,,	30.08	764.1	...	...	...	
Naha,	,,	30.09	764.2	...	...	E	6	...	,,	30.09	764.2	...	...	...	
Ishigakijima,	,,	30.01	762.3	...	...	E	8	...	,,	30.01	762.3	...	...	E	
Bonin Is.	,,	30.16	766.1	...	...	N E	2	...	,,	30.12	765.1	...	...	...	
Chefoo,	4 p.	30.28	769.1	54	87	N E	2	o	6 a.	30.52	775.2	41	57	N	
Weihaiwei,	,,	30.37	771.4	51	...	N	1	r	9 a.	30.55	775.9	49	...	N	
Hankow,	,,	30.37	771.4	57	100	N E	1	or	6 a.	30.47	773.9	53	93	N	
Kiukiang,	,,	...	...	64	82	N	1	o	,,	30.24	768.1	56	87	E	
Shanghai,	,,	30.11	764.8	64	95	N	2	om	9 a.	30.43	772.9	59	76	N	
Gutzlaff,	,,	30.11	764.8	69	95	W	1	om	,,	30.35	770.9	61	82	N	
Sharp Peak,	,,	30.00	762.0	64	89	N N E	2	c	,,	30.15	765.8	71	80	E N E	
Amoy,	,,	29.90	759.4	88	69	N E	1	c	6 a.	29.98	761.5	79	73	N	
Swatow,	,,	29.83	758.9	80	78	...	0	o	,,	29.95	760.7	71	95	N N W	
Taihoku,	1 p.	29.95	760.8	...	...	E	8	...	5 a.	29.99	761.6	...	...	E	
Taichu,	,,	29.90	759.4	...	...	N W	4	...	,,	29.96	761.0	...	...	...	
Tainan,	,,	29.92	759.9	...	...	N W	4	...	,,	29.99	761.7	...	...	...	
Koshun,	,,	29.94	760.6	...	...	E	8	...	,,	29.94	760.5	...	...	N E	
Pescadores,	,,	29.92	760.0	...	...	N	6	...	,,	29.97	761.1	...	...	N E	
Canton,	3 p.	29.97	761.2	70	70	N	2	o	9 a.	30.15	765.8	72	71	N	
Hongkong,	4 p.	29.92	759.9	82	63	E	3	o	10 a.	30.06	763.5	78	59	N N E	
Victoria Peak,	,,	...	...	...	...	E	4	...	,,	...	...	...	...	N N E	
Gap Rock,	,,	29.87	758.7	...	...	E	6	...	,,	30.03	762.7	...	...	N N E	
Macao,	,,	29.94	760.5	78	...	N	2	c	,,	30.07	763.3	75	...	N N W	
Wuchow,	3 p.	30.01	762.2	76	77	E	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	29.87	758.7	75	97	N E	5	o	,,	...	...	...	...	...	...
Pakhoi,	,,	29.94	760.5	...	...	N E	3	o	,,	...	...	...	...	...	...
Phulien,	4 p.	29.91	759.6	82	...	N W	5	c	8 a.	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	77	E S E	1	o	10 a.	29.96	761	81	85	...	
Legaspi,	2 p.	29.83	757.8	82	...	E	2	o	6 a.	29.93	760.3	75	...	...	
Bacolod,	3 p.	...	...	...	...	S E	1	or	9 a.	...	...	...	...	E S E	
Iloilo,	,,	29.83	757.7	83	...	...	0	o	,,	29.97	761.2	79	...	N	
Cebu,	,,	29.83	757.7	85	...	E	1	c	,,	29.95	760.7	82	...	S	
Labuan,	,,	29.83	757.7	86	...	...	...	...	,,	29.95	760.7	80	...	...	...

On the 10th at 6.30 a.—Signals lowered.

At 12.20 p.—The barometer has risen quickly over N. China, and a moderate rise has taken place over S. and the Philippines.

The returns from Indo-China are lacking, but probably the typhoon has passed into the S. part of the G Tongking.

The barometer has fallen rapidly over Japan, a depression having reached E. Japan from the Westward.

An anticyclonic area now lies over N. China, and gradients are steep along the coast.

Heavy monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, strong; fair, squally.
2.—Formosa Channel,	Strong N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 10th November, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	10TH NOVEMBER, 1909, P.M.								11TH NOVEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
tock,...	2 p.	30.25	768.3	35	...	N	1	b	7 a.	30.21	767.2	24	40	N W	1	b
.....	,,	29.57	751.1	...	...	N	8	...	6 a.	29.85	758.1	...	...	W	10	...
,.....	,,	29.81	757.2	...	...	W	8	...	,,	30.05	763.2	...	...	N W	6	...
.....	,,	29.75	755.6	...	...	N W	8	...	,,	30.14	765.6	...	...	N	6	...
.....	,,	29.91	759.8	...	...	N W	2	...	,,	30.27	768.8	...	...	N	2	...
, ...	,,	30.11	764.8	...	...	N	6	...	,,	30.27	768.8	...	...	N E	10	...
na, ...	,,	30.04	762.9	...	...	N W	4	...	,,	30.27	768.9	...	...	N E	2	...
.....	,,	30.08	764.1	...	...	N	2	...	,,	30.24	768.1	...	...	N	2	...
.....	,,	30.05	763.2	...	...	N W	2	...	,,	30.17	766.2	...	...	N	6	...
ima,....	,,	30.05	763.3	...	...	E	6	...	,,	30.13	765.3	...	...	N E	6	...
.....	,,	30.04	763.1	...	...	W	2	...	,,	30.08	764.1	...	...	N E	8	...
.....	4 p.	30.58	776.7	41	66	N N W	4	c	6 a.	30.51	774.9	40	100	N W	1	b
ei,.....	,,	30.55	775.9	49	...	N	3	b	9 a.	30.47	773.9	41	...	N	1	b
.....	,,	30.42	772.6	61	71	N E	1	o	6 a.	30.59	777.0	51	93	N E	1	b
.....	,,	30.44	773.2	55	74	N E	4	o	,,	30.56	776.2	57	81	N E	5	o
, ...	,,	30.41	772.4	58	58	N	4	c	9 a.	30.53	775.4	52	66	N N W	2	o
.....	,,	30.35	770.9	60	76	N	5	om	,,	30.46	773.7	54	61	N	4	ov
ak,.....	,,	30.11	764.8	69	70	E N E	6	o	,,	30.36	771.1	65	84	N N E	4	o
.....	,,	30.03	762.7	72	90	E N E	6	c	6 a.	30.17	766.3	68	90	N E	5	or
.....	,,	29.95	760.7	75	...	E	2	o	,,	30.09	764.3	64	95	...	1	or
.....	1 p.	30.13	765.3	...	...	E	6	...	5 a.	30.24	768.0	...	...	E	6	...
.....	,,	29.98	761.5	...	...	N	6	...	,,	30.02	762.5	...	...	N	6	...
.....	,,	29.98	761.4	...	...	N	6	...	,,	30.06	763.6	...	...	N	6	...
.....	,,	29.98	761.5	...	...	E	4	...	,,	29.97	761.3	...	...	N E	10	...
s, ...	,,	29.96	761.0	...	...	N E	10	...	,,	30.07	763.7	...	...	N E	10	...
.....	3 p.	30.06	763.5	77	65	N	2	b	9 a.	30.25	768.3	63	70	N	2	b
g, ...	4 p.	29.98	761.5	78	60	N	2	o	10 a.	30.19	766.8	68	70	N	3	oq
eak,...	,,	...	...	...	...	N	5	...	,,	...	...	...	...	N	6	...
,.....	,,	29.95	760.2	...	...	N	4	...	,,	30.10	764.5	...	...	N N E	6	...
.....	,,	30.01	762.2	76	...	N	4	c	,,	30.19	766.8	67	...	N W	4	o
.....	3 p.	30.14	765.5	73	...	N	3	c	9 a.	30.29	769.3	71	...	N E	2	o
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.07	763.8	70	70	N	5	c	,,	...	...	...	...	...	...	...
.....	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.84	753	84	71	N N W	1	o	10 a.	29.96	761	82	77	...	6	c
.....	2 p.	29.86	758.4	86	...	E	2	b	6 a.	29.92	760.0	77	...	N E	2	b
.....	3 p.	...	...	...	...	N W	2	o	9 a.	...	...	...	...	W N W	2	o
.....	,,	29.85	758.2	83	...	S W	1	b	,,	29.95	760.7	80	...	N E	1	b
.....	,,	29.84	758.2	84	...	N	1	b	,,	29.98	761.5	79	...	...	0	or
.....	,,	29.88	758.9	84	...	...	...	...	,,	29.95	760.7	81	...	...	...	...

n the 11th at 11.50 a.—The barometer has risen quickly over Japan, the depression having moved away over cific.

ressure has increased moderately over China except on the N.E. coast, where it has given way slightly.

he anticyclone is still central over the continent to the North of the Yangtze, and pressure is relatively low to uth of Formosa.

. and N.E. gales may be expected in the Formosa Channel and the N. part of the China Sea.

ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N. to N.E. winds, strong; cloudy, squally.
osa Channel, ...	Strong N.E. gale.
h coast of China between Hongkong and Lamocks,.	Same as No. 1.
h coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

ongkong Observatory, Thursday, 11th November, 1909.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	11th November, 1909, P.M.								12th November, 1909, A.M.						
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.05	763.3	39	...	S W	1	b	7 a.	29.85	758.1	41	36	N	[illegible]
Nemuro,	,,	29.85	758.1	...	...	W	8	...	6 a.	29.89	759.1	...	...	W	[illegible]
Hakodate,	,,	30.09	764.2	...	...	W	6	...	,,	30.01	762.2	...	...	W	[illegible]
Tokio,	,,	30.18	766.6	...	...	N	6	...	,,	30.26	768.6	...	...	N	4
Kochi,	,,	30.19	766.8	...	...	...	0	...	,,	30.23	767.8	...	...	S W	2
Nagasaki,	,,	30.23	767.8	...	...	W	2	...	,,	30.27	768.8	...	...	...	[illegible]
Kagoshima,	,,	30.19	766.9	...	...	S E	2	...	,,	30.23	767.9	...	...	N	2
Oshima,	,,	30.16	766.1	...	...	N	4	...	,,	30.16	766.1	...	...	N	6
Naha,	,,	30.13	765.2	...	...	N	8	...	,,	30.13	765.2	...	...	N	[illegible]
Ishigakijima,	,,	30.09	764.3	...	...	N	8	...	,,	30.09	764.3	...	...	N	2
Bonin Is.	,,	30.04	763.1	...	...	N W	2	...	,,	...	...	...	...	...	...
Chefoo,	4 p.	30.37	771.4	51	59	W	2	b	6 a.	30.25	768.3	44	76	S W	1
Weihaiwei,	,,	30.46	773.7	50	...	N W	2	b	9 a.	30.26	768.6	52	...	N W	1
Hankow,	,,	30.54	775.7	60	60	N E	1	b	6 a.	30.48	774.2	41	90	S W	1
Kiukiang,	,,	30.50	774.7	56	63	N E	1	b	,,	30.49	774.4	40	74	N E	1
Shanghai,	,,	30.44	773.2	55	44	N N W	3	c	9 a.	30.45	773.4	52	66	N W	1
Gutzlaff,	,,	30.39	771.9	57	58	N	4	cv	,,	30.41	772.4	56	69	N W	4
Sharp Peak,	,,	30.22	767.6	65	84	N E	2	o	,,	30.36	771.1	63	84	N	3
Amoy,	,,	30.14	765.5	69	80	N E	4	o	6 a.	30.18	766.6	61	95	N E	3
Swatow,	,,	30.11	764.8	66	95	N N E	1	o	,,	30.15	765.8	62	89	N E	1
Taihoku,	1 p.	30.24	768.1	...	...	E	6	...	5 a.	30.21	768.1	...	...	E	6
Taichu,	,,	30.03	762.7	...	...	N	6	...	,,	30.10	764.6	...	...	N E	2
Tainan,	,,	30.00	762.0	...	...	N	6	...	,,	30.09	764.3	...	...	N	2
Koshun	,,	30.01	762.2	...	...	N E	10	...	,,	30.04	763.0	...	...	N E	10
Pescadores,	,,	30.08	764.0	...	...	N E	10	...	,,	30.12	764.9	...	...	N E	10
Canton,	3 p.	30.18	766.6	73	58	N	2	c	9 a.	30.29	769.3	63	67	N	[illegible]
Hongkong,	4 p.	30.13	765.3	69	67	N	2	o	10 a.	30.23	767.8	63	83	N	[illegible]
Victoria Peak,	,,	...	...	...	...	N N E	5	...	,,	...	...	...	...	N E	[illegible]
Gap Rock,	,,	30.09	764.3	...	...	N	6	...	,,	30.18	766.6	...	...	N E	[illegible]
Macao,	,,	30.14	765.5	69	...	N	4	o	,,	30.24	768.1	62	...	N	[illegible]
Wuchow,	3 p.	30.23	767.8	68	...	N	3	o	9 a.	30.32	770.1	62	72	E	2
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.19	766.8	66	79	N	4	o	,,	...	...	...	...	...	...
Phulien,	4 p.	30.16	766.5	61	...	N	3	or	8 a.	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.88	759	82	77	N	1	c	10 a.	30.00	762	84	77	N	1
Legaspi,	2 p.	29.88	758.9	84	...	E	2	c	6 a.	29.92	760.0	79	...	N E	2
Bacolod,	3 p.	...	...	...	...	W N W	1	o	9 a.	...	...	...	...	S N E	1
Iloilo,	,,	29.85	758.2	85	...	N W	1	c	,,	29.99	761.7	81	...	N E	1
Cebu,	,,	29.85	758.2	81	...	S	1	c	,,	29.93	760.2	82	...	N	[illegible]
Labuan,	,,	29.87	758.7	85	...	...	...	...	,,	29.94	760.5	83	...	...	...

On the 12th at 11.55 a.—The barometer has fallen considerably over the N.E. coast of China and in [illegible]wostok, a depression having passed to the North of the latter station moving in an Easterly direction.

Pressure has increased slightly on the S. coast of China and given way a little over the Loochoos.

The anticyclone remains over the Upper Yangtze valley.

The monsoon will moderate in the Formosa Channel, but continue to blow strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh to moderate; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, fresh.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 12th November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

N.	12TH NOVEMBER, 1909, P.M.								13TH NOVEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ock,...	2 p.	29.87	758.6	51	...	N E	1	c	7 a.	29.83	758.8	40	69	S E	1	o
.....	,,	29.77	756.1	...	...	S W	10	...	6 a.	29.97	761.1	...	...	N W	6	...
,.....	,,	29.81	757.2	...	...	S W	2	...	,,	30.05	763.2	...	...	N W	3	...
.....	,,	30.10	764.6	...	...	S	2	...	,,	30.10	764.6	...	...	N W	2	...
.....	,,	30.15	765.8	...	...	S E	2	...	,,	30.19	766.8	...	...	S W	2	...
.....	,,	30.23	767.8	...	...	N	6	...	,,	30.23	767.8	...	...	S E	4	...
a, ...	,,	30.19	766.9	...	...	W	2	...	,,	30.19	766.9	...	...	N	4	...
.....	,,	30.16	766.1	...	...	N	6	...	,,	30.16	766.1	...	...	...	0	...
.....	,,	30.13	765.2	...	...	N	6	...	,,	30.13	765.2	...	...	N E	4	...
ima,....	,,	30.13	765.3	...	...	N	8	...	,,	30.13	765.3	...	...	W	2	...
.....	,,	30.04	763.1	...	...	N	2	...	,,	30.04	763.1	...	...	N	2	...
.....	4 p.	30.16	766.0	58	58	S W	2	b	6 a.	...	...	...	...	...	...	...
ei,.....	,,	30.25	768.3	50	...	N W	1	b	9 a.	30.16	766.0	52	...	N W	1	b
.....	,,	30.40	772.1	60	71	S S W	1	o	6 a.	30.37	771.4	55	87	N E	1	or
,.....	,,	30.35	770.9	59	69	N E	1	b	,,	30.31	769.9	52	86	S W	1	o
.....	,,	30.32	770.1	56	51	N	1	c	9 a.	30.29	769.3	51	69	W S W	1	o
.....	,,	30.31	769.9	60	60	N	2	cv	,,	30.28	769.1	58	70	...	0	cv
ak,.....	,,	30.18	766.6	64	84	E	2	b	,,	30.26	768.6	62	89	N	1	b
.....	,,	30.16	766.0	76	76	N E	1	o	6 a.	30.29	767.1	66	79	N E	3	b
.....	,,	30.09	764.3	71	66	N E	1	c	,,	30.18	766.6	65	84	N E	1	c
.....	1 p.	30.20	767.2	...	...	E	6	...	5 a	30.17	766.2	...	...	E	6	...
.....	,,	30.09	764.4	...	...	N	6	...	,,	30.13	765.4	...	...	N	2	...
.....	,,	30.09	764.2	...	...	N	4	...	,,	30.12	765.0	...	...	N	4	...
.....	,,	30.07	763.7	...	...	N E	10	...	,,	30.12	764.9	...	...	S W	6	...
.....	,,	30.13	765.3	...	...	N E	10	...	,,	30.12	765.1	...	...	N E	8	...
.....	3 p.	30.16	766.0	67	64	N	1	b	9 a.	...	...	...	...	...	...	...
,, ...	4 p.	30.13	765.3	68	71	N	1	o	10 a.	30.20	767.1	73	67	E	1	b
eak,...	,,	...	...	...	...	N N E	3	...	,,	...	...	...	...	E S E	1	...
.....	,,	30.09	764.3	...	...	N N E	4	...	,,	30.13	765.3	...	...	E N E	4	...
.....	,,	30.15	765.8	64	...	N W	1	o	,,	30.21	767.3	71	...	N E	1	c
,.....	3 p.	30.18	766.6	71	66	S W	1	c	9 a.	30.26	768.6	66	...	N E	2	c
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.14	765.6	72	...	W N W	2	c	8 a.	30.22	767.5	79	...	N N W	2	c
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	29.97	761.3	82	...	N E	2	b	6 a.	30.02	762.6	73	...	N E	0	c
.....	4 p.	29.88	759	84	77	E N E	1	b	10 a.	29.96	761	82	85	N N E	2	c
.....	2 p.	29.87	758.6	88	...	N E	2	...	6 a.	29.91	759.6	75	...	...	0	b
.....	3 p.	...	...	...	...	N E	3	c	9 a.	...	...	...	...	N E	2	c
.....	,,	29.85	758.2	84	...	N E	1	b	,,	29.91	759.7	82	...	N E	1	b
.....	,,	29.84	757.9	85	...	N	2	c	,,	29.91	759.7	85	...	S	1	b
.....	,,	29.90	759.4	80	...	...	...	...	,,	29.95	760.7	81	...	...	...	...

n the 13th at 11.45 a.—The depression lying over S.E. Siberia yesterday, has moved into the Pacific to the of Japan.

he barometer has fallen again in the North, another depression having appeared over Manchuria.

he highest pressure is shown over the Yangtze valley.

loderate monsoon may be expected in the Formosa Channel, and strong monsoon over the N. part of the Sea.

longkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N.E. to N. winds, moderate; fine.
osa Channel, ...	N.E. winds, moderate.
th coast of China between Hongkong and Lamocks,.	Same as No. 2.
th coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

longkong Observatory, Saturday, 13th November, 1909.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER

Station.	13th November, 1909, P.M.								14th November, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	..	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	29.93	760.1	...	...	S W	6	...	6 a.	...	...	...	...	...	...
Hakodate,	,,	29.93	760.2	...	...	W	4	...	,,	...	...	...	...	...	...
Tokio,	,,	30.02	762.6	...	...	...	0	...	,,	...	...	...	...	...	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	...	...	...	...	...	...
Nagasaki,	,,	30.15	765.8	...	...	N	2	...	,,	...	...	...	...	...	...
Kagoshima,	,,	30.11	764.9	...	...	N	4	...	,,	...	...	...	...	...	...
Oshima,	,,	30.12	765.1	...	...	N	6	...	,,	...	...	...	...	...	...
Naha,	,,	30.09	764.2	...	...	N	6	...	,,	...	...	...	...	...	...
Ishigakijima,	,,	30.09	764.3	...	...	N	6	...	,,	...	...	...	...	...	...
Bonin Is.	,,	30.08	764.1	...	...	N E	2	...	,,	...	...	...	...	...	...
Chefoo,	4 p.	30.15	765.8	57	58	N W	2	b	6 a.	...	...	...	...	...	...
Weihaiwei,	,,	30.17	766.3	52	...	N W	1	b	9 a.	...	...	...	...	...	...
Hankow,	,,	...	...	61	77	N W	1	o	6 a.	30.36	771.1	57	94	N E	1
Kinkiang,	,,	...	...	61	66	S W	2	o	,,	30.29	769.3	55	94	...	0
Shanghai,	,,	30.23	767.8	59	59	N W	2	o	9 a.	30.28	769.1	58	70	N N E	1
Gutzlaff,	,,	30.22	767.6	61	71	N N W	1	cv	,,	30.28	769.1	58	64	N N	1
Sharp Peak,	,,	30.13	765.3	65	89	E	1	b	,,	30.15	765.8	62	89	N E	3
Amoy,	,,	30.13	765.3	77	65	E N E	1	b	6 a.	...	...	...	...	...	...
Swatow,	,,	30.08	764.0	74	68	E	1	b	,,	30.10	764.5	64	89	N N E	1
Taihoku,	1 p.	30.16	766.0	...	...	E	6	...	5 a.	30.16	766.1	...	...	E	4
Taichu,	,,	30.05	763.3	...	...	N	2	...	,,	30.08	764.1	...	...	N	2
Tainan,	,,	30.09	764.4	...	...	N W	4	...	,,	30.02	762.6	...	...	N	2
Koshun	,,	30.08	764.1	...	...	N E	6	...	,,	30.05	763.3	...	...	N E	8
Pescadores,	,,	30.10	764.6	...	...	N	8	...	,,	30.08	763.9	...	...	N E	10
Canton,	3 p.	...	...	74	59	...	1	b	9 a.	30.18	766.6	68	60	N	1
Hongkong,	4 p.	30.10	764.5	74	79	E	1	b	10 a.	30.16	766.0	73	67	N E	1
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E S E	3
Gap Rock,	,,	30.08	764.0	...	...	E N E	3	...	,,	30.13	765.3	...	...	E N E	3
Macao,	,,	30.10	764.5	76	...	N E	2	c	,,	...	...	...	...	...	...
Wuchow,	3 p.	30.15	765.8	74	...	W	1	c	9 a.	30.20	767.1	70	...	E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.09	764.3	71	81	N	2	o	,,	...	...	...	...	...	...
Phulien,	4 p.	30.13	765.4	68	...	S S E	1	or	8 a.	30.18	766.5	72	...	W N W	3
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	29.98	761.4	82	...	N E	2	b	6 a.	29.96	760.9	79	...	N E	2
Manila,	4 p.	29.88	759	84	64	E N E	1	cd	10 a.	...	...	...	...	...	...
Legaspi,	2 p.	29.87	758.8	79	...	N E	2	o	6 a.	29.79	756.7	75	...	N	2
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	2
Iloilo,	,,	29.85	758.2	83	...	N E	2	o	,,	29.83	757.7	90	...	...	0
Cebu,	,,	29.83	757.7	84	...	N	1	o	,,	29.81	757.2	80	...	...	0
Labuan,	,,	29.84	757.9	85	...	...	...	...	,,	...	...	...	...	...	...

On the 14th at 12.05 p.—The barometer has fallen quickly over the S. Philippines owing to the approach typhoon. The disturbance seems to be moving westwards to the S.E. of Luzon.

Pressure is also giving way over S. China. The returns from N. China and Japan are not yet in hand.

The highest pressure is shown over the Yangtze valley.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 14th November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ON.	14TH NOVEMBER, 1909, P.M.								15TH NOVEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock,...	2 p.	29.89	759.2	50	...	N W	1	c	7 a.	30.11	764.7	35	55	N W	2	b
.....	,,	29.57	751.1	...	...	N W	8	...	6 a.	29.81	757.1	...	...	W	2	...
e, ...	,,	29.73	755.2	...	...	W	8	...	,,	29.93	760.2	...	...	W	4	...
.....	,,	29.83	757.6	...	...	N	6	...	,,	30.06	763.6	...	...	...	0	...
.....	,,	29.99	761.8	...	...	N E	2	...	,,	30.11	764.8	...	...	S W	2	...
i, ...	,,	...	...	...	...	...	...	...	,,	30.15	765.8	...	...	N E	3	...
ma, ...	,,	30.07	763.9	...	...	N	2	...	,,	30.12	764.9	...	...	N E	2	...
.....	,,	30.08	764.1	...	...	N	6	...	,,	30.08	764.1	...	...	S	2	...
.....	,,	30.05	763.2	...	...	N	6	...	,,	30.05	763.2	...	...	N E	2	...
jima, ...	,,	30.01	762.3	...	...	N	6	...	,,	30.01	762.3	...	...	N	2	...
s.....	,,	29.96	761.1	...	...	S	2	...	,,	30.01	762.1	...	...	...	0	...
.....	4 p.	...	...	65	58	S W	1	b	6 a.	30.19	766.8	51	66	S W	1	c
ei, ...	,,	30.16	766.0	54	...	N W	1	b	9 a.	30.23	767.8	55	...	N E	1	b
, ...	,,	30.34	770.6	58	94	N E	1	o	6 a.	30.46	773.7	54	109	N W	1	o
g, ...	,,	30.21	767.3	61	71	N E	2	c	,,	...	...	...	...	...	...	...
i, ...	,,	30.18	766.6	61	66	E N E	1	c	9 a.	30.24	768.1	58	81	N	1	o
.....	,,	30.19	766.8	61	82	N N E	1	om	,,	30.24	768.1	63	83	N	1	b
eak, ...	,,	30.08	764.0	65	84	N E	2	b	,,	30.18	766.6	63	89	N	2	b
.....	,,	30.10	764.5	75	64	N E	2	b	6 a.	30.20	767.1	65	79	N	1	c
.....	,,	30.04	763.0	72	71	E	1	b	,,	30.06	763.5	61	89	N	1	c
.....	1 p.	30.08	764.1	...	...	E	6	...	5 a.	30.06	763.4	...	...	E	4	...
.....	,,	30.00	762.1	...	...	N	4	...	,,	30.02	762.6	...	...	...	0	...
.....	,,	30.01	762.2	...	...	N W	4	...	,,	30.02	762.4	...	...	N	4	...
.....	,,	30.01	762.3	...	...	E	8	...	,,	29.99	761.7	...	...	N E	4	...
s, ...	,,	30.08	764.1	...	...	N E	10	...	,,	30.00	761.9	...	...	N E	8	...
.....	3 p.	30.03	762.7	75	44	N	1	b	9 a.	30.15	765.8	67	64	N	1	b
, ...	4 p.	30.03	762.7	72	71	E	1	b	10 a.	30.07	763.8	73	45	N N E	1	o
eak, ...	,,	...	...	...	...	...	0	...	,,	...	...	...	...	N E	5	...
.....	,,	29.99	761.7	...	...	E	4	...	,,	30.06	763.5	...	...	N E	4	...
.....	,,	30.04	763.0	73	...	S E	1	c	,,	30.09	764.3	71	...	N E	1	c
.....	3 p.	30.08	764.0	77	...	S E	1	c	9 a.	30.13	766.6	65	...	W	1	bg
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	30.03	762.7	81	...	S W	1	b	,,	...	...	...	...	...	...	...
.....	4 p.	30.04	763.0	82	...	S S W	1	c	8 a.	30.12	765.1	73	...	N N W	2	c
, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
James, .	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	2 p.	29.89	759.1	81	...	N E	2	d	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.80	757	77	92	N N E	0	od	10 a.	29.61	752	75	92	N N W	5	q
.....	2 p.	...	...	...	...	...	...	...	6 a.	29.60	751.9	75	...	S	2	o
, ...	3 p.	...	...	...	...	N W	3	op	9 a.	...	...	...	...	S S W	3	op
.....	,,	29.74	755.4	79	...	...	0	od	,,	29.76	755.9	80	...	S W	3	p
.....	,,	29.67	753.6	80	...	S	1	o	,,	29.75	755.6	84	...	S	2	c
.....	,,	29.79	756.6	84	...	...	...	...	,,	29.90	759.4	78	...	...	...	...

In the 15th at 12.15 p.—The barometer has fallen quickly in the Philippines owing to the typhoon which ing towards W.N.W over S. Luzon.
ressure is giving way over S. China and Formosa.
he depression lying over N.E. Japan yesterday, is moving away over the Pacific.
ressure is highest over China to the North of the Upper Yangtze.
ad weather may be expected over the N.E. part of the China Sea, and strong N.E. winds to gales in the For-
Channel.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N. and N.E. winds, fresh to strong; fair, squally.
mosa Channel, ...	N.E. winds, strong to a gale.
th coast of China between Hongkong and Lamocks,.	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 15th November, 1909.

ted by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGI

Station.	15th November, 1909, P.M.								16th November, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.08	764.0	45	...	N E	1	b	7 a.	29.82	757.5	32	85	N E	
Nemuro,	,,	29.73	755.1	...	...	E	2	...	6 a.	29.89	759.1	...	...	N	
Hakodate,	,,	29.93	760.2	...	...	N W	6	...	,,	30.01	762.2	...	...	N W	
Tokio,	,,	29.98	761.6	...	...	N	2	...	,,	30.06	763.6	...	...	N	
Kochi,	,,	30.03	762.8	...	...	S	2	...	,,	30.07	763.8	...	...	S W	
Nagasaki,	,,	30.07	763.8	...	...	N W	6	...	,,	30.15	765.8	...	...	N E	
Kagoshima,	,,	30.07	763.9	...	...	N E	4	...	,,	30.12	764.9	...	...	N	
Oshima,	,,	30.04	763.1	...	...	N	4	...	,,	30.08	764.1	...	...	N	
Naha,	,,	30.05	763.2	...	...	N E	4	...	,,	30.05	763.2	...	...	N E	
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	N E	
Bonin Is.	,,	29.96	761.1	...	...	...	0	...	,,	30.01	762.1	...	...	...	
Chefoo,	4 p.	30.21	767.3	55	68	N E	3	c	6 a.	30.16	766.0	46	91	S W	
Weihaiwei,	,,	30.17	766.3	56	...	N E	2	b	9 a.	30.10	764.5	55	...	N W	
Hankow,	,,	30.24	768.1	65	73	N N W	2	b	6 a.	30.40	772.1	52	93	N W	
Kiukiang,	,,	30.27	768.8	66	69	...	0	c	,,	30.22	767.6	50	...	...	
Shanghai,	,,	30.22	767.6	62	51	W N W	2	c	9 a.	30.24	768.1	56	87	W N W	
Gutzlaff,	,,	30.21	767.3	69	76	N	2	ov	,,	30.25	768.3	61	60	N N W	
Sharp Peak,	,,	30.10	764.3	65	84	E N E	4	b	,,	30.19	766.8	64	83	N E	
Amoy,	,,	30.02	762.5	76	60	E	3	c	6 a.	30.07	763.8	64	83	N E	
Swatow,	,,	29.97	761.2	71	81	E	2	c	,,	30.01	762.2	62	77	N N E	
Taihoku,	1 p.	30.06	763.5	...	...	E	6	...	5 a.	30.09	764.3	...	...	E	
Taichu,	,,	29.94	760.6	...	...	N	6	...	,,	29.93	760.2	...	...	N	
Tainan,	,,	29.94	760.5	...	...	N W	6	...	,,	29.93	760.1	...	...	N	
Koshun,	,,	29.94	760.5	...	...	N E	6	...	,,	29.84	758.0	...	...	N E	
Pescadores,	,,	29.99	761.8	...	...	N E	10	...	,,	29.95	760.7	...	...	N E	
Canton,	3 p.	30.00	762.0	75	56	N E	1	b	9 a.	30.12	765.0	66	54	N	
Hongkong,	4 p.	29.99	761.7	75	40	N N E	2	o	10 a.	30.06	763.5	73	43	N	
Victoria Peak,	,,	...	...	...	...	N E	6	...	,,	...	...	...	...	N E	
Gap Rock,	,,	29.95	760.7	...	...	N N E	4	...	,,	30.01	762.2	...	...	N N E	
Macao,	,,	29.99	761.7	74	...	N	3	c	,,	30.08	764.0	68	...	N	
Wuchow,	3 p.	30.03	762.7	77	...	E	1	c	9 a.	30.20	767.1	64	...	W	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.03	762.7	79	65	N E	2	b	,,	...	...	...	...	...	...
Phulien,	4 p.	30.01	762.2	81	...	S S E	2	b	8 a.	30.14	765.6	72	...	N N E	
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Manila,	4 p.	29.49	749	81	85	N N W	2	o	10 a.	29.69	754	84	77	S E	
Legaspi,	2 p.	29.63	752.7	81	...	S	2	d	6 a.	29.76	755.8	75	...	...	
Bacolod,	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	S W	
Iloilo,	,,	29.68	753.9	83	...	S W	5	c	,,	29.82	757.4	79	...	S S W	
Cebu,	,,	29.68	753.9	84	...	S	3	c	,,	29.83	757.7	82	...	S	
Labuan,	,,	29.79	756.6	83	...	...	...	...	,,	29.85	758.2	81	...	...	

On the 16th at 12.05 p.—The barometer has risen moderately over the Philippines, and fallen slightly o China and Formosa.

The typhoon which continues to move towards W.N.W, moved into the China Sea last night, and is nows to the W. of Luzon in about 15° Lat., 117° Long.

Pressure has given way in Wladiwostok owing to a depression over Manchuria.

The highest pressure is shown over the Upper Yangtze valley.

Bad weather may be expected over the China Sea, and strong N.E. winds to gales in the Formosa Channe

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, strong; fair, squally.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong.

F. G. FIGG
Director.

Hongkong Observatory, Tuesday 16th November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

...N.	16th NOVEMBER, 1909, P.M.								17th NOVEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...tock,...	2 p.	29.67	753.6	41	...	S	2	o	7 a.	29.52	749.8	40	81	N W	3	o
.....	,,	29.96	761.1	...	...	N	4	...	6 a.	29.81	757.1	...	...	S	8	...
.....	,,	29.97	761.2	...	...	W	6	...	,,	29.69	754.2	...	...	W	8	...
.....	,,	30.06	763.6	...	...	S E	4	...	,,	29.99	761.6	...	...	N W	2	...
.....	,,	30.03	762.8	...	...	W	2	...	,,	30.03	762.8	...	...	W	2	...
.....	,,	30.07	763.8	...	...	N W	2	...	,,	29.99	761.8	...	...	S E	6	...
...na, ...	,,	30.07	763.9	...	...	...	0	...	,,	30.04	762.9	...	...	...	0	...
.....	,,	30.00	762.1	...	...	N	6	...	,,	30.01	762.1	...	...	S	2	...
.....	,,	30.01	762.2	...	...	N	6	...	,,	29.93	760.2	...	...	N E	4	...
...ina, ...	,,	29.97	761.3	...	...	N E	8	...	,,	29.93	760.3	...	...	N E	6	...
.....	,,	29.96	761.1	...	...	E	2	...	,,	30.01	762.1	...	...	...	0	...
.....	4 p.	...	...	59	88	S W	3	b	6 a.	29.87	758.7	56	65	S W	1	b
...ei, ...	,,	29.99	761.7	57	...	N W	1	b	9 a.	29.99	761.7	47	...	N	3	o
.....	,,	...	...	65	73	S	1	b	6 a.	30.19	766.8	53	...	S W	1	b
...g, ...	,,	30.23	767.8	67	58	N W	1	b	,,	30.06	763.5	50	...	...	0	b
...i, ...	,,	30.13	765.3	65	44	W N W	2	b	9 a.	30.05	763.2	53	81	S W	1	b
.....	,,	30.15	765.8	64	67	...	0	bm	,,	30.07	763.8	64	72	S W	2	bm
...ak, ...	,,	30.10	764.5	64	76	N N E	4	b	,,	30.16	766.0	62	...	N	1	b
.....	,,	30.00	762.0	77	57	N E	5	b	6 a.	30.02	762.5	62	67	N N E	1	b
.....	,,	29.92	759.9	77	61	E	1	b	,,	...	...	...	...	...	...	...
.....	1 p.	30.05	763.2	...	...	E	6	...	5 a.	29.97	761.2	...	...	E	6	...
.....	,,	29.86	758.4	...	...	N	6	...	,,	29.88	758.8	...	...	...	0	...
.....	,,	29.89	759.3	...	...	N	2	...	,,	29.87	758.7	...	...	N	2	...
.....	,,	29.84	758.0	...	...	N E	10	...	,,	29.83	757.7	...	...	N E	10	...
...s, ...	,,	29.94	760.5	...	...	N E	10	...	,,	29.88	759.0	...	...	N E	10	...
.....	3 p.	29.99	761.7	74	43	N	2	b	9 a.	30.04	763.0	63	62	N	1	b
.....	4 p.	29.96	761.0	75	43	N	1	o	10 a.	29.96	761.0	73	23	N	3	c
...k, ...	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	N E	6	...
.....	,,	29.93	760.2	...	...	N E	4	...	,,	29.93	760.2	...	...	N	5	...
.....	,,	29.97	761.2	74	...	N	3	c	,,	30.01	762.2	68	...	N	2	c
.....	3 p.	30.06	763.5	77	...	N W	1	c	9 a.	30.02	762.5	59	...	N E	1	b
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	4 p.	30.03	762.8	75	...	N	3	b	8 a.	30.19	764.3	66	...	N N W	4	c
.....	,,	...	...	...	...	...	...	...	,,	29.97	761.2	70	..	N W	4	o
James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
.....	2 p.	29.71	754.6	81	...	E	2	o	6 a.	29.74	755.3	75	...	E	0	o
.....	4 p.	29.65	753	82	85	S E	1	c	10 a.	29.76	756	82	77	E S E	1	c
.....	2 p.	29.71	754.7	88	...	S W	2	...	6 a.	29.79	756.6	75	...	...	0	...
.....	3 p.	...	...	...	...	W S W	3	o	9 a.	...	...	...	...	N W	1	o
.....	,,	29.74	755.4	80	...	W S W	4	op	,,	29.83	757.7	80	...	W N W	1	c
.....	,,	29.75	755.6	86	...	S	2	c	,,	29.85	758.2	86	...	S E	1	b
.....	,,	29.74	755.4	85	...	...	...	...	,,	29.82	757.4	82	...	...	...	...

...n the 16th at 9.10 p.—No. 1 night signal hoisted.
...n the 17th at 6.30 a.—Red South Cone hoisted.
...17th at 11.55 a.—The barometer has risen slightly in S. Luzon, and fallen slightly to moderately over the ...t of China and Formosa.
...he typhoon, which is apparently situated to the E.N.E. of the Macclesfield Bank, seems now to be moving ... to the N.W. or N.N.W. and possibly recurving.
...he depression lying over Manchuria yesterday, is moving into the N.E. part of the Sea of Japan.
...ressure has given way considerably over N. China probably owing to the approach of another depression from ...estward.
...he highest pressure is shown over the Upper Yangtze valley.
...ough weather may be expected over the N. part of the China Sea, and strong N.E. winds to gales in the For... Channel.

...ongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
...gkong and Neighbourhood, ...	N. winds, strong to a fresh gale ; fair, squally.
...osa Channel, ...	N.E. winds, strong to a gale.
...h coast of China between Hongkong and Lamocks,.	Same as No. 2.
...h coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG, *Director.*

...ongkong Observatory, Wednesday, 17th November, 1909.

...ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th November, 1909, P.M.								18th November, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.57	751.1	39	...	N W	1	b	7 a.	30.32	762.6	22	51	N E	1
Nemuro,	,,	29.61	752.1	...	...	S	10	...	6 a.	29.41	747.1	...	...	W	8
Hakodate,	,,	29.54	750.2	...	...	W	6	...	,,	29.65	753.2	...	...	N W	6
Tokio,	,,	29.79	756.6	...	...	S	4	...	,,	29.67	753.6	...	...	N	2
Kochi,	,,	29.91	759.8	...	...	S E	2	...	,,	29.88	758.8	...	...	S W	2
Nagasaki,	,,	29.91	759.8	...	...	W	8	...	,,	29.99	761.8	...	...	N	2
Kagoshima,	,,	29.96	760.9	...	...	W	2	...	,,	29.96	760.9	...	...	N	2
Oshima,	,,	29.96	761.1	...	...	N	4	...	,,	30.01	762.1	...	...	N	6
Naha,	,,	29.93	760.2	...	...	N E	6	...	,,	29.97	761.2	...	...	N E	4
Ishigakijima,	,,	29.89	759.3	...	...	N	6	...	,,	29.93	760.3	...	...	N E	6
Bonin Is.	,,	29.89	759.1	...	...	S	2	...	,,	29.89	759.1	...	...	...	0
Chefoo,	4 p.	30.09	764.3	43	49	N N W	4	b	6 a.	30.27	768.8	40	65	N W	2
Weihaiwei,	,,	30.00	762.0	45	...	N	2	o	9 a.	30.29	769.3	42	...	N	1
Hankow,	,,	30.19	766.8	70	80	N W	1	b	6 a.	30.29	769.3	64	86	N	1
Kiukiang,	,,	30.09	764.3	69	52	N W	1	b	,,	30.23	767.8	50	...	...	0
Shanghai,	,,	29.98	761.5	63	38	W N W	2	b	9 a.	30.22	767.6	53	58	N N E	2
Gutzlaff,	,,	30.04	763.0	65	63	S W	2	cm	,,	30.18	766.6	60	65	N	4
Sharp Peak,	,,	30.00	762.0	64	89	N N E	3	b	,,	...	...	62	94	N E	1
Amoy,	,,	29.93	760.2	77	57	N E	4	b	6 a.	30.01	762.2	64	68	N E	2
Swatow,	,,	29.86	758.4	72	58	E	1	c	,,	29.93	760.2	59	76	N E	1
Taiboku,	1 p.	29.94	760.4	...	...	E	8	...	5 a.	30.02	762.5	...	...	E	6
Taichu,	,,	29.85	758.3	...	...	N	4	...	,,	29.88	759.0	...	...	N	4
Tainan,	,,	29.87	758.6	...	...	N	4	...	,,	29.83	758.9	...	...	N	6
Koshun	,,	29.87	758.8	...	...	N	6	...	,,	29.84	757.8	...	...	N E	8
Pescadores,	,,	29.89	759.1	...	...	N E	10	...	,,	29.91	758.9	...	...	N E	10
Canton,	3 p.	29.92	759.9	75	...	N N E	2	b	9 a.	30.05	763.2	66	4	N	1
Hongkong,	4 p.	29.88	758.9	75	27	N N E	2	o	10 a.	29.98	761.5	72	24	N	3
Victoria Peak,	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	N E	8
Gap Rock,	,,	29.83	757.7	...	...	N E	4	...	,,	29.92	759.9	...	...	N E	7
Macao,	,,	29.91	759.7	73	...	N W	4	c	,,	30.00	762.0	67	...	N	4
Wuchow,	3 p.	29.97	761.2	73	...	S W	1	c	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	29.96	760.7	79	...	N	2	c	8 a.	30.07	763.3	66	...	N N W	4
Tourane,	,,	29.89	759.1	72	...	N W	5	o	,,	29.94	760.4	72	..	N W	5
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.99	759.5	75	...	N	3
Aparri,	2 p.	29.70	754.5	82	...	N E	2	o	6 a.	29.74	755.4	75	...	E	2
Manila,	4 p.	29.69	754	82	77	S E	1	o	10 a.	29.80	757	81	85	S E	1
Legaspi,	2 p.	29.74	755.3	86	...	S W	2	o	6 a.	29.81	757.1	75	...	...	0
Bacolod,	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	S W	3
Iloilo,	,,	29.75	755.6	82	...	S W	2	o	,,	29.85	758.2	79	...	S S W	1
Cebu,	,,	29.76	755.9	86	...	S	1	c	,,	29.83	758.4	82	...	S	1
Labuan,	,,	29.76	755.9	83	...	...	...	...	,,	29.90	759.1	80	...	...	...

On the 18th at 12.05 p.—Barometric changes at the stations around the China Sea are slight.

The typhoon appears to be moving very slowly. It apparently occupies much the same position as yeste viz. to the E.N.E. of the Macclesfield Bank. Rough weather must still be expected over the N. part of the China

The northern depression is moving into the Pacific to the N.E. of Japan, and pressure has increased qu over N. China. It is highest over the continent to the North of the Yangtze valley.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, strong breezes to a fresh [cloudy, sq
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N. winds, strong to a gale.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 18th November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	18TH NOVEMBER, 1909, P.M.								19TH NOVEMBER, 1909, A.M.							
	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HOUR.	BAROMETER.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ostock,...	2 p.	29.96	760.9	36	...	N E	1	b	7 a.	29.90	759.4	...	75	...	6	o
,.....	,,	29.53	750.1	...	...	N W	10	...	6 a.	30.31	763.1	...	...	W	6	...
ite,.....	,,	29.81	757.2	...	...	N W	6	...	,,	30.05	763.2	...	...	..	0	...
.....	,,	29.79	756.6	...	...	N	6	...	,,	30.10	764.6	...	...	N W	2	...
.....	,,	29.95	760.8	...	...	N	4	...	,,	30.07	763.8	...	...	S W	2	...
ki, ...	,,	29.99	761.8	...	...	N	6	...	,,	30.07	763.8	...	...	...	0	...
ima, ...	,,	30.00	761.9	...	...	N	6	...	,,	30.08	763.9	...	...	N	4	...
,.....	,,	30.00	762.1	...	...	N	6	...	,,	30.04	763.1	...	...	N	6	...
.....	,,	30.01	762.2	...	...	N E	6	...	,,	30.01	762.2	...	...	N E	2	...
jima,.....	,,	29.97	761.3	...	...	N E	6	...	,,	30.01	762.3	...	...	N	6	...
ls.....	,,	29.85	758.1	...	...	N	2	...	,,	29.97	761.1	...	...	...	0	...
,.....	4 p.	30.21	767.3	45	61	N W	3	b	6 a.	30.13	765.3	44	86	S W	2	b
wei,.....	,,	30.20	767.1	48	...	N W	...	b	9 a.	30.12	765.0	42	...	N W	2	b
w, ...	,,	30.30	769.6	66	69	E N E	1	b	6 a.	30.32	770.1	52	93	S E	1	b
ng,.....	✓ ,,	30.24	768.1	64	60	N E	2	b	,,	30.29	769.3	49	...	...	0	b
sai, ...	,,	30.22	767.6	59	54	N N W	3	c	9 a.	...	...	...	...	...	...	...
f, ...	,,	30.20	767.1	57	63	N	3	cm	,,	...	...	..	...	...	...	...
'eak,.....	✓ ,,	30.08	764.0	64	79	N E	4	c	,,	30.18	766.6	62	83	N E	4	b
.....	✓ ,,	30.01	762.2	71	71	N E	4	o	6 a.	30.07	763.8	64	68	N E	5	b
,.....	✓ ,,	29.93	760.2	70	44	E	3	o	,,	29.99	761.7	59	76	N N E	1	b
u,.....	1 p.	30.04	762.9	...	...	E	8	...	5 a	30.10	764.5	...	...	E	2	...
,.....	,,	29.92	759.9	...	...	N	4	...	,,	29.94	760.4	...	...	N	4	...
,.....	,,	29.92	759.9	...	...	N	6	...	,,	29.94	760.4	...	...	N	2	...
.....	,,	29.87	758.8	...	...	N E	8	...	,,	29.88	759.0	...	...	N E	10	...
ores, ...	,,	29.94	760.6	...	...	N E	10	...	,,	29.95	760.8	...	...	N E	10	...
,.....	3 p.	29.96	761.0	75	72	N	1	b	9 a.	30.09	764.3	62	51	N	1	b
ong, ...	4 p.	29.93	760.2	74	22	N N E	2	o	10 a.	30.04	763.0	69	35	N	2	c
a Peak,...	,,	...	...	...	...	N N E	6	...	,,	...	...	...	...	N E	6	...
k,.....	,,	29.90	759.4	...	...	N E	6	...	,,	29.98	761.5	...	...	N E	6	...
.....	,,	29.94	760.5	72	...	N N E	4	o	,,	30.06	763.5	67	...	N	3	c
,.....	✓ 3 p.	30.04	763.0	78	...	N	2	c	9 a.	30.17	766.3	60	...	W	1	f
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	✓ ,,	30.01	762.2	75	56	N E	2	c	,,	...	...	...	...	...	...	...
n,.....	✓ 4 p.	29.99	761.8	79	...	N	3	c	8 a.	30.14	765.5	70	...	N E	3	b
e, ...	,,	..	...	...	...	...	...	...	,,	30.00	762.0	72	..	N W	4	b
t. James,.	✓ ,,	29.81	757.1	82	...	W N W	2	o	,,	29.91	759.6	77	...	N E	1	c
,.....	2 p.	29.72	755.0	88	...	S E	0	o	6 a.	...	...	...	...	...	...	...
.....	4 p.	29.72	755	82	85	...	0	o	10 a.	29.80	757	84	71	S S W	1	b
,.....	2 p.	29.75	755.7	86	...	S W	2	o	6 a.	29.81	757.2	75	...	...	0	c
d,.....	3 p.	...	...	...	...	S S W	2	or	9 a.	...	...	...	...	N W	1	or
.....	,,	29.77	756.1	82	...	S S W	2	op	,,	29.87	756.7	81	...	W S W	1	b
.....	,,	29.77	756.1	84	...	S	2	c	,,	29.86	756.4	84	...	S	1	b
,.....	✓ ,,	29.79	756.6	86	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 19th at 6.40 a.—Signals lowered.
At 12.10 p.—The barometer has risen slightly over S. China and at the stations around the China Sea.
The typhoon is apparently slowly filling up in the neighbourhood of the Macclesfield Bank.
The depression lying off Hokkaido yesterday, has moved away over the Pacific.
The barometer has fallen again in N. China, another depression having appeared over Manchuria.
Pressure is highest over the Yangtze valley.
N. and N.E. gales may be expected in the Formosa Channel and the N. part of the China Sea,

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

FORECAST DISTRICT.	
ongkong and Neighbourhood, ...	N. to N.E. winds, strong; fair, squally.
ormosa Channel, ...	N.E. gale.
outh coast of China between Hongkong and Lamocks,.	Same as No. 1.
outh coast of China between Hongkong and Hainan,...	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 19th November, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th November, 1909, P.M.								20th November, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.00	762.1	...	...	S W	2	...	6 a.	29.93	760.1	...	...	W	2
Hakodate,	,,	29.97	761.2	...	...	W	2	...	,,	29.77	756.2	...	...	S E	2
Tokio,	,,	30.02	762.6	...	...	N E	2	...	,,	29.95	760.6	...	...	N W	4
Kochi,	,,	29.99	761.8	...	...	S E	2	...	,,	30.07	763.8	...	...	S W	4
Nagasaki,	,,	30.07	763.8	...	...	N	6	...	,,	30.15	765.8	...	...	...	0
Kagoshima,	,,	30.04	762.9	...	...	N	2	...	,,	30.12	764.9	...	...	N	2
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.08	764.1	...	...	N E	6
Naha,	,,	29.97	761.2	...	...	N	8	...	,,	30.05	763.2	...	...	N E	4
Ishigakijima,	,,	29.97	761.3	...	...	N	8	...	,,	30.01	762.3	...	...	N	4
Bonin Is.	,,	29.93	760.1	...	...	N	2	...	,,	29.89	759.1	...	...	E	2
Chefoo,	4 p.	30.01	762.2	56	45	W S W	4	b	6 a.	30.17	766.3	45	81	...	0
Weihaiwei,	,,	30.13	765.3	48	...	N	2	b	9 a.	30.20	767.1	51	...	N E	1
Hankow,	,,	30.25	768.3	66	58	E	1	b	6 a.	30.25	768.3	54	87	N E	1
Kiukiang,	,,	30.25	768.3	65	49	N E	1	b	,,	30.22	767.3	45	...	...	0
Shanghai,	,,	30.18	766.6	61	45	W N W	1	b	9 a.	30.27	768.8	54	80	S	1
Gutzlaff,	,,	30.21	767.3	60	60	N	2	bv	,,	30.27	768.8	56	69	...	0
Sharp Peak,	,,	30.12	765.0	63	77	N N E	5	b	,,	30.18	766.6	62	83	N	4
Amoy,	,,	30.01	762.2	75	56	N E	5	c	6 a.	30.06	763.5	63	78	N N E	2
Swatow,	,,	29.95	760.7	76	50	E	3	c	,,	30.02	762.5	56	75	N	1
Taihoku,	1 p.	30.03	762.8	...	...	N E	8	...	5 a.	30.07	763.8	...	...	E	4
Taichu,	,,	29.90	759.4	...	...	N	6	...	,,	29.96	760.9	...	...	...	0
Tainan,	,,	29.91	759.7	...	...	N	6	...	,,	29.94	760.5	...	...	N E	2
Koshun	,,	29.87	758.6	...	...	N E	10	...	,,	29.90	759.5	...	...	N E	10
Pescadores,	,,	29.96	760.9	...	...	N E	10	...	,,	29.94	760.5	...	...	N E	10
Canton,	3 p.	29.98	761.5	73	33	N	1	b	9 a.	30.08	764.0	60	65	N N E	1
Hongkong,	4 p.	29.96	761.0	72	33	N	1	o	10 a.	30.04	763.0	69	83	E N E	1
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	E N E	5
Gap Rock,	,,	29.92	759.9	...	...	E N E	6	...	,,	30.02	762.5	...	...	E N E	6
Macao,	,,	29.97	761.2	73	...	N	3	c	,,	30.06	763.5	65	...	N	2
Wuchow,	3 p.	30.04	763.0	76	...	N	1	b	9 a.	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.00	762.0	75	56	N	2	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.7	77	...	S W	2	b	8 a.	30.07	763.7	64	...	W N W	2
Tourane,	,,	29.90	759.5	73	...	N W	4	o	,,	30.00	762.0	72	...	N W	4
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.83	757.6	77	...	...	...
Manila,	4 p.	29.72	755	84	71	W	2	b	10 a.	29.80	757	84	71	S E	2
Legaspi,	2 p.	29.74	755.5	90	...	W	2	c	6 a.	29.83	757.6	72	...	...	0
Pacolod,	3 p.	...	...	...	...	S S W	2	c	9 a.	...	...	...	...	N W	1
Iloilo,	,,	29.77	756.1	83	...	N W	1	b	,,	29.87	758.7	80	...	S W	1
Cebu,	,,	29.77	756.1	87	...	S	3	o	,,	29.87	758.7	86	...	S	1
Labuan,	,,	29.77	756.1	82	...	...	...	...	,,	29.89	759.2	80	...	...	...

On the 20th at 12.10 p.—Barometric changes at the stations around the China Sea are very slight.

The typhoon, which seems to be filling up very slowly, apparently remains in much the same position as yesterday, viz. to the Eastward of the Macclesfield Bank, and rough weather must still be expected over the N. part of China Sea.

The depression lying over Manchuria yesterday, is probably moving into the N. part of the Sea of Japan. Pressure is highest over the Yangtze valley.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fair, squally.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 20th November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	20TH NOVEMBER, 1909, P.M.								21ST NOVEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ostock,...	2 p.	29.96	761.1	39	...	...	0	o	7 a.	30.09	764.2	38	83	S E	0	b
o,.....	,,	29.77	756.1	...	...	S E	6	...	6 a.	29.93	760.1	...	...	N	8	...
ate,.....	,,	29.69	754.2	...	...	N W	8	...	,,	30.13	765.2	...	...	N W	6	...
.....	,,	29.87	758.6	...	...	...	0	...	,,	30.22	767.5	...	...	...	0	...
.....	,,	30.07	763.8	...	...	S	2	...	,,	30.27	768.8	...	...	S W	2	...
ki, ...	,,	30.15	765.8	...	...	N	6	...	,,	30.23	767.8	...	...	E	2	...
ima, ...	,,	30.11	764.9	...	...	N W	4	...	,,	30.23	767.9	...	...	N E	4	...
,.....	,,	30.08	764.1	...	...	N	4	...	,,	30.16	766.1	...	...	N W	2	...
.....	,,	30.01	762.2	...	...	N E	6	...	,,	30.05	763.2	...	...	N E	6	...
ijima,....	,,	29.97	761.3	...	...	N E	10	...	,,	29.97	761.3	...	...	N	6	...
ls.....	,,	29.93	760.1	...	...	N E	4	...	,,	30.08	764.1	...	...	N E	2	...
.....	4 p.	30.08	764.0	62	36	S S W	4	b	6 a.	30.12	765.0	54	80	S S W	1	c
iwei,.....	,,	30.17	766.3	53	...	N W	1	b	9 a.	30.21	767.3	...	...	N E	3	o
w, ...	,,	30.15	765.8	66	95	S E	2	b	6 a.	30.14	765.5	57	94	S E	2	b
ng,.....	,,	...	...	65	58	N E	1	b	,,	30.01	762.2	45	...	...	0	b
ai, ...	,,	30.18	766.6	62	41	S S E	1	c	9 a.	30.27	768.8	61	82	E S E	1	b
,.....	,,	30.20	767.1	61	60	...	0	ov	,,	30.20	767.1	65	68	S E	3	bv
Peak,.....	,,	30.09	764.3	64	84	N N E	4	c	,,	30.10	764.5	64	95	N N E	2	o
.....	,,	30.01	762.2	74	62	N N E	4	b	6 a.	29.98	761.5	68	85	N E	2	c
v, ...	,,	29.93	760.2	73	43	N E	1	b	,,	...	...	..	...	...	...	...
u,.....	1 p.	30.04	762.9	...	...	E	8	...	5 a.	29.99	761.7	...	...	E	6	...
, ...	,,	29.92	767.1	...	...	N	2	...	,,	29.93	760.2	...	...	..	0	...
,.....	,,	29.93	760.3	...	...	N	2	...	,,	29.95	760.6	...	...	E	2	...
.....	,,	29.89	759.2	...	...	N E	10	...	,,	29.87	758.6	...	...	N E	10	...
ores, ...	,,	29.96	761.0	...	...	N E	10	...	,,	...	...	...	...	...	...	...
,.....	3 p.	29.95	760.7	71	40	N	1	b	9 a.	...	...	...	...	...	...	...
ong, ...	4 p.	29.95	760.7	70	43	E	2	b	10 a.	30.02	762.5	72	59	E N E	1	o
Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	3	...
ok,.....	,,	29.91	759.7	...	...	E N E	6	...	,,	29.93	761.5	...	...	N E	4	...
.....	,,	29.97	761.2	72	...	N N E	2	c	,,	30.03	762.7	66	...	N N E	1	c
,.....	3 p.	30.00	762.0	74	43	S E	1	b	9 a.	...	...	...	...	...	...	...
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	,,	29.97	761.2	75	64	S	1	b	,,	...	...	...	...	...	...	...
n, ...	4 p.	29.95	760.7	77	...	S W	1	b	8 a.	30.06	763.5	68	...	N N E	1	b
ne, ...	,,	29.92	759.9	72	...	N W	4	c	,,	29.97	761.3	72	..	N W	2	b
t. James,.	,,	...	...	...	...	...	...	...	,,	29.93	760.2	77	...	N N E	2	o
,.....	2 p.	29.80	756.9	75	...	N E	2	r	6 a.	...	...	...	...	..	...	...
,.....	4 p.	29.76	756	84	71	...	0	c	10 a.	29.88	759	84	71	S E	0	b
i,.....	2 p.	29.76	756.0	91	...	S W	2	b	6 a.	...	...	...	...	..	...	...
d,.....	3 p.	...	...	...	...	W S W	2	o	9 a.	...	...	...	...	W S W	1	c
.....	,,	29.77	756.1	83	...	S W	2	b	,,	29.91	759.7	81	...	...	0	b
.....	,,	29.78	756.4	86	...	S	2	c	,,	29.91	759.7	85	...	...	0	b
,.....	,,	29.80	756.9	83	...	...	...	...	,,	29.92	759.9	82	...	...	...	...

On the 2s1t at 12.30 p.—The barometer has risen slightly in the S. Philippines, and fallen over China particularlong the Yangtze valley.

The depression over the China Sea has apparently almost filled up in the position indicated yesterday.

Probably a depression is developing over Central China.

Pressure has increased considerably and is now highest over S. Japan.

Strong to moderate monsoon may be expected in the Formosa Channel and along the northern shores of the a Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ongkong and Neighbourhood, ...	N.E. winds, fresh to moderate; fair, cloudy.
ormosa Channel, ...	N.E. winds, strong to moderate.
uth coast of China between Hongkong and Lamocks,.	Same as No. 1.
uth coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 21st November, 1909.

ited by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st November, 1909, P.M.								22nd November, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.11	764.9	48	...	S E	0	b	7 a.	30.35	770.9	24	91	N E	0
Nemuro,	,,	30.08	764.1	...	...	N	6	...	6 a.	30.20	767.1	...	...	N W	10
Hakodate,	,,	30.20	767.2	...	...	N W	8	...	,,	30.32	770.2	...	...	N W	2
Tokio,	,,	30.22	767.6	...	...	...	0	...	,,	30.34	770.6	...	...	N	4
Kochi,	,,	30.23	767.8	...	...	S E	2	...	,,	30.27	768.8	...	...	S W	2
Nagasaki,	,,	30.23	767.8	...	...	S W	4	...	,,	30.27	768.8	...	...	...	0
Kagoshima,	,,	30.23	767.9	...	...	S E	2	...	,,	30.19	766.9	...	...	N E	4
Oshima,	,,	30.12	765.1	...	...	S E	4	...	,,	30.08	764.1	...	...	S E	4
Naha,	,,	30.01	762.2	...	...	N E	6	...	,,	29.97	761.2	...	...	E	6
Ishigakijima,	,,	29.93	760.3	...	...	E	6	...	,,	29.89	759.3	...	...	N E	2
Bonin Is.	,,	30.12	765.1	...	...	N E	2	...	,,	30.20	767.1	...	...	E	2
Chefoo,	4 p.	30.05	763.2	60	71	S W	4	o	6 a.	30.07	763.8	53	100	S E	1
Weihaiwei,	,,	30.16	766.0	53	...	N W	3	o	9 a.	...	...	50	...	N	1
Hankow,	,,	30.10	764.5	69	90	S E	1	b	6 a.	...	...	...	...	...	...
Kiukiang,	,,	30.03	762.7	69	66	...	0	b	,,	30.07	763.8	49	100	...	0
Shanghai,	,,	30.12	765.0	70	48	E S E	3	b	9 a.	30.07	763.8	66	95	...	...
Gutzlaff,	,,	30.13	765.3	64	79	E	3	c	,,	30.11	764.8	64	95	E	3
Sharp Peak,	,,	30.04	763.0	65	90	N	3	o	,,	30.05	763.2	66	95	N	1
Amoy,	,,	29.96	761.0	75	77	N E	3	o	6 a.	29.97	761.2	69	95	N N E	3
Swatow,	,,	...	...	...	...	...	...	...	,,	29.89	759.2	66	95	N E	1
Taihoku,	1 p.	29.94	760.6	...	...	E	6	...	5 a.	29.93	760.2	...	...	E	2
Taichu,	,,	29.91	759.7	...	...	...	0	...	,,	29.91	759.8	...	...	..	0
Tainan,	,,	29.93	760.3	...	...	N W	4	...	,,	29.93	760.2	...	...	N E	1
Koshun	,,	29.92	759.9	...	...	N E	8	...	,,	29.90	759.4	...	...	E	2
Pescadores,	,,	29.94	760.4	...	...	N	8	...	,,	29.92	760.0	...	...	N	6
Canton,	3 p.	29.93	760.2	73	95	N N W	1	b	9 a.	29.99	761.7	68	70	N	1
Hongkong,	4 p.	29.92	759.9	74	58	...	0	o	10 a.	29.97	761.2	74	57	S W	1
Victoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N	2
Gap Rock,	,,	29.88	758.9	...	...	E N E	4	...	,,	29.93	760.2	...	...	N N E	3
Macao,	,,	29.93	760.2	74	...	N E	2	o	,,	29.99	761.7	74	...	N	1
Wuchow,	3 p.	29.97	761.2	75	...	S	1	b	9 a.	30.06	763.5	57	...	E	2
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	72	62	W	4	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.94	760.5	77	...	S	1	b	8 a.	30.03	762.7	64	...	N W	2
Tourane,	,,	29.91	759.7	72	...	N W	4	b	,,	30.03	762.0	72	..	N W	2
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.95	760.6	79	...	N E	3
Aparri,	2 p.	29.82	757.3	84	...	S	2	b	6 a.	29.83	758.8	73	...	W	0
Manila,	4 p.	29.80	757	86	71	W S W	1	b	10 a.	29.92	760	86	79	S E	0
Legaspi,	2 p.	29.83	757.8	90	...	S E	2	b	6 a.	29.89	759.3	73	...	...	0
Pacolod,	3 p.	...	...	...	...	S S E	1	o	9 a.	...	...	...	...	N N W	1
Iloilo,	,,	29.85	758.2	81	...	...	0	o	,,	29.93	760.2	82	...	...	0
Cebu,	,,	29.84	757.9	86	...	...	0	b	,,	29.93	760.2	85	...	N	1
Labuan,	,,	29.81	757.2	85	...	...	...	...	,,	29.89	759.2	83	...	...	...

On the 22nd at 12.05 p.—The barometer has risen slightly in the Philippines, and fallen slightly to modera over the China coast and the Loochoos.

A high pressure area now lies over the Sea of Japan, and the barometer has risen considerably over E. Ja and at Wladiwostok.

Pressure is low over the Yangtze valley, and also over the N.E. part of the China Sea and the Pacific tow the Loochoos.

Moderate to fresh N.E. winds may be expected in the Formosa Channel and over the northern shores of China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 22nd November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

rion.	22nd NOVEMBER, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd NOVEMBER, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock,...	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
,.....	,,	30.32	770.1	...	...	N	10	...	6 a.	30.48	774.1	...	...	N	8	...
te,.....	,,	30.40	772.2	...	...	N	6	...	,,	30.52	775.2	...	...	...	0	...
.....	,,	30.30	769.6	...	...	N	2	...	,,	30.42	772.6	...	...	N W	4	...
.....	,,	30.27	768.8	...	...	S	2	...	,,	30.27	768.8	...	...	S W	2	...
si, ...	,,	30.19	766.8	...	...	N	4	...	,,	30.15	765.8	...	...	...	0	...
ima, ...	,,	30.19	766.9	...	...	E	6	...	,,	30.12	764.9	...	...	E	6	...
.....	,,	30.04	763.1	...	...	S	6	...	,,	30.01	762.1	...	...	S E	4	...
.....	,,	29.93	760.2	...	...	N	10	...	,,	29.98	759.2	...	...	N E	4	...
jima,....	,,	29.89	759.3	...	...	E	10	...	,,	29.86	758.3	...	...	E	6	...
ls.....	,,	30.12	765.1	...	...	E	4	...	,,	30.16	766.1	...	...	E	4	...
.....	4 p.	30.11	764.8	63	78	S	1	o	6 a.	30.15	765.8	49	93	N W	4	or
wei,.....	,,	30.24	768.1	54	...	N W	1	o	9 a.	30.31	769.9	43	...	N W	2	r
v, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	..
ng,.....	,,	30.02	762.5	68	69	N E	1	b	,,	30.06	763.5	56	...	...	0	b
ai.	,,	30.04	763.0	71	81	S E	2	o	9 a.	30.09	764.3	66	95	N E	1	cm
f, ...	,,	30.03	762.7	66	90	E	3	om	,,	30.07	763.8	62	94	N N E	2	om
'eak,.....	,,	29.97	761.2	66	83	N	4	or	,,	30.03	762.7	67	90	N	1	b
.....	,,	29.93	760.2	69	100	N E	1	or	6 a.	29.97	761.2	69	90	N	2	c
,.....	,,	29.85	758.2	70	90	E	1	o	,,	29.93	760.2	67	95	...	0	c
,.....	1 p.	29.91	759.8	...	...	N E	6	...	5 a.	29.99	761.6	...	...	S W	2	...
.....	,,	29.86	758.4	...	...	N	2	...	,,	29.87	758.6	...	...	N	6	...
.....	,,	29.89	759.2	...	...	N	2	...	,,	29.86	758.5	...	...	N	6	...
.....	,,	29.89	759.1	...	...	E	6	...	,,	29.86	758.4	...	...	E	6	...
ires, ...	,,	29.91	759.7	...	...	N	6	...	,,	29.89	759.1	...	...	N E	10	...
.....	3 p.	29.88	758.9	78	...	N W	1	b	9 a.	30.04	763.0	70	79	N E	1	b
ng, ...	4 p.	29.88	758.9	76	59	W	1	b	10 a.	30.03	762.7	75	65	S E	1	b
Peak,...	,,	...	...	...	...	N N W	3	...	,,	...	...	...	...	E	1	...
ck,.....	,,	29.86	758.4	...	...	N N W	3	...	,,	30.00	762.0	...	...	W N W	2	...
.....	,,	29.89	759.2	76	...	N E	2	c	,,	30.04	763.9	76	...	N N E	1	c
w,.....	3 p.	29.97	761.2	67	...	W	1	...	9 a.	30.10	764.5	60	...	E	2	f
,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
,.....	4 p.	29.93	760.1	77	...	S E	0	b	8 a.	30.06	763.6	64	...	N N W	3	b
e, ...	,,	29.91	759.8	73	...	N W	3	b	,,	30.02	762.6	77	..	N W	2	b
. James,.	,,	...	...	81	...	S S E	3	c	,,	29.94	760.5	77	...	N E	2	c
.....	2 p.	29.83	757.7	84	...	E	2	b	6 a.	29.94	760.5	77	...	W	2	b
.....	4 p.	29.84	758	86	71	W	2	b	10 a.	29.92	760	86	71	N W	1	...
,.....	2 p.	29.83	757.8	90	...	E	2	b	6 a.	29.89	759.2	75	...	...	0	b
,.....	3 p.	...	...	...	...	N W	1	c	9 a.	...	...	...	...	N N W	2	c
.....	,,	29.83	757.7	86	...	N N E	1	b	,,	29.91	759.7	82	...	N N E	1	b
.....	,,	29.82	757.4	87	...	...	1	b	,,	29.91	759.7	84	...	...	0	c
.....	,,	29.79	756.6	86	...	...	...	...	,,	29.89	759.2	82	...	...	...	...

On the 23rd at 12.10 p.—The barometer has risen slightly on the S. coast of China, and fallen slightly to mode- over Formosa and the Loochoos.

The shallow depression shown to the S.E. of Formosa this morning, may possible be connected with recurvature recent typhoon.

The area of high pressure is lying over E. Japan. Pressure remains low over S. China.

Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
ngkong and Neighbourhood, ...	N.E. winds, moderate or fresh; fair.
mosa Channel, ...	Same as No. 1.
th coast of China between Hongkong and Lamocks,.	Same as No. 1.
th coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 23rd November, 1909.

ted by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd November, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th November, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.09	764.3	41	...	S E	9	o	7 a.	29.95	760.8	21	83	N	6
Nemuro,	,,	30.48	774.1	...	...	N	6	...	6 a.	30.32	770.1	...	...	S	6
Hakodate,	,,	30.44	773.2	...	...	S E	6	...	,,	30.09	764.2	...	...	E	6
Tokio,	,,	30.38	771.6	...	...	N	4	...	,,	30.13	766.6	...	...	N W	2
Kochi,	,,	30.15	765.8	...	...	S	2	...	,,	29.60	751.8	...	...	N E	4
Nagasaki,	,,	29.99	761.8	...	...	N	2	...	,,	29.76	755.8	...	...	N	8
Kagoshima,	,,	29.96	760.9	...	...	E	8	...	,,	29.72	754.9	...	...	N	6
Oshima,	,,	29.81	757.1	...	...	S E	6	...	,,	29.35	758.1	...	...	N	6
Naha,	,,	29.81	757.2	...	...	W	2	...	,,	29.93	760.2	...	...	N	8
Ishigakijima,	,,	29.85	758.3	...	...	S	4	...	,,	30.01	762.3	...	...	N	8
Bonin Is.	,,	30.12	765.1	...	...	E	4	...	,,	30.08	764.1	...	...	E	4
Chefoo,	4 p.	30.33	770.4	41	57	N N W	6	o	6 a.	30.35	770.9	34	79	N W	6
Weihaiwei,	,,	30.30	769.6	38	...	N W	3	o	9 a.	30.34	770.5	28	...	N	2
Hankow,	,,	30.46	773.7	56	30	N E	4	b	6 a.	...	...	...	..	...	...
Kiukiang,	,,	30.24	768.1	64	72	N E	2	o	,,	...	...	...	...	...	...
Shanghai,	,,	30.05	763.2	69	75	N	2	c	9 a.	...	..	...	...	N W	4
Gutzlaff,	,,	30.12	765.0	66	90	N N W	4	cm	,,	30.34	770.6	48	49	N W	7
Sharp Peak,	,,	29.98	761.5	70	100	E	1	b	,,	30.24	768.1	65	79	E N E	4
Amoy,	,,	29.94	760.5	79	78	N E	3	b	6 a.	30.12	765.0	68	90	N E	4
Swatow,	,,	29.90	759.4	75	68	E	1	b	,,	30.06	763.5	64	95	N	1
Taihoku,	1 p.	29.93	760.2	...	...	E	4	...	5 a.	30.15	765.8	...	...	S W	2
Taichu,	,,	29.91	759.7	...	...	N	2	...	,,	30.00	761.9	...	...	N	4
Tainan,	,,	29.88	759.0	...	...	W	6	...	,,	30.00	761.9	...	...	N	4
Koshun	,,	29.90	759.4	...	...	E	8	...	,,	29.99	761.3	...	...	N E	10
Pescadores,	,,	29.91	759.7	...	...	N	10	...	..	30.02	762.6	...	...	N E	10
Canton,	3 p.	29.96	761.0	78	54	N E	1	b	9 a.	...	...	...	...	...	...
Hongkong,	4 p.	29.98	761.5	76	68	E	1	b	10 a.	30.19	766.8	72	50	N	3
Victoria Peak,	,,	...	...	...	...	W S W	1	...	,,	...	...	...	...	N	7
Gap Rock,	,,	29.94	760.5	...	...	N	2	...	,,	30.15	765.8	...	...	N	4
Macao,	,,	29.99	761.7	74	...	S	1	b	,,	30.20	767.1	69	...	N N W	3
Wuchow,	3 p.	30.03	762.7	77	...	W	1	b	9 a.	30.35	770.9	61	...	N	4
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.02	762.5	77	61	W	3	b	,,	...	...	...	...	...	...
Phulien,	4 p.	29.99	761.8	77	...	E	2	b	8 a.	30.21	767.3	68	...	N N E	3
Tourane,	,,	29.97	761.2	73	...	N W	2	b	,,	30.09	764.2	70	..	N W	2
Cape St. James,	,,	29.85	758.1	81	...	E S E	2	c	,,	29.95	760.6	79	...	N N E	2
Aparri,	2 p.	29.85	758.2	84	...	N	2	b	6 a.	29.93	760.2	77	...	N W	2
Manila,	4 p.	29.80	757	80	71	...	0	c	10 a.	29.92	760	84	71	E	1
Legaspi,	2 p.	29.83	757.7	86	...	S E	2	c	6 a.	29.89	759.2	75	...	..	0
Pacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N E	1
Iloilo,	,,	29.81	757.2	86	...	N W	3	c	,,	29.91	759.7	81	...	N E	1
Cebu,	,,	29.80	756.9	87	...	N	1	b	,,	29.90	759.4	86	...	N	1
Labuan,	,,	29.79	756.6	86	...	...	...	...	,,	29.87	758.7	83	...	...	...

On the 24th at 12.05 p.—The barometer has risen considerably over China and Formosa, and fallen quickl Japan and at Wladiwostok.

Two depressions exist over the Japanese area, one off the S. coast of Japan, the other over the N. part of th of Japan. They are moving Eastwards.

Areas of high pressures are lying over the Pacific to the E. of Japan, and over the continent to the North of Yangtze valley.

Strong to heavy monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending **at 10 a.m. to-day**, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, strong; fine, squally.
2.—Formosa Channel,	N.E. gale.
3.—South coast of China between Hongkong and Lamocks,	N. to N.E. winds, strong to a gale.
4.—South coast of China between Hongkong and Hainan,	N. gale.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 24th November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

TION.	24TH NOVEMBER, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
stock, ...	2 p.	29.87	758.8	20	...	N W	3	c
.....	,,	30.08	764.1	...	...	S	8	...
te, ...	,,	29.73	755.2	...	...	S E	6	...
.....	,,	29.83	757.6	...	...	N	2	...
.....	,,	29.52	749.8	...	...	N W	6	...
ki, ...	,,	29.91	759.8	...	...	N W	10	...
ima, ...	,,	29.88	758.9	...	...	N W	8	...
.....	,,	29.96	761.1	...	...	N	8	...
.....	,,	30.05	763.2	...	...	N	10	...
jima, ...	,,	30.09	764.3	...	...	N	8	...
s.....	,,	29.93	760.1	...	...	S E	4	...
.....	4 p.	30.31	769.9	33	...	N W	8	s
wei, ...	,,	30.27	768.8	28	...	N	3	o
, ...	,,	30.66	778.7	49	31	N E	1	b
g, ...	,,	...	...	...	...	...	...	...
ai.	,,	30.42	772.6	41	25	N W	6	b
f, ...	,,	30.35	770.9	43	36	N W	7	cv
eak, ...	,,	30.24	768.1	63	83	E	4	o
.....	,,	30.14	765.5	71	85	N E	2	c
.....	,,	30.09	764.3	71	81	E	1	c
.....	1 p.	30.24	768.0	...	...	E	4	...
.....	,,	30.05	763.3	...	...	N	8	...
.....	,,	30.04	762.9	...	...	N	6	...
.....	,,	30.04	763.0	...	...	N E	10	...
res, ...	,,	30.10	764.6	...	...	N E	10	...
.....	3 p.	30.15	765.8	70	56	N	1	b
ng, ...	4 p.	30.13	765.3	71	42	N	3	b
Peak, ...	,,	...	...	...	...	N	3	...
k, ...	,,	30.08	764.0	...	...	N	4	...
.....	,,	30.14	765.5	72	...	N	3	b
, ...	3 p.	30.16	766.0	69	...	N	3	bq
.....	,,	...	...	...	...	...	...	...
.....	,,	30.16	766.0	71	...	N	1	b
, ...	4 p.	30.12	765.1	75	...	N E	2	b
e, ...	,,	30.00	762.0	73	...	E	4	o
James, .	,,	29.83	757.8	81	...	E	3	o
.....	2 p.	29.93	760.1	73	...	N E	2	r
.....	4 p.	29.84	758	82	85	S E	1	c
.....	2 p.	29.83	757.8	88	...	S E	2	b
.....	3 p.	...	...	...	...	N E	4	c
.....	,,	29.81	757.2	86	...	N N E	1	b
.....	,,	29.81	757.2	86	...	N	1	b
.....	,,	29.76	755.9	87	...	...	...	...

25TH NOVEMBER, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
7 a.	29.88	758.9	9	84	N E	0	b
6 a.	29.30	744.1	...	...	S E	10	...
,,	29.38	746.2	...	...	N W	8	...
,,	29.47	748.6	...	...	W	2	...
,,	29.91	759.8	...	...	S W	2	...
,,	30.11	764.8	...	...	N W	6	...
,,	30.08	763.9	...	...	N	4	...
,,	30.08	764.1	...	...	N	8	...
,,	30.17	766.2	...	...	N	8	...
,,	30.21	767.3	...	...	N	6	...
,,	29.89	759.1	...	...	.	0	...
6 a.	30.31	769.9	33	90	S W	3	b
9 a.	...	..	...	...	...	...	..
6 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
9 a.	30.51	774.9	38	45	N W	2	b
,,	30.45	773.4	42	58	N W	5	bv
,,	30.40	772.1	60	37	N	3	b
6 a.	30.19	766.8	56	87	N	3	b
,,	30.23	767.8	53	54	N	1	b
5 a	30.34	770.7	...	...	N E	4	...
,,	30.19	766.8	...	...	N	6	...
,,	30.20	767.1	...	...	N	4	...
,,	30.14	765.5	...	...	N E	10	...
,,	30.20	767.0	...	...	N E	10	...
9 a.	30.38	771.6	54	49	N N E	2	b
10 a.	30.31	769.9	63	33	N	1	b
,,	...	...	...	...	N N E	5	...
,,	30.26	768.6	...	...	N N E	5	...
,,	30.34	770.6	58	...	N	3	c
9 a.	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
,,	...	...	...	...	...	...	...
8 a.	30.31	769.8	64	...	N E	4	c
,,	30.12	765.1	72	..	E N E	5	o
,,	...	...	...	...	...	...	...
6 a.	30.03	762.7	75	...	N E	4	q
10 a.	29.96	761	82	70	N E	1	o
6 a.	29.88	758.9	79	...	N E	2	b
9 a.	...	...	...	...	N N E	2	c
,,	29.91	759.7	81	...	N N E	1	b
,,	29.99	759.4	85	...	N	1	b
,,	29.88	758.9	82	...	...	...	...

On the 25th at 12.05 p.—The barometer has fallen very rapidly over E. Japan, and risen quickly over W. Japan he Loochoos. A considerable rise has taken place also over China.

The two depressions lying over the Japanese area yesterday, have continued to move Eastwards. This morning entre is over Hokkaido, the other off the S.E. coast.

The anticyclonic area remains over China, and pressure is relatively low over the Philippines and adjacent s.

Strong monsoon may be expected in the Formosa Channel, and monsoon gales over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
gkong and Neighbourhood, ...	N. to N.E. winds, fresh; fine.
mosa Channel, ...	N.E. winds, strong to a gale.
th coast of China between Hongkong and Lamocks,.	N. to N.E. winds, strong.
th coast of China between Hongkong and Hainan,...	N. to N.E. winds, strong to a gale.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 25th November, 1909.

ed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th November, 1909, P.M.								26th November, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	29.83	757.6	20	...	N	0	c	7 a.	29.89	759.3	15	73	N E	0
Nemuro,	,,	29.26	743.1	...	...	S W	10	...	6 a.	29.53	750.1	...	...	W	8
Hakodate,	,,	29.54	750.2	...	...	W	8	...	,,	29.69	754.2	...	...	W	8
Tokio,	,,	29.63	752.6	...	...	N	6	...	,,	29.95	760.6	...	...	W	4
Kochi,	,,	29.95	760.8	...	...	W	6	...	,,	30.15	765.8	...	...	S W	2
Nagasaki,	,,	30.15	765.8	...	...	N W	6	...	,,	30.19	766.8	...	...	N	4
Kagoshima,	,,	30.11	764.9	...	...	N W	6	...	,,	30.19	766.9	...	...	N	4
Oshima,	,,	30.16	766.1	...	...	N	8	...	,,	30.20	767.1	...	...	W	2
Naha,	,,	30.17	766.2	...	...	N	8	...	,,	30.21	767.2	...	...	E	4
Ishigakijima,	,,	30.25	768.3	...	...	N	6	...	,,	30.17	766.3	...	...	N	2
Bonin Is.	,,	29.89	759.1	...	...	N W	4	...	,,	30.04	763.1	...	...	N	2
Chefoo,	4 p.	30.22	767.6	45	81	W	2	b	6 a.	30.05	763.2	36	45	S	3
Weihaiwei,	,,	30.29	769.3	34	...	N W	2	b	9 a.	30.08	764.0	44	...	N W	1
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.35	770.9	46	69	S E	1
Kiukiang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Shanghai,	,,	30.41	772.4	47	15	N W	2	b	9 a.	30.29	769.3	45	53	S	1
Gutzlaff,	,,	30.36	771.1	47	55	N N W	3	cv	,,	30.27	768.8	52	53	S W	3
Sharp Peak,	,,	30.32	770.1	57	...	N E	4	b	,,	30.31	769.9	53	94	N W	1
Amoy,	,,	30.22	767.6	67	69	N E	4	b	6 a.	30.25	768.3	54	74	N	1
Swatow,	,,	30.19	766.8	65	53	E	1	b	,,	30.19	766.8	53	73	N E	1
Taihoku,	1 p.	30.34	770.6	...	...	N E	6	...	5 a.	30.23	767.7	...	...	E	2
Taichu,	,,	30.18	766.6	...	...	N	6	...	,,	30.10	764.6	...	...	...	0
Tainan,	,,	30.15	765.8	...	...	N	6	...	,,	30.17	766.2	...	...	N	6
Koshun	,,	30.16	766.1	...	...	S E	10	...	,,	30.15	765.7	...	...	N E	6
Pescadores,	,,	30.21	767.4	...	...	N E	10	...	,,	30.16	766.1	...	...	N E	8
Canton,	3 p.	30.22	767.6	62	41	N N E	2	b	9 a.	30.26	768.6	55	62	N	1
Hongkong,	4 p.	30.21	767.3	64	33	E N E	1	b	10 a.	30.24	768.1	64	46	E	1
Victoria Peak,	,,	...	...	...	...	N E	1	...	,,	...	...	...	...	E N E	2
Gap Rock,	,,	30.18	766.6	...	...	N N E	4	...	,,	30.19	766.8	...	...	E N E	4
Macao,	,,	30.18	766.6	64	...	N	2	c	,,	30.25	768.3	62	...	N	2
Wuchow,	3 p.	30.28	769.1	65	...	E	1	c	9 a.	30.31	769.9	57	...	E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.22	767.6	68	47	N	4	b	,,	...	...	...	...	...	...
Phulien,	4 p.	30.18	766.5	88	...	S W	1	c	8 a.	30.23	767.9	61	...	E N E	3
Tourane,	,,	30.06	763.4	72	...	E N E	6	o	,,	30.12	765.1	72	..	E N E	5
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	30.04	763.0	77	...	N E	4	o	6 a.	30.06	763.5	77	...	N E	2
Manila,	4 p.	29.83	759	79	84	N N E	1	o	10 a.	29.96	761	79	76	N N E	2
Legaspi,	2 p.	29.85	758.1	84	...	N E	2	c	6 a.	29.88	758.8	77	...	E	2
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N E	3
Iloilo,	,,	29.81	757.2	84	...	N E	3	b	,,	29.87	758.7	80	...	N E	3
Cebu,	,,	29.89	756.9	87	...	N	2	c	,,	29.88	758.9	84	...	N	2
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.85	758.2	82	...	...	...

On the 26th at 11.50 a.m. Pressure has increased considerably over Japan, the depression having passed to Pacific.

The barometer has fallen over the continent particularly in the North, apparently owing to the advance depression towards N. China from the Westward.

The highest pressure is now shown over S. China.

Moderate monsoon may be expected in the Formosa Channel and strong monsoon over the N. part of the Ch Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 26th November, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	26TH NOVEMBER, 1909, P.M.								27TH NOVEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,...	2 p.	29.81	757.2	32	...	...	3	b	7 a.	29.59	751.5	32	76	N E	1	c
ro,.....	,,	29.57	751.1	...	...	W	5	...	6 a.	29.85	758.1	...	...	W	4	...
late,.....	,,	29.73	755.2	...	...	W	6	...	,,	29.77	756.2	...	...	W	2	...
,.....	,,	29.91	759.6	...	...	S	2	...	,,	29.99	761.6	...	...	...	0	...
.....	,,	30.07	763.8	...	...	S W	4	...	,,	30.11	764.8	...	...	S W	2	...
aki, ...	,,	30.15	765.8	...	...	S E	6	...	,,	30.11	764.8	...	...	W	8	...
hima, ...	,,	30.15	765.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N E	2	...
a,.....	,,	30.16	766.1	...	...	N	2	...	,,	30.20	767.1	...	...	S W	2	...
.....	,,	30.17	766.2	...	...	N	6	...	,,	30.17	766.2	...	...	...	0	...
kijin a,....	,,	30.13	765.3	...	...	N E	6	...	,,	30.13	765.3	...	...	N	4	...
Is,.....	,,	30.04	763.1	...	...	W	2	...	,,	30.12	765.1	...	...	...	0	...
o,.....	4 p.	29.97	761.2	52	41	S S W	2	b	6 a.	...	...	...	...	...	...	...
iwei,.....	,,	30.00	762.0	50	...	N W	1	b	9 a.	30.04	763.0	47	...	N W	1	b
ow, ...	,,	...	...	59	48	S E	2	b	6 a.	30.29	769.3	47	85	S E	1	b
ang,.....	,,	30.26	768.6	59	48	N E	1	b	,,	30.24	768.1	46	84	...	0	c
hai, ...	,,	30.16	766.0	57	26	S S W	2	b	9 a.	30.23	767.8	51	66	W	1	c
aff.	,,	30.17	766.3	55	39	S W	2	bv	,,	30.21	767.3	56	63	N W	1	cm
Peak,.....	,,	30.19	766.8	57	...	...	0	b	,,	30.22	767.6	57	...	N W	1	b
.....	,,	30.16	766.0	67	79	...	0	b	6 a.	30.19	766.8	59	94	W	1	c
w, ...	,,	30.11	764.8	68	47	E	1	b	,,	30.13	765.3	57	81	...	0	c
ku,.....	1 p.	30.15	765.8	...	...	E	6	...	5 a	30.14	765.5	...	...	E	2	...
i, ...	,,	30.11	764.9	...	...	S W	2	...	,,	30.16	766.0	...	...	..	0	...
,.....	,,	30.12	765.0	...	...	W	4	...	,,	30.14	765.5	...	...	...	0	...
in.....	,,	30.13	765.2	...	...	E	6	...	,,	30.12	765.0	...	...	N E	6	...
dores, ...	,,	30.13	765.2	...	...	N E	8	...	,,	30.14	765.5	...	...	N E	6	...
n,.....	3 p.	30.14	765.5	63	47	N N W	1	b	9 a.	30.20	767.1	58	47	N	1	b
kong, ...	4 p.	30.14	765.5	65	44	E	2	c	10 a.	30.18	766.6	70	55	E	1	c
ria Peak,...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	...	...	...
Rock,.....	,,	30.10	764.5	...	...	E N E	4	...	,,	...	...	...	...	...	..	...
,.....	,,	30.15	765.8	67	...	E	1	c	,,	30.19	766.8	67	...	N	1	c
ow,.....	3 p.	30.17	766.3	68	...	E	1	b	9 a.	30.27	768.8	55	...	E	1	b
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
i,.....	,,	30.15	765.8	70	48	N W	1	b	,,	...	...	...	...	...	...	...
en,.....	4 p.	30.12	765.1	72	...	S S E	2	b	8 a.	30.19	766.8	66	...	E N E	0	b
ne, ...	,,	30.07	763.9	70	...	E N E	3	o	,,	30.09	764.3	70	..	N	2	or
St. James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ri,.....	2 p.	30.01	762.2	79	...	N E	2	c	6 a.	30.03	762.7	72	...	S	2	o
la, ...	4 p.	29.84	758	79	76	N	2	o	10 a.	29.92	760	81	76	N E	1	o
pi,.....	2 p.	29.84	758.0	84	...	N E	2	c	6 a.	29.89	759.2	77	...	N	2	q
od,.....	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N E	2	o
.....	,,	29.81	757.2	85	...	N E	2	b	,,	29.91	759.7	80	...	N E	1	o
.....	,,	29.79	756.6	86	...	N	2	...	,,	29.89	759.2	82	...	N	1	c
an, ...	,,	29.73	755.1	87	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 27th at 12.05 p.—The barometer has fallen considerably in Wladiwostok, and slightly over China and Japan. It has risen moderately over E. Japan and the Bonins.

The depression lying over Manchuria yesterday, has moved Eastwards and lies now in the neighbourhood of Wladiwostok.

The highest pressure is still shown over S. China.

The monsoon will probably freshen again in the Formosa Channel. Strong monsoon may be expected over the part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. to N. winds, moderate to fresh; fine.
Formosa Channel, ...	N.E. winds, moderate to strong.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 27th November, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th November, 1909, P.M.									28th November, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.		Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.61	762.0	42	...	N W	1	c		7 a.	30.06	763.5	21	57	...	0	
Nemuro,	,,	29.69	764.1	...	...	S	6	...		6 a.	29.73	755.1	...	...	W	8	
Hakodate,	,,	29.61	762.2	...	...	W	6	...		,,	29.93	760.2	...	...	N W	2	
Tokio,	,,	29.87	758.6	...	...	W	2	...		,,	30.06	763.6	...	...	W	2	
Kochi,	,,	30.03	762.8	...	...	E	2	...		,,	30.15	765.8	...	...	S W	2	
Nagasaki,	,,	30.07	763.8	...	...	W	6	...		,,	30.19	766.8	...	...	...	0	
Kagoshima,	,,	30.11	764.9	...	...	N W	6	...		,,	30.19	766.9	...	...	...	0	
Oshima,	,,	30.16	766.1	...	...	N	4	...		,,	30.20	767.1	...	...	S	2	
Naha,	,,	...	...	...	...	...	...	...		,,	30.17	766.2	...	...	E	2	
Ishigakijima,	,,	30.13	765.3	...	...	E	6	...		,,	30.13	765.3	...	...	N E	6	
Bonin Is.	,,	30.12	765.1	...	...	N	2	...		,,	30.16	766.1	...	...	...	0	
Chefoo,	4 p.	30.02	762.5	53	61	N W	2	b		6 a.	30.12	765.0	40	74	...	0	
Weihaiwei,	,,	30.02	762.5	53	...	N W	2	b		9 a.	...	...	...	...	...	...	
Hankow,	,,	30.28	769.1	63	38	W	1	b		6 a.	30.26	768.6	50	79	S E	1	
Kiukiang,	,,	30.18	766.6	63	42	...	0	b		,,	30.21	767.3	50	36	...	0	
Shanghai,	,,	30.16	766.0	62	36	W N W	2	b		9 a.	30.18	766.6	53	86	S S W	1	
Gutzlaff,	,,	30.15	765.8	61	45	W	1	cm		,,	30.18	766.6	53	76	S S E	1	
Sharp Peak,	,,	30.10	764.5	61	...	E	1	b		,,	30.19	766.8	62	...	W	1	
Amoy,	,,	30.13	765.3	72	76	S E	1	b		6 a.	30.14	765.5	59	...	W	3	
Swatow,	,,	30.08	764.0	71	...	E S E	1	b		,,	30.09	764.3	57	87	N	1	
Taihoku,	1 p.	30.08	764.0	...	...	E	6	...		5 a.	30.13	765.2	...	...	...	0	
Taichu,	,,	30.10	764.5	...	...	S W	2	...		,,	30.14	765.5	...	...	...	0	
Tainan,	,,	30.11	764.9	...	...	N	4	...		,,	30.13	765.4	...	...	N	2	
Koshun,	,,	30.08	764.0	...	...	N E	6	...		,,	30.10	764.6	...	...	N E	4	
Pescadores,	,,	30.12	765.0	...	...	N	6	...		,,	30.12	765.1	...	...	N	4	
Canton,	3 p.	30.09	764.3	69	43	N	1	b		9 a.	...	...	...	...	...	...	
Hongkong,	4 p.	30.10	764.5	69	46	E	1	c		10 a.	30.16	766.0	74	39	E	1	
Victoria Peak,	,,	...	...	...	...	...	0	...		,,	...	...	...	...	...	...	
Gap Rock,	,,	30.07	763.8	...	...	E N E	3	...		,,	...	...	...	...	...	..	
Macao,	,,	30.10	764.5	71	...	N E	1	c		,,	30.17	766.3	69	...	N	1	
Wuchow,	3 p.	30.13	765.3	72	...	W	1	b		9 a.	30.24	768.1	55	87	E	1	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Pakhoi,	,,	30.12	765.0	71	71	N W	1	b		,,	...	...	...	...	...	...	
Phulien,	4 p.	30.08	764.1	75	...	N W	0	b		8 a.	30.19	766.7	64	...	N N W	2	
Tourane,	,,	30.02	762.4	68	...	N W	2	or		,,	30.09	764.2	73	..	S E	3	
Cape St. James,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	
Aparri,	2 p.	29.98	761.5	81	...	N E	2	b		6 a.	30.02	762.4	77	...	N E	2	
Manila,	4 p.	29.88	759	77	84	N N E	0	o		10 a.	29.96	761	77	93	N	1	
Legaspi,	2 p.	29.86	758.4	77	...	E	2	o		6 a.	29.91	759.6	75	...	N E	2	
Bacolod,	3 p.	...	...	...	...	N N E	2	op		9 a.	...	...	...	...	N N W	2	
Iloilo,	,,	29.83	757.7	78	...	N W	2	r		,,	29.91	759.7	80	...	N E	1	
Cebu,	,,	29.81	757.2	84	...	N	1	c		,,	29.92	759.9	82	...	N	2	
Labuan,	,,	29.84	757.9	86	...	...	...	...		,,	...	...	...	...	...	...	

On the 28th at 12.10 p.—The depression lying over the N. part of the Sea of Japan yesterday, has passed to the Pacific and the barometer has risen over Japan and in Wladiwostok.

Pressure has increased moderately on the N.E. coast of China, and given way slightly over S. China. It is highest over S.W. China.

Moderate monsoon may be expected in the Formosa Channel and over the northern shores of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 28th November, 1909.

[Printed by NORONHA & Co. Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	28TH NOVEMBER, 1909, P.M.								29TH NOVEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,...	2 p.	29.98	761.4	34	...	S E	0	c	7 a.	29.37	745.9	40	93	S E	5	o
iro, ...	,,	29.93	760.1	...	...	N	2	...	6 a.	...	...	...	...	S E	4	...
date, ...	,,	30.09	764.2	...	...	N W	8	...	,,	30.01	762.2	...	...	N	6	...
, ...	,,	30.10	764.6	...	...	E	2	...	,,	30.02	762.6	...	...	N	2	...
i, ...	,,	30.11	764.8	...	...	S E	2	...	,,	30.03	762.8	...	...	S W	2	...
saki, ...	,,	30.11	764.8	...	...	W	2	...	,,	29.99	761.8	...	...	S	4	...
shima, ...	,,	30.15	765.9	...	...	S	2	...	,,	30.04	762.9	...	...	...	0	...
ua, ...	,,	30.16	766.1	...	...	...	0	...	,,	30.16	766.1	...	...	...	0	...
.....	,,	30.13	765.2	...	...	E	2	...	,,	30.13	765.2	...	...	...	0	...
skijin a, ...	,,	30.09	764.3	...	...	S E	6	...	,,	30.09	764.3	...	...	N E	4	...
Is.	,,	30.12	765.1	...	...	N	2	...	,,	30.12	765.1	...	...	...	0	...
o.	4 p.	29.79	756.6	60	60	S W	5	b	6 a.	...	...	...	...	...	...	...
aiwei, ...	,,	30.03	762.7	54	...	N W	1	b	9 a.	29.93	760.2	31	...	N W	4	o
ow, ...	,,	30.24	768.1	65	63	W	1	b	6 a.	30.43	772.9	51	93	N W	1	b
iang, ...	,,	30.16	766.0	67	46	...	0	b	,,	30.34	770.6	58	63	N W	1	c
hai, ...	,,	30.04	763.0	65	44	W	3	b	9 a.	30.32	770.1	51	28	N W	3	b
aff, ...	,,	30.09	764.3	63	57	S W	2	bm	,,	30.24	768.1	54	55	N W	6	bm
Peak, ...	,,	30.11	764.8	64	...	E	1	b	,,	30.21	767.3	59	...	..	0	b
.....	,,	30.10	764.5	63	...	S W	1	b	6 a.	30.17	766.3	61	94	W	2	c
w, ...	,,	30.07	763.8	72	67	E S E	1	b	,,	...	...	...	...	...	...	...
ku, ...	1 p.	30.11	764.7	...	...	N W	2	...	5 a.	30.18	766.6	...	...	..	0	...
u, ...	,,	30.09	764.4	...	...	N	2	...	,,	30.17	766.2	...	...	...	0	...
n, ...	,,	30.11	764.7	...	...	N	4	...	,,	30.15	765.9	...	...	N	2	...
m, ...	,,	30.07	763.9	...	...	N E	6	...	,,	30.12	764.9	...	...	...	0	...
dores, ...	,,	30.11	764.8	...	...	N E	2	...	,,	30.15	765.8	...	...	N E	6	...
n, ...	3 p.	30.06	763.5	69	56	N W	1	b	9 a.	30.22	767.6	65	78	N	1	b
kong, ...	4 p.	30.07	763.8	72	48	E	2	c	10 a.	30.21	767.3	74	35	N	2	c
ria Peak, ...	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	6	...
lock, ...	,,	30.04	763.0	...	...	E	4	...	,,	30.19	766.8	...	...	N N E	3	...
, ...	,,	30.07	763.8	71	...	S E	1	c	,,	...	...	...	...	...	...	...
ow, ...	3 p.	30.11	764.8	74	59	S W	1	c	9 a.	...	...	...	...	...	...	...
w, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
oi, ...	,,	30.10	764.5	73	63	N	1	b	,,	...	...	...	...	...	...	...
en, ...	4 p.	30.06	763.4	77	...	W N W	2	c	8 a.	30.26	768.5	64	...	N N W	2	b
ne, ...	,,	30.04	763.0	73	...	E S E	2	o	,,	30.14	765.5	72	..	N N E	2	o
St. James, .	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
, ...	2 p.	29.97	761.2	77	...	E	2	o	6 a.	...	...	...	...	...	..	...
la, ...	4 p.	29.88	759	81	85	W N W	0	o	10 a.	29.96	761	84	77	S S W	1	c
pi, ...	2 p.	29.87	758.8	77	...	N E	2	o	6 a.	29.91	759.7	77	...	N E	2	c
od, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	o
.....	,,	29.85	758.2	81	...	N N E	1	b	,,	29.93	760.2	80	...	N N E	1	o
.....	,,	29.86	758.4	80	...	N	2	or	,,	29.93	760.2	81	...	...	0	c
n, ...	,,	29.79	756.6	84	...	...	...	...	,,	29.90	759.4	82	...	...	...	...

On the 29th at 12.05 p.—The barometer has fallen over W. Japan and at Wladiwostok owing to a depression ich is approaching the neighbourhood of the latter station from the Westward.

Pressure is increasing over S. China, and it is high apparently ,over the Upper Yangtze valley.

The monsoon will freshen again in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N. winds, freshening; fine.
Formosa Channel, ...	N.E. winds, freshening.
South coast of China between Hongkong and Lamocks,.	Same as No. 1.
South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 29th November, 1909.

inted by NORONHA & Co. Government Printers.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th NOVEMBER, 1909, P.M.								30th NOVEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	28.98	736.2	39	...	S E	3	c	7 a.	29.45	748.0	12	62	N W	5	
Nemuro,	,,	30.00	762.1	...	...	S	6	...	6 a.	29.26	743.1	...	...	S E	10	
Hakodate,	,,	29.73	755.2	...	...	S E	6	...	,,	29.26	743.2	...	...	W	6	
Tokio,	,,	29.83	757.6	...	...	S W	8	...	,,	29.43	747.6	...	...	S W	8	
Kobe,	,,	29.63	757.8	...	...	...	0	...	,,	29.88	758.8	...	...	W	4	
Nagasaki,	,,	29.91	759.8	...	...	W	12	...	,,	30.07	763.8	...	...	N W	8	
Kagoshima,	,,	29.96	760.9	...	...	W	8	...	,,	30.08	763.9	...	...	N	8	
Okinawa,	,,	30.08	764.1	...	...	S	2	...	,,	30.16	766.1	...	...	N	10	
Naha,	,,	30.09	764.2	...	...	W	2	...	,,	30.21	767.2	...	...	N	8	
Ishigaki,	,,	30.13	765.3	...	...	S	2	...	,,	30.25	768.3	...	...	N	6	
Mako,	,,	30.04	763.1	...	...	N E	2	...	,,	30.01	762.1	...	...	...	0	
Chefoo,	4 p.	30.08	764.0	33	90	W N W	10	o	6 a.	30.27	768.8	31	...	N E	2	
Weihaiwei,	,,	30.08	764.0	21	...	N	4	os	9 a.	30.39	770.4	29	...	N W	1	
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.41	772.4	49	35	S E	1	
Kiukiang,	,,	30.35	770.9	65	44	N W	1	b	,,	30.37	771.4	45	92	...	0	
Shanghai,	,,	30.25	768.3	55	34	W	3	bm	9 a.	30.40	772.1	47	63	N N W	1	
Swatow,	,,	30.23	767.8	56	40	N W	2	bm	,,	30.35	770.9	52	53	N	2	
Sharp Peak,	,,	30.22	767.6	65	...	E S E	3	b	,,	30.35	770.9	61	...	N	1	
Amoy,	,,	30.14	765.5	72	81	S E	3	c	6 a.	30.22	767.6	61	89	N E	1	
Swatow,	,,	30.11	764.8	75	52	E	1	c	,,	30.16	766.6	58	81	N	1	
Taikohsho,	1 p.	30.18	766.5	...	...	N E	2	...	5 a.	30.28	769.0	...	...	E	2	
Taichu,	,,	30.13	765.4	...	...	N	6	...	,,	30.17	766.3	...	...	...	0	
Tainan,	,,	30.15	765.8	...	...	N	4	...	,,	30.16	766.1	...	...	N	2	
Koshun,	,,	30.13	765.3	...	...	N	2	...		30.13	765.4	...	...	N E	10	
Pescadores,	,,	30.15	765.9	...	...	N E	8	...	,,	30.17	766.2	...	...	N E	10	
Canton,	3 p.	30.15	765.8	71	57	N	1	b	9 a.	30.28	769.1	61	76	N	1	
Hongkong,	4 p.	30.12	765.0	77	54	N N E	1	o	10 a.	30.26	768.6	70	37	E	1	
Victoria Peak,	,,	...	...	...	...	N N E	2	...	,,	...	...	...	...	E S E	2	
Gap Rock,	,,	30.11	764.8	...	...	N	2	...	,,	30.23	767.8	...	...	E N E	4	
Macao,	,,	30.15	765.8	75	...	N	2	c	,,	30.27	768.8	67	...	N N E	2	
Wuchow,	3 p.	30.21	767.3	77	...	N	2	b	9 a.	30.35	770.9	59	...	E	1	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.18	766.6	78	61	N	3	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.16	766.0	77	...	W S W	3	b	6 a.	30.26	768.7	63	...	N E	3	
Tourane,	,,	30.09	764.2	72	...	N N E	2	c	,,	30.18	766.5	73	..	E N E	3	
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.94	760.4	73	...	N	2	
Aparri,	2 p.	30.02	762.6	73	...	S W	2	o	6 a.	30.05	763.2	73	...	E	0	
Manila,	4 p.	29.92	760	77	93	...	0	o	10 a.	30.00	762	84	64	..	0	
Legaspi,	2 p.	29.89	759.3	79	...	N E	2	o	6 a.	29.92	760.0	77	...	N E	2	
Borcelod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N N E	4	
Iloilo,	,,	29.85	758.2	84	...	N E	1	c	,,	29.91	759.7	80	...	N E	3	
Cebu,	,,	29.84	757.9	84	...	N	1	o	,,	29.92	759.9	84	...	N	2	
Labuan,	,,	29.84	757.9	86	...	...	...	...	,,	29.89	759.2	83	...	...	...	

On the 30th at 11.50 a.—The barometer has fallen very rapidly in E. Japan the depression which passed n Wladivostok last evening, having reached Hokkaido.

Pressure has increased over the China coast, particularly in the North. It is highest over the Yangtze valley. Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N.E. winds, fresh; fine.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks, .	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 30th November, 1909.

[Printed by NORONHA & Co. Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th November, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,...	2 p.	29.55	750.6	21	...	N W	3	b	7 a.	29.[illegible]7	753.5	15	50	N W	[illegible]	o
uro, ...	,,	29.14	740.1	...	...	S E	5	...	6 a.	29.41	747.1	...	...	W	[illegible]	...
odate, ...	,,	29.30	744.2	...	...	W	6	...	,,	29.62	752.2	...	...	W	[illegible]	...
io.	,,	29.59	751.6	...	...	W	4	...	,,	29.87	758.6	...	...	...	0	...
hi, ...	,,	29.91	759.8	...	...	W	6	...	,,	30.07	763.8	...	...	S W	2	...
asaki, ...	,,	30.11	764.8	...	...	N	8	...	,,	30.15	765.8	...	...	N	4	...
oshima, ...	,,	30.07	763.9	...	...	N W	8	...	,,	30.15	765.9	...	...	N W	2	...
ima, ...	,,	30.16	766.1	...	...	N	8	...	,,	30.16	766.1	...	...	N	4	...
a, ...	,,	30.20	767.2	...	...	N	8	...	,,	30.21	767.2	...	...	N	4	...
igakijima, ...	,,	30.21	767.3	...	...	N E	6	...	,,	30.17	766.3	...	...	N	4	...
m Is.	,,	29.96	761.1	...	...	S E	4	...	,,	30.08	764.1	...	...	N	2	...
foo, ...	4 p.	30.19	766.8	38	...	N E	3	b	6 a.	30.15	765.8	35	99	N W	2	c
haiwei, ...	,,	30.20	767.1	34	...	N W	1	b	9 a.	30.23	767.8	32	...	N W	1	o
akow, ...	,,	30.34	770.6	65	49	S W	1	b	6 a.	30.33	770.4	52	36		1	b
kiang, ...	,,	30.28	769.[illegible]	65	44	N E	1	b	,,	30.27	768.8	44	84	...	0	b
nghai.	,,	30.30	769.6	53	42	N	1	b	9 a.	30.22	767.6	49	78	S W	1	b
zlaff, ...	,,	30.28	769.1	55	56	N	1	bv	,,	30.21	767.3	55	68	W S W	...	bm
rp Peak, ...	,,	30.28	769.1	62	82	E N E	4	b	,,	30.26	768.6	58	...	N	1	b
oy, ...	,,	30.19	766.8	70	76	S E	3	b	6 a.	30.20	767.1	58	38	...	2	c
ctow, ...	,,	30.16	766.0	70	57	E	1	c	,,	30.20	767.1	55	81	N	1	b
hoku, ...	1 p.	30.26	768.5	...	...	N E	8	...	5 a.	30.18	766.5	...	...	N E	2	...
chu, ...	,,	30.15	765.7	...	...	S W	2	...	,,	30.18	766.5	...	...	...	0	...
nan, ...	,,	30.15	765.8	...	...	N W	2	...	,,	30.17	766.3	...	...	N E	2	...
hun.	,,	30.16	766.0	...		N E	10	...	,,	30.15	765.7	...	...	N E	6	...
cadores, ...	,,	30.18	766.6	...	...	E	10	...	,,	30.17	766.4	...	...	N E	6	...
ton, ...	3 p.	30.15	765.8	71	49	N N W	1	b	9 a.	30.24	768.1	61	89	...	0	b
ngkong, ...	4 p.	30.17	766.3	69	57	E	3	c	10 a.	30.23	767.8	68	64	[illegible]	1	b
oria Peak, ...	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N E	2	...
Rock, ...	,,	30.13	765.3	...	...	E N E	4	...	,,	30.20	767.1	...	...	E N E		...
cao, ...	,,	30.13	766.6	71	...	E	1	c	,,	30.23	767.8	69	...	N N E	1	bf
chow, ...	3 p.	30.20	767.1	72	...	S	1	b	9 a.	30.30	769.6	57	...	S E	1	c
how, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
choi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
alien, ...	4 p.	30.15	765.8	77		S S W	2	b	8 a.	30.23	767.7	...	...	N E	4	b
rane, ...	,,	30.09	764.4	72	...	N E	2	c	,,	30.13	765.2	73	..	N N E	3	o
e St. James, .	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
rri, ...	2 p.	30.05	763.3	77	...	E	2	p	6 a.	30.04	763.1	75	...	E	2	d
nila, ...	4 p.	29.92	760	82	63	N E	1	c	10 a.	29.96	761	81	69	...	0	o
gaspi, ...	2 p.	29.90	759.4	77	...	N E	2	o	6 a.	29.92	760.0	75	...	N E	2	o
colod, ...	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	W N W	3	o
lo, ...	,,	29.85	758.2	80	...	N E	2	b	,,	29.91	759.7	80	...	N E	1	b
u, ...	,,	29.84	757.9	85	...	N	1	b	,,	29.89	759.2	84	...	N	1	b
uan, ...	,,	29.81	757.2	86	...	...	...	...	,,	29.90	759.4	82	...	...	..	...

On the 1st at 11.55 a.—The barometer has risen considerably in E. Japan, and fallen moderately over N. China.
The depression lying over N.E. Japan yesterday, is moving away over the Pacific.
The highest pressure is shown over S. China.
Moderate to fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood, ...	N.E. winds, moderate; fine.
Formosa Channel, ...	Same as No. 1.
South coast of China between Hongkong and Lamocks, .	Same as No. 1.
South coast of China between Hongkong and Hainan....	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 1st December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st DECEMBER, 1909, P.M.								2nd DECEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.64	752.9	23	...	N W	1	c	7 a.	29.82	757.4	12	55	N N	0	c
Nemuro,	,,	29.49	749.1	...	...	S W	10	...	6 a.	29.61	752.1	...	...	W	6	
Hakodate,	,,	29.67	751.2	...	...	N W	3	...	,,	29.69	754.2	...	...	W	6	
Tokio,	,,	29.71	754.6	...	...	W	2	...	,,	29.79	756.6	...	...	S W	4	
Kochi,	,,	29.99	761.8	...	...	W	4	...	,,	30.07	763.8	...	...	W	2	
Nagasaki,	,,	30.07	763.8	...	...	W	8	...	,,	30.19	766.8	...	...	N	8	
Kagoshima,	,,	30.07	763.9	...	...	N W	6	...	,,	30.04	762.9	...	...	N	6	
Oshima,	,,	30.16	766.1	...	...	N	4	...	,,	30.16	766.1	...	...	N	6	
Naha,	,,	30.17	766.2	...	...	N	4	...	,,	30.21	767.2	...	...	...	0	
Ishigakijima,	,,	30.13	765.3	...	...	E	6	...	,,	30.13	765.3	...	...	N E	6	
Bonin Is.	,,	30.04	763.1	...	...	N W	2	...	,,	30.12	765.1	...	...	...	0	
Chefoo,	4 p.	30.19	766.8	39	...	N W	6	c	6 a.	30.22	767.6	38	...	N W	4	b
Weihaiwei,	,,	30.33	770.4	34	...	N	3	c	9 a.	30.40	772.1	35	...	N W	3	c
Hankow,	,,	30.42	772.6	62	36	N E	1	b	6 a.	30.43	772.9	44	92	N W	1	b
Kiukiang,	,,	30.25	768.[illegible]	65	44	W	2	b	,,	30.39	771.9	43	...	...	0	b
Shanghai,	,,	30.20	767.1	58	58	N N E	2	b	9 a.	30.41	772.4	46	62	N W	1	b
Gutzlaff,	,,	30.18	766.[illegible]	59	65	N	2	bm	,,	30.36	771.4	54	55	N	2	b
Sharp Peak,	,,	30.18	766.6	62	...	N	1	c	,,	30.30	769.6	61	89	N E	2	c
Amoy,	,,	...	...	...	...	...	...	...	6 a.	30.18	766.6	6[illegible]	94	W	2	c
Swatow,	,,	30.10	764.5	69	52	E S E	1	b	,,	...	...	...	...	...	...	
Taihoku,	1 p.	30.13	765.2	...	...	E	2	...	5 a.	30.18	766.6	...	...	E	4	
Taichu,	,,	30.10	764.5	...	...	W	2	...	,,	30.16	766.0	...	...	...	0	
Tainan,	,,	30.13	765.2	...	...	N W	4	...	,,	30.14	765.6	...	...	N	2	
Koshun,	,,	30.12	765.1	...	...	N E	6	...	,,	30.13	765.3	...	...	...	0	
Pescadores,	,,	30.15	765.8	...	...	N	6	...	,,	30.14	765.5	...	...	N E	6	
Canton,	3 p.	30.12	765.0	79	53	N W	1	b	9 a.	30.24	768.1	61	[illegible]0	N	1	b
Hongkong,	4 p.	30.12	765.0	6[illegible]	65	E	2	b	10 a.	30.22	767.6	68	[illegible]8	E	1	b
Victoria Peak,	,,	...	...	...	...	N	0	...	,,	...	...	...	...	N E	3	
Gap Rock,	,,	30.10	764.5	...	...	E	4	...	,,	30.18	766.6	...	...	N E	[illegible]	
Macao,	,,	30.13	765.3	71	...	E	1	c	,,	30.23	767.8	71	...	N	1	c
Wuchow,	3 p.	30.19	766.8	61	...	S	1	c	9 a.	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Pakhoi,	,,	30.15	765.8	72	71	W N W	3	b	,,	...	...	...	...	...	...	
Phulien,	4 p.	30.13	765.2	75	...	S S W	2	b	8 a.	30.22	767.5	66	...	N W	2	c
Tourane,	,,	30.05	763.3	66	...	S W	4	or	,,	30.13	765.3	70	..	N N W	3	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	
Aparri,	2 p.	30.02	762.5	75	...	E	2	d	6 a.	30.03	762.8	72	...	S W	2	c
Manila,	4 p.	29.92	760	81	76	E	1	c	10 a.	29.96	761	82	70	N N E	2	c
Legaspi,	2 p.	29.91	759.6	75	...	N E	2	r	6 a.	29.91	759.7	81	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	4	c	9 a.	...	...	...	...	N E	4	c
Iloilo,	,,	29.83	757.7	83	...	N E	3	b	,,	29.91	759.7	80	...	N E	3	b
Cebu,	,,	29.83	757.7	86	...	N	1	b	,,	29.89	759.2	84	...	N	3	c
Labuan,	,,	29.79	756.6	84	...	...	...	...	,,	29.82	757.4	82	...	...	...	

On the 2nd at 11.55 a.—The barometer has risen moderately over N. China and fallen slightly over Formosa and the S. coast of China.

Pressure is high over the Yangtze valley, and still low over the Pacific to the N.E. of Japan.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate: fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 2nd December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	29.86	753.4	15	...	N E	0	b	7 a.	30.05	763.2	10	36	N E	0	o
auro,	,,	29.61	752.1	...	...	S W	8	...	6 a.	...	...	...	...	...	...	...
kodate,	,,	29.73	755.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
io.	,,	29.75	755.6	...	...	S W	2	...	,,	...	...	...	...	...	...	...
chi,	,,	30.07	763.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
gasaki,	,,	30.23	767.8	...	...	W	6	...	,,	...	...	...	...	...	...	...
goshima,	,,	30.19	766.9	...	...	N W	6	...	,,	...	...	...	...	...	...	...
ima,	,,	30.20	767.1	...	...	N	6	...	,,	...	...	...	...	...	...	...
la	,,	30.17	766.2	...	...	N	6	...	,,	...	...	...	...	...	...	...
igakijin a,	,,	30.13	765.3	...	...	N E	8	...	,,	...	...	...	...	...	...	...
sin Is.	,,	30.08	764.1	...	...	...	0	...	,,	...	...	...	...	...	...	...
foo,	4 p.	30.27	766.3	38	...	N W	4	b	6 a.	...	...	...	...	S	1	b
ihaiwei,	,,	30.40	772.1	35	...	N W	3	c	9 a.	...	...	33	...	S W	2	c
akow,	,,	...	...	...	...	...	...	...	6 a.	30.40	772.1	46	...	N W	1	b
akiang	,,	...	...	...	...	...	...	...	,,	30.46	773.7	41	92	...	0	b
anghai,	,,	30.30	769.6	53	36	N W	1	b	9 a.	30.36	771.1	50	51	...	0	b
tzlaff,	,,	30.30	769.6	54	49	N	1	bv	,,	30.32	770.1	53	61	N	1	cv
rp Peak,	,,	30.23	767.8	62	...	N N E	4	c	,,	30.31	769.9	59	...	...	0	b
oy,	,,	30.14	765.5	65	...	E	3	b	6 a.	30.20	767.1	59	...	W	1	b
stow,	,,	30.08	764.0	73	58	E	3	c	,,	30.17	766.3	55	87	N	1	b
hoku,	1 p.	30.20	767.0	...	...	E	6	...	5 a.	30.21	767.4	...	...	E	4	...
ichu,	,,	30.11	764.8	...	...	N	6	...	,,	30.14	765.6	...	...	...	0	...
inan,	,,	30.12	765.1	...	...	N	4	...	,,	30.13	765.2	...	...	N	4	...
shun	,,	30.11	764.9	...	...	N E	6	...	,,	30.10	764.5	...	...	N	6	...
scadores,	,,	30.12	765.1	...	...	N E	10	...	,,	30.12	765.1	...	...	N E	10	...
nton,	3 p.	30.11	764.8	71	37	N W	1	b	9 a.	30.28	769.1	61	50	N	1	b
ngkong,	4 p.	30.11	764.8	70	44	E	1	b	10 a.	30.24	768.1	67	32	N	2	b
ctoria Peak,	,,	...	...	...	...	E N E	1	...	,,	...	...	...	...	N E	3	...
p Rock,	,,	30.07	763.8	...	...	E N E	4	...	,,	30.20	767.1	...	...	N E	5	...
cao,	,,	30.13	765.3	71	...	N E	3	c	,,	30.26	768.6	64	...	N	2	b
nchow,	3 p.	30.15	765.8	75	...	E	1	b	9 a.	30.35	770.9	53	...	N	...	f
ihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	30.10	764.6	75	...	E S E	3	b	8 a.	30.25	768.3	66	...	N E	3	b
urane,	,,	30.05	763.2	73	...	N W	4	o	,,	30.14	765.5	72	..	N E	3	o
pe St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
arri,	2 p.	29.98	761.4	79	...	E	2	o	6 a.	29.98	761.4	75	...	E	2	o
nila,	4 p.	29.84	758	81	70	N N E	2	c	10 a.	29.88	759	79	76	...	0	od
gaspi,	2 p.	29.82	757.4	86	...	N E	2	c	6 a.	29.83	757.6	77	...	N E	2	o
colod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	N N E	3	o
ilo,	,,	29.81	757.2	85	...	N E	1	c	,,	29.83	757.7	81	...	N N E	1	b
bu,	,,	29.78	756.4	86	...	N	2	b	,,	29.84	757.9	86	...	N	1	b
ouan,	,,	29.76	755.9	86	...	...	...	...	,,	29.83	757.7	83	...	...	...	...

On the 3rd at 12.05 p.—The barometer has fallen moderately over the Philippines, probably owing to the existence of a depression to the Eastward of the S. part of the Archipelago.

Pressure has increased slightly over S. China. It is highest over the Yangtze valley.

The Japanese returns are not yet in hand.

Fresh to strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fine.
Formosa Channel,	N.E. winds, fresh to strong.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 3rd December, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.04	763.1	19	...	...	0	b	7 a.	30.13	765.4	12	56	...	0
Nemuro,	,,	29.85	758.1	...	...	W	6	...	6 a.	29.97	761.1	...	...	W	4
Hakodate,	,,	29.89	759.2	...	...	N	6	...	,,	30.05	763.2	...	...	W	6
Tokio,	,,	29.94	760.6	...	...	S	2	...	,,	30.02	762.6	...	...	N	4
Kochi,	,,	30.07	763.8	...	...	W	6	...	,,	30.15	765.8	...	...	S W	2
Nagasaki,	,,	30.19	766.8	...	...	N	6	...	,,	30.23	767.8	...	...	N	2
Kagoshima,	,,	30.19	766.9	...	...	N	6	...	,,	30.19	766.9	...	...	N	2
Oshima,	,,	30.16	766.1	...	...	N	6	...	,,	30.16	766.1	...	...	N E	4
Naha,	,,	30.17	766.2	...	...	N	4	...	,,	30.17	766.2	...	...	N	8
Ishigakijima,	,,	30.13	765.3	...	...	N	6	...	,,	30.13	765.3	...	...	N	6
Bonin Is.	,,	30.12	765.1	...	...	N E	8	...	,,	29.89	759.1	...	...	N E	2
Chefoo,	4 p.	30.25	768.3	42	...	...	3	b	6 a.	30.00	762.0	40	91	S	2
Weihaiwei,	,,	30.40	772.1	37	...	W	2	b	9 a.	30.18	766.6	40	...	S	1
Hankow,	,,	30.34	770.6	63	47	S W	1	b	6 a.	30.31	769.9	47	93	S E	1
Kiukiang	,,	30.31	769.9	62	46	...	0	b	,,	30.27	768.8	43	92	...	0
Shanghai,	,,	30.28	769.1	55	39	N N W	1	b	9 a.	30.23	767.8	52	60	S S W	1
Gutzlaff,	,,	30.27	768.8	55	50	N	1	bv	,,	30.23	767.8	56	61	S S W	1
Sharp Peak,	,,	30.29	769.3	61	...	E N E	4	b	,,	30.27	768.8	59	...	N	1
Amoy,	,,	30.12	765.0	73	67	E	3	b	6 a.	30.18	766.6	59	88	N	2
Swatow,	,,	30.09	764.3	70	58	E	1	b	,,	30.13	765.3	54	94	N	1
Taihoku,	1 p.	30.20	767.0	...	...	S E	6	...	5 a.	30.20	767.0	...	...	E	2
Taichu,	,,	30.07	763.7	...	...	N	6	...	,,	30.08	764.1	...	...	...	0
Tainan,	,,	30.08	764.1	...	...	N	4	...	,,	30.07	763.7	...	...	N	4
Koshun	,,	30.09	764.2	...	...	N	6	...	,,	30.02	762.5	...	...	N E	8
Pescadores,	,,	30.12	765.1	...	...	N E	10	...	,,	30.09	764.3	...	...	N E	10
Canton,	3 p.	30.13	765.3	70	32	N	1	b	9 a.	30.22	767.6	53	47	N	1
Hongkong,	4 p.	30.11	764.8	73	31	N	1	b	10 a.	30.18	766.6	66	32	N	1
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	E N E	2
Gap Rock,	,,	30.08	764.0	...	...	E N E	4	...	,,	30.15	765.8	...	...	N E	4
Macao,	,,	30.15	765.3	69	...	N	2	b	,,	30.19	766.8	63	...	N	1
Wuchow,	3 p.	30.18	766.6	73	...	W	1	b	9 a.	30.26	768.6	56	...	N E	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.14	765.5	76	...	S W	1	b	,,	...	...	...	...	...	...
Phulien,	4 p.	30.12	765.1	75	...	S E	1	b	8 a.	30.19	766.8	66	...	N N E	2
Tourane,	,,	30.06	763.6	72	...	N E	2	c	,,	30.09	764.3	68	..	N E	3
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Aparri,	2 p.	29.94	760.6	77	...	N E	2	o	6 a.	29.93	760.1	72	...	N E	2
Manila,	4 p.	29.80	757	79	84	...	0	o	10 a.	29.84	758	82	63	N N W	1
Legaspi,	2 p.	29.78	756.4	79	...	N E	2	o	6 a.	29.77	756.1	77	...	N E	4
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N E	4
Iloilo,	,,	29.77	756.1	84	...	N E	2	c	,,	29.80	756.9	80	...	N E	3
Cebu,	,,	29.72	754.9	87	...	N	1	c	,,	29.78	756.4	85	...	...	0
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.79	756.6	84	...	...	...

On the 4th at 12.05 p.—The barometer is still falling over the Philippines, and the depression would appear have approached the S E. part of the Archipelago.

The barometer has risen in E. Japan and fallen over China, particularly in the North. A depression is probal approaching Manchuria from the Westward.

Pressure is highest over S. China.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate or fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 4th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	4TH DECEMBER, 1909, P.M.								5TH DECEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock,	2 p.	30.08	[illegible]	26	...	N W	0	b	7 a.	30.02	762.5	12	52	N E	1	o
ro,	,,	29.96	761.1	...	...	...	0	...	6 a.	30.04	763.1	...	...	S W	2	...
date,	,,	30.05	764.2	...	...	W	4	...	,,	30.13	765.2	...	...	N	2	...
,	,,	30.02	762.6	...	...	E	2	...	,,	30.06	763.6	...	...	N	4	...
i,	,,	30.07	763.8	...	...	...	0	...	,,	30.07	763.8	...	...	S W	2	...
saki,	,,	30.15	765.8	...	...	N	2	...	,,	30.07	763.8	...	...	S E	6	...
shima,	,,	30.11	764.9	...	...	N W	4	...	,,	30.15	765.9	...	...	N E	2	...
ma,	,,	30.12	765.1	...	...	N	6	...	,,	30.12	765.1	...	...	S	4	...
,	,,	30.09	764.2	...	...	N E	6	...	,,	30.13	765.2	...	...	N E	4	...
skijin a,	,,	30.09	764.3	...	...	N	8	...	,,	30.09	764.3	...	...	N E	6	...
n Is.	,,	29.93	760.1	...	...	N	6	...	,,	29.93	760.1	...	...	N	2	...
so,	4 p.	29.82	757.4	50	...	W N W	5	b	6 a.	30.10	764.5	55	90	N W	4	c
haiwei,	,,	29.99	761.7	59	...	S S W	3	c	9 a.	30.34	770.6	37	...	N W	4	c
kow,	,,	30.29	769.3	64	58	S W	1	b	6 a.	30.31	769.9	51	73	N N E	2	c
iang,	,,	30.19	766.8	64	48	...	0	b	,,	30.25	768.3	40	...	...	0	b
ghai.	,,	30.09	764.3	61	40	W S W	1	b	9 a.	30.28	769.1	46	84	N W	1	b
laff,	,,	30.12	765.0	59	48	S S W	2	bv	,,	30.23	767.8	55	62	N	2	bm
p Peak,	,,	30.23	767.8	60	...	E	3	b	,,	30.23	767.8	57	87	N	1	b
y,	,,	30.06	763.5	72	58	N E	3	b	6 a.	30.13	765.3	58	70	N E	2	b
stow,	,,	30.03	762.7	63	47	E	1	b	,,	30.09	764.3	51	86	N	2	b
hoku,	1 p.	30.13	765.4	...	...	E	8	...	5 a.	30.10	764.5	...	...	N E	2	...
chu,	,,	30.02	762.6	...	...	N	6	...	,,	30.04	762.9	...	...	...	0	...
nan,	,,	30.05	763.2	...	...	N	4	...	,,	30.06	763.6	...	...	N E	2	...
hun,	,,	30.02	762.6	...	...	N	10	...	,,	30.04	763.1	...	...	N E	8	...
cadores,	,,	30.06	763.4	...	...	N E	10	...	,,	30.06	763.5	...	...	N E	8	...
ton,	3 p.	30.05	763.2	67	37	N N W	1	b	9 a.	...	...	...	...	...	...	...
ngkong,	4 p.	30.03	762.7	67	41	E	1	b	10 a.	30.13	765.3	67	45	E N E	3	b
toria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E N E	3	...
p Rock,	,,	30.00	762.0	...	...	E N E	4	...	,,	30.07	763.8	...	...	E N E	6	...
cao,	,,	30.06	763.5	69	...	N E	1	b	,,	30.14	765.5	63	...	N N E	2	b
chow,	3 p.	30.11	764.8	73	...	E	1	b	9 a.	...	...	...	...	...	...	...
ihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	30.05	763.2	72	...	S E	3	b	8 a.	30.14	765.6	64	...	N E	3	b
urane,	,,	29.98	761.4	68	...	N E	4	c	,,	30.03	762.7	68	..	N W	3	o
pe St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
arri,	2 p.	29.90	759.4	73	...	E	2	o	6 a.	29.95	760.6	73	...	E	2	o
nila,	4 p.	29.76	756	81	76	N N E	2	d	10 a.	29.84	758	77	75	S	1	b
gaspi,	2 p.	29.72	754.8	84	...	N E	2	o	6 a.	29.79	756.7	77	...	N E	2	c
colod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	4	o
ilo,	,,	29.74	755.4	84	...	N N E	1	o	,,	29.83	757.7	80	...	N	3	c
bu,	,,	29.69	754.1	86	...	...	0	o	,,	29.80	756.9	83	...	N	2	o
ibuan,	,,	29.69	754.1	85	...	...	...	...	,,	...	...	...	...	...	...	...

On the 5th at 12.05 p.—The barometer has fallen slightly over S. China and Formosa, while it remains almost steady over the Philippines. The depression remains to the Eastward of the S. part of the Archipelago.

The barometer has fallen moderately over W. Japan and at Wladiwostok, and risen considerably over N. China. The northern depression has moved into the Sea of Japan.

Pressure is highest over the Yangtze valley.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
—Formosa Channel,	N.E. winds, strong.
—South coast of China between Hongkong and Lamocks,	Same as No. 1.
—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 5th December, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.97	761.2	14	...	N E	1	o	7 a.	29.95	760.6	14	83	N E	0
Nemuro,	,,	30.00	762.1	...	...	...	0	...	6 a.	30.03	764.1	...	...	...	0
Hakodate,	,,	30.05	763.2	...	...	N	2	...	,,	29.97	761.2	...	...	N E	4
Tokio,	,,	29.94	760.6	...	...	N	2	...	,,	29.95	760.6	...	...	N W	2
Kochi,	,,	29.99	761.8	...	...	...	0	...	,,	30.11	764.8	...	...	S W	2
Nagasaki,	,,	30.03	762.8	...	...	N	8	...	,,	30.19	766.8	...	...	N	2
Kagoshima,	,,	30.04	762.9	...	...	N	6	...	,,	30.19	766.9	...	...	N	6
Oshima,	,,	30.08	764.1	...	...	N	6	...	,,	30.16	766.1	...	...	N W	2
Naha,	,,	30.09	764.2	...	...	N	6	...	,,	30.17	766.2	...	...	E	0
Ishigakijima,	,,	30.05	763.3	...	...	N E	8	...	,,	30.13	765.3	...	...	N	2
Bonin Is.	,,	29.93	760.1	...	...	N	4	...	,,	29.97	761.1	...	...	N	2
Chefoo,	4 p.	30.19	766.8	38	...	N NW	4	b	6 a.	30.15	765.8	33	...	...	0
Weihaiwei,	,,	30.34	770.6	43	...	N	3	c	9 a.	30.34	770.6	48	...	S	1
Hankow,	,,	30.27	768.8	59	65	N E	2	c	6 a.	30.26	768.6	50	86	N E	1
Kiukiang,	,,	30.21	767.3	59	48	N E	2	o	,,	30.16	766.0	43	100	...	0
Shanghai,	,,	30.23	767.8	55	39	N	2	b	9 a.	30.32	770.1	50	65	S E	1
Sutzlaff,	,,	30.22	767.6	56	51	N N W	3	bm	,,	30.25	768.3	52	95	...	0
Sharp Peak,	,,	30.20	767.1	60	...	N E	4	b	,,	30.25	768.3	58	...	N	1
Amoy,	,,	30.07	763.8	70	66	N E	3	b	6 a.	30.15	765.8	56	87	W	3
Swatow,	,,	30.05	763.2	69	44	E	3	b	,,	...	...	...	...	...	...
Taihoku,	1 p.	30.09	764.2	...	...	N E	8	...	5 a.	30.17	766.2	...	...	S	2
Taichu,	,,	29.99	761.7	...	...	W	2	...	,,	30.09	764.2	...	...	...	0
Tainan,	,,	30.02	762.5	...	...	W	2	...	,,	30.08	764.0	...	...	E	2
Koshun,	,,	30.02	762.6	...	...	E	6	...	,,	30.04	763.1	...	...	N E	10
Pescadores,	,,	30.04	763.0	...	...	N E	10	...	,,	30.02	762.6	...	...	N E	6
Canton,	3 p.	30.03	762.7	68	38	N	1	b	9 a.	30.17	766.3	58	76	N W	1
Hongkong,	4 p.	30.05	763.2	65	48	E	3	bq	10 a.	30.15	765.8	67	38	N E	2
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	...	...
Gap Rock,	,,	30.01	762.2	...	...	E N E	6	...	,,	...	...	...	...	...	...
Macao,	,,	30.06	763.5	67	...	N E	1	b	,,	30.18	766.6	65	...	N E	2
Wuchow,	3 p.	30.08	764.0	71	40	E	1	b	9 a.	30.22	767.6	57	...	E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Phulien,	4 p.	30.00	762.1	73	...	S E	1	b	8 a.	30.11	764.8	66	...	E N E	4
Tourane,	,,	29.98	761.4	64	...	N W	3	or	,,	30.04	763.0	66	..	W N W	2
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.86	758.3	75	...	N E	2
Aparri,	2 p.	29.94	760.4	75	...	E	2	o	6 a.	29.95	760.7	73	...	E	2
Manila,	4 p.	29.80	757	81	62	N E	2	c	10 a.	29.83	759	79	54	...	0
Legaspi,	2 p.	29.78	756.4	81	...	N E	4	c	6 a.	29.84	757.8	75	...	N E	2
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	4
Iloilo,	,,	29.77	756.1	81	...	N E	4	o	,,	29.83	757.7	76	...	N E	2
Cebu,	,,	29.75	755.6	81	...	N	1	o	,,	29.84	757.9	81	...	N	3
Labuan,	,,	29.68	753.9	87	...	...	...	...	,,	29.81	757.2	79	...	...	...

On the 6th at 11.55 a.—The barometer has fallen moderately in E. Japan, and risen slightly over W. Japan, the China coast and the Philippines.

Pressure is still low over the S. part of the Philippine Archipelago and adjacent waters, and the northern depression remains over the Sea of Japan.

Pressure is highest over the E. coast of China. It has given way slightly over the Yangtze valley.

Fresh monsoon may be expected in the Formosa Channel, and strong monsoon over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate to fresh; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 6th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

ATION.	6TH DECEMBER, 1909, P.M.								7TH DECEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ivostock,	2 p.	30.12	765.0	21	...	N	1	b	7 a.	30.23	767.9	10	60	N	1	b
uro,	,,	30.04	763.1	...	...	N E	2	...	6 a.	30.01	762.1	...	...	N E	2	...
date,	,,	30.01	762.2	...	...	...	0	...	,,	30.09	764.2	...	...	...	0	...
,	,,	29.94	760.6	...	...	N W	4	...	,,	30.14	765.6	...	...	N W	2	...
i,	,,	30.07	763.8	...	...	S W	2	...	,,	30.23	767.8	...	...	S W	4	...
saki,	,,	30.19	766.8	...	...	N W	8	...	,,	30.31	769.8	...	...	...	0	...
shima,	,,	30.15	765.9	...	...	N	6	...	,,	30.27	768.9	...	...	N E	4	...
ma,	,,	30.20	767.1	...	...	N	6	...	,,	30.20	767.1	...	...	S	2	...
,	,,	30.13	765.2	...	...	N E	6	...	,,	30.13	765.2	...	...	N E	6	...
akijin a,	,,	30.09	764.3	...	...	N E	8	...	,,	30.09	764.3	...	...	N	4	...
n Is.	,,	30.00	762.1	...	...	N E	2	...	,,	30.08	764.1	...	...	N	4	...
oo,	4 p.	30.12	765.0	50	...	W	2	b	6 a.	30.29	769.3	41	...	N	3	b
aiwei,	,,	30.23	767.8	48	...	S W	3	b	9 a.	30.48	774.2	42	...	N	1	c
kow,	,,	30.19	766.8	63	...	S E	1	b	6 a.	30.25	768.3	54	80	N E	1	c
iang,	,,	30.16	766.0	62	61	N E	1	b	,,	30.13	766.6	52	86	N E	2	...
ghai,	,,	30.23	767.8	57	31	S	1	b	9 a.	30.30	769.6	51	86	E	1	o
laff,	,,	30.22	767.6	57	62	S E	1	bm	,,	30.28	769.1	54	94	N E	2	om
p Peak,	,,	30.17	766.3	60	...	N E	4	b	,,	30.23	767.8	59	88	N	1	b
y,	,,	30.11	764.8	71	76	N E	4	b	6 a.	30.15	765.8	57	94	W	2	b
tow,	,,	30.03	762.7	71	62	E	3	b	,,	30.11	764.8	65	95	N E	1	b
hoku,	1 p.	30.04	762.9	...	...	E	8	...	5 a.	30.12	765.1	...	...	E	4	...
chu,	,,	30.03	762.8	...	...	W	2	...	,,	30.10	764.5	...	...	...	0	...
nan,	,,	30.07	763.8	...	...	N W	4	...	,,	30.10	764.4	...	...	S E	2	...
hun,	,,	30.06	763.6	...	...	N E	6	...	,,	30.07	763.8	...	...	N E	6	...
cadores,	,,	30.07	763.8	...	...	N E	8	...	,,	30.06	763.6	...	...	N	4	...
ston,	3 p.	30.04	763.0	68	51	N W	1	b	9 a.	...	...	...	...	...	...	...
ngkong,	4 p.	30.06	763.5	66	53	E S E	3	b	10 a.	30.14	765.5	71	51	E	2	b
toria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	N E	2	...
p Rock,	,,	30.01	762.2	...	...	E N E	5	...	,,	30.19	764.5	...	...	E N E	5	...
cao,	,,	30.07	763.8	69	...	E N E	1	c	,,	30.16	766.0	66	...	N E	2	bf
uchow,	3 p.	30.06	763.5	72	50	E	1	b	9 a.	...	...	...	...	...	...	...
ihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
ulien,	4 p.	30.01	762.3	73	...	S E	2	c	8 a.	30.11	764.8	64	...	N E	3	b
rane,	,,	...	...	...	...	...	...	...	,,	30.05	763.3	70	..	N W	2	o
pe St. James,	,,	29.80	756.9	79	...	E N E	2	o	,,	...	...	...	...	...	...	...
arri,	2 p.	29.93	760.3	77	...	E	2	o	6 a.	29.98	761.5	70	...	S	2	c
nila,	4 p.	29.80	757	79	69	N	1	c	10 a.	29.92	760	79	69	N N E	1	o
gaspi,	2 p.	29.77	756.1	81	...	N E	2	o	6 a.	29.83	757.7	77	...	N E	2	c
colod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	op
lo,	,,	29.75	755.6	82	...	N N E	1	c	,,	29.83	757.7	79	...	N N E	1	o
u,	,,	29.73	755.1	84	...	N	1	o	,,	29.83	757.7	80	...	S	1	or
buan,	,,	29.74	755.4	83	...	...	...	...	,,	29.85	758.2	81	...	...	...	...

On the 7th at 11.55 a.—The barometer has risen moderately on the N.E. coast of China, and over Japan except in E. Hokkaido, the depression having passed to the Pacific.

Barometric changes are slight in the South.

Pressure is high over N. China and Manchuria. It remains low over the S. Philippines and adjacent waters.

Fresh monsoon may be expected in the Formosa Channel, and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
Formosa Channel,	Same as No. 1.
South coast of China between Hongkong and Lamocks,	Same as No. 1.
South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 7th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W
Wladivostock,	2 p.	30.24	768.1	24	...	N	0	b	7 a.	30.34	770.5	6	60	N E	1	b
Nemuro,	,,	29.96	761.1	...	...	N	2	...	6 a.	29.97	761.1	...	...	W	6	.
Hakodate,	,,	30.05	763.2	...	...	N	4	...	,,	30.17	766.2	...	...	N W	8	.
Tokio,	,,	30.10	764.6	...	...	N	2	...	,,	30.13	766.6	...	...	N W	2	.
Kochi,	,,	30.19	766.8	...	...	S E	2	...	,,	30.27	768.8	...	...	S W	2	.
Nagasaki,	,,	30.23	767.8	...	...	N	2	...	,,	30.27	768.8	...	...	...	0	.
Kagoshima,	,,	30.19	766.9	...	...	S E	2	...	,,	30.23	767.9	...	...	N E	2	.
Oshima,	,,	30.16	766.1	...	...	N E	6	...	,,	30.16	766.1	...	...	S E	2	.
Naha,	,,	30.13	765.2	...	...	N E	6	...	,,	30.09	764.2	...	...	N E	2	.
Ishigakijin a,	,,	30.05	763.3	...	...	N E	6	...	,,	30.13	765.3	...	...	S W	6	.
Bonin Is.	,,	30.04	763.1	...	...	N	2	...	,,	30.12	765.1	...	...	N	2	.
Chefoo,	4 p.	30.25	768.3	43	...	S E	2	o	6 a.	30.27	768.3	42	100	N E	3	o
Weihaiwei,	,,	30.43	772.9	43	...	N N E	3	c	9 a.	30.44	773.2	35	...	N N E	5	o
Hankow,	,,	30.25	768.3	55	62	S E	1	o	6 a.	...	...	53	80	...	1	o
Kiukiang,	,,	30.16	766.0	56	69	N E	1	c	,,	30.13	765.3	51	86	N E	1	o
Shanghai,	,,	30.19	766.8	56	80	E	2	o	9 a.	30.18	766.6	58	81	E	1	o
Gutzlaff,	,,	30.19	766.8	56	87	E S E	2	ov	,,	30.18	766.6	62	76	S E	3	c
Sharp Peak,	,,	...	...	61	...	N	1	o	,,	30.14	765.5	62	94	N	1	c
Amoy,	,,	30.09	764.3	75	68	N E	2	b	6 a.	30.09	764.3	61	94	S W	3	c
Swatow,	,,	30.01	762.2	70	70	E	1	b	,,	...	...	...	...	...	...	..
Taihoku,	1 p.	30.10	764.5	...	...	E	8	...	5 a.	30.04	763.1	...	...	E	4	.
Taichu,	,,	30.05	763.3	...	...	N W	2	...	,,	30.04	763.1	...	...	...	0	..
Tainan,	,,	30.07	763.7	...	...	N W	2	...	,,	30.02	762.6	...	...	E	2	..
Koshun,	,,	30.06	763.4	...	...	N E	8	...	,,	30.01	762.2	...	...	N E	4	..
Pescadores,	,,	30.07	763.7	...	...	N	6	...	,,	30.01	762.2	...	...	E	6	..
Canton,	3 p.	30.01	762.2	69	56	N W	1	b	9 a.	30.12	765.0	63	89	N E	1	b
Hongkong,	4 p.	30.04	763.0	67	67	E	4	b	10 a.	30.11	764.8	69	75	E	3	b
Victoria Peak,	,,	...	...	...	...	E	2	...	,,	...	...	...	...	E	3	.
Gap Rock,	,,	30.00	762.0	...	...	E N E	5	...	,,	30.08	764.0	...	...	E N E	4	.
Macao,	,,	30.06	763.5	69	...	S E	2	b	,,	30.12	765.0	71	...	E S E	1	c
Wuchow,	3 p.	...	...	75	...	E	1	b	9 a.	30.15	765.8	59	...	N	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	.
Pakhoi,	,,	30.06	763.5	74	95	S E	3	b	,,	...	...	...	...	...	...	.
Phulien,	4 p.	30.02	762.4	72	...	E S E	2	c	8 a.	30.08	764.1	63	...	E N E	3	b
Tourane,	,,	29.96	761.0	70	...	N W	2	c	,,	30.01	762.3	68	..	N N W	2	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.91	759.6	75	...	N W	2	c
Aparri,	2 p.	...	...	...	...	...	...	...	6 a.	29.93	760.1	70	...	S	2	b
Manila,	4 p.	29.80	757	81	70	...	0	c	10 a.	29.88	759	79	76	...	0	c
Legaspi,	2 p.	29.78	756.5	84	...	N E	2	o	6 a.	29.80	756.9	77	...	N E	2	b
Iacolod,	3 p.	...	...	...	...	N E	1	c	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.77	756.1	79	...	N N E	1	o	,,	29.83	757.7	78	...	N W	2	c
Cebu,	,,	29.78	756.4	86	...	N	1	or	,,	29.82	757.4	81	...	...	0	.
Labuan,	,,	29.74	755.4	85	...	...	...	...	,,	29.85	758.2	80	...	...	...	

On the 8th at 12.15 p.—The barometer has risen slightly at the stations around the Sea of Japan, and fallen ove China, particularly on the E. coast.

Pressure remains high over Manchuria. It is low over the Lower Yangtze valley, and also over the S. Philipp nes and adjacent waters.

Moderate monsoon may be expected in the Formosa Channel, and fresh monsoon over the N. part of the Chi Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate or fresh; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 8th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	30.29	769.4	14	...	N E	3	b	7 a.	30.41	772.3	1	...	N W	3	b
uro,	,,	29.89	759.1	...	...	W	6	...	6 a.	29.85	758.1	...	...	W	6	...
edate,	,,	30.13	765.2	...	...	W	8	...	,,	30.05	763.2	...	...	N W	6	...
io,	,,	30.14	765.6	...	...	S	2	...	,,	29.99	761.6	...	...	N W	2	...
hi,	,,	30.19	766.8	...	...	S E	2	...	,,	30.15	765.8	...	...	...	0	...
asaki,	,,	30.19	766.8	...	...	E	2	...	,,	30.15	765.8	...	...	...	0	...
oshima,	,,	30.15	765.9	...	...	...	0	...	,,	30.15	765.9	...	...	N	4	...
ima,	,,	30.08	764.1	...	...	S E	4	...	,,	30.14	765.7	...	...	S	2	...
a,	,,	30.01	762.2	...	...	E	6	...	,,	30.01	762.2	...	...	N E	4	...
gakijin a,	,,	29.97	761.3	...	...	N E	8	...	,,	29.97	761.3	...	...	N E	4	...
in Is.	,,	30.08	764.1	...	...	E	2	...	,,	30.08	764.1	...	...	N	2	...
foo,	4 p.	30.44	773.2	28	...	N N E	6	o	6 a.	30.56	776.2	23	100	N N E	6	o
haiwei,	,,	30.62	777.7	29	...	N	6	cs	9 a.	30.73	780.5	24	...	N W	4	o
kow,	,,	30.32	770.1	49	93	N E	1	or	6 a.	30.44	773.2	35	70	N	3	o
kiang,	,,	30.17	766.3	54	87	W	1	c	,,	30.30	769.6	49	85	N E	5	o
ghai,	,,	30.09	764.3	64	73	E	1	o	9 a.	30.31	769.9	49	94	N N E	3	or
klaff,	,,	30.10	764.5	62	83	E	3	cv	,,	30.21	767.3	53	94	N E	6	om
rp Peak,	,,	30.04	763.0	64	...	N E	1	c	,,	30.13	765.3	65	95	N	1	b
oy,	,,	29.98	761.5	76	77	W	1	b	6 a.	30.04	763.0	63	83	N	1	b
atow,	,,	29.95	760.7	72	62	E N E	1	b	,,	...	...	...	...	...	...	...
hoku,	1 p.	29.98	761.4	...	...	E	6	...	5 a.	30.01	762.3	...	...	E	2	...
chu,	,,	29.95	760.8	...	...	S W	2	...	,,	30.00	761.9	...	...	...	0	...
inan,	,,	29.99	761.7	...	...	W	4	...	,,	29.99	761.8	...	...	N	2	...
shun,	,,	29.96	761.0	...	...	N E	8	...	,,	29.97	761.1	...	...	N	2	...
cadores,	,,	29.99	761.7	...	...	N	6	...	,,	29.98	761.4	...	...	N E	6	...
nton,	3 p.	29.97	761.2	69	74	N W	1	b	9 a.	30.11	764.8	64	84	N	1	b
ngkong,	4 p.	29.98	761.5	68	69	E S E	3	b	10 a.	30.10	764.5	71	63	E	1	b
ctoria Peak,	,,	...	...	...	...	E N E	2	...	,,	...	...	...	...	N E	1	...
p Rock,	,,	29.94	760.5	...	...	E	4	...	,,	30.05	763.2	...	...	N E	3	...
acao,	,,	29.98	761.5	70	...	E S E	1	b	,,	30.12	765.0	69	...	S E	1	bf
uchow,	3 p.	30.00	762.0	76	...	W	1	b	9 a.	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
khoi,	,,	29.99	761.7	76	72	S	2	b	,,	...	...	...	...	...	...	...
bulien,	4 p.	29.94	760.6	72	...	S E	4	b	8 a.	30.06	763.5	70	...	E N E	3	c
urane,	,,	29.92	760.0	72	...	N E	2	c	,,	30.02	762.5	72	..	E	2	c
pe St. James,	,,	29.80	757.0	77	...	S E	2	o	,,	29.92	759.9	77	...	N W	2	or
garri,	2 p.	29.87	758.6	79	...	N E	2	o	6 a.	29.86	758.5	75	...	W	2	d
anila,	4 p.	29.76	756	81	76	W N W	1	c	10 a.	29.88	759	79	76	W N W	1	o
gaspi,	2 p.	29.73	755.2	82	...	N	0	o	6 a.	29.84	757.8	72	...	...	0	o
ecolod,	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	N N E	2	o
oilo,	,,	29.77	756.1	82	...	N E	1	c	,,	29.85	758.2	80	...	N E	1	b
ibu,	,,	29.75	755.6	82	...	S	1	b	,,	29.83	758.4	82	...	S E	1	b
ibuan,	,,	29.74	755.4	83	...	...	...	...	,,	29.83	757.7	79	...	...	...	...

On the 9th at 11.50 a.—The barometer has fallen mo lerately over Japan and the Loochoos, and risen considerably over N. China.

A high pressure area of considerable intensity lies over N. China, and pressure is low over the Pacific to the N.E. of Japan, and also to the S. of the Loochoos.

Strong monsoon gales are expected to set in over the Formosa Channel and the N. part of the China Sea, during the next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
– Hongkong and Neighbourhood,	N. and N.E. winds, probably freshening to a moderate gale; fine, squally.
– Formosa Channel,	N.E. gales.
– South coast of China between Hongkong and Lamocks,	Same as No. 1.
– South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 9th December, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th December, 1909, P.M.									10th December, 1909, A.M.						
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.	
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.
Wladivostock,	2 p.	30.34	770.7	9	...	N	3	b	7 a.	30.24	768.0	−1	60	N	1
Nemuro,	„	29.77	756.1	...	...	N W	6	...	6 a.	29.73	755.1	...	...	W	8
Hakodate,	„	30.01	762.2	...	...	N W	8	...	„	30.01	762.2	...	...	N W	4
Tokio,	„	29.98	761.6	...	...	N	2	...	„	30.02	762.6	...	...	N	4
Kochi,	„	...	...	...	...	...	...	...	„	30.11	764.8	...	...	S W	4
Nagasaki,	„	30.11	764.8	...	...	N	2	...	„	30.19	766.8	...	...	N	4
Kagoshima,	„	30.11	764.9	...	...	W	2	...	„	30.19	766.9	...	...	N W	4
Oshima,	„	30.00	762.1	...	...	N	4	...	„	30.12	765.1	...	...	N	2
Naha,	„	29.97	761.2	...	...	N	6	...	„	30.09	764.2	...	...	N	6
Ishigakijima,	„	29.97	761.3	...	...	N E	8	...	„	30.05	763.3	...	...	N	2
Bonin Is.	„	30.00	762.1	...	...	E	2	...	„	29.93	760.1	...	...	N	3
Chefoo,	4 p.	30.49	774.4	27	...	N N W	2	c	6 a.	30.46	773.7	24	100	W	1
Weihaiwei,	„	30.67	779.0	22	...	N	3	c	9 a.	30.62	777.7	33	...	W	2
Hankow,	„	30.55	775.9	33	100	N E	2	o	6 a.	30.51	774.9	33	90	N	2
Kiukiang	„	30.40	772.1	43	83	N E	5	o	„	30.35	770.9	39	100	N E	6
Shanghai,	„	30.33	770.4	46	92	N	4	o	9 a.	30.46	773.7	43	67	N	1
Gutzlaff,	„	30.23	767.8	50	93	N N E	7	ond	„	30.40	772.1	47	77	N	4
Sharp Peak,	„	...	...	65	...	N N E	4	b	„	30.26	768.6	62	77	N N E	4
Amoy,	„	29.99	761.7	77	53	N E	2	b	6 a.	30.11	764.8	63	77	N E	3
Swatow,	„	29.94	760.5	73	58	E	1	b	„	30.06	763.5	61	82	N E	3
Taihoku,	1 p.	30.03	762.8	...	...	E	8	...	5 a.	30.13	765.2	...	...	E	6
Taichu,	„	29.93	760.2	...	...	N	4	...	„	30.02	762.4	...	...	N E	2
Tainan,	„	29.97	761.2	...	...	N	2	...	„	30.01	762.1	...	...	N	2
Koshun	„	29.94	760.6	...	...	N E	6	...	„	29.97	761.3	...	...	N E	10
Pescadores,	„	29.99	761.8	...	...	N E	10	...	„	30.03	762.7	...	...	N E	...
Canton,	3 p.	29.96	761.0	75	52	N N E	1	b	9 a.	30.16	766.0	61	71	N	1
Hongkong,	4 p.	29.96	761.0	74	58	W	1	b	10 a.	30.13	765.3	70	61	E N E	2
Victoria Peak,	„	...	...	...	...	E	1	...	„	...	...	...	...	E N E	3
Gap Rock,	„	29.94	760.5	...	...	E N E	2	...	„	30.10	764.5	...	...	E N E	5
Macao,	„	29.99	761.7	75	...	N E	1	c	„	30.14	765.5	67	...	N N E	2
Wuchow,	3 p.	30.02	762.5	78	...	E	1	c	9 a.	...	...	...	...	...	...
Hoihow	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...
Pakhoi,	„	29.99	761.7	76	60	S E	2	b	„	...	...	...	...	...	...
Phulien,	4 p.	29.96	760.9	72	...	E S E	6	b	8 a.	30.09	764.3	68	...	E	3
Tourane,	„	29.93	760.3	72	...	E	1	c	„	30.04	763.1	70	..	N W	1
Cape St. James,	„	29.82	757.3	81	...	S S E	4	c	„	29.91	759.8	77	...	N	2
Aparri,	2 p.	29.85	758.1	77	...	N E	0	d	6 a.	29.91	759.7	75	...	N E	2
Manila,	4 p.	29.76	756	81	76	W N W	0	o	10 a.	29.88	759	81	15	W N W	1
Legaspi,	2 p.	29.77	756.2	84	...	E	2	o	6 a.	29.82	757.4	75	...	...	0
Bacolod,	3 p.	...	...	...	...	N N E	2	o	9 a.	...	...	...	...	N N W	2
Iloilo,	„	29.81	757.2	84	...	N E	1	b	„	29.85	758.2	79	...	N E	1
Cebu,	„	29.77	756.1	84	...	E	1	c	„	29.86	758.4	83	...	...	0
Labuan,	„	29.69	754.1	85	...	...	...	...	„	29.85	758.2	81	...	...	...

On the 10th at 11.55 a.—The barometer has fallen moderately over the N.E. coast of China, Wladiwostok and N.E. Japan, and risen moderately over S. China and the Loochoos.

The high pressure area remains over the continent to the North of the Yangtze.

Pressure is still low over the Pacific to the N.E. of Japan, and also over the S. Philippines and adjacent water.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fine.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 10th December, 1909.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th DECEMBER, 1909, P.M.								11th DECEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	30.14	765.6	12	...	N	1	c	7 a.	30.23	767.7	4	70	N	1	c
smuro,	,,	29.69	754.1	...	...	W	10	...	6 a.	29.61	752.1	...	...	W	8	...
akodate,	,,	29.97	761.2	...	...	N W	6	...	,,	29.85	758.2	...	...	W	6	...
okio,	,,	29.98	761.6	...	...	N	6	...	,,	29.99	761.6	...	...	...	0	...
ochi,	,,	29.99	761.8	...	...	W	6	...	,,	30.11	764.8	...	...	S W	2	...
agasaki,	,,	30.19	766.8	...	...	N W	8	...	,,	30.19	766.8	...	...	...	0	...
agoshima,	,,	30.15	765.9	...	...	N W	6	...	,,	30.15	765.9	...	...	N	4	...
shima,	,,	30.12	765.1	...	...	N	8	...	,,	30.12	765.1	...	...	N E	4	...
aba,	,,	30.09	764.2	...	...	E	6	...	,,	30.09	764.2	...	...	N E	2	...
higakijin a,	,,	30.05	763.3	...	...	N E	8	...	,,	30.01	762.3	...	...	E	8	...
onin Is.	,,	29.96	761.1	...	...	N E	4	...	,,	30.04	763.1	...	...	...	0	...
hefoo,	4 p.	30.29	769.3	32	90	N N W	2	...	6 a.	30.40	772.1	29	100	...	0	o
eihaiwei,	,,	...	...	30	...	N N W	3	c	9 a.	...	...	31	...	N N E	1	os
ankow,	,,	30.45	773.4	33	100	N W	1	o	6 a.	...	...	...	...	...	...	...
iukiang,	,,	30.29	769.3	39	100	N E	5	o	,,	...	...	...	...	...	...	...
hanghai.	,,	30.34	770.6	43	75	N	2	omd	9 a.	30.26	768.6	41	92	N N E	2	or
utzlaff,	,,	30.29	769.3	48	78	N	4	ov	,,	30.20	767.1	47	100	E N E	4	omd
harp Peak,	,,	30.16	766.0	61	83	N E	4	o	,,	30.12	765.0	60	89	N	1	o
moy	,,	30.06	763.5	68	64	N E	2	o	6 a.	30.06	763.5	64	73	N E	1	o
watow,	,,	30.00	762.0	71	57	E	2	b	,,	30.05	763.2	62	89	E	1	o
aihoku	1 p.	30.10	764.6	...	...	E	6	...	5 a.	30.02	762.6	...	...	E	6	...
laichu,	,,	29.97	761.2	...	...	...	0	...	,,	30.00	762.0	...	...	...	0	...
Tainan,	,,	30.00	761.9	...	...	N W	2	...	,,	30.00	761.9	...	...	N E	2	...
Koshun	,,	29.96	761.0	...	...	N E	10	...	,,	29.97	761.2	...	...	N	6	...
Pescadores,	,,	30.02	762.5	...	...	N E	10	...	,,	29.99	761.8	...	...	N E	8	...
Canton,	3 p.	30.01	762.2	69	65	N W	1	b	9 a.	30.09	764.3	63	72	N	2	b
Hongkong,	4 p.	30.01	762.2	67	74	E	4	c	10 a.	30.07	763.8	69	72	...	0	o
Victoria Peak,	,,	...	...	...	...	E	3	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.95	760.7	...	...	E	5	...	,,	30.01	762.2	...	...	E N E	5	...
Macao,	,,	30.02	762.5	70	...	S E	1	c	,,	...	...	...	...	...	...	...
Wuchow,	3 p.	30.04	763.0	75	...	E	2	c	9 a.	30.14	765.5	61	...	E	1	c
Hoihow,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	29.99	761.7	76	95	S E	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.97	761.2	73	...	S E	6	b	8 a.	30.02	762.5	66	...	E N E	2	c
Tourane,	,,	29.93	760.2	72	...	N N W	3	c	,,	29.95	760.7	70	..	N W	3	c
Cape St. James,	,,	29.84	757.9	79	...	S S W	2	or	,,	29.87	758.7	82	...	N W	2	o
Aparri,	2 p.	29.88	758.9	75	...	N E	4	q	6 a.	29.87	758.7	73	...	E	0	d
Manila,	4 p.	29.80	757	75	93	N E	2	r	10 a.	29.88	759	79	84	S S E	1	o
Legaspi,	2 p.	29.77	756.2	84	...	E	2	c	6 a.	29.83	757.7	75	...	...	0	o
Iacolod,	3 p.	...	...	...	...	N N W	1	o	9 a.	...	...	...	...	N N W	1	o
Iloilo,	,,	29.77	756.1	84	...	S W	1	b	,,	29.87	758.7	80	...	N N E	1	c
Cebu,	,,	29.78	756.4	85	...	S	1	c	,,	29.83	758.9	84	...	S	1	o
Labuan,	,,	29.74	755.4	84	...	...	...	...	,,	29.86	758.4	78	...	...	...	...

On the 11th at 12.05 p.—The barometer has fallen over China, particularly on the E. coast, and probably a depression is developing over the Lower Yangtze.

Pressure remains low over the Pacific to the N.E. of Japan, and a further fall of the mercury has taken place over Hokkaido.

Pressure is still high over N. China.

Fresh monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, moderate or fresh; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 11th December, 1909.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	29.61	752.1	...	...	N W	8	...	6 a.	29.77	756.1	...	...	W	10	...
Hakodate,	,,	29.93	760.2	...	...	N W	8	...	,,	30.01	762.2	...	...	W	6	...
Tokio,	,,	29.98	761.6	...	...	N	4	...	,,	30.02	762.6	...	...	N W	2	...
Kochi,	,,	30.07	763.8	...	...	...	0	...	,,	30.11	764.8	...	...	...	0	...
Nagasaki,	,,	30.11	764.8	...	...	N E	2	...	,,	30.15	765.8	...	...	N	2	...
Kagoshima,	,,	30.04	762.9	...	...	N E	2	...	,,	30.12	764.9	...	...	N	2	...
Oshima,	,,	30.04	763.1	...	...	S	2	...	,,	30.04	763.1	...	...	...	0	...
Naha,	,,	30.01	762.2	...	...	E	4	...	,,	29.97	761.2	...	...	N W	4	...
Ishigakijima,	,,	29.97	761.3	...	...	S E	8	...	,,	29.97	761.3	...	...	N E	4	...
Bonin Is.	,,	30.04	763.1	...	...	N	4	...	,,	30.08	764.1	...	...	...	0	...
Chefoo,	4 p.	30.29	769.3	35	100	W S W	1	c	6 a.	30.31	769.9	30	100	S W	3	b
Weihaiwei,	,,	...	...	...	...	...	...	...	9 a.	...	...	34	...	W S W	4	b
Hankow,	,,	30.45	773.4	35	90	N N E	1	b	6 a.	30.51	774.9	33	69	N	1	c
Kiukiang,	,,	30.34	770.6	34	100	N E	2	o	,,	30.36	771.1	37	91	N N E	2	o
Shanghai,	,,	30.20	767.1	...	...	N N E	2	or	9 a.	30.37	771.4	39	73	N W	2	c
Gutzlaff,	,,	30.13	765.3	48	100	N N E	5	omd	,,	30.29	769.3	45	84	N N W	5	or
Sharp Peak,	,,	30.02	762.5	61	94	N E	1	o	,,	30.20	767.1	60	76	E N E	4	o
Amoy,	,,	29.98	761.5	71	66	E N E	1	b	6 a.	30.07	763.8	62	77	N E	3	o
Swatow,	,,	29.92	759.9	74	72	E	1	c	,,	30.04	763.0	50	72	N E	1	b
Taihoku,	1 p.	29.93	760.1	...	...	N E	6	...	5 a.	30.08	763.9	...	...	...	0	...
Taichu,	,,	29.94	760.5	...	...	N W	2	...	,,	29.98	761.4	...	...	N	8	...
Tainan,	,,	29.96	761.0	...	...	W	2	...	,,	29.96	761.4	...	...	N	4	...
Koshun,	,,	29.94	760.6	...	...	N E	6	...	,,	29.94	760.4	...	...	N W	2	...
Pescadores,	,,	29.98	761.4	...	...	N	6	...	,,	30.00	762.0	...	...	N E	10	...
Canton,	3 p.	29.97	761.2	70	61	N	1	b	9 a.	30.18	766.6	54	74	N	2	b
Hongkong,	4 p.	29.94	760.5	72	70	...	0	o	10 a.	30.12	765.0	66	57	N	1	o
Victoria Peak,	,,	...	...	...	...	N N W	1	...	,,	...	...	...	...	N N E	1	...
Gap Rock,	,,	29.93	760.2	...	...	N E	3	...	,,	30.08	764.0	...	...	N N E	4	...
Macao,	,,	29.96	761.0	72	...	N E	1	c	,,	30.14	765.5	59	...	N	3	c
Wuchow,	3 p.	30.02	762.5	72	...	N W	2	c	9 a.	30.28	769.1	51	...	N	3	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	74	100	S S E	1	o	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.93	760.3	73	...	S S E	4	c	8 a.	30.08	764.1	63	...	E N E	3	c
Tourane,	,,	29.87	758.7	70	...	N W	3	c	,,	29.96	761.0	70	..	N W	3	or
Cape St. James,	,,	29.79	756.7	84	...	S W	2	c	,,	29.91	759.6	79	...	N W	2	c
Aparri,	2 p.	29.82	757.4	81	...	E	0	c	6 a.	29.87	758.6	73	...	S E	0	c
Manila,	4 p.	29.76	756	79	84	S E	2	o	10 a.	29.88	759	82	71	E	0	c
Legaspi,	2 p.	29.78	756.5	81	...	S E	2	o	6 a.	29.86	758.4	73	...	...	0	b
Bacolod,	3 p.	...	...	...	...	N E	2	ort	9 a.	...	...	...	...	S W	1	c
Iloilo,	,,	29.77	756.1	83	...	S W	1	c	,,	29.87	758.7	79	...	S W	1	c
Cebu,	,,	29.77	756.1	84	...	...	0	c	,,	29.88	758.9	84	...	...	0	b
Labuan,	,,	29.73	755.1	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 12th at 12.05 p.—The barometer has risen moderately in NE Japan and also over China, except on the NE coast. It has fallen moderately over the Loochoos.

Pressure is high over the continent to the North of the Yangtze, while it remain low over the Pacific to the NE of Japan. It is relatively low also between the Philippines and the Loochoos.

The monsoon will freshen in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and NE winds, freshening; fine, colder.
2.—Formosa Channel,	NE winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 12th December, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th December, 1909, P.M.								13th December, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	30.14	765.5	14	...	N	1	b	7 a.	30.13	765.3	1	72	N	1	o
emuro,	,,	29.77	756.1	...	...	N W	6	...	6 a.	29.93	760.1	...	...	S W	2	...
akodate,	,,	30.01	762.2	...	...	N	6	...	,,	30.05	763.2	...	...	N W	2	...
okio,	,,	29.94	760.6	...	...	N	4	...	,,	29.95	760.6	...	...	W	4	...
ochi,	,,	30.03	762.8	...	...	N E	4	...	,,	29.99	761.8	...	...	W	2	...
agasaki,	,,	30.11	764.8	...	...	N	6	...	,,	30.07	763.8	...	...	E	2	...
agoshima,	,,	30.07	763.9	...	...	N	4	...	,,	30.12	764.9	...	...	N E	4	...
shima,	,,	30.00	762.1	...	...	N	8	...	,,	30.05	764.1	...	...	N	6	...
aba,	,,	29.93	760.2	...	...	N W	2	...	,,	30.05	763.2	...	...	N	10	...
higakijima,	,,	29.97	761.3	...	...	N	6	...	,,	30.05	763.3	...	...	N	8	...
onin Is.	,,	30.04	763.1	...	...	...	0	...	,,	30.01	762.1	...	...	S	2	...
hefoo,	4 p.	30.23	767.8	34	100	N W	2	o	6 a.	30.31	769.9	25	...	N N W	4	b
eihaiwei,	,,	...	...	34	...	N W	3	c	9 a.	...	...	22	...	N	2	cs
ankow,	,,	30.55	775.9	38	91	N N W	1	o	6 a.	30.71	780.0	35	90	N W	1	b
iukiang,	,,	30.46	773.7	39	83	N E	2	o	,,	...	...	...	...	...	...	...
hanghai,	,,	30.32	770.1	42	50	N W	3	c	9 a.	30.49	774.4	36	70	N W	4	b
utzlaff,	,,	30.24	768.1	45	68	N N W	5	cv	,,	30.40	772.1	38	81	N W	8	cm
harp Peak,	,,	30.14	765.5	59	82	E	4	o	,,	30.35	770.9	55	81	N	4	b
moy,	,,	30.06	763.5	65	70	N E	2	e	6 a.	30.23	767.8	55	50	N	4	b
watow,	,,	30.01	762.2	67	74	E N E	1	c	,,	...	...	...	...	...	...	...
aiboku,	1 p.	30.07	763.8	...	...	W	2	...	5 a.	30.25	768.4	...	...	E	2	...
aichu,	,,	29.97	761.2	...	...	N	6	...	,,	30.15	765.7	...	...	N	6	...
ainan,	,,	29.96	761.1	...	...	N	6	...	,,	30.13	765.2	...	...	N	8	...
oshun,	,,	29.93	760.3	...	...	N	10	...	,,	30.06	763.6	...	...	N	2	...
escadores,	,,	30.00	762.1	...	...	N E	10	...	,,	30.17	766.3	...	...	N	10	...
anton,	3 p.	30.07	763.8	61	55	N	2	b	9 a.	30.38	771.6	51	59	N	2	b
ongkong,	4 p.	30.03	762.7	68	50	N N E	1	o	10 a.	30.30	769.6	57	43	N	3	b
Victoria Peak,	,,	...	...	...	...	N W	5	...	,,	...	...	...	...	N E	6	...
ap Rock,	,,	29.98	761.5	...	...	N N W	5	...	,,	30.24	768.1	...	...	N N E	6	...
acao,	,,	30.06	763.5	63	...	N N W	2	c	,,	30.33	770.1	52	...	N	4	c
Wuchow,	3 p.	30.18	766.6	61	...	N	3	o	9 a.	...	...	...	...	...	...	...
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	30.11	764.8	61	66	N	4	o	,,	...	...	...	...	...	...	...
hulien,	4 p.	30.02	762.6	72	...	E S E	3	c	8 a.	30.31	769.9	59	...	N N E	4	c
ourane,	,,	29.91	759.7	72	...	...	0	or	,,	30.13	765.3	70	..	N E	4	or
ape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
parri,	2 p.	29.82	757.5	82	...	N E	2	c	6 a.	29.94	760.5	72	...	N E	2	d
anila,	4 p.	29.76	756	82	85	...	0	o	10 a.	29.92	760	79	84	N N W	1	o
egaspi,	2 p.	29.80	756.9	82	...	E	2	o	6 a.	29.87	758.7	75	...	...	0	b
acolod,	3 p.	...	...	...	...	...	0	c	9 a.	...	...	...	...	N N W	1	c
oilo,	,,	29.81	757.2	80	...	S W	1	c	,,	29.91	759.7	78	...	N W	1	c
ebu,	,,	29.81	757.2	84	...	N	1	b	,,	29.91	759.7	82	...	N	1	c
abuan,	,,	29.79	756.6	85	...	...	...	...	,,	29.90	759.4	81	...	...	...	...

On the 13th at 12.20 p.—The barometer has fallen slightly over Wladiwostok, S. Japan and the Bonins; and risen elsewhere, particularly over China and Tongking.

An anticyclonic area is lying over China, and pressure is relatively low over E. Japan and over the S. part of the China Sea.

Monsoon gales may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, *0.00* inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, strong; fine, squally.
2.—Formosa Channel,	N. and N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 13th December, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.06	763.4	1	...	N	6	c	7 a.	30.06	763.5	6	78	N	3	c
Nemuro,	,,	29.93	760.1	...	...	S E	4	...	6 a.	29.61	752.1	...	...	E	6	.
Hakodate,	,,	29.93	760.2	...	...	N	2	...	,,	29.46	748.2	...	...	S W	8	.
Tokio,	,,	29.79	756.6	...	...	N	2	...	,,	29.79	756.6	...	...	N	4	.
Kochi,	,,	29.83	757.8	...	...	S W	4	...	,,	30.15	765.8	...	...	S W	2	.
Nagasaki,	,,	29.95	760.8	...	...	N	6	...	,,	30.27	768.8	...	...	N	4	.
Kagoshima,	,,	29.96	760.9	...	...	N W	6	...	,,	30.27	768.9	...	...	N W	2	.
Oshima,	,,	30.04	763.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	6	.
Naha,	,,	30.09	764.2	...	...	N	8	...	,,	30.21	767.2	...	...	N	8	.
Ishigakijima,	,,	30.13	765.3	...	...	N	8	...	,,	30.25	768.3	...	...	N	6	.
Bonin Is.	,,	29.85	758.1	...	...	S	4	...	,,	29.93	760.1	...	...	N W	2	.
Chefoo,	4 p.	30.40	772.1	23	100	N	3	s	6 a.	30.35	770.9	19	...	S W	1	o
Weihaiwei,	,,	...	...	21	...	N	3	cs	9 a.	...	...	26	...	W S W	3	e
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	.
Kiukiang	,,	30.57	776.6	42	53	N E	1	b	,,	...	...	...	...	...	...	.
Shanghai,	,,	30.49	774.4	34	...	N W	6	c	9 a.	30.45	773.4	29	...	N W	1	c
Gutzlaff,	,,	30.40	772.1	35	80	N W	10	cm	,,	30.42	772.6	34	90	N W	3	c
Sharp Peak,	,,	30.29	769.3	57	75	E N E	4	b	,,	30.37	771.4	53	73	E	5	c
Amoy,	,,	30.22	767.6	63	72	N E	4	b	6 a.	30.27	768.8	51	59	N	2	b
Swatow,	,,	30.16	766.0	70	61	E	1	b	,,	...	...	...	...	...	...	..
Taihoku,	1 p.	30.32	770.1	...	...	N E	4	...	5 a.	30.36	771.1	...	...	E	4	..
Taichu,	,,	30.10	764.6	...	...	N	8	...	,,	30.16	765.6	...	...	N	3	..
Tainan,	,,	30.13	765.3	...	...	N E	6	...	,,	30.19	766.7	...	...	N	2	..
Koshun	,,	30.09	764.3	...	...	N E	8	...	,,	30.15	765.8	...	...	N E	10	..
Pescadores,	,,	30.18	766.5	...	...	N E	8	...	,,	30.19	766.9	...	...	N E	10	..
Canton,	3 p.	30.25	768.3	60	29	N N E	2	b	9 a.	30.30	769.6	48	56	N	1	b
Hongkong,	4 p.	30.20	767.1	60	31	N N E	2	b	10 a.	30.26	768.6	58	44	E	4	b
Victoria Peak,	,,	...	...	...	...	N E	4	...	,,	...	...	...	...	E	4	..
Gap Rock,	,,	30.17	766.3	...	...	N N E	4	...	,,	30.22	767.6	...	...	E N E	6	...
Macao,	,,	30.21	767.3	60	...	N	5	b	,,	30.28	769.1	53	...	N	2	b
Wuchow,	3 p.	30.23	770.4	62	...	N	3	...	9 a.	30.35	770.9	54	55	E	3	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Pakhoi,	,,	30.27	768.8	61	50	N	2	b	,,	...	...	...	...	...	...	..
Phulien,	4 p.	30.24	768.2	62	...	E S E	1	c	8 a.	30.26	768.6	57	...	E N E	1	o
Tourane,	,,	...	...	...	...	...	...	...	,,	30.15	765.7	68	..	N E	4	o
Cape St. James,	,,	29.85	758.3	77	...	N E	5	or	,,	29.97	761.2	77	...	N W	2	c
Aparri,	2 p.	29.97	761.2	73	...	N	2	r	6 a.	30.06	763.6	70	...	N E	5	q
Manila,	4 p.	29.84	758	75	94	N N W	1	o	10 a.	29.92	760	82	70	N N E	1	o
Legaspi,	2 p.	29.83	757.6	86	...	E	2	c	6 a.	29.89	759.2	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	E N E	2	o	9 a.	...	...	...	...	E N E	2	c
Iloilo,	,,	29.81	757.2	80	...	S W	1	c	,,	29.89	759.2	79	...	N E	2	b
Cebu,	,,	29.83	757.7	82	...	N	1	or	,,	29.91	759.7	81	...	N	1	c
Labuan,	,,	29.80	756.9	79	...	...	...	...	,,	29.88	758.9	79	...	...	...	..

On the 14th at 12.05 p.—The barometer has fallen rapidly over N.E. Japan owing to a depression which is moving Eastwards over Hokkaido.

The barometer has risen considerably over S.W. Japan and the Loochoos, while it is inclined fall over China.

The high pressure area remains over the Yangtze valley, and pressure is relatively low over the S. part of the China Sea.

Strong NE winds may be expected in the Formosa Channel, and monsoon gales over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fine.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 14th December, 1909.

Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	14th December, 1909, P.M.								15th December, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	30.06	763.5	4	...	N	5	b	7 a.	30.17	766.4	17	58	N	1	c
muro,	,,	29.33	745.1	...	...	N E	10	...	6 a.	29.45	748.1	...	...	N	10	...
kodate,	,,	29.54	750.2	...	...	S W	8	...	,,	29.73	755.2	...	...	N W	6	...
kio,	,,	29.75	755.6	...	...	N	6	...	,,	39.02	762.6	...	...	N W	2	...
chi,	,,	30.11	764.8	...	...	S	4	...	,,	30.19	766.8	...	...	S	2	...
gasaki,	,,	30.23	767.8	...	...	N	4	...	,,	30.19	766.8	...	...	...	0	...
goshima,	,,	30.23	767.9	...	...	N	4	...	,,	30.19	766.9	...	...	N	2	...
hima,	,,	30.24	768.1	...	...	N	4	...	,,	30.28	769.1	...	...	S	4	...
ha,	,,	30.20	767.2	...	...	N E	4	...	,,	...	...	...	...	...	...	...
higakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.21	767.3	...	...	N E	6	...
min Is.	,,	30.00	762.1	...	...	W	4	...	,,	30.16	766.1	...	...	...	0	...
efoo,	4 p.	30.31	769.9	27	...	W	3	b	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	...	...	29	...	S S W	1	c	9 a.	...	...	27	...	N W	4	e
nkow,	,,	30.38	771.6	40	74	S E	1	b	6 a.	...	...	...	...	...	...	...
ukiang,	,,	30.33	770.4	41	74	N E	2	c	,,	...	...	...	...	...	...	...
anghai,	,,	30.35	770.9	37	...	W S W	2	c	9 a.	30.53	775.4	33	...	W N W	4	b
utzlaff,	,,	30.33	770.4	39	73	N N W	2	cv	,,	30.45	773.4	39	82	N N W	5	bv
arp Peak,	,,	30.25	768.3	54	...	N	3	c	,,	30.34	770.6	52	...	N	1	b
moy,	,,	30.18	766.6	62	51	N E	5	b	6 a.	30.22	767.6	52	73	N E	2	b
atow,	,,	30.14	765.5	63	77	E	1	b	,,	30.19	766.8	48	43	...	0	b
aihoku,	1 p.	30.19	766.9	...	...	E	8	...	5 a.	30.21	767.3	...	...	E	2	...
aichu,	,,	30.09	764.4	...	...	W	2	...	,,	30.21	767.2	...	...	...	0	...
ainan,	,,	30.14	765.5	...	...	N	4	...	,,	30.19	766.8	...	...	N	4	...
oshun,	,,	30.12	765.0	...	...	N E	10	...	,,	30.14	765.5	...	...	N E	8	...
escadores,	,,	30.13	765.3	...	...	N	8	...	,,	30.18	766.6	...	...	N E	8	...
anton,	3 p.	30.15	765.8	57	52	N	1	b	9 a.	30.29	769.3	52	60	N	1	b
ongkong,	4 p.	30.14	765.5	60	59	E	3	b	10 a.	30.24	768.1	64	33	N	1	c
ictoria Peak,	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	E	2	...
ap Rock,	,,	30.09	764.3	...	...	E N E	5	...	,,	30.19	766.8	...	...	E N E	3	...
acao,	,,	30.15	765.8	61	...	N E	1	c	,,	30.26	768.6	58	...	N N W	2	c
uchow,	3 p.	30.18	766.6	64	48	W	1	b	9 a.	30.36	771.1	56	...	E	1	o
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	30.15	765.8	63	57	N W	2	b	,,	...	...	...	...	...	...	...
hulien,	4 p.	30.11	764.8	64	...	S E	1	or	8 a.	30.26	768.6	61	...	N E	4	o
ourane,	,,	30.05	763.2	68	...	N N W	3	c	,,	30.12	765.0	66	..	N W	2	o
ape St. James,	,,	29.83	758.9	81	...	S W	2	o	,,	29.94	760.5	70	...	N W	2	o
parri,	2 p.	30.03	762.7	70	...	N E	4	d	6 a.	30.03	762.7	72	...	E	2	d
anila,	4 p.	29.84	758	77	94	...	0	o	10 a.	29.96	761	82	70	...	0	c
egaspi,	2 p.	29.85	758.1	84	...	E	2	o	6 a.	29.93	760.1	72	...	...	0	b
acolod,	3 p.	...	...	...	...	E N E	3	o	9 a.	...	...	...	...	N N W	2	b
oilo,	,,	29.81	757.2	85	...	N E	1	b	,,	29.92	759.9	80	...	N N E	1	c
ebu,	,,	29.82	757.4	85	...	N	1	b	,,	29.92	759.9	85	...	...	0	c
abuan,	,,	29.81	757.2	78	...	...	...	...	,,	29.90	759.4	80	...	...	...	...

On the 15th at 11.55 a.—The depression lying over Hokkaido yesterday, has moved into the Pacific and the barometer has risen in E. Japan.

The barometer has fallen slightly in S.W. Japan and risen a little over N. China.

The anticyclonic area remains over the continent to the North of the Yangtze, and pressure is relatively low over the S. part of the China Sea.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. and N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 15th December, 1909.

Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	15th DECEMBER, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th DECEMBER, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostook,	2 p.	30.14	765.5	10	...	N E	3	c	7 a.	30.50	769.5	5	77	N W	1
Nemuro,	,,	29.65	753.1	...	...	N W	10	...	6 a.	29.77	756.1	...	...	N W	8
Hakodate,	,,	29.81	757.2	...	...	W	6	...	,,	29.77	756.2	...	...	N	4
Tokio,	,,	29.94	760.6	...	...	S	2	...	,,	29.99	761.6	...	...	N W	2
Kochi,	,,	30.07	763.8	...	...	E	2	...	,,	30.23	767.8	...	...	...	0
Nagasaki,	,,	30.19	766.8	...	...	N E	6	...	,,	30.31	769.8	...	...	N	6
Kagoshima,	,,	30.15	765.9	...	...	N	6	...	,,	30.27	768.9	...	...	N	6
Oshima,	,,	30.20	767.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	6
Naha,	,,	30.20	767.2	...	...	N	4	...	,,	30.25	768.2	...	...	N	8
Ishigakijima,	,,	30.17	766.3	...	...	E	6	...	,,	30.25	768.3	...	...	N	8
Bonin Is.	,,	30.12	765.1	...	...	N	2	...	,,	30.08	764.1	...	...	W	6
Chefoo,	4 p.	30.48	774.2	29	...	N	4	o	6 a.	30.69	777.2	25	...	W	1
Weihaiwei,	,,	...	...	28	...	N	4	c	9 a.	...	...	31	...	N	2
Hankow,	,,	30.63	778.0	45	65	N E	1	o	6 a.	30.69	779.5	30	79	N W	2
Kiukiang,	,,	30.52	775.2	42	66	N E	5	b	,,	30.55	775.9	31	89	N E	5
Shanghai,	,,	30.50	774.7	37	62	N N W	3	b	9 a.	30.61	777.5	34	...	N W	3
Gutzlaff,	,,	30.45	773.4	40	56	N N W	5	cv	,,	30.54	775.7	41	66	N N W	5
Sharp Peak,	,,	30.26	769.1	55	68	E N E	5	c	,,	30.47	773.9	53	73	N E	5
Amoy,	,,	30.18	766.6	69	56	N E	3	b	6 a.	30.30	769.6	51	72	N E	4
Swatow,	,,	30.17	766.3	63	84	E	2	b	,,	30.25	768.3	55	68	N	1
Taihoku,	1 p.	30.23	767.8	...	...	E	8	...	5 a.	30.36	771.0	...	...	E	6
Taichu,	,,	30.11	764.8	...	...	N	4	...	,,	30.23	767.7	...	...	N	6
Tainan,	,,	30.16	766.0	...	...	N	6	...	,,	30.21	767.2	...	...	N E	6
Koshun	,,	30.13	765.2	...	...	N E	4	...	,,	30.14	765.5	...	...	N E	10
Pescadores,	,,	30.18	766.6	...	...	N E	8	...	,,	30.24	768.0	...	...	N E	10
Canton,	3 p.	30.19	766.8	63	38	N	2	b	9 a.	30.36	771.1	54	43	N	2
Hongkong,	4 p.	30.17	766.3	66	33	N	2	o	10 a.	30.32	770.1	61	41	N	1
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	...	...
Gap Rock,	,,	30.14	765.5	...	...	E N E	3	...	,,	30.26	768.6	...	...	E N E	6
Macao,	,,	30.23	767.8	63	...	N N W	3	o	,,	30.33	770.4	56	...	N	3
Wuchow,	3 p.	30.26	768.6	62	...	N E	2	c	9 a.	30.43	772.9	52	...	N E	1
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...
Pakhoi,	,,	30.18	766.6	67	54	N	3	c	,,	...	...	...	...	...	...
Phulien,	4 p.	30.16	766.1	68	...	W N W	2	c	8 a.	30.28	769.2	61	...	E	2
Tourane,	,,	30.06	763.6	66	...	N N W	3	or	,,	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.2	73	...	N	3	o	,,	29.89	759.3	70	...	N W	5
Aparri,	2 p.	30.02	762.4	72	...	N E	2	r	6 a.	30.01	762.2	73	...	N E	4
Manila,	4 p.	29.88	759	82	77	N N E	1	c	10 a.	30.00	762	79	84	W N W	1
Legaspi,	2 p.	29.89	759.1	86	...	N E	2	c	6 a.	29.95	760.7	72	...	...	0
Bacolod,	3 p.	...	...	...	...	E N E	2	or	9 a.	...	...	...	...	N N W	2
Iloilo,	,,	29.85	758.2	84	...	N E	1	c	,,	29.95	760.7	79	...	N E	1
Cebu,	,,	29.85	758.2	86	...	N	1	c	,,	29.93	760.2	87	...	...	0
Labuan,	,,	29.82	757.4	82	...	...	...	...	,,	29.91	759.7	82	...	...	...

On the 16th at 12.05 p.—The barometer has fallen slightly over S.E. Japan and the Bonins, also over the Coast China coast. It has risen elsewhere, particularly over N. China.

The anticyclonic area remains over the continent to the North of the Yangtze.

Pressure is low off the coast of S. Annam, and also over the Pacific to the E. of Japan.

Very strong monsoon will continue to prevail in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; fine.
2.—Formosa Channel,	N.E. winds, strong to a gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 16th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th DECEMBER, 1909, P.M.								17th DECEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	30.27	768.9	19	...	N E	[illegible]	b	7 a.	30.32	770.1	24	57	N	0	b
Gemuro,	,,	29.77	756.1	...	...	N	13	...	6 a.	29.89	759.1	...	...	N W	8	...
Hakodate,	,,	29.89	759.2	...	...	N	6	...	,,	30.09	764.2	...	...	W	4	...
Tokio,	,,	30.02	762.6	...	...	N W	6	...	,,	30.18	766.6	...	...	...	0	...
Kochi,	,,	30.23	767.8	...	...	N	4	...	,,	30.36	770.8	...	...	S W	2	...
Nagasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.39	771.8	...	...	...	0	...
Kagoshima,	,,	30.31	769.9	...	...	N	6	...	,,	30.39	771.9	...	...	N	4	...
Ishima,	,,	30.24	768.1	...	...	N	6	...	,,	30.28	769.1	...	...	S	2	...
Naha,	,,	30.24	768.2	...	...	N	6	...	,,	30.25	768.2	...	...	E	4	...
Ishigakijima,	,,	30.25	768.3	...	...	N	8	...	,,	30.25	768.3	...	...	N	4	...
Bonin Is.	,,	29.96	761.1	...	...	N	6	...	,,	30.08	764.1	...	...	N	6	...
Chefoo,	4 p.	30.58	776.7	32	...	W	[illegible]	b	6 a.	30.50	774.7	25	...	S W	1	b
Weihaiwei,	,,	...	...	32	...	S W	3	c	9 a.	...	...	29	...	W S W	2	e
Hankow,	,,	30.71	780.0	35	90	N E	1	o	6 a.	30.66	778.7	33	...	N W	1	o
Kiukiang,	,,	30.61	777.5	38	72	N E	5	o	,,	30.53	775.4	34	79	N E	1	o
Shanghai,	,,	30.55	775.9	40	56	N	2	o	9 a.	30.57	776.5	38	63	N N W	1	b
Sutzlaff,	,,	30.48	774.2	44	68	N N W	5	c	,,	30.51	774.9	45	68	N	3	br
Sharp Peak,	,,	30.38	771.6	53	73	E N E	5	b	,,	30.46	773.7	49	85	N	2	b
Amoy,	,,	30.24	768.1	61	55	N E	5	b	6 a.	30.33	770.4	52	73	N E	1	b
Swatow,	,,	30.22	767.6	62	89	E	2	c	,,	30.26	768.6	54	68	N E	1	b
Taihoku,	1 p.	30.35	770.9	...	...	E	6	...	5 a.	30.34	770.6	...	...	E	2	...
Taichu,	,,	30.19	766.9	...	...	N	6	...	,,	30.23	767.8	...	...	N E	4	...
Tainan,	,,	30.22	767.5	...	...	N	6	...	,,	30.22	767.5	...	...	N	6	...
Koshun	,,	30.17	766.4	...	...	N E	10	...	,,	30.17	766.2	...	...	N E	10	...
Pescadores,	,,	30.25	768.3	...	...	N E	10	...	,,	30.24	768.1	...	...	N E	10	...
Canton,	3 p.	30.25	768.3	59	43	N	2	b	9 a.	30.38	771.6	54	43	N	2	c
Hongkong,	4 p.	30.21	767.3	64	37	E	1	c	10 a.	30.33	770.4	61	43	N	1	o
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	N E	4	...
Gap Rock,	,,	30.17	766.3	...	...	E	5	...	,,	30.26	768.6	...	...	N E	4	...
Macao,	,,	30.23	767.8	70	...	N N W	2	o	,,	30.34	770.6	56	...	N	3	c
Wuchow,	3 p.	30.33	770.4	59	...	...	...	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.23	767.8	64	63	N	2	c	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.20	767.0	68	...	E N E	1	o	8 a.	30.30	769.5	61	...	E N E	3	o
Tourane,	,,	30.06	763.4	66	...	N W	4	or	,,	30.06	763.6	70	..	N N E	3	or
Cape St. James,	,,	29.80	757.0	66	...	N W	5	or	,,	29.82	757.3	75	...	E N E	6	o
Aparri,	2 p.	29.93	761.6	73	...	N E	4	r	6 a.	30.03	762.8	73	...	N E	2	d
Manila,	4 p.	29.88	759	82	77	...	0	c	10 a.	29.96	761	79	92	N E	0	o
Legaspi,	2 p.	29.87	758.8	88	...	N E	2	b	6 a.	29.92	760.0	77	...	...	0	o
Bacolod,	3 p.	...	...	...	...	...	3	c	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.85	758.2	84	...	N E	1	b	,,	29.91	759.7	81	...	N N E	1	b
Cebu,	,,	29.83	757.7	85	...	N	2	b	,,	29.91	759.7	83	...	N	2	b
Labuan,	,,	29.83	757.7	87	...	...	...	...	,,	29.95	760.7	81	...	...	...	...

On the 17th at 12.10 p.—The barometer has fallen slightly over the Annam coast and the Southern Philippines, and risen moderately over Japan.

The low pressure noted yesterday off S. Annam is probably a regular depression. It appears to have moved Westwards and lies now off the Cochin China coast to the South of Cape St. James.

The anticyclonic area remains over the continent to the North of the Yangtze, but pressure is giving way over N. China.

Strong monsoon may be expected in the Formosa Channel, and monsoon gales over the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 17th December, 1909.

[Printed by NOROSHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.26	768.7	23	...	N	3	b	7 a.	30.41	772.3	6	66	N	0	b
Nemuro,	,,	29.93	760.1	...	...	N W	12	...	6 a.	30.08	764.1	...	...	N W	6	..
Hakodate,	,,	30.09	764.2	...	...	W	8	...	,,	30.21	767.2	...	...	N	4	..
Tokio,	,,	30.14	765.6	...	...	N	4	...	,,	30.22	767.6	...	...	N W	6	..
Kochi,	,,	30.27	768.8	...	...	S E	4	...	,,	30.31	769.8	...	...	S W	2	..
Nagasaki,	,,	30.35	770.8	...	...	N	10	...	,,	30.39	771.8	...	...	N E	4	..
Kagoshima,	,,	30.27	768.9	...	...	E	4	...	,,	30.35	770.9	...	...	N	4	..
Oshima,	,,	30.24	768.1	...	...	N	6	...	,,	30.24	768.1	...	...	N	8	..
Naha,	,,	30.20	767.2	...	...	N	6	...	,,	30.21	767.2	...	...	E	4	..
Ishigakijima,	,,	30.21	767.3	...	...	N	8	...	,,	30.21	767.3	...	...	N	4	..
Bonin Is.	,,	30.08	764.1	...	...	N	4	...	,,	30.12	765.1	...	...	N	4	..
Chefoo,	4 p.	30.47	773.9	34	...	W	2	b	6 a.	...	...	...	...	...	...	..
Weihaiwei,	,,	...	...	35	...	W S W	1	b	9 a.	...	...	35	...	S W	2	b
Hankow,	,,	30.61	777.5	45	65	N E	1	o	6 a.	...	...	...	...	...	...	..
Kiukiang,	,,	30.56	776.2	38	81	N E	1	o	,,	30.43	772.9	34	90	N E	1	o
Shanghai,	,,	30.48	774.2	42	50	N	2	c	9 a.	30.52	775.2	38	72	N N E	1	o
Gutzlaff,	,,	30.44	773.2	47	55	N	2	bv	,,	30.43	772.9	43	...	N	3	c
Sharp Peak,	,,	30.32	770.1	53	...	N N E	3	c	,,	30.39	771.9	52	...	N E	1	b
Amoy,	,,	30.24	768.1	64	58	N E	4	b	6 a.	30.23	769.1	54	80	N E	1	b
Swatow,	,,	30.19	766.8	62	...	E	3	b	,,	30.21	767.3	51	86	N E	1	b
Taihoku,	1 p.	30.30	769.5	...	...	E	6	...	5 a.	30.27	768.9	...	...	E	4	..
Taichu,	,,	30.19	766.7	...	...	N	8	...	,,	30.18	766.5	...	...	N	2	..
Tainan,	,,	30.19	766.9	...	...	N	6	...	,,	30.20	767.0	...	...	N	2	..
Koshun,	,,	30.16	766.0	...	...	N E	8	...	,,	30.15	765.7	...	...	N E	8	..
Pescadores,	,,	30.22	767.6	...	...	N E	10	...	,,	30.21	767.3	...	...	N E	10	..
Canton,	3 p.	30.21	767.3	61	40	N	1	b	9 a.	30.30	769.6	55	50	N	1	b
Hongkong,	4 p.	30.20	767.1	64	47	S E	1	o	10 a.	30.28	769.1	63	59	E N E	4	o
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	E S E	5	...
Gap Rock,	,,	30.16	766.0	...	...	N E	4	...	,,	30.22	767.6	...	...	E N E	5	...
Macao,	,,	30.20	767.1	63	...	N	3	c	,,	30.28	769.1	58	...	N	2	o
Wuchow,	3 p.	30.29	769.5	61	...	N	1	c	9 a.	30.34	770.6	56	...	E	2	o
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.22	767.6	65	53	N	2	o	,,	...	...	...	...	...	...	..
Phulien,	4 p.	30.20	767.1	66	...	N W	1	o	8 a.	30.26	768.5	61	...	N E	2	o
Tourane,	,,	30.03	762.8	68	...	E N E	4	or	,,	30.10	764.5	70	..	E	3	d
Cape St. James,	,,	29.83	757.8	73	...	E	5	o	,,	29.95	760.7	75	...	N E	4	o
Aparri,	2 p.	30.02	762.4	73	...	N E	2	d	6 a.	...	...	...	...	...	...	..
Manila,	4 p.	29.88	759	77	94	S	1	o	10 a.	29.96	761	81	76	N N E	0	o
Legaspi,	2 p.	29.87	758.6	82	...	E	2	o	6 a.	29.89	759.2	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	N E	2	o
Iloilo,	,,	29.83	757.7	83	...	N E	1	c	,,	29.89	759.2	77	...	N N E	1	o
Cebu,	,,	29.81	757.2	86	...	...	0	o	,,	29.90	759.4	78	...	N	1	o
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.95	760.7	81	...	...	...	..

On the 18th at 12.05 p.—The barometer has risen on the coast of Cochin China, the "low" area having moved away Westwards.

The barometer has risen moderately in E. Japan, and fallen slightly over China, the Loochoos and the S. Philippines.

The anticyclonic area is spreading Eastwards over the Sea of Japan.

Pressure is in slight defect over the S. Philippines and adjacent waters.

Strong monsoon may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to strong; fair.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 18th December, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th December, 1909, P.M.								19th December, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
ladivostock,	2 p.	30.39	772.0	22	...	N E	3	b	7 a.	30.33	770.3	9	84	...	0	o
muro,	,,	30.08	764.1	...	...	N W	10	...	6 a.	30.24	768.1	...	...	N W	8	...
kodate,	,,	30.20	767.2	...	...	N W	4	...	,,	30.36	771.2	...	...	N W	2	...
kio,	,,	30.18	766.6	...	...	N W	2	...	,,	30.38	771.6	...	...	N	2	...
ochi,	,,	30.27	768.8	...	...	N	4	...	,,	30.39	771.8	...	...	S W	2	...
gasaki,	,,	30.35	770.8	...	...	N	6	...	,,	30.39	771.8	...	...	N	2	...
agoshima,	,,	30.27	768.9	...	...	S E	2	...	,,	30.39	771.9	...	...	N	2	...
hima,	,,	30.28	769.1	...	...	N	8	...	,,	30.28	769.1	...	...	W	2	...
ha,	,,	30.20	767.2	...	...	N E	6	...	,,	30.21	767.2	...	...	N E	6	...
higakijima,	,,	30.17	766.3	...	...	N E	8	...	,,	30.17	766.3	...	...	N	2	...
nin Is.	,,	30.12	765.1	...	...	N	2	...	,,	30.20	767.1	...	...	N	2	...
efoo,	4 p.	30.47	773.9	39	...	N N W	1	b	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	30.63	778.0	37	...	W S W	1	b	9 a.	30.63	778.0	33	...	S S W	1	c
ankow,	,,	30.47	773.9	40	82	N E	1	o	6 a.	...	...	...	...	...	...	...
iukiang,	,,	30.48	774.2	34	90	N E	1	o	,,	...	...	...	...	...	...	...
anghai,	,,	30.42	772.6	47	41	E N E	1	c	9 a.	30.41	772.4	48	71	E	1	b
utzlaff,	,,	30.40	772.1	48	63	N	3	cv	,,	30.37	771.4	50	72	N E	1	bv
arp Peak,	,,	30.29	769.3	53	73	N N E	5	b	,,	30.34	770.6	52	...	N	1	b
moy,	,,	30.22	767.6	62	77	N E	4	c	6 a.	30.26	768.6	54	74	E	4	b
watow,	,,	30.18	766.6	65	73	E N E	3	b	,,	30.21	767.3	49	85	...	0	b
aihoku,	1 p.	30.27	768.8	...	...	E	8	...	5 a.	30.25	768.4	...	...	E	4	...
aichu,	,,	30.13	765.3	...	...	N	4	...	,,	30.17	766.3	...	...	N	4	...
ainan,	,,	30.16	766.1	...	...	W	4	...	,,	30.17	766.2	...	...	N	2	...
oshun	,,	30.15	767.7	...	...	N E	8	...	,,	30.13	765.2	...	...	N E	10	...
escadores,	,,	30.18	766.6	...	...	N E	10	...	,,	30.19	766.9	...	...	N E	8	...
anton,	3 p.	30.19	766.8	62	46	N	1	b	9 a.	...	..	...	...	...	...	...
ongkong,	4 p.	30.19	766.8	63	62	E	2	o	10 a.	30.27	768.8	66	63	E	1	b
ictoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	E	2	...
ap Rock,	,,	30.13	765.3	...	...	E N E	5	...	,,	30.21	767.3	...	...	E N E	5	...
acao,	,,	30.20	767.1	62	...	N E	1	o	,,	30.28	769.1	64	...	E	1	c
uchow,	3 p.	30.20	767.1	68	...	E	1	o	9 a.	30.33	770.4	59	...	E	1	o
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	30.17	766.3	70	57	E	1	o	,,	...	...	...	...	...	...	...
hulien,	4 p.	30.14	765.5	66	...	E N E	3	c	8 a.	30.22	767.6	63	...	N E	3	o
ourane,	,,	30.06	763.4	68	...	N N W	3	db	,,	30.13	765.3	68	...	E N E	3	f
ape St. James,	,,	29.89	759.1	75	...	E N E	4	o	,,	29.95	760.7	75	...	N E	3	c
parri,	2 p.	30.04	762.9	77	...	N E	2	c	6 a.	...	...	...	...	...	...	...
anila,	4 p.	29.88	759	77	94	..	0	o	10 a.	30.00	762	77	84	...	0	o
egaspi,	2 p.	29.85	758.3	79	...	N E	4	o	6 a.	29.89	759.3	77	...	N E	4	o
acolod,	3 p.	...	...	...	...	N E	4	op	9 a.	...	...	...	...	N N E	3	op
oilo,	,,	29.81	757.2	80	...	N N E	1	o	,,	29.87	758.7	75	...	N N E	1	o
ebu,	,,	29.77	756.1	79	...	...	0	o	,,	29.82	757.4	76	...	N	3	or
abuan,	,,	29.84	757.9	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 19th at 12.10 p.—The barometer has risen moderately in E. Japan, and fallen slightly over N. China and the S. part of the Philippine Archipelago.

Pressure remains low over the latter area and adjacent waters, and the anticyclonic area has spread Eastwards over the Sea of Japan.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 19th December, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W.
Wladivostock,	2 p.	30.26	768.5	22	...	W	0	f	7 a.	30.12	764.9	21	84	...	0	f
Nemuro,	,,	30.28	769.1	...	...	N W	8	...	6 a.	30.28	769.1	...	...	W	2	..
Hakodate,	,,	30.32	770.2	...	...	N W	2	...	,,	30.25	768.2	...	...	N	2	..
Tokio,	,,	30.34	770.6	...	...	S	4	...	,,	30.30	769.6	...	...	N W	4	..
Kochi,	,,	30.31	769.8	...	...	S E	4	...	,,	30.23	767.8	...	...	S W	2	..
Nagasaki,	,,	30.31	769.8	...	...	W	2	...	,,	30.27	768.8	...	...	N	6	..
Kagoshima,	,,	30.27	768.9	...	...	...	0	...	,,	30.23	767.9	...	...	E	2	..
Oshima,	,,	30.24	768.1	...	...	E	4	...	,,	30.20	767.1	...	...	S	2	..
Naha,	,,	30.17	766.2	...	...	E	4	...	,,	30.17	766.2	...	...	...	0	..
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.13	765.3	...	...	N	4	..
Bonin Is.	,,	30.20	767.1	...	...	N	4	...	,,	30.24	768.1	...	...	...	0	..
Chefoo,	4 p.	30.33	770.4	40	100	W	2	b	6 a.	30.19	766.8	33	100	S W	1	b
Weihaiwei,	,,	...	...	39	...	S S W	1	c	9 a.	...	...	37	...	S W	2	b
Hankow,	,,	30.44	773.2	41	74	N W	1	o	6 a.	30.56	776.2	35	90	N E	1	b
Kiukiang,	,,	30.43	772.9	73	67	N W	2	b	,,	30.40	772.1	36	90	...	0	b
Shanghai,	,,	30.31	769.9	54	61	E	1	o	9 a.	30.43	772.9	42	91	W N W	4	o
Gutzlaff,	,,	30.33	770.4	54	68	N E	1	bv	,,	30.35	770.9	48	91	N W	3	o
Sharp Peak,	,,	30.25	768.3	54	...	N N E	4	b	,,	30.32	770.1	54	90	N N W	1	b
Amoy,	,,	30.20	767.1	70	57	...	0	b	6 a.	30.23	767.8	55	87	W	1	c
Swatow,	,,	...	...	...	...	...	...	...	,,	30.25	768.3	54	80	...	0	b
Taihoku,	1 p.	30.22	767.6	...	...	E	6	...	5 a.	30.23	767.7	...	...	E	2	..
Taichu,	,,	30.13	765.2	...	...	N	6	...	,,	30.15	765.7	...	...	...	0	..
Tainan,	,,	30.15	765.9	...	...	N	2	...	,,	30.16	766.0	...	...	N	4	..
Koshun	,,	30.13	765.2	...	...	N E	8	...	,,	30.12	765.0	...	...	N E	4	..
Pescadores,	,,	30.16	766.1	...	...	N E	8	...	,,	30.16	766.0	...	...	N E	10	..
Canton,	3 p.	30.19	766.8	61	71	N W	1	b	9 a.	30.33	770.4	57	63	N N E	1	b
Hongkong,	4 p.	30.19	766.8	66	58	E	2	b	10 a.	30.29	769.3	68	54	N	1	b
Victoria Peak,	,,	...	...	...	...	E N E	2	...	,,	...	...	...	...	N E	0	...
Gap Rock,	,,	30.15	765.8	...	...	E N E	4	...	,,	30.26	768.6	...	...	N	5	...
Macao,	,,	30.19	766.8	68	...	N E	1	b	,,	30.31	769.9	60	...	N N W	3	M
Wuchow,	3 p.	...	...	...	...	N	1	o	9 a.	30.43	772.9	51	...	S W	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	..
Pakhoi,	,,	30.23	767.8	70	61	E	2	o	,,	...	...	...	...	...	...	..
Phulien,	4 p.	30.19	766.8	64	...	E N E	3	o	8 a.	30.33	770.3	63	...	N	2	o
Tourane,	,,	30.09	764.3	70	...	S E	3	f	,,	30.21	767.3	70	..	E N E	2	o
Cape St. James,	,,	29.91	759.7	77	...	E N E	4	c	,,	29.97	761.2	73	...	N E	4	o
Aparri,	2 p.	30.01	762.2	77	...	E	2	o	6 a.	...	...	...	...	...	...	..
Manila,	4 p.	29.88	759	77	69	N E	1	o	10 a.	29.92	760	72	82	N E	0	o
Legaspi,	2 p.	29.82	757.3	79	...	N E	4	o	6 a.	29.78	756.5	57	...	N E	2	..
Bacolod,	3 p.	...	...	...	...	N N E	4	o	9 a.	...	...	...	...	S S W	1	o
Iloilo,	,,	29.77	756.1	76	...	N	1	o	,,	29.83	757.7	75	...	S W	1	o
Cebu,	,,	29.74	755.4	75	...	N	2	or	,,	29.82	757.4	72	...	S	1	o
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	29.95	760.7	82	...	...	...	.

On the 20th at 12.05 p.—The barometer has fallen moderately in the Philippines, the depression having approached the Archipelago to the S.E. of Luzon.

Pressure has given way moderately at the northern stations, a depression, which is moving Eastwards, having appeared over Manchuria.

The barometer has risen over W. China and Tongking.

Areas of high pressure are lying over the Upper Yangtze valley, and over the Pacific to the E. of Japan.

Heavy monsoon may be expected over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 20th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th December, 1909, P.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st December, 1909, A.M. Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock,...	2 p.	30.01	762.3	28	...	...	0	f	7 a.	29.81	757.2	28	74	E	0	s
mûro, ...	,,	30.20	767.1	...	...	W	4	...	6 a.	30.01	762.1	...	...	S E	8	...
ikodate, ...	,,	30.13	765.2	...	...	...	0	...	,,	29.93	760.2	...	...	W	4	...
kio, ...	,,	30.14	765.6	...	...	N	2	...	,,	29.95	760.6	...	...	N W	2	...
chi, ...	,,	30.15	765.8	...	...	...	0	...	,,	30.03	762.8	...	...	...	0	...
gasaki, ...	,,	30.15	765.8	...	...	W	6	...	,,	30.11	764.8	...	...	N	2	...
goshima, ...	,,	30.15	765.9	...	...	...	0	...	,,	30.12	764.9	...	...	N W	4	...
hima, ...	,,	30.16	766.1	...	...	...	0	...	,,	30.12	765.1	...	...	N	6	...
ha, ...	,,	30.13	765.2	...	...	N	6	...	,,	30.13	765.2	...	...	N	8	...
higakijima, ...	,,	30.13	765.3	...	...	N	8	...	,,	30.13	765.3	...	...	N	6	...
min Is.	,,	30.16	766.1	...	...	S	2	...	,,	30.08	764.1	...	...	S E	2	...
efoo, ...	4 p.	30.18	766.6	43	100	W S W	3	b	6 a.	30.18	766.6	36	100	S W	4	b
eihaiwei, ...	,,	...	...	42	...	W S W	2	c	9 a.	...	...	36	...	N W	5	c
ankow, ...	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
iukiang, ...	,,	...	...	60	58	W	1	b	,,	...	...	...	...	...	...	...
anghai, ...	,,	30.34	770.6	45	68	N W	3	o	9 a.	...	...	...	...	...	...	...
utzlaff, ...	,,	30.29	769.3	46	77	N W	3	om	,,	...	...	...	...	...	...	...
arp Peak, ...	,,	30.25	768.3	56	...	N N E	2	b	,,	30.33	770.4	55	...	N	1	b
moy, ...	,,	30.18	766.6	70	53	...	0	b	6 a.	30.23	767.8	57	75	...	0	c
watow, ...	,,	30.14	765.5	68	70	E	1	b	,,	...	...	...	...	...	...	...
aihoku, ...	1 p.	30.18	766.6	...	...	N E	8	...	6 a.	30.25	767.9	...	...	E	4	...
aichu, ...	,,	30.11	764.8	...	...	S	2	...	,,	30.15	765.7	...	...	N	4	...
ainan, ...	,,	30.12	765.0	...	...	N	6	...	,,	30.14	765.6	...	...	N	6	...
oshun	,,	30.09	764.4	...	...	N	6	...	,,	30.10	764.3	...	...	N E	6	...
escadores, ...	,,	30.17	766.2	...	...	N	10	...	,,	30.17	766.3	...	...	N E	10	...
anton, ...	3 p.	30.20	767.1	66	49	N N W	1	b	9 a.	30.34	770.6	52	66	N	1	b
longkong, ...	4 p.	30.16	766.0	68	61	W	1	b	10 a.	30.27	768.8	60	52	N N W	2	b
ictoria Peak, ...	,,	...	...	...	...	N	1	...	,,	...	...	...	...	N E	3	...
ap Rock, ...	,,	30.13	765.3	...	...	N N W	3	...	,,	30.21	767.3	...	...	N N E	5	...
lacao, ...	,,	30.17	766.3	68	...	N W	3	cf	,,	30.30	769.6	57	...	N N W	3	c
Vuchow, ...	3 p.	30.32	770.1	58	...	W	2	b	9 a.	30.43	772.9	56	...	W	2	b
loihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi, ...	,,	30.27	771.4	67	54	N	1	b	,,	30.38	771.6	59	59	N	3	b
hulien, ...	4 p.	...	...	68	...	N N E	1	o	8 a.	30.34	770.7	63	...	N E	3	b
ourane, ...	,,	30.14	765.6	70	...	E N E	2	c	,,	30.22	767.6	72	..	N E	2	c
ape St. James, .	,,	...	...	...	...	...	...	...	,,	30.04	763.0	72	...	N E	2	o
parri, ...	2 p.	29.96	760.9	79	...	N E	2	o	6 a.	29.99	761.8	75	...	N E	2	o
lanila, ...	4 p.	29.80	757	73	83	N	1	o	10 a.	29.92	760	81	62	N N E	1	o
egaspi, ...	2 p.	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
acolod, ...	3 p.	...	...	...	...	N W	3	op	9 a.	...	...	...	...	N N E	3	op
loilo, ...	,,	29.74	755.4	77	...	S S E	1	o	,,	29.83	757.7	78	...	N N E	1	o
ebu, ...	,,	29.73	755.1	78	...	S	1	or	,,	29.82	757.4	79	...	S	1	o
abuan, ...	,,	29.86	758.4	83	...	...	...	...	,,	29.95	760.7	77	...	...	...	...

On the 21st at 12.25 p.—The barometer has fallen considerably in Wladiwostok and over Japan, and risen slightly in Cochin China.

The depression in the South remains in the neighbourhood of the S. Philippines. The northern depression has moved Eastwards and reached the vicinity of Wladiwostok.

The anticyclonic area still lies over W. China.

Heavy monsoon must still be expected to prevail over the N.E. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood, ...	N. winds, fresh; fine.
2.—Formosa Channel, ...	N. and N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 21st December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st DECEMBER, 1909, P.M.								22nd DECEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.76	755.8	33	...	N W	0	c	7 a.	30.14	765.5	9	58	N E	1	b
Nemuro,	,,	29.77	756.1	...	...	S E	8	...	6 a.	29.49	749.1	...	...	N E	4	...
Hakodate,	,,	29.69	754.2	...	...	...	0	...	,,	29.73	755.2	...	...	N	4	...
Tokio,	,,	29.75	755.6	...	...	N	2	...	,,	29.95	760.6	...	...	N W	4	...
Kochi,	,,	29.91	759.8	...	...	S W	6	...	,,	30.19	766.8	...	...	S W	4	...
Nagasaki,	,,	30.11	764.8	...	...	N	8	...	,,	30.23	767.8	...	...	...	0	...
Kagoshima,	,,	30.07	763.9	...	...	N	3	...	,,	30.19	766.9	...	...	N	4	...
Oshima,	,,	30.08	764.1	...	...	S W	2	...	,,	30.16	766.1	...	...	N W	4	...
Naha,	,,	30.09	764.2	...	...	N	8	...	,,	30.17	766.2	...	...	N E	4	...
Ishigakijima,	,,	30.13	765.3	...	...	N E	8	...	,,	30.13	765.3	...	...	N	6	...
Bonin Is.	,,	29.96	761.1	...	...	S	4	...	,,	29.93	760.1	...	...	N	4	...
Chefoo,	4 p.	30.31	769.9	33	100	N W	2	b	6 a.	30.05	763.2	36	100	S W	1	b
Weihaiwei,	,,	...	...	39	...	N W	1	b	9 a.	...	...	39	...	S S W	2	b
Hankow,	,,	...	...	...	...	...	...	...	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.37	771.4	55	56	S W	1	b	,,	...	...	...	...	...	...	...
Shanghai,	,,	30.34	770.6	51	34	N	2	b	9 a.	30.32	770.1	41	91	S E	1	bm
Gutzlaff,	,,	30.32	770.1	51	62	N	2	bm	,,	30.30	769.6	50	51	...	0	bm
Sharp Peak,	,,	30.25	768.3	55	74	N E	4	b	,,	30.30	769.6	52	86	N	1	c
Amoy,	,,	30.18	766.6	65	63	N E	2	b	6 a.	30.22	767.6	54	94	N E	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	1 p.	30.24	768.1	...	...	N E	6	...	5 a.	30.19	766.7	...	...	E	6	...
Taichu,	,,	30.07	763.7	...	...	N	6	...	,,	30.12	764.9	...	...	...	0	...
Tainan,	,,	30.07	763.9	...	...	N	6	...	,,	30.09	764.2	...	...	N E	2	...
Koshun,	,,	30.08	764.0	...	...	N E	6	...	,,	30.07	763.7	...	...	N E	10	...
Pescadores,	,,	30.14	765.6	...	...	N E	10	...	,,	30.12	765.0	...	...	N E	10	...
Canton,	3 p.	30.18	766.6	62	41	N N E	1	b	9 a.	30.26	768.6	52	66	N	1	b
Hongkong,	4 p.	30.12	765.0	64	37	N E	1	b	10 a.	30.23	767.8	61	53	E	3	b
Victoria Peak,	,,	...	...	...	...	N N E	1	...	,,	...	...	...	...	E	3	...
Gap Rock,	,,	30.10	764.5	...	...	N N E	4	...	,,	30.20	767.1	...	...	E N E	5	...
Macao,	,,	30.15	765.8	61	...	N	5	c	,,	30.24	768.1	58	...	N N E	2	c
Wuchow,	3 p.	30.24	768.1	66	...	N	1	b	9 a.	30.29	769.3	53	...	N E	1	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.19	766.8	66	49	N	2	b	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.16	766.1	72	...	W N W	1	b	8 a.	30.20	767.0	59	...	E N E	2	b
Tourane,	,,	30.10	764.6	70	...	N N W	2	c	,,	30.14	765.6	66	...	N W	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	30.01	762.1	72	...	N E	3	c
Aparri,	2 p.	29.99	761.8	79	...	E	2	c	6 a.	29.93	761.5	72	...	N E	2	d
Manila,	4 p.	29.80	757	81	56	N E	2	o	10 a.	29.92	760	79	77	N	1	o
Legaspi,	2 p.	29.74	755.3	82	...	N E	4	o	6 a.	29.80	756.8	77	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N N W	3	op	9 a.	...	...	...	...	N E	2	op
Iloilo,	,,	29.74	755.4	77	...	N E	1	o	,,	29.83	757.7	79	...	N E	2	c
Cebu,	,,	29.73	755.1	80	...	...	0	or	,,	29.84	757.9	79	...	S	1	o
Labuan,	,,	29.83	757.7	85	...	...	...	...	,,	29.92	759.9	82	...	...	...	...

On the 22nd at 12.05 p.—The barometer is steady over the Philippines, the "low" area apparently remaining almost stationary to the E. of the S. part of the Archipelago.

The barometer has fallen quickly in N.E. Japan, the Northern depression having reached the Pacific to the South of Hokkaido.

Pressure has increased in S.W. Japan and given way over China. Another depression appears to be approaching Manchuria from the Westward.

The highest pressure is shown over S. China.

Strong monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh to moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 22nd December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd December, 1909, P.M.								23rd December, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	30.09	764.4	24	...	N	1	b	7 a.	29.88	758.9	7	80	N	7	s
nuro,	,,	29.61	752.1	...	...	N	8	...	6 a.	30.01	762.1	...	...	W	2	...
kodate,	,,	29.93	760.2	...	...	N W	6	...	,,	30.09	764.2	...	...	W	4	...
io,	,,	30.02	762.6	...	...	N	6	...	,,	30.18	766.6	...	...	N W	2	...
chi,	,,	30.11	764.8	...	...	...	0	...	,,	30.19	766.8	...	...	S W	4	...
gasaki,	,,	30.19	766.8	...	...	W	2	...	,,	30.23	767.8	...	...	...	0	...
goshima,	,,	30.19	766.9	...	...	S	2	...	,,	30.23	767.9	...	...	...	0	...
ima,	,,	30.12	765.1	...	...	N	4	...	,,	30.16	766.1	...	...	S	2	...
ba,	,,	30.13	765.2	...	...	N	6	...	,,	30.17	766.2	...	...	E	2	...
igakijima,	,,	30.09	764.3	...	...	N E	8	...	,,	30.09	764.3	...	...	E	4	...
nin Is.	,,	29.96	761.1	...	...	N	6	...	,,	30.12	765.1	...	...	...	0	...
efoo,	4 p.	30.03	762.7	47	...	W	2	b	6 a.	...	...	...	...	...	...	...
eihaiwei,	,,	...	...	45	...	S W	4	c	9 a.	...	...	25	...	N	5	cs
nkow,	,,	30.32	770.1	50	72	N E	1	o	6 a.	30.51	774.9	36	80	N	2	b
ukiang,	,,	30.23	767.8	52	60	W	1	o	,,	30.47	773.9	41	83	N E	4	b
anghai,	,,	30.20	767.1	52	93	S S E	2	b	9 a.	30.45	773.4	42	58	N N W	4	b
tzlaff,	,,	30.21	767.3	53	54	...	0	bm	,,	30.36	771.1	48	63	N	6	bm
arp Peak,	,,	30.18	766.6	55	...	N	1	o	,,	30.40	772.1	54	...	N	1	b
oy,	,,	30.13	765.3	67	59	...	0	b	6 a.	30.23	767.8	55	80	N	1	c
atow,	,,	30.08	764.0	64	53	E	1	b	,,	30.18	766.6	52	79	...	0	b
ihoku,	1 p.	30.13	765.2	...	...	E	8	...	5 a.	30.19	766.9	...	...	...	0	...
ichu,	,,	30.07	763.8	...	...	N W	4	...	,,	30.17	766.2	...	...	...	0	...
inan,	,,	30.09	764.2	...	...	N W	6	...	,,	30.14	765.6	...	...	N	4	...
oshun	,,	30.07	763.7	...	...	N	3	...	,,	30.11	764.7	...	...	N	4	...
scadores,	,,	30.10	764.6	...	...	N E	8	...	,,	30.15	765.8	...	...	N E	8	...
nton,	3 p.	30.12	765.0	61	55	N N W	1	b	9 a.	30.26	768.6	56	63	N N W	1	b
ongkong,	4 p.	30.10	764.5	66	49	W	1	b	10 a.	30.24	768.1	65	51	E	2	b
ictoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E S E	2	...
ap Rock,	,,	30.08	764.0	...	...	E N E	3	...	,,	30.18	766.6	...	...	E N E	3	...
acao,	,,	30.12	765.0	62	...	N N E	2	b	,,	30.25	768.3	61	...	N N E	2	b
uchow,	3 p.	30.18	766.6	60	...	E	1	b	9 a.	30.32	770.1	52	...	E	1	b
oihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
akhoi,	,,	30.12	765.0	68	37	S	1	b	,,	...	...	...	...	...	...	...
hulien,	4 p.	30.09	764.2	70	...	S E	2	b	8 a.	30.25	768.3	63	...	N N E	2	b
ourane,	,,	30.05	763.2	68	...	N W	3	c	,,	30.14	765.5	64	..	N W	2	o
ape St. James,	,,	29.92	759.9	79	...	S W	2	c	,,	...	...	...	...	...	...	...
parri,	2 p.	29.95	760.7	79	...	N E	2	o	6 a.	30.01	762.3	73	...	E	2	d
anila,	4 p.	29.80	757	79	69	N N E	2	o	10 a.	...	...	...	...	...	...	...
egaspi,	2 p.	29.73	755.2	79	...	S E	2	o	6 a.	29.89	759.1	77	...	N E	2	o
acolod,	3 p.	...	...	...	...	N N W	2	o	9 a.	...	...	...	...	N N W	2	c
oilo,	,,	29.77	756.1	78	...	N N E	1	or	,,	29.91	759.7	78	...	N E	1	b
ebu,	,,	29.75	755.6	83	...	S	2	b	,,	29.89	759.2	85	...	S	1	b
abuan,	,,	29.82	757.4	81	...	...	...	...	,,	...	...	...	...	...	...	...

On the 23rd at 12.10 p.—The depression lying over Manchuria yesterday, has reached the neighbourhood of Wladiwostok.

The barometer has risen considerably in N. China, and a slight to moderate rise has taken place also over the S. Philippines, where however, pressure is still low.

A high pressure area lies over the continent to the North of the Yangtze valley.

The monsoon will increase in strength over the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
.—Hongkong and Neighbourhood,	N. to N.E. winds, freshening; fine.
.—Formosa Channel,	Same as No. 1.
.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 23rd December, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd DECEMBER, 1909, P.M.								24th DECEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	29.85	758.3	10	...	N E	5	b	7 a.	30.12	764.9	23	65	N	3	b
Nemuro,	,,	30.00	762.1	...	...	W	2	...	6 a.	29.61	752.1	...	...	S W	10	..
Hakodate,	,,	29.89	759.2	...	...	S E	6	...	,,	29.77	756.2	...	...	S W	8	..
Tokio,	,,	30.06	763.6	...	...	N	2	...	,,	29.99	761.6	...	...	...	0	..
Kochi,	,,	30.07	763.8	...	...	S E	2	...	,,	30.19	766.8	...	...	S W	2	..
Nagasaki,	,,	30.15	765.8	...	...	N W	6	...	,,	30.27	768.8	...	...	N	4	..
Kagoshima,	,,	30.15	765.9	...	...	W	6	...	,,	30.27	768.9	...	...	N	2	..
Oshima,	,,	30.16	766.1	...	...	N	4	...	,,	30.20	767.1	...	...	N	6	..
Naha,	,,	30.17	766.2	...	...	N	4	...	,,	30.21	767.2	...	...	N E	6	..
Ishigakijima,	,,	30.17	766.3	...	...	N	6	...	,,	30.17	766.3	...	...	N E	4	..
Bonin Is.	,,	30.12	765.1	...	...	E	2	...	,,	30.08	764.1	...	...	S E	2	..
Chefoo,	4 p.	30.43	772.9	27	...	N W	2	o	6 a.	30.49	774.4	20	100	N W	1	b
Weihaiwei,	,,	...	...	27	...	N	3	c	9 a.	...	...	28	...	S W	2	c
Hankow,	,,	...	...	...	...	...	...	...	6 a.	30.55	775.9	37	71	E N E	1	o
Kiukiang,	,,	...	...	52	86	N E	5	c	,,	30.51	774.9	37	71	N E	2	o
Shanghai,	,,	30.46	773.7	41	49	N N W	4	c	9 a.	30.52	775.2	34	...	N W	2	c
Gutzlaff,	,,	30.41	772.4	45	68	N N W	5	cm	,,	30.45	773.4	40	82	N N W	3	o
Sharp Peak,	,,	30.27	768.8	55	81	N N E	2	b	,,	30.40	772.1	54	87	E N E	3	c
Amoy,	,,	30.18	766.6	70	57	N E	2	b	6 a.	30.22	767.6	54	87	N E	3	b
Swatow,	,,	30.12	765.0	67	64	E S E	1	b	,,	30.19	766.8	54	87	N	1	b
Taihoku,	1 p.	30.24	768.1	...	...	N E	6	...	5 a.	30.26	768.7	...	...	N E	6	...
Taichu,	,,	30.15	765.8	...	...	N	6	...	,,	30.19	766.8	...	...	...	0	...
Tainan,	,,	30.11	764.9	...	...	N	6	...	,,	30.17	766.4	...	...	N	4	...
Koshun	,,	30.11	764.9	...	...	N E	6	...	,,	30.13	765.2	...	...	N E	8	...
Pescadores,	,,	30.15	765.7	...	...	N E	10	...	,,	30.19	766.7	...	...	N E	10	...
Canton,	3 p.	30.16	766.0	67	41	N	1	b	9 a.	30.30	769.6	56	57	N	1	b
Hongkong,	4 p.	30.15	765.8	67	56	E	1	b	10 a.	30.31	769.9	63	67	E	2	b
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S E	1	...
Gap Rock,	,,	30.11	764.8	...	...	E N E	3	...	,,	30.26	768.6	...	...	E N E	5	...
Macao,	,,	30.15	765.8	67	...	N N E	2	c	,,	30.32	770.1	62	...	N E	1	b
Wuchow,	3 p.	30.21	767.3	70	...	E	1	b	9 a.	30.35	770.9	55	...	E	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.17	766.3	72	95	S W	1	b	,,	...	...	...	...	...	...	..
Phulien,	4 p.	30.15	765.8	72	...	S S E	2	b	8 a.	30.27	768.8	61	...	E N E	3	b
Tourane,	,,	30.07	763.7	68	...	N W	2	c	,,	30.17	766.4	68	..	N N W	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	30.01	762.3	79	...	S E	2	o
Aparri,	2 p.	30.00	762.1	75	...	N E	2	o	6 a.	30.05	763.3	73	...	N E	2	o
Manila,	4 p.	29.84	758	82	83	N	2	o	10 a.	30.00	762	79	77	N N E	1	o
Legaspi,	2 p.	29.82	757.3	81	...	E	2	o	6 a.	29.89	759.1	75	...	...	0	r
Bacolod,	3 p.	...	...	...	...	N W	2	ot	9 a.	...	...	...	...	N E	3	o
Iloilo,	,,	29.83	757.7	81	...	N W	2	c	,,	29.99	761.7	78	...	N N E	2	o
Cebu,	,,	29.81	757.2	85	...	S	2	b	,,	29.92	759.9	85	...	S	1	b
Labuan,	,,	29.88	758.9	84	...	...	...	...	,,	29.93	760.2	81	...	...	...	..

On the 24th at 11.55 a.—The barometer has fallen quickly over N.E. Japan, the depression lying in the neighbourhood of Wladiwostok yesterday having reached Hokkaido.

The barometer has risen moderately to slightly elsewhere.

The anticyclonic area remains over the continent to the North of the Yangtze valley.

Strong monsoon may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 24th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th DECEMBER, 1909, P.M.								25th DECEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,	2 p.	30.10	764.6	17	...	N	1	b	7 a.	30.14	765.5	3	46	N	1	b
auro,	,,	29.53	760.1	...	...	W	8	...	6 a.	29.45	748.1	...	...	W	10	...
kodate,	,,	29.73	755.2	...	...	W	8	...	,,	29.85	758.2	...	...	W	6	...
kio,	,,	29.91	759.6	...	...	W	2	...	,,	29.87	758.6	...	...	W	2	...
chi,	,,	30.11	764.8	...	...	S W	4	...	,,	30.19	766.8	...	...	W	2	...
gasaki,	,,	30.27	768.8	...	...	N	6	...	,,	30.35	770.8	...	...	N	8	...
goshima,	,,	30.23	767.9	...	...	N	6	...	,,	30.31	769.9	...	...	N	6	...
hima,	,,	...	...	...	...	...	...	...	,,	30.24	768.1	...	...	N	6	...
ha,	,,	30.20	767.2	...	...	N E	6	...	,,	30.28	769.2	...	...	N	8	...
igakijima,	,,	30.21	767.3	...	...	N E	6	...	,,	30.29	769.3	...	...	N	6	...
nin Is.	,,	30.04	763.1	...	...	S E	2	...	,,	30.04	763.1	...	...	...	0	...
efoo,	4 p.	30.53	775.4	26	...	N	2	c	6 a.	30.56	776.2	21	100	N	1	b
eihaiwei,	,,	...	...	25	...	N	3	c	9 a.	...	...	27	...	W	4	c
nkow,	,,	30.68	779.3	45	39	N E	1	c	6 a.	30.86	783.6	31	79	N W	1	b
ukiang	,,	30.64	778.2	50	93	N E	1	c	,,	30.77	781.5	31	79	...	0	b
anghai,	,,	30.48	774.2	40	48	N N W	2	c	9 a.	30.69	779.5	33	...	N W	3	b
itzlaff,	,,	30.41	772.4	41	66	N N W	4	ov	,,	30.60	777.2	38	72	N N W	6	b
arp Peak,	,,	30.32	770.1	55	...	N N E	4	b	,,	30.54	775.7	53	67	E N E	5	c
noy,	,,	30.24	768.1	68	54	N E	1	b	6 a.	30.42	772.6	51	72	N E	3	b
atow,	,,	30.21	767.3	62	61	E S E	2	b	,,	...	...	53	80	E	1	b
ihoku,	1 p.	30.27	768.9	...	...	E	6	...	5 a.	30.45	773.4	...	...	N E	6	...
ichu,	,,	30.15	765.9	...	...	N	6	...	,,	30.28	769.1	...	...	N	6	...
inan,	,,	30.18	766.6	...	...	N W	4	...	,,	30.28	769.2	...	...	N	6	...
oshun	,,	30.17	766.2	...	...	N E	8	...	,,	30.31	769.8	...	...	N	6	...
escadores,	,,	30.22	767.7	...	...	N E	8	...	,,	30.30	769.6	...	...	N E	10	...
anton,	3 p.	30.22	767.6	67	41	N N E	1	b	9 a.	30.51	774.9	51	52	N	1	b
longkong,	4 p.	30.22	767.6	63	63	E	2	b	10 a.	30.45	773.4	57	34	N N E	3	b
ictoria Peak,	,,	...	...	...	...	S E	1	...	,,	...	...	...	...	N E	4	...
ap Rock,	,,	30.16	766.0	...	...	E N E	4	...	,,	30.37	771.4	...	...	N N E	5	...
lacao,	,,	30.22	767.6	67	...	E S E	1	b	,,	30.47	773.9	53	...	N	5	b
Vuchow,	3 p.	30.27	768.8	70	...	N	...	c	9 a.	30.61	777.5	51	...	N	1	b
loihow,	,,	...	...	68	70	E	3	b	,,	...	...	...	...	...	...	...
akhoi,	,,	30.21	767.3	71	45	S E	2	b	,,	...	...	...	...	...	...	...
hulien,	4 p.	30.20	767.2	72	...	E	1	b	8 a.	30.41	772.4	79	...	N E	5	c
ourane,	,,	30.11	764.7	70	...	N W	2	c	,,	30.22	767.6	70	..	N E	4	o
ape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
parri,	2 p.	30.06	763.4	75	...	E	2	o	6 a.	30.12	765.1	77	...	N E	2	o
anila,	4 p.	29.96	761	73	92	...	0	o	10 a.	30.04	763	79	70	N N W	0	o
egaspi,	2 p.	29.85	758.3	77	...	N E	2	o	6 a.	29.93	760.1	72	...	N E	2	b
acolod,	3 p.	...	...	...	...	N E	4	cp	9 a.	...	...	...	...	N N E	3	o
oilo,	,,	29.85	758.2	82	...	N N E	1	o	,,	29.97	761.2	80	...	N N E	1	b
ebu,	,,	29.85	758.2	84	...	N	1	c	,,	29.95	760.7	83	...	N	1	b
abuan,	,,	29.84	757.9	85	...	...	...	...	,,	29.94	760.5	80	...	...	...	...

On the 25th at 11.55 a.—The depression lying to the North of Japan yesterday, is moving into the Pacific. Except in E. Japan the barometer has risen generally, particularly over China, which is now covered by an anticyclonic area of considerable intensity.

Strong monsoon gales may be expected in the Formosa Channel and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N. to N.E. winds, strong; fine.
2.—Formosa Channel,	N. to N.E. gales.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 25th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th December, 1909, P.M.								26th December, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		W
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	30.35	771.0	0	...	N	0	b	7 a.	30.27	768.8	3	73	N E	0	b
Nemuro,	,,	29.57	751.1	...	...	N W	10	...	6 a.	29.73	755.1	...	...	N W	10	.
Hakodate,	,,	29.81	757.2	...	...	W	6	...	,,	30.01	762.2	...	...	N W	6	.
Tokio,	,,	29.83	757.6	...	...	N	4	...	,,	30.14	765.6	...	...	N W	2	.
Kochi,	,,	30.19	766.8	...	...	W	6	...	,,	30.39	771.8	...	...	S W	2	.
Nagasaki,	,,	30.35	770.8	...	...	N W	8	...	,,	30.47	773.8	...	...	N	4	.
Kagoshima,	,,	30.27	768.9	...	...	N	8	...	,,	30.47	773.9	...	...	N	4	.
Oshima,	,,	30.32	770.1	...	...	N E	8	...	,,	30.40	772.1	...	...	N	8	.
Naha,	,,	...	...	...	...	...	...	...	,,	30.36	771.2	...	...	N E	4	..
Ishigakijima,	,,	...	...	...	...	...	.	...	,,	30.37	771.3	...	...	N	4	..
Bonin Is.	,,	30.00	762.1	...	...	N W	4	...	,,	30.16	766.1	...	...	N W	4	.
Chefoo,	4 p.	30.51	774.9	28	...	W N W	4	s	6 a.	30.49	774.4	25	100	S W	1	s
Weihaiwei,	,,	...	...	27	...	N W	3	c	9 a.	...	...	32	...	S W	1	c
Hankow,	,,	30.77	781.5	38	72	...	0	b	6 a.	30.65	778.5	34	79	E	2	c
Kiukiang	,,	30.70	764.4	40	48	N W	2	b	,,	30.61	777.5	28	88	...	0	b
Shanghai,	,,	30.62	777.7	37	...	N W	2	b	9 a.	...	...	...	...	...	...	.
Gutzlaff,	,,	30.56	776.2	39	46	N N W	5	bv	,,	30.59	777.0	41	74	N	2	c
Sharp Peak,	,,	30.48	774.2	52	79	N N E	4	b	,,	30.55	775.9	47	85	N	3	c
Amoy,	,,	30.40	772.1	60	65	N E	2	b	6 a.	30.41	772.4	46	69	N E	1	b
Swatow,	,,	30.29	769.3	60	49	S E	2	b	,,	...	...	53	73	N	1	b
Taihoku	1 p.	30.50	774.8	...	...	N E	6	...	5 a.	30.45	773.4	...	...	E	6	..
Taichu,	,,	30.30	769.7	...	...	N	6	...	,,	30.36	771.1	...	...	...	0	..
Tainan,	,,	30.30	769.6	...	...	N	8	...	,,	30.34	770.6	...	...	N E	4	..
Koshun	,,	30.26	768.5	...	...	N E	10	...	,,	30.30	769.5	...	...	N E	10	..
Pescadores,	,,	30.35	771.0	...	...	N E	10	...	,,	30.34	770.7	...	...	N E	10	..
Canton,	3 p.	30.39	771.9	57	41	N	3	b	9 a.	30.42	772.6	47	48	N	1	b
Hongkong,	4 p.	30.33	770.4	59	36	N N E	2	b	10 a.	30.43	772.9	56	54	E N E	3	b
Victoria Peak,	,,	...	...	...	...	N E	2	...	,,	...	...	...	...	S S E	4	..
Gap Rock,	,,	30.30	769.6	...	...	N E	3	...	,,	30.37	771.4	...	...	E N E	6	..
Macao,	,,	30.35	770.9	58	...	N	5	b	,,	30.44	773.2	51	...	N N E	3	b
Wuchow,	3 p.	30.44	773.2	59	...	N	3	b	9 a.	30.54	775.7	43	...	E	2	b
Hoihow,	,,	30.27	768.8	67	84	E N E	2	b	,,	...	...	...	...	...	...	..
Pakhoi,	,,	...	...	62	51	S W	2	b	,,	...	...	...	...	...	...	.
Phulien,	4 p.	30.32	770.1	68	...	W S W	0	c	8 a.	30.40	772.1	55	...	E N E	1	b
Tourane,	,,	30.17	766.2	68	...	N E	5	o	,,	30.25	768.4	68	..	N	4	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	30.03	762.8	73	...	N	2	b
Aparri,	2 p.	30.11	764.9	70	...	N E	4	d	6 a.	30.19	766.8	70	...	N E	4	d
Manila,	4 p.	29.96	761	82	70	N N W	1	c	10 a.	30.04	763	81	62	E N E	1	c
Legaspi,	2 p.	29.92	759.9	82	...	N E	2	o	6 a.	29.97	761.3	75	...	N E	4	c
Bacolod,	3 p.	...	...	...	...	N E	4	o	9 a.	...	...	...	...	N E	4	c
Iloilo,	,,	29.89	759.2	82	...	N E	2	b	,,	29.95	760.7	79	...	N N E	3	b
Cebu,	,,	29.86	758.4	84	...	N	1	b	,,	29.95	760.7	84	...	N	2	b
Labuan,	,,	29.88	758.9	86	...	...	...	...	,,	...	...	...	...	...	...	

On the 26th at 12.15 p.—The barometer has risen considerably in Japan, and fallen moderately to slight over China.

The depression is still shown over the Pacific to the N.E. of Japan.

The anticyclonic area remains over the continent to the North of Yangtze valley, and pressure is relatively lo over the S. part of the China Sea.

The monsoon will moderate in the Formosa Channel, but continue to blow very strongly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, strong; fine.
2.—Formosa Channel,	N.E. gale moderating.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Sunday, 26th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th December, 1909, P.M.								27th December, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Vladivostock,	2 p.	30.44	773.1	1	...	...	0	b	7 a.	30.46	773.7	26	85	...	0	b
Gunzan,	,,	29.89	759.1	...	...	N W	10	...	6 a.	30.24	768.1	...	...	N	8	...
Fukodate,	,,	30.09	764.2	...	...	N	6	...	,,	30.36	771.2	...	...	N W	4	...
Hakodate,	,,	30.18	766.6	...	...	W	4	...	,,	30.42	772.6	...	...	N W	6	...
Tokio,	,,	30.35	770.8	...	...	S E	4	...	,,	30.54	775.8	...	...	S W	2	...
Nagasaki,	,,	30.43	772.8	...	...	N	6	...	,,	30.54	775.8	...	...	E	2	...
Kagoshima,	,,	30.43	772.9	...	...	W	2	...	,,	30.51	774.9	...	...	N	2	...
Shima,	,,	30.40	772.1	...	...	N	6	...	,,	30.44	773.1	...	...	S	2	...
Oha,	,,	30.36	761.2	...	...	N	6	...	,,	30.40	772.2	...	...	N E	4	...
Ishigakijima,	,,	30.37	771.3	...	...	N	6	...	,,	30.29	769.3	...	...	N E	6	...
Pinnacle Is.	,,	30.16	766.1	...	...	N W	4	...	,,	30.32	770.1	...	...	N	4	...
Amoy,	4 p.	...	...	38	...	S	1	b	6 a.	30.47	773.9	29	...	...	0	b
Weihaiwei,	,,	...	...	37	...	W S W	1	b	9 a.	...	...	37	...	S W	1	c
Shanghai,	,,	30.55	775.9	42	33	S E	2	b	6 a.	30.50	774.7	46	82	E	1	o
Wukiang,	,,	30.51	774.9	45	54	...	0	b	,,	30.47	773.9	37	71	...	0	o
Shanghai,	,,	30.55	775.9	43	51	E	1	c	9 a.	30.49	774.4	42	92	S	1	o
Ichang,	,,	30.51	774.9	46	69	N N W	2	cv	,,	30.47	773.9	50	72	E	3	cv
Sharp Peak,	,,	30.46	773.7	45	84	N E	1	c	,,	30.41	772.4	51	93	N	1	o
Amoy,	,,	30.35	770.9	53	80	N E	2	b	6 a.	30.35	770.9	52	66	W	2	b
Swatow,	,,	30.32	770.1	59	48	E N E	2	b	,,	30.38	771.6	46	...	N N E	1	b
Taihoku,	1 p.	30.38	771.7	...	...	E	8	...	5 a.	30.32	770.1	...	...	E	6	...
Taichu,	,,	30.31	769.9	...	...	N E	2	...	,,	30.31	769.8	...	...	...	0	...
Tainan,	,,	30.33	770.3	...	...	N W	2	...	,,	...	...	...	...	...	...	...
Koshun,	,,	30.28	769.2	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.35	770.8	...	...	N E	10	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.33	770.4	54	49	N	1	b	9 a.	30.40	772.1	49	71	N	1	b
Hongkong,	4 p.	30.31	769.9	56	50	E	2	b	10 a.	30.37	771.4	62	52	E	3	b
Victoria Peak,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tiap Rock,	,,	30.25	768.3	...	...	E	6	...	,,	30.30	769.6	...	...	E N E	6	...
Macao,	,,	30.32	770.1	58	...	N N E	1	b	,,	30.39	771.9	57	...	N	2	c
Wuchow,	3 p.	30.40	772.1	51	...	E	1	b	9 a.	30.43	772.9	59	...	E	2	b
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	30.27	768.8	66	...	S E	0	b	8 a.	30.30	769.7	59	...	N E	2	o
Tourane,	,,	30.17	766.2	68	...	N E	4	c	,,	30.20	767.0	66	..	N N W	1	o
Cape St. James,	,,	29.96	761.0	79	...	E S E	4	c	,,	...	...	...	...	...	...	...
Siparri,	2 p.	30.17	766.4	72	...	N E	4	o	6 a.	30.19	766.7	68	...	S E	0	o
Manila,	4 p.	30.60	762	81	56	E	1	c	10 a.	30.12	765	79	61	W N W	1	b
Legaspi,	2 p.	29.99	761.8	75	...	N E	2	o	6 a.	30.93	762.7	75	...	N E	2	o
Macolod,	3 p.	...	...	...	...	N E	5	o	9 a.	...	...	...	...	N E	5	od
Iloilo,	,,	29.91	759.7	79	...	N N E	4	c	,,	30.01	762.2	78	...	N E	2	o
Cebu,	,,	29.92	759.9	82	...	N	1	or	,,	30.00	762.0	79	...	...	0	o
Labuan,	,,	29.84	757.9	84	...	...	...	...	,,	...	...	...	...	...	...	...

On the 27th at 12.10 p.—The barometer has fallen moderately over China, and risen considerably over E. Japan. A slight rise has taken place also over the Philippines.

The anticyclonic area has spread Eastwards and is now central over the Sea of Japan. Pressure is relatively low over the S. part of the China Sea.

Fresh to moderate monsoon may be expected in the Formosa Channel, and strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, fresh to moderate.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Monday, 27th December, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th December, 1909, P.M.								28th December, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.17	766.4	23	...	...	0	f	7 a.	30.28	769.0	24	90	S E	0	f
Nemuro,	,,	30.32	770.1	...	...	N E	2	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.40	772.2	...	...	W	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.46	773.6	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.54	775.8	...	...	...	0	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.51	774.9	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.48	774.1	...	...	...	0	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.40	772.2	...	...	N E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.33	770.5	...	...	S E	6	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.36	771.1	...	...	N	4	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	30.38	771.6	41	74	S S W	1	c	6 a.	30.28	769.1	34	...	...	0	b
Weihaiwei,	,,	...	...	42	...	S W	1	c	9 a.	...	...	37	...	N	...	b
Hankow,	,,	30.48	774.2	46	69	S W	1	c	6 a.	30.42	772.6	...	...	...	1	b
Kiukiang,	,,	30.41	772.4	54	61	N W	2	b	,,	30.38	771.6	...	...	...	0	f
Shanghai,	,,	30.39	771.9	53	79	S	1	c	9 a.	30.40	772.1	44	92	...	0	c
Gutzlaff,	,,	30.39	771.9	53	73	S S E	2	ov	,,	30.39	771.9	49	85	...	0	c
Sharp Peak,	,,	30.36	771.1	52	93	N	3	c	,,	30.38	771.6	57	...	...	0	b
Amoy,	,,	30.31	769.9	66	69	S W	1	b	6 a.	30.33	770.4	65	81	W	2	b
Swatow,	,,	30.27	768.8	63	72	E	3	b	,,	30.34	770.6	54	93	N	1	c
Taihoku,	1 p.	30.29	769.4	...	...	S E	6	...	5 a.	30.32	770.0	...	...	...	0	...
Taichu,	,,	30.31	769.8	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tainan,	,,	30.33	770.3	...	...	N W	6	...	,,	...	...	...	...	...	...	...
Koshun	,,	30.31	769.9	...	...	E	6	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.31	769.8	...	...	N E	8	...	,,	...	...	...	...	...	...	...
Canton,	3 p.	30.28	769.1	62	46	N	1	b	9 a.	30.33	770.4	56	75	N E	1	b
Hongkong,	4 p.	30.28	769.1	63	60	E	2	c	10 a.	30.35	770.9	64	73	E	3	c
Victoria Peak,	,,	...	...	...	...	E	1	...	,,	...	...	...	...	S S E	5	...
Gap Rock,	,,	30.24	768.1	...	...	E N E	4	...	,,	30.30	769.5	...	...	E N E	4	...
Macao,	,,	30.30	769.6	65	...	N E	1	c	,,	30.35	770.9	64	...	E	1	c
Wuchow,	3 p.	30.33	770.4	70	...	E	1	b	9 a.	30.38	771.6	59	...	E	2	c
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	30.28	769.1	68	55	...	2	c	,,	30.36	771.1	63	83	N E	1	b
Phulien,	4 p.	30.27	768.8	61	...	N	3	c	8 a.	30.30	769.6	59	...	N E	3	c
Tourane,	,,	30.15	765.7	66	...	N W	1	dh	,,	30.22	767.5	63	...	N W	2	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	2 p.	30.17	766.3	77	...	E	2	c	6 a.	30.20	767.0	68	...	S W	2	c
Manila,	4 p.	30.04	763	82	57	N E	1	c	10 a.	30.12	765	77	75	N	1	d
Legaspi,	2 p.	30.00	762.0	79	...	N E	4	c	6 a.	30.03	762.8	75	...	N E	2	c
Bacolod,	3 p.	...	...	...	...	N E	5	od	9 a.	...	...	...	...	N E	3	c
Iloilo,	,,	29.93	760.2	79	...	N E	4	c	,,	29.99	761.7	77	...	N E	3	c
Cebu,	,,	29.94	760.5	82	...	N	2	c	,,	30.00	762.0	83	...	N	2	b
Labuan,	,,	29.82	757.4	89	...	...	...	...	,,	29.94	760.5	84	...	...	...	...

On the 28th at 12.10 p.—The barometer has risen moderately in E. Japan, and fallen over China particularly i the North.

The anticyclonic area is central over Japan, and probably a depression is approaching Manchuria from th Westward.

Moderate monsoon may be expected in the Formosa Channel, and fresh to strong monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. and N.E. winds, fresh to moderate; fine.
2.—Formosa Channel,	Same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Tuesday, 28th December, 1909.

[Printed by NORONHA & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th DECEMBER, 1909, P.M.								29th DECEMBER, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
adivostock,...	2 p.	30.17	766.2	14	...	...	0	b	7 a.	30.12	765.0	22	73	S	0	f
muro, ...	,,	30.24	768.1	...	...	S	2	...	6 a.	29.97	761.1	...	...	W	8	...
kodate, ...	,,	30.24	768.2	...	...	W	4	...	,,	30.13	765.2	...	...	W	6	...
kio, ...	,,	30.42	772.6	...	...	N	2	...	,,	30.30	769.6	...	...	W	2	...
chi, ...	,,	30.46	773.8	...	...	N E	2	...	,,	30.39	771.8	...	...	S W	2	...
gasaki, ...	,,	30.43	772.8	...	...	S E	6	...	,,	30.27	768.8	...	...	S E	8	...
goshima, ...	,,	30.43	772.9	...	...	S E	2	...	,,	30.45	770.9	...	...	...	0	...
hima, ...	,,	30.40	772.1	...	...	S	6	...	,,	30.32	770.1	...	...	S	2	...
ba, ...	,,	30.36	771.2	...	...	E	4	...	,,	30.25	768.2	...	...	...	0	...
higakijima, ...	,,	30.29	769.5	...	...	N E	6	...	,,	30.21	767.3	...	...	S E	6	...
nin Is.	,,	30.44	773.1	...	...	E	2	...	,,	30.49	772.1	...	...	E	2	...
efoo, ...	4 p.	30.07	763.8	41	74	N N E	0	b	6 a.	30.27	768.8	30	...	...	0	b
eihaiwei, ...	,,	...	...	...	...	N W	2	c	9 a.	30.47	773.9	35	...	E S E	1	c
ankow, ...	,,	...	...	...	...	S E	1	o	6 a.	...	...	...	...	...	...	...
iukiang.....	,,	30.26	768.6	50	79	...	0	o	,,	30.21	767.3	45	92	...	0	o
anghai, ...	,,	30.26	768.6	58	70	E N E	1	o	9 a.	30.21	767.3	51	100	...	0	of
itzlaff, ...	,,	30.26	768.6	55	94	S E	5	ov	,,	30.20	767.1	51	100	E	1	f
arp Peak, ...	,,	30.27	768.8	59	.	S E	1	b	,,	30.26	768.6	58	...	...	0	b
moy.....	,,	30.24	768.1	65	73	S W	3	b	6 a.	30.21	767.3	58	81	S E	1	b
watow, ...	,,	30.21	767.3	67	64	E	1	b	,,	30.18	766.6	57	87	N	1	b
aihoku.....	1 p.	30.29	769.4	...	...	...	0	...	5 a.	30.24	768.1	...	...	...	0	...
aichu, ...	,,	30.26	768.6	...	...	N W	2	...	,,	30.23	767.9	...	...	...	0	...
ainan,.....	,,	...	...	...	...	...	...	...	,,	30.25	768.4	...	...	E	2	...
oshun.....	,,	...	...	...	...	...	...	...	,,	30.17	766.4	...	...	N	6	...
'escadores, ...	,,	...	...	...	...	...	...	...	,,	30.21	767.4	...	...	N E	4	...
anton,.....	3 p.	30.20	767.1	66	69	...	0	b	9 a.	30.21	767.3	60	89	...	0	b
longkong, ...	4 p.	30.20	767.1	64	70	E	4	bq	10 a.	30.22	767.6	70	44	E S E	2	b
ictoria Peak,...	,,	...	...	...	...	S	6	...	,,	...	...	...	...	E S E	3	...
ap Rock,.....	,,	30.15	765.8	...	...	E	5	...	,,	30.15	765.8	...	...	E	4	...
Iacao, ...	,,	30.20	767.1	67	...	E S E	1	b	,,	30.23	767.8	67	...	N E	1	o
Vuchow, ...	3 p.	30.22	767.6	74	...	E	2	b	9 a.	...	...	...	...	...	...	...
loihow, ...	,,	30.21	767.3	69	...	E	4	c	,,	...	...	...	...	...	...	...
'akhoi,.....	,,	30.23	767.8	72	67	S E	1	o	,,	...	...	...	...	...	...	...
'hulien, ...	4 p.	...	...	...	...	...	...	...	8 a.	...	...	...	...	...	...	...
ourane, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
ape St. James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
parri, ...	2 p.	30.15	765.8	73	...	E	2	o	6 a.	30.10	764.5	70	...	S W	0	o
lanila, ...	4 p.	30.00	762	79	69	N	3	o	10 a.	30.04	763	82	70	...	0	b
egaspi, ...	2 p.	29.98	761.6	81	...	N E	4	c	6 a.	29.99	761.8	77	...	N E	2	o
acolod, ...	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N N E	3	c
oilo, ...	,,	29.91	759.7	84	...	N E	1	c	,,	29.99	761.7	80	...	N E	1	b
ebu, ...	,,	29.92	759.9	83	...	N	2	b	,,	29.98	761.5	82	...	N	1	c
abuan, ...	,,	29.89	759.2	86	...	...	...	...	,,	29.93	760.2	83	...	...	...	...

On the 29th at 12.10 p.—The barometer has fallen generally, particularly over China and Japan.

A depression is moving Eastwards to the North of Japan, and probably a second depression is developing over the Yangtze valley.

The high pressure area is now shown over the Pacific to the S.E. of Japan.

Light variable winds may be expected in the Formosa Channel, and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
.—Hongkong and Neighbourhood, ...	E. winds, moderate or light; fair.
.—Formosa Channel, ...	Variable winds, light.
.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Wednesday, 29th December, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th DECEMBER, 1909, P.M.								30th DECEMBER, 1909, A.M.							
	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer. Inches.	Barometer. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	
Wladivostock,	2 p.	30.19	766.8	16	...	[illegible]	0	o	7 a.	30.21	767.4	17	72	N	0	l
Nemuro,	,,	30.04	763.1	...	...	...	0	...	6 a.	30.20	767.1	...	...	...	0	.
Hakodate,	,,	30.13	765.2	...	...	N W	8	...	,,	30.25	768.2	...	...	N W	2	.
Tokio,	,,	30.22	767.6	...	...	E	2	...	,,	30.22	767.6	...	...	N W	4	.
Kochi,	,,	30.27	768.8	...	...	W	2	...	,,	30.19	766.8	...	...	S W	2	.
Nagasaki,	,,	30.23	767.8	...	...	W	6	...	,,	30.19	766.8	...	...	...	0	.
Kagoshima,	,,	30.23	767.9	...	...	S W	2	...	,,	30.19	766.9	...	...	N	3	.
Oshima,	,,	30.24	768.1	...	...	S	6	...	,,	30.16	766.1	...	...	S	2	.
Naha,	,,	30.20	767.2	...	...	...	0	...	,,	30.17	766.2	...	...	...	0	.
Ishigakijima,	,,	30.17	766.3	...	...	S	2	...	,,	30.13	765.3	...	...	N	4	.
Bonin Is.	,,	30.32	770.1	...	...	E	2	...	,,	30.28	769.1	...	...	...	0	.
Chefoo,	4 p.	30.19	766.8	41	74	S E	1	b	6 a.	30.18	766.6	38	...	...	0	b
Weihaiwei,	,,	...	...	44	...	E	1	c	9 a.	...	...	52	...	...	...	c
Hankow,	,,	30.21	767.3	50	86	N E	1	c	6 a.	...	...	...	...	...	...	.
Kiukiang,	,,	30.14	765.5	58	76	...	0	c	,,	30.13	765.3	46	92	...	0	o
Shanghai,	,,	30.12	765.0	63	74	E S E	1	cm	9 a.	30.13	765.3	52	93	E S E	1	c
Gutzlaff,	,,	30.12	765.0	53	93	S E	1	f	,,	30.11	764.8	52	100	S E	2	o
Sharp Peak,	,,	30.15	765.8	61	.	...	0	b	,,	30.15	765.8	59	...	N E	1	c
Amoy,	,,	30.15	765.8	69	70	W	3	b	6 a.	30.12	765.0	59	82	...	0	b
Swatow,	,,	30.08	764.0	73	55	E	1	b	,,	30.08	764.0	60	89	N E	1	c
Taihoku,	1 p.	30.17	766.2	...	...	...	0	...	5 a.	30.13	765.3	...	...	...	0	.
Taichu,	,,	30.15	765.7	...	...	N	4	...	,,	30.13	765.2	...	...	...	0	.
Tainan,	,,	30.17	766.3	...	...	N	2	...	,,	30.12	765.0	...	...	N	2	.
Koshun,	,,	30.15	765.7	...	...	E	6	...	,,	30.08	764.0	...	...	E	4	.
Pescadores,	,,	30.15	765.9	...	...	E	6	...	,,	30.11	764.7	...	...	E	4	.
Canton,	3 p.	30.09	764.3	70	75	N W	1	b	9 a.	30.09	764.3	65	73	...	0	c
Hongkong,	4 p.	30.11	764.8	68	49	E	2	b	10 a.	30.09	764.3	71	52	E	2	o
Victoria Peak,	,,	...	...	...	...	E S E	1	...	,,	...	...	...	...	E S E	4	.
Gap Rock,	,,	30.08	764.0	...	...	E N E	4	...	,,	30.06	763.5	...	...	E N E	3	.
Macao,	,,	30.11	764.8	69	...	E N E	1	c	,,	30.11	764.8	69	...	N E	1	o
Wuchow,	3 p.	30.09	764.3	76	...	E	1	o	9 a.	30.10	764.5	67	...	E	1	c
Hoihow,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	.
Pakhoi,	,,	30.09	764.3	74	72	S	1	o	,,	...	...	...	...	...	...	.
Phulien,	4 p.	30.05	763.2	70	...	E S E	1	c	8 a.	30.09	764.2	...	...	E	2	o
Tourane,	,,	30.03	762.8	72	...	N W	1	c	,,	30.06	763.5	72	..	...	0	c
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	.
Aparri,	2 p.	30.06	763.5	77	...	S	2	o	6 a.	30.03	762.7	70	...	S E	2	o
Manila,	4 p.	29.92	760	84	64	N E	1	o	10 a.	29.96	761	82	70	N E	1	b
Legaspi,	2 p.	29.95	760.7	84	...	N E	2	o	6 a.	29.95	760.8	79	...	N E	2	o
Bacolod,	3 p.	...	...	...	...	N N E	3	o	9 a.	...	...	...	...	E N E	1	c
Iloilo,	,,	29.85	758.2	84	...	N E	2	b	,,	29.91	759.7	79	...	N E	2	c
Cebu,	,,	29.88	758.9	85	...	N	1	b	,,	29.93	760.2	83	...	N	1	c
Labuan,	,,	29.87	758.7	87	...	...	...	...	,,	29.89	759.2	84	...	...	...	.

On the 30th at 12.10 p.—The barometer has risen moderately at Wladiwostok and in N.E. Japan, and falle moderately elsewhere.

The depression lying to the North of Japan yesterday, has move l away over the Pacific. The other depression re mains over the Yangtze valley.

Pressure is highest over the Pacific to the S.E. of Japan.

Light variable winds may be expected in the Formosa Channel, and moderate to light monsoon over the N. pa of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	E. winds, moderate or light; fair at first, probabl [some rain late
2.—Formosa Channel,	Variable winds, light.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Thursday, 30th December, 1909.

[Printed by Noronha & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	30th December, 1909, P.M.								31st December, 1909, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
...adivostock,...	2 p.	30.16	766.0	14	...	N	0	o	7 a.	30.21	767.2	17	77	N	3	o
...nuro, ...	,,	30.16	766.1	...	...	E	2	...	6 a.	30.24	768.1	...	...	W	2	...
...kodate, ...	,,	30.17	766.2	...	...	...	0	...	,,	30.25	768.2	...	...	N	2	...
...io, ...	,,	30.14	765.6	...	...	N	4	...	,,	30.18	766.6	...	...	N W	2	...
...chi, ...	,,	30.07	763.8	...	...	S E	4	...	,,	30.11	764.8	...	...	W	2	...
...gasaki, ...	,,	30.11	764.8	...	...	...	0	...	,,	29.99	761.8	...	...	S E	6	...
...goshima, ...	,,	30.07	763.9	...	...	...	0	...	,,	30.08	763.9	...	...	E	2	...
...bima, ...	,,	...	...	...	...	...	...	...	,,	30.04	763.1	...	...	...	0	...
...ha, ...	,,	...	...	...	...	...	...	...	,,	30.05	763.2	...	...	...	0	...
...igakijima, ...	,,	...	...	...	...	...	...	...	,,	29.97	761.3	...	...	S E	6	...
...nin Is.....	,,	30.20	767.1	...	...	S E	2	...	,,	30.12	765.1	...	...	...	0	...
...efoo, ...	4 p.	30.12	765.0	41	93	E	1	o	6 a.	29.93	760.2	40	100	E	2	or
...eihaiwei, ...	,,	...	...	43	...	E S E	1	f	9 a.	...	...	37	...	N	5	or
...nkow, ...	,,	30.12	765.0	49	93	N E	1	c	6 a.	30.23	767.8	45	100	W	1	o
...ukiang,.....	,,	29.99	761.7	50	100	N E	1	o	,,	30.11	764.3	48	93	S W	2	o
...anghai, ...	,,	30.00	762.0	58	88	N E	1	om	9 a.	29.94	760.5	52	93	W N W	3	orq
...itzlaff, ...	,,	30.00	762.0	54	94	S S E	2	f	,,	29.92	759.9	54	100	W N W	5	om
...arp Peak,.....	,,	30.02	762.5	61	94	E	1	c	,,	29.97	761.2	61	...	...	0	b
...moy,.....	,,	30.06	763.5	62	94	S	3	c	6 a.	29.99	761.7	64	90	...	0	o
...vatow, ...	,,	29.97	761.2	66	70	...	0	o	,,	29.94	760.5	62	94	N E	1	c
...aiboku,.....	1 p.	30.04	763.1	...	...	N E	2	...	5 a.	29.95	760.6	...	...	...	0	...
...aichu, ...	,,	29.99	761.8	...	...	N	4	...	,,	29.96	760.9	...	...	...	0	...
...ainan,.....	,,	30.00	762.0	...	...	W	2	...	,,	29.95	760.8	...	...	N	2	...
...oshun.....	,,	30.01	762.2	...	...	E	8	...	,,	29.95	760.8	...	...	E	2	...
...escadores, ...	,,	30.04	762.9	...	...	E	4	...	,,	29.96	760.9	...	...	N E	2	...
...anton,.....	3 p.	29.96	761.0	70	70	...	0	c	9 a.	30.00	762.0	66	95	...	0	c
...ongkong, ...	4 p.	29.98	761.5	69	58	E	3	o	10 a.	30.01	762.2	70	82	E	1	cf
...ictoria Peak,...	,,	...	...	...	...	E S E	2	...	,,	...	...	...	...	S W	1	...
...ap Rock,.....	,,	29.93	760.2	...	...	E	3	...	,,	29.95	760.7	...	...	N E	2	...
...acao, ...	,,	29.99	761.7	68	...	S E	1	c	,,	30.03	762.7	69	...	S E	1	of
...uchow,.....	3 p.	29.96	761.0	76	...	N	1	c	9 a.	...	...	...	...	...	...	...
...oihow, ...	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
...akhoi,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...bulien,.....	4 p.	29.95	760.7	73	...	S S E	3	b	8 a.	...	...	...	...	...	...	...
...ourane, ...	,,	29.94	760.5	75	...	S E	1	b	,,	...	...	...	..	...	...	...
...ape St. James,.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
...parri, ...	2 p.	29.94	760.4	79	...	N E	2	o	6 a.	29.94	760.4	72	...	S E	2	b
...anila, ...	4 p.	29.84	758	82	77	S E	1	c	10 a.	29.92	760	82	70	S W	1	c
...egaspi, ...	2 p.	29.89	759.1	82	...	E	2	c	6 a.	29.90	759.5	77	...	N E	2	c
...acolod, ...	3 p.	...	...	...	...	E N E	3	c	9 a.	...	...	...	...	N N E	2	o
...oilo, ...	,,	29.85	758.2	83	...	N E	1	c	,,	29.91	759.7	80	...	N E	1	b
...ebu, ...	,,	29.84	757.9	85	...	N	1	b	,,	29.90	759.4	81	...	N	1	c
...abuan, ...	,,	29.78	756.4	87	...	...	...	...	,,	29.89	759.2	84	...	...	...	...

On the 31st at 12.10 p.—The barometer has fallen moderately to considerably over the China coast, S.W. Japan and the Loochoos, and risen slightly over the Upper Yangtze.

The depression lying over the Yangtze valley yesterday, has moved into the Yellow Sea.

Pressure is highest over N.E. Japan in the East, and over the Upper Yangtze in the West.

The monsoon will probably freshen in the Formosa Channel and the N. part of the China Sea during the next 24 hours.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
.—Hongkong and Neighbourhood, ...	N. winds, freshening; fair at first, probably some [rain later.
'.—Formosa Channel, ...	Same as No. 1.
.—South coast of China between Hongkong and Lamocks,.	Same as No. 1.
.—South coast of China between Hongkong and Hainan,...	Same as No. 1.

F. G. FIGG,
Director.

Hongkong Observatory, Friday, 31st December, 1909.

[Printed by Nomura & Co., Government Printers.]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	31st DECEMBER, 1909, P.M.								1st JANUARY, 1910, A.M.							
	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.	Hour.	Barometer.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	2 p.	...	...	...	...	...	...	...	7 a.	...	...	...	...	...	...	...
Nemuro,	,,	30.24	768.1	...	...	...	0	...	6 a.	...	...	...	...	...	...	...
Hakodate,	,,	30.17	766.2	...	...	S E	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.14	765.6	...	...	E	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.99	761.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.87	758.8	...	...	S	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.92	759.9	...	...	N E	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.89	759.1	...	...	S	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Is.	,,	30.00	762.1	...	...	S W	2	...	,,	...	...	...	...	...	...	...
Chefoo,	4 p.	30.01	762.2	31	96	N W	8	c	6 a.	30.26	768.6	27	...	N W	6	o
Weihaiwei,	,,	...	...	31	...	N N W	6	c	9 a.	...	...	25	...	W	5	os
Hankow,	,,	30.27	768.8	52	53	N E	1	b	6 a.	...	...	...	...	...	...	...
Kiukiang,	,,	30.16	766.0	49	85	S W	2	o	,,	30.34	770.6	40	92	N E	3	o
Shanghai,	,,	30.03	762.7	50	79	N W	6	q	9 a.	30.40	772.1	36	61	N N W	3	o
Gutzlaff,	,,	29.97	761.2	49	93	N W	6	cm	,,	30.29	769.3	40	65	N N W	6	on
Sharp Peak,	,,	29.90	759.4	62	94	S E	1	c	,,	30.22	767.6	59	70	N N E	6	o
Amoy,	,,	29.92	759.9	69	80	S S W	3	b	6 a.	30.02	762.5	62	67	N E	6	o
Swatow,	,,	29.85	758.2	70	76	E S E	3	b	,,	30.00	762.0	63	...	N E	2	o
Taihoku,	1 p.	29.91	759.7	...	...	N	4	...	5 a.	30.07	763.7	...	...	E	6	...
Taichu,	,,	29.90	759.5	...	...	W	2	...	,,	29.95	760.8	...	...	N	2	...
Tainan,	,,	29.92	759.9	...	...	W	2	...	,,	29.97	761.2	...	...	N E	2	...
Koshun	,,	29.90	759.5	...	...	S	4	...	,,	29.95	760.8	...	...	N E	8	...
Pescadores,	,,	29.93	760.3	...	...	N E	4	...	,,	29.98	761.4	...	...	N E	8	...
Canton,	3 p.	29.94	760.5	70	85	...	0	c	9 a.	...	...	...	...	...	...	...
Hongkong,	4 p.	29.91	759.7	71	79	W	2	o	10 a.	30.07	763.8	68	86	E	3	o
Victoria Peak,	,,	...	...	...	...	N W	1	...	,,	...	...	...	...	E	4	...
Gap Rock,	,,	29.88	758.9	...	...	N	2	...	,,	30.02	762.5	...	...	N N W	2	...
Macao,	,,	29.93	760.2	69	...	S E	1	c	,,	30.07	763.8	67	...	N N W	1	c
Wuchow,	3 p.	...	...	...	...	...	..	...	9 a.	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	..	...	,,	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	4 p.	29.87	758.8	73	...	S E	4	c	8 a.	30.03	762.7	68	...	E	2	c
Tourane,	,,	29.85	758.1	79	...	S E	2	b	,,	30.00	762.0	72	...	S S W	1	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.92	759.9	77	...	N E	2	c
Aparri,	2 p.	29.86	758.5	86	...	S	2	b	6 a.	...	...	...	...	...	...	...
Manila,	4 p.	29.84	758	84	64	E S E	1	c	10 a.	29.92	760	82	77	W	1	b
Legaspi,	2 p.	29.85	758.1	81	...	E	2	o	6 a.	...	...	...	...	...	...	...
Bacolod,	3 p.	...	...	...	...	N E	3	o	9 a.	...	...	...	...	N E	3	b
Iloilo,	,,	29.81	757.2	82	...	N E	3	c	,,	29.59	759.2	80	...	N	2	b
Cebu,	,,	29.82	757.4	81	...	N	1	c	,,	29.87	758.7	84	...	N	2	b
Labuan,	,,	29.75	755.6	86	...	...	...	...	,,	29.88	758.9	82	...	...	...	...

On the 1st at noon.—The Japanese returns are not yet in hand, but probably the depression has passed from the Yellow Sea to the Sea of Japan.

The barometer has risen quickly over China, particularly in the North, and pressure would appear to be high over the continent to the North of the Upper Yangtze valley.

Gradients are rather steep and monsoon gales may be expected in the Formosa Channel and the N. part of the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0.00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON TO-MORROW.

Forecast District.	
1.—Hongkong and Neighbourhood,	NE winds, strong breezes to a moderate gale; drizzling rain
2.—Formosa Channel,	NE gale.
3.—South coast of China between Hongkong and Lamocks,	Same as No. 1.
4.—South coast of China between Hongkong and Hainan,	Same as No. 2.

F. G. FIGG,
Director.

Hongkong Observatory, Saturday, 1st January, 1910.

[Printed by Noronha & Co., Government Printers.]