The China Coast Meteorological Register
issued daily in 1902
from
The Hong Kong Observatory

LIBRARY,
APR 27 1903
Weather Bureau.

LIBRARY
NOAA
U.S. Dep[illegible] Commerce

QC
[illegible]
.E18

LIBRARY
WEATHER BUREAU

No. 28918

Class

N. B. The barometric observations made at some of the China Treaty ports, and printed in this Register are, from various causes, wanting in accuracy.

H.G.

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

LIBRARY
WEATHER BUREAU
No.
23918

LIBRARY.
APR 27 1903
Weather Bureau.

CHINA COAST METEOROLOGICAL REGISTER

31st DECEMBER, 1901, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.06	..	..	SE	2	..
Kochi,	"	30.24	..	..	N	6	..
Nagasaki,	"	30.23	..	..	W	4	..
Kagoshima,	"	30.31	..	..	N	4	..
Taihoku,	1 p.	30.20	..	..	E	0	..
Taichu,	"	30.05	..	..	..	0	..
Tainan,	"	30.18	..	..	N	4	..
Koshun,	"	30.07	..	..	NE	8	..
Pescadores,	"	30.15	..	..	NE	8	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	"	30.24	54	80	NW	3	or
Amoy,	"	30.18	62	88	NE	3	c
Swatow,	"	30.21	68	..	SE	3	c
Canton,	"	30.23	59	48	N	2	b
Hongkong,	4 p.	30.19	61	56	W	2	b
Victoria Peak,	"	..	..	..	NW	3	..
Gap Rock,	"	30.18	..	..	NNW	3	..
Macao,	"	30.22	64	..	NNW	2	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	52	E	3	c
Malate,	2 p.	..	..	..	NE	3	c
Pacolod,	"	..	..	..	NE	6	c
Iloilo,	"	29.80	83	..	NE	2	c
Cebu,	"	29.81	85	..	N	4	b
Cape S. James,	"	..	..	..	..	0	c

1st JANUARY, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	—	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.24	..	..	E	0	..
Taichu,	"	30.13	..	..	N	4	..
Tainan,	"	30.14	..	..	NE	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	30.17	..	..	NE	10	..
Gutzlaff,	9 a.	30.46	40	65	N	..	bv
Sharp Peak,	"	30.34	54	70	N	2	..
Amoy,	"	30.25	57	81	NE	1	c
Swatow,	"	30.30	..	..	N	2	b
Canton,	"	30.40	51	72	N	1	b
Hongkong,	10 a.	30.31	57	43	N	1	b
Victoria Peak,	"	..	..	..	S	3	..
Gap Rock,	"	30.29	..	..	NNW	5	..
Macao,	"	30.34	55	..	NNW	3	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.01	81	76	NNE	1	o
Malate,	9 a.	..	..	..	..	0	o
Pacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.91	81	..	E	1	c
Cebu,	"	29.90	80	..	..	0	or
Cape S. James,	7 a.	..	..	..	NE	2	a

On the 1st at 12p. Barometrical changes are slight since yesterday. Pressure is still high over the interior of China. Fresh N. winds in the Formosa Channel and N. part of the China Sea. Elsewhere—gentle Northerly breezes; cold clear weather.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 1st January 1902.

CHINA COAST METEOROLOGICAL REGISTER

1st JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	30·15	10	..	NE	2	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.23	..	..	E	2	..
Taichu,	"	30.11	..	..	N	6	..
Tainan,	"	30.08	..	..	N	6	..
Koshun,	"	30.18	..	..	NE	6	..
Pescadores,	"	30.16	..	..	NE	10	..
Gutzlaff,	3 p.	30.38	42	66	N	1	bv
Sharp Peak,	"	30.26	56	60	E	4	o
Amoy,	"	30.20	62	61	ENE	2	c
Swatow,	"	30.16	65	..	N	1	b
Canton,	"	30.25	60	49	N	2	b
Hongkong,	4 p.	30.20	61	58	N	1	b
Victoria Peak,	"	..	..	..	N	4	..
Gap Rock,	"	30.18	..	..	NNW	5	..
Macao,	"	30.22	..	..	N	3	o
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.88	81	85	NW	2	c
Malate,	5 p.	..	..	..	W	1	o
Bacolod,	"	..	..	..	N	6	c
Iloilo,	"	29.80	84	..	NE	..	c
Cebu,	"	29.82	84	..	N	4	o
Cape S. James,	"	..	..	..	..	.	..

2nd JANUARY, 1902, A. M.

Wladivostock,	7 a.	30.13	—8	94	N	3	c
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	30.18	..	..	..	0	..
Taichu,	"	30.11	..	..	N	3	..
Tainan,	"	30.13	..	..	N	4	..
Koshun,	"	30.07	..	..	NE	10	..
Pescadores,	"	.	..	..	..	.	..
Gutzlaff,	9 a.	30.36	40	82	W	2	em
Sharp Peak,	"	30.34	54	61	NW	1	b
Amoy,	"	30.26	54	73	W	2	b
Swatow,	"	30.24	60	..	NW	2	c
Canton,	"	.	..	..	..	.	.
Hongkong,	10 a.	30.32	57	82	N	2	b
Victoria Peak,	"	..	..	..	NNE	6	..
Gap Rock,	"	30.30	..	..	NE	4	..
Macao,	"	30.33	58	..	N	2	b
Haiphong,	7 a.	..	..	..	.	.	..
Manila,	10 a.	29.96	79	84	NE	1	c
Malate,	9 a.	..	..	..	.	0	c
Bacolod,	"	.	.	..	N	3	b
Iloilo,	"	29.92	81	..	NE	2	o
Cebu,	"	29.93	85	..	N	3	b
Cape S. James,	7 a.	...	..	..	.	..	..

On the 2nd at 11.47a.. The barometer has fallen in the North. Gradients indicate strong NW winds in the Formosa Channel, and N. winds in the N. part of the China Sea. Forecast:—Northerly breezes; cold, clear and dry weather.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 2nd January 1902

CHINA COAST METEOROLOGICAL REGISTER.

2nd JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	..	..	..	E	2	..
Taichu,	"	30.12	..	..	N	6	..
Tainan,	"	30.10	..	..	N	6	..
Koshun,	"	30.10	..	..	NE	6	..
Pescadores,	"	30.17	..	..	NE	10	..
Gutzlaff,	3 p.	30.39	49	64	W	2	1m
Sharp Peak,	"	30.24	56	67	E	3	b
Amoy,	"	30.16	62	56	NNE	2	b
Swatow,	"	30.20	65	..	ESE	3	b
Canton,	"	30.24	63	53	NE	2	b
Hongkong,	4 p.	30.20	63	20	..	..	b
Victoria Peak,	"	..	..	..	NE	2	..
Cap Rock,	"	30.19	..	..	NE	3	..
Macao,	"	30.22	64	..	N	2	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	84	77	E	1	c
Malate,	3 p.	..	..	..	..	0	c
Pacoled,	"	..	..	..	N	4	b
Iloilo,	"	29.81	86	..	NE	..	b
Cebu,	"	29.81	84	..	N	4	b
Cape S. James,	"	..	..	..	NE	2	c

3rd JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.48	46	69	NE	4	bm
Sharp Peak,	"	30.36	53	67	W	2	b
Amoy,	"	30.25	53	67	NW	2	b
Swatow,	"	30.29	58	..	N	2	b
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.26	62	24	ENE	2	b
Victoria Peak,	"	..	..	..	E	4	..
Cap Rock,	"	30.24	..	..	NE	4	..
Macao,	"	30.27	62	..	N	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	82	70	..	0	c
Malate,	9 a.	..	..	..	..	0	c
Pacoled,	"	..	..	..	ENE	3	b
Iloilo,	"	29.91	81	..	NE	1	c
Cebu,	"	29.91	83	..	N	3	b
Cape S. James,	7 a.	...	..	..	NE	2	c

On the 3rd at 11.0a. The barometer has risen in Northern and fallen in Southern China. Gradients indicate strong NE monsoon along the coast. Forecast:—moderate NE winds; cold, clear, dry weather.

F. G. FIGG,
First Assistant.

Hongkong Observatory Friday 3rd January 1902.

CHINA COAST METEOROLOGICAL REGISTER.

3rd JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2p.	30.20	3	..	N	5	b
Tokio, ...	"	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima, ...	"	..	..	..	..	..	..
Taihoku, ...	1 p.	30.24	..	..	E	8	..
Taichu, ...	"	30.06	..	..	N	2	..
Tainan, ...	"	30.09	..	..	NW	4	..
Koshun, ...	"	30.09	..	..	NE	10	..
Pescadores, ..	"	30.13	..	..	NE	10	..
Gutzlaff, ...	3 p.	30.49	47	63	E	4	bv
Sharp Peak, ..	"	30.29	57	53	NNE	6	b
Amoy, ...	"	30.19	66	49	NE	7	b
Swatow, ...	"	30.16	65	..	NE	5	b
Canton, ...	"	30.16	65	44	NW	1	b
Hongkong, ...	4 p.	30.15	61	57	E	3	b
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock, ..	"	30.14	..	..	ENE	4	..
Macao, ...	"	30.16	66	..	ENE	1	b
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.84	84	58	ENE	1	c
Malate, ...	3 p.	..	..	..		0	c
Bacolod, ...	"	..	..	..	NNE	6	c
Iloilo, ...	"	29.80	85	..	NE	2	b
Cebu, ...	"	29.79	85	..	N	1	b
Cape S. James,	"	..	..	..	NE	3	b

4th JANUARY, 1902, A. M.

Wladivostock, ..	7 a.	30.37	—11	88	NE	3	b
Tokio, ...	6a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima, ...	"	..	..	..	..	..	..
Taihoku, ...	5 a.	30.21	..	..	E	6	.
Taichu, ...	"	30.10	..	..	..	0	..
Tainan, ...	"	30.11	..	..	N	2	..
Koshun, ...	"	30.10	..	..	NE	10	..
Pescadores, ...	"	30.13	..	..	NE	10	..
Gutzlaff, ...	9 a.	30.41	49	64	SE	3	cv
Sharp Peak, ..	"	30.33	54	71	NNW	1	c
Amoy, ...	"	30.23	55	74	WNW	2	c
Swatow, ...	"	..	..	..	..	..	..
Canton, ...	"	..	..	..	..	..	..
Hongkong, ...	10 a.	30.25	63	42	E	1	c
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock, ...	"	30.23	..	..	ENE	3	..
Macao, ...	"	30.25	61	..	NE	1	c
Haiphong, ...	7 a.	..	..	..	.	.	..
Manila, ...	10 a.	29.96	81	76	..	0	c
Malate, ...	9 a.	..	..	..	..	0	c
Bacolod, ...	"	..	..	..	.	3	p
Iloilo, ...	"	29.86	80	..	NE	1	c
Cebu, ...	"	29.85	82	..	N	1	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 4th at 11.8a. The barometer has fallen over China and the Philippines, and the high pressure area that yesterday covered N. China has moved Eastwards. Gradients decreasing. Moderate NE breezes in the China Sea. Forecast:—Light E and variable winds; cloudy and less cold.

F. G. FIGG,

Acting Director.

Hongkong Observatory Saturday 4th January 1902.

CHINA COAST METEOROLOGICAL REGISTER

4th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.17	..	..	E	8	..
Taichu,	,,	30.10	..	..	W	2	..
Tainan,	,,	30.12	..	..	NW	2	..
Koshun,	,,	30.11	..	..	NE	6	..
Pescadores,	,,	30.16	..	..	NE	8	..
Gutzlaff,	3 p.	30.33	52	66	SE	3	lv
Sharp Peak,	,,	30.16	59	68	NNW	1	o
Amoy,	,,	30.18	68	64	ENE	4	b
Swatow,	,,	30.19	67	..	E	4	c
Canton,	,,	30.13	70	40	N	2	b
Hongkong,	4 p.	30.14	63	55	E	2	o
Victoria Peak,	,,	..	..	..	NE	1	..
Cap Rock,	,,	30.13	..	..	E	3	..
Macao,	,,	30.14	71	..	NE	1	c
Haiphong,	1 p.	..	..	..	.	.	..
Manila,	4 p.	29.84	84	58	ENE	1	c
Mulate,	3 p.	..	..	..	.	0	o
Iscoled,	,,	..	..	..	NNE	4	r
Iloilo,	,,	29.76	81	..	NE	1	
Cebu,	,,	29.76	80	..	..	.	or
Cape S. James,	,,	..	..	..	NE	1	c

5th JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.21	..	..	E	4	.
Taichu,	,,	30.12	..	..	N	2	..
Tainan,	,,	30.11	..	..	N	4	..
Keshun,	,,	30.10	..	..	NE	4	..
Pescadores,	,,	30.16	..	..	NE	8	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,	30.32	59	70	NNW	1	c
Amoy,	,,	30.21	58	81	SW	2	o
Swatow,	,,	.	..	..	..	..	..
Canton,	,,	30.22	61	45	N	1	b
Hongkong,	10 a.	30.24	67	44	E	1	c
Victoria Peak,	,,	..	..	..	E	2	..
Cap Rock,	,,	30.22	..	..	ENE	4	..
Macao,	,,	30.25	68	.	N	1	b
Haiphong,	7 a.	..	..	..	..	.	..
Manila,	10 a.	29.92	79	84	NNE	1	b
Mulate,	9 a.	..	..	..	..	0	o
Iscoled,	,,	..	..	..	SE	2	o
Iloilo,	,,	..	77	..	NE	2	r
Cebu,	,,	29.82	80	..	..	0	..
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 5th at 11.42a. Barometric changes are slight since yesterday. Gradients slight in Southern China and moderate for NE winds in the China Sea. Forecast:—light Easterly breezes, fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 5th January 1902.

CHINA COAST METEOROLOGICAL REGISTER

5th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	30.19	..	..	E	8	..
Taichu,	,,	30.06	..	..	NW	4	..
Tainan,	,,	30.09	..	..	NW	4	..
Koshun,	,,	30.11	..	..	NE	6	..
Pescadores,	,,	30.15	..	..	NE	8	..
Gutzlaff,	3 p.	30.41	52	79	SE	1	bv
Sharp Peak,	,,	30.25	57	69	E	5	o
Amoy,	,,	30.16	69	65	NE	4	c
Swatow,	,,	30.17	67	..	E	3	c
Canton,	,,	30.20	70	48	N	1	b
Hongkong,	4 p.	30.14	63	65	E	3	b
Victoria Peak,	,,	..	..	..	E	2	..
Cap Rock,	,,	30.12	..	..	E	4	..
Macao,	,,	30.12	71	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	79	76	NE	1	cd
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	ENE	..	..
Iloilo,	,,	29.74	71	..	NE	..	..
Cebu,	,,	29.79	81	..	N	3	..
Cape S. James,	,,	..	..	..	..	..	..

6th JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5 a.	30.27	..	..	E	6	..
Taichu,	,,	30.10	..	..	N	2	..
Tainan,	,,	30.14	..	..	N	4	..
Koshun,	,,	30.15	..	..	NE	6	..
Pescadores,	,,	30.20	..	..	NE	10	..
Gutzlaff,	9 a.	30.52	46	77	ENE	4	bv
Sharp Peak,	,,	30.40	57	69	NNE	3	o
Amoy,	,,	30.27	60	76	NE	2	c
Swatow,	,,	30.31	63	..	E	2	o
Canton,	,,	..	61	55	..	0	o
Hongkong,	10 a.	30.27	66	54	NE	2	o
Victoria Peak,	,,	..	..	..	E	2	..
Cap Rock,	,,	30.26	..	..	ENE	4	..
Macao,	,,	30.27	68	..	N	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	81	62	..	2	c
Malate,	9 a.	..	..	..	NE	3	c
Bacolod,	,,	..	..	..	NE	..	q
Iloilo,	,,	29.93	77	..	NE	2	o
Cebu,	,,	29.94	79	..	NE	3	o
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 6th at 11.12 a. The Barometer has risen generally. Gradients steep for NE winds. Very strong NE monsoon in the Formosa Channel. Forecast:— Moderate NE breeze, fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 6th January 1902.

HINA COAST METEOROLOGICAL REGISTER.

6th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.10	..	..	NW	8	..
Kochi,	"	30.28	..	..	N	6	..
Nagasaki,	"	30.31	..	..	NE	6	..
Kagoshima,	"	30.34	..	..	N	6	..
Taihoku,	1 p.	30.24	..	..	E	8	..
Taichu,	"	30.11	..	..	..	0	..
Tainan,	"	30.14	..	..	W	4	..
Koshun,	"	30.15	..	..	E	10	..
Pescadores,	"	30.18	..	..	NE	10	..
Cutzlaff,	3 p.	30.42	50	65	E	4	bv
Sharp Peak,	"	30.29	58	70	NE	6	o
Amoy,	"	30.20	69	75	ENE	3	c
Swatow,	"	30.22	67	..	E	3	c
Canton,	"	30.21	69	52	NW	1	c
Hongkong,	4 p.	30.20	63	69	E	3	o
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock,	"	30.17	..	..	ENE	5	..
Macao,	"	30.21	69	..	NE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	79	61	E	2	c
Malate,	3 p.	..	..	..	E	4	c
Bacolod,	"	..	..	..	N	..	q
Iloilo,	"	29.86	80	..	NE	3	o
Cebu,	"	29.86	80	..	N	2	o
Cape S. James,	"	..	..		NE	1	c

7th JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	6 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Cutzlaff,	9 a.	30.28	48	86	WSW	4	bm
Sharp Peak,	"	30.30	61	66	WNW	1	b
Amoy,	"	30.24	62	83	NE	2	o
Swatow	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.29	68	51	E	2	o
Victoria Peak,	"	..	..	..	NNE	6	..
Cap Rock,	"	30.27	..	..	NNE	3	..
Macao,	"	30.30	67	..	NNW	1	c
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	30.04	77	72	W	1	om
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	N	..	r
Iloilo,	"	29.90	77	..	NE	2	o
Cebu,	"	29.88	80	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 7th at 10.50a. The barometer has fallen briskly in Northern China owing to an advancing depression. The high pressure area has probably moved across Japan. Gradients are slight in China, and monsoon is calming down in the Formosa Channel. Forecast.—light E and variable breezes; cloudy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 7th January 1902.

CHINA COAST METEOROLOGICAL REGISTER

7th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.26	..	..	..	0	..
Kochi,	"	30.03	..	..	SE	6	..
Nagasaki,	"	30.19	..	..	S	2	..
Kagoshima,	"	30.15	..	..	E	4	..
Taihoku,	1 p.	30.18	..	..	W	4	..
Taichu,	"	30.15	..	..	N	6	..
Tainan,	"	30.15	..	..	N	4	..
Koshun,	"	30.16	..	..	E	4	..
Pescadores,	"	30.19	..	..	NE	6	..
Gutzlaff,	3 p.	30.23	53	61	WNW	4	bm
Sharp Peak,	"	30.18	63	75	E	1	b
Amoy,	"	30.16	69	75	SE	3	b
Swatow,	"	30.18	69	..	E	3	c
Canton,	"	30.18	75	44	NW	1	b
Hongkong,	4 p.	30.15	72	54	W	1	c
Victoria Peak,	"	..	..	..	NNE	1	..
Gap Rock,	"	30.16	..	..	ESE	1	..
Macao,	"	30.17	64	..	NNW	1	c
Haiphong,	1 p.	..	..	..	.	..	..
Manila,	4 p.	29.92	82	57	NNE	2	c
Malate,	3 p.	..	..	..	NW	1	c
Bacolod,	"	..	..	..	NNE	..	q
Iloilo,	"	29.79	81	..	NE	6	o
Cebu,	"	29.81	82	..	N	3	c
Cape S. James,	"	..	..		..	0	o

8th JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.29	..	..	E	6	..
Taichu,	"	30.16	..	..		0	..
Tainan,	"	30.15	..	..	..	0	..
Koshun,	"	30.15	..	..	NE	6	..
Pescadores,	"	30.17	..	..	NE	10	..
Gutzlaff,	9 a.	30.49	39	65	N	3	bm
Sharp Peak,	"	30.38	59	70	N	3	b
Amoy,	"	30.30	59	70	SW	3	b
Swatow	"	..	..	..	..	..	..
Canton,	"	..	.	..	..	..	..
Hongkong,	10 a.	30.28	68	47	NE	2	b
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	..	.	..	.	..	..
Macao,	"	30.27	68	..	N	1	c
Haiphong,	7 a.	..	.	..		..	..
Manila,	10 a.	29.96	82	63	SW	1	c
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	.	..	NE	3	o
Iloilo,	"	29.90	78	..	N	2	o
Cebu,	"	29.89	82	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	2	o

On the 8th at 10.40a. The barometer has risen considerably in the North. Gradients are high for strong NE monsoon. Forecast:—fresh NE winds, fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 8th January 1902.

CHINA COAST METEOROLOGICAL REGISTER.

8th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.51	..	..	..	6	..
Kochi,	"	30.16	..	..	N	10	..
Nagasaki,	"	29.91	..	..	NW	8	..
Kagoshima,	"	30.15	..	..	NW	8	..
Taihoku,	1 p.	30.22	..	..	NE	8	..
Taichu,	"	30.10	..	..	N	6	..
Tainan,	"	30.12	..	..	N	2	..
Koshun,	"	30.13	..	..	NE	10	..
Pescadores,	"	30.10	..	..	NE	10	..
Gutzlaff,	2 p.	30.40	40	74	NE	3	bm
Sharp Peak,	"	30.26	48	69	E	6	c
Amoy,	"	30.21	69	52	NE	4	b
Swatow,	"	30.25	67	..	E	4	b
Canton,	"	30.19	73	51	NW	1	b
Hongkong,	4 p.	30.19	66	60	E	2	b
Victoria Peak,	"	..	..	..	NE	1	..
Cap Rock,	"	30.18	..	..	ENE	3	..
Macao	"	30.18	75	..	NNW	1	b
Pakhoi	3 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	78	E	2	c
Malate,	3 p.	..	..	..	..	0	c
Iloilo,	"	..	..	..	NNE	..	..
Cebu,	"	29.81	81	..	NE	1	..
Cape S. James,	"	29.82	82	..	N	1	..
	"	..	..	..	NE	2	c

9th JANUARY, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.31	..	..	E	4	..
Taichu,	"	30.37	..	..	..	0	..
Tainan,	"	30.16	..	..	NE	2	..
Koshun,	"	30.19	..	..	NE	8	..
Pescadores,	"	30.16	..	..	W	2	..
Gutzlaff,	9 a.	30.41	40	74	N	1	bm
Sharp Peak,	"	30.33	56	65	NW	1	b
Amoy,	"	30.28	56	75	NNE	3	b
Swatow,	"	30.29	61	..	NE	1	b
Canton,	"	30.27	62	56	N	1	b
Hongkong,	10 a.	30.26	63	66	E	2	b
Victoria Peak,	"	..	..	..	E	2	..
Cap Rock,	"	..	..	..	..	..	..
Macao	"	30.26	68	..	NNE	1	c
Pakhoi,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	82	63	WSW	1	c
Malate,	9 a.	..	..	..	..	0	b
Iloilo,	"	..	..	..	NNE	..	r
Cebu,	"	29.86	77	..	NE	2	..
Cape S. James,	"	29.91	78	..	N	4	or
	7 a.	..	..	..	NE	2	c

On the 7th at 11.5 a.m. The barometer is again falling over China with decreasing gradients and the strong monsoon has relaxed down. Forecast.—Light easterly winds, fair.

F. G. FIGG,

First Assistant.

Hongkong Observatory, Thursday 9th January 1902

CHINA COAST METEOROLOGICAL REPORT

9th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.23	..	..	E	8	..
Taichu,	"	30.18	..	..	N	2	..
Tainan,	"	30.14	..	..	W	4	..
Koshun,	"	30.14	..	..	E	8	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.30	49	57	SSE	1	bv
Sharp Peak,	"	30.25	57	69	E	2	b
Amoy,	"	30.20	65	58	ENE	4	b
Swatow,	"	30.16	65	..	E	3	b
Canton,	"	30.18	71	53	..	0	b
Hongkong,	4 p.	30.17	63	66	E	2	b
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.16	..	..	ENE	4	..
Macao,	"	30.18	70	..	SE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	79	69	NE	2	o
Malate,	3 p.	..	..	..	..	0	o
Iloilo,	"	..	..	..	NNE	.	crq
Cebu,	"	29.81	79	..	NE	2	
Cape S. James,	"	29.83	79	..	N	1	cr
	"	..	..	..	NE	.	c

10th JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.20	..	..	E	6	..
Taichu,	"	30.14	..	..	..	0	..
Tainan,	"	30.14	..	..	N	2	..
Koshun,	"	30.13	..	..	E	6	..
Pescadores,	"	30.19	..	..	NE	10	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	30.26	56	69	W	2	b
Amoy,	"	30.24	56	75	W	3	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.22	62	62	E	2	b
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	..	..	..	.	..	..
Macao,	"	..	.	..	..	..	..
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	.	0	c
Iloilo,	"	.	..	..	NNE	..	r
Cebu,	"	29.87	75	..	NE	2	o
Cape S. James,	"	29.90	79	..	N	4	c
	7 a.	..	..	..	NE	1	c

On the 10th at 10.45a. The barometer continues falling owing to a depression in the North, and grad[illegible] are slight. Forecast:—gentle Easterly breezes. Fine.

F. G. FIGG.
First Assistant.

Hongkong Observatory, Friday 10th January 1902

CHINA COAST METEOROLOGICAL REGISTER.

10th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taikoku,	1 p.	30.14	..	..	E	8	..
Taichu,	"	30.11	..	..	N	4	..
Tainan,	"	30.12	..	..	SW	4	..
Koshun,	"	30.13	..	..	NE	8	..
Pescadores,	"	30.15	..	..	NE	8	..
Gutzlaff,	3 p.	30.24	75	62	S	1	bv
Sharp Peak,	"	30.18	60	71	NNE	3	b
Amoy,	"	30.16	67	75	NNE	4	b
Swatow,	"	30.15	64	..	E	4	b
Canton,	"	30.11	72	60	..	0	b
Hongkong,	4 p.	30.12	63	45	E	3	c
Victoria Peak,	"	..	..	..	ESE	5	..
Cap Peak,	"	30.18	..	..	ENE	6	..
Macao,	"	30.11	60	..	ENE	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	81	66	ESE	1	c
Malate,	3 p.	..	..	..	NE	3	o
Iloilo,	"	..	..	..	NNE	..	rq
Cebu,	"	29.79	79	..	E	1	c
Cape S. James,	"	29.80	81	..	N	4	c

11th JANUARY, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taikoku,	6 a.	30.16	..	..	E	2	..
Taichu,	"	30.12	..	..	..	0	..
Tainan,	"	30.11	..	..	SE	2	..
Koshun,	"	30.12	..	..	NE	4	..
Pescadores,	"	30.15	..	..	NE	2	..
Gutzlaff,	9 a.	30.19	52	79	S	3	cm
Sharp Peak,	"	30.19	58	64	W	3	b
Amoy,	"	30.21	54	80	WSW	3	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.17	62	69	..	0	b
Hongkong,	10 a.	30.18	64	58	ESE	2	c
Victoria Peak,	"	..	..	..	E	3	..
Cap Peak,	"	30.16	..	..	ENE	5	..
Macao,	"	30.18	70	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.00	77	64	WSW	1	o
Malate,	9 a.	..	..	..	..	0	o
Iloilo,	"	..	..	..	N	..	r
Cebu,	"	29.90	76	..	NE	2	o
Cape S. James,	7 a.	29.92	78	..	..	0	or
		...	..	..	NE	1	c

On the 11th of January at 11.8 a. The barometer continues falling especially in the North, owing to the inland depression indicated yesterday, and gradients are slight. Forecast:— light SE and variable winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday, 11th January 1902.

CHINA COAST METEOROLOGICAL REPORT

11th JANUARY 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2 p.	..	.	..	..	..	..
Tokio, ...	"	30.10	..	..	S	4	..
Fushi, ...	"	30.15	..	..	SW	4	..
Nagasaki, ...	"	30.11	..	..	SE	2	..
Kagoshima.....	"	30.15	..	..	N	6	..
Taihoku, ...	1 p.	30.09	..	..		0	..
Taichu, ...	"	30.07	..	..	SW	4	..
Tainan, ...	"	30.09	..	..	W	4	..
Koshun, ...	"	30.07	..	..	NE	8	..
Fescadores, . .	"	30.13	..	..	NE	4	..
Cutzlaff, ...	3 p.	30.11	79	79	SSW	1	bm
Sharp Peak, ..	"	30.08	64	66	E	1	b
Amoy, ...	"	30.11	65	68	SE	5	b
Swatow, ...	"	..	..	..	..	..	..
Canton, ...	"	30.08	73	68	S	2	b
Hongkong, ...	4 p.	30.07	68	48	SE	1	b
Victoria Peak,	"	..	..	..	E	3	..
Cap Rock, ...	"	30.07	..	..	ENE	5	..
Macao.....	"	30.07	71	..	SSE	1	c
Pakhoi, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.88	81	69	..	0	c
Malate, ...	5 p.	..	..	..	..	0	c
Baccolod, ...	"	..	..	..	N	..	srq
Iloilo, ...	"	29.84	78	..	NE	2	o
Cebu, ...	"	29.80	80	..	..	3	c
Cape S. James,	"	..	..	..	NE	1	c

12th JANUARY, 1902, A. M.

Wladivostock..	7 a.	..	..	..	..	..	..
Tokio, ...	1 a.	..	..	..	..	..	..
Fushi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	.	..	..	..	..	..
Taihoku, ...	5 a.	30.13	..	..	..	0	..
Taichu, ...	"	30.10	..	..	..	0	..
Tainan, ...	"	30.10	..	..	NW	2	..
Koshun, ...	"	30.08	..	..	N	2	..
Fescadores....	"	30.13	.	..	NE	4	..
Cutzlaff, ...	9 a.	30.19	48	78	NW	2	cm
Sharp Peak, ..	"	30.12	62	74	..	0	b
Amoy, ...	"	30.13	55	87	E	1	b
Swatow, ...	"	..	..	..	..	..	..
Canton, ...	"	..	..	..	..	..	..
Hongkong....	10 a.	30.17	68	54	..	0	b
Victoria Peak,	"	..	..	..	NE	3	..
Cap Rock, ...	"	30.16	..	..	NNE	2	..
Macao	"	..	..	..	..	..	..
Pakhoi, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	29.96	79	69	..	0	c
Malate, ...	9 a.	..	..	..	..	0	c
Baccolod, ...	"	.	.	..	N	6	o
Iloilo, ...	"	29.90	79	..	NE	2	c
Cebu, ...	"	29.89	82	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 12th at 11.30a. The barometer continues falling and gradients decreasing. Forecast variable airs; fine warm and hazy weather.

F. G. FIGG,
First Assistant.

Hongkong Observatory Sunday 12th January 1902.

CHINA COAST METEOROLOGICAL REGISTER.

12th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	S	2	..
Kochi,	"	30.03	..	..	..	0	..
Nagasaki,	"	29.99	..	..	SW	2	..
Kagoshima,	"	30.03	..	..	W	6	..
Taihoku,	1 p.	30.08	..	..	NW	4	..
Taichu,	"	30.04	..	..	..	0	..
Tainan,	"	30.06	..	..	NW	4	..
Koshun,	"	30.06	..	..	E	4	..
Pescadores,	"	30.09	..	..	N	4	..
Gutzlaff,	3 p.	30.13	52	79	NNW	1	bm
Sharp Peak,	"	30.07	62	77	E	1	b
Amoy,	"	30.10	56	87	NE	2	b
Swatow,	"	30.08	66	..	NNE	3	c
Canton,	"	30.08	77	57	N	1	b
Hongkong,	4 p.	30.06	68	65	NW	1	b
Victoria Peak,	"	..	..	..	..	0	..
Gap Rock,	"	30.06	..	..	NE	1	.
Macao,	"	30.06	77	..	N	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	82	57	ESE	1	c
Malate,	3 p.	..	..	..	E	2	c
Bacolod,	"	..	..	..	NE	8	c
Iloilo,	"	29.80	80	..	E	2	or
Cebu,	"	29.81	80	..	N	4	c
Cape S. James,	"	..	..	..	..	..	

13th JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10a.	29.82	..	..	NW	2	..
Kochi,	"	30.03	..	..	..	0	..
Nagasaki,	"	29.95	..	..	SW	2	..
Kagoshima,	"	30.01	..	..	N	4	..
Taihoku,	6 a.	30.16	..	..	..	0	.
Taichu,	"	30.14	..	..	S	4	..
Tainan,	"	30.10	..	..	..	0	..
Koshun,	"	30.09	..	..	..	0	..
Pescadores,	"	30.11	..	..	NE	6	..
Gutzlaff,	9 a.	30.27	45	84	NW	4	bm
Sharp Peak,	"	30.22	60	74	..	0	b
Amoy,	"	30.16	60	82	S	1	bm
Swatow,	"	.	..	..	.	..	..
Canton,	"	30.21	65	73	N	1	b
Hongkong,	10 a.	30.19	73	34	N	2	b
Victoria Peak,	"	..	..	..	NE	7	..
Gap Rock,	"	30.18	..	..	NNE	4	..
Macao,	"	30.21	62	..	N	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	81	62	W	1	c
Malate,	9 a.	..	..	..	.	0	b
Bacolod,	"	..	.	..	N	1	r
Iloilo,	"	29.88	78	..	NE	1	•
Cebu,	"	29.91	79	..	.	0	c
Cape S. James,	7 a.	...	..	..	NE	1	a

On the 13th at 10.52 a. The depression mentioned on the 11th has moved across Japan. Pressure again increasing over China, and gradients are fast increasing for N winds. Forecast:—Moderate Northerly breezes; fine, and dry weather.

F. G. FIGG.
First Assistant.

Hongkong Observatory Monday 13th January 1902.

CHINA COAST METEOROLOGICAL REPORT

13th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	30.18	8	..	N	3	b
Tokio,	"	29.78	..	..	NW	8	..
Kochi,	"	30.13	..	..	N	6	..
Nagasaki,	"	29.87	..	..	N	6	..
Kagoshima,	"	30.13	..	..	N	8	..
Taihoku,	1 p.	30.17	..	..	E	2	..
Taichu,	"	30.06	..	..	N	6	..
Tainan,	"	29.97	..	..	N	6	..
Koshun,	"	30.06	..	..	NE	6	..
Pescadores,	"	30.13	..	..	NE	8	..
Gutzlaff,	3 p.	30.05	40	54	N	3	e n
Sharp Peak,	"	30.16	61	7.	E	3	b
Amoy,	"	30.11	67	64	NNE	3	bm
Swatow,	"	30.10	67	..	E	3	b
Canton,	"	30.08	77	88	N	1	b
Hongkong,	4 p.	30.07	76	81	N	2	b
Victoria Peak,	"	..	..	..	ENE	1	..
Gap Rock,	"	29.96	..	..	N	2	.
Macao,	"	30.08	77	..	N	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	82	70	..	0	c
Malate,	3 p.	..	..	..	E	2	o
Bacolod,	"	..	..	..	N	3	"
Iloilo,	"	29.76	86	..	NE	2	or
Cebu,	"	29.78	81	..	N	2	o
Cape S. James,	"	..	..	..	NE	1	c

14th JANUARY, 1902, A. M.

Wladivostock,	7 a.	30.02	3	92	..	0	o
Tokio,	10 a.	29.98	..	..	NW	6	..
Kochi,	"	30.15	..	..	..	0	..
Nagasaki,	"	30.11	..	..	NW	4	..
Kagoshima,	"	30.19	..	..	NW	2	..
Taihoku,	6 a.	30.17	..	..	E	4	..
Taichu,	"	30.07	..	..	..	0	..
Tainan,	"	30.07	..	..	E	2	..
Koshun,	"	30.07	..	..	NE	8	..
Pescadores,	"	30.10	..	..	E	8	..
Gutzlaff,	9 a.	30.30	44	92	SSW	1	f
Sharp Peak,	"	30.23	59	65	W	3	b
Amoy,	"	30.17	59	70	NNW	2	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.18	67	32	E	3	b
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	30.16	.	..	ENE	5	.
Macao,	"	30.17	72	..	N	1	b
Haiphong,	7 a.	..	..	..	.	.	..
Manila,	10 a.	29.92	82	63	SW	1	c
Malate,	9 a.	..	..	..	E	2	b
Bacolod,	"	..	.	..	..	..	o
Iloilo,	"	29.88	78	..	NE	2	o
Cebu,	"	29.87	82	..	N	3	o
Cape S. James,	7 a.	...	..	..	..	0	o

On the 14th at 11.7 a The barometer fell over Japan and the Loochoo islands. Barometric changes in China are slight and gradients very moderate. Forecast.— Moderate easterly breezes; fine and dry weather.

F. G. FIGG,
First Assistant.

Hongkong Observatory Tuesday 14th January 1902.

CHINA COAST METEOROLOGICAL REGISTER

14th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.98	..	..	NW	4	..
Kochi,	"	30.15	..	..	W	6	..
Nagasaki,	"	30.07	..	..	SE	2	..
Kagoshima,	"	30.15	..	..	N	6	..
Taihoku,	1 p.	30.13	..	..	E	6	..
Taichu,	"	30.08	..	..	NE	2	..
Tainan,	"	30.02	..	..	W	4	..
Koshun,	"	30.05	..	..	NE	10	..
Pescadores,	"	30.09	..	..	NE	6	..
Gutzlaff,	3 p.	30.14	54	80	S	1	bv
Sharp Peak,	"	30.14	64	63	E	1	c
Amoy,	"	30.11	70	44	ENE	4	b
Swatow,	"	30.09	68	..	ESE	3	c
Canton,	"	30.08	73	55	..	0	b
Hongkong,	4 p.	30.08	67	38	E	4	c
Victoria Peak,	"	..	..	..	E	2	..
Cap Rock,	"	30.05	..	..	ENE	5	..
Macao,	"	30.08	72	..	S	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.54	81	62	ENE	1	c
Malate,	8 p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NNE	..	q
Iloilo,	"	29.77	80	..	..	0	..
Cebu,	"	29.76	83	..	N	4	b
Cape St. James,	"	..	..	..	NE	2	..

15th JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	30.06	..	..	..	0	..
Kochi,	"	30.11	..	..	SE	6	..
Nagasaki,	"	30.11	..	..	W	2	..
Kagoshima,	"	30.15	..	..	..	0	..
Taihoku,	6 a.	30.09	..	..	E	2	..
Taichu,	"	30.07	..	..	..	0	..
Tainan,	"	30.06	..	..	NE	0	..
Koshun,	"	30.05	..	..	NE	6	..
Pescadores,	"	30.08	..	..	NE	2	..
Gutzlaff,	9 a.	30.16	52	73	WSW	4	cm
Sharp Peak,	"	30.10	62	61	W	1	c
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.12	67	42	E	3	b
Victoria Peak,	"	..	..	..	ESE	3	..
Cap Rock,	"	30.10	..	..	ENE	5	..
Macao,	"	30.14	71	..	NNE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	81	66	..	0	c
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NE	6	b
Iloilo,	"	29.88	78	..	NE	2	c
Cebu,	"	29.91	81	..	N	4	b
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 15th at 10 a.m. The barometer has fallen on the China coast, particularly in the North, owing to a depression over the Yellow Sea. Pressure is low also over the S. part of the China Sea. Gradients slight on the China coast. Forecast:— moderate NE winds; fair

G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 15th January 1902.

CHINA COAST METEOROLOGICAL REPORT

15th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	..	..	..	..	.
Tokio,	"	29.94	..	..	S	2	..
Kochi,	"	29.97	..	..	W	4	..
Nagasaki,	"	30.06	..	..	S	4	..
Kagoshima,	"	30.07	..	..	NW	4	..
Taihoku,	1 p.	30.02	..	..	W	2	..
Taichu,	"	30.02	..	..	.	0	..
Tainan,	"	30.05	..	..	W	4	..
Koshun,	"	30.04	..	..	NE	8	..
Pescadores,	"	30.06	..	..	NE	6	..
Gutzlaff,	3 p.	30.10	64	68	N	1	cm
Sharp Peak,	"	30.03	64	70	E	3	c
Amoy,	"	30.04	67	55	SE	4	c
Swatow,	"	30.02	67	..	E	3	b
Canton,	"	30.03	74	81	..	0	c
Hongkong,	4 p.	30.02	68	40	ESE	2	c
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	30.00	..	..	ENE	4	
Macao,	"	30.02	70	..	SE	1	cd
Haiphong,	1 p.	..		..			..
Manila,	4 p.	29.84	81	62	E	1	c
Malate,	3 p.	..	..	..	E	3	c
Bacolod,	"	..	..	..	NNE	4	c
Iloilo,	"	29.78	82	..	NE	3	c
Cebu,	"	29.79	83	..	N	4	c
Cape S. James,	"	..	..	..	NE	1	c

16th JANUARY, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	10 a.	29.98	..	..	..	0	..
Kochi,	"	30.11	..	..	SE	4	..
Nagasaki,	"	30.11	..	..	SW	2	..
Kagoshima,	"	30.15	..	..	NE	2	..
Taihoku,	6 a.	30.06	..	..	S	2	..
Taichu,	"	30.02	..	..	NE	0	..
Tainan,	"	30.03	..	..	N	2	..
Koshun,	"	30.04	..	..	NE	4	..
Pescadores,	"	30.08	..	..	NE	4	..
Gutzlaff,	9 a.	30.20	53	80	E	2	cm
Sharp Peak,	"	30.12	64	56	N	1	b
Amoy,	"	30.10	61	82	..	0	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.11	68	46	E	2	b
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.08	..	..	ENE	4	..
Macao,	"	30.10	73	..	ENE	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.96	81	69	W	1	a
Malate,	9 a.	..	..	..	E	2	c
Bacolod,	"			..	NNE	3	b
Iloilo,	"	29.90	78	..	NE	2	c
Cebu,	"	29.95	71	..	N	2	c
Cape S. James,	7 a.	..	..	..	..	0	c

On the 16th at 11.8.a Barometric changes since yesterday are unimportant. Pressure is still [illegible] below the average along the coast and all over the China Sea. Gradients are slight on the China [illegible] coast. Forecast:—gentle Easterly winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory Thursday 16th January 1902.

CHINA COAST METEOROLOGICAL REGISTER.

16th JANUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..		..	..
Tokio,	"	29.98	..	..	SW	2	..
Kochi,	"	30.07	..	..	SE	4	..
Nagasaki,	"	30.07	..	..	W	2	..
Kagoshima,	"	30.07	..	..	SE	2	..
Taihoku,	1p	30.03	..	.	..	0	..
Taichu,	"	30.06	..	..		0	..
Tainan,	"	30.02	..	..	N	4	..
Koshun,	"	30.02	..	..	NE	6	..
Pescadores,	"	30.05	..	..	NE	4	..
Gutzlaff,	3p.	30.14	55	80	SE	2	cm
Sharp Peak,	"	30.04	64	45	NNE	4	o
Amoy,	"	30.04	69	65	SE	3	b
Swatow,	"	30.04	70	..	E	3	c
Canton,	"	30.01	76	60	S	1	b
Hongkong,	4p.	30.02	68	54	SE	2	b
Victoria Peak,	"	..	..	..	SE	2	..
Gap Rock,	"	30.00	..	..	ENE	3	..
Macao,	"	30.01	73	..	SSE	1	b
Haiphong,	1p.	.	..	..	..	..	..
Manila,	4p.	29.84	84	64	..	0	o
Malate,	3p.	..	..	..	.	0	o
Iloilo,	"	.	..	..	NNE	2	c
Iloilo,	"	29.81	81	..	NE	1	c
Cebu,	"	29.80	83	..	..	..	b
Cape S. James,	"	..	..	..	..	0	o

17th JANUARY, 1902, A.M.

Wladivostock,	7a.	..	.		..	..	..
Tokio,	6a.	29.94	..	..	NW	2	..
Kochi,	"	30.07	..	..	..	0	..
Nagasaki,	"	30.07	..	..	W	4	..
Kagoshima,	"	30.07	..	..	.	0	..
Taihoku,	5a.	30.05	..	..	..	0	..
Taichu,	"	30.01	..	..	.	0	..
Tainan,	"	30.03	..	..	N	2	..
Koshun,	"	30.02	..	..	NE	4	..
Pescadores,	"	30.06	..	.	NE	6	..
Gutzlaff,	9a.	30.20	52	100	NNE	2	cm
Sharp Peak,	"	30.10	67	81	NW		.
Amoy,	"	30.10	60	82	SE	4	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.11	66	68	.	0	m
Hongkong,	10a.	30.10	73	51	SE	1	b
Victoria Peak,	"	..	..	..	SE	2	..
Gap Rock,	"	30.10	..	..	ENE	3	..
Macao,	"	30.12	75	..	N	1	c
Haiphong,	7a	..	..	..	.	..	..
Manila,	10a.	29.96	79	84	..	0	o
Malate,	9a.	..	..	..	.	0	o
Bacolod,	"	..	..	..	NNW	3	p
Iloilo,	"	29.90	78	..	NE	2	or
Cebu,	"	29.93	78	..	NE	2	or
Cape S. James,	7a.	..	..	..	NE	1	o

On the 17th at 11.40.a. The barometer is nearly steady in China. Gradients are slight.

Forecast:—light Easterly and variable winds; fine and perhaps misty.

F. G. FIGG,
First Assistant.

Observatory, Hongkong Friday 17th January 1902.

CHINA COAST METEOROLOGICAL REGISTER

17th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.87	33	..	NW	5	b
Tokio,	"	29.07	..	..		0	..
Kochi,	"	29.99	..	..	W	6	..
Nagasaki,	"	29.97	..	..	..	0	..
Kagoshima,	"	30.03	..	..	NW	4	..
Taihoku,	1 p.	30.01	..	..	NW	2	..
Taichu,	"	29.97	..	..	NW	4	..
Tainan,	"	30.00	..	..	NW	4	..
Koshun,	"	30.02	..	..	NE	6	..
Pescadores,	"	30.04	..	..	..	0	..
Gutzlaff,	3 p.	30.18	51	93	N	4	om
Sharp Peak,	"	30.01	68	74	E	1	b
Amoy,	"	30.01	63	83	SE	5	b
Swatow,	"	30.04	71	..	E	8	c
Canton,	"	..	..	..		..	
Hongkong,	4 p.	30.00	71	55	N	1	b
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock,	"	29.99	..	..	NE	3	..
Macao,	"	30.03	76	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	84	64	SE	2	c
Malate,	3 p.	..	..	..	SE	2	c
Bacolod,	"	..	..	..	N	2	..
Iloilo,	"	29.79	79	..	NE	2	c
Cebu,	"	29.82	79	..	N	1	c
Cape S. James,	"	..	..	..	..	0	c

18th JANUARY, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	7 a.	29.95	15	91	..	0	c
Tokio,	6 a.	29.94	..	..	NW	8	..
Kochi,	"	30.11	..	..	E	2	..
Nagasaki,	"	30.15	..	..	N	2	..
Kagoshima,	"	30.11	..	..	E	2	..
Taihoku,	5 a.	30.06	..	..	..	0	..
Taichu,	"	30.02	..	..	..	0	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.20	46	77	N	3	bv
Sharp Peak,	"	30.19	59	79	ENE	5	c
Amoy,	"	30.13	62	77	NE	3	bm
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.14	65	80	E	4	c
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	30.10	..	..	ENE	4	..
Macao,	"	30.12	73	..	SE	1	b
Haiphong,	7 a.	..	..	..	..		..
Manila,	10 a.	29.92	81	76	WNW	2	b
Malate,	9 a.	..	..	..	N	1	b
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.88	88	..	NE	..	b
Cebu,	"	29.86	82	..	..	0	c
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 18th at 10.55. a. The barometer is rising in China and Japan. Gradients are increasing for NE winds along the coast and over the China Sea. *Forecast:—fresh NE breeze; cloudy*

F. G. FIGG,
First Assistant.

Hongkong Observatory Saturday 18th January 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th JANUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	29.98	..	..	N	6	..
Kochi,	,,	30.07	..	..	S	2	..
Nagasaki,	,,	30.07	..	..	SE	2	..
Kagoshima,	,,	30.11	..	..	SE	4	..
Taihoku.	1p.	30.09	..	..	NE	4	..
Taichu.	,,	29.98	..	..	N	8	..
Tainan,	,,	29.98	..	..	N	2	..
Koshun.	,,	30.00	..	..	NE	4	..
Pescadores,	,,	30.04	..	..	NE	8	..
Gutzlaff,	3p.	30.23	46	77	N	3	m
Sharp Peak,	,,	30.12	59	76	E	5	o
Amoy,	,,	30.07	69	70	E	3	b
Swatow,	,,	30.09	69	..	E	4	b
Canton,	,,	30.02	77	61	..	0	b
Hongkong,	4p.	30.04	66	77	E	3	o
Victoria Peak,	,,	..	..	..	ESE	1	..
Gap Rock,	,,	30.02	..	..	ENE	3	..
Macao,	,,	30.03	71	..	E	2	b
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	84	64	..	0	c
Malate,	3p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NNE	6	o
Iloilo,	,,	29.78	81	..	NE	2	c
Cebu,	,,	29.75	83	..	..	0	ov
Cape S. James,	,,	..	..	..	NE	1	c

19th JANUARY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.14	..	..	E	4	..
Taichu,	,,	30.04	..	..	..	0	..
Tainan,	,,	30.04	..	..	N	4	..
Koshun,	,,	30.04	..	..	NE	2	..
Pescadores,	,,	30.07	..	..	NE	8	..
Gutzlaff,	9a.	30.35	47	85	N	3	cv
Sharp Peak,	,,	30.24	53	81	E	4	o
Amoy,	,,	30.18	63	72	N	1	c
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10a.	30.17	63	80	SE	2	c
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	30.14	..	..	ENE	5	..
Macao,	,,	30.17	69	..	ESE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	81	69	SSE	1	o
Malate,	9a.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	N	3	o
Iloilo,	,,	29.88	79	..	NE	2	o
Cebu,	,,	29.84	83	..	N	3	b
Cape S. James,	7a.	..	..	..	NE	1	c

On the 19th at 10.54.a. The barometer has risen in China and Japan. A high pressure area covers Northern China. Gradients are increasing for NE wind. Strong NE monsoon along the coast and in the China Sea. Forecast:—Fresh NE breeze; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 19th January 1902.

CHINA COAST METEOROLOGICAL REGISTER

19th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	..	0	..
Kochi,	"	30.11	..	..	N	4	..
Nagasaki,	"	29.99	..	..	E	2	..
Kagoshima,	"	30.11	..	..	NW	6	..
Taihoku,	1 p.	30.15	..	..	E	4	..
Taichu,	"	29.97	..	..	NW	6	..
Tainan,	"	30.02	..	..	N	6	..
Koshun,	"	30.02	..	..	NE	8	..
Pescadores,	"	30.08	..	..	NE	10	..
Gutzlaff,	3 p.	30.30	50	79	N	3	av
Sharp Peak,	"	30.18	55	77	E	5	o
Amoy,	"	30.09	69	65	NE	2	o
Swatow,	"	30.09	63	..	E	2	b
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	30.07	64	76	ENE	4	b
Victoria Peak,	"	..	..	..	ESE	1	..
Gap Rock,	"	30.06	..	..	ENE	3	..
Macao,	"	..	..	..	.	..	..
Haiphong,	1 p.	..	..	..	.	..	..
Manila,	4 p.	29.80	82	69	NE	1	o
Malate,	3 p.	..	..	..	E	2	o
Bacolod,	"	..	..	..	NE	4	o
Iloilo,	"	29.79	81	..	NE	1	o
Cebu,	"	29.75	84	..	..	0	o
Cape S. James,	"	..	..	..	..	..	..

20th JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	30.18	..	..	N	4	..
Kochi,	"	30.23	..	..	N	3	..
Nagasaki,	"	30.23	..	..	W	2	..
Kagoshima,	"	30.25	..	..	N	2	.
Taihoku,	6 a.	30.11	..	..	E	4	.
Taichu,	"	30.03	..	..	.	0	..
Tainan,	"	30.04	..	..	N	2	..
Koshun,	"	30.02	..	..	[illegible]	[illegible]	..
Pescadores,	"	30.06	..	..	NE	8	..
Gutzlaff,	9 a.	30.30	49	71	ENE	3	.
Sharp Peak,	"	30.19	54	69	W	2	o
Amoy,	"	30.12	62	72	NE	3	o
Swatow,	"	..	..	..	..	..	.
Canton,	"	..	..	.	..	..	.
Hongkong,	10 a.	30.13	64	68	ENE	4	.
Victoria Peak,	"	..	..	..	E	4	.
Gap Rock,	"	30.10	..	..	E	4	.
Macao,	"	30.12	68	..	SSE	3	o
Haiphong,	7 a.	..	..	..	.	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	W	1	b
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.86	79	..	..	0	.
Cebu,	"	29.86	83	..	N	1	b
Cape S. James,	7 a.	..	..	..	NE	1	o

On the 20th at 11 a. The barometer is falling over China, rising over Japan. A depression is passing to the Pacific to the NE. of Japan, and the highest pressure lies over the NE coast of China and W. Japan. Gradients slight to moderate with moderate to fresh monsoon on the coast, and in the N. part of the China Sea. Forecast:—Moderate E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 20th January 1902.

CHINA COAST METEOROLOGICAL REGISTER

20th JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	..	..	..	..		..
Tokio,	"	30.10	..	..	S	4	..
Kochi,	"	30.15	..	..	SE	6	..
Nagasaki,	"	30.11	..	..	SE	4	..
Kagoshima,	"	30.15	..	..	..	0	..
Taihoku,	1 p.	29.96	..	..	E	3	..
Taichu,	"	29.94	..	..	NW	4	..
Tainan,	"	29.97	..	..	N	2	..
Koshun,	"	29.98	..	..		0	..
Pescadores,	"	30.02	..	..	NE	8	..
Cutzleff,	8 p.	30.17	51	72	ENE	4	cv
Sharp Peak,	"	30.15	57	78	NW	2	og
Amoy,	"	30.02	70	66	E	2	c
Swatow,	"	30.15	67	..	E	3	c
Canton,	"	30.10	70	75	W	1	c
Hongkong,	4 p.	30.01	65	74	E	3	s
Victoria Peak,	"	..	..	..	ENE	1	..
Cap Rock,	"	30.00	..	..	ENE	3	..
Macao,	"	30.00	70	..	SSE	2	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	79	92	..	0	o
Malate,	5 p.	..	..	..	..	0	or
Tacolod,	"	..	..	..	NNW	2	c
Iloilo,	"	29.76	85	..	..	0	b
Cebu,	"	29.75	83	..	N	3	b
Cape S. James,	"	..	..	..	SW	1	c

21st JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	29.98	..	..	..	0	..
Kochi,	"	30.07	..	..	..	0	..
Nagasaki,	"	30.11	..	..	..	0	..
Kagoshima,	"	30.07	..	..	NE	4	..
Taihoku,	5 a.	29.98	..	..	W	2	..
Taichu,	"	29.95	..	..	..	0	..
Tainan,	"	29.95	..	..	NE	4	..
Koshun,	"	29.94	..	..	..	0	..
Pescadores,	"	..	..	..	..	..	..
Cutzleff,	9 a.	30.08	49	98	ENE	5	omd
Sharp Peak,	"	30.01	59	88	..	0	o
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.04	64	84	W	1	b
Hongkong,	10 a.	30.06	68	72	..	0	o
Victoria Peak,	"	..	..	..	..	0	..
Cap Rock,	"	30.08	.	..	NE	3	..
Macao,	"	30.05	71	..	SW	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	82	77	NE	1	o
Malate,	9 a.	..	..	..	..	0	b
Tacolod,	"	.	.	..	..	0	b
Iloilo,	"	29.88	81	..	..	0	b
Cebu,	"	29.87	84	..	..	0	b
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 21st at 10.30a. The barometer continues falling rapidly over China and Japan. The highest pressure covers Southern Japan. Gradients are slight for a moderate monsoon in the China Sea. Forecast:— light variable winds; cloudy and misty.

F. G. FIGG,
First Assistant.

Hongkong Observatory Tuesday 21st January 1902.

CHINA COAST METEOROLOGICAL REGISTER.

21st JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	S	4	..
Kochi,	"	29.95	..	..	NE	4	..
Nagasaki,	"	29.99	..	..	..	0	..
Kagoshima,	"	29.91	..	..	..	0	..
Taihoku,	1 p.	29.95	..	..	NW	2	..
Taichu,	"	29.90	..	..	..	0	..
Tainan,	"	29.91	..	..	N	6	..
Koshun,	"	29.88	..	..	N	4	..
Pescadores,	"	29.96	..	..	NE	6	..
Gutzlaff,	3 p.	30.06	49	85	NE	5	cv
Sharp Peak,	"	29.92	60	88	ENE	1	o
Amoy,	"	29.94	65	73	NE	3	o
Swatow,	"	29.90	67	..	E	2	o
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.90	70	68	..	0	o
Victoria Peak,	"	..	..	..	NW	3	..
Cap Rock,	"	29.90	..	..	..	0	..
Macao,	"	29.91	74	..	E	1	e
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	84	77	..	0	c
Malate,	3 p.	..	..	..	..	0	b
Pacoled,	"	..	..	..	NNW	2	b
Iloilo,	"	29.77	84	..	..	0	b
Cebu,	"	29.76	84	..	N	2	c
Cape S. James,	"	..	..	..	ESE	1	o

22nd JANUARY 1902 A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	29.98	..	..	N	2	..
Kochi,	"	29.95	..	..	NW	4	..
Nagasaki,	"	30.03	..	..	..	0	..
Kagoshima,	"	29.95	..	..	N	4	..
Taihoku,	6 a.	30.00	..	..	NE	4	..
Taichu,	"	29.91	..	..	N	4	..
Tainan,	"	29.91	..	..	N	4	..
Koshun,	"	29.89	..	..	NE	8	..
Pescadores,	"	29.98	..	..	NE	10	..
Gutzlaff,	9 a.	30.22	48	78	NNE	4	cv
Sharp Peak,	"	30.12	57	87	E	5	og
Amoy,	"	30.10	62	83	NE	1	o
Swatow,	"	30.12	68	..	E	1	c
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.09	69	68	E	3	b
Victoria Peak,	"	..	..	..	E	4	..
Cap Rock,	"	30.08	..	..	N	2	..
Macao,	"	30.07	74	..	SW	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.88	82	77	NNE	1	c
Malate,	9 a.	..	..	..	..	0	..
Pacoled,	"	..	..	..	..	0	b
Iloilo,	"	29.88	..	..	..	0	b
Cebu,	"	29.88	84	..	N	2	b
Cape S. James,	7 a.	..	..	..	NNW	1	c

On the 22nd at 11.26a The barometer has risen on the China coast, fallen over Japan. Pressure is highest over N. China, lowest over the Pacific to the S. of Japan. Gradients slight to moderate with moderate to fresh monsoon on the coast and over the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory Wednesday 22nd January 1902.

CHINA COAST METEOROLOGICAL REGISTER.

22nd JANUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"		..	..	..	..	..
Taihoku,	1 p.	30.07	..	..	E	8	..
Taichu,	"	29.98	..	..	NW	4	..
Tainan,	"	29.98	..	..	N	4	..
Koshun,	"	29.99	..	..	NE	8	..
Pescadores,	"	30.03	..	..	NE	8	..
Gutzlaff,	3 p.	30.25	49	71	N	3	cv
Sharp Peak,	"	30.13	59	76	NE	6	o
Amoy,	"	30.04	69	56	E	3	b
Swatow,	"	29.94	69	..	E	3	b
Canton,	"	29.99	72	71	N	1	b
Hongkong,	4 p.	30.02	67	84	E	3	b
Victoria Peak,	"	..	..	..	ESE	1	..
Cap Rock,	"	29.99	..	..	E	4	..
Macao,	"	30.01	72	..	SSE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	88	72	SW	1	b
Malate,	3 p.	..	..	..	..	0	b
Bacolod,	"	..	..	..	..	..	c
Iloilo,	"	29.80	84	..	..	0	c
Cebu,	"	29.78	..	..	N	2	c
Cape S. James,	"	..	..	..	ESE	2	c

23rd JANUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	30.27	58	76	NE	2	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.27	66	67	E	1	b
Victoria Peak,	"	..	..	..	E	4	..
Cap Rock,	"	30.26	..	..	ENE	5	..
Macao,	"	30.20	68	..	ENE	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.90	81	..	..	0	c
Cebu,	"	29.91	84	..	N	2	b
Cape S. James,	7 a.	..	..	..	NNE	1	c

On the 23rd at 11.03 a.m. The barometer has risen quickly in South China. Gradients are rather steep for strong monsoon in the North part of the China Sea. Forecast:—fresh NE breeze; fine and colder.

F. G. FIGG,
First Assistant.

Hongkong Observatory Thursday 23rd January 1902.

CHINA COAST METEOROLOGICAL REGISTER

25th JANUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	
Tokio,	"		..	..	..		..
Kochi,	"	..	..	..		..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..		..
Taihoku,	1p	30.23	..		..	0	..
Taichu,	"	30.19	..		NW	2	..
Tainan,	"	30.18		..	N	8	..
Koshun,	"	30.21	..	..	NE	4	..
Pescadores,	"	30.24	..	..	NE	6	..
Gutzlaff,	3p.	..					..
Sharp Peak,	"		..		..	..	..
Amoy,	"	30.23	61		SE	4	b
Swatow,	"			..		..	..
Canton,	"		74	59	SW	1	b
Hongkong,	4p	30.19	64	69	E	3	c
Victoria Peak,	"	..	..	..		0	..
Gap Rock,	"	30.18			E	4	..
Macao,	"	30.19	69	..	SSE	1	c
Haiphong,	1p.	..			..	..	..
Manila,	4p.	29.96	82	63	ENE	1	c
Malate,	3p.	..	..	..		0	o
Bacolod,	"		..	..	N	3	o
Iloilo,	"	29.88	82	..	NE	1	o
Cebu,	"	29.89	82	..	N	3	o
Cape S. James,	"	..			NNE	1	c

26th JANUARY, 1902, A.M.

Wladivostock,	7a.		..	..	..		
Tokio,	6a.	..					
Kochi,	"	..	..			..	
Nagasaki,	"	..				..	
Kagoshima,	"	..					..
Taihoku,	5a.	..			..	..	
Taichu,	"	..		..			
Tainan,	"		..	..	..		..
Koshun,	"	..		..	..	..	..
Pescadores,	"	..			..		..
Gutzlaff,	9a.			..			..
Sharp Peak,	"	..					
Amoy,	"	30.25	58	81	NE	2	c
Swatow,	"	..	..	..	..		..
Canton,	"	..				..	
Hongkong,	10a	30.25	64	71	E	3	c
Victoria Peak,	"			..	E	4	
Gap Rock,	"	30.2[illegible]			ENE	5	..
Macao,	"	30.[illegible]4	69	..	NE	1	c
Haiphong,	7a						..
Manila,	10a	30.00	79	69		0	c
Malate,	9a	..				0	o
Bacolod,	"				N	3	r
Iloilo,	"	29.92	77	..	NE	1	or
Cebu,	"	29.9[illegible]	8[illegible]	..	N	2	o
Cape S. James,	7a.	..	..		ENE	2	c

On the 26th at 11.47 a The barometer is falling over China Pressure is highest in the No[illegible] Gradients moderate for NE winds. Forecast:—moderate Easterly winds; fine.

F. G. FIGG,
First Assistant.

Observatory, Hongkong Sunday 26th January 1902.

CHINA COAST METEOROLOGICAL REGISTER.

26th JANUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	..	..
Taihoku,	1p.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	.	..	..	..	..	..
Gutzlaff,	1p.	30.34	41	75	N	2	bv
Sharp Peak,	"	30.27	54	74	NE	5	g
Amoy	"	30.16	64	68	NE	3	c
Swatow,	"	.	.	..	..	..	..
Canton,	"	30.14	73	57	NE	1	b
Hongkong,	4p	30.12	63	74	E	3	c
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.09	..	..	E	4	..
Macao	"	30.11	69	..	SE	1	b
Haiphong,	1p.	.	..	..	..	..	..
Manila,	4p.	29.92	82	63	SSE	1	o
Malate,	3p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NE	..	o
Iloilo,	"	29.86	80	..	NE	2	o
Cebu,	"	29.83	81	..	N	4	c
Cape S. James,	"	..	..	...	..	..	..

27th JANUARY, 1902, A.M.

Wladivostock,	7a.	..	.	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	.	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	...	..	..
Koshun,	"	..	..	..	...	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	..		..	..	..	..
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..		..	..
Hongkong,	10a.	30.14	64	69	ESE	2	c
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	30.13	..	..	E	5	..
Macao,	"	30.13	68	..	ENE	2	c
Haiphong,	7a.	..	.	..	..	..	..
Manila,	10a.	29.96	77	84	..	0	o
Malate,	9a.	..	..	..	..	.	o
Bacolod,	"	..	..	..	NNE	2	o
Iloilo,	"	29.86	78	..	N	4	o
Cebu,	"	29.88	80	..	..	0	c
Cape S. James,	7a.	..	..	..	NE	2	c

On the 27th at 12.8 p. The barometer is falling in Southern China and all round the China Sea. highest pressure is to the North. Gradients moderate for NE winds in the N. part of the China Sea. cast:—moderate Easterly winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 27th January, 1902.

CHINA COAST METEOROLOGICAL REGISTER.

27th JANUARY, 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..			..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..			..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..		..	..
Taihoku,	1p	..	..		..	..	..
Taichu,	"	..	..		..	..	..
Tainan,	"	..	..	..		.	..
Koshun,	"	..	..	..			..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3p.	..	..		..		..
Sharp Peak,	"	..	..	..		..	..
Amoy,	"	30.09	64	68	E	3	c
Swatow,	"	..	.	..	..	..	..
Canton,	"	30.05	67	64	N	2	o
Hongkong,	4p	30.04	64	73	E	2	c
Victoria Peak,	"	..	..	..	..	0	.
Gap Rock,	"	30.03	..	.	ENE	3	..
Macao,	"	30.04	70	..	ESE	1	c
Haiphong,	1p.	..	..	.	..	..	..
Manila,	4p.	29.84	81	62	..	0	o
Malate,	3p.	..	..	..	E	1	o
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.80	82	..	NE	2	o
Cebu,	"	29.81	81	..	N	3	c
Cape S. James,	"	..	..	..	NE	2	c

28th JANUARY, 1902, A.M.

Wladivostock,	7a.	..		..	..		..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..		..	..
Koshun,	"	..	.	..	..	..	..
Pescadores,	"	..	.	..	..	..	..
Gutzlaff,	9a.	..		..	..	..	..
Sharp Peak,	"		.	.		..	
Amoy,	"	30.13	59	76	NE	2	bm
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..		..	..
Hongkong,	10a	30.14	65	56	ESE	1	o
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.12	.	..	NNE	3	..
Macao,	"	30.13	69	..	NW	2	c
Haiphong,	7a	..	..	..	.	..	..
Manila,	10a	29.92	79	76	.	0	c
Malate,	9a	..	..	..	NE	2	c
Bacolod,	"		.	..	N	2	b
Iloilo,	"	29.88	79	..	NE	1	o
Cebu,	"	29.87	83	..	N	1	c
Cape S. James,	7a.	..	.	..	NNE	2	o

On the 28th at 11.20a. Barometrical changes are unimportant. Gradients are slight to moderate for NE winds. Forecast:—Light or moderate NE breezes; fair.

F. G. FIGG,
First Assistant.

Observatory, Hongkong Tuesday 28th January, 1902.

CHINA COAST METEOROLOGICAL REGISTER.

28th JANUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.95	23	..		0	o
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..		..	..
Taihoku,	1p	..	..		..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	8p.	..	..		..	..	..
Sharp Peak,	"	..	..	..		..	..
Amoy,	"	30.06	62	83	SE	5	c
Swatow,	"	30.05	67	..	E	2	c
Canton,	"	..	..	..	..		..
Hongkong,	4p	30.01	65	71	E	1	c
Victoria Peak,	..	..	..	..	NNW	1	..
Gap Rock,	"	30.00	..	..	E	2	..
Macao,	"	30.00	71	..	ENE	3	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	84	71	WNW	1	c
Mulate,	3p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.76	84	..	NE	1	c
Cebu,	"	29.78	83	..	N	2	c
Cape S. James,	"	..	..	..	E	2	c

29th JANUARY, 1902, A.M.

Wladivostock,	7a.	30.30	3	72	N	5	b
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..		..	..
Koshun,	"	..	.	.	..	..	..
Pescadores,	"	..	.	..	..	..	..
Gutzlaff,	9a.	..			..	..	
Sharp Peak,	"	30.19	56	76	W	2	hv
Amoy,	"	30.17	58	76	NE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	..	30.10	61	94	SE	2	b
Hongkong,	6a	30.14	63	73	E	5	c
Victoria Peak,	"	..	..	..	ESE	5	..
Gap Rock,	"	30.12	..	..	E	5	..
Macao,	..	30.13	66	..	ESE	2	cq
Haiphong,	7a	..	..	..		.	..
Manila,	10a	29.96	79	84	E	1	cr
Mulate,	9a	..	..	..		0	o
Bacolod,	"	..	.	..	NNE	3	o
Iloilo,	"	29.92	71	..	NE	1	o
Cebu,	"	29.95	73	..	N	2	o
Cape S. James,	7a.	..	.	..	NN.	3	o

On the 29th at 11.23 a. The barometer is rising over Southern China. Pressure is highest over North China, and gradients are moderate for NE winds. Forecast:—Fresh NE winds; fine.

F. G. FIGG,
First Assistant.

Observatory, Hongkong Wednesday 29th January 1902.

CHINA COAST METEOROLOGICAL REGISTER

29th JANUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	30.28	18	..	N	3	b
Tokio,	"	30.18	..	..	NE	2	..
Kochi,	"	30.23	..	..	SE	2	..
Nagasaki,	"	30.23	..	..	E	4	..
Kagoshima,	"	30.19	..	..	W	4	..
Taihoku,	1p	30.09	..	..	E	8	..
Taichu,	"	29.90	..	..	.	0	..
Tainan,	"	30.09	..	..	N	2	..
Koshun,	"	30.02	..	..	NE	2	..
Pescadores,	"	30.09	..	..	NE	10	..
Chinkiang,	3p.	30.25	67	63	ESE	2	cv
Sharp Peak,	"	.	..	..	..	..	..
Amoy,	"	30.09	68	66	..	..	c
Swatow,	"	.	.	..	..	..	.
Canton,	"	29.99	73	90	SW	2	c
Hongkong,	4p	30.02	63	74	E	4	b
Victoria Peak,	"	..	..	..	ESE	4	..
Cap Lock,	"	29.98	..	..	E	5	..
Macao,	"	30.05	68	..	SE	2	c
Haiphong,	1p.	.	..	..	..	..	..
Manila,	4p.	29.84	82	77	W	1	c
Malate,	4p.	..	..	..	E	2	b
Bacolod,	"	.	..	..	NNE	2	c
Iloilo,	"	29.81	85	..	NE	2	c
Cebu,	"	29.82	83	..	N	3	c
Cape S. James,	"	..	..	..	ENE	2	c

30th JANUARY, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7a.	30.24	11	82	..	0	o
Tokio,	6a.	30.42	..	..	NW	2	..
Kochi,	"	30.38	..	..	W	2	..
Nagasaki,	"	30.27	..	..	SE	8	..
Kagoshima,	"	30.27	..	..	NE	6	..
Taihoku,	7a.	..	..	..	..	.	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"		.	..	..	.	.
Chinkiang,	8a.	30.18	54	94	SSE	2	cm
Sharp Peak,	"	30.14	60	76	W	2	cg
Amoy,	"	30.13	61	77	W	3	c
Swatow,	"	30.15	65	..	NE	1	b
Canton,	"	30.10	61	94	E	1	o
Hongkong,	6a.	30.12	63	79	NE	2	o
Victoria Peak,	"	..	..	..	E	4	..
Cap Lock,	"	30.10	.	..	ENE	4	..
Macao,	"	30.11	66	..	SSW	1	o
Haiphong,	7a	..	..	..	..	..	..
Manila,	10a	30.00	81	76	W	1	b
Malate,	8a	..	..	..	W	2	b
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.96	81	..	NE	1	o
Cebu,	"	29.98	83	..	N	3	c
Cape S. James,	7a.	..	.	..	NNE	2	c

On the 30th at 11.37 a. The barometer has fallen on the China coast, risen in Japan. Fine high over Japan and a depression is advancing Eastwards over N. China. Forecast:— NE winds, moderate; some rain.

F. G. FIGG,
First Assistant.

Observatory, Hongkong Thursday 30th January 1902.

CHINA COAST METEOROLOGICAL REGISTER.

30th JANUARY, 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	30.23	..	..	S	4	..
Kochi,	,,	30.31	..	..	S	4	..
Nagasaki,	,,	30.11	..	..	SE	10	..
Kagoshima,	,,	30.15	..	..	E	8	..
Taihoku,	1p	29.99	..	.		0	..
Taichu,	,,	29.96	..	.	W	2	..
Tainan,	,,	30.01	..	..	W	4	..
Koshun,	,,	30.01	..	..	E	6	..
Pescadores,	,,	30.01	..	..	N	6	..
Gutzlaff,	2p.	30.02	56	88	SSE	2	cm
Sharp Peak,	,,	29.98	64	70	E	3	b
Amoy	,,	30.01	68	74	SE	4	c
Swatow,	,,	29.99	69	..	SE	2	o
Canton,	,,	29.99	73	90	E	2	c
Hongkong,	4p.	29.98	65	84	E	3	o
Victoria Peak,	,,	..	..	..	SE	2	..
Gap Rock,	,,	29.97	..	..	ENE	3	..
Macao,	,,	29.99	72	..	SE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	86	71	SE	2	o
Malate,	3p.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	NNW	4	c
Iloilo,	,,	29.84	85	..	NE	2	b
Cebu,	,,	29.85	..	..	N	3	b
Cape S. James,	,,	..	..	..	SW	1	c

31st JANUARY, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.10	..	..	NW	2	..
Kochi,	,,	29.95	..	..	SW	4	..
Nagasaki,	,,	29.90	..	..	S	4	..
Kagoshima,	,,	29.95	..	..	..	0	..
Taihoku,	5a.	30.00	..	..	..	0	..
Taichu,	,,	30.01	..	..	..	0	..
Tainan,	,,	29.99	..	..	NE	2	..
Koshun,	,,	29.99	..	..	..	0	..
Pescadores,	,,	30.01	.	..	..	0	..
Gutzlaff,	9a.	30.15	47	100	NW	4	omd
Sharp Peak,	,,	30.12	60	91	W	1	o
Amoy,	,,	30.05	64	84	SW	1	om
Swatow,	,,	30.15	65	..	NE	1	b
Canton,	,,	30.06	63	94	SE	1	c
Hongkong,	10a.	30.05	65	85	E	2	b
Victoria Peak,	,,	..	..	..	S	2	..
Gap Rock,	,,	30.04	..	..	E	4	..
Macao,	,,	30.06	71	..	ESE	1	c
Haiphong,	7a	..	..	..	.	..	..
Manila,	10a	30.00	82	77	W	1	b
Malate,	9a.	..	..	..	..	0	b
Bacolod,	,,		..	..	NNE	3	b
Iloilo,	,,	29.94	72	..	NE	2	c
Cebu,	,,	29.95	89	..	NE	3	c
Cape S. James,	7a.	..	..	..	NE	2	o

On the 31st at 11.47 a. The depression has moved into the W. part of the Sea of Japan. Pressure least and increasing over N. China. Freshening monsoon in the Formosa channel. Forecast:— NE. freshening; fine at first cloudy and misty later.

F. G. FIGG,
First Assistant.

Observatory, Hongkong Friday 31st January 1902.

CHINA COAST METEOROLOGICAL REGIS

31st JANUARY, 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	30.02	20	..	NE	5	c
Tokio,	"	29.82	..	..	NW	2	..
Kochi,	"	29.75	..	..	W	2	..
Nagasaki,	"	29.83	..	..	NW	8	..
Kagoshima,	"	29.87	..	..	NW	6	..
Taihoku,	1p.	29.94	..	..	NW	4	..
Taichu,	"	29.91	..	..	W	4	..
Tainan,	"	29.94	..	..	NW	2	..
Koshun,	"	29.95	..	..	N	4	..
Pescadores,	"	29.96	..	..	N	4	..
Gutzlaff,	3p.	30.10	45	92	N	5	mod
Sharp Peak,	"	29.94	61	88	E	4	o
Amoy,	"	29.93	70	80	SE	5	c
Swatow,	"	29.94	69	..	S	1	c
Canton,	"	29.91	73	72		0	b
Hongkong,	4p.	29.90	71	70	W	1	b
Victoria Peak,	"	..	..	..	SSW	1	..
Gap Rock,	"	29.92	..	..	NNE	1	..
Macao,	"	29.90	72	..	ESE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	86	58	ESE	1	c
Malate,	3p.	..	..	..	E	2	b
Bacolod,	"	..	..	..	N	2	c
Iloilo,	"	29.86	85	..	NE	2	c
Cebu,	"	29.86	84	..	N	3	c
Cape S. James,	"	..	..	..	E	2	c

1st FEBRUARY, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7a.	30.03	0	62	NE	1	b
Tokio,	6a.	29.71	..	..	NW	2	..
Kochi,	"	29.76	..	..	..	0	..
Nagasaki,	"	29.83	..	..	NW	2	..
Kagoshima,	"	29.87	..	..	W	2	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	30.26	33	90	NNW	7	om
Sharp Peak,	"	30.15	52	76	E	6	o
Amoy,	"	30.08	58	76	NE	5	om
Swatow,	"	30.11	60	..	NE	3	o
Canton,	"	30.14	53	67	N	4	o
Hongkong,	10a.	30.08	67	69	NE	1	o
Victoria Peak,	"	.	..	..	ENE	1	..
Gap Rock,	"	30.06	.	..	NW	4	..
Macao,	"	30.10	62	..	N	4	c
Haiphong,	7a	..	..	..	..	..	..
Manila,	10a	30.00	82	70	NW	1	b
Malate,	9a	..	..	..	W	2	b
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.96	..	..	E	1	c
Cebu,	"	29.96	83	..	N	1	c
Cape S. James,	7a.	..	..	..	N	1	o

On the 1st at 11.40a. The barometer has fallen in E Japan, risen over China. The depre[illegible] passed to the East of Japan and a high pressure area is central over N. China. Very strong along the China coast, and increasing pressure over the N. part of the China Sea. Forecast:— strong N and NE winds; cold, much colder.

F. G. FIGG,
First Assistant.

Observatory, Hongkong Saturday 1st February 1902.

HINA COAST METEOROLOGICAL REGISTER.

1st FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	.	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1p.	30.09	..	..	NE	6	..
Taichu,	,,	29.93	..	..	N	6	..
Tainan,	,,	29.96	..	..	N	8	..
Koshun,	,,	29.96	..	..	NE	2	..
Pescadores,	,,	30.03	..	..	NE	8	..
Gutzlaff,	3p.	30.32	28	76	NW	7	cv
Sharp Peak,	,,	30.12	49	82	NE	8	o
Amoy,	,,	30.08	58	70	ENE	6	o
Swatow,	,,		..	..		..	
Canton,	,,	30.07	45	76	NNW	4	o
Hongkong,	4p.	30.06	57	64	NNW	1	o
Victoria Peak,	,,	..	..	..	NNW	6	..
Gap Rock,	,,	30.01	..	..	NNW	7	..
Macao,	,,	30.04	52	..	NNW	4	oq
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	86	65	W	1	b
Malate,	3p.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	NNW	4	c
Iloilo,	,,	29.85	86	..	NE	2	b
Cebu,	,,	29.85	84	..	N	3	b
Cape S. James,	,,	..	..	..	E	2	c

2nd FEBRUARY 1902, A.M.

Wladivostock,	7a.	..	..	..		..	..
Tokio,	6a.	29.67	..	..	N	2	..
Kochi,	,,	29.83	..	..	NW	6	..
Nagasaki,	,,	29.99	..	..	N	2	..
Kagoshima,	,,	29.99	..	..	NW	6	..
Taihoku,	5a.	30.33	..	..	NW	4	..
Taichu,	,,	30.17	..	..	N	6	..
Tainan,	,,	30,11	..	..	N	8	..
Koshun,	,,	30·12	..	..	NE	6	..
Pescadores,	,,	30.23	..	..	NE	10	..
Gutzlaff,	9a.	..	..	..	..	..	..
Sharp Peak,	,,	30.38	46	69	W	2	o
Amoy,	,,	30.33	49	64	N	3	o
Swatow,	,,	..	..	.	..	..	..
Canton,	,,		..	..	..	..	..
Hongkong,	10a.	30.31	48	50	N	1	o
Victoria Peak,	,,	..	..	..	NE	3	..
Gap Rock,	,,	30.29	..	..	NNE	4	..
Macao,	,,	30.36	47	..	NNW	4	oq
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.00	82	77	..	0	c
Malate,	9a.	..	..	..		0	b
Bacolod,	,,	..	..	.	NNW	3	b
Iloilo,	,,	30.00	81	..	NE	1	b
Cebu,	,,	29.94	..	..	.	..	b
Cape S. James,	7a.	..	..	..	ENE	4	c

he 2nd at 12.24.p. The barometer has risen considerably on the coast of China. The anticyclone hina, and pressure remains low to the E. of Japan. Strong monsoon along the China coast, and nsoon over the N. part of the China Sea. Forecast:—moderate N. and NE winds; dull.

F. G. FIGG,
First Assistant.

ongkong Observatory, Sunday 2nd February 1902.

CHINA COAST METEOROLOGICAL REGISTER

2nd FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..		..	..
Tokio,	,,	29.63	..	..	N	2	..
Kochi,	,,	29.87	..	..	W	6	..
Nagasaki,	,,	30.07	..	..	N	8	..
Kagoshima,	,,	30.03	..	..	NW	8	..
Taihoku,	1p.	30.26	..	.	.	0	..
Taichu,	,,	30.19	..	..	N	8	..
Tainan,	,,	30.17	..	..	N	6	..
Koshun,	,,	30.15	..	..	NE	6	..
Pescadores,	,,	30.25	..	..	NE	10	..
Gutzlaff,	9p.	30.37	33	100	NW	5	cm
Sharp Peak,	,,	30.30	40	100	NNE	1	o
Amoy,	,,	30.25	50	65	NNE	4	o
Swatow,	,,	30.29	52	..	N	2	o
Canton,	,,	..	..	.	.	.	..
Hongkong,	4p.	30.23	49	48	N	1	o
Victoria Peak,	,,	..	..	..	NNE	3	..
Gap Rock,	,,	30.21	..	..	NE	4	..
Macao,	,,	30.25	50	..	NW	4	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	88	66	.	0	c
Malate,	3p.	..	..	..	W	2	b
Bacoled,	,,	..	..	..	N	2	b
Iloilo,	,,	29.88	86	..	NE	2	b
Cebu,	,,	29.88	83	..	N	3	b
Cape S. James,	,,	..	..	..	..	..	..

3rd FEBRUARY 1902, A.M.

Wladivostock,	7a.	..	..	..	..		..
Tokio,	6a.	29.98	..	..	..	0	..
Kochi,	,,	30.15	..	..	..	0	..
Nagasaki,	,,	30.19	..	..	N	6	..
Kagoshima,	,,	30.24	..	..	N	2	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9a.	30.52	33	100	NW	6	cm
Sharp Peak,	,,	30.49	64	69	WNW	1	o
Amoy,	,,	30.43	48	63	NNE	4	or
Swatow,	,,	30.38	50	..	N	3	..
Canton,	,,	.	44	53	NE	2	od
Hongkong,	10a.	30.47	46	53	N	1	o
Victoria Peak,	,,	..	..	..	N	3	..
Gap Rock,	,,	30.44	..	..	NNE	5	..
Macao,	,,	30.49	48	..	NNW	2	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.08	86	65	S	1	c
Malate,	9a.	..	..	..	..	0	b
Bacoled,	,,	..	..	.	N	3	c
Iloilo,	,,	30.00	81	..	NE	1	o
Cebu,	,,	30.01	83	.	N	3	b
Cape S. James,	7a.	..	..	..	ENE	4	c

On the 3rd at 11.16a. The barometer continues rising over China and is also rising over Japan. The depression has passed to the Eastward of Japan. The high pressure area still covers China. Strong Northerly winds and heavy mousoon in the North part of the China Sea. Forecast:— Strong Northerly winds; cold and

F. G. FIGG,

First Assistant.

Hongkong Observatory, Monday 3rd February 1902.

HINA COAST METEOROLOGICAL REGISTER.

3rd FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	.
Tokio,	,,	29.98	..	..	SW	2	..
Kochi,	,,	30.23	..	..	W	4	..
Nagasaki,	,,	30.34	..	..	N	6	..
Kagoshima,	,,	30.34	..	..	N	4	..
Taihoku,	1p.	30.46	..	..	NW	6	..
Taichu,	,,	30.31	..	..	N	8	..
Tainan,	,,	30.29	..	..	N	8	..
Koshun,	,,	30.26	..	..	NE	4	..
Pescadores,	,,	30.35	..	..	NE	10	..
Gutzlaff,	3p.	30.51	58	100	NNW	5	cm
Sharp Peak,	,,	30.44	47	63	NE	1	o
Amoy,	,,	30.37	51	52	NNE	4	o
Swatow,	,,	..	..	..	.		..
Canton,	,,	30.46	45	52	NE	2	o
Hongkong,	4p.	30.39	46	37	NE	1	o
Victoria Peak,	,,	..	..	..	N	4	..
Gap Rock,	,,	30.37	..	..	NNE	4	..
Macao,	,,	30.36	47	..	NNW	2	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.96	84	71	E	2	c
Malate,	3p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NE	4	o
Iloilo,	,,	29.95	83	..	E	1	..
Cebu,	,,	29.94	83	..	N	4	b
Cape S. James,	,,	..	..	..	NE	6	c

4th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	.	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.45	..	..	E	2	..
Taichu,	,,	30.32	..	..	N	2	..
Tainan,	,,	30.34	..	..	NE	8	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	30.38	..	..	NE	10	..
Gutzlaff,	9a.	30.59	34	90	NW	3	bm
Sharp Peak,	,,	30.53	48	73	N	3	..
Amoy,	,,	30.45	47	63	N	4	c
Swatow,	,,	30.44	50	..	N	3	o
Canton,	,,	30.50	46	47	NE	3	c
Hongkong,	10a.	30.51	46	47	NNE	2	o
Victoria Peak,	,,	..	..	..	NNE	3	..
Gap Rock,	,,	30.47	..	..	NNE	4	..
Macao,	,,	30.52	47	..	N	3	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	82	63	..	0	c
Malate,	9a.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	NNE	6	o
Iloilo,	,,	30.00	80	..	NE	3	.
Cebu,	,,	30.03	82	..	..	.	c
Cape S. James,	7a.	..	..	..	NNE	1	c

On the 4th at 11.55.a. The barometer has risen slightly on the China coast, and considerably over The anticyclone covering China is spreading over Japan. Moderate monsoon on the China coast avy monsoon over the China Sea Forecast:—moderate N to NE winds; fair

F. G. FIGG,
First Assistant

Observatory, Hongkong Tuesday 4th February 1902.

CHINA COAST METEOROLOGICAL REGIST. C

4th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	.	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1p.	30.45	..	..	..	0	..
Taichu,	"	30.32	..	..	NE	6	..
Tainan,	"	30.31	..	..	N	6	..
Koshun,	"	30.27	..	..	NE	6	..
Pescadores,	"	30.36	..	..	NE	10	..
Gutzlaff,	3p.	30.51	43	36	W	2	cm
Sharp Peak,	"	30.43	48	53	ENE	4	o
Amoy,	"	30.37	53	48	N	4	c
Swatow,	"	30.37	57	..	E	3	b
Canton,	"	30.38	56	35	NE	1	b
Hongkong,	4p.	30.36	54	29	NNE	1	b
Victoria Peak,	"	..	..	..	ENE	1	..
Gap Rock,	"	30.38	..	..	NNE	3	..
Macao,	"	30.35	55	..	N	2	b
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	30.00	..	..	WSW	1	c
Malate,	3p.	..	..	..	W	2	c
Bacolod,	"	..	..	..	NNE	4	c
Iloilo,	"	29.95	83	..	NE	2	o
Cebu,	"	29.93	83	..	N	4	o
Cape S. James,	"	..	..	..	NE	5	o

5th FEBRUARY, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.36	..	..	E	0	..
Taichu,	"	30.30	..	..	N	8	..
Tainan,	"	30.31	..	..	N	2	..
Koshun,	"	30.29	..	..	N	14	..
Pescadores,	"	30.35	..	..	NE	10	..
Gutzlaff,	9a.	..	..	..	..	..	..
Sharp Peak,	"	30·47	49	64	NNW	1	b
Amoy,	"	30.42	48	71	NE	4	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.45	54	31	..	0	b
Victoria Peak,	"	..	..	..	NE	1	..
Gap Rock,	"	30.43	..	..	NE	3	..
Macao,	"	30.46	56	..	N	2	b
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.12	75	84	..	0	c
Malate,	9a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NNE	..	orq
Iloilo,	"	30.01	78	..	NE	2	o
Cebu,	"	30.03	82	..	N	3	c
Cape S. James,	7a.	..	..	..	NNE	2	c

On the 5th at 11.52.a. The barometer is falling in China. The high pressure area still contra Moderate monsoon in S. China, and strong monsoon over the N. part of the China Sea. Forecast moder to light N winds; fine.

F. G. FIGG,
First Assistant.

Observatory, Hongkong Wednesday 5th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

5th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.18	19	..	N	1	b
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	.	..	..
Kagoshima,	,,	..	..	..	.	.	..
Taihoku,	1p.	30.41	..	..	E	2	..
Taichu,	,,	30.28	..	..	N	2	..
Tainan,	,,	30.26	..	..	N	6	..
Koshun,	,,	30.26	..	..	NE	6	..
Pescadores,	,,	30.33	..	..	NE	8	..
Gutzlaff,	3p.	30.46	46	62	W	4	bm
Sharp Peak,	,,	30.41	51	59	E	4	b
Amoy,	,,	30.36	58	42	ENE	4	b
Swatow,	,,	30.37	59	..	SE	3	c
Canton,	,,	30.35	63	33	NE	2	c
Hongkong,	4p.	30.34	58	32	E	1	c
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock,	,,	30.32	..	..	ENE	4	..
Macao,	,,	30.34	68	..	N	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	30.04	81	69	..	0	o
Malate,	3p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NE	.	q
Iloilo,	,,	29.95	..	..	NE	2	..
Cebu,	,,	..	82	..	N	.	c
Cape S. James,	,,	..	..	..	NE	3	c

6th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	.	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9a.	30.46	38	72	N	2	bm
Sharp Peak,	,,	..	..			..	..
Amoy,	,,	30.46	51	72	N	6	c
Swatow,	,,		..	..	..	..	..
Canton,	,,	30.47	55	39	NE	2	c
Hongkong,	10a.	30.46	58	27	E	2	b
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	30.44	..	..	ENE	4	..
Macao,	,,	30.49	61	..	N	1	b
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..		..	..	..
Malate,	9a.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NNE	..	orq
Iloilo,	,,	29.99	78	..	NE	3	c
Cebu,	,,	30.03	80	..	N	2	c
Cape S. James,	7a.	..	..	..	NE	2	c

On the 6th at 12.0.p. The barometer has risen again over N. China. The high pressure area remains over China. Moderate monsoon along the coast, and strong monsoon in the China Sea. Forecast:—Moderate NE breeze; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 6th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

6th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock..	2p.	..	..	..	..	..	..
Tokio, ...	,,	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ..	,,	..	..	..	..	..	..
Taihoku.	1p.	30.47	..	..	NE	8	..
Taichu.	,,	30.28	..	..	N	8	..
Tainan, ...	,,	30.31	..	..	N	6	..
Koshun.	,,	30.30	..	..	NE	10	..
Pescadores, ..	,,	30.36	..	..	NE	10	..
Gutzlaff.	3p.	30.59	42	50	NNW	1	bv
Sharp Peak, ..	,,	30.46	51	56	E	6	b
Amoy, ...	,,	30.37	60	65	ENE	5	b
Swatow, ...	,,	30.38	60	..	NE	1	o
Canton, ..	,,	30.33	68	38	NW	1	b
Hongkong, ...	4p.	30.35	60	39	ESE	1	c
Victoria Peak,..	,,	..	..	..	..	0	..
Gap Rock, ...	,,	30.34	..	..	ENE	4	..
Macao, ...	,,	30.34	65	..	ENE	2	b
Haiphong ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	30.04	84	58	WSW	1	c
Malate, ...	3p.	..	..	..	W	2	o
Bacolod, ...	,,	..	..	..	NNE	.	cmq
Iloilo, ...	,,	29.95	80	..	NE	3	c
Cebu, ...	,,	29.95	83	..	N	3	c
Cape S. James,	,,	..	..	..	NE	3	c

7th FEBRUARY, 1902, A.M.

Wladivostock, .	7a.	..	..	..	..	..	..
Tokio, ...	6a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ..	,,	..	..	..	..	..	..
Taihoku, ...	5a.	30.39	..	..	E	4	..
Taichu, ...	,,	30.31	..	..	..	0	..
Tainan, ...	,,	30.31	..	..	N	2	..
Koshun, ...	,,	30.27	..	..	NE	8	..
Pescadores, ..	,,	30.34	..	..	N	8	..
Gutzlaff.	9a.	30.57	38	82	N	1	bv
Sharp Peak, ..	,,	30.47	49	68	W	2	om
Amoy, ...	,,	30.40	52	93	NE	1	o
Swatow, ...	,,	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	10a.	30.41	58	49	NE	2	o
Victoria Peak, .	,,	..	..	..	E	3	..
Gap Rock, ...	,,	30.39	..	..	ENE	4	..
Macao, ...	,,	30.41	59	..	NNE	1	o
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	30.12	81	69	..	0	o
Malate, ...	9a.	..	..	..	E	1	b
Bacolod, ...	,,	..	..	..	NE	3	o
Iloilo, ...	,,	29.99	77	..	NE	2	o
Cebu, ...	,,	30.07	78	..	N	3	o
Cape S. James,	7a.	..	..	..	NNE	2	b

On the 7th at 12.5.p. The barometer is falling over China. The centre of the high pressure area seems to be moving towards Japan. Gradients are slight on the China coast, but strong monsoon continues over the China Sea. Forecast:—moderate Easterly breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 7th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

7th FEBRUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.28	..	..	NE	4	..
Taichu,	"	30.26	..	..	N	8	..
Tainan,	"	30.27	..	..	N	6	..
Koshun,	"	30.26	..	..	E	6	..
Pescadores,	"	30.31	..	..	NE	10	..
Gutzlaff,	3 p.	..	..	..	..	..	
Sharp Peak,	"	30.27	51	63	E	4	o
Amoy,	"	30.30	57	87	NE	1	o
Swatow,	"	30.34	60	..	E	3	c
Canton,	"	30.30	68	44	N	1	b
Hongkong,	4 p.	30.29	59	58	E	4	c
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.28	..	..	ENE	4	..
Macao,	"	30.30	65	..	E	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	81	69	..	0	o
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NNE	6	o
Iloilo,	"	29.92	80	..	NE	4	o
Cebu,	"	29.97	80	..	N	4	o
Cape S. James,	"	..	..		NNE	2	o

8th FEBRUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6 a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.33	..	..	E	4	..
Taichu,	"	30.22	..	..	..	0	..
Tainan,	"	30.24	..	..	N	2	..
Koshun,	"	30.21	..	..	NE	6	..
Pescadores,	"	30.29	..	..	NE	6	..
Gutzlaff,	9 a.	..	37	81	NW	3	bm
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	30.36	52	93	NE	2	o
Swatow	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.38	61	33	N	2	o
Victoria Peak,	"	..	..	..	NNE	5	..
Gap Rock,	"	30.37	..	..	NE	4	..
Macao,	"	30.38	60	..	N	1	o
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	29.12	77	68	W	1	o
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NNE	6	c
Iloilo,	"	29.96	76	..	NE	2	o
Cebu,	"	30.00	78	..	N	4	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 8th at 12.10.p. Barometric changes are slight. The high pressure area still covers China, and gradients are slight to moderate with moderate monsoon on the coast, and strong monsoon over the China Sea. Forecast:—moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 8th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

8th FEBRUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	NE	2	..
Kochi,	"	30.03	..	..	W	6	..
Nagasaki,	"	30.19	..	..	N	6	..
Kagoshima,	"	30.19	..	..	N	8	..
Taihoku,	1 p.	30.35	..	..	E	4	..
Taichu,	"	30.20	..	..	N	6	..
Tainan,	"	30.22	..	..	N	8	..
Koshun,	"	30.20	..	..	NE	4	..
Pescadores,	"	30.37	..	..	NE	10	..
Gutzlaff,	3 p.	30.40	45	64	NW	1	bv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	"	30.30	59	59	NE	2	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	30.29	64	53	NW	1	c
Hongkong,	4 p.	30.25	63	47	SSW	1	b
Victoria Peak,	"	..	..	..	NW	3	..
Gap Rock,	"	30.26	..	..	ENE	3	..
Macao,	"	30.26	66	..	N	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	30.00	81	56	ESE	..	c
Malate,	3 p.	..	..	..	E	1	o
Bacolod,	"	..	..	..	NE	3	c
Iloilo,	"	29.93	81	..	NE	2	c
Cebu,	"	29.93	82	..	N	3	o
Cape S. James,	"	..	..		..	0	o

9th FEBRUARY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	Ca.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.35	..	..	..	0	..
Taichu,	"	30.24	..	..	N	4	..
Tainan,	"	30.24	..	..	N	4	..
Koshun,	"	30.21	..	..	NE	8	..
Pescadores,	"	30.26	..	..	NE	10	..
Gutzlaff,	9 a.	30.48	30	100	N	2	cm
Sharp Peak,	"	39.41	53	100	WNW	1	b
Amoy,	"	..	48	78	NNE	2	c
Swatow	"	30.41	58	..	NNE	1	c
Canton,	"	30.41	57	46	N	1	c
Hongkong,	10 a.	30.41	60	32	N	1	o
Victoria Peak,	"	..	..	..	NE	5	..
Gap Rock,	"	30.39	..	..	NE	3	..
Macao,	"	30.40	59	..	NNE	1	c
Haiphong,	7 a	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	N	1	b
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	30.03	76	..	NE	2	c
Cebu,	"	30.05	81	..	N	3	c
Cape S. James,	7 a.	..	..	..	NE	2	c

On the 9th at 11.30 a. Barometric changes are slight. The high pressure area still covers China. Gradients are slight to moderate on the China coast, but the monsoon continues strong in the N. part of the China Sea. Forecast:—moderate NE breezes; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 9th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

9th FEBRUARY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	30.15	..	..	NE	3	c
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	..	..	..	..	..	..
Sharp Peak,	"	30.35	53	73	E	5	b
Amoy,	"	30.28	50	79	NNE	2	c
Swatow,	"	30.36	60	..	E	3	b
Canton,	"	30.20	69	56	NW	2	b
Hongkong,	4 p.	30.27	61	44	ESE	2	b
Victoria Peak,	"	..	..	..	..	0	..
Cap Rock,	"	30.28	..	..	E	3	..
Macao,	"	30.28	68	..	NE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.96	79	69		0	o
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NE	6	c
Iloilo,	"	29.96	81	..	E	2	c
Cebu,	"	29.97	81	..	N	2	o
Cape S. James,	"	..	..		..	..	..

10th FEBRUARY, 1902, A. M.

Wladivostock,	7 a.	30.26	—1	67	NE	1	c
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.36	..	..	E	2	..
Taichu,	"	30.25	..	..	N	2	..
Tainan,	"	30.27	..	..	N	4	..
Koshun,	"	30.24	..	..	NE	8	..
Pescadores,	"	30.29	..	..	NE	10	..
Gutzlaff,	9 a.	30.55	44	60	E	3	bv
Sharp Peak,	"	30.46	52	63	W	2	b
Amoy,	"	..	52	73	N	2	b
Swatow,	"	30.40	58	..	NE	2	b
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.44	61	26	ESE	1	b
Victoria Peak,	"	..	..	..	NE	1	..
Cap Rock,	"	30.42	..	..	NE	3	..
Macao,	"	30.45	65	..	NNE	1	b
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	30.12	79	61	..	0	o
Malate,	9 a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NE	3	o
Iloilo,	"	30.05	77	..	E	1	c
Cebu,	"	30.07	79	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	3	o

On the 10th at 12.p. The barometer has risen in China and Japan. Low pressure to the NE of Japan, and the anticyclone still covering China. Moderate monsoon on the China coast, and strong monsoon in the China Sea. Forecast:—moderate NE breeze; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 10th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

10th FEBRUARY, 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	.	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	.	..	..
Kagoshima,	,,	..	..	..	..	.	..
Taihoku,	1p.	30.40	..	.	E	4	..
Taichu,	,,	30.26	..	..	N	6	..
Tainan,	,,	30.27	..	..	NE	6	..
Koshun,	,,	30.31	..	..	NE	4	..
Pescadores,	,,	..	..	..	N	8	..
Gutzlaff,	3p.	30.50	47	48	SE	3	bv
Sharp Peak,	,,	30.39	55	62	E	4	b
Amoy,	,,	30.32	63	89	E	2	b
Swatow,	,,	30.39	63	..	SSE	3	
Canton,	,,	30.32	70	75	N	1	b
Hongkong,	4p.	30.32	61	40	E	2	b
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock,	,,	30.31	..	..	NNE	2	..
Macao,	,,	30.32	68	..	NNE	1	b
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	30.04	82	63	..	0	c
Malate,	3p.	..	..	..	E	1	o
Bacolod,	,,	..	..	..	NE	3	r
Iloilo,	,,	29.96	83	..	NE	2	c
Cebu,	,,	29.99	81	..	N	3	o
Cape S. James,	,,	..	..	..	NNE	2	c

11th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.50	..	..	E	4	..
Taichu,	,,	..	..	..	..	..	..
Tainan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9a.	30.59	41	92	NNW	4	cm
Sharp Peak,	,,	30.56	54	64	W	1	b
Amoy,	,,	30.46	53	67	NNE	4	b
Swatow,	,,	30.50	61	..	NE	2	b
Canton,	,,	..	..	..	..	..	..
Hongkong,	10a.	30.48	61	24	NE	2	b
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	30.46	..	..	NE	4	..
Macao,	,,	..	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.16	79	69	W	1	c
Malate,	9a.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NNE	2	c
Iloilo,	,,	30.06	77	..	NE	2	c
Cebu,	,,	30.05	80	..	N	3	o
Cape S. James,	7a.	..	..	..	NNE	2	c

On the 11th at 10.55.a. The barometer has continued rising in China and Japan. The anticyclone still covers China and the greater part of Japan. Moderate monsoon along the coast, and strong monsoon in the China Sea. Forecast:— moderate NE breeze; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 11th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

11th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1p.	30.47	..	..	E	8	..
Taichu,	,,	30.28	..	..	..	6	..
Tainan,	,,	30.31	..	..	NW	2	..
Koshun,	,,	30.31	..	..	NE	10	..
Pescadores,	,,	30.36	..	..	NE	10	..
Gutzlaff,	3p.	30.61	44	68	N	3	bv
Sharp Peak,	,,	30.44	55	68	E	4	b
Amoy,	,,	30.38	65	78	NE	4	b
Swatow,	,,	30.40	64	..	E	4	b
Canton,	,,	30.36	72	58	NE	2	b
Hongkong,	4p.	30.37	60	50	ESE	4	b
Victoria Peak,	,,	..	..	..	..	0	..
Gap Rock,	,,	30.36	..	..	E	4	..
Macao,	,,	30.38	67	..	SE	1	b
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	30.08	81	69	SSW	1	c
Malate,	3p.	..	..	..		0	o
Bacolod,	,,	..	..	..	NNE	6	c
Iloilo,	,,	29.98	79	..	NE	2	c
Cebu,	,,	29.99	81	..	N	3	c
Cape S. James,	,,	..	..	..	NE	2	f

12th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.39	..	..	E	4	..
Taichu,	,,	30.34	..	..	..	0	..
Tainan,	,,	30.33	..	..	N	4	..
Koshun,	,,	30.32	..	..	NE	6	..
Pescadores,	,,	30.36	..	..	NE	8	..
Gutzlaff,	9a.	30.48	41	66	..	..	cv
Sharp Peak,	,,	30.48	54	64	WNW	1	b
Amoy,	,,	30.42	51	66	SW	4	b
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10a.	30.47	61	22	N	2	b
Victoria Peak,	,,	..	..	..	NE	6	..
Gap Rock,	,,	30.46	..	..	NNE	4	..
Macao,	,,	30.47	64	..	N	1	b
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.12	79	69	..	0	o
Malate,	9a.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NE	6	o
Iloilo,	,,	30.03	77	..	NE	1	o
Cebu,	,,	30.07	79	..	N	..	c
Cape S. James,	7a.	..	..	..	NE	1	f

On the 12th at 11.20.a. The barometer has fallen in N. China. The hight pressure area still extends over central China and Japan. Strong monsoon in the China Sea. Forecast:—moderate Northerly breezes; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 12th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

13th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.29	7	..	N	5	o
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1p.	30.32	..	..	E	6	..
Taichu,	,,	30.24	..	..	N	6	..
Tainan,	,,	30.28	..	..	N	6	..
Koshun,	,,	30.26	..	..	NE	2	..
Pescadores,	,,	30.33	..	..	N	8	..
Gutzlaff,	3p.	30.35	46	62	SW	3	bv
Sharp Peak,	,,	30.30	57	69	E	1	b
Amoy,	,,	30.31	61	50	SE	4	b
Swatow,	,,	30.35	64	..	E	2	b
Canton,	,,	30.32	72	62	NW	1	b
Hongkong,	4p.	30.32	65	40	WSW	1	b
Victoria Peak,	,,	..	..	..	WSW	1	..
Gap Rock,	,,	30.32	..	..	NNE	2	..
Macao,	,,	30.32	70	..	NNW	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	30.00	79	76	SE	1	o
Malate,	3p.	..	..	..		0	o
Bacolod,	,,	..	..	..	NE	3	c
Iloilo,	,,	29.95	81	..	NE	2	c
Cebu,	,,	29.98	81	..	N	4	o
Cape S. James,	,,	..	..	..	NE	2	c

13th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	30.09	2	99	NE	6	o
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.42	..	..	..	0	..
Taichu,	,,	30.32	..	..	N	4	..
Tainan,	,,	30.31	..	..	N	6	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	30.36	..	..	NE	10	..
Gutzlaff,	9a.	30.58	32	79	NW	6	bm
Sharp Peak,	,,	30.52	57	41	E	1	b
Amoy,	,,	30.44	53	54	N	3	b
Swatow,	,,	30.50	60		N	3	b
Canton,	,,	30.48	59	70	N	1	b
Hongkong,	10a.	30.45	61	17	N	3	b
Victoria Peak,	,,	..	..	..	NE	5	..
Gap Rock,	,,	30.42	..	..	NE	5	..
Macao,	,,	30.46	64	..	N	1	b
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.12	81	69		0	o
Malate,	9a.	..	..	..	E	2	c
Bacolod,	,,	..	..	..	NNE	3	b
Iloilo,	,,	30.02	77	..	NE	2	c
Cebu,	,,	30.07	79	..	N	3	o
Cape S. James,	7a.	..	..	..	..	0	f

On the 13th at 11.32.a. The barometer has again risen in China. In the North a depressure seems to have passed from the continent into the Sea of Japan. The high pressure area still covers China. Fresh monsoon on the China coast, and strong monsoon in the China Sea. Forecast:—moderate N. to NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 13th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

13th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	.	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1p.	30.44	..	..	NE	6	..
Taichu,	,,	30.27	..	..	N	8	..
Tainan,	,,	30.28	..	..	N	8	..
Koshun,	,,	30.27	..	..	NE	8	..
Pescadores,	,,	30.35	..	..	NE	10	..
Gutzlaff,	3p.		..		..		..
Sharp Peak,	,,	30.41	53	51	E	3	b
Amoy,	,,	30.34	65	85	E	4	b
Swatow,	,,	30.35	64	..	E	4	b
Canton,	,,	..	..	..	..	..	..
Hongkong,	4p.	30.30	64	30	ESE	2	b
Victoria Peak,	,,	..	..	..	NE	3	..
Gap Rock,	,,	30.30	..	..	E	4	..
Macao,	,,	30.30	71	..	N	2	b
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	30.04	75	91	..	0	o
Malate,	3p.	..	..	..	.	0	o
Bacolod,	,,	..	..	..	NNE	6	c
Iloilo,	,,	29.94	80	..	NE	2	o
Cebu,	,,	29.97	80	..	N	2	c
Cape S. James,	,,	..	..	..	NE	1	b

14th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.52	..	..	E	2	..
Taichu,	,,	30.36	..	..	..	8	..
Tainan,	,,	30.36	..	..	N	4	..
Koshun,	,,	30.33	..	..	NE	10	..
Pescadores,	,,	30.39	..	..	NE	10	..
Gutzlaff,	9a.	30.62	36	61	NW	3	bm
Sharp Peak,	,,	30.57	52	60	NNW	1	b
Amoy,	,,	30.48	52	60	N	5	bm
Swatow,	,,	30.52	59		NE	4	b
Canton,	,,	30.43	59	76	N	1	b
Hongkong,	10a.	30.42	59	34	E	3	b
Victoria Peak,	,,	..	..	..	E	5	..
Gap Rock,	,,	30.40	..	..	ENE	5	.
Macao,	,,	30.48	62	..	NE	1	b
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.16	77	64	..	0	o
Malate,	9a.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NE	6	o
Iloilo,	,,	30.06	78	..	NE	3	c
Cebu,	,,	30.09	77	..	N	2	b
Cape S. James,	7a.	..	..	..	NNE	1	f

On the 14th at 11.[illegible] a. The barometer has risen in N. China, fallen in E. Japan. The depression is passing to the E. of Japan. The high pressure area still covers China. Fresh monsoon in S. China, strong monsoon over the China Sea. Forecast:—fresh NE breeze; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 14th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

14th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1p.	30.47	..	..	NE	8	..
Taichu,	,,	30.28	..	..	N	6	..
Taiwan,	,,	30.29	..	..	N	4	..
Koshun,	,,	30.35	..	..	E	8	..
Pescadores,	,,	30.35	..	..	NE	10	..
Gutzlaff,	3p.	30.55	45	39	NE	1	bm
Sharp Peak,	,,	30.48	51	52	E	4	b
Amoy,	,,	30.37	51	72	NE	5	b
Swatow,	,,	30.36	63	..	E	5	b
Canton,	,,	30.31	73	81	N	1	b
Hongkong,	4p.	30.33	60	54	E	3	c
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock,	,,	30.31	..	..	ENE	5	..
Macao,	,,	30.28	64	..	SE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	30.04	79	61	E	3	p
Malate,	3p.	..	..	..	E	4	c
Bacolod,	,,	..	..	..	NE	3	b
Iloilo,	,,	29.97	81	..	NE	3	c
Cebu,	,,	30.01	81	..	N	3	o
Cape S. James,	,,	..	..	..	ENE	1	b

15th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	,,	..	..	..	..	..	..
Taiwan,	,,	..	..	..	..	..	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,		..	..	..	.	..
Gutzlaff,	9a.	30.48	45	68	S	4	cm
Sharp Peak,	,,	30.46	52	56	W	2	c
Amoy,	,,	30.44	50	65	SW	4	bm
Swatow,	,,	30.46	63	..	N	3	b
Canton,	,,			..	..	..	..
Hongkong,	10a.	30.40	60	42	E	4	c
Victoria Peak,	,,	..	..	..	E	6	..
Gap Rock,	,,	30.37	..	..	ENE	6	..
Macao,	,,	30.40	67	..	NE	2	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..			
Malate,	9a.	..	..	..	E	3	o
Bacolod,	,,	..	..	..	NE	4	b
Iloilo,	,,	30.10	76	..	E	2	o
Cebu,	,,	30.13	78	..	N	4	c
Cape S. James,	7a.	..	..	..	NE	1	c

On the 15th at 11.12.a. The barometer has fallen considerably in N. China, risen much in Japan. The high pressure area covers S. China and W. Japan. Decreasing monsoon in the China Sea. Forecast:—fresh to moderate E. breezes, fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 15th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

15th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..		..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1p.	30.33	..	..	SE	2	..
Taichu,	"	30.28	..	..	NW	2	..
Tainan,	"	30.31	..	..	W	6	..
Koshun,	"	30.32	..	..	E	6	..
Pescadores,	"	30.31	..	..	N	8	..
Gutzlaff,	3p.	30.35	51	59	SSE	4	cv
Sharp Peak,	"	30.33	59	61	E	3	c
Amoy,	"	30.32	63	62	SE	2	b
Swatow,	"	30.35	65	..	E	3	b
Canton,	"	30.28	73	81	..	0	b
Hongkong,	4p.	30.29	63	54	E	3	b
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.26	..	..	E	4	..
Macao,	"	30.29	66	..	SSE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	30.08	79	55	E	4	c
Malate,	3p.	..	..	..	NE	3	o
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	30.00	78	..	NE	3	o
Cebu,	"	30.04	79	..	N	4	c
Cape S. James,	"	..	..	..	NE	1	c

16th FEBRUARY 1902, A.M.

Wladivostock,	7a.	..	..	..		..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.33	..	..	..	0	..
Taichu,	"	30.33	..	..	..	0	..
Tainan,	"	30·33	..	..	N	2	..
Koshun,	"	30.30	..	..	E	6	..
Pescadores,	"	30.33	..	..	N	4	..
Gutzlaff,	9a.	30.38	47	85	SW	3	cv
Sharp Peak,	"	30.36	57	69	NW	3	b
Amoy,	"	..	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.37	66	63	ESE	1	b
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	30.35	..	..	NE	4	..
Macao,	"	30.37	70	..	NE	1	b
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.12	75	67	N	1	c
Malate,	9a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NE	6	o
Iloilo,	"	30.09	74	..	E	1	o
Cebu,	"	30.09	78	..	..	0	.
Cape S. James,	7a.	..	..	..	NE	2	o

On the 16th at 11.57.a. The barometer has fallen generally, except in NE Japan. Pressure remains high between S. China and Japan, and a slight depression is probably moving Eastwards over NE China. Gradients are slight in S. China. Fresh monsoon in the China Sea. Forecast:—E to N winds, light or moderate; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 16th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

16th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	.	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1p.	30.29	..	..	N	2	..
Taichu,	,,	30.24	..	..	N	2	..
Tainan,	,,	30.26	..	..	N	4	..
Koshun,	,,	30.26	..	..	E	6	..
Pescadores,	,,	30.30	..	..	N	6	..
Gutzlaff,	3p.	30.33	55	44	..	0	bm
Sharp Peak,	,,	30.26	59	76	E	1	b
Amoy,	,,	30.25	66	54	ESE	1	b
Swatow,	,,	30.29	67	..	E	4	b
Canton,	,,	30.24	78	82	W	1	b
Hongkong,	4p.	30.25	66	63	E	2	b
Victoria Peak,	,,	..	..	..	..	0	..
Gap Rock,	,,	30.23	..	..	NE	2	..
Macao,	,,	30.24	72	..	SSE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	30.04	81	85	NE	2	c
Malate,	3p.	..	..	..	E	3	o
Bacolod,	,,	..	..	..	NE	4	c
Iloilo,	,,	29.96	78	..	NE	2	c
Cebu,	,,	29.97	81	..	N	2	o
Cape S. James,	,,	..	..	..	..	..	..

17th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	29.94	..	..	NW	6	..
Kochi,	,,	30.15	..	..	..	0	..
Nagasaki,	,,	30.34	..	..	N	6	..
Kagoshima,	,,	30.31	..	..	N	6	..
Taihoku,	5a.	30.33	..	..	..	0	..
Taichu,	,,	30.28	..	..	..	0	..
Tainan,	,,	30.29	..	..	NE	2	..
Koshun,	,,	30.25	..	..	NE	6	..
Pescadores,	,,	30.30	..	..	NE	6	..
Gutzlaff,	9a.	30.57	45	61	NE	4	b
Sharp Peak,	,,	30·43	58	61	W	1	b
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10.a.	30.37	66	44	E	3	b
Victoria Peak,	,,	..	..	..	ESE	3	..
Gap Rock,	,,	30.36	..	..	ENE	3	..
Macao,	,,	30.36	70	..	SSE	1	b
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.16	79	61	N	1	c
Malate,	9a.	..	..	..	E	2	b
Bacolod,	,,	..	..	..	NE	4	c
Iloilo,	,,	30.05	75	..	NE	3	o
Cebu,	,,	30.06	80	..	N	3	o
Cape S. James,	7a.	..	..	..	NE	2	c

On the 17th at 11.10.a. The barometer has risen quickly in N. China, fallen much in E. Japan. Pressure is again high over N. China and the depression has passed to the E. of Japan. Fresh monsoon along the coast and in the China Sea. Forecast:—fresh NE breezes; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 17th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

17th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	29.98	..	..	NW	6	..
Kochi,	,,	30.23	..	..	N	4	..
Nagasaki,	,,	30.34	..	..	N	6	..
Kagoshima,	,,	30.31	..	..	NW	8	..
Taihoku,	1p.	30.22	..	..	NE	8	..
Taichu,	,,	30.24	..	..	S	2	..
Tainan,	,,	30.26	..	..	NW	4	..
Koshun,	,,	30.29	..	..	NE	6	..
Pescadores,	,,	30.29	..	..	N	10	..
Gutzlaff,	3p.	30.50	45	61	NE	4	bv
Sharp Peak,	,,	30.34	59	59	NE	4	b
Amoy,	,,	30.26	66	45	NE	5	c
Swatow,	,,	30.29	76	..	E	3	b
Canton,	,,	30.23	77	82	S	2	b
Hongkong,	4p.	30.25	63	69	E	4	b
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock,	,,	30.23	..	..	E	4	..
Macao,	,,	30.25	70	..	E	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	30.04	82	57	NW	1	c
Malate,	3p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NNW	4	c
Iloilo,	,,	29.96	81	..	NE	1	o
Cebu,	,,	29.98	81	..	N	4	c
Cape S. James,	,,	..	..	..	NE	3	c

18th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.29	..	..	E	4	..
Taichu,	,,	30.23	..	..	..	0	..
Tainan,	,,	30.23	..	..	E	2	..
Koshun,	,,	30.22	..	..	NE	4	..
Pescadores,	,,	30.23	..	..	NE	8	..
Gutzlaff,	9a.	30.48	45	76	ESE	3	ov
Sharp Peak,	,,	30.37	56	69	WNW	2	c
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	30.34	64		W	1	b
Canton,	,,	30.32	63	83	E	1	b
Hongkong,	10.a.	30.34	62	61	E	4	b
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock,	,,	30.30	..	..	E	4	..
Macao,	,,	30.33	68	..	NE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.12	81	56	ENE	1	c
Malate,	9a.	..	..	..	..	0	c
Bacolod,	,,	..	..	..	NNE	6	o
Iloilo,	,,	30.02	78	..	NE	3	c
Cebu,	,,	30.03	82	..	N	2	b
Cape S. James,	7a.	..	..	..	NE	2	c

On the 18th at 11.50.a. The barometer has fallen slightly over China. Pressure is still high between China and Japan. Decreasing monsoon on the coast and in the China Sea. Forecast:—moderate NE to E breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 18th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	30.14	..	..	S	2	..
Kochi,	,,	30.23	..	..	SE	4	..
Nagasaki,	,,	30.34	..	..	W	6	..
Kagoshima,	,,	30.31	..	..	SW	4	..
Taihoku,	1p.	30.23	..	..	NE	6	..
Taichu,	,,	30.18	..	..	N	4	..
Tainan,	,,	30.21	..	..	NW	6	..
Koshun,	,,	30.22	..	..	E	6	..
Pescadores,	,,	30.25	..	..	NW	8	..
Gutzlaff,	3p.	30.41	46	84	ESE	2	cv
Sharp Peak,	,,	30.30	57	72	E	4	o
Amoy,	,,	30.32	64	68	SE	..	b
Swatow,	,,	30.20	66	..	E	3	b
Canton,	,,	30.18	76	82	..	0	b
Hongkong,	4p.	30.21	63	70	E	4	b
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	30.19	..	..	ENE	4	..
Macao,	,,	30.21	68	..	SE	1	b
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	30.00	82	57	W	2	o
Malate,	3p.	..	..	..	E	2	o
Bacolod,	,,	..	..	..	NNW	4	c
Iloilo,	,,	29.95	84	..	NE	1	b
Cebu,	,,	29.93	83	..	N	2	c
Cape S. James,	,,	..	..	..	NE	1	b

19th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.02	..	..	NW	4	..
Kochi,	,,	30.27	..	..	W	4	..
Nagasaki,	,,	30.34	..	..	N	2	..
Kagoshima,	,,	30.34	..	..	NW	4	..
Taihoku,	5a.	30.23	..	..	NE	2	..
Taichu,	,,	30.21	..	..	..	0	..
Tainan,	,,	30.21	..	..	N	2	..
Koshun,	,,	30.19	..	..	NE	2	..
Pescadores,	,,	..	..	..	..	..	..
Gutzlaff,	9a.	30.45	44	84	ENE	3	ov
Sharp Peak,	,,	30.33	57	72	E	1	o
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	30.34	63	..	SW	2	b
Canton,	,,	..	..	..	..	..	..
Hongkong,	10.a.	30.29	63	72	E	3	b
Victoria Peak,	,,	..	..	..	ESE	3	..
Gap Rock,	,,	30.25	..	..	ESE	4	..
Macao,	,,	30.26	67	..	SSE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.12	79	55	WNW	2	b
Malate,	9a.	..	..	..	..	.	b
Bacolod,	,,	..	..	..	NE	4	c
Iloilo,	,,	30.04	77	..	NE	3	c
Cebu,	,,	30.03	82	..	N	1	o
Cape S. James,	7a.	..	..	..	NE	2	c

On the 19th at 11.42.a. The barometer has fallen slightly in China, and considerably in E. Japan. Pressure still high between China and Japan. A depression has passed to the E. of Japan. Moderate monsoon on the coast and in the N. part of the China Sea. Forecast:—moderate E breezes; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 19th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

19th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	30.06	..	..	N	6	..
Kochi,	,,	30.19	..	..	NE	6	..
Nagasaki,	,,	30.27	..	..	SE	6	..
Kagoshima,	,,	30.27	..	..	SE	2	..
Taihoku,	1p.	30.20	..	..	W	8	..
Taichu,	,,	30.13	..	..	N	8	..
Tainan,	,,	30.17	..	..	N	6	..
Koshun,	,,	30.17	..	..	E	6	..
Pescadores,	,,	30.21	..	..	N	4	..
Gutzlaff,	2p.	30.41	44	92	N	2	cgv
Sharp Peak,	,,	30.25	56	72	E	6	o
Amoy,	,,	30.22	63	83	SE	4	b
Swatow,	,,	30.20	67	..	E	3	b
Canton,	,,	30.17	79	82	N	1	b
Hongkong,	4p.	30.18	65	68	E	1	b
Victoria Peak,	,,	..	..	..	..	0	..
Gap Rock,	,,	30.18	..	..	E	4	..
Macao,	,,	30.17	71	..	SE	1	b
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	30.00	81	62	WSW	1	c
Malate,	3p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NNW	2	c
Iloilo,	,,	29.94	82	..	NE	2	c
Cebu,	,,	29.92	82	..	N	2	c
Cape S. James,	,,	..	..	..	NE	1	c

20th FEBRUARY, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.33	..	..	..	0	..
Kochi,	,,	30.27	..	..	..	0	..
Nagasaki,	,,	30.27	..	..	..	0	..
Kagoshima,	,,	30.27	..	..	NE	2	..
Taihoku,	5a.	30.29	..	..	NE	4	..
Taichu,	,,	30.20	..	..	N	4	..
Tainan,	,,	30.20	..	..	N	4	..
Koshun,	,,	30.17	..	..	NE	4	..
Pescadores,	,,	30.26	..	..	N	8	..
Gutzlaff,	9a.	30.46	42	83	NNW	2	bm
Sharp Peak,	,,	30.29	55	80	E	4	c
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	30.31	63	..	NE	3	o
Canton,	,,	.	..	..	..	..	..
Hongkong,	10.a.	30.31	65	63	ESE	2	b
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	30.30	..	..	ENE	4	..
Macao,	,,	30.32	66	..	NNE	1	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.08	77	61	W	1	c
Malate,	9a.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	NNE	3	o
Iloilo,	,,	30.03	77	..	NE	..	..
Cebu,	,,	30.02	79	..	N	2	b
Cape S. James,	7a.	..	..	..	..	.	..

On the 20th at 11.12.a. The barometer has risen considerably in E. Japan, and slightly in China. The depression has moved away from E. Japan into the Pacific. The high pressure area again covers China. Freshening monsoon in the N. part of the China Sea. Forecast:—moderate NE breezes; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 20th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

20th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.16	31	..	SW	1	b
Tokio,	,,	30.30	..	..	N	2	..
Kochi,	,,	30.19	..	..	SW	2	..
Nagasaki,	,,	30.23	..	..	W	6	..
Kagoshima,	,,	30.19	..	..	W	4	..
Taihoku,	1p.	30.30	..	..	E	4	..
Taichu,	,,	30.17	..	..	N	8	..
Tainan,	,,	30.15	..	..	N	4	..
Koshun,	,,	30.17	..	..	NE	8	..
Pescadores,	,,	30.22	..	..	NE	10	..
Gutzlaff,	3p.	30.19	46	69	N	1	lm
Sharp Peak,	,,	30.29	58	67	ENE	4	b
Amoy,	,,	30.34	64	58	ENE	4	c
Swatow,	,,	30.25	66	..	E	3	b
Canton,	,,	30.20	72	85	.	0	b
Hongkong,	4p.	30.21	64	73	ESE	2	b
Victoria Peak,	,,	..	..	..	NE	1	..
Gap Rock,	,,	30.19	..	..	ENE	3	..
Macao,	,,	30.20	71	..	ESE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.96	84	52	SE	1	..
Malate,	3p.	..	..	..	E	1	c
Bacolod,	,,	..	..	..	N	3	c
Iloilo,	,,	29.92	82	..	NE	1	b
Cebu,	,,	29.92	81	..	N	3	b
Cape S. James,	,,	..	..	..	NE	3	c

21st FEBRUARY, 1902, A.M.

Wladivostock,	7a.	30.28	14	77	NE	2	b
Tokio,	6a.	30.22	..	..	N	2	..
Kochi,	,,	30.27	..	..	W	2	..
Nagasaki,	,,	30.27	..	..	..	0	..
Kagoshima,	,,	30.31	..	..	N	4	..
Taihoku,	5a.	30.31	..	..	E	2	..
Taichu,	,,	30.21	..	..	..	0	..
Tainan,	,,	30.20	..	..	NE	2	..
Koshun,	,,	30.19	..	..	E	8	..
Pescadores,	,,	30.23	..	..	NE	10	..
Gutzlaff,	9a.	30.50	45	84	NE	2	cm
Sharp Peak,	,,	30.41	56	69	WSW	1	b
Amoy,	,,	..	..	..	..	..	.
Swatow,	,,	30.39	64	..	E	3	b
Canton,	,,	30.35	64	84	..	0	..
Hongkong,	10a.	30.34	63	57	E	3	b
Victoria Peak,	,,	..	..	..	E	3	..
Gap Rock,	,,	30.32	..	..	E	5	..
Macao,	,,	30.34	68	..	SSE	1	b
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.12	77	51	NE	1	c
Malate,	9a.	..	..	..	..	0	c
Bacolod,	,,	..	..	..	NE	3	b
Iloilo,	,,	30.04	76	..	NE	1	c
Cebu,	,,	30.04	80	..	N	3	c
Cape S. James,	7a.	..	..	..	NE	1	c

On the 21st at 11.55.a. The barometer has risen slightly in China, fallen in E. Japan. Pressure remains high over China with moderate monsoon on the coast and fresh monsoon in the China Sea. Forecast:—Moderate NE winds; fine.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 21st February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

21st FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.28	30	..	N	4	b
Tokio,	"	30.18	..	..	S	4	..
Kochi,	"	30.19	..	..	W	4	..
Nagasaki,	"	30.27	..	..	SW	6	..
Kagoshima,	"	30.23	..	..	NW	6	..
Taihoku,	1p.	30.35	..	..	E	6	..
Taichu,	"	30.21	..	..	N	2	..
Tainan,	"	30.24	..	..	W	4	..
Koshun,	"	30.24	..	..	E	8	..
Pescadores,	"	30.27	..	..	N	10	..
Gutzlaff,	3p.	30.46	50	58	NE	2	bv
Sharp Peak,	"	30.36	57	61	E	5	b
Amoy,	"	.	67	50	ENE	5	b
Swatow,	"	..	66	..	E	3	b
Canton,	"	30.23	77	65	SW	2	b
Hongkong,	4p.	30.25	63	63	E	4	b
Victoria Peak,	"	..	..	..	ESE	4	..
Gap Rock,	"	30.23	..	..	E	5	..
Macao,	"	30.25	69	..	E	2	b
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	30.04	81	50	NE	1	c
Mulate,	3p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NNE	4	o
Iloilo,	"	29.98	81	..	NE	2	o
Cebu,	"	29.97	80	..	N	2	c
Cape S. James,	"	..	..	..	NE	2	c

22nd FEBRUARY 1902, A.M.

Wladivostock,	7a.	30.30	11	95	.	0	b
Tokio,	6a.	30.33	..	..	NW	2	..
Kochi,	"	30.31	..	..	W	2	..
Nagasaki,	"	30.38	..	..	..	0	..
Kagoshima,	"	30.31	..	..	N	4	..
Taihoku,	5a.	30.38	..	..	E	6	..
Taichu,	"	30.27	..	..		0	..
Tainan,	"	30.28	..	..	E	2	..
Koshun,	"	30·28	..	..	E	8	..
Pescadores,	"	30.29	..	..	NE	6	..
Gutzlaff,	9a.	30.52	48	78	SE	2	bv
Sharp Peak,	"	30.46	56	65	WNW	2	b
Amoy,	"	.	..	..	..	..	..
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.38	61	50	E	5	b
Victoria Peak,	"	..	..	..	ESE	7	..
Gap Rock,	"	30.34	..	..	E	5	.
Macao,	"	30.38	66	..	ESE	2	b
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	80,16	81	43	ENE	1	c
Mulate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NNE	6	o
Iloilo,	"	30.04	74	..	NE	3	c
Cebu,	"	30.09	79	..	N	2	b
Cape S. James,	7a.	..	..	..	NE	2	c

On the 22nd at 11.32.a. The barometer has risen quickly in E. Japan. The high pressure area still lies over China. Moderate monsoon along the coast, fresh monsoon in the China Sea. Forecast:— fresh E. breeze; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 22nd February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

22nd FEBRUARY, 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..		..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	.	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1p.	30.35	..	..	E	8	..
Taichu,	"	..	..	..	W	2	..
Tainan,	"	30.30	..	..	W	6	..
Koshun,	"	30.32	..	..	NE	6	..
Pescadores,	"	30.31	..	..	NE	6	..
Gutzlaff,	3p.	30.47	53	67	SSE	2	bv
Sharp Peak,	"	30.39	58	70	NE	3	b
Amoy,	"	30.30	67	46	NE	5	b
Swatow,	"	30.24	68	..	E	4	b
Canton,	"	30.32	79	87	SE	2	b
Hongkong,	4p.	30.31	63	67	E	4	c
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.27	..	..	ENE	5	..
Macao,	"	30.30	68	..	ESE	3	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	30:08	77	61	NE	2	o
Malate,	3p.	..	..	..	E	4	o
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	30.01	79	..	E	2	c
Cebu,	"	30.03	81	..	N	3	c
Cape S. James,	"	..	..	..	NE	3	c

23rd FEBRUARY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.34	..	..	SE	8	..
Taichu,	"	30.29	..	..	..	0	..
Tainan,	"	30.32	..	..	..	0	..
Koshun,	"	30.33	..	..	NE	4	..
Pescadores,	"	30.33	..	..	NE	6	..
Gutzlaff,	9a.	30.44	50	79	SSE	4	bv
Sharp Peak,	"	30.37	58	76	N	1	b
Amoy,	"	.	..	..	..	..	.
Swatow,	"	30.39	64	..	N	1	b
Canton,	"	30.33	64	73	SE	1	b
Hongkong,	10a.	30.36	63	61	ENE	3	c
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	30.33	..	..	E	5	..
Macao,	"	30.37	67	..	E	2	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.20	77	54	NE	2	b
Malate,	9a.	..	..	..	E	2	c
Bacolod,	"	..	..	..	NE	4	b
Iloilo,	"	30.10	75	..	NE	3	b
Cebu,	"	30.13	80	..	N	4	b
Cape S. James,	7a.	..	..	..	NNE	1	o

On the 23rd at 12.15.p. The barometer has fallen in N. China, risen in Japan. The high pressure area is central in SW Japan. Decreasing monsoon on the coast and in the China Sea. Forecast:—moderate to light Easterly winds; cloudy.

F. G. FIGG,
First Assistant

Hongkong Observatory, Sunday 23rd February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

23rd FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1p.	30.28	..	..	E	6	..
Taichu,	,,	30.25	..	..	W	4	..
Tainan,	,,	30.23	..	..	W	6	..
Koshun,	,,	30.28	..	..	E	8	..
Pescadores,	,,	30.29	..	..	N	6	..
Gutzlaff,	3p.	30.31	53	73	S	5	cv
Sharp Peak,	,,	30.30	63	67	N	2	c
Amoy,	,,	30.18	64	68	SE	5	b
Swatow,	,,	30.27	68	..	E	3	b
Canton,	,,		..	..	.	..	.
Hongkong,	4p.	30.24	66	54	E	3	o
Victoria Peak,	,,	..	..	..	E	2	..
Gap Rock,	,,	30.22	..	..	ENE	4	..
Macao,	,,	30.26	70	..	ESE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	30.08	81	43	E	2	c
Malate,	3p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NE	4	o
Iloilo,	,,	30.00	79	..	E	3	o
Cebu,	,,	30.01	80	..	N	4	b
Cape S. James,	,,	..	..	..	..	..	..

24th FEBRUARY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.20	..	..	..	0	..
Taichu,	,,	30.20	..	..	..	0	..
Tainan,	,,	30,18	..	..	..	0	..
Koshun,	,,	30·18	..	..	E	6	..
Pescadores,	,,	30.18	..	..	NE	2	..
Gutzlaff,	9a.	30.17	52	93	SW	2	cgv
Sharp Peak,	,,	30.18	62	73	..	0	c
Amoy,	,,			..	..	..	..
Swatow,	,,	30.29	64	..	NE	2	b
Canton,	,,	30.21	64	89	.	0	o
Hongkong,	10a.	30.21	67	64	E	2	c
Victoria Peak,	,,	..	..	..	SSE	3	..
Gap Rock,	,,	30.20	..	..	E	3	..
Macao,	,,	30.21	71	..	SE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.08	75	68	W	2	c
Malate,	9a.	..	..	..	W	2	b
Bacolod,	,,	..	..	..	N	3	b
Iloilo,	,,	30.05	75	..	NE	2	b
Cebu,	,,	30.07	78	..	..	0	b
Cape S. James,	7a.	..	..	..	NE	3	c

On the 24th at 11.25.a. The barometer has fallen considerably over China, owing to a depression to the North. Gradients slight in S. China. Moderate monsoon over the N. part of the China Sea. Forecast:— E or varying winds, light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 24th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

24th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku.	1p.	30.12	..	..	SW	2	..
Taichu.	,,	30.10	..	..	NW	2	..
Tainan,	,,	30.13	..	..	W	6	..
Koshun,	,,	30.12	..	..	E	6	..
Pescadores,	,,	30.15	..	..	NW	4	..
Gutzlaff,	8p.	30.10	53	93	SW	3	cv
Sharp Peak,	,,	30.09	60	76	.	0	og
Amoy,	,,	30.12	66	64	SE	3	c
Swatow,	,,	30.14	61	..	S	3	b
Canton,	,,	..	..				
Hongkong,	4p.	30.10	66	78	E	1	c
Victoria Peak,	,,	..	..	..	SSE	4	..
Gap Rock,	,,	30.10	..	..	NE	3	..
Macao,	,,	30.10	71	..	SSE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.96	79	61	NNW	1	o
Malate,	3p.	..	..	..	N	2	o
Bacolod,	,,	..	..	..	NNE	4	b
Iloilo,	,,	29.92	80	..	NE	2	b
Cebu,	,,	29.93	79	..	N	2	b
Cape S. James,	,,	..	..	..	NE	2	c

25th FEBRUARY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.13	..	..	..	0	..
Taichu,	,,	..	..	..	..	0	..
Tainan,	,,	30.10	..	..	E	2	..
Koshun,	,,	30·10	..	..	E	2	..
Pescadores,	,,	30.10	..	..	N	2	..
Gutzlaff,	9a.	30.20	53	93	NNW	2	cgm
Sharp Peak,	,,	30.16	62	83	E.	1	b
Amoy,	,,	..	..	..	..	..	..
Swatow,	,,	30.15	66	..	W	1	c
Canton,	,,		..	..	..	..	..
Hongkong,	10a.	30.18	70	66	..	0	c
Victoria Peak,	,,	..	..	..	SE	..	..
Gap Rock,	,,	30.16	..	..	ENE	1	..
Macao,	,,	30.17	72	..	SE	1	b
Haiphong,	7a.	..	..	..	.	..	..
Manila,	10a.	30.04	75	67	W	1	c
Malate,	9a.	..	..	..		0	b
Bacolod,	,,	..	..	..	NNE	3	o
Iloilo,	,,	29.99	75	..	NE	1	c
Cebu,	,,	30.00	79	..	N	2	.
Cape S. James,	7a.	..	..	..	NE	3	c

On the 25th at 11.34.a. The barometer has fallen in S. Japan, risen a little in N. China. A depression seems to be advancing Eastwards between the NE coast of China and the Sea of Japan. Forecast:—varying or N winds, light to moderate; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 25th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

25th FEBRUARY, 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.06	18	..	NE	5	s
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	-	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1p.	30.09	..	..	N	4	..
Taichu,	"	30.09	..	..	NW	4	..
Tainan,	"	30.10	..	..	N	6	..
Koshun,	"	30.11	..	..	NW	4	..
Pescadores,	"	30.12	..	..	N	4	..
Gutzlaff,	3p.	30.21	59	76	NW	1	bm
Sharp Peak,	"	30.10	64	73	.	0	b
Amoy,	"	30.09	68	.	SE	4	b
Swatow,	"	30.06	75	..	SE	1	b
Canton,	"	30.07	79	78	SW	1	b
Hongkong,	4p.	30.07	73	52	S	1	b
Victoria Peak,	"	..	..	..	S	2	..
Gap Rock,	"	30.07	..	..	SE	1	..
Macao,	"	30.06	75	..	S	1	b
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.92	82	57	SE	2	c
Malate,	3p.	..	..	..	SSW	1	c
Bacolod,	"	..	..	..	N	2	o
Iloilo,	"	29.90	78	..	NE	2	o
Cebu,	"	29.91	80	..	N	1	c
Cape S. James,	"	..	..	..	NE	3	c

26th FEBRUARY 1902, A.M.

Wladivostock,	7a.	30.30	12	58	NE	2	b
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.20	..	..	E	2	..
Taichu,	"	30,12	..	..	..	0	..
Tainan,	"	30·13	..	..	N	4	..
Koshun,	"	30.17	..	..	E	2	..
Pescadores,	"	..	..	..	.	..	..
Gutzlaff,	9a.	30.41	49	85	NE	2	om
Sharp Peak,	"	30.27	63	72	E	5	b
Amoy,	"	..	.	..	..	..	..
Swatow,	"	30.25	67	..	NE	5	b
Canton,	"	.	..	..	..	..	..
Hongkong,	10a.	30.20	65	76	E	3	o
Victoria Peak,	"	..	..	..	ESE	4	..
Gap Rock,	"	30.18	..	..	ENE	3	..
Macao,	"	30.19	74	..	ESE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.04	79	61	S	1	b
Malate,	9a.	..	..	..	S	3	b
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	30.01	75	..	NE	1	..
Cebu,	"	30.00	78	.	..	0	b
Cape S. James,	7a.	..	..	..	NE	2	c

On the 26th at 11.55.a. The barometer has risen quickly over N. China, fallen much in E. Japan. Pressure is again high over NE China and the depression is moving away to the Pacific over E. Japan. Fresh monsoon on the China coast and increasing monsoon over the N. part of the China Sea. Forecast.—fresh E. winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 26th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

26th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	30.25	—24	..	N	1	b
Tokio, ...	,,	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ..	,,	..	..	..	..	..	..
Taihoku.	1p.	.	..	..	E	4	..
Taichu.	,,	30.07	..	..	S	2	..
Tainan, ...	,,	30.10	..	..	W	6	..
Koshun, ...	,,	30.14	..	..	E	6	..
Pescadores, ...	,,	30.14	..	..	NE	10	..
Gutzlaff, ...	3p.	30.32	52	79	ESE	3	cm
Sharp Peak, ..	,,	30.21	60	76	E	5	b
Amoy, ...	,,	30.15	71	53	NE	5	b
Swatow, ...	,,	30.14	70	..	E	5	b
Canton, ...	,,		..	..	..	..	..
Hongkong, ...	4p.	30.12	67	74	E	3	b
Victoria Peak,..	,,	..	..	..	ESE	6	..
Gap Rock, ...	,,	30.10	..	..	E	5	..
Macao, ...	,,	30.11	72	..	E	2	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.92	75	84	WSW	1	..
Malate, ...	3p.	..	..	..	..	0	o
Bacolod, ...	,,	..	..	..	N	4	c
Iloilo, ...	,,	29.89	80	..	SW	3	c
Cebu, ...	,,	29.91	80	..	N	2	c
Cape S. James, .	,,	..	..	..	NE	3	b

27th FEBRUARY 1902, A.M.

Wladivostock,	7a.	30.07	30	99	SE	2	or
Tokio, ...	6a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ...	,,	..	..	..	..	..	..
Taihoku, ...	5a.	30.10	..	..	E	4	..
Taichu,.....	,,	30,12	..	..	..	0	..
Tainan, ...	,,	30·11	..	..	NE	2	..
Koshun, ...	,,	30.09	..	..	E	6	..
Pescadores ,....	,,	30.13	..	..	..	8	..
Gutzlaff, ...	9a.	30.19	52	86	S	5	bm
Sharp Peak, ...	,,	30.21	60	71	NW	1	o
Amoy, ...	,,	..	..	..	..	..	..
Swatow, ...	,,	30.20	67	..	E	3	b
Canton, ...	,,	30.19	67	79	E	1	b
Hongkong, ...	10a.	30.17	64	73	E	3	b
Victoria Peak, ..	,,	..	..	..	E	2	..
Gap Rock, ...	,,	30.15	..	..	ENE	4	..
Macao, ...	,,	30.17	68	..	E	2	o
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	30.04	77	61	WSW	1	b
Malate, ...	9a.	..	..	..	W	2	b
Bacolod, ...	,,	..	..	..	N	3	b
Iloilo, ...	,,	30.01	76	..	NE	1	o
Cebu, ...	,,	29.98	80	..	S	1	b
Cape S. James,..	7a.	..	..	..	NE	3	c

On the 27th at 11.55.a. The barometer has fallen quickly in the North, owing to the advance Eastwards of another depression over N. China. Gradients slight in S. China. Moderate monsoon over the China Sea. Forecast:—E winds, moderate to light; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 27th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

27th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..		..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku.	1p.	30.10	..	..	E	2	..
Taichu.	"	30.03	..	..	NW	4	..
Tainan,	"	30.06	..	..	NW	6	..
Koshun,	"	30.09	..	..	E	8	..
Pescadores,	"	30.09	..	..	N	6	..
Gutzlaff.	3p.	30.07	58	76	S	5	bm
Sharp Peak,	"	30.08	65	75	E	1	o
Amoy,	"	30.08	67	84	SE	5	b
Swatow,	"	30.09	68	..	ESE	3	o
Canton,	"	30.04	78	78	S	2	b
Hongkong,	4p.	30.07	67	74	E	2	o
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	30.04	..	..	ENE	3	..
Macao,	"	30.07	69	..	ESE	1	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.92	82	63	W	1	o
Malate,	3p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NNE	2	c
Iloilo,	"	29.88	82	..	SE	1	c
Cebu,	"	29.89	80	..	.	0	c
Cape S. James,	"	..	..	..	ENE	3	b

28th FEBRUARY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.06	..	..	S	2	..
Taichu,	"	30.07	..	..	..	0	..
Tainan,	"	30.07	..	..	NE	2	..
Koshun,	"	30.06	..	..	..	0	..
Pescadores,	"	30.03	..	..	N	6	..
Gutzlaff,	9a.	29.98	57	87	..	..	cgm
Sharp Peak,	"	30.15	64	80	..	0	b
Amoy,	"	30.10	62	89	..	..	c
Swatow,	"	..	..	..	..	..	..
Canton,	"	.	.	..	..	..	..
Hongkong,	10a.	30.13	71	71	ESE	1	c
Victoria Peak,	"	..	..	..	SE	1	..
Gap Rock,	"	30.11	..	..	ENE	3	..
Macao,	"	30.12	74	..	..	0	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.00	81	76	WSW	2	o
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	0	p
Iloilo,	"	29.94	77	..	..	0	o
Cebu,	"	29.93	76	..	..	0	c
Cape S. James,	7a.	..	..	..	NE	3	o

On the 28th at 12.5.p. The barometer has fallen generally, particularly in the North. The depression seems to be moving Eastwards over the NE coast of China. Gradients slight in S. China and the N. part of the China Sea. Forecast:—E winds, light; fair.

F. G. FIGG,

First Assistant.

Hongkong Observatory, Friday 28th February 1902.

CHINA COAST METEOROLOGICAL REGISTER.

28th FEBRUARY, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..		..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku.	1p.	30.01	..	..	W	4	..
Taichu.	"	30.00	..	..	NW	4	..
Tainan,	"	30.04	..	..	W	6	..
Koshun,	"	30.04	..	..	W	2	..
Pescadores,	"	30.05	..	..	W	2	..
Gutzlaff,	2p.	30.01	52	86	NW	5	cv
Sharp Peak,	"	29.92	68	70	SE	2	b
Amoy,	"	30.00	75	64	SE	3	b
Swatow,	"	30.02	77	..	S	3	b
Canton,	"	29.99	84	68	SE	1	b
Hongkong,	4p.	29.99	70	73	ESE	1	b
Victoria Peak,	"	..	..	..	SSE	3	..
Gap Rock,	"	29.99	..	..	E	2	..
Macao,	"	30.00	76	..	SSE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	81	77	ESE	1	c
Malate,	3p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	N	3	o
Iloilo,	"	29.87	81	..	NE	2	or
Cebu,	"	29.82	79	..		0	o
Cape S. James,	"	..	..	..	ENE	2	c

1st MARCH 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.09	..	..	SE	2	..
Taichu,	"	30.02	..	..	..	0	..
Tainan,	"	30.05	..	..	NE	2	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	30.03	..	..	..	0	..
Gutzlaff,	9a.	30.34	36	80	NW	5	c
Sharp Peak,	"	30.16	64	80		0	b
Amoy,	"	30.05	64	84	NE	1	c
Swatow,	"	..	..	..	..	..	..
Canton,	"			..	..	..	..
Hongkong,	10a.	30.06	71	72	NW	1	b
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.06	..	..	..	0	..
Macao,	"	30.06	76	..	..	0	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	W	2	..
Bacolod,	"	..	..	..	N	3	p
Iloilo,	"	29.89	80	..	NE	2	c
Cebu,	"	29.88	80	..	..	0	or
Cape S. James,	7a.	..	..	..	ENE	2	c

On the 1st at 11.20 a. The barometer has risen quickly in N. China, fallen much over S. Japan. Pressure is again high over N. China, and the depression is crossing central Japan. Strong monsoon setting down the China coast. Forecast:—NE winds, freshening; fine at first, cloudy and misty later.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 1st March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

1st MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..		..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1p.	30.06	..	..	E	8	..
Taichu,	"	29.98	..	..	NW	4	..
Tainan,	"	29.99	..	..	N	6	..
Koshun,	"	30.00	..	..	NE	6	..
Pescadores,	"	30.02	..	..	N	4	..
Gutzlaff,	3p.	30.29	39	73	N	5	cv
Sharp Peak,	"	30.12	57	81	E	7	og
Amoy,	2.30p	30.03	72	67	NE	3	b
Swatow,	3p.	30.04	71	..	E	4	b
Canton,	"	29.95	87	69	SW	1	b
Hongkong,	4p.	29.97	71	76	NW	1	b
Victoria Peak,	"	..	..	..	SSE	1	..
Gap Rock,	"	29.98	..	..	..	0	..
Macao,	"	29.96	79	..	S	1	b
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	84	71	..	0	o
Malate,	3p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NNE	..	op
Iloilo,	"	29.77	81	..	NE	2	c
Cebu,	"	29.77	79	..	..	0	o
Cape S. James,	"	..	..	..	E	2	c

2nd MARCH 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.18	..	..	E	6	..
Taichu,	"	30.04	..	..	..	0	..
Tainan,	"	30.04	..	..	N	4	..
Koshun,	"	30.02	..	..	E	10	..
Pescadores,	"	30.08	..	..	NE	10	..
Gutzlaff,	9a.	30.39	42	66	NNE	4	cv
Sharp Peak,	"	30.26	54	74	NNE	6	od
Amoy,	6.30a	30.17	57	81	NE	4	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.11	63	79	E	5	o
Victoria Peak,	"	..	..	..	E	7	..
Gap Rock,	"	30.11	..	..	E	5	..
Macao,	"	30.13	66	..	E	2	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	84	71	W	1	c
Malate,	9a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NE	6	or
Iloilo,	"	29.90	78	..	NE	1	or
Cebu,	"	29.89	84	..	..	0	o
Cape S. James,	7a.	..	..	..	NE	3	o

On the 2nd at 11.55.a. The barometer has risen on the China coast, and over W. Japan. The depression has passed to the E. of Japan. Pressure remains high over N. China. Strong monsoon on the coast and over the N. part of the China Sea. Forecast:—strong NE winds; cloudy, misty.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 2nd March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

2nd MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.23	27	..	NE	4	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..		..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1p.	30.21	..	..	E	10	..
Taichu,	"	29.99	..	..	SW	2	..
Tainan,	"	30.02	..	..	N	6	..
Koshun,	"	30.04	..	..	E	10	..
Pescadores,	"	30.07	..	..	N	8	..
Gutzlaff,	3p.	30.25	54	59	ESE	4	cv
Sharp Peak,	"	30.18	55	68	NE	3	o
Amoy,	"	30.15	60	82	NE	2	c
Swatow,	"	30.09	61	..	E	2	b
Canton,	"	..	.	..	..	..	..
Hongkong,	4p.	30.03	65	76	NE	2	o
Victoria Peak,	"	..	..	..	ESE	6	..
Gap Rock,	"	30.02	..	..	E	6	..
Macao,	"	30.04	67	..	E	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	84	64	ESE	4	c
Malate,	3p.	..	..	..	E	3	c
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	29.79	82	..	NE	2	o
Cebu,	"	29.80	83	..	N	2	c
Cape S. James,	"	..	..	..	..	..	..

3rd MARCH 1902, A.M.

Wladivostock,	7a.	29.90	29	99	S	3	o
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.10	..	..	E	2	..
Taichu,	"	30.06	..	..	..	0	..
Tainan,	"	30.06	..	..	N	2	..
Koshun,	"	30.05	..	..	NE	2	..
Pescadores,	"	30.07	..	..	N	6	..
Gutzlaff,	9a.	30.17	49	93	WSW	2	ov
Sharp Peak,	"	30.14	57	78	..	0	o
Amoy,	"	30.09	60	76	W	2	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	.	.	..	..	..	..
Hongkong,	10a.	30.16	67	74	E	3	o
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	30.14	..	..	ENE	4	..
Macao,	"	30.15	72	..	ESE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.00	82	63	W	1	c
Malate,	9a.	..	..	..	NW	1	c
Bacolod,	"	..	..	..	NE	1	b
Iloilo,	"	29.94	80	..	NE	2	o
Cebu,	"	29.94	84	..	..	0	b
Cape S. James,	7a.	..	..	..	NE	2	c

On the 3rd at 11.25a. The barometer has fallen rapidly on the E. coast of China, owing to th existence of another depression over Manchuria. Gradients slight on the China coast. Decreasin monsoon in the N. part of the China Sea. Forecast:—moderate E winds; fair.

F. G. FIGG,

First Assistant.

Hongkong Observatory, Monday 3rd March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

3rd MARCH, 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.77	27	..	S	2	o
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..		..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku.	1p.	30.10	..	..	N	4	..
Taichu.	"	30.05	..	..	N	4	..
Tainan,	"	30.07	..	..	W	6	..
Koshun,	"	30.06	..	..	E	2	..
Pescadores.	"	30.11	..	..	NE	2	..
Gutzlaff,	3p.	30.25	44	84	NNW	6	omp
Sharp Peak,	"	30.11	60	85	E	1	b
Amoy,	"	30.06	66	73	SE	3	c
Swatow,	"	30.07	72	..	E	3	b
Canton.	"	30.07	80	78	SW	1	o
Hongkong,	4p.	30.05	69	76	ESE	1	b
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.04	..	..	E	4	..
Macao,	"	30.06	78	..	S	1	c
Haiphong.	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	84	64	WNW	1	c
Malate,	3p.	..	..	..	W	2	o
Bacolod,	"	..	..	..	NE	6	o
Iloilo,	"	29.87	83	..	NE	2	o
Cebu,	"	29.86	82	..	N	4	c
Cape S. James,	"	..	..	..	NE	2	c

4th MARCH 1902, A.M.

Wladivostock,	7a.	29.81	13	45	N	2	b
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.26	..	..	E	6	..
Taichu,	"	30.10	..	..	N	4	..
Tainan,	"	30.10	..	..	N	4	..
Koshun,	"	30.10	..	..	..	0	..
Pescadores,	"	30.13	..	..	NE	8	..
Gutzlaff,	9a.	30.36	40	56	..	..	cm
Sharp Peak,	"	30.34	52	76	E	7	od
Amoy,	"	30.20	58	81	NE	6	o
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.22	66	48	..	0	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.20	..	..	ENE	4	..
Macao,	"	30.25	65	..	N	4	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.00	81	69	WNW	1	b
Malate,	9a.	..	..	..	WNW	1	b
Bacolod,	"	..	..	..	NE	3	o
Iloilo,	"	29.95	78	..	E	2	c
Cebu,	"	29.96	78	..	..	0	o
Cape S. James,	7a.	..	..	..	..	..	..

On the 4th at 11.30a. The barometer has risen over China, fallen in Japan. The depression has passed from the continent to the NE part of the Sea of Japan. Pressure is high over China. Strong monsoon on the coast and in the N. part of the China Sea. Forecast:—fresh NE winds; cloudy, some drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 4th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

4th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.79	24	..	NW	2	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..		..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	..	..
Taihoku,	1p.	30.29	..	..	E	6	..
Taichu,	"	30.08	..	..	N	8	..
Tainan,	"	30.09	..	..	N	6	..
Koshun,	"	30.11	..	..	NE	8	..
Pescadores,	"	30.16	..	..	NE	10	..
Gutzlaff,	8p.	30.41	42	58	S	4	cm
Sharp Peak,	"	30.19	51	72	E	6	og
Amoy,	2.30p	30.19	64	48	NE	5	o
Swatow,	8p.	30.20	64	..	NE	3	o
Canton,	"	30.16	58	94	NW	3	o
Hongkong,	4p.	30.16	66	..	N	1	o
Victoria Peak,	"	..	..	..	N	1	..
Gap Rock,	"	30.13	..	..	N	4	..
Macao,	"	30.16	62	..	NNW	2	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.92	84	52	E	3	c
Malate,	3p.	..	..	..	E	3	c
Bacolod,	"	..	..	..	NE	3	o
Iloilo,	"	29.90	80	..	NE	3	o
Cebu,	"	29.89	79	..	NE	1	c
Cape S. James,	"	..	..	..	NE	3	c

5th MARCH 1902, A.M.

Wladivostock,	7a.	29.92	12	60	NW	2	o
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.24	..	..	E	4	..
Taichu,	"	30.17	..	..	..	0	..
Tainan,	"	30.17	..	..	N	4	..
Koshun,	"	30.13	..	..	NE	8	..
Pescadores,	"	30.20	..	..	NE	8	..
Gutzlaff,	9a.	30.44	42	42	N	2	bm
Sharp Peak,	"	30.36	51	79	N	3	o
Amoy,	6.30a	30.25	55	74	NE	2	or
Swatow,	9 a.	..	..	..		..	..
Canton,	"			..	..	..	..
Hongkong,	10a.	30.30	57	69	N	2	o
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.26	..	..	NE	3	..
Macao,	"	..	56	..	N	2	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.04	82	57	W	1	b
Malate,	9a.	..	..	..	W	2	b
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	30.00	72	..	NE	2	c
Cebu,	"	30.00	82	..	N	3	c
Cape S. James,	7a.	..	..	..	NE	4	c

On the 5th at 11.50a. The barometer has risen generally, particularly over Japan. The depression has passed to the Pacific to the NE of Japan. Pressure remains high over China. Moderate monsoon on the China coast, strong monsoon over the N. part of the China Sea. Forecast:—moderate NE winds; cloudy, some drizzling rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 5th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

5th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..		..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1p.	30.27	..	..	E	6	..
Taichu,	"	30.15	..	..	N	6	..
Tainan,	"	30.17	..	..	N	6	..
Koshun,	"	30.15	..	..	NE	8	..
Pescadores,	"	30.21	..	..	N	8	..
Gutzlaff,	8p.	30.23	49	50	SW	1	bm
Sharp Peak,	"	30.28	51	79	E	2	o
Amoy,	2.30p	30.23	57	75	N	3	or
Swatow,	3p.	30.22	57	..	N	2	or
Canton,	"	30.25	52	93	N	2	od
Hongkong,	4p.	30.20	58	68	N	1	o
Victoria Peak,	"	..	..	..	N	2	..
Gap Rock,	"	30.18	..	..	NNE	2	..
Macao,	"	30.22	54	..	NNW	2	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.96	81	69	..	0	c
Malate,	8p.	..	..	..	..	0	..
Bacolod,	"	..	..	..	NNE	6	c
Iloilo,	"	29.92	81	..	E	1	c
Cebu,	"	29.87	83	..	N	3	b
Cape S. James,	"	..	..	..	NE	4	c

6th MARCH 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.24	..	..	E	4	..
Taichu,	"	30.12	..	..	..	0	..
Tainan,	"	30.17	..	..	W	4	..
Koshun,	"	30.11	..	..	NE	4	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	30.41	48	63	S	1	bm
Sharp Peak,	"	30.36	50	75	W	2	og
Amoy,	6.30a	30.26	55	87	NNE	1	o
Swatow,	9 a.	..	..	..		..	..
Canton,	"	.	.	..	N	1	o
Hongkong,	10a.	30.27	60	68	..	0	o
Victoria Peak,	"	..	..	..	E	2	..
Gap Rock,	"	30.24	..	..	NE	3	..
Macao,	"	30.27	60	..	NNW	3	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.08	79	69	WSW	1	b
Malate,	9a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	30.02	78	..	NE	2	o
Cebu,	"	30.00	80	..	N	2	c
Cape S. James,	7a.	..	..	..	NE	4	c

On the 6th at 11.55a. The barometer has risen over Japan, and is inclined to fall over China. Pressure remains high between S. China and Japan. Moderate monsoon in S. China, strong monsoon in the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 6th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

6th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.83	47	..	SW	5	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..		..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	.	..	..
Taihoku,	1p.	30.27	..	..	E	4	..
Taichu.	"	30.17	..	..	N	2	..
Tainan,	"	30.18	..	..	N	6	..
Koshun,	"	30.16	..	..	NE	6	..
Pescadores.	"	30.21	..	..	NE	8	..
Gutzlaff,	3p.	30.23	58	87	SSE	2	bm
Sharp Peak,	"	30.28	53	73	NE	2	og
Amoy,	2.30p	30.12	60	60	NE	2	c
Swatow,	3p.	30.22	58	..	NE	3	or
Canton,	"	30.17	60	84	NE	1	o
Hongkong,	4p.	30.15	61	77	ESE	2	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.13	..	..	ENE	3	..
Macao,	"	30.16	64	..	ENE	3	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.92	86	47	ESE	1	b
Malate,	3p.	..	..	..	E	2	b
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	29.88	82	..	NE	1	c
Cebu,	"	29.91	83	..	N	2	b
Cape S. James,	"	..	..	..	NE	4	c

7th MARCH 1902, A.M.

Wladivostock,	7a.	29.96	31	50	NE	1	b
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.16	..	..	E	6	..
Taichu,	"	30.13	..	..	..	0	..
Tainan,	"	30.12	..	..	N	2	..
Koshun,	"	30.09	..	..	NE	8	..
Pescadores,	"	30.14	..	..	NE	6	..
Gutzlaff,	9a.	30.30	49	85	SSE	5	cm
Sharp Peak,	"	30.27	54	74	W	1	og
Amoy,	6.30a	30.20	57	81	W	2	..
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	.	..	..	..	..	..
Hongkong,	10a.	30.19	64	76	E	3	o
Victoria Peak,	"	..	..	..	ESE	5	..
Gap Rock,	"	30.15	..	..	E	4	..
Macao,	"	30.16	67	..	E	1	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	N	2	b
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	29.98	78	..	NE	1	o
Cebu,	"	29.90	82	..	N	2	c
Cape S. James,	7a.	..	..	..	ENE	3	c

On the 7th at 11.35a. The barometer has fallen on the China coast, probably owing to a depression over N. China. Gradients slight in S. China. Moderate monsoon over the N. part of the China Sea. Forecast:—moderate E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 7th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

7th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.89	41	..	SE	2	b
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..		..
Nagasaki,	"	..	..	..	.	..	..
Kagoshima,	"	..	..	..	.	..	..
Taihoku,	1p.	30.08	..	..	E	6	..
Taichu,	"	30.07	..	..	N	4	..
Tainan,	"	30.08	..	..	NW	6	..
Koshun,	"	30.12	..	..	E	4	..
Pescadores	"	30.11	..	..	NE	6	..
Gutzlaff,	3p.	30.18	49	64	SSE	4	od
Sharp Peak,	..	30.11	58	79	.	0	o
Amoy,	2.30p	30.12	63	78	SE	2	c
Swatow,	3p.	30.10	66	..	E	2	c
Canton,	"	30.08	70	..	SSW	1	o
Hongkong,	4p.	30.05	67	69	E	3	o
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.05	..	..	ENE	4	..
Macao,	"	30.06	71	..	SSE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.92	82	51	E	3	c
Malate,	3p.	..	..	..	W	2	..
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	29.88	81	..	N	2	c
Cebu,	"	29.90	81	..	N	4	c
Cape S. James,	"	..	..	..	ENE	3	c

8th MARCH 1902, A.M.

Wladivostock,	7a.	29.73	29	94	..	0	b
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.09	..	..	..	0	..
Taichu,	"	30.07	..	..	..	0	..
Tainan,	"	30.06	..	..	N	2	..
Koshun,	"	30.06	..	..	E	4	..
Pescadores ,	"	30.05	..	..	..	0	..
Gutzlaff,	9a.	30.19	47	100	S	1	f
Sharp Peak,	"	30.14	57	94	..	0	of
Amoy,	6.30a	30.09	62	89	N	1	or
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	30.05	66	95	..	0	o
Hongkong,	10a.	30.09	71	64	SE	2	c
Victoria Peak,	"	..	..	..	ESE	1	..
Gap Rock,	"	30.09	..	..	NE	3	..
Macao,	"	30.09	75	..	..	0	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NNE	6	o
Iloilo,	"	29.96	78	..	NE	1	c
Cebu,	"	29.95	80	..	..	0	e
Cape S. James,	7a.	..	..	..	NE	3	c

On the 8th at 11.51a. The barometer has risen in NE Japan fallen elsewhere. Pressure is low over Manchuria and highest over the Pacific to the S. of Japan. Gradients slight. Forecast:—light E breezes; cloudy, probably some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 8th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

8th MARCH 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	1 p.	30.09	..	..	W	2	..
Taichu,	"	30.03	..	..	NW	4	..
Tainan,	"	30.04	..	..	N	6	..
Koshun,	"	30.03	..	..	SE	4	..
Pescadores,	"	30.06	..	..	NE	4	..
Cutzlaff,	3 p.	30.12	57	87	S	1	bm
Sharp Peak,	..	30.05	75	..	NE	1	of
Amoy,	2.30 p	30.06	64	89	SE	3	c
Swatow,	2p.	30.04	69	..	E	3	b
Canton,	"	29.99	78	86	W	2	b
Hongkong,	4 p.	30.00	70	78	E	1	o
Victoria Peak,	"	..	..	..	ESE	1	..
Gap Rock,	"	29.97	..	..	NE	3	..
Macao,	"	..	..	..	..	..	..
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.92	73	74	E	2	c
Malate,	3 p.	..	..	..	E	3	b
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	29.86	81	..	E	2	o
Cebu,	"	29.87	82	..	N	4	or
Cape S. James,	"	..	..		NE	3	c

9th MARCH 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.02	..	..	E	2	..
Taichu,	"	30.00	..	..	..	0	..
Tainan,	"	30.01	..	..	..	0	..
Koshun,	"	30.01	..	..	SE	2	..
Pescadores,	"	30.01	..	..	..	0	..
Cutzlaff,	9 a.	30.16	51	93	W	4	bm
Sharp Peak,	..	30.14	57	94	..	0	of
Amoy,	6.50a	30.04	63	94	E	1	om
Swatow	9 a.	..	..	..	..	..	..
Canton,	"	30.11	79	61	..	0	of
Hongkong,	10 a.	30.10	73	79	E	1	c
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.09	..	..	ENE	3	..
Macao,	"	30.10	75	..	SE	1	c
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	29.92	81	62	W	1	b
Malate,	9 a.	..	..	..	N	2	b
Bacolod,	"	..	..	..	NNE	4	c
Iloilo,	"	29.95	78	..	NE	2	o
Cebu,	"	29.95	82	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 8th at 11.50.a. The barometer has fallen rapidly in Japan and moderately in N. China. The depression seems to be lying over the N. part of the Sea of Japan. Gradients slight. Forecast:—light NE breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 9th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

9th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..		..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1p.	30.13	..	..	..	0	..
Taichu,	,,	30.02	..	..	NE	4	..
Tainan,	,,	30.07	..	..	NW	6	..
Koshun,	,,	30.02	..	..	SW	2	..
Pescadores,	,,	30.06	..	..	NE	6	..
Gutzlaff,	5p.	30.17	51	59	N	6	cm
Sharp Peak,	,,	30.09	59	97	.	0	..
Amoy,	2 30p	30.10	63	83	SE	2	c
Swatow,	3p.	30.04	80	..	E	2	b
Canton,	,,	..	..	..	.	..	..
Hongkong,	4p.	30.02	72	80	NW	1	c
Victoria Peak,	,,	..	..	..	N	1	..
Gap Rock,	,,	30.02	..	..	NNW	1	..
Macao,	,,	30.00	80	..	SSE	1	b
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	88	47	SE	3	b
Malate,	8p.	..	..	..	..	0	c
Bacolod,	,,	..	..	..	NE	6	c
Iloilo,	,,	29.85	84	..	E	1	c
Cebu,	,,	29.84	84	..	N	1	..
Cape S. James,	,,	..	..	..	..	..	..

10th MARCH 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.14	..	..	E	6	..
Taichu,	,,	30.03	..	..	..	0	..
Tainan,	,,	30.06	..	..	N	2	..
Koshun,	,,	30.04	..	..	NE	10	..
Pescadores,	,,	30.08	..	..	NE	8	..
Gutzlaff,	9a.	30.36	53	54	NE	2	cv
Sharp Peak,	,,	30.23	57	97	N	4	o
Amoy,	6.30a	30.16	61	77	NNE	1	c
Swatow,	9 a.	..	..	..		..	..
Canton,	,,	30.12	67	89	N	1	o
Hongkong,	10a.	30.14	67	64	E	6	c
Victoria Peak,	,,	..	..	..	E	6	..
Gap Rock,	,,	30.13	..	..	ENE	4	..
Macao,	,,	30.16	72	..	ESE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.00	81	76	WSW	1	c
Malate,	9a.	..	..	..		0	b
Bacolod,	,,	..	..	..	NNE	6	b
Iloilo,	,,	29.94	81	..	NE	2	o
Cebu,	,,	29.94	82	..		0	b
Cape S. James,	7a.	..	..	..	NE	3	c

On the 10th at 11.40a. The barometer has fallen rapidly in NE Japan, and risen quickly in N. China. The depression is now crossing NE Japan, and pressure is again high in N. China. Strong monsoon along the S. coasts of China. Forecast:—Strong to moderate NE breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 10th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

10th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.90	37	..	N	4	c
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..		..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	1p.	30.18	..	..	E	6	..
Taichu,	,,	30.04	..	..	W	2	..
Tainan,	,,	30.04	..	..	W	6	..
Koshun,	,,	30.06	..	..	NE	8	..
Pescadores,	,,	30.09	..	..	NE	10	..
Gutzlaff,	3p.	30.30	57	52	SE	2	cv
Sharp Peak,	,,	30.20	59	65	NNE	4	o
Amoy,	2.30p	30.11	70	70	NE	3	c
Swatow,	3p.	30.09	69	..	E	5	b
Canton,	,,	30.04	68	95	N	1	●
Hongkong,	4p.	30.08	68	64	E	4	c
Victoria Peak,	,,	..	..	..	E	6	..
Gap Rock,	,,	30.06	..	..	ENE	4	..
Macao,	,,	30.08	71	..	SSE	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	84	77	WSW	1	b
Malate,	3p.	..	..	..	E	1	b
Bacolod,	,,	..	..	..	NE	4	c
Iloilo,	,,	29.88	79	..	NE	2	b
Cebu,	,,	29.83	83	..	N	1	b
Cape S. James,	,,	..	..	..	NE	2	c

11th MARCH 1902, A.M.

Wladivostock,	7a.	30.09	19	86	..	0	c
Tokio,	6a.	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Taihoku,	5a.	30.15	..	..	E	6	..
Taichu,	,,	30.09	..	..	..	0	..
Tainan,	,,	30.09	..	..	..	0	..
Koshun,	,,	30.06	..	..	NE	8	..
Pescadores,	,,	30.10	..	..	NE	8	..
Gutzlaff,	9a.	30.33	52	86	SSE	4	bm
Sharp Peak,	,,	30.23	56	72	W	..	od
Amoy,	6.30a	30.20	62	94	N	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10a.	30.16	67	56	ENE	4	c
Victoria Peak,	,,	..	..	..	E	5	..
Gap Rock,	,,	30.14	..	..	E	4	..
Macao,	,,	30.15	67	..	E	2	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.00	84	64	ENE	2	c
Malate,	9a.	..	..	..	E	2	o
Bacolod,	,,	..	..	..	..	3	b
Iloilo,	,,	29.94	79	..	NE	3	..
Cebu,	,,	29.96	79	..	N	1	c
Cape S. James,	7a.	..	..	..	NE	2	c

On the 11th at 11.30a. The barometer has risen very much in Japan, and fallen slightly in the North of China. The depression has passed away from Japan to the Pacific. The highest pressure is lying between N. China and S.W. Japan. Moderate monsoon in S. China and the N. part of the China Sea. Forecast:—moderate E. winds; fair.

F. G. FIGG,
First Assistant.

Foochow Observatory, Tuesday 11th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

11th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.99	34	..	S	4	c
Tokio,	"	30.14	..	..	NW	4	..
Kochi,	"	30.27	..	..	..	0	..
Nagasaki,	"	30.31	..	..	W	2	..
Kagoshima,	"	30.31	..	..	S	4	..
Taihoku,	1p.	30.13	..	..	E	4	..
Taichu,	"	30.05	..	..	N	2	..
Tainan,	"	30.07	..	..	W	4	..
Koshun,	"	30.09	..	..	SE	6	..
Pescadores,	"	30.11	..	..	N	6	..
Gutzlaff,	3p.	30.27	54	87	SSE	4	cv
Sharp Peak,	"	30.14	56	87	W	1	od
Amoy,	2.30p	30.11	66	68	W	1	o
Swatow,	3p.	30.13	73	..	ESE	3	o
Canton,	"	30.09	73	86	.	0	..
Hongkong,	4p.	30.08	67	61	E	3	o
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	30.06	..	..	ENE	4	..
Macao,	"	30.08	70	..	ENE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	86	53	E	3	cr
Malate,	3p.	..	..	..	ENE	2	c
Pacolod,	"	..	..	..	NNE	6	c
Iloilo,	"	29.85	83	..	NE	2	c
Cebu,	"	29.86	82	..	E	2	c
Cape S. James,	"	..	..	..	NE	2	c

12th MARCH 1902, A.M.

Wladivostock,	7a.	29.84	33	99	..	0	o
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	5a.	30.07	..	..	..	0	..
Taichu,	"	29.99	..	..	..	0	..
Tainan,	"	30.04	..	..	N	2	..
Koshun,	"	30.05	..	..	..	0	..
Pescadores,	"	30.05	..	..	..	0	..
Gutzlaff,	9a.	30.17	52	100	SE	4	pf
Sharp Peak,	"	30.07	58	88	W	1	o
Amoy,	6.30a	30.10	61	88	SE	1	..
Swatow,	9 a.	30.15	65	..	N	1	o
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.10	67	74	SE	2	o
Victoria Peak,	"	..	..	..	ESE	1	..
Gap Rock,	"	30.08	..	..	ENE	3	..
Macao,	"	30.09	70	..	ENE	1	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	84	64	ESE	1	c
Malate,	9a.	..	..	..	..	0	o
Pacolod,	"	..	..	..	ENE	2	b
Iloilo,	"	29.91	80	..	..	2	o
Cebu,	"	29.93	82	..	N	2	b
Cape S. James,	7a.	..	..	..	NNE	1	c

On the 12th at noon: The barometer has fallen over China. Pressure is highest in S. Japan, and a depression lies over N. China. Gradients are slight. Forecast:—light E breezes; cloudy, probably some rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 12th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

12th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.82	40	..	NE	2	c
Tokio,	"	30.14	..	..	S	6	..
Kochi,	"	30.23	..	..	W	2	..
Nagasaki,	"	30.15	..	..	SE	6	..
Kagoshima,	"	30.19	..	..	SE	2	..
Taihoku,	1p.	30.03	..	..	NW	6	..
Taichu,	"	29.98	..	..	N	6	..
Tainan,	"	29.99	..	..	W	6	..
Koshun,	"	29.99	..	..	SE	6	..
Pescadores,	"	30.03	..	..	N	6	..
Gutzlaff,	3p.	..	..	..	..	.	..
Sharp Peak,	"	30.01	59	88	..	0	o
Amoy,	2.30p	30.03	66	84	NW	2	od
Swatow,	3p.	30.04	70	..	W	..	c
Canton,	"	29.99	76	91	..	0	o
Hongkong,	4p.	30.00	71	71	E	2	b
Victoria Peak,	"	..	..	..	..	0	..
Gap Rock,	"	29.99	..	..	ENE	3	..
Macao,	"	30.00	75	..	SSE	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	84	64	ESE	3	c
Malate,	3p.	..	..	..	E	1	o
Bacolod,	"	..	..	..	NNE	4	c
Iloilo,	"	29.83	85	..	NE	2	b
Cebu,	"	29.83	84	..	N	3	b
Cape S. James,	"	..	..	..	NNE	1	c

13th MARCH 1902, A.M.

Wladivostock,	7a.	29.88	28	53	..	0	c
Tokio,	6a.	30.02	..	..	N	2	..
Kochi,	"	29.95	..	..	SW	4	..
Nagasaki,	"	29.75	..	..	S	10	..
Kagoshima,	"	29.87	..	..	S	6	..
Taihoku,	5a.	30.01	..	..	..	0	..
Taichu,	"	29.98	..	..	N	2	..
Tainan,	"	29.99	..	..	N	2	..
Koshun,	"	29.97	..	..	..	0	..
Pescadores,	"	30.00	..	..	NE	4	..
Gutzlaff,	9a.	30.09	50	93	NNW	5	om
Sharp Peak,	"	30.05	65	84	..	0	b
Amoy,	6.30a	30.03	63	94	NE	1	c
Swatow,	9 a.	30.09	68	..	E	1	b
Canton,	"	..	72	90	..	0	o
Hongkong,	10a.	30.09	72	76	..	0	o
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock,	"	30.07	..	..	NNE	1	..
Macao,	"	30.08	75	..	NNW	1	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	84	71	SW	1	c
Malate,	9a.	..	..	..	E	1	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.90	81	..	NE	1	o
Cebu,	"	29.92	84	..	N	2	b
Cape S. James,	7a.	..	..	..	ENE	3	c

On the 13th at noon: The barometer has fallen quickly in Japan, and is rising over N. China. The depression has moved Eastwards into the Sea of Japan. Freshening monsoon on the China coast. Forecast:— NE winds, light to moderate; cloudy, some drizzling rain or mist.

F. G. FIGG,
First Assistant

Hongkong Observatory, Thursday 13th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

13th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.74	40	..	SW	2	c
Tokio,	,,	29.82	..	..	S	4	..
Kochi,	,,	29.68	..	..	SE	10	..
Nagasaki,	,,	29.79	..	..	W	8	..
Kagoshima.	,,	29.79	..	..	NW	8	..
Taihoku.	1p.	30.04	..	..	NW	4	..
Taichu.	,,	29.98	..	..	..	0	..
Tainan,	,,	29.97	..	..	NW	8	..
Koshun,	,,	29.94	..	..	NW	4	..
Pescadores.	,,	30.02	..	..	N	8	..
Gutzlaff.	3p.	30.09	51	93	N	4	cm
Sharp Peak,	,,	29.99	68	70	E	1	b
Amoy,	2.30p	30.00	69	80	SE	3	c
Swatow,	3p.	29.97	73	..	ESE	2	b
Canton,	,,	29.98	84	83	S	1	b
Hongkong.	4p.	29.97	75	65	..	0	c
Victoria Peak,	,,	..	..	..	W	2	..
Gap Rock,	,,	29.98	..	..	..	0	..
Macao,	,,	29.97	80	..	SSE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	84	71	NE	1	c
Malate.	3p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	NNW	6	c
Iloilo,	,,	29.83	85	..	NE	2	b
Cebu,	,,	29.85	82	..	N	2	b
Cape S. James,	,,	..	..	..	E	3	c

14th MARCH 1902, A.M.

Wladivostock,	7a.	29.82	19	70	NE	5	o
Tokio,	6a.	29.71	..	..	S	2	..
Kochi,	,,	29.87	..	..	W	4	..
Nagasaki,	,,	29.91	..	..	..	0	..
Kagoshima,	,,	29.95	..	..	N	2	..
Taihoku,	5a.	30.03	..	..	E	4	..
Taichu,	,,	29.96	..	..	..	0	..
Tainan,	,,	29.95	..	..	N	2	..
Koshun,	,,	29.95	..	..	NE	6	..
Pescadores,	,,	29.96	..	..	N	6	..
Gutzlaff.	9a.	30.02	53	93	S	3	bm
Sharp Peak,	,,	30.08	62	97	..	0	b
Amoy,	6.30a	30.05	63	89	N	2	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	,,	..	77	91	NE	1	o
Hongkong,	10a.	30.07	71	66	SE	2	b
Victoria Peak,	,,	..	..	..	ESE	1	..
Gap Rock,	,,	30.06	..	..	ESE	3	..
Macao,	,,	30.06	74	..	..	0	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	81	76	W	1	b
Malate,	9a.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	NE	2	b
Iloilo,	,,	29.92	80	..	NE	2	o
Cebu,	,,	29.92	83	..	..	0	b
Cape S. James,	7a.	..	..	..	NE	2	c

On the 14th at 11.7.a. The depression has reached E. Japan. The barometer is falling again over N. China. Gradients slight. Forecast:—light E breezes; fine.

F. G. FIGG,
First Assistant

Hongkong Observatory, Friday 14th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

14th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	,,	29.74	..	..	S	2	..
Kochi,	,,	29.87	..	..	SW	8	..
Nagasaki,	,,	29.91	..	..	W	4	..
Kagoshima,	,,	29.95	..	..	W	6	..
Taihoku,	1p.	29.97	..	..	E	6	..
Taichu,	,,	29.95	..	..	SW	2	..
Tainan,	,,	29.96	..	..	W	4	..
Koshun,	,,	29.96	..	..	NE	6	..
Pescadores,	,,	30.00	..	..	N	8	..
Gutzlaff,	3p.	29.92	64	63	S	4	bm
Sharp Peak,	,,	29.99	66	76	..	0	b
Amoy,	2.30p	29.99	72	54	SE	3	b
Swatow,	3p.	..	..	..	..	..	..
Canton,	,,	29.94	82	91	NE	1	b
Hongkong,	4p.	29.96	69	73	E	3	c
Victoria Peak,	,,	..	..	..	E	1	..
Gap Rock,	,,	29.96	..	..	ESE	1	..
Macao,	,,	29.96	75	..	SSE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	88	54	ESE	2	b
Malate,	3p.	..	..	..	N	4	b
Bacolod,	,,	..	..	..	NNE	4	c
Iloilo,	,,	29.81	85	..	NE	2	b
Cebu,	,,	29.83	83	..	N	3	b
Cape S. James,	,,	..	..	..	ENE	3	c

15th MARCH 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	29.82	..	..	..	0	..
Kochi,	,,	29.95	..	..	W	2	..
Nagasaki,	,,	29.95	..	..	..	0	..
Kagoshima,	,,	30.03	..	..	..	0	..
Taihoku,	5a.	29.97	..	..	SE	4	..
Taichu,	,,	29.94	..	..	..	0	..
Tainan,	,,	30.00	..	..	..	0	..
Koshun,	,,	29.96	..	..	E	6	..
Pescadores,	,,	29.96	..	..	N	2	..
Gutzlaff,	9a.	30.00	58	70	SW	3	bv
Sharp Peak,	,,	30.02	65	71	..	0	b
Amoy,	6.30a	30.01	63	83	SE	2	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	,,	..	..	..	..	.	..
Hongkong,	10a.	30.05	71	78	E	2	c
Victoria Peak,	,,	..	..	..	S	1	..
Gap Rock,	,,	30.04	..	..	E	2	..
Macao,	,,	30.03	74	..	SE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	84	64	W	1	b
Malate,	9a.	..	..	..	..	2	b
Bacolod,	,,	..	..	..	N	3	b
Iloilo,	,,	29.95	80	..	NE	1	o
Cebu,	,,	29.96	78	..	N	3	b
Cape S. James,	7a.	..	..	..	NE	3	c

On the 15th at 11.15.a. The barometer has risen in Japan, fallen slightly in China. The depression has moved away from Japan into the Pacific. There seems to be another depression in N. China. Gradients slight. Forecast:—light SE or variable winds; fine and foggy at night.

F. G. FIGG,
First Assistant

Hongkong Observatory, Saturday 15th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

15th MARCH, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Tokio,	"	29.86	..	..	N	2	..
Kochi,	"	29.95	..	..	W	6	..
Nagasaki,	"	29.95	..	..	SW	2	..
Kagoshima,	"	29.99	..	..	SW	2	..
Taihoku,	1 p.	29.99	..	..	N	4	..
Taichu,	"	29.96	..	..	NW	4	..
Tainan,	"	29.97	..	..	W	6	..
Koshun,	"	29.98	..	..	SE	6	..
Pescadores,	"	30.00	..	..	W	2	..
Gutzlaff,	3 p.	29.91	55	87	NNE	4	cm
Sharp Peak,	"	29.96	67	74	..	0	c
Amoy,	"	29.97	71	..	SE	5	b
Swatow,	"	29.98	75	..	E	3	b
Canton,	"	29.89	82	91	NW	1	b
Hongkong,	4 p.	29.95	71	81	E	2	c
Victoria Peak,	"	..	..	..	SSW	1	..
Cap Rock,	"	29.94	..	..	E	2	..
Macao,	"	29.95	77	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	90	44	ESE	2	b
Malate,	3 p.	..	..	..	..	0	b
Bacolod,	"	..	..	..	N	6	c
Iloilo,	"	29.85	85	..	NE	2	b
Cebu,	"	29.86	83	..	N	2	b
Cape S. James,	"	..	..		NE	3	c

16th MARCH, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	.	..	..
Tokio,	6 a.	30.10	..	..	N	6	..
Kochi,	"	30.11	..	..	..	0	..
Nagasaki,	"	30.07	..	..	..	0	..
Kagoshima,	"	30.07	..	..	..	0	..
Taihoku,	6 a.	29.99	..	..	N	2	..
Taichu,	"	29.97	..	..		0	..
Tainan,	"	29.97	..	..	N	4	..
Koshun,	"	29.96	..	..	NE	2	..
Pescadores,	"	29.98	..	..	..	0	..
Gutzlaff,	9 a.	30.08	55	100	ESE	2	f
Sharp Peak,	"	30.09	66	79	..	0	o
Amoy,	"	30.08	65	89	SW	1	b
Swatow,	"	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.04	74	73	.	0	o
Victoria Peak,	"	..	..	..	S	2	..
Cap Rock,	"	30.03	.	..	ENE	2	..
Macao,	"	30.04	77	..	..	0	c
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	..	..	..	..		..
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	.	.	..	NE	6	b
Iloilo,	"	29.90	81	..	E	2	c
Cebu,	"	29.94	82	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 16th at 11.37 a. The barometer has risen over Japan and the E. coast of China. Pressure is highest over S. Japan and gradients are slight generally. Forecast:—light variable breezes, fine, foggy at night.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 16th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

16th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.14	..	..	S	6	..
Kochi,	"	30.11	..	..	SE	2	..
Nagasaki,	"	30.03	..	..	W	2	..
Kagoshima,	"	30.11	..	..	SE	2	..
Taihoku,	1p.	29.94	..	..	NW	4	..
Taichu,	"	29.93	..	..	..	0	..
Tainan,	"	29.95	..	..	W	6	..
Koshun,	"	29.94	..	..	SE	4	..
Pescadores,	"	29.94	..	..	W	2	..
Gutzlaff,	3p.	30.10	57	69	SSE	1	f
Sharp Peak,	"	29.93	67	82	NNE	2	o
Amoy,	2.30p	29.92	75	68	SE	3	c
Swatow,	3p.	29.97	78	..	S	3	b
Canton,	"	29.93	82	83	S	1	b
Hongkong,	4p.	29.92	78	55	SW	1	b
Victoria Peak,	"	..	..	..	SW	3	..
Gap Rock,	"	29.92	..	..	SE	1	..
Macao,	"	29.92	82	..	SW	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	88	47	E	3	c
Malate,	3p.	..	..	..	E	4	b
Bacolod,	"	..	..	..	N	4	c
Iloilo,	"	29.89	85	..	NE	2	
Cebu,	"	29.86	84	..	N	3	c
Cape S. James,	"	..	..	..	..	..	..

17th MARCH 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.06	..	..	..	0	..
Kochi,	"	30.07	..	..	NE	2	..
Nagasaki,	"	29.99	..	..	S	4	..
Kagoshima,	"	30.11	..	..	..	0	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	.	..	..	..	..	..
Gutzlaff,	9a.	29.98	59	94	S	1	f
Sharp Peak,	"	29.95	65	89	..	0	f
Amoy,	6.30a	29.95	68	90	NE	1	of
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	29.92	71	95	NW	1	c
Hongkong,	10a.	29.99	74	74	W	2	o
Victoria Peak,	"	..	..	..	.	0	..
Gap Rock,	"	29.98	..	..	SSW	1	..
Macao,	"	29.97	79	..	SW	..	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	81	69	WSW	2	o
Malate,	9a.	..	..	..	..	2	b
Bacolod,	"	..	..	..	NNE	4	b
Iloilo,	"	29.90	81	..	NE	2	o
Cebu,	"	29.90	84	..	N	3	o
Cape S. James,	7a.	..	..	..	..	2	c

On the 17th at noon: The barometer has fallen in Japan and China. There is a depression in N. China. Gradients slight generally. Forecast:—light SW winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 17th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

17th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.59	49	..	..	0	b
Tokio,	"	29.90	..	..	S	6	..
Kochi,	"	29.99	..	..	..	0	..
Nagasaki,	"	29.95	..	..	W	6	..
Kagoshima,	"	30.03	..	..	S	2	..
Taihoku,	1p.	29.91	..	..	NW	4	..
Taichu,	"	29.89	..	..	W	4	..
Tainan,	"	29.91	..	..	W	6	..
Koshun,	"	29.91	..	..	SW	2	..
Pescadores,	"	29.94	..	..	SE	4	..
Gutzlaff,	3p.	29.92	67	79	S	3	cm
Sharp Peak,	"	29.84	68	85	E	1	of
Amoy,	2.30p	29.89	74	76	SE	4	b
Swatow,	3p.	29.86	80	..	S	4	b
Canton,	"	..	..	..	..	..	..
Hongkong,	4p.	29.89	77	58	SW	2	c
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.90	..	..	S	2	..
Macao,	"	..	79	..	SW	1	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	91	49	SE	1	b
Malate,	3p.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NNE	6	o
Iloilo,	"	29.85	85	..	E	2	o
Cebu,	"	29.84	83	..	N	2	c
Cape S. James,	"	..	..	..	ESE	2	c

18th MARCH, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7a.	29.75	32	96	NW	1	b
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	29.91	..	..	..	0	..
Taichu,	"	29.89	..	..	..	0	..
Tainan,	"	29.90	..	..	N	2	..
Koshun,	"	29.90	..	..	..	0	..
Pescadores,	"	29.90	..	..	SE	8	..
Gutzlaff,	9a.	29.96	57	94	SE	4	f
Sharp Peak,	"	29.92	67	89	..	0	of
Amoy,	6.30a	29.90	68	90	NE	1	om
Swatow,	9 a.	29.94	75	..	SW	1	b
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.95	75	77	SW	1	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.94	..	..	S	2	..
Macao,	"	..	75	..	..	0	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	11a.	29.92	84	64	W	1	c
Malate,	9a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.93	81	..	NE	2	..
Cebu,	"	29.92	85	..	..	0	b
Cape S. James,	7a.	..	..	..	NE	2	c

On the 18th at 11 50.a. The depression in the North has moved over NE Japan. The barometer continues low over China, and gradients are slight on the coast and over the China Sea. Forecast:—light S winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 18th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	S	4	..
Kochi,	"	30.07	..	..	W	2	..
Nagasaki,	"	30.03	..	..	W	6	..
Kagoshima,	"	30.03	..	..	SE	2	..
Taihoku,	1p.	29.90	..	..	NW	2	..
Taichu,	"	29.87	..	..	W	2	..
Tainan,	"	29.91	..	..	W	4	..
Koshun,	"	29.90	..	..	W	4	..
Pescadores,	"	29.92	..	..	W	4	..
Gutzlaff,	3p.	29.90	60	94	SE	4	f
Sharp Peak,	"	29.85	70	77	ESE	3	b
Amoy,	2.20p	29.88	71	85	SE	4	bm
Swatow,	3p.	29.86	81	..	S	3	b
Canton,	"	29.87	82	83	..	0	b
Hongkong,	4p.	29.87	76	68	SSW	2	c
Victoria Peak,	"	..	..	..	SSW	4	..
Gap Rock,	"	29.87	..	..	S	2	..
Macao,	"	29.86	79	..	SW	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	90	48	SE	3	b
Malate,	3p.	..	..	..	S	4	b
Pacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.84	85	..	NE	1	b
Cebu,	"	29.83	84	..	N	3	c
Cape S. James,	"	..	..	..	ENE	2	c

19th MARCH 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.10	..	..	..	0	..
Kochi,	"	30.11	..	..	..	0	..
Nagasaki,	"	30.11	..	..	SE	4	..
Kagoshima,	"	30.15	..	..	SE	2	..
Taihoku,	5a.	29.95	..	..	E	2	..
Taichu,	"	29.91	..	..	..	0	..
Tainan,	"	29.93	..	..	W	2	..
Koshun,	"	29.94	..	..	..	0	..
Pescadores,	"	29.93	..	..	SW	2	..
Gutzlaff,	9a.	29.95	59	100	SSE	4	f
Sharp Peak,	"	29.96	66	92	..	0	of
Amoy,	6.30a	29.92	70	90	..	0	of
Swatow,	9 a.	29.98	75	..	SW	2	o
Canton,	"	..	..	..	..	.	..
Hongkong,	10a.	29.96	76	75	..	0	o
Victoria Peak,	"	..	..	..	S	2	..
Gap Rock,	"	29.95	..	..	SE	2	..
Macao,	"	29.94	80	..	SSE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	84	58	W	1	b
Malate,	9a.	..	..	..	E	2	b
Pacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.94	82	..	NE	1	b
Cebu,	"	29.94	82	..	N	1	c
Cape S. James,	7a.	..	..	..	NE	1	c

On the 19th at 11.20a. The barometer has risen over S. Japan and is little changed on the China coast. Pressure remains low over China, and gradients are slight for SE winds on the coast. Forecast:—light S winds; cloudy with light fog.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 19th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

19th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.10	34	..	NE	7	o
Tokio,	"	30.02	..	..	S	6	..
Kochi,	"	30.07	..	..	W	4	..
Nagasaki,	"	30.07	..	..	W	4	..
Kagoshima,	"	30.07	..	..	S	4	..
Taihoku,	1p.	29.92	..	..	NW	2	..
Taichu,	"	29.87	..	..	NW	2	..
Tainan,	"	29.93	..	..	S	6	..
Koshun,	"	29.91	..	..	S	4	..
Pescadores,	"	29.92	..	..	W	4	..
Gutzlaff,	8p.	29.84	64	89	SSE	5	cm
Sharp Peak,	"	29.84	69	87	ENE	2	o
Amoy,	2.30p	29.87	73	81	SE	5	b
Swatow,	3p.	29.81	79	..	W	4	b
Canton,	"	29.81	79	70	E	1	c
Hongkong,	4p.	29.86	75	77	S	1	o
Victoria Peak,	"	..	..	..	S	3	..
Gap Rock,	"	29.86	..	..	SSE	3	..
Macao,	"	29.85	79	..	SW	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	88	43	SE	3	b
Malate,	3p.	..	..	..	W	1	b
Bacolod,	"	..	..	..	N	6	c
Iloilo,	"	29.85	85	..	NE	1	b
Cebu,	"	29.86	83	..	..	0	c
Cape S. James,	"	..	..	..	NNE	1	c

20th MARCH 1902, A.M.

Wladivostock,	7a.	30.39	21	54	NE	5	c
Tokio,	6a.	30.02	..	..	NW	2	..
Kochi,	"	30.11	..	..	W	2	..
Nagasaki,	"	30.11	..	..	..	0	..
Kagoshima,	"	30.11	..	..	E	2	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	..	..	..	..	..	..
Sharp Peak,	"	29.85	68	85	..	0	of
Amoy,	6.30a	29.88	70	90	SSE	2	c
Swatow,	9 a.	29.91	77	..	SSW	2	c
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.91	77	73	S	1	o
Victoria Peak,	"	..	..	..	SW	..	..
Gap Rock,	"	29.90	..	..	ESE	3	..
Macao,	"	29.87	78	..	SSE	2	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7a.	..	..	..	NE	1	c

On the 20th at 11.50a. The barometer has risen much in the extreme North, fallen moderately on the E. coast of China. Pressure is high over the N. part of the Sea of Japan, and a depression lies over Central China. Gradients moderate to slight for SE and S. winds on the China coast. Forecast:—moderate S winds; cloudy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 20th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

20th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	E	6	..
Kochi,	"	30.07	..	..	S	2	..
Nagasaki,	"	30.03	..	..	NW	4	..
Kagoshima,	"	30.07	..	..	S	4	..
Taihoku,	1p.	29.82	..	..	W	2	..
Taichu,	"	29.81	..	..	SW	4	..
Tainan,	"	29.86	..	..	W	6	..
Koshun,	"	29.87	..	..	SW	2	..
Pescadores,	"	29.86	..	..	SW	6	..
Gutzlaff,	3p.	29.74	63	94	S	4	cm
Sharp Peak,	"	29.72	72	83	SW	2	c
Amoy,	2.30p	29.79	77	73	SSE	5	c
Swatow,	3p.	29.78	80	..	S	4	b
Canton,	"	29.73	82	91	SE	1	c
Hongkong,	4p.	29.78	75	79	S	1	o
Victoria Peak,	"	..	..	..	SW	1	..
Gap Rock,	"	29.79	..	..	SSE	3	..
Macao,	"	29.77	77	..	SSE	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	61	W	2	b
Malate,	3p.	..	..	..	E	2	b
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.84	87	..	NE	1	o
Cebu,	"	29.84	83	..	..	0	c
Cape S. James,	"	..	..	..	ESE	2	c

21st MARCH 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.18	..	..	E	4	..
Kochi,	"	30.07	..	..	NE	4	..
Nagasaki,	"	29.99	..	..	N	2	..
Kagoshima,	"	30.03	..	..	SE	2	..
Taihoku,	5a.	29.81	..	..	..	0	..
Taichu,	"	29.83	..	..	SW	2	..
Tainan,	"	29.85	..	..	S	2	..
Koshun,	"	29.84	..	..	..	0	..
Pescadores,	"	29.84	..	..	SW	4	..
Gutzlaff,	9a.	29.82	57	94	NW	3	o
Sharp Peak,	"	29.85	71	85	SSE	1	c
Amoy,	6.30a	29.82	72	90	ESE	2	cm
Swatow,	9 a.	29.85	77	..	S	2	c
Canton,	"	29.82	76	91	SE	1	o
Hongkong,	10a.	29.85	77	77	..	0	o
Victoria Peak,	"	..	..	..	..	0	..
Gap Rock,	"	29.83	..	..	SE	3	..
Macao,	"	29.81	77	..	S	1	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	86	65	WSW	1	b
Malate,	9a.	..	..	..	..	1	c
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.92	84	..	NE	1	c
Cebu,	"	29.91	84	..	N	1	c
Cape S. James,	7a.	..	..	..	NNE	1	c

On the 21st at noon. The barometer has fallen slightly on the China coast and over W. Japan. The depression has left the Mainland of China, and passed into the Yellow Sea. Pressure is high over NE Japan. Gradients slight in the South. Forecast:– moderate or light S winds; cloudy.

F. G. FIGG,

First Assistant.

Hongkong Observatory, Friday. 21st March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

21st MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.29	29	..	NE	5	o
Tokio,	"	30.18	..	..	NE	4	..
Kochi,	"	29.99	..	..	NE	6	..
Nagasaki,	"	29.87	..	..	S	6	..
Kagoshima,	"	29.95	..	..	S	8	..
Taihoku,	1p.	29.71	..	..	.	0	..
Taichu,	"	29.76	..	..	SW	6	..
Tainan,	"	29.82	..	..	W	6	..
Koshun,	"	29.83	..	..	NW	6	..
Pescadores,	"	29.82	..	..	S	6	..
Gutzlaff,	8p.		..	..	..	..	..
Sharp Peak,	"	29.64	75	79	S	2	b
Amoy,	2.30p	29.76	79	78	S	5	c
Swatow,	3p.	29.77	78	..	SSW	3	o
Canton,	"	.	..	..	..	..	..
Hongkong,	4p.	29.76	76	78	S	1	o
Victoria Peak,	"	..	..	..	S	6	..
Gap Rock,	"	29.75	..	..	SE	3	..
Macao,	"	29.74	78	..	S	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	90	60	WSW	2	b
Malate,	3p.	..	..	..	..	0	b
Bacolod,	"	..	..	..	N	6	c
Iloilo,	"	29.84	87	..	NE	1	o
Cebu,	"	29.81	83	..	N	2	b
Cape S. James,	"	..	..	..	S	2	c

22nd MARCH 1902, A.M.

Wladivostock,	7a.	30.37	18	77	N	1	b
Tokio,	6a.	30.06	..	..	N	6	..
Kochi,	"	29.87	..	..	SE	6	..
Nagasaki,	"	29.72	..	..	N	6	..
Kagoshima,	"	29.72	..	..	S	6	..
Taihoku,	5a.	29.85	..	..	NW	2	..
Taichu,	"	29.83	..	..	..	0	..
Tainan,	"	29.83	..	..	S	2	..
Koshun,	"	29.83	..	..	N	6	..
Pescadores,	"	29.84	..	..	S	2	..
Gutzlaff,	9a.	30.08	51	93	N	6	od
Sharp Peak,	"	29.98	65	89	NE	3	o
Amoy,	6.30a	29.91	73	90	SE	1	bm
Swatow,	9 a.	.	..	..	..	..	..
Canton,	"	29.86	78	86	..	0	b
Hongkong,	10a.	29.89	75	89	SSE	2	o
Victoria Peak,	"	..	..	..	SE	3	..
Gap Rock,	"	29.88	..	..	SE	3	..
Macao,	"	29.88	76	..	S	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	84	71	WSW	1	b
Malate,	9a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.90	83	..	NE	3	b
Cebu,	"	29.93	83	..		0	b
Cape S. James,	7a.	..	..	..	SW	1	c

On the 22nd at 11.51.a. The barometer has risen quickly over the E. coast of China, and fallen rapidly in Japan. The depression is moving Eastwards over the W. coast of Japan. Pressure is high over N. China. The NE monsoon will freshen considerably in the Formosa Channel and along the S. coast of China. Forecast:—wind backing to NE and freshening; dull with light rain, cooler.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 22nd March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

22nd MARCH, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.12	..	..	N	4	..
Kochi,	"	29.79	..	..	E	8	..
Nagasaki,	"	29.79	..	..	N	8	..
Kagoshima,	"	29.68	..	..	..	0	..
Taihoku,	1 p.	29.94	..	..	E	8	..
Taichu,	"	29.86	..	..	NE	4	..
Tainan,	"	29.89	..	..	W	8	..
Koshun,	"	29.90	..	..	SW	2	..
Pescadores,	"	29.89	..	..	SW	4	..
Gutzlaff,	3 p.	30.08	51	93	N	5	omp
Sharp Peak,	"	29.96	63	83	E	5	f
Amoy,	"	29·87	76	77	ENE	3	om
Swatow,	"	29.84	79	..	SSW	3	o
Canton,	"	29.78	79	91	..	0	o
Hongkong,	4 p.	29.81	73	96	E	1	od
Victoria Peak,	"	..	..	..	S	4	..
Gap Rock,	"	29·80	..	..	SE	3	..
Macao,	"	29.80	75	..	S	1	c
Haiphong,	1 p.	..	..	..	.	..	..
Manila,	4 p.	29.84	86	65	SW	2	c
Malate,	3 p.	..	..	..	W	3	b
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.87	88	..	NE	1	c
Cebu,	"	29.86	85	..	S	1	b
Cape S. James,	"	..	..		ESE	1	c

23rd MARCH, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5 a.	30.00	..	..	E	4	..
Taichu,	"	29.94	..	..	.	0	..
Tainan,	"	29.94	..	..	N	2	..
Koshun,	"	29 94	..	..	..	0	..
Pescadores,	"	29.95	..	..	NE	8	..
Gutzlaff,	9 a.	30.18	52	79	SE	2	omd
Sharp Peak,	"	30.06	61	82	NNW	1	og
Amoy,	"	29.99	65	89	NE	1	c
Swatow	"	30.04	68	..	E	1	og
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.00	67	96	E	2	od
Victoria Peak,	"	..	..	..	ESE	7	..
Gap Rock,	"	29.96	..	..	E	4	..
Macao,	"	29.98	73	..	ESE	2	o
Haiphong,	7 a.	..	..	..		..	.
Manila,	10 a.	29.96	82	77	W	1	b
Malate,	9 a.	..	..	..	E	2	..
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.94	82	..	NE	..	c
Cebu,	"	29.97	74	..	N	2	c
Cape S. James,	7 a.	..	..	..	SW	1	c

On the 23rd at 12.30p. The barometer has risen on the China coast. The depression is moving Eastwards over Japan. Pressure is highest over the NE coast of China. Gradients moderate for NE winds on the China coast. Forecast:—fresh E winds; dull, rainy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 23rd March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

23rd MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.36	41	..	..	0	b
Tokio,	"	30.26	..	..	NE	6	..
Kochi,	"	30.03	..	..	NW	8	..
Nagasaki,	"	29.99	..	..	N	6	..
Kagoshima,	"	29.99	..	..	SE	4	..
Taihoku,	1p.	30.01	..	..	E	6	..
Taichu,	"	29.92	..	..	W	4	..
Tainan,	"	29.93	..	..	NW	6	..
Koshun,	"	29.94	..	..	SE	6	..
Pescadores,	"	29.98	..	..	NE	6	..
Gutzlaff,	3p.	30.09	51	93	N	3	omd
Sharp Peak,	"	30.03	60	85	E	3	od
Amoy,	2.30p	29.96	68	79	E	2	o
Swatow,	3p.	29.94	79	..	ENE	1	og
Canton,	"	29.91	64	100	..	..	..
Hongkong,	4p.	29.90	68	90	NE	4	o
Victoria Peak,	"	..	..	..	ESE	4	..
Gap Rock,	"	29.87	..	..	E	3	..
Macao,	"	29.89	72	..	E	1	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	91	56	SSE	2	b
Malate,	3p.	..	..	..	..	0	b
Bacolod,	"	..	..	..	N	6	o
Iloilo,	"	29.87	88	..	NE	1	..
Cebu,	"	29.85	83	..	N	2	b
Cape S. James,	"	..	..	..	..	..	..

24th MARCH 1902, A.M.

Wladivostock,	7a.	30.33	28	97	SE	1	b
Tokio,	6a.	30.37	..	..	NW	6	..
Kochi,	"	30.11	..	..	E	8	..
Nagasaki,	"	30.07	..	..	NE	4	..
Kagoshima,	"	30.03	..	..	NE	4	..
Taihoku,	5a.	30.06	..	..	E	8	..
Taichu,	"	29.94	..	..	N	2	..
Tainan,	"	29.95	..	..	N	6	..
Koshun,	"	29.98	..	..	NE	2	..
Pescadores,	"	29.96	..	..	NE	6	..
Gutzlaff,	9a.	..	..	..	..	..	..
Sharp Peak,	"	30.10	59	85	N	2	of
Amoy,	6.30a	29.99	64	84	NE	1	o
Swatow,	9 a.	30.09	66	..	E	3	o
Canton,	"	30.03	65	95	..	0	og
Hongkong,	10a.	30.05	66	95	E	3	od
Victoria Peak,	"	..	..	..	E	7	..
Gap Rock,	"	30.00	..	..	E	4	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	88	54	..	0	b
Malate,	9a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.98	81	..	..	1	o
Cebu,	"	29.97	83	..	..	0	..
Cape S. James,	7a.	..	..	..	..	..	..

On the 24th at 11.52a. The barometer has risen in S. China and Japan. Pressure is high over NE Japan, and relatively low off the coast of SW China. Gradients moderate to slight for NE and E winds on the China coast. Forecast:—moderate E winds, dull rainy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 24th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

24th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.93	39	..	SE	2	o
Tokio,	"	30.33	..	..	N	6	..
Kochi,	"	30.11	..	..	E	8	..
Nagasaki,	"	30.03	..	..	N	4	..
Kagoshima,	"	30.03	..	..	E	6	..
Taihoku,	1p.	29.97	..	..	E	6	..
Taichu,	"	29.95	..	..	N	2	..
Tainan,	"	29.97	..	..	W	4	..
Koshun,	"	29.98	..	..	SE	6	..
Pescadores,	"	29.99	..	..	N	6	..
Gutzlaff,	3p.	30.13	55	62	N	2	omd
Sharp Peak,	"	30.02	60	88	NW	1	od
Amoy,	2.30p	29.98	66	84	E	2	of
Swatow,	3p.	29.99	68	..	N	5	o
Canton,	"	29.95	67	89	NE	1	o
Hongkong,	4p.	29.94	68	88	ENE	3	o
Victoria Peak,	"	..	..	..	ESE	4	..
Gap Rock,	"	29.93	..	..	E	3	..
Macao,	"	29.96	70	..	ESE	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	88	54	SE	4	c
Malate,	3p.	..	..	..	E	3	c
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.83	87	..	NE	2	b
Cebu,	"	29.87	85	..	N	2	b
Cape S. James,	"	..	..	..	S	1	c

25th MARCH 1902, A.M.

Wladivostock,	7a.	30.11	30	90	..	0	o
Tokio,	6a.	30.26	..	..	N	2	..
Kochi,	"	30.03	..	..	E	8	..
Nagasaki,	"	30.03	..	..	N	2	..
Kagoshima,	"	30.03	..	..	NW	2	..
Taihoku,	5a.	30.08	..	..	..	0	..
Taichu,	"	30.00	..	..	..	4	..
Tainan,	"	30.00	..	..	NW	4	..
Koshun,	"	30.01	..	..	NE	4	..
Pescadores,	"	30.03	..	..	N	4	..
Gutzlaff,	9a.	30.30	45	84	N	4	cv
Sharp Peak,	"	30.15	60	85	E	4	od
Amoy,	6.30a	30.02	64	95	NE	2	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.16	68	95	ENE	2	odt
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	30.17	62	..	NW	2	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	E	1	o
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	30.01	82	..	NE	1	o
Cebu,	"	30.01	83	..	N	3	b
Cape S. James,	7a.	..	..	..	SW	1	c

On the 25th at 11.30a. The barometer has risen in China, fallen in S. Japan. Pressure is still high over NE Japan, and relatively low in the neighbourhood of SW Japan. Gradients are moderate to slight for N and NE winds along the China coast and over the N. part of the China Sea. Forecast:—moderate NE winds; dull, rainy.

F. G. FIGG.
First Assistant

Hongkong Observatory, Tuesday 25th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

25th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.05	38	..	W	1	c
Tokio,	"	30.10	..	..	NW	2	..
Kochi,	"	29.91	..	..	NE	6	..
Nagasaki,	"	30.07	..	..	N	6	..
Kagoshima,	"	30.03	..	..	N	6	..
Taihoku,	1p.	30.12	..	..	E	8	..
Taichu,	"	30.04	..	..	N	4	..
Tainan,	"	30.07	..	..	N	4	..
Koshun,	"	30.07	..	..	SE	4	..
Pescadores,	"	30.09	..	..	NE	8	..
Gutzlaff,	3p.	30.28	48	78	NNW	3	cv
Sharp Peak,	"	30.18	58	88	ENE	6	fr
Amoy,	2.30p	30.10	68	95	NE	3	o
Swatow,	3p.	30.15	67	..	WNW	3	o
Canton,	"	30.08	56	100	..	0	r
Hongkong,	4p.	30.08	66	94	NW	1	o
Victoria Peak,	"	..	..	..	NW	2	..
Gap Rock,	"	30.06	..	..	NNW	4	..
Macao,	"	30.09	61	..	NW	3	or
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.92	88	59	SE	2	c
Malate,	3p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NNE	6	c
Iloilo,	"	29.91	86	..	E	2	b
Cebu,	"	29.91	82	..	N	2	b
Cape S. James,	"	..	..	..	..	0	c

26th MARCH 1902, A.M.

Wladivostock,	7a.	30.03	27	99	..	0	b
Tokio,	6a.	29.94	..	..	NW	4	..
Kochi,	"	30.07	..	..	..	0	..
Nagasaki,	"	30.15	..	..	NE	4	..
Kagoshima,	"	30.15	..	..	NW	4	..
Taihoku,	5a.	30.14	..	..	E	6	..
Taichu,	"	30.06	..	..	..	0	..
Tainan,	"	30.07	..	..	N	2	..
Koshun,	"	30.06	..	..	NE	8	..
Pescadores,	"	30.09	..	..	NE	8	..
Gutzlaff,	9a.	30.29	47	100	NNW	3	cv
Sharp Peak,	"	30.24	58	94	N	1	cg
Amoy,	6.30a	..	65	73	SE	1	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.19	68	81	E	2	o
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30·18	..	..	ENE	4	..
Macao,	"	30.20	66	..	NNW	1	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.04	84	64	WNW	1	o
Malate,	9a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NE	6	b
Iloilo,	"	30.02	82	..	NE	2	o
Cebu,	"	30.03	82	..	..	0	c
Cape S. James,	7a.	..	..	..	NE	4	c

On the 26th at 11.50a. The barometer has fallen rapidly in NE Japan and slightly in N. China, risen SW Japan. The depression that was lying near SW Japan yesterday has deepened and moved NE to E. of Japan. Pressure is still high over N. China. Gradients moderate to slight for N. and NE winds ong the China coast and over the N. part of the China Sea. Forecast:—moderate NE winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 26th March 1902.

CHINA COAST METEOROLOGICAL REGISTER:

26th MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.96	45	..	SE	1	o
Tokio,	"	29.94	..	..	N	6	..
Kochi,	"	30.03	..	..	..	0	..
Nagasaki,	"	30.07	..	..	N	2	..
Kagoshima,	"	30.07	..	..	SW	6	..
Taihoku,	1p.	30.14	..	..	E	6	..
Taichu.	"	30.10	..	..	N	4	..
Tainan,	"	30.07	..	..	N	4	..
Koshun,	"	30.08	..	..	NE	4	..
Pescadores,	"	30.10	..	..	NE	8	..
Gutzlaff,	3p.	30.24	48	85	N	2	cv
Sharp Peak,	"	30.14	59	85	E	1	og
Amoy,	2.30p	30.08	66	89	SE	2	o
Swatow,	3p.	30.09	68	..	NW	2	o
Canton,	"	30.07	60	94	E	1	o
Hongkong,	4p.	30.08	69	77	E	1	o
Victoria Peak,	"	..	..	..	NE	1	..
Gap Rock,	"	30.07	..	..	ENE	3	..
Macao,	"	30.08	68	..	NNW	2	o
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	90	48	SE	3	b
Malate,	3p.	..	..	..	E	4	b
Bacolod,	"	..	..	..	NNE	4	b
Iloilo,	"	29.89	85	..	NE	2	b
Cebu,	"	29.90	84	..	N	3	b
Cape S. James,	"	..	..	..	NE	3	b

27th MARCH 1902, A.M.

Wladivostock,	7a.	29.87	33	99	..	0	f
Tokio,	6a.	30.06	..	..	NW	2	..
Kochi,	"	30.07	..	..	..	0	..
Nagasaki,	"	30.07	..	..	SE	0	..
Kagoshima,	"	30.07	..	..	N	6	..
Taihoku,	5a.	30.13	..	..	E	6	..
Taichu,	"	30.05	..	..	N	2	..
Tainan,	"	30.06	..	..	N	4	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	30.07	..	..	N	6	..
Gutzlaff,	9a.	..	..	..	..	..	..
Sharp Peak,	"	30.21	57	84	N	2	og
Amoy,	6.30a	30.10	61	82	NE	1	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	30.17	63	89	N	2	o
Hongkong,	10a.	30.16	69	76	NE	1	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	30·14	..	..	NNE	3	..
Macao,	"	30.15	68	..	NW	1	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.04	84	71	WNW	1	c
Malate,	9a.	..	..	..	E	3	c
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	30.02	83	..	NE	1	o
Cebu,	"	30.01	84	..	N	3	b
Cape S. James,	7a.	..	..	..	NE	4	o

On the 27th at 11.45a. The barometer has risen in NE Japan, fallen in SW Japan. Pressure is high over Central China, and gradients are slight for N. and NE winds along the China coast and over the N. part of the China Sea. Forecast:—light NE breezes; cloudy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 27th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

27th MARCH, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.83	46	..	W	1	b
Tokio,	"	29.94	..	..	N	4	..
Kochi,	"	29.95	..	..	W	4	..
Nagasaki,	"	30.07	..	..	W	6	..
Kagoshima,	"	30.03	..	..	W	4	..
Taihoku,	1 p.	30.11	..	..	E	6	..
Taichu,	"	30.02	..	..	N	6	..
Tainan,	"	30.05	..	..	N	8	..
Koshun,	"	30.03	..	..	NE	4	..
Pescadores,	"	30.09	..	..	NE	6	..
Gutzlaff,	3 p.	30.18	55	68	NNE	1	cv
Sharp Peak,	..	30.12	59	82	E	3	o
Amoy,	2.30p	30.03	67	79	NE	3	c
Swatow,	3p.	30.14	70	..	E	3	c
Canton,	"	30.03	73	76	NW	1	c
Hongkong,	4 p.	30.03	71	76	E	1	b
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	30·01	..	..	ENE	3	..
Macao,	"	30.02	77	..	E	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	88	59	W	1	c
Malate,	3 p.	..	..	..	N	2	c
Bacolod,	"	..	..	..	NNE	4	b
Iloilo,	"	29.90	87	..	N	3	c
Cebu,	"	29.88	83	..	N	2	b
Cape S. James,	"	..	..		NE	3	c

28th MARCH, 1902, A. M.

Wladivostock,	7 a.	30.03	32	85	..	0	b
Tokio,	6a.	30.10	..	..	NW	2	..
Kochi,	"	30.11	..	..	..	0	..
Nagasaki,	"	30.11	..	..	N	2	..
Kagoshima,	"	30.11	..	..	..	0	..
Taihoku,	5 a.	30.09	..	..	E	6	..
Taichu,	"	30.02	..	..	N	4	..
Tainan,	"	30.02	..	..	N	4	..
Koshun,	"	30.00	..	..	NE	6	..
Pescadores,	"	30.01	..	..	NE	6	..
Gutzlaff,	9 a.	30.21	52	79	SE	3	bv
Sharp Peak,	"	30.16	58	81	ENE	2	og
Amoy,	6.30a	30.10	63	83	NE	2	o
Swatow	9.a.	30.15	68	..	E	2	o
Canton,	"	30.05	68	95	NNE	2	o
Hongkong,	10 a.	30.07	68	84	ENE	4	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	30.04	..	..	E	5	..
Macao,	"	30.05	70	..	ESE	3	o
Haiphong,	7 a.	..	..	..		..	..
Manila,	10 a.	29.96	84	64	W	1	c
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NNE	6	b
Iloilo,	"	29.97	82	..	NE	1	c
Cebu,	"	29.96	83	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	4	f

On the 28th at 12.55p. The barometer has fallen on the China coast, probably owing to the advance of another depression over N. China. Pressure is highest between the E. coast of China and W. Japan. Gradients moderate to slight for E. winds on the China coast. Forecast:—fresh E winds; some drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 28th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

28th MARCH, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2p.	29.14	46	..	S	5	b
Tokio, ...	"	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	..	..	..	..	..	..
Taihoku, ...	1 p.	30.02	..	..	E	8	..
Taichu, ...	"	29.95	..	..	W	2	..
Tainan, ...	"	29.98	..	..	W	4	..
Koshun, ...	"	30.00	..	..	NE	6	..
Pescadores, ...	"	30.01	..	..	N	6	..
Gutzlaff, ...	3 p.	30.11	56	75	SSE	4	bm
Sharp Peak, ..	"	30.06	61	77	ENE	5	o
Amoy, ...	2.30p	30.03	69	70	NE	2	c
Swatow, ...	3p.	29.99	73	..	E	1	c
Canton, ...	"	29.93	72	90	NE	2	o
Hongkong, ...	4 p.	29.95	68	88	E	4	o
Victoria Peak,	"	..	..	..	ESE	5	..
Cap Rock, ...	"	29.93	..	..	E	5	..
Macao,... ...	"	29.96	69	..	E	2	b
Hai Long, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.84	90	44	ESE	1	b
Malate, ...	3 p.	..	..	..	SE	2	c
Bacolod, ...	"	..	..	..	N	3	b
Iloilo, ...	"	29.85	86	..	NE	2	b
Cebu,..... ...	"	29.83	84	..	N	3	b
Cape S. James,..	"	..	..		NNE	3	f

29th MARCH, 1902, A. M.

Wladivostock,..	7 a.	29.92	39	99	S	4	o
Tokio, ...	6a.	..	..	..	.	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima.....	"	..	..	..	..	..	..
Taihoku, ...	5 a.	29.99	..	..	..	0	..
Taichu, ...	"	29.99	..	..	..	0	..
Tainan, ...	"	29.99	..	..	N	2	..
Koshun, ...	"	30.01	..	..	E	2	..
Pescadores.....	"	29.99	..	..	N	4	..
Gutzlaff, ...	9 a.	29.96	58	94	S	4	omd
Sharp Peak,....	"	30.01	63	83	..	0	o
Amoy, ...	6.30a	..	..	..	..	..	..
Swatow	9.a.	..	..	..	..	..	—
Canton, ...	"	..	..	..	..	..	..
Hongkong, ...	10 a.	30.00	69	87	E	3	e
Victoria Peak,	"	..	..	..	ESE	..	..
Cap Rock, ...	"	29.98	..	..	E	3	..
Macao,.....	"	..	..	..	..	..	..
Haiphong, ...	7 a.	..	..	..	..	..	..
Manila, ...	10 a.	..	..	..	..	..	..
Malate, ...	9 a.	..	..	..	..	0	b
Bacolod, ...	"	..	..	..	..	2	or
Iloilo, ...	"	29.92	81	..	NE	2	c
Cebu, ...	"	29.92	85	..	N	3	e
Cape S. James,	7 a.	..	..	..	NE	3	e

On the 29th at 12.15p. The barometer has fallen in China, particularly in the North, owing to the depression which seems to be advancing Eastwards over the NE coast. Gradients slight over S. China and the N. part of the China Sea. Forecast:—E. or variable winds, light; drizzling rain or mist.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 29th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

29th MARCH, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	..	..
Taihoku,	1 p.	29.98	..	..	NW	6	..
Taichu,	"	29.93	..	..	NW	4	..
Tainan,	"	29.93	..	..	W	6	..
Koshun,	"	29.96	..	..	SE	6	..
Pescadores,	"	29.95	..	..	N	6	..
Gutzlaff,	3 p.	29.82	58	100	S	5	cm
Sharp Peak,	..	29.89	65	100	E	1	o
Amoy,	2.30p	29.94	68	85	SE	2	o
Swatow,	3p.	29.95	72	..	E	3	o
Canton,	"	29.88	78	82	SE	1	o
Hongkong,	4 p.	29.89	71	86	E	2	o
Victoria Peak,	"	..	..	..	S	5	..
Gap Rock,	"	29.86	..	..	E	3	..
Macao,	"	29.87	73	..	SSE	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	90	38	E	..	b
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	N	6	o
Iloilo,	"	29.85	82	..	NE	2	..
Cebu,	"	29.84	84	..	N	4	c
Cape S. James,	"	..	..		NE	3	f

30th MARCH, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6a.	29.98	..	..	N	2	..
Kochi,	"	29.99	..	..	S	10	..
Nagasaki,	"	29.72	..	..	SE	12	..
Kagoshima,	"	29.95	..	..	S	8	..
Taihoku,	5 a.	29.95	..	..	..	0	..
Taichu,	"	29.93	..	..	..	0	..
Tainan,	"	29.94	..	..	N	2	..
Koshun,	"	29.94	..	..	SE	4	..
Pescadores,	"	29.93	..	..	S	8	..
Gutzlaff,	9 a.	30.24	46	84	N	6	cv
Sharp Peak,	"	30.00	64	86	ENE	6	of
Amoy,	6.30a	..	..	..	N	2	..
Swatow,	9.a.	..	..	..	..	..	.
Canton,	"	30.00	70	95	N	1	o
Hongkong,	10 a.	30.01	74	86	.	0	o
Victoria Peak,	"	..	..	..	NE	1	..
Gap Rock,	"	30.00	..	..	ESE	2	..
Macao,	"	30.01	73	..	..	0	o
Haiphong,	7 a.	.	..	..	.	..	.
Manila,	10 a.	29.96	84	58	W	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	.	..	..	NE	2	d
Iloilo,	"	29.92	81	..	NE	2	c
Cebu,	"	29.92	85	..	N	2	b
Cape S. James,	7 a.	..	..	..	..	0	o

On the 30th at 12.35p. The barometer has fallen rapidly in Japan, risen quickly in N. China. The depression in the North is moving Eastwards and approaching the West coast of Japan. Pressure is again high over N. China. Strong monsoon setting down the China coast. Forecast:—NE winds freshening; probably some rain, colder.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 30th March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

30th MARCH, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.68	45	..	N	2	b
Tokio,	"	29.94	..	..	S	8	..
Kochi,	"	29.87	..	..	SW	10	..
Nagasaki,	"	29.91	..	..	NW	8	..
Kagoshima,	"	29.91	..	..	W	6	..
Taihoku,	1 p.	30.06	..	..	E	6	..
Taichu,	"	29.93	..	..	NW	6	..
Tainan,	"	29.94	..	..	SW	6	..
Koshun,	"	29.94	..	..	SE	6	..
Pescadores,	"	29.95	..	..	S	6	..
Gutzlaff,	3 p.	30.24	50	65	N	5	cv
Sharp Peak,	..	30.09	60	82	E	7	cd
Amoy,	2.30p	29.93	70	90	NE	3	o
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.91	76	78	..	0	o
Victoria Peak,	"	..	..	..	ESE	1	..
Cap Rock,	"	29.91	..	..	E	1	..
Macao,	"	29.92	75	..	..	0	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	..	..	..	..	..	..
Malate,	3 p.	..	..	..	W	2	c
Bacolod,	"	..	..	..	N	4	c
Iloilo,	"	29.85	87	..	E	2	c
Cebu,	"	29.83	85	..	N	3	b
Cape S. James,	"	..	..		..	..	..

31st MARCH, 1902, A. M.

Wladivostock,	7 a.	29.84	31	51	S	1	o
Tokio,	6a.	29.90	..	..	NW	4	..
Kochi,	"	30.07	..	..	..	0	..
Nagasaki,	"	30.16	..	..	..	0	..
Kagoshima,	"	30.15	..	..	NW	4	..
Taihoku,	5 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	30.33	46	84	E	3	or
Sharp Peak,	"	30.22	57	78	NNE	5	o
Amoy,	6.30a	30.10	61	83	NE	3	o
Swatow	9.a.	..	..	..	..	..	-
Canton,	"	.	..	..	..	..	..
Hongkong,	10 a.	30.11	66	89	E	5	cd
Victoria Peak,	"	..	..	..	E	5	..
Cap Rock,	"	30.07	..	..	E	5	..
Macao	"	..	..	..	..	..	..
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	E	1	b
Bacolod,	"	.	.	..	NE	2	..
Iloilo,	"	29.97	83	..	NE	3	o
Cebu,	"	29.94	86	..	N	2	c
Cape S. James,	7 a.	..	..	..	NE	1	c

On the 31st at 11.40a. The barometer has fallen in E. Japan, risen on the China coast, and in W. Japan. The depression has moved into the Pacific to E. of Japan. Pressure is high over the NE coast of China. Gradients moderate with moderate to strong monsoon along the China coast. Forecast:—fresh E. winds; dull, drizzling rain.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 31st March 1902.

CHINA COAST METEOROLOGICAL REGISTER.

31st MARCH, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.10	..	..	E	6	..
Kochi,	"	30.07	..	..	E	2	..
Nagasaki,	"	30.19	..	..	N	4	..
Kagoshima,	"	30.15	..	..	SW	2	..
Taihoku,	1p.	30.11	..	..	NE	8	..
Taichu,	"	30.04	..	..	..	0	..
Tainan,	"	30.05	..	..	NW	6	..
Koshun,	"	30.04	..	..	E	6	..
Pescadores,	"	30.10	..	..	NE	8	..
Gutzlaff,	3p.	30.31	48	78	E	3	cvp
Sharp Peak,	"	30.17	56	84	ENE	1	o
Amoy,	2.30p	30.12	64	73	NE	2	o
Swatow,	3p.	30.10	67	..	NE	2	o
Canton,	"	30.02	65	95	..	0	od
Hongkong,	4p.	30.03	67	84	ENE	5	o
Victoria Peak,	"	..	..	..	ESE	5	..
Gap Rock,	"	29.99	..	..	E	5	..
Macao,	"	30.01	70	..	ESE	3	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	91	..	E	1	b
Malate,	3p.	..	..	..	WSW	1	c
Bacolod,	"	..	..	..	NNE	6	c
Iloilo,	"	29.87	84	..	E	3	c
Cebu,	"	29.86	85	..	N	2	c
Cape S. James,	"	..	..	..	..	..	..

1st APRIL 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.37	..	..	NW	2	..
Kochi,	"	30.27	..	..	E	8	..
Nagasaki,	"	30.27	..	..	N	2	..
Kagoshima,	"	30.27	..	..	E	4	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	—	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	30.29	51	93	ESE	3	cm
Sharp Peak,	"	30.24	57	84	..	0	o
Amoy,	6.30a	30.15	62	83	NE	1	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	.
Hongkong,	10a.	30.18	68	85	E	4	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NNE	..	o
Iloilo,	"	29.97	81	..	NE	2	c
Cebu,	"	29.94	80	..	N	1	c
Cape S. James,	7a.	..	..	..	NE	4	c

On the 1st at 11.30a. The barometer has risen quickly in Japan, and commenced to fall again in N. China. High pressure covers the area between the East coast of China and E. Japan. Forecast:— moderate to light E winds; cloudy, misty.

Telegraphic communication between the Observatory and HongKong is interrupted.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 1st April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

1st APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.06	52	..	S	1	b
Tokio,	"	30.23	..	..	NE	4	..
Kochi,	"	30.27	..	..	NE	4	..
Nagasaki,	"	30.27	..	..	N	2	..
Kagoshima,	"	30.23	..	..	E	4	..
Taihoku,	1p.	30.13	..	..	E	4	..
Taichu,	"	30.09	..	..	N	6	..
Tainan,	"	30.09	..	..	NW	6	..
Koshun,	"	30.09	..	..	E	4	..
Pescadores,	"	30.14	..	..	NE	8	..
Gutzlaff,	3p.	..	..	..	..	..	..
Sharp Peak,	"	30.13	61	82	ENE	3	c
Amoy,	2.30p	30.10	67	79	SE	..	b
Swatow,	3p.	30.08	72	..	SE	2	c
Canton,	"	29.99	73	86	..	0	..
Hongkong,	4p.	30.07	69	83	E	3	o
Victoria Peak,	"	..	..	..	ESE	3	..
Gap Rock,	"	30.05	..	..	ENE	4	..
Macao,	"	30.06	73	..	SSE	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.92	88	54	NE	2	..
Malate,	3p.	..	..	..	E	2	c
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.85	84	..	NE	1	c
Cebu,	"	29.86	83	..	N	3	o
Cape S. James,	"	..	..	..	NE	3	b

2nd APRIL 1902, A.M.

Wladivostock,	7a.	30.04	38	99	SE	4	o
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.10	..	..	..	0	..
Taichu,	"	30.06	..	..		0	..
Tainan,	"	30.08	..	..	N	2	..
Koshun,	"	30.06	..	..	E	4	..
Pescadores,	"	30.09	..	..	..	0	..
Gutzlaff,	9a.	..	..	..	..	..	..
Sharp Peak,	"	30.10	60	88	..	0	o
Amoy,	6.30a	30.10	64	84	SE	2	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.16	75	72	SE	1	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	30.14	..	..	NNE	3	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	30.00	90	48	E	1	b
Malate,	9a.	..	..	..	E	1	b
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.94	83	..	NE	2	o
Cebu,	"	30.00	84	..	N	1	c
Cape S. James,	7a.	..	..	..	NE	4	c

On the 2nd at 12.5p The barometer has fallen in the North, probably owing to a slight depression over the Yellow Sea. Gradients slight over the China coast. Forecast:—Light to moderate NE winds; fair. Telegraphic communication between the Observatory and HongKong restored at 10.40 this morning.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 2nd April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

2nd APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.79	42	..	SE	6	f
Tokio,	"	30.16	..	..	N	2	..
Kochi,	"	29.96	..	..	NE	4	..
Nagasaki,	"	29.92	..	..	W	2	..
Kagoshima,	"	29.92	..	..	NW	6	..
Taihoku,	1p.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3p.	30.20	56	81	N	4	ev
Sharp Peak,	"	30.09	62	91	E	1	o
Amoy,	2.39p	30.05	69	80	NE	4	b
Swatow,	3p.	..	.	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4p.	30.03	75	71	E	1	b
Victoria Peak,	"	..	..	..	N	1	..
Gap Rock,	"	30.02	..	..	NNE	3	..
Macao,	"	30.03	78	..	SSE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	91	39	ENE	3	b
Malate,	3p.	..	..	..	E	1	b
Bacolod,	"	..	..	..	N	6	e
Iloilo,	"	29.85	87	..	NE	2	c
Cebu,	"	29.84	85	..	N	2	c
Cape S. James,	"	..	..	..	NE	4	b

3rd APRIL 1902, A.M.

Wladivostock,	7a.	29.08	32	99	NW	4	s
Tokio,	6a.	30.06	..	..	SE	8	..
Kochi,	"	29.87	..	..	W	6	..
Nagasaki,	"	30.15	..	..	NW	8	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.23	..	..	SE	6	..
Taichu,	"	30.05	..	..	N	6	..
Tainan,	"	30.05	..	..	N	6	..
Koshun,	"	30.04	..	..	NE	8	..
Pescadores,	"	30.10	..	..	NE	10	..
Gutzlaff,	9a.	30.38	51	86	NNE	1	bm
Sharp Peak,	"	30.31	58	78	NE	6	of
Amoy,	6.30a	30.17	63	78	NE	6	o
Swatow,	9 a.	..	..	.	..	..	..
Canton,	"	..	82	71	..	0	o
Hongkong,	10a.	30.14	70	66	E	5	c
Victoria Peak,	"	..	..	..	E	7	..
Gap Rock,	"	30.12	..	..	ENE	5	..
Macao,	"	30.15	73	..	ESE	3	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	88	54	..	0	b
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NE	6	b
Iloilo,	"	29.93	81	..	NE	2	b
Cebu,	"	29.92	82	..	..	0	b
Cape S. James,	7a.	..	..	..	NE	2	b

On the 3rd at 11.41a The barometer has fallen quickly in E. Japan, risen considerably in N. China. The depression is moving Eastwards in the N. part of the Sea of Japan. Pressure is again high over N. China. Gradients rather steep for NE winds along the coasts of S. China. Forecast:—strong E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 3rd April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

3rd APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.22	31	..	NW	7	s
Tokio,	"	..	..	..	S	6	..
Kochi,	"	29.91	..	..	W	8	..
Nagasaki,	"	30.15	..	..	NW	10	..
Kagoshima,	"	30.13	..	..	NW	6	..
Taihoku,	1p.	30.19	..	..	E	8	..
Taichu,	"	30.01	..	..	N	2	..
Tainan,	"	30.03	..	..	NW	4	..
Koshun,	"	30.03	..	..	NE	10	..
Pescadores,	"	30.09	..	..	NE	10	..
Gutzlaff,	3p.	30.29	58	94	NNE	1	bm
Sharp Peak,	"	30.20	64	68	NW	7	of
Amoy,	2.30p	30.09	69	80	ENE	7	cm
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.99	76	82	..	0	c
Hongkong,	4p.	30.04	70	75	E	4	c
Victoria Peak,	"	..	..	..	E	6	..
Gap Rock,	"	30.01	..	..	E	5	..
Macao,	"	30.03	73	..	NNE	3	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	88	37	E	2	b
Malate,	3p.	..	..	..	E	4	b
Bacolod,	"	..	..	..	N	4	o
Iloilo,	"	29.82	85	..	N	2	o
Cebu,	"	29.81	84	..	N	4	c
Cape S. James,	"	..	..	..	NE	4	c

4th APRIL, 1902, A.M.

Wladivostock,	7a.	29.51	31	46	NW	6	o
Tokio,	6a.	..	..	..	SW	4	..
Kochi,	"	30.11	..	..	NE	6	..
Nagasaki,	"	30.23	..	..	SE	2	..
Kagoshima,	"	30.23	..	..	N	2	..
Taihoku,	6a.	30.09	..	..	E	4	..
Taichu,	"	30.07	..	..	..	0	..
Tainan,	"	30.05	..	..	N	4	..
Koshun,	"	30.00	..	..	NE	4	..
Pescadores,	"	30.07	..	..	N	10	..
Gutzlaff,	9a.	30.28	53	93	SE	4	cm
Sharp Peak,	"	30.20	57	75	NNW	2	of
Amoy,	6.30a	30.12	63	94	NNE	1	cm
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.12	69	68	E	4	o
Victoria Peak,	"	..	..	..	E	6	..
Gap Rock,	"	30.09	..	..	E	5	..
Macao,	"	30.10	72	..	ESE	2	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29·96	84	58	WSW	1	o
Malate,	9a.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7a.	..	..	..	NE	4	c

On the 4th at 11.0: a The barometer has risen in S. Japan, fallen in N. China. The depression in the North is moving over the Northern islands of Japan, and the highest pressure lies between the E. coast of China and W. Japan. Forecast:—moderate E winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 4th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

4th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.60	39	..	NW	4	o
Tokio,	"	29.82	..	..	S	6	..
Kochi,	"	30.07	..	..	W	8	..
Nagasaki,	"	30.23	..	..	W	6	..
Kagoshima,	"	30.23	..	..	W	4	..
Taihoku,	1p.	30.05	..	..	W	2	..
Taichu,	"	30.01	..	..	N	6	..
Tainan,	"	30.04	..	..	NW	8	..
Koshun,	"	30.05	..	..	E	6	..
Pescadores,	"	30.08	..	..	N	6	..
Gutzlaff,	3p.	30.27	48	100	SSE	4	omd
Sharp Peak,	"	30.11	58	79	N	2	o
Amoy,	2.30p	30.06	67	69	SE	4	c
Swatow,	3p.	30.04	72	..	E	3	c
Canton,	"	29.99	79	66	E	1	c
Hongkong,	4p.	30.02	71	66	E	2	b
Victoria Peak,	"	..	..	..	SE	3	..
Gap Rock,	"	30.00	..	..	E	4	..
Macao,	"	30.02	74	..	SE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	86	58	E	3	o
Malate,	3p.	..	..	..	WSW	1	o
Bacolod,	"	..	..	..	NNE	6	o
Iloilo,	"	29.88	87	..	E	1	o
Cebu,	"	29.82	84	..	N	2	c
Cape S. James,	"	..	..	..	NE	2	c

5th APRIL, 1902, A.M.

Wladivostock,	7a.	29.83	33	72	W	4	c
Tokio,	6a.	30.05	..	..	N	4	..
Kochi,	"	30.18	..	..	W	2	..
Nagasaki,	"	30.27	..	..	E	2	..
Kagoshima,	"	30.27	..	..	N	4	..
Taihoku,	5a.	30.09	..	..	..	0	..
Taichu,	"	30.03	..	..	NE	2	..
Tainan,	"	30.03	..	..	N	4	..
Koshun,	"	30.03	..	..	NE	2	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	30.27	54	94	SE	3	cmp
Sharp Peak,	"	30.17	58	81	W	1	ov
Amoy,	6.30a	30.10	63	78	NE	1	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.09	71	77	E	5	c
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	30.07	..	..	ENE	5	..
Macao,	"	30.09	75	..	ESE	2	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	88	60	ESE	3	b
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NNE	6	b
Iloilo,	"	29.94	83	..	NE	2	c
Cebu,	"	29.94	84	..	..	0	c
Cape S. James,	7a.	..	..	..	NE	5	c

On the 5th at 11.28.a. The barometer has risen in Japan, and fallen slightly on the China coast. The depression in the North is moving away from Japan in a Northerly direction. The highest pressure is still lying between the E. coast of China, and W. Japan. Gradients moderate to slight for E. winds on the China coast. Forecast:—moderate E breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 5th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

5th APRIL, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2p.	29.81	50	..	..	0	b
Tokio, ...	"	30.02	..	..	SE	4	..
Kochi, ...	"	30.15	..	..	W	8	..
Nagasaki, ...	"	30.27	..	..	SW	4	..
Kagoshima,....	"	30.23	..	..	SE	2	..
Taihoku, ...	1 p.	30.07	..	..	NE	2	..
Taichu, ...	"	30.01	..	..	N	6	..
Tainan, ...	"	30.02	..	..	NW	8	..
Koshun, ...	"	30.02	..	..	NE	4	..
Pescadores, ...	"	30.07	..	..	NE	6	..
Gutzlaff, ...	3 p.	30.18	54	94	SE	5	cm
Sharp Peak, ..	..	30.06	62	80	ENE	2	c
Amoy, ...	2.30p	30.09	67	69	SE	5	c
Swatow, ...	3p.	30.07	74	..	SE	3	b
Canton, ...	"	.	81	71	SW	1	c
Hongkong, ...	4 p.	29.99	70	83	ENE	3	c
Victoria Peak,	"	..	..	..	ESE	5	..
Gap Rock, ...	"	29·97	..	..	E	4	..
Macao,....	"	29.98	75	..	ESE	3	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.84	90	55	ESE	1	b
Malate, ...	3 p.	..	..	..	E	3	b
Bacolod, ...	"	..	..	..	NE	3	c
Iloilo, ...	"	29.86	87	..	E	2	c
Cebu, ...	"	29.83	86	..	N	2	c
Cape S. James,..	"	..	..		NE	3	c

6th APRIL, 1902, A. M.

Wladivostock,..	7 a.	30.01	30	95	..	0	c
Tokio, ...	6a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima,....	"	..	..	..	..	..	..
Taihoku, ...	5 a.	30.00	..	..	S	2	..
Taichu, ...	"	29.98	..	..	..	0	..
Tainan, ...	"	29.99	..	..	N	2	..
Koshun, ...	"	30.00	..	..	E	4	..
Pescadores,....	"	30.02	..	..	S	2	..
Gutzlaff, ...	9 a.	..	..	..	..	..	..
Sharp Peak,....	"	29.92	62	89	..	0	c
Amoy,..... ..	6.30a	30.02	65	89	SE	1	c
Swatow	9.a.	..	..	..	.	..	..
Canton, ...	"	30.02	74	86	SE	2	c
Hongkong. ...	10 a.	30.02	72	84	E	2	c
Victoria Peak,	"	..	..	..	SE	5	..
Gap Rock, ...	"	30.01	..	..	E	3	..
Macao, ...	"	30.01	76	..	SE	1	c
Haiphong, ...	7 a.	..	..	..		..	.
Manila, ...	10 a.	29.96	88	62	W	1	c
Malate, ...	9 a.	..	..	..	E	2	c
Bacolod, ...	"	.	.	..	N	4	b
Iloilo, ...	"	29.94	83	..	E	1	c
Cebu, ...	"	29.94	83	..	N	3	b
Cape S. James,	7 a.	..	..	..	NE	4	c

On the 6th at 11.43a. The barometer has fallen rapidly over China, particularly in the North, owing to a depression which is advancing from inland towards the E. coast. Gradients slight over S. China and the N. part of the China Sea Forecast:—light SE and variable winds fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 6th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

6th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.92	33	..	SE	3	o
Tokio,	"	30.26	..	..	SE	6	..
Kochi,	"	30.07	..	..	E	2	..
Nagasaki,	"	30.07	..	..	SE	2	..
Kagoshima,	"	30.15	..	..	SE	6	..
Taihoku,	1p.	29.96	..	..	N	2	..
Taichu,	"	29.96	..	..	SW	2	..
Tainan,	"	29.97	..	..	SW	4	..
Koshun,	"	29.97	..	..	SE	6	..
Pescadores,	"	29.98	..	..	N	4	..
Gutzlaff,	3p.	29.91	65	89	S	1	cv
Sharp Peak,	"	29.89	66	87	..	0	o
Amoy,	2.30p	29.91	71	91	SE	3	c
Swatow,	3p.	29.96	73	..	SE	3	c
Canton,	"	29.86	86	91	S	2	b
Hongkong,	4p.	29.90	72	86	E	1	o
Victoria Peak,	"	..	..	..	ESE	3	..
Gap Rock,	"	29.88	..	..	E	3	..
Macao,	"	29.90	76	..	SSE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	90	89	E	3	b
Malate,	3p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	NNE	6	b
Iloilo,	"	29.85	87	..	NE	2	b
Cebu,	"	29.84	85	..	N	2	b
Cape S. James,	"	..	..	..	..	..	..

7th APRIL, 1902, A.M.

Wladivostock,	7a.	29.76	38	99	SE	3	or
Tokio,	6a.	30.18	..	..	S	6	..
Kochi,	"	30.07	..	..	SE	8	..
Nagasaki,	"	29.79	..	..	SE	8	..
Kagoshima,	"	29.83	..	..	SE	2	..
Taihoku,	5a.	29.93	..	..	..	0	..
Taichu,	"	29.92	..	..	..	0	..
Tainan,	"	29.92	..	..	SE	2	..
Koshun,	"	29.92	..	..	SE	2	..
Pescadores,	"	29.91	..	..	..	0	..
Gutzlaff,	9a.	29.97	59	100	NNE	1	f
Sharp Peak,	"	29.92	67	89	..	0	o
Amoy,	6.30a	29.93	68	90	ENE	1	cm
Swatow,	9 a.	30.03	73	..	..	0	cp
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.99	74	91	E	2	o
Victoria Peak,	"	..	..	..	SSE	1	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.98	77	..	ESE	1	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	86	59	W	1	c
Malate,	9a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.96	82	..	NE	1	c
Cebu,	"	29.95	84	..	N	1	b
Cape S. James,	7a.	..	..	..	NE	2	or

On the 7th at 11.26.a. The barometer has fallen generally except in NE Japan, where pressure is still high. The depression has moved Eastwards over the Yellow Sea, and lies at present over Corea. Forecast:— light variable winds; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 7th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

7th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	SW	4	..
Kochi,	"	29.83	..	..	S	8	..
Nagasaki,	"	29.83	..	..	NW	6	..
Kagoshima,	"	29.87	..	..	W	2	..
Taihoku.	1p.	29.86	..	..	W	4	..
Taichu.	"	29.88	..	..	W	6	..
Tainan,	"	29.92	..	..	SW	6	..
Koshun.	"	29.92	..	..	SW	8	..
Pescadores,	"	29.94	..	..	SW	4	..
Gutzlaff,	3p.	29.95	58	94	NE	1	f
Sharp Peak,	"	29.82	73	83	SE	3	o
Amoy,	2.30p	29.90	76	77	SE	4	c
Swatow,	3p.	29.92	77	..	S	3	b
Canton,	"	29.85	82	79	SE	..	c
Hongkong,	4p.	29.88	77	82	SE	1	o
Victoria Peak,	"	..	..	..	S	1	..
Gap Rock,	"	.	..	..	.	..	..
Macao,	"	29.87	77	..	SSE	1	o
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	88	54	SE	3	c
Malate,	3p.	..	..	..	E	3	c
Bacolod,	"	..	..	..	NNE	3	b
Iloilo,	"	29.85	86	..	NE	2	c
Cebu,	"	29.85	86	..	NE	1	b
Cape S. James,	"	..	..	..	NE	2	c

8th APRIL, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	29.71	..	..	N	2	..
Kochi,	"	29.91	..	..	W	2	..
Nagasaki,	"	29.95	..	..	NW	2	..
Kagoshima,	"	29.95	..	..	N	2	..
Taihoku.	5a.	29.90	..	..	..	0	..
Taichu,	"	29.88	..	..	..	0	..
Tainan,	"	29.89	..	..	S	2	..
Koshun,	"	29.89	..	..	NW	2	..
Pescadores,	"	29.89	..	..	SW	6	..
Gutzlaff,	9a.	..	..	..	..	..	..
Sharp Peak,	"	29.92	65	92	..	0	of
Amoy,	6.30a	..	..	..	..	..	..
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.96	78	77	S	1	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	.	..	..	..	..	..
Malate,	9a.	..	..	..	E	1	b
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.95	83	..	NE	2	o
Cebu,	"	30.00	84	..	N	..	b
Cape S. James,	7a.	..	..	..	...	0	c

On the 8th at 11.44.a. The barometer has fallen in E. Japan and N. China, risen in W. Japan. The depression has moved Eastwards and covers E. Japan. Another depression is advancing from inland towards the coast of N. China. Gradients slight for SE and S winds on the coast and over the N. part of the China Sea. Forecast:—light to moderate S and SW breezes; cloudy.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 8th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

8th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	"	29.78	..	..	NW	6	..
Kochi, ...	"	29.91	..	..	W	4	..
Nagasaki, ...	"	29.91	..	..	SW	6	..
Kagoshima, ..	"	29.91	..	..	SE	2	..
Taihoku, ...	1p.	29.87	..	..	N	2	..
Taichu.	"	29.88	..	..	W	6	..
Tainan, ...	"	29.92	..	..	W	2	..
Koshun, ...	"	29.93	..	..	NW	4	..
Pescadores, ...	"	29.92	..	..	SW	6	..
Gutzlaff, ...	3p.	29.72	64	95	S.	4	o
Sharp Peak, ..	"	29.80	68	90	..	0	f
Amoy, ...	2.30p	29.83	82	75	SSE	5	c
Swatow, ...	3p.	..	..	..	..	..	..
Canton, ...	"	29.85	85	79	SE	1	c
Hongkong, ...	4p.	29.86	80	75	SSW	2	o
Victoria Peak, ..	"	..	..	..	SSW	5	..
Gap Rock, ...	"	..	..	..	.	..	..
Macao, ...	"	20.84	84	..	S	2	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.84	93	36	SE	1	b
Malate, ...	8p.	..	..	..	.	0	b
Bacolod, ...	"	..	..	..	NE	2	c
Iloilo, ...	"	29.88	87	..	NE	2	b
Cebu, ...	"	29.88	84	..	N	2	c
Cape S. James, .	"	..	..	..	NE	1	c

9th APRIL, 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima, ...	"	..	..	..	..	..	..
Taihoku, ...	5a.	29.79	..	..	SE	2	..
Taichu, ...	"	29.85	..	..	S	2	..
Tainan, ...	"	29.88	..	..	NE	2	..
Koshun, ...	"	29.85	..	..	N	6	..
Pescadores , ...	"	29.87	..	..	S	4	..
Gutzlaff, ...	9a.	30.02	51	93	N	7	cmp
Sharp Peak, ...	"	29.81	71	90	SW	1	o
Amoy, ...	6.30a	29.83	75	95	SSW	1	c
Swatow, ...	9 a.	29.86	82	..	W	3	c
Canton, ...	"	..	..	..	.	..	..
Hongkong, ...	10a.	29.92	80	73	SW	1	o
Victoria Peak, ..	"	..	..	..	S	6	..
Gap Rock, ...	"	..	..	..	..	..	..
Macao, ...	"	29.92	84	..	SSW	1	c
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.96	84	58	W	1	b
Malate, ...	9a.	..	..	..	.	..	..
Bacolod, ...	"	..	..	..	NW	2	b
Iloilo, ...	"	29.95	..	..	E	.	o
Cebu, ...	"	29.96	84	..	..	0	b
Cape S. James, ..	7a.	..	..	..	SE	2	c

On the 9th at 1.15.p. The barometer has risen in N. China, fallen on the SE coast. The depression has passed over the E. coast of China moving Eastwards towards W. Japan. Strong NE winds will probably set down the China coast. Forecast:—SW changing to NE winds, moderate to fresh; fair to unsettled, probably rain.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Wednesday 9th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

9th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.51	..	..	S	4	..
Kochi,	"	29.52	..	..	NE	2	..
Nagasaki,	"	29.64	..	..	N	6	..
Kagoshima,	"	29.60	..	..	NW	6	..
Taihoku,	1p.	29.77	..	..	SW	8	..
Taichu,	"	29.86	..	..	W	6	..
Tainan,	"	29.90	..	..	W	6	..
Koshun,	"	29.87	..	..	NW	6	..
Pescadores,	"	29.89	..	..	SW	6	..
Gutzlaff,	3p.	30.05	51	86	N	6	om
Sharp Peak,	"	29.83	63	83	NNE	7	og
Amoy,	2.30p	29.80	80	70	SE	5	c
Swatow,	3p.	..	87	..	S	4	c
Canton,	"	29.83	89	69	SE	1	b
Hongkong,	4p.	29.83	82	71	SW	1	o
Victoria Peak,	"	..	..	..	SSW	5	..
Gap Rook,	"	29.83	..	..	S	3	..
Macao,	"	29.83	82	..	SSW	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	45	W	2	b
Malate,	3p.	..	..	..	E	1	b
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.86	89	..	NE	2	b
Cebu,	"	29.84	88	..	N	1	b
Cape S. James,	"	..	..	..	NE	2	c

10th APRIL, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	29.43	..	..	..	0	..
Kochi,	"	29.72	..	..	NW	6	..
Nagasaki,	"	29.87	..	..	N	6	..
Kagoshima,	"	29.87	..	..	N	6	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	30.29	50	93	N	5	cv
Sharp Peak,	"	30.17	57	84	E	8	og
Amoy,	6.30a	29.98	60	76	NE	7	om
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.95	79	83	S	1	o
Victoria Peak,	"	..	..	..	SSW	5	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.93	82	..	SSE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	84	71	W	1	b
Malate,	9a.	..	..	..	W	2	..
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.98	84	..	NE	1	b
Cebu,	"	29.97	86	..	N	1	c
Cape S. James,	7a.	..	..	..	..	0	c

On the 10th at 11.45.a. The barometer has fallen in E. Japan, risen elsewhere particularly in N China. The depression has moved towards NE and covers at present E. Japan. Pressure is high in N. China. Gradients are steep with NE gales in the Formosa Channel. Forecast:—strong NE winds; unsettled with rain, cooler.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 10th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

10th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	"	29.39	..	..	NE	..	..
Kochi, ...	"	29.75	..	..	W	8	..
Nagasaki, ...	"	29.99	..	..	N	8	..
Kagoshima, ..	"	29.87	..	..	N	10	..
Taihoku, ...	1p.	30.12	..	..	E	6	..
Taichu, ...	"	29.92	..	..	N	6	..
Tainan, ...	"	29.92	..	..	W	4	..
Koshun, ...	"	29.96	..	..	NE	6	..
Pescadores, ...	"	30.00	..	..	NE	10	..
Gutzlaff, ...	3p.	30.30	50	86	N	4	cv
Sharp Peak, ..	"	30.19	56	75	NNE	6	o
Amoy, ...	2.30p	30.03	59	88	NE	4	cmd
Swatow, ...	3p.	..	..	..	..	..	..
Canton, ...	"	29.95	64	84	NW	..	or
Hongkong, ...	4p.	29.94	67	90	ENE	2	or
Victoria Peak,..	"	..	..	..	S	6	..
Gap Rock, ...	"	..	..	..	..	..	..
Macao, ...	"	29.92	62	..	NW	2	ort
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.84	88	78	SW	3	b
Malate, ...	3p.	..	..	..	W	1	b
Bacolod, ...	"	..	..	..	N	3	b
Iloilo, ...	"	29.88	89	..	NE	2	o
Cebu, ...	"	29.84	86	..	.	0	b
Cape S. James,.	"	..	..	..	SE	1	c

11th APRIL, 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	29.74	..	..	..	0	..
Kochi, ...	"	30.08	..	..	W	4	..
Nagasaki, ...	"	30.11	..	..	N	6	..
Kagoshima, ...	"	30.07	..	..	NW	2	..
Taihoku, ...	5a.	30.19	..	..	SE	4	..
Taichu,.....	"	30.02	..	..	N	4	..
Tainan, ...	"	30.03	..	..	N	4	..
Koshun, ...	"	.	..	..	..	..	..
Pescadores, ...	"	30.07	..	..	NE	10	..
Gutzlaff, ...	9a.	30.35	45	68	N	2	bv
Sharp Peak, ...	"	30.26	54	71	NNE	6	o
Amoy, ...	6.30a	..	62	61	NE	1	o
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	"	..	..	..	.	..	..
Hongkong, ...	10a.	30.13	60	94	N	2	od
Victoria Peak, ..	"	..	..	..	E	3	..
Gap Rock, ...	"	..	..	..	..	..	..
Macao, ...	"	..	..	..	..	..	..
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	..	..	..	..	..	..
Malate, ...	9a.	..	..	..		0	o
Bacolod, ...	"	..	..	..	NNE	3	b
Iloilo, ...	"	30.01	83	..	NE	1	o
Cebu, ...	"	29.97	84	..	..	0	c
Cape S. James,..	7a.	..	..	..	SE	1	c

On the 11th at noon The barometer has risen generally. The depression has moved into the Pacific to the NE of Japan. Pressure is still high in N. China. Gradients rather steep with strong NE monsoon along the coast of China. Forecast:—fresh NE breezes; dull, some rain.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 11th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

11th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.62	43	..	NE	2	e
Tokio,	"	29.75	..	..	E	2	..
Kochi,	"	29.95	..	..	W	8	..
Nagasaki,	"	30.11	..	..	NW	8	..
Kagoshima,	"	30.07	..	..	NW	8	..
Taihoku,	1p.	30.21	..	..	E	8	..
Taichu	"	30.04	..	..	N	4	..
Tainan,	"	30.05	..	..	..	0	..
Koshun,	"		..	..	..	..	..
Pescadores,	"	30.09	..	..	NE	10	..
Gutzlaff,	3p.	30.29	54	43	N	1	cv
Sharp Peak,	"	30.22	54	74	N	6	og
Amoy,	2.30p	30.12	58	81	NE	4	o
Swatow,	3p.	30.12	58	..	NE	3	r
Canton,	"	30.09	59	88	N	1	or
Hongkong,	4p.	30.06	60	84	NNE	1	od
Victoria Peak,	"	..	..	..	ENE	3	..
Gap Rock,	"	30.03	..	..	ENE	6	..
Macao,	"	30.11	62	..	NNE	1	od
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	90	60	ESE	2	b
Malate,	3p.	..	..	..	S	2	b
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.88	..	..	NE	2	b
Cebu,	"	29.88	85	..	N	2	b
Cape S. James,	"	..	..	..	SE	2	c

12th APRIL, 1902, A.M.

Wladivostock,	7a.	29.70	36	..	..	0	b
Tokio,	6a.	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Taihoku,	5a.	30.12	..	..	NE	8	..
Taichu,	"	30.00	..	..	..	0	..
Tainan,	"	30.02	..	..	N	2	..
Koshun,	"	30.00	..	..	E	8	..
Pescadores,	"	30.04	..	..	N	8	..
Gutzlaff,	9a.	.	..	..	..	..	..
Sharp Peak,	"	30.22	54	80	N	2	or
Amoy,	6.30a	30.11	55	74	NE	4	omd
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.14	59	86	N	1	or
Victoria Peak,	"	..	..	..	ENE	3	..
Gap Rock,	"	30.10	..	..	NE	6	..
Macao,	"	30.16	60	..	N	1	or
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	86	71	S	1	o
Malate,	9a.	..	..	..	SW	2	c
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.98	82	..	E	1	b
Cebu,	"	..	..	..	N	2	c
Cape S. James,	7a.	..	..	..	SE	1	c

On the 12th at 12.32.p. The barometer has fallen slightly over the SE coast of China Pressure remains high over N. China, with strong NE monsoon along the coasts of S. China. Forecast:—fresh NE winds; dull, rainy.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 12th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

12th APRIL, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.82	..	..	S	4	..
Kochi,	"	29.95	..	..	W	8	..
Nagasaki,	"	30.11	..	..	NW	8	..
Kagoshima,	"	30.07	..	..	NW	6	..
Taihoku,	1 p.	30.17	..	..	E	8	..
Taichu,	"	30.05	..	..	..	0	..
Tainan,	"	30.03	..	..	N	6	..
Koshun,	"	30.01	..	..	NE	8	..
Pescadores,	"	30.09	..	..	NE	10	..
Gutzlaff,	3 p.	30.26	58	81	WSW	2	cv
Sharp Peak,	"	30.22	54	80	NNW	4	o
Amoy,	2.30p	30.12	55	87	NNW	4	or
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	30.07	59	84	N	1	od
Victoria Peak,	"	..	..	..	N	4	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	30.07	60	..	NNE	2	or
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	84	71	..	0	o
Malate,	3 p.	..	..	..	SW	1	o
Bacolod,	"	..	..	..	NNE	6	b
Iloilo,	"	29.88	87	..	NE	2	b
Cebu,	"	29.87	82	..	..	4	b
Cape S. James,	"	..	..		SE	2	c

13th APRIL, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6a.	29.98	..	..	NW	2	..
Kochi,	"	30.15	..	..	NW	2	..
Nagasaki,	"	30.23	..	..	N	6	..
Kagoshima,	"	30.19	..	..	N	2	..
Taihoku,	5 a.	30.15	..	..	E	6	..
Taichu,	"	30.05	..	..	..	0	..
Tainan,	"	30.05	..	..	N	4	..
Koshun,	"	30.02	..	..	NE	8	..
Pescadores,	"	30.09	..	..	NE	6	..
Gutzlaff,	9 a.	30.39	56	57	ESE	2	bv
Sharp Peak,	"	30.30	55	80	NNW	2	o
Amoy,	6.30a	30.14	55	94	N	2	..
Swatow	9.a.	..	..	..	..	..	..
Canton,	"	..	..	..	.	..	..
Hongkong,	10 a.	30.18	63	72	N	1	e
Victoria Peak,	"	..	..	..	NE	3	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	30.18	64	..	NNE	1	e
Haiphong,	7 a.	..	..	..		..	.
Manila,	10 a.	29.96	86	71	WSW	1	b
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	N	6	b
Iloilo,	"	29.96	83	..	E	2	c
Cebu,	"	29.95	83	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	5	e

On the 13th at 12.45p. The barometer has risen in Japan and China. The highest pressure lies over the E. coast of China, and pressure remains low over the Northern islands of Japan. Moderate to strong monsoon along the coasts of the China and over the. N part of the China Sea. Forecast:—fresh NE breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 13th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

13th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.64	61	..	..	0	c
Tokio,	"	29.94	..	..	S	6	..
Kochi,	"	30.07	..	..	W	6	..
Nagasaki,	"	30.28	..	..	W	8	..
Kagoshima,	"	30.19	..	..	NW	6	..
Taihoku,	1p.	30.17	..	..	E	8	..
Taichu,	"	30.11	..	..	N	2	..
Tainan,	"	30.07	..	..	NW	4	..
Koshun,	"	30.07	..	..	E	8	..
Pescadores,	"	30.11	..	..	NE	6	..
Gutzlaff,	3p.	30.30	63	72	SE	1	bv
Sharp Peak,	"	30.28	55	87	NNE	4	o
Amoy,	2.30p	30.14	60	60	N	1	o
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	30.13	66	79	..	0	o
Hongkong,	4p.	30.08	65	78	E	2	o
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	30.07	..	..	ENE	5	..
Macao,	"	30.08	67	..	NE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	93	56	ESE	1	b
Malate,	3p.	..	..	..	S	1	c
Bacolod,	"	..	..	..	N	4	b
Iloilo,	"	29.85	87	..	NE	2	c
Cebu,	"	..	85	..	N	3	b
Cape S. James,	"	..	..	..	..	..	..

14th APRIL, 1902, A.M.

Wladivostock,	7a.	29.68	39	75	..	0	c
Tokio,	6a.	30.18	..	..	NW	2	..
Kochi,	"	30.28	..	..	NW	2	..
Nagasaki,	"	30.27	..	..	SW	2	..
Kagoshima,	"	30.27	..	..	N	4	..
Taihoku,	6a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	30.25	55	56	S	3	cv
Sharp Peak,	"	30.22	58	76	SSE	2	c
Amoy,	6.30a	30.13	60	88	NW	1	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.16	66	79	E	4	o
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	30.11	..	..	ENE	5	..
Macao,	"	30.14	60	..	NE	1	o
Haiphong,	7a.	..	..	..	..	..	..
Manila,	11a.	30.00	88	59	WSW	1	b
Malate,	9a.	..	..	..	E	2	c
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.97	81	..	NE	2	or
Cebu,	"	29.98	81	..	N	1	od
Cape S. James,	7a.	..	..	..	ENE	5	f

On the 14th at 11.54.a. The barometer has risen in Japan, fallen in China. The high pressure area has moved Eastwards towards S. Japan. Probably there is another depression in N. China. Decreasing E. winds in S. China and the N. part of the China Sea. Forecast:—decreasing E breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 14th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

14th APRIL, 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.65	55	..	..	0	b
Tokio,	"	30.10	..	..	S	6	..
Kochi,	"	30.23	..	..	W	4	..
Nagasaki,	"	30.27	..	..	SW	6	..
Kagoshima,	"	30.27	..	..	NW	4	..
Taihoku,	1p.	30.10	..	..	.	0	..
Taichu,	"	30.07	..	..	NW	2	..
Tainan,	"	30.07	..	..	NW	4	..
Koshun,	"	30.11	..	..	E	6	..
Pescadores,	"	30.13	..	..	NE	4	..
Gutzlaff,	3p.	30.18	56	75	SSE	4	cv
Sharp Peak,	"	30.11	61	82	E	1	og
Amoy,	2.30p	30.10	66	79	SE	2	..
Swatow,	3p.	30.05	67	..	E	3	o
Canton,	"	..	..	..	..	..	..
Hongkong,	4p.	30.06	69	77	E	3	o
Victoria Peak,	"	..	..	..	E	4	..
Gap Rock,	"	30.03	..	..	ENE	5	..
Macao,	"	30.06	74	..	NE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.92	90	48	N	5	b
Malate,	3p.	..	..	..	WSW	1	c
Bacolod,	"	..	..	..	N	4	c
Iloilo,	"	29.87	84	..	ESE	1	c
Cebu,	"	29.88	83	..	N	2	o
Cape S. James,	"	..	..	..	N	2	b

15th APRIL, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2a.	29.68	49	48	NW	1	b
Tokio,	6a.	30.02	..	..	NW	4	..
Kochi,	"	30.15	..	..	E	..	..
Nagasaki,	"	30.19	..	..	E	2	..
Kagoshima,	"	30.19	..	..	N	6	..
Taihoku,	5a.	30.11	..	..	..	0	..
Taichu,	"	30.07	..	..	..	0	..
Tainan,	"	30.08	..	..	N	4	..
Koshun,	"	30.09	..	..	E	2	..
Pescadores,	"	30.10	..	..	NE	4	..
Gutzlaff,	9a.	30.13	52	93	NE	3	cv
Sharp Peak,	"	30.13	62	89	.	0	o
Amoy,	6.30a	30.10	65	84	NE	1	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	.	..	..
Hongkong,	10a.	30.14	78	83	E	2	o
Victoria Peak,	"	.	..	..	.	0	..
Gap Rock,	"	30.11	..	..	ENE	4	..
Macao,	"	30.16	72	..	..	0	of
Haiphong,	7a.	..	..	..	..	..	..
Manila,	11 a.	30.04	77	92	..	0	or
Malate,	1a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.98	82	..	NE	2	o
Cebu,	"	29.97	85	..	..	0	o
Cape S. James,	7a.	..	..	..	NE	4	f

On the 15th at 11.32.a. The barometer has fallen in Japan. Pressure is highest over the E. coast of China and W. Japan, and low over the NE part of the Sea of Japan. Gradients slight for NE winds along the coast and in the N. part of the China Sea. Forecast:—moderate NE breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 15th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

15th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.71	55	..	NW	5	c
Tokio,	"	29.94	..	..	S	2	..
Kochi,	"	30.15	..	..	NW	4	..
Nagasaki,	"	30.15	..	..	NE	4	..
Kagoshima,	"	30.11	..	..	NE	6	..
Taihoku,	1p.	30.10	..	..	N	2	..
Taichu,	"	30.06	..	..	NW	4	..
Tainan,	"	30.06	..	..	NW	4	..
Koshun,	"	30.07	..	..	SE	4	..
Pescadores,	"	30.09	..	..	N	4	..
Gutzlaff,	3p.	30.23	54	80	NE	4	cv
Sharp Peak,	"	30.08	63	80	E	6	o
Amoy,	2.30p	30.08	70	85	SE	3	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	30.03	82	79	..	0	b
Hongkong,	4p.	30.04	72	88	E	1	o
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	30.01	..	..	E	4	..
Macao,	"	30.04	75	..	ESE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.92	81	92	..	0	o
Malate,	3p.	..	..	..	E	1	o
Bacolod,	"	..	..	..	NE	3	c
Iloilo,	"	29.90	88	..	E	2	c
Cebu,	"	29.90	..	..	..	..	c
Cape S. James,	"	..	..	..	NE	4	f

16th APRIL, 1902, A.M.

Wladivostock,	7a.	29.87	37	65	NE	2	c
Tokio,	6a.	30.02	..	..	..	0	..
Kochi,	"	30.11	..	..	N	2	..
Nagasaki,	"	30.11	..	..	E	2	..
Kagoshima,	"	30.11	..	..	E	2	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	30.18	53	93	ESE	3	cv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	6.30a	30.07	66	89	ENE	1	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.09	75	86	E	2	o
Victoria Peak,	"	..	..	..	ESE	3	..
Gap Rock,	"	30.07	..	..	E	3	..
Macao,	"	30.07	78	..	E	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	84	77	W	1	c
Malate,	9a.	..	..	..	N	2	o
Bacolod,	"	..	..	..	NE	2	b
Iloilo,	"	29.94	84	..	NE	2	b
Cebu,	"	29.89	86	..	N	1	o
Cape S. James,	7a.	..	..	..	NE	3	c

On the 16th at 12.3p. The barometer has risen over the NE part of the Sea of Japan, fallen elsewhere. The highest pressure is lying between the E. coast of China and SW Japan. Gradients slight for E. winds in S. China and the N. part of the China Sea. Forecast:—light E. breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory. Wednesday 16th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

16th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.94	..	..	S	6	..
Kochi,	"	30.03	..	..	NW	2	..
Nagasaki,	"	30.03	..	..	SW	2	..
Kagoshima,	"	30.03	..	..	S	2	..
Taihoku,	1p.	30.00	..	..	N	4	..
Taichu,	"	29.98	..	..	NW	6	..
Tainan,	"	30.05	..	..	N	6	..
Koshun,	"	30.01	..	..	SE	4	..
Pescadores,	"	30.06	..	..	N	4	..
Gutzlaff,	3p.	30.10	55	94	ESE	3	cv
Sharp Peak,	"	29.99	64	84	ENE	2	o
Amoy,	2.30p	29.99	70	80	SE	3	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4p.	29.97	74	83	E	2	b
Victoria Peak,	"	..	..	..	ESE	1	..
Gap Rock,	"	29.96	..	..	E	3	..
Macao,	"	29.97	79	..	SSE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	90	60	SE	4	c
Malate,	3p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	N	6	c
Iloilo,	"	29.86	89	..	E	2	b
Cebu,	"	29.85	85	..	N	2	b
Cape S. James,	"	..	..	..	NE	4	c

17th APRIL, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	29.94	..	..	W	2	..
Kochi,	"	29.99	..	..	NW	2	..
Nagasaki,	"	29.99	..	..	..	0	..
Kagoshima,	"	29.95	..	..	NE	2	..
Taihoku,	5a.	29.93	..	..	..	0	..
Taichu,	"	29.988	..	..	..	0	..
Tainan,	"	29.92	..	..	..	0	..
Koshun,	"	29.93	..	..	SE	2	..
Pescadores,	"	29.93	..	..	..	0	..
Gutzlaff,	9a.	29.98	56	100	SE	2	cm
Sharp Peak,	"	29.93	64	92	..	0	f
Amoy,	6.30a	..	..	..	..	..	..
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	29.93	78	86	..	0	c
Hongkong,	10a.	29.95	77	78	SE	1	o
Victoria Peak,	"	..	..	..	SSW	1	..
Gap Rock,	"	29.94	..	..	ESE	3	..
Macao,	"	29.97	81	..	SE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	84	71	W	1	c
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.91	84	..	NE	2	c
Cebu,	"	29.90	85	..	N	1	b
Cape S. James,	7a.	..	..	..	NE	3	c

On the 17th at 11.43a. The barometer has risen in NE Japan, fallen elsewhere. A depression lies over Central China. Gradients slight for SE and S. winds along the coasts of China. Forecast:—light S or variable breezes; fair at first, unsettled later.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Thursday 17th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

17th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.86	..	..	S	4	..
Kochi,	"	29.95	..	..	NE	2	..
Nagasaki,	"	29.91	..	..	N	2	..
Kagoshima,	"	29.95	..	..	SE	4	..
Taihoku,	1p.	29.87	..	..	E	4	..
Taichu,	"	29.84	..	..	NE	10	..
Tainan,	"	29.88	..	..	SW	6	..
Koshun,	"	29.88	..	..	SE	6	..
Pescadores,	"	29.89	..	..	W	2	..
Gutzlaff,	8p.	29.87	56	100	SE	3	sd
Sharp Peak,	"	29.76	70	85	SW	1	o
Amoy,	2.30p	29.87	75	77	SE	3	c
Swatow,	8p.	..	..	..	..	..	..
Canton,	"	..	..	..	.	..	..
Hongkong,	4p.	29.86	77	83	SE	1	o
Victoria Peak,	"	..	..	..	SSW	1	..
Gap Rock,	"	29.86	..	..	ESE	2	..
Macao,	"	29.90	79	..	S	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.76	79	68	SE	2	b
Malate,	8p.	..	..	..	E	2	c
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.83	89	..	NE	2	c
Cebu,	"	29.81	85	..	N	2	b
Cape S. James,	"	..	..	..	NE	2	c

18th APRIL, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.18	..	..	N	2	..
Kochi,	"	29.99	..	..	NE	4	..
Nagasaki,	"	29.83	..	..	E	4	..
Kagoshima,	"	29.87	..	..	E	4	..
Taihoku,	5a.	29.81	..	..	E	4	..
Taichu,	"	29.79	..	..	..	0	..
Tainan,	"	29.82	..	..	..	0	..
Koshun,	"	29.82	..	..	..	0	..
Pescadores,	"	29.82	..	..	S	2	..
Gutzlaff,	9a.	29.87	65	100	NNE	2	fd
Sharp Peak,	"	29.89	66	89	SW	2	lt
Amoy,	6.30a	29.80	71	95	ESE	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	.	..	..
Hongkong,	10a.	29.93	78	80	SW	2	o
Victoria Peak,	"	.	..	..	SW	4	..
Gap Rock,	"	29.92	..	..	S	2	..
Macao,	"	29.90	79	..	SSW	1	c
Haiphong,	7a.	..	..	..	.	..	..
Manila,	10a.	29.92	64	71	WSW	1	b
Malate,	9a.	..	..	..	W	2	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.93	84	..	NE	2	o
Cebu,	"	29.92	83	..	..	0	c
Cape S. James,	7a.	..	..	..	NE	1	c

On the 18th at 11.50a. The barometer has risen in NE Japan and N. China, fallen in SW Japan. The depression is moving Eastwards between the East coast of China and SW Japan. Pressure is high over the NE part of the Sea of Japan. Gradients slight along the China coast. Forecast—light SW or variable winds; cloudy, probably some thundershowers.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Friday 18th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th APRIL, 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.75	38	..	S	5	f
Tokio,	"	30.14	..	..	.	0	..
Kochi,	"	29.95	..	..	E	6	..
Nagasaki,	"	29.75	..	..	SE	6	..
Kagoshima,	"	29.79	..	..	E	4	..
Taihoku,	1p.	29.83	..	..	SW	6	..
Taichu,	"	29.86	..	..	SW	4	..
Tainan,	"	29.89	..	..	W	6	..
Koshun,	"	29.87	..	..	W	4	..
Pescadores,	"	29.90	..	..	SW	6	..
Gutzlaff,	3p.	29.87	58	88	N	3	cv
Sharp Peak,	"	29.80	70	90	..	0	o
Amoy,	2.30p	.	..	..	..	..	..
Swatow,	3p.	.	..	..	..	..	..
Canton,	"	29.85	86	80	.	0	b
Hongkong,	4p.	29.84	79	81	SSW	1	o
Victoria Peak,	"	..	..	..	SW	5	..
Gap Rock,	"	29.84	..	..	WSW	4	..
Macao,	"	29.83	78	..	SW	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	39	SE	3	b
Malate,	3p.	..	..	..	WSW	2	c
Bacolod,	"	..	..	..	N	..	o
Iloilo,	"	29.85	88	..	E	1	c
Cebu,	"	29.84	84	..	N	2	c
Cape S. James,	"	..	..	..	NE	3	c

19th APRIL, 1902, A.M.

Wladivostock,	7a.	29.51	27	99	SE	4	f
Tokio,	6a.	29.78	..	..	NW	2	..
Kochi,	"	29.68	..	..	E	2	..
Nagasaki,	"	29.72	..	..	N	4	..
Kagoshima,	"	29.75	..	..	NW	2	..
Taihoku,	5a.	29.94	..	..	W	6	..
Taichu,	"	29.91	..	..	..	0	..
Tainan,	"	29.92	..	..	N	4	..
Koshun,	"	29.90	..	..	NW	4	..
Pescadores,	"	29.91	..	..		0	..
Gutzlaff,	9a.	30.07	56	94	N	2	cm
Sharp Peak,	"	30.05	68	82	ESE	2	c
Amoy,	6.30a	29.94	71	90	..	0	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	.	..	..	..	..
Hongkong,	10a.	30.01	78	75	SE	3	c
Victoria Peak,	"	.	..	..	E	3	..
Gap Rock,	"	29.99	..	..	E	3	..
Macao,	"	30.02	63	..	NNE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	E	2	b
Bacolod,	"	..	..	..	..	3	b
Iloilo,	"	29.96	84	..	NE	2	o
Cebu,	"	29.96	84	..	N	2	b
Cape S. James,	7a.	..	..	..	NE	1	c

On the 19th at 11.28a. The barometer has fallen considerable in Japan, risen quickly in N. China. The depression is moving NE wards in the W. part of the Sea of Japan. Pressure is highest in N China indicates slight for NE. winds along the coasts of China. Forecast:—moderate NE breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Saturday 19th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

19th APRIL, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.51	..	..	SW	2	..
Kochi,	"	29.60	..	..	W	6	..
Nagasaki,	"	29.83	..	..	W	8	..
Kagoshima,	"	29.83	..	..	W	6	..
Taihoku,	1 p.	30.02	..	..	E	6	..
Taichu,	"	29.94	..	..	N	6	..
Tainan,	"	29.93	..	..	NW	6	..
Koshun,	"	29.94	..	..	NE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3 p.	30.05	60	88	SW	2	cm
Sharp Peak,	..	30.01	66	84	E	1	f
Amoy,	2.30p	29.99	72	76	SE	3	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.93	78	70	E	3	c
Victoria Peak,	"	..	..	..	ESE	3	..
Gap Rock,	"	29.93	..	..	NE	3	..
Macao,	"	29.43	83	..	ESE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.84	91	49	SSE	3	c
Malato,	3 p.	..	..	..	W	1	c
Bacolod,	"	..	..	..	NE	4	c
Iloilo,	"	29.88	88	..	NE	3	c
Cebu,	"	29.86	..	..	N	2	c
Cape S. James,	"	..	..		NE	8	f

20th APRIL, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6a.	29.67	..	..	SW	4	..
Kochi,	"	29.95	..	..	W	4	..
Nagasaki,	"	30.07	..	..	S	2	..
Kagoshima,	"	30.07	..	..	..	0	..
Taihoku,	5 a.	30.01	..	..	E	4	..
Taichu,	"	29.96	..	..	..	0	..
Tainan,	"	29.96	..	..	N	2	..
Koshun,	"	29.96	..	..	NE	2	..
Pescadores,	"	30.00	..	..	N	4	..
Gutzlaff,	9 a.	30.07	57	94	SSE	3	bm
Sharp Peak,	"	30.07	67	74	..	0	c
Amoy,	6.30a	30.01	67	100	W	1	b
Swatow	9.a.	..	..	..	..	..	
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.04	75	78	E	3	c
Victoria Peak,	"	..	..	..	SE	4	..
Gap Rock,	"	30.02	..	..	E	4	..
Macao,	"	30.02	79	..	ESE	2	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	N	2	b
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.96	84	..	NE	2	c
Cebu,	"	29.97	84	..	N	2	b
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 20th 11.27a. The barometer has fallen in NE Japan and in N. China, risen in S. Japan. The depression has moved over NE Japan into the Pacific. The highest pressure is between the E. coast of China and SW Japan. Gradients are slight for SE and E. winds along the coasts of China. Forecast:—light E to SE breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Sunday 20th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

20th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.82	53	..	W	1	c
Tokio,	"	29.74	..	..	NW	8	..
Kochi,	"	29.95	..	..	W	8	..
Nagasaki,	"	30.07	..	..	SW	4	..
Kagoshima,	"	30.07	..	..	NW	6	..
Taihoku,	1p.	29.98	..	..	.	0	..
Taichu,	"	29.95	..	..	NW	4	..
Tainan,	"	29.98	..	..	W	6	..
Koshun,	"	30.00	..	..	E	6	..
Pescadores,	"	30.12	..	..	N	6	..
Gutzlaff,	8p.	29.19	65	78	SSE	4	cv
Sharp Peak,	"	30.10	69	75	E	1	ov
Amoy,	2.30p	29.97	73	81	SW	4	c
Swatow,	8p.	..	..	..	..	..	..
Canton,	"	.	..	..	..	..	..
Hongkong,	4p.	29.92	74	81	E	1	o
Victoria Peak,	"	..	..	..	.	0	..
Gap Rock,	"	29.90	..	..	E	4	..
Macao,	"	29.90	76	..	ESE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	90	60	ESE	1	..
Malate,	8p.	..	..	..	SW	1	o
Bacolod,	"	..	..	..	N	6	c
Iloilo,	"	29.88	88	..	E	2	b
Cebu,	"	29.86	84	..	N	2	b
Cape S. James,	"	..	..	..	..	..	..

21st APRIL, 1902, A.M.

Wladivostock,	7a.	29.86	40	99	SE	5	f
Tokio,	6a.	30.02	..	..	NW	2	..
Kochi,	"	29.99	..	..	NE	4	..
Nagasaki,	"	29.99	..	..	SE	2	..
Kagoshima,	"	30.03	..	..	..	0	..
Taihoku,	5a.	29.93	..	..	N	2	..
Taichu,	"	29.92	..	..	..	0	..
Tainan,	"	29.93	..	..	..	0	..
Koshun,	"	29.94	..	..	..	0	..
Pescadores,	"	29.94	..	..	..	0	..
Gutzlaff,	9a.	29.87	60	100	S	5	cmd
Sharp Peak,	"	29.93	70	80	..	0	o
Amoy,	6.30a	29.92	69	95	SE	2	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	.	..	..
Hongkong,	10a.	29.94	77	86	ESE	2	c
Victoria Peak,	"	.	..	..	S	3	..
Gap Rock,	"	29.92	..	..	ESE	2	..
Macao,	"	.	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	84	71	W	1	c
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	N	..	b
Iloilo,	"	29.93	74	..	..	3	..
Cebu,	"	29.92	85	..	N	2	b
Cape S. James,	7a.	..	..	..	NE	3	c

On the 21st at 11.42a. The barometer has risen in NE Japan, fallen elsewhere There is another depression moving Eastwards over NE China. The highest pressure lies to the E. of the Loochoos. Gradients slight for S. and SE winds in S. China ann the N. part of the China Sea. Forecast.—light S. breezes; cloudy, probably some showers.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Monday 21st April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

21st APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.33	63	..	NE	1	b
Tokio,	"	29.82	..	..	S	4	..
Kochi,	"	29.95	..	..	W	4	..
Nagasaki,	"	29.91	..	..	SW	4	..
Kagoshima,	"	29.95	..	..	..	0	..
Taihoku,	1p.	29.91	..	..	NW	4	..
Taichu,	"	29.88	..	..	W	4	..
Tainan,	"	29.89	..	..	S	6	..
Koshun,	"	29.92	..	..	SE	6	..
Pescadores,	"	29.92	..	..	E	6	..
Gutzlaff,	3p.	29.81	63	83	S	3	cv
Sharp Peak,	"	29.79	77	86	SE	2	o
Amoy,	2.30p	29.81	78	78	SE	4	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.85	84	75	SE	1	b
Hongkong,	4p.	29.83	77	87	E	2	o
Victoria Peak,	"	..	..	..	S	5	..
Gap Rock,	"	29.83	..	..	ESE	3	..
Macao,	"	29.83	83	..	SSE	3	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	39	ESE	1	b
Malate,	3p.	..	..	..	SE	3	b
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.81	88	..	NE	3	b
Cebu,	"	29.83	86	..	N	4	b
Cape S. James,	"	..	..	..	NE	2	b

22nd APRIL, 1902, A.M.

Wladivostock,	7a.	29.82	38	44	NW	3	c
Tokio,	6a.	29.71	..	..	..	0	..
Kochi,	"	29.87	..	..	W	4	..
Nagasaki,	"	29.87	..	..	SE	2	..
Kagoshima,	"	29.91	..	..	..	0	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	29.84	63	83	ESE	3	cv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	6.30a	29.92	72	..	SE	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.92	79	80	S	2	o
Victoria Peak,	"	..	..	..	S	5	..
Gap Rock,	"	29.91	..	..	SE	3	..
Macao,	"	29.88	82	..	SSW	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	88	54	NE	1	c
Malate,	9a.	..	..	..	E	2	b
Bacolod,	"	..	..	..	N	4	b
Iloilo,	"	29.92	84	..	E	1	c
Cebu,	"	29.91	86	..	N	4	b
Cape S. James,	7a.	..	..	..	NE	3	c

On the 22nd at noon. The barometer has fallen in E. Japan and N. China. The depression has moved Eastwards and is now lying over the N. islands of Japan. The highest pressure lies to the E. of the Loochoos. Gradients slight for S. and SE winds on the China coast. Forecast:—light SE breezes; fair.

F. G. FIGG,
First Assistant.

Hongkong Observatory, Tuesday 22nd April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

22nd APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.91	54	..	N	3	c
Tokio,	"	..	..	..	S	4	..
Kochi,	"	29.87	..	..	W	4	..
Nagasaki,	"	29.91	..	..	E	6	..
Kagoshima,	"	29.91	..	..	.	0	..
Taihoku,	1p.	29.89	..	..	N	6	..
Taichu,	"	29.87	..	..	W	6	..
Tainan,	"	29.89	..	..	S	8	..
Koshun,	"	29.93	..	..	S	6	..
Pescadores,	"	29.91	..	..	SW	6	..
Gutzlaff,	8p.	29.77	67	84	SSE	3	cv
Sharp Peak,	"	29.76	76	74	S	1	c
Amoy,	2.30p	29.83	78	78	SE	4	c
Swatow,	8p.	.	..	..	..	..	..
Canton,	"	29.84	88	80	SE	1	b
Hongkong,	4p.	29.84	82	75	S	1	o
Victoria Peak,	"	..	..	..	S	5	..
Gap Rock,	"	29.83	..	..	SE	4	..
Macao,	"	29.82	84	..	SW	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	49	ESE	3	..
Malate,	8p.	..	..	..	NE	..	c
Bacolod,	"	..	..	..	N	6	c
Iloilo,	"	29.81	88	..	NE	2	b
Cebu,	"	29.81	85	..	N	4	c
Cape S. James,	"	..	..	..	NE	3	b

23rd APRIL, 1902, A.M.

Wladivostock,	7a.	30.04	29	60	..	0	o
Tokio,	6a.	30.02	..	..	E	2	..
Kochi,	"	29.91	..	..	E	2	..
Nagasaki,	"	29.87	..	..	N	2	..
Kagoshima,	"	29.87	..	..	..	0	..
Taihoku,	5a.	29.89	..	..	..	0	..
Taichu,	"	29.90	..	..	..	0	..
Tainan,	"	29.91	..	..	SE	2	..
Koshun,	"	29.94	..	..	S	2	..
Pescadores,	"	29.91	..	..	..	0	..
Gutzlaff,	9a.	..	..	..	..	..	..
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	6.30a	29.89	77	95	NE	1	b
Swatow,	9 a.	.	..	..	..	..	..
Canton,	"	29.94	80	91	SE	1	b
Hongkong,	10a.	29.96	80	77	S	2	o
Victoria Peak,	"	.	..	..	S	4	..
Gap Rock,	"	29.95	..	..	S	4	..
Macao,	"	29.94	83	..	S	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.94	84	..	..	2	c
Cebu,	"	29.92	85	..	..	2	b
Cape S. James,	7a.	..	..	..	NE	3	c

On the 23rd at 11.55a. The barometer has risen over E. Japan and S. China. The depression lying over N. Japan yesterday, has moved into the Pacific. Gradients slight for S. and SE winds in S. China. Forecast:—moderate S. and SE. winds; fair to showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 23rd April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

23rd APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.02	..	..	S	4	..
Kochi,	"	29.91	..	..	NE	4	..
Nagasaki,	"	29.83	..	..	N	2	..
Kagoshima,	"	29.87	..	..	W	6	..
Taihoku,	1p.	29.87	..	..	W	4	..
Taichu,	"	29.88	..	..	W	6	..
Tainan,	"	29.87	..	..	S	4	..
Koshun,	"	29.92	..	..	S	4	..
Pescadores,	"	29.92	..	..	S	6	..
Gutzlaff,	3p.	29.80	66	89	ENE	2	cm
Sharp Peak,	"	29.74	80	89	S	4	c
Amoy,	2.30p	29.74	82	71	SSE	4	c
Swatow,	3p.	29.85	85	..	S	3	b
Canton,	"	29.85	90	63	SE	1	b
Hongkong,	4p.	29.87	81	76	S	1	c
Victoria Peak,	"	..	..	..	S	3	..
Gap Rock,	"	29.87	..	..	S	3	..
Macao,	"	29.84	86	..	SSW	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	90	55	..	..	b
Malate,	3p.	..	..	..	NE	3	b
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.85	88	..	NE	2	c
Cebu,	"	29.84	86	..	N	4	c
Cape S. James,	"	..	..	..	NE	3	f

24th APRIL, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	29.94	..	..	NW	2	..
Kochi,	"	29.79	..	..	N	6	..
Nagasaki,	"	29.79	..	..	N	4	..
Kagoshima,	"	29.83	..	..	SW	4	..
Taihoku,	5a.	29.90	..	..	W	2	..
Taichu,	"	29.86	..	..	E	4	..
Tainan,	"	29.89	..	..	E	4	..
Koshun,	"	29.91	..	..	E	6	..
Pescadores,	"	29.89	..	..	E	8	..
Gutzlaff,	9a.	29.93	76	94	N	4	cv
Sharp Peak,	"	29.83	77		..	0	b
Amoy,	6.30a	29.97	76	91	SE	2	b
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	29.98	84	91	SE	1	b
Hongkong,	10a.	29.96	81	78	S	2	c
Victoria Peak,	"	..	..	..	S	3	..
Gap Rock,	"	29.95	..	..	S	3	..
Macao,	"	29.94	86	..	SSE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	86	65	W	1	c
Malate,	9a.	..	..	..	W	2	b
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.94	84	..	E	2	c
Cebu,	"	29.93	85	..	N	2	c
Cape S. James,	7a.	..	..	..	NE	3	c

On the 24th at 11.42a. The barometer has risen in N. Japan and N. China. A shallow area of low pressure lies over W. Japan. Gradients are slight with variable winds on the China coast. Forecast.—light S. breezes; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 24th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

24th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.90	..	..	NW	6	..
Kochi,	"	29.75	..	..	NE	4	..
Nagasaki,	"	29.83	..	..	N	6	..
Kagoshima,	"	29.79	..	..	W	6	..
Taihoku,	1p.	29.86	..	..	W	2	..
Taichu,	"	29.88	..	..	W	6	..
Tainan,	"	29.91	..	..	W	6	..
Koshun,	"	29.92	..	..	W	6	..
Pescadores,	"	29.93	..	..	SW	6	..
Gutzlaff,	8p.	29.78	69	82	N	3	cv
Sharp Peak,	"	29.78	79	74	SE	3	b
Amoy,	2.30p	29.86	83	67	SE	4	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.86	84	87	SE	2	b
Hongkong,	4p.	29.88	84	70	SW	1	c
Victoria Peak,	"	..	..	..	SW	2	..
Gap Rock,	"	29.87	..	..	S	3	..
Macao,	"	29.88	88	..	SW	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	56	SE	2	c
Malate,	3p.	..	..	..	W	1	c
Bacolod,	"	..	..	..	NE	6	c
Iloilo,	"	29.84	88	..	NE	2	b
Cebu,	"	29.84	85	..	N	4	b
Cape S. James,	"	..	..	..	NE	3	f

25th APRIL, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.26	..	..	NW	4	..
Kochi,	"	30.07	..	..	NE	6	..
Nagasaki,	"	29.95	..	..	E	2	..
Kagoshima,	"	29.99	..	..	N	4	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	30.05	67	87	SE	2	cmd
Sharp Peak,	"	29.96	68	85	E	1	of
Amoy,	6.30a	29.92	74	86	NE	3	pm
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	29.98	83	79	..	0	b
Hongkong,	10a.	29.96	81	73	W	1	c
Victoria Peak,	"	..	..	..	SSW	2	..
Gap Rock,	"	29.95	..	..	S	3	..
Macao,	"	29.98	86	..	SW	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	90	61	WSW	1	b
Malate,	9a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.93	84	..	NE	1	c
Cebu,	"	29.91	83	..	N	2	b
Cape S. James,	7a.	..	..	..	NE	3	c

On the 25th at 12.12p. The barometer has risen over Japan and the E. coast of China. Pressure is high over E. Japan. Gradients slight for E. winds on the China coasts. Forecast:—S to SE winds light; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 25th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

25th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.26	..	..	NE	4	..
Kochi,	"	30.11	..	..	E	6	..
Nagasaki,	"	29.99	..	..	SW	2	..
Kagoshima,	"	30.03	..	..	NE	6	..
Taihoku,	1p.	29.92	..	..	NW	4	..
Taichu,	"	29.90	..	..	W	4	..
Tainan,	"	29.94	..	..	SW	6	..
Koshun,	"	29.94	..	..	S	4	..
Pescadores,	"	29.94	..	..	SW	6	..
Gutzlaff,	3p.	..	..	..	..	..	..
Sharp Peak,	"	29.89	69	82	E	3	o
Amoy,	2.30p	29.87	75	81	SE	5	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.84	92	57	SE	1	b
Hongkong,	4p.	29.38	83	67	SW	3	o
Victoria Peak,	"	..	..	..	SSW	3	..
Gap Rock,	"	29.87	..	..	S	2	..
Macao,	"	29.86	88	..	SW	1	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	39	SSE	3	b
Malate,	3p.	..	..	..	E	3	b
Pacolod,	"	..	..	..	N	4	c
Iloilo,	"	29.84	88	..	NE	2	b
Cebu,	"	29.82	86	..	N	1	o
Cape S. James,	"	..	..	..	NE	3	c

26th APRIL, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.14	..	..	SE	2	..
Kochi,	"	30.03	..	..	E	4	..
Nagasaki,	"	29.87	..	..	SW	6	..
Kagoshima,	"	29.96	..	..	..	0	..
Taihoku,	5a.	29.92	..	..	..	0	..
Taichu,	"	29.90	..	..	..	0	..
Tainan,	"	29.92	..	..	S	2	..
Koshun,	"	29.94	..	..	SE	2	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	30.09	55	87	NE	3	cv
Sharp Peak,	"	30.00	68	87	NE	3	og
Amoy,	6.30a	29.97	73	81	SE	1	m
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.98	82	71	SE	2	o
Victoria Peak,	"	..	..	..	SSE	2	..
Gap Rock,	"	29.97	..	..	S	2	..
Macao,	"	29.96	85	..	SSE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	NW	2	b
Pacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.91	84	..	NE	1	c
Cebu,	"	29.89	86	..	N	1	o
Cape S. James,	7a.	..	..	..	..	..	..

On the 26th at 12.5p. The barometer has fallen in Japan, risen slightly on the China coast. A depression seems to have moved into the N. part of the Sea of Japan from the Westward. Gradients slight for NE winds on the China coast. Forecast:—moderate E. winds; fair at first, probably some showers later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 26th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

26th APRIL, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.81	61	..	W	1	b
Tokio,	"	30.02	..	..	NE	..	..
Kochi,	"	29.87	..	..	E	6	..
Nagasaki,	"	29.91	..	..	SE	..	..
Kagoshima,	"	29.95	..	..	NE	8	..
Taihoku,	1 p.	29.96	..	..	NW	6	..
Taichu,	"	29.93	..	..	W	6	..
Tainan,	"	29.93	..	..	SW	6	..
Koshun,	"	29.94	..	..	SE	6	..
Pescadores,	"	29.97	..	..	SW	4	..
Gutzlaff,	3 p.	30.03	58	88	ENE	2	cv
Sharp Peak,	..	29.94	68	85	E	3	o
Amoy,	2.30p	29.58	80	74	SE	4	c
Swatow,	3p.	29.90	83	..	SSE	4	c
Canton,	"	29.85	90	63	SE	2	c
Hongkong,	4 p.	29.86	83	63	S	2	c
Victoria Peak,	"	..	..	..	S	3	..
Cap Rock,	"	29.86	..	..	SSE	2	..
Macao,	"	29.86	86	..	S	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	95	51	..	0	c
Malate,	8 p.	..	..	..	SW	1	c
Bacolod,	"	..	..	..	NE	4	cr
Iloilo,	"	29.81	90	..	SE	3	c
Cebu,	"	29.80	85	..	N	4	c
Cape S. James,	"	..	..		NE	2	f

27th APRIL, 1902, A. M.

Wladivostock,	7 a.	..	40	92	..	0	b
Tokio,	6a.	29.98	..	..	E	..	..
Kochi,	"	29.91	..	..	NE	2	..
Nagasaki,	"	29.99	..	..	NE	6	..
Kagoshima,	"	29.99	..	..	E		..
Taihoku,	5 a.	29.98	..	..	SE	2	..
Taichu,	"	29.95	..	..	NE	2	..
Tainan,	"	29.93	..	..	NE	2	..
Koshun,	"	29.96	..	..		0	..
Pescadores,	"	29.93	..		W	2	..
Gutzlaff,	9 a.	30.17	52	93	NNE	4	ev
Sharp Peak,	..	30.04	67	89	E	1	of
Amoy,	6.30a	29.98	75	86	..	0	g
Swatow	9.a.	..	..	..	..	..	
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	30.01	81	74	E	2	c
Victoria Peak,	"		..	..	SE	1	..
Cap Rock,	"	29.99		..	ESE	3	..
Macao,	"	30.03	85	..	SSE	1	c
Haiphong,	7 a.	.	..	..		..	.
Manila,	10 a.	29.92	90	48	NE	2	c
Malate,	9 a.	..	..	..	ESE	1	c
Bacolod,	"		..	..	..	0	b
Iloilo,	"	29.92	..	..	E	1	..
Cebu,	"	29.91	85	..	..	0	b
Cape S. James,	7 a.	..	..	..	NE	3	c

On the 27th at 11.30a. The barometer has risen in NE Japan and N. China. The depression has passed over NE Japan into the Pacific. Pressure is high in NE China. Gradients moderate for NE winds along the N. coast. Forecast:—moderate E. breezes; fair, cooler.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 27th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

27th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	30.06	..	..	N	4	..
Kochi,	"	29.95	..	..	E	4	..
Nagasaki,	"	29.99	..	..	N	6	..
Kagoshima,	"	29.95	..	..	.	0	..
Taihoku,	1p.	30.01	..	..	NW	6	..
Taichu,	"	29.94	..	..	N	4	..
Tainan,	"	29.95	..	..	NW	6	..
Koshun,	"	29.95	..	..	SE	6	..
Pescadores,	"	29.98	..	..	N	6	..
Gutzlaff,	8p.	..	..	..	..	..	..
Sharp Peak,	"	30.04	66	87	E	5	og
Amoy,	2.30p	29.92	79	82	NE	4	b
Swatow,	8p.	29.95	84	..	SE	2	b
Canton,	"	29.95	80	..	SE	2	b
Hongkong,	4p.	29.91	79	74	E	2	b
Victoria Peak,	"	..	..	..	ESE	1	..
Gap Rock,	"	29.91	..	..	E	2	..
Macao,	"	29.92	85	..	SSE	2	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	91	61	ESE	2	b
Malate,	8p.	..	..	..	E	3	c
Bacolod,	"	..	..	..	.	0	c
Iloilo,	"	29.84	88	..	NE	2	c
Cebu,	"	29.82	85	..	N	2	c
Cape S. James,	"	..	..	..	..	..	..

28th APRIL, 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Tokio,	6a.	30.30	..	..	W	2	..
Kochi,	"	30.19	..	..	NE	6	..
Nagasaki,	"	30.15	..	..	NE	4	..
Kagoshima,	"	30.15	..	..	NE	6	..
Taihoku,	5a.	30.07	..	..	E	6	..
Taichu,	"	30.12	..	..	..	0	..
Tainan,	"	30.03	..	..	NE	4	..
Koshun,	"	30.02	..	..	E	2	..
Pescadores,	"	30.03	..	..	N	8	..
Gutzlaff,	8a.	30.18	57	100	SE	4	bm
Sharp Peak,	"	30.12	66	79	..	0	og
Amoy,	6.30a	30.04	70	90	NE	2	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.06	80	78	E	3	o
Victoria Peak,	"	.	..	..	SE	5	..
Gap Rock,	"	30.04	..	..	ESE	4	..
Macao,	"	30.05	86	..	SE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	11a.	29.96	88	72	WSW	1	c
Malate,	9a.	..	..	..	E	2	c
Bacolod,	"	..	..	..	..	0	c
Iloilo,	"	29.93	83	..	..	1	o
Cebu,	"	29.94	81	..	.	0	o
Cape S. James,	7a.	..	..	..	NE	3	f

On the 28th at 11.30 a. The barometer has risen, much in Japan and slightly on the SE coast of China. Pressure is high in Japan, and gradients are moderate to slight for SE and E. winds along the China coast. Forecast:—moderate E. Winds; fair, misty.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 28th April 1902

CHINA COAST METEOROLOGICAL REGISTER.

28th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.94	61	..	E	2	o
Tokio,	"	30.30	..	..	S	4	..
Kochi,	"	30.27	..	..	NE	8	..
Nagasaki,	"	30.15	..	..	SE	6	..
Kagoshima,	"	30.15	..	..	E	6	..
Taihoku,	1p.	30.04	..	..	NW	4	..
Taichu,	"	30.00	..	..	N	6	..
Tainan,	"	30.00	..	..	NW	6	..
Koshun,	"	30.03	..	..	NW	6	..
Pescadores,	"	30.05	..	..	NE	6	..
Gutzlaff,	3p.	30.05	58	94	SE	4	cv
Sharp Peak,	"	30.03	67	81	SE	4	bv
Amoy,	2.30p	..	74	76	SE	5	c
Swatow,	3p.	30.05	79	..	E	3	b
Canton,	"	29.98	79	82	E	1	b
Hongkong,	4p.	29.99	78	81	E	3	o
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	29.96	..	..	ESE	4	..
Macao,	"	29.98	84	..	SSE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	88	59	S	2	c
Malate,	3p.	..	..	..	SE	2	c
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.86	86	..	E	2	o
Cebu,	"	29.85	81	..		0	c
Cape S. James,	"	..	..	..	NE	3	c

29th APRIL, 1902, A.M.

Wladivostock,	7a.	29.61	45	90	S	3	o
Tokio,	6a.	30.23	..	..	S	2	..
Kochi,	"	30.11	..	..	E	6	..
Nagasaki,	"	29.95	..	..	S	8	..
Kagoshima,	"	30.07	..	..	S	2	..
Taihoku,	5a.	30.05	..	..	..	0	..
Taichu,	"	30.01	..	..	..	0	..
Tainan,	"	30.02	..	..	N	2	..
Koshun,	"	30.02	..	..	NE	2	..
Pescadores,	"	30.02	..	..	N	4	..
Gutzlaff,	9a.	30.16	57	94	NW	4	cmp
Sharp Peak,	"	30.06	67	89	..	0	of
Amoy,	6.30a	29.99	70	90	ESE	1	om
Swatow,	9 a.	30.03	69	..	WNW	1	c
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.07	80	71	ESE	2	c
Victoria Peak,	"	.	..	..	E	1	..
Gap Rock,	"	30.07	..	..	ESE	4	..
Macao,	"	30.08	86	..	SE	1	c
Haiphong,	7a.	..	..	..	.	..	..
Manila,	10a.	29.96	86	73	SE	1	c
Malate,	4a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.94	83	..	NE	1	o
Cebu,	"	29.93	84	..	N	2	o
Cape S. James,	7a.	..	..	..	NE	3	f

On the 29th at 12p. The barometer has fallen in W. Japan. A depression is moving into the N. part of the Sea of Japan from the continent. Pressure is still high in SE Japan and increasing in N. China. Gradients are slight for NE and E winds on the China coast and in the N. part of the China Sea. Forecast:—moderate E. breezes; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 29th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

29th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	29.37	46	..	SW	2	o
Tokio, ...	"	30.02	..	..	S	6	..
Kochi, ...	"	29.83	..	..	SW	8	..
Nagasaki, ...	"	29.95	..	..	W	8	..
Kagoshima, ..	"	29.99	..	..	SW	6	..
Taihoku, ...	1p.	30.03	..	..	NW	6	..
Taichu.	"	30.00	..	..	NW	6	..
Tainan, ...	"	30.01	..	..	W	6	..
Koshun, ...	"	30.02	..	..	E	6	..
Pescadores, ...	"	30.04	..	..	N	6	..
Gutzlaff, ...	3p.	30.19	61	71	N	3	cv
Sharp Peak, ..	"	30.04	68	86	E	7	o
Amoy, ...	2.30p	29.99	82	71	SE	5	c
Swatow, ...	3p.	30.00	84	..	SSE	3	b
Canton, ...	"	29.92	90	60	S	1	b
Hongkong, ...	4p.	29.97	80	68	E	2	b
Victoria Peak, ..	"	..	..	..	ESE	3	..
Gap Rock, ...	"	29.95	..	..	ESE	3	..
Macao, ...	"	29.97	85	..	SE	1	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.88	84	71	ESE	1	o
Malate, ...	3p.	..	..	..	SE	2	o
Bacolod, ...	"	..	..	..	NE	3	c
Iloilo, ...	"	29.84	86	..	E	1	b
Cebu, ...	"	29.85	85	..	N	3	c
Cape S. James, .	"	..	..	..	NE	3	f

30th APRIL, 1902, A.M.

Wladivostock, ..	7a.	29.59	39	42	NW	7	c
Tokio, ...	6a.	29.74	..	..		0	..
Kochi, ...	"	30.03	..	..	SW	4	..
Nagasaki, ...	"	30.19	..	..	N	2	..
Kagoshima, ..	"	.	..	..	NW	2	..
Taihoku, ...	5a.	30.09	..	..	E	8	..
Taichu, ...	"	30.00	..	..	S	2	..
Tainan, ...	"	30.02	..	..	N	4	..
Koshun, ...	"	30.03	..	..	E	6	..
Pescadores, ...	"	30.06	..	..	N	6	..
Gutzlaff, ...	9a.	30.30	59	70	E	3	cv
Sharp Peak, ...	"	30.19	65	70	NNE	4	og
Amoy, ...	6.30a	30.07	70	75	ENE	4	c
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	"	..	..	..		..	..
Hongkong, ...	10a.	30.04	75	89	ENE	5	od
Victoria Peak, ..	"	.	..	..	ESE	5	..
Gap Rock, ...	"	30.02	..	..	ESE	5	..
Macao, ...	"	30.04	85	..	ESE	1	c
Haiphong, ...	7a.	..	..	..		..	..
Manila, ...	10a.	29.92	90	48	NE	2	b
Malate, ...	9a.	..	..	..	SE	2	b
Bacolod, ...	"	..	..	..	NE	3	b
Iloilo, ...	"	29.91	84	..	NE	2	o
Cebu, ...	"	29.91	86	..	N	2	c
Cape S. James, ..	7a.	..	..	..	NE	1	f

On the 30th at 11.20a. The barometer has fallen very much in NE Japan, risen in SW Japan and N. China. The depression has moved Eastwards across the N. part of the Sea of Japan, and covers at present the NE islands of Japan. Pressure is high between the E. coast of China and W. Japan. Gradients are rather steep for E. winds along the coasts of S. China. Forecast:—fresh E. breezes; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 30th April 1902.

CHINA COAST METEOROLOGICAL REGISTER.

30th APRIL, 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	29.76	47	..	NW	7	c
Tokio, ...	"	..	..	..	E	2	..
Kochi, ...	"	30.07	..	..	W	6	..
Nagasaki, ...	"	30.19	..	..	NE	6	..
Kagoshima, ..	"	30.19	..	..	NE	2	..
Taihoku, ...	1p.	30.07	..	..	E	8	..
Taichu.	"	29.98	..	..	..	0	..
Tainan, ...	"	29.98	..	..	NW	6	..
Koshun, ...	"	30.00	..	..	SE	6	..
Pescadores, ...	"	30.05	..	..	NE	8	..
Gutzlaff, ...	3p.	30.24	59	70	SE	4	cv
Sharp Peak, ..	"	30.14	64	70	E	5	og
Amoy, ...	2.30p	30.03	80	74	NE	5	c
Swatow, ...	3p.	30.02	78	..	E	5	b
Canton, ...	"	29.95	86	76	S	2	b
Hongkong, ...	4p.	29.98	76	78	ENE	4	o
Victoria Peak, ..	"	..	..	..	ESE	6	..
Gap Rock, ...	"	29.94	..	..	SE	5	..
Macao, ...	"	29.98	81	..	ESE	2	c
Haiphong ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.84	90	55	..	0	c
Malate, ...	3p.	..	..	..	..	0	o
Bacolod, ...	"	..	..	..	N	6	c
Iloilo, ...	"	29.86	89	..	NE	2	b
Cebu, ...	"	29.81	86	..	N	2	c
Cape S. James, .	"	..	..	..	NE	4	c

1st MAY, 1902, A.M.

Wladivostock, ..	7a.	30.15	41	44	NE	1	b
Tokio, ...	6a.	30.23	..	..	NW	6	..
Kochi, ...	"	30.31	..	..	NW	2	..
Nagasaki.	"	30.23	..	..		0	..
Kagoshima, . ..	"	30.23	..	..	E	4	..
Taihoku, ...	5a.	29.98	..	..	E	4	..
Taichu..	"	29.98	..	..	E	4	..
Tainan, ...	"	29.98	..	..	N	2	..
Koshun, ...	"	29.98	..	..	E	6	..
Pescadores, ...	"	30.00	..	..	NE	4	..
Gutzlaff, ...	9a.	30.02	59	94	SE	5	om
Sharp Peak, ...	"	30.04	67	84	..	0	o
Amoy, ...	6.30a	30.02	71	76	NE	1	o
Swatow, ...	9 a.	30.05	71	..	E	3	b
Canton, ...	"	29.96	81	91	ESE	3	o
Hongkong, ...	10a.	29.98	76	86	ESE	2	o
Victoria Peak, ..	"		..	..	SE	6	..
Gap Rock, ...	"	29.96	..	..	E	5	..
Macao, ...	"	30.01	83	..	NE	1	c
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.92	90	55	ENE	4	c
Malate, ...	9a.	..	..	..	..	0	o
Bacolod, ...	"	..	..	..	..	0	b
Iloilo, ...	"	29.92	84	..	NE	2	c
Cebu, ...	"	29.92	82	..	N	2	c
Cape S. James, ..	7a.	..	..	..	..	..	..

On the 1st at 11.32a. The barometer has risen rapidly in E. Japan, fallen much over China. The depression has moved away from NE Japan into the Pacific. High pressure covers S. Japan, and another depression is advancing Eastwards over Central China. Gradients moderate to slight for SE and E. winds along the China coast. Forecast:—decreasing E winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 1st May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

1st MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.94	45	..	S	3	b
Tokio,	"	30.26	..	..	S	6	..
Kochi,	"	30.27	..	..	W	2	..
Nagasaki,	"	30.19	..	..	SE	4	..
Kagoshima,	"	30.19	..	..	SE	4	..
Taihoku,	1p.	29.91	..	..	E	6	..
Taichu,	"	29.90	..	..	W	2	..
Tainan,	"	29.93	..	..	SW	6	..
Koshun,	"	29.95	..	..	SE	6	..
Pescadores,	"	29.94	..	..	N	6	..
Gutzlaff,	8p.	29.93	65	89	S	4	cm
Sharp Peak,	"	29.89	70	87	E	4	c
Amoy,	2.30p	29.94	75	77	N	5	b
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.85	86	76	S	3	o
Hongkong,	4p.	29.89	77	86	E	2	o
Victoria Peak,	"	..	..	..	SE	4	..
Gap Rock,	"	29.86	..	..	E	4	..
Macao,	"	29.88	82	..	ESE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	90	55	E	2	c
Malate,	3p.	..	..	..	SE	3	od
Bacolod,	"	..	..	..	N	3	c
Iloilo,	"	29.84	89	..	E	3	b
Cebu,	"	29.82	84	..	N	1	b
Cape S. James,	"	..	..	..	..	..	..

2nd MAY, 1902, A.M.

Wladivostock,	7a.	29.76	40	99	SE	5	or
Tokio,	6a.	30.33	..	..	..	0	..
Kochi,	"	30.15	..	..	SE	6	..
Nagasaki,	"	29.99	..	..	SE	6	..
Kagoshima,	"	30.11	..	..	SE	6	..
Taihoku,	5a.	29.99	..	..	..	0	..
Taichu,	"	29.96	..	..	..	0	..
Tainan,	"	29.97	..	..	N	2	..
Koshun,	"	29.98	..	..	SE	2	..
Pescadores,	"	29.98	..	..	SW	2	..
Gutzlaff,	9a.	30.06	58	88	NW	5	cv
Sharp Peak,	"	29.99	74	86	..	0	b
Amoy,	6.30a	29.99	77	86	..	0	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.04	81	77	ESE	1	b
Victoria Peak,	"	..	..	..	E	1	..
Gap Rock,	"	30.02	..	..	E	3	..
Macao,	"	30.03	86	..	SE	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	88	63	WSW	2	c
Malate,	9a.	..	..	..	SE	2	c
Bacolod,	"	..	..	..	N	..	b
Iloilo,	"	29.92	85	..	NE	2	c
Cebu,	"	29.88	88	..	N	3	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 2nd at 11.45a. The barometer has risen in E. Japan and N. China, fallen in W. Japan. The depression is moving Eastwards into the Sea of Japan. Pressure is high in E. Japan. NE winds freshening along the China coast. Forecast:—light variable to moderate NE winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 2nd May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

2nd MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.64	42	..	SE	7	or
Tokio,	"	30.18	..	..	S	8	..
Kochi,	"	29.95	..	..	S	10	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	29.95	..	..	SW	6	..
Taihoku,	1p.	30.03	..	..	N	4	..
Taichu,	"	29.97	..	..	—	0	..
Tainan,	"	29.98	..	..	SW	6	..
Koshun,	"	30.00	..	..	SE	6	..
Pescadores,	"	30.02	..	..	W	2	..
Gutzlaff,	3p.	30.10	67	69	N	2	bv
Sharp Peak,	"	29.97	75	86	E	2	..
Amoy,	2.30p	29.97	85	72	SE	6	c
Swatow,	3p.	29.95	86	..	ESE	3	b
Canton,	"	..	..	..	..	..	..
Hongkong,	4p.	29.94	80	79	E	2	b
Victoria Peak,	"	..	..	..	..	0	..
Gap Rock,	"	29.94	..	..	E	2	..
Macao,	"	29.94	91	..	SSE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	88	54	ESE	2	c
Malate,	3p.	..	..	..	NE	2	c
Bacolod,	"	..	..	..	N	6	b
Iloilo,	"	29.82	90	..	E	3	c
Cebu,	"	29.81	85	..	N	3	c
Cape S. James,	"	..	..	..	..	..	..

3rd MAY, 1902, A.M.

Wladivostock,	7a.	29.63	46	45	W	3	b
Tokio,	6a.	29.82	..	..	NW	2	..
Kochi,	"	30.03	..	..	W	4	..
Nagasaki,	"	..	..	..	..	0	..
Kagoshima,	"	..	..	..	SW	2	..
Taihoku,	5a.	30.07	..	..	E	6	..
Taichu,	"	30.61	..	..	..	0	..
Tainan,	"	30.02	..	..	N	4	..
Koshun,	"	30.04	..	..	E	4	..
Pescadores,	"	30.04	..	..	NE	6	..
Gutzlaff,	9a.	30.23	62	89	S	2	cv
Sharp Peak,	"	30.19	70	70	E	4	b
Amoy,	6.30a	30.08	73	70	NE	5	c
Swatow,	9a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	30.05	81	77	E	3	c
Victoria Peak,	"		..	..	ESE	4	..
Gap Rock,	"	30.03	..	..	E	3	..
Macao,	"	30.06	85	..	E	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	36	71	..	0	c
Malate,	9a.	..	..	..	WSW	2	c
Bacolod,	"	..	..	..	..	0	c
Iloilo,	"	29.94	82	..	NE	2	c
Cebu,	"	29.97	81	..	..	0	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 3rd at 11.32a. The barometer has fallen much in NE Japan and risen in N. China. The depression has moving Eastwards across the Sea of Japan and covers now the NE islands of Japan. Pressure is high between E. China and W. Japan. Gradients are moderate to slight for E. winds along the China coast. Forecast:— moderate E. breezes; cloudy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 3rd May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

3rd MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	"	29.86	..	..	S	4	..
Kochi, ...	"	30.07	..	..	W	8	..
Nagasaki, ...	"	30.15	..	..	SW	6	..
Kagoshima, ..	"	30.15	..	..	..	0	..
Taihoku, ...	1p.	30.01	..	..	E	6	..
Taichu, ...	"	29.96	..	..	NW	4	..
Tainan, ...	"	29.99	..	..	W	6	..
Koshun, ...	"	30.01	..	..	SE	8	..
Pescadores, ...	"	30.03	..	..	N	8	..
Gutzlaff, ...	3p.	30.10	65	78	SSE	4	cv
Sharp Peak, ..	"	30.06	70	75	E	6	o
Amoy, ...	2.30p	30.07	81	59	SE	4	c
Swatow, ...	3p.	30.06	79	..	E	4	c
Canton, ...	"	29.94	91	63	S	1	c
Hongkong, ...	4p.	29.95	77	87	E	4	o
Victoria Peak, ..	"	..	..	..	ESE	4	..
Gap Rock, ...	"	29.94	..	..	E	4	..
Macao, ...	"	29.95	85	..	ESE	2	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.88	81	85	E	1	o
Malate, ...	3p.	..	..	..	E	2	or
Bacolod, ...	"	..	..	..	N	3	o
Iloilo, ...	"	29.87	84	..	ESE	1	od
Cebu, ...	"	29.86	80	..		0	c
Cape S. James, .	"	..	..	..	..	..	..

4th MAY, 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	30.14	..	..	NW	2	..
Kochi, ...	"	30.15	..	..	NW	2	..
Nagasaki, ...	"	30.11	..	..	SE	4	
Kagoshima, ...	"	30.15	..	..	E	4	
Taihoku, ...	5a.	29.97	..	..	E	2	..
Taichu, ...	"	29.94	..	..	..	0	..
Tainan, ...	"	29.96	..	..	N	2	
Koshun, ...	"	29.97	..	..	SE	2	..
Pescadores, ...	"	29.94	..	..	NE	2	..
Gutzlaff, ...	9a.	29.82	65	89	SSW	4	cvd
Sharp Peak, ...	"	29.97	72	83	SSW	1	b
Amoy, ...	6.30a	30.01	74	95	SSE	1	..
Swatow, ...	9 a.	30.01	79		NNE	2	c
Canton, ...	"	29.94	84	79	SE	2	c
Hongkong, ...	10a.	29.98	80	82	E	2	o
Victoria Peak, ..	"		..	..	E	2	..
Gap Rock, ...	"	29.98	..	..	E	3	..
Macao, ...	"	29.97	85	..	ESE	1	c
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.92	88	60	E	1	c
Malate, ...	9a.	..	..	..	E	2	c
Bacolod, ...	"	..	..	..	..	0	b
Iloilo, ...	"	29.94	82	..	NE	1	o
Cebu, ...	"	29.97	85	..	N	2	b
Cape S. James, ..	7a.	..	..	..	..	..	..

On the 4th at 11.25a. The barometer is rising in NE Japan, and has fallen rapidly in N. China. The depression lying over NE. Japan yesterday has moved into the Pacific. Another depression is moving into the Yellow Sea from the mainland of China. Pressure is highest over Central Japan. Gradients slight for S. and SE winds along the coasts of China. Forecast:—light SE breezes; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 4th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

4th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.92	55	..	W	1	o
Tokio,	"	30.10	..	..	S	4	..
Kochi,	"	30.07	..	..	E	4	..
Nagasaki,	"	29.91	..	..	SE	8	..
Kagoshima,	"	29.99	..	..	SE	4	..
Taihoku,	1p.	29.92	..	..	NW	6	..
Taichu,	"	29.89	..	..	W	2	..
Tainan,	"	29.93	..	..	W	6	..
Koshun,	"	29.94	..	..	SE	6	..
Pescadores,	"	29.94	..	..	N	4	..
Gutzlaff,	3p.	29.80	70	90	SW	3	cr
Sharp Peak,	"	..	81	69	S	5	c
Amoy,	2.30p	29.92	81	74	SE	4	c
Swatow,	3p.	29.83	83	..	SE	1	c
Canton,	"	29.82	94	61	SW	2	c
Hongkong,	4p.	29.85	80	83	E	2	b
Victoria Peak,	"	..	..	..	SSE	1	..
Gap Rock,	"	29.85	..	..	E	3	..
Macao,	"	29.85	86	..	SSE	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	49	ESE	1	c
Malate,	3p.	..	..	..	ESE	2	c
Iloilo,	"	..	..	..	N	4	o
Cebu,	"	29.84	88	..	ESE	..	c
Cape S. James,	"	29.82	85	..	N	2	b
	"	..	..	..	..	..	..

5th MAY, 1902, A.M.

Wladivostock,	7a.	29.76	42	99	NW	1	o
Tokio,	6a.	30.06	..	..	S	6	..
Kochi,	"	29.79	..	..	S	8	..
Nagasaki,	"	29.72	..	..	S	6	..
Kagoshima,	"	29.75	..	..	SW	8	..
Taihoku,	5a.	29.88	..	..	NE	2	..
Taichu,	"	29.87	..	..	..	0	..
Tainan,	"	29.87	..	..	SE	4	..
Koshun,	"	29.88	..	..	SE	2	..
Pescadores,	"	29.89	..	..	S	4	..
Gutzlaff,	9a.	29.95	63	89	NNW	2	cm
Sharp Peak,	"	29.87	77	84	SW	1	o
Amoy,	6.30a	29.89	78	91	SE	1	c
Swatow,	9 a.	29.96	84		W	1	b
Canton,	"	29.89	86	76	SW	..	b
Hongkong,	10a.	29.92	83	71	.	0	b
Victoria Peak,	"		..	..	S	1	..
Gap Rock,	"	29.92	..	..	..	0	..
Macao,	"	29.94	89	..	SW	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	86	71	W	1	o
Malate,	9a.	..	..	..	..	0	c
Iloilo,	"	..	..	..	N	3	b
Cebu,	"	29.93	85	..	NE	1	c
Cape S. James,	7a.	29.92	84	..	..	0	..
		..	..	..	..	..	..

On the 5th at 12.10p. The barometer has fallen in W. Japan and risen in N. China. The depression has crossed the Yellow Sea and is now moving into the W. part of the Sea of Japan. Pressure is highest in the Pacific to the East of Japan. Gradients slight with light variable winds in S. China. Forecast:—light variable winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Monday 5th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

5th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.72	61	..	W	1	c
Tokio,	"	29.78	..	..	.	0	..
Kochi,	"	29.72	..	..	SW	10	..
Nagasaki,	"	29.75	..	..	W	6	..
Kagoshima,	"	29.79	..	..	W	6	..
Taihoku,	1p.	29.84	..	..	N	6	..
Taichu,	"	29.81	..	..	W	6	..
Tainan,	"	29.84	..	..	SW	6	..
Koshun,	"	29.85	..	..	SW	4	..
Pescadores,	"	..	..	..	.	..	..
Gutzlaff,	1p.	29.94	64	84	NNE	2	cv
Sharp Peak,	"	29.84	73	88	E	2	og
Amoy,	2.30p.	29.80	84	72	SE	5	c
Swatow,	2p.	29.79	88	..	S	4	b
Canton,	"	29.79	94	60	SW	1	b
Hongkong,	4p.	29.81	84	64	S	3	b
Victoria Peak,	"	..	..	..	SSW	5	..
Gap Rock,	"	29.82	..	..	SSW	3	..
Macao,	"	29.85	90	..	S	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	86	71	NNE	1	c
Malate,	2p.	..	..	..	E	2	c
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.81	89	..	NE	2	b
Cebu,	"	29.81	87	..	N	1	..
Cape S. James,	"	..	..	..	..	..	..

6th MAY, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7a.	29.89	46	86	N	1	c
Tokio,	6a.	29.78	..	..	NW	2	..
Kochi,	"	29.91	..	..	..	0	..
Nagasaki,	"	29.95	..	..	N	2	..
Kagoshima,	"	29.85	..	..	NW	2	..
Taihoku,	6a.	.	..	..	..	..	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	.	..	..	..	..	..
Koshun,	"	.	..	..	..	..	..
Pescadores,	"	.	..	..	..	..	..
Gutzlaff,	7a.	29.96	59	94	SSE	4	f
Sharp Peak,	"	29.93	73	90	NE	2	og
Amoy,	6.30a.	29.93	77	..	NE	2	cm
Swatow,	9a.	.	.	..	.	..	..
Canton,	"	..	.	..	..	..	..
Hongkong,	10a.	29.91	86	67	SW	1	c
Victoria Peak,	"	.	..	..	S	4	..
Gap Rock,	"	29.91	.	..	SSE	2	..
Macao,	"	29.89	89	..	SSW	1	c
Haiphong,	7a.	..	..	..	.	..	..
Manila,	10a.	29.92	86	65	W	1	b
Malate,	9a.	..	..	..	W	2	b
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.94	86	..	N	1	c
Cebu,	"	29.92	84	..	N	2	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 6th at noon. The barometer has fallen much in E. Japan, risen in W. Japan. The depression has moved Eastwards into the Pacific to the E. of Japan. The barometer is inclined to fall again over N. China. Gradients are slight with variable winds on the China coast. Forecast:—light S. winds; fair at first, probably some showers later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 6th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

6th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.97	56	..	..	0	c
Tokio,	"	29.94	..	..	E	4	..
Kochi,	"	29.99	..	..	SE	4	..
Nagasaki,	"	29.95	..	..	W	4	..
Kagoshima,	"	29.99	..	..	SE	4	..
Taihoku,	1p.	29.86	..	..	E	4	..
Taichu,	"	29.82	..	..	W	4	..
Tainan,	"	29.87	..	..	W	6	..
Koshun,	"	29.88	..	..	W	2	..
Pescadores,	"	29.90	..	..	W	4	..
Gutzlaff,	3p.	29.90	61	88	SSE	5	b
Sharp Peak,	"	29.86	70	85	ENE	6	od
Amoy,	2.30p	29.90	79	78	SE	4	c
Swatow,	3p.	29.87	83	..	ESE	3	b
Canton,	"	29.77	92	70	SW	1	c
Hongkong,	4p.	29.83	83	77	S	2	c
Victoria Peak,	"	..	..	..	SSW	3	..
Cap Rock,	"	29.83	..	..	SSE	3	..
Macao,	"	29.84	87	..	SW	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	50	SE	4	b
Molate,	3p.	..	..	..	SE	2	b
Bacolod,	"	..	..	..	N	3	b
Iloilo,	"	29.85	89	..	NE	2	b
Cebu,	"	29.86	85	..	N	2	b
Cape S. James,	"	..	..	..	..	..	..

7th MAY, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7a.	29.90	41	99	SE	4	ar
Tokio,	Ca.	30.18	..	..	..	0	..
Kochi,	"	30.07	..	..	E	4	..
Nagasaki,	"	29.95	..	..	SE	4	..
Kagoshima,	"	29.99	..	..	E	4	..
Taihoku,	5a.	29.86	..	..	..	0	..
Taichu,	"	29.86	..	..	..	0	..
Tainan,	"	29.85	..	..	..	0	..
Koshun,	"	29.86	..	..	..	0	..
Pescadores,	"	29.87	..	..	SE	2	..
Gutzlaff,	9a.	29.88	63	100	SE	2	f
Sharp Peak,	"	29.84	71	90	ESE	1	of
Amoy,	6.30a	29.90	75	90	ENE	1	om
Swatow,	9a.	..	..	..	..	..	..
Canton,	"	29.87	86	80	SW	1	b
Hongkong,	10a.	29.89	85	68	SW	3	c
Victoria Peak,	"	..	..	..	SSW	4	..
Cap Rock,	"	29.89	..	..	SSW	2	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	86	65	W	1	b
Molate,	9a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.92	85	..	N	1	c
Cebu,	"	29.89	85	..	..	0	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 7th at 12.7p. The barometer has risen in E. Japan, fallen on the China coast. Pressure is high in E. Japan and low over N. China. Gradients are slight for SE and S. winds along the coasts of China. Forecast—light S. winds, fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 7th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

7th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.86	43	..	SE	5	f
Tokio,	"	30.18	..	..	S	4	..
Kochi,	"	30.07	..	..	SE	2	..
Nagasaki,	"	29.95	..	..	E	8	..
Kagoshima,	"	29.95	..	..	..	..	..
Taihoku,	1p.	29.87	..	..	NW	8	..
Taichu,	"	29.84	..	..	S	4	..
Tainan,	"	29.87	..	..	SW	6	..
Koshun,	"	29.87	..	..	SW	4	..
Pescadores,	"	29.88	..	..	SW	4	..
Gutzlaff,	8p.	29.85	70	75	SE	1	cv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	2.30p	29.86	78	91	SSE	2	od
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4p.	29.81	86	65	SW	1	o
Victoria Peak,	"	..	..	..	S	4	..
Gap Rock,	"	29.82	..	..	SSW	2	..
Macao,	"	29.80	89	..	SW	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	93	46	SE	2	b
Malate,	8p.	..	..	..	W	1	c
Bacolod,	"	..	..	..	N	4	b
Iloilo,	"	29.85	89	..	N	1	b
Cebu,	"	29.83	85	..	N	3	b
Cape S. James,	"	..	..	..	..	..	..

8th MAY, 1902, A.M.

Wladivostock,	7a.	29.47	41	99	W	1	f
Tokio,	6a.	30.02	..	..	N	2	..
Kochi,	"	29.79	..	..	NE	6	..
Nagasaki,	"	29.72	..	..	S	4	..
Kagoshima,	"	29.75	..	..	NE	4	..
Taihoku,	5a.	29.86	..	..	..	0	..
Taichu,	"	29.84	..	..	..	0	..
Tainan,	"	29.85	..	..	..	0	..
Koshun,	"	29.85	..	..	..	0	..
Pescadores,	"	29.84	..	..	..	0	..
Gutzlaff,	9a.	29.98	65	89	..	3	cm
Sharp Peak,	"	29.86	74	99	..	0	od
Amoy,	6.30a	29.87	76	95	..	0	o
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.84	82	78	SSW	4	odq
Victoria Peak,	"	..	..	..	..	0	..
Gap Rock,	"	29.84	..	..	SSW	3	..
Macao,	"	29.82	84	..	SSW	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	90	44	S	2	b
Malate,	9a.	..	..	..	E	1	b
Bacolod,	"	..	..	..	NE	3	b
Iloilo,	"	29.93	..	..	NE	1	c
Cebu,	"	29.91	84	..	N	1	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 8th at noon. The barometer has fallen in Japan, and risen in N. China. A depression has moved Eastwards over Manchuria and is now covering the N. part of the Sea of Japan. Gradients slight for NE winds on the E. and SE coasts of China, and far S. winds over the N. part of the China Sea. Forecast—fresh S. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 8th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

8th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.39	41	..	W	2	f
Tokio,	"	29.63	..	..	..	0	..
Kochi,	"	29.60	..	..	S	4	..
Nagasaki,	"	29.75	..	..	NW	8	..
Kagoshima,	"	29.75	..	..	W	6	..
Taihoku,	1p.	29.85	..	..	NW	8	..
Taichu,	"	29.83	..	..	NW	6	..
Tainan,	"	29.85	..	..	W	6	..
Koshun,	"	29.88	..	..	SW	2	..
Pescadores,	"	29.87	..	..	W	4	..
Gutzlaff,	3p.	29.96	66	89	NNE	3	cm
Sharp Peak,	"	29.87	74	90	..	0	od
Amoy,	2.30p.	29.85	79	87	SE	1	or
Swatow,	3p.	29.87	78	..	W	2	or
Canton,	"	29.78	82	87	SW	1	c
Hongkong,	4p.	29.78	81	83	SW	3	cdt
Victoria Peak,	"	..	..	..	S	7	..
Gap Rock,	"	29.78	..	..	SSW	4	..
Macao,	"	29.77	82	..	SW	2	or
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	91	45	SSE	2	b
Malate,	3p.	..	..	..	..	0	b
Bacolod,	"	..	..	..	N	4	c
Iloilo,	"	29.85	87	..	..	0	o
Cebu,	"	29.82	84	..	N	2	c
Cape S. James,	"	..	..	..	..	..	..

9th MAY, 1902, A.M.

Wladivostock,	7a.	29.19	49	68	NW	1	c
Tokio,	6a.	29.47	..	..	SE	2	..
Kochi,	"	29.75	..	..	W	4	..
Nagasaki,	"	29.87	..	..	NW	4	..
Kagoshima,	"	29.87	..	..	NW	4	..
Taihoku,	5a.	29.81	..	..	SE	4	..
Taichu,	"	29.80	..	..	N	2	..
Tainan,	"	29.82	..	..	..	0	..
Koshun,	"	29.83	..	..	..	0	..
Pescadores,	"	29.83	..	..	S	6	..
Gutzlaff,	9a.	30.03	62	67	ESE	2	cm
Sharp Peak,	"	29.93	65	84	NNW	3	od
Amoy,	6.30a	29.82	72	95	NE	2	or
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.84	83	79	SSW	3	o
Victoria Peak,	"		..	..	..	..	..
Gap Rock,	"	29.85	..	..	SW	3	..
Macao,	"	29.87	82	..	SSW	1	cd
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.88	88	66	SW	2	..
Malate,	9a.	..	..	..	..	0	b
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.94	86	..	..	0	c
Cebu,	"	29.91	85	..	..	0	b
Cape S. James,	7a.	..	..	..	..	..	..

On the 9th at 11.35p. The barometer has fallen very rapidly in NE. Japan, risen slightly in N. China. The depression has moved Eastwards over the N. part of the Sea of Japan and is at present lying over the N. islands of Japan. Pressure is highest over the E. coast of China. Gradients are slight for E. winds along the E. and SE coasts of China, and for S. winds in the N. part of the China Sea. Forecast:— moderate SW winds; equally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 9th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

9th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	29.26	50	..	NE	4	or
Tokio, ...	,,	29.51	..	..	S	4	..
Kochi, ...	,,	29.75	..	..	W	6	..
Nagasaki, ...	,,	29.37	..	..	SW	6	..
Kagoshima, ..	,,	29.87	..	..	NW	..	..
Taihoku.	1p.	29.83	..	..	NW	4	..
Taichu.	,,	29.83	..	..	..	..	..
Tainan, ...	,,	29.84	..	..	W	4	..
Koshun, ...	,,	29.83	..	..	SW	4	..
Pescadores, ...	,,	29.84	..	..	SW	4	..
Gutzlaff, ...	3p.	30.01	63	57	NE	1	cv
Sharp Peak, ..	,,	29.89	64	84	E	1	od
Amoy, ...	2.30p	29.84	69	90	NE	5	or
Swatow, ...	3p.	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	4p.	29.75	82	81	SW	4	cq
Victoria Peak, ..	,,	..	..	..	SSW	6	..
Gap Rock, ...	,,	29.78	..	..	SW	4	..
Macao, ...	,,	29.76	84	..	SW	2	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.76	90	66	WSW	3	b
Malate, ...	3p.	..	..	..	W	2	b
Pacolod, ...	,,	..	..	..	..	0	c
Iloilo, ...	,,	29.87	87	..	..	0	o
Cebu, ...	,,	29.82	86	..	N	2	c
Cape S. James, .	,,	..	..	..	..	..	..

10th MAY, 1902, A.M.

Wladivostock, ..	7a.	29.70	39	98	N	2	o
Tokio, ...	6a.	29.71	..	..	S	2	..
Kochi, ...	,,	29.83	..	..	W	2	..
Nagasaki, ...	,,	29.91	..	..	N	2	..
Kagoshima, ...	,,	29.91	..	..	N	4	..
Taihoku, ...	5a.	29.87	..	..	E	4	..
Taichu, ...	,,	29.81	..	..	..	0	..
Tainan, ...	,,	29.80	..	..	..	0	..
Koshun, ...	,,	29.81	..	..	NE	2	..
Pescadores, ...	,,	29.83	..	..	NE	6	..
Gutzlaff, ...	9a.	30.03	63	72	ESE	1	cm
Sharp Peak, ...	,,	..	..	..	..	..	..
Amoy, ...	6.30a	..	..	..	..	..	..
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	10a.	29.82	82	83	S	2	op
Victoria Peak, ..	,,		..	..	S	5	..
Gap Rock, ...	,,	29.83	..	..	SW	3	..
Macao, ...	,,	29.80	..	..	SW	1	or
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.88	88	66	W	1	c
Malate, ...	9a.	..	..	..	E	1	c
Pacolod, ...	,,	..	..	..	..	0	b
Iloilo, ...	,,	29.95	85	..	.	0	b
Cebu, ...	,,	29.93	85	..	N	1	b
Cape S. James, ..	7a.	..	..	..	..	..	..

On the 10th at 12.5p. The barometer has risen in E. Japan, fallen slightly on the China. coast. The depression has moving away from NE Japan into the Pacific. Pressure is highest over the E. coast of China. Gradients are slight for E winds on the E. and SE coasts of China and for S. winds in the N. part of the China Sea. Forecast:—moderate S. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 10th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

10th MAY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.63	..	..	SW	6	..
Kochi,	"	29.79	..	..	W	8	..
Nagasaki,	"	29.87	..	..	W	6	..
Kagoshima,	"	29.83	..	..	NW	4	..
Taihoku,	1 p.	29.87	..	..	NE	6	..
Taichu,	"	29.80	..	..	W	2	..
Tainan,	"	29.83	..	..	W	2	..
Koshun,	"	29.80	..	..	NE	2	..
Pescadores,	"	29.85	..	..	NE	8	..
Gutzlaff,	3 p.	29.95	67	46	E	3	cv
Sharp Peak,	..	29.87	65	81	NNE	2	o
Amoy,	2.30p	29.67	78	86	E	2	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	.	..
Hongkong,	4 p.	29.73	83	79	S	2	o
Victoria Peak,	"	..	..	..	S	7	..
Gap Rock,	"	29.75	..	..	SSW	4	..
Macao,	"	29.70	85	..	SW	1	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	90	66	WSW	3	b
Malate,	3 p.	..	..	..	W	1	b
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.82	87	..	N	1	o
Cebu,	"	29.81	85	..	NE	2	c
Cape S. James,	"	..	..		..	..	..

11th MAY, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6a.	29.82	..	..	W	6	..
Kochi,	"	29.87	..	..	N	2	..
Nagasaki,	"	29.83	..	..	SE	6	..
Kagoshima,	"	29.83	..	..	NW	4	..
Taihoku,	5 a.	29.78	..		NW	4	..
Taichu,	"	29.80	..	..	N	6	..
Tainan,	"	29.80	..	..	SE	2	..
Koshun,	"	29.78	..	..	NW	4	..
Pescadores,	"	29.80	..	..	NE	4	..
Gutzlaff,	9 a.	30.00	57	69	NNE	3	cv
Sharp Peak,	..	29.99	65	92	E	3	o
Amoy,	6.30a	..	..	..	..	..	..
Swatow	9.a.	..	..	..	..	..	
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.91	77	61	N	1	o
Victoria Peak,	"	..	..	..	N	5	..
Gap Rock,	"	29.89	..	..	N	3	..
Macao,	"	29.89	78	..	NW	3	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.96	84	..	..	0	o
Cebu,	"	29.94	86	..	..	0	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 11th at 11.30a. The barometer has risen in E. Japan and S. China; fallen over the Loochoos and Formosa. The highest pressure lies over NE China and a shallow depression lies in the neighbourhood of S. Loochoos. Gradients are slight to moderate for NE winds on the China coast, and for SW winds in the N. part of the China Sea. Forecast:—moderate N. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 11th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

11th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	30.00	46	..	S	1	o
Tokio,	,,	29.90	..	..	E	6	..
Kochi,	,,	29.83	..	..	NE	2	..
Nagasaki,	,,	29.83	..	..	NE	2	..
Kagoshima,	,,	29.79	..	..	N	6	..
Taihoku,	1p.	29.93	..	..	NW	8	..
Taichu,	,,	29.82	..	..	N	4	..
Tainan,	,,	29.82	..	..	N	8	..
Koshun,	,,	29.81	..	..	SW	4	..
Pescadores,	,,	29.87	..	..	NE	8	..
Gutzlaff,	3p.	30.02	64	53	NNE	1	b
Sharp Peak,	,,	29.92	66	81	E	4	o
Amoy,	2.30p	29.87	73	86	ENE	2	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	..	..	..	..	..	..	..
Hongkong,	3p.	29.87	79	53	NE	1	o
Victoria Peak,	,,	..	..	..	NE	3	..
Gap Rock,	,,	29.85	..	..	NNW	3	..
Macao,	,,	29.84	79	..	NNE	2	cq
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	90	66	SW	2	o
Molate,	3p.	..	..	..	SW	3	b
Bacolod,	,,	..	..	..	..	0	o
Iloilo,	,,	29.86	87	..	S	1	o
Cebu,	,,	29.84	85	..	N	1	b
Cape S. James,	,,	..	..	..	..	..	..

12th MAY, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7a.	29.93	38	81	S	3	o
Tokio,	6a.	29.82	..	..	N	6	..
Kochi,	,,	29.79	..	..	NE	4	..
Nagasaki,	,,	29.91	..	..	W	2	..
Kagoshima,	,,	29.87	..	..	NW	4	..
Taihoku,	5a.	30.04	..	..	E	2	..
Taichu,	,,	29.88	..	..	N	2	..
Tainan,	,,	29.89	..	..	N	2	..
Koshun,	,,	29.92	..	..	NE	10	..
Pescadores,	,,	29.94	..	..	NE	10	..
Gutzlaff,	9a.	30.07	64	78	W	3	b
Sharp Peak,	,,	30.06	68	77	NNE	1	c
Amoy,	6.30a	29.97	66	84	ENE	3	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10a.	29.99	74	86	E	4	od
Victoria Peak,	,,		..	..	ESE	6	..
Gap Rock,	,,	29.97	..	..	ENE	4	..
Macao,	,,	.	74	..	NE	1	or
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	88	66	WSW	1	b
Malate,	9a.	..	..	..	E	2	b
Bacolod,	,,	..	..	..	..	0	b
Iloilo,	,,	29.94	84	..	.	0	o
Cebu,	,,	29.93	85	..	..	0	b
Cape S. James,	7a.	..	..	..	..	..	..

On the 12th at 11.8a The barometer has fallen slightly on the S. coast of Japan and in N. China, risen over the Loochoos and S. China. The shallow depression has moved Northeastward and is now lying to the S. of Japan. Pressure is highest over the East coast of China. Gradients are slight for NE winds along the coasts of S. China. Forecast:—moderate NE winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 12th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

12th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.91	41	..	S	5	o
Tokio,	"	29.82	..	..	NW	4	..
Kochi,	"	29.87	..	..	NE	2	..
Nagasaki,	"	29.91	..	..	N	6	..
Kagoshima,	"	29.91	..	..	NW	3	..
Taihoku.	1p.	30.02	..	..	E	6	..
Taichu.	"	29.94	..	..	N	2	..
Tainan,	"	29.96	..	..	S	6	..
Koshun,	"	29.98	..	..	NE	8	..
Pescadores,	"	29.99	..	..	NE	8	..
Gutzlaff,	3p.	30.00	72	71	SW	2	bv
Sharp Peak,	"	30.03	69	63	ENE	2	b
Amoy,	2.30p	29.95	76	56	SE	3	c
Swatow,	3p.	.	..	..		..	..
Canton,	"	29.86	74	90	..	..	o
Hongkong,	4p.	29.93	75	73	E	6	o
Victoria Peak,	"	..	..	..	ESE	7	..
Gap Rock,	"	29.90	..	..	E	6	..
Macao,	"	29.93	76	..	E	2	oq
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	93	62	WSW	2	a
Malate,	3p.	..	..	..	WSW	3	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.87	88	..	S	3	c
Cebu,	"	29.85	84	.	.	0	c
Cape S. James,	"	..	..	..		..	..

13th MAY, 1902, A.M.

Wladivostock,	7a.	29.91	38	99	SE	3	o
Tokio,	6a.	30.02	..	..	..	0	..
Kochi,	"	30.03	..	..	N	2	..
Nagasaki,	"	30.03	..	..	S	2	..
Kagoshima,	"	30.07	..	..	NE	2	..
Taihoku,	5a.	29.98	..	..	E	2	..
Taichu,	"	29.96	..	..	..	0	..
Tainan,	"	29.94	..	..	SE	2	.
Koshun,	"	29.97	..	..	E	6	..
Pescadores,	"	29.96	..	..	..	0	..
Gutzlaff,	6a.	30.05	63	84	ESE	2	cv
Sharp Peak,	"	30.00	68	72	WNW	2	og
Amoy,	6.30a	29.94	68	79	NW	2	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.94	74	93	E	3	or
Victoria Peak,	"		..	..	SE	4	..
Gap Rock,	"	29.91	..	..	ESE	5	..
Macao,	"	.	77	..	E	1	orq
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	.	..	0	o
Bacolod,	"	..	..		..	0	b
Iloilo,	"	29.96	85	..		0	o
Cebu,	"	29.96	86		..	0	c
Cape S. James	7a.	..	..	..	..	..	..

On the 13th at 11.23a. The barometer has risen in S. Japan, fallen slightly on the China coast. Pressure is highest in the neighbourhood of the Loochoos, and low apparently in N. China. Gradients are moderate for E. winds in S. China. Forecast:—moderate E. winds; squally with rain and thunder.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 13th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

13th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.94	59	..	S	4	f
Tokio,	,,	30.02	..	..	S	4	..
Kochi,	,,	29.99	..	..	W	4	..
Nagasaki,	,,	30.07	..	..	W	6	..
Kagoshima,	,,	30.07	..	..	..	0	..
Taihoku,	1p.	29.96	..	..	W	2	..
Taichu,	,,	29.94	..	..	SW	2	..
Tainan,	,,	29.96	..	..	W	4	..
Koshun,	,,	29.98	..	..	SE	6	..
Pescadores,	,,	29.98	..	..	N	2	..
Gutzlaff,	3p.	29.98	66	75	SSE	5	cv
Sharp Peak,	,,	29.94	71	76	NW	1	o
Amoy,	2.30p	29.94	73	72	SE	2	..
Swatow,	3p.	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	4p.	29.86	74	100	E	3	orq
Victoria Peak,	,,	..	..	..	S	5	..
Gap Rock,	,,	29.84	..	..	SSE	4	..
Macao,	,,	29.85	77	..	SSW	1	o
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	93	50	SE	2	c
Malate,	3p.	..	..	..	E	2	b
Bacolod,	,,	..	..	..	..	0	o
Iloilo,	,,	29.92	88	..	E	1	or
Cebu,	,,	29.87	87	..	N	1	b
Cape S. James,	,,	..	..	..	..	..	..

14th MAY, 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7a.	29.95	41	99	S	5	or
Tokio,	6a.	30.22	..	..	N	4	..
Kochi,	,,	30.15	..	..	NE	4	..
Nagasaki,	,,	30.03	..	..	E	6	..
Kagoshima,	,,	30.07	..	..	..	0	..
Taihoku,	5a.	29.86	..	..	..	0	..
Taichu,	,,	29.85	..	..	..	0	..
Tainan,	,,	29.87	..	..	E	2	..
Koshun,	,,	29.89	..	..	SE	4	..
Pescadores,	,,	29.86	..	..	S	6	..
Gutzlaff,	9a.	29.81	63	100	WSW	3	fd
Sharp Peak,	,,	29.81	70	[illegible]	SE	1	eg
Amoy,	6.30a	..	..		..	..	..
Swatow,	9a.	..	..		..	..	..
Canton,	,,	..	..		..	..	..
Hongkong,	10a.	29.80	82	83	SW	2	o
Victoria Peak,	,,		..	..	SW	6	..
Gap Rock,	,,	29.85	..	..	SW	3	..
Macao,	,,	29.87	84	..	SW	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.96	85	66	..	0	c
Malate,	9a.	..	..	..	..	0	c
Bacolod,	,,	..	..	..	..	0	b
Iloilo,	,,	29.98	84	..	NE	2	..
Cebu,	,,	29.97	84	..	..	0	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 14th at 11.45a. The barometer has risen in E. Japan, fallen over China, particularly in the North. Pressure is high over Japan and a depression is moving into the Yellow Sea from the mainland of China. Gradients are slight for S. and SW winds in S. China. Forecast:—moderate SW winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory Wednesday 14th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

14th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.94	43	..	SE	7	or
Tokio,	,,	30.22	..	..	N	2	..
Kochi,	,,	30.19	..	..	NE	6	..
Nagasaki,	,,	29.99	..	..	..	6	..
Kagoshima,	,,	30.07	..	..	SE	6	..
Taihoku,	1p.	29.85	..	..	..	0	..
Taichu,	,,	29.83	..	..	..	0	..
Tainan,	,,	29.86	..	..	S	8	..
Koshun,	,,	29.88	..	..	S	6	..
Pescadores,	,,	29.85	..	..	S	8	..
Gutzlaff,	3p.	29.77	67	89	SW	3	cv
Sharp Peak,	,,	29.70	74	90	S	5	og
Amoy,	2.30p	29.76	73	86	SE	1	o
Swatow,	3p.	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	4p.	29.79	77	88	NNE	1	ot
Victoria Peak,	,,	..	..	..	SSW	6	..
Gap Rock,	,,	29.77	..	..	SW	3	..
Macao,	,,	29.81	83	..	WSW	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.88	86	71	WSW	1	ot
Malate,	3p.	..	..	..	..	0	o
Bacolod,	,,	..	..	..	..	0	o
Iloilo,	,,	29.90	87	..	..	0	o
Cebu,	,,	29.88	86	..	N	2	c
Cape S. James,	,,	..	..	..	..	..	..

15th MAY, 1902, A.M.

Wladivostock,	7a.	29.85	44	99	SE	6	f
Tokio,	6a.	30.26	..	..	S	2	..
Kochi,	,,	30.07	..	..	SE	8	..
Nagasaki,	,,	29.72	..	..	SE	10	..
Kagoshima,	,,	29.79	..	..	SE	8	..
Taihoku,	5a.	29.75	..	..	S	2	..
Taichu,	,,	29.80	..	..	..	0	..
Tainan,	,,	29.81	..	..	SE	2	..
Koshun,	,,	..	..	..	..	..	..
Pescadores,	,,	29.80	..	..	S	6	..
Gutzlaff,	9a.	29.82	65	89	WNW	1	cm
Sharp Peak,	,,	29.74	72	93	..	0	cfd
Amoy,	6.30 a	29.82	78	86	SE	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	,,	..	..	..	..	..	..
Hongkong,	10a.	29.77	82	82	SW	3	o
Victoria Peak,	,,	..	..	..	SSW	6	..
Gap Rock,	,,	29.79	..	..	SW	4	..
Macao,	,,	..	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	90	66	SW	1	b
Malate,	9a.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	..	0	b
Iloilo,	,,	29.97	84	..	..	0	b
Cebu,	,,	29.96	86	..	..	0	b
Cape S. James	7a.	..	..	..	..	..	..

On the 15th at 11.45a. The barometer has risen in NE Japan, fallen over SW Japan and S. China. Pressure is high over E. Japan. The depression has crossed the Yellow Sea and is now moving into the W. part of the Sea of Japan. Gradients are slight to moderate for SW winds in S. China. Forecast:—moderate SW winds; equally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 15th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

15th MAY 1902. P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	29.74	45	..	SE	6	o
Tokio, ...	,,	30.18	..	..	S	4	..
Kochi, ...	,,	29.91	..	..	SE	8	..
Nagasaki, ...	,,	29.72	..	..	W	4	..
Kagoshima, ..	,,	29.72	..	..	NW	2	..
Taihoku, ...	1p.	29.76	..	..	W	6	..
Taichu, ...	,,	29.75	..	..	S	4	..
Tainan, ...	,,	29.80	..	..	S	6	..
Koshun, ...	,,	29.81	..	..	SW	4	..
Pescadores, ...	,,	29.77	..	..	S	6	..
Gutzlaff, ...	3p.	29.77	69	85	SSW	2	cv
Sharp Peak, ..	,,	29.72	71	93	..	0	fr
Amoy, ...	2.30p	29.77	76	91	NW	1	cp
Swatow, ...	3p.	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	4p.	29.68	82	82	SW	5	oq
Victoria Peak, ..	,,	..	..	..	SSW	1	..
Gap Rock, ...	,,	29.67	..	..	SW	5	..
Macao, ...	,,	29.67	75	..	SW	2	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.84	90	66	SW	2	c
Malate, ...	3p.	..	..	..	SW	3	b
Bacolod, ...	,,	..	..	..	..	0	c
Iloilo, ...	,,	29.85	89	..	S	2	o
Cebu, ...	,,	29.85	87	..	N	2	b
Cape S. James, .	,,	..	..	..	..	..	..

16th MAY, 1902, A.M.

Wladivostock, ..	7a.	29.49	45	99	S	3	or
Tokio, ...	6a.	30.02	..	..	S	4	..
Kochi, ...	,,	29.68	..	..	..	0	..
Nagasaki, ...	,,	29.75	..	..	SE	4	..
Kagoshima, ...	,,	29.83	..	..	..	0	..
Taihoku, ...	5a.	29.78	..	..	SW	4	..
Taichu.....	,,	29.77	..	..	W	2	..
Tainan, ...	,,	29.80	..	..	S	4	..
Koshun, ...	,,	29.82	..	..	SW	4	..
Pescadores, ...	,,	29.77	..	..	S	8	..
Gutzlaff, ...	9a.	..	..	..	..	..	..
Sharp Peak, ...	,,	29.93	69	82	..	0	c
Amoy, ...	6.30a	29.83	74	90	NW	1	r
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	10a.	29.87	79	68	W	1	c
Victoria Peak, ..	,,	..	..	..	NW	1	..
Gap Rock, ...	,,	29.88	..	..	N	4	..
Macao, ...	,,	29.88	..	..	NNW	1	c
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.96	88	72	SW	1	b
Malate, ...	9a.	..	..	..	ESE	2	b
Bacolod, ...	,,	..	..	..	..	0	b
Iloilo, ...	,,	29.98	85	..	..	0	b
Cebu, ...e....	,,	29.97	86	..	N	1	c
Cape S. Jam s .	7a.	..	..	..	..	..	..

On the 16th at 11.36a. The barometer has fallen much in E. Japan and risen on the China coast. The depression has moved NE and is lying over the N. part of the Sea of Japan. Gradients are slight for NE winds on the China coast. Forecast:— moderate to light N. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 16th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

16th MAY 1902, P.M.

Station.	Hours.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	29.42	48	..		0	o
Tokio,	,,	29.74	.	..	E	4	..
Kochi,	,,	29.75	..	..	W	6	..
Nagasaki,	,,	29.79	..	..	W	4	..
Kagoshima,	,,	29.79	..	..	..	0	..
Taihoku,	1p.	..	..	..	..	.	..
Taichu,	,,	29.87	..	..	N	2	..
Tainan,	,,	29.85	..	..	SE	4	..
Kosiun,	,,	29.87	..	..	NW	4	..
Pescadores,	,,	29.88	..	..	NE	8	..
Gutzlaff,	2p.	29.93	70	75	ESE	1	bv
Sharp Peak,	,,	29.94	72	76	E	2	b
Amoy,	2.30p.	29.86	75	81	NE	1	c
Swatow,	3p.		..	..		..	..
Canton,	,,	29.87	83	63	SW	1	b
Hongkong,	4p.	29.85	80	64	E	2	c
Victoria Peak,	,,		..	..	ENE	1	
Gap Rock,	,,	29.84	..	..	E	2	..
Macao,	,,	29.84	85	..	ENE	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	91	57	WSW	3	c
Malate,	3p.	..	..	..	SW	1	b
Bacolod,	,,	..	..	..	N	2	o
Iloilo,	,,	29.90	90	..	.	0	c
Cebu,	,,	29.85	87	..	N	2	b
Cape S. James,	,,	..	..	..	..	..	..

17th MAY, 1902, A.M.

Station.	Hours.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7a.	29.39	44	99	..	0	o
Tokio,	6a.	29.71	..	..	N	2	..
Kochi,	,,	29.95	..	..	W	2	..
Nagasaki,	,,	30.03	..	..		0	..
Kagoshima,	,,	30.03	..	..	NW	6	..
Taihoku,	6a.	29.99	..	..	E	6	..
Taichu,	,,	29.93	..	..	..	0	..
Tainan,	,,	29.94	..	..	..	0	..
Kosiun,	,,	29.94	..	..	NE	6	..
Pescadores,	,,	29.95	.	..	NE	4	..
Gutzlaff,	9a.		69	79	SSW	.	bv
Sharp Peak,	,,	30.07	71	80	..	0	o
Amoy,	6.30a.	29.97	72	81	NE	1	c
Swatow,	9a.	.	..	.	..	..	..
Canton,	,,	..	.	..	..	.	..
Hongkong,	10a.	30.00	78	70	ENE	4	c
Victoria Peak,	,,		..	..	SES	6	..
Gap Rock,	,,	29.97	..	..	E	5	..
Macao,	,,	30.01	81	..	E	2	cq
Haiphong,	7a.	..	..	..	.	..	..
Manila,	10a.	29.96	88	66	W	1	c
Malate,	7a.	..	..	..	..	0	b
Bacolod,	,,	..	..	..	..	0	b
Iloilo,	,,	29.97	86	..	NE	1	b
Cebu,	,,	29.95	87	..	.	0	b
Cape S. James,	7a.	..	..	..	..	..	..

On the 17th at 12.42p. The barometer has fallen in NE. Japan, risen over SW Japan and China. The depression is still lying in the N. part of the Sea of Japan, and pressure is highest between the E. coast of China and the Loochoos. Gradients slight to moderate for E winds in S. China. Forecast:—fresh to moderate E. winds; fair at first, becoming unsettled later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 17th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

17th MAY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2p.	..	..	..	..	..	..
Tokio, ...	"	29.78	..	..	NW	2	..
Kochi, ...	"	30.07	..	..	W	4	..
Nagasaki, ...	"	30.07	..	..	SE	4	..
Kagoshima,....	"	30.11	..	..	..	0	..
Taihoku, ...	1 p.	30.00	..	..	E	8	..
Taichu, ...	"	29.93	..	..	NW	2	..
Tainan, ...	"	29.98	..	..	W	4	..
Koshun, ...	"	29.94	..	..	E	6	..
Pescadores, ...	"	29.97	..	..	N	6	..
Gutzlaff, ...	3 p.	29.99	72	67	S	4	cv
Sharp Peak, ..	..	30.00	75	61	NE	3	c
Amoy, ...	2.30p	29.97	80	82	ENE	2	b
Swatow, .. .	3p.	..	.	..	..	..	.
Canton, ...	"	29.93	89	63	E	1	b
Hongkong,....	4 p.	29.93	77	81	E	4	o
Victoria Peak,	"	..	..	..	ESE	4	..
Gap Rock, ...	"	29.90	..	..	E	4	..
Macao,... ...	"	29.94	81	..	E	2	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.80	90	60	..	0	ot
Malate, ...	3 p.	..	..	..	E	2	ot
Bacolod, ...	"	..	..	..	N	2	o
Iloilo, ...	"	29.90	88	..	SW	3	o
Cebu, ...	"	29.85	88	..	..	0	b
Cape S. James,	"	..	..		..	..	..

18th MAY, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	7 a.	..	..	..	..	..	..
Tokio, ...	6a.	29.67	..	..	S	6	..
Kochi, ...	"	29.87	..	..	W	8	..
Nagasaki, ...	"	30.03	..	..	W	6	..
Kagoshima,....	"	30.03	..	..	W	4	..
Taihoku, ...	5 a.	29.99	..	..	E	2	..
Taichu, ...	"	29.95	..	..	..	0	..
Tainan, ...	"	29.95	..	..	..	0	..
Koshun, ...	"	29.94	..	..	..	0	..
Pescadores, ...	"	29.96	..	..	..	0	..
Gutzlaff, ...	9 a.	30.02	67	79	S	4	fv
Sharp Peak,...	..	29.96	74	79	..	0	o
Amoy, ...	6.30a	29.95	73	86	W	1	o
Swatow	9.a.	..	..	..	..	..	.
Canton, ...	"	..	..	..	..	..	..
Hongkong.	10 a.	29.99	78	92	ENE	2	or
Victoria Peak,	"	..	..	..	SSW	6	..
Gap Rock, ...	"	..	..	..	.	..	..
Macao.	"	29.96	78	..	SSE	1	orlt
Haiphong, ...	7 a.	..	..	..		..	.
Manila, ...	10 a.	29.92	90	60	NNE	1	a
Malate,..	9 a.	..	..	..	E	1	b
Bacolod, ...	"	.	..	..	..	0	b
Iloilo, ...	"	29.94	85	..	NE	2	c
Cebu, ...	"	29.92	80	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 18th at 11.57a. The barometer has fallen in Japan and on the China coast. The depression is still lying in the N. part of the Sea of Japan. Pressure is highest over the Loochoos. Gradients slight for NE winds on the China coast. Forecast:—moderate SE to S. winds; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 18th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th MAY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Tokio,	"	29.78	..	..	SW	4	..
Kochi,	"	30.03	..	..	W	6	..
Nagasaki,	"	30.03	..	..	SE	4	..
Kagoshima,	"	30.03	..	..	SE	2	..
Taihoku,	1 p.	29.95	..	..	W	6	..
Taichu,	"	29.92	..	..	NW	2	..
Tainan,	"	29.95	..	..	S	4	..
Koshun,	"	29.94	..	..	S	4	..
Pescadores,	"	29.95	..	..	NW	2	..
Gutzlaff,	3 p.	29.89	66	95	SE	4	cmd
Sharp Peak,	..	..	..	..	..	..	..
Amoy,	2.30p	29.89	77	82	SE	2	o
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.86	80	90	ENE	1	o
Victoria Peak,	"	..	..	..	S	2	..
Gap Rock,	"	29.85	..	..	SE	2	..
Macao,	"	29.89	83	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	88	72	WSW	1	c
Malate,	3 p.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	2	o
Iloilo,	"	29.85	80	..	S	3	c
Cebu,	"	29.81	86	..	N	2	c
Cape S. James,	"	..	..		..	..	..

19th MAY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Tokio,	6a.	29.82	..	..	W	2	..
Kochi,	"	29.95	..	..	W	4	..
Nagasaki,	"	29.95	..	..	W	4	..
Kagoshima,	"	29.95	..	..	NE	2	..
Taihoku,	5 a.	29.82	..	..	S	4	..
Taichu,	"	29.84	..	..	..	0	..
Tainan,	"	29.85	..	..	..	0	..
Koshun,	"	29.87	..	..	..	0	..
Pescadores,	"	29.86	..	..	S	4	..
Gutzlaff,	9 a.	29.79	67	100	NW	3	cm
Sharp Peak,	..	29.76	79	78	S	3	o
Amoy,	6.30a	29.84	77	91	SW	2	c
Swatow	9.a.	..	..	..	..	..	.
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.90	84	78	SW	1	o
Victoria Peak,	"	.	..	..	S	5	..
Gap Rock,	"	29.89	..	..	S	2	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7 a.	..	..	..		..	..
Manila,	10 a.	29.84	88	72	W	1	c
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	.	..	..	S	4	o
Iloilo,	"	29.86	84	..	SE	..	o
Cebu,	"	29.84	85	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 19th at 11.20a. The barometer has risen in NE Japan, fallen elsewhere, particularly over the E. coast of China and the Loochoos. Another depression has passed over the E. coast of China *moving Eastwards towards W. Japan.* Pressure is also low over the Pacific to the E. of the Phillipines Gradients are moderate for SW winds on the SE coast of China. Forecast:—moderate SW winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 19th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

19th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ...	2p.	29.52	62	..	SE	3	c
Tokio, ...	,,	29.78	..	..	SE	2	..
Kochi, ...	,,	29.67	..	..	NW	2	..
Nagasaki, ...	,,	29.72	..	..	NE	6	..
Kagoshima, ..	,,	29.72	..	..	SE	6	..
Taihoku.	1p.	29.78	..	..	W	6	..
Taichu.	,,	29.81	..	..	W	4	..
Tainan, ...	,,	..	..	..	..	..	..
Koshun, ...	,,	29.82	..	..	SW	4	..
Pescadores, ...	,,	29.85	..	..	SW	4	..
Gutzlaff, ...	3p.	29.77	68	85	NNW	5	cv
Sharp Peak, ..	,,	29.69	80	80	SSE	2	o
Amoy, ...	2.30p.	29.78	84	..	SE	2	b
Swatow, ...	3p.	..	..	..	..	..	..
Canton, ...	,,	29.79	80	96	..	0	or
Hongkong, ...	4p.	29.78	84	75	WSW	1	o
Victoria Peak, ..	,,	..	..	..	SW	5	..
Gap Rock, ...	,,	29.76	..	..	SSW	3	..
Macao, ...	,,	29.78	84	..	SW	1	c
Haiphong.	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.69	90	66	W	3	o
Malate, ...	3p.	..	..	..	W	4	c
Bacolod, ...	,,	..	..	..	SW	2	o
Iloilo, ...	,,	29.77	85	..	NE	3	o
Cebu, ...	,,	29.75	88	..	N	2	..
Cape S. James, .	,,	..	..	..	..	..	..

20th MAY, 1902, A.M.

Wladivostock, ..	7a.	29.58	51	86	..	0	o
Tokio, ...	6a.	29.74	..	..	E	2	..
Kochi, ...	,,	29.68	..	..	NE	6	..
Nagasaki, ...	,,	29.68	..	..	..	0	..
Kagoshima, . ..	,,	29.68	..	..	..	0	..
Taihoku, ...	5a.	29.75	..	..	..	0	..
Taichu, ...	,,	29.74	..	..	..	0	..
Tainan, ...	,,	29.74	..	..	..	0	..
Koshun, ...	,,	29.72	..	..	NW	2	..
Pescadores, ...	,,	29.74	..	..	SW	6	..
Gutzlaff, ...	9a.	29.83	64	89	NE	2	cv
Sharp Peak, ...	,,	29.81	72	88	N	3	or
Amoy, ...	6.30a.	29.76	77	91	SW	2	c
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	..	..	..	..	..	..	..
Hongkong, ...	10a.	29.81	79	84	NW	1	o
Victoria Peak, ..	,,	..	..	..	SSW	1	..
Gap Rock, ...	,,	29.81	..	..	ESE	4	..
Macao, ...	,,	29.80	79	..	S	1	o
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.76	90	66	W	2	o
Malate, ...	9a.	..	..	..	W	3	o
Bacolod, ...	,,	..	..	..	..	0	c
Iloilo, ...	,,	29.84	84	..	S	5	c
Cebu, ...	,,	29.87	85	..	..	3	c
Cape S. James, ..	7a.	..	..	..	..	..	..

On the 20th at 12.10p. The barometer has risen over the E. coast of China, fallen elsewhere. The depression in the North has moved Eastwards and is now lying over Central Japan. Another low pressure area seems to be lying to the NE of Luzon. Forecast:—variable winds, light or moderate, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 20th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

20th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	29.65	47	..	W	1	or
Tokio, ...	,,	29.74	..	..	S	4	..
Kochi, ...	,,	29.72	..	..	E	4	..
Nagasaki, ...	,,	29.75	..	..	SW	6	..
Kagoshima, ..	,,	29.75	..	..	..	0	..
Taihoku.	1p.	29.76	..	..	N	6	..
Taichu.	,,	29.69	..	..	NW	2	..
Tainan, ...	,,	29.76	..	..	W	6	..
Koshun, ...	,,	29.74	..	..	NW	4	..
Pescadores, ...	,,	29.76	..	..	SW	2	..
Gutzlaff, ...	3p.	29.89	69	80	NNE	1	cv
Sharp Peak, ..	,,	29.78	72	88	N	4	og
Amoy, ...	2.30p	29.75	81	87	ENE	3	c
Swatow, ...	3p.	29.75	86	..	SE	3	c
Canton, ..	,,	29.70	87	76	.	0	b
Hongkong, ...	4p.	29.70	83	79	WNW	1	o
Victoria Peak, ..	,,	..	..	..	WSW	1	..
Gap Rock, ...	,,	29.70	..	..	SW	3	..
Macao, ...	,,	29.73	88	..	WSW	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.65	88	72	W	5	..
Malate.	3p.	..	..	..	W	3	o
Bacolod, ...	,,	..	..	..	SW	4	o
Iloilo, ...	,,	29.77	87	..	NE	2	o
Cebu, ...	,,	29.76	85	..	N	2	c
Cape S. James, .	,,	..	..	..	..	..	..

21st MAY, 1902, A.M.

Wladivostock, ..	7a.	29.71	43	99	SE	1	f
Tokio, ...	6a.	29.86	..	..	.	0	..
Kochi, ...	,,	29.87	..	..	NE	6	..
Nagasaki, ...	,,	29.87	..	..	E	2	..
Kagoshima, ..	,,	29.87	..	..	..	0	..
Taihoku, ...	6a.	29.70	..	..	E	4	..
Taichu, ...	,,	29.68	..	..	.	0	..
Tainan, ...	,,	29.69	..	..	NE	2	..
Koshun, ...	,,	29.69	..	..	..	0	..
Pescadores, ...	,,	29.72	..	..	NE	2	..
Gutzlaff, ...	9a.	.	69	85	S	3	c
Sharp Peak, ...	,,	29.79	71	83	ENE	3	og
Amoy, ...	6.30a	29.75	74	90	NE	2	o
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	,,	29.74	84	87	W	1	b
Hongkong, ...	10a.	29.74	81	85	E	2	c
Victoria Peak, ..	,,		..	..	E	1	
Gap Rock, ...	,,	29.74	..	..	NW	1	..
Macao, ...	,,	29.74	83	..	ENE	1	c
Haiphong, ...	7a.	..	..	..	.	..	..
Manila, ...	10a.	29.76	86	78	SW	3	c
Malate, ...	9a.	..	..	..	WSW	3	o
Bacolod, ...	,,	..	..	..	S	..	b
Iloilo, ...	,,	29.89	82	..	S	3	or
Cebu, ...	,,	29.86	84	..	SW	2	o
Cape S. James, ..	7a.	..	..	..	..	..	..

On the 21st at 11.35a. The barometer has risen in Japan, fallen in China and Formosa. Pressure remains low in the N. part of the Sea of Japan, and the low area in the South seems to be lying near N. Luzon. Gradients moderate for NE winds, in S. China. Forecast—moderate NE [illegible] showery.

F. G. [illegible]
Acting Director.

Hongkong Observatory. Wednesday 21st May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

21st MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	,,	29.86	..	..	S	4	..
Kochi, ...	,,	29.91	..	..	W	4	..
Nagasaki, ...	,,	29.87	..	..	W	4	..
Kagoshima, ..	,,	29.91	..	..	S	2	..
Taihoku, ...	1p.	29.68	..	..	S	4	..
Taichu, ...	,,	29.65	..	..	NW	4	..
Tainan, ...	,,	29.66	..	..	NW	6	..
Koshun, ...	,,	29.67	..	..	NW	4	..
Pescadores, ...	,,	29.71	..	..	N	8	..
Gutzlaff, ...	3p.	29.81	67	89	SE	4	cv
Sharp Peak, ..	,,	29.70	73	81	NE	3	b
Amoy, ...	2.30p.	29.74	80	78	ENE	2	c
Swatow, ...	3p.	..	..	..	..	..	..
Canton, ...	,,	29.65	90	77	SE	2	c
Hongkong, ...	4p.	29.67	80	87	E	2	o
Victoria Peak, ..	,,	..	..	..	SE	3	..
Gap Rock, ...	,,	29.64	..	..	E	2	..
Macao, ...	,,	29.66	85	..	SE	1	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.72	82	85	SSW	2	o
Malate, ...	3p.	..	..	..	W	..	o
Bacolod, ...	,,	..	..	..	SW	2	o
Iloilo, ...	,,	29.78	84	..	NE	2	o
Cebu, ...	,,	29.79	86	..	..	2	o
Cape S. James, .	,,	..	..	..	..	..	..

22nd MAY, 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	29.98	..	..	.	0	..
Kochi, ...	,,	29.91	..	..	S	4	..
Nagasaki, ...	,,	29.83	..	..	S	6	..
Kagoshima, . ..	,,	29.87	..	..	SE	2	..
Taihoku, ...	6a.	29.62	..	..	SE	2	..
Taichu, ...	,,	29.59	..	..	..	0	..
Tainan, ...	,,	29.61	..	..	..	0	..
Koshun, ...	,,	29.61	..	..	NW	2	..
Pescadores, ...	,,	29.64	..	..	N	6	..
Gutzlaff, ...	9a.	29.74	69	95	S	3	cv
Sharp Peak, . .	,,	.	.	.	..	..	..
Amoy, ...	6.30a	29.67	76	91	ENE	1	cm
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	,,	.	.	.	.	.	..
Hongkong, ...	10a.	29.71	82	84	E	2	c
Victoria Peak, ..	,,	.	..	..	ESE	1	..
Gap Rock, ...	,,	29.70	.	..	SE	2	..
Macao, ...	,,	29.69	86	..	SSE	1	c
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.84	82	77	W	1	c
Malate, ...	9a.	..	..	..	..	0	od
Bacolod, ...	,,	..	..	..	..	0	c
Iloilo, ...	,,	29.90	79	..	S	2	r
Cebu, ...	,,	29.89	86	.	S	2	..
Cape S. James, ..	7a.	..	.	..	..	..	..

On the 22nd at 11.5Ca. The barometer has fallen much over the Loochoos and in N. China. There is a depression over N. China, and the depression in the South is moving Northwards to the E. of Formosa. Gradients slight with variable winds on the China coast. Forecast:—light to moderate SW winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 22nd May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

22nd MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	29.36	49	..	SE	1	or
Tokio, ...	"	29.94	..	..	S	8	..
Kochi, ...	"	29.91	..	..	E	4	..
Nagasaki, ...	"	29.83	..	..	SW	4	..
Kagoshima, ..	"	29.87	..	..	E	2	..
Taihoku, ...	1p.	29.64	..	..	NW	6	..
Taichu.	"	29.63	..	..	W	4	..
Tainan, ...	"	29.65	..	..	W	6	..
Koshun, ...	"	29.65	..	..	N	6	..
Pescadores, ...	"	29.68	..	..	N	2	..
Gutzlaff, ...	3p.	29.73	74	90	SSE	3	bv
Sharp Peak, ..	"	..	..			..	..
Amoy, ...	2.30p	29.68	84	72	SE	4	c
Swatow, ...	3p.	29.65	84	..	S	3	b
Canton, ...	"	29.62	90	77	S	2	c
Hongkong, ...	4p.	29.64	83	78	ESE	1	c
Victoria Peak, ..	"	..	..	..	SSE	2	..
Cap Rock, ...	"	29.62	..	..	ESE	2	..
Macao, ...	"	29.62	88	..	S	1	c
Haiphong	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.76	82	55	WSW	6	o
Molate.	3p.	..	..	..	WSW	2	o
Bacolod, ...	"	..	..	..	S	4	o
Iloilo, ...	"	29.84	82	..	NE	2	o
Cebu, ...	"	29.84	83	..	..	0	c
Cape S. James, .	"	..	..	..	..	..	..

23rd MAY, 1902, A.M.

Wladivostock, ..	7a.	29.61	47	99	..	0	b
Tokio, ...	6a.	29.86	..	..	S	2	..
Kochi, ...	"	29.83	..	..	E	2	..
Nagasaki, ...	"	29.75	..	..	N	2	..
Kagoshima, . ..	"	29.72	..	..	NE	4	..
Taihoku, ...	5a.	29.74	..	..	..	0	..
Taichu,.....	"	29.72	..	..	..	0	..
Tainan, ...	"	29.72	..	..	NE	2	..
Koshun, ...	"	29.68	..	..	NE	2	..
Pescadores, ...	"	29.74	..	..	.	0	..
Gutzlaff, ...	9a.	29.79	70	95	SSE	3	f
Sharp Peak, . ..	"	29.76	73	84	..	0	o
Amoy, ...	6.30a	29.71	79	87	ENE	1	c
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	"	.	.	..	.	.	..
Hongkong, ...	10a.	29.75	83	82	E	1	c
Victoria Peak, ..	"	.	..	..	NE	1	..
Cap Rock, ...	"	29.74	..	..	ESE	1	..
Macao, ...	"	29.77	85	..	ESE	1	c
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.88	88	72	..	0	c
Malate, ...	9a.	..	..	..	..	..	..
Bacolod, ...	"	..	..	..	..	..	..
Iloilo, ...	"	.	..	..	..	..	..
Cebu, ...	"	..	..	..	..	..	..
Cape S. James,..	7a.	..	..	..	..	..	..

On the 23rd at 11.57a The barometer has fallen in Japan, risen over China and Formosa. The depression ...g to the East of Formosa yesterday has moved NE and lies now over N. Loochoo. The depression situated ...er Manchuria yesterday, has moved Eastwards into the N. part of the Sea of Japan. Conditions slight on the ...hina coast. Forecast:—variable winds, light; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 23rd May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

23rd MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	"	29.78	..	..	S	6	..
Kochi, ...	"	29.75	..	..	NE	4	..
Nagasaki, ...	"	29.68	..	..	N	6	..
Kagoshima, ...	"	29.64	..	..	E	6	..
Taihoku.	1p.	29.76	..	..	N	2	..
Taichu.....	"	29.73	..	..	NW	2	..
Tainan,.....	"	29.72	..	..	SW	6	..
Koshun, ...	"	29.76	..	..	W	4	..
Pescadores, ...	"	29.76	..	..	N	6	..
Gutzlaff, ...	3p.	29.77	75	48	SSE	1	cv
Sharp Peak,....	"	29.72	76	91		0	o
Amoy, ...	2.30p	29.73	83	79	SE	4	c
Swatow, ...	3p.	29.70	84	..	ESE	3	c
Canton, ...	"	29.67	91	70	SE	2	c
Hongkong, ...	4p.	29.69	83	77	S	1	o
Victoria Peak, ..	"	..	..	..	SSE	2	..
Gap Rock, ...	"	29.68	..	..	SSE	3	..
Macao,..... ..	"	29.68	85	..	S	1	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.80	88	72	WSW	3	c
Malate.	3p.	..	..	..	W	4	b
Bacolod, ...	"	..	..	..	SW	2	b
Iloilo, ...	"	29.85	86	..	NE	3	c
Cebu, ...	"	29.83	87	..	S	2	b
Cape S. James,..	"	..	..	..	..	..	..

24th MAY, 1902, A.M.

Wladivostock,..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	29.67	..	..	N	2	..
Kochi, ...	"	29.75	..	..	NW	4	..
Nagasaki.	"	29.83	..	..	N	2	..
Kagoshima, ..	"	29.83	..	..	NW	2	..
Taihoku, ...	5a.	29.78	..	..	E	2	..
Taichu,.....	"	29.74	..	..	N	2	..
Tainan,.....	"	29.73	..	..	NW	4	..
Koshun, ...	"	29.76	..	..	E	4	..
Pescadores, ...	"	29.76	..	..	N	2	..
Gutzlaff, ...	9a.	29.91	68	95	SE	4	f
Sharp Peak, ...	"	29.80	77	91	N	1	od
Amoy, ...	6.30a	..	..	..	.	..	..
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	"	.	.	..	.	..	..
Hongkong, ...	10a.	29.80	81	87	E	2	o
Victoria Peak, ..	"	.	..	..	SE	1	..
Gap Rock, ...	"	29.79	..	..	SSW	3	..
Macao, ...	"	29.79	84	..	SE	1	c
Haiphong, ...	7a.	..	..	..	.	..	..
Manila, ...	10a.	29.88	86	78	WSW	1	c
Malate, ...	9a.	..	..	..	SE	1	o
Bacolod, ...	"	..	..	..	..	0	b
Iloilo, ...	"	29.96	85	..	W	1	b
Cebu,.....	"	29.93	86	..	S	2	b
Cape S. James,..	7a.	..	..	..	..	..	..

On the 24th at 11.30a. The barometer has fallen on the S. coast of Japan, risen eleswhere. The depression has continued to move towards NE and lies now off the SE coast of Japan. Gradients slight with light variable winds on the China coast. Forecast:—light variable winds; thundershowers.

F. G. FIGG,
Acting Director

Hongkong Observatory, Saturday 24th May 1902.

CHINA COAST METEOROLOGICAL REGISTER

24th MAY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.78	66	..	S	2	c
Tokio,	"	29.71	..	..	N	6	..
Kochi,	"	29.79	..	..	W	6	..
Nagasaki,	"	29.87	..	..	W	4	..
Kagoshima,	"	29.87	..	..	W	6	..
Taihoku,	1 p.	29.73	..	..	E	6	..
Taichu,	"	29.70	..	..	NW	2	..
Tainan,	"	29.71	..	..	NW	6	..
Koshun,	"	29.72	..	..	S	4	..
Pescadores,	"	29.76	..	..	N	8	..
Gutzlaff,	3 p.	29.87	72	90	SSE	4	bv
Sharp Peak,	..	29.77	79	89	E	1	o
Amoy,	2.30p	29.75	82	83	SE	4	c
Swatow,	3p.	29.75	85	..	E	3	c
Canton,	"	29.72	87	80	SE	2	c
Hongkong,	4 p.	29.74	81	85	E	2	o
Victoria Peak,	"	..	..	..	SE	1	..
Gap Rock,	"	29.73	..	..	ESE	3	..
Macao,	"	29.74	84	..	SE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	86	78	WSW	2	o
Malate,	3 p.	..	..	..	SW	4	c
Bacolod,	"	..	..	..	S	4	o
Iloilo,	"	29.85	87	..	NE	2	b
Cebu,	"	29.84	86	..	SW	1	..
Cape S. James,	"	..	..		..	..	..

25th MAY, 1902, A. M.

Wladivostock,	7 a.	29.83	51	88	E	1	o
Tokio,	6a.	29.98	..	..	SW	2	..
Kochi,	"	29.95	..	..	NE	4	..
Nagasaki,	"	29.91	..	..	SE	2	..
Kagoshima,	"	29.95	..	..	..	0	..
Taihoku,	5 a.	29.76	..	..	..	0	..
Taichu,	"	29.74	..	..	..	0	..
Tainan,	"	29.80	..	..	..	0	..
Koshun,	"	29.76	..	..	NW	6	..
Pescadores,	"	29.78	..	..	N	2	..
Gutzlaff,	9 a.	29.88	71	95	SSE	3	cm
Sharp Peak,	"	29.77	78	89	N	1	o
Amoy,	6.30a	..	..	..	..	..	..
Swatow	9.a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.83	76	100	..	0	odlt
Victoria Peak,	"	..	..	..	W	3	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.82	80	..	SSW	1	c
Haiphong,	7 a.	..	..	..		..	..
Manila,	10 a.	29.88	88	72	S	1	o
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.94	83	..	..	0	b
Cebu,	"	29.91	85	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 25th at 12.5p. The barometer has risen over Japan, fallen slightly in N China. Pressure is highest over the Pacific to the S. of Japan, and lowest over China. Gradients slight with light variable winds on the China coast. Forecast:—variable winds, light; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 25th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

25th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	"	29.98	..	..	S	4	..
Kochi, ...	"	29.95	..	..	NE	4	..
Nagasaki, ...	"	29.91	..	..	SW	6	..
Kagoshima, ...	"	29.91	..	..	S	4	..
Taihoku.	1p.	29.75	..	..	W	4	..
Taichu.....	"	29.73	..	..	W	4	..
Tainan,.....	"	29.76	..	..	SW	4	..
Koshun, ...	"	29.77	..	..	NW	4	..
Pescadores, ...	"	29.76	..	..	W	4	..
Gutzlaff, ...	3p.	29.80	74	90	SSE	3	cm
Sharp Peak,....	"	29.68	79	91	SE	1	o
Amoy, ...	2.30p	29.73	85	76	SE	2	c
Swatow, ...	3p.	29.65	85	..	S	2	o
Canton, ...	"	29.65	88	62	SE	2	o
Hongkong, ...	4p.	29.72	84	79	S	1	o
Victoria Peak, ..	"	..	..	..	SSE	..	..
Gap Rock, ...	"	29.71	..	..	..	0	..
Macao, ...	"	29.71	85	..	S	1	o
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.80	88	72	WSW	3	o
Malate, ...	3p.	..	..	..	W	4	b
Bacolod, ...	"	..	..	..	..	0	b
Iloilo, ...	"	29.84	88	..	W	[illegible]	b
Cebu, ...	"	29.82	86	..	S	2	b
Cape S. James,.	"	..	..	..	NNW	4	c

26th MAY, 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	29.86	..	..	NW	2	..
Kochi, ...	"	29.91	..	..	NE	2	..
Nagasaki, ...	"	29.87	..	..	SE	2	..
Kagoshima, ...	"	29.91	..	..	..	0	..
Taihoku, ...	5a.	29.76	..	..	..	0	..
Taichu,.....	"	29.76	..	..	..	0	..
Tainan,.....	"	29.77	..	..	SE	2	..
Koshun, ...	"	29.82	..	..	W	2	..
Pescadores, ...	"	29.77	..	..	S	6	..
Gutzlaff, ...	8a.	29.83	69	100	NE	4	fd
Sharp Peak, ...	"	29.74	77	98	..	0	og
Amoy, ...	6.30a	29.75	82	91	SSE	1	c
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	"	..	..	..	..	..	..
Hongkong, ...	10a.	29.80	85	79	S	1	o
Victoria Peak, ..	"	..	..	..	S	2	..
Gap Rock, ...	"	..	..	..	..	..	..
Macao, ...	"	..	..	..	..	..	..
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.88	88	72	WSW	1	b
Malate, ...	8a.	..	..	..	W	1	b
Bacolod, ...	"	..	..	..	..	0	b
Iloilo, ...	"	29.94	..	..	..	0	c
Cebu,.....	"	29.91	88	..	..	0	c
Cape S. James,..	7a.	..	..	..	W	1	c

On the 26th at 11.00a. The barometer has fallen moderately over Japan, and slightly in China. Pressure is highest over the Pacific to the E. of Japan, and relatively low to the N. [illegible] Gradients slight in S. China. Forecast:—light SW winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 26th May 1902.

CHINA COAST METEOROLOGICAL REGISTER

26th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	29.90	58	..	..	0	c
Tokio, ...	"	29.82	..	..	S	4	..
Kochi, ...	"	29.87	..	..	W	2	..
Nagasaki, ...	"	29.87	..	..	SE	4	..
Kagoshima, ...	"	29.83	..	..	E	2	..
Taihoku.	1p.	29.72	..	..	W	6	..
Taichu.....	"	29.74	..	..	W	2	..
Tainan,.....	"	29.80	..	..	SE	4	..
Koshun, ...	"	29.81	..	..	W	4	..
Pescadores, ...	"	29.80	..	..	SW	6	..
Gutzlaff, ...	3p.	29.84	65	95	N	5	om
Sharp Peak,....	"	29.67	79	91	SSE	3	or
Amoy, ...	2.30p	29.76	86	80	S	3	op
Swatow, ...	3p.	29.70	85	..	S	3	o
Canton, ...	"	29.73	82	83	E	2	od
Hongkong, ...	4p.	29.73	81	89	.	0	od
Victoria Peak, ..	"	..	..	..	S	2	..
Gap Rock, ...	"	29.72	..	..	SSW	2	..
Macao, ...	"	29.72	85	..	SW	1	c
Haiphong. ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.80	90	72	WSW	3	c
Malate, ...	3p.	..	..	..	SW	2	c
Bacolod, ...	"	..	..	..	.	0	o
Iloilo, ...	"	29.85	88	..	W	1	c
Cebu, ...	"	29.83	86	..	N	2	b
Cape S. James,.	"	..	..	..	..	..	.

27th MAY, 1902, A.M.

Wladivostock, ..	7a.	30.03	44	99	S	1	f
Tokio, ...	6a.	29.98	..	..	NW	2	..
Kochi, ...	"	29.91	..	..	NE	4	..
Nagasaki, ...	"	29.87	..	..	N	2	..
Kagoshima, . ..	"	29.83	..	..	N	6	..
Taihoku, ...	5a.	..	..	..	..	..	..
Taichu,.....	"	..	..	..	..	..	..
Tainan,.....	"	..	..	..	..	..	..
Koshun, ...	"	..	..	..	..	..	..
Pescadores, ...	"	..	..	..	..	..	..
Gutzlaff, ...	7a.	29.90	68	95	ESE	3	cm
Sharp Peak, ...	"	29.81	75	96	NNE	2	o
Amoy, ...	6.30a	29.75	82	91	SSE	1	c
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	"	.	..	..	.	..	..
Hongkong, ...	10a.	29.79	81	92	.	0	or
Victoria Peak, ..	"	.	..	..	S	4	..
Gap Rock, ...	"	29.79	..	..	SW	4	..
Macao, ...	"	29.83	81	..	WSW	1	cd
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.88	88	78	W	1	c
Malate, ...	9a.	..	..	..	..	0	c
Bacolod, ...	"	..	..	..	..	0	b
Iloilo, ...	"	29.92	85	..	..	0	b
Cebu,.....	"	29.89	87	..	..	0	b
Cape S. James,..	7a.	..	..	..	..	..	..

On the 27th at 12.30p. The barometer has risen over E Japan and N. China, fallen in SW Japan. The shallow depression is moving Eastwards to the NE of the Loochoos. Pressure is highest over E. Japan. Gradients slight for NE winds in the North, and for S. winds in the South of China. Forecast:—moderate S. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 27th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

27th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	30.02	54	..	E	3	c
Tokio, ...	,,	30.10	..	..	NE	6	..
Kochi, ...	,,	29.91	..	..	E	8	..
Nagasaki, ...	,,	29.83	..	..	SE	4	..
Kagoshima, ...	,,	29.83	..	..	E	8	..
Taihoku.	1p.	29.80	..	..	NW	4	..
Taichu,.....	,,	29.80	..	..	NW	4	..
Tainan,.....	,,	29.80	..	..	SW	6	..
Koshun.	,,	29.82	..	..	NW	4	..
Pescadores, ...	,,	29.80	..	..	S	6	..
Gutzlaff, ...	3p.	..	..		..	..	..
Sharp Peak,....	,,	29.78	75	93	NNE	1	rf
Amoy, ...	2.30p	29.77	80	87	SE	2	r
Swatow, ...	3p.		..	..	..	..	..
Canton, ...	,,	29.69	88	80	SW	2	c
Hongkong, ...	4p.	29.73	84	80	SSW	1	ot
Victoria Peak, ..	,,	..	..	..	..	..	..
Gap Rock, ...	,,	29.72	..	..	SW	4	..
Macao, ...	,,	29.72	84	..	WSW	1	o
Haiphong	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.84	83	72	WSW	2	c
Malate, ...	3p.	..	..	..	W	2	b
Bacolod, ...	,,	..	..	..	.	0	o
Iloilo, ...	,,	29.84	88	..	W	1	c
Cebu, ...	,,	29.84	89	..	N	2	b
Cape S. James,.	,,	..	..	..	..	..	..

28th MAY, 1902, A.M.

Wladivostock, ..	7a.	30.00	43	99	W	1	o
Tokio, ...	6a.	30.26	..	..	N	4	..
Kochi, ...	,,	29.95	..	..	NE	8	..
Nagasaki, ...	,,	29.87	..	..	..	0	..
Kagoshima, ..	,,	29.87	..	..	SE	4	..
Taihoku, ...	5a.	29.81	..	..	..	0	..
Taichu,.....	,,	29.78	..	..	..	0	..
Tainan,.....	,,	29.80	..	..	SE	2	..
Koshun, ...	,,	29.80	..	..	NW	2	..
Pescadores, ...	,,	29.80	..	..	S	4	..
Gutzlaff, ...	9a.	29.87	68	100	ESE	3	d
Sharp Peak, ...	,,	29.82	74	90	.	0	o
Amoy, ...	6.30a	29.76	80	87	SE	1	cm
Swatow, ...	9 a.	..	..	..	..	..	..
Canton	,,	..	..	..	..	..	..
Hongkong, ...	10a.	29.82	77	98	E	2	orlt
Victoria Peak, ..	,,	..	..	..	S	2	..
Gap Rock, ...	,,		..	..	..	..	..
Macao, ...	,,	29.81	81	..	SSW	1	o
Haiphong, ...	7a.	..	..	..	.	..	..
Manila, ...	10a.	29.88	91	61	W	1	..
Malate, ...	9a.	..	..	..	W	2	c
Bacolod, ...	,,	.	..	..	..	0	b
Iloilo, ...	,,	29.93	85	..	..	0	c
Cebu,.....	,,	29.92	87		NE	2	c
Cape S. James,..	7a.	..	..	..	.		..

On the 28th at 12.17p. The barometer has risen quickly in E. Japan, fallen slightly in N. China. Pressure is high in the Pacific to the E. of Japan, and low over the interior of China. Gradients are slight on the China coast for SE and S. winds. Forecast:—light S. winds; squally, with thunder-showers.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 28th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

28th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	,,	30.18	..	..	NE	4	..
Kochi, ...	,,	29.95	..	..	NE	8	..
Nagasaki, ...	,,	29.83	..	..	E	2	..
Kagoshima, ...	,,	29.87	..	..	E	8	..
Taihoku.	1p.	29.83	..	..	W	6	..
Taichu.....	,,	29.80	..	..	SE	6	..
Tainan,.....	,,	29.83	..	..	SW	4	..
Koshun, ...	,,	29.83	..	..	W	6	..
Pescadores, ...	,,	29.83	..	..	NW	4	..
Gutzlaff, ...	3p.	..	..	..	..	..	..
Sharp Peak,....	,,	29.74	77	88	NW	2	o
Amoy, ...	2.30p	29.75	84	83	SE	4	c
Swatow, ...	3p.	29.80	83	..	S	3	b
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	4p.	29.74	78	95	..	0	o
Victoria Peak, ..	,,	..	..	..	SW	1	..
Gap Rock, ...	,,	29.72	..	..	W	2	..
Macao, ...	,,	29.74	83	..	SW	1	orlt
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.80	90	66	SW	1	c
Malate, ...	3p.	..	..	..	SW	1	o
Bacolod, ...	,,	..	..	..	N	4	o
Iloilo, ...	,,	29.85	90	..	..	0	b
Cebu, ...	,,	29.83	87	..	N	2	b
Cape S. James,.	,,	..	..	..	..	..	.

29th MAY, 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	29.94	..	..	NW	6	..
Kochi, ...	,,	29.87	..	..	SW	2	..
Nagasaki, ...	,,	29.87	..	..	..	0	..
Kagoshima, ...	,,	29.83	..	..	E	4	..
Taihoku, ...	5a.	29.81	..	..	..	0	..
Taichu,.....	,,	29.81	..	..	..	0	..
Tainan,.....	,,	29.82	..	..	SE	2	..
Koshun, ...	,,	29.84	..	..	NW	2	..
Pescadores, ...	,,	29.84	..	..	S	8	..
Gutzlaff, ...	9a.	29.85	68	100	NNE	3	fd
Sharp Peak, ...	,,	.	..	..	..	..	..
Amoy, ...	6.30a	29.79	80	91	SSE	1	c
Swatow, ...	9 a.	29.81	82	..	SW	1	o
Canton, ...	,,	..	..	..	.	.	.
Hongkong, ...	10a.	29.80	83	87	SW	3	cdt
Victoria Peak, ..	,,	..	..	..	SW	6	..
Gap Rock, ...	,,	29.81	..	..	SW	4	..
Macao, ...	,,	29.84	84	..	SW	2	cd
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.92	88	72	W	1	c
Malate, ...	9a.	..	..	..	..	0	b
Bacolod, ...	,,	..	..	..	..	0	b
Iloilo, ...	,,	29.94	86	..	..	0	..
Cebu,.....	,,	29.92	87	..	..	0	c
Cape S. James,..	7a.	..	..	..	..	..	..

On the 29th at 11.30a. The barometer has fallen in NE. Japan, risen slightly in N China. Pressure is high in the Pacific to the E. of N. Japan, and a shallow area of low pressure seems to lie between the E coast of China and SW Japan. Gradients are slight for NE winds on the E. coast and for SW winds on the S. coast of China. Forecast:—moderate SW winds; squally, with thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 29th May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

29th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	"	29.71	..	..	NW	2	..
Kochi, ...	"	29.83	..	..	S	4	..
Nagasaki, ...	"	29.75	..	..	SW	6	..
Kagoshima, ...	"	29.79	..	..	S	2	..
Taihoku, ...	1p.	29.77	..	..	NW	4	..
Taichu, ...	"	29.80	..	..	S	4	..
Tainan, ...	"	29.84	..	..	SE	4	..
Koshun, ...	"	..	..	..	..	..	..
Pescadores, ...	"	29.82	..	..	S	6	..
Gutzlaff, ...	3p.	29.83	63	94	NE	7	om
Sharp Peak, ...	"	..	..	..	..	.	..
Amoy, ...	2.30p	29.77	81	91	S	5	dr
Swatow, ...	3p.	29.80	83	..	S	3	b
Canton, ...	"	29.73	84	96	SE	2	c
Hongkong, ...	4p.	29.75	84	81	SW	2	o
Victoria Peak, ..	"	..	..	..	SSW	5	..
Gap Rock, ...	"	29.72	..	..	SW	4	..
Macao, ...	"	29.76	85	..	SW	2	o
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.80	86	78	ENE	1	..
Malate, ...	3p.	..	..	..	.	0	o
Bacolod, ...	"	..	..	..	N	2	b
Iloilo, ...	"	29.86	91	..	W	1	c
Cebu, ...	"	29.82	88	..	N	3	b
Cape S. James, .	"	..	..	..	..	..	

30th MAY, 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	29.74	..	..	..	0	..
Kochi, ...	"	29.72	..	..	..	0	..
Nagasaki, ...	"	29.72	..	..	N	4	..
Kagoshima, ..	"	29.72	..	..	..	0	..
Taihoku, ...	5a.	29.73	..	..	..	0	..
Taichu, ...	"	29.74	..	..	..	0	..
Tainan	"	29.76	..	..	SE	8	..
Koshun, ...	"	..	..	..	..	..	..
Pescadores, ...	"	..	..	..	..	..	..
Gutzlaff, ...	9a.	29.88	59	95	NE	6	cmd
Sharp Peak, ...	"	29.68	81	89	..	0	o
Amoy, ...	6.30a	29.72	81	87	SSW	2	cm
Swatow, ...	9 a.	.	..	..	..	..	..
Canton, ...	"	29.75	87	88	SW	2	b
Hongkong, ...	10a.	29.76	83	87	SW	3	odt
Victoria Peak, ..	"		..	..	SSW	5	..
Gap Rock, ...	"	29.75	..	..	SW	5	..
Macao, ...	"	29.75	85	..	WSW	1	o
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.84	86	78	W	1	c
Malate, ...	9a.	..	..	..	..	..	..
Bacolod, ...	"	..	..	..	..	..	..
Iloilo, ...	"	..	..	..	..	..	..
Cebu, ...	"	..	..	..	..	..	..
Cape S. James, ..	7a.	..	..	..	..	..	..

On the 30th at 11.45a. The barometer has fallen generally. A depression is moving into the Pacific from the N. part of the Sea of Japan. A shallow area of low pressure is lying between the SE coast of China and SW Japan. Gradients are moderate for NE winds in N. China and for SW winds in S. China Forecast:—moderate SW winds; squally, with thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 30th May 1902.

CHINA COAST METEOROLOGICAL REGISTER

30th MAY 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	29.63	64	..	SE	1	c
Tokio, ...	"	29.78	..	..	NE	4	..
Kochi, ...	"	29.68	..	..	E	6	..
Nagasaki, ...	"	29.68	..	..	NE	4	..
Kagoshima, ...	"	29.68	..	..	S	2	..
Taihoku, ...	1p.	29.70	..	..	S	6	..
Taichu.....	"	29.77	..	..	S	4	..
Tainan,.....	"	29.80	..	..	SE	4	..
Koshun, ...	"	29.81	..	..	NW	4	..
Pescadores, ...	"	29.81	..	..	S	6	..
Gutzlaff, ...	8p.	29.85	58	88	NNE	6	cv
Sharp Peak,....	"	29.67	75	86	ESE	4	o
Amoy, ...	2.30p	29.66	82	91	SE	2	c
Swatow, ...	3p.	..	..	..	..	..	..
Canton, ...	"	.	..	..	..	..	..
Hongkong, ...	4p.	29.70	83	84	SW	3	oq
Victoria Peak, ..	"	..	..	..	SW	6	..
Gap Rock, ...	"	29.70	..	..	SW	4	..
Macao, ...	"	29.68	85	..	SW	2	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.80	91	61	W	2	c
Malate, ...	3p.	..	..	..	W	2	c
Bacolod, ...	"	..	..	..	..	0	o
Iloilo, ...	"	29.84	90	..	W	1	o
Cebu, ...	"	29.80	86	..	N	2	b
Cape S. James,.	"	..	..	..	..	..	..

31st MAY, 1902, A.M.

Wladivostock, ..	7a.	29.40	50	99	E	1	b
Tokio, ...	6a.	29.67	..	..	N	8	..
Kochi, ...	"	29.56	..	..	E	6	..
Nagasaki, ...	"	29.68	..	..	N	4	..
Kagoshima, ..	"	29.64	..	..	W	4	..
Taihoku, ...	5a.	29.72	..	..	..	0	..
Taichu,.....	"	29.72	..	..	..	0	..
Tainan,.....	"	29.71	..	..	S	2	..
Koshun, ...	"	29.75	..	..	NW	2	.
Pescadores, ...	"	29.73	..	..	S	6	..
Gutzlaff, ...	9a.	29.91	63	72	NW	..	cv
Sharp Peak, ...	"	29.78	73	81	E	5	o
Amoy, ...	6.30a	29.71	78	91	NE	2	c
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	"	..		..	..	..	..
Hongkong, ...	10a.	29.74	84	87	W	1	ot
Victoria Peak, ..	"		..	..	SW	2	
Gap Rock, ...	"	29.73	..	..	SW	3	..
Macao, ...	"	..	..	..	..	..	..
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.84	88	72	W	1	c
Malate, ...	9a.	..	..	..	..	o	c
Bacolod, ...	"	..	..	..	..	o	o
Iloilo, ...	"	29.89	84	..	..	o	o
Cebu,.....	"	29.85	84	..	..	o	c
Cape S. James,..	7a.	..	..	..	..	..	..

On the 31st at 11.29a. The barometer has fallen in S. Japan, and has changed but slightly in China. The shallow area of low pressure has moved Northeastward and is now lying to the South of Japan. There is another depression in the NW part of the Sea of Japan. Gradients are moderate for NE winds on the China coast, and for SW winds in the N. part of the China Sea. Forecast:—variable and E. winds; squally, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Satuaday 31st May 1902.

CHINA COAST METEOROLOGICAL REGISTER.

31st MAY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2p.	29.86	53	..	S	3	o
Tokio, ...	"	29.55	..	..	N	4	..
Kochi, ...	"	29.60	..	..		0	..
Nagasaki, ...	"	29.72	..	..	W	8	..
Kagoshima.....	"	29.72	..	..	W	4	..
Taihoku, ...	1 p.	29.80	..	..	E	6	..
Taichu, ...	"	29.76	..	..	..	0	..
Tainan, ...	"	29.77	..	..	SE	2	..
Koshun, ...	"	29.78	..	..	NW	4	..
Pescadores, ...	"	29.76	..	..	SW	6	..
Gutzlaff, ...	3 p.	29.86	70	70	WSW	2	cv
Sharp Peak, ..	"	29.80	71	85	E	4	o
Amoy, ...	2.30p	29.79	75	100	NW	2	odv
Swatow, .. .	3p.	..	..	..	..	..	..
Canton, ...	"	29.75	77	86	E	3	or
Hongkong, ...	4 p.	29.70	79	95	..	0	orlt
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock, ...	"	..	..	..	..	..	..
Macao,.....	"	29.70	84	..	WNW	1	orlt
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.80	90	66	WSW	2	o
Malate, ...	3 p.	..	..	..	SW	3	c
Bacolod, ...	"	..	..	..	..	0	o
Iloilo, ...	"	29.77	85	..	W	1	or
Cebu, ...	"	29.77	82	..	S	1	or
Cape S. James ,	"	..	..		..	..	..

1st JUNE, 1902, A. M.

Wladivostock,..	7 a.	29.48	49	78	N	1	c
Tokio, ...	6a.	29.71	..	..	..	0	..
Kochi, ...	"	29.79	..	..	..	0	..
Nagasaki, ...	"	29.83	..	..	..	0	..
Kagoshima,....	"	29.83	..	..	..	0	..
Taihoku, ...	5 a.	29.84	..	..	E	6	..
Taichu, ...	"	29.75	..	..	..	0	..
Tainan, ...	"	29.74	..	..	..	0	..
Koshun, ...	"	29.76	..	..	SE	4	..
Pescadores,....	"	29.76	..	..	NE	6	..
Gutzlaff, ...	9 a.	29.86	71	76		0	cm
Sharp Peak,....	"	29.94	66	73	NNW	3	o
Amoy,..... ..	6.30a	29.80	..	..	NE	2	c
Swatow	9.a.	..	..	..	..	..	
Canton, ...	"	..	..	..	..	..	..
Hongkong,....	10 a.	29.80	73	99	E	3	or
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock, ...	"	..	..	..	..	..	..
Macao,.....	"	29.80	74	..	NW	1	c
Haiphong, ...	7 a.	..	..	..	..	..	.
Manila,.....	10 a.	..	..	..	..	..	..
Malate,..	9 a.	..	..	..	..	..	..
Bacolod, ...	"	..	..	..	..	..	..
Iloilo, ...	"	..	..	..	..	..	..
Cebu, ...	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 1st at 12.15p. The barometer has fallen in NE Japan and risen in S. Japan and in China. The depression in the North has moved Eastwards and is lying over the NE part over the Sea of Japan. Pressure is highest over the East coast. of China. Gradients are slight to moderate on the China coast for NE winds. Forecast:—fresh E. winds; squally, rainy.

No observations received to-day from the Phillipines.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 1st June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

1st JUNE 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	,,	29.63	..	..	S	6	..
Kochi, ...	,,	29.79	..	..	W	8	..
Nagasaki, ...	,,	29.87	..	..	SW	4	..
Kagoshima, ...	,,	29.87	..	..	W	6	..
Taihoku.	1p.	29.87	..	..	NE	8	..
Taichu.....	,,	29.75	..	..	N	4	..
Tainan,.....	,,	29.76	..	..	W	4	..
Koshun, ...	,,	29.79	..	..	E	4	..
Pescadores, ...	,,	29.81	..	..	N	8	..
Gutzlaff, ...	3p.	29.97	71	80	E	1	cm
Sharp Peak,....	,,	29.90	64	97	N	4	o
Amoy, ...	2.30p	29.82	74	90	SW	3	c
Swatow, ...	3p.	..	..	..	..	..	..
Canton, ...	,,	29.80	75	95	NE	1	or
Hongkong, ...	4p.	29.75	75	91	E	3	od
Victoria Peak, ..	,,	..	..	..	E	5	..
Gap Rock, ...	,,	..	..	..		..	..
Macao,..... ..	,,	29.75	..	..	NNW	1	or
Haiphong. ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	..	..	..	..	..	..
Malate, ...	3p.	..	..	..	..	..	..
Bacolod, ...	,,	..	..	..	..	..	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu, ...	,,	..	..	..	..	..	..
Cape S. James,.	,,	..	..	..	..	..	..

2nd JUNE 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	29.87	..	..	NW	2	..
Kochi, ...	,,	29.95	..	..	..	0	..
Nagasaki, ...	,,	29.95	..	..	..	0	..
Kagoshima, . .	,,	29.99	..	..		0	..
Taihoku.	5a.	29.85	..	..	E	6	..
Taichu,.....	,,	29.76	..	..	..	9	..
Tainan,.....	,,	29.76	..	..	E	2	..
Koshun, ...	,,	..	..	..	..	..	..
Pescadores, ...	,,	29.78	..	..	NE	6	..
Gutzlaff.	8a.	30.01	69	85	SSE	1	cm
Sharp Peak, . ..	,,	29.94	69	97	NNE	5	or
Amoy, ...	6.30a	29.82	71	80	NNE	1	o
Swatow, ...	9a.	..	..	..	..	..	..
Canton, ...	,,	..		..	..	..	..
Hongkong, ...	10a.	29.84	75	72	E	3	o
Victoria Peak, .	,,		..	..	..	..	
Gap Rock, ...	,,	..	..	..	..	..	..
Macao, ...	,,	..	..	..	..	..	..
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	..	..	..	..	..	..
Malate, ...	9a.	..	..	..	..	..	..
Pacolod, ...	,,	..	..	..	..	..	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu,.....	,,	..	..	..	..	..	..
Cape S. James,..	7a.	..	..	..	..	..	..

On the 2nd at 10.45a. The barometer has risen generally. The depression lying in the NE. part of the Sea of Japan yesterday has moved Northeastward into the Pacific. Pressure is high between the East coast of China and SW Japan, and a low pressure trough prevaily extends across the N. part of the China Sea and Eastwards over the Pacific in about 18° Lat. Gradients are moderate for NE and E. winds on the coasts of S. China and in the N. part of the China Sea. Forecast:—fresh NE winds; unsettled, squally.

No observations have been received from the Phillipines since Saturday last and telegraphic communication between the Observatory and Gap Rock is also interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 2nd June 1902.

CHINA COAST METEOROLOGICAL REGISTER

2nd JUNE 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	,,	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ...	,,	..	..	..		..	..
Taihoku, ...	1p.	29.85	..	..	E	6	..
Taichu.....	,,	29.75	..	..	N	4	..
Tainan,.....	,,	29.75	..	..	N	6	..
Koshun, ...	,,	29.74	..	..	NE	4	..
Pescadores, ...	,,	29.79	..	..	NE	10	..
Gutzlaff, ...	3p.	29.97	73	86	SE	1	cv
Sharp Peak,....	,,	29.90	68	90	NNE	2	..
Amoy, ...	2.30p	29.83	78	82	SE	2	c
Swatow, ...	3p.	.		..	.	..	..
Canton, ...	,,	29.77	87	65	SW	1	o
Hongkong, ...	4p.	29.77	78	78	E	2	o
Victoria Peak, ..	,,	..	..	..	E	..	..
Gap Rock, ...	,,	..	..	..		..	..
Macao,.....	,,	29.78	77	..	ESE	1	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	..	..	..	.	..	..
Malate, ...	3p.	..	..	..	.	..	..
Bacolod, ...	,,	..	..	..	..	.	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu, ...	,,	..	..	..	..	..	..
Cape S. James,..	,,	..	..	..	..	..	..

3rd JUNE 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	..	..	..
Nagasaki, ...	,,	..	..	.	..	..	..
Kagoshima, ..	,,	..	..	..		..	..
Taihoku, ...	5a.	29.80	..	..	E	6	..
Taichu,.....	,,	29.65	..	..	N	2	..
Tainan,.....	,,	29.68	..	..	N	4	..
Koshun, ...	,,	29.65	..	..	NE	8	..
Pescadores, ...	,,	29.74	.	.	NE	10	..
Gutzlaff, ...	9a.	30.00	72	[illegible]	S	1	b
Sharp Peak, ...	,,	29.88	71	97	N	5	o
Amoy, ...	6.30a	29.81	72	..	NE	4	b
Swatow, ...	9 a.	..	..		.	..	.
Canton, ...	,,	..		..			
Hongkong, ...	10a.	29.82	78	79	E	2	o
Victoria Peak, ..	,,		..	..	E	3	
Gap Rock, ...	,,	..	..	..	..	..	..
Macao, ...	,,	..	..	..	..		..
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	..	..	..	..	..	..
Malate, ...	9a.	..	..	..	..	..	..
Bacolod, ...	,,	..	..	..	..	..	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu,.....	,,	..	..	..	..	..	..
Cape S. James,..	7a.	..	..	..	..	..	..

On the 2nd at 10.35a. The barometer has fallen slightly over China and moderately in Formosa. A depression appears to be lying to the S. of Formosa. Gradients are moderate for NE winds on the China coast, with strong winds to gales in the Formosa Channel. Forecast:—N. winds, light or moderate; fair.

No observations have been received from the Phillipines since Saturday last and telegraphic communication between the Observatory and Gap Rock remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 3rd June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

3rd JUNE 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	,,	30.02	..	..	S	6	..
Kochi, ...	,,	29.99	..	..	NE	2	..
Nagasaki, ...	,,	29.99	..	..	W	6	..
Kagoshima, ...	,,	29.99	..	..	S	2	..
Taihoku, ...	1p.	29.72	..	..	E	8	..
Taichu.....	,,	29.59	..	..	N	6	..
Tainan,.....	,,	29.64	..	..	N	2	..
Koshun, ...	,,	29.65	..	..	SE	8	..
Pescadores, ...	,,	29.70	..	..	NE	10	..
Gutzlaff, ...	3p.	29.97	74	81	S	3	bv
Sharp Peak,....	,,	29.81	72	81	NE	5	o
Amoy, ...	2.30p	29.76	85	61	NE	4	c
Swatow, ...	3p.	..	.	..	..	..	..
Canton, ...	,,	29.72	86	72	SW	1	o
Hongkong, ...	4p.	29.71	81	75	WNW	1	o
Victoria Peak, ..	,,	..	..	..	NW	1	..
Gap Rock, ...	,,	..	..	..		..	..
Macao, ...	,,	29.72	79	..	SW	1	cp
Haiphong	1p.	..	..	..	..	..	..
Manila, ...	4p.	..	..	..	..	..	..
Malate, ...	3p.	..	..	..	..	..	..
Bacolod, ...	,,	..	..	..	..	..	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu, ...	,,	..	..	..	..	..	..
Cape S. James,.	,,	..	..	..	..	..	..

4th JUNE 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Tokio, ...	6a.	30.02	..	..	NW	2	..
Kochi, ...	,,	30.03	..	..	NE	2	..
Nagasaki, ...	,,	30.03	..	..	..	0	..
Kagoshima, ..	,,	30.03	..	..	NW	2	..
Taihoku, ...	5a.	29.72	..	..	SE	4	..
Taichu,.....	,,	29.69	..	..		0	..
Tainan,.....	,,	29.69	..	..	N	2	..
Koshun, ...	,,	29.72	..	..	SE	6	..
Pescadores, ...	,,	29.72	..	..	NE	6	..
Gutzlaff, ...	9a.	29.93	72	76	SE	5	cv
Sharp Peak, ...	,,	29.75	71	88	W	2	og
Amoy, ...	6.30a	29.74	76	82	NNE	1	c
Swatow, ...	9 a.	..	..	.	..	..	..
Canton, ...	,,	..	.		..	..	..
Hongkong, ...	10a.	29.71	83	71	WNW	1	b
Victoria Peak, ..	,,		..	..	NW	4	..
Gap Rock, ...	,,	..	..	..		..	..
Macao, ...	,,	29.75	84	..	W	1	c
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	..	..	..	..	..	..
Malate, ...	9a.	..	..	..	..	..	..
Bacolod, ...	,,	..	..	.	..	..	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu, ...	,,	..	..	..	..	..	..
Cape S. James,..	7a.	..	..	..	..	..	..

On the 4th at 11.24a. The barometer has risen slightly in S. Japan, and fallen on the China coast, particularly along the Formosa Channel. The depression extends over the S. coast of China and the Formosa Channel, the central part probably lying to the S. of the Formosa Channel. Pressure highest in S. Japan. Gradients moderate to steep for E. winds on the E. coast of China, slight to moderate for W. and SW winds over the N. part of the China Sea. Forecast:—NW to SW winds, moderate; fair. to unsettled, and squally. Red drum hoisted.

No observations have been received from the Phillipines since Saturday last and telegraphic communication between the Observatory and Gap Rock remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 4th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

4th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.62	56	..	..	0	or
Nemuro,	,,	..	..	..	..	..	..
Hakodate,	,,	..	..	..	..	..	..
Tokio,	,,	..	..	..	..	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima,	,,	..	..	..	..	..	..
Oshima,	,,	..	..	..	..	..	..
Naha,	,,	..	..	..	..	..	..
Ishigakijima,	,,	..	..	..	..	..	..
Taihoku,	1 p.	29.71	..	..	S	2	..
Taichu,	,,	29.69	..	..	N	4	..
Tainan,	,,	29.69	..	..	SE	6	..
Koshun,	,,	29.76	..	..	SE	6	..
Pescadores,	,,	29.69	..	..	SE	10	..
Gutzlaff,	3 p.	29.83	69	95	ESE	5	df
Sharp Peak,	,,	29.71	77	86	..	0	o
Amoy,	2.30p	29.71	79	87	NE	1	omd
Swatow,	3p.	29.65	84	..	NE	4	c
Canton,	,,	..	..	..	..	..	..
Hongkong,	4 p.	29.61	85	71	W	2	c
Victoria Peak,	,,	..	..	..	WNW	4	..
Gap Rock,	,,	..	..	..	..	..	..
Macao,	,,	..	..	..	..	..	..
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	..	..	..	..	..	..
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	,,	..	..	..	..	..	..

5th JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.66	62	99	..	0	b
Nemuro,	6.a	29.61	..	..	S	4	..
Hakodate,	,,	29.72	..	..	W	2	..
Tokio,	,,	29.90	..	..	..	0	..
Kochi,	,,	29.99	..	..	W	6	..
Nagasaki,	,,	29.91	..	..	..	0	..
Kagoshima,	,,	29.91	..	..	SE	6	..
Oshima,	,,	29.88	..	..	SE	6	..
Naha,	,,	29.85	..	..	SE	4	..
Ishigakijima,	,,	29.77	..	..	S	6	..
Taihoku,	5 a.	29.71	..	..	..	0	..
Taichu,	,,	29.66	..	..	..	0	..
Tainan,	,,	29.67	..	..	SE	6	..
Koshun,	,,	29.70	..	..	S	4	..
Pescadores,	,,	29.66	..	..	S	6	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	,,	29.69	77	91		0	o
Amoy,	6.30a	29.67	77	95	SE	5	omr
Swatow,	9.a.	..	..	..	..	..	
Canton,	,,	29.67	87	72	SW	..	b
Hongkong,	10 a.	29.67	84	75	W	1	o
Victoria Peak,	,,	..	..	..	NW	5	..
Gap Rock,	,,		..	..	..	..	..
Macao,	,,	29.67	88	..	SW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 5th at 11.30 a. Red drum lowered. The barometer has fallen much in N. Japan and N. China, and slightly in S. Japan and S. China. The small depression appears to have entered the coast in the neighbourhood of Swatow. Low pressure also covers N. China and the N. part of the Sea of Japan. Pressure is highest over the Pacific to the S. of Japan. Forecast:—light or moderate W. to SW. breezes, fair.

No observations received from the Phillipines, and telegraphic communication between the Observatory and Gap Rock remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 5th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

5th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	.
Nemuro,	"	2.961	..	..	NE	6	..
Hakodate,	"	29.70	..	..	W	2	..
Tokio,	"	29.82	..	..	S	6	..
Kochi,	"	29.95	..	..	W	6	..
Nagasaki,	"	29.72	..	..	E	10	..
Kagoshima,	"	29.87	..	.	SE	6	..
Oshima,	"	29.84	..	..	S	6	..
Naha,	"	29.81	..	..	S	4	..
Ishigakijima,	"	29.77	..	..	SW	8	..
Taihoku,	1 p.	29.63	..	..	NW	4	..
Taichu,	"	29.65	..	..	S	4	..
Tainan,	"	29.69	..	..	S	6	..
Koshun,	"	29.75	..	..	SE	6	..
Pescadores,	"	29.67	..	..	S	10	..
Gutzlaff,	3 p.	29.70	74	90	N	2	bm
Sharp Peak,	..	29.64	76	95	SSE	3	od
Amoy,	2.30p	29.64	81	87	SE	2	cm
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.58	96	75	SW	1	b
Hongkong,	4 p.	29.60	88	72	..	0	o
Victoria Peak,	"	..	..	..	SW	2	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	..	..	..	..	..	..
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	..	..	..	..	..	..
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	..	..	..

6th JUNE, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Nemuro,	6.a	29.65	..	..	S	6	..
Hakodate,	"	29.73	..	..	..	0	..
Tokio,	"	29.82	..	..	SW	2	..
Kochi,	"	29.64	..	..	SW	6	..
Nagasaki,	"	29.56	..	..	SW	4	..
Kagoshima,	"	29.64	..	..	SW	4	..
Oshima,	"	29.73	..	..	S	4	..
Naha,	"	29.70	..	..	S	6	..
Ishigakijima,	"	29.74	..	..	S	6	..
Taihoku,	6 a.	29.72	..	..	..	0	..
Taichu,	"	29.66	..	..	..	0	..
Tainan,	"	29.69	..	..	S	2	..
Koshun,	"	29.71	..	..	..	0	..
Pescadores,	"	29.68	..	..	S	6	..
Gutzlaff,	9 a.	29.90	68	79	NE	3	c
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	6.30a	29.64	78	91	NE	1	ow
Swatow	9.a.	..	..	..	..	..	
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.70	86	66	W	1	c
Victoria Peak,	"	..	..	..	NNE	1	..
Gap Rock,	"		..	..	..	..	..
Macao,	"	29.71	89	..	SE	1	c
Haiphong,	7 a.	..	..	..	.	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	.
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 6th at 11.30a. The barometer has fallen in SW. Japan, risen in N. China. The depression that covered N. China yesterday has moved Eastwards into the W. part of the Sea of Japan. Gradients moderate with wind freshening from NE. on the China coast. Forecast:—light variable to moderate E. winds; fair to showery.

No observations received from the Phillipines, and telegraphic communication between the Observatory and Gap Rock remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 6th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

6th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	.
Nemuro,	"	2.976	..	..	S	2	..
Hakodate,	"	29.73	..	..	.	0	..
Tokio,	"	29.67	..	..	W	6	..
Kochi,	"	29.64	..	..	..	0	..
Nagasaki,	"	29.79	..	..	N	6	..
Kagoshima,	"	29.75	..	.	NW	2	..
Oshima,	"	29.80	..	..	N	6	..
Naha,	"	29.81	..	..	NE	2	..
Ishigakijima,	"	29.77	..	..	NE	4	..
Taihoku,	1 p.	29.76	..	..	E	6	..
Taichu,	"	29.70	..	..	NE	2	..
Tainan,	"	29.72	..	..	SW	6	..
Koshun,	"	29.73	..	..	SW	2	..
Pescadores,	"	29.69	..	..	S	6	..
Gutzlaff,	3 p.	29.91	71	76	N	2	cy
Sharp Peak,	..	29.76	75	86	ENE	3	o
Amoy,	2.30p	29.70	82	79	NE	3	o
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.66	90	66	SW	2	c
Hongkong,	4 p.	29.66	86	80	..	0	o
Victoria Peak,	"	..	..	..	..	0	..
Gap Rock,	"	..	..	..	.	..	..
Macao,	"	29.68	92	..	SSE	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	..	..	..	..	..	..
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	..	..	..

7th JUNE, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Nemuro,	6.a	..	..	..	..	..	..
Hakodate,	"	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Oshima,	"	..	..	..	..	..	..
Naha,	"	..	..	..	..	..	..
Ishigakijima,	"	..	..	..	..	.	..
Taihoku,	5 a.	29.85	..	..	E	4	..
Taichu,	"	29.77	..	..	..	0	..
Tainan,	"	29.76	..	..	..	0	..
Koshun,	"	29.78	..	..	E	4	..
Pescadores,	"	29.78	..	..	NE	8	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	..	29.90	75	77	NNE	3	b
Amoy,	6.30a	29.81	72	85	NE	2	c
Swatow	9.a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.82	79	76	E	5	o
Victoria Peak,	"	..	..	..	E	5	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.81	82	..	E	2	..
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate...	9 a.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 7th at 11.37a. The barometer has risen considerably in S. China. The depression has probably reached E. Japan. The highest pressure lies between the E. coast of China. and W. Japan. Gradients are slight to moderate for E. winds on the China coast. Forecast:—fresh to moderate E. winds; fair.

No observations received from the Philippines, and telegraphic communication between the Observatory and Gap Rock remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 7th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

7th JUNE 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Tokio, ...	,,	..	..	..	..	..	..
Kochi, ...	,,	..	..	..	.	..	..
Nagasaki, ...	,,	..	..	..	..	..	..
Kagoshima, ...	,,		..	..	..	..	..
Taihoku.	1p.	29.88	..	..	E	8	..
Taichu...	,,	29.76	..	..	N	6	..
Tainan,.....	,,	29.78	..	..	W	4	..
Koshun, ...	,,	29.78	..	..	NE	6	..
Pescadores, ...	,,	29.86	..	..	NE	8	..
Gutzlaff, ...	3p.	29.93	80	48	ENE	2	cv
Sharp Peak,....	,,	29.87	74	76	ESE	6	b
Amoy, ...	2.30p	29.83	81	71	NE	4	c
Swatow, ...	3p.	29.80	80		E	4	c
Canton, ...	,,	29.75	85	79		0	o
Hongkong, ...	4p.	29.77	80	79	E	3	..
Victoria Peak, ..	,,	..	..	..	E	4	..
Gap Rock, ...	,,	..	..	..		..	..
Macao, ...	,,	29.77	84	..	SE	2	c
Haiphong. ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	..	..	..	..	..	..
Malate, ...	3p.	..	..	..	..	..	..
Bacolod, ...	,,	..	..	..	..	..	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu, ...	,,	..	..	..	..	..	..
Cape S. James,.	,,	..	..	..	..	..	..

8th JUNE 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Nemuro, ...	6a.	29.61	..	..	NW	3	..
Hakodate, ...	,,	29.70	..	..	NW	2	..
Tokio, ...	,,	29.74	..	..	NW	2	..
Kochi, ...	,,	29.83	..	..	NW	2	..
Nagasaki.	,,	29.87	..	..	..	0	..
Kagoshima, ..	,,	29.87	..	..		0	..
Oshima, ...	,,	29.88	..	..	S	2	..
Naha, ...	,,	29.89	..	..	NE	2	..
Ishigak ijima, ..	,,	29.89	..	..	NE	2	..
Taihoku, ...	5a.	29.87	..	..	E	6	..
Taichu,..	,,	29.80	..	..	SE	2	..
Tainan, ...	,,	29.80	..	..	.	0	..
Koshun, ...	,,	29.81	..	..	NE	4	..
Pescadores, ...	,,	29.82	.	..	NE	4	..
Gutzlaff, ...	9a.	29.92	78	91	SE	3	cv
Sharp Peak, ...	,,	29.90	74	72	N	2	c
Amoy, ...	6.30a	29.85	74	81	..	0	b
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	,,	..	..	..	..	..	..
Hongkong, ...	10a.	29.82	77	71	E	4	o
Victoria Peak, ..	,,	..	.	..	E	5	..
Gap Rock, ...	,,	.	.	.	.	..	..
Macao, ...	,,	29.81	79	..	ENE	3	o
Haiphong, ...	7a.	..	..	.	.	..	.
Manila, ...	10a.	..	..	..	..		..
Malate, ...	9a.		..	..	..	..	.
Bacolod, ...	,,	..	..	..	..	..	..
Iloilo, ...	,,	..	..	..	..	..	..
Cebu, ...	,,	..	..	..	..	..	..
Cape S. James,..	7a.	..	..	..	..	..	..

On the 8th at 11.30a. The barometer has risen in Japan, and is unchanged on the China coast. The depression has passed Eastward sover Japan into the Pacific. Pressure is high between the E. coast of China and W. Japan, and relatively low, apparently, over the N. part of the China Sea. Gradients are slight for E winds on the China coast. Forecast:—fresh E. breezes; squally, showery.

No observations received from the Phillipines, and telegraphic communication between the Observatory and Gap Rock remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 8th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

8th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	.
Nemuro,	,,	..	..	..	..	..	..
Hakodate,	,,	..	..	..	..	..	..
Tokio,	,,	..	..	..	.	..	..
Kochi,	,,	..	..	..	..	..	..
Nagasaki,	,,	..	..	..	..	..	..
Kagoshima	,,	..	..	..	..	..	..
Oshima,	,,	..	..	..	..	..	..
Naha,	,,	..	..	..	..	..	..
Ishigakijima,	,,	..	..	..	.	..	..
[illegible]	1p.	29.85	..	..	E	4	..
[illegible]	,,	29.77	..	..	SW	4	..
[illegible]	,,	29.79	..	..	NW	4	..
Koshun,	,,	29.83	..	..	NE	4	..
Pescadores,	,,	29.82	..	..	N	6	..
Gutzlaff,	3p	29.90	71	99	S	4	cv
Sharp Peak,	,,	29.84	76	69	N	2	o
Amoy,	2.30p	29.79	79	87	NE	2	or
Swatow,	3p.	29.79	74	..	NE	2	or
Canton,	,,	29.75	90	63	SE	1	c
Hongkong,	4p.	29.73	76	84	E	4	o
Victoria Peak,	,,	..	..	..	E	7	..
Gap Rock,	,,	..	..	..	.	.	..
Macao,	,,	29.74	79	..	E	2	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	..	..	..	..	..	..
Malate,	3p.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	,,	..	..	..	..	..	..

9th JUNE, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Nemuro,	6.a	29.84	..	..	W	6	..
Hakodate,	,,	29.89	..	..	..	0	..
Tokio,	,,	29.95	..	..	N	2	..
Kochi,	,,	29.95	..	..	..	0	..
Nagasaki,	,,	29.94	..	..	..	0	..
Kagoshima,	,,	29.99	..	..	N	2	..
Oshima,	,,	29.92	..	..	..	0	..
Naha,	,,	29.85	..	..	.	0	..
Ishigakijima,	,,	29.85	..	..	NE	2	..
Taihoku,	6 a.	29.81	..	..	E	4	..
Taichu,	,,	29.75	..	..	..	0	..
Tainan,	,,	29.76	..	..	..	0	..
Koshun,	,,	29.80	..	..	E	6	..
Pescadores,	,,	29.77	..	..	NE	4	..
Gutzlaff,	9 a.	29.85	70	90	SE	3	cv
Sharp Peak,	,,	29.80	72	88	W	1	or
Amoy,	6.30a	29.78	74	86	..	0	o
Swatow	9.a.	.	..	..	..	.	
Canton,	,,	29.77	81	83	E	1	c
Hongkong,	10 a.	29.75	77	86	E	3	od
Victoria Peak,	,,	..	..	..	E	4	..
Gap Rock,	,,	..	..	..	..	..	..
Macao,	,,	29.74	79	..	E	1	o
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

[illegible] The barometer has risen in Japan, fallen along the China coast. Pressure [illegible] A troughlike area of low pressure seems to lie across the N. part of the China Sea. Gradients slight for SE. and L. winds along the China coast. Forecast:—moderate E. to SE. winds; squally, showery.

No observations received from the Philippines, and telegraphic communication between the Observatory and Gap Rock remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 9th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

9th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	.
Nemuro,	,,	29.69	..	..	SW	6	..
Hakodate,	,,	29.77	..	..	SW	8	..
Tokio,	,,	29.90	..	..	S	4	..
Kochi,	,,	29.91	..	..	..	0	..
Nagasaki,	,,	29.87	..	.	W	2	..
Kagoshima	,,	29.91	..	..	SW	4	..
Oshima,	,,	29.92	..	..	SE	4	..
Naha,	,,	29.93	..	..	SE	4	..
Ishigakijima,	,,	29.81	..	..	E	6	..
Taihoku,	1 p.	29.74	..	..	NW	4	..
Taichu,	,,	29.75	..	..	W	2	..
Tainan,	,,	29.75	..	..	SE	6	..
Koshun,	,,	29.78	..	..	S	2	..
Pescadores,	,,	29.74	..	..	SE	6	..
Gutzlaff,	3 p.	29.79	75	77	SSE	3	cv
Sharp Peak,	..	29.75	72	90	WNW	2	or
Amoy	2.30p	29.78	75	10	E	1	ot
Swatow,	3p.	29.77	77	..	E	1	or
Canton,	,,	29.70	87	72	E	2	c
Hongkong,	4 p.	29.69	79	87	E	3	o
Victoria Peak,	,,	..	..	..	SE	2	..
Gap Rock,	,,	..	..	..	.	..	..
Macao,	,,	29.67	82	..	ESE	1	b
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	..	..	..	..	..	..
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	,,	..	..	..	..	..	..

10th JUNE, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Nemuro,	6 a	29.72	..	..	N	8	..
Hakodate,	,,	29.81	..	..	N	2	..
Tokio,	,,	29.87	..	..	S	2	..
Kochi,	,,	29.83	..	..	NE	4	..
Nagasaki,	,,	29.83	..	..	E	4	..
Kagoshima,	,,	29.83	..	..	NE	2	..
Oshima,	,,	29.80	..	..	E	2	..
Naha,	,,	29.74	..	..	E	4	..
Ishigakijima,	,,	29.70	..	..	..	8	..
Taihoku,	5 a.	29.71	..	..	..	0	..
Taichu,	,,	29.69	..	..	S	2	..
Tainan,	,,	29.72	..	..	SW	2	..
Koshun,	,,	29.72	..	..	SW	4	..
Pescadores,	,,	29.72	..	..	..	0	..
Gutzlaff,	9 a.	29.73	72	90	S	3	cv
Sharp Peak,	..	29.71	75	93	..	0	o
Amoy,	6.30a	..	..	..	..	..	..
Swatow	9.a.	..	..	.	..	..	
Canton,	,,	29.69	75	83	SE	1	c
Hongkong,	10 a.	29.73	81	88	E	3	o
Victoria Peak,	,,	..	..	..	ESE	..	..
Gap Rock,	,,	.	..	..	..	..	..
Macao,	,,	29.74	84	..	SSE	2	od
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 10th at 11.10a. The barometer has fallen generally, particularly over Japan and the E. coast of China. A depression is leaving the mainland, moving Eastwards into the Yellow Sea. Gradients slight on the China coast for S. winds. Forecast:—light S. winds; showery.

No observations received from the Phillipines, and telegraphic communication between the Observatory and Gap Rock remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 10th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

10th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.69	62	..	W	1	c
Nemuro,	"	29.76	..	..	E	6	..
Hakodate,	"	29.73	..	..	SE	6	..
Tokio,	"	29.78	..	..	S	6	..
Kochi,	"	29.79	..	..	E	4	..
Nagasaki,	"	29.75	..	..	SW	6	..
Kagoshima,	"	29.75	..	..	SW	4	..
Oshima,	"	29.73	..	..	SE	4	..
Naha,	"	29.69	..	..	SW	4	..
Ishigakijima,	"	29.74	..	..	W	8	..
Taihoku,	1 p.	29.73	..	..	..	0	..
Taichu,	"	29.74	..	..	N	2	..
Tainan,	"	29.70	..	..	S	2	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.69	..	..	SW	4	..
Gutzlaff,	3 p.	29.72	75	86	S	1	cv
Sharp Peak,	..	29.66	75	95	ESE	4	o
Amoy,	2.30p	29.74	75	95	NNW	1	omd
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.66	82	83	..	0	o
Victoria Peak,	"	..	..	..	SSW	1	..
Gap Rock,	"	..	..	..	..	..	..
Macao,	"	29.69	82	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	..	..	..	..	..	..
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	..	..	..

11th JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.67	50	99	..	0	c
Nemuro,	6.a	29.80	..	..	SE	2	..
Hakodate,	"	29.73	..	..	..	0	..
Tokio,	"	29.74	..	..	..	0	..
Kochi,	"	29.75	..	..	NE	4	..
Nagasaki,	"	29.75	..	..	..	0	..
Kagoshima,	"	29.75	..	..	N	2	..
Oshima,	"	29.73	..	..	..	0	..
Naha,	"	29.81	..	..	..	0	..
Ishigakijima,	"	29.74	..	..	NW	2	..
Taihoku,	5 a.	29.70	..	..	..	0	..
Taichu,	"	29.72	..	..	S	4	..
Tainan,	"	29.74	..	..	SW	2	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.71	..	..	SW	4	..
Gutzlaff,	9 a.	..	..	..	..	..	..
Sharp Peak,	"	29.73	77	91	..	0	o
Amoy,	6.30a	29.72	75	90	W	1	cm
Swatow	9.a.	..	..	..	..	..	
Canton,	"	..	..	.		..	..
Hongkong,	10 a.	29.74	77	91	NW	1	or
Victoria Peak,	"	..	..	..	SSW	4	..
Gap Rock,	"	.	..	..	..	..	..
Macao,	"	29.72	77	..	NE	1	or
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	"	..	..	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 11th at 11.15a. The barometer has fallen in Japan and risen slighty on the China coast. Pressure remains low over N. China and Japan. Gradients gentle with light variable winds on the China coast. Forecast:—S W. or variable winds, light; thundershowers.

No observations received from the Phillipines, and telegraphic communication between the Observatory and Gap Rock remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 11th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

11th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,..	2p.	29.70	53	..	S	3	o
Nemuro, ...	"	29.80	..	..	SE	0	..
Hakodate, ...	"	29.77	..	..	E	8	..
Tokio, ...	"	29.71	..	..	S	6	..
Kochi, ...	"	29.75	..	..	E	4	..
Nagasaki. ...	"	29.75	..	..	SW	6	..
Kagoshima....	"	29.75	..	..	S	4	..
Oshima, ...	"	29.80	..	..	N	2	..
Naha, ...	"	29.81	..	..	..	0	..
Ishigakijima, ..	"	29.81	..	..	SW	2	..
Taihoku, ...	1 p.	29.77	..	..	..	0	..
Taichu, ...	"	29.79	..	..	S	4	..
Tainan, ...	"	29.79	..	..	E	2	..
Koshun, ...	"	..	..	..	..	.	..
Pescadores, ...	"	29.78	..	..	SW	4	..
Gutzlaff, ...	3 p.	29 80	78	91	SSE	1	bm
Sharp Peak, ..	"	29.73	79	89	E	1	o
Amoy, ...	2.30p	29.81	78	91	ENE	1	c
Swatow, .. .	3p.	..	..	..	..	..	..
Canton, ...	"	29.67	81	91	SE	1	o
Hongkong, ...	4 p.	29.71	78	90	E	1	op
Victoria Peak,	"	..	..	..	SW	4	..
Gap Rock, ...	"	29 73	..	..	SW	5	..
Macao,.....	"	29.68	78	..	S	1	or
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.80	88	72	WSW	2	t
Malate, ...	3 p.	..	..	..	W	1	c
Bacolod, ...	"	..	..	..	..	0	o
Iloilo, ...	"	29.85	87	..	..	0	om
Cebu, ...	"	29.82	86	..	N	2	b
Cape S. James,	"	..	..	..	..	..	..

12th JUNE, 1902, A. M.

Wladivostock,..	7 a.	29.83	52	85	..	0	o
Nemuro, ...	6.a	29.84	..	..	SE	2	..
Hakodate, ...	"	29.81	..	..	SE	4	..
Tokio, ...	"	29.78	..	..	SW	2	..
Kochi, ...	"	29.87	..	..	W	2	..
Nagasaki, ...	"	29.91	..	..	..	6	..
Kagoshima,....	"	29 91	..	..	..	0	..
Oshima, ...	"	29.88	..	..	..	0	..
Naha, ...	"	29.89	..	..	..	0	..
Ishigakijima, ..	"	29.85	..	..	SW	6	..
Taihoku, ...	5 a.	29.80	..	..	..	0	..
Taichu, ...	"	29.81	..	..	SE	4	..
Tainan, ...	"	29.82	..	..	SE	4	..
Koshun, ...	"	..	..	..	..	.	..
Pescadores,....	"	29.81	..	..	S	2	..
Gutzlaff, ...	9 a.	29.82	74	95	SSE	3	c
Sharp Peak,....	"	29.80	77	92	..	0	ofd
Amoy,..... ..	6.30a	29.77	77	95	S	1	om
Swatow	9.a.	..	..	..	..	.	
Canton, ...	"	..	..	..		..	..
Hongkong.....	10 a.	29.80	76	95	WNW	1	or
Victoria Peak,	"	..	..	..	SW	3	..
Gap Rock, ...	"	..	..	..	..	..	..
Macao.....	"	29.81	79	..	SW	1	or
Haiphong, ...	7 a.	..	..	..	..	..	.
Manila,.....	10 a.	29.92	86	78	..	0	c
Malate,..	9 a.	..	..	..	..	0	c
Bacolod, ...	"	.		..	N	..	b
Iloilo, ...	"	29.94	85	..	..	0	b
Cebu, ...	"	29.92	86	..	..	0	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 12th at 11.32a. The barometer has risen generally. Pressure is highest over the Pacific to the S. of Japan and lowest over China. Gradients slight for SE. and S. winds on the China coast and N. part of the China Sea. Forecast:—moderate S. winds; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 12th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

12th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.85	58	..	S	1	c
Nemuro,	,,	29.84	..	..	SE	4	..
Hakodate,	,,	29.81	..	..	SE	4	..
Tokio,	,,	29.78	..	..	S	4	..
Kochi,	,,	29.79	..	..	W	6	..
Nagasaki,	,,	29.87	..	..	W	4	..
Kagoshima,	,,	29.87	..	..	S	2	..
Oshima,	,,	29.83	..	..	S	4	..
Naha,	,,	29.89	..	..	S	2	..
Ishigakijima,	,,	29.85	..	..	S	6	..
Taihoku,	1 p.	29.82	..	..	NW	2	..
Taichu,	,,	29.83	..	..	S	2	..
Tainan,	,,	29.82	..	..	S	4	..
Koshun,	,,	..	..	..	.	.	..
Pescadores,	,,	29.83	..	..	SE	6	..
Gutzlaff,	3 p.	29.77	76	91	SSE	4	cm
Sharp Peak,	..	29.74	78	93	SSE	4	op
Amoy,	2.30p	29.77	77	86	SW	1	odr
Swatow,	3p.	..	..	..	..	..	..
Canton,	,,	.	87	80	..	..	..
Hongkong,	4 p.	29.76	78	88	S	1	od
Victoria Peak,	,,	..	..	..	SSW	5	..
Gap Rock,	,,	29.74	..	..	ESE	2	..
Macao,	,,	29.72	80	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	..	..	..	..	..	..
Malate,	3 p.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	,,	..	..	..	..	..	..

13th JUNE, 1902, A. M.

Wladivostock,	7 a.	29.85	48	94	SE	2	o
Nemuro,	6 a.	29.88	..	..	E	6	..
Hakodate,	,,	29.89	..	..	N	2	..
Tokio,	,,	29.82	..	..	W	2	..
Kochi,	,,	29.87	..	..	NW	2	..
Nagasaki,	,,	29.83	..	..	E	2	..
Kagoshima,	,,	29.83	..	..	SE	2	..
Oshima,	,,	29.88	..	..	S	4	..
Naha,	,,	29.85	..	..	..	0	..
Ishigakijima,	,,	29.81	..	..	SW	6	..
Taihoku,	6 a.	29.80	..	..	.	0	..
Taichu,	,,	29.83	..	..	S	2	..
Tainan,	,,	29.84	..	..	SE	2	..
Koshun,	,,	..	..	..	..	.	..
Pescadores,	,,	29.83	..	..	SE	2	..
Gutzlaff,	9 a.	29.70	76	86	S	3	c
Sharp Peak,	..	29.77	80	87	S	4	o
Amoy,	6.30a	29.76	77	95	SE	1	o
Swatow	9.a.	..	..	..	..	..	
Canton,	,,	..	..	.		..	..
Hongkong,	10 a.	29.76	81	87	SSW	4	cd
Victoria Peak,	,,	..	..	..	SSW	7	..
Gap Rock,	,,	29.77	..	..	SW	4	..
Macao,	,,	29.76	81	..	SW	1	o
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	,,	..	.	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 12th at 11.55a. The barometer has risen slightly in E. Japan, fallen over China, particularly in the North. A depression in N. China is advancing Eastwards towards the Yellow Sea. Gradients moderate for S. to SW. winds along the China coast and in N. part of the China Sea. Forecast:—fresh SW. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 13th June 1902.

CHINA COAST METEOROLOGICAL REGISTER

13th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.83	48	..	SE	4	f
Nemuro,	"	29.88	..	..	NE	6	..
Hakodate,	"	29.85	..	..	SE	6	..
Tokio,	"	29.74	..	..	NE	4	..
Kochi,	"	29.75	..	..	..	0	..
Nagasaki,	"	29.72	..	..	W	4	..
Kagoshima,	"	29.75	..	..	..	0	..
Oshima,	"	29.80	..	..	S	4	..
Naha,	"	29.81	..	..	SW	4	..
Ishigakijima,	"	29.81	..	..	SW	6	..
Taihoku,	1 p.	29.72	..	..	NW	2	..
Taichu,	"	29.76	..	..	SW	6	..
Tainan,	"	29.77	..	..	S	6	..
Koshun,	"	..	..	..	.	.	..
Pescadores,	"	29.80	..	..	S	8	..
Gutzlaff,	3 p.	29.63	81	87	SSW	1	hv
Sharp Peak,	..	29.67	80	87	SSE	6	o
Amoy,	2.30p	29.73	80	87	SE	3	o
Swatow,	3p.	..	..	..		..	..
Canton,	"	29.69	90	77	SW	2	o
Hongkong,	4 p.	29.72	83	80	SW	4	cq
Victoria Peak,	"	..	..	..	S	8	..
Gap Rock,	"	29.71	..	..	SW	4	..
Macao,	"	29.70	83	..	SW	2	o
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	88	72	..	0	c
Malate,	3 p.	..	..	..	WNW	1	o
Bacolod,	"	..	..	..	NNW	4	o
Iloilo,	"	29.82	89	..	..	0	b
Cebu,	"	29.81	85	..	N	..	c
Cape S. James,	"	..	..	..	..	..	..

14th JUNE, 1902, A. M.

Wladivostock,	7 a.	29.86	47	98	S	2	o
Nemuro,	6.a	29.84	..	..	NE	4	..
Hakodate,	"	29.81	..	..	E	6	..
Tokio,	"	29.67	..	..	.	0	..
Kochi,	"	29.68	..	..	NE	2	..
Nagasaki,	"	29.64	..	..	E	6	..
Kagoshima,	"	29.64	..	..	SW	2	..
Oshima,	"	29.73	..	..	SW	4	..
Naha,	"	29.77	..	..	S	4	..
Ishigakijima,	"	29.74	..	..	SW	8	..
Taihoku,	5 a.	29.69	..	..	.	0	..
Taichu,	"	29.74	..	..	S	2	..
Tainan,	"	29.77	..	..	SE	2	..
Koshun,	"	..	..	..	..	.	..
Pescadores,	"	29.77	..	..	S	6	..
Gutzlaff,	9 a.	29.54	78	86	SSW	2	cv
Sharp Peak,	..	29.70	80	82	S	4	o
Amoy,	6.30a	29.72	80	87	SSW	3	om
Swatow	9.a.	..	..	..	..	..	
Canton,	"	..	..			..	..
Hongkong,	10 a.	29.74	83	80	SSW	4	cq
Victoria Peak,	"	..	..	..	.	..	.
Gap Rock,	"	29.73	..	..	SW	4	..
Macao,	"	29.74	84	..	SW	2	o
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	0	b
Bacolod,	"	.		..	N	2	b
Iloilo,	"	29.90	83	..	..	0	b
Cebu,	"	29.88	84	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 14th at 11.50a. The barometer has fallen generally, particularly over the E. coast of China, and SW. Japan. The depression is moving into the Yellow Sea and will advance Eastwards towards W. Japan. Gradients rather steep to moderate for SW. winds on the China coast and over the N. part of the China Sea. Forecast:—fresh SW. winds; squally. showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Saturday 14th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

14th JUNE 1902, P.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	2p.	..	..	..		..	.
Nemuro	,,	29.88	..	..	NE	4	.
Hakodate,	,,	29.85	..	..	S	4	..
Tokio,	,,	29.63	..	..	S	4	..
Kochi,	,,	29.56	..	..	NE	2	..
Nagasaki,	,,	29.56	..	..	SE	6	..
Kagoshima,	,,	29.60	..	..	SW	6	..
Oshima,	,,	29.69	..	..	SW	10	..
Naha,	,,	..	..	..	..	..	..
Ishigakijima,	,,	.	..	..		.	..
Taihoku,	1p.	29.67	..	..	SW	6	..
Taichu,	,,	29.75	..	..	SW	6	..
Tainan,	,,	29.79	..	..	S	6	..
Koshun,	,,		..	..		..	..
Pescadores,	,,	29.77	..	..	S	4	.
Gutzlaff,	3p.	29.51	81	91	E	1	cv
Sharp Peak,	,,	29.58	80	87	S	7	o
Amoy,	2.30p	29.63	82	42	S	4	oq
Swatow,	3p.	.	..	..	.	.	.
Canton,	,,	29.69	87	80	S	2	o
Hongkong,	4p.	29.68	83	80	SW	5	oq
Victoria Peak,	,,	..	..	..		..	..
Gap Rock,	,,	29.68	..	..	SW	5	.
Macao,	,,	29.67	80	..	SW	3	cq
Haiphong,	1p.	..	..	..		..	.
Manila,	4p.	29.76	95	51	SSW	3	c
Malate,	3p.	..	..	..	..	..	..
Bacolod,	,,	..	..	..	..	..	..
Iloilo,	,,	..	..	..	..	..	..
Cebu,	,,	..	..	..	..	..	..
Cape S. James,	,,	..	..	..	..	..	..

15th JUNE 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force	Weather.
Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.88	..	..	..	0	..
Hakodate,	,,	29.85	..	..	E	6	..
Tokio,	,,	29.78	..	..	NE	4	..
Kochi,	,,	29.56	..	..	E	6	..
Nagasaki,	,,	29.69	..	..	SW	10	..
Kagoshima,	,,	29.62	..	..	SW	8	..
Oshima,	,,	29.69	..	..	SW	4	..
Naha,	,,	29.74	..	..	S	4	..
Ishigakijima,	,,	29.79	..	.	SW	10	..
Taihoku,	5a.	..	..	..	..	..	..
Taichu,	,,	29.72	..	..	S	2	..
Tainan,	,,	29.76	..	..	S	2	..
Koshun,	,,	.	..	.	.	..	..
Pescadores,	,,	29.73		.	S	6	..
Gutzlaff,	9a.	29.71	72	90	N	4	cv
Sharp Peak,	,,	29.65	80	87	S	1	og
Amoy,	6.30a	29.70	79	95	SSE	2	c
Swatow,	9 a.	..		.		..	..
Canton,	,,	29.72	83	96	SE	1	o
Hongkong,	10a.	29.77	82	86	SW	4	otq
Victoria Peak,	,,	..	.	.	SW	6	..
Gap Rock,	,,	29.77	..	.	SW	4	..
Macao,	,,	29.75	84	..	SW	..	o
Haiphong,	7a.		..			..	..
Manila,	10a.	29.88	86	85	WSW	1	c
Malate,	9a.	..	..	..	E	2	c
Bacolod,	,,		..	..	..	0	b
Iloilo,	,,	29.93	83	..	.	0	c
Cebu,	,,	29.92	80	..	N	1	or
Cape S. James,	7a.	..	..	..	..	..	..

On the 15th at *noon*: The barometer has fallen in SW. Japan, risen in China, particularly in the North. The depression moving Eastwards, has reached the Straits of Korea. Gradients slight to moderate on the China coast for NE winds in the North, and for SW. winds in the South. Forecast:—moderate SW. winds; squ'ly, thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 15th June 1902.

CHINA COAST METEOROLOGICAL REGISTER

15th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.74	..	..	S	1	o
Nemuro,	"	29.84	..	..	SE	6	..
Hakodate,	"	29.81	..	..	SE	8	..
Tokio,	"	29.74	..	..	NE	4	..
Kochi,	"	29.40	..	..	NE	8	..
Nagasaki,	"	29.40	..	..	W	8	..
Kagoshima,	"	29.48	..	..	W	8	..
Oshima,	"	29.61	..	..	SW	6	..
Naha,	"	29.74	..	..	SW	6	..
Ishigakijima,	"	29.74	..	..	SW	6	..
Taihoku,	1 p.	29.68	..	..	W	6	..
Taichu,	"	29.76	..	..	S	6	..
Tainan,	"	29.79	..	..	S	6	..
Koshun,	"	..	..	..	.		..
Pescadores,	"	29.76	..	..	S	6	..
Gutzlaff,	3 p.	29.72	72	90	NNE	2	cv
Sharp Peak,	..	29.60	80	87	S	7	r
Amoy,	2.30p	29.66	83	83	SSE	4	o
Swatow,	3p.	..	..	..		..	..
Canton,	"	29.65	83	96	S	1	o
Hongkong,	4 p.	29.68	83	83	SSW	4	cq
Victoria Peak,	"	..	..	..	SSW	6	..
Gap Rock,	"	29.69	82	..	SW	4	..
Macao,	"	29.66	85	..	SW	1	c
Haiphong,	1 p.	..	..	..	.	..	..
Manila,	4 p.	29.76	90	66	WSW	3	c
Malate,	3 p.	..	..	..	SW	2	o
Bacolod,	"	..	..	..	SW	2	c
Iloilo,	"	..	85	..	..	..	o
Cebu,	"	29.81	83	..	..	0	o
Cape S. James,	"	..	..	..	..	..	..

16th JUNE, 1902, A. M.

Wladivostock,	7 a.	29.80	49	95	S	2	c
Nemuro,	6.a	29.88	..	..	SE	4	..
Hakodate,	"	29.81	..	..	SE	4	..
Tokio,	"	29.71	..	..	N	4	..
Kochi,	"	29.68	..	..	NE	2	..
Nagasaki,	"	29.75	..	..	NE	4	..
Kagoshima,	"	29.72	..	..	N	4	..
Oshima,	"	29.76	..	..	N	2	..
Naha,	"	29.77	..	..	S	2	..
Ishigakijima,	"	29.74	..	..	SW	6	..
Taihoku,	6 a.	29.74	..	..	.	0	..
Taichu,	"	29.79	..	..	S	2	..
Tainan,	"	29.80	..	..	W	2	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.80	..	..	S	4	..
Gutzlaff,	9 a.	29.76	70	95	SE	3	cm
Sharp Peak,	"	29.71	79	89	S	2	o
Amoy,	6.30a	..	.	..	..	..	..
Swatow,	9.a.	..	..	..	..	..	.
Canton,	"	..	..	.		..	..
Hongkong,	10 a.	29.81	83	79	SW	3	o
Victoria Peak,	"	..	..	..	SSW	6	..
Gap Rock,	"	29.80	..	..	SW	4	..
Macao,	"	29.79	81	..	SW	1	c
Haiphong,	7 a.	..	..	..		..	.
Manila,	10 a.	29.88	86	71	WNW	1	c
Malate,	9 a.	..	..	..	..	..	..
Bacolod,	"	..	.	..	..	..	..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	.	..	..

On the 16th at 11.30a. The barometer has risen much in W. Japan and slightly on the China coast. The depression is moving Eastwards to the S. of Japan. Gradients moderate to slight for SE. to SW. winds along the China coast and in the N. part of the China Sea.

Forecast:—moderate SW. breezes; squally showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 16th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

16th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.92	..	..	SE	4	..
Hakodate,	"	29.85	..	..	SE	8	..
Tokio,	"	29.78	..	..	N	4	..
Kochi,	"	29.79	..	..	.	0	..
Nagasaki,	"	29.79	..	..	N	4	..
Kagoshima,	"	29.79	..	..	..	0	..
Oshima,	"	.	..	..	..	..	..
Naha,	"	..	..	..	..	..	..
Ishigakijima,	"	..	..	..		..	..
Taihoku,	1 p.	29.73	..	..	W	6	..
Taichu,	"	29.76	..	..	S	4	..
Tainan,	"	29.80	..	..	W	4	..
Koshun,	"	..	..	..	.	.	..
Pescadores,	"	29.80	..	..	S	8	..
Gutzlaff,	3 p.	29.74	73	90	SE	5	cv
Sharp Peak,	..	29.65	81	91	SSE	6	o
Amoy,	2.30p	29.71	85	83	SSE	3	o
Swatow,	3p.	..	..	..		..	..
Canton,	"	29.68	90	81	SE	2	or
Hongkong,	4 p.	29.73	84	78	SW	3	cq
Victoria Peak,	"	..	..	..	SSW	6	..
Gap Rock,	"	29.72	..	..	SW	4	..
Macao,	"	..	87	..	SW	2	cq
Haiphong,	1 p.	..	..	..		..	..
Manila,	4 p.	29.84	86	78	SW	1	ot
Malate,	3 p.	..	..	..	SW	3	ot
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.87	85	..	NW	2	o
Cebu,	"	29.85	86	..	S	1	o
Cape S. James,	"	..	..	..	..	..	..

17th JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Nemuro,	6 a	..	..	..	..	..	..
Hakodate,	"	..	..	..	..	..	..
Tokio,	"	.	..	..	..	..	..
Kochi,	"	..	..	..	..	.	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	.	..	..	..	.	..
Oshima,	"	..	..	..	..	..	..
Naha,	"	..	..	..	..	..	..
Ishigakijima,	"	..	..	..	..	.	..
Taihoku,	6 a.	29.76	..	..	..	0	..
Taichu,	"	29.76	..	..	S	2	..
Tainan,	"	29.79	..	..	SW	2	..
Koshun,	"	29.79	..	..	NW	4	..
Pescadores,	"	29.79	..	..	S	6	.
Gutzlaff,	9 a.	29.61	76	95	SE	2	cm
Sharp Peak,	..	29.66	81	89	S	2	o
Amoy,	6.30a	29.77	80	91	S	2	c
Swatow	9.a.	.	..	..	..	.	
Canton,	"	..	88	80	E	3	c
Hongkong,	10 a.	29.80	83	80	SSW	2	o
Victoria Peak,	"	.	..	..	SSW	7	..
Gap Rock,	"	29.80	..	..	SW	4	..
Macao,	"	29.78	88	..	SW	2	c
Haiphong,	7 a.			..	..	..	.
Manila,	10 a.	29.84	82	85	..	0	o
Malate,	9 a.	..	..	..	W	2	o
Bacolod,	"	.		..	SW	2	b
Iloilo,	"	29.94	82	..	W	..	o
Cebu,	"	29.91	85	..	S	1	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 17th at 11.20a. The barometer has risen in E. Japan, fallen in N. China. Another depression seems to be approaching the E. coast of China from the Westward. Gradients moderate to rather steep for SE to SW. winds on the China coast. Forecast:—moderate SW. winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Tuesday 17th June, 1902.

CHINA COAST METEOROLOGICAL REGISTER

17th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.96	..	..	N	4	..
Hakodate,	"	29.97	..	..	SE	4	..
Tokio,	"	29.94	..	..	S	2	..
Kochi,	"	29.87	..	..	NE	4	..
Nagasaki,	"	29.75	..		E	4	..
Kagoshima,	"	29.75	..		E	6	..
Oshima,	"	29.73	..	..	S	4	..
Naha,	"	29.77	..	..	S	4	..
Ishigakijima,	"	29.74	..	..	SW	6	..
Taihoku,	1 p.	29.69	..	..	SW	4	..
Taichu,	"	29.76	..	..	SW	6	..
Tainan,	"	29.79	..	..	SW	4	..
Koshun,	"	29.77	..	..	W	6	..
Pescadores,	"	29.80	..	..	S	6	..
Gutzlaff,	3 p.	29.64	77	91	SSE	1	cv
Sharp Peak,	..	29.60	83	87	S	6	o
Amoy,	2.30p	29.66	86	84	S	4	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.67	..	..	SW	2	b
Hongkong,	4 p.	29.69	85	79	SSW	1	c
Victoria Peak,	"	..	..	..	S	4	..
Cap Rock,	"	29.69	..	..	SW	3	..
Macao,	"	29.68	88	..	SSW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	81	92	S	1	c
Nalate,	3 p.	..	..		SW	2	o
Bacolod,	"	..	..	..	SW	2	o
Iloilo,	"	29.85	84	..	NE	3	o
Cebu,	"	29.82	86	..	..	0	o
Cape S. James,	"	..	..		..	..	..

18th JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Nemuro,	6 a	29.96	..	..	NW	4	..
Hakodate,	"	29.97	..	..	N	2	..
Tokio,	"	29.90	..	..	S	2	..
Kochi,	"	29.75	..	..	NW	6	..
Nagasaki,	"	29.64	..	..	E	6	..
Kagoshima,	"	29.68	..	..	E	2	..
Oshima,	"	29.73	..	..	S	2	..
Naha,	"	29.77	..	..	S	4	..
Ishigakijima,	"	29.74	..	..	SW	6	..
Taihoku,	5 a.	29.72	..	..	..	0	..
Taichu,	"	29.72	..	..		0	..
Tainan,	"	29.72	..	..	SW	2	..
Koshun,	"	29.72	..	..	W	4	..
Pescadores,	"	29.74	..	..	S	4	..
Gutzlaff,	9 a.	29.70	74	100	NE	1	b
Sharp Peak,	"	29.64	82	91	..	0	o
Amoy,	6.30a	..	..	..	..	..	..
Swatow	9.a.		..	..	..	..	
Canton,	"	29.71	90	77	SW	1	b
Hongkong,	10 a.	29.75	85	76	SW	2	o
Victoria Peak,	"	..		..	S	3	..
Cap Rock,	"	29.75			SSW	3	..
Macao,	"	29.76	90	..	SSW	1	c
Haiphong,	7 a.			..	..	..	..
Manila,	10 a.	29.88	81	85	..	0	o
Nalate,	9 a.	..	..	..	..	0	o
Bacolod,	"	..		..	S	2	o
Iloilo,	"	29.94	82	..	S	2	c
Cebu,	"	29.93	87	..	..	0	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 17th at 11.30a. The barometer has fallen in W. Japan, risen slightly in N. China. The depression is moving Eastwards between the E. coast of China and W. Japan. Gradients slight on the China coast, for NE. winds in the North, and for SW. winds in the South. Forecast:—moderate S. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 18th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2p.	29.83	57	..	S	5	c
Nemuro, ...	,,	29.88	..	..	W	2	..
Hakodate, ...	,,	29.89	..	..	SW	6	..
Tokio, ...	,,	29.82	..	..	S	4	..
Kochi, ...	,,	29.68	..	..	NE	6	..
Nagasaki, ...	,,	29.60	..	..	SE	2	..
Kagoshima....	,,	29.64	..	..	..	0	..
Oshima, ...	,,	29.73	..	..	SW	6	..
Naha, ...	,,	..	..	..	..	..	..
Ishigakijima, ..	,,	..	..	..		..	..
Taihoku, ...	1 p.	29.68	..	..	NW	2	..
Taichu, ...	,,	29.73	..	..	SW	6	..
Tainan, ...	,,	29.75	..	..	SW	6	..
Koshun, ...	,,	29.76	..	..	NW	4	..
Pescadores, . .	,,	29.74	..	..	S	6	..
Gutzlaff, ...	3 p.	29.72	74	95	NE	2	om
Sharp Peak, ..	..	.	84	83	S	2	o
Amoy, ...	2.30p	29.66	87	80	SE	4	c
Swatow, .. .	3p.	..	..	..		..	..
Canton, ...	,,	29.68	96	68	SE	2	b
Hongkong, ...	4 p.	29.68	85	79	SSW	1	o
Victoria Peak,	,,	..	..	..	S	6	..
Gap Rock, ...	,,	29.67	..	..	SSW	3	..
Macao,.....	,,	29.65	90	..	SW	1	c
Haiphong, ...	1 p.	.	..	..		..	..
Manila, ...	4 p.	29.80	79	84	WNW	4	oq
Malate, ...	3 p.	..	..	..	SW	1	o
Bacoled, ...	,,	..	..	..	W	2	b
Iloilo, ...	,,	29.85	81	..	NE	2	c
Cebu, ...	,,	29.85	87	..	S	2	b
Cape S. James,	,,	..	..	..	..	..	..

19th JUNE, 1902, A. M.

Wladivostock...	7 a.	29.77	52	98	.	0	c
Nemuro, ...	6.a	29.76	..	..	NW	4	..
Hakodate, ...	,,	29.81	..	..	S	2	..
Tokio, ...	,,	29.74	..	..	..	0	..
Kochi, ...	,,	29.68	..	..	NE	4	..
Nagasaki, ...	,,	29.60	..	..	N	4	..
Kagoshima....	,,	29.60	..	..	E	4	..
Oshima, ...	,,	29.61	..	..	S	4	..
Naha, ...	,,	.	..	..	..	0	..
Ishigakijima, ..	,,	29.70	..	..	S	4	..
Taihoku, ...	6 a.	29.67	..	..	..	0	..
Taichu, ...	,,	29.71	..	..		0	..
Tainan, ...	,,	29.71	..	..	SW	2	..
Koshun, ...	,,	29.71	..	..	W	2	..
Pescadores,....	,,	29.70	..	..	S	6	..
Gutzlaff, ...	9 a.	29.73	70	95	ENE	5	om
Sharp Peak,...	..	29.61	81	91	SSW	2	o
Amoy,..... ..	6.20a	29.67	82	91	SE	1	c
Swatow	9.a.	.	..	.	.	.	
Canton, ...	,,	29.67	88	84	S	1	c
Hongkong.....	10 a.	29.72	86	76	SSW	1	o
Victoria Peak,	,,	..	..	..	.	..	..
Gap Rock, ...	,,	29.72	..	..	SW	3	..
Macao,.....	,,	29.70	90	..	SSW	1	c
Haiphong, ...	7 a.	.	..	..	..	..	.
Manila,.....	10 a.	29.84	84	85	..	0	b
Malate,.....	9 a.	..	..	..	W	2	o
Bacoled, ...	,,	.	.	..	S	2	b
Iloilo, ...	,,	29.94	85	..	W	1	c
Cebu, ...	,,	29.92	87	..	S	1	b
Cape S. James,	7 a.	..	..	..	.	..	..

On the 18th at 11.5a The barometer has fallen in Japan and is changed little elsewhere. The elongated depression still extends between the E. coast of China and W. Japan. Gradients moderate on the China coast, for NE winds in the North, and for SW. winds in the South. Forecast:—moderate SW. breezes; fair to showery.

F. G. FIGG,
Acting Director

Hongkong Observatory, Thursday 19th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

19th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..		..	
Nemuro,	"	29.76	..	..	E	6	..
Hakodate,	"	29.77	..	..	S	6	..
Tokio,	"	29.71	..	..	S	4	..
Kochi,	"	29.68	..	..	NE	6	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	29.60	..	..	E	4	..
Oshima,	"	29.65	..	..	SW	2	..
Naha,	"	29.66	..	..	W	4	..
Ishigakijima,	"	29.66	..	..	SW	6	..
Taiboku,	1 p.	29.61	..	..	NW	6	..
Taichu,	"	29.67	..	..	S	4	..
Tainan,	"	29.68	..	..	SW	4	..
Koshun,	"	29.70	..	..	W	6	..
Pescadores,	"	29.72	..	..	S	6	..
Gutzlaff,	3 p.	29.74	71	85	ENE	4	..
Sharp Peak,	..	29.59	84	87	SE	6	cv
Amoy,	2.30p	29.60	88	80	S	3	o
Swatow,	3p.	29.78	89	..	SW	..	c
Canton,	"	29.64	96	68	S	2	c
Hongkong,	4 p.	29.64	86	74	SW	2	b
Victoria Peak,	"	..	..	.	..	..	o
Cap Rock,	"	29.65	..	..	SSW	3	..
Macao,	"	29.63	88	..	SSW	2	..
Haiphong,	1 p.	.		..	.	..	c
Manila,	4 p.	29.76	86	71	WSW	3	..
Malate,	3 p.	..	..	..	SW	2	c
Bacolod,	"	..	..	..	WSW	2	c
Iloilo,	"	29.87	85	..	NW	3	c
Cebu,	"	29.81	88	..	..	0	o
Cape S. James,	"	..	..	..	..	..	b

20th JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.		..	..	..	.	..
Nemuro,	6a	29.80	..	..	..	0	..
Hakodate,	"	29.81	..	..	..	0	..
Tokio,	"	29.82	..	..	..	0	..
Kochi,	"	29.75	..	..	E	2	..
Nagasaki,	"	29.68	..	..	N	2	..
Kagoshima,	"	29.68	..	..	E	4	..
Oshima,	"	29.61	..	..	.	0	..
Naha,	"	29.66	..	..	SW	2	..
Ishigakijima,	"	29.62	..	..	NE	2	..
Taiboku,	6 a.	..	..	..	..	..	..
Taichu,	"	..	..	..	.	..	..
Tainan,	"	.	..	..	..	.	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	.	..		..	..
Gutzlaff,	9 a.	29.75	68	100	ENE	5	om
Sharp Peak,	..	.	.	.		..	..
Amoy,	6.30a	29.63	83	87	SE	3	c
Swatow	8a.		..	.		.	
Canton,	"	29.64	88	88	SW	1	b
Hongkong,	10 a.	29.69	85	79	S	3	o
Victoria Peak,	"	.	..	..	S	6	..
Cap Rock,	"	29.69	.	.	SSW	4	..
Macao,	"	29.69	89	..	SSW	2	cq
Haiphong,	7 a.			..	..	..	.
Manila,	10 a.	29.84	86	78	WSW	1	c
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	.	.	..	S	2	o
Iloilo,	"	29.94	84	..	SW	2	b
Cebu,	"	29.89	88	..	..	0	b
Cape S. James,	7 a.	..	..	..	.	..	..

On the 20th at 11.30 a. Barometric changes are unimportant. The shallow elongated depression extends from the SE. coast of China to the Loochoos. Gradients moderate for NE winds over the E. coast of China and for SW. winds in S. China and the N. part of the China Sea. Forecast:—fresh SW. winds; unsettled, squally.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 20th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

20th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.75	73	..	W	1	b
Nemuro,	"	29.80	..	..	S	6	..
Hakodate,	"	29.85	..	..	SE	6	..
Tokio,	"	29.82	..	..	E	4	..
Kochi,	"	29.75	..	..	E	4	..
Nagasaki,	"	29.68	..	..	NE	4	..
Kagoshima,	"	29.68	..	.	E	6	..
Oshima,	"	29.61	..	..	E	2	..
Naha,	"	29.66	..	..	W	2	..
Ishigakijima,	"	29.66	..	..	W	6	..
Taihoku,	1p.	29.59	..	..	W	6	..
Taichu,	"	29.67	..	..	S	6	..
Tainan,	"	29.72	..	..	S	8	..
Koshun,	"	29.72	..	..	W	6	..
Pescadores,	"	29.70	..	..	W	8	..
Cutzlaff,	3p.	29.70	71	95	E	5	cm
Sharp Peak,	..	.	..	..	..	..	..
Amoy,	2.30p	29.64	87	76	S	6	c
Swatow,	3p.	29.67	87	..	SW	4	b
Canton,	"	29.57	94	68	S	2	b
Hongkong,	4p.	29.61	87	73	SW	2	og
Victoria Peak,	"	..	..	..	SSW	7	..
Cap Rock,	"	29.60	..	..	SSW	4	..
Macao,	"	29.60	90	..	SW	2	c
Haiphong,	1p.	..	..	..	.	..	..
Manila,	4p.	29.80	..	77	WSW	2	c
Malate,	3p.	..	..	..	SW	2	c
Bacolod,	"	..	..	..	S	2	b
Iloilo,	"	29.85	87	..	SW	2	b
Cebu,	"	29.81	89	..	S	2	b
Cape S. James,	"	..	..	..	..	..	..

21st JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.73	58	99	SE	3	o
Nemuro,	6.a	..	..	..	..	..	..
Hakodate,	"	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"		..	..	..	.	..
Oshima,	"	..	..	..	..	.	..
Naha,	"	..	..	..	..	.	..
Ishigakijima,	"		..	..	..	..	..
Taihoku,	5 a.	29.63	..	..	..	0	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	29.72	..	..	S	2	..
Koshun,	"	29.73	..	..	W	4	..
Pescadores,	"	29.72	..	..	S	6	..
Cutzlaff,	9 a.	29.66	70	100	ENE	5	fd
Sharp Peak,	..	.	..	.	.	..	..
Amoy,	6.30a	29.66	83	87	S	2	o
Swatow	9.a.	.	..	.	.	.	
Canton,	"	29.68	86	84	S	2	c
Hongkong,	10 a.	29.70	84	79	SSW	4	cg
Victoria Peak,	"	..	..	..	S	7	..
Cap Rock,	"	29.69	..	..	SSW	4	..
Macao,	"	29.69	84	..	SSW	1	o
Haiphong,	7 a.		..	..	..	..	.
Manila,	10 a.	29.88	88	72	SW	1	dr
Malate,	9 a.	..	..	..	E	2	b
Bacolod,	"	.	.	..	..	0	b
Iloilo,	"	29.97	84	..	W	1	or
Cebu,	"	29.94	86	..	S	2	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 21st at 12.10p The barometer has fallen over the E. coast of China. The elongated depression still lies over the SE. coast of China and the Pacific towards the Loochoos. Gradients moderate for NE winds over the NE coast of China and for SW. winds over S. China and the N. part of the China Sea. Forecast:—fresh SW. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 21st June 1902.

CHINA COAST METEOROLOGICAL REGISTER

21st JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.71	58	..	S	3	f
Nemuro,	"	29.80	..	..	SW	2	..
Hakodate,	"	29.89	..	..	SE	2	..
Tokio,	"	29.94	..	..	..	0	..
Kochi,	"	29.87	..	..	NE	6	..
Nagasaki,	"	29.75	..	..		0	..
Kagoshima,	"	29.75	..	..	E	8	..
Oshima,	"	29.69	..	..	SE	2	..
Naha,	"	29.70	..	..	SW	2	..
Ishigakijima,	"	29.66	..	..	SW	2	..
Taihoku,	1 p.	29.66	..	..	W	4	..
Taichu,	"	29.71	..	..	SW	4	..
Tainan,	"	29.75	..	..	S	6	..
Koshun,	"	29.77	..	..	W	4	..
Pescadores,	"	29.74	..	..	SW	8	..
Gutzlaff,	3 p.	29.62	72	90	NE	5	.
Sharp Peak,	..	29.56	84	85	SSE	6	cm
Amoy,	2.30p	..	..	..	..	..	o
Swatow,	3p.	..	..	..		..	..
Canton,	"	29.60	90	77	S	2	..
Hongkong,	4 p.	29.64	85	78	SSW	3	c
Victoria Peak,	"	..	..	..	SSW	7	opq
Gap Rock,	"	29.63	..	..	SSW	4	..
Macao,	"	29.62	87	..	SW	2	..
Haiphong,	1 p.	..	..	..		..	c
Manila,	4 p.	29.84	88	72	WSW	2	..
Malate,	3 p.	..	..	..	W	2	f
Bacolod,	"	..	..	..	SW	4	e
Iloilo,	"	29.86	87	..	SW	..	b
Cebu,	"	29.84	87	..	SW	2	c
Cape S. James,	"	..	..	..	..	..	b

22nd JUNE, 1902, A. M.

Wladivostock,	7 a.	29.67	54	99	SE	4	f
Nemuro,	6.a	29.76	..	..	..	0	..
Hakodate,	"	29.81	..	..	..	0	..
Tokio,	"	29.90	..	..	SW	2	..
Kochi,	"	26.83	..	..	E	4	..
Nagasaki,	"	29.64	..	..	E	4	..
Kagoshima,	"	29.72	..	..	E	6	..
Oshima,	"	29.65	..	..	S	2	..
Naha,	"	29.70	..	..	SW	4	..
Ishigakijima,	"	29.70	..	..	W	6	..
Taihoku,	5 a.	29.67	..	..	SW	2	..
Taichu,	"	29.73	..	..	SW	2	..
Tainan,	"	29.70	..	..	SE	2	..
Koshun,	"	29.76	..	..	W	2	..
Pescadores,	"	29.74	..	..	S	6	..
Gutzlaff,	9 a.	29.63	71	95	NW	3	cv
Sharp Peak,	"	29.63	83	83	S	3	o
Amoy,	6.30a	29.68	82	87	S	2	o
Swatow	9.a.	.	..	.	.	.	
Canton,	"	29.65	88	80	S	1	c
Hongkong,	10 a.	29.69	84	78	SW	4	cq
Victoria Peak,	"	..	..	..	SSW	6	..
Gap Rock,	"	29.69	..	..	SSW	4	..
Macao,	"	29.72	83	..	SW	2	c
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"			..	..	0	b
Iloilo,	"	29.97	84	..	SW	2	c
Cebu,	"	29.95	77	..	S	2	b
Cape S. James,	7 a.	..	..	..	..	..	..

On the 22nd at 11.30a. The barometer has fallen in Japan. The depression is moving Eastwards between the E. coast of China and SW. Japan. Gradients moderate for SW. winds in S. China and the N. part of the China Sea. Forecast:—modera te SW. breezes; squally and showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 22nd June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

22nd JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	3 p.	..	..	..	.	..	..
Nemuro, ...	"	29.80	..	..	E	4	..
Hakodate, ...	"	29.73	..	..	S	6	..
Tokio, ...	"	29.74	..	..	E	6	..
Kochi, ...	"	.	..	..	SE	6	..
Nagasaki, ...	"	29.64	..	..	SE	6	..
Kagoshima,...	"	29.64	..	..	N	2	..
Oshima, ...	"	29.65	..	..	SW	4	..
Naha, ...	"	29.70	..	..	SW	8	..
Ishigakijima, ..	"	..	..	..	.	.	..
Taihoku, ...	4 p.	29.65	..	..	W	6	..
Taichu, ...	"	29.74	..	..	S	8	..
Tairan, ...	"	29.65	..	..	SW	6	..
Koshun, ...	"	29.76	..	..	W	4	..
Pescadores, . .	"	29.73	..	..	S	8	..
Gutzlaff, ...	4 p.	29.58	77	72	SW	2	cv
Sharp Peak, .	"	29.57	82	85	S	7	o
Amoy, ...	2.30 p	29.65	82	77	SW	1	o
Swatow, ...	5 p.	..	..	..	.	..	..
Canton, ...	"	29.62	94	52	S	2	o
Hongkong, ...	4 p.	29.63	95	78	SW	4	cq
Victoria Peak,	"	..	..	.	S	6	..
Gap Rock, ...	"	29.62	..	..	SSW	4	..
Macao.... ...	"	..	81	..	SSW	2	cq
Hanjkong, ...	4 p.	..	..	..	.	..	..
Manila, ...	4 p.	29.80	86	78	WSW	3	b
Mariveles, ...	3 p.	..	..	..	SW	3	b
Bacolod, ...	"	..	..	..	SW	2	b
Iloilo, ...	"	29.86	87	..	SW	2	b
Cebu, ...	"	29.83	88	..	S	2	c
Cape S. James,	"	..	.	..	..	..	..

23rd JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	7 a.		..	..	.	..	..
Nemuro, ...	6 a	29.80	..	..	SE	4	..
Hakodate, ...	"	29.70	..	..	SE	4	..
Tokio, ...	"	29.74	..	..	S	4	..
Kochi, ...	"	29.56	..	..	E	4	..
Nagasaki, ...	"	29.44	..	..	SE	6	..
Kagoshima.....	"	29.48	..	..	S	4	..
Oshima, ...	"	29.57	..	..	S	4	..
Naha, ...	"	29.62	..	..	S	4	..
Ishigakijima, ..	"	29.62	..	..	SW	8	..
Taihoku, ...	5 a.	29.61	..	..	.	0	..
Taichu, ...	"	29.66	..	..	S	4	..
Tairan, ...	"	29.69	..	..	SW	6	..
Koshun, ...	"	29.72	..	..	SW	4	..
Pescadores,....	"	29.69	..	..	S	6	..
Gutzlaff, ...	9 a.	29.82	74	81	NW	5	cv
Sharp Peak,...	"	29.52	82	87	SSW	6	o
Amoy..... ..	9.30 a	29.66	81	91	S	2	cm
Swatow	9 a.	.	..	.	.	..	..
Canton, ...	"	..	.	..		..	..
Hongkong, ...	10 a.	29.66	85	76	S	4	cq
Victoria Peak,	"	..	.	..	SSW	7	..
Gap Rock, ...	"	29.66	..	..	SSW	4	..
Macao.....	"	29.64	88	..	SW	2	cpq
Hanjkong, ...	7 a.	..	..	..	..	..	.
Manila.....	10 a.	..	.	.	..	..	..
Mariveles.....	9 a.	..	..	..	SW	3	b
Bacolod, ...	"	.	.	..	SW	2	b
Iloilo, ...	"	29.92	83	..	..	0	..
Cebu	"	29.89	88	..	W	2	c
Cape S. James	7 a.	..	..	..	.	..	..

On the 23rd at 11.5a. The barometer has fallen generally, particularly in SW. Japan. The depression has deepened and is moving slowly NE towards W. Japan. Gradients moderate for SW. winds in S. China and the N. part of the China Sea. Forecast:—moderate SW. breezes; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 23rd June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

23rd JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2p.	29.41	59	..	SE	2	or
Nemuro, ...	"	29.76	..	..	NE	4	..
Hakodate, ...	"	29.62	..	..	SE	6	..
Tokio, ...	"	29.67	..	..	S	6	..
Kochi, ...	"	29.36	..	..	SE	10	..
Nagasaki, ...	"	29.28	..	..	SW	8	..
Kagoshima....	"	29.32	..	..	SW	8	..
Oshima, ...	"	29.53	..	..	SW	6	..
Naha, ...	"	29.62	..	..	SW	6	..
Ishigakijima, ..	"	29.62	..	..	SW	8	..
Taihoku, ...	1 p.	29.57	..	..	W	8	..
Taichu, ...	"	29.66	..	..	SW	6	..
Tainan, ...	"	29.69	..	..	SW	6	..
Koshun, ...	"	29.71	..	..	SW	2	..
Pescadores, . .	"	29.65	..	..	SW	6	..
Gutzlaff, ...	3 p.	29.58	77	90	NNW	3	cv
Sharp Peak, .	..	29.54	83	87	SSW	1	o
Amoy, ...	2.30p	29.65	87	76	S	6	c
Swatow, .. .	3p.	29.67	88	..	SW	4	b
Canton, ...	"	..	..	..	..	..	..
Hongkong, ...	4 p.	29.60	86	76	SW	3	oq
Victoria Peak,	"	..	..	..	SSW	3	..
Gap Rock, ..	"	29.60	..	..	SW	4	..
Macao, ...	"	29.58	87	..	SSW	2	c
Haiphong, ...	1 p.			..		..	..
Manila, ...	4 p.	29.80	86	71	WSW	2	b
Malate, ...	3 p.	..	..	..	WSW	2	c
Bacolod, ...	"	..	..	..	SW	4	b
Iloilo, ...	"	29.84	87	..	W	1	c
Cebu, ...	"	29.81	88	..	SW	2	c
Cape S. James,	"	..	..	..	..	..	..

24th JUNE, 1902, A. M.

Wladivostock, ..	7 a.	29.38	54	99	N	3	or
Nemuro, ...	6 a	29.72	..	..	E	4	..
Hakodate, ...	"	29.34	..	..	SE	10	..
Tokio, ...	"	29.31	..	..	S	6	..
Kochi, ...	"	29.40	..	..	W	4	..
Nagasaki, ...	"	29.48	..	..	SW	6	..
Kagoshima.....	"	29.52	..	..	W	2	..
Oshima, ...	"	29.57	..	..	..	[illegible]	..
Naha, ...	"	29.62	..	..	SW	4	..
Ishigakijima, ..	"	29.62	..	..	SW	6	..
Taihoku, ...	5 a.	29.62	..	..	..	0	..
Taichu, ...	"	29.69	..	..	S	2	..
Tainan, ...	"	29.67	..	..	SW	4	..
Koshun, ...	"	29.69	..	..	W	6	..
Pescadores,....	"	29.66	..	..	SW	6	..
Gutzlaff, ...	9 a.	29.55	76	86	SW	3	cv
Sharp Peak,...	..	29.54	81	85	S	3	o
Amoy, ...	6.30a	29.60	82	87	S	1	c
Swatow	9.a.	.	..	.	..	..	
Canton, ...	"	..	..	..		..	..
Hongkong.....	10 a.	29.65	85	79	WSW	4	oq
Victoria Peak,	"	..	..	..	SW	7	..
Gap Rock, ...	"	29.66	..	..	SW	4	..
Macao.....	"	29.67	90	..	WSW	2	c
Haiphong, ...	7 a.	..	..	..	..	..	.
Manila.....	10 a.	..	..	..	..	..	..
Malate,.....	9 a.	..	..	..	WSW	1	c
Bacolod, ...	"	.	.	..	S	2	b
Iloilo, ...	"	29.91	84	..	..	0	b
Cebu, ...	"	29.89	85	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 24th at 11.25a. The barometer has fallen in E. Japan, risen slightly over the E. coast of China. The depression has moved Northeastward into the N. part of the Sea of Japan. Gradients moderate for SW. winds on the S. coast of China and in the N. part of the China Sea. Forecast:—fresh SW. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 24th June 1902.

HINA COAST METEOROLOGICAL REGISTER.

24th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.69	..	..	E	6	..
Hakodate,	"	29.58	..	..	SE	4	..
Tokio,	"	29.31	..	..	S	4	..
Kochi,	"	29.44	..	..	W	6	..
Nagasaki,	"	29.66	..	..	SW	8	..
Kagoshima,	"	29.60	..	..	NW	2	..
Oshima,	"	29.65	..	..	SW	6	..
Naha,	"	29.66	..	..	SW	6	..
Ishigakijima,	"	..	..	..	..	..	..
Taihoku,	1 p.	29.58	..	..	SW	8	..
Taichu,	"	29.65	..	..	SW	4	..
Tainan,	"	29.69	..	..	S	8	..
Koshun,	"	29.72	..	..	W	4	..
Pescadores,	"	29.67	..	..	SW	8	..
Gutzlaff,	3 p.	29.56	83	79	SSW	1	cv
Sharp Peak,	..	29.54	80	87	SSW	5	o
Amoy,	2.30p	29.66	79	78	S	3	r
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.61	90	81	S	2	c
Hongkong,	4 p.	29.64	85	77	SW	3	oq
Victoria Peak	"	..	..	..	SW	6	..
Cap Rock	"	29.60	..	..	SW	4	..
Macao	"	29.63	90	..	SW	3	cq
Haiphong,	4 p.	..	..	..	..	..	..
Manila,	4 p.	29.80	88	72	WSW	4	b
Malate,	3 p.	..	..	..	SW	3	c
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.84	88	..	W	2	c
Cebu,	"	29.81	87	..	S	1	b
Cape S. James,	"	..	..	..	..	..	..

25th JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	..
Nemuro,	6.a	29.57	..	..	E	8	..
Hakodate,	"	29.42	..	..	SE	2	..
Tokio,	"	29.47	..	..	..	0	..
Kochi,	"	29.56	..	..	W	6	..
Kagoshima,	"	29.56	..	..	SW	6	..
Nagasaki,	"	29.64	..	..	..	0	..
Oshima,	"	29.61	..	..	..	0	..
Naha,	"	29.66	..	..	..	0	..
Ishigakijima,	"	29.66	..	..	SW	6	..
Taihoku,	5 a.	29.67	..	..	..	0	..
Taichu,	"	29.73	..	..	SW	2	..
Tainan,	"	29.74	..	..	SW	2	..
Koshun,	"	29.76	..	..	W	4	..
Pescadores,	"	29.73	..	..	S	6	..
Gutzlaff,	9 a.	29.70	74	72	NE	3	cv
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	6.30a	29.67	80	91	N	1	o
Swatow	9.a.	..	..	..	..	..	..
Canton,	"	29.73	86	88	SE	1	o
Hongkong,	10 a.	29.75	85	79	SW	2	o
Victoria Peak,	"	..	..	..	SSW	5	..
Cap Rock,	"	29.74	..	..	SSW	4	..
Macao,	"	29.74	81	..	SSW	1	c
Haiphong,	7 a.	..	..	..	..	..	..
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.94	84	..	..	0	c
Cebu,	"	29.92	87	..	..	0	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 25th at 11.32a. The barometer has risen generally except in NE. Japan. The depression is moved slowly Northeastward and is still lying in the NE. part of the Sea of Japan. Gradients slight on the China coast; for NE. winds in the North and for SW. winds in the South. Forecast:—moderate S. breezes; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 25th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

25th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.51	61	..	N	3	o
Nemuro,	"	29.49		..	E	8	..
Hakodate,	"	29.42	..	..	SE	2	..
Tokio,	"	29.43	..	..	S	4	..
Kochi,	"	29.56	..	..	W	6	..
Nagasaki,	"	29.60	..	.	SW	6	..
Kagoshima,	"	29.60	..		W	4	..
Oshima,	"	29.61	..	..	N	4	..
Naha,	"	29.74	..	.	W	6	..
Ishigakijima,	"	29.74	..	..	W	6	..
Taihoku,	1 p.	29.70	..	..	S	2	..
Taichu,	"	29.76	..	..	SW	8	..
Tainan,	"	29.77	..	..	S	8	..
Koshun,	"	29.79	..	..	W	4	..
Pescadores,	"	29.77	..	.	SW	6	.
Gutzlaff,	3 p.	29.74	73	72	NE	2	c
Sharp Peak,		29.63	79	91	W & W	2	or
Amoy,	3.30 p	29.70	84	87	S	3	o
Swatow,	3 p.	..	..	..		..	..
Canton,	"	29.65	86	65	SW	2	b
Hongkong,	3 p.	29.72	85	78	SW	4	cq
Victoria Peak,	"	..	..	.	SW	6	..
Cap Rock,	"	29.71	..	.	SW	4	..
Macao,	"	29.70	91	..	SW	2	c
Haiphong,	1 p.						.
Manila,	4 p.	29.84	86	78	WSW	2	b
Malate,	3 p.	..	..	..	WSW	2	c
Bacolod,	"	..	.	.		0	o
Iloilo,	"	29.86	88	.	W	2	c
Cebu,	"	29.83	87	.	..	0	b
Cape S. James,	"	.	..	.	..	..	..

26th JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.67	52	99	SE	1	b
Nemuro,	6.a	29.61	.	..	N	4	..
Hakodate,	"	29.58	..	..	S	2	..
Tokio,	"	29.63	..	..	N	2	..
Kochi,	"	29.68	..	..	NE	2	..
Nagasaki,	"	29.75	..	..	N	4	..
Kagoshima,	"	29.79	..	.	NW	4	..
Oshima,	"	29.76	.		SW	2	..
Naha,	"	29.77	.		S	2	..
Ishigakijima,	"	29.70	..	..	SW	6	..
Taihoku,	6 a.	29.70	.	..	..	0	..
Taichu,	"	29.73	.	..	S	4	..
Tainan,	"	29.77	..	..	SE	4	..
Koshun,	"	29.79	..	..	W	4	..
Pescadores,	"	29.79	.		S	4	
Gutzlaff,	9 a.	29.77	72	90	SE	3	ev
Sharp Peak,	..	29.65	79	95	..	0	og
Amoy,	6.30a	29.69	81	87	S	1	o
Swatow	9.a.		..				
Canton,	"	29.76	84	91	E	1	o
Hongkong,	10 a.	29.78	85	78	SW	3	o
Victoria Peak,	"		.	..	SSW	5	
Cap Rock,	"	29.78			SW	4	..
Macao,	"	29.77	90	..	SSW	2	c
Haiphong,	7 a.	.	..	..	..	..	.
Manila,	10 a.	..	..	..	..	..	..
Malate,	9 a.	..	..	..	..	0	c
Bacolod,	"			..	SW	2	b
Iloilo,	"	29.94	84	..	..	0	b
Cebu,	"	29.91	87	..	.	0	c
Cape S. James,	7 a.	..	..	..	..	.	..

On the 26th at 11.55a. The barometer has risen generally, particularly in Japan. The depression lying in the NE. part of the Sea of Japan yesterday, has moved into the Pacific. Gradients slight to moderate with moderate S. monsoon on the China coast and over the N. part of the China Sea. Forecast:—moderate SW, winds; equally, fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 26th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

26th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.67	61	..	N	5	"
Nemuro,	"	29.65	..	..	N	4	..
Hakodate,	"	29.66	..	..	SW	4	..
Tokio,	"	29.67	..	..	NE	4	..
Kochi,	"	29.72	..	..	W	6	..
Nagasaki,	"	29.75	..	..	SW	8	..
Kagoshima,	"	29.75	..	..	S	4	..
Oshima,	"	29.76	..	..	N	2	..
Naha,	"	29.74	..	..	S	4	..
Ishigakijima,	"	29.74	..	..	SW	8	..
Taihoku,	1 p.	29.67	..	..	W	6	..
Taichu,	"	29.76	..	..	SW	6	..
Tainan,	"	29.78	..	..	SW	4	..
Koshun,	"	29.80	..	..	W	4	..
Pescadores,	"	29.78	..	..	S	6	..
Gutzlaff,	4 p.	..	..	..	..	..	..
Sharp Peak,	"	29.62	80	89	SSE	2	o
Amoy,	2.30 p	29.71	85	83	S	5	odrt
Swatow,	4 p.	..	..	..	..	..	..
Canton,	"	..	..	..		..	..
Hongkong,	1 p.	29.70	86	76	SW	3	o
Victoria Peak,	"	..	..	.	SW	6	..
Gap Rock,	"	29.70	..	..	SW	4	..
Macao,	"	29.70	88	..	SSW	2	c
Haiphong,	1 p.	..	.	..		.	..
Manila,	4 p.	29.80	90	66	SW	2	c
Malate,	3 p.	..	..	..	SW	3	c
Bacolod,	"	..	..	..	.	0	b
Iloilo,	"	29.86	88	..	S	1	b
Cebu,	"	29.83	88	..	S	1	b
Cape S. James,	"	..	..	..	..	..	..

27th JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	29.82	52	99	SE	1	f
Nemuro,	6 a	29.80	.	..	NE	4	..
Hakodate,	"	29.85	..	..	W	4	..
Tokio,	"	29.82	..	..	E	2	..
Kochi,	"	26.79	..	..	NE	4	..
Nagasaki,	"	29.75	..	..		0	..
Kagoshima,	"	29.76	..	..	E	6	..
Oshima,	"	29.69	..	..	SE	4	..
Naha,	"	29.74	..	..	S	4	..
Ishigakijima,	"	29.70	..	..	SW	8	..
Taihoku,	5 a.	29.68	..	..	SW	4	..
Taichu,	"	29.70	..	..	SW	4	..
Tainan,	"	29.72	..	..	NE	6	..
Koshun,	"	29.76	..	..	W	4	..
Pescadores,	"	29.71	..	..	S	8	..
Gutzlaff,	9 a.	29.77	75	81	E-E	1	cv
Sharp Peak,	"	29.73	78	82	E	2	o
Amoy,	6.30 a	29.68	79	87	SW	1	e
Swatow	9 a.	..	..	..	..	..	
Canton,	"	..	..	..	..	..	.
Hongkong,	10 a.	29.76	79	91	.	0	ort
Victoria Peak,	"	..	..	..	SSW	5	..
Gap Rock,	"	..	.	.			..
Macao,	"	29.75	88	..	NNW	1	orlt
Haiphong,	7 a.			..	..	..	.
Manila,	10 a.	29.84	86	79	W	1	b
Malate,	9 a.	..	..	..	SW	2	b
Bacolod,	"			..	..	0	b
Iloilo,	"	29.90	84	..	..	0	b
Cebu,	"	29.86	88	..	S	1	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 27th at 11.45a The barometer has risen in Japan and fallen slightly on the China coast and over the Philippines. A low pressure trough is lying between the SE coast of China and the Loochoos. Gradients slight for SW. winds in S. China and the N. part of the China Sea. Forecast:—light SW. or variable winds; squally, with thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 27th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

27th JUNE, 1902, P. M.

Station.	Hour.	Barometer	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.81	52	..	SE	4	f
Nemuro,	"	29.80		..	NE	2	..
Hakodate,	"	29.85	..	..	SW	4	..
Tokio,	"	29.82	..	..	..	0	..
Kochi,	"	29.79	..	..	E	4	..
Nagasaki,	"	29.68	..	..	E	4	..
Kagoshima,	"	29.68	..	..	E	6	..
Oshima,	"	29.69	..	..	S	4	..
Naha,	"	29.70	..	..	S	6	..
Ishigakijima,	"	29.70	..	..	NW	6	..
Taihoku,	1 p.	29.67	..	..	W	4	..
Taichu,	"	29.72	..	..	SE	4	..
Tainan,	"	29.73	..	..	..	6	..
Koshun,	"	29.75	..	..	W	2	..
Pescadores,	"	29.75	..	..	W	4	..
Gutzlaff,	3 p.	29.77	78	78	SW	1	cv
Sharp Peak,	"	29.73	78	84	ESE	2	o
Amoy,	2.30p	29.69	83	79	SE	4	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4 p.	29.75	78	92	W	1	od
Victoria Peak,	"	..	..	..	W	1	..
Gap Rock,	"	29.75	..	..	W	1	..
Macao,	"	29.75	79	..	..	0	or
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	88	78	WSW	3	..
Malate,	3 p.	..	..	..	WSW	..	c
Bacolod,	"	..	..	..	WSW	4	b
Iloilo,	"	29.81	88	..	W	1	o
Cebu,	"	29.78	87	..	..	0	c
Cape S. James,	"	..	..	..	..		

28th JUNE, 1902, A. M.

Wladivostock,	7 a.	29.86	51	99	S	3	o
Nemuro,	6.a	29.92	..	..	S	2	..
Hakodate,	"	29.89	..	..	..	0	..
Tokio,	"	29.86	..	..	S	2	..
Kochi,	"	29.72	..	..	E	4	..
Nagasaki,	"	29.72	..	..	.	0	..
Kagoshima,	"	29.72	..	..	W	2	..
Oshima,	"	29.76	..	..	NW	2	..
Naha,	"	29.74	..	..	..	0	..
Ishigakijima,	"	29.74	..	..	..	0	..
Taihoku,	6 a.	29.78	..	..	E	4	..
Taichu,	"	29.72	..	..	..	0	..
Tainan,	"	29.72	..	..	S	2	..
Koshun,	"	29.76	..	..	..	0	..
Pescadores,	"	29.73	..	..	.	0	..
Gutzlaff,	9 a.	29.87	74	76	NW	1	b
Sharp Peak,	"	29.85	79	85	NE	1	c
Amoy,	6.30a		80	96	..	0	c
Swatow	9.a		.	..	.	.	
Canton,	"		..	..	..	..	..
Hongkong,	10 a	29.77	80	80	ESE	2	o
Victoria Peak,	"		.		E	1	.
Gap Rock,	"	29.75			E	2	..
Macao,	"	.	83	..	NE	1	c
Haiphong,	7 a.			..	.	..	.
Manila,	10 a.	29.80	88	66	WSW	1	c
Malate,	9 a.		..	..		0	c
Bacolod,	"			..	S	3	b
Iloilo,	"	29.86	84	..	..	0	b
Cebu,	"	29.84	87	..	..	0	b
Cape S. James,	7 a.	.	..	..	..	..	..

On the 28th at 11.27a The barometer has risen in NE. Japan and. N. China, fallen slightly in SW. Japan and over the Phillipines. The shallow depression is lying to the South of SW. Japan. Pressure seems to be low also over the Pacific to the E. of Luzon. Gradients slight for NE. winds on the China coast and for SW. winds over the middle part of the China Sea. Forecast:—moderate E. winds; unsettled, some rain.

F. G. FIGG,
Actg Director.

Hongkong Observatory, Saturday 28th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

28th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	3 p.	..		..	..	.	
Nemuro, ...	"	29.92		..	NW	6	..
Hakodate, ...	"	29.89	..	..	SE	6	..
Tokio, ...	"	29.78	..	..	S	6	..
Kochi, ...	"	29.75	..	..	W	6	..
Nagasaki. .	"	29.79	..	..	SW	4	..
Kagoshima.	"	29.83	..	..	W	4	..
Oshima, ...	"	29.80	..	..	N	4	..
Naha.		29.77	..	..	NE	4	..
Ishigakijima, ..	"	29.77		..	NE	6	..
Taihoku, ...	1 p.	29.79	..	..	NE	6	..
Taichu, ...	"	29.74	..	..	S	2	..
Tainan, ...	"	..	..	..	E	4	..
Koshun, ...	"	29.75	..	..	NE	4	..
Pescadores, .	"	29.77	..	..	NE	6	..
Gutzlaff. ..	1 p.	29.87	76	73	SE	1	ev
Sharp Peak, .	.	29.79	79	82	E	4	b
Amoy, ...	2.30 p	29.71	85	64	ENE	4	e
Swatow, ..	3 p.	..	..	..	.	..	..
Canton, ..	"	29.71	87	62	NE	1	o
Hongkong, ...	1 p.	29.73	77	90	ESE	3	or
Victoria Peak,	"	..	..	..	ESE	4	..
Gap Rock, ...	"	29.68	..	..	E	3	..
Macao, ...	"	29.74	89	..	E	2	od
Haiphong, ...	1 p.	.		.		.	.
Manila, ...	4 p.	29.76	90	66	WSW	2	b
Malate, ...	3 p.	..	..	..	..	2	b
Bacolod, ...	"	..	..	..	SW	.	b
Iloilo, ...	"	29.79	88	..	SW	2	o
Cebu, ...	"	29.75	89	..	S	2	b
Cape S. James,	"	..	..	..	..	..	..

29th JUNE, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	7 a.	..	..	..	..	..	..
Nemuro, ...	6.a	..	..	..	..	..	..
Hakodate, ...	"	..	..	..	..	..	..
Tokio, ...	"	..	..	..	..	..	..
Kochi, ...	"	..	..	..	..	..	..
Nagasaki, ...	"	..	..	..	..	..	..
Kagoshima, ...	"	..	..	..	..	..	..
Oshima, ...	"	..	..	..	..	..	..
Naha, ...	"	..	..	..	..	..	..
Ishigakijima, ..	"	..	..	..	..	..	..
Taihoku, ...	5 a.	29.83	..	..	E	4	..
Taichu, ...	"	29.76	..	..	..	0	..
Tainan, ...	"	29.76	..	..	SE	2	..
Koshun, ...	"	29.77	..	..	NE	4	..
Pescadores, ...	"	29.77	..	..	N	6	..
Gutzlaff, ..	9 a.	29.96	..	82	SE	1	e
Sharp Peak, ..	"	..	..		..	.	.
Amoy, ...	6.30a	29.88	77	..	NE	1	e
Swatow	9.a.	.	..	..	..	..	
Canton, ...	"	..	..	..	..	..	..
Hongkong. ...	10 a.	29.81	76	82	ENE	3	o
Victoria Peak,	"	.	..	..	E	6	..
Gap Rock.	"	29.77	..	..	ENE	4	..
Macao. ...	"	29.78	81	..	ENE	2	c
Haiphong, . .	7 a.		..	..	.	..	.
Manila, ...	10 a.	29.80	86	71	WNW	2	o
Malate,..	9 a.	.	..	..	W	2	o
Bacolod, ...	"			..	S	2	c
Iloilo, ...	"	29.88	82	..	NE	3	c
Cebu, . ..	"	29.86	86	..	S	3	c
Cape S. James,	7 a.	..	..	..	..	..	..

On the 29th at 11.55a The barometer has risen on the China coast. A low pressure trough in which a depression may be forming, extends across the N. part of the China Sea and the Pacific to the E. of N. Luzon. Pressure is high between the E. coast of China and W. Japan. Gradients slight to moderate for NE winds on the S. and SE coasts of China. Forecast:—fresh NE winds; squally, rainy.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Sunday 29th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

29th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.96	52	..	S	3	or
Nemuro,	"	30.04	..	..	E	4	..
Hakodate,	"	30.01	..	..	SE	6	..
Tokio,	"	29.94	..	..	N	.	..
Kochi,	"	29.95	..	..	W	2	..
Nagasaki,	"	29.91	..	..	SW	4	..
Kagoshima,	"	29.91	..	..	SE	2	..
Oshima,	"	29.88	..	..	..	0	..
Naha,	"	29.85	..	..	N	4	..
Ishigakijima,	"	29.77	..	..	NE	6	..
Taihoku,	1p.	29.83	..	..	E	6	..
Taichu,	"	29.74	..	..	NW	4	..
Tainan,	"	29.74	..	..	W	6	..
Koshun,	"	29.78	..	..	N	4	..
Pescadores,	"	29.78	..	..	NE	8	..
Gutzlaff,	3p.	29.96	77	77	..	1	cr
Sharp Peak,	..	29.84	79	61	NNE	5	c
Amoy,	2.30p	29.83	88	92	NE	1	c
Swatow,	3p.	29.80	79	..	E	3	od
Canton,	"	29.74	86	56	SE	2	o
Hongkong,	4p.	29.77	75	86	E	5	od
Victoria Peak,	"	..	..	..	E	7	..
Cap Rock,	"	29.73	..	..	ENE	5	..
Macao,	"	29.76	80	..	E	1	c
Haiphong,	1p.	..	.	..	.	..	..
Manila,	4p.	29.72	89	72	WSW	2	o
Malate,	3p.	..	..	..	WSW	1	o
Bacolod,	"	..	..	..	SW	2	o
Iloilo,	"	29.81	84	..	SW	2	o
Cebu,	"	29.80	87	..	SW	2	c
Cape S. James,	"	..	..	..	..	..	..

30th JUNE, 1902, A. M.

Wladivostock,	7a.	[illegible]	49	99	S	3	o
Nemuro,	"	[illegible]		.	NE	6	..
Hakodate,	"	[illegible]	..	..	SE	2	..
Tokio,	"	[illegible]	..	..	SE	2	..
Kochi,	"	[illegible]	..	..	W	6	..
Nagasaki,	"	[illegible]	..	..	..	0	..
Kagoshima,	"	[illegible]	..	..	NE	2	..
Oshima,	"	[illegible]		..	S	2	..
Naha,	.	[illegible]		.	SE	4	..
Ishigakijima,	..	[illegible]		.	NE	6	..
Taihoku,	.	[illegible]		..	..	0	..
Taichu,	..	[illegible]	.	..	..	0	..
Tainan,	.	[illegible]	.	..	.	0	..
Koshun,	.	[illegible]	..	..	NE	2	..
Pescadores,	"	29.77	..	..	NE	8	..
Gutzlaff,	9 a.	.	..		..	..	..
Sharp Peak,	"	29.85	78	75	N	1	c
Amoy,	6.30a	29.81	78	95	N	1	c
Swatow	9.a.		..	..	.	.	
Canton,	"	29.86	80	78	S	2	od
Hongkong,	10 a.	29.86	77	82	ENE	4	o
Victoria Peak,	"	..	..	..	E	6	..
Cap Rock,	"	29.80	.		ENE	4	..
Macao,	"	29.84	80	..	NE	1	o
Haiphong,	7 a.		.	..	..	..	.
Manila,	10 a.	29.84	88	72	W	1	c
Malate,	9 a.	..	..	..	..	..	.
Bacolod,	"	..	..	..	..		..
Iloilo,	"	..	..	..	..	..	..
Cebu,	"	..	..	..	..	..	..
Cape S. James,	7 a.	..	..	..	..	..	..

On the 30th at 11.52a. The barometer has risen in Japan and on the S. coast of China, fallen slightly in Formosa. A depression appears to be forming in the Pacific to the SE. of Formosa in the low pressure trough. Pressure is high in NE. Japan. Gradients moderate for NE winds on the China coast. Forecast:—Fresh NE. breezes; squally, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 30th June 1902.

CHINA COAST METEOROLOGICAL REGISTER.

30th JUNE, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	..	..	..	..	..	..
Nemuro,	"	30.08	..	..	N	4	..
Hakodate,	"	30.05	..	..	SE	8	..
Tokio,	"	29.98	..	..	E	4	..
Kochi,	"	29.95	..	..	..	0	..
Nagasaki,	"	29.95	..	.	N	4	..
Kagoshima,	"	29.95	..	..	..	0	..
Oshima,	"	29.88	..	..	S	6	..
Naha,	"	29.89	..	..	SE	4	..
Ishigakijima,	"	29.74	.	..	E	6	..
Taihoku,	1 p.	29.77	..	..	E	6	..
Taichu,	"	29.73	..	..	N	4	..
Tainan,	"	29.78	..	..	N	6	..
Koshun,	"	29.76	..	..	NW	4	..
Pescadores,	"	29.78	..	..	N	8	..
Gutzlaff,	3 p.	29.98	76	73	NE	2	c
Sharp Peak,	..	29.81	77	67	ENE	7	o
Amoy,	2.30p	29.82	87	76	NE	2	b
Swatow,	3p.	29.81	82	..	E	3	c
Canton,	"	29.82	86	71	S	1	c
Hongkong,	4 p.	29.81	78	79	E	3	o
Victoria Peak,	"	.	..	.	E	4	..
Cap Rock,	"	29.78	..	..	E	4	..
Macao,	"	29.81	78	..	NW	1	cr
Haiphong,	1 p.	.	.	..	.	.	..
Manila,	4 p.	29.80	86	58	WSW	3	o
Maliate,	3 p.		..	.	SW	3	o
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.85	26	.	SW	1	c
Cebu,	"	29.82	87	.	S	1	b
Cape S. James,	"	..	..	..	..	..	..

1st JULY, 1902, A. M.

Wladivostock,	7 a.	..	..	..	..	..	..
Nemuro,	6.a	30.08	..	..	..	0	..
Hakodate,	"	30.01	..	..	N	2	..
Tokio,	"	30.02	..	..	N	4	..
Kochi,	"	29.87	..	..	..	0	..
Nagasaki,	"	29.91	..	..	N	2	..
Kagoshima,	"	29.91	..	..	..	0	..
Oshima,	"	29.88	.	..	..	0	..
Naha,	"	29.77	..	..	SE	4	..
Isbigakijima,	"	29.66	..	..	..	0	..
Taihoku,	5 a.	29.76	..	..	..	0	..
Taichu,	"	29.73	..	..	N	2	..
Tainan,	"	29.72	..	..	N	4	..
Koshun,	"	29.71	..	..	..	0	..
Pescadores,	"	29.76	..	..	N	8	..
Gutzlaff,	9 a.	29.96	72	85	NE	4	cd
Sharp Peak,	"	29.84	79	78	E	3	c
Amoy,	6.30a	29.79	83	67	..	0	c
Swatow	9.a.	.	..	..	..	.	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10 a.	29.86	76	91	E	2	od
Victoria Peak,	"	..	..	..	NNE	1	..
Cap Rock,	"	29.83	..		ESE	2	..
Macao,	"	29.84	80	..	E	1	c
Hoiphong,	7 a.		.	..	..	..	.
Manila,	10 a.	29.88	88	72	..	0	c
Maliate,	9 a.	..	..	..	..	0	c
Bacolod,	"			..	..		c
Iloilo,	"	29.94	84	..	..	0	o
Cebu,	"	29.91	88	..	S	1	b
Cape S. James,	7 a.		..	..	.	..	..

On the 1st at 11.30a. The barometer has fallen over Japan and Formosa. The shallow depression seems to be moving Northwards to the E. of Formosa. Pressure remains high over N. China and N. Japan. *Gradients moderate on the China coast with strong NE winds in the Formosa Channel.* Forecast:—SW or variable winds, light to moderate; showery, warmer.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 1st July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

1st JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	30.04	..	..	SE	6	..
Hakodate,	"	20.01	..	..	SE	8	..
Tokio,	"	29.98	..	..	N	2	..
Kochi,	"	29.87	..	..	E	4	..
Nagasaki,	"	29.87	..	..	N	2	..
Kagoshima,	"	29.87	..	..	SE	2	..
Oshima,	"	29.84	..	..	..	0	..
Naha,	"	29.66	..	..	E	6	..
Ishigakijima,	"	29.62	..	..	N	8	..
Taihoku,	1 p.	29.76	.	..	NW	6	..
Taichu,	"	29.72	..	..	N	8	..
Tainan,	"	29.74	..	..	N	6	..
Koshun,	"	29.74	..	..	NW	4	..
Pescadores,	"	29.80	..	..	N	8	..
Gutzlaff,	3 p.	..	.	..		..	..
Sharp Peak,	"	29.79	79	70	ENE	3	o
Amoy,	2.30p	29.77	84	68	SE	4	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.76	82	..	SE	2	b
Hongkong,	4 p.	29.78	79	87	E	2	o
Victoria Peak,	"	..	..	..	SE	3	..
Gap Rock,	"	29.75	..	..	E	2	..
Macao,	"	29.76	82	..	S	1	c
Haiphong,	1 p.	..	..	..	.	..	..
Manila,	4 p.	29.80	86	78	SW	2	o
Malate,	3 p.		..	..	WSW	2	o
Bacolod,	"	.	..	.	..	0	o
Iloilo,	"	29.85	84	.	SW	2	o
Cebu,	"	29.81	87	.	..	0	c
Cape S. James,	"	..	..	..	..	..	..

2nd JULY, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	.	..
Nemuro,	6 a	30.04	.	..	S	4	..
Hakodate,	"	29.97	..	..	E	4	..
Tokio,	"	29.94	..	..	NW	2	..
Kochi,	"	29.82	..	..	NE	4	..
Nagasaki,	"	29.83	..	..	N	2	..
Kagoshima,	"	29.83	..	..	N	2	..
Oshima,	"	29.73	..	..		0	..
Naha,	"	29.42	..	..	NE	8	..
Ishigakijima,	"	29.06	..	..	NW	6	..
Taihoku,	6 a.	.	..	..	.	.	.
Taichu,	"	..	..	..	..	.	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	.	..	.	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9 a.	..	..			.	..
Sharp Peak,	"	29.82	77	86	E	1	o
Amoy,	6.30a	29.80	83	82	NE	1	..
Swatow	9 a.	.		.	.		
Canton,	"	..	..	..	..	.	..
Hongkong	10 a.	29.79	81	86	W	3	o
Victoria Peak,	"		.	..	SSW	6	..
Gap Rock,	"	29.79		.	SSW	4	..
Macao,	"	29.80	86	..	SSW	1	c
Haiphong,	7 a.	..	..	..	..	..	.
Manila,	10 a	..	..	..	.	.	..
Malate	9 a.	.	..	..	WNW	1	c
Bacolod.	"			..	..	o	b
Iloilo,	"	29.9[illegible]	84	..	..	0	b
Cebu,	"	29.8[illegible]	85	..	..	0	o
Cape S. James.	7 a.	.	..	..	..	..	..

On the 2nd at 10.40a. The barometer has fallen much in the neighbourhood of the Loochoos. The depression is near South Loochoo and moving NE. Gradients slight for SW winds in S. China and the N. part of the China Sea. Forecast:— moderate SW winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 2nd July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

2nd JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	30.04	..	..	S	8	..
Hakodate,	"	29.93	..	..	E	6	..
Tokio,	"	29.86	..	..	S	2	..
Kochi,	"	29.79	..	..	NE	2	..
Nagasaki,	"	29.75	..	..	NE	6	..
Kagoshima,	"	29.83	..	..	NE	2	..
Oshima,	"	29.61	..	..	NE	4	..
Naha,	"	29.50	..	..	N	10	..
Ishigakijima,	"	29.70	..	..	N	6	..
Taihoku,	1 p.	29.79	..	..	NW	4	..
Taichu,	"	29.75	..	..	NW	4	..
Tainan,	"	..	..	..	NW	6	..
Koshun,	"	29.77	..	..	NW	6	..
Pescadores,	"	29.79	..	..	N	6	..
Gutzlaff,	3 p.	29.87	73	81	NE	4	cv
Sharp Peak,	..	29.78	78	80	E	2	o
Amoy,	2.30p	29.80	83	71	SE	2	c
Swatow	3 p.	29.81	81	..	E	6	c
Canton	..	29.66	84	91	S	1	o
Hongkong,	..	29.72	83	79	SSW	1	o
Victoria Peak,	"	.		..	S	6	..
Gap Rock,	"	29.70	..	..	SSW	4	..
Macao,	"	29.71	87	..	SW	1	c
Haiphong,	1 p.	..	..	..	.	..	..
Manila,	4 p.	29.76	90	72	WSW	1	b
Malate,	3 p.	..	..	..	SW	2	b
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.80	88	..	NE	1	c
Cebu,	"	29.82	88	..	S	2	c
Cape S. James,	"	..		..	..	..	..

3rd JULY, 1902, A. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7 a.	..	..	..	..	..	
Nemuro,	6.a	30.04	..	..	SE	4	..
Hakodate,	"	29.93	..	..	E	4	..
Tokio,	"	29.90	..	..	..	0	..
Kochi,	"	29.75	..	..	NE	6	..
Nagasaki,	"	29.68	..	..	N	2	..
Kagoshima,	"	29.68	..	..	E	6	..
Oshima,	"	29.61	..	..	N	4	..
Naha,	"	29.74	..	..	W	6	..
Ishigakijima,	"	29.77	..	..	.	0	..
Taihoku,	5 a.	29.89	..	..	W	2	..
Taichu,	"	30.78	..	..	..	0	..
Tainan,	"	29.79	..	..	..	0	..
Koshun,	"	29.80	..	..	..	0	..
Pescadores,	"	29.80	..	..	.	0	..
Gutzlaff,	9a.	29.91	71	80	NE	1	cv
Sharp Peak,	"	29.80	78	89	E	1	o
Amoy,	6.30a	29.81	80	82	SE	1	o
Swatow	9a.	..	..	..	.	.	
Canton,	"	..	..	..	..	..	..
Hongkong,	10a	29.79	82	83	SSW	3	oq
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.79	..	..	SSW	4	..
Macao,	"	29.77	76	..	SW	1	c
Haiphong,	"	.	..	..	..	..	.
Manila,	7 a.	29.88	88	66	WNW	2	b
Malate,	10 a.	..	..	..	W	2	b
Bacolod,	9 a.	.		..	..	0	b
Iloilo,	"	29.94	85	..	..	0	b
Cebu,	"	29.92	86	..	..	2	c
Cape S. James,	7 a.	.	..	..	..	..	..

On the 3rd at 11.53a. The barometer has fallen in SW. Japan, risen over the Loochoos. The depression is moving Northeastward in the Pacific to the S. of SW. Japan. Pressure is still high in NE. Japan. Gradients moderate to slight for NE. winds over the E. coast of China, and for SW. winds in the N. part of the China Sea. Forecast:—moderate SW winds; squally with thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 3rd July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

3rd JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	64	..	SE	2	c
Nemuro,	"	30.00	..	..	S	6	..
Hakodate,	"	29.93	..	..	S	6	..
Tokio,	"	29.90	..	..	N	2	..
Kochi,	"	29.72	..	..	E	6	..
Nagasaki,	"	29.72	..	..	N	6	..
Kagoshima,	"	29.68	..	..	SE	4	..
Oshima,	"	29.73	..	..	NW	2	..
Naha,	"	29.81	..	..	W	4	..
Ishigakijima,	"	29.85	..	..	SW	6	..
Taihoku,	1p.	29.84	..	..	N	4	..
Taichu,	"	29.82	..	..	SW	2	..
Tainan,	"	29.84	..	..	SW	4	..
Koshun,	"	29.82	..	..	W	4	..
Pescadores,	"	29.84	..	..	S	6	..
Gutzlaff,	3p.	29.89	76	75	ENE	1	cv
Sharp Peak,	..	29.79	78	86	E	5	cf
Amoy,	2.30p	29.79	85	72	SE	4	c
Swatow,	3p.	..	..	..	E	6	c
Canton,	"	..	89	80	SW	1	c
Hongkong,	4p.	29.75	81	85	SW	4	cdq
Victoria Peak,	"	..	..	..	SSW	1	..
Gap Rock,	"	29.76	..	..	SSW	4	..
Macao,	"	29.74	85	..	SSW	1	c
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.80	90	66	W	1	c
Malate,	3p.	..	..	..	W	1	o
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.89	89	..	NE	1	c
Cebu,	"	29.85	87	..	N	2	b
Cape S. James,	"	..	..	..	..	..	..

4th JULY 1902, A.M.

Wladivostock,	7a.	29.77	56	99	SE	3	f
Nemuro,	6a.	29.96	..	..	SE	6	..
Hakodate,	"	29.91	..	..	E	4	..
Tokio,	"	29.59	..	..	N	8	..
Kochi,	"	29.72	..	..	W	6	..
Nagasaki,	"	29.79	..	..	N	2	..
Kagoshima,	"	29.79	..	..	W	2	..
Oshima,	"	29.84	..	..	N	4	..
Naha,	"	29.85	..	..	.	0	..
Ishigakijima,	"	29.86	..	.	S	4	..
Taihoku,	5a.	29.83	..	..	..	0	..
Taichu,	"	29.83	..	..	..	0	..
Tainan,	"	29.84	..	..	SE	4	..
Koshun,	"	29.86	..	..	..	0	..
Pescadores,	"	29.82		..	S	6	..
Gutzlaff,	9a.	29.91	69	90	ESE	4	omd
Sharp Peak,	"	29.80	77	95	..	0	ow
Amoy,	6.30a	29.78	80	91	SSW	1	c
Swatow,	9a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.86	84	77	SW	2	c
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.85	..	..	SW	3	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	W	1	o
Bacolod,	"	.	..	..	N	2	b
Iloilo,	"	29.94	86	..	SE	1	c
Cebu,	"	29.91	86	..	N	2	b
Cape S. James,	7a.	..	..	..	..	..	..

[1]On the 4th at10.37a. The barometer has fallen in SE. Japan, risen over the Loochoos. The depression continues to move Northeastward and lies now off the SE. coast of Japan. Gradients slight on the China coast. [2]Moderate SW. winds in the N. part of the China Sea. Forecast:—moderate SW winds; fair.

F. G. FIGG,
Acting Director.

[1]Hongkong Observatory, Friday 4th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

4th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.88	..	..	E	6	..
Hakodate,	"	29.81	..	..	SE	8	..
Tokio,	"	29.67	..	..	NW	4	..
Kochi,	"	29.79	..	..	W	8	..
Nagasaki,	"	29.83	..	.	W	2	..
Kagoshima,	"	29.83	..	..	SW	4	..
Oshima,	"	29.88	..	..	NW	4	..
Naha,	"	29.89	..	..	SW	2	..
Ishigakijima,	"	29.89	..	..	SW	6	..
Taihoku,	1 p.	29.85	..	..	N	4	..
Taichu,	"	29.85	..	..	W	4	..
Tainan,	"	29.88	..	..	SW	4	..
Koshun,	"	29.89	..	..	SW	4	..
Pescadores,	"	.	..	..	..	..	..
Gutzlaff,	3 p.	29.89	72	85	ESE	5	cv
Sharp Peak,	..	29.75	82	83	SE	2	o
Amoy,	2.30p	29.79	79	82	WNW	2	od
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.81	82	91	W	1	or
Hongkong,	4 p.	29.81	85	77	SSW	1	o
Victoria Peak,	"	..	..	.	SSW	1	..
Gap Rock,	"	29.80	..	..	SW	3	..
Macao,	.	29.79	90	..	SSW	2	c
Haiphong,	1 p.	..	..	..	.	.	..
Manila,	4 p.	29.84	86	78	ENE	1	c
Malate,	3 p.	..	..	..	..	0	ot
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.88	91	..	NE	2	c
Cebu,	"	29.84	87	..	N	3	b
Cape S. James,	"	..	..	..	..	..	..

5th JULY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.76	..	..	NE	6	..
Hakodate,	"	29.81	..	..	S	2	..
Tokio,	"	29.82	..	..	NW	2	..
Kochi,	"	29.83	..	..	.	0	..
Nagasaki,	"	29.91	..	..	NW	2	..
Kagoshima,	"	29.91	..	..	NW	4	..
Oshima,	"	29.88	..	..	SW	4	..
Naha,	"	29.89	..	..	SW	2	..
Ishigakijima,	"	29.93	..	..	SW	6	..
Taihoku,	5a.	29.87	..	..	..	0	..
Taichu,	"	29.87	..	..	..	0	..
Tainan,	"	29.87	..	..	S	2	..
Koshun,	"	29.88	..	..	NW	2	..
Pescadores,	"	29.89		..	S	4	..
Gutzlaff,	9a.	29.94	73	90	ENE	3	cvp
Sharp Peak,	"	29.84	83	89	ESE	1	o
Amoy,	6.30a	29.84	81	91	SW	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.90	85	77	SW	2	o
Victoria Peak,	"	..	..	..	SSW	5	..
Gap Rock,	"	29.88	..	..	SW	3	..
Macao,	"	29·87	89	..	SW	1	c
Haiphong,	7a.	..	..	.	..	..	..
Manila,	10a.	29.91	90	66	WSW	1	c
Malate,	9a.	..	..	..	W	2	b
Bacolod,	"	..	..	..	N	2	b
Iloilo,	"	29.94	86	..	E	1	c
Cebu,	"	29.91	87	..	N	3	b
Cape S. James,	7a.	..	..	..	..	..	..

On the 5th at 10.57a. The barometer has fallen in NE. Japan, risen elsewhere. The depression has continued moving Northeastwards and has passed to the E. of Japan. Gradients slight with E. winds on the E. coast of China, and SW. winds in the N. part of the China Sea. Forecast—moderate to light SW. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 5th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

5th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.64	61	..	S	2	f
Nemuro,	"	29.72	..	..	N	4	..
Hakodate,	"	29.77	..	..	N	4	..
Tokio,	"	29.78	..	..	..	0	..
Kochi,	"	29.79	..	..	..	0	..
Nagasaki,	"	29.87	..	.	SW	4	..
Kagoshima,	"	29.87	..		SE	2	..
Oshima,	"	29.88	..	..	S	6	..
Naha,	"	29.93	..	..	SW	6	..
Ishigakijima,	"	29.93	..	..	SW	6	..
Taihoku,	1 p.	29.87	..	..	W	2	..
Taichu,	"	29.86	..	..	W	6	..
Tainan,	"	29.89	..	..	SW	4	..
Koshun,	"	29.92	..	..	W	2	..
Pescadores,	"	29.89	..	..	SW	6	..
Gutzlaff,	3 p.	29.91	72	95	ESE	3	evh
Sharp Peak,	..	29.79	84	83	S	2	o
Amoy,	2.30p	29.84	84	75	SE	2	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.81	89	77	S	1	b
Hongkong,	4 p.	29.84	85	77	SW	4	cq
Victoria Peak,	"	..	..	.	SSW	5	..
Gap Rock,	"	29.83	..	..	SW	4	..
Macao,	"	29.83	88	..	SW	2	c
Haiphong,	1 p.	..	..	..	.	.	..
Manila,	4 p.	29.84	91	79	..	0	c
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	N	6	b
Iloilo,	"	29.85	90	..	..	0	b
Cebu,	"	29.84	86	..	N	2	b
Cape S. James,	"	.	..	..	..	..	..

6th JULY 1902, A.M.

Wladivostock,	7a.	29.59	60	99	NW	2	or
Nemuro,	6a.	29.72	..	..	N	6	
Hakodate,	"	29.77	..	..	..	0	
Tokio,	"	29.78	..	..	..	0	
Kochi,	"	29.79	..	..	NW	4	
Nagasaki,	"	29.87	..	..	..	0	..
Kagoshima,	"	29.87	..	..	NW	4	..
Oshima,	"	29.82	..	..	W	2	..
Naha,	"	29.89	..	..	SW	2	..
Ishigakijima,	"	29.89	..	..	SW	4	..
Taihoku,	5a.	29.89	..	..	NE	2	..
Taichu,	"	29.87	..	..	..	0	..
Tainan,	"	29.88	..	..	S	2	..
Koshun,	"	29.90	..	..	..	0	..
Pescadores,	"	29.91		..	S	4	..
Gutzlaff,	9a.	29.93	76	86	ESE	2	cv
Sharp Peak,	"	29.88	80	89	ESE	2	o
Amoy,	6.30a.	..	..	..	..	..	..
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	29.88	79	100	SE	1	o
Hongkong,	10a.	29.91	84	83	WSW	1	o
Victoria Peak,	"	..	..	..	..	.	..
Gap Rock,	"	29.90	..	..	SW	2	..
Macao,	"	29.89	87	..	NW	1	c
Haiphong,	7a.	.	..	.	..	..	..
Manila,	10a.	29.91	90	60	WSW	1	b
Malate,	9a.	..	..	..	..	0	b
Bacolod,	"	.	..	..	.	3	b
Iloilo,	"	29.92	86	..	E	1	o
Cebu,	"	29.88	87	..	N	2	b
Cape S. James,	7a.	..	..	..	..	..	..

On the 6th at 11.50a. The barometer has fallen slightly in Japan, risen slightly on the China coast. A depression has moved into the NW. part of the sea of Japan from the Westward. Pressure has commenced to give way again over the Philippines. Gradients slight with light variable winds on the China coast and in the N. part of the China Sea. Forecast:—light SW. or variable breezes; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 6th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

6th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.57	56	..	E	2	o
Nemuro,	"	29.69	..	..	N	5	..
Hakodate,	"	29.73	..	..	S	6	.
Tokio,	"	29.71	..	..	E	4	..
Kochi,	"	29.75	..	..	..	0	..
Nagasaki,	"	29.83	..	.	W	6	..
Kagoshima,	"	29.83	..		W	6	..
Oshima,	"	29.88	..	..	NW	4	..
Naha,	"	29.93	..	..	SW	4	..
Ishigakijima,	"	29.89	..	..	SW	6	..
Taihoku,	1p.	29.86	..	..	NW	6	..
Taichu,	"	29.86	..	..	W	4	..
Tainan,	"	29.88	..	..	W	4	..
Koshun,	"	29.90	..	..	SW	4	..
Pescadores,	"	29.90	..	..	SW	4	..
Gutzlaff,	3p.	..	..	..	..	..	..
Sharp Peak,	"	29.80	81	89	E	2	o
Amoy,	2.30p	29.81	86	84	SE	2	c
Swatow,	3p.	29.85			SW	3	c
Canton,	"	29.82	91	77	NE	1	o
Hongkong,	4p.	29.84	85	81	W	1	o
Victoria Peak,	"	..	..	.	SSW	3	..
Gap Rock,	"	29.81		..	SW	3	..
Macao,	"	29.82	87	..	SW	1	c
Haiphong,	1p.	..	.	.	.	.	..
Manila,	4p.	29.80	86	71	..	0	c
Malate,	3p.	..	..		E	2	o
Bacolod,	"	..	..	.	N	3	b
Iloilo,	"	29.86	89	.	N	1	b
Cebu,	"	29.81	88	..	N	2	b
Cape S. James,	"	..	..	..	..	..	..

7th JULY 1902, A.M.

Wladivostock,	7a.	29.58	58	99	SW	1	o
Nemuro,	6a.	29.72	..	..	N	4	..
Hakodate,	"	29.70	..	..	NW	2	..
Tokio,	"	29.71	..	..	SE	2	..
Kochi,	"	29.72	..	..		0	..
Nagasaki,	"	29.79	..	..	SW	4	..
Kagoshima,	"	29.79	..	..	NW	4	..
Oshima,	"	29.84	..	..	W	2	..
Naha,	"	29.85	..	..	SW	2	..
Ishigakijima,	"	29.85	..	..	SW	4	..
Taihoku,	6a.	29.85	..	..	S	2	..
Taichu,	"	29.84	..	..	..	0	..
Tainan,	"	29.83	..	..	E	2	..
Koshun,	"	29.89	..	..	S	2	..
Pescadores,	"	29.86		..	S	4	..
Gutzlaff,	9a.	..	..	..	..	..	
Sharp Peak,	"	29.83	80	89	..	0	..
Amoy,	6.30a	29.82	80	87	SW	2	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	29.86	86	84	S	1	c
Hongkong,	10a.	29.88	82	77	S	1	o
Victoria Peak,	"	..	..	..	S	5	..
Gap Rock,	"	29.86	..	..	SSW	3	..
Macao,	"	29.86	85	..	WSW	1	c
Haiphong,	7a.	.	..			..	..
Manila,	10a.	29.88	84	71	NNE	1	o
Malate,	9a.	..	..	..	..	2	o
Iloilo,	"	..	..	..	..	0	c
Iloilo,	"	29.89	83	..	..	6	o
Cebu,	"	29.83	88	..	S	1	c
Cape S. James,	7a.	.	..	..	..	..	..

On the 7th at 11.25a. The barometer has fallen generally. The low pressure area still lies over the NE. part of the Sea of Japan. Pressure is high over the N. part of the China Sea and the Pacific to the S. of the Loochoos, and slightly low over the Pacific to the E. of the Phillipines. Gradients slight for S. winds on the China coast. Forecast:—light S. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Monday 7th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

7th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.65	..	..	SE	3	..
Hakodate,	"	29.66	..	..	S	2	..
Tokio,	"	..	..	..	S	6	..
Kochi,	"	29.68	..	..	W	6	..
Nagasaki,	"	29.75	..	.	W	6	..
Kagoshima,	"	29.75	..	..	W	6	..
Oshima,	"	29.73	..	..	SW	4	..
Naha,	"	29.93	..	..	SW	6	..
Ishigakijima,	"	.	..	..	..	..	..
Taihoku,	1 p.	29.83	..	..	W	4	..
Taichu,	"	29.82	..	..	W	4	..
Tainan,	"	29.85	..	..	SW	4	..
Koshun,	"	29.87	..	..	S	4	..
Pescadores,	"	29.86	..	..	SW	4	..
Gutzlaff,	3 p.	29.82	89	..	SE	1	cv
Sharp Peak,	"	29.76	84	81	SE	2	o
Amoy,	2.30p	29.79	85	79	SE	3	c
Swatow,	3p.	29.84	88		S	3	b
Canton,	"	29.80	95	65	SSW	2	b
Hongkong,	4 p.	29.81	84	82	W	1	o
Victoria Peak,	"	..	..	.	SW	2	..
Gap Rock,	"	29.80	..	..	SW	3	..
Macao,	"	29.80	88	..	SW	1	c
Haiphong,	1 p.	..	.	..	.	..	..
Manila,	4 p.	29.76	90	66	..	0	c
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	.	S	2	o
Iloilo,	"	29.79	85	..	W	3	o
Cebu,	"	29.79	84	..	..	0	or
Cape S. James,	"	..		..	..	..	..

8th JULY 1902, A M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7a.	..	..	..		..	..
Nemuro,	6a.	29.65	..	..	SE	2	..
Hakodate,	"	29.66	..	..	..	0	..
Tokio,	"	29.71	..	..	..	0	..
Kochi,	"	29.72	..	..	W	2	..
Nagasaki,	"	29.75	..	..		0	..
Kagoshima,	"	29.75	..	..	N	2	..
Oshima,	"	29.76	..	..	SW	2	..
Naha,	"	29.81	..	..	SW	2	..
Ishigakijima,	"	29.81	..	.	SE	6	..
Taihoku,	5a.	29.80	..	..	SE	2	..
Taichu,	"	29.79	..	..	..	0	..
Tainan,	"	29.79	..	..	S	4	..
Koshun,	"	29.80	..	..	SE	2	..
Pescadores,	"	29.80		..	SW	2	
Gutzlaff,	9a.	29.78	78	91	S	1	cv
Sharp Peak,	"	29.77	82	89	..	0	c
Amoy,	6.30a	29.80	81	91	SSW	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	.	..	..
Hongkong,	10a.	29.84	83	85	NW	1	o
Victoria Peak,	"	..	..	..		..	..
Gap Rock,	"	29.83	..	..	SSW	3	..
Macao,	"	29.83	83	..	SW	1	c
Haiphong,	7a.	.	..		..	..	..
Manila,	10a.	29.76	82	70	..	0	o
Malate,	9a.	..	..	..	..	0	or
Bacolod,	"		..	..	S	2	or
Iloilo,	"	29.79	82	..	NE	2	o
Cebu,	"	29.79	83	..	..	0	o
Cape S. James,	7a.	..	..	..	..	..	..

On the 8th at 11.16a. The barometer has fallen generally. A depression exists to the E. of Luzon, and pressure remains low in the NE. part of the Sea of Japan. Pressure is highest over the N. part of the China Sea. Gradients slight with light S. winds on the China coast. Forecast:—light SW. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 8th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

8th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.69	..	..	SE	6	..
Hakodate,	"	29.66	..	..	SE	6	..
Tokio,	"	29.71	..	..	S	6	..
Kochi,	"	29.72	..	..	W	2	..
Nagasaki,	"	29.72	..	..	W	6	..
Kagoshima,	"	29.75	..	..	N	2	..
Oshima,	"	29.76	..	..	SW	4	..
Naha,	"	29.85	..	..	W	2	..
Ishigakijima,	"	29.81	..	..	SW	6	..
Taihoku,	1 p.	29.78	..	..	NW	4	..
Taichu,	"	29.77	..	..	W	6	..
Tainan,	"	..	..	..	SW	6	..
Koshun,	"	29.80	..	..	S	4	..
Pescadores,	"	29.80	..	..	W	4	..
Gutzlaff,	3 p.	29.74	80	87	SSE	3	cv
Sharp Peak,	"	29.69	83	87	ESE	3	c
Amoy,	2.30p	29.75	88	76	SE	4	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	S	2	c
Hongkong,	4 p.	29.73	85	73	SSW	1	c
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.72	..	..	SW	3	..
Macao,	"	29.72	89	..	SW	2	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	79	84	N	2	c
Malate,	3 p.	..	..	..	N	2	or
Bacolod,	"	..	..	..	..	..	or
Iloilo,	"	29.75	79	..	W	2	or
Cebu,	"	29.75	80	..	S	1	or
Cape S. James,	"	..	..	..	..	..	..

9th JULY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	..	..	..	SE	6	..
Hakodate,	"	29.62	..	..	E	6	..
Tokio,	"	29.74			..	0	..
Kochi,	"	29.79			W	2	..
Nagasaki,	"	29.75			SW	4	..
Kagoshima,	"	29.75		..	..	0	..
Oshima,	"	29.80	..	..	S	2	..
Naha,	"	29.85		..	S	2	..
Ishigakijima,	"	29.81	..	..	S	6	..
Taihoku,	5a.	29.78		..	..	0	..
Taichu,	"	29.76			..	0	..
Tainan,	"	29.77		..	SE	2	..
Koshun,	"	29.80	..	..	SE	2	..
Pescadores,	"	29.76		..	S	2	..
Gutzlaff,	9a.	29.72	90	88	SSW	1	cv
Sharp Peak,	"	29.75	83	87	S	1	c
Amoy,	6.30a	29.75	81	91	SE	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.76	85	74	SSE	1	c
Victoria Peak,	"	..	..			..	..
Gap Rock,	"	29.75	..		SSE	2	..
Macao,	"	29.75	88	..	..	1	c
Haiphong,	7a.	..	..			..	..
Manila,	10a.	29.72	86	71	ESE	2	c
Malate,	9a.	..	..	..	E	2	c
Bacolod,	"	..	..	..	S	2	c
Iloilo,	"	29.78	80	..	NE	2	or
Cebu,	"	29.80	81	..	S	1	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 9th at 11.17a. The barometer has risen slightly in Japan, fallen in S. China and over Luzon. The depression which seems to be shallow has moved Westwards and appears to be now lying off the SW. coast of Luzon. Pressure is highest in the neighbourhood of the Loochoos. Gradients are slight for SE. winds on the China coast. Forecast:—light SE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 9th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

9th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	69	..	SW	1	c
Nemuro,	"	29.88	..	..	E	4	..
Hakodate,	"	29.62	..	..	SE	6	..
Tokio,	"	29.67	..	..	S	6	..
Kochi,	"	29.72	..	..	W	4	..
Nagasaki,	"	29.75	..	..	W	4	..
Kagoshima,	"	29.75	..	..	W	4	..
Oshima,	"	29.84	..	..	SW	4	..
Naha,	"	29.85	..	..	S	4	..
Ishigakijima,	"	29.85	..	..	S	8	..
Taihoku,	1 p.	29.78	..	..	N	4	..
Taichu,	"	29.76	..	..	S	4	..
Tainan,	"	29.75	..	..	S	6	..
Koshun,	"	29.81	..	..	SE	6	..
Pescadores,	"	29.78	..	..	S	6	..
Gutzlaff,	3 p.	29.73	83	83	SW	1	cv
Sharp Peak,	..	29.71	85	85	ESE	3	c
Amoy,	2.30p	29.77	88	62	SE	3	c
Swatow,	3p.	29.75	86	.	E	3	c
Canton,	"	29.70	92	74	E	2	o
Hongkong,	4 p.	29.72	83	76	ESE	1	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.71	..	..	SE	1	..
Macao,	"	29.72	89	..	SSW	1	c
Haiphong,	1 p.	..	.	..			..
Manila,	4 p.	29.69	86	71	SE	2	o
Malate,	3 p.	..	..	..	ESE	2	o
Bacolod,	"	..	.	.	S	..	orq
Iloilo,	"	29.74	82	..	W	1	o
Cebu,	"	29.75	82	..	S	2	or
Cape S. James,	"	..	..	..	..	..	..

10th JULY 1902, A.M.

Wladivostock,	7a.	29.40	60	99		0	o
Nemuro,	6a.	29.88			E	6	..
Hakodate,	"	29.62	.			0	
Tokio,	"	29.71	.		SW	2	..
Kochi,	"	29.75	..	..	W	8	..
Nagasaki,	"	29.72	..	..	NW	2	..
Kagoshima,	"	29.79	..	..	S	6	
Oshima,	"	29.84	..	..	SW	6	
Naha,	"	29.89	..	..	S	2	..
Ishigakijima,	"	29.85	..	.	S	6	..
Taihoku,	5a.	29.82	..	..	..	0	..
Taichu,	"	29.80	..	.	N	2	..
Tainan,	"	29.78	..	.	..	0	..
Koshun,	"	29.81	..	.	NE	6	
Pescadores,	"	29.80		.	E	4	
Gutzlaff,	9a.	29.84	80	87	SW	1	cv
Sharp Peak,	"	29.79	85	83		0	c
Amoy,	6.30a	29.79	82	83	SW	1	c
Swatow,	9 a.	..	..		.	.	..
Canton,	"	29.74	82	91	SE	1	od
Hongkong,	10a.	29.74	85	77	SE	2	o
Victoria Peak,	"	..	..	.		..	..
Gap Rock,	"	29.73	..	..	ESE	3	..
Macao,	"	29·73	85	..	SW	1	c
Haiphong,	7a.	.	..	.	..	..	..
Manila,	10a.	29.76	84	77	..	0	o
Malate,	9a.	..	..	..	..	0	o
Bacolod,	"	..	..	..	S		or
Iloilo,	"	29.85	79	..	NE	2	or
Cebu,	"	29.87	79	..	.	0	or
Cape S. James,	7a.	..	..	.	..	..	..

On the 10th at 11.27a. Red S. Cone hoisted. The barometer has fallen slightly in S Japan, and S. China, risen a little elsewhere. The depression seems to have moved Westnorthwestward and is probably now situated to the SE. of the Paracels. The depression in the North is still lying in the N. part of the Sea of Japan. Pressure continues high over the Loochoos. Gradients slight for E. winds on the China coast. Forecast:—fresh E. breezes; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 10th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

10th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.43	69	..	W	4	c
Nemuro,	"	29.80	..	..	E	6	..
Hakodate,	"	29.62	..	..	SE	4	..
Tokio,	"	29.71	..	..	SW	2	..
Kochi,	"	29.72	..	..	W	10	..
Nagasaki,	"	29.75	..	..	W	6	..
Kagoshima,	"	29.79	..	..	SW	4	..
Oshima,	"	29.92	..	..	..	0	..
Naha,	"	29.93	..	..	S	4	..
Ishigakijima,	"	29.85	..	..	S	6	..
Taihoku,	1 p.	29.79	..	..	NW	2	..
Taichu,	"	29.72	..	..	NW	4	..
Tainan,	"	29.74	..	..	NW	4	..
Koshun,	"	..	..	..	NE	8	..
Pescadores,	"	29.77	..	..	NE	6	..
Gutzlaff,	3 p.	29.83	86	80	S	1	cv
Sharp Peak,	..	29.76	85	83	ESE	3	b
Amoy,	2.30p	29.79	88	69	SE	2	c
Swatow,	3p.	29.80	86		E	3	c
Canton,	"	29.68	91	77	SE	1	c
Hongkong,	4 p.	29.67	83	85	ESE	3	oq
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.65	..	..	ESE	4	..
Macao,	"	29.67	88	..	E	1	c
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.72	77	92	..	0	or
Malate,	3 p.	..	..	..	..	0	or
Bacolod,	"	..	..	..	S	2	c
Iloilo,	"	29.80	81	..	SW	3	or
Cebu,	"	29.82	84	..	S	2	c
Cape S. James,	"	..	..	..	..	..	..

11th JULY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.61	..	..	N	4	..
Hakodate,	"	29.62	..	..	..	0	..
Tokio,	"	29.78	..	..	..	0	..
Kochi,	"	29.87	..	..	..	0	..
Nagasaki,	"	29.91	..	..	..	0	..
Kagoshima,	"	29.91	..	..	..	0	..
Oshima,	"	..	..	..	..	..	.
Naha,	"	..	..	..	..	..	..
Ishigakijima,	"	29.93	..	.	S	6	..
Taihoku,	5a.	29.81	..	..	..	0	..
Taichu,	"	29.78	.	..	..	0	..
Tainan,	"	29.78	..	..	..	0	..
Koshun,	"	29.81	..	..	NE	6	..
Pescadores,	"	29.72		..	NW	2	..
Gutzlaff,	9a.	[illegible]	80	91	S	3	c
Sharp Peak,	"	[illegible]	84	81	..	0	c
Amoy,	6.30	29.83	84	83	..	0	b
Swatow,	9 a	..	..	..	..	..	..
Canton,	"		..	..	..	..	..
Hongkong,	10a.	29.71	84	79	ESE	5	oq
Victoria Peak,	"	..	.	.		..	..
Gap Rock,	"	29.66	..	.	ESE	6	..
Macao,	"	29.69	86	..	E	3	cq
Haiphong,	7a.	..	..		..	..	..
Manila,	10a.	..	..	..	..	.	..
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	.	..	..	..	0	c
Iloilo,	"	29.85	79	..	..	0	c
Cebu,	"	29.87	84	..	S	1	b
Cape S. James,	7a.	.	..	..	..	..	..

On the 11th at 11.27a. The barometer has risen in SW. Japan, fallen slightly in S. China. The depression seems to have moved Northwestwards and to be now situated to the SE. of Luzon. Pressure remains high over the Loochoos and continues low in the N. part of the Sea of Japan. Gradients moderate for S. and SE. winds on the China coast. Forecast:—strong E. to SE. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 11th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

11th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.66	61	..	S	2	c
Nemuro,	"	29.61	.	..	S	4	..
Hakodate,	"	29.66	..	..	SW	6	..
Tokio,	"	29.74	..	..	S	4	..
Kochi,	"	29.83	..	..	W	6	..
Nagasaki,	"	29.88	..	.	SW	6	..
Kagoshima,	"	29.91	..	.	W	2	..
Oshima,	"	29.96	..	..	N	2	..
Naha,	"	29.97	..	..	SE	2	..
Ishigakijima,	"	29.89	..	..	S	6	..
Tailoku,	1p.	29.79	..	..	..	0	..
Taichu,	"	29.76	..	..	W	2	..
Tainan,	"	29.77	..	..	NW	6	..
Koshun,	"	29.82	..	..	E	8	..
Pescadores,	"	29.81	..	..	N	4	..
Gutzlaff,	3p.	29.78	82	87	S	4	cm
Sharp Peak,	..	29.78	85	88	E	4	c
Amoy,	2.30p	29.81	89	59	SE	..	c
Swatow,	3p.	.	..	.	.	..	..
Canton,	"	29.68	90	81	E	1	c
Hongkong,	4p.	29.66	82	83	E	5	cq
Victoria Peak,	"	..	.	.		..	..
Gap Rock,	"	29.62	..	..	E	6	..
Macao,	"	29.65	86	..	E	2	cq
Haiphong,	1p.	.	.	.		.	..
Manila,	4p.	29.76	82	77	SE	1	cd
Malate,	8p.	..	..	.	..	0	o
Bacolod,	"	..	..	.	WSW	2	o
Iloilo,	"	29.82	83	..	SW	1	o
Cebu,	"	29.79	88	..	S	2	c
Cape S. James,	"	.	..	..	..	..	..

12th JULY 1902, A.M.

Wladivostock,	7a.	29.7[illegible]	58	59	E	1	b
Nemuro,	6a.	29.7[illegible]	.	..	NE	6	..
Hakodate,	"	29.77	..	..	W	2	..
Tokio,	"	29.8[illegible]	..	..	.	0	..
Kochi,	"	29.86	..	..	W	2	..
Nagasaki,	"	29.90	..	.	SW	2	..
Kagoshima,	"	29.9[illegible]	..	.	N	2	..
Oshima,	"	[illegible]	..	.	..	0	..
Naha,	"	[illegible]	..		..	6	..
Ishigakijima,	"		.	.	..	..	..
Tailoku,	7a.		..	..	..	..	..
Taichu,	"	.	..	..	..	..	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..		..	..	..	..
Gutzlaff,	9a.	29.93	80	87	S	4	cv
Sharp Peak,	"	29.85	86	84	..	0	b
Amoy,	6.30a	29.84	84	83	NE	1	c
Swatow,	9 a.	..	..	.	..	..	..
Canton,	"	29.74	86	76	SE	3	c
Hongkong,	10a.	29.71	83	76	E	8	cq
Victoria Peak,	"	.	..	..		..	..
Gap Rock,	"	29.66	..	..	E	7	..
Macao,	"	29.71	86	..	ESE	4	spqlt
Haiphong,	7a.	.	..	.		..	..
Manila,	11a.	29.84	86	71	ESE	1	b
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	.	..	..	..	0	b
Iloilo,	"	29.90	81	..	..	0	b
Cebu,	"	29.90	81	..	..	0	or
Cape S. James,	7a.	..	..	..	..	..	..

On the 12th at 5.35a Black South Cone hoisted. At 11.27a. The barometer has risen a little in Japan, and over the Phillipines. The Typhoon seems to be situated to the E. of Hainan and apparently moving NNW. The Northern depression has moved into the Pacific to the E. of N. Japan. Pressure is high over the Loochoos. Gradients moderate for SE. and E. winds on the China coast to the N. of Hongkong Forecast:—fresh E. to SE. gale; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 12th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

12th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	8p.	..	..	..	..	..	..
Nemuro,	"	29.69	..	..	SE	6	..
Hakodate,	"	29.73	..	..	NW	6	..
Tokio,	"	29.78	..	..	S	4	..
Kochi,	"	29.87	..	..	W	8	..
Nagasaki,	"	29.96	..	.	SW	6	..
Kagoshima,	"	29.99	..		W	4	..
Oshima,	"	30.00	..	..	NE	6	.
Naha,	"	29.97	..	..	S	3	..
Ishigakijima,	"	29.93	..	..	SE	8	..
Tailoko,	1p.	29.84	..	..	E	2	..
Taichu,	"	29.82	..	..	NW	2	..
Taihoku,	"	29.86	..	..	W	6	..
Keelung,	"	29.86	..	..	SE	6	..
Pescadores,	"	29.87	..	..	NW	4	..
Gutzlaff,	3p.	29.84	84	79	SE	4	cv
Sharp Peak,	"	29.84	84	81	E	3	b
Amoy,	3.30p	29.87	90	68	SE	2	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.70	87	84	SE	3	c
Hongkong,	4p.	29.69	82	83	E	7	cq
Victoria Peak,	"	..	..	.	..	..	..
Gap Rock,	"	29.65	.	.	E	7	..
Macao,	"	29.68	82	..	E	3	cqq
Haiphong,	1p.	..	.	.	.	.	..
Manila,	4p.	29.80	88	66	WSW	1	c
Malate,	3p.	..	..	..	W	3	c
Baccolod,	"	..	..	.	NW	2	b
Iloilo,	"	29.82	85	..		0	c
Cebu,	"	29.81	83	..	N	1	b
Cape S. James,	"	..	..	..	..	..	..

13th JULY 1902. A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.72	..	..	SE	2	..
Hakodate,	"	29.81	..	..	SW	6	..
Tokio,	"	29.78	..	.	W	2	..
Kochi,	"	29.87	..	..	W	4	..
Nagasaki,	"	29.93	..	.	SW	6	..
Kagoshima,	"	29.99	..	.	.	0	..
Oshima,	"	29.98	..	..	.	0	..
Naha,	"	29.97	.		.	0	..
Ishigakijima,	"	29.93	.	.	S	4	..
Tailoko,	5a.	29.86	.	..	S	8	..
Taichu,	"	29.87	.	.	..	0	..
Taihoku,	"	29.86	.	..	NE	2	..
Keelung,	"	29.87	..	..	E	3	..
Pescadores,	"	29.87	.	.	S	6	..
Gutzlaff,	7a.	29.81	80	87	S	4	cv
Sharp Peak,	..	29.86	84	91	.	0	c
Amoy,	6.30a	29.87	83	93	S	1	c
Swatow,	9a	..	..	.	.	.	..
Canton,	"	29.74	86	93	E	3	c
Hongkong,	10a.	29.80	83	75	SE	5	cq
Victoria Peak,	"	..	..	.	..	..	..
Gap Rock,	"	29.78	..	..	SE	3	..
Macao,	"	29.77	81	..	SSE	2	c
Haiphong,	7a.	..	..	.	.	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	..	0	cr
Baccolod,	"	.	..	..	..	0	c
Iloilo,	"	29.88	80	.	.	0	c
Cebu,	"	29.84	79	..	S	2	cr
Cape S. James,	7a.	..	..	..	..	..	..

On the 12th at 4 p. Orders issued to hoist the Black Ball.

On the 13th at 11.15 a Black Ball lowered. The barometer has risen in the neighbourhood of Hongkong, fallen in N. China and Japan. The Typhoon has probably entered the coast near Hainan Straits. Pressure remains high over the Loochoos, and is again giving way over the Phillipines. Gradients slight to moderate for S. and SE winds on the China coast to the N. of Hongkong. Forecast:—SE. winds, decreasing; squally, showery.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Sunday 13th July 1902.

CHINA COAST METEOROLOGICAL REGISTER

13th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.69	..	..	SE	4	..
Hakodate,	"	29.62	..	..	SE	4	..
Tokio,	"	29.63	..	..	S	2	..
Kochi,	"	29.67	..	..	SE	4	..
Nagasaki,	"	29.87	..		SW	8	..
Kagoshima,	"	29.91	..		W	6	..
Oshima,	"	29.95	..	..	N	4	..
Naha,	"	29.93	..	..	SW	2	..
Ishigakijima,	"	29.93	..	..	S	4	..
Taihoku,	1p.	29.85	..	..	NE	4	..
Taichu,	"	29.83	..	..	N	4	..
Tainan,	"	29.85	..	..	W	6	..
Koshun,	"	29.89	..	..	E	6	..
Pescadores,	"	29.87	..	..	W	2	..
Gutzlaff,	3p.	29.80	86	84	S	2	cv
Sharp Peak,	"	29.80	89	69	S	3	c
Amoy,	2.30p	29.80	87	88	SE	3	b
Swatow,	3p.	29.70	84		SSW	4	c
Canton,	"	29.75	84	87	E	2	q
Hongkong,	4p.	29.80	81	86	E	3	o
Victoria Peak,	"	..	..	.		..	..
Cap Rock,	"	29.76	..	..	SE	5	..
Macao,	"	29.76	83	..	L	2	op
Haiphong,	1p.	.	..	..			..
Manila,	4p.	29.76	86	71	W	1	..
Malate,	3p.	..	..	..	W	1	c
Bacolod,	"	..	..	..	..	0	o
Iloilo,	"	29.80	80	..	..	0	cr
Cebu,	"	29.75	83	..	..	0	c
Cape S. James,	"	..	..	..	..	..	..

14th JULY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.57	..	..	NE	6	..
Hakodate,	"	29.62	..	..	N	6	..
Tokio,	"	29.59	..	..	S	2	..
Kochi,	"	29.75	..	..	S	6	..
Nagasaki,	"	29.75	..	..	SW	10	..
Kagoshima,	"	29.67	..	..	W	4	..
Oshima,	"	29.93	..	..	.	0	..
Naha,	"	29.89	..	..	.	0	..
Ishigakijima,	"	29.89	..	.	SW	4	..
Taihoku,	8a.	29.87	..	..	SE	2	..
Taichu,	"	29.84	..	.	..	0	..
Tainan,	"	29.83	..	..	..	0	..
Koshun,	"	29.86	..		..	0	..
Pescadores,	"	29.85		..	SE	6	..
Gutzlaff,	9a.	29.74	84	83	SSE	4	cv
Sharp Peak,	"	29.82	85	76	SSW	1	o
Amoy,	6.30a	29.85	84	83	SSW	1	c
Swatow,	9a	.	..	.	.	.	..
Canton,	"	29.82	85	87	SE	1	o
Hongkong,	10a.	29.86	84	72	SSE	2	o
Victoria Peak,	"	..	..	.	S	6	..
Cap Rock,	"	29.83	..	..	SE	4	..
Macao,	"	29.84	85	..	SSE	1	c
Haiphong,	7a.	..	..		..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	NW	3	c
Bacolod,	"	.	..	..	SW	2	or
Iloilo,	"	29.87	80	..	SW	2	c
Cebu,	"	29.89	75	..	..	0	c
Cape S. James,	7a.	.	..	..	..	..	..

On the 14th at 11.38a. The barometer has fallen in Japan and N. China, risen in S. China. There are indications of another depression to the E. of Luzon. Pressure is high over the Loochoos, and low to the E. of Japan. Gradients are slight for S. and SE. winds on the China coast. Forecast:—moderate to light S. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 14th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

14th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock...	2p.	..	..	..	..	..	..
Nemuro, ...	"	29.61	..	..	NE	6	..
Hakodate, ...	"	29.62	..	..	SE	6	..
Tokio, ...	"	29.59	..	..	SE	2	..
Kochi, ...	"	29.68	..	..	SW	6	..
Nagasaki, ...	"	29.75	..	.	SW	8	..
Kagoshima,...	"	29.83	..	..	W	6	..
Oshima, ...	"	29.88	..	..	S	4	..
Naha, ...	"	29.89	..	..	S	2	..
Ishigakijima. ..	"	29.89	..	..	S	4	..
Taihoku, ...	1 p.	29.84	..	..	N	4	..
Taichu, ...	"	29.81	..	..	W	2	..
Tainan, ...	"	29.82	..	..	W	6	..
Koshun, ...	"	29.86	..	..	E	4	..
Pescadores, . .	"	29.82	..	..	S	6	..
Gutzlaff, ...	4 p.	29.71	90	73	SSW	2	bv
Sharp Peak, .	"	29.75	89	68	SSE	3	b
Amoy, ...	2.30p	29.85	87	76	SE	1	c
Swatow, .. .	3p.	..	..	..	.	.	..
Canton, ...	"	29.75	89	73	E	2	c
Hongkong, ...	4 p.	29.80	82	83	E	4	o
Victoria Peak.	"	..	..	..	SE	4	..
Gap Rock, ...	"	29.75	..	..	ESE	4	..
Macao,... .	"	29.78	85	..	SSE	1	c
Haiphong, ...	1 p.	..	.	..		.	.
Manila, ...	4 p.	29.72	77	..	N	2	o
Malate, ...	3 p.	..	..	..	NNW	1	o
Bacolod, ...	"	..	..	..	S	1	b
Iloilo, ...	"	29.77	82	..	NW	2	o
Cebu, ...	"	29.80	83	..	S	3	..
Cape S. James,	"	..	..	..	..	..	..

15th JULY 1902, A.M.

Wladivostock,..	7a.	..	..	..	..	..	..
Nemuro, ...	6a.	29.69	..	..	NE	6	..
Hakodate, ...	"	29.70	..	..	W	2	..
Tokio, ...	"	29.68	..	..	N	2	..
Kochi, ...	"	29.75	..	..	W	6	..
Nagasaki, ...	"	29.75	..	.	SW	8	..
Kagoshima, . ..	"	29.79	..	..	N	..	..
Oshima, ...	"	29.80	..	..	SW	6	..
Naha, ...	"	29.85	..	..	.	6	..
Ishigakijima, ..	"	29.81	..	.	SW	4	.
Taihoku, ...	6a.	29.82	..	..	E	2	..
Taichu,..	"	29.82	..	..	..	0	.
Tainan,..	"	29.80	.	..	E	2	..
Koshun, ...	"	29.81	..	..	E	2	..
Pescadores, ...	"	29.81		.	SW	2	..
Gutzlaff, ...	9a.	29.74	85	79	WSW	1	cv
Sharp Peak, ...	"	29.76	82	87	.	0	b
Amoy, ...	6.30a	29.82	82	87	SSW	1	c
Swatow, ...	9 a.	..	..	..	.	.	..
Canton, ...	"	29.80	85	79	SE	2	b
Hongkong, ...	10a.	29.81	84	81	E	2	o
Victoria Peak, ..	"	..	..	..	SSE	2	..
Gap Rock, ...	"	29.79	..	..	ESE	2	.
Macao, ...	"	29·80	84	..	SE	1	c
Haiphong, ...	7a	..	..	..		..	.
Manila, ...	10a.	29.76	84	71	ESE	2	o
Malate, ...	9a.	..	..		E	2	o
Bacolod, .. .	..	.	..	.	S	3	o
Iloilo, ...	"	29.80	80	..	S	1	o
Cebu, ...	..	29.89	86	..	S	2	o
Cape S. James...	7a.	.	..	..	..	..	..

On the 16th at 10.5 a. The depression in the South is moving towards WNW and lies now off the SW. coast of Luzon. The barometer is falling on the China coast, rising over the Southern Phillipines. Pressure remains low over N. China and the Sea of Japan. Light S. winds on the China coast to the N. of Hongkong. Forecast:—light or moderate SE. backing to E. breezes; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 15th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

15th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2p.	29.67	60	..	SW	1	o
Nemuro, ...	,,	29.72	..	..	SE	2	..
Hakodate, ...	,,	29.67	..	..	SE	8	..
Tokio, ...	,,	29.55	..	..	NW	2	..
Kochi, ...	,,	29.68	..	..	W	6	..
Nagasaki, ...	,,	29.72	..		SW	10	..
Kagoshima....	,,	29.75	.		W	8	..
Oshima, ...	,,	29.80	..	..	SW	4	..
Naha, ...	,,	29.86	..	..	S	4	..
Ishigakijima, ..	,,	29.81		..	SW	6	..
Taihoku, ...	1p.	29.77		..	N	2	..
Taichu, ...		29.76		..	NW	2	..
Tainan, ...		29.77		..	SE	6	..
Koshun, ...		29.82		..	E	6	..
Pescadores, ..	,,	29.79	..	..	S	4	..
Gutzlaff, ...	3p.	29.74	82	79	SSW	1	cv
Sharp Peak, ..	,,	29.70	88	78	ESE	3	b
Amoy, ...	2.30p	29.8[illegible]	90	56	SE	3	b
Swatow, .. .	3p.	29.79	87		SSE	2	b
Canton, ...	,,	29.7[illegible]	87	76	SE	2	b
Hongkong, ...	4p.	29.75	84	77	E	1	o
Victoria Peak,	,,	..			SSE	2	..
Gap Rock, ...	,,	29.74			SE	2	..
Macao.....	,,	29.74	86	..	SE	1	c
Haiphong, ...	1p.	..	..	..	..	..	..
Manila, ...	4p.	29.72	79	92	..	0	o
Malate, ...	3p.	..	..	..	NW	3	or
Bacolod, ...	,,	..	..	..	S	2	o
Iloilo, ...	,,	29.83	81	..	NW	3	o
Cebu, ...	,,	29.80	85	..	SW	2	c
Cape S. James,	,,	..	..	..	..	..	..

16th JULY 1902, A M.

Wladivostock, ..	7a.	29.78	56	92	SW	1	c
Nemuro, ...	6a.	29.84	..	..	E	2	..
Hakodate, ...	,,	29.77	..	..	E	6	..
Tokio, ...	,,	29.78	..	..	N	2	..
Kochi, ...	,,	29.75	..	..	W	6	..
Nagasaki, ...	,,	29.75	..	..	N	4	..
Kagoshima, ..	,,	29.79	..	..	SW	4	..
Oshima, ...	,,	29.88	..	..	S	2	..
Naha, ...	,,	29.85	..	..	..	0	..
Ishigakijima, ..	,,	29.81	..	.	S	4	..
Taihoku, ...	5a.	29.81	..	..	..	0	..
Taichu, ...	,,	29.77	..	..	..	0	..
Tainan, ...	,,	29.75	..	..	NE	2	..
Koshun, ...	,,	29.78	..	..	E	4	..
Pescadores, ...	,,	29.76		..	SW	2	..
Gutzlaff, ...	9a.	29.80	79	91	SE	2	cm
Sharp Peak, ...	,,	29.76	86	82	..	0	c
Amoy, ...	6.30a	29.79	84	87	S	1	c
Swatow, ...	9 a.	..	..	..	..	.	..
Canton, ...	,,	29.78	85	79	S	2	b
Hongkong, ...	10a.	29.79	80	88	E	2	o
Victoria Peak, ..	,,	..	..	.	SE	1	..
Gap Rock, ...	,,	29.77	..	.	NNW	1	..
Macao, ...	,,	29.77	85	..	ESE	1	c
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	29.84	86	65	S	1	c
Malate, ...	9a.	..	..	..	.	0	c
Bacolod, ...	,,	.	..	..	SW		rq
Iloilo, ...	,,	29.94	79	..	SW	2	c
Cebu, ...	,,	29.92	85	..	S	2	o
Cape S. James...	7a.	.	..	..	..	..	..

On the 16th at 11.25a. The barometer has risen in the North and over the Phillipines fallen slightly in S. China. The depression seems to [illegible] moved towards WNW and is apparently situated to the SE. of the Paracels. Gradient slight [illegible] E. winds on the China coast to the N. of Hongkong. Forecast:—moderate E winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 16th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

16th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.79	62	..	S	3	c
Nemuro,	"	29.84	..	..	SE	6	..
Hakodate,	"	29.77	..	..	SE	..	..
Tokio,	"	29.77	..	..	N	2	..
Kochi,	"	29.79	..	..	W	6	..
Nagasaki,	"	29.83	..	..	SW	4	..
Kagoshima,	"	29.83	..	..	NW	4	..
Oshima,	"	29.88	..	..	N	4	..
Naha,	"	29.89	..	..	SE	4	..
Ishigakijima,	"	29.85	..	..	S	6	..
Taihoku,	1 p.	29.78	..	..	NE	6	..
Taichu,	"	29.73	..	..	N	6	..
Tainan,	"	29.75	..	..	W	6	..
Koshun,	"	29.78	..	..	E	6	..
Pescadores,	"	29.79	..	..	N	6	..
Gutzlaff,	3 p.	29.78	86	76	S	1	cv
Sharp Peak,	"	29.71	87	74	SSE	4	c
Amoy,	2.30p	29.79	88	69	SE	4	c
Swatow,	3p.	29.74	88		SSE	3	b
Canton,	..	29.72	92	70	S	1	b
Hongkong,	"	29.69	84	81	E	1	o
Victoria Peak,	"	.	.	..	S	1	..
Gap Rock,	"	29.67	..	..	E	1	..
Macao,	"	29.68	88	..	SE	1	c
Haiphong,	1 p.			..			..
Manila,	3 p.	29.76	90	66	SW	1	c
Malate,	3 p.		..	..	SW	4	c
Bacolod,	"		..	.	SW	2	b
Iloilo,	"	29.87	85	..	NE	2	b
Cebu,	"	..	..	..	..	..	..
Cape S. James,	"	..	..	..	..	..	..

17th JULY 1902, A.M.

Wladivostock,	7a.	29.83	59	99	S	1	o
Nemuro,	6a.	29.92	..	..	SE	2	..
Hakodate,	"	29.89	..	..	W	2	..
Tokio,	"	29.86	..	..	NW	4	..
Kochi,	"	29.87	..	..	W	2	..
Nagasaki,	"	29.87	..	..	W	2	..
Kagoshima,	"	29.91	..	..	S	2	..
Oshima,	"	29.92	..	..	S	2	..
Naha,	"	29.89	..	..	SE	2	..
Ishigakijima,	"	29.81	..	.	S	4	..
Taihoku,	6a.	29.79	..	..	S	2	..
Taichu,	"	29.76	..	..	..	0	..
Tainan,	"	29.75	..	..	..	0	..
Koshun,	"	.	..	..	..	..	..
Pescadores,	"	29.76	.	..	NE	2	..
Gutzlaff,	9a.	29.78	81	87	S	3	cv
Sharp Peak,	"	29.75	87	84	..	0	c
Amoy,	6.30a.	29.79	84	91	S	1	c
Swatow,	9 a.	..	..	.	..	..	..
Canton,	"	29.72	86	84	E	1	b
Hongkong,	10a.	29.71	85	72	E	3	c
Victoria Peak,	"	..	..	..	E	3	..
Gap Rock,	"	29.68	..	..	ENE	4	..
Macao,	"	29.70	89	..	E	1	c
Haiphong,	7a.	..	..	.		..	..
Manila,	10a.	29.92	82	77	S	1	c
Malate,	9a.	..	..	..	S	1	o
Bacolod,	"	.	..	..		0	b
Iloilo,	"	29.98	82	..	SW	1	o
Cebu,	"	29.96	86	..	S	2	b
Cape S. James,	7a.	..	..	..	..	..	..

On the 17th at 10.45a. Red South Cone hoisted.

At 11.0a. The depression appears to be situated to the East of the Paracels and to be moving Northwest. The barometer is falling in Hongkong and rising over the Phillipines and Japan. Pressure is high over Japan and the South of the China Sea. Moderate SE. winds on the China coast to the N. of Hongkong and strong E. winds along the S. coast. Forecast:—strong E. breezes, probably increasing; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 17th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

17th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2p.	..	..	..	..	..	..
Nemuro, ...	"	29.92	..	..	S	4	..
Hakodate, ...	"	29.93	..	..	S	6	..
Tokio, ...	"	29.86	..	..	N	4	..
Kochi, ...	"	29.91	..	..	W	4	..
Nagasaki, ...	"	29.91	..	..	W	6	..
Kagoshima....	"	29.91	..	..	S	4	..
Oshima, ...	"	29.92	..	..	S	6	..
Naha, ...	"	29.81	..	..	S	6	..
Ishigakijima, ..	"	29.85	..	..	SW	6	..
Taihoku, ...	1 p.	29.78	..	..	NW	6	..
Taichu, ...	"	29.74	..	..	NW	8	..
Tainan, ...	"	29.77	..	..	S	6	..
Koshun, ...	"	29.82	..	..	SE	4	..
Pescadores, ..	"	29.78	..	..	E	4	..
Gutzlaff, ...	3 p.	29.77	83	53	S	4	cv
Sharp Peak, .	"	29.74	85	79	SSE	2	b
Amoy, ...	2.30p	29.77	88	92	SE	4	c
Swatow, .. .	3p.	29.75	86	..	ESE	3	b
Canton, ...	"	29.65	93	71	S	1	o
Hongkong, ...	4 p.	29.63	83	79	ENE	4	o
Victoria Peak,	"	..	..	..	E	8	..
Gap Rock, ..	"	29.60	..	..	ENE	5	..
Macao, ...	"	29.64	86	..	ENE	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.84	84	71	WSW	4	c
Malate, ...	3 p.	..	..	..	S	1	o
Bacolod, ...	"	..	..	..	S	..	o
Iloilo, ...	"	29.91	82	..	NE	2	o
Cebu, ...	"	29.90	84	..	SW	2	c
Cape S. James,	"	..	..	..	..	..	..

18th JULY 1902, A.M.

Wladivostock, ..	7a.	..	..	..	..	..	..
Nemuro, ...	6a.	29.92	..	..	S	4	..
Hakodate, ...	"	29.93	..	..	SE	4	..
Tokio, ...	"	29.94	..	..	E	2	..
Kochi, ...	"	29.91	..	..	..	0	..
Nagasaki, ...	"	29.79	..	..	S	10	..
Kagoshima, .	"	29.87	..	..	S	6	..
Oshima, ...	"	29.92	..	..	SE	4	..
Naha, ...	"	29.89	..	..	S	2	..
Ishigakijima, ..	"	29.85	..	.	S	4	..
Taihoku, ...	5a.	29.82	..	..	S	2	..
Taichu, ...	"	29.80	.	..	..	0	..
Tainan, ...	"	29.79	.	..	SE	6	..
Koshun, ...	"	29.86	..	..	SE	2	..
Pescadores, ...	"	..		..	S	10	..
Gutzlaff, ...	9a.	..	..	..	..	..	..
Sharp Peak, . .	"	29.78	85	79	SSW	1	c
Amoy, ...	6.30a	29.78	82	75	SE	4	c
Swatow, ...	9 a.	..	..	..	..	..	..
Canton, ...	"	..	..	..	..	..	..
Hongkong, ...	10a.	29.47	79	83	NNE	6	oq
Victoria Peak, ..	"	..	..	..	..	..	..
Gap Rock, ...	"	29.43	..	..	NNW	8	..
Macao, ...	"	..	..	..	..	..	..
Haiphong, ...	7a.	..	..	..	..	..	..
Manila, ...	10a.	..	..	..	..	..	..
Malate, ...	9a.	..	..	..	..	0	o
Bacolod, ...	"	.	..	..	..	2	b
Iloilo, ...	"	29.98	82	..	..	0	b
Cebu, ...	"	29.91	82	..	..	0	o
Cape S. James, ..	7a.	..	..	..	..	..	..

On 17th at 4.45p. Black South Cone hoisted.

On the 18th at 5.30a. Typhoon probably about 200 miles South of Hongkong, moving Northwest. Strong Northeast to Southeast gale expected. Gun fired. At 10.30a The typhoon to the Southward appears to be moving Northwards and likely to approach the neighbourhood of Hongkong. It may pass to the Eastward of the Colony, in which case the gale will be from North and West.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 18th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.92	..	..	SW	6	..
Hakodate,	"	29.85	..	..	SE	6	..
Tokio,	"	29.90	..	..	S	2	..
Kochi,	"	29.79	..	..	W	6	..
Nagasaki,	"	29.83	..	.	SW	8	..
Kagoshima,	"	29.87	..	.	SW	8	..
Oshima,	"	29.92	..	..	SE	4	..
Naha,	"	29.93	..	..	S	4	..
Ishigakijima,	"	29.89	..	..	S	6	..
Taihoku,	1p.	29.80	..	..	E	6	..
Taichu,	"	29.78	..	..	W	2	..
Tainan,	"	29.79	..	..	S	8	..
Koshun,	"	29.84	..	..	SE	6	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	3p.	29.78	82	76	SSW	1	cv
Sharp Peak,	"	29.78	85	76	SW	3	o
Amoy,	2.30p	29.78	83	87	E	2	orq
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	4p.	29.14	78	87	NW	8	orq
Victoria Peak,	"	..	..	..	NW	11	..
Gap Rock,	"	29.30	..		NNW	8	..
Macao,	"	29.39	83	..	NW	5	odq
Haiphong,	1p.	..	..	..	..	..	..
Manila,	4p.	29.84	84	77	WSW	1	o
Malate,	3p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	SW	4	o
Iloilo,	"	29.89	80	..	..	0	o
Cebu,	"	29.87	85	..	..	0	o
Cape S. James,	"	..	..	..	..	..	

19th JULY 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7a.	..	..	..	.	..	
Nemuro,	6a.	29.84	..	..	SE	6	
Hakodate,	"	29.70	..		E	6	
Tokio,	"	29.63	..		SW	2	
Kochi,	"	29.75	..	..	W	8	
Nagasaki,	"	29.79	..	..	SW	8	.
Kagoshima,	"	29.87	..	..	W	6	..
Oshima,	"	29.88	..	..	..	0	..
Naha,	"	29.89	..	..	..	0	..
Ishigakijima,	"	29.85	..	.	S	6	..
Taihoku,	5a.	29.79	..	..	S	2	..
Taichu,	"	29.78	..	.	E	2	..
Tainan,	"	..	..	..	..	..	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	..	..	..	..	..	..
Gutzlaff,	9a.	29.75	80	87	S	4	cv
Sharp Peak,	"	29.78	82	91	SSE	3	o
Amoy,	6.30a	29.76	81	87	SE	5	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.75	82	82	S	3	opq
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.73	..	..	SSW	6	..
Macao,	"	29.71	82	..	SSW	2	or
Haiphong,	7a.	..	..	.		..	..
Manila,	10a.	29.92	84	76	W	1	b
Malate,	9a.	..	..	..	E	1	c
Bacolod,	"	..	..	..	..	0	b
Iloilo,	"	29.94	81	..	..	0	c
Cebu,	"	29.93	82	..	..	0	c
Cape S. James,	7a.	..	..	..	..	..	..

On 18th at 2.20p. Black Drum hoisted. At 4p. Typhoon centre passing near and to the East of the Colony, moving Northwards

On the 19th at 5a. Black North Cone hoisted. At 11.40a. The typhoon centre probably passed within 20 miles to the East of Hongkong at 4pm. yesterday, and since it must have approached the neighbourhood of Canton. The barometer has risen much on the S. coast of China, fallen in Japan, where another depression exists. Moderate to strong SE to SW winds on the coasts of S. China. Forecast:—SW and S. winds, decreasing; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 19th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

19th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.80	..	..	SE	6	..
Hakodate,	"	29.62	..	..	E	6	..
Tokio,	"	29.51	..	..	SW	6	..
Kochi,	"	29.75	..	..	..	0	..
Nagasaki,	"	29.72	..	.	W	8	..
Kagoshima,	"	29.73	..	.	W	6	..
Oshima,	"	29.88	..	..	SW	6	..
Naha,	"	29.89	..	..	SE	4	..
Ishigakijima,	"	29.85	.	..	S	6	..
Taihoku,	1p.	29.83	..	..	NW	6	..
Taichu,	"	29.81	..	..	SW	8	..
Tainan	"	29.85	..	..	S	8	..
Koshun,	"	29.89	..	..	S	6	..
Pescadores,	"	29.81	..	..	S	8	..
Gutzlaff,	3p.		..	..	..	..	..
Sharp Peak,	"	29.75	84	74	SSW	6	c
Amoy,	2.30p	29.81	82	83	SE	6	c
Swatow,	3p.	..			..	..	..
Canton,	"	29.71	86	88	E	2	o
Hongkong,	4p.	29.72	82	85	S	2	oq
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.71	..	..	SSW	5	..
Macao,	"	29.71	85	..	S	2	c
Haiphong,	1p.	.	.	..	..	..	..
Manila,	4p.	29.84	86	78	SW	1	o
Malate,	3p.		..	..	SW	1	c
Bacolod,	"		..	..	..	0	c
Iloilo,	"	29.86	..	..	NE	2	o
Cebu,	"	29.84	85	..	SW	2	..
Cape S. James,	"	..	..	..	..	..	..

20th JULY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.84	..	..	E	4	..
Hakodate,	"	29.73	..	..	E	2	..
Tokio,	"	29.59	..	..	..	0	.
Kochi,	"	29.68	..	..	W	4	.
Nagasaki,	"	29.64	..	..	SW	10	..
Kagoshima,	"	29.75	..	..	SE	10	..
Oshima,	"	29.84	..	..	SE	2	..
Naha,	"	29.89	..	..	..	0	..
Ishigakijima,	"	29.85	..	..	..	4	..
Taihoku,	5a.	29.84	..	..	SW	2	..
Taichu,	"	29.83	..	..	..	0	..
Tainan,	"	29.84	..	..	S	2	..
Koshun,	"	29.86	..	..	..	0	..
Pescadores,	"	29·85		..	SW	2	..
Gutzlaff,	9a.	29.73	83	83	SW	3	cv
Sharp Peak,	"	29.81	83	..	SSE	3	c
Amoy,	6.30a	29.81	82	83	S	2	b
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.85	83	83	..	0	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.84	..	..	S	3	..
Macao,	"	29.84	85	..	SSW	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	0	c
Iloilo,	"	29.93	81	..	..	0	c
Cebu,	"	29.90	83	..	..	0	b
Cape S. James,	7a.	..	..	..	..	..	..

On 19th at 12.30p. Black South Cone lowered.

On the 20th at 11.20a. The barometer has fallen in Japan, risen in S. China. The depression still lies in the Sea of Japan, and pressure is high over the China Sea. Gradients slight for S. and SW. winds on the China coast. Forecast.—Moderate or light S. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 20th July 1902.

CHINA COAST METEOROLOGICAL REGISTER

20th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	..	..	..	..	..	..
Hakodate,	"	..	..	..	..	..	..
Tokio,	"	..	..	..	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Oshima,	"	..	..	..	..	..	..
Naha,	"	..	..	..	..	..	..
Ishigakijima,	"	..	..	..	..	..	..
Taihoku,	1p.	29.83	..	..	NW	2	..
Taichu,	"	29.84	..	..	W	4	..
Tainan,	"	29.86	..	..	SW	4	..
Koshun,	"	29.87	..	..	E	..	..
Pescadores,	"	29.86	..	..	SE	6	..
Gutzlaff,	3p	29.76	79	70	WNW	2	cv
Sharp Peak,	"	29.74	87	76	SSE	3	c
Amoy,	2.30p	29.62	86	.	S	4	b
Swatow,	3p.	.	..	..	..	..	..
Canton,	"	29.78	86	92	S	1	r
Hongkong,	4 p.	29.78	83	79	SSW	1	c
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.76	..	..	SSW	4	..
Macao,	"	29.78	84	..	SSW	..	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.88	75	..	..	0	c
Malate,	3 p.	..	..	..	..	..	or
Bacolod,	"	..	..	..	N	..	orq
Iloilo,	"	29.88	83	..	..	0	o
Cebu,	"	29.85	82	..	S	..	or
Cape S. James,	"	..	..	..	..	..	..

21st JULY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.84	..	..	NE	2	..
Hakodate,	"	29.85	..	..	E	2	..
Tokio,	"	29.74	..	..	NW	4	..
Kochi,	"	29.72	..	..	N	2	..
Nagasaki,	"	29.75	..	..	NE	2	..
Kagoshima,	"	29.75	..	..	N	2	..
Oshima,	"	29.76	..	..	W	2	..
Naha,	"	29.81	..	..	SW	2	..
Ishigakijima,	"	29.81	..	..	SW	6	..
Taihoku,	5a.	29.81	..	..	..	0	..
Taichu,	"	29.83	..	..	SW	2	..
Tainan,	"	29.83	..	..	S	2	..
Koshun,	"	29.83	..	..	NW	2	..
Pescadores,	"	29.80		..	SW	4	..
Gutzlaff,	9a.	29.71	77	100	SE	2	..
Sharp Peak,	"	29.75	84	87	S	2	o
Amoy,	6.30a	29.80	81	87	SSW	2	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.83	85	76	S	2	c
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.80	..	..	SSW	3	..
Macao,	"	29.81	88	..	SW	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.92	77	92	..	0	od
Malate,	9a.	..	..	..	E	2	od
Bacolod,	..	..	..	..	S	2	b
Iloilo,	"	29.91	80	..	..	0	c
Cebu,	"	29.90	84	..	S	2	c
Cape S. James,	7a.	..	..	..	..	..	..

On 21st at10.45a. The barometer has fallen on the China coast and over the Loochoos, risen in N. Japan. Pressure is high over the China Sea, low in N. China and over the Pacific to the S. of Japan. Gradients slight with light to moderate S. winds on the China coast. Forecast:—light S. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 21st July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

21st JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.80	..	..	N	6	..
Hakodate,	"	29.81	..	..	SE	4	..
Tokio,	"	29.74	..	..	NE	4	..
Kochi,	"	29.75	..	..	E	2	..
Nagasaki,	"	29.72	..	..	E	4	..
Kagoshima,	"	29.72	..	..	S	2	..
Oshima,	"	29.73	..	..	W	4	..
Naha,	"	29.81	..	..	S	4	..
Ishigakijima,	"	29.81	..	..	SW	6	..
Taihoku,	1 p.	29.77	..	..	W	4	..
Taichu,	"	29.78	..	..	W	4	..
Tainan,	"	29.81	..	..	W	6	..
Koshun,	"	29.81	..	..	NW	6	..
Pescadores,	"	29.83	..	..	SW	4	..
Gutzlaff,	3 p.	29.68	76	95	WSW	2	omr
Sharp Peak,	"	29.67	86	79	SSE	6	c
Amoy,	2.30p	29.75	88	73	SE	4	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.72	94	68	SE	1	b
Hongkong,	4 p.	29.75	85	74	SSW	1	b
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.75	..	..	SW	2	..
Macao,	"	29.74	90	..	SSW	1	c
Haiphong,	1 p.	..	..	..	..	.	..
Manila,	4 p.	29.80	82	77	WSW	1	o
Malate,	3 p.	..	..	..	W	1	o
Bacolod,	"	..	..	..	SW	4	o
Iloilo,	"	29.85	82	..	S	1	o
Cebu,	"	29.82	85	..	S	2	o
Cape S. James,	"	..	..	..	..	..	..

22nd JULY 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7a.	.	..	..	.	..	..
Nemuro,	6a.	29.84	..	..	SE	2	..
Hakodate,	"	29.88	..	..	N	2	..
Tokio,	"	29.86	..	..	N	2	..
Kochi,	"	29.75	..	..	NE	4	..
Nagasaki,	"	29.64	..	..	E	6	..
Kagoshima,	"	29.68	..	..	SE	4	..
Oshima,	"	29.69	..	..	S	2	..
Naha,	"	29.74	..	..	S	4	..
Ishigakijima,	"	29.70	..	..	SW	8	..
Taihoku,	5a.	29.73	..	..	..	0	..
Taichu,	"	29.73	..	..	S	2	..
Tainan,	"	29.75	..	..	S	4	..
Koshun,	"	29.75	..	..	W	2	..
Pescadores,	"	29.77		..	SW	4	..
Gutzlaff,	9a.	29.64	79	100	SW	1	cv
Sharp Peak,	"	29.61	85	87	S	2	c
Amoy,	6.30a	29.70	82	87	SW	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.73	85	71	S	2	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.73	..	..	SW	3	..
Macao,	"	29.72	86	..	SSW	1	c
Haiphong,	7a.	..	..	.	.	..	..
Manila,	10a.	29.84	84	77	SE	0	c
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	.	..	..	S	2	b
Iloilo,	"	29.90	82	..	NE	2	c
Cebu,	"	29.90	85	..	SE	2	c
Cape S. James,	7a.	..	.	.	..	..	..

On 22nd at 11 30a. The barometer has fallen considerably on the China coast [illegible] slightly over the Phillipines. A depression has passed from the mainland of China into the Y[illegible] [illegible] viz. E. towards W. Japan. Gradients slight with moderate SW. winds in S. China and the N. part of China Sea. Forecast:—moderate SW. winds; fair to showery.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Tuesday 22nd July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

22nd JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.84	..	..	SE	3	..
Hakodate,	"	29.85	..	..	SE	0	..
Tokio,	"	29.86	..	..	S	2	..
Kochi,	"	29.75	..	..	NE	5	..
Nagasaki,	"	29.60	..	..	NE	6	..
Kagoshima,	"	29.64	..	..	S	4	..
Oshima,	"	29.73	..	..	S	4	..
Naha,	"	29.74	..	..	S	4	..
Ishigakijima,	"	29.72	..	..	SW	8	..
Taihoku,	1 p.	29.67	..	..	NW	6	..
Taichu,	"	29.69	..	..	SW	6	..
Tainan,	"	29.72	..	..	W	6	..
Koshun,	"	29.72	..	..	W	6	..
Pescadores,	"	29.72	..	..	SW	6	..
Gutzlaff,	3 p.	29.59	79	91	S	1	cv
Sharp Peak,	..	29.56	86	74	SSE	5	c
Amoy,	2.30p	29.69	89	69	SE	5	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.61	93	71	SE	2	b
Hongkong,	4 p.	29.65	85	74	SSW	1	c
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.63	..	..	SW	3	..
Macao,	"	29.64	89	..	S	1	c
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.76	84	77	WSW	3	c
Malate,	3 p.	..	..	..	SW	2	b
Bacolod,	"	..	..	..	..	2	b
Iloilo,	"	29.84	80	..	S	2	c
Cebu,	"	29.81	86	..	S	3	..
Cape S. James,	"	..	..	..	..	..	..

23rd JULY 1902, A.M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.92	..	..	SW	4	..
Hakodate,	"	29.89	..	..		0	..
Tokio,	"	29.90	..	..	N	2	..
Kochi,	"	29.68	..	..	W	6	..
Nagasaki,	"	29.60	..	..	SW	4	..
Kagoshima,	"	29.68	..	..	SW	8	..
Oshima,	"	29.73	..	..	SW	4	..
Naha,	"	29.74	..	..	S	2	..
Ishigakijima,	"	29.70	..	..	SW	8	..
Taihoku,	5a.	29.64	..	..	S	2	..
Taichu,	"	29.66	..	..	..	0	..
Tainan,	"	29.68	..	..	S	2	..
Koshun,	"	29.68	..	..	W	2	..
Pescadores,	"	29.72		..	S	6	..
Gutzlaff,	9a.	..	..	..	..	..	..
Sharp Peak,	"	29.58	84		S	3	o
Amoy,	6.30a	29.65	81	87	SSW	2	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	29.61	87	80	S	2	b
Hongkong,	10a.	29.66	84	75	SSW	1	o
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.65		..	SSW	4	..
Macao,	"	29.64	89	..	SSW	1	c
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	29.80	81	92	SSW	1	c
Malate,	9a.	..	..	..	W	2	c
Bacolod,	"	..	..	..	W	.	or9
Iloilo,	"	29.90	79	..	NW	3	or
Cebu,	"	29.88	84	..	S	2	o
Cape S. James,	7a.	..	..	..	..	..	..

On 23rd at 10.50a. The barometer has risen in E. Japan, fallen elewhere. The depression is still ly over the Yellow Sea and the W. part of the Sea of Japan. Pressure is highest over the Pacific to the Japan. Gradients moderate with fresh SW. winds on the China coast. Forecast:—moderate to fresh winds; squally, showery.

F. G. HIGG,
Acting Director.

Hongkong Observatory, Wednesday 23rd July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

23rd JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2p.	29.69	61	..	S	4	o
Nemuro, ...	,,	29.92	..	..	SW	6	..
Hakodate, ...	,,	29.85	..	..	SE	6	..
Tokio, ...	,,	29.86	..	..	..	0	..
Kochi, ...	,,	29.72	..	..	SW	6	..
Nagasaki, ...	,,	29.68	..	..	SW	8	..
Kagoshima, ...	,,	29.75	..	..	SW	4	..
Oshima, ...	,,	29.76	..	..	S	4	..
Naha, ...	,,	29.77	..	..	S	4	..
Ishigakijima, ..	,,	29.74	..	..	SW	6	..
Taihoku, ...	1 p.	29.67	..	..	W	2	..
Taichu, ...	,,	29.67	..	..	SW	6	..
Tainan, ...	,,	29.70	..	..	SW	6	..
Koshun, ...	,,	29.73	..	..	NW	4	..
Pescadores, ...	,,	29.71	..	..	SW	6	..
Gutzlaff, ...	3 p.	..	..	..	..	..	..
Sharp Peak, ..		29.57	86	80	SSE	6	c
Amoy, ...	2.30p.	29.69	88	69	S	5	b
Swatow, ...	3p.	..	..	..	..	..	..
Canton, ...	,,	29.59	88	84	S	2	ot
Hongkong, ...	4 p.	29.62	85	77	SW	1	op
Victoria Peak,	,,	..	..	..	..	..	..
Gap Rock, ...	,,	29.61	..	..	SSW	4	..
Macao, ...	,,	29.61	89	..	SSW	1	c
Haiphong, ...	1 p.	..	..	..	..	..	..
Manila, ...	4 p.	29.76	79	92	SSW	2	od
Malate, ...	3 p.	..	..	..	..	0	o
Bacolod, ...	,,	..	..	..	SW	4	o
Hoilo, ...	,,	29.82	83	..	SW	1	o
Cebu, ...	,,	29.80	84	..	..	0	c
Cape S. James,	,,	..	..	..	..	..	..

24th JULY 1902, A.M.

Wladivostock, ..	7a.	29.63	58	99	N	2	f
Nemuro, ...	6a.	29.92	..	..	S	2	..
Hakodate, ...	,,	29.73	..	..	E	4	..
Tokio, ...	,,	29.78	..	..	W	2	..
Kochi, ...	,,	29.79	..	..	SW	6	..
Nagasaki, ...	,,	29.75	..	..	SW	8	..
Kagoshima, ...	,,	29.85	..	..	SE	2	..
Oshima, ...	,,	29.80	..	..	S	4	..
Naha, ...	,,	29.77	..	..	..	0	..
Ishigakijima, ..	,,	29.74	..	..	S	6	..
Taihoku, ...	5a.	29.70	..	..	..	0	..
Taichu, ...	,,	29.71	..	..	..	0	
Tainan, ...	,,	29.70	..	..	S	2	..
Koshun, ...	,,	29.76	..			0	
Pescadores, ...	,,	29.70			SW		
Gutzlaff, ...	9a.	29.70	76	100	NW	2	cm
Sharp Peak, ..	,,	29.67	84	83		0	
Amoy, ...	6.30a.	29.69	81	91	SSE	1	b
Swatow, ...	9 a.	..	..				
Canton, ...	,,	29.68	86	[illegible]	[illegible]	[illegible]	b
Hongkong, ...	10a.	29.71	84	[illegible]	SE	2	o
Victoria Peak, .	,,						..
Gap Rock, ...	,,	29.68			S	8	
Macao, ...	,,	29.69	87	..	SSE	1	cp
Haiphong, ...	7a.						..
Manila, ...	10a.	29.76	82	77	..	0	o
Malate, ...	9a.	..	..	..	W	1	o
Bacolod, ...	,,		..	..	S		p
Hoilo, ...	,,	29.86	80	..	NW	3	o
Cebu, ...	,,	29.87	77	..	..	0	or
Cape S. James,	7a.	..	..	..	[illegible]	[illegible]	[illegible]

On 24th at 11.22a. The barometer has fallen in [illegible] Japan, risen over SW Japan and on the China coast. The depression in the North has moved towards NE and lies now in the N. part of the Sea of Japan. Pressure has given way slightly over the [illegible] with moderate S. and SE winds over S. China. Forecast:—light to moderate S. and SE winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 24th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

24th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.51	72	..	..	0	c
Nemuro,	"	29.72	..	..	SE	6	..
Hakodate,	"	29.69	..	..	SE	4	..
Tokio,	"	29.71	..	..	S	6	..
Kochi,	"	29.83	..	..	W	4	..
Nagasaki,	"	29.79	..	.	SW	8	..
Kagoshima,	"	29.83	..	.	S	5	..
Oshima,	"	29.80	..	..	SW	4	..
Naha,	"	29.85	.	..	SE	2	..
Ishigakijima,	"	29.77		..	SE	6	..
Taihoku,	1p.	29.73		..	N	2	..
Taichu,	"	29.65	..	..	NW	4	..
Tainan,	"	29.70	..	..	W	4	..
Koshun,	"	29.73	..	..	S	4	..
Pescadores,	"	29.73	..	.	W	4	..
Gutzlaff,	3p.	.	83	87	SW	1	cv
Sharp Peak,	..	29.66	84	83	ESE	4	b
Amoy,	2.30p	29.72	88	69	SE	4	c
Swatow,	3p.	..			..	..	..
Canton,	"	29.67	93	71	E	1	b
Hongkong,	4p.	29.65	87	68	S	1	c
Victoria Peak,	"	..	..	.	..	..	..
Gap Rock,	"	29.63	..	..	SSE	3	..
Macao,	.	29.64	90	..	SSE	2	c
Haiphong,	1p.			..		.	..
Manila,	4p.	29.69	79	95	WSW	3	r
Malate,	5p.		..	..	SW	3	o
Bacolod,	"		..	..	S	2	o
Iloilo,	"	29.83	82	..	S	2	o
Cebu,	"	29.78	81	..	S	2	o
Cape S. James,	"	..		..	..	..	..

25th JULY 1902, A.M.

Wladivostock,	7a.	29.64	59	99	..	0	f
Nemuro,	6a.	29.45	..			0	..
Hakodate,	"	29.58	..	.	W	4	..
Tokio,	"	29.74	..		SW	4	..
Kochi,	"	29.87	..		W	6	..
Nagasaki,	"	29.87	..	..	SW	8	..
Kagoshima,	"	29.91	..	..	.	0	..
Oshima,	"	29.88	..	..	SE	4	..
Naha,	"	29.81	..	.	E	4	..
Ishigakijima,	"	29.81	..	.	E	6	..
Taihoku,	5a.	29.70	..	..	E	2	..
Taichu,	"	29.67	..	.	..	0	..
Tainan,	"	29.67		.	..	0	..
Koshun,	"	29.67	.	.	NE	6	..
Pescadores,	"	29.71			.	0	..
Gutzlaff,	9a.	29.80	81	91	S	4	cv
Sharp Peak,	"	29.73	84		NNW	3	c
Amoy,	6.30a	29.71	82	87	SE	1	c
Swatow,	9 a.	..	..		..	..	..
Canton,	"	29.77	89	80	SE	2	b
Hongkong,	10a.	29.74	85	76	E	2	c
Victoria Peak,	"				.	.	..
Gap Rock,	"	29.73	.		SSE	2	..
Macao,	"	29.73	90	..	SE	1	c
Haiphong,	7a	.			..	..	..
Manila,	10a.	29.65	82	77	WSW	3	o
Malate,	9a.	.			W	4	o
Bacolod,	"		.	..	S		rq
Iloilo,	"	29.75	81	..	NW	4	or
Cebu,	"	29.84	84		S	3	o
Cape S. James,	7a.	..	..		..	..	.

On the 25th at 10.15a. Depression East of North Luzon, probably moving Westnorthwest. At 11.7a. The barometer has fallen over the Philippines and S. Formosa, risen in SW Japan and o China coast. The Northern depression is moving NE over E. Japan, and pressure is highest ove Pacific to the S. of Japan. Winds probably increasing from NE and N. in the Formosa Channel an part of the China Sea. Forecast:—E or variable winds, light; fair to showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 25th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

25th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.71	67	..	SE	3	c
Nemuro,	"	29.53	..	..	N	8	..
Hakodate,	"	29.66	..	..	NE	6	..
Tokio,	"	29.71	..	..	S	2	..
Kochi,	"	29.87	..	..	W	4	..
Nagasaki,	"	29.87	..	..	SW	6	..
Kagoshima,	"	29.87	..	..	S	4	..
Oshima,	"	29.84	..	..	E	4	..
Naha,	"	29.77	..	..	E	5	..
Ishigakijima,	"	29.74	..	..	E	5	..
Taihoku,	1 p.	29.67	..	..	SE	6	..
Taichu,	"	29.62	..	..	W	2	..
Tainan,	"	29.68	..	..	N	6	..
Koshun,	"	29.65	..	..	NE	6	..
Pescadores,	"	29.67	..	..	N	8	..
Gutzlaff,	3 p.	..	..	..	.	..	..
Sharp Peak,	"	29.70	85	82	S	3	b
Amoy,	2.30p	29.69	96	63	SE	3	c
Swatow,	3p.	..			..	..	..
Canton,	"	29.66	97	59	S	2	b
Hongkong,	4 p.	29.65	86	66	E	1	c
Victoria Peak,	"	..	..	.	.	.	..
Gap Rock,	"	29.64	..	..	E	3	..
Macao,	"	29.65	91	..	SE	1	c
Haiphong,	1 p.	..		..	.	.	..
Manila,	4 p.	29.53	82	77	WSW	1	o
Malate,	3 p.	..	..	..	W	4	o
Bacolod,	"	..	..	..	SW		p
Iloilo,	"	29.68	82	..	S	4	o
Cebu,	"	29.75	83	..	S	2	c
Cape S. James,	"	.	..	..	..	..	..

26th JULY 1902, A M.

Wladivostock,	7a.	29.86	59	99	S	4	f
Nemuro,	6a.	29.84			NW	4	..
Hakodate,	"	29.89				0	..
Tokio,	"	29.86			E	2	..
Kochi,	"	29.95			W	2	..
Nagasaki,	"	29.95			..	0	..
Kagoshima,	"	29.95			.	0	..
Oshima,	"	29.88			E	2	.
Naha,	"	29.81			E	4	..
Ishigakijima,	"	29.66			E	8	..
Taihoku,	5a.	29.6[illegible]			[illegible]	8	..
Taichu,	"	.			..	0	..
Tainan,	"	29.56				0	..
Koshun,	"	29.58			NE	10	..
Pescadores,	"	29.75			N	4	..
Gutzlaff,	7a.	29.89	8[illegible]	96	SSE	3	cm
Sharp Peak,	"	29.71	83	61	NNE	7	c
Amoy,	6.30a	29.67	85	83	NE	3	c
Swatow,	9 a.	..	..	.	..	..	..
Canton,	"	.	..	.	.	.	..
Hongkong,	10a.	29.62	87	66	NW	1	c
Victoria Peak,	"		.	.	..	.	..
Gap Rock,	"	29.61		.	NNW	3	..
Macao,	"	29.63	94	..	WNW	1	c
Haiphong,	7a.	.	..			..	..
Manila,	10a.	29.45	77	92	WSW	6	or
Malate,	9a.	..	..	.	WSW	5	or
Bacolod,	"	.	.	..	W	.	rq
Iloilo,	"	29.67	78	..	NW	5	or
Cebu,	..	.	.	.	S	4	or
Cape S. James,	7a.	..	..	.	..	..	..

On the 26th at 10.5a. Red Drum hoisted. Typhoon in the neighbourhood of North Luzon probably moving westnorthwest at present. Bad weather in the Formosa Channel and NE part of the China Sea.

[illegible] 26th.—The barometer is falling in Luzon and over Formosa and the E. coast of China. Pressure is high over Japan and the E. coast of China, where the barometer has risen. Forecast:—N. winds, probably freshening during the next 24 hours; fair at first, dull and squally later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 26th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

26th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..		..
Nemuro,	"	29.92	..	..	N	10	..
Hakodate,	"	29.97	..	..	SE	6	..
Tokio,	"	29.90	..	..	S	4	..
Kochi,	"	29.91	..	..	W	8	..
Nagasaki,	"	29.95	..	..	SW	2	..
Kagoshima,	"	29.95	..	..	SE	2	..
Oshima,	"	29.88	..	..	E	6	..
Naha,	"	29.81	..	..	E	8	..
Ishigakijima,	"	29.66	..	..	E	10	..
Taihoku,	1p.	29.61	..	..	E	10	..
Taichu,	"	29.41	..	..	N	2	..
Tainan,	"	29.46	..	..	N	2	..
Koshun,	"	29.46	..	..	NE	8	..
Pescadores,	"	29.46	..	..	NE	10	.
Gutzlaff,	3p.	29.86	84	87	SE	4	bm
Sharp Peak,	"	..	..	..	..	..	..
Amoy,	2.30p	..	96	50	NE	7	c
Swatow,	3p.	..	.	.	..	..	..
Canton,	"	29.49	99	60	S	2	b
Hongkong,	1p.	29.59	89	74	W	1	o
Victoria Peak,	"	..	..		..	..	..
Gap Rock,	"	29.52		..	NNW	2	..
Macao,	"	29.51	98	..	NW	1	c
Haiphong,	1p.	..	..				..
Manila,	1p.	29.41	81	85	SW	7	q
Malate,	3p.	..	..		W	6	o
Bacolod,	"	..	.		SW		iq
Iloilo,	"	29.63	79		SW	4	r
Cebu,	"	29.64	83		S	4	o
Cape S. James,	"	..	..	..	..	..	..

27th JULY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	..	..		..	.	..
Hakodate,	"	..	..		..	.	.
Tokio,	"	..	..	.	..	..	..
Kochi,	"	..	..	..	..	..	..
Nagasaki,	"	..	..	..	..	..	..
Kagoshima,	"	..	..	..	..	..	..
Oshima,	"	..	..	..	..	..	.
Naha,	"	..	..	..	..	..	..
Ishigakijima,	"		..	..	..	..	..
Taihoku,	5a.	29.53	..	..	E	10	..
Taichu,	"	29.41	..	.	..	0	..
Tainan,	"	29.39	..	..	..	0	..
Koshun,	"	..	..	..	..	..	..
Pescadores,	"	29.40		.	N	2	..
Gutzlaff,	9a.	29.92	82	91	SE	3	bm
Sharp Peak,	"	29.63	84	83	NNE	8	c
Amoy,	6.30a	..	..	..	..	..	.
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.48	90	55	N	2	c
Victoria Peak,	"	.	.	..	.		..
Gap Rock,	"	29.46	.	.	N	3	
Macao,	"	29.53	94	..	N	1	c
Haiphong,	7a.	.	.			..	.
Manila,	10a.	29.57	84	77	SSW	3	o
Malate,	9a.	..	..	..	W	3	o
Bacolod,	"	.	..	..	S	4	c
Iloilo,	"	29.72	81	..	S	3	or
Cebu,	"	29.79	75	..	S	3	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 27th at 11.25a. The Typhoon appears to be situated to the Northwest of the North coast of Luz
It is probably moving Northwest. Bad weather in the Formosa Channel and NE. part of the China S
Barometer falling in Formosa and over the S. and SE. coasts of China, rising in Luzon. High pressure o
Japan. Forecast:—N. winds, probably freshening; equally, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 27th July 190..

CHINA COAST METEOROLOGICAL REGISTER

27th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force	Weather.
Wladivostock,	2p.	29.93	78	..	S	1	c
Nemuro,	"	30.00	..	..	SW	2	..
Hakodate,	"	29.97	..	..	SE	3	..
Tokio,	"	29.98	..	..	S	4	..
Kochi,	"	29.91	..	..	E	4	..
Nagasaki,	"	29.91	..		SW	4	..
Kagoshima,	"	29.95	..		S	4	
Oshima,	"	29.88	..		S	4	
Naha,	"	29.77	..		E	6	
Ishigakijima,	"	29.78	..		E	10	
Taihoku,	1p.	29.75	..	..	E	10	..
Taichu,	"	29.75			W	2	..
Tainan,	"	29.80	..		SW	6	..
Koshun,	"	..	..	..	..		
Pescadores,	"	29.98			N	6	
Gutzlaff,	3p	29.87	84	50	ESE	4	cm
Sharp Peak,	"	29.58	84	85	NNE	8	b
Amoy,	2.30p	29.37	86	77	NW	9	cm
Swatow,	3p.						..
Canton,	"	29.45	..		NE	..	c
Hongkong,	1p.	29.43	..		E	4	o
Victoria Peak,	"						..
Gap Rock,	"	29.40			E	4	..
Macao,	"	29.43	..		SE	1	c
Haiphong,	1p.						..
Manila,	1p.	29.57	84	77	SSW	3	c
Malate,	1p.				SSW	2	o
Bacolod,	"				S	2	c
Iloilo,	"	29.65	..		NW	3	o
Cebu,	"	29.72	83		S	2	c
Cape S. James,	"	..			..	..	..

28th JULY 1902, A M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction	Wind. Force	Weather.
Wladivostock,	7a.	29.77	63	99	..	5	or
Nemuro,	6a.	30.04	..		..	0	..
Hakodate,	"	29.97	..		..	0	..
Tokio,	"	29.98	..		S	2	..
Kochi,	"	29.91	..		NE	2	..
Nagasaki,	"	29.91	..		..	2	..
Kagoshima,	"	29.95	..			2	..
Oshima,	"	29.84	..			0	..
Naha,	"	29.77	..		SE	4	..
Ishigakijima,	"	29.62	..	..	SW	8	..
Taihoku,	5a.	29.58		..		6	..
Taichu,	"	29.52	..	..	S	2	..
Tainan,	"	29.52	..	..	SE	4	..
Koshun,	"	29.58	..	..	SE	4	..
Pescadores,	"	29.52		..	S	8	..
Gutzlaff,	9a.	29.80	82	..	ESE	4	cm
Sharp Peak,	"	29.61	81	91	E	4	o
Amoy,	6.30a	29.42	82	87	ENE	2	cmd
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.34	81	78	N	4	cq
Victoria Peak,	"	..					
Gap Rock,	"	29.33	..	..	N	6	..
Macao,	"	..	..	..			..
Haiphong,	7a.	..	..				
Manila,	10a.	29.76	81	85	SSW	1	c
Malate,	9a.	..	..	..	S	1	b
Bacolod,	"		..	..	S	3	b
Iloilo,	"	29.85	82	..	S	2	c
Cebu,	"	29.84	87	..	S	2	b
Cape S. James,	7a.	..	..	..	..	..	..

On the 27th at 9p. Black Drum hoisted.

At 9.16p. Typhoon Southeast of Hongkong probably moving Westnorthwest. Strong NE gale expected. Gun fired

On the 28th at 10.50a. Typhoon Eastern heart of Hongkong probably moving Northnorthwest and likely to enter the coast between Hongkong and Swatow. The gale will probably extend from Northwest to Southwest. Barometer nearly half an inch below normal and still falling in Hongkong; rising in Formosa and over the Philipines.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 28th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

28th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	29.79	64	..	S	3	f
Nemuro,	"	30.04	..	..	SE	4	..
Hakodate,	"	29.97	..	..	SE	8	..
Tokio,	"	29.94	..	..	S	4	..
Kochi,	"	29.91	..	..	NE	2	..
Nagasaki,	"	29.91	..	..	NW	4	..
Kagoshima,	"	29.91	..	..	S	2	..
Oshima,	"	29.88	..	..	SE	4	..
Naha,	"	29.81	..	..	SE	2	..
Ishigakijima,	"	29.70	..	..	S	8	..
Taihoku,	1 p.	29.61	..	..	E	8	..
Taichu,	"	..	..	..	..	..	..
Tainan,	"	..	..	..	..	.	..
Koshun,	"	29.66	..	..	SE	6	..
Pescadores,	"	29.59	..	..	S	10	..
Gutzlaff,	3 p.	29.79	82	87	SE	5	bv
Sharp Peak,	"	29.62	83	83	N	3	o
Amoy,	2.30p	29.45	82	83	E	5	upq
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.29	90	63	N	2	o
Hongkong,	4 p.	29.25	78	92	NW	3	orq
Victoria Peak,	"	..	..	.	..	..	..
Gap Rock,	"	29.25	..	..	NW	7	..
Macao,	"	29.34	79	..	WNW	4	or
Haiphong,	1 p.	..	..	..	.	.	..
Manila,	4 p.	29.72	84	77	SSW	1	c
Malate,	3 p.	..	..	.	SW	3	o
Bacolod,	"	..	..	.	SW	4	b
Iloilo,	"	29.61	86	..	NW	3	b
Cebu,	"	29.79	87	.	S	1	b
Cape S. James,	"	..		..	..	..	..

29th JULY 1902, A.M.

Wladivostock,	7a.	29.68	62	99	S	6	or
Nemuro,	6a.	30.08	..	..	..	0	..
Hakodate,	"	30.01	..	..	E	6	..
Tokio,	"	29.94	..	..	..	0	..
Kochi,	"	29.87	..	..	..	0	..
Nagasaki,	"	29.91	..	..	..	0	..
Kagoshima,	"	29.91	..	..	N	2	..
Oshima,	"	29.92	..	..	S	2	..
Naha,	"	29.89	..	..	.	0	..
Ishigakijima,	"	29.77	..	..	SW	6	..
Taihoku,	5a.	29.71	..	..	SE	2	..
Taichu,	"	29.64	..	..	..	0	..
Tainan,	"	29.70	..	..	S	6	..
Koshun,	"	29.74	..	..	SE	4	..
Pescadores,	"	29·68		..	S	6	..
Gutzlaff,	9a.	29.80	80	96	ESE	4	cm
Sharp Peak,	"	29.71	80	94	S	2	ow
Amoy,	6.30a	29.54	82	84	SE	6	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.59	78	94	SW	4	orq
Victoria Peak,	"	..	..	..	..	..	..
Gap Rock,	"	29.58	..	..	SW	4	..
Macao,	"	29.56	82	..	SSE	1	or
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	..	0	c
Bacolod,	"	..	..	..	..	0	c
Iloilo,	"	29.90	84	..	W	1	or
Cebu,	"	29.87	87	..	S	2	o
Cape S. James,	7 a.	..	..	..	..	..	..

On the 28th at 4p. Typhoon East of Hongkong and about to enter the coast.

On the 29th at 5.15a. Black North Cone hoisted.

At 11.10a. The typhoon entered the coast to the East of Hongkong last evening, moving Northwards. It is probably filling up. The barometer has risen generally, particularly in the neighbourhood of Hongkong. Pressure is high over E Japan and a depression is advancing Eastwards over Manchuria. Moderate to strong SE to SW winds along the China coast. Forecast:—moderate SW winds; squally, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 29th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

29th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	30.08	..	..	S	6	..
Hakodate,	"	29.97	..	..	E	8	..
Tokio,	"	29.98	..	..	S	2	..
Kochi,	"	29.83	..	..	NE	4	..
Nagasaki,	"	29.87	..	..	SW	4	..
Kagoshima,	"	29.87	..	..	W	4	..
Oshima,	"	29.88	..	..	W	2	..
Naha,	"	29.85	..	..	SE	2	..
Ishigakijima,	"	29.85	..	..	SE	6	..
Taihoku,	1p.	29.74	..	..	NW	4	..
Taichu,	"	29.72	..	..	W	4	..
Tainan,	"	29.71	..	..	SW	6	..
Koshun,	"	29.78	..	..	S	4	..
Pescadores,	"	29.75	..	..	S	6	..
Gutzlaff,	3p.	29.76	83	91	SSE	3	cm
Sharp Peak,	"	29.70	84	81	ESE	4	c
Amoy,	2.30p	..	..	..	..	..	..
Swatow,	3p.	..			..	..	..
Canton,	"	29.53	89	80	S	1	b
Hongkong,	4p.	29.57	[illegible]	83	S	3	oq
Victoria Peak,	"	..	..		..	..	..
Gap Rock,	"	29.56	..	..	SSW	4	..
Macao,	"	29.54	84	..	SSW	1	o
Haiphong,	1p.	.	.	..	.	.	..
Manila,	4p.	29.76	88	72	W	2	c
Malate,	3p.	..	..		SW	1	c
Bacolod,	"	..	.		..	2	o
Iloilo,	"	29.81	84		NW	2	b
Cebu,	"	29.80	86			0	c
Cape S. James,	"					..	..

30th JULY 1902, A M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.96	..	..	S	4	..
Hakodate,	"	29.81	..	..	E	4	..
Tokio,	"	29.94	..	..		0	..
Kochi,	"	29.87	..	..	NE	4	..
Nagasaki,	"	29.87	..	..	..	0	..
Kagoshima,	"	29.87	..	..	..	0	..
Oshima,	"	29.88	..	..	..	0	..
Naha,	"	29.85	..	..	.	0	..
Ishigakijima,	"	29.81	..	..	SE	6	..
Taihoku,	5a.	29.77	..	..	..	0	..
Taichu,	"	29.75	..	..	..	0	..
Tainan,	"	29.71	..	..	S	2	..
Koshun,	"	29.75	..	..	..	0	..
Pescadores,	"	29.75		..	SW	2	..
Gutzlaff,	9a.	29.77	82	87	S	4	bv
Sharp Peak,	"	29.77	84	89	E	1	c
Amoy,	6.30a	29.68	81	91	SE	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.71	82	82	SSE	3	o
Victoria Peak,	"	..	..	..	S	4	..
Gap Rock,	"	29.69	..	..	S	4	..
Macao,	"	29.68	84	..	SW	1	o
Haiphong,	7a.	..	..	..		..	..
Manila,	10a.	29.80	77	100	SW	1	od
Malate,	9a.	..	..		..	0	..
Bacolod,	"	.	..	..	S	..	o
Iloilo,	"	29.84	81	..	W	1	o
Cebu,	"	29.83	81	..	..	0	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 29th at 12.20p. Black North Cone lowered.

On the 30th at 10.10a. Pressure is giving way over the Phillipines and is probably again low to the Eastward of Luzon. The barometer has risen in S. China, fallen in N. China and Japan. The Northern depression seems to be passing into the N. part of the Sea of Japan. Moderate S. and SE winds along the China coast. Forecast:—moderate S. winds; squally, showery.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Wednesday 30th July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

30th JULY, 1902, P. M.

Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2p.	..	..	..	..	..	..
Nemuro,	"	29.88	..	..	S	8	..
Hakodate,	"	29.73	..	..	SE	4	..
Tokio,	"	29.86	..	..	S	4	..
Kochi,	"	29.87	..	..	NE	4	..
Nagasaki,	"	29.83	..	..	SW	6	..
Kagoshima,	"	29.83	..	..	S	2	..
Oshima,	"	29.84	..	..	SE	2	..
Naha,	"	29.77	..	..	E	4	..
Ishigakijima,	"	29.81	..	..	SE	4	..
Taihoku,	1 p.	29.75	..	..	N	4	..
Taichu,	"	29.73	..	..	NW	4	..
Tainan,	"	29.75	..	..	NW	4	..
Koshun,	"	29.75	..	..	E	4	..
Pescadores,	"	29.75	..	..	W	2	..
Gutzlaff,	3 p.	29.75	85	79	S	4	bv
Sharp Peak,	"	29.74	84	85	E	3	b
Amoy,	2.30p	..	81	91	SE	3	c
Swatow,	3p.	..	..	..	..	..	..
Canton,	"	29.66	85	91	S	3	o
Hongkong,	4 p.	29.66	84	79	SE	2	o
Victoria Peak,	"	..	..	..	S	4	..
Gap Rock,	"	29.65	..	..	SSE	4	..
Macao,	"	29.65	84	..	SSE	2	cq
Haiphong,	1 p.	..	..	..	..	..	..
Manila,	4 p.	29.72	84	77	WSW	1	b
Malate,	3 p.	..	..	..	..	0	o
Bacolod,	"	..	..	..	S	2	o
Iloilo,	"	29.77	82	..	NE	2	b
Cebu,	"	29.83	80	..	..	0	o
Cape S. James,	"	..	..	..	..	..	..

31st JULY 1902, A.M.

Wladivostock,	7a.	..	..	..	..	..	..
Nemuro,	6a.	29.65	..	..	SE	8	..
Hakodate,	"	29.62	..	..	W	4	..
Tokio,	"	29.82	..	..	W	2	..
Kochi,	"	29.83	..	..	NE	2	..
Nagasaki,	"	29.83	..	..	SW	4	..
Kagoshima,	"	29.87	..	..	.	0	..
Oshima,	"	29.84	..	..	.	0	..
Naha,	"	29.81	..		E	2	..
Ishigakijima,	"	29.77	..		E	2	..
Taihoku,	5a.	29.72	..	..	..	0	..
Taichu,	"	29.76	..	..	..	0	..
Tainan,	"	29.74	..	..	NE	2	..
Koshun,	"	29.73	..	..	..	0	..
Pescadores,	"	29.76		..	S	4	..
Gutzlaff,	9a.	29.79	83	87	S	3	bv
Sharp Peak,	"	29.75	84	85	..	0	b
Amoy,	6.30a	29.66	83	87	SE	1	c
Swatow,	9 a.	..	..	..	..	..	..
Canton,	"	..	..	..	..	..	..
Hongkong,	10a.	29.77	83	83	E	3	o
Victoria Peak,	"	..	..	..	ESE	2	..
Gap Rock,	"	29.77	..	..	ESE	3	..
Macao,	"	..	..	..	..	..	..
Haiphong,	7a.	..	..	..	..	..	..
Manila,	10a.	..	..	..	..	..	..
Malate,	9a.	..	..	..	SW	4	o
Bacolod,	"	..	..	..	SW	2	c
Iloilo,	"	29.82	82	..	W	3	o
Cebu,	"	29.77	84	..	S	1	c
Cape S. James,	7a.	..	..	..	..	..	..

On the 31st at 11.15a. The barometer is still falling over the Phillipines owing to the depression to th Eastward of Luzon. The barometer has risen over the S. coast of China, fallen in NE Japan, the Norther depression having approached the Northern islands. Moderate SE. and E. winds on the China coas Forecast:—E. or variable winds, light; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Thursday 31st July 1902.

CHINA COAST METEOROLOGICAL REGISTER.

31st JULY, 1902, P.M.								1st AUGUST, 1902, A.M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
adivostock, ..	2p.	...	...	...	..	...	...	7 a.	..	..	..	..	..	..
muro, ...	,,	29.53	...	...	W	2	...	6 a.	29.53	...	...	...	0	...
kodate, ...	,,	29.62	...	...	SW	2	...	,,	29.58	...	...	..	0	...
Rio, ...	,,	29.71	...	...	S	6	...	,,	29.63	...	...	SW	6	...
hi, ...	,,	29.79	...	...	SW	4	...	,,	29.75	...	...	W	8	...
asaki, ...	,,	29.79	...	...	SW	6	...	,,	29.75	...	...	SW	6	...
oshima, ...	,,	29.83	...	...	SW	4	..	,,	29.79	...	...	NW	2	...
ima, ...	,,	29.80	...	...	SE	4	...	,,	29.80	...	...	...	0	...
a, ...	,,	29.77	...	...	E	6	...	,,	29.77	...	...	E	2	...
gakijima, ...	,,	29.74	...	...	NE	6	...	,,	29.70	...	...	E	8	...
oku, ...	1 p.	29.72	...	...	NE	4	...	. a.	...	...	...	..	..	...
chu, ...	,,	29.69	...	...	N	6	...	,,	..	...	...	...	..	...
ao, ...	,,	29.70	...	...	N	6	...	,,	...	...	...	..	..	...
hun, ...	,,	29.73	...	...	NE	4	...	,,	.	...	...	..	..	...
adores, ...	,,	29.74	...	...	N	6	...	,,	..	...	...	..	..	...
zlaff, ...	3 p.	...	...	...	...	..	..	9 a	...	..	..	...	..	..
rp Peak, ...	,,	29.71	85	87	ESE	6	c	,,	..	..	..	..	..	..
oy, ...	2.30p.	29.61	87	76	SE	3	c	6.30a.	29.60	84	..	NE	1	c
atow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
nton, ...	,,	29.69	87	84	SE	1	b	,,	29.72	87	84	...	0	b
ngkong, ...	4 p.	29.71	83	79	E	2	b	10 a.	29.72	85	77	W	2	c
toria Peak, .	,,	...	...	...	ESE	1	...	,,	...	...	...	NW	4	...
p Rock, ...	,,	29.69	...	...	ESE	3	...	,,	29.73	...	...	NNW	2	...
cao, ...	,,	39.69	82	...	SSE	1	c	,,	29.74	91	...	NNW	1	c
iphong, ...	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...
nila, ...	4 p.	29.65	82	77	WSW	4	o	10 a.	29.72	77	92	WSW	5	p
ate, ...	3 p.	...	...	...	SW	1	c	9 a.	...	...	...	NE	3	o
olod, ...	,,	...	...	...	SW	2	o	,,	...	...	...	S	2	o
lo, ...	,,	29.58	82	...	NW	3	o	,,	29.86	83	...	W	2	o
u, ...	,,	29.74	81	...	S	3	o f	,,	29.86	86	...	...	0	b
e S. James.	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 11.50 a. The typhoon is probably situated to the East of the Balintang Channel. It pears to be moving towards Northwest. Wind probably freshening from Northeast in the Formosa Channel rometer falling in S. China, rising over the Southern Philippines. Pressure still low over the N. part of th of Japan. Reports from N. China and Formosa not yet received. Forecast:—N. winds, moderate; fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Friday 1st August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	...	...	...	..	...	...	7 a.	..	..	..	..	..	..
Nemuro, ...	„	29.53	...	...	SE	4	...	6 a.	29.53	...	...	...	0	...
Hakodate, ...	„	29.54	...	...	S	4	...	„	29.54	...	...	SW	6	...
Tokio, ...	„	29.55	...	...	S	4	...	„	29.65	...	...	NW	4	...
Kochi, ...	„	29.75	...	...	W	6	...	„	29.70	...	...	W	8	...
Nagasaki, ...	„	29.75	...	...	SW	8	...	„	29.69	...	...	SW	6	...
Kagoshima, ...	„	29.75	...	...	NW	6	...		[illegible].72	...	...	W	2	...
Oshima, ...	„	29.80	...	...	S	[illegible]			[illegible].73	...	...	...	0	...
Naha, ...	„	29.74	...	...	SE	[illegible]		„	29.74	...	...	...	0	...
Ishigakijima, ...	„	29.70	...	...	E	8	...	„	29.74	...	...	SW	6	...
Taihoku, ...	1 p.	29.58	...	...	E	6	...	5 a.	29.60	...	...	SE	4	...
Taichu, ...	„	29.39	...	...	NW	4	...	„	29.58	...	...	...	0	...
Tainan, ...	„	29.42	...	.	NE	6		„	29.60	...	...	S	6	...
Koshun, ...	„	...	...	...			...	„		...	..	..	..	...
Pescadores, ...	„	29.47	...	...	N	8			29.59	...	...	..	0	...
Gutzlaff, ...	3 p.	29.69	88	80	S		ow		..	..	..	...	..	..
Sharp Peak, ...	„	29.62	84	79	ESE	5	[illegible]		29.66	81	85	SW	5	ow
Amoy, ...	2.30p.	29.42	95	53	NE	2	c	6.30 a.	29.43	84	91	ENE	1	o
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	...	...	...	...	...	...	„	...	87	84	...	0	b
Hongkong, ...	4 p.	29.57	87	74	W	2	o	10 a.	29.47	87	72	NW	4	oq
Victoria Peak, .	„	...	...	...	NW	5	...	„	...	...	...	NW	6	...
Gap Rock, ...	„	29.59	...	...	NW	3	...	„	29.48	...	...	WNW	6	...
Macao, ...	„	39.59	...	...	NW	1	c	„	29.51	92	...	WNW	3	c
Haiphong, ...	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.72	81	85	WSW	4	o	10 a.	...	...	...	...	...	...
Malate, ...	3 p.	...	...	...	SW	4	c	9 a.	...	...	...	W	4	c
[illegible]	„	...	...	...	SW	2	o	„	...	...	...	S	2	b
[illegible]	„	29.80	...	...	NE	2	c	„	29.91	84	...	S	1	c
[illegible]	„	29.78	86	...	S	3	c	„	29.89	85	...	S	2	b
[illegible]ames,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 5.15 a. Red Drum hoisted.

At 10.35a Black Drum hoisted.

At 11 a.m. The typhoon seems to be situated to the South of Swatow and moving Westnorthwest. Str[illegible] NW to SW winds, possibly a gale, may be expected in Hongkong.

Barometer fallen a quarter of an inch in the neighbourhood of Hongkong, risen in [illegible]

CHINA COAST METEOROLOGICAL REGISTER.

Station.	2nd AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	3rd AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	...	...	...	..	.	...	7 a.	..	..	..	..	..	..
Nemuro, ...	,,	..	...	...	..	..	...	6 a.	..	...	...	..	..	...
Hakodate, ...	,,	..	...	...	..	..	...	,,	..	...	...	..	..	...
Tokio, ...	,,	..	...	...	..	..	...	,,	..	...	...	..	..	...
Kochi, ...	,,	..	...	...	..	..	...	,,	..	...	...	..	..	...
Nagasaki, ...	,,	..	...	...	..	..	...	,,	..	...	...	..	..	...
Kagoshima, ...	,,	..	...	...	..	..	...	,,	..	...	...	..	..	...
Oshima, ...	,,	..	...	...	..	..	...	,,	..	...	...	...	..	...
Naha, ...	,,	..	...	...	..	..	...	,,	..	...	...	...	..	...
Ishigakijima, ...	,,	..	...	...	..	..	...	,,	..	...	...	..	..	...
Taihoku, ...	1 p.	..	...	...	..	..	...	5 a.	..	...	...	..	..	...
Taichu, ...	,,	..	...	...	..	..	...	,,	..	...	...	...	..	...
Tainan, ...	,,	..	...	...	..	..	...	,,	..	...	...	..	..	...
Koshun, ...	,,	...	...	...	..	..	...	,,	..	...	..	..	..	...
Pescadores, ...	,,	..	...	...	..	..	...	,,	..	...	...	..	..	...
Gutzlaff, ...	3 p.	..	..	..	..	..	..	9 a.	..	..	..	...	..	..
Sharp Peak, ...	,,	..	..	..	..	..	..	,,	..	..	..	..	..	..
Amoy, ...	2.30p.	29.54	85	76	E	4	orq	6.30 a.	..	..	..	..	..	..
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	..	..	...	..	..
Hongkong, ...	4 p.	29.30	81	92	WNW	6	orq	10 a.	29.62	77	82	SSW	6	orq
Victoria Peak, .	,,	...	...	...	..	..	...	,,	...	...	...	..	..	...
Gap Rock, ...	,,	29.34	...	...	WSW	7	...	,,	...	...	...	..	..	...
Macao, ...	,,	29.36	86	...	WSW	3	orq	..	.	..	...	..	..	..
Haiphong, ...	4 p.	...	...	...	..	...	...	10 a.	...	...	...	...	...	...
Manila, ...	4 p.	29.80	84	77	SW	3	c	10 a.	...	...	...	...	...	...
Malate, ...	3 p.	...	...	...	SW	3	c	9 a.	...	...	...	..	...	..
Bacolod, ...	,,	...	...	...	S	2	b	,,	...	...	...	..	..	..
Iloilo, ...	,,	29.84	...	...	NE	2	..	,,	..	..	...	..	..	..
Cebu, ...	,,	29.82	87	...	S	1	b	,,	..	..	...	..	..	..
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 2.55p. Orders issued to fire the gun.

At 3p. The typhoon is about to enter the coast to the Eastnortheast of Hongkong. It may blow a gale from Southwest, when the centre passes to the North of the Colony. Barometer now falling quickly

On the 3rd 5.15a. Black North Cone hoisted.

At 11.45a. The centre of the typhoon was passing North of Lingtong between 8 p.m. and 10 p.m. last night. It probably passed between Macao and Canton early this morning, moving Westnorthwest.

Forecast:—S. winds, decreasing; squally, rainy.

No reports received from stations this morning.

Telegraphic communication between the Observatory and Lingtong interrupted.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Sunday 3rd August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Stations.	3rd AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	..	..	...	7 a.	..	..	..	..	..	..
Nemuro,	"	..	...	...	..	..	...	6 a.	..	...	...	...	..	...
Hakodate,	"	..	...	...	..	..	...	"	..	...	...	..	..	...
Tokio,	"	..	...	...	..	..	...	"	..	...	...	..	..	...
Kochi,	"	..	...	...	..	..	...	"	..	...	...	..	..	...
Nagasaki,	"	..	...	...	..	..	...	"	..	...	...	..	..	...
Kagoshima,	"	..	...	...	..	..	...	"	..	...	...	..	..	...
Oshima,	"	..	...	...	..	..	...	"	..	...	...	...	..	...
Naha,	"	..	...	...	..	..	...	"	..	...	...	...	..	...
Ishigakijima,	"	..	...	...	..	..	...	"	..	...	...	..	..	...
Taihoku,	1 p.	..	...	...	..	..	...	5 a.	..	...	...	..	..	...
Taichu,	"	..	...	...	..	..	...	"	..	...	...	...	..	...
Tainan,	"	..	...	...	..	..	...	"	..	...	...	..	..	...
Koshun,	"	...	...	...	..	..	...	"	..	...	..	..	..	...
Pescadores,	"	..	...	...	..	..	...	"	..	...	...	..	..	...
Gutzlaff,	3 p.	..	..	..	..	..	..	9 a.	29.81	76	95	NE	3	cv
Sharp Peak,	"	..	..	..	..	..	..	"	..	..	..	..	..	..
Amoy,	2.30p.	29.69	87	72	SE	3	c	6.30 a.	..	..	..	..	..	..
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	..	..	...	..	..
Hongkong,	4 p.	29.62	77	84	E	1	o	10 a.	29.77	83	79	SSE	2	o
Victoria Peak,	"	...	...	...	..	..	...	"	...	...	...	..	..	...
Gap Rock,	"	..	...	...	..	..	...	"	...	...	...	..	..	...
Macao,	"	29.57	81	...	SSW	2	od	"	29.75	84	...	S	2	c
Haiphong,	4 p.	...	...	...	..	...	...	10 a.	...	...	...	...	...	...
Manila,	4 p.	29.76	86	71	WSW	3	b	10 a.	29.84	84	77	...	0	c
Malate,	3 p.	...	...	...	SW	3	b	9 a.	...	...	...	..	0	o
Bacolod,	"	...	...	...	SW	2	b	"	...	...	...	..	0	b
Iloilo,	"	29.87	86	...	NE	3	o	"	29.84	82	...	..	0	b
Cebu,	"	29.79	87	...	S	2	b	"	29.87	87	...	S	1	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 1.45p. Black North Cone lowered.

On 4 th at 11.55a. The barometer has risen in the neighbourhood of Hongkong, and is again falling over the Philippines.

Forecast:—SE winds, moderate or light; showery to fine.

Reports from many stations not to hand.

Telegraphic communication between the Observatory and Hongkong remains interrupted.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Monday 4th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	4th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	.	.	...	7 a.	..	..	..	..	..	..
Nemuro,	„	30.00	...	...	SE	4	...	6 a.	30.08	...	...	NE	2	...
Hakodate,	„	29.93	...	...	SE	8	...	„	30.09	...	...	SE	6	...
Tokio,	„	29.94	...	...	E	2	...	„	30.02	...	...	..	0	...
Kochi,	„	29.87	...	...	E	4	...	„	29.91	...	...	W	2	...
Nagasaki,	„	29.79	...	...	SE	4	...	„	29.83	...	...	E	4	...
Kagoshima,	„	29.83	...	...	NE	6	...	„	29.83	...	...	E	4	...
Oshima,	„	29.76	...	...	SE	-	...		29.76	...	...	SE	4	...
Naha,	„	29.74	...	...	N	6	...	„	29.62	...	...	NE	8	...
Ishigakijima,	„	29.74	...	...	E	2	...		29.68	...	...	N	6	...
Taihoku,	1 p.	29.79	...	...	NW	6	...	5 a	..	...	...	..	..	...
Taichu,	„	29.80	...	...	NE	2	...	„		...	...	...	..	...
Tainan,	„	29.79	...	...	SW	4	...	„	..	...	...	..	..	...
Koshun,	„	29.81	...	...	W	4	...	„	..	...	..	..	..	...
Pescadores,	„	29.81	...	...	W	4	...	„	..	...	...	..	..	...
Gutzlaff,	3 p.	...	..	...	...	..	..	9 a.	..	..	..	..	..	..
Sharp Peak,	„	29.75	85	87	E	3	c	„	29.82	83	87	E	4	o
Amoy,	2.30p.	29.77	87	69	SE	4	c	6.30 a.	29.77	84	83	ENE	..	c
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton,	„	29.70	91	74	SE	2	b	„	...	..	..	...	..	..
Hongkong,	4 p.	29.74	82	87	E	2	o	10 a.	29.83	83	83	E	1	c
Victoria Peak,	„	...	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock,	„	..	...	...	..	..	...	„	...	...	...	..	..	...
Macao,	„	29.73	85	...	ESE	1	c	„	...	..	...	..	...	...
Haiphong,	4 p.	...	...	...	..	...	...	10 a.	...	...	...	...	...	...
Manila,	4 p.	29.76	86	78	WSW	4	b	10 a.	...	..	..	...	...	..
Maiate,	3 p.	...	...	...	W	2	c	9 a.	...	...	...	SW	2	b
Bacolod,	„	...	...	...	SW	2	b	„	...	...	...	..	2	b
Iloilo,	„	29.82	...	...	W	1	c	„	29.90	84	...	NE	2	b
Cebu,	„	29.80	86	...	S	2	c	„	29.91	78	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5 th at 11.15a. Another typhoon exists in the Pacific to the South of the Loochoos. The barometer has risen on the S. coast of China and over the S. Philippines, fallen in the neighbourhood of the Loochoos. Pressure is high over E. Japan. NE. and N. winds probably freshening on the E. coast of China and in the Formosa Channel. Forecast:—varying winds, light; fine.

Telegraphic communication between the Observatory and Hongkong remains interrupted.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Tuesday 5th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	29.77	63	...	S	2	r	7 a.	29.87	58	77	N	2	b
Nemuro, ...	„	29.94	...	...	E	4	...	6 a.	29.88	...	...	N	2	...
Hakodate, ...	„	29.94	...	...	SE	6	...	„	29.93	...	...	..	0	...
Tokio,.....	„	29.98	...	...	S	4	...	„	29.94	...	...	S	2	...
Kochi, ...	„	29.95	...	...	NE	6	...	„	29.91	...	...	NE	4	...
Nagasaki, ...	„	29.91	...	...	SE	8	...	„	29.87	...	...	NE	2	...
Kagoshima, ...	„	29.87	...	...	E	2	...	„	29.83	...	...	E	4	...
Oshima, ...	„	29.76	...	...	SE	8	...	„	29.76	...	...	SE	4	...
Naha, ...	„	29.62	...	...	E	8	[illegible]	„	29.66	...	...	E	6	...
Ishigakijima, ...	„	29.57	...	...	N	8	...	„	29.42	...	...	NE	10	...
Taihoku,.....	1 p.	29.78	...	...	...	0	...	5 a.	..	...	...	..	..	...
Taichu, ...	„	29.71	...	...	N	4	...	„	..	...	...	...	..	...
Tainan, ...	„	29.74	...	...	N	8	...	„	..	...	...	..	..	...
Koshun, ...	„	29.73	...	...	NW	6	...	„	..	...	.	..	..	...
Pescadores, ...	„	29.78	...	...	N	8	...	„	..	...	...	..	..	...
Gutzlaff, ...	3 p.	29.62	82	75	NNE	2	br	9 a	29.86	78	86	NE	5	cm
Sharp Peak, ..	„	29.77	82	81	E	6	b	„	...	...	...	...	...	...
Amoy, ...	2.30p.	29.77	87	76	SE	4	c	6.30a.	29.72	81	87	SW	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	..	..	..	...	...	...	„	...	..	..	...	..	..
Hongkong,.....	4 p.	29.76	85	77	E	1	b	10 a.	29.76	82	87	W	1	od
Victoria Peak,.	„	...	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock, ...	„	..	...	...	..	..	...	„	...	...	...	..	..	...
Macao, ...	„	29.76	88	...	S	1	c	„	29.76	87	...	SW	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	84	77	WSW	5	.	„	29.72	84	85	WSW	4	o
Malate,.....	3 p.	...	...	...	SW	2	c	9 a.	...	...	...	SW	4	o
Bacolod, ...	„	...	...	...	SW	2	b	„	...	...	...	S	2	b
Iloilo, ...	„	29.82	86	...	W	1	b	„	29.86	84	...	NE	2	b
Cebu, ...	„	29.81	88	...	S	3	b	„	29.83	87	...	S	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.45a. Red Drum hoisted.

The typhoon seems to have moved Westwards since yesterday, and to be now situated to the E. of S. Formosa. Bad weather in the Formosa Channel and NE. part of the China Sea.

Barometer falling on the China coast and in Luzon.

Forecast:—varying winds, light or moderate; squally, showery.

Telegraphic communication between the Observatory and Hongkong is restored.

F. G. [illegible]
Acting Director

Hongkong Observatory, Wednesday 6th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

6th AUGUST, 1902, P. M.								7th AUGUST, 1902, A. M.							
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	..	...	...	..	..	...	7 a.	...	...	...	..	..	..
Nemuro, ...	„	29.84	...	...	S	6	...	6 a.	29.99	...	...	E	4	...
Hakodate, ...	„	29.93	...	...	NW	6	...	„	30.01	...	...	NE	2	...
Tokio, ...	„	29.94	...	...	S	4	...	„	29.98	...	...	...	0	...
Kochi, ...	„	29.87	...	...	NE	4	...	„	29.79	...	...	NE	6	...
Nagasaki, ...	„	29.83	...	...	...	0	...	„	29.75	...	...	NE	2	...
Kagoshima, ...	„	29.83	...	...	NE	6	...	„	29.72	...	...	W	2	...
Oshima, ...	„	29.73	...	...	E	4	...	„	29.69	...	...	...	0	...
Naha, ...	„	29.62	...	...	E	6	...	„	29.66	...	...	...	0	...
Ishigakijima, ...	„	29.46	...	...	E	10	...	„	29.49	...	...	E	8	...
Taihoku, ...	1 p.	29.60	...	...	NE	6	...	5 a.	29.43	...	...	E	6	...
Taichu, ...	„	29.43	...	...	NE	8	...	„	29.36	...	...	...	0	...
Tainan, ...	„	29.48	...	...	N	8	...	„	29.37	...	...	N	4	...
Koshun, ...	„	29.46	...	...	N	6	...	„	29.36	...	..	..	0	...
Pescadores, ...	„	29.56	...	...	N	10	...	„	29.44	...	...	W	12	...
Gutzlaff, ...	3 p.	29.80	76	95	E	5	omd	9 a.	29.76	77	95	E	4	cmp
Sharp Peak, ..	„	29.64	83	83	NE	6	o	„	29.60	82	87	NNW	4	o
Amoy, ...	2.30p.	29.66	87	69	SE	4	c	6.30a.	29.60	84	87	WNW	1	c
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
Canton, ...	„	..	..	..	...	...	...	„	...	..	..	...	..	..
Hongkong, ...	4 p.	29.65	85	79	W	1	c	10 a.	29.66	87	54	NNW	1	c
Victoria Peak, .	„	...	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock, ...	„	..	...	...	..	..	...	„	...	...	...	..	..	...
Macao, ...	„	29.65	90	...	SW	1	c	„	29.68	92	...	NW	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.69	84	85	WSW	5	o	„	29.76	84	85	WSW	5	o
Malate, ...	3 p.	...	...	...	SW	3	o	9 a.	...	...	...	SW	2	o
Bacolod, ...	„	...	...	...	S	2	b	„	...	...	...	S	2	b
Iloilo, ...	„	29.78	86	...	W	2	c	„	29.87	84	...	NE	2	o
Cebu, ...	„	29.77	88	...	S	2	b	„	29.86	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11a. The typhoon is crossing Central Formosa, moving probably towards Northwest. Bad weather in the Formosa Channel.

Barometer falling on the China coast and over W. Japan, rising slowly in Luzon. High pressure over E. Japan.

Forecast:—West to Southwest winds, moderate; fair.

F. G. FIGG.
Acting Director.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	7th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.85	69	...	S	4	c	7 a.	29.88	66	98	SE	1	c
Nemuro,	„	29.92	...	...	SE	4	...	6 a.	29.92	...	...	S	2	...
Hakodate,	„	29.93	...	...	S	4	...	„	29.97	...	...	N	2	...
Tokio,	„	29.94	...	...	SE	2	...	„	29.86	...	...	E	4	...
Kochi,	„	29.75	...	...	NE	6	...	„	29.72	...	...	NE	10	...
Nagasaki,	„	29.68	...	...	NE	4	...	„	29.75	...	...	NE	2	...
Kagoshima,	„	29.68	...	...	E	6	...	„	29.75	...	...	...	0	...
Oshima,	„	29.65	...	...	N	6	...	„	29.73	...	...	S	2	...
Naha,	„	29.66	...	...	SE	4	...	„	29.66	...	...	SE	4	...
Ishigakijima,	„	29.50	...	...	SE	8	...	„	...	...	...	SE	4	...
Taihoku,	1 p.	29.48	...	...	E	8	...	5 a.	...	...	...	NW	4	...
Taichu,	„	29.30	...	...	S	2	...	„	29.45	...	...	NW	4	...
Tainan,	„	29.37	...	...	N	6	...	„	29.53	...	...	N	4	...
Koshun,	„	29.38	...	...	NW	6	...	„	29.46	...	...	W	10	...
Pescadores,	„	29.44	...	...	N	10	...	„	29.54	...	...	N	8	...
Gutzlaff,	3 p.	29.73	78	95	E	3	cmp	9 a.	29.70	82	91	SE	3	c
Sharp Peak,	„	29.55	83	87	NNE	5	c	„	29.51	85	81	NNW	2	c
Amoy,	2.30p.	29.58	94	61	NW	2	c	6.30a.	29.58	84	83	WSW	2	c
Swatow,	3 p.	29.52	93	...	N	1	c	9 a.	...	...	...	...	...	...
Canton,	„	29.58	96	59	E	1	b	„	29.65	88	88	...	0	...
Hongkong,	4 p.	29.58	88	66	W	2	b	10 a.	29.62	85	79	...	0	c
Victoria Peak,	„	...	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock,	„	29.60	...	...	NNW	3	...	„	...	...	...	..	..	...
Macao,	„	29.59	94	...	SSE	1	c	„	29.68	88	...	W	1	ar
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.72	81	85	SW	3	o	„	29.84	84	77	WSW	5	o
Malate,	3 p.	...	...	...	SW	3	o	9 a.	...	...	...	...	...	...
Bacolod,	„	...	...	...	SW	2	b	„	...	...	...	SW	2	b
Iloilo,	„	29.82	76	...	W	1	c	„	29.91	84	...	NW	2	c
Cebu,	„	...	89	...	W	3	b	„	29.91	83	...	N	1	b
Cape S. James,	4 p.	...	...	...	SW	4	f	10 a.	...	...	...	...	...	...

On the 8th at 11.50a. Red Drum lowered.

The typhoon seems to be slowly moving Northwards near N. Formosa It has apparently filled up to some extent by contact with the island.

Barometer falling over the E. coast of China, rising in Formosa and over the Philippines.

Forecast:—moderate to fresh W. and SW winds; squally, thundershowers.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Friday 8th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

8th AUGUST, 1902, P. M.								9th AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	...	..	...	..	..	..	7 a.	...	..	..	..	..	..
Nemuro, ...	„	29.96	...	...	E	4	...	6 a.	...	...	...	..	..	...
Hakodate, ...	„	29.97	...	...	S	4	...	„	...	...	...	..	...	...
Tokio, ...	„	29.82	...	...	NE	4	...	„	...	...	...	..	...	...
Kochi, ...	„	29.72	...	...	NE	6	...	„	...	...	...	..	..	...
Nagasaki, ...	„	29.72	...	...	W	4	...	„	...	...	...	..	..	...
Kagoshima, ...	„	29.72	...	...	S	2	...	„	...	...	...	...	...	...
Oshima, ...	„	29.73	...	...	SE	6	...	„	...	...	...	..	..	...
Naha, ...	„	29.66	...	...	S	4	...	„	...	...	...	..	..	...
Ishigakijima, ...	„	29.22	...	...	SW	12	...	„	...	...	...	..	...	...
Taihoku, ...	1 p.	29.44	...	...	N	8	...	5 a.	29.56	...	...	SW	4	...
Taichu, ...	„	29.54	...	...	NW	6	...	„	29.63	...	...	S	4	...
Tainan, ...	„	29.59	...	...	NW	6	...	„	29.65	...	...	SW	4	...
Koshun, ...	„	29.60	...	...	W	6	...	„	29.65	...	..	W	6	...
Pescadores, ...	„	29.61	...	...	W	4	...	„	29.63	...	...	SW	6	...
Gutzlaff, ...	3 p.	29.66	85	87	SE	2	cm	7 a.	...	...	...	...	...	...
Sharp Peak, ..	„	29.53	85	83	E	4	c	„	29.57	86	82	...	0	b
Amoy, ...	2.30p.	29.57	92	74	SE	3	c	6.30a.	29.70	84	83	SW	1	b
Swatow, ...	3 p.	29.56	96	...	S	2	c	9 a.	...	...	...	...	...	...
Canton, ...	„	..	...	..	...	..	..	„	...	..	.	...	..	...
Hongkong, ...	4 p.	29.63	84	79	W	1	c	10 a.	29.68	86	75	SSW	3	c
Victoria Peak, .	„	...	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock, ...	„	29.63	...	...	WSW	4	...	„	29.68	...	...	SW	3	...
Macao, ...	„	29.64	86	...	SW	1	c	„	29.67	88	...	SW	2	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.80	81	92	WSW	5	c	„	29.84	86	78	WSW	2	b
Malate, ...	3 p.	...	...	...	SW	2	c	9 a.	...	...	...	...	2	c
Bacolod, ...	„	...	...	...	SW	2	b	„	...	...	...	S	2	b
Iloilo, ...	„	29.87	86	...	W	2	b	„	29.91	84	...	NW	2	c
Cebu, ...	„	29.83	88	...	S	3	b	„	29.9[illegible]	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 9th at 11.25a. The typhoon is moving Northwards to the West of the Loochoos. Barometer rising over Formosa, falling in the North. Fresh S. monsoon in the China Sea and along the S. and SE coasts of China. Bad weather between the E. coast of China and W. Japan. **Forecast:**—moderate to fresh SW. winds; fair.

F. C. FIGG.
Acting Director.

Hongkong Observatory, Saturday 9th August 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	...	..	...	.	..	..	7 a.	...	.	..	..	..	
Nemuro, ...	,,	29.88	...	...	SE	4	...	6 a.	...	...	...	..	..	
Hakodate, ...	,,	29.85	...	...	SE	4	...	,,	...	...	...	..	...	
Tokio, ...	,,	29.71	...	...	NW	6	...	,,	...	...	...	..	...	
Kochi, ...	,,	29.72	...	...	W	4	...	,,	...	...	...	..	..	
Nagasaki, ...	,,	29.64	...	...	SE	6	...	,,	...	...	...	..	..	
Kagoshima, ...	,,	29.68	...	...	SE	4	...	,,	...	...	...	...	...	
Oshima, ...	,,	29.57	...	...	S	8	...	,,	...	...	...	..	..	
Naha, ...	,,	..	...	...	S	8	...	,,	...	...	...	..	..	
Ishigakijima, ...	,,	29.62	...	...	SE	8	...	,,	...	...	...	..	...	
Taihoku, ...	1 p.	29.56	...	...	W	8	...	5 a.	..	...	...	..	...	
Taichu, ...	,,	29.64	...	...	S	6	...	,,	..	...	...	..	..	
Tainan, ...	,,	29.75	...	...	SW	6	...	,,	..	...	...	..	..	
Koshun, ...	,,	29.70	...	...	SW	4	...	,,	..	...	..	..	..	
Pescadores, ...	,,	29.65	...	...	SW	4	...	,,	..	...	...	..	..	
Gutzlaff, ...	3 p.	29.60	76	95	N	5	omr	9 a.	...	...	...	...	...	
Sharp Peak, ..	,,	29.53	86	72	S	6	o	,,	..	..	..	...	..	
Amoy, ...	2.30p.	29.53	87	83	SE	2	c	6.30a.	..	..	..	..	..	
Swatow, ...	3 p.	..	.	...	..	.	..	9 a.	...	...	...	...	...	
Canton, ...	,,	..	...	..	...	..	..	,,	...	..	.	...	..	
Hongkong, ...	4 p.	29.61	87	73	SW	4	oq	10 a.	29.69	78	93	...	0	
Victoria Peak, .	,,	...	...	...	..	..	...	,,	...	...	...	..	..	
Gap Rock, ...	,,	..	...	...	..	..	...	,,	..	...	...	..	..	
Macao, ...	,,	29.59	89	...	SW	2	c	,,	29.69	80	...	WSW	1	
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	
Manila, ...	,,	29.80	86	78	WSW	3	c	,,	29.84	86	71	..	0	
Malate, ...	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	...	0	
Bacolod, ...	,,	...	...	...	W	2	b	,,	...	...	...	SW	2	
Iloilo, ...	,,	29.85	86	...	W	1	b	,,	29.91	84	...	SW	1	
Cebu, ...	,,	29.82	89	...	S	2	b	,,	29.89	88	...	S	2	
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	

On the 10th at 12.15p. Barometric changes in Hongkong and over the Philippines are slight.
No reports received from other stations.
Forecast:—moderate SW. winds; thundershowers.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Sunday 10th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.80	67	...	N	1	o	7 a.	29.75	65	95	N	1	o
Nemuro,	,,	...	...	...	..	..	...	6 a.	...	...	...	..	..	...
Hakodate,	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Tokio,	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Kochi,	,,	...	...	...	..	..	...	,,	...	...	...	..	..	...
Nagasaki,	,,	...	...	...	..	..	...	,,	...	...	...	..	..	...
Kagoshima,	,,	...	...	...	..	..	...	,,	...	...	...	...	...	...
Oshima,	,,	...	...	...	..	..	...	,,	...	...	...	..	..	...
Naha,	,,	...	...	...	..	..	...	,,	...	...	...	..	..	...
Ishigakijima,	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Taihoku,	1 p.	29.57	...	...	W	6	...	9 a.	29.69	...	...	..	0	...
Taichu,	,,	29.65	...	...	S	8	...	,,	29.65	...	...	SW	2	...
Tainan,	,,	29.69	...	...	SW	6	...	,,	29.71	...	...	SW	4	...
Koshun,	,,	29.70	...	...	W	6	...	,,	29.74	...	...	SW	4	...
Pescadores,	,,	29.66	...	..	S	8	...	,,	...	...	...	...	..	...
Gutzlaff,	3 p.	29.67	77	91	NNW	4	emp	9 a	29.74	79	87	NW	3	bv
Sharp Peak,	,,	29.54	81	87	S	4	og	,,	29.60	80	89	E	1	og
Amoy,	2.30p.	29.59	86	80	SE	2	p	6.30a.	29.66	82	87	S	1	o
Swatow,	3 p.	..	.	..	..	.	..	9 a.	...	...	...	...	...	...
Canton,	,,	29.60	80	76	...	..	..	,,	29.72	86	72	...	0	c
Hongkong,	4 p.	29.61	81	88	..	0	o	10 a.	29.74	83	83	...	0	o
Victoria Peak,	,,	..	...	...	..	..	...	,,	...	...	...	..	..	...
Cap Rock,	,,	..	...	...	..	..	...	,,	..	...	...	..	..	...
Macao,	,,	29.61	84	...	NE	1	c	,,	29.72	87	...	SE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	86	78	WSW	3	..	,,	29.82	82	85	WSW	2	o
Malate,	3 p.	...	...	...	SW	3	b	9 a.	...	...	...	SW	3	o
Bacolod,	,,	...	...	...	SW	4	b	,,	...	...	...	...	2	b
Iloilo,	,,	29.81	86	...	SW	2	o	,,	29.92	74	...	W	1	b
Cuyo,	,,	29.78	88	...	..	0	b	,,	29.89	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 11th at noon:- Delayed observations show that the typhoon was moving NE off the W. coast of Japan yesterday morning.

The barometer has risen on the China coast; fallen in the extreme North, probably owing to the typhoon in Japan. Gradients slight with moderate variable winds on the China coast.

Forecast:—variable or E. winds, light to moderate; thundershowers.

F. G. FIGG.
Acting Director

Hongkong Observatory, Monday 11th August 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	11th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	..	..	..	7 a.	...	..	.	..	..	...
Nemuro,	,,	...	...	...	..	..	...	6 a.	30.12	...	...	NE	4	...
Hakodate,	,,	...	...	...	..	..	...	,,	30.01	...	...	E	8	...
Tokio,	,,	...	...	...	..	..	...	,,	29.82	...	...	NW	6	...
Kochi,	,,	...	...	...	..	..	...	,,	29.72	...	...	NE	6	...
Nagasaki,	,,	...	...	...	..	..	...	,,	29.83	...	...	NW	2	...
Kagoshima,	,,	...	...	...	..	..	...	,,	29.79	...	...	NW	4	...
Oshima,	,,	...	...	...	..	..	...	,,	...	...	...	..	0	...
Naha,	,,	...	...	...	..	..	...	,,	29.85	...	...	NW	2	...
Ishigakijima,	,,	...	...	...	..	..	...	,,	29.77	...	...	S	6	...
Taihoku,	1 p.	29.71	...	...	W	4	...	5 a.	29.81	...	...	..	0	...
Taichu,	,,	...	...	...	..	..	...	,,	29.79	...	...	..	0	...
Tainan,	,,	29.76	...	...	W	2	...	,,	29.80	...	...	SE	2	...
Koshun,	,,	29.78	...	...	SW	6	...	,,	29.81	...	...	NW	2	...
Pescadores,	,,	29.74	...	...	S	6	...	,,	29.80	...	...	S	6	...
Gutzlaff,	3 p.	29.73	87	76	WNW	1	cv	9 a.	...	..	..	..	..	...
Sharp Peak,	,,	29.60	83	84	E	2	c	,,	29.79	84	85	..	0	o
Amoy,	2.30p.	...	..	..	..	..	..	6.30a.	...	..	..	..	..	..
Swatow,	3 p.	..	.	..	..	..	..	9 a.	...	...	...	...	...	...
Canton,	,,	...	94	68	W	1	b	,,	...	..	.	...	..	..
Hongkong,	4 p.	29.73	78	91	W	1	or	10 a.	29.80	79	91	ENE	1	or
Victoria Peak,	,,	..	...	...	..	..	...	,,	...	...	...	..	..	...
Gap Rock,	,,	..	...	...	..	..	...	,,	...	...	...	..	..	...
Macao,	,,	29.72	79	...	NW	1	od	,,	29.79	79	...	SSW	1	or
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.60	84	77	WSW	4	ot	,,	29.92	84	77	WSW	1	c
Malate,	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	...	0	c
Bacolod,	,,	...	...	...	SW	2	b	,,	...	...	...	...	0	b
Iloilo,	,,	29.88	86	...	NW	2	b	,,	29.94	83	...	...	0	c
Cebu,	,,	29.83	89	...	N	2	..	,,	29.91	87	...	N	1	o
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 12th at 11.55a. The typhoon, which has probably filled up considerably, appears to be moving Eastwards off the S. coast of Japan.

The barometer has risen considerably over W. Japan, and slightly on the China coast. Gradients are slight with moderate SE and S. winds on the coast and over the N. part of the China Sea.

Forecast:—SE or variable winds, light to moderate; thundershowers.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 12th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

12th AUGUST, 1902, P. M.								13th AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	..	...	..	..	..	7 a.	...	..	..	..	..	...
Nemuro,	„	30.12	...	...	E	4	...	6 a.	...	...	...	..	..	...
Hakodate,	„	29.97	...	...	E	10	...	„	...	...	...	..	..	...
Tokio,	„	29.86	...	...	NW	4	...	„	...	...	...	..	..	...
Kochi,	„	29.75	...	...	NE	4	...	„	..	...	...	...	..	...
Nagasaki,	„	29.83	...	...	SW	6	...	„	...	...	...	...	..	...
Kagoshima,	„	29.83	...	...	W	4	...	„	..	...	...	..	..	...
Oshima,	„	29.84	...	...	NE	4	...	„	...	...	...	..	..	...
Naha,	„	...	...	...	..	..	...	„	..	...	...	..	..	...
Ishigakijima,	„	...	...	...	..	..	...	„	...	...	...	...	...	...
Taihoku,	1 p.	29.80	...	...	N	4	...	5 a.	29.88	...	...	..	0	...
Taichu,	„	29.83	...	...		0	...	„	29.85	...	...	..	0	...
Tainan,	„	29.82	...	...	SW	4	...	„	29.85	...	...	E	2	...
Koshun,	„	29.35	...	...	NW	2	...	„	29.88	...	...	..	0	...
Pescadores,	„	29.85	...	...	S	6	...	„	29.87	...	...	S	4	...
Gutzlaff,	3 p.	29.87	86	72	ESE	3	bv	9 a.	...	.	..	..	..	...
Sharp Peak,	„	29.77	83	87	E	3	ort	„	29.89	84	87	..	0	o
Amoy,	2.30p.	...	..	..	..	..	..	6.30a.	...	..	..	..	..	..
Swatow,	3 p.	..		.	.	.		9 a.	...	...	...	...	...	...
Canton,	„	29.76	79	95	E	2	r	„	...	..	..	..	..	..
Hongkong,	4 p.	29.78	77	95	E	1	or	10 a.	29.88	81	82	ENE	1	o
Victoria Peak,	„	..	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock,	„	..	...	...	..	..	...	„	...	...	...	..	..	...
Macao,	„	29.77	77	...	W	1	or	„	29.87	84	...	SSE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.84	84	77	SW	1	o	„	29.88	79	92	NNE	1	o
Malate,	3 p.	...	...	...	..	0	c	9 a.	...	...	...	SW	1	o
Bacolod,	„	...	...	...	WSW	2	b	„	...	...	...	S	2	o
Iloilo,	„	29.84	86	...	NE	2	c	„	29.90	83	...	...	0	o
Cebu,	„	29.81	87	...	S	2	c	„	29.87	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 13th at 11.45a. The barometer is falling over the Philippines; rising in S. China, where pressure is now above the normal. Gradients slight with variable and NE winds on the China coast. No reports from the North.

Forecast:—E winds, light; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 13th August 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	.	...	..	..	..	7 a.	...	..		..	..	...
Nemuro,	,,	...	...	...	..	..	...	6 a.	...	...	...	..	..	...
Hakodate,	,,	...	...	...	..	..	...	,,	...	...	...	..	..	...
Tokio,	,,	...	...	...	..	..	...	,,	...	...	...	..	..	...
Kochi,	,,	...	...	...	..	..	...	,,	..	...	...	...	..	...
Nagasaki,	,,	...	...	...	..	..	...	,,	...	...	...	...	..	...
Kagoshima,	,,	...	...	...	..	..	...	,,	..	...	...	..	..	...
Oshima,	,,	...	...	...	..	..	...	,,	...	...	...	..	..	...
Naha,	,,	...	...	...	..	..	...	,,	..	...	...	..	..	...
Ishigakijima,	,,	...	...	...	..	..	...	,,	...	...	...	...	...	...
Taihoku,	1 p.	29.89	...	...	N	2	...	5 a.	...	...	...	..	..	...
Taichu,	,,	29.86	...	...	..	4	...	,,	...	...	...	..	..	...
Tainan,	,,	29.87	...	...	W	4	...	,,	...	...	...	..	..	...
Koshun,	,,	29.84	...	...	SW	4	...	,,	...	...	...	..	..	...
Pescadores,	,,	29.83	...	...	SW	4	...	,,	...	...	...	..	..	...
Gutzlaff,	3 p.	29.91	85	79	SE	4	cv	9 a.	...	..	..	..	..	...
Sharp Peak,	,,	29.85	84	83	E	4	o	,,	...	..	..	..	..	..
Amoy,	2.30p.	...	..	..	..	..	..	6.30a.	...	..	..	..	..	..
Swatow,	3 p.	..	.	..	..	.	..	9 a.	...	...	...	...	...	...
Canton,	,,	...	..	..	..	..	..	,,	29.84	80	96	E	1	od
Hongkong,	4 p.	29.82	80	90	NE	1	o	10 a.	29.87	84	79	SSE	2	o
Victoria Peak,	,,	..	...	...	..	..	...	,,	...	...	...	..	..	...
Gap Rock,	,,	..	...	...	..	..	...	,,	...	...	...	..	..	...
Macao,	,,	29.80	83	...	S	1	cp	,,	29.86	85	...	S	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	...	..	..	..	..	..	,,	29.80	82	85	NNW	1	o
Malate,	3 p.	...	...	...	..	0	o	9 a.	...	...	...	N	2	o
Bacolod,	,,	...	...	...	NW	6	o	,,	...	...	...	SW	2	b
Iloilo,	,,	29.80	83	...	NE	2	or	,,	29.82	82	...	...	0	b
Cebu,	,,	29.83	83	...	S	2	od	,,	29.81	85	...	S	2	c
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 14th at 12.5p. A depression exists to the East of Luzon, where the barometer continues to fall. Pressure is inclined to give way also in the neighbourhood of Hongkong. Wind probably freshening from N. and NE over the NE part of the China Sea. Forecast:—variable winds, light; showery to fair.

No reports received from China coast, Formosa and Japan.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 14th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

14th AUGUST, 1902, P. M.								15th AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...		...	..	..	..	7 a.	...	..		..	..	...
Nemuro,	„	29.96	...	...	SE	6	...	6 a.	...	...	...	..	..	...
Hakodate,	„	29.97	...	...	E	4	...	„	...	...	...	..	..	...
Tokio,	„	29.86	...	...	NE	4	...	„	...	...	...	..	..	...
Kochi,	„	29.83	...	...	NE	4	...	„	..	...	...	...	..	...
Nagasaki,	„	29.83	...	...	SW	4	...	„	...	...	...	...	..	...
Kagoshima,	„	29.83	...	...	SE	2	...	„	..	...	...	..	..	...
Oshima,	„	29.84	...	...	N	4	...	„	...	...	...	..	..	...
Naha,	„	...	...	...	..	..	...	„	..	...	...	..	..	...
Ishigakijima,	„	...	...	...	..	..	...	„	...	...	...	...	...	...
Taihoku,	1 p.	29.83	...	...	E	4	...	5 a.	29.80	...	...	S	2	...
Taichu,	„	29.79	...	...	NW	4	...	„	29.79	...	...	..	0	...
Tainan,	„	29.80	...	...	N	4	...	„	29.80	...	...	..	0	...
Koshun,	„	29.80	...	...	NE	4	...	„	29.81	...	...	..	0	...
Pescadores,	„	29.84	...	...	N	4	...	„	29.80	...	...	NW	2	...
Gutzlaff,	3 p.	29.85	83	91	SE	4	bv	9 a.	29.80	74	95	NNE	4	orq
Sharp Peak,	„	29.78	84	81	SE	4	c	„	29.80	84	83	..	0	b
Amoy,	2.30p.	...	..	..	..	..	..	6.30a.	29.78	82	91	..	0	c
Swatow,	3 p.	..	.	..	..	.	..	9 a.	...	...	...	...	...	...
Canton,	„	29.76	84	87	SSE	2	od	„	...	..	..	..	..	..
Hongkong,	4 p.	29.80	84	75	S	1	o	10 a.	29.85	83	76	E	1	o
Victoria Peak,	„	..	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock,	„	29.79	...	...	S	3	...	„	...	...	...	..	..	...
Macao,	„	29.79	85	...	S	1	c	„	29.85	85	...	SSE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	...	..	..	..	..	..	„	29.72	86	71	...	0	c
Malate,	3 p.	...	...	...	..	0	or	9 a.	...	...	...	N	1	b
Bacolod,	„	...	...	...	S	2	o	„	...	...	...	S	3	b
Iloilo,	„	29.76	85	...	NE	2	o	„	29.79	83	...	S	1	o
Cebu,	„	29.71	85	...	S	2	c	„	29.79	85	...	S	2	c
Cape S.-James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 15th at noon:— The depression is apparently still lying over the Pacific to the E. of Luzon. The barometer has fallen over the Philippines and along the China coast. A depression has passed, from the mainland, over the NE coast of China, moving Eastwards. Wind probably freshening from NE in the Formosa Channel, and strong N. and NE winds probably prevail over the NE part of the China Sea.

Forecast:—variable winds, light; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 15th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

15th AUGUST, 1902, P. M.								16th AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.88	67	...	S	4	c	7 a.	29.89	65	99	S	3	o
Nemuro,	„	29.96	...	...	E	4	...	6 a.	30.04	...	...	..	0	...
Hakodate,	„	29.97	...	...	E	2	...	„	30.01	...	...	E	4	...
Tokio,	„	29.90	...	...	NW	2	...	„	29.98	...	...	N	2	...
Kochi,	„	29.83	...	...	NE	2	...	„	29.53	...	...	NE	2	...
Nagasaki,	„	29.83	...	...	..	0	...	„	29.72	...	...	SE	6	...
Kagoshima,	„	29.83	...	...	..	0	...	„	29.79	...	...	SE	4	...
Oshima,	„	29.84	...	...	S	2	...	„	29.80	...	...	..	0	...
Naha,	„	29.81	...	...	..	0	...	„	29.77	...	...	..	0	...
Ishigakijima,	„	...	...	...	..	..	...	„	29.77	...	...	SW	6	...
Taihoku,	1 p.	29.76	...	...	N	6	...	5 a.	29.78	...	...	..	0	...
Taichu,	„	29.75	...	...	S	2	...	„	29.76	...	...	..	0	...
Tainan,	„	29.76	...	...	NW	6	...	„	29.76	...	...	..	0	...
Koshun,	„	29.78	...	...	NW	4	...	„	29.77	...	...	E	2	...
Pescadores,	„	29.78	...	...	NW	4	...	„	29.77	...	...	SW	2	...
Gutzlaff,	3 p.	29.73	74	...	NW	5	ovd	9 a.	...	..	..	..	..	..
Sharp Peak,	„	29.69	87	80	ESE	4	b	„	29.75	86	86	ESE	1	c
Amoy,	2.30p.	29.75	89	92	SE	3	c	6.30a.	...	..	..	..	..	..
Swatow,	3 p.	...	.	.	.	..	..	9 a.	...	...	...	...	...	...
Canton,	„	29.74	93	58	SW	2	b	„	...	..	..	..	..	..
Hongkong,	4 p.	29.76	84	68	E	1	c	10 a.	29.85	83	71	WNW	1	b
Victoria Peak,	„	...	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock,	„	29.75	...	...	ESE	1	...	„	29.84	...	...	NNW	1	...
Macao,	„	29.76	87	...	S	1	c	„	29.85	84	...	WSW	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.69	79	100	..	0	or	„	29.80	86	78	SE	1	c
Malate,	3 p.	...	...	...	..	0	o	9 a.	...	...	...	E	2	c
Bacolod,	„	...	...	...	..	0	o	„	...	...	...	S	2	b
Iloilo,	„	29.73	83	...	NE	2	o	„	29.87	81	...	S	2	o
Cebu,	„	29.73	88	...	..	..	c	„	29.86	87	...	S	1	c
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 16th at 11.50a. The barometer has risen over the Philippines; fallen over Formosa, the Loochoos and W. Japan. An area of low pressure, apparently shallow, seems to be lying to the SW of Luzon. The Northern depression is approaching W. Japan, moving Eastwards. High pressure over NE Japan. Forecast:—N winds, light; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 16th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	..	...	..	...	...	7 a.	...	..	..	..	..	..
Nemuro,	„	30.00	...	...	SE	6	...	6 a.	30.08	...	...	S	2	...
Hakodate,	„	30.01	...	...	SE	6	...	„	30.05	...	...	E	2	...
Tokio,	„	29.98	...	...	NE	2	...	„	30.02	...	...	NE	2	...
Kochi,	„	29.87	...	...	NE	4	...	„	29.91	...	...	NE	2	...
Nagasaki,	„	29.72	...	...	S	10	...	„	29.79	...	...	S	6	...
Kagoshima,	„	29.75	...	...	SE	6	...	„	29.83	...	...	SE	4	...
Oshima,	„	29.80	...	...	N	2	...	„	29.80	...	...	..	0	...
Naha,	„	...	...	...	..	..	...	„	29.81	...	...	..	0	...
Ishigakijima,	„	...	...	...	..	..	...	„	29.81	...	...	SW	2	...
Taihoku,	1 p.	29.76	...	...	N	2	...	5 a.	29.80	...	...	S	2	...
Taichu,	„	29.76	...	...	W	2	...	„	29.79	...	...	..	0	...
Tainan,	„	29.78	...	...	SW	4	...	„	29.78	...	...	S	2	...
Koshun,	„	29.81	...	...	S	2	...	„	29.80	...	...	E	2	...
Pescadores,	„	29.80	...	...	W	4	...	„	29.79	...	...	NW	2	...
Gutzlaff,	3 p.	29.79	83	79	E	1	cv	9 a.	29.85	79	91	NW	1	cv
Sharp Peak,	„	29.70	84	85	SSW	5	pglt	„	29.79	83	89	..	0	o
Amoy,	2.30p.	29.75	90	70	SE	4	b	6.30a.	29.75	85	79	SE	2	c
Swatow,	3 p.	29.74	89	..	S	3	b	9 a.	...	...	...	...	...	...
Canton,	„	29.74	93	81	S	1	b	„	...	..	..	..	..	..
Hongkong,	4 p.	29.74	87	65	W	1	c	10 a.	29.81	85	70	ESE	1	o
Victoria Peak,	„	...	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock,	„	29.74	...	...	NNW	1	...	„	...	...	...	...	...	...
Macao,	„	29.74	90	...	SSE	1	c	„	29.81	88	...	NNE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.76	81	92	..	0	o	„	29.88	82	85	..	0	c
Malate,	3 p.	...	...	...	..	0	o	9 a.	...	...	...	..	0	b
Bacolod,	„	...	...	...	NW	4	o	„	...	...	...	S	2	b
Iloilo,	„	29.81	82	...	NE	2	o	„	29.91	87	...	..	0	b
Cebu,	„	29.79	87	...	S	2	c	„	...	...	...	..	..	..
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 17th at 11.30a. The barometer has fallen a little in Hongkong, risen slightly elsewhere. The shallow area of low pressure probably still exists in the China Sea and may be lying in the neighbourhood of the Paracels. The Northern depression seems to be filling up near W. Japan, and pressure remains high over E. Japan. Gradients slight with light variable winds on the China coast. Forecast:—light or moderate E winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 17th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th AUGUST, 1902, P. M.							18th AUGUST, 1902, A. M.						
	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	..	...	..	...	...	7 a.	...	..	..	..	..	..
Nemuro,	„	30.08	...	...	SE	6	...	6 a.	30.16	...	...	S	2	...
Hakodate,	„	30.05	...	...	SE	8	...	„	30.09	...	...	E	2	...
Tokio,	„	29.98	...	...	...	0	...	„	30.02	...	...	W	2	...
Kochi,	„	29.87	...	...	NE	4	...	„	29.91	...	...	NE	4	...
Nagasaki,	„	29.79	...	...	S	6	...	„	29.83	...	...	NW	4	...
Kagoshima,	„	29.83	...	...	SE	2	...	„	29.87	...	...	SE	2	...
Oshima,	„	29.84	...	...	N	4	...	„	29.84	...	...	S	2	...
Naha,	„	29.85	...	...	W	4	...	„	29.81	...	...	S	2	...
Ishigakijima,	„	29.81	...	...	SW	4	...	„	29.81	...	...	SW	2	...
Taiboku,	1 p.	29.80	...	...	NW	4	...	5 a.	29.81	...	...	S	2	...
Taichu,	„	29.76	...	...	NW	..	...	„	29.77	...	...	..	0	...
Tainan,	„	29.78	...	...	W	4	...	„	29.78	...	...	...	0	...
Koshun,	„	29.81	...	...	...	0	...	„	29.80	...	...	S	4	...
Pescadores,	„	29.80	...	...	SW	4	...	„	29.80	...	...	W	2	...
Gutzlaff,	3 p.	29.80	86	76	NNE	1	cv	9 a.	29.84	81	87	SE	3	cv
Sharp Peak,	„	29.71	85	83	ESE	3	o	„	29.79	82	87	..	0	o
Amoy,	2.30p.	...	...	...	...	...	..	6.30a.	29.77	85	87	S	1	c
Swatow,	3 p.	29.74	89	..	SE	2	b	9 a.	...	...	...	...	...	...
Canton,	„	29.75	96	65	W	1	b	„	...	..	..	..	..	..
Hongkong,	4 p.	29.75	86	65	ESE	2	o	10 a.	29.80	86	76	ESE	1	b
Victoria Peak,	„	...	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock,	„	29.75	...	...	E	3	...	„	29.79	...	...	E	2	...
Macao,	„	29.74	90	...	SSE	1	c	„	29.79	89	...	ESE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.84	79	84	SW	2	od	„	29.84	84	85	W	1	o
Malate,	3 p.	...	...	...	SW	3	o	9 a.	...	...	...	..	0	c
Bacolod,	„	...	...	...	S	2	b	„	...	...	...	..	0	c
Iloilo,	„	29.85	85	...	S	2	b	„	29.94	74	...	NW	2	o
Cebu,	„	29.82	88	...	S	3	b	„	29.90	89	...	S	3	b
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 18th at 11.40a. Pressure is giving way again in Luzon, barometric changes being unimportant elsewhere. Pressure remains high over E. Japan. Gradients are slight with light to moderate E. and variable winds along the China coast. Forecast:—E. winds, light; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 18th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th AUGUST, 1902, P. M.								19th AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	...	..	...	..	...	...	7 a.	...	..	..	..	..	..
Nemuro, ...	,,	30.16	...	...	SE	6	...	6 a.	30.16	...	...	S	4	...
Hakodate, ...	,,	30.09	...	...	E	8	...	,,	30.05	...	...	E	8	...
Tokio,.....	,,	29.98	...	...	NW	4	...	,,	29.98	...	...	N	4	...
Kochi, ...	,,	29.83	...	...	NE	6	...	,,	29.91	...	...	N	2	...
Nagasaki, ...	,,	29.83	...	...	SW	6	...	,,	29.87	...	...	SE	6	...
Kagoshima, ...	,,	29.83	...	...	SE	4	...	,,	29.91	...	...	E	2	...
Oshima, ...	,,	29.88	...	...	NW	4	...	,,	29.88	...	...	...	0	...
Naha.....	,,	29.81	...	...	S	2	...	,,	29.85	...	...	...	0	...
Ishigakijima, ...	,,	29.81	...	...	S	4	...	,,	29.81	...	...	S	2	...
Taihoku,.....	1 p.	29.72	...	...	N	2	...	5 a.	29.77	...	...	SW	2	...
Taichu, ...	,,	29.72	...	...	N	2	...	,,	29.75	...	...	..	0	...
Tainan,.....	,,	29.74	...	...	W	4	...	,,	29.74	...	...	NE	2	...
Koshun, ...	,,	29.78	...	...	E	6	...	,,	29.76	...	...	E	2	...
Pescadores, ...	,,	29.75	...	...	W	2	...	,,	29.75	...	...	...	0	...
Gutzlaff, ...	3 p.	29.79	85	83	SSE	3	cv	9 a	29.82	83	87	SSE	3	cv
Sharp Peak. ..	,,	29.71	85	83	SE	3	c	,,	29.79	86	85	..	0	b
Amoy, ...	2.30p.	29.71	86	68	SE	4	c	6.30a.	29.71	84	79	...	0	c
Swatow, ...	3 p.	29.73	91	.	S	4	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	29.68	95	68	S	1	b	,,	29.79	87	80	..	0	b
Hongkong.....	4 p.	29.70	85	77	E	1	c	10 a.	29.79	87	66	E	1	c
Victoria Peak..	,,	...	...	...	..	..	...	,,	...	...	...	..	..	...
Gap Rock,.....	,,	29.70	...	...	E	1	...	,,	29.77	...	...	ESE	1	...
Macao, ...	,,	29.70	91	...	SSE	1	c	,,	29.79	90	...	E	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	81	85	WSW	2	od	,,	29.81	77	92	SW	3	c
Malate,.....	3 p.	...	...	...	W	3	o	9 a.	...	...	...	..	0	o
Bacolod, ...	,,	...	...	...	SW	2	b	,,	...	...	...	S	2	b
Iloilo, ...	,,	29.84	89	...	W	1	b	,,	29.89	84	...	NW	2	...
Cebu, ...	,,	29.79	87	...	S	2	c	,,	29.87	85	...	...	0	c
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 19th at 11.25a. Pressure seems to be slightly in defect over the Pacific to the NE of Luzon. Pressure remains high over E. Japan. The barometer has fallen slightly over Formosa and the Southern Philippines. Gradients slight with moderate SE winds on the China coast. Forecast:—light E. breezes; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Tuesday 19th August 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	29.83	69	...	S	2	f	7 a.	29.88	65	99	S	1	f
Nemuro,	„	30.11	...	...	SW	6	...	6 a.	30.03	...	...	...	0	...
Hakodate,	„	30.05	...	...	E	6	...	„	30.01	...	...	NE	2	...
Tokio,	„	29.86	...	...	E	2	...	„	29.86	...	...	NW	2	...
Kochi,	„	29.87	...	...	W	4	...	„	29.87	...	...	E	2	...
Nagasaki,	„	29.87	...	...	SW	4	...	„	29.91	...	...	...	0	...
Kagoshima,	„	29.83	...	...	W	2	...	„	29.91	...	...	...	0	...
Oshima,	„	29.89	...	...	W	6	...	„	29.88	...	...	S	2	...
Naha,	„	29.81	...	...	SE	6	...	„	29.85	...	...	...	0	...
Ishigakijima,	„	...	...	...	...	...	...	„	29.81	...	...	SE	2	...
Taihoku,	1 p.	29.78	...	...	NW	4	...	5 a.	29.78	...	...	...	0	...
Taichu,	„	29.76	...	...	NW	6	...	„	29.76	...	...	..	0	...
Tainan,	„	29.76	...	...	N	6	...	„	29.76	...	...	W	0	...
Koshun,	„	29.78	...	...	E	6	...	„	29.78	...	...	NE	4	...
Pescadores,	„	29.78	...	...	NW	6	...	„	29.78	...	...	...	0	...
Gutzlaff,	3 p.	29.81	88	84	SSE	2	bv	9 a.	...	...	...	...	...	...
Sharp Peak,	„	29.75	86	80	E	1	b	„	29.79	83	85	NNE	3	o
Amoy,	2.30p.	29.75	91	63	SE	3	c	6.30a.	29.76	85	83	S	1	c
Swatow,	3 p.	...	...	.	...	...	...	9 a.	29.81	86	...	E	2	b
Canton,	„	29.69	94	55	...	0	b	„	...	..	..	..	..	..
Hongkong,	4 p.	29.71	86	72	E	2	b	10 a.	29.78	84	75	ENE	4	cq
Victoria Peak,	„	...	...	...	..	..	...	„	...	...	...	..	..	...
Gap Rock,	„	29.70	...	...	E	3	...	„	29.75	...	...	E	5	...
Macao,	„	29.71	91	...	SE	1	c	„	29.77	90	...	E	2	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.72	82	77	WSW	1	c	„	29.80	84	77	SSW	1	c
Malate,	3 p.	...	...	...	...	0	o	9 a.	...	...	...	SW	1	c
Bacolod,	„	...	...	...	SW	2	o	„	...	...	...	SW	2	o
Iloilo,	„	29.84	84	...	...	0	o	„	29.87	82	...	NW	2	...
Cebu,	„	29.79	87	...	...	2	b	„	29.87	86	...	S	3	c
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 20th at 11.55a. Probably a depression is developing in the China Sea in about 17° Lat. The barometer is inclined to fall over the Philippines and in Hongkong. Pressure is still high, but giving way over E. Japan. Strong NE winds in the N. part of the China Sea.
Forecast:—fresh to strong E. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 20th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

20th AUGUST, 1902, P. M.								21st AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	30.04	...	...	SE	6	...	6 a.	29.96	...	...	E	6	...
Hakodate, ...	„	29.93	...	...	E	4	...	„	29.58	...	...	..	0	...
Tokio,.....	„	29.82	...	...	S	4	...	„	29.82	...	...	SW	2	...
Kochi, ...	„	29.83	...	...	E	2	...	„	29.83	...	...	E	2	...
Nagasaki, ...	„	29.87	...	...	SW	4	...	„	29.87	...	...	...	0	...
Kagoshima, ...	„	29.87	...	...	S	2	...	„	29.87	...	...	N	2	...
Oshima, ...	„	29.84	...	...	N	4	...	„	29.86	...	...	...	0	...
Naha,.....	„	29.85	...	...	E	4	...	„	29.85	...	...	...	0	...
Ishigakijima, ...	„	29.81	...	...	SE	4	...	„	29.85	...	...	NE	2	...
Taihoku,.....	1 p.	29.77	...	...	NW	2	...	5 a.	29.82	...	...	S	2	...
Taichu, ...	„	29.77	...	...	W	4	...	„	29.80	...	...	..	0	...
Tainan, ...	„	29.78	...	...	NW	6	...	„	29.80	...	...	...	0	...
Koshun, ...	„	29.80	...	...	E	6	...	„	29.82	...	...	N	2	...
Pescadores, ...	„	29.80	...	...	N	6	...	„	29.82	...	...	...	0	...
Gutzlaff, ...	3 p.	29.83	86	80	SSE	3	cv	9 a.	29.82	83	79	S	3	cv
Sharp Peak, ..	„	29.78	85	79	E	5	c	„	29.84	85	85	...	0	b
Amoy, ...	2.30p.	29.77	90	63	SE	2	c	6.30a.	29.86	85	83	S	1	c
Swatow, ...	3 p.	...	...	.	...	...	...	9 a.	...	...	...	...	..	...
Canton, ...	„	29.73	87	80	E	2	b	„	29.82	86	76	SE	2	b
Hongkong,.....	4 p.	29.73	84	76	E	4	op	10 a.	29.82	84	73	E	5	cq
Victoria Peak,.	„	...	...	...	E	6	...	„	...	...	...	SE	6	...
Gap Rock,.....	„	29.69	...	...	E	5	...	„	29.80	...	...	ESE	5	...
Macao, ...	„	29.73	89	...	E	2	c	„	29.82	87	...	E	2	cq
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.72	86	65	WSW	3	c	„	29.84	84	77	...	...	c
Malate,.....	3 p.	...	...	...	...	0	cm	9 a.	...	...	...	...	0	c
Bacolod, ...	„	...	...	...	S	2	o	„	...	...	...	S	2	b
Iloilo, ...	„	29.81	84	...	W	1	o	„	29.90	81	...	NE	2	o
Cebu, ...	„	29.78	87	...	...	0	c	„	29.87	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 21st at 11.30a. The shallow depression in the China Sea has probably moved Westwards towards Hainan. The barometer has risen slightly in S. China, over Formosa and the Philippines, fallen in NE. Japan. Gradients slight with moderate SE winds on the China coast to the North of Hongkong.

Forecast:—fresh to moderate E. breezes; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 21st August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	21st AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	22nd AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.67	66	...	S	3	or	7 a.	29.62	59	85	NE	3	c
Nemuro,	,,	29.84	...	...	NE	8	...	6 a.	29.72	...	...	E	6	...
Hakodate,	,,	29.81	...	...	SE	4	...	,,	29.77	...	...	..	0	...
Tokio,	,,	29.78	...	...	S	4	...	,,	29.78	...	...	...	0	...
Kochi,	,,	29.83	...	...	SE	2	...	,,	29.83	...	...	W	2	...
Nagasaki,	,,	29.87	...	...	W	4	...	,,	29.83	...	...	SW	4	...
Kagoshima,	,,	29.83	...	...	W	6	...	,,	29.87	...	...	N	2	...
Oshima,	,,	29.84	...	...	SE	4	...	,,	29.84	...	...	S	2	...
Naha,	,,	29.81	...	...	E	4	...	,,	29.85	...	...	...	0	...
Ishigakijima,	,,	29.81	...	...	SE	6	...	,,	29.85	...	...	E	2	...
Taihoku,	1 p.	29.84	...	...	NW	6	...	5 a.	29.85	...	...	S	2	...
Taichu,	,,	29.78	...	...	W	4	...	,,	29.82	...	...	..	0	...
Tainan,	,,	29.79	...	...	W	6	...	,,	29.83	...	...	...	0	...
Koshun,	,,	29.76	...	...	E	4	...	,,	29.85	...	...	E	2	...
Pescadores,	,,	29.81	...	...	N	4	...	,,	29.84	...	...	SW	4	...
Gutzlaff,	3 p.	29.80	88	80	SSW	1	cv	9 a.	29.94	78	91	NNE	4	cv
Sharp Peak,	,,	29.80	84	83	E	4	c	,,	29.86	85	83	...	0	o
Amoy,	2.30p.	29.78	91	63	SE	3	c	6.30a.	29.82	85	83	...	...	c
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	..	...
Canton,	,,	29.82	82	91	E	1	r	,,	29.89	84	84	...	0	b
Hongkong,	4 p.	29.82	85	74	ESE	2	o	10 a.	29.89	85	74	E	1	b
Victoria Peak,	,,	...	...	...	ESE	4	...	,,	...	...	...	ESE	2	...
Gap Rock,	,,	29.80	...	...	SSE	4	...	,,	29.88	...	...	E	3	...
Macao,	,,	29.83	86	...	S	1	cq	,,	...	...	...	...	...	...
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	86	71	WSW	3	c	,,	29.88	82	85	...	0	b
Malate,	3 p.	...	...	...	W	1	c	9 a.	...	...	...	W	1	b
Bacolod,	,,	...	...	...	SW	2	b	,,	...	...	...	SW	2	b
Iloilo,	,,	29.84	84	...	W	1	c	,,	29.89	83	...	NE	2	b
Cebu,	,,	29.81	87	...	S	1	c	,,	29.88	88	...	S	1	b
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 22nd at 11.25 a. The barometer has risen on the China coast; fallen in NE. Japan owing to a depression in the N. part of the Sea of Japan.

Moderate to fresh NE. winds will probably set down the China coast, pressure having increased over N. China.

Forecast:—moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 22nd August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

22nd AUGUST, 1902, P. M.								23rd AUGUST, 1902, A. M.							
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.60	71	...	N	3	b	7 a.	29.77	66	95	...	0	b
Nemuro,	,,	29.72	...	...	SE	4	...	6 a.	29.80	...	...	SE	2	...
Hakodate,	,,	29.73	...	...	SE	4	...	,,	29.73	...	...	..	0	...
Tokio,	,,	29.74	...	...	S	4	...	,,	29.78	...	...	W	2	...
Kochi,	,,	29.75	...	...	W	2	...	,,	29.79	...	...	W	2	...
Nagasaki,	,,	29.79	...	...	SW	6	...	,,	29.83	...	...	...	0	...
Kagoshima,	,,	29.83	...	...	W	6	...	,,	29.83	...	...	...	0	...
Oshima,	,,	29.84	...	...	NE	4	...	,,	29.84	...	...	S	2	...
Naha,	,,	29.85	...	...	N	6	...	,,	29.81	...	...	...	0	...
Ishigakijima,	,,	29.85	...	...	SW	6	...	,,	29.81	...	...	N	2	...
Taihoku,	1 p.	29.81	...	...	NW	6	...	5 a.	29.82	...	...	SE	2	...
Taichu,	,,	29.80	...	...	N	4	...	,,	29.81	...	...	S	4	...
Tainan,	,,	29.82	...	...	W	6	...	,,	29.83	...	...	...	0	...
Koshun,	,,	29.79	...	...	N	6	...	,,	29.82	...	...	NE	2	...
Pescadores,	,,	29.85	...	...	W	4	...	,,	29.83	...	...	N	6	...
Gutzlaff,	3 p.	29.94	80	87	NE	3	cv	9 a.	29.96	78	73	ENE	3	cv
Sharp Peak,	,,	29.81	85	88	E	2	c	,,	29.85	83	89	ESE	1	og
Amoy,	2.30p.	29.70	89	66	SE	4	c	6.30a.	...	...	...	...	...	...
Swatow,	3 p.	29.82	90	.	S	3	c	9 a.	...	...	...	...	..	...
Canton,	,,	29.78	95	65	...	0	b	,,	29.86	84	83	N	1	b
Hongkong,	4 p.	29.81	86	68	SSE	1	b	10 a.	29.86	84	72	W	1	c
Victoria Peak,	,,	...	...	...	S	2	...	,,	...	...	...	WNW	2	...
Gap Rock,	,,	29.80	...	...	E	2	...	,,	29.85	...	...	SSE	2	...
Macao,	,,	29.81	91	...	SSE	1	c	,,	29.84	91	...	NW	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	86	77	SW	2	b	,,	29.84	84	71	WSW	1	o
Malate,	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0	b
Bacolod,	,,	...	...	...	S	2	b	,,	...	...	...	...	0	o
Iloilo,	,,	29.82	85	...	W	2	or	,,	29.87	83	...	NE	1	o
Cebu,	,,	29.79	83	...	...	0	...	,,	29.85	83	...	...	0	c
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 23rd at 11.20a. The barometer is falling slowly at all stations except over N. China, pressure remaining high over that area. Probably pressure is in defect over the Pacific to the E. of Luzon, where a depression may shortly develope. Gradients slight for moderate NE. winds on the China coast.

Forecast:— *variable or NE. winds, light; fair.*

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 23rd August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	29.80	...	...	S	2	...	6 a.	29.84	...	...	S	2	...
Hakodate,	"	29.77	...	...	W	2	...	"	29.93	...	...	..	0	...
Tokio,	"	29.74	...	...	S	4	...	"	29.86	...	...	NW	2	...
Kochi,	"	29.79	...	...	W	2	...	"	29.87	...	...	NW	2	...
Nagasaki,	"	29.83	...	...	SW	4	...	"	29.87	...	...	...	0	...
Kagoshima,	"	29.83	...	...	W	4	...	"	29.91	...	...	N	2	...
Oshima,	"	29.84	...	...	N	4	...	"	29.88	...	...	S	2	...
Naha,	"	29.85	...	...	W	4	...	"	29.85	...	...	...	0	...
Ishigakijima,	"	29.81	...	...	NW	2	...	"	29.81	...	...	NE	2	...
Taihoku,	1 p.	29.80	...	...	NE	6	...	5 a.	29.81	...	...	E	4	...
Taichu,	"	29.76	...	...	W	2	...	"	29.77	...	...	...	0	...
Tainan,	"	29.79	...	...	NW	4	...	"	29.78	...	...	...	0	...
Koshun,	"	29.83	...	...	...	0	...	"	29.79	...	...	N	4	...
Pescadores,	"	29.81	...	...	N	6	...	"	29.78	...	...	NE	4	...
Gutzlaff,	3 p.	29.85	80	70	ENE	2	cv	9 a.	29.99	77	77	E	3	cv
Sharp Peak,	"	29.81	82	85	ENE	6	c	"	29.82	82	87	N	3	o
Amoy,	2.30p.	29.78	88	69	SE	4	c	6.30a.	29.82	85	79	NW	1	c
Swatow,	3 p.	29.79	88	..	E	3	c	9 a.	...	...	...	...	..	...
Canton,	"	29.77	90	73	E	1	c	"	...	...	...	...	...	...
Hongkong,	4 p.	29.77	86	72	ESE	1	b	10 a.	29.83	85	72	ESE	2	c
Victoria Peak,	"	...	...	...	SSE	4	...	"	...	...	...	NE	3	...
Gap Rock,	"	29.76	...	...	E	1	...	"	29.82	...	...	NNW	2	...
Macao,	"	29.76	91	...	SE	1	c	"	29.85	90	...	NE	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.72	82	77	NW	3	o	"	29.80	81	85	...	0	o
Malate,	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	0	o
Bacolod,	"	...	...	...	S	2	o	"	...	...	...	S	2	b
Iloilo,	"	29.81	84	...	...	0	o	"	29.86	82	...	W	2	o
Cebu,	"	29.81	81	...	S	1	b	"	29.83	85	...	S	2	c
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 24th at 11.40a. Probably a low pressure trough, in some part of which a circular depression may form, lies across the N. part of the China Sea and the Pacific to the East of N. Luzon.

The barometer continues to fall slowly over the Philippines, Formosa and S. China. It has risen in Japan, and pressure remains high over NE. China, NE. winds probably freshening in the Formosa Channel and N. part of the China Sea. Forecast:—moderate to fresh NE. winds; fair to showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 24th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

24th AUGUST, 1902, P. M.								25th AUGUST, 1902, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro, ...	„	29.88	...	...	N	2	...	6 a.	29.96	...	...	SW	2	...
Hakodate, ...	„	29.89	...	...	SW	6	...	„	30.05	...	...	..	0	...
Tokio, ...	„	29.86	...	...	N	2	...	„	29.98	...	...	NE	2	...
Kochi, ...	„	29.87	...	...	SW	2	...	„	29.95	...	...	NE	2	...
Nagasaki, ...	„	29.87	...	...	SW	4	...	„	29.95	...	...	E	4	...
Kagoshima, ...	„	29.87	...	...	...	0	...	„	29.91	...	...	...	0	...
Oshima, ...	„	29.88	...	...	NE	4	...	„	29.88	...	...	...	0	...
Naha, ...	„	29.85	...	...	SE	2	...	„	29.85	...	...	...	0	...
Ishigakijima, ...	„	29.85	...	...	NW	2	...	„	29.81	...	...	NE	4	...
Taihoku, ...	1 p.	29.77	...	...	E	6	...	5 a.	29.82	...	...	...	0	...
Taichu, ...	„	29.76	...	...	N	4	...	„	29.81	...	...	NE	2	...
Tainan, ...	„	29.78	...	...	SW	4	...	„	29.79	...	...	NE	2	...
Koshun, ...	„	29.80	...	...	NE	4	...	„	29.82	...	...	...	0	...
Peseadores, ...	„	29.81	...	...	S	4	...	„	29.77	...	...	...	0	...
Gutzlaff, ...	3 p.	29.95	81	74	E	3	cv	9 a.	29.95	81	74	ENE	2	bv
Sharp Peak, ..	„	29.81	83	85	ENE	6	o	„	29.83	81	89	NNW	2	o
Amoy, ...	2.30p.	29.80	89	73	NW	3	c	6.30a.	29.82	85	87	NE	1	c
Swatow, ...	3 p.	...	...	.	...	...	...	9 a.	...	...	...	...	..	...
Canton, ...	„	29.74	94	64	S	1	c	„	29.82	83	87	E	1	o
Hongkong, ...	4 p.	29.76	85	76	E	3	o	10 a.	29.82	84	76	ENE	3	o
Victoria Peak, .	„	...	...	...	E	4	...	„	...	...	...	ENE	6	...
Gap Rock, ...	„	29.74	...	...	E	4	...	„	29.79	...	...	E	4	...
Macao, ...	„	29.76	88	...	SE	1	c	„	29.82	86	...	E	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	...	...	...	...	...	...	„	29.80	82	77	WSW	1	c
Malate, ...	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0	c
Baccloed, ...	„	...	...	...	S	2	o	„	...	...	...	...	0	o
Iloilo, ...	„	29.77	84	...	NE	2	o	„	29.86	83	...	S	2	b
Cebu, ...	„	29.76	85	...	...	0	c	„	29.84	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 25th at 11.25a. The low pressure trough is still lying across the N. part of the China Sea and the Pacific to the East of N. Luzon.

The barometer has risen in Japan and is little changed elsewhere.

Pressure is high over Japan and N. China.

Fresh NE. winds along the China coast and in the N. part of the China Sea.

Forecast:—fresh NE. winds; squally, showery.

[illegible]
Acting Director

Hongkong Observatory, Monday 25th August 1902

CHINA COAST METEOROLOGICAL REGISTER.

25th AUGUST, 1902, P. M.								26th AUGUST, 1902, A. M.						
STATION.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
Wladivostock, ..	2 p.	30.01	72	...	S	2	b	7 a.	30.05	60	99	S	1	o
Nemuro, ...	„	29.96	...	...	SE	6	...	6 a.	30.12	...	...	S	2	...
Hakodate, ...	„	30.05	...	...	W	4	...	„	30.17	...	...	N	2	...
Tokio,.....	„	30.02	...	...	NE	4	...	„	30.10	...	...	NE	2	...
Kochi, ...	„	29.91	...	...	NE	4	...	„	29.99	...	...	NE	2	...
Nagasaki, ...	„	29.91	...	...	SW	4	...	„	29.99	...	...	E	2	...
Kagoshima, ...	„	29.91	...	...	S	2	...	„	29.95	...	...	NE	6	...
Oshima, ...	„	29.88	...	...	N	2	...	„	29.92	...	...	SE	2	...
Naha,.....	„	29.85	...	...	E	4	...	„	29.89	...	...	N	2	...
Ishigakijima, ...	„	29.85	...	...	N	4	...	„	29.85	...	...	NE	2	...
Taihoku,.....	1 p.	29.79	...	...	E	6	...	5 a.	29.82	...	...	...	0	...
Taichu, ...	„	29.76	...	...	E	2	...	„	29.79	...	...	...	0	...
Tainan,.....	„	29.76	...	...	W	6	...	„	29.81	...	...	...	0	...
Koshun, ...	„	29.76	...	...	NE	4	...	„	29.82	...	...	NE	2	...
Pescadores, ...	„	29.78	...	...	W	6	...	„	29.80	...	...	...	0	...
Gutzlaff, ...	3 p.	29.92	81	76	ESE	2	bv	9 a.	...	...	...	...	...	...
Sharp Peak, ..	„	...	...	...	...	...	...	„	29.84	80	92	WNW	3	od
Amoy, ...	2.30p.	29.78	87	69	ESE	3	...	6.30a.	29.82	82	83	W	2	c
Swatow, ...	3 p.	29.79	88	.	E	3	c	9 a.	...	...	...	...	..	...
Canton, ...	„	29.76	83	91	...	0	o	„	29.86	84	87	E	1	c
Hongkong.....	4 p.	29.77	78	95	E	2	od	10 a.	29.85	83	83	E	4	opq
Victoria Peak,.	„	...	...	...	ESE	6	...	„	...	...	...	E	5	...
Gap Rock,.....	„	29.76	...	...	ESE	3	...	„	29.82	...	...	ESE	3	...
Macao, ...	„	29.78	80	...	E	1	or	„	29.84	87	...	E	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.72	84	77	WSW	3	oc	„	29.80	81	92	...	0	o
Malate,.....	3 p.	...	...	...	WSW	2	c	9 a.	...	...	...	...	0	o
Bacolod, ...	„	...	...	...	SW	2	b	„	...	...	...	S	2	c
Iloilo, ...	„	29.77	85	...	...	2	c	„	29.87	82	...	W	1	o
Cebu, ...	„	29.76	84	...	...	...	...	„	29.84	88	...	S	2	b
Cape S. James,	4 p.	...	...	...	..	..	..	10 a.	...	...	...	...	...	...

On the 26th at 11.45a. The low pressure trough still lies across the N. part of the China Sea and the Pacific to the East of N. Luzon.

The barometer has risen considerably in Japan, where pressure is high.

Fresh E. and NE. winds along the China coast and over the N. part of the China Sea.

Forecast:—fresh E. winds; squally, showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 26th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

26th AUGUST, 1902. P. M.								27th AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	...	...	...	..	...	...	7 a.	...	...	...	..	...	...
Nemuro, ...	„	30.08	...	...	S	6	...	6 a.	30.12	...	...	S	4	...
Hakodate, ...	„	30.13	...	...	SW	6	...	„	30.17	...	...	N	2	...
Tokio,.....	„	30.10	...	...	NE	4	...	„	30.18	...	...	N	2	...
Kochi, ...	„	29.95	...	...	E	4	...	„	30.03	...	...	E	6	...
Nagasaki, ...	„	29.95	...	...	W	4	...	„	29.99	...	...	...	0	...
Kagoshima, ...	„	29.95	...	...	E	6	...	„	29.99	...	...	NE	6	...
Oshima, ...	„	29.88	...	...	E	4	...	„	29.92	...	...	...	0	...
Naha,.....	„	29.89	...	...	E	6	...	„	29.89	...	...	...	0	...
Ishigakijima, ...	„	29.85	...	...	E	6	...	„	29.85	...	...	N	...	...
Taihoku,.....	1 p.	29.78	...	...	NW	4	...	5 a.	29.81	...	...	E	4	...
Taichu, ...	„	...	...	...	...	...	...	„	29.79	...	...	...	0	...
Tainan,.....	„	29.80	...	...	W	4	...	„	29.76	...	...	...	0	...
Keshun, ...	„	29.82	...	...	NE	4	...	„	29.83	...	...	NE	2	...
Pescadores, ...	„	29.82	...	...	N	4	...	„	29.81	...	...	...	0	...
Gutzlaff, ...	3 p.	29.92	87	89	SE	3	cv	9 a.	29.94	82	87	SSE	1	bm
Sharp Peak, ..	„	29.81	85	91	E	4	o	„	29.88	83	85	NNW	2	b
Amoy, ...	2.30p.	29.77	91	63	SE	3	c	6.30a.	29.83	85	76	NE	1	b
Swatow, ...	3 p.	29.82	89		ESE	3	b	9 a.	29.85	88	...	ENE	2	c
Canton, ...	„	29.80	86	84	SE	2	o	„	29.88	84	83	...	0	b
Hongkong,.....	4 p.	29.80	84	79	E	2	o	10 a.	29.86	86	79	NNE	2	o
Victoria Peak,.	„	...	...	...	E	4	...	„	...	...	...	NNE	2	...
Gap Rock,.....	„	29.77	...	...	E	3	...	„	29.84	...	...	NE	3	...
Macao, ...	„	29.79	87	...	E	1	c	„	29.86	90	...	NNE	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.76	82	85	WSW	2	c	„	29.88	...	...	WSW	1	o
Malate,.....	3 p.	...	...	...	SE	...	o	9 a.	...	...	...	SSW	1	or
Bacolod, ...	„	...	...	...	SW	2	b	„	...	...	...	...	0	o
Iloilo, ...	„	29.78	85	...	NW	2	c	„	29.91	83	...	W	2	or
Cebu, ...	„	29.75	88	...	S	2	b	„	29.86	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	SW	2	c	10 a.	...	...	...	...	...	...

On the 27th at 11.50a. The low pressure trough lies across the North part of the China Sea and the Pacific to the East of the Balingtang Channel. Pressure is high over E. Japan.

The barometer has risen slightly over S. Japan and the Philippines, and is little changed elsewhere. Moderate or fresh NE. wind in the Formosa Channel and the N. part of the China Sea.

Forecast:—moderate NE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 27th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th AUGUST, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th AUGUST, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	..	...	...	7 a.	...	...	...	..	...	...
Nemuro,	„	30.04	...	...	S	6	...	6 a.	29.93	...	...	S	4	...
Hakodate,	„	30.05	...	...	SE	6	...	„	29.93	...	...	NW	2	...
Tokio,	„	30.06	...	...	NW	2	...	„	29.94	...	...	...	0	...
Kochi,	„	29.99	...	...	NE	6	...	„	29.91	...	...	NE	2	...
Nagasaki,	„	29.95	...	...	SW	4	...	„	29.87	...	...	E	2	...
Kagoshima,	„	29.95	...	...	SE	2	...	„	29.91	...	...	NE	2	...
Oshima,	„	29.92	...	...	SE	4	...	„	29.84	...	...	...	0	...
Naha,	„	29.85	...	...	N	2	...	„	29.81	...	...	...	0	...
Ishigakijima,	„	29.85	...	...	SE	4	...	„	29.77	...	...	N	2	...
Taihoku,	1 p.	29.82	...	...	E	6	...	5 a.	29.77	...	...	SE	4	...
Taichu,	„	29.80	...	...	NW	4	...	„	29.75	...	...	...	0	...
Tainan,	„	29.81	...	...	W	4	...	„	29.76	...	...	...	0	...
Koshun,	„	29.83	...	...	NE	6	...	„	29.77	...	...	N	2	...
Pescadores,	„	29.82	...	...	N	2	...	„	29.76	...	...	...	0	...
Gutzlaff,	3 p.	29.89	85	83	SSE	3	cm	9 a.	...	...	...	...	...	...
Sharp Peak,	„	29.84	84	85	E	5	c	„	29.80	84	83	...	0	b
Amoy,	2.30p.	29.80	91	63	SE	4	c	6.30a.	29.80	85	76	NE	1	b
Swatow,	3 p.	29.84	83		E	3	c	9 a.	...	...	...	...	...	...
Canton,	„	29.78	92	70	...	0	o	„	29.81	86	84	N	1	b
Hongkong,	4 p.	29.79	85	76	E	3	o	10 a.	29.78	85	75	E	2	c
Victoria Peak,	„	...	...	...	NE	4	...	„	...	...	...	ENE	3	...
Gap Rock,	„	29.78	...	...	ENE	3	...	„	29.77	...	...	ENE	3	...
Macao,	„	29.79	91	...	NE	1	c	„	29.78	88	...	ENE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	82	77	WSW	2	o	„	29.80	79	84	WSW	1	c
Malate,	3 p.	...	...	...	SW	2	o	9 a.	...	...	...	W	3	o
Bacolod,	„	...	...	...	W	2	or	„	...	...	...	...	0	or
Iloilo,	„	29.83	81	...	NE	2	or	„	29.88	81	...	S	2	o
Cebu,	„	29.82	84	...	S	1	c	„	29.85	86	...	S	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 11.45a. The low pressure trough is still lying across the N. part of the China Sea and the Pacific to the East of the Balingtang Channel.

The barometer has fallen generally, particularly over Japan. Pressure is still highest over Japan. Moderate NE. winds in the N. part of the China Sea.

Forecast:—moderate NE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 28th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

28th AUGUST, 1902, P. M.								29th AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	3 p.	...	...	...	..	...	...	7 a.	...	...	...	..	...	...
Nemuro, ...	"	29.88	...	...	E	4	...	6 a.	29.67	...	...	S	6	...
Hakodate, ...	"	29.81	...	...	SE	4	...	"	29.54	...	...	W	8	...
Tokio, ...	"	29.82	...	...	S	4	...	"	29.82	...	...	SW	2	...
Kochi, ...	"	29.87	...	...	E	2	...	"	29.83	...	...	SW	4	...
Nagasaki, ...	"	29.83	...	...	W	6	...	"	29.79	...	...	S	6	...
Kagoshima, ...	"	29.87	...	...	SE	2	...	"	29.79	...	...	N	2	...
Oshima, ...	"	29.80	...	...	SE	4	...	"	29.84	...	...	SE	4	...
Naha, ...	"	29.77	...	...	E	4	...	"	29.74	...	...	E	2	...
Ishigakijima, ...	"	29.74	...	...	E	6	...	"	29.66	...	...	E	6	...
Taihoku, ...	1 p.	29.71	...	...	NE	6	...	5 a.	...	...	...	...	...	...
Taichu, ...	"	29.68	...	...	SW	4	...	"	...	...	...	...	...	...
Tainan, ...	"	29.67	...	...	W	4	...	"	...	...	...	...	...	...
Koshun, ...	"	29.72	...	...	N	2	...	"	...	...	...	...	...	...
Pescadores, ...	"	29.67	...	...	N	8	...	"	...	...	...	...	...	...
Gutzlaff, ...	3 p.	...	...	...	...	...	..	9 a.	29.82	82	91	S	2	cv
Sharp Peak, ..	"	29.73	84	79	E	3	b	"	29.72	84	85	N	2	b
Amoy, ...	2.30p.	29.72	90	63	SE	3	c	6.30a.	29.72	85	76	NE	1	c
Swatow, ...	3 p.	29.74	89	.	ESE	3	b	9 a.	...	...	...	...	...	...
Canton, ...	"	29.68	93	58	...	0	b	"	29.71	86	92	NW	...	b
Hongkong, ...	4 p.	29.71	85	80	E	2	b	10 a.	29.73	84	76	W	1	o
Victoria Peak, .	"	...	...	...	ENE	3	...	"	...	...	...	...	...	...
Gap Rock, ...	"	29.69	...	...	ENE	3	...	"	...	...	...	...	..	...
Macao, ...	"	29.71	80	...	SE	1	c	"	...	...	...	...	..	..
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.69	79	92	S	2	o	"	29.72	79	92	WSW	3	o
Malate, ...	3 p.	...	...	...	SW	2	o	9 a.	...	...	...	SW	3	o
Bacolod, ...	"	...	...	...	SW	2	o	"	...	...	...	S	2	r
Iloilo, ...	"	29.77	83	...	NE	2	c	"	29.85	80	...	S	2	or
Cebu, ...	"	29.76	86	...	S	2	c	"	29.83	87	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11.55a. A typhoon has probably formed in the low pressure trough to the E. of the Balingtang Channel.

Barometer falling in Luzon and S. China. Wind probably freshening from NE. in the Formosa Channel. Another depression has passed from the Mainland into the N. part of the Sea of Japan.

Forecast:—moderate N. winds; fair.

Formosa observation not yet received.

Telegraphic communication between the Observatory and Hongkong is interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 29th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

29th AUGUST, 1902, P. M.								30th AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	...	...	...	..	...	...	7 a.	...	...	...	..	...	...
Nemuro, ...	„	29.45	...	...	SW	6	...	6 a.	29.61	...	...	...	0	...
Hakodate, ...	„	29.58	...	...	NW	2	...	„	29.70	...	...	W	2	...
Tokio, ...	„	29.71	...	...	S	4	...	„	29.78	...	...	...	0	...
Kochi, ...	„	29.83	...	...	W	2	...	„	29.87	...	...	W	2	...
Nagasaki, ...	„	29.79	...	...	SW	6	...	„	29.87	...	...	SW	2	...
Kagoshima, ...	„	29.87	...	...	W	2	...	„	29.91	...	...	E	2	...
Oshima, ...	„	29.80	...	...	SE	6	...	„	29.84	...	...	SE	2	...
Naha, ...	„	29.77	...	...	SE	6	...	„	29.74	...	...	SE	6	...
Ishigakijima, ...	„	29.62	...	...	NE	10	...	„	29.34	...	...	E	8	...
Taihoku, ...	1 p.	29.66	...	...	E	8	...	5 a.	29.55	...	...	SE	4	...
Taichu, ...	„	29.56	...	...	NW	2	...	„	29.44	...	...	...	0	...
Tainan, ...	„	29.59	...	...	SW	4	...	„	29.46	...	...	...	0	...
Koshun, ...	„	29.61	...	...	W	...	...	„	29,45	...	...	...	0	...
Pescadores, ...	„	29.66	...	...	NE	8	...	„	29.50	...	...	NE	10	...
Gutzlaff, ...	3 p.	29.78	88	76	S	1	cv	9 a.	29.86	75	100	NE	5	omr
Sharp Peak, ..	„	29.68	84	83	ENE	6	c	„	29.63	84	83	N	5	o
Amoy, ...	2.30p.	29.64	95	53	NE	2	c	6.30a.	29.64	86	61	NNE	2	c
Swatow, ...	3 p.	...	..	.	..	..	.	9 a.	...	...	...	...	...	...
Canton, ...	„	29.62	97	59	SW	1	b	„	...	...	...	...	...	...
Hongkong, ...	4 p.	29.63	88	70	...	0	c	10 a.	29.69	85	74	WNW	1	c
Victoria Peak, .	„	...	...	...	S	4	...	„	...	...	...	NNW	3	...
Gap Rock, ...	„	29.64	...	...	WSW	2	...	„	29.70	...	...	NNW	3	...
Macao, ...	„	29.62	93	...	SW	1	c	„	29.71	91	...	NW	1	c
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.69	81	85	SSW	3	o	„	29.84	83	77	...	3	c
Malate, ...	3 p.	...	...	...	SW	4	o	9 a.	...	...	...	...	...	...
Bacolod, ...	„	...	...	...	W	6	or	„	...	...	...	...	...	...
Iloilo, ...	„	29.77	81	...	NE	2	c	„	...	...	...	...	...	...
Cebu, ...	„	29.76	87	...	S	2	b	„	...	...	...	...	...	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 12.10p Red Drum hoisted.

The typhoon is situated to the East fo Formosa. It appears to be moving towards Northwest.

Bad weather in the Formosa Channel.

Barometer falling quickly over Formosa and the SE. coast of China, rising over Luzon, N. China and Japan.

Forecast:—NW to SW winds, moderate; fair.

Telegraphic communication between the Observatory and Hongkong remains interrupted.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 30th August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

30th AUGUST, 1902, P. M.								31st AUGUST, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	...	...	...	..	...	...	7 a.	...	...	...	..	...	...
Nemuro, ...	„	29 69	...	...	S	2	...	6 a.	29.92	...	...	SE	6	...
Hakodate, ...	„	29.77	...	...	W	2	...	„	29.97	...	...	...	0	...
Tokio, ...	„	29.78	...	...	S	6	...	„	29.90	...	...	...	0	...
Kochi, ...	„	29.87	...	...	..	0	...	„	29.95	...	...	..	0	...
Nagasaki, ...	„	29.87	...	...	SW	6	...	„	29.95	...	...	SE	2	...
Kagoshima, ...	„	29.87	...	...	SE	4	...	„	29.91	...	...	NE	4	...
Oshima, ...	„	29.84	...	...	SE	6	...	„	29.80	...	...	SE	4	...
Naha, ...	„	29.74	...	...	SE	8	...	„	29.66	...	...	SE	6	...
Ishigakijima, ...	„	28.91	...	...	SE	12	...	„	29.30	...	...	S	10	...
Taihoku, ...	1 p.	29.44	...	...	E	6	...	5 a.	..	...	...	..	..	...
Taichu, ...	„	29.35	...	...	N	10	...	„	..	...	...	...	..	...
Tainan, ...	„	29.40	...	...	N	8	...	„	..	...	...	...	..	...
Koshun, ...	„	29.41	...	...	SW	4	...	„	..	...	...	...	..	...
Pescadores, ...	„	29.49	...	...	N	10	...	„	.	...	...	..	..	...
Gutzlaff, ...	3 p.	..	..	..	..	..	..	9 a.	29.80	72	100	NE	9	omp
Sharp Peak, ..	„	29.56	82	87	NNW	..	o	„	29.46	82	73	WNW	7	og
Amoy, ...	2.30p.	29.55	95	56	NE	2	c	6.30a.	29.58	86	68	NW	3	b
Swatow, ...	3 p.	29.51	95	.	SW	1	b	9 a.	...	..	..	...	...	...
Canton, ...	„	29.59	94	68	W	2	b	„	...	...	...	...	...	...
Hongkong, ...	4 p.	29.61	89	77	W	1	c	10 a.	29.70	86	61	NNW	2	b
Victoria Peak, .	„	...	...	...	WNW	4	...	„	...	...	...	..	..	...
Gap Rock, ...	„	29.60	...	...	NNW	2	...	„	..	...	...	..	..	...
Macao, ...	„	29.61	93	...	E	1	c	„	..	..	...	.	..	..
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.72	81	..	WSW	2	od	„	..	..	.	...	..	..
Malate, ...	3 p.	...	...	...	SW	4	or	9 a.	...	...	...	...	...	...
Bacolod, ...	„	...	...	...	WSW	3	b	„	...	...	...	...	...	...
Iloilo, ...	„	29.83	84	...	NW	2	c	„	...	...	...	...	...	...
Cebu, ...	„	29.79	87	...	...	0	c	„	...	...	...	...	...	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 31st at noon:- The typhoon centre passed near and West of Ishigakijima (Meiaco Sima group) yesterday afternoon, and it is now situated to the NNE. of Formosa. It is probably moving Northwards.
Bad weather over the N. part of the Formosa Channel and along the E. coast of China.
The barometer has fallen on the E. coast of China, risen over Japan.
Forecast:— moderate W. winds; fine.
No reports received from Formosa and the Philippines.
Telegraphic communication between the Observatory and Hongkong remains interrupted.

F. G. FIGG,
Acting Director

Hongkong Observatory, Sunday 31st August 1902.

CHINA COAST METEOROLOGICAL REGISTER.

31st AUGUST, 1902, P. M.								1st SEPTETBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W Th
Wladivostock,	2 p.	...	...	...	..	...	...	7 a.	...	...	...	..	...	
Nemuro,	„	29.96	...	...	E	2	...	6 a.	30.04	...	...	...	0	
Hakodate,	„	30.01	...	...	W	2	...	„	30.13	...	...	NW	2	
Tokio,	„	29.94	...	...	S	6	...	„	30.06	...	...	NW	2	
Kochi,	„	29.95	...	...	S	2	...	„	29.99	...	...	NE	2	
Nagasaki,	„	29.91	...	...	N	2	...	„	29.87	...	...	..	0	
Kagoshima,	„	29.87	...	...	E	6	...	„	29.87	...	...	E	6	
Oshima,	„	29.76	...	...	SE	4	...	„	29.76	...	...	SE	6	
Naha,	„	29.66	...	...	SE	6	...	„	29.66	...	...	S	4	
Ishigakijima,	„	29.42	...	...	S	10	...	„	29.54	...	...	SW	8	
Taihoku,	1 p.	29.32	...	...	SW	10	...	5 a.	29.57	...	...	SW	2	
Taichu,	„	29.52	...	...	SE	2	...	„	29.59	...	...	...	0	
Tainan,	„	29.53	...	...	NW	4	...	„	29.61	...	...	NE	2	
Koshun,	„	29.52	...	...	W	6	...	„	29.59	...	...	NW	4	
Pescadores,	„	29.52	...	...	W	6	...	„	29.60	...	...	SE	4	
Gutzlaff,	3 p.	29.75	71	95	NNE	9	omd	9 a.	29.54	72	95	NE	10	on
Sharp Peak,	„	29.41	83	75	WNW	7	oq	„	29.60	81	73	W	2	
Amoy,	2.30p.	29.54	92	51	W	6	b	6.30a.	...	...	...	...	...	
Swatow,	3 p.	29.53	92	.	NW	3	c	9 a.	...	..	..	...	...	
Canton,	„	29.70	92	51	NNE	2	b	„	...	...	...	...	...	
Hongkong,	4 p.	29.61	87	65	WNW	2	o	10 a.	29.74	83	56	N	2	b
Victoria Peak,	„	...	...	...	WNW	5	...	„	...	...	...	..	..	
Gap Rock,	„	29.60	...	...	NNW	4	...	„	29.72	...	...	N	5	
Macao,	„	29.64	93	...	NW	3	c	„	..	..	...	..	..	
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	
Manila,	„	29.72	79	92	SW	2	o	„	29.80	79	92	WSW	2	
Malate,	3 p.	...	...	...	SW	4	o	9 a.	...	..	..	SW	4	
Bacolod,	„	...	...	...	SW	2	b	„	...	...	...	S	2	
Iloilo,	„	29.84	85	...	S	2	o	„	29.87	84	...	NW	2	
Cebu,	„	29.80	88	...	S	3	c	„	29.86	88	...	S	3	
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 31st at 6.25p. Red Drum lowered.

On the 1st at 11.10a The typhoon is situated to the SSE. of Gutzlaff. It continues moving Northwards.

Bad weather between the E. coast of China and W. Japan.

Barometer fallen considerably in the neighbourhood of Shanghai, risen over Formosa, S. China and E. Japan. Pressure is high over E. Japan and over the interior of China apparently.

Forecast:— moderate N. winds; fine.

Telegraphic communication between the Observatory and Hongkong restored.

F. G. FIGG,
Acting Director

Hongkong Observatory, Monday 1st September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st SEPTEMBER, 1902. P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd SEPTEMBER, 1902. A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock, ..	2 p.	30.07	77	...	SW	2	c	7 a.	30.09	60	99	..	0	c
ewaro, ...	,,	30.08	...	...	E	4	...	6 a.	30.20	...	...	...	0	...
akodate, ...	,,	30.13	...	...	S	4	...	,,	30.21	...	...	N	2	...
okio, ...	,,	30.06	...	...	E	4	...	,,	30.14	...	...	NW	2	...
ochi, ...	,,	29.95	...	...	E	4	...	,,	29.95	...	...	SE	4	...
agasaki, ...	,,	29.79	...	...	E	4	...	,,	29.79	...	...	E	4	...
agoshima, ...	,,	29.79	...	...	S	6	...	,,	29.79	...	...	SE	8	...
shima, ...	,,	29.73	...	...	SE	6	...	,,	29.69	...	...	...	0	...
aha, ...	,,	29.70	...	...	S	4	...	,,	29.66	...	...	...	0	...
higakijima, ...	,,	29.62	...	...	S	6	...	,,	29.62	...	...	N	2	...
ihokn, ...	1 p.	29.63	...	...	NW	2	...	5 a.	29.66	...	...	...	0	...
ichu, ...	,,	29.60	...	...	NW	2	...	,,	29.65	...	...	...	0	...
inan, ...	,,	29.60	...	...	W	6	...	,,	29.66	...	...	N	2	...
oshun, ...	,,	29.62	...	...	W	4	...	,,	29.67	...	...	...	0	...
escadores, ...	,,	29.63	...	...	N	6	...	,,	29.68	...	...	W	2	...
utzlaff, ...	3 p.	29.47	73	95	NNE	11	crm	9 a.	29.46	74	100	WNW	6	omd
arp Peak, ..	,,	29.57	87	65	SSE	2	c	,,	29.70	83	69	W	2	b
moy, ...	2.30p.	29.62	89	56	S	2	c	6.30a.	29.70	83	71	SW	1	c
vatow, ...	3 p.	29.64	91		WNW	2	b	9 a.	...	.	..	...	...	...
auton, ...	,,	29.69	88	56	W	2	b	,,	29.81	81	67	NW	1	c
ongkong, ...	4 p.	29.68	84	57	N	1	o	10 a.	29.77	85	54	N	1	o
ictoria Peak, .	,,	...	...	...	NW	5	...	,,	...	...	...	N	5	...
ap Rock, ...	,,	29.65	...	...	NNW	4	...	,,	29.75	...	...	N	3	...
acao, ...	,,	29.69	89	...	N	1	c	,,	29.78	95	...	N	2	c
aiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
anila, ...	,,	29.72	84	77	WSW	3	c	,,	29.80	86	78	SSW	1	c
alate, ...	3 p.	...	...	...	SW	3	od	9 a.	...	..	.	SW	1	c
acolod, ...	,,	...	...	...	SW	4	b	,,	...	...	...	S	2	b
oilo, ...	,,	29.79	86	...	S	1	o	,,	29.89	83	...	NW	2	b
ebu, ...	,,	29.78	85	...	S	3	b	,,	29.87	89	...	S	3	b
ape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 12.30p. The typhoon, moving Northwards, probably passed East of Gutzlaff lighthouse during the night. Bad weather between the E. coast of China and W. Japan.
The barometer has fallen in W. Japan, risen over E. Japan and S. China. Light variable winds in S. China, moderate NE. winds in the N. part of the China Sea.
Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 2nd September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

2nd SEPTEMBER, 1902, P. M.								3rd SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W[illegible]
Wladivostock, ..	2 p.	30.09	76	...	SW	1	c	7 a.	30.01	69	95	SE	1	
Nemuro, ...	„	30.29	...	...	S	4	...	6 a.	30.24	...	...	SW	2	
Hakodate, ...	„	30.21	...	...	SE	6	...	„	30.17	...	...	E	4	
Tokio, ...	„	30.10	...	...	N	2	...	„	30.10	...	...	N	2	
Kochi, ...	„	29.95	...	...	NE	10	...	„	29.91	...	...	NE	6	
Nagasaki, ...	„	29.79	...	...	SE	6	...	„	29.72	...	...	E	2	
Kagoshima, ...	„	29.79	...	...	SW	4	...	„	29.72	...	...	SE	10	
Oshima, ...	„	29.73	...	...	SE	4	...	„	29.49	...	...	NE	6	
Naha, ...	„	29.66	...	...	E	2	...	„	29.58	...	...	NW	3	
Ishigakijima, ...	„	29.66	...	...	N	4	...	„	29.70	...	...	...	0	
Taihoku, ...	1 p.	29.70	...	...	NW	4	...	5 a.	29.73	...	...	...	0	
Taichu, ...	„	29.67	...	...	N	4	...	„	29.70	...	...	...	0	
Tainan, ...	„	29.69	...	...	W	4	...	„	29.73	...	...	N	2	
Koshun, ...	„	29.70	...	...	W	2	...	„	29.73	...	...	...	0	
Pescadores, ...	„	29.71	...	...	NE	4	...	„	29.72	...	...	SE	2	
Gutzlaff, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Sharp Peak, ..	„	29.65	85	72	E	3	b	„	29.75	84	75	...	0	
Amoy, ...	2.30p.	29.68	90	50	WSW	2	c	6.30a.	29.75	81	71	W	1	
Swatow, ...	3 p.	29.73	91		WSW	1	b	9 a.	...	..	..	...	...	
Canton, ...	„	29.74	89	50	N	2	o	„	...	...	..	...	...	
Hongkong, ...	4 p.	29.72	84	66	W	1	o	10 a.	29.81	85	47	...	0	
Victoria Peak, .	„	...	...	...	NW	3	...	„	...	...	...	N	4	
Gap Rock, ...	„	29.73	...	...	N	3	...	„	29.81	...	...	N	3	
Macao, ...	„	29.73	90	...	N	1	c	„	29.81	88	...	N	1	
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	
Manila, ...	„	29.76	84	77	SW	3	b	„	29.84	86	71	SW	1	
Malate, ...	3 p.	...	...	...	SW	4	o	9 a.	...	..	.	SW	2	
Bacolod, ...	„	...	...	...	SW	2	b	„	...	...	...	S	2	
Iloilo, ...	„	29.83	85	...	S	1	c	„	29.91	82	...	NW	2	
Cebu, ...	„	29.81	86	...	S	3	b	„	29.90	88	...	W	3	
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 3rd at noon:- The typhoon has probably moved up the Yellow Sea.
Observations from Gutzlaff are however not to hand.
Another depression exists to the E. of the Loochoos. Pressure remains high over E. Japan.
The barometer has fallen over W. Japan and the Loochoos, risen over S. China and the Philipp[illegible]
Light variable winds along the coasts of S. China,
Forecast:— light N. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 3rd September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
[illegible]divostock, ..	2 p.	29.93	66	...	S	2	or	7 a.	29.52	66	99	SE	8	o
[illegible]emuro, ...	,,	30.16	...	...	SE	4	...	6 a.	...	...	...	...	..	...
[illegible]akodate, ...	,,	30.09	...	...	SE	6	...	,,	...	...	...	..	..	...
[illegible]kio, ...	,,	30.02	...	...	SE	2	...	,,	...	...	...	..	..	...
[illegible]chi, ...	,,	29.87	...	...	E	4	...	,,	...	...	...	..	..	...
[illegible]gasaki, ...	,,	29.68	...	...	E	4	...	,,	...	...	...		..	...
[illegible]goshima, ...	,,	29.68	...	...	E	10	...	,,	...	...	...	..	..	...
[illegible]hima, ...	,,	29.25	...	...	E	8	...	,,	...	...	...	..	..	...
[illegible]ha, ...	,,	...	...	...	...	0	...	,,	...	...	...	..	..	...
[illegible]igakijima, ...	,,	...	...	...	...	0	...	,,	...	...	...	...	..	...
[illegible]ihoku, ...	1 p.	29.73	...	...	NW	6	...	5 a.	29.71	...	...	...	0	...
[illegible]ichu, ...	,,	29.70	...	...	NW	4	...	,,	29.69	...	...	...	0	...
[illegible]inan, ...	,,	29.71	...	..	W	6	...	,,	29.69	...	...	...	0	...
[illegible]oshun, ...	,,	29.73	...	...	W	4	...	,,	29.72	...	...	...	0	...
[illegible]escadores, ...	,,	29.74	...	...	NW	4	...	,,	29.72	...	...	NW	2	...
[illegible]ntzlaff, ...	3 p.	29.74	77	77	NNW	4	cv	9 a.	29.71	75	81	N	4	bv
[illegible]arp Peak, ..	,,	29.70	84	74	ESE	3	b	,,	29.71	84	81	...	0	b
[illegible]moy, ...	2.30p.	29.73	89	59	SE	3	b	6.30a.	29.72	82	83	W	2	c
[illegible]watow, ...	3 p.	29.69	90		ESE	1	b	9 a.	...	..	..	...	...	...
[illegible]nton, ...	,,	...	93	64	NNE	1	b	,,	29.77	81	62	N	1	b
[illegible]ongkong, ...	4 p.	29.73	86	55	W	2	b	10 a.	29.76	85	53	W	1	b
[illegible]ictoria Peak, .	,,	...	...	...	W	3	...	,,	...	...	...	NW	4	...
[illegible] Lock, ...	,,	29.72	...	...	NNW	3	...	,,	29.75	...	...	NNW	4	...
[illegible]	,,	29.74	92	...	ENE	1	b	,,	29.77	93	...	NW	2	b
[illegible]ng, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
[illegible]	,,	29.76	86	78	WSW	3	b	,,	29.84	79	92	WSW	4	oq
[illegible]	3 p.	...	...	...	SW	3	b	9 a.	...	..	.	WSW	4	or
[illegible]	,,	...	...	...	SW	2	b	,,	...	...	...	SW	2	c
[illegible]	,,	29.84	85	...	SW	2	b	,,	29.90	84	...	NE	2	...
[illegible]	,,	29.80	83	...	S	2	b	,,	29.88	87	...	...	0	b
[illegible] James	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

[illegible] apparently moved NNE over Korea, and lies this [illegible] the barometer has fallen rapidly.

[illegible] yesterday as lying E. of the Loochoos, may have moved to the [illegible] from the Japanese stations are not to hand.

The barometer is falling again along the China coast.

Moderate to fresh N. and W. winds along the China coast.

Forecast:— moderate NW. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Thursday 4th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

4th SEPTEMBER, 1902, P. M.								5th SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.53	70	...	S	3	o	7 a.	29.70	63	82	N	1	or
Nemuro,	„	29.95	...	...	SE	6	...	6 a.	29.84	...	...	S	6	...
Hakodate,	„	29.85	...	...	SE	6	...	„	29.81	...	...	..	0	...
Tokio,	„	29.86	...	...	NE	2	...	„	29.83	...	...	N	2	...
Kochi,	„	29.75	...	...	NE	4	...	„	29.72	...	...	NE	6	...
Nagasaki,	„	29.52	...	...	E	8	...	„	29.52	...	...	SW	6	...
Kagoshima,	„	29.56	...	...	SE	8	...	„	29.60	...	...	SW	4	...
Oshima,	„	29.53	...	...	S	6	...	„	29.61	...	...	S	2	...
Naha,	„	29.58	...	...	W	6	...	„	29.58	...	...	NW	6	...
Ishiga kijima,	„	...	...	...	...	...	...	„	29.70	...	...	N	2	...
Taihoku,	1 p.	29.68	...	...	W	2	...	5 a.	29.73	...	...	...	0	...
Taichu,	„	29.65	...	...	W	2	...	„	...	...	...	...	..	...
Tainan,	„	29.67	...	...	W	6	...	„	29.70	...	...	...	0	...
Koshun,	„	29.69	...	...	NW	4	...	„	29.70	...	...	...	0	...
Pescadores,	„	29.69	...	...	W	2	...	„	29.70	...	...	...	0	...
Gutzlaff,	3 p.	29.67	76	77	N	4	cv	9 a.	29.80	74	86	NW	3	br
Sharp Peak,	„	29.61	84	75	E	3	b	„	29.76	83	81	NW	3	b
Amoy,	2.30p.	29.68	87	65	SSE	3	b	6.30a.	29.74	84	75	E	...	o
Swatow,	3 p.	29.64	89		E	1	b	9 a.	...	..	..	...	...	...
Canton,	„	29.67	95	39	NW	1	b	„	...	...	...	...	...	...
Hongkong,	4 p.	29.69	87	54	WSW	2	b	10 a.	29.75	87	38	N	1	b
Victoria Peak,	„	...	...	...	WNW	3	...	„	...	...	...	NW	4	...
Gap Rock,	„	29.67	...	...	NNW	2	...	„	29.74	...	...	WNW	3	...
Macao,	„	29.69	92	...	ENE	1	b	„	29.74	93	...	NNW	...	b
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.80	79	92	W	2	oq	„	29.76	82	77	SW	3	c
Malate,	3 p.	...	...	...	SW	3	or	9 a.	...	..	.	SW	4	or
Bacolod,	„	...	...	...	SW	2	o	„	...	...	...	S	2	b
Iloilo,	„	29.82	84	...	SW	2	o	„	29.89	84	...	NE	2	c
Cebu,	„	29.79	89	...	S	3	...	„	29.86	88	...	S	4	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 11.50a. The depression has passed to the West of Nagasaki and is now moving NE. in Korea straits.

Pressure remains low also over the Pacific to the NE. of Luzon, where another depression is probably forming.

The barometer has risen in N. China, fallen over Luzon.

Moderate N. and NW. winds along the China coast and over the N. part of the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory. Friday 5th September 1902

CHINA COAST METEOROLOGICAL REGISTER.

5th SEPTEMBER, 1902, P. M.								6th SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock, ..	2 p.	...	..	...	..	..	.	7 a.	...	..	..		..	..
Gensan, ...	"	30.00	...	...	N	8	...	6 a.	...	...	...	..	...	...
Hakodate, ...	"	29.89	...	...	...	0	...	"	...	...	...	..	...	...
Tokio, ...	"	29.82	...	...	NE	2	...	"	...	...	...		...	...
Kochi, ...	"	29.68	...	...	SW	4	...	"	...	...	...	..	...	...
Nagasaki, ...	"	29.64	...	...	N	2	...	"	...	...	...	..	...	...
Kagoshima, ...	"	29.64	...	...	N	4	...	"	...	...	...	..	...	...
Ishima, ...	"	29.61	...	...	NW	6	...	"	...	...	...	..	...	...
Naha, ...	"	29.62	...	...	N	6	...	"	...	...	...	..	...	...
Ishigakijima, ...	"	29.70	...	...	N	4	...	"	...	...	...	..	...	...
Taihoku, ...	1 p.	29.72	...	...	E	4	...	5 a.	29.79	...	...	S	2	...
Taichu, ...	"	29.66	...	...	N	6	...	"	29.72	...	...	...	0	...
Tainan, ...	"	29.67	...	...	N	6	...	"	29.71	...	...	N	2	...
Koshun, ...	"	29.72	...	...	NE	8	...	"	29.74	...	...	NE	4	...
Pescadores, ...	"	29.72	...	...	NE	8	...	"	29.73	...	...	NE	10	...
Gutzlaff, ...	3 p.	29.78	80	70	N	1	cv	9 a	29.88	75	81	N	3	bv
Sharp Peak, ..	"	29.75	82	85	E	5	b	"	29.81	81	76	WSW	1	b
Amoy, ...	2.30p.	29.70	88	62	E	4	c	6.30a.	29.77	82	63	NE	1	c
Swatow, ...	3 p.	29.69	95		NE	4	c	9 a.	...	.	..	...	...	...
Canton, ...	"	29.71	94	61	E	2	b	"	...	...	...	...	...	...
Hongkong, ...	4 p.	29.69	89	44	SW	1	b	10 a.	29.84	83	70	E	2	c
Victoria Peak, .	"	...	...	...	S	3	...	"	...	...	...	NE	4	...
Gap Rock, ...	"	29.69	...	...	NNW	2	...	"	29.82	...	...	ENE	3	...
Macao, ...	"	29.70	94	...	NNE	1	c	"	29.83	89	...	E	1	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.69	82	85	WSW	3	o	"	29.76	79	100	...	0	o
Malate, ...	3 p.	...	...	...	SW	2	o	9 a.	...	.	..	...	0	or
Bacolod, ...	"	...	...	...	SW	2	o	"	...	...	...	SW	6	or
Iloilo, ...	"	29.81	85	...	SW	2	o	"	29.86	83	...	NW	3	o
Cebu, ...	"	29.81	82	...	...	0	c	"	29.85	84	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 12.25p. Pressure remains low over the Pacific and probably a depression is forming to the NE. of Luzon.

The barometer has risen considerably on the China coast, fallen slightly over the Philippines. Fresh N. to NE. winds on the coast and over the N. part of the China Sea.

Forecast:—moderate NE. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Saturday 6th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th SEPTEMBER, 1902. P. M.							7th SEPTEMBER, 1902, A. M.						
	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	29.89	58	...	N	4	cr	7 a.	29.94	58	99	N	4	f
Nemuro, ...	"	30.28	...	...	E	4	...	6 a.	...	...	...	..	...	...
Hakodate, ...	"	30.13	...	...	E	6	...	"	...	...	...	..	...	...
Tokio, ...	"	29.82	...	...	E	6	...	"	...	...	...	..	...	...
Kochi, ...	"	29.44	...	...	NE	10	...	"	...	...	...	..	...	...
Nagasaki, ...	"	29.52	...	...	N	6	...	"	...	...	...	..	...	..
Kagoshima, ...	"	29.40	...	...	N	8	...	"	...	...	...	.	...	..
Oshima, ...	"	29.41	...	...	N	8	...	"	...	...	...	..	...	..
Naha, ...	"	29.54	...	...	NW	8	...	"	...	...	...	..	...	..
Ishigakijima, ...	"	29.70	...	...	N	4	...	"	...	...	...	..	...	..
Taihoku, ...	1 p.	29.80	...	...	NE	4	...	5 a.	29.81	...	...	..	0	..
Taichu, ...	"	29.71	...	...	N	6	...	"	29.76	...	...	...	0	...
Tainan, ...	"	29.73	...	...	W	6	...	"	29.75	...	...	..	0	...
Koshun, ...	"	29.74	...	...	NE	6	...	"	...	...	...	..	..	...
Pescadores, ...	"	29.78	...	...	NE	10	...	"	29.79	...	...	NE	10	...
Gutzlaff, ...	3 p.	29.84	78	70	N	3	bv	9 a.	29.87	75	76	N	5	cv
Sharp Peak, ..	"	29.78	82	75	E	5	b	"	29.81	82	65	..	0	b
Amoy, ...	2.30p.	29.75	80	56	SE	3	b	6.30a.	29.81	82	52	NNE	1	c
Swatow, ...	3 p.	29.80	86	..	E	2	b	9 a.	29.82	83	..	...	0	b
Canton, ...	"	...	..	..	.	..	..	"	29.86	88	80	W	1	b
Hongkong, ...	4 p.	29.76	82	63	E	3	b	10 a.	29.86	84	67	..	0	b
Victoria Peak, .	"	...	...	...	ENE	4	...	"	...	...	...	NE	3	...
Cap Rock, ...	"	29.75	...	...	ENE	3	...	"	29.87	...	...	ENE	2	...
Macao, ...	"	29.79	90	...	ESE	..	c	"	29.86	90	...	ESE	1	b
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.69	81	92	SSW	1	o	"	29.76	81	92	...	0	o
Malate, ...	3 p.	...	...	...	SW	1	o	9 a.	...	..	.	...	0	o
Bacolod, ...	"	...	...	...	W	..	r	"	...	...	...	..	0	o
Iloilo, ...	"	29.78	81	...	S	..	o	"	29.89	82	...	S	3	o
Cebu, ...	"	29.78	86	...	...	3	c	"	29.85	85	...	S	3	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 12.25p. A typhoon was lying yesterday afternoon between the Loochoos and SW. Japan. It is probably moving Northwards.

Observations from Japanese stations are, however, not yet to hand.

The barometer has risen slightly in S. China, but remains low over Luzon.

Fresh N. and NE. winds on the coast and over the N. part of the China Sea.

Forecast:—light or moderate N. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory Sunday 7th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

7th SEPTEMBER, 1902, P. M.								8th SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock, ..	2 p.	...	...	...	..	..	...	7 a.	...	...	...	..	...	...
Gemuro, ...	,,	...	...	...	..	..	...	6 a.	...	...	...	..	...	...
Nakodate, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Hakodate, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Kochi, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Nagasaki, ...	,,	...	...	...	..		...	,,	...	...	...	..	...	...
Kagoshima, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Ishima, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Kaan, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Ishigakijima, ...	,,	...	...	...	..		...	,,	...	...	...	..	...	...
Taihoku, ...	1 p.	29.77	...	...	NW	6	...	5 a.	29.86	...	...	W	..	...
Taichu, ...	,,	29.70	...	...	SE	..	...	,,	29.82	...	...	...	0	...
Tainan, ...	,,	29.70	...	..	NW	6	...	,,	29.89	...	...	NE	2	...
Koshun, ...	,,	29.74	...	...	E	2	...	,,	29.82	...	...	NE	3	...
Pescadores, ...	,,	29.76	...	...	NE	8	...	,,	29.82	...	...	NE	6	...
Sutzlaff, ...	3 p.	29.78	73	73	N	5	ov	9 a.	29.87	72	85	NNW	3	bv
Sharp Peak, ..	,,	29.74	82	52	E	3	b	,,	29.90	80	70	WNW	1	b
Amoy, ...	2.30p.	..	83	40	SW	2		6.30a.	29.86	81	71	..	0	c
Swatow, ...	3 p.	29.71	88	.	S	2	b	9 a.	29.85	84	..	E	..	b
Canton, ...	,,	..	95	24	NNE	1	b	,,	29.88	84	60	N	1	b
Hongkong, ...	4 p.	29.76	87	61	WSW	1	b	10 a.	29.83	87	50	ESE	2	b
Victoria Peak, .	,,	...	...	...	SSW	3	...	,,	...	...	...	NE	4	...
Gap Rock, ...	,,	29.76	...	...	S	1	...	,,	29.86	...	...	NW	1	...
Macao, ...	,,	29.77	81	...	SSE	1	c	,,	29.87	92	...	WNW	1	b
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.69	82	85	...	...	o	,,	29.84	82	85	WSW	1	o
Malate, ...	3 p.	...	...	...	...	0	c	9 a.	...	..	.	...	0	b
Bacolod, ...	,,	...	...	...	S	..	r	,,	...	...	...	S	2	c
Iloilo, ...	,,	29.78	82	...	NE	2	o	,,	29.90	81	...	S	1	r
Cebu, ...	,,	29.79	82	...	...	0	c	,,	29.88	85	...	S	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 12.5p. The typhoon was lying to the SE. of Kiushiu yesterday morning. It has probably continued moving Northwards and passed into the Sea of Japan.

The barometer has risen on the China coast and over the Philippines. Moderate N. and NE. winds on the China coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 8th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	8th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W[illegible]
Wladivostock, ..	2 p.	...	...	...	..	..	...	7 a.	...	...	...	..	...	
Nemuro, ...	,,	...	...	...	..	..	...	6 a.	...	...	...	..	...	
Hakodato, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Tokio,.....	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Kochi, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Nagasaki, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Kagoshima,....	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Oshima, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Naha, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Ishigakijima, ...	,,	...	...	...	..		...	,,	...	...	...	..	...	
Taihoku,.....	1 p.	29.90	...	...	NE	4	...	5 a.	29.97	...	...	S	2	
Taichu, ...	,,	29.81	...	...	N	6	...	,,	29.90	...	...	...	0	
Tainan,.....	,,	29.84	...	...	NW	6	...	,,	29.91	...	...	NE	2	
Koshun, ...	,,	29.85	...	...	E	6	...	,,	29.91	...	...	NE	2	
Pescadores, ...	,,	29.87	...	...	NE	8	...	,,	29.91	...	...	NE	6	
Gutzlaff, ...	3 p.	29.88	76	69	N	3	cv	9 a	30.06	73	72	NE	1	
Sharp Peak, ..	,,	29.88	81	57	E	5	b	,,	30.01	80	74	..	0	
Amoy, ...	2.30p.	29.86	86	48	ESE	3	b	6.30a.	29.96	80	70	NE	1	
Swatow, ...	3 p.	29.85	84	..	E	3	b	9 a.	30.05	84	..	NE	1	
Canton, ...	,,	29.86	97	30	SW	1	b	,,	30.00	84	75	E	1	
Hongkong.....	4 p.	29.86	82	71	E	4	b	10 a.	30.01	79	74	ENE	1	
Victoria Peak,.	,,	...	...	...	ENE	4	...	,,	...	...	...	ENE	4	
Gap Rock,.....	,,	29.84	...	...	ENE	3	...	,,	29.99	...	...	ENE	3	
Macao, ...	,,	29.85	89	...	SE	1	c	,,	29.99	87	...	ESE	1	
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	
Manila, ...	,,	29.80	81	92	...	0	o	,,	29.92	84	77	WSW	1	
Malate,.....	3 p.	...	...	...	...	0	o	9 a.	...	..	..	W	1	
Bacolod, ...	,,	...	...	...	SW	2	b	,,	...	...	...	SW	2	
Iloilo, ...	,,	29.84	83	...	NE	2	o	,,	29.95	83	...	S	1	
Cebu, ...	,,	29.81	86	...	S	3	...	,,	29.91	85	...	...	0	
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 9th at 11.50a. The barometer has risen considerably on the China coast and moderately over the Philippines. Pressure is high over China with light to moderate NE. winds along the coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Tuesday 9th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	9th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock, ..	2 p.	29.69	76	...	NW	4	b	7 a.	29.95	59	99	..	0	b
Gemuro, ...	,,	...	...	...	..	..	...	6 a.	...	...	...	..	...	...
Hakodate, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Tokio, ...	,,	...	...	...	..	..	...	,,	...	...	...	.	...	...
Kochi, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Nagasaki, ...	,,	...	...	...	..		...	,,	...	...	...	..	...	...
Kagoshima, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Ishima, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Naha, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	...
Ishigakijima, ...	,,	...	...	...	..		...	,,	...	...	...	..	...	...
Taihoku, ...	1 p.	29.99	...	...	E	6	...	5 a.	30.00	...	...	...	0	...
Taichu, ...	,,	29.89	...	...	N	2	...	,,	29.89	...	...	...	0	...
Tainan, ...	,,	29.91	...	...	E	4	...	,,	...	...	...	...	..	...
Koshun, ...	,,	29.94	...	...	NE	3	...	,,	29.96	...	...	NE	6	...
Pescadores, ...	,,	29.94	...	...	NE	8	...	,,	...	...	...	..	..	...
Gutzlaff, ...	3 p.	30.05	77	65	NE	1	cv	9 a.	30.05	76	64	E	2	cv
Sharp Peak, ..	,,	29.96	81	71	E	4	b	,,	29.99	80	74	NNE	4	c
Amoy, ...	2.30p.	29.91	87	52	SE	3	b	6.30a.	29.96	79	66	NE	2	..
Swatow, ...	3 p.	29.93	84		ESE	3	b	9 a.	...	...	..	...	...	...
Canton, ...	,,	...	91	57	SE	2	b	,,	30.09	82	79	..	0	b
Hongkong, ...	4 p.	29.93	82	71	E	2	c	10 a.	30.01	79	73	E	1	c
Victoria Peak, .	,,	...	...	...	ENE	3	...	,,	...	...	...	E	4	...
Gap Rock, ...	,,	29.90	...	...	E	2	...	,,	29.96	...	...	..	0	...
Macao, ...	,,	29.92	88	...	SE	1	c	,,	30.01	81	...	W	1	cp
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.84	86	71	...	0	o	,,	29.88	84	77	..	0	..
Malate, ...	3 p.	...	...	...	SW	1	c	9 a.	...	..	..	SW	1	b
Bacolod, ...	,,	...	...	...	SW	4	b	,,	...	...	...	..	0	b
Iloilo, ...	,,	29.87	85	...	SE	2	o	,,	29.95	82	...	S	2	o
Cebu, ...	,,	29.83	85	...	S	2	c	,,	29.90	82	...	...	0	..
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 11.55a. Barometric changes are slight. There is however a tendency for pressure to give way over the Philippines. Pressure remains high over China with moderate NE. winds along the coast and over the N. part of the China Sea.

Forecast:— light NE. winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Wednesday 10th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	29.93	86	...	..	0	b	7 a.	29.88	61	99	..	0	
Nemuro, ...	,,	...	...	...	..	.	...	6 a.	...	...	...	..	...	
Hakodate, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Tokio,.....	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Kochi, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Nagasaki, ...	,,	...	...	...	..		...	,,	...	...	...	..	...	
Kagoshima,....	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Oshima, ...	,,	...	...	...	..	..	...	,,	...	...	...	..	...	
Naha, ...	,,	...	...	...	.	.	...	,,	...	...	...	..	...	
Ishigakijima, ...	,,	...	...	...	..		...	,,	...	...	...	..	...	
Taihoku,.....	1 p.	29.91	...	...	E	4	...	5 a.	29.85	...	...	S	2	
Taichu, ...	,,	29.85	...	...	N	4	...	,,	29.82	...	...	...	0	
Tainan, ...	,,	29.87	...	...	NE	2	...	,,	29.84	...	...	N	2	
Koshun, ...	,,	29.87	...	...	W	6	...	,,	29.82	...	...	N	2	
Pescadores, ...	,,	29.89	...	...	NE	8	...	,,	29.85	...	...	NE	6	
Gutzlaff, ...	3 p.	30.00	73	65	NE	1	cv	9 a.	29.99	76	73	NE	1	c
Sharp Peak, ..	,,	29.90	80	64	E	5	b	,,	29.91	78	74	WNW	1	
Amoy, ...	2.30p.	29.87	88	49	ENE	3	c	6.30a.	29.89	77	77	WSW	3	
Swatow, ...	3 p.	29.95	84	..	E	3	b	9 a.	...	83	..	N	2	
Canton, ...	,,	29.87	93	...	NW	2	b	,,	...	84	83	NE	1	
Hongkong.....	4 p.	29.87	85	64	S	1	c	10 a.	29.94	79	78	WNW	1	
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	0	
Gap Rock,.....	,,	29.87	...	...	..	0	...	,,	29.92	...	...	SSW	1	
Macao, ...	,,	29.86	88	...	SW	1	c	,,	29.93	82	...	SE	1	
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	
Manila, ...	,,	29.76	86	71	SW	1	o	,,	29.84	84	77	NW	1	
Malate,.....	3 p.	...	...	...	SW	1	c	9 a.	...	..	..	SW	..	
Bacolod, ...	,,	...	...	...	SW	2	o	,,	...	...	...	SW	2	
Iloilo, ...	,,	29.84	80	...	NE	2	o	,,	29.90	82	...	S	2	
Cebu, ...	,,	29.82	85	...	S	4	...	,,	29.86	87	...	S	2	
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 11th at 11.30a. Pressure appears to be low over the Pacific to the NE. of Luzon and still high over the E. coast of China.

The barometer continues falling over the Philippines and China coast.

Moderate N. and NE. winds along the coast and in the N. part of the China Sea.

Forecast:— N. or variable winds, light; showery.

F. G. FIGG,
Acting Director

Hongkong Observatory, Thursday 11th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

11th SEPTEMBER, 1902, P. M.								12th SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock, ..	2 p.	29.84	75	...	W	1	c	7 a.	29.88	65	99	NE	3	c
Gemuro, ...	"	29.88	...	...	SE	4	...	6 a.	29.88	...	...	SE	2	...
Hakodate, ...	"	29.89	...	...	E	4	...	"	29.89	...	...	...	0	...
Tokio, ...	"	29.86	...	...	E	2	...	"	29.90	...	...	...	0	...
Kochi, ...	"	29.87	...	...	...	0	...	"	29.91	...	...	N	2	...
Nagasaki, ...	"	29.87	...	...	SW	4	...	"	29.91	...	...	...	0	...
Kagoshima, ...	"	29.87	...	...	SE	2	...	"	29.91	...	...	NE	2	...
Shima, ...	"	29.84	...	...	NE	4	...	"	29.84	...	...	S	2	...
Naha, ...	"	29.81	...	...	NE	6	...	"	29.81	...	...	N	2	...
Ishigakijima, ...	"	29.81	...	...	NE	4	...	"	29.81	...	...	NE	2	...
Taihoku, ...	1 p.	29.83	...	...	E	4	...	5 a.	29.84	...	...	E	4	...
Taichu, ...	"	29.78	...	...	NW	2	...	"	...	...	...	...	...	...
Tainan, ...	"	29.80	...	...	W	6	...	"	...	...	...	NE	2	...
Koshun, ...	"	29.83	...	...	N	4	...	"	29.82	...	...	...	0	...
Pescadores, ...	"	29.84	...	...	NE	8	...	"	29.82	...	...	NE	6	...
Gutzlaff, ...	3 p.	29.94	82	79	NEN	1	cm	9 a.	29.96	76	87	SE	2	bm
Harp Peak, ..	"	29.87	79	82	NNE	3	o	"	29.90	80	82	NNW	2	o
Amoy, ...	2.30p.	29.84	87	55	SE	3	c	6.30a.	29.85	82	71	...	0	c
Swatow, ...	3 p.	29.84	87		E	2	b	9 a.	...	...	..	...	...	...
Canton, ...	"	29.79	95	56	S	1	b	"	...	...	...	...	...	...
Hongkong, ...	4 p.	29.83	83	65	S	1	b	10 a.	29.92	84	65	W	1	b
Victoria Peak, .	"	...	...	...	S	2	...	"	...	...	...	WNW	1	...
Cap Rock, ...	"	29.82	...	...	S	1	...	"	29.92	...	...	...	0	...
Macao, ...	"	29.83	86	...	SSE	1	c	"	29.91	88	...	SSE	1	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.76	88	66	WSW	1	c	"	29.84	84	71	WNW	1	b
Malate, ...	3 p.	...	...	...	SW	2	b	9 a.	...	.	.	WNW	1	b
Tacolod, ...	"	...	...	...	SW	2	o	"	...	...	...	S	2	b
Iloilo, ...	"	29.80	84	...	NE	2	c	"	29.90	83	...	S	1	b
Cebu, ...	"	29.80	83	...	...	0	c	"	29.87	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 11.25a. Pressure apparently continues low in the Pacific to the NE. of Luzon, and is highest between the E. coast of China and W. Japan.

The barometer has fallen slightly along the China coast. Gradients slight with light, variable winds along the China coast, and moderate NE. winds in the N. part of the China Sea.

Forecast:— light variable winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Friday 12th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	13th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.88	76	...	N	3	b	7 a.	29.91	61	99	...	0	[illegible]
Nemuro,	,,	29.84	...	...	SE	6	...	6 a.	30.00	...	...	...	0	...
Hakodate,	,,	29.85	...	...	S	4	...	,,	29.93	...	...	E	6	...
Tokio,	,,	29.86	...	...	S	4	...	,,	29.94	...	...	NW	2	...
Kochi,	,,	29.83	...	...	NE	2	...	,,	29.91	...	...	N	4	...
Nagasaki,	,,	29.87	...	...	W	4	...	,,	29.91	...	...	W	2	...
Kagoshima,	,,	29.87	...	...	NW	2	...	,,	29.91	...	...	N	2	...
Oshima,	,,	29.84	...	...	SE	4	...	,,	29.92	...	...	S	2	...
Naha,	,,	29.81	...	...	NE	4	...	,,	29.85	...	...	NE	2	...
Ishigakijima,	,,	29.81	...	...	NE	4	...	,,	29.81	...	...	N	2	...
Taihoku,	1 p.	29.84	...	...	NE	6	...	5 a.	29.85	...	...	E	4	...
Taichu,	,,	29.78	...	...	N	4	...	,,	...	...	...	...	...	...
Tainan,	,,	29.89	...	...	SW	6	...	,,	29.85	...	...	NE	2	...
Koshun,	,,	29.82	...	...	N	4	...	,,	29.81	...	...	...	0	...
Pescadores,	,,	29.79	...	...	NE	6	...	,,	29.82	...	...	N	6	...
Gutzlaff,	3 p.	29.94	85	76	SE	2	bm	9 a.	29.96	80	82	SSE	1	[illegible]
Sharp Peak.	,,	29.85	81	81	E	5	b	,,	29.90	81	81	NNW	1	[illegible]
Amoy,	2.30p.	29.83	90	56	NNE	2	c	6.30a.	29.87	81	91	NE	1	[illegible]
Swatow,	3 p.	29.89	88	.	W	3	b	9 a.	29.93	86	..	NE	2	[illegible]
Canton,	,,	29.80	95	59	W	2	b	,,	29.94	85	72	...	0	[illegible]
Hongkong,	4 p.	29.83	85	92	S	2	b	10 a.	29.94	86	64	E	1	[illegible]
Victoria Peak,	,,	...	...	...	S	1	...	,,	...	...	...	NNE	1	...
Gap Rock,	,,	29.83	...	...	SSW	1	...	,,	29.93	...	...	NE	2	...
Macao,	,,	29.83	91	...	SSE	1	c	,,	29.93	90	...	SSE	1	[illegible]
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.76	86	85	SW	2	o	,,	29.84	88	66	S	1	[illegible]
Malate,	3 p.	...	...	...	SW	4	b	9 a.	...	.	.	SW	1	[illegible]
Bacolod,	,,	...	...	...	S	3	c	,,	...	...	...	SW	2	[illegible]
Iloilo,	,,	29.80	84	...	NE	2	c	,,	29.90	83	...	SW	...	[illegible]
Cebu,	,,	29.77	87	...	...	...	...	,,	29.86	87	...	S	3	[illegible]
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.25a. The barometer has risen over E. Japan, and is little changed elsewhere. Pressure continues low apparently over the Pacific to the NE. of Luzon, and highest between the E. coast of China and Japan. Moderate NE. winds in the Formosa channel and N. part of the China Sea.

Forecast:— light N. winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory Saturday 13th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Gensan, ...	,,	30.00	...	...	E	4	...	6 a.	30.04	...	...	E	4	...
Hakodate, ...	,,	29.97	...	...	E	4	...	,,	30.01	...	...	E	6	...
Tokio, ...	,,	29.90	...	...	S	4	...	,,	29.94	...	...	SE	2	...
Kochi, ...	,,	29.87	...	...	E	2	...	,,	29.91	...	...	SW	4	...
Nagasaki, ...	,,	29.91	...	...	SW	6	...	,,	29.95	...	...	...	0	...
Kagoshima, ...	,,	29.87	...	...	NW	2	...	,,	29.95	...	...	...	0	...
Ishina, ...	,,	29.88	...	...	NE	2	...	,,	29.96	...	...	S	2	...
Taiwan, ...	,,	29.85	...	...	E	6	...	,,	29.89	...	...	NE	2	...
Sakishima, ...	,,	29.85	...	...	NE	6	...	,,	29.85	...	...	E	4	...
Mihoko, ...	1 p.	29.84	...	...	NE	8	...	6 a.	29.86	...	...	E	8	...
Kichi, ...	,,	29.78	...	...	NW	6	...	,,	29.81	...	...	...	0	...
Hainan, ...	,,	29.79	...	...	SW	4	...	,,	29.80	...	...	NE	2	...
Tourane, ...	,,	29.83	...	...	NE	4	...	,,	29.83	...	...	NE	4	...
Pescadores, ...	,,	29.83	...	...	NE	6	...	,,	29.88	...	...	NE	2	...
Turziaff, ...	3 p.	29.92	85	73	E	1	cv	9 a.	29.99	84	87	SSE	1	bm
Sharp Peak, ..	,,	29.86	82	81	E	6	b	,,	29.94	82	83	N	2	c
Amoy, ...	2.30p.	29.83	90	53	ENE	3	c	6.30a.	29.85	81	78	NE	1	b
Swatow, ...	3 p.	29.84	88	.	E	2	b	9 a.	...	...	..	...	...	...
Hainan, ...	,,	29.81	96	50	...	0	b	,,	...	86	80	SW	1	b
Hongkong.....	4 p.	29.83	84	72	...	0	c	10 a.	29.94	85	64	ENE	2	c
Victoria Peak,	,,	...	...	...	S	1	...	,,	...	...	...	E	5	...
Cap Rock, ...	,,	29.83	...	...	ESE	2	...	,,	29.92	...	...	ENE	4	...
Macao, ...	,,	29.88	91	...	SSE	1	b	,,	29.93	91	...	ENE	1	c
Kaipung, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Haulia, ...	,,	29.79	86	66	SW	3	c	,,	29.80	84	77	...	0	c
Malate, ...	3 p.	...	...	...	SW	3	b	9 a.	...	..	..	...	0	b
Macoled, ...	,,	...	...	...	WSW	2	b	,,	...	...	...	S	...	o
Iloilo, ...	,,	29.78	85	...	NE	2	c	,,	29.88	82	...	S	1	b
Cebu, ...	,,	29.77	87	...	S	2	b	,,	29.86	83	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 11.30a. Pressure remains low in the neighbourhood of N. Luzon, and the highest pressure lies between the E. coast of China and Japan.

The barometer has risen in Japan, fallen slightly over the Philippines. Fresh N. and NE. winds in the Formosa channel and the N. part of the China Sea.

Forecast:— moderate NE. breezes; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Sunday 14th September 1902

CHINA COAST METEOROLOGICAL REGISTER.

14th SEPTEMBER, 1902, P. M.								15th SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.92	73	...	W	1	b	7 a.	29.90	63	99	S	2	o
Nemuro,	,,	30.04	...	...	SE	6	...	6 a.	30.04	...	...	...	0	...
Hakodate,	,,	29.97	...	...	E	4	...	,,	30.01	...	...	...	0	...
Tokio,	,,	29.94	...	...	...	0	...	,,	29.98	...	...	SW	2	...
Kochi,	,,	29.87	...	...	E	4	...	,,	29.95	...	...	N	2	...
Nagasaki,	,,	29.95	...	...	SW	4	...	,,	29.99	...	...	N	2	...
Kagoshima,	,,	29.91	...	...	...	0	...	,,	29.99	...	...	NE	2	...
Oshima,	,,	29.92	...	...	NE	4	...	,,	29.96	...	...	SW	2	...
Naha,	,,	29.89	...	...	E	6	...	,,	29.97	...	...	NE	2	...
Ishigakijima,	,,	29.89	...	...	NE	6	...	,,	29.93	...	...	E	4	...
Taihoku,	1 p.	29.87	...	...	E	6	...	5 a.	29.90	...	...	E	6	...
Taichu,	,,	29.81	...	...	NE	2	...	,,	29.82	...	...	...	0	...
Tainan,	,,	29.83	...	...	W	4	...	,,	29.86	...	...	...	0	...
Koshun,	,,	29.85	...	...	NE	6	...	,,	29.88	...	...	NE	4	...
Pescadores,	,,	29.84	...	...	NE	6	...	,,	29.86	...	...	NE	6	...
Gutzlaff,	3 p.	29.96	82	79	SE	2	bm	9 a.	30.03	79	82	SSE	2	bm
Sharp Peak,	,,	29.88	82	77	E	6	d	,,	29.98	81	87	NNE	3	c
Amoy,	2.30p.	29.84	90	53	ENE	2	c	6.30a.	29.88	81	59	NE	1	c
Swatow,	3 p.	29.79	87	.	E	3	b	9 a.	...	...	..	...	...	...
Canton,	,,	29.83	94	64	S	2	b	,,	29.96	85	74	E	1	c
Hongkong,	4 p.	29.83	84	68	E	2	b	10 a.	29.94	84	68	E	3	c
Victoria Peak,	,,	...	...	...	ESE	1	...	,,	...	...	...	...	...	...
Gap Rock,	,,	29.83	...	...	E	3	...	,,	29.94	...	...	ENE	4	...
Macao,	,,	29.84	89	...	S	1	c	,,	29.96	90	...	ENE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.72	86	...	WSW	4	b	,,	29.84	88	72	...	0	b
Malate,	3 p.	...	...	...	SW	1	b	9 a.	...	..	..	...	0	c
Bacolod,	,,	...	...	...	SW	2	o	,,	...	...	...	S	2	b
Iloilo,	,,	29.80	85	...	S	2	o	,,	29.90	82	...	NE	2	b
Cebu,	,,	29.75	87	...	S	2	b	,,	29.89	88	...	S	3	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.37a. The barometer has risen generally. Pressure is lowest in the Pacific to the E. of Luzon, highest over the E. coast of China and Japan. Fresh NE. winds in the Formosa channel and the N. part of the China Sea.

Forecast:— moderate NE. breezes; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Monday 15th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

15th SEPTEMBER, 1902, P. M.								16th SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock, ..	2 p.	29.94	64	...	SE	3	c	7 a.	30.72	63	99	...	3	cr
Nemuro, ...	,,	30.00	...	...	E	4	...	7 a.	30.02	...	...	E	2	...
Hakodate, ...	,,	29.97	...	...	SE	6	...	,,	29.93	...	...	...	0	...
Tokio.....	,,	29.93	...	...	S	4	...	,,	29.94	...	...	NE	0	...
Kochi, ...	,,	29.91	...	...	...	0	...	,,	29.95	...	...	...	0	...
Nagasaki, ...	,,	29.95	...	...	SW	4	...	,,	29.99	...	...	...	0	...
Kagoshima, ...	,,	29.95	...	...	SW	2	...	,,	29.95	...	...	...	0	...
Ushima, ...	,,	29.96	...	...	N	4	...	,,	29.96	...	...	S	2	...
Naze.....	,,	29.97	...	...	N	6	...	,,	30.01	...	...	NE	2	...
Ishigaki jima, ...	,,	29.93	...	...	E	6	...	,,	29.97	...	...	NE	2	...
Taihoku, ...	1 p.	29.91	...	...	E	6	...	5 a.	30.00	...	...	E	4	...
Taichu, ...	,,	29.85	...	...	N	2	...	,,	29.89	...	...	...	0	...
Tainan, ...	,,	29.87	...	...	W	6	...	,,	29.97	...	...	W	2	...
Koshun, ...	,,	29.89	...	...	E	6	...	,,	29.93	...	...	E	4	...
Pescadores, ...	,,	29.86	...	...	W	4	...	,,	29.96	...	...	NW	4	...
Gutzlaff, ...	3 p.	29.95	84	79	S	2	bn	9 a.	29.95	79	82	S	3	br
Sharp Peak, ..	,,	29.96	82	81	E	5	c	,,	...	...	...	...	...	...
Amoy, ...	2.30p.	29.87	91	51	ENE	3	c	6.30a.	...	...	...	...	...	...
Swatow, ...	3 p.	29.94	87	...	E	5	b	9 a.	...	...	...	...	...	...
Canton, ...	,,	29.90	84	...	W	1	b	,,	...	...	...	...	...	...
Hongkong.....	4 p.	29.89	84	72	E	3	b	10 a.	29.98	85	68	E	3	c
Victoria Peak,.	,,	...	...	...	ESE	1	...	,,	...	...	...	E	2	...
Gap Rock, ...	,,	29.88	...	...	E	4	...	,,	29.96	...	...	E	3	...
Macao, ...	,,	29.88	89	...	ESE	1	b	,,	29.99	89	...	NE	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.76	91	61	SW	1	b	,,	29.88	84	77	W	1	b
Malate,.....	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	...	0	b
Bacolod, ...	,,	...	...	...	SW	2	b	,,	...	...	...	S	...	b
Iloilo, ...	,,	29.84	86	...	S	1	b	,,	29.94	82	...	NE	2	b
Cebu, ...	,,	29.80	87	...	S	2	b	,,	29.92	87	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.40a. The barometer has fallen in the North, risen a little elsewhere.
Pressure is high between S. China and Japan, and a depression is moving Eastwards over Manchuria.
Moderate NE. winds in the Formosa channel and the N. part of the China Sea.
Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Tuesday 16th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.67	[illegible]	...	SE	4	c	7 a.	29.71	59	99	N	4	[illegible]
Nemuro,	,,	29.[illegible]	...	...	E	4	...	6 a.	30.04	...	...	E	2	
Hakodate,	,,	29.[illegible]	...	...	...	0	...	,,	29.81	...	...	E	10	
Tokio,	,,	29.86	...	...	E	2	...	,,	29.71	...	...	...	0	
Kochi,	,,	29.87	...	...	W	4		,,	29.88	...	...	W	2	
Nagasaki,	,,	29.91	...	...	W	6	...	,,	29.87	...	...	N	4	
Kagoshima,	,,	29.91	...	...	NW	4	...	,,	29.87	...	...	...	0	
Oshima,	,,	29.96	...	...	E	4	...	,,	29.92	...	...	S	2	
Naha,	,,	29.93	...	...	E	4	...	,,	29.80	...	...	NE	2	
Ishigakijima,	,,	29.93	...	...	E	6	...	,,	29.80	...	...	NE	2	
Taihoku,	4 p.	29.91	...	...	NE	4	...	6 a.	29.88	...	...	SE	2	...
Taichu,	,,	29.86	...	...	NW	2	...	,,	29.85	...	...	...	0	...
Tainan,	,,	29.89	...	...	W	4	...	,,	29.88	...	...	...	0	...
Koshun,	,,	29.9[illegible]	...	...	NE	4	...	,,	29.88	...	...	N	2	
Pescadores,	,,	29.91	...	...	NW	4	...	,,	29.88	...	...	...	0	
Gutzlaff,	5 p.	29.95	85	75	S	1	bv	9 a.	29.96	79	82	SSE	2	[illegible]
Sharp Peak,	,,	29.91	82	75	E	3	c	,,	29.91	82	81	...	0	
Amoy,	5.30 p.	29.88	86	62	...	2	c	6.30 a.	...	...	...	...	...	
Swatow,	3 p.	...	...			...	...	9 a.	...	...	...	...	...	
Canton,	,,	29.86	85	[illegible]	SW	1	b	,,	29.94	84	79	S	1	[illegible]
Hongkong,	4 p.	29.89	82	75	E	2	b	10 a.	29.95	85	63	E	2	[illegible]
Victoria Peak,	,,	...	...	...	E	1	...	,,	...	...	...	E	1	
Gap Rock,	,,	29.87	...	...	E	3	...	,,	29.93	...	...	ENE	2	...
Macao,	,,	29.88	89	...	ESE	1	c	,,	29.94	89	...	ESE	1	
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...		
Manila,	,,	29.85	90	83	WSW	1	c	,,	29.88	82	85	SW	2	[illegible]
Malate,	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	...	0	[illegible]
Bacolo,	,,	...	...	...	SW	2	c	,,	...	...	...	SW	3	[illegible]
Iloilo,	,,	29.86	84	...	S	1	c	,,	29.94	89	...	NE	...	[illegible]
Cebu,	,,	29.84	85	...	S	2	c	,,	29.86	87	...	S	2	[illegible]
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 17th at 11.40a. The barometer has fallen much in Japan and over the Loochoos, and slightly along the China coast.

The depression is moving Eastwards in the Sea of Japan. Pressure is still high over the China coast. Moderate NE. breezes in the Formosa channel and the N. part of the China Sea.

Forecast—light NE. breezes; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Wednesday 17th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

17th SEPTEMBER, 1902, P. M.								18th SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock, ..	2 p.	...	...	...		...	...	7 a.	...	...	...	..	..	...
Tomaro, ...	"	30.00	...	...	NE	3	...	6 a.	29.88	...	...	E	8	...
Hakodate, ...	"	29.58	...	...	E	8	...	"	29.70	...	...	...	0	...
Tokio, ...	"	29.59	...	...	S	6	...	"	29.67	...	...	NW	4	...
Kochi, ...	"	29.72	...	...	W	6	...	"	29.79	...	...	...	0	...
Nagasaki, ...	"	29.87	...	...	W	8	...	"	29.83	...	...	...	0	...
Kagoshima, ...	"	29.83	...	...	NW	6	...	"	29.87	...	...	N	2	...
Okinawa, ...	"	29.88	...	...	N	4	...	"	29.88	...	...	S	2	...
Taiwan, ...	"	29.89	...	...	N	6	...	"	29.89	...	...	NE	2	...
Ishigakijima, ...	"	29.89	...	...	E	6	...	"	29.85	...	...	NE	2	...
Taihoku, ...	1 p.	29.84	...	...	SE	4	...	5 a.	29.85	...	...	...	0	...
Taichu, ...	"	29.73	...	...	NW	2	...	"	29.85	...	...	...	0	...
Tainan, ...	"	29.74	...	...	W	6	...	"	29.84	...	...	...	0	...
Koshun, ...	"	29.80	...	...	NE	2	...	"	29.85	...	...	NE	4	...
Bescadores, ...	"	29.76	...	...	N	4	...	"	29.85	...	...	N	4	...
Amoy, ...	3 p.	29.90	89	75	SSE	2	bv	9 a.	29.90	80	78	SSE	3	bv
Chapu Peak, ..	"	29.87	82	55	E	4	b	"	29.91	84	75	...	0	b
Ningpo, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
Wusung, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	..	...	...	...
Chefoo, ...	"	29.83	81	56	S	2	b	"	29.92	83	79	...	0	b
Hongkong, ...	4 p.	29.80	83	78	E	2	b	10 a.	29.93	84	72	WSW	1	b
Victoria Peak, .	"	...	...	...	SE	1	...	"	...	...	...	...	0	...
Gap Rock, ...	"	29.84	...	...	E	3	...	"	29.92	...	...	E	2	...
Macao, ...	"	29.86	89	...	SE	1	b	"	29.93	89	...	E	1	c
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	29.84	84	77	SW	2	o	"	29.88	82	85	...	0	o
Malate, ...	3 p.	...	...	...	...	...	...	9 a.	...	..	.	NE	1	or
Bacolod, ...	"	...	...	...	SW	2	o	"	...	...	...	S	2	b
Iloilo, ...	"	29.88	89	...	S	2	...	"	29.95	82	...	NE	2	o
Cebu, ...	"	29.83	87	...	S	2	b	"	29.94	86	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.45a. The depression in the North has moved Eastwards and passed to the East of Japan. Pressure is highest over S. China, where, however, the barometer is inclined to fall, and relatively low over the Pacific to the NE. of Luzon. Light variable winds on the China coast and moderate NE. winds in the North part of the China Sea.

Forecast:—light variable winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Thursday 18th September 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	18th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	...	...	...			...	7 a.	...	...	...	..	..	..
Nemuro, ...	,,	29.72	...	...	NE	10	...	6 a.	29.72	...	...	E	3	..
Hakodate, ...	,,	29.66	...	...	...	0	...	,,	29.70	...	...	...	0	..
Tokio,.....	,,	29.63	...	...	S	3	...	,,	29.71	...	...	...	0	..
Kochi, ...	,,	29.79	...	...	W	2	...	,,	29.83	...	...	W	2	..
Nagasaki, ...	,,	29.87	...	...	W	2	...	,,	29.91	...	...	...	0	..
Kagoshima, ...	,,	29.83	...	...	NW	4	...	,,	29.91	...	...	N	2	..
Oshima, ...	,,	29.88	...	...	N	2	...	,,	29.88	...	...	S	2	..
Naha, ...	,,	29.85	...	...	NW	4	...	,,	29.89	...	...	...	0	..
Ishigakijima, ...	,,	29.85	...	...	E	6	...	,,	29.85	...	...	E	2	..
Taihoku, ...	1 p.	29.87	...	...	NW	4	...	5 a.	29.83	...	...	S	4	..
Taichu, ...	,,	29.82	...	...	NW	4	...	,,	29.84	...	...	...	0	..
Tainan, ...	,,	29.84	...		NW	6	...	,,	29.85	...	...	N	2	..
Koshun, ...	,,	29.83	...	...	NW	2	...	,,	29.85	...	...	N	2	..
Pescadores, ...	,,	29.86	...	...	N	...	...	,,	29.87	...	...	N	6	..
Gutzlaff, ...	3 p.	29.87	82	75	E	3	ev	9 a.	29.99	74	72	NE	4	c
Sharp Peak, ..	,,	29.83	82	77	ESE	2	...	,,	29.91	84	81	...	0	f
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	..
Swatow, ...	3 p.	29.79	87		E	2	b	9 a.	...	...	..	...	...	..
Canton, ...	,,	29.82	93	76	W	2	b	,,	29.91	83	83	W	1	f
Hongkong.....	4 p.	29.82	87	63	S	1	b	10 a.	29.92	85	72	W	2	f
Victoria Peak,.	,,	...	...	...	SW	1	...	,,	...	...	...	W	1	..
Gap Rock,.....	,,	29.83	...	...	...	0	...	,,	29.91	...	...	WSW	1	..
Macao, ...	,,	29.82	91	...	S	1	c	,,	29.91	90	...	SW	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	82	85	W	2	o	,,	29.88	81	92	NW	1	o
Malate,.....	3 p.	...	...	...	SW	2	o	9 a.	...	..	..	...	2	o
Bacolod, ...	,,	...	...	...	SW	2	b	,,	...	...	...	SW	2	b
Iloilo, ...	,,	29.88	85	...	S	2	o	,,	29.95	82	...	NW	2	o
Cebu, ...	,,	29.85	88	...	S	3	o	,,	29.91	88	...	S	3	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.20a. The barometer has risen over N. China, where pressure is again high. The depression is moving away over the Pacific to the E. of Japan. Pressure is also relatively low to the NE. of Luzon. The wind will probably freshen from NE. in the Formosa channel. Forecast:—variable and NE. winds, light to moderate; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Friday 19th September 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, ..	2 p.	...	...	...		..	...	7 a.	...	...	...	..	..	...
Nemuro, ...	,,	29.69	...	...	NE	6	...	6 a.	29.72	...	...	N	4	...
Hakodate, ...	,,	29.70	...	...	SE	4	...	,,	29.77	...	...	E	4	...
Tokio,.....	,,	29.63	...	...	S	4	...	,,	29.78	...	...	W	2	...
Kochi, ...	,,	29.83	...	...	W	6	...	,,	29.87	...	...	NW	2	...
Nagasaki, ...	,,	29.87	...	...	W	4	...	,,	29.91	...	...	NE	2	...
Kagoshima, ...	,,	29.83	...	...	W	2	...	,,	29.87	...	...	NE	2	...
Oshima, ...	,,	29.84	...	...	N	4	...	,,	29.84	...	...	...	0	...
Naha, ...	,,	29.85	...	...	N	6	...	,,	29.85	...	...	...	0	...
Ishigakijima, ...	,,	29.85	...	...	E	6	...	,,	29.81	...	...	NE	6	...
Taihoku, ...	1 p.	29.82	...	...	NE	6	...	5 a.	29.83	...	...	SE	2	...
Taichu, ...	,,	29.80	...	...	NW	4	...	,,	29.80	...	...	...	0	...
Tainan, ...	,,	29.81	...	...	NW	4	...	,,	29.79	...	...	NE	2	...
Koshun, ...	,,	29.84	...	...	NW	2	...	,,	29.87	...	...	NE	2	...
Pescadores, ...	,,	29.83	...	...	N	6	...	,,	29.80	...	...	NE	2	...
Quizlaff, ...	3 p.	29.99	74	72	NE	2	cv	9 a.	30.00	74	72	NE	3	cv
Sharp Peak, ..	,,	29.82	84	81	ESE	3	b	,,	29.88	79	89	NNE	4	og
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	29.91	82	83	NE	1	c
Swatow, ...	3 p.	29.84	88	.	E	2	b	9 a.	...	...	..	...	...	...
Canton, ...	,,	29.82	98	57	W	2	b	,,	29.87	86	80	W	1	b
Hongkong.....	4 p.	29.80	89	63	W	1	b	10 a.	29.89	84	73	E	1	o
Victoria Peak,.	,,	...	...	...	SW	1	...	,,	...	...	...	...	...	...
Gap Rock, ...	,,	29.82	...	...	SW	1	...	,,	29.88	...	...	W	1	...
Macao, ...	,,	29.81	92	...	S	1	b	,,	29.88	89	...	SW	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.80	81	85	W	2	oq	,,	29.88	84	77	WSW	3	od
Malate,.....	3 p.	...	...	...	SW	3	o	9 a.	...	..	.	...	0	o
Bacolod, ...	,,	...	...	...	WSW	2	c	,,	...	...	...	S	...	o
Iloilo, ...	,,	29.88	86	...	S	1	o	,,	29.94	84	...	NE	2	o
Cebu, ...	,,	29.83	88	...	S	2	b	,,	29.90	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 10.55a. The barometer has fallen slightly over S. China and the Loochoos, risen in E. Japan.

Pressure remains high over N. China, and low over the Pacific to the NE. of Luzon and S. of the Loochoos. Fresh NE. winds in the Formosa Channel.

Forecast:— light or moderate NE. winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory. Saturday 20th September 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...		..	...	7 a.	...	...	...	..	..
Nemuro,	,,	29.76	...	...	N	8	...	6 a.	29.88	...	...	N	8
Hakodate,	,,	29.81	...	...	E	6	...	,,	29.89	...	...	NE	2
Tokio,	,,	29.78	...	...	S	4	...	,,	29.86	...	...	N	2
Kochi,	,,	29.87	...	...	S	4	...	,,	29.91	...	...	N	4
Nagasaki,	,,	29.87	...	...	E	4	...	,,	29.83	...	...	NE	2
Kagoshima,	,,	29.87	...	...	SW	4	...	,,	29.87	...	...	NE	4
Oshima,	,,	29.88	...	...	N	4	...	,,	29.84	...	...	...	0
Naha,	,,	29.81	...	...	SE	2	...	,,	29.81	...	...	...	0
Ishigakijima,	,,	29.81	...	...	NE	6	...	,,	29.77	...	...	NE	4
Taihoku,	1 p.	29.82	...	...	E	6	...	5 a.	29.78	...	...	E	4
Taichu,	,,	29.77	...	...	NW	2	...	,,	29.73	...	...	...	0
Tainan,	,,	29.79	...	...	W	4	...	,,	29.75	...	...	...	0
Koshun,	,,	29.80	...	...	NW	4	...	,,	29.76	...	...	NE	2
Pescadores,	,,	29.80	...	...	E	6	...	,,	29.73	...	...	N	6
Gutzlaff,	3 p.	29.95	77	69	E	1	cv	9 a.	29.87	75	81	SSW	2
Sharp Peak,	,,	29.83	80	87	ENE	5	o	,,	29.81	81	87	N	1
Amoy,	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow,	3 p.	29.79	89		...	2	b	9 a.	...	...	..	...	...
Canton,	,,	29.79	93	67	SE	2	o	,,	29.81	83	87	E	1
Hongkong,	4 p.	29.79	84	76	E	2	o	10 a.	29.83	86	65	ESE	1
Victoria Peak,	,,	...	...	...	E	1	...	,,	...	...	...	SW	1
Gap Rock,	,,	29.80	...	...	ENE	2	...	,,	29.84	...	...	...	0
Macao,	,,	29.82	90	...	SE	1	b	,,	29.83	90	...	ESE	1
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila,	,,	29.80	81	85	W	3	o	,,	29.80	81	92	WSW	4
Malate,	3 p.	...	...	...	SW	3	o	9 a.	...	..	..	W	1
Bacolod,	,,	...	...	...	SW	2	c	,,	...	...	...	SW	2
Iloilo,	,,	29.86	85	...	S	1	o	,,	29.90	...	...	NE	2
Cebu,	,,	29.83	87	...	S	3	o	,,	29.91	85	...	...	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 21 st at 11.0a. The barometer has fallen on the China coast and over Luzon. There are indications of a depression in the Pacific to the NE. of Luzon.

A second area of low pressure appears to be moving Eastwards from the mainland of China towards the Yellow Sea. NE. winds likely to freshen in the Formosa Channel.

Forecast:— light variable winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory, Sunday 21st September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

21st SEPTEMBER, 1902, P. M.								22nd SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock, ..	2 p.	29.93	62	...	S	3	c	7 a.	29.85	56	99	S	1	o
Gemuro, ...	,,	29.96	...	...	N	8	...	6 a.	30.12	...	...	E	2	...
Hakodate, ...	,,	29.97	...	...	E	6	...	,,	30.05	...	...	E	6	...
Tokio, ...	,,	29.86	...	...	S	2	...	,,	29.96	...	...	...	0	...
Kochi, ...	,,	29.91	...	...	...	0	...	,,	29.83	...	...	E	4	...
Nagasaki, ...	,,	29.83	...	...	SE	10	...	,,	29.79	...	...	N	2	...
Kagoshima, ...	,,	29.87	...	...	E	4	...	,,	29.79	...	...	...	0	...
Ishima, ...	,,	29.80	...	...	N	4	...	,,	29.80	...	...	S	2	...
Naha, ...	,,	29.81	...	...	S	4	...	,,	29.81	...	...	...	0	...
Ishigakijima, ...	,,	29.77	...	...	E	6	...	,,	29.77	...	...	E	2	...
Taihoku, ...	1 p.	29.74	...	...	E	6	...	5 a.	29.74	...	...	E	4	...
Tainchu, ...	,,	29.71	...	...	W	4	...	,,	...	...	...	...	...	...
Tainan, ...	,,	29.73	...	...	W	4	...	,,	29.70	...	...	...	0	...
Koshun, ...	,,	29.75	...	...	N	4	...	,,	29.73	...	...	NE	4	...
Pescadores, ...	,,	29.75	...	...	N	8	...	,,	29.73	...	...	NN	8	...
Gutzlaff, ...	3 p.	29.85	72	95	NW	2	cmd	9 a.	29.97	71	85	NW	3	cm
Sharp Peak, ..	,,	29.76	82	77	ESE	3	c	,,	29.83	81	81	E	4	o
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
Swatow, ...	3 p.	29.76	84		ESE	3	c	9 a.	...	...	..	...	...	...
Canton, ...	,,	29.73	94	64	SE	1	c	,,	...	...	...	...	...	..
Hongkong, ...	4 p.	29.75	87	64	W	1	b	10 a.	29.81	87	69	SE	1	o
Victoria Peak, .	,,	...	...	...	SW	1	...	,,	...	...	...	...	...	...
Cap Rock, ...	,,	29.75	...	...	SSW	1	...	,,	29.80	...	...	N	1	...
Macao, ...	,,	29.75	90	...	S	1	c	,,	29.81	92	...	NW	1	c
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila, ...	,,	29.72	77	92	SW	5	...	,,	29.80	73	91	NNE	3	...
Balate, ...	3 p.	...	...	...	SW	8	or	9 a.	...	..	..	N	3	or
Ticolod, ...	,,	...	...	...	WSW	2	o	,,	...	...	...	SW	2	b
Iloilo, ...	,,	29.83	85	...	SW	2	...	,,	29.90	84	...	S	2	c
Cebu, ...	,,	29.80	87	...	S	2	b	,,	29.85	85	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.45a. The barometer has risen in NE. Japan and N. China, fallen slightly over SW. Japan, Formosa, and the Southern coast of China. An area of low pressure extends from S. Formosa to the E. of S. Luzon. The Northern depression has moved Eastwards into the S. part of the Sea of Japan. Pressure is high in NE. Japan and N. China. Fresh NE. winds in the Formosa Channel. Forecast:— light or moderate NE. winds; fair.

F. G. FIGG.
Acting Director

Hongkong Observatory Monday 22nd September 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.85	68	...	...	0	o	7 a.	29.70	55	99	NE	2
Nemuro,	„	30.12	...	...	E	4	...	6 a.	30.08	...	...	E	6
Hakodate,	„	30.01	...	...	E	8	...	„	29.85	...	...	E	3
Tokio,	„	29.82	...	...	S	2	...	„	29.78	...	...	...	0
Kochi,	„	29.75	...	...	NE	6	...	„	29.83	...	...	...	0
Nagasaki,	„	29.79	...	...	W	2	...	„	29.87	...	...	NW	2
Kagoshima,	„	29.79	...	...	NW	4	...	„	29.91	...	...	...	0
Oshima,	„	29.84	...	...	NE	4	...	„	29.88	...	...	SE	2
Naha,	„	29.74	...	...	SW	10	...	„	29.85	...	...	NE	2
Ishigakijima,	„	29.77	...	...	SE	4	...	„	29.81	...	...	NE	2
Taihoku,	1 p.	29.73	...	...	E	8	...	5 a.	29.80	...	...	E	6
Taichu,	„	29.66	...	...	N	6	...	„	29.72	...	...	N	2
Tainan,	„	29.68	...	...	W	4	...	„	29.72	...	...	...	0
Koshun,	„	29.70	...	...	NE	6	...	„	29.73	...	...	NE	6
Pescadores,	„	29.70	...	...	N	8	...	„	29.83	...	...	NE	8
Gutzlaff,	3 p.	29.95	76	73	N	3	cv	9 a.	30.06	72	71	NNE	3
Sharp Peak,	„	29.80	79	87	ENE	7	o	„	29.89	76	79	NNW	4
Amoy,	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...
Canton,	„	29.72	94	58	E	1	b	„	29.86	83	57	NE	2
Hongkong,	4 p.	29.72	86	74	...	0	b	10 a.	29.84	83	59	N	1
Victoria Peak,	„	...	...	...	WNW	1	...	„	...	...	...	...	...
Gap Rock,	„	29.74	...	...	N	1	...	„	29.82	...	...	NE	3
Macao,	„	29.71	94	...	ENE	1	c	„	29.85	87	...	NNE	3
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...
Manila,	„	29.72	77	92	SW	3	od	„	29.76	81	92	ESE	1
Malate,	3 p.	...	...	...	SW	3	o	9 a.	...	...	...	...	0
Bacolod,	„	...	...	...	SW	2	b	„	...	...	...	S	2
Iloilo,	„	29.80	85	...	NW	2	o	„	29.89	84	...	SW	2
Cebu,	„	29.78	88	...	S	3	b	„	29.86	87	...	S	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 23rd at 12.10p. The depression appears to be lying across N. Luzon.
The barometer has risen on the China coast, particularly in the North where pressure is now high.
The Northern depression is moving Eastwards in the Sea of Japan.
Strong NE. and N. winds in the Formosa Channel and the N. part of the China Sea.
Forecast:— fresh N. and NE. winds; fair, squally.

F. G. FIGG,
Acting Director,

Hongkong Observatory, Tuesday 23rd September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	24th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather
Wladivostock, ..	2 p.	29.65	61	...	N	2	o	7 a.	29.47	55	99	...	0	o
Nemuro, ...	„	29.96	...	...	E	6	...	6 a.	29.88	...	...	E	8	...
Hakodate, ...	„	29.73	...	...	E	10	...	„	29.73	...	...	SW	6	...
Tokio,.....	„	29.73	...	...	...	0	...	„	29.86	...	...	...	0	...
Kochi, ...	„	29.83	...	...	W	2	...	„	29.91	...	...	W	2	...
Nagasaki, ...	„	29.91	...	...	NW	4	...	„	29.95	...	...	NW	2	...
Kagoshima, ...	„	29.87	...	...	W	6	...	„	29.95	...	...	N	2	...
Oshima, ...	„	29.88	...	...	N	4	...	„	29.92	...	...	...	0	...
Naha, ...	„	29.85	...	...	E	4	...	„	29.85	...	...	NE	4	...
Ishigakijima, ...	„	29.81	...	...	E	6	...	„	29.81	...	...	NE	4	...
Taihoku, ...	1 p.	29.80	...	...	E	8	...	5 a.	29.91	...	...	E	2	...
Taichu, ...	„	29.69	...	...	W	2	...	„	29.77	...	...	N	6	...
Tainan, ...	„	29.70	...	...	NE	6	...	„	29.77	...	...	N	2	...
Koshun, ...	„	29.76	...	...	NE	6	...	„	29.78	...	...	NE	2	...
Pescadores, ...	„	29.78	...	...	NE	8	...	„	29.83	...	...	N	10	...
Gutzlaff, ...	3 p.	30.06	71	62	N	2	cv	9 a	30.13	66	95	NNE	5	cmd
Sharp Peak, ..	„	29.87	76	75	NNE	8	o	„	30.01	72	85	NNW	5	og
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
Swatow, ...	3 p.	29.80	85	...	NNE	1	b	9 a.	...	...	...	...	...	...
Canton, ...	„	29.73	93	49	N	1	b	„	29.94	82	85	N	3	b
Hongkong,.....	4 p.	29.75	85	69	E	2	b	10 a.	29.89	84	50	N	2	c
Victoria Peak,.	„	...	...	...	N	2	...	„	...	...	...	N	7	...
Gap Rock, ...	„	29.76	...	...	ENE	4	...	„	29.85	...	...	NE	6	...
Macao, ...	„	29.76	92	...	NNE	1	c	„	29.89	87	...	N	2	cq
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila, ...	„	29.72	77	92	S	1	od	„	29.84	81	85	S	1	o
Malate,.....	3 p.	...	...	...	SW	3	or	9 a.	...	...	...	...	0	o
Bacolod, ...	„	...	...	...	WSW	2	c	„	...	...	...	SW	2	b
Iloilo, ...	„	29.77	86	...	...	2	c	„	29.91	84	...	S	1	o
Cebu, ...	„	29.77	87	...	S	2	b	„	29.90	86	...	...	0	.
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.55a. The depression extends from the Paracels into the Pacific to the SE. of Formosa. It appears to be central to the W. of N. Luzon. The Northern depression is moving NE. in the N. part of the Sea of Japan.

The barometer has risen on the China coast, particularly in the North where pressure is high. Heavy NE. monsoon along the whole of the China coast, with gale force in the Formosa Channel and the N. part of the China Sea.

Forecast:— strong N. and NE. winds; squally. showery.

F. G. FIGG,
Acting Director,

Hongkong Observatory, Wednesday 24th September 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	24th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.46	63	...	S	1	c	7 a.	29.57	50	90	NW	4
Nemuro,	"	29.84	...	...	SE	8	...	6 a.	29.61	...	...	S	6
Hakodate,	"	29.73	...	...	SW	6	...	"	29.66	...	...	SW	2
Tokio,	"	29.82	...	...	...	0	...	"	29.82	...	...	W	2
Kochi,	"	29.91	...	...	W	4	...	"	29.99	...	...	W	2
Nagasaki,	"	29.99	...	...	NW	6	...	"	30.03	...	...	...	0
Kagoshima,	"	29.95	...	...	N	8	...	"	30.03	...	...	NW	4
Oshima,	"	29.92	...	...	S	6	...	"	30.06	...	...	N	6
Naha,	"	29.81	...	...	N	8	...	"	...	...	...	N	8
Ishigakijima,	"	29.81	...	...	NE	8	...	"	29.74	...	...	N	8
Taihoku,	1 p.	29.92	...	...	E	6	...	5 a.	30.03	...	...	SE	2
Taichu,	"	29.76	...	...	N	6	...	"	29.83	...	...	N	4
Tainan,	"	29.77	...	...	N	6	...	"	29.83	...	...	N	4
Koshun,	"	29.79	...	...	N	6	...	"	29.82	...	...	NE	6
Pescadores,	"	29.85	...	...	NE	10	...	"	...	...	...	NE	10
Gutzlaff,	3 p.	30.18	68	56	N	5	cv	9 a.	30.23	65	...	N	4
Sharp Peak,	"	29.96	75	71	NNE	7	o	"	30.13	72	58	NNW	5
Amoy,	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow,	3 p.	29.89	83	...	NE	2	c	9 a.	...	...	...	...	...
Canton,	"	29.89	90	41	N	3	b	"	...	...	...	...	...
Hongkong,	4 p.	29.85	85	53	NNE	2	o	10 a.	30.04	75	40	N	3
Victoria Peak,	"	...	...	...	ENE	4	...	"	...	...	...	NNE	5
Gap Rock,	"	29.81	...	...	ENE	5	...	"	30.00	...	...	NE	6
Macao,	"	29.84	...	...	NNE	3	cq	"	30.03	77	...	NNE	3
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.89	79	93	...	0	od	"	29.92	82	85	NW	1
Malate,	3 p.	...	...	...	SW	2	od	9 a.	...	...	...	...	0
Bacolod,	"	...	...	...	SW	2	b	"	...	...	...	...	0
Iloilo,	"	29.84	86	...	NE	2	b	"	29.96	83	...	S	1
Cebu,	"	29.80	88	...	SW	2	b	"	29.94	86	...	S	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 25th at 12.10p. The barometer has risen considerably over S. China and moderately in Luzon. The low pressure area appears to exist still to the E. of Formosa. It is probably filling up or moving towards NE.

The Northern depression has moved NE. and lies in the extreme North of the Sea of Japan.

An anticyclone of considerable intensity covers China, and heavy NE. monsoon prevails along the coast and over the N. part of the China Sea.

Forecast:— fresh N. winds; fair, squally.

F. G. FIGG,
Acting Director,

Hongkong Observatory. Thursday 25th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

25th SEPTEMBER, 1902, P. M.								26th SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock, ..	2 p.	29.64	59	...	NW	1	c	7 a.	29.99	49	99	N	3	o
Gemuro, ...	"	29.61	...	...	S	10	...	6 a.	29.92	...	...	W	2	...
Hakodate, ...	"	29.73	...	...	W	6	...	"	29.97	...	...	...	0	...
Tokio, ...	"	29.82	...	...	NE	2	...	"	30.02	...	...	...	0	...
Kochi, ...	"	30.03	...	...	W	4	...	"	30.07	...	...	NE	2	...
Nagasaki, ...	"	30.03	...	...	NW	6	...	"	29.99	...	...	NE	2	...
Kagoshima, ...	"	30.03	...	...	...	0	...	"	30.03	...	...	NE	4	...
Ishima, ...	"	29.96	...	...	N	8	...	"	29.92	...	...	N	8	...
Naha, ...	"	29.85	...	...	N	10	...	"	29.74	...	...	N	10	...
Ishigakijima, ...	"	29.77	...	...	N	10	...	"	29.89	...	...	N	10	...
Taihoku, ...	1 p.	30.04	...	...	N	6	...	5 a.	30.07	...	...	...	0	...
Taichu, ...	"	29.85	...	...	N	4	...	"	29.91	...	...	...	0	...
Tainan, ...	"	29.85	...	...	SE	...	...	"	29.93	...	...	N	4	...
Koshun, ...	"	29.88	...	...	NE	4	...	"	29.94	...	...	NE	6	...
Pescadores, ...	"	29.94	...	...	NE	10	...	"	29.99	...	...	N	10	...
Mutzlaff, ...	3 p.	30.20	70	48	NE	4	cv	9 a.	30.22	68	69	N	4	cv
Harp Peak, ..	"	30.05	73	63	E	4	c	"	30.14	70	61	NNW	3	b
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
Swatow, ...	3 p.	29.96	82	...	E	3	b	9 a.	...	...	...	...	...	...
Canton, ...	"	...	...	...	...	...	...	"	30.17	70	53	N	3	b
Hongkong.....	4 p.	29.98	78	38	NNW	1	o	10 a.	30.11	78	39	E	2	o
Victoria Peak,.	"	...	...	...	N	2	...	"	...	...	...	E	3	...
Cap Rock, ...	"	29.98	...	...	N	4	...	"	30.09	...	...	NE	4	...
Macao, ...	"	30.00	80	...	N	2	c	"	30.13	78	...	N	2	o
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila, ...	"	...	...	...	...	...	...	"	29.96	84	77	WSW	1	c
Balate, ...	3 p.	...	...	...	SW	2	o	9 a.	...	...	...	NE	1	b
Tacolod, ...	"	...	...	...	WSW	2	c	"	...	...	...	...	0	b
Iloilo, ...	"	29.85	86	...	...	0	b	"	29.98	84	...	...	0	o
Cebu, ...	"	29.84	86	...	S	2	b	"	29.93	85	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26 th at 11.45a. The depression is moving NE. to the South of the Loochoos. The anticyclone still covers China and a further increase of pressure has taken place over S. China. The barometer has also risen over NE. Japan, the depression lying there yesterday having moved into the Pacific.

Decreasing NE. monsoon on the China coast, but continuing strong over the N. part of the China Sea.

Forecast:— moderate N. winds; fair.

F. G. FIGG,
Acting Director,

Hongkong Observatory, Friday 26th September 1902.

CHINA COAST METEOROLOGICAL REGISTE

26th SEPTEMBER, 1902, P. M.								27th SEPTEMBER, 1902, A. M					
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.01	63	...	N	4	c	7 a.	30.09	46	99	N	4
Nemuro,	"	30.00	...	...	SE	4	...	6 a.	30.16	...	...	...	0
Hakodate,	"	30.05	...	...	...	0	...	"	30.17	...	...	...	0
Tokio,	"	30.02	...	...	NW	4	...	"	30.02	...	...	NW	6
Kochi,	"	30.03	...	...	NE	6	...	"	29.91	...	...	S	8
Nagasaki,	"	30.03	...	...	NE	6	...	"	29.87	...	...	NE	2
Kagoshima,	"	30.03	...	...	E	4	...	"	29.87	...	...	E	6
Oshima,	"	29.88	...	...	N	10	...	"	29.76	...	...	N	10
Naha,	"	29.70	...	...	N	10	...	"	29.66	...	...	N	10
Ishigakijima,	"	29.85	...	...	N	8	...	"	29.85	...	...	N	8
Taihoku,	1 p.	30.06	...	...	NW	4	...	5 a.	30.01	...	...	E	4
Taichu,	"	29.92	...	...	N	10	...	"	29.92	...	...	N	4
Tainan,	"	29.93	...	..	N	4	...	"	29.93	...	...	N	6
Koshun,	"	29.93	...	...	NE	4	...	"	29.90	...	...	NE	6
Pescadores,	"	30.00	...	...	NE	10	...	"	29.97	...	...	NE	10
Gutzlaff,	3 p.	30.16	71	53	N	5	bv	9 a.	30.13	68	70	N	5
Sharp Peak,	"	30.06	76	56	N	3	b	"	30.07	70	63	NNW	4
Amoy,	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow,	3 p.	30.00	81	...	N	2	b	9 a.	...	...	...	...	...
Canton,	"	30.06	85	29	N	3	b	"	30.09	74	47	NE	1
Hongkong,	4 p.	30.01	80	31	N	1	b	10 a.	30.07	79	31	N	1
Victoria Peak,	"	...	...	...	NNE	2	...	"	...	...	...	NNE	2
Gap Rock,	"	30.03	...	...	NE	3	...	"	30.06	...	...	NE	4
Macao,	"	30.03	82	...	N	1	c	"	30.10	82	...	N	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.84	86	71	WSW	1	c	"	29.83	84	63	NW	1
Malate,	3 p.	...	...	...	SW	...	c	9 a.	...	...	...	...	0
Bacolod,	"	...	...	...	N	2	b	"	...	...	...	SE	2
Iloilo,	"	29.83	88	...	NE	2	b	"	29.95	84	...	S	1
Cebu,	"	29.86	86	...	N	2	c	"	29.92	88	...	S	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 27th at 11.45a. The depression in the Pacific has apparently become deeper. It is now moving slowly Northwards to the SE. of the Loochoos.

The barometer has risen in NE. Japan, fallen in SW. Japan, along the China coast and over Luzon.

Pressure remains high over China and NE. Japan.

Strong NE. monsoon along the China coast and over the N. part of the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director,

Hongkong Observatory, Saturday 27th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

27th SEPTEMBER, 1902, P. M.								28th SEPTEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
...adivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	.	...	...
...mura, ...	,,	30.12	...	...	NE	4	...	8 a.	...	...	...	.	..	...
...hodate, ...	,,	[illegible]	...	...	SE	[illegible]	...	.	...	...	...	.	..	...
...f.....	,,	29.99	...	...	NW	4	...	..	...	..	...	..	..	...
...chi, ...	,,	29.79	...	...	NE	8	..	,,	...	...	...	..	..	...
...gasaki, ...	,,	29.79	...	...	N	4	...	,,	...	...	...	..	..	...
...goshima, ...	,,	29.75	...	...	NE	6	...	,,	...	...	...	..	..	...
...hima, ...	,,	29.65	...	...	N	8	...	,,	...	...	...	..	..	...
...ha, ...	,,	29.66	...	...	N	10	...	,,	...	...	...	..	..	...
...ignkijima, ...	,,	29.85	...	...	N	8	...	,,	...	...	...	..	..	...
...hokn, ...	1 p.	29.97	...	...	N	8	...	5 a.	29.91	...	...	SE	2	...
...ichn, ...	,,	29.88	...	...	NW	8	...	,,	29.87	...	...	NE	...	...
...inan, ...	,,	29.87	...	...	N	6	...	,,	29.87	...	...	N	2	...
...shun, ...	,,	29.91	...	...	NW	2	...	,,	29.87	...	...	E	2	...
...scadores, ...	,,	29.94	...	...	NE	[illegible]	...	,,	29.89	...	...	NE	8	...
...tzlaff, ...	3 p.	30.05	79	54	N	5	cv	9 a	30.07	68	69	N	4	cv
...rp Peak. ..	,,	29.96	75	57	ENE	2	c	,,	29.94	73	68	...	0	b
...ng, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
...atow, ...	3 p.	29.95	81	...	E	2	b	9 a.	...	...	...	...	...	...
...uoo, ...	,,	29.99	82	36	N	1	c	,,	29.96	78	61	S	1	b
...ngkong.....	4 p.	29.96	79	68	E	1	c	10 a.	[illegible]	80	81	NNE	1	c
...toria Peak, .	,,	...	...	...	SSW	1	...	,,	...	...	...	N	2	...
...Rock, ...	,,	29.96	...	...	E	3	...	,,	29.99	...	...	NNW	3	...
...ao, ...	,,	29.97	83	...	E	1	c	,,	29.91	83	...	NNW	1	c
...phong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
...ila, ...	,,	29.89	81	77	SSW	2	c	..	29.92	82	76	W	1	c
...lale, ...	3 p.	...	...	...	SW	2	c	9 a.	...	...	..	NW	1	b
...oled, ...	,,	...	...	...	SW	2	c	,,	...	...	...	...	0	o
...lo, ...	,,	29.84	86	...	SW	2	c	,,	29.94	82	...	S	1	o
...n, ...	,,	29.78	87	...	S	2	c	,,	29.93	84	...	...	0	c
...e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 12.15p. The barometer has fallen on the China coast, particularly in the North. The Japanese observations are not to hand but probably the typhoon has approached W. Japan. Pressure remains high over the Interior of China. Moderate N. and NE. winds along the China coast, and over the N. part of the China Sea.

Forecast:—light or moderate N. winds; fine.

F. G. FIGG,
Acting Director,

Hongkong Observatory. Sunday 28th September 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...		...
Nemuro,	"	...	...	...	..	..	...	6 a.	...	...	...	-	..
Hakodate,	"	...	...	...	..	..	...	"	...	...	...	..	..
Tokio,	"	...	...	...	..	..	...	"	...	...	...	..	..
Kochi,	"	...	...	...		..	...	"	...	...	...	..	..
Nagasaki,	"	29.52	...	...	NW	8	...	"	...	...	...	..	..
Kagoshima,	"	29.44	...	...	NW	6	...	"	...	...	...	..	..
Oshima,	"	29.65	...	...	N	8	...	"	...	...	...	..	..
Naha,	"	29.77	...	...	NW	8	...	"	...	...	...	..	..
Ishigakijima,	"	29.85	...	...	N	6	...	"	...	...	...	..	..
Taihoku,	1 p.	29.93	...	...	NW	6	...	5 a.	30.02	...	...	..	0
Taichu,	"	29.85	...	...	N	6	...	"	29.98	...	...	...	0
Tainan,	"	29.83	...	...	NW	4	...	"	29.97	...	...	N	2
Koshun,	"	29.92	...	...	NW	6	...	"	29.93	...	...	..	0
Pescadores,	"	29.91	...	...	NE	6	...	"	29.99	...	...	NE	4
Gutzlaff,	3 p.	29.00	82	..	NNW	4	cv	9 a.	30.10	79	71	SW	3
Sharp Peak,	"	29.89	75	70	E	3	o	"	30.04	75	71	...	0
Amoy,	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow,	3 p.		..	...		..	..	9 a.	...	...	...	...	...
Canton,	"	29.98	86	64	NE	1	..	"	30.06	79	47	N	1
Hongkong,	4 p.	29.92	81	40	SSW	1	o	10 a.	30.05	82	36	ESE	1
Victoria Peak,	"	...	...	...	S	3	...	"	...	...	...	ENE	1
Gap Rock,	"	29.91	...	...		0	...	"	30.04	...	...	NNW	2
Macao,	"	29.92	84	...	ENE	1	c	"	30.05	82	...	ENE	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.84	86	65	WSW	1	b	"	29.96	82	70	WSW	1
Malate,	3 p.	...	...	...	..	0	b	9 a.	...	...	...	..	0
Bacolod,	"	...	...	...	S	2	o	"	...	...	...	...	0
Iloilo,	"	-	..	...	..	..	..	"	30.01	81	...	...	0
Cebu,	"	29.87	83	...	N	1	o	"	29.96	83	...	N	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 29th at noon:- The barometer has risen along the China coast and over the Philippines. The Japanese observations of yesterday afternoon show that the typhoon had then approached the S. coast of Japan between Kobe and Yokohama.

Pressure remains high over the Interior of China with light variable winds along the coast, and moderate NE. monsoon over the N. part of the China Sea.

Forecast:— light N. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Monday 29th September 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th SEPTEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
ladivostock, ..	2 p.	29.38	53	...	NW	5	cr	7 a.	29.78	61	69	NE	3	b
muro, ...	"	..	...	...	..	..	...	6 a.	29.72	...	...	SW	8	...
kodate, ...	"	...	...	...	..	..	...	"	29.89	...	...	..	0	...
kio,.....	"	29.74	...	...	S	8	...	"	30.02	...	...	SW	4	...
chi, ...	"	29.91	...	...	..	0	...	"	30.03	...	...	NW	2	...
gasaki, ...	"	29.91	...	...	NW	6	...	"	30.07	...	...	..	0	...
goshima, ...	"	29.91	...	...	W	4	...	"	30.07	...	...	..	0	...
iima, ...	"	29.96	...	...	N	4	...	"	30.08	...	...	S	2	...
ha,.....	"	29.97	...	...	NW	2	...	"	30.05	...	...	N	4	...
igakijima, ...	"	..	...	...		..	...	"	30.05	...	...	NE	2	...
hoku,.....	1 p.	30.00	...	...	E	4	...	5 a.	30.06	...	...	..	0	...
chu, ...	"	29.96	...	...	N	2	...	"	30.03	...	...	...	0	...
nan,.....	"	29.96	...	...	NW	6	...	"	30.02	...	...	N	2	...
shun, ...	"	29.99	...	...	E	6	...	"	30.04	...	...	..	0	...
cadores, ...	"	30.00	...	...	N	6	...	"	30.03	...	...	N	2	...
izlaff, ...	3 p.	29.97	77	53	WSW	1	bv	9 a	30.10	74	72	SSW	3	bv
rp Peak, ..	"	29.96	65	58	ESE	3	b	"	30.09	75	77	W	1	b
oy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
atow, ...	3 p.	29.86	81	...	E	2	b	9 a.	...	...	...	...	...	...
nton, ...	"	..	.		..	.	..	"	30.10	77	69	E	1	b
ngkong,.....	4 p.	29.97	81	53		0	b	10 a.	30.08	82	57	E	1	b
toria Peak,.	"	...	...	...	SSW	1	...	"	...	...	...	E	2	...
p Rock,.....	"	29.97	...	...	NNW	1	...	"	30.07	...	...	E	3	...
cao, ...	"	29.97	87	...	ENE	1	c	"	30.08	81	...	NE	1	c
iphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
nila, ...	"	29.88	79	92	..	0	cd	"	30.00	82	77	ESE	...	c
late,.....	3 p.	...	...	...	..	0	c	9 a.	...	...	...	..	0	c
colod, ...	"	...	...	...	NW	2	r	"	...	...	...	...	0	b
llo, ...	"	29.90	83	...	..	..	..	"	29.98	81	...	...	0	b
pu, ...	"	29.86	83	...	S	2	c	"	29.96	85	...	..	0	b
pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 11.40a. The barometer has risen quickly in Japan, the typhoon having moved NNE. over the Sea of Japan and passed into the Pacific.

Pressure remains high over S. China, and gradients continue slight with light variable winds along the coast, and moderate NE. monsoon over the N. part of the China Sea.

Forecast:— light or moder ate NE. winds; fair.

F. G. FIGG,
Acting Director

Hongkong Observatory. Tuesday 30th September 1902.

CHINA COAST METEOROLOGICAL REGISTER

Station.	30th SEPTEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	29.81	72	...	...	0	b	7 a.	30.06	54	100	...	0
Nemuro, ...	„	29.80	...	...	SW	8	...	6 a.	...	...	...	..	..
Hakodate, ...	„	29.97	...	...	W	6	...	„	...	...	...	..	..
Tokio, ...	„	30.02	...	...	S	6	...	„	...	...	...	..	..
Kochi, ...	„	30.07	...	...	W	2	...	„	..	...	...	..	..
Nagasaki, ...	„	...	...	...	..	.	...	„	..	...	...	..	..
Kagoshima, ...	„	30.11	...	...	NW	4	...	„	.	...	...	..	..
Oshima, ...	„	30.12	...	...	N	6	...	„	...	...	...	..	..
Naha, ...	„	30.09	...	...	E	4	...	„	...	...	...	..	..
Ishigakijima, ...	„	30.05	...	...	NE	4	...	„	..	...	...	..	..
Taihoku, ...	1 p.	30.05	...	...	E	6	...	5 a.	30.09	...	...	E	4
Taichu, ...	„	30.02	...	...	N	4	...	„	30.05	...	...	...	0
Tainan, ...	„	30.02	...	...	NW	4	...	„	30.06	...	...	N	2
Koshun, ...	„	30.04	...	...	NE	4	...	„	30.07	...	...	NE	4
Pescadores, ...	„	30.05	...	...	NE	6	...	„	30.06	...	...	NE	2
Gutzlaff, ...	3 p.	30.07	80	66	S	2	bv	9 a.	30.22	73	81	S	4
Sharp Peak, ..	„	30.05	77	73	E	3	b	„	30.12	76	77	W	1
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...
Canton, ...	„	..	.	.	..	.	..	„	...	...	...	...	...
Hongkong, ...	4 p.	30.01	80	60	E	2	b	10 a.	30.12	81	60	E	3
Victoria Peak, .	„	...	...	...	ESE	1	...	„	...	...	...	E	4
Gap Rock, ...	„	29.99	...	...	ESE	3	...	„	30.09	...	...	ENE	4
Macao, ...	„	30.00	81	...	SE	1	c	„	30.12	80	...	NNE	1
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...
Manila, ...	„	29.88	79	92	N	1	r	„	30.00	84	71	..	0
Malate, ...	3 p.	...	...	...	..	0	or	9 a.	...	...	...	..	0
Bacolod, ...	„	...	...	...	..	0	b	„	...	...	...	N	2
Iloilo, ...	„	29.90	84	...	S	1	o	„	29.98	81	...	NE	2
Cebu, ...	„	29.87	85	...	N	1	b	„	30.00	84	...	N	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 1st at 12.15p. The barometer has risen considerably in the North and slightly in the Sou
Pressure is high generally and highest between the E. coast of China and Japan.
Moderate NE. and E. winds in S. China and the N. part of the China Sea.
Forecast:— moderate E. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Wednesday 1st October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	1st OCTOBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
adivostock, ..	2 p.	30.09	72	...	NE	2	b	7 a.	30.23	49	98	...	0	b
muro, ...	„	...	...	...	...	...	...	6 a.	30.08	...	...	SW	2	...
kodate, ...	„	...	...	...	...	..	...	„	30.21	...	...	W	4	...
kio, ...	„	30.18	...	...	NE	4	...	„	30.30	...	...	NW	2	...
hi, ...	„	30.15	...	...	E	2	...	„	30.23	...	...	NE	6	...
gasaki, ...	„	30.19	...	...	NE	4	...	„	30.19	...	...	NE	2	...
oshima, ...	„	30.19	...	...	E	4	...	„	30.07	...	...	E	4	...
ima, ...	„	30.12	...	...	E	6	...	„	30.08	...	...	S	2	...
n, ...	„	...	...	...	.	..	...	„	30.01	...	...	NE	4	...
igakijima, ...	„	...	...	...	..	..	...	„	30.01	...	...	NE	4	...
hoku, ...	1 p.	30.06	...	...	E	8	...	5 a.	...	...	...	..	..	...
chu, ...	„	30.02	...	...	NW	4	...	„	...	...	...	...	..	...
nan, ...	„	30.02	...	...	SW	4	...	„	...	...	...	..	..	...
han, ...	„	30.03	...	...	NE	4	...	„	...	...	...	..	..	...
cadores, ...	„	30.05	...	...	NE	6	...	„	...	...	...	..	..	...
zlaff, ...	3 p.	30.17	76	69	SE	4	cv	9 a	30.22	73	77	SE	3	cv
rp Peak. ..	„	30.07	77	77	E	4	c	„	30.10	75	77	WNW	1	o
oy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
-tow, ...	3 p.	30.06	81	...	E	3	b	9 a.	...	...	...	...	...	...
ton, ...	„	..	.		..	.	..	„	...	...	...	...	...	...
gkong.....	4 p.	30.03	80	56	E	3	b	10 a.	30.11	81	56	E	1	b
toria Peak,.	„	...	...	...	E	1	...	„	...	...	...	E	3	...
Rock, ...	„	30.02	...	...	ENE	3	...	„	30.09	...	...	ENE	3	...
ao, ...	„	30.03	80	...	SSE	1	c	„	30.11	85	...	ENE	1	c
phong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
ila, ...	„	29.88	88	72	...	0	b	„	29.96	84	77	..	0	c
ate, ...	3 p.	...	...	...	SE	1	c	9 a.	...	...	...	NW	1	o
olod, ...	„	...	...	...	NW	2	b	„	...	...	...	...	0	b
lo, ...	„	29.89	86	...	SW	1	o	„	29.93	82	...	NE	2	b
n, ...	„	29.86	85	...	N	2	b	„	29.94	86	...	...	0	b
e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 2nd at 11.20a. The barometer has risen over the Sea of Japan, where the centre of high pressure seems now to be lying.

Pressure has given way over the Pacific between the Loochoos and the Philippines.

Moderate NE. monsoon in S. China and the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Thursday 2nd October 1902.

CHINA COAST METEOROLOGICAL REGISTER

2nd OCTOBER, 1902, P. M.								3rd OCTOBER, 1902, A. M.					
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.18	79	...	W	1	b	7 a.	30.10	55	99	E	1
Nemuro,	"	30.20	...	...	NW	6	...	6 a.	...	...	...	...	..
Hakodate,	"	...	...	...	...	..	...	"	...	...	...	...	..
Tokio,	"	30.26	...	...	N	2	...	"	...	...	...	...	..
Kochi,	"	30.15	...	...	NE	8	...	"	...	...	...	...	..
Nagasaki,	"	30.15	...	...	E	2	...	"	...	...	...	...	..
Kagoshima,	"	30.11	...	...	E	2	...	"	...	...	...	...	..
Oshima,	"	30.04	...	...	N	2	...	"	...	...	...	...	..
Naha,	"	29.97	...	...	NE	6	...	"	...	...	...	...	..
Ishigakijima,	"	30.01	...	...	E	8	...	"	...	...	...	..	..
Taihoku,	1 p.	30.07	...	...	E	6	...	5 a.	30.06	...	...	E	2
Taichu,	"	29.95	...	...	W	2	...	"	29.96	...	...	...	0
Tainan,	"	29.97	...	...	NW	4	...	"	29.96	...	...	N	2
Koshun,	"	29.98	...	...	NW	2	...	"	29.96	...	...	NE	8
Pescadores,	"	30.02	...	...	NE	10	...	"	29.99	...	...	NE	8
Gutzlaff,	3 p.	30.17	78	61	SSE	2	bv	9 a.	30.23	71	30	N	3
Sharp Peak,	"	30.06	77	75	E	5	c	"	30.11	76	71	NNW	2
Amoy,	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow,	3 p.	30.00	83	...	E	3	c	9 a.	...	...	...	...	...
Canton,	"	..	..	.	..	.	..	"	30.13	79	82	NW	1
Hongkong,	4 p.	30.02	81	61	E	1	c	10 a.	30.12	82	60	SE	2
Victoria Peak,	"	...	...	...	...	0	...	"	...	...	...	E	1
Gap Rock,	"	30.01	...	...	E	3	...	"	30.10	...	...	ENE	3
Macao,	"	30.02	85	...	SSE	1	c	"	30.13	86	...	ENE	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.84	86	71	WSW	3	b	"	29.96	86	65	..	0
Malate,	3 p.	...	...	...	SW	3	b	9 a.	...	...	...	...	0
Bacolod,	"	...	...	...	W	2	b	"	...	...	...	S	2
Iloilo,	"	29.88	86	...	...	0	c	"	29.97	83	...	...	0
Cebu,	"	29.86	85	...	N	3	c	"	29.94	87	...	S	2
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 3rd at 11.30a. The barometer has fallen moderately in the N. part of the Sea of Japan and slightly over Formosa.

Pressure remains high over China and gradients continue slight with moderate to fresh NE. monsoon on the coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Friday 3rd October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd OCTOBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	4th OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
emuro, ...	,,	...	...	...	..	..	...	6 a.	30.12	...	...	SE	6	...
akodate, ...	,,	...	...	...	...	..	...	,,	30.01	...	...	N	2	...
okio, ...	,,	30.18	...	...	N	4	...	,,	30.02	...	...	N	2	...
ochi, ...	,,	30.03	...	...	E	2	...	,,	30.03	...	...	NE	4	...
agasaki, ...	,,	30.03	...	...	E	2	...	,,	30.03	...	...	NE	2	...
agoshima, ...	,,	29.99	...	...	E	2	...	,,	30.03	...	...	E	4	...
hima, ...	,,	30.00	...	...	N	2	...	,,	30.00	...	...	...	0	...
sha, ...	,,	29.97	...	...	NE	2	...	,,	29.97	...	...	NE	2	...
igakijima, ...	,,	30.01	...	...	NE	4	...	,,	30.01	...	...	N	4	...
ihoku, ...	1 p.	30.07	...	...	NE	6	...	5 a.	30.07	...	...	E	2	...
ichu, ...	,,	29.95	...	...	NW	6	...	,,	29.98	...	...	...	0	...
inan, ...	,,	29.96	...	...	W	2	...	,,	29.97	...	...	...	0	...
shun, ...	,,	29.99	...	...	NE	6	...	,,	30.00	...	...	...	0	...
scadores, ...	,,	30.01	...	...	NE	10	...	,,	30.00	...	...	NE	8	...
tzlaff, ...	3 p.	..	.	..	..	.	..	9 a	30.23	70	70	NE	3	cv
arp Peak, ..	,,	30.05	77	69	E	6	b	,,	30.12	74	86	N	3	c
oy, ...	2.30p.	..	...	...	...	...	...	6.30a.	...	...	...	...	...	...
atow, ...	3 p.	30.00	85	...	E	3	b	9 a.	30.11	79	...	N	1	o
nton, ...	,,	..	.	.	..	.	..	,,	30.12	81	78	...	0	b
ongkong, ...	4 p.	30.01	83	60	S	1	b	10 a.	30.11	81	59	SE	1	b
toria Peak, .	,,	...	...	...	S	2	...	,,	...	...	...	E	2	...
p Rock, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
cao, ...	,,	30.01	88	...	SSE	1	c	,,	30.11	87	...	ESE	1	c
iphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
nila, ...	,,	29.84	90	60	...	0	c	,,	29.96	84	77	..	0	c
late, ...	3 p.	...	...	...	W	2	b	9 a.	...	...	...	...	0	o
colod, ...	,,	...	...	...	SW	..	b	,,	...	...	...	...	0	b
ilo, ...	,,	29.90	86	...	S	2	c	,,	29.98	83	...	...	0	b
bu, ...	,,	29.85	87	...	N	2	b	,,	29.97	88	...	...	0	b
pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 4th at 11.10a. The barometer has fallen quickly in E. Japan, probably owing to the existence of a low pressure area over the extreme North of the Sea of Japan.
Pressure remains high over China, and gradients continue slight with moderate NE. monsoon along the coast and over the N. part of the China Sea.
Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Saturday 4th October 1902.

CHINA COAST METEOROLOGICAL REGISTER

Station.	4th OCTOBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	5th OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	29.96	...	...	S	4	...	6 a.	29.92	...	...	NW	2
Hakodate,	,,	...	...	...	...	..	...	,,	29.97	...	...	NW	2
Tokio,	,,	29.94	...	...	NW	2	...	,,	29.94	...	...	N	2
Kochi,	,,	29.95	...	...	...	0	...	,,	29.99	...	...	NW	2
Nagasaki,	,,	30.03	...	...	N	6	...	,,	29.95	...	...	...	6
Kagoshima,	,,	29.99	...	...	S	2	...	,,	30.03	...	...	NE	2
Oshima,	,,	30.00	...	...	NE	2	...	,,	30.00	...	...	N	6
Naha,	,,	29.97	...	...	NE	2	...	,,	29.97	...	...	N	6
Ishigakijima,	,,	30.01	...	...	N	6	...	,,	..	...	...	..	..
Taihoku,	1 p.	30.08	...	...	E	6	...	5 a.	30.06	...	...	E	4
Taichu,	,,	30.01	...	...	N	10	...	,,	29.98	...	...	...	0
Tainan,	,,	29.94	...	..	NW	6	...	,,	29.96	...	...	NE	4
Koshun,	,,	29.98	...	...	NE	6	...	,,	29.97	...	...	N	2
Pescadores,	,,	30.00	...	...	NE	10	...	,,	30.00	...	...	NE	10
Gutzlaff,	3 p.	30.19	72	67	NE	3	bv	9 a.	...	...	...	...	..
Sharp Peak,	,,	30.05	75	72	ENE	6	c	,,	30.14	75	72	NNE	3
Amoy,	2.30p.	..	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow,	3 p.	30.06	81	...	E	2	b	9 a.	..	..	...	..	..
Canton,	,,	..	.	.	.		..	,,	30.12	80	58	N	1
Hongkong,	4 p.	30.00	80	60	E	2	c	10 a.	30.11	80	62	ESE	2
Victoria Peak,	,,	...	...	...	SSE	1	...	,,	...	...	...	ENE	2
Gap Rock,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Macao,	,,	30.09	87	...	SSE	1	c	,,	30.12	86	...	ESE	1
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila,	,,	29.88	81	50	SSE	1	o	,,	29.96	86	71	..	0
Malate,	3 p.	...	...	...	SW	2	c	9 a.	...	...	...	...	0
Bacolod,	,,	...	...	...	SW	2	b	,,	...	...	...	...	0
Iloilo,	,,	29.90	86	...	SW	2	c	,,	29.99	83	...	...	0
Cebu,	,,	29.87	88	...	S	2	c	,,	29.98	88	...	S	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 5th at 11a. Barometric changes are unimportant. The low pressure area in the North has passed to the Pacific to the NE. of Japan.

Pressure remains high over China and relatively low over the Pacific between Formosa and Japan. Gradients continue slight with fresh NE. monsoon along the China coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Sunday 5th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

5th OCTOBER, 1902, P. M.								6th OCTOBER, 1902, A. M.						
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
adivostock, ..	2 p.	29.82	61	...	NE	3	o	7 a.	30.14	49	77	N	3	c
nuro, ...	,,	29.92	...	...	N	8	...	6 a.	30.20	...	...	NE	2	...
kodate, ...	,,	29.97	...	...	...	0	...	,,	30.05	...	...	S	10	...
io,.....	,,	29.94	...	...	E	4	...	,,	29.98	...	...	NW	2	...
chi, ...	,,	...	...	...	...	...	...	,,	29.99	...	...	NW	4	...
gasaki, ...	,,	29.99	...	...	SW	6	...	,,	30.07	...	...	NE	6	...
goshima, ...	,,	29.95	...	...	W	2	...	,,	29.99	...	...	NE	2	...
ima, ...	,,	29.96	...	...	N	6	...	,,	29.96	...	...	N	6	...
ha, ...	,,	29.97	...	...	N	8	...	,,	30.01	...	...	N	8	...
igakijima, ...	,,	30.01	...	...	NE	6	...	,,	30.05	...	...	N	6	...
hoku, ...	1 p.	30.08	...	...	NE	6	...	5 a.	30.12	...	...	E	4	...
chu, ...	,,	29.96	...	...	N	6	...	,,	30.01	...	...	...	0	...
nan, ...	,,	29.97	...	...	N	4	...	,,	30.00	...	...	N	2	...
shun, ...	,,	29.96	...	...	NE	8	...	,,	30.01	...	...	NE	8	...
cadores, ...	,,	30.02	...	...	NE	10	...	,,	30.04	...	...	NE	10	...
izlaff, ...	3 p.	30.24	70	57	N	4	cm	9 a.	30.26	69	80	N	4	cv
rp Peak, ..	,,	30.08	75	72	E	6	b	,,	30.16	75	77	NE	6	o
oy, ...	2.30p.	..	...	...	...	...	...	6.30a.	...	...	...	...	...	...
atow, ...	3 p.	...	...	...	...	...	...	9 a.	..	..	...	..	..	..
iton, ...	,,	30.03	91	45	W	3	b	,,	30.15	82	75	...	0	c
ngkong,.....	4 p.	30.03	79	58	E	3	c	10 a.	30.14	81	52	E	3	b
toria Peak,.	,,	...	...	...	NE	1	...	,,	...	...	...	E	2	...
Rock, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
cao, ...	,,	...	...	...	...	...	...	,,	30.15	85	...	SE	1	c
iphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
nila, ...	,,	29.88	88	66	W	2	c	,,	30.00	86	71	SSW	1	c
late,.....	3 p.	...	...	...	W	2	b	9 a.	...	...	...	NE	2	b
olod, ...	,,	...	...	...	SW	2	b	,,	...	...	...	S	2	b
lo, ...	,,	29.91	86	...	S	2	c	,,	30.03	84	...	...	0	o
u, ...	,,	29.85	88	...	N	2	b	,,	30.01	85	...	...	0	b
e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 6th at 11.50a. The barometer has risen generally. Pressure is high over China and relatively low between the Loochoos and S. Japan Strong NE. monsoon along the China coast, and in the N. part of the China Sea.

Forecast: — fresh NE winds; fine.

F. G. FIGG,
Acting Director

Hongkong Observatory, Monday 6th October 1902.

CHINA COAST METEOROLOGICAL REGISTER

	6th OCTOBER, 1902, P. M.							7th OCTOBER, 1902, A. M.					
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.-	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.
Wladivostock, ..	2 p.	..	.	...	..	..	..	7 a.	...	..		..	...
Nemuro, ...	,,	...	...	...	...	...	...	6 a.	30.12	...	...	E	2
Hakodate, ...	,,	30.09	...	...	SE	10	...	,,	30.05	...	...	E	2
Tokio,.....	,,	29.90	...	...	NW	4	...	,,	29.74	...	...	N	6
Kochi, ...	,,	29.91	...	...	E	2	...	,,	29.91	...	...	N	4
Nagasaki, ...	,,	30.03	...	...	N	6	...	,,	30.03	...	...	N	4
Kagoshima, ...	,,	29.95	...	...	SE	2	...	,,	29.99	...	...	N	4
Oshima, ...	,,	29.96	...	...	N	6	...	,,	29.96	...	...	N	6
Naha, ...	,,	29.97	...	...	N	6	...	,,	29.97	...	...	NE	2
Ishigakijima, ...	,,	30.05	...	...	NE	6	...	,,	30.01	...	...	N	2
Taihoku, ...	1 p.	30.11	...	...	E	6	...	5 a.	30.09	...	...	...	0
Taichu, ...	,,	29.98	...	...	N	6	...	,,	30.00	...	...	...	0
Tainan, ...	,,	30.00	...	...	W	2	...	,,	30.04	...	...	N	2
Koshun, ...	,,	30.02	...	...	NE	8	...	,,	30 05	...	...	NE	6
Pescadores, ...	,,	30.05	...	...	NE	10	...	,,	30.03	...	...	NE	10
Gutzlaff, ...	3 p.	30.20	70	57	NNE	4	cv	9 a.	30.23	69	61	NNE	3
Sharp Peak, ..	,,	30.10	73	70	E	6	b	,,	30.14	73	76	WNW	1
Amoy, ...	2.30p.	..	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow, ...	3 p.	...	...	...	...	...	...	9 a.	..	..	...	..	..
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Hongkong,.....	4 p.	30.05	79	58	E	2	b	10 a.	30.12	82	57	SE	2
Victoria Peak,.	,,	...	...	...	E	1	...	,,	...	...	...	E	2
Gap Rock, ...	,,	30.04	...	...	ESE	4	...	,,	30.08	...	...	ENE	4
Macao, ...	,,	30.06	84	...	SSE	1	c	,,	30.13	85	...	ESE	1
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila, ...	,,	29.88	90	66	...	0	c	,,	29.96	84	77	WSW	1
Malate,.....	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	...	0
Bacolod, ...	,,	...	...	...	SW	2	b	,,	...	...	...	...	0
Iloilo, ...	,,	29.92	86	...	NE	2	c	,,	30.01	84	...	...	0
Cebu, ...	,,	29.91	88	...	S	1	c	,,	29.98	86	...	E	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 7th at 11.25a. A depression lies off the SE. coast of Japan, with the barometer falling quickly at Tokio.

Pressure remains high over China and gradients continue slight with fresh monsoon along the coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 7th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

7th OCTOBER, 1902, P. M.								8th OCTOBER 1902, A. M.						
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
adivostock, ..	2 p.	.	..	...	..	..	..	7 a.	...	..		..	...	...
muro, ...	,,	30.08	...	...	NE	2	...	6 a.	29.84	...	...	N	6	...
kodate, ...	,,	30.01	...	...	SE	6	...	,,	29.93	...	...	N	6	...
io,.....	,,	29.67	...	...	NW	8	...	,,	29.90	...	...		0	...
hi, ...	,,	29.87	...	...	W	6	...	,,	30.03	...	...	N	4	...
asaki, ...	,,	29.99	...	...	N	6	...	,,	30.07	...	...	NE	4	...
oshima, ...	,,	29.95	...	...	S	4	...	,,	30.07	...	...	N	..	...
ima, ...	,,	29.96	...	...	N	6	...	,,	30.00	...	...	S	2	...
a, ...	,,	29.97	...	...	N	6	...	,,	30.01	...	...	NE	2	...
gakijima, ...	,,	30.01	...	...	N	4	...	,,	30.01	...	...	N	2	...
hoku, ...	1 p.	...	...	...	...	...	...	5 a.	30.08	...	...	...	0	...
chu, ...	,,	29.97	...	...	N	4	...	,,	30.02	...	...	...	0	...
nan, ...	,,	29.99	...	...	SW	4	...	,,	30.01	...	...	N	2	...
hun, ...	,,	30.02	...	...	E	4	...	,,	30.02	...	...	...	0	...
cadores, ...	,,	30.04	...	...	NE	10	...	,,	30.03	...	...	NE	8	...
zlaff, ...	3 p.	30.19	71	57	NNE	3	bv	9 a.	30.23	68	65	NE	3	cv
rp Peak, ..	,,	30.06	74	65	E	6	b	,,	30.10	73	78	NNW	2	c
oy, ...	2.30p.	..	...	...	...	...	...	6.30a.	30.07	74	63	NNE	2	b
atow, ...	3 p.	...	...	...	...	...	...	9 a.	..	..	...	..	..	..
ton, ...	,,	...	...	...	...	...	...	,,	30.09	79	78	E	1	b
ngkong,.....	4 p.	30.02	78	66	SE	2	c	10 a.	30.09	79	61	E	3	c
toria Peak,.	,,	...	...	...	SE	2	...	,,	...	...	...	E	2	...
p Rock, ...	,,	30.02	...	...	E	3	...	,,	30.07	...	...	ENE	4	...
cao, ...	,,	30.04	85	...	SSE	1	b	,,	30.09	84	...	E	1	c
phong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
nila, ...	,,	29.88	82	77	...	0	o	,,	29.92	84	77	SW	1	b
late, ...	3 p.	...	...	...	...	0	c	9 a.	...	...	...	W	2	b
colod, ...	,,	...	...	...	..	0	o	,,	...	...	...	...	0	b
lo, ...	,,	29.92	76	...	NE	2	o	,,	29.98	83	...	...	0	b
u, ...	,,	29.89	74	...	...	0	..	,,	29.94	83	...	...	0	c
e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 11a. The depression lying off the SE. coast of Japan yesterday has moved towards NE. and lies now to the E of N. Japan.

Pressure remains high over China but inclined to give way in the South, and also over the Philippines. Fresh Monsoon along the China coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 8th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Statin.	8th OCTOBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	30.06	69	...	N	1	b	7 a.	30.26	47	74	NE	2
Nemuro, ...	"	29.83	...	...	NW	2	...	6 a.	30.12	...	...	N	6
Hakodate, ...	"	29.93	...	...	N	4	...	"	30.13	...	...	NE	2
Tokio,.....	"	29.94	...	...	S	4	...	"	30.14	...	...	NW	2
Kochi, ...	"	29.99	...	...	SW	4	...	"	30.11	...	...	...	0
Nagasaki, ...	"	30.03	...	...	NE	6	...	"	30.15	...	...	N	4
Kagoshima, ...	"	30.03	...	...	S	2	...	"	30.11	...	...	SE	4
Oshima, ...	"	30.00	...	...	...	0	...	"	30.04	...	...	...	0
Naha, ...	"	...	...	...	...	...	...	"	30.05	...	...	NE	2
Ishigakijima, ...	"	30.01	...	...	NE	6	...	"	30.05	...	...	N	2
Taihoku,.....	1 p.	30.07	...	...	S	2	...	5 a.	30.11	...	...	SE	4
Taichu, ...	"	29.94	..	...	N	6	...	"	30.02	...	...	...	0
Tainan, ...	"	29.97	...		NW	6	...	"	30.05	...	...	...	0
Koshun, ...	"	29.99	...	...	NE	6	...	"	30.06	...	...	NE	4
Pescadores, ...	"	30.04	...	...	NE	10	...	"	30.05	...	...	NE	8
Gutzlaff, ...	3 p.	30.21	69	79	NNE	3	cv	9 a.	30.29	70	61	NE	3
Sharp Peak, ..	"	30.05	73	72	E	7	b	"	30.18	73	76	NNW	...
Amoy, ...	2.30p.	29.95	82	49	NE	2	c	6.30a.	30.07	73	46	N	2
Swatow, ...	3 p.	30.01	80	...	E	3	b	9 a.	...	...	...	...	...
Canton, ...	"	29.98	86	61	S	2	b	"	...	77	82	E	1
Hongkong,.....	4 p.	30.00	78	64	SE	3	c	10 a.	30.13	77	55	E	4
Victoria Peak,.	"	...	...	...	ESE	2	...	"	...	...	...	E	5
Gap Rock,.....	"	29.98	...	...	E	3	...	"	30.08	...	...	E	4
Macao, ...	"	30.00	83	...	SSE	1	c	"	30.13	83	...	ENE	1
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila, ...	"	29.88	82	77	ESE	1	o	"	29.96	84	71	SW	1
Malate,.....	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	0
Bacolod, ...	"	...	...	...	W	4	o	"	...	...	...	...	0
Iloilo, ...	"	29.89	86	...	NE	2	o	"	30.01	82	...	...	0
Cebu, ...	"	29.88	81	...	...	0	...	"	29.98	84	...	...	0
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 9th at 11.30a. The barometer has risen generally, particularly over the North part of the Sea of Japan.

Pressure is high over North China and gradients are moderate with strong NE. monsoon along the coast and over the North part of the China Sea.

Forecast:— fresh NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 9th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

	9th OCTOBER, 1902, P. M.							10th OCTOBER, 1902, A. M.						
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
adivostock, ..	2 p.	30.22	64	...	NE	2	b	7 a.	30.31	45	99	E	1	b
muro, ...	,,	30.16	...	...	NW	6	...	6 a.	30.28	...	...	W	4	...
kodate, ...	,,	30.17	...	...	SE	2	...	,,	30.36	...	...	...	0	...
kio,.....	,,	30.14	...	...	N	2	...	,,	30.30	...	...	NW	4	...
chi, ...	,,	30.11	...	...	S	2	...	,,	30.27	...	...	N	2	...
gas,aki, ...	,,	30.15	...	...	NE	6	...	,,	30.27	...	...	NE	6	...
goshima, ...	,,	30.11	...	...	E	4	...	,,	30.23	...	...	...	0	...
hima, ...	,,	30.08	...	...	...	0	...	,,	30.12	...	...	...	0	...
sha, ...	,,	30.05	...	...	N	2	...	,,	30.13	...	...	...	0	...
igakijima, ...	,,	30.09	...	...	NE	6	...	,,	30.13	...	...	NE	2	...
ihoku, ...	1 p.	30.09	...	...	E	6	...	5 a.	30.16	...	...	E	4	...
ichu, ...	,,	29.97	...	...	N	4	...	,,	30.08	...	...	...	0	...
inan, ...	,,	30.03	...	...	W	6	...	,,	30.07	...	...	...	0	...
oshun, ...	,,	30.08	...	...	E	4	...	,,	30.10	...	...	NE	8	...
scadores, ...	,,	30.07	...	...	NE	8	...	,,	30.08	...	...	NE	8	...
utzlaff, ...	3 p.	30.25	72	61	NE	3	cv	9 a.	30.34	71	71	E	4	cv
arp Peak, ..	,,	30.11	73	76	E	6	c	,,	30.24	74	76	NNE	3	c
noy, ...	2.30p.	29.98	72	81	ENE	3	c	6.30a.	30.12	73	51	N	2	c
watow, ...	3 p.	30.03	79	...	E	4	b	9 a.	...	...	...	...	...	...
anton, ...	,,	30.04	88	40	...	1	b	,,	30.17	79	74	E	1	b
ongkong,.....	4 p.	30.04	78	64	ENE	3	b	10 a.	30.18	78	63	E	4	b
ictoria Peak,.	,,	...	...	...	ESE	4	...	,,	...	...	...	E	6	...
ap Rock, ...	,,	30.01	...	...	E	4	...	,,	30.14	...	...	E	5	...
acao, ...	,,	30.04	84	...	E	3	c	,,	30.18	...	...	NE	1	c
aiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
anila, ...	,,	29.88	82	85	ESE	1	o	,,	30.04	84	71	...	0	o
alate,.....	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	0	o
acolod, ...	,,	...	...	...	...	0	c	,,	...	...	...	N	2	b
oilo, ...	,,	29.89	85	...	NE	1	c	,,	30.03	82	...	NE	1	c
ebu, ...	,,	29.86	84	...	N	2	c	,,	30.01	85	...	...	0	b
ape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 10th at 10.55a. The barometer has risen at all stations particularly over Japan. Pressure is above the normal generally, and highest in an area extending over N. China and the Sea of Japan.

Gradients moderate with strong NE. monsoon along the China coast and over the N. part of the China Sea.

Forecast:— fresh E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 10th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

10th OCTOBER, 1902, P. M.								11th OCTOBER, 1902, A. M.					
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.
Wladivostock, ..	2 p.	30.27	62	...	NW	1	b	7 a.	30.24	53	99	...	0
Nemuro, ...	,,	30.31	...	...	SE	4	...	6 a.	30.31	...	...	...	0
Hakodate, ...	,,	30.32	...	...	SE	4	...	,,	30.36	...	...	NW	2
Tokio,.....	,,	30.26	...	...	N	4	...	,,	30.30	...	...	NW	4
Kochi, ...	,,	30.23	...	...	NE	4	...	,,	30.31	...	...	N	2
Nagasaki, ...	,,	30.23	...	...	E	6	...	,,	30.27	...	...	NE	2
Kagoshima, ...	,,	30.23	...	...	E	2	...	,,	30.23	...	...	NE	4
Oshima, ...	,,	30.16	...	...	...	0	...	,,	30.16	...	...	...	0
Naha, ...	,,	30.13	...	...	NW	6	...	,,	30.13	...	...	...	0
Ishigakijima, ...	,,	30.13	...	...	NE	6	...	,,	30.13	...	...	N	2
Taihoku,.....	1 p.	30.15	...	...	E	6	...	5 a.	30.16	...	...	E	2
Taichu, ...	,,	30.04	...	...	N	2	...	,,	30.10	...	...	...	0
Tainan, ...	,,	30.07	...	..	W	6	...	,,	30.10	...	...	N	2
Koshun, ...	,,	30.11	...	...	NE	4	...	,,	30.12	...	...	NE	4
Pescadores, ...	,,	30.10	...	...	NE	10	...	,,	30.13	...	...	NE	6
Gutzlaff, ...	3 p.	30.26	72	67	ENE	4	cv	9 a.	30.32	69	80	NE	4
Sharp Peak, ..	,,	30.15	74	76	E	7	c	,,	30.23	74	79	NNW	1
Amoy, ...	2.30p.	30.08	84	50	ENE	2	c	6.30a.	30.13	74	51	...	0
Swatow, ...	3 p.	30.11	80	...	E	4	b	9 a.	...	...	...	...	...
Canton, ...	,,	30.09	88	49	S	2	b	,,	...	...	...	...	...
Hongkong,.....	4 p.	30.10	78	66	E	4	b	10 a.	30.19	77	67	ENE	3
Victoria Peak,.	,,	...	...	...	E	5	...	,,	...	...	...	ESE	3
Gap Rock,.....	,,	30.07	...	...	E	4	...	,,	30.15	...	...	E	4
Macao, ...	,,	30.10	81	...	ENE	2	c	,,	30.18	84	...	E	1
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila, ...	,,	29.96	86	71	...	0	o	,,	29.04	82	77	...	0
Malate,.....	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	0
Bacolod, ...	,,	...	...	...	N	4	b	,,	...	...	...	N	2
Iloilo, ...	,,	29.92	86	...	NE	2	c	,,	30.04	83	...	NE	1
Cebu, ...	,,	29.91	85	...	N	3	b	,,	30.01	85	...	N	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 11th at 11a. The barometer is inclined to fall over N. China and is little changed elsewher
Pressure remains high generally, and highest over the NE. coast of China and Japan.
Gradients moderate to slight with fresh monsoon along the coast and over the N. part of the China Sea
Forecast:— moderate E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 11th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

11th OCTOBER, 1902, P. M.								12th OCTOBER, 1902, A. M.						
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
divostock, ..	2 p.	...	...	...	..	..	..	7 a.	...	...	...	...	..	...
uro, ...	,,	30.24	...	...	SE	2	...	6 a.	30.20	...	...	S	2	...
odate, ...	,,	30.25	...	...	S	4	...	,,	30.25	...	...	...	0	...
o,.....	,,	30.18	...	...	N	6	...	,,	30.26	...	...	NW	2	...
bi, ...	,,	30.23	...	...	SE	2	...	,,	30.23	...	...	N	4	...
as,aki, ...	,,	30.27	...	...	...	0	...	,,	30.23	...	...	E	2	...
oshima, ...	,,	30.23	...	...	NE	2	...	,,	30.19	...	...	E	6	...
ima, ...	,,	30.12	...	...	N	2	...	,,	30.12	...	...	S	2	...
, ...	,,	30.13	...	...	W	4	...	,,	30.09	...	...	...	0	...
akijima, ...	,,	30.13	...	...	N	4	...	,,	30.13	...	...	...	0	...
oku,.....	1 p.	30.14	...	...	E	6	...	5 a.	30.15	...	...	E	2	...
hu, ...	,,	30.06	...	...	N	4	...	,,	30.10	...	...	...	0	...
an, ...	,,	30.09	...	...	W	6	...	,,	30.11	...	...	...	0	...
un, ...	,,	30.11	...	...	NE	6	...	,,	30.10	...	...	NE	4	...
adores, ...	,,	30.12	...	...	NE	8	...	,,	30.11	...	...	NE	6	...
laff, ...	3 p.	30.27	71	62	NE	4	cv	9 a.	30.25	69	80	NE	2	cv
p Peak, ..	,,	30.14	75	77	E	6	b	,,	30.19	75	79	N	1	b
y, ...	2.30p.	...	...	...	...	...	...	6.30a.	30.10	75	56	NE	1	c
tow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
on, ...	,,	30.09	89	59	S	1	b	,,	...	...	...	...	...	...
gkong.....	4 p.	30.11	77	68	E	2	b	10 a.	30.17	79	63	E	3	c
oria Peak,.	,,	...	...	...	E	3	...	,,	...	...	...	ESE	3	...
Rock, ...	,,	30.08	...	...	ENE	4	...	,,	30.13	...	...	E	4	...
ao, ...	,,	30.11	83	...	E	2	c	,,	30.17	84	...	NNE	1	c
hong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
ila, ...	,,	29.96	86	58	ESE	1	c	,,	30.04	86	65	...	0	...
ste,.....	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0	b
olod, ...	,,	...	...	...	N	3	or	,,	...	...	...	N	2	b
o, ...	,,	29.95	81	...	NE	2	or	,,	29.99	83	...	N	2	c
, ...	,,	29.91	83	...	...	0	c	,,	30.01	86	...	N	3	b
e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 12th at 10.52a. The barometer has fallen slightly on the China coast and over Japan. Pressure is still above the normal generally and highest over the NE. coast of China and Japan. Gradients slight with moderate monsoon on the coast and over the N. part of the China Sea. Forecast:—moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory. Sunday 12th October 1902.

CHINA COAST METEOROLOGICAL REGISTER

Statin.	12th OCTOBER, 1902, P. M.							13th OCTOBER, 1902, A. M.					
	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	30.11	68	...	..	0	c	7 a.	30.01	58	99	SE	4
Nemuro, ...	,,	30.16	...	...	N	4	...	6 a.	...	...	...	...	...
Hakodate, ...	,,	30.17	...	...	W	6	...	,,	...	...	...	...	...
Tokio, ...	,,	30.22	...	...	S	4	...	,,	...	...	...	...	...
Kochi, ...	,,	30.15	...	...	E	6	...	,,	...	...	...	...	..
Nagasaki, ...	,,	30.15	...	...	NW	4	...	,,	...	...	...	...	..
Kagoshima, ...	,,	30.11	...	...	E	4	...	,,	...	...	...	...	..
Nshima, ...	,,	30.04	...	...	...	0	...	,,	...	...	...	...	..
Oaba, ...	,,	30.05	...	...	NW	4	...	,,	...	...	...	...	..
Ishigakijima, ...	,,	30.09	...	...	NE	4	...	,,	...	...	...	...	..
Taihoku, ...	1 p.	30.07	...	...	NE	6	...	5 a.	30.06	...	...	...	0
Taichu, ...	,,	30.06	...	...	N	2	...	,,	30.02	...	...	...	0
Tainan, ...	,,	30.05	...	...	W	6	...	,,	30.03	...	...	...	0
Koshun, ...	,,	30.10	...	...	NE	8	...	,,	30 05	...	...	NE	2
Pescadores, ...	,,	30.08	...	...	NE	8	...	,,	30.05	...	...	NE	2
Gutzlaff, ...	3 p.	30.16	73	72	E	2	cv	9 a.	30.19	64	95	ENE	3
Sharp Peak, ..	,,	30.02	74	76	E	3	b	,,	30.19	73	83	...	0
Amoy, ...	2.30p.	30.00	83	57	SE	3	c	6.30a.	30.02	75	81	...	0
Swatow, ...	3 p.	30.07	81	...	E	3	b	9 a.	30.12	78	...	E	1
Canton, ...	,,	...	...	...	...	...	...	,,	30.10	81	78	W	1
Hongkong, ...	4 p.	30.07	78	71	E	2	c	10 a.	30.09	79	70	ESE	2
Victoria Peak, .	,,	...	...	...	ESE	1	...	,,	...	...	...	E	1
Gap Rock, ...	,,	30.04	...	...	E	3	...	,,	30.07	...	...	E	3
Macao, ...	,,	30.07	83	...	SSE	1	c	,,	30.09	84	...	E	1
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila, ...	,,	29.92	90	66	..	0	c	,,	29.96	81	76	...	0
Malate, ...	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0
Bacolod, ...	,,	...	...	...	N	4	b	,,	...	...	...	...	0
Iloilo, ...	,,	29.87	86	...	...	0	c	,,	29.96	83	...	NE	2
Cebu, ...	,,	29.87	86	...	N	3	b	,,	29.91	86	...	N	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 13th at 11.40a. The barometer has fallen generally. Probably a depression is advancing Eastwards over Manchuria, and pressure appears to be low also to the Eastward of the Philippine Archipelago.

Pressure is probably highest over Central China. Gradients slight with moderate monsoon in S. China and over the North part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 13th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

13th OCTOBER, 1902, P. M.								14th OCTOBER, 1902, A. M.						
ATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock, ..	2 p.	29.97	58	...	SE	6	or	7 a.	29.95	56	99	SW	2	or
o, ...	"	30.12	...	...	NE	2	...	6 a.	30.20	...	...	E	4	...
ate, ...	"	30.17	...	...	...	0	...	"	30.17	...	...	N	4	...
....	"	30.26	...	...	NW	2		"	30.14	...	...	NW	4	...
.....	"	30.11	...	...	NE	2		"	29.95	...	...	NE	8	...
aki, ...	"	30.03	...	...	N	2		"	30.03	...	...	...	0	...
hima, ...	"	29.99	...	...	NE	6	...	"	29.99	...	...	N	4	...
a, ...	"	30.00	...	...	...	0	...	"	30.00	...	...	S	2	...
.....	"	30.01	...	...	S	2	...	"	30.01	...	...	...	0	...
kijima, ...	"	30.05	...	...	N	2	...	"	30.01	...	...	...	0	...
ku, ...	1 p.	30.01	...	...	E	4	...	5 a.	30.00	...	...	E	4	...
a, ...	"	29.97	...	...	W	2	...	"	29.98	...	...	...	0	...
n, ...	"	30.00	...	...	W	4	...	"	30.00	...	...	...	2	...
un, ...	"	30.02	...	...	NE	4	...	"	29.98	...	...	...	0	...
dores, ...	"	30.01	...	...	N	6	...	"	30.00	...	...	N	4	...
aff, ...	3 p.	30.08	69	80	NE	2	cv	9 a.	30.12	70	75	SE	1	cv
Peak, ..	"	30.00	76	79	E	3	o	"	30.09	72	85	...	0	r
y, ...	2.30p.	29.95	80	...	SE	3	b	6.30a.	30.00	73	76	W	1	o
ow, ...	3 p.	30.03	81	...	E	2	b	9 a.	...	...	...	...	...	...
on, ...	"	29.99	91	60	SW	2	b	..	...	...	...	...	...	...
kong, ...	4 p.	30.00	79	63	E	2	b	10 a.	30.09	81	67	ESE	2	c
oria Peak, .	"	...	...	...	SE	2	...	"	...	...	...	E	1	...
Rock, ...	"	29.99	...	...	ESE	2	...	"	30.07	...	...	E	2	...
ao, ...	"	30.00	84	...	SE	1	c	"	30.09	84	...	E	1	c
hong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
ila, ...	"	29.88	86	65	...	0	c	"	29.96	84	77	W	1	c
ste, ...	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0	b
olod, ...	"	...	...	...	N	2	b	"	...	...	...	NE	2	b
o, ...	"	29.87	88	...	E	1	b	"	29.95	88	...	NE	2	c
u, ...	"	29.86	86	...	N	4	b	"	29.93	86	...	N	2	b
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 14th at 12.3p. The depression in the North seems to be passing North of Wladiwostok. The barometer has fallen over the E. coast of China, and probably another low area exists over Central China.

Gradients slight with light variable winds along the China coast, and moderate NE. winds in the N. part of the China Sea.

Forecast:— light E. or variable winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 14th October 1902

CHINA COAST METEOROLOGICAL REGISTER.

	14th OCTOBER, 1902, P. M.							15th OCTOBER, 1902, A. M.					
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.
Wladivostock, ..	2 p.	29.93	55	...	SE	5	or	7 a.	29.87	43	99	NE	5
Nemuro, ...	„	30.20	...	...	NE	2	...	6 a.	30.28	...	...	E	2
Hakodate, ...	„	30.13	...	...	SE	8	...	„	30.09	...	...	SE	10
Tokio,.....	„	30.06	...	...	N	4	...	„	29.94	...	...	NW	2
Kochi, ...	„	29.95	...	...	NE	8	...	„	29.95	...	...	NE	4
Nagas,aki, ...	„	29.95	...	...	W	4	...	„	29.91	...	...	W	6
Kagoshima, ...	„	29.95	...	...	...	0	...	„	29.99	...	...	E	4
Nshima, ...	„	29.96	...	...	NE	2	...	„	29.96	...	...	...	0
Oaba, ...	„	29.97	...	...	NW	4	...	„	29.97	...	...	N	2
Ishigakijima, ...	„	30.01	...	...	S	4	...	„	...	...	...	...	...
Taihoku,.....	1 p.	29.99	...	...	N	6	...	5 a.	30.06	...	...	...	0
Taichu, ...	„	29.96	...	...	W	2	...	„	29.96	...	...	N	4
Tainan, ...	„	29.99	...	...	W	4	...	„	29.99	...	...	N	4
Koshun, ...	„	30.03	...	...	E	...	...	„	29.99	...	...	...	0
Pescadores, ...	„	29.99	...	...	N	4	...	„	30.00	...	...	NE	8
Gutzlaff, ...	3 p.	30.04	72	76	SW	3	cv	9 a.	30.35	61	71	NNW	5
Sharp Peak, ..	„	29.97	75	81	E	3	c	„	30.10	73	81	ENE	7
Amoy, ...	2.30p.	29.88	80	74	SE	3	c	6.30a.	30.05	76	82	NE	...
Swatow, ...	3 p.	30.02	88	...	E	2	c	9 a.	...	...	...	...	...
Canton, ...	„	30.00	86	58	...	0	c	„	...	...	...	...	...
Hongkong,.....	4 p.	29.99	80	72	E	1	c	10 a.	30.09	81	45	NNE	2
Victoria Peak,.	„	...	...	...	SE	1	...	„	...	...	...	E	6
Gap Rock, ...	„	29.98	...	...	ESE	2	...	„	30.07	...	...	NE	4
Macao, ...	„	29.99	82	...	SSE	1	c	„	30.09	82	...	NNE	1
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...
Manila, ...	„	29.84	86	71	...	0	b	„	29.96	86	71	S	1
Malate,.....	3 p.	...	...	...	E	2	b	9 a.	...	...	...	...	0
Bacolod, ...	„	...	...	...	N	2	b	„	...	...	...	N	2
Iloilo, ...	„	29.85	88	...	E	1	c	„	29.95	82	...	NE	2
Cebu, ...	„	29.82	87	...	N	3	b	„	29.93	87	...	...	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 15th at 11.23a. The depression is moving Eastwards in the W. part of the Sea of Japan. The barometer has risen quickly in N. China, where pressure is again high. Gradients moderate with strong monsoon in the Formosa Channel and increasing monsoon in the N. part of the China Sea Forecast:—fresh NE. winds; fine, becoming cooler.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 15th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

15th OCTOBER, 1902, P. M.								16th OCTOBER, 1902, A. M.							
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
ivostock, ..	2 p.	29.82	41	...	NE	5	or	7 a.	29.94	41	91	NE	1	b
uro, ...	,,	30.20	...	...	SE	6	...	6 a.	29.80	...	...	S	4	...
olate, ...	,,	29.93	...	...	SE	10	...	,,	29.89	...	...	W	6	...
o.....	,,	29.90	...	...	SE	2	...	,,	30.02	...	...	N	4	...
ii, ...	,,	29.91	...	...	...	0	...	,,	30.07	...	...	N	2	...
as,aki, ...	,,	29.99	...	...	NE	2	...	,,	30.11	...	...	NE	2	...
oshima, ...	,,	29.99	...	...	NW	8	...	,,	30.07	...	...	NE	4	...
ma, ...	,,	30.00	...	...	N	4	...	,,	30.04	...	...	N	6	...
, ...	,,	29.97	...	...	N	8	...	,,	30.01	...	...	N	8	...
akijima, ...	,,	30.01	...	...	NE	6	...	,,	30.05	...	...	N	2	...
oku, ...	1 p.	30.10	...	...	NE	6	...	5 a.	30.10	...	...	E	2	...
hu, ...	,,	29.94	...	...	N	6	...	,,	29.99	...	...	...	0	...
an, ...	,,	29.96	...	...	NW	4	...	,,	30.02	...	...	N	4	...
un, ...	,,	30.00	...	...	NE	4	...	,,	30.02	...	...	NE	6	...
adores, ...	,,	30.02	...	...	NE	10	...	,,	30.05	...	...	NE	8	...
laff, ...	3 p.	30.19	68	60	N	3	cv	9 a.	30.26	65	53	NNE	1	cv
p Peak, ..	,,	30.07	72	78	E	5	o	,,	30.17	71	76	N	3	b
y, ...	2.30p.	...	...	...	...	...	...	6.30a.	30.09	70	80	NNE	2	c
ow, ...	3 p.	30.06	81	...	E	5	b	9 a.	...	...	...	...	...	...
on, ...	,,	30.01	89	47	E	1	b	,,	30.16	82	56	SE	1	b
gkong, ...	4 p.	30.02	80	62	E	3	b	10 a.	30.12	78	66	ENE	3	c
oria Peak, .	,,	...	...	...	ESE	2	...	,,	...	...	...	E	4	...
Rock, ...	,,	30.00	...	...	E	3	...	,,	30.09	...	...	E	4	...
o, ...	,,	30.02	86	...	ESE	1	c	,,	30.12	89	...	NE	1	c
hong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
ila, ...	,,	29.84	91	67	S	2	c	,,	29.96	84	77	WSW	1	c
te, ...	3 p.	...	...	...	...	0	c	9 a.	...	...	...	W	2	b
lod, ...	,,	...	...	...	NE	2	c	,,	...	...	...	NE	2	b
, ...	,,	29.86	87	...	E	1	o	,,	29.98	83	...	NE	2	b
, ...	,,	29.82	83	...	N	2	b	,,	29.98	86	...	...	0	...
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 16th at 11.30a. The depression has moved Northeastwards and lies now over NE. Japan.
The barometer has risen moderately over SW. Japan and slightly in S. China.
Pressure is highest over N. China, and gradients are moderate to slight with fresh monsoon along the coast and over the N. part of the China Sea.
Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 16th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

16th OCTOBER, 1902, P. M.								17th OCTOBER, 1902, A. M.						
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	W TH
Wladivostock, ..	2 p.	29.99	59	...	SW	3	c	7 a.	29.95	46	75	N	1	
Nemuro, ...	,,	29.84	...	...	SW	4	...	6 a.	30.04	...	...	E	6	
Hakodate, ...	,,	30.05	...	...	W	6	...	,,	30.05	...	...	...	0	
Tokio,.....	,,	30.02	...	...	N	2	...	,,	29.94	...	...	NW	6	
Kochi, ...	,,	29.95	...	...	...	0	...	,,	29.91	...	...	NE	4	
Nagasaki, ...	,,	30.03	...	...	N	4	...	,,	30.07	...	...	NW	2	
Kagoshima, ...	,,	29.99	...	...	SE	4	...	,,	30.07	...	...	N	2	
Oshima, ...	,,	30.00	...	...	N	6	...	,,	30.04	...	...	N	8	
Naha, ...	,,	29.97	...	...	N	8	...	,,	30.05	...	...	N	6	
Ishigakijima, ...	,,	30.05	...	...	NE	8	...	,,	30.09	...	...	N	4	
Taihoku,.....	1 p.	30.07	...	...	E	6	...	5 a.	...	...	...	...	...	
Taichu, ...	,,	29.99	...	...	N	6	...	,,	...	...	...	...	...	
Tainan, ...	,,	30.00	...	...	N	8	...	,,	...	...	...	...	...	
Koshun, ...	,,	30.03	...	...	NE	4	...	,,	...	...	...	...	...	
Pescadores, ...	,,	30.05	...	...	NE	8	...	,,	...	...	...	...	...	
Gutzlaff, ...	3 p.	30.20	68	74	NE	2	cv	9 a.	30.30	65	78	N	1	
Sharp Peak, ..	,,	30.08	7[illegible]	78	E	4	b	,,	30.23	70	80	WNW	2	
Amoy, ...	2.30p.	...	...		..	..	..	6.30a.	30.16	71	71	NNE	2	
Swatow, ...	3 p.	30.06	79	...	ESE	2	c	9 a.	...	...	...	...	...	
Canton, ...	,,	30.02	90	86	E	1	b	,,	...	...	...	...	...	
Hongkong.....	4 p.	30.04	78	70	E	3	b	10 a.	30.18	77	69	E	4	
Victoria Peak,.	,,	...	...	...	ESE	2	...	,,	...	...	...	ESE	5	
Gap Rock, ...	,,	30.01	...	...	E	4	...	,,	30.14	...	...	E	4	
Macao, ...	,,	30.03	84	...	ESE	1	c	,,	30.18	82	...	ESE	2	
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	
Manila, ...	,,	29.88	82	85	ESE	2	cd	,,	30.04	77	75	...	0	
Malate,.....	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	0	
Bacolod, ...	,,	...	...	...	N	2	b	,,	...	...	...	N	2	
Iloilo, ...	,,	29.88	87	...	E	1	c	,,	30.02	82	...	NE	2	
Cebu, ...	,,	29.87	85	...	N	3	b	,,	30.03	84	...	N	2	
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 17th at 11.20a. The barometer has risen generally except over Central Japan, where pressure is relatively low.

Pressure is high over China, and gradients are slight to moderate with fresh monsoon along the coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 17th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

17th OCTOBER, 1902, P. M.								18th OCTOBER, 1902, A. M.						
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
adivostock, ..	2 p.	29.94	61	...	N	2	b	7 a.	29.99	42	68	NE	1	b
muro, ...	,,	29.88	...	...	NE	8	...	6 a.	...	...	...	...	...	...
...dlate, ...	,,	29.93	...	...	...	0	...	,,	29.62	...	...	NW	6	...
...o,.....	,,	29.63	...	...	NE	6	...	,,	29.86	...	...	N	2	...
...ai, ...	,,	29.83	...	...	W	6	...	,,	29.99	...	...	NW	2	...
...gasaki, ...	,,	29.99	...	...	N	6	...	,,	30.11	...	...	NW	4	...
...goshima, ...	,,	29.99	...	...	NW	6	...	,,	30.07	...	...	NW	2	...
...hima, ...	,,	30.04	...	...	N	6	...	,,	30.12	...	...	N	6	...
...u, ...	,,	30.09	...	...	N	8	...	,,	30.17	...	...	NE	4	...
...gakijima, ...	,,	30.13	...	...	N	6	...	,,	30.17	...	...	N	2	...
...hoku, ...	1 p.	30.17	...	...	E	6	...	5 a.	30.20	...	...	E	2	...
...ichu, ...	,,	30.07	...	...	N	4	...	,,	30.12	...	...	...	0	...
...nan, ...	,,	30.09	...	...	W	6	...	,,	30.12	...	...	...	0	...
...shun, ...	,,	30.10	...	...	NE	6	...	,,	30.14	...	...	NE	4	...
...cadores, ...	,,	30.09	...	...	NE	8	...	,,	30.13	...	...	NE	2	...
...tzlaff, ...	3 p.	30.24	73	63	N	2	cv	9 a	30.34	68	79	N	2	cv
...arp Peak, ..	,,	30.17	73	72	E	3	c	,,	30.26	72	78	NNW	3	c
...oy, ...	2.30p.	...	...	...	...	...	...	6.30a.	30.18	70	80	NE	2	c
...atow, ...	3 p.	30.14	79	...	E	3	b	9 a.	30.13	76	...	E	2	b
...nton, ...	,,	30.09	87	55	S	...	c	,,	30.22	78	74	E	2	b
...ongkong,.....	4 p.	30.11	77	69	E	4	b	10 a.	30.21	77	68	E	4	cq
...ctoria Peak,.	,,	...	...	...	ESE	3	...	,,	...	...	...	ESE	3	...
...p Rock, ...	,,	30.07	...	...	E	4	...	,,	30.17	...	...	E	4	...
...acao, ...	,,	30.10	84	...	E	2	c	,,	30.20	84	...	E	1	c
...aiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
...anila, ...	,,	29.96	82	85	...	0	o	,,	30.08	82	70	...	0	o
...alate,.....	3 p.	...	...	...	...	0	c	9 a.	...	...	..	...	0	b
...acolod, ...	,,	...	...	...	N	2	b	,,	...	...	...	NE	2	b
...ilo, ...	,,	29.94	87	...	...	1	b	,,	30.05	83	...	NE	2	b
...ebu, ...	,,	29.93	85	...	N	2	..	,,	30.02	85	...	...	0	b
...ape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.50a. The barometer has fallen quickly over NE. Japan, the depression lying to the SE. of Japan yesterday, having moved towards NE.

The barometer has risen slightly elsewhere, and pressure remains high over China with moderate to fresh monsoon along the coast, and over the N. part of the China Sea.

Forecast:— moderate E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 18th October 1902.

CHINA COAST METEOROLOGICAL REGISTER

Statin.	18th OCTOBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	19th OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	"	...	...	...	...	...	...	6 a.	30.00	...	...	W	4
Hakodate,	"	29.81	...	...	NW	8	...	"	30.09	...	...	...	0
Tokio,	"	29.90	...	...	N	2	...	"	30.14	...	...	NW	2
Kochi,	"	30.03	...	...	W	6	...	"	30.23	...	...	N	4
Nagasaki,	"	30.15	...	...	N	6	...	"	30.23	...	...	N	2
Kagoshima,	"	30.11	...	...	N	2	...	"	30.33	...	...	E	2
Oshima,	"	30.16	...	...	N	6	...	"	30.20	...	...	N	6
Naha,	"	30.17	...	...	N	6	...	"	30.21	...	...	NE	2
Ishigakijima,	"	30.21	...	...	NE	6	...	"	30.17	...	...	N	2
Taihoku,	1 p.	30.19	...	...	...	4	...	5 a.	30.17	...	...	E	6
Taichu,	"	30.11	...	...	N	4	...	"	30.11	...	...	...	0
Tainan,	"	30.13	...	...	W	4	...	"	30.14	...	...	NE	4
Koshun,	"	30.17	...	...	N	6	...	"	30.15	...	...	NE	4
Pescadores,	"	30.11	...	...	NE	8	...	"	30.13	...	...	NE	6
Gutzlaff,	3 p.	30.29	72	76	E	1	cv	9 a.	30.29	70	61	SE	2
Sharp Peak,	"	30.21	72	76	NE	4	c	"	30.33	72	81	NNW	2
Amoy,	2.30p.	30.09	70	90	E	2	c	6.30a.	30.15	73	...	...	0
Swatow,	3 p.	30.16	79	...	E	2	b	9 a.	...	...	...	...	...
Canton,	"	30.12	82	71	SE	1	b	"	30.18	78	91	SE	2
Hongkong,	4 p.	30.13	76	68	E	4	cq	10 a.	30.22	76	69	E	4
Victoria Peak,	"	...	...	...	...	...	...	"	...	...	...	...	...
Gap Rock,	"	30.09	...	...	E	4	...	"	30.18	...	...	E	5
Macao,	"	30.12	81	...	E	1	c	"	30.21	81	...	E	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.96	84	64	ESE	1	c	"	30.04	81	69	NNE	1
Malate,	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	0
Baeolod,	"	...	...	...	NE	4	o	"	...	...	...	N	4
Iloilo,	"	29.96	87	...	E	2	o	"	30.04	83	...	NE	1
Cebu,	"	29.96	85	...	N	3	b	"	29.99	85	...	N	2
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 19th at 11.30a. The barometer has risen quickly in Japan, fallen slightly over China and the Philippines.

Pressure is highest between the E. coast of China and W. Japan.

Gradients slight with moderate to fresh monsoon in the Formosa Channel and the N. part of the China Sea.

Forecast:— moderate E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 19th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

19th OCTOBER, 1902, P. M.								20th OCTOBER, 1902, A. M.						
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
divostock, ..	2 p.	29.92	63	...	SE	3	c	7 a.	30.24	34	61	N	3	b
uro, ...	"	29.96	...	...	S	4	...	6 a.	...	...	...	...	...	...
odate, ...	"	30.05	...	...	W	6	...	"	29.93	...	...	S	2	...
io,.....	"	30.10	...	...	S	4	...	"	29.98	...	...	SW	4	...
hi, ...	"	30.15	...	...	W	2	...	"	30.15	...	...	N	4	...
as,aki, ...	"	30.19	...	...	SE	4	...	"	30.19	...	...	N	4	...
goshima, ...	"	30.19	...	...	SE	2	...	"	30.19	...	...	NE	2	...
ima, ...	"	30.16	...	...	N	4	...	"	30.16	...	...	S	2	...
a, ...	"	30.17	...	...	N	2	...	"	30.13	...	...	NE	2	...
gakijima, ...	"	30.17	...	...	NE	6	...	"	30.13	...	...	N	2	...
hoku,.....	1 p.	30.08	...	...	E	6	...	5 a.	30.13	...	...	E	6	...
ehu, ...	"	30.09	...	...	SE	2	...	"	30.08	...	...	...	0	...
nan, ...	"	30.09	...	...	W	6	...	"	30.09	...	...	W	2	...
hun, ...	"	30.14	...	...	NE	6	...	"	30.10	...	...	NE	4	...
cadores, ...	"	30.11	...	...	N	4	...	"	30.10	...	...	NE	6	...
zlaff, ...	3 p.	30.24	77	46	SE	3	cv	9 a.	30.31	68	79	ESE	3	cv
rp Peak, ..	"	30.16	73	79	ENE	4	o	"	30.19	73	81	NNW	1	c
toy, ...	2.30p.	30.05	81	61	NE	3	b	6.30a.	30.08	72	76	...	0	c
atow, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
nton, ...	"	30.10	87	55	S	1	o	"	30.17	81	82	...	0	...
ngkong,.....	4 p.	30.13	77	63	E	2	c	10 a.	30.18	77	70	ENE	3	c
toria Peak,.	"	...	...	...	...	...	...	"	...	...	...	...	...	...
p Rock,.....	"	30.09	...	...	E	3	...	"	30.14	...	...	E	4	...
cao, ...	"	30.12	84	...	E	1	c	"	30.18	85	...	E	1	c
iphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
anila, ...	"	29.92	82	70	...	0	o	"	...	...	...	...	...	...
alate,.....	3 p.	...	...	...	SE	2	c	9 a.	...	...	...	E	2	b
ccolod, ...	"	...	...	...	N	2	b	"	...	...	...	...	0	r
ilo, ...	"	29.92	87	...	N	1	o	"	29.98	80	...	E	1	or
bu, ...	"	29.89	85	...	N	2	c	"	29.94	85	...	N	2	b
pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 20th at 11.35a. The barometer has risen over N. China, fallen elsewhere.

A low pressure area lies over NE. Japan, and pressure is high over Manchuria and the NE. coast of China.

Gradients slight to moderate with fresh monsoon along the China coast and over the N. part of the China Sea.

Forecast:—moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 20th October 1902.

CHINA COAST METEOROLOGICAL REGISTER

Statin.	20th OCTOBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21ts OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	30.29	42	...	NE	7	b	7 a.	30.29	31	70	...	0
Nemuro, ...	„	29.84	...	...	SW	4	...	6 a.	30.20	...	...	NW	8
Hakodate, ...	„	29.97	...	...	N	6	...	„	30.25	...	...	...	0
Tokio,.....	„	30.06	...	...	...	0	...	„	30.22	...	...	NW	4
Kochi, ...	„	30.11	...	...	SW	2	...	„	30.22	...	...	NW	4
Nagasaki, ...	„	30.19	...	...	SW	4	...	„	30.19	...	...	E	4
Kagoshima, ...	„	30.19	...	...	E	2	...	„	30.23	...	...	NE	2
Oshima, ...	„	30.16	...	...	N	6	...	„	30.16	...	...	S	2
Naha, ...	„	30.13	...	...	N	4	...	„	30.13	...	...	NE	2
Ishigakijima, ...	„	30.13	...	...	NE	6	...	„	30.13	...	...	NE	2
Taihoku, ...	1 p.	30.07	...	...	NE	8	...	5 a.	30.14	...	...	E	4
Taichu, ...	„	30.03	...	...	W	2	...	„	30.04	...	...	...	0
Tainan, ...	„	30.08	...	...	NW	6	...	„	30.06	...	...	NE	2
Koshun, ...	„	30.09	...	...	E	6	...	„	30.08	...	...	NE	4
Pescadores, ...	„	30.12	...	...	NE	8	...	„	30.07	...	...	NE	8
Gutzlaff, ...	3 p.	30.27	72	62	E	3	cv	9 a.	30.28	72	62	ESE	3
Sharp Peak, ..	„	30.14	73	81	E	5	c	„	30.19	73	72	NNE	3
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow, ...	3 p.	30.13	79	...	E	2	b	9 a.	...	...	...	...	...
Canton, ...	„	30.06	88	59	S	2	b	„	30.19	82	67	SE	1
Hongkong,.....	4 p.	30.07	77	70	E	2	b	10 a.	30.16	77	66	NE	4
Victoria Peak,.	„	...	...	...	...	...	...	„	...	...	...	...	...
Gap Rock, ...	„	30.05	...	...	E	3	...	„	30.12	...	...	E	4
Macao, ...	„	30.08	83	...	ESE	1	c	„	30.16	81	...	E	1
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...
Manila, ...	„	29.92	82	70	NE	1	o	„	29.96	82	77	...	0
Malate,.....	3 p.	...	...	...	NE	1	c	9 a.	...	...	...	N	1
Bacolod, ...	„	...	...	...	N	2	or	„	...	...	...	NE	4
Iloilo, ...	„	29.89	80	...	NE	1	o	„	29.98	81	...	E	1
Cebu, ...	„	29.86	85	...	N	4	c	„	29.94	84	...	N	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 21st at 11.25a. The barometer has risen quickly over E Japan, fallen slightly on the China coast.

Pressure is highest over the E. coast of China and the Sea of Japan.

Gradients slight with moderate monsoon over S. China and fresh monsoon in the N. part of the China Sea.

Forecast:—moderate E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 21st October 1902.

CHINA COAST METEOROLOGICAL REGISTE.

21st OCTOBER, 1902. P. M.								22nd OCTOBER, 1902, A. M.						
ATIN.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
vostock, ..	2 p.	30.09	54	...	W	3	b	7 a.	29.94	52	99	NW	1	c
ro, ...	,,	30.20	...	...	SW	6	...	6 a.	30.08	...	...	SW	2	...
late, ...	,,	30.25	...	...	SW	4	...	,,	30.21	...	...	N	2	...
.....	,,	30.22	...	...	S	4	...	,,	30.26	...	...	NW	2	...
.....	,,	30.15	...	...	NE	4	...	,,	30.27	...	...	N	2	...
aki, ...	,,	30.23	...	...	W	2	...	,,	30.27	...	...	NE	2	...
hima, ...	,,	30.19	...	...	E	10	...	,,	30.23	...	...	...	0	...
n, ...	,,	30.16	...	...	E	4	...	,,	30.20	...	...	...	0	...
.....	,,	30.13	...	...	E	6	...	,,	30.13	...	...	NE	2	...
kijima, ...	,,	30.13	...	...	E	6	...	,,	30.09	...	...	E	6	...
ku, ...	1 p.	30.11	...	...	E	6	...	5 a.	30.06	...	...	E	2	...
.....	,,	30.03	...	...	NW	2	...	,,	30.07	...	...	...	0	...
a, ...	,,	30.05	...	...	W	6	...	,,	30.05	...	...	NW	2	...
n, ...	,,	30.07	...	...	E	6	...	,,	30.05	...	...	NE	4	...
lores, ...	,,	30.06	...	...	NE	8	...	,,	30.05	...	...	NE	2	...
ff, ...	3 p.	30.20	75	76	SE	3	cv	9 a.	30.16	72	81	SSE	3	cv
Peak, ..	,,	30.12	73	81	E	6	c	,,	30.10	73	81	WNW	1	c
.....	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
w, ...	3 p.	30.15	79	...	E	4	b	9 a.	...	...	...	...	...	...
n, ...	,,	30.05	87	58	SSW	1	b	,,	30.12	79	78	E	1	b
kong, ...	4 p.	30.06	77	70	E	2	[illegible]	10 a.	30.12	79	69	E	2	o
ia Peak, .	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
ock, ...	,,	30.03	...	...	E	4	...	,,	[illegible]	...	...	E	3	...
.....	,,	30.05	84	...	ESE	1	c	,,	30.11	81	...	E	1	c
ong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
.....	,,	29.92	82	70	NNE	2	o	,,	...	...	...	...	...	...
.....	3 p.	...	...	...	E	1	o	9 a.	...	...	...	NE	3	c
d, ...	,,	...	...	...	NE	2	b	,,	...	...	...	NE	2	b
.....	,,	29.91	81	...	NE	3	o	,,	30.00	83	...	E	2	c
.....	,,	29.86	85	...	N	4	b	,,	29.96	85	...	...	0	b
. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 22nd at 11.25a. The barometer has fallen in the N. part of the Sea of Japan owing to a depression which appears to be moving Eastwards to the N. of Wladiwostok.

Pressure has also given way on the China coast, particularly in the North, and probably another low area is moving Eastwards over N. China.

Pressure is high over Japan. Gradients slight with the monsoon interrupted on the China coast and moderate monsoon in the N. part of the China Sea.

Forecast:—E. winds, light; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 22nd October 1902.

CHINA COAST METEOROLOGICAL REGISTER

	22nd OCTOBER, 1902, P. M.							23rd OCTOBER, 1902, A. M.					
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force
Wladivostock, ..	2 p.	29.98	41	...	N	5	or	7 a.	29.83	45	99	...	0
Nemuro, ...	,,	29.96	...	...	SW	8	...	6 a.	30.04	...	...	SW	2
Hakodate, ...	,,	30.09	...	...	W	4	...	,,	30.09	...	...	...	0
Tokio,.....	,,	30.18	...	...	S	2	...	,,	30.22	...	...	...	0
Kochi, ...	,,	30.19	...	...	E	4	...	,,	30.19	...	...	NE	4
Nagasaki, ...	,,	30.19	...	...	SW	2	...	,,	30.15	...	...	SE	6
Kagoshima, ...	,,	30.19	...	...	W	2	...	,,	30.15	...	...	NE	2
Oshima, ...	,,	30.16	...	...	E	4	...	,,	30.12	...	...	...	0
Naha, ...	,,	30.09	...	...	E	6	...	,,	30.09	...	...	...	0
Ishigakijima, ...	,,	30.09	...	...	SE	6	...	,,	30.05	...	...	SE	4
Taihoku,.....	1 p.	30.02	...	...	NW	4	...	5 a.	30.01	...	...	SW	2
Taichu, ...	,,	30.00	...	...	W	4	...	,,	30.01	...	...	...	0
Tainan, ...	,,	30.02	...	...	W	6	...	,,	30.01	...	...	...	0
Koshun, ...	,,	30.03	...	...	NE	6	...	,,	30.02	...	...	...	0
Pescadores, ...	,,	30.04	...	...	NE	6	...	,,	30.02	...	...	NE	2
Gutzlaff, ...	3 p.	...	...	...	...	...	...	9 a	30.04	70	90	W	1
Sharp Peak, ..	,,	30.03	76	79	E	4	c	,,	30.01	72	...	...	0
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow, ...	3 p.	30.06	80	...	E	2	b	9 a.	...	...	...	...	...
Canton, ...	,,	30.01	88	59	S	1	b	,,	...	...	...	...	...
Hongkong.....	4 p.	30.03	77	77	E	2	b	10 a.	30.07	80	66	ESE	1
Victoria Peak,.	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Gap Rock,.....	,,	30.01	...	...	E	3	...	,,	30.05	...	...	E	1
Macao, ...	,,	30.02	81	...	ESE	1	c	,,	30.07	82	...	SE	1
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila, ...	,,	29.88	86	65	ENE	...	o	,,	29.96	86	78	W	1
Malate,.....	3 p.	...	...	...	N	1	b	9 a.	...	...	...	...	0
Bacolod, ...	,,	...	...	...	N	4	b	,,	...	...	...	...	0
Iloilo, ...	,,	29.89	86	...	NE	2	c	,,	29.98	81	...	...	0
Cebu, ...	,,	29.86	86	...	N	3	b	,,	29.93	84	...	N	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 23rd at 11.50a. The barometer has fallen on the China coast and over Japan. The depression lying over N. China yesterday is moving Eastwards into the Sea of Japan. Pressure is highest over Central Japan.

The monsoon will probably freshen again along the China coast during the next 24 hours.

Forecast:— variable and N. winds, light to moderate; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 23rd October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

23rd OCTOBER, 1902, P. M.								24th OCTOBER, 1902, A. M.						
TIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
stock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
, ...	"	29.96	...	...	NW	6	...	6 a.	29.88	...	...	SW	6	...
te, ...	"	30.01	...	...	SW	8	...	"	29.77	...	...	SW	4	...
.....	"	30.14	...	...	S	6	...	"	30.06	...	...	S	4	...
.....	"	30.11	...	...	NE	2	...	"	29.99	...	...	SW	8	...
aki, ...	"	30.03	...	...	S	8	...	"	29.91	...	...	SW	8	...
ima, ...	"	30.07	...	...	SE	2	...	"	29.95	...	...	S	4	...
, ...	"	30.04	...	...	S	6	...	"	30.04	...	...	S	2	...
.....	"	...	...	...	...	...	...	"	30.01	...	...	...	0	...
ijima, ...	"	...	...	...	...	...	...	"	30.01	...	...	...	0	...
u, ...	1 p.	29.98	...	...	NW	6	...	5 a.	30.02	...	...	...	0	...
, ...	"	29.96	...	...	W	2	...	"	30.00	...	...	...	0	...
, ...	"	29.99	...	...	W	6	...	"	30.01	...	...	N	2	...
n, ...	"	29.98	...	...	E	4	...	"	30.02	...	...	...	0	...
ores, ...	"	30.04	...	...	W	4	...	"	30.01	...	...	S	2	...
ff, ...	3 p.	30.00	70	95	NW	1	omd	9 a.	30.15	61	94	NW	5	cv
Peak, ..	"	29.92	77	86	E	5	b	"	30.02	78	84	...	0	o
, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
w, ...	3 p.	29.96	82	...	SSE	2	b	9 a.	...	...	...	...	...	...
n, ...	"	29.97	90	60	SW	2	b	"	...	...	...	...	...	...
cong, ...	4 p.	29.98	80	67	SE	1	b	10 a.	30.09	80	74	W	1	o
ia Peak, .	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Rock, ...	"	29.98	...	...	E	1	...	"	30.08	...	...	NNW	2	...
, ...	"	29.97	83	...	SE	2	c	"	30.10	81	...	NW	1	o
ong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
a, ...	"	29.88	88	66	...	0	c	"	29.96	82	70	WSW	1	c
e, ...	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	...	0	o
lod, ...	"	...	...	...	...	0	r	"	...	...	...	N	2	b
, ...	"	29.89	82	...	NE	2	c	"	29.97	91	...	E	1	c
, ...	"	...	85	...	N	2	b	"	29.94	85	...	...	0	b
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 24th at 11.10a. The barometer has fallen considerably over Japan, risen moderately in N. China.

The depression is moving towards NE. in the Sea of Japan.

Pressure is again high over the interior of China.

Freshening monsoon in the Formosa Channel and the N. part of the China Sea.

Forecast:— N. winds, moderate or fresh; fair, cooler.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 24th October 1902.

CHINA COAST METEOROLOGICAL REGISTE

Statin.	24th OCTOBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	29.63	53	...	NW	1	b	7 a.	30.02	34	65	E	1
Nemuro, ...	,,	29.69	...	...	...	0	...	6 a.	29.69	...	...	W	8
Hakodate, ...	,,	29.54	...	...	S	8	...	,,	29.97	...	...	N	6
Tokio, ...	,,	29.86	...	...	S	4	...	,,	29.94	...	...	...	0
Kochi, ...	,,	29.87	...	...	SW	8	...	,,	29.95	...	...	...	0
Nagasaki, ...	,,	29.87	...	...	W	6	...	,,	29.99	...	...	...	0
Kagoshima, ...	,,	29.91	...	...	SW	4	...	,,	30.03	...	...	NW	4
Oshima, ...	,,	29.96	...	...	SW	4	...	,,	30.04	...	...	NW	2
Naha, ...	,,	30.01	...	...	SE	4	...	,,	30.05	...	...	N	6
Ishigakijima, ...	,,	30.01	...	...	S	4	...	,,	30.06	...	...	N	4
Taihoku, ...	1 p.	29.99	...	...	N	6	...	5 a.	30.11	...	...	E	4
Taichu, ...	,,	29.98	...	...	NW	4	...	,,	30.01	...	...	N	2
Tainan, ...	,,	29.98	...	...	W	6	...	,,	30.02	...	...	N	2
Koshun, ...	,,	29.99	...	...	N	2	...	,,	30.02	...	...	NE	2
Pescadores, ...	,,	29.99	...	...	W	6	...	,,	30.04	...	...	NE	8
Gutzlaff, ...	3 p.	30.19	64	78	NW	4	cv	9 a.	30.27	65	73	NNW	2
Sharp Peak, ..	,,	29.99	75	88	ENE	7	o	,,	30.17	70	73	NNE	4
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow, ...	3 p.	30.00	80	...	SW	1	b	9 a.	...	...	...	...	...
Canton, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Hongkong, ...	4 p.	29.98	82	60	WNW	2	c	1 a.	30.12	78	56	E	2
Victoria Peak, .	,,	...	...	...	NW	4	...	,,	...	...	...	E	4
Gap Rock, ...	,,	29.97	...	...	NNW	3	...	,,	30.08	...	...	ENE	3
Macao, ...	,,	29.97	83	...	NW	2	b	,,	...	...	...	...	...
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila, ...	,,	29.88	79	93	NE	1	b	,,	...	...	...	...	...
Malate, ...	3 p.	...	...	...	NW	1	o	9 a.	...	...	...	...	0
Bacolod, ...	,,	...	...	...	N	4	o	,,	...	...	...	NE	4
Iloilo, ...	,,	29.87	83	...	E	2	o	,,	29.95	83	...	E	1
Cebu, ...	,,	29.84	86	...	NE	...	b	,,	29.93	81	...	N	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 25th at 11.20a. The barometer has risen quickly over the Sea of Japan and moderately in N. China.

The depression has moved into the Pacific to the NE. of Japan. Pressure is high over N. China. Strong monsoon along the coast and increasing monsoon in the N. part of the China Sea.

Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 25th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

	25th OCTOBER, 1902, P. M.							26th OCTOBER, 1902, A. M.						
TATIN.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Irostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
ire, ...	"	29.96	...	...	W	4	...	6 a.	30.16	...	...	SW	2	...
slate, ...	"	30.09	...	...	W	6	...	"	30.25	...	...	...	0	...
.....	"	30.19	...	...	NE	6	...	"	30.22	...	...	N	4	...
l, ...	"	29.99	...	...	W	2	...	"	30.15	...	...	NE	2	...
s.akl, ...	"	30.03	...	...	N	6	...	"	30.19	...	...	NE	4	...
shima, ...	"	30.03	...	...	NW	4	...	"	30.15	...	...	E	2	...
na, ...	"	30.08	...	...	N	6	...	"	30.16	...	...	S	2	...
.....	"	30.05	...	...	N	6	...	"	30.13	...	...	NE	2	...
akijima, ...	"	30.05	...	...	NE	8	...	"	30.05	...	...	NE	6	...
oka, ...	1 p.	30.09	...	...	E	6	...	5 a.	30.08	...	...	E	6	...
na, ...	"	29.97	...	...	N	4	...	"	30.03	...	...	...	0	...
an, ...	"	30.01	...	...	NW	4	...	"	30.02	...	...	N	2	...
un, ...	"	30.02	...	...	E	6	...	"	30.02	...	...	NE	2	...
adores, ...	"	30.05	...	...	NE	10	...	"	30.05	...	...	NE	6	...
laff, ...	3 p.	30.22	68	85	NNE	2	bv	9 a.	30.24	69	61	SE	2	cv
p Peak, ..	"	30.11	71	71	E	7	c	"	30.16	70	75	NNW	1	o
y, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
ow, ...	3 p.	30.06	81	...	E	5	b	9 a.	...	...	...	...	...	...
on, ...	"	30.01	85	54	...	0	b	"	...	...	...	...	...	...
gkong, ...	4 p.	30.03	77	62	ENE	3	c	10 a.	30.13	78	62	E	2	b
oria Peak, .	"	...	...	...	E	4	...	"	...	...	...	E	2	...
Rock, ...	"	30.01	...	...	ENE	4	...	"	30.11	...	...	E	4	...
o, ...	"	30.04	85	...	ENE	1	c	"	...	...	...	...	...	...
hong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
la, ...	"	29.84	84	71	ENE	2	o	"	29.96	82	77	NNE	1	o
te, ...	3 p.	...	...	...	E	1	c	9 a.	...	...	...	E	2	c
lod, ...	"	...	...	...	...	0	o	"	...	...	...	N	2	b
h	"	29.88	86	...	NE	2	c	"	29.94	82	...	NE	2	c
h	"	29.83	85	...	N	2	b	"	29.93	84	...	N	2	c
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 26th at 11a. The barometer has risen quickly in Japan, fallen slightly on the E. coast of China.

Pressure is highest between the E. coast of China and NE. Japan. Gradients are slight with moderate monsoon in the Formosa Channel, and fresh monsoon in the N. part of the China Sea.

Forecast:— moderate E. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 26th October 1902.

CHINA COAST METEOROLOGICAL REGISTE

26th OCTOBER, 1902, P. M.								27th OCTOBER, 1902, A. M.					
Statin.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	"	30.16	...	...	S	6	...	6 a.	30.24	...	...	...	0
Hakodate, ...	"	30.21	...	...	S	4	...	"	30.25	...	...	N	2
Tokio,.....	"	30.18	...	...	NE	4	...	"	30.30	...	...	NE	2
Kochi, ...	"	30.15	...	...	E	2	...	"	30.22	...	...	N	2
Nagasaki, ...	"	30.15	...	...	NE	4	...	"	30.23	...	...	...	0
Kagoshima, ...	"	30.15	...	...	SE	2	...	"	30.23	...	...	...	0
Oshima, ...	"	30.16	...	...	NW	4	...	"	30.20	...	...	S	2
Naha, ...	"	30.13	...	...	NE	4	...	"	30.17	...	...	...	0
Ishigakijima, ...	"	30.09	...	...	E	6	...	"	30.13	...	...	E	4
Taihoku,.....	1 p.	30.06	...	...	NE	8	...	5 a.	30.09	...	...	E	4
Taichu, ...	"	29.99	...	...	N	4	...	"	30.06	...	...	...	0
Tainan, ...	"	30.02	...	...	W	4	...	"	30.06	...	...	...	0
Koshun, ...	"	30.06	...	...	SE	4	...	"	30.08	...	...	NE	4
Pescadores, ...	"	30.05	...	...	NE	8	...	"	30.08	...	...	N	4
Gutzlaff, ...	3 p.	30.19	70	53	SE	3	bv	9 a.	30.28	69	85	...	0
Sharp Peak, ..	"	30.09	73	81	E	3	b	"	30.17	73	81	WNW	2
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow, ...	3 p.	30.05	79	...	E	4	b	9 a.	30.22	78	...	ENE	3
Canton, ...	"	30.03	89	56	NW	1	b	"	30.17	79	82	...	...
Hongkong,.....	4 p.	30.05	77	66	E	2	b	10 a.	30.15	78	72	E	3
Victoria Peak,.	"	...	...	...	...	0	...	"	...	...	...	E	4
Gap Rock,.....	"	30.02	...	...	E	3	...	"	30.12	...	...	ENE	4
Macao, ...	"	30.04	82	...	SSE	1	c	"	30.15	81	...	E	1
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila, ...	"	29.88	82	77	NE	1	o	"	30.00	86	71	W	1
Malate,.....	3 p.	...	...	...	N	1	o	9 a.	...	...	...	...	0
Bacolod, ...	"	...	...	...	N	4	b	"	...	...	...	...	0
Iloilo, ...	"	29.87	87	...	E	1	b	"	29.98	83	...	NE	2
Cebu, ...	"	29.86	85	...	N	2	b	"	29.98	86	...	N	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 27 th at 11a. The barometer has risen slightly at all stations.
Pressure is highest between the E. coast of China and NE. Japan, and gradients continue slight with moderate monsoon in the Formosa Channel and the N. part of the China Sea.
Forecast:— moderate E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 27th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

27th OCTOBER, 1902, P. M.								28th OCTOBER, 1902, A. M.						
TIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
stock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
, ...	,,	30.12	...	...	SW	6	...	6 a.	29.92	...	...	SW	6	...
te, ...	,,	30.17	...	...	S	4	...	,,	30.05	...	...	NW	6	...
.....	,,	30.18	...	...	S	2	...	,,	30.18	...	...	NW	2	...
.....	,,	30.15	...	...	NE	4	...	,,	30.19	...	...	N	2	...
ki, ...	,,	30.19	...	...	W	4	...	,,	30.23	...	...	...	0	...
ima, ...	,,	30.19	...	...	NW	6	...	,,	30.23	...	...	NE	2	...
, ...	,,	30.20	...	...	N	4	...	,,	30.12	...	...	S	2	...
.....	,,	30.17	...	...	E	4	...	,,	30.13	...	...	E	2	...
ijima, ...	,,	30.13	...	...	E	8	...	,,	30.09	...	...	E	4	...
u, ...	1 p.	30.06	...	...	E	6	...	5 a.	30.09	...	...	E	2	...
, ...	,,	30.02	...	...	NW	[illegible]	...	,,	30.04	...	...	...	0	...
, ...	,,	30.04	...	...	W	6	...	,,	30.07	...	...	...	0	...
n, ...	,,	30.09	...	...	E	6	...	,,	30.07	...	...	NE	2	...
ores, ...	,,	...	...	...	...	...	...	,,	30.07	...	...	...	0	...
ff, ...	3 p.	30.21	72	76	SE	2	cv	9 a.	...	...	...	...	...	...
Peak, ..	,,	30.11	75	86	N	2	o	,,	...	76	84	...	0	c
.....	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
w, ...	3 p.	30.11	81	...	E	3	b	9 a.	30.16	79	...	E	1	o
, ...	,,	30.05	89	66	...	...	...	,,	30.10	79	78	E	1	b
ong, ...	4 p.	30.07	78	73	E	2	b	10 a.	30.12	78	81	E	2	o
a Peak, .	,,	...	...	...	SE	2	...	,,	...	...	...	E	2	...
ock, ...	,,	30.06	...	...	ENE	4	...	,,	30.09	...	...	ESE	4	...
, ...	,,	30.07	84	...	SSE	1	c	,,	30.11	81	...	E	1	o
ong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
, ...	,,	29.92	88	66	NE	1	b	,,	29.96	86	71	W	1	b
, ...	3 p.	...	...	...	...	0	c	9 a.	...	...	...	E	1	b
d, ...	,,	...	...	...	N	2	b	,,	...	...	...	NE	2	b
.....	,,	29.89	85	...	E	2	c	,,	29.97	82	...	...	0	cr
.....	,,	29.90	85	...	N	4	b	,,	29.93	87	...	N	2	b
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 12.5p. The barometer has fallen considerably in NE. Japan and slightly over S. China and the Philippines.

Pressure is low in NE. Japan, probably owing to a depression to the NE. in the Pacific. Probably another low area exists over Central China. Pressure remains high in SW. Japan. Gradients are slight with variable winds on the China coast and moderate monsoon in the N. part of the China Sea.

Forecast:— moderate E. winds; probably some light rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 28th October 1902.

CHINA COAST METEOROLOGICAL REGISTER

Statin.	28th OCTOBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	„	30.12	...	...	N	10	...	6 a.	29.92	...	...	S	6
Hakodate, ...	„	30.17	...	...	NW	6	...	„	30.13	...	...	SE	6
Tokio,.....	„	30.14	...	...	NE	2	...	„	30.14	...	...	NW	4
Kochi, ...	„	30.11	...	...	E	2	...	„	30.07	...	...	NE	4
Nagasaki, ...	„	30.15	...	...	...	0	...	„	29.99	...	...	SE	6
Kagoshima, ...	„	30.11	...	...	SE	2	...	„	30.03	...	...	S	4
Oshima, ...	„	30.12	...	...	SE	4	...	„	30.04	...	...	S	4
Naha, ...	„	30.05	...	...	E	6	...	„	30.05	...	...	...	0
Ishigakijima, ...	„	30.05	...	...	SE	6	...	„	30.01	...	...	E	2
Taihoku,.....	1 p.	30.00	...	...	NW	6	...	5 a.	30.01	...	...	SE	2
Taichu, ...	„	29.98	...	...	NW	2	...	„	...	...	...	...	...
Tainan, ...	„	30.00	...	...	NW	4	...	„	...	...	...	...	...
Koshun, ...	„	30.02	...	...	NE	4	...	„	...	...	...	...	...
Pescadores, ...	„	30.03	...	...	N	4	...	„	...	...	...	...	...
Gutzlaff, ...	3 p.	30.10	86	95	ESE	4	ov	9 a.	30.17	65	95	NNW	3
Sharp Peak, ..	„	29.98	77	88	E	2	b	„	30.08	75	86	...	0
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow, ...	3 p.	30.06	82	...	E	1	b	9 a.	30.12	78	...	W	1
Canton, ...	„	30.01	80	66	SE	1	b	„	...	...	...	...	...
Hongkong,.....	4 p.	30.03	78	82	E	2	b	10 a.	30.08	82	65	SW	1
Victoria Peak,.	„	...	...	...	SE	1	...	„	...	...	...	E	1
Gap Rock,.....	„	30.02	...	...	E	3	...	„	30.07	...	...	E	1
Macao, ...	„	30.03	82	...	SE	1	c	„	30.08	82	...	ENE	1
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...
Manila, ...	„	29.88	88	71	...	0	c	„	29.96	84	71	WNW	1
Malate,.....	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0
Bacolod, ...	„	...	...	...	N	6	b	„	...	...	...	N	2
Iloilo, ...	„	29.87	85	...	E	1	c	„	29.91	80	...	...	1
Cebu, ...	„	29.84	86	...	N	4	b	„	29.93	84	...	N	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 29th at 11.50a. The barometer has fallen considerably in W. Japan owing to the depression which seems to be moving Eastwards, and approaching that neighbourhood. Pressure is highest over N. China. The monsoon will probably freshen in the Formosa Channel Moderate monsoon over the N. part of the China Sea.

Forecast:— variable or NE. winds, light to moderate; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 29th October 1902.

CHINA COAST METEOROLOGICAL REGISTER.

29th OCTOBER, 1902, P. M.								30th OCTOBER, 1902, A. M.						
IN.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
stock, ..	3 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
.....	"	30.08	...	...	S	8	...	6 a.	29.53	...	...	SW	8	...
ie, ...	"	29.93	...	...	S	2	...	"	29.66	...	...	W	10	...
....	"	30.02	...	...	...	0	...	"	29.82	...	...	NW	2	...
.....	"	29.95	...	...	E	2	...	"	29.99	...	...	N	4	...
ki, ...	"	29.95	...	...	NW	2	...	"	30.11	...	...	NE	2	...
ima, ...	"	29.95	...	...	W	4	...	"	30.07	...	...	NE	2	...
.....	"	30.00	...	...	S	2	...	"	30.04	...	...	N	2	...
.....	"	30.01	...	...	SW	4	...	"	30.05	...	...	...	0	...
ijima, ...	"	30.01	...	...	S	4	...	"	30.01	...	...	NE	2	...
, ...	1 p.	30.02	...	...	N	8	...	5 a.	30.05	...	...	E	6	...
.....	"	29.98	...	...	N	4	...	"	29.96	...	...	...	0	...
.....	"	30.00	...	...	W	4	...	"	29.97	...	...	N	2	...
, ...	"	30.01	...	...	E	6	...	"	29.97	...	...	NE	4	...
res, ...	"	30.00	...	...	N	4	...	"	29.98	...	...	NE	8	...
i, ...	3 p.	30.14	66	84	NNW	4	cv	9 a.	30.30	66	79	N	4	cm
Peak, ..	"	30.00	76	84	E	4	o	"	30.17	70	85	NE	5	o
.....	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
, ...	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...	...
.....	"	29.98	80	82	N	1	o	"	...	...	...	...	...	...
ng.....	4 p.	29.97	82	62	S	1	o	10 a.	30.06	79	73	ENE	1	o
Peak, .	"	...	...	...	ESE	1	...	"	...	...	...	ENE	3	...
ck, ...	"	29.98	...	...	ESE	2	...	"	30.02	...	...	NE	4	...
.....	"	29.97	85	...	S	1	c	"	30.06	82	...	N	1	c
g, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
.....	"	29.84	88	59	SE	1	c	"	29.92	86	71	WSW	1	c
.....	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0	b
, ...	"	...	...	...	N	2	b	"	...	...	...	...	0	c
.....	"	29.82	86	...	E	1	o	"	29.91	82	...	NE	2	o
.....	"	29.81	85	...	N	2	b	"	29.91	73	...	...	0	c
James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 30th at 11.15a. The barometer has fallen rapidly over E. Japan, risen moderately in N. China.

The depression has moved towards NE. and lies now over NE. Japan.

Pressure is high in N. China and relatively low over the N. part of the China Sea. Gradients rather steep with very strong monsoon in the Formosa Channel, and increasing monsoon over the N. part of the China Sea.

Forecast:— fresh to strong NE. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 30th October 1902.

CHINA COAST METEOROLOGICAL REGISTER

Statin.	30th OCTOBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	31st OCTOBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	29.49	...	...	NW	8	...	6 a.	30.12	...	...	NW	8
Hakodate, ...	,,	29.89	...	...	W	10	...	,,	30.32	...	...	NW	8
Tokio, ...	,,	29.90	...	...	N	6	...	,,	30.37	...	...	NW	3
Kochi, ...	,,	30.03	...	...	W	4	...	,,	30.23	...	...	N	3
Nagasaki, ...	,,	30.11	...	...	N	4	...	,,	30.23	...	...	E	4
Kagoshima, ...	,,	30.07	...	...	NW	2	...	,,	30.19	...	...	E	6
Oshima, ...	,,	30.08	...	...	N	6	...	,,	30.08	...	...	SE	2
Naha, ...	,,	30.05	...	...	NE	4	...	,,	30.05	...	...	E	2
Ishigakijima, ...	,,	30.01	...	...	E	4	...	,,	29.93	...	...	S	6
Taihoku, ...	1 p.	30.07	...	...	NE	6	...	5 a.	29.98	...	...	NE	4
Taichu, ...	,,	29.91	...	...	N	6	...	,,	29.88	...	...	...	0
Tainan, ...	,,	29.97	...	...	SE	2	...	,,	29.89	...	...	...	0
Koshun, ...	,,	29.96	...	...	NE	6	...	,,	29.92	...	...	NE	6
Pescadores, ...	,,	29.99	...	...	NE	10	...	,,	29.92	...	...	NE	10
Gutzlaff, ...	3 p.	30.27	65	...	NE	4	cv	9 a.	30.25	64	68	ENE	3
Sharp Peak, ..	,,	30.12	69	85	N	3	...	,,	30.12	65	60	WNW	4
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow, ...	3 p.	30.07	76	...	ENE	4	o	9 a.	...	...	...	...	...
Canton, ...	,,	29.98	67	95	NNE	2	o	,,	30.10	67	89	...	0
Hongkong, ...	4 p.	29.99	75	71	NE	2	od	10 a.	30.08	69	73	NE	1
Victoria Peak, .	,,	...	...	...	ENE	5	...	,,	...	...	...	NE	3
Gap Rock, ...	,,	29.97	...	...	ENE	5	...	,,	30.05	...	...	ENE	5
Macao, ...	,,	29.99	79	...	NNE	1	o	,,	30.06	74	...	NNW	1
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila, ...	,,	29.80	84	77	...	0	c	,,	29.92	84	77	...	0
Malate, ...	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0
Bacolod, ...	,,	...	...	...	N	4	o	,,	...	...	...	...	0
Iloilo, ...	,,	29.81	86	...	E	1	o	,,	29.90	81	...	NE	2
Cebu, ...	,,	29.79	83	...	N	2	c	,,	29.90	83	...	...	0
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 31 st at 11.40a. The barometer has risen rapidly and is now high over E. Japan, the depression lying there yesterday having passed to the Pacific.

Pressure has given way over the E. coast of China and Formosa owing to the existence of an area of low pressure in the neighbourhood of Meinco Sima.

Strong N. and NE. winds in the Formosa Channel and over the N. part of the China Sea.

Forecast:— N. winds, moderate or fresh; some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 31st October 1902.

CHINA COAST METEOROLOGICAL REGISTER

31st OCTOBER, 1902, P. M.								1st NOVEMBER, 1902, A. M.							
ATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
vostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
ro, ...	,,	30.28	...	...	NW	6	...	8 a.	...	...	...	W	2	...
ate, ...	,,	30.40	...	...	NW	8	...	,,	30.30	...	...	...	0	...
.....	,,	30.41	...	...	NE	4	...	,,	30.41	...	...	NW	4	...
, ...	,,	30.23	...	...	NE	6	...	,,	30.15	...	...	NE	8	...
aki, ...	,,	30.15	...	...	E	2	...	,,	30.07	...	...	E	8	...
shima.....	,,	30.10	...	...	E	6	...	,,	30.03	...	...	E	10	...
a, ...	,,	30.04	...	...	SE	4	...	,,	29.96	...	...	S	6	...
.....	,,	29.97	...	...	E	6	...	,,	29.93	...	...	S	2	...
akijima, ...	,,	29.89	...	...	S	6	...	,,	29.89	...	...	S	4	...
ku, ...	1 p.	30.03	...	...	NW	8	...	5 a.	29.99	...	...	...	0	...
u, ...	,,	29.94	...	...	N	8	...	,,	29.92	...	...	...	0	...
n, ...	,,	29.93	...	...	N	6	...	,,	29.91	...	...	N	4	...
un, ...	,,	29.92	...	...	E	2	...	,,	29.89	...	...	NE	6	...
dores, ...	,,	30.00	...	...	NE	10	...	,,	29.92	...	...	NE	10	...
aff, ...	3 p.	30.16	66	95	NE	2	cv	2 a.	30.14	65	78	N	2	cv
Peak, ..	,,	30.05	64	81	WNW	2	r	,,	30.06	68	74	...	0	c
, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
ow, ...	3 p.	30.01	71	...	NE	4	o	9 a.	...	...	...	...	...	...
on, ...	,,	29.99	66	73	N	1	b	,,	...	...	...	...	...	...
kong.....	4 p.	29.98	72	73	NNE	1	o	10 a.	30.05	76	69	SE	1	b
ria Peak,.	,,	...	...	...	NNE	2	...	,,	...	...	...	ENE	1	...
Rock, ...	,,	29.96	...	...	NE	2	...	,,	30.02	...	...	ENE	3	...
, ...	,,	29.99	76	...	N	1	cp	,,	30.05	75	...	N	1	c
hong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
la, ...	,,	29.80	82	77	ESE	1	o	,,	29.92	82	77	W	1	c
te,.....	3 p.	...	...	...	ESE	1	o	9 a.	...	...	...	...	0	c
lod, ...	,,	...	...	...	NE	...	o	,,	...	...	...	...	0	b
, ...	,,	29.82	83	...	...	0	o	,,	29.94	82	...	NE	2	b
, ...	,,	29.82	85	...	N	2	c	,,	29.96	85	...	...	0	c
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 11.15a. The barometer has fallen over the E. coast of China, the Loochoos and SW. Japan.

The depression is deepening and moving Northwards to the W. of the Loochoos. Pressure remains high over E. Japan. Gradients slight with moderate monsoon in S. China and the N. part of the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 1st November 1902.

CHINA COAST METEOROLOGICAL REGISTE

1st NOVEMBER, 1902, P. M.								2nd NOVEMBER, 1902, A. M					
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. For
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	,,	30.20	...	...	SW	8	...	6 a.	30.08	...	...	NW	2
Hakodate, ...	,,	30.21	...	...	...	0	...	,,	30.17	...	...	NW	2
Tokio, ...	,,	30.22	...	...	NW	6	...	,,	30.18	...	...	NW	2
Kochi, ...	,,	30.07	...	...	NE	6	...	,,	29.99	...	...	S	8
Nagasaki, ...	,,	29.95	...	...	SE	6	...	,,	29.99	...	...	N	4
Kagoshima, ...	,,	29.99	...	...	E	6	...	,,	29.99	...	...	...	0
Oshima, ...	,,	29.96	...	...	S	6	...	,,	30.00	...	...	S	2
Naha, ...	,,	29.97	...	...	NW	4	...	,,	30.01	...	...	N	4
Ishigakijima, ...	,,	29.97	...	...	N	2	...	,,	30.01	...	...	...	0
Taihoku, ...	1 p.	30.00	...	...	E	2	...	5 a.	30.05	...	...	E	4
Taichu, ...	,,	29.91	...	...	N	6	...	,,	29.98	...	...	...	0
Tainan, ...	,,	29.93	...	...	NW	6	...	,,	29.99	...	...	N	2
Koshun, ...	,,	29.97	...	...	NE	6	...	,,	30.00	...	...	NE	2
Pescadores, ...	,,	...	...	...	NW	8	...	,,	30.01	...	...	N	8
Gutzlaff, ...	3 p.	30.12	82	79	N	...	cv	9 a.	30.23	65	73	NE	4
Sharp Peak, ..	,,	30.02	70	75	E	5	b	,,	30.12	70	75	N	2
Amoy, ...	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow, ...	3 p.	30.02	77	...	E	2	b	9 a.	...	...	...	...	...
Canton, ...	,,	29.92	82	63	S	1	...	,,	...	...	...	...	...
Hongkong, ...	4 p.	29.98	75	72	SE	2	o	10 a.	30.07	76	72	ENE	4
Victoria Peak, .	,,	...	...	...	ESE	1	...	,,	...	...	...	...	...
Gap Rock, ...	,,	29.98	...	...	E	3	...	,,	30.04	...	...	E	3
Macao, ...	,,	29.98	76	...	E	1	c	,,	...	...	...	..	...
Haiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila, ...	,,	29.84	86	71	WSW	2	o	,,	29.96	82	85	...	0
Malate, ...	3 p.	...	...	...	...	0	o	9 a.	...	...	...	...	0
Bacolod, ...	,,	...	...	...	...	0	o	,,	...	...	...	N	2
Iloilo, ...	,,	29.84	85	...	W	1	o	,,	29.97	84	...	E	1
Cebu, ...	,,	29.85	85	...	N	2	b	,,	29.95	85	...	...	0
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 2nd at 11.15a. The barometer has fallen moderately over Japan, risen slightly elsewhere.

The depression is crossing W. Japan, moving towards NE. Pressure is highest over N. China. Moderate to fresh monsoon on the China coast and over the N. part of the China Sea. Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 2nd November 1902.

CHINA COAST METEOROLOGICAL REGISTER

2nd NOVEMBER, 1902, P. M.								3rd NOVEMBER, 1902, A. M.						
TION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
bstock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
... .	„	30.20	...	...	NE	8	...	6 a.	30.31	...	...	E	4	...
ate.	„	30.17	...	...	NW	2	...	„	30.25	...	...	E	6	...
....	„	30.06	...	...	N	2	...	„	30.18	...	...	NW	2	...
.....	„	29.95	...	...	S	4	...	„	30.11	...	...	N	4	...
ki, ...	„	30.03	...	...	N	6	...	„	30.11	...	...	E	4	...
ima, ...	„	29.99	...	...	SW	2	...	„	30.11	...	...	E	2	...
, ...	„	30.04	...	...	N	4	...	„	30.12	...	...	S	2	...
.....	„	30.05	...	...	N	6	...	„	30.13	...	...	...	0	...
ijima, ...	„	30.05	...	...	E	6	...	„	30.09	...	...	NE	4	...
n, ...	1 p.	30.03	...	...	E	8	...	5 a.	30.08	...	...	E	2	...
, ...	„	29.96	...	...	N	4	...	„	30.05	...	...	...	0	...
, ...	„	29.90	...	...	W	4	...	„	30.06	...	...	N	2	...
n, ...	„	30.02	...	...	E	4	...	„	30.06	...	...	NE	2	...
lores, ...	„	30.02	...	...	NE	8	...	„	30.06	...	...	NE	6	...
ff, ...	3 p.	30.20	67	64	ENE	2	cv	9 a.	30.22	69	80	SE	1	cv
Peak, ..	„	30.08	72	74	ENE	3	o	„	30.14	73	81	...	0	o
.....	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...	...
w, ...	3 p.	30.07	70	...	SE	1	c	9 a.	30.12	76	...	ENE	1	o
, ...	„	30.02	85	54	E	1	c	„	...	...	...	...	...	...
oag, ...	4 p.	30.03	75	72	ENE	3	b	10 a.	30.11	77	78	E	3	o
ia Peak, .	„	...	...	...	E	[illegible]	...	„	...	...	...	ESE	4	...
ook, ...	„	30.00	...	...	ENE	2	...	„	30.09	...	...	E	4	...
.....	„	30.03	78	...	ESE	1	c	„	...	...	...	..	...	...
ong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
, ...	„	29.88	82	85	NNE	1	o	„	30.00	79	92	...	0	o
e, ...	3 p.	...	...	...	NW	1	o	9 a.	...	...	..	...	0	o
od, ...	„	...	...	...	N	2	b	„	...	...	...	N	2	b
.....	„	29.87	88	...	NE	2	b	„	30.00	83	...	E	1	c
.....	„	29.86	85	...	N	2	b	„	29.97	85	...	N	2	b
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 11.30a. The barometer has risen generally except in N. China. The depression lying over W. Japan yesterday seems to have filled up, and pressure is now high over NE. Japan. Probably another depression is developing over N. China. Gradients slight generally with moderate to light monsoon in S. China and the N. part of the China Sea.

Forecast:— moderate E. winds; some drizzling rain or mist.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 3rd November 1902.

CHINA COAST METEOROLOGICAL REGISTER

	3rd NOVEMBER, 1902, P. M.							4th NOVEMBER, 1902, A. M.					
					Wind.							Wind.	
Station.	Hour.	Barometer.	Temperature.	Humidity.	Direction.	Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Direction.	Force.
Wladivostock,	2 p.	...	...	...	...	..	...	7 a.	...	...	...	...	...
Nemuro,	"	29.24	...	...	SE	6	...	6 a.	29.80	...	...	S	6
Hakodate,	"	30.17	...	...	SE	8	...	"	29.73	...	...	SW	2
Tokio,	"	30.14	...	...	...	0	...	"	29.86	...	...	N	2
Kochi,	"	30.03	...	...	E	4	...	"	29.95	...	...	NW	4
Nagasaki,	"	30.03	...	...	...	0	...	"	30.11	...	...	...	0
Kagoshima,	"	30.03	...	...	SW	4	...	"	30.07	...	...	W	2
Oshima,	"	30.08	...	...	N	4	...	"	30.08	...	...	N	4
Naha,	"	30.09	...	...	NW	4	...	"	30.09	...	...	NE	2
Ishigakijima,	"	30.05	...	...	SE	4	...	"	30.05	...	...	N	2
Taihoku,	1 p.	30.03	...	...	E	6	...	5 a.	20.07	...	...	E	4
Taichu,	"	29.98	...	...	NW	4	...	"	29.99	...	...	...	0
Tainan,	"	30.00	...	...	NW	6	...	"	29.98	...	...	N	2
Koshun,	"	...	...	...	...	...	...	"	30.00	...	...	NE	6
Pescadores,	"	30.04	...	...	NE	8	...	"	30.01	...	...	NE	8
Gutzlaff,	3 p.	30.22	67	79	NNE	2	cv	9 a	30.30	62	94	N	5
Sharp Peak,	"	30.07	73	81	ENE	3	c	"	30.17	70	82	N	5
Amoy,	2.30p.	...	...	...	...	...	...	6.30a.	...	...	...	...	...
Swatow,	3 p	30.06	80	...	E	2	o	9 a.	...	...	...	..	...
Canton,	"	30.04	85	72	SW	1	b	"	...	...	...	...	...
Hongkong,	4 p.	30.05	77	72	E	2	o	10 a.	30.12	72	78	N	3
Victoria Peak,	"	...	...	...	...	...	...	"	...	...	...	...	...
Gap Rock,	"	30.02	...	...	E	4	...	"	30.09	...	...	NE	4
Macao,	"	30.04	79	...	ENE	1	c	"	...	...	...	...	...
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.92	81	92	SE	1	od	"	29.96	84	77	W	1
Malate,	3 p.	...	...	...	...	0	o	9 a.	...	...	...	NW	1
Bacolod,	"	...	...	...	N	4	b	"	...	...	...	N	2
Iloilo,	"	29.89	86	...	...	0	c	"	29.96	82	...	E	1
Cebu,	"	29.89	86	...	N	3	b	"	29.93	85	...	N	2
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 4th at 11.30a. The barometer has fallen rapidly in NE. Japan owing to the depression which has moved Eastwards into the N. part of the Sea of Japan.

The barometer has risen over N. China, where pressure is now high.

Gradients rather steep with very strong monsoon on the China coast and freshening monsoon over the N. part of the China Sea.

Forecast: – fresh to strong N. winds; squally, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 4th November 1902.

CHINA COAST METEOROLOGICAL REGISTER

STATION.	4th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	5th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
...irostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
...uro, ...	"	29.53	...	...	SW	6	...	6 a.	29.88	...	...	N	6	...
...dare, ...	"	29.77	...	...	W	8	...	"	30.01	...	...	NW	6	...
...io,.....	"	29.78	...	...	NW	6	...	"	30.02	...	...	NW	4	...
...hi, ...	"	29.95	...	...	W	4	...	"	30.07	...	...	N	4	...
...gasaki, ...	"	30.07	...	...	NW	6	...	"	30.15	...	...	...	0	...
...oshima, ...	"	30.03	...	...	N	6	...	"	30.11	...	...	N	2	...
...ma, ...	"	30.04	...	...	N	6	...	"	30.08	...	...	N	6	...
..., ...	"	30.01	...	...	N	6	...	"	30.05	...	...	NE	2	...
...akijima, ...	"	30.01	...	...	E	6	...	"	30.05	...	...	N	4	...
...oku, ...	1 p.	30.11	...	...	E	6	...	5 a.	30.12	...	...	E	2	...
...hu, ...	"	29.96	...	...	N	8	...	"	30.09	...	...	N	2	...
...an, ...	"	29.97	...		NW	4	...	"	30.01	...	...	N	4	...
...bun, ...	"	29.98	...	...	NE	4	...	"	29.98	...	...	NE	8	...
...adores, ...	"	30.02	...	...	NE	10	...	"	30.02	...	...	NE	4	...
...laff, ...	3 p.	30.26	63	83	NNE	4	cv	9 a	30.34	60	55	N	3	cv
...p Peak, ..	"	30.15	68	74	N	5	or	"	30.21	67	74	NNW	2	o
...y, ...	2.30p.	30.13	72	85	NE	2	od	6.39a.	30.15	69	85	NE	...	o
...tow, ...	3 p.	30.08	74	...	NE	1	o	9 a.	...	...	...	..	...	...
...ion, ...	"	30.09	70	61	N	2	od	"	...	...	...	...	...	...
...gkong,.....	4 p.	30.08	68	82	N	1	od	10 a.	30.15	68	75	N	2	o
...oria Peak,.	"	...	...	...	NE	4	...	"	...	...	...	NNE	2	...
... Rock, ...	"	30.05	...	...	NNE	4	...	"	30.12	...	...	NNE	4	...
...e, ...	"	30.09	77	...	NNE	1	or	"	30.17	73	...	N	1	od
...shong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
...la, ...	"	29.84	88	72	SSW	1	c	"	29.92	88	66	...	0	c
...te,.....	3 p.	...	...	...	...	0	c	9 a.	...	...	..	...	0	b
...lod, ...	"	...	...	...	N	2	o	"	...	...	...	N	2	b
.....	"	29.85	85	...	NE	2	c	"	29.93	82	...	E	1	b
.....	"	29.83	85	...	...	0	b	"	29.91	85	...	...	0	b
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5 th at 11.35a. The barometer has risen over Japan, the depression lying over NE. Japan yesterday having moved into the Pacific.

The barometer has risen slightly on the China coast, fallen a little over the Philippines.

Pressure remains high over N. China and gradients are moderate with fresh monsoon on the coast and strong monsoon over the N. part of the China Sea.

Forecast:— moderate N. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 5th November 1902.

CHINA COAST METEOROLOGICAL REGISTER

Statin.	5th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	6th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro.	"	29.92	...	...	N	4	...	6 a.	29.88	...	...	NW	4
Hakodate, ...	"	29.97	...	...	W	4	...	"	30.01	...	...	E	2
Tokio,.....	"	30.06	...	...	NE	10	...	"	30.10	...	...	NW	2
Kochi, ...	"	30.03	...	...	E	2	...	"	30.11	...	...	N	4
Nagasaki, ...	"	30.11	...	...	N	6	...	"	30.19	...	...	...	0
Kagoshima.....	"	30.07	...	...	NW	2	...	"	30.19	...	...	NW	2
Oshima, ...	"	30.12	...	...	N	6	...	"	30.12	...	...	N	6
Naha, ...	"	30.09	...	...	NE	6	...	"	30.13	...	...	NE	2
Ishigakijima, ...	"	30.01	...	...	NE	6	...	"	30.09	...	...	NE	6
Taihoku,.....	1 p.	30.09	...	...	E	4	...	5 a.	...	...	...	...	...
Taichu, ...	"	29.96	...	...	N	6	...	"	...	...	...	...	...
Tainan, ...	"	29.96	...	...	N	6	...	"	...	...	...	...	...
Koshun, ...	"	30.09	...	...	NE	4	...	"	...	...	...	...	...
Pescadores, ...	"	30.02	...	...	NE	10	...	"	...	...	...	...	...
Gutzlaff, ...	3 p.	30.31	63	57	N	2	cv	9 a.	30.40	59	59	N	1
Sharp Peak. ..	"	30.14	67	74	NNE	6	og	"	30.26	66	76	NNE	6
Amoy, ...	2.30p.	30.11	72	85	NE	1	c	6.30a.	30.19	69	75	NE	1
Swatow, ...	3 p	30.03	74	...	NE	1	o	9 a.	...	77	...	NE	1
Canton, ...	"	30.11	75	90	N	1	b	"	...	...	...	...	...
Hongkong,.....	4 p.	30.09	72	65	N	1	o	10 a.	30.23	73	59	NE	2
Victoria Peak,.	"	...	...	...	NNE	4	...	"	...	...	...	ENE	3
Gap Rock,.....	"	30.06	...	...	NE	4	...	"	30.19	...	...	ENE	4
Macao, ...	"	30.10	74	...	N	1	c	"	30.23	72	...	N	1
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila, ...	"	29.84	82	77	SE	1	c	"	29.96	84	71	W	1
Malate,.....	3 p.	...	...	...	...	0	o	9 a.	...	...	...	W	1
Bacolod, ...	"	...	...	...	N	4	b	"	...	...	...	N	2
Iloilo, ...	"	29.84	84	...	NE	2	o	"	29.98	81	...	...	0
Cebu, ...	"	29.84	84	...	...	0	c	"	29.96	85	...	N	2
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 6th at 11.10a. The barometer has risen slightly at all stations.
Pressure remains high over N. China, and gradients are slight to moderate with fresh monsoon along the coast, and strong monsoon over the N. part of the China Sea.
Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 6th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	6th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock,	2 p.	30.05	48	...	N	1	b	7 a.	30.27	34	94	...	0	b
aro,	"	29.88	...	...	N	6	...	6 a.	29.92	...	...	NW	8	...
odate,	"	29.97	...	...	W	8	...	"	30.09	...	...	W	4	...
io,	"	30.02	...	...	S	2	...	"	30.18	...	...	NW	6	...
hi,	"	30.11	...	...	W	4	...	"	30.31	...	...	N	2	...
...saki,	"	30.23	...	...	N	4	...	"	30.35	...	...	...	0	...
oshima,	"	30.19	...	...	N	4	...	"	30.31	...	...	NE	2	...
ima,	"	30.16	...	...	N	8	...	"	30.24	...	...	N	8	...
a,	"	30.17	...	...	NE	4	...	"	30.25	...	...	NE	2	...
igakijima,	"	30.13	...	...	NE	6	...	"	30.21	...	...	NE	6	...
hoku,	1 p.	30.02	...	...	E	6	...	5 a.	30.04	...	...	E	6	...
chu,	"	30.05	...	...	N	6	...	"	30.07	...	...	NE	...	...
nan,	"	30.04	...	...	N	6	...	"	30.10	...	...	N	2	...
chun,	"	30.04	...	...	NE	8	...	"	30.10	...	...	NE	8	...
cadores,	"	30.13	...	...	NE	10	...	"	30.15	...	...	NE	10	...
tzlaff,	3 p.	30.37	64	53	NNW	1	cv	9 a.	30.46	60	60	NNE	2	by
...p Peak,	"	30.24	67	67	NE	7	o	"	30.33	66	68	WNW	3	o
...y,	2.30p.	30.17	75	64	NE	3	c	6.30a.	30.29	66	73	N	2	b
stow,	3 p.	30.17	77	...	E	3	b	9 a.	30.27	71	...	NE	1	...
...ton,	"	30.17	73	81	E	1	b	"	...	...	...	...	...	...
...gkong,	4 p.	30.14	74	64	ESE	1	c	10 a.	30.27	73	58	NE	2	b
...oria Peak,	"	...	...	...	E	1	...	"	...	...	...	E	6	...
...p Rock,	"	30.12	...	...	ENE	4	...	"	30.23	...	...	E	5	...
...cao,	"	30.15	76	...	NE	1	c	"	30.28	75	...	N	1	o
...iphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
...nila,	"	29.88	92	65	...	0	...	"	29.96	84	71	NE	...	o
...late,	3 p.	...	...	...	...	0	c	9 a.	...	...	...	E	2	b
...colod,	"	...	...	...	NE	2	b	"	...	...	...	N	2	b
...lle,	"	29.89	84	...	NE	1	b	"	30.00	83	...	E	1	b
...bu,	"	29.88	86	...	...	0	b	"	29.92	85	...	...	0	...
...pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.30a. The barometer has continued to rise over China and Japan.
The high pressure area covering China is extending over Japan.
Gradients moderate with fresh monsoon on the China coast and very strong monsoon over the N. part of the China Sea.
Forecast:—moderate NE winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 7th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Statin.	7th NOVEMBER, 1902, P. M.							8th NOVEMBER, 1902, A. M.					
	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.22	50	...	E	1	b	7 a.	30.17	36	99	...	0
Nemuro,	"	30.04	...	...	NW	8	...	6 a.	30.12	...	...	W	4
Hakodate,	"	30.21	...	...	N	4	...	"	30.25	...	...	...	0
Tokio,	"	30.26	...	...	N	6	...	"	30.37	...	...	NW	4
Kochi,	"	30.27	...	...	SW	4	...	"	30.34	...	...	N	4
Nagasaki,	"	30.31	...	...	NE	6	...	"	30.34	...	...	...	0
Kagoshima,	"	30.27	...	...	E	2	...	"	30.31	...	...	N	2
Oshima,	"	30.24	...	...	N	4	...	"	30.24	...	...	S	2
Naha,	"	30.21	...	...	NE	4	...	"	30.17	...	...	NE	4
Ishigakijima,	"	30.17	...	...	NE	8	...	"	30.17	...	...	E	6
Taihoku,	1 p.	30.24	...	...	E	8	...	5 a.	30.20	...	...	...	0
Taichu,	"	30.06	...	...	N	4	...	"	30.11	...	...	...	0
Tainan,	"	30.10	...	...	SW	6	...	"	30.12	...	...	...	0
Koshun,	"	30.11	...	...	NE	6	...	"	30.11	...	...	NE	4
Pescadores,	"	30.15	...	...	NE	10	...	"	30.13	...	...	NE	10
Gutzlaff,	3 p.	30.41	64	63	N	1	bv	9 a.	30.40	61	60	NE	2
Sharp Peak,	"	30.25	68	70	NE	7	c	"	30.26	64	76	WNW	...
Amoy,	2.30p.	30.19	77	61	NE	2	c	6.30a.	30.25	67	74	N	2
Swatow,	3 p	30.17	76	...	E	4	b	9 a.	...	...	...	...	...
Canton,	"	30.21	78	50	N	1	b	"	30.26	67	64	NE	1
Hongkong,	4 p.	30.19	74	62	E	1	b	10 a.	30.22	74	51	E	2
Victoria Peak,	"	...	...	...	E	1	...	"	...	...	...	ENE	2
Gap Rock,	"	30.18	...	...	E	4	...	"	30.20	...	...	NE	3
Macao,	"	30.20	74	...	N	1	c	"	30.22	73	...	NNE	2
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.88	86	53	E	1	...	"	29.88	79	84	NNE	1
Malate,	3 p.	...	...	...	E	1	b	9 a.	...	...	...	NW	1
Bacolod,	"	...	...	...	N	2	b	"	...	...	...	N	2
Iloilo,	"	29.88	86	...	...	0	b	"	29.96	83	...	...	0
Cebu,	"	29.88	85	...	N	2	b	"	29.94	85	...	N	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 8th at 11.30a. The barometer has risen in E. Japan, fallen over the China coast and Philippines.

Pressure appears to be low over the Pacific to the E. of Luzon.

The high pressure area has moved Eastwards and is central between the E. coast of China and SE. Japan.

Moderate monsoon in S. China, strong monsoon over the N. part of the China Sea.

Forecast:—moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 8th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

8th NOVEMBER, 1902, P. M.								9th NOVEMBER, 1902, A. M.						
ATIN.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock, ..	2 p.	30.09	57	...	...	0	b	7 a.	30.04	37	99	...	0	f
ro, ...	,,	29.92	...	...	W	6	...	6 a.	30.00	...	...	W	2	...
date, ...	,,	30.13	...	...	W	6	...	,,	30.13	...	...	...	0	...
,.....	,,	30.26	...	...	S	2	...	,,	30.22	...	...	NW	2	...
,.....	,,	30.23	...	...	NE	2	...	,,	30.19	...	...	N	4	...
saki, ...	,,	30.27	...	...	S	4	...	,,	30.23	...	...	...	0	...
shima, ...	,,	30.23	...	...	W	2	...	,,	30.19	...	...	N	2	...
a, ...	,,	30.16	...	...	N	2	...	,,	30.12	...	...	S	2	...
,.....	,,	30.17	...	...	N	2	...	,,	30.09	...	...	...	0	...
akijima, ...	,,	30.13	...	...	E	6	...	,,	30.05	...	...	NE	2	...
kn, ...	1 p.	30.14	...	...	E	6	...	5 a.	30.12	...	...	E	4	...
n, ...	,,	30.03	...	...	NW	4	...	,,	30.02	...	...	...	...	...
n, ...	,,	30.06	...	...	NW	4	...	,,	30.04	...	...	N	4	...
un, ...	,,	30.08	...	...	NE	6	...	,,	30.00	...	...	NE	6	...
dores, ...	,,	30.10	...	...	NE	10	...	,,	30.05	...	...	NE	8	...
laff, ...	3 p.	30.32	63	57	NE	2	bv	9 a.	30.30	61	71	...	0	bv
Peak, ..	,,	30.18	68	72	NE	5	o	,,	30.19	67	79	NNW	1	c
y, ...	2.30p.	30.14	78	61	NNE	2	c	6.30a.	30.10	67	74	NNE	2	b
ow, ...	3 p	30.07	77	...	NW	2	b	9 a.	...	...	...	...	...	...
on, ...	,,	30.13	79	47	N	1	b	,,	...	...	...	...	...	...
kong, ...	4 p.	30.11	75	53	E	1	b	10 a.	30.14	76	49	NE	1	b
ria Peak, .	,,	...	...	...	E	1	...	,,	...	...	...	ENE	2	...
Rock, ...	,,	30.10	...	...	ENE	3	...	,,	30.12	...	...	ENE	3	...
o, ...	,,	30.12	77	...	N	1	c	,,	30.14	73	...	NNE	1	c
hong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
la, ...	,,	29.72	81	76	W	3	...	,,	...	...	...	...	...	...
te, ...	3 p.	...	...	...	E	3	o	9 a.	...	...	...	E	2	o
lod, ...	,,	...	...	...	...	0	b	,,	...	...	...	N	2	b
,.....	,,	29.85	86	...	SE	...	o	,,	29.94	83	...	S	1	o
,.....	,,	29.82	86	...	S	2	b	,,	29.91	84	...	...	0	c
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 8th at 5.40p. The depression in the Pacific appears to be approaching Central Luzon.

On the 9th at 12.20p. The barometer has fallen slightly over the Philippines and moderately over China and Japan.

Pressure is highest between the E. coast of China and SE. Japan.

Pressure remains low in the neighbourhood of Luzon.

Fresh monsoon in S. China, very strong monsoon over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 9th November 1902.

CHINA COAST METEOROLOGICAL REGISTER

9th NOVEMBER, 1902, P. M.								10th NOVEMBER, 1902, A. M.					
STATIN.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	Humidity.	WIND. Direction.	WIND. Force.
Wladivostock, ..	2 p.	29.97	56	...	...	0	b	7 a.	29.85	44	99	...	0
Nemuro, ...	„	29.88	...	...	SW	6	...	6 a.	29.84	...	...	SW	2
Hakodate, ...	„	30.01	...	...	NW	6	...	„	29.93	...	...	N	...
Tokio,.....	„	30.10	...	...	...	0	...	„	30.02	...	...	NW	2
Kochi, ...	„	30.07	...	...	E	2	...	„	30.07	...	...	N	2
Nagasaki, ...	„	30.15	...	...	N	4	...	„	30.11	...	...	...	0
Kagoshima, ...	„	30.11	...	...	...	0	...	„	30.11	...	...	NW	2
Oshima, ...	„	30.08	...	...	SE	2	...	„	30.08	...	...	...	8
Naha, ...	„	30.01	...	...	NW	4	...	„	30.01	...	...	NE	2
Ishigakijima, ...	„	30.01	...	...	NE	6	...	„	30.01	...	...	N	4
Taihoku, ...	1 p.	30.08	...	...	E	6	...	5 a.	30.07	...	...	E	6
Taichu, ...	„	29.96	...	...	N	6	...	„	29.97	...	...	...	0
Tainan, ...	„	29.97	...	...	N	4	...	„	29.96	...	...	N	4
Koshun, ...	„	29.98	...	...	NE	6	...	„	29.98	...	...	E	6
Pescadores, ...	„	30.03	...	...	NE	10	...	„	30.01	...	...	NE	8
Gutzlaff, ...	3 p.	30.23	65	53	...	0	bv	9 a.	30.25	68	62	...	0
Sharp Peak. ..	„	30.10	69	63	E	4	b	„	30.16	67	74	NNW	3
Amoy, ...	2.30p.	30.14	73	86	NNE	3	b	6.30a.	30.12	67	64	N	2
Swatow, ...	3 p	30.07	75	...	E	2	b	9 a.	30.10	71	...	N	1
Canton, ...	„	30.04	80	55	NE	1	b	„	30.12	73	46	E	1
Hongkong,.....	4 p.	30.03	75	59	E	2	b	10 a.	30.08	75	46	E	2
Victoria Peak,.	„	...	...	...	N	1	...	„	...	...	...	E	4
Gap Rock, ...	„	30.02	...	...	NE	3	...	„	30.07	...	...	ENE	5
Macao, ...	„	30.03	74	...	N	1	c	„	...	...	...	...	...
Haiphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...
Manila, ...	„	29.80	84	77	...	0	o	„	29.88	84	77	NE	1
Malate,.....	3 p.	...	...	...	ESE	1	o	9 a.	...	...	...	NE	1
Bacolod, ...	„	...	...	...	N	2	b	„	...	...	...	...	0
Iloilo, ...	„	29.81	86	...	W	1	c	„	29.91	83	...	S	2
Cebu, ...	„	29.81	86	...	N	3	b	„	29.89	85	...	N	2
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 10th at 11.45a. The barometer has fallen considerably in Japan, and slightly over the China coast and Phillipines.

A depression lies in the N. part of the Sea of Japan, and pressure remains low over the Phillipines and middle part of the China Sea.

Pressure is highest over the E. coast of China.

Fresh monsoon in S. China, and strong monsoon over the N. part of the China Sea.

Forecast:—fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 10th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

STATION.	10th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
ivostock, ..	2 p.	29.82	55	...	N	1	b	7 a.	29.89	43	85	...	0	b-
...no, ...	,,	...	...	...	...	...	...	6 a.	29.88	...	...	...	0	...
...date, ...	,,	...	...	...	...	...	...	,,	30.01	...	...	...	0	...
...o,.....	,,	...	...	...	...	...	...	,,	30.02	...	...	NW	4	...
...ii, ...	,,	...	...	...	...	..	...	,,	30.11	...	...	W	2	...
...s,aki, ...	,,	...	...	...	...	...	...	,,	30.15	...	...	NE	6	...
...shima, ...	,,	...	...	...	...	...	...	,,	30.07	...	...	N	4	...
...sa, ...	,,	...	...	...	...	...	...	,,	30.12	...	...	...	0	...
.....	,,	...	...	...	...	...	...	,,	30.09	...	...	NE	2	...
...akijima, ...	,,	...	...	...	...	...	...	,,	30.01	...	...	E	6	...
...oku, ...	1 p.	30.06	...	...	E	8	...	5 a.	30.00	...	...	E	6	...
...hu, ...	,,	29.93	...	...	NW	2	...	,,	29.93	...	...	...	0	...
...an, ...	,,	29.97	...	...	N	2	...	,,	29.95	...	...	N	2	...
...hun, ...	,,	29.97	...	...	NE	6	...	,,	29.96	...	...	NE	2	...
...adores, ...	,,	30.00	...	...	E	10	...	,,	29.95	...	...	NE	8	...
...zlaff, ...	3 p.	30.20	68	65	SSW	1	dv	9 a.	30.21	65	73	S	4	cv
...rp Peak, ..	,,	30.08	67	62	NE	7	o	,,	30.11	67	74	WNW	2	cg
...oy, ...	2.30p.	30.04	77	49	NE	3	b	6.30a.	30.07	69	70	NE	2	o
...tow, ...	3 p	30.07	75	...	E	1	o	9 a.	30.03	72	...	N	1	o
...ton, ...	,,	30.00	81	38	N	1	b	,,	30.05	70	85	E	2	or
...gkong.....	4 p.	29.98	74	64	E	3	o	10 a.	30.04	72	67	NE	2	o
...toria Peak,.	,,	...	...	...	ENE	2	...	,,	...	...	...	ENE	6	...
...Rock, ...	,,	29.98	...	...	ENE	4	...	,,	30.00	...	...	ENE	5	...
...so, ...	,,	29.93	78	...	ENE	1	c	,,	30.05	75	...	NE	1	o
...phong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
...ila, ...	,,	29.84	84	77	N	2	c	,,	29.92	82	57	...	...	b
...ate, ...	3 p.	...	...	...	NW	2	c	9 a.	...	...	..	W	2	b
...olod, ...	,,	...	...	...	N	2	b	,,	...	...	...	...	0	b
...o, ...	,,	29.82	88	...	E	2	c	,,	29.92	83	...	...	0	o
...u, ...	,,	29.81	85	...	N	2	b	,,	29.87	85	...	...	0	c
...e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.40a. The barometer has risen slightly over Japan, fallen a little on the China coast.

Pressure remains low in the N. part of the Sea of Japan, and probably another depression exists over N. China.

Pressure is highest between the E. coast of China and W. Japan, and still low, apparently, over the NW. part of the China Sea.

Moderate monsoon on the China coast, strong monsoon over the N. part of the China Sea.

Forecast:— fresh NE. winds; dull, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 11th November 1902.

CHINA COAST METEOROLOGICAL REGISTER

11th NOVEMBER, 1902, P. M.								12th NOVEMBER, 1902, A. M.					
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.89	58	...	SW	2	c	7 a.	29.93	42	99	...	
Nemuro,	"	29.84	...	...	SW	6	...	6 a.	29.88	...	...	W	[illegible]
Hakodate,	"	30.01	...	...	W	6	...	"	30.05	...	...	W	4
Tokio,	"	38.10	...	...	N	2	...	"	30.22	...	...	W	2
Kochi,	"	30.11	...	...	W	2	...	"	30.23	...	...	NE	4
Nagasaki,	"	30.11	...	...	NE	6	...	"	30.19	...	...	E	6
Kagoshima,	"	30.11	...	...	S	2	...	"	30.19	...	...	NE	4
Oshima,	"	30.08	...	...	NE	6	...	"	30.12	...	...	S	2
Naha,	"	30.05	...	...	NE	6	...	"	30.05	...	...	E	2
Ishigakijima,	"	30.01	...	...	E	6	...	"	29.97	...	...	E	4
Taihoku,	1 p.	29.96	...	...	E	8	...	5 a.	29.96	...	...	E	6
Taichu,	"	29.89	...	...	W	2	...	"	29.91	...	...	...	0
Tainan,	"	29.91	...	...	W	4	...	"	29.92	...	...	...	0
Koshun,	"	29.93	...	...	NE	4	...	"	29.93	...	...	E	6
Pescadores,	"	29.96	...	...	NE	8	...	"	29.94	...	...	NE	4
Gutzlaff,	3 p.	30.14	66	61	SSE	4	ov	9 a	30.13	67	89	S	3
Sharp Peak,	"	30.05	67	79	NW	3	om	"	30.07	66	89	WNW	1
Amoy,	2.30p.	30.04	73	76	N	1	o	6.30a.	30.05	66	95	WSW	1
Swatow,	3 p	29.97	75	...	N	1	o	9 a.	30.04	71	...	N	1
Canton,	"	30.00	68	90	E	1	od	"	30.06	66	95	N	1
Hongkong,	4 p.	29.95	73	66	ENE	1	o	10 a.	30.02	73	73	E	2
Victoria Peak,	"	...	...	...	ENE	3	...	"	...	...	...	ENE	4
Gap Rock,	"	29.93	...	...	ENE	5	...	"	30.00	...	...	ENE	4
Macao,	"	29.96	74	...	ENE	1	c	"	30.03	73	...	N	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.84	86	71	W	1	c	"	29.96	81	76	W	...
Malate,	3 p.	...	...	...	W	1	c	9 a.	...	...	...	...	...
Bacolod,	"	...	...	...	N	4	b	"	...	...	...	...	...
Iloilo,	"	29.84	86	...	E	1	b	"	...	...	...	...	...
Cebu,	"	29.83	85	...	N	2	b	"	...	...	...	...	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 12th at 12.5p. The barometer has risen moderately over Japan, fallen slightly on the E. coast of China.

Pressure is highest over Central Japan, and the depression is still lying over N. China.

The monsoon is interrupted on the China coast to the Northward of Hongkong, and is probably decreasing over the N. part of the China Sea.

Forecast:—moderate NE. winds; dull, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 12th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

	12th NOVEMBER, 1902, P. M.							13th NOVEMBER, 1902, A. M.						
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
...divostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
...mato, ...	,,	29.88	...	...	S	2	...	6 a.	30.04	...	...	NE	2	...
...kodate, ...	,,	30.01	...	...	W	6	...	,,	30.13	...	...	...	0	...
...ko.....	,,	30.14	...	...	W	2	...	,,	30.22	...	...	NW	4	...
...ki, ...	,,	30.15	...	...	NE	4	...	,,	30.19	...	...	NE	4	...
...gasaki, ...	,,	30.15	...	...	SE	6	...	,,	30.11	...	...	SE	6	...
...goshima, ...	,,	30.19	...	...	SE	2	...	,,	30.11	...	...	NE		...
...ima, ...	,,	30.08	...	...	E	4	...	,,	30.08	...	...	S	2	...
...a.	,,	30.05	...	...	E	4	...	,,	30.05	...	...	E	2	...
...gakijima, ...	,,	29.97	...	...	E	6	...	,,	29.97	...	...	E	4	...
...ku, ...	1 p.	29.94	...	...	NW	2	...	5 a.	29.95	...	...	...	0	...
...ian, ...	,,	29.92	...	...	W	4	...	,,	29.93	...	...	...	0	...
...an, ...	,,	29.91	...	...	N	4	...	,,	29.93	...	...	N	2	...
...shun, ...	,,	29.93	...	...	E	6	...	,,	29.94	...	...	...	0	...
...sadores, ...	,,	29.95	...	...	N	6	...	,,	29.94	...	...	NE	4	...
...zlaff, ...	3 p.	30.11	67	84	SSW	3	cvd	9 a.	30.13	66	95	...	0	c
...rp Peak, ..	,,	30.01	67	92	WNW	2	om	,,	30.04	69	85	...	0	o
...oy, ...	2.30p.	30.00	71	85	W	1	o	6.30a.	30.06	69	90	SW	2	c
...tow, ...	3 p	29.98	72	...	N	1	or	9 a.	30.05	72	...	N	1	o
...ton, ...	,,	29.94	73	81	SE	2	o	,,	30.02	71	90	...	0	od
...gkong.....	4 p.	29.92	72	78	NNE	1	o	10 a.	30.01	72	83	E	4	o
...toria Peak,.	,,	...	...	...	ENE	1	...	,,	...	...	...	ESE	5	...
...p Rock, ...	,,	29.90	...	...	ENE	4	...	,,	29.97	...	...	ENE	5	...
...sao, ...	,,	29.92	73	...	N	1	c	,,	30.00	76	...	E	1	od
...ipiong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
...aila, ...	,,	29.84	86	65	...	0	b	,,	29.96	82	70	...	0	c
...date, ...	3 p.	...	...	...	NW	1	b	9 a.	...	...	...	E	1	b
...colod, ...	,,	...	...	...	NE	2	b	,,	...	...	...	N	2	b
...do, ...	,,	29.84	86	...	E	1	c	,,	29.96	82	...	S	1	o
...lu, ...	,,	29.82	85	...	N	2	b	,,	29.93	84	...	...	0	c
...pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.55a. The barometer has risen slightly over Japan, fallen a little on the China coast.

Pressure is highest over Central Japan, and remains below normal onthe China coast generally.

Pressure appears to be lowest over the N. part of the China Sea.

Monsoon still interrupted on the coast to the Northward of Hongkong.

Fresh NE. winds in the N. part of the China Sea.

Forecast:—fresh or moderate E. winds; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 13th November 1902.

CHINA COAST METEOROLOGICAL REGISTER

13th NOVEMBER, 1902, P. M.								14th NOVEMBER, 1902, A. M.					
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.
Wladivostock,	2 p.	29.82	56	...	S	5	c	7 a.	29.96	41	88	NE	7
Nemuro,	,,	30.00	...	...	S	6	...	6 a.	29.65	...	...	W	6
Hakodate,	,,	30.01	...	...	W	4	...	,,	29.70	...	...	SW	2
Tokio,	,,	30.14	...	...	S	4	...	,,	29.94	...	...	...	0
Kochi,	,,	30.11	...	...	NE	6	...	,,	29.95	...	...	NE	4
Nagasaki,	,,	30.07	...	...	E	4	...	,,	29.95	...	...	...	0
Kagoshima,	,,	30.07	...	...	E	2	...	,,	29.95	...	...	...	0
Oshima,	,,	30.00	...	...	SE	4	...	,,	29.96	...	...	S	2
Naha,	,,	29.97	...	...	E	4	...	,,	29.93	...	...	...	0
Ishigakijima,	,,	29.97	...	...	S	4	...	,,	29.93	...	...	...	0
Taihoku,	1 p.	29.96	...	...	NW	2	...	5 a.	29.94	...	...	...	0
Taichu,	,,	29.91	...	...	N	4	...	,,	29.92	...	...	...	0
Tainan,	,,	29.92	...	...	NW	4	...	,,	29.93	...	...	N	2
Koshun,	,,	...	...	...	NW	2	...	,,	29.95	...	...	E	2
Pescadores,	,,	29.95	...	...	NE	6	...	,,	29.94	...	...	NE	4
Gutzlaff,	3 p.	30.03	72	76	SSE	1	bv	9 a.	30.12	65	100	WSW	1
Sharp Peak,	,,	29.95	71	85	E	1	o	,,	30.03	73	83	...	0
Amoy,	2.30p.	29.99	74	81	SE	1	c	6.30a.	30.00	73	86	...	0
Swatow,	3 p	29.97	75	...	E	1	o	9 a.	...	...	...	...	...
Canton,	,,	29.92	74	90	E	1	od	,,	30.01	75	95	E	2
Hongkong	4 p.	29.91	74	87	E	4	o	10 a.	30.02	77	83	E	2
Victoria Peak,	,,	...	...	...	ESE	4	...	,,	...	...	...	SE	5
Gap Rock,	,,	29.88	...	...	E	4	...	,,	30.00	...	...	E	3
Macao,	,,	29.89	75	...	E	1	o	,,	30.00	76	...	ESE	1
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila,	,,	29.84	84	71	NW	1	c	,,	30.00	84	71	...	0
Malate,	3 p.	...	...	...	NW	1	b	9 a.	...	...	...	...	...
Bacolod,	,,	...	...	...	N	4	b	,,	...	...	...	...	...
Iloilo,	,,	29.86	88	...	E	1	b	,,	...	...	...	...	...
Cebu,	,,	29.84	84	...	N	4	c	,,	...	...	...	...	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 14th at 11.55a. The barometer has considerably fallen over Japan, owing to a depressi which has past into the NE. part of the Sea of Japan from the Westward.

Pressure is still below the normal on the China coast, but inclined to increase; and the monsoon w probably set in again during the next 24 hours in the Formosa Channel.

Forecast:— E. or varying winds, moderate or light; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 14th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

	14th NOVEMBER, 1902, P. M.							15th NOVEMBER, 1902, A. M.						
STATIN.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
divostock, ..	2 p.	30.00	31	...	NE	5	c	7 a.	30.22	42	64	E	1	b
uto, ...	,,	29.41	...	...	W	10	...	6 a.	29.92	...	...	NE	8	...
kodate, ...	,,	29.66	...	...	W	8	...	,,	29.97	...	...	N	6	...
io, ...	,,	29.74	...	...	SW	4	...	,,	29.82	...	...	N	4	...
bi, ...	,,	29.83	...	...	NE	2	...	,,	29.91	...	...	W	4	...
gasaki, ...	,,	29.91	...	...	W	6	...	,,	29.99	...	...	NW	2	...
oshima, ...	,,	29.87	...	...	...	0	...	,,	29.99	...	...	N	2	...
ima, ...	,,	29.92	...	...	N	4	...	,,	30.00	...	...	N	6	...
a.	,,	29.93	...	...	NW	4	...	,,	30.05	...	...	NE	2	...
igakijima, ...	,,	29.97	...	...	S	4	...	,,	30.01	...	...	E	2	...
hoku, ...	1 p.	29.98	...	...	NW	4	...	5 a.	30.05	...	...	E	6	...
chu, ...	,,	29.94	...	...	N	4	...	,,	29.98	...	...	...	0	...
nan, ...	,,	29.96	...	...	W	6	...	,,	29.98	...	...	N	2	...
shun, ...	,,	29.96	...	...	E	4	...	,,	30.00	...	...	...	0	...
cadores, ...	,,	29.98	...	...	N	6	...	,,	30.00	...	...	NE	6	...
tzlaff, ...	3 p.	30.11	67	95	NNW	1	cm	9 a.	30.32	55	94	N	6	omp
rp Peak, ..	,,	29.98	70	90	ENE	4	o	,,	30.15	67	84	NE	5	od
oy, ...	2.30p.	29.97	76	82	SE	2	b	6.30a.	30.09	71	80	NE	3	od
tow, ...	3 p	29.98	79	...	E	1	o	9 a.	...	...	...	...	...	...
ton, ...	,,	29.91	79	87	...	0	od	,,	...	...	...	...	...	...
gkong.....	4 p.	29.94	76	88	E	2	o	10 a.	30.06	76	85	E	3	o
toria Peak, .	,,	...	...	...	SE	4	...	,,	...	...	...	ESE	3	...
Rock, ...	,,	29.91	...	...	E	3	...	,,	30.04	...	...	E	2	...
ao, ...	,,	29.92	77	...	ESE	1	c	,,	30.06	70	...	E	1	c
phong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
ilu, ...	,,	29.88	88	66	SSW	2	b	,,	30.00	82	77	WSW	1	b
ate, ...	3 p.	...	...	...	SW	1	b	9 a.	...	...	...	E	...	b
olod, ...	,,	...	...	...	...	2	c	,,	...	...	...	NE	3	b
o, ...	,,	29.88	88	...	E	1	c	,,	29.96	83	...	N	1	o
n, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.15a. The depression in the North has passed to the East of Japan. The barometer has risen over China, particularly on the E. coast, owing to the advance of an area of high pressure from the Northwest.

Gradients are rather steep with heavy monsoon spreading down the China coast and over the N. part of the China Sea.

Forecast:— NE. winds, freshening to strong breezes; drizzling rain and becoming cooler.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 15th November 1902

CHINA COAST METEOROLOGICAL REGISTER

Station.	15th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	16th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.26	32	...	NE	3	b	7 a.	30.26	23	59	NE	3
Nemuro,	,,	30.04	...	...	NE	6	...	6 a.	30.04	...	...	E	2
Hakodate,	,,	30.05	...	...	N	4	...	,,	30.13	...	...	N	6
Tokio,	,,	29.94	...	...	NE	2	...	,,	30.06	...	...	NW	2
Kochi,	,,	29.91	...	...	E	2	...	,,	30.07	...	...	N	4
Nagasaki,	,,	29.99	...	...	N	6	...	,,	30.15	...	...	N	4
Kagoshima,	,,	30.03	...	...	NW	6	...	,,	30.11	...	...	NW	4
Oshima,	,,	30.04	...	...	N	6	...	,,	30.12	...	...	N	6
Naha,	,,	30.05	...	...	N	6	...	,,	30.17	...	...	NW	8
Ishigakijima,	,,	30.05	...	...	E	6	...	,,	30.05	...	...	NE	6
Tahoku,	1 p.	30.07	...	...	E	6	...	5 a.	30.10	...	...	E	6
Taichu,	,,	29.98	...	...	NW	6	...	,,	30.03	...	...	...	0
Tainan,	,,	29.98	...	...	N	6	...	,,	30.03	...	...	N	2
Koshun,	,,	30.01	...	...	NE	2	...	,,	30.04	...	...	...	0
Pescadores,	,,	30.06	...	...	NE	10	...	,,	30.05	...	...	NE	8
Gutzlaff,	3 p.	30.29	55	87	N	6	ovp	9 a.	30.37	57	75	NNE	5
Sharp Peak,	,,	30.08	66	87	ENE	4	og	,,	30.22	64	86	NNE	4
Amoy,	2.30p.	30.09	71	85	ENE	1	o	6.30a.	30.16	69	90	NE	2
Swatow,	3 p.	30.06	74	...	E	4	o	9 a.	...	73	...	NE	2
Canton,	,,	30.01	65	95	NW	2	od	,,	...	...	...	...	...
Hongkong,	4 p.	30.01	74	90	E	2	o	10 a.	30.12	71	91	E	4
Victoria Peak,	,,	...	...	...	ESE	2	...	,,	...	...	...	E	4
Gap Rock,	,,	29.99	...	...	E	3	...	,,	30.09	...	...	E	5
Macao,	,,	30.01	75	...	NNW	1	o	,,	30.14	71	...	NNW	1
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila,	,,	29.88	26	71	E	1	b	,,	30.00	84	77	WSW	1
Malate,	3 p.	...	...	...	SE	1	c	9 a.	...	...	...	...	0
Bacolod,	,,	...	...	...	NE	4	b	,,	...	...	...	NE	4
Iloilo,	,,	29.86	81	...	NE	1	b	,,	29.98	82	...	NE	2
Cebu,	,,	29.86	85	...	N	2	c	,,	29.90	75	...	N	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 16th at 11.47a. The barometer has risen generally, particularly over Japan.

The high pressure area lies over N. China, and gradients are steep with very strong monsoon along the China coast and in the N. part of the China Sea.

Forecast:—fresh NE. breezes; rainy at first, improving later.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 16th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	17th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
...ladivostock, ..	2 p.	30.23	22	...	NE	1	b	7 a.	30.34	25	60	NE	1	b
...muro, ...	,,	30.04	...	...	N	8	...	6 a.	30.04	...	...	...	0	...
...kodate, ...	,,	30.13	...	...	N	4	...	,,	30.29	...	...	W	4	...
...kio, ...	,,	30.02	...	...	N	4	...	,,	30.30	...	...	NW	4	...
...ebi, ...	,,	30.07	...	...	W	6	...	,,	30.31	...	...	N	2	...
...gas,aki, ...	,,	30.19	...	...	N	6	...	,,	30.31	...	...	NE	6	...
...goshima, ...	,,	30.15	...	...	N	4	...	,,	30.27	...	...	NE	4	...
...lima, ...	,,	...	...	...	N	6	...	,,	30.20	...	...	S	4	...
...ha, ...	,,	30.17	...	...	N	6	...	,,	30.17	...	...	NE	2	...
...digakijima, ...	,,	30.09	...	...	E	10	...	,,	30.09	...	...	E	8	...
...nboku, ...	1 p.	30.13	...	...	E	6	...	5 a.	30.19	...	...	E	6	...
...aichu, ...	,,	30.01	...	...	N	4	...	,,	30.05	...	...	S	2	...
...ainan, ...	,,	30.03	...	...	N	6	...	,,	30.07	...	...	...	0	...
...oshun, ...	,,	30.06	...	...	E	2	...	,,	30.08	...	...	E	2	...
...escadores, ...	,,	30.07	...	...	NE	8	...	,,	30.09	...	...	NE	6	...
...utzlaff, ...	3 p.	30.34	59	65	NE	4	cv	9 a.	30.33	60	76	ESE	4	cv
...harp Peak, ..	,,	30.17	64	89	N	3	od	,,	30.20	64	92	WNW	1	od
...moy, ...	2.30p.	30.11	71	80	NE	3	o	6.30a.	30.18	70	90	NE	1	o
...swatow, ...	3 p	30.07	77	...	E	2	c	9 a.	30.18	74	...	NE	1	c
...anton, ...	,,	30.10	63	89	N	1	o	,,	...	...	...	...	...	...
...ongkong, ...	4 p.	30.06	73	83	ENE	3	o	10 a.	30.20	70	86	N	1	o
...ictoria Peak, .	,,	...	...	...	E	4	...	,,	...	...	...	NE	1	...
...ap Rock, ...	,,	30.02	...	...	ENE	4	...	,,	30.16	...	...	NNW	4	...
...acao, ...	,,	30.07	70	...	NW	3	o	,,	30.22	69	...	NNW	1	od
...aiphong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
...anila, ...	,,	29.92	84	58	E	2	b	,,	30.04	84	71	NNW	1	o
...alate, ...	3 p.	...	...	...	E	2	b	9 a.	...	...	...	E	2	b
...acolod, ...	,,	...	...	...	NE	4	b	,,	...	...	...	N	3	b
...loilo, ...	,,	29.90	86	...	NE	2	o	,,	30.02	81	...	NE	2	b
...ebu, ...	,,	29.88	85	...	N	2	b	,,	29.97	84	...	N	2	...
...ape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.25a. The barometer has fallen in N. China, risen elsewhere, particularly over Japan.

The high pressure area has moved Eastwards and lies over the E. coast of China and the Sea of Japan.

Gradients slight with moderate monsoon in S. China, moderate with strong monsoon in the N. part of the China Sea.

Forecast:— moderate N. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 17th November 1902.

CHINA COAST METEOROLOGICAL REGISTER

17th NOVEMBER, 1902, P. M.								18th NOVEMBER, 1902, A. M.					
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	30.33	43	...	...	0	b	7 a.	30.09	41	99	...	0
Nemuro, ...	"	30.20	...	...	N	8	...	6 a.	30.39	...	...	NW	6
Hakodate, ...	"	30.32	...	...	N	4	...	"	30.40	...	...	...	0
Tokio, ...	"	30.37	...	...	NE	2	...	"	30.45	...	...	NW	4
Kochi, ...	"	30.31	...	...	NE	2	...	"	30.27	...	...	NE	4
Nagasaki, ...	"	30.27	...	...	SE	6	...	"	30.15	...	...	W	...
Kagoshima, ...	"	30.23	...	...	SE	2	...	"	30.19	...	...	E	6
Oshima, ...	"	30.16	...	...	SE	4	...	"	30.12	...	...	SE	4
Naha, ...	"	30.13	...	...	E	4	...	"	30.09	...	...	S	2
Ishigakijima, ...	"	30.09	...	...	E	8	...	"	30.05	...	...	S	6
Taihoku, ...	1 p.	30.07	...	...	E	2	...	5 a.	30.13	...	...	...	0
Taichu, ...	"	30.03	...	...	NW	4	...	"	30.06	...	...	...	0
Tainan, ...	"	30.05	...	...	NW	6	...	"	30.07	...	...	N	2
Koshun, ...	"	30.06	...	...	N	4	...	"	30.06	...	...	...	0
Pescadores, ...	"	30.08	...	...	N	8	...	"	30.09	...	...	NE	8
Gutzlaff, ...	3 p.	30.25	60	88	SSE	2	omp	9 a.	30.34	52	79	NNW	5
Sharp Peak, ..	"	30.10	67	84	NE	3	o	"	30.22	67	89	...	0
Amoy, ...	2.30p.	30.11	75	77	SE	3	c	6.30a.	30.18	71	71	NE	2
Swatow, ...	3 p.	30.05	79	...	NNW	2	b	9 a.	30.20	69	...	N	1
Canton, ...	"	30.17	67	84	N	1	c	"	...	...	...	...	...
Hongkong	4 p.	30.11	71	77	N	1	o	10 a.	30.20	71	72	WNW	1
Victoria Peak, .	"	...	...	...	S	1	...	"	...	...	...	E	1
Gap Rock, ...	"	30.10	...	...	N	4	...	"	30.18	...	...	N	3
Macao, ...	"	30.13	69	...	NNW	2	c	"	30.23	70	...	NNW	2
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila, ...	"	29.96	86	65	...	0	b	"	30.04	84	64	NE	1
Malate, ...	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	...	0
Bacolod, ...	"	...	...	...	N	4	b	"	...	...	...	NE	4
Iloilo, ...	"	29.90	86	...	NE	2	b	"	30.01	81	...	E	1
Cebu, ...	"	29.90	85	...	N	2	c	"	30.01	80	...	S	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 18th at 11.10a. The barometer has risen in E. Japan, fallen over W. Japan and the Loochoos.

Pressure is high over E Japan and also over Central China.

A shallow area of low pressure lies to the SW. of Japan, and another over Manchuria.

Gradients slight to moderate with freshening monsoon in the Formosa Channel and strong monsoon in the N. part of the China Sea.

Forecast:— moderate N. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 18th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th NOVEMBER, 1902, P. M.								19th NOVEMBER, 1902, A. M.						
ATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ivostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
ro, ...	,,	30.39	...	...	W	4	...	6 a.	30.24	...	...	S	6	...
date, ...	,,	30.36	...	...	S	2	...	,,	30.21	...	...	...	0	...
,.....	,,	30.37	...	...	NW	2	...	,,	30.14	...	...	N	2	...
i, ...	,,	30.15	...	...	E	6	...	,,	30.15	...	...	N	2	...
s,aki, ...	,,	30.11	...	...	SE	2	...	,,	30.23	...	...	...	0	...
oshima, ...	,,	30.15	...	...	E	2	...	,,	30.19	...	...	N	4	...
na, ...	,,	30.12	...	...	S	6	...	,,	30.16	...	...	N	6	...
, ...	,,	30.05	...	...	S	2	...	,,	30.17	...	...	NE	4	...
gakijima, ...	,,	30.09	...	...	N	4	...	,,	30.13	...	...	NE	4	...
aku, ...	1 p.	30.15	...	...	E	6	...	5 a.	30.17	...	...	E	6	...
iu, ...	,,	30.03	...	...	N	6	...	,,	30.08	...	...	...	0	...
an, ...	,,	30.05	...	...	N	6	...	,,	30.08	...	...	N	2	...
sun, ...	,,	30.06	...	...	NW	2	...	,,	30.08	...	...	NE	4	...
adores, ...	,,	30.09	...	...	NE	8	...	,,	30.12	...	...	NE	8	...
ulaff, ...	3 p.	30.29	55	87	N	3	cv	9 a.	30.35	60	82	NE	1	cv
ap Peak, ..	,,	30.16	66	79	ENE	6	o	,,	30.25	65	78	N	1	o
ay, ...	2.30p.	30.15	73	76	NE	1	c	6.30a.	30.21	66	89	NE	1	o
tow, ...	3 p	30.12	75	...	E	2	o	9 a.	...	...	...	...	...	...
ton, ...	,,	30.15	71	71	N	1	b	,,	...	...	...	...	...	...
ngkong,.....	4 p.	30.11	74	69	...	0	o	10 a.	30.18	72	81	ENE	3	o
toria Peak,.	,,	...	...	...	NE	1	...	,,	...	...	...	E	3	...
Rock, ...	,,	30.08	...	...	ENE	3	...	,,	30.14	...	...	E	4	...
ao, ...	,,	30.11	70	...	NNE	1	c	,,	30.18	71	...	NNE	1	o
phong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
nlu, ...	,,	29.96	84	64	E	1	...	,,	30.04	82	70	NW	1	b
are,.....	3 p.	...	...	...	NW	3	o	9 a.	...	...	...	E	2	b
olod, ...	,,	...	...	...	NE	6	o	,,	...	...	...	N	4	b
, ...	,,	29.92	74	...	NE	3	o	,,	30.01	81	...	NW	...	...
, ...	,,	29.92	82	...	N	2	c	,,	30.02	81	...	...	0	c
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11.45a. The barometer has fallen considerably in E. Japan and is little changed elsewhere.

Pressure is highest between the E. coast of China and SW. Japan, and relatively low over Central Japan.

Fresh monsoon along the China coast and over the N. part of the China Sea.

Forecast:— moderate E. breezes; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 19th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock, ..	2 p.	30.07	49	...	S	3	b	7 a.	30.04	45	99	...	0
Nemuro, ...	"	30.12	...	...	NE	2	...	6 a.	...	...	...	...	...
Hakodate, ...	"	30.17	...	...	...	0	...	"	...	...	...	...	...
Tokio,.....	"	30.14	...	...	...	0	...	"	...	...	...	...	...
Kochi, ...	"	30.15	...	...	...	0	...	"	30.21	...	...	N	2
Nagasaki, ...	"	30.27	...	...	NW	4	...	"	30.31	...	...	NE	2
Kagoshima, ...	"	30.23	...	...	SE	2	...	"	30.27	...	...	NE	4
Oshima, ...	"	30.20	...	...	N	4	...	"	30.24	...	...	...	0
Naba, ...	"	30.17	...	...	NE	6	...	"	30.21	...	...	E	2
Ishigakijima, ...	"	30.13	...	...	E	6	...	"	30.13	...	...	SE	2
Taihoku,.....	1 p.	30.14	...	...	E	8	...	5 a.	30.14	...	...	...	0
Taichu, ...	"	30.05	...	...	N	4	...	"	30.12	...	...	E	2
Tainan, ...	"	30.09	...	...	N	4	...	"	30.14	...	...	N	2
Koshun, ...	"	30.11	...	...	NE	6	...	"	30.11	...	...	S	2
Pescadores, ...	"	30.13	...	...	NE	8	...	"	30.15	...	...	NE	6
Gutzlaff, ...	3 p.	30.26	66	64	SSE	4	cv	9 a.	30.20	68	90	S	4
Sharp Peak, ..	"	30.18	66	79	NNW	3	c	"	30.18	68	85	...	0
Amoy, ...	2.30p.	30.16	75	64	NE	2	b	6.30a.	30.20	67	84	NE	2
Swatow, ...	3 p	30.14	77	...	ESE	3	o	9 a.	30.18	73	...	E	1
Canton, ...	"	30.10	77	73	SW	2	o	"	...	...	...	...	...
Hongkong.....	4 p.	30.10	73	74	E	4	b	10 a.	30.18	74	81	E	4
Victoria Peak,.	"	...	...	...	ESE	3	...	"	...	...	...	E	3
Gap Rock.....	"	30.08	...	...	E	4	...	"	30.15	...	...	ENE	4
Macao, ...	"	30.10	74	...	E	1	c	"	30.18	73	...	ENE	1
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila, ...	"	29.96	82	70	E	1	c	"	30.08	82	70	WNW	1
Malate,.....	3 p.	...	...	...	NE	2	o	9 a.	...	...	...	W	1
Iracolod, ...	"	...	...	...	N	4	b	"	...	...	...	NE	6
Iloilo, ...	"	29.94	85	...	NE	2	o	"	30.04	81	...	NE	3
Cebu, ...	"	29.95	81	...	...	0	o	"	30.02	83	...	N	4
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 20th at 11.25a. The barometer has risen in W. Japan, fallen on the E. coast of China. Pressure is high over W. Japan, and probably a depression lies over NE. China.

Gradients slight with variable winds along the China coast, and moderate monsoon over the N. part of the China Sea.

Forecast:—moderate to light E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 20th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

20th NOVEMBER, 1902, P. M.								21st NOVEMBER, 1902, A. M.						
ATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
divostock, ..	2 p.	29.94	47	...	S	2	f	7 a.	30.30	14	66	N	8	o
nro, ...	"	...	...	...	...	...	...	6 a.	29.92	...	...	W	6	...
iodate, ...	"	...	...	...	...	...	...	"	30.05	...	...	W	4	...
ro,.....	"	30.22	...	...	S	2	...	"	30.14	...	...	...	0	...
hi, ...	"	30.23	...	...	...	0	...	"	30.11	...	...	NE	2	...
gas,aki, ...	"	30.19	...	...	SE	6	...	"	29.99	...	...	E	8	...
agoshima, ...	"	30.23	...	...	E	2	...	"	30.07	...	...	E	4	...
hima, ...	"	30.16	...	...	SE	4	...	"	30.08	...	...	S	2	...
ha, ...	"	30.13	...	...	E	4	...	"	30.09	...	...	...	0	...
gakijima, ...	"	30.13	...	...	SE	6	...	"	30.09	...	...	S	4	...
hoku, ...	1 p.	30.09	...	...	N	2	...	5 a.	...	...	...	...	...	...
ichu, ...	"	30.05	...	...	N	6	...	"	...	...	...	...	...	...
man, ...	"	30.07	...	...	N	6	...	"	...	...	...	...	...	...
shun, ...	"	30.09	...	...	E	4	...	"	...	...	...	...	...	...
ecadores, ...	"	30.10	...	...	NE	6	...	"	...	...	...	...	...	...
itzlaff, ...	3 p.	30.09	70	85	SW	1	bv	9 a.	30.21	63	89	N	4	om
arp Peak, ..	"	30.07	70	88	E	3	b	"	30.11	69	90	...	0	o
moy, ...	2.30p.	30.11	75	77	ESE	3	b	6.30a.	30.12	67	84	...	0	om
atow, ...	3 p	30.12	76	...	E	3	o	9 a.	30.12	77	...	W	1	b
nton, ...	"	30.07	81	71	...	0	o	"	...	...	...	...	...	...
ngkong,.....	4 p.	30.09	74	82	E	3	b	10 a.	30.15	77	76	ESE	1	b
ctoria Peak,.	"	...	...	...	ESE	2	...	"	...	...	...	E	1	...
p Rock, ...	"	30.06	...	...	ENE	3	...	"	30.13	...	...	NNE	3	...
acao, ...	"	30.10	75	...	SSE	1	c	"	30.15	76	...	ENE	1	c
iphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
nila, ...	"	29.96	84	71	WNW	1	c	"	30.04	82	70	WNW	1	c
date,.....	3 p.	...	...	...	SW	1	c	9 a.	...	...	...	NE	1	c
eolod, ...	"	...	...	...	N	4	b	"	...	...	...	NE	4	b
ilo, ...	"	29.92	85	...	NE	2	o	"	30.02	81	...	N	1	...
ba, ...	"	29.91	83	...	N	4	b	"	29.99	83	...	...	0	b
pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at 12.20p. The barometer has fallen quickly over Japan, risen in N. China. A depression is passing to the Pacific over NE. Japan, and a second low area lies off the coast of SW. Japan.

Pressure is high over N. China. Strong monsoon will probably set in again in the Formosa Channel during the next 24 hours. Moderate monsoon over the N. part of the China Sea.

Forecast:— N. to NE. winds, probably freshening; fair, becoming cooler.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 21st November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	,,	30.24	...	...	SE	2	...	6 a.	29.92	...	...	W	8
Hakodate,	,,	30.21	...	...	SW	6	...	,,	30.17	...	...	N	2
Tokio,	,,	30.22	...	...	NE	2	...	,,	30.14	...	...	NW	2
Kochi,	,,	30.15	...	...	E	2	...	,,	30.19	...	...	...	0
Nagasaki,	,,	30.23	...	...	N	4	...	,,	30.27	...	...	NW	4
Kagoshima,	,,	30.23	...	...	NW	6	...	,,	30.27	...	...	N	2
Oshima,	,,	30.16	...	...	N	6	...	,,	30.24	...	...	N	2
Naha,	,,	30.17	...	...	N	4	...	,,	30.21	...	...	NE	4
Ishigakijima,	,,	30.17	...	...	NE	6	...	,,	30.21	...	...	NE	2
Taihoku,	1 p.	...	...	...	...	...	...	5 a.	30.28	...	...	E	4
Taichu,	,,	...	...	...	...	...	...	,,	30.12	...	...	N	4
Tainan,	,,	...	...	...	...	...	...	,,	30.13	...	...	N	4
Koshun,	,,	..	...	...	...	...	...	,,	30.11	...	...	NE	8
Pescadores,	,,	...	...	...	...	...	...	,,	30.18	...	...	NE	10
Gutzlaff,	3 p.	30.41	57	75	N	4	ov	9 a.	30.47	55	74	N	4
Sharp Peak,	,,	30.26	65	71	E	7	o	,,	30.34	65	65	NE	7
Amoy,	2.30p.	30.20	76	64	NE	3	c	6.30a.	30.31	65	78	NE	3
Swatow,	3 p	30.19	77	...	E	2	c	9 a.	...	...	...	...	...
Canton,	,,	30.24	78	82	NE	4	b	,,	...	...	...	...	...
Hongkong,	4 p.	30.17	75	50	N	2	b	10 a.	30.28	69	61	NNE	3
Victoria Peak,	,,	...	...	...	N	3	...	,,	...	...	...	ENE	5
Gap Rock,	,,	30.15	...	...	NNE	3	...	,,	30.25	...	...	ENE	5
Macao,	,,	30.18	75	...	N	1	c	,,	30.20	71	...	N	1
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...
Manila,	,,	29.92	84	77	WNW	...	c	,,	...	...	...	...	...
Malate,	3 p.	...	...	...	W	1	c	9 a.	...	...	...	WNW	1
Bacolod,	,,	...	...	...	NE	4	o	,,	...	...	...	NE	4
Iloilo,	,,	29.91	88	...	E	2	c	,,	29.99	83	...	NE	2
Cebu,	,,	29.89	85	...	N	4	b	,,	29.98	85	...	N	4
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 24th at 11.50a. The barometer has risen slightly on the China coast, and over the Loochoos, fallen in E. Japan.

The anticyclone still covers China, the highest pressure lying over N. China. Strong monsoon along the China coast and over the N. part of the China Sea.

Forecast:—fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 24th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

22nd NOVEMBER, 1902, P. M.								23rd NOVEMBER, 1902, A. M.						
TATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
livostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
uro, ...	,,	30.00	...	...	NE	6	...	6 a.	30.28	...	...	N	2	...
odate, ...	,,	30.01	...	...	NE	6	...	,,	30.25	...	...	N	2	...
io, ...	,,	29.99	...	...	N	8	...	,,	30.26	...	...	N	2	...
hi, ...	,,	30.07	...	...	W	2	...	,,	30.23	...	...	N	4	...
as,aki, ...	,,	30.15	...	...	N	6	...	,,	30.23	...	...	NE	2	...
oshima, ...	,,	30.11	...	...	NE	2	...	,,	30.23	...	...	N	2	...
ima, ...	,,	30.12	...	...	N	6	...	,,	30.16	...	...	S	2	...
, ...	,,	30.09	...	...	N	6	...	,,	30.17	...	...	NE	2	...
gakijima, ...	,,	30.09	...	...	NE	6	...	,,	30.13	...	...	NE	4	...
oku, ...	1 p.	30.14	...	...	E	6	...	5 a.	30.20	...	...	E	6	...
hu, ...	,,	30.04	...	...	N	4	...	,,	30.12	...	...	...	0	...
an, ...	,,	30.05	...	...	N	6	...	,,	30.11	...	...	N	2	...
hun, ...	,,	30.06	...	...	E	2	...	,,	30.11	...	...	NE	2	...
adores, ...	,,	30.10	...	...	NE	10	...	,,	30.15	...	...	NE	10	...
glaff, ...	3 p.	30.33	59	70	N	4	cv	9 a.	30.41	58	70	N	4	cv
rp Peak. ..	,,	30.20	66	81	NE	7	o	,,	30.29	65	81	N	1	o
oy, ...	2.30p.	30.15	75	68	ENE	2	o	6.30a.	30.30	69	80	NE	2	c
ow.	3 p	30.14	77	...	E	4	b	9 a.	...	...	...	...	...	...
ton, ...	,,	30.12	78	70	E	1	o	,,	...	...	...	...	...	...
gkong, ...	4 p.	30.11	75	70	E	4	c	10 a.	30.23	73	63	E	2	b
bria Peak, .	,,	...	...	...	E	3	...	,,	...	...	...	ENE	4	...
Rock, ...	,,	30.08	...	...	ENE	4	...	,,	30.23	...	...	ENE	4	...
o, ...	,,	30.11	79	...	E	1	c	,,	30.26	76	...	NNE	1	c
phong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
lla, ...	,,	29.92	84	64	W	2	c	,,	30.04	81	85	NW	1	c
ate, ...	3 p.	...	...	...	NE	2	o	9 a.	...	...	...	...	0	c
lol, ...	,,	...	...	...	NE	6	b	,,	...	...	...	...	0	b
, ...	,,	29.89	86	...	NE	2	b	,,	30.00	83	...	NE	1	o
.....	,,	29.90	83	...	N	4	b	,,	29.99	84	...	N	2	c
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.7a. The barometer has risen generally, particularly over Japan.
A high pressure area is central over N. China, and gradients are slight to moderate with strong monsoon in the Formosa Channel and over the N. part of the China Sea.
Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 23rd November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.30	36	...	NE	2	b	7 a.	30.39	20	99	...	0
Nemuro,	"	30.16	...	...	W	2	...	6 a.	30.16	...	...	NW	6
Hakodate,	"	30.25	...	...	NW	6	...	"	30.32	...	...	W	4
Tokio,	"	30.30	...	...	SE	2	...	"	30.33	...	...	N	2
Kochi,	"	30.31	...	...	W	4	...	"	30.34	...	...	N	4
Nagasaki,	"	30.31	...	...	SE	2	...	"	30.34	...	...	NE	2
Kagoshima,	"	30.27	...	...	...	0	...	"	30.31	...	...	E	2
Oshima,	"	30.24	...	...	NE	2	...	"	30.24	...	...	N	6
Naha,	"	30.17	...	...	E	6	...	"	30.21	...	...	...	0
Ishigakijima,	"	30.13	...	...	E	6	...	"	30.17	...	...	NE	8
Taihoku,	1 p.	30.20	...	...	E	6	...	5 a.	...	...	...	...	...
Taichu,	"	30.07	...	...	N	6	...	"	...	...	...	...	...
Tainan,	"	30.07	...	...	N	6	...	"	...	...	...	...	...
Koshun,	"	30.08	...	...	NE	4	...	"	...	...	...	...	...
Pescadores,	"	30.13	...	...	NE	10	...	"	...	...	...	...	...
Gutzlaff,	3 p.	30.41	58	52	NNE	2	bv	9 a.	30.48	58	58	ENE	4
Sharp Peak,	"	30.23	66	79	NNE	7	o	"	30.34	63	72	NNW	7
Amoy,	2.30p.	30.19	75	64	NE	2	c	6.30a.	30.31	64	73	NE	2
Swatow,	3 p	30.15	74	...	E	4	b	9 a.	...	...	...	...	...
Canton,	"	30.16	75	40	N	2	b	"	...	...	...	...	...
Hongkong,	4 p.	30.14	71	67	ESE	1	b	10 a.	30.26	70	65	E	2
Victoria Peak,	"	...	...	...	NE	2	...	"	...	...	...	ENE	2
Gap Rock,	"	30.12	...	...	E	4	...	"	30.23	...	...	ENE	5
Macao,	"	30.15	72	...	N	1	c	"	30.25	71	...	NE	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.88	82	70	NNE	1	c	"	30.00	84	58	E	1
Malate,	3 p.	...	...	...	W	1	c	9 a.	...	...	...	NE	1
Bacolod,	"	...	...	...	NE	2	b	"	...	...	...	N	4
Iloilo,	"	29.87	86	...	E	1	o	"	29.98	81	...	NE	2
Cebu,	"	29.86	84	...	N	2	b	"	29.97	82	...	N	4
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 26th at 11.30a. Barometric changes are unimportant.
The high pressure area still covers N. China and the Sea of Japan. Strong monsoon along the China coast and over the N. part of the China Sea.
Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 26th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

26th NOVEMBER, 1902, P. M.								27th NOVEMBER, 1902, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
Livestock, ..	2 p.	30.39	39	...	SE	2	b	7 a.	30.17	35	99	...	0	f
uro, ...	„	30.43	...	...	SW	2	...	6 a.	...	...	...	...	...	...
odate, ...	„	30.48	...	...	...	0	...	„	...	...	...	..	...	...
io,.....	„	30.53	...	...	NW	4	...	„	...	...	...	...	...	...
hi, ...	„	30.42	...	...	N	4	...	„	...	...	...	...	...	...
ras,aki, ...	„	30.34	...	...	N	2	...	„	...	...	...	...	...	...
oshima,....	„	30.31	...	...	E	8	...	„	...	...	...	...	...	...
ma, ...	„	30.24	...	...	SE	4	...	„	...	...	...	...	...	...
a, ...	„	30.17	...	...	E	2	...	„	...	...	...	...	...	...
gakijima, ...	„	30.09	...	...	E	6	...	„	...	...	...	...	...	...
oku, ...	1 p.	30.19	...	...	E	8	...	5 a.	...	...	...	...	...	...
hu, ...	„	30.05	...	...	N	6	...	„	...	...	...	...	...	...
han, ...	„	30.07	...	...	...	0	...	„	...	...	...	...	...	...
hun, ...	„	30.09	...	...	NE	8	...	„	...	...	...	...	...	...
adores, ...	„	30.14	...	...	NE	10	...	„	...	...	...	...	...	...
zlaff, ...	3 p.	30.42	60	55	ESE	1	o	9 a.	30.36	61	94	NNE	2	cm
rp Peak, ..	„	30.24	65	68	NE	6	og	„	30.25	65	71	...	0	o
oy, ...	2.30p.	30.20	74	59	NE	3	b	6.30a.	30.25	65	68	NE	2	b
ntow, ...	3 p.	30.20	73	...	ESE	2	b	9 a.	...	...	...	...	...	...
nton, ...	„	30.16	75	55	N	2	b	„	...	...	...	...	...	...
ngkong,.....	4 p.	30.16	70	67	ESE	2	b	10 a.	30.23	73	50	ENE	1	b
toria Peak,.	„	...	...	...	E	1	...	„	...	...	...	E	2	...
p Rock, ...	„	30.13	...	...	E	4	...	„	30.20	...	...	NE	3	...
cao, ...	„	30.16	75	...	NE	1	c	„	30.23	73	...	N	1	c
iphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
nila, ...	„	29.92	86	65	ESE	1	c	„	...	83	72	NE	1	o
late,.....	3 p.	...	...	...	E	3	c	9 a.	...	...	...	S	...	c
colod, ...	„	...	...	...	NE	...	o	„	...	...	...	NE	6	o
ilo, ...	„	29.87	85	...	E	1	o	„	29.95	80	...	NE	1	c
bu, ...	„	29.86	83	...	N	2	c	„	29.96	83	...	N	2	b
pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 12.15p. The barometer has fallen in the North, probably owing to the existence of a low pressure area over Manchuria. Pressure is highest over Central China.
Moderate monsoon on the coast, strong monsoon over the N. part of the China Sea.
Forecast:— moderate to light NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 27th November 1902.

CHINA COAST METEOROLOGICAL REGISTE

Station.	27th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th NOVEMBER, 1902, A. M Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	"	...	...	...	...	...	...	6 a.	30.04	...	...	...	6
Hakodate,	"	...	...	...	...	...	...	"	30.05	...	...	..	0
Tokio,	"	...	...	...	...	...	...	"	30.30	...	...	NW	2
Kochi,	"	...	...	...	...	...	...	"	30.19	...	...	N	6
Nagasaki,	"	...	...	...	...	...	...	"	30.23	...	...	...	0
Kagoshima,	"	...	...	...	...	...	...	"	30.15	...	...	N	2
Oshima,	"	...	...	...	...	...	...	"	30.20	...	...	N	4
Naha,	"	...	...	...	...	...	...	"	30.13	...	...	NE	4
Ishigakijima,	"	...	...	...	...	...	...	"	30.09	...	...	NE	2
Taihoku,	1 p.	30.12	...	...	N	2	...	5 a.	...	...	...	...	...
Taichu,	"	30.09	...	...	NE	8	...	"	...	...	...	...	...
Tainan,	"	30.03	...	...	N	6	...	"	...	...	...	...	...
Koshun,	"	30.06	...	...	N	6	...	"	...	...	...	...	...
Pescadores,	"	30.02	...	...	N	6	...	"	...	...	...	...	...
Gutzlaff,	3 p.	30.31	64	89	NE	1	cv	9 a.	30.37	61	77	ENE	3
Sharp Peak,	"	30.15	67	79	E	7	c	"	30.24	66	79	N	1
Amoy,	2.30p.	30.14	74	68	ENE	3	b	6.30a.	30.22	66	68	NE	2
Swatow,	3 p	30.13	74	...	ESE	2	b	9 a.	...	...	...	...	...
Canton,	"	30.15	71	66	N	2	b	"	...	...	...	...	...
Hongkong,	4 p.	30.12	74	57	W	1	c	10 a.	30.21	73	47	NE	1
Victoria Peak,	"	...	...	...	NNW	1	...	"	...	...	...	NE	2
Gap Rock,	"	30.11	...	...	NNE	3	...	"	30.19	...	...	NE	3
Macao,	"	30.12	72	...	NNE	1	c	"	30.23	70	...	N	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.92	86	58	E	1	b	"	30.00	84	64	W	...
Malate,	3 p.	...	...	...	E	1	b	9 a.	...	...	...	...	0
Bacolod,	"	...	...	...	NE	6	b	"	...	...	...	NE	6
Iloilo,	"	29.88	85	...	E	3	b	"	29.95	81	...	NE	2
Cebu,	"	29.88	84	...	N	4	c	"	29.97	84	...	N	4
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 28th at noon:- The barometer has fallen in Japan, and probably the low pressure area, lying over Manchuria yesterday, has moved Eastwards into the N. part of the Sea of Japan. Pressure remains high over Central China and relatively low to the E. of Formosa. Fresh monsoon along the coast and over the N. part of the China Sea.

Forecast:— light or moderate winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 28th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

28th NOVEMBER, 1902, P. M.								29th NOVEMBER, 1902, A. M.						
STATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
vostock, ..	2 p.	30.13	29	...	N	3	c	7 a.	30.19	42	97	...	0	b
o, ...	"	29.88	...	...	SW	6	...	6 a.	30.08	...	...	N	8	...
ate, ...	"	30 01	...	...	NW	8	...	"	30.21	...	...	NW	4	...
.....	"	30.10	...	...	NE	2	...	"	30.14	...	...	N	4	...
l, ...	"	30.07	...	...	NE	2	...	"	30.11	...	...	N	2	...
s,aki, ...	"	30.15	...	...	N	6	...	"	30.15	...	...	NE	2	...
shima, ...	"	30.11	...	...	SE	2	...	"	30.15	...	...	NW	4	...
na, ...	"	30.16	...	...	...	0	...	"	30.12	...	...	S	2	...
, ...	"	30.09	...	...	E	6	...	"	30.05	...	...	NE	4	...
akijima, ...	"	30.09	...	...	NE	4	...	"	30.05	...	...	NE	4	...
ku, ...	1 p.	30.12	...	...	E	8	...	5 a.	...	...	...	...	...	...
u, ...	"	30.07	...	...	N	6	...	"	...	...	...	...	...	...
n, ...	"	30 09	...	...	N	2	...	"	...	...	...	...	...	...
in, ...	"	30.06	...	...	E	4	...	"	...	...	...	...	...	...
dores, ...	"	30.08	...	...	N	8	...	"	...	...	...	...	...	...
laff, ...	3 p.	30.31	63	67	NE	2	cv	9 a.	30.31	59	88	E	1	cv
p Peak, ..	"	30.16	67	81	NE	6	o	"	30.22	66	84	NNE	2	o
y, ...	2.30p.	30.14	75	68	NE	2	b	6.30a.	30.20	67	84	...	0	c
tow, ...	3 p	30.13	74	...	E	2	b	9 a.	...	...	...	...	...	...
n, ...	"	30.11	79	56	N	1	b	"	30.21	65	...	...	0	...
ong, ...	4 p.	30.11	72	52	E	1	b	10 a.	30.19	72	64	E	1	o
ia Peak, .	"	...	...	...	NW	1	...	"	...	...	...	E	2	...
Rock, ...	"	30.08	...	...	ENE	3	...	"	30.17	...	...	ENE	4	...
ao, ...	"	30.11	74	...	N	1	b	"	30.20	73	...	NNE	1	e
phong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
ila, ...	"	29.92	86	53	ENE	2	b	"	30.00	82	70	W	1	c
ate, ...	3 p.	...	...	...	NE	3	b	9 a.	...	...	...	NE	1	b
olod, ...	"	...	...	...	N	6	b	"	...	...	...	N	4	c
o, ...	"	29.89	86	...	E	2	o	"	29.96	81	...	NE	2	o
u, ...	"	29.88	84	...	N	2	b	"	29.95	85	...	N	2	b
e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11.55a. The barometer has risen over NE. Japan, the depression having moved into the Pacific.

The barometer is falling elsewhere.

Pressure is highest over N. China, and gradients are slight with moderate monsoon along the coast and fresh monsoon over the N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 29th November 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th NOVEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th NOVEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.13	38	...	S	3	b	7 a.	29.95	35	96	...	0
Nemuro,	"	30.24	...	...	N	4	...	6 a.	30.20	...	...	SW	6
Hakodate,	"	30.21	...	...	SE	2	...	"	30.05	...	...	...	0
Tokio,	"	30.18	...	...	E	4	...	"	30.06	...	...	N	6
Kochi,	"	30.07	...	...	NE	4	...	"	30.03	...	...	NE	4
Nagasaki,	"	30.11	...	...	W	2	...	"	30.11	...	...	N	2
Kagoshima,	"	30.11	...	...	NW	2	...	"	30.15	...	...	NE	2
Oshima,	"	30.08	...	...	N	4	...	"	30.04	...	...	N	6
Naha,	"	30.05	...	...	NE	4	...	"	30.13	...	...	N	6
Ishigakijima,	"	30.05	...	...	N	4	...	"	30.09	...	...	NE	6
Taihoku,	1 p.	30.13	...	...	E	6	...	5 a.	30.12	...	...	E	4
Taichu,	"	30.02	...	...	N	6	...	"	30.06	...	...	...	0
Tainan,	"	30.03	...	...	N	2	...	"	30.06	...	...	N	2
Koshun,	"	30.05	...	...	NE	2	...	"	30.07	...	...	NE	8
Pescadores,	"	30.04	...	...	NE	10	...	"	30.04	...	...	NE	8
Gutzlaff,	3 p.	30.25	61	82	N	1	cv	9 a.	30.30	61	77	SE	1
Sharp Peak,	"	30.15	66	79	NE	3	oq	"	30.23	65	...	N	2
Amoy,	2.30p.	30.13	75	68	NE	1	o	6.30a.	30.22	67	74	NE	3
Swatow,	3 p	30.16	74	...	E	2	b	9 a.	30.23	69	...	N	1
Canton,	"	...	...	...	...	...	...	"	30.21	66	73	...	0
Hongkong,	4 p.	30.10	73	56	ESE	1	o	10 a.	30.18	72	66	E	2
Victoria Peak,	"	...	...	...	N	1	...	"	...	...	...	ESE	3
Gap Rock,	"	30.08	...	...	ENE	3	...	"	30.15	...	...	ENE	4
Macao,	"	30.10	72	...	NNW	1	c	"	30.19	71	...	N	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.92	84	58	NE	2	b	"	30.00	86	58	ESE	1
Malate,	3 p.	...	...	...	SW	2	b	9 a.	...	...	...	NE	1
Bacolod,	"	...	...	...	NE	4	b	"	...	...	...	NE	6
Iloilo,	"	29.87	86	...	E	2	b	"	29.97	82	...	NE	2
Cebu,	"	29.86	85	...	N	2	c	"	29.96	83	...	N	1
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 30th at 10.10a. The barometer has fallen over N. China owing to the existence of a depression over Manchuria.

Pressure is highest over Central China. Gradients slight with moderate monsoon in S. China and the N. part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 30th November 1902.

CHINA COAST METEOROLOGICAL REGISTER

30th NOVEMBER, 1902, P. M.								1st DECEMBER, 1902						
STATION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Direction.	Force.	Weather.
ivostock,	2 p.	29.96	41	...	...	0	o	7 a.	30.01	25	99	NE	[illegible]	s
ro,	"	30.04	...	...	S	6	...	6 a.	29.92	...	...	N	6	...
date,	"	30.01	...	...	...	0	...	"	29.97	...	...	...	0	...
.....	"	29.94	...	...	N	6	...	"	30.10	...	...	...	0	...
,	"	29.99	...	...	W	2	...	"	30.15	...	...	...	0	...
,aki,	"	30.15	...	...	NW	6	...	"	30.19	...	...	...	0	...
shima,	"	30.11	...	...	NW	4	...	"	30.19	...	...	N	2	...
a,	"	30.16	...	...	N	6	...	"	30.20	...	...	S	2	...
,	"	30.17	...	...	N	6	...	"	30.17	...	...	...	0	...
gakijima,	"	30.13	...	...	NE	8	...	"	30.09	...	...	E	4	...
oku,	1 p.	30.13	...	...	E	8	...	5 a.	30.10	...	...	E	2	...
hu,	"	30.02	...	...	W	2	...	"	30.06	...	...	...	0	...
nan,	"	30.04	...	...	W	4	...	"	30.06	...	...	N	2	...
shun,	"	30.05	...	...	NE	8	...	"	30.07	...	...	NE	2	...
scadores,	"	30.07	...	...	NE	10	...	"	30.08	...	...	N	6	...
tzlaff,	3 p.	30.21	64	73	SSE	2	bv	9 a.	30.20	62	...	S	4	bv
rp Peak.	"	30.16	68	74	NNE	4	o	"	30.19	66	81	...	0	o
oy,	2.30p.	30.16	72	67	NE	3	b	6.30a.	30.18	67	89	NE	1	c
atow,	3 p	30.12	73	...	E	3	c	9 a.	30.16	70	...	N	1	om
nton,	"	30.09	75	60	W	1	c	"	...	...	...	...	...	...
ngkong,	4 p.	30.09	71	66	ENE	3	o	10 a.	30.18	71	67	N	1	o
toria Peak,	"	...	...	...	E	4	...	"	...	...	...	ENE	1	...
p Rock,	"	30.06	...	...	ENE	4	...	"	30.15	...	...	ENE	4	...
cao,	"	30.09	78	...	ESE	1	c	"	30.18	73	...	N	1	c
iphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
nila,	"	29.88	86	58	...	1	b	"	30.04	82	70	ENE	1	o
late,	3 p.	...	...	...	SE	2	b	9 a.	...	...	...	...	0	c
colod,	"	...	...	...	NE	6	o	"	...	...	...	N	2	b
ilo,	"	29.86	86	...	NE	2	o	"	29.98	81	...	E	2	c
bu,	"	29.85	84	...	N	2	b	"	29.97	83	...	N	2	b
pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 1st at 11.10a. The barometer has fallen over the E. coast of China and NE. Japan, risen in S. Japan.

The depression has passed Eastwards into the Pacific to the NE. of Japan.

Another depression seems to exist over N. China. Pressure is highest over SW. Japan.

Gradients slight with moderate monsoon in the Formosa Channel and the N. part of the China Sea.

Forecast:— light or moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 1st December 1902.

CHINA COAST METEOROLOGICAL REGISTER

Station.	1st DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	2nd DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.02	22	...	NE	7	c	7 a.	30.33	9	67	NE	5
Nemuro,	"	29.94	...	...	...	0	...	6 a.	29.76	...	...	...	0
Hakodate,	"	29.93	...	...	NW	6	...	"	29.85	...	...	NW	4
Tokio,	"	30.06	...	...	S	4	...	"	29.94	...	...	N	2
Kochi,	"	30.11	...	...	SW	4	...	"	30.07	...	...	W	6
Nagasaki,	"	30.15	...	...	W	4	...	"	30.11	...	...	SE	2
Kagoshima,	"	30.15	...	...	SW	4	...	"	30.15	...	...	...	0
Oshima,	"	30.16	...	...	N	2	...	"	30.12	...	...	S	2
Naha,	"	30.15	...	...	NE	2	...	"	30.13	...	...	...	0
Ishigakijima,	"	30.09	...	...	E	8	...	"	30.09	...	...	E	4
Taihoku,	1 p.	30.08	...	...	...	0	...	5 a.	30.12	...	...	...	0
Taichu	"	30.04	...	...	...	0	...	"	30.04	...	...	...	0
Tainan,	"	30.06	...	...	N	4	...	"	30.06	...	...	N	2
Koshun,	"	30.06	...	...	NE	6	...	"	30.04	...	...	NE	2
Pescadores,	"	30.09	...	...	N	8	...	"	30.07	...	...	NE	6
Gutzlaff,	3 p.	...	...	...	...	...	...	9 a.	...	...	...	...	...
Sharp Peak,	"	30.09	69	77	ENE	5	c	"	30.19	68	77	...	0
Amoy,	2.30p.	30.11	73	67	SSW	1	c	6.30a.	30.18	68	90	W	1
Swatow,	3 p	30.15	75	...	N	1	o	9 a.	...	...	...	...	...
Canton,	"	30.08	77	69	NW	2	b	"	30.16	69	85	N	1
Hongkong,	4 p.	30.08	74	68	ESE	1	o	10 a.	30.15	75	68	ESE	1
Victoria Peak,	"	...	...	...	E	1	...	"	...	...	...	E	1
Gap Rock,	"	30.07	...	...	E	5	...	"	30.14	...	...	E	3
Macao,	"	30.08	73	...	N	1	c	"	30.15	73	...	NNW	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.92	86	59	E	1	b	"	30.00	81	76	WSW	1
Malate,	3 p.	...	...	...	SE	1	b	9 a.	...	...	...	...	0
Bacolod,	"	...	...	...	NE	4	b	"	...	...	...	NE	4
Iloilo,	"	29.83	85	...	NE	2	...	"	29.98	80	...	N	1
Cebu,	"	29.89	85	...	N	3	c	"	29.97	84	...	N	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 2nd at 12.5p. The barometer has risen in the extreme North, fallen over Japan. Pressure is low over E. Japan, and high, apparently, over N. China.

The monsoon will probably freshen in the Formosa Channel. Moderate monsoon over the N. p[illegible] of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 2nd December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

	2nd DECEMBER, 1902, P. M.							3rd DECEMBER, 1902, A. M.						
TION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.
ostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	..	...	...
, ...	,,	29.65	...	...	N	8	...	6 a.	30.12	...	...	NW	8	...
ate, ...	,,	29.93	...	...	W	10	...	,,	30.29	...	...	N	4	...
.....	,,	29.82	...	...	E	2	...	,,	30.30	...	...	NE	2	...
.....	,,	30.03	...	...	W	6	...	,,	30.19	...	...	N	2	...
aki, ...	,,	30.11	...	...	N	2	...	,,	30.15	...	...	...	0	...
ima, ...	,,	30.11	...	...	W	2	...	,,	30.15	...	...	NE	2	...
, ...	,,	30.12	...	...	NW	2	...	,,	30.12	...	...	S	2	...
.....	,,	30.17	...	...	E	2	...	,,	30.13	...	...	E	2	...
ijima, ...	,,	30.09	...	...	NE	8	...	,,	30.05	...	...	E	6	...
n, ...	1 p.	30.12	...	...	E	6	...	5 a.	30.07	...	...	NE	6	...
, ...	,,	29.99	...	...	N	6	...	,,	30.02	...	...	...	0	...
, ...	,,	30.02	...	...	N	4	...	,,	30.03	...	...	...	0	...
, ...	,,	30.06	...	...	E	6	...	,,	30.03	...	...	NE	4	...
ores, ...	,,	30.06	...	...	NE	6	...	,,	30.05	...	...	NE	10	...
ff, ...	3 p.	30.29	59	70	NNE	3	cv	9 a.	30.25	60	71	ESE	2	cv
Peak. ..	,,	30.15	68	79	NE	6	o	,,	30.15	65	73	NNW	2	o
.....	2.30p.	30.11	76	56	NE	2	c	6.30a.	30.16	66	84	NE	1	c
v, ...	3 p.	30.08	75	...	E	2	o	9 a.	...	...	...	...	...	...
, ...	,,	30.04	80	...	E	2	b	,,	30.16	69	85	N	1	b
ong.....	4 p.	30.05	75	47	E	3	c	10 a.	30.15	72	71	E	2	o
a Peak, .	,,	...	...	...	E	3	...	,,	...	...	...	...	...	...
ock, ...	,,	30.03	...	...	ENE	3	...	,,	30.11	...	...	ENE	5	...
.....	,,	30.07	77	...	SSE	1	c	,,	30.14	74	...	NE	1	c
ong, ...	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
, ...	,,	29.92	82	70	...	1	c	,,	30.00	82	77	W	1	c
.....	3 p.	...	...	...	SE	1	c	9 a.	...	...	...	...	0	b
.....	,,	...	...	...	NE	4	c	,,	...	...	...	NE	2	c
.....	,,	29.85	85	...	...	...	o	,,	29.96	81	...	NE	3	o
.....	,,	29.83	84	...	N	2	c	,,	29.95	83	...	...	0	c
James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 3rd at 8.45a. The barometer has risen rapidly in E. Japan, fallen along the China coast, particularly in the North.

Pressure is high over the E. part of the Sea of Japan, and another depression appears to be advancing Eastwards towards Manchuria.

Decreasing monsoon in the Formosa Channel, and moderate monsoon in the N. part of the China Sea.

Forecast:— moderate NE. winds—fair.

F. G. FIGG.
Acting Director.

Hongkong Observatory, Wednesday 3rd December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

2nd DECEMBER, 1902, P. M.								3rd DECEMBER, 1902, A. M.							
TION.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
vostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
o,	,,	29.65	...	...	N	8	...	6 a.	30.12	...	...	NW	8	...
ute,	,,	29.93	...	...	W	10	...	,,	30.29	...	...	N	4	...
.....	,,	29.82	...	...	E	2	...	,,	30.30	...	...	NE	2	...
.....	,,	30.03	...	...	W	6	...	,,	30.19	...	...	N	2	...
aki,	,,	30.11	...	...	N	2	...	,,	30.15	...	...	...	0	...
hima,	,,	30.11	...	...	W	2	...	,,	30.15	...	...	NE	2	...
a,	,,	30.12	...	...	NW	2	...	,,	30.12	...	...	S	2	...
.....	,,	30.17	...	...	E	2	...	,,	30.13	...	...	E	2	...
kijima,	,,	30.09	...	...	NE	8	...	,,	29.95	...	...	E	6	...
xu,	1 p.	30.12	...	...	E	6	...	5 a.	30.07	...	...	NE	2	...
n,	,,	29.99	...	...	N	6	...	,,	30.02	...	...	...	0	...
n,	,,	30.02	...	...	N	4	...	,,	30.03	...	...	...	0	...
nn,	,,	30.06	...	...	E	6	...	,,	30.03	...	...	NE	4	...
dores,	,,	30.06	...	...	NE	6	...	,,	30.05	...	...	NE	10	...
aff,	3 p.	30.29	59	70	NNE	3	cv	9 a.	30.25	60	71	ESE	2	cv
Peak,	,,	30.15	68	79	NE	6	o	,,	30.15	65	73	NNW	2	o
y,	2.30p.	30.11	76	56	NE	2	c	6.30a.	30.16	66	84	NE	1	c
w,	3 p.	30.08	75	...	E	2	o	9 a.	...	...	...	...	...	...
n,	,,	30.04	80	...	E	2	b	,,	30.16	69	85	N	1	b
kong,	4 p.	30.05	75	47	E	3	c	10 a.	30.15	72	71	E	2	o
vin Peak,	,,	...	...	...	E	3	...	,,	...	...	...	...	...	...
Rock,	,,	30.03	...	...	ENE	3	...	,,	30.11	...	...	ENE	5	...
o,	,,	30.07	77	...	SSE	1	c	,,	30.14	74	...	NE	1	c
hong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
a,	,,	29.92	82	70	...	1	c	,,	30.00	82	77	W	1	c
s,	3 p.	...	...	...	SE	1	c	9 a.	...	...	...	...	0	b
ad,	,,	...	...	...	NE	1	c	,,	...	...	...	NE	2	c
	,,	29.85	85	...	...	...	o	,,	29.96	81	...	NE	3	o
	,,	29.88	84	...	N	2	c	,,	[illegible]	83	...	...	0	c
James,	4 p.	...	...	...	...	...	...	1 a.	...	...	...	...	...	...

On the 3rd at 4 45a. The barometer has risen rapidly in E. Japan, fallen along the China coast, particularly in the North.

Pressure is high over the E. part of the Sea of Japan, and another depression appears to be advancing Eastwards towards Manchuria.

Decreasing monsoon in the Formosa Channel, and moderate monsoon in the N. part of the China Sea.

Forecast:— moderate NE. winds, fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 3rd December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	3rd DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	4th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	..	...
Nemuro,	"	30.28	...	...	NW	2	...	6 a.	29.84	...	...	SE	10
Hakodate,	"	30.25	...	...	W	2	...	"	29.81	...	...	W	8
Tokio,	"	30.30	...	...	NW	4	...	"	30.06	...	...	NW	2
Kochi,	"	30.15	...	...	NE	4	...	"	29.95	...	...	...	0
Nagasaki,	"	30.07	...	...	SW	4	...	"	30.07	...	...	NE	2
Kagoshima,	"	30.07	...	...	...	0	...	"	30.07	...	...	N	4
Oshima,	"	30.08	...	...	S	2	...	"	30.08	...	...	N	4
Naha,	"	30.09	...	...	...	0	...	"	30.09	...	...	...	0
Ishigakijima,	"	30.05	...	...	NE	8	...	"	30.05	...	...	E	4
Taihoku,	1 p.	30.04	...	...	E	6	...	5 a.	30.03	...	...	E	4
Taichu,	"	29.98	...	...	NW	2	...	"	30.00	...	...	...	0
Tainan,	"	29.99	...	...	N	4	...	"	30.00	...	...	N	2
Koshun,	"	30.08	...	...	...	0	...	"	30.00	...	...	NE	2
Pescadores,	"	30.04	...	...	NE	8	...	"	30.02	...	...	NE	6
Gutzlaff,	3 p.	30.17	61	77	ESE	2	ovp	9 a.	30.26	60	76	NNE	4
Sharp Peak,	"	30.07	69	70	E	1	b	"	30.15	67	81	...	0
Amoy,	2.30p.	30.07	74	72	SE	2	b	6.30a.	30.14	68	90	...	0
Swatow,	3 p	30.08	75	...	SE	2	b	9 a.	30.16	73	...	N	1
Canton,	"	30.02	79	61	...	0	o	"	...	...	...	...	...
Hongkong,	4 p.	30.03	73	64	E	2	o	10 a.	30.12	74	73	E	1
Victoria Peak,	"	...	...	...	E	2	...	"	...	...	...	ENE	1
Gap Rock,	"	30.01	...	...	ENE	4	...	"	30.09	...	...	ENE	3
Macao,	"	30.02	76	...	SE	1	c	"	30.12	75	...	NNE	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.88	83	66	...	0	b	"	29.96	82	85	...	0
Malate,	3 p.	...	...	...	SE	1	b	9 a.	...	...	...	...	0
Bacolod,	"	...	...	...	N	4	b	"	...	...	...	N	...
Iloilo,	"	29.86	86	...	NE	2	...	"	29.94	82	...	NE	1
Cebu,	"	29.86	85	...	N	3	b	"	29.93	84	...	N	2
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

Onthe 4th at 11.30a. The barometer has fallen over Japan, owing to the depression having moved into the NE. part of the Sea of Japan.

The barometer has risen over N. China, where pressure is again high.

The monsoon will freshen in the Formosa Channel.

Moderate monsoon over the N part of the China Sea.

Forecast:— moderate NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 4th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

	4th DECEMBER, 1902, P. M.							5th DECEMBER, 1902, A. M.						
TATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
livostock, ..	2 p.	30.25	13	...	N	5	b	7 a.	30.35	3	56	NE	4	b
uro, ...	"	29.72	...	...	W	8	...	6 a.	29.92	...	...	W	6	...
date, ...	"	29.93	...	...	NW	8	...	"	30.13	...	...	NW	6	...
o, ...	"	29.94	...	...	...	0	...	"	30.14	...	...	NW	2	...
i, ...	"	29.99	...	...	NE	2	...	"	30.23	...	...	NW	4	...
s,aki, ...	"	30.07	...	...	N	6	...	"	30.23	...	...	...	0	...
oshima, ...	"	30.03	...	...	N	6	...	"	30.27	...	...	N	4	...
ma, ...	"	30.04	...	...	N	4	...	"	30.20	...	...	NE	4	...
, ...	"	30.05	...	...	N	4	...	"	30.17	...	...	NE	2	...
gakijima, ...	"	...	...	...	...	...	...	"	30.09	...	...	E	6	...
oku, ...	1 p.	30.06	...	...	NE	8	...	5 a.	30.07	...	...	E	6	...
hu, ...	"	29.97	...	...	N	2	...	"	30.03	...	...	...	0	...
an, ...	"	29.98	...	...	NE	4	...	"	30.01	...	...	...	0	...
hun, ...	"	30.00	...	...	NE	4	...	"	30.01	...	...	NE	6	...
adores, ...	"	30.03	...	...	NE	8	...	"	30.02	...	...	NE	6	...
laff, ...	3 p.	30.23	69	60	NE	3	bv	9 a.	30.22	61	77	SE	4	cv
p Peak, ..	"	30.09	66	89	E	7	oq	"	30.15	66	79	NNW	2	og
y, ...	2.30p.	30.07	77	73	NE	1	c	6.30a.	30.14	67	84	NE	2	c
ow, ...	3 p	30.05	76	...	ESE	2	b	9 a.	...	..	...	...	...	...
on, ...	"	30.02	81	83	E	2	b	"	...	...	...	...	...	...
gkong, ...	4 p.	30.02	73	76	E	2	b	10 a.	30.08	70	77	E	5	o
oria Peak, .	"	...	...	...	E	1	...	"	...	...	...	ESE	6	...
Rock, ...	"	29.99	...	...	E	4	...	"	30.04	...	...	ENE	4	...
o, ...	"	30.00	76	...	S	1	c	"	30.08	76	...	E	2	c
hong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...	...
la, ...	"	29.88	82	77	...	0	o	"	...	...	...	...	...	...
te, ...	3 p.	...	...	...	E	2	o	9 a.	...	...	...	...	0	o
lod, ...	"	...	...	...	NE	2	b	"	...	...	...	NE	2	c
, ...	"	29.84	87	...	NE	2	o	"	29.93	82	...	N	2	o
, ...	"	29.84	83	...	N	4	b	"	29.91	83	...	N	2	c
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 5th at 12.5p. The barometer has risen over Japan, the depression having passed to the Pacific to the NE. of Japan.

Pressure has increased and is high over Manchuria, but inclined to give way in S. China, probably owing to the formation of a depression over Central China.

Fresh to moderate monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— fresh to moderate E. winds; cloudy, some light rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 5th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	5th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	6th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.32	18	...	NE	2	b	7 a.	30.24	6	73	NE	3
Nemuro,	"	30.00	...	...	NW	10	...	6 a.	30.28	...	...	NW	6
Hakodate,	"	30.21	...	...	NW	8	...	"	30.32	...	...	N	2
Tokio,	"	30.18	...	...	NW	4	...	"	30.26	...	...	NW	4
Kochi,	"	30.19	...	...	W	4	...	"	30.03	...	...	NE	6
Nagasaki,	"	30.23	...	...	E	4	...	"	29.79	...	...	SE	10
Kagoshima,	"	30.19	...	...	...	0	...	"	29.91	...	...	SE	8
Oshima,	"	30.16	...	...	E	4	...	"	29.96	...	...	S	8
Naha,	"	30.13	...	...	E	6	...	"	29.97	...	...	S	2
Ishigakijima,	"	30.09	...	...	E	8	...	"	29.97	...	...	S	6
Taihoku,	1 p.	30.00	...	...	E	8	...	5 a.	30.00	...	...	E	2
Taichu,	"	29.97	...	...	...	2	...	"	29.97	...	...	...	0
Tainan,	"	30.00	...	...	W	4	...	"	29.96	...	...	...	0
Koshun,	"	30.01	...	...	E	6	...	"	29.96	...	...	...	0
Pescadores,	"	30.00	...	...	N	2	...	"	29.96	...	...	NE	4
Gutzlaff,	3 p.	30.05	66	68	S	4	cv	9 a.	30.31	49	85	NNW	7
Sharp Peak,	"	30.02	67	82	NW	3	o	"	30.10	66	93	...	0
Amoy,	2.30p.	30.03	75	78	ENE	1	o	6.30a.	30.09	69	90	NW	2
Swatow,	3 p	30.03	74	...	E	1	or	9 a.	...	..	...	...	...
Canton,	"	29.96	76	77	E	3	o	"	...	...	...	...	...
Hongkong,	4 p.	29.97	72	77	E	4	o	10 a.	30.08	64	80	...	0
Victoria Peak,	"	...	...	...	ESE	5	...	"	...	...	...	NE	5
Gap Rock,	"	29.94	...	...	ENE	5	...	"	30.02	...	...	N	6
Macao,	"	29.97	74	...	ESE	1	c	"	30.10	69	...	NNW	3
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.84	84	77	...	0	c	"	29.92	84	71	...	0
Malate,	3 p.	...	...	...	SE	3	o	9 a.	...	...	...	N	...
Bacolod,	"	...	...	...	N	6	b	"	...	...	...	...	3
Iloilo,	"	29.84	85	...	NE	2	o	"	29.92	81	...	NE	2
Cebu,	"	29.85	84	...	N	4	b	"	29.91	84	...	N	4
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 6th at 11.45a. The depression mentioned yesterday has passed over the E. coast of China and is now approaching the W. coast of Japan.

It is followed by an area of high pressure, and the barometer has risen rapidly over the E. coast.

Heavy monsoon will spread down the China coast and over the N. part of the China Sea during the next 24 hours.

Forecast:— stong N. winds; squally, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 6th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	6th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
divostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
uro,	"	30.24	...	...	...	0	...	6 a.	29.76	...	...	NE	8	...
odate,	"	30.21	...	...	NE	2	...	"	29.81	...	...	N	8	...
io,	"	30.02	...	...	NW	2	...	"	29.74	...	...	N	6	...
hi,	"	29.68	...	...	SE	10	...	"	29.93	...	...	W	6	...
gs,aki,	"	29.83	...	...	NW	10	...	"	30.11	...	...	N	2	...
goshima,	"	29.79	...	...	NW	10	...	"	30.11	...	...	N	4	...
ima,	"	29.92	...	...	NW	6	...	"	30.08	...	...	N	6	...
a,	"	30.01	...	...	N	6	...	"	30.09	...	...	NE	4	...
igakijima,	"	30.09	...	...	N	6	...	"	30.05	...	...	NE	6	...
hoku,	3 p.	30.04	...	...	E	8	...	5 a.	30.10	...	...	E	6	...
chu,	"	29.95	...	...	N	6	...	"	29.95	...	...	N	2	...
nan,	"	29.93	...	..	N	6	...	"	30.00	...	...	N	2	...
shun,	"	29.94	...	...	N	2	...	"	29.98	...	...	E	8	...
scadores,	"	30.01	...	...	NE	10	...	"	30.02	...	...	NE	10	...
tzlaff,	3 p.	30.34	45	68	NNW	7	cv	9 a.	30.35	40	74	NNW	4	cm
arp Peak,	"	30.13	65	74	ENE	8	cg	"	30.21	57	75	NNE	4	or
oy,	2.30p.	30.09	69	85	NE	2	o	6.30a.	30.18	64	68	NE	3	or
arow,	3 p	30.08	65	...	N	3	or	9 a.	...	...	...	...	...	...
ton,	"	...	61	71	N	2	o	"	...	...	...	...	...	...
ngkong,	4 p.	30.03	62	92	...	0	cd	10 a.	30.11	64	78	NNE	1	o
toria Peak,	"	...	...	...	NNE	5	...	"	...	...	...	...	...	...
p Rock,	"	29.99	...	...	NNW	5	...	"	30.08	...	...	NE	3	...
cao,	"	30.04	67	...	NNW	3	orq	"	30.12	65	...	NNW	3	od
iphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
nila,	"	29.84	...	...	ESE	2	b	"	29.92	82	70	SW	1	c
late,	3 p.	...	...	...	ESE	2	b	9 a.	...	...	...	...	0	b
colod,	"	...	...	...	NE	2	o	"	...	...	...	NE	2	b
ilo,	"	29.82	87	...	NE	1	o	"	29.91	82	...	NE	2	c
bu,	"	29.84	84	...	N	2	b	"	29.91	84	...	N	2	b
e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 7th at 11.45a. The depression has moved Eastwards over Japan, and lies now off the E. coast. The barometer has risen on the China coast. Pressure remains high over N. China, and relatively low over the N. part of the China Sea and the Pacific to the SE. of Formosa.

Strong monsoon along the China coast and over the N. part of the China Sea.

Forecast:—fresh NE. winds; dull some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 7th December 1902.

CHINA COAST METEOROLOGICAL REGISTER

Station.	7th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	8th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.08	22	...	N	4	b	7 a.	30.14	15	98	...	0
Nemuro,	„	29.69	...	...	N	10	...	6 a.	30.20	...	...	SW	2
Hakodate,	„	29.93	...	...	N	8	...	„	30.25	...	...	...	0
Tokio,	„	29.94	...	...	N	6	...	„	30.26	...	...	NW	4
Kochi,	„	30.07	...	...	W	2	...	„	30.15	...	...	NW	4
Nagasaki,	„	30.11	...	...	NE	4	...	„	30.11	...	...	N	2
Kagoshima,	„	30.07	...	...	SE	4	...	„	30.11	...	...	NE	2
Oshima,	„	30.04	...	...	N	4	...	„	30.08	...	...	SE	2
Naha,	„	...	...	...	NE	2	...	„	30.05	...	...	NE	4
Ishigakijima,	„	30.01	...	...	NE	8	...	„	29.97	...	...	NE	6
Taihoku,	1 p.	30.06	...	...	E	4	...	5 a.	...	...	...	...	...
Taichu,	„	29.97	...	...	N	2	...	„	...	...	...	...	...
Tainan,	„	29.96	...	...	N	4	...	„	...	...	...	...	...
Koshun,	„	29.96	...	...	NE	6	...	„	...	...	...	...	...
Pescadores,	„	30.00	...	...	N	10	...	„	...	...	...	...	...
Gutzlaff,	3 p.	30.27	47	77	NW	3	cv	9 a.	30.30	48	85	N	3
Sharp Peak,	„	30.11	56	75	...	0	o	„	30.13	57	87	NW	2
Amoy,	2.30p.	30.14	62	67	NE	1	c	6.30a.	30.16	63	83	NE	1
Swatow,	3 p	30.02	65	...	NNE	1	o	9 a.	...	..	...	...	...
Canton,	„	30.05	60	76	...	...	o	„	30.13	57	94	N	1
Hongkong,	4 p.	30.02	64	78	NNE	1	o	10 a.	30.08	67	78	ENE	1
Victoria Peak,	„	...	...	...	ENE	2	...	„	...	...	...	E	3
Gap Rock,	„	29.99	...	...	NE	4	...	„	30.05	...	...	NE	4
Macao,	„	30.03	64	...	NNW	2	o	„	30.10	64	...	NNW	1
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...
Manila,	„	29.84	84	71	W	1	c	„	29.92	84	71	W	2
Malate,	3 p.	...	...	...	SE	1	c	9 a.	...	...	...	...	...
Bacolod,	„	...	...	...	N	6	b	„	...	...	...	...	...
Iloilo,	„	29.82	86	...	E	1	b	„	...	...	...	...	...
Cebu,	„	29.82	84	...	N	3	b	„	...	...	...	...	...
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 8th at noon:- The barometer has risen quickly over E. Japan, fallen slightly on the China coast.

Pressure is highest over Central China and relatively low over the N. part of the China Sea and the Pacific to the SE. of Formosa.

Strong monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— fresh NE. winds; dull, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 8th December 1902.

CHINA COAST METEOROLOGICAL REGISTER

8th DECEMBER, 1902, P. M.								9th DECEMBER, 1902, A. M.							
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.11	34	...	NE	1	b	7 a.	30.37	11	82	N	4	b
Nemuro,	"	30.24	...	...	SW	6	...	6 a.	30.16	...	...	SW	4	...
Hakodate,	"	30.21	...	...	SW	4	...	"	30.13	...	...	N	6	...
Tokio,	"	30.18	...	...	NW	4	...	"	30.06	...	...	NW	6	...
Kochi,	"	30.07	...	...	NE	2	...	"	30.07	...	...	NE	4	...
Nagasaki,	"	30.07	...	...	NW	2	...	"	30.11	...	...	...	0	...
Kagoshima,	"	30.07	...	...	N	2	...	"	30.07	...	...	NE	4	...
Oshima,	"	30.00	...	...	NW	2	...	"	30.04	...	...	N	6	...
Naha,	"	30.01	...	...	NE	4	...	"	30.05	...	...	...	0	...
Ishigakijima,	"	30.01	...	...	E	4	...	"	30.01	...	...	E	6	...
Taihoku,	1 p.	30.03	...	...	E	6	...	5 a.	30.01	...	...	E	6	...
Taichu,	"	29.94	...	...	N	6	...	"	29.92	...	...	...	0	...
Tainan,	"	29.93	...	...	N	4	...	"	29.93	...	...	...	0	...
Koshun,	"	29.94	...	...	E	6	...	"	29.93	...	...	NE	4	...
Pescadores,	"	29.98	...	...	NE	10	...	"	29.94	...	...	NE	10	...
Gutzlaff,	3 p.	30.23	52	79	N	3	cv	9 a.	30.25	56	63	NE	3	cv
Sharp Peak,	"	30.07	60	88	NNE	3	og	"	30.12	58	83	WNW	2	or
Amoy,	2.30p.	30.09	69	84	NE	1	o	6.30a.	30.10	65	89	NE	1	r
Swatow,	3 p	30.03	66	...	E	2	o	9 a.	...	...	...	...	...	...
Canton,	"	30.02	62	89	N	1	od	"	...	...	...	...	...	...
Hongkong,	4 p.	29.99	65	86	NE	1	od	10 a.	30.01	65	90	E	4	od
Victoria Peak,	"	...	...	...	E	4	...	"	...	...	...	E	6	...
Gap Rock,	"	29.96	...	...	ENE	4	...	"	29.96	...	...	ENE	4	...
Macao,	"	...	64	...	NW	2	c	"	30.02	65	...	NNW	1	od
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.80	86	71	NW	2	c	"	29.88	84	71	...	0	c
Malate,	3 p.	...	...	...	N	2	c	9 a.	...	...	...	N	1	b
Iloilo,	"	...	...	...	NE	3	b	"	...	...	...	NE	3	b
Iloilo,	"	29.80	86	...	E	2	b	"	29.86	81	...	NE	1	b
Cebu,	"	29.85	84	...	N	4	b	"	29.87	84	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 9th at 11.10a. The barometer has risen in the extreme North, fallen elsewhere.
Pressure is high over Manchuria and low across the N. part of the China Sea and the Pacific to the E. of the Philippines.
Strong monsoon in the Formosa Channel and N. part of the China Sea.
Forecast:— strong NE. winds; dull, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 9th December 1902.

CHINA COAST METEOROLOGICAL REGISTER

Station.	9th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th DECEMBER, 1902, A. M Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock...	2 p.	30.37	24	...	N	5	b	7 a.	30.33	12	87	E	1
Nemuro, ...	"	30.20	...	...	NE	8	...	6 a.	30.28	...	...	NE	8
Hakodate, ...	"	30.17	...	...	N	8	...	"	30.29	...	...	N	4
Tokio,.....	"	30.02	...	...	NW	6	...	"	30.22	...	...	NW	2
Kochi, ...	"	30.03	...	...	NE	2	...	"	30.15	...	...	N	4
Nagasaki, ...	"	30.07	...	...	NE	6	...	"	30.15	...	...	NE	4
Kagoshima,....	"	30.07	...	...	...	0	...	"	30.11	...	...	NE	6
Oshima, ...	"	30.04	...	...	N	4	...	"	30.00	...	...	SW	2
Naha, ...	"	30.01	...	...	...	0	...	"	30.01	...	...	...	0
Ishigakijima, ...	"	29.97	...	...	NE	8	...	"	29.97	...	...	NE	4
Taihoku, ...	1 p.	30.02	...	...	E	6	...	5 a.	...	...	...	...	...
Taichu, ...	"	29.94	...	...	N	6	...	"	...	...	...	...	...
Tainan, ...	"	29.91	...	...	N	4	...	"	...	...	...	...	...
Koshun, ...	"	29.91	...	...	NE	6	...	"	...	...	...	...	...
Pescadores, ...	"	29.97	...	...	NE	8	...	"	...	...	...	...	...
Gutzlaff, ...	3 p.	30.19	57	63	NE	3	cv	9 a.	30.23	57	69	NE	3
Sharp Peak. ..	"	30.03	59	88	NW	5	og	"	30.07	59	91	NNW	1
Amoy, ...	2.30p.	30.03	67	89	NE	2	o	6.30a.	30.05	66	89	NE	2
Swatow, ...	3 p	30.00	65	...	NE	...	or	9 a.	...	...	...	...	...
Canton, ...	"	29.95	62	94	N	1	r	"	30.03	58	100	...	2
Hongkong,.....	4 p.	29.99	66	91	ENE	4	od	10 a.	30.00	68	89	...	0
Victoria Peak,.	"	...	...	...	E	5	...	"	...	...	...	NE	4
Gap Rock, ...	"	29.87	...	...	ENE	5	...	"	29.97	...	...	NNE	3
Mocao, ...	"	29.93	66	...	NW	1	od	"	30.01	65	...	NNW	1
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila, ...	"	29.80	90	69	...	0	c	"	29.83	82	70	...	0
Malate,.	3 p.	...	...	...	E	1	b	9 a.	...	...	...	...	0
Bacolod, . . .	"	...	...	...	N	6	b	"	...	...	...	N	3
Iloilo, ...	"	29.79	87	...	E	1	c	"	29.90	82	...	NE	1
Cebu, ...	"	29.78	85	...	N	4	b	"	29.89	85	...	N	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 10th at 11.35a. The barometer has risen over Japan, fallen slightly along the China coast. Pressure is high over the N. part of the Sea of Japan and low across the N. part of the China Sea and the Pacific between Luzon and the Loochoos.

Fresh monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— light or moderate NE. breezes; showery.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 10th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	10th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	11th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	30.32	...	...	...	0	o	7 a.	...	...	...	...	...	...
Nemuro,	,,	30.35	...	...	NE	8	...	6 a.	30.51	...	...	NE	2	...
Hakodate,	,,	30.40	...	...	...	0	...	,,	30.48	...	...	...	0	...
Tokio,	,,	30.26	...	...	N	4	...	,,	30.35	...	...	NW	4	...
Kochi,	,,	30.23	...	...	NE	2	...	,,	30.15	...	...	E	8	...
Nagasaki,	,,	30.11	...	...	SE	4	...	,,	30.11	...	...	NE	2	...
Kagoshima,	,,	30.07	...	...	E	6	...	,,	30.07	...	...	E	6	...
Oshima,	,,	29.92	...	...	...	0	...	,,	29.92	...	...	N	10	...
Naha,	,,	29.97	...	...	...	0	...	,,	29.97	...	...	N	6	...
Ishigakijima,	,,	29.97	...	...	NE	6	...	,,	29.97	...	...	...	0	...
Taihoku,	1 p.	29.98	...	...	E	2	...	5 a.	30.02	...	...	E	4	...
Taichu,	,,	29.87	...	...	...	0	...	,,	29.95	...	...	N	2	...
Tainan,	,,	29.86	...	...	N	2	...	,,	29.95	...	...	...	0	...
Koshun,	,,	29.88	...	...	NE	6	...	,,	29.95	...	...	NE	2	...
Pescadores,	,,	29.91	...	...	NE	8	...	,,	29.98	...	...	NE	8	...
Gutzlaff,	3 p.	30.19	57	69	N	3	cv	9 a.	30.28	59	76	NE	4	cv
Sharp Peak,	,,	30.03	59	91	WNW	4	r	,,	30.17	60	76	NNE	4	o
Amoy,	2.30p.	30.03	66	89	NNE	1	or	6.30a.	30.11	66	84	NE	1	o
Swatow,	3 p.	...	...	...	...	...	...	9 a.	...	..	...	...	...	...
Canton,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Hongkong,	4 p.	29.95	68	82	E	1	o	10 a.	30.08	70	74	E	2	o
Victoria Peak,	,,	...	...	...	NE	2	...	,,	...	...	...	E	3	...
Cap Rock,	,,	29.93	...	...	E	3	...	,,	30.06	...	...	ENE	3	...
Macao,	,,	29.94	68	...	NE	1	c	,,	30.08	69	...	NNE	1	c
Haiphong,	,,	...	...	...	...	...	...	,,	...	...	...	...	...	...
Manila,	,,	29.80	86	71	W	1	e	,,	29.92	82	77	SW	1	o
Malate,	3 p.	...	...	...	W	1	c	9 a.	...	...	...	...	0	b
Bacolod,	,,	...	...	...	NE	4	b	,,	...	...	...	NE	2	b
Iloilo,	,,	29.79	88	...	E	1	b	,,	29.90	83	...	NE	1	c
Cebu,	,,	29.78	84	...	N	2	b	,,	29.90	85	...	...	0	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 11th at 11.5a. The barometer has risen in NE. Japan, and over China, fallen over the Loochoos.
A high pressure area lies over NE. Japan, and there is a depression to the E. of the Loochoos.
Strong monsoon along the China coast and over the N. part of the China Sea.
Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 11th December 1902.

CHINA COAST METEOROLOGICAL REGISTER

Station.	11th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	12th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro,	"	30.55	...	...	...	0	...	6 a.	30.51	...	...	S	4
Hakodate,	"	30.44	...	...	SE	6	...	"	30.44	...	...	SE	6
Tokio,	"	30.33	...	...	N	6	...	"	30.22	...	...	N	6
Kochi,	"	30.11	...	...	NE	8	...	"	30.11	...	...	NE	8
Nagasaki,	"	30.07	...	...	E	6	...	"	30.07	...	...	N	10
Kagoshima,	"	30.03	...	...	E	2	...	"	30.07	...	...	E	6
Oshima,	"	29.96	...	...	N	6	...	"	30.00	...	...	...	0
Naha,	"	30.01	...	...	N	6	...	"	30.01	...	...	NE	2
Ishigakijima,	"	30.01	...	...	NE	4	...	"	29.97	...	...	N	2
Taihoku,	1 p.	30.06	...	...	E	4	...	5 a.	30.00	...	...	E	4
Taichu,	"	29.94	...	...	...	0	...	"	29.94	...	...	N	2
Tainan,	"	29.95	...	...	N	4	...	"	29.95	...	...	N	2
Koshun,	"	29.96	...	...	NE	8	...	"	29.98	...	...	NE	4
Pescadores,	"	29.96	...	...	NE	10	...	"	29.95	...	...	NE	6
Gutzlaff,	3 p.	30.25	59	76	NE	4	cv	9 a.	30.20	61	77	...	4
Sharp Peak,	"	30.10	60	79	NW	4	o	"	30.08	60	88	NW	2
Amoy,	2.30p.	30.10	67	84	NE	1	o	6.30a.	30.13	66	89	NE	1
Swatow,	3 p	30.04	68	...	ENE	4	o	9 a.	...	...	...	...	...
Canton,	"	30.02	71	80	...	0	o	"	...	...	...	...	...
Hongkong,	4 p.	30.02	69	81	E	2	o	10 a.	30.13	66	88	WNW	1
Victoria Peak,	"	...	...	...	E	4	...	"	...	...	...	NW	3
Gap Rock,	"	29.99	...	...	ENE	4	...	"	30.10	...	...	NNW	5
Macao,	"	30.01	69	...	ENE	1	c	"	30.15	66	...	NNW	2
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.84	86	78	SE	2	c	"	29.92	82	77	E	1
Malate,	3 p.	...	...	...	S	1	c	9 a.	...	...	...	E	1
Bacolod,	"	...	...	...	NE	6	b	"	...	...	...	...	0
Iloilo,	"	29.84	87	...	E	1	b	"	29.93	81	...	NE	1
Cebu,	"	29.84	85	...	N	4	b	"	29.94	84	...	N	2
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 12th at 11.30a. The barometer has fallen over the E. coast of China and SE. Japan, rise on the S. coast of China.

The high pressure area is situated to the NE. of Japan and the low area lies between the Loochoo and the S. coast of Japan.

Fresh monsoon along the China coast and over the N. part of the China Sea.

Forecast:— fresh N. winds; dull, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 12th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	12th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity	Wind. Direction.	Wind. Force.	Weather.	13th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
divostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
uro,	"	30.47	...	...	SW	2	...	6 a.	30.39	...	...	SE	2	...
odate,	"	30.36	...	...	E	6	...	"	30.32	...	...	NE	4	...
o,	"	30.10	...	...	NW	6	...	"	30.06	...	...	N	6	...
hi,	"	30.03	...	...	NE	6	...	"	29.99	...	...	NE	4	...
as,aki,	"	29.99	...	...	NE	6	...	"	29.95	...	...	NE	2	...
oshima,	"	30.03	...	...	E	6	...	"	29.91	...	...	NE	4	...
ima,	"	30.00	...	...	S	4	...	"	29.88	...	...	...	0	...
a,	"	29.97	...	...	E	2	...	"	29.89	...	...	S	2	...
igakijima,	"	29.93	...	...	SE	2	...	"	29.93	...	...	N	2	...
hoku,	1 p.	29.99	...	...	NE	2	...	5 a.	30.06	...	...	W	4	...
ichu,	"	29.98	...	...	...	0	...	"	29.99	...	...	N	4	...
inan,	"	29.99	...	..	N	6	...	"	29.98	...	...	N	6	...
shun,	"	29.96	...	...	NW	6	...	"	29.96	...	...	N	2	...
scadores,	"	30.06	...	...	N	8	...	"	30.02	...	...	N	8	...
tzlaff,	3 p.	30.13	57	94	NNE	4	omr	9 a.	30.17	46	84	NW	8	cv
arp Peak,	"	30.01	60	88	NNW	1	od	"	30.14	60	62	W	2	b
oy,	2.30p.	30.09	65	89	SW	1	o	6.30a.	30.16	59	70	W	2	b
atow,	3 p	30.08	65	...	NW	1	o	9 a.	...	...	...	...	...	...
nton,	"	30.10	55	87	N	3	o	"	...	...	...	...	...	...
ngkong,	4 p.	30.07	65	67	N	1	o	10 a.	30.20	60	44	WNW	1	b
ctoria Peak,	"	...	...	...	N	5	...	"	...	...	...	N	5	...
p Rock,	"	30.04	...	...	NNW	5	...	"	30.17	...	...	NNW	5	...
eao,	"	30.08	64	...	NW	2	c	"	30.23	61	...	N	5	cq
iphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
nila,	"	29.84	88	47	ESE	1	b	"	29.96	84	71	WNW	1	b
alate,	3 p.	...	...	...	ESE	1	b	9 a.	...	...	...	E	1	b
colod,	"	...	...	...	NE	6	b	"	...	...	...	NE	3	b
ilo,	"	29.84	86	...	E	2	b	"	29.94	81	...	NE	1	o
bu,	"	29.82	85	...	N	4	b	"	29.92	84	...	N	2	b
pe S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 13th at 11.50a. The barometer has fallen over N. China and Japan, risen in S. China. The depression appears to be moving slowly towards NE. between the Loochoos and the SW. coast of Japan.

Pressure is high over Central China and to the NE. of Japan. Strong NW. and N. winds along the China coast, and strong monsoon over the N. part of the China Sea.

Forecast:— fresh N. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 13th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	13th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.27	28	...	N	7	b	7 a.	30.11	42	99	N	6
Nemuro,	"	...	...	...	E	4	...	6 a.	30.28	...	...	SE	2
Hakodate,	"	30.25	...	...	NE	4	...	"	30.17	...	...	SE	8
Tokio,	"	30.02	...	...	N	6	...	"	30.02	...	...	N	6
Kochi,	"	29.91	...	...	NE	6	...	"	29.64	...	...	NE	6
Nagasaki,	"	29.72	...	...	E	6	...	"	29.56	...	...	SW	10
Kagoshima,	"	29.75	...	...	SE	2	...	"	29.68	...	...	SW	4
Oshima,	"	29.80	...	...	NW	4	...	"	29.84	...	...	N	4
Naha,	"	29.89	...	...	NW	6	...	"	29.97	...	...	NW	6
Ishigakijima,	"	29.97	...	...	N	4	...	"	30.01	...	...	N	4
Taihoku,	1 p.	30.09	...	...	NW	6	...	5 a.	30.10	...	...	SE	2
Taichu,	"	30.04	...	...	N	8	...	"	30.01	...	...	N	2
Tainan,	"	30.01	...	...	N	8	...	"	30.02	...	...	N	4
Koshun,	"	29.98	...	...	W	6	...	"	29.99	...	...	N	2
Pescadores,	"	30.08	...	...	N	10	...	"	30.06	...	...	NE	8
Gutzlaff,	3 p.	30.11	46	77	NW	8	cv	9 a.	...	...	...	...	...
Sharp Peak,	"	30.08	62	75	W	4	b	"	30.19	53	57	W	2
Amoy,	2.30p.	30.12	65	68	N	1	b	6.30a.	30.19	57	81	NE	2
Swatow,	3 p	30.10	67	...	N	3	b	9 a.	30.17	56	...	NNW	2
Canton,	"	30.14	60	60	N	3	o	"	...	54	53	NE	1
Hongkong,	4 p.	30.11	61	48	N	1	o	10 a.	30.18	60	38	N	1
Victoria Peak,	"	...	...	...	N	3	...	"	...	...	...	NE	1
Gap Rock,	"	30.09	...	...	NNW	4	...	"	30.16	...	...	NNE	1
Macao,	"	30.14	61	...	NNW	2	o	"	30.21	59	...	N	3
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.84	88	72	...	0	b	"	29.92	82	70	W	1
Malate,	3 p.	...	...	...	SW	1	b	9 a.	...	...	...	...	0
Bacolod,	"	...	...	...	NE	6	b	"	...	...	...	NE	6
Iloilo,	"	29.85	86	...	E	2	b	"	29.93	81	...	N	2
Cebu,	"	29.83	85	...	N	4	o	"	29.92	84	...	N	4
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 14th at 11.30a. The barometer has fallen considerably in SW. Japan, the depression having moved slowly Northwards and reached the neighbourhood of Nagasaki.
Pressure is high over Central China and to the NE. Japan.
Moderate NW. and N. winds in S. China, and strong NE. monsoon over the N. part of the China Sea.
Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 14th December 1902.

CHINA COAST METEOROLOGICAL REGISTER

Station.	14th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	15th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
divostock, ..	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
uro, ...	„	30.24	...	...	SE	4	...	6 a.	30.04	...	...	SE	8	...
date, ...	„	30.[illegible]	...	...	E	8	...	„	29.73	...	...	SE	10	...
o.....	„	29.86	...	...	NW	6	...	„	29.59	...	...	...	0	...
i, ...	„	29.56	...	...	SW	6	...	„	29.68	...	...	SW	8	...
s.aki, ...	„	29.56	...	...	W	10	...	„	29.83	...	...	N	6	...
oshima, ...	„	29.68	...	...	NW	6	...	„	29.83	...	...	NW	6	...
ma, ...	„	29.84	...	...	NW	4	...	„	29.92	...	...	NW	4	...
, ...	„	29.95	...	...	NW	6	...	„	30.01	...	...	NW	8	...
gakijima, ...	„	30.01	...	...	N	6	...	„	30.05	...	...	N	2	...
oku, ...	1 p.	30.11	...	...	S	2	...	5 a.	30.14	...	...	...	...	...
hu, ...	„	29.97	...	...	N	6	...	„	30.05	...	...	...	0	...
an, ...	„	30.01	...	..	N	6	...	„	30.03	...	...	N	4	...
hun, ...	„	30.00	...	...	NE	4	...	„	30.02	...	...	NE	6	...
adores, ..	„	30.06	...	...	N	10	...	„	30.06	...	...	NE	8	...
laff, ...	3 p.	30.18	39	73	NW	7	cv	9 a.	30.27	38	73	NW	3	cv
p Peak, ..	✓ „	30.10	57	46	ESE	2	b	„	30.17	54	59	W	3	b
y, ...	2.30p.	30.13	65	73	NE	1	c	6.30a.	30.20	56	81	NE	1	b
ow, ...	3 p	30.07	64	...	W	1	b	9 a.	...	...	...	...	...	...
on, ...	„	30.12	61	45	NE	1	b	„	30.16	65	44	..	0	c
zkong.....	4 p.	30.07	63	57	E	1	b	10 a.	30.14	62	47	E	1	b
ria Peak, .	„	...	...	...	W	1	...	„	...	...	...	E	1	...
Rock, ...	„	30.08	...	...	NE	1	...	„	30.11	...	...	ENE	3	...
o, ...	„	30.10	60	...	NNW	1	c	„	30.14	61	...	NNW	1	c
hong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
la, ...	„	29.84	81	76	E	1	o	„	29.96	84	64	...	0	b
e, ...	3 p.	...	...	...	E	1	o	9 a.	...	...	...	E	2	b
lod, ...	„	...	...	...	NE	4	b	„	...	...	...	NE	2	b
.....	„	29.83	85	...	NE	2	b	„	29.94	81	...	E	1	b
.....	„	29.82	83	...	N	4	b	„	29.92	83	...	...	0	...
S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 15th at 11.15a. The depression is moving NE. in the Sea of Japan with a rapid fall of the barometer over E. Japan.

Pressure is highest over Central China, and gradients are slight with moderate to fresh monsoon along the coast and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 15th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

15th DECEMBER, 1902, P. M.								16th DECEMBER, 1902, A. M.					
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	29.79	29	...	N	7	c	7 a.	29.93	20	99	N	7
Nemuro,	"	29.76	...	...	SE	10	...	6 a.	29.41	...	...	NE	6
Hakodate,	"	29.50	...	...	E	4	...	"	29.54	...	...	W	6
Tokio,	"	29.51	...	...	...	0	...	"	29.74	...	...	NW	4
Kochi,	"	29.75	...	...	NW	4	...	"	30.03	...	...	W	2
Nagasaki,	"	29.91	...	...	N	4	...	"	30.03	...	...	...	0
Kagoshima,	"	29.87	...	...	N	4	...	"	30.03	...	...	E	2
Oshima,	"	29.96	...	...	NW	4	...	"	30.04	...	...	S	2
Naha,	"	29.97	...	...	NW	4	...	"	30.09	...	...	SE	2
Ishigakijima,	"	30.05	...	...	N	4	...	"	30.09	...	...	N	4
Taihoku,	1 p.	30.05	...	...	E	6	...	5 a.	30.06	...	...	S	2
Taichu,	"	30.06	...	...	N	4	...	"	30.02	...	...	...	0
Tainan,	"	29.98	...	...	N	2	...	"	26.96	...	...	N	2
Koshun,	"	29.98	...	...	E	6	...	"	20.01	...	...	NE	6
Pescadores,	"	30.04	...	...	NE	8	...	"	30.02	...	...	NE	6
Gutzlaff,	3 p.	30.19	42	66	NNW	3	bm	9 a.	30.17	46	84	SSE	3
Sharp Peak,	"	30.08	57	63	NNE	3	b	"	30.13	56	71	W	2
Amoy,	2.30p.	30.11	64	63	NE	1	b	6.30a.	30.18	57	75	NE	1
Swatow,	3 p	30.05	64	...	NE	2	b	9 a.	...	...	...	...	...
Canton,	"	30.04	63	...	E	1	b	"	...	...	...	...	...
Hongkong,	4 p.	30.02	63	64	E	2	o	10 a.	30.09	65	66	E	1
Victoria Peak,	"	...	...	...	E	1	...	"	...	...	...	ESE	2
Gap Rock,	"	29.90	...	...	E	2	...	"	30.07	...	...	ENE	3
Macao,	"	30.04	61	...	NNW	1	c	"	30.11	60	...	NNW	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.84	86	59	W	1	b	"	29.88	82	70	WSW	1
Malate,	3 p.	...	...	...	WNW	1	b	9 a.	...	...	...	N	1
Bacolod,	"	...	...	...	NE	6	b	"	...	...	...	NE	3
Iloilo,	"	29.83	88	...	E	1	b	"	29.93	...	...	N	1
Cebu,	"	29.83	84	...	N	4	b	"	29.93	84	...	N	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 16th at 11.40a. The depression is moving into the Pacific to the NE. of Japan.
The barometer has risen over S. Japan; fallen on the China coast, probably owing to the existence of another depression over Central China.
Moderate to light monsoon in the Formosa Channel, fresh monsoon over the N. part of the China Sea.
Forecast:— moderate or light E. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 16th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	16th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	29.89	29	...	N	5	b	7 a.	29.85	35	99	...	0	or
Nemuro,	"	29.49	...	...	N	6	...	6 a.	29.72	...	...	NW	10	...
Hakodate,	"	29.62	...	...	NW	8	...	"	29.93	...	...	N	6	...
Tokio,	"	29.82	...	...	N	6	...	"	30.02	...	...	...	0	...
Kochi,	"	29.99	...	...	W	2	...	"	30.11	...	...	NE	2	...
Nagasaki,	"	30.03	...	...	E	2	...	"	30.15	...	...	...	0	...
Kagoshima,	"	30.03	...	...	SE	2	...	"	30.11	...	...	E	2	...
Oshima,	"	30.04	...	...	N	2	...	"	30.16	...	...	S	2	...
Naha,	"	30.09	...	...	N	2	...	"	30.13	...	...	...	0	...
Ishigakijima,	"	...	...	...	...	...	...	"	30.05	...	...	N	2	...
Taihoku,	1 p.	30.02	...	...	NE	4	...	5 a.	30.10	...	...	SW	2	...
Taichu,	"	29.96	...	...	NW	2	...	"	30.07	...	...	...	0	...
Tainan,	"	29.98	...	..	W	4	...	"	30.10	...	...	N	4	...
Koshun,	"	30.00	...	...	NE	4	...	"	30.06	...	...	NE	6	...
Pescadores,	"	30.00	...	...	N	6	...	"	30.07	...	...	N	2	...
Gutzlaff,	3 p.	30.07	56	63	S	2	bv	9 a.	30.26	51	93	WNW	1	bm
Sharp Peak,	"	30.03	62	72	N	1	c	"	30.16	61	71	WNW	1	b
Amoy,	2.30p.	30.06	64	73	...	0	b	6.30a.	30.17	57	94	NE	1	cv
Swatow,	3 p	30.08	66	...	ESE	1	b	9 a.	...	...	...	...	...	...
Canton,	"	29.99	68	70	...	0	o	"	...	...	...	...	...	...
Hongkong,	4 p.	30.00	66	71	E	2	o	10 a.	30.11	67	78	E	3	o
Victoria Peak,	"	...	...	...	...	0	...	"	...	...	...	E	5	...
Sap Rock,	"	29.97	...	...	E	3	...	"	30.08	...	...	ENE	5	...
Macao,	"	29.99	66	...	NE	1	c	"	30.12	66	...	...	0	od
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.84	86	65	W	1	b	"	30.00	84	64	E	2	b
Malate,	3 p.	...	...	...	W	1	b	9 a.	...	...	...	...	0	b
Bacolod,	"	...	...	...	NE	6	b	"	...	...	...	NE	2	b
Iloilo,	"	29.84	87	...	NE	1	o	"	29.98	81	...	N	1	b
Cebu,	"	29.84	83	...	N	2	c	"	29.93	83	...	N	2	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 17th at 11.45a. The barometer has risen over Japan, the depression having passed into the Pacific to the E. of N Japan.

The barometer has fallen at Wladiwostok, probably owing to the approach of the depression mentioned yesterday.

Pressure is increasing again over the E. coast of China. Fresh monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— fresh NE. winds; dull, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 17th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	17th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	18th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W T
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	
Nemuro,	"	29.80	...	...	N	6	...	6 a.	29.65	...	...	SW	6	
Hakodate,	"	29.93	...	...	NW	4	...	"	29.85	...	...	NW	6	
Tokio,	"	30.02	...	...	...	0	...	"	30.02	...	...	...	0	
Kochi,	"	30.07	...	...	W	6	...	"	30.15	...	...	NW	2	
Nagasaki,	"	30.15	...	...	W	6	...	"	30.19	...	...	N	2	
Kagoshima,	"	30.15	...	...	NW	4	...	"	30.19	...	...	NW	2	
Oshima,	"	30.16	...	...	N	4	...	"	30.24	...	...	S	2	
Naha,	"	30.17	...	...	N	4	...	"	30.21	...	...	NE	1	
Ishigakijima,	"	30.13	...	...	E	4	...	"	30.17	...	...	E	4	
Taihoku,	1 p.	30.10	...	...	S	2	...	5 a.	30.12	...	...	E	6	
Taichu,	"	30.05	...	...	N	4	...	"	30.09	...	...	...	0	
Tainan,	"	30.05	...	...	N	6	...	"	30.09	...	...	N	2	
Koshun,	"	30.08	...	...	E	6	...	"	30.11	...	...	NE	6	
Pescadores,	"	30.09	...	...	NE	4	...	"	30.10	...	...	NE	2	
Gutzlaff,	3 p.	...	53	80	NNE	2	bm	9 a.	30.40	49	78	N	5	c
Sharp Peak,	"	30.09	65	73	E	1	b	"	30.19	63	83	N	5	
Amoy,	2.30p.	30.13	67	74	SE	2	b	6.30a.	30.18	65	68	...	0	
Swatow,	3 p	...	...	...	...	...	...	9 a.	...	...	...	...	...	
Canton,	"	...	...	...	...	...	...	"	...	...	...	...	...	
Hongkong,	4 p.	30.06	66	78	E	2	o	10 a.	30.13	62	91	E	3	od
Victoria Peak,	"	...	...	...	ESE	5	...	"	...	...	...	E	4	...
Gap Rock,	"	30.06	...	...	ENE	4	...	"	30.06	...	...	ENE	6	...
Macao,	"	30.02	66	...	E	1	c	"	30.13	61	...	N	1	oc
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.88	88	59	ESE	1	c	"	30.00	82	70	SW	1	c
Malate,	3 p.	...	...	...	SE	1	b	9 a.	...	...	...	...	0	b
Bacolod,	"	...	...	...	NE	4	o	"	...	...	...	NE	2	b
Iloilo,	"	29.88	76	...	NE	2	c	"	29.97	82	...	N	2	o
Cebu,	"	29.87	84	...	N	2	b	"	29.98	82	...	N	1	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 18th at 11.25a. The depression is passing to the Pacific to the N. of Japan. It is followed by a high pressure area, and the barometer has risen rapidly over N. China. Pressure is relatively low off the S. coast of China, and gradients are rather steep. Very strong monsoon, which will reach gale force in the Formosa Channel, is setting down the China coast.

Forecast:— strong NE. winds; dull, rainy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 18th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

18th DECEMBER, 1902, P. M.								19th DECEMBER, 1902, A. M.						
ATION.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER.	HOUR.	BAROMETER.	Temperature.	HUMIDITY.	WIND. Direction.	WIND. Force.	WEATHER
ostock, ..	2 p.	30.19	18	...	N	3	b	7 a.	30.35	13	68	...	0	c
., ...	„	29.72	...	...	SE	4	...	6 a.	29.96	...	...	NE	2	...
ate, ...	„	29.93	...	...	NW	8	...	„	30.01	...	...	W	4	...
.....	„	29.90	...	...	S	2	...	„	29.94	...	...	NW	4	...
.....	„	30.03	...	...	W	8	...	„	30.03	...	...	NW	2	...
aki, ...	„	30.19	...	...	NW	6	...	„	30.19	...	...	N	4	...
ima, ...	„	30.15	...	...	NW	6	...	„	30.15	...	...	N	4	...
, -	„	30.16	...	...	N	2	...	„	30.12	...	...	S	2	...
.....	„	30.17	...	...	E	4	...	„	30.09	...	...	...	0	...
ijima, ...	„	30.09	...	...	SE	8	...	„	30.09	...	...	S	2	...
n, ...	1 p.	30.04	...	...	W	2	...	5 a.	30.12	...	...	...	0	...
.....	„	30.03	...	...	W	2	...	„	30.11	...	...	...	0	...
.....	„	30.04	...	..	N	4	...	„	30.09	...	...	N	4	...
., ...	„	30.04	...	...	NE	8	...	„	30.06	...	...	NW	2	...
ores, - ..	„	30.05	...	...	N	6	...	„	...	...	...	...	...	...
T, ...	3 p.	30.31	46	92	N	5	omd	9 a.	30.45	...	...	NNW	5	bv
Peak, ..	„	30.11	62	86	NW	1	r	„	30.29	57	84	NNE	3	o
.....	2.30p.	30.12	68	79	SW	1	o	6.30a.	30.23	61	88	NE	3	om
, ...	3 p	30.09	71	...	NE	1	o	9 a.	...	...	...	...	...	...
.....	„	30.05	65	95	NE	1	o	„	...	...	...	..	...	...
ong.....	4 p.	30.04	67	95	E	1	od	10 a.	30.22	63	75	NNW	1	o
Peak,..	„	...	...	...	SE	2	...	„	...	...	...	ENE	3	...
ck, ...	„	30.01	...	...	NNE	4	...	„	30.18	...	...	N	4	...
.....	„	30.05	66	...	NNW	1	c	„	30.23	64	...	NNW	2	o
ng, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
.....	„	29.88	86	65	SE	2	o	„	...	...	...	...	...	...
.....	3 p.	...	...	...	...	0	c	9 a.	...	...	..	N	2	b
l, ...	„	...	...	...	NE	4	o	„	...	...	...	NE	4	b
.....	„	29.88	86	...	NE	2	c	„	29.96	80	...	N	2	o
.....	„	29.87	82	...	N	2	...	„	29.92	83	...	...	0	c
James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 19th at 11a. The barometer has risen on the China coast, fallen over the Loochoos, where a shallow area of low pressure is lying.

A high pressure area lies over China.

Strong monsoon along the coast and over the N. part of the China Sea.

Forecast:— fresh N. winds; weather probably improving.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 19th December 1902

CHINA COAST METEOROLOGICAL REGISTER.

Station.	19th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	20th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.24	27	...	NW	1	c	7 a.	30.20	8	60	...	0
Nemuro,	„	29.84	...	...	SE	6	...	6 a.	29.76	...	...	N	8
Hakodate,	„	29.89	...	...	SW	2	...	„	29.93	...	...	NW	6
Tokio,	„	29.86	...	...	NW	4	...	„	29.90	...	...	NW	8
Kochi,	„	29.99	...	...	W	4	...	„	30.15	...	...	W	6
Nagasaki,	„	30.15	...	...	N	6	...	„	30.23	...	...	NE	4
Kagoshima,	„	30.11	...	...	NW	6	...	„	30.27	...	...	N	4
Oshima,	„	30.08	...	...	N	6	...	„	30.20	...	...	N	6
Naha,	„	30.09	...	...	...	0	...	„	30.17	...	...	NE	4
Ishigakijima,	„	30.09	...	...	N	6	...	„	30.13	...	...	NE	6
Taihoku,	1 p.	30.20	...	...	NW	2	...	5 a.	30.21	...	...	E	6
Taichu,	„	30.06	...	...	N	6	...	„	30.07	...	...	N	2
Tainan,	„	30.06	...	...	N	6	...	„	30.08	...	...	N	4
Koshun,	„	30.06	...	...	NE	4	...	„	30.05	...	...	NE	10
Pescadores,	„	...	...	...	...	...	...	„	30.12	...	...	NE	10
Gutzlaff,	3 p.	30.43	41	49	NNW	4	b	9 a.	30.45	42	83	NW	4
Sharp Peak,	„	30.21	57	78	E	6	og	„	30.28	57	79	WNW	4
Amoy,	2.30p.	30.19	65	78	ENE	1	c	6.30a.	30.26	57	81	ENE	5
Swatow,	3 p	30.15	65	...	ENE	3	o	9 a.	...	...	...	...	...
Canton,	„	30.13	58	81	N	2	o	„	...	...	...	..	...
Hongkong,	4 p.	30.10	64	71	N	1	o	10 a.	30.17	64	77	E	4
Victoria Peak,	„	...	...	...	NE	3	...	„	...	...	...	E	6
Gap Rock,	„	30.08	...	...	NNE	3	...	„	30.13	...	...	ENE	5
Macao,	„	30.12	63	...	N	2	c	„	30.18	62	...	NNE	1
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...
Manila,	„	29.88	81	85	ESE	1	c	„	29.96	84	71	...	0
Malate,	3 p.	...	...	...	E	1	o	9 a.	...	...	...	N	1
Bacolod,	„	...	...	...	NE	4	o	„	...	...	...	...	3
Iloilo,	„	29.84	81	...	NE	1	c	„	29.92	80	...	N	2
Cebu,	„	29.86	81	...	...	0	o	„	29.92	82	...	N	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 20th at 11.25.a A depression, which has moved across the N. part of the Sea of Japan has passed to the Pacific this morning to the NE. of Japan.

Pressure remains high over Central China, but is inclined to give way again in S. China.

Strong monsoon along the coast and over the N. part of the China Sea.

Forecast:— fresh NE. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 20th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	20th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	21st DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	30.15	24	...	SE	1	c	7 a.	30.08	25	99	...	0	o
Gemuro,	"	29.88	...	...	N	10	...	6 a.	30.12	...	...	SW	4	...
Hakodate,	"	30.05	...	...	N	6	...	"	30.21	...	...	...	0	...
Tokio,	"	30.06	...	...	NW	6	...	"	30.33	...	...	...	0	...
Kochi,	"	30.19	...	...	E	2	...	"	30.27	...	...	N	4	...
Nagasaki,	"	30.27	...	...	NE	4	...	"	30.19	...	...	E	4	...
Kagoshima,	"	30.23	...	...	NE	2	...	"	30.23	...	...	NE	4	...
Fushima,	"	30.20	...	...	N	4	...	"	30.20	...	...	S	2	...
Taiwan,	"	30.17	...	...	NE	4	...	"	30.17	...	...	...	0	...
Ishigakijima,	"	30.13	...	...	E	6	...	"	30.09	...	...	E	6	...
Taihoku,	1 p.	30.11	...	...	E	8	...	5 a.	30.05	...	...	...	0	...
Taichu,	"	30.03	...	...	SW	2	...	"	30.05	...	...	NW	2	...
Tainan,	"	30.06	...	..	NW	4	...	"	30.07	...	...	N	2	...
Koshun,	"	30.06	...	...	E	8	...	"	30.06	...	...	NE	6	...
Pescadores,	"	30.09	...	...	NE	10	...	"	30.08	...	...	N	6	...
Funtzlaff,	3 p.	30.33	50	79	NNE	3	cv	9 a.	...	...	...	...	...	...
Sharp Peak,	"	30.18	54	71	NNW	2	og	"	30.13	59	88	W	2	c
Amoy,	2.30p.	30.17	65	73	NE	2	c	6.30a.	30.20	60	82	W	2	o
Swatow,	3 p	30.10	66	...	E	4	b	9 a.	...	...	...	...	...	...
Canton,	"	30.08	64	78	...	0	o	"	...	...	...	...	...	...
Hongkong,	4 p.	30.06	65	73	ENE	4	c	10 a.	30.13	67	82	E	3	o
Victoria Peak,	"	...	...	...	E	4	...	"	...	...	...	SE	2	...
Cap Rock,	"	30.03	...	...	E	6	...	"	30.09	...	...	ENE	5	...
Macao,	"	30.06	64	...	ESE	1	c	"	30.14	64	...	NNW	1	o
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.88	79	92	...	0	c	"	29.92	82	77	W	1	c
Balate,	3 p.	...	...	...	...	0	c	9 a.	...	...	...	...	0	b
Macolod,	"	...	...	...	NE	2	o	"	...	...	...	...	0	b
Iloilo,	"	29.84	80	...	NE	1	cr	"	29.94	80	...	NE	2	c
Cebu,	"	29.83	82	...	N	2	c	"	29.94	83	...	N	4	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 21st at noon. The barometer has risen over E. Japan, fallen on the China coast, particularly in the North.

Pressure is highest over SE. Japan, and probably a depression exists over N. China.

Decreasing monsoon on the coast and over the N. part of the China Sea.

Forecast:— moderate NE. to N. winds; dull, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 21st December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

21st DECEMBER, 1902, P. M.								22nd DECEMBER, 1902, A. M.					
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.05	35	...	...	0	cr	7 a.	30.27	10	71	NE	5
Nemuro,	"	30.08	...	...	W	4	...	6 a.	30.04	...	...	N	2
Hakodate,	"	30.17	...	...	W	4	...	"	30.05	...	...	N	6
Tokio,	"	30.26	...	...	NW	2	...	"	30.02	...	...	NW	2
Kochi,	"	30.15	...	...	NE	2	...	"	30.03	...	...	NW	6
Nagasaki,	"	30.07	...	...	E	6	...	"	30.11	...	...	NW	6
Kagoshima,	"	30.11	...	...	...	0	...	"	30.11	...	...	NE	4
Oshima,	"	30.08	...	...	SW	4	...	"	...	...	...	...	...
Naha,	"	30.05	...	...	SE	2	...	"	...	...	...	...	...
Ishigakijima,	"	30.05	...	...	S	4	...	"	...	...	...	...	...
Taihoku,	1 p.	30.08	...	...	...	0	...	5 a.	30.20	...	...	E	6
Taichu,	"	30.07	...	...	N	6	...	"	30.08	...	...	...	0
Tainan,	"	30.01	...	...	N	6	...	"	30.07	...	...	N	6
Koshun,	"	30.00	...	...	NE	4	...	"	30.06	...	...	NW	2
Pescadores,	"	30.06	...	...	NE	6	...	"	30.12	...	...	NE	6
Gutzlaff,	3 p.	30.22	42	83	NW	7	cv	9 a.	30.44	45	92	NNW	6
Sharp Peak,	"	30.04	64	81	...	0	o	"	30.30	58	84	ENE	6
Amoy,	2.30p.	30.11	68	79	SSE	3	c	6.30a.	30.25	64	84	NE	3
Swatow,	3 p	30.04	68	...	SW	1	o	9 a.	...	...	...	...	...
Canton,	"	...	...	...	...	...	...	"	...	...	...	...	...
Hongkong,	4 p.	30.06	66	87	E	1	o	10 a.	30.22	68	74	W	1
Victoria Peak,	"	...	...	...	N	1	...	"	...	...	...	ENE	1
Gap Rock,	"	30.04	...	...	N	3	...	"	30.19	...	...	NNW	4
Macao,	"	30.06	66	...	NNW	1	o	"	30.24	62	...	NNW	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.84	86	58	E	2	...	"	30.00	84	64	E	2
Malate,	3 p.	...	...	...	SE	3	b	9 a.	...	...	...	SW	1
Bacolod,	"	...	...	...	NE	4	b	"	...	...	...	NE	3
Iloilo,	"	29.84	84	...	NE	2	...	"	29.95	80	...	NE	1
Cebu,	"	29.84	83	...	N	2	c	"	29.98	79	...	...	0
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 22nd 11.25a. The barometer has risen quickly in N. China, fallen in Japan. Pressure is again high over N. China, and the shallow area of low pressure is moving over Japan towards the Pacific.

Gradients rather steep with very strong monsoon along the China coast and increasing monsoon over the N. part of the China Sea.

Forecast:— fresh N. to NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 22nd December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	22nd DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	23rd DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	30.29	15	...	N	8	b	7 a.	30.35	6	65	N	6	b
Jemuro,	"	30.00	...	...	E	8	...	6 a.	30.80	...	...	NE	10	...
Hakodate,	"	29.85	...	...	N	2	...	"	29.93	...	...	N	8	...
Tokio,	"	29.71	...	...	N	4	...	"	29.94	...	...	N	4	...
Kochi,	"	29.95	...	...	W	6	...	"	30.19	...	...	NW	4	...
Nagasaki,	"	30.15	...	...	N	6	...	"	30.23	...	...	NE	2	...
Kagoshima,	"	30.07	...	...	N	6	...	"	30.23	...	...	N	4	...
Oshima,	"	30.08	...	...	N	8	...	"	30.16	...	...	N	6	...
Naha,	"	30.13	...	...	N	8	...	"	30.21	...	...	NE	2	...
Ishigakijima,	"	...	...	...	...	...	...	"	30.21	...	...	NE	4	...
Taihoku,	1 p.	30.24	...	...	E	6	...	5 a.	30.25	...	...	S	2	...
Taichu,	"	30.06	...	...	N	6	...	"	30.16	...	...	...	0	...
Tainan,	"	30.07	...	...	N	6	...	"	30.14	...	...	N	2	...
Koshun,	"	30.09	...	...	NE	8	...	"	30.13	...	...	NE	8	...
Pescadores,	"	30.13	...	...	NE	10	...	"	30.19	...	...	NE	10	...
Gutzlaff,	3 p.	30.40	47	85	NNW	4	cv	9 a.	30.47	45	92	NNW	3	cv
Sharp Peak,	"	30.25	57	81	E	6	o	"	30.35	56	81	NW	1	o
Amoy,	2.30p.	30.20	66	73	ENE	4	o	6.30a.	...	60	82	N	1	c
Swatow,	3 p	30.15	67	...	E	2	o	9 a.	...	...	...	...	...	...
Canton,	"	30.16	63	78	N	1	o	"	30.34	57	81	NE	1	o
Hongkong,	4 p.	30.12	68	72	W	1	o	10 a.	30.29	63	68	N	1	b
Victoria Peak,	"	...	...	...	NNW	1	...	"	...	...	...	NE	1	...
Gap Rock,	"	30.11	...	...	N	3	...	"	30.25	...	...	NE	4	...
Macao,	"	30.12	66	...	NNW	2	cq	"	30.31	62	...	N	2	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.88	86	65	...	1	o	"	30.00	82	63	NE	1	b
Malate,	3 p.	...	...	...	W	1	b	9 a.	...	...	...	E	2	b
Bacolod,	"	...	...	...	NE	2	r	"	...	...	...	N	2	c
Iloilo,	"	29.89	77	...	...	0	or	"	29.98	79	...	NE	2	c
Cebu,	"	29.86	83	...	N	2	c	"	29.93	82	...	N	2	c
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 23rd at 11.50a. The barometer has risen quickly in SW. Japan and moderately on the China coast.

The depression has moved into the Pacific to the E. of N. Japan.

Pressure is high over Central China. Strong monsoon in the Formosa Channel and N. part of the China Sea.

Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 23rd December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	23rd DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	24th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.
Wladivostock,	2 p.	30.29	22	...	N	6	b	7 a.	30.15	8	72	NE	5
Nemuro,	"	...	...	...	...	...	...	6 a.	...	...	...	...	...
Hakodate,	"	...	...	...	...	...	...	"	...	...	...	...	...
Tokio,	"	...	...	...	...	...	...	"	...	...	...	...	...
Kochi,	"	...	...	...	...	...	...	"	...	...	...	...	...
Nagasaki,	"	...	...	...	...	...	...	"	...	...	...	...	...
Kagoshima,	"	...	...	...	...	...	...	"	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	"	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	"	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	"	...	...	...	...	...
Taihoku,	1 p.	30.22	...	...	E	6	...	5 a.	30.19	...	...	E	4
Taichu,	"	30.10	...	...	N	6	...	"	30.12	...	...	N	2
Tainan,	"	30.12	...	...	N	4	...	"	30.11	...	...	N	4
Koshun,	"	30.12	...	...	E	8	...	"	30.11	...	...	NE	6
Pescadores,	"	30.16	...	...	N	10	...	"	30.15	...	...	NE	8
Gutzlaff,	3 p.	30.39	47	70	NNW	3	cv	9 a.	30.39	46	75	NW	3
Sharp Peak,	"	30.25	59	73	E	6	o	"	30.29	57	81	NNE	3
Amoy,	2.30p.	30.22	70	70	NNE	1	c	6.30a.	30.25	60	82	NE	1
Swatow,	3 p	30.19	70	...	N	1	b	9 a.	30.16	61	...	N	1
Canton,	"	30.20	65	68	N	2	b	"	30.26	56	81	N	1
Hongkong,	4 p.	30.17	68	60	E	1	c	10 a.	30.21	64	56	N	1
Victoria Peak,	"	...	...	...	NE	2	...	"	...	...	...	NNE	3
Gap Rock,	"	30.15	...	...	ENE	3	...	"	30.18	...	...	NNE	4
Macao,	"	30.19	65	...	NNW	1	c	"	30.24	62	...	N	1
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila,	"	29.92	84	58	E	3	b	"	...	...	...	...	...
Malate,	3 p.	...	...	...	NE	1	c	9 a.	...	...	...	NE	1
Bacolod,	"	...	...	...	NE	4	b	"	...	...	...	NE	6
Iloilo,	"	29.89	83	...	E	3	o	"	29.92	79	...	NE	2
Cebu,	"	29.89	83	...	N	3	b	"	29.94	82	...	N	3
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 24th at 11.40a. The barometer has fallen generally, particularly in the North.
Pressure remains high over Central China, but there are indications of the existence of a low area over Manchuria.
Moderate monsoon on the China coast, strong monsoon over the N. part of the China Sea.
Forecast:— moderate N. winds; fair.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 24th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

24th DECEMBER, 1902, P. M.								25th DECEMBER, 1902, A. M.						
Station.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Vladivostock,	2 p.	...	..	...	..	..	...	7 a.	...	..	..	..	..	⋮
Gemuro,	„	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Hakodate,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Tokio,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Kochi,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Nagasaki,	„	...	...	...	...	..	...	„	...	...	...	...	...	...
Kagoshima,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Oshima,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Saba,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Ishigakijima,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Taihoku,	1 p.	30.18	...	...	E	6	...	5 a.	30.19	...	...	E	6	...
Taichu,	„	30.06	...	...	N	6	...	„	30.09	...	...	...	0	...
Tainan,	„	30.07	...	..	N	6	...	„	30.09	...	...	N	4	...
Koshun,	„	30.08	...	...	NE	4	...	„	30.06	...	...	NE	6	...
Pescadores,	„	30.12	...	...	NE	8	...	„	30.12	...	...	NE	8	...
Gutzlaff,	3 p.	30.28	47	70	WNW	2	cv	9 a.	30.43	43	67	N	5	cm
Sharp Peak,	„	30.17	57	78	E	6	o	„	30.31	57	63	NE	4	o
Amoy,	2.30p.	30.17	64	68	ENE	2	o	6.30a.	30.27	59	82	NE	2	od
Swatow,	3 p	30.14	65	...	N	1	o	9 a.	...	...	...	...	...	...
Canton,	„	30.12	64	63	NNW	2	o	„	...	...	...	...	...	...
Hongkong,	4 p.	30.12	63	58	N	1	od	10 a.	30.25	59	70	N	2	o
Victoria Peak,	„	...	...	...	NE	2	...	„	...	...	...	NE	2	...
Cap Rock,	„	30.09	...	...	ENE	4	...	„	30.21	...	...	NNE	4	...
Macao,	„	30.13	62	...	NNW	1	o	„	30.26	62	...	NNE	1	c
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.84	84	52	SE	3	b	„	30.00	81	69	WSW	1	...
Balate,	3 p.	...	...	...	ESE	2	b	9 a.	...	...	...	E	1	b
Iacolod,	„	...	...	...	NE	6	b	„	...	...	...	N	2	b
Iloilo,	„	29.85	84	...	E	...	b	„	29.96	79	...	NE	1	o
Cebu,	„	29.84	83	...	N	2	c	„	29.97	83	...	N	2	
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 25th at 12.20p. The barometer has risen over China, particularly in the North. Pressure remains high over Central China and is probably low over the Sea of Japan. Strong monsoon along the China coast and over the N. part of the China Sea.

Forecast:— fresh N. winds; dull, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 25th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	25th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	26th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W T
Wladivostock,	2 p.	...	..	...	..	..	...	7 a.	...	..	..	..	..	
Nemuro,	„	...	...	...	...	...	...	6 a.	...	...	...	...	...	
Hakodate,	„	...	...	...	...	...	...	„	...	...	...	...	...	
Tokio,	„	...	...	...	...	...	...	„	...	...	...	...	...	
Kochi,	„	...	...	...	...	...	...	„	...	...	...	...	...	
Nagasaki,	„	...	...	...	...	..	...	„	...	...	...	...	...	
Kagoshima,	„	...	...	...	...	...	...	„	...	...	...	...	...	
Oshima,	„	...	...	...	...	...	...	„	...	...	...	...	...	
Naha,	„	...	...	...	...	...	...	„	...	...	...	...	...	
Ishigakijima,	„	...	...	...	...	...	...	„	...	...	...	...	...	
Taihoku,	1 p.	30. 3	...	...	E	6	...	5 a.	30.36	...	...	E	6	
Taichu,	„	30.10	...	...	N	4	...	„	30.21	...	...	N	6	
Tainan,	„	30.16	...	..	N	6	...	„	30.20	...	...	N	4	
Koshun,	„	30.07	...	...	NE	8	...	„	30.16	...	...	NE	10	
Pescadores,	„	30.14	...	...	NE	10	...	„	30.23	...	...	NE	10	
Gutzlaff,	3 p.	30.42	40	48	NNW	5	cm	9 a.	30.60	33	79	NW	6	
Sharp Peak,	„	30.27	56	71	NNE	4	o	„	30.43	54	74	NE	5	
Amoy,	2.30p.	30.26	57	69	NE	2	o	6.30a.	30.41	61	71	NNE	3	
Swatow,	3 p	30.24	62	...	ENE	1	or	9 a.	...	...	...	...	...	
Canton,	„	30.24	53	86	N	1	or	„	...	...	...	...	...	
Hongkong	4 p.	30.19	58	72	N	2	od	10 a.	30.35	59	66	N	1	
Victoria Peak,	„	...	...	...	NNE	2	...	„	...	...	...	NE	3	
Gap Rock,	„	30.14	...	...	NE	4	...	„	30.32	...	...	NE	4	
Macao,	„	30.19	61	...	NNW	3	o	„	30.26	59	...	N	2	
Haiphong,	„	...	...	...	...	..	...	„	...	...	...	...	...	
Manila,	„	29.88	86	58	SE	3	b	„	30.04	82	70	WSW	1	
Malate,	3 p.	...	...	...	SE	2	b	9 a.	...	...	...	W	1	
Bacolod,	„	...	...	...	NE	4	o	„	...	...	...	...	0	
Iloilo,	„	29.88	84	...	E	2	o	„	29.99	80	...	NE	2	
Cebu,	„	29.89	84	...	N	3	b	„	30.01	83	...	N	3	
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 26th at 11.30a. The barometer has risen generally, particularly in the North.
A high pressure area covers China and gradients are rather steep with very strong monsoon along the coast and over the N. part of the China Sea.
Forecast:— fresh N. to NE. winds; weather improving.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Friday 26th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	26th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	27th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
adivostock, ..	2 p.	29.70	23	...	N	7	c	7 a.	29.88	14	62	N	3	b
muro, ...	„	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
kodate, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
kio,.....	„	...	...	...	...	...	...	„	...	...	...	...	...	...
chi, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
gas,aki, ...	„	...	...	...	...	..	...	„	...	...	...	...	...	...
goshima, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
hima, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
ha, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
igakijima, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
ihoku, ...	1 p.	30.35	...	...	E	8	...	5 a.	30.31	...	...	E	6	...
ichu, ...	„	30.30	...	...	N	6	...	„	30.21	...	...	N	2	...
inan, ...	„	30.21	...	..	N	4	...	„	30.20	...	...	N	4	...
shun, ...	„	30.21	...	...	NE	8	...	„	30.21	...	...	NE	6	...
scadores, ...	„	30.27	...	...	NE	10	...	„	30.24	...	...	NE	10	...
tzlaff, ...	3 p.	...	...			..	..	9 a.	30.49	34	69	WNW	2	bv
arp Peak. ..	„	30.37	53	61	NE	7	b	„	30.46	51	66	N	3	c
oy, ...	2.30p.	30.34	62	61	ENE	3	c	6.30a.	30.47	55	80	NE	2	..
atow, ...	3 p	302.5	64	...	E	1	o	9 a.	...	...	...	...	...	...
ton, ...	„	30.29	61	55	..	0	o	„	...	...	...	...	...	...
ngkong.....	4 p.	30.26	61	59	NE	1	o	10 a.	30.35	60	72	N	1	o
toria Peak,.	„	...	...	...	E	2	...	„	...	...	...	ENE	2	...
p Rock, ...	„	30.25	...	...	ENE	4	...	„	30.32	...	...	NE	4	...
cao, ...	„	30.29	65	...	N	1	c	„	30.36	59	...	N	1	o
iphong, ...	„	...	...	...	...	...	...	„	...	...	...	...	...	...
nila, ...	„	29.96	84	77	..	0	o	„	30.08	82	70	SW	..	c
late,.....	3 p.	...	...	...	WNW	1	o	9 a.	...	...	...	E	1	b
colod, ...	„	...	...	...	N	4	b	„	...	...	...	...	0	b
ilo, ...	„	29.93	84	...	E	2	c	„	30.02	89	...	NE	1	b
ou, ...	„	29.93	83	...	N	2	b	„	30.03	82	...	N	2	b
e S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 27th at 11.50a. The barometer has fallen quickly on the E. coast of China.
Pressure is still high over Central China and probably again low in Manchuria.
Decreasing monsoon along the China coast, strong monsoon in the N. part of the China Sea.
Forecast:— moderate NE. winds; dull, cloudy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Saturday 27th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	27th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	28th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	..
Nemuro,	„	...	...	...	...	...	...	6 a.	...	...	...	...	...	..
Hakodate,	„	...	...	...	...	...	...	„	...	...	...	...	...	..
Tokio,	„	...	...	...	...	...	...	„	...	...	...	...	...	..
Kochi,	„	...	...	...	...	...	...	„	...	...	...	...	...	..
Nagasaki,	„	...	...	...	...	...	...	„	...	...	...	...	...	..
Kagoshima,	„	...	...	...	...	...	...	„	...	...	...	...	...	..
Osaka,	„	...	...	...	...	...	...	„	...	...	...	...	...	..
Naha,	„	...	...	...	...	...	...	„	...	...	...	...	...	..
Ishigakijima,	„	...	...	...	...	...	...	„	...	...	...	...	...	..
Taihoku,	1 p.	30.28	...	...	E	6	...	5 a.	30.24	...	...	E	6	...
Taichu,	„	30.23	...	...	...	0	...	„	30.17	...	...	...	0	...
Tainan,	„	30.20	...	...	N	4	...	„	30.17	...	...	N	2	...
Koshun,	„	30.20	...	...	NE	6	...	„	30.15	...	...	NE	8	...
Pescadores,	„	30.20	...	...	NE	8	...	„	30.19	...	...	NE	8	...
Gutzlaff,	3 p.	30.39	41	66	WNW	2	cv	9 a.	30.37	42	58	NW	2	bn
Sharp Peak,	„	30.29	55	65	E	3	o	„	30.30	53	77	W	1	og
Amoy,	2.30p.	30.30	60	65	NE	1	or	6.30a.	30.32	59	82	NE	1	c
Swatow,	3 p	30.26	62	...	ENE	2	o	9 a.	...	...	...	...	...	...
Canton,	„	30.26	63	57	W	2	o	„	30.30	57	81	NW	1	od
Hongkong,	4 p.	30.25	60	70	N	1	od	10 a.	30.28	64	56	NNE	1	o
Victoria Peak,	„	...	...	...	NE	1	...	„	...	...	...	E	3	...
Gap Rock,	„	30.23	...	...	NE	4	...	„	30.26	...	...	NE	3	...
Macao,	„	30.26	60	...	NNE	1	o	„	30.29	59	...	N	1	o
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	...
Manila,	„	29.96	84	71	..	0	c	„	30.08	79	84	NE	1	od
Malate,	3 p.	...	...	...	...	0	b	9 a.	...	...	...	NE	2	o
Bacolod,	„	...	...	...	N	6	b	„	...	...	...	N	2	b
Iloilo,	„	29.92	84	...	E	5	b	„	30.04	81	...	N	2	c
Cebu,	„	29.95	84	...	N	4	c	„	30.05	81	...	N	2	o
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 28th at 11.30a. The barometer has fallen along the China coast, probably owing to the low pressure area lying over the extreme North.

Pressure remains high over Central China.

Moderate monsoon in the Formosa Channel, strong monsoon over the N. part of the China Sea.

Forecast:— moderate N. winds; dull, cloudy.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Sunday 28th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	28th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather
Wladivostock,	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...	...
Nemuro,	"	...	...	...	...	...	...	6 a.	...	...	...	...	...	...
Hakodate,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Tokio,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Kochi,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Nagasaki,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Kagoshima,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Taihoku,	1 p.	30.19	...	...	E	8	...	5 a.	30.09	...	...	E	4	...
Taichu,	"	30.14	...	...	N	2	...	"	30.06	...	...	...	0	...
Tainan,	"	30.14	...	...	N	2	...	"	30.09	...	...	N	2	...
Koshun,	"	30.14	...	...	E	6	...	"	30.09	...	...	E	2	...
Pescadores,	"	30.16	...	...	NE	8	...	"	30.07	...	...	NE	6	...
Gutzlaff,	3 p.	30.27	49	93	WSW	3	cm	9 a.	30.25	48	78	E	2	om
Sharp Peak,	"	30.21	56	75	...	0	o	"	30.15	53	90	WNW	2	or
Amoy,	2.30p.	30.14	60	88	NE	1	o	6.30a.	30.18	57	87	NNE	2	od
Swatow,	3 p	30.16	61	...	ENE	1	o	9 a.	...	...	...	...	...	...
Canton,	"	30.16	57	87	N	1	od	"	..	..	..	..	..	..
Hongkong,	4 p.	30.11	64	51	E	1	o	10 a.	30.06	63	79	E	4	o
Victoria Peak,	"	...	...	...	E	4	...	"	...	...	...	SE	5	...
Gap Rock,	"	30.11	...	...	ENE	4	...	"	30.04	...	...	ENE	4	...
Macao,	"	30.12	62	...	N	1	o	"	30.07	63	...	N	1	od
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.96	77	92	SE	1	o	"	30.08	79	84	N	1	o
Malate,	3 p.	...	...	...	E	3	o	9 a.	...	...	...	E	1	...
Bacolod,	"	...	...	...	NE	4	b	"	...	...	...	N	2	b
Iloilo,	"	29.92	84	...	NE	2	b	"	30.05	80	...	N	1	c
Cebu,	"	29.95	83	...	N	2	b	"	30.03	82	...	..	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 29th at 11.35a. The barometer has fallen quickly over China, particularly on the S. coast. Pressure is highest over the E. coast of China, and probably a depression is developing over Central China.

Moderate to light monsoon along the China coast and over the N. part of the China Sea.

Forecast:— fresh to moderate E. winds; dull, some drizzling rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Monday 29th December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

Station.	29th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	30th DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	W T
Wladivostock,	2 p.	30.09	18	...	N	5	c	7 a.	30.17	6	74	NE	4	
Nemuro,	„	29.65	...	...	NW	6	...	6 a.	29.80	...	...	NW	6	
Hakodate,	„	29.77	...	...	W	6	...	„	29.92	...	...	NW	4	
Tokio,	„	29.86	...	...	S	2	...	„	30.02	...	...	N	2	
Kochi,	„	29.99	...	...	W	6	...	„	30.11	...	...	NW	2	
Nagasaki,	„	30.11	...	...	W	6	...	„	30.15	...	...	...	0	
Kagoshima,	„	30.07	...	...	NW	4	...	„	30.11	...	...	NE	2	
Oshima,	„	30.08	...	...	N	2	...	„	30.12	...	...	...	0	
Naha,	„	30.13	...	...	E	2	...	„	29.97	...	...	E	4	
Ishigakijima,	„	30.05	...	...	S	6	...	„	29.85	...	...	NW	6	
Taihoku,	1 p.	29.96	...	...	E	2	...	5 a.	29.99	...	...	SW	2	
Taichu,	„	29.95	...	...	SW	4	...	„	29.99	...	...	N	4	
Tainan,	„	29.97	...	...	SW	4	...	„	29.97	...	...	NE	2	
Koshun,	„	30.02	...	...	E	6	...	„	29.93	...	...	W	6	
Pescadores,	„	29.99	...	...	NE	4	...	„	29.99	...	...	NE	4	
Gutzlaff,	3 p.	30.17	50	79	ESE	2	om	9 a.	30.19	49	100	NE	...	
Sharp Peak,	„	30.01	54	96	WNW	2	rf	„	30.09	58	94	...	0	
Amoy,	2.30p.	30.02	58	94	W	1	or	6.30a.	30.10	60	88	...	0	
Swatow,	3 p	30.01	61	...	NE	2	o	9 a.	...	...	...	...	...	
Canton,	„	29.98	58	94	N	1	or	„	...	...	...	...	...	
Hongkong,	4 p.	29.95	62	93	E	3	od	10 a.	30.11	67	81	W	1	
Victoria Peak,	„	...	...	...	SSE	4	...	„	...	...	...	N	2	
Gap Rock,	„	29.91	...	...	ENE	3	...	„	30.08	...	...	NNW	4	
Macao,	„	29.95	62	...	NNW	1	c	„	30.12	62	...	NW	1	
Haiphong,	„	...	...	...	...	...	...	„	...	...	...	...	...	
Manila,	„	30.00	75	92	SSE	1	o	„	30.08	81	76	W	1	
Malate,	3 p.	...	...	...	...	0	or	9 a.	...	...	...	SE	1	
Bacolod,	„	...	...	...	NE	2	b	„	...	...	...	NE	2	
Iloilo,	„	29.93	84	...	NW	1	b	„	30.05	79	...	N	2	
Cebu,	„	29.96	83	...	N	3	b	„	30.06	83	...	N	4	
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	

On the 30th at 11.50a. The barometer has risen over the Sea of Japan, fallen over Formosa and the Loochoos, a depression having developed to the South of the latter area.
Pressure is highest over China, and gradients are slight for N. winds along the coast.
Moderate monsoon over the N. part of the China Sea.
Forecast:— moderate N. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Tuesday 30th December 1902.

CHINA COAST METEOROLOGICAL REGISTER

Station.	30th DECEMBER, 1902, P. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	31st DECEMBER, 1902, A. M. Hour.	Barometer.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	2 p.	30.14	18	...	NE	6	b	7 a.	30.18	8	90	N	5	o
Gensan,	"	29.88	...	...	NW	6	...	6 a.	30.00	...	...	W	4	...
Hakodate,	"	29.97	...	...	NW	4	...	"	30.17	...	...	...	...	...
Tokio,	"	30.02	...	...	...	0	...	"	30.18	...	...	NW	2	...
Kochi,	"	30.07	...	...	NW	2	...	"	30.11	...	...	N	2	...
Nagasaki,	"	30.11	...	...	NE	4	...	"	30.15	...	...	...	0	...
Kagoshima,	"	30.07	...	...	E	4	...	"	30.15	...	...	N	2	...
Ishima,	"	29.96	...	...	E	2	...	"	30.08	...	...	...	...	...
Taiwan,	"	...	...	...	...	...	...	"	30.09	...	...	N	6	...
Ishigakijima,	"	...	...	...	...	...	...	"	30.09	...	...	NE	4	...
Taihoku,	1 p.	30.04	...	...	W	6	...	5 a.	30.18	...	...	E	2	...
Taichu,	"	30.02	...	...	N	4	...	"	30.11	...	...	NE	2	...
Tainan,	"	30.00	...	...	N	2	...	"	30.09	...	...	N	4	...
Toshun,	"	29.98	...	...	W	4	...	"	30.09	...	...	NE	4	...
Pescadores,	"	30.02	...	...	N	6	...	"	30.12	...	...	NE	8	...
Hutzlaff,	3 p.	30.20	49	93	NNE	4	omd	9 a.	30.41	45	76	N	3	cv
Sharp Peak,	"	30.04	66	91	E	4	o	"	30.29	58	84	NNE	4	cg
Amoy,	2.30p.	30.08	68	85	SW	2	b	6.30a.	30.25	60	82	NE	3	o
Swatow,	3 p	30.09	70	...	W	1	b	9 a.	...	...	...	...	...	...
Canton,	"	30.06	70	75	N	2	b	"	...	...	...	...	...	...
Hongkong,	4 p.	30.05	69	68	N	1	c	10 a.	30.24	67	65	...	0	o
Victoria Peak,	"	...	...	...	NNE	1	...	"	...	...	...	ENE	1	...
Cap Rock,	"	30.02	...	...	N	2	...	"	30.21	...	...	NNE	3	...
Macao,	"	30.05	65	...	N	1	c	"	30.25	64	...	N	1	c
Haiphong,	"	...	...	...	...	...	...	"	...	...	...	...	...	...
Manila,	"	29.96	84	71	WNW	1	b	"	30.12	81	84	SW	1	b
Malate,	3 p.	...	...	...	WNW	1	b	9 a.	...	...	...	N	2	b
Bacolod,	"	...	...	...	N	6	b	"	...	...	...	NE	1	b
Iloilo,	"	29.97	85	...	NE	2	b	"	30.11	79	...	N	1	b
Cebu,	"	29.97	82	...	N	2	b	"	...	83	...	...	0	b
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...	...

On the 31st at 11.37a. The barometer has risen generally, except over W. Japan.
Pressure is high over Central China, and the depression, lying near the Loochoos yesterday, has moved away to the ENE.
Fresh to strong monsoon along the China coast and over the N. part of the China Sea.
Forecast:— fresh NE. winds; cloudy, some rain.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Wednesday 31st December 1902.

CHINA COAST METEOROLOGICAL REGISTER.

31st DECEMBER, 1902, P. M.								1st JANUARY, 1903, A. M.					
					Wind.							Wind.	
Station.	Hour.	Barometer.	Temperature.	Humidity.	Direction.	Force.	Weather.	Hour.	Barometer.	Temperature.	Humidity.	Direction.	Force.
Wladivostock...	2 p.	...	...	...	...	...	...	7 a.	...	...	...	...	...
Nemuro, ...	"	30.08	...	...	N	6	...	6 a.	...	...	...	...	...
Hakodate, ...	"	30.17	...	...	W	2	...	"	...	...	...	...	...
Tokio.....	"	30.18	...	...	N	2	...	"	...	...	...	...	...
Kochi, ...	"	30.11	...	...	...	0	...	"	...	...	...	...	...
Nagasaki, ...	"	30.19	...	...	W	6	...	"	...	...	...	...	...
Kagoshima, ...	"	30.15	...	...	N	4	...	"	...	...	...	...	...
Oshima, ...	"	30.12	...	...	N	4	...	"	...	...	...	...	...
Naha, ...	"	30.13	...	...	N	6	...	"	...	...	...	...	...
Ishigakijima, ...	"	30.13	...	...	NE	6	...	"	...	...	...	...	...
Taihoku, ...	1 p.	30.20	...	...	E	4	...	5 a.	30.22	...	...	E	6
Taichu, ...	"	30.12	...	...	N	6	...	"	30.14	...	...	N	2
Tainan, ...	"	30.12	...	...	N	4	...	"	30.14	...	...	N	4
Koshun, ...	"	...	...	...	...	..	...	"	30.14	...	...	...	0
Pescadores, ...	"	30.16	...	...	NE	10	...	"	30.19	...	...	NE	6
Gutzlaff, ...	3 p.	30.38	47	85	NNW	3	cv	9 a.	30.47	43	75	N	3
Sharp Peak, ..	"	30.22	59	76	E	6	m	"	30.34	53	90	ENE	5
Amoy, ...	2.30p.	30.21	65	73	NE	4	o	6.30a.	30.33	60	88	NE	2
Swatow, ...	3 p	30.16	69	...	E	4	o	9 a.	...	...	...	...	...
Canton, ...	"	30.17	67	64	NW	2	b	"	...	...	...	...	...
Hongkong.....	4 p.	30.16	66	68	NE	1	o	10 a.	30.30	65	53	NNE	1
Victoria Peak,.	"	...	...	...	E	2	...	"	...	...	...	NE	2
Gap Rock, ...	"	30.13	...	...	NNE	3	...	"	30.27	...	...	ENE	3
Macao, ...	"	30.16	63	...	NNE	1	c	"	30.30	63	...	N	1
Haiphong, ...	"	...	...	...	...	...	...	"	...	...	...	...	...
Manila, ...	"	30.10	86	92	ESE	2	b	"	30.12	81	76	WSW	1
Malate, ...	3 p.	...	...	...	W	1	b	9 a.	...	...	...	W	1
Bacolod, ...	"	...	...	...	NE	4	b	"	...	...	...	NE	6
Iloilo, ...	"	30.09	85	...	NE	1	b	"	30.06	80	...	NE	2
Cebu, ...	"	30.10	83	...	N	3	b	"	30.07	84	...	N	4
Cape S. James,	4 p.	...	...	...	...	...	...	10 a.	...	...	...	...	...

On the 1st at 11.45a. The barometer has risen slightly over China, fallen a little in the S. Philippines.

Pressure remains high over Central China, and gradients are slight to moderate with fresh monsoon along the coast, and over the N. part of the China Sea.

Forecast:— moderate NE. winds; fine.

F. G. FIGG,
Acting Director.

Hongkong Observatory, Thursday 1st January 1903.