ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JANUARY,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.

QC
990
.H85
M38
1922

LIBRARY
27 SEP 97
WEATHER BUREAU
LIBRARY
N.O.A.A.
U S Dept of Commerce

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922.

44239

[Price 60c.]

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Lason, Inc.
Imaging Subcontractor
Beltsville, MD
December 20, 2000

ROYAL OBSERVATORY, HONGKONG.

Latitude.....22° 18′ 13·2″ North.
Longitude.... 7ʰ 36ᵐ 41·86ˢ East.

MONTHLY METEOROLOGICAL BULLETIN, 1922.

Introduction.

§ 1. *Buildings and Instruments.*

A detailed description of the Observatory and Instruments is contained in the Introduction for 1913 and 1914.

In March, 1917, a Richard dry-and wet bulb thermograph was substituted for the old Kew thermograph, as the latter was found unsuitable for use in an open shelter. The shelter is of the "Indian" pattern, 25 feet long by 20 feet wide, with improved ventilation and double thatching with an air space of 6 inches between the inner and outer thatch. The roof is gabled and slopes from a height of 9 feet at the ridgepole to 3½ feet at the eaves.

§ 2. *Reduction of the Observations.*

The continuous records of the temperature of the air and of evaporation, and direction of the wind are measured at each hour of the day, from 1ʰ to 24ʰ of Hongkong standard time. Those of wind velocity and amount of rainfall are measured at 30 minutes before the above hours, so as to obtain the value of these elements at the hour. The records of the duration of sunshine are measured so as to include the amount of sunshine recorded from 30 minutes before to 30 minutes after each hour of local apparent time.

The hourly values of the principal meteorological elements are given in Tables I to VII. Three-hourly observations of the character and direction of motion of the clouds are given in Table VIII and a list of phenomena observed during the month at the foot of Table IX. The daily values of the meteorological elements are collected in Table IX and the mean hourly values for the month in Table XI. The normals given in Tables IX and X refer to the periods 1884–1918.

The values given in Table I, barometric pressure, are derived from the hourly readings of the Kew pattern Station barometer No. 1323. The results are corrected for index error and reduced to the temperature 32° F. They are *not* reduced to sea level, nor to the gravity at latitude 45°. The height of the barometer cistern above mean sea level is 109 feet.

The temperature of the air and of evaporation (Tables II and III) are derived from the hourly measures of the Richard dry-and wet bulb thermograph. The highest and lowest temperatures given in Tables IX and X are the highest and lowest points on the thermograms. The records are obtained on plain paper, on which a base-line for each day's register is laid down from the eye observations of rotating thermometers. The registers are time-scaled electrically ; an electro-magnet operated by the hourly time signal lifts the pens from the paper, and

clock work apparatus, adapted by Mr. Evans in January, locks them until the 3rd minute when they are released and fall back on to the paper. The thermometers are aspirated from the 55th to the 60th minute of each hour by an electric fan, operated by a contact on one of the electric dials, air being drawn into the shelter through a 14-inch zinc pipe.

The index corrections of all thermometers in use are determined near midsummer and mid-winter, by comparison in water with a standard thermometer (Kew No. 647) constructed at the Kew Observatory. Comparisons with a Griffin standard thermometer, purchased in the year 1914, indicate that Kew No. 674 reads 0°·10 F. too high. No correction has been applied on this account, however.

The vapour tension and relative humidity given in Tables IX and XI have been derived from the Hygrometric Tables in use in the India Meteorological Department.

In Table VIII the cloud classification adopted by the London Meteorological Office is used. Where the names of upper and lower clouds are given, but only one direction, the latter refers to the lower clouds.

The amount of sunshine given in Table V is derived from the hourly measures of the Campbell-Stokes Universal Sunshine Recorder, Lecky No. c51. The percentage of possible sunshine given in Tables IX and XI is obtained by dividing the observed amount by the number of hours the Sun's centre is above the horizon, using 34′ as the mean refraction on the horizon.

The shadow of the wireless mast, erected in the summer of 1917, falls on the sunshine recorder for a few minutes in the afternoon from January 16 to March 29 and September 16 to November 28. The mast has a skeleton frame the ribs of which partially eclipse the Sun and occasionally cause a slight loss of register. A more serious loss occurs when the sun passes behind the joints of the mast (which are steel plates 3 feet square) or when the Sun sets behind the mast. A list of corrections to the sunshine values in Tables V and IX of the Monthly Meteorological Bulletin, for the years 1917–19, on account of this interruption, is given in the Bulletin for December, 1919. The correction is never large enough to affect the values given in Table XI.

A second recorder, similar to the Lecky instrument, was obtained from Messrs. J. Hicks and set up on the south-west corner of the Main Building on January 6, 1921. The records of this instrument furnish the necessary corrections to those of the old Lecky instrument, as the interruption by the mast occurs at a different time.

The amount of rainfall given in Table VI is derived from the hourly measures of the Nakamura pluviograph, corrected when necessary by observation of the standard rain-gauge. In order to contrast the dry and wet hours the former are indicated by three dots, thus, ... and the same symbol has been used to indicate clear sky (Tables IV and VIII), no sunshine (Table V), and calms (Table VII). In Table VI the letter *d* indicates that drizzle occurred but that the amount was too small to be recorded on the pluviogram. As regards the duration of rain given in Tables IX–XI, it should be mentioned that frequently in the winter months very fine drizzle occurs at intervals during the day, but the amount collected in the gauge is less than 0·005 inch.

The direction and velocity of the wind (Table VII) are derived from the hourly measures of the Beckley anemograms. These measures are resolved into north and east components by the aid of a table giving the components for every point of direction and every mile of velocity, the values in the table being increased by 100 to avoid minus signs. The mean daily direction and velocity, and the mean hourly values in each month, given in Tables IX—XII, are derived from the north and east components by the aid of Table III (B)

in Chapter VI of the International Meteorological Tables. For the sake of continuity Dr. Robinson's factor (3) has been retained for converting the velocity of the cups into wind velocity, in the above Tables.

Beginning with the year 1916, the daily and mean hourly values of the principal meteorological elements in each month have been published in both C.G.S. and British Units. (Tables IX–XII). It should be noted that before converting the barometric pressure given in Tables IX and XI into millibars the readings have been reduced to sea level and gravity at 45°, and also that the vapour tension has been reduced to latitude 45°. The wind components and velocity have been multiplied by $\frac{2}{3}\frac{2}{0}$ before converting them into C.G.S. Units, in order to reduce them to the International Standard.

The conversion tables following the Introduction have been extracted from the *British Meteorological and Magnetic Year-Book for 1913*.

The unit of atmospheric pressure in the C.G.S. system is the megadyne per square centimetre, which is called the "bar" and is equivalent to a pressure of 750·076 millimetres of mercury (or 29·5306 inches) at the freezing point of water in latitude 45°.

The unit of rainfall measurement is the millimetre of rain.

The unit of wind velocity is the metre per second.

Temperature is measured in Centigrade degrees from the absolute Zero, or 273° below the zero of the Centigrade scale.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONGKONG.

TABLES FOR CONVERTING FROM BRITISH TO C.G.S. UNITS.

TABLE I.—PRESSURE.

Inches of mercury (at 32° F. and 45° Latitude) to Millibars.

The fundamental equations are:—

acceleration of gravity in latitude 45° = 980·617 cm./sec².
density of mercury at normal freezing-point of water = 13·5955.
1 mercury-inch = 33·8632 millibars.
1000 millibars = 1 bar = 29·5306 mercury inches = 750·076 mercury millimetres
using 1 inch = 2·54000 cm.

Hundredths.	00	·01	·02	·03	·04	·05	·06	·07	·08	·09
Inches and Tenths.	Millibars.									
27.0	914·31	914·65	914·98	915·32	915·66	916·00	916·34	916·68	917·02	917·35
27.1	917·69	918·03	918·37	918·71	919·05	919·39	919·72	920·06	920·40	920·74
27.2	921·08	921·42	921·76	922·09	922·43	922·77	923·11	923·45	923·79	924·13
27.3	924·47	924·80	925·14	925·48	925·82	926·16	926·50	926·84	927·17	927·51
27.4	927·85	928·19	928·53	928·87	929·21	929·54	929·88	930·22	930·56	930·90
27.5	931·24	931·58	931·92	932·25	932·59	932·93	933·27	933·61	933·95	934·29
27.6	934·62	934·96	935·30	935·64	935·98	936·32	936·66	936·99	937·33	937·67
27.7	938·01	938·35	938·69	939·03	939·37	939·70	940·04	940·38	940·72	941·06
27.8	941·40	941·74	942·07	942·41	942·75	943·09	943·43	943·77	944·11	944·44
27.9	944·78	945·12	945·46	945·80	946·14	946·48	946·82	947·15	947·49	947·83
28.0	948·17	948·51	948·85	949·19	949·52	949·86	950·20	950·54	950·88	951·22
28.1	951·56	951·89	952·23	952·57	952·91	953·25	953·59	953·93	954·26	954·60
28.2	954·94	955·28	955·62	955·96	956·30	956·64	956·97	957·31	957·65	957·99
28.3	958·33	958·67	959·01	959·34	959·68	960·02	960·36	960·70	961·04	961·38
28.4	961·71	962·05	962·39	962·73	963·07	963·41	963·75	964·09	964·42	964·76
28.5	965·10	965·44	965·78	966·12	966·46	966·79	967·13	967·47	967·81	968·15
28.6	968·49	968·83	969·16	969·50	969·84	970·18	970·52	970·86	971·20	971·54
28.7	971·87	972·21	972·55	972·89	973·23	973·57	973·91	974·24	974·58	974·92
28.8	975·26	975·60	975·94	976·28	976·61	976·95	977·29	977·63	977·97	978·31
28.9	978·65	978·99	979·32	979·66	980·00	980·34	980·68	981·02	981·36	981·69
29.0	982·03	982·37	982·71	983·05	983·39	983·73	984·06	984·40	984·74	985·08
29.1	985·42	985·76	986·10	986·44	986·77	987·11	987·45	987·79	988·13	988·47
29.2	988·81	989·14	989·48	989·82	990·16	990·50	990·84	991·18	991·51	991·85
29.3	992·19	992·53	992·87	993·21	993·55	993·88	994·22	994·56	994·90	995·24
29.4	995·58	995·92	996·26	996·59	996·93	997·27	997·61	997·95	998·29	998·63
29.5	998·96	999·30	999·64	999·98	1000·32	1000·66	1001·00	1001·33	1001·67	1002·01
29.6	1002·35	1002·69	1003·03	1003·37	1003·71	1004·04	1004·38	1004·72	1005·06	1005·40
29.7	1005·74	1006·08	1006·41	1006·75	1007·09	1007·43	1007·77	1008·11	1008·45	1008·78
29.8	1009·12	1009·46	1009·80	1010·14	1010·48	1010·82	1011·16	1011·49	1011·83	1012·17
29.9	1012·51	1012·85	1013·19	1013·53	1013·86	1014·20	1014·54	1014·88	1015·22	1015·56
30.0	1015·90	1016·23	1016·57	1016·91	1017·25	1017·59	1017·93	1018·27	1018·61	1018·94
30.1	1019·28	1019·62	1019·96	1020·30	1020·64	1020·98	1021·31	1021·65	1021·99	1022·33
30.2	1022·67	1023·01	1023·35	1023·68	1024·02	1024·36	1024·70	1025·04	1025·38	1025·72
30.3	1026·05	1026·39	1026·73	1027·07	1027·41	1027·75	1028·09	1028·43	1028·76	1029·10
30.4	1029·44	1029·78	1030·12	1030·46	1030·80	1031·13	1031·47	1031·81	1032·15	1032·49
30.5	1032·83	1033·17	1033·50	1033·84	1034·18	1034·52	1034·86	1035·20	1035·54	1035·88
30.6	1036·21	1036·55	1036·89	1037·23	1037·57	1037·91	1038·25	1038·58	1038·92	1039·26
30.7	1039·60	1039·94	1040·28	1040·62	1040·95	1041·29	1041·63	1041·97	1042·31	1042·65
30.8	1042·99	1043·33	1043·66	1044·00	1044·34	1044·68	1045·02	1045·36	1045·70	1046·03
30.9	1046·37	1046·71	1047·05	1047·39	1047·73	1048·07	1048·40	1048·74	1049·08	1049·42

Thousandths of an Inch.										
Inch.	0	·001	·002	·003	·004	·005	·006	·007	·008	·009
Millibars.	0	·03	·07	·10	·14	·17	·20	·24	·27	·30

Table II.—Temperature.

Degrees Fahrenheit to Degrees Absolute.

The equations are $A = 273 + 5/9\ (F - 32)$, $F = 32 + 9/5\ (A - 273)$.

Tenths.	0	1	2	3	4	5	6	7	8	9
Degrees Fah.	Degrees Absolute.									
	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +	200° +
32	73·0	73·1	73·1	73·2	73·2	73·3	73·3	73·4	73·4	73·5
33	73·6	73·6	73·7	73·7	73·8	73·8	73·9	73·9	74·0	74·1
34	74·1	74·2	74·2	74·3	74·3	74·4	74·4	74·5	74·6	74·6
35	74·7	74·7	74·8	74·8	74·9	74·9	75·0	75·1	75·1	75·2
36	75·2	75·3	75·3	75·4	75·4	75·5	75·6	75·6	75·7	75·7
37	75·8	75·8	75·9	75·9	76·0	76·1	76·1	76·2	76·2	76·3
38	76·3	76·4	76·4	76·5	76·6	76·6	76·7	76·7	76·8	76·8
39	76·9	76·9	77·0	77·1	77·1	77·2	77·2	77·3	77·3	77·4
40	77·4	77·5	77·6	77·6	77·7	77·7	77·8	77·8	77·9	77·9
41	78·0	78·1	78·1	78·2	78·2	78·3	78·3	78·4	78·4	78·5
42	78·6	78·6	78·7	78·7	78·8	78·8	78·9	78·9	79·0	79·1
43	79·1	79·2	79·2	79·3	79·3	79·4	79·4	79·5	79·6	79·6
44	79·7	79·7	79·8	79·8	79·9	79·9	80·0	80·1	80·1	80·2
45	80·2	80·3	80·3	80·4	80·4	80·5	80·6	80·6	80·7	80·7
46	80·8	80·8	80·9	80·9	81·0	81·1	81·1	81·2	81·2	81·3
47	81·3	81·4	81·4	81·5	81·6	81·6	81·7	81·7	81·8	81·8
48	81·9	81·9	82·0	82·1	82·1	82·2	82·2	82·3	82·3	82·4
49	82·4	82·5	82·6	82·6	82·7	82·7	82·8	82·8	82·9	82·9
50	83·0	83·1	83·1	83·2	83·2	83·3	83·3	83·4	83·4	83·5
51	83·6	83·6	83·7	83·7	83·8	83·8	83·9	83·9	84·0	84·1
52	84·1	84·2	84·2	84·3	84·3	84·4	84·4	84·5	84·6	84·6
53	84·7	84·7	84·8	84·8	84·9	84·9	85·0	85·1	85·1	85·2
54	85·2	85·3	85·3	85·4	85·4	85·5	85·6	85·6	85·7	85·7
55	85·8	85·8	85·9	85·9	86·0	86·1	86·1	86·2	86·2	86·3
56	86·3	86·4	86·4	86·5	86·6	86·6	86·7	86·7	86·8	86·8
57	86·9	86·9	87·0	87·1	87·1	87·2	87·2	87·3	87·3	87·4
58	87·4	87·5	87·6	87·6	87·7	87·7	87·8	87·8	87·9	87·9
59	88·0	88·1	88·1	88·2	88·2	88·3	88·3	88·4	88·4	88·5
60	88·6	88·6	88·7	88·7	88·8	88·8	88·9	88·9	89·0	89·1
61	89·1	89·2	89·2	89·3	89·3	89·4	89·4	89·5	89·6	89·6
62	89·7	89·7	89·8	89·8	89·9	89·9	90·0	90·1	90·1	90·2
63	90·2	90·3	90·3	90·4	90·4	90·5	90·6	90·6	90·7	90·7
64	90·8	90·8	90·9	90·9	91·0	91·1	91·1	91·2	91·2	91·3
65	91·3	91·4	91·4	91·5	91·6	91·6	91·7	91·7	91·8	91·8
66	91·9	91·9	92·0	92·1	92·1	92·2	92·2	92·3	92·3	92·4
67	92·4	92·5	92·6	92·6	92·7	92·7	92·8	92·8	92·9	92·9
68	93·0	93·1	93·1	93·2	93·2	93·3	93·3	93·4	93·4	93·5
69	93·6	93·6	93·7	93·7	93·8	93·8	93·9	93·9	94·0	94·1
70	94·1	94·2	94·2	94·3	94·3	94·4	94·4	94·5	94·6	94·6
71	94·7	94·7	94·8	94·8	94·9	94·9	95·0	95·1	95·1	95·2
72	95·2	95·3	95·3	95·4	95·4	95·5	95·6	95·6	95·7	95·7
73	95·8	95·8	95·9	95·9	96·0	96·1	96·1	96·2	96·2	96·3
74	96·3	96·4	96·4	96·5	96·6	96·6	96·7	96·7	96·8	96·8
75	96·9	96·9	97·0	97·1	97·1	97·2	97·2	97·3	97·3	97·4
76	97·4	97·5	97·6	97·6	97·7	97·7	97·8	97·8	97·9	97·9
77	98·0	98·1	98·1	98·2	98·2	98·3	98·3	98·4	98·4	98·5
78	98·6	98·6	98·7	98·7	98·8	98·8	98·9	98·9	99·0	99·1
79	99·1	99·2	99·2	99·3	99·3	99·4	99·4	99·5	99·6	99·6
80	99·7	99·7	99·8	99·8	99·9	99·9	100·0	100·1	100·1	100·2
81	100·2	100·3	100·3	100·4	100·4	100·5	100·6	100·6	100·7	100·7
82	100·8	100·8	100·9	100·9	101·0	101·1	101·1	101·2	101·2	101·3
83	101·3	101·4	101·4	101·5	101·6	101·6	101·7	101·7	101·8	101·8
84	101·9	101·9	102·0	102·1	102·1	102·2	102·2	102·3	102·3	102·4
85	102·4	102·5	102·6	102·6	102·7	102·7	102·8	102·8	102·9	102·9
86	103·0	103·1	103.1	103·2	103·2	103·3	103·3	103·4	103·4	103·5
87	103·6	103·6	103·7	103·7	103·8	103·8	103·9	103·9	104·0	104·1
88	104·1	104·2	104·2	104·3	104·3	104·4	104·4	104·5	104·6	104·6
89	104·7	104·7	104·8	104·8	104·9	104·9	105·0	105·1	105·1	105·2
90	105·2	105·3	105·3	105·4	105·4	105·5	105·6	105·6	105·7	105·7
91	105·8	105·8	105·9	105·9	106·0	106·1	106·1	106·2	106·2	106·3
92	106·3	106·4	106·4	106·5	106·6	106·6	106·7	106·7	106·8	106·8
93	106·9	106·9	107·0	107·1	107·1	107·2	107·2	107·3	107·3	107·4
94	107·4	107·5	107·6	107·6	107·7	107·7	107·8	107·8	107·9	107·9
95	108·0	108·1	108·1	108·2	108·2	108·3	108·3	108·4	108·4	108·5
96	108·6	108·6	108·7	108·7	108·8	108·8	108·9	108·9	109·0	109·1
97	109·1	109·2	109·2	109·3	109·3	109·4	109·4	109·5	109·6	109·6
98	109·7	109·7	109·8	109·8	109·9	109·9	110·0	110·1	110·1	110·2
99	110·2	110·3	110·3	110·4	110·4	110·5	110·6	110·6	110·7	110·7
100	110·8	110·8	110·9	110·9	111·0	111·1	111·1	111·2	111.2	111·3

Table III.

Rainfall. *Inches to Millimetres.*

Inches.	0	1	2	3	4	5	6	7	8	9
	Millimetres.									
0·0	0·0	0·3	0·5	0·8	1·0	1·3	1·5	1·8	2·0	2·3
0·1	2·5	2·8	3·0	3·3	3·6	3·8	4·1	4·3	4·6	4·8
0·2	5·1	5·3	5·6	5·8	6·1	6·4	6·6	6·9	7·1	7·4
0·3	7·6	7·9	8·1	8·4	8·6	8·9	9·1	9·4	9·7	9·9
0·4	10·2	10·4	10·7	10·9	11·2	11·4	11·7	11·9	12·2	12·4
0·5	12·7	13·0	13·2	13·5	13·7	14·0	14·2	14·5	14·7	15·0
0·6	15·2	15·5	15·7	16·0	16·3	16·5	16·8	17·0	17·3	17·5
0·7	17·8	18·0	18·3	18·5	18·8	19·1	19·3	19·6	19·8	20·1
0·8	20·3	20·6	20·8	21·1	21·3	21·6	21·8	22·1	22·4	22·6
0·9	22·9	23·1	23·4	23·6	23·9	24·1	24·4	24·6	24·9	25·1
1·0	25·4	25·7	25·9	26·2	26·4	26·7	26·9	27·2	27·4	27·7
1·1	27·9	28·2	28·4	28·7	29·0	29·2	29·5	29·7	30·0	30·2
1·2	30·5	30·7	31·0	31·2	31·5	31·8	32·0	32·3	32·5	32·8
1·3	33·0	33·3	33·5	33·8	34·0	34·3	34·5	34·8	35·1	35·3
1·4	35·6	35·8	36·1	36·3	36·6	36·8	37·1	37·3	37·6	37·8
1·5	38·1	38·4	38·6	38·9	39·1	39·4	39·6	39·9	40·1	40·4
1·6	40·6	40·9	41·1	41·4	41·7	41·9	42·2	42·4	42·7	42·9
1·7	43·2	43·4	43·7	43·9	44·2	44·5	44·7	45·0	45·2	45·5
1·8	45·7	46·0	46·2	46·5	46·7	47·0	47·2	47·5	47·8	48·0
1·9	48·3	48·5	48·8	49·0	49·3	49·5	49·8	50·0	50·3	50·5
2·0	50·8	51·1	51·3	51·6	51·8	52·1	52·3	52·6	52·8	53·1

Table IV.

Wind Velocity.

Miles per Hour into Metres per Second.

1 mile per hour = 0·44704 metres per second.

Miles per Hour.	0	1	2	3	4	5	6	7	8	9
	Metres per Second.									
0	0·0	0·4	0·9	1·3	1·8	2·2	2·7	3·1	3·6	4·0
10	4·5	4·9	5·4	5·8	6·3	6·7	7·2	7·6	8·0	8·5
20	8·9	9·4	9·8	10·3	10·7	11·2	11·6	12·1	12·5	13·0
30	13·4	13·9	14·3	14·8	15·2	15·6	16·1	16·5	17·0	17·4
40	17·9	18·3	18·8	19·2	19·7	20·1	20·6	21·0	21·5	21·9
50	22·4	22·8	23·2	23·7	24·1	24·6	25·0	25·5	25·9	26·4
60	26·8	27·3	27·7	28·2	28·6	29·1	29·5	30·0	30·4	30·8
70	31·3	31·7	32·2	32·6	33·1	33·5	34·0	34·4	34·9	35·3
80	35·8	36·2	36·7	37·1	37·6	38·0	38·4	38·9	39·3	39·8
90	40·2	40·7	41·1	41·6	42·0	42·5	42·9	43·4	43·8	44·3
100	44·7	45·2	45·6	46·0	46·5	46·9	47·4	47·8	48·3	48·7
110	49·2	49·6	50·1	50·5	51·0	51·4	51·9	52·3	52·8	53·2
120	53·6	54·1	54·5	55·0	55·4	55·9	56·3	56·8	57·2	57·7
130	58·1	58·6	59·0	59·5	59·9	60·4	60·8	61·2	61·7	62·1
140	62·6	63·0	63·5	63·9	64·4	64·8	65·3	65·7	66·2	66·6

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JANUARY,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JANUARY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·916	29·908	29·894	29·894	29·894	29·909	29·926	29·949	29·958	29·968	29·964	29·953	1
2	30·036	30·024	30·014	30·012	30·010	30·026	30·030	30·056	30·076	30·090	30·088	30·067	2
3	30·085	30·079	30·074	30·068	30·071	30·089	30·099	30·121	30·144	30·155	30·148	30·131	3
4	30·109	30·114	30·104	30·103	30·097	30·111	30·127	30·152	30·175	30·184	30·178	30·149	4
5	30·105	30·101	30·102	30·101	30·103	30·117	30·132	30·153	30·175	30·179	30·176	30·149	5
6	30·130	30·134	30·125	30·126	30·133	30·146	30·158	30·174	30·198	30·190	30·192	30·158	6
7	30·150	30·140	30·124	30·119	30·123	30·131	30·159	30·192	30·215	30·219	30·216	30·192	7
8	30·151	30·145	30·135	30·129	30·125	30·136	30·146	30·145	30·162	30·163	30·137	30·123	8
9	30·099	30·097	30·087	30·089	30·092	30·096	30·103	30·119	30·131	30·132	30·120	30·104	9
10	30·129	30·136	30·132	30·124	30·120	30·138	30·158	30·189	30·199	30·208	30·196	30·174	10
11	30·070	30·056	30·049	30·048	30·046	30·059	30·071	30·098	30·103	30·117	30·106	30·091	11
12	30·002	29·992	29·978	29·972	29·956	29·953	29·966	29·984	29·993	30·012	30·006	29·996	12
13	29·958	29·936	29·918	29·904	29·902	29·904	29·926	29·944	29·958	29·963	29·952	29·929	13
14	29·909	29·898	29·892	29·882	29·887	29·908	29·914	29·928	29·943	29·948	29·929	29·919	14
15	29·898	29·882	29·872	29·875	29·869	29·877	29·872	29·879	29·903	29·923	29·904	29·886	15
16	29·853	29·845	29·830	29·828	29·820	29·828	29·844	29·859	29·879	29·887	29·877	29·857	16
17	29·823	29·831	29·813	29·816	29·822	29·835	29·866	29·880	29·905	29·926	29·910	29·871	17
18	29·948	29·957	29·951	29·936	29·923	29·945	29·963	29·997	30·018	30·031	30·007	29·987	18
19	30·031	30·020	30·015	30·009	30·012	30·022	30·039	30·055	30·087	30·093	30·068	30·048	19
20	30·030	30·034	30·028	30·016	30·026	30·056	30·076	30·096	30·125	30·118	30·108	30·072	20
21	30·058	30·053	30·041	30·046	30·050	30·044	30·067	30·086	30·102	30·108	30·079	30·064	21
22	29·979	29·969	29·952	29·952	29·932	29·946	29·959	29·973	29·996	29·988	29·973	29·950	22
23	29·930	29·910	29·898	29·892	29·892	29·906	29·924	29·943	29·977	29·984	29·974	29·950	23
24	29·993	29·984	29·982	29·974	29·982	29·994	30·019	30·050	30·074	30·079	30·070	30·042	24
25	30·070	30·069	30·046	30·022	30·029	30·041	30·062	30·095	30·112	30·116	30·102	30·075	25
26	30·047	30·031	30·021	30·013	30·009	30·008	30·033	30·048	30·061	30·062	30·068	30·019	26
27	30·026	30·033	30·036	30·018	30·021	30·031	30·036	30·055	30·070	30·087	30·097	30·080	27
28	30·093	30·085	30·081	30·082	30·091	30·099	30·115	30·131	30·140	30·156	30·136	30·096	28
29	30·042	30·032	30·012	30·016	30·000	30·016	30·029	30·025	30·058	30·068	30·058	30·027	29
30	30·080	30·082	30·072	30·077	30·082	30·066	30·100	30·095	30·115	30·107	30·100	30·087	30
31	30·142	30·127	30·108	30·120	30·114	30·132	30·138	30·150	30·147	30·156	30·123	30·108	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·929	29·906	29·898	29·907	29·922	29·942	29·968	29·993	30·009	30·013	30·022	30·027	1
2	30·035	30·021	30·003	30·001	30·008	30·026	30·040	30·050	30·063	30·069	30·071	30·070	2
3	30·096	30·064	30·051	30·043	30·049	30·060	30·083	30·097	30·105	30·104	30·108	30·102	3
4	30·113	30·083	30·064	30·051	30·065	30·073	30·092	30·097	30·110	30·116	30·112	30·108	4
5	30·108	30·077	30·053	30·040	30·055	30·078	30·088	30·104	30·114	30·119	30·134	30·132	5
6	30·130	30·097	30·082	30·081	30·091	30·106	30·115	30·135	30·152	30·160	30·166	30·156	6
7	30·150	30·116	30·106	30·098	30·115	30·124	30·138	30·138	30·153	30·152	30·151	30·149	7
8	30·084	30·059	30·038	30·044	30·062	30·068	30·085	30·096	30·112	30·121	30·117	30·115	8
9	30·077	30·056	30·050	30·049	30·053	30·059	30·076	30·098	30·112	30·126	30·135	30·135	9
10	30·136	30·096	30·072	30·063	30·067	30·074	30·079	30·089	30·092	30·094	30·090	30·086	10
11	30·050	30·016	30·000	29·998	30·002	29·994	30·010	30·010	30·010	30·016	30·012	30·002	11
12	29·965	29·940	29·926	29·928	29·931	29·942	29·958	29·980	29·994	29·992	29·982	29·970	12
13	29·897	29·876	29·859	29·865	29·880	29·872	29·890	29·900	29·895	29·902	29·912	29·914	13
14	29·882	29·848	29·830	29·831	29·848	29·858	29·870	29·876	29·884	29·895	29·905	29·899	14
15	29·860	29·836	29·817	29·813	29·831	29·835	29·839	29·845	29·845	29·847	29·857	29·859	15
16	29·831	29·801	29·783	29·781	29·793	29·816	29·826	29·838	29·845	29·837	29·835	29·828	16
17	29·853	29·825	29·816	29·830	29·848	29·860	29·871	29·905	29·927	29·947	29·950	29·944	17
18	29·960	29·958	29·942	29·955	29·968	29·973	29·999	30·005	30·027	30·047	30·048	30·051	18
19	30·007	29·989	29·984	29·982	30·006	30·011	30·016	30·038	30·052	30·061	30·054	30·042	19
20	30·043	30·028	30·012	30·016	30·029	30·043	30·056	30·067	30·068	30·064	30·054	30·061	20
21	30·040	30·001	29·993	29·997	29·996	29·986	29·993	30·005	30·013	30·008	29·994	29·994	21
22	29·920	29·896	29·882	29·876	29·880	29·883	29·861	29·917	29·921	29·920	29·921	29·928	22
23	29·925	29·894	29·880	29·872	29·886	29·903	29·919	29·939	29·966	29·975	29·989	29·983	23
24	30·017	29·992	29·992	29·994	30·005	30·022	30·038	30·061	30·071	30·077	30·075	30·070	24
25	30·049	30·030	30·004	30·002	30·005	30·014	30·027	30·045	30·050	30·056	30·051	30·046	25
26	29·989	29·972	29·956	29·954	29·972	29·989	29·991	30·010	30·032	30·030	30·030	30·026	26
27	30·054	30·035	30·018	30·048	30·048	30·047	30·037	30·049	30·076	30·085	30·100	30·095	27
28	30·042	30·022	30·002	30·018	30·019	30·016	30·020	30·020	30·028	30·024	30·032	30·044	28
29	30·011	29·999	29·989	30·001	30·024	30·035	30·049	30·060	30·064	30·076	30·090	30·091	29
30	30·083	30·077	30·091	30·105	30·133	30·136	30·141	30·146	30·157	30·171	30·159	30·147	30
31	30·077	30·042	30·033	30·042	30·063	30·048	30·086	30·044	30·059	30·049	30·065	30·039	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JANUARY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·5	64·6	64·5	64·5	64·6	64·5	64·4	65·5	68·6	69·4	69·6	70·2	1
2	61·9	61·5	61·6	61·6	61·5	61·6	61·7	62·1	61·9	62·2	63·5	64·1	2
3	61·3	61·3	60·8	60·6	60.8	60·9	60·8	60·8	61·3	62·5	64·0	63·7	3
4	61·2	59·7	59·4	59·2	59·7	59·8	59·9	60·1	60·8	61·2	62·0	64·4	4
5	60·9	60·7	60·6	60·3	60.0	59·9	60·1	59·9	61·3	64·6	65·1	66·8	5
6	59·4	58·3	57·9	57·7	56·7	56·3	55·5	58·0	60·3	64·2	64·3	66·2	6
7	60·9	60·6	60·4	60·5	60·5	60·5	60·4	60·6	61·1	62·7	65·0	65·1	7
8	61·1	60·6	60·5	60·3	59·9	59·4	59·2	60·7	63·7	67·1	68·5	66·7	8
9	63·2	63·0	63·0	63·1	63·3	63·3	63·2	64·5	66·0	69·5	73·9	71·5	0
10	61·1	60·6	59·8	59·3	58·1	57·5	57·5	58·4	60·6	64·6	65·6	65·4	10
11	61·9	61·5	60·9	60·4	60·0	59·8	60·0	60·4	61·3	62·1	62·9	63·3	11
12	61·4	61·6	61·9	62·2	62·6	62·6	62·5	64 2	65·5	66·8	68·7	68.2	12
13	65·2	65·3	65·2	65·5	65·8	65·9	66·2	66·5	65·9	67·0	67·6	68·8	13
14	64·9	64·6	64·6	64·4	64·6	65·0	65·4	66·0	66·9	69·8	70·9	70·3	14
15	65·7	64·6	64·3	63·0	62·7	62·8	62·7	62·4	62·6	62·9	64·0	64·6	15
16	63·5	63·4	63·5	63·7	64·0	64·1	64·3	64·1	63·8	63·6	63·4	62·9	16
17	60·9	61·1	60·8	60·2	60·2	60·6	59·7	59·6	60·6	61·8	63·2	65·6	17
18	50·8	52·0	51·4	50·7	50·4	50·6	50·7	50·0	50·6	49·6	52·1	51·6	18
19	48·3	48·4	48·4	48.4	48·4	48·1	47·6	48·1	48·8	49·6	52·0	52·6	19
20	50·4	50·4	49·6	49·8	49·1	49·0	48·9	48·9	49·9	50·3	51·1	51.2	20
21	50·2	50·4	51·2	49·2	49·6	50·8	50·7	51·2	51·8	52·6	54·6	54·0	21
22	56·4	56·1	55·7	55·7	55·8	55·9	55·8	56·0	56·4	56·9	57·2	57·2	22
23	59·4	59·6	60·1	60·4	60·5	60·8	61·0	62·0	62·2	62·7	65·0	65·9	23
24	61·5	61·0	61·0	61·1	61·7	61·8	61·2	61·1	63·9	65·0	70·0	70·0	24
25	60·2	59·8	59·5	59·0	58·6	58·4	58·5	58·9	59·3	60·7	61·5	63·0	25
26	59·9	59·4	59·4	59.2	58·9	58·7	58·7	58.8	58·8	59·1	59·4	59·8	26
27	59·5	59·7	59·3	59·3	59·5	59·4	59·8	60·1	60·7	60·8	61.1	61·3	27
28	59·4	59·7	59·5	59.2	59·3	59·4	59·5	61·1	61·9	63·0	62·9	64.2	28
29	60·2	60·1	60.2	60·1	60·5	60·5	60·6	60·5	60·7	61·0	61·6	62·7	29
30	56·2	54·7	55·2	54·8	54·8	54·0	54·2	54·4	54·5	56·6	56·1	55·3	30
31	53·6	53·8	54·2	53·7	54·1	52·6	52·7	52·8	53·3	53·8	55·4	56·0	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	71·9	71·0	68·1	67·0	65·0	64·0	63·5	63·2	62·9	62·6	62·6	62·5	1
2	64.1	63·6	63·8	63·1	02·6	62·2	62·2	62·1	62·0	61·9	61·8	61·7	2
3	63·0	65·4	65·8	65·0	64·0	63·0	62·7	62·5	62·3	62·3	62·4	62·0	3
4	64·8	64·6	64·8	64·4	62·5	61·3	60·9	61·0	61·0	61·2	61·5	61·6	4
5	68·3	68·1	67·5	66·6	65·7	64·3	63·7	63·9	63·6	64·1	62·3	61·8	5
6	67·1	67·6	66·6	65·6	65·3	63·6	62·2	61·6	61·1	60·9	60·6	60·6	6
7	65·6	64·8	63·6	62·7	62.1	61·1	60·9	60·6	60·6	61·0	60·9	61·2	7
8	68·0	67·2	66·6	65·8	64·8	63·9	63·5	63·5	63·8	63·8	63·4	63·4	8
9	70·2	70·7	69·6	69·7	68·4	67·3	67·5	67·2	65·6	64·4	64·1	62·9	9
10	65·5	64·6	63·8	62·5	62·0	61·8	61·6	62·1	62·8	62·6	62·3	62·0	10
11	63·8	62·7	61·2	61·0	60·6	60·4	60·6	61·0	61·3	61·4	61·6	61·6	11
12	68·6	68·0	67·5	64·8	65·3	65·3	64·6	65·0	65·1	64.9	64·5	64·6	12
13	69·3	69.0	67·6	66.7	66·0	65·7	65·7	65·8	65·4	64·9	64·8	64·9	13
14	70·6	70·8	71·8	69·6	68·3	68·2	68·0	67·8	67·3	66·6	66·6	66·3	14
15	64·0	63·6	63·8	63·6	63·4	63·5	63·6	63·5	63·2	63·2	63·2	63·1	15
16	63·6	63·6	63·4	62·6	62·1	62·2	62·3	61·5	61·3	61·6	61·1	61·3	16
17	63·4	63·6	59·6	59·6	58·6	57·2	56·4	56·0	54·1	53·3	52·2	51·6	17
18	50·7	48·3	49·1	49·0	48·6	49·1	48·6	48·8	49·2	49·1	48·3	48·2	18
19	53·8	53·3	53·3	52·3	51·6	50·7	50·2	50·0	49·9	49·6	49·7	49·8	19
20	51·7	50·6	50·3	49·9	49·8	49·0	48·6	48·7	49·2	49.2	49·2	49·1	20
21	53·0	54·1	55·5	55·1	55·0	55·0	55·0	55·4	56·0	56·7	57·5	57·6	21
22	58·0	58·0	58·9	59·1	59·0	59·1	59·3	59·2	59·3	59·7	59·7	59·9	22
23	66·6	68·4	68·1	67·2	65·2	64·0	63·6	63·2	62·8	61·8	61·2	60·7	23
24	69·5	69·0	68·8	69·0	65·9	64·2	63·6	62·4	62·3	62·0	61·4	61·1	24
25	62·5	62·5	61·8	61·5	61·0	60·5	60·5	60·4	60·1	60·3	60·4	60·3	25
26	60·6	61·5	61·5	61·5	60·4	60·5	60·6	61·0	61·3	60·8	60·6	60·4	26
27	61·6	61·4	61·3	61·4	60·6	60·6	60·6	60·3	60·3	60·5	59·9	59·9	27
28	64·8	63·3	63·2	62·8	63·0	61·6	61·1	60·5	60·7	60·2	60·0	59.8	28
29	63·5	62·9	64·0	62·6	61·3	60·4	59·0	58·1	56·8	56·6	56·4	55·1	29
30	55·8	55·5	54·1	52·5	52·0	51·5	51·9	52·4	53·5	53·5	53·7	53·6	30
31	55·9	56·2	56·3	56·5	56·3	55·9	56·0	55·4	56·3	56·2	56·5	56·5	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JANUARY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	62·9	63·0	63·0	63·1	63·3	63·0	63·0	63·9	64·7	65·3	65·4	66·3	1
2	60·0	59·1	59·3	58·8	58·5	58·5	58·7	59·1	59·0	59·0	59·5	59·9	2
3	59·2	59·2	59·0	59·0	59·0	59·2	59·3	59·2	59·4	59·8	60·4	60·5	3
4	57·3	57·4	57·6	57·1	57·1	57·2	57·0	56·9	57·8	58·1	58·4	59·5	4
5	56·9	56·8	56·9	56·5	56·5	56·4	56·7	56·3	56·4	58·2	57·9	58·8	5
6	53·8	53·5	53·0	52·6	52·1	51·7	51·3	53·3	54·4	56·8	57·0	58·0	6
7	58·3	57·5	57·5	57·5	56·9	56·5	56·2	56·0	55·8	56·5	57·6	57·3	7
8	56·5	56·5	56·3	56·5	55·5	55·7	55·4	56·6	57·9	59·2	60·2	60·0	8
9	60·0	60·3	60·2	60·6	60·5	60·3	60·2	60·5	62·0	62·8	63·8	63·6	9
10	53·7	52·8	51·5	51·3	50·3	49·6	49·2	49·5	51·6	54·2	55·3	55·6	10
11	55·4	55·5	55·0	55·0	54·5	54·9	55·3	55·5	56·4	56·7	56·9	56·7	11
12	56·4	56·6	56·0	56·5	57·5	57·7	58·2	60·0	60·8	61·5	61·6	61·0	12
13	63·4	63·4	63·6	63·8	64·0	63·9	63·6	63·7	63·7	64·2	64·5	65·0	13
14	62·5	62·4	62·7	62·4	62·3	62·8	62·9	63·0	63·4	65·0	65·9	65·8	14
15	64·5	63·7	63·6	62·2	62·2	62·2	61·7	61·5	61·4	61·3	62·6	62·5	15
16	62·5	62·7	62·9	63·0	63·2	63·3	63·2	62·7	62·7	62·6	62·5	62·0	16
17	59·9	59·8	59·6	59·3	58·8	58·5	58·5	58·9	59·3	59·5	60·0	61·0	17
18	47·9	48·9	47·4	46·3	46·2	46·5	46·4	45·6	46·2	46·2	48·4	46·5	18
19	45·7	45·8	45·8	46·0	45·5	45·2	44·2	44·6	45·1	45·5	47·0	47·7	19
20	45·5	45·6	45·3	46·0	45·3	45·6	45·5	45·6	46·4	47·1	47·5	47·5	20
21	46·7	47·4	47·9	47·0	47·4	47·8	47·9	48·4	48·9	49·6	50·9	50·5	21
22	53·5	53·5	53·8	53·9	53·9	54·0	54·0	54·5	54·6	54·8	55·0	55·3	22
23	58·2	58·3	58·6	58·9	59·0	59·2	59·5	60·2	60·3	61·1	62·4	62·5	23
24	60·7	60·0	60·1	60·4	60·9	60·9	60·0	59·9	61·5	60·5	63·0	61·3	24
25	57·2	57·0	56·3	56·2	56·2	56·1	56·3	56·6	56·9	57·4	57·7	58·6	25
26	58·2	58·1	58·2	58·0	57·5	57·8	57·9	57·8	58·0	58·1	58·3	58·7	26
27	58·6	58·7	58·4	58·3	58·5	58·7	58·9	58·9	59·2	59·5	59·8	60·0	27
28	57·9	58·0	58·0	58·0	57·9	57·9	58·0	58·8	59·2	59·8	60·1	60·6	28
29	59·0	59·0	59·1	59·2	59·5	59·7	59·8	60·0	60·1	60·6	61·0	61·9	29
30	53·2	52·0	52·4	51·9	52·0	51·7	51·9	52·0	51·7	52·9	53·0	53·0	30
31	52·1	52·4	53·0	52·6	52·7	51·5	52·0	52·1	52·9	53·1	53·7	53·9	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	67·3	66·8	65·0	63·4	63·9	62·7	62·2	61·7	61·4	60·9	60·5	60·1	1
2	59·6	59·4	59·7	59·6	59·1	59·0	58·9	58·9	59·1	59·2	59·1	59·2	2
3	60·1	61·1	60·4	60·2	59·8	59·1	59·5	59·6	59·5	59·1	58·2	57·7	3
4	59·6	59·6	59·7	59·5	59·0	58·4	57·8	57·8	57·8	58·0	57·8	57·6	4
5	60·0	60·2	60·5	60·9	60·2	59·9	59·4	59·6	59·1	57·1	55·8	54·5	5
6	58·9	58·8	58·3	58·2	58·3	57·5	57·6	57·7	57·8	57·6	57·4	57·6	6
7	57·8	57·7	57·1	57·0	56·2	56·3	56·5	56·6	56·9	57·0	57·2	57·5	7
8	60·5	60·4	60·0	59·4	59·0	58·5	68·6	59·1	59·1	60·2	60·4	60·1	8
9	63·0	63·2	61·8	61·5	61·3	60·3	60·0	57·8	56·5	55·6	55·0	54·0	9
10	55·6	55·5	55·0	55·5	56·0	56·0	56·5	55·5	55·3	56·3	55·8	55·8	10
11	57·0	56·9	56·4	56·9	56·7	56·7	56·2	56·7	56·8	57·5	57·7	57·9	11
12	61·2	60·6	60·6	61·9	62·5	62·3	62·5	62·5	62·7	62·8	63·0	63·1	12
13	65·2	65·1	64·1	64·0	64·3	62·8	62·6	62·7	62·5	62·9	62·8	62·8	13
14	65·9	66·5	66·8	65·0	64·4	64·0	64·1	64·0	63·8	64·0	64·2	64·2	14
15	61·8	61·6	61·9	61·7	61·8	61·9	62·0	62·1	61·7	62·0	62·0	62·0	15
16	62·0	62·1	62·0	61·5	61·5	61·3	61·2	60·7	60·3	60·2	60·0	60·2	16
17	59·5	59·0	55·5	55·5	54·9	53·4	52·8	52·5	50·9	50·4	49·4	48·8	17
18	47·2	46·4	47·4	46·7	46·3	46·7	46·1	46·3	46·4	46·1	46·2	46·5	18
19	48·3	47·5	47·6	46·6	46·1	45·6	45·2	45·0	45·1	44·3	44·8	44·3	19
20	48·1	46·7	46·2	45·8	45·7	45·6	45·6	45·9	46·2	46·2	46·2	46·3	20
21	50·4	50·8	51·5	51·4	51·5	51·5	51·5	52·0	52·5	52·7	53·0	53·3	21
22	55·7	55·8	56·3	56·8	56·9	57·6	57·9	58·1	58·1	58·4	59·0	59·1	22
23	63·6	64·4	64·1	63·7	62·6	61·7	61·5	61·3	61·2	60·9	60·4	60·3	23
24	61·2	61·1	61·0	60·9	59·8	59·2	59·7	60·1	59·9	59·5	58·7	59·0	24
25	58·2	58·2	58·0	57·9	57·6	57·3	57·5	57·8	57·8	57·9	58·1	58·1	25
26	59·0	59·0	59·1	59·2	58·9	58·9	58·9	59·2	59·3	59·2	59·0	58·7	26
27	59·9	59·7	59·7	59·9	59·5	59·2	59·0	58·8	59·0	59·1	59·2	58·9	27
28	60·9	60·3	60·8	50·9	61·1	60·3	60·1	60·1	60·0	59·8	59·5	59·3	28
29	61·8	60·9	60·8	59·0	57·8	56·8	55·6	54·8	53·9	53·9	53·8	52·8	29
30	53·3	53·2	52.6	51·3	50·8	50·5	50·9	51·1	51·2	51·2	51·5	51·5	30
31	53·7	53·8	53·9	54·1	53·9	53·9	54·0	53·8	54·0	54·0	54·1	54·3	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JANUARY, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	6	5	7	9	9	6	4	2	1	2	7	7	6	7	10	10	10	10	10	10	10	10	10	10	1
2	10	4	5	7	9	9	7	10	10	10	10	10	10	10	5	6	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	10	10	10	10	10	5	6	8	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	9	6	2	1	1	1	1	...	...	8	7	3	4	4
5	3	6	8	2	1	9	10	3	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	1	1	2	3	1	...	..	...	1	1	1	1	1	...	...	...	...	...	...	...	...	4	6
7	9	5	8	9	10	10	10	10	10	9	3	2	3	5	6	6	5	5	2	1	3	5	8	8	7
8	7	4	2	7	2	...	4	1	1	1	2	6	6	4	3	3	9	8	6	6	4	10	10	8	8
9	8	10	10	10	10	6	8	10	9	6	6	7	6	8	7	10	10	10	9	6	8	9	7	8	9
40	10	10	10	9	6	1	1	1	2	1	1	1	...	...	1	1	1	2	4	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	9	11
12	10	10	10	10	10	8	10	10	10	9	8	9	9	10	10	10	9	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	7	9	10	13
14	8	8	10	10	10	10	10	10	10	10	4	5	3	2	2	4	7	10	7	8	6	8	10	10	14
15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	8	10	10	10	10	10	10	10	8	6	7	8	10	9	6	2	2	4	3	2	23
24	4	4	5	7	9	10	9	10	6	3	2	1	1	4	7	6	6	6	10	10	10	10	10	10	24
25	10	10	9	6	8	7	9	10	10	10	7	7	9	10	9	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	9	10	10	10	10	10	10	9	10	10	10	10	7	8	7	10	7	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JANUARY, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1		0·1	1·0	1·0	1·0	0·4	0·9	1·0	0·3	...	...	...		1
2		...	...	...	...	...	...	...	0·4	1·0	0·2	...		2
3		...	...	...	...	...	...	0·7	1·0	0·6	...	...		3
4		...	...	...	...	0·3	0·7	1·0	1·0	1·0	1·0	0·5		4
5		0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		5
6		0·5	1·0	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5		6
7		...	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		7
8		0·5	1·0	1·0	1·0	1·0	1·0	0·8	1·0	1·0	0·4	...		8
9		...	...	0·2	0·7	1·0	0·5	0·7	0·5	0·1	...	...		9
10		0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		10
11		...	...	...	0·3	...	0·4	0·2	0·1	...	...	...		11
12		...	0·1	0·1	0·5	0·3	...	...	...	0·5	0·2	0·1		12
13		...	...	..	...	...	...	...	0·1	...	...	...		13
14		...	...	0·4	0·8	1·0	1·0	1·0	1·0	1·0	0·6	...		14
15		...	...	...	0·1	0·6	0·4	...	...	...	...	...		15
16		...	...	...	...	...	...	...	...	...	...	...		16
17		...	...	...	...	0·1	...	...	...	...	...	...		17
18		...	...	...	...	...	...	...	...	...	...	...		18
19		...	...	...	...	...	...	...	...	...	...	...		19
20		...	...	...	...	...	...	...	...	...	...	...		20
21		...	...	0·3	...	...	...	...	0·2	...	...	...		21
22		...	...	...	...	...	...	...	...	...	...	...		22
23		0·1	...	..	0·2	0·1	0·4	1·0	1·0	1·0	0·2	...		23
24		...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	0·6	1·0	0·7		24
25		...	...	...	0·2	0·8	0·1	0·1	...	...	...	...		25
26		...	...	...	...	...	...	...	...	...	...	...		26
27		...	...	...	...	...	...	...	...	...	...	...		27
28		0·1	...	...	...	0·2	0·7	0·4	0·9	0·4	0·9	0·1		28
29	...	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY in the MONTH of JANUARY, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	d	...	..	...	..	...	...	...	...	.	...	...	2
3	...	...	d	...	d	d	d	0·010	d	...	..	...	3
4	d	0·005	d	d	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	.	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	d	...	...	...	12
13	d	0·005	0·005	d	...	...	...	0·005	0·005	d	d	d	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	d	d	0·015	0·005	0.005	0·005	d	d	d	d	d	d	15
16	d	d	d	d	0·005	d	d	d	0·010	d	d	d	16
17	d	d	d	0·010	0·015	0·005	d	d	0·005	...	...	...	17
18	...	...	...	...	...	...	...	...	d	0·010	...	0·005	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	d	...	d	d	...	...	0·010	d	...	...	20
21	...	d	d	0·035	d	d	...	...	...	...	...	d	21
22	...	d	...	d	0·005	...	...	d	d	...	d	...	22
23	d	...	...	...	...	...	...	...	0·025	0·020	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	0·005	0·025	0·010	0·045	0·090	0·035	0·075	0·060	0·160	0·060	0·005	d	26
27	0·135	0·120	0·310	0·025	0·010	0·060	0·050	0·030	0·010	0·005	0·005	0·005	27
28	...	...	...	d	...	...	...	...	...	...	d	...	28
29	...	...	...	...	...	...	d	d	d	d	d	d	29
30	...	...	...	...	...	...	...	...	...	...	...	0·005	30
31	...	...	...	...	...	...	d	d	d	d	...	d	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	d	0·425	0·155	d	0·005	0·005	d	d	d	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	d	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	d	...	...	d	...	d	0·005	0·005	d	12
13	...	...	d	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	d	...	...	...	d	...	d	d	...	...	0·010	d	15
16	d	d	d	d	d	d	0·005	d	d	d	d	d	16
17	...	...	...	...	...	...	d	d	0·010	d	0·005	...	17
18	0·025	0·070	0·005	...	...	...	...	...	...	d	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	0·005	...	...	...	...	...	...	20
21	0·005	...	...	...	...	...	...	...	...	...	...	...	21
22	...	d	...	...	...	d	d	d	d	d	d	...	22
23	...	...	...	...	...	...	...	..	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	0·010	d	...	...	d	25
26	d	d	...	...	0·070	d	d	...	d	0·005	0·030	0·055	26
27	0·005	0·020	0·010	0·015	0·020	d	d	d	...	d	d	...	27
28	...	...	...	...	...	...	...	d	d	d	d	d	28
29	d	d	...	d	...	...	d	...	...	d	...	...	29
30	d	d	0·010	0·025	0·065	0·010	0·005	...	...	...	...	...	30
31	...	...	...	...	...	...	d	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JANUARY, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1		2		3		4		5		6		7		8		9		10		11		Noon.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	8	8	8	8	6	8	3	8	2	8	5	8	6	8	3	8	9	8	9	12	8	21	7	1
2	8	22	8	25	8	20	9	20	9	21	8	18	8	22	7	14	7	15	7	19	7	16	8	17	2
3	8	7	8	10	8	11	8	6	8	8	9	7	10	6	11	4	11	7	10	6	10	12	10	13	3
4	10	6	11	6	...	1	8	4	7	9	6	12	6	12	6	12	6	13	6	15	7	17	8	15	4
5	7	15	7	15	7	13	7	13	7	9	7	5	6	7	5	4	6	6	8	4	10	8	10	9	5
6	3	5	2	5	2	3	2	4	2	5	2	4	2	3	...	...	...	1	...	1	27	6	24	7	6
7	8	13	8	13	7	13	7	16	7	17	7	19	7	19	7	17	7	18	7	17	7	17	8	18	7
8	7	20	6	17	6	15	6	14	6	7	7	8	...	1	...	1	9	8	9	8	9	15	10	15	8
9	9	10	10	12	10	7	10	8	9	8	7	3	..	1	...	1	...	...	...	1	8	8	8	13	9
10	1	5	1	11	1	13	1	7	1	10	1	10	1	11	1	11	1	4	2	4	5	9	8	14	10
11	8	28	7	27	6	30	6	29	6	23	7	25	7	25	7	22	7	23	7	24	7	24	7	23	11
12	8	19	8	17	8	17	9	15	9	13	9	16	9	13	9	13	9	12	9	15	9	21	9	18	12
13	8	13	8	10	8	17	8	18	8	15	8	18	8	14	8	19	8	16	8	16	8	18	8	15	13
14	9	19	9	21	9	20	9	20	9	23	9	17	8	19	8	16	8	19	9	16	9	16	9	17	14
15	10	13	10	17	9	21	8	21	8	22	8	21	8	27	8	27	7	28	7	28	8	26	8	27	15
16	10	17	9	17	9	18	9	15	8	18	8	18	8	20	8	22	8	26	8	29	8	28	8	25	16
17	7	29	7	27	7	33	7	24	7	27	7	25	7	16	6	11	5	7	5	2	5	2	3	4	17
18	2	3	2	3	1	7	1	8	1	8	32	9	1	4	1	7	1	12	2	6	2	2	1	8	18
19	1	5	1	3	1	4	1	5	1	8	1	8	1	10	32	6	31	4	32	6	1	6	1	2	19
20	3	4	2	5	1	7	1	5	1	5	1	6	1	5	2	5	2	4	3	7	4	9	4	11	20
21	2	7	4	7	2	11	32	3	2	3	5	16	5	19	5	14	6	16	6	17	6	19	7	18	21
22	7	22	7	25	7	22	7	22	7	23	7	23	7	28	7	29	7	29	7	32	7	24	7	26	22
23	8	19	8	23	9	21	9	19	9	24	9	20	9	19	9	16	9	14	9	17	9	16	9	13	23
24	...	...	...	...	...	...	13	3	18	8	21	9	23	7	25	6	27	2	29	7	28	3	27	6	24
25	7	23	7	22	7	25	7	22	7	21	7	16	7	13	7	10	8	14	9	14	9	15	10	15	25
26	10	12	9	13	8	13	8	18	8	17	8	19	9	15	9	16	9	17	9	16	8	15	9	16	26
27	7	18	7	13	8	12	8	13	9	11	9	8	10	11	9	13	9	11	10	10	10	7	10	9	27
28	8	14	8	13	8	14	8	12	9	7	9	7	9	4	10	8	11	13	10	10	10	16	10	19	28
29	9	15	9	14	10	13	10	9	9	9	9	9	9	9	10	11	10	9	10	5	11	3	...	1	29
30	2	4	2	6	3	6	5	4	5	14	5	18	5	11	6	14	6	12	7	23	7	25	7	22	30
31	7	15	7	20	7	19	6	15	6	15	6	12	6	14	6	17	6	19	7	22	7	32	7	28	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	24	10	25	9	23	9	18	7	12	14	9	21	8	23	8	22	8	20	8	20	8	20	8	21	1
2	8	20	8	15	8	15	9	15	9	13	9	11	9	11	8	10	8	8	8	7	8	7	8	9	2
3	10	12	11	14	11	12	10	11	10	11	9	14	9	13	8	11	7	10	7	6	7	5	8	4	3
4	8	18	9	14	10	12	10	14	10	18	9	17	8	15	7	12	7	12	7	12	7	16	7	15	4
5	10	9	11	7	17	4	21	8	24	8	24	5	24	5	24	4	26	3	4	7	3	5	3	6	5
6	24	9	24	8	24	12	24	10	24	6	29	3	5	5	7	5	7	6	8	6	8	8	8	9	6
7	9	16	10	17	11	20	10	18	9	18	7	17	7	11	7	12	7	15	7	19	7	19	7	20	7
8	10	14	10	17	9	15	9	16	9	16	9	16	9	16	9	11	9	11	9	15	9	15	9	11	8
9	9	16	9	14	9	12	9	5	8	6	6	7	3	11	2	16	1	17	1	17	1	11	1	6	9
10	10	15	11	16	11	19	10	21	9	18	8	14	8	12	7	12	7	15	7	18	7	23	7	21	10
11	8	26	8	23	8	23	7	19	7	18	7	23	7	19	8	22	8	22	8	20	8	19	8	21	11
12	9	17	9	16	9	19	10	18	10	15	10	15	10	16	11	10	11	9	11	9	10	7	9	11	12
13	9	16	9	15	9	14	9	10	9	11	9	18	9	14	9	18	9	18	9	16	9	17	9	16	13
14	9	18	9	17	9	18	10	21	10	16	10	13	9	10	9	15	9	13	9	12	10	9	10	12	14
15	7	24	7	23	8	21	8	20	9	20	9	18	9	18	9	22	9	19	9	18	9	16	10	15	15
16	8	27	8	27	8	30	8	29	8	29	8	29	8	26	7	28	7	27	7	30	7	28	7	28	16
17	32	7	32	12	1	13	32	7	32	4	32	8	1	7	2	5	3	7	3	6	3	6	3	6	17
18	1	3	1	4	1	2	2	8	2	5	2	4	1	4	1	2	1	3	1	6	1	6	1	4	18
19	1	5	2	7	2	8	2	10	1	9	1	8	1	8	1	7	2	4	2	5	2	5	2	7	19
20	3	7	1	7	32	6	32	8	32	7	32	9	1	6	2	5	2	4	2	6	1	5	32	6	20
21	7	18	7	17	7	15	7	15	7	16	7	19	7	19	6	15	6	15	7	21	7	24	7	24	21
22	7	24	7	24	8	20	8	23	8	21	8	22	8	16	8	17	8	18	8	20	8	16	8	19	22
23	9	11	9	12	9	15	9	16	9	16	9	17	9	12	9	10	9	3	...	1	...	...	...	...	23
24	25	8	22	11	17	8	12	7	10	15	8	12	7	12	7	10	7	12	7	15	6	18	7	19	24
25	10	14	10	17	10	16	10	18	10	14	10	17	10	16	10	12	10	11	10	7	10	11	10	14	25
26	9	17	9	13	9	13	9	19	9	16	8	17	8	17	7	17	7	15	7	15	7	16	7	18	26
27	10	6	9	10	9	16	9	2	9	3	9	12	8	20	7	19	7	4	7	8	7	5	8	10	27
28	9	28	9	25	9	25	9	15	10	15	10	15	10	12	9	10	8	13	7	18	7	11	8	11	28
29	16	3	32	2	1	6	1	8	1	8	1	3	1	7	2	5	3	10	3	7	3	2	2	4	29
30	6	14	4	14	2	9	2	8	2	8	2	6	...	1	3	3	3	12	5	5	6	13	6	15	30
31	7	25	7	25	7	24	8	28	8	24	7	31	7	25	7	31	7	32	7	27	7	22	8	23	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS in the MONTH of JANUARY, 1922.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SE	cu	SE	cu	SSE	cu	S	cu	WSW	nb	SW	nb	E	nb	E
2	nb	E	cu	ESE	cu	E	cu	E	cu	E	a-cu / cu	WNW / E	cu	E	cu	E
3	cu	E	cu-nb	E	nb	E	cu	E	cu	E	cu	NNE	cu	NNE	cu	NE
4	nb	ENE	nb	ENE	cu-nb	ENE	cu	ENE	cu	ENE	cu	ENE	...	...	cu	E
5	cu	E	cu	E	cu	ENE	cu	NNE	...	...	...	...	...	...	...	...
6	...	...	cu	E	cu	E	...	...	cu	ENE	...	...	...	...	...	...
7	cu	E	cu	E	cu	E	cu	E	ci-st / cu	WSW / E	ci-st / cu	WSW / E	ci-st	W	cu	E
8	cu	E	cu	E	ci-st	WSW	a-cu	W	a-cu	W	ci-cu / cu	WSW / E	ci-cu / cu	WSW / E	cu	E
9	cu	E	cu	E	cu	SE	cu	S	a-cu	NNW	a-cu	W	a-cu / cu	W / SE	a-cu / cu	W / ESE
10	a-cu	W	a-cu	W	a-cu	W	a-cu	W	...	...	ci-st	WNW	cu	S	cu	SSW
11	cu	S	cu	SSW	cu	SW	cu	S	cu	SSE	cu	ESE	cu	SE	cu	SSE
12	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu / cu-nb	ESE / SSE	cu / nb	SE / ESE	nb	ESE	nb	ESE
13	nb	E	nb	E	cu-nb	E	cu-nb	E	a-cu / cu-nb	WSW / ESE	cu-nb	E	cu / cu-nb	ESE / E	cu	ESE
14	cu	ESE	cu	ESE	cu / cu-nb	S / ESE	a-cu / cu	SSW / E	a-cu / cu	WSW / E	ci-cu / cu	WSW / E	st-cu	ESE	ci-cu / cu	SW / E
15	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	cu-nb	E
16	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
17	nb	E	nb	ESE	nb	ESE	nb	E	cu-nb	ESE	cu-nb	E	cu-nb	E	nb	E
18	cu-nb	E	cu	W	st	WNW	nb	N	nb	NNE	cu-nb	NNE	st-cu	ENE	st-cu	ENE
19	st-cu	ENE	st-cu	ENE	st-cu	ENE	st-cu	ENE	a-cu / st-cu	W / E	st / cu	W / S	st	W	st	W
20	st	W	cu-nb	ENE	cu-nb	ENE	nb	E	cu-nb	ENE	st-cu	E	st-cu	E	st-cu	E
21	st-cu	E	nb	E	cu-nb	E	cu-nb	E	nb	ENE	cu-nb	E	cu-nb	E	cu-nb	E
22	cu-nb	ENE	nb	E	cu-nb	ENE	cu-nb	E	nb	E	cu-nb	E	nb	E	nb	E
23	nb	E	cu-nb	E	cu / cu-nb	SSW / ENE	nb	E	ci-st / cu	WSW / SSW	ci-st / cu	SW / SSW	ci-st	SW	ci-st	SW
24	ci-st	WSW	ci-st	SW	ci-cu / cu	SW / SSW	ci-st	WSW	ci-st	W	cu	E	cu	E	st-cu	E
25	st-cu	E	cu	E	ci-st / cu	W / ENE	cu / cu	S / ENE	a-cu / cu	WSW / E	st-cu	E	st-cu	E	nb	E
26	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
27	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
28	st-cu	NE	nb	E	st-cu	NE	st-cu	NE	a-cu / cu	W / SSE	a-cu / cu	W / ESE	st-cu	E	nb	E
29	nb	E	cu-nb	E	nb	E	nb	E	nb	ESE	nb	E	nb	E	nb	E
30	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E	nb	E	nb	ENE	nb	NE	nb	NE
31	cu-nb	ENE	cu-nb	ENE	nb	E	nb	E	nb	E	nb	E	nb	E	cu-nb	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1921.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation=100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·945	72·6	62·4	10·2	65·8	63·5	0·557	88	74	5·7	53	0·590	6	— 1·3	+ 7·7	100	7·8	11·2
2	30·041	64·4	61·3	3·1	62·3	59·2	·463	82	88	1·6	15	...	...	— 0·2	+ 15·4	91	15·4	15·4
3	30·093	66·2	60·4	5·8	62·5	59·5	·470	83	95	2·3	21	0·010	3	— 2·1	+ 8·7	104	9·0	9·2
4	30·112	65·5	59·1	6·4	61·5	58·1	·440	80	64	5·5	51	0·005	3	+ 0·6	+ 12·0	87	12·0	12·4
5	30·112	69·0	59·7	9·3	63·3	58·0	·413	71	20	9·9	92	...	...	+ 0·7	+ 4·0	80	4·1	7·5
6	30·139	67·7	55·2	12·5	61·6	56·0	·376	69	7	10·0	93	...	...	+ 1·6	— 0·3	349	1·6	5·5
7	30·149	66·1	60·3	5·8	61·8	57·0	·403	73	63	8·1	75	...	...	+ 0·9	+ 16·4	87	16·4	16·6
8	30·112	68·9	59·0	9·9	63·6	58·4	·422	72	47	8·7	81	...	...	— 1·0	+ 12·2	95	12·2	12·6
9	30·096	74·2	62·8	11·4	66·5	60·2	·439	67	82	3·7	34	...	...	+ 2·3	+ 6·1	69	6·5	8·7
10	30·123	66·1	57·1	9·0	61·8	53·9	·313	56	47	10·2	94	...	...	+ 2·9	+ 9·7	73	10·1	13·0
11	30·043	64·2	59·6	4·6	61·3	56·3	·389	71	99	1·0	9	...	...	+ 3·5	+ 23·0	81	23·2	23·2
12	29·972	70·2	61·4	8·8	64·8	60·4	·468	76	97	1·8	17	0·010	3	— 3·5	+ 14·2	104	14·6	14·6
13	29·911	69·4	64·6	4·8	66·3	63·7	·557	86	97	0·1	1	0·020	5	— 1·5	+ 15·7	95	15·8	15·7
14	29·891	72·2	64·3	7·9	67·5	64·1	·554	82	76	6·8	62	...	...	— 3·3	+ 16·3	101	16·7	16·5
15	29·863	66·2	62·2	4·0	63·5	62·2	·544	93	100	1·1	10	0·040	11	— 1·2	+ 21·1	93	21·1	21·3
16	29·834	64·4	60·7	3·7	63·0	61·9	·541	94	100	...	...	0·020	16	+ 0·4	+ 24·4	89	24·4	24·6
17	29·870	65·6	51·6	14·0	59·2	56·5	·422	84	100	0·1	1	0·050	8	+ 5·5	+ 9·1	59	10·6	12·3
18	29·983	52·3	48·0	4·3	49·9	46·7	·278	77	99	...	...	0·115	3	+ 5·3	+ 1·2	13	5·4	5·3
19	30·031	54·4	47·6	6·8	50·1	45·8	·253	70	100	...	...	...	...	+ 6·1	+ 1·5	14	6·3	6·2
20	30·055	51·7	48·5	3·2	49·7	46·1	·266	74	100	...	...	0·015	2	+ 5·8	+ 1·8	17	6·1	6·2
21	30·034	57·8	49·1	8·7	53·4	50·1	·320	78	100	0·5	5	0·040	1	+ 5·3	+ 14·0	69	15·0	15·3
22	29·933	59·9	55·4	4·5	57·7	55·9	·425	89	100	...	...	0·005	6	+ 2·8	+ 22·5	83	22·7	22·7
23	29·930	68·6	59·1	9·5	63·0	61·0	·511	89	77	4·0	36	0·045	2	— 2·4	+ 13·9	100	14·0	13·9
24	30·027	70·0	60·7	9·3	64·1	60·4	·477	80	67	8·7	79	...	...	— 0·1	+ 2·6	92	2·6	8·2
25	30·051	63·8	58·2	5·6	60·4	57·4	·434	82	92	1·2	11	0·010	1	— 1·9	+ 15·2	97	15·3	15·7
26	30·015	62·2	58·6	3·6	60·0	58·5	·472	91	100	...	...	0·730	17	— 1·0	+ 15·8	94	15·8	15·8
27	30·053	61·9	59·1	2·8	60·4	59·1	·486	92	100	...	...	0·835	18	— 0·8	+ 10·3	94	10·3	10·5
28	30·066	66·1	59·1	7·0	61·3	59·5	·486	89	95	3·7	34	...	2	— 2·5	+ 13·5	100	13·7	14·0
29	30·036	64·1	55·1	9·0	60·2	58·4	·467	89	100	...	...	...	4	+ 1·0	+ 5·1	79	5·2	7·2
30	30·109	56·7	51·4	5·3	54·2	51·9	·357	85	100	...	...	0·120	5	+ 5·5	+ 8·9	58	10·5	11·1
31	30·092	56·6	52·6	4·0	55·0	53·3	·386	89	100	...	...	...	3	+ 4·5	+ 22·2	79	22·6	22·7
Means	30·023	64·5	57·6	6·9	60·5	57·2	0·432	81	83	Sum. 94·7	28	Sum. 2·660	Sum 119	+ 1·0	+ 11·8	85	11·8	13·4
Normals	30·049	64·4	56·1	8·3	59·8	55·2	0·386	73	62	148·3	44	1·373	47	+ 2·5	+ 10·0	76	10·3	13·2
Absolute Max.	30·219	74·2	...	14·0	...	67·8	0·620	...	...	10·2	94	0·835	18	...	...	...	...	33·0†
Day.	7	9	...	1·7	...	1	1	...	...	10	10	27	27	...	...	...	...	17d 3h
Absolute Min.	29·781	...	47·6	2·8	...	44·2	0·218	47	...	...	...	...	...	...	...	...	...	...
Day.	16	...	19	27	...	19	19	10	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 23rd.

Lunar corona :—on the 8th, 9th, 10th, 11th, 13th, 14th and 18th.

Slight fog :—on the 24th.

Haze :—on the 6th.

Rain fell on 15 days. The mean hourly intensity was 0·022ins., and the maximum fall in one hour was 0·425ins. at 16h on the 1st.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 45 miles per hour at 21h 44m on the 31st.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1016·1	295·6	289·9	5·7	291·8	290·5	18·8	15·0	6	— 0·4	+ 2·5	100	2·6	3·7
2	1019·4	291·0	289·3	1·7	289·8	288·1	15·6	...	...	— 0·1	+ 5·0	91	5·0	5·0
3	1021·1	292·0	288·8	3·2	289·9	288·3	15·8	0·3	3	— 0·7	+ 2·9	104	3·0	3·0
4	1021·8	291·6	288·1	3·5	289·4	287·5	14·8	0·1	3	+ 0·2	+ 3·9	87	3·9	4·1
5	1021·8	293·6	288·4	5·2	290·4	287·4	13·9	...	...	+ 0·2	+ 1·3	80	1·3	2·5
6	1022·7	292·8	285·9	6·9	289·4	286·3	12·7	...	...	+ 0·5	— 0·1	349	0·5	1·8
7	1023·0	291·9	288·7	3·2	289·6	286·9	13·6	...	...	+ 0·3	+ 5·4	87	5·4	5·4
8	1021·8	293·5	288·0	5·5	290·6	287·7	14·2	...	...	— 0·3	+ 4·0	95	4·0	4·1
9	1021·2	296·4	290·1	6·3	292·2	288·7	14·8	...	...	+ 0·8	+ 2·0	69	2·1	2·9
10	1022·2	291·9	286·9	5·0	289·6	285·2	10·5	...	...	+ 1·0	+ 3·2	73	3·3	4·3
11	1019·4	290·9	288·3	2·6	289·3	286·5	13·1	...	...	+ 1·1	+ 7·5	81	7·6	7·6
12	1017·0	294·2	289·3	4·9	291·2	288·8	15·8	0·3	3	— 1·1	+ 4·7	104	4·8	4·8
13	1014·9	293·8	291·1	2·7	292·1	290·6	18·8	0·5	5	— 0·5	+ 5·1	95	5·2	5·1
14	1014·2	295·3	290·9	4·4	292·7	290·8	18·7	...	...	— 1·1	+ 5·3	101	5·5	5·4
15	1013·3	292·0	289·8	2·2	290·5	289·8	18·4	1·0	11	— 0·4	+ 6·9	93	6·9	7·0
16	1012·3	291·0	288·9	2·1	290·2	289·6	18·2	0·3	16	+ 0·1	+ 8·0	89	8·0	8·1
17	1013·6	291·7	283·9	7·8	288·1	286·6	14·2	1·3	8	+ 1·8	+ 3·0	59	3·5	4·0
18	1017·5	284·3	281·9	2·4	282·9	281·2	9·3	2·9	3	+ 1·7	+ 0·4	13	1·8	1·7
19	1019·1	285·4	281·7	3·7	283·1	280·7	8·5	...	...	+ 2·0	+ 0·5	14	2·1	2·0
20	1020·0	283·9	282·2	1·7	282·8	280·8	8·9	0·4	2	+ 1·9	+ 0·6	17	2·0	2·0
21	1019·2	287·3	282·5	4·8	284·9	283·1	10·8	1·0	1	+ 1·7	+ 4·6	69	4·9	5·0
22	1015·8	288·5	286·0	2·5	287·3	286·3	14·3	0·1	6	+ 0·9	+ 7·4	83	7·4	7·4
23	1015·6	293·3	288.1	5·2	290·2	289·1	17·2	1·1	2	— 0·8	+ 4·6	100	4·6	4·6
24	1018·9	294·1	288·9	5·2	290·8	288·8	16·1	...	...	...	+ 0·9	92	0·9	2·7
25	1019·7	290·7	287·6	3·1	288·8	287·1	14·6	0·3	1	— 0·6	+ 5·0	97	5·0	5·1
26	1018·5	289·8	287·8	2·0	288·6	287·7	15·9	18·5	17	— 0·3	+ 5·2	94	5·2	5·2
27	1019·8	289·6	288.1	1·5	288·8	288·1	16.4	21·2	18	— 0·3	+ 3·4	94	3·4	3·4
28	1020·2	291·9	288·1	3·8	289·3	288·3	16·4	...	2	— 0·8	+ 4·4	100	4·5	4·6
29	1019·2	290·8	285·8	5·0	288·7	287·7	15·7	...	4	+ 0·3	+ 1·7	79	1·7	2·4
30	1021·7	286·7	283·8	2·9	285·3	284·1	12·0	0·3	5	+ 1·8	+ 2·9	58	3·4	3·6
31	1021·2	286·7	284·4	2·3	285·8	284·8	13·0	...	3	+ 1·5	+ 7·3	79	7·4	7·4
								Sum.	Sum.					
Means.	1018·8	291·1	287·2	3·9	288·8	287·0	14·6	67·6	119	+ 0·3	+ 3·9	85	3·9	4·4
Normals.	1019·7	291·0	286·4	4·6	288·4	285·9	13·0	34·9	47	+ 0·8	+ 3·3	76	3·4	4·3
Absolute Maximum	1025·4	296·4	...	7·8	...	292·9	20·9	21·2	18	...	...	...	...	10·8†
Day.	7	9	...	17	...	1	1	27	27	...	...	..	...	17^{d} 3^{h}
Absolute Minimum.	1010·5	...	281·7	1·5	...	279·8	7·3	...	...	...	...	...	...	...
Day.	16	...	19	27	...	19	19	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·029	59·5	56·7	0·430	83	88		5	4	+ 1·0	+ 12·5	85	12·5	13·2
2	30·023	59·3	56·6	·430	84	86		6	5	+ 1·5	+ 12·9	83	13·0	13·9
3	30·012	59·2	56·5	·428	84	89		13	6	+ 2·2	+ 12·5	80	12·7	13·9
4	30·008	58·9	56·4	·429	85	89		4	5	+ 1·6	+ 11·7	82	11·8	12·7
5	30·008	58·9	56·3	·426	84	88		5	5	+ 1·8	+ 11·7	81	11·8	13·2
6	30·018	58·9	56·3	·426	84	87	...	4	4	+ 2·3	+ 11·5	79	11·7	13·3
7	30·034	58·8	56·2	·425	84	88	7	5	4	+ 2·0	+ 10·9	80	11·1	12·6
8	30·052	59·3	56·5	·427	83	86	18	4	6	+ 1·8	+ 10·3	80	10·5	11·9
9	30·071	60·2	57·0	·430	81	84	24	8	7	+ 1·6	+ 11·4	82	11·5	12·5
10	30·078	61·4	57·6	·433	78	82	32	4	5	+ 1·4	+ 12·0	83	12·1	13·1
11	30·067	62·7	58·3	·437	76	78	35	...	3	+ 0·7	+ 13·1	87	13·1	14·3
Noon.	30·044	63·0	58·4	·435	74	79	36	1	3	...	+ 12·6	90	12·6	14·5
13	30·013	63·2	58·6	·439	74	75	38	1	3	— 0·3	+ 12·2	91	12·2	14·7
14	29·989	63·0	58·5	·438	75	75	40	3	3	— 0·3	+ 11·5	92	11·5	14·6
15	29·975	62·6	58·2	·435	76	75	36	1	2	— 1·1	+ 11·3	96	11·3	14·5
16	29·977	62·0	58·0	·436	77	78	27	17	4	— 0·9	+ 11·0	95	11·0	14·0
17	29·989	61·2	57·7	·438	80	82	13	12	4	— 1·0	+ 11·2	95	11·2	13·5
18	29·997	60·6	57·3	·434	80	84	...	1	3	+ 0·3	+ 12·5	89	12·5	14·2
19	30·009	60·3	57·2	·435	81	82		1	5	+ 0·8	+ 11·6	86	11·6	13·1
20	30·021	60·1	57·1	·435	82	82		1	4	+ 1·5	+ 11·5	83	11·6	12·8
21	30·032	60·0	57·0	·433	82	83		...	3	+ 2·1	+ 11·1	79	11·3	12·5
22	30·037	59·9	56·9	·431	82	87		...	4	+ 2·3	+ 11·5	79	11·7	12·9
23	30·039	59·7	56·8	·430	83	87		2	5	+ 2·0	+ 11·4	80	11·6	12·4
Midn.	30·036	59·5	56·6	·427	83	88		2	3	+ 1·5	+ 12·1	83	12·2	13·1

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JANUARY, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1019·0	288·3	286·7	14·5	+ 0·3	+ 4·1	85	4·1	4·3
2	1018·8	288·2	286·7	14·5	+ 0·5	+ 4·2	83	4·3	4·6
3	1018·4	288·1	286·6	14·4	+ 0·7	+ 4·1	80	4·2	4·6
4	1018·3	287·9	286·6	14·5	+ 0·5	+ 3·8	82	3·9	4·2
5	1018·3	287·9	286·5	14·4	+ 0·6	+ 3·8	81	3·9	4·3
6	1018·6	287·9	286·5	14·4	+ 0·8	+ 3·8	79	3·8	4·4
7	1019·2	287·9	286·4	14·3	+ 0·7	+ 3·6	80	3·6	4·1
8	1019·8	288·2	286·6	14·4	+ 0·6	+ 3·4	80	3·4	3·9
9	1020·4	288·7	286·9	14·5	+ 0·5	+ 3·7	82	3·8	4·1
10	1020·6	289·3	287·2	14·6	+ 0·5	+ 3·9	83	4·0	4·3
11	1020·3	290·1	287·6	14·7	+ 0·2	+ 4·3	87	4·3	4·7
Noon.	1019·5	290·2	287·7	14·7	...	+ 4·1	90	4·1	4·8
13	1018·4	290·3	287·8	14·8	— 0·1	+ 4·0	91	4·0	4·8
14	1017·6	290·2	287·7	14·8	— 0·1	+ 3·8	92	3·8	4·8
15	1017·1	290·0	287·6	14·7	— 0·4	+ 3·7	96	3·7	4·8
16	1017·2	289·7	287·4	14·7	— 0·3	+ 3·6	95	3·6	4·6
17	1017·6	289·2	287·3	14·8	— 0·3	+ 3·7	95	3·7	4·4
18	1017·9	288·9	287·1	14·6	+ 0·1	+ 4·1	89	4·1	4·7
19	1018·3	288·7	287·0	14·7	+ 0·3	+ 3·8	86	3·8	4·3
20	1018·7	288·6	286·9	14·7	+ 0·5	+ 3·8	83	3·8	4·2
21	1019·1	288·6	286·9	14·6	+ 0·7	+ 3·6	79	3·7	4·1
22	1019·2	288·5	286·8	14·5	+ 0·8	+ 3·8	79	3·8	4·2
23	1019·3	288·4	286·8	14·5	+ 0·7	+ 3·7	80	3·8	4·1
Midn.	1019·2	288·3	286·7	14·4	+ 0·5	+ 4·0	83	4·0	4·3

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JANUARY,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	31st DECEMBER, 1921.								1st JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.88	759.0	...	...	W	6	...	"	...	...	...	...	...	...	...
Tokio,	"	30.12	765.0	...	...	SSW	1	...	"	...	...	...	...	...	...	...
Koohi,	"	30.18	766.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.08	764.0	...	...	E	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.14	765.5	...	...	ESE	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.16	766.0	40	65	SE	2	0	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.06	763.5	48	78	WNW	2	0	"	30.28	769.1	41	97	WNW	2	0
Gutzlaff,	"	30.02	762.5	48	93	NNW	6	0	"	30.25	768.3	44	100	NW	6	0
Sharp Peak,	14	29.92	759.9	67	69	S	1	0	7	30.04	763.0	60	93	NNW	4	rf
Amoy,	15	29.88	758.9	66	91	SSE	1	0	6	...	...	...	...	...	...	...
Swatow,	"	...	...	65	73	ESE	2	b	"	...	...	...	...	...	...	...
Taihoku,	12	30.02	762.6	70	69	WSW	2	b	"	...	...	...	...	...	...	...
Taichu,	"	30.02	762.6	68	...	S	2	b	"	...	...	...	...	...	...	...
Tainan,	"	30.00	762.0	73	...	NNW	4	b	"	...	...	...	...	...	...	...
Koshun,	"	29.99	761.7	75	...	NNW	4	b	"	...	...	...	...	...	...	...
Pescadores,	"	30.04	762.9	70	...	NNE	4	b	"	...	...	...	...	...	...	...
Canton,	15	29.90	759.4	74	76	SE	2	0	"	...	...	...	...	...	...	...
Hongkong,	14	29.93	760.2	68	79	E	4	b	"	29.97	761.2	65	91	E	1	c
Gap Rock,	"	29.93	760.2	...	...	ENE	4	b	"	29.97	761.2	...	...	NNE	4	b
Macao,	"	29.92	759.9	72	82	ESE	2	o	"	30.07	763.8	64	98	...	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.84	757.8	79	61	S	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.86	758.4	75	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.85	758.1	77	...	ENE	4	o	"	...	...	...	...	...	...	...
Aparri,	14	29.84	757.8	81	73	NE	4	o	6	29.91	759.6	75	94	N	4	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	84	64	W	4	o	"	29.86	758.4	72	94	ENE	1	b
Legaspi,	"	29.81	757.2	84	74	ENE	4	b	"	...	...	...	...	...	...	...
Tacloban,	"	29.79	756.6	84	81	S	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	86	68	NE	4	o	"	29.84	757.8	75	92	N	2	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ENE	4	o	4.20	29.80	756.9	...	...	NE	2	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	84	79	N	4	b	6	...	...	...	...	...	...	...

January 1*d*. 12*h*. 34*m*.—Information from the majority of stations is lacking.

No weather map or forecast will be published.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Hongkong to Gap Rock,	None.
2.—Formosa Channel,	
3.—South coast of China between Hongkong and Latnocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st JANUARY, 1922.								2nd JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.25	768.4	5	...	NNE	4	b	6	30.30	769.6	—7	...	N	3	b
Nemuro, ...	11	29.78	756.5	...	...	WSW	3	...	5	...	...	...	...	...	...	...
Hakodate, ...	"	29.94	760.5	...	...	W	2	...	"	...	...	...	...	...	...	...
Tokio, ...	"	29.86	758.5	...	...	NW	2	...	"	...	...	...	...	...	...	...
Kochi, ...	"	29.96	761.0	...	...	NW	3	...	"	...	...	...	...	...	...	...
Nagasaki, ...	"	30.10	764.5	...	...	N	3	...	"	...	...	...	...	...	...	...
Kagoshima, ...	"	30.02	762.5	...	...	NNW	3	...	"	...	...	...	...	...	...	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	29.94	760.5	...	...	SSW	4	...	"	...	...	...	...	...	...	...
Weihaiwei, ...	14	30.58	776.7	32	79	N	2	b	6	30.38	771.6	30	88	SSW	1	0
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.36	771.1	50	69	NNE	4	b	"	30.34	770.6	43	81	ENE	1	0
Gutzlaff, ...	"	30.24	768.1	52	100	NNE	6	b	"	30.32	770.1	46	100	NNE	4	0
Sharp Peak, ...	14	30.05	763.5	52	83	N	4	0	7	30.14	765.5	54	87	N	1	0
Amoy, ...	15	...	...	...	...	...	...	...	6	30.11	764.8	58	94	NE	1	0
Swatow, ...	"	...	...	63	83	NE	3	0	"	...	...	56	87	NE	2	0
Taihoku, ...	12	29.91	759.6	61	79	E	6	0	"	30.11	764.7	59	96	E	4	r
Taichu, ...	"	30.01	762.3	72	...	NNW	6	b	"	30.07	763.8	54	...	...	0	b
Tainan, ...	"	30.01	762.3	75	...	N	8	b	"	30.05	763.2	57	...	N	4	b
Koshun, ...	"	29.99	761.7	75	...	NE	6	b	"	30.04	762.9	64	...	NW	2	b
Pescadores, ...	"	30.06	763.5	68	...	NE	7	0	"	30.10	764.4	63	...	NNE	6	0
Canton, ...	15	30.00	762.0	68	70	N	2	0	"	30.12	765.0	56	94	N	2	0
Hongkong, ...	14	29.96	761.0	70	79	W	2	0	"	30.09	764.3	62	82	E	3	0
Gap Rock, ...	"	29.97	761.2	...	...	N	4	b	"	30.06	763.5	...	...	NE	4	0
Macao, ...	"	29.93	760.8	64	90	NNW	2	0	"	30.03	764.1	57	91	N	2	0
Wuchow, ...	15	30.05	763.2	62	72	E	1	0	9	30.18	766.6	57	81	N	2	0
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.92	759.9	73	79	ESE	6	0	7	30.02	762.6	64	90	ENE	6	0
Tourane, ...	"	...	...	...	...	...	...	...	"	29.99	761.7	70	...	SE	2	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.88	759.0	72	...	NE	4	b
Aparri, ...	14	29.89	759.3	75	91	N	4	r	6	29.95	760.8	73	85	E	4	0
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.82	757.5	84	68	SW	1	0	"	29.88	759.0	70	96	ENE	1	b
Legaspi, ...	"	29.85	758.1	77	92	ENE	2	0	"	29.87	758.7	75	94	...	0	0
Tacloban, ...	"	29.80	756.9	86	71	S	2	0	"	29.86	758.4	73	98	NW	1	b
Iloilo, ...	"	29.79	756.6	86	71	NE	4	0	"	29.84	757.8	75	91	NE	4	0
Surigao, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam, ...	12.20	29.75	755.7	...	...	ENE	4	0	4.20	29.82	757.5	...	...	ENE	2	0
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.78	756.4	84	79	N	4	b	6	29.76	755.9	80	91	SW	4	b

January 2*d*. 12*h*. 27*m*.—Pressure has increased slightly from Shanghai to Indo-China and over Luzon.

An anticyclone covers N. China and S.E. Mongolia.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·59 inch. Total since January 1st, 0·59 inches, against an average of 0·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds fresh; overcast, clearing later.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan, .	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd January, 1922.								3rd January, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.27	768.8	1	...	NNE	5	b	6	30.32	770.0	—6	...	N	5	b
Nemuro,	11	29.63	752.5	...	...	W	4	...	5	29.69	754.0	...	...	WSW	1	...
Hakodate,	"	29.84	758.0	...	...	W	6	...	"	29.82	757.5	...	...	W	3	...
Tokio,	"	29.88	759.0	...	...	N	2	...	"	29.96	761.0	...	...	WNW	1	...
Kochi,	"	30.08	764.0	...	...	SW	1	...	"	30.14	765.5	...	...	SW	1	...
Nagasaki,	"	30.22	767.5	...	...	NNW	2	...	"	29.86	758.5	...	...	N	3	...
Kagoshima,	"	30.16	766.0	...	...	NW	1	...	"	30.18	766.5	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	...	...	...	...	NNW	1	...	"	29.98	761.5	...	...	NW	1	...
Weihaiwei,	14	30.31	769.9	30	88	WNW	1	r	6	30.49	774.4	24	84	N	6	r
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.38	771.6	46	59	ENE	1	o	"	30.40	772.1	39	84	ENE	1	b
Gutzlaff,	"	30.30	769.6	48	100	N	1	o	"	30.37	771.4	44	92	...	o	o
Sharp Peak,	14	30.10	764.5	54	92	NW	1	r	7	30.15	765.8	52	100	NE	2	rf
Amoy,	15	30.08	764.0	65	84	NE	2	o	6	30.16	766.0	60	90	NE	1	b
Swatow,	"	...	...	61	82	E	3	o	"	...	...	59	94	NE	2	o
Taihoku,	12	30.14	765.6	64	82	E	4	o	"	30.17	766.2	59	93	E	4	o
Taichu,	"	30.08	764.1	70	...	...	o	b	"	30.11	764.7	55	...	...	o	o
Tainan,	"	30.08	764.1	72	...	N	4	b	"	30.08	764.1	59	...	N	4	b
Koahun,	"	30.07	763.8	77	...	N	4	b	"	30.08	764.1	59	...	...	o	b
Pescadores,	"	30.13	765.3	66	...	NNE	6	o	"	30.13	765.3	63	...	NNE	6	o
Canton,	15	30.10	764.5	61	77	N	1	o	"	30.16	766.0	57	81	N	2	o
Hongkong,	14	30.08	764.0	64	76	E	3	o	"	30.15	765.8	61	90	E	2	cd
Gap Rock,	"	30.06	763.5	...	...	NE	4	b	"	30.12	765.0	...	...	NNE	4	o
Macao,	"	30.05	763.2	61	85	N	2	o	"	30.13	765.3	61	85	N	2	o
Wuchow,	15	30.10	764.5	59	76	N	2	o	9	30.26	768.6	56	75	N	2	cg
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.01	762.3	70	77	ESE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.98	761.4	75	...	SE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	29.94	760.5	79	69	ENE	4	o	6	30.00	762.0	70	92	...	o	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	82	77	SE	1	o	"	29.92	759.9	73	82	NNE	1	o
Legaspi,	"	29.84	757.8	84	74	ENE	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.79	756.6	86	75	SE	2	o	"	29.89	759.3	73	96	NW	2	o
Iloilo,	"	29.80	756.9	86	58	NE	4½	o	"	29.89	759.3	72	91	N	1	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	4	o	4.20	29.84	757.8	...	...	NE	2	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	76	N	4	b	6	29.81	757.2	75	95	SW	4	o

January 3*d*. 11*h*. 33*m*.—Pressure has increased slightly in all districts, except over N.E. Japan where it has decreased moderately.

An anticyclone is central over S.E. Mongolia, and a depression to the east of Hokkaido.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 0·60 inches, against an average of 0·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds fresh; cloudy.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd January, 1922.									4th January, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock, .	12	30.30	769.5	−1	...	NNE	4	b		6	30.43	773.0	−3	...	NNE	4	b	
Nemuro, ...	11	29.65	753.0	...	...	WNW	4	...		5	...	...	...	...	...	...	...	
Hakodate, ...	"	29.82	757.5	...	...	W	6	...		"	...	...	...	...	...	...	...	
Tokio, ...	"	29.94	760.5	...	...	NW	2	...		"	...	...	...	...	...	...	...	
Kochi, ...	"	30.12	765.0	...	...	SW	1	...		"	...	...	...	...	...	...	...	
Nagasaki, ...	"	30.28	769.0	...	...	N	4	...		"	...	...	...	...	...	...	...	
Kagoshima, ...	"	30.24	768.0	...	...	NNW	2	...		"	...	...	...	...	...	...	...	
Oshima, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha, ...	"	30.18	766.5	...	...	NNE	1	...		"	...	...	...	...	...	...	...	
Ishigakijima, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Bonin Island, .	"	29.98	761.5	...	...	WNW	1	...		"	...	...	...	...	...	...	...	
Weihaiwei, ...	14	30.31	774.9	28	85	N	4	o		6	30.55	775.9	26	87	N	1	b	
Hankow, ...	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai, ...	11	30.48	774.2	48	48	N	1	b		"	30.51	774.9	36	83	...	...	...	
Gutzlaff, ...	"	30.40	772.1	44	100	NNW	4	o		"	30.46	773.7	42	100	N	6	o	
Sharp Peak, ...	14	30.17	766.3	52	93	NNE	2	r		7	30.24	768.1	56	81	N	2	o	
Amoy, ...	15	30.14	765.5	66	91	ENE	2	o		6	30.18	766.6	56	89	NNE	2	o	
Swatow, ...	"	...	...	62	77	NNW	1	o		"	...	...	56	94	ENE	2	o	
Taihoku, ...	12	30.19	766.8	66	76	E	6	b		"	30.23	767.7	55	96	E	6	r	
Taichu, ...	"	30.14	765.6	66	...	...	o	b		"	30.12	765.0	54	...	...	o	b	
Tainan, ...	"	30 14	765.6	68	...	N	4	b		"	30.10	764.4	55	...	N	4	o	
Koshun, ...	"	30.10	764.4	75	...	NW	6	b		"	30.08	764.1	68	...	NNE	4	b	
Pescadores, ...	"	30.17	766.2	66	...	NNE	7	o		"	30.14	765.6	61	...	NE	7	o	
Canton, ...	15	30 16	766.0	64	73	N	2	o		"	30.20	767.1	57	75	N	2	o	
Hongkong, ...	14	30.12	765.0	65	76	E	3	c		"	30.17	766.3	60	85	E	3	o	
Gap Rock, ...	"	30.12	765.0	...	...	NNE	4	c		"	30.14	765.5	...	...	NE	4	o	
Macao, ...	"	30.11	764.7	68	73	ESE	2	lf		"	30 05	763.2	59	87	N	2	o	
Wuchow, ...	15	30.21	767.3	59	94	N	2	o		9	...	...	...	...	...	...	...	
Pakhoi, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien, ...	"	30.08	764.1	68	77	E	4	o		7	30.13	765.3	61	89	E	4	o	
Tourane, ...	"	30.01	762.3	77	...	SSE	2	b		"	30.10	764.4	68	...	SE	2	lf	
Cape St. James,	"	29.86	758.4	77	...	ENE	6	o		"	29.91	759.6	73	...	ENE	4	b	
Aparri, ...	14	29.95	760.8	81	62	NE	4	b		6	30.01	762.3	70	94	...	o	o	
Dagupan, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila, ...	"	29.89	759.3	79	76	ESE	1	o		"	29.93	760.2	70	92	...	o	o	
Legaspi, ...	"	...	...	...	...	...	...	...		"	29.91	759.6	75	88	NNE	2	o	
Taoloban, ...	"	29.84	757.8	84	71	ENE	1	r		"	29.89	759.3	73	96	NW	1	b	
Iloilo, ...	"	29.82	757.5	86	61	NNE	4	b		"	29.87	758.7	75	92	NNE	4	o	
Surigao, ...	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Guam, ...	12.20	29.78	756.3	...	...	NE	4	o		4.20	29.81	757.2	...	...	ENE	2	r	
Yap, ...	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Labuan, ...	14	29.81	757.2	86	76	N	4	b		6	29.83	757.7	78	91	E	2	b	

January 4*d*. 11*h*. 57*m*.—Pressure is nearly staticnary over the Philippines and Formosa. It has increased slightly in other districts.

The northern anticyclone is probably moving eastward, leaving a separate anticyclone over China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·60 inches, against an average of 0·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds fresh; fair.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan, .	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th JANUARY, 1922.								5th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.46	773.6	5	...	N	4	b	6	30.34	770.7	−3	...	N	2	o
Nemuro,	11	29.78	756.5	...	...	W	4	...	5	30.08	764.0	...	...	NW	5	...
Hakodate,	"	29.96	761.0	...	...	N	4	...	"	30.18	766.5	...	...	N	1	...
Tokio,	"	30.04	763.0	...	...	WNW	4	...	"	30.26	768.5	...	...	WSW	1	...
Kochi,	"	30.24	768.0	...	...	NW	2	...	"	30.32	770.0	...	...	SW	1	...
Nagasaki,	"	30.35	771.0	...	...	NE	3	...	"	30.34	770.5	...	...	ENE	1	...
Kagoshima,	"	30.33	770.5	...	...	NNE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.02	762.5	...	...	WNW	3	...	"	30.14	765.5	...	...	NW	1	...
Weihaiwei,	14	30.46	773.7	30	88	SE	1	b	6	30.28	769.1	32	90	SW	2	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.40	772.1	45	51	ENE	2	o	"	30.37	771.4	39	87	ENE	1	o
Gutzlaff,	"	30.42	772.6	44	100	ENE	2	o	"	30.35	770.9	42	100	...	o	o
Sharp Peak,	14	30.18	766.6	54	80	NW	1	o	7	30.23	767.8	56	87	NW	1	cf
Amoy,	15	30.14	765.5	62	83	ENE	1	b	6	30.15	765.8	58	94	NNE	1	b
Swatow,	"	...	...	60	76	E	2	c	"	...	...	54	94	N	1	b
Taihoku,	12	30.21	767.4	64	76	E	6	o	"	30.14	765.6	61	98	E	4	b
Taichu,	"	30.14	765.6	66	...	...	o	b	"	30.12	765.0	57	...	...	o	o
Tainan,	"	30.13	765.3	68	...	NNW	4	b	"	30.10	764.4	61	...	NNE	4	o
Koshun,	"	30.13	765.3	72	...	N	6	b	"	...	...	...	...	...	...	...
Pescadores,	"	30.19	766.8	66	...	NNE	8	o	"	30.14	765.6	59	...	NNE	7	r
Canton,	15	30.14	765.5	67	60	N	2	b	"	30.20	767.1	53	93	...	o	c
Hongkong,	14	30.14	765.5	64	75	E	3	b	"	30.18	766.6	60	79	ENE	1	o
Gap Rock,	"	30.15	765.8	...	...	NE	4	o	"	30.15	765.8	...	...	NE	4	b
Macao,	"	30.13	765.3	63	75	NE	2	b	"	30.15	765.9	59	89	N	2	o
Wuchow,	15	30.18	766.6	73	72	N	3	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.07	763.8	70	74	ESE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	30.01	762.3	73	...	SE	4	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.87	758.7	77	...	ENE	7	b	"	...	...	...	...	...	...	...
Aparri,	14	29.93	760.8	81	66	NE	4	b	6	29.99	761.7	68	96	...	o	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.91	759.6	77	89	SE	2	o	"	29.93	760.2	72	92	...	o	o
Legaspi,	"	29.88	759.0	77	92	NE	4	o	"	29.91	759.6	77	85	NE	4	o
Tacloban,	"	29.85	758.1	86	65	ENE	4	b	"	29.89	759.3	75	92	NW	2	o
Iloilo,	"	29.82	757.5	86	46	NE	6	o	"	29.87	758.7	75	91	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.81	757.2	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	84	83	N	4	b	6	29.81	757.2	78	91	E	2	b

January 5*d.* 12*h.* 29*m.*—Pressure has increased considerably over N.E. Japan and decreased moderately at Weihaiwei and Shanghai. It is nearly stationary in southern districts. The anticyclone over China has weakened and moved eastward, being now central between China and Japan.

The monsoon will be interrupted to the north of Foochow and will moderate over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 **inch. Total since January 1st,** 0·60 **inches, against an average of** 0·12 *inches.*

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6th.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, strong, moderating.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th January, 1922.								6th January, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.22	767.6	3	...	N	4	o	6	30.26	768.7	o	...	N	2	b
Nemuro,	11	30.10	764.5	...	...	NW	5	...	5	29.90	759.5	...	...	ESE	4	...
Hakodate,	"	30.14	765.5	...	...	...	...	...	"	29.92	760.0	...	...	WNW	4	...
Tokio,	"	30.22	767.5	...	...	...	...	...	"	29.96	761.0	...	...	NW	1	...
Kochi,	"	30.24	768.0	...	...	WNW	1	...	"	30.14	765.5	...	...	SW	1	...
Nagasaki,	"	30.28	769.0	...	...	SW	1	...	"	30.26	768.5	...	...	N	1	...
Kagoshima,	"	30.26	768.5	...	...	NW	1	...	"	30.24	768.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	30.18	766.5	...	...	NNW	3	...
Naha,	"	...	...	...	...	...	...	...	"	30.16	766.0	...	...	NNE	3	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	30.12	765.0	...	...	NNE	4	...
Bonin Island,	"	30.14	765.5	...	...	NW	1	...	"	30.14	765.5	...	...	NNW	1	...
Weihaiwei,	14	30.28	769.1	30	86	NNW	6	o	6	30.44	773.2	26	87	W	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.43	772.9	45	80	NW	1	o	"	30.45	773.4	28	...	NNW	1	b
Gutzlaff,	"	30.38	771.6	42	100	NW	2	o	"	30.45	773.4	38	100	NNW	2	b
Sharp Peak,	14	30.14	765.5	60	82	E	2	o	7	30.23	767.8	52	86	NNE	4	o
Amoy,	15	30.09	764.3	67	84	SSE	1	b	6	30.19	766.8	58	90	NE	4	b
Swatow,	"	...	...	...	...	...	...	...	"	...	...	58	81	N	2	o
Taihoku,	12	30.19	766.8	72	78	E	4	o	"	30.24	768.0	57	93	E	4	o
Taichu,	"	30.13	765.3	70	...	NNW	4	b	"	30.12	765.0	57	...	N	2	b
Tainan,	"	30.12	765.0	72	...	N	4	b	"	30.11	764.7	59	...	N	4	b
Koshun,	"	30.10	764.4	73	...	NW	4	o	"	30.07	763.8	68	...	NNE	6	b
Pescadores,	"	30.19	766.8	68	...	NNE	7	o	"	30.15	765.9	61	...	NNE	10	o
Canton,	15	30.17	766.3	71	57	NW	2	c	"	30.25	768.3	53	80	N	2	b
Hongkong,	14	30.14	765.5	68	61	E	2	b	"	30.21	767.3	56	72	N	2	c
Gap Rock,	"	30.15	765.8	...	...	NNE	4	b	"	30.18	766.6	...	...	N	4	b
Macao,	"	30.13	765.3	64	67	NNE	2	b	"	30.17	766.2	54	78	NNW	4	o
Wuchow,	15	30.23	767.8	61	71	N	2	c	9	30.42	772.6	56	69	...	...	o
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.13	765.3	64	98	ENE	4	of	7	30.21	767.4	59	87	NE	2	o
Tourane,	"	30.05	763.2	72	...	E	4	o	"	30.11	764.7	70	...	E	4	o
Cape St. James,	"	29.89	759.3	77	...	ENE	4	b	"	29.92	759.9	70	...	NE	4	b
Aparri,	14	29.95	760.8	81	66	NE	4	b	6	30.00	762.0	66	96	SE	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.89	759.3	84	60	ENE	4	o	"	29.97	761.1	77	94	E	1	o
Legaspi,	"	29.88	759.0	84	64	NE	4	b	"	29.92	759.9	75	86	NNE	4	o
Tacloban,	"	29.82	757.5	86	58	WNW	2	o	"	29.91	759.6	73	96	NNW	1	r
Iloilo,	"	29.84	757.8	84	68	NE	6	o	"	29.89	759.3	75	86	NE	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	ENE	6	r	4.20	29.85	758.1	...	...	ENE	6	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	84	75	NW	2	b	6	29.81	757.2	78	86	E	4	o

January 6*d.* 11*h.* 27*m.*—Pressure has decreased considerably over N.E. Japan and slightly at Wladivostock. It has increased slightly from Shanghai to Hongkong and is nearly stationary over the Philippines. Another anticyclone has formed over N. China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·60 inches, against an average of 0·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th JANUARY, 1922.								7th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.24	768.2	6	...	NNE	3	b	6	30.50	774.8	−9	...	NNE	3	b
Nemuro, ...	11	29.76	756.0	...	...	WSW	4	...	5	29.80	757.0	...	...	W	4	...
Hakodate, ...	"	29.86	758.5	...	...	NW	3	...	"	30.02	762.5	...	...	WNW	4	...
Tokio, ...	"	29.90	759.5	...	...	S	2	...	"	30.16	766.0	...	...	NW	2	...
Kochi, ...	"	30.14	765.5	...	...	SE	1	...	"	30.30	769.5	...	...	WSW	1	...
Nagasaki, ...	"	30.31	770.0	...	...	NW	...	...	"	30.41	772.5	...	...	NNE	1	...
Kagoshima, ...	"	30.24	768.0	...	...	NW	2	...	"	...	...	...	...	NW	1	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	30.20	767.0	...	...	N	1	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	30.08	764.0	...	...	WSW	3	...	"	30.16	766.0	...	...	N	1	...
Weihaiwei, ...	14	30.42	772.6	34	90	N	1	0	6	30.48	774.2	28	100	NE	1	b
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.50	774.7	43	49	NNW	1	b	"	30.45	773.4	28	...	SE	1	b
Gutzlaff, ...	"	30.40	772.1	48	100	NNW	1	b	"	30.45	773.4	40	100	...	0	b
Sharp Peak, ...	14	30.23	767.8	58	70	E	2	0	7	30.29	769.3	52	90	NE	2	b
Amoy, ...	15	30.16	766.0	68	79	ENE	1	b	6	30.20	767.1	54	89	ENE	1	b
Swatow, ...	"	...	...	62	77	E	2	0	"	...	...	55	80	N	1	b
Taihoku, ...	12	30.27	768.9	63	84	ESE	4	0	"	...	...	57	91	E	4	b
Taichu, ...	"	30.17	766.2	79	...	NNW	4	b	"	30.18	766.5	50	...	...	0	b
Tainan, ...	"	30.15	765.9	68	...	N	6	0	"	30.13	765.3	55	...	NNE	4	b
Koshun, ...	"	30.13	765.3	73	...	NNE	6	b	"	30.12	765.0	68	...	NE	6	b
Pescadores, ...	"	30.21	767.4	63	...	NNE	7	0	"	30.17	766.2	61	...	NNE	6	0
Canton, ...	15	30.18	766.6	68	56	NW	2	b	"	30.22	767.6	51	86	N	1	b
Hongkong, ...	14	30.16	766.0	68	53	W	2	b	"	30.19	766.8	61	77	E	4	0
Gap Rock, ...	"	30.16	766.0	...	...	N	4	b	"	30.18	766.6	...	...	NE	4	b
Macao, ...	"	30.17	766.2	64	62	NE	2	b	"	30.18	766.5	55	81	N	2	0
Wuchow, ...	15	30.23	767.8	64	63	NE	1	0	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	30.18	766.5	66	63	...	0	0	7	...	...	...	...	...	...	...
Tourane, ...	"	30.07	763.8	72	...	ENE	4	0	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri, ...	14	29.97	761.1	79	66	NE	4	0	6	30.02	762.6	68	96	...	0	0
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.89	759.3	82	60	W	4	0	"	29.94	760.5	64	90	NE	1	b
Legaspi, ...	"	29.87	758.7	81	76	NE	4	0	"	29.92	759.9	73	96	NE	4	0
Taoloban, ...	"	...	...	...	...	...	...	...	"	29.88	759.0	75	91	WNW	1	0
Iloilo, ...	"	29.84	757.8	81	73	N	4	0	"	29.84	757.8	75	94	N	4	0
Surigao, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam, ...	12.20	29.81	757.2	81	...	ENE	4	0	4.20	29.87	758.7	...	...	ENE	2	0
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.78	756.4	84	79	N	6	b	6	29.80	756.9	80	91	N	4	b

January 7*d*. 12*h*. 19*m*.—Pressure has increased moderately from Central Japan to Wladivostock. Elsewhere changes are small since yesterday.

The anticyclone is moving eastward.

Fresh monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, fresh; fine to cloudy.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan, .	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th JANUARY, 1922.								8th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.48	774.1	−2	...	NNE	4	b	6	30.65	778.6	−9	...	SE	1	b
Nemuro, ...	11	29.86	758.5	...	...	NW	4	...	5	...	...	...	...	...	...	...
Hakodate, ...	"	30.02	762.3	...	...	WSW	6	...	"	...	...	...	...	...	...	...
Tokio, ...	"	30.16	766.0	...	...	NE	1	...	"	...	...	...	...	...	...	...
Kochi, ...	"	30.26	768.5	...	...	SW	1	...	"	...	...	...	...	...	...	...
Nagasaki, ...	"	30.41	772.5	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima, ...	"	30.35	771.0	...	...	NNW	5	...	"	...	...	...	...	...	...	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	30.16	766.0	...	...	NW	2	...	"	...	...	...	...	...	...	...
Weihaiwei, ...	14	30.45	773.4	34	79	E	1	b	6	30.48	774.2	32	90	...	0	b
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.47	773.9	52	47	...	0	b	"	30.41	772.4	39	97	E	1	b
Gutzlaff, ...	"	30.41	772.4	50	100	...	0	b	"	30.40	772.1	48	100	SE	4	0
Sharp Peak, ...	14	30.23	767.8	58	76	N	1	0	7	30.27	768.8	56	81	N	2	b
Amoy, ...	15	30.17	766.3	67	79	E	1	b	6	30.21	767.3	56	94	NE	2	b
Swatow, ...	"	...	...	61	77	E	2	b	"	...	...	...	...	...	...	...
Taihoku, ...	12	30.27	768.9	66	76	E	6	b	"	30.20	767.1	63	90	N	4	0
Taichu, ...	"	30.20	767.1	66	...	NNW	2	b	"	30.18	766.5	59	...	...	0	0
Tainan, ...	"	30.18	766.5	72	...	N	4	b	"	30.14	765.6	59	...	N	2	0
Koshun, ...	"	30.13	765.3	72	...	NE	7	b	"	30.13	765.3	68	...	NE	4	b
Pescadores, ...	"	30.24	768.0	64	...	NNE	7	0	"	30.20	767.1	61	...	NNE	7	0
Canton, ...	15	30.18	766.6	66	68	SW	2	c	"	30.22	767.6	52	93	...	0	b
Hongkong, ...	14	30.18	765.6	64	64	E	4	c	"	30.20	767.1	59	78	E	3	b
Gap Rock, ...	"	30.17	766.3	...	...	NE	5	b	"	30.17	766.3	...	...	NNE	4	b
Macao, ...	"	30.15	765.9	68	60	ESE	2	0	"	30.18	766.5	57	96	NNW	4	of
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	30.13	765.3	70	61	SE	2	0	7	30.15	765.9	61	89	ENE	2	b
Tourane, ...	"	30.06	763.5	70	...	ENE	6	0	"	30.02	762.6	70	...	E	4	0
Cape St. James,	"	29.89	759.3	75	...	ENE	6	b	"	...	...	...	...	...	...	...
Aparri, ...	14	30.01	762.3	75	79	S	2	0	6	30.04	762.9	70	92	SE	2	b
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.89	759.3	82	57	SE	1	0	"	29.95	760.8	70	88	...	0	0
Legaspi, ...	"	29.89	759.3	79	84	NE	4	0	"	29.93	760.2	75	89	ENE	4	0
Tacloban, ...	"	29.86	758.4	75	88	NW	1	r	"	29.88	759.0	75	91	NW	2	0
Iloilo, ...	"	29.82	757.5	82	74	NE	6	r	"	29.88	759.0	75	91	N	4	0
Surigao, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam, ...	12.20	29.82	757.5	...	...	NE	4	0	4.20	29.86	758.4	...	...	NE	4	0
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.78	756.4	84	79	W	4	b	6	29.81	757.2	80	91	E	2	b

January 8*d.* 12*h.* 07*m.*—Pressure has increased slightly at Wladivostock and decreased slightly over Indo-China. It is nearly stationary in other districts.

The anticyclone continues to move eastward.

The monsoon will moderate along the S.E. coast of China and over the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·00 inches, against an average of 0·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, fresh to moderate; fine to cloudy.
2.—Formosa Channel, ...	N.E. winds, strong, moderating.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan, .	E. winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th January, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th January, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro, ...	11	30.14	765.5	...	...	N	1	...	5	30.30	769.5	...	...	NW	4	...
Hakodate, ...	"	30.22	767.5	...	...	W	7	...	"	30.38	771.5	...	...	NNE	1	...
Tokio, ...	"	30.30	769.5	...	...	NW	2	...	"	30.41	772.5	...	...	NW	1	...
Kochi, ...	"	30.37	771.5	...	...	NW	2	...	"	30.36	771.0	...	...	WSW	1	...
Nagasaki, ...	"	30.45	773.5	...	...	NW	3	...	"	30.24	768.0	...	...	...	0	...
Kagoshima, ...	"	30.39	772.0	...	...	E	1	...	"	30.26	768.5	...	...	NW	1	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	30.31	770.0	...	...	SSW	3	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	30.22	767.5	...	...	NNW	1	...	"	30.22	767.5	...	...	N	1	...
Weihaiwei, ...	14	30.35	770.9	42	75	SSE	1	0	6	30.04	763.0	34	88	WSW	6	0
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.38	771.6	54	88	ESE	2	0	"	30.34	770.6	41	85	WNW	1	b
Gutzlaff, ...	"	30.31	769.9	52	100	SE	4	b	"	30.30	769.6	44	100	NNW	6	0
Sharp Peak, ...	14	30.16	766.0	62	77	NE	2	0	7	30.25	768.3	60	82	...	0	cf
Amoy, ...	15	...	...	...	...	...	...	...	6	30.13	765.3	62	90	W	1	0
Swatow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku, ...	12	30.21	767.4	72	65	E	4	0	"	30.17	766.2	61	96	...	0	0
Taichu, ...	"	30.17	766.2	66	...	N	2	0	"	30.13	765.3	59	...	...	0	b
Tainan, ...	"	30.17	766.2	72	...	NNE	4	0	"	30.11	764.7	64	...	NNE	4	0
Koshun, ...	"	30.17	766.2	73	...	NNE	4	0	"	30.10	764.4	66	...	N	2	r
Pescadores, ...	"	30.20	767.1	66	...	NNE	7	0	"	30.13	765.3	63	...	NE	6	0
Canton, ...	15	30.12	765.0	72	62	NNW	1	b	"	30.17	766.3	60	88	...	0	0
Hongkong, ...	14	30.12	765.0	68	64	ESE	4	0	"	30.16	766.0	63	88	E	1	0
Gap Rock, ...	"	30.13	765.3	...	...	NE	4	0	"	30.15	765.8	...	...	NNE	4	b
Macao, ...	"	30.12	765.0	72	54	ESE	2	b	"	30.12	765.0	61	89	NNE	...	of
Wuchow, ...	15	30.13	765.3	69	70	W	1	0	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	30.08	764.1	72	65	SSE	4	0	7	30.17	766.2	64	84	ENE	4	0
Tourane, ...	"	30.01	762.3	73	...	E	6	0	"	30.06	763.5	70	...	E	4	0
Cape St. James,	"	29.89	759.3	77	...	NE	2	b	"	29.94	760.5	72	...	NE	2	0
Aparri, ...	14	29.99	761.7	75	83	SE	2	0	6	30.04	762.9	66	96	E	2	0
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.89	759.3	86	46	ESE	4	0	"	29.95	760.8	66	94	NE	1	b
Legaspi, ...	"	29.89	759.3	79	76	NNE	4	0	"	29.92	759.9	75	67	NNE	4	b
Taoloban, ...	"	29.85	758.1	79	87	...	0	0	"	29.88	759.0	73	94	NNW	2	r
Iloilo, ...	"	29.84	757.8	82	70	NE	6	0	"	29.87	758.7	73	94	N	4	0
Surigao, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam, ...	12.20	29.79	756.6	...	...	NE	4	0	4.20	29.82	757.5	...	...	NE	4	r
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.79	756.6	86	76	N	4	0	6	29.83	757.7	78	86	E	2	b

January 9*d*. 11*h*. 25*m*.—Pressure has increased considerably over N.E. Japan and decreased considerably at Weihaiwei. It has decreased moderately over S.W. Japan, slightly at Shanghai, and is nearly stationary in southern districts.

The anticyclone is now central to the east of Tokio.

Moderate monsoon may be expected along the S.E. coast of China and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·60 inches, against an average of 0·21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, moderate; fair.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan, .	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9th JANUARY, 1922.								10th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.07	763.8	—3	...	NNE	5	s	6	29.99	761.7	2	...	NNE	8	s
Jemuro,	11	30.31	770.0	...	...	WNW	2	...	5	29.98	771.5	...	...	E	5	...
Hakodate,	"	30.28	769.0	...	...	N	1	...	"	...	...	...	...	...	...	...
Tokio,	"	30 33	770.5	...	...	W	2	...	"	29.51	749.5	...	...	...	...	...
Kochi,	"	...	...	...	...	...	...	...	"	29.92	760.0	...	...	WSW	1	...
Nagasaki,	"	30.04	763.0	...	...	S	1	...	"	30.10	764.5	...	...	...	...	...
Kagoshima,	"	30.08	764.0	...	...	...	0	...	"	30.08	764.0	...	...	NW	2	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	30.14	765.5	...	...	S	1	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.20	767.0	...	...	SE	1	...	"	30.02	762.5	...	...	SSW	4	...
Weihaiwei,	14	30 08	764.0	30	100	N	7	r	6	30.31	769.9	24	100	NW	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.37	771.4	50	50	WNW	9	b	"	30.50	774.7	28	...	NW	1	b
Gutzlaff,	"	30 31	769.9	47	100	NNW	6	o	"	30.46	773 7	32	100	NNW	6	b
Sharp Peak,	14	30.14	765.5	65	73	ENE	4	o	7	30.27	768.8	52	73	ENE	4	o
Amoy,	15	30.12	765.0	66	84	SSE	2	o	6	30.23	767.8	58	81	NE	4	o
Swatow,	"	...	...	67	74	ESE	1	o	"	...	...	...	...	...	...	...
Taihoku,	12	30.17	766.2	70	83	N	2	o	"	30.33	770.4	54	80	E	6	r
Taichu,	"	30.15	765.9	72	...	NNW	2	o	"	30.17	766.2	57	...	NNW	4	o
Tainan,	"	30 12	765.0	73	...	N	4	o	"	30.14	765.6	59	...	NNE	4	o
Koshun,	"	30.13	765.3	72	...	NE	4	r	"	30.14	765.6	64	...	NNE	6	o
Pescadores,	"	30.15	765.9	68	...	NE	6	o	"	30 20	767.1	62	...	NE	8	o
Canton,	15	30 15	765.8	76	56	N	2	o	"	30.28	764.0	52	72	N	2	o
Hongkong,	14	30.12	765.0	72	60	E	3	o	"	30.20	767.1	58	53	N	4	b
Gap Rock,	"	30.13	765.3	...	...	NNE	4	o	"	30.18	766.6	...	...	N	4	o
Macao,	"	30.12	765 0	70	65	ESE	2	o	"	30 19	766.8	55	60	NNW	2	o
Wuchow,	15	30.21	767.3	68	56	N	5	b	9	30.38	771.6	55	68	NE	2	cz
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.12	765.0	75	53	E	2	o	7	...	...	...	...	...	...	...
Tourane,	"	30 05	763.2	72	...	NE	4	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.91	759.6	79	...	NE	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.97	761.1	79	69	SE	2	o	6	30.02	762.6	70	96	E	2	r
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.88	759.0	86	56	NNW	4	o	"	29.92	759.9	70	87	NE	1	o
Legaspi,	"	29.87	758.7	81	76	ENE	4	o	"	29.88	759.0	75	89	NE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.86	758.7	73	98	N	4	o
Iloilo,	"	29.81	757.2	82	77	NNE	4	o	"	29.84	757.8	75	96	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ENE	4	r	4.20	29.79	756.6	...	...	E	2	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	84	83	N	4	b	6	29.77	756.1	78	91	SW	2	r

January 10*d.* 11*h.* 57*m.*—Pressure has decreased considerably over central and N.E. Japan, a depression, which formed to the north of Weihaiwei yesterday, having deepened and moved rapidly eastward. It is now central to the north of Tokio.

Pressure changes in southern districts are small.

A new anticyclone has formed over China which will cause the *monsoon* to freshen.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·60 inches, against an average of 0·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, *strong*.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th JANUARY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th JANUARY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.06	763.5	6	...	NNE	3	c	6	30.21	767.2	—8	...	N	2	b
Nemuro,	11	29.49	749.0	...	...	ENE	7	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.33	745.0	...	...	NE	3	...	"	...	...	...	...	...	...	...
Tokio,	"	29.57	751.0	...	...	SSW	1	...	"	...	...	...	...	...	...	...
Koohi,	"	29.94	760.5	...	...	WNW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.20	767.0	...	...	NW	6	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.14	765.5	...	...	NNW	6	...	"	...	...	...	...	...	...	...
Oshima,	"	30.18	766.5	...	...	NNW	4	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.96	761.0	...	...	SW	4	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.20	767.1	34	90	SSW	2	b	6	30.09	764.3	34	79	S	2	b
Haikow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.50	774.7	39	...	NW	2	b	"	30.29	769.3	36	78	SSE	2	b
Gutzlaff,	"	30.40	772.1	42	100	N	2	o	"	30.30	769.6	40	100	S	4	b
Sharp Peak,	14	30.29	769.3	60	63	E	4	b	7	30.24	768.1	48	78	W	4	b
Amoy,	15	30.18	766.6	64	73	E	2	b	6	30.20	767.1	52	79	NE	4	c
Swatow,	"	...	...	62	72	E	2	c	"	...	...	54	87	ENE	2	c
Taihoku,	12	30.37	771.3	57	56	E	6	o	"	30.19	766.8	55	77	ENE	6	b
Taichu,	"	30.20	767.1	61	...	NNW	4	o	"	30.13	765.3	54	...	...	o	o
Tainan,	"	30.20	767.1	63	...	N	4	o	"	...	...	...	...	...	...	...
Koshun,	"	30.18	766.5	66	...	NE	8	o	"	...	...	...	...	...	...	...
Pescadores,	"	30.24	768.0	63	...	NNE	7	o	"	...	...	...	...	...	...	...
Canton,	15	30.17	765.3	69	47	NNW	1	b	"	30.15	765.8	54	87	...	o	o
Hongkong,	14	30.15	766.0	65	50	ESE	4	b	"	30.12	765.0	60	70	E	5	o
Gap Rock,	"	30.16	766.0	...	...	NE	5	c	"	30.10	764.5	...	...	NE	5	o
Macao,	"	30.15	765.9	63	47	NNE	4	b	"	30.10	764.4	61	64	NE	4	o
Wuchow,	15	30.16	766.0	64	48	E	1	bc	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	30.14	765.5	...	...	NE	4	o	"	...	...	...	...	...	...	...
Phulien,	"	30.12	765.0	68	60	ENE	1	o	7	...	...	...	...	...	...	...
Tourane,	"	30.01	761.3	72	...	ENE	4	o	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	29.983	761.4	73	91	ENE	4	r	6	30.02	762.6	70	96	ENE	4	r
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	82	63	WNW	2	o	"	29.91	759.6	72	91	...	o	o
Legaspi,	"	29.853	758.1	82	77	ENE	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.82	757.5	82	77	ESE	2	r	"	29.84	757.8	75	92	NW	2	o
Iloilo,	"	29.788	756.3	84	71	NE	6	o	"	29.82	757.5	75	91	NE	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	E	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	84	79	NW	4	b	6	29.77	756.1	76	93	E	2	b

January 11*d.* 10*h.* 19*m.*—Pressure is nearly stationary over the Philippines. It has decreased moderately from Weihaiwei to Hongkong, the anticyclone having weakened and moved eastward.

A depression appears to have formed to the north of Weihaiwei.

The monsoon is interrupted to the north of Amoy.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 **inch. Total since January 1st,** 0·60 **inches, against an average of** 0·27 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; cloudy, some drizzle or mist.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th JANUARY, 1922.								12th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.12	765.0	3	...	NNW	2	s	6	30.49	774.3	2	...	NNW	2	b
Nemuro,	11	29.88	759.0	...	...	N	6	...	5	29.84	758.0	...	...	SE	3	...
Hakodate,	"	29.94	760.5	...	...	WSW	4	...	5	29.92	760.0	...	...	W	9	...
Tokio,	"	30.10	764.5	...	...	NNW	4	...	"	30.20	767.0	...	...	...	...	...
Kochi,	"	30.30	769.5	...	...	S	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.37	771.5	...	...	...	...	...	"	30.26	768.5	...	...	SE	6	...
Kagoshima,	"	30.35	771.0	...	...	ENE	1	...	"	30.30	769.5	...	...	NW	1	...
Oshima,	"	30.28	769.0	...	...	N	1	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.12	765.0	...	...	NW	2	...	"	30.22	767.5	...	...	NNE	1	...
Weihaiwei,	14	30.22	767.6	32	94	N	6	0	6	30.41	772.4	24	87	N	2	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.28	769.1	52	41	SSE	4	b	"	30.16	766.0	45	92	S	1	0
Gutzlaff,	"	30.21	767.3	52	100	S	6	b	"	30.16	766.0	48	100	S	2	0
Sharp Peak,	14	30.12	765.0	68	65	N	1	b	7	30.06	763.5	58	88	...	0	0
Amoy,	15	30.09	764.3	62	77	...	4	0	6	30.06	763.5	60	90	NE	1	0
Swatow,	"	...	...	61	77	E	1	0	"	...	...	59	94	N	1	0
Taihoku,	12	30.18	766.5	72	51	E	4	b	"	30.10	764.4	59	87	...	0	0
Taichu,	"	30.18	766.5	66	...	...	0	0	"	30.08	764.1	61	...	...	0	0
Tainan,	"	30.17	766.2	70	...	N	2	0	"	30.04	762.9	61	...	N	2	0
Koshun,	"	30.15	765.9	70	...	NE	6	0	"	30.05	763.2	68	...	W	2	b
Pescadores,	"	30.23	767.7	66	...	NNE	6	b	"	30.06	763.5	63	...	NE	4	0
Canton,	15	30.07	763.8	69	61	SSW	2	0	"	30.06	763.5	60	94	ENE	1	cr
Hongkong,	14	30.08	764.0	62	70	E	5	0	"	30.02	762.5	62	75	E	3	0
Gap Rock,	"	30.07	763.8	...	...	NE	5	0	"	30.00	762.0	...	...	NE	5	b
Macao,	"	30.06	763.5	66	67	ESE	4	0	"	30.01	762.3	59	96	N	4	0
Wuchow,	15	30.01	762.2	70	53	E	2	lcz	9	30.05	763.2	65	84	E	2	lz
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	30.00	762.0	72	95	NE	2	0	"	...	...	...	...	...	...	...
Phulien,	"	29.99	761.7	70	77	ESE	6	0	7	29.98	761.4	64	96	E	4	cf
Tourane,	"	29.97	761.1	82	...	E	4	0	"	29.94	760.5	70	...	...	0	0
Cape St. James,	"	29.84	757.8	84	...	NE	2	b	"	29.89	759.3	73	...	ENE	2	b
Aparri,	14	29.99	761.7	75	76	ENE	4	0	6	29.99	761.7	68	83	...	0	0
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.87	758.7	86	56	ESE	4	0	"	29.88	759.0	70	92	...	0	0
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.79	756.6	86	68	NE	4	0	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ENE	4	b	4.20	29.82	757.5	...	...	ENE	6	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	83	79	NW	6	b	6	29.73	755.1	78	91	N	6	b

January 12*d*. 12*h*. 03*m*.—Pressure is relatively low over China. It has increased considerably from Weihaiwei to N.E. Japan owing to the approach of an anticyclone from Mongolia. The southern anticyclone is now central between Japan and the Bonins.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 **inch. Total since January 1st,** 0·60 **inches, against an average of** 0·30 **inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; cloudy, some drizzle or mist.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th JANUARY, 1922.								13th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.46	773.6	−7	...	NNE	4	b	6	30.58	776.7	−20	...	N	2	b
Nemuro,	11	29.59	751.5	...	...	WSW	6	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.96	761.0	...	...	W	9	...	"	...	...	...	...	...	...	...
Tokio,	"	30.16	766.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Kochi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.20	767.0	...	...	SE	3	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.24	768.0	...	...	NW	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.82	757.5	...	...	N	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.39	771.9	24	87	NNE	2	0	6	30.49	774.4	21	78	NNW	4	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.17	766.3	52	83	S	1	of	"	30.30	769.6	43	91	NE	4	r
Gutzlaff,	"	30.12	765.0	52	100	N	1	0	"	30.26	768.6	44	100	N	6	0
Sharp Peak,	14	30.00	762.0	73	63	...	0	0	7	30.08	764.0	62	89	NE	2	0
Amoy,	15	30.02	762.5	67	74	SSE	2	0	6	30.02	762.5	62	90	NE	1	0
Swatow,	"	...	...	67	79	E	1	c	"	...	...	63	94	N	1	0
Taihoku,	12	30.08	764.1	73	62	NNW	2	b	"	30.05	763.2	59	98	...	0	b
Taichu,	"	30.07	763.8	73	...	NNW	2	b	"	30.02	762.6	55	...	...	0	b
Tainan,	"	30.07	763.8	75	...	NNW	2	0	"	30.00	762.0	57	...	...	0	b
Koshun,	"	30.07	763.8	75	...	NNE	4	b	"	30.00	762.0	72	...	ENE	6	b
Pescadores,	"	30.12	765.0	68	...	NNE	4	0	"	30.01	762.3	63	...	NE	4	b
Canton,	15	30.02	762.5	69	80	...	0	0	"	29.99	761.7	64	95	...	0	cr
Hongkong,	14	30.00	762.0	69	60	E	4	0	"	29.97	761.2	66	88	E	4	0
Gap Rock,	"	30.00	762.0	...	...	NE	4	0	"	29.96	761.0	...	...	NE	4	0
Macao,	"	29.99	761.7	70	74	ESE	2	0	"	29.95	760.8	64	98	NE	2	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.94	760.5	73	71	SE	1	0	7	29.94	760.5	66	94	ESE	4	0
Tourane,	"	29.91	759.6	75	...	SSE	4	b	"	29.92	759.9	68	...	SE	2	0
Cape St. James,	"	29.84	757.8	82	...	NE	2	0	"	29.86	758.4	73	...	N	2	0
Aparri,	14	29.94	760.5	77	79	E	2	0	6	29.94	760.5	68	96	...	0	0
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	84	64	ESE	4	0	"	29.85	758.1	72	96	...	0	0
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	29.79	756.6	79	90	NW	2	r	"	29.82	757.5	73	98	NW	2	0
Iloilo,	"	29.76	756.0	81	90	N	6	0	"	29.79	756.6	75	96	N	4	0
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ENE	6	0	4.20	29.78	756.3	...	...	ENE	4	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.70	754.4	86	76	E	2	b	6	29.73	755.1	78	91	E	2	b

January 13*d*. 12*h*. 06*m*.—Pressure has increased slightly in the North and decreased slightly in the South.

The Mongolian anticyclone continues to move eastward.

Fresh monsoon may be expected along the E. coast of China and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 0·63 inches, against an average of 0·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—**Hongkong to Gap Rock,**	N.E. winds, moderate; overcast, some drizzle or mist.
2.—**Formosa Channel,**	N.E. winds, strong.
3.—**South coast of China between Hongkong and Lamocks,**	The same as No. 1.
4.—**South coast of China between Hongkong and Hainan,**	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th JANUARY, 1922.								14th JANUARY, 1912.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.57	776.4	−9	...	NNE	4	b	6	30.64	778.2	−18	...	NW	4	b
Nemuro,	11	29.96	761.0	...	...	N	4	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.69	754.0	...	...	W	6	...	"	...	...	...	...	...	...	...
Tokio,	"	30.10	764.5	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Kochi,	"	30.06	763.5	...	...	...	...	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.18	766.5	...	...	NNW	3	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.10	764.5	...	...	WNW	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.10	764.5	...	...	SSW	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.38	771.6	26	100	NNE	2	o	6	30.40	772.1	28	88	N	1	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.32	770.1	45	74	NE	2	o	"	30.16	766.0	41	100	NE	4	r
Gutzlaff,	"	30.20	767.1	46	100	NE	4	o	"	30.14	765.5	44	100	NNE	6	r
Sharp Peak,	14	30.02	762.5	58	85	N	4	o	7	...	...	60	88	...	o	b
Amoy,	15	30.00	762.0	79	80	ENE	1	b	6	29.99	761.7	60	94	NW	1	o
Swatow,	"	...	...	66	84	E	1	o	"	...	...	61	100	N	1	e
Taihoku,	12	30.04	762.9	77	68	E	4	b	"	29.99	761.7	63	96	...	o	o
Taichu,	"	30.05	763.2	72	...	N	2	b	"	30.00	762.0	63	...	N	2	o
Tainan,	"	30.05	763.2	79	...	N	2	b	"	...	...	...	...	...	...	...
Koshun,	"	30.02	762.6	79	...	ENE	6	b	"	...	...	...	...	...	...	...
Pescadores,	"	30.06	763.5	75	...	NNE	4	b	"	...	...	...	...	...	...	...
Canton,	15	29.94	760.5	69	95	S	1	or	"	29.99	761.7	67	95	E	1	or
Hongkong,	14	29.94	760 5	69	79	E	3	o	"	29.97	761.2	65	87	E	4	o
Gap Rock,	"	29.94	760.5	...	...	NE	3	o	"	29.95	760.7	...	...	NE	4	e
Macao,	"	29.93	760.2	64	100	SE	2	rf	"	29.95	760.8	64	96	ENE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.87	758.7	79	61	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.87	758.7	77	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	29.88	759.0	75	92	SE	2	r	6	29.92	759.9	70	96	...	o	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	84	71	SE	4	o	"	29.88	759.0	70	96	NE	1	b
Legaspi,	"	29.81	757.2	86	75	ENE	4	b	"	29.87	758.7	73	89	NE	1	o
Taloloban,	"	29.80	756.9	86	68	ESE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	86	65	NE	4	o	"	29.81	757.2	75	94	NNE	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ENE	4	r	4.20	29.84	767.8	...	...	ENE	2	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	86	76	E	2	b	6	29.74	755.4	78	86	E	2	b

January 14*d*. 12*h*. 15*m*.—Pressure has increased slightly at Wladivostock and decreased slightly from Weihaiwei to Formosa and over Indo-China. There is a strong anticyclone in the extreme North.

Moderate monsoon may be expected over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·63 inches, against an average of 0·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th January, 1922.								15th January, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.54	775.6	−10	...	NNE	3	b	6	30.49	774.5	−16	...	NNE	3	b
Nemuro,	11	30.10	764.5	...	...	NW	3	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.24	768.0	...	...	WNW	4	...	"	30.22	767.5	...	...	N	1	...
Tokio,	"	30.26	768.5	...	...	NE	1	...	"	30.26	768.5	...	...	NNW	1	...
Kochi,	"	30.12	765.0	...	...	...	...	...	"	30.18	766.5	...	...	...	0	...
Nagasaki,	"	...	...	...	...	...	...	...	"	30.08	764 0	...	...	ESE	2	...
Kagoshima,	"	...	...	...	...	...	...	...	"	30.06	763.5	...	...	N	1	...
Oshima,	"	29.98	761.5	...	...	S	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.02	762.5	...	...	...	...	...	"	29.96	761.0	...	...	...	...	...
Weihaiwei,	14	30.36	771.1	32	90	N	4	b	6	30.28	769.1	28	88	NW	2	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.30	769.6	43	85	NNE	1	0	"	30.21	767.3	39	90	NE	2	r
Gutzlaff,	"	30.22	767.6	46	100	N	4	0	"	30.18	766.6	44	100	N	1	r
Sharp Peak,	14	30.00	762.0	72	71	E	1	0	7	30.08	764.0	56	87	NE	2	0
Amoy,	15	29.93	760.2	69	85	SSE	2	b	6	29.99	761.7	62	90	NE	1	0
Swatow,	"	...	...	66	89	E	1	c	"	...	...	62	83	ENE	2	0
Taihoku,	12	30.08	764.1	66	87	NW	2	0	"	30.01	762.3	63	94	E	6	0
Taichu,	"	30.04	762.9	75	...	...	0	0	"	29.95	760.8	63	...	NNW	2	0
Tsinan,	"	30.00	762.0	73	...	N	4	0	"	29.94	760.5	64	...	NNE	4	0
Koshun,	"	29.98	761.4	81	...	ENE	2	0	"	29.97	761.1	72	...	NE	4	r
Pescadores,	"	30 05	763.2	70	...	NNE	6	0	"	29.98	761.4	64	...	NE	8	0
Canton,	15	29.91	759.7	77	73	SW	1	c	"	29.93	760.2	67	95	SSW	1	or
Hongkong,	14	29.91	759.7	71	80	E	3	b	"	29.94	760.5	63	96	E	4	cd
Gap Rock,	"	29.91	759.7	...	...	NE	4	b	"	29.91	759.7	...	...	NE	4	0
Macao,	"	29.89	759 3	73	79	SE	2	0	"	29.89	759.3	64	96	ESE	2	r
Wuchow,	15	29.89	759.2	75	68	N	2	c	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.86	758.4	73	79	ESE	6	0	7	29.99	761.7	68	94	ESE	4	of
Tourane,	"	29.85	758.1	77	...	SSE	2	b	"	29.87	758.7	70	...	S	2	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.79	756.6	75	...	NE	4	b
Aparri,	14	29.84	757.8	86	61	S	2	0	6	29.89	759.3	72	92	S	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.80	756.9	90	51	ESE	4	b	"	29.86	758.4	70	96	NE	1	b
Legaspi,	"	29.84	757.8	82	70	NE	4	0	"	...	...	...	...	...	...	...
Tacloban,	"	29 82	757.5	75	92	NW	2	r	"	29.81	757.2	73	96	...	0	0
Iloilo,	"	29.76	756.0	82	70	NNE	4	0	"	29.80	756.9	77	89	NNE	4	0
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ENE	4	0	4.20	29.80	756.9	...	...	NE	4	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	76	W	2	b	6	29.73	755.1	80	91	E	4	0

January 15*d.* 11*h.* 27*m.*—Pressure has decreased moderately at Weihaiwei and Wladivostock, and increased moderately at Shanghai and Haiphong.

The northern anticyclone is probably moving eastward, leaving a separate anticyclone over China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 0·65 inches, against an average of 0·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; overcast with drizzle or mist at first, improving later, colder.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th January, 1922.								16th January, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.39	772.0	−6	...	N	4	c	6	30.38	771.7	−15	...	N	4	b
Nemuro, ...	11	30.02	762.5	...	...	WSW	1	...	5	...	...	...	...	...	...	...
Hakodate, ...	"	30.10	764.5	...	...	NW	5	...	"	...	...	...	...	...	...	...
Tokio, ...	"	30.22	767.5	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Kochi, ...	"	30.10	764.5	...	...	SW	1	...	"	...	...	...	...	...	...	...
Nagasaki, ...	"	30.04	763.0	...	...	SE	1	...	"	...	...	...	...	...	...	...
Kagoshima, ...	"	30.02	762.5	...	...	NE	2	...	"	...	...	...	...	...	...	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	29.96	761.0	...	...	N	2	...	"	...	...	...	...	...	...	...
Weihaiwei, ...	14	30.26	768.6	24	87	NNW	6	o	6	30.46	773.7	...	...	NW	4	o
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.18	766.6	41	97	NE	2	r	"	30.28	769.1	37	83	N	2	r
Gutzlaff, ...	"	30.12	765.0	42	100	NNE	4	r	"	30.24	768.1	40	100	N	6	r
Sharp Peak, ...	14	29.94	760.5	60	85	N	1	o	7	30.03	762.7	52	86	N	4	r
Amoy, ...	15	...	...	...	...	...	...	...	6	29.93	760.2	58	94	NE	2	o
Swatow, ...	"	...	...	62	94	ESE	1	o	"	...	...	60	100	ENE	2	or
Taihoku, ...	12	29.95	760.8	70	82	ENE	6	o	"	29.98	761.4	61	96	E	2	r
Taichu, ...	"	29.94	760 5	73	...	...	0	o	"	29.93	760.2	63	...	SE	1	o
Tainan, ...	"	29.92	759.9	79	...	WNW	2	b	"	29.89	759.3	64	...	NNE	4	b
Koshun, ...	"	29.91	759.6	81	...	NE	4	o	"	29.88	759.0	68	...	NE	2	b
Pescadores, ...	"	29.99	761.7	68	...	NNE	6	o	"	29.93	760.2	64	...	NE	6	o
Canton, ...	15	29.87	758.7	69	90	SSE	2	o	"	29.92	759.9	57	94	N	2	or
Hongkong, ...	14	29.90	759.4	63	91	E	5	o	"	29.89	759.2	65	94	E	3	cd
Gap Rock, ...	"	29.89	759.2	...	...	NE	4	om	"	29.87	758.7	...	...	ENE	4	om
Macao, ...	"	29.87	758.7	66	92	ENE	4	o	"	29.88	759.0	64	100	ENE	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.82	757.5	73	82	NNE	4	o	7	29.82	757.5	68	98	SSE	4	of
Tourane, ...	"	29.80	756.9	77	...	S	2	b	"	29.80	756.9	72	...	SSE	2	o
Cape St. James,	"	29.76	756.0	77	...	ENE	4	o	"	29.76	756.0	75	...	ENE	6	o
Aparri, ...	14	29.81	757.2	86	58	SE	4	b	6	29.85	758.1	70	92	SE	2	b
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.79	756.6	86	61	W	4	o	"	29.86	758.4	73	91	NE	1	o
Legaspi, ...	"	29.79	756.6	79	85	NE	2	o	"	...	...	...	...	...	...	...
Tacloban, ...	"	29.76	756.0	81	84	...	0	o	"	29.79	756.6	75	96	...	o	o
Iloilo, ...	"	29.74	755.4	84	68	NE	4	o	"	29.75	755.7	75	91	NE	2	o
Surigao, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam, ...	12.20	29.76	756.0	...	...	NE	4	o	4.20	29.80	756.9	...	...	ENE	4	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.72	754.9	83	87	S	2	b	6	29.73	755.1	78	86	E	2	b

January 16*d*. 12*h*. 19*m*.—Pressure has increased slightly at Weihaiwei and Shanghai and decreased slightly at other reporting stations. It is considerably below normal over S. China.

An anticyclone is central over N. China.

Fresh monsoon may be expected along the S.E. coast of China and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 0·69 inches, against an average of 0·45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, moderate to fresh; overcast, drizzle or [mist.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan, .	E. winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th JANUARY, 1922.								17th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.33	770.3	−4	...	NNE	4	b	6	30.44	773.3	−12	...	NNE	3	b
Nemuro,	11	29.86	758.5	...	...	N	1	...	5	29.84	758.0	...	...	NW	1	...
Hakodate,	"	30.28	769.0	...	...	N	1	...	"	29.96	761.0	...	...	NNW	1	...
Tokio,	"	29.80	757.0	...	...	NNW	1	...	"	30.02	762.5	...	...	NNW	2	...
Kochi,	"	29.92	760.0	...	...	SW	1	...	"	30.08	764.0	...	...	NNE	1	...
Nagasaki,	"	30.08	764.0	...	...	N	3	...	"	30.14	765.5	...	...	NE	9	...
Kagoshima,	"	30.35	771.0	...	...	N	1	...	"	30.06	763.5	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.86	758.5	...	...	N	5	...	"	29.90	759.5	...	...	WSW	1	...
Weihaiwei,	14	30.46	773.7	17	100	N	6	r	6	30.51	774.9	...	...	NW	4	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.32	770.1	37	93	N	2	r	"	30.34	770.6	37	86	NNE	4	o
Gutzlaff,	"	30.25	768.3	40	100	NNE	6	r	"	30.30	769.6	40	100	NNE	6	r
Sharp Peak,	14	30.00	762.0	50	93	ENE	2	o	7	30.02	762.5	50	93	NNE	2	r
Amoy,	15	29.93	760.2	62	90	ENE	4	o	6	29.95	760.7	56	89	NE	1	o
Swatow,	"	...	...	62	89	ENE	3	o	"	...	...	...	...	...	...	...
Taihoku,	12	30.00	762.0	64	86	E	4	o	"	29.98	761.4	61	96	E	4	o
Taichu,	"	29.92	759.9	72	...	NNW	2	o	"	29.91	759.6	59	...	N	2	o
Tainan,	"	29.92	759.9	75	...	N	4	b	"	29.87	758.7	61	...	N	4	o
Koshun,	"	29.89	759.3	77	...	NNE	6	o	"	29.86	758.4	70	...	NE	6	b
Pescadores,	"	29.95	760.8	66	...	NNE	6	o	"	29.92	759.9	63	...	NNE	7	o
Canton,	15	29.88	758.9	58	94	N	2	o	"	...	...	...	...	...	...	...
Hongkong,	14	29.86	758.4	64	92	E	5	odm	"	29.90	759.4	61	87	E	6	od
Gap Rock,	"	29.85	758.2	...	...	ENE	4	o	"	29.86	758.4	...	...	ENE	4	om
Macao,	"	29.85	758.1	63	100	NNE	2	r	"	29.89	759.3	54	100	NW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.75	755.7	77	72	SE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.75	755.7	77	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.74	755.4	77	...	ENE	6	o	"	...	...	...	...	...	...	...
Aparri,	14	29.76½	756.0	82	74	NE	4	b	6	29.82	757.3	72	96	SW	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	81	76	WNW	1	o	"	29.80	756.9	68	94	NE	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71½	754.5	84	71	NE	4	o	"	29.75	755.7	75	92	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	4	o	4.20	29.75	755.7	...	...	NE	2	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	86	72	E	2	b	6	29.73	755.1	80	91	E	4	o

January 17*d.* 11*h.* 33*m.*—Pressure has increased moderately over S.W. Japan and slightly from Wladivostock to Shanghai. It has decreased slightly over Luzon and at Guam.

The barometric gradient is steep over China, but shallow over the China Sea.

Strong monsoon may be expected along the E. coast of China and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 0·73 inches, against an average of 0·49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; overcast, drizzle or mist.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th JANUARY, 1922.								18th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.92	760.0	...	...	WNW	1	...	5	30.08	764.0	...	...	SW	1	...
Hakodate,	"	30.00	762.0	...	...	WNW	6	...	"	30.12	765.0	...	...	NNW	1	...
Tokio,	"	30.04	763.0	...	...	N	3	...	"	30.14	765.5	...	...	NE	1	...
Kochi,	"	30.08	764.0	...	...	...	0	...	"	30.00	762.0	...	...	SE	1	...
Nagasaki,	"	30.12	765.0	...	...	NE	4	...	"	30.04	763.0	...	...	N	1	...
Kagoshima,	"	30.06	763.5	...	...	NE	1	...	"	29.94	760.5	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.92	760.0	...	...	N	5	...
Bonin Island,	"	29.88	759.0	...	...	...	0	...	"	29.88	759.0	...	...	SE	1	...
Weihaiwei,	14	30.48	774.2	17	...	NNW	6	0	6	30.44	773.2	16	83	N	2	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.40	772.1	36	89	NNE	4	r	"	30.43	772.8	28	...	N	4	r
Gutzlaff,	"	30.32	770.1	36	100	NNE	7	r	"	30.35	770.9	32	100	N	7	0
Sharp Peak,	14	30.00	762.0	50	93	N	2	r	7	30.09	764.3	44	96	NE	4	r
Amoy,	15	29.96	761.0	62	90	ENE	1	0	6	30.03	762.7	50	93	NNE	2	0
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.94	760.5	66	88	E	4	0	"	30.12	765.0	61	96	...	0	r
Taichu,	"	29.94	760.5	66	...	NNW	2	0	"	29.94	760.5	52	...	N	4	r
Tainan,	"	29.91	759.6	72	...	N	4	0	"	29.91	759.6	54	...	N	6	r
Koshun,	"	29.88	759.0	75	...	NNE	6	0	"	29.86	758.4	66	...	NE	6	0
Pescadores,	"	29.95	760.8	64	...	NNE	6	0	"	29.97	761.2	54	...	NNE	10	r
Canton,	15	29.99	761.7	51	86	N	2	0	"	...	...	...	...	...	...	...
Hongkong,	14	29.89	759.2	64	75	N	3	0	"	30.01	762.2	51	71	NNW	3	0
Gap Rock,	"	29.88	758.9	...	...	NNW	5	0	"	30.00	762.0	...	...	N	4	0
Macao,	"	29.91	759.6	54	85	NNW	4	0	"	30.02	762.8	46	81	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.81	757.2	66	82	ENE	6	0	7	...	...	...	...	...	...	...
Tourane,	"	29.74	755.4	77	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.74	755.4	77	...	E	6	b	"	...	...	...	...	...	...	...
Aparri,	14	29.75	755.7	82	60	NE	4	b	6	29.80	756.9	70	96	S	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	90	57	SE	4	b	"	29.78	756.3	70	92	E	1	b
Legaspi,	"	29.74	755.4	84	71	NE	2	b	"	...	...	...	...	...	...	...
Tacloban,	"	29.73	755.1	86	68	...	0	0	"	29.74	755.4	73	96	NW	2	0
Iloilo,	"	29.69	754.2	86	65	NE	6	b	"	29.74	755.4	75	91	N	2	0
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	E	4	r	4.20	29.76	756.0	...	...	ENE	2	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.67	753.6	84	79	SW	2	b	6	29.73	755.1	78	91	E	2	b

January 18*d*. 9*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c :—N.N.E. gale in Formosa Channel.
January 18*d*. 11*h*. 33*m*.—Pressure has decreased slightly over S.W. Japan and from Shanghai to Weihaiwei. It has increased moderately over S. and S.W. China.
Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the northern portion of the N. China Sea.
Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 0·75 inches, against an average of 0·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh ; overcast, some drizzle or mist.
2.—Formosa Channel,	N.E. gale, moderating.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th JANUARY, 1922.								19th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.24	768.0	−5	...	N	3	b	6	30.11	764.8	−14	...	N	2	b
Nemuro,	11	30.02	762.5	...	...	W	1	...	5	29.94	760.6	...	...	SW	1	...
Hakodate,	"	30.04	763.0	...	...	N	1	...	"	29.88	759.0	...	...	N	1	...
Tokio,	"	30.06	763.5	...	...	NE	1	...	"	29.82	757.5	...	...	NW	1	...
Kochi,	"	29.94	760.5	...	...	...	...	...	"	29.88	759.0	...	...	WSW	1	...
Nagasaki,	"	30.06	763.5	...	...	NW	4	...	"	30.02	762.5	...	...	NNW	5	...
Kagoshima,	"	30.00	762.0	...	...	NNW	2	...	"	29.98	761.5	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.78	756.5	...	...	SW	2	...	"	29.72	755.0	...	...	WNW	1	
Weihaiwei,	14	30.33	770.4	21	87	NNW	1	b	6	30.27	768.8	17	85	N	1	r
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.42	772.6	32	...	NNW	4	o	"	30.35	770.9	25	...	N	4	o
Gutzlaff,	"	30.29	769.3	32	100	N	6	o	"	30.30	769.6	26	100	NW	6	o
Sharp Peak,	14	30.06	763.5	42	88	ENE	2	o	7	30.15	766.8	44	64	NW	1	o
Amoy,	15	30.03	762.7	54	89	ENE	2	o	6	30.07	763.8	50	88	ENE	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.12	765.0	54	92	E	4	r	"	30.10	764.4	52	95	E	2	r
Taichu,	"	30.01	762.3	55	...	N	4	r	"	29.99	761.7	54	...	N	2	o
Tainan,	"	29.98	761.4	55	...	NNE	4	o	"	29.99	761.7	54	...	N	4	o
Koshun,	"	29.97	761.1	66		NNE	7	o	"	29.97	761.1	64	...	NNE	6	o
Pescadores,	"	...	...	...	...	...	...	...	"	30.04	762.9	55	...	NNE	7	o
Canton,	15	...	...	...	...	...	...	...	"	30.11	764.8	44	84	N	2	o
Hongkong,	14	30.02	762.5	48	88	N	1	or	"	30.09	764.3	48	82	N	2	o
Gap Rock,	"	30.00	762.0	...	...	NNW	5	o	"	30.05	763.2	...	...	N	4	o
Macao,	"	29.94	760.5	37	93	NNW	4	of	"	30.05	763.2	45	77	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9		...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"		...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"		...	...	...	...	...	...
Phulien,	"	29.99	761.7	59	58	SSW	1	o	7	...	...	...	...	...	...	...
Tourane,	"	29.81	757.2	68	...	N	6	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.74	755.4	79	...	E	6	b	"	...	...	...	...	...	...	...
Aparri,	14	29.76	756.0	77	84	NE	4	o	6	29.89	759.3	73	85	NNE	6	r
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	86	61	W	4	b	"	29.80	756.9	72	94	...	0	b
Legaspi,	"	29.73	755.1	84	71	ENE	2	b	"	29.79	756.6	75	88	NNE	2	b
Tacloban,	"	29.69	754.2	86	71	ESE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.74	755.4	75	91	NE	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.69	754.2	...	...	NE	4	o	4.20	29.73	755.1	...	...	E	4	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.72	754.8	...	...	ENE	1	b
Labuan,	14	29.70	754.4	80	91	N	4	o	6	29.73	755.1	78	91	E	4	o

January 19*d*. 12*h*. 11*m*.—Pressure has decreased considerably over central Japan, moderately from Wladivostock to Weihaiwei and slightly at Shanghai. It has increased slightly from Foochow to Hongkong and Luzon.

An anticyclone is shown over China and a depression N.E. of the Bonins.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·11 inch. Total since January 1st, 0·86 inches, against an average of 0·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; overcast.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19th JANUARY, 1922.								20th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.03	762.7	−7	...	N	4	b	6	30.12	765.0	−15	...	NW	2	b
Nemuro,	11	29.82	757.5	...	...	...	...	...	5	29.33	745.0	...	...	ENE	7	...
Hakodate,	"	29.72	755.0	...	...	NNW	1	...	"	29.29	744.0	...	...	N	6	...
Tokio,	"	29.63	752.5	...	...	...	...	...	"	29.59	751.5	...	...	W	1	...
Kochi,	"	29.80	757.0	...	...	NW	1	...	"	29.92	760.0	...	...	NNW	1	...
Nagasaki,	"	30.00	762.0	...	...	E	4	...	"	30.10	764.5	...	...	NNW	3	...
Kagoshima,	"	29.94	760.5	...	...	NNW	3	...	"	30.06	763.5	...	...	N	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	30.10	764.5	...	...	N	5	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.72	755.0	...	...	W	4	...	"	29.76	756.0	...	...	W	5	...
Weihaiwei,	14	30.24	768.1	12	77	W	4	b	6	30.30	769.6	29	86	W	1	r
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.41	772.4	28	...	NW	4	o	"	30.45	773.4	18	...	NW	4	b
Gutzlaff,	"	30.33	770.4	28	100	NNW	6	o	"	30.40	772.1	24	100	NW	6	o
Sharp Peak,	14	30.07	763.8	50	72	E	4	o	7	30.18	766.6	46	73	ENE	4	o
Amoy,	15	30.05	763.2	56	81	ENE	1	o	6	30.16	765.0	48	87	NE	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taiboku,	12	30.15	765.9	54	90	...	0	r	"	30.21	767.4	46	89	E	4	o
Taichu,	"	30.08	764.1	55	...	N	4	r	"	30.08	764.1	48	...	NNW	4	o
Tainan,	"	30.06	763.5	57	...	NNE	4	o	"	30.05	763.2	50	...	N	4	o
Koshun,	"	30.01	762.3	66	...	NNW	4	b	"	...	...	...	...	...	...	...
Pescadores,	"	30.11	764.7	55	...	NNE	7	o	"	30.11	764.7	54	...	NE	8	o
Canton,	15	30.12	765.0	48	71	N	2	o	"	30.18	766.6	42	83	N	2	o
Hongkong,	14	30.05	763.2	53	63	N	2	o	"	30.12	765.0	49	73	N	2	o
Gap Rock,	"	30.03	762.7	...	...	NNE	4	o	"	30.08	764.0	...	...	NNE	5	o
Macao,	"	29.98	761.4	50	74	N	4	of	"	30.11	764.7	43	91	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.02	762.6	59	68	...	0	o	7	...	...	...	...	...	...	...
Tourane,	"	29.98	761.4	66	...	N	6	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.74	755.4	77	...	ENE	6	b	"	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	77	68	NE	4	o	6	29.93	760.2	72	78	NE	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	84	64	SW	1	o	"	29.84	757.8	72	94	...	0	b
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	29.80	756.9	75	49	...	0	o
Iloilo,	"	29.68	753.9	82	74	NNE	4	o	"	29.78	756.3	75	91	NNE	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	E	4	o	4.20	29.72	754.8	...	...	E	2	o
Yap,	12.47	29.67	753.6	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.68	753.9	80	91	N	2	b	6	29.71	754.6	78	95	E	2	b

January 20*d*. 11*h*. 55*m*.—Pressure has decreased considerably over N.E. Japan and increased moderately to slightly in other districts.

The anticyclone over China has strengthened slightly. The Bonins depression has deepened considerably and moved northward.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 0·87 inches, against an average of 0·63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; overcast.
2.—Formosa Channal,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20th January, 1922.								21st January, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.07	763 9	−3	...	N	3	b	6	30.15	765.9	−15	...	NW	:	b
Nemuro,	11	29.35	745.5	...	...	NE	8	...	5	29.42	747.0	...	...	N	7	...
Hakodate,	"	29.27	743.5	...	...	NNW	4	...	"	29.63	742.5	...	...	NW	4	...
Tokio,	"	29.63	752.5	...	...	WNW	3	...	"	29.82	757.5	...	...	W	1	...
Kochi,	"	29.96	761.0	...	...	NW	3	...	"	30.08	764 0	...	...	WSW	1	...
Nagasaki,	"	30.12	765.0	...	...	NW	5	...	"	30.16	766.0	...	...	N	1	...
Kagoshima,	"	30.06	763.5	...	...	NNW	3	...	"	30.16	766.0	...	...	NNW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	30.16	766.0	...	...	N	2	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.74	755.5	...	...	S	4	...	"	29.88	759.0	...	...	WNW	3	...
Weihaiwei,	14	30.2:	767.3	26	87	NE	4	b	6	30.27	768.8	22	100	S	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.48	774.2	25	...	NW	2	b	"	30.42	772.6	18	...	NW	1	b
Gutzlaff,	"	30.38	771.6	30	100	NW	4	o	"	30.39	771.9	26	100	...	o	b
Sharp Peak,	14	30.15	765.8	44	68	ENE	4	o	7	30.19	766.8	42	83	N	4	o
Amoy,	15	30.13	765.3	54	74	S	1	o	6	30.15	765.8	48	87	N	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	49	93	ENE	3	o
Taihoku,	12	30.25	768.3	48	92	E	4	r	"	30.20	767.1	50	87	E	4	o
Taichu,	"	30.13	765.3	59	...	N	4	o	"	30.11	764.7	52	...	NNW	2	b
Tainan,	"	30.08	764.1	57	...	N	4	o	"	30.08	764.1	52	...	NNE	4	r
Koshun,	"	30.07	763.8	64	...	NNE	6	o	"	30.06	763.5	63	...	NNE	6	o
Pescadores,	"	30.15	765.9	55	...	NNE	6	o	"	30 11	764 7	55	...	NE	7	o
Canton,	15	30.16	766.0	42	...	N	2	o	"	30.17	766.3	42	92	N	2	o
Hongkong,	14	30 09	764 3	51	74	N	2	o	"	30.11	764.8	51	80	E	4	o
Gap Rock,	"	30.06	763.3	...	...	NNE	4	o	"	30.08	764 0	...	...	NNE	5	o
Macao,	"	30.04	762.9	43	85	N	4	of	"	30.08	764.1	45	94	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.07	763.8	52	92	NNE	1	of	7	...	...	...	...	...	...	...
Tourane,	"	29.93	760.2	68	...	N	4	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.78	756.3	77	...	ENE	7	b	"	...	...	...	...	...	...	...
Aparri,	14	29.88	759 0	79	69	NNE	4	o	6	29.98	761.4	68	92	NE	4	r
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.78	756.3	82	63	WSW	1	o	"	29.86	758.4	68	96	SE	1	b
Legaspi,	"	29.79	756.6	77	91	NNE	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	29.80	756.9	75	92	NW	2	o
Iloilo,	"	29.72	754.8	86	65	NE	6	o	"	29.78	756.3	73	86	NNE	4	o
Surigao,	"	29.72	754.8	79	87	ENE	2	o	"	29.78	756.3	75	98	...	o	o
Guam,	12.20	29.67	753.6	...	...	ENE	2	b	4.20	29.76	756.0	...	...	SSE	1	r
Yap,	12.47	29.68	753.9	...	...	NW	2	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	83	79	E	2	b	6	29.73	755.1	77	95	SW	4	o

January 21*d*. 11*h*. 57*m*.—Pressure has increased considerably over N.E. Japan, the depression having passed into the Pacific. Changes in other districts are small.

Fresh monsoon may be expected along the S.E. coast of China and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 0·91 inches, against an average of 0·68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—**Hongkong to Gap Rock,**	N.E. winds, fresh; overcast, some drizzle or mist.
2.—**Formosa Channel,**	N.E. winds, strong.
3.—**South coast of China between Hongkong and Lamocks,**	The same as No. 1.
4.—**South coast of China between Hongkong and Hainan,**	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st JANUARY, 1922.								22nd JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.11	764.7	−2	...	NNE	4	b	6	30.21	767.4	−12	...	N	2	b
Nemuro,	11	29.49	749.0	...	...	NNW	6	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.65	753.0	...	...	NNW	4	...	"	...	...	...	...	...	...	...
Tokio,	"	29.80	757.0	...	...	SW	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.04	763.0	...	...	WNW	2	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.20	767.0	...	...	N	4	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.16	766.0	...	...	NW	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.90	759.5	...	...	WNW	3	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.24	768.1	30	88	WNW	2	b	6	30.25	768.3	26	100	S	1	b
Haikow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.40	772.1	34	...	NW	1	b	"	30.28	769.1	32	...	E	1	0
Gutzlaff,	"	30.32	770.1	36	100	N	2	b	"	30.28	769.1	38	100	ESE	2	0
Sharp Peak,	14	30.12	765.0	47	70	N	1	0	7	30.04	763.0	46	92	WNW	2	r
Amoy,	15	30.09	764.3	56	81	ENE	1	0	6	30.06	763.5	54	89	...	0	0
Swatow,	"	...	...	55	80	E	2	0	"	...	...	...	...	...	...	...
Taihoku,	12	30.12	765.0	57	81	E	6	0	"	30.10	764.4	57	96	E	4	0
Taichu,	"	30.11	764.7	59	...	...	0	0	"	30.05	763.5	55	...	...	0	0
Tainan,	"	30.10	764.4	63	...	N	4	0	"	30.04	762.9	57	...	N	2	0
Koshun,	"	30.06	763.5	68	...	NE	7	b	"	30.04	762.9	64	...	N	4	b
Pescadores,	"	30.19	766.8	59	...	SW	2	0	"	30.06	763.5	59	...	NNE	4	0
Canton,	15	30.10	764.5	50	79	SW	2	0	"	30.06	763.5	45	84	N	2	0
Hongkong,	14	30.06	763.5	55	78	E	4	0	"	30.01	762.2	56	83	E	4	0
Gap Rock,	"	30.05	763.2	...	...	NE	5	0	"	29.97	761.2	...	...	NE	5	0
Macao,	"	30.05	763.2	48	87	NNE	2	0	"	30.00	762.0	48	92	NNW	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.02	762.6	55	88	N	1	0	7	29.99	761.7	52	100	NNW	1	of
Tourane,	"	29.94	760.5	68	...	NNW	4	0	"	29.95	760.8	66	...	NNW	2	b
Cape St. James,	"	29.81	757.2	79	...	E	6	b	"	29.85	758.1	73	...	ENE	4	0
Aparri,	14	29.92	759.9	75	67	E	4	0	6	29.95	760.8	70	91	E	2	r
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.80	756.9	86	52	WNW	4	b	"	29.86	758.4	70	92	N	1	0
Legaspi,	"	29.79	756.6	86	68	NE	4	b	"	...	...	...	...	...	...	...
Taloban,	"	29.95	755.7	82	77	...	0	r	"	29.80	756.9	75	91	NW	1	0
Iloilo,	"	29.74	755.4	81	69	NE	6	0	"	29.76	756.0	75	91	N	4	0
Surigao,	"	29.73	755.1	82	77	ENE		0	"	...	...	...	...	...	0	0
Guam,	12.20	29.73	755.1	...	...	NE	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	...	...	...	...	...	...	...	6	29.73	755.1	78	91	E	4	0

January 22*d*. 12*h*. 17*m*.—Pressure has decreased moderately from Shanghai to Haiphong. It is nearly stationary in the extreme South.

The anticyclone has weakened and moved eastward.

The monsoon is interrupted to the north of Amoy.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 0·92 inches, against an average of 0·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; overcast, some drizzle [or mist.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd January, 1922.								23rd January, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.19	766 9	00	...	NNE	3	b	6	30.42	772.6	—10	...	NNE	2	b
Nemuro,	11	29.72	755.0	...	...	WNW	4	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.80	757.0	...	...	WSW	6	...	"	...	...	...	...	...	...	...
Tokio,	"	29.94	760.5	...	...	NNE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.16	766.0	...	...	SE	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.31	770.0	...	...	N	3	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.28	769.0	...	...	NW	3	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.08	764.0	...	...	WNW	3	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.25	768.3	28	88	NNE	1	o	6	30.50	774.7	23	87	ENE	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.25	768.3	39	...	E	2	o	"	30.15	765.8	41	100	ENE	2	b
Gutzlaff,	"	30.18	766.6	44	100	SE	4	o	"	30.14	765.5	44	100	ESE	4	rf
Sharp Peak,	14	30.06	763.5	50	79	NE	1	o	7	30.04	763.0	52	92	...	0	cf
Amoy,	15	...	...	...	...	...	...	...	6	29.98	761.5	58	94	WNW	2	b
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.05	763.2	68	77	NE	4	o	"	30.04	762.9	59	96	...	0	o
Taichu,	"	30.05	763.5	68	...	...	0	b	"	30.02	762.6	57	...	N	2	o
Tainan,	"	30.06	763.5	72	...	N	4	b	"	29.98	761.4	64	...	NNE	4	o
Koshun,	"	30.02	762.6	75	...	NNE	4	o	"	29.98	761.4	66	...	E	2	b
Pescadores,	"	30.10	764.4	61	...	N	6	o	"	30.02	762.6	59	...	NE	4	o
Canton,	15	29.98	761.5	51	93	N	1	o	"	30.00	762.0	52	93	N	1	or
Hongkong,	14	29.96	761.0	58	89	E	5	od	"	29.97	761.2	61	92	E	4	o
Gap Rock,	"	29.93	760.2	...	...	NE	5	om	"	29.96	761.0	...	...	NE	4	c
Macao,	"	29.94	760.5	50	97	NNW	2	r	"	29.95	760.8	54	100	NNW	2	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.93	760.2	59	85	WNW	2	o	7	...	...	...	...	...	...	...
Tourane,	"	29.88	759.0	72	...	...	0	b	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	29.89	759.3	75	79	ENE	4	o	6	29.94	760.5	72	91	...	0	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	79	73	SW	2	o	"	29.88	759.0	72	91	NE	1	o
Legaspi,	"	29.80	756.9	81	80	ENE	4	e	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	29.84	757.8	73	96	...	0	o
Iloilo,	"	29.75	755.7	75	94	NNE	4	o	"	29.79	756.6	75	98	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	80	96	SW	2	b	6	29.73	755.1	78	95	E	4	b

January 23*d*. 11*h*. 27*m*.—Pressure has increased considerably from Weihaiwei to Wladivostock, under the influence of an anticyclone over S.E. Mongolia and Manchuria. It has decreased moderately at Shanghai and slightly from Hongkong to Formosa.

Moderate monsoon may be expected over the China Sea and fog along the China Coast.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 0·96 inches, against an average of 0·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—**Hongkong to Gap Rock,**	N.E. winds, moderate; some drizzle or mist.
2.—**Formosa Channel,**	**The same as No. 1.**
3.—**South coast of China between Hongkong and Lamocks,**	**The same as No. 1.**
4.—**South coast of China between Hongkong and Hainan,**	**The same as No. 1.**

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd JANUARY, 1922.								24th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.35	770.8	5	...	NNE	1	b	6	30.41	772.3	−9	...	N	2	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.94	760.5	...	...	...	0	...
Hakodate,	"	30.06	763.5	...	...	SW	4	...	"	30.02	762.5	...	...	W	5	...
Tokio,	"	30.14	765.5	...	...	N	1	...	"	30.06	763.5	...	...	NW	1	...
Kochi,	"	30.28	769.0	...	...	...	0	...	"	30.14	765.5	...	...	WSW	1	...
Nagasaki,	"	30.28	769.0	...	...	E	3	...	"	30.16	766.0	...	...	...	0	...
Kagoshima,	"	...	...	...	...	ENE	5	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.16	766.0	...	...	WNW	1	...	"	30.12	765.0	...	...	...	0	...
Weihaiwei,	14	30.47	773.9	24	100	NNE	2	b	6	30.55	775.9	23	87	N	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.18	766.6	45	100	SE	1	rf	"	30.44	773.2	36	93	NNE	2	o
Gutzlaff,	"	30.10	764.5	44	100	NE	4	rf	"	30.40	772.1	38	100	NNE	6	r
Sharp Peak,	14	29.96	761.0	67	97	N	1	r	7	30.14	765.5	54	92	NNE	4	o
Amoy,	15	29.95	760.7	62	90	S	2	o	6	30.08	764.0	58	94	W	2	b
Swatow,	"	...	...	62	72	SW	1	o	"	...	...	...	...	...	...	...
Taihoku,	12	30.06	763.5	68	77	NW	4	b	"	30.11	764.7	64	96	...	0	o
Taichu,	"	30.05	763.2	68	...	...	0	b	"	30.06	763.5	64	...	NW	2	o
Tainan,	"	30.02	762.6	72	...	N	4	o	"	30.01	762.3	66	...	N	2	o
Koshun,	"	30.00	762.0	79	...	E	4	o	"	30.00	762.0	70	...	...	0	o
Pescadores,	"	30.05	763.5	66	...	NNE	4	o	"	30.04	762.9	64	...	NNE	4	r
Canton,	15	29.97	761.2	65	84	NNW	1	o	"	30.13	765.3	52	79	N	3	o
Hongkong,	14	29.96	761.0	68	79	E	2	o	"	30.06	763.5	62	96	W	2	o
Gap Rock,	"	29.96	761.0	...	...	NNE	4	o	"	30.04	763.0	...	...	NW	4	o
Macao,	"	29.94	760.5	54	88	ESE	2	of	"	30.11	764.7	54	95	NNW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	...	...	...	...	...	...	...	7	30.04	762.9	62	100	NE	2	rf
Tourane,	"	...	...	...	...	...	...	...	"	29.98	761.4	68	...	...	0	o
Cape St. James,	"	...	...	...	...	...	...	...	"	29.89	759.3	72	...	WNW	2	b
Aparri,	14	29.89	759.3	77	86	ENE	2	o	6	29.95	760.8	68	96	SE	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.84	757.8	86	61	ESE	2	o	"	29.91	759.6	72	86	NE	1	o
Legaspi,	"	29.85	758.1	79	76	ENE	4	e	"	29.88	759.0	77	79	NE	4	of
Tacloban,	"	29.81	757.2	77	94	...	0	r	"	29.87	758.7	75	92	...	0	o
Iloilo,	"	29.78	756.3	81	84	NE	4	o	"	29.85	758.1	75	94	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	ENE	4	o	4.20	29.87	758.7	...	...	ENE	2	b
Yap,	12.47	29.76	756.0	...	...	ENE	4	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	84	79	N	4	b	6	29.76	755.9	78	95	W	2	b

January 24*d*. 12*h*. 05*m*.—Pressure has increased considerably at Shanghai and decreased moderately over S.W. Japan. It has increased slightly in other districts. The antioyclone has spread southward. It is now central over N. China.

Fresh Monsoon may be expected along the E. coast of China and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 0·96 inches, against an average of 0·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N. winds, fresh; fine.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th JANUARY, 1922.								25th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.36	771.1	2	...	NNE	2	b	6	30.41	772.3	—7	...	NNE	1	b
Nemuro,	11	29.84	758.0	...	...	W	2	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.04	762.0	...	...	WNW	6	...	"	...	...	...	...	...	...	...
Tokio,	"	29.98	761.5	...	...	NW	2	...	"	...	...	...	...	...	...	...
Kochi,	"	30.14	765.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	...	...	...	...	N	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.16	766.0	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.02	762.5	...	...	S	4	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.51	774.9	30	88	N	2	b	6	30.51	774.9	24	87	S	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.51	774.9	39	71	NNE	2	o	"	30.45	773.4	36	75	NE	2	o
Gutzlaff,	"	30.45	773.4	40	100	N	4	o	"	30.45	773.4	38	100	NNE	2	o
Sharp Peak,	14	30.17	766.3	50	86	ENE	6	o	7	30.26	768.6	50	86	NE	2	o
Amoy,	15	30.12	765.0	60	82	ENE	4	o	6	30.13	765.3	54	94	ENE	2	b
Swatow,	"	...	...	60	94	ENE	3	o	"	...	...	55	87	ENE	3	o
Taihoku,	12	30.25	768.3	61	83	E	4	o	"	30.15	765.9	59	96	E	8	o
Taichu,	"	30.10	764.4	68	...	N	4	b	"	30.10	764.4	57	...	NNE	2	b
Tainan,	"	...	...	...	...	...	...	...	"	30.06	763.5	59	...	N	4	b
Koshun,	"	30.05	763.5	81	...	ENE	4	b	"	30.04	762.9	68	...	NNE	7	b
Pescadores,	"	30.15	760.9	83	...	NNE	6	o	"	30.12	765.0	59	...	NE	7	o
Canton,	15	30.11	764.8	65	68	N	2	b	"	30.14	765.5	53	86	N	2	o
Hongkong,	14	30.05	763.2	73	45	WSW	3	c	"	30.10	764.5	59	84	E	4	o
Gap Rock,	"	30.07	763.8	...	...	NW	5	b	"	30.07	763.8	...	...	ENE	5	o
Macao,	"	30.05	763.5	63	70	N	2	b	"	30.10	764.4	57	86	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.02	762.6	64	86	SSE	2	of	7	30.08	764.1	59	100	E	2	rf
Tourane,	"	29.97	761.1	73	...	SE	2	b	"	29.99	761.7	70	...	E	4	o
Cape St. James,	"	29.84	757.8	81	...	NW	2	o	"	29.86	758.4	73	...	NNW	2	o
Aparri,	14	29.92	759.9	81	69	NE	4	b	6	29.98	761.4	70	94	...	o	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.87	758.7	86	49	NE	4	o	"	29.91	759.6	70	92	E	1	b
Legaspi,	"	29.86	758.4	84	71	NE	4	e	"	29.89	759.3	79	80	NNE	4	o
Tacloban,	"	29.84	757.8	84	81	S	2	o	"	29.86	758.4	57	96	NW	2	o
Iloilo,	"	29.81	757.2	84	71	NE	4	o	"	29.85	758.1	75	94	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NE	4	b	4.20	29.82	757.5	...	...	ENE	2	b
Yap,	12.47	29.79	756.6	...	...	NE	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	83	83	E	2	b	6	29.77	756.2	80	91	SW	2	b

January 25*d.* 11*h.* 57*m.*—Pressure changes since yesterday are small at all reporting stations. Fresh monsoon may be expected along the S.E. coast of China and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 0·96 inches, against an average of 0·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th JANUARY, 1922.								26th JANUARY, 1912.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.33	770.4	10	...	WNW	2	b	6	30.39	771.8	−3	...	NE	2	b
Nemuro,	11	29.86	758.5	...	...	...	...	...	5	29.92	760.0	...	...	WSW	1	...
Hakodate,	"	30.05	763.5	...	...	WNW	6	...	"	30.06	763.5	...	...	NW	4	...
Tokio,	"	29.92	760.0	...	...	N	2	...	"	30.14	765.5	...	...	NNW	1	...
Kochi,	"	30.22	767.5	...	...	SE	1	...	"	30.26	768.5	...	...	WSW	1	...
Nagasaki,	"	30.33	770.5	...	...	NNW	3	...	"	30.34	770.5	...	...	NNE	2	...
Kagoshima,	"	30.26	768.5	...	...	...	...	...	"	30.30	769.5	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.04	763.0	...	...	NWN	1	...	"	30.10	764.5	...	...	NNW	1	...
Weihaiwei,	14	30.44	773.2	32	68	...	0	b	6	30.49	774.4	30	100	N	2	r
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.44	773.2	41	69	ENE	2	0	"	30.41	772.4	39	90	ENE	1	0
Gutzlaff,	"	30.36	771.1	42	100	ENE	4	0	"	30.39	771.9	40	100	NE	4	r
Sharp Peak,	14	30.15	765.8	54	80	N	2	0	7	30.14	765.5	52	93	N	1	r
Amoy,	15	30.10	764.5	63	78	ENE	4	0	6	...	...	56	94	W	2	r
Swatow,	"	...	...	60	94	ENE	2	0	"	...	...	...	...	...	...	...
Taihoku,	12	30.21	767.4	64	80	E	6	0	"	30.08	764.1	64	96	E	4	0
Taichu,	"	30.12	765.0	72	...	NNW	4	0	"	30.08	764.1	61	...	...	0	0
Tainan,	"	30.12	765.0	61	...	NNE	4	0	"	30.05	763.2	63	...	NNE	4	r
Koshun,	"	30.10	764.4	70	...	NNE	6	0	"	...	...	...	...	...	...	...
Pescadores,	"	30.18	766.5	61	...	NE	7	0	"	30.11	764.7	59	...	NNE	6	0
Canton,	15	30.10	764.5	65	73	N	2	0	"	30.11	764.8	54	94	N	2	cr
Hongkong,	14	30.09	764.3	62	75	E	3	0	"	30.07	763.8	59	92	ENE	4	cr
Gap Rock,	"	30.06	763.5	...	...	NE	5	0	"	30.05	763.2	...	...	NE	5	cd
Macao,	"	30.07	763.8	61	74	NNE	2	0	"	30.06	763.5	57	98	N	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.02	761.6	64	84	...	0	0	7	30.04	762.9	61	98	N	2	of
Tourane,	"	29.94	760.5	68	...	E	4	0	"	29.94	760.5	68	...	NNW	2	r
Cape St. James,	"	29.81	757.2	81	...	SW	2	0	"	29.86	758.4	72	...	NE	2	0
Aparri,	14	29.94	760.5	81	69	ENE	4	0	6	29.99	761.7	68	92	...	0	0
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	86	58	WNW	2	0	"	29.95	760.8	66	94	NE	1	b
Legaspi,	"	29.87	758.7	82	63	ENE	4	b	"	29.81	757.2	...	...	ENE	2	0
Taloloban,	"	29.85	758.1	81	92	SE	2	r	"	29.89	759.3	75	39	NW	1	0
Iloilo,	"	29.84	757.8	77	89	NE	6	0	"	29.88	759.0	75	94	NNE	4	0
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ENE	4	b	4.20	29.84	757.8	...	...	ENE	4	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	82	83	W	4	b	6	29.84	757.9	76	95	E	2	b

January 26*d*. 12*h*. 10*m*.—The anticyclone has moved northwards. Pressure has decreased slightly over China. Formosa and Indo-china. It has increased slightly over Japan and the Philippines.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·58 inch. Total since January 1st, 1·54 inches, against an average of 1·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; cloudy.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

B. D. EVANS,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th JANUARY, 1922.								27th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.35	771.0	5	...	NNE	4	b	6	30.53	775.4	—5	...	NNW	1	b
Nemuro,	11	29.90	759.5	...	...	W	3	...	5	30.04	763.0	...	...	NW	4	...
Hakodate,	"	30.04	763.0	...	...	WNW	4	...	"	30.16	766.0	...	...	N	1	...
Tokio,	"	30.10	764.5	...	...	...	0	...	"	30.20	767.0	...	...	...	0	...
Kochi,	"	30.24	768.0	...	...	...	0	...	"	30.28	769.0	...	...	WSW	1	...
Nagasaki,	"	30.33	770.5	...	...	...	0	...	"	30.32	770.0	...	...	...	0	...
Kagoshima,	"	30.26	768.5	...	...	ENE	1	...	"	30.28	769.0	...	...	NNW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.10	764.5	...	...	NNW	1	...	"	30.18	766.5	...	...	NNE	1	...
Weihaiwei,	14	30.50	774.7	28	88	NNE	2	o	6	...	...	21	87	...	o	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.40	772.1	43	70	ENE	2	o	"	30.42	772.6	37	93	NNE	2	o
Gutzlaff,	"	30.31	769.9	44	100	NE	4	o	"	30.39	771.9	40	100	NE	4	o
Sharp Peak,	14	30.12	765.0	54	87	E	1	r	7	30.25	768.3	54	92	...	o	rf
Amoy,	15	30.07	763.8	60	90	...	o	o	6	30.09	764.3	58	94	ENE	2	r
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.14	765.6	68	85	E	2	o	"	30.11	764.7	63	96	...	o	o
Taichu,	"	30.10	764.4	68	...	N	4	o	"	30.07	763.8	63	...	NE	2	o
Tainan,	"	30.10	764.4	66	...	NNE	4	o	"	30.06	763.5	62	...	N	4	o
Koshun,	"	30.05	763.5	81	...	NE	4	o	"	30.04	762.9	70	...	E	2	b
Pescadores,	"	30.13	765.3	63	...	NNE	6	o	"	30.11	764.7	61	...	NNE	6	o
Canton,	15	30.05	763.2	57	94	N	2	or	"	30.14	765.5	52	93	N	2	or
Hongkong,	14	30.03	762.7	61	89	E	3	od	"	30.09	764.3	60	95	E	2	or
Gap Rock,	"	30.03	762.7	...	...	NE	5	o	"	30.06	763.5	...	...	NE	5	cd
Macao,	"	30.01	762.3	59	96	NNE	2	r	"	30.06	763.5	55	98	NW	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	30.05	763.2	70	95	NE	3	...	"	...	...	...	...	...	...	...
Phulien,	"	29.98	761.4	64	100	...	o	rf	7	...	...	...	...	...	...	...
Tourane,	"	29.91	759.6	70	...	N	4	o	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	82	83	NE	6	b	6	29.81	757.2	77	91	E	2	b

January 27*d*. 11*h*. 33*m*.—Pressure has increased slightly over the Bonins and in the extreme North. It is nearly stationary at other reporting stations. The anticyclone appears to be central over S. Manchuria.

Fresh monsoon may be expected along the S.E. Coast of China and moderate monsoon over the China Sea

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·92 inch. Total since January 1st, 2·46 inches, against an average of 1·11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh, overcast, some drizzle or mist.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th JANUARY, 1922.								28th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.46	773.7	8	...	NW	2	b	6	30.47	773.9	−5	...	NNW	1	b
Nemuro, ...	11	30.04	763.0	...	...	WNW	3	...	5	...	...	...	...	...	...	...
Hakodate, ...	"	30.18	766.5	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Tokio, ...	"	30.20	767.0	...	...	NE	1	...	"	...	...	...	...	...	...	...
Kochi, ...	"	30.28	769.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima, ...	"	30.33	770.5	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	30.18	766.5	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Weihaiwei, ...	14	30.53	775.4	26	87	NNE	1	b	6	30.55	775.9	23	87	S	1	r
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.48	774.2	43	79	NE	2	o	"	30.45	773.4	39	78	ENE	2	o
Gutzlaff, ...	"	30.41	772.4	44	100	NE	4	o	"	30.45	773.4	40	100	NE	4	o
Sharp Peak, ...	14	30.12	765.0	54	87	NNE	2	o	7	30.22	767.6	52	98	N	1	r
Amoy, ...	15	30.14	765.5	60	94	ENE	1	o	6	30.16	766.0	56	94	ENE	1	o
Swatow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku, ...	12	30 20	767.1	66	92	ESE	4	r	"	30.18	766.5	63	96	E	4	r
Taichu, ...	"	30.14	765.6	68	...	N	2	o	"	30.12	765.0	...	...	NNW	2	o
Tainan, ...	"	30.13	765.3	68	...	N	4	o	"	30.08	764.1	61	...	N	4	b
Koshun, ...	"	30.11	764.7	77	...	NE	4	b	"	...	...	...	...	...	...	...
Pescadores, ...	"	30.18	766.5	61	...	NE	6	r	"	30.14	765.6	61	...	NNE	6	o
Canton, ...	15	30.16	766.0	53	93	N	2	or	"	30.19	766.8	51	100	N	1	or
Hongkong, ...	14	30.10	764.5	61	90	E	2	or	"	30.16	766.0	60	90	E	2	o
Gap Rock, ...	"	30.03	764.0	...	...	NNE	4	o	"	30.14	765.5	...	...	NE	5	o
Macao, ...	"	30.07	763.8	55	98	N	2	r	"	30.13	765.3	54	88	NNW	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	30.05	763.2	64	100	N	1	rf	7	30.11	764.7	61	100	ENE	2	rf
Tourane, ...	"	29.95	760.8	72	...	N	2	o	"	30.05	763.2	68	94	NNW	2	b
Cape St. James,	"	29 84	757.8	77	...	ENE	7	b	"	29.92	759.9	75	94	NE	6	b
Aparri, ...	14	29.95	760.8	81	70	ENE	4	b	6	30.04	762.9	73	91	...	0	b
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.91	759.6	81	76	SW	1	o	"	29.97	761.1	73	96	NE	1	r
Legaspi, ...	"	29.88	759.9	84	77	NE	4	b	"	29.94	760.5	66	...	NE	1	r
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.82	757.5	86	61	NE	4	o	"	29.88	759.0	75	94	NE	4	o
Surigao, ...	"	29.84	757.8	82	81	E	1	o	"	...	...	...	...	...	...	...
Guam, ...	12.20	29.82	757.5	...	...	ENE	6	o	4.20	29.88	759 0	...	...	ENE	4	o
Yap, ...	12.47	29.79	756.6	...	...	E	2	b	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.77	756.1	86	76	W	4	b	6	29.83	757.7	80	91	SW	4	b

January 21*d.* 12*h.* 02*m.*—Pressure has increased slightly from Shanghai to the Philippines and Indo-China. It has decreased slightly in the extreme North. The anticyclone still appears to be central over S. Manchuria.

Fresh monsoon may be expected along the S.E. Coast of China and over the northern portion of the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 2·54 inches, against an average of 1·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, fresh, generally overcast, some drizzle or mist.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th JANUARY, 1922.								29th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.39	771.8	10	...	N	2	b	6	30.33	770.5	—6	...	NNE	2	b
Nemuro,	11	30.02	762.5	...	...	WNW	1	...	5	29.86	758.5	...	...	WSW	1	...
Hakodate,	"	30.08	764.0	...	...	W	6	...	"	29.96	761.0	...	...	W	4	...
Tokio,	"	30.16	766.0	...	...	SSE	1	...	"	29.96	761.0	...	...	NNW	1	...
Kochi,	"	30.24	768.0	...	...	...	...	...	"	30.06	763.5	...	...	WSW	1	...
Nagasaki,	"	30.31	770.0	...	...	SE	2	...	"	30.16	766.0	...	...	NNE	1	...
Kagoshima,	"	30.28	769.0	...	...	NE	1	...	"	30.10	764.5	...	...	NNW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	30.04	763.0	...	...	...	...	...
Bonin Island,	"	30.18	766.5	...	...	NW	1	...	"	30.02	762.5	...	...	SW	2	...
Weihaiwei,	14	30.43	772.9	26	100	SSE	1	r	6	30.50	774.7	22	86	N	4	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.44	773.2	41	75	ENE	2	o	"	30.49	772.1	37	93	NNE	2	o
Gutzlaff,	"	30.34	770.6	42	100	NE	4	o	"	30.37	776.4	38	100	NNE	4	o
Sharp Peak,	14	30.15	765.8	52	92	NW	1	r	7	30.12	765.0	52	92	ENE	4	o
Amoy,	15	...	...	...	...	...	...	...	6	30.08	764.0	58	94	W	1	b
Swatow,	"	...	...	58	100	ESE	2	o	"	...	...	...	...	...	...	...
Taihoku,	12	30.17	766.2	68	88	ENE	4	o	"	30.10	764.4	61	98	...	o	o
Taichu,	"	30.13	765.3	72	...	NNW	2	o	"	30.04	762.9	59	...	...	o	o
Tainan,	"	30.14	765.6	70	...	N	4	o	"	30.04	762.9	59	...	N	4	o
Koshun,	"	30.11	764.7	75	...	N	6	o	"	30.02	762.6	68	...	...	o	o
Pescadores,	"	30.19	766.8	63	...	NE	6	r	"	30.06	763.5	59	...	NNE	6	o
Canton,	15	30.11	764.8	56	94	N	2	o	"	...	...	...	...	...	...	...
Hongkong,	14	30.08	764.0	63	84	E	4	o	"	30.08	764.0	61	94	E	2	o
Gap Rock,	"	30.06	763.5	...	...	ENE	5	c	"	30.07	763.8	...	...	NE	4	o
Macao,	"	30.10	764.4	66	76	SE	2	o	"	30.05	763.2	57	100	NNW	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.05	763.2	64	90	ENE	1	r	7	30.07	763.8	63	98	...	o	of
Tourane,	"	30.00	762.0	72	...	N	4	b	"	29.99	761.7	68	...	NNW	2	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.89	759.3	73	...	NE	2	b
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	76	NW	4	b	6	29.81	757.2	80	91	SW	4	b

January 29*d.* 11*h.* 33*m.*—Pressure has decreased moderately from Wladivostock to the Bonins and slightly from Weihaiwei to Haiphong.

The anticyclone remains stationary over S. Manchuria and N.E. China.

Fresh monsoon may be expected along the S.E. Coast of China and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·54 inches, against an average of 1·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh, overcast, drizzle or mist.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th JANUARY, 1922.								30th JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.25	768.3	4	...	NNE	2	b	6	30.30	769.6	—5	...	NNE	1	b
Nemuro,	11	29.74	755.5	...	...	NW	2	...	5	29.86	758.5	...	...	...	0	...
Hakodate,	"	29.90	759.5	...	...	W	6	...	"	29.90	759.5	...	...	N	1	...
Tokio,	"	29.86	758.5	...	...	NNW	1	...	"	29.96	761.0	...	...	NW	2	...
Kochi,	"	30.02	762.5	...	...	ENE	6	...	"	30.14	765.5	...	...	WSW	1	...
Nagasaki,	"	30 16	766.0	...	...	N	3	...	"	30.20	767 0	...	...	N	5	...
Kagoshima,	"	30.08	764.0	...	...	NNW	3	...	"	30.22	767.5	...	...	N	2	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	30.22	767.5	...	...	N	6	...
Ishigakijima,	"	30.06	763.5	...	...	NNW	3	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.94	760.5	...	...	SSW	4	...	"	29.86	758.5	...	...	NW	1	...
Weihaiwei,	14	30.57	776.5	16	85	NNW	4	r	6	30.56	776.2	24	73	NW	4	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.51	774.9	37	79	N	2	o	"	30.60	777.2	28	...	NNW	4	b
Gutzlaff,	"	30.42	772.6	38	100	N	6	o	"	30.55	775.9	38	100	N	6	o
Sharp Peak,	14	30.14	765.5	48	91	NNE	4	r	7	30.28	769.1	46	84	NNE	4	o
Amoy,	15	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow,	"	...	...	58	100	ENE	2	or	"	...	...	52	86	NE	4	o
Taihoku,	12	30.14	765.6	64	88	NE	4	o	"	30.31	769.8	52	90	E	4	r
Taichu,	"	30.10	764.4	64	...	...	o	o	"	30.13	765.3	55	...	N	2	o
Tainan,	"	30.06	763.5	65	...	N	4	o	"	30.08	764.1	54	...	N	4	o
Koshun,	"	30.05	763.2	73	...	NNW	4	o	"	30.07	763.8	64	...	NE	8	b
Pescadores,	"	30.11	764.7	6:	...	NE	...	o	"	30.14	765.6	55	...	NNE	8	o
Canton,	15	30.15	765.8	55	80	N	2	o	"	30.22	767.6	48	85	N	2	o
Hongkong,	14	30.06	763.5	63	90	...	o	om	"	30.13	765.3	54	87	ENE	4	o
Gap Rock,	"	30.06	763.5	...	...	NW	4	om	"	30.11	764.8	...	...	NE	5	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Wuchow,	15	30.21	767.3	50	79	NW	1	or	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.01	762.3	66	92	E	2	o	7	30.10	764 4	57	100	ENE	4	rf
Tourane,	"	29.97	761.1	73	...	NNE	2	b	"	29.99	761.7	70	...	NNW	2	of
Cape St. James,	"	29.85	758.1	79	...	ENE	6	b	"	29.91	759.6	73	...	NE	4	o
Aparri,	14	29.89	759.3	81	76	NE	4	b	6	29.99	761.7	73	92	...	o	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	86	58	E	1	o	"	29.92	759.9	66	94	...	o	b
Legaspi,	"	29.88	759 o	84	68	NE	4	o	"	29.89	759.3	77	84	NE	4	o
Tacloban,	"	29.94	757.8	86	61	ENE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	82	70	NE	6	o	"	29.84	757.8	75	86	NNE	4	o
Surigao,	"	29.80	756.9	81	86	ENE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ENE	6	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	84	79	N	6	b	6	29.79	756.6	80	91	E	2	b

January 30*d.* 12*h.* 17*m.*—Pressure has increased considerably at Shanghai and slightly from Formosa to Haiphong. It has decreased moderately over the Bonins.

The anticyclone has spread southward.

Strong monsoon may be expected along the S.E. Coast of China and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·54 inches, against an average of 1·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, stong, some drizzle or mist.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th JANUARY, 1922.								31st JANUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.26	768.7	6	...	NNE	2	b	6	30.51	774.9	−4	...	NW	1	b
Nemuro,	11	29.84	758.0	...	...	...	...	...	5	29.94	760.5	...	...	WNW	2	...
Hakodate,	"	29.88	759.0	...	...	WNW	4	...	"	30.02	762.5	...	...	W	6	...
Tokio,	"	29.96	761.0	...	...	WNW	2	...	"	30.18	766.5	...	...	NW	2	...
Kochi,	"	30.14	765.5	...	...	N	1	...	"	30.38	771.5	...	...	SW	1	...
Nagasaki,	"	30.31	770.0	...	...	NNW	3	...	"	30.43	773.0	...	...	...	...	...
Kagoshima,	"	30.26	768.5	...	...	N	2	...	"	30.38	771.5	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.92	760.0	...	...	NW	2	...	"	30.14	765.5	...	...	NW	1	...
Weihaiwei,	14	30.53	775.4	28	76	NNW	2	b	6	30.61	777.5	22	87	NW	4	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.64	778.2	28	...	N	1	q	"	30.60	777.2	32	...	N	1	o
Gutzlaff,	"	30.55	775.9	32	100	N	4	o	"	30.59	777.0	36	100	N	4	o
Sharp Peak,	14	30.26	768.6	44	84	NNE	4	o	7	30.36	771.2	42	92	N	4	r
Amoy,	15	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow,	"	...	...	53	80	ESE	2	or	"	...	...	48	85	NE	3	o
Taihoku,	12	30.32	770.1	54	92	E	6	r	"	30.20	767.1	54	95	E	6	r
Taichu,	"	30.13	765.3	61	...	NE	4	o	"	30.19	766.8	55	...	...	0	r
Tainan,	"	30.13	765.3	63	...	NNE	4	b	"	30.13	765.3	54	...	NNE	4	o
Koshun,	"	30.07	763.8	70	...	NE	7	b	"	30.14	765.6	66	...	NNE	7	o
Pescadores,	"	30.20	767.1	57	...	NE	10	o	"	30.16	766.0	57	...	NNE	7	o
Canton,	15	30.22	767.6	48	93	N	2	or	"	30.26	768.6	45	92	N	2	cr
Hongkong,	14	30.14	765.5	56	82	NE	3	od	"	30.20	767.1	53	92	ENE	3	om
Gap Rock,	"	30.13	765.3	...	...	NE	6	om	"	30.17	766.3	...	...	NE	6	o
Macao,	"	30.13	765.3	50	92	N	2	r	"	30.17	766.2	50	95	WNW	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	30.11	764.8	49	93	NNE	3	o	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.08	764.1	57	100	ENE	1	rf	7	30.15	765.9	54	100	ENE	2	rf
Tourane,	"	29.95	760.8	77	...	SSE	2	b	"	...	...	68	...	NNW	2	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.92	759.9	75	...	ENE	4	o
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taoloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	84	75	N	6	b	6	29.83	757.7	78	91	E	4	o

January 31*d.* 11*h.* 29*m.*—Pressure has increased considerably from the Bonins to Wladivostock and slightly from Formosa to Haiphong.

The northern anticyclone is probably moving eastward, leaving a separate anticyclone over China.

Strong monsoon may be expected along the S.E. Coast of China and fresh monsoon over the northern portion of the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·12 inch. Total since January 1st, 2·66 inches, against an average of 1·44 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, stong, moderating; some drizzle or mist.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

FEBRUARY,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

FEBRUARY,

1922.

Table I.—Barometric Pressure at every Hour of the Day, in the Month of February, 1902.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·037	30·025	30·017	30·011	29·995	30·009	30·022	30·040	30·046	30·049	30·035	30·007	1
2	29·976	29·978	29·960	29·940	29·942	29·942	29·976	29·985	29·995	29·998	29·981	29·959	2
3	30·042	30·036	30·028	30·017	30·016	30·027	30·047	30·067	30·071	30·090	30·078	30·054	3
4	30·066	30·074	30·080	30·084	30·082	30·074	30·112	30·121	30·135	30·144	30·136	30·124	4
5	30·162	30·170	30·166	30·168	30·162	30·178	30·186	30·189	30·195	30·199	30·186	30·162	5
6	30·114	30·100	30·087	30·076	30·058	30·069	30·081	30·102	30·108	30·124	30·103	30·084	6
7	29·984	29·971	29·951	29·947	29·945	29·950	29·959	29·982	29·994	30·008	30·004	29·982	7
8	29·896	29·892	29·882	29·864	29·861	29·878	29·896	29·919	29·936	29·957	29·946	29·939	8
9	29·898	29·893	29·898	29·897	29·891	29·893	29·901	29·915	29·927	29·934	29·928	29·904	9
10	29·824	29·812	29·792	29·770	29·768	29·768	29·776	29·784	29·802	29·816	29·802	29·786	10
11	29·755	29·738	29·726	29·720	29·730	29·749	29·768	29·785	29·811	29·834	29·814	29·808	11
12	29·854	29·860	29·863	29·857	29·853	29·871	29·877	29·904	29·924	29·925	29·959	29·935	12
13	29·900	29·893	29·887	29·880	29·876	29·889	29·901	29·932	29·926	29·938	29·932	29·910	13
14	29·821	29·809	29·800	29·800	29·806	29·814	29·828	29·840	29·845	29·844	29·822	29·820	14
15	29·797	29·795	29·797	29·793	29·793	29·811	29·836	29·861	29·857	29·877	29·885	29·858	15
16	29·901	29·895	29·896	29·902	29·902	29·910	29·924	29·921	29·928	29·929	29·925	29·911	16
17	29·910	29·897	29·904	29·898	29·873	29·866	29·887	29·875	29·914	29·902	29·901	29·894	17
18	29·873	29·883	29·896	29·881	29·891	29·896	29·918	29·939	29·969	29·970	29·954	29·962	18
19	30·027	30·022	30·008	29·992	29·973	29·989	30·000	30·014	30·015	30·039	30·027	29·999	19
20	29·942	29·929	29·920	29·919	29·922	29·932	29·939	29·950	29·958	29·967	29·964	29·951	20
21	29·942	29·932	29·924	29·924	29·912	29·930	29·940	29·959	29·970	29·979	29·977	29·952	21
22	29·937	29·933	29·921	29·909	29·899	29·916	29·926	29·944	29·954	29·962	29·961	29·948	22
23	29·903	29·893	29·873	29·857	29·857	29·861	29·879	29·889	29·897	29·901	29·903	29·871	23
24	29·816	29·800	29·788	29·777	29·767	29·782	29·806	29·830	29·844	29·853	29·835	29·814	24
25	29·799	29·791	29·783	29·779	29·785	29·793	29·820	29·838	29·851	29·871	29·866	29·859	25
26	29·840	29·837	29·830	29·811	29·807	29·803	29·817	29·844	29·842	29·861	29·857	29·845	26
27	30·060	30·065	30·058	30·057	30·079	30·090	30·104	30·131	30·145	30·153	30·149	30·146	27
28	30·116	30·107	30·102	30·094	30·096	30·102	30·109	30·125	30·128	30·136	30·117	30·101	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·969	29·947	29·940	29·942	29·959	29·969	29·979	29·994	29·996	30·000	29·988	29·981	1
2	29·929	29·905	29·893	29·918	29·936	29·962	29·985	30·009	30·014	30·029	30·029	30·045	2
3	30·028	30·004	29·996	29·998	30·010	30·022	30·038	30·067	30·070	30·072	30·080	30·062	3
4	30·100	30·072	30·061	30·065	30·080	30·104	30·128	30·130	30·146	30·163	30·164	30·164	4
5	30·109	30·111	30·098	30·090	30·099	30·095	30·106	30·119	30·125	30·133	30·146	30·133	5
6	30·051	30·010	29·982	29·972	29·986	29·986	29·998	30·014	30·030	30·037	30·027	30·005	6
7	29·952	29·924	29·904	29·893	29·896	29·905	29·908	29·917	29·916	29·912	29·918	29·912	7
8	29·917	29·896	29·884	29·886	29·893	29·896	29·897	29·917	29·929	29·937	29·929	29·913	8
9	29·874	29·844	29·833	29·829	29·841	29·847	29·856	29·853	29·849	29·861	29·856	29·835	9
10	29·760	29·720	29·706	29·702	29·708	29·708	29·708	29·719	29·743	29·751	29·756	29·756	10
11	29·792	29·784	29·765	29·764	29·772	29·776	29·788	29·799	29·817	29·842	29·851	29·856	11
12	29·918	29·891	29·863	29·864	29·845	29·856	29·871	29·877	29·887	29·888	29·899	29·901	12
13	29·881	29·850	29·827	29·817	29·820	29·824	29·834	29·836	29·856	29·828	29·835	29·825	13
14	29·756	29·710	29·740	29·725	29·728	29·733	29·739	29·772	29·791	29·793	29·795	29·793	14
15	29·838	29·812	29·794	29·772	29·777	29·800	29·833	29·847	29·878	29·892	29·894	29·900	15
16	29·879	29·859	29·841	29·830	29·838	29·850	29·872	29·886	29·902	29·914	29·926	29·908	16
17	29·866	29·852	29·828	29·829	29.832	29·837	29·845	29·845	29·854	29·876	29·867	29·874	17
18	29·954	29·923	29·915	29·907	29·923	29·935	29·947	29·969	29·987	30·006	30·012	30·022	18
19	29·975	29·943	29·924	29·915	29·911	29·916	29·931	29·944	29·951	29·955	29·958	29·952	19
20	29·937	29·909	29·900	29·881	29·887	29·905	29·915	29·925	29·936	29·948	29·948	29·940	20
21	29·933	29·908	29·884	29·873	29·874	29·881	29·895	29·909	29·923	29·925	29·937	29·935	21
22	29·918	29·896	29·878	29·872	29·878	29·882	29·886	29·897	29·919	29·919	29·931	29·921	22
23	29·838	29·811	29·785	29·779	29·776	29·778	29·796	29·802	29·812	29·820	29·822	29·828	23
24	29·780	29·753	29·741	29·733	29·730	29·743	29·745	29·756	29·784	29·790	29·795	29·798	24
25	29·821	29·808	29·782	29·777	29·784	29·796	29·805	29·813	29·823	29·851	29·833	29·841	25
26	29·814	29·796	29·778	29·799	29·815	29·842	29·873	29·902	29·978	30·011	30·032	30·040	26
27	30·114	30·089	30·070	30·072	30·079	30·085	30·084	30·091	30·107	30·117	30·121	30·122	27
28	30·070	30·031	30·013	30·017	30·023	30·033	30·037	30·053	30·066	30·082	30·084	30·083	28

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of FEBRUARY, 1922.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	56·8	57·2	57·8	58·1	58·5	58·7	59·2	59·7	60·1	60·8	62·4	62·3	1
2	58·5	58·2	58·2	58·2	58·2	58·2	58·2	57·4	57·4	57·3	58·7	58·3	2
3	53·8	52·7	51·2	50·3	51·2	50·4	50·9	51·7	56·0	58·5	61·0	60·6	3
4	57·5	57·9	57·8	57·6	57·5	57·1	57·3	57·2	57·5	58·7	59·3	59·2	4
5	57·9	57·7	57·4	57·5	57·7	58·2	58·9	58·5	59·2	60·2	59·9	60·6	5
6	58·5	58·3	58·5	59·0	58·5	58·5	58·5	58·7	59·8	60·1	61·3	62·6	6
7	62·2	62·5	62·0	62·0	61·1	60·8	61·0	62·1	66·0	69·6	70·5	70·9	7
8	64·2	64·1	63·4	63·5	63·4	63·3	63·5	63·8	65·8	67·5	70·4	66·6	8
9	62·3	63·4	63·1	63·5	63·8	63·5	63·7	64·4	65·1	67·6	67·5	66·7	9
10	64·5	64·3	64·5	64·1	64·2	64·4	64·1	64·4	65·1	65·5	65·3	65·5	10
11	68·6	68·5	69·1	68·0	67·5	67·6	67·2	67·1	68·4	68·5	69·4	68·7	11
12	63·0	62·1	61·4	61·5	61·3	61·4	61·0	61·1	62·0	62·1	61·7	61·7	12
13	60·3	60·5	60·8	60·9	61·1	61·0	60·7	60·0	61·4	62·1	61·9	61·6	13
14	60·9	61·2	61·3	61·7	62·2	62·3	62·1	61·5	61·5	61·3	61·3	61·5	14
15	63·3	63·4	63·6	63·4	62·6	61·8	61·6	62·7	64·2	66·0	64·4	66·9	15
16	58·0	57·4	56·9	56·6	56·0	55·8	55·8	58·2	60·2	62·0	62·8	62·9	16
17	60·6	60·8	60·3	60·2	59·9	59·7	59·8	60·5	61·1	62·7	61·6	62·1	17
18	61·2	60·3	60·3	62·1	61·7	62·5	62·0	61·1	61·2	61·5	62·0	60·8	18
19	58·1	58·1	57·9	57·9	57·7	57·7	57·6	58·7	59·6	60·5	60·3	61·5	19
20	56·9	56·8	56·8	56·7	56·9	57·1	57·3	57·7	59·7	61·3	63·5	63·0	20
21	58·9	58·9	58·7	58·5	58·7	59·0	59·1	59·2	59·9	60·6	61·1	61·5	21
22	60·8	60·9	61·9	62·4	63·2	63·8	64·3	64·9	67·3	68·3	67·9	68·2	22
23	64·3	64·1	64·0	63·8	63·8	63·8	64·1	64·4	63·9	62·7	62·5	62·7	23
24	62·2	62·9	63·2	63·5	63·7	63·9	64·1	64·6	66·6	69·3	68·6	68·8	24
25	68·3	68·2	67·7	68·2	67·4	66·6	66·0	66·2	66·8	67·2	67·9	70·7	25
26	63·7	64·3	64·7	64·4	63·4	63·6	63·6	63·9	64·6	65·5	67·3	69·7	26
27	51·6	51·3	50·7	50·2	50·1	49·8	49·8	49·4	49·8	50·9	51·7	51·7	27
28	51·7	51·7	52·0	52·3	52·4	52·5	52·5	52·9	53·9	55·2	56·4	56·1	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·6	61·8	61·8	62·2	61·4	60·2	59·6	59·3	58·9	58·8	58·2	58·2	1
2	58·0	57·4	58·6	58·5	56·7	56·2	55·5	54·4	55·5	54·9	54·7	54·1	2
3	62·1	62·2	62·5	61·0	60·0	58·8	57·5	56·9	56·5	56·6	57·1	57·5	3
4	60·3	60·4	59·6	58·8	58·3	57·8	57·4	57·3	57·2	57·2	57·3	57·5	4
5	60·1	60·6	60·5	60·1	59·2	58·3	57·8	57·7	57·8	58·1	58·2	58·6	5
6	63·7	63·6	63·6	63·6	63·4	62·5	62·7	63·3	60·7	60·7	60·6	61·0	6
7	71·5	73·2	72·0	70·2	68.6	66·9	65·9	65·4	65·3	64·7	64·5	64·6	7
8	66·3	67·3	66·3	65·8	65·0	63·6	63·3	63·2	62·6	62·7	62·5	62·0	8
9	68·9	69·1	68·3	66·5	65·2	64·3	64·1	64·2	63·9	64·2	64·3	64·3	9
10	65·6	66·5	67·3	67·0	67·0	66·0	65·7	65·5	65·3	65·5	66·2	66·4	10
11	69·7	69·8	71·5	67·2	67·8	68·5	67·4	67·3	67·2	64·8	63·8	63·5	11
12	61·7	62·0	61·4	61·6	61·7	61·3	61·0	61·0	61·5	61.2	60·5	60·1	12
13	62·4	62.5	62·2	62.0	61·5	61·3	61·5	61·8	61·5	61·1	61·0	60·8	13
14	61·3	62·2	63·7	64·8	64·2	62·9	63·3	62·8	63·2	63·1	63·0	62·7	14
15	66·3	65·9	66·9	66·9	67·1	65·5	64·2	62·4	61·4	60·9	59·5	58·7	15
16	62·7	63·5	62·6	63·0	62·0	61·1	61·0	61·0	60·9	61·0	61·2	61·0	16
17	61·5	61·2	61·6	61·0	59·5	59·2	59·1	59·3	60·2	60·9	60·0	60·0	17
18	60·5	60·0	59·8	59·9	59·8	59·4	58·9	58·7	58·7	57·9	57·9	57·6	18
19	61·8	62·2	62·5	62·1	61·7	60·3	59·9	59·5	58·3	58·0	57·9	57·4	19
20	62·2	62·1	60·3	60·8	60·0	59·5	59·5	59·4	59·3	59·4	59·7	59·7	20
21	61·2	61·9	61·7	61·6	61·1	60·5	60·1	60·1	60·2	60·3	60·2	60·3	21
22	68·5	68·3	67·7	66·9	66·1	65·8	64·5	64·0	63·0	63·2	63·2	63·4	22
23	62·4	62·4	62·0	62·3	62·5	62·8	62·3	62·2	62·1	61·9	61·6	61·5	23
24	68·8	68·5	68·9	67·6	66·8	66·3	66·2	66·3	66·3	67·0	67·3	67·5	24
25	69·3	65·7	65·3	64·2	63·4	62·9	62·4	62·4	62·2	62·6	63·0	63·3	25
26	70·3	71·0	68·2	64·0	63·2	60·4	58·9	57·5	55·1	53·5	52·6	52·0	26
27	51·4	51·7	51·8	51·4	50·9	50·3	50·1	50·2	50·3	50·6	51·0	51·1	27
28	56·1	56·4	56·3	56·4	56·3	55·9	55·2	54·8	54·3	54·2	53·7	53·0	28

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of FEBRUARY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	55·0	55·2	55·8	56·0	56·2	56·7	57·2	57·7	58·0	58·3	59·8	59·7	1
2	57·7	57·7	57·4	57·6	57·9	57·8	57·8	56·9	56·0	56·1	57·2	57·0	2
3	51·7	50·2	48·5	47·8	47·3	46·0	45·9	46·5	49·1	50·1	52·4	52·0	3
4	54·2	54·0	54·9	54·8	54·1	54·0	53·9	53·8	53·9	54·2	54·9	54·5	4
5	54·9	54·7	54·8	54·1	53·7	53·7	53·6	54·0	55·0	55·5	55·2	55·6	5
6	56·0	55·7	55·7	56·0	55·4	55·2	55·2	55·0	55·9	56·3	57·0	58·2	6
7	58·4	58·6	58·5	58·7	58·7	58·9	58·8	59·0	60·9	62·9	63·9	64·6	7
8	62·1	62·1	61·9	62·0	62·0	62·1	62·0	62·5	63·9	64·5	65·9	63·9	8
9	60·9	61·8	61·4	61·7	61·5	60·5	60·1	60·0	59·6	60·5	60·8	59·9	9
10	62·7	62.1	62·3	62·0	62·3	62·8	62·9	63·1	63·6	64·0	63.9	64·0	10
11	67·2	67·2	67·7	67·2	66·7	67·1	66·7	66·8	67·6	68·0	68·7	67·9	11
12	60·9	60·3	59·5	59·2	58·9	58·3	57·9	57·9	58·2	57·9	57·6	57·9	12
13	58·1	58·2	58·4	58·3	58·6	58·8	58·8	58·8	59·3	59·6	59·8	59·9	13
14	60·3	60·6	60·8	61·0	61·3	61·5	61·2	61·0	61·1	60·8	60·8	60·9	14
15	62·6	62·6	62·8	62·5	61·9	60·0	59·3	59·4	59·8	61·1	59·7	61·6	15
16	53·4	53·0	52·7	52·6	52·6	52·5	52·4	54·2	55·5	57·0	57·6	57·8	16
17	56·7	56·8	56·6	56·6	56·2	56·2	56·3	56·8	57·3	57·9	57·5	57·2	17
18	59·7	59·1	59·1	59·9	59·4	60·1	59·6	59·1	59·0	59·1	58·8	57·7	18
19	57·3	57·3	57·0	57·1	56·6	56·1	55·9	56·9	57·2	57·6	57·0	57·1	19
20	54·4	54·2	54·1	53·8	53·9	53·5	53·8	54·2	55·2	56·1	57·6	57·0	20
21	55·3	55·5	55·0	55·4	55·6	55·7	56·0	56·3	56·9	57·1	56·8	57·3	21
22	57·8	58·0	59·1	59·4	60·0	60·4	60·8	61·3	62·8	63·6	63·5	63·9	22
23	63·3	63·3	62·9	63·0	63·2	62·8	63·1	63·4	63·1	62·3	61·9	61·9	23
24	62·2	62·9	63·2	63·4	63·5	63·8	63·9	64·4	66·0	67·3	66·9	66·9	24
25	68·0	67·9	67·4	67·9	67·2	66·5	65·8	65·9	66·0	66·5	67·2	68·7	25
26	63·2	63·6	64·0	63·9	63·1	63·4	63·4	63·7	64·1	65·1	66·4	67·9	26
27	49·0	47·8	47·1	46·2	46·2	45·9	45·3	45·1	45·6	46·5	47·3	47·5	27
28	47·9	47·8	47·8	48·0	48·1	47·9	47·8	48·6	49·9	50·6	51·1	51·0	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	60·1	60·2	60·0	60·2	59·9	59·5	58·9	58·5	58·3	58·1	57·9	57·7	1
2	56·9	56·6	57·4	57·0	55·1	54·3	53·9	52·4	53·7	52·8	52·6	52·0	2
3	53·7	54·0	54·9	53·9	53·6	52·1	52·3	51·9	52·2	53·5	54·1	54·0	3
4	55·1	55·1	55·0	54·7	54·2	54·0	53·9	54·0	54·0	54·0	54·1	54·2	4
5	55·5	55·8	55·9	55·9	55·7	55·7	55·3	55·7	55·8	55·8	55·9	56·1	5
6	59·2	59·6	59·6	59·7	59·5	59·1	59·5	60·0	58·8	58·2	58·0	58·0	6
7	65·2	66·1	65·3	64·6	63·9	63·1	62·6	62·5	62·6	62·1	62·1	62·1	7
8	63·5	62·4	59·1	58·8	58·0	57·4	57·2	57·7	58·8	59·6	59·9	60·4	8
9	60·8	61·0	60·9	59·8	59·7	58·9	58·5	58·7	58·2	59·2	59·7	60·6	9
10	64·2	64·6	65·1	64·7	64·8	64·1	63·9	64·3	64·0	64·4	65·0	65·3	10
11	68·6	68·3	69·5	66·4	66·9	67·2	66·7	66·1	64·8	62·4	61·5	61·3	11
12	57·4	57·7	57·9	58·0	58·2	58·0	58·0	57·9	58·3	58·4	58·4	57·9	12
13	60·2	60·1	60·0	60·0	59·9	59·9	60·0	60·1	60·1	60·0	59·9	60·0	13
14	60·9	61·0	63·0	63·4	63·1	62·2	62·4	62·0	62·3	62·1	62·0	62·0	14
15	61·6	61·0	62·0	61·4	60·5	59·4	58·2	57·4	56·5	55·8	54·8	53·4	15
16	57·9	58·1	58·1	58·6	58·4	57·9	57·6	57·8	58·0	57·9	57·5	57·0	16
17	57·0	56·6	56·9	57·2	57·3	57·2	57·8	58·1	58·8	59·4	59·1	59·2	17
18	57·3	56·9	57·1	57·4	57·7	57·5	57·3	57·4	57·3	56·9	56·8	56·6	18
19	57·2	56·9	57·4	57·2	56·9	55·9	55·4	55·0	54·7	54·2	54·2	54·6	19
20	57·1	57·4	57·0	57·2	56·5	56·0	55·8	56·1	55·7	55·9	55·3	55·3	20
21	57·5	57·5	57·3	57·3	57·0	56·7	56·7	56·7	56·8	56·7	56·9	57·0	21
22	64·3	64·4	64·0	63·9	63·3	63·0	63·0	62·9	62·1	62·0	62·0	62·3	22
23	61·9	61·9	61·6	62·0	62·0	62·1	62·0	61·8	61·6	61·5	61·4	61·5	23
24	66·7	66·4	67·1	66·4	66·1	65·9	65·8	66·0	65·9	66·7	67·1	67·2	24
25	67·7	65·0	64·8	63·9	63.2	62·7	62·2	61·9	61·8	62·1	62·5	62·8	25
26	67·9	68·6	67·0	62.4	61·0	57·5	56·5	54·9	53·0	51·6	50·2	49·2	26
27	47·4	47·2	47·5	46·9	46·9	46·5	46·2	46·3	46·5	46·7	47·0	47·1	27
28	50·9	51·3	51·5	51·6	51·6	51·1	50·7	50·5	50·2	50·2	50·0	50·2	28

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of FEBRUARY, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mean
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	6	2
3	10	10	3	2	...	...	3	...	...	...	...	...	...	...	...	2	1	1	...	...	1	6	9	3
4	7	5	10	10	5	8	7	7	7	3	5	9	9	6	4	3	2	2	6	4	5	8	8	4
5	10	5	8	8	10	10	10	10	9	3	3	2	2	3	2	1	1	1	..	2	7	8	8	5
6	10	8	8	10	10	10	10	10	10	10	9	10	10	10	10	8	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	9	8	3	8	10	9	10	7	2	3	3	2	...	1	1	6	7
8	10	10	10	10	10	10	10	10	9	5	9	7	10	7	8	9	8	8	7	9	10	10	10	8
9	10	10	10	10	10	10	10	9	10	9	9	9	9	9	8	7	9	9	10	9	7	9	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	9	7	10
11	9	5	7	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	10	10	10	11
12	10	10	10	10	10	10	6	7	9	10	10	10	10	10	9	10	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	14
15	10	10	10	10	10	6	4	2	2	8	8	10	10	10	10	4	2	7	10	3	3	...	1	15
16	1	1	...	1	1	2	1	...	1	1	1	6	2	5	10	10	10	8	10	10	10	10	10	16
17	10	9	8	10	4	2	2	5	6	9	8	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	9	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	9	9	5	8	10	10	9	8	10	10	10	9	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8	9	10	8	10	8	9	21
22	10	10	10	10	9	10	8	8	6	8	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	9	10	10	10	10	10	9	4	3	4	5	7	6	10	10	10	10	10	10	10	24
25	10	10	9	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	8	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	27
28	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of FEBRUARY, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	...	..	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	3
4	...	0·1	0·3	0·9	1·0	0·3	1·0	1·0	1·0	1·0	0·8	0·5	...	4
5	...	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	5
6	...	...	...	...	0·3	0·4	...	...	...	...	0.3	...	...	6
7	...	...	0·5	1·0	0·9	0·7	0·1	0·2	0·8	1·0	1·0	0·8	...	7
8	...	...	0·3	0·4	0·7	0·1	0·7	1·0	0·3	0.6	0·4	0.4	...	8
9	...	...	0·1	0·7	0·3	0·1	0·4	0·7	0·6	0·5	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	0·4	0·7	0·5	0·1	...	0·1	0·1	0·1	0·2	...	...	12
13	...	...	0·2	0·3	...	...	...	0.1	...	...	...	...	...	13
14	...	..	...	...	..	...	...	...	...	0·2	...	...	...	14
15	...	0·8	1·0	0·9	...	0·8	...	...	...	0·9	0·9	0·3	...	15
16	...	0·6	1·0	1·0	1·0	0·9	0·8	1·0	0·7	0·2	0·4	...	...	16
17	...	0·3	0·8	0·8	0·2	...	...	...	...	...	...	...	...	17
18	...	...	...	...	0·8	0·3	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	0.2	0·9	0·9	1·0	0·4	0·1	0·6	0.7	0·2	...	20
21	...	...	...	...	...	0·1	...	0·1	0·2	0·8	0·3	0·3	...	21
22	...	...	0·5	1·0	0·1	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	0·6	1·0	0·8	1·0	1·0	0·9	0·6	...	...	...	24
25	...	...	...	..	...	0·7	...	...	...	...	...	...	...	25
26	...	...	...	...	0·1	...	0·8	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	28

TABLE VI.—Amount of Rainfall, expressed in parts of an inch, in the Hours of Hongkong Mean Time.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	d	1
2	d	...	...	0·005	0·010	0·005	0·030	0·020	d	0·005	d	d	2
3	...	...	...	...	..	...	...	...	...	...	..	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	0·005	0·015	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	0·005	...	...	...	...	...	...	...	...	...	d	d	10
11	...	...	...	...	...	0·005	...	d	0·005	0·010	0·390	0·245	11
12	...	d	d	...	...	...	...	...	...	d	...	...	12
13	d	...	...	...	...	d	...	0·250	...	...	...	d	13
14	0·005	0·025	0·035	0·025	0.005	d	d	d	0·015	0·005	d	0·005	14
15	d	d	0·030	0·005	d	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	0·150	0·285	0·285	0·010	...	...	...	...	...	...	...	...	18
19	0·060	0·075	0·005	...	...	...	...	...	...	...	...	...	19
20	d	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	d	...	...	...	...	21
22	...	...	...	...	...	...	..	...	...	...	...	...	22
23	d	0·005	d	d	d	...	d	0·005	0·020	0·005	0·055	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	d	d	d	d	d	0·005	d	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	d	...	...	...	...	...	...	...	...	...	...	...	28

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	d	d	d	...	d	d	...	...	...	d	d	d	1
2	0·005	0·005	d	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	..	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	d	0·010	9
10	...	...	...	...	...	...	...	...	...	d	d	...	10
11	0·110	0·005	...	...	0·005	d	d	0·010	...	0·005	0·005	d	11
12	...	...	...	...	...	...	...	...	...	...	...	d	12
13	...	...	...	d	0·005	0·005	d	d	d	...	...	...	13
14	0·255	0·325	0·165	0·035	0·245	0.275	0·010	0·010	d	...	...	d	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	0·010	0·115	0.145	0·180	0·205	0·115	0·075	0·190	0·170	17
18	...	...	...	d	d	0.005	0·010	0·020	0·030	0·075	0·140	0·070	18
19	...	...	...	...	...	...	...	...	d	...	...	d	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	d	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	d	...	d	d	d	d	d	22
23	d	d	d	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	d	...	...	...	...	...	d	...	...	25
26	...	...	0·010	0·005	...	d	0·030	0·040	0.110	0·100	0·015	0·010	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	d	28

Direction and Velocity of the Wind at every Hour of the Day, in the Month of [illegible], 1842.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1		2		3		4		5		6		7		8		9		10		11		Noon.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	25	8	23	8	17	8	20	9	16	10	12	11	3	...	...	11	2	...	1	...	...	...	1	1
2	9	10	9	6	9	8	9	11	10	6	12	6	22	5	26	8	27	7	25	7	24	3	25	7	2
3	29	5	32	7	1	5	1	8	1	3	1	8	30	8	31	3	29	3	...	1	21	5	21	7	3
4	7	15	6	14	7	18	7	22	7	27	7	25	8	25	7	27	8	26	8	27	8	25	8	24	4
5	7	21	7	21	7	17	7	17	8	22	7	18	8	25	8	28	8	32	8	36	7	39	8	35	5
6	7	26	7	32	6	22	5	18	6	19	7	19	7	16	8	16	8	18	9	19	9	17	11	15	6
7	11	13	11	7	11	3	10	4	10	2	11	2	...	...	...	1	11	6	10	10	10	9	10	7	7
8	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	..	...	14	12	9	26	8
9	10	12	10	12	10	8	10	15	9	16	9	17	9	18	9	18	9	19	9	16	9	17	9	17	9
10	7	13	7	15	7	16	7	16	7	14	7	16	8	18	8	20	8	18	8	17	8	21	8	15	10
11	...	1	...	...	...	1	...	1	...	1	...	...	11	4	10	5	8	5	8	2	...	1	16	2	11
12	7	34	8	31	8	31	8	34	8	35	8	33	8	36	8	29	8	39	8	38	8	30	8	32	12
13	8	33	8	32	8	33	8	31	8	30	8	30	8	30	9	24	9	26	9	26	9	28	9	26	13
14	8	28	9	23	9	25	9	23	9	24	9	21	9	26	9	26	9	26	9	26	8	26	9	25	14
15	10	16	10	11	...	1	10	3	8	7	5	4	2	3	1	5	1	8	1	2	18	4	13	4	15
16	3	11	2	10	2	10	2	7	2	6	...	1	...	1	8	7	9	12	9	18	8	19	9	16	16
17	8	31	8	31	8	29	8	28	8	35	7	33	7	31	8	37	7	32	7	35	7	35	7	33	17
18	8	27	8	19	8	18	7	29	7	20	7	28	7	25	7	29	8	24	8	32	8	38	8	29	18
19	9	9	10	8	9	5	7	2	4	4	2	8	1	9	2	3	2	8	2	8	1	13	1	4	19
20	...	...	...	...	...	...	...	1	...	...	4	3	5	4	...	1	7	10	7	15	8	18	9	25	20
21	7	19	7	24	7	23	7	17	7	16	7	12	7	13	8	14	8	11	8	10	8	17	8	15	21
22	9	15	10	15	10	13	10	12	10	15	10	12	10	11	10	11	10	12	10	14	11	15	11	13	22
23	8	18	8	20	8	19	9	17	9	15	9	18	9	16	8	19	9	20	9	22	9	19	9	17	23
24	9	17	9	17	8	16	8	14	8	15	8	15	8	15	9	14	9	9	9	9	9	14	8	16	24
25	7	5	7	8	8	11	9	11	9	14	9	15	10	16	9	17	9	16	9	14	9	14	8	19	25
26	8	20	9	18	9	18	9	17	10	19	10	20	9	18	9	16	9	18	9	12	9	11	10	11	26
27	2	5	2	9	2	16	2	13	2	10	2	13	2	14	1	14	1	12	1	12	32	12	32	15	27
28	4	7	5	13	5	16	6	12	6	10	5	14	5	13	5	15	5	14	5	15	7	19	7	17	28

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	...	1	...	...	...	...	...	1	...	1	...	1	13	9	11	10	9	11	9	11	9	10	9	9	1
2	26	5	25	4	24	5	26	14	27	15	28	14	28	12	29	6	27	6	26	9	27	10	28	7	2
3	24	9	25	7	25	8	23	8	19	2	15	9	10	14	8	11	8	9	7	9	7	12	7	20	3
4	8	22	9	18	10	21	9	18	9	19	9	16	8	16	8	16	8	20	8	15	7	20	7	22	4
5	8	32	8	21	9	19	10	17	10	17	9	18	9	16	8	17	8	19	7	15	7	19	7	24	5
6	11	15	11	10	10	14	9	17	9	16	9	12	10	7	9	6	9	11	10	11	10	12	11	6	6
7	10	4	10	4	24	8	25	6	26	9	24	7	24	5	24	4	24	3	24	2	24	3	24	2	7
8	8	26	7	26	7	26	7	25	7	23	7	22	8	21	8	17	9	14	9	12	9	11	9	13	8
9	9	17	9	20	9	19	9	18	9	17	9	17	9	14	9	19	8	15	8	15	8	14	8	16	9
10	7	16	7	14	7	12	7	10	8	9	9	7	9	7	8	8	7	7	7	4	8	4	9	4	10
11	23	3	27	2	...	1	6	9	10	9	11	8	10	9	9	18	8	27	7	31	7	29	7	33	11
12	8	33	8	28	8	28	8	26	8	27	8	29	8	27	8	28	8	29	8	34	8	31	8	30	12
13	9	28	8	27	8	28	8	26	8	29	8	31	8	31	8	31	8	31	8	32	8	26	8	28	13
14	9	27	9	25	9	13	9	20	9	23	9	26	9	24	9	21	9	20	9	22	9	20	10	18	14
15	13	3	19	5	23	4	30	2	1	6	3	7	3	8	4	5	5	3	5	5	5	2	4	2	15
16	10	18	9	22	8	20	7	18	8	21	8	19	7	17	7	18	8	21	8	23	8	25	8	30	16
17	7	30	8	28	8	29	8	26	8	32	8	29	8	28	7	29	7	27	8	28	8	34	8	37	17
18	8	29	8	25	8	26	8	24	8	25	8	26	8	26	8	23	7	24	7	21	7	19	8	13	18
19	1	7	1	8	2	4	3	5	3	8	3	10	3	9	2	4	2	9	2	11	2	9	2	3	19
20	9	22	9	21	9	19	9	21	9	22	9	22	8	21	7	19	7	24	7	25	7	26	7	26	20
21	9	15	9	14	9	18	9	17	10	19	10	18	10	17	10	15	10	14	9	18	9	18	9	16	21
22	11	14	10	12	10	15	10	17	9	14	9	14	9	11	9	17	9	17	9	16	9	16	9	20	22
23	9	14	8	17	9	16	9	19	9	19	9	16	9	17	9	22	9	19	9	20	9	17	9	20	23
24	8	19	8	19	9	20	9	18	9	20	9	17	9	18	8	12	8	8	8	7	8	6	8	7	24
25	8	20	8	16	7	21	8	21	8	23	8	24	8	23	8	18	8	22	8	20	8	22	8	21	25
26	9	13	8	11	4	13	1	10	1	12	1	13	2	7	32	13	32	8	1	4	2	12	2	15	26
27	32	13	1	9	1	10	1	10	1	9	1	9	1	7	1	6	1	3	1	8	1	4	3	3	27
28	8	14	9	13	8	9	6	6	4	3	2	4	2	4	2	9	1	7	1	7	2	7	2	6	28

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS in the MONTH of FEBRUARY, 1922.
(... = no clouds.)

Hours. Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E	nb	ESE	cu-nb	E	nb	E	nb	E
2	nb	E	nb	E	nb	W	nb	W	nb	W	st-cu	W	st-cu	W	cu	WNW
3	cu	W	cu	W	ci-st	W	...	...	...	...	a-cu	W	...	...	cu	WNW
4	cu	E	cu	E	a-cu / cu	W / E	cu	E	a-cu / cu	WNW / SE	ci-cu	W	a-cu / cu	W / ESE	a-cu	W
5	a-cu / cu	W / ESE	a-cu / cu	W / E	a-cu / cu	WNW / E	a-cu / cu	W / E	cu	E	cu	E	...	...	cu	E
6	cu	E	cu	E	cu	E	cu	E	st-cu	ESE	cu	SE	cu	SE	cu	ESE
7	cu	ESE	nb	E	a-cu / cu	WSW / E	a-cu	WSW	a-cu	W	a-cu / cu	W / E	a-cu	W	a-cu	W
8	a-cu	W	a-cu	W	a-cu	W	a-cu	W	a-cu / cu	W / E	a-cu / cu	W / E	a-cu / cu	WSW / E	cu	ESE
9	cu	ESE	st-cu	E	cu / nb	WSW / SE	a-cu / cu	W / E	a-cu	W	a-cu / cu	W / SE	cu	SSE	a-cu / cu	W / SSE
10	cu-nb	SSE	cu	SSE	cu-nb	SSE	cu	S	st-cu	SE	cu	S	cu-nb	S	nb	WSW
11	cu	WSW	cu	WSW	nb	WSW	nb	SW	nb	SW	cu-nb	WSW	nb	SW	nb	SSE
12	cu / cu-nb	SW / ESE	cu-nb	ESE	st-cu	ESE	nb	ESE	cu-nb	ESE	cu-nb	SSE	st-cu	SE	cu-nb	SSE
13	nb	SSE	st-cu	SSE	cu-nb	SE	cu / cu-nb	S / ESE	cu-nb	SSE	nb	SE	nb	SE	nb	ESE
14	nb	ESE	nb	ESE	nb	E	nb	E	nb	E	nb	S	nb	S	cu-nb	SSE
15	nb	SE	nb	SSE	cu	N	cu	S	cu-nb	ENE	cu	NNE	cu	NE	...	...
16	cu	NE	cu	ENE	cu	NE	cu	E	cu	ESE	cu	ESE	cu	ESE	cu	E
17	cu	E	a-cu / cu	W / E	a-cu / cu	W / E	a-cu / cu	W / E	cu	ESE	nb	E	nb	E	nb	E
18	nb	E	nb	E	cu-nb	E	cu-nb	E	cu-nb	E	cu-nb	E	nb	E	nb	E
19	nb	E	cu-nb	E	cu / cu-nb	W / ENE	cu-nb	NE	st-cu	ENE	st-cu	ENE	st-cu	E	cu-nb	E
20	nb	E	cu-nb	E	a-cu	WSW	a-cu	S	a-cu / cu	SSW / E	cu	E	cu	E	cu	E
21	cu	E	cu	E	ou	E	st-cu	ESE	nb	ESE	a-cu / cu	W / SE	st-cu	ESE	cu	ESE
22	cu	E	cu	E	cu	S	a-cu / cu	S / E	st-cu	ESE	st-cu	E	cu-nb	ESE	nb	E
23	nb	E	nb	E	nb	ESE	nb	E	nb	E	nb	E	nb	E	cu-nb	E
24	cu-nb	E	cu-nb	E	cu-nb	E	a-cu / cu	WSW / W	cu	S	cu	SW	st-cu	SSW	cu-nb	SSE
25	cu	S	cu	S	cu	SSE	cu	SSE	nb	ESE	nb	ESE	nb	E	nb	E
26	nb	E	nb	E	nb	ESE	nb	ESE	st-cu	E	nb	E	nb	E	nb	E
27	nb	E	st-cu	E	st-cu	E	st-cu	ENE	st-cu	E	st	E	st	ENE	st	ENE
28	nb	E	st-cu	E	st-cu	E	st-cu	ENE	st-cu	ENE	st-cu	E	st-cu	E	st-cu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1922.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·998	62·5	56·8	5·7	59·7	58·1	0·464	90	100	...	...	...	4	— 1·3	+ 7·1	100	7·2	7·7
2	29·970	59·1	54·0	5·1	57·1	55·9	·433	93	97	...	...	0·085	11	+ 2·1	— 3·2	303	3·8	8·0
3	30·042	63·1	50·1	13·0	56·5	51·2	·308	67	21	10·6	95	...	...	+ 1·4	+ 1·2	41	1·8	7·5
4	30·109	61·5	57·1	4·4	58·1	54·3	·373	77	62	7·9	71	...	...	+ 0·7	+ 20·5	88	20·5	20·7
5	30·145	61·1	57·3	3·8	58·8	55·2	·390	78	55	9·2	82	...	...	+ 0·6	+ 22·6	88	22·6	22·7
6	30·050	64·2	58·3	5·9	60·9	57·5	·430	80	97	1·0	9	...	...	— 0·7	+ 14·7	93	14·7	15·6
7	29·943	73·2	60·5	12·7	66·0	61·8	·497	78	67	7·0	62	0·020	1	— 1·3	+ 0·6	155	1·4	5·0
8	29·907	71·1	62·0	9·1	64·6	61·2	·496	82	90	4·9	44	...	...	— 0·1	+ 11·1	91	11·1	11·5
9	29·877	69·8	61·9	7·9	65·1	60·2	·458	74	92	3·4	30	0·010	1	— 3·1	+ 15·9	101	16·2	16·1
10	29·760	67·6	64·0	3·6	65·4	63·8	·572	91	97	...	...	0·005	1	+ 1·1	+ 12·5	85	12·5	12·5
11	29·785	71·8	63·3	8·5	67·8	66·6	·638	94	94	...	...	0·795	7	...	+ 7·3	90	7·3	8·4
12	29·885	63·4	60·1	3·3	61·5	58·4	·449	82	96	2·2	19	...	...	+ 0·3	+ 31·3	89	31·3	31·3
13	29·870	62·8	59·6	3·2	61·3	59·4	·483	89	100	0·6	5	0·260	3	— 1·3	+ 29·0	93	29·0	29·0
14	29·788	65·0	60·7	4·3	62·3	61·6	·541	96	100	0·2	2	1·440	14	— 4·2	+ 23·2	100	23·6	23·2
15	29·833	68·0	58·7	9·3	63·7	59·8	·464	78	62	5·6	49	0·035	2	+ 1·1	+ 2·4	65	2·6	5·0
16	29·894	64·0	55·5	8·5	60·1	56·1	·399	76	50	7·6	67	...	...	+ 1·2	+ 14·2	85	14·2	15·4
17	29·872	63·2	58·7	4·5	60·5	57·4	·432	81	85	2·1	18	1·205	9	+ 2·3	+ 30·7	86	30·8	31·1
18	29·939	62·7	57·6	5·1	60·2	58·2	·461	88	99	1·1	10	1·080	10	+ 1·6	+ 24·8	86	24·8	25·0
19	29·974	63·2	57·4	5·8	59·5	56·4	·416	81	100	...	...	0·140	3	+ 5·2	+ 3·2	32	6·1	7·0
20	29·930	63·5	56·6	6·9	59·4	55·5	·390	77	95	5·0	43	...	...	+ 0·2	+ 14·2	89	14·2	14·4
21	29·926	62·8	58·4	4·4	60·1	56·5	·411	78	95	1·8	16	...	1	— 1·3	+ 16·0	95	16·1	16·2
22	29·917	69·1	60·3	8·8	64·9	62·0	·518	84	95	1·6	14	...	2	— 4·7	+ 13·4	109	14·2	14·2
23	29·843	64·5	61·5	3·0	62·9	62·3	·535	96	100	...	...	0·090	7	— 2·8	+ 18·2	99	18·4	18·2
24	29·786	70·6	61·4	9·2	66·2	65·5	·620	96	86	5·9	51	...	...	— 1·5	+ 14·2	96	14·3	14·2
25	29·815	70·8	62·1	8·7	65·7	65·2	·616	97	99	0·7	6	...	...	— 0·8	+ 17·1	93	17·1	17·1
26	29·861	71·4	52·0	19·4	62·7	61·3	·525	92	90	0·9	8	0·325	8	+ 2·2	+ 10·4	78	10·6	13·7
27	30·099	52·4	49·3	3·1	50·7	46·7	·267	72	100	...	...	...	...	+ 9·5	+ 2·3	14	9·8	9·8
28	30·080	56·7	51·1	5·6	54·3	49·8	·299	71	100	...	...	...	1	+ 5·0	+ 8·5	60	9·9	10·7
Means	29·925	65·0	58·1	6·9	61·3	58·5	0·461	83	87	Sum. 79·3	25	Sum. 5·490	Sum. 85	+ 0·4	+ 13·7	88	13·7	15·4
Normals	30·018	62·9	55·2	7·7	58·8	54·9	0·390	76	74	99·7	31	1·603	62	+ 2·3	+ 11·3	78	11·6	14·3
Absolute Max.	30·199	73·2	...	19·4	...	69·6	0·706	...	...	10·6	95	1·440	14	...	...	...	...	39·0†
Day.	5	7	...	2·6	...	11	11	...	...	3	3	14	14	...	...	...	...	5d 11h to 19d 0h
Absolute Min.	29·702	...	49·3	3·0	...	45·1	0·245	52	...	...	...	...	...	...	...	...	...	...
Day.	10	...	27	23	...	27	3	3	...	...	...	...	...	...	...	...	...	...

Phenomena :—
Lunar corona :—on the 4th and 12th.
Thick fog :—on the 24th and 25th.
Fog :—on the 25th and 26th.
Slight fog :—on the 1st, 2nd, 7th, 8th, 10th, 11th, 15th, 23rd and 24th.
Haze :—on the 3rd.

Thunderstorms follows :—
14d 12h 24m to 13h 30m SSW to NNE ; *n*earest at 12h 44m (7*n*).

Rain fell on 12 days. The mean hourly intensity was 0·065ins., and the maximum fall in one hour was 0·390ins. at 11h on the 11th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 55 miles per hour at 10h 31m on the 18th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1912.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Temperature. Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction. *	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1017·9	289·9	286·8	3·1	288·4	287·5	15·6	...	4	— 0·4	+ 2·3	100	2·4	2·5
2	1017·0	288·1	285·2	2·9	286·9	286·3	14·6	2·2	11	+ 0·7	— 1·0	303	1·2	2·6
3	1019·4	290·3	283·1	7·2	286·6	283·7	10·4	...	...	+ 0·5	+ 0·4	41	0·6	2·5
4	1021·7	289·4	286·9	2·5	287·5	285·4	12·6	...	...	+ 0·2	+ 6·7	88	6·7	6·8
5	1022·9	289·2	287·1	2·1	287·9	285·9	13·1	...	...	+ 0·2	+ 7·4	88	7·4	7·4
6	1019·7	290·9	287·6	3·3	289·1	287·2	14·5	...	...	— 0·2	+ 4·8	93	4·8	5·1
7	1016·0	295·9	288·8	7·1	291·9	289·6	16·8	0·5	1	— 0·4	+ 0·2	155	0·5	1·6
8	1014·8	294·7	289·7	5·0	291·1	289·2	16·7	...	...	...	+ 3·6	91	3·6	3·8
9	1013·8	294·0	289·6	4·4	291·4	288·7	15·4	0·2	1	— 1·0	+ 5·2	101	5·3	5·3
10	1009·8	292·8	290·8	2·0	291·6	290·7	19·3	0·1	1	+ 0·4	+ 4·1	85	4·1	4·1
11	1010·6	295·1	290·4	4·7	292·9	292·2	21·5	20·2	7	...	+ 2·4	90	2·4	2·8
12	1014·1	290·4	288·6	1·8	289·4	287·7	15·1	...	...	+ 0·1	+ 10·3	89	10·3	10·3
13	1013·6	290·1	288·3	1·8	289·3	288·2	16·3	6·6	3	— 0·4	+ 9·5	93	9·5	9·5
14	1010·8	291·3	288·9	2·4	289·8	289·4	18·2	36·6	14	— 1·4	+ 7·6	100	7·7	7·6
15	1012·3	293·0	287·8	5·2	290·6	288·4	15·6	0·9	2	+ 0·4	+ 0·8	65	0·9	1·6
16	1014·4	290·8	286·1	4·7	288·6	286·4	13·4	...	...	+ 0·4	+ 4·7	85	4·7	5·0
17	1013·7	290·3	287·8	2·5	288·8	287·1	14·6	30·6	9	+ 0·8	+ 10·1	86	10·1	10·2
18	1015·9	290·1	287·2	2·9	288·7	287·6	15·5	27·4	10	+ 0·5	+ 8·1	86	8·1	8·2
19	1017·1	290·3	287·1	3·2	288·3	286·6	14·0	3·6	3	+ 1·7	+ 1·0	32	2·0	2·3
20	1015·6	290·5	286·7	3·8	288·2	286·1	13·1	...	...	+ 0·1	+ 4·7	89	4·7	4·7
21	1015·5	290·1	287·7	2·4	288·6	286·6	13·8	...	1	— 0·4	+ 5·2	95	5·3	5·3
22	1015·1	293·6	288·7	4·9	291·3	289·7	17·5	...	2	— 1·5	+ 4·4	109	4·7	4·7
23	1012·6	291·1	289·4	1·7	290·2	289·8	18·7	2·3	7	— 0·9	+ 6·0	99	6·0	6·0
24	1010·7	294·4	289·3	5·1	292·0	291·6	20·9	...	...	— 0·5	+ 4·7	96	4·7	4·7
25	1011·7	294·6	289·7	4·9	291·7	291·4	20·8	...	...	— 0·3	+ 5·6	93	5·6	5·6
26	1013·3	294·9	284·1	10·8	290·1	289·3	17·7	8·3	8	+ 0·7	+ 3·4	78	3·5	4·5
27	1021·4	284·3	282.6	1·7	283·4	281·2	9·0	...	...	+ 3·1	+ 0·8	14	3·2	3·2
28	1020·8	286·7	283·6	3·1	285·4	282·9	10·1	...	1	+ 1·6	+ 2·8	60	3·2	3·5
Means.	1015·5	291·3	287·5	3·8	289·3	287·7	15·5	Sum. 139·5	Sum. 85	+ 0·1	+ 4·5	88	4·5	5·0
Normals	1018·6	290·2	285·9	4·3	287·9	285·7	13·1	40·7	62	+ 0·8	+ 3·7	78	3·8	4·7
Absolute Maximum	1024·8	295·9	...	10·8	...	293·9	23·8	36·6	14	...	...	...	...	12·8†
Day.	5	7	...	26	...	11	11	14	14	...	...	...	...	5th 11h 4c 12th 8h
Absolute Minimum.	1007·8	...	282·6	1·7	...	280·3	8·2	...	...	...	...	...	...	...
Day.	10	...	27	23 & 27	...	27	3	...	...	...	...	...	...	...

* 0° = N. 90° = E. &c. † Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·935	60·3	58·2	0·465	86	95		4	6	+ 0·8	+ 14·7	87	14·7	15·6
2	29·930	60·3	58·1	·462	86	90		7	5	+ 0·8	+ 14·2	87	14·2	15·2
3	29·923	60·2	58·1	·463	86	90		7	6	+ 1·4	+ 13·2	84	13·3	14·3
4	29·915	60·2	58·1	·463	86	91		1	5	+ 1·1	+ 13·4	85	13·4	14·4
5	29·912	60·1	57·9	·458	86	89		...	3	+ 0·5	+ 13·6	88	13·6	14·4
6	29·921	60·1	57·8	·455	85	88	...	...	2	+ 1·1	+ 13·2	85	13·2	14·4
7	29·937	60·1	57·7	·452	85	86	9	1	2	+ 0·9	+ 12·7	86	12·7	14·4
8	29·953	60·4	57·9	·454	84	85	23	5	4	+ 0·6	+ 13·0	87	13·0	14·5
9	29·964	61·6	58·6	·460	82	85	37	1	3	+ 0·4	+ 13·9	88	13·9	15·5
10	29·974	62·6	59·2	·466	80	81	35	...	5	...	+ 14·5	90	14·5	15·9
11	29·966	63·2	59·5	·467	78	83	29	8	3	— 0·3	+ 15·1	91	15·1	17·2
Noon.	29·949	63·3	59·6	·469	78	87	28	5	2	— 1·1	+ 14·8	94	14·8	16·9
13	29·920	63·4	59·8	·474	79	85	27	7	4	— 0·8	+ 14·5	93	14·5	16·7
14	29·895	63·5	59·7	·469	78	87	24	6	5	— 0·6	+ 13·4	93	13·4	15·2
15	29·879	63·4	59·7	·471	78	87	30	3	3	— 0·4	+ 12·7	92	12·7	15·2
16	29·876	62·8	59·3	·466	79	82	25	1	3	+ 0·1	+ 12·5	90	12·5	15·3
17	29·882	62·2	59·0	·465	81	83	15	7	4	+ 0·2	+ 13·3	89	13·3	16·1
18	29·892	61·4	58·4	·457	81	84	...	8	5	+ 0·1	+ 13·2	90	13·2	15·9
19	29·904	60·9	58·2	·457	83	87		4	5	— 0·1	+ 13·1	90	13·1	15·2
20	29·916	60·6	58·0	·455	83	83		5	5	+ 0·7	+ 13·3	87	13·3	15·1
21	29·931	60·3	57·9	·456	85	87		} 9	4	+ 0·9	+ 13·8	86	13·8	15·3
22	29·941	60·2	57·8	·454	85	88			4	+ 1·2	+ 13·9	85	13·9	15·5
23	29·944	60·0	57·7	·454	85	91		6	5	+ 1·4	+ 14·0	84	14·1	15·6
Midn.	29·941	59·9	57·7	·455	86	92		5	7	+ 1·0	+ 14·8	86	14·8	16·1

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of FEBRUARY, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1015·8	288·7	287·6	15·7	+ 0·3	+ 4·8	87	4·8	5·1
2	1015·6	288·7	287·5	15·6	+ 0·3	+ 4·7	87	4·7	5·0
3	1015·4	288·7	287·5	15·6	+ 0·5	+ 4·3	84	4·4	4·7
4	1015·1	288·7	287·5	15·6	+ 0·4	+ 4·4	85	4·4	4·7
5	1015·0	288·6	287·4	15·4	+ 0·2	+ 4·5	88	4·5	4·7
6	1015·3	288·6	287·3	15·3	+ 0·4	+ 4·3	85	4·3	4·7
7	1015·9	288·6	287·3	15·2	+ 0·3	+ 4·2	86	4·2	4·7
8	1016·4	288·8	287·4	15·3	+ 0·2	+ 4·3	87	4·3	4·8
9	1016·8	289·4	287·8	15·5	+ 0·1	+ 4·6	88	4·6	5·1
10	1017·1	290·0	288·1	15·7	...	+ 4·8	90	4·8	5·2
11	1016·8	290·3	288·3	15·7	— 0·1	+ 5·0	91	5·0	5·6
Noon.	1016·2	290·4	288·3	15·8	— 0·4	+ 4·9	94	4·9	5·5
13	1015·2	290·4	288·4	16·0	— 0·3	+ 4·8	93	4·8	5·5
14	1014·4	290·5	288·4	15·8	— 0·2	+ 4·4	93	4·4	5·0
15	1013·9	290·4	288·4	15·9	— 0·1	+ 4·2	92	4·2	5·0
16	1013·8	290·1	288·2	15·7	...	+ 4·1	90	4·1	5·0
17	1014·0	289·8	288·0	15·7	+ 0·1	+ 4·4	89	4·4	5·3
18	1014·3	289·3	287·7	15·4	...	+ 4·3	90	4·3	5·2
19	1014·7	289·1	287·6	15·4	...	+ 4·3	90	4·3	5·0
20	1015·1	288·9	287·4	15·3	+ 0·2	+ 4·4	87	4·4	5·0
21	1015·7	288·7	287·4	15·4	+ 0·3	+ 4·5	86	4·5	5·0
22	1016·0	288·7	287·3	15·3	+ 0·4	+ 4·6	85	4·6	5·1
23	1016·1	288·6	287·3	15·3	+ 0·5	+ 4·6	84	4·6	5·1
Midn.	1016·0	288·5	287·3	15·3	+ 0·3	+ 4·9	86	4·9	5·3

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

FEBRUARY,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	31st JANUARY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st FEBRUARY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.49	774.5	30	...	NNE	3	b	6	30.52	775.3	—6	...	...	0	b
Nemuro,	11	29.96	761.0	...	...	NW	5	...	5	30.16	766.0	...	...	WSW	2	...
Hakodate,	"	30.08	764.0	...	...	W	7	...	"	30.30	769.5	...	...	NNW	2	...
Tokio,	"	30.22	767.5	...	...	SW	4	...	"	30.41	772.5	...	...	ENE	1	...
Kochi,	"	30.39	772.0	...	...	N	2	...	"	30.49	774.5	...	...	WSW	1	...
Nagasaki,	"	30.47	774.0	...	...	NNE	3	...	"	30.45	773.5	...	...	NE	1	...
Kagoshima,	"	30.43	773.0	...	...	ENE	1	...	"	30.43	773.0	...	...	NE	3	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	30.28	769.0	...	...	ENE	3	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.18	766.5	...	...	NW	1	...	"	30.26	768.5	...	...	NNE	2	...
Weihaiwei,	14	30.57	776.5	32	90	...	0	b	6	30.55	775.9	23	87	...	0	b
Haakow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.58	776.7	39	52	NE	1	o	"	30.43	772.9	32	100	ENE	2	r
Gutzlaff,	"	30.50	774.7	40	102	NE	4	o	"	30.39	771.9	40	100	NE	4	r
Sharp Peak,	14	30.24	768.1	45	91	NNW	2	r	7	30.00	764.3	50	93	N	2	rf
Amoy,	15	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow,	"	...	...	55	87	ENE	2	o	"	...	...	...	...	...	...	...
Taihoku,	12	30.28	769.2	61	87	E	4	o	"	30.05	763.2	61	98	...	0	o
Taichu,	"	30.20	767.1	61	...	N	2	o	"	30.10	764.4	59	...	...	0	o
Tainan,	"	30.20	767.1	64	...	NNW	4	o	"	30.06	763.5	68	...	N	4	o
Koshun,	"	30.17	766.2	73	...	ENE	6	o	"	30.05	763.2	68	...	ESE	2	b
Pescadores,	"	30.23	767.7	59	...	NNE	8	o	"	30.08	764.1	55	...	NNE	6	o
Canton,	15	30.14	765.5	51	93	N	2	o	"	30.12	765.0	48	93	N	2	cr
Hongkong,	14	30.10	764.5	56	84	E	3	o	"	30.07	763.8	59	89	E	3	o
Gap Rock,	"	30.09	764.3	...	...	NE	6	o	"	30.06	763.5	...	...	NE	4	o
Macao,	"	30.11	764.7	52	97	NNW	2	r	"	30.06	763.5	50	92	NNW	2	rf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.05	763.5	59	89	NE	1	o	7	30.07	763.8	57	100	ENE	1	rf
Tourane,	"	29.99	761.7	68	...	NNW	6	o	"	29.99	761.7	68	...	...	0	o
Cape St. James,	"	29.87	758.7	79	...	ENE	6	o	"	29.91	759.6	75	...	NE	4	o
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.85	758.2	83	83	N	4	b	6	29.84	757.9	78	91	SW	4	o

February 1*d*. 12*h*. 13*m*.—Pressure has decreased moderately from Shanghai to Haiphong and increased moderately over Japan.

The anticyclone has weakened and moved eastward. It is now central over the sea of Japan.

Fresh monsoon may be expected along the S.E. Coast of China and moderate monsoon over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·66 inches, against an average of 1·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; overcast, fog.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st FEBRUARY, 1922.								2nd FEBRUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.44	773.3	20	...	...	0	b	6	30.19	766.9	13	...	...	0	0
Nemuro,	11	30.20	767.0	...	...	NW	4	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.33	770.5	...	...	WNW	6	...	"	...	...	...	...	...	...	...
Tokio,	"	30.41	772.5	...	...	NW	3	...	"	...	...	...	...	...	...	...
Kochi,	"	30.45	773.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.41	772.5	...	...	ESE	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.37	771.5	...	...	NNE	3	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.28	769.0	...	...	N	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.44	773.2	34	79	NNE	1	0	6	30.30	769.6	28	100	...	0	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.38	771.6	41	97	ENE	1	r	"	30.27	768.8	37	100	ENE	1	rf
Gutzlaff,	"	30.27	768.8	44	100	E	4	of	"	30.22	[illegible]	40	100	NNW	2	cf
Sharp Peak,	14	30.07	763.8	56	87	E	1	r	7	30.05	763.2	50	92	ENE	2	r
Amoy,	15	30.06	763.5	58	100	ENE	1	o	6	30.04	763.0	56	94	W	1	r
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.14	765.6	57	89	NW	6	o	"	30.05	763.2	59	96	E	4	o
Taichu,	"	30.13	765.3	68	...	N	4	o	"	30.01	762.3	57	...	...	0	b
Tainan,	"	30.00	762.0	70	...	NNW	4	of	"	29.98	761.4	59	...	N	2	o
Koshun,	"	30.07	763.8	73	...	E	2	r	"	29.99	761.7	70	...	NE	4	o
Pescadores,	"	30.17	766.2	57	...	NNE	6	o	"	30.02	762.6	59	...	NNE	6	o
Canton,	15	30.05	763.5	56	94	N	2	or	"	30.09	764.3	48	93	N	3	cr
Hongkong,	14	30.01	762.2	62	87	...	0	odf	"	30.01	762.2	59	96	ESE	2	od
Gap Rock,	"	30.02	762.5	...	...	N	4	o	"	29.99	761.7	...	...	NNE	4	od
Macao,	"	30.01	762.3	57	93	N	2	o	"	29.95	760.8	52	97	NW	2	rf
Wuchow,	15	...	...	...	...	...	...	...	9	30.11	764.8	55	80	N	3	o
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoibow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.99	761.7	64	88	...	0	r	7	30.01	762.3	59	100	ENE	4	rf
Tourane,	"	29.94	760.5	70	...	N	2	o	"	29.97	761.1	70	...	...	0	o
Cape St. James,	"	29.87	758.7	79	...	ENE	6	o	"	29.93	760.2	75	...	NE	6	o
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Legaspi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	84	83	N	4	b	6	29.84	757.9	80	87	W	2	b

February 2*d.* 12*h.* 30*m.*—Pressure has decreased considerably at Wladivostock and Weihaiwei, moderately at Shanghai and slightly from Formosa to Haiphong.

Moderately monsoon and fog may be expected along the S. and S.E. Coasts of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 2·37 inches, against an average of 1·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.W. to N.E. winds, fresh to moderate; overcast,
2.—Formosa Channel,	The same as No. 1. [drizzle, fog.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd February, 1922.								3rd February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.06	763.5	29	...	...	0	0	6	30.02	762.5	14	...	NNE	4	b
Nemuro, ...	11	30.28	769.0	...	...	S	1	...	5	30.10	764.5	...	...	SE	1	...
Hakodate, ...	"	30.26	768.5	...	...	SW	4	...	"	...	...	...	...	NE	1	...
Tokio, ...	"	30.35	771.0	...	...	NNW	1	...	"	29.78	756.5	...	...	NW	2	...
Kochi, ...	"	30.24	768.0	...	...	SW	1	...	"	29.90	759.5	...	...	WNW	1	...
Nagasaki, ...	"	29.92	760.0	...	...	E	4	...	"	29.88	759.0	...	...	N	3	...
Kagoshima, ...	"	29.98	761.5	...	...	SSE	1	...	"	29.84	758.0	...	...	WNW	3	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	30.31	770.0	...	...	E	2	...	"	30.10	764.5	...	...	S	5	...
Weihaiwei, ...	14	30.17	766.3	34	79	WNW	2	b	6	30.16	766.0	32	88	WNW	2	b
Haikow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.24	768.1	37	100	NW	2	o	"	30.29	769.3	34	100	NW	1	o
Gutzlaff, ...	"	30.13	765.3	38	102	NNW	4	of	"	30.28	769.1	34	100	NNW	4	r
Sharp Peak, ...	14	29.98	761.5	52	93	E	2	r	7	30.09	764.3	50	96	E	1	o
Amoy, ...	15	29.98	761.5	56	100	...	0	o	6	30.11	764.8	54	94	SSW	2	r
Swatow, ...	"	30.07	763.8	57	75	N	2	o	"	30.11	764.8	50	79	N	2	b
Taihoku, ...	12	29.93	760.8	63	92	E	4	r	"	30.11	764.7	54	95	NW	4	r
Taichu, ...	"	29.98	761.4	68	...	...	0	o	"	30.05	763.2	55	...	N	4	b
Tainan, ...	"	29.97	761.1	75	...	NW	2	b	"	30.00	762.0	59	...	N	4	b
Koshun, ...	"	29.97	761.1	77	...	E	6	b	"	29.99	761.7	68	...	NW	4	b
Pescadores, ...	"	30.00	762.0	64	...	NE	6	o	"	30.07	763.8	57	...	NNE	6	o
Canton, ...	15	30.05	763.5	49	85	N	2	o	"	30.09	766.8	42	92	N	2	b
Hongkong, ...	14	29.97	761.2	57	96	NW	2	odf	"	30.09	764.3	50	70	N	2	b
Gap Rock, ...	"	29.96	761.0	...	...	NW	5	o	"	30.08	764.0	...	...	NW	4	b
Macao, ...	"	29.93	760.2	54	90	NNW	2	o	"	30.10	764.4	45	82	NNW	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.99	761.7	59	100	N	2	rf	7	30.14	765.6	55	84	NE	2	o
Tourane, ...	"	29.88	759.0	77	...	SSE	2	o	"	...	...	68	...	N	4	o
Cape St. James,	"	29.86	758.4	79	...	ENE	6	b	"	29.88	759.0	75	...	ENE	4	o
Aparri, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Legaspi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam, ...	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.79	756.6	84	83	NE	2	b	6	29.81	757.2	80	87	SW	4	o

February 3d. 12h. 09m.—Pressure has decreased very considerably over central Japan under the influence of a typhoon which formed to the north of the Loochoos yesterday morning and moved north-eastward.

An anticyclone has formed over China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 2·74 inches, against an average of 1·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N. winds, moderate; fine.
2.—Formosa Channel, ...	N. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	N.E. winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd February, 1922.								4th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.98	761.4	20	...	N	5	b	6	30.13	765.3	4	...	NNW	2	b
Nemuro,	11	29.86	758.5	...	...	E	3	...	5	29.08	738.5	...	...	NNW	7	...
Hakodate,	"	29.76	756.0	...	...	N	1	...	"	29.49	749.0	...	...	NW	7	...
Tokio,	"	29.53	750.0	...	...	...	...	...	"	29.65	753.0	...	...	NW	2	...
Kochi,	"	29.63	752.5	...	...	W	1	...	"	29.96	761.0	...	...	W	1	...
Nagasaki,	"	29.88	759.0	...	...	NNW	3	...	"	30.16	766.0	...	...	NNW	4	...
Kagoshima,	"	29.57	751.0	...	...	NNW	3	...	"	30.14	765.5	...	...	NNW	1	...
Oshima,	"	29.88	759.0	...	...	NNW	4	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	30.08	764.0	...	...	NNW	5	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.00	762.0	...	...	S	7	...	"	29.90	759.5	...	...	WNW	4	...
Weihaiwei,	14	30.15	765.8	34	79	NNW	1	o	6	30.29	769.3	28	100	W	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.34	770.6	39	73	WNW	2	o	"	30.40	772.1	28	...	WSW	1	b
Gutzlaff,	"	30.29	769.3	40	100	NNW	1	o	"	30.40	772.1	34	100	NW	1	b
Sharp Peak,	14	30.10	764.5	54	74	E	2	o	7	30.28	769.1	48	82	NW	1	b
Amoy,	15	30.07	763.8	62	90	E	2	o	6	30.23	767.8	50	93	NE	1	o
Swatow,	"	30.08	764.0	58	81	E	2	c	"	30.13	765.3	52	86	ESE	2	c
Taihoku,	12	30.19	766.8	54	88	WNW	2	r	"	30.21	767.4	55	77	E	1	o
Taichu,	"	30.08	764.1	63	...	NNW	4	o	"	30.14	765.6	54	...	...	o	b
Tainan,	"	30.05	763.2	66	...	N	6	b	"	30.12	765.0	52	...	N	1	b
Koshun,	"	30.04	762.9	73	...	N	2	b	"	30.11	764.7	64	...	NE	6	b
Pescadores,	"	30.13	765.3	61	...	NNE	6	o	"	30.17	766.2	57	...	S	7	o
Canton,	15	30.11	764.8	59	70	NW	2	b	"	30.18	766.6	52	79	NNW	1	o
Hongkong,	14	30.07	763.8	63	56	W	2	b	"	30.14	765.5	57	80	E	5	o
Gap Rock,	"	30.08	764.0	...	...	NNW	3	b	"	30.13	765.3	...	...	ENE	1	c
Macao,	"	30.06	763.5	57	62	NNE	2	b	"	29.13	765.3	54	85	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.07	763.8	63	75	...	o	o	7	30.13	765.3	57	84	E	1	o
Tourane,	"	29.99	761.7	66	...	N	6	of	"	30.02	762.6	64	...	WNW	1	o
Cape St. James,	"	29.82	757.5	79	...	ENE	1	b	"	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	...	...	...	...	...	...	...	"	29.93	760.2	72	89	NE	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.92	759.9	79	89	NE	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.85	758.1	75	94	NNE	1	o
Surigao,	"	...	...	...	...	...	...	...	"	29.85	758.1	75	96	...	o	o
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	80	91	N	2	r	6	29.79	756.6	77	91	SW	1	o

February 4*d.* 11*h.* 28*m.*—Pressure has decreased very considerably over N.E. Japan, the typhoon having deepened. At 6 a.m. this morning it was to the east of Nemuro. Pressure has increased slightly from Weihaiwei to Hongkong and is nearly stationary over Indo-China.

Fresh to moderate monsoon may be expected along the S.E. Coast of China and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·74 inches, against an average of 1·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; generally cloudy, some [drizzle or mist.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th February, 1922.								5th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.15	765.8	13	...	NNE	3	b	6	30.31	770.0	9	...	...	0	b
Nemuro,	11	29.23	742.5	...	...	NW	7	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.59	751.5	...	...	NW	7	...	"	...	...	...	...	...	...	...
Tokio,	"	29.76	756.0	...	...	NNW	5	...	"	...	...	...	...	...	...	...
Kochi,	"	30.04	763.0	...	...	NW	3	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.24	768.0	...	...	WNW	6	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.20	767.0	...	...	NNW	4	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.94	760.5	...	...	WNW	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.33	770.4	28	65	SW	1	b	6	30.42	772.6	27	89	SSE	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.45	773.4	45	71	WSW	1	b	"	30.45	773.4	32	100	ESE	1	b
Gutzlaff,	"	30.41	772.4	44	100	...	0	b	"	30.48	774.2	40	100	E	2	o
Sharp Peak,	14	30.20	767.1	56	75	NE	2	o	7	30.29	769.3	52	79	W	1	o
Amoy,	15	30.15	765.8	63	78	E	4	b	6	30.31	769.9	54	94	W	1	o
Swatow,	"	...	...	...	...	...	...	...	"	30.08	764.0	52	100	ENE	1	c
Taihoku,	12	30.24	768.0	63	70	E	6	o	"	30.27	768.9	59	96	E	4	o
Taichu,	"	30.20	767.1	63	...	...	0	o	"	30.24	768.0	61	...	...	0	o
Tainan,	"	30.18	766.5	70	...	N	4	b	"	30.20	767.1	57	...	N	4	b
Koshun,	"	30.14	765.6	61	...	NNE	6	b	"	30.18	766.5	57	...	N	4	b
Pescadores,	"	30.23	767.7	63	...	N	6	b	"	30.26	768.6	59	...	NNE	6	o
Canton,	15	30.15	765.8	61	66	N	1	o	"	30.25	768.3	56	94	...	0	o
Hongkong,	14	30.13	765.3	60	70	E	4	c	"	30.24	768.1	59	71	E	3	o
Gap Rock,	"	30.11	764.8	...	...	NE	4	c	"	30.21	767.3	...	...	NE	4	c
Macao,	"	30.11	764.7	61	74	E	2	o	"	30.18	766.5	57	79	WSW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.08	764.1	66	71	ENE	2	o	7	30.17	766.2	59	100	NNW	2	rf
Tourane,	"	29.99	761.7	66	...	N	4	o	"	30.06	763.5	66	...	NNW	4	o
Cape St. James,	"	29.84	757.8	79	...	ENE	6	o	"	29.89	759.3	73	...	NE	2	o
Aparri,	14	29.99	761.7	75	76	NE	4	o	6	29.12	765.0	72	92	NE	4	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	90	48	E	4	o	"	29.97	761.1	72	89	ENE	1	o
Legaspi,	"	29.88	759.0	86	58	ENE	4	b	"	29.94	760.5	77	88	NE	4	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.92	759.9	73	94	...	0	o
Iloilo,	"	29.84	757.8	77	88	NE	6	r	"	29.92	759.9	73	89	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.82	757.5	...	...	NE	4	r	4.20	29.86	758.4	...	...	ENE	2	r
Yap,	12.47	29.78	756.3	...	...	NE	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	80	87	...	...	...	6	29.81	757.2	77	91	E	4	b

February 5*d.* 11*h.* 53*m.*—Pressure has increased slightly to moderately at all reporting stations. The anticyclone is probably moving eastward.

Fresh monsoon may be expected along the S.E. Coast of China and over the N. China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·74 inches, against an average of 1·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. to E. winds, stong moderating; fine to cloudy.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th February, 1922.								6th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.19	766.9	19	...	SE	3	o	6	30.44	773.2	5	...	NE	1	b
Nemuro,	11	29.92	760.0	...	...	NW	6	...	5	29.96	761.0	...	...	SE	3	...
Hakodate,	"	30.05	763.5	...	...	WSW	8	...	"	29.92	760.0	...	...	WSW	6	...
Tokio,	"	30.18	766.5	...	...	N	3	...	"	30.28	769.0	...	...	NNW	1	...
Kochi,	"	...	...	...	...	...	...	...	"	30.37	771.5	...	...	SW	1	...
Nagasaki,	"	30.41	772.5	...	...	WNW	2	...	"	30.39	772.0	...	...	SE	1	...
Kagoshima,	"	30.41	772.5	...	...	E	2	...	"	30.39	772.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.14	765.5	...	...	NNW	3	...	"	30.26	768.5	...	...	N	1	...
Weihaiwei,	14	30.34	770.6	40	74	S	2	b	6	30.35	770.9	32	100	S	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.43	774.2	54	59	ESE	2	b	"	30.30	769.6	45	97	SE	2	o
Gutzlaff,	"	30.41	772.4	50	100	SE	4	b	"	30.30	769.6	47	100	SE	4	o
Sharp Peak,	14	30.24	768.1	58	76	N	2	o	7	30.16	766.0	58	81	W	2	o
Amoy,	15	...	...	...	...	...	...	...	6	30.15	765.8	60	71	W	2	b
Swatow,	"	30.03	762.7	60	82	ESE	4	b	"	30.06	763.5	55	94	NNE	1	b
Taihoku,	12	30.28	769.2	70	69	ENE	4	b	"	30.15	765.9	55	96	...	o	o
Taichu,	"	30.27	768.9	64	...	N	4	b	"	30.17	766.2	57	...	...	o	o
Tainan,	"	30.25	768.3	72	...	NNE	4	b	"	30.14	765.6	59	...	ENE	2	o
Koshun,	"	30.24	768.0	70	...	N	4	o	"	30.13	765.3	64	...	...	o	o
Pescadores,	"	30.30	769.5	61	...	NNE	6	o	"	30.18	766.5	59	...	NE	4	o
Canton,	15	30.16	766.0	68	70	NNW	1	o	"	30.16	766.0	57	94	...	o	b
Hongkong,	14	30.17	766.3	61	69	E	4	o	"	30.13	765.3	59	79	ENE	4	o
Gap Rock,	"	30.16	766.0	...	...	NE	5	o	"	30.11	764.8	...	...	ENE	4	b
Macao,	"	30.15	765.9	68	68	ESE	2	b	"	30.12	765.0	57	91	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.12	765.0	59	98	NE	2	rf	7	30.08	764.1	59	100	N	2	rf
Tourane,	"	30.02	762.6	70	...	N	2	o	"	30.02	762.6	68	...	SSE	2	o
Cape St. James,	"	29.84	757.8	79	...	ENE	6	o	"	29.85	768.1	73	...	NNE	6	o
Aparri,	14	30.06	763.5	77	68	ENE	4	o	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.89	759.3	86	49	SE	4	o	"	...	...	...	...	...	...	...
Legaspi,	"	29.91	759.6	77	88	NE	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.85	758.1	82	60	NE	6	o	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	29.86	758.4	75	79	ENE	4	o
Guam,	12.20	29.81	757.2	...	...	ENE	4	r	4.20	29.85	758.1	...	...	ENE	6	o
Yap,	12.47	29.79	756.6	...	...	E	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	62	N	2	b	6	29.81	757.2	78	91	SW	2	b

February 6*d.* 11*h.* 57*m.*—Pressure has increased slightly to moderately over Japan and decreased slightly to moderately at other reporting stations.

The anticyclone is now central over the Sea of Japan.

Moderate monsoon and fog may be expected along the S. and S.E. Coasts of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·74 inches, against an average of 1·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	E. winds, moderate; fair at first, fog later.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th FEBRUARY, 1922.								7th FEBRUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.36	771.1	18	...	N	2	b	6	30.05	763.2	26	...	ESE	3	o
Nemuro,	11	29.69	754.0	...	...	S	8	...	5	30.14	765.5	...	...	SW	2	...
Hakodate,	"	30.08	764.0	...	...	WNW	9	...	"	30.18	766.5	...	...	WSW	6	...
Tokio,	"	30.24	768.0	...	...	NW	1	...	"	30 30	769.5	...	...	NNW	1	...
Kochi,	"	...	...	...	...	...	...	...	"	30.22	767.5	...	...	WSW	1	...
Nagasaki,	"	30 00	762.0	...	...	SSE	1	...	"	30.12	765 0	...	...	ESE	5	...
Kagoshima,	"	30.33	770.5	...	...	SE	1	...	"	30.12	765.0	...	...	NE	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.84	758.0	...	...	E	6	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.26	768.5	...	...	N	1	...	"	30.22	767.5	...	...	ENE	1	...
Weihaiwei,	14	30.24	768.1	36	88	SSW	2	o	6	30.03	762.7	36	100	...	o	cf
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30 27	768.8	52	92	SE	1	o	"	30.02	762.5	46	100	WSW	1	r
Gutzlaff,	"	30.18	766.6	50	100	SE	2	of	"	30.04	763.0	44	100	SW	1	rf
Sharp Peak,	14	30.06	763.5	70	70	S	1	o	7	29.94	760.5	54	89	...	o	rf
Amoy,	15	30.06	763.5	67	84	SSE	2	b	6	30.02	762.5	62	90	ENE	2	o
Swatow,	"	29.90	759.4	60	82	E	4	c	"	29.97	761.2	59	88	NNE	1	or
Taihoku,	12	30.17	766.2	70	74	...	o	b	"	30.01	762.3	59	100	...	o	o
Taichu,	"	30.19	766.8	66	...	...	o	b	"	30.04	762.9	54	...	...	o	b
Tainan,	"	30.20	767.1	72	...	N	2	b	"	30.01	762.3	55	...	...	1	o
Koshun,	"	30.14	765.6	72	...	E	4	o	"	30.01	762.3	66	...	E	1	b
Pescadores,	"	30.20	767.1	64	...	NE	4	o	"	30.01	762.3	61	...	ENE	2	b
Canton,	15	30.07	763.8	67	74	NE	1	o	"	30.03	762.7	60	94	N	1	o
Hongkong,	14	30.07	763.8	64	75	ESE	2	o	"	30 01	762.2	60	94	E	1	o
Gap Rock,	"	30.05	763.5	...	...	NE	4	o	"	30 01	762.2	...	...	NNE	4	cd
Macao,	"	30.05	763.2	63	75	NNE	2	o	"	30.00	762.0	59	98	E	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.02	762.6	61	100	NW	2	rf	7	30.01	762.3	61	100	...	o	rf
Tourane,	"	29.97	761.1	72	...	N	2	o	"	29.95	760 8	70	...	SSE	2	o
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	68	...	NE	4	o
Aparri,	14	29.93	760.2	79	61	ENE	4	o	6	29.97	761.1	66	94	SE	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.89	759.3	84	45	E	4	o	"	...	...	...	...	...	...	...
Legaspi,	"	29.89	759.3	82	57	ENE	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.84	757.8	81	73	NNE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	29.79	756.6	82	74	ENE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NE	6	o	4.20	29.79	756.6	...	...	NE	6	o
Yap,	12.47	29.76	756.0	...	...	WNW	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	84	79	N	6	b	6	29.78	756.4	78	95	SW	2	b

February 7*d.* 11*h.* 59*m.*—Pressure is highest to the north of the Bonins. It has increased considerably over N.E. Japan and decreased considerably from Wladivostock to Shanghai, moderately from Foochow to Hongkong, and slightly over Indo-China and the Philippines.

The monsoon is interrupted along the Coast of China. Fog may be expected.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 2·76 inches, against an average of 1·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, light to moderate; generally
2.—Formosa Channel,	The same as No. 1. [fair, fog later.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th February, 1922.								8th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.00	762.1	37	...	SSE	4	c	6	29.97	761.3	28	...	SE	2	f
Nemuro,	11	30.16	766.0	...	...	SSW	4	...	5	30.14	765.5	...	...	SW	1	...
Hakodate,	"	30.18	766.5	...	...	SW	3	...	"	30.08	764.0	...	...	SSW	1	...
Tokio,	"	30.24	768.0	...	...	NW	2	...	"	30.02	762.5	...	...	NNW	1	...
Kochi,	"	30.20	767.0	...	...	...	...	...	"	29.69	754.0	...	...	W	1	...
Nagasaki,	"	29.94	760.5	...	...	SE	9	...	"	29.86	758.5	...	...	NW	2	...
Kagoshima,	"	30.08	764.0	...	...	SSE	2	...	"	29.86	758.5	...	...	WNW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.18	766.5	...	...	ESE	2	...	"	30.06	763.5	...	...	SE	3	...
Weihaiwei,	14	29.96	761.0	46	77	...	0	b	6	29.98	761.5	34	90	SE	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.10	764.5	46	94	WNW	2	r	"	30.12	765.0	37	100	WNW	1	bf
Gutzlaff,	"	30.06	763.5	44	100	NW	4	o	"	30.15	765.8	40	100	NNW	1	b
Sharp Peak,	14	29.96	761.0	60	94	...	0	of	7	29.98	761.5	60	94	N	1	o
Amoy,	15	30.00	762.0	65	95	SSE	1	o	6	30.00	762.0	63	100	NE	1	o
Swatow,	"	...	...	...	...	...	...	...	"	29.92	759.9	62	94	SE	1	b
Taihoku,	12	30.06	763.5	66	76	...	0	o	"	30.00	762.0	61	56	E	2	o
Taichu,	"	30.05	763.5	70	...	...	0	o	"	29.95	760.8	59	...	...	0	o
Tainan,	"	30.04	762.9	77	...	SW	2	o	"	29.93	760.2	59	...	NNE	2	b
Koshun,	"	30.02	762.6	79	...	ESE	4	b	"	29.92	759.9	66	...	...	0	o
Pescadores,	"	30.06	763.5	70	...	N	4	o	"	29.95	760.8	66	...	N	4	o
Canton,	15	30.01	762.2	69	80	NW	1	o	"	29.97	761.2	59	94	...	0	dh
Hongkong,	14	29.98	761.5	75	65	...	0	o	"	29.94	760.5	63	94	...	0	om
Gap Rock,	"	30.00	762.0	...	...	NNE	3	o	"	29.94	760.5	...	...	NNE	2	o
Macao,	"	29.98	761.4	68	73	...	2	o	"	29.93	760.2	63	94	NNW	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	29.96	761.0	64	95	NE	2	o	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.00	762.0	64	100	...	0	rf	7	...	...	...	...	...	...	...
Tourane,	"	29.92	759.9	75	...	N	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	29.91	759.6	79	90	NE	4	o	6	29.91	759.6	66	92	SE	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.85	758.1	84	55	WNW	4	b	"	29.87	758.7	64	90	NE	1	b
Legaspi,	"	29.87	758.7	84	64	NNE	4	b	"	29.87	758.7	72	88	N	1	b
Taoloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	81	76	NE	4	o	"	29.81	757.2	73	86	NNE	4	o
Surigao,	"	29.81	757.2	75	89	...	0	r	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	84	79	N	6	b	6	29.77	756.1	78	86	SW	4	o

February 8*d*. 11*h*. 53*m*.—Pressure has decreased considerably over S.W. Japan which is now covered by a depression. Pressure has decreased slightly over S China and the Philippines. An anticyclone is probably forming over N. China.

The monsoon will set in again along the Coast of China and freshen slightly over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·76 inches, against an average of 1·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate to fresh; generally overcast, some [drizzle or mist.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th February, 1922.								5th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.00	762.1	31	...	SSE	2	s	6	30.02	762.4	29	...	SSE	2	f
Nemuro,	11	30.12	765.0	...	...	SE	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.02	762.5	...	...	E	3	...	"	...	...	...	...	...	...	...
Tokio,	"	29.86	758.5	...	...	WNW	2	...	"	...	...	...	...	...	...	...
Kochi,	"	29.76	756.0	...	...	NW	3	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.96	761.0	...	...	N	3	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.20	767.0	...	...	NW	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.98	761.5	...	...	SSE	5	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.95	760.7	40	91	SE	6	b	6	29.95	760.7	36	100	SW	4	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.15	765.8	54	70	WNW	1	b	"	30.01	762.2	39	97	SSE	1	b
Gutzlaff,	"	30.10	764.5	48	100	...	0	b	"	30.01	762.2	46	100	S	4	b
Sharp Peak,	14	30.02	762.5	69	75	SE	1	b	7	29.98	761.5	56	87	W	1	o
Amoy,	15	29.96	761.0	68	79	ESE	1	o	6	29.98	761.5	62	90	NE	1	b
Swatow,	"	29.91	759.7	65	89	SE	2	c	"	...	...	...	...	...	...	...
Taihoku,	12	30.06	763.5	63	65	E	4	b	"	29.99	761.7	61	93	...	0	o
Taichu,	"	30.00	762.0	59	...	...	0	o	"	29.99	761.7	61	...	N	2	o
Tainan,	"	29.98	761.4	79	...	NNW	4	b	"	29.94	760.5	63	...	N	4	o
Koshun,	"	29.98	761.4	77	...	NE	6	b	"	29.93	760.2	68	...	...	0	b
Pescadores,	"	30.04	762.9	55	...	NE	6	b	"	29.99	761.7	63	...	NE	4	o
Canton,	15	29.92	759.9	76	73	E	1	c	"	29.97	761.2	63	83	E	1	o
Hongkong,	14	29.95	761.0	68	71	E	4	c	"	29.95	760.7	64	84	E	4	o
Gap Rock,	"	29.94	760.5	...	...	NE	4	b	"	30.00	762.0	...	...	ENE	4	b
Macao,	"	29.93	760.2	70	82	ESE	2	o	"	29.89	759.3	63	94	NE	2	of
Wuchow,	15	29.91	759.7	73	76	W	1	o	9	29.97	761.2	63	94	E	2	oz
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	29.95	760.7	76	95	...	2	b	"	...	...	...	...	...	...	...
Phulien,	"	29.92	759.9	70	88	NW	1	o	7	29.91	759.6	66	98	SE	2	of
Tourane,	"	29.89	759.3	72	...	NNE	2	of	"	29.91	759.6	70	...	S	2	b
Cape St. James,	"	29.85	758.1	79	...	ENE	7	o	"	29.86	758.4	75	...	NE	6	o
Aparri,	14	29.86	758.4	81	66	NE	4	b	6	29.91	759.6	68	92	...	0	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.84	757.8	86	46	SSE	4	b	"	29.91	759.6	63	94	E	1	b
Legaspi,	"	29.86	758.4	86	56	ENE	2	o	"	29.89	759.3	75	89	NE	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.81	757.2	82	57	NE	4	o	"	29.85	758.1	73	85	N	2	o
Surigao,	"	29.81	757.2	81	69	ENE	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	83	83	W	4	b	6	39.81	757.2	77	91	SW	4	o

February 9*d*. 12*h*. 23*m*.—Pressure has decreased slightly from Wladivostock to Haiphong. The anticyclone over N. China has not developed.

Moderate monsoon may be expected over the China Sea and fog along the Coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 2·76 inches, against an average of 1·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, moderate to light; generally [fair; fog later.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9th February, 1922.								10th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.96	761.0	32	...	SSE	5	s	6	30.12	765.1	30	...	NNE	1	o
Nemuro,	11	30.10	764.5	...	...	E	1	...	5	30.04	763.0	...	...	NNW	2	...
Hakodate,	"	30.02	762.5	...	...	ESE	2	...	"	30.04	763.0	...	...	ENE	3	...
Tokio,	"	29.92	760.0	...	...	N	1	...	"	30.06	763.5	...	...	NW	1	...
Kochi,	"	29.94	760.5	...	...	...	...	...	"	30.08	764.0	...	...	WSW	1	...
Nagasaki,	"	30.04	763.0	...	...	NW	1	...	"	30.10	764.5	...	...	ENE	1	...
Kagoshima,	"	30.00	761.0	...	...	...	...	...	"	30.08	764.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.88	759.0	...	...	WNW	2	...	"	29.94	760.5	...	...	NW	1	...
Weihaiwei,	14	29.98	761.5	44	84	SSE	4	of	6	29.92	759.9	44	84	SE	4	of
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.03	762.7	59	63	SSE	1	b	"	29.93	760.2	52	97	SSE	4	b
Gutzlaff,	"	30.00	762.0	54	100	S	2	b	"	29.95	760.7	48	100	SE	6	o
Sharp Peak,	14	29.99	761.7	70	70	S	1	b	7	29.90	759.4	56	93	N	1	o
Amoy,	15	29.89	759.2	64	91	SSE	4	o	6	29.93	760.2	64	91	NE	1	o
Swatow,	"	29.91	759.7	63	78	E	1	c	"	29.88	758.9	61	94	ESE	1	o
Taihoku,	12	30.01	762.3	70	77	...	o	o	"	29.92	759.9	61	93	...	o	of
Taichu,	"	30.00	762 0	70	...	...	o	o	"	29.91	759.6	64	...	...	o	o
Tainan,	"	29.98	761.4	75	...	N	4	o	"	39.88	759.0	68	...	NNE	2	o
Koshun,	"	29.98	761.4	77	...	ENE	1	o	"	29.83	759.0	68	...	NNE	2	r
Pescadores,	"	30 01	762.3	68	...	NNE	4	o	"	29.91	759.6	66	...	NNW	2	o
Canton,	15	29.89	759.2	71	85	SSE	1	o	"	29.84	757.9	64	95	E	1	o
Hongkong,	14	29.90	759.4	69	60	E	4	c	"	29.83	757.7	64	92	E	3	o
Gap Rock,	"	29.90	759.4	...	...	ENE	4	c	"	29.82	757.4	...	...	NE	4	o
Macao,	"	29.89	759.3	68	...	SE	2	o	"	29.81	757.2	63	98	...	2	of
Wuchow,	15	29.84	757.9	75	37	SE	1	c	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.85	758.1	72	91	SSE	2	o	7	...	...	70	100	SSE	4	r
Tourane,	"	29.82	757.5	75	...	S	2	b	"	29.82	757.5	72	...	S	2	b
Cape St. James,	"	29.81	757.2	77	...	ENE	6	b	"	29.85	758.1	73	...	NE	6	o
Aparri,	14	29.86	758.4	84	45	S	2	b	6	29.86	758.4	70	91	S	4	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.84	757.8	90	44	SSE	4	o	"	29.86	758.4	68	88	NE	1	b
Legaspi,	"	29.85	758.1	82	74	ENE	4	o	"	29.86	758.4	77	86	NNE	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.81	757.2	84	64	NE	4	o	"	29.81	757.2	75	91	N	4	o
Surigao,	"	29 81	757.2	77	92	ENE	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ESE	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	83	83	N	2	b	6	29.75	755.6	77	91	E	2	b

February 10*d*. 11*h*. 57*m*.—Pressure has increased slightly from Wladivostock to S.W. Japan, where it is now highest. It has decreased moderately to slightly at other reporting stations.

Depressions are shown over S W. China and between Borneo and lower Cochin-China.

Fog may be expected along the Coast of China and a fresh N.E. breeze off Cape St. James.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 2·78 inches, against an average of 2·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, moderate; generally overcast, some drizzle
2.—Formosa Channel, ...	The same as No. 1. [or mist.
3.—South coast of China between Hongkong and Lamcocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th February, 1922.								11th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.05	763.3	34	...	NW	1	o	6	29.69	754.2	32	...	...	o	s
Nemuro,	11	30.02	762.5	...	...	S	4	...	5	30.12	765.0	...	...	SSE	1	...
Hakodate,	"	30.12	765.0	...	...	W	5	...	"	30.02	762.5	...	...	NE	2	...
Tokio,	"	30.14	765.5	...	...	W	2	...	"	30.20	767.0	...	...	...	o	...
Kochi,	"	...	...	...	...	...	...	...	"	30.04	763.0	...	...	WSW	1	...
Nagasaki,	"	30.10	764.5	...	...	ESE	4	...	"	29.86	758.5	...	...	SSE	6	...
Kagoshima,	"	30.01	764.5	...	...	ENE	2	...	"	29.94	760.5	...	...	SE	3	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.98	761.5	...	...	NNW	1	...	"	30.14	765.5	...	...	E	1	...
Weihaiwei,	14	29.75	755.6	44	100	ESE	4	o	6	30.03	762.7	32	79	NW	7	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.86	758.4	64	76	SSE	10	b	"	29.98	761.5	45	88	N	6	o
Gutzlaff,	"	29.79	756.6	56	100	S	6	b	"	29.96	761.0	42	100	NNW	6	o
Sharp Peak,	14	29.79	756.6	58	94	...	o	rf	7	29.79	756.6	63	92	...	o	o
Amoy,	15	...	...	64	91	...	o	o	6	29.88	758.9	62	90	NE	1	of
Swatow,	"	29.84	757.9	65	73	ESE	o	o	"	29.84	757.9	63	94	NNW	1	b
Taihoku,	12	29.91	759.6	64	98	...	o	o	"	...	...	...	...	...	...	...
Taichu,	"	29.88	759.0	72	...	...	o	o	"	29.84	757.8	68	...	SSE	2	o
Tainan,	"	29.88	759.0	81	...	SE	2	b	"	29.82	757.5	70	...	...	o	o
Koshun,	"	29.89	759.3	63	...	SSE	4	b	"	29.82	757.5	75	...	W	4	b
Pescadores,	"	29.89	759.3	73	...	ENE	4	o	"	29.84	757.8	68	...	...	o	o
Canton,	15	29.75	755.6	71	95	ESE	2	or	"	29.80	756.9	66	95	E	1	o
Hongkong,	14	29.78	756.4	67	91	ENE	3	of	"	29.81	757.2	67	96	...	o	of
Gap Rock,	"	...	...	...	...	...	...	...	"	29.80	756.9	...	...	ENE	2	o
Macao,	"	29.75	755.7	68	88	SE	2	of	"	29.80	756.9	66	100	ESE	2	of
Wuchow,	15	29.68	753.9	77	69	SE	2	bc	9	...	...	...	...	...	...	...
Pakhoi,	"	29.79	756.6	70	95	SE	o	b	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.71	754.5	75	83	SE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.75	755.7	77	...	S	4	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.87	758.7	81	...	ENE	4	b	"	...	...	...	...	...	...	...
Aparri,	14	29.80	756.9	82	54	NE	4	b	6	29.87	758.7	70	92	S	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.80	756.9	90	51	SE	2	b	"	29.86	758.4	68	92	E	1	b
Legaspi,	"	29.82	757.5	86	65	ENE	4	b	"	29.87	758.7	66	96	...	o	b
Taloloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	86	61	NE	4	o	"	29.84	757.8	72	91	NNE	4	o
Surigao,	"	29.79	756.6	82	67	ENE	2	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	93	N	6	b	6	29.80	756.9	76	86	E	2	b

February 11*d.* 11*h.* 53*m.*—Pressure has decreased considerably at Wladivostock, where a V-shaped depression is centred. It has increased slightly from Weihaiwei to Shanghai and decreased slightly over S. China and Indo-China.

Depressions are still shown over S.W. China and between Borneo and lower Cochin-China. Fog may be expected along the Coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 2·80 inches, against an average of 2·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; overcast, rain, fog.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th February, 1922.								12th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.14	765.5	...	...	S	5	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.90	759.5	...	...	E	3	...	"	...	...	...	...	...	...	...
Tokio,	"	30.20	767.0	...	...	S	3	...	"	...	...	...	...	...	...	...
Kochi,	"	29.96	761.0	...	...	SE	2	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.72	755.0	...	...	SE	9	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.82	757.5	...	...	S	4	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.16	766.0	...	...	ESE	4	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.08	764.0	34	69	NNW	4	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.21	767.3	45	64	NNW	10	b	"	...	...	...	...	...	...	...
Gutzlaff,	"	30.15	765.8	46	69	NNW	6	b	"	...	...	...	...	...	...	...
Sharp Peak,	14	29.92	759.9	58	81	NE	1	o	7	30.06	763.5	50	86	N	2	o
Amoy,	15	29.87	758.7	66	100	...	o	r	6	...	...	...	...	...	...	...
Swatow,	"	29.77	756.1	71	95	E	2	o	"	...	...	...	...	...	...	...
Taihoku,	12	29.94	760.5	61	93	E	4	r	"	30 05	763.2	55	93	E	4	r
Taichu,	"	29.92	759.9	75	...	SW	2	o	"	29.95	760.8	61	...	N	2	o
Tainan,	"	29.89	759.3	81	...	WNW	2	o	"	29.92	759.9	63	...	N	2	r
Koshun,	"	29.88	759.0	79	...	W	4	b	"	29.93	760.2	68	...	ENE	6	b
Pescadores,	"	29.93	760.2	73	...	WSW	2	o	"	29.97	761.1	63	...	NNE	6	o
Canton,	15	29.84	757.9	77	69	NNE	2	b	"	...	...	...	...	...	...	...
Hongkong,	14	29.84	757.9	69	92	...	o	odf	"	29.93	760.2	61	86	E	o	o
Gap Rock,	"	29.83	757.7	...	...	NNE	3	o	"	29.90	759.4	...	...	ENE	o	o
Macao,	"	29 80	756.9	68	100	NE	2	rf	"	...	...	...	...	...	...	...
Wuchow,	15	29.88	758.9	69	52	...	3	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.76	756.0	81	66	SW	1	b	7	...	...	...	...	...	...	...
Tourane,	"	29.76	756.0	82	...	...	o	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.85	758.1	86	...	SE	2	o	"	...	...	...	...	...	...	...
Aparri,	14	29.85	758.1	81	62	NNE	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.84	757.8	86	56	WSW	4	b	"	...	...	...	...	...	...	...
Legaspi,	"	29.85	758.1	86	65	E	2	b	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.81	757.2	86	49	NE	4	b	"	...	...	...	...	...	...	...
Surigao,	"	29.82	757.5	82	67	NNE	2	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.84	757.8	...	...	ENE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29 82	757.4	86	76	W	4	b	6	...	...	...	...	...	...	...

February 12*d*. 11*h*. 13*m*.—Communication with the Cable Office is interrupted.

No weather map or forecast will be issued.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 3·57 inches, against an average of 2·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	None.
2.—Formosa Channel,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th February, 1922.								13th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.22	762.5	24	...	NNE	1	b	6	30.29	769.4	13	...	WNW	1	b
Nemuro,	11	29.61	752.0	...	...	WSW	4	...	5	30.02	762.5	...	...	N	1	...
Hakodate,	"	29.84	758.0	...	...	W	7	...	"	30.12	765.0	...	...	W	1	...
Tokio,	"	29.74	755.5	...	...	NW	3	...	"	30.08	764.0	...	...	NW	1	...
Kochi,	"	29.92	760.0	...	...	NW	1	...	"	30.04	763.0	...	...	WSW	1	...
Nagasaki,	"	30.04	763.0	...	...	NW	1	...	"	30.12	765.0	...	...	...	...	...
Kagoshima,	"	30.00	762.0	...	...	E	1	...	"	30.08	764.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	30.08	764.0	...	...	ENE	1	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.98	761.5	...	...	WSW	6	...	"	29.90	759.5	...	...	WNW	1	...
Weihaiwei,	14	30.03	762.7	44	68	SSW	4	bf	6	30.29	769.3	34	90	NNE	1	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.21	767.3	45	51	NNE	2	o	"	30.18	766.6	37	100	NNE	2	b
Gutzlaff,	"	30.14	765.5	44	100	...	o	o	"	30.20	767.1	44	100	ENE	2	o
Sharp Peak,	14	...	...	...	...	...	...	...	7	30.03	762.7	52	93	N	1	of
Amoy,	15	30.04	763.0	58	94	ENE	1	r	6	...	...	...	...	...	...	...
Swatow,	"	29.86	758.4	60	94	SE	2	b	"	29.90	759.4	58	100	NNE	...	o
Taihoku,	12	30.02	762 6	59	93	E	6	r	"	30 02	762.6	61	96	...	...	...
Taichu,	"	30.05	763.2	61	...	NNW	2	r	"	30.02	762.6	54	...	WNW	2	r
Tainan,	"	30.01	762.3	70	...	NNW	4	b	"	...	...	61	...	NNE	4	o
Koshun,	"	29.97	761.1	77	...	ENE	4	b	"	...	...	68	...	E	2	b
Pescadores,	"	29.93	760.2	63	...	NNE	6	o	"	30 01	762.3	63	...	NNE	4	o
Canton,	15	29.92	759.9	69	80	SE	1	o	"	29.97	761.2	63	89	E	1	or
Hongkong,	14	29.95	760.7	63	74	E	5	o	"	29.95	760.7	61	86	E	5	o
Gap Rock,	"	29.91	759.7	...	...	ENE	5	om	"	29.93	760.2	...	...	NE	4	o
Macao,	"	29.92	759.9	63	88	ESE	2	o	"	...	...	...	...	...	...	...
Wuchow,	15	29.88	758.9	68	74	SE	1	c	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.84	757.8	79	66	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.81	757.2	75	...	SSE	2	of	"	...	...	...	...	...	...	...
Cape St. James,	"	29.87	758.7	82	...	E	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.88	759.0	81	76	NE	4	b	6	29.95	760.8	72	96	...	0	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.85	758.1	90	48	SE	4	b	"	29.84	760.5	86	88	E	1	b
Legaspi,	"	29.87	758.7	86	68	E	2	b	"	29.92	759.9	77	84	N	2	b
Tacloban,	"	29.85	758.1	82	81	ESE	2	r	"	29.89	759.3	75	94	NW	2	o
Iloilo,	"	29.81	757.2	86	61	NE	6	o	"	29.88	759.0	77	89	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.86	758.4	75	94	...	0	o
Guam,	12.20	29 82	757.5	...	...	ENE	4	r	4.20	29.85	758.1	...	...	ENE	2	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	84	83	N	4	b	6	29.75	755.6	78	91	W	2	b

February 13*d*. 13*h*. 50*m*.—Pressure has increased considerably at Wladivostock, and Weihaiwei, an anticyclone having formed over N. China. It has increased considerably over central Japan, a depression, which covered that area yesterday morning, having passed into the Pacific.

It has increased slightly over Formosa, the S. Coast of China and the Philippines, and has decreased slightly at Guam and the Bonins.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·25 inch. Total since January 1st, 3·82 inches, against an average of 2·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; overcast, probably some rain.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

B. D. EVANS,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th FEBRUARY, 1922.								14th FEBRUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.31	769.9	21	...	NNE	3	b	6	30.53	775.4	5	...	NNE	2	b
Nemuro,	11	30.14	765.5	...	...	W	1	...	5	30.28	769.0	...	...	...	0	...
Hakodate,	"	30.16	766.0	...	...	W	1	...	"	30.32	770.0	...	...	NE	6	...
Tokio,	"	30.12	765.0	...	...	N	1	...	"	30.24	768.0	...	...	SE	1	...
Kochi,	"	30.06	763.5	...	...	...	...	...	"	30.16	766.0	...	...	SW	1	...
Nagasaki,	"	30.12	765.0	...	...	NE	1	...	"	29.94	760.5	...	...	NNE	6	...
Kagoshima,	"	30.08	764.0	...	...	E	1	...	"	30.12	765.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	30.08	764.0	...	...	S	1	...
Naha,	"	30.06	763.5	...	...	NNW	1	...	"	30.04	763.0	...	...	NE	1	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.96	761.0	...	...	SE	6	...
Bonin Island,	"	29.90	759.5	...	...	NNW	1	...	"	30.02	762.5	...	...	NE	2	...
Weihaiwei,	14	30.29	769.3	38	72	NW	1	o	6	30.32	770.1	34	79	...	o	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.23	767.8	48	67	E	2	of	"	30.17	766.3	43	91	E	1	o
Gutzlaff,	"	30.19	766.8	46	100	E	4	o	"	30.17	766.3	44	100	ENE	2	o
Sharp Peak,	14	29.99	761.7	56	94	N	1	of	7	29.95	760.7	56	63	N	1	r
Amoy,	15	29.96	761.0	62	94	SSE	1	o	6	29.94	760.5	60	94	...	o	r
Swatow,	"	29.87	758.7	62	83	ENE	2	o	"	29.88	758.9	59	100	ENE	2	or
Taihoku,	12	30.02	762.6	70	85	...	o	o	"	...	...	...	...	...	...	...
Taichu,	"	30.02	762.6	66	...	NNW	2	r	"	...	...	...	...	...	...	...
Tainan,	"	...	...	66	...	N	2	o	"	...	...	...	...	...	...	...
Koshun,	"	29.98	761.4	52	...	NNW	2	o	"	...	...	...	...	...	...	...
Pescadores,	"	30.04	762.9	64	...	NE	4	r	"	...	...	...	...	...	...	...
Canton,	15	29.89	759.2	67	90	S	2	or	"	...	...	...	...	...	...	...
Hongkong,	14	29.91	759.7	62	87	E	5	o	"	29.88	758.9	62	95	E	4	od
Gap Rock,	"	29.90	759.4	...	...	NE	4	om	"	29.86	758.4	...	...	ENE	4	od
Macao,	"	29.87	758.7	64	90	ESE	2	o	"	...	...	...	...	...	...	...
Wuchow,	15	29.84	757.9	68	85	E	3	c	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.80	756.9	79	66	SSE	2	b	7	29.78	756.3	70	96	SSW	1	o
Tourane,	"	29.81	757.2	77	...	SSE	2	o	"	29.80	756.9	77	...	SW	4	b
Cape St. James,	"	29.86	758.4	81	...	E	2	b	"	29.88	759.0	73	...	E	2	b
Aparri,	14	29.85	758.1	90	48	SE	2	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	86	56	WSW	1	o	"	29.92	759.9	64	88	E	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.91	759.6	75	94	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.82	757.5	86	58	NE	4	o	"	29.86	758.4	75	91	N	4	o
Surigao,	"	29.82	757.5	84	77	ENE	2	o	"	29.87	758.7	75	92	...	o	o
Guam,	12.20	29.79	756.6	...	...	NE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	73	76	N	6	b	6	29.81	757.2	78	91	E	2	b

February 14*d.* 12*h.* 12*m.*—Pressure has increased considerably at Wladivostock, and over N.E. Japan. The anticyclone being central over S. Manchuria. It has decreased slightly over S. China and Indo-China.

Moderate monsoon and fog may be expected along the Coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·13 inch. Total since January 1st, 3·95 inches, against an average of 2·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	E. winds, moderate; rain, fog.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamcocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th February, 1922.								15th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.30	769.5	...	...	NNE	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.33	770.5	...	...	N	4	...	"	...	...	...	...	...	...	...
Tokio,	"	30.28	769.0	...	...	ENE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.14	765.5	...	...	SSW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.16	766.0	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.12	765.0	...	...	ENE	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.04	763.0	...	...	NNE	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.31	769.9	40	65	NNE	1	b	6	30.32	770.1	33	90	...	0	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.21	767.3	45	94	ENE	2	r	"	30.16	766.0	45	97	ENE	1	0
Gutzlaff,	"	30.14	765.5	46	100	NE	2	r	"	30.12	765.0	44	100	NE	4	0
Sharp Peak,	14	29.90	759.4	58	88	N	1	r	7	29.92	759.9	54	94	ENE	1	0
Amoy,	15	...	...	63	94	SSE	1	0	6	29.91	759.7	58	90	ENE	2	r
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.94	760.5	64	94	W	2	r	"	29.89	759.3	61	98	SSW	1	0
Taichu,	"	29.94	760.5	64	...	...	0	r	"	29.86	758.4	59	...	NW	2	r
Tainan,	"	29.93	760.2	68	...	NNE	4	0	"	29.81	757.2	63	...	NNE	2	0
Koshun,	"	29.89	759.3	82	...	S	2	0	"	29.80	756.9	72	...	NE	2	r
Pescadores,	"	29.93	760.2	68	...	NNE	4	0	"	29.86	758.4	61	...	N	6	r
Canton,	15	29.79	756.6	70	90	E	1	0	"	...	...	...	...	...	...	...
Hongkong,	14	29.77	756.1	62	92	E	6	od	"	29.87	758.7	62	90	NE	1	c
Gap Rock,	"	29.78	756.4	...	...	ENE	4	om	"	29.87	758.7	...	...	NNW	4	0
Macao,	"	29.79	756.6	66	96	ESE	2	r	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.72	754.8	84	64	...	0	b	7	29.92	759.9	66	76	NE	4	r
Tourane,	"	29.74	755.4	82	...	S	2	b	"	29.76	756.0	81	...	SSW	2	b
Cape St. James,	"	29.87	758.7	86	...	SE	2	b	"	29.89	759.3	73	...	E	2	b
Aparri,	14	29.79	756.6	90	51	SSE	4	b	6	29.84	757.8	73	92	...	0	0
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	90	44	SE	4	b	"	29.87	758.7	68	88	E	1	b
Legaspi,	"	29.84	757.8	...	68	ENE	2	b	"	29.85	758.1	75	89	N	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.84	757.8	77	96	NW	1	0
Iloilo,	"	29.79	756.6	86	58	NE	4	0	"	29.82	757.5	75	92	N	2	0
Surigao,	"	29.79	756.6	81	84	ENE	2	0	"	29.81	757.2	73	96	...	0	0
Guam,	12.20	29.78	756.3	...	...	ENE	4	b	4.20	29.78	756.3	...	...	ENE	2	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	83	N	2	b	6	29.79	756.6	78	95	SW	4	b

February 15*d.* 12*h.* 35*m.*—Pressure has increased moderately at Haiphong and decreased slightly over Formosa and the Philippines. Depressions are shown over Tourane and to the east of Formosa.

Fresh monsoon may be expected along the east Coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1·36 inch. Total since January 1st, 5·31 inches, against an average of 2·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N. to N.E winds, moderate; cloudy.
2.—Formosa Channel,	N. winds, fresh.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th FEBRUARY, 1922.								16th FEBRUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.45	773.5	26	...	SE	3	s	6	30.38	771.5	22	...	ESE	2	o
Nemuro,	11	30.53	775.5	...	...	N	1	...	5	30.53	775.5	...	...	...	o	...
Hakodate,	»	30.43	773.0	...	...	NE	3	...	»	30.38	771.5	...	...	E	4	...
Tokio,	»	30.31	770.0	...	...	NNW	2	...	»	30.10	764.5	...	...	NW	2	...
Kochi,	»	...	...	...	...	...	...	...	»	29.75	755 5	...	...	W	1	...
Nagasaki,	»	30.12	765 0	...	...	...	o	...	»	29.78	756.5	...	...	NNE	4	...
Kagoshima,	»	...	...	...	...	...	...	...	»	29.67	753.5	...	...	NW	1	...
Oshima,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Naha,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Ishigakijima,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Bonin Island,	»	29.96	761.0	...	...	SE	1	...	»	30.00	761.0	...	...	SSE	4	...
Weihaiwei,	14	30.21	767.3	44	84	SE	1	o	6	30.24	7168.	34	100	...	o	b
Hankow,	15	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Ichang,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Changsha,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Shanghai,	11	30.18	766.6	46	81	NE	2	o	»	30.15	765.8	41	97	NE	1	o
Gutzlaff,	»	30.08	764.0	44	100	N	4	r	»	30.12	765.0	42	100	NNW	4	b
Sharp Peak,	14	29.88	758.9	66	84	E	1	o	7	29.97	761.2	56	93	...	o	o
Amoy,	15	29.85	758.2	60	94	SSE	2	o	6	29.98	761.5	56	94	ENE	1	o
Swatow,	»	29.88	758.9	60	94	WNW	1	o	»	29.89	759.2	57	87	ENE	1	o
Taihoku,	12	29.93	760 2	61	91	NW	2	r	»	30.05	763.0	55	...	NNW	4	of
Taichu,	»	29.85	758.1	64	...	N	4	o	»	29.93	760.2	55	...	N	4	o
Tainan,	»	29.84	757.8	72	...	N	4	b	»	29.91	759.6	55	...	N	4	b
Koshun,	»	29 8:	757.2	81	...	...	o	b	»	...	...	...	...	...	...	...
Pescadores,	»	29.88	759.0	63	...	NNE	6	o	»	...	...	...	...	...	...	...
Canton,	15	29.89	759.2	71	66	N	2	b	»	30.01	762.2	53	86	NNE	1	b
Hongkong,	14	29 87	758.7	66	75	W	1	o	»	29.97	761.2	56	80	...	o	bm
Gap Rock,	»	29.88	758.9	...	...	N	3	o	»	29.95	760.7	...	...	NNE	3	b
Macao,	»	29.86	758.4	66	67	N	2	o	»	29.94	760.5	55	79	NNE	4	b
Wuchow,	15	29.92	759.9	70	53	N	2	bc	9	...	...	...	...	...	...	...
Pakhoi,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Hoihow,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Phulien,	»	29.87	758.7	73	89	SSE	4	b	7	29.92	759.9	63	82	ENE	4	b
Tourane,	»	29.78	756.3	72	...	NW	6	of	»	29.86	758.4	68	...	NNW	4	of
Cape St. James,	»	29.82	757.5	84	...	S	2	b	»	29.84	757.8	73	...	S	2	o
Aparri,	14	29.79	756.6	81	80	N	4	r	6	29.84	757.8	72	94	...	o	b
Dagupan,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Manila,	»	29.78	756.3	90	55	W	1	b	»	29.84	757.8	70	91	NE	1	b
Legaspi,	»	29.80	756.9	86	68	ENE	2	b	»	29.84	757.8	70	96	...	o	b
Taoloban,	»	...	...	...	...	...	...	...	»	29.81	757.2	73	96	ESE	1	o
Iloilo,	»	29.76	755.0	86	65	NE	4	o	»	29.81	757.2	75	91	NNE	2	o
Surigao,	»	...	...	...	...	...	...	o	»	29.80	756.9	75	98	...	o	b
Guam,	12.20	29.75	755.7	...	...	ESE	4	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	ENE	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	83	N	6	b	6	29.81	757 2	78	91	E	4	o

February 16*d.* 12*h.* 42*m.*—Pressure has increased considerably over S.W. Japan which is now covered by a depression. Pressure changes in other districts are small.

Moderate to fresh monsoon may be expected along the Coast of China and over the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 5·31 inches, against an average of 2·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate to fresh; fine to cloudy.
2.—Formosa Channel,	N.E. winds, fresh to strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th FEBRUARY, 1922.								17th FEBRUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.33	770.3	32	...	NW	1	b	6	30.38	771.7	10	...	NNE	2	b
Nemuro,	11	30.49	774.5	...	...	SE	2	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.30	769.5	...	...	E	5	...	"	...	...	...	...	...	...	...
Tokio,	"	29.92	760.0	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Kochi,	"	29.65	753.0	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.78	756.5	...	...	NNE	4	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.72	755.0	...	...	N	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.90	759.5	...	...	SSE	6	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.20	767.1	42	92	...	0	b	6	30.32	770.1	34	100	NW	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.18	766.6	52	51	NE	1	b	"	30.23	767.8	37	96	NE	1	b
Gutzlaff,	"	30.12	765.0	50	79	N	2	b	"	30.21	767.3	42	100	NE	2	b
Sharp Peak,	14	29.99	761.7	56	81	E	4	o	7	30.07	763.8	52	86	NW	1	o
Amoy,	15	29.92	759.9	63	83	ENE	1	o	6	30.07	763.8	54	89	...	0	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.04	762.9	61	85	...	0	r	"	30.02	762.6	57	84	E	6	b
Taichu,	"	29.95	760.8	66	...	NNW	4	b	"	30.04	762.9	55	...	...	0	o
Tainan,	"	29.92	759.9	68	...	N	6	b	"	29.99	761.7	55	...	NE	1	b
Koshun,	"	29.91	759.6	75	...	NNE	4	b	"	29.98	761.4	64	...	N	2	o
Pescadores,	"	29.99	761.7	64	...	NNE	6	b	"	30.02	762.6	59	...	NE	6	b
Canton,	15	29.90	759.4	68	65	SE	2	b	"	29.94	760.5	61	82	E	2	o
Hongkong,	14	29.92	759.9	63	71	E	4	c	"	29.93	760.2	59	79	E	6	b
Gap Rock,	"	29.90	759.4	...	...	NE	4	o	"	29.92	759.9	...	...	ENE	5	c
Macao,	"	29.89	759.3	64	71	NNE	2	b	"	29.88	759.0	63	86	ENE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.80	756.9	72	70	SE	6	o	7	...	...	...	...	...	...	...
Tourane,	"	29.81	757.2	70	...	NNW	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.82	757.5	86	...	SSE	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	79	73	N	4	o	6	29.91	759.6	75	79	E	4	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	86	65	WSW	4	b	"	29.85	758.1	72	91	N	1	b
Legaspi,	"	29.78	756.3	86	71	ENE	2	b	"	29.85	758.1	77	85	NE	4	b
Taoloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	84	64	WSW	4	o	"	29.80	756.9	75	89	N	4	o
Surigao,	"	29.75	755.7	84	71	ENE	2	b	"	29.81	757.2	73	94	SE	1	b
Guam,	12.20	29.76	756.0	...	...	E	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	ENE	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	84	79	...	0	b	6	29.79	756.6	78	91	N	6	b

February 17*d* 12*h*. 12*m*.—Pressure is highest in the extreme North. It has increased slightly from Weihaiwei to Foochow and decreased moderately over N. Indo-China, which is now covered by a depression.

Fog may be expected along the S. Coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 5·31 inches, against an average of 2·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; overcast, some drizzle or [mist.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th February, 1922.								18th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.33	770.5	17	...	NNE	6	b	6	30.47	773.8	14	...	N	4	b
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.74	755.5	...	...	NE	6	...	"	...	...	...	...	...	...	...
Tokio,	"	29.41	747.0	...	...	NW	5	...	"	29.82	757.5	...	...	NW	2	...
Kochi,	"	29.96	761.0	...	...	WNW	2	...	"	30.18	766.5	...	...	WSW	1	...
Nagasaki,	"	30.10	764.5	...	...	N	4	...	"	30.28	769.0	...	...	NE	2	...
Kagoshima,	"	30.08	764.0	...	...	N	2	...	"	30.20	767.0	...	...	NNE	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.86	758.5	...	...	WNW	3	...	"	...	...	...	...	NW	1	...
Weihaiwei,	14	30.36	771.1	36	90	NNW	2	of	6	30.49	774.4	32	90	WNW	6	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.35	770.9	50	62	SE	1	o	"	30.42	772.6	37	93	NE	1	o
Gutzlaff,	"	30.25	768.3	48	100	NNE	2	o	"	30.38	771.6	44	100	N	4	o
Sharp Peak,	14	30.04	763.0	60	79	E	4	b	7	30.18	766.6	50	86	N	4	r
Amoy,	15	29.98	761.5	64	84	E	4	o	6	30.11	764.8	54	89	ENE	2	r
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.10	764.4	68	64	ENE	6	b	"	30.13	765.3	59	93	E	4	o
Taichu,	"	30.01	762.3	70	...	N	4	b	"	30.06	763.5	59	...	N	2	r
Tainan,	"	30.02	762.6	72	...	N	4	b	"	30.01	762.3	61	...	N	4	o
Koshun,	"	30.00	762.0	75	...	NE	6	b	"	30.01	762.3	66	...	ENE	4	o
Pescadores,	"	30.05	763.5	64	...	NNE	6	b	"	30.04	762.9	61	...	NNE	7	o
Canton,	15	29.93	760.2	60	94	E	2	or	"	30.00	762.0	58	94	NNE	1	o
Hongkong,	14	29.91	759.7	61	73	E	5	o	"	29.96	761.0	63	87	ENE	5	o
Gap Rock,	"	29.88	758.9	...	...	NE	5	o	"	29.96	761.0	...	...	ENE	5	o
Macao,	"	...	...	61	81	E	4	o	"	29.94	760.5	61	93	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.69	754.2	70	100	SE	4	of	7	29.87	758.7	66	96	ENE	6	b
Tourane,	"	29.71	754.5	79	...	SSW	4	o	"	29.79	756.6	79	...	SW	4	b
Cape St. James,	"	29.84	757.8	81	...	ENE	2	b	"	30.87	758.7	72	...	E	2	b
Aparri,	14	29.87	758.7	79	66	ENE	4	b	6	29.94	760.5	73	86	ENE	4	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.82	757.5	79	73	SE	2	o	"	29.89	759.3	68	92	NE	1	b
Legaspi,	"	29.82	757.5	86	68	NE	2	b	"	29.89	759.3	75	83	ENE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.79	756.6	84	49	NE	4	o	"	29.85	758.1	72	89	NNW	4	o
Surigao,	"	29.79	756.6	82	60	ENE	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	79	N	4	o	6	29.76	755.9	78	91	E	2	b

February 18*d.* 11*h.* 29*m.*—Pressure has increased moderately from Weihaiwei to Foochow and slightly from Amoy to Haiphong. An anticyclone lies over S.E. Mongolia and a depression over Indo-China.

Strong, but moderating monsoon may be expected along the E. and S.E. coasts of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1·93 inch. Total since January 1st, 7·24 inches, against an average of 2·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19th.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, strong, moderating; generally overcast,
2.—Formosa Channel,	The same as No. 1. [some rain.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th February, 1922.								19th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.04	763.0	...	...	NNW	4	...	"	...	...	...	...	...	...	...
Tokio,	"	29.92	760.0	...	...	NNW	3	...	"	...	...	...	...	...	...	...
Kochi,	"	30.18	766.5	...	...	WNW	2	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.30	769.5	...	...	N	4	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.20	767.0	...	...	ENE	2	...	"	...	...	...	...	...	...	...
Oshima,	"	30.18	766.5	...	...	N	6	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.00	762.0	...	...	W	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.45	773.4	38	81	NW	1	b	6	30.34	770.6	32	94	...	0	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.45	773.4	45	80	SE	1	0	"	30.38	771.6	37	100	NE	1	0
Gutzlaff,	"	30.39	771.9	50	88	NE	4	0	"	30.37	771.4	42	100	N	1	0
Sharp Peak,	14	30.17	766.3	48	91	NNW	2	r	7	30.13	765.3	50	92	NNW	4	r
Amoy,	15	30.10	764.5	54	94	ENE	1	0	6	30.08	764.0	54	94	ENE	1	r
Swatow,	"	30.01	762.2	59	88	ENE	4	0	"	...	...	...	...	...	...	...
Taihoku,	12	30.19	766.8	59	93	ESE	4	r	"	30.10	764.4	59	96	E	4	r
Taichu,	"	30.11	764.7	61	...	N	4	r	"	29.99	761.7	59	...	NNW	2	0
Tainan,	"	30.04	762.9	63	...	N	4	r	"	29.94	760.5	59	...	S	2	b
Koshun,	"	30.05	763.2	68	...	N	4	r	"	29.99	761.7	66	...	N	2	r
Pescadores,	"	30.11	764.7	61	...	NE	8	r	"	30.00	762.0	61	...	NNE	7	r
Canton,	15	30.01	762.2	61	88	N	2	0	"	...	...	...	...	...	...	...
Hongkong,	14	29.98	761.5	60	81	E	5	0	"	30.05	763.2	58	92	N	1	0
Gap Rock,	"	29.97	761.2	...	...	NE	6	0m	"	30.02	763.5	...	...	NNE	5	0
Macao,	"	29.95	760.8	61	87	E	4	0	"	30.02	762.6	55	90	NNW	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.86	758.4	73	79	ENE	6	0	7	...	...	...	...	...	...	...
Tourane,	"	29.80	756.9	77	...	NW	4	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.85	758.1	81	...	E	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.91	759.6	79	73	ENE	4	0	6	29.91	759.6	75	79	E	4	0
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.84	757.8	86	56	WSW	2	0	"	29.86	758.4	68	91	E	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.82	757.5	77	84	NNE	4	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	84	58	NE	6	0	"	29.80	756.9	73	91	N	4	0
Surigao,	"	29.80	756.9	77	92	ENE	2	0	"	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	79	N	4	b	6	29.78	756.4	80	91	SW	2	b

February 19*d*. 11*h*. 43*m*.—Pressure has increased considerably over Tongking and decreased slightly over Formosa and the Philippines.

An anticyclone is central to the north of the Yangtze Valley.

Fresh monsoon may be expected along the S.E. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·49 inch. Total since January 1st, 7·73 inches, against an average of 2·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N. winds, moderate; overcast, finer later.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19th February, 1922.								20th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.17	766.3	34	...	SE	3	0	6	30.24	768.0	32	...	N	1	0
Nemuro,	11	30.18	766.5	...	...	NNW	1	...	5	30.22	767.5	...	...	SSW	1	...
Hakodate,	"	...	...	...	...	...	...	...	"	30.22	767.5	...	...	...	...	...
Tokio,	"	30.18	766.5	...	...	E	1	...	"	30.24	768.0	...	...	...	0	...
Kochi,	"	30.14	765.5	...	...	SE	1	...	"	30.14	765.5	...	...	WSW	1	...
Nagasaki,	"	30.18	766.5	...	...	N	2	...	"	30.12	765.0	...	...	NNW	1	...
Kagoshima,	"	30.16	766 0	...	...	NE	1	...	"	30.08	764.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	30.08	764.0	...	...	NNE	2	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.96	761.0	...	...	NNE	1	...	"	30 02	762.5	...	...	NE	1	...
Weihaiwei,	14	30.24	768.1	42	83	...	0	0	6	30.27	768.8	34	90	...	0	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.34	770.6	45	92	NE	1	of	"	30.29	769.3	36	100	NE	1	Lf
Gutzlaff,	"	30.28	769.1	47	93	NNW	1	0	"	30.27	768.8	40	100	N	2	0
Sharp Peak,	14	30.05	763.2	50	93	N	2	r	7	30.08	764 0	50	90	N	2	0
Amoy,	15	...	...	...	...	...	...	...	6	30.04	763.0	52	93	ENE	2	0
Swatow,	"	30.02	762.5	60	94	ENE	1	0	"	30.05	763.2	55	100	ENE	3	0
Taihoku,	12	30.11	764.7	64	95	E	4	r	"	30.07	763.8	55	96	...	0	0
Taichu,	"	30.04	762.9	63	...	N	2	0	"	29.98	761.4	55	...	N	4	0
Tainan,	"	30.01	762.3	66	...	N	4	0	"	29 93	760.2	57	...	N	4	0
Koshun,	"	29.99	761.7	72	...	NE	2	0	"	29.91	759.6	66	...	NNE	6	0
Pescadores,	"	30.07	763.8	61	...	NNE	7	r	"	29.99	761.7	57	...	NNE	7	0
Canton,	15	30.04	763.0	62	77	N	2	0	"	30.03	762.7	55	80	N	2	0
Hongkong,	14	30 00	762.0	62	71	NNE	2	0	"	30.00	762.0	57	77	NE	1	0
Gap Rock,	"	30.01	762.2	...	...	N	4	0	"	30.02	762.5	...	...	NE	4	0
Macao,	"	30.00	762.0	57	79	N	4	0	"	29.93	760.2	55	79	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.01	762.3	72	62	S	1	b	7	...	...	...	...	...	...	...
Tourane,	"	30.92	759.9	66	...	NNW	4	0	"	...	...	...	...	...	...	...
Cape St. James,	"	29.84	757.8	77	...	...	0	0	"	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	81	73	NE	4	b	6	29.82	757.5	70	94	...	0	0
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.76	756.0	84	64	WSW	2	0	"	29.79	756.6	68	94	E	1	b
Legaspi,	"	29.76	756.0	86	68	ENE	1	0	"	29.76	756.0	77	84	NE	2	0
Taloloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	0	"	29.74	755.4	75	92	N	4	0
Surigao,	"	29.71	754.5	81	80	E	2	b	"	29.73	755.1	75	96	...	0	0
Guam,	12.20	29.73	755.1	...	...	NE	2	...	4.20	29.76	756.0	...	...	SE	1	0
Yap,	12.47	29.73	755.1	...	...	E	2	0	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	82	83	N	6	b	6	30.76	755.9	77	91	SW	4	0

February 20*d*. 11*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—A depression or typhoon in Lat. 17° N. and Long. 131° E., direction unknown, position uncertain.

February 20*d*. 11*h*. 50*m*.—Pressure has increased slightly over N.E. Japan and decreased slightly in other districts. There appears to be a depression far to the east of Luzon. Its direction of motion is at present unknown.

Moderate monsoon may be expected along the S.E. coast of China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 7·73 inches, against an average of 2·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20th February, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st February, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Vladivostock,	12	30.24	768.1	44	...	NE	1	b	6	30.50	774.7	14	...	N	2	b
Nemuro,	11	30.04	763.0	...	...	W	4	...	5	30.16	766.0	...	...	WNW	1	...
Hakodate,	"	30.22	767.5	...	...	NE	1	...	"	30.26	768.5	...	...	NNW	1	...
Tokio,	"	30.24	768.0	...	...	...	...	...	"	30.26	768.5	...	...	NW	1	...
Kochi,	"	30.12	765.0	...	...	...	...	...	"	30.20	767.0	...	...	WSW	1	...
Nagasaki,	"	30.14	765.5	...	...	WNW	1	...	"	30.18	766.5	...	...	NE	1	...
Kagoshima,	"	30.08	764.0	...	...	NNE	1	...	"	30.14	765.5	...	...	NE	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.06	763.5	...	...	NNE	1	...	"	30.06	763.5	...	...	NE	1	...
Weihaiwei,	14	30.25	768.3	58	94	...	...	...	6	30.25	768.3	34	90	...	...	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.31	769.9	48	60	NE	1	b	"	30.22	767.6	36	100	NE	2	0
Lutzlaff,	"	30.27	768.8	52	93	NNW	1	b	"	30.22	767.6	44	100	SE	2	0
Sharp Peak,	14	30.00	763.5	58	76	ENE	4	b	7	30.08	764.0	52	79	N	1	0
Amoy,	15	29.98	761.5	64	84	ENE	2	b	6	30.05	763.2	54	80	NNE	1	b
Swatow,	"	29.99	761.7	60	82	ESE	2	0	"	30.00	762.0	56	81	NE	3	0
Taihoku,	12	30.12	765.0	63	80	E	4	0	"	30.04	762.9	59	83	E	6	0
Taichu,	"	29.97	761.1	66	...	N	4	b	"	29.98	761.4	70	...	...	0	0
Tainan,	"	29.99	761.7	68	...	NNE	4	b	"	29.97	761.1	57	...	N	4	0
Koshun,	"	29.95	760.8	73	...	NNE	6	b	"	29.93	760.2	68	...	NE	6	0
Pescadores,	"	30.02	762.6	61	...	NNE	8	0	"	30.00	762.0	59	...	NNE	7	0
Canton,	15	29.98	761.5	63	72	N	2	0	"	30.01	762.2	59	82	NE	1	0
Hongkong,	14	29.97	761.2	62	73	N	4	0	"	29.99	761.7	59	82	E	3	0
Gap Rock,	"	29.96	761.0	...	...	NE	4	0	"	29.97	761.2	...	...	NE	5	0
Macao,	"	29.95	760.8	59	73	NE	4	0	"	29.98	761.4	59	89	NNE	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.88	769.0	64	80	ENE	4	0	7	29.89	759.3	63	100	ENE	4	of
Tourane,	"	29.85	758.1	70	...	NNW	2	0	"	29.88	759.0	70	...	...	0	of
Cape St. James,	"	29.78	756.3	79	...	E	4	b	"	29.80	756.9	75	...	ENE	6	0
Aparri,	14	29.82	757.5	79	80	NE	4	b	6	29.88	759.0	72	94	...	0	0
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.74	755.4	84	68	WSW	1	0	"	29.81	757.2	70	88	NE	1	b
Legaspi,	"	29.75	755.7	82	70	NE	4	0	"	29.81	757.2	77	85	NE	4	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	84	71	N	4	0	"	29.74	755.4	75	92	NNW	4	0
Surigao,	"	29.71	754.5	77	91	E	1	0	"	29.76	756.0	75	91	...	0	0
Guam,	12.20	29.73	755.1	...	...	NNW	2	0	4.20	29.78	756.3	...	...	ESE	1	0
Yap,	12.47	29.74	755.4	...	...	E	1	0	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.9	84	83	NW	4	b	6	29.73	755.1	78	91	E	2	b

February 21*d*. 11*h*. 23*m*.— Pressure has increased slightly from S.W. Japan to the Philippines, and decreased slightly from Shanghai to Haiphong. The depression to the east of Luzon has filled up.

An anticyclone is central over S. Manchuria.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 7·73 inches, against an average of 2·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; overcast.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st February, 1922.								22nd February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.51	774.9	23	...	N	3	o	6	30.33	770.4	29	...	SSE	5	o
Nemuro,	11	30.20	767.0	...	...	NW	7	...	5	30.62	778.0	...	...	W	1	...
Hakodate,	"	30.33	760.5	...	...	NNW	2	...	"	30.51	775.0	...	...	NE	2	...
Tokio,	"	30.28	769.0	...	...	NNE	2	...	"	30.45	773.5	...	...	NW	1	...
Kochi,	"	30.20	767.0	...	...	S	1	...	"	30.22	767.5	...	...	W	1	...
Nagasaki,	"	30.20	762.0	...	...	NNW	1	...	"	30.06	763.5	...	...	SE	5	...
Kagoshima,	"	30.15	766.0	...	...	NE	3	...	"	30.12	765.0	...	...	W	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.08	764.0	...	...	N	1	...	"	30.14	765.5	...	...	NE	1	...
Weihaiwei,	14	30.15	765.8	42	92	SE	1	o	6	30.01	762.2	38	91	N	1	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.18	766.6	48	67	ESE	2	o	"	30.10	764.5	45	94	W	2	o
Gutzlaff,	"	30.11	764.8	48	100	SE	4	o	"	30.11	764.8	44	100	NW	2	o
Sharp Peak,	14	30.01	762.2	68	65	NE	1	o	7	29.98	761.5	58	93	...	o	o
Amoy,	15	29.98	761.5	64	78	NNW	1	o	6	30.02	762.5	58	94	...	o	r
Swatow,	"	29.95	760.7	62	83	W	1	o	"	...	...	...	...	...	...	...
Taihoku,	12	30.02	762.6	63	62	E	6	o	"	30.01	762.3	61	93	W	2	o
Taichu,	"	30.01	762.3	68	...	...	o	o	"	30.00	762.0	59	...	...	o	b
Tainan,	"	30.00	762.0	72	...	NNW	2	b	"	29.98	761.4	59	...	NNE	2	b
Koshun,	"	29.98	761.4	75	...	NE	2	b	"	29.98	761.4	68	...	ENE	2	o
Pescadores,	"	30.04	762.9	64	...	NNE	6	b	"	29.99	761.7	61	...	W	4	b
Canton,	15	29.95	760.7	68	74	ESE	2	o	"	30.00	762.0	63	94	...	o	o
Hongkong,	14	29.97	761.2	62	76	E	3	o	"	29.98	761.5	64	84	E	3	o
Gap Rock,	"	29.96	761.0	...	...	NE	5	o	"	29.96	761.0	...	...	N	4	o
Macao,	"	29.94	760.5	61	69	E	2	o	"	29.95	760.8	63	88	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.88	759.0	68	94	ESE	4	of	7	29.93	760.2	64	98	ENE	6	of
Tourane,	"	29.85	758.1	75	...	SE	2	o	"	29.92	759.9	68	...	...	o	b
Cape St. James,	"	29.80	756.9	79	...	E	4	of	"	29.85	768.1	75	...	ENE	6	o
Aparri,	14	29.87	758.7	75	88	ENE	4	o	6	29.93	760.2	72	92	...	o	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	90	44	ESE	2	b	"	29.87	758.7	70	96	...	o	o
Legaspi,	"	...	...	...	...	...	...	...	"	29.86	758.4	77	89	NE	4	o
Tacloban,	"	29.75	756.0	77	91	...	o	r	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	84	71	NNE	4	o	"	29.80	756.9	75	91	N	4	o
Surigao,	"	29.73	755.1	79	85	ENE	2	o	"	29.82	757.5	75	96	...	...	o
Guam,	12.20	29.73	755.1	...	...	SE	2	b	4.20	29.80	756.9	...	...	ENE	1	b
Yap,	12.47	29.75	755.7	...	...	ENE	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	84	83	N	4	b	6	29.77	756.1	78	86	SW	4	o

February 22*d*. 11*h*. 23*m*.—Pressure has increased considerably over N.E. Japan, the northern anticyclone having moved eastward. It has decreased considerably at Weihaiwei, and slightly at Shanghai. A slight general increase in shown over the Southern portion of the map.

There appears to be a depression to north of Weihaiwei.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 7·73 inches, against an average of 2·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, moderate; generally overcast.
2.—Formosa Channel, ...	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd February, 1922.									23rd February, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.16	766.0	32	...	SSE	6	o		6	29.89	758.9	29	...	SW	1	c	
Nemuro,	11	30.55	776.0	...	...	SSW	2	...		5	30.08	764.0	...	...	SE	6	...	
Hakodate,	"	30.43	773.0	...	...	E	7	...		"	29.76	756.0	...	...	S	2	...	
Tokio,	"	30.41	772.5	...	...	NE	1	...		"	30.08	764.0	...	...	NNW	1	...	
Kochi,	"	30.16	766.0	...	...	ESE	3	...		"	30.00	762.0	...	...	...	...	...	
Nagasaki,	"	30.02	762.5	...	...	SSE	4	...		"	30.10	764.5	...	...	NNW	1	...	
Kagoshima,	"	30.08	764 0	...	...	S	1	...		"	30.08	764.0	...	...	...	o	...	
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Bonin Island,	"	30.14	765.5	...	...	E	1	...		"	30.08	764.0	...	...	SSW	1	...	
Weihaiwei,	14	30.02	762.5	38	91	NNW	1	o		6	30.15	765.8	38	95	NE	2	o	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	30.03	762.7	57	58	NNW	1	b		"	...	...	...	...	...	...	...	
Shanghai,	11	30.18	766.6	50	74	WNW	2	o		"	30.12	765.0	39	100	E	1	o	
Gutzlaff,	"	30.15	765.8	50	100	N	2	o		"	30.15	765.8	44	100	SE	2	o	
Sharp Peak,	14	29.98	761.5	72	71	SE	1	b		7	30.04	763.0	60	65	W	1	of	
Amoy,	15	29.95	760.7	66	91	SSE	1	o		6	29.98	761.5	62	94	ENE	2	r	
Swatow,	"	29.94	760.5	64	89	SE	1	o		"	...	...	...	...	...	...	...	
Taihoku,	12	30.10	764.4	64	88	NW	2	r		"	30.00	762 0	64	94	E	4	o	
Taichu,	"	30 05	763 2	73	...	N	4	o		"	29.99	761.7	61	...	...	o	b	
Tainan,	"	30.04	762.9	73	...	NNW	4	o		"	29.97	761.1	63	...	...	o	b	
Koshun,	"	30 00	762.0	81	...	E	4	b		"	29.97	761.1	72	...	NE	2	b	
Pescadores,	"	30 08	764.1	72	...	NNE	4	o		"	29.93	760.2	64	...	NNE	6	o	
Canton,	15	29.94	760.5	76	73	S	2	o		"	29.94	760.5	67	95	E	1	o	
Hongkong,	14	29.96	761.0	69	80	E	2	o		"	29.92	759.9	64	95	E	3	o	
Gap Rock,	"	29.95	760.7	...	...	NE	4	o		"	29.90	759.4	...	...	ENE	4	fd	
Macao,	"	29.94	760.5	70	74	NE	2	o		"	29.89	759.3	64	98	...	o	of	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	29.89	759.3	72	82	E	4	o		7	29.89	759.3	66	98	E	2	of	
Tourane,	"	29.87	758.7	73	...	NNE	2	o		"	29.86	758.4	70	...	SSW	4	b	
Cape St. James,	"	29.82	757.5	81	...	E	6	of		"	92.85	758.1	77	...	ENE	4	b	
Aparri,	14	29.89	759.3	81	73	NE	4	o		6	29.93	760.2	68	94	NW	1	b	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.82	757.5	90	55	NW	4	o		"	29.87	758.7	70	88	E	1	b	
Legaspi,	"	29.85	758.1	82	81	ENE	4	o		"	29.88	759.0	75	86	NE	4	o	
Taoloban,	"	29.82	757.5	82	70	E	2	o		"	29.86	758.4	75	94	ESE	1	b	
Iloilo,	"	29.78	756.3	82	70	NNE	4	o		"	29.82	757.5	75	94	N	4	o	
Surigao,	"	...	...	...	...	..	...	...		"	29.82	757.5	...	96	...	o	o	
Guam,	12.20	29.76	756.0	...	...	ENE	4	o		4.20	...	...	...	...	...	...	...	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Labuan,	14	29.76	755.9	86	76	S	1	b		6	29.77	756.1	78	91	E	2	b	

February 23*d*. 11*h*. 33*m*.—Pressure has decreased very considerably over N.E. Japan, a depression having approached rapidly from westward. It has increased moderately at Weihaiwei and decreased slightly over S. China and N. Annam.

An anticyclone is probably forming over S.E. Mongolia.

Moderate monsoon may be expected along the S.E. Coast of China and light monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 7·77 inches, against an average of 2·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; overcast, rainy.
2.—Formosa Channel,	N.E. winds, freshening.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd February, 1922.								24th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.99	761.6	24	...	WNW	4	b	6	30.24	768.0	17	...	NE	1	o
Nemuro,	11	29.80	757.0	...	...	S	6	...	5	30.06	763.5	...	...	W	1	...
Hakodate,	"	29.82	757.5	...	...	WSW	10	...	"	30.18	766.5	...	...	...	0	...
Tokio,	"	30.02	762.5	...	...	S	1	...	"	30.12	765.0	...	...	...	0	...
Kochi,	"	30.00	762.0	...	...	ESE	1	...	"	30.04	763.0	...	...	WSW	1	...
Nagasaki,	"	30.06	763.5	...	...	ESE	1	...	"	29.92	760.0	...	...	SE	5	...
Kagoshima,	"	30.04	763.0	...	...	E	1	...	"	29.96	761.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.08	764 0	...	...	E	1	...	"	30.12	765.0	...	...	ESE	1	...
Weihaiwei,	14	30 07	763.8	38	91	NE	2	o	6	29.87	758.7	36	80	N	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.05	763.5	52	75	ESE	4	o	"	29.71	754.6	55	100	SSW	2	r
Gutzlaff,	"	29.98	761.5	50	100	SE	4	o	"	29.72	754.9	54	100	SW	4	rf
Sharp Peak,	14	29.94	760.5	64	84	...	0	o	7	29.92	759.9	60	94	W	1	of
Amoy,	15	29.92	759.9	64	95	...	0	o	6	92.95	760.7	62	94	...	0	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.99	761.7	75	76	ENE	6	b	"	29.86	758.4	64	98	...	0	o
Taichu,	"	29.98	761.4	73	...	...	0	b	"	29.88	759.0	63	...	...	0	b
Tainan,	"	29.97	761.1	81	...	W	2	b	"	29.85	758.1	63	...	NNE	2	b
Koshun,	"	29.99	761.7	79	...	ENE	4	b	"	29.87	758.7	72	...	E	0	o
Pescadores,	"	30.00	762.0	68	...	NE	6	o	"	29.86	758.4	64	...	...	0	b
Canton,	15	29.83	757.7	76	77	S	2	o	"	29.85	758.2	68	95	SE	2	o
Hongkong,	14	29.87	758.7	62	97	E	3	omd	"	29.84	757.9	64	100	E	3	of
Gap Rock,	"	29.85	758.2	...	...	ENE	4	om	"	29.82	757.4	...	...	ENE	3	f
Macao,	"	29.85	758.1	66	94	E	2	o	"	29.79	756.6	64	100	ESE	2	o
Wuchow,	15	29.77	756.1	75	72	E	...	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.76	756.0	72	89	SE	4	o	7	29.79	756.6	70	100	SE	4	rf
Tourane,	"	29.79	756.6	77	...	SSE	2	o	"	29.76	756.0	73	...	SW	4	b
Cape St. James,	"	29.79	756.6	82	...	E	4	b	"	...	...	...	...	...	...	...
Aparri,	14	29.85	758.1	84	60	NE	4	b	6	29.87	758.7	68	87	S	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.80	756.9	90	44	SE	4	b	"	29.85	758.1	66	90	NE	1	b
Legaspi,	"	29.82	757.5	84	68	NNE	4	o	"	29.85	758.1	75	86	NNE	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	86	58	NNE	4	o	"	29.81	757.2	73	89	N	4	o
Surigao,	"	29.79	756.6	82	67	ENE	4	o	"	29.81	757.2	70	96	...	0	b
Guam,	12.20	29.74	755.4	...	...	NE	2	o	4.20	29.78	756.3	...	...	ENE	4	o
Yap,	12.47	29.73	755.1	...	...	NE	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	80	S	1	b	6	29.74	755.4	80	70	SW	2	b

February 24*d.* 11*h.* 11*m.*—Pressure has increased considerably at Wladivostock and decreased considerably from Shanghai to Weihaiwei, a depression having formed over the lower Yangtze Valley. There is also a depression over N. Annam.

The Mongolian anticyclone has moved rapidly eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 7·82 inches, against an average of 2·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, moderate; fair.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th FEBRUARY, 1922.								25th FEBRUARY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	2	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.18	766.5	...	...	N	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.16	766.0	...	...	ENE	1	...	"	...	...	...	...	...	...	...
Tokio,	"	30.06	763.5	...	...	SSW	0	...	"	...	...	...	...	...	...	...
Kochi,	"	29.99	761.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.76	756.0	...	...	SE	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.88	759.0	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.14	765.5	...	...	ESE	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.84	757.9	36	90	NNW	4	0	6	30.18	766.6	32	79	NW	2	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.90	759.4	48	82	WNW	6	0	"	30.15	765.8	41	87	ENE	1	0
Gutzlaff,	"	29.92	759.9	47	100	NNW	6	b	"	30.15	765.8	42	100	E	4	0
Sharp Peak,	14	29.83	757.7	74	76	E	1	b	7	29.95	760.7	54	100	W	1	of
Amoy,	15	...	...	71	91	SSE	1	b	6	29.94	760.5	62	94	NE	4	b
Swatow,	"	29.87	758.7	70	75	ENE	2	c	"	...	...	...	...	...	...	...
Taihoku,	12	29.97	761.1	66	85	W	4	r	"	29.97	761.1	66	90	E	6	0
Taichu,	"	29.92	759.9	79	...	WSW	2	0	"	29.93	760.2	63	...	...	0	b
Tainan,	"	29.91	759.6	84	...	S	4	0	"	29.88	759.0	68	...	...	0	b
Koshun,	"	29.92	759.9	82	...	SE	4	b	"	29.88	759.0	70	...	NNW	2	b
Pescadores,	"	29.93	760.2	75	...	SW	4	0	"	29.92	759.9	70	...	NNE	4	0
Canton,	15	29.78	756.4	80	82	E	2	0	"	29.85	758.2	69	95	SE	2	0
Hongkong,	14	29.81	757.2	68	92	E	4	c	"	29.85	758.2	67	100	E	3	of
Gap Rock,	"	29.82	757.4	...	...	NE	3	cm	"	29.84	757.9	...	...	ENE	3	f
Macao,	"	29.92	759.9	77	79	SE	2	b	"	29.84	757.8	66	100	ESE	2	of
Wuchow,	15	29.72	754.9	80	66	E	1	c	9	...	...	...	...	...	...	...
Pakhoi,	"	29.69	754.1	80	78	W	1	b	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.73	755.1	79	80	SSE	4	0	7	29.78	756.3	71	100	SSE	2	of
Tourane,	"	29.72	754.8	79	...	SSE	2	b	"	29.74	755.4	73	...	SSW	6	0
Cape St. James,	"	29.76	756.0	82	...	E	4	b	"	29.81	757.2	73	...	SE	2	0
Aparri,	14	29.81	757.2	82	60	NE	4	b	6	29.86	758.4	66	96	...	0	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.78	756.3	86	46	SE	2	b	"	29.84	757.8	66	87	E	1	b
Legaspi,	"	29.79	756.6	86	61	NE	2	b	"	29.82	757.5	75	86	NNE	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	84	58	NE	6	0	"	29.80	756.9	73	89	NNE	4	0
Surigao,	"	29.76	756 0	86	61	ENE	2	0	"	29.79	756.6	73	94	E	1	b
Guam,	12.20	29.78	756.3	...	...	ENE	4	r	4.20	29.80	756.9	...	...	NNE	4	r
Yap,	12.4	29.76	756.0	...	...	ENE	2	0	4.47	...	...	...	...	...	...	...
Labuan,	14	...	...	88	69	W	2	b	6	29.73	755.1	80	91	E	2	b

February 25*d.* 11*h.* 57*m.*—Pressure has increased considerably from Shanghai to Weihaiwei. Changes at other reporting stations are small.

The Yangtze depression has moved eastward and an anticyclone has formed over N. China.

A depression is still shown over Annam.

The monsoon will freshen along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 7·82 inches, against an average of 2·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate to fresh; fair at first, some rain later.
2.—Formosa Channel,	N.E. winds, freshening considerably.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th February, 1922.								26th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.05	763.2	28	...	N	2	c	6	30.31	769.9	5	...	NW	1	b
Nemuro,	11	29.31	744.5	...	...	SW	9	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.76	756.0	...	...	W	7	...	"	...	...	...	...	...	...	...
Tokio,	"	29.78	756.5	...	...	WSW	1	...	"	...	...	...	...	...	...	...
Kochi,	"	29.90	759.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.06	763.5	...	...	N	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.98	761.5	...	...	ENE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.70	754.5	...	...	NNE	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.28	759.1	30	88	NNW	6	o	6	30.56	776.2	21	83	NNW	7	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.14	765.5	46	75	ESE	2	o	"	30.34	770.6	37	96	NNE	6	r
Gutzlaff,	"	30.05	763.2	48	100	SE	4	o	"	30.27	768.8	38	100	NNE	10	o
Sharp Peak,	14	29.93	760.2	58	88	NW	1	o	7	29.92	759.9	60	71	ENE	1	rf
Amoy,	15	29.88	758.9	68	91	ENE	1	o	6	29.90	759.4	62	94	SSE	1	b
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.97	761.1	77	76	E	6	b	"	29.93	760.2	63	94	...	0	o
Taichu,	"	29.93	760.2	77	...	WNW	2	b	"	29.91	759.6	63	...	SE	1	b
Tainan,	"	29.94	760.5	82	...	NW	2	b	"	29.88	759.0	64	...	NE	2	b
Koshun,	"	29.94	760.5	79	...	ENE	4	b	"	29.89	759.3	73	...	E	2	b
Pescadores,	"	29.97	761.1	70	...	NNE	6	o	"	29.91	759.6	68	...	NNE	2	b
Canton,	15	29.81	757.1	80	78	SE	2	c	"	...	...	...	...	...	4	...
Hongkong,	14	29.87	758.7	65	79	E	4	of	"	29.86	758.4	64	99	E	4	ofd
Gap Rock,	"	29.84	757.9	...	...	ENE	4	c	"	29.85	758.2	...	...	ENE	...	f
Macao,	"	29.82	757.5	72	86	E	2	of	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.69	754.2	73	92	SSE	6	of	7	29.80	756.9	72	100	SSE	4	cf
Tourane,	"	29.73	755.1	81	...	SSE	4	b	"	29.75	755.7	75	...	SW	4	b
Cape St. James,	"	29.79	756.6	82	...	SE	2	o	"	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	82	67	NE	4	b	6	29.87	758.7	70	88	S	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	86	52	ESE	2	o	"	29.85	758.1	68	88	SW	1	b
Legaspi,	"	29.80	756.9	86	61	ENE	4	b	"	29.82	757.5	75	96	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.80	756.9	73	94	NW	1	o
Iloilo,	"	29.74	755.4	86	52	NE	4	o	"	29.78	756.3	73	91	N	4	o
Surigao,	"	29.76	756.0	82	81	N	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NE	4	o	4.20	29.80	756.9	...	...	E	2	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	84	79	N	2	b	6	29.76	755.9	78	91	SW	4	o

February 26*d.* 11*h.* 59*m.*—Pressure has increased considerably from Weihaiwei to Wladivostock, and moderately at Shanghai. It is nearly stationary in southern districts. The anticyclone over N. China has strengthened.

Strong monsoon may be expected along the E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 7·83 inches, against an average of 2·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate to fresh; overcast, some rain,
2.—Formosa Channel,	N.E. winds, strong. [becoming colder.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th February, 1922.								27th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.28	769.1	13	...	N	6	b	6	30.38	771.5	0	...	...	0	b
Nemuro,	11	29.88	759.0	...	...	W	1	...	5	30.06	763.5	...	...	NW	4	...
Hakodate,	"	29.94	760.5	...	...	NNW	6	...	"	30.16	766.0	...	...	WNW	1	...
Tokio,	"	29.86	758.5	...	...	N	1	...	"	30.04	763.0	...	...	N	1	...
Kochi,	"	29.92	760.0	...	...	SE	1	...	"	30.00	762.0	...	...	...	...	...
Nagasaki,	"	30.05	763.5	...	...	N	7	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.98	761.3	...	...	E	1	...	"	30.04	763.0	...	...	N	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.06	763.5	...	...	E	1	...	"	29.96	761.0	...	...	SSW	3	...
Weihaiwei,	14	30.54	775.7	26	75	NW	6	o	6	30.52	775.2	23	...	W	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.53	775.4	35	78	NNE	6	r	"	30.55	775.9	28	...	NW	4	b
Gutzlaff,	"	30.39	771.9	34	100	NNE	7	o	"	30.51	774.9	32	100	NNW	6	o
Sharp Peak,	14	30.02	762.5	50	96	ENE	6	o	7	30.24	768.1	44	88	E	2	o
Amoy,	15	...	...	...	...	...	...	...	6	30.20	767.1	48	93	ENE	4	r
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.01	762.3	63	92	E	4	r	"	30.26	768.6	48	95	ENE	4	r
Taichu,	"	29.94	760.5	73	...	NNW	4	b	"	30.00	763.5	50	...	N	4	r
Tainan,	"	29.89	759.3	84	...	E	2	b	"	30.04	762.9	52	...	N	6	o
Koshun,	"	29.89	759 3	86	...	ESE	4	b	"	29.95	760.8	64	...	NE	7	o
Pescadores,	"	29 95	760.8	73	...	NNE	4	o	"	30.12	765 0	54	...	NNE	10	o
Canton,	15	29.97	761.2	54	94	N	2	or	"	30.22	767.6	47	85	N	2	o
Hongkong,	14	29.85	758.2	71	88	E	2	o	"	30.16	766.0	50	72	N	3	o
Gap Rock,	"	29.84	757.9	...	...	ENE	4	om	"	30.12	765.0	...	...	NNW	5	o
Macao,	"	29.86	758.4	64	98	NW	4	r	"	30.14	765.6	50	74	N	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.79	756.6	82	74	SE	4	b	7	30.12	765.0	75	67	NE	6	o
Tourane,	"	29.87	758.7	79	...	SSE	2	b	"	29.92	759.9	73	...	SE	2	o
Cape St. James,	"	29.79	756.6	90	...	S	2	b	"	29.82	757.5	77	...	E	4	o
Aparri,	14	29.79	756.6	82	74	NE	4	b	6	29.92	759.9	75	83	NE	4	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.78	756.3	86	65	WNW	2	o	"	29 86	758.4	72	92	SE	1	b
Legaspi,	"	29.79	756.6	84	74	NE	2	o	"	29.82	757.5	77	84	NNE	2	o
Tacloban,	"	29.75	755.7	86	...	S	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	58	NE	4	o	"	29.78	756.3	75	91	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.79	756.6	73	96	S	1	b
Guam,	12.20	29.74	755.4	...	...	ENE	4	r	4.20	29.76	756.0	...	...	ENE	4	r
Yap,	12.4	29.74	755.4	...	...	ENE	4	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	83	79	N	2	b	6	29.80	756.9	76	91	SW	4	o

February 27*d.* 6*h.* 35*m.*—Warning to Hongkong Coast Ports, &c.:—N.E. gale in Formosa Channel.

February 27*d.* 11*h.* 29*m.*—Pressure has increased considerably from Shanghai to Haiphong, and slightly over Japan.

The northern anticyclone has moved eastward, leaving a separte anticyclone over China.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0.02 inch. Total since January 1st, 8.15 inches, against an average of 3.04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; overcast at first, finer later.
2.—Formosa Channel,	N.E. gale, moderating.
3.—South coast of China between Hongkong and Lamcocks,	N.E. winds, strong, moderating.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th February, 1922.								28th February, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.28	769.0	19	...	SW	1	b	6	30.19	766.9	5	...	...	0	c
Nemuro,	11	30.08	764.0	...	...	...	0	...	5	30.02	762.5	...	...	N	2	...
Hakodate,	"	...	...	...	...	...	...	...	"	30.16	766.0	...	...	NNW	1	...
Tokio,	"	30.05	763.5	...	...	NNW	2	...	"	30.08	764.0	...	...	NE	1	...
Kochi,	"	29.96	761.0	...	...	NW	1	...	"	30.18	766.5	...	...	WSW	1	...
Nagasaki,	"	30.12	765.0	...	...	NNW	2	...	"	30.26	768.5	...	...	NNW	1	...
Kagoshima,	"	30.04	763.0	...	...	NNW	3	...	"	30.24	768.0	...	...	WNW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	30.12	765.0	...	...	N	6	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.90	759.5	...	...	SSW	3	...	"	29.84	758.0	...	...	SW	1	...
Weihaiwei,	14	30.14	772.4	34	69	WNW	4	b	6	30.36	771.1	30	83	NW	4	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.58	776.7	32	...	NW	4	o	"	30.50	774.7	28	...	NW	2	b
Gutzlaff,	"	30.51	774.9	34	100	NNW	6	o	"	30.49	774.4	32	100	NNW	4	o
Sharp Peak,	14	30.21	767.3	48	80	ENE	4	o	7	30.22	767.6	42	83	ENE	4	o
Amoy,	15	30.18	766.6	56	89	ENE	2	o	6	30.20	767.1	47	87	NE	4	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.30	769.5	50	90	E	4	o	"	30.24	768 0	52	80	E	4	o
Taichu,	"	...	...	...	...	...	...	...	"	30.12	765.0	52	...	N	2	o
Tainan,	"	30.13	765.3	52	...	N	4	r	"	30.10	764.4	52	...	NNE	2	o
Koshun,	"	30.11	764.7	63	...	NNE	7	o	"	30.06	763.5	63	...	NE	8	b
Pescadores,	"	30.18	766.5	54	...	NNE	10	r	"	30.14	765.6	55	...	NNE	7	o
Canton,	15	30.20	767.1	54	68	N	2	o	"	30.21	767.3	49	78	N	2	o
Hongkong,	14	30.15	765.8	52	64	N	2	o	"	30.17	766.3	52	73	ENE	3	o
Gap Rock,	"	30.14	765.5	...	...	N	4	o	"	30.15	765.8	...	...	NE	5	o
Macao,	"	30.14	765.6	50	74	NNE	6	o	"	30.12	765.0	50	74	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.11	764.7	61	59	E	2	o	7	30.15	765.9	75	94	ENE	4	rf
Tourane,	"	29.97	761.1	66	...	NNE	2	o	"	29.99	761.7	64	...	NNW	6	o
Cape St. James,	"	29.80	756.9	79	...	ENE	6	o	"	29.84	757.8	75	...	NE	6	o
Aparri,	14	29.92	759.9	77	76	SSE	4	o	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	90	57	WSW	4	o	"	...	...	...	...	...	...	...
Legaspi,	"	29.79	756.6	86	68	NE	4	b	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	65	N	4	o	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	ENE	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29.79	756.6	84	83	S	1	b	6	29.77	756.1	78	86	E	2	b

February 28*d.* 11*h.* 57*m.*—Pressure has decreased moderately from Weihaiwei to Wladivostock and slightly at Shanghai. It has increased slightly at Haiphong and over Formosa and moderately over S.W. Japan.

A depression is shown to the north of the Bonins.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·15 inches, against an average of 3·11 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; generally overcast, warmer.
2.—Formosa Channel,	N.E. winds, strong,
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

MARCH,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.



HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MARCH,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of MARCH, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·075	30·063	30·047	30·035	30·027	30·047	30·061	30·077	30·090	30·101	30·100	30·076	1
2	30·038	30·016	29·996	29·986	29·985	29·985	29·996	30·010	30·014	30·018	30·010	29·972	2
3	29·860	29·852	29·835	29·837	29·829	29·843	29·849	29·853	29·855	29·848	29·824	29·802	3
4	29·743	29·736	29·729	29·715	29·717	29·729	29·741	29·752	29·754	29·750	29·739	29·718	4
5	29·739	29·731	29·731	29·728	29·732	29·742	29·771	29·790	29·812	29·817	29·812	29·794	5
6	29·783	29·783	29·778	29·777	29·783	29·798	29·815	29·837	29·847	29·854	29·854	29·824	6
7	29·838	29·830	29·829	29·827	29·844	29·880	29·915	29·945	29·978	29·997	29·999	29·984	7
8	30·072	30·062	30·061	30·057	30·065	30·083	30·108	30·131	30·156	30·161	30·153	30·146	8
9	30·122	30·101	30·080	30·062	30·057	30·063	30·079	30·098	30·123	30·120	30·104	30·067	9
10	30·012	30·005	29·999	30·001	30·008	30·019	30·046	30·044	30·058	30·075	30·088	30·065	10
11	30·046	30·043	30·037	30·040	30·047	30·071	30·087	30·099	30·111	30·110	30·110	30·084	11
12	30·093	30·072	30·062	30·052	30·054	30·068	30·075	30·087	30·115	30·121	30·107	30·095	12
13	29·989	29·964	29·953	29·928	29·912	29·911	29·915	29·924	29·934	29·937	29·945	29·926	13
14	29·898	29·884	29·872	29·866	29·867	29·889	29·901	29·921	29·939	29·951	29·956	29·940	14
15	29·958	29·958	29·953	29·960	29·968	29·982	29·994	30·008	30·016	30·026	30·020	30·002	15
16	29·949	29·938	29·929	29·911	29·909	29·915	29·916	29·925	29·945	29·961	29·952	29·936	16
17	29·894	29·883	29·879	29·865	29·865	29·878	29·893	29·925	29·928	29·931	29·922	29·904	17
18	29·948	29·932	29·928	29·923	29·934	29·936	29·914	29·943	29·969	29·970	29·968	29·944	18
19	29·936	29·916	29·910	29·900	29·886	29·890	29·928	29·929	29·928	29·930	29·927	29·907	19
20	29·937	29·925	29·922	29·919	29·926	29·956	29·964	29·979	29·987	30·001	29·978	29·965	20
21	29·984	29·974	29·962	29·953	29·950	29·961	29·987	29·997	30·002	30·012	29·997	29·965	21
22	29·953	29·939	29·913	29·913	29·928	29·957	29·978	29·995	30·010	30·007	29·998	29·986	22
23	29·978	29·944	29·928	29·917	29·928	29·946	29·964	29·975	29·993	30·018	30·022	29·994	23
24	30·032	30·028	30·018	30·011	30·007	30·036	30·069	30·099	30·133	30·131	30·128	30·104	24
25	30·066	30·050	30·027	30·012	30·016	30·018	30·047	30·065	30·088	30·094	30·101	30·083	25
26	29·985	29·975	29·941	29·949	29·939	29·953	29·948	29·949	29·973	29·978	29·969	29·931	26
27	29·805	29·767	29·746	29·723	29·728	29·730	29·745	29·751	29·734	29·741	29·747	29·725	27
28	29·800	29·785	29·775	29·786	29·778	29·785	29·813	29·829	29·850	29·874	29·874	29·854	28
29	29·896	29·890	29·875	29·860	29·847	29·853	29·855	29·874	29·896	29·925	29·900	29·885	29
30	29·873	29·853	29·835	29·818	29·815	29·828	29·837	29·866	29·865	29·858	29·859	29·840	30
31	29·816	29·783	29·773	29·770	29·760	29·768	29·785	29·802	29·812	29·823	29·828	29·807	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins	ins.	ins.	ins.	ins.	ins	ins	ins.	ins.	ins	ins.	
1	30·043	30·015	29·997	29·995	30·005	30·010	30·010	30·020	30·038	30·051	30·055	30·054	1
2	29·918	29·908	29·882	29·873	29·869	29·854	29·855	29·879	29·872	29·881	29·871	29·855	2
3	29·774	29·750	29·725	29·717	29·719	29·719	29·720	29·734	29·754	29·764	29·763	29·765	3
4	29·695	29·688	29·672	29·672	29·671	29·680	29·685	29·699	29·714	29·733	29·738	29·741	4
5	29·777	29·753	29·739	29·733	29·737	29·748	29·754	29·770	29·786	29·792	29·792	29·790	5
6	29·807	29·783	29·757	29·746	29·752	29·761	29·767	29·796	29·818	29·834	29·842	29·845	6
7	29·982	29·959	29·951	29·953	29·962	29·972	29·984	30·012	30·043	30·058	30·073	30·075	7
8	30·115	30·082	30·057	30·045	30·051	30·067	30·085	30·119	30·138	30·156	30·152	30·144	8
9	30·032	30·013	29·993	29·991	30·003	30·020	30·032	30·047	30·056	30·057	30·047	30·025	9
10	30·048	30·020	29·989	29·975	29·972	29·990	30·014	30·028	30·042	30·057	30·051	30·058	10
11	30·062	30·037	30·015	30·034	29·034	30·045	30·055	30·075	30·096	30·108	30·112	30·108	11
12	30·064	30·029	30·007	29·986	29·987	29·991	29·997	30·011	30·027	30·030	30·027	30·009	12
13	29·903	29·870	29·838	29·824	29·829	29·832	29·847	29·858	29·878	29·894	29·891	29·903	13
14	29·920	29·898	29·870	29·858	29·863	29·872	29·889	29·915	29·934	29·936	29·940	29·951	14
15	29·975	29·950	29·925	29·902	29·906	29·912	29·916	29·919	29·929	29·949	29·964	29·963	15
16	29·936	29·873	29·846	29·840	29·846	29·855	29·855	29·871	29·885	29·893	29·904	29·904	16
17	29·886	29·872	29·858	29·856	29·872	29·888	29·905	29·918	29·936	29·938	29·954	29·946	17
18	29·909	29·875	29·858	29·859	29·858	29·858	29·860	29·893	29·916	29·944	29·936	29·933	18
19	29·888	29·860	29·858	29·860	29·839	29·857	29·892	29·913	29·931	29·944	29·946	29·948	19
20	29·946	29·934	29·918	29·911	29·917	29·930	29·941	29·952	29·981	29·991	29·999	29·996	20
21	29·946	29·923	29·910	29·896	29·897	29·895	29·911	29·925	29·949	29·974	29·969	29·965	21
22	29·962	29·946	29·931	29·915	29·918	29·920	29·921	29·956	29·975	29·982	29·997	30·001	22
23	29·982	29·964	29·940	29·940	29·954	29·970	29·998	29·993	30·015	30·034	30·029	30·042	23
24	30·080	30·069	30·054	30·046	30·053	30·064	30·101	30·116	30·119	30·127	30·121	30·094	24
25	30·054	30·031	30·007	30·003	30·011	29·997	29·996	30·005	30·000	30·006	30·005	30·005	25
26	29·907	29·864	29·850	29·844	29·864	29·854	29·864	29·844	29·874	29·854	29·878	29·839	26
27	29·748	29·712	29·686	29·690	29·688	29·716	29·693	29·701	29·727	29·796	29·808	29·814	27
28	29·834	29·797	29·783	29·786	29·798	29·814	29·839	29·849	29·870	29·896	29·912	29·910	28
29	29·866	29·838	29·826	29·821	29·834	29·830	29·850	29·852	29·876	29·884	29·893	29·886	29
30	29·817	29·796	29·784	29·778	29·775	29·765	29·770	29·788	29·806	29·822	29·817	29·820	30
31	29·786	29·779	29·771	29·766	29·770	29·776	29·784	29·790	29·810	29·819	29·819	29·806	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of MARCH, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	53·0	53·0	53·0	53·2	53·3	53·5	53·6	54·3	55·7	56·5	57·5	58·8	1
2	56·5	57·2	57·3	57·0	56·5	56·5	56·4	55·2	56·2	56·3	56·4	57·0	2
3	59·1	59·3	59·5	59·5	59·5	59·7	59·9	60·3	61·4	62·8	64·8	63·0	3
4	63·3	63·5	63·5	63·7	64·3	64·5	65·3	66·1	67·0	69·0	72·6	74·3	4
5	73·2	73·7	74·1	73·6	74·1	74·2	67·2	66·0	65·1	64·3	63·4	62·8	5
6	63·3	63·2	63·5	63·8	64·1	64·1	64·3	64·5	64·4	64·6	65·0	65·3	6
7	67·9	67·9	67·1	66·2	67·2	65·2	64·4	64·0	64·3	63·3	63·0	63·1	7
8	58·7	57·1	56·9	56·9	56·6	56·3	56·3	56·2	56·4	58·2	60·0	60·7	8
9	58·1	57·8	57·3	57·5	57·7	57·7	57·8	57·9	58·0	59·5	60·4	61·0	9
10	61·0	61·0	60·9	61·5	61·6	61·6	61·6	62·3	63·6	64·9	66·0	68·2	10
11	63·3	63·8	64·2	63·6	63·8	63·4	62·3	62·5	62·5	62·7	63·9	64·3	11
12	62·2	61·8	61·2	61·0	60·7	60·6	61·0	61·8	62·4	65·0	65·5	64·4	12
13	64·5	65·1	65·0	65·1	65·7	65·9	65·9	68·9	69·9	73·4	73·7	74·9	13
14	65·5	65·2	64·7	64·2	63·8	63·7	63·5	65·4	67·6	72·8	69·6	68·8	14
15	65·6	65·3	65·4	65·5	64·9	64·4	63·6	65·1	68·8	70·1	69·9	69·1	15
16	66·5	66·8	66·8	67·1	67·9	68·3	68·6	71·0	71·7	71·6	74·3	74·5	16
17	66·5	66·3	65·8	65·8	65·7	65·2	65·0	65·6	66·4	71·1	72·0	73·0	17
18	64·4	63·9	64·0	63·3	63·5	63·5	63·7	65·0	64·9	65·9	67·0	68·6	18
19	65·4	65·6	66·1	66·1	65·8	65·5	65·5	65·6	67·4	68·1	68·6	68·2	19
20	65·8	66·0	65·3	65·2	65·5	65·7	67·0	68·7	70·6	73·0	74·4	74·1	20
21	63·2	62·8	62·4	62·2	62·1	61·5	61·6	61·5	61·9	62·1	63·1	63·8	21
22	62·8	62·8	62·6	62·7	63·0	63·1	63·2	63·6	64·4	66·5	66·5	67·1	22
23	64·5	64·0	63·8	63·1	63·3	63·5	62·8	63·8	64·9	65·3	65·6	66·6	23
24	63·8	62·8	62·3	61·6	60·4	60·0	60·3	60·1	58·5	59·9	60·1	60·7	24
25	58·3	58·2	57·7	57·4	57·3	57·4	57·3	57·8	57·9	58·1	58·0	57·9	25
26	57·6	57·4	57·5	58·1	58·0	57·5	57·4	58·4	59·2	59·0	60·5	60·7	26
27	62·5	62·4	62·2	63·3	63·7	63·7	65·2	65·5	64·0	63·4	64·9	65·0	27
28	64·4	64·3	64·1	63·9	63·4	63·5	64·1	66·1	67·6	69·4	70·2	72·6	28
29	64·6	64·2	63·5	62·5	62·3	62·1	62·4	63·6	64·4	64·9	65·0	65·4	29
30	62·7	62·7	62·8	62·7	62·5	62·6	62·9	63·5	65·3	66·5	67·6	68·6	30
31	64·9	63·9	63·4	62·9	63·0	62·6	62·8	63·5	63·7	63·8	63·1	63·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	59·5	59·6	59·5	59·1	58·6	57·7	56·5	56·3	56·2	56·2	56·3	56·6	1
2	58·5	57·9	58·2	58·0	58·1	58·5	58·8	59·0	59·0	59·4	59·5	59·4	2
3	63·5	63·7	64·2	63·5	63·3	62·7	62·1	62·3	62·5	63·2	63·5	63·3	3
4	73·0	75·0	75·3	75·2	74·9	74·7	74·4	73·4	73·3	71·3	70·4	72·6	4
5	62·8	63·2	62·9	62·6	62·8	62·5	62·6	62·6	62·4	62·6	62·6	62·8	5
6	66·3	67·5	67·5	67·7	67·4	66·9	66·8	66·6	66·9	67·4	67·6	67·8	6
7	62·4	62·2	62·3	62·2	62·0	61·7	61·4	61·4	61·0	60·9	60·2	59·8	7
8	61·5	61·8	62·0	61·1	60·6	59·5	59·0	58·7	59·0	59·1	59·0	58·7	8
9	61·8	61·9	61·7	61·1	60·7	60·5	60·7	61·2	61·8	61·7	60·9	60·9	9
10	68·6	68·9	70·3	70·7	68·0	67·3	65·9	65·5	64·4	63·1	63·2	63·1	10
11	66·6	68·3	65·8	64·4	64·1	63·8	63·1	62·7	62·8	62·4	62·2	62·3	11
12	67·0	65·9	66·2	65·8	64·9	64·5	63·3	62·9	62·6	62·7	64·0	64·3	12
13	73·7	76·3	77·0	76·1	74·0	70·9	68·0	68·1	67·5	66·6	66·2	66·2	13
14	69·3	69·5	69·6	68·7	67·3	66·6	66·4	66·5	66·6	66·7	66·5	66·1	14
15	68·6	69·0	69·4	68·9	68·5	67·9	67·0	66·6	66·4	66·1	66·3	66·0	15
16	75·4	74·4	73·0	71·3	71·1	70·0	68·3	68·0	67·3	66·8	66·8	66·3	16
17	76·1	70·9	70·4	67·0	65·9	65·3	65·0	65·1	64·9	65·0	65·1	65·1	17
18	67·7	67·2	67·3	67·2	67·0	66·4	65·5	64·5	64·5	64·9	64·9	64·6	18
19	68·7	68·8	68·0	67·4	67·3	66·3	66·0	66·2	66·0	65·9	65·7	65·6	19
20	73·2	73·5	71·4	70·6	70·2	69·7	68·8	68·3	67·5	66·2	65·5	64·4	20
21	64·1	63·5	63·3	63·9	63·9	63·7	63·8	63·9	64·1	64·3	53·8	63·0	21
22	67·6	66·8	67·4	67·3	67·0	66·4	65·5	65·1	64·3	64·2	64·7	64·7	22
23	68·9	68·1	68·4	67·9	67·8	67·7	67·1	66·6	66·4	66·0	65·5	64·8	23
24	59·1	59·0	57·9	57·7	57·6	56·9	56·1	56·1	56·9	57·1	57·3	57·7	24
25	57·9	57·7	57·1	56·9	56·6	56·2	56·2	56·6	57·0	57·7	57·8	57·8	25
26	61·4	61·8	62·0	62·2	62·0	61·1	61·1	61·1	61·5	61·0	61·3	61·4	26
27	65·2	65·0	66·2	66·1	67·0	66·8	66·9	66·9	68·9	67·4	66·9	66·0	27
28	71·2	72·6	69·9	67·6	67·0	65·9	65·6	65·9	65·3	65·3	64·5	64·5	28
29	66·1	66·5	65·8	64·8	64·6	64·0	63·6	63·5	63·1	63·2	63·3	63·1	29
30	69·0	69·1	69·3	68·7	68·3	66·6	66·5	66·3	66·0	66·3	66·0	65·0	30
31	64·0	63·5	63·4	63·8	65·0	64·6	64·5	64·3	63·9	63·5	62·9	62.4	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of MARCH, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	50·7	50·6	50·3	50·6	50·6	51·0	51·0	51·3	52·2	52·5	52·9	53·6	1
2	53·9	54·4	54·7	54·6	54·4	54·6	54·7	54·9	55·1	55·4	55·5	55·6	2
3	58·5	58·8	59·0	59·1	58·8	58·8	59·0	59·3	59·9	61·0	62·5	61·4	3
4	62·4	62·6	63·2	63·2	63·7	64·2	65·1	65·9	66·3	68·6	71·0	71·8	4
5	72·1	72·0	72·0	72·0	72·2	72·1	66·5	65·6	64·7	63·6	62·9	62·3	5
6	63·2	63·1	63·5	63·8	65·9	63·9	64·1	64·3	64·2	64·6	65·0	65·3	6
7	67·3	67·3	66·8	65·6	66·6	64·7	63·8	62·8	63·0	60·6	59·5	59·6	7
8	54·0	53·0	52·7	52·2	52·0	52·1	51·4	51·0	51·6	53·0	54·1	54·8	8
9	55·7	55·4	55·0	54·9	54·7	54·7	54·1	53·9	53·9	53·8	53·8	54·7	9
10	56·0	56·2	56·9	57·2	57·6	57·9	58·4	58·9	60·0	60·2	61·0	62·9	10
11	62·1	62·3	61·9	60·3	60·3	59·4	59·5	59·4	59·2	59·6	60·4	60·9	11
12	59·3	58·9	57·8	57·6	57·7	57·9	57·8	58·5	58·8	59·9	60·3	59·9	12
13	62·0	62·2	62·1	61·8	61·5	61·1	61·2	62·9	63·9	65·3	65·9	67·1	13
14	63·6	63·1	62·9	62·5	62·0	61·9	61·5	62·6	63·6	65·0	63·3	63·3	14
15	63·3	63·1	63·0	62·7	62·0	61·5	60·4	61·8	63·0	64·1	63·6	63·4	15
16	64·4	64·5	64·5	63·8	63·7	63·9	64·0	65·5	65·7	65·3	66·7	68·1	16
17	65·5	65·7	65·5	65·8	65·7	65·1	65·0	65·6	67·3	68·2	68·8	68·9	17
18	60·6	59·8	59·6	59·5	59·8	60·1	60·3	61·0	61·8	62·1	63·0	63·8	18
19	62·3	63·0	63·5	63·2	63·0	62·1	60·9	60·6	61·8	61·0	60·5	61·0	19
20	62·0	62·2	62·0	62·6	62·6	63·0	63·6	64·6	65·5	67·1	67·8	67·8	20
21	59·1	59·1	59·1	59·3	59·1	58·7	58·9	58·9	59·0	58·8	58·9	59·6	21
22	59·4	59·6	59·9	60·3	60·5	60·8	61·0	61·5	61·9	63·1	63·0	63·7	22
23	61·5	61·6	61·1	61·0	60·9	61·0	61·7	62·0	62·3	62·5	62·8	62·6	23
24	53·4	52·3	50·9	50·4	49·1	48·7	49·2	49·3	49·0	51·0	51·0	52·1	24
25	55·1	54·5	54·1	53·8	53·5	53·7	53·5	53·2	53·6	53·3	51·2	50·0	25
26	53·2	53·2	52·4	53·0	53·5	53·7	53·9	53·8	54·3	54·9	55·5	55·8	26
27	61·4	61·6	61·7	62·3	62·3	62·5	63·5	63·6	63·2	62·9	63·6	63·6	27
28	62·7	62·5	62·2	62·5	62·0	62·0	62·4	63·6	64·5	65·9	66·0	66·8	28
29	56·1	56·4	55·6	55·9	56·0	56·3	55·8	56·6	56·7	58·0	58·5	59·3	29
30	61·1	61·1	61·1	60·7	60·2	60·0	59·5	59·9	60·6	61·5	62·5	63·0	30
31	63·1	62·2	61·8	61·7	61·4	61·3	61·6	61·9	62·1	62·3	61·9	61·9	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	54·2	54·7	54·8	54·9	54·4	53·9	53·2	53·2	53·0	53·0	53·0	53·5	1
2	56·4	56·0	56·3	56·1	56·5	56·6	57·1	57·5	57·5	58·0	58·1	58·3	2
3	61·7	62·2	62·5	62·1	62·0	61·5	61·1	61·3	61·6	62·2	62·2	62·3	3
4	71·3	72·3	72·7	72·6	72·4	72·7	72·3	72·2	72·2	70·7	70·0	71·8	4
5	62·4	62·3	62·1	62·1	62·2	62·1	62·3	62·4	62·4	62·6	62·6	62·8	5
6	65·8	66·9	66·8	67·0	66·8	66·3	66·5	66·5	66·5	67·2	67·3	67·5	6
7	58·5	58·5	58·1	58·0	57·5	57·2	55·8	55·6	55·1	54·6	54·1	54·1	7
8	55·1	55·4	56·0	55·3	55·5	55·3	55·8	55·9	55·9	56·3	56·1	55·8	8
9	54·9	55·0	55·5	55·1	55·2	55·5	55·6	56·5	57·0	57·6	57·2	56·6	9
10	63·5	63·8	64·3	64·8	63·7	63·8	63·1	63·0	62·3	61·6	62·0	61·8	10
11	62·7	63·2	61·6	61·0	60·5	60·1	59·6	59·4	59·4	59·2	59·5	59·6	11
12	61·0	61·1	61·6	61·5	60·8	60·8	60·4	60·3	60·4	60·5	61·4	61·7	12
13	66·1	67·2	67·6	67·8	67·0	65·8	64·2	64·1	64·4	63·7	63·3	63·4	13
14	65·6	64·0	64·5	64·4	64·2	64·0	63·8	64·1	64·0	64·0	64·2	64·0	14
15	63·4	63·4	63·6	63·8	64·0	64·1	63·8	63·9	64·0	64·1	64·4	64·1	15
16	68·2	67·9	67·0	66·5	67·1	66·9	66·3	66·2	65·9	65·7	65·9	65·5	16
17	71·0	67·3	67·2	65·1	64·0	63·3	63·0	62·7	62·1	62·0	62·0	61·9	17
18	63·2	62·9	63·3	62·9	62·9	62·6	62·1	61·8	61·6	01·3	61·6	61·9	18
19	61·2	62·4	62·8	62·8	62·7	62·2	61·0	61·2	61·6	61·9	61·8	61·8	19
20	67·5	67·2	65·9	65·6	64·5	63·5	62·2	62·1	61·4	61·0	60·1	59·6	20
21	60·1	59·7	59·3	59·3	59·7	59·7	59·6	59·4	59·5	59·8	59·6	59·0	21
22	63·5	63·4	63·7	63·7	63·5	63·2	62·9	62·8	62·7	61·8	61·9	61·4	22
23	62·5	60·2	59·2	58·3	58·0	57·3	56·1	55·2	55·4	55·3	55·3	54·8	23
24	52·2	51·8	52·1	51·8	51·7	51·5	51·5	51·8	51·9	52·8	52·8	53·6	24
25	50·3	52·8	53·5	53·7	53.8	54·0	54·4	55·1	55·1	55·2	55·0	54·4	25
26	56·1	56·7	56·6	56.8	58·3	58·6	59·0	59·2	59·6	59·5	60·0	60·6	26
27	64·3	64·2	64·5	64.1	64·1	64·0	63·8	63·2	63·3	62·9	62·9	62.7	27
28	66·3	66·7	65·5	64·3	63·8	62·2	61·9	61·5	60·1	60·1	59·7	57·5	28
29	59·9	60·7	60·6	60·2	60·4	61·0	60·9	60·9	60·9	61·0	61·2	61·1	29
30	63·7	64·1	64·8	64·8	64·4	63·9	63·9	63·8	64·0	64·3	64·4	63·7	30
31	62·1	61·8	61·5	61·5	62·0	62·2	62·4	62·1	61·9	61·9	61·8	61·3	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MARCH, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Mdn.	
1	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	10	10	10	10	10	10	10	8	9	8	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6	1	1	6	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	9	9	1	2	2	9	9	10	10	10	10	10	10	5	9
10	9	10	10	10	10	10	10	10	9	10	10	10	10	10	10	7	8	6	6	6	2	4	7	9	10
11	10	10	10	10	10	10	8	8	9	7	7	8	4	2	2	5	4	2	2	9	10	3	3	7	11
12	8	5	2	5	2	5	2	1	8	4	5	6	5	4	5	5	6	7	9	8	4	9	10	10	12
13	10	10	10	10	10	2	1	2	2	2	10	4	9	3	2	2	4	5	6	8	5	7	8	10	13
14	10	7	4	...	1	1	1	...	...	...	...	...	...	...	...	...	1	1	3	10	10	10	10	10	14
15	10	10	10	10	10	10	5	4	1	7	5	6	8	8	8	7	7	9	9	10	2	2	8	9	15
16	10	10	10	9	10	10	2	3	5	5	6	6	4	2	3	2	2	2	1	...	1	6	4	3	16
17	2	10	10	10	10	10	10	10	10	9	9	3	3	7	9	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	7	3	2	4	10	9	10	18
19	10	10	10	10	10	10	10	10	6	...	5	7	8	8	10	10	8	7	4	4	3	4	5	8	19
20	7	10	3	7	9	10	10	10	10	6	8	8	4	7	9	5	6	5	4	2	3	2	2	3	20
21	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	10	10	10	10	5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	4	4	10	10	10	27
28	10	9	8	10	3	9	9	10	10	10	10	5	9	10	5	8	9	10	10	10	6	9	10	10	28
29	10	10	9	6	1	...	2	3	2	5	10	9	5	7	8	9	9	8	10	8	10	10	10	10	29
30	10	10	10	5	8	10	9	10	9	7	8	4	3	8	7	10	10	10	10	8	10	10	8	8	30
31	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	4	3	2	2	...	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MARCH, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h	h.	h.	h.	h.	h.	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	0·1	...	...	...	...	...	...	2
3	...	...	0·5	0·7	1·0	0·4	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	0·1	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	0.1	...	...	5
6	...	...	...	...	...	...	...	0·1	...	0·1	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	0·9	1·0	0.4	...	8
9	...	...	...	0·2	0·1	0·3	1·0	1·0	1·0	0·7	...	...	...	9
10	...	...	...	...	...	...	...	...	0·2	0.7	0·5	0·1	...	10
11	...	0·3	...	0·3	0·4	0·6	1·0	1·0	1·0	1·0	1·0	0·8	...	11
12	...	0·8	0·2	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·6	...	12
13	0·1	1·0	1·0	1·0	0·9	0·8	0·8	1·0	1·0	1·0	1·0	0.7	...	13
14	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	14
15	...	0·9	1·0	1·0	0·7	...	...	...	...	...	...	...	...	15
16	...	0·9	0·6	0·9	1·0	1·0	1·0	0·8	1·0	1·0	1·0	0·6	...	16
17	...	..	0·4	0·5	0·9	1·0	1·0	0·7	0·6	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	0·3	1·0	1·0	0·9	0·8	0·7	0·4	...	0·3	...	...	19
20	...	...	0·1	0.5	1·0	0·9	1·0	1·0	0·2	0·4	1·0	0·3	...	20
21	...	...	...	...	...	0·1	0·3	...	...	...	...	...	..	21
22	...	...	...	...	..	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	..	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	0·2	0·2	...	...	0·3	0·6	0·3	0·7	1·0	0·4	...	...	28
29	0·1	1·0	1·0	1·0	0·6	0·6	1·0	1·0	1·0	0·3	...	...	...	29
30	...	...	...	1·0	0·9	0·9	1·0	1·0	0·8	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY in the MONTH of MARCH, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	....	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	d	d	d	d	d	2
3	...	...	d	d	...	...	...	...	...	...	..	...	3
4	...	0·040	0·145	0·025	...	d	d	...	0·025	0·155	d	d	4
5	...	...	...	...	...	...	...	...	0·005	...	0·010	d	5
6	...	...	...	...	...	...	...	...	d	d	...	...	6
7	...	...	...	...	...	0·015	0·040	0·005	...	...	...	...	7
8	...	d	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	d	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	d	...	...	...	...	...	23
24	...	...	...	...	...	d	...	d	0·005	0·005	d	0·005	24
25	d	d	d	...	...	d	d	d	0·005	d	d	d	25
26	d	d	d	d	0·005	0·010	0·005	d	d	d	d	d	26
27	0·205	0·140	0·140	0·060	0.115	0·075	0·090	0·010	0·340	0·225	0·060	0·070	27
28	...	...	...	0·020	...	...	0·005	...	...	0·005	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	d	...	0·005	0·020	0·005	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	ins.	ins	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	d	...	...	...	...	...	...	...	...	...	d	d	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	0·190	0·005	d	...	...	...	...	0·025	0·005	0·040	0·020	...	4
5	d	d	...	d	d	d	d	...	...	...	0·005	...	5
6	...	...	...	...	d	...	...	...	...	...	...	0·005	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	..	..	...	..	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...		...	...	16
17	...	...	d	...	...	...	...	...	...	d	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	..	...	20
21	...	...	...	...	...	...	...	...	...	...	..	....	21
22	d	d	...	...	...	...	...	...	...	...	..	....	22
23	...	...		...	...	d	...	...	...	...	...	...	23
24	d	d	0·010	d	0·005	0·005	0·015	0·010	d	d	0·005	d	24
25	d	0·010	0·020	0·020	0·020	0·035	0·020	0·010	0·015	0·005	0·010	d	25
26	d	d	d	d	0·025	0.025	0·030	0·045	0.035	0·125	0·105	0·095	26
27	0·260	0·050	0·070	0·090	0·010	0.095	0.005	d	...	...	...	d	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	....	30
31	d	0·005	d	...	...	...	...	...	...	...	...	....	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of MARCH, 1922.

(*The Direction is given in points, and the Velocity in miles per hour.*)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	2	5	2	6	2	5	2	5	2	5	2	3	2	2	3	4	4	9	5	8	6	9	7	6	1
2	...	1	5	10	6	10	6	10	7	12	7	12	7	18	7	14	7	14	7	13	8	15	8	18	2
3	7	18	8	17	8	19	9	18	9	20	9	20	9	20	9	20	9	19	8	20	7	17	7	19	3
4	8	20	7	17	7	17	7	18	6	17	6	18	6	14	7	15	9	16	11	15	14	18	15	18	4
5	16	8	17	10	17	15	17	13	16	13	14	11	10	12	9	15	8	23	9	27	9	29	9	28	5
6	8	23	8	24	8	23	8	23	8	25	8	25	8	25	8	23	8	23	8	21	8	20	9	24	6
7	8	11	8	13	7	11	5	11	3	8	31	9	31	7	3	4	3	6	3	6	2	6	2	7	7
8	2	10	2	11	3	9	2	13	3	11	4	10	3	12	3	11	3	6	3	5	6	4	7	5	8
9	7	21	7	24	7	26	7	28	7	26	7	31	7	28	7	30	7	24	7	25	7	24	7	26	9
10	8	19	9	15	9	11	9	5	10	4	10	9	10	9	9	15	9	13	10	14	10	11	11	8	10
11	...	...	...	1	9	10	8	13	8	13	8	20	8	23	8	24	8	30	8	26	9	21	10	17	11
12	7	20	7	24	8	29	8	24	8	21	8	19	8	21	8	23	8	29	8	28	8	34	9	26	12
13	10	2	...	1	12	2	12	7	11	11	11	14	10	14	10	11	10	13	12	11	16	7	21	6	13
14	24	7	24	5	24	6	24	5	24	6	24	6	24	4	...	1	...	...	15	9	11	21	10	21	14
15	7	19	6	13	5	11	5	15	5	16	6	16	7	15	9	11	9	10	9	12	9	18	8	19	15
16	12	12	12	10	11	9	11	10	11	8	11	13	10	14	10	14	10	13	10	13	9	15	10	14	16
17	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	8	2	..	...	8	7	8	6	17
18	7	15	7	19	7	14	7	13	8	13	8	8	8	14	9	8	10	10	10	10	11	10	10	12	18
19	7	13	7	11	6	16	7	15	8	19	9	24	8	22	9	18	9	25	9	23	8	26	8	22	19
20	9	4	...	1	9	2	...	...	9	2	...	1	9	3	...	1	9	4	9	5	9	6	9	9	20
21	7	29	7	27	7	24	7	25	7	30	7	28	7	30	7	29	7	27	7	24	7	28	7	27	21
22	7	20	7	18	7	21	7	15	8	13	8	12	9	14	8	14	8	13	8	13	8	15	8	11	22
23	8	11	9	13	9	12	9	10	8	10	7	7	7	4	7	3	7	2	7	6	6	2	...	1	23
24	1	20	1	19	2	18	2	21	1	17	1	11	2	12	2	18	2	8	3	3	4	6	4	5	24
25	6	13	6	18	6	17	6	14	6	13	6	16	6	16	6	14	6	16	6	20	6	19	6	17	25
26	6	24	6	17	7	20	7	22	6	20	6	16	7	19	7	24	7	24	6	23	6	20	7	25	26
27	6	27	7	36	7	39	8	31	9	31	9	29	8	26	8	32	7	35	7	37	7	37	7	28	27
28	26	7	26	5	26	5	26	3	26	2	26	2	26	3	26	5	26	4	26	5	26	3	26	3	28
29	8	32	8	33	8	36	8	35	8	30	7	33	7	34	7	34	7	30	7	24	7	27	6	28	29
30	7	19	7	20	7	18	8	20	8	20	8	17	8	19	9	15	9	18	9	18	9	14	9	17	30
31	26	9	26	9	26	10	26	7	24	6	24	9	25	8	25	4	25	5	26	7	26	10	26	11	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	7	8	8	7	9	5	8	4	1	4	32	6	1	7	1	4	2	5	..	1	...	...	...	...	1
2	8	25	8	20	8	21	8	19	8	20	8	24	8	22	8	24	8	27	8	25	8	24	8	25	2
3	7	21	8	21	8	23	8	21	8	21	8	23	8	22	9	23	9	21	8	20	8	21	8	20	3
4	16	12	16	17	16	14	16	11	16	14	18	14	17	15	16	10	16	8	16	5	16	6	16	5	4
5	9	28	9	27	9	28	9	26	9	26	9	27	9	27	9	26	9	26	9	28	8	26	8	24	5
6	8	21	7	13	7	16	7	17	8	18	8	17	8	18	9	17	9	14	9	16	9	14	9	13	6
7	3	7	6	7	...	1	8	2	6	6	4	4	3	9	2	6	2	5	2	8	2	6	2	5	7
8	8	8	9	13	10	12	11	14	10	14	9	13	9	13	8	14	7	14	7	11	7	5	7	19	8
9	7	25	7	22	8	22	9	21	9	15	9	14	10	8	10	5	...	...	10	8	9	15	8	18	9
10	10	6	10	9	10	9	10	8	10	10	10	6	10	4	10	2	10	2	...	...	...	1	...	1	10
11	10	13	11	16	11	23	9	23	8	19	8	17	7	18	7	16	8	21	8	18	8	18	7	19	11
12	8	22	9	27	8	20	8	18	9	16	9	15	9	11	9	10	9	8	9	4	9	4	9	5	12
13	26	6	26	6	28	7	28	7	28	5	27	5	26	6	26	6	25	7	25	5	24	2	24	6	13
14	10	20	10	21	10	21	10	22	9	23	8	21	8	16	7	15	7	15	7	19	8	13	8	15	14
15	8	17	8	14	7	19	7	22	7	21	7	18	7	19	7	22	8	19	8	10	9	6	11	11	15
16	10	11	9	14	9	15	8	14	8	9	8	8	8	9	8	9	8	6	8	3	...	1	...	...	16
17	9	8	9	22	9	21	8	17	8	20	7	19	6	18	6	17	6	18	6	20	6	14	6	16	17
18	9	18	9	13	9	9	9	12	10	11	10	13	10	15	10	17	10	14	10	14	9	17	8	17	18
19	9	17	9	17	9	14	9	15	9	18	9	16	9	12	9	10	9	11	9	4	9	5	9	6	19
20	9	15	10	18	10	20	9	23	8	23	9	24	7	28	7	31	7	29	7	25	7	30	7	32	20
21	7	24	7	21	7	22	8	20	9	18	9	20	8	20	7	26	7	22	7	16	7	23	7	22	21
22	9	12	9	8	8	8	7	8	6	3	7	7	8	10	8	11	8	13	8	12	8	11	8	8	22
23	3	8	2	12	2	15	2	15	1	17	1	22	2	18	2	21	2	22	1	20	1	20	1	20	23
24	3	9	2	4	2	8	2	9	2	5	2	5	2	4	3	5	7	5	9	3	8	5	7	7	24
25	6	13	6	7	6	10	6	9	6	11	7	14	7	13	7	13	7	25	7	23	7	15	6	18	25
26	7	25	7	25	7	23	7	20	8	17	8	19	9	18	8	26	7	22	7	30	8	19	8	20	26
27	3	3	32	5	32	15	1	19	2	14	3	10	2	17	2	19	4	18	17	8	25	5	26	8	27
28	26	3	10	14	9	21	9	23	8	21	8	19	7	16	7	20	7	21	7	23	7	26	8	30	28
29	6	26	7	25	7	24	8	20	9	18	9	17	9	14	9	19	9	21	8	21	8	19	8	21	29
30	9	17	9	13	9	11	9	6	9	4	9	6	9	2	9	3	9	5	11	5	21	4	25	9	30
31	25	6	25	10	25	9	25	7	...	1	...	1	...	...	24	2	...	1	24	2	...	1	...	...	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS in the MONTH of MARCH, 1922.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	st-cu	E	st-cu	E	st-cu	E	st-cu	E	st-cu	E	st-cu	ENE	st-cu	E	st-cu	E
2	st-cu	E	st-cu	E	cu-nb	ENE	nb	E	nb	E	nb	E	nb	E	st-cu	E
3	cu-nb	E	nb	E	nb	E	cu / cu	SE / E	nb	SSE	nb	S	nb	SE	nb	SSE
4	nb	E	nb	E	nb	S	nb	SSE	nb	SW	nb	SW	nb	SSW	nb	SSW
5	nb	?	nb	?	nb	SSW	nb	SSW	nb	SSW	nb	SSE	nb	S	nb	?
6	nb	?	nb	?	nb	ESE	nb	E	nb	S	cu-nb	SSW	nb	S	st	?
7	st	?	st	?	nb	WNW	nb	WSW	cu-nb	WSW	nb	E	st-cu	ESE	cu-nb	E
8	nb	ENE	st-cu	E	st-cu	E	st-cu	ENE	st-cu	E	st-cu	E	st-cu	E	st-cu	E
9	st-cu	E	st-cu	E	st-cu	E	a-cu	W	a-cu	WSW	a-cu / cu	W / SE	st-cu	ESE	st-cu	ESE
10	st-cu	ESE	st-cu	E	st-cu	ESE	cu	S	st-cu	ESE	a-cu	WSW	a-cu	W	a-cu	W
11	a-cu	W	st-cu	SE	a-cu / cu	WSW / ESE	a-cu / cu	W / E	cu	E	cu	E	cu	ESE	cu	ESE
12	cu	ESE	a-cu / cu	W / ESE	cu	E	a-cu / cu	SSE / E	a-cu / cu	WSW / SE	a-cu / cu	SW / ESE	cu	ESE	cu	SE
13	cu	E	cu	S	cu	WSW	a-cu	W	cu	WSW	a-cu / cu	W / WSW	a-cu	WSW	a-cu	WSW
14	a-cu	WSW	...	...	ci-cu	NW	...	...	...	...	...	...	cu	E	cu	E
15	cu-nb	E	cu-nb	E	cu	E	cu	ESE	cu	SSE	cu	E	cu	SSE	cu	SE
16	cu-nb	SSE	cu	SSE	cu	SSE	cu	S	cu	SSE	cu	SSW	cu	S	st	SSE
17	st	?	st	W	st	?	cu	WNW	cu	E	cu-nb	E	st-cu	E	nb	E
18	st-cu	ESE	st-cu	ESE	a-cu / cu	WSW / E	cu	E	st-cu	ESE	st-cu	SE	a-cu	W	st	SE
19	st-cu	ESE	st-cu	E	st-cu	E	...	...	a-cu	W	st-cu / cu	N / N	cu	NW	cu	NNW
20	a-cu / cu	WSW / NE	ci-st	WNW	cu	NE	a-cu / cu	W / E	ci-st / cu	S / ESE	cu	ENE	a-cu / cu	W / E	cu	E
21	cu	ESE	cu	?	nb	E	nb	E	cu-nb	E	cu-nb	E	st-cu	ESE	st	E
22	st	E	st	ESE	st	ESE	cu-nb	ESE	nb	SE	st-cu	ESE	st-cu	ESE	st-cu	E
23	cu-nb	E	cu-nb	ESE	nb	ESE	st / cu-nb	WNW / NE	st / cu	W / E	st-cu	S	st-cu	WNW	st	?
24	st-cu	ENE	st-cu	ENE	st-cu	NNE	nb	ESE	nb	S	nb	S	nb	ESE	nb	ESE
25	nb	E	nb	?	nb	ENE	nb	SE	nb	SSE	nb	ENE	nb	ENE	nb	E
26	nb	E	nb	ESE	nb	E	nb	E	nb	SE	nb	E	nb	E	nb	E
27	nb	E	nb	E	nb	E	nb	E	nb	E	nb	NNE	nb	NW	cu-nb	N
28	cu-nb	WSW	nb	WSW	a-st	ENE	nb	E	cu	N	a-cu / cu	N / E	cu	E	cu	E
29	cu	E	cu	E	cu	ESE	cu	ESE	cu	E	cu	E	st-cu	ESE	st-cu	ESE
30	st-cu	ESE	st-cu	E	a-cu / cu	WNW / E	cu	ESE	cu	ESE	a-st	WSW	a-st / a-cu	WSW / W	a-st	?
31	st-cu	ESE	st	W	st	W	nb	W	a-st / st-cu	SSE / E	a-st	S	a-st	W	a-st	WSW

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1922.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h	m.p.h.	m.p.h.		m.p.h.	m.p.h.
1	30·045	59·9	52·8	7·1	56·1	52·6	0·351	78	100	...	...	...	...	+ 3·1	+ 2·9	43	4·2	4·9
2	29·939	59·6	56·0	3·6	57·7	55·9	·425	89	100	0·1	1	...	2	+ 1·3	+ 17·4	86	17·4	17·6
3	29·791	65·1	59·0	6·1	61·9	60·8	·520	93	98	2·6	22	...	...	— 0·7	+ 20·2	92	20·2	20·2
4	29·717	75·3	63·3	12·0	70·0	68·8	·689	94	100	0·1	1	0·675	7	— 6·0	+ 6·8	131	9·1	13·9
5	29·765	74·3	62·4	11·9	66·0	65·3	·616	96	100	0·1	1	0·020	2	— 6·0	+ 18·3	108	19·3	21·8
6	29·802	68·0	62·9	5·1	65·7	65·4	·624	98	100	0·2	2	0·005	1	— 0·5	+ 19·7	91	19·7	19·7
7	29·954	68·1	59·7	8·4	63·4	60·2	·480	82	100	...	...	0·060	2	+ 4·4	+ 4·0	42	6·0	6·9
8	30·103	62·1	55·8	6·3	58·8	54·2	·361	72	89	2·3	19	...	...	+ 2·8	+ 8·5	72	9·0	10·7
9	30·058	62·0	57·1	4·9	59·8	55·3	·379	73	86	4·3	36	...	...	+ 2·0	+ 20·0	84	20·1	20·2
10	30·028	71·1	60·6	10·5	64·7	60·9	·485	80	85	1·5	13	...	...	— 2·3	+ 7·5	107	7·8	8·0
11	30·069	69·3	62·1	7·2	63·7	60·5	·486	82	67	7·4	62	...	...	— 1·3	+ 17·0	94	17·0	17·5
12	30·049	67·1	60·4	6·7	63·4	59·8	·468	80	56	9·2	77	...	...	— 0·7	+ 19·0	92	19·0	19·1
13	29·900	77·4	64·4	13·0	69·5	64·2	·531	74	59	10·3	87	...	...	— 1·0	+ 0·3	163	1·0	7·0
14	29·905	72·8	63·5	9·3	66·9	63·5	·542	82	33	10·8	91	...	...	— 2·3	+ 8·8	105	9·1	13·0
15	29·961	71·6	63·5	8·1	67·0	63·3	·534	80	73	3·6	30	...	...	+ 2·0	+ 15·0	82	15·1	15·5
16	29·904	76·2	65·8	10·4	69·7	65·8	·584	80	48	10·0	83	...	...	— 3·2	+ 9·3	109	9·8	10·2
17	29·900	76·4	64·8	11·6	67·3	65·4	·602	90	88	5·1	42	...	...	+ 1·4	+ 9·1	81	9·2	9·5
18	29·917	68·9	63·2	5·7	65·4	61·6	·499	79	89	...	...	...	...	— 2·2	+ 12·7	100	12·9	13·2
19	29·905	69·8	64·5	5·3	66·7	61·9	·491	74	74	5·4	45	...	...	— 1·3	+ 15·7	95	15·9	15·8
20	29·953	76·2	64·4	11·8	68·8	63·8	·527	75	62	6·4	53	...	...	...	+ 13·5	90	13·5	14·0
21	29·954	64·6	61·3	3·3	63·1	59·3	·456	79	99	0·4	3	...	...	+ 3·7	+ 23·9	81	24·2	24·2
22	29·958	68·4	62·6	5·8	65·0	62·0	·517	84	99	...	...	...	...	+ 0·5	+ 12·1	88	12·1	12·1
23	29·978	69·1	62·8	6·3	65·7	59·5	·428	67	100	...	...	...	1	+ 8·3	+ 6·0	36	10·2	12·1
24	30·077	64·8	56·1	8·7	59·2	51·3	·275	55	100	...	...	0·065	17	+ 8·0	+ 3·9	26	8·9	9·5
25	30·033	58·3	56·1	2·2	57·4	53·6	·362	76	98	...	...	0·170	17	+ 5·0	+ 14·4	71	15·2	15·2
26	29·909	62·4	57·2	5·2	60·0	56·2	·403	77	100	...	...	0·305	17	+ 4·0	+ 21·1	79	21·5	21·6
27	29·738	69·1	61·9	7·2	65·2	63·2	·554	89	94	...	...	2·110	19	+ 6·0	+ 17·0	71	18·0	22·0
28	29·829	74·8	63·3	11·5	66·6	63·0	·529	81	87	3·7	30	0·030	1	+ 1·1	— 7·7	82	7·8	11·8
29	29·867	66·7	61·9	4·8	64·0	58·7	·426	71	71	7·6	62	...	...	+ 2·0	+ 25·5	85	25·6	25·9
30	29·820	70·1	62·3	7·8	65·7	62·5	·525	83	84	5·6	46	...	...	— 0·9	+ 11·4	95	11·4	12·5
31	29·792	65·1	62·4	2·7	63·6	61·9	·532	91	83	...	...	0·035	3	+ 1·4	— 5·2	285	5·4	5·6
										Sum.		Sum.	Sum.					
Means	29·923	68·5	61·1	7·4	64·1	60·7	0·490	81	85	96·7	26	3·675	89	+ 0·9	+ 12·4	86	12·4	14·6
Normals	29·942	67·0	59·6	7·4	62·9	59·9	0·485	83	83	87·5	24	2·787	74	+ 1·4	+ 13·3	84	13·4	15·5
Absolute Max.	30·161	77·4	...	13·0	...	73·0	0·783	...	...	10·8	91	2·110	19	...	...	...	...	39·0†
Day.	8	13	...	13	...	4	4	...	...	14	14	27	27	...	...	...	...	27*3*
Absolute Min.	29·671	...	52·8	2·2	...	48·7	0·196	37	...	...	...	...	...	...	...	...	...	...
Day.	4	...	1	25	...	24	24	24	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar halo :—on the 14th.

Lunar corona :—on the 10th, 11th and 12th.

Thick fog :—on the 17th.

Slight fog :—on the 2nd, 4th, 5th, 6th, 10th, 11th, 13th, 14th, 16th and 21st.

Haze :—on the 28th.

Dew :—on the 20th.

Rain fell on 9 days. The mean hourly intensity was 0·041ins., and the maximum fall in one hour was 0·340ins. at 9h on the 27th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 47 miles per hour at 6h 29m on the 29th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°		m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1019·5	288·5	284·6	3·9	286·4	284·4	11·8	...	...	+ 1·0	+ 1·0	43	1·4	1·6
2	1016·0	288·3	286·3	2·0	287·3	286·3	14·3	...	2	+ 0·4	+ 5·7	86	5·7	5·8
3	1010·9	291·4	288·0	3·4	289·6	289·0	17·5	...	...	— 0·2	+ 6·6	92	6·6	6·6
4	1008·3	297·1	290·4	6·7	294·1	293·4	23·2	17·1	7	— 2·0	+ 2·2	131	3·0	4·6
5	1010·0	296·5	289·9	6·6	291·9	291·5	20·8	0·5	2	— 2·0	+ 6·0	108	6·3	7·1
6	1011·2	293·0	290·2	2·8	291·7	291·6	21·1	0·1	1	— 0·2	+ 6·5	91	6·5	6·5
7	1016·4	293·1	288·4	4·7	290·4	288·7	16·2	1·5	2	+ 1·4	+ 1·3	42	2·0	2·3
8	1021·5	289·7	286·2	3·5	287·9	285·3	12·1	...	...	+ 0·9	+ 2·8	72	3·0	3·5
9	1020·0	289·7	286·9	2·8	288·4	285·9	12·8	...	...	+ 0·7	+ 6·6	84	6·6	6·6
10	1018·9	294·7	288·9	5·8	291·2	289·1	16·3	...	...	— 0·8	+ 2·5	107	2·6	2·6
11	1020·3	293·7	289·7	4·0	290·6	288·8	16·4	...	...	— 0·4	+ 5·6	94	5·6	5·7
12	1019·6	292·5	288·8	3·7	290·4	288·4	15·8	...	...	— 0·2	+ 6·2	92	6·2	6·3
13	1014·5	298·2	291·0	7·2	293·8	290·9	17·9	...	...	— 0·3	+ 0·1	163	0·3	2·3
14	1014·7	295·7	290·5	5·2	292·4	290·5	18·3	...	...	— 0·8	+ 2·9	105	3·0	4·3
15	1016·6	295·0	290·5	4·5	292·4	290·4	18·0	...	...	+ 0·7	+ 4·9	82	5·0	5·1
16	1014·7	297·6	291·8	5·8	293·9	291·8	19·7	...	...	— 1·0	+ 3·0	109	3·2	3·3
17	1014·5	297·7	291·2	6·5	292·6	291·6	20·3	...	...	+ 0·5	+ 3·0	81	3·0	3·1
18	1015·1	293·5	290·3	3·2	291·6	289·4	16·8	...	...	— 0·7	+ 4·2	100	4·2	4·3
19	1014·7	294·0	291·1	2·9	292·3	289·6	16·5	...	...	— 0·4	+ 5·1	95	5·2	5·2
20	1016·3	297·6	291·0	6·6	293·4	290·7	17·8	...	...	...	+ 4·4	90	4·4	4·6
21	1016·4	291·1	289·3	1·8	290·3	288·2	15·4	...	...	+ 1·2	+ 7·8	81	7·9	7·9
22	1016·5	293·2	290·0	3·2	291·3	289·7	17·4	...	...	+ 0·2	+ 4·0	88	4·0	4·0
23	1017·2	293·6	290·1	3·5	291·7	288·3	14·4	...	1	+ 2·7	+ 2·0	36	3·3	4·0
24	1020·6	291·2	286·4	4·8	288·1	283·7	9·2	1·7	17	+ 2·6	+ 1·3	26	2·9	3·1
25	1019·1	287·6	286·4	1·2	287·1	285·0	12·2	4·3	17	+ 1·6	+ 4·7	71	5·0	5·0
26	1014·9	289·9	287·0	2·9	288·6	286·4	13·6	12·8	17	+ 1·3	+ 6·9	79	7·0	7·1
27	1009·0	293·6	289·6	4·0	291·4	290·3	18·7	53·6	19	+ 2·0	+ 5·6	71	5·9	7·2
28	1012·1	296·8	290·4	6·4	292·2	290·2	17·8	0·8	1	+ 0·4	+ 2·5	82	2·6	3·9
29	1013·5	292·3	289·6	2·7	290·8	287·8	14·4	...	...	+ 0·7	+ 8·4	85	8·4	8·5
30	1011·8	294·2	289·8	4·4	291·7	289·9	17·7	...	...	— 0·3	+ 3·7	95	3·7	4·1
31	1010·9	291·4	289·9	1·5	290·6	289·6	17·9	0·9	3	+ 0·5	— 1·7	285	1·8	1·8
								Sum.	Sum.					
Means.	1015·4	293·3	289·2	4·1	290·8	288·9	16·5	93·3	89	+ 0·3	+ 4·1	86	4·1	4·8
Normals.	1016·0	292·4	288·3	4·1	290·2	288·5	16·4	70·8	74	+ 0·5	+ 4·4	84	4·4	5·1
Absolute Maximum	1023·5	298·2	...	7·2	...	295·8	26·4	53·6	19	...	...	...	...	12·8
Day.	8	13	...	13	...	4	4	27	27	...	...	...	...	27th 3h
Absolute Minimum.	1006·7	...	284·6	1·2	...	282·3	6·6	...	...	...	...	...	...	...
Day.	4	...	1	25	...	24	24	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.			ins.	%	%	%	%	%	m.p.h.	m.p.h.		m.p.h.	m.p.h.
1	29·939	63·0	60·2	0·490	84	95		6	2	+ 2·6	+ 11·4	77	11·7	14·2
2	29·925	62·9	60·1	·488	84	97		5	2	+ 2·6	+ 11·6	77	11·9	14·4
3	29·914	62·7	59·9	·484	85	92		8	3	+ 2·2	+ 12·2	80	12·4	15·0
4	29·906	62·6	59·8	·482	85	91		3	3	+ 1·9	+ 11·9	81	12·0	14·5
5	29·907	62·6	59·7	·479	84	88		3	2	+ 1·5	+ 11·7	83	11·8	14·3
6	29·920	62·5	59·6	·477	84	88	1	3	3	+ 1·1	+ 11·9	85	12·0	14·5
7	29·935	62·4	59·5	·475	84	83	19	4	5	+ 1·5	+ 13·0	83	13·1	14·9
8	29·951	63·1	59·8	·476	81	84	21	...	5	+ 1·3	+ 13·2	84	13·3	14·7
9	29·965	63·5	60·3	·486	82	84	32	10	5	+ 0·9	+ 13·9	86	13·9	15·2
10	29·972	64·9	60·8	·484	78	81	34	11	7	+ 0·3	+ 13·5	89	13·5	15·2
11	29·967	65·6	61·1	·484	76	87	32	2	5	— 0·2	+ 14·0	91	14·0	16·1
Noon.	29·946	66·0	61·4	·488	75	82	37	2	4	— 0·4	+ 13·3	92	13·3	15·6
13	29·925	66·4	61·7	·492	75	78	35	12	5	+ 0·3	+ 12·6	89	12·6	14·6
14	29·900	66·4	61·8	·496	75	80	32	2	6	— 0·9	+ 12·7	94	12·7	15·1
15	29·881	66·2	61·8	·499	77	79	29	3	4	— 0·3	+ 12·9	91	12·9	15·7
16	29·875	65·7	61·5	·496	78	81	26	3	4	+ 0·2	+ 12·9	89	12·9	15·2
17	29·879	65·3	61·4	·498	79	82	14	2	5	— 0·1	+ 12·5	90	12·5	14·3
18	29·886	64·6	61·2	·500	82	82	...	4	5	+ 0·3	+ 12·3	89	12·3	14·3
19	29·896	64·1	60·8	·495	82	82		2	4	+ 1·1	+ 11·6	85	11·7	13·8
20	29·911	63·9	60·8	·497	83	82		2	4	+ 1·5	+ 12·5	83	12·6	14·5
21	29·929	63·9	60·7	·494	82	76		1	4	+ 1·5	+ 12·7	83	12·8	14·4
22	29·942	63·7	60·7	·496	84	83		5	5	+ 0·9	+ 11·3	85	11·3	13·1
23	29·945	63·6	60·7	·498	84	86		4	5	+ 1·0	+ 10·5	85	10·5	12·1
Midn.	29·942	63·4	60·6	·497	84	88		3	3	+ 1·5	+ 11·1	82	11·2	13·5

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MARCH, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.			m.b.	m.p.s.	m.p.s.		m.p.s.	m.p.s.
1	1015·9	290·2	288·7	16·5	+ 0·9	+ 3·7	77	3·8	4·7
2	1015·4	290·2	288·6	16·4	+ 0·9	+ 3·8	77	3·9	4·7
3	1015·0	290·1	288·5	16·3	+ 0·7	+ 4·0	80	4·1	4·9
4	1014·8	290·0	288·4	16·2	+ 0·6	+ 3·9	81	3·9	4·8
5	1014·8	290·0	288·4	16·1	+ 0·5	+ 3·8	83	3·9	4·7
6	1015·3	289·9	288·3	16·1	+ 0·4	+ 3·9	85	3·9	4·8
7	1015·8	289·9	288·3	16·0	+ 0·5	+ 4·3	83	4·3	4·9
8	1016·3	290·3	288·4	16·0	+ 0·4	+ 4·3	84	4·4	4·8
9	1016·8	290·5	288·7	16·4	+ 0·3	+ 4·6	86	4·6	5·0
10	1017·0	291·3	289·0	16·3	+ 0·1	+ 4·4	89	4·4	5·0
11	1016·8	291·7	289·2	16·3	— 0·1	+ 4·6	91	4·6	5·3
Noon.	1016·1	291·9	289·3	16·4	— 0·1	+ 4·4	92	4·4	5·1
13	1015·4	292·1	289·5	16·6	+ 0·1	+ 4·1	89	4·1	4·8
14	1014·5	292·1	289·6	16·7	— 0·3	+ 4·2	94	4·2	5·0
15	1013·9	292·0	289·6	16·8	— 0·1	+ 4·2	91	4·2	5·1
16	1013·7	291·7	289·4	16·7	+ 0·1	+ 4·2	89	4·2	5·0
17	1013·9	291·5	289·3	16·8	...	+ 4·1	90	4·1	4·7
18	1014·1	291·1	289·2	16·9	+ 0·1	+ 4·0	89	4·0	4·7
19	1014·4	290·8	289·0	16·7	+ 0·4	+ 3·8	85	3·8	4·5
20	1014·9	290·7	289·0	16·8	+ 0·5	+ 4·1	83	4·1	4·8
21	1015·6	290·7	288·9	16·7	+ 0·5	+ 4·2	83	4·2	4·7
22	1016·0	290·6	288·9	16·7	+ 0·3	+ 3·7	85	3·7	4·3
23	1016·1	290·6	288·9	16·8	+ 0·3	+ 3·4	85	3·4	4·0
Midn.	1016·0	290·4	288·9	16·8	+ 0·5	+ 3·6	82	3·7	4·4

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

MARCH,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th FEBRUARY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st MARCH, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.13	765.3	19	...	NNE	3	c	6	30 29	769.4	—:	...	NE	1	b
Nemuro,	11	30.02	762.5	...	...	NNE	3	...	5	...	...	...	...	...	...	...
Hakodate,	»	30.12	765.0	...	...	N	4	...	»	...	...	...	...	...	...	...
Tokio,	»	30.12	765.0	...	...	ENE	1	...	»	...	...	...	...	...	...	...
Kochi,	»	30.16	766.0	...	...	ESE	1	...	»	...	...	...	...	...	...	...
Nagasaki,	»	30.30	769.5	...	...	N	2	...	»	...	...	...	...	...	...	...
Kagoshima,	»	30.24	768.0	...	...	ENE	1	...	»	...	...	...	...	...	...	...
Oshima,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Naha,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Ishigakijima,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Bonin Island,	»	29.90	759.5	...	...	WNW	1	...	»	...	...	...	...	...	...	...
Weihaiwei,	14	30.32	770 1	36	80	NW	2	b	6	30.49	774.4	28	76	S	2	bf
Hankow,	15	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Ichang,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Changsha,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Shanghai,	11	30.48	774.2	39	44	E	2	o	»	30.40	772.1	36	78	NE	1	o
Gutzlaff,	»	30.41	*772.4	40	100	NE	2	o	»	30.37	771.4	38	100	NNE	4	o
Sharp Peak,	14	30.18	766.6	50	72	N	2	o	7	30.27	768.8	52	60	N	2	o
Amoy,	15	30.16	766.0	54	89	ENE	4	o	6	30.13	765.3	52	93	...	o	o
Swatow,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Taihoku,	12	30.24	768.0	55	79	E	6	o	»	30.13	765.3	55	98	E	1	r
Taichu,	»	30.15	765.9	57	...	NNW	2	o	»	30.10	764.4	55	...	...	o	o
Tainan,	»	30.14	765.6	61	...	NNW	4	o	»	30.06	763.5	55	...	N	4	o
Koshun,	»	30.11	764.7	68	...	NNE	6	o	»	30.05	763.2	64	...	N	4	b
Pescadores,	»	30.19	766.8	55	...	NNE	7	o	»	30.11	764.7	57	...	NNE	7	o
Canton,	15	30.14	765.5	54	74	N	2	o	»	30.16	766.0	45	92	N	2	o
Hongkong,	14	30.09	764.3	56	68	E	3	o	»	30.11	764.8	54	83	...	o	o
Gap Rock,	»	30.07	763.8	...	...	NE	5	o	»	30.09	764.3	...	...	NNE	4	o
Macao,	»	30.04	762.9	54	59	NNE	4	o	»	30.08	764.1	50	90	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Hoihow,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Phulien,	»	30.10	764.4	82	77	...	o	o	7	30.11	764.7	54	97	NNE	1	of
Tourane,	»	29.97	761.1	66	...	NNW	4	of	»	29.99	761.7	66	...	NW	4	o
Cape St. James,	»	29.80	756.9	81	...	NE	7	of	»	29.85	758.2	77	...	ENE	4	o
Aparri,	14	29.95	760.8	75	67	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Manila,	»	29.85	758.1	50	74	SSW	2	r	»	29.89	759.3	70	92	...	o	b
Legaspi,	»	29.82	757.5	86	58	ENE	4	o	»	29.87	758.7	75	92	NE	2	o
Taoloban,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Iloilo,	»	30.59	777.0	86	65	NNE	6	o	»	29.82	757.5	75	88	NNW	4	o
Surigao,	»	...	...	...	...	...	...	...	»	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	ENE	4	o	4.20	29.79	756.6	...	...	E	1	o
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	84	79	SW	2	b	6	29.75	755.6	80	91	SW	2	b

March 1*d.* 12*h.* 15*m.*— Pressure has decreased slightly from Shanghai to Haiphong and increased slightly over the Philippines. The anticyclone over China is weakening.

Moderate monsoon may be expected along the east coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·15 inches, against an average of 3·17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; overcast, some drizzle or mist.
2.—Formosa Channel,	N.E. winds, strong,
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st March, 1922.									2nd March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.19	766.9	17	...	ESE	2	0		6	30.30	769.7	0	...	...	0	b
Nemuro,	11	29.92	760.0	...	...	S	5	...		5	...	...	...	...	...	...	...
Hakodate,	"	29.90	759.5	...	...	W	4	...		"	...	...	...	...	...	...	...
Tokio,	"	30.06	763.5	...	...	S	1	...		"	...	...	...	...	...	...	...
Kochi,	"	30.18	766.5	...	...	...	0	...		"	...	...	...	...	...	...	...
Nagasaki,	"	30.28	769.0	...	...	N	3	...		"	...	...	...	...	...	...	...
Kagoshima,	"	30.24	768.0	...	...	NNW	2	...		"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Bonin Island,	"	30.06	763.5	...	...	NE	2	...		"	...	...	...	...	...	...	...
Weihaiwei,	14	30.30	769.6	40	56	SE	1	b		6	30.18	766.6	36	88	SSW	4	b
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Shanghai,	11	30.47	773.9	39	71	SE	1	0		"	30.29	769.3	28	...	N	1	b
Gutslaff,	"	30.35	770.9	40	100	NE	2	0		"	30.28	769.1	38	100	N	1	b
Sharp Peak,	14	30.12	765.0	48	85	N	1	0		7	30.10	764.5	47	85	W	2	0
Amoy,	15	30.10	764.5	56	94	E	1	0		6	30.10	764.5	52	93	NE	1	0
Swatow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Taihoku,	12	30.18	766.5	57	98	E	4	r		"	30.11	764.7	55	96	E	4	0
Taichu,	"	30.14	765.6	59	...	N	2	0		"	30.06	763.5	55	...	N	2	0
Tainan,	"	30.12	765.0	63	...	N	4	0		"	30.02	762.6	55	...	NNE	4	0
Koshun,	"	30.08	764.1	73	...	NW	2	0		"	30.01	762.3	64	...	N	2	b
Pescadores,	"	30.15	765.9	52	...	NNE	6	0		"	30.08	764.1	59	...	NNE	6	0
Canton,	15	30.13	765.3	51	79	N	2	0		"	30.10	764.5	47	93	N	1	0
Hongkong,	14	30.08	764.0	60	74	E	1	0		"	30.05	763.2	57	87	E	3	0
Gap Rock,	"	30.07	763.8	...	...	N	4	0		"	30.04	763.0	...	...	NNE	4	0
Macao,	"	30.05	763.2	55	88	N	4	0		"	30.02	762.6	52	95	N	4	0
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Phulien,	"	30.07	763.8	61	79	...	0	0		7	30.05	763.2	55	100	ENE	1	rf
Tourane,	"	29.97	761.1	68	...	NW	4	0		"	29.98	761.4	66	...	NNW	2	0
Cape St. James,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Aparri,	14	29.93	760.2	81	62	ENE	4	0		6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Manila,	"	29.84	757.8	86	58	WSW	2	0		"	...	...	...	...	...	...	...
Legaspi,	"	...	...	..	...	...	...	...		"	...	...	...	...	...	...	...
Tacloban,	"	29.81	757.2	84	64	ENE	4	0		"	...	...	...	...	...	...	...
Iloilo,	"	29.79	756.6	86	52	NNE	4	0		"	...	...	...	...	...	...	...
Surigao,	"	29.79	756.6	84	68	ENE	4	0		"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	ENE	2	0		4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	76	W	2	b		6	29.81	757.2	78	86	SW	4	0

March *2d. 11h. 47m.*—Pressure has decreased considerably at Weihaiwei and slightly from Shanghai to Haiphong. The anticyclone has weakened further.

A depression lies to the north of Weihaiwei.

Fog may be expected along the S. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·15 inches, against an average of 3·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; overcast, drizzle, fog.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd March, 1922.									3rd March, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.18	766.5	19	...	SSE	3	s		6	30.33	770.3	0	...	N	3	b	
Nemuro,	11	30.14	765.5	...	...	WNW	5	...		5	30.12	765.0	...	...	S	1	...	
Hakodate,	"	30.24	768.0	...	...	WNW	3	...		"	29.96	761.0	...	...	W	6	...	
Tokio,	"	30.28	769.0	...	...	NNE	1	...		"	30.28	769.0	...	...	NW	1	...	
Kochi,	"	30.24	768.0	...	...	S	1	...		"	30.24	768.0	...	...	WSW	2	...	
Nagasaki,	"	30.28	769.0	...	...	NNE	1	...		"	30.14	765.5	...	...	...	...	...	
Kagoshima,	"	30.20	767.0	...	...	NE	1	...		"	30.10	764.5	...	...	NE	1	...	
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Bonin Island,	"	30.10	764.5	...	...	NNE	1	...		"	30.14	765.5	...	...	NE	1	...	
Weihaiwei,	14	30.00	762.0	42	75	SSW	4	b		6	30.09	764.3	38	89	...	0	0	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	11	30.25	768.3	50	62	SE	2	b		"	29.91	759.7	46	100	ESE	1	r	
Gutzlaff,	"	30.18	766.6	48	100	ESE	4	o		"	29.99	761.7	47	100	SE	2	r	
Sharp Peak,	14	30.04	763.0	48	91	N	1	o		7	29.86	75.84	56	93	W	1	o	
Amoy,	15	30.00	762.0	58	50	E	1	o		6	29.91	759.7	54	94	SE	1	o	
Swatow,	"	29.96	761.0	56	81	ENE	2	o		"	29.93	760.2	54	100	NNE	1	o	
Taihoku,	12	30.10	764.4	64	82	ESE	4	o		"	29.95	760.8	55	93	W	4	o	
Taichu,	"	30.04	762.9	66	...	NNW	2	o		"	29.97	761.1	55	...	N	4	o	
Tainan,	"	30.02	762.6	72	...	NNW	4	b		"	29.92	759.9	59	...	N	2	o	
Koshun,	"	30.01	762.3	73	...	NNW	2	b		"	29.89	759.3	61	...	...	0	b	
Pescadores,	"	30.08	764.1	63	...	NNE	6	o		"	29.93	760.2	61	...	ENE	7	b	
Canton,	15	29.98	761.5	51	93	N	1	o		"	29.90	759.4	52	93	N	1	or	
Hongkong,	14	29.97	761.2	58	92	E	4	o		"	29.91	759.7	60	93	E	3	o	
Gap Rock,	"	29.91	760.5	...	...	NE	5	o		"	29.88	758.9	...	...	ENE	4	o	
Macao,	"	29.95	760.8	55	88	N	2	of		"	29.86	758.4	59	98	ENE	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	29.91	759.6	59	93	SSE	4	of		7	...	...	...	...	...	...	...	
Tourane,	"	29.83	759.0	70	...	NNE	2	b-		"	...	...	...	...	...	...	...	
Cape St. James,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Aparri,	14	29.88	759.0	81	62	NE	4	b		6	29.87	758.7	70	94	SE	2	b	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.81	757.2	86	52	SE	4	o		"	29.87	758.7	70	91	E	1	b	
Legaspi,	"	29.85	758.1	84	64	NNE	4	o		"	29.87	758.7	77	84	NE	2	b	
Tacloban,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Iloilo,	"	29.79	756.6	86	58	NNE	6	o		"	29.85	758.1	75	91	N	2	o	
Surigao,	"	...	...	...	...	...	...	...		"	29.84	757.8	73	92	...	0	o	
Guam,	12.20	29.78	756.3	...	...	ENE	4	o		4.20	29.82	757.5	...	...	ENE	4	o	
Yap,	12.4	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Sabtan,	14	29.79	756.6	84	73	SW	2	b		6	29.78	756.4	77	91	E	2	b	

March 3*d*. 12*h*. 26*m*.—Pressure has decreased considerably from Shanghai to Tourane, the anticyclone having moved eastward and a depression having formed over China. A depression is also shown between Haiphong and Tourane.

Fog may be expected along the coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·15 inches, against an average of 3·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, moderate; overcast, rain, fog.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd March, 1922.								4th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	30.16	766.0	6	...	NNE	4	o
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hakodate,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tokio,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kochi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Nagasaki,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.03	762.7	42	88	E	2	o	6	30.08	764.0	28	88	...	o	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.90	759.4	50	97	...	o	rf	"	30.05	763.2	43	97	NE	1	o
Gutzlaff,	"	29.82	757.4	46	100	NW	2	of	"	30.07	763.8	42	100	NNE	2	of
Sharp Peak,	14	29.78	756.4	67	74	SE	1	b	7	29.85	758.2	60	94	ENE	1	o
Amoy,	15	...	...	...	...	...	...	...	6	29.92	759.9	54	94	N	1	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.89	759.3	68	73	NNW	2	b	"	29.93	760.2	63	94	E	2	o
Taichu,	"	29.93	760.2	70	...	WNW	2	o	"	29.88	759.0	61	...	...	o	b
Tainan,	"	29.89	759.3	79	...	S	2	o	"	29.86	75.84	61	...	...	o	b
Koshun,	"	29.92	759.6	81	...	SSE	2	b	"	29.87	758.7	64	...	...	o	b
Pescadores,	"	29.93	760.2	68	...	NNW	4	b	"	29.88	759.0	66	...	...	o	b
Canton,	15	...	...	...	...	...	...	...	"	29.76	755.9	65	95	NE	2	o
Hongkong,	14	29.81	757.2	64	91	E	4	om	"	29.79	756.6	65	99	ENE	3	od
Gap Rock,	"	29.81	757.2	...	...	ENE	4	b	"	29.77	756.1	...	...	E	4	o
Macao,	"	29.78	756.3	66	92	SE	2	o	"	29.74	755.4	66	92	SSE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	29.78	756.4	63	94	E	2	oz
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	...	...	...	...	...	...	...	7	29.69	754.2	68	43	ESE	2	of
Tourane,	"	...	...	...	...	...	...	...	"	29.73	755.1	75	...	...	o	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.85	758.1	75	...	S	2	o
Aparri,	14	...	...	...	...	...	...	...	6	29.88	759.0	68	96	...	o	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	...	...	...	...	...	...	...	"	29.86	758.4	68	94	SE	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.87	758.7	73	92	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.84	757.8	73	92	NNE	2	b
Surigao,	"	29.78	756.3	84	68	ENE	2	o	"	29.85	758.1	73	96	SE	1	b
Guam,	12.20	29.81	757.7	...	...	ENE	4	b	4.20	29.86	758.4	...	...	ENE	1	o
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labran,	14	29.77	756.1	82	87	N	1	b	6	29.81	757.2	78	70	SW	4	o

March 4*d*.—No weather report. No printer.

No communication with E.T.C.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·39 inch. Total since January 1st, 8·54 inches, against an average of 3·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	None.
2.—Formosa Channel,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th MARCH, 1922.								5th MARCH, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hakodate,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tokio,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kochi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Nagasaki,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.12	765.0	46	73	N	1	b	6	30.29	769.3	34	94	...	0	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.10	764 5	52	75	ENE	1	o	"	30.15	765.8	45	88	ENE	2	o
Gutzlaff,	"	30.10	764.5	47	100	...	o	o	"	30.14	765.5	44	100	ENE	4	o
Sharp Peak,	14	29.95	760.7	58	88	N	2	o	7	29.93	760.2	56	93	N	2	o
Amoy,	15	29.87	758.7	60	94	E	2	o	6	29.90	759.4	60	94	NE	1	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.94	760.5	68	81	E	7	o	"	29.89	759.3	66	98	WSW	2	r
Taichu,	"	29.92	759.9	70	...	...	o	o	"	29.94	760.5	59	...	NNE	4	r
Tainan,	"	29.91	759.6	79	...	NW	2	o	"	29.87	758.7	70	...	SE	2	r
Koshun,	"	29.83	759 0	84	...	ENE	4	b	"	29.88	759.0	68	...	...	o	b
Pescadores,	"	29.97	761.1	68	...	NNW	4	o	"	29.92	759.9	63	...	NNE	6	o
Canton,	15	29.70	754 4	78	86	S	2	o	"	...	...	...	...	...	...	...
Hongkong,	14	29.75	755.6	75	86	S	4	oq	"	29.80	756.9	75	92	S	3	of
Gap Rock,	"	29.74	755.4	...	...	ESE	4	o	"	29.79	756.6	...	...	SE	4	o
Macao,	"	29.71	754.5	72	98	SSW	4	of	"	29.78	756.3	72	100	SW	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.61	752.1	77	50	NW	1	b	7	...	...	...	...	...	...	...
Tourane,	"	29.67	753.6	86	...	S	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.55	750.6	86	...	SE	2	o	"	...	...	...	...	...	...	...
Aparri,	14	29.84	757.8	84	71	E	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	90	44	SE	4	b	"	...	...	...	...	...	...	...
Legaspi,	"	29.84	757.8	86	91	E	2	b	"	...	...	...	...	...	...	...
Tacloban,	"	29.81	757.2	86	65	ENE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.79	756.6	90	44	NNE	4	o	"	...	...	...	...	...	...	...
Surigao,	"	23.80	756.9	84	71	...	c	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	NE	6	b	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	82	87	SW	2	b	6	29.78	756 4	78	91	SW	2	b

March 5*d.* 12*h.* 19*m.*—Pressure has increased considerably at Weihaiwei moderately at Shanghai and slightly at Hongkong. An anticyclone has formed over S.E. Mongolia.

The depression over the Yangtze Valley has moved eastward, but the depression near Haiphong remains stationary.

Fresh monsoon may be expected along the S.E. Coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·29 inch. Total since January 1st, 8·83 inches, against an average of 3·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6th.

District.	Forecast.
1.—Hongkong to Gap Rock,	S.E. & N.E. winds, fresh; overcast some rain, colder.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th March, 1922.								6th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.17	766.2	33	...	SSW	1	b	6	30.42	772.7	14	...	NE	2	b
Nemuro,	11	30.06	763.5	...	...	NW	1	...	5	30.08	764.0	...	...	E	1	...
Hakodate,	"	29.96	761.0	...	...	NNE	1	...	"	30.24	768.0	...	...	NW	1	...
Tokio,	"	30.12	765.0	...	...	NW	2	...	"	30.12	765.0	...	...	N	2	...
Kochi,	"	30.22	767.5	...	...	SE	1	...	"	30.10	764.5	...	...	...	...	...
Nagasaki,	"	...	...	...	...	...	...	...	"	30.04	763.0	...	...	NE	1	...
Kagoshima,	"	30.10	764.5	...	...	ENE	1	...	"	29.94	760.5	...	...	NE	3	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.00	762.0	...	...	NNW	1	...	"	30.02	762.5	...	...	ESE	1	...
Weihaiwei,	14	30.29	769.3	42	66	...	0	0	6	30.35	770.9	36	90	N	2	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.12	765.0	46	92	ENE	4	r	"	30.12	765.0	43	97	NE	4	r
Gutzlaff,	"	30.04	763.0	44	100	ENE	4	rf	"	30.08	764.0	44	100	NNE	4	rf
Sharp Peak,	14	29.88	758.9	58	94	...	0	rf	7	29.90	759.4	56	100	...	0	of
Amoy,	15	...	...	...	...	...	...	...	6	29.90	759.4	58	100	NE	1	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.94	760.5	66	92	N	2	o	"	29 93	760.2	61	98	NW	2	r
Taichu,	"	29.92	759.9	73	...	NW	2	o	"	29.92	759.9	66	...	...	0	b
Tainan,	"	29.93	760.2	82	...	SSE	4	b	"	29 91	759.6	68	...	...	0	b
Koshun,	"	29.92	759.9	84	...	SW	4	b	"	29.89	759.3	73	...	WSW	4	b
Pescadores,	"	29.93	760.2	73	...	E	4	o	"	29.94	760.5	72	...	SE	2	bf
Canton,	15	29.70	754.4	77	91	SE	2	o	"	...	...	...	...	...	...	...
Hongkong,	14	29.81	757.2	63	95	E	5	cf	"	29.86	758.4	64	98	E	4	of
Gap Rock,	"	29.80	756.9	...	...	ENE	4	om	"	29.84	757.9	...	...	ENE	4	o
Macao,	"	...	...	...	...	...	...	...	"	29.81	757.2	64	98	SSE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.65	753.3	81	76	SE	2	b	7	...	...	...	...	...	...	...
Tourane,	"	29.71	754.5	90	...	SW	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.80	756.9	82	...	ENE	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.84	757.8	84	68	NE	4	o	6	29.89	759.3	70	42	SE	1	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.84	757.8	86	52	SE	2	o	"	29.89	759.3	66	38	E	1	b
Legaspi,	"	29.86	758.4	86	71	NE	4	b	"	29.86	758.4	70	82	NNE	2	o
Taoloban,	"	29 81	757.2	84	74	S	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	86	52	NE	4	o	"	29.82	757.5	75	89	N	2	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.81	767.2	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756 6	84	79	S	1	b	6	29.80	756.9	76	96	E	4	o

March *6d.* 11*h.* 55*m.*—Pressure has increased moderately at Wladivostock and slightly from Formosa to Haiphong. It has decreased slightly at Shanghai.

The Mongolian anticyclone is moving eastward. The depression near Haiphong may be filling up.

Moderate monsoon may be expected along the S.E. Coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 8·84 inches, against an average of 3·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; overcast fog, improving later.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th March, 1922.									7th March, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.39	771.9	23	...	NNE	3	b		6	30.41	772.3	13	...	NNE	2	b	
Nemuro,	11	30.06	763.5	...	...	NNE	2	...		5	30.10	764.5	...	...	WSW	1	...	
Hakodate,	"	30.16	766.0	...	...	W	1	...		"	30.10	764.5	...	...	WNW	4	...	
Tokio,	"	30.10	764.5	...	...	NNE	1	...		"	30.10	764.5	...	...	NE	2	...	
Kochi,	"	30.02	762.5	...	...	...	...	...		"	29.98	761.5	...	...	SW	1	...	
Nagasaki,	"	30.00	762.0	...	...	NE	1	...		"	30.00	762.0	...	...	NE	2	...	
Kagoshima,	"	29.92	760.0	...	...	NE	4	...		"	29.90	759.5	...	...	WSW	1	...	
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ishigakijima,	"	29.90	759.5	...	...	WNW	3	...		"	...	...	...	...	...	...	...	
Bonin Island,	"	29.98	761.5	...	...	ESE	2	...		"	29.78	756.5	...	...	SSW	4	...	
Weihaiwei,	14	30.39	771.9	36	80	N	6	o		6	30.40	772.1	34	69	N	2	o	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	11	30.23	767.7	45	71	SE	4	o		"	30.34	770.6	41	85	NNW	2	o	
Gutzlaff,	"	30.11	764.8	44	100	NNE	6	o		"	30.31	769.9	40	100	N	6	o	
Sharp Peak,	14	29.93	760.2	56	87	ENE	2	o		7	30.07	763.8	52	96	E	2	o	
Amoy,	15	29.87	758.7	62	94	ENE	2	o		6	30.00	762.0	60	100	ENE	2	o	
Swatow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Taihoku,	12	29.98	761.4	63	92	WNW	2	r		"	30.06	763.5	63	98	E	2	r	
Taichu,	"	29.95	760.8	77	...	...	0	o		"	29.97	761.1	61	...	N	4	o	
Tainan,	"	29.94	760.5	81	...	WNW	4	b		"	29.92	759.9	66	...	N	4	o	
Koshun,	"	29.93	760.2	84	...	NW	4	b		"	29.88	759.0	72	...	ENE	2	b	
Pescadores,	"	29.97	761.1	72	...	N	4	o		"	29.98	761.4	61	...	N	7	r	
Canton,	15	29.80	756.9	76	82	SE	2	o		"	30.01	762.2	58	81	N	3	o	
Hongkong,	14	29.84	757.9	67	96	E	3	of		"	29.94	760.5	66	97	W	2	odf	
Gap Rock,	"	29.84	757.9	...	...	ENE	3	f		"	29.92	759.9	...	...	NNW	4	o	
Macao,	"	29.82	757.5	66	98	ESE	2	of		"	29.97	761.1	59	98	NNW	2	r	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	29.73	755.1	77	79	SE	4	o		7	29.89	759.3	72	94	ENE	4	o	
Tourane,	"	29.72	754.8	86	...	SSW	2	b		"	29.80	756.9	77	...	SSW	4	b	
Cape St. James,	"	29.81	757.2	82	...	E	4	b		"	29.84	757.8	77	...	ENE	4	o	
Aparri,	14	29.80	756.9	84	71	N	4	b		6	29.91	759.6	70	96	W	2	o	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.84	757.8	86	56	WSW	2	o		"	29.86	758.4	68	92	E	1	b	
Legaspi,	"	...	...	...	...	...	...	...		"	29.84	757.8	77	88	NNE	2	o	
Tacloban,	"	29.79	756.6	86	71	SSE	4	r		"	...	...	...	...	...	...	...	
Iloilo,	"	29.79	756.6	86	62	NE	4	o		"	29.81	757.2	75	86	NNW	4	o	
Surigao,	"	29.78	756.3	84	71	ENE	4	o		"	29.80	756.9	79	76	ENE	2	o	
Guam,	12.20	29.76	756.0	...	...	ENE	2	o		4.20	29.78	756.3	...	...	ENE	4	o	
Yap,	12.4	29.72	756.0	...	...	ENE	2	o		4.47	...	...	...	...	...	...	...	
Labuan,	14	29.79	756.6	86	76	N	2	b		6	29.81	757.2	78	70	SW	2	b	

March 7*d.* 11*h.* 49*m.*—Pressure has increased considerably at Shanghai and moderately along the S. Coast of China. It has decreased considerably over the Bonins.

An anticyclone has formed over N. China.

The depression near Haiphong is filling up. A depression which formed between the Bonins and the Loochoos yesterday has deepened and moved north-eastward.

Strong monsoon may be expected along the S.E. Coast of China, and moderate to fresh monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 8·91 inches, against an average of 3·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
1.—Hongkong to Gap Rock,	N. winds, fresh; overcast at first, finer later, colder.
2.—Formosa Channel.	N. winds, strong.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th March, 1922.								8th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.33	770.5	27	...	NNE	2	b	6	30.31	769.8	12	...	NNW	1	c
Nemuro,	11	30.06	763.5	...	...	NNW	2	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.16	766.0	...	...	W	5	...	"	...	...	...	...	...	...	...
Tokio,	"	30.10	764.5	...	...	NE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.02	762.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.06	763.5	...	...	N	3	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.96	761.0	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.73	755.0	...	...	WSW	4	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.34	770.6	40	65	NW	2	b	6	30.37	771.4	34	79	S	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.40	772.1	45	64	N	4	o	"	30.43	772.9	32	96	N	1	b
Gutzlaff,	"	30.32	770.1	46	100	NNW	6	o	"	30.41	772.4	38	100	NNW	2	o
Sharp Peak,	14	30.10	764.5	54	80	ENE	4	o	7	30.22	767.6	48	78	ENE	4	o
Amoy,	15	30.05	763.2	60	90	E	2	o	6	30.16	766.0	52	88	N	2	o
Swatow,	"	...	...	...	...	...	...	...	"	30.28	769.1	55	87	NE	3	o
Taiboku,	12	30.14	765.6	59	87	E	4	o	"	30.24	768.0	54	88	E	2	o
Taichu,	"	30.01	762.3	68	...	NNW	4	o	"	30.11	764.7	54	...	N	4	o
Tainan,	"	29.99	761.7	73	...	N	6	b	"	30.06	763.5	55	...	NNE	6	o
Koshun,	"	29.97	761.1	77	...	NE	6	b	"	30.04	762.9	64	...	NNE	6	o
Pescadores,	"	30.08	764.1	63	...	NNE	7	o	"	30.13	765.3	57	...	NNE	8	o
Canton,	15	30.08	764.0	60	76	N	2	o	"	30.21	767.3	53	73	N	2	o
Hongkong,	14	30.02	762.5	62	83	E	2	o	"	30.15	765.8	56	75	NNE	2	o
Gap Rock,	"	30.02	762.5	...	...	NNE	4	o	"	30.12	765.0	...	...	NNE	4	o
Macao,	"	30.01	762.3	61	79	N	4	o	"	30.13	765.3	55	98	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.95	760.8	72	70	E	2	o	7	...	...	...	...	...	...	...
Tourane,	"	29.82	757.5	77	...	N	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.85	758.1	84	...	E	4	b	"	...	...	...	...	...	...	...
Aparri,	14	29.87	758.7	82	63	NNW	4	b	6	29.95	760.8	73	91	NE	6	r
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.82	757.5	90	48	SSE	4	b	"	29.91	759.6	66	87	E	1	b
Legaspi,	"	29.81	757.2	90	63	ENE	4	o	"	29.88	759.0	75	85	NE	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	86	52	NE	6	b	"	29.84	757.8	75	89	N	4	o
Surigao,	"	29.78	756.3	82	77	ENE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.73	756.3	...	...	ENE	4	b	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	76	SW	2	b	6	29.83	757.7	78	91	E	2	b

March 8*d*. 12*h*. 12*m*.—Pressure has increased moderately from Tourane to Foochow and slightly at Shanghai. It has decreased slightly at Weihaiwei and Wladivostock.

The anticyclone over China is stationary.

Fresh monsoon may be expected along the S.E. Coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 3·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate to fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th March, 1922.									9th March, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.23	767.9	31	...	SE	4	o		6	30.13	765.4	29	...	SSE	3	o	
Nemuro,	11	30.20	767.0	...	...	N	2	...		5	30.32	770.0	...	...	...	...	---	
Hakodate,	"	30.26	768.5	...	...	W	3	...		"	30.34	770.5	...	...	...	0	---	
Tokio,	"	30.22	767.3	...	...	NE	1	...		"	30.41	772.5	...	...	NNW	1	...	
Kochi,	"	30.22	767.5	...	...	NNW	3	...		"	30.36	771.0	...	...	WSW	1	...	
Nagasaki,	"	30.28	769.0	...	...	N	5	...		"	30.36	771.0	...	...	NNE	1	...	
Kagoshima,	"	30.20	767.0	...	...	E	1	...		"	30.34	770.5	...	...	NW	1	...	
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Bonin Island,	"	29.76	756.0	...	...	...	o	...		"	30.08	764.0	...	...	NE	1	---	
Weihaiwei,	14	30.31	769.9	52	53	SSW	1	b		6	30.21	767.3	38	81	SSE	2	b	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	11	30.50	774.7	45	58	N	1	o		"	30.38	771.6	36	100	E	2	b	
Gutzlaff,	"	30.44	773.2	48	100	N	1	b		"	30.37	771.4	42	100	NE	1	o	
Sharp Peak,	14	30.12	767.6	56	63	E	4	b		7	30.19	766.8	48	78	W	2	o	
Amoy,	15	30.26	768.6	62	77	ENE	2	o		6	...	...	52	88	NE	1	o	
Swatow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Taihoku,	12	30.28	769.2	57	72	ENE	4	o		"	30.18	766.5	57	91	E	4	o	
Taichu,	"	30.15	765.9	63	...	NNW	4	b		"	30.14	765.6	57	...	...	o	o	
Tainan,	"	30.15	765 9	59	...	N	4	o		"	30.13	765.3	57	...	NNE	4	o	
Koshun,	"	30.13	765.3	68	...	NE	6	o		"	30.17	766.2	...	...	NE	6	o	
Pescadores,	"	30.20	767.1	61	...	NNE	8	o		"	30.17	766.2	59	...	NNE	6	o	
Canton,	15	30 16	766.0	61	66	N	2	o		"	30.18	766.6	57	81	N	1	o	
Hongkong,	14	30.14	765.5	62	66	E	3	o		"	30.13	765.3	58	82	E	5	o	
Gap Rock,	"	30.12	765.0	...	...	NNE	4	o		"	30.11	764.8	...	...	NE	5	o	
Macao,	"	30.12	765.0	57	67	NNE	4	o		"	30.11	764.7	57	84	E	4	o	
Wuchow,	15	---	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	30.10	764.4	59	98	ENE	2	rf		7	...	...	...	...	...	...	...	
Tourane,	"	29.98	761 4	72	...	NNW	2	o		"	...	...	...	...	...	...	...	
Cape St. James,	"	29.85	758.1	81	...	E	7	of		"	...	...	...	...	...	...	...	
Aparri,	14	30.00	762.0	79	69	NE	4	o		6	30.05	763.2	73	92	NE	1	b	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.86	758.4	90	48	W	2	o		"	29.93	760.2	72	78	NE	1	o	
Legaspi,	"	29.86	758.4	86	58	ENE	4	b		"	29.91	759.6	77	84	NNE	2	o	
Tacloban,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Iloilo,	"	29.81	757.2	86	58	NE	6	o		"	29.87	758.7	73	86	N	4	o	
Surigao,	"	29.81	757.2	81	84	ENE	2	r		"	...	...	...	...	...	...	...	
Guam,	12.20	29.79	756.6	...	...	ENE	2	o		4.20	...	...	...	...	...	...	...	
Yap,	12.4	...	...	...	...	..	...	...		4 47	...	...	...	...	...	...	...	
Labuan,	14	29.82	757.4	84	79	SW	4	o		6	29.81	757.2	77	95	E	2	b	

March 9*d.* 11*h.* 50*m.*—Pressure has decreased moderately from Wladivostock to Weihaiwei and slightly from Shanghai to Hongkong. It has increased moderately over Japan.

The anticyclone is now shown as a belt of high pressure extending from the Yangtze Valley to the East of Japan.

Fresh to moderate monsoon may be expected along the S.E. Coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 3·68 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; cloudy.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9th March, 1922.									10th March, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.00	762.1	34	...	SSE	4	o		6	29.95	760.7	31	...	NW	4	b	
Nemuro,	11	30.33	770.5	...	...	SSE	2	...		5	30.06	763.5	...	...	SSW	7	...	
Hakodate,	"	30.26	768.5	...	...	SSW	1	...		"	30.04	763.0	...	...	S	4	...	
Tokio,	"	30.43	773.0	...	...	E	1	...		"	30.32	770.0	...	...	...	0	...	
Kochi,	"	30.37	771.5	...	...	W	1	...		"	30.22	767.5	...	...	WSW	1	...	
Nagasaki,	"	30 33	770.5	...	...	SE	3	...		"	30.14	765.5	...	...	NNE	2	...	
Kagoshima,	"	30.33	770.5	...	...	ENE	2	...		"	30.12	765.0	...	...	NNW	1	...	
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Bonin Island,	"	30.14	765.5	...	...	NE	2	...		"	30.26	768.5	...	...	E	1	...	
Weihaiwei,	14	30.14	765.5	47	77	S	2	o		6	30.15	765.8	38	91	SE	1	b	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	11	30.35	770.9	45	74	ESE	1	o		"	30.19	766.8	43	94	WNW	1	o	
Gutzlaff,	"	30.21	767.3	46	100	SE	1	o		"	30.19	766.8	42	100	NNW	2	o	
Sharp Peak,	14	30.08	764.0	56	81	N	2	o		7	30.03	762.7	54	94	...	o	b	
Amoy,	15	30.07	763.8	62	83	SSE	2	o		6	30.06	763.5	56	94	N	1	o	
Swatow,	"	30.23	767.8	59	82	ESE	2	c		"	...	...	...	...	...	...	...	
Taihoku,	12	30.14	765.6	73	58	ENE	4	b		"	30.08	764.1	59	96	S	2	o	
Taichu,	"	30.17	766.2	64	...	N	4	o		"	30.06	763.5	57	...	...	o	b	
Tainan,	"	30.14	765.6	72	...	N	4	b		"	30.04	762.9	55	...	NE	2	b	
Koshun,	"	30.11	764.7	75	...	NE	6	b		"	30.06	763.5	63	...	...	o	o	
Pescadores,	"	30.21	767.4	59	...	NNE	6	o		"	30.08	764.1	61	...	NE	4	o	
Canton,	15	30 07	763.8	65	68	N	1	o		"	...	...	...	...	...	...	...	
Hongkong,	14	30.07	763.8	61	64	E	4	b		"	30.08	764.0	62	80	ESE	2	o	
Gap Rock,	"	30.06	763.5	...	...	ENE	5	o		"	30.07	763.8	...	...	NNE	4	o	
Macao,	"	30.05	763.2	68	73	SE	4	o		"	30.06	763.5	61	93	...	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	30.01	762.3	61	87	E	4	r		7	...	...	...	...	...	...	...	
Tourane,	"	29.97	761.1	68	...	NW	4	cf		"	...	...	...	...	...	...	...	
Cape St. James,	"	29.80	756.9	81	...	ENE	7	of		"	...	...	...	...	...	...	...	
Aparri,	14	29.98	761.4	81	62	ENE	4	o		6	30.01	762.3	73	71	E	2	b	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.88	759.0	81	76	NNE	4	o		"	29.92	759.9	72	89	N	1	b	
Legaspi,	"	29.88	759.0	72	57	NNE	4	o		"	29.88	759.0	77	88	NE	4	o	
Tacloban,	"	29.84	757.8	86	68	SW	4	b		"	...	...	...	...	...	...	...	
Iloilo,	"	...	...	...	...	...	...	...		"	29.85	758.1	75	88	NNW	4	o	
Surigao,	"	29.79	756.6	86	46	NE	6	o		"	...	...	...	...	...	...	...	
Guam,	12.20	...	...	...	...	...	...	...		4.20	...	...	...	...	...	...	...	
Yap,	12.4	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Labuan,	14	29 74	755.4	84	79	N	2	b		6	29.81	757.2	80	91	E	2	b	

March 10d. 11h. 10m.—Pressure has decreased considerably over N.E. and S.W. Japan, moderately at Shanghai, and slightly from Formosa to Hongkong and over the Philippines.

A depression is shown over S. Manchuria and the remains of the anticyclone to the east of Tokio.

Fog may be expected along the Coast of China and moderate monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 3·76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, moderate; fog later.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th March, 1922.								11th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.04	762.9	25	...	N	1	c	6	30.27	768.9	17	...	...	0	b
Nemuro,	11	29.94	760.5	...	...	SSE	7	...	5	29.88	759.0	...	...	NW	6	...
Hakodate,	"	29.88	759.0	...	...	SSE	7	...	"	30.06	763.5	...	...	WNW	4	...
Tokio,	"	30.22	767.5	...	...	NNW	1	...	"	30.02	762.5	...	...	NNW	3	...
Kochi,	"	30.12	765.0	...	...	...	...	...	"	30.08	764.0	...	...	N	1	...
Nagasaki,	"	30.10	764.5	...	...	N	1	...	"	30.20	767.0	...	...	SE	1	...
Kagoshima,	"	30.04	763.0	...	...	ENE	1	...	"	30.16	766.0	...	...	...	0	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.24	768.0	...	...	NE	1	...	"	30.12	765.0	...	...	SSW	2	...
Weihaiwei,	14	30.21	767.3	44	92	N	1	b	6	30.26	768.6	38	89	S	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.30	769.6	48	48	NW	1	o	"	30.35	770.9	34	100	ESE	1	lf
Gutzlaff,	"	30.26	768.6	48	100	NNW	1	o	"	30.36	771.1	40	100	NNE	1	lf
Sharp Peak,	14	30.11	764.8	52	96	E	2	r	7	30.19	766.8	50	93	NNE	2	o
Amoy,	15	30.09	764.3	65	91	ENE	1	o	6	30.16	766.0	52	93	NE	1	o
Swatow,	"	30.22	767.6	70	80	NW	1	c	"	30.27	768.8	59	94	ENE	2	o
Taihoku,	12	30.13	765.3	68	...	SSW	2	b	"	30.15	765.9	61	93	E	6	o
Taichu,	"	30.13	765.3	73	...	NNE	4	b	"	30.11	764.7	59	...	...	0	b
Tainan,	"	30.10	764.4	81	...	ESE	4	b	"	30.10	764.4	61	...	NNE	4	o
Koshun,	"	30.15	765.9	70	...	N	2	b	"	30.06	763.5	72	...	NE	4	b
Pescadores,	"	...	...	...	...	...	...	...	"	30.13	765.3	63	...	NNE	6	o
Canton,	15	30.09	764.3	63	83	NW	2	c	"	30.14	765.5	59	88	NNW	2	o
Hongkong,	14	30.08	764.0	69	74	E	2	o	"	30.13	765.3	63	78	E	4	o
Gap Rock,	"	30.07	763.8	...	...	NNE	4	o	"	30.10	764.5	...	...	NNE	4	c
Macao,	"	30.06	763.5	66	76	NE	2	o	"	30.10	764.4	61	91	N	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.04	762.9	66	94	S	1	o	7	30.07	763.8	63	100	SSE	1	rf
Tourane,	"	29.97	761.1	73	...	NNW	2	b	"	30.01	762.3	68	...	NW	2	of
Cape St. James,	"	29.84	757.8	81	...	ENE	7	of	"	...	...	...	...	...	...	...
Aparri,	14	29.88	759.0	82	57	NE	4	b	6	30.01	762.3	72	84	ENE	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.88	759.0	84	60	SW	1	o	"	29.92	759.9	68	92	NE	1	o
Legaspi,	"	29.87	758.7	84	68	NE	4	o	"	29.89	759.3	79	84	NNE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.81	757.1	86	65	NE	4	o	"	29.87	758.7	73	79	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.84	757.8	73	98	SSE	1	o
Guam,	12.20	29.80	756.9	...	...	ENE	4	r	4.20	29.84	757.8	...	...	ENE	4	r
Yap,	12.4	29.79	756.6	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	76	N	6	b	6	29.79	756.6	80	91	SW	4	o

March 11*d.* 12*h.* 30*m.*— Pressure has increased considerably at Wladivostock, moderately from Weihaiwei to Foochow and slightly from Amoy to Hongkong.

Anticyclones have formed over China and over S.E. Manchuria. The northern depression has passed into the Pacific.

Fresh monsoon may be expected along the S.E. Coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 3·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th March, 1922.								12th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.18	766.5	34	...	SSW	4	b	6	30.43	772.9	18	...	N	2	b
Nemuro,	11	30.04	763.0	...	...	NW	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.14	765.5	...	...	W	6	...	"	...	...	...	...	...	...	...
Tokio,	"	30.10	764.5	...	...	E	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.14	765.5	...	...	SW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.16	768.5	...	...	N	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.20	767.0	...	...	N	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	+	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.05	763.5	...	...	SSW	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.22	767.6	56	57	SSW	2	b	6	30.29	769.3	42	92	SSE	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.40	772.2	55	55	ESE	1	b	"	30.32	770.1	39	100	E	2	bf
Gutzlaff,	"	30 37	771.4	48	100	...	0	of	"	30.31	769.9	44	100	SE	4	b
Sharp Peak,	14	30.17	766.3	62	72	E	2	b	7	30.19	766.8	54	92	N	1	b
Amoy,	15	30.11	764.8	68	79	NE	1	o	6	30.17	766.3	58	94	NE	1	o
Swatow,	"	30.25	768.3	62	89	ESE	2	c	"	...	...	...	...	...	...	...
Taihoku,	12	30.23	767.7	68	81	E	6	o	"	30.18	766.5	63	92	E	6	b
Taichu,	"	30.14	765.6	72	...	N	4	b	"	30.13	765.3	61	...	...	o	o
Tainan,	"	30.13	765.3	75	...	N	4	b	"	30.12	765.0	63	...	N	4	o
Koshun,	"	30.15	765.9	75	...	NE	6	o	"	30.11	764.7	70	...	NE	4	b
Pescadores,	"	30.19	766.8	64	...	NNE	7	o	"	30.14	765.6	61	...	NNE	6	o
Canton,	15	30 09	764.3	72	67	NNW	2	o	"	30.14	765.5	63	89	SE	1	o
Hongkong,	14	30.10	764.5	69	72	ESE	3	b	"	30 13	765.3	61	82	E	4	c
Gap Rock,	"	30.09	764.3	...	...	ENE	5	o	"	30.11	764.8	...	...	ENE	4	c
Macao,	"	30.08	764.1	70	74	SE	2	o	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.05	763 2	66	98	...	0	rf	7	...	...	...	...	...	...	...
Tourane,	"	29.95	761.7	77	...	NW	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.86	758.4	81	...	ENE	6	of	"	...	...	...	...	...	...	...
Aparri,	14	29.98	761.4	81	66	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.89	759.3	86	41	E	4	o	"	29.94	765.0	72	92	NE	1	b
Legaspi,	"	29.86	758.4	86	61	ENE	4	o	"	29.91	759.6	79	80	NE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.82	757.5	86	58	NE	6	o	"	29 86	758.4	79	93	N	4	o
Surigao,	"	29.80	756.9	82	81	ENE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	4	r	4.20	29.84	757.8	...	...	ENE	1	o
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29.79	756.6	88	69	N	2	b	6	29 80	756.9	80	91	SW	2	b

March 12*d.* 12*h.* 12*m.*—Pressure has increased moderately at Wladivostock. Changes are small at other reporting stations.

Fresh monsoon may be expected along the S.E. Coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 3·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; fine to cloudy.
2.—Formosa Channel.	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th March, 1922.								13th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.31	770.0	34	...	ESE	2	b	6	29.91	759.7	31	...	SSE	5	s
Nemuro,	11	29.96	761.0	...	...	W	3	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.18	766.5	...	...	WNW	6	...	"	...	...	...	...	...	...	...
Tokio,	"	30.30	769.5	...	...	E	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.30	769.5	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.31	770.0	...	...	NE	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.30	769.5	...	...	ENE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.80	757.0	...	...	ENE	3	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.12	765.0	...	...	NW	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.12	765.0	50	72	SE	4	o	6	29.90	759.4	42	83	S	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.29	769.3	55	66	SE	4	o	"	30.06	763.5	48	89	WNW	1	b
Gutzlaff,	"	30.12	765.0	50	100	SSE	6	o	"	30.06	763.5	47	100	NNW	4	o
Sharp Peak,	14	30.09	764.3	65	73	E	1	o	7	29.97	761.2	56	93	N	1	o
Amoy,	15	...	...	...	...	...	...	...	6	29.97	761.2	60	94	...	o	o
Swatow,	"	30.23	767.8	64	100	E	2	b	"	...	...	...	...	...	...	...
Taihoku,	12	30.20	767.1	72	78	E	6	b	"	30.00	762.0	61	96	...	o	b
Taichu,	"	30.15	765.9	72	...	WSW	2	b	"	30.00	762.0	63	...	...	o	o
Tainan,	"	30.14	765.6	77	...	NW	2	b	"	...	...	...	...	...	...	...
Koshun,	"	30.13	765.3	77	...	ENE	4	r	"	...	...	...	...	...	...	...
Pescadores,	"	30.19	766.8	66	...	NNE	6	o	"	...	...	...	...	...	...	...
Canton,	15	30.08	764.0	75	64	SW	1	o	"	30.00	762.0	64	95	...	o	o
Hongkong,	14	30.09	764.3	66	73	E	5	c	"	29.97	761.2	66	76	ESE	2	b
Gap Rock,	"	30.03	764.0	...	...	ENE	5	o	"	29.97	761.2	...	...	NE	4	b
Macao,	"	30.08	764.1	72	70	ESE	4	o	"	29.95	760.8	64	86	NE	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.01	762.3	72	89	ESE	2	o	7	29.99	761.7	66	96	ENE	2	of
Tourane,	"	29.95	760.8	77	...	NNW	2	o	"	29.93	760.2	72	...	NW	2	of
Cape St. James,	"	29.86	758.4	81	...	NE	4	of	"	29.82	757.5	75	...	NE	2	cf
Aparri,	14	...	...	...	...	...	...	...	6	29.93	760.2	70	91	SE	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	90	48	WSW	4	o	"	29.86	758.4	72	89	...	o	b
Legaspi,	"	29.88	759.0	86	65	NNE	4	o	"	29.82	757.5	77	85	NE	4	o
Tacloban,	"	29.82	757.5	79	87	ENE	2	r	"	...	...	...	...	...	...	...
Iloilo,	"	29.82	757.5	79	76	N	4	o	"	29.79	756.6	75	88	N	4	o
Surigao,	"	29.79	756.6	79	85	ENE	4	r	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	76	NW	2	b	6	29.76	755.9	80	87	SW	4	o

March 13*d.* 11*h.* 3*cm.*—Pressure has decreased very considerably at Wladivostock and Weihaiwei, a depression having formed over S.E. Mongolia It has decreased considerably at Shanghai, moderately at Hongkong and Aparri, and slightly over Annam.

Fog may be expected along the Coast of China and moderate monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 4·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, moderate; fair at first, fog later.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th March, 1922.								14th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.72	755.0	34	...	SSE	4	s	6	29.76	756.0	26	...	...	0	f
Nemuro,	11	30.24	768.0	...	...	S	3	...	5	29.92	760.0	...	...	SE	4	...
Hakodate,	"	30.14	765.5	...	...	ESE	4	...	"	29.80	757.0	...	...	E	1	...
Tokio,	"	30.12	765.0	...	...	NNW	1	...	"	29.80	757.0	...	...	N	2	...
Kochi,	"	30.04	763.0	...	...	SSE	1	...	"	29.82	757.5	...	...	WNW	1	...
Nagasaki,	"	29.78	756.5	...	...	SW	7	...	"	29.94	760.5	...	...	NW	1	...
Kagoshima,	"	29.92	760.0	...	...	S	2	...	"	29.92	760.0	...	...	NNW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.16	766.0	...	...	SE	3	...	"	30.06	763.5	...	...	S	3	...
Weihaiwei,	14	29.85	758.2	58	30	N	1	o	6	29.78	756.4	40	100	S	6	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.12	765.0	61	69	NW	1	o	"	30.05	763.2	45	97	SSW	1	b
Gutzlaff,	"	30.04	763.0	50	100	NNW	1	o	"	30.07	763.8	47	100	WSW	4	b
Sharp Peak,	14	29.94	760.5	65	81	...	0	of	7	30.00	762.0	54	94	E	1	o
Amoy,	15	29.84	757.9	69	85	SSE	2	b	6	29.95	760.7	62	90	ENE	1	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.98	761.4	73	75	NW	4	b	"	29.99	761.7	61	91	E	4	o
Taichu,	"	30.00	762.0	75	...	W	2	b	"	29.94	760.5	63	...	...	0	o
Tainan,	"	29.99	761.7	79	...	NNW	2	b	"	29.92	759.9	64	...	NE	2	o
Koshun,	"	29.98	761.4	81	...	ENE	4	b	"	29.89	759.3	64	...	E	2	o
Pescadores,	"	30.01	762.3	73	...	NNW	2	b	"	29.94	760.5	66	...	N	4	o
Canton,	15	29.93	760.2	75	72	N	2	o	"	29.99	761.7	58	88	N	2	o
Hongkong,	14	29.93	760.2	75	62	W	2	c	"	29.95	760.7	64	90	W	1	bm
Gap Rock,	"	29.93	760.2	...	...	NE	3	b	"	29.93	760.2	...	...	NNE	4	b
Macao,	"	29.93	760.2	79	69	E	2	o	"	29.94	760.5	59	91	NNW	4	o
Wuchow,	15	29.99	761.7	61	77	NE	2	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.92	759.9	79	73	SSE	2	o	7	...	...	...	...	...	...	...
Tourane,	"	29.87	758.7	77	...	NW	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.79	756.6	84	...	E	2	of	"	...	...	...	...	...	...	...
Aparri,	14	29.84	757.8	84	60	NE	4	b	6	29.85	758.1	70	88	SE	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	84	64	SE	4	o	"	29.84	757.8	70	92	E	1	b
Legaspi,	"	29.79	756.6	86	71	ENE	4	o	"	29.81	757.2	79	87	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	84	68	NE	4	o	"	29.78	756.3	75	94	NNE	2	o
Surigao,	"	29.75	755.7	82	84	ENE	2	o	"	29.78	756.3	73	98	S	1	o
Guam,	12.20	29.76	756.0	...	...	NE	6	r	4.20	29.81	757.2	...	...	ENE	4	r
Yap,	12.4	29.73	755.1	...	...	ENE	2	o	4.47	...	...	...	...	...	...	...
Labuan	14	29.72	754.9	86	68	SW	2	b	6	29.71	754.6	78	86	SW	2	b

March 14*d*. 11*h*. 03*m*.—Pressure has decreased considerably over N.E. Japan, moderately at Wladivostock and Weihaiwei, and slightly from Formosa to Luzon.

The Mongolian depression is central to the north of Korea.

Moderate monsoon may be expected over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 4·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fine to cloudy.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th March, 1922.								15th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.77	756.2	40	...	ESE	2	o	6	29.84	757.8	30	...	NNW	1	b
Nemuro, ...	11	29.76	756.0	...	...	SE	4	...	5	29.75	755.5	...	...	W	1	...
Hakodate, ...	"	29.76	756.0	...	...	NNE	1	...	"	29.78	756.5	...	...	NW	1	...
Tokio, ...	"	29.82	757.5	...	...	...	...	...	"	29.92	760.0	...	...	NW	1	...
Kochi, ...	"	29.90	759.5	...	...	...	...	...	"	30.00	762.0	...	...	...	o	...
Nagasaki, ...	"	...	...	...	...	...	...	...	"	30.08	764.0	...	...	W	5	...
Kagoshima, ...	"	29.98	761.5	...	...	NW	1	...	"	30.12	765.0	...	...	NW	1	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	30.06	763.5	...	...	SSE	5	...	"	30.10	764.5	...	...	SSW	1	...
Weihaiwei, ...	14	29.79	756.6	48	71	N	2	b	6	30.16	766.0	40	74	...	o	b
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.03	764.3	63	56	SW	1	b	"	30.22	767.6	48	67	NE	2	b
Gutzlaff, ...	"	30.05	763.2	56	100	SSW	2	b	"	30.21	767.3	48	100	NE	4	o
Sharp Peak, ...	14	30.03	762.7	70	75	E	1	b	7	30.09	764.3	56	94	W	1	o
Amoy, ...	15	29.97	761.2	66	91	SSE	2	b	6	30.06	763.5	60	94	...	o	of
Swatow, ...	"	30.13	765.3	63	94	ESE	2	o	"	30.20	767.1	60	100	NE	1	o
Taihoku, ...	12	30.05	763.2	73	71	ESE	4	b	"	30.06	763.5	63	96	E	2	b
Taichu, ...	"	30.00	762.0	73	...	NNW	2	b	"	30.05	763.2	79	...	...	o	b
Tainan, ...	"	29.98	761.4	79	...	N	4	b	"	...	...	...	...	...	...	...
Koshun, ...	"	29.97	761.1	77	...	NE	4	o	"	...	...	...	...	...	...	...
Pescadores, ...	"	30.05	763.2	70	...	NNE	6	o	"	...	...	...	...	...	...	...
Canton, ...	15	29.94	760.5	77	57	SW	1	b	"	30.03	762.7	65	95	SE	1	o
Hongkong, ...	14	29.96	761.0	69	71	E	4	b	"	30.04	763.0	64	84	E	3	o
Gap Rock, ...	"	29.96	761.0	...	...	NE	4	b	"	30.01	762.2	...	...	NE	4	c
Macao, ...	"	29.95	760.8	73	71	ESE	2	b	"	29.99	761.7	66	88	NE	2	o
Wuchow, ...	15	29.93	760.2	73	67	W	2	bc	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	29.94	760.5	76	86	NE	2	b	"	...	...	...	...	...	...	...
Phulien, ...	"	29.91	759.6	75	71	SSE	4	o	7	...	...	...	...	...	...	...
Tourane, ...	"	29.87	758.7	77	...	N	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.80	756.9	81	...	ENE	6	of	"	...	...	...	...	...	...	...
Aparri, ...	14	29.85	758.1	86	58	NE	4	o	6	...	...	...	...	...	...	...
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.81	757.2	90	57	SSW	2	o	"	29.87	758.7	73	85	...	o	o
Legaspi, ...	"	29.84	757.8	77	88	NNE	4	o	"	...	...	...	...	...	...	...
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.76	756.0	86	58	NE	4	o	"	29.84	757.8	75	91	N	4	o
Surigao, ...	"	29.78	756.3	86	75	ENE	2	o	"	29.84	757.8	79	...	ENE	2	b
Guam, ...	12.20	29.81	757.2	...	...	E	4	r	4.20	29.87	758.7	...	...	NE	4	r
Yap, ...	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29.73	755.1	86	76	N	2	b	6	29.76	755.9	78	95	E	2	b

March 15*d.* 10*h.* 56*m.*—Pressure has increased considerably at Wladivostock, moderately at Shanghai, and slightly from Formosa to Hongkong and the Philippines.

The Mongolian depression has moved rapidly eastward. An anticyclone has formed over N. China.

The monsoon will freshen along the S.E. Coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 4·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, moderate to fresh; fair at first, some rain later.
2.—Formosa Channel, ...	N.E. winds, strong.
3.—South coast of China between Hongkong and Lemocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th March, 1922.								16th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.86	758.4	44	...	NE	1	o	6	29.84	757.9	32	...	SE	2	b
Nemuro,	11	29.74	755.5	...	...	ESE	4	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.63	752 5	...	...	N	1	...	"	...	...	...	...	...	...	...
Tokio,	"	29.72	755.0	...	...	NNE	2	...	"	...	...	...	...	...	...	...
Kochi,	"	30.00	762.0	...	...	WNW	5	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.16	766.0	...	...	N	4	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.12	765.0	...	...	NW	3	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.08	764.0	...	...	S	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.08	764.0	58	47	SSW	1	b	6	29.94	760.5	...	...	SE	4	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changesha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.25	768.3	59	39	E	2	b	"	29.99	761.7	52	95	SSE	1	o
Gutzlaff,	"	30.18	766.6	50	100	E	4	b	"	29.98	761.5	50	100	S	4	o
Sharp Peak,	14	30.07	763.8	68	77	...	o	o	7	29.97	761.2	60	88	...	o	b
Amoy,	15	30.06	763.5	42	66	E	1	b	6	29.96	761.0	64	91	E	1	o
Swatow,	"	30.18	766.6	67	90	ESE	2	c	"	30.13	765.3	66	95	NW	1	c
Taihoku,	12	30.12	765.0	75	71	E	6	o	"	30.01	762.3	63	98	SW	2	b
Taichu,	"	30.07	763.8	77	...	ENE	1	b	"	30.00	762.0	64	...	...	o	o
Tainan,	"	30.05	763.2	81	...	N	4	b	"	29.99	761.7	66	...	NNE	4	o
Koshun,	"	30.07	763.8	77	94	ENE	1	b	"	29.99	761.7	73	...	E	2	b
Pescadores,	"	30.11	764.7	72	...	NE	6	o	"	30.01	762.3	68	...	NNE	4	o
Canton,	15	29.98	761.5	79	61	S	2	c	"	29.99	761.7	67	90	...	o	o
Hongkong,	14	30.01	762 2	69	73	E	3	o	"	29.98	761.5	69	76	E	3	o
Gap Rock,	"	30.00	762.0	...	...	NE	4	b	"	29.97	761.2	...	...	ENE	3	c
Macao,	"	29.99	761.7	75	71	SE	2	o	"	29.94	760.5	64	96	...	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.93	760.2	73	66	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.89	759.3	79	...	SE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.78	756.3	81	...	ENE	7	b	"	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.95	760.8	75	83	S	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.84	757.8	90	48	ESE	4	o	"	29.91	759.6	70	91	...	...	...
Legaspi,	"	29.86	758.4	86	68	E	4	b	"	29.87	758.7	77	96	NE	1	o
Tacloban,	"	29.84	757.8	81	84	ESE	2	r	"	...	...	...	...	...	...	...
Iloilo,	"	29.80	756.9	86	52	NNE	6	o	"	29.84	757.8	75	91	N	4	o
Surigao,	"	29.80	756.9	84	74	ENE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.84	757.8	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	88	69	SW	2	b	6	29.75	755.6	80	91	SW	2	b

March 16d. 1ch. 45m.—Pressure has decreased considerably at Weihaiwei and Shanghai, and slightly from Formosa to Hongkong.

The anticyclone over China has not developed. A new depression appears to have formed in the extreme North.

Fog may be expected along the China Coast and moderate monsoon over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 4·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, moderate; fair, fog later.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th March, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th March, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.64	752.9	35	...	SE	5	o	6	29.65	753.2	28	...	...	o	b
Nemuro, ...	11	...	...	...	...	...	...	...	5	29.78	766.5	...	...	SE	2	...
Hakodate, ...	"	30.02	762.5	...	...	WNW	1	...	"	29.67	751.0	...	...	S	4	...
Tokio, ...	"	30.14	765.5	...	...	NW	1	...	"	29.65	753.0	...	...	NNW	9	...
Kochi, ...	"	30.18	766.5	...	...	W	1	...	"	29.75	755.5	...	...	W	1	...
Nagasaki, ...	"	30.12	765.0	...	...	N	1	...	"	29.94	760.5	...	...	NW	3	...
Kagoshima, ...	"	30.12	765.0	...	...	NW	1	...	"	29.88	759.0	...	...	NNW	1	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	30.14	765.5	...	...	NNW	1	...	"	30.04	763.0	...	...	S	3	...
Weihaiwei, ...	14	29.90	759.4	46	54	NW	6	b	6	29.97	761.2	42	42	NW	2	b
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.01	762 2	52	85	NNW	2	r	"	30.18	766.6	45	92	NNW	1	o
Gutzlaff, ...	"	29.97	761.2	50	100	NNW	6	rf	"	30.19	766.8	46	100	NE	2	o
Sharp Peak, ...	14	29.87	758.7	72	74	SE	1	b	7	30.07	763.8	56	93	N	4	o
Amoy, ...	15	29.86	758.4	77	77	SSE	1	b	6	29.97	761.2	62	90	ENE	1	o
Swatow, ...	"	30.07	763.8	76	77	SE	1	o	"	30.07	763.8	67	100	ESE	1	o
Taihoku, ...	12	29.97	761.1	82	54	W	2	b	"	30.01	762.3	63	90	E	6	o
Taichu, ...	"	29.99	761.7	81	...	NW	2	b	"	29.94	760.5	66	...	N	2	b
Tainan, ...	"	30 00	762.0	86	...	NW	2	b	"	29.92	759.9	70	...	...	o	o
Koshun, ...	"	30.00	762.0	81	...	E	4	o	"	29.92	759.9	68	...	...	o	b
Pescadores, ...	"	30.00	762 0	79	...	E	2	b	"	29.94	760.5	70	...	N	6	o
Canton, ...	15	29.92	759 9	81	62	SW	1	o	"	29.97	761.2	65	73	N	2	o
Hongkong, ...	14	29.93	760 2	75	69	E	2	b	"	29.94	760.5	65	100	...	o	of
Gap Rock, ...	"	29 95	760.7	...	...	NE	3	o	"	29.93	760.2	...	...	N	3	f
Macao, ...	"	29.93	760.2	81	73	...	o	b	"	29.93	760.2	68	100	WSW	2	of
Wuchow, ...	15	29 93	760.2	77	73	W	1	o	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.89	759.3	73	89	SSE	2	of	7	...	...	...	...	...	...	...
Tourane, ...	"	29.87	758.7	79	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.80	756.9	82	...	ENE	7	of	"	...	...	...	...	...	...	...
Aparri, ...	14	29.86	758.4	84	60	NE	4	b	6	...	...	...	...	...	...	...
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.82	757.5	86	56	W	4	o	"	29.86	758.4	72	92	...	o	o
Legaspi, ...	"	29.84	757.8	86	75	E	4	o	"	29.85	758.1	79	84	NE	4	b
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.81	757.2	77	92	NNE	4	r	"	29.80	756.9	75	91	N	4	o
Surigao, ...	"	29 79	756.6	81	87	ENE	4	o	"	29 80	756.9	73	96	SSW	1	o
Guam, ...	12.20	29.81	757.2	...	...	ENE	4	r	4.20	...	...	...	...	...	...	...
Yap, ...	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29 72	754.9	50	66	SW	2	b	6	29.73	755.1	80	91	SW	2	b

March 17*d*. 11*h*. 21*m*.—Pressure has decreased moderately at Wladivostock and slightly from Formosa to Hongkong and the Philippines. It has increased moderately at Shanghai.

The northern depression is now near Wladivostock. An anticyclone has formed over China.

The monsoon will freshen along the S.E. Coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 4·46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, moderate; fine at first, some rain later.
2.—Formosa Channel.	N.E. winds, strong.
3.—South coast of China between Hongkong and Lemocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th March, 1922.								18th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.62	752.4	30	...	WNW	7	s	6	29.79	756.6	24	...	W	2	b
Nemuro,	11	29.49	749.0	...	...	SE	9	...	5	...	...	...	...	...		...
Hakodate,	"	29.43	747.5	...	...	N	2	...	"	...	...	...	...	...	4	...
Tokio,	"	29.53	750.0	...	...	NNW	3	...	"	...	...	...	...	...	9	...
Kochi,	"	...	...	...	...	NW	1	...	"	...	...	...	...	...	1	...
Nagasaki,	"	...	...	...	...	N	4	...	"	...	...	...	...	...	3	...
Kagoshima,	"	29.61	752.0	...	...	NW	2	...	"	...	...	...	...	...	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.00	762.0	...	...	SSW	3	...	"	...	...	...	...	...	3	...
Weihaiwei,	14	29.85	758.2	54	27	WNW	1	b	6	30.02	762.5	34	69	NNE	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.19	765.8	57	37	S	1	b	"	30.08	764.0	43	91	S	2	b
Gutslaff,	"	30.11	764.8	52	100	SW	2	b	"	30.09	764.3	46	100	SW	2	b
Sharp Peak,	14	30.06	763.5	58	76	ENE	4	o	7	30.08	764.0	60	90	NE	1	b
Amoy,	15	29.97	761.2	64	78	E	2	o	6	29.97	761.2	60	...	SSE	1	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.05	763.5	66	76	E	7	o	"	30.01	762.3	59	96	ENE	2	r
Taichu,	"	29.98	761.4	73	...	NNW	4	b	"	29.98	761.4	63	...	...	0	o
Tainan,	"	29.97	761.1	81	...	N	4	b	"	29.94	760.5	63	...	N	4	b
Koshun,	"	29.95	760.8	81	...	ENE	8	b	"	29.94	760.5	68	...	...	0	b
Pescadores,	"	30.02	762.6	66	...	NNE	6	o	"	29.98	761.4	64	...	NE	4	o
Canton,	15	29.95	760.7	71	66	N	2	o	"	30.00	762.0	61	88	N	2	or
Hongkong,	14	29.93	760.2	71	81	E	3	c	"	30.00	762.0	63	81	E	2	o
Gap Rock,	"	29.94	760.5	...	...	NNE	2	f	"	29.98	761.5	...	...	NE	4	o
Macao,	"	29.91	759.6	73	71	NE	2	o	"	29.95	760.8	63	100	ESE	2	of
Wuchow,	15	30.03	762.7	65	78	N	1	od	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.89	759.3	72	78	E	6	o	7	...	...	...	...	...	...	...
Tourane,	"	29.85	758.1	81	...	SE	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.78	756.3	81	...	ENE	6	o	"	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	82	77	NE	4	b	6	29.87	758.7	68	94	SW	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	90	44	SE	4	b	"	29.85	758.1	70	88	NE	1	b
Legaspi,	"	29.82	757.5	86	65	ENE	2	b	"	29.82	757.5	75	79	NE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.81	757.2	77	96	ESE	2	o
Iloilo,	"	29.78	756.3	86	61	NNE	4	o	"	29.79	756.6	77	85	NNE	4	o
Surigao,	"	29.75	755.7	82	81	ENE	4	o	"	29.78	756.3	75	96	...	0	r
Guam,	12.20	29.81	757.2	...	...	ENE	4	o	4.20	29.84	757.8	...	...	ENE	4	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	86	76	SW	2	b	6	29.71	754.6	80	91	SW	2	b

March 18*d.* 11*h.* 47*m.*—Pressure has decreased moderately at Shanghai. It has increased moderately at Wladivostock and slightly from Formosa to Hongkong.

The northern depression has passed into the Pacific. The anticyclone over China has not developed.

Moderate monsoon may be expected over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 4·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; overcast.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th March, 1922.									19th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.78	756.4	32	...	NW	2	c		6	29.98	761.5	21	...	WNW	2	b
Nemuro,	11	...	...	...	...	...	...	...		5	...	...	...	...	...	...	...
Hakodate,	"	29.67	753.5	...	...	W	9	...		"	...	...	...	...	...	...	...
Tokio,	"	29.88	759.0	...	...	SW	4	...		"	...	...	...	...	...	...	...
Kochi,	"	30.04	763 0	...	...	SE	1	...		"	...	...	...	...	...	...	...
Nagasaki,	"	30.08	764.0	...	...	N	1	...		"	...	...	...	...	...	...	...
Kagoshima,	"	30.08	764.0	...	...	ENE	1	...		"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Bonin Island,	"	30.12	765.0	...	...	...	...	...		"	...	...	...	...	...	...	...
Weihaiwei,	14	30.07	763.8	40	48	NNE	2	b		6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Shanghai,	11	...	...	66	41	WSW	2	bf		"	...	...	...	...	...	...	...
Gutzlaff,	"	30.06	763.5	56	100	SSW	1	b		"	...	...	...	...	...	...	...
Sharp Peak,	14	29.97	761.2	69	61	E	2	b		7	29.98	761.5	56	83	W	1	o
Amoy,	15	29.91	759.7	68	85	SSE	1	b		6	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Taihoku,	12	30.00	762 0	66	80	E	6	o		"	29.97	761.1	59	96	E	4	r
Taichu,	"	30 00	762.0	73	...	NNW	2	b		"	29.95	760.8	64	...	...	0	o
Tainan,	"	29.99	761 7	72	...	NNE	4	o		"	29.93	760.2	64	...	NW	4	o
Koshun,	"	29.83	759.0	82	...	E	4	of		"	29.94	760.5	68	...	...	0	b
Pescadores,	"	30.02	762.6	70	...	N	6	o		"	29.95	760.8	66	...	N	4	o
Canton,	15	29.94	760.5	69	80	NW	1	o		"	...	...	...	...	...	...	...
Hongkong,	14	29.93	760.2	67	77	E	3	o		"	29.95	760.7	65	84	E	4	o
Gap Rock,	"	29.94	760.5	...	...	ENE	4	o		"	29.95	760.7	...	...	ENE	4	o
Macao,	"	29 95	760.8	72	75	SE	2	o		"	29.95	760.8	66	82	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Phulien,	"	29.87	758.7	68	91	ENE	4	rf		7	...	...	...	...	...	...	...
Tourane,	"	29.81	757.2	82	...	SSE	2	b		"	...	...	...	...	...	...	...
Cape St. James,	"	29.78	758.3	79	...	ENE	6	o		"	...	...	...	...	...	...	...
Aparri,	14	29 82	757.5	82	74	NE	4	o		6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	90	48	SE	4	o		"	29.86	758.4	73	75	NNW	1	o
Legaspi,	"	29.84	757.8	77	85	NE	1	o		"	29.84	757.8	77	88	NE	1	o
Tacloban,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	82	81	N	4	o		"	29.80	756.9	77	92	N	4	o
Surigao,	"	29.75	755.7	82	87	NNW	2	o		"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	ENE	4	r		4.20	29.82	757.5	...	...	ENE	4	r
Yap,	12.4	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	88	69	SW	2	b		6	...	...	...	...	...	...	...

March 19*d.* 12*h.* 11*m.*—Pressure has increased moderately at Wladivostock, and decreased slightly from Foochow to Hongkong. It is nearly stationary over the Philippines.

Moderate monsoon may be expected over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 4·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
2.—Formosa Channel.	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lemocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19th March, 1922.								20th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...		6	...	...	...	...	...	...	...
Nemuro,	11	29.67	753.5	...	...	WNW	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.84	758.0	...	...	WSW	1	...	"	...	...	...	...	...	...	...
Tokio,	"	29.86	758.5	...	...	SSE	3	...	"	...	...	...	...	...	...	...
Kochi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.04	763 0	...	...	W	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.04	763.0	...	...	ESE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.00	762.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.97	761 2	72	43	SSW	1	b	"	30.29	769.3	41	54	NNW	6	b
Gutzlaff,	"	29.96	761.0	56	100	SSE	4	b	"	30.25	768.3	42	100	NNW	7	b
Sharp Peak,	14	29.95	760.7	60	82	SE	1	r	7	30.24	763.0	62	83	W	1	b
Amoy,	15	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	"	30.16	766.0	62	100	ENE	1	c
Taihoku,	12	30 00	762.0	68	77	WNW	2	o	"	30.07	763.8	63	96	NNW	2	o
Taichu,	"	29.97	761.1	72	...	N	4	o	"	30.01	762.3	64	...	N	2	b
Tainan,	"	29.94	760.5	81	...	NNW	4	b	"	29.95	760.8	64	...	N	4	b
Koshun,	"	29.97	761.1	81	...	NNW	4	b	"	29.97	761.1	66	...	...	0	b
Pescadores,	"	30.00	762.0	72	...	NNE	6	b	"	29.89	759.3	68	...	N	4	b
Canton,	15	29.91	759.7	65	95	...	0	or	"	30.03	762.7	65	89	N	2	o
Hongkong,	14	29.92	759.9	69	67	E	3	o	"	30.02	762.5	65	89	...	0	o
Gap Rock,	"	29.91	759.7	...	...	NE	4	c	"	30.01	762.2	...	...	NE	3	c
Macao,	"	29.91	759.6	72	75	SE	2	o	"	29.99	761.7	66	96	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.89	759.3	65	100	...	0	rf	7	29.99	761.7	64	100	NW	1	rf
Tourane,	"	29.82	757.5	82	...	SSE	2	b	"	29.92	759.9	73	...	...	0	o
Cape St. James,	"	29 78	756.3	77	...	NE	4	o	"	29.80	756.9	77	...	NE	6	o
Aparri,	14	29.78	756.3	86	65	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	90	57	W	4	b	"	29.87	758.7	72	91	NE	1	b
Legaspi,	"	29.80	756.9	84	77	NE	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	65	NE	4	o	"	29.82	757.5	77	89	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	4	r	4.20	29.82	757.5	...	...	ENE	2	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.69	754.1	86	72	N	2	b	6	29.78	756.4	77	91	SW	2	r

March 20*d*. 11*h*. 30*m*.—Pressure has increased considerably at Shanghai and slightly from Formosa to Haiphong. It is nearly stationary at other reporting stations.

An anticyclone has formed over China.

The monsoon will freshen along the S.E. Coast of China and over the northern portion of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 4·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate to fresh; fair at first, some rain later.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20th March, 1922.								21st March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.04	763.0	...	...	S	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.84	758.0	...	...	E	6	...	"	...	...	...	...	...	...	...
Tokio,	"	29.84	758.0	...	...	ESE	2	...	"	...	...	...	...	...	...	...
Kochi,	"	29.77	756.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.98	761.5	...	...	NW	7	...	"	...	...	...	...	...	...	...
Kagoshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.90	759.5	...	...	SW	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.26	768.6	28	88	NNW	7	o	6	30.27	768.8	28	88	N	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.38	771.6	46	66	NNW	2	b	"	30.29	769.3	41	81	SE	2	o
Gutzlaff,	"	30.35	770.9	48	100	NW	2	b	"	30.28	769.1	42	100	SE	4	o
Sharp Peak,	14	30.11	764.8	60	65	ENE	4	b	7	30.14	765.5	52	79	N	4	o
Amoy,	15	30.00	762.0	71	76	ENE	4	b	6	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.10	764.4	72	54	E	6	b	"	30.10	764.4	61	79	E	6	o
Taichu,	"	29.98	761.4	77	...	N	4	b	"	30.01	762.3	66	...	...	0	o
Tainan,	"	30.00	762.0	79	...	NNE	4	b	"	30.00	762.0	61	...	N	4	b
Koshun,	"	30.00	762.0	81	...	ENE	6	b	"	30.01	762.3	68	...	NE	7	b
Pescadores,	"	30.05	763.2	73	...	N	6	b	"	30.02	762.6	64	...	NNE	7	o
Canton,	15	29.99	761.7	75	64	NW	1	o	"	30.02	762.5	64	78	SSE	2	o
Hongkong,	14	29.99	761.7	73	72	E	3	c	"	30.02	762.5	61	84	E	6	o
Gap Rock,	"	29.99	761.7	...	...	NE	3	o	"	30.00	762.0	...	...	ENE	4	u
Macao,	"	29.97	761.1	75	67	ESE	2	o	"	29.99	761.7	64	88	E	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.93	760.2	68	98	ENE	1	of	7	...	...	...	...	...	...	...
Tourane,	"	29.88	759.0	77	...	E	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.73	755.1	81	...	NE	7	o	"	...	...	...	...	...	...	...
Aparri,	14	29.85	758.1	82	74	NE	4	o	6	29.97	761.1	72	96	NE	4	r
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	90	60	SE	4	o	"	29.88	759.0	72	88	NE	1	b
Legaspi,	"	29.82	757.5	86	65	ENE	4	b	"	29.88	759.0	77	88	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	65	NE	6	o	"	29.84	757.8	75	91	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	ENE	6	b	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29.75	755.6	82	83	SW	2	b	6	29.76	755.9	78	91	SW	2	b

March 21*d*. 11*h*. 16*m*.—Pressure has increased moderately at Weihaiwei and slightly over Formosa and N. Luzon. It is nearly stationary at other reporting stations.

The anticyclone is moving eastward.

The monsoon will moderate along the S.E. Coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 4·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; overcast and misty at first, improving later.
2.—Formosa Channel,	N.E. winds, strong, moderating.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st March, 1922.								22nd March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.82	757.3	29	...	NW	2	o	6	29.97	761.2	20	...	NW	2	c
Nemuro,	11	29.47	748.5	...	...	S	3	...	5	29.27	743.5	...	...	WNW	10	...
Hakodate,	"	...	...	...	...	SSW	7	...	"	29.61	752.0	...	...	W	7	...
Tokio,	"	29.65	753.0	...	...	NW	3	...	"	29.86	758.5	...	...	...	...	...
Kochi,	"	29.96	761.0	...	...	W	2	...	"	30.04	763.0	...	...	W	:	...
Nagasaki,	"	...	...	...	...	...	...	...	"	30.14	765.5	...	...	NNW	1	...
Kagoshima,	"	...	...	...	...	...	...	...	"	30.12	765.0	...	...	...	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.98	761.5	...	...	NW	3	...	"	30.06	763.5	...	...	...	...	...
Weihaiwei,	14	30.19	766.8	34	60	...	o	o	6	30.14	765.5	34	90	SSE	2	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.23	767.8	52	47	SE	6	o	"	30.17	766.3	41	100	SSE	1	bf
Gutzlaff,	"	30.16	766.0	48	100	SSE	4	o	"	30.20	767.1	47	100	WNW	2	b
Sharp Peak,	14	30.07	763.8	52	90	NW	2	r	7	30.08	764.0	58	81	...	o	b
Amoy,	15	30.03	762.7	62	83	NNE	1	o	6	29.99	761.7	58	94	ENE	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.05	763.2	64	80	E	6	o	"	30.05	763.2	59	96	W	4	r
Taichu,	"	30.05	763.2	70	...	SW	1	o	"	30.00	762.0	63	...	NNW	4	o
Tainan,	"	30.05	763.2	79	...	N	2	o	"	29.98	761.4	63	...	N	4	b
Koshun,	"	30.05	763.2	77	...	NNE	...	o	"	29.97	761.1	70	...	...	o	o
Pescadores,	"	30.11	764.7	70	...	N	6	o	"	30.01	762.3	66	...	NNE	4	o
Canton,	15	29.97	761.2	68	74	...	o	o	"	30.03	762.7	63	94	NNE	1	or
Hongkong,	14	29.98	761.5	64	78	E	4	om	"	30.02	762.5	63	88	E	2	om
Gap Rock,	"	29.95	760.7	...	...	ENE	5	om	"	30.00	762.0	...	...	ENE	5	om
Macao,	"	29.95	760.8	64	86	NNE	4	o	"	29.99	761.7	64	86	ESE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.89	759.3	77	79	SSE	2	o	7	...	...	...	...	...	...	...
Tourane,	"	29.84	757.8	79	...	SE	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.78	756.3	77	...	NE	6	o	"	...	...	...	...	...	...	...
Aparri,	14	29.86	758.4	81	76	NE	4	o	6	29.88	759.0	72	96	...	o	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.78	756.3	93	46	E	6	o	"	29.87	758.7	72	91	...	o	b
Legaspi,	"	29.81	757.2	86	68	NE	2	o	"	29.85	758.1	77	84	N	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	58	NE	4	o	"	29.82	757.5	77	89	NNE	4	o
Surigao,	"	29.75	755.7	86	73	ENE	2	o	"	29.81	757.2	73	96	SW	1	o
Guam,	12.20	29.79	756.6	...	...	E	6	o	4.20	29.81	757.2	...	...	ENE	4	r
Yap,	12.4	29.75	755.7	...	...	E	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	86	76	SW	2	b	6	29.75	755.6	80	87	SW	2	b

March 22*d*. 12*h*. 40*m*.—Pressure is highest over the Yellow Sea. It has increased considerably over N.E. Japan and decreased moderately to slightly from Weihaiwei to N. Luzon.

A deep depression, which was yesterday over N.E. Japan, has passed into the Pacific.

The monsoon is interrupted to the north of Amoy.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 5·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, moderate; generally cloudy.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd March, 1922.								23rd March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.97	761.2	30	...	N	2	c	6	30.10	764.5	17	...	N	2	b
Nemuro,	11	29.35	745.5	...	...	W	4	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.65	753.0	...	...	W	1	...	"	...	...	...	...	...	...	...
Tokio,	"	29.80	757.0	...	...	E	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.02	762.5	...	...	W	2	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.16	766.0	...	...	WNW	5	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.14	765.5	...	...	WNW	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.04	763.0	...	...	NE	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.06	763.5	42	83	NNE	2	b	6	30.04	763.0	28	94	NW	6	rf
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.19	766.8	63	47	SW	1	o	"	30.12	765.0	46	75	WNW	7	b
Gutzlaff,	"	30.15	765.8	54	68	SSW	1	o	"	30.12	765.0	48	100	NNW	7	o
Sharp Peak,	14	30.06	763.5	67	69	E	1	b	7	30.00	762.0	58	70	W	1	b
Amoy,	15	30.00	762.0	66	91	E	1	o	6	29.99	761.7	58	94	...	o	b
Swatow,	"	30.15	765.8	65	89	ENE	2	o	"	30.14	765.5	61	88	N	1	o
Taihoku,	12	30.12	765.0	63	84	...	o	o	"	30.00	762.0	63	94	NNE	2	o
Taichu,	"	30.05	763.2	63	...	NNW	4	o	"	29.97	761.1	63	...	...	o	o
Tainan,	"	30.02	762.6	79	...	N	4	b	"	29.94	760.5	63	...	NNE	4	o
Koshun,	"	29.97	761.1	81	...	N	2	o	"	29.95	760.8	66	...	...	o	o
Pescadores,	"	30.10	764.4	72	...	NNE	6	o	"	29.98	761.4	66	...	NNE	4	b
Canton,	15	30.02	762.5	64	89	N	2	o	"	30.02	762.5	64	89	N	1	o
Hongkong,	14	30.01	762.2	67	83	E	2	od	"	30.01	762.2	63	86	E	2	o
Gap Rock,	"	29.99	761.7	...	...	NE	4	c	"	29.99	761.7	...	...	NE	4	o
Macao,	"	29.99	761.7	65	85	NE	2	o	"	29.99	761.7	63	98	NNE	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.93	760.2	72	84	ENE	6	o	7	30.00	762.0	64	100	N	2	rf
Tourane,	"	29.85	758.1	75	...	ESE	2	o	"	29.87	758.7	72	...	NW	2	o
Cape St. James,	"	29.79	756.6	77	...	ENE	6	o	"	29.81	757.2	77	...	ENE	6	o
Aparri,	14	29.84	757.8	82	74	NE	4	b	6	29.88	759.0	75	89	NE	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.80	756.9	90	55	SSW	2	o	"	29.85	758.1	73	85	SE	1	o
Legaspi,	"	29.81	757.2	86	65	E	4	o	"	...	...	...	...	...	...	...
Tacloban,	"	29.78	756.3	86	68	SE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	61	NE	6	o	"	29.81	757.2	73	89	N	2	o
Surigao,	"	29.79	756.6	86	61	ENE	4	b	"	29.78	756.3	73	96	S	1	b
Guam,	12.20	29.76	756.0	...	...	ENE	4	r	4.20	29.76	756.0	...	...	ENE	4	r
Yap,	12.4	29.71	754.5	...	...	NE	2	o	4.47	...	...	...	...	...	...	...
Labuan	14	29.76	755.9	86	72	N	2	b	6	29.76	755.9	80	91	E	2	b

March 23*d.* 12*h.* 15*m.*—Pressure has decreased slightly from Weihaiwei to Formosa and increased slightly at Wladivostock and Haiphong.

Strong N.W. winds are reported at Weihaiwei and Shanghai. In the absence of observations from S.W. Japan it is not possible to say whether they are cyclonic or anticyclonic.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 8·91 inches, against an average of 5·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; generally cloudy.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd March, 1922.								24th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.00	761.9	29	...	N	2	c	6	30.05	763.2	14	...	NNE	4	b
Nemuro,	11	29.58	751.5	...	...	NW	7	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.84	758.0	...	...	W	7	...	"	...	...	...	...	...	...	...
Tokio,	"	29.98	761.5	...	...	S	2	...	"	...	...	...	...	...	...	...
Kochi,	"	30.00	762.0	...	...	SE	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.82	757.5	...	...	SSW	6	...	"	...	...	...	...	...	...	...
Kagoshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.04	763.0	...	...	NNE	2		"	...	...	...	...	...	...	...
Weihaiwei,	14	30.17	766.3	32	90	NNW	6	b	6	30.31	769.9	30	100	NW	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...		...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"		...	...	...	...	...	...
Shanghai,	11	30.41	772.4	43	34	NW	6	b	"	30.43	772.9	32	81	NNW	1	b
Gutzlaff,	"	30.31	769.9	44	92	NNW	8	b	"	30.41	772.4	38	100	N	6	b
Sharp Peak,	14	30.04	763.0	65	73	ENE	4	b	7	30.24	768.1	52	79	NE	4	o
Amoy,	15	29.98	761.5	63	75	S	1	b	6	30.11	764.8	40	85	ENE	2	b
Swatow,	"	30.13	765.3	69	85	ESE	2	o	"	30.26	768.6	57	87	ENE	5	o
Taiboku,	12	30.10	764.4	66	80	NW	2	o	"	30.28	769.2	54	65	ENE	6	o
Taichu,	"	29.99	761.7	77	...	N	4	b	"	30.06	763.5	57	...	N	4	o
Tainan,	"	29.98	761.4	79	...	N	4	b	"	30.05	763.2	59	...	N	4	o
Koshun,	"	29.97	761.1	81	...	N	2	b	"	30.01	762.3	64	...	NE	7	of
Pescadores,	"	30.04	762.9	72	...	NNE	6	o	"	30.10	764.4	61	...	N	10	o
Canton,	15	30.07	763.8	67	69	N	2	o	"	30.17	766.3	55	44	N	2	o
Hongkong,	14	30.02	762.5	68	58	NNE	2	o	"	30.10	764.5	59	41	NNE	2	o
Gap Rock,	"	30.00	762.0			NNE	3	o	"	30.09	764.3		...	NNE	4	o
Macao,	"	29.97	761.1	64	82	N	2	o	"	30.11	764.7	57	41	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...		...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...		...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.02	762.6	63	94	NNE	4	r	7	30.12	765.0	59	100	NNE	2	rf
Tourane,	"	29.86	758.4	72	...	ESE	2	o	"	29.88	759.0	68	...	N	2	o
Cape St. James,	"	29.76	756.0	79	...	ENE	6	o	"	29.80	756.9	77	...	ENE	6	o
Aparri,	14	29.82	757.5	84	68	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.76	756.0	90	55	SE	4	o	"	29.85	758.1	68	85	NE	1	b
Legaspi,	"	29.80	756.9	82	74	NNE	4	o	"	29.82	757.5	77	91	...	0	b
Tacloban,	"	29.76	756.0	84	81	...	0	r	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.80	756.0	77	89	N	4	o
Surigao,		29.76	756.0	82	81	ENE	2	o	"	29.78	756.3	75	89	..	0	o
Guam,	12.20	29.74	755.4	...	...	ENE	4	o	4.20	29.76	756.0	...	...	E	2	o
Yap,	12.4	29.71	754.5	...	...	ENE	2	o	4.47	..	...	...	...	..	..	...
Labtan	14	29.73	755.1	86	76	N	2	b	6	29.79	756.6	80	91	SW	2	b

February 24*d* 10*h*.—Warning to Hongkong, Coast Ports, &c.:—North gale in Formosa Channel.

March 24*d*. 11*h*. 15*m*.—Pressure has increased considerably from Weihaiwei to N. Formosa, and moderately from Swatow to Haiphong. It is nearly stationary over S. Annam and the Philippines.

An anticyclone which formed over China yesterday has developed considerably.

Strong monsoon may be expected along the S.E. Coast of China and over the northern portion of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 8·92 inches, against an average of 5·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, strong; overcast with drizzle or mist at first, improving later.
2.—Formosa Channel,	N.E. gale, moderating.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	24th March, 1922.									25th March, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.02	762.5	27	...	NNE	4	b		6	30.13	765.3	2	...	NW	2	b	
Nemuro,	11	29.55	750.5	...	...	N	6	...		5	...	...	...	...	...	...	...	
Hakodate,	"	29.59	751.5	...	...	N	2	...		"	...	...	...	...	...	...	...	
Tokio,	"	29.43	747.5	...	...	W	4	...		"	...	...	...	...	...	...	...	
Kochi,	"	29.88	759.0	...	...	W	2	...		"	...	...	...	...	...	...	...	
Nagasaki,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Kagoshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Oshima,	"	30.10	764.5	...	...	NNW	4	...		"	...	...	...	...	...	...	...	
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Bonin Island,	"	29.76	756.0	...	...	NW	4	...		"	...	...	...	...	...	...	...	
Weihaiwei,	14	30.29	769.3	38	63	N	2	b		6	30.27	768.8	34	90	SSW	1	b	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	11	30.47	773.9	50	16	N	1	b		"	30.36	771.1	36	78	SE	1	b	
Gutslaff,	"	30.40	772.1	50	88	N	1	b		"	30.36	771.1	42	92	ESE	1	o	
Sharp Peak,	14	30.23	767.8	52	65	ENE	4	o		7	30.19	766.8	50	79	N	4	o	
Amoy,	15	30.16	766.0	58	81	N	1	o		6	...	..	...	...	...	...	...	
Swatow,	"	30.24	768.1	59	94	E	3	o		"	30.29	769.3	52	100	NE	2	o	
Taihoku,	12	30.33	770.4	57	51	NE	6	o		"	30.18	766.5	55	71	E	4	o	
Taichu,	"	30.13	765.3	59	...	N	4	o		"	30.10	764.4	54	...	...	0	o	
Tainan,	"	30.08	764.1	61	...	NNE	4	o		"	30.05	763.2	55	...	NNE	2	o	
Koshun,	"	30.11	764.7	68	...	NE	7	o		"	30.07	763.8	68	...	NE	6	o	
Pescadores,	"	30.18	766.5	59	...	NNE	10	o		"	30.08	764.1	59	...	NNE	7	o	
Canton,	15	30.16	766.0	61	94	N	2	o		"	30.12	765.0	54	74	N	1	o	
Hongkong,	14	30.13	765.3	58	60	NNE	1	od		"	30.08	764.0	57	75	ENE	4	c	
Gap Rock,	"	30.11	764.8	...	...	NE	5	od		"	30.06	763.5	...	...	NE	5	o	
Macao,	"	30.12	765.0	55	60	N	4	r		"	30.07	763.8	55	79	NE	4	r	
Wuchow,	15	...	...	...	..	...	...	...		9	...	..	...	...	...	...	...	
Pakhoi,	"	...	...	...	.	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	.	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	30.12	765.0	59	93	NNE	4	rf		7	...	...	...	...	...	...	...	
Tourane,	"	29.87	758.7	68	...	NNW	6	r		"	...	...	...	...	...	...	...	
Cape St. James,	"	29.76	756.0	81	...	ENE	6	o		"	...	...	...	...	...	...	...	
Aparri,	14	...	...	...	...	...	...	...		6	29.99	761.7	68	88	NE	6	r	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.76	756.0	86	56	SE	2	o		"	29.85	758.1	75	76	NE	1	o	
Legaspi,	"	29.78	756.3	84	71	ENE	4	o		"	29.81	757.2	77	84	NE	1	b	
Tacloban,	"	...	...	..	...	...	...	...		"	...	...	...	...	...	...	...	
Iloilo,	"	29.73	755.1	86	58	NE	6	o		"	29.80	756.9	75	85	NNW	4	o	
Surigao,	"	...	...	...	...	...	...	...		"	29.78	756.3	75	91	ENE	1	o	
Guam,	12.20	29.71	754.5	...	...	ENE	4	o		4.20	29.73	755.1	...	...	NE	4	r	
Yap,	12.4	29.71	754.5	...	...	NE	...	...		4.47	...	...	...	...	...	...	...	
Labuan,	14	29.73	755.1	86	76	S	2	b		6	29.78	756.4	80	91	E	2	b	

March 25*d*. 11*h*. 19*m*.—Pressure has decreased slightly from Weihaiwei to Hongkong. It is nearly stationary over the Philippines. The anticyclone over China is Weakening.

The monsoon will moderate along the S.E. Coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 8·98 inches, against an average of 5·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, strong; moderating, overcast, drizzle or [mist, improving later.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

F. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th MARCH, 1922.								26th MARCH, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	22	...	...	...	...
Nemuro,	11	29.57	751.0	...	...	NW	6	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.74	755.5	...	...	NNW	6	...	"	...	...	...	...	...	...	...
Tokio,	"	29.90	759.5	...	...	W	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.12	765.0	...	...	SW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.18	766.5	...	...	NW	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.92	760.0	...	...	NW	3	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.21	767.3	50	58	SSW	1	b	6	30.13	765.3	38	91	S	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30 37	771.4	55	36	SSE	2	b	"	30.23	767.8	41	87	SE	2	b
Gutzlaff,	"	30.32	770.1	52	93	SSE	2	o	"	30.29	769.3	44	100	SSE	4	b
Sharp Peak,	14	30.17	766.3	52	66	ENE	4	o	7	30.10	764.5	52	79	WNW	1	o
Amoy,	15	30.12	765.0	64	73	E	2	o	6	30.06	763.5	56	89	ENE	1	b
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.19	766.8	63	65	E	6	o	"	30.06	763.5	61	85	E	6	o
Taichu,	"	30.11	764.7	64	...	...	c	o	"	30.05	763.2	59	...	...	o	o
Tainan,	"	30.11	764.7	68	...	WSW	2	b	"	30.07	763.8	59	...	...	o	r
Koshun,	"	30.10	764.4	68	...	ENE	6	o	"	...	...	...	...	...	...	...
Pescadores,	"	30.14	765.6	64	...	NNE	6	o	"	30 05	763.2	63	...	N	6	o
Canton,	15	30.11	764.8	58	70	NE	1	or	"	...	...	...	...	...	...	...
Hongkong,	14	30.09	764.3	58	69	E	2	od	"	30.02	762.5	58	76	ENE	3	od
Gap Rock,	"	30.03	764.0	...	...	NE	6	od	"	29.99	761.7	...	...	ENE	6	od
Macao,	"	30.08	764.1	55	84	NNE	4	r	"	29.99	761.7	57	81	NE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	30.05	763.2	61	87	...	o	r	7	...	...	...	...	...	...	...
Tourane,	"	29.86	758.4	64	...	N	8	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.81	757.2	73	...	S	4	o	"	...	...	...	...	...	...	...
Aparri,	14	29.94	760 5	73	82	NE	4	o	6	29.94	760.5	72	94	E	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	81	73	SW	1	r	"	29.85	758.1	72	94	...	o	o
Legaspi,	"	29.81	757.2	86	65	ENE	2	b	"	29.84	757.8	77	88	NNE	2	o
Tacloban,	"	29.79	756.6	84	68	ENE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	46	NE	4	o	"	29.81	757.2	75	63	N	2	o
Surigao,	"	29.76	756.0	77	89	ENE	2	r	"	...	...	...	...	...	...	...
Guam,	12.20	29 73	755.1	...	...	E	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	69	S	2	b	6	...	...	...	...	...	...	...

March 26*d.* 11*h.* 42*m.*—Pressure has decreased moderately at Weihaiwei, Shanghai and Haiphong, and slightly at Aparri, Hongkong and Tourane.

The anticyclone is probably central over S.W. Japan.

The monsoon will be interrupted to the north of Amoy and will further moderate over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·18 inch. Total since January 1st, 9·16 inches, against an average of 5·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh, to moderate; overcast.
2.—Formosa Channel.	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th MARCH, 1922.								27th MARCH, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.95	760.7	20	...	NW	4	b	6	30.13	765.4	25	...	NNE	1	b
Nemuro, ...	11	29.90	759.5	...	...	NW	1	...	5	...	...	...	...	...	...	...
Hakodate, ...	"	30.02	762.5	...	...	W	5	...	"	...	...	...	...	...	...	...
Tokio, ...	"	30.10	764.5	...	...	WNW	1	...	"	...	...	...	...	...	...	...
Kochi, ...	"	30.18	766.5	...	...	SE	1	...	"	...	...	...	...	...	...	...
Nagasaki, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima, ...	"	30.22	767.5	...	...	E	1	...	"	...	...	...	...	...	...	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	30.10	764.5	...	...	NW	2	...	"	...	...	...	...	...	...	...
Weihaiwei, ...	14	30.09	764.3	52	73	S	1	b	6	30.07	763 8	42	92	SSE	2	o
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.21	767.3	57	46	SE	2	b	"	29.98	761.5	52	87	SSE	2	b
Gutzlaff, ...	"	30.15	765.8	52	100	SSE	4	b	"	30.00	762.0	50	100	S	4	o
Sharp Peak, ...	14	30.05	763.2	58	73	N	1	o	7	29.91	759 7	58	94	...	o	rf
Amoy, ...	15	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku, ...	12	30.06	763.5	75	60	ESE	6	b	"	29.99	761.7	63	98	S	1	r
Taichu, ...	"	30.07	763.8	68	...	W	2	o	"	29.98	761.4	63	...	NNW	2	r
Tainan, ...	"	30.07	763.8	70	...	WNW	2	o	"	29.92	759.9	63	...	NNE	4	o
Koshun, ...	"	30.05	763.2	70	...	NE	6	r	"	29.94	760.5	68	...	ENE	4	o
Pescadores, ...	"	30.10	764.4	66	...	NNE	6	o	"	29.97	761.1	63	...	NNE	4	r
Canton, ...	15	29.96	761.0	63	78	N	1	or	"	...	...	...	...	...	...	...
Hongkong, ...	14	29.93	760.2	62	72	E	4	od	"	29.79	756.6	64	94	E	6	orq
Gap Rock, ...	"	29.91	759.7	...	...	ENE	6	cd	"	29.77	756.1	...	...	NE	6	od
Macao, ...	"	29.93	760 2	59	81	NE	4	r	"	29.76	756.0	61	98	NNE	4	r
Wuchow, ...	15	29.98	761.5	64	73	E	2	o	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.93	760.2	63	94	NW	10	bf	7	29.89	759.3	61	100	WNW	4	of
Tourane, ...	"	29.80	756.9	66	...	NNW	6	o	"	29.86	758.4	64	...	NNW	4	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.84	757.8	72	...	NW	2	o
Aparri, ...	14	29.88	759.0	75	83	ENE	4	r	6	29.89	759.3	73	96	S	2	o
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.81	757.2	84	71	W	2	o	"	29.87	758.7	73	88	ESE	1	o
Legaspi, ...	"	29.81	757.2	81	80	NE	4	o	"	29.85	758.1	79	84	ENE	4	b
Tacloban, ...	"	29.78	756.3	86	68	ENE	4	o	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.62	752.4	90	55	NE	4	o	"	29.82	757.5	75	94	N	4	o
Surigao, ...	"	29.75	755.7	84	81	WSW	2	b	"	...	...	...	...	...	...	...
Guam, ...	12.20	29.74	755.4	...	...	E	2	r	4.20	...	...	...	...	...	...	...
Yap, ...	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.78	756.4	88	73	SW	2	b	6	29.81	757.2	78	91	SW	4	o

March 27*d*. 2*h*. 35*m*.—Local signal No. 1 lighted.

March 27*d*. 3*h*. 00*m*.— " " No. 4 lighted.

March 27*d*. 2*h* 50*m*.—Warning to Hongkong, Coast Ports, &c.:—A depression or typhoon in Lat. 19° N. Long. 113° E. Direction unknown Position uncertain.

March 27*d*. 10*h*. 50*m*.—Pressure has increased moderately at Weihaiwei, and decreased considerably at Shanghai and Hongkong. A typhoon formed in the N. China Sea last night. At 6 a.m. this morning it was in about latitude 19° N. and longitude 113° E. It appears to be moving very slowly at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·89 inch. Total since January 1st, 11·05 inches, against an average of 5·64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	Cyclonic gales; overcast, rain.
2.—Formosa Channel.	E. winds, freshening considerably.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

H. E. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th MARCH, 1922.								28th MARCH, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	30.07	763.8	34	...	N	2	o	6	30.14	765.6	25	...	NW	3	b
Nemuro,	11	29.78	756.5	...	...	NW	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.94	760.5	...	...	WNW	7	...	"	...	...	...	...	...	...	...
Tokio,	"	30.00	762 0	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.00	762.0	...	...	SSW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	...	...	...	...	....	...	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.12	765.0	...	...	ESE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.16	766.0	...	...	NE	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.14	765.5	36	100	N	4	rf	6	30.32	770.1	36	70	N	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30 01	762.2	68	56	SW	2	o	"	30.19	766.8	46	81	NE	4	o
Gutzlaff,	"	29.96	761.0	58	100	SW	2	o	"	30.12	765.0	46	100	NNE	6	o
Sharp Peak,	14	29.91	759.7	63	89	...	o	o	7	29.91	759.7	58	93	N	1	o
Amoy,	15	29.87	758.7	63	94	...	o	r	6	29.89	759.2	62	100	NE	1	o
Swatow,	"	...	...	...	...	...	...	...	"	29.76	755.9	63	100	N	1	or
Taihoku,	12	29.99	761.7	68	83	...	o	r	"	29.87	758.7	63	96	E	4	r
Taichu,	"	29.99	761.7	64	...	...	o	r	"	29.85	758.1	63	...	NE	4	r
Tainan,	"	29.94	760.5	70	...	SE	4	o	"	29.80	756.9	66	...	NNE	4	r
Koahun,	"	29.93	760 2	79	...	E	6	o	"	...	...	...	...	...	...	...
Pescadores,	"	29.98	761.4	66	...	NNE	4	r	"	29.84	757.8	66	...	NE	6	o
Canton,	15	...	...	...	...	...	...	...	"	29.88	758.9	62	89	N	2	b
Hongkong,	14	29.77	756.1	65	97	...	o	or	"	29.85	758.2	64	90	...	o	om
Gap Rock,	"	29.75	755.6	...	...	N	7	od	"	29.85	758.2	...	...	NNW	4	o
Macao,	"	29.78	756.3	64	96	NNE	4	o	"	29.85	758.1	63	90	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.84	757.8	75	63	S	1	o	7	...	...	...	...	...	...	...
Tourane,	"	29.80	756.9	72	...	NNW	4	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.81	757.2	84	...	SW	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.81	757.2	82	74	ENE	4	o	6	29.81	757.2	73	92	S	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.80	756.9	90	48	SE	4	o	"	29.84	757.8	72	89	E	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.82	757.5	77	88	N	1	b
Taolofan,	"	...	...	...	...	...	...	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	61	NE	4	o	"	29.80	756.9	57	86	N	4	o
Surigao,	"	29.76	756.0	84	77	ENE	2	r	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ESE	4	...	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	73	SW	2	b	6	29.81	757.2	78	91	SW	2	r

March 27*d*. 15*h*. 30*m*.—Local signal No. 2 hoisted.
March 27*d*. 20*h*. 20*m*.— " " " lowered.

March 27*d*. 15*h*. 20*m*.—Warning to Hongkong, Coast Ports, &c. :—A typhoon of unknown intensity within 60 miles of Lat. 21° N. Long 115° E. moving E.N.E.

March 28*d*. 9*h*. 55*m*.—Warning to Hongkong, &c. :—A typhoon of unknown intensity within 60 miles of Lat 21° N. Long 118° E. moving east.

March 28*d*. 11*h*. 11*m*.—Pressure has increased considerably at Weihaiwei and Shanghai, moderately over Formosa, and slightly over Luzon. It has increased slightly at Hongkong.

An anticyclone has formed over N. China. At 6 a.m. this morning the typhoon was in about latitude 21° N. and longitude 118° E. moving eastward.

Fresh monsoon may be expected along the E. Coast of China and cyclonic gales to the east of Pratas.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·74 inch. Total since January 1st, 11·79 inches, against an average of 5·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Hongkong to Gap Rock,	N. winds, moderate; fair.
2.—Formosa Channel,	N. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th March, 1922.								29th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.15	769.5	38	...	NNE	4	b	6	30.31	769.9	24	...	...	0	b
Nemuro,	11	29.69	754.0	...	...	WNW	3	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.76	756.0	...	...	NNW	4	...	"	...	...	...	...	...	...	...
Tokio,	"	29.69	754.0	...	...	NW	4	...	"	...	...	...	...	...	...	...
Kochi,	"	30.00	762.0	...	...	N	3	...	"	...	...	...	...	...	...	...
Nagasaki,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.98	761.5	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.98	761.5	...	...	S	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.38	771.6	42	58	NNE	1	b	6	30.30	769.6	34	90	...	0	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.28	769.1	52	57	NNE	2	b	"	30.25	768.3	46	92	ENE	1	cf
Gutzlaff,	"	30.21	767.3	50	93	NNE	4	o	"	30.22	767.6	48	100	ENE	4	o
Sharp Peak,	14	30.00	762.0	64	78	ENE	2	o	7	30.04	763.0	54	87	NNW	4	o
Amoy,	15	...	...	67	91	ENE	2	o	6	29.99	761.7	58	81	NE	1	o
Swatow,	"	30.03	762.7	66	84	E	2	o	"	29.91	759.7	57	87	ENE	3	b
Taihoku,	12	29.99	761.7	64	88	ESE	4	r	"	29.99	761.7	61	93	E	4	o
Taichu,	"	29.88	759.0	72	...	N	4	o	"	29.93	760.2	61	...	N	4	r
Tainan,	"	29.87	758.7	75	...	N	4	o	"	29.91	759.6	61	...	NNE	2	o
Koshun,	"	29.86	758.4	77	...	W	2	o	"	29.87	758.7	70	...	NNE	6	b
Pescadores,	"	29.92	759.9	68	...	N	7	o	"	29.94	760.5	63	...	NNE	7	o
Canton,	15	29.85	758.2	77	61	SW	1	c	"	29.90	759.4	65	84	SSE	2	o
Hongkong,	14	29.86	758.4	73	72	ESE	2	o	"	29.91	759.7	62	69	E	6	b
Gap Rock,	"	29.88	758.9	...	...	NNW	3	c	"	29.89	759.2	...	...	ENE	6	c
Macao,	"	29.82	757.5	73	71	ENE	4	b	"	29.88	759.0	63	75	E	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.85	758.1	75	71	SSE	4	o	7	29.84	757.8	68	96	E	4	o
Tourane,	"	29.82	757.5	77	...	SE	2	b	"	29.85	758.1	70	...	S	2	b
Cape St. James,	"	29.84	757.8	86	...	S	2	b	"	29.85	758.1	73	...	E	2	b
Aparri,	14	29.79	756.6	81	80	N	4	o	6	29.82	757.5	75	92	...	0	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.76	756.0	86	58	WSW	4	b	"	29.80	756.9	72	91	NE	1	b
Legaspi,	"	29.76	756.0	86	68	ENE	4	b	"	29.79	756.6	73	58	...	0	b
Tacloban,	"	29.75	755.7	86	71	ESE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.79	756.6	73	91	...	0	o
Surigao,	"	29.74	755.4	86	71	N	1	o	"	29.78	756.3	72	96	S	1	b
Guam,	12.20	29.74	755.4	...	...	SE	4	r	4.20	29.81	757.2	...	...	SE	1	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29.79	756.6	88	69	SW	2	b	6	29.80	759.6	78	91	SW	2	r

March 29*d*. 9*h* 40*m*.—Warning to Hongkong, Coast Ports, &c.:— Typhoon in Lat. 21° N. Long 125° E. filling up; position uncertain.

March 29*d*. 11*h*. 22*m*.— Pressure has increased moderately at Wladivostock and over Formosa, and slightly at Hongkong and Shanghai. It has decreased slightly at Manila.

The northern anticyclone has moved eastward, leaving a separate anticyclone over China.

The typhoon appears to have filled up to the east of the Bashi Channel.

Strong to fresh monsoon may be expected along the S E. Coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·79 inches, against an average of 5·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, strong to fresh; fair.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Horgkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th March, 1922.								30th March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.24	768.0	43	...	SE	1	c	6	30.01	762.3	34	...	SSE	3	o
Nemuro,	11	29.86	758.5	...	...	NW	6	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.10	764.5	...	...	N	5	...	"	...	...	...	...	...	...	...
Tokio,	"	30.16	766.0	...	...	WNW	3	...	"	...	...	...	...	...	...	...
Kochi,	"	30.22	767.5	...	...	S	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.22	767.5	...	...	ESE	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.20	767.0	...	...	NE	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.02	762.5	...	...	NNE	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.20	767.1	47	63	S	2	o	6	30.01	762.2	38	91	S	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.25	768.3	54	65	E	1	o	"	30.02	762.5	48	95	N	1	r
Gutzlaff,	"	30.16	766.0	52	100	ENE	2	o	"	29.98	761.5	48	100	N	2	o
Sharp Peak,	14	30.00	762.0	58	77	NE	2	o	7	29.88	758.9	60	93	...	o	o
Amoy,	15	29.90	759.4	65	84	ENE	1	o	6	29.91	759.7	60	90	E	1	o
Swatow,	"	30.03	762.7	63	89	E	3	c	"	...	...	...	...	...	...	...
Taihoku,	12	30.01	762.3	73	79	E	4	o	"	29.89	759.3	63	92	W	4	o
Taichu,	"	29.97	761.1	73	...	N	4	b	"	29.89	759.3	63	...	...	o	o
Tainan,	"	29.89	759.3	79	...	N	4	b	"	29.89	759.3	63	...	NE	4	o
Koshun,	"	29.88	759.0	79	...	NNE	6	b	"	29.87	758.7	63	...	...	o	b
Pescadores,	"	29.97	761.1	70	...	NNE	7	b	"	29.91	759.6	64	...	N	4	o
Canton,	15	29.88	758.9	73	55	S	2	o	"	29.90	759.4	65	89	ESE	1	o
Hongkong,	14	29.90	759.4	67	68	E	5	c	"	29.89	759.2	63	84	E	4	o
Gap Rock,	"	29.89	759.2	...	...	ENE	5	o	"	29.87	758.7	...	...	ENE	4	o
Macao,	"	29.88	759.0	66	76	E	4	o	"	29.86	758.4	66	94	ENE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.80	756.9	72	91	ESE	4	1f	7	...	...	...	...	...	...	...
Tourane,	"	29.76	756.0	75	...	SE	4	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.81	757.2	86	...	SE	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	79	80	NE	4	o	6	29.81	757.2	73	94	...	o	r
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	90	55	WSW	4	o	"	29.79	756.6	75	92	E	1	b
Legaspi,	"	29.76	756.0	86	68	E	4	o	"	29.78	756.3	73	94	...	o	b
Taloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.78	756.3	75	91	E	1	o
Surigao,	"	29.75	755.7	86	71	N	1	b	"	29.76	756.0	73	96	S	1	b
Guam,	12.20	29.79	756.6	...	...	WSW	4	r	4.20	29.81	757.2	...	...	ENE	1	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29.79	756.6	84	83	E	2	b	6	29.76	755.9	80	87	E	2	b

March 30*d.* 1*ch.* 50*m.*— Pressure has decreased considerably from Weihaiwei to Shanghai, and slightly from Formosa to Hongkong.

The anticyclone has weakened and moved eastward. The monsoon is interrupted to the north of Amoy, and has moderated considerably over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·79 inches, against an average of 5·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or varible winds, moderate; fair, fog later.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th March, 1922.								31st March, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.92	760.0	36	...	SSE	4	o	6	29.75	755.5	34	...	ENE	1	f
Nemuro,	11	30.10	764.5	...	...	NNE	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.16	766.0	...	...	S	9	...	"	...	...	...	...	...	...	...
Tokio,	"	30.16	766 0	...	...	S	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.16	769.0	...	...	...	...	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.02	762.5	...	...	E	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.02	762.5	...	...	NNE	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.16	766.0	...	...	E	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.91	759.7	52	66	SSW	4	b	6	29.87	758.7	42	92	N	2	of
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.02	762.5	50	92	NNW	1	r	"	29.96	761.0	46	100	W	1	o
Gutzlaff,	"	29.95	760.7	50	100	NW	4	o	"	29.94	760.5	48	100	NW	2	o
Sharp Peak,	14	29.86	758.4	69	70	E	1	o	7	29.84	757.9	56	99	N	1	rf
Amoy,	15	29.79	756.6	69	85	SSE	2	b	6	29.85	758.2	62	94	NE	1	r
Swatow,	"	29.96	761.0	69	75	SE	1	c	"	29.74	755.4	65	100	N	1	o
Taihoku,	12	29.92	759.9	68	96	NW	2	o	"	29.82	757.5	66	96	E	2	o
Taichu,	"	29.89	759.3	72	...	WNW	2	b	"	29.82	757.5	66	...	...	o	o
Tainan,	"	29.86	758.4	79	...	N	2	b	"	29.80	756.9	66	...	...	o	b
Koshun,	"	29.86	758.4	82	...	W	2	b	"	29.81	757.2	66	...	...	o	b
Pescadores,	"	29.89	759.3	72	...	N	4	b	"	29.81	757.2	68	...	NNE	1	b
Canton,	15	29.87	758.7	68	79	N	2	o	"	29.86	758.4	59	82	N	2	o
Hongkong,	14	29.86	758.4	69	75	E	3	o	"	29.83	757.7	63	91	W	3	o
Gap Rock,	"	29.86	758.4	...	...	ENE	4	c	"	29.82	757.4	...	...	NNW	4	o
Macao,	"	29.85	758.1	72	78	...	o	o	"	29.89	759.3	61	87	NNW	4	o
Wuchow,	15	29.93	760.2	60	34	ENE	2	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	...	...	68	100	NW	2	rf	7	...	...	...	...	...	...	...
Tourane,	"	29.76	756.0	79	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.82	757.5	75	...	S	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.75	755.7	82	81	NE	4	o	6	29.80	756.9	75	91	...	o	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.74	755 4	90	57	W	4	b	"	29.81	757.2	77	91	E	1	o
Legaspi,	"	29.75	755.7	90	63	E	2	b	"	29.80	756.9	73	94	E	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	90	60	E	4	o	"	29.79	756.6	73	88	NNE	2	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	2	o	4.20	29.81	757.2	...	...	E	4	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29.76	755.9	88	69	SW	4	o	6	29.79	756.6	78	91	SW	4	o

March 31*d.* 10*h.* 58*m.*—Pressure has decreased considerably at Wladivostock and slightly from Shanghai to Hongkong. It is nearly stationary over the Philippines.

Fog may be expected along the Coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 11·81 inches, against an average of 6·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Hongkong to Gap Rock,	Varible winds, moderate to light; overcast, rain, fog.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

APRIL,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922.

[Price 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

APRIL,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of APRIL, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·795	29·779	29·793	29·786	29·785	29·794	29·811	29·841	29·854	29·849	29·842	29·822	1
2	29·775	29·755	29·732	29·720	29·710	29·718	29·730	29·740	29·738	29·738	29·727	29·697	2
3	29·694	29·684	29·669	29·665	29·674	29·688	29·707	29·720	29·726	29·731	29·718	29·704	3
4	29·701	29·690	29·690	29·689	29·698	29·713	29·733	29·741	29·747	29·754	29·755	29·738	4
5	29·762	29·761	29·761	29·755	29·759	29·778	29·801	29·820	29·840	29·852	29·855	29·852	5
6	29·880	29·876	29·859	29·858	29·867	29·889	29·910	29·933	29·942	29·969	29·963	29·948	6
7	29·954	29·940	29·936	29·926	29·935	29·954	29·978	29·998	30·011	30·007	29·986	29·986	7
8	29·984	29·970	29·954	29·946	29·950	29·966	29·978	30·003	30·020	30·019	30·006	29·998	8
9	30·003	30·005	29·987	29·990	29·994	30·009	30·028	30·052	30·068	30·085	30·087	30·071	9
10	30·065	30·045	30·040	30·027	30·029	30·042	30·071	30·087	30·116	30·118	30·107	30·092	10
11	30·025	30·008	30·003	29·999	30·008	30·026	30·049	30·062	30·076	30·088	30·072	30·040	11
12	30·000	29·996	29·983	29·969	29·973	29·992	30·012	30·034	30·046	30·051	30·055	30·038	12
13	29·966	29·942	29·938	29·928	29·933	29·943	29·967	29·995	30·004	30·000	29·998	29·981	13
14	29·934	29·919	29·916	29·919	29·936	29·948	29·976	29·993	30·014	30·013	30·007	29·980	14
15	29·920	29·916	29·892	29·881	29·893	29·895	29·912	29·896	29·924	29·936	29·941	29·927	15
16	29·893	29·890	29·883	29·884	29·890	29·896	29·914	29·921	29·935	29·946	29·937	29·926	16
17	29·916	29·900	29·900	29·904	29·912	29·917	29·935	29·956	29·965	29·963	29·957	29·943	17
18	29·901	29·879	29·872	29·878	29·880	29·892	29·914	29·946	29·949	29·948	29·942	29·926	18
19	29·880	29·860	29·841	29·831	29·831	29·843	29·872	29·897	29·917	29·930	29·924	29·906	19
20	29·842	29·829	29·818	29·820	29·816	29·831	29·846	29·862	29·891	29·861	29·873	29·863	20
21	29·836	29·825	29·808	29·805	29·808	29·821	29·819	29·846	29·859	29·866	29·867	29·859	21
22	29·815	29·810	29·796	29·796	29·786	29·796	29·810	29·829	29·834	29·837	29·834	29·812	22
23	29·781	29·761	29·751	29·739	29·761	29·768	29·778	29·794	29·816	29·823	29·825	29·811	23
24	29·779	29·782	29·773	29·795	29·813	29·809	29·818	29·844	29·856	29·869	29·862	29·836	24
25	29·788	29·773	29·768	29·769	29·757	29·749	29·776	29·804	29·849	29·853	29·863	29·850	25
26	29·806	29·820	29·784	29·814	29·802	29·815	29·833	29·845	29·870	29·873	29·874	29·871	26
27	29·813	29·789	29·777	29·768	29·774	29·782	29·796	29·818	29·822	29·812	29·814	29·794	27
28	29·754	29·736	29·724	29·720	29·730	29·730	29·734	29·755	29·775	29·769	29·774	29·748	28
29	29·690	29·666	29·664	29·644	29·639	29·655	29·671	29·681	29·703	29·703	29·702	29·688	29
30	29·666	29·656	29·646	29·649	29·657	29·667	29·673	29·695	29·713	29·732	29·738	29·722	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·804	29·766	29·742	29·734	29·733	29·741	29·753	29·768	29·773	29·788	29·788	29·784	1
2	29·678	29·655	29·643	29·633	29·623	29·633	29·637	29·658	29·677	29·697	29·703	29·700	2
3	29·684	29·658	29·641	29·636	29·637	29·635	29·643	29·659	29·674	29·693	29·701	29·711	3
4	29·713	29·700	29·678	29·676	29·672	29·676	29·700	29·722	29·741	29·759	29·769	29·768	4
5	29·833	29·824	29·807	29·805	29·809	29·816	29·835	29·852	29·858	29·888	29·897	29·894	5
6	29·919	29·904	29·880	29·877	29·887	29·898	29·918	29·938	29·948	29·964	29·974	29·960	6
7	29·966	29·940	29·930	29·913	29·924	29·933	29·940	29·950	29·978	29·990	29·995	29·996	7
8	29·972	29·943	29·932	29·918	29·916	29·926	29·943	29·948	29·982	30·006	30·012	30·008	8
9	30·044	30·024	30·010	29·993	29·997	30·010	30·030	30·044	30·070	30·085	30·092	30·088	9
10	30·067	30·036	30·018	30·004	29·988	30·000	30·012	30·020	30·025	30·041	30·045	30·041	10
11	30·020	29·988	29·965	29·950	29·942	29·940	29·948	29·962	29·988	30·014	30·019	30·015	11
12	30·018	29·991	29·961	29·936	29·938	29·944	29·952	29·962	29·975	29·987	29·989	29·983	12
13	29·968	29·936	29·920	29·907	29·891	29·901	29·916	29·928	29·940	29·959	29·961	29·948	13
14	29·947	29·900	29·879	29·859	29·847	29·847	29·868	29·886	29·906	29·921	29·930	29·929	14
15	29·895	29·876	29·850	29·842	29·848	29·850	29·870	29·877	29·895	29·903	29·904	29·892	15
16	29·905	29·883	29·864	29·854	29·860	29·872	29·886	29·904	29·917	29·928	29·932	29·922	16
17	29·928	29·916	29·893	29·877	29·869	29·876	29·886	29·894	29·916	29·933	29·927	29·923	17
18	29·901	29·890	29·864	29·846	29·847	29·848	29·856	29·874	29·882	29·882	29·882	29·878	18
19	29·891	29·864	29·835	29·810	29·813	29·809	29·826	29·828	29·840	29·858	29·858	29·848	19
20	29·832	29·816	29·798	29·788	29·788	29·791	29·806	29·816	29·834	29·850	29·850	29·841	20
21	29·840	29·804	29·792	29·784	29·769	29·782	29·788	29·799	29·818	29·840	29·845	29·827	21
22	29·784	29·758	29·740	29·730	29·714	29·728	29·740	29·756	29·787	29·805	29·804	29·790	22
23	29·789	29·752	29·733	29·733	29·733	29·742	29·766	29·793	29·793	29·801	29·811	29·797	23
24	29·810	29·782	29·760	29·739	29·744	29·751	29·767	29·778	29·796	29·801	29·808	29·800	24
25	29·858	29·816	29·802	29·783	29·784	29·793	29·814	29·827	29·841	29·859	29·845	29·833	25
26	29·856	29·842	29·834	29·828	29·814	29·830	29·839	29·838	29·856	29·848	29·846	29·828	26
27	29·780	29·747	29·723	29·704	29·696	29·710	29·720	29·730	29·739	29·765	29·772	29·760	27
28	29·729	29·700	29·682	29·666	29·654	29·660	29·675	29·681	29·679	29·709	29·712	29·701	28
29	29·665	29·642	29·617	29·600	29·595	29·612	29·627	29·648	29·663	29·672	29·681	29·675	29
30	29·705	29·691	29·663	29·655	29·669	29·680	29·699	29·734	29·741	29·761	29·763	29·757	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of APRIL, 1922.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·6	61·9	61·0	61·1	61·7	61·0	63·2	65·0	66·3	69·3	69·4	69·8	1
2	67·5	68·3	67·4	67·8	67·3	67·3	67·3	68·6	73·9	74·8	75·8	77·5	2
3	76·6	76·4	76·2	76·1	75·4	75·7	75·7	76·5	76·7	77·3	78·9	80·0	3
4	74·8	74·5	74·4	74·2	74·2	73·9	74·8	75·3	76·8	78·7	79·0	79·5	4
5	77·6	77·6	76·4	74·9	75·4	74·2	74·2	73·9	73·3	73·7	71·8	69·2	5
6	63·9	64·0	64·0	64·1	64·4	64·6	64·9	65·2	65·4	65·4	65·6	66·4	6
7	67·6	67·6	67·2	67·0	66·9	67·4	67·5	67·3	67·3	67·1	67·8	68·0	7
8	65·6	65·6	65·7	65·5	65·7	65·8	66·1	66·4	66·9	68·7	70·4	71·0	8
9	65·5	65·7	65·7	65·4	65·3	65·1	65·5	65·9	65·7	65·4	65·1	65·8	9
10	65·5	65·1	64·9	65·4	65·1	65·2	65·0	64·8	65·0	66·7	68·1	70·2	10
11	66·9	66·7	66·7	66·1	65·2	64·9	65·0	65·2	66·7	66·9	66·7	67·7	11
12	65·9	65·3	65·2	65·1	65·0	65·3	65·8	66·6	68·1	69·7	70·3	70·2	12
13	67·0	67·3	67·3	67·1	66·4	66·9	67·6	69·8	71·4	75·2	76·4	77·3	13
14	67·8	67·9	67·0	67·4	67·9	67·6	67·6	69·2	70·0	70·9	71·0	71·8	14
15	67·5	67·1	66·6	66·4	66·6	66·9	67·3	68·8	69·0	71·5	72·7	73·0	15
16	65·0	64·2	63·0	62·1	61·4	61·1	63·0	67·0	70·0	71·4	73·6	75·3	16
17	66·5	66·6	66·3	66·2	66·4	66·2	68·3	71·0	73·8	76·5	77·9	77·4	17
18	69·1	69·3	68·9	68·8	69·0	69·0	69·7	70·8	73·2	73·4	73·0	73·0	18
19	70·8	70·1	69·8	69·7	69·9	69·6	69·7	70·3	70·6	71·5	73·5	73·2	19
20	71·0	70·9	70·6	70·3	70·2	70·3	70·7	72·5	73·3	74·1	75·9	76·2	20
21	71·7	71·6	71·1	71·3	71·8	71·9	72·6	73·4	74·6	77·3	77·9	79·0	21
22	72·0	72·0	71·8	71·9	71·7	71·7	72·6	73·6	77·8	79·1	80·8	80·4	22
23	74·6	74·6	74·6	74·5	74·2	74·0	73·9	74·2	73·9	73·0	72·9	73·4	23
24	71·9	71·2	71·2	71·1	71·1	70·6	71·3	75·5	79·2	80·3	79·9	83·2	24
25	72·5	72·2	72·1	71·9	71·3	71·1	71·7	73·0	74·1	74·1	72·7	70·4	25
26	67·8	67·3	66·2	66·1	65·9	65·9	66·2	66·9	67·8	69·1	69·2	69·7	26
27	65·8	66·2	66·8	66·7	67·3	67·4	67·5	67·9	67·9	67·9	66·9	68·3	27
28	69·2	69·3	69·2	69·1	69·1	69·0	69·2	69·7	70·3	71·1	72·2	72·4	28
29	71·3	71·7	71·6	71·9	72·0	72·0	71·9	72·5	74·4	76·4	76·9	78·2	29
30	76·3	76·4	76·5	76·4	76·4	76·8	76·9	78·0	80·8	79·7	80·6	82·6	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	70·1	69·3	68·6	68·1	67·3	66·9	67·0	66·1	66·2	66·5	66·6	66·8	1
2	77·4	78·0	76·2	76·1	75·5	75·7	65·6	76·1	76·0	76·7	76·8	76·7	2
3	80·6	80·4	79·9	79·0	78·3	77·9	77·2	77·5	77·3	77·3	76·3	76·0	3
4	81·0	81·4	80·8	80·4	79·5	78·7	78·6	78·4	78·2	78·3	78·6	78·3	4
5	68·2	66·9	66·5	66·2	65·6	65·5	65·2	65·1	65·2	65·4	64·9	64·5	5
6	66·2	66·1	66·3	66·0	66.0	66·0	65·9	66·2	66·5	66·9	67·3	67·3	6
7	67·3	67·9	66·6	66·9	66·6	66·7	66·6	66·7	66·7	66·2	66·3	65·9	7
8	71·2	71·2	70·7	70·5	69·6	68·8	68·5	68·3	68·6	67·9	67·8	67·0	8
9	65·3	65·4	65·8	65·8	65·4	64·9	65·0	65·1	65·3	65·5	65·3	65·3	9
10	68·9	70·9	71·3	70·5	70·5	69·5	68·2	66·8	66·3	66·2	66·6	66·8	10
11	69·4	69·8	68·6	68·4	66·9	65·8	65·3	65·9	66·2	66·7	67·0	66·9	11
12	71·1	70·7	70·8	70·0	69·1	68·3	67·5	67·1	67·0	66·9	67·3	67·0	12
13	77·3	77·3	76·0	78·3	75·8	74·3	71·5	69·9	69·3	68·4	68·3	67·9	13
14	71·9	71·6	70·5	70·4	69·8	68·9	68·0	67·9	68·3	68·7	68·9	68·7	14
15	75·6	72·5	75·7	73·6	71·5	71·2	70·5	69·8	68·8	68·3	66·9	66·2	15
16	74·9	75·6	72·7	71·3	70·3	69·4	68·8	68·2	67·2	67·4	66·9	66·9	16
17	77·8	76·7	75·7	74·4	73·8	72·3	71·1	70·3	70·2	69·4	69·5	69·1	17
18	75·0	74·2	74·8	74·4	72·9	71·8	70·8	70·6	70·4	70·6	70·9	70·8	18
19	74·8	74·9	75·0	73·3	72·6	71·5	71·2	71·1	71·3	71·4	71·6	71·2	19
20	76·1	76·3	75·6	74·9	73·9	73·0	72·1	72·0	71·8	71·5	71·4	71·4	20
21	78·8	78·6	77·7	77·4	75·6	75·5	74·7	74·0	73·0	72·5	72·1	71·6	21
22	81·0	83·4	83·8	80·3	79·6	77·6	76·1	75·6	75·1	74·8	74·4	74·1	22
23	77·8	76·0	76·6	76·0	75·9	73·8	73·4	73·0	72·4	72·4	71·8	71·9	23
24	81·9	80·6	81·9	80·0	77·8	76·3	76·0	74·4	74·1	73·8	74·1	73·8	24
25	69·5	69·2	69·7	69·8	70·0	69·8	69·6	69·3	69·0	68·9	68·6	67·9	25
26	68·7	67·4	65·0	64·9	65·1	65·5	65·8	65·4	65·7	66·1	65·7	65·7	26
27	67·8	68·0	68·2	68·2	68·6	68·8	69·0	69·1	69·2	69·3	69·2	69·0	27
28	72·2	72·4	71·9	71·8	71·3	70·8	70·4	70·2	70·1	70·5	70·5	70·9	28
29	79·8	82·7	82·5	83·2	82·2	79·6	78·5	78·8	78·9	77·8	77·1	76·9	29
30	82·3	82·3	81·9	81·6	80·7	80·4	79·0	77·8	76·9	77·1	78·6	78·7	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of APRIL, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	60·4	61·0	60·2	60·2	60·8	60·2	61·5	62·4	63·1	64·9	65·0	65·2	1
2	66·9	67·6	66·5	66·9	66·6	66·9	67·1	68·2	72·4	73·0	73·2	73·8	2
3	72·0	72·1	72·2	72·1	72·0	71·9	72·2	72·4	72·8	73·1	73·9	74·9	3
4	73·6	73·2	73·3	73·4	73·6	73·2	73·8	74·1	74·6	74·8	74·5	74·6	4
5	74·4	74·4	74·3	73·3	73·8	73·0	73·2	73·3	72·5	73·0	69·9	68·1	5
6	63·6	63·6	63·6	63·8	64·1	64·1	64·5	64·7	64·9	64·9	65·1	65·6	6
7	66·8	66·8	66·7	66·7	66·4	66·7	66·5	66·4	66·6	66·5	66·9	66·9	7
8	62·8	62·3	62·2	62·3	62.2	62·2	62·6	63·0	63·3	64·5	65·2	65·7	8
9	64·9	64·8	64·7	64·2	64·0	63·5	63·4	63·7	63·2	63·5	63·3	63·6	9
10	61·8	62.2	62·2	62·5	62·2	62·3	62·2	62·3	62·9	63·7	64·2	65·1	10
11	64·9	64·5	64·5	64·3	63·7	63·2	63·4	63·7	64.2	63·9	63·8	64·1	11
12	63·2	63·0	62·9	62·7	62·7	62·8	63·0	63·6	64·2	64·8	65·4	65·1	12
13	65·5	65·7	65·9	65·6	64·9	65·5	65·8	67·4	68·1	69·9	70·2	70·7	13
14	66·1	66·6	66·3	66·1	66·4	66·0	65·7	66·0	65·8	66·0	66·2	66·5	14
15	65·4	65·1	64·8	64·5	64·5	63·9	64·0	65·1	65·2	66·4	67·1	67·0	15
16	61·0	59·1	57·9	57·1	57·0	57·2	58·5	61·4	63·3	62·9	63·8	62·0	16
17	60·4	60·6	60·5	60·5	60·1	59·7	59·0	58·1	57·8	57·2	56·6	56·3	17
18	62·5	62·1	61·4	61·0	59·7	58·9	58·8	60·0	62·0	63·0	64·5	65·4	18
19	67·9	67·8	67·3	67·1	67·2	66·5	66·5	65·9	64·2	65·0	66·2	66·0	19
20	69·4	69·0	68·6	68·0	67·8	67·2	67·1	68·1	68·1	68·5	69·2	68·9	20
21	67·3	67·0	66·7	67·1	66·7	66·9	67·5	67·7	68·7	69·4	69·6	70·1	21
22	69·9	69·8	69·9	69·9	69·8	69·8	70·7	71·0	72.6	73·2	74·4	73·5	22
23	72·3	72·8	72·8	72·5	71·8	71·1	71·2	70·7	71·0	69·8	69.9	69·2	23
24	65·5	64·5	63·9	63·9	62·8	62·6	62·7	63·3	62·6	61·6	61.5	63·7	24
25	64·5	63·5	65·2	65·4	64·8	66·6	66·7	67·3	68·8	67·4	66·4	66·9	25
26	63·9	63·3	63·7	63·7	64·0	63·3	63·5	64·1	64·9	65·1	64·4	65·1	26
27	63·7	63·9	63·8	63·8	63·7	63·8	63·8	63·9	64·2	64·8	64·9	66·0	27
28	67.6	67·7	67·9	67·5	67·6	67·5	67·7	67·9	68·4	68·9	69·3	69·5	28
29	70·6	71·0	71·0	71·2	71·2	71·4	71·5	72·3	73·5	74·8	75·6	76·4	29
30	76·0	76·0	76·1	76·1	76·1	76·3	76·4	77·2	78·3	77·8	78·3	78·7	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·5	65·2	65·1	64·8	64.7	64·7	65·1	65·2	65·6	65·9	66·1	66·5	1
2	73·8	73·9	73·2	73·0	73·0	73·0	73·0	73·0	73·1	73·0	72·9	72·7	2
3	75·0	75·0	74·4	74·0	74·0	73·7	73·5	73·7	73·9	73·9	73·9	73·6	3
4	75·1	75·4	75·5	75·1	74·7	74·4	74·5	74·6	74·7	74·9	75·0	75·2	4
5	66·9	65·9	65·3	65·0	64·9	64·9	64·8	64·6	64·6	64·7	64·1	63·9	5
6	65·5	65·5	65·8	65·3	65·5	65·6	65·6	65·8	65·9	66·2	66·4	66·4	6
7	66·8	66·4	65·6	65·2	65·1	65·2	65·1	65·1	65·1	64·4	64·5	63·8	7
8	65·9	65·6	65·7	65·9	65·5	65·2	65·5	65·7	66·3	66·1	66·3	66·1	8
9	63·3	63·0	63·0	62·7	61·8	61·3	61·5	61·5	61·9	62·0	61·8	61·8	9
10	64·5	65·7	65·2	64·8	64·9	64·2	64·2	63·7	64·1	64·2	64·6	64·6	10
11	65·1	65·5	64·9	64·8	63·9	63·3	63·1	63·4	63·9	64·1	64·1	64·1	11
12	65·2	65·9	65·8	65·6	65·0	64·5	64·5	64·6	64·9	64·7	64·8	65·0	12
13	70·6	70·6	69·8	70·6	69·5	68·8	68·0	67·5	67·6	67·0	66·5	66·8	13
14	66·3	66·4	66·0	66·1	65·8	65·3	65·3	65·3	65·3	65·6	65·7	65·7	14
15	68·4	67·0	68·3	68·0	66·9	66·1	66·0	65·4	64·8	64·5	63·4	62·8	15
16	62·5	63·4	62·0	62·7	63·0	62·9	62·8	62·2	62·1	61·8	61·9	61·2	16
17	57·0	58·2	60·2	60·4	61·0	61·9	62·3	62·8	62·7	62·9	63·0	63·3	17
18	67·0	66·9	67·4	67·4	67·0	67·0	66·3	66·5	66·9	67·2	67.7	67·9	18
19	66·9	67·2	67·5	67·0	67·4	67·5	67·3	67·6	68·0	68·4	68·8	68·9	19
20	69·4	69·7	69·1	69·1	68·7	68·4	68·3	68·8	68·9	68·9	68·9	68·9	20
21	70·6	70·4	70·1	70·2	69·9	70·1	70·0	70·3	70·5	70·4	70·4	70·3	21
22	73·8	73·4	73·8	72·2	73·0	72·2	71·9	71·9	71·9	72·0	71·6	71·9	22
23	72·2	70·2	69·7	69·1	69·2	68·4	67·2	66·6	66·1	66·1	65·7	65·3	23
24	62·8	63·6	65·9	64·6	63·0	63·8	62·5	63·0	63·0	63·1	62·8	63·0	24
25	66·0	65·1	64·9	64·0	64·1	63·6	63·4	64·0	63·9	64·3	63·8	64·1	25
26	65·2	65·2	64·0	63.8	64·0	64·2	64·0	63·2	63·7	63·6	63·4	63·5	26
27	66·0	66·3	66·5	66·8	67·0	67·4	67·5	67·5	67·6	67·6	67·5	67·5	27
28	69·7	69·9	69·9	69·8	69·3	69·4	69·3	69·4	69·5	69·8	69·9	70·4	28
29	76·6	77·8	77·1	77·9	77·7	76·7	76·6	76·6	76·6	76·1	76·0	76·1	29
30	78·4	78·2	78·3	78·0	77.8	77·6	77·1	76·5	75·8	76·0	76·8	76·7	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of APRIL, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	...	...	...	...	...	...	...	9	8	8	10	10	7	8	10	10	10	10	10	10	10	10	10	10	1
2	10	10	10	10	10	10	10	10	10	10	10	9	9	10	10	10	10	10	10	10	10	9	9	9	2
3	10	9	8	7	9	8	9	9	10	9	9	9	8	9	8	8	10	10	10	10	10	10	9	10	3
4	10	10	10	9	8	9	10	10	10	10	10	10	10	9	9	10	10	10	10	9	10	8	9	10	4
5	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6
7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7
8	10	10	7	7	8	10	10	10	10	8	5	4	5	2	8	9	8	10	10	10	10	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	6	8	8	9	10	10	10	10	9
10	10	10	10	10	10	10	10	10	10	10	10	10	9	2	3	8	2	1	3	2	2	1	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	8	4	1	1	1	1	8	10	10	10	10	10	11
12	10	10	10	8	9	10	8	9	5	4	3	1	1	1	2	7	6	8	6	6	6	4	5		12
13	10	10	6	...	...	1	5	9	9	2	2	3	3	3	3	1	1	2	...	...	...	...	2	8	13
14	6	3	2	...	1	2	4	3	6	3	4	3	1	1	...	1	...	1	1	1	5	9	3	7	14
15	7	9	9	10	10	4	4	2	4	3	9	10	9	9	10	10	10	10	10	10	9	10	5	9	15
16	7	6	2	1	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	1	3	...	...	1	...	...	...	1	2	1	2	2	1	...	1	1	2	1	17
18	...	...	...	5	4	7	5	9	8	8	10	8	5	8	2	4	5	2	1	2	7	10	10	10	18
19	10	8	9	7	10	10	9	9	10	10	8	8	8	7	8	7	6	7	5	7	10	10	10	10	19
20	10	10	10	10	9	10	9	9	10	3	4	9	2	4	8	9	10	10	10	9	10	10	9	10	20
21	10	10	8	10	10	10	9	9	10	7	8	8	5	7	7	4	5	7	7	3	2	1	...	1	21
22	...	5	1	4	2	2	3	6	7	3	4	6	4	5	5	7	5	7	10	7	8	10	6	10	22
23	10	9	10	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	8	2	5	23
24	9	10	7	7	10	10	10	7	6	7	6	5	6	7	10	9	10	10	8	8	7	10	10	10	24
25	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	25
26	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	8	9	3	27
28	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	9	8	2	7	6	9	10	9	9	8	9	10	29
30	10	10	10	10	10	10	9	10	10	10	8	9	7	9	7	10	10	10	9	9	8	8	10	8	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of APRIL, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·7	0·4	0·9	0·6	0·3	0·3	1·0	0·2	0·4	...	...	...	1
2	...	...	0·1	0·3	0·1	0·7	0·8	0·9	0·7	...	...	...	...	2
3	...	0·2	0·5	0·2	0·9	1·0	1·0	1·0	1·0	1·0	0.4	...	...	3
4	...	...	...	...	0·1	0·6	0·9	1·0	1·0	1·0	0·8	0·1	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	0·2	0·9	1·0	0·9	1·0	0·8	0·8	0·9	0·6	...	8
9	...	...	...	...	...	...	...	...	...	...	0·5	0.4	...	9
10	...	...	...	...	...	0·9	...	0·8	1·0	0.4	0·5	0·9	...	10
11	...	...	...	...	...	0·1	...	0·7	1·0	1·0	1·0	1·0	0·2	11
12	...	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	12
13	...	0·5	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	13
14	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	14
15	...	0·7	0·6	1·0	0·8	0·6	0·8	0·3	0·6	0·4	0·1	...	...	15
16	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	16
17	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	1·0	...	17
18	...	0·4	1·0	0·6	0·1	...	0·9	1·0	0·7	1·0	0·9	0·8	...	18
19	...	...	...	0·1	0·8	0·6	1·0	1·0	1·0	1·0	0·8	0·1	...	19
20	...	0·5	0·7	0.8	1·0	1·0	1·0	1·0	1·0	0·7	0·3	...	...	20
21	...	...	0·2	0·7	0·9	1.0	0·8	0·8	0·4	1·0	0·9	...	...	21
22	...	...	1·0	1·0	1·0	0·7	0·8	1·0	1·0	0·6	0·5	0·6	...	22
23	...	...	...	...	...	...	...	0·6	0·1	...	0·4	...	...	23
24	...	0·3	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	0·1	...	...	...	...	...	...	...	...	28
29	...	...	0·1	0·2	0·1	...	0·2	0·7	1·0	1·0	1·0	0.7	...	29
30	...	0·1	0·3	0·2	0·2	0·3	0·3	0·5	0·4	0·9	0·1	...	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of APRIL, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	d	...	...	d	d	...	0·005	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	..	...	3
4	...	...	...	...	...	...	d	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	d	...	5
6	d	d	d	d	...	...	...	...	d	0·010	d	d	6
7	...	d	d	0·005	d	...	...	...	...	d	d	d	7
8	...	...	...	...	...	...	...	...	...	...	..	...	8
9	d	d	...	...	d	d	...	...	...	d	d	d	9
10	...	...	...	...	...	...	d	...	...	...	...	...	10
11	...	...	...	d	d	d	...	...	...	...	...	...	11
12	d	...	...	...	...	...	...	...	...	...	...	...	12
13	..	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	d	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	d	...	...	...	d	...	...	...	d	d	...	d	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	d	...	...	d	...	0·010	0·020	0·020	25
26	0·005	0·005	0·015	d	0·015	0·005	0·010	0·025	0·005	d	d	d	26
27	...	...	...	d	...	...	...	...	...	...	d	d	27
28	...	...	...	d	...	...	...	...	d	d	...	...	28
29	0·020	0·025	0·510	d	...	0·065	0·310	d	0·100	...	0·030	...	29
30	...	0·070	0·075	...	...	...	...	...	...	...	d	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	d	0·010	d	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	d	d	d	...	...	...	4
5	0·005	d	...	...	...	d	d	d	d	d	d	d	5
6	0·010	d	0·005	d	d	d	0·005	0·015	0·005	d	...	...	6
7	d	d	d	...	d	d	d	...	...	...	...	...	7
8	...	...	...	...	...	...	..	...	...	...	...	d	8
9	d	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	0·005	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	d	...	d	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	d	24
25	0·055	0·015	d	d	d	d	d	...	...	d	d	d	25
26	0·005	0·070	0·060	0·040	0·025	0.045	0.025	0·005	0.030	0·010	0·010	0·030	26
27	d	0·005	0·005	0·065	0·005	0.005	d	...	...	...	...	...	27
28	...	...	d	...	d	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	d	d	d	...	...	0·090	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of APRIL, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	...	1	...	...	24	2	...	1	22	2	...	1	15	6	12	5	10	6	9	9	9	17	9	14	1
2	8	13	8	17	8	20	8	18	7	17	8	15	9	11	13	8	16	14	17	11	18	11	18	17	2
3	20	17	20	15	19	10	17	7	17	3	17	6	17	5	17	5	18	8	18	13	18	23	18	23	3
4	27	2	...	...	...	...	28	2	28	2	...	...	...	...	...	1	22	3	18	8	18	12	18	11	4
5	19	3	22	4	26	2	...	...	32	4	5	5	6	5	7	8	8	10	8	13	8	21	9	26	5
6	8	26	8	25	8	27	8	26	8	23	8	23	8	22	8	23	8	21	9	21	9	18	9	14	6
7	...	...	9	3	9	2	9	3	9	6	9	11	9	13	9	13	9	12	9	19	9	21	8	16	7
8	8	20	8	20	8	27	8	24	8	26	8	23	8	22	8	23	8	21	8	21	8	20	8	20	8
9	8	20	8	15	7	19	7	20	7	16	7	23	7	24	7	23	7	23	6	24	6	23	6	25	9
10	8	12	9	16	9	13	9	17	8	23	8	20	8	17	8	17	9	15	9	17	10	17	10	15	10
11	7	16	6	16	6	15	6	14	6	15	6	12	7	7	7	14	6	16	8	14	7	17	6	15	11
12	8	20	8	15	8	20	8	19	8	21	8	19	8	15	8	15	8	23	7	22	8	23	9	21	12
13	9	6	9	3	9	5	9	5	9	2	9	2	9	10	9	11	9	9	9	10	10	13	10	14	13
14	7	5	8	9	9	16	9	14	9	11	8	17	8	18	8	17	8	17	9	18	9	16	9	17	14
15	6	17	7	17	7	20	6	16	7	12	7	15	7	14	8	17	8	17	9	13	9	9	10	8	15
16	2	7	32	9	31	2	31	2	31	2	31	3	31	2	2	3	3	4	7	6	10	7	10	10	16
17	11	5	12	8	11	4	9	8	8	8	8	4	9	4	10	4	9	9	7	19	7	19	8	21	17
18	8	9	7	17	7	16	8	13	8	13	8	13	8	11	8	13	9	16	9	16	9	15	10	15	18
19	8	12	8	13	8	14	8	14	8	15	8	15	8	13	8	16	8	17	7	17	7	18	7	19	19
20	9	14	8	15	7	13	7	16	8	14	8	16	8	14	9	14	9	16	8	22	8	17	9	18	20
21	8	11	9	15	8	11	9	11	9	14	9	9	9	11	9	12	9	13	9	13	9	15	9	13	21
22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	8	2	29	5	27	9	29	8	22
23	27	5	25	7	24	4	...	1	25	8	26	10	25	2	25	4	26	10	27	10	27	7	27	8	23
24	...	...	...	1	...	...	...	1	2	2	...	1	...	1	3	2	6	6	8	9	10	7	10	6	24
25	...	1	23	2	26	3	27	2	...	1	26	2	...	1	26	6	26	7	26	9	26	16	26	9	25
26	26	7	27	8	28	3	29	3	...	1	29	2	...	1	...	1	...	...	...	...	...	1	24	7	26
27	9	15	9	15	9	11	9	11	9	10	8	15	8	12	8	20	8	22	8	26	7	18	7	15	27
28	10	12	9	14	9	12	9	14	9	15	9	14	9	18	8	12	9	12	9	13	8	13	8	14	28
29	7	7	8	6	7	4	5	3	...	...	4	3	7	5	10	4	10	4	10	4	27	5	27	3	29
30	28	3	26	6	25	7	25	3	25	2	24	4	24	2	23	3	23	3	23	3	22	3	20	7	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	18	8	20	9	20	8	18	8	15	8	15	8	17	8	12	8	14	8	13	9	16	9	15	1
2	17	17	17	16	17	15	17	16	17	15	18	15	18	15	18	12	18	12	18	15	18	10	19	13	2
3	19	19	19	15	20	20	20	25	19	22	19	23	19	16	19	12	19	12	20	12	21	8	24	2	3
4	18	15	18	17	18	17	19	13	20	13	20	10	19	10	19	9	18	11	18	11	18	13	18	6	4
5	9	29	8	30	8	31	8	30	8	28	8	25	8	28	8	24	8	25	8	26	8	28	8	30	5
6	9	11	9	12	9	12	9	14	9	10	9	9	9	8	9	5	9	4	9	3	9	2	9	2	6
7	8	19	8	22	8	23	8	26	7	20	7	21	7	20	7	22	7	21	7	21	7	20	7	20	7
8	9	18	9	18	9	17	9	17	8	15	8	17	8	17	7	14	7	13	7	13	7	14	7	15	8
9	6	25	6	27	7	24	7	24	7	24	7	22	7	20	7	18	7	16	7	15	7	10	7	14	9
10	10	19	10	16	10	16	10	17	10	17	10	15	10	13	10	15	9	12	9	11	8	11	8	14	10
11	8	17	9	19	10	20	9	20	9	21	8	19	8	18	7	16	7	18	7	19	7	16	7	13	11
12	10	20	9	18	9	19	9	21	9	20	9	16	9	17	9	13	10	13	10	8	10	12	9	11	12
13	10	14	9	13	7	8	1	6	30	9	30	5	30	2	30	2	...	1	...	...	...	...	30	3	13
14	9	19	8	21	8	21	8	18	9	20	9	21	10	14	10	11	9	13	8	15	7	15	7	20	14
15	11	8	8	7	26	9	27	14	28	11	27	8	27	10	28	7	30	7	32	7	4	7	3	7	15
16	10	13	10	13	9	21	10	17	10	16	9	17	9	12	9	8	8	6	8	8	9	5	10	4	16
17	8	24	8	20	8	18	9	17	59	18	9	14	8	13	8	11	8	9	8	5	9	8	8	9	17
18	10	15	9	14	8	18	9	18	9	17	9	15	9	15	9	11	9	13	9	13	8	13	7	12	18
19	8	19	8	16	9	15	9	17	9	18	9	17	6	17	8	18	8	16	9	17	10	16	10	16	19
20	9	17	9	17	9	15	9	14	9	14	9	16	9	13	8	14	8	15	8	14	8	16	8	17	20
21	9	12	8	12	8	11	8	10	8	10	8	6	8	3	...	1	...	...	...	...	...	...	...	...	21
22	28	11	23	8	19	7	18	8	18	4	15	4	14	4	14	4	15	5	19	5	...	1	29	3	22
23	27	10	27	13	27	12	28	10	28	11	29	12	30	8	30	3	27	4	26	5	25	2	...	...	23
24	11	6	14	5	22	5	23	6	23	7	22	2	22	2	...	1	...	1	...	...	...	...	1	22	3	24
25	27	12	29	6	31	5	32	6	32	2	...	...	28	4	26	6	25	7	25	8	26	5	26	4	25
26	23	6	20	5	17	6	...	1	12	5	10	10	8	17	7	24	6	18	6	20	7	19	7	19	26
27	8	21	8	24	8	21	8	22	8	23	8	19	8	15	8	14	8	15	9	16	9	11	9	14	27
28	8	15	8	14	8	15	8	17	8	17	8	17	8	14	8	13	7	14	7	13	7	10	7	8	28
29	27	8	25	8	24	10	22	9	20	10	22	7	...	1	...	1	20	2	19	5	20	3	...	...	29
30	17	4	16	6	16	10	16	7	15	7	15	7	14	4	11	6	10	9	11	9	13	12	14	12	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of APRIL, 1922.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	...	...	...	...	...	...	a-cu / cu	WSW / E	a-cu / cu	WSW / ESE	cu	SW	nb	SE	cu-nb	ESE
2	nb	SE	nb	SE	nb	SSE	cu-nb	S	cu	SSW	cu-nb	SW	cu	SW	cu	SW
3	cu	SSW	cu	S	cu	SW	cu-nb	SW	cu	SW	cu	SW	cu	SW	cu	S
4	cu-nb	SW	cu	WSW	st-cu	WSW	cu-nb	SW	cu	S	cu	S	cu	SSW	cu	SSW
5	cu-nb	SW	st-cu	WSW	st-cu	SW	cu	SSE	nb	E	nb	E	nb	E	nb	E
6	nb	E	nb	ENE	cu-nb	E	nb	E	nb	E	nb	E	nb	E	nb	E
7	cu-nb	E	nb	E	nb	ENE	nb	ESE	nb	ESE	cu-nb	E	nb	E	cu-nb	ESE
8	cu-nb	E	cu	E	st-cu	E	cu	SSW	cu	SSE	cu	ESE	cu	SSE	cu	SSE
9	nb	E	cu-nb	E	cu-nb	E	nb	E	nb	E	cu	ESE	cu	E	cu	ESE
10	cu	ESE	cu	SSE	nb	E	cu / cu	S / E	cu	SSE	cu	SSE	cu	SE	cu	SE
11	cu	ESE	nb	E	nb	E	cu	E	cu	E	cu	E	cu	E	cu	E
12	st-cu	ESE	cu	ESE	a-cu / cu	SSE / E	ci-st / cu	WNW / ESE	a-cu	SSE	ci-st	WNW	a-cu / cu	W / S	a-cu / cu	WSW / S
13	a-st	ESE	...	...	a-cu / st-cu	ESE / E	cu	E	cu	NNE	cu	NNE	...	...	...	...
14	cu	E	...	...	cu	E	cu	E	cu	E	cu	E	cu	ESE	cu	E
15	cu	ESE	cu	ESE	ou	E	cu	ESE	cu	NNW	a-cu / cu	WNW / NW	cu	NW	cu-nb	NW
16	cu	NNW	cu	ENE	cu	E	...	...	...	...	...	...	...	...	...	...
17	...	...	...	...	a-cu	NW	a-cu	WNW	...	...	a-cu	WNW	a-cu	W	cu	ENE
18	...	...	cu	S	cu	SSE	a-cu	W	a-cu / cu	WNW / E	a-cu / cu	WNW / E	cu	E	cu	E
19	cu	E	cu	E	cu	E	cu / cu	S / ESE	cu	ESE	a-cu / cu	WNW / ESE	a-cu / cu	W / W	cu	SSW
20	cu-nb	ENE	cu	E	a-cu / cu	W / ESE	cu	SE	ci-cu / cu	SE / S	a-cu / st-cu / cu	W / E / SE	a-cu / cu	W / ESE	cu	SE
21	st-cu	ESE	st-cu	ESE	ci-cu / a-cu / cu	S / W / SE	ci-st / cu	W / SE	a-cu / cu	W / SE	ci-st	W	ci-st / cu	W / ESE	ci-st	W
22	...	...	cu	WSW	ci-st	NW	ci-st / cu	W / E	ci-st / cu	W / SSW	ci-st	W	ci-st	W	ci-st	W
23	ci-st	W	ci-st	WNW	st-cu / cu	SW / NNE	nb	WNW	a-cu / cu	W / WNW	a-cu / nb	W / NW	a-st / cu-nb	N / NW	a-st	NW
24	cu	WNW	cu	W	a-cu	WNW	ci-st / cu	WNW / W	ci-st / a-cu	SW / S	ci-st	NNW	ci-st	W	cu	SW
25	nb	WSW	st	WSW	a-cu / st	W / SSW	nb	W	nb	W	cu-nb	WNW	nb	W	nb	W
26	nb	W	nb	W	nb	W	nb	WSW	nb	NNE	nb	NE	nb	E	nb	E
27	cu-nb	E	nb	E	cu-nb	E	cu-nb	E	nb	E	nb	E	cu-nb	ENE	cu-nb	ENE
28	cu	E	cu-nb	E	cu / nb	WSW / E	cu / nb	W / E	cu-nb	SSE	cu-nb	S	cu-nb	S	cu-nb	SE
29	nb	SSE	nb	SSW	nb	SW	cu-nb	SW	cu / cu-nb	W / SSW	cu	W	nb	SW	cu	WSW
30	cu-nb	W	cu-nb	W	cu	SSW	cu	SW	cu	SSW	cu	SSW	cu	S	cu	S

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1922.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·789	70·9	60·9	10·0	65·9	63·7	·562	88	67	4·8	39	0·010	2	— 1·4	+ 10·0	98	10·1	10·7
2	29·697	78·7	66·7	12·0	73·3	71·1	·733	89	98	3·6	29	0·005	2	— 9·2	+ 2·0	168	9·4	14·3
3	29·681	81·4	75·2	6·2	77·5	73·3	·765	81	91	7·2	58	...	...	— 10·9	— 7·4	214	13·2	13·4
4	29·718	81·6	73·8	7·8	77·6	74·4	·809	85	96	5·5	44	...	1	— 6·3	— 3·6	210	7·2	7·7
5	29·822	78·3	64·4	13·9	70·1	68·9	·692	94	100	...	...	0·005	4	— 0·1	+ 17·2	90	17·2	18·1
6	29·915	67·4	63·8	3·6	65·6	65·1	·614	97	100	...	...	0·050	11	— 1·2	+ 15·0	95	15·0	15·0
7	29·961	68·2	65·9	2·3	67·0	65·9	·624	94	100	...	...	0·005	6	+ 0·5	+ 15·6	88	15·6	15·6
8	29·971	71·8	65·4	6·4	68·1	64·5	·560	81	84	7·1	57	...	...	...	+ 19·0	90	19·0	19·0
9	30·036	66·9	64·9	2·0	65·4	63·0	·545	87	96	0·9	7	...	4	+ 4·7	+ 20·2	77	20·7	20·6
10	30·047	71·8	64·3	7·5	67·2	63·7	·545	82	72	4·5	36	...	...	— 3·3	+ 15·2	102	15·6	15·6
11	30·009	70·4	64·7	5·7	66·7	64·1	·565	86	81	5·0	40	...	2	+ 2·0	+ 15·7	83	15·8	16·1
12	29·991	72·0	64·9	7·1	67·7	64·3	·559	83	58	9·6	76	...	...	— 2·0	+ 17·3	97	17·4	17·5
13	29·949	79·1	66·1	13·0	71·4	67·9	·637	83	33	10·4	83	...	...	— 0·1	+ 4·8	91	4·8	6·4
14	29·928	72·5	66·9	5·6	69·2	65·9	·594	83	28	11·5	91	...	...	— 1·4	+ 15·9	95	16·0	16·0
15	29·893	76·6	66·1	10·5	69·7	65·6	·577	79	80	5·9	47	...	...	+ 3·0	+ 6·0	63	6·7	11·5
16	29·902	76·0	61·0	15·0	68·2	61·2	·449	65	8	11·7	92	...	...	— 0·4	+ 6·7	93	6·7	8·2
17	29·917	78·4	65·8	12·6	71·4	60·1	·371	48	8	11·2	88	...	...	— 0·9	+ 11·5	94	11·5	11·6
18	29·891	75·9	68·6	7·3	71·4	64·4	·512	66	54	7·4	58	...	...	— 1·5	+ 14·1	96	14·2	14·2
19	29·859	75·5	69·4	6·1	71·6	67·1	·605	78	85	6·4	50	0·005	1	— 0·5	+ 15·9	92	15·9	16·0
20	29·832	77·3	70·1	7·2	72·7	68·6	·645	80	85	8·0	63	...	...	— 1·2	+ 15·5	94	15·5	15·5
21	29·821	81·0	70·8	10·2	74·4	69·1	·641	75	66	6·7	53	...	...	— 1·2	+ 8·8	98	8·9	8·9
22	29·787	84·5	71·6	12·9	76·3	71·8	·721	79	53	8·2	64	...	...	— 0·6	— 1·5	248	1·6	3·7
23	29·777	78·4	71·6	6·8	74·1	69·6	·664	79	91	1·1	9	...	2	+ 3·7	— 5·5	304	6·6	6·9
24	29·799	83·2	70·1	13·1	75·9	63·3	·415	46	83	8·0	62	...	...	— 0·6	+ 0·5	140	0·8	3·1
25	29·811	74·5	67·9	6·6	70·8	65·2	·548	73	100	...	...	0·120	6	+ 2·4	— 4·1	300	4·8	5·2
26	29·840	70·0	64·6	5·4	66·6	64·0	·563	86	100	...	...	0.440	20	+ 1·0	+ 3·8	75	3·9	7·7
27	29·767	69·3	65·7	3·6	68·0	65·6	·600	88	95	...	...	0·085	6	— 0·5	+ 16·9	92	16·9	16·9
28	29·717	72·6	68·9	3·7	70·5	68·9	·686	92	100	0·1	1	...	1	— 0·8	+ 13·7	93	13·7	13·7
29	29·658	83·6	71·0	12·6	76·6	74·7	·835	91	90	5·0	39	1·150	6	— 0·3	— 0·8	249	0·8	4·7
30	29·697	83·6	76·1	7·5	78·9	77·1	·908	92	92	3·3	26	0·145	1	— 3·3	— 0·3	185	3·3	3·8
Means	29·849	75·7	67·6	8·1	71·0	67·1	0·618	81	76	Sum. 153·1	40	Sum. 2·020	Sum. 75	— 1·0	+ 8·6	97	8·7	12·0
Normals	29·843	74·7	67·0	7·7	70·3	67·3	0·637	85	80	114·2	30	5·302	73	0·0	+ 11·6	90	11·6	14·3
Absolute Max.	30·118	84·5	...	15·0	...	79·8	0·967	...	...	11·7	92	1·150	20	...	...	...	...	31·0†
Day.	10	22	...	16	...	30	30	...	...	16	16	29	26	...	...	...	...	5d 15h
Absolute Min.	29·595	...	60·9	2·0	...	55·7	0·162	17	...	...	...	...	...	...	...	...	...	...
Day.	29	...	1	9	...	17	17	17	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 21st and 24th.
Lunar corona :—on the 9th, 13th, 14th, 15th and 16th.
Fog :—on the 5th.
Slight fog :—on the 1st, 4th, 5th, 6th, 7th, 22nd, 25th, 26th, 29th and 30th.
Unusual Visibility :—on the 6th.
Dew :—on the 13th.
Lightning :—on the 29th and 30th.
Thunder :—on the 30th.

Thunderstorms as follows :—
29.d 2.h 55m. to 3h. 10m. in distant.

Rain fell on 7 days. The mean hourly intensity was 0·027ins., and the maximum fall in one hour was 0·510ins. at 3h on the 29th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 51 miles per hour at 15h 21m on the 3rd.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.			°	°		m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1010·8	294·6	289·1	5·5	291·8	290·6	19·0	0·3	2	— 0·5	+ 3·3	98	3·3	3·5
2	1007·6	298·9	292·3	6·6	295·9	294·7	24·7	0·1	2	— 3·0	+ 0·7	168	3·1	4·7
3	1007·0	300·4	297·0	3·4	298·3	295·9	25·8	...	...	— 3·6	— 2·4	214	4·3	4·4
4	1008·3	300·6	296·2	4·4	298·3	296·6	27·3	...	1	— 2·1	— 1·2	210	2·4	2·5
5	1011·9	298·7	291·0	7·7	294·2	293·5	23·3	0·1	+	...	+ 5·6	90	5·6	5·9
6	1015·1	292·7	290·7	2·0	291·7	291·4	20·7	1·3	11	— 0·4	+ 4·9	95	4·9	4·9
7	1016·6	293·1	291·8	1·3	292·4	291·8	21·1	0·1	6	+ 0·2	+ 5·1	88	5·1	5·1
8	1016·9	295·1	291·6	3·5	293·1	291·1	18·9	...	...	...	+ 6·2	90	6·2	6·2
9	1019·2	292·4	291·3	1·1	291·6	290·2	18·4	...	4	+ 1·5	+ 6·6	77	6·8	6·8
10	1019·5	295·1	290·9	4·2	292·6	290·6	18·4	...	...	— 1·1	+ 5·0	102	5·1	5·1
11	1018·3	294·3	291·2	3·1	292·3	290·8	19·1	...	2	+ 0·7	+ 5·1	83	5·2	5·3
12	1017·6	295·2	291·3	3·9	292·8	290·9	18·9	...	...	— 0·7	+ 5·7	97	5·7	5·7
13	1016·2	299·2	291·9	7·3	294·9	292·9	21·5	...	...	...	+ 1·6	91	1.6	2·1
14	1015·5	295·5	292·4	3·1	293·7	291·8	20·0	...	...	— 0·5	+ 5·2	95	5·2	5·2
15	1014·3	297·8	291·9	5·9	293·9	291·7	19·5	...	...	+ 1·0	+ 2·0	63	2·2	3·8
16	1014·6	297·4	289·1	8·3	293·1	289·2	15·1	...	...	— 0·1	+ 2·2	93	2·2	2·7
17	1015·1	298·8	291·8	7·0	294·9	288·6	12·5	...	...	— 0·3	+ 3·8	94	3·8	3·8
18	1014·2	297·4	293·3	4·1	294·9	291·0	17·3	...	...	— 0·5	+ 4·6	96	4·7	4·7
19	1013·1	297·2	293·8	3·4	295·0	292·5	20·4	0·1	1	— 0·2	+ 5·2	92	5·2	5·2
20	1012·2	298·2	294·2	4·0	295·6	293·3	21·8	...	...	— 0·4	+ 5·1	94	5·1	5·1
21	1011·8	300·2	294·6	5·6	296·6	293·6	21·6	...	...	— 0·4	+ 2·9	98	2·9	2·9
22	1010·6	302·2	295·0	7·2	297·6	295·1	24·3	...	...	— 0·2	— 0·5	248	0·5	1·2
23	1010·3	298·8	295·0	3·8	296·4	293·9	22·4	...	2	+ 1·2	— 1·8	304	2·2	2·3
24	1011·1	301·4	294·2	7·2	297·4	290·4	14·0	...	...	— 0·2	+ 0·2	140	0·3	1·0
25	1011·5	296·6	292·9	3·7	294·6	291·4	18.5	3·0	6	+ 0·8	— 1·3	300	1·6	1·7
26	1012·5	294·1	291·1	3·0	292·2	290·8	19·0	11·2	20	+ 0·3	+ 1·2	75	1·3	2·5
27	1010·0	293·7	291·7	2·0	293·0	291·7	20·2	2·2	6	— 0·2	+ 5·5	92	5·5	5·5
28	1008·3	295·6	293·5	2·1	294·4	293·5	23·1	...	1	— 0·3	+ 4·5	93	4·5	4·5
29	1006·3	301·7	294·7	7·0	297·8	296·7	28·2	29·2	6	— 0·1	— 0·3	249	0·3	1·5
30	1007·6	301·7	297·5	4·2	299·1	298·1	30·6	3·7	1	— 1·1	— 0·1	185	1·1	1·9
Means.	1012·8	297·3	292·8	4·5	294·7	292·5	20·8	Sum. 51·3	Sum. 75	— 0·3	+ 2·8	97	2·9	3·9
Normals	1012·6	296·7	292·4	4·3	294·3	292·6	21·5	134·7	73	0·0	+ 3·8	90	3·8	4·7
Absolute Maximum	1021·9	302·2	...	8·3	...	299·6	32·6	29·2	20	...	...	...	...	10·2†
Day.	10	22	...	16	...	30	30	29	26	...	...	...	...	5d 15h
Absolute Minimum.	1004·1	...	289·1	1·1	...	286·2	5·5	...	...	...	...	...	...	...
Day.	29	...	1	9	...	17	17	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.			ins.	%	%	%	%	%	m.p.h.	m.p.h.		m.p.h.	m.p.h.
1	29·854	69·2	66·5	0·621	86	83		1	4	— 0·1	+ 7·1	91	7·1	9·5
2	29·842	69·2	66·4	·617	86	83		5	5	— 0·2	+ 7·3	92	7·3	10·4
3	29·832	68·8	66·2	·615	87	76		30	4	+ 0·2	+ 8·0	89	8·0	10·1
4	29·829	68·7	66·1	·613	87	74		...	5	+ 0·1	+ 8·5	89	8·5	9·6
5	29·833	68·7	65·9	·606	86	77		1	5	+ 0·3	+ 8·2	88	8·2	9·6
6	29·844	68·6	65·8	·604	86	78	+	3	2	+ 0·5	+ 8·4	87	8·4	10·1
7	29·862	69·1	66·0	·604	84	79	21	16	3	— 0·4	+ 8·7	93	8·7	9·5
8	29·880	70·2	66·5	·607	82	84	33	1	2	— 0·4	+ 9·0	93	9·0	10·5
9	29·896	71·5	67·1	·612	78	84	41	5	2	— 0·8	+ 9·5	93	9·5	11·9
10	29·900	72·5	67·4	·609	76	75	45	1	4	— 1·0	+ 10·4	96	10·4	13·5
11	29·897	73·1	67·6	·608	74	77	49	3	4	— 1·3	+ 9·5	98	9·6	14·4
Noon.	29·881	73·7	67·8	·608	72	77	52	1	6	— 2·1	+ 9·2	103	9·4	14·3
13	29·860	74·0	68·1	·615	72	69	64	4	8	— 2·7	+ 9·6	106	10·0	15·4
14	29·835	73·9	68·1	·616	73	68	60	4	6	— 2·3	+ 10·0	103	10·3	15·1
15	29·815	73·6	68·0	·617	74	68	57	3	5	— 2·8	+ 9·3	107	9·7	15·4
16	29·803	73·1	67·8	·615	75	73	47	5	3	— 2·3	+ 9·1	104	9·4	15·3
17	29·800	72·3	67·6	·619	77	71	34	2	4	— 2·3	+ 8·9	105	9·2	14·6
18	29·808	71·5	67·4	·623	80	74	4	3	4	— 2·1	+ 8·7	104	9·0	13·5
19	29·822	70·9	67·2	·623	82	76		2	6	— 1·2	+ 8·5	98	8·6	12·2
20	29·836	70·6	67·2	·627	83	74		2	5	— 0·7	+ 7·9	95	7·9	10·9
21	29·852	70·4	67·3	·633	85	77		2	4	— 0·7	+ 7·7	95	7·7	10·9
22	29·867	70·3	67·3	·635	85	79		...	3	— 0·8	+ 7·2	96	7·2	10·9
23	29·870	70·2	67·3	·636	86	76		...	2	— 0·9	+ 7·6	97	7·7	10·1
Midn.	29·863	70·0	67·3	·639	86	82		6	4	— 0·2	+ 8·0	91	8·0	10·2

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of APRIL, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.		m.p.s.	m.p.s.
1	1013·0	293·7	292·2	20·9	...	+ 2·3	91	2·3	3·1
2	1012·6	293·7	292·1	20·8	— 0·1	+ 2·4	92	2·4	3·4
3	1012·2	293·4	292·0	20·7	+ 0·1	+ 2·6	89	2·6	3·3
4	1012·1	293·4	291·9	20·7	...	+ 2·8	89	2·8	3·1
5	1012·3	293·4	291·8	20·5	+ 0·1	+ 2·7	88	2·7	3·1
6	1012·6	293·3	291·8	20·4	+ 0·2	+ 2·8	87	2·8	3·3
7	1013·3	293·6	291·9	20·4	— 0·1	+ 2·9	93	2·9	3·1
8	1013·9	294·2	292·2	20·5	— 0·1	+ 3·0	93	3·0	3·4
9	1014·4	294·9	292·5	20·6	— 0·3	+ 3·1	95	3·1	3·9
10	1014·5	295·5	292·7	20·6	— 0·3	+ 3·4	96	3·4	4·4
11	1014·4	295·8	292·8	20·5	— 0·4	+ 3·1	98	3·1	4·7
Noon.	1013·9	296·2	292·9	20·5	— 0·7	+ 3·0	103	3·1	4·7
13	1013·1	296·3	293·1	20·7	— 0·9	+ 3·1	106	3·3	5·0
14	1012·3	296·3	293·1	20·8	— 0·8	+ 3·3	103	3·4	5·0
15	1011·6	296·1	293·0	20·8	— 0·9	+ 3·0	107	3·2	5·0
16	1011·2	295·8	292·9	20·7	— 0·8	+ 3·0	104	3·1	5·0
17	1011·1	295·4	292·8	20·9	— 0·8	+ 2·9	105	3·0	4·8
18	1011·4	294·9	292·7	21·0	— 0·7	+ 2·9	104	3·0	4·4
19	1011·9	294·6	292·6	21·0	— 0·4	+ 2·8	98	2·8	4·0
20	1012·3	294·4	292·6	21·2	— 0·2	+ 2·6	95	2·6	3·6
21	1012·9	294·3	292·6	21·4	— 0·2	+ 2·5	95	2·5	3·6
22	1013·4	294·3	292·6	21·4	— 0·3	+ 2·4	96	2·4	3·6
23	1013·5	294·2	292·6	21·5	— 0·3	+ 2·5	97	2·5	3·3
Midn.	1013·3	294·1	292·6	21·6	— 0·1	+ 2·6	91	2·6	3·3

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAYIL WEATHER REPORT.

APRIL,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	31st MARCH, 1922.								1st APRIL, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.67	753.6	43	...	...	...	c	6	29.81	757.1	34	...	W	1	b
Nemuro,	11	29.90	759.5	...	...	SSE	3	...	5	29.47	748.5	...	...	ENE	1	...
Hakodate,	"	29.82	757.5	...	...	SE	1	...	"	29.51	749.5	...	...	W	1	...
Tokio,	"	29.86	758.5	...	...	NNW	1	...	"	29.67	753.5	...	...	SW	1	...
Kochi,	"	29.61	752.0	...	...	...	0	...	"	29.86	758.5	...	...	SW	1	...
Nagasaki,	"	29.76	756.0	...	...	N	3	...	"	...	...	...	...	...	...	...
Kagoshima,	"	...	...	...	...	...	...	...	"	29.88	759.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.59	751.5	...	...	SSW	4	...	"	29.84	758.0	...	...	SSW	4	...
Weihaiwei,	14	29.96	761.0	46	62	N	1	b	6	30.02	762.5	36	80	...	0	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.97	761.2	63	56	W	1	b	"	29.99	761.7	45	100	SE	1	b
Gutzlaff,	"	29.95	760.7	48	100	SSW	2	o	"	30.01	762.2	48	100	ESE	1	b
Sharp Peak,	14	29.84	757.9	58	93	E	1	rf	7	29.90	759.4	56	100	...	0	o
Amoy,	15	29.80	756.9	64	91	SSE	1	o	6	29.87	758.7	62	94	ENE	1	o
Swatow,	"	29.96	761.0	64	95	SE	2	o	"	...	...	...	...	...	...	...
Taihoku,	12	29.88	759.0	68	77	...	0	o	"	29.88	759.0	64	98	E	1	r
Taichu,	"	29.88	759.0	70	...	NE	2	o	"	29.87	758.7	66	...	N	2	o
Tainan,	"	29.85	758.1	79	...	NW	2	b	"	29.84	757.8	68	...	NNE	4	b
Koshun,	"	29.87	758.7	82	...	WSW	2	b	"	29.84	757.8	70	...	...	0	b
Pescadores,	"	29.87	758.7	75	...	NNE	2	b	"	29.86	758.4	68	...	NNE	4	o
Canton,	15	29.83	757.7	70	66	NNW	1	o	"	...	...	...	...	...	...	...
Hongkong,	14	29.84	757.9	64	89	WNW	1	omd	"	29.86	758.4	61	94	...	0	tf
Gap Rock,	"	29.83	757.7	...	...	N	4	o	"	29.85	758.2	...	...	N	1	b
Macao,	"	29.84	757.8	63	82	NNW	4	o	"	29.85	758.1	61	93	N	2	of
Wuchow,	15	29.86	758.4	70	70	S	3	bc	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.87	758.7	72	65	WSW	1	o	7	29.85	758.1	63	98	SE	2	b
Tourane,	"	29.84	757.8	70	...	NW	4	o	"	29.87	758.7	70	...	...	1	o
Cape St. James,	"	29.81	757.2	90	...	S	2	b	"	29.85	758.1	77	...	E	2	b
Aparri,	14	29.76	756.0	84	71	N	4	b	6	29.81	757.2	75	88	...	0	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.78	756.3	90	57	WSW	2	b	"	29.84	757.8	73	88	NNE	1	b
Legaspi,	"	29.76	756.0	90	60	E	2	b	"	29.82	757.5	73	96	NE	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	93	50	E	2	o	"	29.81	757.2	75	88	NNE	1	b
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	E	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Saipan	14	29.77	756.1	86	76	SW	2	b	6	29.77	756.1	80	87	SW	2	b

April 1*d.* 11*h.* 43*m.*—Pressure has increased moderately at Weihaiwei and slightly from Shanghai to Hongkong and the Philippines. It has decreased slightly at Haiphong.

An anticyclone is forming over N. China and a depression lies to the east of Hokkaido.

The monsoon will set in again along the S.E. Coast of China and over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 11·82 inches, against an average of 6·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fair at first, rain later.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st April, 1922.								2nd April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro, ...	11	29.31	744.5	...	...	NNE	1	...	5	...	...	...	...	...	...	...
Hakodate, ...	"	29.59	751.5	...	...	W	6	...	"	...	...	...	...	...	...	...
Tokio, ...	"	29.70	754.5	...	...	N	2	...	"	...	...	...	...	...	...	...
Kochi, ...	"	29.80	757.0	...	...	SE	1	...	"	...	...	...	...	...	...	...
Nagasaki, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima, ...	"	29.88	759.0	...	...	SE	2	...	"	...	...	...	...	...	...	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	29.82	757.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Weihaiwei, ...	14	29.94	760.5	50	45	ESE	2	0	6	29.93	760.2	42	98	SSE	0	b
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.02	762.5	64	58	E	1	b	"	29.93	760.2	48	95	SE	2	b
Gutzlaff, ...	"	29.99	761.7	52	88	ESE	2	b	"	29.95	760.7	50	100	SSE	2	0
Sharp Peak, ...	14	29.91	759.7	68	74	E	2	0	7	...	...	...	...	...	...	...
Amoy, ...	15	29.83	757.7	67	84	SSE	2	b	6	29.87	758.7	62	94	NE	1	0
Swatow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku, ...	12	29.93	760.2	70	83	ESE	4	0	"	...	...	64	96	...	0	0
Taichu, ...	"	29.88	759.0	77	...	NNW	2	b	"	29.86	758.4	64	...	N	4	r
Tainan, ...	"	29.87	758.7	81	...	NNW	4	b	"	29.84	757.8	68	...	NE	2	0
Koshun, ...	"	29.87	758.7	82	...	SSW	2	b	"	29.86	758.4	72	...	...	0	r
Pescadores, ...	"	29.87	758.7	73	...	NNE	4	b	"	29.87	758.7	70	...	NE	4	0
Canton, ...	15	29.80	756.9	73	72	SE	2	0	"	...	...	...	...	...	...	...
Hongkong, ...	14	29.83	757.7	67	90	E	4	0	"	29.87	756.4	67	98	E	3	0
Gap Rock, ...	"	29.84	757.9	...	...	NNE	1	b	"	29.76	755.9	...	...	ENE	3	0
Macao, ...	"	29.82	757.5	72	78	ESE	1	0	"	29.74	755.4	72	94	SSE	2	0
Wuchow, ...	15	29.78	756.4	70	75	E	3	0	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.74	753.4	73	79	SSE	4	0	7	...	...	...	...	...	...	...
Tourane, ...	"	29.76	756.0	79	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.81	757.2	81	...	ENE	4	b	"	...	...	...	...	...	...	...
Aparri, ...	14	29.80	756.9	84	68	N	+	0	6	29.85	758.1	75	89	...	0	0
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.78	756.3	86	56	WSW	4	b	"	29.84	757.8	75	94	...	0	b
Legaspi, ...	"	29.80	756.9	90	...	E	4	b	"	...	...	...	...	...	...	...
Tacloban, ...	"	29.79	756.6	90	72	S	4	b	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.76	756.0	93	67	NE	4	0	"	...	...	...	...	...	...	...
Surigao, ...	"	...	...	...	...	...	...	...	"	29.82	757.5	75	...	...	0	b
Guam, ...	12.20	29.76	756.0	...	...	S	4	r	4.20	29.85	758.1	...	...	S	1	b
Yap, ...	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.77	756.1	88	69	SW	6	b	6	...	...	...	...	...	...	...

April 2*d.* 11*h.* 33*m.*—Pressure has decreased slightly from Weihaiwei to Hongkong. The anticyclone has not developed.

There appears to be a depression over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 11·34 inches, against an average of 6·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	S. winds, moderate, squally; overcast, showery, fog.
2.—Formosa Channel.	Variable winds, moderate.
3.—South coast of China between Hongkong and Lamcocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd April, 1922.								3rd April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.11	764.7	44	...	SSE	4	b	6	30.11	764.7	33	...	SE	4	s
Nemuro,	11	29.88	759.0	...	...	NW	4	...	5	30.08	764 0	...	...	WSW	2	...
Hakodate,	"	29.98	761.5	...	...	WNW	10	...	"	30.20	767.0	...	...	WNW	1	...
Tokio,	"	30.04	763.0	...	...	NW	1	...	"	30.22	767.5	...	...	NW	1	...
Kochi,	"	30.00	762 0	...	...	SW	1	...	"	30 10	764.5	...	...	...	...	...
Nagasaki,	"	30.00	762.0	...	...	SE	3	...	"	29.98	761.5	...	...	SE	4	...
Kagoshima,	"	30.00	762.0	...	...	SSE	1	...	"	30.00	762.0	...	...	E	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.92	760.0	...	...	SE	1	...	"	30.08	764 0	...	...	ENE	1	...
Weihaiwei,	14	29.83	757.7	54	49	SE	4	b	6	29.89	759.2	50	93	SSE	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.89	759.2	64	62	SE	10	b	"	29.89	759.2	57	100	ESE	1	o
Gutzlaff,	"	29.86	758.4	54	100	SE	6	b	"	29.79	756.6	54	100	ESE	4	cf
Sharp Peak,	14	29.80	756.9	62	93	...	0	rf	7	29.80	756.9	60	94	...	...	...
Amoy,	15	...	...	...	...	...	...	...	6	29.73	755.1	65	95	...	0	of
Swatow,	"	29.87	758.7	65	100	E	1	or	"	...	...	...	...	...	...	...
Taihoku,	12	29.86	758.4	66	96	ESE	2	r	"	29 79	756.6	66	98	SW	2	o
Taichu,	"	29.85	758.1	73	...	N	2	o	"	29.84	757.8	72	...	...	0	r
Tainan,	"	29.84	757.8	81	...	SW	4	o	"	29.81	757.2	70	...	...	0	b
Koshun,	"	29.84	757.8	84	...	S	2	b	"	29.80	756.9	73	...	NW	2	b
Pescadores,	"	29.85	758.1	73	...	ENE	4	o	"	29.80	756.9	73	...	S	2	o
Canton,	15	29.65	753.1	80	74	S	2	o	"	29.72	754.9	72	95	E	2	o
Hongkong,	14	29 71	754.6	78	82	S	4	oq	"	29.75	755.6	76	83	S	3	oq
Gap Rock,	"	29.71	754.6	...	...	SE	4	o	"	29.76	755.9	...	...	SE	3	b
Macao,	"	29.69	754.2	75	88	SSW	4	o	"	29.71	754.5	72	96	SSW	4	of
Wuchow,	15	29.66	753.3	75	86	SE	1	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29 59	751.5	79	87	...	0	o	7	...	...	...	...	...	...	...
Tourane,	"	29.68	753 9	82	...	SSE	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	29.75	755.7	86	71	NE	4	b	6	29.84	757.8	75	92	...	0	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.76	756 0	97	43	SE	4	b	"	29.84	757.8	73	89	E	1	b
Legaspi,	"	29.81	757.2	90	63	ENE	4	b	"	29.84	757.8	79	85	ENE	1	b
Taloban,	"	29.79	756.6	90	66	S	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.80	756.9	79	85	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.80	756.9	75	96	E	1	b
Guam,	12.20	29.81	757.2	...	...	N	1	b	4.20	29.82	757.5	...	...	ENE	1	b
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.70	754.4	90	60	SW	2	b	6	29.78	756.4	81	87	SW	4	b

April 1*d.* 11*h.* 24*m.*—Pressure is highest over Japan. It has decreased slightly from Weihaiwei to Hongkong and is nearly stationary over the Philippines.

A depression lies over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·84 inches, against an average of 6·49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	S. winds, moderate, squally; cloudy.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd April, 1922.								4th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.03	762.8	33	...	ESE	4	s	6	29.93	760.1	33	...	W	1	c
Nemuro,	11	30.12	765.0	...	...	WNW	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.18	766.5	...	...	S	2	...	"	...	...	...	...	...	...	...
Tokio,	"	30.20	767.0	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.12	765.0	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.88	759.0	...	...	SE	6	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.92	760.0	...	...	ESE	3	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.12	765.0	...	...	ESE	3	...	"							
Weihaiwei,	14	29.90	759.4	44	92	NW	1	o	6	30.13	765.3	40	91	N	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.84	757.9	66	82	SSE	1	o	"	30.01	762.2	52	100	N	2	o
Gutzlaff,	"	29.84	757.9	58	100	NE	2	of	"	29.99	761.7	52	100	N	4	rf
Sharp Peak,	14	29.73	755.1	64	93	E	1	r	7	29.84	757.9	62	97	N	1	o
Amoy,	15	29.69	754.1	66	95	...	o	of	6	29.80	756.9	67	95	NE	2	rf
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.78	756.3	79	76	NW	2	o	"	29.81	757.2	68	96	WNW	2	o
Taichu,	"	29.81	757.2	79	...	SSW	2	o	"	29.82	757.5	75	...	SSE	2	o
Tainan,	"	29.81	757.2	82	...	WSW	4	b	"	29.82	757.5	72	...	E	2	o
Koshun,	"	29.84	757.8	84	...	W	4	b	"	29.82	757.5	75	...	WNW	2	b
Pescadores,	"	29.84	757.8	79	...	S	4	o	"	29.82	757.5	75	...	SSE	4	o
Canton,	15	29.65	753.1	86	61	SSW	2	o	"	...	...	...	...	...	...	...
Hongkong,	14	29.71	754.6	80	77	SSW	4	oq	"	29.77	756.1	74	95	...	o	of
Gap Rock,	"	29.72	754.9	...	...	SE	3	c	"	29.77	756.1	...	...	SSE	3	o
Macao,	"	29.63	752.7	79	80	SSW	4	b	"	29.74	755.4	73	98	...	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.56	750.3	90	63	S	2	b	7	...	...	...	...	...	...	...
Tourane,	"	29.68	753.9	86	...	...	o	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.81	757.2	86	...	E	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.80	756.9	84	71	N	4	b	6	29.86	758.4	75	94	W	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	97	43	SSE	4	b	"	29.85	758.1	72	86	E	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.85	758.1	79	80	ENE	2	b
Tacloban,	"	29.80	756.9	86	71	SSE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.82	757.5	90	55	NE	4	o	"	29.80	756.9	77	89	N	4	o
Surigao,	"	29.79	756.6	86	71	ENE	2	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	88	73	...	4	b	6	29.74	755.4	80	91	E	2	b

April 4*d.* 10*h.* 53*m.*—Pressure has increased considerably at Weihaiwei and moderately at Shanghai. It has decreased moderately at Wladivostock and is nearly stationary at other reporting stations.

An anticyclone has formed over N. China.

The monsoon will set in again, temporarily, along the S.E. Coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·84 inches, against an average of 6·63 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	S.E. to N.E. winds, moderate; overcast, some rain.
2.—Formosa Channel.	Variable winds, freshening from N.E.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th April, 1922.								5th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.91	759.7	39	...	SW	4	o	6	30.45	773.5	32	...	...	o	b
Nemuro,	11	30.02	762.5	...	...	ESE	3	...	5	29.72	755.0	...	...	W	1	...
Hakodate,	"	29.84	758.0	...	...	...	o	...	"	29.88	759.0	...	...	WNW	5	...
Tokio,	"	29.98	761.5	...	...	SSW	1	...	"	29 72	755.0	...	...	NNW	2	...
Kochi,	"	29.80	757.0	...	...	...	o	...	"	29.92	760 0	...	...	NNW	2	...
Nagasaki,	"	29.82	757.5	...	...	NW	1	...	"	29.96	761.0	...	...	N	2	...
Kagoshima,	"	29.78	756.5	...	...	NNW	3	...	"	29.90	759 5	...	...	NNW	2	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.04	753.0	...	...	S	6	...	"	29.94	760.5	...	...	SSW	6	...
Weihaiwei,	14	30.18	766.6	46	54	NNE	1	b	6	30.27	768.8	38	72	...	o	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.08	764 0	55	86	ENE	1	o	"	30.21	767.3	46	81	N	1	r
Gutzlaff,	"	30.02	762.5	52	100	NE	4	o	"	30.17	766.3	48	100	N	2	o
Sharp Peak,	14	29.87	758.7	60	94	N	2	rf	7	29.95	760.7	56	81	ENE	4	o
Amoy,	15	29.80	756.9	66	95	ENE	1	rf	6	29.92	769.9	63	94	NE	1	o
Swatow,	"	29.89	759.2	77	91	SE	2	o	"	30.05	763.2	64	95	E	1	c
Taihoku,	12	29.88	759.0	70	96	ENE	4	r	"	29.98	761.4	63	92	NNW	2	r
Taichu,	"	29.85	758.1	82	...	NW	2	o	"	29.92	759 9	66	...	S	2	o
Tainan,	"	29.86	758.4	84	...	SW	4	o	"	29.88	759.0	70	...	N	4	o
Koshun,	"	29.87	758.7	86	...	WNW	4	b	"	29.87	758.7	75	...	NW	2	b
Pescadores,	"	29.86	758 4	79	...	S	4	o	"	29.92	759.9	68	...	NNE	6	o
Canton,	15	29.70	754.4	85	68	S	2	o	"	29.84	757.9	67	90	N	2	o
Hongkong,	14	29.76	755.9	82	73	S	4	oq	"	29.84	757.9	74	95	ENE	1	of
Gap Rock,	"	29.75	755 6	...	...	SE	3	c	"	29.84	757.9	...	...	ESE	2	f
Macao,	"	29.73	755.1	79	84	SSW	4	o	"	29.80	756.9	73	98	SE	4	of
Wuchow,	15	29.70	754.4	78	70	N	4	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.61	752.1	82	70	ESE	4	b	7	29.74	755.4	75	92	E	6	b
Tourane,	"	29.71	754.5	86	...	SE	2	o	"	29.78	756.3	79	...	...	o	b
Cape St. James,	"	29.80	756.9	90	...	SSE	2	b	"	29.82	757.5	77	...	E	2	b
Aparri,	14	29.82	757.5	86	71	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29 79	756.6	97	43	SE	4	b	"	29 87	758.7	72	89	E	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.88	759.0	81	87	NE	1	b
Tacloban,	"	29.84	757 8	86	71	S	4	o	"	29.87	758.7	77	92	...	o	o
Iloilo,	"	29 78	756.3	90	55	NE	4	o	"	29.82	757.5	61	91	N	4	o
Surigao,	"	29 80	756 9	90	69	S	2	b	"	29.84	757.8	73	96	...	o	b
Guam,	12.20	29.81	757.2	...	...	E	4	b	4.20	29.86	758.4	...	...	E	4	b
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	755.4	88	73	SW	4	b	6	29.75	755.6	80	87	S	2	b

April 5*d.* 12*h.* 33*m.*— Pressure has increased considerably at Shanghai, moderately at Weihaiwei and slightly from Hongkong to Haiphong.

An anticyclone is central over S.E. Mongolia and a depression to the east of Tokio.

Fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·84 inches, against an average of 6·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	E. winds, fresh; overcast, drizzle at first.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	5th April, 1922.									6th April, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.03	762.8	49	...	NW	4	o		6	30.25	768.3	32	...	...	o	b	
Nemuro,	11	29.80	757.0	...	...	N	1	...		5	...	...	...	...	...	...	...	
Hakodate,	"	29.92	760.0	...	...	WNW	5	...		"	...	...	...	...	...	...	...	
Tokio,	"	29.78	756.5	...	...	NNW	4	...		"	...	...	...	...	...	...	...	
Kochi,	"	29.96	761.0	...	...	NNW	2	...		"	...	...	...	...	...	...	...	
Nagasaki,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Kagoshima,	"	29.96	761.0	...	...	NE	2	...		"	...	...	...	...	...	...	...	
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Bonin Island,	"	29.94	760.5	...	...	SSW	1	...		"	...	...	...	...	...	...	...	
Weihaiwei,	14	30.19	766.8	52	47	NE	2	b		6	30.07	763.8	44	84	S	1	o	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	11	30.21	767.3	52	63	NE	4	o		"	30.12	765.0	48	100	NNW	1	rf	
Gutzlaff,	"	30.18	766.6	50	100	NE	2	o		"	30.11	764.8	50	100	NE	2	of	
Sharp Peak,	14	30.03	762.7	65	89	N	1	r		7	29.99	761.7	56	93	...	o	r	
Amoy,	15	29.97	761.2	62	90	E	1	o		6	29.92	759.5	64	91	NE	1	o	
Swatow,	"	30.07	763.8	64	89	E	2	o		"	30.13	765.3	61	100	NE	1	or	
Taihoku,	12	30.01	762.6	70	82	E	4	o		"	29.99	761.7	64	92	N	2	r	
Taichu,	"	29.95	760.8	75	...	NNE	2	o		"	29.98	761.4	66	...	...	o	o	
Tainan,	"	29.94	760.5	84	...	N	2	b		"	29.95	760.8	66	...	N	6	b	
Koshun,	"	29.94	760.5	84	...	N	2	b		"	29.94	760.5	70	...	...	o	b	
Pescadores,	"	29.98	761.4	79	...	NE	6	b		"	29.89	761.4	70	...	E	4	o	
Canton,	15	29.86	758.4	71	80	NNW	2	o		"	29.97	761.2	62	94	N	2	or	
Hongkong,	14	29.88	758.9	67	95	E	6	cdf		"	29.95	760.7	64	99	E	5	o	
Gap Rock,	"	29.87	758.7	...	...	E	3	o		"	29.92	759.9	...	...	ENE	4	om	
Macao,	"	29.85	758.1	64	100	SE	2	rf		"	29.92	759.9	68	98	E	2	r	
Wuchow,	15	29.89	759.2	64	78	N	3	o		9	...	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	29.75	755.7	79	76	ESE	4	o		7	29.93	760.2	68	100	NE	2	rf	
Tourane,	"	...	...	...	...	...	...	...		"	29.85	758.1	79	...	SSW	2	o	
Cape St. James,	"	29.81	757.2	86	...	E	2	b		"	29.86	758.4	75	...	NE	4	of	
Aparri,	14	29.87	758.7	86	68	N	4	o		6	29.92	759.9	75	94	W	2	b	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.81	757.2	97	43	SE	4	b		"	29.91	759.6	68	87	NE	1	b	
Legaspi,	"	...	...	...	...	...	...	...		"	29.87	758.7	81	80	NE	4	b	
Tacloban,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Iloilo,	"	29.78	756.3	90	48	NE	6	b		"	29.84	757.8	79	92	NNW	4	o	
Surigao,	"	...	...	...	...	...	...	...		"	29.82	757.5	81	87	ENE	2	o	
Guam,	12.20	29.84	757.8	...	...	E	4	o		4.20	29.87	758.7	...	...	ENE	2	b	
Yap,	12.4	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Labuan,	14	29.75	755.6	90	66	S	1	b		6	29.77	756.1	80	91	NE	2	b	

April 6*d*. 13*h*. *com*.— Pressure has decreased considerably at Weihaiwei and moderately at Shanghai, it has increased moderately along the S. coast of China and considerably over Tongkin. A depression is probably forming over Mongolia and the anticyclone strengthening over central China.

Fresh monsoon may be expected over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 11·85 inches, against an average of 6·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate to fresh; overcast, drizzle or mist
2.—Formosa Channel,	N.E. winds, moderate to fresh. [probably improving later
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

B. D. EVANS,— *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th APRIL, 1922.								7th APRIL, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.21	767.4	47	...	ESE	4	c		30.03	762.8	36	...	ESE	3	o
Nemuro,	11	30.04	763.0	...	...	WNW	3	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.20	767.0	...	...	W	0	...	"	...	...	...	...	...	...	...
Tokio,	"	30.30	769.5	...	...	S	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.20	767.0	...	...	NW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.08	764.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.06	763.5	...	...	NE	3	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.03	764.0	...	...	ENE	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.96	761.0	60	55	SSE	10	o	6	30.17	766.3	42	75	NW	4	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	13	30.15	765.8	54	83	NW	2	o	"	30.22	767.6	41	100	E	1	f
Gutzlaff,	"	30.12	765.0	52	100	NNW	2	o	"	30.24	768.1	48	100	NNW	1	b
Sharp Peak,	14	29.99	761.7	68	74	E	1	o	7	30.0.	764.3	60	88	NW	2	o
Amoy,	15	29.95	760.7	66	91	SSE	4	o	6	30.04	765.0	64	100	NE	1	o
Swatow,	"	30.11	764.8	65	89	NE	1	o	"	30.18	766.0	63	94	NNE	2	o
Taihoku,	12	30.04	762.9	66	90	NNW	2	r	"	30.08	764.1	63	96	E	4	r
Taichu,	"	30.02	762.6	72	...	NNW	2	o	"	30.02	762.6	66	...	NNW	2	o
Tainan,	"	30.00	762.0	82	...	E	2	o	"	29.99	761.7	68	...	NNE	4	o
Koshun,	"	29.99	761.7	81	...	NW	2	b	"	29.99	761.7	72	...	...	0	b
Pescadores,	"	30.04	762.9	73	...	NNE	4	o	"	30.02	762.6	70	...	NNE	6	o
Canton,	15	29.98	761.5	64	89	N	2	o	"	30.04	763.0	61	88	N	2	o
Hongkong,	14	29.96	761.0	66	97	E	3	cdm	"	30.0.	762.2	68	94	E	3	o
Gap Rock,	"	29.94	760.5	...	...	NNE	4	cm	"	30.01	762.2	...	...	NNE	4	o
Macao,	"	29.94	760.5	66	100	NNW	2	cf	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.92	759.9	70	98	S	2	rf	7	29.98	761.4	68	98	...	0	of
Tourane,	"	29.86	758.4	77	...	N	2	o	"	29.95	760.8	73	...	...	0	o
Cape St. James,	"	29.84	757.8	82	...	ENE	4	b	"	29.87	758.7	79	...	ENE	6	b
Aparri,	14	29.89	759.3	90	60	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.86	758.4	93	46	WSW	2	b	"	29.93	760.2	72	82	NE	1	b
Legaspi,	"	29.87	758.7	86	71	NE	4	b	"	29.92	759.9	81	84	NE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.89	759.3	77	88	SE	1	o
Iloilo,	"	29.78	756.3	90	55	NE	6	o	"	29.86	758.4	79	92	NNW	4	o
Surigao,	"	29.81	757.2	82	...	E	2	o	"	29.87	758.7	79	84	ENE	4	r
Guam,	12.20	29.82	757.5	...	...	E	4	o	4.20	29.87	758.7	...	...	ENE	4	r
Yap,	12.4	29.79	756.6	...	...	ENE	2	o	4.47	...	...	...	...	...	...	...
Labuan	14	29.77	756.1	88	69	N	4	b	6	29.74	755.4	80	91	S	2	b

April 7*d.* 11*h.* 50*m.*— Pressure has decreased considerably at Wladivostock, it has increased moderately over China, Formosa and Annam, and slightly over the Philippines.

The anticyclone over China has deepened.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 11·90 inches, against an average of 70·7 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh to moderate; overcast, drizzle or mist.
2.—Formosa Channel,	N.E. winds, strong to fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

B. D. EVANS,— *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th April, 1922.								8th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.93	760.1	43	...	SE	2	o	6	30.02	762.6	37	...	NNE	2	c
Nemuro, ...	11	30.16	766.0	...	...	SW	4	...	5	...	...	...	...	...	...	...
Hakodate, ...	"	30.08	764 0	...	...	ESE	5	...	"	...	...	...	...	...	...	...
Tokio, ...	"	30.10	764.5	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Kochi, ...	"	29.94	760 5	...	...	SW	1	...	"	...	...	...	...	...	...	...
Nagasaki, ...	"	30.10	764.5	...	...	NNW	3	...	"	...	...	...	...	...	...	...
Kagoshima, ...	"	30.04	763.0	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	30.04	763.0	...	...	SW	1	...	"	...	...	...	...	...	...	...
Weihaiwei, ...	14	30.22	767.6	48	63	N	2	b	6	30.30	769.6	40	65	...	0	b
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	30.28	769.1	64	41	SE	1	b	"	30.29	769.3	48	84	E	1	o
Gutzlaff, ...	"	30.26	768.6	54	89	NE	2	b	"	30.30	769.[illegible]	48	78	ENE	2	o
Sharp Peak, ...	14	30.08	764 0	60	79	E	2	c	7	30.09	764.3	54	94	N	2	rf
Amoy, ...	15	30 05	763.2	66	91	ENE	1	o	6	30.02	762.5	66	91	W	1	o
Swatow, ...	"	...	...	...	...	...	...	...	"	30.21	767.3	62	83	NE	1	o
Taihoku, ...	12	29.88	759.0	66	80	E	6	o	"	30 01	762.3	66	56	E	8	b
Taichu, ...	"	30.06	763.5	73	...	...	0	o	"	30.04	762.9	66	...	...	0	o
Tainan, ...	"	30.07	763.8	81	...	NNW	4	o	"	30.00	762.0	68	...	NNE	4	o
Koshun, ...	"	30.04	762.9	82	...	NE	4	b	"	29.99	761.7	73	...	...	0	b
Pescadores, ...	"	30.10	764 4	72	...	NNE	6	o	"	30.00	762.0	68	...	NNE	4	o
Canton, ...	15	30.01	762.2	67	84	...	0	o	"	30.02	762.5	66	95	ESE	1	c
Hongkong, ...	14	30.00	762.0	68	93	E	4	omd	"	30.03	762.7	66	80	E	5	o
Gap Rock, ...	"	29.99	761.7	...	...	NE	3	o	"	30 01	762.2	...	...	NE	4	o
Macao, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Wuchow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.92	759.9	72	78	SE	4	o	7	...	...	...	...	...	...	...
Tourane, ...	"	29.89	759.3	81	...	SSE	4	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.86	758 4	82	...	ENE	6	b	"	...	...	...	...	...	...	...
Aparri, ...	14	...	...	...	...	...	...	...	6	29.97	761.1	73	75	S	2	b
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.87	758.7	90	44	NE	4	o	"	29.91	759.6	73	88	NE	1	o
Legaspi, ...	"	...	...	...	...	...	...	...	"	29.88	759.[illegible]	81	73	NNE	4	b
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.79	756.6	90	51	N	6	o	"	29.84	757.8	77	88	N	2	o
Surigao, ...	"	...	...	...	...	...	...	...	"	29.84	757.8	81	94	ENE	4	o
Guam, ...	12.20	29.81	757 2	...	...	ENE	4	o	4.20	29.84	757.8	...	...	E	4	r
Yap, ...	12.4	29.79	756.6	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.77	756.1	88	69	N	4	b	6	29.76	755.9	81	91	E	2	b

April 8d. 11h. 13m.—Pressure has increased slightly at Shanghai and decreased slightly over the Philippines and Indo-China.

The anticyclone appears to be moving eastward.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·92 inches, against an average of 7·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, moderate; fair.
2.—Formosa Channel, ...	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th April, 1922.								9th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.97	761.3	46	...	WSW	2	c	6	30.15	765.9	33	...	...	0	b
Nemuro,	11	29.41	747.0	...	...	SE	1	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.70	754.5	...	...	W	1	...	"	...	...	...	...	...	...	...
Tokio,	"	29.90	759.5	...	...	SW	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.08	764.0	...	...	NW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.14	765.5	...	...	NNW	3	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.12	765.0	...	...	NW	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.00	762.0	...	...	SSW	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.32	770.1	50	72	NE	1	b	6	30.43	772.9	42	75	NW	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.34	770.6	52	63	ENE	2	o	"	30.38	771.6	41	97	ENE	1	b
Gutzlaff,	"	30.29	769.3	48	71	NE	4	o	"	30.40	772.1	47	87	NE	2	b
Sharp Peak,	14	30.10	764.5	58	94	ENE	2	r	7	30.20	767.1	52	92	N	2	o
Amoy,	15	30.05	763.2	65	91	E	1	o	6	30.13	765.3	65	95	NE	1	o
Swatow,	"	30.16	766.0	65	89	E	2	c	"	30.26	768.6	60	88	ENE	3	o
Taihoku,	12	30.11	764.7	66	96	E	4	r	"	30.17	766.2	63	94	E	4	o
Taichu,	"	30.05	763.2	50	...	NNW	2	o	"	30.08	764.1	63	...	N	4	o
Tainan,	"	30.04	762.9	82	...	N	4	o	"	30.06	763.5	64	...	N	4	o
Koshun,	"	30.02	762.6	82	...	N	2	b	"	30.04	762.9	73	...	NE	6	b
Pescadores,	"	30.10	764.4	70	...	NNE	6	o	"	30.11	764.7	64	...	NNE	7	o
Canton,	15	29.98	761.5	78	74	S	2	c	"	...	...	...	...	...	...	...
Hongkong,	14	30.00	762.0	70	76	E	4	b	"	30.07	763.8	65	93	ENE	4	omd
Gap Rock,	"	29.98	761.5	...	...	NE	4	c	"	30.03	762.7	...	...	ENE	4	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Wuchow,	15	29.94	760.5	80	70	NE	1	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.89	759.3	79	76	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.88	759.0	79	...	SSE	4	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.82	757.5	82	...	NE	6	b	"	...	...	...	...	...	...	...
Aparri,	14	29.88	759.0	86	52	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.82	757.5	90	48	NNW	1	o	"	29.92	759.9	72	84	NNE	1	o
Legaspi,	"	29.85	758.1	84	71	ENE	4	o	"	29.89	759.3	79	84	NE	4	b
Catoloban,	"	29.81	757.2	86	71	NE	2	r	"	...	...	...	...	...	...	...
Iloilo,	"	29.78	756.3	90	48	NE	6	o	"	29.85	758.1	75	89	N	4	o
Surigao,	"	29.79	756.6	86	61	ENE	4	o	"	29.82	757.5	77	...	ENE	2	o
Guam,	12.20	29.78	756.3	...	...	ENE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	90	60	SW	2	b	6	29.79	756.6	80	91	E	2	b

April 9*d.* 12*h.* 15*m.*—Pressure has increased moderately at Wladivostock and Weihaiwei, and slightly from Shanghai to Indo-China. It is nearly stationary over the Philippines.

The anticyclone has strengthened and is now central over N.E. China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 7·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, fresh; overcast, drizzle or mist.
2.—Formosa Channel,	N.E. winds, strong.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	9th April, 1922.								10th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.15	765.8	49	...	NNE	4	b	6	30.20	767.0	36	...	ENE	2	b
Nemuro,	11	29.80	757.0	...	...	NW	2	...	5	30.10	764.5	...	...	WSW	1	...
Hakodate,	"	30.00	762.0	...	...	WSW	4	...	"	30.22	767.5	...	...	W	2	...
Tokio,	"	30.14	765.5	...	...	SSE	2	...	"	30.36	771.0	...	...	NE	1	...
Kochi,	"	30.22	767.5	...	...	NNW	1	...	"	30.36	771.0	...	...	WSW	1	...
Nagasaki,	"	30.31	770.0	...	...	N	2	...	"	30.34	770.5	...	...	NE	1	...
Kagoshima,	"	30.28	769.0	...	...	NNW	1	...	"	30.34	770.5	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.10	764.5	...	...	N	1	...	"	30.20	767.0	...	...	NE	2	...
Weihaiwei,	14	30.42	772.6	54	43	...	0	b	6	30.42	772.6	40	74	S	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.47	773.9	59	53	NE	2	b	"	30.40	772.1	50	87	E	2	o
Gutzlaff,	"	30.41	772.4	54	68	NE	2	b	"	30.39	771.9	50	72	E	4	o
Sharp Peak,	14	30.18	766.6	54	90	N	2	o	7	30.19	766.8	56	87	N	2	r
Amoy,	15	...	...	...	...	...	...	...	6	30.17	766.3	62	90	SE	...	o
Swatow,	"	30.22	767.6	66	73	ENE	3	c	"	...	...	...	...	...	...	...
Taihoku,	12	30.20	767.1	70	85	E	6	o	"	30.10	764.4	68	96	E	4	o
Taichu,	"	30.12	765.0	73	...	NNW	4	b	"	30.11	764.7	66	...	...	0	o
Tainan,	"	29.98	761.4	77	...	NNW	4	o	"	30.03	764.1	66	...	N	4	b
Koshun,	"	30.07	763.8	81	...	NE	6	b	"	30.08	764.1	73	...	NNE	4	b
Pescadores,	"	30.17	766.2	68	...	NNE	7	o	"	30.13	765.3	64	...	N	6	o
Canton,	15	30.05	763.2	83	79	S	2	o	"	30.11	764.8	66	89	ESE	2	o
Hongkong,	14	30.08	764.0	66	85	E	6	cm	"	30.10	764.5	65	86	E	5	o
Gap Rock,	"	30.06	763.5	...	...	ENE	5	o	"	30.08	764.0	...	...	NE	5	o
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.97	761.1	81	75	ESE	6	b	7	30.05	763.2	72	96	E	4	o
Tourane,	"	29.93	760.2	82	...	SSE	2	b	"	29.98	761.4	73	...	...	0	o
Cape St. James,	"	29.82	757.5	82	...	NE	7	of	"	29.86	758.4	77	...	NE	6	o
Aparri,	14	29.93	760.2	86	52	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.85	758.1	90	48	NE	4	o	"	29.94	760.5	75	79	NNE	1	o
Legaspi,	"	29.87	758.7	86	68	ENE	4	o	"	29.91	759.6	79	85	NE	4	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.88	759.0	75	94	E	1	b
Iloilo,	"	29.80	756.9	86	58	NE	6	o	"	29.85	758.1	75	88	NNW	4	o
Surigao,	"	29.80	756.9	84	74	ENE	4	o	"	29.85	758.1	79	87	ENE	2	o
Guam,	12.20	29.82	757.5	...	...	ENE	4	r	4.20	29.86	758.4	...	...	NE	2	o
Yap,	12.4	29.78	756.3	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.9	86	76	N	6	b	6	29.76	755.9	80	91	W	2	b

April 10*d*. 11*h*. 53*m*.—Pressure has increased considerably over N.E. Japan, moderately over S.W. Japan and slightly from Formosa to Indo-China.

The antiocyclone is central over the Yellow Sea.

The monsoon will moderate along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·99 inches, against an average of 7·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, fresh to moderate; fair.
2.—Formosa Channel.	N.E. winds, strong, moderating.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th April, 1922.									11th April, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.11	764.8	56	...	E	2	b		6	30.10	764.5	34	...	E	1	b	
Nemuro,	11	30.20	767.0	...	...	SW	5	...		5	...	...	...	...	...	...	...	
Hakodate,	"	30.20	767.0	...	...	SSW	6	...		"	...	...	...	...	...	...	...	
Tokio,	"	30.33	770.5	...	...	N	1	...		"	...	...	...	...	...	...	...	
Kochi,	"	30.33	770.5	...	...	SE	1	...		"	...	...	...	...	...	...	...	
Nagasaki,	"	30.33	770.5	...	...	...	0	...		"	...	...	...	...	...	...	...	
Kagoshima,	"	29.92	760.0	...	...	E	1	...		"	...	...	...	...	...	...	...	
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha,	"	30.22	767.5	...	...	ESE	2	...		"	...	...	...	...	...	...	...	
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Bonin Island,	"	30.22	767.5	...	...	NE	1	...		"	...	...	...	...	...	...	...	
Weihaiwei,	14	30.43	772.9	62	41	N	1	b		6	30.30	769.6	46	62	SW	1	b	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	11	30.41	772.4	52	75	E	1	r		"	30.34	770.6	46	89	NE	2	o	
Gutzlaff,	"	30.38	771.6	47	93	E	2	r		"	...	...	...	...	...	...	...	
Sharp Peak,	14	30.14	765.5	58	85	E	1	o		7	30.13	765.3	54	94	NNE	4	o	
Amoy,	15	30.08	764.0	67	91	SSE	2	o		6	30.12	765.0	60	94	ENE	4	o	
Swatow,	"	...	...	...	...	...	...	...		"	30.25	768.3	60	71	NE	2	o	
Taihoku,	12	30.11	764.7	79	76	ENE	4	o		"	30.14	765.6	63	94	NE	2	o	
Taichu,	"	30.13	765.3	73	...	NW	2	o		"	30.10	764.4	61	...	...	0	bf	
Tainan,	"	30.14	765.6	73	...	N	4	o		"	30.06	763 5	61	...	N	4	b	
Koshun,	"	30.12	765.0	84	...	ENE	2	b		"	30.05	763.2	72	...	E	2	b	
Pescadores,	"	30.19	766.8	66	...	N	6	o		"	30.10	764.4	66	...	NNE	6	o	
Canton,	15	30.09	764.3	79	66	S	2	c		"	30.07	763.8	69	90	SE	1	o	
Hongkong,	14	30.10	764.5	71	72	E	3	b		"	30.09	764.3	65	82	E	3	od	
Gap Rock,	"	30.09	764.3	...	...	ENE	4	c		"	30.06	763.5	...	...	ENE	4	o	
Macao,	"	...	...	...	...	...	...	...		"	30.06	763.5	66	90	SE	2	o	
Wuchow,	15	30.03	762.7	78	65	SE	2	c		9	30.11	764.8	71	90	E	2	cz	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	30.01	762.3	81	76	ESE	4	b		7	...	...	...	...	...	...	...	
Tourane,	"	29.97	761.1	79	...	E	2	o		"	...	...	...	...	...	...	...	
Cape St. James,	"	29.84	757.8	82	...	NE	6	b		"	...	...	...	...	...	...	...	
Aparri,	14	...	...	...	...	...	...	...		6	30.00	762.0	70	94	SE	2	b	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.88	759.0	93	40	E	4	b		"	29.92	759.9	75	79	SE	1	o	
Legaspi,	"	29.86	758.4	84	74	NE	4	b		"	29.87	758.7	79	85	NE	4	b	
Taclohan,	"	29.85	758.1	81	87	NE	2	r		"	...	...	...	...	...	...	...	
Iloilo,	"	29.79	756.6	90	55	NE	6	o		"	...	...	...	...	...	...	...	
Surigao,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Guam,	12.20	29.82	757.5	...	...	ENE	4	o		4.20	29.84	757.8	...	...	NE	4	o	
Yap,	12.4	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Labuan,	14	29.77	756.1	86	76	N	6	b		6	29.73	755.1	80	91	SW	2	b	

April 11*d*. 11*h*. 31*m*.—Pressure has decreased slightly at all reporting stations.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 7·72 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; cloudy.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th April, 1922.								12th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.00	762.0	52	...	E	4	b	6	29.97	761.1	40	...	E	4	o
Nemuro,	11	30.14	765.5	...	...	SW	8	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.22	767.5	...	...	S	4	...	"	...	...	...	...	...	...	...
Tokio,	"	30.28	769.0	...	...	NNW	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.26	768.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.24	768.0	...	...	E	3	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.18	766.5	...	...	NE	3	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.14	765.5	...	...	ESE	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.22	767.6	62	56	N	1	b	6	30.18	766.6	48	71	NW	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.36	771.1	57	46	ENE	2	o	"	30.21	767.3	48	87	E	1	o
Gutzlaff,	"	30.30	769.6	54	62	NNE	2	b	"	30.20	767.1	50	88	ESE	1	o
Sharp Peak,	14	30.13	765.3	56	87	ENE	4	o	7	30.09	764.3	58	88	...	o	b
Amoy,	15	30.08	764.0	67	84	...	o	o	6	30.08	764.0	60	94	NE	2	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.15	765.9	72	75	ESE	10	o	"	30.10	764.4	63	96	E	4	o
Taichu,	"	30.10	764.4	75	...	NW	2	b	"	30.06	763.5	63	...	...	o	b
Tainan,	"	30.07	763.8	82	...	NW	4	b	"	30.01	762.3	63	...	NNE	4	b
Koshun,	"	30.06	763.5	86	...	ENE	4	b	"	30.01	762.3	73	...	NE	6	b
Pescadores,	"	30.13	765.3	73	...	NNE	6	o	"	30.07	763.8	66	...	NNE	6	o
Canton,	15	30.02	762.5	81	59	SW	1	c	"	30.04	763.0	67	95	SE	1	o
Hongkong,	14	30.05	763.2	69	80	ESE	3	c	"	30.05	763.2	65	87	E	4	o
Gap Rock,	"	30.04	763.0	...	...	NE	5	o	"	30.02	762.5	...	...	ENE	4	o
Macao,	"	30.05	763.2	68	91	E	2	o	"	...	...	...	...	...	...	...
Wuchow,	15	29.98	761.5	80	58	E	2	c	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.97	761.1	81	66	SE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.92	759.9	81	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.78	756.3	82	...	ENE	7	of	"	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.97	761.1	73	98	...	o	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.85	758.1	86	65	NNW	4	o	"	29.88	759.0	72	89	...	o	o
Legaspi,	"	29.84	757.8	86	68	ENE	4	b	"	29.86	758.4	81	84	NE	4	b
Tacloban,	"	29.81	757.2	84	81	ENE	2	r	"	...	...	...	...	...	...	...
Iloilo,	"	29.76	756.0	86	52	NE	6	o	"	29.81	757.2	77	86	NE	4	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	S	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	88	69	E	6	b	6	...	...	...	...	...	...	...

April 12*d*. 11*h*. 05*m*.—Pressure has decreased moderately at Weihaiwei and Shanghai, and slightly at other reporting stations.

A depression is shown in the neighbourhood of Wladivostock.

The position of the anticyclone is uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 7·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fine to cloudy.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lemoeks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th April, 1922.								13th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.93	760.1	44	...	ESE	4	0	6	30.08	764.1	46	...	N	2	b
Nemuro,	11	30.22	767.5	...	...	SE	4	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.20	767.0	...	...	S	2	...	"	...	...	...	...	...	...	...
Tokio,	"	30.26	768.5	...	...	NE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.20	767.0	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.16	766.0	...	...	E	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.12	765.0	...	...	NNE	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.08	764.0	...	...	E	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	30.10	764.5	60	49	SE	2	0	6	30.08	764.0	48	56	...	0	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.22	767.6	55	71	E	1	0	"	30.16	766.0	50	100	W	1	0
Gutzlaff,	"	30.17	766.3	54	80	N	1	0	"	30.16	766.0	50	103	NNW	2	0
Sharp Peak,	14	30.05	763.2	69	70	E	2	b	7	30.03	762.7	58	94	W	1	0
Amoy,	15	30.01	762.2	68	85	SSE	4	b	6	30.02	762.5	62	94	...	0	0
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.03	764.1	79	73	E	4	b	"	30.04	762.9	68	92	E	1	0
Taichu,	"	30.07	763.8	81	...	W	2	b	"	30.02	762.6	66	...	...	0	b
Tainan,	"	30.07	763.8	84	...	N	4	b	"	30.01	762.3	68	...	NNE	4	b
Koshun,	"	30.06	763.5	84	...	ENE	4	b	"	29.99	761.7	72	...	...	0	b
Pescadores,	"	30.11	764.7	73	...	N	4	0	"	30.04	762.9	68	...	N	4	0
Canton,	15	30.02	762.5	81	56	S	1	c	"	30.02	762.5	67	95	...	0	b
Hongkong,	14	30.05	763.2	71	75	ESE	3	b	"	30.00	762.0	67	92	...	0	b
Gap Rock,	"	30.05	763.2	...	...	NE	4	b	"	29.99	761.7	...	...	NE	4	0
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.97	761.1	81	69	SSE	6	b	7	...	...	...	...	...	...	...
Tourane,	"	29.97	761.1	79	...	...	0	0	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	29.92	759.9	86	65	ENE	4	0	6	29.94	760.5	72	92	...	0	0
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.85	758.1	93	40	ESE	2	b	"	29.88	759.0	72	88	N	1	b
Legaspi,	"	29.84	757.8	84	81	ENE	4	0	"	29.86	758.4	79	61	NNE	4	0
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.82	757.5	75	92	NNW	4	0
Surigao,	"	...	...	...	...	...	...	...	"	29.82	757.5	79	85	ENE	2	0
Guam,	12.20	29.81	757.2	...	...	ENE	4	r	4.20	29.85	758.1	...	...	NE	2	0
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	88	69	N	4	0	6	29.75	755.6	80	92	SW	2	b

April 13*d*. 11*h*. 28*m*.—Pressure has increased slightly at Wladivostock and decreased slightly from Weihaiwei to Hongkong. It is nearly stationary over the Philippines.

The anticyclone is probably central over Japan.

The monsoon is interrupted to the north of Swatow.

Moderate to light monsoon may be expected over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 8·07 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. winds, moderate; fine to cloudy.
2.—Formosa Channel, ...	The same as No. 1.
3.—South coast of China between Hongkong and Lemcocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th April, 1922.								14th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.06	763.4	60	...	WNW	1	b	6	30.04	763.1	43	...	NNE	5	b
Nemuro,	11	30.14	765.5	...	...	ESE	1	...	5	30.08	764.0	...	...	...	0	...
Hakodate,	"	30.10	764.5	...	...	SE	2	...	"	30.02	762.5	...	...	NNW	2	...
Tokio,	"	30.12	765.0	...	...	SE	1	...	"	29.80	757.0	...	...	N	2	...
Kochi,	"	30.00	762.9	...	...	...	0	...	"	29.80	757.0	...	...	NNW	3	...
Nagasaki,	"	29.96	761.0	...	...	N	3	...	"	30.04	763.0	...	...	N	1	...
Kagoshima,	"	29.94	760.5	...	...	...	0	...	"	29.94	760.5	...	...	NNW	3	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.98	761.5	...	...	SW	1	...	"	29.92	760.0	...	...	SE	1	...
Weihaiwei,	14	30.07	763.8	56	57	NNE	2	b	6	30.06	763.5	46	...	...	0	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.21	767.3	55	77	NW	1	0	"	30.17	766.3	45	100	WNW	1	lf
Gutzlaff,	"	30.18	766.6	54	89	NNW	1	b	"	30.18	766.6	50	100	...	0	b
Sharp Peak,	14	30.05	763.2	64	78	ENE	2	0	7	30.09	764.3	56	93	N	2	r
Amoy,	15	30.00	762.0	68	91	SSE	2	b	6	30.04	763.0	63	91	ENE	2	0
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.06	763 5	79	69	ENE	2	0	"	30.05	763.2	64	90	E	4	0
Taichu,	"	30.04	762 9	82	...	NW	2	b	"	30.10	764.4	64	...	...	0	bf
Tainan,	"	30.01	762.6	86	...	NNW	4	b	"	29.95	760.8	65	...	N	2	b
Koshun,	"	30.05	763 2	86	...	E	4	lf	"	29.97	761.1	75	...	NNE	2	b
Pescadores,	"	30.08	764 1	73	...	N	4	0	"	30.01	762.3	68	...	NNE	6	0
Canton,	15	30.00	762.0	82	56	SW	1	0	"	...	...	...	...	...	...	...
Hongkong,	14	29.99	761.7	77	73	E	3	c	"	30.01	762.2	68	92	E	4	lf
Gap Rock,	"	30 01	762.2	...	...	N	3	b	"	30.00	762.0	...	...	ENE	3	b
Macao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoibow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29 95	760.8	81	69	SE	4	0	7	...	...	...	...	...	...	...
Tourane,	"	29.92	759.9	82	...	ESE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.79	756.6	82	...	ENE	7	0	"	...	...	...	...	...	...	...
Aparri,	14	29.87	758.7	86	58	NE	4	b	6	29.93	760.2	72	92	...	0	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.81	757.2	97	43	ENE	4	0	"	29.87	29.87	73	88	SE	1	b
Legaspi,	"	29.84	757.8	86	78	NE	4	0	"	29.86	758.4	79	87	NE	4	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	58	NE	6	0	"	29 80	756.9	77	91	NNE	4	0
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	76	N	6	b	6	...	...	...	...	...	...	...

April 14*d*. 11*h*. 55*m*.— Pressure has decreased considerably over Japan, other changes are slight.

A weak anticyclonic area covers China and a depression is situated to the south of Nippon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 8·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fine.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

C. W. JEFFRIES,— *Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th April, 1922.								15th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.05	763.2	44	...	ESE	4	b	6	30.05	763.3	32	...	SSE	4	f
Nemuro,	11	30.06	763.5	...	...	NNW	2	...	5	...	...	...	...	...	...	...
Hakodate,	"	30.00	762.0	...	...	ENE	6	...	"	...	...	...	...	...	...	...
Tokio,	"	29.74	755.5	...	...	N	4	...	"	...	...	...	...	...	...	...
Kochi,	"	29.85	758.5	...	...	NNW	2	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.02	762.5	...	...	SW	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.96	761.0	...	...	N	2	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.83	759.0	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.98	761.5	65	44	NE	1	b	6	29.78	756.4	50	93	S	4	c
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.21	767.3	61	74	WNW	1	o	"	30.05	763.2	48	100	S	1	o
Gutzlaff,	"	30.17	766.3	56	89	WNW	1	o	"	30.08	764.0	50	100	SW	2	o
Sharp Peak,	14	30.07	763.8	54	96	NE	2	o	7	29.98	761.5	56	94	WNW	2	r
Amoy,	15	...	...	...	...	...	...	...	6	29.98	761.5	62	83	NE	1	o
Swatow,	"	30.10	764.5	68	79	E	3	c	"	30.14	765.5	62	89	N	1	c
Taihoku,	12	30.06	763.5	72	75	E	7	b	"	29.94	760.5	64	86	E	4	b
Taichu,	"	30.01	762.3	79	...	NNW	4	b	"	29.95	760.8	63	...	...	0	o
Tainan,	"	29.99	761.7	86	...	N	2	b	"	29.97	761.1	63	...	S	4	bf
Koshun,	"	30.01	762.3	79	...	ENE	4	r	"	29.91	759.6	70	...	E	4	b
Pescadores,	"	30.04	752.9	72	...	NNW	6	b	"	29.95	760.8	66	...	N	6	b
Canton,	15	29.93	760.2	84	50	SSW	2	o	"	29.96	761.0	67	79	N	1	o
Hongkong,	14	29.96	761.0	72	77	E	4	b	"	29.96	761.0	67	84	E	3	c
Gap Rock,	"	29.97	761.2	...	...	NE	4	b	"	29.94	760.5	...	...	ENE	4	c
Macao,	"	29.94	760.5	77	76	ESE	2	b	"	29.93	760.2	66	94	ESE	2	o
Wuchow,	15	29.97	761.2	78	65	W	1	c	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.92	759.9	82	60	SE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.89	759.3	79	...	E	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.72	754.8	82	...	ENE	6	bf	"	...	...	...	...	...	...	...
Aparri,	14	29.84	757.8	90	60	NE	4	b	6	29.87	29.87	75	79	S	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.79	756.6	93	40	WSW	1	b	"	29.84	757.8	72	78	NE	1	b
Legaspi,	"	29.82	757.5	86	65	NE	4	b	"	29.80	756.9	81	80	NE	4	b
Tacloban,	"	29.78	756.3	86	71	ENE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	86	61	NE	6	o	"	29.75	755.7	77	89	NNW	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.76	756.0	75	96	...	0	b
Guam,	12.20	...	...	...	...	...	...	...	4.20	29.78	756.3	...	...	ENE	4	e
Yap,	12.4	29.75	755.7	...	...	ENE	2	o	4.47	...	...	...	...	...	...	...
Saipan,	14	29.70	754.4	88	69	W	6	b	6	29.78	756.4	81	87	W	2	b

April 15*d.* 11*h.* 33*m.*—Pressure has decreased considerably at Weihaiwei, moderately at Shanghai, and slightly from Formosa to Hongkong and the Philippines.

A depression lies to the north of Weihaiwei.

Fog may be expected along the coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 8·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, moderate to light; fair at first,
2.—Formosa Channel,	The same as No. 1. [fog later.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th APRIL, 1922.								16th APRIL, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.04	763.1	34	...	SSE	5	0	6	29.93	760.3	32	...	...	0	s
Nemuro,	11	29.72	755.0	...	...	NNW	6	...	5	29.55	750.5	...	...	NW	7	...
Hakodate,	"	29.74	755.5	...	...	NNW	3	...	"	29.82	757.5	...	...	NNW	3	...
Tokio,	"	29.82	757.5	...	...	WNW	1	...	"	29.94	760.5	...	...	NW	1	...
Kochi,	"	29.96	761.0	...	...	SSW	1	...	"	29.94	760.5	...	...	WSW	1	...
Nagasaki,	"	30.02	762.5	...	...	SW	1	...	"	29.96	761.0	...	...	...	...	...
Kagoshima,	"	30.00	762.0	...	...	SE	1	...	"	29.96	761.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.94	760.5	...	...	ENE	2	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.94	760.5	...	...	WNW	1	...	"	30.02	762.5	...	...	...	...	...
Weihaiwei,	14	29.90	759.4	54	74	NNE	2	b	6	29.85	758.2	52	66	S	4	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.09	764.3	64	58	SW	1	b	"	29.99	761.7	50	95	SSE	1	b
Gutzlaff,	"	30.05	763.2	58	76	S	2	b	"	30.00	762.0	52	93	WSW	2	o
Sharp Peak,	14	29.99	761.7	54	96	E	2	r	7	29.96	761.0	58	88	NNW	1	lf
Amoy,	15	29.92	759.9	64	95	NE	1	r	6	29.96	761.0	60	94	NE	2	o
Swatow,	"	30.06	763.5	67	84	E	2	o	"	...	...	...	...	...	...	...
Taihoku,	12	29.95	760.8	75	71	NW	2	o	"	29.99	761.7	59	98	SE	2	r
Taichu,	"	29.94	760 5	79	...	NNW	4	b	"	29.92	759.9	61	...	N	4	r
Tainan,	"	29.92	759.9	84	...	WNW	2	b	"	29.87	758.7	63	...	N	4	b
Koshun,	"	29.92	759.9	86	...	N	2	b	"	29.82	757.5	70	...	...	o	o
Pescadores,	"	29.98	761.4	72	...	N	6	o	"	29.93	760.2	66	...	NNE	6	b
Canton,	15	29 95	761.0	67	79	N	2	o	"	...	...	...	...	...	...	...
Hongkong,	14	29.93	760.2	73	72	NE	2	o	"	29.96	761.0	62	76	N	1	b
Gap Rock,	"	29.94	760.5	...	...	NE	4	b	"	29.94	760 5	...	...	N	4	b
Macao,	"	29.93	760.2	72	82	ESE	2	r	"	29.93	760.2	66	87	...	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.95	760.8	73	75	NE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.87	758.7	81	...	ESE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.74	755.4	82	...	ENE	6	b	"	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	90	60	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	90	44	SE	4	o	"	29.80	756.9	72	88	...	o	b
Legaspi,	"	29.78	756.3	90	33	ENE	2	b	"	29.78	756.3	79	84	NNE	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	86	49	NE	6	o	"	29.74	755.4	75	88	...	4	o
Surigao,	"	29.72	754 8	84	71	ENE	4	o	"	29.74	755.4	73	96	...	o	o
Guam,	12.20	29.76	756.0	...	...	ENE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.68	753 9	88	69	SW	4	b	6	29.70	754.4	81	87	SW	2	b

April 16*d.* 12*h.* 11*m.*—Pressure is highest over the Bonins. It has decreased considerably at Nemuro and slightly at other reporting stations.

A depression lies to the east of Hokkaido.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 8·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fine to cloudy.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th April, 1922.								17th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.92	760.0	35	...	N	4	s	6	30.06	763 6	32	...	ENE	1	b
Nemuro,	11	29.69	754.0	...	...	NW	7	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.84	758 0	...	...	WNW	1	...	"	...	...	...	...	...	...	...
Tokio,	"	29 94	760.5	...	...	SE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	29.92	760 0	...	...	...	c	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29 92	760.0	...	...	SW	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.92	760.0	...	...	...	...	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.98	761.5	...	...	SSW	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29 83	757-7	58	64	NNE	1	b	6	30.00	762.0	46	69	...	0	b
Haukow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.02	762.5	72	54	W	1	b	"	30.02	762.2	50	90	W	1	b
Gutzlaff,	"	29.98	761.5	64	73	WSW	2	b	"	30.02	762.5	56	81	WSW	4	b
Sharp Peak,	14	29.10	739.1	74	63	...	c	b	7	30.00	762.0	52	69	S	1	b
Amoy,	15	...	...	...	...	...	...	...	6	29.99	761.7	63	94	WSW	1	b
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.01	762.3	70	65	ESE	2	b	"	30 02	762 3	54	76	SE	2	b
Taichu,	"	29.93	760 2	75	...	NNW	4	b	"	29.05	760.8	59	...	...	0	b
Tainan,	"	29.92	759.9	77	...	N	6	o	"	29.93	760.2	61	...	ESE	2	b
Koshun,	"	29.95	760.8	79	...	NNE	2	o	"	29.94	760 5	70	...	ENE	6	o
Pescadores,	"	29 98	761 4	72	...	NNE	6	b	"	29.95	760.8	68	...	NNE	4	b
Canton,	15	29.95	760.7	79	55	NNE	2	b	"	...	...	..	...	...	...	...
Hongkong,	14	29.94	760.5	76	46	E	3	b	"	29.98	761.5	66	67	ENE	1	b
Gap Rock,	"	29.96	761.0	...	...	NNE	4	b	"	29.97	761.2	...	...	NNE	3	b
Macao,	"	29.94	760.5	73	48	NE	4	b	"	29.93	760.2	66	80	ESE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Fhulien,	"	29.93	760.2	79	45	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.89	759.3	79	...	E	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.75	755-7	81	...	NE	6	o	"	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	86	68	N	4	b	6	29.86	758.4	79	73	NE	4	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	93	46	SSE	4	b	"	29.82	757.5	72	82	E	1	b
Legaspi,	"	29.75	755-7	86	71	NE	2	b	"	29.80	756.9	79	87	ENE	2	b
Tacloban,	"	29.74	755-4	86	75	ENE	2	o	"	...	...	...	...	...	...	...
Iloilo,	"	29.69	754.2	86	58	NE	4	o	"	29.76	756.0	77	88	N	4	o
Surigao,	"	...	...	...	...	...	...	...	"	29.76	756 0	75	96	...	0	o
Guam,	12.20	29.78	756.3	...	...	ENE	4	o	4.20	29 82	757.5	...	...	NE	2	o
Yap,	12.4	...	...	...	...	...	...	...	4 47	29.78	756.3	...	...	ENE	2	o
Saipan,	14	29.67	753.6	88	73	N	4	b	6	29.72	754.9	78	91	SW	2	r

April 17*d.* 12*h.* 33*m.*—Pressure has increased moderately at Wladivostock and Weihaiwei, and decreased slightly over Tongking.

Changes elsewhere are small since yesterday.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 8·79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate: fine to cloudy.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th April, 1922.									18th April, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.03	762.8	41	...	W	1	0		6	30.06	763.5	35	...	ENE	1	0	
Nemuro,	11	30.06	763.5	...	...	NNE	2	...		5	30.04	763.0	...	...	NE	1	...	
Hakodate,	"	29.96	761.0	...	...	SSE	1	...		"	30.00	762.0	...	...	E	3	...	
Tokio,	"	29.04	737.5	...	...	SE	1	...		"	29.86	758.5	...	...	NNW	3	...	
Kochi,	"	29.78	756.5	...	...	SE	1	...		"	30.04	763.0	...	...	WSW	1	...	
Nagasaki,	"	29.92	760.0	...	...	WNW	6	...		"	30.12	765.0	...	...	NE	1	...	
Kagoshima,	"	29.92	760.0	...	...	W	3	...		"	30.10	764.5	...	...	NW	3	...	
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ishigakijima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Bonin Island,	"	29.90	759.5	...	...	SW	3	...		"	30.02	762.5	...	...	...	0	...	
Weihaiwei,	14	29.91	759.7	58	47	SSE	4	b		6	29.91	759.7	50	79	SE	1	b	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	11	30.06	763.5	77	40	WNW	1	b		"	30.03	762.7	55	81	SE	1	b	
Gutzlaff,	"	30.06	763.5	68	65	N	1	b		"	30.07	763.8	58	76	S	4	b	
Sharp Peak,	14	30.02	762.5	81	56	E	1	b		7	30.02	762.5	46	62	W	2	b	
Amoy,	15	29.94	760.5	78	70	ESE	2	b		6	29.91	761.2	65	91	NE	1	o	
Swatow,	"	...	...	...	...	...	...	...		"	30.12	765.0	63	94	E	1	c	
Taihoku,	12	30.02	762.6	79	42	ESE	6	b		"	29.98	761.4	59	87	E	2	b	
Tsichu,	"	29.99	761.7	79	...	W	2	b		"	29.98	761.4	63	...	...	0	o	
Tainan,	"	29.98	761.4	79	...	WSW	4	b		"	29.94	760.5	63	...	ESE	2	b	
Koshun,	"	...	...	...	...	...	...	...		"	29.97	761.1	70	...	NE	6	b	
Pescadores,	"	29.98	761.4	77	...	NE	6	b		"	29.98	761.4	70	...	NNE	2	o	
Canton,	15	29.96	761.0	80	96	SW	2	c		"	29.98	761.5	64	89	...	0	o	
Hongkong,	14	29.97	761.2	77	27	E	4	b		"	29.95	760.7	69	49	E	3	c	
Gap Rock,	"	29.97	761.2	...	...	NE	4	b		"	29.94	760.5	...	...	NE	3	b	
Macao,	"	30.00	762.0	79	42	E	2	b		"	29.95	760.8	70	74	ESE	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	...	...	77	67	...	0	0		7	29.93	760.2	68	98	N	2	0	
Tourane,	"	29.87	758.7	75	...	N	2	b		"	29.88	759.0	73	...	SSE	2	0	
Cape St. James,	"	29.79	756.6	81	...	ENE	6	o		"	29.82	757.3	77	...	ENE	7	0	
Aparri,	14	29.85	758.4	81	80	NE	4	o		6	29.88	759.0	75	89	NE	2	0	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.75	755.7	93	40	SE	4	b		"	29.84	757.8	70	83	NE	1	b	
Legaspi,	"	29.78	756.3	86	68	NE	2	o		"	29.82	757.5	79	89	NE	2	o	
Tacloban,	"	...	...	...	...	...	...	...		"	29.80	756.9	77	92	NW	1	o	
Iloilo,	"	...	...	...	...	...	...	...		"	29.79	756.6	79	92	NNW	4	o	
Surigao,	"	...	...	...	...	...	...	...		"	29.78	756.3	75	63	ENE	1	o	
Guam,	12.20	29.79	756.6	...	...	E	4	r		4.20	29.82	757.3	...	...	ENE	4	o	
Yap,	12.4	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Labuan,	14	29.71	754.6	88	73	N	2	b		6	29.76	755.4	80	91	SW	4	o	

April 18*d*. 12*h*. 13*m*.— Pressure has increased moderately over S.W. Japan and decreased slightly at Weihaiwei. Changes elsewhere are small since yesterday.

A feeble anticyclonic is central over S.W. Japan and a depression lies to the east of Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 8·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th April, 1922.								19th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.04	763 0	48	...	W	1	b	6	30.17	66 2	36	...	WSW	1	b
Nemuro,	11	30 00	762.0	...	...	NE	2	...	5	30.04	763.0	...	...	W	2	...
Hakodate,	"	29.98	761.5	...	...	SE	3	...	"	29.92	760.0	...	...	NW	3	...
Tokio,	"	29.98	761.5	...	...	SE	1	...	"	30.10	766.0	...	...	N	1	...
Kochi,	"	30 08	764.0	...	...	...	0	...	"	30.16	766.0	...	...	SW	1	...
Nagasaki,	"	30 12	765.0	...	...	E	1	...	"	30 18	766.5	...	...	SE	1	...
Kagoshima,	"	30.14	765.5	...	...	SE	1	...	"	30.18	766.5	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.06	763.5	...	...	N	1	...	"	30.12	765.0	...	...	NE	1	...
Weihaiwei,	14	29.92	759.9	54	80	ESE	2	o	6	29.93	760.2	54	74	SSE	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.06	763.5	77	35	SSE	1	b	"	30.03	762.7	57	96	SSE	2	b
Gutzlaff,	"	30.06	763.5	68	51	SSE	4	b	"	30.06	763.5	58	90	SSE	4	b
Sharp Peak,	14	29.99	761.7	77	69	NE	1	b	7	29.98	761.5	66	84	NW	2	b
Amoy,	15	29.94	760.3	75	77	SSE	4	b	6	29.92	759.9	66	95	...	0	b
Swatow,	"	30.09	764.3	72	81	E	2	c	"	30.08	764.0	63	94	NNE	1	c
Taihoku,	12	30.02	762.6	82	57	E	4	b	"	29.97	761.1	61	91	E	4	b
Taichu,	"	30 01	762.3	77	...	WSW	2	b	"	29.97	761.1	61	...	...	0	b
Tainan,	"	30.01	762.3	82	...	N	2	b	"	29.92	759.9	61	...	E	2	b
Koshun,	"	29.99	761.7	81	...	ENE	4	b	"	29.93	760.2	72	...	NNE	4	b
Pescadores,	"	30.04	762.9	75	...	N	4	b	"	29.95	760.8	70	...	NNW	4	b
Canton,	15	29.85	758.2	82	36	SE	2	c	"	29.93	760.2	67	95	SSE	1	o
Hongkong,	14	29 95	760.7	74	66	E	3	o	"	29.90	759.4	70	83	E	3	o
Gap Rock,	"	29.94	760.5	...	...	NE	4	c	"	29 89	759.2	...	...	NE	4	o
Macao,	"	29.88	759.0	81	66	ESE	2	o	"	29.87	758.7	72	89	E	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	29.94	760 5	72	85	E	4	o
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.84	757.8	79	69	SE	4	o	7	29.85	758.1	75	91	ESE	4	o
Tourane,	"	29.82	757.5	82	...	SE	2	b	"	29.84	757 8	73	...	SSE	2	b
Cape St. James,	"	29.78	756.3	81	...	ENE	6	cf	"	29.79	756.6	77	...	ENE	6	o
Aparri,	14	29.84	757.8	82	74	NE	4	b	6	29.85	758 1	72	94	...	0	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	755 7	90	48	WNW	2	b	"	29.79	756.6	73	85	E	1	b
Legaspi,	"	29.79	756.6	86	75	NE	2	o	"	29.76	756.0	81	89	NE	2	b
Taloloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	68	ENE	6	o	"	29.74	755 4	77	92	N	4	o
Surigao,	"	29.75	755.7	77	88	...	0	o	"	29.74	755 4	73	96	SW	1	o
Guam,	12.20	29.76	756 0	...	...	E	4	o	4.20	29.81	757.2	...	...	ENE	2	r
Yap,	12.4	29.74	755.4	...	...	E	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	88	73	W	4	b	6	29.73	755.1	80	91	SW	4	o

April 19*d.* 11*h.* 33*m.*—Pressure has increased moderately at Wladivostock and decreased slightly from Formosa to Hongkong and the Philippines.

The anticyclonic covers Japan and a depression lies to the north-west of Weihaiwei.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 9·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; generally cloudy.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19th April, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	20th April, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.16	766.1	56	...	SSE	1	b	6	30.23	767.9	42	...	E	1	f
Nemuro,	11	30.08	764.0	...	...	...	...	...	5	30.28	769.0	...	...	...	...	...
Hakodate,	"	...	...	...	...	W	2	...	"	30.32	770.0	...	...	W	1	...
Tokio,	"	30.20	767 0	...	...	ENE	1	...	"	30.36	771.0	...	...	E	1	...
Kochi,	"	30.20	767.0	...	...	SSE	1	...	"	30.32	770.0	...	...	WSW	1	...
Nagasaki,	"	30.20	767.0	...	...	W	1	...	"	30.22	767.5	...	...	SE	1	...
Kagoshima,	"	...	...	...	...	...	...	...	"	30.24	768 0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.12	765.0	...	...	NE	1	...	"	30.18	766.5	...	...	NE	1	...
Weihaiwei,	14	29.93	760.2	68	65	SSE	2	b	6	29.99	761.7	54	92	SE	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.08	764.0	75	56	SSE	4	b	"	30.03	762.7	63	82	SSE	2	o
Gutzlaff,	"	30.06	763.5	65	73	SSE	6	b	"	30.06	763.5	56	94	SSE	6	o
Sharp Peak,	14	30.03	762.7	77	71	N	2	o	7	29.93	760.2	68	87	N	2	cf
Amoy,	15	29.94	760.5	74	81	SSE	4	b	6	29.92	759.9	68	95	SSW	1	b
Swatow,	"	30.07	763.8	72	76	E	2	c	"	30.05	763.2	69	80	NNE	1	c
Taihoku,	12	29.99	761.7	82	51	E	4	b	"	29.93	760.2	66	82	E	2	o
Taichu,	"	29.99	761.7	79	...	W	2	b	"	29.92	759.9	64	...	...	0	b
Tainan,	"	29.98	761.4	82	...	W	2	b	"	29.89	759.3	66	...	ENE	2	o
Koshun,	"	29.95	760.8	82	...	ENE	6	b	"	29.88	759.0	75	...	WNW	6	b
Pescadores,	"	30 00	762.0	77	...	NNW	4	b	"	29.92	759.9	72	...	N	4	b
Canton,	15	29.86	758.4	79	66	SE	2	o	"	29.90	759.4	71	85	SE	2	o
Hongkong,	14	29.92	759.9	75	65	E	4	c	"	29.89	759 2	70	83	E	3	o
Gap Rock,	"	29.91	759.7	...	...	NE	4	b	"	29.87	758.7	...	...	ENE	4	c
Macao,	"	29.86	758.4	77	76	ESE	2	o	"	29.87	758.7	72	92	ESE	2	o
Wuchow,	15	29.82	757.4	78	70	E	2	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.80	756.9	77	86	SSE	4	o	7	29.81	757.2	73	94	SE	6	o
Tourane,	"	29.79	756.6	81	...	SE	2	b	"	29.80	756.9	73	...	SW	2	o
Cape St. James,	"	...	...	...	...	...	...	...	"	29.79	756.6	75	...	NE	4	o
Aparri,	14	29.82	757.5	86	68	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.74	755.4	93	50	W	2	b	"	29.79	756.6	75	85	E	1	b
Legaspi,	"	29.74	755.4	90	63	NE	4	b	"	29.76	756.0	81	86	NNE	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	93	50	NE	4	o	"	29.74	755 4	77	89	N	4	o
Surigao,	"	29 72	754 8	84	74	ENE	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	E	4	o	4.20	29.81	757.2	...	...	E	4	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	84	76	W	4	b	6	29.76	755.9	78	91	W	4	o

April 20*d*. 11*h*. 15*m*.—Pressure has increased considerably over Japan and decreased slightly from Formosa to Indo-China.

A moderate anticyclone is central near Tokio.

There are indications of depressions to the north-west of Weihaiwei and over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 9·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. winds, moderate; fair.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20th April, 1922.								21st April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.27	768.9	43	...	SSE	4	0	6	30.33	770.9	38	...	SSE	1	f
Nemuro,	11	30.28	769.0	...	...	SSE	3	...	5	30.34	770.5	...	...	.	...	...
Hakodate,	"	...	...	...	...	...	...	...	"	30.3	769.5	...	...	NNE	1	...
Tokio,	"	30.31	770.0	...	...	S	2	...	"	30.32	770.0	...	...	...	0	...
Kochi,	"	30.30	769.5	...	...	...	0	...	"	30.30	769.5	...	...	WSW	1	...
Nagasaki,	"	30.22	767.5	...	...	...	0	...	"	30.18	766.5	...	...	...	0	...
Kagoshima,	"	30.24	768.0	...	...	E	1	...	"	30.18	766.5	...	...	E	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.18	766.5	...	...	ENE	2	...	"	30.20	767.0	...	...	NE	1	...
Weihaiwei,	14	30.05	763.2	68	70	SE	1	0	6	30.12	765.0	52	92	E	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.02	762.5	64	88	SE	2	r	"	29.86	758.4	61	100	S	1	o
Gutzlaff,	"	30.02	762.5	60	94	SSE	4	o	"	29.88	758.9	58	100	SSE	4	of
Sharp Peak,	14	29.94	760.5	69	90	...	0	o	7	29.88	758.9	66	100	..	0	o
Amoy,	15	29.88	758.9	72	85	...	0	o	6	29.87	758.7	67	95	SSE	1	o
Swatow,	"	30.03	762.7	73	81	E	1	o	"	30.01	762.2	69	85	E	1	o
Taihoku,	12	29.98	761.4	82	67	SE	2	b	"	29.88	759.0	70	96	...	0	b
Taichu,	"	29.93	760.2	82	...	NNW	2	o	"	29.88	759.0	70	...	...	0	o
Tainan,	"	29.94	760.5	86	...	NW	4	b	"	29.88	759.0	70	...	N	2	r
Koshun,	"	29.92	759.9	86	...	ENE	4	b	"	29.87	758.7	73	...	...	0	o
Pescadores,	"	29.97	761.1	77	...	N	4	b	"	29.92	759.9	72	...	NNE	2	o
Canton,	15	29.85	758.2	80	70	SE	2	o	"	29.88	758.9	73	95	SE	1	o
Hongkong,	14	29.87	758.7	76	71	E	3	c	"	29.88	758.9	72	76	E	2	o
Gap Rock,	"	29.86	758.4	...	...	NE	4	c	"	29.87	758.7	...	...	NE	4	c
Macao,	"	29.86	758.4	81	73	ESE	2	o	"	29.84	757.8	72	94	ESE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.78	756.3	84	68	SSE	6	b	7	...	...	...	...	...	...	...
Tourane,	"	29.75	755.7	82	...	SSE	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.78	756.3	81	...	NE	6	o	"	...	...	...	...	...	...	...
Aparri,	14	29.78	756.3	86	68	NE	4	b	6	29.81	757.2	75	88	...	0	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.72	754.8	93	83	SE	2	o	"	29.80	756.9	75	83	NE	1	b
Legaspi,	"	29.74	755.4	86	68	ENE	4	o	"	29.79	756.6	79	90	E	2	o
Tacloban,	"	...	...	...	...	...	...	...	"	29.78	756.3	77	96	...	0	o
Iloilo,	"	29.68	753.9	90	82	NE	4	o	"	29.75	755.7	79	89	NNW	4	o
Surigao,	"	29.71	754.5	82	84	ENE	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ENE	4	o	4.20	29.81	757.2	...	...	ENE	4	r
Yap,	12.4	29.73	755.1	...	...	ENE	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	86	76	W	2	b	6	29.74	755.4	80	91	SW	2	b

April 21*d.* 11*h.* 45*m.*—Pressure has increased moderately at Wladivostock and Weihaiwei and decreased moderately at Shanghai. Changes since yesterday are small elsewhere.

The anticyclone is central over N.E. Japan.

A depression lies over the Yangtze Vally.

Fog may be expected along the east coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 9·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Hongkong to Gap Rock, ...	N.E. or variable winds, moderate to light; fair.
2.—Formosa Channel.	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,..	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st April, 1922.								22nd April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.29	769.4	43	...	ESE	5	0	6	30.22	767.5	39	...	SSE	4	f
Nemuro,	11	30.28	769.0	...	...	SSE	2	...	5	30.22	767.5	...	...	SSW	1	...
Hakodate,	"	30.30	769.5	...	...	SE	10	...	"	30.30	769.5	...	...	SE	1	...
Tokio,	"	30.28	769.0	...	...	SSE	4	...	"	30.30	769.5	...	...	SW	1	...
Kochi,	"	30.30	769.5	...	...	SSE	1	...	"	30.20	767.0	...	...	SW	1	...
Nagasaki,	"	30.16	766.0	...	...	E	2	...	"	29.96	761.0	...	...	E	5	...
Kagoshima,	"	30.18	766.5	...	...	ESE	3	...	"	29.98	761.5	...	...	E	4	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.18	766.5	...	...	E	1	...	"	30.12	765.0	...	...	ENE	1	...
Weihaiwei,	14	30.10	764.5	60	82	ESE	2	0	6	30.06	763.5	54	80	WNW	1	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.90	759.4	70	77	W	2	0	"	29.95	760.7	55	100	SW	1	0
Gutzlaff,	"	29.90	759.4	65	95	W	2	b	"	29.97	761.2	60	90	W	2	0
Sharp Peak,	14	29.84	757.9	81	74	...	0	0	7	29.88	758.9	67	89	N	2	0
Amoy,	15	29.83	757.7	74	86	SSE	1	0	6	29.84	757.9	70	95	NE	2	0
Swatow,	"	29.97	761.2	81	74	SW	1	c	"	...	...	...	...	...	...	...
Taihoku,	12	29.91	759.6	81	73	NW	2	0	"	29.87	758.7	68	96	...	0	b
Taichu,	"	29.89	759.3	81	...	...	0	0	"	29.87	758.7	68	...	...	0	b
Tainan,	"	29.89	759.3	84	...	W	4	0	"	29.84	757.8	72	...	...	0	0
Koshun,	"	29.89	759.3	82	...	E	4	0	"	29.85	758.1	73	...	...	0	b
Pescadores,	"	29.93	760.2	77	...	N	2	0	"	29.86	758.4	73	...	...	0	b
Canton,	15	298.5	758.2	84	64	SW	1	0	"	29.86	758.4	74	95	...	0	0
Hongkong,	14	29.86	758.4	79	67	E	3	c	"	29.86	758.4	71	92	...	0	bf
Gap Rock,	"	29.88	758.9	...	...	ENE	3	b	"	29.85	758.2	...	...	SSE	1	0
Macao,	"	29.86	758.4	84	68	SE	2	0	"	29.84	757.8	73	94	SW	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.81	757.2	82	77	SSE	6	0	7	29.86	758.4	75	83	SE	4	b
Tourane,	"	29.78	756.3	82	...	SSE	2	b	"	29.84	757.8	73	...	SSE	2	0
Cape St. James,	"	29.79	756.6	81	...	ENE	4	0	"	29.86	758.4	79	...	ENE	4	0
Aparri,	14	29.76	756.0	86	65	NE	4	b	6	29.80	756.9	77	89	S	2	0
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	93	50	W	2	0	"	29.81	757.2	79	89	...	0	0
Legaspi,	"	...	...	...	...	...	...	...	"	29.81	757.2	91	86	ENE	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.69	754.2	90	69	NE	4	0	"	29.79	756.6	79	90	...	0	0
Surigao,	"	29.73	755.1	86	68	ENE	4	0	"	29.79	756.6	75	94	...	0	b
Guam,	12.20	29.76	756.0	...	...	ENE	4	0	4.20	29.85	758.1	...	...	NE	2	0
Yap,	12.4	29.76	756.0	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	76	E	4	b	6	29.81	757.2	78	86	SW	2	r

April 22*d.* 11*h.* 50*m.*—Pressure has decreased considerably over S.W. Japan, moderately at Wladivostock, and slightly at Weihaiwei.

It is nearly stationary over the Philippines and in the neighbourhood of Hongkong, and has increased slightly over Indo-China.

The anticyclone remains stationary over N.E. Japan.

The Chinese depression has moved into the Yellow Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 9·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Hongkong to Gap Rock,	Light, variable winds; fair.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd April, 1922.								23rd April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	30.12	765.1	41	...	WSW	2	0
Nemuro,	11	30.20	767.0	...	...	SSW	4	...	5	30.10	764.5	...	...	SW	5	...
Hakodate,	"	30.22	767.5	...	...	ESE	1	...	"	30.14	765.5	...	...	...	0	...
Tokio,	"	30.24	768.0	...	...	S	4	...	"	30.16	766.0	...	...	S	1	...
Kochi,	"	30.14	765.5	...	...	SE	2	...	"	30.00	762.0	...	...	SSW	1	...
Nagasaki,	"	29.98	761.5	...	...	E	2	...	"	29.88	759.0	...	...	...	...	...
Kagoshima,	"	30.06	763.5	...	...	NE	2	...	"	29.88	759.0	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.08	764.0	...	...	E	1	...	"	30.06	763.5	...	...	...	0	...
Weihaiwei,	14	30.00	762.0	58	81	NNE	1	0	6	29.85	758.2	48	100	N	2	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	13	29.97	761.2	64	84	WNW	2	0	"	29.85	758.2	57	100	W	1	r
Gutzlaff,	"	29.94	760.5	69	80	NNW	1	b	"	29.87	758.7	58	100	NW	2	r
Sharp Peak,	14	29.88	758.9	70	85	N	1	r	7	29.90	759.4	64	95	...	2	r
Amoy,	15	298.0	756.9	72	92	SSE	2	0	6	29.79	756.6	69	95	SSE	1	r
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.86	758.4	86	65	E	2	b	"	29.76	756.0	72	75	...	0	0
Taichu,	"	29.86	758.4	84	...	W	2	b	"	29.78	756.3	73	...	...	0	0
Tainan,	"	29 86	758.4	90	...	N	2	0	"	29.76	756.0	73	...	...	0	0
Koshun,	"	29.86	758.4	86	...	ENE	4	0	"	29.78	756.3	73	...	...	0	0
Pescadores,	"	29.88	759.0	82	...	W	1	b	"	29.79	756.6	73	...	NNW	2	0
Canton,	15	29.79	756.6	85	61	SSW	2	0	"	29.87	758.7	69	85	N	2	0
Hongkong,	14	29.81	757.2	85	58	W	2	c	"	29.83	757.7	74	85	NW	4	0
Gap Rock,	"	29.84	757.9	...	...	WSW	2	c	"	29.83	757.7	...	...	NNW	4	0
Macao,	"	29.81	757.2	86	68	SSW	2	0	"	29.81	757.2	72	92	WNW	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.81	757.2	86	71	SSE	4	0	7	29.92	759.9	73	91	NNW	4	r
Tourane,	"	29.78	756.3	82	...	SE	2	0	"	29.85	758.1	73	...	NW	2	b
Cape St. James,	"	29.80	756.9	90	...	ENE	2	b	"	29.86	758.4	77	...	S	2	0
Aparri,	14	29.73	755.1	86	68	NE	4	b	6	29.80	756.9	77	92	...	0	0
Lagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.72	754.8	97	43	SSE	1	0	"	29.84	757.8	79	85	N	1	0
Legaspi,	"	29.78	756.3	90	63	ENE	2	b	"	29.81	757.2	77	92	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	93	50	NE	4	0	"	29.80	756.9	79	80	NE	2	0
Surigao,	"	29.75	755.7	86	68	E	1	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Saipan,	14	29.84	757.9	80	87	N	1	0	6	29.80	756.9	77	91	SW	4	0

April 23*d.* 11*h.* 30*m.*—Pressure has decreased considerably at Weihaiwei and moderately from Shanghai to N.E. Japan and over Formosa. It has increased slightly over Tongking.

The anticyclone remains stationary over N.E. Japan, but has weakened.

A depression stretches from Formosa to Korea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·90 inches, against an average of 10·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	Westerly or variable winds, moderate; generally cloudy.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd April, 1922.								24th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.06	763.6	61	...	...	0	o	6	29.92	760.0	45	...	...	0	o
Nemuro,	11	30.02	762.5	...	...	SW	6	...	5	30.14	765.5	...	...	...	...	...
Hakodate,	"	30.08	764.0	...	...	SE	2	...	"	30.02	762.5	...	...	...	0	...
Tokio,	"	30.12	765.0	...	...	SSE	1	...	"	29.94	760.5	...	...	SSE	1	...
Kochi,	"	30.00	762.0	...	...	...	...	...	"	29.49	749.0	...	...	SE	6	...
Nagasaki,	"	29.82	757.5	...	...	SE	1	...	"	29.41	747.0	...	...	W	7	...
Kagoshima,	"	29.84	758.0	...	...	...	...	...	"	29.51	749.5	...	...	W	2	...
Oshima,	"	...	...	...	...	...	...	...	"	29.75	755.5	...	...	N	1	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.06	763.5	...	...	E	1	...	"	29.98	761.5	...	...	SSE	3	...
Weihaiwei,	14	29.80	756.9	52	93	E	2	o	6	29.61	752.1	48	100	N	4	bf
Haikow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.84	757.9	61	87	W	4	o	"	29.69	754.1	52	85	W	4	o
Gutzlaff,	"	29.79	756.6	60	100	NW	2	o	"	29.69	754.1	52	88	WNW	6	o
Sharp Peak,	14	29.76	755.9	67	89	NE	1	of	7	29.78	756.4	68	70	WSW	2	of
Amoy,	15	...	...	...	...	...	...	...	6	29.79	756.6	67	79	W	1	o
Swatow,	"	...	...	...	...	...	...	...	"	29.78	756.4	68	74	NNE	1	o
Taihoku,	12	29.79	756.6	72	96	WSW	2	r	"	29.79	756.6	68	81	W	4	o
Taichu,	"	29.81	757.2	72	...	E	2	o	"	29.81	757.2	66	...	...	0	o
Tainan,	"	29.81	757.2	75	...	N	4	r	"	29.78	756.3	70	...	N	7	o
Koshun,	"	29.78	756.3	84	...	WNW	4	o	"	29.76	756.0	73	...	NNW	4	o
Pescadores,	"	29.82	757.5	75	...	...	0	r	"	29.82	757.5	72	...	SW	2	o
Canton,	15	29.86	758.4	76	64	N	2	c	"	29.90	759.4	67	79	N	1	o
Hongkong,	14	29.81	757.2	76	73	NW	4	o	"	29.87	758.7	71	61	...	0	o
Gap Rock,	"	29.83	757.7	...	...	NNW	5	o	"	29.88	758.9	...	...	N	4	c
Macao,	"	29.81	757.2	75	67	NNW	4	o	"	29.85	758.2	68	77	NNW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.97	761.1	68	94	NNW	4	r	7	29.92	759.9	66	85	NNW	2	o
Tourane,	"	29.84	757.8	77	...	NNW	2	of	"	29.87	758.7	72	...	NNW	4	o
Cape St. James,	"	...	...	...	...	...	...	...	"	29.87	758.7	75	...	SW	2	o
Aparri,	14	29.73	755.1	90	62	N	4	o	6	29.79	756.6	72	92	W	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	90	57	NW	4	o	"	29.79	756.6	79	80	NNE	4	b
Legaspi,	"	29.73	755.7	90	66	ENE	4	b	"	29.80	756.9	75	94	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	90	66	SW	4	o	"	29.79	756.6	79	90	...	0	o
Surigao,	"	29.74	755.4	86	72	E	1	b	"	29.80	756.9	73	96	...	0	o
Guam,	12.20	29.82	757.5	...	...	E	4	o	4.20	29.79	756.6	...	...	E	2	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	29.81	757.2	...	...	ENE	1	o
Labuan,	14	29.80	756.9	86	76	SW	2	b	6	29.83	757.7	78	91	SW	4	b

April 24*d.* 11*h.* 39*m.*—Pressure has decreased considerably from S.W. Japan to Weihaiwei and moderately at Wladivostock, Shanghai and Foochow. It has increased slightly from Formosa to Hongkong.

The depression has deepened. It was to the north of Nagasaki at 6 a.m. this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 11·92 inches, against an average of 10·26 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, light to moderate; fine to [cloudy.
2.—Formosa Channel,	N.E. winds, moderate
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th April, 1922.								25th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.72	755.0	55	...	N	4	o	6	29.33	744.9	44	...	NNW	4	or
Nemuro,	11	30.03	764.0	...	...	E	2	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.90	759.5	...	...	E	3	...	"	...	...	...	...	...	...	...
Tokio,	"	29.82	757.5	...	...	S	3	...	"	...	...	...	...	...	...	...
Kochi,	"	29.49	749.0	...	...	SW	2	...	"	...	...	...	...	...	...	...
Nagasaki,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.57	751.0	...	...	WNW	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.96	761.0	...	...	SSE	3	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.48	748.8	56	81	NW	1	o	6	29.47	748.5	58	76	NW	1	b
Haikow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.71	754.6	55	90	W	1	r	"	29.78	756.4	52	87	WSW	2	b
Gutzlaff,	"	297.0	754.4	54	94	W	1	o	"	29.79	756.6	58	81	WSW	4	b
Sharp Peak,	14	29.73	755.1	80	53	S	2	b	7	29.82	757.4	70	90	...	0	b
Amoy,	15	29.73	755.1	73	65	WSW	1	o	6	29.78	756.4	63	91	WSW	1	o
Swatow,	"	...	...	...	...	...	...	...	"	29.75	755.6	70	70	NW	1	o
Taihoku,	12	29.80	756.9	77	64	W	6	b	"	29.86	758.4	57	98	...	2	o
Taichu,	"	29.85	758.1	75	...	N	2	o	"	29.84	757.8	59	...	...	0	b
Tainan,	"	29.82	757.5	77	...	N	1	o	"	29.81	757.2	64	...	N	2	o
Koshun,	"	29.79	756.6	79	...	NNW	1	o	"	29.81	757.2	66	...	...	0	o
Pescadores,	"	29.85	758.1	77	...	NNW	1	o	"	29.80	756.9	68	...	...	0	b
Canton,	15	29.85	758.2	80	96	NNW	1	o	"	29.83	757.7	69	85	...	0	o
Hongkong,	14	29.84	757.9	82	35	E	2	c	"	29.81	757.2	71	79	...	0	o
Gap Rock,	"	29.86	758.4	...	...	N	2	c	"	29.82	757.4	...	...	SW	2	o
Macao,	"	29.84	757.8	79	42	ESE	2	o	"	29.79	756.6	70	77	SSW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.85	758.1	82	48	SSE	2	o	7	29.85	758.1	72	82	SW	1	o
Tourane,	"	29.82	757.5	75	...	N	4	o	"	29.82	757.5	73	...	...	0	o
Cape St. James,	"	29.82	757.5	82	...	S	2	o	"	29.86	758.4	77	...	...	0	o
Aparri,	14	29.72	754.8	85	61	NNW	4	b	6	29.81	757.2	75	92	...	0	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.72	754.8	90	55	WSW	4	b	"	29.79	756.6	75	85	N	1	b
Legaspi,	"	29.71	754.5	90	63	NE	2	o	"	29.80	756.9	77	92	...	0	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	90	69	SW	4	o	"	29.78	756.3	79	92	WSW	2	o
Surigao,	"	29.73	755.1	86	68	ENE	1	b	"	29.79	756.6	73	96	SW	1	b
Guam,	12.20	29.73	755.1	...	...	E	4	o	4.20	29.81	757.2	...	...	ENE	4	o
Yap,	12.4	29.75	755.7	...	...	ENE	1	b	4.47	...	...	...	...	...	...	...
Saipan	14	29.79	756.6	88	69	W	2	b	6	29.82	757.4	78	95	SW	6	b

April 25*d.* 11*h.* 57*m.*—Pressure has decreased very considerably at Wladivostock, moderately at Weihaiwei and slightly from Hongkong to Tongking. It has increased slightly from Shanghai to Formosa.

The depression is now central near Wladivostock.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 11·91 inches, against an average of 10·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.W. or variable winds, fresh to moderate; overcast, [rain.
2.—Formosa Channel.	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks...	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,...	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th April, 1922.								26th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.32	744.8	47	...	NNW	5	o	6	29.50	749.3	43	...	E	4	b
Nemuro,	11	29.45	748.0	...	...	S	3	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.41	747.0	...	...	W	1	...	"	...	...	...	...	...	...	...
Tokio,	"	29.51	749.5	...	...	S	5	...	"	...	...	...	...	...	...	...
Kochi,	"	29.59	751.5	...	...	NW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.69	754.0	...	...	SW	6	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.72	755.0	...	...	WNW	4	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.92	760.0	...	...	S	5	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.50	749.3	71	62	N	1	b	6	29.60	751.8	58	81	W	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.80	756.9	75	42	WSW	4	b	"	29.82	757.4	54	88	SSW	1	b
Gutzlaff,	"	29.77	756.1	67	64	WSW	4	b	"	29.85	758.2	60	71	SW	4	b
Sharp Peak,	14	29.82	757.4	74	76	...	o	o	7	29.64	757.9	68	85	W	1	o
Amoy,	15	29.80	756.9	71	80	SSE	1	o	6	29.82	757.4	67	91	WSW	4	o
Swatow,	"	...	...	...	...	...	...	...	"	29.78	756.4	69	85	WSW	1	o
Taiboku,	12	29.84	757.8	77	61	ENE	2	o	"	29.87	758.7	66	94	W	2	o
Taichu,	"	29.85	758.1	73	...	...	o	o	"	29.86	758.4	66	...	...	o	o
Tainan,	"	29.82	757.5	84	...	N	2	o	"	29.85	758.1	68	...	NNE	2	o
Koshun,	"	29.82	757.5	86	...	NE	4	b	"	29.84	757.8	68	...	...	o	o
Pescadores,	"	29.86	758.4	79	...	NNE	4	b	"	29.87	758.7	72	...	NW	4	o
Canton,	15	29.88	758.9	71	80	N	2	o	"	29.89	759.2	64	95	W	1	or
Hongkong,	14	29.88	758.9	69	80	NNE	2	od	"	29.88	758.9	65	89	...	o	o
Gap Rock,	"	29.88	758.9	...	...	NNW	5	o	"	29.87	758.7	...	...	NNE	3	o
Macao,	"	29.87	758.7	66	87	N	4	r	"	29.91	759.6	64	92	NNE	2	r
Wuchow,	15	29.92	759.9	71	76	NW	1	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.82	757.5	70	92	SE	4	r	7	29.81	757.2	66	98	NNE	4	rf
Tourane,	"	29.76	756.0	81	...	SSE	2	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.81	757.2	90	...	SE	2	b	"	29.88	759.0	75	...	SW	2	o
Aparri,	14	29.74	755.4	86	58	N	4	b	6	29.85	758.1	73	91	W	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.72	754.8	90	55	W	4	b	"	29.82	757.5	75	89	...	o	b
Legaspi,	"	29.73	755.1	86	78	...	o	o	"	29.82	757.5	75	94	...	o	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	90	66	SSW	4	o	"	29.82	757.2	79	89	...	o	o
Surigao,	"	29.73	755.1	86	65	NNW	1	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	E	4	o	4.20	29.81	757.2	...	...	ENE	2	r
Yap,	12.4	29.76	756.0	...	...	E	2	o	4.47	...	...	...	...	...	...	...
Labuan	14	29.84	757.9	84	79	N	2	b	6	29.83	757.7	78	95	SW	4	o

April 26*d.* 12*h.* 20*m.*— Pressure has increased moderately at Wladivostock and Weihaiwei, and slightly from Shanghai to the Philippines and Hongkong. It has decreased slightly over N. Indo-China, where a depression appears to have formed.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day. 0·20 inch. Total since January 1st, 12·11 inches, against an average of 10·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	N.E. or variable winds, moderate; overcast, occasional rain.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th April, 1922.								27th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.45	748.0	44	...	SE	5	f	6	29.71	754.5	42	...	...	0	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.59	751.5	...	...	SSE	1	...
Hakodate,	"	...	...	...	...	...	...	...	"	29.61	752.5	...	...	SSW	1	...
Tokio,	"	...	...	...	...	...	...	...	"	29.88	759.0	...	...	...	...	...
Kochi,	"	...	...	...	...	...	...	...	"	29.98	761.5	...	...	W	1	...
Nagasaki,	"	...	...	...	...	...	...	...	"	30.02	762.5	...	...	SE	1	...
Kagoshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	W	2	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	...	...	...	...	...	...	...	"	29.99	761.0	...	...	S	2	...
Weihaiwei,	14	29.57	751.1	76	56	SSW	2	b	6	29.70	754.4	65	73	S	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.89	759.2	81	38	WSW	2	b	"	29.92	759.9	57	91	S	1	b
Gutzlaff,	"	29.83	758.9	75	44	WSW	2	b	"	29.95	760.7	60	71	S	2	b
Sharp Peak,	14	29.87	758.7	80	62	...	0	cf	7	29.90	759.4	69	80	...	0	b
Amoy,	15	29.84	757.9	75	72	SSE	2	o	6	29.86	758.4	68	91	W	2	o
Swatow,	"	...	...	...	...	...	...	...	"	29.81	757.2	67	84	NE	1	o
Taiboku,	12	29.92	759.9	79	61	SE	2	b	"	29.92	759.9	64	92	...	0	o
Taichu,	"	29.89	759.3	77	...	...	0	o	"	29.91	759.6	68	...	...	0	o
Tainan,	"	29.89	759.3	79	...	NNE	2	o	"	29.88	759.0	72	...	...	0	o
Koshun,	"	29.92	759.9	77	...	ENE	4	r	"	29.89	759.3	72	...	ENE	4	o
Pescadores,	"	29.92	759.9	79	...	NE	2	o	"	29.91	759.6	72	...	N	2	o
Canton,	15	29.89	759.2	73	67	...	0	cr	"	29.85	758.9	64	95	ENE	1	or
Hongkong,	14	29.90	759.4	67	90	W	2	orf	"	29.84	757.9	67	82	E	4	o
Gap Rock,	"	29.90	759.4	...	...	NW	4	o	"	29.83	757.7	...	...	ENE	4	od
Macao,	"	29.86	758.4	64	96	NNW	2	r	"	29.81	757.2	64	96	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.86	758.4	68	91	NW	2	r	7	29.87	758.7	68	96	WSW	2	of
Tourane,	"	29.76	756.0	79	...	NW	2	o	"	29.81	757.2	75	...	N	2	o
Cape St. James,	"	...	...	...	...	...	...	...	"	29.85	758.1	77	...	SW	2	b
Aparri,	14	29.80	756.9	85	58	N	4	b	6	29.87	758.7	73	85	S	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	756.0	90	57	W	2	b	"	29.85	758.1	79	90	NE	1	o
Legaspi,	"	29.76	756.0	90	66	ENE	2	o	"	29.85	758.1	81	86	ENE	2	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.7	90	69	SW	4	o	"	29.84	757.8	77	88	...	0	o
Surigao,	"	29.76	756.0	86	58	NW	2	b	"	29.84	757.8	77	94	ENE	1	b
Guam,	12.20	29.78	756.3	...	...	E	4	o	4.20	29.82	757.5	...	...	ENE	2	o
Yap,	12.4	29.79	756.6	..	...	ENE	2	o	4.47	...	...	..	..	...	...	...
Labuan	14	29.83	757.7	86	76	SW	2	b	6	29.83	757.7	80	91	W	6	b

April 27*d*. 12*h*. 70*m*.— Pressure has increased slightly to moderately in all districts except in the neighbourhood of Hongkong where it has decreased slightly. A feeble anticyclone is central over the Loochoos and depressions are shown to the north of Hokkaido and to the south-west of Hongkong.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·35 inch. Total since January 1st, 12·46 inches, against an average of 10·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Hongkong to Gap Rock.	E. winds, moderate, overcast, occasional rain.
2.—Formosa Channel.	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks.	The same as No. 1.
4.—South coast of China between Hongkong and Hainan.	The same as No. 1.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th April, 1922.								28th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.69	754.1	55	...	NE	1	o	6	29.81	75 .2	45	...	ESE	1	b
Nemuro,	11	29.88	759.0	...	...	SW	5	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.67	753.5	...	...	SW	4	...	"	...	...	...	...	...	...	...
Tokio,	"	29.84	758.0	...	...	S	2	...	"	...	...	...	...	...	...	...
Kochi,	"	29.98	761.5	...	...	SE	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	30.04	763.0	...	...	W	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	30.04	763.0	...	...	S	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.00	762.0	...	...	NE	4	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.71	754.6	83	46	SW	2	b	6	29.80	756.9	60	88	SSE	4	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.98	761.5	82	48	SSE	2	b	"	29.83	758.9	61	99	SSE	1	o
Gutzlaff,	"	29.94	760.5	66	60	SSE	4	o	"	29.91	759.7	60	100	SSE	2	o
Sharp Peak,	14	29.93	760.2	72	76	...	o	r	7	29.85	758.2	62	93	...	o	rf
Amoy,	15	29.91	759.7	67	84	...	o	o	6	29.81	757.2	64	100	NW	2	r
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.95	760.8	75	76	SE	2	o	"	29.84	757.8	64	96	...	o	o
Taichu,	"	29.94	760.5	73	...	N	2	r	"	29.82	757.5	66	...	...	o	o
Tainan,	"	29.92	759.9	81	...	N	2	o	"	29.80	756.9	68	...	...	o	o
Koshun,	"	29.92	759.9	79	...	ENE	4	o	"	29.82	757.5	75	...	N	2	b
Pescadores,	"	29.93	760.8	73	...	NE	2	o	"	29.81	757.2	72	...	NNE	2	o
Canton,	15	29.82	757.4	67	90	ENE	1	cr	"	29.81	757.2	66	95	E	1	o
Hongkong,	14	29.81	757.2	68	91	E	5	od	"	29.79	756.6	68	94	E	3	o
Gap Rock,	"	29.83	757.7	...	...	ENE	5	cr	"	29.78	756.4	...	...	NNE	3	of
Macao,	"	29.80	756.9	66	96	NNE	2	r	"	29.81	757.2	68	100	NNW	2	cd
Wuchow,	15	...	...	...	...	...	...	...	9	29.82	757.4	79	95	NE	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.78	756.3	75	79	SE	4	o	7	29.75	755.7	70	98	E	2	o
Tourane,	"	29.76	756.0	79	...	N	2	o	"	29.72	754.8	54	...	SSW	6	b
Cape St. James,	"	29.78	756.3	90	...	S	2	o	"	29.84	757.8	79	...	SSW	2	o
Aparri,	14	29.78	756.3	90	63	NE	4	o	6	...	...	...	...	...	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	97	47	SSW	4	o	"	29.82	757.5	77	89	...	o	b
Legaspi,	"	29.80	756.9	85	68	ENE	2	o	"	...	...	...	...	...	...	...
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.74	755.4	93	46	NE	4	o	"	29.82	757.5	77	89	ENE	1	o
Surigao,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ENE	4	o	4.20	29.79	756.6	...	...	ENE	2	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29.84	757.9	88	73	N	2	b	6	29.85	758.2	80	91	SW	4	b

April 28*d*. 11*h*. 59*m*.—Pressure has increased slightly at Wladivostock and Weihaiwei. It has decreased slightly from Shanghai to Hongkong and the Philippines, and moderately over N. Indo-China.

The depression to the south-west of Hongkong has deepened slightly and moved north-westward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st, 12·55 inches, against an average of 11·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	E. winds, moderate; overcast, occasional rain.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th APRIL, 1922.								29th APRIL, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.77	756.1	53	...	SE	5	b	6	30.03	762.7	40	...	NNW	4	o
Nemuro,	11	29.67	753.5	...	...	SE	3	...	5	29.71	754.5	...	...	NNW	3	...
Hakodate,	"	29.74	755.5	...	...	...	0	...	"	29.82	757.5	...	...	NW	3	...
Tokio,	"	29.82	757.5	...	...	S	2	...	"	29.78	756.5	...	...	NW	1	...
Kochi,	"	29.96	761.0	...	...	SE	1	...	"	29.78	756.5	...	...	W	7	...
Nagasaki,	"	29.96	761.0	...	...	W	1	...	"	29.75	755.5	...	...	...	0	...
Kagoshima,	"	...	...	...	...	...	...	...	"	29.73	755.0	...	...	ENE	2	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.92	760.0	...	...	NNE	1	...	"	29.84	758.0	...	...	...	...	...
Weihaiwei,	14	29.75	755.6	68	79	S	2	o	6	29.75	755.6	56	100	SE	1	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.88	758.9	63	83	SSE	1	o	"	29.70	764.4	59	98	N	1	r
Gutzlaff,	"	29.86	758.4	56	100	SE	2	r	"	29.66	763.3	58	100	NNW	2	of
Sharp Peak,	14	29.76	755.9	72	85	E	1	o	7	29.69	754.1	68	100	...	0	b
Amoy,	15	29.73	755.1	70	85	WNW	1	o	6	29.67	753.6	69	95	SE	1	o
Swatow,	"	29.68	753.9	71	80	SW	1	o	"	...	...	...	...	...	...	...
Taihoku,	12	29.80	756.9	79	69	NNW	2	b	"	29.68	753.9	72	...	...	0	r
Taichu,	"	29.82	757.5	75	...	WNW	2	o	"	29.73	755.1	55	...	ESE	2	o
Tainan,	"	29.85	758.1	82	...	S	4	o	"	29.74	755.4	72	...	SE	4	o
Koshun,	"	29.84	757.8	90	...	S	4	b	"	29.75	755.7	75	...	NW	2	o
Pescadores,	"	29.84	757.8	79	...	S	4	o	"	29.74	755.4	75	...	S	2	b
Canton,	15	29.75	755.6	74	86	...	0	cr	"	29.73	755.1	69	95	N	1	o
Hongkong,	14	29.76	755.9	72	88	E	3	o	"	29.71	754.6	71	95	E	1	orf
Gap Rock,	"	29.76	755.9	...	...	ENE	3	c	"	29.69	754.1	...	...	S	3	f
Macao,	"	29.74	755.4	77	85	E	2	o	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.69	754.2	75	92	E	1	of	7	29.71	754.5	73	100	NE	2	cf
Tourane,	"	29.66	753.3	86	...	SE	2	b	"	29.66	753.3	84	...	W	2	b
Cape St. James,	"	29.76	756.0	86	...	S	2	o	"	29.80	756.9	79	...	SW	2	b
Aparri,	14	29.74	755.4	86	78	NNE	4	o	6	29.80	756.9	75	91	SW	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.74	755.4	90	38	WSW	4	b	"	29.80	756.9	77	94	E	1	o
Legaspi,	"	29.76	756.0	90	60	ENE	2	b	"	29.80	756.9	75	92	...	0	b
Tacloban,	"	29.78	756.3	86	72	S	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.80	756.9	77	89	N	1	o
Surigao,	"	29.75	756.0	90	69	ENE	2	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	2	o	4.20	29.76	756.0	...	...	NE	2	o
Yap,	12.4	29.73	755.1	...	...	NE	1	o	4.47	...	...	...	...	...	...	...
Sabang	14	29.79	756.6	88	73	SW	2	b	6	29.79	756.6	80	87	SW	2	b

April 29*d*. 11*h*. 43*m*.—Pressure has increased considerably at Wladivostock. It has decreased considerably from S.W. Japan to Shanghai, moderately at Foochow and Amoy, and slightly from Formosa to Indo-China.

The depression to the south-west of Hongkong is stationary. It has deepened slightly.

A depression is central to the east of Shanghai.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·03 inch. Total since January 1st, 13·58 inches, against an average of 11·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Hongkong to Gap Rock,	S.W. or variable winds, moderate to light; generally overcast, occasional rain, fog.
2.—Formosa Channel,	The same as No. 1.
3.—South coast of China between Hongkong and Lamcocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th April, 1922.								30th April, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.96	761.0	57	...	NW	2	c	6	29.96	761.0	42	...	SE	6	o
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.84	758.0	...	...	N	5	...	"	...	...	...	...	...	...	...
Tokio,	"	29.74	755.5	...	...	NE	6	...	"	...	...	...	...	...	...	...
Kochi,	"	29.72	755.0	...	...	S	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.69	754.0	...	...	E	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.69	754.0	...	...	NE	4	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.82	757.5	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.70	754.4	67	74	SSE	2	b	6	29.86	758.4	56	94	...	0	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.70	754.4	63	86	NNE	1	r	"	29.90	759.4	50	100	S	1	lf
Gutzlaff,	"	29.75	760.7	60	76	N	4	o	"	29.90	759.4	54	100	NNE	1	b
Sharp Peak,	14	29.67	753.6	80	80	ESE	2	b	7	29.81	757.2	65	89	E	4	o
Amoy,	15	29.62	752.3	80	92	SSE	1	b	6	29.70	754.4	71	95	...	0	lf
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taiboku,	12	29.72	754.8	72	96	N	2	r	"	29.78	756.3	72	94	ENE	4	r
Taichu,	"	29.75	755.7	75	...	SW	4	o	"	29.76	756.0	73	...	...	0	o
Tainan,	"	29.87	758.7	79	...	S	4	r	"	29.75	755.7	77	...	WSW	2	r
Koshun,	"	...	...	...	...	...	...	...	"	29.76	756.0	79	...	NW	2	o
Pescadores,	"	29.75	755.7	79	...	SW	4	b	"	29.75	755.7	75	...	SW	2	o
Canton,	15	29.67	753.6	84	75	SW	1	c	"	29.71	754.6	76	95	E	1	o
Hongkong,	14	29.70	754.4	83	80	W	3	o	"	29.72	754.9	77	97	WSW	1	om
Gap Rock,	"	29.72	754.9	...	...	SSW	3	cm	"	29.71	754.6	...	...	S	3	f
Macao,	"	29.69	754.2	82	84	E	2	o	"	29.69	754.2	77	100	WSW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	29.75	755.6	78	86	E	1	b
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.65	753.0	81	86	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	"	29.63	752.7	86	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.76	756.0	83	...	S	2	o	"	...	...	...	...	...	...	...
Aparri,	14	29.58	751.2	90	66	N	4	b	6	29.80	756.9	77	91	...	0	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	90	57	W	4	b	"	29.80	756.9	89	89	...	0	b
Legaspi,	"	29.73	755.1	90	63	ENE	2	b	"	29.81	757.2	75	94	E	1	r
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.71	754.5	90	60	SW	4	o	"	29.79	756.6	79	87	...	0	o
Surigao,	"	29.73	755.1	90	69	ENE	2	b	"	29.80	756.9	73	96	S	1	b
Guam,	12.20	29.69	754.2	...	...	S	4	o	4.20	29.78	756.3	...	...	ENE	1	o
Yap,	12.4	29.76	756.0	...	...	E	1	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	90	66	SW	2	b	6	29.80	756.9	80	91	SW	2	b

April 30*d.* 12*h.* 35*m.*— Pressure has increased considerably at Shanghai and moderately at Foochow. Changes are slight at other reporting stations. The southern depression is now central between Tourane and Haiphong.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·26 inch. Total since January 1st, 13·84 inches, against an average of 11·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Hongkong to Gap Rock,	S.E. winds, moderate; generally cloudy, some rain.
2.—Formosa Channel,	Variable winds, freshening from N.E.
3.—South coast of China between Hongkong and Lamocks,	Variable winds, light to moderate.
4.—South coast of China between Hongkong and Hainan,	The same as No. 3.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

MAY,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

MAY,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of MAY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·740	29·736	29·722	29·705	29·718	29·733	29·756	29·776	29·790	29·787	29·784	29·776	1
2	29·774	29·760	29·735	29·736	29·750	29·762	29·778	29·800	29·812	29·820	29·817	29·808	2
3	29·766	29·751	29·742	29·748	29·755	29·772	29·793	29·808	29·809	29·812	29·801	29·804	3
4	29·818	29·793	29·775	29·766	29·797	29·779	29·781	29·807	29·815	29·817	29·816	29·812	4
5	29·810	29·797	29·779	29·773	29·783	29·801	29·814	29·840	29·844	29·848	29·858	29·842	5
6	29·834	29·806	29·806	29·794	29·799	29·813	29·834	29·855	29·859	29·868	29·866	29·848	6
7	29·808	29·788	29·783	29·775	29·786	29·793	29·803	29·817	29·824	29·838	29·826	29·812	7
8	29·772	29·761	29·752	29·751	29·757	29·775	29·777	29·791	29·810	29·824	29·818	29·798	8
9	29·715	29·715	29·702	29·695	29·689	29·695	29·694	29·706	29·716	29·728	29·720	29·710	9
10	29·681	29·675	29·667	29·665	29·679	29·705	29·715	29·727	29·740	29·750	29·737	29·729	10
11	29·740	29·718	29·705	29·706	29·713	29·715	29·733	29·755	29·766	29·785	29·774	29·763	11
12	29·774	29·758	29·750	29·752	29·752	29·760	29·785	29·804	29·816	29·822	29·820	29·816	12
13	29·792	29·792	29·770	29·772	29·770	29·780	29·799	29·816	29·828	29·836	29·831	29·818	13
14	29·757	29·749	29·740	29·738	29·732	29·750	29·765	29·782	29·791	29·791	29·791	29·776	14
15	29·694	29·680	29·668	29·662	29·661	29·662	29·668	29·672	29·681	29·682	29·673	29·650	15
16	29·588	29·581	29·559	29·587	29·589	29·619	29·631	29·627	29·648	29·675	29·666	29·641	16
17	29·740	29·738	29·730	29·738	29·741	29·743	29·763	29·774	29·806	29·816	29·817	29·824	17
18	29·837	29·827	29·810	29·810	29·812	29·828	29·838	29·847	29·854	29·862	29·857	29·839	18
19	29·785	29·765	29·756	29·757	29·759	29·761	29·769	29·778	29·780	29·773	29·754	29·728	19
20	29·676	29·674	29·660	29·657	29·660	29·676	29·683	29·692	29·688	29·698	29·689	29·686	20
21	29·653	29·643	29·645	29·645	29·647	29·658	29·675	29·681	29·693	29·702	29·697	29·684	21
22	29·660	29·646	29·634	29·630	29·636	29·647	29·660	29·674	29·671	29·695	29·704	29·684	22
23	29·657	29·630	29·624	29·619	29·626	29·642	29·660	29·675	29·684	29·701	29·701	29·691	23
24	29·665	29·659	29·654	29·651	29·657	29·665	29·687	29·701	29·707	29·702	29·690	29·679	24
25	29·658	29·647	29·647	29·634	29·631	29·644	29·665	29·675	29·674	29·688	29·685	29·686	25
26	29·644	29·635	29·634	29·634	29·624	29·635	29·645	29·675	29·679	29·685	29·696	29·686	26
27	29·667	29·651	29·646	29·635	29·648	29·649	29·668	29·680	29·693	29·702	29·690	29·690	27
28	29·675	29·677	29·673	29·669	29·667	29·671	29·683	29·694	29·704	29·715	29·715	29·701	28
29	29·647	29·654	29·661	29·661	29·667	29·669	29·681	29·691	29·701	29·708	29·699	29·686	29
30	29·665	29·648	29·639	29·643	29·640	29·639	29·633	29·651	29·665	29·672	29·656	29·647	30
31	29·717	29·714	29·692	29·702	29·700	29·701	29·719	29·739	29·753	29·757	29·756	29·746	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·770	29·754	29·740	29·713	29·714	29·717	29·721	29·744	29·772	29·796	29·779	29·788	1
2	29·776	29·754	29·742	29·734	29·734	29·747	29·769	29·817	29·807	29·798	29·760	29·766	2
3	29·790	29·772	29·740	29·729	29·734	29·750	29·774	29·795	29·792	29·818	29·833	29·836	3
4	29·794	29·778	29·771	29·755	29·770	29·775	29·789	29·779	29·774	29·825	29·841	29·826	4
5	29·831	29·811	29·787	29·775	29·765	29·777	29·808	29·808	29·836	29·864	29·883	29·868	5
6	29·826	29·802	29·772	29·758	29·748	29·757	29·760	29·786	29·796	29·803	29·817	29·810	6
7	29·792	29·761	29·739	29·719	29·709	29·718	29·727	29·743	29·761	29·779	29·790	29·791	7
8	29·782	29·752	29·726	29·704	29·696	29·684	29·695	29·710	29·726	29·740	29·747	29·736	8
9	29·682	29·674	29·662	29·650	29·630	29·638	29·654	29·691	29·717	29·731	29·721	29·711	9
10	29·724	29·695	29·691	29·679	29·675	29·689	29·709	29·713	29·727	29·743	29·742	29·738	10
11	29·737	29·721	29·704	29·703	29·699	29·706	29·734	29·748	29·769	29·788	29·784	29·784	11
12	29·796	29·774	29·753	29·747	29·744	29·752	29·765	29·782	29·806	29·816	29·820	29·804	12
13	29·807	29·777	29·753	29·740	29·739	29·723	29·745	29·762	29·793	29·779	29·795	29·775	13
14	29·753	29·728	29·717	29·700	29·686	29·693	29·686	29·692	29·712	29·719	29·714	29·708	14
15	29·610	29·594	29·592	29·568	29·559	29·553	29·581	29·601	29·611	29·621	29·630	29·615	15
16	29·684	29·686	29·666	29·633	29·650	29·650	29·664	29·665	29·688	29·722	29·726	29·732	16
17	29·814	29·800	29·782	29·770	29·768	29·776	29·811	29·825	29·831	29·859	29·855	29·849	17
18	29·817	29·807	29·777	29·770	29·760	29·768	29·778	29·792	29·792	29·805	29·803	29·791	18
19	29·703	29·678	29·655	29·640	29·624	29·637	29·654	29·676	29·695	29·703	29·699	29·687	19
20	29·670	29·645	29·626	29·609	29·600	29·611	29·647	29·640	29·647	29·651	29·666	29·666	20
21	29·662	29·646	29·626	29·607	29·614	29·628	29·638	29·648	29·670	29·688	29·688	29·676	21
22	29·674	29·624	29·608	29·586	29·591	29·610	29·633	29·648	29·670	29·672	29·682	29·662	22
23	29·679	29·666	29·644	29·626	29·619	29·636	29·663	29·670	29·682	29·688	29·681	29·673	23
24	29·671	29·650	29·634	29·610	29·605	29·605	29·627	29·643	29·662	29·684	29·683	29·664	24
25	29·661	29·638	29·618	29·606	29·600	29·625	29·628	29·651	29·662	29·672	29·685	29·660	25
26	29·671	29·653	29·627	29·631	29·625	29·617	29·616	29·631	29·643	29·657	29·672	29·670	26
27	29·680	29·662	29·647	29·641	29·636	29·643	29·650	29·667	29·667	29·669	29·677	29·675	27
28	29·685	29·669	29·656	29·645	29·638	29·640	29·646	29·653	29·655	29·657	29·667	29·651	28
29	29·676	29·660	29·639	29·630	29·619	29·619	29·628	29·649	29·651	29·669	29·686	29·675	29
30	29·641	29·623	29·611	29·585	29·577	29·597	29·612	29·670	29·700	29·678	29·692	29·714	30
31	29·753	29·749	29·748	29·735	29·733	29·734	29·743	29·759	29·769	29·780	29·790	29·786	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of MAY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·4	79·9	78·5	78·6	78·5	78·3	78·6	76·6	76·7	76·2	77·5	77·5	1
2	74·6	74·7	74·4	74·1	74·3	74·5	75·8	76·6	77·5	81·9	81·2	83·5	2
3	72·6	72·4	72·3	72·3	72·2	72·2	73·6	77·0	79·7	81·7	83·8	84·0	3
4	72·9	72·1	71·6	71·6	72·0	72·3	72·5	72·3	72·4	72·8	73·4	73·8	4
5	72·1	72·1	72·2	72·6	72·8	73·0	73·3	73·7	74·5	76·9	76·2	77·2	5
6	74·7	74·4	73·9	73·9	74·1	74·4	75·9	78·0	80·4	83·3	82·6	84·7	6
7	76·6	76·1	76·1	75·7	75·6	75·7	77·1	78·2	80·8	81·6	83·8	82·8	7
8	76·5	76·4	76·0	75·8	75·2	75·0	75·6	77·4	77·6	78·7	79·4	78·6	8
9	76·4	76·5	76·6	76·3	76·0	75·9	78·3	80·2	79·5	83·0	83·2	84·0	9
10	75·0	75·2	74·7	74·9	75·2	75·7	75·6	77·6	78·5	80·0	79·9	81·0	10
11	76·4	76·3	76·1	75·2	75·1	74·9	75·9	77·9	78·6	81·5	81·9	82·8	11
12	75·7	76·2	76·0	75·9	75·9	76·0	76·7	78·7	79·5	79·2	78·7	78·7	12
13	73·3	73·0	72·9	73·2	73·2	73·1	73·3	73·3	73·4	73·7	74·6	75·5	13
14	74·0	74·2	74·2	74·1	74·1	74·3	74·6	74·9	76·3	76·9	76·8	78·3	14
15	77·8	79·0	80·0	80·0	80·2	80·3	81·0	81·9	85·2	84·6	83·6	85·7	15
16	81·2	81·6	81·7	81·8	81·7	81·8	74·1	74·8	75·5	76·2	76·3	76·0	16
17	76·1	76·3	75·4	75·3	74·9	74·8	75·9	74·5	74·5	75·6	77·6	79·0	17
18	75·7	75·6	75·5	75·4	75·2	74·9	76·1	77·3	77·1	78·9	81·0	82·8	18
19	73·5	73·3	73·5	73·1	74·9	74·9	77·1	79·8	80·8	82·4	83·4	84·7	19
20	79·1	78·9	78·9	79·0	79·2	79·1	80·2	81·0	83·2	84·4	85·2	86·1	20
21	79·8	79·6	79·3	78·9	78·7	78·8	79·3	82·7	83·7	82·5	86·2	85·4	21
22	78·9	79·0	78·7	78·1	76·9	76·9	77·1	76·8	78·1	78·9	75·9	76·3	22
23	78·6	78·4	78·4	77·8	77·8	77·8	77·8	78·0	78·6	78·9	79·0	78·9	23
24	76·8	76·7	76·2	75·7	75·8	75·5	75·9	76·1	76·1	77·2	79·8	80·4	24
25	77·7	77·7	77·4	77·1	76·8	77·0	77·7	78·2	79·7	79·8	79·9	80·8	25
26	79·7	80·0	80·7	80·3	80·9	81·2	81·7	82·3	83·0	83·8	83·3	83·8	26
27	81·7	81·6	81·7	81·6	81·9	82·0	82·1	82·5	82·8	83·5	83·7	83·5	27
28	82·3	82·0	82·0	81·9	81·9	82·0	82·2	82·3	81·7	83·7	84·8	84·9	28
29	82·4	82·3	82·2	82·2	82·3	82·7	83·0	83·4	83·9	84·0	84·2	85·1	29
30	82·8	82·8	82·1	82·3	82·4	82·8	83·0	83·9	84·3	84·4	85·5	85·9	30
31	73·7	73·0	72·4	73·0	73·2	73·3	74·8	74·8	75·7	76·4	77·9	77·7	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·2	77·1	77·9	76·8	75·7	74·9	74·4	74·7	75·9	75·5	76·4	75·2	1
2	83·0	82·2	82·1	82·4	81·9	78·0	75·6	74·6	74·0	74·0	73·6	73·5	2
3	83·9	83·3	81·0	79·1	77·9	76·7	76·1	75·8	74·8	74·1	73·5	72·9	3
4	73·9	73·6	73·6	73·3	73·0	73·0	72·8	72·8	73·0	72·0	72·7	72·5	4
5	77·3	76·6	77·1	76·9	76·6	76·6	76·1	75·6	75·2	75·2	75·4	75·2	5
6	82·7	83·1	82·7	80·6	80·9	80·0	78·8	78·3	77·9	77·5	77·1	76·6	6
7	82·8	84·7	85·6	84·2	82·4	81·2	79·3	78·9	77·8	77·6	77·4	77·0	7
8	79·0	79·0	78·1	78·1	77·5	76·7	76·3	75·8	75·8	75·8	76·1	76·3	8
9	85·6	86·0	85·6	84·5	83·0	81·1	80·3	80·4	78·4	75·1	74·8	75·1	9
10	82·8	83·3	83·9	82·4	81·7	79·2	78·1	77·3	76·8	76·7	76·4	76·1	10
11	81·9	83·2	82·3	81·6	80·6	79·8	77·5	75·8	76·2	76·6	76·5	76·2	11
12	78·8	78·8	79·6	76·4	77·6	76·5	75·3	74·3	73·8	73·5	73·2	73·4	12
13	76·3	76·9	76·1	75·4	75·2	74·6	74·4	74·4	74·5	74·5	74·7	74·5	13
14	79·7	79·5	78·8	77·6	77·0	76·7	76·3	76·0	76·1	76·1	76·1	76·6	14
15	86·8	86·5	86·4	84·8	84·1	83·1	82·4	82·3	82·2	82·1	82·2	82·1	15
16	75·9	75·9	76·1	76·1	76·0	76·0	75·6	75·7	75·1	75·6	75·3	75·3	16
17	77·6	76·9	76·8	76·7	76·9	76·2	76·0	76·0	76·1	76·2	75·9	75·8	17
18	80·4	79·7	79·7	79·1	78·5	77·8	76·9	76·5	76·2	76·0	75·8	75·6	18
19	86·0	86·9	85·6	85·7	82·2	81·4	80·1	79·3	79·2	79·0	79·0	79·0	19
20	86·9	87·8	87·2	86·1	84·7	83·1	81·4	80·5	80·2	79·7	79·4	79·0	20
21	83·0	82·6	83·0	82·2	82·2	80·2	80·0	80·0	79·7	79·3	79·5	79·4	21
22	78·0	77·8	78·0	78·6	78·8	79·1	78·6	78·2	78·4	78·5	78·2	78·9	22
23	79·8	79·6	80·0	79·1	78·9	78·6	78·0	77·8	77·8	77·7	77·6	77·2	23
24	81·3	80·5	80·2	80·5	78·9	78·3	77·9	77·7	77·8	77·9	78·0	77·5	24
25	81·3	80·6	80·0	80·0	79·5	76·3	78·5	78·4	78·3	78·4	79·0	79·4	25
26	83·4	84·0	83·5	83·7	82·8	82·4	82·0	82·0	82·0	81·9	81·8	**81·9**	**26**
27	85·2	85·6	86·5	85·0	84·3	83·1	82·8	82·5	82·2	82·0	82·1	**82·1**	**27**
28	85·0	85·6	87·0	85·6	84·6	83·8	82·7	82·6	82·6	82·7	82·7	**82·6**	**28**
29	86·1	87·1	87·2	86·6	85·2	84·5	83·6	83·2	83·0	83·1	82·8	**82·8**	**29**
30	88·6	88·8	87·6	87·1	85·5	84·4	84·0	77·5	77·1	**76·2**	**75·8**	**75·0**	**30**
31	76·2	75·7	75·5	76·0	75·6	75·4	74·0	73·1	73·2	**72·9**	**72·7**	**72·2**	**31**

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of MAY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	76·8	76·4	76·4	76·3	76·5	76·0	76·1	74·9	74·8	74·4	74·9	74·8	1
2	73·9	74·2	73·8	73·8	73·8	74·1	75·1	75·7	76·5	78·9	78·0	78·9	2
3	71·7	71·5	71·2	71·3	71·2	71·1	72·0	73·4	73·9	75·3	75·7	76·2	3
4	71·5	70·8	70·1	70·2	70·6	71·0	71·0	70·7	71·0	71·3	71·7	71·6	4
5	71·0	71·3	71·8	72·1	72·2	72·2	72·7	72·9	73·3	74·5	74·2	74·7	5
6	73·0	72·9	72·1	72·5	72·6	72·7	73·9	74·8	76·2	77·8	77·6	77·9	6
7	75·9	75·0	75·2	74·7	74·9	74·4	75·8	76·1	77·2	77·7	78·4	77·7	7
8	75·4	75·3	74·9	74·8	74·0	73·7	73·7	73·6	73·3	74·5	74·9	74·3	8
9	74·6	74·9	74·8	74·8	74·3	74·2	75·9	76·5	76·5	78·0	77·8	77·4	9
10	72·0	72·8	72·9	72·7	73·3	74·1	74·5	75·0	76·1	76·6	76·0	76·2	10
11	73·7	74·0	74·1	74·0	73·9	73·7	74·3	75·1	74·6	76·5	76·5	77·1	11
12	73·8	73·8	73·9	73·9	73·8	73·9	74·3	75·2	75·2	75·4	75·2	75·5	12
13	70·0	70·1	70·0	70·4	70·4	70·4	70·5	70·6	70·9	71·4	72·1	72·8	13
14	73·0	73·1	73·0	72·9	72·8	73·1	73·2	73·5	73·9	74·5	74·3	75·0	14
15	76·4	76·9	77·1	77·2	77·4	77·2	77·5	77·9	78·7	77·6	77·2	78·7	15
16	78·5	78·5	78·4	78·8	78·6	78·6	72·8	73·6	74·1	74·5	74·8	74·3	16
17	74·5	74·5	73·9	73·3	72·9	72·8	72·7	72·7	72·0	72·4	73·4	74·1	17
18	73·0	72·9	72·7	72·2	72·0	71·9	72·2	72·5	72·9	73·5	75·0	74·3	18
19	73·3	73·6	73·4	73·8	73·6	73·9	74·9	76·0	75·9	76·5	76·6	76·1	19
20	75·8	75·9	75·4	75·8	75·8	75·6	75·6	75·9	77·0	77·5	77·3	77·1	20
21	77·0	77·0	77·0	77·3	77·4	77·5	78·0	78·7	79·9	79·9	81·1	80·1	21
22	77·8	77·8	76·8	77·1	75·4	75·0	75·1	75·2	76·2	74·9	74·1	74·6	22
23	76·8	76·8	76·3	75·9	75·7	75·2	75·3	75·6	75·7	75·5	75·0	75·0	23
24	74·0	73·7	73·1	72·9	72·6	72·5	72·2	72·0	72·2	72·6	73·8	74·2	24
25	74·5	74·6	74·9	74·9	74·3	74·8	74·9	75·6	75·9	76·3	76·5	76·9	25
26	77·2	77·5	77·6	77·6	77·7	77·4	77·9	77·8	78·1	78·6	78·5	78·6	26
27	77·9	77·9	77·8	77·8	77·8	77·7	77·9	77·9	78·2	78·5	78·7	78·9	27
28	77·8	78·0	77·9	77·8	78·0	78·2	78·1	78·3	78·0	78·6	79·1	79·7	28
29	78·7	78·7	78·4	78·5	78·4	78·4	78·6	78·7	78·9	79·2	79·2	81·2	29
30	79·3	79·1	79·4	79·0	78·9	78·5	78·9	79·5	80·1	80·3	82·0	81·5	30
31	70·4	70·0	69·4	69·3	69·0	68·4	68·5	68·1	66·7	67·4	67·7	67·7	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	74·4	74·8	75·4	74·6	73·9	73·4	73·1	73·7	74·5	74·2	75·2	74·3	1
2	78·4	78·2	78·1	78·2	78·1	75·9	73·8	73·3	73·1	73·1	72·3	72·0	2
3	75·6	75·3	75·0	74·8	75·0	74·4	74·1	73·9	73·1	72·7	72·1	71·9	3
4	71·6	71·5	71·5	71·2	71·1	71·0	71·0	71·0	71·0	71·0	71·1	71·0	4
5	74·8	74·4	74·5	74·8	74·8	74·8	74·5	74·3	74·1	74·1	74·4	74·2	5
6	76·5	76·9	76·8	76·0	76·1	76·0	76·1	76·4	76·1	76·0	75·9	75·7	6
7	77·9	76·8	77·1	76·9	76·6	75·9	75·5	74·9	75·8	76·0	75·5	75·7	7
8	74·5	74·3	73·8	74·1	74·0	73·9	73·7	73·9	74·0	74·2	74·4	74·3	8
9	78·0	78·2	78·0	77·2	76·7	76·0	75·9	76·0	73·0	72·5	72·0	72·2	9
10	76·2	76·4	76·3	76·1	76·2	74·7	74·0	73·4	73·3	73·6	73·5	73·0	10
11	75·4	76·8	76·3	76·0	76·6	76·1	74·8	73·5	73·7	73·8	73·9	73·9	11
12	75·9	75·8	76·1	74·8	75·6	74·8	73·4	72·4	72·0	71·6	71·2	71·0	12
13	73·0	73·5	73·0	72·8	72·7	72·3	72·4	72·5	72·7	72·7	72·9	72·8	13
14	76·0	76·0	75·9	75·2	75·0	75·0	74·9	74·9	75·0	75·3	75·2	75·6	14
15	79·3	78·9	78·8	78·0	78·1	77·8	78·1	78·0	78·0	78·0	77·8	78·6	15
16	74·2	74·2	74·4	74·6	74·2	74·1	73·9	74·1	73·3	74·2	73·9	74·0	16
17	73·1	72·9	72·9	72·5	72·7	72·6	72·5	72·6	72·9	73·0	73·0	73·1	17
18	74·2	74·0	74·1	74·2	73·5	73·3	73·2	73·1	73·0	73·1	73·2	73·1	18
19	76·1	76·9	77·2	77·1	76·5	76·0	75·9	75·6	75·8	75·8	75·9	75·9	19
20	77·6	77·5	76·9	76·1	77·1	76·6	76·7	76·8	76·9	77·0	76·9	77·0	20
21	79·2	79·0	79·5	78·7	78·8	78·3	77·9	77·8	77·8	77·6	77·5	77·9	21
22	75·7	75·9	76·0	76·0	76·5	76·2	76·2	76·2	76·4	76·4	76·5	76·6	22
23	75·6	75·0	75·0	74·8	74·6	74·5	74·2	74·3	74·4	74·6	74·4	74·0	23
24	75·4	74·9	74·8	75·2	74·7	74·6	74·4	74·6	74·8	74·9	74·7	74·5	24
25	77·1	77·0	76·9	76·9	76·3	74·4	76·2	75·9	76·2	76·1	76·6	76·9	25
26	78·8	79·1	78·9	79·0	78·8	78·9	78·6	78·5	78·4	78·2	78·0	77·9	26
27	79·7	79·6	80·0	79·9	79·8	78·7	78·3	78·3	78·2	78·2	78·1	78·0	27
28	79·0	79·5	80·5	79·6	79·5	78·9	78·4	78·5	78·5	78·6	78·9	78·8	28
29	80·4	81·1	80·6	80.3	79·8	79·8	79·0	78·8	78·5	78·6	78·7	78·8	29
30	81·1	81·1	80·5	80·0	79·5	79·8	80·1	76·0	75·0	73·2	73·8	72·2	30
31	67·0	67·3	67·0	68·0	67·5	67·4	66·9	66·9	67·2	67·9	67·7	67·9	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of MAY, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	8	7	10	8	9	8	9	10	10	9	9	9	8	10	9	9	9	9	8	10	10	9	10	10	1
2	9	10	10	10	10	10	10	10	10	9	9	8	8	10	9	10	8	10	10	10	10	10	10	9	2
3	...	...	...	...	...	2	...	2	1	2	1	2	5	6	4	5	8	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	4
5	10	10	10	10	10	10	10	10	10	7	9	9	10	10	7	9	8	7	6	6	3	8	10	10	5
6	10	10	9	6	8	8	3	3	4	3	6	5	5	8	7	7	6	9	10	10	5	4	5	3	6
7	...	...	...	...	3	2	...	6	8	7	5	8	3	2	2	3	4	6	4	2	8	9	10	10	7
8	9	10	8	6	10	9	3	6	8	3	4	4	4	2	3	1	1	...	...	1	1	1	4	8	8
9	3	7	4	4	4	7	3	4	8	8	5	5	6	4	5	6	6	6	6	10	10	10	10	10	9
10	10	10	9	8	10	10	10	10	10	10	10	10	8	7	7	10	8	9	10	10	10	10	9	10	10
11	10	10	10	10	10	8	9	8	9	8	8	9	10	10	9	10	10	10	10	10	7	9	6	2	11
12	9	10	9	10	7	8	10	10	10	9	10	10	10	10	10	9	9	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	9	8	8	10	9	10	10	10	10	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	8	6	4	4	7	10	10	10	7	9	5	9	10	14
15	9	10	10	10	10	10	6	5	7	7	6	8	6	7	8	10	10	10	10	9	9	9	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	2	4	7	3	16
17	10	6	10	10	10	10	10	10	10	10	9	8	10	10	10	10	5	8	9	10	10	10	8	6	17
18	10	10	10	10	10	9	3	3	3	3	3	2	2	3	1	2	2	2	8	4	2	2	1	2	18
19	3	8	2	10	9	7	2	3	1	3	3	1	2	2	2	2	4	7	3	2	2	3	5	4	19
20	4	3	4	3	9	7	9	10	9	7	5	3	2	1	2	2	1	2	3	3	8	10	8	9	20
21	8	7	10	6	9	10	8	7	7	7	6	7	9	8	7	7	10	9	10	7	10	9	7	9	21
22	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	6	7	9	10	10	9	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	9	6	8	8	10	10	10	23
24	10	10	10	10	10	10	10	10	10	9	9	4	3	4	2	1	1	1	6	3	8	9	10	2	24
25	10	10	10	10	10	10	10	10	8	9	9	9	8	8	8	9	10	10	5	6	8	6	10	8	25
26	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	9	8	9	10	26
27	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	6	10	10	10	10	9	8	9	9	27
28	10	10	10	10	10	9	10	10	9	10	10	10	10	9	8	8	7	6	8	9	9	10	9	8	28
29	10	10	7	8	10	10	8	9	10	9	9	7	7	7	6	9	9	8	10	10	7	7	10	8	29
30	9	10	10	9	9	10	10	10	10	10	8	7	7	8	8	9	10	10	10	10	10	10	10	10	30
31	10	10	8	10	10	9	9	10	10	10	10	10	10	10	10	10	10	7	8	5	6	1	1	1	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of MAY, 1922.
(... = *No Sunshine recorded.*)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h	h.	h.	h.	h.	h.	
1	...	...	0·2	0·5	0·5	0·7	0·8	0·5	0·2	0·8	0.4	...	...	1
2	...	...	0·2	0·3	0·6	0·9	0·6	0·9	0·4	0·7	0·3	0·1	...	2
3	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	1·0	1·0	0·1	...	3
4	...	...	...	...	0·1	...	...	...	...	...	...	0·1	...	4
5	...	...	...	1·0	0·6	0·6	0·6	0·8	0·4	0·9	0·9	0·8	0·3	5
6	0·1	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·1	...	0·1	...	...	6
7	...	0·8	0·9	0·8	1·0	1·0	0·7	1·0	1·0	1·0	1·0	0·6	...	7
8	0·5	1·0	1·0	1·0	1·0	1·0	0·9	1·0	0·8	1·0	1·0	1·0	0·3	8
9	0·4	1·0	0·8	0·7	0·9	1·0	1·0	1·0	1·0	1·0	0·5	0.7	...	9
10	...	...	...	...	0·2	...	0·2	0·6	0·9	0.4	0·4	...	...	10
11	...	...	...	0·6	0·6	0·8	0·5	0·3	0·7	0·2	...	...	...	11
12	...	...	0·4	...	...	...	...	0·1	0·3	...	...	0·2	...	12
13	...	...	...	...	...	0·1	0·1	0·1	0·9	0·7	...	0·1	...	13
14	...	...	...	...	...	0·1	1·0	1·0	1·0	0·8	...	...	...	14
15	...	0·9	1·0	1·0	0·9	1·0	1·0	1·0	1·0	0·7	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	...	16
17	0·2	0·2	0·2	0·2	0·8	1·0	0·6	0·5	...	...	0·6	0·5	...	17
18	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	18
19	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·4	19
20	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	20
21	...	0·9	1·0	0·9	0·8	1.0	1·0	0·7	0·8	0·9	1·0	0·2	...	21
22	...	...	...	...	...	...	...	...	...	...	...	0·4	0·4	22
23	...	...	...	...	...	...	...	0·3	0·2	0·3	0·1	...	...	23
24	...	...	...	..	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	24
25	...	0·2	0·3	0.3	0·3	0·8	0·9	0·7	0·1	0·1	...	...	...	25
26	...	...	...	...	...	..	...	0·4	0·1	0·6	0·1	...	...	26
27	...	...	...	...	...	...	...	0·2	0·9	1·0	0·4	0·1	...	27
28	0·1	...	0·6	0·8	0·4	0·4	0·1	...	0·8	1·0	1·0	1·0	0·3	28
29	...	0·3	0·5	0·5	0·3	1·0	1·0	1·0	1·0	1·0	1·0	0.7	0·2	29
30	...	...	0·2	...	0·4	1·0	1·0	1·0	1·0	1·0	0·3	...	...	30
31	0·5	0·1	...	...	...	...	...	...	...	...	...	0.2	0·7	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of MAY, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	0·010	...	...	0·005	...	...	0·010	0·005	...	...	...	1
2	d	...	0·005	0·025	...	...	...	d	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	0·010	0·085	0·090	0·045	0·145	0·075	0·005	d	0·010	0·005	...	d	4
5	...	...	...	...	...	...	...	...	0·015	...	...	...	5
6	0·010	0·025	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	d	0·215	0·005	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	0·025	...	...	0·015	0·100	0·005	...	...	...	...	...	10
11	...	...	0·080	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	d	12
13	d	d	d	d	d	0·005	0·050	d	0·010	0·010	...	...	13
14	...	...	...	...	...	...	d	d	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	0·030	...	...	d	...	...	0·650	0·005	0·005	d	0·015	d	16
17	...	d	0·040	...	d	0·005	d	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	0·020	...	...	d	...	...	...	...	...	...	21
22	...	0·005	0·050	0·210	0·100	0·140	0·065	0·010	0·005	0·260	0·080	0·050	22
23	0·040	d	d	...	d	...	...	...	...	...	...	...	23
24	d	d	...	...	...	d	...	d	d	...	...	...	24
25	...	d	...	d	...	d	...	...	...	...	...	...	25
26	...	d	0·010	0·005	0·005	0·015	...	0·005	...	...	...	...	26
27	d	...	...	...	...	d	d	d	d	d	...	...	27
28	...	...	d	...	d	0·005	d	0·030	0·005	d	d	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	d	0·010	...	...	...	...	...	d	...	...	...	30
31	...	d	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	d	...	...	0·005	...	1
2	...	...	...	...	...	0·035	0·015	0·540	0·025	0·055	0·010	...	2
3	...	...	...	...	...	...	d	...	...	d	...	d	3
4	...	d	...	...	...	...	...	...	...	d	d	...	4
5	d	...	...	...	...	...	...	...	...	...	...	0·005	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	d	d	d	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	0·025	0·030	d	d	9
10	...	...	...	d	...	d	d	...	...	...	...	...	10
11	...	...	...	...	...	...	d	d	...	d	...	...	11
12	...	...	0·010	0·055	0·005	0·005	0·010	0·005	d	d	d	...	12
13	...	...	...	...	...	...	...	...	...	d	d	d	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	0·130	15
16	0·045	0·045	0·045	0·020	...	...	...	...	...	...	...	...	16
17	...	d	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	d	0·035	d	d	0·010	...	0·005	0·155	21
22	0·005	0·020	0·020	0·005	...	...	...	...	...	...	0·005	...	22
23	...	...	...	...	...	...	...	...	...	d	...	...	23
24	...	...	...	...	...	...	...	...	...	d	...	...	24
25	...	...	...	...	0·190	d	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	d	...	28
29	...	...	...	...	...	...	...	...	...	d	...	...	29
30	...	...	...	...	...	...	0·300	0·535	0·015	0·010	...	d	30
31	d	...	...	d	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of MAY, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	15	13	16	14	16	10	15	11	14	13	13	9	11	7	9	14	8	15	7	16	7	18	8	19	1
2	8	10	8	8	8	13	7	14	7	8	7	6	7	6	8	3	11	2	14	5	17	7	18	7	2
3	26	3	...	1	...	..	...	...	...	1	...	1	...	...	15	4	12	8	10	7	9	7	8	9	3
4	6	21	7	24	7	29	8	24	8	24	7	23	7	23	7	18	7	18	7	17	7	16	8	18	4
5	8	21	8	16	9	16	9	15	9	14	9	14	9	17	9	13	9	16	8	18	8	16	8	18	5
6	29	4	29	9	29	2	...	...	...	...	...	1	...	1	...	1	29	2	29	5	28	6	26	5	6
7	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	28	2	28	5	28	6	28	5	7
8	9	15	9	16	9	12	9	13	8	14	7	16	7	17	7	19	7	19	8	16	9	17	9	19	8
9	7	4	...	...	...	1	7	2	...	...	...	1	7	4	7	4	7	4	5	2	1	4	30	4	9
10	28	6	28	4	...	...	28	3	...	...	28	2	28	2	...	...	...	...	28	2	26	5	23	7	10
11	...	...	...	...	...	1	...	...	...	...	...	1	...	1	14	2	11	10	9	6	10	6	14	6	11
12	...	...	...	...	25	2	25	2	25	3	...	...	...	...	...	...	25	4	25	11	8	15	9	13	12
13	6	21	7	21	7	23	7	22	7	21	7	20	7	18	8	19	8	20	8	18	8	21	8	18	13
14	7	18	7	13	7	16	7	17	7	16	7	14	7	14	7	13	8	15	8	17	9	16	9	16	14
15	11	3	13	4	15	5	16	8	18	7	18	8	18	6	18	8	19	10	20	14	20	20	20	21	15
16	18	18	18	20	18	19	19	18	20	16	21	9	25	16	28	4	29	2	...	1	4	10	7	13	16
17	9	10	8	13	8	14	7	18	7	20	6	18	6	22	6	25	6	27	7	25	7	24	7	19	17
18	7	12	7	15	7	15	6	13	7	17	7	18	7	19	7	20	8	17	9	16	10	15	10	14	18
19	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	20	4	25	7	26	7	19
20	...	1	16	3	17	3	18	4	19	4	19	5	20	6	22	5	24	7	21	9	23	9	24	9	20
21	...	...	...	...	...	1	12	3	10	4	8	7	8	7	7	6	8	8	9	10	11	8	11	11	21
22	8	13	8	14	8	14	7	12	7	14	9	10	9	6	8	9	9	11	9	13	7	7	6	10	22
23	8	17	7	15	7	15	6	16	6	18	6	19	6	16	7	18	7	21	7	20	7	20	7	21	23
24	7	26	7	26	7	23	7	20	7	24	7	22	7	22	7	24	7	22	8	20	9	17	10	16	24
25	6	21	6	22	6	23	6	21	6	19	6	19	6	24	6	21	6	27	6	26	6	30	6	26	25
26	11	21	12	19	13	22	13	19	13	22	14	23	14	21	15	28	15	23	15	22	15	18	15	16	26
27	18	19	18	19	18	21	18	19	19	19	19	20	19	19	19	19	19	18	19	21	19	23	19	18	27
28	18	13	19	12	19	12	20	13	19	19	19	19	19	19	19	20	19	19	19	21	19	23	19	24	28
29	20	20	20	16	20	17	19	16	19	16	19	14	18	11	18	10	18	16	19	15	19	20	19	22	29
30	20	16	20	13	20	12	20	13	19	15	19	17	18	14	19	18	19	17	19	17	19	19	19	18	30
31	28	16	28	17	29	8	29	7	31	4	32	10	32	5	32	6	31	8	31	7	32	5	1	7	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	8	18	8	17	8	15	7	20	8	19	8	19	7	15	6	9	7	5	8	6	7	8	8	15	1
2	18	10	18	8	17	10	16	8	13	8	7	10	7	9	9	8	11	4	10	3	29	8	26	7	2
3	8	7	9	13	9	20	8	24	8	19	7	17	7	14	7	15	6	18	6	21	6	21	6	20	3
4	8	18	9	18	8	21	7	20	8	19	8	22	8	22	7	24	7	22	7	20	7	17	8	21	4
5	8	17	8	17	7	17	7	19	7	14	7	12	7	8	7	9	7	7	6	4	5	3	2	4	5
6	23	5	21	4	20	4	20	2	20	2	...	1	...	1	...	...	...	...	...	...	...	1	...	1	6
7	13	9	15	10	16	8	16	9	16	12	14	6	10	6	9	7	8	10	9	15	9	16	9	15	7
8	9	17	8	17	8	17	8	15	8	16	8	15	9	8	10	10	10	7	10	3	9	5	8	4	8
9	26	6	24	8	20	6	18	9	17	10	17	7	18	3	21	3	24	11	21	5	19	2	...	1	9
10	19	8	18	5	19	7	21	7	20	6	19	4	17	5	17	5	...	...	...	..	17	2	17	2	10
11	16	8	17	9	17	9	17	7	21	4	25	5	26	11	25	4	...	...	...	1	...	...	...	1	11
12	9	13	9	14	9	12	25	5	25	4	10	21	7	23	7	23	7	23	6	23	6	22	6	23	12
13	8	18	9	19	8	19	8	21	8	20	8	19	7	17	7	19	7	17	7	20	7	17	7	15	13
14	9	21	9	20	9	19	9	19	9	15	9	14	9	15	9	14	9	12	9	12	9	13	9	9	14
15	20	17	19	21	19	20	19	16	19	15	18	14	18	11	18	12	18	12	18	11	18	11	18	13	15
16	8	9	8	3	..	1	10	2	11	6	12	6	10	3	11	3	16	4	23	4	4	6	8	11	16
17	7	21	7	23	6	22	6	21	7	20	8	18	8	14	8	14	8	14	8	13	7	12	7	14	17
18	9	17	9	20	9	16	9	17	9	15	9	14	8	13	9	13	9	11	10	8	11	4	11	3	18
19	26	7	25	6	22	7	18	6	17	11	17	12	17	9	16	4	16	4	16	2	16	3	16	3	19
20	23	7	20	10	17	9	16	10	16	8	16	7	16	6	15	2	14	3	12	2	...	...	...	...	20
21	9	17	9	19	8	17	8	18	8	17	8	15	9	16	9	20	9	16	9	17	9	16	9	14	21
22	5	7	7	10	8	8	10	10	9	14	9	13	8	13	8	13	8	17	8	19	8	18	8	20	22
23	7	22	7	19	7	21	7	23	7	20	7	20	7	18	7	18	7	19	7	19	7	30	7	26	23
24	10	20	10	18	10	16	10	12	9	21	8	17	7	17	7	15	6	14	6	15	7	21	7	22	24
25	7	30	7	28	7	28	7	25	8	28	8	23	7	22	7	24	7	26	8	22	10	19	11	24	25
26	16	17	16	17	16	16	17	14	16	14	16	17	17	19	17	20	18	16	18	16	18	15	17	18	26
27	19	17	20	20	20	16	20	17	19	14	19	11	19	12	19	13	19	8	18	10	18	11	18	11	27
28	19	22	19	19	20	19	19	17	19	16	19	17	18	9	18	14	18	16	18	15	18	14	19	15	28
29	19	17	19	17	19	17	19	21	20	17	20	17	20	17	19	15	19	15	19	16	20	14	20	16	29
30	19	19	19	19	19	17	20	13	20	14	20	16	23	17	28	12	31	17	32	7	30	4	29	19	30
31	1	8	2	8	3	5	2	6	2	6	2	6	3	6	5	6	6	7	8	9	8	7	7	7	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of MAY, 1922.
(... = no clouds.)

Days of the Month.	Hours. Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SSW	cu	SSE	cu	S	cu-nb	S	cu	S	cu	S	cu	S	cu-nb	SSW
2	cu	S	nb	SW	cu / nb	S / SSW	cu-nb	SW	cu	SSW	cu	SW	nb	SSE	nb	SE
3	...	...	...	...	...	...	ci-cu	W	cu	S	ci-st / cu	W / S	nb	E	nb	E
4	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	E	nb	ESE
5	cu-nb	E	nb	E	cu-nb	E	ci-st / cu	WSW / W	cu / nb	SSW / SSE	cu	SSW	cu	SW	cu	SW
6	nb	S	cu	SSE	cu	SW	cu	WSW	cu	WSW	a-cu / cu	SW / WSW	cu	WNW	a-cu / cu	SW / WSW
7	...	...	...	...	...	...	cu	SSW	cu	SSW	cu	SW	ci-st / cu	WNW / SSE	cu-nb	E
8	nb	SE	cu	ESE	cu	ESE	cu	ESE	cu / cu	WSW / E	cu	W	...	...	cu	S
9	cu	S	cu	SSE	a-cu / cu	NW / SSW	cu	W	cu	SW	a-cu / cu	WNW / SW	a-cu / cu	NW / SW	nb	WSW
10	cu	SW	cu	WSW	a-cu / cu-nb	WNW / SW	a-cu / cu-nb	NW / SW	a-cu / cu	NNW / SW	a-cu / cu	WNW / SW	cu	SSW	cu	S
11	cu	SW	a-cu / cu-nb	W / WSW	a-cu / cu	WNW / SW	a-cu / cu	WNW / SW	cu	SW	cu	SW	cu-nb	WSW	cu	W
12	cu	W	a-cu / cu	NW / WSW	a-cu / cu	NW / W	a-st / cu	WNW / SW	cu	SSW	cu / nb	SW / SSW	nb	ESE	nb	E
13	nb	E	nb	E	nb	E	cu / nb	W / E	nb	E	cu / nb	SSW / ESE	cu-nb	ESE	nb	ESE
14	nb	E	nb	E	nb	E	cu / cu-nb	WSW / ESE	cu	WSW	cu	WSW	cu	SSE	cu	SE
15	a-cu / cu	WSW / SE	cu	S	a-cu / cu	W / SW	a-cu / cu	W / SW	a-cu / cu	W / SW	a-cu / cu	W / WSW	cu	SW	cu	SW
16	nb	SW	nb	SW	nb	SW	nb	W	nb	SW	nb	WSW	nb	WSW	cu	SW
17	cu	SE	cu	SE	nb	E	cu-nb	E	cu-nb	E	cu-nb	E	cu	ESE	cu	ESE
18	cu	ESE	cu	SE	a-cu / cu	SSW / ESE	ci-cu / cu	WSW / E	a-cu / cu	SW / ESE	ci-cu / cu	SW / SE	ci-cu / cu	WSW / SSE	cu	S
19	cu	SE	cu	SE	a-cu / cu	WSW / SE	cu	WSW	cu	NW	cu	W	ci-st / cu	NW / W	cu	WSW
20	cu	W	a-cu / cu	NW / W	ci-st / cu	NW / W	ci-st / cu	N / W	cu	W	ci-st / cu	NNW / WSW	ci-st / cu	NNW / W	cu	W
21	cu	WNW	cu	S	a-cu / cu	NNW / S	cu / cu	W / S	ci-st / cu	NNW / S	ci-st / cu	NW / S	nb	SSE	cu-nb	SE
22	cu-nb	ESE	nb	SE	nb	SE	nb	SW	cu-nb	SW	nb	SW	a-cu / cu-nb	NW / SE	cu-nb	SE
23	nb	ESE	cu-nb	E	cu-nb	ESE	cu-nb	E	cu	ESE	ci-cu / cu	NE / E	ci-cu / cu	NNE / E	cu	E
24	nb	E	cu	E	nb	E	cu	ENE	cu	ENE	cu	E	ci-st / cu	NW / E	cu	E
25	cu	E	cu	ENE	nb	NE	cu-nb	ESE	cu-nb	ESE	cu-nb	E	cu-nb	E	cu	ESE
26	cu	SE	nb	SSE	nb	SSE	cu-nb	S	cu-nb	S	cu-nb	SSW	cu-nb	SSW	cu	SSW
27	cu-nb	SSW	cu-nb	SW	cu-nb	SSW	cu-nb	SW	cu-nb	SW	cu	SW	cu	SW	cu	SSW
28	cu	SSW	cu	SSW	cu	SSW	nb	SW	cu	SW	cu	SW	cu	SW	cu	SW
29	cu	SSW	cu	SSW	cu	SW	cu-nb	SW	cu	SW	ci-st / cu	WNW / SW	cu	SW	nb	SW
30	cu	WSW	cu	WSW	cu-nb	SW	cu-nb	SW	cu	SW	cu	SW	cu	W	nb	NE
31	nb	WSW	cu-nb	WSW	a-cu / cu	W / WSW	a-cu / cu	W / WSW	st	WNW	st	WNW	ci-st / cu	W / ENE	cu	ENE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1922.
(*British Units.*)

Days of the Month	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North*	East.	Resultant. Direction.	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.		m.p.h.	m.p.h.
1	29·751	79·9	74·3	5·6	77·0	75·0	·843	91	90	4·6	36	0·035	1	— 2·3	+ 11·2	102	11·4	13·5
2	29·773	84·9	73·5	11·4	77·4	75·5	·859	91	95	5·0	38	0·710	6	— 1·8	+ 3·6	117	4·0	7·6
3	29·780	85·5	72·0	13·5	76·8	73·4	·779	84	45	10·4	80	...	1	+ 0·8	+ 9·5	85	9·5	10·4
4	29·794	74·6	71·5	3·1	72·8	71·1	·740	92	100	0·2	2	0·470	9	+ 2·4	+ 20·7	83	20·8	20·8
5	29·817	78·6	72·0	6·6	75·0	73·6	·811	93	87	6·9	53	0·020	1	+ 0·2	+ 13·4	89	13·4	13·5
6	29·809	85·7	73·8	11·9	78·6	75·4	·838	86	64	7·1	55	0·035	2	+ 0·7	— 1·4	297	1·6	2·4
7	29·778	86·0	75·4	10·6	79·5	76·1	·856	85	42	9·8	75	...	...	— 2·2	+ 2·8	128	3·6	6·0
8	29·753	80·0	74·9	5·1	76·9	74·2	·810	87	44	11·5	88	0·220	1	— 0·8	+ 13·5	93	13·5	13·6
9	29·694	87·2	74·7	12·5	79·8	75·6	·831	81	63	10·0	76	0·055	1	— 1·0	— 1·0	225	1·4	4·2
10	29·708	85·1	74·5	10·6	78·2	74·5	·805	83	94	2·7	21	0·145	2	— 1·3	— 2·0	237	2·4	3·4
11	29·740	83·9	74·9	9·0	78·4	74·9	·819	84	88	3·7	28	0·080	1	— 1·9	— 0·2	186	1·9	3·8
12	29·782	80·9	73·2	7·7	76·6	74·1	·810	88	96	1·0	8	0·090	5	+ 1·0	+ 7·7	83	7·8	10·7
13	29·783	77·5	72·8	4·7	74·3	71·8	·748	88	97	2·0	15	0·075	6	+ 2·0	+ 19·2	84	19·3	19·3
14	29·736	80·0	74·0	6·0	76·2	74·4	·828	92	87	3·9	30	...	...	— 0·8	+ 15·3	93	15·3	15·3
15	29·633	87·4	76·9	10·5	82·7	77·9	·892	80	86	8·5	64	0·130	...	— 10·0	— 5·6	209	11·5	12·0
16	29·649	81·9	74·1	7·8	77·1	75·2	·850	91	89	...	...	0·860	7	— 3·3	— 0·5	189	3·3	8·5
17	29·790	79·1	74·3	4·8	76·1	73·0	·772	86	91	4·8	36	0·045	2	+ 3·7	+ 17·9	78	18·3	18·4
18	29·812	81·7	74·9	6·8	77·3	73·2	·763	82	45	11·8	89	...	...	— 0·7	+ 14·0	93	14·0	14·2
19	29·717	87·6	74·9	12·7	80·1	75·5	·822	80	37	11·8	89	...	...	— 2·2	— 1·8	219	2·8	4·0
20	29·659	88·0	78·8	9·2	82·1	76·6	·843	77	52	10·7	81	...	...	— 3·5	— 2·6	217	4·4	5·4
21	29·659	87·9	78·7	9·2	81·1	78·3	·932	88	81	9·2	69	0·315	2	— 1·7	+ 10·9	99	11·0	13·1
22	29·650	79·5	74·7	4·8	77·9	76·0	·873	91	94	0·8	6	1·030	12	— 0·1	+ 12·2	91	12·2	12·3
23	29·660	80·9	77·2	3·7	78·4	75·2	·832	85	95	0·9	6	0·040	1	+ 4·3	+ 19·4	77	19·9	19·6
24	29·661	81·5	75·0	6·5	77·9	73·9	·784	82	67	8·6	65	...	1	+ 1·1	+ 19·2	87	19·2	19·6
25	29·652	82·2	76·2	6·0	78·7	75·9	·858	87	88	3·7	28	0·190	2	+ 5·0	+ 22·8	78	23·3	24·1
26	29·649	84·5	79·1	5·4	82·2	78·2	·912	83	97	1·2	9	0.040	2	— 17·5	+ 2·9	171	17·7	18·9
27	29·664	87·2	81·5	5·7	83·0	78·5	·915	81	96	2·6	20	...	1	— 13·9	— 8·7	212	16·4	16·5
28	29·671	87·6	81·7	5·9	83·3	78·7	·921	81	91	6·5	49	0·040	2	— 14·2	— 9·0	212	16·8	17·0
29	29·664	87·9	82·1	5·8	84·0	79·2	·934	80	85	8·5	63	...	...	— 12·9	— 9·5	216	16·0	16·3
30	29·646	89·5	75·0	14·5	83·1	78·7	·923	81	93	5·9	44	0·870	3	— 7·4	— 8·8	230	11·5	15·1
31	29·741	78·2	72·2	6·0	74·5	68·0	·599	70	81	1·5	11	...	...	+ 5·7	+ 0·7	7	5·7	7·5
Means	29·719	83·3	75·4	7·9	78·6	75·2	0·832	85	79	Sums. 175·8	43	Sums. 5·495	Sums. 71	— 2·3	+ 6·0	111	6·4	12·4
Normals	29·751	81·3	73·5	7·8	76·8	73·1	0·772	83	75	155·3	38	11·602	87	— 1·4	+ 7·8	100	7·9	12·7
Absolute Max.	29·883	89·5	...	14·5	...	82·6	1·034	...	...	11·8	89	1·030	12	...	...	...	...	30·0†
Day.	5	30	...	30	...	30	30	...	...	18 & 19	18 & 19	22	22	...	...	...	...	23/7 23/8 & 25/7 11 A. 15h
Absolute Min.	29·553	...	71·5	3·1	...	66·7	0·535	56	...	...	...	...	...	...	...	...	...	...
Day.	15	...	4	4	...	31	31	31	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 5th and 21st.
Lunar halo :—on the 6th.
Lunar corona :—on the 5th, 7th, 8th, 10th, 11th, 18th, 19th and 20th.
Slight fog :—on the 7th.
Unusual Visibility :—on the 7th, 20th 21st, and 31st.
Dew :—on the 7th and 19th.
Rainbow :—on the 22nd.
Lightning :—on the 3rd, 5th, 7th, 9th, 10th, 11th, 13th, 14th, 15th, 16th, 19th, 20th, 21st, 22nd, 23rd and 31st.

Thunder :—on the 10th, 11th, 16th and 22nd.

Thunderstorms as follows :—
2d, 17h, 59m, to 22h, 05m, N.E. to S.W.: *nearest at 18h, 12m, (8°).*
4d, 2h, 00m, to 3h, 40m, in S.W.; distant.
4d, 4h, 12m, to 5h, 40m, S.E. to S.W.: nearest at 4h, 48m, (7°).
6d, 0h, 05m, to 1h, 20m, N.N.W. to S.S.E.; nearest at 1h, 1m, (9°).
11d, 3h, 24m, to 3h, 40m, in N.N.W.; distant.
16d, 0h, 40m, to 3h, 50m, in N.N.E.; distant.
16d, 6h, 45m, to 9h, 50m, W. to E.; nearest at 7h, 13m, (2°).
22d, 4h, 6m, to 6h, 40m, N.E. to S.W.; nearest at 4h, 32m, (2°).
30d, 19h, 16m, to 21h, 30m, in N.E.; distant.

Rain fell on 21 days. The mean hourly intensity was 0·077ins, and the maximum fall in one hour was 0·650ins, at 7h on the 16th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 48 miles per hour at 17h 5m on the 25th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1009·4	299·6	296·5	3·1	298·0	296·9	28·4	0·9	1	— 0·8	+ 3·7	102	3·7	4·4
2	1010·2	302·4	296·1	6·3	298·2	297·2	29·0	18·0	6	— 0·6	+ 1·2	117	1·3	2·5
3	1010·4	302·7	295·2	7·5	297·9	296·0	26·3	...	1	+ 0·3	+ 3·1	85	3·1	3·4
4	1010·9	296·7	294·9	1·8	295·7	294·7	25·0	11·9	9	+ 0·8	+ 6·8	83	6·8	6·8
5	1011·7	298·9	295·2	3·7	296·9	296·1	27·4	0·5	1	+ 0·1	+ 4·4	89	4·4	4·4
6	1011·4	302·8	296·2	6·6	298·9	297·1	28·3	0·9	2	+ 0·2	— 0·5	297	0·5	0·8
7	1010·3	303·0	297·1	5·9	299·4	297·5	28·9	...	...	— 0·7	+ 0·9	128	1·2	2·0
8	1009·5	299·7	296·8	2·9	297·9	296·4	27·3	5·6	1	— 0·3	+ 4·4	93	4·4	4·5
9	1007·5	303·7	296·7	7·0	299·6	297·2	28·0	1·4	1	— 0·3	— 0·3	225	0·5	1·4
10	1007·9	302·5	296·6	5·9	298·7	296·6	27·2	3·7	2	— 0·4	— 0·7	237	0·8	1·1
11	1009·0	301·8	296·8	5·0	298·8	296·8	27·6	2·0	1	— 0·6	— 0·1	186	0·6	1·2
12	1010·5	300·2	295·9	4·3	297·8	296·4	27·3	2·3	5	+ 0·3	+ 2·5	83	2·6	3·5
13	1010·5	298·3	295·7	2·6	296·5	295·1	25·2	1·9	6	+ 0·7	+ 6·3	84	6·3	6·3
14	1008·9	299·7	296·3	3·4	297·6	296·6	27·9	...	...	— 0·3	+ 5·0	93	5·0	5·0
15	1005·4	303·8	297·9	5·9	301·2	298·5	30·1	3·3	...	— 3·3	— 1·8	209	3·8	3·9
16	1005·9	300·7	296·4	4·3	298·1	297·0	28·7	21·8	7	— 1·1	— 0·2	189	1·1	2·8
17	1010·7	299·2	296·5	2·7	297·5	295·8	26·0	1·1	2	+ 1·2	+ 5·9	78	6·0	6·0
18	1011·5	300·6	296·8	3·8	298·2	295·9	25·7	...	...	— 0·2	+ 4·6	93	4·6	4·7
19	1008·2	303·9	296·8	7·1	299·7	297·2	27·7	...	...	— 0·7	— 0·6	219	0·9	1·3
20	1006·3	304·1	299·0	5·1	300·8	297·8	28·4	...	...	— 1·1	— 0·9	217	1·4	1·8
21	1006·3	304·1	298·9	5·2	300·3	298·7	31·4	8·0	2	— 0·6	+ 3·6	99	3·6	3·6
22	1006·0	299·4	296·7	2·7	298·5	297·4	29·5	26·2	12	...	+ 4·0	91	4·0	4·0
23	1006·3	300·2	298·1	2·1	298·8	297·0	28·1	1·0	1	+ 1·4	+ 6·4	77	6·5	6·4
24	1006·3	300·5	296·9	3·6	298·5	296·3	26·4	...	1	+ 0·4	+ 6·3	87	6·3	6·4
25	1006·0	300·9	297·6	3·3	298·9	297·4	28.9	4·8	2	+ 1·6	+ 7·5	78	7·6	7·9
26	1005·9	302·2	299·2	3·0	300·9	298·7	30·8	1·0	2	— 5·7	+ 1·0	171	5·8	6·2
27	1006·4	303·7	300·5	3·2	301·3	298·8	30·9	...	1	— 4·6	— 2·9	212	5·4	5·4
28	1006·6	303·9	300·6	3·3	301·5	298·9	31·1	1·0	2	— 4·7	— 3·0	212	5·5	5·6
29	1006·4	304·1	300·8	3·3	301·9	299·2	31·5	...	...	— 4·2	— 3·1	216	5·2	5·3
30	1005·8	304·9	296·9	8·0	301·4	298·9	31·1	22·1	3	— 2·4	— 2·9	230	3·8	5·0
31	1009·1	298·7	295·3	3·4	296·6	293·0	20·2	...	...	+ 1·9	+ 0·2	7	1·9	2·5
								Sum.	Sum.					
Means.	1008·3	301·5	297·1	4·4	298·9	297·0	28·1	139·6	71	— 0·8	+ 2·0	111	2·1	4·1
Normals	1009·4	300·4	296·1	4·3	297·9	295·8	26·0	294·7	87	— 0·5	+ 2·6	100	2·6	4·2
Absolute Maximum	1013·9	304·9	...	8·0	...	301·1	34·9	26·2	12	...	...	...	...	9·8†
Day.	5	30	...	30	...	30	30	22	22	...	...	...	...	23rd 22h and 25rd 11 & 18h
Absolute Minimum.	1002·6	...	294·9	1·8	...	292·3	18·0	...	...	...	...	...	...	...
Day.	15	...	4	4	...	31	31	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.			ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·723	77·1	74·8	0·835	89	83		2	6	— 1·6	+ 5·2	107	5·4	11·7
2	29·712	77·1	74·8	·835	89	86		7	6	— 1·6	+ 5·0	108	5·2	11·4
3	29·702	76·9	74·6	·829	89	84		6	8	— 2·2	+ 5·5	112	5·9	11·3
4	29·700	76·8	74·6	·831	90	83		5	6	— 2·1	+ 5·3	112	5·7	11·1
5	29·705	76·7	74·5	·828	90	89		5	6	— 2·2	+ 5·5	112	5·9	11·4
6	29·714	76·8	74·5	·826	89	88	10	6	6	— 1·7	+ 5·3	108	5·6	11·2
7	29·728	77·2	74·6	·825	88	78	31	14	5	— 1·2	+ 5·5	102	5·6	11·1
8	29·742	78·1	75·0	·830	86	83	40	1	5	— 1·7	+ 5·9	106	6·1	11·4
9	29·752	79·0	75·3	·831	83	85	44	1	4	— 1·9	+ 6·4	107	6·7	12·5
10	29·760	80·0	75·8	·838	81	80	49	5	4	— 2·4	+ 5·5	114	6·0	13·1
11	29·755	80·8	76·0	·836	79	78	59	2	3	— 2·5	+ 5·5	114	6·0	14·0
Noon.	29·744	81·3	76·2	·838	78	75	58	1	2	— 3·1	+ 5·3	120	6·1	14·1
13	29·729	81·5	76·2	·836	78	74	61	1	2	— 3·8	+ 6·1	122	7·2	14·5
14	29·710	81·6	76·2	·834	77	74	60	1	3	— 4·6	+ 6·1	127	7·6	14·7
15	29·692	81·4	76·2	·837	78	68	62	1	3	— 4·3	+ 6·2	125	7·5	14·2
16	29·677	80·7	75·9	·838	79	75	45	1	3	— 3·6	+ 6·2	120	7·2	14·0
17	29·673	80·0	75·8	·838	81	76	34	4	1	— 4·1	+ 6·6	122	7·8	13·7
18	29·680	79·0	75·4	·835	84	78	13	1	2	— 3·7	+ 7·2	117	8·1	13·4
19	29·695	78·3	75·1	·831	85	79		6	3	— 1·9	+ 6·3	107	6·6	12·2
20	29·712	77·7	74·8	·827	87	75		20	5	— 1·7	+ 6·9	104	7·1	11·9
21	29·725	77·5	74·7	·826	87	77		3	4	— 0·9	+ 6·5	98	6·6	11·5
22	29·738	77·2	74·7	·829	89	78		2	5	— 1·2	+ 6·7	100	6·8	10·9
23	29·742	77·2	74·7	·829	89	83		...	4	— 1·0	+ 6·7	99	6·8	11·0
Midn.	29·735	77·0	74·6	·828	89	77		5	4	— 1·1	+ 6·7	99	6·8	12·1

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of MAY, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.			m.b.	m.p.s.	m.p.s.		m.p.s.	m.p.s.
1	1008·5	298·1	296·8	28·2	— 0·5	+ 1·7	107	1·8	3·8
2	1008·5	298·1	296·8	28·2	— 0·5	+ 1·6	108	1·7	3·7
3	1007·8	297·9	296·7	28·0	— 0·7	+ 1·8	112	1·9	3·7
4	1007·7	297·9	296·7	28·0	— 0·7	+ 1·7	112	1·9	3·6
5	1007·9	297·8	296·6	27·9	— 0·7	+ 1·8	112	1·9	3·7
6	1008·2	297·9	296·6	27·9	— 0·6	+ 1·7	108	1·8	3·7
7	1008·6	298·1	296·7	27·8	— 0·4	+ 1·8	102	1·8	3·6
8	1009·1	298·6	296·9	28·0	— 0·6	+ 1·9	106	2·0	3·7
9	1009·4	299·1	297·1	28·0	— 0·6	+ 2·1	107	2·2	4·1
10	1009·7	299·7	297·3	28·3	— 0·8	+ 1·8	114	2·0	4·3
11	1009·5	300·1	297·4	28·2	— 0·8	+ 1·8	114	2·0	4·6
Noon.	1009·1	300·4	297·6	28·3	— 1·0	+ 1·7	120	2·0	4·6
13	1008·6	300·5	297·6	28·2	— 1·2	+ 2·0	122	2·4	4·8
14	1008·0	300·6	297·6	28·1	— 1·5	+ 2·0	127	2·5	4·8
15	1007·4	300·4	297·6	28·2	— 1·4	+ 2·0	125	2·5	4·7
16	1006·9	300·1	297·4	28·1	— 1·2	+ 2·0	120	2·4	4.6
17	1006·7	299·7	297·3	28·3	— 1·3	+ 2·2	122	2·6	4·5
18	1007·0	299·1	297·1	28·2	— 1·2	+ 2·4	117	2·7	4·4
19	1007·5	298·7	296·9	28·0	— 0·6	+ 2·1	107	2·2	4·0
20	1008·1	298·4	296·8	27·9	— 0·6	+ 2·3	104	2·3	3·9
21	1008·5	298·3	296·7	27·9	— 0·3	+ 2·1	98	2·2	3·8
22	1009·0	298·1	296·7	28·0	— 0·4	+ 2·2	100	2·2	3·6
23	1009·1	298·1	296·7	28·0	— 0·3	+ 2·2	99	2·2	3·6
Midn.	1008·9	298·0	296·7	27·9	— 0·4	+ 2·2	99	2·2	4·0

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

MAY,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th April, 1922.								1st May, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook,	12	29.89	759.2	42	...	SSE	6	or	6	30.08	764 0	37	...	SW	1	b
Nemuro,	11	30.14	765.5	...	...	NE	3	...	5	30.08	764 0	...	...	ESE	3	...
Hakodate,	"	30.00	762.0	...	...	E	7	...	"	29.90	759.5	...	...	E	3	...
Tokio,	"	29.88	759.0	...	...	N	2	...	"	29.92	760.0	...	...	NNE	1	...
Kochi,	"	29.69	754 0	...	...	...	0	...	"	29.94	760.5	...	...	WSW	1	...
Nagasaki,	"	29.74	755.5	...	...	N	4	...	"	29.94	760.5	...	...	NE	1	...
Kagoshima,	"	...	...	...	...	...	...	...	"	29.92	760.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	29.88	759.0	...	...	NE	1	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	29.90	759.5	...	...	N	1	...
Bonin Island,	"	29.72	755.0	...	...	S	2	...	"	29.69	754.0	...	...	WNW	2	...
Weihaiwei,	14	30.01	762.2	58	70	N	2	cf	6	30.04	763.0	52	73	...	0	0
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.92	759.9	73	58	SSE	1	b	"	...	...	57	91	SE	1	0
Gutzlaff,	"	29.98	761.5	66	79	N	1	b	"	30 00	762 0	58	81	SSE	2	0
Sharp Peak,	14	29 94	760.5	76	77	ESE	2	b	7	29.97	761.2	66	84	NE	1	b
Amoy,	15	...	...	...	...	...	...	...	6	29.85	758.2	71	91	WSW	1	0
Swatow,	"	29.71	754.6	73	90	E	3	or	"	29.77	756.1	70	75	ENE	3	0
Taihoku,	12	29.88	759.0	77	84	E	6	b	"	29.88	759.0	70	88	E	4	0
Taichu,	"	29.81	757.2	79	...	W	2	0	"	29 85	758 1	73	...	...	0	0
Tainan,	"	29.82	757.5	70	...	WNW	4	r	"	29.84	757.8	73	...	NE	2	r
Koshun,	"	29.84	757.8	86	...	SW	4	0	"	29.85	758.1	77	...	E	4	0
Pescadores,	"	29.82	757.5	79	...	WNW	2	0	"	29.86	758.4	73	...	NNE	2	0
Canton,	15	29.69	754.1	87	76	SE	2	0	"	29.77	756.1	77	95	SSE	2	0
Hongkong,	14	29.75	755.6	82	83	S	3	0	"	29.79	756.6	78	91	SE	3	0
Gap Rock,	"	29.75	755.6	...	...	SE	3	c	"	29.79	756.6	...	...	ESE	4	c
Macao,	"	29.73	755.1	85	88	SSE	4	0	"	29.75	755.7	77	98	SSE	4	of
Wuchow,	15	29.68	753.9	82	79	E	1	c	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.62	754.2	84	81	SE	4	0	7	29.73	755.1	73	100	ENE	4	r
Tourane,	"	29.65	753.0	86	...	...	0	b	"	29.69	754.2	84	...	SW	2	b
Cape St. James,	"	29.76	756.0	90	...	S	2	0	"	29.84	757.8	77	...	SSW	2	b
Aparri,	14	29.78	756.3	86	65	N	4	0	6	29.85	758.1	77	91	SW	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.76	756.0	93	57	WSW	4	b	"	29.84	757.8	79	90	E	1	0
Legaspi,	"	29.76	756.0	93	59	E	2	b	"	29.84	757.8	77	94	...	0	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	90	65	SSW	4	0	"	29.84	757.8	77	92	...	0	0
Surigao,	"	29.75	755.7	86	65	NNW	1	b	"	29.84	757.8	75	96	SE	1	b
Guam,	12.20	29.76	756.0	...	...	E	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	29.81	757.2	...	...	SE	1	0
Labuan,	14	29.78	756.4	90	66	N	2	b	6	29.81	757.2	81	87	SW	2	b

May *1d. 12h. 27m.*—Pressure has increased considerably at Japanese stations and moderately to slighty at other reporting stations. The southern depression has partially filled up. Another depression lies to the east of the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 13·87 inches, against an average of 11·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Hongkong to Gap Rock,	E. winds, moderate; fair to showery.
2.—Formosa Channel,	N.E. winds, fresh.
3.—South coast of China between Hongkong and Lamocks,	The same as No. 1.
4.—South coast of China between Hongkong and Hainan,	The same as No. 1.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st May, 1922.								2nd May, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.03	762.7	59	...	...	0	b	6	30.06	763.5	42	...	...	0	0
Nemuro,	11	30.00	762.0	...	...	SE	3	...	5	29.92	760.0	...	...	NW	1	...
Hakodate,	"	29.88	759.0	...	...	N	6	...	"	30.01	763.0	...	...	...	...	...
Tokio,	"	29.90	759.5	...	...	...	...	...	"	30.08	764.0	...	...	E	2	...
Kochi,	"	29.94	760.5	...	...	SE	1	...	"	29.96	761.0	...	...	...	0	...
Nagasaki,	"	29.94	760.5	...	...	NW	1	...	"	29.94	760.5	...	...	NE	1	...
Kagoshima,	"	29.94	760.5	...	...	SE	1	...	"	29.96	761.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.70	754.5	...	...	NW	1	...	"	29.82	757.5	...	...	...	0	...
Weihaiwei,	14	29.96	761.0	56	69	NNE	1	b	6	29.94	760.5	56	75	...	0	cf
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.96	760.5	68	60	ESE	1	o	"	29.85	758.2	59	98	E	1	o
Gutzlaff,	"	29.95	760.7	60	90	SE	2	o	"	29.94	760.5	75	100	SSE	2	o
Sharp Peak,	14	29.91	759.7	71	83	E	1	o	7	29.78	756.4	68	94	N	1	o
Amoy,	15	29.83	757.7	73	92	SSE	1	o	6	...	...	...	...	...	...	...
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.88	759.0	77	76	E	4	o	"	29.81	757.2	72	94	S	1	o
Taichu,	"	29.88	759.0	81	...	...	0	o	"	29.87	758.7	73	...	...	0	r
Tainan,	"	29.89	759.3	81	...	...	0	o	"	29.85	758.1	75	...	ESE	2	o
Koshun,	"	29.88	759.0	84	...	ENE	4	b	"	29.85	758.1	77	...	...	0	o
Pescadores,	"	29.91	759.6	79	...	NNE	4	o	"	29.86	758.4	77	...	...	...	o
Canton,	15	...	...	...	...	...	...	...	"	29.81	757.2	78	95	SE	2	o
Hongkong,	14	29.81	757.2	77	90	E	4	o	"	29.82	757.4	75	97	E	2	om
Gap Rock,	"	29.81	757.2	...	...	ESE	4	b	"	29.81	757.2	...	...	S	4	b
Macao,	"	29.78	756.3	82	84	SSE	4	o	"	29.80	756.9	77	98	SSE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.67	753.6	90	76	SSE	4	o	7	29.75	755.7	75	98	E	4	b
Tourane,	"	29.68	753.9	90	...	...	0	o	"	29.79	756.6	77	...	NNW	2	o
Cape St. James,	"	29.79	756.6	90	...	SSW	2	b	"	29.87	758.7	79	...	SW	2	b
Aparri,	14	29.80	756.9	90	60	NE	4	b	6	29.86	758.4	75	94	S	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.78	756.3	90	63	W	1	o	"	29.86	758.4	79	90	...	0	o
Legaspi,	"	...	...	...	...	...	...	...	"	29.85	758.1	75	94	...	0	b
Tacloban,	"	29.75	755.7	90	63	S	4	b	"	29.84	757.8	77	94	...	0	b
Iloilo,	"	29.74	755.4	93	46	NE	4	o	"	29.85	758.1	77	86	...	0	o
Surigao,	"	...	...	...	...	...	...	...	"	29.84	757.8	75	96	...	0	b
Guam,	12.20	29.73	755.1	...	...	NE	4	o	4.20	29.72	754.8	...	...	ENE	1	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	69	E	4	b	6	29.84	757.9	80	91	W	2	b

May *2d. 11h. 37m.*—Pressure is highest over the Sea of Japan. It has increased moderately at Tokio and decreased moderately from Weihaiwei to Shanghai. Pressure changes at other reporting stations are slight.

A shallow depression is central over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 13·91 inches, against an average of 12·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	Variable winds, moderate.
2.—Hongkong to Gap Rock,	S.E. winds, moderate; fair to showery.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	3rd May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.02	762.7	44	...	SSE	4	or	6	30.09	764.2	38	...	N	2	or
Nemuro,	11	29.98	761.5	...	...	W	2	...	5	30.10	764.5	...	...	NNE	1	...
Hakodate,	"	30.02	762.5	...	...	SSW	3	...	"	29.96	761.0	...	...	...	0	...
Tokio,	"	30.10	764.5	...	...	NE	1	...	"	29.86	758.5	...	...	NNW	1	...
Kochi,	"	29.96	761.0	...	...	SE	1	...	"	29.90	759.5	...	...	W	1	...
Nagasaki,	"	29.94	760.5	...	...	SW	1	...	"	29.90	759.5	...	...	...	...	...
Kagoshima,	"	29.94	760.5	...	...	...	0	...	"	29.90	759.5	...	...	NW	10	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.86	758.5	...	...	ENE	1	...	"	29.82	757.5	...	...	E	2	...
Weihaiwei,	14	29.99	761.7	60	71	NNW	2	b	6	30.15	765.8	54	80	N	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.95	760.7	70	74	N	1	o	"	30.08	764.0	57	93	NNE	2	o
Gutzlaff,	"	29.93	760.2	62	90	NE	2	o	"	30.07	763.8	56	94	NNE	4	o
Sharp Peak,	14	29.81	757.2	80	76	E	1	b	7	29.93	760.2	65	95	NE	1	r
Amoy,	15	29.75	755.6	83	83	SSE	2	o	6	29.85	758.2	71	95	ENE	4	o
Swatow,	"	29.72	754.9	85	76	SSW	2	b	"	29.71	754.6	76	95	WSW	2	o
Taihoku,	12	29.86	758.4	82	74	W	4	o	"	29.89	759.3	68	94	E	4	o
Taichu,	"	29.86	758.4	84	...	W	4	b	"	29.85	758.1	75	...	...	0	o
Tainan,	"	29.86	758.4	84	...	WNW	4	b	"	29.82	757.5	73	...	E	2	b
Koshun,	"	29.86	758.4	84	...	WNW	4	o	"	29.82	757.5	75	...	NNE	2	b
Pescadores,	"	29.88	759.0	81	...	SW	4	b	"	29.84	757.8	77	...	...	0	o
Canton,	15	29.79	756.6	86	76	S	2	c	"	29.84	757.9	73	93	SE	1	o
Hongkong,	14	29.81	757.2	82	83	S	4	o	"	29.83	757.7	72	96	...	0	bm
Gap Rock,	"	29.81	757.2	...	...	SE	4	c	"	29.82	757.4	...	...	NE	4	c
Macao,	"	29.84	757.8	86	81	SE	4	o	"	29.80	756.9	73	91	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.73	755.1	86	71	ESE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.72	754.8	85	...	ESE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.80	756.9	90	...	SSW	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.80	756.9	90	51	N	4	b	6	29.85	758.1	77	94	W	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.82	757.5	86	68	S	2	o	"	29.84	757.8	75	94	E	1	b
Legaspi,	"	29.78	756.3	93	59	ENE	2	b	"	29.82	757.5	73	96	...	0	b
Taloloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.79	756.6	90	65	SW	4	o	"	29.81	757.2	77	89	NNW	1	o
Surigao,	"	29.78	756.3	86	68	NNW	1	b	"	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	ENE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	88	63	W	4	b	6	29.81	757.2	80	91	E	2	b

May 3*d*. 12*h*. 13*m*.— Pressure has decreased moderately to slightly over central and S.W. Japan. It has increased considerably at Weihaiwei and Shanghai and moderately at Foochow. It is nearly stationary in southern districts.

An anticyclone has formed over S.E. Manchuria, and a depression between Tokio and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·68 inch. Total since January 1st, 14·59 inches, against an average of 12·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	Variable winds, freshening from N.E.
2.—Hongkong to Gap Rock,	N.E. winds, moderate; fine to cloudy, cooler.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd May, 1922.								4th May, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.10	764 6	49	...	WSW	2	o	6	30.16	766.1	42	...	E	2	b
Nemuro,	11	30 08	764.0	...	...	ENE	1	...	5	30.04	763.0	...	...	NE	3	...
Hakodate,	"	29.92	760.0	...	...	E	2	...	"	30.10	764.5	...	...	NW	3	...
Tokio,	"	29.74	755.5	...	...	S	1	...	"	30.06	763.5	...	...	N	4	...
Kochi,	"	29.88	759.0	...	...	SE	1	...	"	30 10	764.5	...	...	W	1	...
Nagasaki,	"	...	...	...	...	NW	1	...	"	30.04	763.0	...	...	E	2	...
Kagoshima,	"	29.92	760.0	...	...	S	1	...	"	30.02	762.5	...	...	NE	2	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.82	757.5	...	...	E	2	...	"	29.90	759.5	...	...	...	o	...
Weihaiwei,	14	30.12	765.0	58	81	N	1	b	6	30.02	762.5	56	87	S	4	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.90	759.4	68	51	NE	2	b	"	30.01	762.2	55	90	E	1	o
Gutzlaff,	"	30.03	754.3	63	67	NE	4	b	"	29.95	760.7	56	94	E	2	o
Sharp Peak,	14	29.76	755.9	71	80	E	4	o	7	29.73	755.1	68	85	...	o	cf
Amoy,	15	29.87	758.7	78	82	ENE	2	b	6	29.86	758.4	69	85	...	...	o
Swatow,	"	...	...	...	...	...	...	...	"		...	...	...	...	...	...
Taihoku,	12	29.97	761.1	72	84	E	4	o	"	29.91	759 6	68	92	E	4	o
Taichu,	"	29.88	759.0	82	...	NNW	4	b	"	29.88	759.0	70	...	...	o	o
Tainan,	"	29.87	758.7	82	...	W	4	o	"	29.84	757.8	70	...	NE	2	b
Koshun,	"	29.87	758.7	86	...	NE	4	o	"	29.86	758.4	75	...	SE	2	b
Pescadores,	"	29.92	759.9	79	...	NE	7	b	"	29 88	759.0	73	...	NE	4	o
Canton,	15	29.76	755.9	87	72	SE	2	c	"	29 84	757.9	73	95	SE	2	o
Hongkong,	14	29 83	757.7	83	67	E	4	c	"	29 8	757.9	72	93	E	6	or
Gap Rock,	"	29.84	757.9	...	...	ENE	3	b	"	29.83	757.7	...	...	E	5	od
Macao,	"	29.76	756.0	86	75	SSE	2	o	"	29.86	756.9	73	98	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29 72	754.8	86	78	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.72	754 8	86	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	90	57	N	4	b	6	29.81	757.2	75	92	W	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.78	756 3	85	68	E	4	o	"	29.82	757.3	75	94	...	o	r
Legaspi,	"	29.76	756.0	90	66	E	2	b	"	29.79	756.6	77	91	...	o	b
Taloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755 7	90	63	SW	4	o	"	29.80	756.9	79	93	SE	2	o
Surigao,	"	29.76	756 0	86	65	NW	1	b	"	29.79	756.6	75	92	SW	1	b
Guam,	12.20	29.84	757 8	...	...	E	4	r	4.20	29.63	752.7	...	...	S	4	r
Yap,	12.4	29.74	755.4	...	...	N	2	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.82	757 4	84	79	N	4	o	6	29.79	756.6	80	87	E	2	b

May *4d. 12h. 19m.*—Pressure is highest over the Sea of Japan. It has increased considerably over central Japan and slightly at Wladivostock and over the Bonins. Changes at other reporting stations are slight.

A shallow depression lies over Tongking. There are indications of a typhoon near Guam, moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·47 inch. Total since January 1st, 15·06 inches, against an average of 12 57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel.	N.E. winds, fresh.
2.—Hongkong to Gap Rock.	E. winds, moderate; overcast, drizzle or mist.
3.—South coast of China between Hongkong and Lamocks.	
4.—South coast of China between Hongkong and Hainan.	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.12	765.1	48	...	SE	4	o	6	30.24	768.1	43	...	SE	1	f
Nemuro,	11	30.04	763.0	...	...	N	6	...	5	30.24	768.0	...	...	N	1	...
Hakodate,	"	30.10	764.5	...	...	W	4	...	"	30.24	768.0	...	...	WNW	1	...
Tokio,	"	30.14	765.5	...	...	NNE	1	...	"	30.18	769.0	...	...	NW	1	...
Kochi,	"	30 10	764.5	...	...	SSE	1	...	"	30.18	766.5	...	...	WSW	1	...
Nagasaki,	"	30.04	763 0	...	...	ESE	2	...	"	30.12	765.0	...	...	N	1	...
Kagoshima,	"	30.04	763 0	...	...	NNE	2	...	"	30.10	764 5	...	...	ENE	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.94	760.5	...	...	NE	2	...	"	30.04	763.0	...	...	NE	2	...
Weihaiwei,	14	30 00	762.0	64	68	S	4	b	6	29.87	29.87	52	93	S	1	bf
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	13	30.02	762.5	63	86	ESE	2	o	"	29.99	761.7	61	100	ENE	2	r
Gutzlaff,	"	30.00	762.0	58	94	E	4	o	"	29.98	761.5	58	100	E	4	rf
Sharp Peak,	14	29.91	759.7	74	76	E	2	o	7	29.95	760.7	67	87	...	o	b
Amoy,	15	29.86	758.4	74	86	SSE	4	o	6	29 86	758.4	71	91	SSE	1	o
Swatow,	"	29.79	756.6	74	72	...	o	o	"	...	...	...	...	...	...	...
Taihoku,	12	29.92	759.9	75	76	ENE	6	o	"	29.88	759.0	68	98	...	o	o
Taichu,	"	29.87	758.7	82	...	W	2	b	"	29 88	759.0	73	...	...	o	o
Tainan,	"	29.88	759.0	82	...	SW	4	b	"	29.87	758.7	72	...	...	o	b
Koshun,	"	29.88	759.0	86	...	E	4	b	"	29.87	758.7	73	...	...	o	b
Pescadores,	"	29.92	759.9	81	...	N	4	o	"	29 88	759.0	72	...	...	o	o
Canton,	15	29.81	757.2	83	79	SE	2	o	"	29.86	758.4	74	95	ESE	2	o
Hongkong,	14	29.84	757.9	74	90	E	4	o	"	29.86	758.4	73	97	E	4	o
Gap Rock,	"	29.82	757.4	...	...	ESE	3	b	"	29.84	757.9	...	...	ENE	4	o
Macao,	"	29.80	756.9	77	91	SSE	4	o	"	29.84	757.8	75	89	ENE	2	cf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.71	754.5	86	71	SE	4	o	7	29.78	756.3	79	96	SE	4	cf
Tourane,	"	29.72	754 8	84	...	SSE	2	b	"	29.79	756.6	81	...	SSW	2	b
Cape St. James,	"	...	...	...	...	...	...	...	"	29.88	759.0	79	...	NE	2	o
Aparri,	14	29.76	756.0	90	63	NNE	4	b	6	29.84	757.8	77	91	SW	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.76	756 0	90	66	W	4	o	"	29.84	757.8	77	94	E	1	b
Legaspi,	"	29.75	755 7	90	69	E	4	b	"	29.82	757.5	75	92	NNW	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.75	755.7	86	65	SW	4	o	"	29.80	756.9	77	92	NW	1	o
Surigao,	"	29.74	755.4	90	57	WNW	2	b	"	29.81	757.2	77	92	SW	1	o
Guam,	12.20	29.66	753.3	...	...	S	6	r	4.20	29.78	756.3	...	...	S	1	r
Yap,	12.4	29.71	754.5	...	...	WNW	2	b	4.47	...	...	...	...	...	...	...
Saipan,	14	29.78	756.4	86	76	N	4	b	6	29.83	757.7	80	91	E	4	o

May 5*d.* 11*h.* 47*m.*—Pressure has increased slightly at most reporting stations, but has decreased moderately at Weihaiwei.

Depressions are shown over S.E. Mongolia and Tongking. At 6 a.m. this morning the Guam typhoon was in about latitude 18° N. and longitude 142° E., travelling northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 15·07 inches, against an average of 12·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate, fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th MAY, 1922.								6th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.28	769.0	...	...	NE	4	...	5	30.45	773.5	...	...	NNW	3	...
Hakodate,	"	30.24	768.0	...	...	SSW	3	...	"	30.43	773.0	...	...	E	2	...
Tokio,	"	30.24	768.0	...	...	...	0	...	"	30.34	770.5	...	...	NNW	1	...
Kochi,	"	30.16	766.0	...	...	SE	1	...	"	30.18	766.5	...	...	WSW	1	...
Nagasaki,	"	30.12	765.0	...	...	SE	2	...	"	30.06	763.5	...	...	NNW	1	...
Kagoshima,	"	30 10	764.5	...	...	E	1	...	"	30.08	764 0	...	...	E	3	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.06	763.5	...	...	NE	2	...	"	30.06	763.5	...	...	ENE	2	...
Weihaiwei,	14	30.04	763.0	65	73	S	2	0	6	29.92	759.9	56	100	SSE	1	rf
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.01	762 2	66	87	ESE	2	0	"	29.96	761.0	61	100	SE	1	of
Gutzlaff,	"	29.96	761.0	62	100	E	2	of	"	29.97	761.2	60	100	NW	1	of
Sharp Peak,	14	29.89	759.2	74	76	E	2	0	7	29.90	759.4	68	95	E	2	0
Amoy,	15	29.83	757.7	80	91	SE	4	b	6	29.84	757.9	73	76	SSE	2	0
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.92	759.9	84	71	N	4	b	"	29 91	759.6	70	96	SE	2	b
Taichu,	"	29.91	759 6	84	...	NNW	2	b	"	29.89	759.3	72	...	...	0	b
Tainan,	"	29.88	759.0	86	...	W	2	b	"	29.87	758.7	73	...	...	0	b
Koshun,	"	29.89	759.3	86	...	NW	2	b	"	29.89	759.3	73	...	...	0	b
Pescadores,	"	29.92	759.9	82	...	N	4	b	"	29.88	759.0	75	...	...	0	b
Canton,	15	29.81	757.2	84	83	SE	2	lt	"	29.89	759.2	73	95	N	1	c
Hongkong,	14	29.87	758.7	76	91	E	4	0	"	29 87	758.7	75	88	...	0	om
Gap Rock,	"	29.86	758.4	...	...	ENE	3	c	"	29.86	758.4	...	...	N	3	0
Macao,	"	29.85	758.1	84	81	SE	4	0	"	29.86	758.4	75	96	NW	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.73	755 7	86	75	ESE	4	0	7	29.84	757.8	79	95	ESE	4	0
Tourane,	"	29.79	756.6	86	...	...	0	b	"	29.82	757.5	81	...	S	2	b
Cape St. James,	"	29.82	757.5	93	...	SW	2	b	"	29.89	759.3	79	...	SW	2	b
Aparri,	14	29.80	756.9	90	63	NNE	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.78	756.3	90	60	WNW	4	b	"	29.85	758.1	75	94	NE	1	0
Legaspi,	"	29.79	756.6	90	60	ENE	4	b	"	...	...	...	...	...	...	...
Tacloban,	"	29.78	756.3	90	63	SE	4	0	"	...	...	...	...	...	...	...
Iloilo,	"	29.79	756.6	86	61	W	4	0	"	29.82	757.5	75	92	W	2	0
Surigao,	"	...	...	...	...	...	...	...	"	29.82	757.5	75	96	SW	1	0
Guam,	12.20	29.73	755.1	...	...	NE	4	r	4.20	29.85	758.1	...	...	SE	1	0
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.81	757 2	88	73	N	2	b	6	29.86	758.4	81	87	SW	4	b

May *6d. 11h. 45m.*—Pressure has increased considerably over N.W. Japan and slightly over Tongking and Guam. It has decreased slightly from S.W. Japan to Shanghai.

An anticyclone is central over N.W. Japan and a shallow depression over Indo-China.

The Guam typhoon appears to have filled up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 15·11 inches, against an average of 13·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
1.—Formosa Channel. 2.—Hongkong to Gap Rock. 3.—South coast of China between Hongkong and Lemocks. 4.—South coast of China between Hongkong and Hainan.	Light, variable winds; generally fair, some showers.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro, ...	11	30.43	773.0	...	...	N	1	...	5	...	...	...	...	...	...	...
Hakodate, ...	"	30.39	772.0	...	...	E	6	...	"	...	...	...	...	...	...	...
Tokio.	"	30.33	770.5	...	...	E	2	...	"	...	...	...	...	...	...	...
Kochi, ...	"	30.22	767.5	...	...	...	0	...	"	...	...	...	...	...	...	...
Nagasaki, ...	"	30.04	763.0	...	...	SE	4	...	"	...	...	...	...	...	...	...
Kagoshima, ...	"	30.10	764.5	...	...	SE	3	...	"	...	...	...	...	...	...	...
Oshima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island, .	"	29.96	761.0	...	...	NE	2	...	"	...	...	...	...	...	...	...
Weihaiwei, ...	14	29.88	758.9	60	88	...	0	0	6	...	...	...	...	...	...	...
Hankow, ...	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai, ...	11	29.99	761.7	72	78	WNW	1	0	" *	30.02	762.5	63	100	E	1	of
Gutzlaff, ...	"	29.95	760.7	68	91	WSW	1	b	"	30.02	762.5	60	100	E	1	of
Sharp Peak, ...	14	29.90	759.4	80	78	E	1	b	7	29.94	760.5	71	90	N	1	b
Amoy, ...	15	29.82	757.4	75	95	SSE	4	0	6	29.85	758.2	73	92	ENE	2	0
Swatow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku, ...	12	29.92	759.9	86	75	N	2	0	"	29 88	759.0	73	96	E	4	b
Taichu, ...	"	29.92	759 9	86	...	W	2	0	"	29.86	758.4	75	...	...	0	0
Tainan, ...	"	29.89	759.3	90	...	NNW	4	b	"	29.85	758.1	75	...	N	4	b
Koshun, ...	"	29 89	759.3	90	...	NNW	4	b	"	29.85	758.1	77	...	...	0	0
Pescadores, ...	"	29.94	760.5	84	...	WNW	2	b	"	29.88	759.0	77	...	NNE	...	0
Canton, ...	15	29.83	757.7	87	72	SW	1	b	"	29.85	758.2	77	95	SSE	1	c
Hongkong, ...	14	29.86	758.4	83	76	S	2	0	"	29.85	758.2	76	95	...	0	bm
Gap Rock, ...	"	29.86	758.4	...	...	NE	1	b	"	29.85	758.2	...	...	NE	1	b
Macao, ...	"	29.86	758.4	79	87	ESE	2	0	"	29.82	757.5	77	98	...	2	bf
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien, ...	"	29.80	756.9	86	75	SE	6	b	7	...	...	...	...	...	...	...
Tourane, ...	"	29.76	756.0	84	...	ESE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.82	757.5	93	...	SW	2	b	"	...	...	...	...	...	...	...
Aparri, ...	14	29.78	756.3	90	60	NE	4	0	6	29.81	757.2	77	92	...	0	b
Dagupan, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila, ...	"	29.75	755.7	90	60	W	4	0	"	29.80	756.9	77	96	SE	1	b
Legaspi, ...	"	29.76	756.0	90	66	NE	4	0	"	...	...	...	...	...	...	...
Tacloban, ...	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo, ...	"	29.75	755.7	86	71	SW	4	0	"	29.80	756.9	79	92	...	0	0
Surigao, ...	"	29.75	755.7	86	61	NW	1	0	"	...	...	...	...	...	1	...
Guam, ...	12.20	29.80	756.9	...	...	E	4	0	4.20	29.85	758.1	...	...	ENE	...	0
Yap, ...	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Lauan, ...	14	29.83	757.7	88	73	N	2	b	6	...	...	...	...	...	...	...

May 7*d.* 11*h.* 58*m.*—Pressure has increased slightly at Shanghai and decreased slightly from Formosa to the Visayas.

There may be a depression far east of Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 15·11 inches, against an average of 13·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel.	Light, variable winds, freshening slightly from N.E. later: generally fine.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks...	
4.—South coast of China between Hongkong and Hainan....	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th MAY, 1922.								8th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.78	756.3	47	...	SSW	2	o	6	29.78	756.5	39	...	SSE	1	f
Nemuro,	11	30.10	764.5	...	...	...	...	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.88	759.0	...	...	E	2	...	"	...	...	...	...	...	...	...
Tokio,	"	30.06	763.5	...	...	SSW	1	...	"	...	...	...	...	...	...	...
Kochi,	"	30.02	762.5	...	...	NW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.96	761.0	...	...	NE	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.96	761.0	...	...	NE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	29.92	760.0	...	...	ESE	1	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.92	760 0	...	...	S	1	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.04	763.0	...	...	ESE	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.92	759.9	73	58	NW	1	b	6	29.86	758.4	56	81	S	4	o
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.05	763.2	70	77	E	1	o	"	29.88	758.9	59	100	ESE	2	o
Gutzlaff,	"	30.04	763.0	62	90	NNE	1	o	"	29.89	759.2	58	100	ESE	4	of
Sharp Peak,	14	30.00	762.0	81	78	E	4	b	7	29.98	761.5	70	90	NE	1	b
Amoy,	15	...	...	...	...	...	...	...	6	29.82	757.4	72	92	SE	1	o
Swatow,	"	29.76	755.9	76	82	ESE	1	o	"	...	...	...	...	...	...	...
Taihoku,	12	29.91	759.6	79	80	ENE	6	o	"	29.82	757.5	75	92	E	4	b
Taichu,	"	29.88	759.0	82	...	...	o	o	"	29.82	757.5	73	...	...	o	b
Tainan,	"	29.86	758.4	86	...	NNW	4	b	"	29.81	757.2	75	...	NNE	2	o
Koshun,	"	...	...	...	...	...	...	...	"	29.81	757.2	77	...	...	o	o
Pescadores,	"	29.92	759.9	77	...	N	6	o	"	29.82	757.5	73	...	N	4	b
Canton,	15	29.78	756.4	89	69	SSE	2	c	"	29.82	757.4	76	95	ESE	2	or
Hongkong,	14	29.82	757.4	85	69	SSE	3	b	"	29.83	757.7	75	94	E	4	o
Gap Rock,	"	29.84	757.9	...	...	SE	1	b	"	29.82	757.4	...	...	SSE	2	b
Macao,	"	29.81	757.2	90	73	SSE	2	b	"	29.79	756.6	79	93	SSE	4	o
Wuchow,	15	29.74	755.4	89	59	E	...	c	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.74	755.4	...	...	SSE	6	o	7	...	...	...	...	...	...	...
Tourane,	"	29.74	755.4	86	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Aparri,	14	29.76	756.0	90	57	NE	4	b	6	29.78	756.3	75	92	...	o	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.72	754.8	90	60	W	4	o	"	29.78	756.3	75	94	E	1	b
Legaspi,	"	...	...	...	...	...	...	...	"	29.76	756.0	75	92	W	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	29.79	756.6	77	98	...	o	o
Iloilo,	"	29.74	755.4	86	65	SW	4	o	"	...	...	...	...	...	...	...
Surigao,	"	...	...	...	...	...	...	...	"	29.78	756.3	77	92	SW	1	o
Guam,	12.20	29.82	757.5	...	...	ENE	4	o	4.20	29.80	756.9	...	...	ENE	2	o
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	76	W	2	b	6	29.79	756.6	80	91	SW	2	b

May 8*d*. 12*h*. 25*m*.—Pressure has decreased at all reporting stations.

Depressions are indicated in the extreme North, over Indo-China and far east of Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day. 0·22 inch. Total since January 1st, 15·33 inches, against an average of 13·67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. or variable winds, moderate to light; generally fi
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks, ...	
4.—South coast of China between Hongkong and Hainan, ...	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Vladivostock,	12	29.66	753.4	47	...	SSE	4	c	6	29.41	747.0	44	...	SE	4	or
Nemuro,	11	29.63	752.5	...	...	N	3	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.82	757.5	...	...	WSW	1	...	"	...	...	...	...	...	...	...
Tokio,	"	30.20	767.0	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	29.90	759.5	...	...	SSE	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.86	758.5	...	...	SW	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.88	759.0	...	...	ENE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	29.84	758.0	...	...	N	2	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.84	758.0	...	...	S	1	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.92	760.0	...	...	WNW	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.76	755.9	56	81	SSE	2	r	6	29.76	755.9	50	86	N	4	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.85	758.2	70	74	SSE	2	b	"	29.77	756.1	66	87	WNW	4	o
Gutzlaff,	"	29.77	756.1	62	91	SSE	4	b	"	29.75	755.6	65	100	NNW	6	o
Sharp Peak,	14	29.88	758.9	80	76	SE	1	b	7	29.80	756.9	74	90	...	0	b
Amoy,	15	29.77	756.1	75	92	SSE	4	b	6	29.70	754.4	74	92	...	0	b
Swatow,	"	29.72	754.9	77	82	ESE	2	c	"	...	...	...	...	...	...	...
Taihoku,	12	29.86	758.4	82	74	E	4	b	"	29.76	756.0	73	97	...	0	b
Taichu,	"	29.85	758.1	84	...	W	2	b	"	29.79	756.6	73	...	...	0	b
Tainan,	"	29.84	757.8	90	...	NNW	4	b	"	29.75	755.7	73	...	...	0	b
Koshun,	"	29.84	757.8	90	...	SE	2	o	"	29.74	755.4	73	...	...	0	b
Pescadores,	"	29.88	759.0	81	...	NNE	4	b	"	29.76	756.0	75	...	WNW	2	o
Canton,	15	29.76	755.9	87	72	SE	2	b	"	...	...	77	95	SE	2	o
Hongkong,	14	29.81	757.2	79	80	E	4	b	"	29.75	755.6	76	94	ENE	1	c
Gap Rock,	"	29.82	757.4	...	...	E	4	b	"	29.75	755.6	...	...	SE	3	b
Macao,	"	29.80	756.9	84	74	SE	2	b	"	29.73	755.1	77	94	SE	4	o
Wuchow,	15	29.69	754.1	88	66	E	1	c	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.66	753.3	86	100	SSE	4	o	7	29.66	753.3	81	94	SE	6	o
Tourane,	"	29.69	754.2	84	...	SE	4	b	"	29.68	753.9	82	...	SW	4	b
Cape St. James,	"	29.76	756.0	93	...	SW	2	b	"	29.78	756.3	79	...	SW	2	b
Aparri,	14	29.74	755.4	90	51	NE	4	b	6	29.74	755.4	77	89	SW	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.73	755.1	90	66	WSW	4	o	"	29.75	755.7	75	94	E	1	b
Legaspi,	"	29.71	754.5	90	60	ENE	2	b	"	29.75	755.7	75	94	W	1	b
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	86	71	SW	4	o	"	29.75	755.7	77	94	...	0	o
Surigao,	"	29.72	754.8	86	75	WNW	2	o	"	29.76	756.0	75	94	...	0	o
Guam,	12.20	29.75	755.7	...	...	E	4	o	4.20	29.78	756.3	...	...	ENE	4	b
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labtan,	14	29.77	756.1	86	80	N	2	b	6	29.79	756.6	78	91	SW	2	r

May 9*d.* 11*h.* 30*m.*—Pressure has decreased considerably at Wladivostock, moderately from Weihaiwei to Swatow and slightly in southern districts.

Depressions are shown in the extreme North, over the Eastern Sea, over Indo-China, and far east of Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 15·33 inches, against an average of 13·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10th.

District.	Forecast.
1.—Formosa Channel,	Light variable winds, freshening from westward later.
2.—Hongkong to Gap Rock,	Light, variable winds; fine.
3.—South coast of China between Hongkong and Lamocks,	Light, variable winds; fine.
4.—South coast of China between Hongkong and Hainan,	Light, variable winds; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9th May, 1922.								10th May, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.39	746.6	43	...	W	2	o	6	29.64	752.8	47	...	SSW	2	o
Nemuro,	11	29.72	755.0	...	...	SSE	1	...	5	30.69	779.5	...	...	W	5	...
Hakodate,	"	29.59	751.5	...	...	ESE	2	...	"	29.57	751.0	...	...	W	4	...
Tokio,	"	29.65	753.0	...	...	S	1	...	"	29.67	753.5	...	...	N	1	...
Kochi,	"	29.70	754.5	...	...	...	0	...	"	29.67	753.5	...	...	WSW	1	...
Nagasaki,	"	29.69	754.0	...	...	SW	6	...	"	29.76	756.0	...	...	...	...	...
Kagoshima,	"	29.72	755.0	...	...	W	3	...	"	29.76	756.0	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	...	...	...	...	...	...	...	"	29.78	756.5	...	...	S	6	...
Weihaiwei,	14	29.85	758.2	56	63	NW	6	b	6	29.77	756.1	54	68	SW	4	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.91	759.7	70	69	NW	2	o	"	29.92	759.9	55	90	NNE	1	o
Gutzlaff,	"	29.90	759.4	60	90	N	4	r	"	29.92	759.9	56	89	S	1	o
Sharp Peak,	14	29.73	755.1	83	83	S	2	bf	7	29.87	758.7	68	90	E	4	cf
Amoy,	15	29.66	753.3	84	83	SE	4	b	6	29.77	756.1	72	92	ENE	2	r
Swatow,	"	29.63	752.6	85	76	S	2	b	"	...	...	...	...	...	...	...
Taihoku,	12	29.78	756.3	86	65	WNW	4	b	"	29.81	757.2	70	94	ESE	4	b
Taichu,	"	29.78	756.3	86	...	W	2	o	"	29.80	756.9	73	...	...	o	b
Tainan,	"	29.76	756.0	86	...	W	4	b	"	29.78	756.3	75	...	...	o	b
Koshun,	"	29.78	756.3	90	...	WSW	2	b	"	29.78	756.3	72	...	...	o	b
Pescadores,	"	29.79	756.6	81	...	WSW	4	b	"	29.80	756 9	75	...	N	2	b
Canton,	15	29 69	754.1	89	69	S	2	c	"	29.76	755.9	74	95	N	1	o
Hongkong,	14	29.73	755.1	85	70	W	3	c	"	29.76	755.9	76	93	...	o	omd
Gap Rock,	"	29.75	755.6	...	...	S	3	b	"	29.76	755.9	...	...	S	3	o
Macao,	"	29.72	754.8	90	72	SSE	4	o	"	29.74	755.4	75	92	NW	2	o
Wuchow,	15	29.73	755.1	77	86	E	1	oz	9	29.82	757.4	76	73	E	1	oz
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.66	753.3	86	71	ESE	4	b	7	29.74	755.4	75	92	NNW	4	o
Tourane,	"	29.65	753 0	86	...	SE	2	b	"	29.68	753.9	82	...	NW	2	o
Cape St. James,	"	29.72	754.8	93	...	SSW	2	b	"	29.75	755.7	77	...	SW	2	o
Aparri,	14	29.71	754.5	90	60	NNE	4	b	6	29.79	756.6	77	84	SW	2	o
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.71	754.5	82	81	SW	4	o	"	29.78	756.3	75	94	...	o	b
Legaspi,	"	29.69	754.2	86	71	E	2	o	"	29.79	756.6	75	96	W	1	o
Tacloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.69	754.2	86	71	SW	4	o	"	29.79	756.6	77	94	...	o	o
Surigao,	"	29.69	754 2	86	71	WNW	1	o	"	29.78	756.3	75	92	SW	1	b
Guam,	12.20	29.76	756.0	...	...	E	4	o	4.20	29.79	756.6	...	...	ENE	1	o
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755 9	86	80	NE	2	b	6	29.76	755.9	80	91	SW	6	b

May 10*d*. 11*h*. 11*m*.—Pressure is highest over N.E. China. It has increased considerably at Weihaiwei, moderately at Shanghai, and slightly from Formosa to the Visayas. It is nearly stationary in the vicinity of Hongkong.

The northern depression is moving eastward. The Indo-China depression is now central near Tourane. The depression over the Eastern Sea has filled up. The depresion to the east of Luzon is filling up or moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 15·53 inches, against an average of 14·31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks,	S. or variable winds, moderate; overcast, some rain.
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.60	751.9	45	...	E	4	o	6	29.76	756.0	42	...	E	1	b
Nemuro,	11	29.33	745.0	...	...	NW	6	...	5	29.88	759.0	...	...	E	1	...
Hakodate,	"	29.75	755.5	...	...	W	8	...	"	29.80	757.0	...	...	...	o	...
Tokio,	"	29.72	755.0	...	...	SE	2	...	"	29.82	757.5	...	...	N	1	...
Kochi,	"	29.75	755.5	...	...	W	1	...	"	29.82	757.5	...	...	WSW	1	...
Nagasaki,	"	29.78	756.5	...	...	SW	2	...	"	29.86	758.	...	...	...	o	...
Kagoshima,	"	29.76	756.0	...	...	SE	2	...	"	29.84	758.0	...	...	...	o	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.72	755.0	...	...	S	6	...	"	29.88	759.0	...	...	WSW	1	...
Weihaiwei,	14	29.74	755.4	60	76	NW	6	of	6	29.74	755.4	54	87	SE	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.93	760.2	73	55	WNW	1	o	"	29.88	758.9	59	87	SSE	1	o
Gutzlaff,	"	29.90	759.4	64	78	SSE	1	o	"	29.89	759.2	56	100	SSE	4	o
Sharp Peak,	14	29.83	757.7	73	83	E	1	o	7	29.83	757.7	71	90	E	1	o
Amoy,	15	29.78	756.4	78	86	ESE	1	o	6	29.78	756.4	74	92	...	o	o
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.82	757.5	84	74	E	2	b	"	29.82	757.5	73	96	...	o	o
Taichu,	"	29.81	757.2	86	...	NNW	2	b	"	29.81	757.2	72	...	...	o	b
Tainan,	"	29.81	757.2	80	...	W	2	b	"	29.80	756.9	73	...	...	o	b
Koshun,	"	29.81	757.2	86	...	SSW	4	b	"	29.79	756.6	73	...	...	o	b
Pescadores,	"	29.84	757.8	82	...	ENE	4	b	"	29.81	757.2	75	...	...	o	b
Canton,	15	29.77	756.1	76	95	W	2	or	"	29.78	756.4	75	95	SE	1	o
Hongkong,	14	29.75	755.6	84	70	...	o	o	"	29.77	756.1	75	96	ESE	2	cm
Gap Rock,	"	29.77	756.1	...	...	SW	4	o	"	29.77	756.1	...	...	E	1	c
Macao,	"	29.75	755.7	79	84	WNW	2	o	"	29.74	755.4	75	91	SE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Thulien,	"	29.72	754.8	77	86	E	2	o	7	...	...	...	...	...	...	...
Tourane,	"	29.69	754.2	84	...	N	4	o	"	...	...	...	...	...	...	...
Cape St. James,	"	29.72	754.8	93	...	S	2	o	"	...	...	...	...	...	...	...
Aparri,	14	29.73	755.1	90	60	NE	4	b	6	...	...	...	...	...	...	...
Legupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.71	754.5	90	63	W	4	o	"	29.81	757.2	77	92	...	o	g
Legaspi,	"	29.73	755.1	90	69	ENE	2	o	"	29.81	757.2	72	92	SW	1	b
Masoloban,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	29.73	755.1	90	66	WNW	4	o	"	29.81	757.2	77	92	...	o	o
Surigao,	"	29.72	754.8	90	66	NNW	2	b	"	29.82	757.5	75	94	SSW	1	b
Guam,	12.20	29.79	756.6	...	...	SE	4	o	4.20	29.80	756.9	...	...	E	2	b
Yap,	12.4	29.76	756.0	...	...	NE	2	o	4.47	...	...	...	...	...	...	...
Sebuan,	14	29.76	755.9	88	69	W	2	b	6	29.76	755.9	80	91	SW	2	b

May 11*d.* 11*h.* 15*m.*—Pressure has increased considerably over N.E. Japan, moderately from Wladivostock to the Bonins and slightly over the Philippines. It has decreased slightly at Weihaiwei and Shanghai.

A depression has formed over S.E. Mongolia.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 15·61 inches, against an average of 14·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, ...	Light, variable winds, fair.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,..	
4.—South coast of China between Hongkong and Hainan,...	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th May, 1922.								12th May, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.92	760.0	...	...	SSE	1	...	5	30.04	763.0	...	...	...	...	...
Hakodate,	"	29.82	757.5	...	...	SSE	1	...	"	29.94	760.5	...	...	SW	1	...
Tokio,	"	29.82	757.5	...	...	...	0	...	"	29.84	758.0	...	...	...	0	...
Kochi,	"	29.78	756.5	...	...	E	1	...	"	29.78	756.5	...	...	...	0	...
Nagasaki,	"	29.86	758.5	...	...	SW	1	...	"	29.76	756.0	...	...	WSW	1	...
Kagoshima,	"	29.86	758.5	...	...	...	0	...	"	29.88	759.0	...	...	ESE	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.88	759.0	...	...	...	5	...	"	29.96	761.0	...	...	WSW	1	...
Weihaiwei,	14	29.62	752.3	56	87	NNE	1	0	6	29.92	759.9	48	78	SSW	1	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.95	760.7	75	56	WSW	1	b	"	30.05	763.2	57	72	NE	1	0
Gutzlaff,	"	29.90	759.4	64	84	SE	1	b	"	30.05	763.2	58	70	NNE	4	0
Sharp Peak,	14	29.85	758.2	69	90	E	1	r	7	29.95	760.7	67	94	E	1	r
Amoy,	15	29.79	756.6	76	92	...	0	r	6	29.85	758.2	69	95	ENE	2	0
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	29.82	757.5	86	68	N	2	0	"	29.84	760.5	64	92	E	4	r
Taichu,	"	29.82	757.5	86	...	SW	2	0	"	29.85	758.1	75	...	...	0	r
Tainan,	"	29.82	757.5	90	...	W	4	b	"	29.81	757.2	75	...	...	0	0
Koshun,	"	29.84	757.8	90	...	WSW	2	b	"	29.84	757.8	73	...	...	0	b
Pescadores,	"	29.85	758.1	84	...	W	2	0	"	29.85	758.1	75	...	NE	4	r
Canton,	15	29.79	756.6	84	75	N	2	c	"	29.85	758.2	73	90	N	1	c
Hongkong,	14	29.78	756.4	83	17	S	3	0	"	29.82	757.4	76	91	...	0	0
Gap Rock,	"	29.80	756.9	...	...	SSE	2	c	"	29.82	757.4	...	...	NE	2	c
Macao,	"	29.76	756.0	84	81	SSE	2	r	"	29.82	757.5	75	96	NNW	2	0
Wuchow,	15	29.77	756.1	85	61	NNE	2	0	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.78	756.3	79	84	ENE	2	0	7	...	...	...	...	...	...	...
Tourane,	"	29.72	754.8	86	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.72	754.8	93	...	SSE	2	0	"	...	...	...	...	...	...	...
Aparri,	14	29.73	755.1	90	63	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.74	755.4	93	53	SW	2	0	"	29.81	757.2	79	90	NE	1	0
Legaspi,	"	29.75	755.7	95	53	E	2	b	"	29.80	756.9	82	77	NE	2	b
Tacloban,	"	29.74	755.4	90	69	SE	4	0	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.79	756.6	79	90	NW	2	0
Surigao,	"	29.75	755.7	86	71	NNW	2	b	"	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	29.76	756.0	...	...	ENE	2	b
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	88	86	W	2	b	6	29.77	756.1	81	91	SW	4	b

May 12*d*. 11*h*. 11*m*.—Pressure is highest over N.E. China. It has increased moderately from Weihaiwei to Shanghai and slightly from Formosa to Hongkong.

The Mongolian depression has moved eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 15·61 inches, against an average of 15·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh.
2.—Hongkong to Gap Rock,	N.E. winds, light to moderate; cloudy, some rain.
3.—South coast of China between Hongkong and Lambeks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th MAY, 1922.								13th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.77	756.1	53	...	NNW	3	o	6	29.88	759.1	47	...	N	2	b
Nemuro,	11	30.08	76.40	...	...	ESE	3	...	5	29.88	759.0	...	...	E	7	...
Hakodate,	"	29.88	759.0	...	...	E	4	...	"	29.75	755.5	...	...	E	4	...
Tokio,	"	29.76	756.0	...	...	WNW	1	...	"	29.84	758.0	...	...	NNE	1	...
Kochi,	"	29.78	756.5	...	...	...	0	...	"	29.96	761.0	...	...	W	1	...
Nagasaki,	"	29.90	759.5	...	...	W	5	...	"	30.02	762.5	...	...	ESE	1	...
Kagoshima,	"	29 88	759.0	...	...	NW	2	...	"	29.94	765.0	...	...	NW	1	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	29.92	760 0	...	...	N	5	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.90	759.5	...	...	NE	6	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.92	760.0	...	...	SSW	3	...	"	29.94	760.5	...	...	SSW	2	...
Weihaiwei,	14	29.79	756.6	64	58	S	6	b	6	29.76	755.9	56	94	W	2	b
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	30.08	764.0	72	36	S	2	o	"	29.91	759.7	54	88	SSE	1	b
Gutzlaff,	"	30.04	763.0	63	57	SSE	2	o	"	29.94	760.5	58	81	SSE	2	b
Sharp Peak,	14	30.02	762.5	72	81	E	1	o	7	29.95	760.7	63	83	E	1	r
Amoy,	15	29.87	758.7	75	77	ENE	4	o	6	29.82	757.4	72	85	...	o	b
Swatow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Taihoku,	12	30.00	762.0	66	94	E	4	r	"	29.86	758.4	66	98	E	4	r
Taichu,	"	29.89	759.3	73	...	N	2	r	"	29.85	758.1	72	...	...	o	o
Tainan,	"	29.87	758.7	81	...	NNE	2	r	"	29.82	757.5	73	...	N	2	o
Koshun,	"	29.87	758.7	90	...	ENE	4	o	"	...	...	...	...	...	...	...
Pescadores,	"	29.92	759.9	75	...	N	6	o	"	29.86	758.4	73	...	N	4	b
Canton,	15	29.82	757.4	78	82	N	1	o	"	29.83	757.7	73	95	SE	2	o
Hongkong,	14	29.83	757.7	79	87	E	4	o	"	29.84	757.9	73	89	ENE	5	od
Gap Rock,	"	29.82	757.4	...	...	SE	2	e	"	29.81	757 2	...	...	E	4	o
Macao,	"	29.81	757.2	81	84	SSE	2	o	"	29.80	756 9	73	92	E	4	r
Wuchow,	15	29.80	756.9	80	78	E	1	o	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.72	757.5	81	76	SW	2	o	7	...	...	...	...	...	...	...
Tourane,	"	29.76	756.0	86	...	ESE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.75	755.7	93	...	SSE	2	b	"	...	...	...	...	...	...	...
Aparri,	14	29.78	756.3	90	63	NE	4	b	6	29.81	757.2	75	86	S	2	b
Lagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.74	755.4	90	60	WNW	2	o	"	29.80	756.9	77	96	E	1	o
Legaspi,	"	29.76	756.0	90	63	ENE	2	b	"	29.80	756.9	77	94	...	o	b
Caloloan,	"	29.79	756.0	90	72	SE	4	o	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Surigao,	"	29.75	755.7	84	85	N	4	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NNE	2	r	4.20	29.80	756.9	...	...	E	4	r
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan	14	29 74	755.4	88	73	W	2	b	6	29.79	756.6	78	91	N	4	r

May 13*d*. 11*h*. 37*m*.—Pressure is highest over S.W. Japan. It has increased slightly at Wladivostock and decreased moderately at Weihaiwei and Shanghai. It is nearly stationary in the vicinity of Hongkong.

A new depression has formed over S.E. Mongolia.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·17 inch. Total since January 1st, 15·78 inches, against an average of 15·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	E. to variable winds, moderate to light; overcast at first, improving later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th MAY, 1922.								14th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.59	751.5	...	...	SSE	6	...	5	...	...	...	...	...	...	...
Hakodate,	"	29.78	756.5	...	...	SSW	5	...	"	...	...	...	...	...	...	...
Tokio,	"	29 88	759.0	...	...	SE	2	...	"	...	...	...	...	...	...	...
Kochi,	"	29.96	761.0	...	...	SW	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.96	761.0	...	...	SW	1	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.94	760.5	...	...	E	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	29.88	759.0	...	...	NNE	2	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.84	758.0	...	...	NE	4	...	"	...	...	...	...	...	...	...
Bonin Island,	"	30.02	762.5	...	...	S	1	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.88	758.9	54	87	NNE	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.92	759.9	81	38	SW	1	b	"	29.89	759.2	57	100	SSE	1	b
Gutzlaff,	"	29.90	759.4	69	70	S	1	b	"	29.90	759.4	60	94	SSW	1	b
Sharp Peak,	14	29 90	759.4	71	80	...	0	rf	7	...	...	...	...	...	...	...
Amoy,	15	29.87	758.7	71	95	...	0	r	6	...	...	...	...	...	...	...
Swatow,	"	29.78	756.4	68	100	ENE	2	cr	"	...	...	...	...	...	...	...
Taihoku,	12	29.91	759.6	70	96	SE	4	r	"	29.84	757.8	70	96	NE	4	o
Taichu,	"	29.88	759.0	77	...	NNW	2	o	"	29.85	758.1	72	...	...	0	o
Tainan,	"	29.86	758.4	90	...	W	2	o	"	29.80	756 9	72	...	NE	2	b
Koshun,	"	29 86	758.4	84	...	NNW	4	b	"	29.80	756.9	72	...	...	0	b
Pescadores,	"	29.91	759.6	77	...	N	4	o	"	29.88	759.0	73	...	N	4	o
Canton,	15	29.80	756.9	83	79	SE	2	o	"	...	...	...	...	...	...	...
Hongkong,	14	29 83	757.7	77	86	E	4	o	"	29.81	757.2	75	93	E	3	o
Gap Rock,	"	29.83	757.7	...	...	E	4	c	"	29.81	757.2	...	...	E	3	c
Macao,	"	29.81	757.2	81	84	ESE	2	o	"	29.76	756.0	75	98	ESE	2	o
Wuchow,	15	29.74	755.4	84	79	E	1	cg	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.76	756.0	86	68	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	"	29.74	755.4	86	...	SSE	2	b	"	...	...	...	...	...	...	...
Cape St. James,	"	29.79	756.6	86	...	E	2	b	"	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.80	756.9	75	86	S	2	b
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.75	755.7	93	53	W	4	o	"	29.79	756.6	77	89	NE	1	b
Legaspi,	"	29.75	755.7	93	64	E	2	b	"	29.76	756.0	82	86	NE	2	b
Tacloban,	"	29.74	755 4	90	63	SE	4	b	"	...	...	...	...	...	...	...
Iloilo,	"	29.72	754.8	90	...	NE	4	o	"	29.76	756.0	79	90	NNE	1	o
Surigao,	"	29.74	755.4	86	71	N	2	o	"	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	...	0	r	4.20	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	86	76	W	2	b	6	...	...	...	...	...	...	...

May 14*d*. 12*h*. 17*m*.—Pressure has decreased slightly at Shanghai and Hongkong, and over Indo-China and the Visayas.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 15·78 inches, against an average of 15·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	E. to variable winds, moderate to light; fair.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th May, 1922.									15th May, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.00	762.0	43	...	SSE	4	o		6	30.06	763.4	37	...	E	2	f	
Nemuro,	11	29.92	760 0	...	...	SE	2	...		5	30.02	762.5	...	...	NNE	1	...	
Hakodate,	"	29.96	761.0	...	...	SSE	1	...		"	30.26	768.5	...	...	...	0	...	
Tokio,	"	29.88	759.0	...	...	S	1	...		"	29.92	760.0	...	...	NE	1	...	
Kochi,	"	29 88	759.0	...	...	SSE	1	...		"	29.90	759.5	...	...	WSW	1	...	
Nagasaki,	"	29.92	760.0	...	...	SW	...	...		"	29.94	760.5	...	...	...	...	...	
Kagoshima,	"	29.90	759.5	...	...	SSE	1	...		"	29.92	760.0	...	...	NW	1	...	
Oshima,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Naha,	"	29.88	759.0	...	...	ENE	2	...		"	29.86	758.5	...	...	...	0	...	
Ishigakijima,	"	...	...	...	...	...	...	...		"	29.80	757.0	...	...	SSE	3	...	
Bonin Island,	"	29.86	758.5	...	...	S	3	...		"	29.82	757.5	...	...	SSW	1	...	
Weihaiwei,	14	29.94	760.5	56	75	ENE	1	o		6	29.96	761.0	52	92	...	0	o	
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Shanghai,	11	29.89	759.2	84	45	SE	1	b		"	29.80	756.9	66	76	SSE	2	b	
Gutzlaff,	"	29.68	753-9	67	84	SE	4	b		"	29.79	756.6	64	95	SSE	6	c	
Sharp Peak,	14	29.85	758.2	78	75	E	1	b		7	29.78	756.4	70	94	...	0	r	
Amoy,	15	...	...	...	...	...	...	...		6	29.75	755.6	74	92	...	0	b	
Swatow,	"	29.73	755.1	77	82	ESE	2	o		"	...	...	...	...	...	...	...	
Taihoku,	12	29.87	758.7	81	73	E	4	o		"	29.78	759.3	70	96	...	0	b	
Taichu,	"	29.85	758.1	84	...	E	2	b		"	29-78	756.3	73	...	...	0	b	
Tainan,	"	29.84	757.8	73	...	NW	2	o		"	29.76	756.0	73	...	SE	2	b	
Koshun,	"	29 84	757.8	84	...	SW	2	o		"	29.78	756.3	75	...	ENE	2	b	
Pescadores,	"	29.87	758.7	79	...	N	4	o		"	29.78	756.3	73	...	...	0	b	
Canton,	15	29.74	755.4	81	87	S	2	or		"	29.71	754.6	77	95	...	0	c	
Hongkong,	14	29.78	756.4	79	84	E	4	c		"	29.72	754.9	80	86	SSW	3	o	
Gap Rock,	"	29.79	756.6	...	...	ESE	3	b		"	29.72	754.9	...	...	S	3	c	
Macao,	"	29.76	756.0	81	87	ESE	2	o		"	29.69	754.2	79	93	SSW	4	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Phulien,	"	29.69	754.2	86	78	SSE	6	o		7	29.67	753.6	79	92	S	4	b	
Tourane,	"	29.74	755.4	86	...	SSE	2	b		"	29.72	754.8	79	...	SSW	6	b	
Cape St. James,	"	...	...	...	...	...	...	...		"	29.80	756.9	79	...	SW	2	b	
Aparri,	14	29.75	755.7	90	60	NE	4	b		6	...	...	...	...	...	...	...	
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...	...	
Manila,	"	29.73	755.1	90	63	SW	1	o		"	...	...	...	...	...	...	...	
Legaspi,	"	29.76	756.0	90	66	NE	4	b		"	...	...	...	...	...	...	...	
Tacloban,	"	...	...	...	...	...	...	...		"	29.76	756.0	75	98	...	0	o	
Iloilo,	"	29.72	754.8	93	46	ENE	4	o		"	...	...	...	...	...	...	...	
Surigao,	"	...	...	...	...	...	...	...		"	29.76	756.0	77	94	WNW	1	r	
Guam,	12.20	29.75	755.7	...	...	ENE	4	o		4.20	...	...	...	...	...	...	...	
Yap,	12.4	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Labuan,	14	29.73	755.1	88	69	W	2	b		6	29.76	755.9	80	91	W	2	b	

May 15*d.* 11*h.* 30*m.*—Pressure has decreased slightly from Weihaiwei to Formosa and Indo-China. It has increased slightly from Wladivostock to N.E. Japan.

Depressions lie over S.W. China and to the north of the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 15·78 inches, against an average of 11·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate, squally; fair to showery.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th MAY, 1922.								16th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.50	762.0	...	...	N	3	...	5	...	...	...	...	...	...	...
Hakodate,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Tokio,	"	29.90	759.5	...	...	SE	1	...	"	...	...	...	...	...	...	...
Kochi,	"	29.92	760.0	...	...	SE	1	...	"	...	...	...	...	...	...	...
Nagasaki,	"	29.92	760 0	...	...	SE	2	...	"	...	...	...	...	...	...	...
Kagoshima,	"	29.92	76.00	...	...	SE	1	...	"	...	...	...	...	...	...	...
Oshima,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Naha,	"	29.86	758.5	...	...	ENE	2	...	"	...	...	...	...	...	...	...
Ishigakijima,	"	29.80	757.0	...	...	S	3	...	"	...	...	...	...	...	...	...
Bonin Island,	"	29.86	758.5	...	...	ENE	2	...	"	...	...	...	...	...	...	...
Weihaiwei,	14	29.94	760.5	58	76	NNE	1	b	6	30.05	763.2	52	93	SE	1	of
Hankow,	15	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Ichang,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Changsha,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Shanghai,	11	29.82	757.4	72	75	SSE	2	o	"	29.91	759.7	61	89	ENE	2	c
Gutzlaff,	"	29.84	757.9	60	100	SE	4	r	"	29.91	759.7	60	94	ENE	4	o
Sharp Peak,	14	29.72	754.9	70	95	SE	1	r	7	29.74	755.4	67	94	ENE	4	o
Amoy,	15	29.66	753.3	75	95	SSE	1	r	6	29.69	754.1	73	95	...	0	o
Swatow,	"	29.59	751.6	81	83	SW	2	c	"	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	82	86	NNW	2	o	"	29.67	753.6	73	96	SE	2	r
Taichu,	"	29.76	756.0	86	...	SW	4	o	"	29.69	754.2	73	...	...	0	o
Tainan,	"	29.76	756.0	93	...	SW	4	b	"	29.69	754.2	75	...	WSW	2	r
Koshun,	"	29.76	756.0	86	...	NW	4	b	"	29.68	753.9	81	...	W	2	o
Pescadores,	"	29.78	756.3	86	...	S	4	b	"	29.66	753.3	77	...	SW	4	o
Canton,	15	29.60	751.8	88	73	SW	2	o	"	29.68	753.9	75	90	NW	1	cr
Hongkong,	14	29.65	753.1	87	68	SW	5	cq	"	29.68	753.9	82	87	SW	4	cr
Gap Rock,	"	29.67	753.6	...	...	S	4	c	"	29.67	753.6	...	...	S	4	o
Macao,	"	29.63	752.7	86	75	SSW	4	o	"	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Hoihow,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Phulien,	"	29.56	750.9	93	61	SSE	6	b	7	29.62	752.4	81	92	E	4	o
Tourane,	"	29.65	753.0	90	...	...	0	b	"	29.63	752.7	86	...	WSW	2	b
Cape St. James,	"	29.73	755.1	93	...	SW	2	b	"	29.78	756.3	79	...	NW	1	r
Aparri,	14	29.69	754.2	90	55	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Manila,	"	29.71	754.5	90	63	SSE	1	o	"	29.74	755.4	75	94	E	1	b
Legaspi,	"	29.73	755.1	86	68	NE	4	o	"	29.75	755.7	79	92	...	0	b
Taclobau,	"	...	...	...	...	...	...	...	"	...	...	...	...	...	...	...
Iloilo,	"	...	...	...	...	...	...	...	"	29.72	754.8	79	90	NNE	2	o
Surigao,	"	29.68	753.9	82	84	NNW	2	o	"	29.74	755.4	77	98	...	0	o
Guam,	12.20	29.76	756.0	...	...	SE	4	o	4.20	29.80	756.9	...	...	ENE	2	b
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.69	754 1	88	69	W	4	b	6	29.76	755.9	78	91	SW	2	r

May 16*d.* 12*h.* 17*m.*—Pressure has increased moderately at Shanghai, and slightly at Weihaiwei. It has decreased slightly at other reporting stations.

A trough of low pressure extends from Tongking to the east of Formosa, with minimum over Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·82 inch. Total since January 1st, 16·60 inches, against an average of 16·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel. 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks,.. 4.—South coast of China between Hongkong and Hainan,	E. or variable winds, moderate; overcast, occasional rain

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

Station.	16th MAY, 1921.								17th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,..	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,.....	11	30 14	765.5	...	...	S	1	...	5	30 36	771.0	...	...	...	...	...
Hakodate, ...	,,	30 16	766.0	...	...	SSW	5	...	,,	30.36	771.0	...	...	...	0	...
Tokio, ...	,,	30.18	766.5	...	...	NNE	1	...	,,	30.26	768.5	...	...	NNE	1	...
Kochi, ...	,,	30 04	763.0	...	...	NW	1	...	,,	30.14	765.5	...	...	...	0	...
Nagasaki, ...	,,	29.96	761.0	...	...	NE	1	...	,,	30.04	763.0	...	...	N	1	...
Kagoshima,.....	,,	29.96	761.0	...	...	E	2	...	,,	30 00	762.0	...	...	NE	3	...
Oshima, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	29.69	754.0	...	...	S	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,...	,,	29.96	761.0	...	...	S	2	...	,,	29.96	761.0	...	...	SW	1	...
Weihaiwei, ...	14	30.02	762.5	60	82	ESE	2	b	6	29.99	761.7	56	100	SSW	2	o
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	29.99	761.7	70	69	E	4	o	,,	30.02	762.5	59	98	E	1	b
Gutzlaff, ...	,,	29.96	761.0	66	79	ENE	2	b	,,	30.01	762.2	60	100	ESE	2	o
Sharp Peak, ...	14	29.79	756.6	72	81	E	4	o	7	29.95	760.7	69	90	NE	1	b
Amoy, ...	15	29.74	755.4	75	86	E	2	o	6	29.85	758.2	71	91	ENE	2	b
Swatow,.....	,,	...	...	...	...	...	...		,,	...	...	...	..	...	...	...
Taihoku, ...	12	29.78	756.3	73	91	NNW	4	o	,,	29.87	758.7	68	96	ESE	4	o
Taichu, ...	,,	29.75	755.7	75	...	SSE	2	r	,,	29.8:	757.2	70	...	...	0	b
Tainan, ...	,,	29.76	756.0	79	...	SE	4	o	,,	29.80	756 9	73	...	NE	2	o
Koshun, ...	,,	29.75	755.7	79	...	WNW	2	r	,,	29.79	756 6	77	...	E	2	b
Pescadores, ...	,,	29.76	756.0	79	...	W	4	o	,,	29.82	757.5	75	...	NNE	4	o
Canton, ...	15	29.71	754.6	80	82	SW	1	o	,,	29.80	756.9	75	95	E	1	o
Hongkong, ...	14	29.74	755.4	76	93	E	1	ort	,,	29.80	756.9	75	90	ENE	4	cd
Gap Rock,.....	,,	29.75	755.6	...	...	W	3	orlt	,,	29.80	756.9	...	...	ENE	3	c
Macao, ...	,,	29.71	754.5	73	98	W	4	r	,,	29.75	755.7	75	92	ESE	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,.....	,,	29.61	752.1	82	70	NE	4	r	7	...	...	...	...	...	...	...
Tourane, ...	,,	29.62	752.4	90	...	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.5	93	...	S	2	b	,,	...	...	...	...	...	...	...
Aparri, ...	14	...	...	...	...	...	...	...	6	29.79	756.6	75	83	S	2	o
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.69	754.2	86	71	ENE	1	o	,,	29.75	755.7	75	94	...	2	b
Legaspi,.....	,,	29.69	754.2	93	64	ENE	4	b	,,	29.75	755.7	79	92	ENE	0	o
Tacloban, ...	,,	29.71	754.5	84	77	S	2	o	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.66	753.3	93	53	NE	4	o	,,	29.75	755.7	79	95	NE	1	r
Surigao, ...	,,	29.69	754.2	86	75	E	2	o	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.79	756.6	...	...	ENE	4	b	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.74	755.4	86	76	SW	2	b	6	29.75	755.6	80	91	SW	4	o

May 17*d.* 10*h.* 42*m.*—Pressure has increased considerably over N.E. Japan, and moderately from Shanghai to Hongkong. It is nearly stationary over the Philippines.

An anticyclone is central over Hokkaido.

The trough of low pressure from Tongking to Formosa has filled up.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·12 inch. Total since January 1st, 16·81 inches, against an average of 16·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh.
2.—Hongkong to Gap Rock,.....	E. winds, moderate; fair.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	18th May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.29	769.3	45	...	SE	5	o	6	30.01	762.1	42	...	SE	6	or
Nemuro,	11	30.41	772.5	...	...	SSE	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.38	771.5	...	...	ESE	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.12	765.0	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.14	765.5	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.06	763.5	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.06	763.5	...	...	ESE	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.96	761.0	...	...	S	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.90	759.4	66	79	SSW	6	b	6	29.93	760.2	58	97	SSW	4	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.82	757.4	77	64	SE	2	b	,,	29.96	761.0	66	98	SE	1	o
Gutzlaff,	,,	30.01	762.2	66	91	ESE	4	b	,,	29.90	759.4	63	100	SSE	4	of
Sharp Peak,	15	29.90	759.4	76	82	ENE	2	o	7	29.93	760.2	72	90	...	o	c
Amoy,	14	29.86	758.4	80	82	SE	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.88	759.0	79	87	E	4	o	,,	...	...	73	96	...	o	o
Taichu,	,,	29.85	758.1	82	...	NW	2	b	,,	...	...	75	...	...	o	o
Tainan,	,,	29.87	758.7	86	...	NW	2	b	,,	29.87	758.7	75	...	ENE	2	o
Koshun,	,,	29.85	758.1	86	...	E	4	b	,,	29.87	758.7	70	...	ENE	2	b
Pescadores,	,,	29.88	759.0	79	...	NNE	6	o	,,	...	...	75	...	NNW	4	b
Canton,	15	29.82	757.4	84	79	SE	2	o	,,	29.89	759.2	75	90	E	2	o
Hongkong,	14	29.85	758.4	77	82	ENE	5	o	,,	29.89	759.2	75	86	E	4	o
Gap Rock,	,,	29.83	757.7	...	...	ENE	4	o	,,	29.86	758.4	...	...	NE	3	o
Macao,	,,	29.81	757.2	81	84	ESE	4	o	,,	29.86	758.4	77	88	SE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.79	756.6	77	91	NNE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.73	755.1	85	...	SSE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.76	756.0	90	63	NE	4	o	6	29.84	757.8	79	89	S	4	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	82	86	...	o	r	,,	29.84	757.8	75	96	...	o	o
Legaspi,	,,	29.75	755.7	90	69	ENE	2	o	,,	29.82	757.5	82	86	E	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	42.0	29.82	757.5	...	...	ENE	4	o
Yap,	12 4	...	...	...	...	...	...	...	44.7	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	80	NW	2	b	6	29.64	756.4	80	91	SW	4	b

May 18*d*. 10*h*. 59*m*.— Pressure is highest over Japan. It has decreased slightly at Weihaiwei and Shanghai and has increased slightly at other reporting stations.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 16·81 inches, against an average of 17·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fine to cloudy.
2.—Hongkong to Gap Rock,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	18th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.87	758.7	46	...	SE	4	f	6	29.75	755.5	46	...	...	0	f
Nemuro,	11	30.30	769.5	...	...	S	4	...	5	30.04	763.0	...	...	SSW	5	...
Hokodate,	,,	30.22	767.5	...	...	ESE	4	...	,,	29.94	760.5	...	...	SSW	1	...
Tokio,	,,	30.34	770.5	...	...	S	1	...	,,	30.14	765.5	...	...	...	0	...
Kochi,	,,	30.18	766.5	...	...	ENE	1	...	,,	29.98	761.5	...	...	...	0	...
Nagasaki,	,,	30.04	763.0	...	...	SW	2	...	,,	29.88	759.0	...	...	...	0	...
Kagoshima,	,,	30.06	763.5	...	...	NE	3	...	,,	29.84	758.0	...	...	NE	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.06	763.5	...	...	ENE	2	...	,,	29.94	760.5	...	...	E	1	...
Weihaiwei,	14	29.85	758.2	68	90	S	2	b	6	29.83	757.7	60	94	S	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.97	761.2	77	68	S	1	o	,,	29.89	759.2	66	98	SE	1	of
Gutzlaff,	,,	29.95	760.7	69	91	ESE	1	o	,,	29.87	758.7	62	100	...	0	bf
Sharp Peak,	15	29.90	759.4	82	79	E	1	o	7	29.73	755.1	72	94	...	0	o
Amoy,	14	29.93	757.7	80	82	SSE	4	b	6	...	...	74	92	...	0	b
Swatow,	,,	29.78	756.4	79	82	ESE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	12	29.92	759.9	81	87	E	4	o	,,	29.81	757.2	71	98	ESE	2	o
Taichu,	,,	29.89	759.3	84	...	NNW	4	b	,,	29.81	757.2	73	...	...	0	b
Tainan,	,,	29.87	758.7	90	...	W	4	b	,,	29.80	756.9	75	...	...	0	b
Koshun,	,,	29.87	758.7	86	...	...	0	o	,,	29.79	756.6	73	...	...	0	b
Pescadores,	,,	29.93	76.02	77	...	N	4	o	,,	29.81	757.2	75	...	N	2	b
Canton,	15	29.84	757.9	85	76	SE	1	o	,,	29.82	757.4	76	95	SE	1	o
Hongkong,	14	29.86	758.4	80	74	E	4	c	,,	29.82	757.4	75	94	...	0	c
Gap Rock,	,,	29.85	758.4	...	...	NNE	3	b	,,	29.82	757.4	...	...	NNE	2	b
Macao,	,,	29.85	758.1	82	77	SE	2	o	,,	29.79	756.6	75	95	SE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	26.9	756.6	81	96	SSE	2	o	7	29.79	756.6	61	96	SE	4	b
Tourane,	,,	29.78	756.3	82	...	N	2	b	,,	29.76	756.0	79	...	SW	2	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	...	W	2	o
Aparri,	14	29.75	755.7	93	59	NE	4	b	6	29.78	756.3	79	80	S	2	o
Cagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	90	63	W	4	o	,,	29.78	756.3	73	92	E	1	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	81	84	NE	1	o
Tacloban,	,,	29.75	755.7	90	72	SE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	90	55	E	4	o	,,	29.73	755.1	79	90	N	2	o
Surigao,	,,	29.74	755.4	86	78	NNW	2	b	,,	29.71	754.5	77	96	...	0	o
Guam,	12.20	29.76	756.0	...	...	ENE	4	o	42.0	29.76	756.0	...	...	ENE	1	b
Yap,	12.4	...	...	...	...	...	...	...	44.7	...	...	...	...	...	...	...
Jaluan,	14	29.77	756.1	84	83	SW	2	b	6	29.77	756.1	78	91	W	2	r

May 19*d.* 11*h.* 51*m.*—Pressure is highest to the east of Japan. It has decreased considerably in the extreme North and slightly in other districts. Gradients are shallow over S. China and the China Sea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 16·81 inches, against an average of 17·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, ...	Light, variable winds; fine to cloudy.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	19th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	20th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.70	754.4	47	...	WSW	1	f	6	29.75	755.7	48	...	...	0	c
Nemuro,	11	29.98	761.5	...	...	S	6	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.88	759.0	...	...	SSW	7	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.06	763.5	...	...	S	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.88	759.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.90	759.5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.86	758.4	64	68	N	1	b	6	29.97	761.2	80	100	W	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.86	758.4	82	60	E	1	b	,,	29.88	758.9	66	96	E	1	c
Gutzlaff,	,,	29.85	758.4	66	100	SE	1	of	,,	29.87	758.7	68	100	SE	2	of
Sharp Peak,	15	29.80	756.9	78	82	E	1	o	7	29.79	756.6	69	94	N	1	r
Amoy,	14	29.70	754.4	80	87	SSE	4	b	6	29.76	755.9	74	92	ENE	2	of
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.81	757.2	84	81	NW	2	b	,,	29.73	755.1	75	94	SE	2	c
Taichu,	,,	29.81	757.2	86	...	WSW	2	b	,,	29.74	755.4	75	...	...	0	o
Tainan,	,,	29.79	756.6	86	...	NW	2	b	,,	29.73	755.1	72	...	...	0	b
Koshun,	,,	29.79	756.6	86	...	NW	4	b	,,	29.74	755.4	81	...	...	0	b
Pescadores,	,,	29.82	757.5	81	...	NNW	4	b	,,	29.73	755.1	75	...	...	0	c
Canton,	15	29.71	754.6	85	79	W	1	c	,,	29.72	754.9	78	95	SSW	2	c
Hongkong,	14	29.73	755.1	87	63	W	3	b	,,	29.73	755.1	79	85	SSW	1	c
Gap Rock,	,,	29.76	755.9	...	...	E	1	b	,,	29.73	755.1	...	...	S	2	c
Macao,	,,	29.73	755.1	90	76	SE	2	o	,,	29.73	755.1	81	89	SW	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.68	753.9	86	65	SSE	6	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	86	...	SSE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.5	86	...	S	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.71	754.5	93	57	NE	4	b	6	29.75	755.7	79	89	W	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	93	59	SW	4	o	,,	29.73	755.1	73	88	E	1	b
Legaspi,	,,	29.71	754.5	90	44	ENE	2	o	,,	29.71	754.5	81	87	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	90	60	ENE	4	o	,,	29.67	753.6	79	89	NNW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	ENE	4	o	42.0	...	...	...	...	...	...	...
Yap,	12.4	...	...	...	...	...	...	...	44.7	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	86	76	W	4	b	6	29.76	755.9	78	86	SW	4	o

May 20*d.* 11*h.* 10*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or Typhoon of unknown intensity within 120 miles of Lat. 10° N. Long 126° E. direction unknown.

May 20*d.* 11*h.* 30*m.*—Pressure is highest over N.E. China. It has increased moderately at Weihaiwei and decreased slightly from Formosa to Hongkong and the Philippines.

A depression, or typhoon, has formed to the east of Mindanao. Its direction of motion is uncertain.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 16·81 inches, against an average of 18·22 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds; fine to cloudy.
2.—Hongkong to Gap Rock,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20th May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.74	755 3	63	...	W	2	c	6	29.81	757.1	50	...	...	0	or
Nemuro,	11	29.78	756.5	...	...	S	4	.	5	29.63	752.5	...	...	W	2	...
Hokodate,	,,	29.69	754 0	...	...	SE	1	...	,,	29 80	757.0	...	...	WSW	2	...
Tokio,	,,	29.69	754 0	...	...	NNE	1	...	,,	29.80	757.0	...	...	N	1	...
Kochi,	,,	29.78	756.5	...	...	SE	1	...	,,	29.86	758.5	...	...	SW	1	...
Nagasaki,	,,	29.86	758 5	...	...	W	3	...	,,	29.84	758.0	...	...	...	...	...
Kagoshima,	,,	29.84	758.0	...	...	W	1	...	,,	29 84	758.0	...	...	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29 80	757 0	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.72	755 0	...	...	SSW	5	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.84	758 0	...	...	SSW	3	...	,,	29.84	758.0	...	...	...	0	...
Weihaiwei,	14	29.95	760.7	65	68	NE	1	0	6	29.94	760.5	56	94	S	1	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.95	760.7	70	82	E	2	0	,,	29 89	759 2	63	98	SSE	1	0
Gutzlaff,	,,	29.90	759 4	65	100	E	2	of	,,	29.88	758.9	63	100	SE	2	0
Sharp Peak,	15	29.83	757.7	70	90	NE	4	r	7	29.84	757.9	69	92	N	1	r
Amoy,	14	29.70	754.4	75	95	ENE	2	0	6	29.76	755.9	73	92	ENE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.74	755.4	79	90	...	0	r	,,	29.75	755.7	72	94	...	0	r
Taichu,	,,	29.75	755.7	81	...	SSW	2	r	,,	...	...	73	...	...	0	0
Tainan,	,,	29.76	756.0	86	...	WSW	4	b	,,	29.73	755 1	75	...	NNE	2	0
Koshun,	,,	29.75	755.7	86	...	W	4	0	,,	29.72	754.8	75	...	N	2	b
Pescadores,	,,	26.78	756.3	81	...	W	2	0	,,	29.75	755 7	75	...	N	4	0
Canton,	15	29.65	753.1	89	69	SW	2	b	,,	...	...	...	...	...	...	...
Hongkong,	14	29.70	754 4	88	59	SW	3	b	,,	29.72	754 9	79	95	E	3	0
Gap Rock,	,,	29.72	754.9	...	...	SSE	2	b	,,	29.71	754.6	...	...	E	2	b
Macao,	,,	29 68	753.9	90	69	SSW	2	0	,,	29.69	754.2	79	93	SSE	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,		...	...		...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Thulien,	,,	29.65	753.0	86	78	SSE	6	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.62	752 4	00	...	ESE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754 2	86	...	SSW	2	0	,,	...	...	...	...	...	...	...
Aparri,	14	29 67	753.6	90	60	NE	4	b	6	29.72	754.8	79	92	...	0	b
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.67	753.6	93	53	WSW	2	0	,,	29.68	753 9	75	89	NE	1	0
Legaspi,	,,	29.66	753.3	84	71	NE	4	0	,,	29.62	752.4	81	90	NNE	4	0
Tacloban,	,,	...	...	..	..	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.63	752.7	75	98	W	1	r	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ENE	2	0	42.0	29.79	756.6	...	...	...	...	...
Yap,	12 4	...	...	...	...	...	...	..	44.7	...	...	..	...	...	...	...
Zamboanga,	14	29.71	754.6	86	72	W	2	b	6	29.75	755.6	80	87	SW	4	0

May 21*d.* 11*h.* 25*m.*—Warning to Hongkong. Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 11° N. Long 125° moving N.W.

May 21*d.* 11*h.* 33*m.*—Pressure is still highest over N.E. China. It has increased considerably at Nemuro and slightly over the Philippines.

At 6 a.m. this morning the depression, or typhoon, was passing over the southern Visayas in a north-westerly direction.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 16·83 inches, against an average of 18·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, light to moderate; fine.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st MAY, 1922.								22nd MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.79	756.7	29	...	SW	1	b	6	29.90	759.4	51	...	...	0	b
Nemuro,	11	29.69	754.0	...	...	NNE	1	...	5	29.90	759.5	...	...	N	1	...
Hokodate,	,,	29.82	757.5	...	...	SW	3	...	,,	29.90	759.5	...	...	WSW	2	...
Tokio,	,,	29.82	757.5	...	...	NE	1	...	,,	29.84	758.0	...	...	NE	1	...
Kochi,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.80	757.0	...	...	WSW	1	...
Nagasaki,	,,	29.84	758.0	...	...	SW	2	...	,,	29.82	757.5	...	...	...	...	...
Kagoshima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.82	757.5	...	...	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.75	755.5	...	...	NE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	...	...	NNE	1	...
Bonin Island,	,,	29.82	757.5	...	...	SW	1	...	,,	26.78	786.5	...	...	...	0	...
Weihaiwei,	14	29.97	761.2	58	88	S	1	0	6	29.95	760.7	56	94	NNE	1	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	13	29.90	759.4	77	61	ESE	1	b	,,	29.86	758.4	64	94	SE	1	r
Gutzlaff,	..	29.88	758.9	67	91	ESE	1	0	,,	29.87	758.7	63	100	ESE	1	0
Sharp Peak,	15	29.79	756.6	80	82	E	4	0	7	29.79	756.6	72	94	N	1	0
Amoy,	14	...	...	...	...	...	...	...	6	29.74	755.4	72	95	...	0	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.78	756.3	77	86	SSW	2	r	,,	29.73	755.1	72	96	SE	4	b
Taichu,	,,	29.76	756.0	84	...	WNW	2	0	,,	29.74	755.4	73	...	...	0	b
Tainan,	,,	29.75	755.7	90	...	N	4	b	,,	29.71	754.5	75	...	NNE	2	b
Koshun,	,,	29.75	755.7	90	...	NW	4	b	,,	29.72	754.8	77	...	NNE	2	b
Pescadores,	,,	29.80	756.9	82	...	NNE	4	0	,,	29.73	755.1	75	...	NNE	7	b
Canton,	15	29.64	752.8	84	83	SW	1	0	,,	29.80	756.9	77	95	...	0	or
Hongkong,	14	29.70	754.4	83	86	E	4	0	,,	29.71	754.6	77	92	E	2	or1
Gap Rock,	,,	29.71	754.6	...	...	E	2	b	,,	29.67	753.6	.	...	E	2	c
Macao,	,,	29.67	753.6	90	79	SSE	2	0	,,	29.68	753.9	77	100	ESE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,		...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.66	753.3	60	60	SSW	2	0	7	29.66	753.3	79	93	ESE	4	0
Tourane,	,,	29.61	752.1	84	...	NNW	2	b	,,	29.65	753.0	81	...	SW	2	b
Cape St. James,	,,	29.72	754.8	79	...	SSW	2	0	,,	29.73	755.1	77	...	SW	2	0
Aparri,	14	29.67	753.6	90	55	NNE	4	0	6	29.67	753.6	75	89	...	0	0
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	86	61	NE	4	r	,,	29.61	752.1	77	92	N	2	c
Legaspi,	,,	29.59	751.5	84	81	ENE	4	0	,,	29.61	752.1	79	84	SE	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.56	750.9	75	98	WSW	6	r	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	42.0	29.79	756.6	...	...	ENE	1	b
Yap,	12 4	...	...	...	...	...	...	.	44-7	...	..	...	...	...	...	...
Labuan,	14	29.73	755.1	86	72	NW	2	b	6	29.69	754.1	78	86	SW	4	0

May 21*d.* 21*h.* 10*m.*—Warning to Hongkong:—A severe typhoon within 30 miles of Lat 11° N Long 123° E. moving W.N.W.

May 22*d.* 10*h* 55*m.*—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 12° N. Long 121° E. moving W.N.W.

May 22*d.* 11*h.* 33*m.*—Pressure is highest in the extreme North. It has increased considerably at Nemuro and slightly at Wladivostock. It has decreased slightly over Luzon.

At 6 a.m. this morning the typhoon was in about latitude 12° N. and longitude 121° E. moving W.N.W.

At 2 p.m. yesterday a southerly gale of force 10 was reported at Cebu.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1·14 inch. Total since January 1st, 17·97 inches, against an average of 19·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate; overcast, rain at first, improving later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	22nd May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	23rd May, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.87	758.8	65	...	WSW	1	c	6	30.06	763.4	41	...	S	...	f
Nemuro,	11	29.94	760.5	...	...	SE	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.92	760.0	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.90	759.5	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.80	757.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.84	758 0	...	...	WSW	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.78	756 5	...	...	N	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.74	755 5	...	...	E	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.90	759.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.91	759.7	63	78	NNE	1	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.91	759.7	68	87	NE	2	r	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.90	759 4	63	91	NE	4	o	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.79	756.6	81	83	E	2	o	7	29.81	757.2	71	94	NNE	2	o
Amoy,	14	29.70	754.4	80	87	SSE	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.75	755.7	90	69	E	4	b	,,	29.60	751.8	73	41	E	4	b
Taichu,	,,	29.74	755.4	84	...	W	2	b	,,	29.69	754.2	75	...	...	0	o
Tainan,	,,	29 74	755 4	90	...	N	4	b	,,	29.68	753.9	75	...	NE	2	o
Koshun,	,,	29.74	755.4	86	...	NNW	4	b	,,	29.73	755.1	81	...	ENE	10	o
Pescadores,	,,	29.76	756.0	81	...	NNW	4	b	,,	29.71	754.5	77	...	N	4	o
Canton,	15	29.65	753.1	85	79	SE	2	o	,,	29 70	754.4	77	95	E	2	o
Hongkong,	14	29.68	753.9	78	91	E	3	or	,,	29.70	754.4	77	89	E	4	o
Gap Rock,	,,	29.68	753.9	...	...	NE	2	od	,,	29.68	753.9	...	...	ENE	3	c
Macao,	,,	29.67	753 6	81	97	SE	2	r	,,	29.66	753.3	77	98	ESE	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.60	751.8	79	87	S	2	o	7	29.62	752.4	79	95	SSE	4	r
Tourane,	,,	29.58	751 2	86	...	N	2	b	,,	29.65	753.0	75	...	NNW	2	b
Cape St. James,	,,	29.68	753.9	82	...	SW	4	o	,,	29.72	754.8	77	...	SW	4	o
Aparri,	14	29.60	751.8	86	58	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.54	750.3	86	68	NNE	2	o	,,	29.42	747.3	75	94	NNW	4	r
Legaspi,	,,	29 59	751.5	81	86	S	4	o	,,	...	...	...	...	...	2	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	29.60	751.8	85	91	S	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29 76	756.0	...	...	ENE	4	b	42.0	26.78	756.3	...	...	ENE	1	b
Yap,	12 4	...	...	...	...	...	...	...	44-7	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	76	95	SW	2	r	6	29.74	755.4	78	86	SW	2	r

May 23*d*. 0*h* 30*m*.—Warning to Hongkong, Coast Ports, &c. :—Typhoon of unknown intensity within 60 miles of Lat. 13° and Long 122° E. moving N.

May 23*d*. 10*h*. 55*m*.—Warning to Hongkong, Coast Ports, &c. :—Typhoon of unknown intensity within 60 miles of Lat 14° N. and Long 122° E. moving N.N.W.

May 23*d*. 11*h*. 12*m*.—Pressure has decreased considerably at Manila and slightly over Haiphong and Formosa. It is nearly stationary in the vicinity of Hongkong.

A depression is shown over Tongking.

At 6 a.m. this morning the typhoon was about 50 miles E.S.E. of Manila, moving N.N.W.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·23 inch. Total since January 1st, 18·20 inches, against an average of 19·52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate ; overcast at first, improving later.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	23rd MAY, 1922.								24th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.05	76 32	45	...	SSE	4	o	6	30.05	763 3	41	...	SE	4	f
Nemuro,	11	30.12	765.0	...	...	ESE	3	...	5	...	...	...	...	...	...	...
Hokodate,	„	30.04	763.0	...	...	ESE	4	...	„	...	...	...	...	...	...	...
Tokio,	„	29.88	759.0	...	...	N	1	...	„	...	...	...	...	...	...	...
Kochi,	„	29.82	757.5	...	...	SE	1	...	„	...	...	...	...	...	...	...
Nagasaki,	„	29.88	759.0	...	...	NNE	1	...	„	...	...	...	...	...	...	...
Kagoshima,	„	29 84	758.0	...	...	SE	1	...	„	...	...	...	...	...	...	...
Oshima,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Naha,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Ishigakijima,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Bonin Island,	„	29.78	756.5	...	...	S	2	...	„	...	...	...	...	...	...	...
Weihaiwei,	14	29 94	760.5	73	58	NNE	1	b	6	29.98	751.5	58	81	SSW	1	b
Hankow,	15	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Ichang,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Changsha,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Shanghai,	11	30.02	762.5	64	71	ENE	2	o	„	29.95	760.7	61	89	E	2	o
Gutzlaff,	„	30.00	762.0	60	90	NE	2	o	„	29.95	760.7	63	94	ESE	4	o
Sharp Peak,	15	29.82	757.4	75	87	N	4	o	7	29.83	757.7	70	90	N	2	o
Amoy,	14	29.72	754.9	82	83	ESE	4	o	6	29.75	755.6	74	92	NE	1	o
Swatow,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Taiboku,	12	29.75	755.7	84	77	E	6	o	„	29.72	754.8	73	96	E	4	b
Taichu,	„	29 75	755 7	86	...	NW	2	o	„	29.72	754.8	75	...	...	o	o
Tainan,	„	29.74	755 4	90	...	WNW	2	b	„	29.68	753.9	75	...	NNE	2	b
Koshun,	„	29 72	754.8	90	...	ENE	4	o	„	29.71	754.5	79	...	ESE	2	r
Pescadores,	„	29 78	756.3	84	...	NNE	6	b	„	29.72	754.8	75	...	NNE	6	o
Canton,	15	29.70	754.4	78	95	SE	2	or	„	29.72	754 9	76	95	E	1	c
Hongkong,	14	29.72	754.9	80	80	E	4	o	„	29.72	754 9	75	86	E	6	od
Gap Rock,	„	29.71	754.6	...	...	E	6	c	„	29.72	754.9	...	...	NE	6	o
Macao,	„	29.66	753.3	81	86	ESE	4	o	„	29.69	754.2	77	88	E	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Hoihow,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Phulien,	„	29.58	751 2	86	75	SSE	4	o	7	...	...	79	95	...	4	r
Tourane,	„	29 59	751.5	86	...	NNW	2	b	„	...	...	75	...	...	2	b
Cape St. James,	„	29.66	753.3	84	...	SW	6	o	„	...	...	77	...	...	4	o
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Manila,	„	29.60	751.8	75	92	SSE	4	r	„	29.68	753.9	79	89	SE	4	o
Legaspi,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Tacloban,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Iloilo,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Surigao,	„	...	...	...	...	...	...	...	„	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	ENE	2	b	42.0	29.79	756.6	...	...	ENE	2	b
Yap,	12 4	...	...	...	...	...	...	...	44.7	...	...	...	...	...	...	...
Labuan,	14	29.67	753 6	84	79	W	2	b	6	29.68	753.9	78	91	W	2	b

May 24*d.* 10*h.* 40*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 15° N. Long 117° E. moving W. position uncertain.

May 24*d.* 11*h.* 45*m.*—Local signal No. 1 hoisted.

May 24*d.* 10*h.* 50*m.*—Pressure has increased considerably at Manila and slightly at Shanghai. It has decreased slightly at Labuan and is nearly stationary at other reporting stations.

At 6 a.m. this morning the typhoon appeared to be in about latitude 15° N. and longitude 117° E. moving westward, but both position and direction are uncertain.

A depression is still shown over Tongking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 18·20 inches, against an average of 19·97 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25th.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong, possibly increasing to a gale; fair at first, rain later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th MAY, 1922.								25th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.16	766 o	...	...	ENE	3	...	5	30.04	763.0	...	...	NE	2	...
Hokodate,	,,	30.12	765.0	...	...	ESE	2	...	,,	30 06	763 5	...	...	SSE	1	...
Tokio.	,,	29.88	759.0	...	...	S	2	...	,,	29.98	761.5	...	...	NNE	1	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	29 94	760.5	...	...	ESE	3	...	,,	29.92	760.0	...	...	E	1	...
Kagoshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	E	1	...
Oshima.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.86	758.5	...	...	ENE	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29 86	758 5	...	...	N	1	...	,,	29.92	760.0	...	...	NNE	1	...
Weihaiwei,	14	29.94	760.5	66	73	S	4	o	6	29.94	760.5	56	87	...	o	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.96	761 o	64	96	ESE	2	r	,,	29.82	757 4	64	100	SSE	1	r
Gutzlaff,	,,	30.01	762.2	60	94	SE	4	r	,,	29.83	757.7	64	100	S	2	rf
Sharp Peak,	15	29.82	757.4	73	86	E	1	o	7	29.85	758.2	74	93	SE	1	o
Amoy,	14	29.72	754.9	81	83	E	2	b	6	29.77	756.1	66	92	...	o	o
Swatow,	,,	29.63	752.6	82	83	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	12	29 73	755.1	86	78	ENE	4	b	,,	29.75	755.7	77	94	NW	2	o
Taichu,	,,	29.73	755.1	86	...	WNW	2	b	,,	29.76	756.0	77	...	...	o	o
Tainan,	,,	29.71	754.5	90	...	NNW	4	b	,,	29.75	755.7	75	...	NE	2	b
Koshun,	,,	29.74	755.4	90	...	ENE	4	b	,,	29.75	755.7	79	...	...	o	b
Pescadores,	,,	29.76	756 o	79	...	N	6	o	,,	29.76	756.0	75	...	N	2	b
Canton,	15	29.69	754.1	86	76	WSW	1	o	,,	29.72	754 9	77	91	E	1	c
Hongkong,	14	29.71	754.6	81	74	E	4	c	,,	29.70	754 4	77	90	ENE	4	od
Gap Rock,	,,	29.70	754.4	...	...	NE	7	b	,,	29.68	753.9	...	...	NE	7	o
Macao,	,,	29.69	754.2	86	75	SSE	2	b	,,	29.67	753.6	79	87	E	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	.	...	...	.	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Thulien,	,,	29.62	752.4	82	84	E	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.56	750.9	86	...	N	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.65	753 o	85	...	SW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753.0	90	66	SE	4	o	,,	29.76	756 0	75	92	SE	1	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	E	4	o	42.0	29.79	756.6	77	96	ESE	1	b
Yap,	12.4	...	...	...	...	...	...	...	44.7	...	...	...	...	ENE	1	b
Sabuan,	14	29.67	753.6	88	69	W	2	b	6	29.73	755.1	78	91	SW	2	b

May 25*d.* 5*h.* 10*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 15° N. and Long 114° E. moving west, position uncertain.

May 25*d.* 11*h.* 30*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 17° N. Long 113° E. moving N.W.

May 25*d.* 11*h.* 35*m.*—Pressure has decreased moderately at Shanghai and slightly at Gap Rock. It has increased slightly at Manila. At 6 a.m. this morning the typhoon was in about latitude 17° N. and longitude 113° E. moving W.N.W. or N.W.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 18·20 inches, against an average of 20·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—Hongkong to Gap Rock,	N.E. winds, strong, possibly increasing to a gale; overcast,
3.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh. [rain later.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th MAY, 1922.								26th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29 87	758.6	51	...	ESE	3	o	6	29.84	757.6	48	...	SW	1	o
Nemuro,	11	29.92	760 o	...	...	NE	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.98	761.5	...	...	S	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.90	759 5	...	...	...	o	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.88	759 o	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.88	759.o	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.92	760.o	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.97	761.2	66	73	NNE	1	b	6	29.86	758 4	60	88	SSE	4	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.86	758 4	66	94	NNW	1	r	,,	29.86	758.4	63	100	NE	1	of
Gutzlaff,	,,	29.83	757.7	65	100	NNE	1	rf	,,	29.86	758.4	63	100	NE	1	of
Sharp Peak,	15	29.79	756.6	81	83	SE	1	o	7	29.79	756.6	74	98	E	2	of
Amoy,	14	29.74	755 4	80	92	ESE	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.80	756 9	84	89	NNW	4	b	,,	29.75	755.7	77	96	...	o	o
Taichu,	,,	29.79	756.6	90	...	WNW	2	b	,,	29.79	756.6	77	...	...	o	o
Tainan,	,,	29.79	756.6	90	...	WSW	4	o	,,	29.78	756.3	77	...	ESE	2	b
Koshun,	,,	29.78	756.3	90	...	WNW	4	b	,,	29.78	756.3	79	...	...	o	b
Pescadores,	,,	29.82	757.5	84	...	NE	4	b	,,	29.79	756.6	79	...	...	o	o
Canton,	15	29.68	753 9	87	72	E	2	c	,,	29.69	754 1	75	95	ESE	2	or
Hongkong,	14	29.69	754.1	81	84	E	6	o	,,	29.69	754.1	81	84	SSE	5	o
Gap Rock,	,,	29 67	753.6	...	...	NE	7	c	,,	29.67	753.6	...	...	ESE	7	o
Macao,	,,	29.66	753.3	82	81	ESE	4	o	,,	29.62	752.4	77	98	E	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.61	758 1	90	66	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.60	751.8	84	...	N	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.75	755.7	79	84	S	2	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	93	50	SE	4	b	,,	29.79	756.6	77	92	E	1	b
Legaspi,	,,	29.73	755.1	90	63	ENE	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	79	92	NNE	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	96	...	o	b
Guam,	12.20	29.76	756 o	...	...	ENE	2	o	42.0	29.80	756.9	...	...	ENE	1	b
Yap,	12 4	...	...	...	...	...	...	...	44.7	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	88	69	SW	2	b	6	29.75	755.6	80	87	W	2	b

May 25*d*. 15*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 19° N. Long 113° E. moving N.W.

May 26*d*. 11*h* 10*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° E. Long 111° N. moving N.W.

May 25*d*. 17*h*. 20*m*.—Local signal No. 4 hoisted.
May 26*d*. 11*h*. 10*m*.— ,, ,, ,, lowered.

May 26*d*. 11*h*. 25*m*.—Pressure has decreased slightly at Wladivostock and Weihaiwei and increased slightly over Formosa and the Philippines. It is nearly stationary at Hongkong.

At 6 a.m. this morning the typhoon was in about latitude 21° N. and longitude 111° E. moving N.W.

At 3 p.m. yesterday the S.S. Simaloer reported a barometer reading of 28.66 in. in latitude 19° N. and longitude 113° E.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·23 inch. Total since January 1st, 18·43 inches, against an average of 20·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds.
2.—Hongkong to Gap Rock,	Strong S.E. to S. winds, moderating; overcast, rain.
3.—South coast of China between Hongkong and Lamocks,	S.E. winds, fresh, moderating.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales, moderating.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	26th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	27th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.72	754.8	55	...	SE	2	c	6	29.60	751.9	50	...	ESE	1	c
Nemuro,	11	29.65	753.0	...	...	SE	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.82	757.5	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.74	755.5	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.86	758.5	...	...	S	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	WSW	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.82	757.5	...	...	E	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.78	756.5	...	...	WNW	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.78	756.5	...	...	E	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.80	756.9	71	71	S	2	o	6	29.75	755.6	62	94	...	o	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.88	758.9	72	82	ESE	2	oq	,,	29.69	754.1	68	100	SSE	1	r
Gutzlaff,	,,	29.84	757.9	65	100	SSE	1	cf	,,	29.67	753.6	65	100	SSW	2	rf
Sharp Peak,	15	29.79	756.6	75	91	E	2	o	7	29.73	755.1	74	94	...	o	rf
Amoy,	14	29.73	755.1	81	96	SSW	4	o	6	29.69	754.1	80	96	SSW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.79	756.6	86	68	N	2	o	,,	29.71	754.5	75	95	...	o	o
Taichu,	,,	29.79	756.6	93	...	SSW	4	b	,,	29.80	756.9	75	...	SSW	1	o
Tainan,	,,	29.81	757.2	93	...	SW	4	b	,,	29.75	755.7	77	...	SE	2	o
Koshun,	,,	29.81	757.2	93	...	WNW	2	b	,,	29.76	756.0	81	...	NW	2	b
Pescadores,	,,	29.82	757.5	90	...	SSW	4	b	,,	29.75	755.7	81	...	S	4	b
Canton,	15	29.65	753.1	82	87	SE	2	o	,,	29.69	754.1	78	95	S	2	or
Hongkong,	14	29.71	754.6	84	79	S	4	oq	,,	29.71	754.6	82	83	SSW	4	oq
Gap Rock,	,,	29.72	754.9	...	...	SSE	6	o	,,	29.71	754.6	...	...	S	5	o
Macao,	,,	29.67	753.6	79	92	SSW	4	r	,,	29.68	753.9	79	95	SSW	6	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.61	752.1	90	69	SE	4	o	7	29.67	753.6	81	96	SSE	4	o
Tourane,	,,	29.63	752.7	86	...	ESE	2	o	,,	29.67	753.6	81	...	...	o	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	...	SE	2	b
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	90	63	W	1	o	,,	29.80	756.9	75	94	...	o	b
Legaspi,	,,	29.74	755.4	90	69	ENE	2	b	,,	29.79	756.6	81	80	NE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	90	60	E	2	o	,,	29.79	756.6	79	89	N	1	o
Surigao,	,,	29.73	755.1	86	71	ENE	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	ENE	4	o	42.0	29.79	756.6	...	...	...	o	b
Yap,	12 4	...	...	...	...	...	...	...	44.7	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	88	69	SW	2	b	6	29.73	755.1	78	86	W	2	b

May 27*d*. 10*h*. 59*m*.—Pressure has decreased considerably at Wladivostock, moderately from Weihaiwei to Shanghai, and slightly over Formosa.

The typhoon entered the land yesterday morning to the east of Quang Cha Wan and is now shown as a general depression over China. There is also a depression to the west of Wladivostock.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 18·43 inches, against an average of 21·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, fresh to moderate, squally; overcast, rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	27th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	28th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.66	753 4	56	...	E	1	or	6	29.93	760.2	56	...	N	4	c
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.76	756.0	...	...	SSW	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.92	760 0	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.90	759 5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.78	756.5	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	SE	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.74	755.5	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.74	755 4	70	75	SE	2	b	6	29.82	757.4	60	88	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.70	754 4	73	82	WNW	2	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.68	753.9	68	100	WNW	1	o	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.65	753 1	84	100	SSE	4	o	7	29.69	754.1	75	90	ESE	4	o
Amoy,	14	29.63	752 6	83	92	SSW	6	r	6	29.69	754.1	78	95	...	0	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.72	754.8	86	65	...	0	o	,,	29.67	753.6	75	92	WNW	4	r
Taichu,	,,	29.78	756.3	90	...	SW	4	o	,,	29.75	755.7	73	...	ESE	2	r
Tainan,	,,	29.80	756.9	90	...	SSW	4	b	,,	29.75	755.7	77	...	E	2	r
Koshun,	,,	29.79	756.6	90	...	NW	4	b	,,	29 74	755 4	81	...	NW	4	o
Pescadores,	,,	29 79	756 6	86	...	S	6	o	,,	29 74	755.4	79	...	S	4	o
Canton,	15	29 67	753.6	89	77	SW	2	o	,,	29.71	754 6	79	95	SE	1	c
Hongkong,	14	29.72	754.9	86	77	SW	4	oq	,,	29.73	755.1	82	83	SSW	4	oq
Gap Rock,	,,	29.73	755.1	...	...	S	5	c	,,	29.72	754.9	...	...	S	4	o
Macao,	,,	29.69	754 2	86	81	SW	4	o	,,	29.69	754.2	81	94	SSW	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 65	753 0	90	66	SSE	6	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.63	752 7	86	...	SSE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	81	...	S	2	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.75	755.7	93	59	N	4	o	6	29.79	756.6	79	61	W	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	90	65	WNW	4	o	,,	29.79	756 6	77	92	E	1	b
Legaspi,	,,	29.76	756.0	90	66	NE	2	o	,,	29.80	756.9	79	92	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	90	55	NNE	2	o	,,	29.78	756.3	79	90	NNW	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	SE	1	o	42.0	29.82	757.5	...	...	...	0	b
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29 72	754.9	88	69	W	2	b	6	29.78	756.4	80	87	SW	2	r

May 28*d.* 12*h.* 19*m.*—Pressure has increased considerably at Wladivostock, and slightly at Weihaiwei and Tourane. It has decreased slightly over N. Formosa.

A depression is shown over S.W. China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 18·47 inches, against an average of 21·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; squally, showery.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th MAY, 1922.								29th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.89	759 2	71	...	SW	2	b	6	29.83	757.6	51	...	SE	3	o
Nemuro,	11	29.80	757.0	...	...	NNE	3	...	5	30.04	763.0	...	...	...	...	...
Hokodate,	,,	29.82	757.5	...	...	SE	2	...	,,	30.00	762 0	...	...	E	4	...
Tokio,	,,	29.88	759.0	...	...	S	2	...	,,	29.92	760.0	...	...	W	1	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	29.82	757.5	...	...	SW	1	...
Nagasaki,	,,	29.63	752 5	...	...	NE	2	...	,,	29.67	753.5	...	...	...	o	...
Kagoshima,	,,	29.63	752 5	...	...	NE	5	...	,,	29.67	753.5	...	...	NE	3	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.72	755.0	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.80	756.9	72	62	NNE	1	o	6	29.76	755.9	62	89	SW	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.79	756.6	65	87	NNE	1	o	,,	29.72	754.9	61	98	ESE	1	o
Gutzlaff,	,,	29.76	755.9	67	95	NNE	1	o	,,	29.73	755.1	64	100	E	2	b
Sharp Peak,	15	29.72	754.9	78	82	E	1	o	7	29.69	754.1	74	94	...	o	r
Amoy,	14	...	...	...	...	...	...	...	6	29.64	752.8	81	92	SW	1	b
Swatow,	,,	29.58	751.3	88	69	WSW	2	b	,,	...	...	...	...	...	...	...
Taihoku,	12	29 71	754.5	86	71	W	7	o	,,	29.71	754.5	75	96	SSE	2	b
Taichu,	,,	29.78	756.3	82	...	SSW	4	r	,,	29.78	756.3	77	...	SE	2	o
Tainan,	,,	29.80	756.9	86	...	SW	4	b	,,	29.78	756.3	77	...	SE	2	o
Koshun,	,,	29.78	756.3	82	...	NW	4	o	,,	29.76	756.0	81	...	WNW	4	b
Pescadores,	,,	29.79	756.6	84	...	SW	4	o	,,	29.76	756.0	79	...	SSW	4	o
Canton,	15	29.68	753 9	91	70	S	2	c	,,	29.70	754.4	81	91	S	2	o
Hongkong,	14	29 72	754 9	86	74	SW	4	oq	,,	29.73	755.1	83	84	SSW	4	oq
Gap Rock,	,,	29.73	755.1	...	...	S	5	c	,,	29.72	754.9	...	...	SSW	5	c
Macao,	,,	29.69	754 2	90	79	SSW	4	o	,,	29.69	754 2	81	94	SW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.62	752 4	90	69	SSE	6	b	7	29.62	752.4	82	81	SSW	6	b
Tourane,	,,	29.65	753.0	86	...	SE	2	b	,,	29.73	755.1	86	...	W	2	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	77	...	SW	2	b
Aparri,	14	29.75	755.7	90	60	N	4	o	6	29 80	756.9	79	92	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	93	59	WNW	2	b	,,	29.82	757.5	77	96	ESE	1	o
Legaspi,	,,	29.78	756.3	90	66	ENE	2	b	,,	29.82	757.5	79	93	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	79	92	ENE	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	96	...	o	b
Guam,	12.20	29.82	757.5	...	...	W	1	b	42.0	29.85	758.1	...	...	...	o	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	76	W	4	b	6	29.81	757.2	78	86	E	4	b

May 29*d.* 11*h.* 20*m.*—Pressure has decreased slightly at Wladivostock, Weihaiwei, and Haiphong. It has increased considerably over N.E. Japan where pressure is now highest.

Depressions lie over Tongking and over the Loochoos.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 18·47 inches, against an average of 22·34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate, squally; fair to showery.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th MAY, 1922.								30th MAY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.76	755.9	56	...	SSE	3	o	6	29.46	748.2	53	...	SE	3	f
Nemuro,	11	30.02	762.5	...	...	SSE	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.96	761.0	...	...	SE	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.94	760.5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.82	757.5	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.68	753 9	68	85	...	o	b	6	29.68	753.9	58	88	NNW	2	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29 72	754.9	70	82	E	2	o	,,	29.67	753.6	64	98	ESE	1	rf
Gutzlaff,	,,	29.70	754.4	67	91	ESE	2	o	,,	29.70	754 4	63	100	NNE	1	o
Sharp Peak,	15	29.53	750.0	82	91	SE	4	o	7	29.62	752.3	80	95	...	o	cf
Amoy,	14	29.61	752.1	88	88	S	6	o	6	29.59	751 6	84	93	SW	4	b
Swatow,	,,	29.61	752.1	87	84	SSW	3	c	,,	29.59	751.6	83	67	SW	2	c
Taihoku,	12	29.69	754 2	86	71	W	2	o	,,	29.63	752 7	75	92	...	o	b
Taichu,	,,	29.79	756.6	85	...	SSE	2	o	,,	29 74	755 4	79	...	SSE	2	o
Tainan,	,,	29.85	758 1	81	...	ENE	2	r	,,	29.75	755.7	79	...	...	o	o
Koshun,	,,	29.78	756.3	85	...	WNW	4	b	,,	29.72	754.8	82	...	NW	6	b
Pescadores,	,,	29.79	756.6	85	...	SSW	6	o	,,	29.76	756.0	79	...	S	6	b
Canton,	15	29.64	752 8	92	74	S	2	b	,,	29.66	753.3	80	96	SE	1	c
Hongkong,	14	29.71	754.6	88	74	SSW	4	eq	,,	29.70	754.4	83	81	SW	4	oq
Gap Rock,	,,	29.72	754.9	...	...	SSW	5	c	,,	29.69	754.1	...	...	S	7	o
Macao,	,,	29.68	753 9	86	78	SSW	4	o	,,	29.67	753.6	81	96	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 60	751.8	97	58	S	6	b	7	29.62	752 4	82	86	SSW	4	b
Tourane,	,,	29.68	753.9	90	...	SSE	2	b	,,	29.71	754 5	90	...	WSW	2	b
Cape St. James,	,,	29.81	757.2	90	...	S	2	b	,,	29.85	758.1	79	...	SW	2	o
Aparri,	14	29.75	755.7	86	71	NNW	4	b	6	29.76	756.0	77	88	S	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	90	69	WSW	2	o	,,	29 80	756.9	79	95	E	1	b
Legaspi,	,,	29.76	756.0	93	64	ENE	4	o	,,	29.81	757.2	61	93	NW	1	b
Taclobau,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	75	SSW	4	o	,,	29.81	757.2	79	95	...	o	o
Surigao,	,,	29.76	756.0	86	75	NNW	1	b	,,	29.82	757.5	77	92	WSW	1	b
Guam,	12.20	29.82	757.5	...	...	SE	1	o	42.0	29.84	757.8	...	...	...	o	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29 82	757.4	84	79	W	4	o	6	29.81	757.2	77	91	SW	6	o

May 30*d.* 11*h.* 20*m.*—Pressure has decreased considerably at Wladivostock, and slightly from Weihaiwei to Hongkong. It is nearly stationary over the Philippines and Indo-China.

Depressions are shown to the west of Wladivostock and over S.W. China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 18·48 inches, against an average of 22·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate, squally; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	31st MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.23	752.5	53	...	SSE	2	f	6	29.21	741.8	56	...	NW	4	c
Nemuro,	11	...	...	...	...	...	...	...	5	29.51	749.5	...	...	SSE	6	...
Hokodate,	,,	29.65	753.0	...	...	ESE	2	...	,,	29.21	742.0	...	...	S	1	...
Tokio,	,,	29.80	757.0	...	...	S	2	...	,,	29.51	749.5	...	...	S	2	...
Kochi,	,,	29.69	754.0	...	...	N	1	...	,,	29.41	747.0	...	...	W	1	...
Nagasaki,	,,	29.57	751.0	...	...	ESE	3	...	,,	29.39	751.5	...	...	NNW	2	...
Kagoshima,	,,	29.59	751.5	...	...	E	1	...	,,	29.55	750.5	...	...	NW	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.63	752.5	...	...	WSW	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.65	753.0	...	...	WSW	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.65	753.0	...	...	S	1	...	,,	29.59	751.5	...	...	SSW	1	...
Weihaiwei,	14	29.67	753.6	62	77	NW	6	b	6	29.66	753.3	63	72	WSW	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.72	754.9	68	77	N	2	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.71	754.0	65	95	N	4	o	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.62	752.3	81	91	S	2	o	7	29.86	758.4	67	84	NNE	2	o
Amoy,	14	29.57	751.1	86	93	SSW	4	o	6	29.74	755.4	72	95	NE	2	r
Swatow,	,,	29.56	750.8	88	80	SSW	3	o	,,	...	...	...	...	...	...	...
Taihoku,	12	29.54	750.3	93	57	W	6	o	,,	29.82	757.5	68	96	ESE	2	r
Taichu,	,,	29.73	755.1	86	...	S	4	o	,,	29.72	754.8	73	...	N	2	r
Tainan,	,,	29.76	756.0	90	...	SW	4	o	,,	29.67	753.6	77	...	SE	4	r
Koshun,	,,	...	...	...	...	...	...	...	,,	29.67	753.6	73	...	N	4	r
Pescadores,	,,	29.75	755.7	85	...	SSW	6	o	,,	29.67	753.6	75	...	NE	8	o
Canton,	15	29.61	752.1	92	74	SW	2	o	,,	29.85	758.2	67	84	N	2	o
Hongkong,	14	29.58	753.9	89	71	SW	4	oq	,,	29.76	755.9	73	76	N	3	o
Gap Rock,	,,	29.69	754.1	...	...	S	6	b	,,	29.76	755.9	...	...	NW	6	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.60	751.8	99	48	WNW	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	90	...	SSE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.72	754.8	90	63	N	4	b	6	29.75	755.7	77	88	S	2	b
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	90	66	SW	4	b	,,	29.79	756.6	79	95	E	1	b
Legaspi,	,,	29.74	755.4	93	61	SW	4	b	,,	29.78	756.3	79	93	SW	1	b
Tacloban,	,,	29.74	755.4	90	69	SSE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	71	SW	4	o	,,	29.80	756.9	77	91	NW	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	94	...	0	b
Guam,	12.20	29.80	756.9	...	...	N	1	b	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	84	72	N	4	b	6	29.86	758.4	78	86	SW	4	o

May 31*d.* 11*h.* 40*m.*—Pressure has decreased considerably over N.E. Japan and at Wladivostock It has increased slightly at Hongkong and decreased over Formosa.

A typhoon is passing over the Sea of Japan in an easterly direction.

A small depression formed to the south-east of Hongkong last evening and is moving eastward.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·86 inch. Total since January 1st, 19·34 inches, against an average of 23·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N. to N.W. winds, strong, moderating.
2.—Hongkong to Gap Rock,	N.W. winds, strong, moderating; fair.
3.—South coast of China between Hongkong and Lamocks,	N.W. winds, strong, moderating; fair.
4.—South coast of China between Hongkong and Hainan,	Variable winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JUNE,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:

PRINTED BY NORONHA & Co.

GOVERNMENT PRINTERS.

1922.

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JUNE,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JUNE, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·754	29·738	29·727	29·742	29·741	29·746	29·763	29·774	29·783	29·787	29·789	29·772	1
2	29·733	29·729	29·729	29·733	29·736	29·757	29·776	29·783	29·776	29·774	29·779	29·770	2
3	29·749	29·738	29·730	29·734	29·740	29·753	29·766	29·768	29·772	29·784	29·782	29·781	3
4	29·731	29·724	29·721	29·712	29·718	29·721	29·722	29·736	29·743	29·748	29·736	29·718	4
5	29·653	29·645	29·619	29·607	29·609	29·622	29·625	29·627	29·623	29·637	29·628	29·612	5
6	29·524	29·498	29·481	29·479	29·471	29·491	29·503	29·520	29·539	29·552	29·551	29·538	6
7	29·502	29·496	29·492	29·486	29·490	29·496	29·505	29·515	29·524	29·529	29·521	29·520	7
8	29·515	29·505	29·485	29·487	29·490	29·485	29·499	29·521	29·521	29·526	29·523	29·521	8
9	29·490	29·482	29·468	29·460	29·472	29·478	29·485	29·499	29·497	29·498	29·483	29·485	9
10	29·513	29·486	29·478	29·472	29·480	29·485	29·499	29·491	29·503	29·512	29·522	29·522	10
11	29·574	29·570	29·560	29·560	29·570	29·579	29·581	29·600	29·607	29·617	29·622	29·625	11
12	29·631	29·612	29·604	29·602	29·605	29·609	29·620	29·634	29·652	29·660	29·661	29·649	12
13	29·618	29·610	29·608	29·610	29·620	29·622	29·634	29·640	29·645	29·661	29·659	29·641	13
14	29·637	29·633	29·635	29·630	29·636	29·651	29·668	29·681	29·689	29·690	29·696	29·699	14
15	29·689	29·674	29·668	29·664	29·666	29·680	29·688	29·700	29·703	29·720	29·726	29·728	15
16	29·678	29·666	29·665	29·658	29·655	29·674	29·680	29·686	29·692	29·685	29·687	29·666	16
17	29·610	29·610	29·599	29·591	29·591	29·589	29·591	29·611	29·620	29·618	29·610	29·601	17
18	29·598	29·586	29·584	29·574	29·574	29·576	29·586	29·601	29·621	29·620	29·608	29·597	18
19	29·558	29·546	29·541	29·530	29·522	29·536	29·540	29·558	29·566	29·582	29·578	29·565	19
20	29·519	29·500	29·500	29·496	29·506	29·516	29·533	29·555	29·562	29·573	29·573	29·569	20
21	29·594	29·595	29·595	29·583	29·582	29·583	29·601	29·614	29·623	29·629	29·624	29·622	21
22	29·623	29·605	29·604	29·612	29·608	29·612	29·632	29·646	29·646	29·652	29·647	29·651	22
23	29·666	29·654	29·648	29·648	29·644	29·648	29·665	29·664	29·679	29·683	29·692	29·684	23
24	29·676	29·666	29·666	29·656	29·662	29·665	29·665	29·671	29·679	29·700	29·701	29·694	24
25	29·680	29·661	29·665	29·639	29·649	29·651	29·671	29·678	29·674	29·677	29·674	29·676	25
26	29·656	29·647	29·632	29·633	29·639	29·649	29·651	29·661	29·673	29·680	29·686	29·667	26
27	29·687	29·687	29·689	29·683	29·674	29·672	29·683	29·693	29·697	29·695	29·698	29·694	27
28	29·680	29·668	29·666	29·669	29·670	29·676	29·680	29·697	29·695	29·712	29·706	29·711	28
29	29·688	29·680	29·669	29·665	29·655	29·669	29·675	29·680	29·692	29·687	29·690	29·677	29
30	29·676	29·660	29·671	29·669	29·668	29·680	29·703	29·710	29·707	29·709	29·713	29·709	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·766	29·757	29·734	29·732	29·723	29·725	29·735	29·739	29·740	29·755	29·753	29·737	1
2	29·754	29·742	29·723	29·715	29·710	29·713	29·726	29·748	29·750	29·760	29·766	29·757	2
3	29·769	29·751	29·739	29·715	29·706	29·705	29·714	29·726	29·730	29·747	29·756	29·743	3
4	29·701	29·672	29·658	29·632	29·634	29·637	29·649	29·666	29·673	29·681	29·678	29·661	4
5	29·595	29·575	29·563	29·550	29·529	29·537	29·542	29·548	29·554	29·559	29·559	29·543	5
6	29·526	29·511	29·511	29·478	29·476	29·476	29·484	29·494	29·506	29·518	29·510	29·507	6
7	29·510	29·499	29·480	29·473	29·471	29·479	29·491	29·511	29·528	29·528	29·534	29·514	7
8	29·506	29·477	29·451	29·434	29·427	29·445	29·463	29·484	29·507	29·517	29·513	29·497	8
9	29·475	29·463	29·439	29·431	29·419	29·435	29·473	29·495	29·499	29·504	29·514	29·528	9
10	29·510	29·500	29·487	29·478	29·473	29·483	29·517	29·539	29·568	29·582	29·586	29·593	10
11	29·621	29·599	29·585	29·566	29·566	29·576	29·595	29·620	29·645	29·645	29·649	29·647	11
12	29·635	29·619	29·609	29·592	29·579	29·583	29·607	29·628	29·644	29·654	29·649	29·632	12
13	29·631	29·611	29·601	29·594	29·588	29·587	29·595	29·619	29·642	29·656	29·659	29·652	13
14	29·698	29·682	29·666	29·649	29·641	29·653	29·665	29·685	29·704	29·718	29·726	29·704	14
15	29·717	29·695	29·678	29·661	29·657	29·659	29·660	29·666	29·673	29·700	29·705	29·696	15
16	29·655	29·637	29·617	29·593	29·593	29·591	29·593	29·623	29·636	29·630	29·636	29·622	16
17	29·581	29·562	29·543	29·550	29·549	29·557	29·566	29·588	29·596	29·603	29·610	29·608	17
18	29·573	29·559	29·542	29·529	29·529	29·537	29·548	29·558	29·568	29·592	29·600	29·588	18
19	29·549	29·543	29·521	29·510	29·506	29·506	29·516	29·528	29·538	29·546	29·540	29·540	19
20	29·557	29·535	29·549	29·531	29·508	29·514	29·535	29·555	29·595	29·620	29·600	29·615	20
21	29·606	29·600	29·598	29·578	29·570	29·584	29·599	29·625	29·651	29·669	29·662	29·651	21
22	29·632	29·624	29·612	29·600	29·590	29·600	29·635	29·651	29·663	29·671	29·677	29·669	22
23	29·676	29·663	29·645	29·622	29·617	29·614	29·628	29·666	29·679	29·696	29·692	29·686	23
24	29·684	29·652	29·631	29·621	29·610	29·604	29·612	29·636	29·651	29·682	29·688	29·690	24
25	29·656	29·641	29·621	29·612	29·605	29·595	29·607	29·623	29·639	29·652	29·660	29·660	25
26	29·665	29·651	29·645	29·632	29·619	29·631	29·648	29·662	29·672	29·679	29·691	29·691	26
27	29·689	29·691	29·668	29·661	29·653	29·657	29·671	29·684	29·698	29·706	29·709	29·704	27
28	29·706	29·690	29·669	29·666	29·652	29·646	29·658	29·671	29·676	29·689	29·694	29·694	28
29	29·669	29·645	29·634	29·625	29·627	29·627	29·642	29·661	29·673	29·698	29·698	29·682	29
30	29·701	29·693	29·693	29·689	29·684	29·685	29·694	29·705	29·718	29·729	29·735	29·719	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JUNE, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	72·0	72·1	72·0	72·0	71·9	72·2	74·7	75·5	76·2	77·5	77·8	78·2	1
2	75·4	75·5	75·7	75·9	76·2	76·3	76·4	76·9	77·8	80·6	81·3	81·8	2
3	76·2	76·2	76·1	76·2	76·0	76·2	77·8	80·9	82·9	83·3	85·2	81·6	3
4	78·3	78·6	78·2	78·1	78·5	78·1	79·5	80·6	83·4	85·4	86·0	88·2	4
5	80·9	80·9	80·7	81·5	81·4	81·6	82·0	83·3	83·8	83·5	84·9	86·0	5
6	81·7	81·8	81·8	81·6	81·5	81·5	81·9	82·3	83·0	83·0	83·1	83·8	6
7	77·9	77·5	77·6	77·4	78·2	78·4	78·9	80·2	82·0	82·0	83·6	83·3	7
8	77·4	78·1	77·7	78·0	78·1	78·3	78·5	78·6	81·5	80·3	81·9	82·3	8
9	78·8	78·9	78·9	78·9	79·0	78·8	79·4	80·9	81·5	81·4	83·6	83·2	9
10	79·6	78·9	78·9	78·6	78·7	78·8	80·3	81·0	82·7	85·0	83·9	84·4	10
11	79·0	79·0	79·0	78·8	79·1	77·5	79·2	80·2	81·1	82·0	82·4	82·6	11
12	79·6	79·2	79·0	78·5	79·1	79·6	80·0	81·6	82·2	82·1	83·8	83·8	12
13	79·8	78·3	78·8	78·5	78·9	79·3	79·4	81·0	79·9	79·2	79·3	80·0	13
14	80·3	80·7	79·2	79·2	78·8	79·5	80·9	83·3	83·1	84·6	84·2	79·7	14
15	80·6	81·6	81·7	81·1	81·4	82·6	83·1	83·5	84·0	84·0	85·1	86·3	15
16	82·9	82·9	82·7	82·7	82·8	81·1	82·0	83·3	84·2	85·7	87·7	86·5	16
17	83·7	83·4	83·2	83·1	82.9	83·0	82·2	83·3	84·6	84·4	85.1	85·8	17
18	83·8	83·6	83·2	83·1	83·3	83·2	83·5	84·0	84·5	84·9	86·4	87·2	18
19	83·2	83·5	83·5	83·4	83·5	83·5	83·6	84·1	84·4	84·6	85·0	83·4	19
20	83·4	83·5	83·5	83·4	82·8	82·7	83·2	82·5	82·9	83·3	83·0	82·5	20
21	75·4	76·4	76·2	75·9	76·2	76·7	77·1	77·9	77·8	78·9	78·7	77·4	21
22	76·0	76·9	76·9	77·0	77·3	77·7	78·2	78·9	80·7	84·5	86·0	86·6	22
23	82·3	82·2	81·8	81·7	81·3	81·4	82·7	86·0	85·5	85·9	87·5	87·0	23
24	81·8	81·9	81·9	80·9	81·5	81·8	83·3	85·8	86·8	86·0	86·2	85·9	24
25	82·2	82·2	82·4	82·2	82·4	82·5	83·2	83·8	86·2	84·9	86·2	85·0	25
26	83·6	83·4	83·1	83·1	82·9	82·8	82·9	84·5	84·4	85·9	86·0	86·0	26
27	83·0	82·7	82·9	82·8	82·8	82·6	82·9	84·5	84·3	86·2	87·6	88·5	27
28	81·5	81·4	81·5	81·7	81·9	81·9	83·5	83·3	85·8	86·5	89·5	87·9	28
29	80·8	80·3	80·3	80·1	79·4	79·9	82·2	83·3	83·9	85·1	85·6	87·5	29
30	82·2	82·2	80·8	81·4	82·1	82·0	80·7	81·5	84·9	86·5	87·2	88·4	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·7	77·3	78·0	77·0	76·8	76·2	76·1	76·0	76·0	76·0	76·0	75·8	1
2	81·0	82·1	81·0	80·2	79·8	79·3	78·5	78·0	77·7	77·2	76·9	76·1	2
3	82·7	83·4	83·1	83·4	83·9	82·5	81·0	80·2	79·7	79·6	79·4	78·6	3
4	87.1	88·2	87·4	85·8	83·6	82·5	81·6	80·9	80·9	80·5	80·7	80·6	4
5	86·4	85·3	85·4	83·7	83·3	83·1	82·7	82·7	82·5	82·2	82·2	81·9	5
6	84·1	82·6	78·5	78·2	78·9	79·8	77·6	77·6	78·8	78·2	77·7	78·7	6
7	83·1	80·8	81·7	80·4	79·6	79·3	79·2	79·3	78·7	78·0	77·6	77·7	7
8	82·1	82·9	82·4	81·5	80·5	80·5	79·9	79·6	79·4	79·1	78·8	78·5	8
9	82·7	81·7	82·3	82·2	81·9	81·6	81·1	81.3	80·1	79·9	79·8	79·4	9
10	84·5	85·2	84·4	83·9	82·0	81·4	80·9	80·0	80·2	80·3	78·3	77·5	10
11	83·0	82·8	82·0	81·1	80·8	80·8	80·3	80·1	80·2	80.0	79·7	79·6	11
12	82·9	82·6	82·5	82·2	81·1	80·1	79·6	79·2	79·4	79·8	79·7	79·8	12
13	82·8	83·8	83·4	83·6	84·9	83·2	81·9	80·8	80·2	80·2	80·4	80·7	13
14	81·6	81·3	81·9	82·2	81·9	81·6	81·0	80·6	80·5	80·5	80·3	80·0	14
15	85·5	86·2	86·6	85·8	85·6	85·2	83·7	83·6	83·3	83·2	83·1	83·0	15
16	87·4	87·0	86·8	87·1	85·5	84·8	84·0	83·6	83·2	83·3	83·4	83·4	16
17	87·6	85·5	86·9	85·0	84·8	84·3	84·0	84·1	84·2	84·3	83·9	84·2	17
18	86·9	86·2	87·4	87·4	84·7	84·6	83·5	83·6	83·7	83·7	83·6	83·7	18
19	86·3	86·8	85·5	84·6	85·0	83·9	83·8	83·7	83·8	83·8	83·6	83·5	19
20	83·4	81·1	76·3	76·9	76·8	76·9	76·7	76·1	75·2	75·1	75·0	75·6	20
21	77·3	77·2	76·6	78·5	80·0	81·8	81·9	82·0	82·5	75·7	76·0	75·9	21
22	84·9	84·8	84·4	84·1	84·2	84·0	83·3	83·4	82·8	82·7	82·8	82·5	22
23	85·9	86·4	85·0	85·3	85·5	83·8	83·2	82·6	82·1	82·0	82·5	82·6	23
24	87·3	85·9	86·8	83·4	84·4	84·1	83·2	82·6	82·4	82·3	81·9	82·1	24
25	86·8	86·2	86·6	87·3	86·3	85·2	84·0	83·9	84·0	83·6	83·6	83·8	25
26	85·8	86·1	85·3	87·8	86·0	84·3	83·5	83·3	83·3	83·0	83·0	83·0	26
27	86·4	86·9	86·9	85·9	85·5	84·8	83·4	83·0	83·1	82·9	82·3	82·2	27
28	85·0	82·6	83·5	81·4	83·7	83·9	82·5	82·3	81·2	80·2	80·1	80·4	28
29	84·6	86·1	87·2	86·8	85·8	84·7	83·6	83·3	82·4	82·0	82·2	81·6	29
30	85·8	88·2	87·5	87·1	85·3	84·7	83·8	82·7	82·0	81·6	81·5	81·0	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JUNE, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	67·9	68·0	68·1	67·9	67·4	67·6	69·0	69·3	69·6	70·5	70·3	70·8	1
2	69·6	70·0	69·9	69·8	69·4	69·5	70·5	71·3	72·4	74·0	74·5	74·6	2
3	75·0	74·8	74·9	75·0	75·1	75·0	76·0	76·9	77·1	76·9	76·8	76·0	3
4	75·9	75·9	76·2	76·0	75·6	75·5	76·3	76·7	77·9	78·1	77·4	78·9	4
5	76·9	76·5	76·7	76·8	76·9	76·7	76·9	77·4	77·2	77·5	77·9	78·9	5
6	77·5	77·1	76·9	76·8	76·7	67·7	76·9	77·0	77·0	77·2	77·5	77·4	6
7	74·4	74·6	74·7	74·9	74·9	75·4	76·1	76·9	77·9	78·6	78·7	79·0	7
8	75·6	75·7	75·7	75·5	76·1	76·1	76·2	76·1	77·7	76·7	77·5	77·9	8
9	77·2	77·1	77·3	77·0	77·2	76·9	77·8	78·2	78·0	78·5	79·2	79·7	9
10	77·9	77·5	77·5	77·5	77·6	77·6	78·6	78·8	79·0	79·8	79·2	79·6	10
11	76·0	75·9	75·2	75·5	74·9	75·1	75·0	75·1	74·2	74·4	75·1	75·1	11
12	73·5	74·3	73·3	72·5	69·2	67·6	70·0	70·5	70·5	71·6	71·0	71·4	12
13	77·4	77·0	76·5	76·0	75·0	76·1	76·2	77·6	77·0	76·6	77·0	77·4	13
14	78·8	78·5	77·8	76·8	76·6	77·4	78·7	79·9	79·5	80·4	80·1	76·5	14
15	78·5	78·7	78·8	78·1	78·4	77·9	78·3	78·4	79·8	79·8	79·7	80·6	15
16	78·6	78·8	78·9	78·7	78·9	78·5	79·0	79·7	79·9	81·0	81·6	80·7	16
17	79·3	79·4	79·5	79·4	79·1	79·0	79·0	79·1	79·5	79·8	80·5	81·1	17
18	79·4	79·2	79·4	79·6	79·4	79·6	79·7	79·7	80·0	80·1	80·6	81·0	18
19	78·6	78·1	78·5	78·6	78·6	78·7	79·2	79·2	79·1	79·0	79·1	78·8	19
20	79·3	79·0	79·0	78·8	78·8	78·8	78·8	78·9	79·0	78·7	78·9	78·9	20
21	74·0	74·9	74·7	74·3	74·6	75·0	75·1	76·2	76·9	77·8	77·2	76·0	21
22	74·4	74·5	74·9	75·3	75·8	75·8	76·0	76·5	78·0	79·9	80·6	80·8	22
23	79·0	78·5	78·0	77·9	77·9	77·6	78·0	79·8	79·5	79·9	80·5	80·0	23
24	78·8	78·5	78·1	77·8	77·9	78·1	78·9	79·8	79·5	79·5	79·6	79·2	24
25	78·5	78·4	78·4	78·6	78·5	78·6	78·9	78·9	79·5	78·4	79·2	78·5	25
26	78·4	78·3	78·3	77·9	78·0	78·0	78·0	78·8	78·8	79·1	79·5	79·4	26
27	79·3	79·0	78·8	78·2	77·9	78·1	78·0	78·7	78·1	79·8	80·0	80·8	27
28	78·4	78·0	77·8	77·4	77·6	77·4	78·3	78·2	79·0	79·0	80·8	79·4	28
29	78·1	77·9	78·0	78·0	77·9	78·1	79·5	80·0	79·2	80·0	80·6	80·0	29
30	78·0	77·7	77·8	78·2	78·0	78·0	77·8	78·1	79·2	79·9	79·3	79·9	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	69·8	69·5	70·2	69·8	69·9	69·5	69·8	69·9	70·0	69·3	69·0	68·6	1
2	74·8	76·0	75·3	75·3	75·2	74·8	74·8	74·8	74·6	74·3	74·5	74·2	2
3	76·9	77·1	77·2	77·1	77·4	76·9	76·4	76·2	76·1	76·1	76·1	75·9	3
4	77·9	78·8	78·0	77·8	77·5	76·5	76·9	76·8	76·9	76·9	76·9	76·8	4
5	78·9	78·1	78·1	77·1	77·2	77·8	77·4	77·4	77·5	77·2	77·6	77·5	5
6	77·6	78·2	75·3	75·3	75·9	77·7	75·6	75·3	74·8	75·0	74·9	74·9	6
7	78·8	78·2	78·5	78·0	77·4	76·8	76·8	76·8	76·4	75·5	75·3	75·7	7
8	77·9	78·3	78·1	77·6	77·3	77·7	77·1	76·9	76·9	77·4	77·3	77·1	8
9	78·8	78·6	79·0	78·9	78·8	78·4	78·3	78·2	78·5	78·4	78·2	78·1	9
10	79·6	79·9	79·3	79·2	78·2	78·4	78·1	77·9	77·8	77·8	77·0	76·6	10
11	76·3	75·6	75·2	75·2	75·4	75·2	76·0	75·9	76·1	75·9	75·5	75·0	11
12	73·9	74·4	74·6	75·2	75·5	75·1	75·6	75·2	75·7	76·4	76·4	76·5	12
13	78·5	79·4	79·3	79·2	78·6	78·8	78·9	78·9	78·6	79·1	79·2	78·6	13
14	78·0	77·5	77·6	77·1	77·6	77·5	77·9	77·8	77·8	78·0	78·2	78·5	14
15	79·5	80·0	80·1	79·7	79·7	79·5	79·1	78·9	78·9	78·8	78·6	78·8	15
16	81·0	81·7	81·4	80·9	81·1	80·0	79·7	79·3	79·0	80·0	79·9	79·9	16
17	81·6	80·6	81·2	80·0	79·8	79·7	79·7	79·5	79·5	79·4	79·4	79·0	17
18	80·7	80·1	80·5	80·4	79·9	79·4	79·5	79·2	78·5	78·7	78·7	78·7	18
19	79·8	80·0	79·3	79·2	79·4	79·2	79·1	79·3	79·2	79·4	79·4	79·6	19
20	79·4	78·1	74·8	75·2	74·9	74·9	75·0	75·2	73·9	74·0	73·7	74·2	20
21	76·5	76·6	76·0	77·0	78·2	79·1	78·9	79·0	79·3	74·5	74·9	75·0	21
22	8·00	80·0	80·0	79·7	79·5	79·1	79·0	78·8	79·0	79·0	79·1	79·2	22
23	80·1	80·8	79·7	79·9	79·6	79·4	78·8	78·8	78·5	78·5	78·5	78·5	23
24	78·2	79·7	80·0	79·2	79·0	78·6	78·7	78·4	78·5	78·7	78·5	78·3	24
25	79·7	79·0	79·5	79·7	79·4	78·9	78·6	78·8	78·9	79·6	79·3	79·3	25
26	79·5	80·1	79·6	81·3	80·1	79·8	79·3	79·3	79·5	79·2	79·1	79·2	26
27	79·0	79·3	78·3	77·8	78·1	78·1	78·6	78·6	78·3	78·3	78·2	78·5	27
28	79·7	79·7	79·4	78·8	79·0	78·4	78·1	78·7	78·9	78·2	78·2	78·0	28
29	78·7	78·5	78·0	78.6	78·4	77·8	78·1	78·1	78·0	78·3	78·0	77·9	29
30	78·0	79·0	78·6	79·3	78·5	78·2	78·4	78·5	78·0	77·9	77·8	78·0	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JUNE, 1922.
(... = Clear Sky.)

Days of the Month	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
1	1	...	...	...	1	1	6	10	10	8	10	10	10	10	10	10	10	10	10	10	10	10	10	...	1
2	...	1	7	10	10	10	10	10	9	3	4	4	3	5	4	3	3	6	6	4	2	...	...	1	2
3	2	1	3	1	1	1	2	3	5	8	8	7	8	6	7	6	5	5	7	1	1	...	1	2	3
4	2	...	...	...	5	4	3	3	3	4	3	3	5	5	4	5	9	9	9	7	4	8	8	7	4
5	6	7	10	9	10	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	10	10	9	8	7	6
7	9	10	10	10	10	10	10	10	10	8	9	8	9	10	10	10	10	10	10	10	10	3	2	4	7
8	6	10	10	10	10	10	6	7	8	9	8	10	10	10	10	10	9	9	8	9	7	6	3	6	8
9	7	10	5	9	10	8	10	10	10	10	10	9	9	10	10	9	9	8	10	10	10	10	10	10	9
10	10	10	10	10	10	10	9	10	8	7	8	7	7	7	7	6	7	8	6	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	7	7	6	7	5	4	6	7	6	10	9	5	8	9	10	9	11
12	7	5	6	8	7	8	5	7	8	7	6	8	6	5	9	8	8	4	5	6	8	5	4	9	12
13	9	10	7	10	9	8	10	10	10	10	10	10	9	9	9	8	8	7	9	7	4	3	9	4	13
14	6	9	10	10	10	10	9	9	10	9	10	10	10	10	10	10	10	9	8	10	10	9	10	9	14
15	10	10	10	10	10	10	9	8	10	9	9	10	10	10	9	10	9	9	8	7	7	9	3	8	15
16	10	10	10	10	10	10	9	8	10	8	7	8	7	6	7	7	9	10	10	10	6	9	9	9	16
17	10	10	9	9	9	8	10	10	10	10	10	9	9	9	7	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	9	10	10	10	9	10	9	9	10	10	10	10	10	10	10	9	10	18
19	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	9	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	4	2	...	9	10	10	10	9	9	8	8	9	10	10	10	10	10	10	10	4	6	7	9	22
23	8	4	2	2	5	8	8	7	9	8	8	7	6	7	5	5	6	6	6	7	4	5	3	7	23
24	3	6	8	9	10	9	8	7	8	9	9	9	10	10	10	10	10	10	10	9	7	8	4	6	24
25	5	5	7	9	9	8	10	10	9	7	6	7	8	7	9	4	5	5	10	10	9	9	9	9	25
26	9	9	10	10	9	10	9	10	9	9	10	9	9	10	10	8	9	10	8	10	9	9	7	9	26
27	10	9	7	9	10	9	9	8	8	8	8	6	7	7	5	7	5	5	7	5	3	1	5	8	27
28	4	2	2	5	7	6	4	7	6	6	4	5	10	5	10	10	7	3	6	9	7	2	2	5	28
29	6	7	5	10	9	7	9	8	7	7	8	6	6	5	3	6	4	6	7	8	3	7	7	7	29
30	3	2	4	7	5	9	9	10	7	7	6	7	8	7	7	7	6	4	3	3	2	2	3	4	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JUNE, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time. 6	7	8	9	10	11	Noon	13	14	15	16	17	18	Days of the Month.
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	0·7	0·7	...	0·4	0·4	0·6	0·1	..	...	0·1	...	...	...	1
2	...	...	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	0·9	1·0	0·4	2
3	0·4	0·9	1·0	1·0	0·6	0·7	0·8	0·9	0·8	0·7	0·8	0·4	0·6	3
4	0·3	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	...	4
5	...	...	...	...	.	0·5	0·7	0·2	0·7	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	..	...	...	6
7	...	...	...	...	0·4	0·6	0·1	0·1	...	0·1	...	...	...	7
8	0·1	...	0·9	0·3	0·8	0·9	0·4	0·5	0·3	0·6	0·6	0·8	0·1	8
9	...	...	...	...	0·7	0·7	0·8	0·5	0·3	0·1	0·5	0·2	...	9
10	0·1	0·4	0·6	1·0	1·0	0·9	1·0	1·0	1·0	1·0	0·5	0·3	0·1	10
11	...	0·2	0·3	0·9	1·0	1·0	1·0	1·0	1·0	0·7	...	...	...	11
12	0·5	1·0	0·9	0·6	1·0	1·0	1·0	1·0	1·0	0·8	1·0	1·0	0·8	12
13	...	...	...	...	...	...	...	0·6	0·4	0·7	1·0	0·5	0·6	13
14	...	0·7	...	0·9	0·7	1·0	...	...	...	...	...	...	...	14
15	...	0·5	0·5	1·0	0·8	0·6	...	...	...	0·1	0·3	0·7	0·1	15
16	...	0·1	0·2	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	16
17	...	...	...	...	...	0·7	0·9	1·0	0·9	0·7	...	...	...	17
18	...	...	...	...	0·4	0·6	0·9	0·4	1·0	1·0	0·2	...	...	18
19	...	...	...	...	...	...	0·2	0·4	0·2	...	.	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	0·3	...	...	...	...	...	...	...	...	...		21
22	...	...	0·1	0·8	0·9	1.0	0·6	0·2	...	...	...	...	...	22
23	...	0·9	0·7	0·4	1·0	0·9	1·0	1·0	1·0	1·0	1·0	0·9	0·1	23
24	0·3	1·0	1·0	1·0	0·8	1·0	0·7	0·7	1·0	0·3	0·6	...	...	24
25	0·2	0·8	0·9	1.0	1·0	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·5	25
26	...	0·3	0·3	0·1	0·8	1·0	0·8	0·6	0·9	0·8	1·0	0·4	...	26
27	...	0·6	0·9	1·0	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	27
28	0·4	0·8	1·0	1·0	0·9	1·0	0·7	...	0·7	0·4	0·7	1·0	0·7	28
29	0·5	1·0	1·0	0·9	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1.0	0·4	29
30	...	0·2	0·8	0·9	0·7	0·9	0·6	0·7	1·0	1·0	1·0	1.0	0·5	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JUNE, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	..	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	d	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	..	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	0·025	...	...	...	...	...	...	...	...	...	d	10
11	...	...	...	...	...	d	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	0·015	0·025	...	...	...	...	d	...	...	0·020	0·020	...	13
14	...	...	0·050	d	...	...	...	...	...	...	...	0·070	14
15	...	...	d	0·040	...	...	...	...	0·015	d	...	...	15
16	...	...	...	...	0·005	0·080	...	...	d	...	...	...	16
17	...	...	...	...	...	...	0·020	...	...	...	...	...	17
18	...	d	d	...	...	...	...	...	...	...	...	d	18
19	d	...	d	...	...	...	...	d	d	...	...	0·045	19
20	...	...	...	...	0·100	0·010	0·020	0·020	0·005	0·005	0·020	0·035	20
21	d	0·005	1·305	0·275	...	d	...	d	0·190	0·085	0·055	0·065	21
22	...	...	...	...	...	...	...	d	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	d	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	0·005	...	...	...	...	...	...	...	...	d	...	27
28	...	...	...	...	...	...	...	d	...	...	...	...	28
29	...	...	...	0·035	...	...	...	...	d	0·010	...	...	29
30	...	0·005	...	...	...	...	0·020	0·005	...	0·010	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	..	5
6	...	d	0·015	d	0·005	0·015	0·005	...	...	...	...	...	6
7	...	0·040	0·005	0·035	0·030	...	...	...	d	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	0·010	0.005	...	...	9
10	...	...	...	...	...	d	...	0·005	0·005	0·430	0·095	0·135	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	d	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	0·015	d	...	...	...	...	...	...	...	d	0·010	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	0·010	...	...	...	...	...	d	...	...	...	...	16
17	...	...	...	...	...	...	d	...	d	...	d	...	17
18	d	d	...	d	...	...	d	...	...	...	...	...	18
19	...	...	...	...	d	...	...	...	...	...	d	...	19
20	...	0·020	0·305	0·070	0·010	0·005	0·040	0·935	0·150	0·075	0·035	0·005	20
21	0·465	0·120	0·050	0·030	0·010	d	0.015	d	0·270	0.010	...	...	21
22	...	...	0·010	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	d	...	...	0·005	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	0·095	0·025	0·020	0·125	...	...	...	0.040	...	...	...	...	28
29	d	...	...	...	...	...	...	...	...	...	...	d	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JUNE, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	7	6	6	9	5	10	5	7	5	9	6	11	6	11	7	13	8	12	9	12	10	12	10	18	1
2	7	9	7	7	7	7	7	8	6	8	5	9	6	10	7	11	9	12	9	14	9	13	9	13	2
3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	10	2	10	2	10	2	11	5	10	8	3
4	...	...	...	...	...	...	...	1	17	2	...	1	...	1	...	...	24	5	26	6	25	9	24	8	4
5	...	1	16	3	16	3	16	7	18	5	18	11	19	7	19	11	20	12	20	13	20	13	20	14	5
6	19	10	19	12	19	11	19	15	19	16	19	18	19	17	19	14	19	16	19	20	19	17	19	17	6
7	12	3	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	1	25	6	27	9	7
8	13	2	...	1	15	2	...	1	13	2	11	6	10	10	9	13	9	12	8	13	8	15	8	13	8
9	8	4	8	2	8	2	...	...	...	...	...	...	8	4	8	4	9	5	10	8	10	6	8	14	9
10	8	4	4	2	...	1	...	1	...	1	...	...	...	1	2	3	7	6	9	8	9	13	9	14	10
11	6	13	6	14	6	14	6	17	6	17	6	17	6	20	6	21	6	22	7	24	7	23	7	24	11
12	8	19	8	18	8	20	7	18	7	20	7	19	8	18	8	18	9	16	9	15	9	15	9	18	12
13	9	16	11	11	12	8	14	4	14	4	14	5	12	5	11	4	9	11	7	5	5	3	5	4	13
14	11	5	14	8	15	7	16	7	16	2	15	3	13	3	14	8	15	9	16	12	16	14	17	18	14
15	13	4	16	14	17	11	17	8	17	8	18	16	18	14	18	15	18	15	18	18	20	17	20	17	15
16	18	12	18	16	18	16	18	13	19	17	20	17	20	14	20	15	20	14	20	14	20	16	20	18	16
17	19	19	19	20	19	20	19	20	20	19	20	20	20	19	20	18	20	17	20	20	19	21	19	22	17
18	20	17	20	20	20	22	20	22	20	25	20	22	20	25	20	22	20	20	19	20	20	16	20	21	18
19	18	17	18	19	18	22	18	20	18	19	18	15	18	17	17	14	17	18	18	20	18	17	18	16	19
20	16	22	16	22	17	20	17	17	18	21	18	23	18	15	18	16	18	14	17	15	17	20	17	21	20
21	30	2	7	5	15	4	29	2	6	7	8	17	9	15	9	14	9	13	10	5	25	12	29	11	21
22	5	9	8	16	9	18	9	15	8	13	7	9	7	10	8	10	12	6	16	11	17	18	17	17	22
23	17	4	19	7	18	8	18	7	18	3	...	1	18	3	18	5	18	4	17	4	16	5	16	9	23
24	16	8	17	5	17	4	...	1	18	3	17	3	17	3	16	6	16	11	16	13	17	11	18	10	24
25	16	8	16	8	16	9	16	10	17	9	17	4	18	4	18	8	19	11	20	13	20	14	19	11	25
26	18	10	18	12	18	14	18	15	18	9	18	9	19	9	19	17	20	17	20	12	20	19	19	12	26
27	17	8	17	7	17	10	17	7	17	9	18	7	18	6	18	11	19	11	20	7	21	12	21	8	27
28	17	4	17	5	17	7	18	4	18	4	18	5	17	6	16	5	16	9	16	8	17	9	18	5	28
29	16	2	16	3	16	3	16	2	15	2	...	1	11	5	9	12	9	11	10	10	12	11	13	13	29
30	11	12	12	14	12	13	14	8	15	9	16	7	16	7	16	3	16	8	16	13	16	8	16	6	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	9	13	9	15	10	13	10	13	10	12	9	11	8	9	7	10	7	12	7	10	8	10	7	12	1
2	9	16	9	15	9	16	8	16	8	15	8	14	8	10	9	9	10	7	10	2	10	2	...	...	2
3	9	10	9	10	9	8	11	4	14	6	15	6	15	5	16	4	16	4	16	3	...	...	...	1	3
4	22	9	19	7	18	9	17	10	17	9	17	5	17	6	17	3	17	4	17	4	17	4	16	6	4
5	19	13	19	14	18	15	18	13	18	10	18	11	18	9	18	9	18	8	18	10	18	11	18	11	5
6	20	22	22	18	26	14	28	7	28	5	26	9	26	8	26	5	27	6	30	2	5	4	10	7	6
7	26	6	24	8	...	1	23	7	...	1	24	3	...	...	...	...	16	6	15	2	14	4	13	4	7
8	8	12	9	13	9	12	9	15	8	12	8	12	8	8	8	6	...	...	8	4	...	1	8	3	8
9	8	17	8	17	8	17	8	12	8	15	8	10	8	9	8	9	8	7	8	6	9	6	9	6	9
10	9	17	9	17	9	19	9	19	9	16	8	15	8	18	7	13	7	14	7	18	8	13	9	13	10
11	8	19	9	22	10	20	10	21	9	18	9	17	9	17	9	20	9	19	9	20	8	19	8	18	11
12	10	19	10	17	9	15	9	16	9	17	9	15	10	15	10	12	10	10	9	15	9	15	9	15	12
13	6	6	7	9	9	10	12	5	13	7	14	8	13	5	12	3	9	6	8	6	8	5	10	4	13
14	18	10	19	8	18	7	18	6	18	3	...	1	...	...	...	1	11	5	9	5	8	5	9	5	14
15	19	16	19	11	18	12	18	13	19	15	20	13	19	12	19	11	19	7	18	9	18	10	18	13	15
16	21	20	19	20	19	19	19	21	19	20	19	15	19	15	19	22	19	18	19	12	19	17	18	15	16
17	19	22	19	24	20	24	20	22	20	17	19	17	19	20	18	16	18	17	18	21	19	16	19	18	17
18	20	17	20	22	19	20	19	18	19	16	19	17	19	13	18	19	18	20	18	18	18	19	18	17	18
19	17	18	17	17	17	18	17	15	17	12	17	15	16	16	16	18	16	20	16	21	16	22	16	23	19
20	20	18	26	18	26	10	21	3	15	2	9	5	4	2	29	6	24	12	25	6	4	6	19	6	20
21	29	4	29	7	30	8	...	1	24	5	18	9	16	10	18	13	26	17	29	3	29	4	30	2	21
22	16	13	16	11	17	10	17	14	18	13	18	10	18	8	18	10	18	11	17	5	17	6	16	7	22
23	15	12	15	11	15	12	16	11	16	11	16	8	16	7	15	5	14	4	14	4	14	8	15	8	23
24	18	12	18	8	18	9	17	9	17	13	17	10	17	5	17	5	17	7	17	6	17	5	16	6	24
25	18	15	18	14	19	13	19	15	18	12	17	15	17	9	17	11	17	7	17	8	17	11	17	12	25
26	17	16	18	13	18	12	18	13	17	16	18	15	18	12	17	7	17	9	17	8	17	5	17	6	26
27	19	8	19	10	18	13	18	12	17	11	17	8	16	5	16	7	17	5	17	6	17	4	17	3	27
28	18	8	19	3	19	4	19	6	18	4	17	4	16	4	16	3	...	1	16	5	16	3	16	2	28
29	14	11	14	12	15	13	15	14	15	15	14	9	13	8	12	9	11	6	10	8	11	8	11	8	29
30	16	10	16	8	16	11	16	8	16	9	15	6	15	6	14	7	12	6	11	6	11	5	12	5	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JUNE, 1922.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	ENE	...	...	ci / cu	WSW / SSW	ci-st / cu	WSW / ENE	cu / cu	W / ENE	cu	WSW	st-cu	WSW	st-cu	W
2	...	...	st	WSW	cu	WNW	cu	SSW	cu	WSW	a-cu / cu	W / ESE	a-cu	W	...	...
3	cu	E	cu	ESE	cu	ESE	cu	SW	cu	SE	cu	SE	ci-st	N	...	...
4	cu	SE	...	...	cu	SW	cu	WSW	ci-st / cu	NNW / SSW	ci-st / cu	NNW / SSW	ci-st / cu	NNW / SW	ci-st / cu	NNW / SSW
5	cu	SSW	cu	SSW	cu	SSW	ci-st / cu	WNW / SW	ci-st / cu	WNW / SW	ci-st / cu	W / SW	ci-st / cu	W / SW	ci-st / cu	W / SW
6	cu	SSW	cu	SSW	cu	SW	cu-nb	SW	cu-nb	SW	nb	WSW	cu-nb	WSW	cu	W
7	ci-st / cu	NW / WSW	cu	W	cu-nb	WSW	ci-st / cu	W / SW	cu	SW	nb	SW	cu	SW	ci-st / cu	WNW / SSW
8	ci-st	WSW	cu-nb	SW	a-cu / cu-nb	WSW / ENE	a-cu / cu	W / E	cu	WNW	cu	SE	ci-st / cu	WNW / W	cu	W
9	a-cu / cu	WSW / ENE	a-cu	WSW	a-cu / cu	WNW / NNE	nb	NW	ci-st / cu	NW / WSW	cu	WSW	cu	SW	nb	SW
10	cu	WNW	cu	WNW	ci-st / cu	W / W	ci-st / cu	WNW / NE	ci-st / cu	WNW / NNE	ci-st / cu	WNW / E	cu	E	nb	E
11	nb	E	cu-nb	ESE	nb	E	ci-st / ci-cu / cu	SW / WNW / ENE	ci-cu / cu	W / ENE	ci-st / cu	WNW / E	cu	ENE	cu	ESE
12	ci-st / cu	SW / E	ci-st / cu	SW / E	ci-st / cu	WSW / E	cu	E	ci-st / cu	WNW / E	ci-st / cu	NW / E	ci-st / cu	WNW / E	cu	ESE
13	cu	E	cu	ESE	cu	SE	nb	S	cu	SSW	ci-st / cu	NNE / S	ci-st / cu	NE / SSE	ci-st / cu	NE / SSE
14	a-cu / cu	NE / SSE	nb	SSE	cu	S	cu	S	nb	SSW	ci-st / cu	WSW / SSW	a-cu / cu	W / SW	cu	SSW
15	cu	SSE	cu	S	cu	SSW	cu-nb	SW	cu-nb	SW	cu	SW	cu	SW	cu	SW
16	cu	SW	cu-nb	SW	cu-nb	SW	ci-st / cu	NE / WSW	ci-st / cu	NE / WSW	ci-st / cu	NE / SW	cu	SW	cu	SW
17	cu	SW	cu	WSW	cu	SW	cu-nb	WSW	ci-st / cu	NE / WSW	a-cu / cu	W / SW	nb	SW	cu-nb	SW
18	cu	SW	cu-nb	SW	a-cu / cu	W / SSW	cu-nb	SW	a-cu / cu-nb	WSW / SW	nb	SSW	nb	SW	cu-nb	SW
19	cu	SSW	cu-nb	SSW	cu-nb	SSW	cu-nb	SW	cu-nb	SW	cu-nb	SW	cu	SW	cu	SSW
20	cu-nb	SSW	cu-nb	SSW	nb	SSW	nb	SSW	cu-nb	SW	nb	SSW	nb	S	nb	S
21	cu-nb	S	nb	SSW	cu / cu	SSW / S	nb	SSW	nb / ci-st	SSW / WSW	nb	SSW	nb	SSW	nb	SW
22	cu-nb	SW	...	...	cu-nb	SSW	cu-nb	SSW	cu	SSW	cu-nb	SSW	cu	SSW	cu	SSW
23	cu	SSW	cu	SW	ci-st / cu	NW / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	cu	SSW	ci-st / cu	NNE / SSW	cu	SSW
24	cu	SSW	cu	SSW	ci-st / cu	NE / SSW	ci-st / cu	NNE / SSW	ci-st / cu	NNE / SSW	nb	SSW	ci-st / cu	N / SW	cu	SW
25	cu	SSW	cu	SSW	cu	SSW	ci-st / cu	ENE / SSW	ci-st / cu	E / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SSW	cu	SSW
26	cu	SSW	cu	SW	ci-st / cu	NE / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / a-cu / cu	ENE / WNW / SW	ci-st / cu	ENE / SW	cu	SSW
27	cu	SSW	cu	SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	NE / SW	ci-st / cu	NNE / SSW	cu	SSW
28	cu	SW	cu	SW	cu	SW	ci-cu / cu	NE / SW	nb	SW	nb	SW	ci-st / cu	NE / WNW	cu	WSW
29	cu	SW	nb	SW	ci-st / cu	NW / SSE	cu-nb	SSE	ci-st / cu	N / SSW	ci-st / cu	N / S	ci-st / cu	NNE / SSE	cu	SSE
30	cu	SSE	cu	SSE	ci-st / cu	N / S	cu-nb	SSW	ci-st / cu	NNE / SSW	ci-st / cu	NE / S	cu	S	cu	SSE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1922.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation = 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction. *	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·750	79·2	71·8	7·4	75·5	69·2	0·631	72	70	3·0	22	...	...	...	+ 10·7	90	10·7	11·2
2	29·747	83·1	75·3	7·8	78·2	73·1	·747	78	48	8·9	66	...	...	— 0·3	+ 9·9	92	9·9	10·1
3	29·746	85·9	75·9	10·0	80·3	76·2	·850	82	38	9·6	72	...	...	— 1·9	+ 2·2	131	2·9	3·4
4	29·695	89·0	77·9	11·1	82·2	77·0	·859	78	46	9·4	70	...	...	— 2·8	— 2·2	218	3·6	4·5
5	29·590	87·1	80·7	6·4	83·0	77·4	·866	77	96	2·1	16	...	...	— 8·3	— 4·5	208	9·4	9·7
6	29·506	84·3	77·4	6·9	80·7	76·5	·857	82	97	...	...	0·040	4	— 6·2	— 7·2	229	9·5	12·1
7	29·504	85·3	77·2	8·1	79·7	76·7	·880	87	88	1·5	11	0·110	2	— 0·4	— 1·3	253	1·4	2·6
8	29·492	83·5	77·4	6·1	79·8	76·9	·886	87	84	6·3	47	...	...	— 1·1	+ 7·5	98	7·6	7·8
9	29·478	84·6	78·5	6·1	80·7	78·2	·933	89	93	3·8	28	0·015	1	— 0·3	+ 7·5	92	7·5	7·5
10	29·512	86·3	77·5	8·8	81·2	78·3	·931	87	86	8·9	66	0·695	2	— 0·5	+ 10·0	93	10·0	10·2
11	29·599	84·3	77·4	6·9	80·4	75·4	·814	78	81	7·1	53	...	...	+ 1·2	+ 18·3	86	18·3	19·0
12	29·624	84·9	78·3	6·6	80·7	73·3	·722	69	66	11·6	86	...	...	— 2·1	+ 16·2	97	16·3	16·5
13	29·625	85·9	77·9	8·0	80·8	77·8	·914	87	83	3·8	28	0·080	2	— 2·1	+ 5·2	112	5·6	6·3
14	29·672	87·0	78·8	8·2	81·1	78·1	·923	87	95	3·3	24	0·145	3	— 5·3	+ 0·7	173	5·3	6·3
15	29·686	87·9	80·0	7·9	83·7	79·1	·934	81	89	4·6	34	0·055	1	—10·9	— 5·4	206	12·2	12·5
16	29·647	88·6	80·7	7·9	84·3	79·9	·963	81	87	8·2	61	0·095	1	—13·2	— 9·6	216	16·3	16·5
17	29·590	88·5	82·1	6·4	84·3	79·8	·958	81	95	4·2	31	0·020	1	—15·5	— 11·5	217	19·3	19·5
18	29·577	88·4	82·9	5·5	84·6	79·7	·949	79	98	4·5	33	...	1	—15·3	— 11·9	218	19·4	19·5
19	29·540	86·8	83·1	3·7	84·2	79·1	·927	79	100	0·8	6	0·045	1	—17·3	— 3·9	193	17·7	17·9
20	29·546	83·8	74·8	9·0	80·1	77·1	·892	87	100	...	...	1·865	11	— 9·2	— 4·5	206	10·2	13·3
21	29·610	82·5	75·3	7·2	77·9	76·3	·887	93	99	0·3	2	2·950	8	+ 0·1	+ 0·5	79	0·5	7·9
22	29·632	87·6	75·5	12·1	81·7	78·1	·915	85	81	3·6	27	0·010	1	— 6·7	+ 2·8	157	7·3	11·2
23	29·661	88·0	81·3	6·7	83·8	79·1	·932	80	60	9·9	73	...	...	— 6·5	— 0·1	181	6·5	6·7
24	29·661	88·8	80·9	7·9	83·8	78·8	·919	79	83	8·4	62	0·005	...	— 7·0	— 1·4	191	7·1	7·2
25	29·649	88·1	82·1	6·0	84·4	79·0	·919	77	77	11·3	84	...	...	— 9·6	— 3·5	200	10·2	10·5
26	29·657	88·5	82·5	6·0	84·3	79·1	·925	78	92	7·0	52	...	...	—10·6	— 5·0	205	11·7	12·0
27	29·685	88·5	82·1	6·4	84·3	78·7	·907	77	69	11·1	82	0.005	...	— 7·3	— 3·0	202	7·9	8·1
28	29·681	89·5	80·0	9·5	83·0	78·6	·920	81	56	9·3	69	0·305	1	— 4·7	— 1·1	193	4·8	4·9
29	29·667	89·5	79·3	10·2	83·3	78·6	·916	80	66	11·6	86	0·045	1	— 5·8	+ 4·5	142	7·3	8·2
30	29·697	89·9	80·3	9·6	83·8	78·4	·900	77	55	9·3	69	0·040	1	— 7·1	+ 2·3	162	7·5	8·1
Means	29·624	86·5	78·8	7·7	81·9	77·5	0·886	81	79	Sum. 183·4	45	Sum. 6·525	Sum 42	— 5·9	+ 0·7	173	5·9	10·4
Normals	29·654	85·3	77·6	7·7	80·9	76·9	0·873	83	77	163·6	40	16.090	87	— 4·9	+ 2·8	150	5·6	11·9
Absolute Max.	29·789	89·9	...	12·1	...	82·8	1·046	...	...	11·6	86	2·950	11	...	...	...	...	25·0†
Day.	1	30	...	22	...	17	17	...	...	12 & 29	15 & 29	21	20	...	...	...	...	18/3 & 7A
Absolute Min.	29·419	...	71·8	3·7	...	67·4	0·516	51	...	...	...	...	...	...	...	...	...	...
Day.	9	...	1	19	...	1	12	12	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 5th, 9th, 10th, 11th and 22nd.

Lunar halo :—on the 8th, 9th and 12th.

Lunar corona :—on the 4th, 7th, 8th, 11th and 14th.

Unusual Visibility :—on the 12th, 24th, 28th, 29th and 30th.

Dew :—on the 4th and 23rd.

Rainbow :—on the 28th.

Lightning :—on the 4th, 5th, 10th, 15th, 16th, 17th, 19th, 20th, 21st, 22nd, and 26th.

Thunder :—on the 9th, 10th, 20th and 21st.

Thunderstorms as follows :—

9d. 2h. 55m. to 5h. 20m. in W.S.W.; distant.
9d. 19h. 15m. to 20h. 40m. in N.W.; nearest at 20h. 23m. (12°).
20d. 5h. 20m. to 5h. 40m. in N.W.; nearest at 5h. 27m. (13°).
20d. 19h. 30m. to 21h. 42m. N.W. to S.E.; nearest at 20h. 6m. (10°).
21d. 3h. 6m. to 3h. 35m. S.S.E. to N.N.W.; 3h. 10m. (14°).
21d. 21h. 26m. to 22h. 30m. in W.N.W.; distant.

Rain fell on 16 days. The mean hourly intensity was 0·155ins., and the maximum fall in one hour was 1·305ins. at 3h on the 21st.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 45 miles per hour at 1h 57m on the 20th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1009·4	299·2	295·1	4·1	297·2	293·7	21·3	...	...	...	+ 3·5	90	3·5	3·7
2	1009·3	301·4	297·1	4·3	298·7	295·8	25·2	...	...	— 0·1	+ 3·2	92	3·2	3·3
3	1009·2	302·9	297·4	5·5	299·8	297·6	28·7	...	...	— 0·6	+ 0·7	131	1·0	1·1
4	1007·5	304·7	298·5	6·2	300·9	298·0	29·0	...	...	— 0·9	— 0·7	218	1·2	1·5
5	1003·9	303·6	300·1	3·5	301·3	298·2	29·2	...	...	— 2·7	— 1·5	208	3·1	3·2
6	1001·1	302·1	298·2	3·9	300·1	297·7	28·9	1·0	4	— 2·0	— 2·4	229	3·1	4·0
7	1001·0	302·6	298·1	4·5	299·5	297·8	29·7	2·8	2	— 0·1	— 0·4	253	0·5	0·9
8	1000·6	301·6	298·2	3·4	299·6	297·9	29·9	...	...	— 0·4	+ 2·5	98	2·5	2·6
9	1000·1	302·2	298·8	3·4	300·1	298·7	31·5	0·4	1	— 0·1	+ 2·5	92	2·5	2·5
10	1001·3	30·32	298·3	4·9	300·3	298·7	31·4	17·7	2	— 0·2	+ 3·3	93	3·3	3·3
11	1004·2	302·1	2982·	3·9	299·9	297·1	27·5	...	...	+ 0·4	+ 6·0	86	6·0	6·2
12	1005·1	302·4	298·7	3·7	300·1	295·9	24·3	...	...	— 0·7	+ 5·3	97	5·3	5·4
13	1005·1	302·9	298·5	4·4	300·1	298·4	30·8	2·0	2	— 0·7	+ 1·7	112	1·8	2·1
14	1006·7	303·6	299·0	4·6	300·3	298·6	31·1	3·7	3	— 1·7	+ 0·2	173	1·7	2·1
15	1007·2	304·1	299·7	4·4	301·7	299·2	31·5	1·4	1	— 3·6	— 1·8	206	4·0	4·1
16	1005·8	304·4	300·1	4·3	302·1	299·6	32·5	2·4	1	— 4·3	— 3·1	216	5·3	5·4
17	1003·9	304·4	300·8	3·6	302·1	299·6	32·3	0·5	1	— 5·1	— 3·8	217	6·3	6·4
18	1003·5	304·3	301·3	3·0	302·2	299·5	32·0	...	1	— 5·0	— 3·9	218	6·4	6·4
19	1002·2	303·4	301·4	2·0	302·0	299·2	31·3	1·1	1	— 5·7	— 1·3	193	5·8	5·9
20	1002·4	301·8	296·8	5·0	299·7	298·1	30·1	47·4	11	— 3·0	— 1·5	206	3·3	4·4
21	1004·6	301·1	297·1	4·0	298·5	297·6	29·9	74·9	8	...	+ 0·2	79	0·2	2·6
22	1005·4	303·9	297·2	6·7	300·6	298·6	30·9	0·3	1	— 2·2	+ 0·9	157	2·4	3·7
23	1006·3	304·1	300·4	3·7	301·8	299·2	31·4	...	...	— 2·1	...	181	2·1	2·2
24	1006·3	304·6	300.2	4·4	301·8	299·0	31·0	0·1	...	— 2·3	— 0·5	191	2·3	2·4
25	1005·9	304·2	300·8	3·4	302·1	299·1	31.0	...	...	— 3·1	— 1·1	200	3·3	3·4
26	1006·2	304·4	301·1	3·3	302·1	299·2	31·2	...	...	— 3·5	— 1·6	205	3·8	3·9
27	1007·1	304·4	300·8	3·6	302·1	298·9	30·6	0·1	...	— 2·4	— 1·0	202	2·6	2·7
28	1007·0	304·9	299·7	5·2	301·3	298·9	31·0	7·7	1	— 1·5	— 0·4	193	1·6	1·6
29	1006·5	304·9	299·3	5·6	301·5	298·9	30·9	1·1	1	— 1·9	+ 1·5	142	2·4	2·7
30	1007·5	305·2	299·8	5·4	301·8	298·8	30·4	1·0	1	— 2·3	+ 0·8	162	2·5	2·7
								Sum.	Sum.					
Means.	1005·1	303·3	299·0	4·3	300·7	298·3	29·9	165·7	42	— 1·9	+ 0·2	173	1·9	3·4
Normals	1006·1	302·6	298·3	4·3	300·2	297·9	29·5	408·7	87	— 1·6	+ 0·9	150	1·8	3·9
Absolute Maximum	1010·7	305·2	...	6·7	...	301·2	35·3	74·9	11	...	...	...	...	8·2†
Day.	1	30	...	22	...	17	17	21	20	...	...	...	...	18d 5 & 7h
Absolute Minimum.	998·1	...	295·1	2·0	...	292·7	17·4	...	...	...	...	...	...	...
Day.	9	...	1	19	...	1	12	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.			ins.	%	%	%	%	%	m.p.h.	m.p.h.		m.p.h.	m.p.h.
1	29·630	80·1	76·8	0·882	86	71		...	1	— 4·4	+ 1·5	161	4·6	8·3
2	29·619	80·1	76·7	·878	85	70		1	3	— 5·7	+ 1·2	168	5·8	9·3
3	29·613	80·0	76·7	·879	86	71		21	3	— 6·1	+ 0·7	173	6·1	9·5
4	29·610	79·9	76·5	·872	85	79		5	2	— 5·1	+ 0·1	179	5·1	8·6
5	29·611	80·0	76·4	·866	84	85		2	2	— 4·8	— 0·2	182	4·8	8·8
6	29·619	80·0	76·0	·848	82	84	12	1	2	— 4·6	— 0·1	181	4·6	9·1
7	29·630	80·8	76·9	·876	83	85	35	1	3	— 4·6	+ 0·6	173	4·6	9·3
8	29·640	81·9	77·4	·883	81	87	41	...	3	— 5·2	+ 1·2	167	5·3	10·4
9	29·647	82·9	77·7	·884	78	87	51	3	5	— 6·2	+ 0·9	172	6·3	11·3
10	29·653	83·6	78·1	·892	77	82	62	2	5	— 7·1	+ 0·4	177	7·1	11·9
11	29·652	84·5	78·3	·889	75	82	72	2	4	— 7·4	— 1·1	188	7·5	13·0
Noon.	29·645	84·4	78·3	·890	75	81	61	3	6	— 7·2	— 0·2	182	7·2	13·6
13	29·634	84·3	78·3	·892	75	83	56	9	5	— 7·8	+ 0·1	179	7·8	13·6
14	29·618	84·1	78·4	·899	76	81	61	3	7	— 6·8	+ 0·3	177	6·8	13·3
15	29·604	83·8	78·1	·889	76	82	54	6	7	— 7·0	+ 0·8	173	7·0	12·8
16	29·591	83·3	78·0	·892	78	82	49	4	7	— 7·5	+ 0·8	174	7·5	12·0
17	29·584	82·9	77·9	·893	79	81	39	1	5	— 7·2	+ 1·2	171	7·3	11·2
18	29·588	82·4	77·7	·890	80	81	19	...	4	— 6·3	+ 1·1	170	6·4	10·4
19	29·602	81·6	77·6	·897	83	83		1	3	— 5·5	+ 1·3	167	5·6	9·0
20	29·620	81·3	77·6	·901	84	82		15	4	— 5·5	+ 1·1	169	5·6	9·1
21	29·634	81·1	77·5	·899	85	72		7	7	— 4·9	+ 0·5	174	4·9	9·2
22	29·646	80·7	77·3	·896	85	70		8	7	— 4·6	+ 1·8	159	4·9	8·4
23	29·648	80·5	77·2	·894	86	68		2	3	— 4·6	+ 1·9	158	5·0	8·3
Midn.	29·641	80·4	77·2	·895	86	73		2	2	— 5·5	+ 1·9	161	5·8	8·5

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JUNE, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.		m.p.s.	m.p.s.
1	1005·3	299·7	297·9	29·8	— 1·4	+ 0·5	161	1·5	2·7
2	1004·9	299·7	297·8	29·6	— 1·9	+ 0·4	168	1·9	3·0
3	1004·7	299·7	297·8	29·7	— 2·0	+ 0·2	173	2·0	3·1
4	1004·6	299·6	297·7	29·4	— 1·7	...	179	1·7	2·8
5	1004·6	299·7	297·7	29·2	— 1·6	— 0·1	182	1·6	2·9
6	1004·9	299·7	297·4	28·6	— 1·5	...	181	1·5	3·0
7	1005·3	300·1	297·9	29·6	— 1·5	+ 0·2	173	1·5	3·0
8	1005·6	300·7	298·2	29·8	— 1·7	+ 0·4	167	1·7	3·4
9	1005·8	301·3	298·4	29·8	— 2·0	+ 0·3	172	2·1	3·7
10	1006·0	301·7	298·6	30·1	— 2·3	+ 0·1	177	2·3	3·9
11	1006·0	302·2	298·7	30·0	— 2·4	— 0·4	188	2·5	4·3
Noon.	1005·8	302·1	298·7	30·0	— 2·4	— 0·1	182	2·4	4·5
13	1005·4	302·1	298·7	30·1	— 2·6	...	179	2·6	4·5
14	1004·9	301·9	298·8	30·3	— 2·2	+ 0·1	177	2·2	4·4
15	1004·4	301·8	298·6	30·0	— 2·3	+ 0·3	173	2·3	4·2
16	1003·9	301·5	298·6	30·1	— 2·5	+ 0·3	174	2·5	3·9
17	1003·7	301·3	298·5	30·1	— 2·4	+ 0·4	171	2·4	3·7
18	1003·8	301·0	298·4	30·0	— 2·1	+ 0·4	170	2·1	3·4
19	1004·3	300·6	298·3	30·3	— 1·8	+ 0·4	167	1·8	3·0
20	1005·0	300·4	298·3	30·4	— 1·8	+ 0·4	169	1·8	3·0
21	1005·4	300·3	298·3	30·3	— 1·6	+ 0·2	174	1·6	3·0
22	1005·8	300·1	298·2	30·2	— 1·5	+ 0·6	159	1·6	2·8
23	1005·9	299·9	298·1	30·2	— 1·5	+ 0·6	158	1·6	2·7
Midn.	1005·7	299·9	298·1	30·2	— 1·8	+ 0·6	161	1·9	2·8

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JUNE,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	31st MAY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.45	748.0	...	...	S	6	...	5	29.75	755.5	...	...	...	...	...
Hokodate,	,,	29.41	747.0	...	...	SSW	5	...	,,	29.69	754.0	...	...	...	0	...
Tokio,	,,	29.41	747.0	...	...	S	2	...	,,	29.65	753.0	...	...	NE	1	...
Kochi,	,,	29.80	757.0	...	...	WSW	12	...	,,	29.73	755.0	...	...	WSW	1	...
Nagasaki,	,,	29.61	752.0	...	...	N	6	...	,,	29.80	757.0	...	...	NE	1	...
Kagoshima,	,,	29.55	750.5	...	...	NNW	4	...	,,	29.80	757.0	...	...	NW	1	...
Oshima.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.70	754.5	...	...	N	5	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.74	755.5	...	...	WSW	4	...	,,	29.76	756.0	...	...	ESE	2	...
Weihaiwei,	14	29.54	750.3	80	51	NW	2	b	6	29.54	750.3	71	57	WSW	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.60	759.4	77	40	W	2	b	,,	29.85	758.2	59	91	SW	2	b
Gutzlaff,	,,	29.81	758.4	72	67	WSW	2	b	,,	29.88	758.9	65	68	SSW	4	b
Sharp Peak,	15	29.86	758.4	74	72	E	2	o	7	29.88	758.9	72	81	W	2	b
Amoy,	14	29.79	756.6	75	81	NE	6	r	6	29.81	757.2	76	92	NE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.86	758.4	70	74	E	4	o	,,	29.81	757.8	66	85	E	4	o
Taichu,	,,	29.75	755.7	73	...	NNW	4	r	,,	29.80	756.9	66	...	...	0	o
Tainan,	,,	29.76	756.0	75	...	NNE	4	o	,,	29.78	756.3	68	...	...	0	o
Koshun,	,,	29.88	759.0	73	...	NW	2	r	,,	29.78	756.3	73	...	N	2	o
Pescadores,	,,	29.78	756.3	72	...	NNE	7	r	,,	29.81	757.2	72	...	NNE	4	b
Canton,	15	29.82	757.4	82	56	NNW	2	b	,,	29.83	757.7	67	95	...	0	c
Hongkong,	14	29.81	757.2	75	61	NNE	1	o	,,	29.81	757.2	72	80	ENE	2	b
Gap Rock,	,,	29.81	757.2	...	...	NNE	4	o	,,	29.80	756.9	...	...	NE	5	o
Macao,	,,	29.79	756.6	73	58	N	4	of	,,	29.78	756.3	75	79	ESE	4	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	.	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.86	758.4	82	41	NNW	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.3	77	...	NNW	7	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.69	754.2	90	60	N	4	o	6	29.76	756.0	77	89	S	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	90	69	WSW	4	o	,,	29.76	756.0	77	92	...	0	o
Legaspi,	,,	29.72	754.8	82	81	WNW	2	o	,,	29.78	756.3	79	96	...	0	o
Tacloban,	,,	29.73	755.1	90	66	S	1	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	96	...	0	o
Surigao,	,,	29.73	755.1	86	75	W	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	W	1	o	42.0	29.80	756.9	...	...	...	0	b
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Sabuan,	14	29.83	757.7	84	79	SW	2	b	6	29.81	757.2	78	86	SW	2	b

June 1*d*. 11*h*. 18*m*.—Pressure has increased considerably over Japan, the typhoon having passed into the Pacific. It has decreased moderately at Weihaiwei and slightly at Shanghai. From Formosa to Hongkong it has increased slightly.

A depression is shown to the north of Weihaiwei.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·34 inches, against an average of 23·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	N.E. or Variable winds, fresh, moderating; cloudy, some rain later.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	1st JUNE, 1922.								2nd JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.50	749.4	63	...	ESE	4	c	6	29.63	752.7	56	...	ESE	2	c
Nemuro,	11	29.72	755.0	...	...	N	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.69	754.0	...	...	SE	3	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.69	754.0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.76	756.0	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.84	758.0	...	...	W	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.82	757.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.69	754.0	...	...	W	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.52	749.8	80	55	N	1	b	6	29.64	752.8	66	79	SSW	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.88	758.9	81	38	SW	1	b	,,	29.83	757.7	64	58	SSE	2	o
Gutzlaff,	,,	29.87	758.7	73	63	S	1	b	,,	29.85	758.2	66	73	SSE	4	o
Sharp Peak,	15	29.87	758.7	80	66	E	2	b	7	29.84	757.9	70	75	...	o	b
Amoy,	14	29.78	756.4	82	79	ESE	1	bf	6	29.81	757.2	78	95	SW	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.85	758.1	73	75	E	4	o	,,	29.82	757.5	70	88	S	2	o
Taichu,	,,	29.81	757.2	79	...	SSE	2	o	,,	29.81	757.2	70	...	SSW	6	o
Tainan,	,,	29.81	757.2	79	...	...	o	o	,,	29.80	756.9	77	...	...	o	n
Koshun,	,,	29.80	756.9	81	...	NNE	2	o	,,	29.80	756.9	73	...	...	o	b
Pescadores,	,,	29.84	757.8	79	...	N	4	o	,,	29.82	757.5	73	...	N	2	b
Canton,	15	29.80	756.9	82	63	SW	1	c	,,	29.82	757.4	74	90	...	o	o
Hongkong,	14	29.81	757.2	77	66	E	2	o	,,	29.82	757.4	76	72	ENE	1	o
Gap Rock,	,,	29.81	757.2	...	...	NE	5	o	,,	29.81	757.2	...	...	NNE	4	c
Macao,	,,	29.80	756.9	79	69	E	4	o	,,	29.75	755.7	75	85	E	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.75	755.7	86	41	S	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.3	79	...	N	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	86	...	SW	4	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.73	755.1	90	57	N	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	90	69	SW	4	o	,,	29.79	756.6	77	96	E	1	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	77	94	...	o	b
Tacloban,	,,	29.74	755.4	90	69	SSE	4	o	,,	29.80	756.9	77	96	...	o	b
Iloilo,	,,	29.74	755.4	86	71	SSW	4	o	,,	29.80	756.9	79	95	NNW	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.80	756.9	75	94	...	o	o
Guam,	12.20	29.81	757.2	...	...	...	o	r	42.0	29.81	757.2	...	...	...	o	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	76	W	2	b	6	29.81	757.2	78	86	W	4	o

June 2*d*. 11*h*. 34*m*.—Pressure has increased considerably at Wladivostock and moderately at Weihaiwei. Changes are slight at other reporting stations.

A depression is shown to the west of Wladivostock.

Gradients appears to be shallow over the southern portion of the Map.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·34 inches, against an average of 24·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel, ...	N.E. or variable winds, moderate to light; fair.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	2nd JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	3rd JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.63	752.7	60	...	SE	4	c	6	29.75	755.5	52	...	SW	1	f
Nemuro,	11	29.82	757.5	...	...	NE	4	...	5	30.02	762.5	...	...	SSE	2	...
Hokodate,	,,	29.86	758.5	...	...	SE	1	...	,,	29.98	761.5	...	...	SE	1	...
Tokio,	,,	29.95	761.0	...	...	S	1	...	,,	30.00	762.0	...	...	WNW	1	...
Kochi,	,,	29.96	761.0	...	...	S	1	...	,,	30.02	762.5	...	...	WSW	1	...
Nagasaki,	,,	29.94	760.5	...	...	W	2	...	,,	29.92	760.0	...	...	SE	4	...
Kagoshima,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.94	760.5	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.88	759.0	...	...	NNE	2	...	,,	29.92	760.0	...	...	NNE	1	...
Weihaiwei,	14	30.03	762.7	74	72	SSW	4	b	6	29.68	753.9	65	95	SSW	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.82	757.4	79	48	SSE	2	b	,,	29.82	757.4	64	100	SSE	1	b
Gutzlaff,	..	29.83	757.7	71	85	SSE	4	b	,,	29.82	757.7	65	100	S	2	bf
Sharp Peak,	15	29.83	757.7	84	68	SSE	2	b	7	29.82	757.4	74	93	...	0	bf
Amoy,	14	29.76	755.9	83	79	SSE	1	b	6	29.75	755.6	76	92	NW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.71	754.6	76	91	NW	2	b
Taihoku,	12	29.85	758.1	77	76	W	2	o	,,	29.82	757.5	72	94	...	0	o
Taichu,	,,	29.85	758.1	81	...	...	0	o	,,	29.83	757.5	73	...	...	0	o
Tainan,	,,	29.82	757.5	84	...	N	4	b	,,	29.79	756.6	75	...	...	0	b
Koshun,	,,	29.82	757.5	84	...	NW	4	b	,,	29.80	756.9	75	...	...	0	b
Pescadores,	,,	29.85	758.4	81	...	NNE	4	o	,,	29.81	757.2	75	...	...	0	b
Canton,	15	29.78	756.4	87	69	WSW	2	b	,,	29.81	757.2	75	95	...	0	b
Hongkong,	14	29.80	756.9	82	75	E	3	c	,,	29.81	757.2	76	94	...	0	bm
Gap Rock,	,,	29.81	757.2	...	...	NNE	4	c	,,	29.81	757.2	...	...	ESE	1	b
Macao,	,,	29.80	756.9	84	74	SE	2	b	,,	29.76	756.0	77	94	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	.	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.74	755.4	84	74	ESE	4	o	7	29.79	756.6	77	91	NE	4	b
Tourane,	,,	29.74	755.4	86	...	SE	2	b	,,	29.76	756.0	81	...	...	0	b
Cape St. James,	,,	29.79	756.6	90	...	S	2	o	,,	29.84	757.8	79	...	SW	2	o
Aparri,	14	29.76	756.0	82	57	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	90	60	WSW	4	o	,,	29.82	757.5	77	94	ENE	1	b
Legaspi,	,,	29.76	756.0	93	64	E	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	77	94	...	0	o
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	79	93	NNW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	96	...	0	o
Guam,	12.20	29.80	756.9	...	...	N	1	o	42.0	29.84	757.8	...	...	S	1	b
Yap,	12 47	...	...	...	...	...	...	...	4-47	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	76	W	4	b	6	29.86	758.4	76	91	SW	2	r

June 3*d.* 11*h.* 15*m.*—Pressure is highest over Japan and lowest over S.E. Mongolia and Indo-China. It has increased considerably over N.E. Japan, and moderately at Wladivostock. Changes at other reporting stations are slight.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·34 inches, against an average of 24·84 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds, fair.
2.—Hongkong to Gap Rock,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	3rd JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	4th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.72	754.9	56	...	SE	5	c	6	29.78	756.3	50	...	ESE	1	f
Nemuro,	11	30.02	762.5	...	...	SSE	3	...	5	30.06	763.5	...	...	SE	1	...
Hokodate,	,,	29.98	761.5	...	...	SE	2	...	,,	29.94	760.5	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	S	1	...	,,	29.98	761.5	...	...	NW	1	...
Kochi,	,,	30.02	762 5	...	...	SE	1	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	S	1	...	,,	29.88	759.0	...	...	SSE	1	...
Kagoshima,	,,	29.94	760.5	...	...	SSE	2	...	,,	29.88	759.0	...	...	NE	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.80	757.0	...	...	E	9	...	,,	29.82	757.3	...	...	...	0	...
Ishigakijima,	,,	29.82	757.5	...	...	WNW	1	...	,,	29.78	756.5	...	...	ENE	1	...
Bonin Island,	,,	29.88	759 0	...	...	NE	1	...	,,	29.86	758.5	...	...	NNE	1	...
Weihaiwei,	14	29.83	757.7	62	89	N	2	o	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.83	757.7	86	46	SW	1	b	,,	29.83	757.7	50	100	SE	1	b
Gutzlaff,	,,	29.85	758.2	71	91	SE	2	bf	,,	29.84	757.9	65	100	SE	4	cf
Sharp Peak,	15	29.82	757.4	88	69	E	1	b	7	29.82	757.4	76	94	...	0	o
Amoy,	14	29.76	755.9	86	84	SSE	1	b	6	29.72	754.9	76	82	NE	2	b
Swatow,	,,	29.72	754.9	88	76	S	2	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.85	758.1	82	74	SW	2	o	,,	29.81	757.2	73	94	...	0	o
Taichu,	,,	29.85	758.1	86	...	W	2	o	,,	29.82	757.5	72	...	...	0	o
Tainan,	,,	29.88	759.0	86	...	W	2	o	,,	29.80	756.9	75	...	E	2	o
Koshun,	,,	29.84	757.8	85	...	NW	4	b	,,	29.80	756.9	75	...	...	0	b
Pescadores,	,,	29.86	758.4	84	...	W	2	o	,,	29.80	756.9	77	...	...	0	b
Canton,	15	29 78	756 4	90	66	S	1	c	,,	...	...	...	...	...	...	...
Hongkong,	14	29.81	757.2	84	73	E	3	c	,,	29.78	756.4	78	90	W	1	c
Gap Rock,	,,	29.82	757.4	...	...	...	0	b	,,	29.79	756.6	...	...	SSW	3	b
Macao,	,,	29.79	756.6	90	72	SE	...	o	,,	29.75	755.7	79	90	WSW	2	b
Wuchow,	15	29.75	755.6	89	80	W	1	c	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 73	755.1	90	60	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.75	755.7	86	...	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	84	...	SW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.80	756.9	90	57	NNW	2	o	6	29.81	757.2	77	89	N	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	93	53	SE	1	o	,,	29.79	756.6	75	92	NE	1	o
Legaspi,	,,	29.78	756.3	90	66	ENE	4	b	,,	29.79	756.6	79	89	...	0	b
Tacloban,	,,	29.78	756.3	86	68	S	2	o	,,	...	...	...	..	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	96	S	1	o
Surigao,	,,	29.76	756.0	81	84	...	0	o	,,	29.79	756.6	75	96	...	0	o
Guam,	12.20	29.80	756.9	...	...	W	1	b	42.0	29.78	756.3	...	...	SW	1	b
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	86	76	N	2	b	6	29.80	29.69	78	86	S	2	o

June 4*d*. 12*h*. 53*m*.—Pressure is highest to the east of Japan. It has decreased slightly over central Japan. and over Indo-China. It is nearly stationary at other reporting stations.

A depression is shown over N. Indo-China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·34 inches, against an average of 25·35 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, ...	S. or variable winds, light; fine to cloudy.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	4th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.74	755.4	66	...	E	2	b	6	29.81	757.2	55	...	ESE	2	c
Nemuro,	11	30.06	763.5	...	...	SSE	3	...	5	...	...	...	...	SSE	3	...
Hokodate,	,,	29.90	759.5	...	...	SE	3	...	,,	29.90	759.5	...	...	WSW	1	...
Tokio,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.91	760.5	...	...	NNW	1	...
Kochi,	,,	29.92	760.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	SW	1	...
Nagasaki,	,,	29.86	758.5	...	...	ESE	3	...	,,	29.84	758.0	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	S	2	...	,,	29.84	758.0	...	...	...	0	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	NNW	2	...	,,	29.76	756.0	...	...	ENE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.75	755.5	...	...	NNE	1	...
Bonin Island,	,,	29.86	758.5	...	...	NE	1	...	,,	29.84	758.0	...	...	...	0	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	29.79	756.6	60	82	SSE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.84	757.9	86	49	S	1	b	,,	29.77	756.1	68	98	SE	1	o
Gutzlaff,	..	29.84	757.9	73	86	SE	1	o	,,	29.78	756.4	67	100	SE	4	of
Sharp Peak,	15	29.85	758.2	86	95	E	1	b	7	29.76	755.9	75	90	NNE	4	r
Amoy,	14	...	...	...	..	...	...	...	6	29.67	753.6	80	96	E	1	r
Swatow,	,,	29.64	752.8	90	66	S	2	c	,,	29.70	754.4	79	91	S	2	c
Taihoku,	12	29.82	757.5	84	71	N	2	b	,,	...	...	...	...	...	...	...
Taichu,	,,	29.82	757.5	86	...	...	0	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.81	757.2	82	...	SW	2	r	,,	...	...	...	...	...	...	...
Koshun,	,,	29.81	757.2	84	...	WSW	2	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.82	757.5	86	...	W	2	b	,,	...	...	...	...	...	...	...
Canton,	15	29.69	754.1	88	66	SSW	1	c	,,	...	...	...	...	...	...	...
Hongkong,	14	29.73	755.1	88	65	SSW	2	c	,,	29.68	753.9	82	80	SSW	3	o
Gap Rock,	,,	29.75	755.6	...	...	S	2	b	,,	29.68	753.9	...	...	S	3	c
Macao,	,,	29.71	754.5	90	69	SSE	2	o	,,	29.65	753.0	79	90	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.65	753.0	86	71	SSE	6	b	7	29.63	752.7	81	92	SSE	6	o
Tourane,	,,	29.69	754.2	86	...	ESE	2	b	,,	29.66	753.3	79	...	W	4	b
Cape St. James,	,,	29.74	755.4	82	...	SW	7	r	,,	29.74	755.4	73	...	W	4	o
Aparri,	14	29.73	755.1	90	60	N	4	o	6	...	...	...	...	...	...	...
Cagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	90	66	WNW	4	o	,,	29.72	754.8	77	94	ESE	1	o
Legaspi,	,,	29.73	755.1	90	63	ENE	4	b	,,	29.73	755.1	77	96	SW	1	o
Tacloban,	,,	29.72	754.8	90	66	SE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	71	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	2	r	42.0	29.74	755.4	...	...	SE	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Sabuan,	14	29.78	756.4	86	76	S	2	b	6	29.76	755.9	80	91	S	4	b

June 5*d.* 11*h.* 35*m.*—Pressure is highest to the east of Japan. It has increased slightly at Wladivostock and decreased slightly at other reporting stations.

A depression is shown over S.W. China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·34 inches, against an average of 25·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate, squally; generally overcast, some rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th June, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	6th June, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.80	756.8	61	...	ESE	4	b	6	29.90	759.4	53	...	ESE	3	f
Nemuro,	11	30.10	764.5	...	...	SSE	3	...	5	30.16	766.0	...	...	SSE	1	...
Hokodate,	,,	29.94	760.5	...	...	S	1	...	,,	30.04	763.0	...	...	W	1	...
Tokio,	,,	29.90	759.5	...	...	S	2	...	,,	30.00	762.0	...	...	NE	1	...
Kochi,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	...	...
Nagasaki,	,,	29.86	758.5	...	...	W	2	...	,,	29.80	757.0	...	...	SE	6	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.82	757.5	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.76	756.0	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.82	757.5	...	...	ENE	1	...	,,	29.84	758.0	...	...	...	0	...
Weihaiwei,	14	29.76	755.9	62	89	...	2	r	6	29.75	755.6	60	100	SE	1	c
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.75	755.6	79	73	SE	2	o	,,	29.72	754.9	63	98	SSE	1	b
Gutzlaff,	,,	29.73	755.1	70	95	SSE	4	o	,,	29.73	755.1	67	91	SSE	2	b
Sharp Peak,	15	29.76	755.9	70	92	NE	2	rf	7	29.67	753.6	68	91	N	2	rf
Amoy,	14	29.61	752.1	81	92	...	0	o	6	29.53	750.0	76	95	NE	2	c
Swatow,	,,	29.56	750.8	81	83	W	1	c	,,	29.49	749.0	80	91	SSW	1	c
Taihoku,	12	29.73	755.1	77	91	ESE	2	r	,,	29.58	751.2	70	98	...	0	r
Taichu,	,,	29.68	753.9	84	...	SSW	2	o	,,	29.61	752.1	75	...	...	0	o
Tainan,	,,	29.74	755.4	77	...	SSW	2	r	,,	29.60	751.8	73	...	SE	4	b
Koshun,	,,	29.72	754.8	85	...	SSE	2	o	,,	29.61	752.1	75	...	...	0	b
Pescadores,	,,	29.72	754.8	84	...	S	4	o	,,	29.58	751.2	79	...	S	4	c
Canton,	15	29.59	751.6	86	76	SW	2	o	,,	...	...	...	...	...	...	...
Hongkong,	14	29.63	752.6	85	73	SSW	3	cq	,,	29.55	750.5	82	79	SW	3	aq
Gap Rock,	,,	29.64	752.8	...	...	S	4	c	,,	29.55	750.5	...	...	SSW	6	c
Macao,	,,	29.63	752.7	84	77	SSW	4	o	,,	29.52	749.7	79	92	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.54	750.3	85	81	SSE	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.60	751.8	90	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.86	758.4	90	63	N	4	o	6	29.63	752.7	77	88	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753.0	86	71	S	1	o	,,	29.67	753.6	79	92	SE	1	o
Legaspi,	,,	29.67	753.6	86	71	SW	2	o	,,	29.71	754.5	77	52	W	1	b
Tacloban,	,,	29.69	754.2	90	66	S	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	86	71	SW	4	o	,,	29.74	755.4	77	96	SW	4	r
Surigao,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	75	94	...	0	r
Guam,	12.20	29.72	754.8	...	...	SSE	2	o	42.0	29.75	755.7	...	...	S	2	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	88	73	W	2	b	6	29.68	753.9	80	91	SW	2	b

June 6*d*. 12*h*. 18*m*.—Pressure has decreased moderately from Hongkong to Formosa and slightly from Shanghai to Weihaiwei. It has increased slightly at Wladivostock.

The depression over S.W. China has deepened.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·34 inches, against an average of 26·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, fresh, squally; generally overcast, some rain.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	6th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.86	758.4	54	...	ESE	2	o	6	29.76	755.8	53	...	SSW	3	o
Nemuro,	11	30.16	766 o	...	...	SE	2	...	5	...	...	...	...	SE	2	...
Hokodate,	,,	30.02	762.5	...	...	E	6	...	,,	29.96	761 o	...	...	E	1	...
Tokio,	,,	29.94	760.5	...	...	SSE	1	...	,,	20 94	760.5	...	...	FSE	1	...
Kochi,	,,	29.83	750.0	...	...	SE	1	...	,,	29.82	757.5	...	...	WSW	1	...
Nagasaki,	,,	29.78	756.5	...	...	SE	3	...	,,	29.78	756.5	...	...	..	...	...
Kagoshima,	,,	29 78	756.5	...	...	S	1	...	,,	29.76	756.0	...	...	NE	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.84	758.0	...	...	E	1	...	,,	29.82	757 5	...	...	SE	1	...
Weihaiwei,	14	29.70	754.4	73	76	ESE	1	b	6	29.70	754.4	62	94	...	4	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29 73	755.1	82	51	S	1	b	,,	29.75	755 6	68	98	SE	1	o
Gutzlaff,	,,	29.75	755 6	72	92	ENE	2	o	,,	29.70	755.9	67	100	ESE	2	b
Sharp Peak,	15	29.63	752.6	70	95	...	o	r	7	29.67	753.6	71	97	ENE	4	o
Amoy,	14	29.53	750.0	80	92	...	o	r	6	29.58	751.3	74	95	ENE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.63	752.7	77	88	SE	10	b	,,	29.67	752.7	72	96	...	o	r
Taichu,	,,	29.63	752.7	82	...	S	4	o	,,	29.62	752.4	73	...	...	o	o
Tainan,	,,	29.63	752.7	85	...	S	4	o	,,	29.60	751 8	75	...	SE	2	o
Koshun,	,,	29 65	753.0	72	...	WSW	4	b	,,	29.61	752.1	77	...	...	o	o
Pescadores,	,,	29 62	752.4	84	...	S	4	o	,,	29.60	751.8	77	...	S	1	o
Canton,	15	29.55	750 5	78	91	SW	1	or	,,	29.56	750.8	76	95	N	1	o
Hongkong,	14	29 57	751.1	83	22	SW	4	cdq	,,	29.55	750.5	78	86	...	o	om
Gap Rock,	,,	29.58	751.3	...	...	SSW	5	o	,,	20.55	750.5	...	...	S	2	c
Macao,	,,	29.56	750.9	79	96	SW	4	o	,,	29.53	750.0	75	96	...	o	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 53	750.0	81	92	ENE	4	o	7	29.55	750.6	75	92	WSW	6	o
Fourane,	,,	29 53	750.0	85	...	SE	2	b	,,	20.55	750 6	84	...	SW	4	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	77	...	SW	7	o
Aparri,	14	29.56	750.9	97	43	S	2	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	86	68	SW	2	o	,,	29.69	754.2	79	84	SE	1	o
Legaspi,	,,	29.65	753.0	90	60	WSW	4	o	,,	29.72	754 8	79	95	WSW	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	84	77	SW	4	o	,,	29.74	755.4	72	47	SW	1	o
Surigao,	,,	29.68	753.9	86	68	WNW	2	b	,,	29.74	755.4	75	94	...	o	b
Guam,	12.20	29.73	755 1	...	...	S	2	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Sabuan,	14	29.68	753.9	88	73	W	2	b	6	29.73	755.1	78	91	E	2	b

June 7d. 11h. 50m.—Pressure is highest to the east of Japan. It has decreased slightly at Wladivostock and over Japan, and is nearly stationary over the south-west portion of the Map.

A depression is still shown over S.W. China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 19·38 inches, against an average of 26·88 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. or variable winds, light to moderate; generally cloudy, thunder showers.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	7th JUNE, 1922.								8th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.78	756.3	54	...	SSE	4	o	6	29.77	756.1	54	...	SE	2	f
Nemuro,	11	30.12	765.0	...	...	...	0	...	5	30.02	762 5	...	...	SSE	4	...
Hokodate,	,,	29.94	760.5	...	...	...	0	...	,,	29.90	759.5	...	...	SSW	1	...
Tokio,	,,	29.90	759.5	...	...	SE	2	...	,,	29.76	756.0	...	...	N	1	...
Kochi,	,,	29.80	757.0	...	...	SE	1	...	,,	29.80	757.0	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	SW	2	...	,,	29.80	757.0	...	...	...	0	...
Kagoshima,	,,	29.78	756.5	...	...	NE	2	...	,,	29.82	757.5	...	...	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.67	753.5	...	...	NNW	1	...	,,	29.71	754.5	...	...	SE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.65	753.0	...	...	SSW	3	...
Bonin Island,	,,	29.82	757.5	...	...	SSE	3	...	,,	29.76	756.0	...	...	SSW	1	...
Weihaiwei,	14	29 71	754.6	65	100	SSW	4	o	6	29.69	754.1	65	100	SSW	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.79	756.6	82	60	SSE	2	b	,,	29.78	756.4	68	98	SE	1	o
Gutzlaff,	,,	29.80	756.9	73	86	SE	2	o	,,	29.77	756.1	68	100	SSE	4	of
Sharp Peak,	15	29.69	754.1	71	94	NE	1	r	7	29.68	753.9	72	94	NW	1	o
Amoy,	14	29.58	751.3	75	95	NE	2	r	6	29.58	751.3	73	95	NE	2	r
Swatow,	,,	29.52	749.8	80	91	ENE	2	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.68	753.9	79	84	E	4	o	,,	29.61	752.1	75	96	E	4	o
Taichu,	,,	29.65	753.0	86	...	...	0	o	,,	29.60	751.8	73	...	...	0	o
Tainan,	,,	29.65	753.0	79	...	SSE	4	o	,,	29.54	750.3	77	...	NNE	2	r
Koshun,	,,	29.65	753.0	84	...	SE	2	o	,,	29.50	749.4	77	...	NE	2	r
Pescadores,	,,	29 65	753.0	82	...	E	2	o	,,	29.56	750.9	77	...	NE	4	o
Canton,	15	29.53	750.0	88	73	NNW	1	b	,,	29.56	750.8	77	91	N	1	o
Hongkong,	14	29.55	750.5	81	88	W	2	op	,,	29.54	750.3	78	92	E	1	o
Gap Rock,	,,	29.56	750.8	...	...	SW	3	o	,,	29.54	750.3	...	...	WSW	4	c
Macao,	,,	29.55	750.6	82	81	E	1	b	,,	29.53	750.0	77	98	NW	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.54	750.3	84	77	SSW	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.54	750.3	80	...	SW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.55	750.6	90	57	S	4	o	6	29.60	751.8	81	...	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753.0	90	60	SSW	4	o	,,	29.69	754.2	77	92	S	1	r
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.72	754 8	79	92	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	75	SW	4	o	,,	29.73	755.1	81	87	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	SE	1	r	42.0	29.80	756.9	...	...	...	0	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29 75	755.9	80	91	W	2	r	6	29.75	755.6	78	91	SW	2	b

June 8*d.* 10*h.* 10*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 21° N. Long 121° E. moving N.E.

June 8*d.* 11*h.* 29*m.*—Pressure has decreased moderately over S. Formosa and slightly over N. Luzon. It is nearly stationary at other reporting stations.

A depression, which may be a typhoon, is shown between Formosa and Luzon. It appears to be moving north east-ward.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·11 inch. Total since January 1st, 19·49 inches, against an average of 27·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	N.E. to N.W. winds, freshening considerably.
2.—Hongkong to Gap Rock,	Light, variable winds, freshening from N.W. or W.; fair.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th June, 1922.								9th June, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.98	761.5	...	...	SSE	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.85	758.5	...	...	ESE	3	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.76	756.0	...	...	NNW	3	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.75	756.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.80	757.0	...	...	W	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Oshima.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha.	,,	29.72	755 0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.78	755.5	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.78	756.4	68	95	SSW	2	0	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.76	755.9	79	66	SE	4	0	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.74	755.4	71	95	SE	4	0	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.63	752.6	78	86	E	1	0	7	29.53	750.0	76	91	SW	1	b
Amoy,	14	29.51	749.5	82	87	NE	2	b	6	29.52	749.8	76	95	SE	1	0
Swatow,	,,	29.50	749.3	79	91	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.55	750.6	82	81	E	6	0	,,	29.49	749.1	75	96	W	4	0
Taichu,	,,	29.50	749.4	84	...	...	0	0	,,	29.52	749.7	77	...	...	0	0
Tainan,	,,	29.52	749.7	86	...	N	7	0	,,	29.52	749.7	75	...	SE	2	0
Koshun,	,,	29.49	749.1	75	...	N	4	r	,,	29.52	749.7	77	...	NE	2	0
Pescadores,	,,	29.54	750.3	81	...	N	6	0	,,	29.58	751.2	77	...	NNW	4	0
Canton,	15	29.50	749.3	90	70	SW	2	c	,,	29.54	750.3	80	96	SW	1	c
Hongkong,	14	29 53	750.0	83	81	E	2	0	,,	29.54	750.1	79	92	...	0	0
Gap Rock,	,,	29.54	750.3	...	...	ENE	1	c	,,	29.52	749.8	...	...	SSW	5	0
Macao,	,,	29.55	750.6	84	90	...	1	0	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.52	749.7	86	75	SSE	4	0	7	29.56	750.9	81	76	...	0	0
Touraue,	,,	29.56	750.9	86	...	ENE	2	0	,,	29.56	750.9	84	...	NNW	2	b
Cape St. James,	,,	29.71	754.5	75	...	WSW	4	r	,,	29.75	755.7	77	...	SW	4	0
Aparri,	14	29.56	750.9	86	68	S	4	0	6	29.84	757.8	81	76	SW	2	0
Dagupan,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Manila,	,,	29.66	753.3	86	68	SW	4	0	,,	29.69	754.2	79	90	SSW	2	0
Legaspi,	,,	29.69	754.2	90	60	SW	4	0	,,	29.71	754.5	79	92	WSW	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29 71	754.5	86	71	S	4	0	,,	29.73	755.1	81	76	SSW	4	0
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	NE	1	b	42.0	29.76	756.0	...	...	NE	1	0
Yap,	12 47	29.75	755.7	...	...	E	2	0	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	76	E	2	b	6	29.76	755.9	78	91	E	2	b

June 8*d*. 15*h*. 20*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 122° E. moving E.N.E.

June 9*d*. 12*h* 32*m*.—Warning to Hongkong. Coast Ports, &c.:—Depresion or typhoon in Lat. 24° N. Long. 125° E. moving E.N.E.; position uncertain.

June 9*d*. 12*h*. 35*m*.—Pressure has decreased moderately at Foochow and Taihoku, and slightly over N. Indo-China. It is nearly stationary in the vicinity of Hongkong and over the Philippines.

A trough of low pressure extends from Tongking to the Loochoos. The typhoon is in its eastern extremity, moving E.N.E. or N.E.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 19·49 inches, against an average of 27·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10th.

District.	Forecast.
1.—Formosa Channel,	N.W. to variable winds, moderate.
2.—Hongkong to Gap Rock,	Light, variable winds; fair to showery.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	9th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.85	758.5	...	...	E	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.84	758.0	...	...	ESE	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.82	757 5	...	...	S	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.80	757.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.70	754.5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.74	755.5	...	...	SSE	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.86	758.5	...	...	S	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.60	751.8	72	90	SSW	1	o	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.66	753.3	81	84	ESE	1	o	,,	29.70	754.4	68	100	NNW	1	b
Gutzlaff,	,,	29.63	752.6	74	95	SE	1	of	,,	29.70	754.4	70	100	NNW	1	o
Sharp Peak,	15	29.58	751.3	84	79	E	1	b	7	29.67	753.6	58	93	NE	4	rf
Amoy,	14	29.49	749.0	81	87	SSE	1	o	6	29.57	751.1	77	95	NE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.54	750.3	82	74	NW	6	o	,,	29.59	751.5	75	96	...	o	o
Taichu,	,,	29.54	750.3	86	...	SSW	2	o	,,	29.58	751.2	77	...	...	o	o
Tainan,	,,	29.55	750.6	86	...	SW	4	o	,,	29.55	750.6	77	...	...	o	o
Koshun,	,,	29.54	750.3	84	...	WNW	4	o	,,	29.56	750.9	77	...	...	o	o
Pescadores,	,,	29 58	751 2	81	...	N	4	o	,,	29.58	751.2	77	...	NNE	2	o
Canton,	15	29.48	748.8	93	67	N	1	c	,,	29.57	751.1	77	91	N	2	o
Hongkong,	14	29.52	749.8	82	87	E	3	o	,,	29.54	750.3	79	94	...	o	o
Gap Rock,	,,	29.52	749.8	...	...	SW	1	c	,,	29.54	750.3	...	...	NNW	4	or
Macao,	,,	29.54	750.3	90	72	SE	2	o	,,	29.53	750.0	77	89	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.49	749.1	90	72	SSW	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.54	750.3	86	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29 71	754.5	82	...	WSW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.60	751.8	77	88	S	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	82	64	SW	4	o	,,	29.67	753.6	77	61	S	2	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	77	92	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.72	754 8	77	88	SSW	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	75	92	WSW	1	b
Guam,	12.20	29.76	756.0	...	...	...	o	r	42.0	29.79	756.6	...	...	NE	2	b
Yap,	12 47	29.76	756.0	...	...	S	1	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	88	73	W	2	b	6	29.75	755.6	82	91	SW	4	o

June 10*d.* 11*h.* 55*m.*—Pressure has increased slightly from Shanghai to Formosa. It is nearly stationary at other reporting stations.

A trough of low pressure is still shown from Tongking to the Lcochoos. The typhoon is probably to the east of the Loochoos moving E.N.E.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 1933 inches, against an average of 28·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel, ...	Light, variable winds; fair to showery.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	10th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.90	759.5	...	...	SE	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.86	758.5	...	...	ESE	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.78	756.5	...	...	S	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.47	748.5	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.49	749.0	...	...	NNW	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.47	748.5	...	...	W	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.65	753.0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.82	757.5	...	...	SE	4	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.77	756.1	82	69	NNE	1	b	,,	29.78	756.4	63	56	SSE	1	b
Gutzlaff,	,,	29.74	755.4	74	76	NNE	2	o	,,	29.78	756.4	67	91	SSW	2	b
Sharp Peak,	15	29.67	753.6	88	84	E	4	b	7	29.74	755.4	73	79	N	2	b
Amoy,	14	29.56	750.8	66	84	...	0	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.63	752.7	86	68	E	4	b	,,	29.66	753.3	75	94	E	4	r
Taichu,	,,	29.58	751.2	84	...	...	0	o	,,	29.62	752.4	77	...	...	0	o
Tainan,	,,	29.56	750.9	90	...	NNW	2	b	,,	29.61	752.1	77	...	SE	4	o
Koshun,	,,	29.59	751.5	84	...	SE	2	o	,,	29.63	753.0	75	...	...	0	r
Pescadores,	,,	29.60	751.8	84	...	NNE	6	o	,,	29.62	752.4	79	...	...	c	o
Canton,	15	29.53	750.0	92	67	SW	2	b	,,	29.75	755.6	77	91	ENE	2	o
Hongkong,	14	29.56	750.8	85	78	E	3	c	,,	29.64	752.8	78	91	E	4	op
Gap Rock,	,,	29.56	750.8	...	...	ENE	2	c	,,	29.61	752.1	...	...	ENE	6	od
Macao,	,,	29.58	751.2	90	76	ESE	2	o	,,	29.60	751.8	79	85	ESE	2	o
Wuchow,	15	29.53	750.0	90	36	W	1	fc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	...	...	...	...	...	...	...	7	...	...	...	...	...	...	...
Touraine,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.56	750.9	90	66	NW	4	o	6	29.66	753.3	75	79	S	4	o
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	82	81	SSW	4	r	,,	29.71	754.5	75	96	SE	1	o
Legaspi,	,,	29.68	753.9	90	66	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	75	SSW	4	o	,,	29.75	755.7	77	96	SW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	2	b	42.0	29.84	757.8	...	...	NE	2	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Tabuan,	14	29.75	755.6	88	73	NW	2	b	6	...	...	...	...	...	...	...

June 11*d*. 4*h*. 55*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 113° E. direction of motion unknown.

June 11*d*. 5*h*. 55*m*.—Local signal No. 1 hoisted.

June 11*d*. 11*h*. 10*m*.—Pressure has increased slightly at all reporting stations.

The weather report from the s.s. Seangbee, in latitude 14° N. and longitude 112° E. indicates that a typhoon has formed near the Paracels. Its direction of motion is unknown at present.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·67 inch. Total since January 1st, 20·20 inches, against an average of 28·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, strong, possibly increasing to a gale. Fair at first, rain later.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	11th June, 1922.								12th June, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.56	750.9	71	...	N	3	o	6	29.69	754.2	59	...	E	3	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.49	749.0	...	...	NE	1	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	29.49	749.0	...	...	E	1	...
Tokio,	,,	...	...	...	...	...	...	...	,,	29.59	751.5	...	...	N	1	...
Kochi,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	...	...	SW	1	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	WNW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	29 92	760.0	...	...	SSW	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.79	756.6	82	33	SSE	4	o	,,	29.82	757.4	66	94	SSE	1	b
Gutzlaff,	,,	29.83	757.7	74	68	S	2	o	,,	29.83	757.7	69	85	S	2	o
Sharp Peak,	15	29.78	756.4	81	67	ENE	2	b	7	29.78	756.4	71	71	W	1	o
Amoy,	14	...	...	...	...	...	...	...	6	29.67	753.6	74	81	NNE	2	o
Swatow,	,,	29.59	751.6	82	71	ENE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	12	29.73	755.1	77	91	E	2	r	,,	29.72	754.8	75	98	...	o	o
Taichu,	,,	29.68	753.9	82	...	SSE	2	o	,,	29.74	755.4	75	...	N	2	rf
Tainan,	,,	29.67	753.6	84	...	SSE	2	o	,,	29.68	753 9	77	...	SE	4	r
Koshun,	,,	29.68	753.9	79	...	E	2	r	,,	29.68	753.9	77	...	S	2	o
Pescadores,	,,	29.68	753.9	81	...	S	2	r	,,	29.67	753.6	77	...	SE	4	r
Canton,	15	29.64	751.8	8-	69	SE	2	c	,,	29.68	753.9	78	91	SSE	1	c
Hongkong,	14	29.65	753.1	83	69	E	4	c	,,	29.67	753 6	80	48	E	4	o
Gap Rock,	,,	29.65	753.1	...	...	ENE	6	o	,,	29.66	753.3	...	...	ENE	5	c
Macao,	,,	29.66	753.3	84	74	ESE	2	o	,,	29.65	753.0	79	80	ESE	2	o
Wuchow,	15	29.59	751.6	89	73	SW	1	bc	9	29.69	754.1	83	79	E	2	o
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.58	751 2	86	75	SSE	2	o	7	29.65	753.0	75	94	ENE	2	r
Tourane,	,,	29.59	751.5	86	...	N	2	o	,,	29.63	752.7	81	...	..	o	o
Cape St. James.	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	...	SW	4	o
Aparri,	14	29.65	753.0	90	63	NNE	4	o	6	29.71	754.5	77	89	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	84	77	WSW	4	o	,,	29.73	755.1	75	96	SE	1	b
Legaspi,	,,	29.73	755.1	90	57	SW	4	b	,,	29.78	756.3	75	92	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	75	SSW	4	o	,,	29.76	756.0	61	93	...	...	b
Surigao,	,,	29.74	755.4	90	63	...	o	b	,,	29.79	756.6	75	94	SSW	1	b
Guam,	12.20	29.79	756.6	...	...	NE	2	b	42.0	29.79	756.6	...	...	NE	2	...
Yap,	12 47	29.79	756.6	..	...	E	2	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	88	73	S	1	b	6	29.75	755.6	78	91	SW	4	o

June 12*d.* 6*h* 00*m.*—Warning to Hongkong. Coast Ports, &c.:—Depression or typhoon in Lat. 18° N. Long. 112° E. filling up, position uncertain.

June 12*d.* 5*h.* 55*m.*—Local signal No. 1 lowered.

June 12*d.* 11*h.* 50*m.*—Pressure is lowest over Indo-China. It has increased slightly at all reporting stations, except at Guam where it has decreased slightly.

The typhoon in the China Sea appears to have filled up.

Strong N.E. winds, are reported to the east of Hongkong.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·20 inches, against an average of 29·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13th.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh, moderating; fair.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	12th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	13th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.74	755.3	56	...	E	2	or	6	29.77	756.1	53	...	SE	3	f
Nemuro,	11	29.49	749.0	...	...	NNW	1	...	5	29.51	749.5	...	...	W	1	...
Hokodate,	,,	29.55	750.5	...	...	ESE	1	...	,,	29.73	755.0	...	...	WNW	5	...
Tokio,	,,	29.63	752.5	...	...	SSE	1	...	,,	29.82	757.5	...	...	...	0	...
Kochi,	,,	29.80	757.0	...	...	SE	1	...	,,	29.84	758.0	...	...	W	1	...
Nagasaki,	,,	29.82	757.5	...	...	SW	1	...	,,	29.86	758.5	...	...	...	...	...
Kagoshima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.86	758.5	...	...	NW	1	...
Oshima.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	S	1	...	,,	29.96	761.0	...	...	E	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.82	757.4	90	38	SSE	4	b	,,	29.79	756.6	66	94	SE	1	o
Gutzlaff,	,,	29.84	757.9	73	81	SSE	2	o	,,	29.81	757.2	68	95	SSE	4	o
Sharp Peak,	15	29.77	756.1	82	75	E	2	o	7	29.72	754.9	67	94	NW	2	r
Amoy,	14	29.69	754.1	74	95	N	1	r	6	29.64	752.8	75	95	WNW	2	r
Swatow,	,,	29.62	752.3	81	74	E	2	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	81	80	E	4	o	,,	29.73	755.1	73	96	...	0	r
Taichu,	,,	29.75	755.7	77	...	...	0	r	,,	29.74	755.4	75	...	...	0	o
Tainan,	,,	29.74	755.4	77	...	ESE	4	r	,,	29.72	754.8	75	...	SE	4	o
Koshun,	,,	29.74	755.4	81	...	S	4	o	,,	29.74	755.4	77	...	...	0	r
Pescadores,	,,	29.72	754.8	79	...	SE	4	r	,,	29.72	754.8	77	...	SW	2	o
Canton,	15	29.64	752.8	89	69	SSE	2	b	,,	29.68	753.9	76	95	E	1	c
Hongkong,	14	29.67	753.6	83	65	ESE	4	c	,,	29.68	753.9	79	86	ESE	1	o
Gap Rock,	,,	29.68	753.9	...	...	NE	5	c	,,	29.68	753.9	...	...	ESE	4	c
Macao,	,,	29.66	753.3	86	68	ESE	2	o	,,	29.63	752.7	79	90	SSE	2	o
Wuchow,	15	29.60	751.8	89	63	E	4	cc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haulien,	,,	29.61	752.1	82	81	ENE	1	o	7	...	...	...	...	...	...	...
Fourane,	,,	29.60	751.8	84	...	NNW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.5	81	...	SW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.69	754.2	90	57	S	2	o	6	29.78	756.3	77	94	NW	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	90	66	SW	4	o	,,	29.78	756.3	77	94	SE	1	b
Legaspi,	,,	29.73	755.1	90	66	ENE	2	o	,,	29.79	756.6	77	92	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	71	SSE	2	o	,,	29.75	755.7	79	92	N	1	o
Surigao,	,,	29.74	755.4	84	71	ENE	4	o	,,	29.76	756.0	75	96	SE	1	o
Guam,	12.20	29.78	756.3	...	...	ENE	4	o	42.0	29.84	757.8	...	...	NE	1	r
Yap,	12.47	29.78	756.3	...	...	E	2	o	4.47	...	...	...	...	...	...	...
Jaluit,	14	29.73	755.1	88	62	SW	2	b	6	29.76	755.9	80	87	S	2	o

June 13*d.* 11*h.* 50*m.*—Pressure is highest over the Bonins. It has increased considerably over N.E. Japan and slightly from S.W. Japan to the Bonins. It has decreased slightly from Shanghai to Amoy, and increased slightly S. from Formosa to Luzon.

A shallow depression lies over S.W. China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 20·26 inches, against an average of 29·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S.E. winds, moderate; fair to showery.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station	13th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	14th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.74	755.4	58	...	SSE	2	o	6	29.72	754.8	55	...	S	2	f
Nemuro,	11	...	...	...	...	..	...	...	5	29.73	755.0	...	...	NW	3	...
Hokodate,	,,	29.74	755.5	...	...	WNW	7	...	,,	29.84	758.0	...	...	NW	1	...
Tokio,	,,	29.80	757.0	...	...	SSE	1	...	,,	29.86	758.5	...	...	W	1	...
Kochi,	,,	29.86	758.5	...	...	SE	1	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	29 86	758.5	...	...	W	1	...	,,	29.84	758.0	...	...	...	...	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.86	758.5	...	...	WNW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	...	...	...	o	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	S	2	...	,,	29.94	760.5	...	...	SSW	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	29.72	754.9	66	89	SSW	4	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.80	756.9	84	60	SE	4	b	,,	29.77	756.1	70	98	SE	2	b
Gutzlaff,	,,	29.79	756.6	73	92	SE	4	b	,,	29.79	756.6	70	100	SSE	4	o
Sharp Peak,	15	29.76	755.9	76	86	N	1	o	7	29.82	757.4	75	93	...	o	b
Amoy,	14	29.69	754.1	82	87	SSE	2	b	6	29.72	754 9	80	96	ESE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.75	755.7	82	77	E	2	o	,,	29.73	755.7	75	96	...	o	o
Taichu,	,,	29.78	756 3	81	...	SSW	2	r	,,	29.76	756.0	73	...	...	o	o
Tainan,	,,	29.78	756.3	79	...	W	4	r	,,	29.75	755.7	75	...	SE	2	r
Koshun,	,,	29.78	756.3	86	...	SW	4	o	,,	29.76	756.0	90	...	...	o	o
Pescadores,	,,	29.78	756.3	79	...	W	2	r	,,	29.75	755.7	79	...	S	4	o
Canton,	15	29.67	753.6	79	95	SE	2	or	,,	29.71	754.6	78	95	S	1	o
Hongkong,	14	29.67	753.6	84	83	E	2	o	,,	29.71	754.6	79	91	NE	1	o
Gap Rock,	,,	29.67	753.6	...	...	ESE	1	c	,,	29.70	754.4	...	...	SSE	4	o
Macao,	,,	29.65	753.0	86	81	SE	2	o	,,	29.67	753.6	81	94	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.59	751.5	90	76	ESE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.60	751 8	84	...	N	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.68	753.9	86	...	S	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.69	754.2	90	72	NE	4	o	6	29.79	756.6	75	88	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	93	59	SE	2	b	,,	29.79	756.6	79	90	NE	1	b
Legaspi,	,,	29.72	754.8	90	66	ENE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	94	...	o	b
Iloilo,	,,	29.69	754.2	86	71	NE	4	o	,,	29.76	756.0	79	87	WNW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	92	...	o	o
Guam,	12.20	29.75	755.7	...	...	NE	4	r	42.0	29.78	756.3	...	...	E	1	r
Yap,	12.47	29.74	755.4	...	...	E	1	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	88	69	E	2	b	6	29.72	754.9	81	91	S	2	b

June 14*d.* 12*h.* 12*m.*—Pressure is highest over the Bonins. It has increased moderately over N.E. Japan, and decreased slightly at Guam. It is nearly stationary at other reporting stations.

A shallow depression is still shown over S.W. China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 20·33 inches, against an average of 30·45 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate, squally; generally cloudy, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th June, 1922.								15th June, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.67	753.7	60	...	WSW	1	o	6	29.69	754 o	53	...	S	3	f
Nemuro,	11	29.76	756.0	...	...	N	3	...	5	29.88	759.0	...	...	WNW	1	...
Hokodate,	,,	29.82	757.5	...	...	SE	1	...	,,	29.84	758.0	...	...	...	o	...
Tokio,	,,	29.84	758.0	...	...	S	3	...	,,	29.80	757.0	...	...	SW	1	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	29.76	756.0	...	...	WSW	1	...
Nagasaki,	,,	29.86	758.5	...	...	SW	2	...	,,	29.80	757.0	...	...	ESE	1	...
Kagoshima,	,,	29 86	758 5	...	...	E	1	...	,,	29.78	756.5	...	...	WNW	1	...
Oshima,	,,	29.76	756.0	...	...	ENE	1	...	,,	29.76	756.0	...	...	...	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	29.90	759.5	...	...	SSE	2	...
Weihaiwei,	14	29.69	754.1	73	81	S	6	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.77	756.1	82	70	SE	4	o	,,	29.62	752.3	73	100	SE	4	o
Gutzlaff,	,,	29.78	756.4	73	92	SE	4	o	,,	29.64	752.8	71	100	SE	6	of
Sharp Peak,	15	29.77	756.1	83	87	SE	2	b	7	29.71	754.6	80	91	...	o	b
Amoy,	14	29.72	754.9	81	86	SSE	1	o	6	29.70	754.4	80	56	SW	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.79	756.6	85	68	W	2	o	,,	29.72	754.8	73	96	ESE	2	o
Taichu,	,,	29.81	757.2	85	...	S	2	o	,,	29.76	756.0	75	...	...	o	b
Tainan,	,,	29.80	756.9	86	...	S	2	o	,,	29.75	755.7	75	...	SSE	2	b
Koshun,	,,	29.81	757.2	86	...	W	2	o	,,	29.76	756.0	79	...	...	o	b
Pescadores,	,,	29.82	757.5	81	...	SSW	4	o	,,	29.75	755.7	79	...	SSW	4	b
Canton,	15	29.71	754.6	82	87	SSW	2	o	,,	29.73	755.1	79	95	...	o	o
Hongkong,	14	29.74	755.4	82	83	S	1	od	,,	29.74	755.4	83	80	S	3	oq
Gap Rock,	,,	29.74	755.4	...	...	SE	4	o	,,	29.73	755.1	...	...	SSE	5	c
Macao,	,,	29.71	754.5	81	92	SSW	4	o	,,	29.65	753.0	81	92	S	4	c
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.62	752.4	81	97	S	4	r	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.73	755.1	93	50	S	4	o	6	29.79	756.6	79	90	W	2	b
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29 73	755 1	93	53	SE	4	o	,,	29 80	756.9	79	85	ENE	2	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	79	92	...	o	b
Tacloban,	,,	29.74	755.4	86	71	ESE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	90	79	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	4	r	42.0	29.81	757.2	...	...	E	1	b
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Sabuan,	14	29.73	755.1	86	76	N	2	b	6	29 75	755.6	78	91	S	2	b

June 15*d.* 10*h.* 42*m.*—Pressure is highest over the Bonins. It has decreased moderately from Shanghai to Foochow and slightly over S.W. Japan. It is nearly stationary over Formosa and the Philippines.

A depression has formed over the Yangtze Valley.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·15 inch. Total since January 1st, 20·48 inches, against an average of 30·96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, fresh, squally; generally cloudy, occasional rain.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th JUNE, 1922.								16th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.66	753.4	57	...	S	4	o	6	29.52	749.9	54	...	S	2	o
Nemuro,	11	29.88	759.0	...	...	S	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.84	758.0	...	...	S	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.82	757.5	...	...	S	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.72	755.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.72	755.0	...	...	WSW	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.72	755.0	...	...	S	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.72	755.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.86	758.5	...	...	S	4	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.50	749.3	75	81	S	2	o	6	29.51	749.5	65	54	N	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.58	751.3	79	93	S	2	r	,,	29.53	750.0	75	49	W	1	r
Gutzlaff,	,,	29.56	750.8	73	63	S	4	o	,,	29.53	750.0	73	100	WNW	6	r
Sharp Peak,	15	29.71	754.6	84	79	SSE	4	o	7	29.67	753.6	80	87	S	1	o
Amoy,	14	29.69	754.1	81	96	SSW	1	o	6	29.65	753.1	80	96	SW	2	o
Swatow,	,,	29.65	753.1	84	87	SSW	1	c	,,	29.64	752.8	80	56	WNW	1	c
Taihoku,	12	29.73	755.1	85	68	W	4	o	,,	29.66	753.3	70	91	WSW	2	o
Taichu,	,,	29.81	757.2	85	...	SSW	4	b	,,	29.76	756.0	75	...	...	o	o
Tainan,	,,	29.82	757.5	86	...	SW	4	o	,,	29.75	755.7	77	...	...	o	o
Koshun,	,,	29.80	756.9	90	...	W	4	b	,,	29.73	755.1	79	...	WNW	4	b
Pescadores,	,,	29.82	757.5	86	...	SW	4	b	,,	29.74	755.4	79	...	SSW	4	o
Canton,	15	29.72	754.9	85	83	S	2	o	,,	29.72	754.9	80	91	S	1	o
Hongkong,	14	29.75	755.6	86	77	SW	3	oq	,,	29.73	755.1	81	84	WSW	4	oq
Gap Rock,	,,	29.75	755.6	...	...	S	4	o	,,	29.72	754.9	...	...	S	5	c
Macao,	,,	29.73	755.1	82	84	SSW	4	o	,,	29.69	754.2	81	89	SW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.63	752.7	85	78	SSE	6	o	7	29.72	754.8	82	90	S	6	o
Tourane,	,,	29.67	753.6	90	...	E	2	b	,,	29.72	754.8	79	...	SW	4	b
Cape St. James,	,,	29.73	755.1	86	...	S	2	b	,,	29.79	756.6	75	...	E	2	b
Aparri,	14	29.71	754.5	93	46	S	4	b	6	29.76	756.0	77	88	W	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	93	59	SE	4	b	,,	29.81	757.2	79	93	E	1	b
Legaspi,	,,	29.74	755.4	90	60	E	4	b	,,	29.80	756.9	79	93	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	71	E	2	o	,,	29.80	756.9	77	94	...	o	o
Surigao,	,,	29.72	754.8	86	71	ENE	1	b	,,	29.80	756.9	75	96	SW	1	b
Guam,	12.20	29.85	758.1	...	...	S	1	r	42.0	29.81	757.2	...	...	NE	1	o
Yap,	12.47	29.80	756.9	...	...	ESE	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	86	76	SW	4	b	6	29.79	756.6	78	91	S	4	b

June 16*d*. 11*h*. 40*m*.—Pressure has decreased moderately at Wladivostock and slightly from Weihaiwei to Foochow. It has increased slightly at Haiphong.

The depression over the Yangtze Valley deepened and moved eastward.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·08 inch. Total since January 1st, 20·56 inches, against an average of 31·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, fresh to moderate, squally; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th JUNE, 1922.								17th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.50	749.3	57	...	E	4	r	6	29.30	744.2	55	...	W	1	r
Nemuro,	11	29.86	758.5	...	...	SSE	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.69	754.0	...	...	E	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.61	752.0	...	...	SE	3	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.51	759.5	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.43	747.5	...	...	ESE	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.49	749.0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.57	751.0	...	...	SW	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.78	756.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.52	749.8	73	76	NW	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.58	751.3	84	64	NNW	2	o	,,	29.65	753.1	65	100	NNE	1	b
Gutzlaff,	,,	29.58	751.3	80	87	NNW	1	o	,,	29.67	753.6	68	100	...	o	o
Sharp Peak,	15	29.61	752.1	80	91	SSE	4	o	7	29.64	752.8	74	90	N	2	r
Amoy,	14	29.57	751.1	90	84	S	4	b	6	29.58	751.3	80	96	E	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.60	751.8	88	80	SSW	3	b
Taihoku,	12	29.62	752.4	93	53	W	6	b	,,	29.65	753.0	75	94	...	o	o
Taichu,	,,	29.75	755.7	90	...	S	4	b	,,	29.71	754.5	77	...	SSE	2	o
Tainan,	,,	29.70	756.0	86	...	SW	2	o	,,	29.68	753.9	77	...	SE	2	o
Koshun,	,,	29.75	755.7	84	...	W	4	o	,,	29.68	753.9	81	...	W	4	o
Pescadores,	,,	29.75	755.7	86	...	S	6	b	,,	29.67	753.6	79	...	S	4	o
Canton,	15	29.63	752.6	81	70	SW	2	o	,,	29.63	752.6	79	95	S	2	o
Hongkong,	14	29.69	754.1	87	79	SW	4	cq	,,	29.65	753.1	83	84	SW	4	oq
Gap Rock,	,,	29.71	754.6	...	...	SSW	6	c	,,	29.65	753.1	...	...	SW	7	c
Macao,	,,	29.67	753.6	86	78	SW	4	o	,,	29.62	752.4	82	87	SW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.63	752.7	86	81	ESE	4	o	7	29.65	753.0	77	91	SSE	4	r
Tourane,	,,	29.67	753.6	86	...	SSE	4	b	,,	29.69	754.2	81	...	...	o	of
Cape St. James,	,,	29.76	756.0	82	...	S	2	o	,,	29.78	756.3	77	...	SW	2	o
Aparri,	14	29.72	754.8	90	63	NNW	4	b	6	29.75	755.7	79	93	...	o	o
Cagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	90	63	W	4	o	,,	29.78	756.3	79	92	SE	1	b
Legaspi,	,,	29.73	755.1	90	63	E	2	o	,,	29.79	756.6	77	92	WSW	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	56	SSW	4	o	,,	29.79	756.6	77	91	...	o	o
Surigao,	,,	29.72	754.8	86	68	W	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	SE	2	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Zabuan,	14	29.75	755.6	86	76	NE	2	b	6	29.75	755.6	86	92	N	2	b

June 17*d*. 10*h*. 45*m*.—Pressure has increased moderately at Shanghai and decreased slightly at other reporting stations. A depression has formed over S.W. China.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 20·59 inches, against an average of 31·99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, fresh to moderate, squally; generally cloudy, occasional rain.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	18th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.30	744.2	63	...	NW	2	o	6	29.57	751.0	61	...	...	o	b
Nemuro,	11	29.69	754.0	...	...	SE	6	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.78	756.5	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.80	757.0	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.82	757.5	...	...	...	o	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.53	750.0	...	...	W	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.53	750.0	...	...	W	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.59	751.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.76	756.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.54	750.3	78	58	S	2	o	6	29.59	751.6	70	75	SSE	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.69	754.1	86	36	ESE	2	b	,,	29.69	754.1	68	98	SE	2	b
Gutzlaff,	,,	29.68	753.9	76	69	SSE	2	o	,,	29.73	755.1	70	95	SSE	2	b
Sharp Peak,	15	29.67	753.6	70	94	S	1	rf	7	29.76	755.9	70	92	...	o	qf
Amoy,	14	29.55	750.5	84	96	SSE	1	o	6	29.62	752.6	75	95	ENE	2	c
Swatow,	,,	29.52	749.8	83	84	SSW	2	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.62	752.4	75	94	E	2	r	,,	29.69	752.4	73	98	SE	2	o
Taichu,	,,	29.68	753.9	84	...	SSE	4	o	,,	29.73	755.1	75	...	...	o	o
Tainan,	,,	29.72	754.8	82	...	SE	2	o	,,	29.73	755.1	75	...	SE	4	o
Koshun,	,,	29.72	754.8	84	...	SW	4	o	,,	29.73	755.1	81	...	W	2	b
Pescadores,	,,	29.69	754.2	82	...	SSW	6	o	,,	29.71	754.5	81	...	S	4	o
Canton,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hongkong,	14	29.62	752.3	86	79	WSW	5	oq	,,	29.63	752.6	83	85	SW	4	oq
Gap Rock,	,,	29.63	752.6	...	...	SSW	7	c	,,	29.64	752.8	...	...	S	6	o
Macao,	,,	29.61	752.1	86	75	WSW	4	o	,,	29.63	752.1	82	92	SW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.59	751.5	80	82	SSE	4	o	7	29.56	750.9	82	84	SSW	4	o
Tourane,	,,	29.65	753.0	85	...	SSE	2	o	,,	29.66	753.3	84	...	SW	2	o
Cape St. James,	,,	29.76	756.0	86	...	SSW	2	o	,,	29.79	756.6	77	...	SSW	2	b
Aparri,	14	29.68	753.9	86	71	NNE	4	o	6	29.78	756.3	77	92	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	90	66	WSW	4	o	,,	29.80	756.9	77	96	E	1	o
Legaspi,	,,	29.73	755.1	82	84	...	o	o	,,	29.80	756.9	75	96	W	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	65	SSW	4	o	,,	29.80	756.9	77	94	...	o	o
Surigao,	,,	29.72	754.8	85	61	W	2	b	,,	29.81	757.2	75	94	...	o	o
Guam,	12.20	29.75	755.7	...	...	SE	1	o	42.0	29.80	756.9	...	...	NE	1	b
Yap,	12.47	29.79	756.6	...	...	S	2	r	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	84	83	S	4	b	6	29.81	757.2	78	84	SE	2	b

June 18*d.* 12*h.* 17*m.*—Pressure has increased considerably at Wladivostock and slightly from Shanghai to Formosa and Luzon. It has decreased slightly at Haiphong.

The depression over S.W. China has deepened slightly.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·59 inches, against an average of 32·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, fresh, squally; generally cloudy, occasional rain.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th JUNE, 1922.								19th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.59	751.7	75	...	E	3	b	6	29.75	755.6	65	...	E	2	b
Nemuro,	11	29.53	750.0	...	...	ESE	1	...	5	29.71	754.5	...	...	N	1	...
Hokodate,	,,	29.61	752.0	...	...	S	5	...	,,	29.73	755.0	...	...	...	0	...
Tokio,	,,	29.65	753.0	...	...	ESE	1	...	,,	29.82	757.5	...	...	NNW	1	...
Kochi,	,,	29.69	754.0	...	...	S	1	...	,,	29.80	757.0	...	...	W	1	...
Nagasaki,	,,	29.76	756.0	...	...	SE	1	...	,,	29.80	757.0	...	...	SW	1	...
Kagoshima,	,,	29.74	755.5	...	...	S	1	...	,,	29.80	757.0	...	...	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	...	0	...
Naha,	,,	29.74	755.5	...	...	ESE	3	...	,,	29.76	756.0	...	...	SE	1	...
Ishigakijima,	,,	29.72	755.0	...	...	SW	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.78	756.5	...	...	SW	2	...	,,	29.76	756.0	...	...	NW	1	...
Weihaiwei,	14	29.56	750.8	80	66	S	6	b	6	29.65	753.1	69	85	S	4	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.75	755.7	84	40	S	2	b	,,	29.70	754.4	70	94	ESE	2	b
Gutzlaff,	,,	29.73	755.1	74	81	S	4	o	,,	29.69	754.1	71	95	SE	4	o
Sharp Peak,	15	29.70	754.4	71	95	E	1	r	7	29.66	753.3	74	95	S	1	r
Amoy,	14	29.59	757.6	75	95	SSE	1	r	6	29.58	751.3	80	96	SSW	2	o
Swatow,	,,	29.75	750.5	85	91	SW	2	o	,,	29.59	751.6	81	96	SW	2	c
Taihoku,	12	29.69	754.2	81	89	SE	2	o	,,	29.69	754.2	73	94	...	0	o
Taichu,	,,	29.72	754.8	86	...	SSW	4	o	,,	29.73	755.1	73	...	...	0	o
Tainan,	,,	29.74	755.4	85	...	S	4	b	,,	29.71	754.5	75	...	SE	4	o
Koshun,	,,	29.74	755.4	86	...	SW	4	o	,,	29.71	754.5	79	...	...	0	b
Pescadores,	,,	29.72	754.8	84	...	S	6	o	,,	29.68	753.9	81	...	S	4	o
Canton,	15	29.55	750.5	88	84	SW	2	o	,,	29.55	750.5	82	87	S	2	o
Hongkong,	14	29.61	752.1	87	72	SW	4	oq	,,	29.59	751.6	84	80	SSW	4	oq
Gap Rock,	,,	29.62	752.3	...	...	S	6	c	,,	29.58	751.3	...	...	SSE	6	o
Macao,	,,	29.60	751.8	86	81	SW	4	o	,,	29.55	750.6	82	89	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Thulien,	,,	29.50	749.4	90	72	S	4	b	7	...	...	...	...	...	...	...
Fourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.69	754.2	90	66	NE	4	b	6	29.74	755.4	77	85	S	4	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	90	69	WSW	4	o	,,	29.74	755.4	79	95	...	0	o
Legaspi,	,,	29.73	755.1	90	60	W	2	o	,,	29.75	755.7	70	92	...	0	b
Tacloban,	,,	29.73	755.1	90	66	S	1	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	68	SW	4	o	,,	29.74	755.4	79	93	NNW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	75	94	...	0	o
Guam,	12.20	29.76	756.0	...	...	E	2	o	42.0	...	...	...	...	...	...	...
Yap,	12.47	29.75	755.7	...	...	E	2	b	4.47	...	...	...	...	...	...	...
Sabuan,	14	29.75	755.6	88	73	S	2	b	6	29.73	755.1	80	87	S	2	b

June 19*d.* 11*h.* 57*m.*—Pressure has increased moderately at Wladivostock and over N.E. Japan. It has decreased slightly in south-western districts.

The depression over S.W. China has deepened.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 20·59 inches, against an average of 33·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, fresh, squally; generally cloudy, occasional rain.

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19th JUNE, 1922.								20th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.77	756.1	72	...	ESE	2	c	6	29.88	759.0	64	...	WSW	1	o
Nemuro,	11	29.76	756.0	...	...	NNE	2	...	5	29.94	760.5	...	...	ENE	4	...
Hokodate,	,,	29.76	756.0	...	...	SSE	1	...	,,	29.92	760.0	...	...	...	0	...
Tokio,	,,	29.84	758.0	...	...	N	1	...	,,	29.60	759.5	...	...	NNW	1	...
Kochi,	,,	29.80	757.0	...	...	SW	1	...	,,	29.90	759.5	...	...	SSW	1	...
Nagasaki,	,,	29.82	757.5	...	...	SW	2	...	,,	29.84	758.0	...	...	...	0	...
Kagoshima,	,,	29.82	757.5	...	...	S	1	...	,,	29.86	758.5	...	...	...	0	...
Oshima,	,,	29.82	757.5	...	...	...	...	...	,,	29.80	757.0	...	...	...	0	...
Naha,	,,	29.76	756.0	...	...	S	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.76	756.0	...	...	NW	1	...	,,	29.78	756.5	...	...	NNW	1	...
Weihaiwei,	14	29.69	754.1	78	58	SSE	4	b	6	29.81	757.2	67	95	S	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.72	754.9	77	76	ESE	4	o	,,	29.66	753.3	73	96	SE	1	o
Gutzlaff,	,,	29.73	755.1	74	92	SE	4	o	,,	20.68	753.9	72	100	S	4	o
Sharp Peak,	15	29.67	753.6	81	91	...	0	r	7	29 68	753.9	76	95	S	1	o
Amoy,	14	29.59	751.6	84	93	S	4	o	6	29 60	751.8	80	95	SSE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.71	754.5	90	72	E	1	b	,,	29.69	754.2	75	96	E	2	o
Taichu,	,,	29.72	754.8	90	...	S	2	o	,,	29.69	754.2	73	...	...	0	o
Tainan,	,,	29.74	755.4	82	...	S	4	o	,,	29.69	754.2	77	...	SE	2	o
Koshun,	,,	29.75	755.7	85	...	S	4	b	,,	29.73	755.1	77	...	...	0	b
Pescadores,	,,	29.73	755.1	86	...	S	4	b	,,	29.68	753.9	79	...	S	4	b
Canton,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hongkong,	14	29.60	751.8	87	72	SW	4	oq	,,	29.57	751.1	83	83	SSW	5	orq
Gap Rock,	,,	29.59	751.6	...	...	SSE	6	c	,,	29.56	750.8	...	...	SSE	6	o
Macao,	,,	29.56	750.9	84	85	SSW	6	o	,,	29.53	750.0	81	96	SSW	6	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.42	747.3	93	74	...	6	o	7	29.49	749.1	79	93	W	4	r
Tourane,	,,	29.54	750.3	93	...	NNW	2	o	,,	29.59	751.5	86	...	SE	2	o
Cape St. James,	,,	29.71	754.5	90	...	S	2	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.69	754.2	90	60	NNE	4	o	6	29.73	755.1	73	94	S	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	84	81	WSW	1	o	,,	29 74	755.4	77	94	E	1	b
Legaspi,	,,	29.68	753.9	90	63	ENE	2	b	,,	29.73	755.1	79	93	...	0	o
Tacloban,	,,	29.69	754.2	86	75	S	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	75	WSW	4	o	,,	29.72	754.8	77	94	NNW	2	o
Surigao,	,,	29.69	754.2	86	75	NW	2	o	,,	29.73	755.1	...	...	SW	1	o
Guam,	12.20	29.73	755.1	...	...	E	4	r	42.0	29.73	755.1	...	...	...	0	b
Yap,	12 47	29.72	754.8	...	...	E	4	r	4.47	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	86	72	N	4	b	6	29.69	754.1	75	94	SW	2	bf

June 20d. 11h. 57m.—Pressure has increased considerably over N.E. Japan, moderately from Wladivostock to Weihaiwei, and slightly over S.W. Japan.

Changes are small in south-western districts.

The depression over S.W. China remains unchanged.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. Total since January 1st, 20·80 inches, against an average of 33·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, fresh, squally; overcast, occasional rain.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20th June, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st June, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.39	761.8	61	...	WSW	1	r	6	30.09	764.2	55	...	SSW	1	o
Nemuro,	11	30.02	762.5	...	...	NNE	2	...	5	30.16	766.0	...	...	E	1	...
Hokodate,	,,	29.92	760.0	...	...	ESE	2	...	,,	30.10	764.5	...	...	E	3	...
Tokio,	,,	29.90	759.5	...	...	NE	1	...	,,	29.98	761.5	...	...	NNE	1	...
Kochi,	,,	29.90	759.5	...	...	E	1	...	,,	29.92	760.0	...	...	WSW	1	...
Nagasaki,	,,	29.86	758.5	...	...	SW	2	...	,,	29.84	758.0	...	...	SE	1	...
Kagoshima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.86	758.5	...	...	ENE	1	...
Oshima,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.80	757.0	...	...	ESE	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.78	756.5	...	...	N	2	...	,,	29.82	757.5	...	...	NE	1	...
Weihaiwei,	14	29.79	756.6	81	56	SE	1	b	6	29.83	757.7	68	74	...	o	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.69	754.1	77	84	WSW	1	r	,,	29.60	751.8	73	98	WNW	1	b
Gutzlaff,	,,	29.67	753.6	73	100	ESE	2	o	,,	29.64	752.8	73	100	SW	1	o
Sharp Peak,	15	29.69	754.1	78	91	...	o	r	7	29.70	754.4	76	94	S	2	r
Amoy,	14	29.62	752.3	78	95	...	o	o	6	29.64	752.8	77	95	ESE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.72	754.8	90	63	E	2	b	,,	29.72	754.8	72	98	...	o	o
Taichu,	,,	29.72	754.8	90	...	SSE	4	o	,,	29.73	755.1	75	...	...	o	o
Tainan,	,,	29.75	755.7	85	...	SSE	4	o	,,	29.73	755.1	75	...	...	o	r
Koshun,	,,	29.75	755.7	86	...	SSW	4	o	,,	29.73	755.1	77	...	...	o	r
Pescadores,	,,	29.73	755.1	82	...	SSE	6	o	,,	29.72	754.8	81	...	S	4	o
Canton,	15	29.58	751.3	77	93	SE	1	o	,,	29.63	752.6	76	95	E	2	o
Hongkong,	14	29.59	751.6	81	87	SW	4	o	,,	29.64	752.8	77	93	E	3	o
Gap Rock,	,,	29.60	751.8	...	..	SSE	5	o	,,	29.63	752.6	...	...	SE	4	o
Macao,	,,	29.59	751.5	72	89	NNW	4	r	,,	29.60	751.8	77	94	ESE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.49	749.1	84	71	SW	1	o	7	29.52	749.7	75	89	SSW	10	o
Tourane,	,,	...	...	...	...	...	...	...	,,	29.60	751.8	84	...	...	o	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.69	754.2	90	60	S	1	b	6	29.74	755.4	77	91	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	84	87	...	o	o	,,	29.73	755.1	77	96	NE	1	o
Legaspi,	,,	29.68	753.9	86	68	ENE	4	o	,,	29.72	754.8	79	92	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	85	72	N	2	o	,,	29.71	754.5	75	96	W	1	o
Surigao,	,,	29.66	753.3	86	94	S	1	r	,,	29.69	754.2	73	96	SW	1	o
Guam,	12.20	29.71	754.5	...	...	N	1	o	42.0	29.73	755.1	...	...	S	1	b
Yap,	12 47	29.69	754.2	...	...	W	1	b	4.47	...	...	...	...	...	...	...
Jabuan,	14	29.70	754.4	86	76	E	4	b	6	29.70	754.4	76	91	N	2	o

June 21*d.* 12*h.* 15*m.*—Pressure has increased considerably from N.E. Japan to Wladivostock, and slightly from Formosa to Hongkong. It has decreased slightly in the vicinity of Shanghai, where a depression has formed. There is also a depression over Tongking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 3·56 inch. Total since January 1st, 24·36 inches, against an average of 34·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	S. to variable winds, moderate.
2.—Hongkong to Gap Rock,	S.E. winds, moderate; overcast, occasional rain.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st June, 1922.								22nd June, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.09	764.3	57	...	SSE	1	o	6	30.05	763.3	51	...	S	3	f
Nemuro,	11	30.14	765.5	...	...	NNE	3	...	5	30.08	764.0	...	...	ENE	1	...
Hokodate,	,,	30.06	763.5	...	...	ESE	5	...	,,	30.04	763.0	...	...	E	2	...
Tokio,	,,	29.98	761.5	...	...	NE	2	...	,,	29.98	761.5	...	...	NE	1	...
Kochi,	,,	29.92	760.0	...	...	ENE	1	...	,,	29.90	759.5	...	...	NW	1	...
Nagasaki,	,,	29.84	758.0	...	...	ESE	2	...	,,	29.73	755.0	...	...	E	2	...
Kagoshima,	,,	29.84	758.0	...	...	SE	1	...	,,	29.75	755.5	...	...	ENE	3	...
Oshima,	,,	29.78	756.5	...	...	SSE	2	...	,,	29.69	754.0	...	...	S	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.82	757.5	...	...	N	2	...	,,	29.84	758.0	...	...	NNW	1	...
Weihaiwei,	14	29.79	756.6	74	76	N	1	o	6	29.79	756.6	69	85	...	o	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.62	752.3	61	64	SW	2	o	,,	29.64	752.8	70	94	...	o	b
Gutzlaff,	,,	29.61	752.1	76	95	SSW	2	o	,,	29.65	753.1	72	92	N	1	o
Sharp Peak,	15	29.68	753.9	81	83	S	2	r	7	29.68	753.9	78	91	S	2	o
Amoy,	14	29.65	753.1	80	92	SSW	1	r	6	29.65	753.1	77	95	WSW	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.72	754.8	84	74	...	o	o	,,	29.72	754.8	75	96	...	o	b
Taichu,	,,	29.74	755.4	86	...	SW	2	o	,,	29.76	756.0	75	...	...	o	b
Tainan,	,,	29.75	755.7	90	...	S	4	o	,,	29.74	755.4	77	...	ESE	10	b
Koshun,	,,	29.75	755.7	90	...	SW	2	o	,,	29.74	755.4	79	...	W	2	b
Pescadores,	,,	29.75	755.7	84	...	S	6	b	,,	29.75	755.7	79	...	SSW	4	b
Canton,	15	29.57	751.1	77	91	S	2	o	,,	29.68	753.9	74	100	E	1	o
Hongkong,	14	29.66	753.3	77	98	NW	2	odt	,,	29.67	753.6	78	91	E	3	o
Gap Rock,	,,	29.64	752.8	...	...	S	5	o	,,	29.67	753.6	...	...	S	4	o
Macao,	,,	29.62	752.4	79	95	SSW	2	o	,,	29.65	753.0	77	94	SSE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.53	750.0	79	75	SSW	7	r	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.68	753.9	90	66	NE	4	o	6	29.74	755.4	79	87	SW	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	86	71	ESE	2	o	,,	29.73	755.7	77	96	NNE	1	o
Legaspi,	,,	29.67	753.6	90	66	ENE	2	o	,,	29.72	754.8	79	93	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	86	58	WNW	2	o	,,	29.72	754.8	75	94	...	o	o
Surigao,	,,	29.67	753.6	84	77	...	o	o	,,	29.72	754.8	75	96	...	o	b
Guam,	12.20	29.72	754.8	...	...	NE	1	r	42.0	29.76	756.0	...	...	...	o	b
Yap,	12 47	29.73	755.1	...	...	NW	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.9	86	94	SE	2	b	6	...	...	...	...	...	...	...

June 22d. 10h. 58m.—Pressure has decreased slightly over Japan and from Weihaiwei to Wladivostock. It has increased slightly at Shanghai and from Hongkong to Haiphong.

The Shanghai depression is now central over the Eastern Sea. The Tongking depression is shallower this morning.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 1·09 inch. Total since January 1st, 25·45 inches, against an average of 34·64 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate.
2.—Hongkong to Gap Rock,	S. or variable winds, moderate; fair.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd JUNE, 1922.								23rd JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.02	762.5	57	...	SSE	4	0	6	29.86	758.4	55	...	SE	3	0
Nemuro,	11	...	...	...	...	...	...	...	5	29.92	760.0	...	...	S	1	...
Hokodate,	,,	30.00	762.0	...	...	ESE	5	...	,,	29.90	759.5	...	...	E	1	...
Tokio,	,,	29.94	760.5	...	...	S	2	...	,,	29.92	760.0	...	...	NNE	1	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	29.84	758.0	...	...	WSW	1	...
Nagasaki,	,,	29.69	754 0	...	...	ENE	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.67	753.5	...	...	NE	2	...	,,	29.69	754.0	...	...	NNW	...	...
Oshima,	,,	29.70	754.5	...	...	SSW	2	...	,,	29.69	754.0	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.88	759.0	...	...	NNW	1	...	,,	29.90	759.5	...	...	...	0	...
Weihaiwei,	14	29.75	755.6	74	72	E	4	b	6	29.79	756 6	67	84	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.75	755.6	77	68	WSW	1	0	,,	29.70	754.4	70	96	SW	1	0
Gutzlaff,	,,	29.67	753.6	78	82	NE	1	0	,,	29.73	755.1	72	85	S	2	b
Sharp Peak,	15	29.67	753.6	84	83	SE	1	0	7	29 64	752.8	80	96	...	0	b
Amoy,	14	29.58	751.3	88	88	SSW	2	0	6	29.66	753.3	80	96	WSW	1	b
Swatow,	,,	29.59	751.6	87	84	SSW	2	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.69	754 2	90	63	W	2	0	,,	29.72	754.8	77	94	SW	2	b
Taichu,	,,	29.73	755.1	90	...	WSW	4	0	,,	29.76	756.0	77	...	...	0	b
Tainan,	,,	29.74	755.4	90	...	SW	4	b	,,	29.74	755.4	77	...	ESE	2	b
Koshun,	,,	29.74	755.4	86	...	WNW	4	b	,,	29.72	754.8	81	...	WNW	4	0
Pescadores,	,,	29 74	754.4	86	...	SSE	4	0	,,	29.74	755.4	79	...	S	4	b
Canton,	15	29 65	753.1	77	95	SE	1	0	,,	29.70	754.4	77	91	...	0	c
Hongkong,	14	29 63	753.9	85	80	S	2	0	,,	29.71	754.6	81	85	...	0	0
Gap Rock,	,,	29.68	753 9	...	...	S	5	c	,,	29.71	754.6	...	...	SSW	5	b
Macao,	,,	29.67	753.6	85	81	SSW	2	b	,,	29.68	753.9	81	94	S	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.54	750.3	86	71	SSW	6	0	7	29.59	751.5	81	76	S	4	0
Tourane,	,,	29.65	753.0	90	...	N	2	b	,,	29.71	754.5	81	...	NNW	2	0
Cape St. James,	,,	29.74	755.4	86	...	SSW	2	0	,,	29.78	756.3	79	...	SW	4	0
Aparri,	14	29.72	754.8	86	71	NE	2	0	6	...	...	...	...	...	...	...
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754 5	85	71	W	4	0	,,	...	...	75	96	E	1	0
Legaspi,	,,	29.71	754.5	90	72	NE	2	0	,,	29.75	755.7	77	96	...	0	b
Tacloban,	,,	29.71	754.5	86	75	WNW	2	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29 76	756.0	77	92	WSW	4	0
Surigao,	,,	29.71	754.5	84	85	...	0	r	,,	29.76	756 0	75	96	...	0	0
Guam,	12.20	29.75	755 7	...	...	NE	2	0	42.0	29.79	756.6	...	...	NE	1	b
Yap,	12 47	...	...	...	...	...	...	..	4.47	...	...	...	...	...	...	...
Sabuan,	14	29.77	756.1	84	79	E	4	b	6	29.73	755.1	77	88	S	2	b

June 23*d*. 12*h*. 48*m*.—Pressure has decreased moderately at Wladivostock., and increased slightly over Indo-China and from Hongkong to the Philippines.

The Tongking depression is still shallower.

The Shanghai depression has moved eastward.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 25·46 inches, against an average of 35·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; fair to showery.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd JUNE, 1922.								24th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.79	756.7	62	...	SE	3	o	6	29.71	754.7	59	...	NW	o	f
Nemuro,	11	29.86	758.5	...	...	SSE	4	...	5	29.69	754.0	...	...	SSE	1	...
Hokodate,	,,	29.84	758.0	...	...	ESE	2	...	,,	29.71	754.5	...	...	SW	2	...
Tokio,	,,	29.86	758.5	...	...	SSE	2	...	,,	29.80	757.0	...	...	SSW	1	...
Kochi,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.73	755.0	...	...	SW	1	...
Nagasaki,	,,	29.69	754.0	...	...	SSE	2	...	,,	29.80	757.0	...	...	...	...	...
Kagoshima,	,,	29.69	754.0	...	...	ENE	4	...	,,	29.69	754.0	...	...	...	...	...
Oshima,	,,	29.78	756.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.90	759.5	...	...	SSW	1	...	,,	...	...	...	...	S	3	...
Weihaiwei,	14	29.73	755.1	77	73	SE	2	b	6	29.70	754.4	68	90	...	o	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.71	754.6	81	66	W	2	b	,,	29.70	754.4	73	98	S	1	o
Gutzlaff,	,,	29.69	754.1	77	82	WSW	2	b	,,	29.71	754.6	73	92	SSW	2	o
Sharp Peak,	15	29.69	754.1	88	84	S	2	o	7	29.79	756.6	81	95	S	1	b
Amoy,	14	29.67	753.6	88	88	SSE	2	b	6	29.67	753.6	80	96	SW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.73	755.1	90	60	W	4	b	,,	29.73	755.1	77	94	SW	2	b
Taichu,	,,	29.76	756.0	85	...	SW	2	b	,,	29.76	756.0	75	...	...	o	b
Tainan,	,,	29.76	756.0	90	...	W	4	b	,,	29.75	755.7	79	...	SE	2	b
Koshun,	,,	29.75	755.7	86	...	WNW	4	b	,,	29.75	755.7	81	...	WNW	4	b
Pescadores,	,,	29.78	756.3	86	...	SSW	4	b	,,	29.75	755.7	79	...	SSW	4	b
Canton,	15	29.67	753.6	89	80	S	2	c	,,	29.70	754.4	78	95	ESE	1	c
Hongkong,	14	29.72	754.9	85	78	SSE	2	c	,,	29.72	754.9	82	85	S	1	c
Gap Rock,	,,	29.72	754.9	...	...	SSW	4	b	,,	29.71	754.6	...	...	S	6	c
Macao,	,,	29.69	754.2	90	79	SSW	4	o	,,	29.69	754.2	79	95	S	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.56	750.9	90	69	SSE	6	o	7	29.61	752.1	81	84	SSE	4	o
Tourane,	,,	29.66	753.3	86	...	E	2	b	,,	29.69	754.2	82	...	...	o	b
Cape St. James,	,,	29.74	755.4	84	...	SW	2	o	,,	29.79	756.6	79	...	WSW	2	o
Aparri,	14	29.74	755.4	86	78	N	4	o	6	29.75	755.7	77	88	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	68	WSW	4	o	,,	29.75	755.7	77	92	SE	1	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	77	96	W	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	77	96	...	o	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	94	...	o	b
Guam,	12.20	...	...	...	...	...	...	...	42.0	29.76	756.0	...	...	ENE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	76	SW	4	b	6	29.73	755.1	78	91	E	4	o

June 24*d*. 12*h*. 42*m*.—Pressure has decreased considerably over N.E. Japan and moderately from Wladivostock to central Japan and the Bonins. Changes in the South are small.

Depression are shown to the N.E. and S.W. of Japan, and over Tongking.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·46 inches, against an average of 35·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. or variable winds, moderate; fair to showery.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th JUNE, 1922.								25th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.65	753.2	76	...	...	0	c	6	29.60	751.7	60	...	SE	2	o
Nemuro,	11	29.67	753.5	...	...	NNE	1	...	5	29.59	751.5	...	...	S	1	...
Hokodate,	,,	29.70	754.5	...	...	WNW	1	...	,,	29.75	755.5	...	...	WNW	1	...
Tokio,	,,	29.76	756.0	...	...	SSE	3	...	,,	29.71	754.5	...	...	NW	1	...
Kochi,	,,	29.72	755.0	...	...	...	0	...	,,	29.69	754.0	...	...	W	1	...
Nagasaki,	,,	29.69	754.0	...	...	S	2	...	,,	29.61	752.0	...	...	E	1	...
Kagoshima,	,,	29.70	754.5	...	...	SSE	2	...	,,	29.67	753.5	...	...	...	...	...
Oshima,	,,	29.74	755.5	...	...	W	1	...	,,	29.73	755.0	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	...	...	S	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.84	758.0	...	...	SSW	2	...	,,	29.82	757.5	...	...	SW	4	...
Weihaiwei,	14	29.66	753.3	71	85	...	0	o	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	...	...	...	...	...	...	...	,,	29.56	750.8	75	98	S	1	o
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	29.58	751.3	75	100	SSW	2	o
Sharp Peak,	15	29.70	754.4	86	80	S	2	o	7	29.72	754.9	80	95	S	2	o
Amoy,	14	29.64	752.8	90	84	SSE	4	b	6	29.69	754.1	81	92	SW	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.75	755.7	90	66	W	2	b	,,	29.73	755.1	75	89	S	2	b
Taichu,	,,	29.65	753.0	90	...	WSW	4	b	,,	29.78	756.3	75	...	...	0	b
Tainan,	,,	29.78	756.3	90	...	WSW	4	b	,,	29.76	756.0	77	...	SE	2	b
Koshun,	,,	29.76	756.0	86	...	WNW	4	b	,,	29.76	756.0	79	...	...	0	b
Pescadores,	,,	29.78	756.3	86	...	SW	4	b	,,	29.76	756.0	81	...	S	4	o
Canton,	15	29.66	753.3	89	73	SE	2	o	,,	29.70	754.4	79	95	ESE	1	c
Hongkong,	14	29.71	754.6	86	76	S	4	o	,,	29.71	754.6	83	83	SSE	2	o
Gap Rock,	,,	29.71	754.6	...	...	SSW	5	c	,,	29.70	754.4	...	...	SSW	5	b
Macao,	,,	29.69	754.2	90	76	SW	4	o	,,	29.68	753.9	81	92	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.59	751.5	93	64	S	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.3	86	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	82	...	SW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.73	755.1	93	61	NE	4	b	6	29.80	756.9	77	88	S	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	90	63	WSW	4	o	,,	29.80	756.9	75	94	...	0	o
Legaspi,	,,	29.73	755.1	90	66	ENE	2	b	,,	29.80	756.9	79	...	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	75	SW	2	o	,,	29.79	756.6	75	85	NE	4	o
Surigao,	,,	29.74	755.4	86	75	NW	1	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	E	4	r	42.0	29.76	756.0	...	...	ENE	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Zabuan,	14	29.79	756.6	84	79	E	2	b	6	29.79	756.6	78	94	E	2	b

June 25*d.* 12*h.* 15*m.*—Pressure has decreased moderately from Shanghai to Wladivostock and increased slightly over Luzon and Tongking.

A depression lies over N.E. China and Korea.

Hongkong Rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 25·47 inches, against an average of 36·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, strong, moderating squally; fair.
2.—Hongkong to Gap Rock,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th JUNE, 1922.								26th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.59	751.7	60	...	...	0	o	6	29.72	754.8	54	...	N	3	o
Nemuro,	11	29.63	75.25	...	...	SSE	3	...	5	29.51	749.5	...	...	N	4	...
Hokodate,	,,	29.59	751.5	...	...	SE	3	...	,,	29.39	746.5	...	...	NNW	1	...
Tokio,	,,	29.61	752.0	...	...	...	2	...	,,	29.33	745.0	...	...	...	0	...
Kochi,	,,	29.63	752.5	...	...	...	0	...	,,	29.49	749.0	...	...	...	...	...
Nagasaki,	,,	29.55	750 5	...	...	SW	8	...	,,	29 51	749.5	...	...	...	0	...
Kagoshima,	,,	29.63	752.5	...	...	WSW	2	...	,,	29.55	750.5	...	...	W	2	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.65	753.0	...	...	S	9	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	...	...	SSW	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	...	...	WSW	8	...
Bonin Island,	,,	29.78	756.5	...	...	WSW	5	...	,,	29.82	757.5	...	...	SW	2	...
Weihaiwei,	14	29.52	749.8	75	81	N	1	b	6	29.54	750.3	67	95	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.56	754.6	82	84	NNE	...	...	,,	29.59	751 6	70	100	NNE	1	r
Gutzlaff,	,,	29.53	750.0	80	87	SSW	1	o	,,	29.57	751.1	71	100	NW	2	r
Sharp Peak,	15	29.67	753.6	88	76	SSE	2	b	7	29.61	752.1	80	91	S	2	o
Amoy,	14	...	...	...	...	...	...	...	6	29.68	753.9	81	96	SSW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.71	754.5	90	63	SSW	2	b	,,	29.69	754.2	77	94	...	0	b
Taichu,	,,	29.76	756 0	90	...	SSW	4	b	,,	29.75	755.7	79	...	SSE	2	o
Tainan,	,,	29.79	756.6	90	...	SSW	4	b	,,	29.76	756.0	77	...	SE	2	b
Koshun,	,,	29.79	756.6	90	...	WSW	4	b	,,	29.75	755.7	81	...	WSW	2	b
Pescadores,	,,	29.78	756.3	86	...	SW	4	b	,,	29.74	755.4	79	...	SW	2	b
Canton,	15	29.66	753.3	83	87	SE	2	o	,,	29.69	754 1	80	91	S	2	o
Hongkong,	14	29.70	754.4	86	71	SSW	4	eq	,,	20.71	754.6	83	83	S	2	oq
Gap Rock,	,,	29.70	754.4	...	...	SSW	5	c	,,	29.69	754.1	...	...	SSW	6	b
Macao,	,,	29.67	753.6	86	73	SSW	4	o	,,	29.67	753.6	81	92	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 55	750.6	93	53	SW	2	b	7	29.61	752.1	81	84	SSW	4	o
Tourane,	,,	29 63	752.7	90	...	E	2	b	,,	29.67	753 6	84	...	...	0	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.80	756 9	79	...	SW	2	o
Aparri,	14	29.73	755.1	97	47	S	4	b	6	29.78	756.3	81	87	SW	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	90	69	W	4	o	,,	29.79	756.6	75	94	NE	1	o
Legaspi,	,,	29.74	755 4	86	75	E	4	o	,,	29.79	756.6	79	89	W	1	o
Tacloban,	,,	29.74	755.4	...	...	SE	2	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	90	72	SE	1	o	,,	29.76	756.0	75	96	N	1	o
Surigao,	,,	...	...	...	...	...	...	..	,,	29.75	755.7	75	98	...	0	b
Guam,	12.20	29.76	756.0	...	...	E	4	o	42.0	29.82	757.5	...	...	NE	2	b
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	76	E	2	b	6	29.81	757.2	78	94	S	2	b

June 26*d.* 12*h.* 23*m.*—Pressure has increased moderately at Wladivostock and decreased considerably over central Japan. It is nearly stationary in south-western districts.

A somewhat deep depression is passing eastward over Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·47 inches, against an average of 36·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, strong, moderating, squally; fair.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th JUNE, 1922.								27th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.72	754.8	67	...	ESE	1	c	6	29.82	757.3	53	...	NW	1	f
Nemuro,	11	29.47	748.5	...	...	N	5	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.41	747.0	...	...	NNW	7	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.37	746.0	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.57	751.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.57	751.0	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.57	751.0	...	...	WSW	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.69	754.0	...	...	SSW	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.74	755.5	...	...	SSW	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.74	755.5	...	...	W	4	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.82	757.5	...	...	SW	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.59	751.6	71	90	...	0	r	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.65	753.1	73	94	NNE	1	r	,,	29.71	754.6	72	100	S	1	o
Gutzlaff,	,,	29.65	753.1	70	100	...	0	r	,,	29.73	755.1	71	95	S	2	o
Sharp Peak,	15	29.66	753.3	86	80	SSE	4	b	7	29.72	754.9	82	91	S	1	b
Amoy,	14	29.65	753.1	88	84	S	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.69	754.2	93	57	SW	4	b	,,	29.74	755.4	79	95	W	4	b
Taichu,	,,	29.73	755.7	90	...	SW	4	o	,,	29.80	756.9	77	...	...	0	b
Tainan,	,,	29.78	756.3	90	...	S	4	b	,,	29.79	756.6	77	...	SE	2	b
Koshun,	,,	29.78	756.3	90	...	N	4	b	,,	29.79	756.6	81	...	SW	2	b
Pescadores,	,,	29.76	756.0	86	...	SSW	4	b	,,	29.78	756.3	81	...	SSW	4	b
Canton,	15	29.67	753.6	88	80	SSE	2	o	,,	29.72	754.9	80	96	SE	1	c
Hongkong,	14	29.71	754.6	86	76	SSW	3	cq	,,	29.73	755.1	82	82	S	2	o
Gap Rock,	,,	29.72	754.9	...	...	SSW	6	c	,,	29.73	755.1	...	...	SSW	6	c
Macao,	,,	29.68	753.9	86	78	SSW	4	o	,,	29.71	754.5	81	92	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.58	751.2	93	64	S	2	o	7	29.62	752.4	82	94	SSE	6	o
Tourane,	,,	29.65	753.0	90	...	E	2	b	,,	29.68	753.9	82	...	SSW	2	o
Cape St. James,	,,	29.75	755.7	81	...	S	6	o	,,	29.80	756.9	85	...	WSW	2	o
Aparri,	14	29.73	755.1	93	46	S	2	b	6	29.78	756.3	77	92	NW	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	86	68	WSW	1	o	,,	29.78	756.3	77	91	N	1	o
Legaspi,	,,	29.73	755.1	90	66	ENE	2	o	,,	29.78	756.3	82	84	NE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	68	NE	4	o	,,	29.78	756.3	77	91	S	2	o
Surigao,	,,	29.73	755.1	81	86	N	1	o	,,	29.78	756.3	70	98	...	0	b
Guam,	12.20	29.76	756.0	...	...	NE	4	o	42.0	29.79	756.6	...	...	NE	2	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Sabuan,	14	29.78	756.4	86	72	N	2	b	6	29.81	757.2	75	94	E	2	b

June 27*d*. 12*h*. 05*m*.—Pressure changes are slight over the Philippines, slight to moderate increases being general elsewhere.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·47 inches, against an average of 37·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S. winds, fresh, fair with occasional showers.

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th JUNE, 1922.								28th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.79	756.9	67	...	WSW	3	b	6	29.76	755.9	58	...	S	1	o
Nemuro,	11	29.61	752.0	...	...	SSW	6	...	5	29.71	754.5	...	...	SE	1	...
Hokodate,	,,	29.74	755.5	...	...	SSE	3	...	,,	29.82	757.3	...	...	NE	1	...
Tokio,	,,	29.74	755.5	...	...	SE	2	...	,,	29.82	757.5	...	...	...	...	...
Kochi,	,,	29.72	755.0	...	...	...	...	...	,,	29.80	757.0	...	...	...	...	...
Nagasaki,	,,	29.72	755.0	...	...	SW	1	...	,,	29.76	756.0	...	...	...	...	...
Kagoshima,	,,	29.74	755.5	...	...	SE	1	...	,,	29.78	756.5	...	...	...	...	...
Oshima,	,,	29.76	756.0	...	...	SSW	2	...	,,	29.76	756.0	...	...	S	2	...
Naha,	,,	29.80	757.0	...	...	SSW	3	...	,,	29.82	757.5	...	...	SSW	10	...
Ishigakijima,	,,	29.78	756.5	...	...	WSW	5	...	,,	29.80	757.0	...	...	SW	4	...
Bonin Island,	,,	29.88	759.0	...	...	SW	2	...	,,	29.96	761.0	...	...	SSW	1	...
Weihaiwei,	14	29.68	753.9	75	77	NNE	1	b	6	29.69	754.1	66	95	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.75	755.6	81	76	S	2	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.74	755.4	74	95	S	2	o	,,	...	...	...	...	...	...	b
Sharp Peak,	15	29.75	755.6	88	76	S	2	b	7	29.75	755.6	81	91	...	0	b
Amoy,	14	29.67	753.6	90	81	SSW	4	b	6	29.70	754.4	81	96	SW	1	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	93	59	SW	2	b	,,	29.75	755.7	75	96	...	0	b
Taichu,	,,	29.79	756.6	90	...	WSW	4	b	,,	29.76	756.0	77	...	...	0	b
Tainan,	,,	29.80	756.6	90	...	WSW	4	b	,,	29.76	756.0	77	...	SW	2	b
Koshun,	,,	29.79	756.6	90	...	W	4	b	,,	29.79	756.6	77	...	...	0	b
Pescadores,	,,	29.81	757.2	90	...	SSW	4	b	,,	29.75	755.7	81	...	SW	4	b
Canton,	15	29.69	754.1	90	73	S	2	c	,,	29.73	755.1	79	95	ESE	1	c
Hongkong,	14	29.75	755.6	87	71	SW	3	c	,,	29.73	755.1	82	82	S	2	c
Gap Rock,	,,	29.75	755.6	...	...	S	5	b	,,	29.73	755.1	...	...	S	5	b
Macao,	,,	29.72	754.8	90	69	SSW	4	o	,,	29.69	754.2	79	95	S	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.60	751.8	90	72	SSE	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	86	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	86	...	SSW	2		,,	...	...	...	...	...	...	...
Aparri,	14	29.73	755.1	93	59	NE	2	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	86	71	ESE	2	o	,,	29.79	756.6	77	92	SE	1	o
Legaspi,	,,	29.75	755.7	90	63	ENE	2	o	,,	29.81	757.2	75	92	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	78	SW	4	o	,,	29.79	756.6	77	94	...	0	o
Surigao,	,,	29.75	755.7	86	71	N	2	b	,,	29.79	756.6	73	94	SW	1	b
Guam,	12.20	29.75	755.7	...	...	E	2	r	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	...	..	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	76	E	2	b	6	29.79	756.6	78	94	E	2	b

June 28*d.* 10*h.* 49*m.*—Pressure is highest over the Bonins. It has increased slightly at Japanese stations, and decreased slightly at Wladivostock. It is nearly stationary at other reporting stations.

A large, shallow depression lies over China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·47 inches, against an average of 37·93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, ...	S. winds, moderate; fair.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th JUNE, 1922.								29th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.70	754.3	67	...	SSE	1	b	6	29.63	752.7	59	...	SE	1	o
Nemuro,	11	29.65	753.0	...	...	SSW	6	...	5	29.57	751.0	...	...	...	...	...
Hokodate,	,,	29.80	757.0	...	...	SE	1	...	,,	29.63	752.5	...	...	...	...	...
Tokio,	,,	29.78	756.5	...	...	ESE	1	...	,,	29.61	752.0	...	...	...	...	...
Kochi,	,,	29.80	757.0	...	...	...	...	...	,,	29.69	754.0	...	...	...	...	...
Nagasaki,	,,	29.76	756.0	...	...	SE	4	...	,,	29.75	755.5	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	...	0	...	,,	29.75	755.5	...	...	...	...	...
Oshima,	,,	29.78	756.5	...	...	S	2	...	,,	29.78	756.5	...	...	S	1	...
Naha,	,,	29.82	757.5	...	...	SSW	2	...	,,	29.82	757.5	...	...	SSW	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	S	4	...
Bonin Island,	,,	29.96	761.0	...	...	SSW	1	...	,,	29.96	761.0	...	...	...	...	...
Weihaiwei,	14	29.65	753.3	76	82	N	1	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.77	756.1	75	79	SSW	2	o	,,	29.71	754.6	68	100	E	1	r
Gutzlaff,	,,	29.75	755.6	70	95	S	1	r	,,	29.71	754.6	67	100	E	4	r
Sharp Peak,	15	29.74	755.4	85	80	S	2	o	7	29.74	755.4	81	95	S	2	o
Amoy,	14	29.70	754.4	88	84	S	4	b	6	29.71	754.6	81	92	S	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.78	756.3	90	63	W	2	b	,,	29.75	755.7	77	96	SE	1	b
Taichu,	,,	29.80	756.9	86	...	WSW	4	b	,,	29.79	756.6	77	...	...	0	b
Tainan,	,,	29.80	756.9	90	...	SSW	4	b	,,	29.78	756.3	79	...	ESE	2	b
Koshun,	,,	29.79	756.6	93	...	SSE	4	b	,,	29.79	756.6	81	...	...	0	b
Pescadores,	,,	29.80	756.9	86	...	SSW	4	b	,,	29.76	756.0	79	...	SW	2	b
Canton,	15	29.70	755.4	85	83	SSW	1	o	,,	29.73	755.1	79	91	SSE	1	c
Hongkong,	14	29.75	755.6	83	85	SSW	1	c	,,	29.73	755.1	80	92	...	0	c
Gap Rock,	,,	29.75	755.6	...	...	SSW	5	b	,,	29.71	754.6	...	...	ESE	5	b
Macao,	,,	29.72	754.8	90	79	S	2	o	,,	29.69	754.2	79	95	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.61	752.1	90	72	SSE	6	o	7	29.66	753.3	81	96	SSE	4	b
Tourane,	,,	29.65	753.0	86	...	E	2	o	,,	29.65	753.0	79	...	NW	2	o
Cape St. James,	,,	29.73	755.1	84	...	SW	4	o	,,	29.74	755.4	77	...	SW	4	r
Aparri,	14	29.73	755.1	93	46	SSE	4	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	93	57	SE	2	o	,,	29.79	756.6	77	96	E	1	b
Legaspi,	,,	29.75	755.7	93	59	ENE	2	b	,,	29.79	756.6	77	91	W	1	b
Taclobau,	,,	...	...	...	...	...	...	..	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	68	SW	2	o	,,	29.76	756.0	75	96	NNE	1	o
Surigao,	,,	29.74	755.4	86	68	NW	1	b	,,	29.75	755.7	75	96	...	0	o
Guam,	12.20	...	...	...	...	...	...	...	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	76	N	1	b	6	29.78	756.4	80	99	SE	2	b

June 29*d*. 11*h*. 42*m*.—Pressure is highest over the Bonins. It has decreased considerably over central Japan and moderately from N.E. Japan to Wladivostock. It is nearly stationary in south-western districts.

Depressions are shown to the N.E. of Japan, over S.E. Mongolia and over Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·35 inch. Total since January 1st, 25·82 inches, against an average of 38·47 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate.
2.—Hongkong to Gap Rock,	S.E. winds, moderate; fair.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th JUNE, 1922.								30th JUNE, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.60	751.8	68	...	...	0	b	6	29.80	756.9	55	...	SE	4	0
Nemuro,	11	29.49	749.0	...	...	SE	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.57	751.0	...	...	SE	3	...	,,	29.76	756.0	...	...	WSW	3	...
Tokio,	,,	29.57	751.0	...	...	S	1	...	,,	29.82	757.5	...	...	...	0	...
Kochi,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	SW	1	...
Nagasaki,	,,	29.74	755.5	...	...	SE	1	...	,,	29.78	756.5	...	...	ESE	1	...
Kagoshima,	,,	29.76	756.0	...	...	...	...	...	,,	29.76	756.0	...	...	...	...	...
Oshima,	,,	29.78	756.5	...	...	S	2	...	,,	29.82	757.5	...	...	S	2	...
Naha,	,,	29.82	757.5	...	...	SSW	3	...	,,	29.86	758.5	...	...	S	1	...
Ishigakijima,	,,	29.82	757.5	...	...	SW	4	...	,,	29.82	757.5	...	...	SSW	4	...
Bonin Island,	,,	29.92	760.0	...	...	S	1	...	,,	29.98	761.5	...	...	...	...	...
Weihaiwei,	14	29.67	753.6	80	70	SW	2	b	6	29.72	754.9	67	93	SSE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.73	755.1	73	92	E	2	r	,,	29.73	755.1	72	100	E	1	rf
Gutzlaff,	,,	29.73	755.1	82	100	E	6	r	,,	29.75	755.6	71	100	SSE	2	r
Sharp Peak,	15	29.72	754.9	85	80	S	4	o	7	29.79	756.6	82	91	W	1	b
Amoy,	14	29.69	754.1	90	81	SSE	4	b	6	29.72	754.6	81	96	SSW	1	b
Swatow,	,,	29.65	753.1	86	76	S	2	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	93	61	W	4	o	,,	29.80	756.9	79	93	S	2	b
Taichu,	,,	29.79	756.6	82	...	S	4	b	,,	29.81	757.2	79	...	...	0	b
Tainan,	,,	29.79	756.5	90	...	SSW	4	b	,,	29.79	756.6	79	...	SE	2	b
Koshun,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	...	...	0	b
Pescadores,	,,	29.80	756.9	86	...	W	2	b	,,	29.80	756.9	81	...	SSW	2	b
Canton,	15	29.66	753.3	89	77	SE	2	c	,,	29.73	755.1	79	95	SE	2	c
Hongkong,	14	29.70	754.4	86	70	SE	3	c	,,	29.74	755.4	82	81	S	2	c
Gap Rock,	,,	29.70	754.4	...	...	SSE	5	b	,,	29.73	755.1	..	...	SSE	5	c
Macao,	,,	29.68	753.9	90	72	SSE	2	o	,,	29.71	754.5	81	89	SE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.59	751.5	86	75	SSE	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.72	754.8	90	63	N	4	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	90	66	W	4	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.71	754.5	93	84	E	2	b	,,	29.74	755.4	77	92	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	71	SSW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	84	77	...	0	o	,,	29.72	754.8	75	96	...	0	o
Guam,	12.20	29.72	754.8	...	...	E	6	r	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	72	S	1	b	6	29.76	755.9	80	95	E	2	b

June 30*d.* 11*h.* 40*m.*—Pressure is highest over the Bonins. It has increased moderately from Wladivostock to Mid-Japan, and has decreased slightly over the Philippines.

There appears to be a depression or typhoon in the vicinity of Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·04 inch. Total since January 1st, 25·86 inches, against an average of 39·00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate.
2.—Hongkong to Gap Rock,	S. winds, moderate; fair.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

JULY,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922.

[*Price 60c.*]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

JULY,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of JULY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·710	29·703	29·700	29·700	29·698	29·718	29·732	29·739	29·752	29·766	29·752	29·739	1
2	29·679	29·681	29·684	29·694	29·696	29·706	29·726	29·729	29·734	29·737	29·727	29·710	2
3	29·640	29·636	29·638	29·627	29·619	29·621	29·633	29·634	29·631	29·615	29·609	29·594	3
4	29·544	29·528	29·519	29·519	29·516	29·513	29·517	29·519	29·526	29·533	29·519	29·493	4
5	29·451	29·436	29·432	29·435	29·448	29·451	29·468	29·477	29·486	29·492	29·481	29·461	5
6	29·456	29·449	29·443	29·443	29·450	29·456	29·491	29·505	29·521	29·521	29·523	29·502	6
7	29·518	29·507	29·497	29·501	29·501	29·513	29·517	29·532	29·552	29·550	29·560	29·544	7
8	29·567	29·548	29·550	29·555	29·557	29·563	29·570	29·593	29·607	29·598	29·597	29·599	8
9	29·626	29·614	29·597	29·584	29·582	29·598	29·612	29·620	29·636	29·654	29·654	29·643	9
10	29·663	29·656	29·643	29·639	29·627	29·635	29·645	29·659	29·669	29·688	29·703	29·693	10
11	29·685	29·668	29·653	29·653	29·645	29·647	29·641	29·652	29·664	29·667	29·663	29·664	11
12	29·598	29·578	29·559	29·547	29·534	29·533	29·531	29·518	29·541	29·533	29·557	29·530	12
13	29·505	29·510	29·510	29·520	29·514	29·528	29·556	29·563	29·583	29·612	29·628	29·634	13
14	29·711	29·697	29·691	29·691	29·693	29·701	29·711	29·744	29·767	29·784	29·786	29·787	14
15	29·804	29·796	29·790	29·790	29·788	29·796	29·814	29·820	29·817	29·822	29·826	29·820	15
16	29·773	29·753	29·737	29·734	29·738	29·748	29·757	29·764	29·773	29·782	29·780	29·768	16
17	29·732	29·723	29·724	29·714	29·722	29·733	29·746	29·749	29·757	29·754	29·756	29·742	17
18	29·726	29·713	29·703	29·701	29·703	29·716	29·726	29·738	29·745	29·748	29·744	29·731	18
19	29·732	29·709	29·703	29·697	29·699	29·704	29·718	29·725	29·724	29·726	29·720	29·694	19
20	29·683	29·677	29·669	29·660	29·661	29·664	29·674	29·677	29·678	29·682	29·679	29·669	20
21	29·667	29·650	29·638	29·640	29·644	29·641	29·661	29·677	29·692	29·702	29·707	29·702	21
22	29·684	29·668	29·659	29·650	29·650	29·646	29·648	29·662	29·671	29·676	29·676	29·670	22
23	29·641	29·633	29·617	29·617	29·607	29·607	29·617	29·625	29·629	29·630	29·627	29·611	23
24	29·607	29·608	29·595	29·585	29·587	29·587	29·594	29·593	29·599	29·604	29·603	29·605	24
25	29·615	29·599	29·588	29·590	29·589	29·587	29·597	29·597	29·606	29·608	29·603	29·603	25
26	29·605	29·602	29·591	29·575	29·571	29·583	29·591	29·598	29·609	29·623	29·621	29·613	26
27	29·582	29·554	29·542	29·535	29·530	29·534	29·541	29·543	29·548	29·545	29·542	29·528	27
28	29·527	29·501	29·493	29·485	29·479	29·493	29·483	29·494	29·491	29·498	29·500	29·491	28
29	29·437	29·429	29·409	29·411	29·415	29·413	29·435	29·446	29·454	29·460	29·455	29·443	29
30	29·474	29·468	29·457	29·455	29·459	29·489	29·495	29·504	29·511	29·518	29·521	29·505	30
31	29·547	29·541	29·527	29·531	29·531	29·529	29·529	29·535	29·536	29·545	29·551	29·545	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·733	29·716	29·690	29·679	29·680	29·686	29·696	29·697	29·697	29·708	29·701	29·695	1
2	29·683	29·651	29·637	29·617	29·607	29·611	29·621	29·625	29·638	29·658	29·660	29·648	2
3	29·586	29·575	29·553	29·537	29·527	29·527	29·535	29·549	29·564	29·583	29·578	29·570	3
4	29·477	29·446	29·435	29·420	29·403	29·407	29·420	29·437	29·446	29·459	29·468	29·476	4
5	29·441	29·416	29·399	29·385	29·386	29·390	29·428	29·429	29·437	29·442	29·461	29·468	5
6	29·487	29·471	29·465	29·443	29·443	29·451	29·467	29·496	29·518	29·526	29·538	29·532	6
7	29·538	29·518	29·497	29·477	29·479	29·485	29·509	29·535	29·557	29·581	29·591	29·588	7
8	29·596	29·585	29·573	29·549	29·554	29·562	29·591	29·603	29·605	29·625	29·631	29·633	8
9	29·644	29·626	29·631	29·618	29·612	29·577	29·596	29·634	29·653	29·666	29·681	29·677	9
10	29·682	29·671	29·665	29·651	29·643	29·650	29·659	29·665	29·673	29·688	29·698	29·699	10
11	29·655	29·642	29·627	29·608	29·586	29·583	29·599	29·621	29·642	29·651	29·652	29·628	11
12	29·515	29·513	29·469	29·496	29·478	29·474	29·492	29·492	29·493	29·520	29·531	29·518	12
13	29·632	29·612	29·632	29·644	29·636	29·659	29·670	29·662	29·662	29·686	29·711	29·709	13
14	29·783	29·777	29·776	29·765	29·773	29·773	29·792	29·794	29·803	29·815	29·827	29·817	14
15	29·814	29·796	29·776	29·764	29·761	29·748	29·761	29·782	29·800	29·809	29·809	29·785	15
16	29·754	29·733	29·711	29·707	29·698	29·710	29·714	29·734	29·741	29·750	29·750	29·742	16
17	29·721	29·708	29·697	29·690	29·682	29·685	29·691	29·702	29·724	29·740	29·737	29·734	17
18	29·710	29·693	29·676	29·669	29·663	29·657	29·668	29·676	29·689	29·714	29·726	29·732	18
19	29·682	29·670	29·652	29·641	29·639	29·631	29·640	29·648	29·677	29·694	29·697	29·689	19
20	29·663	29·651	29·651	29·636	29·629	29·629	29·651	29·653	29·663	29·684	29·694	29·685	20
21	29·684	29·667	29·651	29·647	29·635	29·647	29·642	29·652	29·661	29·681	29·688	29·695	21
22	29·655	29·635	29·614	29·591	29·588	29·578	29·593	29·615	29·629	29·641	29·647	29·647	22
23	29·605	29·587	29·563	29·543	29·535	29·537	29·555	29·568	29·586	29·599	29·605	29·616	23
24	29·595	29·572	29·553	29·533	29·523	29·521	29·542	29·562	29·585	29·601	29·602	29·611	24
25	29·603	29·586	29·569	29·548	29·543	29·537	29·554	29·579	29·610	29·629	29·627	29·625	25
26	29·607	29·586	29·571	29·543	29·533	29·541	29·548	29·567	29·579	29·601	29·610	29·602	26
27	29·527	29·520	29·507	29·481	29·471	29·469	29·477	29·501	29·521	29·538	29·531	29·539	27
28	29·469	29·448	29·438	29·422	29·393	29·395	29·408	29·428	29·446	29·461	29·481	29·460	28
29	29·439	29·425	29·408	29·406	29·423	29·415	29·444	29·461	29·475	29·492	29·495	29·476	29
30	29·513	29·502	29·492	29·488	29·483	29·481	29·502	29·526	29·542	29·551	29·563	29·565	30
31	29·534	29·508	29·498	29·489	29·491	29·493	29·495	29·516	29·542	29·561	29·555	29·537	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of JULY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	81·0	80·9	81·1	80·5	80·6	80·6	81·2	83·6	85·4	84·8	84·6	85·2	1
2	80·6	80·2	79·2	79·1	79·0	79·3	81·5	83·2	84·6	86·4	88·2	88·5	2
3	82·7	82·0	82·2	81·1	80·9	80·5	82·2	83·4	84·8	86·4	87·9	88·8	3
4	81·1	81·9	81·6	81·7	81·8	81·6	83·3	85·0	84·5	86·4	87·8	88·3	4
5	82·2	82.2	82·2	82·2	82·1	82·7	83·0	84·2	86·7	87·8	88·2	89·0	5
6	81·6	81·4	80·9	80·7	81·5	81·2	80·5	80·2	80·0	81·1	82·0	82·8	6
7	82·0	81·8	81·4	81·4	81·8	81·7	82·9	85·3	84·1	88·0	85·1	85·8	7
8	81·2	80·9	80·8	80·2	80·1	79·8	81·8	81·9	81·4	85·0	83·8	81·9	8
9	78·2	76·9	76·6	77·1	77·9	78·6	79·5	81·0	81·0	81·1	81·7	83·1	0
10	80·4	80·4	80·3	80·3	80·7	81·0	81·9	83·1	81·7	80·9	77·8	77·5	10
11	82·0	81·9	81·8	81·9	81·—	81·9	82·9	82·6	84·1	85·1	84·2	83·4	11
12	83·7	83·1	83·0	83·3	83·4	82·8	83·1	84·5	83·2	83·3	77·1	82·0	12
13	78·8	76·2	79·0	80·0	80·0	81·3	77·6	79·3	79·3	79·5	77·8	76·6	13
14	78·5	77·5	77·3	78·0	78·3	79·8	81·1	82·2	82·—	82·2	82·4	83·4	14
15	79·9	79·4	79·7	79·9	79·7	79·0	81·1	82·1	83·6	84·2	84·0	85·9	15
16	78·7	78·2	77·8	77·6	77·3	76·8	79·5	81·7	84·4	84·8	85·0	86·7	16
17	79·7	79·3	78·8	78·2	78·2	78·3	79·1	82·4	83·3	84·9	85·9	87·3	17
18	80·6	79·6	79·9	80·0	79·7	81·5	82·5	84·2	83·1	86·0	86·0	86·5	18
19	80·6	80·4	80·4	79·9	79·9	79·6	80·3	83·7	85·3	84·9	83·6	86·0	19
20	81·2	81·0	80·4	78·5	78·8	78·8	80.8	83·6	85·0	84·6	86·0	84·9	20
21	80·8	80·1	80·1	80·1	80·2	78·9	79·3	81·8	80·4	81·7	82·6	80·1	21
22	79·9	79·6	78·8	78·7	78·4	78·2	80·3	82·6	84·0	83·9	86·5	87·0	22
23	79·7	79·6	79·5	79·5	79·3	79·2	81·2	83·1	84·4	85·2	85·0	86·6	23
24	78·7	78·9	78·4	78·7	78·7	78·4	79·9	83·2	84·0	84·5	86·3	87·6	24
25	79·0	78·6	78·6	78·6	78·0	78·2	80·6	83·5	85·6	85·8	86·2	86·6	25
26	80·2	80·2	80·4	80·5	80·5	80·0	82·6	84·5	86·8	86·8	86·8	87·2	26
27	83·0	82·9	82·9	83·3	83·2	83·5	80·8	84·6	85·7	87·7	87·8	88·6	27
28	81·3	82·8	82.9	79·5	81·6	81·7	82·2	80·6	84·2	83·9	84·5	84·6	28
29	80·4	81·1	79·9	80·5	80·4	79·9	79·6	79·8	80·0	81·8	81·2	81·5	29
30	82·1	82·0	81·9	81·0	82·0	80·6	81·4	83·7	83·9	85·5	86·2	86·5	30
31	82·0	82·0	81·3	80.8	80·5	80·1	81.7	83·2	84·0	85·2	85·8	86·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	89·0	88·8	89·8	88·6	87·1	85·4	83·9	82·7	82·5	81·6	81·0	80·2	1
2	88·3	89·1	89·9	88·0	88·9	86·8	84·8	83·1	82·9	82·7	82·3	81·9	2
3	88·5	88·7	88·0	88·2	86·8	86·1	84·7	83·2	82·9	83·3	82·7	82·5	3
4	89·6	89·0	88·4	89·0	89·1	88·2	85·4	83·8	83·2	82·8	82·8	82·4	4
5	89·6	89·8	90·2	89·8	89·2	86·8	84·7	82·4	81·3	81·9	81·9	81·9	5
6	84·5	87·6	85·9	85·1	86·0	85·2	83·8	85·3	83·2	83·0	83·0	82·8	6
7	88·1	88·0	89·0	89·1	88·3	86·3	84·3	83·4	83·5	83·1	82·7	81·8	7
8	84·0	85·6	84·5	83·6	82·6	82·7	80·0	79·9	79·5	80·1	80·5	80·5	8
9	84·4	83·8	83·1	83·9	80·3	80·2	79·9	80·1	80·6	80·3	80·4	80·8	9
10	79·5	81·1	82·6	82·4	81·8	80·0	79·5	79·8	79·3	80.1	80·8	81·5	10
11	86·0	85·4	83·9	82·8	82·7	83·0	83·9	82·9	83·6	83·7	83·6	83·9	11
12	82·6	82·2	81·5	74·9	76·3	77·9	79·4	79·8	81·2	79·8	80·0	79·0	12
13	77·8	78·9	79·1	77·2	77·0	77·6	77·8	77·9	78·9	78·7	78·8	78·9	13
14	83·4	85·2	84·7	83·6	82·8	82·0	81·0	80·8	80·8	80·8	80·8	80·4	14
15	84·7	85·7	84·9	84·9	84·2	83·5	82·1	80·9	80·5	79·8	79·8	79·9	15
16	88·0	86·4	86·8	85·4	84·6	83·6	82·5	81·3	81·0	80·4	80·1	80·1	16
17	87·7	87·6	87·1	87·5	86·0	84·6	82·8	82·4	81·4	80·8	80·3	80·4	17
18	87·2	86·4	85·8	85·9	84·3	84·0	82·8	81·4	81·7	80·7	81·0	80·8	18
19	87·1	86·9	86·3	87·7	87·3	84·8	83·4	82·7	82·3	82·5	81·9	82·0	19
20	85·5	83·4	84·6	82·2	82·2	82·2	82·2	81·9	81·9	81·6	81·4	80·9	20
21	79·4	83·1	83·5	82·9	82·3	81·3	80·2	79·7	79·3	79·2	78·9	79·1	21
22	86·6	86·1	85·3	84·0	83·7	82·9	82·0	81·3	80·7	80·7	80·1	79·9	22
23	86·8	86·3	85·4	84·6	84·9	83·9	82·0	81·2	80·4	80·5	79·9	79·5	23
24	87·4	87·5	87·9	86·8	86·4	84·8	83·3	82·7	81·6	81·1	80·6	80·0	24
25	87·1	86·8	86·9	87·4	86·3	85·3	83·6	82·8	82·4	81·4	81·0	80·9	25
26	87·2	88·0	86·6	86·2	85·7	84·2	83·0	82·5	82·3	82·0	82·3	82·6	26
27	85·3	81·2	79·7	81·6	81·1	81·3	82·2	83·2	82·5	82·8	82·6	82·8	27
28	84·8	83·4	77·1	79·5	80·2	79·8	78·0	80·0	77·0	78·8	79·6	80·0	28
29	83·0	83·3	84·0	84·3	78·3	82·0	80·9	80·1	82·0	82·2	82·2	82·3	29
30	83·0	85·8	84·9	84·0	82·5	82·8	82·8	82·5	82·3	82·4	82·0	81·8	30
31	85·9	85·7	85·5	85·2	83·3	82·8	82·3	82·1	82·0	81·9	81·7	81·6	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of JULY, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·9	77·6	77·7	77·1	77·1	77·1	77·7	79·2	79·9	79·4	79·0	79·0	1
2	77·9	77·8	77·6	77·6	77·7	77·4	78·6	79·6	78·7	79·0	79·0	78·6	2
3	78·5	78·3	77·8	77·7	78·1	78·3	78·9	79·4	79·2	79·8	80·0	79·6	3
4	78·0	77·5	77·3	77·2	77·6	77·9	78·7	79·0	78·1	78·7	79·6	79·9	4
5	77·8	78·1	77·9	77·7	77·9	78·5	78·8	78·9	80·0	79·4	79·9	79·9	5
6	78·5	78·4	78·3	78·4	78·0	78·4	78·4	77·5	77·4	78·1	78·1	78·7	6
7	79·0	79·3	79·7	79·2	79·0	78·8	79·8	80·8	79·8	80·8	79·9	79·7	7
8	78·8	78·5	78·6	78·5	78·2	77·6	79·3	78·0	79·0	80·7	78·8	77·7	8
9	76·3	74·8	74·9	75·5	76·1	76·3	76·6	77·1	77·0	76·9	76·9	77·6	9
10	77·5	77·4	77·2	77·7	77·7	78·0	78·0	78·6	78·0	78·2	76·3	76·5	10
11	78·7	78·5	78·5	78·1	78·0	78·0	78·3	78·6	79·2	80·0	79·4	79·3	11
12	78·5	78·8	78·2	77·3	77·3	77·5	77·2	77·7	77·9	78·0	75·5	77·0	12
13	76·5	75·5	76·0	77·0	77·1	77·0	74·7	76·0	76·0	75·7	75·0	74·4	13
14	75·9	75·0	75·2	76·5	76·6	77·0	77·5	78·0	77·9	78·0	78·3	78·8	14
15	78·0	77·8	78·1	77·5	77·4	77·5	78·7	78·7	79·3	79·1	79·0	80·2	15
16	77·8	77·2	76·7	76·8	76·1	75·8	77·4	78·1	79·4	78·8	78·4	79·8	16
17	77·4	77·0	76·9	76·8	76·9	76·9	77·6	78·9	77·9	76·2	76·8	76·6	17
18	77·0	76·9	76·9	76·9	75·8	77·4	78·3	78·3	78·6	77·9	79·5	80·0	18
19	76·7	76·8	77·0	76·9	76·8	77·6	78·5	78·5	78·9	78·3	78·4	78·4	19
20	77·2	77·2	77·1	75·5	75·2	75·8	77·8	78·9	79·1	78·6	78·8	77·8	20
21	76·7	76·5	76·9	77·1	76·9	76·4	76·8	77·6	77·2	77·9	78·0	77·3	21
22	77·0	76·4	76·2	76·3	76·3	76·0	77·4	77·6	77·5	77·0	78·2	78·9	22
23	76·8	76·9	76·8	76·8	76·8	76·9	78·5	77·9	78·5	78·5	78·9	78·9	23
24	76·5	76·6	76·3	76·3	76·4	76·5	77·7	77·8	78·2	78·0	78·6	79·4	24
25	76·6	76·5	76·9	76·7	76·3	76·1	77·7	78·6	79·7	79·2	77·5	79·0	25
26	76·8	77·3	77·6	77·1	76·9	76·8	78·7	77·6	78·2	78·5	78·9	78·8	26
27	79·0	78·7	78·3	77·4	78·1	78·0	78·5	78·6	79·0	79·1	79·1	79·2	27
28	77·6	78·9	78·9	77·3	78·0	77·2	78·2	77·0	78·3	78·2	77·2	78·3	28
29	77·5	77·8	77·8	77·0	77·9	77·7	77·5	76·9	77·9	78·2	78·1	78·3	29
30	78·0	77·9	77·9	77·9	78·0	77·5	78·1	78·9	78·8	79·3	80·0	79·9	30
31	78·6	78·3	78·2	78·0	78·3	78·4	79·7	80·0	80·7	80·5	81·0	80·8	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·3	79·4	79·8	79·7	78·9	78·6	78·9	78·6	78·5	78·4	78·0	78·2	1
2	78·0	79·9	80·5	80·0	79·3	79·0	78·0	78·0	78·1	78·6	78·4	78·5	2
3	80·0	79·8	80·0	79·7	79·2	79·4	78·8	78·0	78·1	78·4	78·5	78·8	3
4	81·1	80·0	80·1	79·8	79·0	78·9	78·6	79·1	79·0	78·7	78·1	78·6	4
5	80·2	80·2	80·2	80·0	79·4	78·8	78·4	78·2	77·7	78·0	78·0	78·8	5
6	79·3	81·7	79·9	79·7	80·1	79·7	79·1	79·0	78·8	79·0	78·9	78·8	6
7	79·9	79·5	80·3	80·3	79·7	80·0	79·2	79·1	79·0	79·0	79·0	78·8	7
8	79·2	79·5	79·6	79·3	78·9	78·8	77·0	77·6	77·9	78·1	78·1	78·6	8
9	78·5	78·8	77·9	77·9	77·5	77·6	77·0	77·0	77·9	77·7	78·0	78·1	9
10	77·3	78·2	78·8	78·5	78·6	78·2	77·6	78·0	77·9	77·8	78·0	78·2	10
11	80·6	79·9	79·9	79·9	79·6	79·7	79·3	79·0	79·1	78·9	79·2	77·9	11
12	76·8	77·0	76·6	73·9	75·5	75·9	75·9	76·5	76·2	76·5	76·0	75·7	12
13	75·0	75·0	75·4	74·4	74·4	75·0	75·0	75·2	75·7	75·1	75·7	76·1	13
14	78·8	79·2	78·8	78·7	78·6	78·3	78·7	78·7	78·7	78·8	78·8	78·8	14
15	79·5	79·5	79·4	78·8	78·7	78·7	78·2	78·1	78·4	77·9	77·7	77·7	15
16	80·2	79·3	80·0	78·4	78·5	78·3	77·8	77·6	77·5	77·4	77·0	77·1	16
17	77·5	76·4	77·0	76·8	76·0	75·9	75·8	76·1	75·8	76·0	76·5	76·8	17
18	80·3	80·4	79·5	79·2	78·3	78·1	77·5	77·3	77·3	77·3	77·3	77·1	18
19	78·7	78·9	78·2	78·0	77·4	76·9	76·7	76·9	77·5	77·3	77·4	77·5	19
20	77·9	77·0	78·6	78·2	77·6	77·8	77·8	77·8	77·6	77·6	77·6	76·9	20
21	76·7	77·3	77·0	76·9	76·9	76·8	76·2	76·3	75·9	75·9	76·3	76·4	21
22	78·8	78·5	78·1	77·5	77·3	76·6	76·5	76·9	77·0	76·9	76·5	76·8	22
23	79·0	78·8	78·6	78·4	78·0	76·9	76·9	77·2	76·9	76·9	76·9	76·8	23
24	79·0	78·8	79·3	78·8	78·1	77·2	76·9	76·9	76·6	76·3	76·4	76·6	24
25	79·0	78·1	78·9	78·2	78·1	77·3	77·0	76·7	77·8	77·5	77·3	76·9	25
26	78·3	78·4	78·4	78·3	77·5	77·7	77·8	77·8	77·8	77·9	77·5	77·8	26
27	79·5	78·5	78·2	78·1	77·5	77·6	78·1	78·3	78·1	77·9	78·4	78·8	27
28	78·5	77·7	76·0	76·2	77·2	76·9	76·7	77·0	76·4	77·1	77·2	77·9	28
29	78·6	79·0	78·9	79·1	76·6	77·8	77·2	77·8	78·3	77·9	78·0	78·2	29
30	78·5	80·0	79·5	79·0	79·0	78·9	78·8	78·7	78·6	78·7	78·8	78·6	30
31	79·9	80·5	79·7	79·8	79·6	77·9	78·8	78·4	78·3	78·5	78·4	78·4	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of JULY, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	2	2	1	2	2	4	7	7	7	6	7	7	6	5	4	3	2	3	4	2	1	2	1	...	1
2	...	1	...	...	1	7	2	3	3	5	4	5	5	6	7	9	9	9	8	7	6	4	7	7	2
3	6	3	3	...	1	2	5	2	5	4	3	2	5	3	4	4	2	3	6	...	...	1	1	3	3
4	3	...	1	...	4	7	6	5	3	5	3	5	6	7	8	7	8	7	7	5	5	4	4	3	4
5	5	3	6	6	7	7	10	7	7	6	6	7	6	6	4	3	3	4	5	4	7	8	8	9	5
6	7	5	4	3	7	10	10	10	10	9	9	10	9	9	8	8	7	6	5	3	1	2	3	4	6
7	1	4	3	4	10	7	5	7	9	8	9	4	5	7	7	7	8	7	7	10	7	7	5	6	7
8	4	4	1	2	2	6	6	7	9	7	6	9	8	10	8	10	10	10	9	10	10	10	9	10	8
9	10	10	10	9	10	10	9	9	9	9	10	8	9	8	8	9	7	5	4	10	9	2	4	7	9
10	4	5	7	9	6	9	8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	9	10
11	10	10	10	8	10	7	3	5	8	7	10	9	9	9	9	10	9	9	9	10	9	9	9	9	11
12	10	10	9	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	12
13	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	7	10	10	13
14	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	5	4	5	14
15	7	8	6	10	7	5	5	9	9	7	9	4	4	2	1	1	1	...	2	...	...	...	...	1	15
16	...	2	...	...	...	1	2	1	2	4	6	4	4	4	4	7	4	4	6	3	2	1	...	2	16
17	4	2	2	1	1	2	4	2	...	1	2	2	1	2	4	6	5	5	2	...	...	...	2	2	17
18	2	6	3	1	8	7	2	3	5	6	3	6	5	6	8	5	4	2	2	1	...	1	1	...	18
19	..	...	1	...	2	3	5	7	5	6	6	8	7	4	6	5	9	10	10	10	4	1	1	1	19
20	1	...	3	1	1	2	2	4	5	6	6	7	7	8	9	10	10	9	7	9	9	5	6	6	20
21	3	3	2	4	6	10	6	7	10	9	10	10	10	9	8	7	7	10	9	2	1	...	...	6	21
22	4	2	2	2	6	7	6	5	6	7	6	5	6	5	5	6	6	7	7	3	1	1	....	1	22
23	3	1	1	...	2	2	4	4	3	6	4	3	3	2	2	1	1	1	3	1	...	...	...	...	23
24	...	...	...	...	1	3	2	4	3	6	5	6	7	6	3	2	2	3	1	...	...	...	...	1	24
25	1	1	2	1	1	1	1	2	2	3	3	2	4	4	1	1	1	2	2	1	1	...	1	...	25
26	...	...	...	1	1	6	4	2	2	3	2	2	2	2	2	3	3	2	1	1	2	7	4	3	26
27	7	6	8	7	10	9	10	9	10	6	7	5	4	10	10	9	9	10	10	10	9	8	10	7	27
28	5	3	10	10	9	10	9	10	6	8	5	6	9	6	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7	9	8	6	6	30
31	8	9	6	4	3	5	5	3	4	5	5	4	5	4	7	9	8	5	9	7	9	8	9	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of JULY, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	0·1	1·0	0·9	1·0	1·0	0·8	0·9	1·0	1·0	1·0	0·9	0·4	0·7	1
2	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	2
3	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	3
4	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	4
5	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	5
6	...	...	...	...	...	...	...	0·6	0·5	...	0·6	1·0	0·7	6
7	0·2	0·7	0·6	1·0	0·6	1·0	1·0	0·8	1·0	1·0	1·0	0·9	0·7	7
8	0·3	0·3	0·4	0·8	1·0	0·5	0·5	1·0	0·4	0·2	...	...	...	8
9	...	0·1	0·1	0·1	0·1	0·8	0·9	0·5	0·5	0·6	0·2	0·6	0·7	9
10	0·1	0·3	0·1	...	...	...	...	...	...	...	...	...	...	10
11	0·7	1·0	0·9	0·9	0·9	0·4	0·8	1·0	1·0	0·7	...	...	...	11
12	...	0·4	0·3	0·1	...	...	0·8	0·1	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	0·1	0·1	...	...	...	....	14
15	0·3	0·4	0·6	1·0	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	15
16	0·8	1·0	1·0	1·0	1·0	0·9	1·0	1·0	1·0	0·4	0·6	0·9	0·2	16
17	0·1	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	17
18	0·3	1·0	1·0	0·7	1·0	1·0	0·6	1·0	0·7	0·7	0·7	0·8	0·4	18
19	0·4	0·9	1·0	1·0	0·8	0·9	0·8	1·0	1·0	1·0	1·0	0·2	0·2	19
20	0·5	1·0	1·0	1·0	1·0	0·9	0·5	0·8	...	0·3	...	...	...	20
21	...	0·7	0·4	0·5	1·0	...	0·1	0·5	1·0	1·0	0·7	0·4	0·2	21
22	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	1·0	0·7	0·4	22
23	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	23
24	0·5	1·0	0·5	1·0	0·9	1·0	1·0	1·0	0·7	1·0	1·0	1·0	0·3	24
25	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	25
26	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	26
27	...	0·3	0·4	1·0	1·0	1·0	0·8	0·6	...	...	...	0·5	...	27
28	...	0·7	1·0	1·0	0·9	1·0	1·0	0·8	0·6	...	0·1	0·1	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	0·4	0·2	0·9	1·0	1·0	0·3	0·6	1·0	0·2	...	...	...	30
31	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	0·6	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of JULY, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	0·125	d	d	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	d	...	0·075	...	...	d	8
9	0·230	0·040	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	d	...	...	0·005	0·825	1·180	0·020	10
11	...	d	d	0·005	...	...	...	...	0·015	d	d	0·010	11
12	...	d	...	0·005	0·030	d	0·010	d	0·030	0·070	0·290	0·005	12
13	0·075	0·250	0·020	0·060	0·070	0·200	0·125	0·015	0·030	0·040	0·290	0·160	13
14	d	0·310	0·030	0·015	0·640	0·120	0·040	d	0·005	d	d	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	d	d	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	d	...	...	...	...	...	...	...	...	...	20
21	d	0·010	d	...	0·005	...	0·010	d	0·125	...	0·010	0·080	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	0·040	0·020	...	d	...	...	...	27
28	0·040	...	0·020	0·215	0·050	...	...	0·060	d	0·050	...	...	28
29	...	0·150	0·130	0·005	0·010	0·065	0·050	0·040	...	...	0·190	0·005	29
30	...	0·015	0·025	0·070	d	0·200	0·010	...	0·005	...	...	d	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	..	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	d	0·020	0·210	0.020	d	0·200	8
9	...	...	...	d	d	...	...	...	...	...	...	...	9
10	...	...	d	d	0·160	...	...	0·045	0·085	0·005	...	0·005	10
11	...	d	0·020	0·070	0·345	d	0·025	...	...	...	...	...	11
12	d	d	0·050	0·185	0·530	0·095	0·065	0·025	d	0·150	0.055	0·140	12
13	0·050	0·005	0·030	0·095	0·080	0·055	0·025	d	d	...	0·005	d	13
14	d	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	0·010	...	19
20	...	0·005	...	0·025	...	...	...	...	...	...	...	...	20
21	0·005	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	0·060	0·145	0·185	0·015	0·015	d	...	0·080	d	...	d	0·020	27
28	0·030	...	0·225	0·040	0·005	0·110	0·085	0·490	0·415	0·055	0·115	0·075	28
29	...	...	...	0·035	0·355	d	0.040	0·165	...	...	...	...	29
30	...	...	d	d	0·020	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of JULY, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	13	4	14	3	13	2	13	2	...	...	...	...	...	...	10	3	9	7	9	10	11	11	12	9	1
2	...	...	17	2	...	1	...	...	...	...	...	...	...	...	22	2	25	4	26	8	26	8	26	11	2
3	...	...	...	1	...	...	20	2	23	3	27	3	28	4	28	4	28	7	25	9	23	9	23	9	3
4	...	1	...	1	22	4	22	8	22	7	21	9	21	9	21	10	21	11	21	13	21	12	22	10	4
5	18	2	19	5	19	5	20	5	20	9	21	8	22	6	22	9	21	8	22	6	22	7	23	8	5
6	28	3	...	...	...	...	...	1	...	...	...	...	...	24	5	25	8	27	2	28	4	28	3	26	3	6
7	26	5	26	4	26	3	26	3	26	4	26	3	24	5	24	5	24	6	26	9	32	5	6	11	7
8	16	3	...	1	...	...	...	...	...	...	...	...	...	...	14	12	13	6	11	3	9	16	8	18	8
9	11	6	9	12	8	10	9	12	9	8	9	10	8	14	8	13	7	15	7	18	8	16	8	19	9
10	8	11	8	13	7	8	7	5	7	9	7	11	7	16	7	15	8	14	11	8	10	7	7	4	10
11	9	19	9	20	9	20	8	23	8	18	8	17	7	18	7	15	7	17	7	20	7	20	7	25	11
12	7	33	6	32	6	33	7	35	7	37	7	41	8	43	8	51	8	47	9	40	10	40	9	41	12
13	12	45	12	46	12	34	12	33	13	32	14	37	14	31	15	31	15	27	15	24	15	26	15	23	13
14	12	10	12	10	11	18	11	20	11	13	12	21	14	27	14	24	14	19	14	16	14	14	14	17	14
15	9	2	9	7	9	8	9	8	9	6	...	...	9	3	9	7	9	10	9	12	9	12	9	9	15
16	...	...	...	...	...	1	...	1	...	...	...	1	9	5	9	6	9	6	9	9	9	10	9	8	16
17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	24	5	26	6	26	8	24	7	17
18	15	2	...	1	...	...	...	...	...	...	...	1	...	...	...	1	13	5	11	5	11	6	11	3	18
19	...	1	13	2	...	...	...	...	...	...	...	...	...	...	10	2	7	2	32	3	32	5	4	6	19
20	12	5	13	4	14	5	16	4	16	2	...	...	...	...	13	3	10	6	9	10	8	12	8	14	20
21	11	11	12	8	12	6	11	5	9	5	7	6	7	9	8	10	9	11	9	18	9	16	9	17	21
22	9	7	9	3	...	1	...	1	...	1	...	1	9	2	9	4	9	7	9	6	10	8	10	11	22
23	12	3	...	...	...	...	...	...	...	...	...	...	...	...	11	3	10	5	9	5	9	8	10	11	23
24	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	24	2	27	5	30	5	8	7	24
25	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	21	3	24	6	27	6	5	13	25
26	...	...	...	...	...	1	11	3	11	2	...	...	...	1	7	8	7	7	9	14	9	16	9	14	26
27	7	11	7	14	6	13	6	16	6	13	7	15	8	9	7	15	6	21	6	21	6	22	7	26	27
28	6	35	6	37	6	33	6	31	6	32	6	31	6	34	7	41	7	41	7	44	7	43	7	43	28
29	10	26	10	29	10	29	10	26	10	28	10	25	11	25	10	28	10	22	11	26	12	26	12	29	29
30	15	26	15	29	15	29	15	26	16	24	16	22	16	16	15	18	15	16	15	14	15	20	15	21	30
31	13	10	15	11	15	6	13	3	12	4	11	4	10	4	10	6	9	11	9	10	8	15	8	17	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	15	8	16	8	17	11	16	10	17	10	17	9	17	5	17	5	17	2	17	2	...	...	...	1	1
2	26	7	25	9	25	8	24	8	24	4	24	5	...	...	23	3	21	4	19	4	8	2	18	2	2
3	23	10	22	10	21	10	20	9	19	8	18	7	18	5	18	5	18	3	18	3	...	...	18	4	3
4	23	10	24	7	24	7	24	6	24	5	22	3	19	6	18	5	18	4	19	5	19	5	18	3	4
5	23	8	23	9	23	7	22	6	22	8	22	9	23	5	23	11	24	3	...	...	...	...	27	5	5
6	25	7	24	9	24	8	24	7	25	6	23	7	23	6	26	6	26	3	26	4	26	3	26	5	6
7	9	8	...	1	14	3	20	6	21	4	20	5	17	7	16	7	...	1	...	...	...	...	...	...	7
8	8	15	8	17	8	16	8	16	8	17	8	17	7	16	7	14	7	10	8	13	9	12	11	8	8
9	9	21	9	15	10	18	11	15	12	8	11	12	10	12	9	10	9	10	9	11	9	11	9	12	9
10	5	4	6	7	8	10	8	10	8	11	8	8	8	9	7	7	7	9	6	11	7	13	9	12	10
11	7	22	7	26	7	21	8	25	8	24	8	25	8	30	8	26	7	24	7	28	7	24	7	30	11
12	8	42	8	41	9	46	10	43	10	36	10	42	10	42	10	42	10	45	10	49	11	43	12	48	12
13	16	23	16	28	16	24	15	13	15	13	15	18	14	14	13	16	12	20	12	14	13	15	13	13	13
14	14	15	14	12	14	15	13	10	13	9	12	7	11	6	11	10	10	12	10	9	10	9	9	6	14
15	9	15	8	14	8	16	8	14	8	12	8	12	9	10	9	3	9	2	...	1	...	...	...	...	15
16	9	5	9	6	12	4	15	7	15	9	16	3	16	3	16	5	...	1	16	2	16	2	...	1	16
17	22	5	18	6	17	8	16	7	15	7	15	6	15	6	14	3	15	6	15	4	15	4	15	6	17
18	11	6	10	8	9	10	9	8	10	10	12	4	14	5	14	5	13	6	...	1	13	4	13	4	18
19	8	9	11	12	13	10	14	9	14	6	13	6	12	4	11	4	11	6	11	10	12	10	12	5	19
20	8	18	8	18	8	17	8	13	9	13	9	12	10	14	10	13	10	16	10	15	11	15	11	10	20
21	9	16	9	13	10	14	10	14	10	15	10	15	9	9	9	11	9	5	9	4	9	3	9	4	21
22	9	14	10	15	10	13	10	16	10	11	10	9	11	9	11	9	11	6	11	8	12	4	12	4	22
23	10	11	9	15	9	15	12	13	15	6	17	8	17	5	16	5	15	5	14	3	14	2	...	1	23
24	9	9	9	5	9	6	10	8	12	3	16	6	17	6	17	3	...	...	...	1	...	...	...	...	24
25	9	13	9	10	9	9	9	8	10	7	12	5	12	6	11	5	10	2	10	2	...	...	...	...	25
26	10	13	10	17	10	16	11	15	11	14	10	15	10	13	9	12	9	7	9	9	9	9	8	12	26
27	7	30	7	29	7	30	7	36	7	33	7	33	7	33	7	34	7	40	6	37	6	33	6	33	27
28	7	43	7	46	7	44	7	43	7	37	7	35	7	39	8	40	9	34	10	29	10	23	10	25	28
29	12	25	12	27	12	32	12	34	13	30	13	24	13	24	13	26	13	20	14	22	14	23	14	23	29
30	16	16	15	15	15	17	15	18	16	13	15	21	14	15	13	10	13	10	14	16	14	13	13	10	30
31	8	18	8	18	9	17	9	16	9	16	9	12	8	13	8	10	8	9	8	10	8	9	8	9	

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of JULY, 1922.
(... = no clouds.)

Days of the Month.	Hours. Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	S	cu	S	ci-st / cu	NNE / S	cu	SSW	ci-st / cu	NE / S	cu	SSW	ci-st / cu	ENE / S	cu	S
2	...	...	...	...	ci-st	ENE	ci-st / cu	ENE / SSW	ci-st / cu	NE / SSW	ci-st / cu	NNE / SSW	ci-st	N	ci-st	N
3	ci-st	N	...	...	ci-st / cu	N / SSW	ci-cu / cu	E / SSW	ci-st / cu	NE / WSW	ci-st / cu	ENE / SW	ci-st	ENE	cu	SW
4	cu	SSW	...	...	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SSW	ci-st	ENE	ci-st	ENE	ci-st	ENE
5	ci-st / cu	ENE / S	cu	S	ci-st / cu	ENE / SW	ci-st / cu	NE / WSW	ci-st / cu	NE / WSW	cu	WSW	ci-st / cu	ENE / W	a-st / cu	NE / WSW
6	ci-st	NE	cu	WSW	nb	WSW	cu-nb	WSW	cu / ci-cu	WSW / NNE	ci-st / cu	NE / WSW	ci-st / cu	NE / W	ci-st	NE
7	ci-st	NE	ci-st	NE	ci-st / cu	ENE / WSW	cu	WSW	cu	SW	ci-cu / cu	W / W	ci-st	WSW	ci-st	WSW
8	ci-st	WSW	ci-st / cu	WSW / E	ci-cu / cu	W / WSW	ci-st / cu	WSW / WSW	ci-st / a-cu / cu	W / WSW / SW	ci-st / cu	WSW / E	cu	E	nb	E
9	nb	E	cu / cu-nb	SE / ESE	cu-nb	E	cu-nb	E	cu	E	cu	E	cu	SSE	cu	ESE
10	cu	ESE	cu	ESE	cu	ESE	nb	ESE	cu-nb	ESE	nb	ESE	cu-nb	E	cu	E
11	cu	ESE	cu	ESE	cu	ESE	cu	ESE	cu	E	nb	E	nb	E	cu	E
12	cu	ESE	cu	ESE	cu-nb	E	cu-nb	E	nb	E	nb	ESE	nb	ESE	nb	ESE
13	nb	ESE	nb	SE	nb	SSE	nb	S	nb	SSE	nb	SSE	nb	SSE	cu	SSE
14	nb	SSE	nb	SSE	nb	SSE	nb	S	cu	SSE	cu	S	cu / cu-nb	S / SSE	cu	S
15	cu	SE	cu	SE	a-cu / cu	NNE / SSE	a-cu / cu	E / ESE	a-cu / cu	ENE / SSE	cu	SSE	ci-st	ENE	...	...
16	...	...	...	...	ci-st / cu	ENE / SE	cu	SSW	cu	SE	cu	ESE	ci-st / cu	NE / ESE	ci-st	NE
17	cu	SSW	cu	SSW	a-cu	ESE	cu	ESE	cu	ESE	ci-st / cu	E / E	ci-st	E	...	...
18	cu	ESE	cu	E	cu	SE	ci-st / cu	NNE / SSW	cu	SSE	cu	SE	ci-st	NE	cu	SE
19	...	...	...	...	ci-st / cu	NNE / S	ci-st / cu	NNE / SSW	ci-st / cu	NE / S	ci-st / cu	NE / SE	ci-st	NE	cu	SE
20	cu	SE	cu	SSE	cu	SSE	cu	SSE	cu	SSE	ci-st / nb	ENE / SSE	ci-st / cu	ENE / SSE	cu	SE
21	cu	ESE	cu	SE	ci-st / cu	ENE / SSE	cu-nb	SSE	nb	SE	ci-st / cu	ENE / SE	ci-st / cu	ENE / SSE	...	...
22	cu	SSE	cu	SE	ci-st / a-cu / cu	ENE / NE / SSE	ci-st / cu	NE / SE	ci-st / cu	N / SSE	ci-st / cu	S / N	ci-st / cu	NE / SSE	ci-st	NE
23	cu	SSE	...	...	cu	SSE	ci-st / cu	NE / S	cu	S	cu	SSE	ci-st / cu	NE / S	...	...
24	...	...	...	...	cu	SSE	cu	SSE	cu	SE	cu	SE	ci-st	NE	...	...
25	ci-st	NE	ci-st	NE	cu	SE	cu	E	cu	E	cu	E	ci-st	NNE	...	...
26	...	...	cu	E	cu	ENE	cu	ENE	cu	ENE	ci-st / cu	SSE / ENE	cu	E	cu	E
27	cu	E	cu	E	nb	ENE	ci st / cu	ESE / ENE	ci-st / cu	E / E	cu-nb	E	cu-nb	E	cu	E
28	cu-nb	E	nb	E	cu-nb	E	cu-nb	E	cu / nb	E / E	cu / nb	ESE / E	nb	E	nb	E
29	nb	E	nb	E	nb	ESE	nb	SE	nb	ESE	cu-nb	SE	cu-bn	SSE	cu	SE
30	nb	SE	nb	SSE	nb	S	cu	S	cu	SW	nb	S	cu	S	cu	SSE
31	cu	S	cu	S	ci-st / cu	NNW / SSE	cu	SSE	ci-st / cu	NNE / SSE	ci-st / cu	N / SSE	ci-st / cu	NNE / SE	a-cu / cu	NE / SE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1922.
(British Units.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-10).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·712	90·7	80·0	10·7	83·8	78·6	0·909	78	36	10·7	79	...	...	— 4·0	+ 1·4	161	4·2	5·1
2	29·673	89·9	78·9	11·0	84·1	78·6	·905	77	48	11·9	89	..	...	+ 0·2	— 3·3	274	3·3	3·8
3	29·591	89·4	80·4	9·0	84·5	78·9	·913	77	28	12·2	91	...	...	— 1·8	— 3·8	245	4·2	5·2
4	29·481	89·9	81·1	8·8	84·9	78·8	·903	76	46	12·3	92	...	...	— 3·2	— 5·4	239	6·3	6·7
5	29·442	90·6	81·3	9·3	85·1	78·9	·905	75	60	10·6	79	...	...	— 2·2	— 5·5	248	5·9	6·2
6	29·483	87·9	79·5	8·4	82·8	78·8	·932	83	66	3·4	25	0·125	1	+ 0·8	— 4·0	281	4·1	4·2
7	29·527	90·3	81·3	9·0	84·5	79·6	·946	79	64	10·5	78	...	...	— 0·3	— 1·6	259	1·6	4·4
8	29·584	86·4	78·8	7·6	81·8	78·6	·935	86	74	5·4	40	0·525	3	— 0·9	+ 8·9	96	8·9	9·6
9	29·626	84·8	76·4	8·4	80·4	77·1	·888	86	81	5·2	39	0·270	1	— 2·3	+ 12·4	101	12·6	12·8
10	29·665	83·5	76·7	6·8	80·6	77·8	·917	88	90	0·5	4	2·330	4	+ 0·8	+ 9·5	85	9·5	9·7
11	29·641	87·0	80·0	7·0	83·3	79·1	·939	82	86	8·3	62	0·490	3	+ 1·9	+ 22·3	85	22·4	22·4
12	29·523	85·2	73·4	11·8	81·1	76·8	·865	82	99	1·7	13	1·735	12	— 6·7	+ 39·0	100	39·6	41·3
13	29·607	81·5	76·1	5·4	78·5	75·5	·843	86	98	...	...	1·680	19	— 21·8	+ 10·1	155	24·0	25·0
14	29·761	85·6	77·0	8·6	81·2	77·9	·913	86	93	0·2	1	1·160	7	— 10·3	+ 8·1	142	13·1	13·7
15	29·795	87·0	79·0	8·0	82·1	78·5	·928	85	41	10·6	80	...	...	— 0·9	+ 7·6	97	7·7	7·6
16	29·744	88·0	76·6	11·4	82·0	78·0	·906	83	26	10·8	81	...	...	— 1·9	+ 2·5	127	3·1	4·0
17	29·723	88·5	78·0	10·5	82·7	76·8	·843	75	22	11·8	89	...	...	— 2·5	— 1·1	204	2·7	3·9
18	29·707	88·5	79·5	9·0	82·7	78·1	·901	81	37	9·9	74	...	...	— 2·2	+ 2·8	128	3·6	4·0
19	29·688	88·4	79·4	9·0	83·3	77·7	·875	77	46	10·2	77	0·010	...	— 2·0	+ 3·0	124	3·6	4·7
20	29·665	86·7	78·3	8·4	82·2	77·6	·885	81	55	7·0	53	0·030	1	— 2·7	+ 9·0	107	9·4	10·0
21	29·665	84·1	78·6	5·5	80·6	76·8	·872	83	62	6·5	49	0·245	3	— 2·7	+ 9·7	106	10·1	10·2
22	29·641	87·5	78·1	9·4	82·1	77·2	·869	79	44	11·2	84	...	...	— 2·6	+ 6·3	112	6·8	7·1
23	29·598	87·8	79·1	8·7	82·5	77·6	·882	79	20	12·0	90	...	...	— 2·8	+ 3·4	130	4·4	5·2
24	29·582	88·5	78·2	10·3	82·8	77·5	·873	78	23	10·9	83	...	...	— 0·7	+ 1·1	123	1·3	2·9
25	29·591	87·7	78·0	9·7	83·0	77·6	·875	77	16	12·0	91	...	...	— 0·7	+ 2·5	106	2·6	4·1
26	29·586	88·4	79·9	8·5	83·7	77·8	·874	75	23	12·1	92	...	...	— 2·5	+ 8·5	106	8·9	9·1
27	29·525	89·7	79·5	10·2	83·3	78·4	·907	79	83	5·6	42	0.580	4	+ 6·4	+ 23·8	75	24·6	24·9
28	29·466	85·0	75·4	9·6	81·2	77·5	·895	84	86	7·2	55	2·035	6	+ 6·2	+ 35·3	80	35·9	36·8
29	29·440	84·8	78·1	6·7	81·3	77·9	·911	85	99	...	...	1·240	7	— 16·6	+ 19·0	131	25·2	26·2
30	29·503	87·1	79·4	7·7	83·1	78·7	·923	81	94	5·6	42	0·345	4	— 17·7	+ 3·7	168	18·1	18·1
31	29·528	86·7	80·1	6·6	83·0	79·2	·947	84	63	10·3	79	...	...	— 2·1	+ 9·9	102	10·1	10·7
Means	29·605	87·3	78·6	8·7	82·5	78·0	0·899	81	58	Sum. 246·6	60	Sum. 12·800	Sum. 75	— 3·1	+ 7·6	112	8·2	11·6
Normals	29·616	86·7	78·3	8·4	82·0	77·7	0·895	82	67	209·9	51	13·382	68	— 3·9	+ 2·9	143	4·9	10·9
Absolute Max.	29·827	90·7	...	11·8	...	82·4	1·045	...	...	12·3	92	2·330	19	...	...	...	...	51·0†
Day.	14	1	...	12	...	7	31	...	...	4	4	10	13	...	...	...	...	12ᵐ8ˢ
Absolute Min.	29·385	...	73·4	5·4	...	72·4	0·730	55	...	...	...	...	...	...	...	...	...	...
Day.	5	...	12	13	...	12	17	17	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 8th.
Solar corona :—on the 31st.
Lunar halo :—on the 2nd, 7th and 31st.
Lunar corona :—on the 4th, 5th, 8th, 9th, 10th, 12th, 17th, 21st and 30th.
Slight fog :—on the 3rd and 8th.
Unusual Visibility :—on the 1st, 2nd, 3rd, 5th, 8th, 9th, 10th, 11th, 15th, 16th, 17th, 18th, 19th, 20th, 21st, 23rd, 24th, 26th, 27th and 28th.
Dew :—on the 2nd, 16th, 17th, 18th, 19th and 22nd.
Rainbow :—on the 8th, 20th, 21st and 27th.
Lightning :—on the 6th, 7th, 11th, 13th, 14th, 23rd, 24th, 25th and 26th.
Thunder :—on the 10th, 18th, 20th and 27th.
Thunderstorms as follows :—

6ᵈ. 5ʰ. 20ᵐ. to 7ʰ. 40ᵐ. in W.S.W.; distant.
8ᵈ. 19ʰ. 17ᵐ. to 20ʰ. 45ᵐ. in S. distant
9ᵈ. 1ʰ. 3ᵐ. to 1ʰ. 47ᵐ. in S.S.W.; distant.
14ᵈ. 8ʰ. 30ᵐ. to 6ʰ. 18ᵐ. N.W. to S.E.; nearest at 5ʰ. 30ᵐ. (16°).

Rain fell on 15 days. The mean hourly intensity was 0·171ᵢₙₛ., and the maximum fall in one hour was 1·180ᵢₙₛ. at 11ʰ on the 10th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 70 miles per hour at 22ʰ 40ᵐ on the 12th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1008·0	305·6	299·7	5·9	301·8	298·9	30·7	...	...	— 1·3	+ 0·5	161	1·4	1·7
2	1006·7	305·2	299·1	6·1	301·9	298·9	30·5	...	...	+ 0·1	— 1·1	274	1·1	1·2
3	1003·9	304·9	299·9	5·0	302·2	299·1	30·8	...	...	— 0·6	— 1·2	245	1·4	1·7
4	1000·2	305·2	300·3	4·9	302·4	299·0	30·5	...	...	— 1·0	— 1·8	239	2·1	2·2
5	998·9	305·6	300·4	5·2	302·5	299·1	30·5	...	...	— 0·7	— 1·8	248	1·9	2·0
6	1000·3	304·1	299·4	4·7	301·2	299·0	31·4	3·2	1	+ 0·3	— 1·3	281	1·3	1·4
7	1001·8	305·4	300·4	5·0	302·2	299·4	31·9	...	...	— 0·1	— 0·5	259	0·5	1·4
8	1003·7	303·2	299·0	4·2	300·7	298·9	31·6	13·3	3	— 0·3	+ 2·9	96	2·9	3·1
9	1005·2	302·3	297·7	4·6	299·9	298·1	30·0	6·9	1	— 0·8	+ 4·1	101	4·1	4·2
10	1006·5	301·6	297·8	3·8	300·0	298·4	30·9	59·2	4	+ 0·3	+ 3·1	85	3·1	3·2
11	1005·6	303·6	299·7	3·9	301·5	299·2	31·7	12·4	3	+ 0·6	+ 7·3	85	7·3	7·3
12	1001·6	302·6	296·0	6·6	300·3	297·9	29·2	44·1	12	— 2·2	+ 12·8	100	13·0	13·6
13	1004·5	300·5	297·5	3·0	298·8	297·2	28·4	42·7	19	— 7·1	+ 3·3	155	7·9	8·2
14	1009·7	302·8	298·0	4·8	300·3	298·5	30·8	29·5	7	— 3·4	+ 2·7	142	4·3	4·5
15	1010·9	303·6	299·1	4·5	300·8	298·8	31·3	...	...	— 0·3	+ 2·5	97	2·5	2·5
16	1009·1	304·1	297·8	6·3	300·8	298·6	30·6	...	...	— 0·6	+ 0·8	127	1·0	1·3
17	1008·4	304·4	298·6	5·8	301·2	297·9	28·4	...	...	— 0·8	— 0·4	204	0·9	1·3
18	1007·9	304·4	299·4	5·0	301·2	298·6	30·4	...	...	— 0·7	+ 0·9	128	1·2	1·3
19	1007·2	304·3	299·3	5·0	301·5	298·4	29·5	0·2	...	— 0·7	+ 1·0	124	1·2	1·5
20	1006·5	303·4	298·7	4·7	300·9	298·3	29·9	0·8	1	— 0·9	+ 3·0	107	3·1	3·3
21	1006·5	301·9	298·9	3·0	300.0	297·9	29·4	6·2	3	— 0·9	+ 3·2	106	3·3	3·3
22	1005·6	303·8	298·6	5·2	300·8	298·1	29·3	...	...	— 0·9	+ 2·1	112	2·2	2·3
23	1004·2	304·0	299·2	4·8	301·1	298·3	29·8	...	...	— 0·9	+ 1·1	130	1·4	1·7
24	1003·6	304·4	298·7	5·7	301·2	298·3	29·5	...	...	— 0·2	+ 0·4	123	0·4	1·0
25	1003·9	303·9	298·6	5·3	301·3	298·3	29·5	...	...	— 0·2	+ 0·8	106	0·9	1·3
26	1003·8	304·3	299·6	4·7	301·7	298·4	29·5	...	...	— 0·8	+ 2·8	106	2·9	3·0
27	1001·7	305·1	299·4	5·7	301·5	298·8	30·6	14·7	4	+ 2·1	+ 7·8	75	8·1	8·2
28	999·7	302·4	297·1	5·3	300·3	298·3	30·2	51·7	6	+ 2·0	+ 11·6	80	11·8	12·1
29	998·8	302·3	298·6	3·7	300·4	298·5	30·7	31·5	7	— 5·4	+ 6·2	131	8·3	8·6
30	1001·0	303·6	299·3	4·3	301·4	298·9	31·1	8·8	4	— 5·8	+ 1·2	168	5·9	5·9
31	1001·8	303·4	299·7	3·7	301·3	299·2	32·0	...	...	— 0·7	+ 3·2	102	3·3	3·5
								Sum.	Sum.					
Means.	1004·4	303·7	298·9	4·8	301·1	298·6	30·3	325·1	75	— 1·0	+ 2·5	112	2·7	3·8
Normals	1004·8	303·4	298·7	4·7	300·8	298·4	30·2	339·9	68	— 1·3	+ 1·0	143	1·6	3·6
Absolute Maximum	1012·0	305·6	...	6·6	...	301·0	35·2	59·2	19	...	...	...	...	16·8†
Day.	14	1 & 5	...	12	...	7	31	10	13	...	...	...	...	12ᵈ8ʰ
Absolute Minimum	996·9	...	296·0	3·0	...	295·4	24·6	...	...	...	...	...	...	...
Day.	5	...	12	13 & 21	...	12	17	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·619	80·7	77·6	0·906	87	47		3	3	— 2·8	+ 6·5	113	7·1	9·1
2	29·608	80·4	77·4	·901	87	45		6	6	— 2·8	+ 6·8	112	7·4	9·5
3	29·599	80·3	77·4	·903	87	45		2	5	— 2·2	+ 6·1	110	6·5	8·7
4	29·596	80·1	77·2	·897	87	44		3	5	— 2·2	+ 6·1	110	6·5	8·8
5	29·595	80·2	77·3	·900	87	54		6	4	— 2·0	+ 5·3	111	5·7	8·3
6	29·602	80·1	77·3	·901	88	64	25	5	5	— 2·1	+ 5·3	112	5·7	8·6
7	29·612	81·1	78·1	·923	87	61	66	3	6	— 2·3	+ 5·5	113	6·0	9·2
8	29·620	82·8	78·3	·909	81	62	66	1	4	— 2·9	+ 6·9	113	7·5	11·5
9	29·629	83·6	78·6	·912	79	65	74	2	5	— 2·3	+ 7·2	108	7·6	11·9
10	29·635	84·4	78·6	·901	76	67	74	7	3	— 2·2	+ 7·2	107	7·5	13·0
11	29·635	84·5	78·5	·895	75	67	72	15	6	— 2·8	+ 8·1	109	8·6	13·9
Noon.	29·624	85·0	78·7	·897	75	64	71	2	4	— 2·7	+ 9·7	106	10·1	15·0
13	29·614	85·9	78·9	·895	72	66	75	1	3	— 3·1	+ 9·9	107	10·4	15·0
14	29·597	85·7	78·9	·897	73	66	69	1	3	— 3·4	+ 9·9	109	10·5	15·3
15	29·583	85·3	78·8	·898	74	67	61	+	5	— 4·5	+ 10·0	114	11·0	15·5
16	29·571	84·7	78·4	·888	75	68	55	4	5	— 5·0	+ 9·6	118	10·8	14·9
17	29·564	83·9	78·1	·885	76	66	55	12	7	— 4·7	+ 8·2	120	9·4	13·1
18	29·565	83·3	77·9	·884	77	65	32	2	4	— 4·8	+ 7·7	122	9·1	12·9
19	29·579	82·2	77·6	·885	81	66		2	4	— 4·2	+ 8·3	117	9·3	12·2
20	29·594	81·7	77·7	·897	83	57		6	4	— 3·9	+ 7·9	116	8·8	11·8
21	29·608	81·4	77·7	·901	84	52		6	3	— 3·0	+ 8·1	110	8·6	10·5
22	29·624	81·3	77·7	·902	85	45		2	2	— 3·1	+ 7·9	111	8·5	10·5
23	29·630	81·2	77·7	·904	85	46		1	2	— 3·3	+ 7·0	115	7·7	9·4
Midn.	29·626	81·1	77·7	·905	85	51		3	3	— 3·2	+ 6·6	116	7·3	9·5

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of JULY, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1004·9	300·1	298·3	30·6	— 0·9	+ 2·1	113	2·3	3·0
2	1004·5	299·9	298·2	30·4	— 0·9	+ 2·2	112	2·4	3·1
3	1004·2	299·8	298·2	30·5	— 0·7	+ 2·0	110	2·1	2·9
4	1004·1	299·7	298·1	30·3	— 0·7	+ 2·0	110	2·1	2·9
5	1004·1	299·8	298·2	30·4	— 0·7	+ 1·7	111	1·9	2·7
6	1004·3	299·7	298·2	30·4	— 0·7	+ 1·7	112	1·9	2·8
7	1004·7	300·3	298·6	31·1	— 0·8	+ 1·8	113	2·0	3·0
8	1004·9	301·2	298·7	30·7	— 1·0	+ 2·3	113	2·5	3·8
9	1005·2	301·7	298·9	30·8	— 0·8	+ 2·4	108	2·5	3·9
10	1005·4	302·1	298·9	30·4	— 0·7	+ 2·4	107	2·5	4·3
11	1005·4	302·2	298·8	30·2	— 0·9	+ 2·7	109	2·8	4·6
Noon.	1005·1	302·4	298·9	30·3	— 0·9	+ 3·2	106	3·3	4·9
13	1004·7	302·9	299·1	30·2	— 1·0	+ 3·2	107	3·4	4·9
14	1004·1	302·8	299·1	30·3	— 1·1	+ 3·2	109	3·4	5·0
15	1003·7	302·6	299·0	30·3	— 1·5	+ 3·3	114	3·6	5·1
16	1003·3	302·3	298·8	30·0	— 1·6	+ 3·1	118	3·5	4·9
17	1003·0	301·8	298·6	29·9	— 1·5	+ 2·7	120	3·1	4·3
18	1003·1	301·5	298·5	29·8	— 1·6	+ 2·5	122	3·0	4·2
19	1003·5	300·9	298·3	29·9	— 1·4	+ 2·7	117	3·0	4·0
20	1004·0	300·6	298·4	30·3	— 1·3	+ 2·6	116	2·9	3·9
21	1004·5	300·4	298·4	30·4	— 1·0	+ 2·7	110	2·8	3·4
22	1005·1	300·4	298·4	30·4	— 1·0	+ 2·6	111	2·8	3·4
23	1005·3	300·3	298·4	30·5	— 1·1	+ 2·3	115	2·5	3·1
Midn.	1005·2	300·3	298·4	30·5	— 1·0	+ 2·2	116	2·4	3·1

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

JULY,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th JUNE, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.79	756.6	59	...	SE	4		6	29.71	754.7	60	...	ESE	4	r
Nemuro,	11	...	...	...	...	...	...	...	5	29.94	760.5	...	...	SSE	3	...
Hokodate,	,,	29.84	758.0	...	...	W	1	...	,,	29.88	759.0	...	...	...	0	...
Tokio,	,,	29.84	758.0	...	...	SE	1	...	,,	29.92	760.0	...	...	NW	1	...
Kochi,	,,	29.82	757.5	...	...	SSW	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	SE	1	...	,,	29.76	756.0	...	...	SW	5	...
Kagoshima,	,,	29.80	757.0	...	...	...	0	...	,,	29.80	757.0	...	...	...	...	...
Oshima,	,,	29 82	757.5	...	...	SSW	1	...	,,	29.82	757.5	...	...	S	1	...
Naha,	,,	29 84	758.0	...	...	SSW	2	...	,,	29.84	758.0	...	...	...	4	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	SSW	2	...
Bonin Island,	,,	29.94	760.5	...	...	SE	1	...	,,	30.02	762.5	...	...	WNW	1	...
Weihaiwei,	14	29.68	753 9	75	72	S	1	o	6	29.53	750.0	65	95	N	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.72	754.9	84	81	SE	1	o	,,	29.65	753.1	79	93	S	1	o
Gutzlaff,	,,	29.71	754.6	78	92	SE	2	o	,,	29.64	752.8	74	95	S	4	o
Sharp Peak,	15	29.76	755.9	86	80	S	4	b	7	29.72	754.9	80	96	S	1	b
Amoy,	14	29.70	754.4	90	84	SSE	2	b	6	29.72	754.9	82	92	SSW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.79	756.6	93	59	NNW	2	b	,,	29.79	756.6	77	96	...	0	b
Taichu,	,,	29 80	756.9	90	...	SW	2	b	,,	29.80	756.9	79	...	...	0	r
Tainan,	,,	29.81	757.2	90	...	N	4	b	,,	29.79	756.6	79	...	...	0	b
Koshun,	,,	29.81	757.2	86	...	SSW	4	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.82	757.5	86	...	WSW	4	b	,,	29.80	756 9	79	...	SW	1	b
Canton,	15	29.73	755.1	90	73	SE	2	b	,,	29.77	756.1	79	95	E	1	c
Hongkong,	14	29.75	755 6	88	64	SSE	1	c	,,	29.78	756.4	81	83	...	0	c
Gap Rock,	,,	29.76	755 9	...	...	S	5	b	,,	29.76	755.9	...	...	S	4	b
Macao,	,,	29.68	753.9	84	71	SSE	4	o	,,	29.74	755.4	81	87	...	0	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 61	752 1	86	71	SSE	6	b	7	29.71	754 5	81	96	SSE	4	b
Tourane,	,,	29.65	753 0	85	...	E	2	b	,,	29.69	754.2	82	...	E	2	b
Cape St. James,	,,	29.75	755.7	81	...	WSW	4	o	,,	29.80	756.9	77	...	SW	2	o
Aparri,	14	29 73	755 1	93	61	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29 74	755.4	82	81	NE	1	r	,,	29.74	755.4	75	96	E	1	r
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	77	94	...	0	o
Tacloban,	,,	29.67	753.6	86	75	NW	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	84	77	SSW	2	o	,,	29.72	754.8	77	92	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	77	89	...	0	o
Guam,	12.20	29.76	756 0	...	...	E	4	r	42.0	29.78	756.3	...	...	ENE	2	r
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	83	94	SE	2	b	6	29.78	756.4	81	93	SE	7	b

July 1*d.* 11*h.* 47*m.*—Pressure has increased slightly from N.E. Japan to the Bonins and from Hongkong to Haiphong. It has decreased moderately at Weihaiwei and slightly from Wladivostock to Shanghai. A feeble anticyclone is central near the Bonins and a depression near Weihaiwei.

The Yap depression may be travelling westward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·86 inches, against an average of 39·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	S.W. winds, moderate.
2.—Hongkong to Gap Rock,	S.E. or variable winds, moderate; fair.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st JULY, 1922.								2nd JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	29.63	752.6	61	...	ESE	5	r	6	29.28	743.7	62	...	NNW	1	r
Nemuro,	11	29.88	759.0	...	...	S	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.82	757.5	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.86	758.5	...	...	...	0	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.82	757.5	...	...	...	0	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.72	755.0	...	...	SW	7	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.82	757.5	...	...	SSW	2	...	,,	...	...	...	...	...	...	...
Oshima.	,,	29.82	757.5	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.84	758.0	...	...	S	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.00	762.0	...	...	S	3	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.50	749.3	75	63	N	1	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.64	752.8	93	61	SW	4	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.61	752.1	78	100	SSW	4	o	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.76	755.9	85	76	SSE	4	o	7	29.74	755.4	81	95	S	2	b
Amoy,	14	29.72	754.9	92	81	SSE	1	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.80	756.9	85	61	WNW	2	o	,,	29.73	755.1	77	94	...	0	o
Taichu,	,,	29.81	757.2	90	...	SW	2	b	,,	29.78	756.3	79	...	...	0	b
Tainan,	,,	29.82	757.5	90	...	SW	4	b	,,	29.75	755.7	79	...	...	0	b
Koshun,	,,	29.81	757.2	86	...	E	2	b	,,	29.75	755.7	77	...	...	0	b
Pescadores,	,,	29.84	757.8	86	...	W	4	b	,,	29.76	756.0	81	...	SSW	1	b
Canton,	15	29.74	755.4	92	67	SSE	2	b	,,	29.77	756.1	79	95	...	0	c
Hongkong,	14	29.77	756.1	89	64	SSW	2	c	,,	29.76	755.9	79	92	...	0	c
Gap Rock,	,,	29.73	756.4	...	...	SSE	4	b	,,	29.77	756.1	...	...	...	0	b
Macao,	,,	29.75	755.7	90	72	SSE	2	o	,,	29.74	755.4	79	92	...	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.67	753.6	90	72	SSE	6	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.69	754.2	86	...	ENE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	85	...	SSW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.71	754.5	93	59	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	86	78	W	4	o	,,	29.73	755.1	79	96	S	1	o
Legaspi,	,,	29.73	755.1	90	72	E	2	o	,,	29.71	754.5	79	95	W	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.65	753.3	86	63	SSW	4	o	,,	29.73	755.1	81	89	SW	4	o
Surigao,	,,	29.68	753.9	84	74	...	0	o	,,	29.71	754.5	77	96	...	0	o
Guam,	12.20	29.76	756.0	...	...	SSE	2	r	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	84	75	N	2	b	6	29.78	756.4	80	95	E	4	b

July 2*d*. 12*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 13° N. Long. 131° E. moving N.W. position uncertain.

July 2*d*. 11*h*. 58*m*.—Pressure has decreased slightly over Formosa. It is nearly stationary at other reporting stations.

A shallow depression lies over Annam.

At 6 a.m. this morning the Yap depression appeared to be about 400 miles to the east of Legaspi, moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·86 inches, against an average of 39·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
1.—Formosa Channel, ...	Light, variable winds, fine.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks.	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	3rd JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.39	746.5	...	...	S	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.20	744.0	...	...	SSW	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.67	753.5	...	...	SSW	5	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.70	754.5	...	...	SW	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.65	753.0	...	...	W	5	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.70	754.5	...	...	SSW	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.76	756.0	...	...	SSE	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.76	756.0	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.78	756.5	...	...	SSW	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.95	761.0	...	...	ESE	4	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.51	749.5	78	65	N	1	b	6	29.47	748.5	72	85	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.71	754.6	73	100	NW	1	0	,,	29.70	754.4	72	100	S	1	0
Gutzlaff,	,,	29.70	754.4	72	95	NE	1	r	,,	29.68	753.9	69	100	SE	1	0
Sharp Peak,	15	29.70	754.4	88	84	S	2	0	7	29.68	753.9	82	91	W	1	b
Amoy,	14	29.67	753.6	82	92	SW	1	b	6	29.61	752.1	83	92	...	0	b
Swatow,	,,	29.61	752.1	93	58	S	2	b	,,	...	...	...	..	...	...	...
Taiho-u,	12	29.74	755.4	93	59	W	4	b	,,	29.66	753.3	77	94	...	0	b
Taichu,	,,	29.76	756.0	90	...	SW	4	b	,,	29.71	754.5	81	...	...	0	0
Tainan,	,,	29.78	756.3	90	...	SW	4	0	,,	29.68	753.9	81	...	...	0	0
Kothun,	,,	29.75	756.0	90	...	...	c	0	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.79	756.6	86	...	SW	4	b	,,	29.68	753.9	81	...	SW	4	b
Canton,	15	29.69	754.1	92	67	WSW	1	0	,,	29.68	753.9	81	91	S	1	c
Hongkong,	14	29.71	754.6	89	64	W	2	c	,,	29.68	753.9	81	91	NW	1	b
Gap Rock,	,,	29.73	755.1	...	...	...	0	b	,,	29.69	754.1	...	...	SW	3	b
Macao,	,,	29.71	754.5	93	71	SSW	2	0	,,	29.66	753.3	81	92	WSW	2	0
Wuchow,	15	29.65	753.3	91	84	W	1	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.68	753.9	90	69	SSE	4	b	7	29.68	753.9	82	90	SSE	4	b
Tourane,	,,	29.67	753.6	86	...	NE	2	0	,,	29.68	753.9	81	...	...	0	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	77	...	...	...	...
Aparri,	14	29.66	753.3	93	61	NE	4	b	6	29.67	753.6	79	92	...	...	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	86	75	SW	2	0	,,	29.68	753.9	79	96	SE	1	0
Legaspi,	,,	29.65	753.0	90	72	WSW	4	0	,,	29.69	754.2	79	92	SW	4	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	..	...	...	...
Iloilo,	,,	29.67	753.6	81	77	SW	4	0	,,	29.75	755.7	77	92	SW	2	0
Surigao,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	81	76	WSW	4	0
Guam,	12.20	29.78	756.3	...	...	WSW	1	r	42.0	29.81	757.2	...	...	ENE	4	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	69	SW	4	b	6	29.80	756.9	76	94	E	2	0

July 2*d*. 21*h*. 40*m*.—Warning to Hongkong. Coast Ports, &c.:—Depression or typhoon in Lat. 16° N. Long. 128° E. moving N.W. position uncertain.

July 3*d*. 12*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 19° N. Long. 127° E. moving N.N.W. position uncertain.

July 3*d*. 12*h*. 49*m*.—Pressure has decreased slightly from Hongkong to Haiphong and from Weihaiwei to Luzon.

A depression lies to the north of Weihaiwei.

The Yap depresion or typhoon was probably about 300 miles to the east of Appari this morning, travelling N.N.W. Its position is very uncertain however.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·86 inches, against an average of 40·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, ...	S.W. or variable winds, moderate; fine.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd JULY, 1922.								4th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.45	748.0	...	...	NE	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.59	751.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.88	759.0	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.76	756.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.63	752.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.67	753.5	...	...	SSW	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.69	754.0	...	...	SSE	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.69	754.0	...	...	SSE	9	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...		...	...	...
Bonin Island,	,,	29.94	760.5	...	...	SSW	4	...	,,	...	...	...		...	...	...
Weihaiwei,	14	29.43	747.5	80	70	NE	1	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.69	754.1	79	80	SSE	1	o	,,	29.64	752.8	70	98	SSE	1	o
Gutzlaff,	,,	29.63	752.6	83	100	SE	2	o	,,	29.63	752.5	71	100	ENE	2	o
Sharp Peak,	15	29.58	751.3	88	76	SSE	4	b	7	29.59	751.6	80	95	NNE	1	o
Amoy,	14	29.51	749.5	82	81	SSE	1	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.62	752.4	0	66	W	4	b	,,	29.58	751.2	77	86	S	2	b
Taichu,	,,	29.68	753.9	90	...	W	4	b	,,	29.60	751.8	81	...	SSW	2	o
Tainan,	,,	29.67	753.6	0	...	SW	4	b	,,	29.59	751.5	79	...	...	0	b
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.67	753.6	86	...	WSW	4	b	,,	29.59	751.5	81	...	SSW	8	o
Canton,	15	29.59	751.6	94	64	SW	2	b	,,	...	...	...	...	...	...	...
Hongkong,	14	29.63	752.6	89	66	SW	2	c	,,	29.57	751.1	82	84	WSW	3	c
Gap Rock,	,,	29.65	753.1	...	...	SW	3	b	,,	29.57	751.1		...	SW	3	b
Macao,	,,	29.62	752.4	93	67	SSW	2	o	,,	29.55	750.6	81	87	SW	4	b
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.59	751.5	90	66	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.59	751.5	86	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.8	77	...	SW	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.60	751.8	90	63	N	4	o	6	29.59	751.5	77	96	SW	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753.0	86	71	WSW	6	o	,,	29.63	752.7	79	93	SW	2	r
Legaspi,	,,	29.69	753.3	82	84	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.68	753.9	84	71	WSW	2	o	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.71	754.5	82	84	SW	4	r	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	82	77	WSW	1	o
Guam,	12.20	29.76	756.0	...	...	SE	1	o	42.0	29.79	756.6	...	...	S	1	r
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	84	75	SW	4	b	6	29.78	756.4	80	93	SE	6	o

July 4*d.* 10*h.* 50*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 22° N. Long. 128° E. moving North; position uncertain.

July 4*d.* 10*h.* 50*m.*—Pressure has decreased moderately to slightly at all reporting stations.

At 6 a.m. this morning, the Yap depression or typhoon appeared to be about 400 miles east of Koshun, moving northward.

Depresions are shown over China and in the extreme North.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·86 inches, against an average of 40·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S.W. or variable winds, moderate; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th JULY, 1922.								5th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.61	752.2	58	...	WSW	1	o	6	29.77	756.1	55	...	WNW	1	o
Nemuro,	11	29.80	757.0	...	...	ESE	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.70	754.5	...	...	ESE	3	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.72	755.0	...	...	...	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.69	754.0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.65	753.0	...	...	S	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.63	752.5	...	...	S	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.57	751.0	...	...	SE	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	SE	4	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.60	751.8	76	82	N	1	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.65	753.1	82	70	E	1	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.64	752.8	75	100	ESE	1	o	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.55	750.5	90	75	ESE	2	b	7	29.59	751.6	78	95	NE	1	o
Amoy,	14	29.43	747.5	92	81	SSE	1	b	6	29.47	748.5	82	96	...	o	o
Swatow,	,,	29.40	746.7	95	59	SW	1	c	,,	29.42	747.2	81	87	NW	1	b
Taihoku,	12	29.54	750.3	93	57	NE	2	b	,,	29.53	750.0	77	92	SSW	2	b
Taichu,	,,	29.56	750.9	90	...	SSW	2	b	,,	29.54	750.3	79	...	...	o	r
Tainan,	,,	29.55	750.6	90	...	WSW	1	b	,,	29.50	749.4	77	...	...	o	b
Koshun,	,,	29.52	750.9	90	...	NW	4	b	,,	29.52	749.7	75	...	SSE	1	b
Pescadores,	,,	29.56	750.9	90	...	SSW	4	b	,,	29.52	749.7	79	...	...	o	b
Canton,	15	29.48	748.8	93	67	SW	1	b	,,	29.50	749.3	82	87	S	1	c
Hongkong,	14	29.50	749.3	88	68	WSW	1	c	,,	29.51	749.5	83	83	WSW	3	c
Gap Rock,	,,	29.51	749.5	..	...	WSW	4	b	,,	29.51	749.5	...	...	SW	4	c
Macao,	,,	29.49	749.1	93	71	SW	2	o	,,	29.48	748.8	81	90	WSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.47	748.5	90	76	SE	2	o	7	29.53	750.0	77	96	WNW	4	o
Tourane,	,,	29.50	749.4	90	...	ENE	2	b	,,	29.54	750.3	84	...	SW	2	b
Cape St. James,	,,	29.68	753.9	79	...	SW	6	r	,,	...	...	...	...	...	...	...
Aparri,	14	29.48	748.8	93	57	N	4	o	6	29.52	749.7	81	84	S	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Manila,	,,	29.58	751.2	86	75	WSW	4	o	,,	29.63	752.7	79	93	SW	4	r
Legaspi,	,,	29.59	751.5	82	90	WSW	4	o	,,	...	...	...	...	...	...	...
Taclobau,	,,	...	...	...	..	...	...	...	,,	...	...	...	..	...	...	...
Iloilo,	,,	29.69	754.2	75	92	SW	4	r	,,	29.71	754.5	81	90	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.69	754.2	81	73	WSW	2	o
Guam,	12.20	29.76	756.0	...	...	E	4	r	42.0	29.79	756.6	...	...	E	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	84	98	NW	6	b	6	29.75	755.6	77	86	S	2	o

July 4*d*. 20*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon within 120 miles of Lat. 21° N. Long. 126° E. direction unknown.

July 5*d*. 12*h* 00*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon within 120 miles of Lat. 22° N. Long. 125° E. direction unknown.

July 5*d*. 11*h*. 58*m*.—Pressure has decreased slightly at Appari and from Formosa to Tongking.

A depression lies over S.W. China.

A secondary formed in the Yap depression yesterday afternoon. At 6 a.m. this morning the centre appeared to be about 300 miles to the east of Koshun. Its direction of motion is unknown

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·86 inches, against an average of 41·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	Light variable winds, possibly freshening considerably from N.W.
2.—Hongkong to Gap Rock,	S.W. or variable winds, moderate; fair.
3.—South coast of China between Hongkong and Lamocks.	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th JULY, 1922.								6th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Koobi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.72	754.9	70	94	NE	4	r	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.64	752.8	69	100	NNE	6	rf	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.55	750.5	88	80	E	2	f	7	29.55	750.5	78	94	E	1	r
Amoy,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.53	750.0	90	66	W	4	b	,,	29.50	749.4	79	90	SW	2	o
Taichu,	,,	29.54	750.3	90	...	WNW	2	b	,,	29.52	749.7	77	...	...	o	o
Tainan,	,,	29.55	750.6	90	...	W	4	b	,,	29.52	749.7	77	...	...	o	o
Koshun,	,,	29.53	750.0	86	...	NW	4	o	,,	29.50	749.4	81	...	NNW	4	o
Pescadores,	,,	29.58	751.2	90	...	WSW	4	b	,,	29.52	749.7	79	...	SSW	2	b
Canton,	15	29.45	748.0	92	70	W	1	o	,,	29.54	750.3	78	91	NNE	1	o
Hongkong,	14	29.47	748.5	90	63	W	1	c	,,	29.51	749.5	82	87	...	o	o
Gap Rock,	,,	29.49	749.0	...	...	SW	4	c	,,	29.53	750.0	...	...	SW	4	clt
Macao,	,,	29.47	748.5	93	67	...	2	o	,,	29.49	749.1	79	96	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.47	748.5	90	60	NW	4	o	7	29.52	749.7	81	96	NNE	2	o
Tourane,	,,	29.48	748.8	86	...	NE	2	b	,,	29.56	750.9	84	...	...	o	b
Cape St. James,	,,	29.65	753.0	86	...	SW	7	o	,,	29.73	755.1	77	...	SSW	4	o
Aparri,	14	29.48	748.8	90	60	S	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.60	751.8	79	93	SW	4	r	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.61	752.1	86	91	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	84	77	SSW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	1	o	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	84	75	N	2	b	6	29.77	756.1	82	92	SE	10	b

July 6*d.* 12*h.* 43*m.*—Pressure changes are small at the few stations reporting this morning. The typhoon appears to be nearly stationary about 300 miles to the east of Kosbun; but this requires confirmation.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·13 inch. Total since January 1st, 25·99 inches, against an average of 41·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds, possibly freshening considerably fro [N.W.
2.—Hongkong to Gap Rock,	N.W. or variable winds, moderate; fair to showery.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	7th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tokio,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.76	755.9	78	78	NNE	1	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.71	754.6	72	86	NNE	4	r	,,	29.63	752.6	68	96	NW	2	o
Gutzlaff,	,,	29.59	751.6	70	100	N	6	o	,,	29.57	751.1	70	100	NNW	6	o
Sharp Peak,	15	29.57	751.1	80	85	E	1	o	7	29.63	752.6	80	95	...	o	b
Amoy,	14	29.45	748.0	88	88	ESE	1	bf	6	29.46	748.3	80	89	...	o	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.54	750.3	90	69	NW	4	o	,,	29.58	751.2	77	94	...	o	r
Taichu,	,,	29.56	750.9	86	...	W	2	o	,,	29.58	751.2	79	...	...	o	o
Tainan,	,,	29.55	750.6	90	...	W	4	o	,,	29.56	750.9	77	...	ESE	2	r
Koshun,	,,	29.55	750.6	86	...	NNW	4	o	,,	29.56	750.9	82	...	W	4	b
Pescadores,	,,	29.56	750.9	86	...	SW	4	b	,,	29.56	750.9	79	...	NNE	4	r
Canton,	15	29.54	750.3	92	61	N	2	c	,,	29.59	751.6	80	87	N	1	o
Hongkong,	14	29.53	750.0	87	79	W	1	o	,,	29.57	751.1	82	87	...	o	c
Gap Rock,	,,	29.55	750.5	...	...	NNW	3	b	,,	29.58	751.3	...	...	W	2	c
Macao,	,,	29.62	752.4	86	85	NE	2	o	,,	29.55	750.6	81	92	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.53	750.0	84	85	NW	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.54	750.3	90	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.2	82	...	SSW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	90	60	SSW	4	o	6	...	...	...	...	...	...	...
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.67	753.6	77	91	SW	1	r	,,	...	...	...	...	...	...	...
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cacloban,	,,	29.72	754.8	86	81	SSE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	78	SSW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	86	65	WNW	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	1	r	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Jaluan,	14	29.74	755.4	86	76	S	2	b	6	29.76	755.9	82	93	SW	2	b

July 6*d*. 13*h*. 55*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon within 120 miles of Lat. 22° N. Long. 125° E. stationary or very slow.

July 7*d*. 9*h* 25*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon within 60 miles of Lat. 27° N. Long. 127° E. moving N.N.E.

July 7*d*. 13*h*. 13*m*.—Owing to lack of observations no weather forecast or map will be published.

Belated observations from the Loochoos, presumably for 6 a.m. on the 6th, indicate that at this time the typhoon was in latitude 27° N. and longitude 127° E. moving N.N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 25·99 inches, against an average of 41·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	None.
2.—Hongkong to Gap Rock,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th July, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	8th July, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.87	758.6	65	...	WNW	1	r	6	29.49	748.9	65	...	E	8	r
Nemuro,	11	30.10	764.5	...	...	ESE	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.96	761.0	...	...	E	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.98	761 5	...	...	S	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.78	756.5	...	...	SE	3	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.37	746.0	...	...	S	8	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.53	750.0	...	...	S	6	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.61	752.0	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.63	752.5	...	...	S	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.61	752.0	...	...	N	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.02	762.5	...	...	ESE	3	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.61	752.1	76	77	N	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.69	754.1	75	86	NW	2	b	,,	29.77	756.1	68	100	...	0	bf
Gutzlaff,	,,	29.66	753.3	75	100	N	2	o	,,	29.77	756.1	71	100	SE	2	b
Sharp Peak,	15	...	...	...	...	...	...	...	7	29.65	753.1	77	91	N	1	b
Amoy,	14	29 52	749.8	83	92	...	0	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.63	752 7	77	92	E	2	r	,,	29.65	753.0	75	92	E	4	o
Taichu,	,,	29.63	752.7	82	...	...	0	o	,,	29.62	752.4	79	...	...	0	o
Tainan,	,,	29.59	751.5	79	...	SE	2	r	,,	29.60	751.8	79	...	...	0	o
Koshun,	,,	29.59	751.5	86	...	WSW	4	o	,,	29.62	752.4	61	...	E	2	r
Pescadores,	,,	29.60	751.8	86	...	SSW	2	o	,,	29.62	752.4	81	...	NNE	6	o
Canton,	15	29.56	750.8	92	64	S	2	c	,,	29.62	752.3	82	91	ESE	1	c
Hongkong,	14	29.57	751.1	89	68	...	0	c	,,	29.62	752.3	80	91	...	0	cm
Gap Rock,	,,	29.59	751.6	...	...	SW	3	c	,,	29.61	752.1	...	...	SSW	4	op
Macao,	,,	29.53	750.0	90	76	...	0	o	,,	29.60	751.8	82	94	SSE	2	b
Wuchow,	15	29.56	750.8	86	80	W	1	op	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.52	749.7	90	69	S	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.59	751.5	86	...	...	0	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.5	81	...	SW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	79	90	WSW	7	r	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.71	754.5	81	87	SSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	75	WSW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29 74	755.4	...	...	E	4	r	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	76	N	2	b	6	29.78	756.4	80	95	E	2	b

July 8*d.* 11*h.* 45*m.*— Observations are lacking from the majority of the reporting stations.

No weather map or forecast will be issued.

At 6 a.m. yesterday the typhoon was in about latitude 32° N. and longitude 127° E. travelling northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·07 inch. Total since January 1st, 26·06 inches, against an average of 42·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, ...	None.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	9th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.02	762.5	...	...	ESE	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.92	760.0	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.00	762 0	...	...	SSW	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.76	756.0	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30 06	763.5	...	...	ESE	3	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	23.61	752.1	78	78	N	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.82	757.4	82	70	...	0	0	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.77	756.1	76	100	SSE	2	b	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.73	755.1	84	72	E	2	0	7	29.73	755.1	77	91	WNW	2	0
Amoy,	14	29.61	752.1	90	73	E	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29 69	754.2	86	71	E	4	0	,,	...	...	...	...	...	...	...
Taichu,	,,	29.66	753 3	86	...	NW	2	0	,,	...	...	...	...	...	...	...
Tainan,	,,	29.63	752 7	93	...	ENE	2	0	,,	...	...	...	...	...	...	...
Koshun,	,,	29.65	753-3	82	...	..	0	0	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.67	753.6	84	...	N	4	0	,,	...	...	...	...	...	...	...
Canton,	15	29.63	752.6	80	91	E	1	0	,,	29.67	753.6	77	95	E	2	c
Hongkong,	14	29.64	752.8	85	77	E	3	0	,,	29.66	753.3	79	89	E	2	0
Gap Rock,	,,	29.64	752.8	...	...	ENE	4	c	,,	29.64	752.8	...	...	E	4	c
Macao,	,,	29.62	752.4	86	78	ESE	1	0	,,	29.62	752.4	81	92	ESE	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.52	749.7	90	72	SSW	1	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.59	751.5	86	...	E	2	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.8	84	...	SSW	4	0	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29 69	754.2	84	77	SW	4	0	,,	...	...	...	...	...	...	...
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	86	81	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	58	SSW	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	...	...	W	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	4	0	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	86	76	E	2	b	6	29.76	755.9	78	91	SE	2	b

July 9*d*. 12*h*. 20*m*.— Observations are lacking from the majority of the reporting stations.

No weather map or forecast will be issued.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·72 inch. Total since January 1st, 26·78 inches, against an average of 42·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	None.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	10th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock. .	12	29 51	749.6	62	...	ESE	2	or	6	29 60	751.9	66	...	...	0	h
Nemuro, ...	11	29.67	753-5	...	...	S	3	...	5	29.47	758.5	...	...	...	...	...
Hokodate, ...	,,	29.67	753 5	...	...	ESE	1	...	,,	29.53	750.0	...	...	SSW	1	...
Tokio, ...	,,	29.82	757-5	...	...	S	3	...	,,	29.71	754 5	...	...	ESE	2	...
Kochi, ...	,,	29.86	758.5	...	...	...	...	...	,,	29.84	758.0	...	...	S	1	...
Nagasaki, ...	,,	29.88	759.0	...	...	SW	1	...	,,	...	..	...	...	...	...	...
Kagoshima, ...	,,	29.90	759 5	...	...	SE	1	...	,,	29.86	758.5	...	...	...	...	...
Oshima.	,,	29.88	759.0	...	...	SSE	3	...	,,	29.84	758.0	...	...	SSE	2	...
Naha, ...	,,	...	...	...	...	...	...	...	,,	29.90	759.5	...	...	S	1	...
Ishigakijima, ...	,,	29.76	756.0	...	...	SSW	6	...	,,	29.71	754-5	...	...	SSW	5	...
Bonin Island, ...	,,	30.02	762.5	...	...	ESE	2	...	,,	29.98	761 5	...	...	...	...	...
Weihaiwei, ...	14	29.72	754-9	77	77	NNE	1	o	6	29.76	755-9	75	81	ENE	1	0
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	29.84	757.9	81	76	SE	1	b	,,	29.85	758.2	75	98	ESE	1	1
Gutzlaff, ...	,,	29 85	758.2	75	100	ESE	4	o	,,	29.83	757-7	73	100	E	2	0
Sharp Peak. ...	15	29.74	755-4	88	84	E	1	b	7	29.78	756.4	80	88	...	0	0
Amoy, ...	14	29.62	752.3	81	95	SSE	2	b	6	...	...	...	...	...	...	...
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	29.67	753.6	90	63	NW	2	o	,,	29.79	756.6	75	96	SSW	2	0
Taichu, ...	,,	29.72	754.8	86	...	SSW	2	o	,,	29.78	756.3	72	...	...	0	0
Tainan, ...	,,	29.72	754.8	84	...	SSE	4	r	,,	29.75	755.7	77	...	ESE	2	0
Koshun, ...	,,	29.73	755 1	86	...	...	o	o	,,	29.76	756.0	79	...	ESE	2	0
Pescadores, ...	,,	29 74	755.4	79	...	N	6	r	,,	29.75	755.7	81	...	SSE	4	0
Canton, ...	15	29.68	753.9	83	87	SSE	2	or	,,	29.72	754-9	78	95	ENE	1	r
Hongkong, ...	14	29.68	753.9	84	79	E	3	o	,,	29 69	754-1	81	87	E	2	op
Gap Rock, ...	,,	29.69	754.1	...	...	S	5	op	,,	29.68	753.9	...	...	E	6	oqr
Macao, ...	,,	29.66	753.3	86	78	SE	2	o	,,	29.66	753.3	81	90	ESE	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	29.53	750.0	86	71	SSE	4	o	7	...	...	...	...	...	...	...
Tourane, ...	,,	29.60	751.8	86	...	NNW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri, ...	14	...	...	...	...	...	...	...	6	29.74	755.4	79	93	...	0	0
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.71	754-5	86	71	WSW	1	o	,,	29.72	754.8	75	96	E	1	0
Legaspi, ...	,,	29.66	753 3	90	69	NNE	2	o	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	29.62	752.4	82	77	NW	4	r	,,	...	...	...	...	...	...	...
Hoilo, ...	,,	29.66	753.3	86	68	S	2	o	,,	29.68	753-9	75	91	SW	4	r
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.75	755-7	...	...	ESE	4	o	42.0	29.82	757-5	...	...	SE	2	o
Yap, ...	12 47	..	...	...	...	...	...	...	4.47	...	..	...	...	...	...	...
Labuan, ...	14	29.75	755.6	88	73	S	2	b	6	29.79	756.6	76	82	SE	12	b

July 10*d.* 11*h* 40*m.*—Warning to Hongkong. Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 12° N. Long. 123° E. moving W.N.W.

July 10*d.* 12*h.* 30*m.*—Pressure is highest over the Bonins. It has decreased considerably over N.E. Japan and slightly over the Visayas. It has increased moderately over Formosa.

Depressions lie to the N.E. of Japan, over Tongking, and over the Visayas. The last named may develope into a typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·83 inch. Total since January 1st, 27·61 inches, against an average of 42·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fair.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th JULY, 1922.								11th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.59	751.5	66	...	SW	4	r	6	29.76	29.60	60	...	N	2	o
Nemuro,	11	29.45	748.0	...	...	ESE	1	...	5	29.65	753 0	...	...	NE	1	...
Hokodate,	,,	29.61	752 0	...	...	WNW	6	...	,,	29.63	752.5	...	...	...	...	...
Tokio,	,,	29.69	754.0	...	...	SW	1	...	,,	29.69	754.0	...	...	NW	1	...
Kochi,	,,	...	...	...	...	...	...	...	,,	29.69	754.0	...	...	SW	1	...
Nagasaki,	,,	29.80	757 0	...	...	...	...	...	,,	29.75	755.5	...	...	...	0	...
Kagoshima,	,,	29.84	758.0	...	...	WSW	1	...	,,	29.80	757.0	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	...	...	S	1	...
Naha,	,,	29.86	758.5	...	...	S	2	...	,,	29.84	758 0	...	...	SSW	3	...
Ishigakijima,	,,	29.84	758.0	...	...	SW	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	...	...	...	...	SE	1	...	,,	29.92	760.0	...	...	SSE	1	...
Weihaiwei,	14	29.71	754 6	86	55	WNW	4	b	6	29.75	755.6	76	82	...	0	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.86	758.4	84	71	ESE	1	o	,,	29.85	758.2	90	100	SE	1	of
Gutzlaff,	,,	29.85	758.2	77	100	ENE	2	o	,,	29.83	757.7	71	100	SSE	1	o
Sharp Peak,	15	29.80	756.9	85	84	SSE	2	o	7	29.85	758.2	81	91	E	2	o
Amoy,	14	29.75	755.6	90	81	SSE	2	b	6	29.70	754.4	82	92	...	0	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29 81	757.2	90	63	NW	2	b	,,	29.79	756.6	77	94	...	0	b
Taichu,	,,	29.80	756.9	86	...	WNW	2	o	,,	29.79	756.6	77	...	...	0	o
Tainan,	,,	29.79	756.6	86	...	SW	4	b	,,	29.75	755.7	77	...	...	0	b
Koshun,	,,	29.80	756.9	90	...	SE	4	b	,,	29.78	756 3	81	...	ESE	4	o
Pescadores,	,,	29.81	757.2	90	...	SE	2	o	,,	29.78	756.3	81	...	NE	4	b
Canton,	15	29.72	754.9	80	91	E	1	o	,,	29 71	754 6	78	91	E	1	c
Hongkong,	14	29.73	755.1	81	87	E	1	o	,,	29 70	754.4	82	82	E	3	c
Gap Rock,	,,	29.72	754.9	...	...	NE	3	o	,,	29.70	754.4	...	...	E	5	b
Macao,	,,	29 71	754.5	81	89	E	2	o	,,	29.67	753.6	79	92	E	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.62	752.4	82	87	E	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.0	82	...	E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	86	...	SSW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.72	754.8	90	69	N	2	o	6	29.73	755.1	77	84	S	2	o
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.62	752.4	84	77	NNW	6	o	,,	29.76	756.0	75	96	SE	2	r
Legaspi,	,,	29.72	754 8	82	81	S	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	77	94	SSW	2	r	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	E	4	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29 82	757.4	82	87	S	4	o	6	29.78	756.4	78	82	S	10	b

July 11*d.* 10*h* 45*m.*—Warning to Hongkong. Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 117° E. moving N.W.

July 11*d.* 11*h.* 35*m.*—Local signal No. 1 hoisted.

July 11*d.* 11*h.* 28*m.*—Pressure has increased moderately to slightly over N.E. Japan and the Philippines. It has decreased slightly from the Bonins to the Loochoos and S.W. Japan.

At 6 a.m. this morning the typhoon appeared to be about 200 miles to the east of the Macclesfields, moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·52 inch. Total since January 1st, 29·13 inches, against an average of 43·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening.
2.—Hongkong to Gap Rock,	E. winds, fresh, possibly increasing to a gale; generally cloudy, rain at times.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	12th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.80	757.0	70	...	N	1	o	6	29.89	759.1	61	...	E	2	f
Nemuro,	11	29.69	754.0	...	...	SE	2	...	5	29.94	760.5	...	...	SE	1	...
Hokodate,	,,	29.65	753.0	...	...	S	1	...	,,	29.88	759 0	...	...	SE	2	...
Tokio,	,,	29.67	753.5	...	...	S	2	...	,,	29.80	757.0	...	...	NE	1	...
Kochi,	,,	29.78	756.5	...	...	...	...	...	,,	29.84	758.0	...	...	SW	1	...
Nagasaki,	,,	29.78	756 5	...	...	W	2	...	,,	29.86	758.5	...	...	...	...	...
Kagoshima,	,,	29 76	756.0	...	...	NW	2	...	,,	29.86	758.5	...	...	N	1	...
Oshima.	,,	29 82	757.5	...	...	NNW	1	...	,,	29.88	759.0	...	...	SE	1	...
Naha,	,,	29.88	759.0	...	...	W	1	...	,,	29.88	759 0	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	...	...	SW	3	...
Bonin Island,	,,	29 90	759.5	...	...	S	2	...	,,	29.90	759.5	...	...	...	2	...
Weihaiwei,	14	29.72	754.9	82	75	ESE	2	b	6	29.75	755.6	75	86	SSW	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	11	29.88	758.9	90	66	SSE	1	b	,,	29.85	758.2	75	100	SE	1	b
Gutzlaff,	,,	29.86	758.4	81	100	SE	2	b	,,	29.85	758.2	74	100	SSE	2	b
Sharp Peak,	15	...	...	...	...	...	...	...	7	29.88	758.9	81	89	...	0	b
Amoy,	14	29.74	755 4	92	85	SSE	2	b	6	29.74	755.4	83	92	SSE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.80	756.9	93	57	ESE	4	b	,,	29.80	756.9	77	89	SE	2	o
Taichu,	,,	29.79	756 6	90	...	NNW	4	b	,,	29.80	756.9	73	...	...	0	b
Tainan,	,,	29.78	756.3	90	...	N	2	b	,,	29.78	756.3	77	...	ESE	2	b
Koshun,	,,	29 80	756.9	90	...	E	4	b	,,	29.76	756.0	79	...	SE	2	b
Pescadores,	,,	29.80	756.9	90	...	ENE	4	b	,,	29 78	756 3	81	...	WNW	2	b
Canton,	15	29.69	754.1	81	91	SSW	1	or	,,	29.65	753.1	78	91	NNE	2	c
Hongkong,	14	29.70	754.4	85	77	E	5	cp	,,	29.59	751.6	83	77	E	7	op
Gap Rock,	,,	29.69	754.1	...	...	NE	6	c	,,	29.53	750.0	...	...	E	8	c
Macao,	,,	29.68	753 9	84	85	ESE	2	o	,,	29.58	751.2	81	80	ENE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.60	751.8	79	96	S	2	r	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	82	...	SSW	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.71	754.5	93	46	SSE	4	b	6	29.79	756.6	77	88	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756.9	81	84	SSW	4	o	,,	29.80	756.9	75	96	SE	1	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29 81	757.2	77	91	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	98	...	0	o
Hoilo,	,,	29.78	756 3	82	77	S	4	o	,,	29.80	756.9	75	96	NNW	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	4	o	42.0	29.78	756.3	...	...	NNE	1	b
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	86	76	SW	4	b	6	29.77	756.1	80	78	S	2	b

July 12*d*. 7*h* 50*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 113° E. moving N.N.W.

July 12*d*. 1*h*. 14*m*.—Local signal No. 4 hoisted.
July 12*d*. 7*h*. 50*m*.— ,, ,, No. 6 ,,

July 12*d*. 11*h*. 25*m*.—Pressure has increased considerably over N.E. Japan and moderately from Wladivostock to central Japan. It has decreased moderately at Hongkong.

At 6 a.m. this morning the typhoon was about 100 miles S.S.W. of Gap Rock, moving N.N.W. apparently.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·62 inch. Total since January 1st, 29·75 inches, against an average of 43·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate.
2.—Hongkong to Gap Rock,	Strong E. to S.E. gale, moderating; overcast, rain.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th JULY, 1922.								13th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.89	759.2	69	...	SE	3	o	6	29.93	760.1	62	...	SE	4	o
Nemuro,	11	29.98	761.5	...	...	SE	1	...	5	30.14	765.5	...	...	ENE	1	...
Hokodate,	,,	29.94	760.5	...	...	ESE	5	...	,,	30.06	763.5	...	...	E	2	...
Tokio,	,,	29.84	758.0	...	...	E	1	...	,,	30.04	763.0	...	...	ENE	1	...
Kochi,	,,	29.82	757.5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	...	...
Nagasaki,	,,	29.86	758.5	...	...	WSW	1	...	,,	29.92	760.0	...	...	SE	1	...
Kagoshima,	,,	29.86	758.5	...	...	...	...	...	,,	29.94	760.5	...	...	WNW	1	...
Oshima,	,,	29.88	759.0	...	...	NNE	2	...	,,	29.90	759.5	...	...	SSE	1	...
Naha,	,,	29.88	759.0	...	...	N	1	...	,,	29.90	759.5	...	...	N	0	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.86	758.5	...	...	SSW	2	...
Boain Island,	,,	29.90	759.5	...	...	SSW	2	...	,,	29.92	760.0	...	...	SE	1	...
Weihaiwei,	14	29.66	753.3	78	58	S	6	b	6	29.59	751.6	76	91	S	6	o
Haukow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.84	757.9	90	66	SSE	2	b	,,	29.78	756.4	77	92	SSE	2	b
Gutzlaff,	,,	29.81	757.2	82	100	SSE	4	b	,,	29.79	756.6	76	100	SSE	4	b
Sharp Peak,	15	29.82	757.4	90	84	E	1	b	7	29.71	754.6	82	91	S	1	bf
Amoy,	14	29.74	755.4	88	84	SSE	1	b	6	29.74	755.4	81	92	SE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.79	756.6	93	59	WSW	2	b	,,	29.84	757.8	77	91	...	o	o
Taichu,	,,	29.80	756.9	90	...	...	o	b	,,	29.81	757.2	75	...	...	o	o
Tainan,	,,	29.79	756.6	90	...	NE	2	b	,,	29.79	756.6	75	...	E	2	b
Koshun,	,,	29.81	757.2	84	...	E	4	o	,,	29.80	756.9	81	...	ESE	2	b
Pescadores,	,,	29.80	756.9	90	...	NNE	4	b	,,	29.80	756.9	82	...	SSE	4	o
Canton,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hongkong,	14	29.57	751.1	82	80	E	7	cq	,,	29.58	751.3	82	80	SSE	7	odq
Gap Rock,	,,	29.49	749.0	...	...	E	9	o	,,	29.56	750.8	...	...	SSE	8	o
Macao,	,,	29.49	749.1	81	84	E	4	o	,,	29.48	748.8	77	96	SE	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.54	750.3	82	87	ENE	4	o	7	29.52	749.7	79	95	WSW	2	o
Tourane,	,,	29.58	751.2	86	...	ENE	2	o	,,	29.60	751.8	81	...	SSE	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	77	...	SSW	4	o
Aparri,	14	29.74	755.4	90	60	NE	4	b	6	29.80	756.9	79	87	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	61	SSW	2	o	,,	29.79	756.6	75	96	E	1	o
Legaspi,	,,	29.74	755.4	90	66	E	2	o	,,	29.76	756.0	77	92	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	96	...	o	o
Iloilo,	,,	29.73	755.1	90	66	E	2	o	,,	29.76	756.0	77	92	NW	2	o
Zarigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	2	r	42.0	29.72	754.8	...	...	NE	2	b
Yap,	12 47	..	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Saipan,	14	29.75	755.6	86	72	N	2	b	6	29.75	755.6	80	82	SE	2	b

July 12*d.* 21*h.* 00*m.*—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 112° E. moving N.N.W.

July 13*d.* 9*h.* 55*m.*—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 112° E. moving N.N.W.

July 13*d.* 8*h.* 20*m.*—Local signal No. 6 lowered.

July 13*d.* 12*h.* 12*m.*—Pressure has increased considerably over N.E. Japan and decreased slightly at Shanghai, Haiphong, and over the Visayas.

The typhoon entered the coast between Macao and Quang-cha-wan early this morning, moving N.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·47 inch. Total since January 1st, 32·22 inches, against an average of 43·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	S.E. winds, moderate.
2.—Hongkong to Gap Rock,	Strong S. winds, moderating; overcast, rain.
3.—South coast of China between Hongkong and Lamocks,	Fresh S.E. winds, moderating.
4.—South coast of China between Hongkong and Hainan,	Strong S.W. winds, moderting.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th JULY, 1922.								14th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.93	760.3	65	...	SSE	4	o	6	29.68	753.8	63	...	ESE	7	r
Nemuro,	11	30.12	765.0	...	...	ESE	2	...	5	30.06	763.5	...	...	NE	2	...
Hokodate,	,,	30.04	763.0	...	...	ESE	4	...	,,	30.04	763 0	...	...	E	2	...
Tokio,	,,	30.04	763 0	...	...	ESE	2	...	,,	30.10	764.5	...	...	E	1	...
Kochi,	,,	29.95	761 0	...	...	SE	1	...	,,	30.02	762 5	...	...	...	...	...
Nagasaki,	,,	29.92	760.0	...	...	WSW	1	...	,,	29.94	760.5	...	...	SE	1	...
Kagoshima,	,,	29.94	760.5	...	...	...	...	...	,,	29 98	761.5	...	...	...	...	...
Oshima,	,,	29.90	759.5	...	...	N	1	...	,,	29.94	760.5	...	...	SSE	1	...
Naha,	,,	...	...	....	...	...	...	...	,,	29.92	760.0	...	...	...	...	...
Ishigakijima,	,,	29.88	759.0	...	...	S	3	...	,,	29.88	759.0	...	...	NNE	1	...
Bonin Island,	,,	29.92	760.0	...	...	SE	1	...	,,	29.94	760.5	...	...	ENE	1	...
Weihaiwei,	14	29.53	750.0	83	79	SSW	6	o	6	29.68	753.9	75	95	NW	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.82	757.4	90	63	S	2	b	,,	29.83	757.7	79	95	SSE	1	b
Gutzlaff,	,,	29.79	756 6	82	100	SSE	4	b	,,	29.81	757.2	76	100	SSW	4	o
Sharp Peak,	15	29.84	757.9	90	77	S	2	b	7	29 89	759.2	81	95	...	o	b
Amoy,	14	29.79	756.6	86	88	SSW	4	o	6	29.77	756.1	82	92	...	o	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.84	757.8	90	72	NW	2	o	,,	29.87	758.7	77	88	S	2	o
Taichu,	,,	29.82	757.5	90	...	NNE	2	o	,,	29.87	758.7	75	...	...	o	b
Tainan,	,,	29.84	757.8	90	...	WSW	2	o	,,	29.85	758 1	77	...	NW	2	o
Koshun,	,,	29.85	758.1	84	...	E	4	o	,,	29.85	758.1	77	...	...	o	b
Pescadores,	,,	29.84	757.8	90	...	SSE	4	o	,,	29.86	758.4	81	...	SE	2	r
Canton,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hongkong,	14	29.67	753.6	79	81	SSE	6	crq	,,	29.76	755.9	80	89	SE	4	ohlt
Gap Rock,	,,	29.67	753.6	...	...	SSE	7	omd	,,	29.75	755.6	...	...	ESE	6	o
Macao,	,,	29 60	751.8	77	92	S	6	r	,,	29.68	753.9	79	96	SSE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.48	748.8	90	63	SW	2	b	7	29.58	751.2	79	89	S	2	o
Tourane,	,,	29.59	751.5	86	...	N	2	o	,,	29.67	753.6	84	...	NNW	2	o
Cape St. James,	,,	29.74	755.4	82	...	SSW	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.78	756.3	90	60	NE	4	o	6	29.81	757.2	77	94	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	90	66	WNW	4	o	,,	29.79	756.6	75	96	ESE	1	o
Legaspi,	,,	29.74	755 4	86	81	E	2	o	,,	29.78	756.3	79	92	NE	1	o
Tacloban,	,,	29.72	754.8	90	72	ESE	1	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	90	63	NE	4	o	,,	29.75	755.7	77	94	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.68	753.9	...	...	ENE	2	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755 6	88	73	W	4	b	6	29.76	755.9	76	91	SE	2	b

July 14*d*. 11*h*. 43*m*.—Pressure has decreased considerably at Wladivostock, and increased slightly from Weihaiwei to Formosa. It has increased considerably at Hongkong.

This morning the typhoon is shown as a depression over Tongking.

A depression is also shown to the north of Korea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·96 inch. Total since January 1st, 34·18 inches, against an average of 44·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel, ...	S.E. winds, fresh, squally; occasional rain.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th JULY, 1922.								15th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29 63	752.6	66	...	SSE	2	o	6	29.78	756.3	65	...	...	o	b
Nemuro,	11	30.04	763.0	...	...	SSE	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.02	762.5	...	...	ESE	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30 08	764 0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.02	762.5	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.98	761.5	...	...	SSW	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.00	762.0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.94	760.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.94	760.5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	E	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.75	755.6	83	83	...	o	b	6	29.82	757.4	75	100	...	o	of
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	11	29.89	759.2	97	55	WSW	1	b	,,	29.90	759.4	79	98	S	1	b
Gutzlaff,	,,	29.86	758.4	84	96	SSW	2	b	,,	29.89	759.2	77	100	SSW	2	b
Sharp Peak,	15	29.90	759 4	92	77	SE	2	b	7	29.90	759.4	82	91	S	1	b
Amoy,	14	29.85	758.2	88	88	SSE	1	b	6	29.83	757.7	81	96	SSE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.86	758.4	90	60	NE	2	b	,,	...	...	...	...	...	...	...
Taichu,	,,	29.87	758.7	90	...	NNW	2	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.86	758.4	93	...	WNW	2	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.87	758.7	90	...	E	4	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29 89	759.3	86	...	SSW	2	b	,,	...	...	...	...	...	...	...
Canton,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hongkong,	14	23.83	757.7	85	77	SSE	2	o	,,	29.85	758.2	79	94	...	o	em
Gap Rock,	,,	29.82	757.4	...	...	ESE	5	o	,,	29.85	758.2	...	...	...	3	b
Macao,	,,	29.80	756.9	82	89	SSE	4	o	,,	29.84	757.8	79	98	ENE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.63	752.7	77	98	SSW	4	r	7	...	...	...	...	...	...	...
Tourane,	,,	29.68	753-9	86	...	NNW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	90	63	NE	4	o	6	29.81	757.2	77	92	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	79	92	...	o	o	,,	29.78	756.3	75	96	...	o	o
Legaspi,	,,	...	...	...	86	...	...	...	,,	29.76	756.0	79	87	...	o	b
Tacloban,	,,	29.74	755.4	81	...	...	o	r	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.72	754.8	86	71	NW	4	o	,,	29.74	755 4	77	96	ENE	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	E	4	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Laduan,	14	29.76	755.9	86	76	S	2	b	6	29.78	756.4	75	86	S	2	b

July 14*d.* 10*h.* 58*m.*—Pressure is above normal from Shanghai to Hongkong. It has increased slightly at all reporting stations except over the Philippines where it is nearly stationary.

A shallow depression lies over Mindanao.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 34·18 inches, against an average of 44·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	East winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.98	761.5	...	...	S	2	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	...	...	S	1	...
Tokio,	,,	...	...	...	...	...	...	...	,,	30.00	762.0	...	...	...	0	...
Kochi,	,,	...	...	...	...	...	...	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	...	...	S	1	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	...	...	...	0	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.84	758.0	...	...	N	1	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	29.92	760.0	...	...	...	0	...
Weihaiwei,	14	29.77	756.1	82	83	S	1	o	6	29.72	754.9	73	95	SSE	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.90	759.4	97	53	WNW	1	b	,,	29.82	757.4	79	95	S	2	b
Gutzlaff,	,,	29.86	758.4	82	100	SE	1	b	,,	29.81	757.2	77	100	S	4	b
Sharp Peak	15	29.84	757.9	92	99	E	1	b	7	29.86	758.4	82	91	N	1	b
Amoy,	14	29.77	756.1	92	81	SSE	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	29.73	755.1	90	70	S	1	b	,,	...	...	...	...	...	...	...
Taihoku,	12	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taichu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tainan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	15	29.83	757.7	91	67	S	2	b	,,	...	...	...	...	...	...	...
Hongkong,	14	29.85	758.2	86	77	E	3	b	,,	29.81	757.2	78	92	...	0	bm
Gap Rock,	,,	29.87	758.7	...	...	ENE	4	c	,,	29.83	757.7	...	...	ENE	4	b
Macao,	,,	29.84	757.8	90	76	ESE	2	b	,,	29.78	756.3	77	96	...	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.73	755.1	82	84	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.79	756.6	81	...	NNW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	84	...	SSW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.80	756.9	90	57	ENE	4	o	6	29.78	756.3	75	92	S	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	86	71	WNW	1	o	,,	29.75	755.7	73	96	...	o	o
Legaspi,	,,	29.72	754.8	90	66	ENE	4	o	,,	29.74	755.4	77	94	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	68	SSW	4	o	,,	29.72	754.8	77	98	...	o	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	NE	2	r	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	84	79	SE	2	b	6	...	...	...	...	...	...	...

July 16*d.* 11*h.* 55*m.*—Pressure is Highest to the east of Japan. It has decreased slightly at all reporting stations

A shallow depression is still shown over Mindanao.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 34·18 inches, against an average of 44·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, ...	East winds, light to moderate; fair.
2.—Hongkong to Gap Rock, ...	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.80	757.0	72	...	SE	4	c	6	29.80	757.0	64	...	WSW	1	f
Nemuro,	11	29.96	761.0	...	...	S	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.92	760 0	...	...	S	3	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.98	761.5	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.98	761 5	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.94	760.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.92	760 0	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.90	759.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.88	759.0	...	...	ENE	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	E	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.64	752.8	75	95	SE	1	o	6	29.61	752.1	74	100	SE	2	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.79	756.6	90	97	S	2	b	,,	29.77	756.1	79	90	SSE	2	b
Gutzlaff,	,,	29.79	756.6	82	100	SSE	4	b	,,	29.78	756.4	76	100	SSE	4	b
Sharp Peak,	15	...	...	90	81	E	1	b	7	29.83	757.7	81	96	...	o	b
Amoy,	14	...	...	...	...	...	...	...	6	29.72	754.9	82	92	...	o	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.82	757.5	90	57	W	2	b	,,	...	...	...	...	...	...	...
Taichu,	,,	29.84	757.8	86	...	...	o	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.82	757.5	90	...	N	4	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29.82	757.5	90	...	ENE	2	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.85	758 1	90	...	NW	2	b	,,	...	...	...	...	...	...	...
Canton,	15	29.78	756 4	91	63	WSW	1	b	,,	29.79	756.6	78	95	S	1	b
Hongkong,	14	29.79	756 6	87	74	E	2	c	,,	29.79	756.6	78	93	...	o	bm
Gap Rock,	,,	29.80	756.9	...	...	ENE	2	b	,,	29.79	756.6	...	...	SSE	1	b
Macao,	,,	29.79	756.6	90	72	...	o	b	,,	29.76	756.0	81	89	...	4	b
Wuchow,	15	29.74	755.4	87	69	SW	2	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.74	755.4	86	71	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.74	755.4	86	...	ENE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	86	...	S	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.73	755.1	86	61	NE	2	o	6	29.75	755.7	77	88	S	1	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	86	71	WNW	1	o	,,	29.76	756.0	73	96	E	1	o
Legaspi,	,,	29.72	754.8	84	81	ESE	2	o	,,	29.75	755.7	75	96	...	o	b
Tacloban,	,,	29.73	755.1	79	80	NNW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	84	77	SSW	4	o	,,	29.74	755 4	77	98	...	o	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	ESE	2	r	42.0	29.75	755 7	...	...	NE	4	r
Yap,	12 47	29.73	755.1	...	...	NNE	2	o	4.47	...	...	...	...	...	...	...
Saipan,	14	29.78	756 4	84	79	S	2	b	6	29.78	756.4	78	94	SE	2	b

July 17*d.* 11*h.* 50*m.*—Pressure has decreased slightly from Weihaiwei to Hongkong and increased slightly over the Visayas.

A depression is shown over S.E. Mongolia.

The depression over Mindanao has not developed.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 34·18 inches, against an average of 45·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	Light, variable winds; fine.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th JULY, 1922.								18th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.80	756.8	75	...	ESE	3	c	6	29.76	756.0	65	...	SE	5	f
Nemuro,	11	29.96	761.0	...	...	S	3	...	5	30.04	763 0	...	...	S	3	...
Hokodate,	,,	29.88	759.0	...	...	S	4	...	,,	29.96	761.0	...	...	...	...	...
Tokio,	,,	29.92	760 0	...	...	S	2	...	,,	30.02	762.5	...	...	...	0	...
Kochi,	,,	29.94	760.5	...	...	...	0	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	SW	2	...	,,	29.90	759.5	...	...	...	...	...
Kagoshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.92	760.0	...	...	...	...	...
Oshima,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.88	759 0	...	...	...	0	...
Naha,	,,	29.90	759.5	...	...	S	2	...	,,	29.84	758.0	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	S	1	...
Bonin Island,	,,	29.88	759.0	...	...	NE	1	...	,,	29.84	758.0	...	...	...	0	...
Weihaiwei,	14	29.56	750.8	78	86	SSE	4	o	6	29.57	751.1	76	91	SE	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.79	756.6	90	63	S	2	b	,,	29.77	756.1	79	92	SSE	2	b
Gutzlaff,	,,	29.77	756.1	82	100	S	4	b	,,	29.77	756.1	77	100	S	4	b
Sharp Peak,	15	29.83	757.7	92	70	ESE	2	b	7	29.85	758.2	82	87	S	2	b
Amoy,	14	29.74	755.4	92	77	SSE	4	b	6	29.78	756.4	81	92	SW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.82	757.5	90	63	N	2	b	,,	...	...	...	...	...	...	...
Taichu,	,,	29.84	757.8	90	...	NW	2	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.81	757.2	90	...	NNW	4	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29.80	756.9	90	...	E	4	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	...	...	86	...	N	4	b	,,	...	...	...	...	...	...	...
Canton,	15	29 75	755.6	91	63	SSW	1	b	,,	29.79	756.6	78	95	...	0	b
Hongkong,	14	29.76	755.9	87	61	E	2	b	,,	29.77	756.1	80	91	...	0	c
Gap Rock,	,,	29.79	756.6	...	...	ENE	1	b	,,	29.77	756.1	...	...	SSE	2	b
Macao,	,,	29.76	756 0	90	63	SSE	2	b	,,	29.75	755.7	79	90	SSE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.71	754.5	86	71	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.8	86	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.5	86	...	WSW	2	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.71	754.5	90	60	NE	4	b	6	29.76	756.0	75	92	S	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	90	63	WSW	4	o	,,	29.76	756.0	73	89	...	0	o
Legaspi,	,,	29.72	754.8	81	84	ENE	2	o	,,	29.74	755.4	75	96	...	0	b
Tacloban,	,,	29.72	754.8	82	90	...	0	r	,,	...	...	...	...	...	...	...
Hoilo,	,,	29 72	754.8	82	77	SSW	4	o	,,	29.74	755.4	79	93	SE	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	4	r	42.0	29.71	754.5	...	...	NE	2	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	29.72	754.8	...	...	ESE	4	o
Labuan,	14	29.79	756.6	82	83	WNW	4	b	6	29.78	756.4	78	91	S	2	b

July 18*d*. 11*h*. 08*m*.—Pressure is highest to the east of Japan. It has decreased slightly from Weihaiwei to Wladivostock and from Guam to the Bonins. It is nearly stationary at other reporting stations.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 34·18 inches, against an average of 45·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	S.E. or variable winds, light; fine to cloudy.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th JULY, 1922.								19th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.76	755.8	67	...	SE	5	o	6	29.75	755.5	67	...	SE	4	o
Nemuro,	11	...	...	...	...	...	...	...	5	30.04	763.0	...	...	SSE	...	...
Hokodate,	,,	29.96	761.0	...	...	ESE	3	...	,,	29.94	760.5	...	...	E	1	...
Tokio,	,,	29.94	760.5	...	...	...	...	...	,,	29.96	761.0	...	...	NNE	1	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.90	759.5	...	...	W	1	...
Nagasaki,	,,	29.90	759.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	S	1	...	,,	29.88	759 0	...	...	NW	1	...
Oshima,	,,	29.86	758.5	...	...	NNE	2	...	,,	29 86	758.5	...	...	SSE	1	...
Naha,	,,	29.86	758.5	...	...	SE	1	...	,,	29 82	757.5	...	...	ESE	1	...
Ishigakijima,	,,	29.84	758 0	...	...	SSE	2	...	,,	29.80	757.0	...	...	ESE	2	...
Bonin Island,	,,	29.82	757.5	...	...	NNE	1	...	,,	29.80	757.0	...	...	...	0	...
Weihaiwei,	14	29.59	751.6	78	91	S	1	of	6	29 72	754.9	76	91	S	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.79	756.6	93	64	SSW	1	b	,,	29.80	756 9	77	94	SSE	2	b
Gutzlaff,	,,	29.77	756.1	84	100	SSE	2	o	,,	29.78	756.4	77	100	SSE	4	b
Sharp Peak,	15	29.81	757.2	90	73	SE	4	b	7	29.82	757.4	82	87	S	1	b
Amoy,	14	29.70	754 4	92	81	SSE	1	b	6	...	...	...	...	...	...	...
Swatow,	,,	29.66	753.3	89	69	S	1	b	,,	...	...	...	...	...	...	...
Taiboku,	12	29 81	757.2	90	60	NNW	2	b	,,	...	...	...	...	...	...	...
Taichu,	,,	29.80	756.9	90	...	N	2	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.82	757.5	90	...	SSE	4	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29 80	756.9	90	...	ESE	2	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.82	757.5	86	...	NW	2	b	,,	...	...	...	...	...	...	...
Canton,	15	29.73	755.1	90	66	SW	1	b	,,	29.77	756.1	78	95	...	0	c
Hongkong,	14	29 75	755.6	86	78	E	2	c	,,	29.76	755.9	79	93	...	0	c
Gap Rock,	,,	29.76	755.9	...	...	SE	1	b	,,	29.74	755.4	...	...	S	2	b
Macao,	,,	29.74	755.4	90	72	ESE	1	o	,,	29.74	755.4	79	90	...	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.69	754.2	86	71	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.69	754.2	86	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	84	...	SW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.69	754.2	84	74	NE	4	o	6	...	...	...	...	...	...	...
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	79	90	ENE	1	o	,,	29.73	755.1	75	96	...	0	o
Legaspi,	,,	29.71	754.5	84	74	ESE	1	o	,,	29.72	754.8	75	94	...	0	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29 69	754.2	84	81	SW	4	o	,,	29.72	754.8	77	94	SSE	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.68	753.9	...	...	SE	4	o	42.0	29.73	755.1	...	...	SE	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	79	SE	2	b	6	29.79	756.6	78	91	SE	2	b

July 19*d.* 11*h.* 42*m.*—Pressure remains highest to the east of Japan. It has increased moderately at Weihaiwei and decreased slightly over Japan and the Philippines.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 34·18 inches, against an average of 46·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20th.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	Light, variable winds; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19th JULY, 1922.								20th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.77	756.1	76	...	SSE	2	c	6	29.90	759.4	68	...	...	0	f
Nemuro,	11	30.00	762.0	...	...	SSE	5	...	5	29.96	761.0	...	...	SSW	2	...
Hokodate,	,,	29.94	760.5	...	...	SE	2	...	,,	29.98	761.5	...	...	...	...	...
Tokio,	,,	29.96	761.0	...	...	NW	1	...	,,	29.98	761.5	...	...	ENE	1	...
Kochi,	,,	29.90	759.5	...	...	...	...	...	,,	29.94	760.5	...	...	...	...	...
Nagasaki,	,,	29.88	759.0	...	...	W	1	...	,,	29.90	759.5	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.88	759.0	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.80	757.0	...	...	SSE	1	...
Naha,	,,	29.84	758.0	...	...	E	1	...	,,	29.80	757.0	...	...	...	...	...
Ishigakijima,	,,	29.82	757.5	...	...	E	2	...	,,	29.78	756.5	...	...	NE	1	...
Bonin Island,	,,	29.76	756.0	...	...	NW	1	...	,,	29.80	757.0	...	...	...	...	...
Weihaiwei,	14	29.74	755.4	80	87	S	1	o	6	29.82	757.4	74	95	S	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.82	757.4	93	59	S	1	b	,,	29.82	757.4	77	89	SSE	2	b
Gutzlaff,	,,	29.80	756.9	84	100	SSE	4	b	,,	29.83	757.7	77	100	SSE	4	b
Sharp Peak,	15	29.81	757.2	82	70	ESE	2	b	7	29.81	757.2	82	89	W	1	b
Amoy,	14	29.68	753.9	90	84	SSE	4	b	6	29.72	754.9	80	92	W	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.81	757.2	86	68	W	2	b	,,	...	...	...	...	...	...	...
Taichu,	,,	29.80	756.9	90	...	N	2	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.79	756.6	93	...	N	2	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29.79	756.6	90	...	E	4	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.81	757.2	86	...	SW	2	b	,,	...	...	...	...	...	...	...
Canton,	15	29.70	754.4	91	60	W	1	c	,,	29.74	755.4	79	91	...	0	c
Hongkong,	14	29.73	755.1	87	69	E	2	c	,,	29.72	754.9	79	86	...	0	b
Gap Rock,	,,	29.74	755.4	...	...	SE	1	b	,,	29.72	754.9	...	...	SE	1	b
Macao,	,,	29.65	753.0	90	69	ESE	1	o	,,	29.74	755.4	79	93	...	2	bf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.67	753.6	86	75	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.0	86	...	E	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.8	86	...	WSW	4	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.72	754.8	86	58	SE	4	o	6	29.71	754.5	75	91	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	77	86	NE	4	r	,,	29.69	754.2	73	96	NNE	1	o
Legaspi,	,,	29.63	752.7	90	63	E	2	o	,,	29.68	753.9	75	96	WNW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.68	753.9	79	95	SW	4	r	,,	29.71	754.5	75	96	SSW	2	r
Surigao,	,,	29.65	753.0	84	71	SW	4	o	,,	29.72	754.8	77	94	SW	2	o
Guam,	12.20	29.71	754.5	...	...	SE	4	r	42.0	29.71	754.5	...	...	SSE	4	o
Yap,	12.47	29.66	753.3	...	...	NE	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.58	751.3	80	87	SW	4	o	6	29.73	755.1	78	86	S	2	o

July 20*d.* 11*h.* 45*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 15° N. Long. 128° E., direction unknown, position uncertain.

July 20*d.* 11*h.* 50*m.*—Pressure remains highest to the east of Japan. It has increased moderately from Wladivostock to Weihaiwei and has decreased slightly in southern districts.

There is a shallow depression over S W. China, and one to the east of Luzon which may develope into a typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 34·19 inches, against an average of 46·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	Light, east or variable winds; fine.
2.—Hongkong to Gap Rock,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20th JULY, 1922.								21st JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.89	759.3	78	...	SE	3	c	6	29.79	761 3	65	...	SE	1	f
Nemuro,	11	29.92	760.0	...	...	SSW	3	...	5	29.92	760 0	...	...	N	1	...
Hokodate,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	W	4	...
Tokio,	,,	30.00	762.0	...	...	E	1	...	,,	30.00	762 0	...	...	...	...	...
Kochi,	,,	29.55	750.5	...	...	ESE	1	...	,,	29.98	761.5	...	...	...	...	...
Nagasaki,	,,	29.88	759.0	...	...	SE	2	...	,,	29.92	760.0	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	ENE	1	...	,,	29 92	760 0	...	...	NE	1	...
Oshima,	,,	29.82	757.5	...	...	SE	2	...	,,	29 84	758 0	...	...	SSE	1	...
Naha,	,,	29.82	757.5	...	...	E	1	...	,,	29.80	757.0	...	...	ESE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	...	...	E	2	...
Bonin Island,	,,	29.82	757.5	...	...	SSE	1	...	,,	29.90	759.5	...	...	S	1	...
Weihaiwei,	14	29.84	757.9	84	79	S	1	o	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.88	758 9	90	60	SSE	2	b	,,	29.88	758.9	77	98	SE	1	b
Gutzlaff,	,,	29 85	758 2	82	100	SE	4	b	,,	29.86	758.4	77	100	SE	2	b
Sharp Peak,	15	29.81	757.2	86	72	E	2	o	7	29.79	756.6	80	96	NNE	1	b
Amoy,	14	29.68	753.9	90	81	ESE	2	b	6	29 72	754.9	82	87	...	o	b
Swatow,	,,	29.65	753.1	85	79	SE	2	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.75	755.7	90	63	WSW	4	o	,,	...	...	...	...	...	...	...
Taichu,	,,	29.78	756.3	84	...	ESE	1	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29.76	756.0	90	...	NE	2	b	,,	...	...	...	...	...	...	...
Keshun,	,,	29.79	756.6	79	...	ENE	4	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.79	756.6	90	...	NW	4	o	,,	...	...	...	...	...	...	...
Canton,	15	29.68	753.9	91	63	N	1	c	,,	29.72	754.9	77	95	E	1	c
Hongkong,	14	29.71	754.6	83	75	E	4	o	,,	29.70	754.4	79	89	E	1	o
Gap Rock,	,,	29.72	754.9	...	...	ENE	3	b	,,	29.70	754 4	...	...	E	3	b
Macao,	,,	29.69	754.2	90	69	SE	2	o	,,	29.67	753 6	81	84	SE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 65	753.0	90	69	SSE	4	b	7	29 67	753.6	81	89	SSE	4	o
Tourane,	,,	29.63	752.7	84	...	ENE	2	b	,,	29.66	753.3	79	...	E	2	b
Cape St. James,	,,	29.69	754.2	82	...	SW	2	o	,,	29.72	754.8	77	...	WSW	6	o
Aparri,	14	29.66	753.3	90	63	NE	4	o	6	29.69	754.2	75	91	S	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.63	752.7	90	66	WNW	4	o	,,	29.71	754.5	75	96	...	o	o
Legaspi,	,,	29 65	753.0	86	78	W	2	o	,,	29.71	754.5	75	96	WSW	4	o
Tacloban,	,,	29.66	753.3	86	75	S	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	82	81	SSW	4	o	,,	29.71	754.5	79	90	SSW	4	o
Surigao,	,,	29.67	753.6	77	86	WSW	4	r	,,	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	SE	4	o	42.0	29.75	755.7	...	...	SE	1	r
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Yabrun,	14	29.79	756.6	80	87	SE	2	o	6	29.77	756 1	77	91	S	2	b

July 21*d.* 11*h.* 40*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 18° N. Long. 128° E. moving N.

July 21*d.* 11*h.* 40*m.*—Pressure is highest over central Japan. It has increased slightly over the N.E. portion of the map and decreased slightly over the S.W. portion.

A trough of low pressure extends from Indo-China to the east of Luzon. The typhoon is at its eastern extremity, apparently moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·18 inch. Total since January 1st, 34·37 inches, against an average of 47·05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	East winds, moderate; showery.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st JULY, 1922.								22nd JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.92	759.9	79	...	SSE	1	b	6	29.85	758 2	67	...	...	0	f
Nemuro,	11	29.88	759.0	...	...	SE	1	...	5	29.76	756.0	...	...	S	1	...
Hokodate,	,,	29 92	760.0	...	...	NW	1	...	,,	29.86	758.5	...	...	W	1	...
Tokio,	,,	29.93	761.5	...	...	S	2	...	,,	29.92	760.0	...	...	W	1	...
Kochi,	,,	29.96	761.0	...	...	S	1	...	,,	29 94	760.5	...	...	SW	1	...
Nagasaki,	,,	29 92	760.0	...	...	...	...	...	,,	29.88	759.0	...	...	...	...	...
Kagoshima,	,,	29.94	750.5	...	...	NNE	2	...	,,	29.88	759.0	...	...	NNW	1	...
Oshima,	,,	29.86	758.5	...	...	SE	1	...	,,	29.80	757.0	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	...	...	ESE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.73	755.0	...	...	E	3	...
Bonin Island,	,,	29 88	759.0	...	...	SE	1	...	,,	29.86	758.5	...	...	ESE	1	...
Weihaiwei,	14	29.91	759.7	82	79	S	2	o	6	29.88	758.9	73	95	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.91?	759.7	90	60	SE	2	b	,,	29.86	758.4	77	98	SE	1	o
Gutzlaff,	,,	29 88	758 9	83	100	SE	2	b	,,	29.84	757.9	77	100	SE	2	o
Sharp Peak,	15	29.80	756.9	88	84	N	1	b	7	29.79	756.6	78	91	N	2	o
Amoy,	14	29.67	753.6	92	88	ENE	2	b	6	29.69	754.1	82	83	ENE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	90	57	ESE	6	o	,,	...	...	...	...	...	...	...
Taichu,	,,	29 74	755.4	86	...	...	o	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29.74	755.4	86	...	...	o	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.75	755.7	86	...	NE	4	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.74	755.4	90	...	NW	2	b	,,	...	...	...	...	...	...	...
Canton,	15	29.71	754.6	84	79	SE	2	o	,,	29.72	754.9	76	95	...	0	c
Hongkong,	14	29.72	754.9	83	77	ESE	3	o	,,	29.70	754 4	78	89	...	0	c
Gap Rock,	,,	29.71	754.6	...	...	E	4	c	,,	29.69	754.1	...	...	E	4	b
Macao,	,,	29.71	754.5	86	78	SE	2	o	,,	29.68	753.9	79	90	ESE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 65	753.0	90	60	SSE	4	b	7	29.69	754.2	79	92	SSE	2	o
Tourane,	,,	29.61	752.1	90	...	E	2	b	,,	29.67	753.6	81	...	S	2	b
Cape St. James,	,,	29.69	754.2	79	...	WSW	7	c	,,	29.74	755.4	77	...	SW	4	o
Aparri,	14	29 65	753.0	90	66	NE	4	o	6	29.66	753.3	77	89	S	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.67	753.6	81	87	SW	1	o	,,	29.69	754.2	77	88	SW	2	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.68	753.9	77	94	SW	2	o
Tacloban,	,,	29 69	754 2	86	75	W	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	79	93	SSW	4	o	,,	29.71	754.5	82	81	SW	4	o
Surigao,	,,	29.68	753.9	86	65	W	4	o	,,	29.72	754.8	81	76	WSW	2	o
Guam,	12.20	...	...	...	...	...	...	...	42.0	29.76	756.0	...	...	SE	2	r
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	72	E	4	b	6	29.78	756.4	80	86	SW	2	b

July 22d. 11h. 40m.—Pressure is highest over central Japan. It has decreased moderately to slightly in N.E. districts and has decreased slightly from the Loochoos to the Visayas.

The absence of observations from Formosa and a reported southerly wind at Appari makes the position of the of the typhoon uncertain. One may be forming in the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·09 inch. Total since January 1st, 34·46 inches, against an average of 47·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	East winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd JULY, 1922.								23rd JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29 80	757.0	81	...	WSW	3	b	6	29.81	757 2	70	...	E	2	f
Nemuro,	11	29.67	753.5	...	...	SSE	3	...	5	29.67	753.5	...	...	S	1	...
Hokodate,	,,	29.82	757.5	...	...	WSW	3	...	,,	29.82	757.5	...	...	W	2	...
Tokio,	,,	29.88	759.0	...	...	SSE	3	...	,,	29.90	759.5	...	...	W	1	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	29.90	759.5	...	...	WSW	1	...
Nagasaki,	,,	29.86	758.5	...	...	SE	1	...	,,	29.84	758.0	...	...	ESE	1	...
Kagoshima,	,,	29.86	758.5	...	...	NE	1	...	,,	29.84	758.0	...	...	...	...	...
Oshima,	,,	29 80	757.0	...	...	SE	2	...	,,	29.75	755 5	...	...	...	0	...
Naha,	,,	29 78	756.5	...	...	E	2	...	,,	29.69	754.0	...	...	E	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.67	753 5	...	...	N	1	...
Bonin Island,	,,	29.90	759.5	...	...	SE	1	...	,,	29.88	757.0	...	...	ESE	1	...
Weihaiwei,	14	29 82	757 4	86	68	E	1	b	6	29.85	758.2	74	94	...	0	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.88	758.9	90	60	SSE	2	b	,,	29.82	757-4	77	92	SE	1	b
Gutzlaff,	,,	29.84	757.9	78	100	SE	2	0	,,	29.80	756.9	76	100	SE	2	b
Sharp Peak,	15	29.79	756.6	84	79	E	2	0	7	29.74	755.4	78	91	NW	2	b
Amoy,	14	29 63	752.6	94	78	E	1	b	6	29.68	753.9	81	87	ENE	1	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.78	756.3	90	55	NE	2	0	,,	...	...	...	...	...	...	...
Taichu,	,,	29.73	755.1	90	...	SSE	1	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.71	754.5	90	...	W	2	0	,,	...	...	...	...	...	...	...
Koshun,	,,	29.72	754.8	86	...	NE	4	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.72	754.8	86	...	S	4	0	,,	...	...	...	...	...	...	...
Canton,	15	29.67	753 6	91	63	SW	1	c	,,	29.68	753.9	78	95	...	0	c
Hongkong,	14	29 69	754.1	86	71	ESE	3	c	,,	29.66	753.3	79	90	...	0	b
Gap Rock,	,,	29.70	754 4	...	...	ENE	4	c	,,	29.66	753.3	...	...	ENE	2	b
Macao,	,,	29.68	753.9	90	69	ESE	2	0	,,	29.65	753.0	79	93	...	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 62	752.4	90	63	SSE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.62	752.4	90	...	ENE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	77	...	SW	7	r	,,	...	...	...	...	...	...	...
Aparri,	14	29.63	752.7	86	61	N	4	0	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	84	77	SW	4	0	,,	29.65	753.0	79	92	S	1	0
Legaspi,	,,	29.67	753.6	79	93	WSW	1	0	,,	29.66	753.3	77	94	SW	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	86	78	SW	4	0	,,	29 67	753.6	81	86	SSW	4	0
Surigao,	,,	29.67	753.6	86	71	W	2	0	,,	29.69	754.2	82	74	WSW	2	0
Guam,	12.20	29.74	755.4	...	...	SSE	2	r	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	76	SE	2	b	6	29.77	756.1	80	91	SW	2	b

July 22*d.* 15*h.* 45*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 19° N. Long. 128° E., direction unknown, position uncertain.

July 23*d* 12*h.* 10*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 126° E. moving N.W.

July 23*d.* 11*h.* 55*m.*—Pressure has decreased slightly at all reporting stations.

A trough of low pressure extends from Indo-China to the east of Luzon.

The absence of observations from Formosa makes the position of the typhoon uncertain. It is probably about 300 miles to the east of N. Luzon moving NW.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 34·46 inches, against an average of 47·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	East winds, light to moderate; fair.
2.—Hongkong to Gap Rock,	
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd JULY, 1922.								24th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.82	757.4	80	...	SE	3	b	6	29.88	758.9	69	...	SE	2	f
Nemuro,	11	29.84	758.0	...	...	N	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.86	758.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.86	758.5	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.86	758.5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.84	758.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.76	756.0	...	...	ENE	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.69	754.0	...	...	E	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.77	756.1	86	72	S	1	o	6	29.83	757.7	75	95	SSE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.85	757.7	86	61	SSE	1	b	,,	29.78	756.4	75	100	ESE	1	b
Gutzlaff,	,,	29.78	756.4	82	100	SE	4	b	,,	29.76	755.9	77	100	ESE	2	b
Sharp Peak,	15	29.63	752.6	84	96	ENE	1	b	7	29.66	753.3	80	96	W	1	b
Amoy,	14	...	...	...	...	...	...	...	6	29.62	752.3	82	92	ENE	1	b
Swatow,	,,	29.54	750.3	85	96	E	2	b	,,	29.52	749.8	79	91	NNE	1	b
Taihoku,	12	29.68	753.9	90	57	N	2	b	,,	29.65	753.0	73	91	SSE	2	b
Taichu,	,,	29.68	753.9	90	...	NNW	2	b	,,	29.66	753.3	75	...	...	0	b
Tainan,	,,	29.67	753.6	90	...	NNW	4	o	,,	29.63	752.7	77	...	...	0	b
Koshun,	,,	29.67	753.6	86	...	SW	2	r	,,	29.63	752.7	77	...	...	0	b
Pescadores,	,,	29.69	757.2	90	...	N	2	b	,,	29.65	753.0	79	...	NNW	2	b
Canton,	15	29.61	752.1	91	67	SW	2	b	,,	29.65	753.1	78	95	ESE	1	c
Hongkong,	14	29.64	752.8	86	71	E	3	b	,,	29.64	752.8	79	90	...	0	c
Gap Rock,	,,	29.67	753.6	...	...	ENE	1	b	,,	29.65	753.1	...	...	ESE	2	b
Macao,	,,	29.63	752.7	90	69	...	2	b	,,	29.61	752.1	79	90	SSE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.58	751.2	86	78	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.59	751.5	86	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.1	79	...	WSW	7	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.62	752.4	86	78	SW	4	o	,,	29.65	753.0	81	80	WSW	4	o
Legaspi,	,,	29.63	752.7	84	77	SW	4	o	,,	29.65	753.0	79	90	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	79	95	WSW	4	o	,,	29.69	754.2	77	89	W	4	o
Surigao,	,,	29.67	753.6	90	55	W	4	o	,,	29.72	754.8	82	74	SW	4	o
Guam,	12.20	29.75	755.7	...	...	S	4	o	42.0	29.80	756.9	...	...	S	1	o
Yap,	12.47	29.78	756.3	...	...	SW	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	84	SW	2	b	6	29.79	756.6	80	91	S	2	b

July 24*d* 10*h*. 20*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 124° E. moving N.W.

July 24*d*. 11*h*. 38*m*.—Pressure has increased slightly at Wladivostock and decreased slightly from Weihaiwei to Formosa and Hongkong.

At 6 a.m this morning the typhoon was about 150 miles N.E. of Appari, moving apparently to the N.W. slowly. It is evidently a very small typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 34·46 inches, against an average of 48·40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N W. winds, freshening.
2.—Hongkong to Gap Rock,	E. or variable winds, light to moderate; fair.
3.—South coast of China between Hongkong and Lamocks,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Stations.	24th JULY, 1922.								25th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.87	758.6	70	...	SE	4	0	6	29.94	760.4	70	...	...	0	f
Nemuro,	11	29.94	760.5	...	...	S	4	...	5	29.92	760.0	...	...	SSW	3	...
Hokodate,	,,	29.94	760.5	...	...	W	2	...	,,	29.94	760.5	...	...	...	...	...
Tokio,	,,	29.96	761.0	...	...	SSE	2	...	,,	29.98	761.5	...	...	...	...	...
Kochi,	,,	29.94	760.5	...	...	SW	1	...	,,	29.88	759.0	...	...	ESE	3	...
Nagasaki,	,,	29.86	758.5	...	...	ENE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.74	755.5	...	...	NE	3	...	,,	29.67	753.5	...	...	SSE	5	...
Oshima,	,,	...	...	...	...	ESE	6	...	,,	29.67	753.5	...	...	SSE	3	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.65	753.0	...	...	W	1	...
Bonin Island,	,,	29.94	760.5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	...	...
Weihaiwei,	14	29.76	755.9	82	79	E	2	b	6	29.75	755.6	74	100	NW	1	of
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.76	755.9	93	59	SE	2	b	,,	29.71	754.6	73	100	N	1	b
Gutzlaff,	,,	29.73	755.1	83	100	ENE	1	b	,,	29.69	754.1	76	100	N	1	b
Sharp Peak,	15	29.69	754.1	90	73	E	1	b	7	29.69	754.1	81	91	...	0	b
Amoy,	14	...	...	...	...	...	...	...	6	29.62	752.3	82	56	NE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.63	752.7	86	65	NW	7	b	,,	29.66	753.3	75	94	SE	2	o
Taichu,	,,	29.63	752.7	90	...	WNW	2	b	,,	29.66	753.3	77	...	...	0	o
Tainan,	,,	29.62	752.4	90	...	WNW	4	b	,,	29.63	752.7	79	...	...	0	b
Koshun,	,,	29.62	752.4	90	...	NW	7	b	,,	29.65	753.0	73	...	...	0	b
Pescadores,	,,	29.65	753.0	90	...	N	4	b	,,	29.66	753.3	81	...	NNW	2	b
Canton,	15	29.60	751.8	93	58	SSW	2	b	,,	29.65	753.1	79	95	...	0	b
Hongkong,	14	29.63	752.6	87	67	SE	1	c	,,	29.64	752.8	78	91	...	0	tm
Gap Rock,	,,	29.65	753.1	...	...	ENE	1	b	,,	29.64	752.8	...	...	SE	2	b
Macao,	,,	29.69	754.2	90	72	SE	2	b	,,	29.62	752.4	81	92	E	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.66	753.3	86	71	SSE	4	o	7	29.59	751.5	77	94	ENE	2	o
Tourane,	,,	29.60	751.8	86	...	E	2	o	,,	29.62	752.4	81	...	N	2	o
Cape St. James,	,,	29.76	756.0	82	...	SW	6	o	,,	29.78	756.3	77	...	WSW	4	o
Aparri,	14	29.58	751.2	90	63	N	4	o	6	29.62	752.4	77	94	SW	1	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.63	752.7	81	80	W	4	o	,,	29.65	753.0	77	94	S	1	o
Legaspi,	,,	29.63	752.7	82	81	WSW	2	o	,,	29.66	753.3	77	89	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	82	77	SW	4	o	,,	29.69	754.2	81	76	SW	4	o
Surigao,	,,	29.68	753.9	84	68	WSW	4	o	,,	29.71	754.5	81	73	SW	4	o
Guam,	12.20	29.79	756.6	...	...	SW	2	r	42.0	29.78	756.3	...	...	NE	4	b
Yap,	12 47	29.78	756.3		...	S	2	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	76	S	2	b	6	29.78	756.4	80	87	SW	2	b

July 25*d.* 10*h.* 30*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 21° N. Long. 124° E., filling up, position uncertain.

July 25*d.* 11*h.* 58*m.*—Pressure has decreased moderately over S.W. Japan and Tongking, and slightly from Weihaiwei to Shanghai.

Belated observations from the Loochoos indicated a typhoon to the S.E. of Naha yesterday morning. It is midway between Shanghai and Nagasaki this morning, moving northward.

The depression or typhoon to the N.E. of Appari appears to be filling up.

A depression is shown over the Gulf of Tongking.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 34·46 inches, against an average of 48·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26th.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks, 4.—South coast of China between Hongkong and Hainan,	E. or variable winds, light to moderate; fine at first, some rain later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th JULY, 1922.								26th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.97	761.3	75	...	N	4	o	6	30 03	762.7	62	...	S	1	o
Nemuro,	11	29.86	758 5	...	...	W	1	...	5	30 04	763.0	...	...	N	1	...
Hokodate,	,,	29.94	760.5	...	...	ESE	2	...	,,	29.98	761 5	..	...	E	3	...
Tokio,	,,	29.96	761.0	...	...	S	1	...	,,	29 94	760.5	...	...	...	0	...
Kochi,	,,	29.90	759.5	...	...	SE	4	...	,,	29.94	760.5	...	...	SE	2	...
Nagasaki,	,,	29.70	754.5	...	...	S	8	...	,,	29.82	757.5	...	...	S	2	...
Kagoshima,	,,	29.76	756.0	...	...	SSE	4	...	,,	20.86	758.5	...	...	SSE	1	...
Oshima,	,,	29.76	756.0	...	...	SSE	3	...	,,	29.84	758.0	...	...	SSE	2	...
Naha,	,,	29.72	755.0	...	...	SSW	1	...	,,	29 78	756.5	...	...	SE	2	...
Ishigakijima,	,,	29.76	756.0	...	...	E	2	...	,,	29.67	753.5	...	...	NE	5	...
Bonin Island,	,,	29 96	761.0	...	...	E	1	...	,,	29.98	761.5	...	...	...	0	...
Weihaiwei,	14	29.68	753.9	82	83	N	1	o	6	29.69	754 1	73	100	...	0	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.76	755.9	84	68	NW	1	b	,,	29.79	756.6	77	96	SE	1	b
Gutzlaff,	,,	29.73	755.1	88	100	S	1	b	,,	29.79	756 6	78	100	SSE	4	b
Sharp Peak,	15	29.71	754.6	92	67	SE	1	b	7	29.74	755.4	83	87	S	1	b
Amoy,	14	29.59	751.6	88	84	SSE	1	b	6	29.64	752.8	83	92	W	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.69	752.4	93	61	ENE	2	b	,,	29 67	753 6	77	89	E	2	b
Taichu,	,,	29 66	753.3	90	...	NW	2	b	,,	29.67	753.6	77	...	...	0	o
Tainan,	,,	29.67	753.6	90	...	N	2	b	,,	29.75	755.1	79	...	NNE	2	b
Koshun,	,,	...	..	...	...	...	...	...	,,	29.65	753.0	81	...	...	0	r
Pescadores,	,,	29.69	754.2	86	...	NNE	4	b	,,	29.66	753.3	81	...	N	4	b
Canton,	15	29.61	752.1	94	58	SSW	1	b	,,	29.66	753.3	80	91	ENE	1	o
Hongkong,	14	29.64	752.8	87	66	ESE	2	c	,,	29.64	752.8	79	90	...	0	c
Gap Rock,	,,	29.66	753.3	...	...	ENE	2	b	,,	29.63	752.6	...	...	NE	3	b
Macao,	,,	29.60	751.8	93	71	SE	2	b	,,	29.59	751.5	79	92	NNE	2	o
Wuchow,	15	29.68	753.9	91	63	W	1	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...		...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.56	750.9	86	81	ESE	4	o	7	29.61	752.1	79	96	ENE	4	b
Tourane,	,,	29.59	751.5	86	...	SE	2	o	,,	29.59	751.5	82	...	NW	2	o
Cape St. James,	,,	29.78	756.3	75	...	WSW	4	o	,,	29.73	755.1	75	...	WSW	6	o
Aparri,	14	29.60	751.8	90	63	NE	4	o	6	29.59	751.5	77	92	...	0	0
Dagupan,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.62	752.4	86	78	SW	4	o	,,	29.85	758.1	75	96	E	1	o
Legaspi,	,,	29 65	753.0	86	75	SW	4	o	,,	29 65	753.0	77	92	WSW	4	o
Tacloban,	,,	...		...	...	...	...	...	,,	...	...	..	...	...	...	...
Iloilo,	,,	29.68	753.9	81	84	SW	4	r	,,	29.68	753.9	79	93	SW	2	o
Surigao,	,,	29.68	753.9	86	65	SW	4	o	,,	29.69	754.2	81	...	SW	2	o
Guam,	12.20	29.76	756.0	...	...	NE	6	r	42.0	29 72	754.8	...	...	NE	4	o
Yap,	12 47	29.78	756.3	...	...	E	1	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	73	N	2	b	6	29.76	755.9	80	82	SE	2	b

July 26*d.* 12*h.* 43*m.*—Pressure has increased slightly from Wladivostock to S.W. Japan and Shanghai, and decreased slightly at Weihaiwei, Guam, and over Indo-China.

A trough of low pressure extends from Indo-China to the east of Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 34·46 inches, against an average of 49·30 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, 2.—Hongkong to Gap Rock, 3.—South coast of China between Hongkong and Lamocks. 4.—South coast of China between Hongkong and Hainan,	E. winds, moderate: fine at first, some rain later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	27th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.98	761.5	63	...	SSE	2	o	6	29.75	755.6	65	...	N	4	r
Nemuro,	11	30.08	764.0	...	...	N	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.00	762.0	...	...	E	5	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.92	760.0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.88	759.0	...	...	W	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	WSW	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.68	753.9	82	75	NNE	1	b	6	29.72	754.9	78	94	ESE	1	r
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.80	756.9	90	63	SSE	2	b	,,	29.79	756.6	79	93	SSE	2	b
Gutzlaff,	,,	29.79	756.6	83	100	SSE	4	b	,,	29.79	756.6	78	100	SSE	4	b
Sharp Peak,	15	29.75	755.6	88	76	ENE	4	b	7	29.73	755.1	83	91	NNE	2	o
Amoy,	14	29.59	751.6	94	71	E	1	b	6	29.61	752.1	86	88	NW	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.55	750.5	93	64	ENE	6	b	,,	...	...	...	...	...	...	...
Taichu,	,,	29.67	753.6	90	...	NNW	4	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29.66	753.3	86	...	N	2	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.68	753.9	81	...	E	4	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.67	753.6	86	...	NW	4	o	,,	...	...	...	...	...	...	...
Canton,	15	29.61	752.1	93	64	S	1	c	,,	29.62	752.3	81	91	...	o	c
Hongkong,	14	29.64	752.8	87	66	ESE	3	b	,,	29.59	751.6	83	75	E	3	o
Gap Rock,	,,	29.65	753.1	...	...	ENE	4	b	,,	29.58	751.3	...	...	ENE	5	c
Macao,	,,	29.63	752.7	93	83	ESE	2	b	,,	29.58	751.2	82	81	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hulien,	,,	29.60	751.8	86	75	S	4	b	7	29.61	752.1	79	98	NW	4	b
Tourane,	,,	29.58	751.2	84	...	NNW	2	o	,,	29.55	750.6	77	...	NNW	2	o
Cape St. James,	,,	29.74	755.4	77	...	SW	7	o	,,	29.71	754.5	73	...	WSW	2	o
Aparri,	14	29.58	751.2	82	81	...	o	o	6	29.59	751.5	77	92	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.59	751.5	86	71	SSW	2	o	,,	29.60	751.8	75	96	SSE	1	r
Legaspi,	,,	29.63	752.7	82	74	SW	4	o	,,	29.67	753.6	75	89	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	79	90	SW	6	o	,,	29.69	754.2	77	88	SW	4	o
Surigao,	,,	29.68	753.9	84	64	...	o	o	,,	29.73	755.1	75	91	W	1	o
Guam,	12.20	...	...	...	...	...	...	...	42.0	29.73	755.1	...	...	SE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.74	755.4	...	...	.	o	b
Saluan,	14	29.73	755.1	86	76	E	2	b	6	29.73	755.1	80	87	SW	2	b

July 27*d* 6*h*. 25*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 116° E. direction unknown.

July 27*d*. 6*h*. 05*m*.—Local signal No. 1 hoisted.

July 27*d*. 11*h*. 38*m*.—Pressure has decreased considerably at Wladivostock and slightly at Hongkong and Tourane. It is nearly stationary over the Philippines.

A typhoon has formed to the east of the Macclesfields. Its direction of motion is at present unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 34·52 inches, against an average of 49·75 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, possibly increasing to a gale; fine at first, some rain later.
3. Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th JULY, 1922.								28th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.72	754.9	74	...	N	2	o	6	29.71	754 6	64	...	E	2	o
Nemuro,	11	30.00	762.0	...	...	SSE	4	...	5	29.92	760.0	...	...	SSE	2	...
Hokodate,	,,	29.92	760.0	...	...	SE	1	...	,,	29.78	756.5	...	...	SE	1	...
Tokio,	,,	29.92	760.0	...	...	S	1	...	,,	29.86	758.5	...	...	...	...	...
Kochi,	,,	29.90	759.5	...	...	SE	1	...	,,	29.88	759.0	...	...	WSW	1	...
Nagasaki,	,,	29.92	760 0	...	...	SW	4	...	,,	29.90	759.5	...	...	SW	1	...
Kagoshima,	,,	29.94	760.5	...	...	SE	6	...	,,	29.92	760.0	...	...	...	...	...
Oshima,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.90	759.5	...	...	...	...	...
Naha,	,,	29.88	759.0	...	...	SE	3	...	,,	29.88	759.0	...	...	ESE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	SE	5	...	,,	29.78	756.5	...	...	SE	4	...
Bonin Island,	,,	29 92	760.0	...	...	W	1	...	,,	...	...	...	...	SSW	1	...
Weihaiwei,	14	29.71	754.6	77	86	...	o	o	6	29.68	753.9	74	95	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.80	756.9	90	66	SSE	4	b	,,	29.79	756.6	79	92	SSE	2	b
Gutzlaff,	,,	29.79	756.6	84	100	S	4	h	,,	29.80	756 9	78	100	S	4	o
Sharp Peak,	15	29.72	754.9	86	76	N	4	o	7	29.72	754.9	82	91	N	2	o
Amoy,	14	29.59	751.6	90	81	SSE	4	h	6	29.64	752.8	86	93	SW	1	o
Swatow,	,,	29.54	750.3	85	83	E	2	b	,,	29.51	749.5	83	87	ENE	2	c
Taihoku,	12	29 65	753.0	93	50	SE	6	b	,,	...	...	...	...	...	...	...
Taichu,	,,	29.63	752 7	93	...	N	2	h	,,	...	...	...	...	...	...	...
Tainan,	,,	...	...	90	...	WNW	4	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29.68	753.9	81	...	ENE	4	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.65	753.0	90	...	WNW	4	h	,,	...	...	...	...	...	...	...
Canton,	15	29.55	750 5	93	67	E	2	o	,,	29.58	751.3	80	82	ENE	2	c
Hongkong,	14	29.58	751.3	82	88	ESE	5	or	,,	29.55	750.5	82	81	E	6	oq
Gap Rock,	,,	29.55	750 5	...	...	ENE	6	o	,,	29.51	749 5	...	...	ESE	7	c
Macao,	,,	29.55	750.6	81	92	E	2	o	,,	29.52	749.7	81	86	ENE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.56	750.9	90	60	WNW	2	b	7	29.54	750.3	81	90	NNW	4	o
Tourane,	,,	29.54	750.3	81	...	N	2	o	,,	29.52	749.7	73	...	NW	2	o
Cape St. James,	,,	29.66	753.3	81	...	WSW	6	o	,,	29.73	755.1	75	...	SW	6	o
Aparri,	14	29.60	751.8	90	60	SSE	4	o	6	29.65	753.0	77	88	S	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.62	752.4	79	92	SE	2	r	,,	29.69	754.2	75	96	E	1	r
Legaspi,	,,	29.67	753.6	84	71	SW	4	o	,,	29.74	755 4	77	96	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	81	84	SW	4	o	,,	29.79	756.6	75	94	S	2	o
Surigao,	,,	29.73	755.1	84	74	...	o	o	,,	29.78	756.3	75	91	SSW	1	o
Guam,	12.20	...	...	...	...	...	...	...	42.0	29.80	756.9	...	...	S	1	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	29.74	755.4	...	...	W	1	o
Labuan,	14	29.71	754.6	86	72	S	4	b	6	29.74	755.4	80	82	SE	2	b

July 27*d* 15*h*. 40*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 114° E. moving N.W.

July 28*d*. 11*h* 50*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 120 miles of Lat. 19° N. Long. 112° E., moving W.N.W.

July 27*d*. 15*h*. 45*m*.—Local signal No. 4 hoisted.

July 28*d*. 11*h*. 49*m*.—Pressure has decreased slightly from Wladivostock to Weihaiwei and from Hongkong to Haiphong. It has increased slightly over the Philippines.

At 6 a.m. this morning the typhoon was in about latitude 19° N. and longitude 112° E. moving W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·91 inch. Total since January 1st, 35·43 inches, against an average of 50·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Formosa Channel,	E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	E. winds, strong, moderating.
3.—Hongkong to Gap Rock,	E. to S.E. gale, moderating later; occasional rain.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales, increasing.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force.	Weather.	29th JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.68	753.9	71	...	ESE	3	o	6	29.63	752 6	65	...	SW	4	o
Nemuro,	11	29.92	760.0	...	...	SSE	3	...	5	29.84	758.0	...	...	WSW	3	...
Hokodate,	,,	29.74	755.5	...	...	E	1	...	,,	29.65	753.0	...	...	E	4	...
Tokio,	,,	29.82	757.5	...	...	S	1	...	,,	29.76	756.0	...	...	...	...	...
Kochi,	,,	29.88	759.0	...	...	SE	1	...	,,	29.86	758.5	...	...	WSW	1	...
Nagasaki,	,,	29 90	759.5	...	...	SW	3	...	,,	29.88	759.0	...	...	SSW	1	...
Kagoshima,	,,	29.86	758.5	...	...	SSE	3	...	,,	29.90	759.5	...	...	...	...	...
Oshima.	,,	29.90	759.5	...	...	ESE	2	...	,,	29.88	759.0	...	...	...	...	...
Naha.	,,	29.88	759.0	...	...	ESE	3	...	,,	29.84	758.0	...	...	SE	1	...
Ishigakijima,	,,	29.82	757.5	...	...	SE	5	...	,,	29.76	756.0	...	...	SE	5	...
Bonin Island,	,,	29 86	758.5	...	...	...	...	...	,,	29.88	759.0	...	...	...	...	...
Weihaiwei,	14	29 65	753.1	83	67	...	o	b	6	29.68	753 9	77	91	S	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.82	757.4	93	61	S	4	b	,,	29.78	756.4½	79	92	SSE	2	b
Gutzlaff,	,,	29.76	755.9	84	100	S	4	b	,,	29.77	756.1	78	100	SSE	4	b
Sharp Peak,	15	29.74	755.4	86	84	NNE	8	b	7	29.73	755.1	81	91	N	7	b
Amoy,	14	29.57	751.1	90	81	SSE	4	o	6	29.62	752.3	82	96	SE	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.72	754.8	84	74	E	4	r	,,	...	...	...	...	...	...	...
Taichu,	,,	29.71	754 5	82	...	...	o	r	,,	...	...	...	...	...	...	...
Tainan,	,,	29.69	754.2	84	...	E	2	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.71	754.5	82	...	E	4	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	29 69	754.2	86	...	NE	2	o	,,	...	...	...	...	...	...	...
Canton,	15	29.51	749.5	93	64	E	3	c	,,	29.51	749 5	76	95	ENE	2	or
Hongkong,	14	29.50	749.3	83	78	E	8	cq	,,	29.47	748.5	79	94	ESE	6	orq
Gap Rock,	,,	29.49	749.0	...	...	ENE	8	od	,,	29.45	748.0	...	...	ESE	7	o
Macao,	,,	29.49	749.1	86	71	ESE	4	o	,,	29.43	747.6	79	95	ESE	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.49	749.1	86	85	NW	2	o	7	29.46	748.2	81	92	NW	6	o
Tourane,	,,	29.46	748.2	77	...	NE	2	r	,,	29.50	749.4	77	...	NW	2	o
Cape St. James,	,,	29.69	754.2	70	...	SW	7	o	,,	29.74	755.4	75	...	WSW	4	o
Aparri,	14	29.63	752.7	90	60	S	4	o	6	29.69	754.2	79	76	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Manila,	,,	29.73	755.1	81	76	SW	4	o	,,	29.75	755.7	75	91	E	1	o
Legaspi,	,,	29.73	755.1	86	65	SSW	4	o	,,	29.75	755.7	77	88	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	75	96	...	o	o
Iloilo,	,,	29.76	756.0	82	77	SW	4	o	,,	29.78	756.3	77	92	SSW	1	o
Surigao,	,,	29.73	755.1	86	68	SW	2	b	,,	29.76	756.0	77	92	SW	1	o
Guam,	12.20	29 73	755.1	...	...	E	4	o	42.0	29.73	755.1	...	...	SE	2	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	88	73	S	2	b	6	29.81	757.2	77	91	SW	2	b

July 28*d*. 19*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 111° E., moving W.N.W.

July 29*d*. 11*h*. 30*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 110° E. moving N.W.

July 29*d*. 6*h*. 10*m*.—Local signal No. 4 lowered.

July 29*d*. 11*h*. 40*m*.—Pressure is highest to the N.W. of the Bonins. It has decreased slightly at Wladivostock, Hongkong, Haiphong and over Japan.

At 6 a.m. this morning the typhoon was to the north of Hoihow moving N.W.

There are indications of a typhoon forming to the S.W. of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·10 inch. Total since January 1st, 37·53 inches, against an average of 50·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30th.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, fresh, moderating.
3.—Hongkong to Gap Rock,	S.E. winds, strong, moderating; rainy, squally.
4.—South coast of China between Hongkong and Hainan,	Cyclonic gales, moderating.

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th JULY, 1922.								30th JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.65	753.0	...	...	ESE	4	...
Hokodate,	,,	29.63	752 5	...	...	E	6	...	,,	29.61	752.0	...	...	S	1	...
Tokio,	,,	29.69	754.0	...	...	S	1	...	,,	29.71	754.5	...	...	...	0	...
Kochi,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.82	757.5	...	...	WSW	1	...
Nagasaki,	,,	29.88	759.0	...	...	W	2	...	,,	29.86	758.5	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	...	...	...	,,	29.86	758.5	...	...	WNW	1	...
Oshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.84	758.0	...	...	...	0	...
Naha,	,,	29.84	758.0	...	...	SE	3	...	,,	29.80	757.0	...	...	SE	1	...
Ishigakijima,	,,	29 80	757.0	...	...	SW	6	...	,,	29.76	756.0	...	...	SSE	2	...
Bonin Island,	,,	29.86	758.5	...	...	NW	1	...	,,	29.86	758.5	...	...	WSW	1	...
Weihaiwei,	14	29 66	753.3	86	76	NNE	1	o	6	29.70	754.4	77	100	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.80	756 9	90	63	SSE	4	b	,,	29.75	755.6	75	91	SSE	4	r
Gutzlaff,	,,	29.78	756.4	84	100	SSE	4	h	,,	29.75	755.6	78	100	S	4	o
Sharp Peak.	15	29.76	755.9	84	87	NNE	1	o	7	29.76	755.9	80	95	NW	1	r
Amoy,	14	29.65	753.1	83	92	SSE	2	o	6	29.60	751.8	86	93	SE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	12	29.73	755.1	90	69	NE	2	o	,,	...	...	...	...	...	...	...
Taichu,	,,	29.73	755.1	86	...	SW	2	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29.72	754.8	82	...	SW	4	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.75	755.7	77	...	SE	2	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.73	755.1	81	...	SSE	6	r	,,	...	...	...	...	...	...	...
Canton,	15	29.45	748.0	84	83	E	2	o	,,	29.51	749.5	79	91	E	2	o
Hongkong,	14	29.48	748.8	83	83	SE	5	cq	,,	29.55	750.5	80	90	S	6	orq
Gap Rock,	,,	29.43	747.5	...	...	ESE	7	op	,,	29.52	749 8	...	...	SSE	6	o
Macao,	,,	29.41	747.0	81	90	ESE	4	r	,,	29.48	748.8	77	98	S	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.40	746.7	93	59	NW	4	o	7	29 45	747.9	75	98	WSW	6	r
Tourane,	,,	29.49	749.1	84	...	N	2	o	,,	29.53	750.0	82	...	WNW	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29 69	754.2	90	57	N	4	o	6	29 72	754.8	77	85	SE	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	65	E	4	o	,,	29.72	754 8	82	81	WSW	4	o
Legaspi,	,,	29.72	754.8	90	66	W	4	o	,,	29.67	753.6	79	89	WSW	4	o
Tacloban,	,,	29.69	754.2	90	57	WNW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	78	SW	4	o	,,	29.72	754.8	81	92	SW	4	o
Surigao,	,,	29.69	754.2	86	61	W	4	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	SE	2	o	42.0	29.76	756.0	...	...	SSE	1	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	29.74	755.4	...	...	SW	4	o
Labuan,	14	29.79	756.6	84	83	SE	2	b	6	29 79	756.6	80	82	SW	2	b

July 30*d.* 12*h.* 30*m.*—Pressure has decreased moderately over N. Japan and slightly over S. Japan. It has increased slightly over S. coast of China and has decreased slightly over the Philippines.

The typhoon at 6 a.m. this morning was N. of Haiphong, and is probably filling up.

There are indications of a depression or typhoon to the east of S. Luzon, and a depression is shown to the N.W. of Hakodate.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·11 inch. Total since January 1st, 38·64 inches, against an average of 51·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. winds, fresh to moderate; squally, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS,—*First Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th JULY, 1922.								31st JULY, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.63	752.7	71	...	SE	2	o	6	29.73	755.0	64	...	S	3	f
Nemuro,	11	29.63	752.5	...	...	ESE	5	...	5	29.63	752.5	...	...	NNE	3	...
Hokodate,	,,	...	...	...	...	...	...	...	,,	29.59	751.5	...	...	NNW	1	...
Tokio,	,,	29.67	753.5	...	...	SSE	1	...	,,	29.67	753.5	...	...	...	...	...
Kochi,	,,	29.76	756.0	...	...	E	1	...	,,	29.76	756.0	...	...	SW	1	...
Nagasaki,	,,	29.84	758.0	...	...	W	2	...	,,	29.78	756.5	...	...	...	...	...
Kagoshima,	,,	29.82	757.5	...	...	WSW	9	...	,,	29.78	756.5	...	...	...	...	...
Oshima,	,,	29.86	758.5	...	...	N	2	...	,,	29.78	756.5	...	...	...	...	...
Naha,	,,	29.80	757.0	...	...	SE	1	...	,,	29.73	755.0	...	...	ESE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.69	754.0	...	...	E	3	...
Bonin Island,	,,	29.84	758.0	...	...	WSW	1	...	,,	29.86	758.5	...	...	...	...	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.78	756.4	90	66	SW	2	b	,,	29.71	754.6	79	96	SE	1	o
Gutzlaff,	,,	29.73	755.1	84	100	SSE	4	b	,,	29.69	754.1	78	100	SSE	4	o
Sharp Peak,	15	29.75	755.6	78	94	E	2	r	7	29.73	755.1	80	91	N	1	b
Amoy,	14	...	...	...	...	...	...	...	6	29.62	752.3	81	96	ENE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.75	755.7	90	66	E	4	o	,,	...	...	...	...	...	...	...
Taichu,	,,	29.74	755.4	79	...	...	0	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29.72	754.8	82	...	SSE	4	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.74	755.4	84	...	E	2	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.74	755.4	79	...	...	0	r	,,	...	...	...	...	...	...	...
Canton,	15	29.51	749.5	87	80	SE	2	o	,,	...	...	...	...	...	...	...
Hongkong,	14	29.56	750.8	85	77	S	2	cq	,,	29.59	751.6	80	93	E	1	c
Gap Rock,	,,	29.54	750.3	...	...	SE	6	c	,,	29.58	751.3	...	...	SE	5	b
Macao,	,,	29.53	750.0	84	81	S	4	o	,,	29.55	750.6	81	94	SSE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.40	746.7	75	98	WSW	6	r	7	...	...	...	...	...	...	...
Tourane,	,,	29.50	749.7	86	...	NW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.65	753.0	86	68	N	4	o	6	29.56	750.9	77	94	NW	4	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	79	92	WSW	4	r	,,	29.59	751.5	79	89	WNW	1	o
Legaspi,	,,	29.61	752.1	79	92	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.63	752.7	81	76	WNW	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	81	84	SW	4	o	,,	29.63	752.7	77	88	SW	4	r
Surigao,	,,	...	...	...	...	...	...	...	,,	29.61	752.1	82	67	WSW	4	o
Guam,	12.20	29.73	755.1	...	...	SSE	4	o	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labetan,	14	29.75	755.6	88	69	S	2	b	6	29.76	755.9	80	91	SE	2	b

July 28*d.* 19*h.* 05*m.*—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 125° E., moving W.N.W.

July 31*d.* 10*h.* 59*m.*—Pressure has increased slightly at Hongkong. It has decreased slightly at other reporting stations.

A depression is shown to the N.E. of Tokio.

A typhoon is approaching N. Luzon, somewhat rapidly, on a W.N.W. track.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 38·66 inches, against an average of 51·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	E. winds, moderate to fresh; fine.
4.—South coast of China between Hongkong and Hainan,	S. or variable winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

AUGUST,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922

[*Price* 60c.]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

AUGUST,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of AUGUST, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·511	29·493	29·485	29·483	29·489	29·487	29·503	29·491	29·490	29·484	29·473	29·464	1
2	29·351	29·326	29·325	29·313	29·305	29·320	29·325	29·336	29·333	29·325	29·309	29·294	2
3	29·234	29·196	29·186	29·186	29·174	29·182	29·220	29·242	29·274	29·295	29·315	29·331	3
4	29·495	29·489	29·492	29·494	29·491	29·510	29·523	29·540	29·555	29·566	29·571	29·574	4
5	29·578	29·570	29·562	29·555	29·559	29·577	29·602	29·601	29·611	29·611	29·609	29·596	5
6	29·611	29·602	29·590	29·586	29·580	29·590	29·595	29·598	29·602	29·616	29·613	29·609	6
7	29·574	29·557	29·546	29·543	29·548	29·551	29·557	29·571	29·576	29·593	29·575	29·561	7
8	29·528	29·522	29·516	29·511	29·511	29·509	29·523	29·525	29·530	29·535	29·535	29·525	8
9	29·522	29·505	29·496	29·492	29·505	29·518	29·527	29·536	29·537	29·547	29·541	29·515	9
10	29·550	29·526	29·522	29·533	29·534	29·542	29·540	29·556	29·567	29·567	29·566	29·557	10
11	29·546	29·532	29·522	29·523	29·525	29·529	29·539	29·554	29·564	29·562	29·557	29·544	11
12	29·531	29·531	29·526	29·511	29·517	29·535	29·549	29·551	29·559	29·563	29·557	29·549	12
13	29·548	29·548	29·550	29·545	29·547	29·554	29·564	29·579	29·589	29·595	29·591	29·581	13
14	29·553	29·550	29·554	29·551	29·555	29·565	29·570	29·578	29·580	29·583	29·585	29·578	14
15	29·543	29·526	29·521	29·526	29·536	29·531	29·544	29·551	29·563	29·561	29·563	29·552	15
16	29·549	29·539	29·535	29·535	29·539	29·555	29·567	29·584	29·591	29·614	29·611	29·609	16
17	29·657	29·645	29·641	29·638	29·641	29·650	29·662	29·673	29·679	29·690	29·687	29·676	17
18	29·660	29·643	29·613	29·613	29·593	29·605	29·626	29·635	29·642	29·625	29·625	29·601	18
19	29·591	29·549	29·532	29·521	29·526	29·520	29·529	29·544	29·557	29·560	29·558	29·557	19
20	29·555	29·549	29·547	29·537	29·535	29·543	29·555	29·563	29·576	29·587	29·598	29·591	20
21	29·600	29·603	29·583	29·571	29·557	29·571	29·590	29·600	29·615	29·630	29·635	29·635	21
22	29·601	29·576	29·561	29·557	29·568	29·564	29·576	29·581	29·584	29·581	29·574	29·557	22
23	29·493	29·479	29·481	29·475	29·471	29·473	29·487	29·507	29·517	29·515	29·513	29·495	23
24	29·490	29·488	29·486	29·484	29·476	29·486	29·498	29·515	29·529	29·536	29·544	29·539	24
25	29·592	29·584	29·576	29·589	29·592	29·600	29·606	29·617	29·637	29·646	29·646	29·650	25
26	29·696	29·690	29·673	29·661	29·663	29·669	29·682	29·683	29·684	29·697	29·699	29·674	26
27	29·647	29·625	29·601	29·597	29·604	29·615	29·622	29·630	29·641	29·636	29·618	29·616	27
28	29·586	29·582	29·560	29·554	29·554	29·558	29·564	29·580	29·585	29·600	29·598	29·586	28
29	29·593	29·578	29·570	29·558	29·554	29·560	29·568	29·576	29·585	29·595	29·591	29·602	29
30	29·564	29·540	29·530	29·520	29·508	29·506	29·516	29·529	29·533	29·538	29·541	29·527	30
31	29·530	29·510	29·498	29·486	29·494	29·505	29·528	29·542	29·558	29·562	29·560	29·558	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·442	29·424	29·403	29·387	29·375	29·365	29·379	29·414	29·421	29·427	29·407	29·381	1
2	29·288	29·272	29·244	29·239	29·230	29·267	29·263	29·253	29·261	29·279	29·268	29·249	2
3	29·350	29·360	29·346	29·335	29·344	29·380	29·412	29·439	29·474	29·491	29·497	29·499	3
4	29·573	29·551	29·528	29·532	29·534	29·540	29·555	29·571	29·588	29·595	29·601	29·591	4
5	29·588	29·579	29·572	29·553	29·553	29·554	29·569	29·581	29·597	29·619	29·631	29·627	5
6	29·590	29·582	29·571	29·551	29·541	29·534	29·549	29·569	29·582	29·590	29·583	29·577	6
7	29·551	29·533	29·509	29·495	29·489	29·485	29·493	29·513	29·534	29·548	29·548	29·557	7
8	29·499	29·491	29·472	29·468	29·453	29·459	29·477	29·509	29·523	29·534	29·538	29·528	8
9	29·502	29·490	29·485	29·473	29·470	29·477	29·491	29·497	29·506	29·537	29·550	29·560	9
10	29·543	29·525	29·515	29·507	29·499	29·497	29·503	29·524	29·542	29·563	29·566	29·556	10
11	29·524	29·511	29·503	29·489	29·485	29·492	29·520	29·522	29·548	29·558	29·558	29·547	11
12	29·538	29·531	29·510	29·501	29·498	29·497	29·515	29·522	29·553	29·572	29·570	29·562	12
13	29·561	29·538	29·518	29·510	29·494	29·505	29·525	29·542	29·563	29·575	29·571	29·561	13
14	29·567	29·541	29·518	29·503	29·505	29·525	29·519	29·537	29·550	29·567	29·556	29·549	14
15	29·540	29·524	29·497	29·491	29·494	29·504	29·516	29·539	29·555	29·561	29·562	29·555	15
16	29·595	29·579	29·563	29·565	29·579	29·587	29·592	29·612	29·632	29·654	29·655	29·658	16
17	29·674	29·647	29·627	29·613	29·608	29·605	29·620	29·641	29·660	29·675	29·673	29·676	17
18	29·590	29·575	29·535	29·511	29·494	29·512	29·525	29·547	29·575	29·605	29·600	29·585	18
19	29·555	29·509	29·490	29·461	29·459	29·467	29·496	29·524	29·550	29·570	29·578	29·573	19
20	29·586	29·563	29·542	29·525	29·529	29·539	29·559	29·583	29·601	29·614	29·612	29·606	20
21	29·625	29·603	29·575	29·561	29·565	29·567	29·577	29·605	29·642	29·645	29·641	29·629	21
22	29·537	29·513	29·503	29·497	29·482	29·491	29·501	29·508	29·533	29·553	29·547	29·512	22
23	29·478	29·456	29·448	29·460	29·445	29·445	29·453	29·476	29·496	29·502	29·506	29·510	23
24	29·529	29·507	29·495	29·493	29·507	29·510	29·533	29·554	29·581	29·603	29·604	29·608	24
25	29·637	29·641	29·635	29·624	29·630	29·628	29·637	29·670	29·684	29·692	29·698	29·698	25
26	29·658	29·631	29·615	29·609	29·621	29·615	29·624	29·639	29·654	29·660	29·659	29·659	26
27	29·603	29·572	29·562	29·548	29·542	29·555	29·577	29·603	29·612	29·606	29·604	29·603	27
28	29·570	29·561	29·551	29·529	29·528	29·546	29·563	29·606	29·612	29·624	29·627	29·603	28
29	29·588	29·568	29·572	29·545	29·532	29·537	29·555	29·561	29·582	29·588	29·600	29·583	29
30	29·518	29·511	29·502	29·491	29·499	29·503	29·512	29·524	29·549	29·560	29·558	29·548	30
31	29·549	29·539	29·517	29·514	29·519	29·532	29·550	29·562	29·585	29·590	29·580	29·576	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of AUGUST, 1922.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	81·4	81·1	80·9	80·5	79·8	79·8	80·6	83·4	84·0	86·7	87·4	88·2	1
2	83·4	83·3	83·3	83·4	83·3	83·1	83·8	85·0	87·8	90·2	89·8	91·8	2
3	83·7	84·1	84·2	83·7	82·6	82·6	82·5	83·2	84·0	82·3	83·6	79·2	3
4	81·9	81·7	79·2	80·0	81·1	81·8	82·6	82·0	81·7	83·9	83·2	83·5	4
5	81·6	81·9	82·0	81·8	81·2	81·4	80·7	82·9	82·0	80·9	84·7	84·3	5
6	81·6	81·5	81·4	81·5	81·6	81·8	83·1	85·2	84·5	83·9	85·9	83·2	6
7	81·9	81·8	81·5	81·6	81·2	81·2	82·0	84·0	84·4	86·1	87·2	87·5	7
8	83·5	83·2	83·0	82·7	82·2	82·2	82·9	84·1	84·1	85·5	86·4	84·7	8
9	83·0	83·0	83·0	82·8	82·8	82·9	84·4	85·6	85·6	85·8	84·8	87·0	9
10	82·5	82·7	83·0	82·6	82·7	82·1	83·0	84·3	84·4	87·4	88·8	81·8	10
11	82·4	82·0	82·0	82·0	81·6	81·3	82·2	83·0	84·0	84·4	84·6	84·2	11
12	82·2	82·0	81·4	82·0	82·4	79·8	79·9	83·0	83·6	85·7	86·2	87·9	12
13	83·6	83·5	83·4	83·0	82·9	82·7	84·2	84·5	85·3	87·6	87·8	87·5	13
14	83·3	83·0	82·2	81·4	80·4	80·8	81·3	83·9	85·9	86·6	87·7	89·4	14
15	81·7	81·4	81·6	81·3	81·5	80·9	83·0	83·6	85·2	86·7	85·8	87·7	15
16	81·7	82·4	80.8	81·9	81·3	81·9	82·6	82·5	82·7	83·4	86·1	79·3	16
17	81·3	80·5	80·7	80·4	79·3	77·5	81·0	83·1	84·5	84·0	84·4	85·9	17
18	80·8	80·9	80·6	80·1	79·9	80·3	82·0	82·9	82·9	85·5	88·3	89·1	18
19	80·6	78·5	77·6	78·0	77·9	77·6	79·7	81·2	84·3	86·6	86·8	86·3	19
20	80·8	80·5	80·6	79·9	79·9	79·7	80·5	83·0	83·5	86·2	83·4	82·6	20
21	81·3	81·0	81·1	80·9	80·8	80·7	81·4	83·2	84·0	84·2	83·7	78·3	21
22	80·5	80·0	80·1	80·4	77·5	77·0	78·3	79·5	81·8	83·1	84·8	85·0	22
23	79·1	79·0	79·1	79·2	79·1	79·3	79·7	79·4	79·3	80·1	81·4	83·0	23
24	78·9	78·6	78·6	78·8	78·6	78·9	79·2	80·3	82·4	85·6	86·0	86·9	24
25	78·6	78·1	78·1	78·2	78·4	78·5	79·5	82·0	83·5	83·2	85·0	84·4	25
26	80·2	80·0	80·2	80·0	77·1	77·6	78·4	79·5	81·2	80·6	80·7	83·4	26
27	80·5	80·3	80·0	80·2	77·7	77·3	77·4	78·1	78·2	79·0	79·7	81·0	27
28	78·2	78·5	78·7	79·5	79·1	79·5	79·7	82.1	83·7	85·3	84·4	83·2	28
29	76·7	77·2	77·3	77·5	77·9	78·0	78·8	80·6	82·4	81·2	85·5	79·2	29
30	78·9	79·4	79·6	79·5	80·2	79·7	78·0	79·1	80·0	80·2	82·0	81·9	30
31	79·4	78·5	79·4	79·5	78·4	78·5	78·7	79·1	78·0	78·4	77·8	78·6	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	89·0	89·6	88·0	89·7	89·0	88·0	86·4	85·7	84·8	84·5	83·9	83·7	1
2	92·5	91·2	90·5	90·4	89·3	80·6	80·1	81·0	81·1	81·8	82·0	82·3	2
3	78·2	77·4	80·5	81·4	81·8	80·9	81·4	81·5	81·5	81·5	81·4	80·7	3
4	83·6	83·8	84·7	83·9	83·8	83·4	83·0	82·4	82·8	82·7	82·5	82·2	4
5	85·6	84.8	83·5	84·7	84·1	83·1	82·8	82·7	82·5	82·6	82·4	82·2	5
6	84·4	81·2	81·1	82·2	83·4	83·6	82·3	82·4	82·2	81·9	82·0	82·1	6
7	88·3	88·4	88·2	87·4	86·6	85·3	84·1	83·9	83·5	83·4	83·0	83·2	7
8	87·2	87·5	87·6	86·2	85·4	85·0	83·6	83·0	83·0	82·6	82·6	82·9	8
9	87·7	88·7	87·2	86·9	86·0	84·8	83·8	82·9	82·6	82·6	81·9	81·5	9
10	87·3	85·6	86·6	83·8	83·7	84·2	83·9	83·1	83·3	83·0	82·8	82·5	10
11	84·5	86·0	86·8	85·0	84·2	83·7	83·1	82·6	82·5	82·7	82·6	82·7	11
12	88·2	89·0	89·0	87·4	86·7	85·8	83·9	83·8	83·2	82·9	83·2	83·3	12
13	87·1	88·5	88·7	88·3	86·6	85·9	83·9	83·7	83·6	83·6	83·4	83·1	13
14	89·1	88·9	89·2	88·0	87·6	85·5	84·5	83·9	83·3	82·9	82·3	82·0	14
15	81·2	80·8	83·0	81·6	83·2	82·8	82·7	80·6	80·4	81·1	81·0	81·1	15
16	85·6	85·1	84·0	85·6	80·3	82·0	82·1	82·7	81·3	81·4	82·5	80·8	16
17	85·8	86·6	86·2	85·6	85·2	84·4	83·3	82·1	81·8	81·5	81·1	81·0	17
18	88·4	83·7	85·1	83·5	82·9	82·7	81·8	80·8	80·7	80·6	80·8	80·4	18
19	88·7	88·6	88·9	88·9	87·2	85·9	83·9	83·2	82·4	82·1	81·2	81·4	19
20	83·1	85·7	86·6	86·8	86·4	85·7	84·3	83·4	83·4	82·5	82·3	82·4	20
21	81·1	82·3	81·1	80·8	81·1	81·2	80·8	80·2	80·3	80·0	79·8	79·6	21
22	86·0	87·0	86·0	84·8	81·8	81·0	80·8	80·4	80·6	80·2	80·1	79·8	22
23	83·6	83·3	83·5	78·0	77·4	77·6	77·6	77·7	78·1	78·2	78·6	78·5	23
24	87·6	87·8	85·2	83·0	77·8	77·8	78·1	78·6	78·7	78·5	78·7	79·3	24
25	86·0	84·4	85·1	86·2	83·2	82·3	81·5	80·9	80·8	81·0	81·0	81·0	25
26	84·4	86·2	87·6	84·7	80·9	79·0	78·8	79·3	79·9	79·8	80·5	80·2	26
27	83·0	84·4	85·3	84·6	83·5	82·7	81·9	76·3	77·1	77·1	77·6	78·0	27
28	84·1	83·0	82·9	83·1	83·0	82·9	82·5	79·5	76·1	76·0	75·9	75·9	28
29	79·0	80·6	78.4	79·6	80·8	80·8	80·7	80·3	80·4	79·1	78·4	78·7	29
30	82·1	81·9	80·4	79·1	77·7	78·9	79·8	79·7	79·4	79·5	78·6	77·9	30
31	78·6	77·1	77·9	78·8	78·9	78·6	78·4	78·4	78·3	78·2	78·5	80·3	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of AUGUST, 1922.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·7	78·5	78·4	78·2	77·9	77·8	78·8	79·5	79·2	79·8	78·5	78·8	1
2	80·5	80·5	79·8	79·8	80·0	79·7	80·3	81·0	81·2	81·2	81·0	80·8	2
3	79·8	79·0	80·2	79·7	79·4	79·4	79·0	79·7	80·1	78·6	78·8	77·0	3
4	78·8	78·6	77·1	77·8	78·2	77·9	78·2	78·8	78·5	80·0	79·1	79·0	4
5	78·4	77·9	77·9	77·7	78·0	77·8	77·2	78·4	78·5	77·1	79·6	79·0	5
6	77·6	78·0	77·9	77·5	77·6	77·9	78·5	79·4	79·4	78·9	79·6	78·4	6
7	78·7	78·3	77·9	77·8	78·2	78·1	78·9	80·5	80·1	80·6	80·4	81·1	7
8	79·0	78·8	79·0	79·0	78·5	78·5	79·3	79·6	79·7	80·5	80·5	80·8	8
9	78·8	78·4	78·4	78·2	78·0	78·2	79·8	79·7	80·6	80·1	77·9	79·6	9
10	79·5	79·2	78·8	78·2	78·3	78·2	78·4	78·8	78·5	79·4	80·2	78·6	10
11	78·8	78·7	78·8	78·8	78·2	78·1	78·9	79·8	79·8	79·7	79·5	80·0	11
12	78·5	78·1	77·8	78·5	79·2	78·3	78·6	80·0	78·9	79·7	79·1	79·9	12
13	78·1	78·4	78·0	77·6	77·5	77·0	78·2	78·8	79·2	79·8	79·9	79·5	13
14	78·4	78·6	78·9	78·8	78·3	79·0	79·7	80·9	81·3	80·7	81·5	81·5	14
15	79·1	79·3	79·0	79·2	79·0	78·4	80·1	79·3	79·3	80·5	79·9	81·0	15
16	77·8	77·9	77·9	77·6	77·7	77·3	77·9	78·0	77·3	78·6	79·5	76·5	16
17	77·8	77·5	77·7	77·0	76·7	76·0	78·2	78·0	78·0	78·1	78·3	78·8	17
18	78·1	78·4	78·2	77·9	77·8	78·4	78·9	79·2	78·5	79·3	79·0	78·9	18
19	76·0	72·8	71·9	72·1	73·2	73·9	75·1	75·0	77·6	77·5	78·1	77·0	19
20	78·5	78·2	78·1	77·8	77·8	77·5	78·2	78·9	78·9	79·8	79·1	79·5	20
21	79·0	79·1	78·5	78·8	78·9	78·3	78·9	79·0	79·0	78·2	79·0	76·0	21
22	78·2	78·2	78·4	78·9	76·2	76·3	76·9	77·8	79·1	79·1	79·8	79·5	22
23	76·3	76·6	76·6	76·1	76·8	76·6	77·1	77·0	77·4	77·5	78·5	79·1	23
24	77·8	77·5	77·5	77·6	77·2	77·2	77·7	77·2	76·9	78·5	77·3	77·9	24
25	76·3	76·2	76·0	76·4	76·6	76·6	77·6	78·7	79·4	78·4	79·8	79·2	25
26	78·0	78·0	78·1	77·7	75·1	75·8	76·7	77·0	77·8	77·5	77·8	78·9	26
27	77·8	77·9	78·1	78·0	75·7	76·0	76·0	76·4	76·7	78·0	77·8	78·2	27
28	76·9	76·7	76·6	77·7	77·2	77·9	78·1	78·6	79·5	79·8	79·1	78·6	28
29	75·8	76·2	76·4	76·9	77·0	77·0	77·5	79·0	79·8	78·5	81·0	77·0	29
30	76·3	76·6	76·7	76·4	76·6	76·6	75·4	77·0	78·0	77·4	77·6	77·7	30
31	77·2	76·4	77·3	77·3	76·2	76·8	77·0	77·3	76·0	76·2	76·0	76·3	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	80·5	81·2	80·2	80·2	80·0	79·0	78·3	78·7	79·9	80·4	80·5	81·0	1
2	80·2	79·2	80·0	79·0	80·2	77·8	77·5	78·3	78·7	78·8	79·0	79·0	2
3	75·0	75·0	75·6	76·5	76·6	77·5	77·8	77·9	77·5	78·0	77·9	77·5	3
4	78·8	78·9	79·2	79·0	78·9	79·0	78·3	77·9	78·5	78·5	78·6	78·7	4
5	79·7	79·5	78·9	79·0	78·4	78·5	78·1	78·4	78·2	78·5	78·7	78·5	5
6	78·9	78·9	79·2	79·2	79·5	79·7	78·7	78·9	78·5	78·6	78·2	78·3	6
7	81·5	80·6	80·8	80·8	80·1	79·6	78·8	79·0	79·0	78·8	78·7	79·0	7
8	81·3	81·4	81·8	80·4	80·2	80·3	79·2	79·5	79·4	79·6	79·4	79·5	8
9	80·2	80·8	80·0	80·4	79·9	79·8	79·4	79·0	79·1	78·9	78·9	79·0	9
10	80·4	79·9	80·4	80·1	79·8	78·8	78·9	79·0	79·1	78·5	78·8	78·8	10
11	79·8	79·6	80·3	79·9	79·8	78·9	78·3	78·2	78·3	78·1	78·0	78·0	11
12	78·8	79·9	80·0	78·2	79·3	79·0	78·6	78·4	78·6	78·4	78·8	78·7	12
13	79·7	80·2	78·8	79·1	79·3	79·2	79·0	79·2	79·4	79·8	79·1	79·0	13
14	82·0	81·8	81·4	80·0	79·7	79·9	79·5	79·0	78·8	78·9	78·7	78·3	14
15	78·3	78·8	78·3	78·2	77·6	78·5	77·7	77·7	77·8	77·7	77·6	77·8	15
16	79·8	78·5	79·0	79·9	77·1	77·8	78·1	78·9	77·1	77·8	78·6	77·2	16
17	78·8	78·4	77·8	78·2	77·6	78·0	78·0	78·2	78·9	78·6	78·4	78·1	17
18	78·4	78·1	78·6	78·0	78·0	77·6	77·5	76·7	76·7	77·3	77·5	77·5	18
19	79·0	79·4	79·8	79·5	78·2	77·4	77·6	77·8	77·9	78·0	78·0	78·0	19
20	79·9	79·5	80·3	79·8	79·0	79·2	78·4	78·6	78·8	78·9	79·0	78·7	20
21	76·8	78·3	78·4	78·6	78·4	78·5	78·0	78·0	78·2	77·9	77·6	77·8	21
22	80·0	80·2	79·9	78·9	76·9	76·8	77·6	77·5	78·3	77·8	77·6	77·2	22
23	79·3	78·4	78·8	76·7	76·0	76·4	76·6	76·6	77·0	77·3	77·9	78·0	23
24	78·8	79·5	78·7	78·6	76·3	77·2	77·0	77·3	77·0	76·3	76·3	76·6	24
25	80·1	79·9	79·9	80·1	78·4	77·2	77·2	77·3	77·1	77·4	77·6	77·9	25
26	79·2	80·0	79·7	78·5	77·5	76·2	76·0	76·5	77·2	77·6	77·8	77·5	26
27	78·2	79·5	79·0	78·5	77·6	77·9	77·7	74·8	75·8	76·0	76·5	77·2	27
28	78·7	78·0	78·4	78·7	78·9	79·5	79·2	78·4	75·6	74·5	74·5	75·0	28
29	76·6	77·2	74·8	76·6	76·9	76·8	76·8	77·0	77·0	77·2	76·4	76·8	29
30	77·0	77·1	76·5	76·0	74·8	75·8	76·5	76·8	76·8	76·8	76·6	76·5	30
31	76·3	76·0	76·3	76·7	76·8	76·8	76·7	76·7	76·6	76·8	76·5	77·8	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of AUGUST, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	7	3	2	5	8	7	10	7	6	6	3	2	2	4	5	2	4	2	3	2	2	1	2	3	1
2	3	1	1	2	2	9	10	10	6	5	5	7	8	9	8	10	9	10	10	10	10	10	10	10	2
3	10	9	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	4
5	10	10	10	10	8	9	7	9	9	10	10	9	9	10	10	10	9	10	9	9	9	10	8	9	5
6	5	6	8	7	5	7	8	8	9	9	7	10	10	8	10	10	10	10	9	9	8	7	2	8	6
7	9	9	7	9	9	9	7	6	6	7	5	6	7	5	5	6	5	5	7	9	9	7	6	8	7
8	7	8	8	9	7	9	5	6	8	9	10	10	10	10	10	9	9	9	10	8	9	10	10	10	8
9	10	10	10	9	9	6	7	8	9	8	9	9	8	7	7	8	9	9	8	5	3	3	5	4	9
10	7	9	6	9	10	9	8	8	8	8	7	8	6	9	7	8	6	7	9	3	4	2	4	5	10
11	6	9	6	9	6	8	4	3	6	8	7	6	4	5	6	4	4	3	2	1	4	5	4	9	11
12	6	10	9	8	10	10	9	9	5	7	3	3	2	1	2	4	3	3	3	1	3	4	10	10	12
13	1	10	8	8	7	6	8	6	6	8	6	6	7	7	8	8	8	4	3	1	2	7	6	6	13
14	9	10	10	10	10	10	8	4	4	8	8	7	6	5	7	8	8	10	7	4	2	2	4	6	14
15	9	10	10	8	8	8	7	5	8	8	7	7	10	10	10	10	10	10	10	10	9	7	9	10	15
16	9	10	9	9	8	8	10	9	10	8	7	9	8	9	9	6	8	6	3	4	3	9	9	4	16
17	10	8	10	10	10	10	8	9	6	8	9	4	6	5	3	3	1	3	4	1	2	7	6	7	17
18	5	8	8	9	7	9	10	10	10	7	7	7	8	8	9	8	6	7	10	3	1	5	4	8	18
19	10	5	2	4	5	2	1	2	2	1	2	6	7	6	5	5	3	4	2	1	1	1	1	...	19
20	..	...	...	...	2	2	3	3	4	7	10	10	8	7	5	3	2	4	4	6	8	...	...	...	20
21	3	8	1	...	...	2	8	9	9	9	10	10	10	10	10	10	10	10	10	7	9	10	10	9	21
22	8	10	10	10	10	10	10	10	8	8	8	7	6	7	8	10	10	10	10	10	10	10	10	6	22
23	10	10	10	10	10	10	10	10	10	10	10	9	9	9	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	7	8	9	9	9	9	10	10	10	10	10	10	10	10	10	24
25	10	8	9	10	10	10	10	7	8	7	7	9	7	9	10	10	10	8	9	7	9	6	3	2	25
26	5	6	7	4	10	10	10	10	10	10	10	9	7	6	6	7	10	10	10	8	8	10	4	4	26
27	5	8	10	8	10	10	10	10	10	10	10	10	10	10	10	10	10	8	10	10	10	10	10	10	27
28	10	10	10	10	10	10	8	6	6	7	10	10	10	10	10	10	10	10	10	10	10	10	10	10	28
29	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	29
30	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	30
31	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of AUGUST, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·4	0·9	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	1
2	...	0·2	1·0	1·0	0·9	0·7	0·7	0·7	...	...	...	...	...	2
3	...	...	0·4	0·1	...	...	...	...	...	...	...	...	...	3
4	...	0·1	...	...	0·2	...	...	...	...	...	...	...	...	4
5	...	0·7	...	0·6	0·3	0·3	0·7	0·8	0·5	0·7	0·8	...	...	5
6	0·4	1·0	0·8	0·6	0·9	0·5	...	0·2	...	0·1	...	0·6	0·4	6
7	0·4	1·0	1·0	1·0	1·0	1·0	0·9	1·0	1·0	1·0	1·0	0·9	0·3	7
8	...	0·2	0·2	0·9	0·6	0·2	0·8	0·4	0·6	...	0·9	0·8	...	8
9	0·5	0·7	0·7	1·0	0·6	1·0	1·0	1·0	1·0	1·0	0·3	...	...	9
10	0·1	0·5	0.1	1·0	0·9	0·7	0·9	0·7	0·9	0·2	1·0	0·7	0·2	10
11	0·5	0·6	0·6	0·6	0·7	0·1	0·9	1·0	0·9	0·5	0·9	1·0	0·6	11
12	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	12
13	0·5	0·8	1·0	1·0	1·0	1.0	1·0	1·0	1·0	1·0	1·0	1·0	0.4	13
14	...	0·8	1·0	1·0	1·0	1.0	1·0	1·0	1·0	1·0	1·0	0·5	...	14
15	0·5	1·0	0·8	1·0	0·9	1·0	0·6	0·2	0·1	...	...	...	...	15
16	...	0·4	0·7	0·7	1·0	0·7	0·9	0·9	0.9	0·8	0·7	0·8	...	16
17	0·4	0·7	1·0	0·4	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	17
18	...	...	...	0·6	0·7	1·0	0·8	0·2	0.1	0·2	...	...	...	18
19	0·4	1·0	1·0	1·0	1·0	0·8	1·0	1·0	1·0	1·0	1·0	1·0	0·3	19
20	...	0·8	0·7	0·9	0·2	...	...	0·9	1·0	1·0	1·0	0·8	0·3	20
21	...	0·5	0·3	...	...	...	...	...	...	...	...	...	...	21
22	.	...	0·1	0·7	0·7	0·3	1·0	1·0	0·2	0·2	...	...	...	22
23	...	...	...	0·2	0·5	0·3	1·0	0·4	0·2	...	...	...	...	23
24	...	...	...	0·8	0·6	1·0	0·7	0·9	0·6	0·2	...	...	...	24
25	...	0·4	0·8	0·9	1·0	0·7	1·0	0·9	...	0·7	0·3	...	...	25
26	...	...	...	...	...	...	0·1	1·0	1·0	1·0	0·4	...	...	26
27	...	...	...	...	...	...	...	0·2	0·7	0·6	...	0·2	...	27
28	...	0·5	1·0	0.8	0·7	0·1	...	...	...	...	...	...	...	28
29	...	...	0·1	0·5	0·6	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of AUGUST, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	d	...	...	0·005	0·065	d	d	...	d	d	d	0·440	3
4	...	...	0·060	0·180	d	...	0·080	0·160	0·060	...	...	...	4
5	0·005	...	...	...	...	d	0·005	d	0·085	...	...	...	5
6	...	...	...	...	...	...	...	...	...	d	...	0·010	6
7	...	...	...	...	0·005	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	d	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	d	...	0.005	d	...	...	d	...	...	0·030	10
11	...	...	...	0·040	...	...	...	0·065	0·060	d	0·345	0·005	11
12	...	...	...	...	0·305	0·075	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	d	0·055	0·395	0·050	d	...	...	...	...	...	...	14
15	...	...	...	...	...	0·010	...	...	d	...	...	...	15
16	d	d	0·020	0·030	0·005	...	d	0·010	0·005	d	...	0·090	16
17	0·310	...	0·030	d	0.175	0·180	d	...	...	...	...	...	17
18	...	...	...	...	...	...	...	0·030	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	d	0·180	0·085	20
21	...	...	...	...	...	...	...	...	...	...	0·460	0·010	21
22	...	...	d	0·040	0·790	0·040	0·005	d	...	...	...	...	22
23	...	...	...	0·005	...	...	...	...	0·005	...	...	...	23
24	0·090	0·030	0·010	...	...	...	...	...	...	...	...	...	24
25	0·005	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	0·190	0·005	d	...	...	...	...	...	26
27	...	d	0·050	...	0·260	0·330	0·025	0·110	0·015	...	...	...	27
28	0·050	d	...	...	0·005	0·010	...	...	...	...	0·020	d	28
29	0·005	d	...	0·120	...	...	d	...	...	0·005	0·065	0·090	29
30	0·020	0·010	0·005	0·005	d	0·080	0·040	0·030	0·005	0·025	...	...	30
31	0·065	0·220	0·120	0·135	0·060	0·140	...	0·385	0·060	0·235	0·040	0·005	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	0·200	...	...	0·005	...	d	d	2
3	0·010	0·250	0·005	...	...	0·030	d	...	...	...	0·155	...	3
4	...	...	...	...	...	...	...	...	...	...	0·005	...	4
5	...	...	0·010	...	...	...	...	...	...	...	...	d	5
6	...	0·465	0·025	d	0·020	d	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	d	d	0·015	0·065	...	...	...	...	...	...	...	...	10
11	d	...	d	0·005	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	0·095	0·025	0·045	0·005	...	d	0·030	0·145	0·005	0·025	d	0.055	15
16	...	d	0·020	...	0·035	d	...	d	d	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	0·030	d	...	...	...	...	...	...	...	...	21
22	...	...	...	d	...	d	...	...	...	d	d	...	22
23	...	d	...	1·270	0·040	0·035	0·015	d	0·005	0·055	0·200	d	23
24	...	...	...	...	0·265	0·025	d	0·005	...	...	...	0·105	24
25	...	0·005	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	0·105	d	0·005	...	...	...	...	...	26
27	...	...	...	...	...	...	...	0·710	0·130	0·070	0·010	0·005	27
28	...	d	d	d	d	d	0·055	1·625	0·335	0·120	0·120	0·015	28
29	0·005	0·010	0·070	d	d	...	d	d	0·030	0·550	0.040	0·010	29
30	d	...	0·015	0·130	0·035	d	d	0·015	d	...	0·090	0·675	30
31	0·015	0·275	0·020	0·005	0·040	d	...	0·080	0·005	0·010	0·005	0·015	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of AUGUST, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	7	6	8	6	8	2	...	...	...	...	...	...	...	...	...	...	7	2	4	4	25	5	23	8	1
2	25	12	24	9	24	8	25	10	26	13	27	12	27	11	27	10	28	12	28	10	28	12	28	11	2
3	24	7	21	12	20	21	20	23	20	19	19	27	19	26	19	28	19	32	19	38	19	32	19	25	3
4	17	19	16	19	17	18	16	20	16	21	16	16	17	18	17	17	17	16	16	16	16	16	16	19	4
5	16	14	16	15	17	15	16	14	16	11	17	9	17	13	16	6	17	9	22	11	19	6	16	8	5
6	16	9	16	4	16	7	16	6	15	5	16	6	17	5	17	5	17	5	17	6	17	9	17	8	6
7	20	6	19	5	19	9	19	7	20	9	22	8	23	6	23	5	24	5	24	6	23	8	22	11	7
8	19	9	20	9	20	11	20	9	20	9	20	9	21	9	21	10	21	9	21	12	22	12	23	7	8
9	16	5	17	6	19	7	19	10	19	10	18	9	18	7	17	4	16	5	16	7	17	7	19	8	9
10	14	2	17	5	18	5	18	2	18	5	18	7	18	5	17	6	17	4	16	6	18	3	23	7	10
11	16	3	...	1	16	4	17	4	17	5	17	2	...	1	...	...	...	1	16	2	20	8	21	5	11
12	18	11	18	9	19	11	20	7	21	6	22	6	...	...	22	2	22	4	24	4	25	6	23	7	12
13	20	9	20	11	19	12	19	13	19	10	20	10	21	9	22	8	23	5	23	10	23	8	23	12	13
14	18	5	...	1	18	7	24	6	28	4	...	1	...	...	30	2	29	4	27	7	27	7	28	8	14
15	...	...	15	3	13	8	11	7	10	7	9	5	10	5	10	8	9	12	8	15	9	16	10	14	15
16	11	19	10	21	10	17	11	17	11	17	11	16	11	20	11	21	11	21	11	22	11	25	11	22	16
17	10	17	10	15	9	13	8	6	8	10	9	12	9	8	8	10	7	13	7	17	7	21	7	18	17
18	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	9	3	8	4	7	7	18
19	28	8	8	7	8	2	...	1	8	3	8	3	8	3	8	4	28	2	28	3	25	8	26	7	19
20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	18	2	18	4	22	5	22	3	...	...	20
21	...	...	...	...	...	...	...	...	17	2	...	1	...	...	...	...	17	2	20	5	22	12	22	6	21
22	...	...	...	1	...	1	24	8	23	11	22	2	21	2	23	7	24	9	24	10	24	9	24	10	22
23	26	9	27	11	27	9	27	11	27	10	27	10	26	12	25	12	25	11	24	12	24	12	24	11	23
24	26	3	...	...	...	...	...	...	...	...	...	...	1	...	1	29	5	1	11	3	9	3	14	4	13	24
25	21	5	21	8	21	6	21	7	21	4	21	2	21	4	22	7	23	8	23	8	24	11	25	10	25
26	26	4	27	4	...	1	...	...	19	5	...	1	17	2	17	2	...	...	...	...	...	...	20	4	26
27	16	2	18	5	21	9	23	8	24	10	24	3	..	1	...	1	...	...	...	1	...	...	...	...	27
28	18	8	18	4	19	4	21	3	23	4	25	6	24	5	23	6	22	12	21	12	20	9	20	11	28
29	...	1	29	3	29	5	29	3	...	1	29	2	...	1	...	1	23	10	21	5	21	10	21	7	29
30	18	13	18	10	18	12	18	11	18	14	20	12	21	6	21	8	20	9	20	12	19	16	19	13	30
31	13	16	16	14	16	5	19	9	20	9	21	7	21	3	18	4	17	10	20	4	22	4	20	3	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	22	8	22	8	23	5	24	4	24	7	24	4	23	5	23	5	25	6	26	9	26	11	26	11	1
2	28	13	29	13	29	10	29	7	29	8	26	15	24	6	24	8	24	6	25	8	26	6	26	5	2
3	19	39	18	28	19	33	19	26	18	19	17	17	17	16	17	19	17	13	17	8	17	16	17	18	3
4	16	20	16	20	16	18	16	17	16	13	16	10	16	10	16	10	16	13	16	11	16	12	16	15	4
5	17	10	16	11	16	8	16	12	16	11	16	10	16	9	16	9	16	9	16	9	16	12	16	13	5
6	17	7	20	7	19	2	17	4	17	4	19	6	20	6	20	5	20	5	20	4	21	6	21	7	6
7	20	8	19	8	18	10	18	11	18	11	18	11	18	11	18	6	18	5	18	9	19	5	20	4	7
8	24	5	23	5	21	5	18	9	17	10	17	8	18	6	21	4	...	..	...	1	17	4	16	5	8
9	20	8	20	5	19	6	17	8	16	7	15	6	15	5	15	5	15	5	...	1	12	2	12	2	9
10	23	4	21	9	19	11	18	5	17	9	17	6	17	8	17	5	17	10	17	9	17	6	16	5	10
11	21	7	19	5	17	9	17	8	17	8	18	8	18	6	18	4	...	...	18	2	18	4	18	5	11
12	21	5	19	7	18	7	17	9	17	7	18	8	18	7	18	3	18	4	17	2	...	1	19	8	12
13	27	11	25	7	24	10	21	6	19	8	18	8	17	4	17	5	17	2	17	5	18	8	18	5	13
14	28	7	24	7	20	6	17	11	15	9	15	11	15	9	15	3	15	2	...	1	...	1	...	1	14
15	10	11	9	14	9	11	9	10	9	18	8	16	7	17	8	15	8	13	9	20	10	18	11	23	15
16	11	21	11	23	11	19	10	16	9	18	9	15	9	10	9	14	8	16	8	12	8	20	8	21	16
17	7	15	8	18	8	15	9	17	10	12	10	10	11	7	...	1	...	1	...	1	...	1	...	1	17
18	4	9	30	7	28	2	28	5	...	1	28	5	...	...	...	1	...	1	...	...	...	...	...	...	18
19	26	9	26	6	26	6	26	5	26	4	18	7	18	4	18	2	...	1	...	...	...	...	...	...	19
20	28	7	28	4	28	3	28	5	28	6	28	5	17	5	17	3	...	...	...	...	...	1	..	...	20
21	21	2	18	4	16	2	...	1	...	...	16	2	...	1	16	3	16	2	...	1	...	...	...	...	21
22	24	13	23	11	23	11	24	11	24	7	24	8	24	7	25	5	26	9	26	9	26	10	26	11	22
23	23	13	24	12	25	9	25	8	26	4	26	7	26	6	26	6	...	...	...	1	26	2	26	2	23
24	7	10	8	8	8	8	4	5	31	10	31	2	30	3	27	8	23	7	21	10	21	5	21	3	24
25	26	9	25	7	24	4	23	15	22	14	21	7	21	3	21	6	21	7	20	8	20	8	22	5	25
26	22	6	21	8	18	8	17	11	17	9	16	4	15	7	...	1	13	4	13	2	13	4	15	4	26
27	...	1	20	4	20	10	20	9	19	8	20	6	21	4	23	13	...	1	22	2	...	1	20	2	27
28	19	12	19	14	19	13	19	12	20	11	20	12	21	10	24	13	26	6	28	2	29	2	29	2	28
29	21	2	21	15	21	15	21	9	20	12	19	12	19	12	19	5	18	8	18	5	17	8	17	9	29
30	19	14	19	16	19	19	20	23	20	12	20	10	18	9	16	10	15	8	14	9	12	9	9	6	30
31	17	3	15	3	14	3	14	7	15	7	16	5	18	2	...	...	17	3	15	3	14	6	15	10	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of AUGUST, 1922.
(... = no clouds.)

Hours, Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	SE	cu	SSE	a-cu / cu	ENE / SSE	ci-st / cu	WNW / SE	cu	NE	cu	NE	ci-st	WNW	ci-st	WNW
2	ci-st	WNW	ci-st	W	ci-st / cu	ENE / W	ci-cu / cu	NE / N	a-cu / cu	ENE / NNW	a-cu / cu	E / N	cu	NE	cu	NNE
3	nb	WSW	cu-nb	WSW	nb	W	nb	SW	nb	SW	cu	SW	nb	SSW	cu-nb	SW
4	cu-nb	SW	nb	SW	cu	SSW	cu-nb	SW	cu-nb	SW	cu	SSW	cu-nb	S	cu	S
5	cu-nb	S	cu	SSE	ci-cu / cu	W / SSW	cu-nb	SW	cu	SSW	cu	SSW	cu	SSW	cu	SSW
6	ci-st / cu	NE / SSW	cu	SSW	cu	S	cu	SSW	cu-nb	SSW	nb	SSW	cu	SSW	cu	SW
7	cu	SSW	cu	SSW	cu	SW	ci-st / cu	WNW / WSW	ci-st / cu	WNW / WSW	ci-st / cu	WNW / W	ci-st / cu	NW / W	cu	WSW
8	cu	WSW	cu	WSW	ci-st / cu	NE / SW	ci-st / cu	ENE / WSW	ci-st / cu	ENE / W	ci-st / cu	ENE / W	ci-st / cu	ENE / W	ci-st	ENE
9	ci-st / cu	NE / SW	ci-st / cu	NE / SW	ci-st / cu	NE / SW	cu	SW	ci-st / cu	ENE / SW	ci-st / cu	E / WSW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW
10	cu	SW	cu	SSW	ci-st / cu	ENE / SSW	cu	SSW	ci-st / cu	ENE / SW	ci-st / cu	E / WSW	cu	WSW	cu	WSW
11	cu	SSW	cu	SSW	cu	SW	nb	SSW	cu	S	cu	SSW	cu	SW	cu	SSW
12	cu	SW	cu	SW	ci / cu	SSE / N	ci-st / cu	E / SW	cu	WSW	ci-st / cu	ENE / WSW	ci-st / cu	E / WSW	ci-st / cu	E / SW
13	cu	SSW	cu	SW	ci-st / cu	ENE / SW	ci-cu / cu	E / WSW	ci-st / cu	E / WSW	ci-st	E	ci-st / cu	E / WSW	cu	WSW
14	ci-st / cu	ENE / WSW	nb	SW	ci-st / cu	ENE / SW	ci-st / cu	ENE / SW	ci-st / cu	E / SW	ci-st / cu	ENE / SW	a-cu / cu	NNW / SSE	cu	SSE
15	ci-st / cu	ENE / SSE	a-cu / cu	ESE / SE	cu	SE	ci-st / cu	ENE / SE	cu-nb	SE	cu-nb	SE	cu-nb	ESE	cu-nb	ESE
16	cu-nb	ESE	cu-nb	ESE	cu	ESE	ci-st / nb	E / SE	cu	SE	cu	SE	cu	SE	cu	ESE
17	nb	SE	nb	ESE	cu	E	cu	ESE	cu	ESE	ci-st / cu	SSW / ESE	cu	ESE	cu	ESE
18	cu	ESE	cu	ESE	cu	ENE	ci-st	N	ci-cu / cu	NNE / E	ci-st / cu	NNE / E	ci-st	NNE	ci-st / cu	NNE / E
19	cu	E	ci-st	NNE	ci-st	N	cu	E	ci-st / cu	NNE / NW	ci-st / cu	N / WNW	ci-st	NNE	ci-st	NNE
20	...	...	...	...	ci-st / cu	NE / NNE	cu	NE	ci-st / cu	ESE / NE	ci-st / cu	E / NE	a-cu	SE	...	...
21	cu	NNE	...	...	ci-st / cu	NE / SSW	ci-st / cu	NE / SSW	cu-nb	WSW	cu-nb	WSW	cu-bn	WSW	cu	WSW
22	cu	WSW	nb	WSW	nb	WSW	ci-st / cu	NE / WSW	ci-st / cu	NE / WSW	cu-nb	W	cu	NW	nb	NNW
23	cu	NW	cu-nb	NW	cu	NNW	cu-nb	NNE	cu	NNW	nb	NNW	nb	NNE	nb	N
24	nb	N	cu-nb	N	cu-nb	NE	ci-cu / cu	E / ENE	cu	E	cu / nb	E / WSW	cu-nb	WNW	cu-nb	WNW
25	cu-nb	WNW	cu-nb	NW	cu	WNW	ci-cu / cu	ENE / WNW	ci-st / cu	ESE / WSW	a-cu / cu	W / WSW	a-cu / cu	W / WSW	cu	WSW
26	cu	W	cu	W	nb	SW	cu-nb	W	a-cu / cu	W / WSW	ci-st / cu	NE / WSW	nb	SW	cu	SSW
27	cu	SSW	cu	SW	nb	SW	cu-nb	W	cu	WSW	cu	WNW	cu	SW	nb	SW
28	nb	SW	nb	SW	a-cu / cu	E / WSW	a-cu / cu	NE / WSW	cu-nb	WSW	nb	WSW	nb	SW	nb	SW
29	nb	SSW	nb	SSW	nb	SW	nb	SW	nb	SW	nb	SW	nb	SW	nb	SW
30	nb	SW	nb	SW	nb	SW	cu-nb	SW	cu-nb	SW	nb	SW	nb	SW	cu-nb	SW
31	nb	SW	nb	SSW	nb	SW	nb	SW	nb	SW	nb	SW	nb	SSW	nb	SSE

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1922.
(*British Units.*)

Days of the Month	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	ins.	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.		m.p.h.	m.p.h.
1	29·445	90·1	79·5	10·6	84·8	79·3	0·928	77	41	10·9	83	...	...	+ 0·2	— 3·0	274	3·0	4·8
2	29·291	93·1	79·2	13·9	85·5	79·7	·937	77	73	5·2	40	0·205	1	+ 4·7	— 8·1	300	9·4	9·8
3	29·323	84·5	77·3	7·2	81·8	78·1	·913	84	99	0·5	4	0·960	5	— 19·0	— 11·3	211	22·1	22·6
4	29·544	84·7	79·1	5·6	82·6	78·6	·925	83	100	0·3	2	0·545	2	— 16·0	— 0·8	183	16·0	16·0
5	29·586	86·7	80·5	6·2	82·8	78·4	·913	81	93	5·4	41	0·105	1	— 10·3	— 1·0	186	10·3	10·6
6	29·584	87·4	79·9	7·5	82·7	78·6	·924	83	79	5·5	42	0·520	2	— 5·1	— 1·8	199	5·4	5·7
7	29·542	88·8	81·1	7·7	84·4	79·5	·943	79	70	11·5	88	0·005	...	— 5·3	— 4·7	222	7·1	7·7
8	29·509	88·5	82·0	6·5	84·2	79·8	·960	81	87	5·6	43	...	...	— 4·8	— 4·8	225	6·8	7·4
9	29·512	89·0	81·5	7·5	84·5	79·3	·932	78	75	8·8	68	...	...	— 5·4	— 1·5	196	5·6	6·0
10	29·537	89·0	81·8	7·2	84·0	79·1	·930	79	70	7·9	61	0·115	2	— 5·3	— 2·1	202	5·7	6·0
11	29·531	87·5	80·4	7·1	83·3	79·0	·934	82	54	8·9	68	0·520	1	— 3·7	— 1·6	203	4·0	4·2
12	29·535	89·8	79·3	10·5	84·3	78·9	·916	77	56	11·0	85	0·380	1	— 4·2	— 3·3	218	5·3	5·9
13	29·552	88·9	82·5	6·4	85·1	78·9	·905	75	61	11·7	91	...	...	— 4·3	— 5·7	233	7·1	8·2
14	29·552	89·9	80·2	9·7	84·7	79·8	·953	79	70	10·3	80	0·500	1	— 1·4	— 1·9	234	2·4	5·0
15	29·536	87·9	79·7	8·2	82·5	78·8	·936	84	87	6·1	47	0·440	3	— 2·9	+ 11·2	105	11·6	11·9
16	29·587	86·8	79·2	7·6	82·5	78·1	·904	81	77	8·5	66	0·215	3	— 7·5	+ 16·4	115	18·0	18·5
17	29·652	86·9	77·2	9·7	82·8	78·0	·895	80	62	10·6	85	0·695	3	— 0·8	+ 10·4	94	10·4	10·8
18	29·589	90·1	79·9	10·2	82·7	78·1	·901	81	72	3·6	28	0·030	...	+ 0·8	+ 0·4	27	0·9	1·9
19	29·531	89·3	77·1	12·2	83·2	76·7	·832	73	32	11·5	90	...	...	+ 0·5	— 1·5	288	1·6	4·0
20	29·566	87·3	79·6	7·7	83·0	78·8	·929	82	37	7·6	59	0·265	2	+ 0·1	— 1·4	274	1·4	2·2
21	29·601	84·7	77·7	7·0	81·2	78·3	·931	87	77	0·8	6	0·500	2	— 1·2	— 1·0	220	1·6	1·9
22	29·544	87·1	76·4	10·7	81·5	78·2	·922	86	90	4·2	33	0·875	5	+ 0·2	— 7·3	272	7·3	7·6
23	29·483	84·5	77·4	7·1	79·6	77·3	·907	90	99	2·6	20	1·630	8	+ 2·2	— 7·8	286	8·1	8·3
24	29·525	88·4	77·4	11·0	81·0	77·5	·897	85	96	4·8	38	0·530	5	+ 2·3	+ 0·7	17	2·4	5·7
25	29·634	86·8	78·0	8·8	81·7	78·0	·910	84	81	6·7	53	0·010	1	— 2·3	— 6·5	250	6·9	7·2
26	29·659	87·7	77·0	10·7	80·8	77·6	·905	86	80	3·5	28	0·305	3	— 2·6	— 1·1	203	2·8	3·8
27	29·602	86·0	76·3	9·7	80·0	77·3	·902	88	95	1·7	13	1·715	7	— 2·0	— 3·0	236	3·6	4·2
28	29·576	86·2	75·1	11·1	80·7	77·8	·916	87	95	3·1	25	2·355	7	— 4·3	— 5·9	234	7·3	8·0
29	29·573	85·6	76·0	9·6	79·5	77·2	·904	90	100	1·2	10	1·000	9	— 3·7	— 4·3	229	5·7	6·7
30	29·526	82·2	77·7	4·5	79·7	76·6	·875	87	100	...	...	1·180	9	— 9·3	— 5·0	208	10·6	11·7
31	29·539	80·3	77·0	3·3	78·6	76·7	·894	91	100	...	...	1·935	14	— 5·1	— 0·6	187	5·1	5·8
Means	29·541	87·3	78·8	8·5	82·4	78·3	0·915	82	78	Sum. 180·0	45	Sum. 17·535	Sum. 97	— 3·7	— 1·9	207	4·2	7·7
Normals	29·625	86·5	77·7	8·8	81·5	77·4	0·888	83	65	201·7	51	14·051	66	— 2·2	+ 2·2	135	3·1	9·4
Absolute Max.	29·699	93·1	...	13·9	...	83·2	1·063	...	...	11·7	91	2·355	14	...	...	...	...	39·0†
Day.	26	2	...	2	...	14	8	...	...	13	13	28	31	...	...	...	...	3rd
Absolute Min.	29·174	...	75·1	3·3	...	71·9	0·706	57	...	...	...	...	...	...	...	...	...	...
Day.	3	...	28	31	...	19	19	2	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 8th, 9th, 20th, and 25th.
Solar corona :—on the 12th and 24th.
Lunar halo :—on the 8th, 9th and 13th.
Lunar corona :—on the 1st, 4th, 6th, 7th, 10th, 11th, 13th, and 14th.
Haze:—on the 1st.
Unusual Visibility :—on the 7th, 11th, 12th, 14th, 15th, 16th, 17th, and 24th.
Dew :—on the 20th and 21st.
Rainbow :—on the 6th, 10th, 11th, 16th and 17th.
Lightning :—on the 2nd, 3rd, 12th, 14th, 15th, 16th, 17th, 18th, 19th, 20th, 21st, 22nd, 23rd, 24th, 25th, 27th, 28th, 29th and 31st.
Thunder :—on the 3rd, 4th, 12th, 16th, 21st, 22nd, 23rd, 24th, 25th and 29th.

Thunderstorms as follows :—

2d. 17h. 20m. to 18h. 25m. N.W. to S.E.; nearest at 17h. 52m. (14°).
14d. 4h. 36m. to 5h. 7m. in N.N.E.; distant.
18d. 2h. 16m. to 3h. 40m. in N.N.E. distant
22d. 3h. 46m. to 6h. 15m. N.N.W. to S.S.E.; nearest at 4h. 36m. (8°).
23d. 15h. 50m. to 16h. 15m. N.N.W. to S.S.E.; nearest at 16h. 8m. (2°).
23d. 23h. 8m. to 0h. 00m. in N.N.E.; distant.
24d. 0h. 00m. to 1h. 20m. in N.N.E.; distant.
28d. 20h. 50m. to 21h. 15m. in S.E; distant.

Rain fell on 25 days. The mean hourly intensity was 0·181ins, and the maximum fall in one hour was 1·625ins at 20h on the 28th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 65 miles per hour at 12h 39m on the 3rd.

* 0° = N., 90° = E., &c. † Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. On the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.						m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	999·0	305·3	299·4	5·9	302·3	299·3	31·3	...	...	+ 0·1	— 1·0	274	1·0	1·6
2	993·7	306·9	299·2	7·7	302·7	299·5	31·6	5·2	1	+ 1·5	— 2·7	300	3·1	3·2
3	994·9	302·2	298·2	4·0	300·7	298·6	30·8	24·4	5	— 6·2	— 3·7	211	7·2	7·4
4	1002·3	302·3	299·2	3·1	301·1	298·9	31·2	13·8	2	— 5·2	— 0·3	183	5·2	5·2
5	1003·8	303·4	299·9	3·5	301·2	298·8	30·8	2·7	1	— 3·4	— 0·3	186	3·4	3·5
6	1003·7	303·8	299·6	4·2	301·2	298·9	31·2	13·2	2	— 1·7	— 0·6	199	1·8	1·9
7	1002·3	304·6	300·3	4·3	302·1	299·4	31·8	0·1	...	— 1·7	— 1·5	222	2·3	2·5
8	1001·2	304·4	300·8	3·6	302·0	299·6	32·4	...	...	— 1·6	— 1·6	225	2·2	2·4
9	1001·3	304·7	300·5	4·2	302·2	299·3	31·4	...	...	— 1·8	— 0·5	196	1·8	2·0
10	1002·1	304·7	300·7	4·0	301·9	299·2	31·4	2·9	2	— 1·7	— 0·7	202	1·9	2·0
11	1001·9	303·8	299·9	3·9	301·5	299·1	31·5	13·2	1	— 1·2	— 0·5	203	1·3	1·4
12	1002·0	305·1	299·3	5·8	302·1	299·1	30·9	9·6	1	— 1·4	— 1·1	218	1·7	1·9
13	1002·6	304·6	301·1	3·5	302·5	299·1	30·5	...	...	— 1·4	— 1·9	233	2·3	2·7
14	1002·6	305·2	299·8	5·4	302·3	299·6	32·2	12·7	1	— 0·5	— 0·6	234	0·8	1·6
15	1002·1	304·1	299·5	4·6	301·1	299·0	31·6	11.2	3	— 1·0	+ 3·7	105	3·8	3·9
16	1003·8	303·4	299·2	4·2	301·1	298·6	30·5	5·5	3	— 2·5	+ 5·4	115	5·9	6·1
17	1006·0	303·5	298·1	5·4	301·2	298·6	30·2	1·7	3	— 0.3	+ 3·4	94	3·4	3·5
18	1003·9	305·3	299·6	5·7	301·2	298·6	30·4	0·8	...	+ 0·3	+ 0·1	27	0·3	0·6
19	1001·9	304·8	298·1	6·7	301·4	297·8	28·1	...	...	+ 0·2	— 0·5	288	0·5	1·3
20	1003·1	303·7	299·4	4·3	301·3	299·0	31·3	6·7	2	...	— 0·5	274	0·5	0·7
21	1004·3	302·3	298·4	3·9	300.3	298·7	31·4	12·7	2	— 0·4	— 0·3	220	0·5	0·6
22	1002·3	303·6	297·7	5·9	300·5	298·7	31·1	22·2	5	+ 0·1	— 2·4	272	2·4	2·5
23	1000·3	302·2	298·2	4·0	299·4	298·2	30·6	41·4	8	+ 0·7	— 2·6	286	2·7	2·7
24	1001·7	304·3	298·2	6·1	300·2	298·3	30·3	13·5	5	+ 0·8	+ 0·2	17	0·8	1·9
25	1005·4	303·4	298·6	4·8	300·6	298·6	30·7	0·3	1	— 0·8	— 2·1	250	2·3	2·4
26	1006·3	303·9	298·0	5·9	300·1	298·3	30·5	7·7	3	— 0·9	— 0·4	203	0·9	1·2
27	1004·3	303·0	297·6	5·4	299·7	298·2	30·4	43·6	7	— 0·7	— 1·0	236	1·2	1·4
28	1003·5	303·1	296·9	6·2	300·1	298·4	30·9	59·8	7	— 1·4	— 1·9	234	2·4	2·6
29	1003·4	302·8	297·4	5·4	299·4	298·1	30·5	25·4	9	— 1·2	— 1·4	229	1·9	2·2
30	1001·8	300·9	298·4	2·5	299·5	297·8	29·5	30·0	9	— 3·0	— 1·6	208	3·5	3·8
31	1002·2	299·8	298·0	1·8	298·9	297·8	30·2	49·1	14	— 1·7	— 0·2	187	1·7	1·9
Means.	1002·2	303·7	299·0	4·7	301·0	298·7	30·9	Sum. 445·4	Sum. 97	— 1·2	— 0·6	207	1·4	2·5
Normals	1005·1	303·3	298·4	4·9	300·5	298·2	30·0	356·9	66	— 0·7	+ 0·7	135	1·0	3·1
Absolute Maximum	1007·6	306·9	...	7·7	...	301·4	35·9	59·8	14	...	...	...	...	12·8†
Day.	26	2	...	2	...	14	8	28	31	...	...	...	...	3rd 13h
Absolute Minimum.	989·8	...	296·9	1·8	...	295·2	23·8	...	...	...	...	...	...	...
Day.	3	...	28	31	...	19	19	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total. Amount.	Rainfall. Percentage of Total. Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.			ins.	%	%	%	%	%	m.p.h.	m.p.h.		m.p.h.	m.p.h.
1	29·551	81·1	78·1	0·923	86	75		3	4	— 4·0	— 0·9	192	4·1	7·2
2	29·537	81·0	77·9	·915	86	82		1	3	— 4·0	— 0·7	190	4·1	7·0
3	29·528	80·8	77·8	·914	86	78		2	3	— 4·6	— 1·8	201	5·0	7·4
4	29·524	80·8	77·8	·914	86	79		5	4	— 4·1	— 2·6	212	4·9	7·2
5	29·524	80·3	77·5	·907	87	81		11	6	— 3·8	— 2·5	213	4·6	7·5
6	29·532	80·2	77·5	·909	87	84	13	5	6	— 3·2	— 2·0	212	3·8	6·6
7	29·544	81·0	78·1	·925	86	83	41	1	3	— 3·0	— 1·6	208	3·4	5·9
8	29·554	82·4	78·7	·933	83	79	49	5	2	— 2·9	— 1·9	213	3·5	6·5
9	29·563	83·2	78·8	·926	80	78	62	2	3	— 2·9	— 2·3	218	3·7	8·0
10	29·568	84·2	79·0	·922	77	81	60	2	2	— 3·2	— 2·6	219	4·1	9·1
11	29·566	85·0	79·1	·916	75	79	50	6	4	— 3·2	— 3·1	224	4·5	10·1
Noon.	29·558	84·4	78·8	·910	76	80	58	4	5	— 2·9	— 3·0	226	4·2	9·7
13	29·546	85·2	79·1	·913	75	79	59	1	3	— 3·2	— 3·3	226	4·6	10·0
14	29·530	85·1	79·2	·919	75	79	51	6	5	— 4·3	— 3·0	215	5·3	10·1
15	29·514	85·1	79·1	·914	75	80	46	1	5	— 5·0	— 2·8	209	5·7	9·6
16	29·503	84·5	78·8	·909	75	80	43	8	4	— 5·4	— 2·6	206	6·0	9·9
17	29·500	83·6	78·3	·898	77	79	36	3	4	— 5·0	— 1·6	198	5·3	9·2
18	29·507	82·8	78·2	·904	80	78	15	2	5	— 4·7	— 1·7	200	5·0	8·4
19	29·521	82·1	78·0	·905	82	78		1	4	— 4·4	— 1·2	195	4·6	6·9
20	29·540	81·5	77·9	·908	84	67		15	4	— 3·2	— 1·7	208	3·6	6·4
21	29·560	81·3	78·0	·916	85	69		3	5	— 2·8	— 0·7	194	2·9	5·4
22	29·573	81·1	78·0	·919	86	72		5	6	— 2·7	— 0·6	193	2·8	5·3
23	29·573	81·1	78·0	·919	86	70		4	5	— 3·1	— 0·3	186	3·1	6·1
Midn.	29·565	81·0	78·0	·920	86	74		5	5	— 3·5	— 0·3	185	3·5	6·5

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of AUGUST, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.			m.b.	m.p.s.	m.p.s.		m.p.s.	m.p.s.
1	1002·6	300·3	298·6	31·1	— 1·3	— 0·3	192	1·3	2·4
2	1002·1	300·2	298·5	30·9	— 1·3	— 0·2	190	1·3	2·3
3	1001·8	300·1	298·4	30·8	— 1·5	— 0·6	201	1·6	2·4
4	1001·7	300·1	298·4	30·8	— 1·3	— 0·9	212	1·6	2·4
5	1001·7	299·8	298·3	30·6	— 1·2	— 0·8	213	1·5	2·5
6	1002·0	299·8	298·3	30·7	— 1·0	— 0·7	212	1·2	2·2
7	1002·4	300·2	298·6	31·2	— 1·0	— 0·5	208	1·1	1·9
8	1002·7	301·0	298·9	31·5	— 1·0	— 0·6	213	1·1	2·1
9	1003·0	301·4	299·0	31·2	— 1·0	— 0·8	218	1·2	2·6
10	1003·2	302·0	299·1	31·1	— 1·0	— 0·9	219	1·3	3·0
11	1003·1	302·4	299·2	30·9	— 1·0	— 1·0	224	1·5	3·3
Noon.	1002·8	302·1	299·0	30·7	— 1·0	— 1·0	226	1·4	3·2
13	1002·4	302·6	299·2	30·8	— 1·0	— 1·1	226	1·5	3·3
14	1001·9	302·5	299·2	31·0	— 1·4	— 1·0	215	1·7	3·3
15	1001·3	302·5	299·2	30·8	— 1·6	— 0·9	209	1·9	3·1
16	1001·0	302·2	299·0	30·7	— 1·8	— 0·9	206	2·0	3·2
17	1000·9	301·7	298·7	30·3	— 1·6	— 0·5	198	1·7	3·0
18	1001·1	301·2	298·7	30·5	— 1·5	— 0·6	200	1·6	2·8
19	1001·6	300·8	298·6	30·5	— 1·4	— 0·4	195	1·5	2·3
20	1002·2	300·5	298·5	30·6	— 1·0	— 0·6	208	1·2	2·1
21	1002·9	300·4	298·6	30·9	— 0·9	— 0·2	194	1·0	1·8
22	1003·4	300·3	298·6	31·0	— 0·9	— 0·2	193	0·9	1·7
23	1003·4	300·3	298·6	31·0	— 1·0	— 0·1	186	1·0	2·0
Midn.	1003·1	300·2	298·6	31·0	— 1·1	— 0·1	185	1·1	2·1

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

AUGUST,

1922.

44239

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	31st JULY, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	1st AUGUST, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.71	754.7	74	...	SSE	3	c	6	29.76	756.0	64	...	SE	4	o
Nemuro,	11	29.61	752.0	...	...	NNE	5	...	5	29.65	753.0	...	...	NNE	5	...
Hokodate,	,,	29.61	752.0	...	...	W	1	...	,,	29.67	753.5	...	...	S	2	...
Tokio,	,,	29.63	752.5	...	...	NW	1	...	,,	29.73	755.0	...	...	N	1	...
Kochi,	,,	29.76	756.0	...	...	E	1	...	,,	29.76	756.0	...	...	...	0	...
Nagasaki,	,,	29.78	756.5	...	...	W	2	...	,,	29.78	756.5	...	...	...	...	...
Kagoshima,	,,	29.76	756.0	...	...	ESE	1	...	,,	29.78	756.5	...	...	NW	1	...
Oshima,	,,	29.76	756.0	...	...	ESE	2	...	,,	29.75	755.5	...	...	...	0	...
Naha,	,,	29.72	755.0	...	...	E	3	...	,,	29.69	754.0	...	...	E	2	...
Ishigakijima,	,,	29.67	753.5	...	...	E	5	...	,,	29.57	751.0	...	...	NE	5	...
Bonin Island,	,,	29.82	757.5	...	...	WSW	1	...	,,	29.84	758.0	...	...	...	0	...
Weihaiwei,	14	29.64	752.8	76	100	SE	2	o	6	29.61	752.1	75	100	NE	1	of
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.75	755.6	84	81	S	2	r	,,	29.70	754.4	77	89	SSE	2	b
Gutzlaff,	,,	29.68	753.9	86	100	SSE	4	b	,,	29.70	754.4	78	100	SSE	2	o
Sharp Peak,	15	29.65	753.1	86	82	ENE	2	b	7	29.69	754.1	81	96	N	4	o
Amoy,	14	29.56	750.8	88	88	SSE	2	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.63	752.7	93	57	ESE	6	b	,,	29.56	750.9	81	90	E	4	e
Taichu,	,,	29.66	753.3	84	...	NW	2	o	,,	29.48	748.8	75	...	...	2	b
Tainan,	,,	29.63	752.7	90	...	N	4	o	,,	29.45	747.9	77	...	N	1	o
Koshun,	,,	29.62	752.4	86	...	NE	4	b	,,	29.43	747.6	82	...	NE	6	b
Pescadores,	,,	29.65	753.0	86	...	N	4	o	,,	29.48	748.8	81	...	N	6	b
Canton,	15	29.54	750.3	92	70	SE	2	c	,,	29.57	751.1	79	95	...	0	o
Hongkong,	14	29.56	750.8	86	79	E	3	c	,,	29.54	750.3	80	91	W	1	c
Gap Rock,	,,	29.58	751.3	...	...	E	3	c	,,	29.54	750.3	...	...	ENE	2	c
Macao,	,,	29.55	750.6	90	76	ESE	2	o	,,	29.52	749.7	81	92	ESE	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.42	747.3	90	72	SSE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.49	749.1	86	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.50	749.4	81	80	W	2	o	,,	29.42	747.3	79	92	WSW	6	r
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.55	750.6	82	67	WSW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.59	751.5	82	77	WSW	4	o	,,	29.59	751.5	82	84	SW	6	r
Surigao,	,,	29.58	751.2	86	61	SW	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	NE	2	o	42.0	29.73	755.1	...	...	ESE	1	r
Yap,	12 47	...	...	...	...		...	...	4.47	29.75	755.7	...	...	W	4	o
Koror,	14	29.75	755.6	86	76	SW	2	b	6	29.73	755.1	80	82	SW	2	b

August 1*d*. 6*h* 25*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 17° N. Long. 124° E., moving West.

August 1*d*. 11*h*. 40*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 122° E. moving W.N.W.

August 1*d*. 10*h*. 50*m*.—Local signal No. 1 hoisted.

August 1*d*. 10*h*. 55*m*.—Pressure has increased slightly over N.E. Japan, and decreased slightly at Weihaiwei, and at Hongkong. It has decreased considerably from Formosa to Manila.

At 6 a.m. this morning the typhoon was near Aparri, moving W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 38·66 inches, against an average of 52·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N. to N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, increasing to a gale; fine at first, rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	N.E. winds, freshening considerably.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st August, 1922.								2nd August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.76	29.60	68	...	SE	4	o	6	29.71	754.7	67	...	...	o	f
Nemuro,	11	29 63	752 5	...	...	NW	1	...	5	29.69	754.0	...	...	SSE	1	...
Hokodate,	,,	29.67	753.5	...	...	SSE	2	...	,,	29.75	755.5	...	...	SW	1	...
Tokio,	,,	29.72	755.0	...	...	S	2	...	,,	29.82	757.5	...	...	N	1	...
Kochi,	,,	29.78	756.5	...	...	ESE	1	...	,,	29.86	758.5	...	...	WSW	1	...
Nagasaki,	,,	29 80	757.0	...	...	WSW	2	...	,,	29.84	758.0	...	...	...	...	...
Kagoshima,	,,	29.78	756.5	...	...	NE	1	...	,,	29.84	758.0	...	...	...	...	...
Oshima,	,,	29.74	755.5	...	...	NNE	2	...	,,	29.76	756.0	...	...	ESE	1	...
Naha,	,,	29 69	754.0	...	...	ESE	3	...	,,	29.71	754-5	...	...	SE	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.53	750 0	...	...	ESE	7	...
Bonin Island,	,,	29 86	758.5	...	...	S	1	...	,,	29.94	760.5	...	...	...	...	...
Weihaiwei,	14	29.57	751.1	81	87	WNW	2	o	6	29 73	755.1	75	95	...	o	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Shanghai,	11	29.72	754-9	90	66	SSE	2	b	,,	29.73	755.1	77	98	SE	2	b
Gutzlaff,	,,	29.68	753.9	84	100	SSE	4	o	,,	29.73	755.1	78	100	SSE	4	b
Sharp Peak,	15	29.62	752.3	86	92	NNE	4	b	7	29.41	747.0	82	96	NNE	6	bf
Amoy,	14	29.39	746.5	94	74	NE	4	b	6	29.29	743.9	86	80	NNE	6	o
Swatow,	,,	...	...	...	...	...	...	...	,,	29.26	743.2	84	75	NNW	1	o
Taiboku,	12	29.53	750.0	90	69	E	2	b	,,	29.39	746.4	81	84	E	6	o
Taichu,	,,	29.39	746.4	86	...	...	o	o	,,	29.24	742 8	81	..	...	o	o
Tainan,	,,	29.40	746.7	90	...	NW	2	o	,,	29.24	742.8	79	...	SE	2	o
Koshun,	,,	29.40	746 7	84	..	NE	7	o	,,	29.22	742.2	81	...	E	6	r
Pescadores,	,,	29.40	746.7	86		NNW	6	o	,,	29 22	742.2	81		ENE	4	o
Canton,	15	29 47	748.5	92	67	WNW	2	b	,,	29 41	747.0	82	87	NW	1	c
Hongkong,	14	29 48	748.8	89	67	W	2	c	,,	29.38	746.0	83	86	NW	2	o
Gap Rock,	,,	29.50	759-3	...		SSW	3	b	,,	29.40	746 7	...	...	WSW	4	o
Macao,	,,	29.48	748 8	90	72	...	o	o	,,	29.36	745.8	82	81	NNW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.46	748.2	86	85	ESE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.47	748.5	86	...	NNW	2	b	,,	...	...	...	...	...	...	...
Cape St. James.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	..	...	...	...	...
Manila,	,,	29.43	747.6	81	80	SW	6	o	,,	29.56	750.9	79	98	SW	4	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.55	750.6	84	60	SW	6	o	,,	29.66	753.3	79	84	SE	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29 72	754.8	...	...	NE	2	o	42.0	29.73	755 1	...	...	SSE	1	r
Yap,	12 47	...	...	...	...	...	...	...	4-47	...	...	...	...	...	...	...
Labuan,	14	29 69	754 1	88	73	S	4	b	6	29.73	755.1	80	82	SW	2	b

August 1*d.* 16*h.* 10*m.*—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 122° E., moving N.

August 2*d* 10*h.* 35*m.*—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 22° N. Long. 118° E. moving N.W.

August 2*d.* 12*h.* 06*m.*—Pressure has increased slightly in N E. districts and decreased considerably from *Hongkong* to *Formosa*.

After passing Aparri yesterday morning, the typhoon moved on a northerly track from some hours, then curved to N.W. At 6 a.m. this morning it was about 150 miles west of Koshun moving N.W. It is threatening Swatow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 38·66 inches, against an average of 52·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	E. to S.E. winds, strong to fresh.
2.—South coast of China between Hongkong and Lamocks,	Cyclonic gales.
3.—Hongkong to Gap Rock,	N.W. winds, freshening; fair at first, squally and rainy later.
4.—South coast of China between Hongkong and Hainan,	N.W. winds moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd August, 1922.								3rd August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.74	755.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.82	757.5	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.82	757.5	...	...	S	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.76	756.0	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.72	755.0	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.59	751.5	...	...	SE	6	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.92	760.0	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.72	754.9	82	83	N	1	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.76	755.9	90	66	SE	4	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.73	755.1	84	100	SE	4	b	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.50	749.3	84	87	N	7	o	7	...	...	...	...	...	...	...
Amoy,	14	29.31	744.5	90	81	NE	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.41	747.0	86	68	E	7	o	,,	...	...	...	...	...	...	...
Taichu,	,,	29.26	743.1	86	...	...	o	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29.29	744.0	79	...	E	2	r	,,	...	...	...	...	...	...	...
Koshun,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.30	744.3	84	...	S	4	o	,,	...	...	...	...	...	...	...
Canton,	15	29.33	745.0	96	59	N	2	o	,,	...	...	...	...	...	...	...
Hongkong,	14	29.33	745.0	91	58	NNW	3	o	,,	29.24	742.7	82	88	WSW	5	oq
Gap Rock,	,,	29.34	745.2	...	..	NW	4	o	,,	29.28	743.7	...	...	SW	7	o
Macao,	,,	29.34	745.2	90	60	NNW	4	o	,,	29.28	743.7	81	90	WSW	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.43	747.6	90	66	SW	2	b	7	29.41	747.0	82	96	WSW	1	o
Tourane,	,,	...	...	...	...	...	...	...	,,	29.47	748.5	82	...	SSE	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.63	752.7	81	86	WSW	7	r	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.65	753.0	86	65	SW	6	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	78	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.68	753.9	90	48	W	1	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	ESE	2	o	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	..	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	86	72	SW	2	b	6	29.78	756.4	77	91	SE	2	b

August 2*d*. 17*h*. 55*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 23° N. Long. 117° E. moving N.W.

August 3*d*. 12*h*. 00*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 120 miles of Lat. 25° N. Long. 114° E., filling up.

August 2*d*. 13*h*. 20*m*.—Local signal No. 1 lowered
August 2*d*. 17*h*. 55*m*.— ,, ,, No. 5 hoisted.

August 3*d*. 11*h*. 53*m*.—Returns from the majority of stations are lacking on account of cable interruption. No weather map will be published.

The typhoon appears to be filling up to the north of Canton.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·28 inch. Total since January 1st, 38·94 inches, against an average of 53·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, fresh to moderate.
2.—South coast of China between Hongkong and Lamocks,	S.W. to S. gale, moderating; overcast, rainy, squally.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd August, 1922.								4th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.72	755.0	...	...	SE	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.67	753.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.76	756.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.84	758.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.86	758.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.88	759.0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.78	756.5	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.76	756.0	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.76	756.0	...	...	S	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.92	760.0	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.74	755.4	86	76	S	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.79	756.6	90	66	SE	4	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.77	756.1	84	100	SE	4	o	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.70	754.4	78	94	E	2	r	7	...	...	...	...	...	...	...
Amoy,	14	29.39	746.5	80	99	SE	7	r	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taichu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tainan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	15	29.31	744.5	87	80	SSW	3	o	,,	29.51	749.5	80	87	SE	2	o
Hongkong,	14	29.42	747.2	77	94	SW	6	orq	,,	29.57	751.1	82	83	WSW	4	oq
Gap Rock,	,,	29.42	747.2	...	...	SSW	7	od	,,	29.56	750.8	...	...	SSE	5	o
Macao,	,,	29.38	746.1	79	84	WSW	6	r	,,	29.52	749.7	81	94	SSW	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.40	746.7	90	82	WSW	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.50	749.4	86	...	SW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	82	...	SW	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	68	WSW	4	o	,,	29.78	756.3	75	96	E	1	o
Legaspi,	,,	29.75	755.7	90	60	SW	4	o	,,	29.78	756.3	79	90	SW	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	78	SSW	4	o	,,	29.76	756.0	77	96	...	o	o
Surigao,	,,	29.75	755.7	86	78	WNW	1	o	,,	29.79	756.6	77	88	...	o	o
Guam,	12.20	29.68	753.9	...	...	NE	6	o	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	88	73	SW	2	b	6	29.78	756.4	80	91	SW	2	b

August 3*d*. 16*h*. 37*m*.—Local signal No. 5 lowered

August 4*d*. 12*h*. 25*m*.—Returns are lacking from the majority of stations. No weather map will be published.

The typhoon is shown as a depression to the north of Haiphong.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·43 inch. Total since January 1st, 40·37 inches, against an average of 53·51 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. winds, fresh to moderate; cloudy, showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4ht August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	5th August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.64	752.9	84	...	NNW	2	c	6	29.58	751.2	72	...	E	1	r
Nemuro,	11	...	...	...	...	...	...	...	5	29.57	751.0	...	...	...	...	...
Hokodate,	,,	29.67	753.5	...	...	W	2	...	,,	29.67	753.5	...	...	...	0	...
Tokio,	,,	29.74	755.5	...	...	S	2	...	,,	29.75	755.5	...	...	SSW	1	...
Kochi.	,,	29.55	750 5	...	...	SE	1	...	,,	29.84	758.0	...	...	...	...	...
Nagasaki.	,,	29.80	757.0	...	...	W	1	...	,,	29.78	756.5	...	...	...	...	...
Kagoshima,	,,	29 82	757.5	...	...	SSE	4	...	,,	29.78	756.5	...	...	ENE	3	...
Oshima.	,,	29.69	754.0	...	...	NNE	4	...	,,	29.49	749.0	...	...	ESE	3	...
Naha,	,,	29.80	757.0	...	...	NNW	5	...	,,	29.35	745.5	...	...	NW	7	...
Ishigakijima,	,,	29.76	756.0	...	...	SW	3	...	,,	29 65	753.0	...	...	NW	2	...
Bonin Island,	,,	29.88	759.0	...	...	SW	1	...	,,	29.84	758.0	...	...	...	...	...
Weihaiwei,	14	29.71	754.6	86	76	SSW	2	b	6	29.68	753.9	80	91	SSW	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.80	756.9	90	63	SSE	4	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.75	755.6	84	100	SSE	4	b	,,	...	...	...	...	...	...	...
Sharp Peak.	15	29.79	756.6	83	76	S	2	o	7	...	...	...	...	...	...	...
Amoy,	14	29.66	753.3	84	93	SSE	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.75	755.7	90	60	NW	4	b	,,	29.74	755.4	81	92	SW	2	r
Taichu,	,,	29.75	755.7	90	...	SW	2	o	,,	29.73	755.1	86	...	S	2	o
Tainan,	,,	29.78	756.3	90	...	S	4	o	,,	29.72	754.8	86	...	SSE	4	o
Koshun,	,,	29.79	756 6	84	...	SSW	2	r	,,	29.73	755 1	84	...	W	2	o
Pescadores,	,,	29.76	756 0	84	...	S	6	b	,,	29.75	755.7	84	...	S	6	o
Canton,	15	29.55	750.5	86	80	S	2	o	,,	29 62	752.3	79	87	SSE	1	o
Hongkong,	14	29.61	752.1	84	79	S	4	oq	,,	29.63	752.6	82	83	SSW	2	o
Gap Rock,	,,	29.60	75 .8	...	...	SSE	5	o	,,	29.62	752.3	...	....	SSW	5	o
Macao,	,,	29.55	750.6	84	85	SSW	6	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.45	747.9	90	69	SSW	4	o	7	29.49	749.1	81	84	S	1	o
Tourane,	,,	29.58	751.2	86	...	ESE	2	b	,,	29.61	752.1	81	...	SW	4	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	77	...	SW	2	of
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	75	WSW	4	o	,,	29.74	755.4	81	96	W	2	o
Legaspi,	,,	29.73	755.1	90	69	WSW	2	o	,,	29.71	754.5	81	86	WSW	4	o
Tacloban,	,,	29.75	755 7	86	68	NW	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	84	81	S	4	o	,,	29.73	755.1	75	98	...	o	o
Surigao,	,,	29.74	755.4	82	81	W	2	o	,,	29.73	755.7	75	96	...	o	r
Guam,	12.20	29.71	754 5	...	...	NE	4	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29 78	756.4	86	76	SW	2	b	6	29.76	755.9	82	83	SW	2	b

August 5*d*. 11*h*. 30*m*.—Warning to Hongkong. & Coast Ports. :—Depression or typhoon of unknown intensity within 120 miles of Lat. 26° N. Long. 129° E., direction unknown.

August 5*d*. 11*h*. 45*m*.—Pressure has increased slightly along the Annam and South China coasts; it has decreased considerably over the Loochoos owing to the appearance of a typhoon to the east of Naha. Slight decreases are general over Japan and the Philippines.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·10 inch. Total since January 1st, 40·47 inches, against an average of 54·00 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	None.
2.—South coast of China between Hongkong and Lamocks,	S. winds, moderate; cloudy, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6ht August, 1922.								7th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.41	747.0	...	...	NNE	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.49	749.0	...	...	SSW	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.65	753.0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.78	756.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.76	756 0	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.78	756.5	...	...	S	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.72	755.0	...	...	...	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.69	754.0	...	...	S	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.65	753.0	...	...	SSW	6	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.76	755.9	82	54	S	4	b	,,	29.67	753.6	79	90	ENE	1	b
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	29.61	752.1	80	100	NE	6	b
Sharp Peak,	15	29.60	751.8	92	88	SSE	4	b	7	...	...	...	...	...	...	...
Amoy,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.60	751.8	90	63	SW	6	b	,,	29.55	750 6	77	94	S	2	b
Taichu,	,,	29.68	753.9	86	...	SW	4	b	,,	29 65	753.0	77	...	SSE	2	b
Tainan,	,,	29.71	754.5	86	...	W	4	o	,,	29.75	755.7	77	...	SE	2	o
Koshun,	,,	29.69	754.2	84	...	NW	4	b	,,	29.62	752.4	81	...	WNW	4	o
Pescadores,	,,	29.71	754.5	86	...	SW	4	b	,,	29.61	752.1	77	...	S	4	o
Canton,	15	29 58	751.3	92	67	S	1	c	,,	29.61	752.1	80	91	...	o	c
Hongkong,	14	29.64	752 8	81	91	W	3	op	,,	29 61	752.1	82	86	WSW	2	o
Gap Rock,	,,	29.63	752.6	...	...	SSW	4	c	,,	29.60	751.8	...	...	SW	4	c
Macao,	,,	29.60	751.8	90	82	SSW	4	o	,,	29.59	751.5	81	94	SW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.53	750.0	90	60	SW	6	o	7	29.54	750.3	81	87	SSW	6	b
Tourane,	,,	29.60	751.8	86	...	NNW	2	b	,,	29.63	752.7	84	...	SW	2	b
Cape St. James,	,,	29.75	755.7	84	...	SSW	6	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.65	753.0	90	66	N	4	o	6	29.67	753.6	77	85	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	86	68	W	2	o	,,	29.69	754 2	77	94	NW	1	o
Legaspi,	,,	29.67	753.6	82	81	WSW	4	o	,,	29.67	753.6	77	94	WSW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29 68	753.9	82	81	S	4	o	,,	29.68	753.9	77	96	...	o	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.68	753.9	...	...	SSW	7	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	76	SW	2	b	6	29.78	756.4	80	87	SW	2	b

August *7d.* 13*h.* 30*m.*—Pressure has decreased slightly at all reporting stations. Owing to lack of observations the position of the Loochoos typhoon cannot be ascertained.

The Guam typhoon appears to be moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·52 inch. Total since January 1st, 41·00 inches, against an average of 55·01 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th August, 1922.								8th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.68	753.8	79	...	SW	2	c	6	29.69	754.1	69	...	N	2	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.69	754.0	...	...	S	1	...
Hokodate,	,,	29.61	752.0	...	...	W	2	...	,,	29.71	754.5	...	...	SW	1	...
Tokio,	,,	29.65	753.0	...	...	SW	1	...	,,	29.73	755.0	...	...	...	...	...
Kochi,	,,	29.74	755.5	...	...	ESE	1	...	,,	29.75	755.5	...	...	W	1	...
Nagasaki,	,,	29.80	757.0	...	...	SW	3	...	,,	29.78	756.5	...	...	...	...	...
Kagoshima,	,,	29.78	756.5	...	...	SE	1	...	,,	29.76	756.0	...	...	...	...	...
Oshima,	,,	29.78	756.5	...	...	SE	2	...	,,	29.75	755.5	...	...	...	...	...
Naha,	,,	29.74	755.5	...	...	SE	1	...	,,	29.69	754.0	...	...	ESE	1	...
Ishigakijima,	,,	29.65	753.0	...	...	SSE	6	...	,,	29.63	752.5	...	...	SE	3	...
Bonin Island,	,,	29.78	756.5	...	...	E	1	...	,,	29.82	757.5	...	...	SE	1	...
Weihaiwei,	14	29.70	754.4	83	83	NNE	2	o	6	29.72	754.9	76	91	...	o	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.44	747.8	77	84	ESE	7	o	,,	29.63	752.6	79	92	SE	4	b
Gutzlaff,	,,	29.41	747.0	76	100	SE	10	o	,,	29.64	752.8	77	100	SSE	6	b
Sharp Peak,	15	29.54	750.3	85	84	SSW	4	o	7	..	...	...	...	...	...	...
Amoy,	14	29.49	749.0	92	81	SSW	4	b	6	29.53	750.0	83	96	NE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.58	751.2	93	64	E	2	o	,,	29.60	751.8	79	89	...	o	o
Taichu,	,,	29.62	752.4	90	...	SSW	4	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.65	753.0	86	...	...	o	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.61	752.1	86	...	NW	4	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.63	752.7	86	...	SSW	4	b	,,	...	...	...	...	...	...	...
Canton,	15	29.55	750.5	93	64	W	2	b	,,	29.56	750.8	81	91	...	o	c
Hongkong,	14	29.59	751.6	88	69	SW	2	c	,,	29.57	751.1	83	83	WSW	2	c
Gap Rock,	,,	29.60	751.8	...	...	SSW	4	c	,,	29.57	751.1	...	...	S	4	c
Macao,	,,	29.54	750.3	93	74	SW	2	o	,,	29.55	750.6	82	89	WSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.50	749.4	93	57	SW	4	b	7	29.52	749.7	82	77	SSW	4	o
Tourane,	,,	29.59	751.5	86	...	WNW	2	b	,,	29.60	751.8	82	...	SE	2	b
Cape St. James,	,,	29.73	755.1	84	...	SW	4	b	,,	29.75	755.7	77	...	SSW	2	b
Aparri,	14	29.61	752.1	86	61	N	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	84	81	SW	2	o	,,	29.66	753.3	79	84	SW	2	o
Legaspi,	,,	29.66	753.3	79	90	WSW	4	o	,,	29.63	752.7	77	91	WSW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	77	88	SW	4	o	,,	29.67	753.6	79	84	SSW	4	o
Surigao,	,,	29.65	753.0	82	74	WSW	4	o	,,	29.66	753.3	81	80	WSW	2	o
Guam,	12.20	29.74	755.4	...	...	WSW	4	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	76	N	4	b	6	29.78	756.4	78	91	SW	2	b

August 8*d*. 11*h*. 30*m*.—Pressure has decreased slightly from Hongkong to Indo-China and increased slightly over Formosa.

The Loochoos typhoon appears to have curved westward and entered the Coast to the south of Shanghai. There are indications of a depression or typhoon to the east of N. Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 41·00 inches, against an average of 55·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. to variable winds, moderate, to light; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8ht August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.70	754.3	80	...	N	2	c	6	29.73	755.0	70	...	ESE	2	c
Nemuro,	11	29.70	754.5	...	...	SSE	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.70	754.5	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.69	754.0	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.74	755.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.78	756.5	...	...	SW	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.74	755.5	...	...	S	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.70	754.5	...	...	N	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.70	754.5	...	...	E	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.67	753.5	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.78	756.5	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.66	753.3	78	95	NE	1	o	6	29.64	752.8	80	87	SW	2	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.64	753.3	90	65	SE	4	b	,,	29.66	753.3	77	92	SSE	2	b
Gutzlaff,	,,	29.66	753.3	80	92	SSE	6	b	,,	29.68	753.9	77	95	SSE	4	b
Sharp Peak,	15	29.62	752.3	84	72	SE	1	o	7	29.69	754.1	78	91	...	o	o
Amoy,	14	29.56	750.8	82	87	SSE	1	o	6	29.58	751.3	80	96	ESE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.60	751.8	93	59	NW	2	b	,,	29.62	752.4	72	96	...	o	b
Taichu,	,,	29.63	752.7	84	...	SSW	2	r	,,	29.63	752.7	72	...	...	o	b
Tainan,	,,	29.53	750.0	79	...	NE	2	r	,,	29.60	751.8	77	...	SE	2	b
Koshun,	,,	29.63	752.7	84	...	NW	4	o	,,	29.61	752.1	77	...	...	o	b
Pescadores,	,,	29.63	752.7	82	...	S	4	o	,,	29.61	752.1	79	...	SW	2	b
Canton,	15	29.52	749.8	92	67	SW	1	o	,,	29.59	751.6	82	91	S	1	o
Hongkong,	14	29.55	750.5	88	74	SSW	1	o	,,	29.57	751.1	83	80	SW	2	c
Gap Rock,	,,	29.55	750.5	...	...	S	4	o	,,	29.57	751.1	...	...	S	4	c
Macao,	,,	29.53	750.0	90	72	SW	2	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.47	748.5	93	53	WSW	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.55	750.6	86	...	NE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.8	86	...	SSW	4	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.59	751.5	90	60	N	4	o	6	29.61	752.1	75	91	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753.0	81	76	W	6	o	,,	29.66	753.3	75	92	SE	1	o
Legaspi,	,,	29.62	752.4	84	81	WSW	4	o	,,	29.66	752.3	77	91	WSW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	84	77	SSW	4	o	,,	29.69	754.2	77	88	SSE	4	o
Surigao,	,,	29.65	753.0	84	45	WSW	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	E	1	o	42.0	29.75	755.7	...	...	E	1	o
Yap,	12.47	29.72	754.8	...	...	SW	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	84	75	S	4	b	6	29.78	756.4	80	82	SW	2	b

August 9*d.* 12*h.* 40*m.*—Warning to Hongkong. Coast Ports. &c:—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 121° E., direction unknown.

August 9*d.* 12*h.* 37*m.*—Pressure has increased slightly from Shanghai to Hongkong and over the Visayas. It has decreased slightly at Aparri.

The depression or typhoon appears to be between Koshun and Aparri. Its direction of motion is unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 41·00 inches, against an average of 56·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, freshening from N.E. later.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. to variable winds, moderate; fair.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9ht August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.72	754.9	76	...	SSE	4	c	6	29.69	754 0	69	...	SSE	2	o
Nemuro,	11	29.74	755.5	...	...	WNW	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29 78	756.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.74	755.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.74	755 5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.70	754.5	...	...	W	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.70	754.5	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.59	751.5	...	...	E	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.55	750.5	...	...	ESE	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.59	751 5	...	...	NW	4	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29 86	758.5	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.61	752.1	86	80	S	1	o	6	29.66	753.3	78	91	...	o	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.70	754.4	90	65	SSE	2	b	,,	29.71	754.6	73	98	SE	2	b
Gutzlaff,	,,	29.67	753.6	81	83	SSE	4	b	,,	29.70	754.4	76	95	SE	2	o
Sharp Peak,	15	29.66	753.3	83	69	E	1	b	7	29.70	754.4	80	91	...	o	of
Amoy,	14	29.54	750.3	86	88	SSE	4	b	6	29.64	752.8	81	96	ENE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.69	754.2	86	65	W	2	b	,,	29.61	752 1	75	96	...	o	o
Taichu,	,,	29 65	753.0	86	...		o	o	,,	29 63	752.7	75	...	...	o	o
Tainan,	,,	29 63	752.7	86	...	WNW	2	b	,,	29 61	752.1	77	...	...	o	b
Koshun,	,,	29 62	752 4	86	...	NW	4	o	,,	29.60	751.8	77	...	...	o	o
Pescadores,	,,	29.65	753.0	84	...	WSW	4	b	,,	29.62	752 4	77	...	...	o	b
Canton,	15	29 52	749.8	90	73	W	1	b	,,	29.59	751.6	80	91	SE	1	c
Hongkong,	14	29.55	750.5	89	68	WSW	1	c	,,	29.60	751.8	82	84	SW	1	c
Gap Rock,	,,	29.55	750.5	...	...	SSW	4	c	,,	29.61	752.1	...	...	S	4	c
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	23 46	748.2	93	59	WSW	2	b	7	29.53	750.0	77	98	WSW	4	r
Tourane,	,,	29.54	750.3	86	...	NNE	2	o	,,	29.59	751.5	81	...	SSW	4	b
Cape St. James,	,,	29.71	754.5	84	...	SW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.58	751.2	90	76	N	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...		...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.63	752 7	84	77	WSW	6	o	,,	29.69	754.2	79	85	WSW	4	o
Legaspi,	,,	23.63	752.7	86	71	SW	4	o	,,	29.68	753.9	77	91	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	81	87	WSW	4	o	,,	29.71	754.5	79	87	SW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	2 .76	756.0	...	...	N	1	o	42.0	29.75	755.7	...	...	NE	1	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	29.78	756.3	...	...	W	4	o
Labuan,	14	29.76	755.9	86	76	SW	2	b	6	29.77	756.1	80	87	SE	2	b

August 10*d* 6*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 120 miles of Lat. 23° N. Long. 127° E. moving N.N.E.

August 10*d*. 11*h*. 43*m*.—Pressure changes are small at all reporting stations.

Observations from the Loochoos showed that the estimated position of the typhoon yesterday morning was too far west. At 2 p.m. yesterday it was in about latitude 23° N. and longitude 127° E. moving apparently N.N.E. At 6 a.m. this morning it was probably continuing on its course towards Naha.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 41·01 inches, against an average of 56·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds.
2.—South coast of China between Hongkong and Lamocks,	S. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10ht August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.63	753.2	76	...	S	3	c	6	29 63	752.5	70	...	NE	2	o
Nemuro,	11	...	...	...	...	...	...	...	5	29.55	750.5	...	...	SSE	1	...
Hokodate,	,,	29.70	754-5	...	...	ESE	2	...	,,	29.59	751.5	...	...	ESE	1	...
Tokio,	,,	29.72	755.0	...	...	S	3	...	,,	29.71	754.5	...	...	...	...	...
Kochi,	,,	29.82	757.5	...	...	S	1	...	,,	29.78	756.5	...	...	...	o	...
Nagasaki,	,,	29.70	754.5	...	...	ESE	2	...	,,	29.69	754 o	...	...	...	o	...
Kagoshima,	,,	29.70	754.5	...	...	S	1	...	,,	29.69	754 o	...	...	...	o	...
Oshima,	,,	29.59	751.5	...	...	ESE	3	...	,,	29.53	750.0	...	...	SE	4	...
Naha,	,,	29.37	746.0	...	...	E	6	...	,,	29 33	745.0	...	...	S	4	...
Ishigakijima,	,,	29 47	748.5	...	...	WNW	5	...	,,	29.43	747.5	...	...	WSW	7	...
Bonin Island,	,,	29 84	758.0	...	...	S	1	...	,,	29.82	757.5	...	...	...	o	...
Weihaiwei,	14	29.60	751.8	82	92	SW	2	r	6	29.64	752.8	76	100	N	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.74	754.9	90	60	SE	1	b	,,	29.66	753.3	77	100	ESE	1	b
Gutzlaff,	,,	29 68	753.9	86	80	E	2	b	,,	29.64	752.8	78	100	ENE	1	b
Sharp Peak,	15	29.65	753.1	90	77	S	1	b	7	29 65	753.1	81	91	...	o	o
Amoy,	14	29.55	750.5	90	84	SSE	2	b	6	29.54	750.3	82	96	SSW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.61	752.1	90	66	NW	4	b	,,	29.55	750.6	81	89	W	4	o
Taichu,	,,	29 62	752 4	90	...	W	2	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29 63	752 7	75	...	WNW	4	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.60	751.8	84	...	NW	6	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.65	753 o	86	...	NW	2	b	,,	...	...	...	...	...	...	...
Canton,	15	29.55	750.5	92	67	E	1	b	,,	29 59	751.6	80	96	ESE	1	c
Hongkong,	14	29.58	751.3	86	76	W	2	cp	,,	29.59	751.6	81	88	S	1	o
Gap Rock,	,,	29 58	751.3	...	...	SSW	4	c	,,	29.59	751.6	...	...	S	4	b
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 48	748.8	86	65	SSW	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.56	750.9	86	...	ENE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.84	757.8	86	68	NNE	4	o	6	29.62	752 4	77	86	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	84	71	WSW	4	o	,,	29.71	754.5	75	91	...	o	o
Legaspi,	,,	29.65	753 o	86	65	SW	4	o	,,	29.69	754.2	77	94	WSW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	81	80	SSW	4	o	,,	29.74	755.4	75	94	SW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	NE	4	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	84	83	SW	2	b	6	29.77	756.1	80	87	SW	2	b

August 10*d* 14*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 25° N. Long. 128° E. moving N.N.E.

August 10*d*. 18*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 25° N. Long. 127° E. moving North.

August 11*d*. 10*h*. 47*m*.—Pressure has decreased considerably over N.E. Japan and slightly from S.W. Japan to Shanghai. It is nearly stationary in southern districts.

Depressions are shown to the north of Hokkaido and over S.W. China.

The typhoon continues to move northward. At 6 a.m. this morning it was in about Lat. 27° N. and Long. 127° E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·27 inch. Total since January 1st, 41·28 inches, against an average of 57·13 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. or variable winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainau,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11ht August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	12th August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostook,	12	29 62	752.4	77	...	S	1	r	6	29.79	756.6	64	...	N	3	b
Nemuro,	11	29.53	750.0	...	...	E	1	...	5	29.57	751.0	...	...	W	1	...
Hokodate,	,,	29.61	752.0	...	...	WNW	4	...	,,	29.65	753.0	...	...	...	...	...
Tokio,	,,	29.76	756.0	...	...	SSE	2	...	,,	29.71	754.5	...	...	...	...	...
Kochi,	,,	29.76	756.0	...	...	SE	4	...	,,	29.78	756 5	...	...	WSW	1	...
Nagasaki,	,,	29.67	753.5	...	...	ESE	2	...	,,	29.73	755.0	...	...	SSE	2	...
Kagoshima,	,,	29.70	754.5	...	...	S	2	...	,,	29.75	755.5	...	...	...	...	...
Oshima,	,,	29.57	751.0	...	...	SE	5	...	,,	29.67	753.5	...	...	SSE	3	...
Naha,	,,	29.45	748.0	...	...	S	5	...	,,	29 63	752.5	...	...	S	2	...
Ishigakijima,	,,	29.51	749 5	...	...	SSW	5	...	,,	29 53	750 0	...	...	SSW	8	...
Bonin Island,	,,	29 80	757.0	...	...	E	1	...	,,	29.65	753.0	...	...	E	1	...
Weihaiwei,	14	29 62	752 3	78	95	NNE	1	o	6	29.72	754.9	76	92	...	o	r
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.66	753.3	93	59	NE	1	b	,,	29.58	751.3	81	92	NE	2	b
Gutzlaff,	,,	29.59	751.6	86	76	NNE	4	b	,,	29.50	749.5	78	92	NNE	6	o
Sharp Peak,	15	29.54	750.3	92	70	SE	1	o	7	29.53	750.0	86	68	W	4	b
Amoy,	14	29.50	749.3	90	93	ENE	1	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.53	750.0	86	68	W	6	o	,,	29.47	748.5	82	70	WSW	4	o
Taichu,	,,	29.61	752.1	86	...	SSW	4	o	,,	29.53	750.0	77	...	SSW	2	rf
Tainan,	,,	29.62	752 4	90	...	WNW	4	o	,,	29.61	752.1	79	...	S	4	o
Koshun,	,,	29.54	750.3	86	...	WNW	4	o	,,	29.59	757.5	81	...	W	4	o
Pescadores,	,,	29.61	752.1	86	...	WSW	4	o	,,	29.59	751.5	81	...	SW	4	b
Canton,	15	29.54	750.3	92	67	SE	2	b	,,	29.59	751.6	80	96	...	o	c
Hongkong,	14	29.57	751.1	86	74	SW	1	c	,,	29.59	751.6	80	94	WNW	1	cpt
Gap Rock,	,,	29.57	751.1	...	...	SW	4	c	,,	29.59	751.6	...	...	S	4	c
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 48	748.8	90	66	SSE	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.55	750.6	86	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.8	79	...	SW	6	r	,,	...	...	...	...	...	...	...
Aparri,	14	29.60	751.8	90	63	N	4	o	6	29.65	753.0	77	89	S	2	o
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	82	77	SW	4	o	,,	29.69	754.2	79	85	WSW	2	o
Legaspi,	,,	29.65	753 0	90	82	WSW	4	o	,,	29.68	753.9	77	88	SW	4	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	84	81	SW	4	o	,,	29.73	755.1	79	92	SSE	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	42.0	29.63	752.7	...	...	SSW	2	o
Yap,	12 47	...	...	...	...	...	...	...	4.47	29.71	754.5	...	...	W	4	o
Labuan,	14	29.75	755.6	86	76	S	2	b	6	29.75	755.6	78	91	SW	2	b

August 12*d.* 11*h.* 20*m.*—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 28° N. Long. 123° E. moving west.

August 12*d.* 11*h.* 25*m.*—Pressure has increased considerably at Naha, moderately at Oshima and Ishigakijima and slightly at Kagoshima. It has decreased moderately at Shanghai and Foochow. In southern districts it is nearly stationary.

Depressions are shown to the N.E. of Hokkaido and over S.W. Japan.

The typhoon has curved westward and now threatens the coast between Shanghai and Foochow.

There is another typhoon between Guam and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·74 inch. Total since January 1st, 42·02 inches, against an average of 57·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	S.W. to S. winds, freshening.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; fine at first, some rain later.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12ht August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	13th August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29 81	757.1	72	...	NNW	4	b	6	29.89	759 3	60	...	NW	2	b
Nemuro,	11	29.55	750.5	...	...	SE	1	...	5	29.88	759.0	...	...	NE	1	...
Hokodate,	,,	29.67	753.5	...	...	SW	3	...	,,	29.88	759.0	...	...	NW	1	...
Tokio,	,,	29.69	754.0	...	...	S	2	...	,,	29.82	757.5	...	...	N	1	...
Kochi,	,,	29.76	756.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	0	...
Nagasaki,	,,	29.72	755.0	...	...	ESE	2	...	,,	29.82	757.5	...	...		0	...
Kagoshima,	,,	29.74	755.5	...	...	S	2	...	,,	29.84	758.0	...	...	NW	1	...
Oshima,	,,	29.70	754.5	...	...	SSE	3	...	,,	29.76	756 0	...	...	S	1	...
Naha,	,,	29.65	753 0	...	...	S	4	...	,,	29.73	755.0	...	...	SSE	1	...
Ishigakijima,	,,	29.59	751 5	...	...	S	7	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.78	756 5	...	...	E	1	...	,,	29.73	755.0	...	...	N	1	...
Weihaiwei,	14	29.72	754.9	80	87	NE	1	0	6	29.76	755.9	77	91	NE	1	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.56	750 8	86	68	NE	6	0	,,	29.44	747.8	77	86	ESE	7	0
Gutzlaff,	,,	29 40	746.7	78	82	NE	7	0	,,	29.41	747.0	78	82	SE	10	0
Sharp Peak,	15	29 48	748.8	94	61	S	2	b	7	29.52	749.8	84	87	S	4	0
Amoy,	14	29.48	748.8	88	88	SSW	4	b	6	29 53	750.0	82	96	SW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.49	749.1	93	57	W	6	b	,,	29.54	750.3	79	80	S	4	0
Taichu,	,,	29 62	752 4	86	...	SSE	4	0	,,	...	...	...	...	...	...	...
Tainan,	,,	29.53	750.0	82	...	ESE	2	r	,,	...	...	...	...	...	...	...
Koshun,	,,	29.62	752.4	82	...	NW	4	0	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.61	752.1	86	.	SSW	4	0	,,	...	...	...	...	...	...	...
Canton,	15	29.55	750.5	93	64	S	2	b	,,	...	...	...	...	...	...	...
Hongkong,	14	29.59	751.6	89	65	W	2	b	,,	29.61	752.1	83	77	W	2	c
Gap Rock,	,,	29.60	751.8	...	..	SSW	4	b	,,	29.61	752.1	...	...	S	4	b
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.53	750 0	70	83	E	4	0	7	...	...	...	...	...	...	...
Fonrane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.6	81	...	SSW	6	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.61	752.1	90	63	N	4	0	6	29.69	754.2	77	91	S	2	0
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.67	753.6	86	68	WSW	6	0	,,	29.72	754.8	79	87	W	2	0
Legaspi,	,,	29.66	753.3	86	68	SW	4	0	,,	29.69	754.2	77	89	SW	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	81	80	S	4	0	,,	29.69	754.2	79	84	SE	2	0
Surigao,	,,	29.68	753.9	90	60	W	1	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.63	752 7	...	...	W	4	0	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	88	69	N	2	b	6	29.78	756.4	78	86	SW	4	b

August 12*d.* 17*h.* 10*m.*—Warning to Hongkong, Coast Ports, &c. :—A typhoon of unknown intensity within 60 miles of Lat. 29° N. Long. 122° E. moving West.

August 13*d.* 12*h.* 30*m.*—Warning to Hongkong, Coast Ports, &c. :—A typhoon of unknown intensity within 60 miles of Lat. 30° N. Long. 120° E. moving W.N.W.

August 13*d.* 12*h.* 30*m.*—Pressure has increased considerably over N.E. Japan, and slightly over S.W. Japan. It has decreased moderately at Shanghai, and has increased slightly over Indo-China.

At 6 a.m. this morning the typhoon was in about Lat. 30° N. and Long. 120° E. moving W.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 42·02 inches, against an average of 58·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	S. or variable winds, moderate to light; fair.
3. Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13rd August, 1922.								14th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.90	759.4	76	...	S	2	b	6	29.90	759.4	68	...	SSE	2	c
Nemuro,	11	29.96	761.0	...	...	SSE	3	...	5	30.04	763.0	...	...	SE	1	...
Hokodate,	,,	29.90	759.5	...	...	SSE	3	...	,,	29.96	761.0	...	...	E	1	...
Tokio,	,,	29.84	758.0	...	...	NE	1	...	,,	29.90	759.5	...	...	N	1	...
Kochi,	,,	29.82	757.5	...	...	E	1	...	,,	29.84	758.0	...	...	SW	1	...
Nagasaki,	,,	29 82	757.5	...	...	SW	1	...	,,	29.82	757.5	...	...	...	...	...
Kagoshima,	,,	29 82	757.5	...	...	S	1	...	,,	29.82	757.5	...	...	NNW	1	...
Oshima,	,,	29.78	756 5	...	...	SE	2	...	,,	29.78	756.5	...	...	SSE	1	...
Naha,	,,	29.74	755.5	...	...	SSE	2	...	,,	29.76	756.0	...	...	...	...	...
Ishigakijima,	,,	29.67	753.5	...	...	S	5	...	,,	29.70	754.5	...	...	SSE	4	...
Bonin Island,	,,	29.67	753.5	...	...	N	3	...	,,	29.59	751.5	...	...	NW	3	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.42	747.2	86	68	ESE	7	o	,,	29.58	751.3	79	85	SE	7	o
Gutzlaff,	,,	29.44	747.8	80	78	SE	10	o	,,	29 62	752.3	78	92	SSE	8	o
Sharp Peak,	15	29.51	749.5	83	87	S	4	bf	7	29.62	752.3	81	96	S	4	r
Amoy,	14	29.49	749 0	90	84	S	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.60	751.8	86	68	...	...	o	,,	29 65	753 0	79	95	...	o	o
Taichu,	,,	29.66	753.3	86	...	S	4	o	,,	29.66	753.3	77	...	...	o	o
Tainan,	,,	29.66	753.3	86	...	SSW	4	o	,,	29.67	753.6	77	...	SE	2	o
Koshun,	,,	29.66	753.3	86	...	WSW	4	b	,,	29.63	752.7	79	...	...	o	b
Pescadores,	,,	29.65	753.0	90	...	SSW	4	o	,,	29.65	753.0	81	...	SSW	4	o
Canton,	15	29.56	750.8	93	67	S	2	b	,,	29.62	752.3	82	87	S	1	o
Hongkong,	14	29.59	751.6	89	69	W	2	c	,,	29.62	752.3	81	94	...	o	o
Gap Rock,	,,	29.61	752.1	...	...	W	3	c	,,	29.62	752.3	...	...	SSW	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 58	751.2	82	86	NNW	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.59	751.5	86	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.63	752.7	90	63	NE	4	o	6	29.68	753.9	75	92	W	2	o
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	81	80	WSW	4	o	,,	29.73	755.1	75	96	E	1	r
Legaspi,	,,	29.68	753.9	86	71	SW	4	o	,,	29.71	754.5	77	89	SW	2	b
Tacloban,	,,	29.69	754.2	86	58	NW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	78	SSW	4	o	,,	29.74	755.4	79	92	SE	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.63	752 7	...	...	S	4	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	76	S	2	b	6	29.79	756.6	78	82	SW	6	b

August 14*d.* 10*h.* 34*m.*— Pressure has increased considerably over N.E. Japan, and moderately at Shanghai. It has decreased moderately over the Bonins and is nearly stationary in southern districts. The Shanghai typhoon is filling up in about Lat. 32° N. and Long. 118° E.

The Bonins typhoon was in about Lat. 26° N. Long. 142° E. At 6 a.m. this morning, moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·50 inch. Total since January 1st, 42·52 inches, against an average of 58·69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, ...	S. or variable winds, moderate to light; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14ht August, 1922.								15th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.87	758.7	76	...	SW	3	c	6	29.80	29.68	69	...	SSE	3	o
Nemuro,	11	30.02	762.5	...	...	SE	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.94	760.5	...	...	E	3	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.86	758.5	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.82	757.5	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.80	757 0	...	...	W	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.80	757.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.78	756 5	...	...	N	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.76	756.0	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.72	755.0	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.59	751.5	...	...	NW	3	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.75	755.6	88	80	S	2	o	6	29.80	756 9	77	95	SSE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.64	752.8	86	71	SSE	6	b	,,	29.72	754.9	79	93	SE	4	b
Gutzlaff,	,,	29.66	753.3	83	83	SSE	6	b	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.64	752.8	82	95	S	1	o	7	29.68	753.9	80	95	S	1	o
Amoy,	14	29 58	751.3	88	88	S	4	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.67	753.6	90	66	W	2	o	,,	29.69	754.2	77	96	...	o	o
Taichu,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tainan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Canton,	15	29.56	750.8	93	71	SE	2	c	,,	29.59	751.6	81	91	SE	1	o
Hongkong,	14	29.60	751.8	89	72	NW	2	c	,,	29.59	751.6	80	91	...	o	o
Gap Rock,	,,	29.62	752.3	...	...	S	3	b	,,	29.58	751.3	...	...	E	3	b
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.55	750.6	90	66	ESE	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.65	753.0	86	61	N	2	o	6	...	...	...	...	...	...	...
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	82	77	WSW	4	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.66	753.3	84	77	W	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	84	81	WSW	4	r	,,	...	...	...	...	...	...	...
Surigao,	,,	29.68	753.9	82	70	WSW	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.66	753.3	...	...	SW	4	r	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29 80	756.9	77	73	E	4	b	6	29.77	756.1	78	91	SW	2	b

August 15*d.* 10*h.* 45*m.* - Pressure has increased moderately at Shanghai and slightly from Foochow to Formosa. It has decreased slightly at Hongkong.

There appears to be a depression over Hainan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 42·53 inches, against an average of 59·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15ht August, 1922.								16th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.77	756.2	79	...	E	2	0	6	29.92	760.0	71	...	NW	2	0
Nemuro,	11	29.78	756.5	...	...	SSE	2	...	5	29.75	755.5	...	...	SW	1	...
Hokodate,	,,	29.80	757.0	...	...	SE	2	...	,,	29.86	758.5	...	...	WSW	2	...
Tokio,	,,	29.88	759.0	...	...	S	3	...	,,	29.96	761.0	...	...	S	1	...
Kochi,	,,	29.74	755.5	...	...	SE	2	...	,,	29.92	760.0	...	...	E	1	...
Nagasaki,	,,	29.72	755.0	...	...	...	0	...	,,	29.75	755.5	...	...	SE	6	...
Kagoshima,	,,	29.70	754.5	...	...	E	1	...	,,	29.78	756.5	...	...	SE	2	...
Oshima,	,,	29.69	754.0	...	...	N	2	...	,,	29.71	754.5	...	...	SE	1	...
Naha,	,,	29.72	755.0	...	...	NNW	2	...	,,	29.71	754.5	...	...	NNW	1	...
Ishigakijima,	,,	29.70	754.5	...	...	ESE	3	...	,,	29.71	754.5	...	...	NE	1	...
Bonin Island,	,,	29.84	758.0	...	...	ESE	3	...	,,	29.94	760.5	...	...	E	4	...
Weihaiwei,	14	29.79	756.6	86	84	E	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.73	755.1	90	63	SSE	4	b	,,	29.83	757.7	75	98	SE	1	b
Gutzlaff,	,,	29.74	755.4	82	87	SE	4	b	,,	29.81	757.2	76	100	SSE	2	b
Sharp Peak,	15	29.70	754.4	90	81	S	2	b	7	29.75	755.6	82	91	N	1	b
Amoy,	14	29.61	752.1	88	88	SSE	2	0	6	29.65	753.1	82	92	E	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.67	753.6	90	66	N	2	b	,,	29.69	754.2	77	92	E	2	b
Taichu,	,,	29.69	754.2	86	...	...	0	0	,,	...	...	...	...	...	...	...
Tainan,	,,	29.67	753.6	90	...	WSW	4	b	,,	...	...	...	...	...	...	...
Koshun,	,,	29.67	753.6	90	...	E	4	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.69	754.2	90	...	SSW	4	b	,,	...	...	...	...	...	...	...
Canton,	15	29.56	750.8	86	80	SW	1	0	,,	29.62	752.3	80	87	E	2	0
Hongkong,	14	29.58	751.3	81	91	ESE	1	0	,,	29.61	752.1	82	80	S	3	0
Gap Rock,	,,	29.57	751.1	...	...	E	4	op	,,	29.59	751.6	...	...	E	4	c
Macao,	,,	29.56	750.9	81	92	ESE	2	0	,,	29.56	750.9	82	84	ENE	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.50	749.4	93	64	...	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.54	750.3	90	...	ENE	1	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.59	751.5	86	68	NNE	4	0	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.63	752.7	86	78	WSW	4	0	,,	29.66	753.3	77	96	ESE	1	r
Legaspi,	,,	29.62	752.4	81	87	W	4	0	,,	29.63	752.7	77	91	SW	2	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	79	80	WSW	4	0	,,	29.68	753.9	79	98	SSW	4	0
Surigao,	,,	29.72	752.4	84	68	W	4	0	,,	29.68	753.9	81	80	WSW	1	0
Guam,	12.20	29.65	753.3	...	...	SW	1	0	42.0	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	86	76	S	2	b	6	29.75	755.6	78	91	SW	2	b

August 16*d* 11*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c. :—Depression or typhoon in Lat. 18° N. Long. 128° E. direction unknown, position uncertain.

August 16*d*. 11*h*. 45*m*.—Pressure has increased slightly from Wladivostock to the Bonins and along the east coast of China. It is nearly stationary at Hongkong and has decreased slightly over the Visayas.

A depression is shown over the Gulf of Tongking, and there are indications of a depression or typhoon to the east of Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·50 inch. Total since January 1st, 43·03 inches, against an average of 59·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; showery at first, improving later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th AUGUST, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th AUGUST, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.93	760.1	82	...	N	1	o	6	29 90	759.5	71	...	...	o	c
Nemuro,	11	29 78	756 5	...	...	NNW	1	...	5	29.80	757.0	...	...	...	...	...
Hokodate,	,,	29.88	759.0	...	...	WSW	1	...	,,	29.88	759.0	...	...	W	3	...
Tokio,	,,	29 96	761.0	...	...	S	2	...	,,	29.98	761.5	...	...	SSW	1	...
Kochi,	,,	29.96	761.0	...	...	ENE	1	...	,,	30.00	762 0	...	...	...	...	...
Nagasaki,	,,	29.82	757 5	...	...	SE	5	...	,,	29.90	759.5	...	...	SE	1	...
Kagoshima,	,,	29 82	757.5	...	...	SSE	3	...	,,	29.92	760.0	...	...	E	2	...
Oshima,	,,	29.747	755.5	...	...	SE	2	...	,,	29.78	756.5	...	...	SE	1	...
Naha,	,,	29.72	755.0	...	...	...	o	...	,,	29.75	755.5	...	...	...	o	...
Ishigakijima,	,,	29.72	755.0	...	...	NE	3	...	,,	29.69	754.0	...	...	NNW	1	...
Bonin Island,	,,	29 92	760.0	...	...	E	3	...	,,	29.98	761 5	...	...	ESE	1	...
Weihaiwei,	14	29 85	758.2	86	84	NE	1	b	6	29.85	758.2	76	100	SSE	1	of
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29 84	757-9	93	59	ESE	1	b	,,	29.86	758 4	75	100	ESE	1	b
Gutzlaff,	,,	29.83	757-7	83	83	E	2	b	,,	29.85	758.2	78	100	SE	1	o
Sharp Peak,	15	29.71	754.6	88	80	E	1	o	7	29.72	754-9	80	91	N	1	b
Amoy,	14	29.64	752.8	90	84	SSE	4	b	6	29.70	754.4	82	92	W	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.69	754.2	90	60	E	6	b	,,	29.73	755.1	79	93	E	4	b
Taichu,	,,	29.69	754.2	86	...	...	o	o	,,	29.71	754.5	79	...	...	o	b
Tainan,	,,	29.68	753.9	86	...	N	4	b	,,	29.68	753 9	77	...	SE	2	b
Koshun,	,,	29.69	754.2	86	...	ENE	4	o	,,	29 69	754.2	75	...	...	o	b
Pescadores,	,,	29.73	755.1	86	...	N	4	b	,,	29.68	753-9	79	...	WNW	2	b
Canton,	15	29 63	752.6	86	80	SE	2	c	,,	29.73	755.1	78	91	ENE	1	b
Hongkong,	14	29.63	752.6	85	75	SSE	4	eq	,,	29.71	754.6	78	92	SSE	1	cp
Gap Rock,	,,	29.62	752.3	...	...	ESE	5	b	,,	29.69	754.1	...	...	NE	4	cp
Macao,	,,	29 61	752 1	90	72	SE	4	o	,,	29 67	753.6	79	93	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.52	749-7	81	87	NE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.50	749.4	84	...	N	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.65	753.0	81	...	SW	8	r	,,	...	...	...	...	...	...	...
Aparri,	14	29.60	751.8	86	68	NW	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.62	752.4	86	75	SSW	1	o	,,	29.67	753.6	77	91	ESE	1	o
Legaspi,	,,	29.62	752.4	82	87	W	4	o	,,	29 67	753.6	77	94	SW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753 3	81	86	WSW	4	o	,,	29.71	754-5	77	89	WSW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.69	754-2	81	76	SW	2	o
Guam,	12.20	29.71	754 5	...	...	SSE	1	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.70	754 4	84	79	SW	2	b	6	29.73	755.1	80	91	SE	2	b

August 17*d* 11*h*. 15*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 19° N. Long. 127° E. stationary or very slow, position uncertain.

August 17*d*. 11*h*. 25*m*.—Pressure has increased moderately over central Japan and at Hongkong. It has increased slightly from Shanghai to the Bonins and over the Visayas.

A feeble anticyclone lies over Japan.

The typhoon to the east of Luzon appears to be nearly stationary. It may be filling up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·84 inch. Total since January 1st, 43·87 inches, against an average of 60·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.W. or variable winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17ht August, 1922.								18th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.83	757.6	79	...	ESE	4	b	6	29.56	750.8	70	...	SE	4	f
Nemuro,	11	29.76	756.0	...	...	...	...	...	5	29.71	754.5	...	...	SSW	1	...
Hokodate,	,,	29.88	759.0	...	...	WSW	2	...	,,	29.75	755.5	...	...	...	...	...
Tokio,	,,	29.94	760.5	...	...	SW	1	...	,,	29.82	757.5	...	...	SSW	1	...
Kochi,	,,	30.02	762.5	...	...	SE	3	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	SE	3	...	,,	29.86	758.5	...	...	ESE	1	...
Kagoshima,	,,	29.94	760.5	...	...	SSE	1	...	,,	29.88	759.0	...	...	E	2	...
Oshima,	,,	29.80	757.0	...	...	E	2	...	,,	29.69	754.0	...	...	SE	3	...
Naha,	,,	29.74	755.5	...	...	ENE	3	...	,,	29.53	750.0	...	...	E	1	...
Ishigakijima,	,,	29.72	755.0	...	...	E	3	...	,,	29.65	753.0	...	...	N	1	...
Bonin Island,	,,	29.96	761.0	...	...	ESE	2	...	,,	29.94	760.5	...	...	E	1	...
Weihaiwei,	14	29.76	755.9	86	80	E	1	o	6	29.75	755.6	80	91	S	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.88	758.9	93	61	SE	1	b	,,	29.82	757.4	77	98	ESE	1	b
Gutzlaff,	,,	29.84	757.9	84	79	ESE	2	b	,,	29.80	756.9	78	95	SE	4	o
Sharp Peak,	15	29.78	756.4	88	76	E	2	b	7	29.73	755.1	81	87	NW	1	o
Amoy,	14	29.66	753.3	92	77	E	2	b	6	29.63	752.6	82	87	ENE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.74	755.4	90	66	ENE	4	b	,,	29.66	753.3	77	94	...	o	b
Taichu,	,,	29.72	754.8	90	...	NW	2	o	,,	29.67	753.6	77	...	...	o	b
Tainan,	,,	29.71	754.5	90	...	SW	4	o	,,	29.62	752.4	75	...	ESE	2	b
Koshun,	,,	29.72	754.8	90	...	NNE	4	o	,,	29.63	752.7	79	...	E	2	o
Pescadores,	,,	29.72	754.8	90	...	SE	4	b	,,	29.61	752.1	81	...	NNW	4	b
Canton,	15	29.68	753.9	92	67	SE	1	b	,,	29.69	754.1	81	87	SSW	1	o
Hongkong,	14	29.70	754.4	87	68	ESE	3	c	,,	29.66	753.3	80	92	...	o	cm
Gap Rock,	,,	29.70	754.4	...	...	ENE	4	c	,,	29.66	753.3	...	...	NE	3	o
Macao,	,,	29.65	753.0	86	81	ESE	2	o	,,	29.65	753.0	79	96	N	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.63	752.7	82	81	ESE	6	r	7	...	...	...	...	...	...	...
Tourane,	,,	29.56	750.9	86	...	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.2	77	...	SW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.63	752.7	82	81	NNW	4	o	6	29.62	752.4	77	94	SW	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	86	78	WSW	4	o	,,	29.68	753.9	75	94	SW	1	o
Legaspi,	,,	29.66	753.3	82	84	WSW	4	o	,,	29.68	753.9	77	96	WSW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	82	81	WSW	4	o	,,	29.71	754.5	77	96	SW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.72	754.8	81	80	WSW	1	o
Guam,	12.20	29.74	755.4	...	...	SW	2	o	42.0	29.74	755.4	...	...	NE	1	b
Yap,	12 47	...	...	...	...	...	...	...	4.47	29.78	756.3	...	...	WSW	1	b
Labuan,	14	29 76	755.9	84	79	S	4	b	6	29.74	755 4	78	91	SW	2	b

August 18*d* 12*h*. 00*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 22° N. Long. 128° E. moving North, position uncertain.

August 18*d*. 11*h*. 58*m*.—Pressure has decreased considerably at Wladivostock, moderately over N.E. Japan, and slightly in central districts.

The Japanese anticyclone is moving eastward.

At 6 a.m. this morning the typhoon appeared to be in about Lat. 22° N. and Long. 128° E., moving northward, though doubtful observations from Naha markes the position uncertain.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·03 inch. Total since January 1st, 43·90 inches, against an average of 60·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.W. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	N. or variable winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	E. winds, moderate.

T. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18ht August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	S	3	...	5	29.59	751.5	...	...	NE	1	...
Hokodate,	,,	29.65	753.0	...	...	SSW	6	...	,,	29.69	754.0	...	...	SW	3	...
Tokio,	,,	29.86	758.5	...	...	SW	1	...	,,	29.86	758.5	...	...	WSW	1	...
Kochi,	,,	29.55	750.5	...	...	SE	1	...	,,	29.90	759.5	...	...	...	...	...
Nagasaki,	,,	29.80	757.0	...	...	SE	1	...	,,	29.80	757.0	...	...	SE	2	...
Kagoshima,	,,	29 82	757.5	...	...	ESE	2	...	,,	29 82	757.5	...	...	SE	2	...
Oshima,	,,	29.69	754.0	...	...	SE	2	...	,,	29.71	754.5	...	...	SE	3	...
Naha,	,,	29.63	752 5	...	...	S	2	...	,,	29.66	753.5	...	...	E	1	...
Ishigakijima,	,,	29.69	754.0	...	...	NW	3	...	,,	29 62	752.5	...	...	W	1	...
Bonin Island,	,,	29 92	760.0	...	...	E	1	...	,,	29.92	760.0	...	...	...	0	...
Weihaiwei,	14	29.67	753.6	90	73	SSW	2	b	6	29.70	754.4	77	95	SSE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29 79	756.6	90	66	SE	2	b	,,	29.66	753.3	79	93	ENE	2	o
Gutzlaff,	,,	29.75	755.6	83	87	E	2	o	,,	29.62	752 3	78	95	E	4	o
Sharp Peak,	15	29 69	754.1	88	73	E	2	b	7	29.64	752.8	80	89	...	o	b
Amoy,	14	29.57	751.1	92	74	E	1	b	6	29.57	751.1	82	92	ENE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.65	753.0	93	64	ENE	2	b	,,	29.60	751.8	75	91	E	2	b
Taichu,	,,	29 65	753.0	90	...	N	2	o	,,	29.65	753.0	73	...	N	2	r
Tainan,	,,	29.65	753.0	86	...	SW	4	b	,,	29.59	751.5	75	...	ESE	2	b
Koshun,	,,	29.65	753.0	86	...	E	2	o	,,	29 60	751.8	75	...	...	o	b
Pescadores,	,,	29.62	752.4	75	...	SE	2	b	,,	29.60	751.8	81	...	SW	2	o
Canton,	15	29.58	751.3	91	74	SW	1	or	,,	29.61	752.1	73	95	N	1	c
Hongkong,	14	29.63	752.6	84	77	NNW	1	o	,,	29.58	751.3	78	82	ESE	1	b
Gap Rock,	,,	29.64	752.8	...	...	E	3	c	,,	29.58	751.3	...	...	NNE	3	o
Macao,	,,	29 62	752.4	90	72	...	2	o	,,	29.56	750.9	79	92	WSW	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Haihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.65	753 0	86	78	...	o	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.60	751.8	82	...	N	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.2	79	...	SW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.60	751.8	75	92	S	...	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.62	752.4	86	75	WSW	4	o	,,	29.66	753.3	75	91	SSW	1	o
Legaspi,	,,	29.66	753.3	84	77	SW	4	o	,,	29.67	753.6	77	92	WSW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	82	...	WSW	4	o	,,	29 69	754.2	79	92	SW	2	o
Surigao,	,,	29 67	753.6	84	74	W	2	o	,,	29.71	754.5	75	92	...	o	b
Guam,	12.20	29.71	754.5	...	...	NE	2	o	42.0	29.69	754.2	...	...	S	1	b
Yap,	12 47	...	...	...	...	...	...	...	4.47	29.73	755.1	...	...	N	2	o
Labuan,	14	29.73	755.1	88	66	S	2	b	6	29.73	755.1	78	91	SW	2	b

August 19*d*. 10*h*. 55*m*.—Warning to Hongkong, Coast Ports, &c. :—A typhoon of unknown intensity within 120 miles of Lat. 28° N. Long. 123° E. moving W.N.W.

August 19*d*. 10*h*. 56*m*.—Pressure has decreased moderately at Shanghai and slightly at the majority of other stations.

The typhoon is now moving W.N.W. threatening the coast between Shanghai and Foochow.

A trough of low pressure extends from Tongking to the east of the Bashee channel.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 43·90 inches, against an average of 61·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	S. winds, moderate.
2.—South coast of China between Hongkong and Lamocks,	Variable winds, moderate to light; fair.
3. Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19HT AUGUST, 1922.								20TH AUGUST, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.74	755 3	77	...	SW	2	o	6	29.79	756.6	72	...	...	o	o
Nemuro,	11	29 67	753.5	...	...	NE	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.70	754.5	...	...	SSW	7	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29 86	758.5	...	...	S	3	...	,,	...	...	...	...	...	...	...
Koohi,	,,	29 90	759.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.82	757.5	...	...	SE	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.84	758.0	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.72	755.0	...	...	SE	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.65	753.0	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.92	760.0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.63	752.6	88	76	N	1	b	6	29.76	755-9	75	95	N	4	r
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.64	752.8	86	75	E	4	b	,,	29.67	753.6	77	96	SE	2	b
Gutzlaff,	,,	29-57	751.1	83	87	SSE	6	o	,,	29.68	753.9	78	95	SSE	4	b
Sharp Peak,	15	29.62	752.3	90	73	S	2	b	7	29.65	753.1	81	91	...	o	b
Amoy,	14	29.53	750.0	90	84	SSE	4	b	6	29.59	751.6	82	92	SSW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.60	75 .8	90	63	...	o	b	,,	29.63	752.7	75	91	S	2	o
Taichu,	,,	29.63	752.7	86	...	W	2	b	,,	29.66	753.3	75	...	...	o	r
Tainan,	,,	29.62	752.4	86	...	WSW	4	b	,,	29.63	752 7	77	...	ESE	2	o
Koshun,	,,	29.74	755.4	86	...	S	2	b	,,	29.63	752.7	77	...	...	o	o
Pescadores,	,,	29.63	752.7	86	...	SSW	4	b	,,	29.63	752.7	81	...	...	o	b
Canton,	15	29.55	750.5	91	67	W	1	b	,,	29.61	752.1	79	95	...	o	c
Hongkong,	14	29.56	750.8	89	65	NW	2	c	,,	29.60	751.8	79	91	...	o	bm
Gap Rock,	,,	29.58	751.3	...	...	E	2	c	,,	29.59	751.6	...	...	WNW	3	c
Macao,	,,	29.56	750.9	86	78	ENE	1	o	,,	29.58	751.2	81	92	...	o	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29:58	751.2	86	81	NW	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29 54	750.3	86	...	NNE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.66	753.3	81	...	SW	2	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.56	750.9	86	61	S	2	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.63	752.7	86	68	WSW	6	o	,,	29.72	754.8	77	91	S	2	o
Legaspi,	,,	29.66	753.3	90	66	SW	4	o	,,	29.74	755.4	77	96	WSW	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	86	75	WSW	4	o	,,	29.74	755.4	77	91	...	o	o
Surigao,	,,	29.67	753.6	90	55	W	1	b	,,	29.75	755.7	75	...	...	o	b
Guam,	12.20	29.67	753.6	...	...	W	2	o	42.0	29.72	754.8	...	...	SW	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.75	755.7	...	...	E	2	b
Labuan,	14	29.70	754.4	84	75	S	4	b	6	29.74	755.4	76	94	SW	2	r

August 20*d*. 12*h*. 50*m*.—Pressure has increased slightly at all reporting stations. A shallow depression is indicated over the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 43·90 inches, against an average of 61·52 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, 2.— South coast of China between Hongkong and Lamocks, 3.— Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. or variable winds, light to moderate; cloudy, occasional rain.

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20ht August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	21st August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.77	756.1	80	...	NNW	2	o	6	29.94	760.5	65	...	N	4	o
Nemuro,	11	29.82	757.5	...	...	ESE	2	...	5	29.92	760.0	...	...	ENE	1	...
Hokodate,	,,	29.78	756.5	...	...	SSW	5	...	,,	29.86	758.5	...	...	WNW	1	...
Tokio,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.96	761.0	...	...	S	1	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.96	761.0	...	...	WSW	1	...
Nagasaki,	,,	29.88	759.0	...	...	SE	2	...	,,	29.90	759.5	...	...	SE	3	...
Kagoshima,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.92	760.0	...	...	...	0	...
Oshima,	,,	29.80	757.0	...	...	ESE	3	...	,,	29.84	758.0	...	...	SE	2	...
Naha,	,,	29.74	755.5	...	...	SSE	1	...	,,	29.78	756.5	...	...	S	1	...
Ishigakijima,	,,	29.70	754.5	...	...	ESE	2	...	,,	29.67	753.5	...	...	SW	6	...
Bonin Island,	,,	29.88	759.0	...	...	NNE	1	...	,,	29.80	757.0	...	...	NNE	2	...
Weihaiwei,	14	29.82	757.4	78	100	NNE	2	o	6	29.79	756.6	76	82	N	2	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.71	754.6	86	75	SSE	2	o	,,	29.73	755.1	79	98	S	1	o
Gutzlaff,	,,	29.68	753.9	86	80	SE	2	b	,,	29.74	755.4	78	92	S	2	o
Sharp Peak,	15	29.62	752.3	92	74	E	1	bf	7	29.64	752.8	82	91	S	1	b
Amoy,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.67	753.6	90	66	...	o	o	,,	29.71	754.5	75	91	E	2	bf
Taichu,	,,	29.66	753.3	90	...	NW	2	b	,,	29.66	753.3	77	...	...	6	r
Tainan,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	...	ESE	4	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.66	753.3	79	...	SSW	4	r
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.74	755.4	81	...	ESE	4	o
Canton,	15	29.58	751.3	94	64	NW	2	b	,,	29.75	755.6	78	91	N	2	o
Hongkong,	14	29.62	752.3	86	76	NW	1	c	,,	29.63	752.6	81	91	...	0	b
Gap Rock,	,,	29.63	752.6	...	...	NW	2	b	,,	29.63	752.6	...	...	SW	3	o
Macao,	,,	29.61	752.1	86	75	...	o	o	,,	29.56	750.9	81	92	NW	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.61	752.1	90	66	SSE	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.58	751.2	66	...	NNE	6	r	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.6	84	...	SSW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.72	754.8	75	94	S	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	84	74	WSW	6	o	,,	29.76	756.0	75	92	E	1	b
Legaspi,	,,	29.73	755.1	90	63	SW	4	b	,,	29.79	756.6	77	96	WSW	2	o
Tacloban,	,,	29.74	755.4	90	66	S	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	84	77	SW	4	o	,,	29.79	756.6	75	96	...	0	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	96	...	0	b
Guam,	12.20	29.69	754.2	...	...	SW	2	o	42.0	29.78	756.3	...	...	SW	2	o
Yap,	12.47	29.74	755.4	...	...	SSE	2	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	76	SW	2	b	6	29.76	755.9	80	91	SW	2	b

August 21*d.* 10*h.* 53*m.*—Pressure has increased slightly at all reporting stations, except at the Bonins where it has decreased moderately.

A feeble anticyclone covers Japan.

There are indications of a shallow depression over N. Indo-China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·26 inch. Total since January 1st, 44·16 inches, against an average of 61·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel, ...	E. or variable winds, moderate to light; generally cloudy, showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	22nd August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.94	760.5	75	...	NNW	4	0	6	29.90	759.5	64	...	N	2	0
Nemuro,	11	29.94	760.5	...	...	ESE	1	...	5	29.96	761.0	...	...	E	2	...
Hokodate,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.88	759.0	...	...	...	...	...
Tokio,	,,	29.92	760.0	...	...	S	1	...	,,	29.94	760.5	...	...	...	...	...
Kochi,	,,	29.96	761.0	...	...	SE	1	...	,,	29.88	759.0	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	ESE	3	...	,,	29.86	758.5	...	...	SW	1	...
Kagoshima,	,,	29.92	760.0	...	...	SE	1	...	,,	29.86	758.5	...	...	NW	1	...
Oshima,	,,	29.86	758.5	...	...	SE	4	...	,,	29.80	757.0	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.75	755 5	...	...	S	1	...
Ishigakijima,	,,	29.70	754.5	...	...	SSW	6	...	,,	29.59	751.5	...	...	SSW	8	...
Bonin Island,	,,	29 69	754 0	...	...	NNE	4	...	,,	...	...	...	...	NNE	6	...
Weihaiwei,	14	29.78	756.4	77	82	N	1	0	6	29.74	755.4	75	95	N	2	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.79	756.6	86	71	SW	1	0	,,	29.73	755.1	77	100	SE	1	lf
Gutzlaff,	,,	29 76	755.9	86	76	SE	2	b	,,	29.74	755.4	75	100	SE	2	0
Sharp Peak,	15	29.71	754.6	90	73	E	2	b	7	29.63	752.6	80	87	W	1	b
Amoy,	14	...	...	...	...	...	...	...	6	29.56	750.8	82	92	ENE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.68	753.9	86	68	NW	2	0	,,	29.59	751.5	77	96	W	2	0
Taichu,	,,	29.68	753.9	75	...	...	0	0	,,	29.61	752.1	90	...	...	0	b
Tainan,	,,	29 69	754.2	81	...	SSE	4	0	,,	29.61	752.1	77	...	...	0	r
Koshun,	,,	29.73	755.1	77	...	SW	4	r	,,	29 65	753 0	77	...	SW	4	0
Pescadores,	,,	29.67	753.6	86	...	SSE	6	0	,,	29.58	751.2	79	...	NW	6	0
Canton,	15	29.61	752.1	90	73	W	2	0	,,	29.65	753.1	78	95	NNW	2	c
Hongkong,	14	29.66	753.3	82	83	W	1	ot	,,	29.62	752.3	77	98	...	0	orlt
Gap Rock,	,,	29.66	753.3	...	...	SW	3	0	,,	29.63	752.6	...	...	NW	4	0
Macao,	,,	29.63	752.7	82	84	SSW	2	0	,,	29.61	752.1	79	90	NNW	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.66	753.3	90	60	SW	1	b	7	29.71	754-5	81	94	WSW	2	b
Tourane,	,,	29.62	752.4	84	...	NE	2	b	,,	29 69	754.2	79	...	...	0	0
Cape St. James,	,,	29 73	755.1	84	...	S	4	b	,,	29.80	756 9	77	...	S	2	0
Aparri,	14	29.69	754.2	90	60	S	4	0	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	46	WSW	4	0	,,	29.79	756.6	75	94	...	0	0
Legaspi,	,,	29.75	755.7	90	69	NE	4	0	,,	29.80	756.9	77	96	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	68	WSW	2	0	,,	29.79	756.6	77	94	...	0	0
Surigao,	,,	29.76	756.0	90	63	NE	1	b	,,	29.78	756.3	75	92	...	0	b
Guam,	12.20	29.75	755.7	...	...	W	4	0	42.0	29.79	756 6	...	...	SW	2	0
Yap,	12 47	...	...	...	...	...	...	...	4.47	29.81	757.2	...	...	WSW	1	b
Labuan,	14	29.75	755.6	86	72	W	2	b	6	29.77	756.1	77	94	SW	2	0

August 22*d.* 11*h* 35*m.*—Warning to Hongkong. Coast Ports. &c. :—Depression or typhoon of unknown intensity within 60 miles of Lat. 26° N. Long. 123° E. direction unknown.

August 22*d.* 11*h.* 35*m.*—Pressure has decreased slightly over the Japanese Empire, and from Wladivostock to Weihaiwei. It is nearly stationary at Hongkong and over the Philippines.

A depression or typhoon has formed to the north-east of Taihoku. Its direction of motion is unknown at present.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·38 inch. Total since January 1st, 45·54 inches, against an average of 62·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel,	N.W. to W. winds, freshening considerably.
2.—South coast of China between Hongkong and Lamocks,	N.W. to W. winds, moderate ; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd August, 1922.								23rd August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.88	758.9	71	...	...	0	0	6	29.77	756.2	64	...	N	4	b
Nemuro,	11	29.92	760 0	...	...	ENE	3	...	5	29.86	758.5	...	...	E	1	...
Hokodate,	,,	29.86	758.5	...	...	SE	2	...	,,	29.76	756.0	..	...	ESE	1	...
Tokio,	,,	29.90	759.5	...	...	SSE	1	...	,,	29.78	756 5	...	...	NE	1	...
Kochi,	,,	29.84	758.0	...	...	ESE	1	...	,,	29.67	753.5	...	...	SW	1	...
Nagasaki,	,,	29.82	757.5	...	...	WNW	2	...	,,	29.69	754.0	...	...	...	...	...
Kagoshima,	,,	29 82	757.5	...	...	SE	1	...	,,	29.67	753.5	...	...	WNW	1	...
Oshima,	,,	29.78	756.5	...	...	ESE	2	...	,,	29.63	752.5	...	...	...	0	...
Naha,	,,	29.72	755.0	...	...	SSE	2	...	,,	29.55	750.5	...	...	S	3	...
Ishigakijima,	,,	29.59	751.5	...	...	SSW	7	...	,,	29.45	748.0	...	...	SW	2	...
Bonin Island,	,,	28.66	728.0	...	...	S	10	...	,,	29.59	751 5	...	...	S	6	...
Weihaiwei,	14	29.75	755.6	80	82	N	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.75	755.6	93	67	SE	1	b	,,	29.71	754.6	75	100	ESE	1	b
Gutzlaff,	,,	29.72	754.9	86	76	SE	2	b	,,	29.67	753.6	78	92	ENE	2	b
Sharp Peak,	15	29.59	751.6	90	66	ESE	1	b	7	29.55	750.5	81	87	W	1	o
Amoy,	14	29.51	749.5	86	88	SSE	2	o	6	29.47	748.5	81	96	ENE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.60	751.8	81	90	NNW	4	r	,,	29.48	748.8	68	96	W	2	r
Taichu,	,,	29.62	752.4	79	...	SW	2	r	,,	29 54	750.3	77	...	...	0	r
Tainan,	,,	29 62	752.4	75	...	SW	4	r	,,	29.53	750.0	79	...	SW	2	r
Koshun,	,,	29.65	753 0	79	...	W	4	o	,,	29 52	749.7	79	...	SW	2	r
Pescadores,	,,	29.61	752.1	82	...	W	2	o	,,	...	...	...	...	...	...	...
Canton,	15	29.57	751.1	89	73	NW	1	o	,,	...	...	...	...	...	...	...
Hongkong,	14	29.57	751.1	87	72	NW	2	c	,,	29.53	750.0	80	87	NW	2	o
Gap Rock,	,,	29.60	751.8	...	...	W	3	c	,,	24.53	750.0	...	...	NW	4	c
Macao,	,,	29.56	750 9	90	69	NW	2	o	,,	29 52	749 7	77	89	NW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.62	752.4	93	61	SSW	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.7	86	...	ESE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29 79	756.6	82	...	S	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.69	754.2	82	74	NW	2	o	6	29.68	753.9	79	76	SW	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	71	WSW	4	o	,,	29.78	756.3	75	94	...	0	o
Legaspi,	,,	29.74	755.4	90	69	SW	4	o	,,	29.78	756.3	77	94	SW	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Iloilo,	,,	29.74	755.4	86	78	WSW	4	o	,,	29.78	756.3	77	96	...	0	o
Surigao,	,,	29.74	755.4	86	75	NW	1	b	,,	...		...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	W	2	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...		...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	73	N	2	b	6	29.81	757.2	75	94	SW	2	b

August 23*d*. 10*h*. 25*m*.—Warning to Hongkong. Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 26° N. Long. 123° E., stationary or very slow.

August 23*d*. 10*h*. 36*m*.—Pressure has decreased considerably to moderately over the Japanese Empire, and slightly from Shanghai to Hongkong.

The typhoon to the north-east of Formosa appears to be nearly stationary.

A severe typhoon passed over the Bonins, in a northerly direction, yesterday morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 45·55 inches, against an average of 62·79 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	W. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.W. to W. winds, moderate; generally cloudy, occasional [rain.
3. Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd August, 1922.								24th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.76	755.9	77	...	NNW	4	b	6	29.81	757.2	63	...	NNE	4	b
Nemuro,	11	29.78	756.5	...	...	SE	1	...	5	29.69	754.0	...	...	SSW	4	...
Hokodate,	,,	29.69	754.0	...	...	SE	1	...	,,	29.63	752.5	...	...	NNE	2	...
Tokio,	,,	29.72	755.0	...	...	SE	3	...	,,	29.23	742.5	...	...	ESE	5	...
Kochi,	,,	29.55	750.5	...	...	NNW	2	...	,,	29.41	747.0	...	...	NNW	1	...
Nagasaki,	,,	29.63	752.5	...	...	NW	1	...	,,	29.51	749.5	...	...	NNE	1	...
Kagoshima,	,,	29.61	752.0	...	...	NE	1	...	,,	29.49	749.0	...	...		...	...
Oshima,	,,	29.51	749.5	...	...	SE	1	...	,,	29.43	747.5	...	...	SSE	1	...
Naha.	,,	29.53	750.0	...	...	SSW	2	...	,,	29.49	749.0	...	...	W	10	...
Ishigakijima,	,,	29.49	749.0	...	...	SSW	9	...	,,	29.49	749.0	...	...	SW	7	...
Bonin Island,	,,	29.67	753.5	...	...	SSW	6	...	,,	29.82	757.5	...	...	SSW	3	...
Weihaiwei,	14	29.76	755.9	76	64	N	4	o	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.72	754.9	90	57	ENE	1	b	,,	29.69	754.1	75	92	NNE	1	o
Gutzlaff,	,,	29.67	753.6	86	72	NE	2	b	,,	29.66	753.3	77	95	NNE	1	b
Sharp Peak,	15	29.58	751.3	90	77	E	1	b	7	29.63	752.6	81	83	W	1	b
Amoy,	14	29.48	748.8	88	88	SE	2	o	6	29.53	750.0	81	92	NNW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.53	750.0	75	96	WSW	4	r	,,	29.52	749.7	77	96	WNW	4	o
Taichu,	,,	29.56	750.9	77	...	...	o	r	,,	29.55	750.6	77	...	...	o	r
Tainan,	,,	29.55	750.6	79	...	SW	2	o	,,	29.55	750.6	77	...	SW	6	o
Koshun,	,,	29.59	751.5	77	...	SW	4	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.55	750.6	84	...	SW	2	o	,,	29.56	750.9	79	...	N	2	o
Canton,	15	...	...	...	...	...	...	...	,,	29.58	751.3	77	95	N	1	o
Hongkong,	14	29.51	749.5	83	78	WNW	2	o	,,	29.54	750.3	79	91	...	o	o
Gap Rock,	,,	29.54	750.3	...	...	W	5	o	,,	29.56	750.8	...	...	NNE	5	o
Macao,	,,	29.52	749.7	82	87	WSW	2	o	,,	...	...	...	...	...	...	...
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.53	750.0	93	61	...	o	b	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	86	...	SW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	86	...	S	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.61	752.1	90	51	S	4	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	86	71	WSW	4	o	,,	29.79	756.6	75	96	SSE	1	o
Legaspi,	,,	29.71	754.5	90	63	WSW	4	o	,,	29.80	756.9	77	94	W	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	75	WSW	4	o	,,	29.80	756.9	77	98	...	o	o
Surigao,	,,	29.73	755.1	86	71	...	o	b	,,	29.80	756.9	73	94	SW	1	b
Guam,	12.20	29.78	756.3	...	...	NE	1	o	42.0	...	...	...	...	...	...	...
Yap,	12 47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	76	SW	4	b	6	29.80	756.9	77	94	SW	2	b

August 24*d*. 11*h*. 10*m*.—Warning to Hongkong. Coast Ports. &c. :—Typhoon of unknown intensity within 120 miles of Lat. 28° N. Long. 127° E., moving N.E.

August 24*d*. 11*h*. 15*m*.—Pressure has decressed very considerably at Tokio owing to the approach of the Bonins typhoon. It is nearly stationary at Chinese and Philippine stations.

The typhoon to the north-east of Formosa is now moving north-eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·75 inch. Total since January 1st, 47·59 inches, against an average of 63·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate; fair to showery.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	25th August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.77	756.1	76	...	NNW	4	b	6	29.83	757.7	65	...	NNW	2	b
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.61	752.0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	28.58	726.0	...	...	NNE	6	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.84	758.0	...	...	NW	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.51	749.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.47	748.5	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.55	750.5	...	...	SW	6	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.53	750.0	...	...	SW	8	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.86	758.5	...	...	SSW	3	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.71	754.6	78	78	N	1	o	6	29.76	755.9	74	90	NW	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.76	755.9	82	63	N	2	b	,,	29.80	756.9	68	98	N	1	b
Gutzlaff,	,,	29.69	754.1	83	57	N	4	o	,,	29.87	758.7	75	81	N	2	b
Sharp Peak,	15	29.67	753.6	90	63	E	2	b	7	29.71	754.6	80	87	N	1	o
Amoy,	14	29.58	751.3	90	84	SSE	2	b	6	29.57	751.1	80	92	ENE	1	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.63	752.7	77	94	NW	4	r	,,	29.69	754.2	75	98	W	2	o
Taichu,	,,	29.66	753.3	77	...	...	o	r	,,	29.68	753.9	75	...	...	o	o
Tainan,	,,	29.65	753.0	79	...	WSW	4	r	,,	29.66	753.3	77	...	SE	4	o
Koshun,	,,	29.67	755.6	79	...	W	4	r	,,	29.71	754.5	75	...	SSE	2	r
Pescadores,	,,	29.66	753.3	82	...	N	4	o	,,	29.73	755.1	79	...	SE	6	o
Canton,	15	29.57	751.1	91	70	N	1	c	,,	29.67	753.6	76	91	N	2	or
Hongkong,	14	29.56	750.8	88	69	SE	1	o	,,	29.66	753.3	78	93	...	o	o
Gap Rock,	,,	29.58	751.3	...	...	NE	4	o	,,	29.65	753.1	...	...	WNW	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.60	751.8	82	90	E	2	o	7	29.65	753.0	77	96	ENE	4	o
Tourane,	,,	29.65	753.0	86	...	SSW	2	b	,,	29.68	753.9	81	...	SW	2	o
Cape St. James,	,,	29.79	756.6	75	...	SW	2	r	,,	29.84	757.8	73	...	SW	2	b
Aparri,	14	29.68	753.9	93	50	S	4	o	6	29.78	756.3	79	66	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	86	68	SW	4	o	,,	29.82	757.5	75	96	...	o	o
Legaspi,	,,	29.75	755.7	90	63	SSW	2	o	,,	29.81	757.2	77	91	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	71	WSW	4	o	,,	29.80	756.9	77	96	...	o	o
Surigao,	,,	29.78	756.3	86	71	...	o	b	,,	29.81	757.2	73	94	...	o	o
Guam,	12.20	29.76	756.0	...	...	NNW	1	o	42.0	29.76	756.0	...	...	W	1	o
Yap,	12 47	29.78	756.3	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	84	79	SW	2	b	6	29.71	754.6	76	94	SW	2	r

August 25*d.* 11*h.* 59*m.*—Pressure has increased moderately from Shanghai to Hongkong and Formosa. It is nearly stationary over the Philippines.

A trough of relatively low pressure extends from Tongking to Formosa.

The Ponins typhoon passed near Tokio yesterday afternoon. The Formosa typhoon has probably merged with it.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·40 inch. Total since January 1st, 47·70 inches, against an average of 63·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	W. or variable winds, moderate; generally cloudy, occasional rain.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th August, 1922.								26th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.86	758 4	79	...	NNW	2	c	6	29.92	760.0	64	...	NE	1	b
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.72	755.0	...	...	W	5	...	,,	29.96	761.0	...	...	NNW	1	...
Tokio,	,,	29.72	755.0	...	...	SE	3	...	,,	29.78	756.5	...	...	SSE	6	...
Kochi,	,,	29.67	753.5	...	...	SE	1	...	,,	29.78	756.5	...	...	...	...	...
Nagasaki,	,,	29.67	753 5	...	...	S	1	...	,,	29.76	756.0	...	...	...	...	...
Kagoshima,	,,	29.65	753.0	...	...	NE	1	...	,,	29.76	756.0	...	...	WNW	1	...
Oshima,	,,	29.61	752.0	...	...	N	3	...	,,	29.75	755.5	...	...	SSE	1	...
Naha,	,,	...	...	...	...	NW	3	...	,,	29.76	756.0	...	...	...	...	...
Ishigakijima,	,,	29.76	756 0	...	...	S	3	...	,,	29.65	753.0	...	...	SSW	6	...
Bonin Island,	,,	29.92	760.0	...	...	SSE	4	...	,,	29.92	760.0	...	...	ESE	4	...
Weihaiwei,	14	29.74	755.4	76	91	N	2	o	6	29.78	756.4	72	95	...	o	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.84	757.9	84	58	NW	1	b	,,	29.84	757.9	70	100	NNW	1	b
Gutzlaff,	,,	29.81	757.2	88	56	N	1	b	,,	29.82	757.4	75	86	NE	1	b
Sharp Peak,	15	29.73	755.1	83	83	ENE	4	r	7	29.74	755.4	80	82	WNW	1	b
Amoy,	14	29.61	752.1	80	96	N	4	r	6	29.68	753.9	80	92	WSW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.71	754.5	86	75	ENE	6	o	,,	29.61	752.1	75	98	SSW	2	r
Taichu,	,,	29.69	754.2	79	...	S	2	r	,,	29.61	752.1	73	...	ESE	2	r
Tainan,	,,	29.67	753.6	77	...	SSE	6	r	,,	...	...	75	...	WNW	4	r
Koshun,	,,	29.73	755.1	81	...	SW	6	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.58	751.2	81	...	SE	7	r	,,	29.69	754.2	75	...	WNW	7	r
Canton,	15	29.68	753.9	89	77	SW	1	c	,,	29.72	754.9	78	95	...	o	c
Hongkong,	14	29.70	754.4	85	80	NW	1	cpt	,,	29.73	755 4	77	94	...	o	or
Gap Rock,	,,	29.70	754.4	...	...	WSW	4	c	,,	29.72	754.9	...	...	W	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.66	753.3	82	92	ESE	4	o	7	29.71	754.5	77	100	E	2	rf
Tourane,	,,	29.71	754.5	84	...	ENE	2	o	,,	29.75	755.7	81	...	S	2	o
Cape St. James,	,,	29.82	757.5	86	...	S	2	b	,,	29.85	758.1	77	...	SW	2	o
Aparri,	14	29.76	756.0	86	61	S	2	o	6	29.78	756.3	77	86	S	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	86	68	SW	2	o	,,	29.81	757.2	75	96	E	1	o
Legaspi,	,,	29.80	756.9	90	66	ENE	2	b	,,	29.81	757.2	73	96	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	90	51	N	1	o	,,	29.80	756.9	77	94	NW	1	o
Surigao,	,,	29.80	756.9	90	60	E	4	b	,,	29.80	756.9	73	96	...	o	b
Guam,	12.20	29.74	755.4	...	...	SSW	4	o	4.20	29.79	756.6	...	...	S	1	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.81	757.2	...	...	NE	1	b
Labuan,	14	29.81	757.2	86	84	SW	2	b	6	29.83	757.7	76	94	SW	2	b

August 26*d*. 12*h*. 25*m*.—Warning to Hongkong. Coast Ports. &c. :—Depression or typhoon of unknown intensity within 120 miles of Lat. 26° N. Long. 123° E., direction unknown.

August 26*d*. 12*h*. 11*m*.—Pressure has increased slightly from Shanghai to Hongkong and over N. Indo-China. It has decreased slightly over for Formosa and is nearly stationary over the Philippines.

There appears to be a depression to the north-east of Formosa.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·20 inch. Total since January 1st, 47·90 inches, against an average of 64·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel,	W. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	S.W. or variable winds, moderate; generally cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th August, 1922.								27th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.92	759.9	72	...	SSE	3	c	6	29.95	760.7	69	...	SE	2	c
Nemuro,	11	...	...	...	...	...	...	...	5			...	...	...	...	...
Hokodate,	,,	29.92	760.0	...	...	ESE	6	...	,,	29.98	761.5	...	...	NNE	1	...
Tokio,	,,	29.86	758.5	...	...	S	2	...	,,	30.04	763.0	...	...	SSE	2	...
Kochi,	,,	29.80	757.0	...	...	NW	1	...	,,	29.96	761.0	...	...	E	1	...
Nagasaki,	,,	29.76	756 0	...	...	ESE	3	...	,,	29.76	756.0	...	...	E	1	...
Kagoshima,	,,	29.78	756.5	...	...	SE	1	...	,,	29.76	756.0	...	...	ESE	3	...
Oshima,	,,	29.72	755.0	...	...	N	2	...	,,	29.73	755.0	...	...	SSE	1	...
Naha,	,,	29.72	755.0	...	...	S	1	...	,,	29.65	753.0	...	...	SE	1	...
Ishigakijima,	,,	29.61	752.0	...	...	SSW	7	...	,,	29.57	751.0	...	...	WSW	5	...
Bonin Island,	,,	29.92	760.0	...	...	ESE	4	...	,,	29.96	761.0	...	...	ESE	2	...
Weihaiwei,	14	29.77	756.1	77	91	...	0	0	6	29.84	757.9	72	95	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.84	757.9	90	55	ESE	1	b	,,	29.80	756.9	75	89	E	1	b
Gutzlaff,	,,	29.80	756.9	83	75	NE	1	o	,,	29.78	756.4	77	92	NE	2	o
Sharp Peak,	15	29.55	750.5	86	76	E	1	o	7	29.73	755.1	80	82	W	1	b
Amoy,	14	29.67	753.6	86	93	SSE	2	b	6	29.67	753.6	80	96	SSE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.69	754.2	79	92	W	4	r	,,	29.69	754.2	75	91	W	4	r
Taichu,	,,	29.79	756.6	82	...	NNW	2	r	,,	29.73	755.1	70	...	...	0	o
Tainan,	,,	29.76	756.0	81	...	N	4	r	,,	29.69	754.2	73	...	NE	2	b
Koshun,	,,	29.76	756.0	79	...	WSW	6	o	,,	29.67	753 6	77	...	NW	4	o
Pescadores,	,,	29.78	756.3	81	...	SE	4	o	,,	29.69	754.2	75	...	...	0	b
Canton,	15	29.65	753.1	83	87	E	1	o	,,	29.66	753.3	79	91	WNW	1	or
Hongkong,	14	29.69	754.1	87	70	W	2	c	,,	29.67	754.5	77	95	N	1	or
Gap Rock,	,,	29.69	754.1	...	...	SSW	4	c	,,	29.66	753.3	...	...	SSW	3	or
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.66	753.3	86	78	ESE	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	29 69	754.2	75	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	84	...	SW	2	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.73	755.1	90	63	NNE	4	o	6	29.71	754.5	77	86	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	90	69	WSW	2	o	,,	29.74	755.4	75	94	NE	1	b
Legaspi,	,,	29.74	755.4	90	69	E	2	b	,,	29.75	755.7	73	94	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	90	63	NE	2	o	,,	29.75	755.7	75	88	...	0	o
Surigao,	,,	29.74	755.4	90	63	E	2	b	,,	29.75	755.7	75	83	SW	1	b
Guam,	12.20	29.74	755 4	...	...	S	1	o	4.20	29.84	757.8	...	...	E	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.75	755.7	...	...	NE	1	b
Labuan,	14	29.76	755.9	86	76	S	2	b	6	29.70	754.4	75	94	SW	2	r

August 26*d*. 20*h*. 10*m*.—Warning to Hongkong. Coast Ports. &c. :—Depression or typhoon of unknown intensity within 120 miles of Lat. 26° N. Long. 124° E., moving N.E.

August 27*d* 12*h*. 25*m*.—Warning to Hongkong, Coast Ports, &c. :—Typhoon of unknown intensity within 120 miles of Lat. 27° N. Long. 125° E., moving N.E.

August 27*d*. 12*h*. 19*m*.—Pressure has increased moderately over Formosa and decreased moderately at Naha. It has decreased slightly over the Philippines.

A feeble anticyclone is central to the east of Japan.

The typhoon to the north-east of Formosa is moving north-eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·90 inch. Total since January 1st, 48·80 inches, against an average of 64·42 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. or variable winds, moderate; generally cloudy, occasional rain.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th August, 1922.								28th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.98	761 5	...	...	SE	1	...	,,	29.96	761.0	...	...	...	0	...
Tokio,	,,	30.02	762.5	...	...	S	3	...	,,	30.04	763.0	...	...	...	...	...
Kochi,	,,	30.02	762.5	...	...	SE	3	...	,,	30 02	762.5	...	...	W	2	...
Nagasaki,	,,	29.78	756.5	...	...	ESE	5	...	,,	29.88	759.0	...	...	SE	1	...
Kagoshima,	,,	29.82	757.5	...	...	SSE	3	...	,,	29.88	759.0	...	...	ENE	2	...
Oshima,	,,	29.74	755.5	...	...	SE	3	...	,,	29.71	754.5	...	...	ESE	1	...
Naha,	,,	29 69	754 0	...	...	SSE	2	...	,,	29.67	753.5	...	...	ENE	1	...
Ishigakijima,	,,	29.61	752.0	...	...	WSW	4	...	,,	29.65	753.0	...	...	N	2	...
Bonin Island,	,,	30 02	762.5	...	...	ESE	10	...	,,	29.96	761.0	...	...	ENE	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	29.88	758.9	71	95	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.82	757.4	86	58	E	1	b	,,	29.80	756.9	77	100	E	1	r
Gutzlaff,	,,	29.88	758.9	82	92	ENE	2	o	,,	29.79	756.6	80	92	ESE	4	o
Sharp Peak,	15	29.72	754.9	90	88	E	2	b	7	29.68	753.9	77	91	N	1	r
Amoy,	14	...	...	...	...	...	...	...	6	29.58	751.3	82	92	...	0	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.72	754.8	75	91	E	2	r	,,	29.63	752.7	77	96	WNW	2	o
Taichu,	,,	29.72	754.8	84	...	NNW	2	o	,,	29.68	753.9	75	...	...	0	o
Tainan,	,,	29.71	754.5	86	...	N	4	b	,,	29.66	753.3	77	...	SE	2	r
Koshun,	,,	29.67	753.6	82	...	NW	4	o	,,	29.65	753.0	77	...	NW	4	r
Pescadores,	,,	29.72	754.8	84	...	W	2	b	,,	29.66	753.3	79	...	SW	2	o
Canton,	15	29.61	752.1	85	79	...	0	o	,,	29.62	752.3	79	91	WNW	1	o
Hongkong,	14	29.63	752.6	84	81	ENE	1	o	,,	29.62	752.3	79	95	NNW	1	o
Gap Rock,	,,	29.65	753.1	...	...	SW	3	o	,,	29.62	752.3	...	...	SSW	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.60	751.8	81	96	WNW	2	r	7	29.61	752.1	75	100	WSW	2	of
Tourane,	,,	...	...	...	...	...	...	...	,,	29.65	753.0	81	...	SW	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	77	...	SW	2	o
Aparri,	14	29.67	753.6	90	60	N	4	o	6	29.71	754.5	77	79	SE	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	90	66	WNW	4	b	,,	29.74	755.4	75	94	...	0	o
Legaspi,	,,	29.68	753.9	93	53	SW	2	b	,,	29.73	755.1	75	94	SW	1	b
Tacloban,	,,	29.68	753.9	90	60	S	2	b	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	71	SW	4	o	,,	29.73	755.1	77	94	...	0	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	75	92	SW	1	b
Guam,	12.20	29.71	754.5	...	...	E	2	r	4.20	29.72	754.8	...	...	S	1	o
Yap,	12.47	...	..	..	...	...	...	...	4.47	29.73	755.1	...	...	...	0	o
Labuan,	14	29.77	756.1	80	95	E	4	o	6	29.78	756.4	77	91	SW	4	b

August 28*d* 11*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 27° N. Long. 126° E., filling up.

August 28*d*. 11*h*. 50*m*.—Pressure has increased slightly over S.W. Japan and decreased slightly from Formosa to Indo-China.

A feeble anticyclone is central near Toko and a depression lies over S.W. China.

The typhoon to the north-east of Formosa appears to be filling up.

There are indications of a depression or typhoon near Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·99 inch. Total since January 1st, 49·79 inches, against an average of 64·81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S.W. winds, moderate; generally cloudy, occasional rain.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	28th August, 1922.								29th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.89	759.1	...	...	SE	3	...	6	29.85	758.2	...	...	...	0	...
Nemuro,	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.94	760.5	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.02	762.5	...	...	SSE	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.02	762 5	...	...	SE	2	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	NE	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.92	760.0	...	...	E	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.70	754.5	...	...	NE	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.63	752.5	...	...	N	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.69	754 0	...	...	NE	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	E	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.87	758.7	82	91	E	2	b	6	29.91	759.7	75	95	SSE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.84	757.9	79	96	E	2	r	,,	29.84	757.9	77	96	ESE	1	o
Gutzlaff,	,,	29.80	754.9	82	87	SE	4	o	,,	29.83	757.7	78	92	ESE	2	o
Sharp Peak,	15	29.65	753.1	77	91	WSW	4	r	7	29.74	755.4	80	92	NE	2	o
Amoy,	14	29.58	751.3	86	88	SSE	2	o	6	29.57	751.1	82	92	...	0	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.67	753 6	86	58	SW	2	o	,,	29.71	754.5	75	96	SW	2	b
Taichu,	,,	29 69	754.2	84	...	S	4	b	,,	29.69	754 2	75	...	...	0	o
Tainan,	,,	29.71	754.5	86	...	W	2	o	,,	29.66	753.3	75	...	SE	4	o
Koshun,	,,	29.69	754.2	79	...	NNW	4	r	,,	29.67	753.6	75	...	NNW	2	o
Pescadores,	,,	29.69	754.2	82	...	SSE	4	o	,,	29.65	753.0	75	...	SW	4	o
Canton,	15	29.59	751.6	82	87	SW	2	or	,,	29.61	752.1	79	95	...	0	o
Hongkong,	14	29.62	752.3	82	80	WSW	4	cp	,,	29.62	752.3	78	95	NNE	1	o
Gap Rock,	,,	29.65	753.1	...	...	SSW	4	o	,,	29.62	752.3	...	...	SSW	4	o
Macao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.59	751.5	86	78	SSW	1	o	7	29.61	752.1	77	98	WNW	1	rf
Tourane,	,,	29 62	752.4	90	...	E	2	b	,,	29.65	753.0	82	...	SW	4	o
Cape St. James,	,,	29.74	755 4	86	...	SSW	2	o	,,	29.78	756.3	75	...	WSW	2	b
Aparri,	14	29.65	753.0	86	65	N	4	o	6	29.71	754.5	77	89	W	2	o
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	90	69	SW	4	o	,,	29.76	756.0	77	89	N	1	b
Legaspi,	,,	29.71	754.5	93	59	WSW	4	b	,,	29.75	755.7	77	91	WSW	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	75	SW	4	o	,,	29.76	756.0	75	91	NW	1	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	SE	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	79	S	4	b	6	29.77	756.1	78	91	SE	2	b

August 29*d.* 10*h.* 54*m.*—Pressure has decreased slightly at Wladivostock and has increased slightly at Shanghai. It is nearly stationary from Formosa to Indo-China, and over the Philippines.

A shallow depression is still shown over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·42 inch. Total since January 1st, 52·21 inches, against an average of 65·19 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. or variable winds, moderate; generally cloudy, occasional rain.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th August, 1922.								30th August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.82	757·5	...	...	SE	4	...	6	29.97	761.2	...	...	N	2	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.78	756.5	...	...	SW	1	...
Hokodate,	,,	29.80	757·0	...	...	W	5	...	,,	29.88	759.0	...	...	...	...	...
Tokio,	,,	29.96	761.0	...	...	SSE	3	...	,,	29.98	761.5	...	...	WSW	2	...
Kochi,	,,	29.98	761 5	...	...	S	1	...	,,	30.00	762.0	...	...	SW	1	...
Nagasaki,	,,	29.86	758 5	...	...	ENE	2	...	,,	29.84	758.0	...	...	E	1	...
Kagoshima,	,,	29.86	758.5	...	...	E	5	...	,,	29.86	758.5	...	...	E	3	...
Oshima,	,,	29.51	749·5	...	...	SE	4	...	,,	29.63	752.5	...	...	SE	3	...
Naha,	,,	29.15	740 5	...	...	SE	7	...	,,	29.33	745.0	...	...	S	5	...
Ishigakijima,	,,	29.57	751.0	...	...	W	6	...	,,	29.45	748.0	...	...	...	...	...
Bonin Island,	,,	29.96	761.0	...	...	E	2	...	,,	29.98	761.5	...	...	SSE	1	...
Weihaiwei,	14	...	...	82	75	ENE	2	b	6	29.91	759·7	77	95	...	0	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.88	758.9	86	71	E	4	b	,,	29.77	756.1	79	87	NE	2	0
Gutzlaff,	,,	29.80	756.9	82	83	ENE	4	b	,,	29 69	754·1	78	95	NE	6	0
Sharp Peak,	15	29.71	754.6	84	87	ENE	4	0	7	29.64	752.8	80	87	W	2	bf
Amoy,	14	29.60	751.8	84	93	...	4	0	6	29.61	752.1	78	95	W	2	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.67	753 6	90	69	W	4	b	,,	29.58	751.2	77	94	W	4	r
Taichu,	,,	29.68	753·9	84	...	WSW	4	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29·71	754·5	77	...	W	4	r	,,	...	...	...	...	...	...	...
Koshun,	,,	29.69	754·2	81	...	ESE	4	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.67	753.6	77	...	W	1	r	,,	...	...	...	...	...	...	...
Canton,	15	29.59	751.6	77	95	W	2	or	,,	29.57	751.1	77	95	WNW	2	or
Hongkong,	14	29.62	752.3	81	86	W	3	or	,,	29.56	750.8	80	88	W	4	or
Gap Rock,	,,	29.64	752.8	...	...	SSW	4	0	,,	29.62	752.3	...	...	S	4	or
Macao,	,,	29.61	752.1	77	88	SW	4	0	,,	29.55	750.6	77	98	WSW	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.60	751.8	86	78	WSW	2	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.63	752.7	86	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755·7	84	...	WSW	4	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.66	753·3	86	61	N	4	0	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755·1	86	65	WSW	4	0	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.68	753·9	90	69	SW	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755·1	86	...	SW	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.73	755·1	86	68	WNW	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.72	754·8	...	...	NE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	82	87	SW	2	b	6	29.78	756 4	78	91	SW	2	b

August 29*d* 14*h*. 35*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 26° N. Long. 128° E., direction unknown.

August 30*d*. 8*h*. 28*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 27° N. Long. 127° E., moving N.W.

August 30*d*. 11*h*. 25*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 27° N. Long. 126° E., moving W.N.W.

August 30*d*. 11*h*. 30*m*.—Pressure has decreased moderately at Ishigakijima, Keelung, and Shanghai. It has increased moderately over the Loochoos and decreased slightly at Hongkong.

From observations received after the issue of yesterday's report it appears that a typhoon formed to the S.E. of Naha in the afternoon of August 28, passing near Naha in the forenoon of August 29. It now appears to be moving W.N.W. or West, threatening the Coast between Shanghai and Foochow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·09 inch. Total since January 1st, 53·30 inches, against an average of 65·56 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel,	W. winds, freshening considerably.
2.—South coast of China between Hongkong and Lamocks,	S.W. winds, moderate; overcast, rainy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th August, 1922.								31st August, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.94	760.4	78	...	NNE	1	o	6	29.87	758.6	65	...	...	o	or
Nemuro,	11	29.76	756.0	...	...	NNE	1	...	5	29.94	760.5	...	...	SW	1	...
Hokodate,	,,	29.86	758 5	...	...	...	o	...	,,	29.94	760.5	...	...	N	1	...
Tokio,	,,	29.98	761 5	...	...	SSE	3	...	,,	29 96	761.0	...	...	...	o	...
Kochi,	,,	29.95	761.0	...	...	ESE	1	...	,,	29.98	761.5	...	...	WSW	1	...
Nagasaki,	,,	29.86	758 5	...	...	ESE	3	...	,,	29.88	759.0	...	...	ESE	3	...
Kagoshima,	,,	29.90	759.5	...	...	ESE	3	...	,,	29.88	759.0	...	...	E	1	...
Oshima,	,,	...	...	...	...	...	...	...	,,	29.78	756.5	...	...	SE	4	...
Naha,	,,	29.47	748.5	...	...	S	3	...	,,	29.67	753.5	...	...	S	3	...
Ishigakijima,	,,	29.51	749.5	...	...	WSW	5	...	,,	29.55	750.5	...	...	SSW	7	...
Bonin Island,	,,	29.98	761.5	...	...	SE	1	...	,,	29.98	761.5	...	...	ENE	1	...
Weihaiwei,	14	29.86	758.4	84	68	E	2	o	6	29.88	758.9	73	95	...	o	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.76	755 9	86	68	NE	6	b	,,	29.57	751.1	79	90	NNE	6	o
Gutzlaff,	,,	29.64	752.8	83	83	NE	6	b	,,	29.35	745.5	77	95	NNE	10	o
Sharp Peak,	15	29.58	751.3	90	66	S	2	b	7	29.55	750.5	81	91	S	1	b
Amoy,	14	29.56	750.8	88	88	SSE	4	b	6	29.55	750.5	80	96	W	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.58	751.2	86	68	W	6	o	,,	29.50	749.4	79	73	W	4	o
Taichu,	,,	29.66	753.3	82	...	S	4	b	,,	29.66	753.3	75	...	SE	2	o
Tainan,	,,	29.69	754.2	81	...	WSW	4	o	,,	29 66	753.3	73	...	ESE	2	o
Koshun,	,,	29.68	753.9	73	...	NNW	6	r	,,	29.67	753.6	79	...	NW	4	o
Pescadores,	,,	29.67	753.6	81	...	WNW	4	o	,,	29.65	753.0	79	...	SSW	4	b
Canton,	15	29.53	750.0	82	87	W	1	o	,,	29.50	749.3	77	95	E	2	or
Hongkong,	14	29.57	751.1	82	80	WSW	3	o	,,	29.56	750.8	79	91	W	2	or
Gap Rock,	,,	29.57	751.1	...	...	SSW	5	o	,,	29.56	750.8	...	...	S	4	o
Macao,	,,	29.54	750.3	82	84	SSW	4	o	,,	29.53	750.0	77	96	SSW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.58	751.2	86	85	W	2	o	7	29.59	751.5	77	98	WNW	2	of
Tourane,	,,	29.60	751.8	86	...	ENE	2	o	,,	29.61	752.1	81	...	W	2	o
Cape St. James,	,,	29.72	754.8	86	...	SW	2	b	,,	29.76	756.0	77	...	SW	4	b
Aparri,	14	29.65	753.0	90	60	N	4	o	6	29.71	754.5	77	86	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	90	66	SW	4	o	,,	29.75	755.7	77	94	...	o	o
Legaspi,	,,	29.68	753.9	90	60	WSW	4	o	,,	29.75	755.7	77	91	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	75	WSW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	77	89	W	1	o
Guam,	12.20	29.75	755.7	...	...	S	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	72	N	4	b	6	29.79	756.6	78	94	SW	2	b

August 31*d.* 10*h.* 00*m.*—Warning to Hongkong, Coast Ports, &c. :—A severe typhoon within 60 miles of Lat. 29° N. Long. 123° E., moving W.N.W.

August 31*d.* 11*h.* 13*m.*—Pressure has decreased considerably at Shanghai and increased considerably at Naha. It is nearly stationary in southern districts.

A severe typhoon will pass about 50 miles to the south of Shanghai this afternoon.

A shallow depression lies over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 2·38 inch. Total since January 1st, 55·68 inches, against an average of 65·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, ...	S.W. winds, fresh ; overcast, rainy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

SEPTEMBER,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,
DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922.

[*Price 60c.*]

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

SEPTEMBER,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·557	29·552	29·546	29·546	29·546	29·546	29·566	29·591	29·603	29·620	29·619	29·597	1
2	29·579	29·575	29·563	29·552	29·553	29·565	29·594	29·603	29·614	29·622	29·620	29·610	2
3	29·617	29·599	29·601	29·594	29·586	29·591	29·605	29·633	29·640	29·649	29·640	29·629	3
4	29·650	29·651	29·634	29·630	29·626	29·645	29·650	29·666	29·678	29·682	29·689	29·679	4
5	29·691	29·684	29·664	29·663	29·663	29·665	29·677	29·690	29·695	29·700	29·712	29·706	5
6	29·681	29·662	29·659	29·658	29·662	29·672	29·690	29·699	29·706	29·698	29·696	29·696	6
7	29·676	29·668	29·650	29·652	29·660	29·667	29·674	29·679	29·688	29·692	29·697	29·685	7
8	29·671	29·662	29·646	29·650	29·651	29·660	29·677	29·695	29·707	29·705	29·713	29·696	8
9	29·665	29·656	29·644	29·639	29·641	29·655	29·660	29·676	29·684	29·690	29·693	29·687	9
10	29·690	29·679	29·672	29·673	29·673	29·672	29·678	29·698	29·704	29·705	29·701	29·688	10
11	29·667	29·653	29·648	29·644	29·638	29·646	29·650	29·658	29·664	29·661	29·665	29·655	11
12	29·578	29·568	29·562	29·563	29·557	29·561	29·577	29·590	29·608	29·618	29·617	29·602	12
13	29·674	29·640	29·628	29·622	29·626	29·648	29·660	29·679	29·691	29·702	29·707	29·699	13
14	29·717	29·702	29·683	29·683	29·681	29·700	29·704	29·734	29·728	29·723	29·703	29·694	14
15	29·662	29·646	29·632	29·623	29·610	29·616	29·625	29·644	29·656	29·651	29·646	29·627	15
16	29·608	29·596	29·582	29·576	29·573	29·585	29·588	29·605	29·601	29·607	29·589	29·575	16
17	29·537	29·527	29·513	29·513	29·521	29·535	29·551	29·563	29·572	29·579	29·577	29·547	17
18	29·553	29·547	29·538	29·532	29·537	29·547	29·565	29·583	29·590	29·591	29·589	29·571	18
19	29·594	29·589	29·588	29·584	29·583	29·599	29·614	29·632	29·645	29·650	29·644	29·630	19
20	29·598	29·566	29·552	29·538	29·543	29·543	29·552	29·577	29·572	29·571	29·583	29·548	20
21	29·577	29·596	29·578	29·588	29·594	29·623	29·654	29·688	29·709	29·742	29·742	29·735	21
22	29·790	29·786	29·776	29·770	29·786	29·794	29·805	29·827	29·839	29·844	29·848	29·845	22
23	29·806	29·804	29·793	29·789	29·786	29·794	29·812	29·815	29·826	29·840	29·840	29·831	23
24	29·824	29·821	29·813	29·815	29·825	29·842	29·855	29·870	29·880	29·897	29·902	29·889	24
25	29·871	29·862	29·854	29·844	29·852	29·854	29·860	29·864	29·868	29·880	29·879	29·868	25
26	29·805	29·793	29·782	29·772	29·766	29·764	29·777	29·789	29·805	29·813	29·809	29·790	26
27	29·749	29·728	29·711	29·711	29·721	29·724	29·746	29·756	29·768	29·773	29·767	29·758	27
28	29·697	29·682	29·672	29·662	29·662	29·666	29·660	29·664	29·651	29·662	29·649	29·621	28
29	29·590	29·583	29·569	29·573	29·583	29·587	29·611	29·633	29·643	29·653	29·647	29·629	29
30	29·703	29·706	29·711	29·714	29·717	29·731	29·748	29·775	29·793	29·800	29·796	29·772	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	29·590	29·579	29·570	29·552	29·502	29·572	29·590	29·589	29·603	29·607	29.602	29·603	1
2	29.592	29·576	29·551	29.533	29·544	29·556	29·573	29·598	29·630	29·645	29·641	29·639	2
3	29·612	29·585	29·577	29·567	29·578	29·582	29·592	29·618	29·639	29·654	29·654	29·654	3
4	29·673	29·648	29·636	29·652	29·641	29·640	29·663	29·675	29·700	29·702	29·702	29·695	4
5	29·685	29·676	29·658	29·648	29·652	29·663	29·668	29·680	29·702	29·707	29·702	29·691	5
6	29·674	29·657	29·642	29·622	29·621	29·629	29·642	29·649	29·671	29·684	29·687	29·689	6
7	29·666	29·644	29·629	29·617	29·610	29·615	29·644	29·655	29·668	29·685	29·683	29·681	7
8	29·667	29·647	29·637	29·618	29·622	29·627	29·637	29·654	29·668	29·677	29·671	29·663	8
9	29·662	29·653	29·641	29·641	29·627	29·641	29·654	29·673	29·697	29·709	29·710	29·703	9
10	29·672	29·648	29·632	29·618	29·613	29·627	29·635	29·651	29·673	29·682	29·680	29·688	10
11	29·619	29·583	29·558	29·548	29·549	29·548	29·565	29·571	29·599	29·602	29·602	29·592	11
12	29·585	29·564	29·563	29·569	29·565	29·580	29·603	29·623	29·644	29·655	29·648	29·651	12
13	29·682	29·669	29·651	29·649	29·653	29·667	29·674	29·702	29·734	29·752	29·748	29·743	13
14	29·673	29·650	29·637	29·627	29·622	29·635	29·658	29·669	29·687	29·700	29·689	29·691	14
15	29·607	29·580	29·557	29·545	29·563	29·585	29·590	29·602	29·621	29·633	29·677	29·622	15
16	29·569	29·541	29·531	29·525	29·525	29·529	29·537	29·542	29·560	29·559	29·545	29·543	16
17	29·527	29·521	29·503	29·491	29·501	29·521	29·534	29·553	29·563	29·568	29·564	29·559	17
18	29·552	29·531	29·514	29·493	29·495	29·507	29·524	29·549	29·575	29·591	29·595	29·589	18
19	29·607	29·595	29·581	29·569	29·567	29·572	29·579	29·599	29·621	29·622	29·620	29·616	19
20	29·520	29·505	29·477	29·477	29·466	29·478	29·484	29·525	29·539	29·563	29·567	29·591	20
21	29·721	29·703	29·687	29·690	29·707	29·728	29·736	29·758	29·784	29·786	29·795	29·792	21
22	29·821	29·803	29·783	29·787	29·789	29·789	29·799	29·815	29·834	29·841	29·824	29·816	22
23	29·809	29·781	29·768	29·770	29·777	29·788	29·796	29·804	29·815	29·823	29·831	29·832	23
24	29·875	29·847	29·827	29·817	29·824	29·835	29·845	29·857	29·862	29·868	29·874	29·874	24
25	29·838	29·801	29·768	29·754	29·767	29·775	29·784	29·801	29·813	29·827	29·823	29·811	25
26	29·770	29·746	29·730	29·720	29·722	29·720	29·734	29·756	29·777	29·788	29·779	29·777	26
27	29·744	29·722	29·706	29·697	29·697	29·700	29·709	29·726	29·726	29·728	29·724	29·719	27
28	29·595	29·570	29·541	29·544	29·540	29·553	29·573	29·598	29·607	29·619	29·617	29·600	28
29	29·613	29·604	29·587	29·592	29·595	29·606	29·630	29·650	29·678	29·688	29·692	29·701	29
30	29·760	29·732	29·722	29·728	29·737	29·749	29·769	29·797	29·814	29·821	29·825	29·818	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	81·7	79·8	78·0	78·8	78·9	78·8	78·9	80·6	79·7	79·4	81·4	84·0	1
2	80·8	80·8	80·8	80·9	80·9	80·1	79·7	79·8	80·1	80·0	80·2	80·1	2
3	81·4	81·4	81·2	81·1	81·1	81·4	80·2	78·4	78·8	80·8	79·3	80·8	3
4	78·3	78·0	77·8	77·8	78·0	78·1	78·6	79·5	81·7	86·6	84·6	84·7	4
5	76·9	76·8	76·8	76·6	76·6	76·6	77·1	78·5	81·5	82·1	82·9	83·1	5
6	77·6	77·5	77·4	77·0	76·8	76·7	77·0	80·6	81·4	83·8	85·5	85·9	6
7	77·9	77·6	78·0	77·5	77·7	77·6	79·5	80·8	83·1	84·5	84·5	84·0	7
8	77·9	78·0	77·8	78·1	77·8	78·3	78·6	80·9	82·1	83·8	85·4	86·3	8
9	78·9	79·0	78·6	78·6	78·7	78·2	78·4	80·2	81·9	82·8	83·0	83·3	9
10	78·8	78·7	78·6	78·3	76·5	76·5	77·8	80·9	82·9	84·2	84·4	84·3	10
11	78·4	78·2	77·9	77·7	77·1	77·7	78·1	81·9	81·9	83·0	82·3	82·1	11
12	79·9	79·6	79·0	79·0	78·8	78·8	80·0	83·0	84·0	84·8	81·8	86·1	12
13	77·8	77·6	78·1	77·4	77·8	78·0	79·1	81·0	84·6	84·4	85·8	86·5	13
14	80·5	80·0	79·5	78·8	78·4	78·6	79·3	77·2	79·8	84·6	87·2	88·0	14
15	75·6	75·9	76·9	77·7	77·7	77·8	78·7	80·0	81·4	83·5	86·2	86·0	15
16	74·9	76·0	75·7	76·0	75·7	76·0	77·4	80·9	83·9	85·2	87·5	88·4	16
17	82·0	82·5	82·6	82·2	81·6	81·5	82·3	82·8	85·2	87·7	88·9	89·6	17
18	84·9	83·9	83·9	82·3	81·3	80·9	81·2	83·9	85·2	86·7	87·6	88·0	18
19	78·6	78·2	77·5	76·9	76·4	75·9	76·2	78·0	79·9	80·6	81·9	82·7	19
20	74·0	73·8	73·8	74·0	74·0	73·7	74·8	75·4	75·9	76·1	74·8	74·3	20
21	75·5	75·9	78·0	78·6	78·0	78·8	79·8	79·6	81·5	80·8	81·5	82·8	21
22	77·0	76·3	76·4	76·6	76·6	76·5	75·5	75·0	75·5	74·8	75·1	75·0	22
23	77·3	76·8	76·3	76·7	76·9	76·9	77·2	77·7	78·3	80·5	80·7	80·1	23
24	78·1	77·7	77·6	77·4	77·4	77·5	77·8	79·7	79·0	81·1	82·3	82·3	24
25	76·6	76·8	76·8	76·7	76·8	77·1	77·8	81·2	82·9	82·9	83·8	83·6	25
26	78·9	78·0	77·3	77·0	77·0	76·9	78·2	80·4	82·2	83·5	83·6	83·9	26
27	77·5	77·2	77·1	77·1	77·0	77·3	78·5	79·3	79·8	82·4	85·0	84·3	27
28	78·8	78·4	78·7	78·7	78·9	79·2	80·0	82·7	85·0	86·7	87·7	89·6	28
29	83·5	82·8	82·4	81·8	81·7	81·2	80·3	80·6	81·1	82·5	83·9	87·4	29
30	75·3	74·4	72·7	72·1	71·0	70·4	70·5	72·3	73·9	75·3	76·8	77·9	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	84·3	79·6	79·6	79·8	79·5	79·5	80·2	80·8	80·8	81·0	81·8	81·2	1
2	80·0	81·3	81·9	81·2	82·0	81·6	81·3	81·5	81·4	81·5	81·4	80·9	2
3	79·5	81·4	81·8	82·6	78·0	78·7	78·4	78·5	78·5	78·5	78·2	78·3	3
4	80·5	76·8	78·3	76·8	76·8	77·2	77·2	77·0	76·9	76·7	76·8	76·7	4
5	83·4	81·1	81·4	82·3	82·8	81·9	80·5	79·8	79·2	79·2	78·6	78·6	5
6	87·3	87·5	88·1	87·7	86·6	83·5	81·8	80·8	80·0	79·2	79·7	78·7	6
7	85·7	84·2	83·8	83·0	82·2	81·4	80·5	79·9	79·8	79·2	79·3	79·8	7
8	87·0	87·6	87·5	86·9	86·5	83·6	81·8	81·3	80·2	80·2	80·0	79·5	8
9	81·8	82·5	82·2	82·2	82·0	80·8	80·5	80·1	80·1	79·9	79·2	79·5	9
10	82·3	83·6	83·6	81·4	81·4	81·1	80·9	80·4	79·2	80·0	78·8	79·4	10
11	80·9	83·3	86·7	85·0	85·1	83·2	82·0	80·8	79·9	79·5	79·0	79·7	11
12	89·5	83·8	85·8	84·9	84·1	83·2	82·6	81·2	79·4	79·5	79·3	78·8	12
13	86·3	86·5	84·8	84·7	84·1	82·9	81·7	80·9	80·8	80·3	80·1	79·8	13
14	89·0	87·9	87·2	86·6	85·6	83·2	82·0	81·6	81·7	81·5	74·9	75·6	14
15	88·0	87·4	85·1	87·5	85·3	83·2	81·7	81·9	81·7	81·2	75·0	74·9	15
16	86·2	88·2	88·0	87·2	85·6	83·5	82·6	81·7	81·7	81·2	80·8	81·5	16
17	90·5	91·0	90·9	90·1	88·1	84·8	83·1	82·4	82·0	81·1	81·2	84·8	17
18	89·7	89·9	90·2	89·3	88·7	87·5	86·2	84·6	82·8	81·2	80·3	79·0	18
19	84·8	83·9	81·8	79·8	78·7	78·9	77·7	76·7	75·6	75·2	74·3	74·1	19
20	74·8	74·9	75·5	75·4	76·8	77·7	77·8	76·9	75·9	74·5	73·2	75·9	20
21	77·8	77·0	77·6	78·2	77·0	77·4	76·6	77·4	77·6	77·5	76·4	75·6	21
22	75·6	75·9	76·4	76·8	76·5	76·8	76·5	76·4	76·6	77·2	77·3	77·4	22
23	81·2	81·4	81·0	79·7	79·3	78·4	78·0	77·8	77·7	77·9	78·0	78·0	23
24	82·7	83·0	83·3	82·8	82·5	79·8	78·4	77·8	77·5	77·4	77·2	76·9	24
25	83·9	84·0	83·5	82·9	81·6	79·7	78·7	78·6	78·6	78·5	78·7	78·8	25
26	83·5	83·1	82·5	81·9	81·7	80·0	79·1	78·5	78·3	78·1	78·0	77·8	26
27	83·5	84·2	83·1	84·5	83·3	81·2	80·0	79·2	78·9	78·6	77·9	78·3	27
28	91·1	90·8	90·5	90·0	88·8	88·0	85·9	84·6	84·8	85·1	83·9	83·3	28
29	87·9	87·4	86·1	84·6	83·6	83·0	81·6	80·0	79·2	78·2	77·3	76·2	29
30	78·3	78·5	78·4	77·5	76·6	74·4	72·9	72·6	72·3	71·5	70·3	70·0	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	78·3	77·0	76·5	77·6	77·1	76·9	76·9	78·0	77·6	77·6	78·0	78·6	1
2	76·6	76·9	77·0	77·5	78·0	77·5	76·9	77·8	77·9	77·5	77·2	77·0	2
3	78·0	78·2	78·0	77·8	77·6	78·0	77·7	77·3	76·6	78·4	77·2	77·6	3
4	77·1	77·1	77·1	77·2	77·1	77·0	77·4	78·1	78·3	80·8	79·6	79·4	4
5	75·8	75·5	75·5	75·2	75·7	75·3	76·0	77·2	77·7	77·2	77·7	78·7	5
6	76·5	76·5	76·7	76·4	76·5	75·7	75·8	77·4	76·9	78·0	78·7	78·8	6
7	76·0	75·4	76·0	75·8	75·7	75·7	77·4	77·3	78·6	78·3	79·9	79·5	7
8	76·9	77·1	77·1	77·3	77·1	77·1	77·5	79·0	78·8	79·4	79·6	78·8	8
9	77·8	77·7	77·3	77·4	77·4	77·1	77·3	78·5	78·6	78·9	78·7	78·5	9
10	76·9	77·0	77·0	76·7	74·9	74·4	75·9	77·8	78·2	78·0	78·3	78·4	10
11	77·0	76·7	76·6	76·4	76·0	76·2	76·5	78·3	77·4	78·7	78·4	77·5	11
12	77·6	77·5	77·2	77·2	77·1	77·1	78·1	79·4	79·7	79·2	78·5	79·4	12
13	76·9	76·7	77·0	76·4	76·5	76·6	77·6	78·5	79·9	79·0	79·9	79·8	13
14	77·0	76·6	76·0	75·9	75·5	75·7	75·9	75·5	76·5	78·4	79·3	77·7	14
15	72·8	73·3	73·7	74·6	75·0	75·3	76·0	76·6	77·6	78·5	80·0	79·5	15
16	72·1	73·5	73·5	74·0	73·8	74·0	74·5	76·5	77·2	78·0	78·5	76·9	16
17	78·3	77·7	77·5	77·7	77·3	76·4	75·6	75·4	76·7	76·8	76·5	75·5	17
18	72·4	72·0	71·7	71·5	71·1	71·0	71·5	72·8	73·7	74·9	75·5	76·0	18
19	69·9	69·5	69·0	68·7	68·2	67·8	68·0	68·9	69·9	70·4	71·5	72·1	19
20	67·1	67·1	67·1	67·4	67·5	67·4	67·8	68·1	68·5	68·6	68·7	68·8	20
21	73·7	74·9	75·9	76·1	75·7	76·5	75·9	76·6	76·7	76·7	77·0	76·8	21
22	74·7	74·4	74·3	74·0	73·4	73·8	73·5	73·0	73·7	73·4	73·1	73·2	22
23	71·6	72·3	72·9	72·9	73·1	73·0	73·3	74·0	73·4	74·2	73·9	73·9	23
24	74·0	74·0	74·2	73·7	73·5	73·3	73·0	73·7	73·1	74·0	74·6	74·6	24
25	72·5	71·8	72·2	72·4	72·5	72·6	72·9	74·2	74·5	74·5	75·3	74·7	25
26	74·5	74·3	73·7	73·4	73·8	73·8	74·2	74·7	74·6	75·1	76·0	76·2	26
27	74·8	74·4	74·2	73·8	73·2	73·3	74·2	74·6	74·6	76·2	77·5	76·9	27
28	76·1	76·2	76·4	76·4	76·2	76·1	76·1	76·5	75·9	77·5	76·8	77·6	28
29	72·8	72·1	71·5	71·8	71·0	71·0	70·8	70·9	72·3	72·0	72·5	74·5	29
30	66·4	63·6	62·5	61·8	61·3	60·7	61·4	62·7	63·3	63·9	64·7	65·8	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	79·2	76·9	76·9	77·5	76·5	76·9	77·2	77·6	77·5	77·9	78·0	76·5	1
2	76·9	77·8	78·4	77·8	78·0	78·0	77·5	77·8	78·0	78·1	78·0	77·7	2
3	77·2	78·0	78·4	78·0	75·9	76·5	76·5	76·8	76·9	77·0	76·9	77·2	3
4	77·0	76·8	76·2	75·2	75·4	75·8	75·8	75·5	75·8	75·7	75·2	75·5	4
5	78·5	78·5	78·5	78·5	78·9	78·2	77·9	77·3	77·6	77·8	77·2	76·9	5
6	78·9	78·0	78·0	77·2	76·8	76·5	76·5	77·0	77·0	76·5	77·0	75·8	6
7	79·1	79·0	79·0	78·8	78·3	78·1	77·9	77·6	77·5	77·5	77·2	77·4	7
8	79·3	80·5	80·1	80·0	79·8	78·3	77·5	78·0	77·7	77·7	78·0	77·5	8
9	78·4	79·0	78·0	78·3	78·0	77·9	77·6	77·3	77·0	76·6	76·6	77·1	9
10	77·9	77·9	77·8	77·0	77·2	77·2	77·4	77·5	77·2	77·8	77·2	77·8	10
11	77·6	77·9	80·2	78·9	78·8	77·8	77·6	77·7	77·6	77·6	77·3	77·7	11
12	81·9	79·8	80·0	80·5	80·2	79·5	79·1	79·3	77·4	77·5	77·1	77·1	12
13	78·9	79·5	78·6	78·8	78·8	77·7	77·7	77·4	77·6	77·7	78·0	77·2	13
14	79·2	78·9	78·2	78·2	78·3	77·5	76·9	77·2	77·3	77·8	73·3	74·5	14
15	80·2	80·0	78·7	79·5	78·2	78·7	76·7	77·1	77·0	77·1	72·3	71·9	15
16	78·8	80·9	79·3	78·8	77·9	77·2	76·7	77·3	77·5	77·6	77·6	78·0	16
17	76·5	75·7	75·9	75·2	76·9	76·2	76·6	76·4	76·4	76·0	74·5	73·7	17
18	77·2	76·2	76·3	75·3	74·9	73·8	73·6	73·0	72·5	71·8	71·5	70·6	18
19	72·8	71·7	70·8	70·5	69·5	69·6	69·0	68·7	68·1	67·8	67·7	67·3	19
20	69·4	70·0	70·6	70·9	71·4	71·7	71·5	72·4	71·7	71·9	72·2	72·9	20
21	76·2	75·3	75·0	74·9	74·9	74·8	74·5	74·5	74·4	74·4	74·2	73·7	21
22	73·5	73·8	73·2	73·0	73·3	73·2	73·0	72·4	72·3	71·4	72·6	71·4	22
23	74·3	74·7	73·3	72·9	73·1	74·0	74·5	74·4	73·8	74·0	73·9	74·4	23
24	75·0	75·2	75·0	74·5	74·2	74·5	74·8	74·7	74·7	74·4	74·0	73·3	24
25	76·2	75·1	75·3	74·9	74·6	74·9	74·9	74·6	74·5	74·7	74·2	74·1	25
26	76·4	76·1	76·2	75·4	74·9	75·4	75·2	75·0	75·2	75·2	75·1	75·2	26
27	76·8	77·0	76·7	77·5	76·8	76·0	75·8	76·0	75·9	75·9	76·2	76·2	27
28	78·6	78·0	77·6	78·0	78·0	76·5	76·5	75·6	74·3	73·1	72·7	72·3	28
29	74·3	75·2	74·9	72·1	72·7	72·5	71·5	70·5	70·0	68·4	67·9	67·4	29
30	66·8	66·0	66·0	65·4	65·0	64·2	62·9	62·1	61·8	61·5	61·7	61·5	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdnt.	
1	10	10	10	10	10	10	10	9	10	10	10	9	9	10	10	10	10	10	10	9	8	10	9	9	1
2	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	2
3	10	8	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10	3
4	10	10	10	10	9	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	4
5	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	10	10	10	10	8	4	5
6	9	9	9	7	5	7	6	6	3	4	5	6	5	5	5	5	6	7	7	8	7	5	6	8	6
7	9	9	10	8	9	7	7	8	9	7	5	6	7	4	5	8	8	7	8	2	1	1	1	2	7
8	...	1	...	3	4	8	7	5	4	4	3	4	4	5	6	8	8	6	4	5	7	4	2	6	8
9	7	8	5	2	1	6	6	7	7	7	9	9	9	10	9	10	10	10	10	10	10	9	7	6	9
10	8	7	8	10	10	10	3	6	4	4	4	5	7	4	6	4	5	8	3	3	2	4	3	8	10
11	3	1	1	1	3	8	4	8	8	9	10	10	10	5	4	2	3	6	9	2	1	...	3	6	11
12	1	...	...	6	6	9	3	2	1	7	5	4	7	9	9	10	8	9	10	10	6	3	2	3	12
13	4	1	2	...	2	5	5	7	7	4	5	3	2	2	3	5	6	10	9	7	2	4	3	7	13
14	8	4	3	2	3	5	5	10	9	3	3	4	9	8	7	7	7	6	6	10	10	10	10	10	14
15	7	3	6	2	3	2	3	4	8	7	7	6	7	6	7	7	8	10	10	10	10	5	10	10	15
16	10	10	10	4	3	6	2	2	1	3	3	4	7	7	8	9	9	8	5	2	1	1	...	...	16
17	...	2	1	....	1	9	10	8	4	1	1	1	1	1	2	2	2	1	...	...	...	..	...	1	17
18	...	...	...	...	..	2	5	1	1	2	1	2	3	4	4	2	1	6	7	...	3	...	3	...	18
19	..	...	...	...	...	2	3	2	4	6	7	9	8	9	10	10	10	10	10	10	10	10	10	10	19
20	8	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	8	10	10	9	9	10	10	8	7	6	5	3	3	2	1	1	1	2	1	1	1	1	2	10	23
24	10	10	10	8	10	10	6	5	8	5	2	1	1	1	1	1	...	...	...	...	...	...	...	1	24
25	...	...	...	...	...	2	8	3	3	4	8	8	6	7	5	2	1	...	...	5	6	6	9	8	25
26	...	...	1	...	...	3	2	2	1	1	1	2	3	1	1	1	2	2	1	2	3	1	2	2	26
27	1	2	2	2	1	1	7	10	10	8	6	7	8	6	6	3	4	2	1	2	5	6	3	1	27
28	...	...	...	...	...	....	...	...	...	...	1	1	2	2	6	5	9	8	7	6	4	3	3	4	28
29	3	2	3	...	2	9	7	7	7	8	8	7	6	8	8	9	6	9	8	1	1	1	1	8	29
30	8	2	..	...	...	1	1	1	1	1	1	1	3	2	3	4	2	1	...	...	...	...	1	6	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	0·1	0·6	...	...	0·5	1·0	0·3	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	0·2	...	0·3	...	3
4	...	0·1	0·3	0·6	0·4	0·4	...	...	...	...	...	...	...	4
5	...	...	0·3	0·1	...	...	...	...	...	...	0·6	...	...	5
6	..	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	0·2	6
7	...	0·8	0·3	0·8	1.0	1·0	1·0	1·0	1·0	1·0	0·6	0·4	...	7
8	...	0·2	0·7	1·0	1.0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	8
9	...	0·1	1·0	0·5	0·8	0·4	0·5	...	...	...	...	...	...	9
10	0·3	1·0	1·0	1·0	1·0	1·0	0·9	0·8	1·0	0·6	0·5	...	...	10
11	...	0·5	1·0	0·7	0·6	...	...	...	1·0	1·0	1·0	0·9	0·2	11
12	...	1·0	1·0	1·0	0·2	0·8	1·0	0·7	0·7	0·2	0·2	0·1	...	12
13	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0.3	13
14	...	...	0.1	0·9	1·0	1·0	1·0	0·9	1·0	1·0	1·0	0·8	...	14
15	0·1	1·0	0·8	0·5	0·9	0·9	1·0	1·0	1·0	0·7	1·0	...	...	15
16	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	16
17	...	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	17
18	...	0·9	1·0	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	18
19	0·2	0·8	1·0	1·0	0·5	0·5	0·8	0·9	0·6	0·1	...	...	...	19
20	...	...	...	0·2	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	...	21
22	..	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	0·5	0 9	1·0	1·0	0·8	1·0	1·0	1·0	1·0	1·0	0·2	23
24	...	0·7	0·3	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	24
25	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	25
26	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	0·1	26
27	...	...	...	0·2	1·0	0·7	0·8	0·8	1.0	0·9	1·0	1·0	0·1	27
28	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1.0	1·0	1·0	0·9	0.1	28
29	...	0·2	0·9	0.6	0·4	0·9	1·0	1·0	0·8	0·6	0·5	0·3	...	29
30	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of SEPTEMBER, 1922.

(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·010	0·240	0·015	...	...	...	...	0·010	0·235	0·050	...	...	1
2	...	...	...	d	...	0·105	d	0·095	0·210	0·005	0·010	0·005	2
3	...	...	...	...	...	0·050	0·190	0·040	d	0·055	0·080	0·010	3
4	...	...	...	...	...	...	...	...	...	...	d	...	4
5	...	...	...	...	d	d	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	.	0·075	0·115	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	d	11
12	...	...	...	...	...	...	...	...	...	0·030	0·035	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	0·220	...	...	...	...	14
15	...	...	...	...	...	...	...	...	d	...	...	...	15
16	0·010	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	d	d	d	d	d	20
21	0·630	0·800	0·490	0·350	0·305	0·020	0·015	0·050	0·005	d	0·010	0·025	21
22	0·005	0·035	0·045	0·030	0·020	0·010	0·025	0·120	0·085	0·220	0·065	0·035	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	0·275	0·040	0·005	0·005	...	...	...	...	...	d	...	...	1
2	0·010	d	d	...	...	d	...	...	...	...	...	...	2
3	0·110	...	...	0·110	0·020	d	...	...	...	...	...	...	3
4	0·025	0·015	0·250	0·140	0·065	0·005	0·005	d	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	0·030	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	0·015	...	...	...	...	...	...	...	...	...	...	...	11
12	...	0·005	...	d	0·010	...	...	0·010	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	0·825	0·185	0·005	14
15	...	...	...	...	...	...	...	...	...	...	0·265	0·045	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	d	d	d	d	d	d	d	...	d	0·010	19
20	d	0·045	0·040	0·015	d	d	0·005	0·015	0·060	0·245	0·320	0·380	20
21	0·125	0·500	0·025	0·080	0·025	0·005	0·060	0·005	d	0·010	0·030	0·135	21
22	0·020	0·010	d	d	d	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of SEPTEMBER, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	16	16	17	21	17	11	17	7	...	1	14	5	13	4	14	5	17	11	18	5	18	8	18	9	1
2	17	5	18	6	18	8	17	8	17	14	17	13	17	8	18	4	19	10	18	7	18	10	18	8	2
3	16	12	15	12	15	10	15	11	16	10	17	11	17	9	17	6	...	1	22	4	26	4	27	2	3
4	...	...	...	...	...	...	...	...	...	...	...	..	...	1	25	2	25	6	25	8	24	8	23	8	4
5	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	24	2	24	6	24	6	5
6	...	...	...	..	...	...	...	...	...	1	...	1	...	...	...	...	15	5	18	6	20	6	22	8	6
7	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	24	2	24	9	24	12	7
8	...	1	9	2	...	...	...	...	...	...	...	...	...	...	...	...	9	3	9	5	9	10	8	7	8
9	...	...	...	...	...	24	2	...	...	...	...	...	...	...	...	1	...	1	...	...	24	2	24	5	9
10	25	2	25	4	...	1	32	12	7	8	7	6	7	5	7	5	7	7	7	5	8	12	9	13	10
11	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	8	4	32	7	29	6	11
12	27	3	27	2	...	...	27	2	27	2	...	...	...	...	27	2	27	5	27	6	25	2	23	2	12
13	...	1	23	2	...	1	...	...	...	...	...	...	...	...	...	1	20	4	17	7	14	12	11	14	13
14	9	4	8	6	6	3	...	1	...	...	5	2	5	3	6	9	...	1	8	2	10	4	13	7	14
15	...	1	...	...	14	7	13	5	...	1	...	1	...	1	11	3	11	5	12	5	16	5	20	6	15
16	11	2	...	1	...	...	...	...	...	...	...	1	...	1	...	1	32	5	27	7	29	7	26	8	16
17	24	6	24	6	24	7	24	7	24	4	24	2	2	9	2	10	1	9	1	11	32	12	32	12	17
18	1	12	1	16	2	14	2	12	2	12	1	15	1	20	1	19	2	20	1	19	1	19	1	21	18
19	32	21	32	28	32	25	32	21	32	23	32	21	32	19	32	18	32	19	32	20	32	18	32	20	19
20	1	24	32	25	1	25	1	24	1	21	1	24	1	24	1	24	1	27	1	30	1	25	2	28	20
21	7	46	8	40	8	44	9	42	9	38	12	34	12	30	12	31	12	28	12	24	12	24	12	26	21
22	9	32	9	34	9	33	9	29	9	25	9	32	8	30	8	27	7	26	7	26	7	28	7	25	22
23	7	19	6	17	6	16	6	18	7	20	7	20	7	20	7	19	7	21	7	25	8	22	8	24	23
24	8	15	7	12	7	9	6	10	6	10	6	12	6	16	6	14	6	17	7	16	8	20	9	19	24
25	6	10	6	10	7	9	7	5	8	5	9	2	10	2	10	4	10	11	9	15	9	16	9	17	25
26	7	8	7	5	6	5	6	6	6	6	6	7	7	7	7	7	8	9	9	12	10	15	10	17	26
27	8	9	7	8	7	12	7	8	8	8	8	11	8	14	8	17	8	14	8	9	9	7	9	8	27
28	26	6	25	5	24	6	25	6	26	2	26	7	27	9	27	7	27	10	27	8	27	11	28	13	28
29	26	6	25	8	24	8	25	9	26	12	27	18	26	16	26	14	25	11	27	14	29	14	29	10	29
30	30	14	31	13	31	10	31	11	32	14	31	13	31	12	31	11	31	12	31	13	31	15	30	16	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	17	12	17	9	19	9	21	6	23	3	...	1	17	7	15	12	15	9	15	10	16	12	16	10	1
2	18	10	18	16	18	10	19	13	19	13	19	10	19	10	19	8	18	4	17	5	17	8	16	6	2
3	27	4	...	1	24	3	23	12	23	5	25	5	...	...	...	1	...	1	...	...	...	...	...	...	3
4	24	12	26	6	27	9	26	7	25	5	...	1	...	...	...	...	...	...	...	1	24	6	24	4	4
5	24	3	22	5	9	5	6	5	7	4	10	3	11	3	11	3	...	1	...	1	...	...	...	...	5
6	23	7	24	7	24	6	24	7	24	4	24	2	...	...	24	3	...	1	...	...	...	...	...	...	6
7	9	12	9	14	9	12	9	12	9	11	9	6	9	6	9	5	9	4	9	5	9	5	...	...	7
8	24	8	24	7	24	8	24	6	24	3	24	3	...	...	...	...	...	...	...	...	...	...	...	...	8
9	25	5	...	1	...	...	...	1	25	4	25	7	25	6	25	6	25	4	25	3	25	3	25	4	9
10	9	15	9	13	9	12	9	9	9	8	9	6	9	2	9	2	9	4	9	2	9	2	...	...	10
11	2	5	...	1	24	7	25	7	24	7	22	6	22	5	...	...	...	1	22	3	...	1	24	4	11
12	21	7	29	6	29	5	28	4	27	3	26	4	25	4	24	5	23	5	23	4	23	3	...	...	12
13	10	15	9	16	9	14	9	13	10	14	10	12	10	10	10	5	10	4	...	1	10	4	10	6	13
14	18	6	23	6	25	4	26	6	26	4	26	2	26	3	26	2	...	1	4	7	13	4	16	2	14
15	21	7	20	8	18	6	18	4	19	4	21	2	23	4	...	1	...	1	30	2	4	11	9	9	15
16	23	9	23	8	24	8	23	5	21	6	19	5	19	2	...	...	25	4	26	3	26	3	26	5	16
17	1	10	2	14	2	10	3	11	8	4	13	7	14	2	14	2	14	4	14	2	32	8	32	17	17
18	1	15	1	15	1	13	32	17	32	15	32	15	1	20	1	24	1	26	1	24	32	25	32	28	18
19	32	19	1	21	1	19	32	16	32	16	32	19	32	17	32	17	32	24	1	24	1	24	1	27	19
20	2	24	3	27	3	26	3	25	4	39	5	46	5	51	5	51	6	55	6	49	6	53	6	53	20
21	10	21	10	29	9	35	8	35	8	32	7	28	7	32	8	37	8	38	9	32	9	33	9	28	21
22	8	26	7	22	6	25	6	21	6	22	6	23	7	25	7	25	8	23	8	22	8	26	8	23	22
23	8	20	8	24	9	18	10	22	9	17	9	15	8	16	8	16	8	14	8	17	8	22	8	18	23
24	9	16	10	15	11	14	11	12	11	10	10	11	9	11	8	7	7	6	7	6	6	6	6	4	24
25	9	15	9	15	9	18	10	13	10	16	10	16	9	11	9	8	9	6	9	8	9	4	8	9	25
26	10	14	10	14	10	15	9	11	9	12	9	11	9	11	9	5	9	5	8	5	8	6	8	8	26
27	10	12	8	10	4	6	28	4	27	5	27	2	27	4	27	3	...	1	27	3	...	...	...	1	27
28	28	14	28	14	27	16	27	18	28	15	28	13	29	9	29	8	29	11	28	8	27	9	26	4	28
29	29	16	29	12	30	13	30	13	30	10	30	11	30	13	30	13	30	13	30	10	30	14	30	9	29
30	30	13	30	17	30	14	30	14	30	15	31	11	31	9	31	6	31	10	32	10	1	7	1	7	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of SEPTEMBER, 1922.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	nb	S	nb	S	cu	SSW	nb	SSW	cu / nb	SSW / SW	nb	SW	nb	SW	nb	SW
2	cu	SSW	cu	SSW	nb	S	nb	SSW	nb	SSW	nb	SW	cu	SW	cu-nb	SW
3	cu	SW	cu	SSW	nb	SSW	cu-nb	SSW	cu-nb	SW	cu-nb	SW	cu	SW	cu	SSW
4	cu-nb	SW	cu-nb	SW	cu-nb	SW	cu-nb	SSW	nb	SW	nb	SW	nb	SW	cu	WSW
5	a-cu / cu	NE / SSW	cu	SSW	ci-st / cu	NE / SW	cu	W	cu	SW	a-cu / cu	W / WSW	a-cu / cu	W / WSW	a-cu	W
6	a-cu	W	a-cu	W	a-cu	W	ci-st / cu	ESE / W	ci-st / cu	ESE / NW	ci-st / cu	ESE / WNW	a-cu / cu	ESE / NW	a-cu	ESE
7	a-cu	ESE	a-cu / cu	E / WNW	ci-st	ESE	ci-st / a-cu / cu	ENE / W / WNW	ci-st / cu	ENE / NW	ci-st / cu	E / WNW	cu	W	cu	W
8	...	...	cu	WSW	cu	WNW	cu	SW	ci-st / cu	NE / SSW	ci-st / cu	NNE / SW	ci-st	N	ci-st	N
9	ci-st / cu	NNE / SE	cu	SE	ci-st / cu	NNE / SSE	cu	S	nb	SSW	ci-st / cu	NNE / S	cu-nb	SSW	ci-st	ENE
10	a-cu / cu	ENE / SSW	cu-nb	SE	ci-st / cu	NE / SSW	ci-st / cu	ENE / WSW	cu / cu	WSW / SE	cu	SE	cu	SE	cu	SE
11	a-cu / cu	NE / SSE	cu	SSE	ci-st / cu	WSW / SSE	cu / cu	NNE / SW	nb	WSW	a-cu / cu	ENE / WSW	cu	W	...	...
12	cu	W	ci-st	SW	a-cu	NW	cu-nb	NNW	cu	NNW	nb	NNW	cu	NW	cu	NW
13	cu	NNW	...	...	cu	ESE	a-cu / cu	E-E / E	cu	ESE	ci-cu / cu	E / E	ci-st	SE	cu	ESE
14	cu	ESE	cu	ESE	ci-cu / cu	ENE / SE	cu	ESE	ci-st / cu	ESE / ESE	ci-st / cu	ESE / E	ci-st	ENE	nb	E
15	cu	E	cu	ESE	ci-cu	WNW	cu	ENE	cu	ENE	cu	ENE	cu	NE	cu-nb	NE
16	nb	NE	ci-st	WNW	ci-cu	NW	ci-cu / cu	NW / NE	cu	NE	ci-st / cu	SW / NE	ci-st	WNW	ci-st	WNW
17	...	...	...	...	cu	NE	cu	NE	ci-cu	NE	ci-st / cu	ENE / NNE	...	...	...	...
18	...	...	...	...	cu	NNE	ci-cu / cu	ENE / NNE	cu	NNE	cu	ENE	cu	ENE	...	...
19	...	...	...	...	ci-st / cu	NNE / ENE	cu	E	cu	ENE	nb	E	nb	E	nb	E
20	cu-nb	ENE	cu-nb	ENE	cu	ENE	nb	ENE	nb	ENE	nb	ENE	nb	E	nb	E
21	nb	E	nb	E	nb	ESE	nb	SE	nb	SE	nb	SE	nb	SE	nb	SE
22	nb	SE	cu-nb	SE	nb	ESE	nb	E	nb	E	nb	E	cu-nb	E	cu-nb	E
23	cu	E	cu	E	cu / cu	ESE / E	cu / cu	S / E	ci-st / cu	SE / E	cu	E	cu	E	cu	E
24	cu	E	cu	ENE	cu	E	cu	E	cu	E	cu	E	...	...	...	...
25	...	...	...	...	cu	NE	cu	ENE	ci-st / cu	WSW / NE	ci-st	W	...	...	cu	E
26	...	...	...	...	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
27	cu	E	cu	E	cu	E	cu	ENE	cu	ENE	ci-st / cu	NW / ENE	cu	NW	cu	NNE
28	...	...	...	...	...	...	...	...	ci-st / cu	ENE / WNW	ci-st / cu	ESE / N	ci-st / cu	ENE / NNW	ci-st	ENE
29	ci-st	ENE	...	...	ci-st / cu	ENE / NNW	cu	NNE	cu	NNE	cu	N	cu	NNE	cu	NNE
30	cu	N	...	...	cu	N	cu	N	ci-st / cu	ENE / N	cu	N	...	...	...	...

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1922.
(*British Units.*)

Days of the Month	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·579	85·8	77·5	8·3	80·3	77·4	·903	87	97	2·5	20	0·885	5	— 8·0	— 1·0	187	8·1	8·5
2	29·589	82·4	79·3	3·1	80·8	77·6	·905	86	99	...	...	0·440	6	— 8·2	— 3·5	203	8·9	8·9
3	29·612	83·1	77·6	5·5	79·9	77·4	·908	89	99	0·5	4	0·665	6	— 3·3	— 1·5	204	3·6	5·2
4	29·664	87·1	76·5	10·6	78·9	76·9	·899	91	99	1·8	14	0·505	6	+ 0·5	— 3·3	279	3·3	3·5
5	29·681	83·7	76·4	7·3	79·8	77·2	·900	89	96	1·0	8	...	...	— 0·2	...	180	0·2	2·0
6	29·669	88·5	76·6	11·9	81·6	77·0	·867	81	62	10·2	82	...	...	— 0·8	— 2·0	248	2·1	2·7
7	29·662	85·4	77·5	7·9	80·8	77·6	·905	86	62	8·9	72	...	...	— 0·7	+ 2·9	104	3·0	4·9
8	29·663	88·3	77·8	10·5	82·0	78·3	·920	84	45	9·5	77	...	...	— 0·2	— 0·3	236	0·4	2·6
9	29·667	85·1	78·2	6·9	80·5	77·8	·918	88	77	3·3	27	0·030	1	+ 0·4	— 2·1	281	2·1	2·3
10	29·669	85·5	76·2	9·3	80·6	77·2	·890	85	57	9·1	73	0·190	2	+ 0·1	+ 5·4	89	5·4	6·5
11	29·616	86·7	77·1	9·6	80·9	77·6	·903	86	49	6·9	56	0·015	...	+ 0·5	— 1·5	288	1·6	2·7
12	29·594	90·0	78·4	11·6	82·0	78·6	·934	85	54	6·9	56	0·090	2	+ 0·9	— 2·7	288	2·8	3·2
13	29·678	87·4	77·4	10·0	81·7	78·0	·910	84	44	10·7	87	...	...	— 2·8	+ 5·0	119	5·7	6·5
14	29·683	89·2	74·7	14·5	82·0	77·0	·862	79	66	8·7	71	1·235	2	...	+ 0·5	90	0·5	3·7
15	29·617	88·6	74·3	14·3	81·3	76·7	·858	80	66	8·9	72	0·310	2	— 1·8	+ 0·1	177	1·8	4·1
16	29·566	88·8	74·8	14·0	81·9	76·7	·850	78	48	11·0	90	0·010	...	+ 0·3	— 2·9	276	2·9	3·8
17	29·539	91·3	81·0	10·3	85·0	76·3	·790	65	20	9·8	80	...	...	+ 4·6	+ 0·4	5	4·6	7·7
18	29·552	90·4	79·0	11·4	85·0	73·4	·668	56	20	11·0	90	...	...	+18·0	+ 3·3	10	18·3	18·2
19	29·604	85·5	73·6	11·9	78·5	69·5	·601	61	62	6·4	52	0·010	2	+21·0	+ 1·0	3	21·0	21·1
20	29·539	78·6	73·0	5·6	75·2	69·6	·650	74	98	0·2	2	1·125	9	+23·9	+ 19·1	39	30·6	33·3
21	29·696	83·2	75·5	7·7	78·2	75·4	·843	87	100	...	...	3·700	17	— 7·4	+ 29·9	104	30·7	32·8
22	29·809	77·5	74·7	2·8	76·2	73·2	·779	86	100	...	...	0·725	14	+ 1·4	+ 25·7	87	25·8	26·2
23	29·805	82·0	75·9	6·1	78·5	73·6	·764	78	50	9·4	78	...	...	+ 1·2	+ 19·0	86	19·0	19·2
24	29·852	83·6	76·9	6·7	79·5	74·2	·775	77	37	9·2	76	...	...	+ 0·1	+ 11·4	90	11·4	12·0
25	29·830	85·1	76·1	9·0	80·0	74·1	·764	74	39	10·9	91	...	...	— 1·6	+ 9·8	99	9·9	10·1
26	29·770	84·6	76·7	7·9	80·0	75·0	·802	78	14	11·1	92	...	...	— 1·1	+ 9·0	97	9·1	9·2
27	29·730	85·7	76·9	8·8	80·2	75·6	·825	80	43	7·5	62	...	...	+ 0·6	+ 5·6	84	5·6	7·3
28	29·621	91·1	78·4	12·7	84·6	76·2	·791	66	25	11·2	93	...	...	+ 5·7	— 7·4	308	9·4	9·5
29	29·622	88·3	76·2	12·1	82·3	71·7	·636	58	54	7·2	61	...	...	+ 8·1	— 7·6	317	11·1	12·0
30	29·760	79·3	69·8	9·5	74·0	63·5	·447	53	16	11·5	97	...	...	+11·7	— 2·7	347	12·0	12·0
Means	29·665	85·7	76·5	9·2	80·4	75·3	0·816	78	60	Sum. 205·3	56	Sum. 9·935	Sum. 73	+ 2·1	+ 3·6	60	4·2	10·1
Normals	29·719	85·3	76·7	8·6	80·5	75·2	0·806	77	58	198·4	54	9·988	53	+ 1·1	+ 7·2	81	7·3	11·7
Absolute Max.	29·902	91·3	...	14·5	...	82·3	1·046	...	...	11·5	97	3·700	17	...	...	...	...	55·0†
Day.	24	17	...	14	...	12	12	...	...	30	30	21	21	...	...	...	...	20th/21h
Absolute Min.	29·466	...	69·8	2·8	...	60·7	0·403	43	...	...	...	...	...	...	...	...	...	...
Day.	20	...	30	22	...	30	30	17	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Solar halo :—on the 6th, 9th and 14th.
Lunar halo :—on the 8th and 11th.
Lunar corona :—on the 4th, 5th, 6th, 7th, 10th, 11th, 12th and 14th.
Slight fog :—on the 5th and 7th.
Unusual Visibility :—on the 13th, 18th, 25th and 30th.
Dew :—on the 6th, 8th, 9th, 10th, 12th, 13th and 28th.
Rainbow :—on the 9th.
Lightning :—on the 2nd, 3rd, 4th, 11th, 12th, 13th, 14th, 15th, 16th, 17th, 24th, 25th, 26th and 27th.
Thunder :—on the 1st, 2nd, 4th, 7th, 9th, 12th and 15th.

Thunderstorms as follows :—

1d. 19h. 10m. to 19h. 20m. in W. distant.
10d. 0h. 15m. to 4h. 45m. E.S.E. to W.N.W.; nearest at 3h. 28m. (7°).
11d. 12h. 15m. to 12h. 50m. N.N.W. to S.S.E.; nearest at 12h. 30m. (10°).
14d. 21h. 3m. to 23h. 50m. N. to S.; nearest at 22h. 24m. (2°).
15d. 20h. 20m. to 23h. 45m. N.N.E. to S.S.W.; nearest at 23h. 11m. (5°)

Rain fell on 15 days. The mean hourly intensity was 0·136ins., and the maximum fall in one hour was 0·825ins. at 22h on the 14th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 75 miles per hour at 23h 5m on the 20th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1003·6	302·9	298·3	4·6	299·8	298·2	30·5	22·5	3	— 2·6	— 0·3	187	2·7	2·8
2	1003·9	301·0	299·3	1·7	300·1	298·3	30·5	11·2	6	— 2·7	— 1·1	203	2·9	2·9
3	1004·7	301·4	298·3	3·1	299·6	298·2	30·6	16·9	6	— 1·1	— 0·5	204	1·2	1·7
4	1006·4	303·6	297·7	5·9	299·1	297·9	30·3	12·8	6	+ 0·2	— 1·1	279	1·1	1·1
5	1007·0	301·7	297·7	4·0	299·6	298·1	30·4	...	...	— 0·1	...	180	0·1	0·7
6	1006·6	304·4	297·8	6·6	300·6	298·0	29·3	...	...	— 0·3	— 0·7	248	0·7	0·9
7	1006·4	302·7	298·3	4·4	300·1	298·3	30·5	...	...	— 0·2	+ 1·0	104	1·0	1·6
8	1006·4	304·3	298·4	5·9	300·8	298·7	31·0	...	...	— 0·1	— 0·1	236	0·1	0·9
9	1006·5	302·5	298·7	3·8	299·9	298·4	31·0	0·8	1	+ 0·1	— 0·7	281	0·7	0·8
10	1006·6	302·7	297·6	5·1	300·0	298·1	30·0	4·8	1	...	+ 1·8	89	1·8	2·1
11	1004·8	303·4	298·1	5·3	300·2	298·3	30·5	0·4	...	+ 0·2	— 0·5	288	0·5	0·9
12	1004·0	305·2	298·8	6·4	300·8	298·9	31·5	2·3	2	+ 0·3	— 0·9	288	0·9	1·0
13	1006·9	303·8	298·2	5·6	300·6	298·6	30·7	...	...	— 0·9	+ 1·6	119	1·9	2·1
14	1007·1	304·8	296·7	8·1	300·8	298·0	29·1	31·4	2	...	+ 0·2	90	0·2	1·2
15	1004·9	304·4	296·5	7·9	300·4	297·8	28·9	7·9	2	— 0·6	...	177	0·6	1·3
16	1003·1	304·6	296·8	7·8	300·7	297·8	28·7	0·2	...	+ 0·1	— 1·0	276	1·0	1·2
17	1002·2	305·9	300.2	5·7	302·4	297·6	26·6	...	...	+ 1·5	+ 0·1	5	1·5	2·5
18	1002·6	305·4	299·1	6·3	302·4	296·0	22·5	...	...	+ 5·9	+ 1·1	10	6·0	6·0
19	1004.4	302·7	296·1	6·6	298·8	293·8	20·3	0·2	2	+ 6·9	+ 0·3	3	6·9	6·9
20	1002·2	298·9	295·8	3·1	297·0	293·9	21·9	28·6	9	+ 7·8	+ 6·3	39	10·0	10·9
21	1007·5	301·4	297·2	4·2	298·7	297·1	28·4	94·0	17	— 2·4	+ 9·8	104	10·1	10·8
22	1011·4	298·3	296·7	1·6	297·6	295·9	26·3	18·4	14	+ 0·5	+ 8·4	87	8·5	8·6
23	1011·2	300·8	297·4	3·4	298·8	296·1	25·8	...	...	+ 0·4	+ 6·2	86	6·2	6·3
24	1012·8	301·7	297·9	3·8	299·4	296·4	26·1	...	...	...	+ 3·7	90	3·7	3·9
25	1012·1	302·5	297·5	5·0	299·7	296·4	25·8	...	...	— 0·5	+ 3·2	99	3·2	3·3
26	1010·0	302·2	297·8	4·4	299·7	296·9	27·0	...	...	— 0·4	+ 3·0	97	3·0	3·0
27	1008·7	302·8	297·9	4·9	299·8	297·2	27·8	...	...	+ 0·2	+ 1·8	84	1·8	2·4
28	1005·0	305·8	298·8	7·0	302·2	297·6	26·7	...	...	+ 1·9	— 2·4	308	3·1	3·1
29	1005·0	304·3	297·6	6·7	300·9	295·1	21·5	...	...	+ 2·7	— 2·5	317	3·6	3·9
30	1009·7	299·3	294·0	5·3	296·3	290·5	15·1	...	...	+ 3·8	— 0·9	347	3·9	3·9
								Sums.	Sums.					
Means.	1006·5	302·8	297·7	5·1	299·9	297·1	27·5	252·3	73	+ 0·7	+ 1·2	60	1·4	3·3
Normals	1008·3	302·6	297·8	4·8	299·9	297·0	27·2	253·7	53	+ 0·4	+ 2·4	81	2·4	3·8
Absolute Maximum	1014·5	305·9	...	8·1	...	300·9	35·3	94·0	17	...	...	...	...	18·0†
Day.	24	17	...	14	...	12	12	21	21	...	...	...	...	20h21h
Absolute Minimum.	999·7	...	294·0	1·6	...	288·9	13·6	...	...	...	...	...	...	...
Day.	20	...	30	22	...	30	30	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Degree of Humidity.	Mean Amount of Cloud (0-100).	Percentage of Possible Sunshine.	Rainfall, Percentage of Total Amount.	Rainfall, Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·668	78·5	74·7	·814	83	58		7	4	+ 2·1	+ 4·1	63	4·6	9·6
2	29·659	78·3	74·6	·813	83	52		11	4	+ 1·9	+ 3·3	60	3·8	9·4
3	29·649	78·1	74·5	·812	84	53		6	3	+ 1·6	+ 3·9	68	4·2	8·8
4	29·646	78·0	74·5	·813	84	48		5	3	+ 1·8	+ 3·3	61	3·8	8·5
5	29·647	77·8	74·3	·807	84	50		4	3	+ 1·7	+ 3·5	64	3·9	7·9
6	29·657	77·8	74·2	·803	84	67	7	2	4	+ 1·4	+ 3·1	66	3·4	8·6
7	29·669	78·3	74·5	·809	83	63	43	2	4	+ 2·2	+ 3·4	57	4·1	8·7
8	29·686	79·8	75·3	·823	80	63	41	5	6	+ 2·1	+ 3·7	60	4·3	8·7
9	29·694	81·1	75·6	·818	77	62	63	5	4	+ 2·1	+ 3·5	59	4·1	10·0
10	29·701	82·5	76·1	·820	73	60	66	4	4	+ 2·5	+ 3·1	51	4·0	10·6
11	29·699	83·2	76·4	·824	72	60	67	2	5	+ 2·0	+ 3·2	58	3·8	11·9
Noon.	29·685	83·8	76·4	·816	70	61	69	1	4	+ 1·7	+ 3·2	62	3·6	12·6
13	29·666	83·8	76·8	·833	72	66	65	6	7	+ 1·2	+ 2·9	67	3·1	12·4
14	29·645	83·7	76·6	·826	71	63	67	6	6	+ 1·6	+ 3·9	68	4·2	12·4
15	29·629	83·6	76·4	·819	71	65	61	3	5	+ 2·1	+ 3·6	60	4·2	11·9
16	29·622	83·1	76·1	·812	71	65	61	3	7	+ 2·3	+ 2·4	46	3·3	11·6
17	29·624	82·4	75·9	·813	73	65	49	1	5	+ 2·2	+ 3·2	55	3·9	10·9
18	29·634	81·2	75·6	·817	76	69	13	...	3	+ 2·2	+ 3·7	59	4·3	10·1
19	29·647	80·3	75·4	·820	78	65		1	3	+ 2·5	+ 4·2	59	4·9	9·8
20	29·665	79·7	75·3	·824	80	58		...	2	+ 2·5	+ 4·4	60	5·1	9·2
21	29·683	79·3	75·1	·821	81	56		1	2	+ 2·7	+ 4·5	59	5·3	9·3
22	29·693	79·0	74·9	·817	82	52		11	3	+ 2·5	+ 4·4	60	5·1	8·9
23	29·692	78·2	74·5	·810	83	53		8	5	+ 2·7	+ 4·8	61	5·5	10·0
Midn.	29·688	78·3	74·3	·801	82	63		6	4	+ 2·9	+ 4·5	57	5·4	9·5

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of SEPTEMBER, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1006·6	298·8	296·7	27·5	+ 0·7	+ 1·3	63	1·5	3·1
2	1006·3	298·7	296·7	27·4	+ 0·6	+ 1·1	60	1·2	3·1
3	1005·9	298·6	296·6	27·4	+ 0·5	+ 1·3	68	1·4	2·9
4	1005·8	298·6	296·6	27·4	+ 0·6	+ 1·1	61	1·2	2·8
5	1005·9	298·4	296·5	27·2	+ 0·6	+ 1·1	64	1·3	2·6
6	1006·2	298·4	296·4	27·1	+ 0·5	+ 1·0	66	1·1	2·8
7	1006·6	298·7	296·6	27·3	+ 0·7	+ 1·1	57	1·3	2·9
8	1007·2	299·6	297·1	27·8	+ 0·7	+ 1·2	60	1·4	2·9
9	1007·5	300·3	297·2	27·6	+ 0·7	+ 1·1	59	1·3	3·3
10	1007·7	301·1	297·5	27·7	+ 0·8	+ 1·0	51	1·3	3·5
11	1007·6	301·4	297·7	27·8	+ 0·7	+ 1·0	58	1·2	3·9
Noon.	1007·1	301·8	297·7	27·5	+ 0·6	+ 1·0	62	1·2	4·1
13	1006·5	301·8	297·9	28·1	+ 0·4	+ 1·0	67	1·0	4·1
14	1005·8	301·7	297·8	27·9	+ 0·5	+ 1·3	68	1·4	4·1
15	1005·2	301·7	297·7	27·6	+ 0·7	+ 1·2	60	1·4	3·9
16	1005·0	301·4	297·5	27·4	+ 0·8	+ 0·8	46	1·1	3·8
17	1005·1	301·0	297·4	27·4	+ 0·7	+ 1·0	55	1·3	3·6
18	1005·4	300·3	297·2	27·6	+ 0·7	+ 1·2	59	1·4	3·3
19	1005·9	299·8	297·1	27·7	+ 0·8	+ 1·4	59	1·6	3·2
20	1006·5	299·5	297·1	27·8	+ 0·8	+ 1·4	60	1·7	3·0
21	1007·1	199·3	296·9	27·7	+ 0·9	+ 1·5	59	1·7	3·0
22	1007·4	299·1	296·8	27·6	+ 0·8	+ 1·4	60	1·7	2·9
23	1007·4	298·7	296·6	27·3	+ 0·9	+ 1·6	61	1·8	3·3
Midn.	1007·3	298·7	296·5	27·4	+ 1·0	+ 1·5	57	1·8	3·1

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

SEPTEMBER,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	31st August, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	1st September, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	29.80	757.0	...	...	ENE	1	...
Hokodate,	,,	29.90	759.5	...	...	SE	2	...	,,	29.76	756.0	...	...	N	3	...
Tokio,	,,	29.92	760.0	...	...	SSE	3	...	,,	29.86	758 5	...	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	S	1	...	,,	29.94	760.5	...	...	WSW	1	...
Nagasaki,	,,	29.88	759.0	...	...	SE	3	...	,,	29.90	759.5	...	...	SE	1	...
Kagoshima,	,,	29.90	759.5	...	...	SSE	4	...	,,	29.90	759.5	...	...	...	...	...
Oshima,	,,	29.82	757.5	...	...	SSE	2	...	,,	29.84	758.0	...	...	SE	1	...
Naha,	,,	29.74	755.5	...	...	S	2	...	,,	29.78	756.5	...	...	SSE	1	...
Ishigakijima,	,,	29.65	753 0	...	...	SSW	7	...	,,	29.69	754.0	...	...	S	6	...
Bonin Island,	,,	29.98	761 5	...	...	ENE	1	...	,,	29.94	760.5	...	...	E	1	...
Weihaiwei,	14	29.81	757.2	88	69	E	1	b	6	29.71	754.6	78	94	SE	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.49	749.0	82	77	NE	7	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.03	737.3	78	92	ENE	12	o	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.57	751.1	88	92	SW	4	b	7	29.62	752.3	81	87	SSW	4	b
Amoy,	14	29.59	751.6	83	92	SSW	4	o	6	29.61	752.1	80	96	SW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.56	750.9	90	55	W	6	b	,,	29.63	752.7	73	94	...	o	o
Taichu,	,,	29.69	754.2	86	...	S	2	r	,,	...	...	...	...	...	...	...
Tainan,	,,	29.72	754.8	79	...	SE	4	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.69	754.2	82	...	WNW	4	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.71	754.5	77	...	SW	4	r	,,	...	...	...	...	...	...	...
Canton,	15	29.55	750.5	78	95	...	o	or	,,	29.60	751.8	77	95	ESE	1	o
Hongkong,	14	29.60	751.8	77	95	ENE	1	or	,,	29.60	751.8	79	92	SSE	1	o
Gap Rock,	,,	29.58	751.3	...	...	S	4	o	,,	29.60	751.8	...	...	SE	5	o
Macao,	,,	29.55	750.6	82	90	S	4	o	,,	29.56	750.9	79	95	S	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.58	751.2	81	90	...	o	o	7	29.60	751.8	79	93	NE	2	o
Tourane,	,,	29.55	750.6	86	...	SE	2	b	,,	29.60	751 8	79	...	S	2	o
Cape St. James,	,,	29.71	754.5	76	...	SW	4	r	,,	29.78	756.3	77	...	SW	4	o
Aparri,	14	29.66	753.3	90	57	N	4	o	6	29.75	755.7	79	87	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	86	65	WSW	4	o	,,	29.76	756.0	77	96	E	1	o
Legaspi,	,,	29.69	754.2	90	60	SW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	75	SW	4	o	,,	29.75	755.7	79	89	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	1	r	4.20	29.76	756.0	...	...	NE	4	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	76	SW	2	b	6	29.78	756.4	80	87	SE	2	b

August 31*d.* 16*h.* 00*m.*—Warning to Hongkong, Coast Ports, &c. :—A severe typhoon within 30 miles of Lat. 30° N. Long. 122° E., moving N.W.

September 1*d.* 11*h.* 33*m.*—Pressure is highest over the Bonins. It has increased slightly over the Philippines and from Formosa to Hongkong.

The depression over S W. China is slightly further south this morning.

The typhoon passed near Ningpo at 11 a.m. yesterday.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·08 inch. Total since January 1st, 56·76 inches, against an average of 66·27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; overcast, rainy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st September, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	2nd September, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.96	760.9	70	...	NNE	3	o	6	29.86	758.3	64	...	SE	8	o
Nemuro,	11	...	...	...	...	...	...	...	5	30.00	762.0	...	...	SW	1	...
Hokodate,	,,	29.82	757.5	...	...	N	2	...	,,	30.00	762.0	...	...	E	1	...
Tokio,	,,	29.82	757.5	...	...	...	...	...	,,	29.90	759.5	...	...	NE	4	...
Kochi,	,,	29.90	759.5	...	...	SW	1	...	,,	29.90	759.5	...	...	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	SE	1	...	,,	29.88	759.0	...	...	SE	1	...
Kagoshima,	,,	29.90	759.5	...	...	S	1	...	,,	29.88	759.0	...	...	...	...	...
Oshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.82	757.5	...	...	...	...	...
Naha,	,,	29.82	757.5	...	...	SSE	2	...	,,	29.80	757.0	...	...	SE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	S	4	...	,,	29.73	755.0	...	...	S	5	...
Bonin Island,	,,	29.92	760.0	...	...	E	1	...	,,	29.90	759.5	...	...	E	1	...
Weihaiwei,	14	29.71	754.6	88	73	S	2	o	6	29.72	754.9	80	96	ESE	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.32	744.7	81	92	SSE	8	rf	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.44	747.8	80	92	SSE	6	o	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.63	752.6	86	84	SSW	4	b	7	29.73	755.1	81	91	SSW	4	o
Amoy,	14	29.62	752.3	84	93	SSW	2	o	6	29.62	752.3	80	100	SSW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.71	754.5	90	57	W	4	o	,,	29.69	754.2	77	96	ESE	1	o
Taichu,	,,	29.74	755.4	86	...	S	4	o	,,	29.73	755.1	75	...	...	o	o
Tainan,	,,	29.76	756.0	86	...	SSE	4	b	,,	29.71	754.5	77	...	SE	4	o
Koshun,	,,	29.75	755 7	84	...	WSW	2	o	,,	29.71	754.5	81	...	WSW	2	o
Pescadores,	,,	29.74	755.4	84	...	S	4	o	,,	29.74	755.4	81	...	E	4	o
Canton,	15	29.60	751.8	84	83	ESE	1	o	,,	29.62	752.3	77	95	SE	2	o
Hongkong,	14	29.64	752.8	79	88	SSW	1	or	,,	29.62	752.3	80	92	SSW	2	or
Gap Rock,	,,	29.65	753.1	...	...	SSE	4	o	,,	29.63	752.6	...	...	SSE	4	o
Macao,	,,	29.60	751.8	77	96	SSW	4	r	,,	29.55	750.6	79	95	SSE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.55	750.6	90	76	W	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.60	751.8	86	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	77	...	SW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.69	754.2	90	63	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	86	71	WSW	4	o	,,	29.78	756.3	75	96	...	o	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	77	92	SW	1	b
Tacloban,	,,	29.72	754.8	86	68	W	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	84	71	SW	4	o	,,	29.76	756.0	75	96	NW	1	o
Surigao,	,,	29.72	754.8	86	68	W	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	76	S	2	b	6	29.80	756.9	80	87	SE	2	b

September 2*d*. 11*h*. 40*m*.—Pressure has increased considerably over N.E. Japan where an anticyclone is now central. Changes at other reporting stations are small.

The depression over S.W. China has shifted northward this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·74 inch. Total since January 1st, 57·59 inches, against an average of 66·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; overcast, rainy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd September, 1922.								3rd September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.82	757.4	66	...	SE	8	o	6	29.73	755.6	64	...	NNW	1	or
Nemuro,	11	30.00	762.0	...	...	W	1	...	5	30.08	764.0	...	...	S	2	...
Hokodate,	,,	29.98	761.5	...	...	E	5	...	,,	29.92	760.0	...	...	E	4	...
Tokio,	,,	29.98	761.5	...	...	NNE	1	...	,,	29.98	761.5	...	...	...	...	...
Kochi,	,,	29.90	759.5	...	...	S	3	...	,,	29.88	759.0	...	...	W	1	...
Nagasaki,	,,	29.84	758.0	...	...	W	1	...	,,	29.76	756.0	...	...	SE	3	...
Kagoshima,	,,	29 86	758.5	...	...	ESE	1	...	,,	29.78	756.5	...	...	SSE	1	...
Oshima,	,,	29.82	757.5	...	...	SE	1	...	,,	29.73	755.0	...	...	...	o	...
Naha,	,,	29.80	757.0	...	...	SSE	2	...	,,	29.71	754.5	...	...	SE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	S	4	...	,,	29.71	754.5	...	...	WSW	1	...
Bonin Island,	,,	29.94	760.5	...	...	ESE	3	...	,,	29.98	761.5	...	...	ESE	3	...
Weihaiwei,	14	29.67	753.6	72	100	NE	7	r	6	29.67	753.6	67	89	N	8	r
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.54	750.3	79	90	S	6	r	,,	29 59	751.6	70	91	W	4	o
Gutzlaff,	,,	29.51	749.5	83	83	SSE	6	o	,,	29.58	751.3	72	67	WNW	4	of
Sharp Peak,	15	29.57	751.1	84	79	S	2	o	7	29.67	753.6	81	87	SSW	1	b
Amoy,	14	29.94	760.5	82	92	...	o	r	6	29.61	752.1	80	96	SSW	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.74	755.4	82	84	NW	2	o	,,	29.67	753.6	77	96	...	o	o
Taichu,	,,	29.76	756.0	72	...	...	o	r	,,	...	...	...	...	...	...	...
Tainan,	,,	29.75	755 7	72	...	S	4	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.75	755.7	72	...	WSW	4	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.75	755.7	70	...	S	4	o	,,	...	...	...	...	...	...	...
Canton,	15	29.58	751.3	83	87	SE	1	o	,,	29.63	752.6	78	91	SE	1	e
Hongkong,	14	29.63	752.6	82	85	SW	3	oq	,,	29.65	753.1	82	85	SW	3	or
Gap Rock,	,,	29.62	752.3	...	...	S	4	o	,,	29.64	752.8	...	...	SSE	4	o
Macao,	,,	...	...	82	90	SSW	4	o	,,	29.63	752.7	77	98	SW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.55	750.6	86	75	NW	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.60	751.8	86	...	ENE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.5	84	...	SW	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.68	753.9	90	66	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	86	71	WSW	4	o	,,	29.76	756.0	75	96	...	o	o
Legaspi,	,,	29.69	754.2	84	74	W	2	o	,,	29.75	755.7	77	92	SW	1	b
Taclobun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	82	81	SW	4	o	,,	29.76	756 o	73	86	SW	2	o
Surigao,	,,	29.72	754.8	86	68	W	2	o	,,	29.78	756.3	75	91	...	o	o
Guam,	12.20	29.79	756.6	...	...	ENE	4	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	95	SW	2	b	6	29.79	756.6	78	91	SE	2	b

September 3*d*. 13*h*. 20*m*.—Pressure has decreased slightly at Weihaiwei and over S.W. Japan. It has increased slightly at Shanghai and is nearly stationary at other reporting stations.

The Shanghai typhoon has curved to north-eastward. It is now central over the Yellow Sea.

A shallow depression is still shown over S.W. China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·36 inch. Total since January 1st, 57·86 inches, against an average of 66·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. winds, moderate; overcast, rainy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd September, 1922.								4th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.71	754.7	71	...	NNW	3	o	6	29.60	751.9	60	...	N	4	r
Nemuro,	11	29.67	753.5	...	...	SSE	4	...	5	29.82	757.5	...	...	SSW	3	...
Hokodate,	,,	29.88	759.0	...	...	ESE	1	...	,,	29.78	756.5	...	...	...	0	...
Tokio,	,,	29.98	761.5	...	...	S	2	...	,,	29.98	761.5	...	...	S	3	...
Kochi,	,,	29.88	759.0	...	...	SW	1	...	,,	29.78	756.5	...	...	SE	3	...
Nagasaki,	,,	29.72	755.0	...	...	S	5	...	,,	29.71	754.5	...	...	...	...	...
Kagoshima,	,,	29.78	756.5	...	...	SE	2	...	,,	29.71	754.5	...	...	...	...	...
Oshima,	,,	29.69	754.0	...	...	ENE	1	...	,,	29.75	755.5	...	...	SSE	1	...
Naha,	,,	29.69	754.0	...	...	SSW	1	...	,,	29.88	759.0	...	...	...	...	...
Isbigakijima,	,,	29.69	754.0	...	...	S	3	...	,,	29.88	759.0	...	...	NNW	1	...
Bonin Island,	,,	29.98	761.5	...	...	ESE	4	...	,,	30.02	762.5	...	...	ESE	3	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.70	754.4	72	82	W	4	o	,,	29.84	757.9	68	87	NW	1	o
Gutzlaff,	,,	29.67	753.6	75	81	NW	4	o	,,	29.81	757.2	70	95	NNW	2	o
Sharp Peak,	15	29.65	753.1	84	83	SSE	4	o	7	29.72	754.9	76	94	ENE	1	o
Amoy,	14	...	...	...	...	...	...	...	6	29.57	751.1	78	92	E	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.67	753.6	86	71	WNW	2	o	,,	29.71	754.5	77	91	W	2	o
Taichu,	,,	29.74	755.4	82	...	S	o	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.75	755.7	82	...	S	4	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.72	754.8	79	...	NW	4	r	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.76	756.0	79	...	SSE	4	r	,,	...	...	...	...	...	...	...
Canton,	15	29.62	752.3	89	73	SE	2	c	,,	29.70	754.4	76	95	...	o	or
Hongkong,	14	29.64	752.8	81	85	...	o	o	,,	29.70	754.4	78	93	...	o	om
Gap Rock,	,,	29.65	753.1	...	...	SSE	4	o	,,	29.70	754.4	...	...	SSE	3	c
Macao,	,,	29.65	753.0	84	90	SSE	2	o	,,	29.67	753.6	79	98	SSE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.60	751.8	86	71	WNW	4	o	7	29.68	753.9	73	98	NNW	4	r
Tourane,	,,	29.62	752.4	73	...	NNE	2	o	,,	29.67	753.6	79	...	SW	2	b
Cape St. James,	,,	29.71	754.5	84	...	SW	6	o	,,	29.78	756.3	77	...	SW	6	o
Aparri,	14	29.68	753.9	90	63	N	4	o	6	29.75	755.7	77	91	SW	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	86	71	W	4	o	,,	29.80	756.9	75	96	SE	1	o
Legaspi,	,,	29.72	754.8	86	65	WSW	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	71	WSW	4	o	,,	29.81	757.2	81	87	SW	2	o
Surigao,	,,	29.73	755.1	86	68	W	1	o	,,	29.80	756.9	77	85	W	1	o
Guam,	12.20	29.80	756.9	...	...	NE	4	r	4.20	29.81	757.2	...	...	NE	4	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	86	92	SW	2	b	6	29.81	757.2	80	82	SW	2	b

September 4d. 10h. 59m.—Pressure has decreased considerably from Wladivostock to Nemuro. It has increased considerably at Shanghai and slightly from Formosa to Indo-China and the Philippines.

The Shanghai typhoon is now shown as an elongated depression from the Yellow Sea to the N.E. of the Sea of Japan, with probably two centres.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·33 inch. Total since January 1st, 58.19 inches, against an average of 67·25 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, ...	Light, variable winds.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	S. winds, moderate; generally overcast, occasional rain.
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th September, 1922.								5th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.49	749.1	61	...	N	6	or	6	29.88	758.8	59	...	N	2	b
Nemuro,	11	29.74	755.5	...	...	SSW	3	...	5	29.63	752.5	...	...	SSW	4	...
Hokodate,	,,	29.74	755.5	...	...	SE	1	...	,,	29.69	754.0	...	...	SSW	4	...
Tokio,	,,	29.94	760.5	...	...	S	4	...	,,	29.90	759.5	...	...	S	3	...
Kochi,	,,	29.78	756.5	...	...	SE	4	...	,,	29.92	760.0	...	...	SW	1	...
Nagasaki,	,,	29.78	756.5	...	...	W	2	...	,,	29.86	758.5	...	...	SSE	2	...
Kagoshima,	,,	29.78	756.5	...	...	WSW	1	...	,,	29.86	758.5	...	...	SE	1	...
Oshima,	,,	29.78	756.5	...	...	SSE	2	...	,,	29.80	757.0	...	...	SSE	2	...
Naha,	,,	29.78	756.5	...	...	S	1	...	,,	29.80	757.0	...	...	E	1	...
Ishigakijima,	,,	29.78	756.5	...	...	SSE	1	...	,,	29.76	756.0	...	...	SSW	1	...
Bonin Island,	,,	30.06	763.5	...	...	ESE	3	...	,,	30.06	763.5	...	...	E	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.90	759.4	81	80	NW	1	o	,,	29.89	759.2	68	100	ESE	1	of
Gutzlaff,	,,	29.86	758.4	77	77	...	o	o	,,	29.87	758.7	73	86	ESE	1	o
Sharp Peak,	15	29.78	756.4	75	90	NNE	2	c	7	29.79	756.6	73	90	W	2	r
Amoy,	14	29.67	753.6	81	96	SSW	2	r	6	29.68	753.9	76	95	ENE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.78	756.3	79	92	...	o	r	,,	29.76	756.0	75	96	...	o	o
Taichu,	,,	29.79	756.6	84	...	S	2	o	,,	...	...	...	...	...	...	...
Tainan,	,,	29.76	756.0	86	...	SSW	4	r	,,	...	...	...	...	...	...	...
Koshun,	,,	29.78	756.3	82	...	W	2	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.76	756.0	81	...	SW	4	r	,,	...	...	...	...	...	...	...
Canton,	15	29.69	754.1	83	83	SW	1	o	,,	29.74	755.4	77	95	N	1	o
Hongkong,	14	29.70	754.4	79	90	N	1	or	,,	29.72	754.9	76	97	...	o	om
Gap Rock,	,,	29.70	754.4	...	...	S	3	c	,,	29.72	754.9	...	...	SSW	3	of
Macao,	,,	29.73	755.1	79	92	WSW	2	o	,,	29.72	754.8	77	98	...	o	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.69	754.2	75	94	NNW	4	r	7	29.71	754.5	72	98	NNW	2	rf
Tourane,	,,	29.65	753.0	86	...	NNE	2	b	,,	29.74	755.4	81	...	SW	2	o
Cape St. James,	,,	29.73	755.1	77	...	SW	4	o	,,	29.79	756.6	77	...	SW	4	o
Aparri,	14	29.74	755.4	86	68	NNE	4	o	6	29.78	756.3	77	91	SW	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	71	WSW	4	o	,,	29.81	757.2	75	94	W	1	r
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	...	...	N	1	b
Tacloban,	,,	29.74	755.4	86	61	NW	4	o	,,	29.81	757.2	75	96	...	o	o
Iloilo,	,,	29.75	755.7	84	77	SW	4	o	,,	29.79	756.6	79	85	SSW	2	o
Surigao,	,,	29.74	755.4	86	65	W	2	o	,,	29.82	757.5	73	98	...	o	r
Guam,	12.20	29.75	755.7	...	...	NE	4	o	4.20	29.78	756.3	...	...	S	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	76	SW	2	b	6	29.82	757.4	78	91	SE	2	b

September 5*d.* 10*h.* 55*m.*—Pressure has increased considerably at Wladivostock and decreased moderately over N.E. Japan. It has increased slightly from Shanghai to N. Luzon.

A typhoon may be forming to the west of the Loochoos.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·50 inch. Total since January 1st, 58.69 inches, against an average of 67·55 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Light, variable winds; generally cloudy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th September, 1922.								6th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.93	760.3	76	...	NW	2	b	6	30.01	762.1	64	...	SE	3	o
Nemuro,	11	29.55	750.5	...	...	WSW	5	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.63	752.5	...	...	SW	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.90	759.5	...	...	SW	10	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	S	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.86	758.5	...	...	SSE	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.86	758.5	...	...	SSW	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.82	757.5	...	...	S	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	29.79	756.6	70	85	...	o	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.93	760.2	81	69	E	2	b	,,	29.92	759.9	64	98	E	1	bf
Gutzlaff,	,,	29.90	759.4	78	65	ENE	1	b	,,	29.90	759.4	72	81	NE	2	b
Sharp Peak,	15	29.78	756.4	78	82	N	1	o	7	29.78	756.4	77	94	ENE	4	r
Amoy,	14	29.70	754.4	82	92	...	o	r	6	29.67	753.6	77	95	...	o	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	90	72	ENE	4	o	,,	...	...	...	...	...	...	...
Taichu,	,,	29.78	756.3	84	...	W	1	o	,,	...	...	...	...	...	...	...
Tainau,	,,	29.79	756.6	84	...	SW	4	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.79	756.6	84	...	SW	2	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.79	756.6	84	...	S	4	o	,,	...	...	...	...	...	...	...
Canton,	15	29.72	754.9	87	69	NW	1	c	,,	29.75	755.6	76	95	...	o	o
Hongkong,	14	29.73	755.1	81	89	SE	1	o	,,	29.73	755.1	76	95	...	o	c
Gap Rock,	,,	29.74	755.4	...	...	W	2	c	,,	29.73	755.1	...	...	NW	2	c
Macao,	,,	29.73	755.1	75	98	NNW	2	r	,,	29.71	754.5	77	98	NW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.69	754.2	75	98	NW	6	r	7	29.72	754.8	73	98	NW	6	rf
Tourane,	,,	29.67	753.6	84	...	ENE	2	b	,,	29.71	754.5	75	...	WNW	4	o
Cape St. James,	,,	29.72	754.8	90	...	SW	2	o	,,	29.81	757.2	73	...	SW	4	r
Aparri,	14	29.78	756.3	86	71	N	2	o	6	29.78	756.3	77	89	SW	2	o
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	71	SW	4	o	,,	29.79	756.6	75	96	...	o	o
Legaspi,	,,	29.74	755.4	86	68	W	4	o	,,	29.78	756.3	75	96	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	82	77	SW	4	o	,,	29.79	756.6	75	94	NNW	1	o
Surigao,	,,	29.74	755.4	84	74	W	2	o	,,	29.78	756.3	73	92	SW	1	o
Guam,	12.20	29.75	755.7	...	...	S	1	r	4.20	29.80	756.9	...	...	W	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	75	S	4	b	6	...	...	...	...	...	...	...

September *6d.* 12*h.* 15*m.*—Pressure has increased moderately at Wladivostock. Changes at other stations are small.

A shallow depression is central over Hainan. The threatened typhoon to the west of the Loochoos has not developed.

The N.E. monsoon will set in, temporarily, along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 58.69 inches, against an average of 67·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Variable to N.E. winds, light to moderate; fair.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th SEPTEMBER, 1922.								7th SEPTEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.01	762.2	72	...	SSE	4	b	6	29.97	761.2	66	...	SSE	3	e
Nemuro,	11	30.06	763.5	...	...	NE	4	...	5	30.10	764.5	...	...	SE	1	...
Hokodate,	,,	30.04	763.0	...	...	ESE	3	...	,,	30.02	762.5	...	...	E	2	...
Tokio,	,,	29.94	760.5	...	...	SE	3	...	,,	30.10	764.5	...	...	SE	1	...
Kochi,	,,	29.94	760.5	...	...	S	1	...	,,	29.94	760.5	...	...	...	...	...
Nagasaki,	,,	29.86	758.5	...	...	SW	4	...	,,	29.88	759.0	...	...	SSW	2	...
Kagoshima,	,,	29.92	760.0	...	...	S	2	...	,,	29.92	760.0	...	...	...	...	...
Oshima,	,,	29.92	760.0	...	...	SSE	2	...	,,	29.86	758.5	...	...	SSE	1	...
Naha,	,,	29.88	759.0	...	...	SSE	2	...	,,	29.84	758.0	...	...	SE	1	...
Ishigakijima,	,,	29.84	758.0	...	...	S	2	...	,,	29.76	756.0	...	...	ESE	4	...
Bonin Island,	,,	30.02	762.5	...	...	NE	5	...	,,	29.98	761.5	...	...	ENE	1	...
Weihaiwei,	14	29.85	758.2	78	70	E	1	b	6	29.90	759.4	70	90	S	4	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.98	761.5	82	57	ENE	1	b	,,	29.91	759.7	64	98	ENE	1	b
Gutzlaff,	,,	29.91	759.7	78	58	NE	1	b	,,	29.88	758.9	75	92	E	2	o
Sharp Peak,	15	29.80	758.9	78	86	NNE	2	o	7	29.78	756.4	77	86	...	o	o
Amoy,	14	29.70	754.4	80	96	...	o	r	6	29.69	754.1	76	100	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.80	756.9	82	81	...	o	o	,,	29.74	755.4	73	98	...	o	b
Taichu,	,,	29.79	756.6	84	...	NNW	2	o	,,	29.75	755.7	75	...	...	o	o
Tainan,	,,	29.78	756.3	86	...	SSW	4	o	,,	29.73	755.1	75	...	ESE	2	o
Koshun,	,,	29.79	756.6	86	...	S	2	b	,,	29.73	755.1	75	...	E	2	b
Pescadores,	,,	29.79	756.6	79	...	SSW	4	r	,,	29.74	755.4	77	...	SSE	4	r
Canton,	15	29.71	754.6	90	63	W	1	b	,,	29.73	755.1	79	95	W	1	o
Hongkong,	14	29.71	754.6	88	64	W	1	c	,,	29.73	755.1	77	95	...	o	cf
Gap Rock,	,,	29.75	755.6	...	...	WNW	2	c	,,	29.72	754.9	...	...	WSW	2	b
Macao,	,,	29.71	754.5	90	76	SSE	1	o	,,	29.69	754.2	79	92	SW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.69	754.2	82	86	WNW	4	o	7	29.73	755.1	77	98	NNW	2	o
Tourane,	,,	29.66	753.3	84	...	NE	4	b	,,	29.71	754.5	79	...	N	2	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	75	...	SW	2	b
Aparri,	14	29.71	754.5	90	57	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	86	65	WSW	2	o	,,	29.75	755.7	75	94	...	o	o
Legaspi,	,,	29.71	754.5	84	74	ESE	1	o	,,	29.74	755.4	75	96	W	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	84	74	WSW	4	o	,,	29.74	755.4	75	96	...	o	o
Surigao,	,,	29.72	754.8	86	71	NW	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	SW	2	r	4.20	29.74	755.4	...	...	NE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Saipan,	14	29.78	756.4	88	69	N	2	b	6	29.82	757.4	78	91	SE	2	b

September *7d.* 12*h.* 23*m.*—Pressure is highest to the east of Japan. It has increased slightly at Tokio and Weihaiwei and decreased slightly from Formosa to the Visayas and at Guam.

A trough of relatively low pressure stretches from Indo-China to Guam, with minimun over the Paracels, and possibly another midway between Guam and Luzon.

Light N.E. monsoon may be expected along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 58.69 inches, against an average of 68·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Variable to E. winds, light to moderate; fair.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th September, 1922.								8th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.98	761.4	71	...	SSE	4	o	6	29.86	758.4	65	...	SE	4	o
Nemuro,	11	30.10	764.5	...	...	SSE	1	...	5	30.08	764.0	...	...	...	...	...
Hokodate,	,,	29.96	761.0	...	...	E	5	...	,,	29.98	761.5	...	...	ESE	4	...
Tokio,	,,	29.92	760.0	...	...	S	3	...	,,	29.92	760.0	...	...	...	...	...
Kochi,	,,	29.94	760.5	...	...	E	1	...	,,	29.92	760.0	...	...	E	1	...
Nagasaki,	,,	29.92	760.0	...	...	S	1	...	,,	29.86	758.5	...	...	...	...	...
Kagoshima,	,,	29.94	760.5	...	...	NNE	1	...	,,	29.86	758.5	...	...	W	1	...
Oshima,	,,	...	...	...	...	SSE	2	...	,,	29.84	758.0	...	...	SE	1	...
Naha,	,,	29.84	758.0	...	...	SSE	2	...	,,	29.80	757.0	...	...	SSE	1	...
Ishigakijima,	,,	29.76	756.0	...	...	SW	1	...	,,	29.75	755.5	...	...	S	3	...
Bonin Island,	,,	29 94	760.5	...	...	E	3	...	,,	29.94	760.5	...	...	...	...	...
Weihaiwei,	14	29.85	758 2	80	74	S	2	b	6	29.87	758.7	70	90	S	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.93	760.2	81	73	ENE	2	o	,,	29.85	758.2	70	100	E	1	bf
Gutzlaff,	,,	29.85	758.2	77	92	E	4	o	,,	29.81	757.2	75	92	NE	2	o
Sharp Peak,	15	29.76	755.9	86	76	ESE	1	o	7	29.72	754.9	78	91	...	o	o
Amoy,	14	29.70	754.4	83	92	ESE	1	r	6	29.69	754.1	77	95	SW	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	86	71	NW	2	o	,,	29.73	755.1	73	98	...	o	o
Taichu,	,,	29.76	756.0	84	...	NW	2	o	,,	29.74	755.4	75	...	...	o	r
Tainan,	,,	29.69	754.2	86	...	S	4	o	,,	29.71	754.5	77	...	SSE	4	o
Koshun,	,,	29.75	755.7	86	...	ESE	10	...	,,	29.71	754.5	77	...	...	o	o
Pescadores,	,,	29.76	756 0	77	...	SE	2	r	,,	29.69	754.2	77	...	SE	2	r
Canton,	15	29.68	753.9	93	64	NW	1	b	,,	29.73	755.1	80	91	SE	1	c
Hongkong,	14	29.70	754.4	85	79	SE	2	c	,,	29.72	754.9	78	96	...	o	om
Gap Rock,	,,	29.71	754.6	...	...	WSW	2	c	,,	29.72	754.9	...	...	S	1	b
Macao,	,,	29.69	754.2	90	76	SE	2	o	,,	29.69	754.2	77	89	SSW	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.67	753.6	86	71	NW	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	84	...	NNE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	81	...	SW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.67	753.6	90	66	NNE	4	o	6	29.72	754.8	77	88	W	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.67	753.6	86	68	WSW	4	o	,,	29.73	755.1	77	94	E	1	o
Legaspi,	,,	29.67	753.6	90	63	E	2	o	,,	29.73	755.1	75	96	SW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	77	96	...	o	o
Iloilo,	,,	29.68	753.9	86	75	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.67	753.6	86	68	W	2	b	,,	29.72	754.8	75	94	...	o	b
Guam,	12.20	29.71	754.5	...	...	E	2	o	4.20	29.73	755.1	...	...	S	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	76	94	SW	2	r	6	29.76	755.9	78	94	SE	2	b

September 8*d*. 11*h*. 52*m*.—Pressure is nearly stationary over Formosa and Guam, and from Haiphong to Foochow. It has decreased slightly at other reporting stations.

There is still a trough of relatively low pressure from Indo-China to Guam, with minima over the Paracels, and to the east of Luzon, where a typhoon may be forming.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 58.69 inches, against an average of 68·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th September, 1922.								9th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.82	757.5	66	...	SE	5	r	6	29.98	761.4	59	...	NNW	3	b
Nemuro,	11	30.04	763.0	...	...	ESE	3	...	5	29.98	761.5	...	...	SE	4	...
Hokodate,	,,	29.94	760.5	...	...	ESE	5	...	,,	29.88	759 0	...	...	SE	1	...
Tokio,	,,	29.92	760.0	...	...	...	0	...	,,	29.94	760 5	...	...	N	1	...
Kochi,	,,	29.92	760.0	...	...	N	1	...	,,	29.86	758.5	...	...	...	...	...
Nagasaki,	,,	29.90	759.5	...	...	ESE	3	...	,,	29.76	756.0	...	...	N	1	...
Kagoshima,	,,	29.88	759 0	...	...	...	0	...	,,	29.78	756.5	...	...	S	4	...
Oshima,	,,	29.84	758.0	...	...	SSE	2	...	,,	29.78	756.5	...	...	SE	1	...
Naha,	,,	29.82	757.5	...	...	SSE	1	...	,,	29.75	755.5	...	...	SE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	SSE	2	...	,,	...	...	...	...	ESE	1	...
Bonin Island,	,,	29 94	760.5	...	...	ESE	2	...	,,	29.94	760.5	...	...	...	...	...
Weihaiwei,	14	29.85	758 2	76	82	...	0	o	6	29.91	759.7	69	100	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.89	759.2	86	68	ENE	2	b	,,	29.88	758.9	68	100	ENE	1	b
Gutzlaff,	,,	29.84	757.9	84	68	NNE	2	b	,,	29.85	758.2	74	86	NE	2	b
Sharp Peak,	15	29.77	756 1	88	84	ESE	1	b	7	29.79	756.6	78	91	N	2	b
Amoy,	14	29.67	753.6	88	84	ESE	1	b	6	29.69	754.1	80	96	ENE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	86	71	...	0	o	,,	29.71	754.5	73	96	...	0	o
Taichu,	,,	29.79	756.6	75	...	SW	1	r	,,	29.73	755.1	75	...	...	0	o
Tainan,	,,	29 76	756.0	79	...	...	2	r	,,	29.71	754.5	75	...	...	0	b
Koshun,	,,	29.76	756.0	82	...	SSW	2	o	,,	29.71	754.5	75	...	ENE	2	o
Pescadores,	,,	29.75	755.7	81	...	...	0	o	,,	29.71	754.5	77	...	NE	2	r
Canton,	15	29.69	754.1	91	70	SW	1	c	,,	29.71	754.6	80	96	...	0	or
Hongkong,	14	29.70	754.4	87	68	WNW	1	c	,,	29.71	754.6	78	94	...	0	cm
Gap Rock,	,,	29.71	754.6	...	...	SW	1	b	,,	...	...	...	...	SW	1	c
Macao,	,,	29.69	754.2	90	72	SSW	2	o	,,	29.68	753.9	81	92	...	0	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 68	753 9	90	72	SE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.3	84	...	NE	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.72	754.8	73	...	SW	4	r	,,	...	...	...	...	...	...	...
Aparri,	14	29.68	753.9	90	69	N	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.67	753.6	86	61	WSW	2	o	,,	29.69	754.2	77	96	NE	1	o
Legaspi,	,,	29.65	753.0	90	66	...	2	o	,,	29.68	753.9	77	92	SW	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	86	75	SW	4	o	,,	29.71	754.5	79	93	S	2	r
Surigao,	,,	29.69	754.2	86	68	W	2	o	,,	29.71	754.5	75	96	...	0	b
Guam,	12.20	29.74	755.4	...	...	ENE	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	72	N	2	b	6	29.82	757.4	78	91	SE	2	b

September 9*d.* 11*h.* 40*m.*— Pressure has decreased slightly from Wladivostock to Weihaiwei and Shanghai, and decreased slightly from S.W. Japan to Luzon.

A trough of relatively low pressure is still shown from Indo-China to Guam and there is still a possibility of a typhoon forming to the east of Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 58.69 inches, against an average of 68·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Light, variable winds; generally fair, possibly thunder showers.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9th September, 1922.								10th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.92	760.0	...	...	SSE	5	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.90	759.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.98	761.5	...	...	WNW	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.92	760.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.80	757.0	...	...	SSW	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.80	757.0	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.78	756.5	...	...	E	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.74	755.5	...	...	E	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29 94	760.5	...	...	ESE	3	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.81	757.2	78	78	N	1	bf	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.91	759.7	86	58	E	1	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.86	758.4	82	71	ENE	2	b	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.79	756.6	84	79	E	4	b	7	29.79	756.6	78	99	WNW	1	b
Amoy,	14	29.69	754.1	88	84	E	2	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.75	755.7	86	68	N	2	o	,,	29.73	755.1	75	96	E	2	b
Taichu,	,,	29.74	755.4	84	...	...	0	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.73	755.1	84	...	W	4	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.71	754.5	73	...	SW	2	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.76	756.0	81	...	NE	4	o	,,	...	...	...	...	...	...	...
Canton,	15	29.69	754.1	89	73	SW	1	o	,,	29.74	755.4	79	95	E	1	o
Hongkong,	14	29.71	754.6	82	86	NE	1	o	,,	29.73	755.1	77	89	SE	1	o
Gap Rock,	,,	29.71	754.6	...	...	SSW	1	b	,,	29.71	754.6	...	...	S	1	o
Macao,	,,	29.69	754.2	90	69	SSW	1	o	,,	29.71	754.5	75	92	SW	2	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.68	753.9	90	69	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	84	...	NE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	73	...	W	2	r	,,	...	...	...	...	...	...	...
Aparri,	14	29.65	753.0	86	68	N	4	b	6	29.67	753.6	77	91	...	0	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.66	753.3	90	66	SW	4	o	,,	29.69	754.2	77	91	SE	1	b
Legaspi,	,,	29.66	753.3	86	71	WSW	4	o	,,	29.71	754.5	77	96	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	84	74	WSW	4	o	,,	29.73	755.1	79	84	SW	4	o
Surigao,	,,	29 67	753.6	86	68	W	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	S	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	88	73	S	2	b	6	29.77	756.1	78	91	SW	2	b

September *10d. 12h. 20m.*—Pressure has increased slightly along the south coast of China and decreased slightly at Aparri.

A trough of relatively low pressure is still shown from Indo-China to the east of Luzon.

There are still indications of a typhoon forming to the east of Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·22 inch. Total since January 1st, 58.91 inches, against an average of 69·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	Light, variable or East winds, generally fine; possibly thunder showers.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th September, 1922.								11th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.94	760.5	67	...	SE	5	r	6	29.96	760.9	68	...	...	0	0
Nemuro,	11	30.08	764.0	...	...	SSE	1	...	5	30.16	766.0	...	...	S	1	...
Hokodate,	,,	30.08	764.0	...	...	SE	2	...	,,	30.00	762.0	.	...	N	1	...
Tokio,	,,	30.04	763.0	...	...	SE	1	...	,,	30.10	764.5	...	...	...	...	...
Kochi,	,,	30.04	763.0	...	...	E	1	...	,,	30.10	764.5	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	SE	2	...	,,	30.00	762.0	...	...	ESE	1	...
Kagoshima,	,,	29 94	760.5	...	...	ESE	1	...	,,	30.00	762.0	...	...	NE	1	...
Oshima,	,,	29.84	758.0	...	...	ESE	3	...	,,	29.86	758.5	...	...	ESE	3	...
Naha,	,,	29 67	753.5	...	...	ESE	6	...	,,	29.71	754.5	...	...	ESE	4	...
Ishigakijima,	,,	29.59	751.5	...	...	NNW	5	...	,,	29.37	746.0	...	...	SW	9	...
Bonin Island,	,,	30.00	762.0	...	...	E	1	...	,,	30.02	762.5	...	...	E	1	...
Weihaiwei,	14	29.85	758.2	77	86	S	1	o	6	29.96	761.0	71	90	...	0	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.90	759.4	86	65	SE	2	b	,,	29.90	759.4	75	96	ESE	1	b
Gutzlaff,	..	29.86	758.4	84	75	SSE	2	b	,,	29.87	758.7	77	92	E	4	o
Sharp Peak,	15	29.78	756.4	84	83	E	4	b	7	29.66	753.3	81	74	NNW	2	o
Amoy,	14	...	...	...	...	...	...	...	6	29.65	753.1	80	96	SW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.69	754.2	86	75	NE	4	r	,,	29.50	749.4	77	50	WNW	6	r
Taichu,	,,	29.72	754.8	86	...	NNW	2	o	,,	29.62	752.4	73	...	...	0	r
Tainan,	,,	29.74	755.4	86	...	WSW	2	b	,,	29.60	751.8	79	...	NNE	4	b
Koshun,	,,	29.71	754.5	84	...	NNW	2	o	,,	29.59	751.5	81	...	W	4	o
Pescadores,	,,	29.73	755.1	84	...	NE	6	b	,,	29.62	752.4	77	...	N	4	b
Canton,	15	29.68	753.9	89	73	...	0	c	,,	29.70	754.4	79	95	SSW	1	or
Hongkong,	14	29.70	754.4	84	75	E	3	c	,,	29.70	754.4	78	94	...	0	om
Gap Rock,	,,	29.71	754.6	...	...	E	2	b	,,	29.69	754.1	...	...	ESE	1	b
Macao,	,,	29.69	754.2	90	76	SE	2	o	,,	29.67	753.6	79	92	...	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.67	753.6	90	72	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.65	753.0	86	...	ESE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.73	755.1	81	...	SW	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.62	752.4	86	75	N	4	o	6	...	...	...	...	...	...	...
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.67	753.6	86	71	WSW	4	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.67	753.6	84	81	SW	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.71	754.5	81	90	...	0	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	86	75	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	S	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	84	79	N	4	b	6	...	...	...	...	...	...	...

September 10*d* 22*h*. 15*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 120 miles of Lat. 24° N. Long. 126° moving N.W.

September 11*d*. 11*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 25° N. Long. 124° E., moving N.W.

September 11*d*. 11*h*. 25*m*.—Pressure has increased slightly at Shanghai and decreased considerably at Taihoku.

An apparently severe typhoon, which may have been in existence for two or more days, passed near Ishigakijima last night. It now threatens the coast to the north of Foochow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·22 inch. Total since January 1st, 58.91 inches, against an average of 69·18 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hongkong and Lamocks,	W. winds, freshening.
3.—Hongkong to Gap Rock,	Light, variable winds, freshening from westward; fair at first, rain later.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th September, 1922.								12th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.06	763.5	...	...	SE	4	...	5	30.04	763.0	...	...	NNE	2	...
Hokodate,	,,	29.94	760.5	...	...	SSW	3	...	,,	30.10	764.5	...	...	...	...	...
Tokio,	,,	30.06	763.5	...	...	SSE	4	...	,,	30.16	766.0	...	...	...	...	...
Kochi,	,,	30.10	764.5	...	...	SE	1	...	,,	30.10	764.5	...	...	...	...	...
Nagasaki,	,,	29.98	761.5	...	...	ESE	3	...	,,	29.98	761.5	...	...	ESE	2	...
Kagoshima,	,,	30.02	762.5	...	...	S	1	...	,,	29.98	761.5	...	...	E	1	...
Oshima,	,,	29.90	759.5	...	...	ESE	4	...	,,	29.90	759.5	...	...	SE	2	...
Naha,	,,	29.78	756.5	...	...	SE	5	...	,,	29.82	757.5	...	...	SSE	2	...
Ishigakijima,	,,	29.59	751.5	...	...	S	6	...	,,	29.71	754.5	...	...	SSE	6	...
Bonin Island,	,,	30.02	762.5	...	...	ENE	2	...	,,	30.00	762.0	...	...	ESE	5	...
Weihaiwei,	14	29.95	760.7	76	95	NE	1	0	6	29.93	760.2	71	90	SE	1	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.90	759.4	86	71	E	4	0	,,	29.71	754.6	77	92	ESE	4	0
Gutzlaff,	,,	29.81	757.2	78	86	E	6	0	,,	29.69	754.1	77	95	SE	8	0
Sharp Peak,	15	29.49	749.0	88	100	SSW	4	0	7	29.56	750.8	81	95	S	1	0
Amoy,	14	29.49	749.0	92	77	W	1	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.49	749.1	77	91	WSW	6	r	,,	29.60	751.8	75	94	...	0	0
Taichu,	,,	29.62	752.4	79	...	N	2	r	,,	29.63	752.7	77	...	SSE	2	0
Tainan,	,,	29.54	750.3	84	...	N	6	0	,,	29.65	753.0	77	...	SE	2	0
Koshun,	,,	29.55	750.6	84	...	WNW	6	0	,,	29.65	753.0	79	...	WNW	2	b
Pescadores,	,,	29.63	752.7	84	...	NW	4	0	,,	29.62	752.4	81	...	SSW	6	0
Canton,	15	29.61	752.1	83	87	...	0	c	,,	29.63	752.6	81	91	SSW	1	c
Hongkong,	14	29.64	752.8	85	76	N	1	c	,,	29.62	752.3	79	92	...	0	0
Gap Rock,	,,	29.64	752.8	...	...	...	0	c	,,	29.62	752.3	...	...	S	1	b
Macao,	,,	29.63	752.7	84	86	...	0	0	,,	29.65	753.0	79	93	WSW	2	0
Wuchow,	15	29.50	749.3	88	69	...	2	0q	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.63	752.7	90	66	SW	1	b	7	29.71	754.5	77	96	W	2	0
Tourane,	,,	29.61	752.1	84	...	NE	2	b	,,	29.66	753.3	79	...	W	2	b
Cape St. James,	,,	29.68	753.9	84	...	SSW	2	0	,,	29.75	755.7	77	...	SW	4	0
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753.0	84	77	WSW	2	0	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.63	752.7	86	68	SW	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	75	96	SW	4	r	,,	...	...	...	...	...	...	...
Surigao,	,,	29.68	753.9	86	65	W	1	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.66	753.3	...	...	S	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	82	83	E	2	b	6	29.76	755.9	80	91	SE	2	b

September 12*d* 9*h*. 40*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 29° N. Long. 119° E., moving N.W.

September 12*d*. 11*h*. 50*m*.—Pressure has decreased moderately at Foochow and Shanghai and slightly at Hongkong. It has increased slightly at Taihoku and is nearly stationary over Indo-China.

The typhoon entered the coast at about midnight, between Shanghai and Foochow. At 6 a.m. this morning it was in about Lat. 29° N. and Long. 119° E., moving N.W. or N.N.W. It appears to be less severe this morning.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. Total since January 1st, 58.96 inches, against an average of 69·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	S. winds, lightly to moderate; fair to showery.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th SEPTEMBER, 1922.								13th SEPTEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29 91	759.7	70	...	SSW	2	o	6	30.17	766.4	59	...	...	o	b
Nemuro,	11	30.10	764.5	...	...	SE	1	...	5	29.88	759.0	...	...	WSW	4	...
Hokodate,	,,	30 06	763.5	...	...	ESE	1	...	,,	30.02	762.5		...	WNW	3	...
Tokio,	,,	30.10	764.5	...	...	SSE	2	...	,,	30.10	764.5	...	...	W	1	...
Kochi,	,,	30.10	764.5	...	...	SE	1	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.02	762 5	...	...	ESE	2	...	,,	3 : 04	763.0	...	...	SE	1	...
Kagoshima,	,,	30.02	762.5	...	...	ESE	10	...	,,	30.04	763.0	...	...	ENE	2	...
Oshima,	,,	29.94	760.5	...	...	SE	3	...	,,	29.92	760.0	...	...	SE	1	...
Naha,	,,	29.86	758.5	...	...	SSE	4	...	,,	29.86	758.5	...	...	E	1	...
Ishigakijima,	,,	29.78	756.5	...	...	SSE	6	...	,,	29.76	756.0	...	...	ESE	4	...
Bonin Island,	,,	29.98	761.5	...	...	E	2	...	,,	29.98	761.5	...	...	ENE	4	...
Weihaiwei,	14	29.95	760.7	73	90	S	1	o	6	29.99	761.7	72	95	E	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.72	754.9	77	92	ESE	6	r	,,	29.76	755.9	79	89	SSE	6	o
Gutzlaff,	,,	29.66	753.3	78	92	SSE	8	o	,,	29.80	756.9	78	92	SSE	6	o
Sharp Peak,	15	29.64	752 8	86	92	S	4	o	7	29.79	756.6	81	95	S	1	o
Amoy,	14	29.59	751.6	92	81	SSE	4	b	6	29.72	754.9	83	92	S	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.67	753.6	90	69	SW	2	b	,,	29.76	756.0	75	98	...	o	b
Taichu,	,,	29.69	754.2	86	...	SSW	4	b	,,	...	...	...	...	...	...	...
Tainan,	,,	29.69	754.2	86	...	SSW	4	o	,,	...	...	...	...	...	...	...
Koshun,	,,	29.72	754.8	86	...	WSW	2	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.71	754.5	84	...	SSW	4	o	,,	...	...	...	...	...	...	...
Canton,	15	29.60	751.8	89	77	W	1	c	,,	29.72	754.9	77	95	SW	1	o
Hongkong,	14	29.62	752.3	84	83	N	1	op	,,	29.71	754.6	78	94	...	o	cm
Gap Rock,	,,	29.64	752.8	...	...	S	2	c	,,	29.70	754.4	...	...	NE	2	c
Macao,	,,	29.58	751.2	86	78	...	2	o	,,	29.72	754.8	77	94	NNW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.66	753.3	86	75	W	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.60	751.8	86	...	NE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.69	754.2	84	...	SW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.65	753.0	86	68	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	82	77	SW	4	o	,,	29.71	754.5	73	96	SE	1	o
Legaspi,	,,	29.65	753.0	90	69	WSW	4	o	,,	29.71	754.5	77	92	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	79	85	WSW	4	o	,,	29.72	754.8	75	92	...	o	o
Surigao,	,,	29.68	753 9	86	68	W	2	o	,,	29.73	755.1	79	84	W	1	o
Guam,	12.20	29.75	755.7	...	...	S	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.6	86	68	SW	2	b	6	...	...	...	...	...	...	...

September 13*d.* 11*h.* 47*m.*—Pressure has increased considerably at Wladivostock and Foochow, and slightly from Weihaiwei to Shanghai. It is increasing at Hongkong.

An anticyclone is central over the Sea of Japan and a depression over the N. China Sea.

The Shanghai typhoon is filling up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 59·02 inches, against an average of 70·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th September, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	14th September, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.11	764.8	72	...	WSW	1	b	6	29.95	760.6	64	...	SSE	4	o
Nemuro,	11	29.86	758.5	...	...	W	2	...	5	30.06	763.5	...	...	W	1	...
Hokodate,	,,	30.02	762.5	...	...	WNW	4	...	,,	30.12	765 0		...	NE	1	...
Tokio,	,,	30.08	754.0	...	...	SSE	1	...	,,	30.06	763.5	...	...	...	...	...
Kochi,	,,	29.92	760.0	...	...	SSE	1	...	,,	30 04	763.0	...	...	WSW	1	...
Nagasaki,	,,	30 04	763.0	...	...	SE	1	...	,,	30.00	762.0	...	...	SE	2	...
Kagoshima,	,,	30.04	763.0	...	...	SE	1	...	,,	29.98	761.5	...	...	NE	2	...
Oshima,	,,	29.94	760.5	...	...	SE	2	...	,,	29.88	759.0	...	...	E	0	...
Naha,	,,	29.86	758.5	...	...	ESE	4	...	,,	29.80	757.0	...	...	NE	2	...
Ishigakijima,	,,	29.86	758.5	...	...	E	3	...	,,	29.76	756.0	...	...	NE	2	...
Bonin Island,	,,	29.96	761.0	...	...	ENE	1	...	,,	29.94	760.5	...	...	ENE	1	...
Weihaiwei,	14	29.89	759.2	74	99	E	4	rf	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.88	758.9	81	84	S	4	o	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	29.86	758.4	82	79	S	6	o	,,	...	...	...	...	...	...	...
Sharp Peak,	15	29.82	757.4	90	81	E	1	b	7	29.89	759.2	80	93	NE	4	r
Amoy,	14	29.72	754.9	90	84	SE	2	b	6	29.75	755.6	82	92	N	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.79	756.6	90	69	ESE	4	b	,,	29.76	756.0	77	91	E	4	b
Taichu,	,,	29.79	756.6	90	...	NW	2	b	,,	29.76	756.0	73	...	..	0	b
Tainan,	,,	29.76	756.0	90	...	N	4	b	,,	29.69	754.2	75	...	...	0	b
Koshun,	,,	29.76	756.0	84	...	ENE	4	o	,,	29.72	754.8	79	...	NE	6	b
Pescadores,	,,	29.80	756.9	86	...	NW	2	b	,,	29.72	754.8	79	...	NW	4	b
Canton,	15	29.70	754.4	91	70	...	0	c	,,	29.77	756.1	77	91	N	1	c
Hongkong,	14	29.72	754.9	86	75	SE	3	b	,,	29.76	755.9	78	90	NE	1	c
Gap Rock,	,,	29.73	755.1	...	...	E	3	c	,,	29.75	755 6	...	...	ENE	4	of
Macao,	,,	29.71	754.5	90	79	ESE	2	o	,,	29.73	755.1	81	86	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.72	754.8	90	63	SSW	2	o	7	29.78	756.3	77	91	NW	2	o
Tourane,	,,	29.66	753.3	84	...	N	4	b	,,	29.72	754.8	79	...	NW	2	o
Cape St. James,	,,	29.72	754.8	86	...	S	2	o	,,	29.78	756.3	77	...	W	4	o
Aparri,	14	29.65	753.0	86	71	NE	4	o	6	29.67	753.6	77	88	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	81	87	SSW	1	o	,,	29.68	753.9	75	96	...	0	r
Legaspi,	,,	29.66	753.3	86	71	WSW	4	o	,,	29.67	753.6	77	92	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29 69	754.2	79	92	WSW	2	o	,,	...		...	...	...	...	...
Surigao,	,,	29.69	754.2	86	61	W	2	o	,,	29.71	754.5	79	87	SW	4	o
Guam,	12.20	29 62	752 4	...	...	SW	4	r	4.20	..	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...		...	...
Labuan,	14	29.74	755.4	88	73	N	2	b	6	29.76	755.9	80	87	SW	2	b

September 14*d*. 11*h*. 37*m*. Pressure has decreased considerably at Wladivostock and increased slightly from Foochow to Indo-China. It has decreased slightly over S.W. China, the Loochoos and S. Luzon.

An anticyclone is central to the north of Tokio and a trough of low pressure extends from Indo-China to the east of Luzon. A typhoon may be forming in its eastern extremty.

Moderate N.E. monsoon may be expected along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·22 inch. Total since January 1st, 59·24 inches, against an average of 70·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	14th SEPTEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	15th SEPTEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.89	759.2	63	...	...	0	r	6	29.98	761.4	54	...	NNE	4	c
Nemuro,	11	30.02	762.5	...	...	SSE	4	...	5	29.88	759.0	...	...	SSW	3	...
Hokodate,	,,	...	...	...	...	SE	1	...	,,	29.84	758.0	...	...	ESE	1	...
Tokio,	,,	30 02	762.5	...	...	S	2	...	,,	29.96	761.0	...	...	W	1	...
Kochi,	,,	30 02	762.5	...	...	S	1	...	,,	30.00	762.0	...	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	SE	2	...	,,	29.94	760.5	...	...	SW	1	...
Kagoshima,	,,	29.98	761.5	...	...	SE	1	...	,,	29.94	760.5	...	...	...	0	...
Oshima,	,,	29.90	759.5	...	...	E	2	...	,,	29.82	757.5	...	...	ESE	1	...
Naha,	,,	29.78	756.5	...	...	E	3	...	,,	29.73	755.0	...	...	E	3	...
Ishigakijima,	,,	29.74	755 5	...	...	NE	6	...	,,	29.65	753.0	...	...	NE	6	...
Bonin Island,	,,	29.90	759.5	...	...	ENE	5	...	,,	29.86	758.5	...	...	ENE	1	...
Weihaiwei,	14	29.79	756.6	72	85	N	6	o	6	29.97	761.2	69	70	N	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	...	...	...	...	...	...	...	,,	29.93	760.2	73	100	ENE	1	bf
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	29.93	760.2	76	95	ESE	2	b
Sharp Peak,	15	29.82	757.4	84	83	ENE	4	b	7	29.78	756.4	80	88	NE	4	r
Amoy,	14	29.68	753.9	90	81	ENE	2	b	6	29.68	753.9	81	83	SE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	90	66	ENE	4	b	,,	29.69	754.2	75	96	ENE	4	r
Taichu,	,,	29.73	755.1	86	...	W	2	b	,,	29 63	752.7	75	...		0	b
Tainan,	,,	29.72	754.8	90	...	W	4	b	,,	29.60	751.8	75	...	SE	6	b
Koshun,	,,	29.73	755.1	84	...	NNE	4	o	,,	29.62	752.4	79	...	ENE	6	r
Pescadores,	,,	...	...	86	...	SE	2	o	,,	29.61	752.1	81	...	ENE	4	o
Canton,	15	29 69	754.1	84	83	W	1	c	,,	29.70	754.4	77	95	NNE	1	o
Hongkong,	14	29.70	754.4	88	65	WSW	1	o	,,	29.67	753.6	78	90	ESE	1	b
Gap Rock,	,,	29.71	754.6	...	...	N	3	c	,,	29.66	753.3	...	...	N	4	c
Macao,	,,	29.69	754.2	86	68	ESE	2	o	,,	29.66	753.3	79	96	ENE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.74	755.4	86	71	WNW	2	o	7	29.72	754.8	75	98	NW	4	r
Tourane,	,,	29.65	753.0	81	...	N	7	o	,,	29.66	753.3	79	...	NNW	2	o
Cape St. James,	,,	29.71	754.5	82	...	W	4	o	,,	29.73	755.1	77	...	SW	4	o
Aparri,	14	29.58	751.2	86	71	N	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.59	751.5	86	96	SW	4	o	,,	...	...	..	...	...	...	...
Legaspi,	,,	...	...	90	60	WSW	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29 62	752 4	90	69	S	1	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.59	751.5	...	...	SW	6	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	88	69	SW	2	b	6	29.77	756.1	76	94	SE	2	b

September 15*d* 11*h*. 57*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 125° E., moving N.W.

September 15*d*. 11*h*. 59*m*.— Pressure is highest over S.E. Mongolia and Manchuria. It has increased considerably at Weihaiwei and has decreased slightly to moderately at southern stations.

A typhoon formed yesterday about 400 miles to the east of Aparri. At 6 a.m. this morning it was in about Lat. 20° N. and Long. 125° E., moving W.N.W. or N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·01 inch. Total since January 1st, 60·25 inches, against an average of 71·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening considerably.
2.—South coast of China between Hongkong and Lamocks,	N. winds, moderate; fair to showery.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th September, 1922.								16th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30 04	762.9	67	...	N	4	b	6	30.17	766.2	51	...	NNE	3	b
Nemuro,	11	29.80	757.0	...	...	SSW	3	...	5	29.96	761.0	...	...	N	6	...
Hokodate,	,,	29.80	757.0	...	...	SSW	2	...	,,	29.98	761.5	...	...	N	1	...
Tokio,	,,	29.92	760.0	...	...	...	...	...	,,	29.96	761.0	...	...	...	...	...
Kochi,	,,	29 96	761.0	...	...	ESE	1	...	,,	29.96	761.0	...	...	WSW	1	...
Nagasaki,	,,	29.96	761.0	...	...	SE	1	...	,,	29.94	760.5	...	...	SE	1	...
Kagoshima,	,,	29.92	760 0	...	...	NE	1	...	,,	29.92	760.0	...	...	NNW	1	...
Oshima,	,,	29.82	757.5	...	...	ESE	1	...	,,	29.80	757.0	...	...	E	1	...
Naha,	,,	29.74	755 5	...	...	ENE	4	...	,,	29.73	755.0	...	...	E	3	...
Ishigakijima,	,,	29.67	753.5	...	...	NNE	6	...	,,	29.59	751.5	...	...	ENE	7	...
Bonin Island,	,,	29.82	757.5	...	...	NE	1	...	,,	29.80	757.0	...	...	ENE	1	...
Weihaiwei,	14	29.95	760.7	74	90	NNW	2	b	6	29.97	761.2	66	100	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	.	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	..	...	...	...
Shanghai,	11	29.96	761.0	86	65	E	1	b	,,	29.93	760.2	73	98	E	1	b
Gutzlaff,	,,	29.91	759.7	81	83	ENE	2	o	,,	29.89	759.2	77	92	ESE	4	b
Sharp Peak,	15	29.77	756.1	84	83	NE	4	b	7	29.75	755.6	80	91	ENE	4	b
Amoy,	14	29.62	752 3	90	84	NE	4	b	6	29.63	752.6	81	83	NE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.72	754.8	79	95	E	4	o	,,	29.62	752.7	77	91	E	6	b
Taichu,	,,	29.65	753.0	84	...	...	o	r	,,	29.55	750.6	73	...		o	o
Tainan,	,,	29 62	752.4	86	...	ESE	2	r	,,	29.50	749.4	73	...	E	2	b
Koshun,	,,	29.60	751.8	79	...	NNE	7	r	,,	29.52	749.7	73	...	N	4	r
Pescadores,	,,	29.75	755.7	86	...	NE	4	o	,,	29.59	751.5	81	.	NE	6	bf
Canton,	15	29.62	752.3	89	73	N	1	c	,,	29.66	753.3	76	95	NNW	1	b
Hongkong,	14	29 63	752.6	87	71	W	2	o	,,	29.64	752.8	77	84	...	o	c
Gap Rock,	,,	29.65	753.1	...	...	N	3	b	,,	29.64	752.8	...	...	ENE	4	b
Macao,	,,	29.63	752.7	90	72	SE	1	o	,,	29.62	752.4	77	92	N	2	o
Wuchow,	15	...	...		...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Phulien,	,,	29.68	753.9	81	86	NE	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.61	752.1	81	...	NW	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.71	754.5	75	...	SW	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.49	749.1	82	84	NW	4	o	6	..	..		...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Manila,	,,	29.52	749.7	86	71	WSW	4	o	,,	29.42	749.7	81	84	W	4	o
Legaspi,	,,	29.53	750.0	84	77	SW	6	o	,,	29.54	750.3	79	89	SSW	2	o
Tacloban,	,,	...	...	...	..	...	...	...	,,	...	...	...	.	...	...	...
Iloilo,	,,	29.59	751.5	86	81	SW	4	o	,,	29.61	752.1	79	92	SW	4	o
Surigao,	,,	29.59	751.5	90	57	WSW	4	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.52	749.7	...	...	SW	7	r	4.20	29.52	749.7	...	...	SW	10	r
Yap,	12.47	...	...	...	...	...	...	...	4.47		...	...	...	...	...	...
Labuan,	14	29.71	754.6	86	84	SW	2	b	6	29.76	755.9	76	94	SW	2	r

September 16*d* 11*h*. 10*m*.—Warning to Hongkong, Coast Ports, &c.:—A Typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 123° E., moving N.W.

September 16*d*. 11*h*. 15*m*. Pressure is highest over Manchuria. It has increased moderately at Wladivostock and decreased slightly to moderately over Formosa and Luzon.

At 6 a.m. this morning the typhoon was in about Lat. 20° N. and Long. 123° E., moving N.W.

There is also a typhoon to the north of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·32 inch. Total since January 1st, 60·57 inches, against an average of 71·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening to a gale.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, freshening; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th September, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th September, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.18	766.5	70	...	S	3	h	6	30.10	764.6	62	...	SE	4	c
Nemuro,	11	30.06	763.5	...	...	N	4	...	5	30.24	768.0	...	...	...	...	...
Hokodate,	,,	30.06	763.5	...	...	S	1	...	,,	30.20	767.0	..	...	ESE	4	...
Tokio,	,,	29.94	760.5	...	...	SSE	1	...	,,	30.12	765.0	...	...	N	1	...
Kochi,	,,	29.94	760.5	...	...	W	1	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	29.94	760.5	...	...	E	2	...	,,	29.94	760.5	...	...	...	0	...
Kagoshima,	,,	29.94	760.5	...	...	ENE	1	...	,,	29.92	760.0	...	...	NNE	1	...
Oshima,	,,	29.82	757.5	...	...	ENE	1	...	,,	29.80	757.0	...	...	E	1	...
Naha,	,,	29.74	755.5	...	...	E	3	...	,,	29.73	755.0	...	...	E	2	...
Ishigakijima,	,,	29.63	752.5	...	...	ENE	2	...	,,	29.65	753.0	...	...	E	5	...
Bonin Island,	,,	29.78	756.5	...	...	ENE	7	...	,,	29.78	756.5	...	...	ENE	2	...
Weihaiwei,	14	29.89	759.2	77	91	ESE	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29.97	761.2	86	68	ESE	2	b	,,	29.92	759.9	73	96	E	1	b
Gutzlaff,	,,	29.90	759.4	81	83	ESE	4	b	,,	29.89	759.2	78	86	SE	4	b
Sharp Peak,	15	29.78	756.4	84	75	NNE	4	b	7	29.74	755.4	80	87	N	4	o
Amoy,	14	29.54	750.3	90	81	ENE	4	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.66	753.3	82	84	ESE	6	o	,,	29.63	752.7	77	84	E	6	b
Taichu,	,,	29.53	750.0	79	...	...	0	o	,,	29.50	749.4	72	...	...	0	b
Tainan,	,,	29.50	749.4	84	...	...	0	o	,,	29.48	748.8	75	...	ESE	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.46	748.2	77	...	NNE	7	r
Pescadores,	,,	29.53	750.0	84	...	NNE	7	o	,,	29.48	748.8	79	...	NE	4	b
Canton,	15	29.60	751.8	3	76	SE	1	c	,,	29.62	752.3	77	86	N	2	b
Hongkong,	14	29.60	751.8	88	71	WNW	2	c	,,	29.59	751.6	82	79	...	0	o
Gap Rock,	,,	29.62	752.3	...	...	NNW	4	c	,,	29.59	751.6	...	...	NNW	4	c
Macao,	,,	29.73	755.1	90	60	NE	2	b	,,	29.58	751.2	79	85	NNW	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.62	752.4	90	66	SSW	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.59	751.5	84	...	N	6	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.67	753.6	86	...	S	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.24	742.8	75	94	...	4	r	6	...	...	.		...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.48	748.8	86	68	W	4	o	,,	29.42	747.3	81	89	WSW	6	r
Legaspi,	,,	29.49	749.1	82	84	SW	4	o	,,	29.52	749.7	79	90	SSW	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	.	.	.	..	...	...	...
Iloilo,	,,	29.59	751.5	82	81	SW	4	o	,,	29.60	751.8	79	92	SW	6	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Guam,	12.20	29.55	750.6	...	...	SW	6	o	4.20	29.66	753.3	...	...	S	6	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.70	754.4	86	84	SW	2	b	6	29.73	755.1	80	91	SW	2	b

September 17*d* 6*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 19° N. Long. 122° E., moving W.N.W.

September 17*d*. 12*h*. 15*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 20° N. Long. 120° E., moving W.N.W.

September 17*d*. 1*h*. 10*m*.—Local signal No. 1 lighted.

September 17*d*. 12*h* 15*m*.— Pressure is highest over N.E. Japan. It has decreased moderately at the Pescadores and Manila, and slightly at Koshun and Hongkong.

An anticyclone is central over N.E. Japan.

At 6 a.m. this morning the typhoon was in about Lat. 20° N. and Long. 120° E., moving W.N.W. or W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 60·57 inches, against an average of 71·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N. to N.E. winds, possibly increasing to a gale; fine at first, rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	17TH SEPTEMBER, 1922.								18TH SEPTEMBER, 1922.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.
Wladivostock,	12	29.99	761.8	65	...	SE	7	o	6	29.99	761.	53	...	N	4	r
Nemuro	11	30.26	768.5	...	...	SE	2	...	5	30 20	767.0	...	...	S	6	...
Hokodate,	,,	30.16	766.0	...	...	ESE	6	.	,,	30 06	763 5	...	...	E	5	...
Tokio	,,	30.14	765.5	...	...	NE	2	..	,,	30 14	765.5	...	...	NNW	1	...
Kochi,	,,	29.98	761.5	...	...	SE	1	..	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	29.94	760 5	...	...	W	1	...	,,	29 96	761.0	...	...	ESE	3	...
Kagoshima,	,,	29.92	760.0	...	...	NE	1	...	,,	29.90	759.5	...	...	NNE	1	...
Oshima	,,	29.82	757.5	...	...	NNE	2	...	,,	29.80	757.0	...	...	NNE	1	...
Naha	,,	29.80	757.0	...	...	E	4	...	,,	29.73	755 0	...	...	ENE	2	...
Ishigakijima	,,	29.69	754.0	...	...	E	6	...	,,	29 67	753.5	...	...	ENE	4	...
Bonin Island,	,,	29.74	755 5	...	...	E	3	.	,,	29.69	754.0	...	...	ENE	2	...
Weihaiwei,	14	29 99	761.7	66	95	N	4	o	6	30.14	765.5	63	67	N	4	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	.	...	...	...
Shanghai,	11	29.95	760.7	86	75	SE	4	o	,,	29.98	761.5	72	98	NNE	1	b
Gutzlaff,	,,	29.92	759 9	84	72	SE	2	b	,,	29.95	760.7	77	86	ENE	2	b
Sharp Peak,	15	29.74	755.4	84	83	NNE	4	b	7	29.82	757.4	78	86	NNE	4	o
Amoy,	14	29.59	751.6	81	83	NE	4	b	6	29.61	752.1	81	83	NNE	3	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.67	753.6	84	77	E	6	b	,,	29.67	753.6	77	86	E	4	o
Taichu,	,,	29.50	749.4	93	...	N	4	b	,,	29.52	749.7	72	...		o	b
Tainan,	,,	29.52	749.7	90	...	WSW	2	b	,,	29 49	749.1	75	...	FSE	2	b
Koshun,	,,	29.66	753.3	77	...	NNE	8	r	,,	29.52	749.7	79	...	SE	7	b
Pescadores,	,,	29.65	753.0	86	...	NE	6	b	,,	29.50	749.4	79	...	NNE	7	b
Canton,	15	29.58	751.3	94	61	N	2	b	,,	29.65	753.1	77	82	N	2	b
Hongkong	14	29.58	751.3	91	47	NNE	2	b	,,	29.60	751.8	81	58	NNE	3	b
Gap Rock,	,,	29.59	751.6	...	...	NW	2	b	,,	29.59	751.6	...	...	NW	3	b
Macao,	,,	29.56	750.9	90	51	ENE	4	b	,,	29.59	751.5	82	63	NNE	4	o
Wuchow,	15	...	...	..	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.61	752.1	90	63	W	2	o	7	29.68	753.9	79	96	NNW	1	o
Tourane,	,,	29.59	751.5	84	...	NW	6	b	,,	29.63	752.7	79	...	WNW	2	o
Cape St. James,	,,	29.74	755.4	73	...	SW	6	r	,,	29.74	755.4	77	...	W	4	o
Aparri,	14	...	...	...	...	...	...	...	6	..	..	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.39	746.4	82	84	WSW	6	r	,,	29.39	746 4	82	77	SW	6	r
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.56	750.9	86	68	WSW	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.58	751.2	81	89	WSW	6	r	,,	29.60	751.8	81	87	SW	6	r
Surigao,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Guam,	12.20	29.66	753.3	...	...	SW	4	o	4.20	29.74	755.4	...	...	S	1	o
Yap,	12.4	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.68	753.9	88	76	SW	2	b	6	29.73	755.1	80	91	SW	2	b

September 18*d.* 7*h.* 15*m.*—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 17° N. Long. 118° E., moving S.W.

September 18*d.* 11*h.* 30*m.*—Pressure has increased moderately at Weihaiwei and slightly at Shanghai and Foochow.

Anticyclones are shown to the east of Japan and over S.E. Mongolia.

After passing the 120th meridian yesterday the typhoon curved to the S.W. At 6 a.m. this morning the Rickmers reports wind N.N.E. force 10, and force 11 later.

There are indication of secondary having formed to the south of the Pescadores, but its direction of motion is unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 60·57 inches, against an average of 72·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

DISTRICT.	FORECAST.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, possibly increasing to a gale; fine at first,
3.—Hongkong to Gap Rock,	some rain later.
4.—South coast of China between Hongkong and Hainan.	N.E. winds, freshening.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	18th September, 1922.								19th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.01	762.2	60	...	NNW	2	o	6	30.10	764.4	52	...	E	2	b
Nemuro	11	30.14	765.5	...	...	SSW	5	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.02	762.5	...	...	SE	3	...	,,	...	...	...	...	...	...	...
Tokio	,,	30.06	763.5	...	...	NNE	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.98	761.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.94	760 5	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.90	759.5	...	...	NE	3	...	,,	...	...	...	...	...	...	...
Oshima	,,	29.78	756.5	...	...	NNE	2	...	,,	...	...	...	...	...	...	...
Naha	,,	29.74	755 5	...	...	E	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.70	754.5	...	...	E	6	...	,,	...	...	...	...	...	...	...
Botan Island,	,,	29.67	753.5	...	...	ENE	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	30.13	765.3	66	89	N	6	o	6	30 20	767.1	65	89	N	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.02	762.5	82	67	NNE	1	b	,,	30 09	764.3	66	96	NE	4	r
Gutzlaff,	,,	29.95	760.7	82	75	ENE	2	o	,,	29.99	761.7	72	81	NNE	6	o
Sharp Peak,	15	29.75	755.6	83	83	NE	6	b	7	29.80	756.9	78	86	N	4	o
Amoy,	14	29.48	748.8	90	77	NE	4	b	6	29.66	753.3	81	83	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.71	754.5	86	65	E	6	b	,,	29.73	755.1	75	94	E	4	o
Taichu,	,,	29.52	749.7	86	...	SSW	2	b	,,	2 .58	751.2	72	...		0	b
Tainan,	,,	29.53	750.0	90	...	NNW	2	b	,,	29.56	750.9	77	...	ESE	2	o
Koshun,	,,	29.54	750.3	82	...	NNE	8	o	,,	29.55	750.6	73	...	NE	8	r
Pescadores,	,,	29.54	750.3	86	...	NE	8	b	,,	29.55	750.6	81	...	NE	8	b
Canton,	15	29.62	752.3	92	32	N	2	b	,,	29.77	756 1	69	80	N	3	b
Hongkong,	14	29.59	751.6	90	51	N	3	c	,,	29.66	753.3	76	63	N	4	b q
Gap Rock,	,,	29.63	752.6	..	...	NNE	4	b	,,	29.63	752.6	...	...	NNE	7	b
Macao,	,,	29.60	751.8	90	51	NNE	4	b	,,	29.65	753.0	72	75	N	4	o
Wuchow,	15	29.71	754.6	84	54	N	3	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.65	753.0	90	57	E	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.59	751.5	82	...	NE	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	..	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Manila,	,,	...	...	...	...	...	...	...	,,	29.53	750.0	79	87	SSW	4	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	.	...	...	...	...	...	...
Guam,	12.20	.	...	...	...	...	...	...	4.20	29.78	756.3	...	...	E	1	o
Yap,	12.47	...	...		...	...	...	...	4.47	29.79	756.6	...	...	...	0	o
Labuan,	14	29.69	754.1	88	73	N	2	b	6	29.75	755 6	81	91	SW	2	r

September 19*d.* 10*h.* 55*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 16° N. Long. 116° E., stationary or very slow position uncertain.

September 19*d.* 10*h.* 56*m.*—Pressure has increased slightly at all reporting stations.

From the meagre data available it would appear that the typhoon is nearly stationary in about Lat. 16° N. and Long. 116° E., The supposed secondary to the south of the Pescadores has not developed.

An anticyclones lies over N. China and S.E. Mongolia.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 60·57 inches, against an average of 72·41 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. gales.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, strong, possibly increasing to a gale; fair at first, some rain later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan.	N E. winds, fresh to strong.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	19th SEPTEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	20th SEPTEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.03	762.8	68	...	WSW	1	b	6	30.08	764.1	52	...	NNW	4	b
Nemuro,	11	30.00	762.0	...	...	S	6	...	5	29.86	758.5	...	...	E	3	...
Hokodate,	,,	29.92	760.0	...	...	S	1	...	,,	29.92	760.0	...	...	NW	2	...
Tokio,	,,	29.92	760.0	...	...	N	1	...	,,	29.69	754.0	...	...	NNW	1	...
Kochi,	,,	29.80	757.0	...	...	...	...	...	,,	29.65	753.0	...	...	NW	...	...
Nagasaki,	,,	29.86	758.5	...	...	N	2	...	,,	29.78	756 5	...	..	N	3	...
Kagoshima,	,,	29.82	757.5	...	...	ENE	1	...	,,	29.71	754.5	...	...		...	...
Oshima,	,,	29.75	756.0	...	...	N	4	...	,,	29.69	754.0	...	...	NNW	3	...
Naha,	,,	29 76	756.0	...	...	N	3	...	,,	29.76	756.0	...	..	N	4	...
Ishigakijima,	,,	29.78	756.5	...	...	ENE	5	...	,,	29.80	757.0	...	..	NE	...	...
Bonin Island,	,,	29.59	751.5	...	...	SSE	6	...	,,	29.53	750.0	...	...	S	7	...
Weihaiwei,	14	30.17	756.3	68	85	N	4	o	6	30.18	766.6	66	64	NNE	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.17	766 3	72	62	NNE	4	o	,,	29.91	759.7	59	91	NNW	1	b
Gutzlaff,	..	30.06	763.5	78	65	NNE	4	o	,,	30.07	763.8	70	91	N	4	o
Sharp Peak,	15	29.82	757.4	78	82	N	4	r	7	29.88	758.9	73	79	N	4	o
Amoy,	14	30.06	763.5	88	80	NE	4	o	6	29.75	755.6	78	86	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.78	756.3	84	77	ENE	6	o	,,	29.81	757.2	73	98	NW	6	o
Taichu,	,,	29.61	752.1	84	...	S	2	b	,,	29.66	753.3	75	...	...	o	o
Tainan,	,,	29.61	752.1	82	...	SW	4	o	,,	29.66	753.3	77	...	...	o	o
Koshun,	,,	29.66	753.3	75	...	NNE	8	r	,,	29.67	753.6	75	...	NE	8	o
Pescadores,	,,	29.63	752.7	84	...	NE	7	o	,,	29.66	753.3	79	...	NE	10	b
Canton,	15	29.72	754.9	85	68	N	3	b	,,	29.73	755.1	70	85	N	3	o
Hongkong,	14	29.65	753.1	84	53	NNE	3	eq	,,	29.60	751.8	73	72	N	3	eq
Gap Rock,	,,	29.64	752.8	...	...	N	7	o	,,	29.56	750.8	...	...	N	8	o
Macao,	,,	29.65	753.0	79	61	N	4	o	,,	29.60	751.8	70	83	N	6	r
Wuchow,	15	29.81	757.2	79	54	N	2	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.76	756.0	84	52	...	...	...	7	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	73	...	N	4	r	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	79	...	SW	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.59	751.5	77	91	SW	6	r	,,	...	...	...	...	...	...	...
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.67	753.6	97	53	S	4	b	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.67	753.6	86	75	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	ENE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	88	73	N	2	b	6	29.75	755 6	81	91	SE	2	b

September 20*d.* 5*h.* 20*m.*—Warning to Hongkong, Coast Ports, &c. :—A severe typhoon within 120 miles of Lat. 17° N. Long. 116° E., moving N.W.

September 20*d.* 6*h.* 20*m.*—Local signal No. 3 hoisted.

September 20*d.* 11*h.* 40*m.*—Pressure has decreased considerably over central Japan and increased slightly from Shanghai to Formosa. It has decreased slightly at Hongkong.

At 6 a.m. the typhoon was to the N.E. of the Macclesfields, moving apparently N.W. Ships to the N. and N.N.E. of the centre are experiencing very violent squalls.

There is another typhoon between Kobe and the Bonins, moving N.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 60·58 inches, against an average of 72·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales; overcast, rain.
2.—South coast of China between Hongkong and Lamocks.	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20th September, 1922.								21st September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.07	763.7	57	...	NNW	2	b	6	30.06	763.4	44	...	N	2	b
Nemuro,	11	29.88	759.0	...	...	...	...	...	5	29.75	755.5	...	...	NE	2	...
Hokodate,	,,	29.90	759.5	...	...	...	...	...	,,	29.80	757.0	...	...	N	7	...
Tokio,	,,	29.63	752.5	...	...	NW	3	...	,,	29.59	751.5	...	...	NNE	2	...
Kochi,	,,	29.63	752.5	...	...	NW	1	...	,,	29.69	754.0	...	...	...	3	...
Nagasaki,	,,	29.76	756.0	...	...	NNE	5	...	,,	29.82	757.5	...	...	NNE	4	...
Kagoshima,	,,	29.67	753.5	...	...	NW	1	...	,,	29.76	756.0	...	...	ENE	1	...
Oshima,	,,	29.72	755.0	...	...	N	4	...	,,	29.76	756.0	...	...	N	6	...
Naha,	,,	29.78	756.5	...	...	N	4	...	,,	29.80	757.0	...	...	NNE	2	...
Ishigakijima,	,,	29.84	758.0	...	...	NE	5	...	,,	29.84	758.5	...	...	NNE	2	...
Bonin Island,	,,	29.51	749.5	...	...	S	8	...	,,	29.53	750.0	...	...	SW	5	...
Weihaiwei,	14	30.10	764.5	72	58	N	1	b	6	30.14	765.5	66	68	N	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.15	765.8	75	49	NNE	2	b	,,	30.12	765.0	61	89	N	1	b
Gutzlaff,	,,	30.05	763.2	75	56	N	4	b	,,	30.06	763.5	70	61	NNE	4	o
Sharp Peak,	15	29.92	759.9	78	70	ENE	4	o	7	29.98	761.5	72	71	N	4	o
Amoy,	14	29.80	756.9	84	75	NE	4	b	6	29.87	758.7	75	86	ENE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.88	759.0	77	85	E	6	r	,,	29.92	759.9	72	86	E	4	o
Taichu,	,,	29.73	755.1	86	...	NNW	2	b	,,	29.82	757.5	72	...	NNW	2	b
Tainan,	,,	29.73	755.1	84	...	WNW	2	o	,,	29.80	756.9	73	...	N	2	o
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.78	756.3	81	...	NE	8	o	,,	29.84	757.8	77	...	NNE	6	b
Canton,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hongkong,	14	29.56	750.8	75	75	NE	5	orq	,,	29.68	753.9	79	90	ESE	6	orq
Gap Rock,	,,	29.47	748.5	...	...	NNE	8	or	,,	...	...	...	...	...	...	...
Macao,	,,	29.54	750.3	75	67	N	6	o	,,	29.62	752.4	77	96	SSE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.74	755.4	84	55	NNW	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.66	753.3	79	...	NNW	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	79	...	SW	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.80	756.9	79	89	...	0	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	86	71	SSW	4	o	,,	29.81	757.2	75	94	ESE	1	o
Legaspi,	,,	29.74	755.4	90	63	SSW	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	90	69	...	0	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	75	SW	4	o	,,	29.80	756.9	75	94	W	1	o
Surigao,	,,	29.73	755.1	86	91	WSW	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	SE	1	o	4.20	29.75	755.7	...	...	ESE	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	88	69	W	2	b	6	29.78	756.4	78	86	SW	2	b

September 20*d*. 16*h*. 25*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 19° N. Long. 114° E., moving N.W.

September 21*d* 11*h*. 20*m*.—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 23° N. Long. 110° E., filling up.

September 20*d*. 15*h*. 25*m*.—Local signal No. 6 hoisted.
September 21*d*. 3*h*. 10*m*.— ,, ,, ,, 4 lighted.
September 21*d*. 8*h*. 35*m*.— ,, ,, ,, 4 lowered.

September 21*d*. 11*h*. 20*m*.—Pressure has increased moderately from Formosa to Hongkong and slightly over the Loochoos. It has decreased moderately over central and N.E. Japan.

The typhoon entered the coast this morning near Quong Cha Wan. It is now filling up.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 3·79 inch. Total since January 1st, 64·37 inches, against an average of 73·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong, moderating.
2.—South coast of China between Hongkong and Lamocks,	S.E. winds, strong, moderating; overcast, occasional rain.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	S. winds, strong, moderating.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st September, 1922.								22nd September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.03	762.8	56	...	N	4	b	6	30.01	762.1	48	...	E	1	b
Nemuro,	11	29.63	752.5	...	...	NNE	6	...	5	29.59	751.5	...	...	NW	8	...
Hokodate,	,,	29.74	755.5	...	...	NNW	6	...	,,	29.84	758.0	...	...	NW	2	...
Tokio,	,,	29.51	749.5	...	...	N	3	...	,,	30.02	762.5	...	...	NE	1	...
Kochi,	,,	29.90	759.5	...	...	NW	3	...	,,	30 08	764.0	...	...	SW	1	...
Nagasaki,	,,	29.86	758.5	...	...	N	4	...	,,	30.08	764 0	...	...	E	3	...
Kagoshima,	,,	29.82	757.5	...	...	NNW	3	...	,,	30.00	762.0	...	...	NNE	2	...
Oshima,	,,	29.82	757.5	...	...	WNW	6	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.86	758.5	...	...	NNE	5	...	,,	29.92	760.0	...	...	NE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	N	3	...	,,	29.92	760.0	...	...	NNE	2	...
Bonin Island,	,,	29.59	751.5	...	...	SW	6	...	,,	29.84	758.0	...	...	ENE	1	...
Weihaiwei,	14	30.03	762.7	73	72	NW	2	b	6	30 07	763.8	66	84	NW	1	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.17	756.3	77	40	NNE	2	b	,,	30.12	765.0	61	85	NE	1	b
Gutzlaff,	,,	30.09	764.3	76	56	NNE	2	b	,,	30.08	764.0	69	61	NNE	2	b
Sharp Peak,	15	29.98	761.5	80	66	ENE	4	b	7	30.04	763.0	74	81	E	2	0
Amoy,	14	29.86	758.4	84	75	E	2	0	6	29.88	758.9	75	81	NE	2	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.99	761.7	79	73	ESE	4	0	,,	29.94	760.5	72	86	E	4	0
Taichu,	,,	29.88	759.0	84	...	N	4	b	,,	29.88	759.0	70	...	...	0	b
Tainan,	,,	29.87	758.7	86	...	NW	4	b	,,	29.85	758.1	72	...	NNE	2	b
Koshun,	,,	29.87	758.7	81	...	NE	6	0	,,	29.86	758.4	77	...	NNE	6	b
Pescadores,	,,	29.92	759.9	81	...	NE	8	0	,,	29.88	759.0	77	...	NE	6	b
Canton,	15	...	...	...	...	...	...	...	,,	29.69	754.1	69	95	NE	2	or
Hongkong,	14	29.76	755 9	76	94	ESE	5	orq	,,	29.85	758.2	77	86	ESE	6	oq
Gap Rock,	,,	...	...	...	...	...	...	...	,,	29.82	757.4	...	...	ENE	6	o
Macao,	,,	29.73	755.1	81	86	SE	4	r	,,	29.82	757.5	75	96	ESE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.74	755.4	75	71	N	4	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.8	81	...	NNW	4	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	81	...	SW	4	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	86	75	N	4	0	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	86	71	WSW	2	0	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.73	755.1	90	69	W	2	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	78	SSW	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.74	755.4	86	65	W	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.68	753.9	...	...	SE	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	...	...	86	76	E	2	b	6	29.82	757.4	80	87	SW	2	b

September 22*d.* 11*h.* 17*m.*—Pressure has decreased considerably over N.E. Japan and slightly from Wladivostock to Weihaiwei. It has increased considerably from S.W. Japan to the Bonins and at Hongkong.

The typhoon which passed the Bonins on September 19 has moved to the E. of Hokkaido.

The anticyclone is now central near Weihaiwei. It is moving eastward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 1·63 inch. Total since January 1st, 66·co inches, against an average of 73·37 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	E. winds, fresh to moderate; overcast, rain.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd September, 1922.								23rd September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.94	760.5	67	...	SE	3	b	6	29.95	760.6	53	...	N	1	b
Nemuro,	11	29.72	755.0	...	...	NW	3	...	5	29.94	760.5	...	...	SW	2	...
Hokodate,	,,	29.86	758.5	...	...	WNW	6	...	,,	...	...	...	...	W	1	...
Tokio,	,,	30.02	762.5	...	...	...	...	...	,,	29.92	760.0	...	...	NW	1	...
Kuchi,	,,	30 02	762.5	...	...	...	0	...	,,	30.04	763.0	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	...	0	...	,,	30 02	762.5	...	...	SE	1	...
Kagoshima,	,,	30.08	764.0	...	...	NE	1	...	,,	30.04	763.0	...	...	NW	1	...
Oshima,	,,	29.94	760.5	...	...	ENE	2	...	,,	29.96	761.0	...	...	SSE	1	...
Naha,	,,	29.92	760.0	...	...	E	2	...	,,	29.92	760.0	...	...	ENE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	ENE	4	...	,,	29.88	759.0	...	...	ENE	2	...
Bonin Island,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.94	760 5	...	...	...	...	...
Weihaiwei,	14	30.01	762.2	72	58	...	0	0	6	30 00	762.0	60	76	...	0	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.12	765 0	79	45	SE	1	b	,,	30.01	762.2	64	92	ESE	1	b
Gutzlaff,	,,	30.04	763.0	76	56	E	1	b	,,	29.98	761.5	71	80	S	2	b
Sharp Peak,	15	29.95	760.7	80	74	E	2	0	7	29.92	759.9	73	86	NW	2	b
Amoy,	14	29.87	758.7	90	81	E	2	b	6	29.87	758.7	75	86	NE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.95	760.8	84	60	NE	6	b	,,	29.87	758.7	72	91	ENE	7	b
Taichu,	,,	29.89	759.3	84	...	WNW	2	b	,,	29.84	757.8	75	...	...	0	0
Tainan,	,,	29.88	759 0	86	...	SW	4	b	,,	29.82	757.5	75	...	SSE	2	b
Koshun,	,,	29.88	759.0	84	...	NE	6	b	,,	29.78	756.3	77	...	NE	6	b
Pescadores,	,,	29.88	759.0	82	...	NE	7	b	,,	29.82	757.5	77	...	NE	6	b
Canton,	15	29.85	758.2	79	87	ESE	1	c	,,	29.88	758.9	73	95	SE	1	0
Hongkong,	14	29.86	758.4	76	91	E	4	orq	,,	29.85	758.2	77	82	E	4	0
Gap Rock,	,,	29.84	757.9	...	...	ENE	5	0	,,	29.83	757.7	...	...	ENE	5	0
Macao,	,,	29.78	756.3	79	87	ESE	4	0	,,	29.82	757.5	75	88	ENE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.85	758.1	82	67	SSW	1	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.79	756.6	81	...	NNW	4	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	84	...	WSW	4	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	81	89	NE	4	r	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	79	90	NNW	1	0	,,	...	...	...	...	...	...	...
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	75	88	...	0	r	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	NW	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4-47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	88	76	SW	2	b	6	29.81	757.2	80	82	SE	2	b

September 23*d.* 11*h.* 20*m.*—Pressure has increased considerably over N.E. Japan and decreased slightly from Weihaiwei to Hongkong.

The anticyclone is now central over S. Korea.

There may be a depression to the east of S. Luzon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·13 inch. Total since January 1st, 66·13 inches, against an average of 73·67 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, fresh to moderate ; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd September, 1922.								24th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.00	762.1	56	...	WSW	2	b	6	30.09	764.2	57	...	ENE	2	0
Nemuro,	11	29.98	761.5	...	...	SW	5	...	5	30.10	764.5	...	...	SW	1	...
Hokodate,	,,	30.00	762.0	...	...	S	1	...	,,	30.10	764.5	...	...	N	1	...
Tokio,	,,	30.08	764.0	...	...	N	2	...	,,	30.06	763.5	...	...	NNW	1	...
Kochi,	,,	30.00	762.0	...	...	NW	2	...	,,	30.10	764.5	...	...	WSW	1	...
Nagasaki,	,,	30.04	763.0	...	...	SE	1	...	,,	30.06	763.5	...	...	SE	1	...
Kagoshima,	,,	30.02	762.5	...	...	SE	1	...	,,	30.08	764.0	...	...	...	...	...
Oshima,	,,	29.96	761.0	...	...	ESE	1	...	,,	30.00	762.0	...	...	SSE	3	...
Naha,	,,	29.92	760.0	...	...	E	3	...	,,	29.96	761.0	...	...	E	1	...
Ishigakijima,	,,	29.90	759.5	...	...	E	3	...	,,	29.92	760.0	...	...	ESE	2	...
Bonin Island,	,,	29.94	760.5	...	...	S	2	...	,,	30.00	762.0	...	...	WSW	1	...
Weihaiwei,	14	29.99	761.7	69	85	WNW	2	o	6	30.02	762.5	54	74	SSW	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iohang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.02	762.5	82	54	SE	2	b	,,	30.02	762.5	72	96	SE	1	o
Gutzlaff,	,,	29.98	761.5	78	70	SSE	2	b	,,	30.01	762.2	75	79	SSW	1	o
Sharp Peak,	15	29.94	760.5	83	73	E	1	b	7	29.97	761.2	76	82	N	1	b
Amoy,	14	29.83	757.7	88	73	E	1	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.89	759.3	86	61	E	6	b	,,	29.91	759.6	68	91	E	2	b
Taichu,	,,	29.86	758.4	84	...	W	2	b	,,	29.88	759.0	75	...	...	0	b
Tainan,	,,	29.85	758.1	86	...	WSW	4	o	,,	29.87	758.7	75	...	NE	2	o
Koshun,	,,	29.86	758.4	84	...	NE	4	b	,,	29.87	758.7	73	...	SW	4	b
Pescadores,	,,	29.87	758.7	84	...	NNE	6	o	,,	29.89	759.3	77	...	N	4	b
Canton,	15	29.83	757.7	84	79	SE	1	o	,,	29.92	759.9	75	95	...	0	o
Hongkong,	14	29.84	757.9	81	73	E	4	b	,,	29.90	759.4	78	81	E	3	o
Gap Rock,	,,	29.83	757.7	...	...	ENE	5	b	,,	29.88	758.9	...	...	NE	4	b
Macao,	,,	29.82	757.5	84	77	ESE	2	o	,,	29.88	759.0	75	45	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.81	757.2	86	65	SE	4	b	7	...	...	75	96	NE	2	of
Tourane,	,,	29.76	756.0	82	...	N	4	o	,,	29.82	757.5	73	...	E	4	o
Cape St. James,	,,	29.75	755.7	81	...	WSW	2	o	,,	...	...	73	...	WSW	4	o
Aparri,	14	29.75	755.7	86	100	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.71	754.5	79	84	NW	4	r	,,	29.76	756.0	75	96	...	0	0
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.69	754.2	90	66	SE	2	o	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.71	754.5	84	96	SSE	4	o	,,	29.81	757.2	79	92	SSE	2	0
Surigao,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	81	76	WSW	1	0
Guam,	12.20	29.74	755.4	...	...	NE	1	o	4.20	29.76	756.0	...	...	SE	1	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.70	754.4	84	75	W	4	b	6	29.80	756.9	80	87	SW	2	b

September 23*d*. 14*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 126° E., moving West.

September 24*d* 6*h*. 20*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 123° E., moving West.

September 24*d*. 13*h*. 20*m*.—Warning to Hongkong. Coast Ports, &c.:—Typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 116° E., moving W.S.W.

September 24*d*. 13*h*. 20*m*.—Pressure has increased moderately over Japan and slightly from the Loochoos to Hongkong.

The anticyclone is now central to the north of Tokio.

The depression passed over the Visayas yesterday afternoon in a west south-westerly direction. It may develope into a typhoon. At 6 a.m. this morning it was in about Lat. 12° N. and Long. 116° E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·13 inches, against an average of 73·96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	E. winds, fresh to moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th SEPTEMBER, 1922.								25th SEPTEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.07	763.7	65	...	SSE	4	o	6	29.88	758.8	58	...	SE	4	o
Nemuro,	11	30.12	765.0	...	...	NNE	1	...	5	30.08	764.0	...	...	SE	3	...
Hokodate,	,,	29.92	760.0	...	...	NE	4	...	,,	29.96	761.0	...	...	...	...	...
Tokio,	,,	30.06	763.5	...	...	NNE	1	...	,,	30.02	762.5	...	...	...	...	...
Kochi,	,,	...	...	...	...	...	...	...	,,	30.02	762.5	...	...	SW	1	...
Nagasaki,	,,	30.06	763.5	...	...	ESE	3	...	,,	29.98	761.5	...	...	S	3	...
Kagoshima,	,,	30.06	763.5	...	...	S	1	...	,,	30.02	762.5	...	...	...	...	...
Oshima,	,,	30.02	762.5	...	...	ESE	1	...	,,	29.98	761.5	...	...	SSE	1	...
Naha,	,,	29.98	761.5	...	...	ESE	2	...	,,	29.96	761 0	...	...	...	...	...
Ishigakijima,	,,	29.98	761.5	...	...	SE	3	...	,,	29.92	760.0	...	...	E	1	...
Bonin Island,	,,	29.98	761.5	...	...	NNW	1	...	,,	29.98	761.5	...	...	...	...	...
Weihaiwei,	14	29.97	761 2	65	84	SW	1	o	6	29.97	761.2	64	89	NW	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.04	763.0	81	97	WNW	4	b	,,	30.06	763.5	68	96	NNW	1	o
Gutzlaff,	,,	30.01	762.2	80	78	...	o	o	,,	30.03	762.7	72	92	N	2	o
Sharp Peak,	15	29.98	761.5	84	79	ENE	2	b	7	29.97	761.2	76	91	W	1	b
Amoy,	14	...	...		...	...	...	...	6	29.88	758.9	80	87	ENE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.95	760.8	90	55	ESE	4	b	,,	29.92	759.9	73	86	E	4	b
Taichu,	,,	29.93	760.2	86	...	W	2	o	,,	29.89	759.3	84	...	N	1	b
Tainan,	,,	29.93	760.2	86	...	W	2	b	,,	29.87	758.7	73	...	...	o	b
Koshun,	,,	29.91	759.6	86	...	NE	4	b	,,	29.89	759.3	75	...	ENE	4	b
Pescadores,	,,	29.94	760.5	84	...	NW.	4	b	,,	29.89	759.3	77	...	NNE	2	b
Canton,	15	29 90	759.4	88	73	...	o	c	,,	29.94	760.5	76	95	N	1	o
Hongkong,	14	29.90	759.4	83	69	ESE	3	b	,,	29.91	759.7	77	79	E	1	b
Gap Rock,	,,	29.91	759.7	...	...	ENE	5	b	,,	29.91	759.7	...	...	ENE	4	b
Macao,	,,	29.89	759.3	84	71	ESE	2	b	,,	29.89	759.3	73	96	N	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pinlien,	,,	...	...	...	...	...	...	...	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.81	757.2	77	94	...	o	o
Dagupan,	,,	29 75	755.7	82	84	SE	2	r	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	81	80	SSW	2	o	,,	29.84	757.8	73	96	...	o	o
Legaspi,	,,	29.79	756.6	81	90	SW	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	86	78	SSW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	86	71	WSW	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	ESE	2	o	4.20	29.75	755.7	...	...	SE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.68	753.9	...	...	WSW	4	r
Labuan,	14	29.79	756.6	86	76	N	2	b	6	29.87	758.7	74	94	SW	2	r

September 25*d.* 11*h.* 32*m.*—Pressure has decreased considerably at Wladivostock and slightly over Japan. It has increased moderately at Manila, and is nearly stationary at other reporting stations.

In the absence of observations from Indo-China it is not possible to give definite information concerning the typhoon in the China Sea. It is probably continuing on a W.S.W. track, however. Another may be forming to the north of Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·13 inches, against an average of 74·23 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26th.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th SEPTEMBER, 1922.								26th SEPTEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.83	757.8	64	...	S	3	o	6	29.93	760.2	59	...	...	o	o
Nemuro,	11	29.98	761.5	...	...	SE	3	...	5	29.86	758.5	...	...	E	1	...
Hokodate,	,,	29.88	759.0	...	...	ENE	1	...	,,	29.80	757.0	...	...	NNE	1	...
Tokio,	,,	29.94	760.5	...	...	S	2	...	,,	29.84	758.0	...	...	WNW	1	...
Kochi,	,,	29.96	761.0	...	...	NNE	1	...	,,	29.92	760.0	...	...	SW	1	...
Nagasaki,	,,	29.96	761.0	...	...	WNW	2	...	,,	29.94	760.5	...	...	WSW	1	...
Kagoshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	29.94	760.5	...	...	N	3	...	,,	29.92	760.0	...	...	SSE	1	...
Naha,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.90	759.5	...	...	NNE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	SSE	3	...	,,	29.86	758.5	...	...	ENE	1	...
Bonin Island,	,,	29.94	760.5	...	...	N	1	...	,,	29.96	761.0	...	...	...	...	...
Weihaiwei,	14	29.91	759.7	72	81	N	1	b	6	29.90	759.4	54	94	W	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.05	763.2	68	94	N	1	r	,,	30.03	762.7	68	98	NW	1	o
Gutzlaff,	,,	30.00	762.0	71	85	NNW	2	o	,,	29.99	761.7	70	95	SE	1	o
Sharp Peak,	15	29.93	760.2	86	76	E	2	b	7	29.97	761.2	76	91	E	1	b
Amoy,	14	29.83	757.7	88	84	SSE	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.91	759.6	90	57	E	4	b	,,	29.85	758.1	73	96	NE	4	b
Taichu,	,,	29.91	759.6	86	...	W	2	b	,,	29.85	758.1	73	...	...	o	b
Tainan,	,,	29.91	759.6	90	...	NW	4	b	,,	29.82	757.5	73	...	...	o	b
Koshun,	,,	29.88	759.0	86	...	NE	4	b	,,	29.82	757.5	73	...	...	o	b
Pescadores,	,,	29.93	760.2	84	...	N	4	b	,,	29.84	757.8	77	...	N	2	b
Canton,	15	29.85	758.2	89	66	N	1	c	,,	29.86	758.4	77	91	N	1	c
Hongkong,	14	29.86	758.4	84	66	E	3	c	,,	29.82	757.4	77	86	NE	1	c
Gap Rock,	,,	29.85	758.2	...	...	ENE	5	b	,,	29.82	757.4	...	...	ENE	4	b
Macao,	,,	29.85	758.1	86	71	ESE	2	b	,,	29.81	757.2	77	85	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.84	757.8	86	65	E	1	o	7	29.84	757.8	79	96	NW	2	o
Tourane,	,,	29.76	756.0	73	...	N	4	r	,,	29.73	755.1	73	...	W	2	o
Cape St. James,	,,	29.78	756.3	84	...	SSW	2	o	,,	29.78	756.3	77	...	WSW	2	o
Aparri,	14	29.78	756.3	86	75	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	84	77	WSW	2	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	81	84	NW	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	84	74	NW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.71	754.5	84	71	W	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	SE	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	...	...	SE	4	b	6	29.78	756.4	80	91	SW	2	b

September 25*d*. 12*h*. 15*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 13° N. Long. 114° E., position uncertain, direction unknown.

September 26*d* 9*h*. 05*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 13° N. Long. 113° E., moving N.W. position uncertain.

September 26*d*. 11*h*. 45*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 112° E., moving N.W.

September 26*d*. 11*h*. 45*m*.—Pressure has decreased considerably over N.E. Japan and slightly in other districts. It is highest near Shanghai

At 6 a.m. this morning the depression or typhoon in the China Sea appeared to be in about Lat. 15° N. and Long. 112° E., moving N.W.

A depression formed to the north of Yap yesterday morning, and appears to be moving westward. It may develope into a typhoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·13 inches, against an average of 74·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fair at first, some rain later.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th SEPTEMBER, 1922.								27th SEPTEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.92	760.0	67	...	SSE	4	o	6	30.08	764.1	63	...	ESE	3	b
Nemuro,	11	29.90	759.5	...	...	ESE	1	...	5	30 20	76 - o	...	...	SSE	1	...
Hokodate,	,,	29.86	758.5	...	...	NNW	5	...	,,	30.16	766.0	...	...	N	1	...
Tokio,	,,	29.90	759.5	...	...	N	1	...	,,	30.16	766.0	...	...	N	1	...
Kochi,	,,	29.92	760.0	...	...	ESE	1	...	,,	30.06	763.5	...	...	SW	1	...
Nagasaki,	,,	29.98	761.5	...	...	NNE	1	...	,,	30.00	762.0	...	...	ESE	2	...
Kagoshima,	,,	29.92	760.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	.	0	...
Oshima.	,,	29.92	760 o	...	...	N	2	...	,,	29.92	760.0	...	...	SE	1	...
Naha.	,,	29.88	759.0	...	...	E	1	...	,,	29.88	759.0	...	...	S	1	...
Ishigakijima,	,,	29.86	758.5	...	...	S	1	...	,,	29.80	757.0	...	...	ENE	2	...
Bonin Island,	,,	29.96	761.0	...	...	ENE	1	...	,,	30.04	763.0	...	...	...	0	...
Weihaiwei,	14	29.84	757.9	75	77	S	4	b	6	29.95	760.7	69	90	S	4	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	....	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.04	763.0	72	89	E	1	o	,,	29.98	761 5	66	98	NE	2	r
Gutzlaff,	,,	29.97	761.2	74	81	ESE	4	o	,,	29.93	760.2	70	100	NE	4	o
Sharp Peak,	15	29.87	758.7	83	83	ENE	4	b	7	29.87	758.7	77	86	N	2	b
Amoy,	14	29.78	756.4	90	81	SSE	2	b	6	29.77	756.1	78	86	SE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.87	758.7	86	71	ENE	6	b	,,	29.80	756.9	75	88	ENE	6	b
Taichu,	,,	29.85	758.1	86	...	NW	2	b	,,	29.78	756.3	75	...	...	0	o
Tainan,	,,	29.82	757.5	90	...	W	2	b	,,	29.74	755 4	77	...	NE	2	b
Koshun,	,,	29.84	757.8	85	...	NE	4	b	,,	29.74	755.4	77	...	NNE	2	b
Pescadores,	,,	29.86	758.4	84	...	ENE	4	o	,,	29.76	756.0	77	...	NNE	2	o
Canton,	15	29.79	756.6	88	76	...	0	c	,,	29.80	756.9	75	100	...	0	c
Hongkong,	14	29.80	756.9	83	71	E	2	b	,,	29.78	756.4	77	80	E	3	b
Gap Rock,	,,	29.80	756.9	...	...	ENE	4	b	,,	29.78	756.4	...	...	ENE	5	c
Macao,	,,	29.79	756.6	86	75	ESE	2	b	,,	29.68	753 9	77	88	E	1	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulieu,	,,	29.76	756.0	90	55	E	2	o	7	29.80	756.9	73	98	NE	6	r
Tourane,	,,	29.67	753.6	77	...	NE	2	o	,,	29.71	754.5	75	...	NW	4	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	77	...	SW	4	o
Aparri,	14	29.71	754.5	86	68	NNE	4	o	6	29.60	751.8	81	84	NNW	4	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	86	71	WSW	4	o	,,	29.62	752.4	79	89	NW	2	o
Legaspi,	,,	29.68	752.4	82	86	WSW	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.62	752.4	77	89	W	4	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	86	65	SW	2	o	,,	29.66	29.33	79	85	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29 75	755.7	...	...	...	0	b	4.20	29.82	757.5	...	...	...	0	b
Yap,	12.47	...	...		...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	82	87	SW	2	b	6	29.81	757.2	80	87	SW	2	b

September 26*d.* 21*h.* 20*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 109° E., filling up.

September 27*d* 12*h.* 30*m.*—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 120 miles of Lat. 17° N. Long. 124° E., moving N.W.

September 27*d.* 12*h.* 32*m.*—Pressure has increased considerably over N.E. Japan and decreased slightly from Shanghai to Indo-China.

An anticyclone is central to the north east of Japan.

The China Sea depression entered the coast near Tourane and is now filling up.

At 6 a.m. this morning the Yap typhoon was in about Lat. 17° N. and Long. 124° E., moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·13 inches, against an average of 74·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th September, 1922.								28th September, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.09	764.4	72	...	SSE	6	b	6	30.05	763.3	50	...	N	7	c
Nemuro,	11	30.26	768.5	...	...	...	...	...	5	30.24	768.0	...	...	S	4	...
Hokodate,	,,	30.20	767.0	...	...	SE	1	...	,,	30.12	765.0	...	...	ENE	1	...
Tokio,	,,	30.20	767.0	...	...	N	1	...	,,	30.16	766.0	...	...	...	0	...
Kochi,	,,	30.08	764.0	...	...	E	1	...	,,	30.10	764.5	...	...	...	...	...
Nagasaki,	,,	30.02	762.5	...	...	SE	1	...	,,	30.02	762.5	...	...	SE	1	...
Kagoshima,	,,	30.04	763.0	...	...	N	1	...	,,	30.00	762.0	...	...	SSE	1	...
Oshima,	,,	29.96	761.0	...	...	SE	2	...	,,	29.96	761.0	...	...	SE	1	...
Naha,	,,	29.90	759.5	...	...	ESE	2	...	,,	29.88	759.0	...	...	ESE	2	...
Ishigakijima,	,,	29.82	757.5	...	...	E	5	...	,,	29.67	753.5	...	...	S	7	...
Bonin Island,	,,	30.04	763.0	...	...	NE	1	...	,,	30.08	764.0	...	...	NE	1	...
Weihaiwei,	14	29.95	760.7	76	73	S	4	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.02	762.5	70	88	ENE	2	r	,,	30.03	762.7	72	100	NE	1	0
Gutzlaff,	,,	29.93	760.2	75	92	E	4	b	,,	29.99	761.7	74	100	...	0	0
Sharp Peak,	15	29.86	758.4	84	79	NE	2	b	7	29.78	756.4	80	87	N	4	0
Amoy,	14	29.71	754.6	90	77	ENE	1	b	6	29.60	751.8	82	83	NW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.80	756.9	86	65	E	6	o	,,	29.62	752.4	79	92	E	6	o
Taichu,	,,	29.75	755.7	86	...	NW	2	b	,,	29.43	747.6	77	...	...	0	o
Tainan,	,,	29.74	755.4	90	...	NW	4	b	,,	29.42	747.3	77	...	SSE	4	r
Koshun,	,,	29.74	755.4	84	...	NNE	6	o	,,	29.35	745.5	75	...	N	6	r
Pescadores,	,,	29.76	756.0	84	...	N	6	o	,,	29.48	748.8	81	...	NNE	7	o
Canton,	15	29.76	755.9	89	77	W	1	c	,,	29.77	756.1	77	91	N	2	b
Hongkong,	14	29.78	756.4	84	70	E	2	c	,,	29.72	754.9	78	91	W	1	b
Gap Rock,	,,	29.79	756.6	...	...	ENE	4	b	,,	29.74	755.4	...	...	NW	4	b
Macao,	,,	29.78	756.3	86	71	ESE	1	o	,,	29.72	754.8	77	88	NNW	1	c
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.74	755.4	82	81	ENE	6	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.67	753.6	79	...	N	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	70	...	SW	2	r	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.48	748.8	75	92	S	6	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.59	751.5	84	77	WSW	6	o	,,	29.69	754.2	79	90	SSW	4	o
Leguspi,	,,	29.60	751.8	84	81	WSW	4	o	,,	29.76	756.0	79	92	SW	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	77	92	...	0	o
Iloilo,	,,	29.67	753.6	86	71	WSW	4	o	,,	29.81	757.2	75	98	SW	4	r
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	4	r	4.20	29.81	757.2	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.85	758.1	...	...	NNE	1	o
Labuan,	14	29.74	755.4	84	83	SW	2	b	6	29.81	757.2	80	95	SW	2	b

September 28*d.* 6*h.* 20*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 124° E., moving N.

September 28*d.* 8*h.* 30*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon of unknown intensity within 60 miles of Lat. 21° N. Long. 122° E., moving N.N.W.

September 28*d.* 11*h.* 40*m.*—Pressure has decreased considerably over Formosa and moderately at Aparri. It is decreasing at Hongkong.

An anticyclone is central to the N.E. of Tokio.

At 6 a.m. this morning the typhoon was in about Lat. 21° N. and Long. 122° E., moving N.N.W. or N.W.

The wind is freshening considerably at Amoy and Foochow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 76·13 inches, against an average of 75·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales.
2.—South coast of China between Hongkong and Lamocks,	W. winds, freshening considerably.
3.—Hongkong to Gap Rock,	W. winds, moderate to fresh; fine to cloudy.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th SEPTEMBER, 1922.								29th SEPTEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.00	762.0	54	...	N	6	o	6	29.99	761 8	46	...	WNW	4	b
Nemuro,	11	30.18	766.5	...	...	SSE	5	...	5	29.75	755.5	...	...	SSW	3	...
Hokodate,	,,	30.04	763.0	...	...	ESE	2	...	,,	29 73	755.0		...	NE	1	...
Tokio,	,,	30.08	764.0	...	...	SSW	1	...	,,	29.94	760.3	...	...	SSW	2	...
Kochi,	,,	30.10	764.5	...	...	...	...	...	,,	30.02	762.5	...	...	...	o	...
Nagasaki,	,,	30.02	762.5	...	...	SE	1	...	,,	30 04	763.0	...	...	SW	1	...
Kagoshima,	,,	30.06	763.5	...	...	...	...	...	,,	30 02	762.5	...	...	...	...	...
Oshima,	,,	30.00	762 0	...	...	SSE	3	...	,,	29.98	761 5	...	...	...	...	...
Nabe,	,,	29.96	761.0	...	...	SE	4	...	,,	29.82	760 0	...	...	SE	3	...
Ishigakijima,	,,	29 72	755.0	...	...	SE	1	...	,,	29 73	755.0	...	...	S	8	...
Bonin Island,	,,	30.06	763.5	...	...	E	1	...	,,	30 06	763.5	...	...	E	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.10	764.5	77	85	NNE	1	o	,,	30 17	766.3	66	94	NE	6	r
Gutzlaff,	,,	30 03	762.7	76	95	NE	1	r	,,	30.05	763.2	69	91	NNE	6	r
Sharp Peak,	15	29.70	754.4	80	93	NNE	7	r	7	29.47	748.5	78	94	ENE	6	r
Amoy,	14	29.42	747.2	83	88	NNE	6	o	6	29.36	745..	78	95	W	6	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.61	752.1	75	92	E	8	r	,,	29.30	744.3	82	63	SE	8	o
Taichu,	,,	29.30	744.3	79	...	N	4	r	,,	29 34	745.2	75	..	S	4	r
Tainan,	,,	29.18	741.3	79	...	N	6	o	,,	29.45	747.9	75	...	SW	7	r
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.29	744 0	79	...	NNE	10	o	,,	...	...	...	..	...	...	...
Canton,	15	29.66	753.3	94	61	N	2	b	,,	...	...	..	...	...	...	...
Hongkong,	14	29.62	752.3	91	55	NW	2	b	,,	29.64	752.8	81	58	WNW	4	o
Gap Rock,	,,	29.76	753.3	...	...	NNW	5	b	,,	29.66	753 3	...	...	NNW	5	o
Macao,	,,	29.63	752.7	90	60	NNW	4	b	,,	29.65	753.0	77	64	NNW	4	o
Wuchow,	15	29.73	755.1	90	60	...	3	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.75	755.7	90	55	SSW	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.8	82	...	N	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	75	...	SW	4	r	,,	..	...	...	...	...	...	...
Aparri,	14	29.56	750.9	82	81	S	4	o	6	29.73	755.1	75	88	S	2	o
Cagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Manila,	,,	29.73	755.1	81	86	SW	4	o	,,	29.80	756.9	75	94	SE	1	o
Legaspi,	,,	29.74	755.4	86	75	SW	4	o	,,	...		...	...	...	...	...
Tacloban,	,,	29.75	755.7	86	75	...	o	o	,,	..	..	..	...	...	...	...
Iloilo,	,,	29.78	756.3	82	94	SW	4	o	,,	20.82	757.5	77	88	...	o	o
Surigao,	,,	29.78	756.3	86	65	WSW	1	o	,,	29.84	757.8	75	94	...	o	b
Guam,	12.20	...	...	...	...	...	...	...	4.20	...	...	..	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	69	SE	2	b	6	29.84	757.9	80	87	SW	2	b

September 28*d*. 16*h*. 00*m*.—Warning to Hongkong, Coast Ports, &c.:—A Severe typhoon within 60 miles of Lat. 22° N. Long. 121° E., moving N.N.W.

September 29*d*. 10*h*. 30*m*.—Warning to Hongkong, Coast Ports, &c.:—A severe typhoon within 60 miles of Lat. 25° N. Long. 120° E., moving N.W.

September 29*d*. 10*h*. 57*m*.—Pressure has decreased considerably over N.E. Japan, also at Keelung, Foochow and Amoy. The typhoon passed near Taiwan and Taichu yesterday. At 6 a.m. this morning it was midway between Taichu and Foochow, moving N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·13 inches, against an average of 75·31 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	Cyclonic gales, moderating.
2.—South coast of China between Hongkong and Lamocks,	W. winds, strong.
3.—Hongkong to Gap Rock,	N.W. to W. winds, strong, squally; fair at first, rain later.
4.—South coast of China between Hongkong and Hainan,	N.W. to W. winds, freshening.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	29th SEPTEMBER, 1922.								30th SEPTEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.06	763.4	54	...	WNW	4	c	6	30.36	771.7	58	...	WNW	2	b
Nemuro,	11	29.57	751.0	...	...	SSW	6	...	5	29.78	756.5	...	..	SW	4	...
Hokodate,	,,	29.53	750.0	...	...	SSE	2	...	,,	30.01	763.0	...	...	NNW	2	...
Tokio,	,,	29.84	758.0	...	...	SSW	3	...	,,	30.16	766.0	..	.	N	3	...
Koobi,	,,	30.00	762.0	...	...	S	1	...	,,	30.12	765.0	...	...	NW	1	...
Nagasaki,	,,	30.06	763.5	...	...	N	3	...	,,	30.10	766.5	...	...	NE	1	...
Kagoshima,	,,	30.04	763.0	...	...	E	1	...	,,	30.06	763.5	..	..	NE	2	...
Oshima,	,,	29.98	761.5	...	...	SE	2	...	,,	29.96	761.0	...	...	...	...	...
Naha,	,,	29.94	760.5	...	...	SSE	2	...	,,	29.94	760.5	...	.	SE	1	...
Ishigakijima,	,,	29.80	757.0	...	...	SW	8	...	,,	29.82	757.5	..	.	SSW	6	...
Bonin Island,	,,	30.00	762.0	...	...	NNE	1	..	,,	30.04	763.0	.	.	ENE	1	...
Weihaiwei,	14	30.37	771.4	58	53	N	2	b	6	30.31	769.9	60	71	N	1	0
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	..	..	..	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	.	...	.	...	...	...
Shanghai,	11	30.23	767.8	68	73	NE	6	o	,,	30.02	762.5	64	94	NE	6	r
Gutzlaff,	,,	30.07	763.8	65	95	NE	6	r	,,	29.96	761.0	69	100	E	7	r
Sharp Peak,	15	29.45	748.0	76	95	SSE	4	r	7	29.80	756.9	74	90	SE	1	rf
Amoy,	14	29.44	747.8	78	95	W	6	o	6	29.69	754.1	72	92	W	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,		...	...	...		...	...
Taihoku,	12	29.53	750.0	81	89	NW	2	o	,,	...	..	...	...	...	...	...
Taichu,	,,	29.54	750.3	79	...	SSE	4	r	,,	29.72	754.8	73	.	...	o	o
Tainan,	,,	29.62	752.4	75	...	SSE	6	r	,,	29.71	754.5	77	...	SSE	4	o
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	..	...
Pescadores,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	75		SW	4	o
Canton,	15	29.71	754.6	85	58	NNW	2	o	,,	29.85	758.2	67	74	N	2	h
Hongkong,	14	29.66	753.3	87	54	NW	2	o	,,	29.79	756.6	70	55	N	1	b
Gap Rock,	,,	29.68	753.9	...	...	NNW	5	c	,,	29.77	756.1	.	...	NNE	5	c
Macao,	,,	29.66	753.3	84	60	NNW	4	o	,,	29.78	756.3	70	69	NNW	4	o
Wuchow,	15	29.78	756.4	85	54	NW	3	o	9	...	...	...	...		...	...
Pakhoi,	,,	...	..	...			...	...	,,		...	...	...	...	...	...
Hoihow,	,,	...	...	...	...		...	...	,,	...	.	...	...	...	...	...
Phulien,	,,	29.76	756.0	86	65	WNW	2	b	7	29.85	758.1	75	76	NE	4	b
Tourane,	,,	29.69	754.2	82	.	N	6	b	,,	29.79	756.6	77	...	WNW	2	b
Cape St. James,	,,	29.75	755.7	82	...	S	2	o	,,	29.82	757.5	77	...	SW	4	b
Aparri,	14	29.79	754.2	82	70	S	2	o	6	29.75	755.7	75	92	S	2	o
Dagupan,	,,	...	...	...	..	...	...		,,	..	...	...	...	..	..	...
Manila,	,,	29.76	756.0	81	80	SW	4	o	,,	29.80	756.9	75	96	E	1	o
Legaspi,	,,	29.76	756.0	84	74	SW	2	o	,,	29.81	757.2	75	96	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	..	...	.	...	...	...	...
Iloilo,	,,	29.76	756.0	84	74	SW	4	o	,,	29.82	757.5	75	96	...	o	o
Surigao,	,,	29.75	755.7	86	71	W	1	o	,,	29.85	758.1	75	96	SW	1	o
Guam,	12.20	29.75	755.7	...	...	SW	2	o	4.20	29.80	756.9	...	...	ENE	1	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.80	756.9	...	...	ENE	2	b
Labuan,	14	29.79	756.6	88	73	N	2	b	6	29.80	756.9	78	94	SW	2	b

September 29*d* 14*h*. 40*m*.—Warning to Hongkong, Coast Ports, &c.:—A typhoon of unknown intensity within 60 miles of Lat. 26° N. Long. 118° E., moving N.W.

September 30*d*. 12*h*. 13*m*.—Pressure has increased considerably at Wladivostock and moderately at Hongkong. Charges are slight at other reporting stations.

The typhoon entered the coast between Amoy and Foochow yesterday at about noon. It has now filled up.

Fresh monsoon may be expected along the E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·13 inches, against an average of 75·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

OCTOBER,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

OCTOBER,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of OCTOBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·811	29·800	29·800	29·800	29·809	29·829	29·837	29·848	29·856	29·850	29·846	29·823	1
2	29·826	29·801	29·796	29·787	29·784	29·802	29·825	29·840	29·856	29·853	29·857	29·837	2
3	29·858	29·847	29·838	29·828	29·831	29·835	29·865	29·882	29·900	29·889	29·893	29·875	3
4	29·878	29·860	29·852	29·837	29·849	29·859	29·876	29·895	29·910	29·926	29·919	29·906	4
5	29·882	29·872	29·862	29·852	29·850	29·862	29·866	29·883	29·881	29·880	29·874	29·856	5
6	29·837	29·821	29·813	29·816	29·809	29·820	29·830	29·850	29·865	29·877	29·866	29·846	6
7	29·809	29·801	29·795	29·800	29·806	29·818	29·827	29·841	29·855	29·857	29·846	29·830	7
8	29·791	29·780	29·778	29·782	29·787	29·803	29·828	29·845	29·854	29·864	29·859	29·847	8
9	29·865	29·855	29·855	29·857	29·861	29·875	29·896	29·922	29·940	29·949	29·934	29·911	9
10	30·010	30·021	30·020	30·022	30·025	30·042	30·056	30·072	30·091	30·100	30·116	30·088	10
11	30·065	30·058	30·052	30·052	30·058	30·070	30·076	30·082	30·096	30·101	30·098	30·075	11
12	30·021	30·006	30·001	29·997	29·999	30·019	30·027	30·041	30·050	30·054	30·037	30·014	12
13	29·964	29·952	29·950	29·948	29·954	29·971	29·980	29·993	30·004	30·010	29·996	29·961	13
14	29·926	29·905	29·895	29·882	29·885	29·900	29·922	29·939	29·945	29·948	29·934	29·919	14
15	29·873	29·860	29·856	29·852	29·862	29·874	29·887	29·899	29·909	29·922	29·911	29·892	15
16	29·884	29·864	29·843	29·845	29·849	29·861	29·876	29·898	29·912	29·927	29·924	29·909	16
17	29·879	29·861	29·853	29·845	29·860	29·875	29·887	29·906	29·927	29·924	29·916	29·891	17
18	29·862	29·850	29·836	29·832	29·834	29·834	29·842	29·867	29·886	29·895	29·884	29·872	18
19	29·866	29·841	29·835	29·820	29·816	29·814	29·830	29·851	29·866	29·882	29·881	29·851	19
20	29·843	29·824	29·813	29·803	29·796	29·793	29·808	29·831	29·848	29·864	29·855	29·837	20
21	29·822	29·806	29·804	29·808	29·808	29·831	29·855	29·864	29·886	29·904	29·903	29·889	21
22	29·898	29·885	29·870	29·868	29·868	29·882	29·905	29·916	29·941	29·952	29·948	29·921	22
23	29·922	29·904	29·886	29·880	29·892	29·902	29·911	29·921	29·938	29·942	29·935	29·915	23
24	29·863	29·849	29·831	29·834	29·831	29·835	29·842	29·857	29·868	29·879	29·863	29·848	24
25	29·845	29·829	29·827	29·837	29·844	29·854	29·870	29·893	29·918	29·925	29·911	29·887	25
26	29·909	29·901	29·888	29·884	29·880	29·898	29·916	29·930	29·948	29·953	29·942	29·918	26
27	29·949	29·936	29·931	29·932	29·943	29·960	29·972	29·981	29·988	30·003	29·992	29·968	27
28	29·982	29·961	29·960	29·960	29·968	29·976	29·992	30·007	30·017	30·017	30·002	29·981	28
29	29·949	29·941	29·940	29·930	29·938	29·950	29·968	29·975	29·988	29·984	29·971	29·955	29
30	29·947	29·939	29·926	29·918	29·908	29·920	29·939	29·967	29·983	29·977	29·964	29·940	30
31	29·925	29·913	29·902	29·903	29·902	29·919	29·939	29·949	29·966	29·975	29·962	29·937	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·798	29·778	29·764	29·795	29·765	29·778	29·793	29·815	29·830	29·839	29·841	29·835	1
2	29·824	29·807	29·797	29·805	29·809	29·816	29·847	29·871	29·891	29·881	29·874	29·872	2
3	29·846	29·824	29·818	29·831	29·849	29·859	29·873	29·892	29·905	29·901	29·893	29·893	3
4	29·888	29·861	29·846	29·840	29·847	29·858	29·865	29·882	29·912	29·915	29·914	29·910	4
5	29·826	29·802	29·790	29·794	29·803	29·807	29·818	29·833	29·852	29·856	29·852	29·847	5
6	29·816	29·795	29·784	29·781	29·782	29·791	29·798	29·810	29·823	29·820	29·822	29·816	6
7	29·808	29·774	29·754	29·747	29·752	29·762	29·776	29·791	29·804	29·809	29·797	29·802	7
8	29·826	29·797	29·784	29·777	29·778	29·780	29·790	29·811	29·840	29·847	29·853	29·863	8
9	29·888	29·870	29·864	29·866	29·875	29·884	29·905	29·936	29·964	29·987	30·005	30·011	9
10	30·065	30·041	30·035	30·037	30·039	30·054	30·068	30·092	30·099	30·119	30·112	30·098	10
11	30·043	30·020	30·002	29·990	29·992	30·001	30·011	30·033	30·053	30·052	30·042	30·029	11
12	29·987	29·961	29·933	29·920	29·922	29·920	29·938	29·958	29·968	29·977	29·976	29·974	12
13	29·937	29·907	29·898	29·891	29·892	29·899	29·910	29·931	29·952	29·955	29·952	29·939	13
14	29·889	29·862	29·840	29·832	29·842	29·857	29·871	29·876	29·897	29·903	29·895	29·891	14
15	29·867	29·844	29·826	29·817	29·825	29·829	29·831	29·864	29·889	29·895	29·893	29·891	15
16	29·881	29·854	29·844	29·836	29·837	29·850	29·858	29·882	29·900	29·910	29·903	29·895	16
17	29·862	29·839	29·812	29·814	29·820	29·827	29·836	29·860	29·873	29·877	29·877	29·862	17
18	29·853	29·828	29·812	29·802	29·803	29·818	29·833	29·850	29·864	29·880	29·882	29·874	18
19	29·826	29·804	29·790	29·778	29·786	29·802	29·818	29·830	29·856	29·864	29·875	29·867	19
20	29·803	29·785	29·773	29·767	29·770	29·782	29·797	29·813	29·831	29·839	29·839	29·830	20
21	29·865	29·843	29·843	29·849	29·858	29·860	29·873	29·890	29·896	29·900	29·898	29·900	21
22	29·900	29·897	29·889	29·894	29·893	29·891	29·896	29·908	29·929	29·939	29·945	29·941	22
23	29·891	29·875	29·861	29·856	29·863	29·875	29·880	29·889	29·898	29·901	29·903	29·881	23
24	29·831	29·802	29·788	29·800	29·810	29·814	29·828	29·848	29·863	29·874	29·865	29·855	24
25	29·864	29·841	29·828	29·835	29·851	29·866	29·875	29·885	29·894	29·902	29·915	29·915	25
26	29·896	29·886	29·876	29·872	29·886	29·902	29·915	29·935	29·953	29·964	29·968	29·957	26
27	29·943	29·915	29·897	29·886	29·902	29·925	29·941	29·969	29·988	29·990	29·994	29·992	27
28	29·958	29·942	29·925	29·920	29·931	29·945	29·961	29·984	29·986	29·997	29·977	29·962	28
29	29·925	29·905	29·896	29·901	29·918	29·927	29·939	29·954	29·971	29·981	29·972	29·966	29
30	29·912	29·896	29·883	29·881	29·882	29·888	29·901	29·917	29·930	29·934	29·937	29·936	30
31	29·912	29·890	29·890	29·889	29·902	29·916	29·931	29·953	29·969	29·983	29·972	29·966	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of OCTOBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	68·8	68·6	67·9	66·8	66·4	65·8	66·6	68·9	70·7	73·3	76·1	76·6	1
2	70·8	70·8	70·7	70·2	70·3	70·4	70·4	71·3	73·6	77·0	79·3	80·8	2
3	71·1	70·2	69·6	69·3	69·1	69·1	69·6	71·0	75·1	76·9	80·3	81·5	3
4	69·8	69·9	70·2	70·2	70·2	70·8	71·1	73·4	75·6	77·5	78·9	78·9	4
5	72·9	73·2	72·8	72·7	72·6	72·1	72·6	73·5	77·1	80·0	81·0	82·9	5
6	75·2	75·1	74·8	74·4	73·2	73·4	73·8	75·3	78·6	79·7	79·9	80·8	6
7	74·5	74·5	74·2	74·0	73·9	73·8	74·6	77·8	80·5	82·5	80·6	77·6	7
8	73·7	73·6	73·9	74·0	73·4	75·1	74·1	77·6	79·0	80·3	80·0	78·0	8
9	76·0	76·1	76·0	75·9	75·4	75·1	76·2	78·3	80·3	80·5	80·3	80·8	9
10	73·8	69·9	69·0	68·8	68·9	69·2	69·5	69·3	70·5	70·7	71·0	74·1	10
11	67·6	67·5	67·4	67·0	67·1	67·1	67·2	68·9	71·3	72·5	73·5	73·6	11
12	74·2	73·8	72·4	72·2	70·9	70·1	70·4	74·4	75·6	77·3	78·0	78·2	12
13	72·9	73·3	73·3	73·5	73·1	72·9	73·2	76·0	77·8	78·9	79·6	79·8	13
14	73·4	73·5	73·5	73·4	73·2	73·0	73·2	75·4	77·8	80·4	80·8	80·9	14
15	74·6	74·5	74·2	74·0	74·1	74·7	75·0	76·0	77·1	78·6	79·0	79·9	15
16	75·5	75·5	75·6	75·7	75·9	75·7	75·6	76·5	78·9	78·1	70·3	80·7	16
17	75·9	76·2	76·1	75·8	75·7	75·4	76·5	78·0	78·2	80·5	83·0	83·2	17
18	77·1	77·2	77·2	77·2	77·0	76·8	77·6	78·9	79·5	81·9	81·6	80·7	18
19	78·0	77·0	75·2	76·4	77·0	76·8	77·9	77·7	79·0	78·8	80·0	79·1	19
20	75·6	73·6	74·3	74·8	74·9	74·4	74·5	74·7	75·0	75·2	75·0	75·2	20
21	71·5	70·6	70·3	69·1	69·0	68·4	69·2	70·6	71·5	72·3	73·3	75·2	21
22	71·4	71·6	71·5	71·2	71·0	71·4	71·5	72·3	74·9	74·8	75·8	75·8	22
23	75·0	74·8	74·8	74·7	74·8	74·8	74·9	74·7	75·8	76·1	76·6	75·8	23
24	75·8	75·7	75·4	75·1	75·3	75·6	75·9	76·5	79·1	78·6	78·3	78·9	24
25	75·0	75·0	75·0	74·9	74·8	74·4	74·8	75·8	76·9	78·1	80·4	82·0	25
26	73·4	73·0	72·8	73·0	72·8	71·8	73·3	75·6	78·0	80·5	82·5	83·4	26
27	73·6	73·7	73·3	73·9	74·0	73·9	73·9	75·8	76·9	77·8	78·3	78·9	27
28	74·0	74·1	73·5	73·2	72·3	70·9	71·0	74·6	77·0	78·6	79·7	80·5	28
29	74·7	74·5	74·0	73·4	73·2	73·1	73·2	74·3	75·9	76·6	77·6	77·5	29
30	74·8	74·8	74·4	73·9	73·5	73·4	73·7	76·1	76·5	78·0	78·4	79·5	30
31	74·0	73·9	74·2	74·1	74·0	74·2	74·3	74·8	75·8	77·0	78·4	77·6	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	77·2	77·8	76·4	76·6	76·6	75·8	75·1	75·0	73·3	72·2	71·4	71·0	1
2	81·2	79·3	78·8	77·3	76·0	75·0	73·2	71·7	70·5	70·8	71·1	71·5	2
3	81·6	80·0	79·1	78·1	77·5	74·3	71·5	71·7	72·2	71·6	70·0	70·5	3
4	78·5	79·4	79·0	78·5	77·7	77·0	76·7	75·4	75·8	74·8	74·0	72·0	4
5	82·3	82·5	81·1	80·4	79·1	78·0	77·3	76·9	76·3	75·9	75·5	75·3	5
6	82·3	82·1	82·8	82·4	79·9	78·3	77·3	76·9	77·0	76·7	76·0	75·6	6
7	77·6	77·4	77·4	77·0	76·6	76·4	76·1	75·5	74·9	74·5	73·5	73·4	7
8	79·3	80·2	80·0	79·0	78·2	77·0	76·4	75·9	75·9	75·9	75·9	76·2	8
9	80·9	80·9	80·7	79·7	78·6	77·6	77·2	77·3	77·7	77·7	75·0	74·6	9
10	73·9	75·9	72·4	71·5	70·4	69·1	68·9	68·8	68·4	68·1	68·1	67·8	10
11	74·4	74·6	74·4	73·9	73·5	73·0	72·8	72·9	73·6	74·0	74·0	73·9	11
12	78·8	77·2	76·4	75·2	74·5	74·0	73·5	73·3	72·9	72·6	72·6	72·5	12
13	80·2	79·0	78·2	77·4	76·9	75·7	75·0	74·6	74·4	74·1	73·9	73·5	13
14	81·6	81·6	80·5	79·7	78·7	77·4	76·0	75·6	75·0	74·8	74·6	74·7	14
15	79·7	79·4	79·0	78·9	78·5	77·9	77·0	76·5	76·3	76·3	75·9	75·6	15
16	80·2	80·6	79·8	78·8	78·2	77·1	76·6	76·3	76·0	75·9	75·9	75·8	16
17	81·3	80·6	80·7	80·3	79·4	78·7	78·1	77·4	77·2	77·1	77·2	77·5	17
18	81·4	81·0	80·5	80·4	79·2	78·6	78·2	78·1	78·0	77·9	78·0	77·9	18
19	79·1	78·9	78·8	78·6	78·0	77·3	77·1	76·9	76·7	76·4	76·1	75·9	19
20	75·5	75·6	75·0	75·1	73·8	72·2	72·2	72·5	72·7	72·0	71·6	71·4	20
21	75·0	74·1	74·0	72·9	71·6	71·2	71·1	71·1	71·3	71·8	71·5	71·0	21
22	75·5	75·1	75·4	74·5	75·1	75·0	75·1	75·2	75·3	75·2	75·0	74·9	22
23	76·3	77·2	76·8	77·0	76·5	76·1	75·9	75·9	75·8	75·8	75·9	75·9	23
24	80·2	78·6	78·5	77·2	77·2	77·0	76·9	76·9	76·4	76·4	76·4	75·7	24
25	82·8	82·9	81·1	81·3	80·1	78·0	76·7	76·2	75·7	74·5	74·2	73·8	25
26	82·7	81·9	79·8	77·9	76·8	75·5	74·4	73·9	73·9	73·5	73·2	72·8	26
27	79·1	78·8	78·0	77·0	76·4	75·4	75·0	74·7	74·2	73·4	73·8	73·9	27
28	79·9	79·8	79·4	78·9	76·9	75·5	74·6	74·0	72·1	72·5	73·7	74·7	28
29	77·8	77·4	76·0	77·1	76·7	75·9	75·4	76·0	75·5	75·2	75·0	74·9	29
30	78·6	78·6	77·9	77·5	76·7	75·8	75·0	74·8	74·8	74·9	74·7	74·5	30
31	77·8	78·0	77·4	77·2	76·6	76·2	75·6	75·1	75·7	75·2	74·4	73·6	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of OCTOBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·2	60·9	60·5	60·4	60·3	59·4	60·0	61·1	61·8	63·3	65·2	65·2	1
2	62·1	61·7	61·6	61·4	61·7	61·5	61·7	63·0	65·0	67·0	68·5	70·0	2
3	65·3	64·8	64·3	63·8	63·7	63·6	63·9	65·3	67·6	67·8	70·8	70·3	3
4	65·8	65·7	65·7	65·9	65·8	66·0	66·3	67·5	68·8	69·4	70·0	70·0	4
5	71·3	71·5	71·3	71·1	71·1	69·8	69·0	70·5	71·0	72·5	72·7	73·3	5
6	71·4	71·5	71·6	70·9	69·0	68·2	68·6	69·1	70·2	71·0	71·0	71·9	6
7	71·7	71·5	71·6	71·3	71·1	71·3	72·2	73·4	73·6	74·5	74·5	73·3	7
8	70·9	71·0	71·0	71·0	70·5	70·2	71·1	72·7	73·3	74·2	73·6	72·7	8
9	72·6	72·5	72·2	72·1	71·9	71·8	72·2	73·7	74·2	73·9	73·9	73·8	9
10	71·1	67·8	65·9	64·5	64·3	63·8	63·8	63·2	63·9	63·6	64·0	66·2	10
11	60·3	60·0	60·2	59·9	60·0	60·5	60·7	61·8	63·2	64·8	65·7	65·6	11
12	67·8	67·3	67·5	66·6	65·9	65·1	65·0	66·3	66·5	66·1	66·0	66·8	12
13	68·9	69·7	69·4	69·6	69·7	69·2	69·7	70·6	70·9	71·9	71·0	70·8	13
14	70·0	70·0	70·0	69·9	69·8	69·8	70·0	71·5	71·7	72·3	71·8	71·7	14
15	71·4	71·2	71·1	71·1	70·9	70·7	71·0	71·6	71·8	71·9	71·7	72·5	15
16	72·0	71·9	71·5	71·1	71·0	71·1	70·7	71·2	72·1	71·1	71·7	72·7	16
17	72·9	73·0	72·7	72·3	72·2	71·7	72·1	72·9	73·0	74·3	75·6	75·9	17
18	73·5	73·2	73·1	72·9	72·8	72·8	72·1	73·2	73·4	74·9	75·2	75·9	18
19	74·6	74·6	73·3	73·6	73·6	73·6	73·7	73·8	74·0	74·0	73·3	73·3	19
20	71·1	70·9	70·7	70·7	70·4	70·3	70·8	70·9	71·0	71·2	71·3	71·2	20
21	69·9	69·3	68·9	67·9	67·7	67·4	67·5	68·2	68·2	69·2	69·8	70·8	21
22	69·5	68·8	68·5	67·7	67·5	67·6	68·0	68·4	69·4	69·2	70·1	70·2	22
23	69·4	70·0	70·1	70·1	70·3	70·7	70·7	70·8	71·0	71·0	71·1	71·0	23
24	73·3	73·2	73·1	73·3	73·4	73·2	73·4	73·6	74·8	74·5	74·4	75·2	24
25	73·5	73·0	73·0	72·4	71·5	70·3	70·1	70·3	71·0	72·1	72·0	73·0	25
26	68·7	70·3	67·5	65·6	64·4	65·7	64·1	65·3	65·4	66·3	67·2	66·0	26
27	70·3	70·1	69·7	69·9	69·0	68·7	68·3	68·5	69·0	68·0	66·0	64·5	27
28	68·2	67·8	68·0	68·0	67·7	66·8	66·6	67·8	68·7	68·8	68·5	69·2	28
29	65·8	66·1	66·0	66·0	65·9	66·9	67·1	67·9	68·2	67·8	67·6	67·3	29
30	69·2	69·1	68·9	69·2	68·6	68·4	68·1	69·2	68·5	68·5	68·0	68·4	30
31	70·5	70·6	70·9	70·3	70·0	70·0	70·6	71·0	71·0	71·8	71·4	70·2	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	65·0	66·1	65·5	66·5	65·4	64·8	64·8	63·7	63·0	62·3	62·2	61·9	1
2	70·9	69·5	69·3	67·9	66·9	66·5	66·0	65·8	65·4	65·8	65·6	65·2	2
3	71·0	70·2	70·0	69·6	69·7	68·4	68·4	67·9	67·3	67·0	66·6	66·4	3
4	70·9	71·3	72·0	71·3	71·8	71·7	71·6	72·0	72·1	71·6	70·9	70·5	4
5	72·9	73·3	72·8	73·4	72·8	72·6	72·4	71·4	71·7	72·3	72·2	71·2	5
6	72·6	72·6	74·0	73·0	72·5	72·3	71·5	71·6	71·9	72·1	71·7	71·6	6
7	73·1	72·8	73·3	72·5	72·0	71·0	71·4	71·6	71·5	71·4	71·1	71·0	7
8	73·4	73·9	74·0	73·8	73·0	72·9	72·9	72·7	72·4	72·4	72·5	72·4	8
9	74·0	74·2	74·1	74·0	73·7	73·1	73·0	73·4	73·9	73·4	72·3	71·7	9
10	65·8	67·0	64·9	64·3	63·3	62·2	62·0	61·5	61·0	61·0	60·8	60·3	10
11	65·5	66·0	66·3	66·0	66·0	65·8	66·0	66·1	67·0	67·5	67·7	68·0	11
12	67·2	67·6	68·4	68·0	67·7	67·7	67·7	67·8	67·6	67·9	68·4	68·4	12
13	72·0	71·5	71·2	70·8	70·0	69·7	69·7	69·6	69·8	69·8	70·0	69·8	13
14	72·6	71·2	71·5	69·9	70·2	70·5	70·9	70·9	71·2	71·0	71·4	71·5	14
15	72·7	72·6	72·4	72·3	71·1	70·6	70·4	70·8	72·2	72·4	72·5	72·0	15
16	72·2	72·9	72·0	72·0	71·8	71·8	71·6	71·7	72·5	72·5	72·6	72·8	16
17	75·3	74·7	74·8	74·4	74·2	73·7	73·2	73·6	73·4	73·5	73·4	73·7	17
18	76·5	76·2	75·9	75·8	75·5	75·2	75·4	75·1	75·7	75·4	75·4	75·4	18
19	73·4	73·5	73·4	73·2	73·7	73·2	72·9	72·8	72·5	72·2	72·1	71·6	19
20	71·3	71·5	71·2	71·1	71·2	70·8	70·5	70·7	70·7	70·3	70·0	70·0	20
21	70·1	69·7	69·6	69·4	68·5	68·4	68·0	68·1	68·1	68·3	68·9	69·2	21
22	70·0	70·0	70·1	70·4	70·5	70·5	70·5	70·5	70·2	70·3	70·1	70·1	22
23	71·5	72·2	72·2	72·4	72·1	71·7	72·3	72·4	72·5	72·7	73·4	73·3	23
24	75·6	75·1	75·0	75·0	75·1	75·0	75·0	75·0	74·6	74·6	74·3	73·5	24
25	74·1	73·6	73·5	74·1	73·8	72·7	72·4	72·0	71·9	71·6	71·3	70·4	25
26	67·9	68·5	68·2	67·9	68·7	68·9	69·0	70·3	70·0	70·5	69·9	70·2	26
27	64·8	65·7	66·5	66·1	66·4	66·2	66·7	66·8	67·0	67·8	67·4	67·8	27
28	68·0	68·1	67·0	66·2	67·5	67·7	67·8	66·7	65·7	65·9	67·0	66·8	28
29	68·0	67·0	67·1	66·8	67·2	68·0	68·7	68·7	70·0	69·7	69·9	70·1	29
30	67·9	69·0	69·5	69·2	69·7	69·7	69·9	70·3	69·9	70·0	70·0	70·0	30
31	70·4	69·8	69·1	69·3	69·4	69·9	70·0	69·8	68·7	67·4	66·5	65·2	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of OCTOBER, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	7	6	2	1	1	1	...	...	1	1	1	1	1	2	3	4	6	7	9	10	1	...	2	4	1
2	5	10	5	2	2	9	9	10	10	8	10	10	10	10	10	10	10	10	10	10	10	9	9	8	2
3	10	10	10	10	8	8	8	5	7	4	5	4	6	8	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	9	10	10	10	10	10	8	7	7	9	10	9	10	10	8	9	10	10	10	10	10	4
5	10	10	10	10	8	9	10	3	2	1	2	4	3	3	6	7	9	10	10	10	6	10	10	8	5
6	8	10	10	3	2	7	6	8	7	8	9	7	4	7	4	9	9	10	9	9	10	8	4	2	6
7	...	...	...	...	...	1	1	5	9	7	8	10	10	10	7	10	10	10	3	1	2	...	...	...	7
8	...	..	...	...	...	1	...	2	2	4	4	6	9	4	2	4	2	1	1	1	2	2	4	7	8
9	6	9	10	10	8	9	2	1	2	2	2	2	2	1	1	1	...	2	8	6	10	10	10	10	9
10	10	10	10	10	10	10	10	10	8	10	10	8	8	8	10	10	10	10	10	10	6	10	10	10	10
11	10	10	10	10	10	10	10	8	3	3	4	5	3	3	2	1	1	1	...	1	10	10	10	10	11
12	10	10	10	8	5	2	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	12
13	4	10	9	10	7	2	2	2	4	3	1	1	1	1	1	1	2	...	...	...	...	...	...	...	13
14	1	1	...	1	2	2	2	2	2	1	1	1	1	1	1	...	...	...	...	...	...	...	2	2	14
15	4	2	3	3	2	4	7	8	8	4	4	3	1	1	...	...	1	...	..	...	2	1	...	4	15
16	2	4	4	6	4	7	3	9	3	5	7	5	4	1	1	1	...	...	...	...	2	4	2	4	16
17	...	2	1	...	1	2	1	7	8	3	4	2	1	1	1	...	3	5	...	...	...	..	...	...	17
18	...	...	...	...	1	2	7	6	8	7	6	4	8	8	7	7	4	9	8	10	10	10	10	9	18
19	10	10	10	10	10	10	10	8	8	7	7	6	8	9	7	8	10	10	10	10	9	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	21
22	10	10	10	10	10	10	10	7	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	8	7	6	7	9	9	10	7	10	10	23
24	10	10	10	10	10	10	8	9	9	9	10	10	10	10	10	10	10	10	10	9	6	10	10	10	24
25	7	10	10	10	10	3	10	10	10	10	10	9	5	4	4	5	9	8	2	...	2	...	...	...	25
26	...	...	...	...	...	...	2	1	...	...	1	...	...	...	1	1	1	...	...	...	...	...	...	...	26
27	6	9	10	7	6	6	8	2	2	1	...	...	...	1	1	1	2	2	...	...	1	...	1	2	27
28	2	...	3	3	2	2	1	1	1	...	1	1	1	...	...	...	...	...	...	...	...	...	2	7	28
29	...	3	2	...	...	2	3	3	2	1	...	1	1	2	4	9	9	10	9	10	10	8	5	8	29
30	5	3	1	1	...	6	9	6	6	4	4	7	4	1	...	...	...	1	...	1	...	...	...	3	30
31	2	3	7	6	9	9	10	10	10	10	10	9	10	10	10	7	7	9	4	9	10	10	10	10	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·5	...	1
2	...	...	0·1	0·2	0·9	0·6	0·3	0·1	...	...	...	...	...	2
3	...	0·1	0·8	1·0	1·0	1·0	1·0	1·0	0·5	...	...	...	...	3
4	...	...	0·1	0·3	0·7	1·0	0·7	0·7	0·6	0·4	...	...	...	4
5	...	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	...	5
6	...	...	0·3	1·0	1·0	0·6	1·0	1·0	1·0	1·0	0·9	0·7	0·1	6
7	...	1·0	1·0	0·8	1·0	0·2	0·3	0·3	0·2	0·8	0·2	...	...	7
8	...	1·0	1·0	1·0	1·0	1·0	0·7	0·2	0·9	1·0	1·0	0·5	...	8
9	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	...	9
10	...	0·1	...	0·2	...	0·2	0·9	0·8	0·5	...	...	...	...	10
11	...	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	11
12	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0.1	12
13	...	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	13
14	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	14
15	...	0·3	0·8	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·2	15
16	...	0·1	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	16
17	0·1	1·0	0·7	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	17
18	...	0·6	0·7	0·7	1·0	1·0	0·9	0·6	0·7	0·8	0·8	0·8	...	18
19	...	...	0·4	0·7	1·0	1·0	0·9	1·0	0·5	0·6	0·5	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	...	21
22	. .	...	0·5	0·8	0·2	0·6	0·5	0·2	...	...	..	...	...	22
23	...	...	...	...	0·3	0.1	0·1	0·3	0·4	0·4	1·0	0·7	...	23
24	...	...	...	0·4	0·2	0·3	0·7	0·8	0·4	0·2	...	...	...	24
25	...	...	...	...	...	...	0·6	1·0	1·0	1·0	0·8	0·7	...	25
26	...	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	26
27	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1.0	1·0	1·0	0·7	...	27
28	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1.0	1·0	1·0	1·0	...	28
29	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	...	...	...	29
30	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	30
31	...	....	...	...	0·2	0·4	0·3	...	0·3	...	0·1	...	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of OCTOBER, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	d	...	...	...	...	...	...	...	...	...	...	...	3
4	0·110	...	...	...	...	...	...	...	...	...	...	...	4
5	0·075	0·185	0·040	d	...	...	...	...	...	...	...	...	5
6	...	...	d	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	d	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	0·050	0·045	0·005	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	d	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	0·010	0·075	0·625	0·010	0·010	0·005	0·020	0·005	...	...	...	...	19
20	0·005	0·055	d	...	...	d	...	d	...	...	...	...	20
21	d	d	...	0·005	0·010	0·010	...	...	...	...	...	...	21
22	d	d	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	d	23
24	...	...	d	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	d	0·015	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	d	d	0·015	...	d	0·050	...	0·005	3
4	...	...	...	...	...	...	d	...	d	...	d	0·325	4
5	...	...	...	...	...	...	d	...	...	d	d	...	5
6	...	...	...	...	...	d	...	...	...	...	...	...	6
7	...	...	d	d	d	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	d	0·035	0·010	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	d	d	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	d	d	d	19
20	...	...	d	d	d	0·160	0·020	d	d	0·005	0·005	0·005	20
21	...	...	d	d	...	...	...	...	...	...	d	d	21
22	...	...	...	...	...	...	...	...	...	...	...	d	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	d	0·020	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of OCTOBER, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.																								Days of the Month.
	1		2		3		4		5		6		7		8		9		10		11		Noon.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	1	5	32	6	31	10	31	9	30	11	30	11	30	8	31	7	31	11	31	14	32	11	1	9	1
2	1	14	32	21	32	23	32	22	32	23	1	19	1	9	1	8	1	9	32	14	32	10	32	8	2
3	1	13	1	14	1	10	1	14	1	18	32	16	32	11	32	12	32	14	1	19	1	16	1	16	3
4	1	13	1	16	1	13	1	11	1	12	1	11	1	10	3	7	4	6	4	11	6	16	7	18	4
5	2	3	32	3	...	1	...	...	...	1	31	3	1	2	...	1	6	4	8	4	10	6	10	4	5
6	...	1	...	..	...	1	9	2	6	2	5	7	4	2	4	5	4	4	...	1	3	4	29	5	6
7	...	...	...	...	...	1	...	1	...	...	...	1	...	1	...	1	10	2	10	8	9	11	9	12	7
8	...	...	...	1	9	4	9	4	...	1	...	...	...	...	9	6	9	9	9	13	9	13	9	13	8
9	10	10	9	7	9	5	9	4	8	4	8	6	8	10	8	8	8	11	9	12	9	17	9	17	9
10	3	16	2	11	2	18	2	17	2	18	2	12	1	20	1	23	1	19	1	20	1	17	1	21	10
11	1	7	2	4	2	7	2	10	2	7	2	3	3	6	4	9	5	14	6	19	7	19	8	18	11
12	8	20	7	22	6	19	5	15	4	14	4	9	4	6	5	9	5	11	6	12	7	11	9	12	12
13	6	8	6	8	5	7	5	8	5	10	4	8	5	9	6	10	7	12	9	13	10	12	10	13	13
14	9	8	9	9	8	10	7	10	6	9	6	6	7	9	7	9	8	12	9	11	9	13	10	11	14
15	7	7	7	7	6	9	6	6	7	9	7	12	7	12	7	15	7	14	7	15	8	17	9	15	15
16	8	12	7	14	7	17	7	17	7	14	7	13	7	13	7	17	7	19	7	20	7	17	8	18	16
17	7	10	7	12	8	11	8	11	7	9	7	8	8	8	8	14	8	13	9	12	9	11	9	16	17
18	8	13	8	14	8	16	8	13	8	14	8	12	8	20	8	16	7	19	7	19	7	18	8	18	18
19	7	11	7	12	7	13	7	16	7	16	7	21	7	25	7	25	8	26	8	24	8	26	7	24	19
20	7	24	7	26	7	26	7	27	7	27	7	29	7	24	7	24	7	23	6	21	6	23	7	22	20
21	7	16	6	14	2	8	31	3	31	3	31	5	32	3	4	8	4	9	2	5	32	7	1	4	21
22	7	16	6	20	5	17	5	15	4	9	6	11	6	11	6	16	6	19	7	21	7	21	8	22	22
23	8	27	7	26	7	27	7	26	8	24	8	23	8	21	8	21	8	20	7	23	8	24	8	22	23
24	6	9	6	10	6	6	7	9	7	8	7	10	7	9	8	9	8	10	8	11	8	13	8	10	24
25	...	1	...	...	...	...	3	2	3	7	2	10	2	11	2	8	3	5	3	6	5	4	9	2	25
26	...	1	...	1	2	7	2	9	2	11	2	3	2	13	1	14	1	13	1	15	3	11	6	8	26
27	...	...	10	2	8	7	7	13	6	12	6	15	6	13	6	12	6	19	7	18	7	20	8	20	27
28	8	13	7	14	6	9	6	9	5	9	5	4	5	4	6	7	7	9	8	7	9	11	10	11	28
29	7	19	7	18	6	14	7	13	7	13	6	13	6	20	7	22	7	21	7	28	8	24	8	25	29
30	8	25	8	22	7	22	7	18	7	17	7	16	6	16	6	11	7	16	8	22	8	17	9	18	30
31	8	14	7	16	7	13	7	12	8	13	7	17	7	14	7	14	7	16	8	17	9	15	9	13	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	2	13	2	12	1	11	1	6	1	8	32	5	32	8	32	19	31	16	32	12	1	12	1	10	1
2	32	9	32	9	1	11	1	11	2	12	2	11	2	14	2	12	2	13	1	9	1	19	1	16	2
3	1	17	1	16	1	14	1	14	1	14	32	12	32	8	32	13	1	15	1	11	1	12	1	15	3
4	8	17	9	12	9	12	9	10	8	10	8	11	8	8	8	6	8	12	8	12	7	13	5	7	4
5	11	8	10	8	10	10	10	6	10	8	16	4	15	5	12	6	9	7	9	5	9	5	9	6	5
6	25	8	23	8	22	5	19	3	16	3	13	6	11	5	10	4	9	6	9	3	...	1	...	...	6
7	9	14	9	13	9	10	9	10	9	9	9	7	9	6	9	8	9	7	9	4	9	2	...	...	7
8	9	12	9	13	9	14	9	12	9	12	9	11	9	10	9	6	9	8	9	8	10	8	10	8	8
9	9	15	9	14	9	16	9	14	9	15	9	16	9	15	9	10	9	14	9	16	9	17	7	14	9
10	1	14	1	11	1	15	1	15	1	16	32	19	32	15	32	11	1	11	32	14	32	15	1	14	10
11	9	18	9	15	9	13	9	14	9	12	9	11	8	11	8	12	8	14	8	14	8	20	8	22	11
12	10	15	10	18	10	17	10	18	9	18	8	14	7	10	6	8	6	7	6	6	6	5	6	5	12
13	9	14	9	15	9	13	9	14	9	13	9	10	9	8	9	7	10	7	10	5	10	7	10	5	13
14	10	11	10	13	10	17	10	13	10	9	10	8	10	10	10	10	10	9	9	7	8	6	7	5	14
15	9	14	9	15	9	11	9	9	8	11	8	10	9	10	9	9	9	9	9	11	9	11	8	12	15
16	9	17	9	15	10	17	9	16	9	13	9	11	8	12	8	11	8	10	8	12	8	9	8	10	16
17	9	18	9	18	9	17	9	15	9	13	9	9	9	11	9	15	9	14	9	14	8	15	8	14	17
18	8	17	9	17	9	18	9	13	10	12	9	12	9	12	9	12	9	11	9	9	8	11	7	10	18
19	7	25	7	28	7	25	7	26	8	24	9	28	9	27	8	26	8	25	8	25	8	22	8	26	19
20	7	22	7	22	7	23	7	24	7	24	7	21	7	20	7	21	7	21	7	19	7	18	7	18	20
21	1	6	32	8	1	7	1	8	1	7	1	5	1	3	...	1	4	6	6	13	6	12	7	14	21
22	8	24	7	19	7	19	7	18	8	20	8	24	8	25	8	27	9	28	9	30	9	28	8	31	22
23	8	20	8	18	8	16	8	15	7	15	8	12	8	12	8	11	8	11	8	12	9	11	9	9	23
24	9	12	9	12	8	11	8	6	7	4	8	6	9	6	9	6	9	9	8	10	7	7	...	1	24
25	12	4	16	4	19	4	22	6	23	4	23	3	23	3	23	3	23	2	23	2	...	...	...	...	25
26	8	11	9	13	9	16	9	18	10	12	10	7	10	3	...	1	10	5	...	...	...	...	10	2	26
27	9	16	10	15	9	17	9	18	9	14	9	13	9	9	9	8	9	5	8	4	7	6	7	9	27
28	10	15	10	15	10	13	9	12	9	13	10	10	9	11	10	4	10	4	10	6	8	13	8	22	28
29	8	24	8	23	8	20	8	19	8	21	8	22	8	20	8	24	8	22	8	22	7	25	8	23	29
30	9	18	10	17	10	20	10	17	10	14	9	11	8	10	8	11	7	11	7	12	7	11	7	13	30
31	10	12	10	15	10	13	10	9	9	9	10	6	...	...	5	4	4	6	2	9	2	5	1	11	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of OCTOBER, 1922.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	cu	N	cu	N	...	...	cu	N	cu	NNE	cu	NNE	cu	NNE	...	...
2	cu	ENE	cu	ENE	cu	ENE	cu	SE	cu	ESE	cu	E	cu-nb	E	cu	E
3	nb	E	cu	E	cu	E	ci-cu / cu	NE / E	cu	E	cu	E	nb	E	nb	E
4	nb	E	cu	ENE	cu	E	cu	E	cu	E	cu	E	cu	ENE	cu-nb	E
5	nb	E	nb	E	cu	E	cu	E	cu	E	cu	E	cu	ENE	cu	NE
6	a-cu / cu	NE / ENE	a-cu	NE	a-cu	NNE	a-cu	NNW	cu	NNE	cu	NE	cu	NNE	cu	NE
7	...	...	...	...	ci-cu	SSW	cu	NNW	cu	NNW	cu	NNW	cu	NNW	...	...
8	...	...	...	...	...	...	cu	NNW	cu	NNW	cu	NW	cu	NW	cu	ENE
9	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE	cu	ENE
10	nb	E	cu-nb	ENE	cu	ENE	cu	ENE	cu	ENE	st-cu	ENE	cu	ENE	cu	ENE
11	cu	ENE	cu	ENE	a-cu / cu	N / ENE	cu	ENE	cu	ENE	cu	ENE	...	...	nb	ENE
12	nb	E	cu	E	...	...	...	...	...	...	...	...	...	...	cu	E
13	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	...	...	...	...
14	cu	E	cu	E	cu	E	cu	E	cu	E	...	...	...	...	...	...
15	cu	E	cu	E	cu	E	cu	E	cu	E	...	...	...	...	cu	ENE
16	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	...	...	cu	E
17	...	...	...	...	cu	E	cu	E	cu	E	...	...	...	...	...	...
18	...	...	...	...	ci-st / cu	ENE / E	cu	E	a-cu / cu	SSW / E	cu	E	cu	E	cu	E
19	cu-nb	E	nb	E	cu-nb	E	cu	E	cu	E	cu	E	cu	E	nb	E
20	nb	E	cu-nb	E	nb	E	cu-nb	E	cu-nb	E	nb	E	nb	E	nb	E
21	nb	E	nb	E	cu-nb	E	cu-nb	ENE	cu-nb	ENE	nb	NE	cu-nb	ENE	cu-nb	ENE
22	nb	E	cu-nb	ENE	st-cu	E	cu	E	a-cu / cu	SW / E	cu-nb	E	cu-nb	E	cu	E
23	cu-nb	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E	cu	E
24	cu	E	cu-nb	E	cu	E	cu	ESE	cu	ESE	nb	ESE	cu	E	cu	E
25	cu	E	cu	E	cu	ESE	a-cu	W	a-cu / cu	W / E	cu	N	cu	E	...	...
26	...	...	...	...	cu	NNE	...	...	...	...	cu	NNE	...	...	...	...
27	cu	E	cu	E	a-cu / cu	SSE / E	cu	E	...	...	cu	E	...	...	...	...
28	cu	E	cu	E	cu	E	...	...	cu	ENE	...	...	...	...	...	...
29	...	...	...	...	cu	E	cu	E	cu	E	a-cu / cu	WSW / E	a-cu	W	cu	E
30	cu	E	cu	E	a-cu / cu	W / E	a-cu	WNW	a-cu	WNW	...	...	...	...	...	...
31	cu	E	cu	E	st-cu	E	a-cu / cu	W / E	a-cu / cu	WSW / E	a-cu / cu	WSW / E	a-cu / cu	WNW / E	a-cu	W

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1922.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·813	78·8	65·7	13·1	72·3	62·9	0·449	57	30	10·7	90	...	...	+ 10·0	— 0·1	359	10·0	10·2
2	29·832	81·5	70·0	11·5	73·8	65·4	·515	61	86	2·2	18	...	...	+ 13·4	+ 2·1	9	13·6	13·6
3	29·860	82·5	69·0	13·5	73·8	67·2	·579	70	85	6·4	54	0·070	3	+ 13·9	+ 2·1	9	14·1	13·9
4	29·879	81·0	69·8	11·2	74·8	69·4	·647	75	94	4·5	38	0·435	2	+ 4·8	+ 8·1	59	9·4	11·4
5	29·846	84·1	71·9	12·2	76·8	71·8	·714	77	71	8·8	75	0·300	3	— 1·0	+ 3·4	106	3·6	4·6
6	29·820	81·2	73·0	10·2	77·6	71·3	·683	72	71	8·6	73	...	...	...	+ 0·5	90	0·5	3·6
7	29·803	83·2	73·2	10·0	76·2	72·2	·737	82	43	5·8	49	...	1	— 5·1	+ 5·1	102	5·2	5·3
8	29·815	81·1	73·1	8·0	76·7	72·4	·739	80	24	9·3	79	...	...	— 1·7	+ 7·6	103	7·8	7·7
9	29·907	81·6	74·0	7·6	77·9	73·1	·751	79	52	10·8	92	0·045	1	— 1·8	+ 11·9	99	12·0	12·0
10	30·063	76·8	67·8	9·0	70·3	64·0	·513	69	95	2·7	23	0·100	2	+ 15·6	+ 3·3	12	16·0	15·9
11	30·048	75·6	66·9	8·7	71·5	64·2	·504	65	60	9·6	82	...	...	+ 2·0	+ 11·1	80	11·3	12·5
12	29·987	78·9	69·7	9·2	74·2	67·1	·570	68	20	11·1	95	...	...	+ 1·6	+ 11·5	82	11·6	12·5
13	29·948	81·6	72·7	8·9	75·7	70·2	·666	75	25	10·6	91	...	...	— 0·3	+ 9·2	92	9·2	9·8
14	29·894	82·2	72·9	9·3	76·6	70·9	·681	74	10	10·8	93	..	...	— 1·6	+ 9·3	100	9·4	9·8
15	29·869	81·0	74·0	7·0	76·8	71·6	·706	76	26	10·2	88	...	...	...	+ 11·2	90	11·2	11·2
16	29·877	81·0	75·4	5·6	77·3	71·9	·711	75	32	9·7	84	...	...	+ 0·5	+ 14·3	88	14·3	14·3
17	29·866	84·0	75·3	8·7	78·3	73·6	·766	79	17	10·6	91	...	...	— 1·2	+ 12·8	95	12·9	12·8
18	29·850	82·5	76·8	5·7	78·8	74·6	·802	81	59	8·6	75	...	...	— 0·5	+ 14·4	92	14·4	14·4
19	29·835	80·5	75·0	5·5	77·6	73·3	·764	81	90	6·6	57	0·760	5	+ 1·7	+ 22·6	86	22·7	22·7
20	29·814	75·9	71·3	4·6	74·0	70·8	·712	85	100	...	...	0·255	8	+ 4·8	+ 22·6	78	23·1	22·9
21	29·861	75·3	68·3	7·0	71·6	68·8	·668	86	100	...	...	0·025	3	+ 4·9	— 3·8	38	6·2	7·3
22	29·907	76·6	70·8	5·8	73·9	69·5	·664	79	98	2·8	24	...	...	+ 2·5	+ 19·7	83	19·9	20·5
23	29·897	77·9	74·5	3·4	75·7	71·5	·717	81	93	3·3	29	...	...	+ 0·7	+ 18·5	88	18·5	18·6
24	29·841	81·9	75·0	6·9	77·0	74·3	·813	87	96	3·0	26	0·020	1	+ 0·5	+ 8·4	87	8·4	8·5
25	29·871	84·3	73·5	10·8	77·3	72·2	·723	77	62	5·1	45	...	...	+ 1·2	+ 0·2	10	1·2	3·8
26	29·916	84·2	71·5	12·7	76·1	67·8	·570	63	3	10·8	95	...	...	+ 3·0	+ 5·1	60	5·9	8·1
27	29·954	79·2	73·1	6·1	75·6	67·5	·566	64	28	10·0	88	0·015	1	+ 0·6	+ 11·6	87	11·6	11·9
28	29·971	81·1	70·7	10·4	75·5	67·5	·567	64	11	10·8	96	...	...	— 0·7	+ 9·7	94	9·7	10·2
29	29·948	78·5	73·0	5·5	75·5	67·7	·575	65	42	8·3	73	...	...	+ 2·1	+ 20·4	84	20·5	20·6
30	29·926	79·6	73·2	6·4	75·9	69·2	·625	70	26	10·2	90	...	...	...	+ 15·7	90	15·7	16·0
31	29·932	78·8	73·6	5·2	75·6	69·7	·649	73	84	1·3	12	...	...	+ 0·9	+ 10·3	85	10·4	11·4
Means	29·892	80·5	72·1	8·4	75·5	69·8	0·656	74	56	Sum. 223·2	62	Sum. 2·025	Sum 30	+ 2·4	+ 9·9	76	10·2	12·2
Normals	29·873	80·9	72·8	8·1	76·4	70·0	0·654	71	51	213·2	59	4·850	33	+ 2·9	+ 10·4	74	10·8	14·2
Absolute Max.	30·119	84·3	...	13·5	...	77·1	0·867	...	...	11·1	95	0·760	8	...	...	...	...	31·0†
Day.	10	25	...	3	...	24	24	...	...	12	12	19	20	...	...	...	...	23d 0h
Absolute Min.	29·747	...	65·7	3·4	...	59·4	0·405	35	...	...	...	...	...	...	...	...	...	...
Day.	7	...	1	23	...	1	27	26	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar corona :—on the 1st, 2nd, 5th, 8th, 15th, 28th and 31st.

Unusual Visibility :—on the 1st, 9th and 26th.

Dew :—on the 7th.

Rainbow :—on the 6th.

Lightning :—on the 9th, 18th, 21st, 22nd, 23rd and 24th.

Thunder :—on the 24th.

Rain fell on 10 days. The mean hourly intensity was 0·067in., and the maximum fall in one hour was 0·625in. at 3h on the 19th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 39 miles per hour at 23h 45m on the 22nd.

* 0° = N., 90° = E., &c. † Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.			°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1011·6	299·0	291·7	7·3	295·4	290·2	15·1	...	...	+ 3·3	...	359	3·3	3·3
2	1012·2	300·5	294·1	6·4	296·2	291·6	17·4	...	...	+ 4·4	+ 0·7	9	4·5	4·5
3	1013·1	301·1	293·6	7·5	296·2	292·6	19·5	1·8	3	+ 4·6	+ 0·7	9	4·6	4·6
4	1013·8	300·2	294·0	6·2	296·8	293·8	21·8	11·0	2	+ 1·6	+ 2·7	59	3·1	3·7
5	1012·6	301·9	295·2	6·7	297·9	295·1	24·1	7·6	3	— 0·3	+ 1·1	106	1·2	1·5
6	1011·8	301·4	295·8	5·6	298·3	294·8	23·0	...	...	...	+ 0·2	90	0·2	1·2
7	1011·2	301·4	295·9	5·5	297·6	295·3	24·9	...	1	— 0·4	+ 1·7	102	1·7	1·7
8	1011·6	300·3	295·8	4·5	297·8	295·4	24·9	...	...	— 0·6	+ 2·5	103	2·6	2·5
9	1014·7	300·6	296·3	4·3	298·5	295·8	25·3	1·2	1	— 0·6	+ 3·9	99	3·9	3·9
10	1020·1	297·9	292·9	5·0	294·3	290·8	17·3	2·5	2	+ 5·1	+ 1·1	12	5·2	5·2
11	1019·5	297·2	292·4	4·8	294·9	290·9	17·0	...	...	+ 0·7	+ 3·6	80	3·7	4·1
12	1017·4	299·1	293·9	5·2	296·4	292·5	19·2	...	...	+ 0·5	+ 3·8	82	3·8	4·1
13	1016·1	300·6	295·6	5·0	297·3	294·2	22·4	...	...	— 0·1	+ 3·0	92	3·0	3·2
14	1014·3	300·9	295·7	5·2	297·8	294·6	23·0	...	...	— 0·5	+ 3·0	100	3·1	3·2
15	1013·4	300·2	296·3	3·9	297·9	295·0	23·8	...	...	...	+ 3·7	90	3·7	3·7
16	1013·7	300·2	297·1	3·1	298·2	295·2	24·0	...	...	+ 0·2	+ 4·7	88	4·7	4·7
17	1014·0	301·9	297·1	4·8	298·7	296·1	25·8	...	...	— 0·4	+ 4·2	95	4·2	4·2
18	1012·8	301·1	297·9	3·2	299·0	296·7	27·0	...	...	— 0·2	+ 4·7	92	4·7	4·7
19	1012·3	299·9	296·9	3·0	298·3	295·9	25·8	19·3	5	+ 0·6	+ 7·4	86	7·4	7·4
20	1011·6	297·4	294·8	2·6	296·3	294·6	24·0	6·5	8	+ 1·6	+ 7·4	78	7·6	7·5
21	1013·2	297·1	293·2	3·9	295·0	293·4	22·5	0·6	3	+ 1·6	+ 1·2	38	2·0	2·4
22	1014·7	297·8	294·6	3·2	296·3	293·8	22·4	...	...	+ 0·8	+ 6·5	83	6·5	6·7
23	1014·4	298·5	296·6	1·9	297·3	294·9	24·2	...	...	+ 0·2	+ 6·1	88	6·1	6·1
24	1012·5	300·7	296·9	3·8	298·0	296·5	27·4	0·5	1	+ 0·2	+ 2·8	87	2·8	2·8
25	1013·5	302·1	296·1	6·0	298·2	295·3	24·4	...	...	+ 0·4	+ 0·1	10	0·4	1·2
26	1015·0	302·0	294·9	7·1	297·5	292·9	19·2	...	...	+ 1·0	+ 1·7	60	1·9	2·7
27	1016·3	299·2	295·8	3·4	297·2	292·7	19·1	0·4	1	+ 0·2	+ 3·8	87	3·8	3·9
28	1016·9	300·3	294·5	5·8	297·2	292·7	19·1	...	...	— 0.2	+ 3·2	94	3·2	3·3
29	1016·1	298·8	295·8	3·0	297·2	292·8	19·4	...	...	+ 0·7	+ 6·7	84	6·7	6·8
30	1015·4	299·4	295·9	3·5	297·4	293·7	21·1	...	...	...	+ 5·1	90	5·1	5·2
31	1015·6	299·0	296·1	2·9	297·2	293·9	21·9	...	...	+ 0·3	+ 3·4	85	3·4	3·7
Means.	1014·2	299·9	295·3	4·6	297·2	294·0	22·1	Sums. 51·4	Sums. 32	+ 0·8	+ 3·2	76	3·3	4·0
Normals	1013·6	300·2	295·7	4·5	297·7	294·1	22·0	123·2	33	+ 1·0	+ 3·4	74	3·5	4·7
Absolute Maximum	1021·9	302·1	...	7·5	...	298·1	29·3	19·3	8	...	...	...	...	10·2†
Day.	10	25	...	3	...	24	24	19	20	...	...	...	...	22nd
Absolute Minimum.	1009·3	...	291·7	1·9	...	288·2	13·6	...	...	...	...	...	...	...
Day.	7	...	1	23	...	1	27	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·896	73·7	69·5	·669	80	58		12	13	+ 2·8	+ 9·0	73	9·4	10·8
2	29·882	73·4	69·3	·665	81	65		18	15	+ 3·9	+ 9·0	67	9·8	11·3
3	29·874	73·1	69·0	·658	81	64		33	7	+ 4·7	+ 8·5	61	9·7	11·3
4	29·871	73·0	68·7	·648	79	58		1	5	+ 4·8	+ 8·2	60	9·5	11·2
5	29·874	72·8	68·4	·640	79	54		1	+	+ 5·3	+ 7·7	55	9·4	11·1
6	29·887	72·6	68·3	·639	79	59	4	1	3	+ 4·8	+ 7·7	58	9·1	10·8
7	29·902	73·1	68·4	·636	78	61	37	1	1	+ 4·7	+ 8·1	60	9·4	11·0
8	29·918	74·6	69·2	·645	75	59	59	...	1	+ 4·6	+ 9·3	64	10·4	11·9
9	29·932	76·4	69·7	·640	70	58	70	...	...	+ 3·5	+ 10·8	67	11·7	13·2
10	29·938	77·7	70·2	·642	67	52	76	...	...	+ 4·3	+ 11·8	70	12·6	14·7
11	29·930	78·6	70·4	·638	65	54	74	...	...	+ 2·8	+ 12·5	77	12·8	14·7
Noon.	29·910	79·0	70·6	·641	64	53	77	...	1	+ 1·3	+ 12·4	84	12·5	14·4
13	29·885	79·1	70·9	·651	65	52	74	...	...	+ 0·2	+ 12·6	89	12·6	14·8
14	29·863	78·9	70·9	·653	66	50	71	...	...	− 0·4	+ 12·2	92	12·2	14·5
15	29·850	78·2	70·8	·658	68	48	68	..	2	− 0·2	+ 12·1	91	12·1	14·4
16	29·847	77·7	70·5	·654	69	53	62	1	6	+ 0·2	+ 11·1	89	11·1	13·2
17	29·854	76·8	70·4	·661	71	55	48	...	+	+ 0·3	+ 10·6	88	10·6	12·5
18	29·864	75·9	70·1	·662	74	58	8	8	5	+ 0·2	+ 9·4	89	9·4	11·3
19	29·876	75·2	70·1	·672	77	52		2	6	+ 0·5	+ 8·8	87	8·8	10·5
20	29·895	75·0	70·0	·671	77	54		...	1	+ 1·1	+ 8·5	83	8·6	10·5
21	29·912	74·7	70·0	·675	78	55		...	3	+ 1·2	+ 9·2	83	9·3	11·1
22	29·919	74·4	70·0	·678	79	55		3	6	+ 1·3	+ 9·1	82	9·2	10·8
23	29·918	74·1	69·9	·679	80	55		2	7	+ 2·2	+ 9·3	77	9·6	11·2
Midn.	29·912	73·9	69·7	·674	80	61		17	10	+ 2·6	+ 9·5	75	9·8	11·4

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of OCTOBER, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.			m.b.	m.p.s.	m.p.s.		m.p.s.	m.p.s.
1	1014·4	296·2	293·8	22·5	+ 0·9	+ 3·0	73	3·1	3·5
2	1013·9	296·0	293·7	22·4	+ 1·3	+ 3·0	67	3·2	3·7
3	1013·6	295·8	293·6	22·2	+ 1·5	+ 2·8	61	3·2	3·7
4	1013·5	295·8	293·4	21·9	+ 1·6	+ 2·7	60	3·1	3·7
5	1013·6	295·7	293·2	21·5	+ 1·7	+ 2·5	55	3·1	3·6
6	1014·1	295·6	293·2	21·6	+ 1·6	+ 2·5	58	3·0	3·5
7	1014·6	295·8	293·2	21·5	+ 1·5	+ 2·7	60	3·1	3·6
8	1015·1	296·7	293·7	21·8	+ 1·5	+ 3·0	64	3·4	3·9
9	1015·6	297·7	293·9	21·6	+ 1·5	+ 3·5	67	3·8	4·3
10	1015·8	298·4	294·2	21·7	+ 1·4	+ 3·9	70	4·1	4·8
11	1015·5	298·9	294·3	21·5	+ 0·9	+ 4·1	77	4·2	4·8
Noon.	1014·8	299·1	294·4	21·6	+ 0·4	+ 4·1	84	4·1	4·7
13	1014·0	299·2	294·6	21·9	+ 0·1	+ 4·1	89	4·1	4·9
14	1013·2	299·1	294·6	22·0	− 0·1	+ 4·0	92	4·0	4·8
15	1012·8	298·7	294·6	22·2	− 0·1	+ 4·0	91	4·0	4·7
16	1012·7	298·4	294·4	22.0	+ 0·1	+ 3·6	89	3·6	4·3
17	1012·9	297·9	294·3	22·3	+ 0·1	+ 3·5	88	3·5	4·1
18	1013·3	297·4	294·2	22·3	+ 0·1	+ 3·1	89	3·1	3·8
19	1013·7	297·0	294·2	22·6	+ 0·2	+ 2·9	87	2·9	3·4
20	1014·3	296·9	294·1	22·6	+ 0·4	+ 2·8	83	2·8	3·4
21	1014·9	296·7	294·1	22·7	+ 0·4	+ 3·0	83	3·0	3·6
22	1015·1	296·6	294·1	22·9	+ 0·4	+ 3·0	82	3·0	3·5
23	1015·1	296·4	294·1	22·9	+ 0·7	+ 3·0	77	3·1	3·7
Midn.	1014·9	296·3	293·9	22·7	+ 0·9	+ 3·1	75	3·2	3·7

* 0° = N., 90° = E., &c.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

OCTOBER,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th SEPTEMBER, 1922.								1st OCTOBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.29	769.3	66	...	WSW	2	b	6	30.10	764.6	59	...	ESE	4	o
Nemuro,	11	29.86	758.5	...	...	WNW	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.14	765.5	...	...	WNW	6	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.20	767.0	...	...	N	2	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.14	765.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.08	764.0	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.06	763.5	...	...	NE	3	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.98	761.5	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	29.94	760.5	...	...	SSE	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.86	758.5	...	...	S	5	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.02	762 5	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	30.18	766.6	66	64	E	1	b	6	29.99	761.7	62	89	S	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29 97	761.2	68	98	ENE	6	o	,,	29.90	759.4	68	100	NNW	1	r
Gutzlaff,	,,	29.86	758.4	72	100	E	6	o	,,	29.87	758.7	71	100	...	o	rf
Sharp Peak,	15	29 77	756.1	77	91	ESE	2	o	7	29.83	757.7	71	90	W	1	o
Amoy,	14	29.72	754.9	80	82	WSW	2	o	6	29.81	757.2	72	92	W	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.76	756.0	90	66	E	4	o	,,	29.82	757.5	73	96	...	o	o
Taichu,	,,	29.78	756.3	82	...	W	2	r	,,	29.81	757.2	73	...	...	o	o
Tainan,	,,	29.80	756.9	79	...	SW	6	r	,,	29.80	756.9	75	...	...	o	r
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.80	756.9	79	...	NNW	4	o	,,	29.81	757.2	73	...	N	4	r
Canton,	15	29.83	757.7	80	96	NNW	2	c	,,	29.96	761.0	61	77	N	2	b
Hongkong,	14	29.79	756.6	78	52	NNW	3	b	,,	29.89	759.2	66	66	NNW	2	b
Gap Rock,	,,	29.81	757.2	...	...	NNE	5	b	,,	29.88	758.9	...	...	NNE	5	c
Macao,	,,	29.80	756.9	75	67	NNW	4	b	,,	29.87	758.7	64	71	N	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.82	757.5	86	52	SW	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.72	754.8	82	...	N	6	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	82	...	SSW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.74	755 4	86	71	...	o	o	6	29.79	756.6	75	91	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	84	74	SW	1	o	,,	29.81	757.2	75	96	...	o	o
Legaspi,	,,	29.75	755.7	86	71	NE	2	o	,,	29.81	757.2	75	96	...	o	o
Tacloban,	,,	...	...	..	...	..	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	90	66	E	2	o	,,	29.81	757.2	79	89	E	1	o
Surigao,	,,	29.75	755.7	82	77	W	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	NNE	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	69	N	2	b	6	29.84	757.9	76	91	SW	2	b

October 1*d.* 11*h.* 59*m.*—Pressure is highest in the extreme North and lowest over Luzon. It has decreased considerably at Weihaiwei and Wladivostock and moderately at Shanghai. It has increased slightly along the south coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·13 inches, against an average of 75·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st October, 1922.								2nd October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.98	761.6	59	...	SE	5	o	6	29.73	755.0	53	...	NNW	2	o
Nemuro,	11	30.18	766.5	...	...	SSW	5	...	5	29.71	754.5	...	...	SE	6	...
Hokodate,	,,	30.16	766.0	...	...	SE	1	...	,,	29.86	758.5	...	...	N	3	...
Tokio,	,,	30.22	767.5	...	...	SSE	1	...	,,	29.92	760 0	...	...	N	1	...
Kochi,	,,	30 04	763.0	...	...	SE	1	...	,,	29.88	759.0	...	...	...	...	...
Nagasaki,	,,	29.96	761 0	...	...	S	4	...	,,	29.84	758.0	...	...	W	5	...
Kagoshima,	,,	29.98	761.5	...	...	S	2	...	,,	29.88	759.0	...	...	...	...	...
Oshima,	,,	29.94	760.5	...	...	SE	3	...	,,	29.86	758.5	...	...	...	...	...
Naha,	,,	29.90	759.5	...	...	SSE	2	...	,,	29.86	758.5	...	...	...	...	...
Ishigakijima,	,,	29.88	759.0	...	...	S	2	...	,,	29.84	758.0	...	...	NNE	1	...
Bonin Island,	,,	30.04	763.0	...	...	E	1	...	,,	30.02	762.5	...	...	NE	1	...
Weihaiwei,	14	29.91	759.7	67	64	NW	2	o	6	30.13	765.3	63	62	WNW	5	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	29 93	760.2	72	92	W	1	o	,,	30.12	765.0	63	84	NNW	1	o
Gutzlaff,	,,	29.91	759.7	69	100	W	2	r	,,	30.06	763.5	68	70	N	4	o
Sharp Peak,	15	29.85	758.2	78	80	SW	2	o	7	29.93	760.2	71	95	WNW	1	r
Amoy,	14	...	...	...	...	...	...	...	6	29.86	758.4	74	92	NNW	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.85	758.1	82	77	...	o	o	,,	29.81	757.2	68	98	...	o	o
Taichu,	,,	29.85	758.1	81	...	SW	2	o	,,	29.86	758.4	72	...	...	o	o
Tainan,	,,	29.84	757.8	84	...	WSW	4	o	,,	29.84	757.8	75	...	NE	4	r
Koshun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.86	758.4	79	...	ENE	4	o	,,	29.85	758.1	75	...	NE	2	r
Canton,	15	29.87	758.7	81	48	N	2	b	,,	29.95	760.7	64	84	N	2	b
Hongkong,	14	29.83	757.7	78	48	NE	3	b	,,	29.86	758.4	70	59	N	3	o
Gap Rock,	,,	29.85	758.2	...	...	N	4	b	,,	29.87	758.7	...	...	N	5	o
Macao,	,,	29.85	758.1	75	53	N	4	b	,,	29.87	758.7	68	73	N	4	b
Wuchow,	15	29.92	759.9	78	58	NNE	3	b	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.91	759.6	82	44	...	o	b	7	29.97	761.1	72	51	NNE	4	b
Tourane,	,,	...	...	...	...	...	...	...	,,	29 87	758.7	72	...	NE	6	o
Cape St. James,	,,	29.80	756.9	79	...	N	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.74	755 +	86	71	E	2	o	6	29.81	757.2	73	92	...	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	68	W	4	o	,,	29.80	756.9	73	96	SE	1	o
Legaspi,	,,	29.74	755.4	82	81	ENE	2	o	,,	29.81	757.2	75	96	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	65	SE	2	o	,,	29.81	757.2	79	92	...	o	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	75	94	...	o	o
Guam,	12.20	29.72	754.8	...	...	E	1	r	4.20	29.75	755.7	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.79	756.6	...	...	W	1	o
Labuan,	14	29.76	755.9	85	84	SW	2	b	6	29.78	756.4	80	91	SW	2	b

October 2*d*. 12*h*. 29*m*.—Pressure has decreased considerably over Japan and increased moderately from Weihaiwei to Foochow. It has decreased slightly at Hongkong, has increased slightly over Indo-China, and is nearly stationary over the Philippines.

An anticyclone is central to the north of the lower Yungtze Valley.

Fresh monsoon may be expected along the S.E. coast of China and moderate monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·13 inches, against an average of 76·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N. winds, fresh; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	3rd October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.84	757.9	56	...	NNW	4	o	6	30.26	76.85	44	...	...	o	b
Nemuro,	11	29.90	759.5	...	...	WNW	4	...	5	29.78	756.5	...	...	NW	6	...
Hokodate,	,,	29.57	751.0	...	...	...	o	...	,,	29.98	761.5	...	...	WNW	3	...
Tokio,	,,	29.82	757.5	...	...	SSW	4	...	,,	30.00	762.0	...	...	NNE	1	...
Kochi,	,,	29.84	758 0	...	...	N	1	...	,,	29.96	761.0	...	...	SW	1	...
Nagasaki,	,,	29.90	759.5	...	...	N	3	...	,,	29.96	761.0	...	...	NE	5	...
Kagoshima,	,,	29.86	758.5	...	...	SSE	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	29.86	758.5	...	...	NNE	1	...	,,	29.92	760.0	...	...	NNW	2	...
Naha.	,,	29.88	759.0	...	...	WNW	2	...	,,	29.92	760.0	...	...	NNE	1	...
Ishigakijima,	,,	29.92	760.0	...	...	SSW	1	...	,,	29.90	759.5	...	...	NNE	1	...
Bonin Island,	,,	29.98	761.5	...	...	E	1	...	,,	29.96	761.0	...	...	...	...	...
Weihaiwei,	14	30.17	766.3	67	55	N	4	b	6	30.25	768.3	62	67	NNE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.24	768.1	70	57	NNE	2	o	,,	30.25	768.3	55	90	NNW	1	b
Gutzlaff,	,,	30 14	765.5	69	60	N	4	o	,,	30.18	766.6	66	68	NNE	4	o
Sharp Peak,	15	29.96	761.0	77	..	NNE	2	o	7	30.03	762.7	68	85	N	4	o
Amoy,	14	29.88	758.9	77	82	NE	2	o	6	29.94	760.5	72	85	NE	4	o
Swatow,	,,	29.80	756.9	73	100	N	2	o	,,	...	...	...	...	...	...	...
Taihoku,	12	29.94	760.5	73	96	WNW	2	r	,,	29.98	761.4	70	96	E	4	r
Taichu,	,,	29.87	758.7	86	...	NW	2	o	,,	29.89	759.3	72	...	...	o	o
Tainan,	,,	29.88	759.0	82	...	NNW	4	b	,,	29.85	758.1	73	...	...	o	o
Koshun,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	72	...	E	4	r
Pescadores,	,,	29.91	759.6	81	...	NNE	6	o	,,	29.88	759.0	75	...	NNE	7	r
Canton,	15	29.89	759.2	83	49	N	2	b	,,	29.99	761.7	68	70	N	2	o
Hongkong,	14	29.86	758.4	79	60	N	2	o	,,	29.90	759.4	69	73	N	4	o
Gap Rock,	,,	29.91	759.7	...	...	N	4	o	,,	29.89	759.2	...	...	N	5	o
Macao,	,,	29.86	758.4	77	54	NNE	4	b	,,	29.91	759.6	66	80	N	4	o
Wuchow,	15	29 93	760.2	82	33	ENE	4	b	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.93	760.2	84	40	W	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.1	77	...	N	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	79	...	SE	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.80	756.9	82	74	N	4	o	6	29.85	758.1	72	92	S	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	75	W	2	o	,,	29.82	757.5	73	96	...	o	b
Legaspi,	,,	29.76	756.0	86	71	E	2	o	,,	29.82	757.5	73	96	...	o	b
Tacloban,	,,	...	...	..	...	...	...	...	,,	29.82	757.5	75	92	WNW	1	o
Iloilo,	,,	29.73	755.1	86	71	NE	2	o	,,	29.80	756.9	79	92	NNW	2	o
Surigao,	,,	29.75	755.7	85	71	...	o	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.48	753.9	...	...	NE	2	o	4.20	29.71	754.5	...	...	...	o	b
Yap,	12.47	29.73	755.1	...	...	W	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	73	N	2	b	6	29.80	756.9	78	91	SW	2	b

October 3*d*. 11*h*. 45*m*.—Pressure has increased considerably at Wladivostock, moderately from Weihaiwei to Foochow, and slightly at Hongkong. An anticyclone covers N.E. China and S.E. Mongolia.

Fresh monsoon may be expected along the E. coast of China and moderate to light monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·13 inches, against an average of 76·46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N. winds, fresh; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd October, 1922.									4th October, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	30.23	767.9	61	...	SE	0	b		6	30.17	766.4	54	...	SE	2	h	
Nemuro,	11	30.02	762.5	...	...	NW	6	...		5	...	...	...	...	...	...	...	
Hokodate,	,,	30.10	764.5	...	...	NNW	4	...		,,	...	...	...	...	...	...	...	
Tokio,	,,	30 12	765.0	...	...	NE	4	...		,,	...	...	...	...	...	...	...	
Kochi,	,,	30.00	762.0	...	...	SSW	1	...		,,	...	...	...	...	...	...	...	
Nagasaki,	,,	30 04	763.0	...	...	NE	5	...		,,	...	...	...	...	...	...	...	
Kagoshima,	,,	30.00	762.0	...	...	ENE	4	...		,,	...	...	...	...	...	...	...	
Oshima,	,,	29.98	761.5	...	...	N	3	...		,,	...	...	...	...	...	...	...	
Naha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Ishigakijima,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Bonin Island,	,,	29.94	760.5	...	...	ESE	1	...		,,	...	...	...	...	...	...	...	
Weihaiwei,	14	30.22	767.6	67	79	N	2	b		6	30.25	768.3	56	87	...	0	0	
Hankow,	15	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	11	30 25	768.3	72	51	NE	1	b		,,	30.21	767.3	59	93	NNE	1	0	
Gutzlaff,	,,	30.18	766.6	70	66	NNE	2	o		,,	30.16	766.0	66	79	NNE	2	0	
Sharp Peak,	15	30.03	762.7	71	80	N	2	o		7	30.08	764.0	69	80	NW	2	0	
Amoy,	14	29.94	760.5	75	86	NE	2	e		6	29.96	761.0	73	86	NE	2	0	
Swatow,	,,	29.83	757.7	73	100	N	2	e		,,	...	...	...	...	...	...	...	
Taihoku,	12	30.02	762.6	75	83	E	4	o		,,	29.98	761.4	72	96	E	2	r	
Taichu,	,,	29.94	760.5	81	...	...	o	o		,,	29.91	759.6	70	...	N	2	0	
Tainan,	,,	29.93	760.2	77	...	NNE	4	r		,,	29.89	759.3	72	...	...	0	0	
Koshun,	,,	29.91	759.6	82	...	NE	6	o		,,	29.89	759.3	75	...	...	0	0	
Pescadores,	,,	29.98	761.4	77	...	NNE	6	r		,,	29.92	759.9	75	...	NNE	6	0	
Canton,	15	29.92	759.9	83	57	N	2	o		,,	29.99	761.7	68	79	NNW	2	or	
Hongkong,	14	29.88	758.9	80	58	N	3	o		,,	29.92	759.9	71	77	N	2	0	
Gap Rock,	,,	29.88	758.9	...	...	NNE	5	o		,,	29.89	759.2	...	...	NNE	5	0	
Macao,	,,	29.88	759.0	77	61	N	4	b		,,	29.91	759.6	70	82	N	4	0	
Wuchow,	15	29.97	761.2	79	47	SE	2	c		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Phulien,	,,	29.93	760.2	84	40	NW	1	b		7	...	...	...	...	...	...	...	
Tourane,	,,	29.86	758.4	79	...	NNW	6	b		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	29.79	756.6	81	...	SSW	2	o		,,	...	...	...	...	...	...	...	
Aparri,	14	29.80	756.9	86	65	NE	4	o		6	...	...	...	...	...	...	...	
Dagupan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Manila,	,,	29.79	756.6	84	71	WNW	2	o		,,	29.84	757.8	75	96	E	1	o	
Legaspi,	,,	29.78	756.3	90	69	E	2	o		,,	29.84	757.8	75	98	...	0	o	
Tacloban,	,,	29.75	755.7	84	81	S	4	o		,,	...	...	...	...	...	...	...	
Hoilo,	,,	29.73	755.1	86	71	NE	4	o		,,	...	...	...	...	...	...	...	
Surigao,	,,	29.75	755.7	86	75	N	2	b		,,	29.80	756.9	75	96	...	0	o	
Guam,	12.20	29.67	753 6	...	...	NNW	1	o		4.20	29.63	752.7	...	...	SW	2	o	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Labuan,	14	29.81	757.2	86	76	SW	2	b		6	29.87	758.7	74	94	SW	2	b	

October 4*d*. 11*h*. 15*m*.—Pressure has decreased slightly at Wladivostock, Shanghai and Guam. It is nearly stationary at other reporting stations.

There are indications of a typhoon forming in the neighbourhood of Guam.

The anticyclone is central near Weihaiwei.

Fresh monsoon may be expected along the E. coast of China and moderate to light monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·18 inch. Total since January 1st, 66·31 inches, against an average of 76·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th October, 1922.								5th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.13	765.2	69	...	SSE	3	b	6	30.33	770.3	52	...	N	4	b
Nemuro,	11	30.22	767.5	...	...	SSE	5	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.18	766.5	...	...	SW	1	...	,,	30.16	766.0	...	...	...	...	...
Tokio,	,,	30.14	765.5	...	...	N	2	...	,,	30.12	765.0	...	...	N	1	...
Kochi,	,,	30.04	763.0	...	...	SSE	1	...	,,	30.04	763.0	...	...	WSW	1	...
Nagasaki,	,,	30.04	763.0	...	...	SE	2	...	,,	30.02	762.5	...	...	NE	1	...
Kagoshima,	,,	30.04	763.0	...	...	NE	2	...	,,	29.96	761.0	...	...	NE	2	...
Oshima,	,,	29.96	761.0	...	...	N	1	...	,,	29.86	758.5	...	...	SE	1	...
Naha,	,,	29.98	761.5	...	...	N	2	...	,,	29.86	758.5	...	...	NNE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	ENE	5	...	,,	29.86	758.5	...	...	NE	1	...
Bonin Island,	,,	29.90	759.5	...	...	NE	1	...	,,	29.80	757.0	...	...	ENE	1	...
Weihaiwei,	14	30.20	767.1	69	63	E	1	b	6	30.20	767.1	58	94	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.24	768.1	72	62	NNE	1	0	,,	30.17	766.3	63	100	ESE	1	r
Gutzlaff,	,,	30.14	765.5	69	85	N	2	0	,,	30.07	763.8	65	95	ENE	2	r
Sharp Peak,	15	29.99	761.7	70	85	N	2	0	7	29.97	761.2	68	94	N	4	0
Amoy,	14	29.92	759.9	80	78	N	2	0	6	29.90	759.4	74	92	NNE	1	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.00	762.0	75	83	E	4	0	,,	29.91	759.6	72	96	E	4	r
Taichu,	,,	29.93	760.2	81	...	...	0	0	,,	29.86	758.4	73	...	...	0	0
Tainas,	,,	29.93	760.2	81	...	...	0	0	,,	29.82	757.5	73	...	...	0	0
Koshun,	,,	29.93	760.2	82	...	ENE	4	0	,,	29.82	757.5	70	...	...	0	b
Peseadores,	,,	29.95	760.8	81	...	NNE	6	0	,,	29.85	758.1	77	...	NNE	6	c
Canton,	15	29.93	760.2	83	60	N	2	0	,,	29.96	761.0	70	85	N	2	0
Hongkong,	14	29.92	759.9	79	67	E	2	0	,,	29.92	759.9	72	92	NE	4	0
Gap Rock,	,,	29.91	759.7	...	...	ENE	5	0	,,	29.92	759.9	...	...	NE	4	0
Macao,	,,	29.91	759.6	79	61	NNE	4	0	,,	29.91	759.6	72	91	N	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.94	760.5	86	41	...	0	b	7	29.95	760.8	72	70	NNW	2	b
Tourane,	,,	29.88	759.0	73	...	N	2	0	,,	29.88	759.0	75	...	NNW	4	b
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.87	758.7	73	...	WNW	2	0
Aparri,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	84	71	WSW	2	0	,,	29.80	756.9	73	96	...	0	0
Legaspi,	,,	29.76	756.0	90	69	E	4	b	,,	29.76	756.0	75	98	...	0	b
Tacloban,	,,	29.74	755.4	90	69	E	1	0	,,	29.76	756.0	77	96	...	0	b
Iloilo,	,,	29.73	755.1	90	66	NE	2	0	,,	29.78	756.3	75	98	...	0	r
Surigao,	,,	29.74	755.4	86	75	N	1	b	,,	29.76	756.0	75	96	WSW	1	0
Guam,	12.20	29.60	751.8	...	...	WSW	6	0	4.20	29.61	752.1	...	...	SW	4	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.69	754.2	...	...	W	1	b
Labuan,	14	29.81	757.2	86	76	SW	2	b	6	29.83	757.7	76	94	SW	2	r

October 5*d*. 11*h*. 42*m*.—Pressure has increased moderately at Wladivostock, and decreased slightly at the majority of other stations.

The anticyclone is now central over S. Manchuria. The Guam typhoon appears to be moving N.W. At 6 a.m. this morning it was in about Lat. 17° N. and Long. 143° E.

Fresh monsoon may be expected along the S.E. coast of China and moderate monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·63 inch. Total since January 1st, 66·94 inches, against an average of 77·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate ; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th October, 1922.								6th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.36	771.2	70	...	...	0	b	6	30.26	768.5	48	...	E	1	0
Nemuro,	11	30.20	767.0	...	...	NNW	7	...	5	30.39	772.0	...	...	SW	1	...
Hokodate,	,,	30.24	768.0	...	...	N	4	...	,,	30.32	770.0	...	...	SE	5	...
Tokio,	,,	30.16	766.0	...	...	NE	2	...	,,	30.26	768.5	...	...	N	2	...
Kochi,	,,	30.02	762.5	...	...	W	1	...	,,	29.98	761.5	...	...	SW	1	...
Nagasaki,	,,	30.00	762.0	...	...	E	1	...	,,	29.86	758.5	...	...	ENE	3	...
Kagoshima,	,,	30.04	763.0	...	...	ENE	...	...	,,	29.88	759.0	...	...	ENE	2	...
Oshima,	,,	29.86	758.5	...	...	N	1	...	,,	29.61	752.0	...	...	...	...	...
Naha,	,,	29.84	758.0	...	...	N	1	...	,,	29.75	755.5	...	...	...	...	...
Ishigakijima,	,,	29.86	758.5	...	...	E	2	...	,,	29.78	756.5	...	...	N	2	...
Bonin Island,	,,	29.76	756.0	...	...	NNE	2	...	,,	29.75	755.5	...	...	E	2	...
Weihaiwei,	14	30.13	765.3	70	70	NE	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.17	766.3	66	90	E	1	0	,,	30.09	764.3	59	96	N	1	0
Gutzlaff,	,,	30.09	764.3	72	76	NNE	1	0	,,	30.03	762.7	67	91	N	4	0
Sharp Peak,	15	29.94	760.5	81	74	ENE	2	0	7	29.93	760.2	72	85	N	1	b
Amoy,	14	29.84	757.9	81	83	NNE	1	0	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.93	760.2	79	85	E	4	0	,,	29.88	759.0	72	94	...	0	r
Taichu,	,,	29.86	758.4	73	...	NNE	4	0	,,	29.86	758.4	72	...	N	2	0
Tainan,	,,	29.85	758.1	77	...	N	4	b	,,	29.80	756.9	75	...	NE	2	0
Koshun,	,,	29.84	757.8	81	...	NNE	4	0	,,	29.79	756.6	75	...	NNE	4	0
Pescadores,	,,	29.88	759.0	79	...	NE	7	b	,,	29.82	757.5	75	...	NE	6	r
Canton,	15	29.88	758.9	84	60	N	2	0	,,	...	...	...	...	...	...	...
Hongkong,	14	29.86	758.4	82	63	ESE	1	c	,,	29.88	758.9	73	75	N	1	c
Gap Rock,	,,	29.85	758.4	...	...	ENE	4	b	,,	29.86	758.4	...	...	NE	4	c
Macao,	,,	29.86	758.4	82	60	NE	2	b	,,	29.87	758.7	72	82	N	1	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.88	759.0	86	46	SSW	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.1	79	...	N	4	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	82	...	SSW	2	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.74	755.4	86	65	N	4	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.72	754.8	90	66	WNW	4	0	,,	29.75	755.7	75	96	...	0	b
Legaspi,	,,	29.71	754.5	86	78	W	2	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	90	60	...	0	0	,,	29.73	755.1	75	96	W	1	0
Surigao,	,,	29.69	754.2	86	68	W	2	b	,,	29.73	755.1	79	92	...	0	0
Guam,	12.20	29.61	752.1	...	...	SSW	4	0	4.20	29.69	754.2	72	92	SW	2	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	76	SW	2	b	6	29.78	756.4	78	91	SW	4	b

October 6*d*. 11*h*. 00*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon in Lat. 15° N. Long. 128° E., direction unknown, position uncertain.

October 6*d*. 11*h*. 03*m*.—Pressure has increased moderately over N.E. Japan and slightly at Guam. It has decreased slightly at other reporting stations. At 6 a.m. the Guam typhoon was in about Lat. 20° N. and Long. 141° E. moving N.W. or N.N.W.

There appears to be another typhoon about 400 miles to the east of Manila. Its direction of motion is unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·94 inches, against an average of 77·34 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.17	766.4	63	...	SSE	4	o	6	29.95	760.6	57	...	N	2	o
Nemuro,	11	30.37	771 5	...	...	S	3	...	5	30.22	767.5	...	...	S	4	...
Hokodate,	,,	30.28	769 0	...	...	ESE	1	...	,,	30.02	762.5	...	...	ESE	6	...
Tokio,	,,	30 24	768.0	...	...	NE	2	...	,,	29.94	760.5	...	...	NNW	2	...
Kochi,	,,	29.95	761.0	...	...		0	...	,,	29.73	755.0	...	...	SW	1	...
Nagasaki,	,,	29.92	760.0	...	...	ENE	1	...	,,	29.76	756.0	...	...	ENE	1	...
Kagoshima,	,,	29.82	757.5	...	...	NE	1	...	,,	29.71	754.5	...	...	NW	1	...
Oshima,	,,	29.76	756.0	...	...	SE	1	...	,,	29.65	753.0	...	...	S	1	...
Naha.	,,	29.76	756.0	...	...	N	2	...	,,	29.69	754.0	...	...	N	4	...
Ishigakijima,	,,	29.80	757.0	...	...	NE	6	...	,,	29.78	756.5	...	...	N	2	...
Bonin Island,	,,	29.74	755.5	...	...	ESE	...	...	,,	29.71	754.5	...	...	SE	6	...
Weihaiwei,	14	...	...	70	75	N	1	b	6	29 95	760.7	60	88	S	1	b
Hankow.	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.10	764.5	75	56	N	1	b	,,	30.03	762.7	55	100	N	1	b
Gutzlaff.	,,	30 01	762.2	71	80	N	4	o	,,	29.98	761.5	65	91	NNW	4	b
Sharp Peak,	15	29.89	759.2	81	67	ENE	2	b	7	29.90	759.4	71	85	SW	2	b
Amoy,	14	29.83	757.7	82	75	ENE	1	b	6	29.85	758.2	74	86	NNE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29 93	760.2	79	80	NE	2	o	,,	29.86	758.4	70	94	...	o	o
Taichu,	,,	29.85	758.1	82	...	N	4	b	,,	29.82	757.5	68	...	...	o	r
Tainan,	,,	29.82	757.5	86	...	NW	4	b	,,	29.79	756.6	73	...	...	o	o
Koshun,	,,	29.82	757.5	81	...	NNE	4	o	,,	29.79	756.6	64	...	N	4	b
Pescadores,	,,	29.87	758.7	81	...	NE	7	o	,,	29.81	757.2	73	...	NNE	6	o
Canton,	15	29.86	758.4	86	55	NW	2	b	,,	29.89	759.2	69	20	NNE	1	o
Hongkong,	14	29.85	758.2	82	63	WSW	2	c	,,	29.88	758.9	73	90	...	o	b
Gap Rock,	,,	29.86	758.4	...	...	N	3	b	,,	29.87	758.7	...	...	E	3	c
Macao,	,,	29.85	758.1	81	66	E	2	b	,,	29.86	758.4	77	92	...	o	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.86	758.4	86	49	SSE	4	b	7	29.88	759.0	73	98	NNW	1	b
Tourane,	,,	29.82	757.5	79	...	N	4	o	,,	29.85	758.1	73	...	NNW	2	b
Cape St. James,	,,	29.79	756.6	84	...	SSW	2	o	,,	29.82	757.5	73	...	WNW	2	b
Aparri,	14	29.68	753 9	86	71	N	4	o	6	29.76	756.0	75	94	W	2	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	90	48	SW	2	b	,,	29.74	755.4	75	96	...	o	o
Legaspi,	,,	29.66	753.3	90	63	ENE	2	o	,,	29.73	755.1	77	89	WSW	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.75	755.7	73	96	...	o	o
Iloilo,	,,	29.68	753.9	86	75	SW	4	o	,,	29.74	755.4	75	96	...	o	o
Surigao,	,,	29.67	753.6	86	61	W	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.69	754.2	...	...	SW	2	o	4.20	29.75	755.7	...	...	S	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.76	756.0	...	...	W	2	o
Lainan,	14	29.77	756.1	86	76	SW	4	b	6	29.78	29.64	78	86	SE	2	r

October *6d. 16h. 47m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 15° N. Long. 127° E., moving W. position uncertain.

October *7d 11h. 35m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 15° N. Long. 127° E., stationary or very slow.

October *7d. 11h. 40m.*—Pressure has decreased considerably over Japan and at Wladivostock. It is nearly stationary from Indo-China to the Philippines.

The depression or typhoon to the E. of Manila appears to be nearly stationary. It will probably fill up or curve to N.E. The Guam typhoon continue to move towards Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·94 inches, against an average of 77·60 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. or variable winds, moderate; cloudy, showery.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th October, 1922.								8th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.89	759.2	69	...	...	0	b	6	29.84	758.0	56	...	...	0	0
Nemuro,	11	30.12	765 0	...	...	SSE	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.94	760.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.80	757.0	...	...	N	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.70	754.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	29.74	755.5	...	...	N	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	29.65	753 0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	29.67	753.5	...	...	N	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.82	757.5	...	...	NNW	4	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.63	752.5	...	...	SSE	5	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.89	759.2	69	85	N	1	o	6	29.89	759.2	63	94	SE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.04	763.0	73	52	NE	1	b	,,	29.98	761.5	54	100	ESE	1	b
Gutzlaff,	,,	29.94	760.5	74	63	N	1	b	,,	29.94	760.5	64	78	WNW	2	b
Sharp Peak,	15	29.88	758.9	82	67	E	2	b	7	29.98	760.7	69	85	W	1	b
Amoy,	14	29.81	757.2	82	83	SE	4	b	6	29.87	758.7	72	92	NE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.92	759.9	75	79	NE	4	o	,,	29.87	758.7	66	94	ENE	4	o
Taichu,	,,	29.86	758.4	77	...	NW	2	o	,,	29.82	757.5	68	...	...	0	b
Tainan,	,,	29.82	757.5	84	...	SSW	2	o	,,	29.81	757.2	70	...	N	2	b
Koshun,	,,	29.81	757.2	82	...	NNE	4	o	,,	29.81	757.2	75	...	NE	2	o
Pescadores,	,,	29.87	758.7	81	...	NNE	6	o	,,	29.85	758.1	73	...	NNE	4	b
Canton,	15	29.81	757.2	88	96	NW	2	b	,,	29.87	758.7	71	95	ESE	1	b
Hongkong,	14	29.83	757.7	77	77	E	2	o	,,	29.86	758.4	74	86	...	0	b
Gap Rock,	,,	29.83	757.7	...	...	ENE	3	o	,,	29.86	758.4	...	...	ENE	3	b
Macao,	,,	29.82	757.5	79	73	ENE	1	o	,,	29.84	757.8	73	89	SE	2	o
Wuchow,	15	29.86	758.4	85	58	E	1	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.82	757.5	86	61	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.79	756.6	82	...	N	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.72	754.8	86	65	N	4	b	6	29.78	756.3	75	92	SE	2	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	86	71	SW	4	o	,,	29.75	755.7	77	96	...	0	o
Legaspi,	,,	29.67	753.6	90	72	SW	4	o	,,	29.75	755.7	77	96	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	68	SW	4	o	,,	29.75	755.7	73	94	...	0	o
Surigao,	,,	29.69	754.2	84	71	WSW	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	S	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	68	SW	2	b	6	29.82	757.4	78	86	SW	6	b

October 8*d.* 7*h.* 00*m.*—Warning to Hongkong, Coast Ports, &c.:—Typhoon in Lat. 16° N. Long. 129° E., moving N.E. position uncertain.

October 8*d.* 12*h.* 50*m.*—Pressure has decreased slightly from Wladivostock to Shanghai and from Hongkong to Tourane. It is nearly stationary over the Philippines.

The Guam typhoon has probably reached Japan and the typhoon to the E. of Luzon is probably moving N.E.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·94 inches, against an average of 77·85 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. or variable winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th October, 1922.								9th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.76	755.8	72	...	W	2	b	6	29.89	759.1	45	...	NNE	2	r
Nemuro,	11	29.53	750 0	...	...	ESE	6	...	5	29.45	748.0	...	...	N	7	...
Hokodate,	,,	29.53	750.0	...	...	N	7	...	,,	29.67	753.5	...	...	W	6	...
Tokio,	,,	29.31	744.5	...	...	NNE	2	...	,,	29.76	756.0	...	...	NNW	1	...
Kochi,	,,	29.69	754.0	...	...	N	1	...	,,	29.88	759.0	...	...	SW	1	...
Nagasaki,	,,	29.84	758.0	...	...	N	3	...	,,	29.88	759.0	...	...	...	...	...
Kagoshima,	,,	29.76	756.0	...	...	N	1	...	,,	29.90	759.5	...	...	NNW	1	...
Oshima,	,,	29.80	757.0	...	...	N	3	...	,,	29.90	759.5	...	...	...	0	...
Naha,	,,	29.90	759.5	...	...	N	3	...	,,	29.92	760.0	...	...	...	0	...
Ishigakijima,	,,	29.90	759.5	...	...	NNE	1	...	,,	29.94	760.5	...	...	N	1	...
Bonin Island,	,,	29.74	755.5	...	...	SW	2	...	,,	29.86	758.5	...	...	WSW	1	...
Weihaiwei,	14	29.87	758.7	65	84	N	1	0	6	30 01	762.2	58	70	N	4	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.02	762.5	77	54	S	1	b	,,	30.12	765.0	64	90	NNW	1	0
Gutzlaff,	,,	29.95	760.7	72	67	...	0	b	,,	30.08	764.0	66	91	NNW	2	0
Sharp Peak,	15	29.91	759.7	86	65	E	2	b	7	30.00	762.0	71	85	NW	2	b
Amoy,	14	29.85	758.2	82	83	SSE	4	b	6	29.96	761.0	74	92	SE	2	h
Swatow,	,,	29.77	756.1	78	95	ESE	2	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.91	759.6	81	66	ENE	4	0	,,	29.94	760.5	72	91	ENE	4	0
Taichu,	,,	29.88	759.0	82	...	WSW	2	b	,,	29.93	760.2	72	...	...	0	b
Tainan,	,,	29.87	758.7	82	...	W	2	b	,,	29.91	759.6	70	...	NNE	2	h
Koshun,	,,	29.87	758.7	84	...	NNE	4	b	,,	29.91	759.6	73	...	NNE	2	b
Pescadores,	,,	29.91	759 6	81	...	NNE	4	b	,,	29.93	760.2	75	...	N	4	b
Canton,	15	29.84	757.9	87	62	S	1	c	,,	29.93	760.2	72	95	ESE	1	c
Hongkong,	14	29.85	758.2	80	73	E	3	c	,,	29.93	760.2	75	85	NE	1	0
Gap Rock,	,,	29.87	758.7	...	...	ENE	3	c	,,	29.93	760.2	...	...	E	3	c
Macao,	,,	29.85	758.1	84	74	SE	2	b	,,	29.92	759 9	75	89	ESE	2	b
Wuchow,	15	29.73	755.1	83	67	E	2	c	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.80	756.9	86	68	SSE	6	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.78	756.3	82	...	SSE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	81	...	W	2	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.76	756 0	81	76	E	4	r	6	29.86	758.4	77	92	E	2	0
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	86	71	SW	2	0	,,	29.82	757.5	75	96	N	1	0
Legaspi,	,,	29.74	755.4	82	89	SW	4	0	,,	29.82	757.5	73	98	...	0	0
Tacloban,	,,	29.74	755.4	84	68	WNW	2	0	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.74	755.4	86	68	SW	4	0	,,	29.82	757.5	75	96	...	0	0
Surigao,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	75	96	...	0	0
Guam,	12.20	29.78	756.3	...	...	W	1	r	4.20	29.82	757.5	...	...	...	0	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.79	756.6	...	...	WSW	4	0
Labuan,	14	29.76	755.9	84	75	SW	4	b	6	29.85	758.2	75	94	SW	2	b

October 9*d.* 10*h.* 53*m.*—Pressure has increased considerably over central Japan, moderately from Weihaiwei to Shanghai and the Loochoos, and slightly from Hongkong to Formosa and the Philippines. It has decreased considerably over N.E. Japan.

The Guam typhoon passed near Tokio yesterday morning and is now to the east of Nemuro. The other typhoon has filled up.

An anticyclone has formed over China. It will cause moderate to fresh monsoon along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 66·94 inches, against an average of 78·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh to strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate to fresh; fine, cooler.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9th OCTOBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	10th OCTOBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.78	756.5	50	...	N	2	o	6	29.86	758.5	42	...	W	4	b
Nemuro,	11	29.59	751.5	...	...	NW	5	...	5	29.59	751.5	...	...	S	4	...
Hokodate,	,,	29.70	754.5	...	...	W	2	...	,,	29.63	752.5	...	...	WNW	3	...
Tokio,	,,	29.76	756.0	...	...	SE	1	...	,,	29.71	754.5	...	...	...	0	...
Kochi,	,,	298.6	758.5	...	...	SE	1	...	,,	29.88	759.0	...	...	W	1	...
Nagasaki,	,,	29.94	760.5	...	...	W	4	...	,,	30.06	763.5	...	...	NW	3	...
Kagoshima,	,,	29.92	760.0	...	...	NW	2	...	,,	30.02	762.5	...	...	NW	1	...
Oshima,	,,	29.94	760.5	...	...	N	3	...	,,	30 04	763.0	...	...	N	4	...
Naha,	,,	29.96	761.0	...	...	N	2	...	,,	30.06	763.5	...	...	NE	3	...
Ishigakijima,	,,	30.00	762 0	...	...	N	2	...	,,	30.06	763.5	...	...	N	2	...
Bonin Island,	,,	29.88	759.0	...	...	...	0	...	,,	29.96	761.0	...	...	...	...	...
Weihaiwei,	14	30.04	763.0	56	81	WNW	6	o	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.23	767.8	70	63	NNW	4	o	,,	30.43	772.9	46	59	NW	2	b
Gutzlaff,	,,	30.16	766.0	68	70	NNW	4	o	,,	30.36	771.1	54	62	NW	6	b
Sharp Peak,	15	30.02	762.5	80	70	ENE	4	b	7	30.20	767.1	67	69	N	2	o
Amoy,	14	29.74	755.4	83	75	ESE	1	b	6	30.13	765.3	73	92	NE	4	o
Swatow,	,,	29.88	758.9	78	91	E	2	c	,,	30.01	762.2	75	95	NE	4	o
Taiboku,	12	30.02	762.6	79	69	E	6	b	,,	30.20	767.1	66	82	E	4	o
Taichu,	,,	29.92	759.9	82	...	N	2	b	,,	30.02	762.6	68	...	N	2	b
Tainan,	,,	29.98	761.4	84	...	WNW	2	b	,,	30.01	762.3	72	...	N	2	o
Koshun,	,,	29.95	760.8	84	...	ENE	4	b	,,	30.00	762.0	75	...	ENE	6	b
Pescadores,	,,	29.99	761.7	81	...	NNE	6	o	,,	30 04	762.9	73	...	NNE	8	o
Canton,	15	29.93	760.2	88	62	W	1	b	,,	30.17	766.3	66	73	N	2	o
Hongkong,	14	29.93	760.2	81	70	E	3	b	,,	30.10	764.5	69	73	N	2	o
Gap Rock,	,,	29.93	760.2	...	...	ENE	4	b	,,	...	...	...	...	N	5	o
Macao,	,,	29.92	759.9	86	71	ESE	2	b	,,	30.10	764 4	63	96	N	4	o
Wuchow,	15	29.91	759.7	83	46	E	3	cg	9	...	...	...	...	...	...	...
Pakhoi,	,,		...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 91	759.6	82	77	ESE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.86	758.4	82	...	E	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.85	758.1	82	...	S	2	o	,,	...	...	...	...	...	..	...
Aparri,	14	29.84	757.8	86	65	NE	4	o	6	29.97	761.1	77	84	NE	4	r
Dagupan,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	..	...
Manila,	,,	29 80	756 9	84	71	NW	2	o	,,	29.89	759.3	75	94	NE	1	r
Legaspi,	,,	29.79	756.6	81	89	WSW	2	o	,,	29.87	758.7	75	98	...	o	o
Tacloban,	,,	...	...	...	.	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.6	84	74	SW	4	o	,,	29.86	758.4	75	92	...	o	o
Surigao,	,,	29.78	756.3	86	71	WNW	1	o	,,	29.86	758.4	72	94	...	o	o
Guam,	12.20	29.79	756.6		...	WNW	1	o	4.20	29.85	758.1	...	...	...	o	o
Yap,	12.47	29.79	756.6		...	WSW	2	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.85	758.2	84	83	SW	2	b	6	29.85	758.2	78	91	SE	2	b

October 10*d*. 11*h*. 20*m*.- Pressure has increased considerably over China and moderately from Formosa to S W. Japan and the Bonins. It has decreased slightly over central Japan.

A strong anticyclone is central over the lower Yangtze Valley.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·14 inch. Total since January 1st, 67·08 inches, against an average of 78·29 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th October, 1922.								11th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.83	767.6	52	...	WSW	4	b	6	29.98	761.5	41	...	W	4	c
Nemuro,	11	29.53	750 0	...	...	SSW	3	...	5	29.75	755.5	...	...	SW	2	...
Hokodate,	,,	29.65	753.0	...	...	NW	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.61	752.0	...	...	SW	3	...	,,	29.88	759.0	...	...	NNW	1	...
Kochi,	,,	29.88	759.0	...	...	WNW	2	...	,,	30.12	765.0	...	...	...	...	...
Nagasaki,	,,	30.08	764.0	...	...	N	5	...	,,	30.22	767.5	...	...	NNW	2	...
Kagoshima,	,,	...	...	...	...	NNW	4	...	,,	30.16	766.0	...	...	W	1	...
Oshima,	,,	30 10	764.5	...	...	N	5	...	,,	30.14	765.5	...	...	N	5	...
Naha,	,,	30.10	764.5	...	...	NNE	6	...	,,	30.14	765.5	...	...	NE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	N	1	...	,,	30.14	765.5	...	...	NNE	2	...
Bonin Island,	,,	29.96	761.0	...	...	SW	1	...	,,	30.00	762.0	...	...	...	0	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.47	773.9	63	25	NW	1	b	,,	30.42	772.6	43	91	NNW	1	b
Gutzlaff,	,,	30.36	771.1	63	52	NNW	4	h	,,	30.38	771.6	54	55	NW	1	h
Sharp Peak,	15	30.20	767.1	69	65	ENE	2	o	7	30.11	764.8	62	72	NNW	2	o
Amoy,	14	..	...	...	...	...	...	...	6	30.18	766.6	65	91	NNE	4	b
Swatow,	,,	30.05	763.2	71	95	N	2		,,	30.05	763.2	63	89	NNE	2	c
Taihoku,	12	30.26	768.6	68	68	NNE	4	o	,,	30.19	766.8	66	76	ENE	4	o
Taichu,	,,	30.10	764 4	75	...	N	4	o	,,	30.06	763.5	66	...	...	o	o
Tainan,	,,	30.07	763.8	79	...	NE	4	o	,,	30 04	762.9	64	...	NNE	2	h
Koshun,	,,	30.07	763.8	79	...	NE	6	h	,,	30 04	762.9	73	...	NNE	7	b
Pescadores,	,,	30.12	765 0	75	...	NE	8	b	,,	30.07	763.8	72	...	NE	7	b
Canton,	15	30.16	766.0	69	61	N	2	o	,,	30.17	766.3	62	72	NNE	1	o
Hongkong,	14	30.10	764.5	76	59	N	2	o	,,	30.13	765.3	67	68	N	1	o
Gap Rock,	,,	30.10	764.5	...	...	NE	5	o	,,	30.12	765.0	...	...	NE	4	o
Macao,	,,	30.10	764.5	70	65	N	4	o	,,	30.11	764.7	66	63	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.13	765-3	70	74	NNW	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29 94	760.5	84	60	NE	4	o	6	29.97	761.1	73	94	...	o	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	81	87	WSW	1	r	,,	29.88	759.0	72	82	E	1	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29 87	758.7	75	83	WNW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.82	757.5	86	75	W	4	o	,,	29.86	758.4	75	96	N	2	of
Surigao,	,,	29.87	758.7	86	68	...	1	bf	,,	29.86	758.4	75	71	...	o	o
Guam,	12.20	29.79	756.6	...	...	NE	1	o	4.20	29.82	757.5	...	...	SSE	1	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.85	758.1	...	...	NE	1	b
Laoman,	14	29.87	758.7	86	76	SW	2	b	6	29.84	757.9	80	87	SE	4	o

October 11*d.* 11*h.* 48*m.*—Pressure has increased moderately over Japan and the Loochoos, and slightly over Formosa. It is nearly stationary at Shanghai, Hongkong and Manila.

The anticyclone is spreading eastward.

Strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·08 inches, against an average of 78·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong ; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th October, 1922.								12th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.93	760.1	54	...	SW	3	b	6	29.99	761.7	44	...	ENE	3	b
Nemuro,	11	29.70	754.5	...	...	SW	4	...	5	29.90	759.5	...	...	SW	2	...
Hokodate,	,,	29.84	758.0	...	...	WNW	6	...	,,	30.02	762.5	...	...	NNW	1	...
Tokio,	,,	29.92	760.0	...	...	N	2	...	,,	30.20	767.0	...	...	NNW	1	...
Kochi,	,,	30.10	764.5	...	...	NW	1	...	,,	30.26	768.5	...	...	SW	1	...
Nagasaki,	,,	30.24	768.0	...	...	N	4	...	,,	30.30	769.5	...	...	...	...	...
Kagoshima,	,,	30.20	767.0	...	...	NNW	1	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	N	5	...	,,	30.18	766.5	...	...	SSE	1	...
Naha,	,,	30.16	766.0	...	...	NNE	3	...	,,	30.14	765.5	...	...	NE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	NE	5	...	,,	30.08	764.0	...	...	NE	2	...
Bonin Island,	,,	30.00	762.0	...	...	NW	1	...	,,	30.08	764.0	...	...	NNE	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.42	772.6	66	34	S	1	b	,,	30.27	768 8	59	79	SE	2	o
Gutzlaff,	,,	30.34	770.6	67	55	...	o	b	,,	30.25	768.3	64	68	SE	4	o
Sharp Peak,	15	30.17	766.3	74	68	N	2	b	7	30.18	766.6	67	99	N	1	o
Amoy,	14	30.10	764.5	75	77	NNE	2	o	6	30.07	763.8	70	85	NW	1	e
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.20	767.1	72	65	E	6	o	,,	30.10	764.4	68	94	E	4	o
Taichu,	,,	30.08	764 1	77	...	NW	2	o	,,	30.04	762.9	68	...	...	o	b
Tainan,	,,	30.08	764.1	79	...	W	2	b	,,	30.01	762.3	70	...	NE	2	b
Koshun,	,,	30.06	763.5	77	...	NNE	8	b	,,	30.02	762.6	73	...	N	4	o
Pescadores,	,,	30.13	765.3	77	...	NE	7	b	,,	30.02	762.6	72	...	NNE	2	b
Canton,	15	30.08	764 0	81	48	NW	2	b	,,	...	...	...	...	...	...	...
Hongkong,	14	30.08	764.0	74	61	E	3	c	,,	30.08	764.0	70	77	NNE	2	b
Gap Rock,	,,	30.08	764.0	...	...	NE	5	b	,,	30.05	763.2	...	...	ENE	4	c
Macao,	,,	30.07	763.8	73	58	NE	4	b	,,	30.04	762.9	72	84	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.05	763.2	77	61	ENE	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.91	759.6	73	...	E	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	86	...	WSW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.89	759.3	79	87	E	4	r	6	29.92	759.9	79	80	NE	4	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	86	61	ENE	2	o	,,	29.85	758.1	72	96	E	1	o
Legaspi,	,,	29.80	756.9	81	84	NE	2	o	,,	29.85	758.1	72	98	...	o	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	84	71	NNE	4	o	,,	29.82	757.5	75	94	NNE	1	o
Surigao,	,,	29.75	755.7	86	75	NW	1	b	,,	29.84	757.8	75	94	SW	1	o
Guam,	12.20	29.78	756.3	...	...	ESE	2	o	4.20	29.84	757.8	...	...	SE	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.82	757.5	...	...	NW	1	o
Labuan,	14	29.79	756.6	86	76	SW	2	b	6	29.82	757.4	78	91	SW	2	b

October 12*d*. 11*h*. 15*m*.—Pressure has increased moderately over Japan and slightly from the Bonins to the Loochoos. It has decreased moderately at Shanghai and slightly at Hongkong and Manila.

The anticyclone has moved eastward and is now central to the south of Korea.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·08 inches, against an average of 78·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th October, 1922.								13th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.93	760.2	63	...	SW	4	b	6	29.86	758.3	50	...	E	2	o
Nemuro,	11	29.88	759.0	...	...	WSW	6	...	5	30.08	764.0	...	...	SW	2	...
Hokodate,	,,	30.02	762.5	...	...	WSW	8	...	,,	30.10	764.5	...	...	...	...	...
Tokio,	,,	30.20	767.0	...	...	...	...	...	,,	30.22	767.5	...	...	NNW	2	...
Kochi,	,,	30.24	768.0	...	...	E	1	...	,,	30.24	768.0	...	...	WSW	1	...
Nagasaki,	,,	30.28	769.0	...	...	ESE	1	...	,,	30.20	767.0	...	...	...	...	...
Kagoshima,	,,	30.24	768.0	...	...	...	...	...	,,	30.18	766.5	...	...	NW	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.12	765.0	...	...	SSE	1	...
Naha,	,,	30.12	765.0	...	...	ENE	2	...	,,	30.02	762.5	...	...	E	2	...
Ishigakijima,	,,	30.10	764.5	...	...	ENE	5	...	,,	30.02	762.5	...	...	NNE	1	...
Bonin Island,	,,	30.08	764.0	...	...	NNE	4	...	,,	30.06	763.5	...	...	ENE	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.28	769.1	72	57	SSE	2	o	,,	30.15	765.8	63	98	SSE	1	o
Gutzlaff,	,,	30.19	766.8	69	70	SSE	2	o	,,	30.14	765.5	64	95	...	o	o
Sharp Peak,	15	30.06	763.5	71	80	NE	2	o	7	30.04	763.0	70	85	NW	2	b
Amoy,	14	29.99	761.7	80	78	ENE	2	b	6	30.01	762.2	71	95	W	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.08	764.1	82	57	SE	6	b	,,	30.00	762.0	70	85	E	4	b
Taichu,	,,	30.05	763.2	81	...	WSW	2	b	,,	30.00	762.0	68	...	...	o	b
Tainan,	,,	30.05	763.2	82	...	W	4	b	,,	29.99	761.7	70	...	...	o	b
Koshun,	,,	30.04	762.9	81	...	ENE	4	b	,,	29.99	761.7	72	...	N	2	b
Pescadores,	,,	30.06	765.3	79	...	NW	2	b	,,	30.00	762.0	75	...	NNW	4	o
Canton,	15	30.00	762.0	82	60	W	1	b	,,	...	...	...	...	...	...	...
Hongkong,	14	30.02	762.5	77	59	ESE	3	b	,,	30.03	762.7	72	83	NE	2	b
Gap Rock,	,,	30.02	762.5	...	...	ENE	4	b	,,	30.02	762.5	...	...	ENE	4	b
Macao,	,,	30.00	762.0	79	61	NE	2	b	,,	30.00	762.0	72	92	NE	2	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.99	761.7	81	73	E	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.87	758.7	77	...	NE	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	84	...	SW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.88	759.0	81	80	NE	4	o	6	29.87	758.7	75	94	NE	4	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	86	75	ESE	1	o	,,	29.86	758.4	73	96	E	1	o
Legaspi,	,,	29.80	756.9	77	92	W	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	71	SSE	1	o	,,	29.84	757.8	75	94	...	o	o
Surigao,	,,	29.75	755.7	86	71	...	o	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	SSE	1	o	4.20	29.87	758.7	...	...	...	o	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	80	SW	2	b	6	29.81	757.2	78	91	SW	2	b

October 13*d*. 9*h*. 58*m*.—Pressure has decreased moderately at Wladivostock and from Shanghai to Foochow. It has decreased slightly from Hongkong to Formosa.

The anticyclone has weakened and is now central between Tokio and Kobe.

Moderate monsoon may be expected over the N. China Sea. It will be interrupted along the S.E. coast of China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·08 inches, against an average of 78·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	Light, variable winds.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th October, 1922.								14th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro, ...	11	...	...	...	...	...	...	...	5	29.86	758.5	...	...	SW	4	...
Hokodate, ...	,,	30.02	762.5	...	...	SSW	4	...	,,	29.94	760.5	...	...	W	1	...
Tokio, ...	,,	30.18	766.5	...	...	N	1	...	,,	30.08	764.0	...	...	N	1	...
Kochi, ...	,,	30.20	767.0	...	...	...	0	...	,,	30.12	765.0	...	...	WSW	1	...
Nagasaki, ...	,,	30.18	766.3	...	...	SE	2	...	,,	30.10	764.5	...	...	WNW	1	...
Kagoshima, ...	,,	30.18	766.5	...	...	NE	1	...	,,	30 06	763.5	...	...	...	...	...
Oshima, ...	,,	30.10	764.5	...	...	SSE	2	...	,,	30.00	762.0	...	...	...	...	...
Naha, ...	,,	30.04	763.0	...	...	NE	1	...	,,	29.96	761.0	...	...	SE	1	...
Ishigakijima, ...	,,	30.02	762.5	...	...	WSW	1	...	,,	29.94	760.5	...	...	NNE	1	...
Bonin Island, ...	,,	30.04	763.0	...	...	ENE	1	...	,,	29.98	761.5	...	...	...	...	...
Weihaiwei, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.17	766.3	70	85	SE	1	o	,,	30.10	764.5	57	100	ESE	1	bf
Gutzlaff, ...	,,	30.09	764.3	69	95	SE	1	o	,,	30.07	763.8	65	100	...	o	o
Sharp Peak, ...	15	30.01	762.2	86	72	ENE	1	b	7	29.98	761.5	70	90	W	1	b
Amoy, ...	14	29.94	760.5	81	87	SSE	4	b	6	...	...	...	...	...	...	...
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.01	762.3	86	71	E	4	b	,,	29.98	761.4	64	98	E	1	b
Taichu, ...	,,	30.01	762.3	82	...	N	2	b	,,	29.94	760.5	70	...	...	o	b
Tainan, ...	,,	30.00	762.0	86	...	NW	1	b	,,	29 93	760.2	70	...	NE	2	o
Koshun, ...	,,	29.99	761.7	82	...	NNE	4	b	,,	29.93	760.2	82	...	N	2	o
Pescadores, ...	,,	30.04	762.9	79	...	NNW	4	b	,,	29.93	760.8	75	...	E	4	b
Canton, ...	15	29.96	761.0	86	58	SW	1	b	,,	...	...	...	...	...	...	...
Hongkong, ...	14	29.96	761.0	79	69	ESE	2	b	,,	29.96	761.0	73	86	NE	1	b
Gap Rock, ...	,,	29.98	761.5	...	...	ENE	4	c	,,	29.94	760.5	...	...	ENE	3	c
Macao, ...	,,	29.92	759.9	86	68	SSE	2	b	,,	29.94	760.5	72	91	...	2	bf
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	29.97	761.1	54	43	SE	2	b	7	...	...	...	...	...	...	...
Tourane, ...	,,	29.88	759.0	79	...	E	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	81	...	SSE	2	o	,,	...	...	...	...	...	...	...
Aparri, ...	14	29.84	757.8	82	81	NE	2	o	6	29.85	758.1	73	96	...	o	o
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.81	757.2	84	71	NW	2	o	,,	29.82	757.5	73	96	E	1	b
Legaspi, ...	,,	29.79	756.6	90	69	ENE	2	b	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.78	756.3	86	68	SW	4	o	,,	29.81	757.2	77	96	NNE	2	o
Surigao, ...	,,	29.76	756.0	86	68	WNW	1	o	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.84	757.8	...	...	E	1	o	4.20	29.81	757.2	...	...	NE	1	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.78	756.4	86	68	SW	2	b	6	29.81	757.2	76	94	SE	2	b

October 14*d*. 10*h*. 22*m*.—Pressure has decreased moderately to slightly at all reporting stations.

The anticyclone has weakened further.

Moderate monsoon may be expected over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·08 inches, against an average of 78·93 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th October, 1922.								15th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.05	763.2	67	...	...	0	f	6	30.02	762.6	45	...	...	0	f
Nemuro,	11	29.82	757.5	...	...	W	4	...	5	29.92	760.0	...	...	SSE	3	...
Hokodate,	,,	29.98	761.5	...	...	WSW	1	...	,,	30.00	762.0	...	...	NW	1	...
Tokio,	,,	30.06	763.5	...	...	NNE	1	...	,,	30 06	763.5	...	...	NNW	1	...
Kochi,	,,	30.08	764.0	...	...	SW	1	...	,,	30.00	762.0	...	...	WSW	1	...
Nagasaki,	,,	30.08	764.0	...	...	N	1	...	,,	29.98	761.5	...	...	E	1	...
Kagoshima,	,,	30.06	763.5	...	...	E	1	...	,,	29.94	760.5	...	...	NW	1	...
Oshima,	,,	29 98	761.5	...	...	...	0	...	,,	29.88	759.0	...	...	NNW	1	...
Naha,	,,	29.96	761.0	...	...	SE	1	...	,,	29.92	760.0	...	...	N	2	...
Ishigakijima,	,,	29.96	761.0	...	...	NW	2	...	,,	29.92	760.0	...	...	N	1	...
Bonin Island,	,,	29.98	761.5	...	...	NE	1	...	,,	29.98	761.5	...	...	NNE	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	30.12	765.0	56	87	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.14	765.5	73	71	NNE	1	b	,,	30.10	764.5	61	100	NE	1	of
Gutzlaff,	,,	30.06	763 5	75	77	NNE	1	b	,,	30.05	763.2	65	100	NE	1	o
Sharp Peak,	15	29.97	761.2	84	68	E	2	b	7	29.98	761.5	72	85	...	0	b
Amoy,	14	29.90	759.4	82	79	SSE	4	b	6	29.94	760.5	72	95	W	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.98	761.4	84	68	E	4	b	,,	29.93	760.2	72	94	ENE	4	b
Taichu,	,,	29.94	760.5	72	...	WNW	2	b	,,	29.92	759.9	70	...	...	0	b
Tainan,	,,	29.94	760.5	86	...	NW	2	b	,,	29.88	759.0	72	...	...	0	b
Koshun,	,,	...	...	...	...	...	...	...	,,	29.89	759.3	72	...	NNE	4	b
Pescadores,	,,	29.97	761.1	82	...	NNW	6	b	,,	29.92	759.9	77	...	N	4	b
Canton,	15	29.91	759.7	87	62	SW	1	b	,,	29.95	760.7	70	95	...	0	b
Hongkong,	14	29.92	759.9	82	59	E	2	b	,,	29.93	760.2	75	81	E	3	c
Gap Rock,	,,	29.93	760.2	...	...	ENE	3	b	,,	29.92	759.9	...	...	ENE	3	b
Macao,	,,	29.91	759.6	86	68	SE	1	b	,,	29.91	759 6	72	96	E	1	of
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29 91	759.6	84	64	SE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.1	79	...	E	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	79	...	E	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.81	757.2	86	75	NE	4	o	6	29.84	757.8	75	96	...	0	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	81	76	ENE	1	o	,,	29.80	756.9	73	94	ENE	1	o
Legaspi,	,,	29.78	756.3	86	75	E	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	68	NE	4	o	,,	29.78	756.3	77	92	...	0	o
Surigao,	,,	29.73	755.1	86	68	ENE	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NNE	2	o	4.20	29.81	757.2	...	...	ENE	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	76	SW	2	b	6	29.79	756.6	76	94	SW	2	b

October 15*d*. 12*h*. 43*m*.—Pressure has decreased moderately over the Loochoos and slightly at the majority of other stations.

The anticyclone has broken up and a depression has formed to the east of the Loochoos.

Another anticyclone may be forming over China.

Moderate monsoon may be expected over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·08 inches, against an average of 79·05 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine to cloudy.

T. F. CLAXTON *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	16th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.05	763.3	63	...	N	3	b	6	30.25	768.4	43	...	N	4	...
Nemuro,	11	29.84	758 0	...	...	NW	1	...	5	30.18	766.5	...	...	NNE	4	...
Hokodate,	,,	29.94	760.5	...	...	W	5	...	,,	30.18	766.5	...	...	W	1	...
Tokio,	,,	30.02	762.5	...	...	ESE	1	...	,,	30.14	765.5	...	...	N	1	...
Kochi,	,,	30.02	762.5	...	...	...	0	...	,,	30.04	763.0	...	...	SW	1	...
Nagasaki,	,,	29.98	761.5	...	...	SE	1	...	,,	30.04	763.0	...	...	N	1	...
Kagoshima,	,,	29.94	760.3	...	...	NE	2	...	,,	30.02	762.5	...	...	W	1	...
Oshima,	,,	29.92	760 0	...	...	N	3	...	,,	29.94	760.5	...	...	SSE	1	...
Naha,	,,	29.96	761.0	...	...	N	2	...	,,	29.94	760.3	...	...	E	1	...
Ishigakijima,	,,	29.96	761.0	...	...	ENE	2	...	,,	29.92	760.0	...	...	ENE	2	...
Bonin Island,	,,	29 96	761.0	...	...	ENE	1	...	,,	29.98	761.5	...	...	SE	1	...
Weihaiwei,	14	30.18	766.6	71	57	E	1	b	6	30.15	765.8	56	87	...	0	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.08	764.0	75	67	ENE	1	bf	,,	30.11	764.8	64	92	ENE	1	o
Gutzlaff,	,,	30.06	763.5	70	85	NE	2	b	,,	30.07	763.8	67	100	ENE	2	o
Sharp Peak,	15	29.95	760.7	84	72	E	2	b	7	30.03	762.7	74	86	N	1	b
Amoy,	14	29.85	758.2	78	82	SE	4	r	6	29.92	759.9	74	95	NE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.92	759 9	81	76	E	6	o	,,	29.92	759.9	73	96	E	4	b
Taichu,	,,	29.93	760.2	84	...	N	2	b	,,	29.91	759.6	73	...	...	0	o
Tainan,	,,	29.92	759.9	84	...	NW	2	b	,,	29.88	759.0	73	...	N	10	b
Koshun,	,,	29.93	760.2	82	...	NE	4	b	,,	29.89	759.3	77	...	NNE	4	b
Pescadores,	,,	29.94	760.5	82	...	NNE	6	b	,,	29.98	761.4	75	...	NNE	4	b
Canton,	15	29.88	758.9	87	62	SSW	2	b	,,	29.95	760.7	70	95	...	0	b
Hongkong,	14	29.90	759.4	79	72	ESE	3	b	,,	29.92	759.9	76	77	E	3	o
Gap Rock,	,,	29.89	759.2	...	..	ENE	4	b	,,	29.92	759.9	...	...	ENE	4	b
Macao,	,,	29.88	759.0	86	68	ESE	1	b	,,	29.91	759.6	75	85	ESE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.86	758.4	86	58	SE	2	b	7	29.92	759.9	72	91	ENE	4	b
Tourane,	,,	29.82	757.5	79	...	NE	4	b	,,	29.87	758.7	75	...	NW	4	o
Cape St. James,	,,	29.80	756.9	79	...	ENE	4	o	,,	29.82	757.5	77	...	NE	4	o
Aparri,	14	29.79	756.6	86	65	NE	4	o	6	29.82	757.5	77	89	NE	2	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	84	74	ENE	1	o	,,	29.80	756.9	75	96	E	1	r
Legaspi,	,,	29.72	754.8	86	71	E	2	o	,,	29.80	756.9	75	98	...	0	o
Tacloban,	,,	29.76	756.0	79	87	NW	2	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	755.8	84	77	SW	4	r	,,	29.80	756.9	73	98	...	0	o
Surigao,	,,	...	...	...	...	..	...	...	,,	29.80	756.9	75	94	...	0	o
Guam,	12.20	29.74	755.4	...	...	E	2	o	4.20	29.81	757.2	...	...	E	1	o
Yap,	12.47	...	...	..	...	...	...	...	4.47	29.80	756.9	...	...	NE	2	o
Labuan,	14	29.76	755.9	84	79	N	4	b	6	29.78	756.4	76	94	SE	2	b

October 16*d*. 11*h*. 42*m*.—Pressure has increased considerably from Wladivostock to N.E. Japan, and slightly from central Japan to the Loochoos. It is nearly stationary at other reporting stations.

An anticyclone has formed over S.E. Mongolia.

Moderate monsoon may be expected along the E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·08 inches, against an average of 79·17 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, moderate to fresh.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	17th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.23	767.8	59	...	SSE	3	b	6	30.13	765.3	51	...	SE	4	o
Nemuro,	11	...	...	...	...	...	...	...	5	30.32	770.0	...	...	S	3	...
Hokodate,	,,	30.24	768.0	...	...	E	1	...	,,	30.24	768.0	...	...	E	1	...
Tokio	,,	30.16	766.0	...	...	ENE	2	...	,,	30.22	767.5	...	...	WNW	2	...
Kochi,	,,	30.05	763.5	...	...	WSW	1	...	,,	30.04	763.0	...	...	SW	1	...
Nagasaki,	,,	30.02	762.5	...	...	E	2	...	,,	30.02	762.5	...	...	ENE	1	...
Kagoshima,	,,	30.02	762.5	...	...	ESE	1	...	,,	30.00	762.0	...	...	NW	1	...
Oshima,	,,	29.96	761.0	...	...	SSE	1	...	,,	29.96	761.0	...	...	SSE	1	...
Naha.	,,	29.98	761.5	...	...	N	1	...	,,	29.98	761.5	...	...	E	1	...
Ishigakijima,	,,	29.98	761.5	...	...	E	4	...	,,	29.96	761.0	...	...	E	1	...
Bonin Island,	,,	29.96	761.0	...	...	S	2	...	,,	29.98	761.5	...	...	...	...	...
Weihaiwei,	14	30.09	764.3	69	70	ESE	2	b	6	30.14	765.5	56	93	SE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.11	764.8	72	84	E	2	o	,,	30.08	764.0	66	100	NNE	1	of
Gutzlaff	,,	30.03	762.7	67	100	SE	2	r	,,	30.03	762.7	66	100	ENE	2	o
Scarp Peak,	15	29.97	761.2	84	72	E	2	b	7	29.98	761.5	74	84	WNW	2	o
Amoy,	14	29.89	759.2	86	76	ENE	1	b	6	29.88	758.9	75	92	ENE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.88	758.9	62	100	NE	1	b
Taihoku,	12	29.94	760.5	86	68	ENE	6	b	,,	29.93	760.2	70	96	...	o	b
Taichu,	,,	29.93	760.2	84	...	WNW	2	b	,,	29.93	760.2	73	...	...	o	o
Tainan,	,,	29.93	760.2	86	...	W	4	b	,,	29.91	759.6	73	...	NNE	2	o
Koshun,	,,	29.92	759.9	84	...	NE	4	r	,,	29.91	759.6	73	...	N	2	b
Pescadores,	,,	29.95	760.8	82	...	NE	4	b	,,	29.93	760.2	73	...	N	2	b
Canton,	15	29.90	759.4	87	62	SSW	1	b	,,	29.95	760.7	61	94	...	o	b
Hongkong,	14	29.91	759.7	80	67	E	2	b	,,	29.93	760.2	75	83	E	2	b
Gap Rock,	,,	29.92	759.9	...	...	ENE	4	b	,,	29.92	759.9	...	...	ENE	4	c
Macao,	,,	29.89	759.3	86	63	ESE	2	b	,,	29.92	759.9	75	86	ENE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.88	759.0	86	58	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.82	757.5	75	...	NW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	84	...	ENE	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.78	756.3	81	84	ENE	4	r	6	29.86	758.4	73	96	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	79	85	...	o	o	,,	29.85	758.1	72	96	E	1	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	96	...	o	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	71	SW	4	o	,,	29.80	756.9	73	94	NW	2	o
Surigao,	,,	29.75	755.7	86	68	NE	1	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	NE	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Saipan,	14	29.74	755.4	86	76	SW	2	b	6	29.75	755.6	80	91	SW	2	b

October 17*d.* 10*h.* 37*m.*—Pressure has increased slightly over N.E. Japan and from the Loochoos to the Philippines. It is nearly stationary at other reporting stations.

The anticyclone is now central to the East of Japan.

Moderate monsoon may be expected along the E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·08 inches, against an average of 79·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine to cloudy.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th OCTOBER, 1922.									18th OCTOBER, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostook,	12	30.06	763.4	59	...	SE	4	o		6	30.06	763.4	49	...	N	5	o	
Nemuro,	11	30.24	768.0	...	...	S	6	...		5	30.08	764.0	...	...	SSE	2	...	
Hokodate,	,,	30.14	765.5	...	...	ESE	1	...		,,	30.02	762.5	...	...	E	1	...	
Tokio,	,,	30.14	765.5	...	...	NNW	2	...		,,	29.88	759.0	...	...	N	3	...	
Kochi,	,,	30.04	763.0	...	...	SW	1	...		,,	29.88	759.0	...	...	SW	1	...	
Nagasaki,	,,	30.02	762.5	...	...	...	...	...		,,	29.94	760.5	...	...	...	...	...	
Kagoshima,	,,	30.02	762.5	...	...	NE	1	...		,,	29.92	760.0	...	...	NW	1	...	
Oshima,	,,	29.96	761.0	...	...	NNW	1	...		,,	29.90	759.5	...	...	SSE	1	...	
Naha,	,,	30.00	762.0	...	...	NNW	1	...		,,	29.94	760.5	...	...	NE	1	...	
Ishigakijima,	,,	30.00	762.0	...	...	S	2	...		,,	29.92	760 0	...	...	NE	1	...	
Bonin Island,	,,	29.92	760.0	...	...	SW	1	...		,,	29.88	759 0	...	...	SW	1	...	
Weihaiwei,	14	30.00	764.0	67	69	NNE	1	o		6	30.05	763.2	62	94	W	1	o	
Hankow,	15	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Ichang,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Changsha,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Shanghai,	11	30.10	764.5	73	82	NNW	1	o		,,	30.06	763.5	64	100	E	1	o	
Gutzlaff,	,,	29.93	760.2	72	85	NW	2	o		,,	30.04	763.0	65	100	NW	2	of	
Sharp Peak,	15	29.95	760.7	90	66	E	1	b		7	29.97	761.2	76	86	E	2	o	
Amoy,	14	29.98	761.5	83	83	SSE	4	b		6	29.92	759.9	77	95	SE	1	b	
Swatow,	,,	...	...	...	...	...	...	...		,,	29.85	758.2	73	100	NE	1	b	
Taihoku,	12	29.97	761.1	72	57	E	2	b		,,	29.94	760.5	72	94	...	o	b	
Taichu,	,,	29.97	761.1	84	...	NNE	2	b		,,	29.94	760.5	73	...	...	o	b	
Tainan,	,,	29.95	760.8	86	...	NW	2	b		,,	29.92	759.9	75	...	NNE	4	b	
Koshun,	,,	29.95	760.8	86	...	ENE	4	b		,,	29.91	759.6	75	...	E	2	b	
Pescadores,	,,	29.98	761.4	84	...	NNE	4	b		,,	29.93	760.2	77	...	N	4	b	
Canton,	15	29.86	758 4	91	57	NW	1	b		,,	29.91	759.7	74	95	...	o	b	
Hongkong,	14	29 90	759.4	80	76	E	3	b		,,	29.89	759.2	77	81	E	3	b	
Gap Rock,	,,	29.89	759.2	...	...	ENE	5	b		,,	29.88	758.9	...	...	ENE	4	o	
Macao,	,,	29.89	759.3	86	68	SE	2	b		,,	29.87	758.7	77	86	NE	2	o	
Wuchow,	15	...	...	...	...	...	...	...		9	...	...	...	...	...	...	...	
Pakhoi,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoihow,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Phulien,	,,	29.87	758.7	90	57	SE	2	b		7	...	...	...	...	...	...	...	
Tourane,	,,	29.80	756.9	77	...	N	1	r		,,	...	...	...	...	...	...	...	
Cape St. James,	,,	29.79	756.6	81	...	E	2	o		,,	...	...	...	...	...	...	...	
Aparri,	14	29.82	757.5	81	84	E	2	o		6	29.87	758.7	73	96	...	o	b	
Dagupan,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Manila,	,,	29.78	756.3	90	63	ESE	2	o		,,	29.82	757.5	72	96	NE	1	b	
Legaspi,	,,	29.79	756.6	86	75	ENE	2	b		,,	...	...	...	...	...	...	...	
Tacloban,	,,	...	...	...	...	...	...	...		,,	...	...	...	...	...	...	...	
Hoilo,	,,	29.73	755.1	90	57	NE	4	o		,,	29.76	756.0	77	89	N	2	o	
Surigao,	,,	29.74	755.4	86	78	E	2	o		,,	29.75	755.7	75	71	SSE	1	o	
Guam,	12.20	29.75	755.7	...	...	NE	1	o		4.20	...	...	...	...	...	...	...	
Yap,	12.47	...	...	...	...	...	...	...		4.47	...	...	...	...	...	...	...	
Labuan,	14	29.75	755.6	88	69	SW	2	b		6	29.77	756.1	78	91	SE	2	b	

October 18*d*. 10*h*. 25*m*.—Pressure is nearly stationary at Shanghai and over Formosa. It has decreased considerably over central and N.E. Japan and slightly at other reporting stations.

A depression has formed between the Bonins and Japan.

Moderate monsoon may be expected over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 67·08 inches, against an average of 79·39 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.04	763.0	48	...	N	4	o	6	30.08	763.9	36	...	N	3	b
Nemuro,	11	30.02	762.5	...	...	SE	2	...	5	29.57	751.0	...	...	NE	7	...
Hokodate,	,,	29.92	760.0	...	...	ESE	4	...	,,	29.71	754.5	...	...	N	2	...
Tokio,	,,	29.74	755.5	...	...	WNW	5	...	,,	29.71	754.5	...	...	...	o	...
Kochi,	,,	29.82	757.5	...	...	S	1	...	,,	29.78	756.5	...	...	SW	1	...
Nagasaki,	,,	29.90	759.5	...	...	...	...	...	,,	29.90	759.5	...	...	NNW	1	...
Kagoshima,	,,	29.88	759.0	...	...	SSE	1	...	,,	29.86	758.5	...	...	NW	1	...
Oshima,	,,	29.88	759.0	...	...	N	2	...	,,	29.82	757.5	...	...	S	1	...
Naha,	,,	29.94	760.5	...	...	NW	1	...	,,	29.88	759 0	...	...	ESE	4	...
Ishigakijima,	,,	29.96	761.0	...	...	NE	1	...	,,	29.92	760.0	...	...	NNE	2	...
Bonin Island,	,,	29.86	758.5	...	...	SW	2	...	,,	29.84	758.0	...	...	S	1	...
Weihaiwei,	14	30 04	763.0	68	74	N	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.11	764.8	64	92	N	2	r	,,	30.17	766.3	57	100	NNW	1	bf
Gutzlaff,	,,	30.04	763.0	67	91	N	4	o	,,	30.11	764.8	64	95	N	4	o
Sharp Peak,	15	29 96	761.2	86	76	E	1	b	7	30 03	762.7	71	80	ENE	2	o
Amoy,	14	29.87	758 7	81	92	SSE	1	o	6	29.89	759.2	75	95	ENE	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.94	760.5	86	65	E	2	b	,,	29.98	761.4	72	88	E	4	o
Taichu,	,,	29.93	760.2	84	...	WNW	2	b	,,	29.91	759.6	73	...	N	2	o
Tainan,	,,	29.92	759.9	90	...	N	4	b	,,	29.89	759.3	75	...	NNE	4	o
Koshun,	,,	29.92	759.9	90	...	SSE	2	b	,,	29.88	759.0	73	...	...	o	o
Pescadores,	,,	29.94	760.5	84	...	NNE	4	b	,,	29.92	759.9	75	...	NNE	6	o
Canton,	15	29.86	758.4	90	60	SW	1	o	,,	...	...	...	...	...	...	...
Hongkong,	14	29.88	758.9	81	79	E	3	o	,,	29.87	758.7	76	89	E	4	o
Gap Rock,	,,	29.88	758.9	...	...	ENE	4	o	,,	29.85	758.2	...	...	ENE	4	o
Macao,	,,	29.87	758.7	86	71	SE	2	o	,,	...	...	75	91	E	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.82	757.5	90	55	...	o	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.75	755.7	73	...	NE	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29 81	757.2	81	...	SW	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.81	757.2	86	71	NE	2	b	6	29.85	758.1	75	94	...	o	b
Tagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	90	66	SSW	1	o	,,	29.80	756.9	72	96	...	o	b
Legaspi,	,,	29.74	755.4	86	75	ENE	4	o	,,	29.78	756.3	79	93	NNE	1	o
Tacloban,	,,	29.75	755.7	81	89	...	o	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	75	NNW	4	o	,,	29.76	756.0	75	96	NE	2	o
Surigao,	,,	29.72	754.8	84	74	E	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	SW	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Lamma,	14	29.76	755.9	86	72	SW	4	b	6	29.77	756.1	76	91	SW	2	b

October 19*d.* 10*h.* 28*m.*—Pressure has decreased considerably over N.E. Japan and slightly from Formosa to Hongkong and the Philippines. It has increased moderately at Shanghai.

The depression between the Bonins and Japan deepened and moved rapidly to the N.E. of Japan.

An anticyclone has formed over N. China and S.E. Mongolia.

The monsoon will freshen along the E. coast of China and over northen portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·76 inch. Total since January 1st, 67·84 inches, against an average of 79·49 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	N.E. winds, fresh; fair.
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19th OCTOBER, 1922.								20th OCTOBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.02	762.5	47	...	NNW	4	b	6	30.09	764.2	36	...	N	3	c
Nemuro, ...	11	29.27	743.5	...	...	NNW	8	...	5	29.57	751.0	...	...	W	10	...
Hokodate, ...	,,	29.53	750.0	...	...	W	3	...	,,	29.76	756.0	...	...	...	0	...
Tokio, ...	,,	29.69	754.0	...	...	NW	2	...	,,	29.86	758.5	...	...	N	2	...
Kochi, ...	,,	29.80	757.0	...	...	NW	2	...	,,	29.96	761.0	...	...	NW	2	...
Nagasaki, ...	,,	29.90	759.5	...	...	N	3	...	,,	30.00	762.0	...	...	NE	2	...
Kagoshima, ...	,,	...	...	...	...	...	...	...	,,	29.98	761.5	...	...	NW	1	...
Oshima, ...	,,	29.88	759.0	...	...	N	4	...	,,	29.90	759.5	...	...	SSE	1	...
Naha, ...	,,	29.90	759.5	...	...	N	5	...	,,	29.92	760.0	...	...	NE	1	...
Ishigakijima, ...	,,	29.96	761.0	...	...	NNE	3	...	,,	29.92	760.0	...	...	N	1	...
Bonin Island, ...	,,	29.82	757.5	...	...	SW	1	...	,,	29.86	758.5	...	...	SSW	1	...
Weihaiwei, ...	14	30.03	762.7	66	95	N	1	b	6	29.97	761.2	60	94	S	1	b
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.18	766.6	72	51	N	1	b	,,	30.09	764.3	55	88	NE	1	of
Gutzlaff, ...	,,	30.09	764.3	73	51	NNE	2	b	,,	30.08	764.0	64	68	...	0	b
Sharp Peak, ...	15	29.99	761.7	75	68	E	4	o	7	30.05	763.2	66	89	NE	1	rf
Amoy, ...	14	29.90	759.4	75	86	E	1	o	6	29.89	759.2	70	91	NNE	4	r
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.01	762.3	73	71	E	4	o	,,	29.95	760.8	70	85	E	4	o
Taichu, ...	,,	29.92	759.9	81	...	NNW	2	o	,,	29.88	759.0	68	...	...	0	o
Tainan, ...	,,	29.91	759.6	84	...	NW	4	o	,,	29.85	758.1	70	...	NE	2	b
Koshun, ...	,,	29.91	759.6	82	...	NE	4	b	,,	29.87	758.7	75	...	NE	6	b
Pescadores, ...	,,	29.95	760.8	79	...	NNE	7	o	,,	29.88	759.0	75	...	NNE	6	b
Canton, ...	15	29.87	758.7	79	82	N	1	o	,,	29.89	759.2	71	95	NNE	1	or
Hongkong, ...	14	29.86	758.4	79	75	E	4	o	,,	29.85	758.2	75	79	E	4	o
Gap Rock, ...	,,	29.84	757.9	...	...	ENE	5	c	,,	29.84	757.9	...	...	ENE	5	o
Macao, ...	,,	29.85	758.1	81	76	ESE	4	o	,,	29.82	757.5	75	83	E	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	29.75	755.7	84	68	ENE	6	o	7	29.80	756.8	73	98	E	4	r
Tourane, ...	,,	29.68	753.9	81	...	S	4	o	,,	29.74	755.4	75	...	S	4	b
Cape St. James,	,,	29.76	756.0	82	...	SSE	2	o	,,	...	...	...	...	...	...	...
Aparri, ...	14	29.78	756.3	86	68	NE	4	b	6	29.84	757.8	75	94	...	0	b
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.75	755.7	84	81	SSE	1	o	,,	29.79	756.6	73	96	E	1	o
Legaspi, ...	,,	29.73	755.1	84	77	NE	1	o	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.71	754.5	86	68	NE	4	o	,,	29.75	755.7	72	91	NNW	2	o
Surigao, ...	,,	29.71	754.5	86	65	ENE	1	b	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.69	754.2	...	...	NE	2	o	4.20	29.74	755.4	...	...	NE	1	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.75	755.6	86	76	N	4	b	6	29.76	755.9	78	91	SW	2	b

October 20*d*. 11*h*. 37*m*.- Pressure has increased moderately over Japan. It has decreased moderately at Weihaiwei and slightly from Shanghai to Indo-China. It is nearly stationary over the Philippines.

A depression lies over Indo-China and a belt of high pressure extends from S. Manchuria to central China.

Fresh monsoon may be expected over the N. China Sea. It will be interrupted to the north of Foochow.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·06 inch. Total since January 1st, 67·90 inches, against an average of 79·59 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh to moderate; cloudy at first, improving later.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

STATION.	20TH OCTOBER, 1922.								21ST OCTOBER, 1922.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL.		TEMPERATURE.	HUMIDITY.	WIND.		WEATHER.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.88	759.0	...	...	NNE	3	...	5	30.10	764.5	...	...	ESE	2	...
Hokodate,	,,	29.84	758.0	...	...	NNW	5	...	,,	30.08	764.0	...	...	NNE	1	...
Tokio,	,,	29.88	759.0	...	...	NNW	2	...	,,	30.06	763.5	...	...	N	1	...
Kochi,	,,	29.96	761.0	...	...	E	1	...	,,	30.08	764.0	...	...	WSW	1	...
Nagasaki,	,,	30.00	762.0	...	...	SSW	2	...	,,	30.06	763.5	...	...	N	1	...
Kagoshima,	,,	30.00	762.0	...	...	SE	1	...	,,	30.04	763.0	...	...	WNW	1	...
Oshima,	,,	29.96	761.0	...	...	N	3	...	,,	29.96	761.0	...	...	...	0	...
Naha,	,,	29.98	761.5	...	...	N	3	...	,,	29.94	760.5	...	...	NE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.90	759.5	...	...	...	...	...
Bonin Island,	,,	29.86	758.5	...	...	WSW	5		,,	29.92	760.0	...	...	NE	1	...
Weihaiwei,	14	29.93	760.2	68	94	NW	2	b	6	29.97	761.2	63	94	S	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.15	765.8	73	44	NE	1	0	,,	30.14	765.5	54	100	SSE	1	bf
Gutzlaff,	,,	30.07	763.8	71	57	...	0	0	,,	30.10	764.5	62	72	ENE	2	b
Sharp Peak,	15	29.98	761.5	64	92	N	4	r	7	29.99	761.7	63	89	N	2	r
Amoy,	14	29.92	759.9	69	95	NE	1	0	6	29.92	759.9	65	100	NE	2	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.00	762.0	68	96	E	4	r	,,	29.95	760.8	64	98	E	4	r
Taichu,	,,	29.89	759.3	81	...	NNW	2	0	,,	29.89	759.3	70	...	N	2	r
Tainan,	,,	29.89	759.3	82	...	SW	4	0	,,	29.86	758.4	70	...	NNE	4	0
Koshun,	,,	29.89	759.3	81	...	NE	4	0	,,	29.78	756.3	75	...	ESE	2	0
Pescadores,	,,	29.92	759.9	81	...	NNE	6	0	,,	29.89	759.3	73	...	NE	6	0
Canton,	15	29.86	758.4	70	95	N	2	or	,,	29.95	760.7	64	95	N	2	or
Hongkong,	14	29.84	757.9	76	81	E	3	0	,,	29.89	759.2	69	91	N	1	or
Gap Rock,	,,	29.82	757.4	...	...	ENE	5	0	,,	29.87	758.7	...	...	ENE	5	0
Macao,	,,	29.81	757.2	77	84	ESE	4	0	,,	29.88	759.0	66	92	NNE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Pinlien,	,,	29.80	756.9	72	98	ENE	6	r	7	...	...	..	...	...	...	...
Tourane,	,,	29.71	754.5	82	...	SSE	2	b	,,	...	..	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	82	...	E	2	0	,,	...	..	...	...	...	...	...
Aparri,	14	29.76	756.0	86	61	NE	4	b	6	29.81	757.2	75	89	E	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	86	75	SSE	1	0	,,	29.81	757.2	75	94	NE	1	0
Legaspi,	,,	29.72	754.8	90	69	ENE	2	b	,,	29.80	756.9	79	92	NE	1	0
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	90	60	SE	2	0	,,	29.79	756.6	77	98	NNW	2	0
Surigao,	,,	29.71	754.5	86	68	ENE	4	b	,,	29.79	756.6	75	71		0	b
Guam,	12.20	29.69	754.2	...	...	NE	2	0	4.20	29.75	755.7		...	E	1	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.78	756.3	...	...	NE	2	b
Labuan,	14	29.74	755.4	84	75	SW	2	b	6	29.80	756.9	78	91	SW	2	b

October 21*d.* 12*h.* 30*m.*—Pressure has increased considerably over N. Japan, and slightly elsewhere: a weak anticyclone is indicated over the Yangtze Valley.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·22 inch. Total since January 1st, 68·12 inches, against an average of 79·69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

DISTRICT.	FORECAST.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks. 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fair.

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st October, 1922.								22nd October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.14	765.5	...	...	SE	3	...	5	30.22	767.5	...	...	SE	1	...
Hokodate,	,,	30.10	764.5	...	...	SSE	1	...	,,	30.12	765.0	...	...	NNW	1	...
Tokio,	,,	30.08	764.0	...	...	NNE	1	...	,,	30.18	766.5	...	...	NNW	1	...
Kochi,	,,	30.06	763.5	...	...	SE	1	...	,,	30 14	765.5	...	...	SW	1	...
Nagasaki,	,,	30.08	764.0	...	...	...	...	...	,,	30.16	766 0	...	...	...	...	...
Kagoshima,	,,	30.05	763.5	...	...	ENE	1	...	,,	30.14	765.5	...	...	NW	1	...
Oshima,	,,	29.98	761.5	...	...	SSE	1	...	,,	30.04	763.0	...	...	SSE	1	...
Naha,	,,	29.98	761.5	...	...	NE	1	...	,,	30.00	762.0	...	...	NE	1	...
Ishigakijima,	,,	29 96	761.0	...	...	ENE	4	...	,,	29.96	761.0	...	...	NE	1	...
Bonin Island,	,,	29.92	760.0	...	...	NNE	1	...	,,	29.94	760.5	...	...	NNE	1	...
Weihaiwei,	14	29.88	758.9	76	49	SSW	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.16	766.0	73	44	SSW	1	b	,,	30.19	766.8	54	97	SSE	1	b
Gutzlaff,	,,	30.10	764.5	70	61	S	1	b	,,	30.18	766.6	54	55	SE	2	b
Sharp Peak,	15	29.99	761.7	68	85	N	4	o	7	30.04	763.0	69	80	N	1	o
Amoy,	14	29.96	761 0	70	93	...	0	r	6	29.97	761.2	70	91	NE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.02	762.6	66	98	ESE	4	r	,,	30.02	762.6	66	96	E	4	o
Taichu,	,,	29.95	760.8	72	...	N	2	r	,,	29.94	760.5	68	...	...	0	o
Tainan,	,,	29.91	759.6	82	...	N	4	b	,,	29.91	759.6	68	...	NE	2	b
Koshun,	,,	29.88	759 0	82	...	NNE	4	b	,,	29.89	759.3	73	...	NNE	6	b
Pescadores,	,,	29.95	760.8	77	...	NNE	6	o	,,	29.95	760.8	73	...	NNE	6	b
Canton,	15	29.95	760.7	75	77	N	2	o	,,	29.96	761.0	68	90	N	2	o
Hongkong,	14	29 90	759.4	74	79	N	1	o	,,	29.94	760.5	71	83	ENE	2	o
Gap Rock,	,,	29.89	759.2	...	...	ENE	5	o	,,	29.91	759.7	...	...	ENE	5	o
Macao,	,,	29.89	759.3	70	85	N	4	o	,,	29.92	759.9	70	91	NE	4	o
Wuchow,	15	29.96	761.0	72	76	N	2	o	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.91	759.6	72	78	NW	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.80	756.9	73	...	NNW	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	70	...	SSE	2	b	,,	...	...	...	...	...	...	...
Aparri,	14	..	..	...	...	...	...	...	6	29.86	758.4	75	94	...	0	b
Dagupan,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	65	WNW	1	o	,,	29.84	757.8	75	96	ENE	1	o
Legaspi,	,,	29.76	756.0	86	75	ENE	2	o	,,	29.82	757.5	79	92	N	2	b
Tacloban,	,,	29.78	756.3	86	78	NE	1	o	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.73	755 1	90	60	NE	4	o	,,	29.80	756.9	77	96	NNW	2	o
Surigao,	,,	29.75	755.7	86	68	ENE	2	b	,,	...	...	75	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	72	SW	2	b	6	29.78	756.4	78	94	SE	2	b

October 22*d.* 12*h.* 03*m.* - Pressure has increased slightly at the majority of reporting stations.

A belt of high pressure extends from the Yangtze Valley to N.E. Japan.

Fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·12 inches, against an average of 79·78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd October, 1922.								23rd October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.18	766.5	...	...	SSE	5	...	5	30.00	762.0	...	...	NW	5	...
Hokodate,	,,	30.06	763.5	...	...	S	3	...	,,	30.16	766.0	...	...	NW	1	...
Tokio,	,,	30.16	766.0	...	...	NNE	1	...	,,	30 26	768.5	...	...	NW	1	...
Kochi,	,,	30.16	766.0	...	...	SE	1	...	,,	30.26	768.5	...	...	W	1	...
Nagasaki,	,,	30.18	766.5	...	...	NW	1	...	,,	30.24	768.0	...	...	NE	1	...
Kagoshima,	,,	30.16	766.0	...	...	E	1	...	,,	30 24	768.0	...	...	W	1	...
Oshima,	,,	30.08	764.0	...	...	NE	1	...	,,	30.14	765.5	...	...	SSE	1	...
Naha,	,,	30.04	763.0	...	...	NE	3	...	,,	30.08	764.0	...	...	E	1	...
Ishigakijima,	,,	30.02	762.5	...	...	ENE	5	...	,,	30.02	762.5	...	...	E	3	...
Bonin Island,	,,	29.94	760.5	...	...	SW	1	...	,,	30.00	762.0	...	...	NNE	1	...
Weihaiwei,	14	30.06	763.5	69	75	N	2	b	6	30.14	765.5	62	89	SE	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.22	767.6	77	44	SSE	1	b	,,	30.18	766.6	63	60	SSE	1	o
Gutzlaff,	,,	30.18	766 6	74	59	SE	2	b	,,	30.16	766.0	68	79	SE	4	o
Sharp Peak,	15	30.05	763.2	77	69	N	2	b	7	30.15	765.8	71	85	NW	2	o
Amoy,	14	30.00	762.0	77	82	ENE	2	o	6	29.95	760.7	72	92	NNW	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.06	763.5	77	61	E	6	bf	,,	29.98	761.4	72	65	E	4	o
Taichu,	,,	29.97	761.1	81	...	...	o	b	,,	29.95	760.8	70	...	...	o	o
Tainan,	,,	29.98	761.4	82	...	WNW	4	b	,,	29.94	760.5	72	...	...	o	b
Koshun,	,,	29.98	761.4	82	...	NE	6	b	,,	29.95	760.8	77	...	NE	4	b
Pescadores,	,,	30.00	762.0	79	...	NNE	7	b	,,	29.95	760.8	75	...	N	4	o
Canton,	15	29.98	761.5	77	77	NNW	1	o	,,	29.99	761.7	72	95	E	1	o
Hongkong,	14	29.95	760.7	75	76	E	4	o	,,	29.96	761.0	75	80	E	5	o
Gap Rock,	,,	29.93	760.2	...	...	ENE	5	o	,,	29.93	760.2	...	...	ENE	5	o
Macao,	,,	29.89	759 3	73	85	NNE	2	o	,,	29.93	760.2	75	83	E	4	o
Wuchow,	15	...	..	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.92	759.9	79	76	...	o	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.86	758.4	77	...	N	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.85	758.1	86	71	NE	4	b	6	29.89	759.3	75	94	...	o	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	86	71	E	1	o	,,	29.87	758.7	72	94	NE	1	b
Legaspi,	,,	29.80	756.9	90	66	ENE	2	b	,,	29.86	758.4	81	86	NE	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Roilo,	,,	29.75	755.7	90	66	NE	4	b	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	86	75	ENE	4	b	,,	29.82	757.5	75	96	...	o	o
Guam,	12.20	29.76	756.0	...	...	NE	1	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	86	76	SW	2	b	6	...	...	...	...	...	...	...

October 23*d.* 10*h.* 37*m.* – Pressure has increased slightly from central Japan to Formosa, Weihaiwei and the Bonins. It is nearly stationary at other reporting stations.

An anticyclone is central over S.W. Japan.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·12 inches, against an average of 79·87 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fair.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd OCTOBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	24th OCTOBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	...	...	...	...	...	...	...	5	30.08	764.0	...	...	NW	6	...
Hokodate,	,,	30.18	766.5	...	...	WSW	6	...	,,	30.20	767.0	...	...	NNW	6	...
Tokio,	,,	30.24	768.0	...	...	SSE	1	...	,,	30.26	768.5	...	...	NW	1	...
Kochi,	,,	30.24	768.0	...	...	...	0	...	,,	30.22	767.5	...	...	W	1	...
Nagasaki,	,,	30.24	768.0	...	...	SE	2	...	,,	30.14	765.5	...	...	SE	1	...
Kagoshima,	,,	30.22	767.5	...	...	ENE	1	...	,,	30.12	765.0	...	...	NE	2	...
Oshima,	,,	30.16	766.0	...	...	ESE	2	...	,,	30.04	763.0	...	...	ESE	1	...
Naha,	,,	30.10	764.5	...	...	E	3	...	,,	30.00	762.0	...	...	SE	1	...
Ishigakijima,	,,	30.04	763.0	...	...	E	5	...	,,	...	...	...	...	SSE	1	...
Bonin Island,	,,	30.02	762.5	...	...	N	3	...	,,	30.06	763.5	...	...	NNE	2	...
Weihaiwei,	14	30.10	764.5	70	70	SSW	4	0	6	30 05	763.2	60	94	S	4	r
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.17	766.3	72	75	SE	2	0	,,	30.02	762.5	64	100	SE	1	r
Gutzlaff,	,,	30.10	764.5	71	80	SE	4	0	,,	29.99	761.7	66	91	SW	1	0
Sharp Peak,	15	30.02	762.5	72	90	E	1	r	7	29.98	761.5	70	94	S	1	r
Amoy,	14	29.92	759.9	83	83	SSE	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.99	761.7	86	93	SE	4	b	,,	29.93	760.2	70	96	...	0	b
Taichu,	,,	29.97	761.1	82	...	SSW	4	b	,,	29.94	760.5	68	...	...	0	b
Tainan,	,,	29.98	761.4	84	...	WSW	4	b	,,	29.92	759.9	70	...	NE	2	b
Koshun,	,,	29.99	761.7	84	...	NE	4	0	,,	29.89	759.3	70	...	NE	2	b
Pescadores,	,,	30 00	762.0	81	...	NNW	4	0	,,	29.92	759 9	75	...	N	2	b
Canton,	15	29.93	760.2	80	78	E	1	0	,,	29.92	759.9	74	95	...	0	0
Hongkong,	14	29.93	760.2	77	76	E	3	0	,,	29.89	759.2	75	90	E	2	0
Gap Rock,	,,	29.91	759.7	...	...	ENE	5	0	,,	29.89	759.2	...	...	ENE	4	0
Macao,	,,	29.92	759.9	79	80	SE	2	0	,,	29.88	759.0	73	98	NNE	2	r
Wuchow,	15	29.91	759.7	78	86	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	....	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.88	759.0	81	80	...	0	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.86	758.4	79	...	N	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	81	...	E	6	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	86	68	NE	2	0	6	29.86	758.4	75	96	...	0	0
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	86	65	WNW	1	0	,,	29.84	757.8	73	94	E	1	b
Legaspi,	,,	29.80	756.9	90	66	E	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	90	63	NE	4	b	,,	29.79	756.6	79	93	NNW	4	0
Surigao,	,,	29.75	755.7	77	25	ENE	2	r	,,	29.80	756.9	73	96	...	0	b
Guam,	12.20	29.75	755.7	...	...	NE	1	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	86	72	SW	2	b	6	29.77	756.1	78	91	SW	2	b

October 24*d*. 10*h*. 33*m*.—Pressure has decreased moderately from Shanghai to S.W. Japan and slightly from the Loochoos to Hongkong and the Philippines.

The anticyclone is now central near Tokio.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·12 inches, against an average of 79·96 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. or variable winds, moderate to light; fair.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	25th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.24	768.0	...	...	NW	7	...	5	30.43	773.0	...	...	SW	1	...
Hokodate,	,,	30.30	769.5	...	...	NW	1	...	,,	30.32	770.0	...	...	ESE	4	...
Tokio,	,,	30.24	768.0	...	...	...	0	...	,,	30.34	770.5	...	...	NNW	4	...
Kochi,	,,	30.20	767.0	...	...	S	1	...	,,	30.10	764.5	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	SE	4	...	,,	29.90	759.5	...	...	SE	5	...
Kagoshima,	,,	30.10	764.5	...	...	SE	3	...	,,	29.92	760.0	...	...	E	1	...
Oshima,	,,	30.02	762.5	...	...	ESE	2	...	,,	29.84	758.0	...	...	SSE	3	...
Naha,	,,	29.98	761.5	...	...	SSE	2	...	,,	29.88	759.0	...	...	S	1	...
Ishigakijima,	,,	29.94	760.5	...	...	S	4	...	,,	29.90	759.5	...	...	...	0	...
Bonin Island,	,,	30.04	763.0	...	...	NE	1	...	,,	30.10	764.5	...	...	ENE	2	...
Weihaiwei,	14	30.02	762.5	67	79	ESE	2	b	6	30.02	762.5	62	83	NE	2	b
Hankow,	15	...	...	..	...	...	..	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.02	762.5	68	91	WNW	1	o	,,	30.01	762.2	63	96	WNW	2	o
Gutzlaff,	,,	29.95	760.7	67	95	WSW	1	o	,,	29.96	761.0	63	94	NW	4	o
Sharp Peak,	15	29.89	759.2	76	88	...	o	o	7	29.93	760.2	72	94	...	o	o
Amoy,	14	29.84	757.9	77	95	SSE	2	o	6	29.91	759.7	72	100	W	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.92	759.9	86	68	E	2	b	,,	29.91	759.6	72	96	...	o	b
Taichu,	,,	29.93	760.2	82	...	...	o	b	,,	29.91	759.6	70	...	...	o	b
Tainan,	,,	29.88	759.0	86	...	NNW	4	b	,,	29.92	759.9	72	...	N	2	b
Koshun,	,,	29.92	759.9	86	...	N	2	b	,,	29.86	758.4	72	...	...	o	b
Pescadores,	,,	29.93	760.2	84	...	NE	2	b	,,	29.89	759.3	75	...	NNW	4	b
Canton,	15	29.85	758.2	87	69	NW	1	c	,,	29.96	761.0	70	95	N	1	b
Hongkong,	14	29.86	758.4	79	83	E	1	o	,,	29.91	759.7	74	81	NE	2	c
Gap Rock,	,,	29.86	758.4	...	...	ENE	4	o	,,	29.90	759.4	...	...	ENE	3	o
Macao,	,,	29.85	758.1	84	77	SE	2	o	,,	29.92	759.6	72	89	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.86	758.4	85	68	...	o	b	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	81	...	N	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.89	756.9	86	46	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	90	57	NW	1	b	,,	29.85	758.1	73	88	NE	1	o
Legaspi,	,,	29.76	756.0	86	78	ENE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	90	57	NE	4	o	,,	29.80	756.9	75	92	N	2	o
Surigao,	,,	29.74	755.4	86	78	...	o	o	,,	29.79	756.6	77	96	...	o	b
Guam,	12.20	29.73	755.1	...	...	...	o	r	4.20	29.74	755.4	...	...	...	o	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	88	76	SW	2	b	6	29.80	756.9	80	87	SW	2	b

October 25*d.* 11*h.* 48*m.*—Pressure has decreased considerably over S.W. Japan and moderately over the Loochoos. It has increased considerably over N.E. Japan and slightly from Tokio to the Bonins.

A depression has formed over the Eastern Sea.

The anticyclone has strengthened and moved to the east of Hokkaido.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 68·14 inches, against an average of 80·04 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. or variable winds, moderate to light; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	26th October, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.15	765.7	54	...	NW	2	o	6	29.74	755.3	50	...	...	o	r
Nemuro.....	11	30.00	762.0	...	...	SE	2	...	5	30 28	769.0	...	...	SE	5	...
Hokodate, ...	,,	30.28	769.0	...	...	ESE	4	...	,,	29.92	760.0	...	...	ESE	7	...
Tokio,.....	,,	30.28	769 0	...	...	N	1	...	,,	29.82	757.5	...	...	SSE	2	...
Kochi, ...	,,	29.96	761.0	...	...	SE	4	...	,,	29.92	760.0	...	...	S	1	...
Nagasaki, ...	,,	29.76	756.0	...	...	ESE	3	...	,,	29.82	757.5	...	...	WNW	1	...
Kagoshima, ...	,,	29.76	756.0	...	...	SE	1	...	,,	29.82	757.5	...	...	...	o	...
Oshima.	,,	29.84	758.0	...	...	S	1	...	,,	29.88	759.0	...	...	SSE	1	...
Naha.	,,	29.88	759.0	...	...	S	1	...	,,	29.90	759.5	...	...	N	4	...
Ishigakijima,...	,,	...	...	...	...	...	...	...	,,	29.94	760.5	...	...	N	1	...
Bonin Island,...	,,	30.04	763 0	...	...	E	2	...	,,	29.9e	761.5	...	...	ESE	3	...
Weihaiwei,.....	14	29.92	759.9	65	79	NNE	1	b	6	29 99	761.7	54	94	N	4	b
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30 05	763.2	72	65	WNW	4	b	,,	30.08	764.0	55	100	W	1	b
Gutzlaff,.....	,,	29 96	761.0	72	71	NNW	4	b	,,	30 03	762.7	64	84	NNW	2	b
Sharp Peak, ...	15	29.94	760.5	81	78	E	1	b	7	29.99	761.7	69	85	WNW	1	b
Amoy, ...	14	29.88	758.9	82	83	SSE	4	b	6	29.94	760.5	76	95	NE	2	o
Swatow.....	,,	...	...	...	...	...	...	...	,,	29.89	759.2	69	100	NNE	1	b
Taihoku, ...	12	29 98	761.4	75	89	...	o	o	,,	30.00	762.0	64	90	E	2	o
Taichu, ...	,,	29.92	759.9	84	...	NNW	4	b	,,	29.93	760.2	66	...	...	o	b
Tainan, ...	,,	29.92	759.9	86	...	NNW	4	b	,,	29.91	759.6	70	...	NNE	2	b
Koshun,.....	,,	29.91	759 6	84	...	NW	2	b	,,	29.91	759.6	75	...	NNE	2	b
Pescadores, ...	,,	29.95	760.8	82	...	N	4	b	,,	29.94	760.5	75	...	NNE	6	b
Canton, ...	15	29.92	759.9	87	62	NW	2	b	,,	30.00	762.0	66	89	...	2	b
Hongkong,.....	14	29.90	759.4	83	60	E	1	c	,,	29.96	761 0	72	70	N	o	b
Gap Rock, ...	,,	29 92	759.9	...	...	ENE	3	c	,,	29.95	760.7	...	...	NE	3	b
Macao, ...	,,	29.91	759.6	81	65	NE	2	b	,,	29.94	760.5	70	77	NNE	2	b
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	29.92	759.9	85	61	...	o	o	7	...	...	...	...	...	...	...
Tourane,..... ..	,,	29.88	759.0	79	...	NNE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	81	...	NE	4	b	,,	...	...	...	...	...	...	...
Aparri, ...	14	29.81	757.2	86	71	NE	4	b	6	29.87	758.7	75	94	...	o	b
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29 78	756.3	90	63	W	2	b	,,	29.86	758.4	73	92	NE	1	b
Legaspi, ...	,,	29.75	755.7	90	66	ENE	2	b	,,	29.84	757.8	77	79	SW	2	o
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo, ...	,,	29.74	755.4	86	68	NE	4	o	,,	29.82	757.5	75	92	NNE	2	o
Surigao, ...	,,	29.74	755.4	84	74	N	4	o	,,	29.81	757.2	79	87	...	o	o
Guam,.....	12.20	29.71	754.5	...	...	NE	2	r	4.20	29.76	756.0	...	...	NE	1	b
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	29.78	756.3	...	...	NW	1	b
Labuan, ...	14	29.76	755.9	86	72	SW	2	b	6	29.82	757.4	78	91	SW	2	b

October 26*d*. 11*h*. 52*m*.—Pressure has decreased considerably over central Japan and moderately from S.W. Japan to the Bonins. It has increased slightly in south-western districts.

The Eastern Sea depression is now central over the Sea of Japan.

An anticyclone may be forming over China.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·14 inches, against an average of 80·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate to fresh; fine, cooler.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th OCTOBER, 1922.								27th OCTOBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.56	750.9	53	...	NW	...	r	6	29.64	752.9	50	...	WNW	4	o
Nemuro,	11	...	...	...	...	SE	6	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.69	754.0	...	...	ESE	4	...	,,	29.63	752.5	...	...	...	...	...
Tokio,	,,	29.72	755.0	...	...	SSE	4	...	,,	29.59	751.5	...	...	WSW	3	...
Kochi,	,,	29.76	756.0	...	...	SW	1	...	,,	29.90	759.5	...	...	WSW	1	...
Nagasaki,	,,	29.86	758.5	...	...	W	4	...	,,	30.00	762.0	...	...	WNW	1	...
Kagoshima,	,,	29.84	758.0	...	...	NNW	2	...	,,	30.00	762.0	...	...	...	...	...
Oshima,	,,	29.88	759.0	...	...	N	2	...	,,	30.02	762.5	...	...	N	3	...
Naha,	,,	29.92	760.0	...	...	N	2	...	,,	30.02	762.5	...	...	NE	2	...
Ishigakijima,	,,	29.98	761.5	...	...	NNW	2	...	,,	30.02	762.5	...	...	N	3	...
Bonin Island,	,,	29.96	761.0	...	...	S	3	...	,,	29.96	761.0	...	...	SW	1	...
Weihaiwei,	14	29.97	761.2	74	94	NW	4	o	6	30.00	762.0	54	92	SW	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.11	764.8	72	62	NW	1	b	,,	30.19	766.8	50	100	NNE	1	b
Gutzlaff,	,,	30.04	763.0	74	72	N	1	b	,,	30.17	766.3	60	39	N	1	b
Sharp Peak,	15	30.03	762.7	86	68	E	1	b	7	30.07	763.8	67	84	W	1	b
Amoy,	14	29.95	760.7	82	75	ESE	2	b	6	30.03	762.7	69	85	NE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.02	762.6	81	56	E	4	b	,,	30.06	763.5	63	92	E	4	b
Taichu,	,,	29.95	760.8	82	...	N	4	b	,,	29.98	761.4	61	...	...	o	b
Tainan,	,,	29.94	760.5	84	...	WNW	4	b	,,	29.95	760.8	63	...	SW	1	b
Koshun,	,,	29.94	760.5	81	...	NNE	6	b	,,	29.97	761.1	73	...	NE	6	b
Pescadores,	,,	29.98	761.4	81	...	NNE	7	b	,,	29.98	761.4	73	...	NNE	6	b
Canton,	15	29.95	760.7	85	55	NNE	2	b	,,	30.03	762.7	63	94	...	o	b
Hongkong,	14	29.94	760.5	81	51	E	2	b	,,	30.02	762.5	74	76	ENE	3	c
Gap Rock,	,,	29.95	760.7	...	...	ENE	3	b	,,	30.00	762.0	...	...	ENE	4	c
Macao,	,,	29.94	760.5	79	52	NE	2	b	,,	29.99	761.7	70	91	N	2	o
Wuchow,	15		...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.93	760.2	85	52	SE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.88	759.0	75	...	NNW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	81	...	E	4	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	86	65	NE	4	b	6	29.89	759.3	75	94	...	o	r
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	90	69	S	2	o	,,	29.82	757.5	73	94	...	o	o
Legaspi,	,,	29.78	756.3	86	...	ENE	4	b	,,	29.82	757.5	81	92	ENE	1	o
Tacloban,	,,	29.80	756.9	79	85	ENE	4	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.74	755.4	90	66	NE	4	o	,,	29.80	756.9	75	88	NW	2	o
Surigao,	,,	29.76	756.0	75	96	...	o	o	,,	29.78	756.3	75	96	SW	1	o
Guam,	12.20	29.71	754.5	...	...	E	4	o	4.20	29.76	756.0	...	...	E	2	b
Yap,	12.47		...	...	...	...	...	...	4.47	29.76	756.0	...	...	NE	...	o
Lamuan,	14	29.78	756.4	86	76	SW	2	b	6	29.78	756.4	80	91	SE	2	b

October 27*d*. 12*h*. 12*m*.—Pressure has decreased considerably over central and N.E. Japan. It has increased moderately from the Loochoos to Shanghai and slightly from Formosa to Tongking.

The depression is now central between Wladivostock and Tokio.

An anticyclone has formed over China.

Fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·02 inch. Total since January 1st, 68·16 inches, against an average of 80·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine, cooler.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th OCTOBER, 1922.								28th OCTOBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.66	753 3	49	...	SW	3	c	6	29.83	757.6	33	...	...	0	b
Nemuro,	11	...	...	...	...	...	...	...	5	29.80	757.0	...	...	WSW	3	...
Hokodate,	,,	29.86	758.5	...	...	NW	1	...	,,	29.86	758.5	...	...	WNW	1	...
Tokio,	,,	29.70	754.5	...	...	S	1	...	,,	29.96	761.0	...	...	NNE	2	...
Kochi,	,,	29.92	760.0	...	...	SW	2	...	,,	30.02	762.5	...	...	SW	1	...
Nagasaki,	,,	30.02	762.5	...	...	WNW	3	...	,,	30.04	763.0	...	...	...	...	...
Kagoshima,	,,	30.02	762.5	...	...	...	2	...	,,	30.06	753.5	...	...	NW	1	...
Oshima,	,,	30.04	763 0	...	...	N	3	...	,,	30.08	764.0	...	...	S	1	...
Naha,	,,	30.04	763.0	...	...	ENE	3	...	,,	30.08	764.0	...	...	...	...	...
Ishigakijima,	,,	30.02	762.5	...	...	NE	4	...	,,	30.04	763.0	...	...	NE	2	...
Bonin Island,	,,	29.94	760.5	...	...	SSW	1	...	,,	30.00	762.0	...	...	...	...	...
Weihaiwei,	14	29.90	759.4	64	65	NW	4	b	6	30.02	762.5	54	68	NW	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.19	766.8	68	32	SSW	2	b	,,	30.12	765.0	55	98	SW	1	b
Gutzlaff,	,,	30.18	764.8	69	39	...	0	b	,,	30.09	764.3	65	91	S	4	b
Sharp Peak,	15	30.03	762.7	82	67	E	2	b	7	30.13	765.3	68	87	W	1	b
Amoy,	14	29 96	761.0	81	78	NNE	1	b	6	30.04	763.0	70	91	E	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.05	763.2	81	56	E	6	b	,,	30.05	763.2	68	87	E	4	b
Taichu,	,,	29.99	761.7	79	...	WNW	2	b	,,	30.02	762.6	63	...	...	0	b
Tainan,	,,	29.98	761.4	82	...	SW	2	b	,,	30.00	762.0	66	...	E	2	b
Koshun,	,,	29.99	761.7	82	...	NE	6	b	,,	29.99	761.7	75	...	NE	6	b
Pescadores,	,,	29.99	761.7	81	...	NE	6	b	,,	30.01	762.3	73	...	N	4	b
Canton,	15	29.98	761.5	84	57	NW	1	b	,,	30.07	763.8	65	95	...	0	b
Hongkong,	14	29.97	761.2	79	45	E	2	b	,,	30 04	763.0	70	82	NNE	1	b
Gap Rock,	,,	29.97	61.2	...	...	ENE	4	b	,,	30.02	762.5	...	...	ENE	4	b
Macao,	,,	29.97	761.1	79	66	ESE	2	b	,,	29.94	760.5	72	82	NE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.94	760.5	82	70	ESE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.88	759.0	79	...	NE	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29 79	756.6	82	...	E	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.84	757.8	81	84	NE	4	r	6	29.88	759.0	73	96	...	0	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	79	80	SE	1	o	,,	29.85	758.1	73	96	E	1	o
Legaspi,	,,	29.76	756.0	81	86	NE	4	o	,,	29.79	756.6	79	93	ENE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	29 72	754.8	86	61	NE	4	o	,,	29.78	756.3	77	91	NNW	4	o
Surigao,	,,	29.73	755.1	81	80	...	0	o	,,	29.74	755.4	77	96	...	0	o
Guam,	12.20	29.73	755.1	...	...	NE	1	b	4.20	29.76	756.0	...	...	NE	1	o
Yap,	12.47	..		...	...	...	...	...	4.47	29.73	755.1	...	...	ENE	4	o
Labuan,	14	29.74	755.4	86	72	SW	2	b	6	29.80	756.9	75	100	SW	2	r

October 28*d*. 10*h* 59*m*. Pressure has increased considerably over N.E. Japan and slightly from S.W. Japan to Hongkong. It is nearly stationary over the Philippines.

The depression has moved to the north of Japan.

The anticyclone has weakened and moved eastward. It is now central near Shanghai.

The monsoon will be interrupted to the north of Amoy and will be moderate over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th OCTOBER, 1922.								29th OCTOBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostook,	12	29.81	757.2	51	...	N	1	b	6	29.98	30.15	42	...	N	2	o
Nemuro,	11	29.86	758.5	...	...	SSW	5	...	5	...	...	...	...	...	3	...
Hokodate,	,,	29.74	755.5	...	...	SSW	3	...	,,	...	...	...	...	...	1	...
Tokio,	,,	29.90	759.5	...	...	S	1	...	,,	...	...	...	...	...	2	...
Kochi,	,,	29 96	761.0	...	...	SW	1	...	,,	...	...	...	...	...	1	...
Nagasaki,	,,	30.06	763 5	...	...	WNW	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.06	753.5	...	...	WNW	3	...	,,	...	...	...	...	...	1	...
Oshima,	,,	30.08	764.0	...	...	N	3	...	,,	...	...	...	...	...	1	...
Naha,	,,	30.10	764.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.08	764.0	...	...	E	3	...	,,	...	...	...	...	...	2	...
Bonin Island,	,,	30.00	762.0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	30.01	762.2	65	68	WNW	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.21	767.3	70	21	NW	1	b	,,	30.21	767.3	54	90	SE	2	b
Gutzlaff,	,,	30.10	764.5	70	53	NNW	4	b	,,	30.17	766.3	63	62	S	2	b
Sharp Peak,	15	30.05	763.2	84	83	ENE	4	b	7	30.14	765.5	70	86	NW	1	b
Amoy,	14	29.98	761.5	81	74	E	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30 07	763 8	82	57	ENE	4	b	,,	30.05	763.2	68	81	WSW	4	b
Taichu,	,,	30 04	762.9	81	...	NNW	2	b	,,	30.00	762.0	64	...	...	0	b
Tainan,	,,	30.01	762.3	84	...	NW	2	b	,,	29.95	760.8	68	...	SE	2	b
Koshun,	,,	30 00	762.0	82	...	NE	6	b	,,	29.95	760.8	75	...	NE	6	b
Pescadores,	,,	30.04	762.9	81	...	NNE	6	b	,,	29.98	761.4	73	...	N	4	b
Canton,	15	29.99	761.7	86	55	E	1	b	,,	30.03	762.7	65	95	...	0	o
Hongkong,	14	30.00	762.0	80	53	ESE	3	b	,,	30.01	762.2	73	68	ENE	3	b
Gap Rock,	,,	30.00	762.0	...	...	ENE	4	b	,,	29.99	761.7	...	...	ENE	4	c
Macao,	,,	29.99	761.7	81	62	E	2	b	,,	29.99	761.7	72	70	E	2	b
Wuchow,	15	30.01	762.2	82	49	E	1	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.99	761.7	81	66	ESE	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.3	77	...	NE	4	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.87	758.7	81	80	NE	4	o	6	29.89	759.3	73	94	...	o	o
Lagapan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	82	70	SW	1	o	,,	29.81	757.2	73	94	E	1	o
Legaspi,	,,	29.78	756.3	79	90	NNE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	79	92	NW	4	o	,,	29.75	755.7	75	89	NNW	4	o
Surigao,	,,	29 72	754.8	81	89	WNW	1	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.66	753 3	...	...	NE	4	b	4.20	29.66	753.3	...	...	N	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	86	68	SW	2	b	6	29.75	755.6	78	91	SW	2	b

October 29*d.* 11*h.* 20*m.*—Pressure has increased slightly at Shanghai and decreased slightly at Hongkong and over the Visayas.

There are indications of a typhoon forming near Guam.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th October, 1922.								30th October, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.96	761.1	56	...	SSE	3	c	6	30.12	764.9	42	...	...	0	b
Nemuro,	11	29.88	759.0	...	...	W	2	...	5	30.10	764.5	...	...	NNW	4	...
Hokodate,	,,	30.02	762.5	...	...	WSW	7	...	,,	30.18	766.5	...	...	WSW	3	...
Tokio,	,,	30.10	764.5	...	...	NE	1	...	,,	30 34	770.5	...	...	NNW	1	...
Kochi,	,,	30.16	766.0	...	...	ESE	1	...	,,	30.28	769.0	...	...	SW	1	...
Nagasaki,	,,	30.18	766.5	...	...	SE	2	...	,,	30.22	767.5	...	...	...	0	...
Kagoshima,	,,	30.14	765.5	...	...	E	1	...	,,	30 24	768.0	...	...	NW	1	...
Oshima,	,,	30.16	766 0	...	...	E	1	...	,,	30.16	766.0	...	...	SSE	1	...
Naha,	,,	30.14	765.5	...	...	E	1	...	,,	30.12	765.0	...	...	NE	1	...
Ishigakijima,	,,	30.10	764.5	...	...	E	5	...	,,	30.04	763.0	...	...	ENE	3	...
Bonin Island,	,,	30.04	763.0	...	...	N	2	...	,,	30.02	762.5	...	...	NNE	2	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.19	766.8	75	42	SE	2	b	,,	30.19	766.8	54	95	SE	1	b
Gutzlaff,	,,	30.17	766.3	72	62	SSE	4	b	,,	30.17	766.3	65	63	SE	2	o
Sharp Peak,	15	30.10	764.5	78	82	ENE	2	b	7	30.16	766.0	70	85	NNW	2	o
Amoy,	14	...	...	...	...	...	...	...	6	29.99	761.7	72	85	N	1	o
Swatow,	,,	29.89	759.2	79	61	E	2	b	,,	...	...	...	...	...	...	...
Taihoku,	12	30.08	764.1	81	56	E	6	o	,,	30.01	762.3	70	82	E	4	b
Taichu,	,,	30.00	762.0	82	...	WNW	2	b	,,	30.00	762.0	68	...	...	0	o
Tainan,	,,	29.99	761.7	84	...	WSW	4	b	,,	29.97	761.1	70	...	E	2	b
Koshun,	,,	30.00	762.0	82	...	NE	6	b	,,	29.95	760.8	77	...	NE	6	o
Pescadores,	,,	30.02	762.6	81	...	NE	4	b	,,	29.99	761.7	75	...	N	4	b
Canton,	15	29.97	761.2	83	57	ENE	1	o	,,	30.01	762.2	68	95	ESE	1	c
Hongkong,	14	29.96	761.0	77	55	E	4	b	,,	29.98	761.5	73	78	E	2	c
Gap Rock,	,,	29.94	760.5	...	...	ENE	5	b	,,	29.96	761.0	...	...	ENE	4	b
Macao,	,,	29.94	760.5	82	67	SE	2	b	,,	29.95	760.8	73	79	ENE	2	o
Wuchow,	15	29.96	761.0	81	87	E	2	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.93	760.2	85	56	SSE	2	b	7	29.98	761.4	70	88	N	4	b
Tourane,	,,	29.86	758.4	77	...	NNE	2	b	,,	29.91	759.6	75	...	ENE	2	o
Cape St. James,	,,	29.75	755.7	81	...	E	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	82	76	ESE	4	o	6	29.89	759.3	75	91	...	0	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Manila,	,,	29.75	755.7	90	60	SE	2	o	,,	29.84	757.8	75	92	...	0	o
Legaspi,	,,	29.74	755.4	86	71	NE	4	o	,,	29.76	756.0	79	90	NE	2	bf
Tacloban,	,,	29.73	755.1	86	65	NE	4	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29 72	754.8	86	61	NE	4	o	,,	29.78	756.3	77	92	NNW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Guam,	12.20	29.58	751.2	...	...	N	1	b	4.20	29.67	753.6	...	...	SW	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.69	754.2	...	...	N	2	b
Labuan,	14	29.75	755.6	86	68	SW	2	b	6	29.78	756.4	78	94	SW	2	b

October 30*d.* 11*h.* 37*m.*—Pressure has increased considerably over central and N.E. Japan. Changes elsewhere are small.

The anticyclone has strengthened. It is central near Tokio.

There are indications of a typhoon forming to the west of Guam.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31ST.

District.	Forecast.
1.—Formosa Channel, ...	E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th OCTOBER, 1922.								31st OCTOBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.07	763.9	51	...	SSE	1	o	6	30.12	765.0	42	...	N	3	o
Nemuro,	11	30.22	767.5	...	...	NNE	2	...	5	30.32	770.0	...	...	...	...	...
Hokodate,	,,	...	...	...	...	W	2	...	,,	30.26	768.5	...	...	W	1	...
Tokio	,,	30 31	770.0	...	...	NE	1	...	,,	30.34	770.5	...	...	NNW	1	...
Kochi,	,,	30.22	767.5	...	...	...	...	...	,,	30.18	766.5	...	...	SW	1	...
Nagasaki,	,,	30 24	768.0	...	...	SE	4	...	,,	30.16	766 0	...	...	SE	2	...
Kagoshima,	,,	30 22	767.5	...	...	ENE	1	...	,,	30.08	764.0	...	...	WNW	1	...
Oshima,	,,	30.14	765.5	...	...	SE	1	...	,,	30.04	763.0	...	...	SSE	1	...
Naha.	,,	30.12	765.0	...	...	E	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.06	763.5	...	...	NNE	4	...	,,	29.98	761.5	...	...	NE	1	...
Bonin Island,	,,	29.98	761.5	...	...	NE	2	...	,,	29.88	759.0	...	...	NE	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.21	76.73	75	45	SSE	1	b	,,	30.12	765.0	63	100	SE	1	bf
Gutzlaff,	,,	30.14	765.5	73	67	SE	2	b	,,	30.09	764.3	68	91	SSE	2	o
Sharp Peak,	15	30.02	762.5	80	78	N	2	o	7	30.23	767.8	71	90	NW	1	b
Amoy,	14	29.97	761.2	82	79	E	1	b	6	29.97	761.2	73	92	NNE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.05	763.2	77	68	ENE	6	o	,,	29.97	761.1	72	82	E	4	o
Taichu,	,,	29.99	761.7	73	...	NNW	2	o	,,	29.95	760.8	68	...	...	o	o
Tainan,	,,	29.99	761.7	82	...	W	2	o	,,	29.94	760.5	73	...	NE	2	b
Koshun,	,,	29.98	61.4	82	...	NE	6	b	,,	29.94	760.5	75	...	N	4	o
Pescadores,	,,	30.00	762.0	81	...	NNE	4	o	,,	29.95	760.8	75	...	N	4	o
Canton,	15	29.94	760.5	85	58	E	1	b	,,	29.99	761.7	71	90	...	o	o
Hongkong,	14	29.95	760.7	78	60	E	3	b	,,	29.98	761.5	74	81	E	3	o
Gap Rock,	,,	29.93	760.2	...	...	ENE	5	b	,,	29.96	761 o	73	85	ENE	4	b
Macao,	,,	29.89	759.3	82	63	ESE	2	b	,,	29.95	760.8	...	...	ESE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.91	759.6	84	68	SE	2	b	7	29.98	761.4	73	94	NE	4	b
Fourane,	,,	2 .89	758 1	73	...	NNW	4	b	,,	29.93	760.2	75	...	NNW	4	b
Cape St. James,	,,	29.80	756.9	84	...	N	2	o	,,	29.85	758.1	75	...	NW	2	o
Aparri,	14	29.82	757.5	84	77	NE	4	o	6	29.88	759.0	75	94	...	o	o
Lingayan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	68	SSW	2	o	,,	29.84	757.8	72	94	E	1	b
Legaspi,	,,	29.75	755.7	84	81	ENE	1	o	,,	29.82	757.5	77	89	NNE	1	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	90	57	NE	4	o	,,	29.80	756.9	75	94	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.60	751.8	...	...	S	2	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755 9	82	71	SW	2	b	6	29 81	757.2	76	94	SE	4	b

October 31*d.* 11*h* 43*m.*— Pressure has increased considerably at Nemuro and decreased slightly from S.W. Japan to Shanghai and Formosa. It has decreased moderately over the Bonins owing, apparently, to the approach of a typhoon from Guam. It is nearly stationary in south-western districts.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

NOVEMBER,

1922.

CONTAINING DETAILED RESULTS OF OBSERVATIONS MADE AT THE ROYAL OBSERVATORY, HONGKONG, AND THE DAILY WEATHER REPORTS FROM VARIOUS STATIONS IN THE FAR EAST.

PREPARED UNDER THE DIRECTION OF

T. F. CLAXTON, F.R.A.S.,

DIRECTOR.

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

NOVEMBER,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of NOVEMBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·950	29·946	29·941	29·936	29·945	29·951	29·957	29·977	30·005	30·019	30·010	29·987	1
2	29·981	29·966	29·953	29·943	29·931	29·943	29·968	29·979	29·992	30·009	29·998	29·986	2
3	29·978	29·963	29·955	29·953	29·958	29·964	29·994	30·010	30·036	30·043	30·024	30·005	3
4	30·020	30·011	30·011	30·009	30·013	30·025	30·035	30·049	30·059	30·060	30·048	30·018	4
5	29·990	29·975	29·970	29·962	29·960	29·964	29·984	30·019	30·028	30·028	30·019	29·996	5
6	29·960	29·950	29·948	29·949	29·947	29·959	29·973	29·985	29·992	29·999	29·984	29·952	6
7	29·925	29·907	29·900	29·896	29·909	29·920	29·942	29·949	29·956	29·957	29·946	29·925	7
8	29·917	29·914	29·900	29·898	29·905	29·920	29·936	29·951	29·962	29·972	29·954	29·928	8
9	29·950	29·945	29·949	29·956	29·956	29·960	29·991	30·007	30·029	30·043	30·046	30·035	9
10	30·082	30·072	30·058	30·043	30·042	30·047	30·074	30·083	30·109	30·114	30·098	30·085	10
11	30·034	30·020	30·015	30·001	30·000	30·005	30·017	30·037	30·040	30·034	30·004	29·968	11
12	29·916	29·902	29·890	29·888	29·892	29·904	29·916	29·935	29·950	29·954	29·933	29·908	12
13	29·915	29·904	29·891	29·884	29·874	29·880	29·892	29·913	29·938	29·941	29·932	29·907	13
14	29·892	29·881	29·867	29·867	29·881	29·889	29·917	29·931	29·948	29·941	29·918	29·882	14
15	29·848	29·850	29·841	29·840	29·852	29·874	29·884	29·901	29·923	29·928	29·912	29·870	15
16	29·792	29·794	29·794	29·794	29·811	29·831	29·863	29·882	29·896	29·893	29·875	29·862	16
17	29·930	29·931	29·932	29·940	29·954	29·961	29·964	29·990	29·999	30·017	30·004	29·974	17
18	30·041	30·048	30·040	30·051	30·059	30·071	30·097	30·114	30·120	30·131	30·120	30·113	18
19	30·142	30·143	30·140	30·149	30·162	30·177	30·192	30·200	30·216	30·215	30·191	30·154	19
20	30·152	30·146	30·151	30·144	30·152	30·172	30·181	30·193	30·210	30·218	30·204	30·167	20
21	30·126	30·106	30·102	30·092	30·090	30·107	30·110	30·130	30·151	30·151	30·121	30·086	21
22	30·095	30·097	30·080	30·069	30·077	30·085	30·089	30·113	30·136	30·121	30·104	30·105	22
23	30·070	30·063	30·042	30·043	30·026	30·020	30·035	30·058	30·081	30·082	30·076	30·040	23
24	30·002	29·999	29·995	29·992	29·991	29·997	30·017	30·025	30·041	30·036	30·015	30·003	24
25	30·004	29·996	29·983	29·984	29·984	29·996	30·019	30·030	30·053	30·082	30·088	30·074	25
26	30·360	30·341	30·334	30·347	30·361	30·370	30·396	30·419	30·437	30·445	30·423	30·382	26
27	30·285	30·270	30·250	30·230	30·223	30·226	30·229	30·246	30·256	30·244	30·236	30·208	27
28	30·125	30·112	30·091	30·089	30·075	30·091	30·105	30·116	30·134	30·124	30·115	30·080	28
29	30·056	30·038	30·022	30·024	30·026	30·028	30·043	30·051	30·074	30·073	30·062	30·040	29
30	30·038	30·027	30·007	30·002	30·004	30·010	30·034	30·053	30·072	30·077	30·049	30·030	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	29·968	29·953	29·947	29·942	29·953	29·966	29·974	29·990	29·998	29·996	29·990	29·983	1
2	29·953	29·925	29·921	29·928	29·934	29·947	29·964	29·971	29·979	29·993	29·994	29·982	2
3	29·968	29·957	29·938	29·937	29·939	29·954	29·972	29·995	30·016	30·022	30·028	30·032	3
4	29·998	29·974	29·944	29·934	29·945	29·965	29·971	29·985	29·989	29·996	29·998	30·000	4
5	29·980	29·963	29·932	29·932	29·940	29·952	29·960	29·976	29·972	29·978	29·976	29·968	5
6	29·916	29·898	29·878	29·871	29·870	29·894	29·902	29·918	29·928	29·936	29·956	29·933	6
7	29·897	29·868	29·861	29·865	29·869	29·882	29·895	29·913	29·931	29·928	29·932	29·929	7
8	29·897	29·879	29·874	29·860	29·866	29·885	29·899	29·918	29·932	29·950	29·957	29·956	8
9	30·026	29·999	30·001	30·000	30·002	30·001	30·027	30·051	30·067	30·069	30·082	30·071	9
10	30·052	30·028	30·013	30·019	30·024	30·039	30·049	30·058	30·054	30·052	30·057	30·052	10
11	29·936	29·906	29·885	29·882	29·875	29·894	29·907	29·923	29·934	29·944	29·938	29·926	11
12	29·874	29·853	29·848	29·856	29·861	29·880	29·887	29·898	29·912	29·920	29·917	29·913	12
13	29·880	29·856	29·838	29·839	29·840	29·843	29·866	29·885	29·913	29·918	29·909	29·902	13
14	29·858	29·837	29·823	29·817	29·826	29·851	29·874	29·884	29·888	29·888	29·875	29·868	14
15	29·833	29·802	29·779	29·768	29·771	29·774	29·785	29·793	29·800	29·805	29·810	29·810	15
16	29·840	29·818	29·812	29·813	29·822	29·845	29·862	29·885	29·906	29·917	29·912	29·917	16
17	29·943	29·934	29·923	29·913	29·941	29·956	29·978	29·998	30·027	30·031	30·035	30·043	17
18	30·079	30·054	30·037	30·032	30·039	30·053	30·072	30·090	30·117	30·132	30·140	30·144	18
19	30·113	30·080	30·061	30·061	30·071	30·093	30·110	30·129	30·147	30·155	30·154	30·152	19
20	30·128	30·092	30·084	30·074	30·084	30·092	30·107	30·125	30·136	30·146	30·140	30·136	20
21	30·042	30·025	30·007	29·995	30·009	30·031	30·060	30·097	30·086	30·094	30·091	30·089	21
22	30·081	30·048	30·055	30·060	30·070	30·077	30·085	30·092	30·101	30·100	30·102	30·074	22
23	30·027	30·012	30·001	30·017	30·024	30·010	30·018	30·025	30·027	30·034	30·031	30·018	23
24	29·980	29·958	29·942	29·942	29·952	29·958	29·977	29·999	30·006	30·010	30·013	30·005	24
25	30·066	30·043	30·060	30·072	30·107	30·140	30·176	30·199	30·248	30·282	30·280	30·308	25
26	30·349	30·313	30·296	30·292	30·296	30·305	30·321	30·330	30·334	30·329	30·322	30·302	26
27	30·163	30·144	30·124	30·117	30·118	30·124	30·132	30·137	30·143	30·147	30·143	30·140	27
28	30·040	30·019	30·004	30.000	30·008	30·020	30·039	30·054	30·068	30·078	30·061	30·056	28
29	29·996	29·972	29·962	29·958	29·979	29·989	30·018	30·036	30·046	30·057	30·053	30·043	29
30	29·996	29·969	29·976	29·973	29·984	29·994	30·011	30·021	30·039	30·037	30·045	30·035	30

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of NOVEMBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	72·9	71·9	71·1	70·6	70·8	70·3	70·4	72·0	73·5	73·8	73·1	72·8	1
2	69·9	69·3	68·9	68·4	68·0	67·7	67·8	70·1	74·1	76·8	76·2	76·5	2
3	72·0	72·1	72·3	71·9	71·6	71·2	71·6	72·6	74·1	74·6	75·9	76·6	3
4	71·7	71·6	69·2	68·9	69·1	69·8	69·8	70·5	74·4	75·8	76·8	77·8	4
5	74·6	74·4	74·0	73·9	73·8	73·7	73·6	73·9	74·1	74·6	75·0	76·0	5
6	73·9	73·6	73·5	73·3	72·9	72·9	72·8	74·5	76·4	75·1	77·0	78·1	6
7	74·4	74·1	74·0	73·9	73·9	73·9	74·0	75·4	76·4	78·5	77·8	78·7	7
8	73·8	74·0	73·9	74·0	74·0	73·2	73·4	74·9	77·3	77·7	80·3	82·5	8
9	72·8	72·7	71·8	70·4	69·3	68·9	68·0	67·8	68·8	68·5	68·9	68·7	9
10	59·9	59·0	58·5	57·4	56·7	56·1	56·8	58·4	61·9	65·1	64·5	64·7	10
11	62·2	62·4	61·9	63·0	62·0	61·7	62·8	64·6	66·6	68·9	70·6	72·7	11
12	66·0	65·7	65·5	65·9	65·8	65·6	66·1	69·3	72·7	74·1	76·1	76·0	12
13	67·8	67·6	67·2	67·3	67·3	67·9	67·9	69·8	73·2	75·2	75·5	78·3	13
14	69·0	69·2	69·0	68·7	68.6	68·3	68·7	71·0	72·9	74·9	78·3	77·6	14
15	69·1	68·7	68·9	68·9	69·8	69·2	69·7	71·3	72·6	73·4	74·9	75·8	15
16	75·1	74·1	73·0	71·9	70·5	70·1	69·5	71·1	73·2	76·2	78·8	80·4	16
17	64·5	64·4	64·0	64·5	64·4	63·7	63·7	67·9	71·0	73·8	73·7	74·2	17
18	66·4	66·2	66·0	65·7	65·2	65·1	65·5	67·3	71·2	72·1	72·7	72·5	18
19	67·1	66·2	65·6	64·9	64·3	63·7	63·5	66·9	70·3	71·3	73·3	74·1	19
20	68·3	68·1	67·3	66·7	66·4	64·1	64·3	67·5	69·4	71·8	74·2	74·9	20
21	68·4	68·1	67·9	66·4	65·0	64·4	64·8	65·9	70·5	71·4	73·2	75·0	21
22	65·2	65·2	65·3	65·0	65·0	65·1	65·2	66·4	67·0	69·7	73·4	73·4	22
23	69·6	69·5	69·2	69·5	69·7	69·5	70·4	70·8	71·4	70·7	72·8	72·8	23
24	64·4	64·4	64·1	63·6	62·3	62·8	62·2	62·3	62·5	64·2	64·6	64·7	24
25	64·2	63·9	63·6	64·4	65·0	64·5	64·5	65·2	65·1	67·8	66·6	66·2	25
26	51·1	49·4	48·9	46·3	45·0	44·5	+3·8	44·3	45·9	46·8	49·0	50·9	26
27	44·9	44·5	44·4	44·6	44·7	44·3	45·2	49·0	53·0	56·3	57·0	58·0	27
28	52·7	52·3	53·5	53·2	53·5	53·7	53·2	55·9	60·3	62·4	64·8	66·2	28
29	58·4	58·5	58·4	58·5	58·5	58·6	58·5	61·0	65·2	68·9	71·3	71·2	29
30	62·3	62·2	63·0	62·2	61·3	60·8	61·0	64·1	67·8	69·5	70·8	70·5	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	71·9	71·3	70·8	71·1	70·9	70·1	70·0	70·2	70·0	69·9	69·4	69·2	1
2	77·1	76·6	75·3	73·7	73·0	72·4	72·1	72·1	71·4	71·2	71·0	71·5	2
3	77·8	78·4	77·4	75·7	74·6	73·7	73·2	73·2	73·3	73·3	72·8	72·3	3
4	76·6	77·9	77·6	78·4	76·6	75·6	75·7	75·0	73·8	75·3	75·2	74·5	4
5	74·8	74·7	75·7	75·8	75·1	74·4	74·0	74·0	74·0	74·1	74·1	73·9	5
6	78·3	79·2	78·2	77·5	76·1	74·9	74·3	74·7	74·9	74·7	74·6	74·7	6
7	78·3	79·0	79·0	78·0	76·8	75·9	75·6	74·9	74·7	74·3	73·8	73·6	7
8	79·0	78·4	77·3	76·2	75·4	74·7	74·8	74·7	74·5	74·4	74·3	72·9	8
9	66·6	65·5	66·0	65·2	65·6	65·2	64·2	63·1	62·9	63·0	62·8	61·6	9
10	65·8	65·1	65·0	64·5	64·0	63·7	61·7	62·8	63·5	63·3	63·1	63·1	10
11	72·8	74·5	73·6	73·0	71·4	70·0	69·0	68·9	67·7	67·5	67·2	67·2	11
12	76·6	76·5	74·6	74·3	73·0	71·1	70·0	69·9	69·2	68·9	67·5	67·9	12
13	77·0	75·8	74·8	73·9	73·2	72·0	71·2	70·5	70·4	70·3	70·2	69·8	13
14	77·5	76·3	75·2	74·4	72·9	72·0	71·5	71·1	71·0	70·7	70·0	69·1	14
15	78·6	79·8	77·9	77·7	75·9	75·3	75·3	74·6	74·4	74·8	74·1	74·4	15
16	80·2	79·9	78·6	77·2	75·2	72·9	71·4	69·8	68·0	66·9	66·2	65·2	16
17	73·7	73·1	72·5	72·9	71·5	69·8	68·9	68·6	68·2	67·5	66·7	66·4	17
18	72·3	73·0	72·6	71·4	70·7	70·1	69·6	68·8	68·5	67·6	66·7	66·5	18
19	74·7	76·9	76·4	75·2	73·0	70·3	69·5	69·8	68·9	68·3	68·0	67·8	19
20	74·8	74·7	73·6	71·7	70·6	69·6	69·1	68·9	69·0	69·2	69·0	68·8	20
21	74·9	73·9	72·5	71·9	70·9	70·1	69·0	68·2	67·7	66·6	66·0	65·7	21
22	72·3	71·2	69·7	68·3	66·9	66·3	66·2	66·0	66·4	69·1	69·5	68·7	22
23	72·9	72·0	71·0	68·3	67·3	67·3	68·2	68·0	67·9	66·4	65·6	66·4	23
24	63·9	64·2	65·4	66·2	66·4	65·9	65·0	64·9	64·7	64·0	64·0	64·8	24
25	66·0	65·8	66·0	66·0	64·8	63·3	61·9	60·3	57·7	55·6	52·8	51·8	25
26	52·4	52·8	52·6	52·5	51·8	49·8	48·5	48·0	47·5	47·0	47·2	47·0	26
27	58·4	58·4	58·0	57·7	56·7	55·5	53·8	53·2	51·6	52·0	52·4	53·2	27
28	67·4	67·7	67·0	66·6	65·4	63·4	62·3	60·9	60·0	59·1	59·0	58·4	28
29	71·9	73·3	71·2	69·6	67·8	66·6	65·3	63·8	61·3	61·3	61·7	61·4	29
30	70·6	69·7	69·6	69·0	68·0	67·2	67·2	67·2	67·5	67·3	67·1	66·6	30

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of NOVEMBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·7	64·5	63·9	63·9	63·3	62·9	62·9	63·8	64·6	64·8	64·9	65·0	1
2	59·2	59·5	59·7	59·7	59·7	59·7	60·0	61·7	64·0	64·3	64·8	65·4	2
3	66·8	66·8	67·1	67·0	66·8	66·3	66·1	67·0	67·7	68·2	68·2	68·4	3
4	66·9	67·1	65·7	65·8	65·2	65·2	65·4	66·0	66·3	67·1	67·3	67·9	4
5	71·0	70·4	69·8	69·8	69·8	69·6	69·5	69·7	69·8	69·0	69·0	69·5	5
6	69·6	69·3	69·0	68·4	68·4	68·0	67·8	68·5	69·2	68·7	68·5	69·0	6
7	70·6	70·8	70·8	70·0	69·8	69·7	70·0	70·1	70·1	71·0	69·6	70·7	7
8	71·0	71·0	71·4	71·2	71·0	67·5	67·6	67·8	68·7	69·3	70·5	71·0	8
9	70·2	70·0	69·2	68·4	64·9	63·5	63·1	63·0	62·0	60·7	60·2	59·6	9
10	74·1	46·8	46·5	46·2	46·5	46·5	47·3	48·7	49·5	52·2	52·4	52·5	10
11	52·6	53·3	53·6	55·2	54·9	54·6	55·5	56·5	57·5	59·1	60·3	61·6	11
12	60·8	60·6	60·7	61·1	61·2	60·0	60·7	60·0	62·3	62·5	62·7	63·4	12
13	63·4	63·0	63·2	63·2	63·0	63·3	63·8	64·9	65·6	65·0	63·7	65·0	13
14	65·9	65·9	65·7	65·9	65·7	65·7	65·8	66·5	67·5	68·5	68·7	68·2	14
15	66·4	60·5	66·0	66·6	67·1	66·3	67·1	67·9	68·7	69·2	69·4	68.8	15
16	66·1	65·8	66·0	65·8	65·0	64·8	64·1	64·6	65·3	66·6	67·3	67·6	16
17	57·0	56·6	56·5	57·0	57·2	56·8	57·3	60·0	61·8	62·8	62·2	62·7	17
18	59·1	59·0	59·0	58·7	58·2	57·4	57·5	58·6	60·3	62·0	62·2	62·1	18
19	59·2	58·3	57·8	57·0	56·5	56·2	56·0	57·3	58·8	59·3	60·1	61·0	19
20	63·8	62·7	60·9	59·8	59·3	58·6	57·5	58·4	58·6	60·9	60·6	60·7	20
21	62·1	61·8	61·7	60·3	58·7	57·3	57·3	57·8	59·8	61·0	60·1	61·5	21
22	56·9	55·9	55·8	55·5	56·0	55·5	55·5	56·5	56·5	58·2	58·8	58·6	22
23	52·8	53·0	52·8	52·2	53·0	53·0	53·3	54·1	53·9	55·3	54·7	55·9	23
24	59·6	60·0	60·5	59·8	59·4	60·1	60·0	60·5	61·0	62·0	61·5	61·7	24
25	62·5	61·8	60·6	59·5	58·8	58·2	57·6	58·0	58·0	59·1	57·4	56·4	25
26	40·0	39·3	39·0	37·1	36·4	35·5	34·5	34·6	35·0	35·7	36·6	38·5	26
27	34·6	34·5	34·3	34·1	34·3	34·3	35·2	38·1	41·4	43·3	42·1	44·0	27
28	44·8	45·0	46·0	45·0	45·0	45·2	46·8	46·7	49·1	50·6	51·5	52·8	28
29	54·7	54·5	54·9	54·5	55·0	54·8	54·4	55·7	58·3	56·6	57·2	58·4	29
30	56·5	56·2	57·1	56·0	56·2	55·6	55·6	56·3	57·5	57·7	59·6	59·0	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	64·4	64·0	63·6	63·8	63·0	62·9	61·9	61·5	61·0	60·3	59·0	59·0	1
2	66·4	66·2	65·7	65·8	65·6	66·0	65·8	65·7	66·3	65·5	65·8	66·2	2
3	68·7	67·5	68·5	68·0	68·0	67·8	68·0	68·0	68·3	68·3	68·1	67·0	3
4	68·0	68·9	68·8	69·0	68·4	68·3	68·2	68·8	68·2	68·3	69·0	70·7	4
5	68·7	68·7	69·2	69·5	69·0	69·1	69·4	69·2	69·4	69·8	69·7	69·3	5
6	69·7	70·5	70·6	70·0	70·0	70·0	70·1	70·7	70·9	70·8	70·7	70·7	6
7	70·6	71·1	71·0	71·2	71·2	70·9	70·8	71·2	71·4	71·2	71·2	71·2	7
8	70·0	70·0	69·9	69·3	70·0	69·6	70·0	70·1	70·5	70·2	70·2	70·3	8
9	57·4	56·3	56·4	55·3	52·7	50·6	49·8	49·1	48·4	48·0	47·5	48·0	9
10	53·9	53·6	54·1	54·7	54·7	54·4	53·5	53·9	54·3	54·2	54·2	53·7	10
11	62·0	62·5	62·0	62·1	62·1	62·1	62·0	61·7	61·7	61·6	61·8	61·6	11
12	63·9	64·2	63·8	63·9	63·0	63·2	63·1	63·0	62·8	63·5	62·9	63·4	12
13	65·3	64·7	64·5	64·0	64·1	63·7	64·2	64·9	65·7	65·5	65·8	66·2	13
14	68·4	67·7	67·4	67·5	67·3	67·3	67·2	67·1	67·1	66·9	66·6	66·3	14
15	69·9	70·8	69·8	70·3	69·2	68·5	68·5	68·0	68·1	68·2	68·0	67·3	15
16	66·8	66·4	65·4	64·3	63·0	61·2	60·1	59·5	58·5	57·7	57·1	57·0	16
17	63·0	63·4	63·3	63·6	62·5	61·3	60·8	60·7	60·3	59·4	59·0	59·1	17
18	62·6	63·0	62·6	62·6	62·7	62·9	62·3	70·2	59·8	59·5	59·6	59·4	18
19	61·7	62·3	62·4	62·3	61·2	59·5	59·1	62·4	63·0	63·0	63·0	63·1	19
20	60·1	61·1	62·1	61·9	61·7	61·3	62·0	62·3	63·1	63·3	62·6	63·0	20
21	61·0	61·7	62·2	61·9	61·3	61·2	61·6	61·1	61·1	60·3	59·0	57·8	21
22	58·1	57·6	56·4	56·3	55·6	55·7	54·0	54·0	54·1	53·5	53·0	53·2	22
23	55·6	55·4	57·2	57·8	57·4	57·1	57·6	57·5	58·1	59·9	59·8	60·2	23
24	61·9	61·9	62·5	63·0	63·0	63·0	62·4	62·2	62·2	62·3	62·5	62·6	24
25	55·2	54·8	55·0	54·3	52·6	51·9	50·1	49·5	47·2	45·0	41·7	40·2	25
26	39·5	39·9	39·0	39·7	39·3	38·1	37·1	37·4	36·4	35·8	35·4	35·2	26
27	45·2	45·0	44·7	44·5	43·3	43·3	42·3	42·7	43·1	43·9	44·5	45·5	27
28	53·7	54·3	53·8	54·4	54·5	54·1	54·7	54·2	54·8	54·5	54·9	54·5	28
29	58·9	57·6	57·2	56·8	56·7	56·9	55·5	54·5	53·9	54·1	53·5	55·3	29
30	58·9	59·9	60·5	60·6	61·9	62·0	62·6	62·8	62·6	62·3	62·0	61·2	30

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of NOVEMBER, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																							Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	13	14	15	16	17	18	19	20	21	22	23	Mdnt.	
1	10	9	8	4	6	10	8	9	9	10	10	10	10	10	10	10	10	10	10	9	9	10	9	10	1
2	10	10	10	10	10	10	10	9	7	6	7	9	6	2	4	8	9	8	10	9	9	6	8	10	2
3	9	6	10	9	9	10	8	10	10	10	9	10	10	10	9	10	8	8	6	9	10	10	10	10	3
4	9	10	10	10	10	10	9	10	10	9	9	9	10	10	8	7	6	7	7	8	5	10	10	10	4
5	9	10	8	8	9	10	10	10	6	10	10	10	10	10	2	4	7	4	7	9	9	10	10	10	5
6	10	10	10	10	9	10	10	6	7	8	7	7	6	1	3	9	8	8	6	10	10	8	10	10	6
7	10	10	10	10	10	9	9	7	6	4	3	3	1	1	...	1	3	2	3	1	1	...	1	2	7
8	3	10	10	10	10	10	10	9	10	9	9	8	9	9	9	7	6	10	10	4	7	10	10	10	8
9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9
10	7	4	2	...	1	1	2	2	...	...	7	9	6	1	1	1	...	1	...	10	10	10	10	7	10
11	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	2	2	1	...	1	...	...	1	...	...	2	2	...	...	...	...	...	...	12
13	...	...	...	10	...	...	2	1	2	3	3	5	6	7	7	7	6	3	1	1	...	...	1	1	13
14	4	2	...	...	1	2	8	10	10	9	9	7	6	7	4	2	2	4	5	...	1	...	...	...	14
15	...	...	...	...	1	4	10	10	10	10	10	10	9	10	10	9	8	4	...	...	1	...	...	...	15
16	...	...	...	...	...	1	2	1	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	16
17	...	...	...	9	9	8	2	2	3	4	8	1	2	10	10	4	3	8	6	4	9	2	...	5	17
18	8	10	9	10	7	7	9	5	3	5	1	2	1	2	1	1	...	...	...	...	...	...	1	2	18
19	3	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	19
20	7	6	8	6	3	1	...	...	...	...	...	...	...	2	1	2	1	1	...	...	...	7	7	9	20
21	10	10	10	10	8	7	5	3	3	7	5	9	8	7	4	4	5	6	2	...	...	...	...	4	21
22	2	1	...	...	4	4	7	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	23
24	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	24
25	10	10	9	9	8	3	3	2	3	7	8	9	9	10	10	9	10	10	10	10	10	10	10	10	25
26	10	7	6	10	7	3	1	1	1	1	1	1	1	...	...	1	1	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	2	1	2	1	2	4	4	3	29
30	...	...	1	...	...	...	3	5	1	...	1	...	1	2	2	4	5	4	2	2	9	8	5	4	30

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1	...	...	0·5	0·1	...	...	...	...	...	...	...	...	...	1
2	...	...	0·1	1·0	0·7	0·9	0·5	1·0	1·0	0·8	0·1	...	...	2
3	...	...	0·4	0·2	0·1	0·5	..	0·6	0·1	0·2	...	0·1	...	3
4	...	...	...	0·1	0·1	0·2	0·2	...	0·2	0·5	0·2	0·1	...	4
5	...	...	...	0·8	0·1	0·3	0·2	...	0·1	1·0	1·0	0·7	...	5
6	...	...	0·9	0·5	...	0·6	0·6	1·0	1·0	0·9	0·6	...	...	6
7	...	0·2	0·7	0·9	0·9	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	7
8	...	...	0·2	0·7	0·4	1·0	1·0	0·2	0·1	0·4	0·4	...	...	8
9	...	...	...	...	...	0·1	0·3	...	...	...	...	...	...	9
10	...	0·8	1·0	1·0	1·0	0·4	0·3	1·0	1·0	1·0	1·0	0·7	...	10
11	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	11
12	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·5	...	12
13	...	0·5	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	13
14	...	...	...	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	14
15	...	...	...	...	...	...	0·1	0·9	0·9	0·2	0·7	0·3	...	15
16	...	0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	16
17	...	0·4	1·0	1·0	0·8	...	1·0	0·7	0·4	0·8	1·0	0·4	...	17
18	...	0·1	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4	...	18
19	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	19
20	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·1	...	20
21	...	0·4	0·9	1·0	1·0	0·9	1·0	0·9	1·0	1·0	1·0	0·5	...	21
22	...	0·2	...	...	...	0·3	0·2	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	0·7	1·0	0·7	0·3	0.1	0·3	...	0·1	0·6	...	...	...	25
26	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	26
27	...	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8	...	27
28	...	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	...	28
29	...	0·2	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6	...	29
30	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·9	0·5	...	30

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of NOVEMBER, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	...	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	d	...	...	...	...	...	...	...	...	4
5	d	...	...	...	...	...	d	d	d	...	...	...	5
6	...	...	...	d	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	d	d	d	0·030	0·010	...	d	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	d	...	...	...	...	d	d	...	...	23
24	...	d	d	0·010	d	0·005	0·020	0·145	0·035	d	0·005	0·070	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	d	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	..	...	...	...	...	...	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	d	d	0·010	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	...	...	...	...	...	...	...	...	...	...	...	...	18
19	...	...	...	...	...	...	...	...	...	...	...	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	..	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	d	d	22
23	d	...	d	0·010	...	...	d	d	...	d	d	...	23
24	0·120	0·010	...	...	...	...	...	d	d	0·050	0·005	d	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of NOVEMBER, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1		2		3		4		5		6		7		8		9		10		11		Noon.		
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	1	12	1	6	1	7	32	4	1	6	1	7	2	9	2	7	2	10	1	12	1	11	1	8	1
2	2	9	2	10	2	6	...	1	1	2	1	2	...	1	...	1	3	3	3	13	5	12	7	10	2
3	7	11	7	12	7	11	6	11	6	9	6	9	6	6	7	13	8	11	9	9	10	9	9	11	3
4	8	21	7	17	7	17	6	11	6	5	5	5	5	4	5	4	6	12	6	13	7	9	8	11	4
5	9	16	8	15	8	15	7	14	7	13	8	17	7	20	7	13	7	11	7	18	8	18	9	16	5
6	8	22	7	19	8	21	8	19	7	18	7	16	7	13	6	11	6	11	6	13	8	15	9	13	6
7	7	19	7	18	7	22	7	21	7	13	7	12	7	12	7	11	7	12	8	14	8	19	8	19	7
8	8	9	7	7	8	9	7	7	4	5	2	8	1	2	2	6	4	7	6	11	8	8	10	7	8
9	6	10	7	10	7	11	6	9	4	6	3	11	3	12	2	13	2	15	2	19	1	15	1	19	9
10	4	19	3	17	2	19	2	21	2	21	1	16	1	15	2	14	1	12	5	12	5	14	4	11	10
11	3	6	2	4	3	6	4	11	4	7	4	4	6	12	7	14	5	12	7	9	8	7	10	7	11
12	...	...	...	...	...	...	...	...	...	...	...	1	...	1	8	3	9	3	10	5	10	5	4	5	12
13	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	13	3	12	6	11	8	10	8	13
14	...	1	9	2	...	...	...	...	...	...	...	...	...	...	9	5	9	7	10	7	11	7	11	12	14
15	10	2	11	2	..	1	11	2	11	4	...	...	...	...	11	4	10	4	11	4	10	6	12	3	15
16	30	12	30	6	30	6	31	2	31	5	32	8	32	7	32	5	32	9	32	12	32	12	32	10	16
17	31	5	31	3	...	1	...	1	31	3	1	8	3	4	4	4	4	9	4	7	5	5	7	6	17
18	1	6	1	6	1	9	1	12	3	10	3	13	2	11	4	13	5	7	7	9	9	11	9	13	18
19	1	9	1	15	2	17	2	11	2	6	2	6	2	6	2	8	2	9	3	7	4	3	6	7	19
20	3	7	3	6	3	6	4	10	3	11	2	8	2	8	1	9	1	7	2	6	4	9	6	12	20
21	7	16	6	12	5	9	3	8	2	8	3	6	2	6	2	3	3	10	6	7	8	13	9	11	21
22	3	10	2	8	3	9	2	4	2	13	2	12	2	9	1	4	2	7	1	4	1	7	1	7	22
23	6	12	6	9	6	11	6	11	6	13	7	12	8	18	7	15	7	11	7	16	8	20	7	18	23
24	7	28	6	20	5	16	5	15	6	14	7	7	8	4	8	2	6	6	...	1	2	4	2	4	24
25	1	2	1	4	2	11	2	16	2	7	3	13	4	16	3	16	32	19	31	14	32	17	1	16	25
26	2	13	2	12	2	11	1	17	1	11	1	14	1	14	2	14	2	17	2	19	1	21	1	19	26
27	32	7	31	6	31	8	32	9	32	11	1	11	1	9	1	7	1	6	4	4	5	10	9	11	27
28	...	...	4	4	3	3	...	1	...	...	...	...	4	2	...	...	...	1	...	1	18	3	22	7	28
29	...	...	...	...	...	...	...	...	...	...	...	...	...	1	16	2	...	...	13	4	9	3	27	4	29
30	...	...	9	2	9	7	9	4	...	1	...	...	...	1	...	1	9	8	9	12	8	19	8	16	30

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	1	9	1	10	1	11	1	5	32	4	1	6	1	8	1	9	2	5	2	12	2	12	2	11	1
2	9	12	9	15	10	15	9	17	9	12	8	10	8	5	7	5	7	5	7	4	6	3	6	7	2
3	9	9	8	10	9	10	10	12	10	17	9	14	8	10	7	11	7	16	7	17	8	21	8	24	3
4	9	6	9	3	10	5	7	7	3	6	1	4	1	5	1	2	2	3	...	1	6	9	8	12	4
5	9	14	9	15	9	16	9	16	8	16	8	16	8	15	8	19	7	16	8	19	7	19	7	20	5
6	10	13	10	15	11	13	10	10	10	15	9	17	9	12	8	12	8	14	8	13	7	15	8	19	6
7	8	21	9	13	9	14	9	16	10	11	9	8	9	8	9	9	9	13	9	11	9	7	8	7	7
8	11	10	11	13	10	15	10	16	10	14	9	13	9	13	9	14	8	14	8	12	7	12	7	9	8
9	1	18	3	16	12	8	6	8	3	17	2	36	2	28	1	27	1	17	1	17	1	13	2	17	9
10	6	8	9	16	10	12	10	13	9	12	6	7	4	6	4	5	4	5	4	5	3	5	3	7	10
11	16	4	20	6	22	8	22	9	19	8	14	7	12	6	11	4	...	1	...	1	...	1	...	...	11
12	28	6	22	7	18	7	17	4	17	2	17	4	17	5	17	3	...	...	...	...	...	...	...	...	12
13	10	10	10	13	9	13	10	9	10	6	...	...	10	2	10	6	10	8	9	7	9	4	...	1	13
14	10	17	10	15	9	15	9	15	9	15	9	13	9	9	9	4	9	2	...	...	...	...	...	...	14
15	19	5	22	9	24	10	24	9	25	11	26	10	26	11	26	6	26	6	26	4	...	1	29	4	15
16	1	12	1	11	1	10	1	13	2	9	1	12	1	18	1	17	2	14	2	11	2	6	1	7	16
17	12	7	20	8	21	8	22	4	26	2	32	5	32	4	1	3	2	3	2	4	2	7	2	5	17
18	10	13	11	10	13	3	14	3	13	7	11	5	7	3	4	7	2	9	2	9	2	8	2	5	18
19	6	5	5	6	4	10	3	9	2	8	2	4	3	4	6	9	7	9	8	9	7	6	6	7	19
20	9	9	10	11	10	13	10	17	9	16	9	12	8	13	8	10	7	13	8	18	7	19	7	17	20
21	7	11	8	9	10	11	10	14	10	10	11	10	9	9	7	7	6	5	4	4	4	3	3	5	21
22	1	9	2	8	2	4	2	6	2	6	2	4	2	6	2	2	...	1	5	9	5	6	6	8	22
23	8	20	9	20	8	13	8	14	7	16	8	20	8	22	7	23	8	20	9	28	9	30	8	26	23
24	...	...	...	1	4	6	4	3	4	4	...	1	32	6	32	5	1	5	1	4	...	...	...	...	24
25	3	9	4	10	6	6	7	6	7	5	8	6	8	15	1	22	1	27	1	21	1	27	1	33	25
26	2	18	2	15	2	17	1	13	1	10	2	8	2	6	2	8	2	13	1	16	1	15	32	18	26
27	10	12	10	13	9	13	9	12	7	12	6	7	5	6	...	1	...	1	4	2	...	...	...	...	27
28	23	6	24	6	24	6	24	7	25	7	24	4	...	1	...	...	...	...	...	1	...	1	...	1	28
29	21	4	16	3	13	9	9	10	9	12	9	9	9	6	...	1	...	...	9	2	9	3	...	1	29
30	9	23	8	21	9	19	8	18	7	15	7	12	7	15	7	15	6	17	7	26	7	26	7	29	30

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of NOVEMBER, 1922.
(... = no clouds.)

Days of the Month.	Hours, Hongkong Standard Time.															
	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	a-cu	W	a-cu	W	a-cu / cu	W / ENE	a-cu	WNW	cu	ENE	cu	NE	st-cu	NE	a-cu / cu	W / ENE
2	cu	NE	cu	NE	st-cu	ENE	cu	E	cu	E	a-cu	W	a-cu	W	a-cu	W
3	a-cu	SSW	cu	E	cu	E	cu	E	a-cu / cu	SSW / ESE	cu	ESE	a-cu / cu	SSW / ESE	cu	E
4	a-cu / cu	WSW / E	nb	ESE	cu	SE	cu	SE	cu	SE	a-cu	WSW	a-cu	WSW	a-cu	SSW
5	cu	E	cu	E	cu-nb	E	cu-nb	E	cu	E	cu	ENE	cu	NE	cu	NE
6	cu	ENE	cu	ENE	cu	ENE	cu	ENE	a-cu / cu	SW / E	a-cu	SSE	a-cu	SSE	ci-st / cu	W / E
7	cu	E	cu	ENE	cu	NE	a-cu / cu	SW / ENE	cu	ENE	cu	ENE	cu	ENE	...	...
8	cu	E	cu	ENE	a-cu / cu	W / ESE	a-cu / cu	W / E	a-cu / cu	WSW / E	ci-cu / a-cu / cu	SW / WSW / E	a-cu / cu	WSW / E	nb	E
9	nb	E	nb	E	nb	E	cu-nb	ENE	st-cu	ENE	st-cu	NE	st-cu	ENE	st-cu	ENE
10	st-cu	NE	...	...	a-cu	NW	...	...	a-cu	W	ci-st	WNW	...	...	st-cu	ENE
11	...	...	...	...	cu	E	...	...	...	...	...	...	...	...	...	...
12	...	...	...	...	ci-st	W	...	...	...	...	...	...	...	...	...	...
13	...	...	a-cu	W	ci-st	WNW	ci-st	W	ci-st	W	ci-st	W	ci-st	W	...	...
14	ci-st	W	...	...	ci-cu / a-cu	W / WNW	a-cu	WNW	ci-st / cu	W / E	ci-st / cu	W / ENE	cu	E	...	...
15	...	...	...	...	cu	ENE	cu	NE	a-cu / cu	NW / ENE	a-cu	NNW	...	...	...	...
16	...	...	...	...	cu	N	...	...	...	...	...	...	...	...	...	...
17	...	...	cu	ENE	a-cu	W	cu	SSE	a-cu / cu	W / ESE	cu	NW	st-cu	ESE	cu	E
18	cu	E	cu	E	a-cu / stcu	SW / NNE	ci-st / cu	SW / NE	cu	NNE	cu	NNE	...	...	...	...
19	cu	NNE	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20	cu	ENE	cu	ENE	...	...	...	...	...	...	ci-cu	SW	...	...	cu	ENE
21	cu	E	cu	E	a-cu	SW	ci-st	WNW	a-cu	WNW	a-cu	WNW	a-cu	W	...	...
22	a-cu	W	...	...	ci-cu	W	a-cu	W	a-cu	W	st-cu	NW	st-cu	WNW	st-cu	WNW
23	cu-nb	ENE	cu-nb	ENE	st-cu	SSE	ci-st / cu-nb	W / WSW	nb	WSW	nb	SW	cu-nb	SW	nb	SW
24	cu	SSW	cu	SW	nb	ENE	nb	ENE	nb	ENE	cu-nb	ENE	cu-nb	ENE	nb	NNE
25	cu-nb	ENE	cu	ENE	a-cu / cu	SW / ENE	a-cu	WSW	a-st / st-cu	WSW / NNE	a-cu	WSW	cu-nb	SW	cu	SW
26	cu	NE	nb	NE	a-cu	WSW	ci-cu	W	ci-cu	W	ci-cu	W	...	...	...	...
27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
29	...	...	...	...	...	...	...	...	ci-st	ESE	...	...	ci-st	W	ci-st	W
30	...	...	...	...	ci-st	W	...	...	ci-st	W	ci-st	WSW	cu	E	a-cu / cu	SSE / E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1922.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	29·970	74·3	69·1	5·2	71·2	63·1	0·471	62	92	0·6	5	...	...	+ 8·1	+ 2·1	15	8·4	8·4
2	29·964	78·3	67·4	10·9	72·1	63·7	·480	60	82	6·1	54	...	...	+ 1·7	+ 6·1	74	6·3	7·5
3	29·985	79·1	71·2	7·9	73·8	67·6	·594	71	92	2·2	20	...	...	+ 0·2	+ 12·0	89	12·0	12·2
4	30·002	78·8	68·6	10·2	74·1	67·5	·586	70	89	1·6	14	...	...	+ 2·1	+ 7·1	73	7·4	8·0
5	29·976	76·8	73·2	3·6	74·4	69·5	·656	77	84	4·2	37	...	1	+ 0·5	+ 16·1	88	16·1	16·1
6	29·937	79·9	72·8	7·1	75·3	69·5	·645	73	80	6·1	54	...	...	− 0·3	+ 14·6	91	14·6	15·0
7	29·913	79·8	73·6	6·2	75·8	70·7	·684	77	45	9·4	84	...	...	+ 0·1	+ 13·7	90	13·7	13·7
8	29·918	82·5	72·9	9·6	75·6	69·9	·656	74	87	4·4	40	0·010	1	− 0·4	+ 9·0	93	9·0	10·0
9	30·011	73·0	61·6	11·4	67·0	58·1	·367	55	100	0·4	4	0·040	5	+ 12·6	+ 6·7	28	14·3	15·5
10	30·058	66·5	56·0	10·5	61·9	51·3	·239	43	38	9·2	83	...	...	+ 7·3	+ 7·2	45	10·2	12·2
11	29·964	74·8	61·6	13·2	67·6	59·1	·390	58	1	10·0	90	...	...	+ 0·5	+ 2·8	80	2·8	6·4
12	29·900	77·9	65·2	12·7	70·3	62·4	·459	62	5	10·0	90	...	...	− 1·0	+ 0·1	174	1·0	2·5
13	29·890	78·6	67·1	11·5	71·4	64·4	·512	66	27	9·9	89	...	...	− 1·6	+ 3·9	112	4·2	4·4
14	29·879	78·8	68·0	10·8	72·0	66·9	·592	75	38	7·7	70	...	...	− 1·8	+ 5·8	107	6·1	6·1
15	29·836	80·0	68·6	11·4	73·5	68·2	·620	75	48	3·1	28	...	...	− 0·1	− 2·1	6	2·1	4·9
16	29·851	80·8	65·0	15·8	73·1	63·6	·463	57	3	10·3	94	...	...	+ 9·6	+ 1·0	20	9·6	9·7
17	29·972	75·2	63·3	11·9	68·7	60·2	·410	58	45	7·5	68	...	...	+ 2·2	+ 0·8	56	2·3	4·8
18	30·083	73·6	64·9	8·7	68·9	60·5	·416	59	35	9·5	86	...	...	+ 3·4	+ 5·0	38	6·1	8·4
19	30·142	77·5	63·3	14·2	69·6	60·0	·392	54	2	10·6	96	...	...	+ 5·7	+ 4·4	73	7·2	7·9
20	30·143	75·0	63·8	11·2	69·7	61·1	·425	59	25	9·8	90	...	...	+ 2·8	+ 9·0	76	9·4	11·1
21	30·082	75·6	64·2	11·4	69·1	60·4	·411	58	53	9·6	88	...	...	+ 1·8	+ 7·2	27	7·4	8·7
22	30·088	73·9	64·5	9·4	67·8	55·9	·291	42	78	0·7	6	...	...	+ 5·8	+ 3·0	86	6·5	6·8
23	30·037	73·2	65·3	7·9	69·5	55·7	·262	36	100	...	...	0·010	3	+ 1·1	+ 17·1	58	17·1	17·4
24	29·994	66·6	61·9	4·7	64·2	61·5	·512	85	100	...	...	0·475	10	+ 3·1	+ 4·9	22	5·8	6·5
25	30·095	68·1	51·4	16·7	63·0	54·4	·311	54	83	3·8	35	...	...	+ 11·8	+ 4·8	16	12·7	14·1
26	30·350	53·7	43·7	10·0	48·5	37·3	·078	22	22	10·5	96	...	...	+ 13·6	+ 3·9	52	14·2	14·1
27	30·189	59·4	44·0	15·4	51·9	40·8	·111	28	1	10·6	97	...	...	+ 3·1	+ 4·0	270	5·1	7·4
28	30·071	67·9	51·9	16·0	60·0	50·9	·253	48	...	10·4	95	...	...	...	− 1·5	94	1·5	2·6
29	30·027	73·4	58·2	15·2	64·3	55·8	·334	55	9	9·8	91	...	...	− 1·0	+ 1·9	118	2·1	3·1
30	30·020	71·1	60·3	10·8	66·4	59·2	·409	63	25	9·8	91	...	...	+ 0·8	+ 12·6	86	12·6	12·8
Means	30·012	74·1	63·4	10·7	68·4	60·3	0·434	59	50	Sum. 197·8	60	Sum. 0·535	Sum. 20	+ 3·1	+ 6·1	63	6·8	9·3
Normals	29·989	74·2	65·1	9·1	69·2	62·5	0·487	66	54	183·1	55	1·674	30	+ 4·5	+ 8·8	63	9·8	12·9
Absolute Max.	30·445	82·5	...	16·7	...	72·0	0·744	...	...	10·6	97	0·475	10	...	...	...	...	36·0†
Day.	26	8	...	25	...	7	8	...	...	19,27	27	24	24	...	...	...	...	9d 18h
Absolute Min.	29·768	...	43·7	3·6	...	34·0	0·055	17	...	...	...	...	...	...	...	...	...	...
Day.	15	...	26	5	...	27	26	26	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar halo :—on the 15th.

Lunar corona :—on the 1st, 2nd, 4th, 7th, 8th, and 30th.

Haze :—on the 28th and 29th.

Unusual Visibility :—on the 16th.

Dew :—on the 12th 28th, and 29th.

Lightning :—on the 23rd.

Rain fell on 4 days. The mean hourly intensity was 0·027ins., and the maximum fall in one hour was 0·145ins. at 8h on the 24th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 57 miles per hour at 18h 27m on the 9th.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.m.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1016·9	296·5	293·6	2·9	294·8	290·3	15·9	...	...	+ 2·7	+ 0·7	15	2·8	2·8
2	1016·7	29·87	292·7	6·0	295·3	290·6	16·2	...	...	+ 0·6	+ 2·0	74	2·1	2·5
3	1017·4	29·92	294·8	4·4	296·2	292·8	20·0	...	...	+ 0·1	+ 3·9	89	3·9	4·0
4	1018·0	29·90	293·3	5·7	296·4	292·7	19·8	...	...	+ 0·7	+ 2·3	73	2·4	2·6
5	1017·1	29·79	295·9	2·0	296·6	293·8	22·1	...	1	+ 0·2	+ 5·3	88	5·3	5·3
6	1015·7	299·6	295·7	3·9	297·1	293·8	21·8	...	...	— 0·1	+ 4·8	91	4·8	4·9
7	1014·9	299·6	296·1	3·5	297·3	294·5	23·1	...	...	...	+ 4·5	90	4·5	4·5
8	1015·1	301·1	295·7	5·4	297·2	294·1	22·1	0·3	1	— 0·1	+ 3·0	93	3·0	3·3
9	1018·3	295·8	289·4	6·4	292·4	287·5	12·4	1·0	5	+ 4·1	+ 2·2	28	4·7	5·1
10	1020·0	292·2	286·3	5·9	289·6	283·7	8·0	...	..	+ 2·4	+ 2·4	45	3·3	4·0
11	1016·7	296·8	289·4	7·4	292·8	288·1	13·1	...	...	+ 0·2	+ 0·9	80	0·9	2·1
12	1014·5	298·5	291·4	7·1	294·3	289·9	15·5	...	...	— 0·3	...	174	0·3	0·8
13	1014·2	298·9	292·5	6·4	294·9	291·0	17·3	...	...	— 0·5	+ 1·3	112	1·4	1·4
14	1013·8	299·0	293·0	6·0	295·2	292·4	20·0	...	...	— 0·6	+ 1·9	107	2·0	2·0
15	1012·3	299·7	293·3	6·4	296·1	293·1	20·9	...	...	...	— 0·7	267	0·7	1·6
16	1012·8	300·1	291·3	8·8	295·8	290·6	15·6	...	...	+ 3·1	+ 0·3	6	3·1	3·2
17	1017·0	297·0	290·4	6·6	293·4	288·7	13·8	...	...	+ 0·7	+ 0·3	20	0·8	1·6
18	1020·7	296·1	291·3	4·8	293·5	288·8	14·0	...	...	+ 1·1	+ 1·6	56	2·0	2·8
19	1022·7	298·3	290·4	7·9	293·9	288·6	13·2	...	...	+ 1·9	+ 1·4	38	2·4	2·6
20	1022·8	296·9	290·7	6·2	293·9	289·2	14·3	...	...	+ 0·9	+ 3·0	73	3·1	3·6
21	1020·7	297·2	290·9	6·3	293·6	288·8	13·8	...	...	+ 0·6	+ 2·4	76	2·4	2·9
22	1020·9	296·3	291·1	5·2	292·9	286·3	9·8	...	...	+ 1·9	+ 1·0	27	2·1	2·2
23	1019·2	295·9	291·5	4·4	293·8	286·2	8·8	0·2	3	+ 0·4	+ 5·6	86	5·6	5·7
24	1017·8	292·2	286·9	2·6	290·9	289·4	17·3	12·1	10	+ 1·0	+ 1·6	58	1·9	2·1
25	1021·2	293·1	283·8	9·3	290·2	285·4	10·5	...	...	+ 3·9	+ 1·6	22	4·2	4·6
26	1030·0	285·1	279·5	5·6	282·2	275·9	2·7	...	...	+ 4·5	+ 1·3	16	4·7	4·6
27	1024·5	288·2	279·7	8·5	284·1	277·9	3·8	...	...	+ 1·0	+ 1·3	52	1·7	2·4
28	1020·4	292·9	284·1	8·8	288·6	283·5	8·5	...	...	...	— 0·5	270	0·5	0·9
29	1018·9	296·0	287·6	8·4	290·9	286·2	11·2	...	...	— 0·3	+ 0·6	118	0·7	1·0
30	1018·6	294·7	288·7	6·0	292·1	288·1	13·8	...	...	+ 0·3	+ 1·1	86	1·1	1·2
Means.	1018·3	296·4	290·4	6·0	293·2	288·7	14·6	Sum. 13·6	Sum. 20	+ 1·0	+ 2·0	63	2·2	3·0
Normals	1017·5	296·4	291·4	5·0	293·7	289·9	16·4	42·5	30	+ 1·5	+ 2·9	63	3·2	4·2
Absolute Maximum	1033·2	301·1	...	9·3	...	295·2	25·1	12·1	10	...	...	...	...	11·8†
Day.	26	8	...	25	...	7	8	24	24	...	...	...	...	9ᵈ18ʰ
Absolute Minimum.	1010·0	...	279·5	2·0	...	274·1	1·9	...	...	...	...	...	...	...
Day.	15	...	26	5	...	27	26	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine.	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·019	66·4	59·9	0·447	65	54		...	3	+ 4·1	+ 6·5	58	7·7	9·5
2	30·011	66·1	59·7	·445	65	52		...	4	+ 4·3	+ 5·8	53	7·2	8·4
3	30·002	65·8	59·5	·442	66	50		...	6	+ 4·6	+ 5·9	52	7·5	9·0
4	29·999	65·5	59·2	·437	66	55		7	10	+ 4·8	+ 5·4	48	7·2	8·4
5	30·002	65·1	58·9	·432	66	51		2	6	+ 4·7	+ 4·4	43	6·5	7·4
6	30·012	64·8	58·4	·421	65	51	...	1	2	+ 5·0	+ 4·2	40	6·5	7·5
7	30·028	65·0	58·5	·422	64	54	31	4	8	+ 4·5	+ 4·4	44	6·3	7·4
8	30·045	66·7	59·3	·424	61	51	62	27	7	+ 4·2	+ 4·7	48	6·3	7·4
9	30·061	69·1	60·3	·423	55	48	67	7	6	+ 4·9	+ 5·2	47	7·2	8·6
10	30·065	70·7	61·0	·425	53	51	61	...	4	+ 4·2	+ 6·4	57	7·7	9·6
11	30·050	71·9	61·1	·412	50	53	64	1	2	+ 3·3	+ 7·6	66	8·3	10·7
Noon.	30·026	72·6	61·6	·418	50	53	66	13	4	+ 2·5	+ 7·4	71	7·8	10·7
13	29·996	72·5	61·6	·420	49	51	68	22	4	+ 0·7	+ 7·2	84	7·2	10·7
14	29·973	72·5	61·7	·423	50	51	66	2	2	— 0·3	+ 6·9	93	6·9	10·9
15	29·961	71·8	61·7	·433	52	45	71	...	2	— 1·0	+ 6·6	99	6·7	10·7
16	29·959	71·1	61·6	·438	55	47	66	2	3	— 0·4	+ 7·0	93	7·0	10·5
17	29·967	70·0	61·2	·441	57	48	37	...	...	+ 0·5	+ 6·8	86	6·8	10·2
18	29·980	69·0	60·8	·441	59	47	...	...	...	+ 1·7	+ 6·3	75	6·5	9·5
19	29·997	68·3	60·5	·441	60	42		...	1	+ 2·5	+ 6·1	68	6·6	9·2
20	30·012	67·9	60·5	·446	62	42		...	4	+ 3·5	+ 5·5	57	6·5	8·9
21	30·025	67·4	60·4	·450	63	47		...	1	+ 3·7	+ 5·8	57	6·9	8·7
22	30·031	67·1	60·2	·447	64	48		9	5	+ 3·5	+ 6·7	62	7·6	9·6
23	30·031	66·7	59·9	·443	64	49		1	7	+ 3·6	+ 6·9	62	7·8	9·3
Midn.	30·026	66·5	60·0	·449	65	52		2	9	+ 4·3	+ 6·9	58	8·1	10·0

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of NOVEMBER, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction.	Wind. Resultant. Velocity.	Observed Velocity.
	m.b.	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1018·6	292·1	288·5	15·1	+ 1·3	+ 2·1	58	2·5	3·1
2	1018·3	291·9	288·4	15·0	+ 1·4	+ 1·9	53	2·4	2·8
3	1018·0	291·8	288·3	14·9	+ 1·5	+ 1·9	52	2·5	3·0
4	1017·9	291·6	288·1	14·7	+ 1·6	+ 1·8	48	2·4	2·8
5	1018·0	291·4	287·9	14·6	+ 1·5	+ 1·4	43	2·1	2·4
6	1018·4	291·2	287·7	14·2	+ 1·6	+ 1·4	40	2·1	2·5
7	1018·9	291·3	287·7	14·2	+ 1·5	+ 1·4	44	2·1	2·4
8	1019·5	292·3	288·2	14·3	+ 1·4	+ 1·5	48	2·1	2·4
9	1020·0	293·6	288·7	14·2	+ 1·6	+ 1·7	47	2·4	2·8
10	1020·1	294·5	289·1	14·3	+ 1·4	+ 2·1	57	2·5	3·1
11	1019·6	295·2	289·2	13·9	+ 1·1	+ 2·5	66	2·7	3·5
Noon.	1018·8	295·6	289·4	14·1	+ 0·8	+ 2·4	71	2·6	3·5
13	1017·8	295·5	289·4	14·1	+ 0·2	+ 2·4	84	2·4	3·5
14	1017·0	295·5	289·5	14·2	— 0·1	+ 2·3	93	2·3	3·6
15	1016·6	295·1	289·5	14·6	— 0·3	+ 2·2	99	2·2	3·5
16	1016·5	294·7	289·4	14·8	— 0·1	+ 2·3	93	2·3	3·4
17	1016·8	294·1	289·2	14·9	+ 0·2	+ 2·2	86	2·2	3·3
18	1017·2	293·6	289·0	14·9	+ 0·6	+ 2·1	75	2·1	3·1
19	1017·8	293·2	288·8	14·9	+ 0·8	+ 2·0	68	2·2	3·0
20	1018·3	292·9	288·8	15·0	+ 1·1	+ 1·8	57	2·1	2·9
21	1018·8	292·7	288·8	15·2	+ 1·2	+ 1·9	57	2·3	2·9
22	1019·0	292·5	288·7	15·1	+ 1·1	+ 2·2	62	2·5	3·1
23	1019·0	292·3	288·5	14·9	+ 1·2	+ 2·3	62	2·6	3·0
Midn.	1018·8	292·2	288·6	15·1	+ 1·4	+ 2·3	58	2·7	3·3

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

NOVEMBER,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	31st OCTOBER, 1922.								1st NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.12	765.0	47	...	N	4	0	6	30.04	762.9	32	...	N	8	8
Nemuro,	11	30 26	768.5	...	...	S	4	...	5	30.20	767.0	...	...	S	2	...
Hokodate,	,,	30.16	766.0	...	...	SE	2	...	,,	30.00	762.0	...	...	SSW	1	...
Tokio,	,,	30 24	768.0	...	...	NNE	1	...	,,	29.96	761.0	...	...	N	1	...
Kochi,	,,	30.10	764.5	...	...	...	0	...	,,	29 92	760.0	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	SE	1	...	,,	29.90	759.5	...	...	WNW	1	...
Kagoshima,	,,	30.08	764.0	...	...	NE	1	...	,,	29.92	760 0	...	...	NW	1	...
Oshima,	,,	30.04	763.0	...	...	E	1	...	,,	29.92	760.0	...	...	SSE	1	...
Naha,	,,	...	...	...	...	...	...	...	,,	29.92	760.0	...	...	N	2	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.96	761.0	...	...	NNE	1	...
Bonin Island,	,,	29.78	756.5	...	...	NE	1	...	,,	29.65	763.0	...	...	NNW	2	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.16	766 0	73	75	WSW	1	0	,,	30 31	769.9	45	86	NW	4	b
Gutzlaff,	,,	30 07	763.8	72	85	SSW	1	0	,,	30.23	767.8	50	72	NNW	6	b
Sharp Peak,	15	29.99	761.7	84	79	E	2	b	7	30.12	765.0	68	90	E	4	0
Amoy,	14	29.94	760.5	81	83	ESE	1	0	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.99	761.7	82	60	E	4	0	,,	30.02	762.6	72	82	E	4	0
Taichu,	,,	29.97	761.1	82	...	NW	2	b	,,	29.93	760.2	70	...	...	0	0
Tainan,	,,	29.95	760.8	73	...	NW	2	b	,,	29.92	759.9	70	...	NE	4	b
Koshun,	,,	29.97	761.1	79	...	NE	4	0	,,	29.92	759.9	75	...	NW	2	0
Pescadores,	,,	29.99	761.7	81	...	N	6	b	,,	29.94	760.5	75	...	NNE	6	0
Canton,	15	29.95	760.7	78	74	N	2	0	,,	30.09	764.3	66	84	N	2	0
Hongkong,	14	29.95	760.7	78	63	E	2	0	,,	30.01	762.2	70	66	N	2	0
Gap Rock,	,,	29.96	761.0	...	...	ENE	4	c	,,	30.00	762.0	...	...	N	5	0
Macao,	,,	29.94	760.5	77	76	NE	2	0	,,	30.00	762.0	68	73	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.93	760.2	79	92	SSE	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.86	758.4	79	...	NNW	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.78	756.3	81	...	E	2	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.80	756.9	86	61	E	4	0	6	29.86	758.4	75	91	...	0	0
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	84	68	S	1	0	,,	29.84	757.8	73	96	E	1	b
Legaspi,	,,	29.75	755.7	90	69	ENE	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	90	66	...	0	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	90	60	NE	4	0	,,	29.78	756.3	75	91	NW	2	0
Surigao,	,,	29 73	755.1	86	75	NNW	2	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.68	753.9	...	...	S	2	r	4.20	29.73	755.1	...	...	...	0	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.80	756.9	84	75	SW	4	b	6	29.80	756.9	78	91	SW	2	b

November 1*d.* 10*h.* 57*m.*—Pressure has decreased considerably from central Japan to the Bonins and increased considerably at Shanghai. At Guam and Hongkong it has increased slightly and over the Philippines it is nearly stationary.

A typhoon is shown to the S.E. of the Bonins travelling N.N.E.

An anticyclone has formed over China.

Strong monsoon may be expected along the E. coast of China and freshening monsoon over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, fresh, generally cloudy, some drizzle later; colder.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	1st NOVEMBER, 1922.								2nd NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.94	760.5	38	...	N	5	0	6	29.90	759.4	32	...	N	8	0
Nemuro,	11	30.06	763.5	...	...	SSE	3	...	5	29.75	755.5	...	...	ESE	3	...
Hokodate,	,,	29.90	759.5	...	...	ESE	6	...	,,	29.61	752.0	...	...	E	2	...
Tokio,	,,	29.82	757.5	...	...	NNW	2	...	,,	29.59	751.5	...	...	...	...	...
Kochi,	,,	29.80	757.0	...	...	...	0	...	,,	29.84	758.0	...	...	...	0	...
Nagasaki,	,,	29.90	759.5	...	...	NW	5	...	,,	29.96	761.0	...	...	NW	3	...
Kagoshima,	,,	29.86	758.5	...	...	WNW	2	...	,,	29.96	761.0	...	...	NNW	1	...
Oshima,	,,	29.90	759.5	...	...	NNE	3	...	,,	29.95	761.0	...	...	NNW	1	...
Naha,	,,	29.94	760.5	...	...	N	3	...	,,	...	...	...	...	N	4	...
Ishigakijima,	,,	29.96	761.0	...	...	SSE	1	...	,,	30.00	762.0	...	...	NNE	4	...
Bonin Island,	,,	29.65	753.0	...	...	SW	2	...	,,	...	...	...	...	NW	1	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.34	770.6	54	59	WNW	1	b	,,	30.23	767.8	37	86	NW	1	b
Gutzlaff,	,,	30.20	767.1	56	63	NNW	4	b	,,	30.18	766.6	48	56	NW	1	b
Sharp Peak,	15	30.05	763.2	78	86	E	2	0	7	30.08	764.0	65	84	ENE	4	0
Amoy,	14	30.05	763.2	75	81	ENE	1	0	6	30.04	763.0	67	91	NE	2	0
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.11	764.7	68	68	E	6	0	,,	30.07	763.8	63	88	ENE	4	0
Taichu,	,,	29.97	761.1	79	...	NNW	4	0	,,	29.98	761.4	64	...	N	2	b
Tainan,	,,	29.95	760.8	82	...	NNW	2	b	,,	29.94	760.5	64	...	N	4	0
Koshun,	,,	29.95	760.8	81	...	NE	7	b	,,	29.95	760.8	72	...	NNE	6	0
Pescadores,	,,	30.01	762.3	77	...	NNE	8	0	,,	30.00	762.0	70	...	NNE	12	0
Canton,	15	30.06	763.5	75	60	N	2	0	,,	30.07	763.8	57	81	N	2	0
Hongkong,	14	30.01	762.2	71	63	N	1	0	,,	30.00	762.0	68	62	...	0	0
Gap Rock,	,,	29.99	761.7	...	...	NNW	4	0	,,	29.99	761.7	...	...	NE	4	0
Macao,	,,	30.01	762.3	70	65	N	4	0	,,	30.00	762.0	64	62	NNE	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.04	762.9	79	48	NNW	1	b	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	86	65	NE	4	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.79	756.6	75	89	S	1	0	,,	29.82	757.5	70	96	...	0	b
Legaspi,	,,	29.75	755.7	90	66	ENE	2	b	,,	29.81	757.2	81	84	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	86	75	NE	2	0	,,	29.79	756.6	75	88	NNW	2	0
Surigao,	,,	29.73	755.1	84	74	...	0	0	,,	29.78	756.3	75	96	...	0	0
Guam,	12.20	29.66	753.3	...	...	SE	4	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	84	75	SE	2	b	6	29.79	756.6	76	94	SW	2	r

November 2*d.* 10*h.* 59*m.* Pressure has decreased considerably over central and N.E. Japan under the influence of the typhoon, which is now moving northward. From Shanghai to S.W. Japan pressure has decreased slightly. It is nearly stationary at other reporting stations.

The anticyclone over China has weakened slightly.

Fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd November, 1922.									3rd November, 1922.								
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.		Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	
		Inches.	Millrs.			Direction.	Force.				Inches.	Millrs.			Direction.	Force.		
Wladivostock,	12	29.89	759 2	39	...	N	5	o		6	30.06	763.5	32	...	...	o		b
Nemuro,	11	29.65	753 o	...	...	ENE	3	...		5	29.80	757.0	...	...	NE	3		...
Hokodate,	"	29.51	749.5	...	...	ENE	1	...		"	29.80	757.0	...	...	NW	1		...
Tokio,	"	29.53	750.0	...	...	NNW	2	...		"	29.78	756.5	...	...	...	o		...
Kochi,	"	29.86	758.5	...	...	NW	2	...		"	30.10	764.6	...	...	SW	1		...
Nagasaki,	"	30.00	762.0	...	...	NNW	3	...		"	30.14	765.5	...	...	...	o		...
Kagoshima,	"	30.00	762 o	...	...	NW	2	...		"	30.14	765.5	...	...	WNW	1		...
Oshima,	"	30.06	763.5	...	...	N	3	...		"	30.12	765.0	...	...	NNW	1		...
Naha,	"	30.08	764.0	...	...	NNE	2	...		"	30.10	764.5	...	...	ENE	1		...
Ishigakijima,	"	30 06	763.5	...	...	ENE	4	...		"	30.06	763.5	...	...	E	1		...
Bonin Island,	"	29.88	759.0	...	...	SSE	1	...		"	30.04	763.0	...	...	N	1		...
Weihaiwei,	14	29.99	761.7	62	41	SSE	2	b		6	30.11	764.8	54	80	...	o		b
Hankow,	15	...	...	...	...	...	...	...		"	...	...	...	...	...	...		...
Ichang,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...		...
Changsha,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...		...
Shanghai,	11	30 24	768.1	61	28	WSW	1	b		"	30.22	767.6	45	100	SSE	1		b
Gutzlaff,	"	30 21	767.3	60	32	WNW	1	b		"	30.19	766.8	58	64	...	o		b
Sharp Peak,	15	30 06	763.5	71	76	NE	2	o		7	30.09	764.3	64	89	WNW	2		o
Amoy,	14	30.02	762.5	75	77	NE	2	o		6	30.05	763.2	68	91	...	o		o
Swatow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...		...
Taihoku,	12	30.08	764.1	82	74	E	6	o		"	30.04	762.9	68	88	E	2		o
Taichu,	"	30.01	762.3	77	...	WNW	2	b		"	30.04	762.9	56	...	...	o		r
Tainan,	"	30.00	762.0	81	...	NNW	4	b		"	29 99	761.7	68	...	NNE	2		o
Koshun,	"	30.00	762.0	79	...	NE	7	b		"	29.99	761.7	73	...	NE	4		b
Pescadores,	"	30.05	763.2	77	...	NNW	6	b		"	30.02	762.6	73	...	NNE	4		o
Canton,	15	30.01	762.2	79	54	NW	2	c		"	30 06	763.5	63	83	N	2		o
Hongkong,	14	29.98	761.5	76	55	E	2	b		"	30.02	762.5	71	77	ENE	2		o
Gap Rock,	"	29.98	761.5	...	...	NNE	4	b		"	30.02	762.5	...	...	NE	4		o
Macao,	"	29.99	761.7	72	51	NE	4	b		"	30.01	762.3	66	76	NNW	4		o
Wuchow,	15	30.13	765.3	73	58	E	1	cz		9	...	...	...	...	...	...		...
Pakhoi,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...		...
Hoihow,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...		...
Phulien,	"	29.09	761.7	79	42	NW	2	b		7	...	...	...	...	...	...		...
Tourane,	"	29 89	759 3	75	...	NNE	4	o		"	...	...	...	...	...	...		...
Cape St. James,	"	29.76	756.0	79	...	E	6	o		"	...	...	...	...	...	...		...
Aparri,	14	29.85	758.1	82	70	...	2	o		6	29.92	759.9	73	94	S	2		b
Dagupan,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...		...
Manila,	"	29.78	756.3	90	55	E	2	o		"	29.85	758.1	73	91	NE	1		o
Legaspi,	"	29.75	755.7	84	74	NNE	2	o		"	...	...	...	...	...	...		...
Tacloban,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...		...
Iloilo,	"	29 71	754.5	86	58	NE	4	o		"	29.76	756.0	77	88	NNW	2		o
Surigao,	"	...	...	...	...	...	...	...		"	...	...	...	...	...	...		...
Guam,	12.20	29.68	753.9	...	...	E	4	o		4.20	29.78	756.3	...	...	NE	1		o
Yap,	12.47	...		...	...	...	...	...		4.47	...	...	...	...	...	...		...
Labuan,	14	29.76	755 9	82	79	SW	2	b		6	29.80	756.9	75	94	SW	2		b

November 3*d*. 11*h*. 15*m*.—Pressure has increased moderately over Japan and slightly from Formosa to Luzon and at Guam. It is nearly stationary at other reporting stations.

The anticyclone is central near Shanghai.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd November, 1922.								4th November, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.92	760.0	...	...	NE	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.92	760.0	...	...	SSE	2	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.92	760.0	...	...	S	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.12	765.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.18	766.3	...	...	W	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.16	766.0	...	...	WNW	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.18	766.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.12	765.0	...	...	FSE	4	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.06	763.5	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	30.21	767.3	62	72	NNE	2	b	6	30.43	772.9	50	72	...	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.28	766.1	70	38	SSW	1	b	,,	30.32	770.1	48	100	ENE	1	bf
Gutzlaff,	,,	30.22	767.6	68	51	...	0	b	,,	30.29	769.3	60	65	ENE	1	b
Sharp Peak,	15	29.99	761.7	71	85	E	1	o	7	30.13	765.3	65	94	NE	2	r
Amoy,	14	30.06	763.5	72	85	...	0	o	6	30.09	764.3	68	95	...	0	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.07	763.8	84	60	E	4	o	,,	30.07	763.8	70	98	E	2	o
Taichu,	,,	30.05	763.2	77	...	NNW	2	r	,,	30.05	763.2	68	...	...	0	o
Tainan,	,,	30.05	763.2	84	...	NW	4	b	,,	30.02	762.6	70	...	E	4	o
Koshun,	,,	30.04	762.9	82	...	NE	4	b	,,	30.04	762.9	75	...	NNE	4	b
Pescadores,	,,	30.08	764.1	77	...	NNE	6	o	,,	30.06	763.5	73	...	N	4	b
Canton,	15	30.02	762.5	80	58	N	1	c	,,	30.12	765.0	61	88	N	1	c
Hongkong,	14	30.01	762.2	78	52	ENE	2	o	,,	30.09	764.3	70	75	ENE	1	o
Gap Rock,	,,	30.01	762.2	...	...	ENE	4	o	,,	30.06	763.5	...	...	ENE	4	o
Macao,	,,	29.99	761.7	75	60	ENE	4	o	,,	30.06	763.5	72	88	NE	2	o
Wuchow,	15	30.03	762.7	72	67	W	1	b	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.97	761.1	82	51	SW	1	b	7	30.07	763.8	68	91	N	4	b
Tourane,	,,	29.89	759.3	73	...	NNW	4	r	,,	29.91	759.6	75	...	ENE	7	o
Cape St. James,	,,	29.80	756.9	79	...	E	4	b	,,	29.86	758.4	77	...	E	4	o
Aparri,	14	29.89	759.3	84	64	NE	6	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756.9	86	75	N	2	o	,,	...	...	...	...	...	...	...
Legaspi,	,,	29.79	756.6	75	89	NE	4	o	,,	29.76	756.0	79	92	NE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	73	94	NW	4	r	,,	...	...	...	...	...	...	...
Surigao,	,,	29.67	753.6	79	87	...	0	o	,,	29.73	755.1	75	98	...	0	o
Guam,	12.20	29.74	755.4	...	...	E	6	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	29.72	754.8	...	...	NE	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	82	87	SW	2	b	6	29.78	756.4	75	94	SW	2	b

November 4*d.* 11*h.* 13*m.*– Pressure has increased considerably at Weihaiwei, moderately at Shanghai and slightly from Formosa to Hongkong.

A new anticyclone has formed over N. China, and S.E. Mongolia.

Fresh monsoon may be expected along the E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·71 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh, generally cloudy ; drizzle later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th November, 1922.								5th November, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.12	765.0	...	...	S	4	...	5	30.34	770.5	...	...	N	4	...
Hokodate,	,,	30.16	766.0	...	...	WNW	4	...	,,	30.00	762.0	...	...	...	0	...
Tokio,	,,	30.20	767.0	...	...	E	1	...	,,	30.34	770.5	...	...	N	1	...
Kochi,	,,	30.26	768.5	...	...	...	0	...	,,	30.28	769.0	...	...	WSW	1	...
Nagasaki,	,,	30.28	769.0	...	...	W	1	...	,,	30.26	768.5	...	...	ENE	1	...
Kagoshima,	,,	30.26	768.5	...	...	ENE	1	...	,,	30.26	768.5	...	...	WNW	1	...
Oshima,	,,	30.22	767.5	...	...	N	2	...	,,	30.16	766.0	...	...	SSE	1	...
Naha,	,,	30.16	766.0	...	...	NE	1	...	,,	30.10	764.5	...	...	NE	1	...
Ishigakijima,	,,	30.16	766.0	...	...	ENE	3	...	,,	30.06	763.5	...	...	NE	2	...
Bonin Island,	,,	30.12	765.0	...	...	NE	1	...	,,	30.12	765.0	...	...	NE	1	...
Weihaiwei,	14	30.41	772.4	56	57	NNE	1	b	6	30.44	773.2	52	66	NNE	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.40	772.1	72	47	E	2	b	,,	30.35	770.9	54	90	NE	1	b
Gutzlaff,	,,	30.30	769.6	67	60	NE	2	b	,,	30.30	769.6	62	67	NE	4	b
Sharp Peak,	15	30.11	764.8	70	85	N	2	o	7	30.17	766.3	68	86	N	2	o
Amoy,	14	30.05	763.2	74	92	ENE	1	o	6	30.07	763.8	70	95	NNE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.11	764.7	81	66	E	1	o	,,	30.05	763.2	70	85	E	4	b
Taichu,	,,	30.11	764.7	79	...	N	4	o	,,	30.02	762.6	64	...	...	0	b
Tainan,	,,	30.07	763.8	84	...	N	4	b	,,	30.07	763.8	68	...	SE	2	o
Koshun,	,,	30.07	763.8	82	...	NNE	6	r	,,	29.97	761.1	75	...	NE	6	b
Pescadores,	,,	30.12	765.0	77	...	NNW	6	b	,,	30.02	762.6	73	...	NNE	6	b
Canton,	15	30.03	762.7	84	60	N	2	b	,,	30.07	763.8	67	79	N	2	o
Hongkong,	14	30.03	762.7	78	63		0	o	,,	30.02	762.5	73	82	E	3	o
Gap Rock,	,,	30.02	762.5	...	...	ENE	4	c	,,	30.01	762.2	...	...	NE	4	c
Macao,	,,	30.02	762.6	75	60	NE	2	o	,,	30.01	762.3	72	84	NE	2	o
Wuchow,	15	30.05	763.2	81	52	...	0	b	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.99	761.7	84	60	S	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.88	759.0	73	...	ENE	7	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.80	756.9	81	...	E	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.87	758.7	82	67	NE	4	o	6	29.87	758.7	81	80	NE	6	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	75	96	ENE	2	r	,,	29.79	756.6	73	96	...	0	o
Legaspi,	,,	29.72	754.8	82	87	ENE	4	o	,,	29.78	756.3	77	89	E	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.66	753.3	84	77	NE	4	o	,,	29.74	755.4	77	94	NW	2	o
Surigao,	,,	29.68	753.9	84	77	ENE	4	o	,,	29.75	755.7	75	96	...	0	o
Guam,	12.20	29.72	754.8	...	...	E	1	r	4.20	29.73	755.1	...	...	E	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.72	754.8	...	...	NE	4	b
Labuan,	14	29.76	755.9	86	72	SE	2	b	6	29.66	753.3	78	94	SW	6	b

November 5*d* 7*h*. 20*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 8° N. Long. 122° E., moving West.

November 5*d*. 11*h*. 35*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 9° N. Long. 118° E., moving West.

November 5*d*. 11*h*. 40*m*.—Pressure has increased considerably over N. Japan and moderately over central Japan. It has decreased slightly from the Loochoo Islands to Annam and over the N. part of the Philippines. There is a slight increase over the Visayas islands and a mode.ate decrease over N. Borneo.

The anticyclone has spread eastwards.

The typhoon reported yesterday afternoon has moved rapidly westwards and was situated at 6 a.m. this morning in about 9° N. Latitude 118° E. Longitude.

Fresh monsoon may be expected along the E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·76 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

B. D. EVANS,—*First Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	6th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.52	775.3	42	...	NNW	4	b	6	30.45	773.4	33	...	...	0	b
Nemuro,	11	30.39	772.0	...	...	N	3	...	5	30.47	774.0	...	...	SW	1	...
Hokodate,	,,	30.39	772.0	...	...	N	1	...	,,	30.02	762.5	...	...	NNW	1	...
Tokio,	,,	30.35	771.0	...	...	ESE	2	...	,,	30.38	771.5	...	...	NNW	1	...
Kochi,	,,	30.26	768.5	...	...	...	0	...	,,	30.26	768.5	...	...	SW	1	...
Nagasaki,	,,	30 28	769.0	...	...	SE	2	...	,,	30 26	768.5	...	...	SE	1	...
Kagoshima,	,,	30.24	768.0	...	...	ENE	1	...	,,	30.20	767.0	...	...	WNW	1	...
Oshima,	,,	30.16	766.0	...	...	E	2	...	,,	30.10	764.5	...	...	SSW	1	...
Naha,	,,	30.12	765.0	...	...	E	2	...	,,	30.06	763.5	...	...	ENE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	E	4	...	,,	30.00	762.0	...	...	ENE	3	...
Bonin Island,	,,	30.10	764.5	...	...	NE	1	...	,,	30.08	764.0	...	...	E	1	...
Weihaiwei,	14	30.29	769 3	60	60	NNE	1	b	6	30.45	773.4	50	86	E	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.31	769.9	68	96	ENE	2	b	,,	30.27	768.8	...	...	ENE	1	b
Gutzlaff,	,,	30.27	768.8	67	69	NE	2	o	,,	30.24	768.1	65	91	NE	4	o
Sharp Peak,	15	30.03	762.7	68	90	N	2	o	7	30.02	762.5	68	90	N	1	o
Amoy,	14	30.00	762.0	76	86	ENE	4	o	6	30.05	763.2	70	91	ENE	1	o
Swatow,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30 06	763.5	86	61	E	6	b	,,	30.01	762.3	72	88	E	4	b
Taichu,	,,	30.01	762.3	79	...	...	0	b	,,	29.98	761.4	68	...	...	0	o
Tainan,	,,	30.05	763.2	81	...	SW	4	b	,,	29.95	760.8	70	...	...	0	b
Koshun,	,,	30.01	762.3	82	...	NE	2	b	,,	29.94	760.5	75	...	SW	4	b
Pescadores,	,,	30.04	762.9	79	...	N	6	o	,,	29.98	761.4	73	...	N	6	b
Canton,	15	30.00	762.0	83	60	...	0	b	,,	30.04	763.0	66	95	N	1	c
Hongkong,	14	30.02	762.5	75	72	E	2	o	,,	30.02	762.5	73	76	ENE	3	c
Gap Rock,	,,	30.00	762.0	...	...	NE	5	c	,,	29.99	761.7	...	...	ENE	5	b
Macao,	,,	30.00	762.0	79	60	ESE	2	o	,,	29.99	761.7	72	86	NE	2	o
Wuchow,	15	30 00	762.0	80	51	SW	1	o	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.97	761.1	79	69	SE	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.87	758.7	77	...	NE	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	82	...	N	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.78	756.3	81	86	NE	4	r	6	29.86	758.4	75	96	...	0	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	86	61	E	2	o	,,	29.81	757.2	73	96	NE	1	o
Legaspi,	,,	29.75	755.7	84	74	NE	2	o	,,	29.80	756.9	79	90	NE	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.78	756.3	73	96	...	0	o
Iloilo,	,,	29.69	754.2	90	69	SE	2	o	,,	29.76	756.0	77	94	NNE	2	o
Surigao,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	..	...	...
Guam,	12.20	29.62	752.4	...	...	NE	4	o	4.20	29.72	754.8	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29 71	754.5	...	...	...	0	o
Labuan,	14	29.70	754.4	84	79	N	4	b	6	29.71	754.6	82	83	SW	4	b

November *6d.* 11*h.* 50*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 9° N. Long. 112° E., moving West.

November *6d.* 11*h.* 49*m.*—Pressure has decreased moderately at Wladivostock and Cape St. James and slightly from Tourane to Shanghai and S.W. Japan. It has increased slightly over the Visayas and N. Borneo.

A large anticyclone is central over S. Manchuria.

The typhoon in the S. China Sea continues to move westward. At 6 a.m. this morning it was about 150 miles E. by S. from Saigon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·81 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th NOVEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	7th NOVEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30 36	771.1	47	...	SE	2	o	6	30.23	767.8	45	...	SE	1	o
Nemuro,	11	30.43	773.0	...	...	W	1	...	5	30.32	770.0	...	...	SSW	2	...
Hokodate,	,,	...	...	...	...	E	2	...	,,	30.28	769.0	...	...	NW	1	...
Tokio,	,,	30.35	771.0	...	...	NNW	1	...	,,	30.30	769 0	...	...	NNW	1	...
Kochi,	,,	30.24	768.0	...	...	...	...	...	,,	30.16	766.0	...	...	SW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NE	2	...	,,	30 12	765.0	...	...	...	0	...
Kagoshima,	,,	30.18	766.5	...	...	NNE	3	...	,,	30.10	764.5	...	...	NE	2	...
Oshima,	,,	30.10	764.5	...	...	NNE	2	...	,,	30.02	762.5	...	...	S	1	...
Naha.	,,	...	..	...	...	...	...	...	,,	30.00	762.0	...	...	NE	1	...
Ishigakijima,	,,	30.02	762.5	...	...	ENE	5	...	,,	29.96	761.0	...	...	NNE	1	...
Bonin Island,	,,	30 06	763.5	...	...	E	1	...	,,	30.02	762.5	...	...	...	0	...
Weihaiwei,	14	30.26	768.6	63	47	E	1	b	6	30.10	764.5	58	94	SSW	1	r
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30 25	768 3	72	65	ESE	2	o	,,	30.16	766.0	55	100	W	1	of
Gutzlaff,	,,	30.15	765.8	70	85	ESE	2	o	,,	30.11	764.8	64	100	...	o	bf
Sharp Peak,	15	30.39	771.9	70	90	N	1	o	7	30.03	762.7	69	85	WNW	1	o
Amoy,	14	29 96	761.0	80	82	ENE	1	o	6	30 00	762.0	71	95	ENE	2	o
Swatow,	,,	29.88	758.9	78	86	ESE	2	b	,,	...	...	...	...	...	...	...
Taihoku,	12	30.00	762.0	82	63	E	6	b	,,	29.97	761.1	72	91	E	4	o
Taichu,	,,	29.98	761.4	79	...	WNW	2	b	,,	29.93	760.2	68	...	...	o	b
Tainan,	,,	29.97	761.1	84	...	NNW	2	b	,,	29.93	760.2	72	...	...	o	o
Koshun,	,,	29.95	760.8	81	...	NE	6	b	,,	29.93	760.2	77	...	NNE	4	o
Pescadores,	,,	29.99	761.7	81	...	NNE	7	b	,,	29.94	760.5	75	...	N	6	b
Canton,	15	29.95	760.7	85	61	W	1	b	,,	30.00	762.0	67	95	...	o	b
Hongkong,	14	29 95	760.7	79	63	E	2	b	,,	29.98	761.5	74	80	E	2	o
Gap Rock,	,,	29.95	760.7	...	...	ENE	5	b	,,	29.97	761.2	...	...	ENE	4	o
Macao,	,,	29.95	760.8	81	66	ESE	2	o	,,	29.92	759.9	73	91	NNE	2	o
Wuchow,	15	29.95	760.7	81	52	SE	1	bc	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.93	760.2	82	60	E	6	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.79	756.6	75	...	ENE	6	r	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.80	756.9	84	74	NE	2	o	6	29.85	758.1	73	96	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	82	84	S	1	o	,,	29.80	756.9	75	96	E	1	o
Legaspi,	,,	29.73	755.1	90	66	NE	2	o	,,	29.78	756.3	81	87	NNE	2	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	o
Iloilo,	,,	29.69	754.2	86	68	ENE	4	o	,,	29.75	755.7	75	94	NW	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.68	753.9	...	...	E	2	r	4.20	29.71	754.5	...	...	NE	2	o
Yap,	12.47	...	...	..	...	...	...	...	4.47	29.68	753 9	...	...	NE	4	o
Labuan,	14	29.68	753.9	86	72	SE	4	b	6	29.78	756.4	74	100	SE	2	r

November 7*d.* 11*h.* 40*m.*—Warning to Hongkong, Coast Ports, &c. :– Depression or typhoon of unknown intensity within 120 miles of Lat. 10° N. Long. 108° E., moving West.

November 7*d.* 11*h.* 45*m.*– Pressure has decreased considerably from Weihaiwei to Wladivostock, moderately from N.E. Japan to Shanghai, and slightly from the Loochoos to Hongkong.

The typhoon in the S. China Sea appears to be near Cape St. James this morning, still moving West.

There are indications of a depression or typhoon to the south of Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th November, 1922.								8th November, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30 15	765.9	51	...	SE	1	0	6	30.01	762.1	36	...	N	3	or
Nemuro, ...	11	...	...	...	...	...	...	...	5	30.24	768 0	...	...	SE	4	...
Hokodate, ...	,,	30.22	767.5	...	...	SW	1	...	,,	30.00	762.0	...	...	SSE	5	...
Tokio, ...	,,	30.24	768.0	...	...	E	1	...	,,	30.10	764.5	...	...	SSW	1	...
Kochi, ...	,,	30.12	765.0	...	...	WSW	1	...	,,	29.90	759.5	...	...	SW	1	...
Nagasaki, ...	,,	30 06	763.5	...	...	SE	1	...	,,	29.92	760.0	...	...	NW	3	...
Kagoshima, ...	,,	30.04	763.0	...	...	ENE	2	...	,,	29.90	759.5	...	...	WNW	1	...
Oshima, ...	,,	30.00	762.0	...	...	ENE	1	...	,,	...	...	...	...	SSE	1	...
Naha, ...	,,	29.98	761.5	...	...	N	2	...	,,	29.94	760.5	...	...	NE	1	...
Ishigakijima, ...	,,	29.98	761.5	...	...	E	4	...	,,	29.92	760.0	...	...	NE	1	...
Bonin Island, ...	,,	30.00	762.0	...	...	N	1	...	,,	29.98	761.5	...	...	...	...	...
Weihaiwei, ...	14	29.97	761.2	58	81	NW	2	0	6	30.16	766.0	42	83	WNW	4	r
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.19	766.8	63	80	WNW	2	b	,,	30.30	769.6	48	92	NW	1	0
Gutzlaff, ...	,,	30.10	764.5	66	79	NW	4	0	,,	30.22	767.6	52	93	NNW	6	r
Sharp Peak, ...	15	29.99	761.7	78	78	E	1	0	7	30.39	771.9	67	86	ENE	4	0
Amoy, ...	14	29.92	759 9	81	83	E	1	b	6	29.99	761.7	71	95	ENE	2	b
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	29.99	761.7	81	69	E	6	b	,,	30.00	762.0	70	87	E	4	0
Taichu, ...	,,	29.95	760.8	81	...	...	0	b	,,	29.95	760.8	70	...	...	0	0
Tainan, ...	,,	29.94	760.5	84	...	W	2	b	,,	29.92	759.9	72	...	NNE	2	0
Koshun, ...	,,	29.94	760.5	84	...	NE	6	b	,,	29.92	759.9	75	...	N	2	b
Pescadores, ...	,,	29.98	761.4	79	...	NNE	4	b	,,	29.79	756.6	75	...	NNE	6	0
Canton, ...	15	29.93	760.2	86	61	NW	1	b	,,	...	...	...	...	...	...	...
Hongkong, ...	14	29.93	760.2	79	67	E	2	b	,,	29.98	761.5	73	69	E	1	0
Gap Rock, ...	,,	29.92	759.9	...	...	NE	4	b	,,	29.96	761.0	...	...	ENE	4	0
Macao, ...	,,	29.91	759.6	84	68	ESE	2	b	,,	29.97	761.1	73	79	ENE	2	0
Wuchow, ...	15	...	...	...	...	....	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	...	...	...	...	...	...	...	7	...	...	...	...	...	...	...
Tourane, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri, ...	14	29.80	756.9	84	64	NE	4	0	6	29.84	757.8	77	94	...	c	r
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	..	...	...	...	...	...
Manila, ...	,,	29.75	755.7	86	75	NE	2	0	,,	29.79	756.6	73	94	N	1	0
Legaspi, ...	,,	29.72	754.8	86	75	NNE	4	b	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.69	754.2	86	75	NNW	4	0	,,	29.73	755.1	75	94	NWN	1	0
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.67	753.6	...	...	NE	4	0	4.20	29.72	754.8	...	...	E	2	0
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.74	755.4	80	95	SW	2	b	6	29.81	757.2	75	100	SW	6	r

November 8*d.* 10*h.* 59*m.*– Pressure has decreased considerably at Wladivostock and over Japan, moderately at Shanghai and slightly at Weihaiwei,

At anticyclone has formed over China and a depression between S W. Japan and the Bonins.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·16 inches, against an average of 80·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh ; fair at first, drizzle later, becoming cooler
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	9th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.62	752.4	39	...	NNE	3	o	6	29.88	759.0	20	...	NE	2	b
Nemuro	11	30.12	765.0	...	...	SE	7	...	5	29.4	748.0	...	...	SE	9	...
Hakodate,	,,	29.80	757.0	...	...	E	8	...	,,	29.67	5[illegible]-5	...	...	WNW	4	...
Tokio,	,,	29.96	761.0	...	...	NNW	1	...	,,	29.78	756.5	...	...	N	1	...
Kochi,	,,	29.84	758.0	...	...	...	0	...	,,	29.94	760.5	...	...	WSW	1	...
Nagasaki,	,,	29.98	761.5	...	...	NNW	5	...	,,	30.00	762.0	...	...	NNW	1	...
Kagoshima,	,,	29.92	760.0	...	...	NW	4	...	,,	29.98	761.5	...	...	WNW	1	...
Oshima,	,,	29.94	760.5	...	...	NNW	1	...	,,	29.98	761.5	...	...	NNW	1	...
Naha	,,	29.96	761.0	...	...	NNW	3	...	,,	29.98	761.5	...	...	NE	1	...
Ishigakijima,	,,	29.98	761.5	...	...	N	4	...	,,	29.98	761.5	...	...	NNE	3	...
Bonin Island,	,,	29.96	761.0	...	...	SW	1	.	,,	29.98	761.5	...	...	...	0	...
Weihaiwei,	14	30.13	765.3	44	60	NNW	4	o	6	30.05	763.2	38	72	NW	4	r
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.32	770.1	54	42	N	2	b	,,	30.29	769.3	45	80	WSW	1	o
Gutzlaff,	,,	30.20	767.1	54	55	NNW	4	o	,,	30.25	768.3	46	69	NNW	4	o
Sharp Peak,	15	30.03	762.7	67	79	NE	2	o	7	30.12	765.0	58	93	NE	4	r
Amoy,	14	29.95	760.7	76	82	ENE	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.05	763.2	72	82	SE	4	o	,,	30.08	764.1	63	94	E	4	r
Taichu,	,,	29.94	760.5	77	...	NNW	4	b	,,	29.98	761.4	66	...	N	2	r
Tainan,	,,	29.95	760.8	81	...	N	4	b	,,	29.92	759.9	66	...	NNE	4	r
Koshun,	,,	29.94	760.5	86	...	NE	4	b	,,	29.85	760.8	73	...	NW	2	b
Pescadores,	,,	29.98	761.4	77	...	NNE	6	b	,,	30.00	762.0	72	...	NNE	6	o
Canton,	15	29.95	760.7	83	60	N	2	b	,,	30.08	764.0	66	73	N	2	o
Hongkong,	14	29.94	760.5	79	63	E	2	o	,,	30.02	762.5	69	73	NNE	2	o
Gap Rock,	,,	29.94	760.5	...	...	ENE	4	c	,,	29.99	761.7	...	...	ENE	4	o
Macao,	,,	29.93	760.2	77	61	NE	2	o	,,	30.00	762.0	70	74	NNE	2	o
Wuchow,	15	29.97	761.2	77	53	N	2	c	9	...	...	...	...	...	...	...
Pakhoi,	,,			...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,		...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phalien,	,,	29.92	759.9	82	63	ENE	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.82	757.5	77	...	WNW	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	57.8	81	...	ESE	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	81	84	NE	4	o	6	29.87	758.7	75	96	...	o	o
Lagupan,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	86	71	ESE	1	o	,,	29.80	756.9	75	96	N	1	o
Legaspi,	,,	29.71	754.5	86	78	NE	4	b	,,	...	..	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	86	68	NW	4	o	,,	29.74	755.4	79	95	N	2	r
Surigao,	,,	29.68	753.9	82	84	N	2	o	,,	29.72	754.8	75	98	S	1	o
Guam,	12.20	29.67	753.6	...	...	NE	6	o	4.20	29.67	753.6	...	...	NE	6	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	29.68	75[illegible]9	...	...	WNW	1	o
Laoang,	14	29.81	757.2	77	94	N	2	r	6	29.82	757.4	76	94	SE	2	b

November 9*d.* 10*h.* 58*m.*—Pressure has decreased considerably over N.E. Japan and moderately from Wladivostock to Weihaiwei. It has increased slightly from the Loochoos to Hongkong and N. Luzon.

The depression shown yesterday to the N.W. of the Bonins deepened and moved rapidly N.N.E. At 6 a.m. this morning it was near Nemuro.

The anticyclone remains stationary over China.

Fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·05 inch. **Total since January 1st, 68·21 inches, against an average of 80·97 inches.**

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rook, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; generally cloudy, some drizzle.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9th NOVEMBER, 1922.								10th NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.79	756.6	27	...	N	2	o	6	29.97	761.2	14	...	N	2	b
Nemuro.....	11	...	...	...	...	...	...	...	5	29.33	745.0	...	...	NNE	5	...
Hokodate, ...	,,	29.70	754.5	...	...	WSW	4	...	,,	29.59	751.5	...	...	E	1	...
Tokio,.....	,,	29.76	756.0	...	...	ENE	1	...	,,	29.61	752.0	...	...	...	...	...
Kochi.	,,	29.90	759.5	...	...	...	...	...	,,	29.88	759 0	...	...	NW	3	...
Nagasaki, ...	,,	29.90	759.5	...	...	SW	4	...	,,	30.04	763.0	...	...	NNW	4	...
Kagoshima, ...	,,	29.94	760.5	...	...	...	...	...	,,	30.04	763.0	...	...	...	...	...
Oshima, ...	,,	29 96	761.0	...	...	N	2	...	,,	30.06	763.5	...	...	N	2	...
Naha, ...	,,	29.98	761.5	...	...	NNE	4	...	,,	30.10	764.5	...	...	N	7	...
Ishigakijima,...	,,	30.00	762.0	...	...	NNW	3	...	,,	30.14	765.5	...	...	N	5	...
Bonin Island,...	,,	29.94	760.5	...	...	SSE	2	...	,,	29.90	759.5	...	...	S	4	...
Weihaiwei,.....	14	30.10	764.5	38	72	NNW	4	o	6	30.19	766.8	42	58	NW	2	o
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai.	11	30.36	771 1	46	27	WNW	7	o	,,	30.42	772.6	28	...	WNW	1	b
Gutzlaff, ...	,,	30 26	768.6	47	41	NW	6	o	,,	30.37	771.4	38	63	NNW	4	b
Sharp Peak, ...	15	30.12	765.0	62	77	N	1	r	7	30 14	765.5	50	58	NNW	4	b
Amoy, ...	14	30.09	754.3	66	91	NNE	1	o	6	30.13	765.3	56	89	ENE	4	b
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.18	766.5	63	75	NE	4	r	,,	30.25	768.3	55	60	E	4	o
Taichu, ...	,,	30.02	762.6	70	...	N	4	o	,,	30.07	763.8	57	...	NNE	2	o
Tainan, ...	,,	29.98	761.4	79	...	N	6	b	,,	30.04	762.9	59	...	NNE	6	o
Koshun, ...	,,	29.95	760.8	79	...	NNE	6	b	,,	30.02	762.6	64	...	NE	7	b
Pescadores, ...	,,	30.06	763.5	72	...	NNE	8	o	,,	30.10	764.4	61	...	NNE	8	o
Canton, ...	15	30.16	766 o	62	72	N	2	o	,,	30.30	769.6	50	72	N	2	b
Hongkong,.....	14	30.06	763.5	66	49	N	5	o	,,	30.11	764 8	56	42	NE	3	b
Gap Rock, ...	,,	30.03	762.7	...	...	N	5	o	,,	30.09	764.3	...	...	N	5	b
Macao, ...	,,	30.04	762.9	63	65	N	4	o	,,	30.12	765.0	55	49	N	4	o
Wuchow, ...	15	30.22	767.6	60	71	N	4	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	..	..	...	...	...	...	...	,,	..	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30.05	763.2	64	82	NE	6	r	7	...	...	...	...	...	...	...
Tourane,..... ..	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri, ...	14	29.79	756.6	86	71	E	2	b	6	29.98	759.3	75	91	NE	6	r
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.71	754.5	86	71	SW	1	o	,,	29.78	756.3	75	92	NE	1	o
Legaspi, ...	,,	29.71	754.5	86	71	NE	4	o	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	29.69	754.2	82	81	ENE	2	r	,,	...	...	...	...	...	...	...
Hoilo, ...	,,	29.65	753.0	86	71	NE	6	o	,,	29.73	755.1	77	92	NW	2	o
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.66	753.3	...	...	NE	4	o	4.20	29.71	754.5	...	...	ESE	4	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.80	756.9	77	91	N	2	b	6	29.79	756.6	78	91	SE	2	b

November 10*d*. 11*h*. 03*m*.—Pressure has increased moderately from Weihaiwei to Hongkong. It has decreased slightly from the Bonins to N.E. Japan.

The anticyclone over China has strengthened.

Fresh monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh ; fine.
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th NOVEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	11th NOVEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	29.49	749.0	...	...	NW	2	...	5	29.96	761.0	...	...	NNW	6	...
Hokodate,	,,	29.55	750.5	...	...	NNW	6	...	,,	30.14	765.5	...	...	NNW	1	...
Tokio,	,,	29.69	754.0	...	...	N	1	...	,,	30.24	768.0	...	...	N	1	...
Kochi,	,,	29.94	760.5	...	...	NW	2	...	,,	30 24	768.0	...	...	SW	1	...
Nagasaki,	,,	30.12	765.0	...	...	N	4	...	,,	30.22	767.5	...	...	NNE	1	...
Kagoshima,	,,	30.08	764.0	...	...	NNW	2	...	,,	30.22	767.5	...	...	NNE	1	...
Oshima,	,,	30.10	764.5	...	...	N	6	...	,,	30.12	765.0	...	...	SSE	1	...
Naha,	,,	30.10	764.5	...	...	N	6	...	,,	30.08	764.0	...	...	ENE	1	...
Ishigakijima,	,,	30.14	765.5	...	...	N	6	...	,,	30.04	763.0	...	...	NNE	2	...
Bonin Island,	,,	29.88	759.0	...	...	SSW	3	...	,,	30.02	762.5	...	...	NE	1	...
Weihaiwei,	14	30.19	766.8	48	63	W	2	0	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.43	772.9	46	27	NNW	1	b	,,	30.28	769.1	39	78	ESE	1	0
Gutzlaff,	,,	30 32	770 1	50	45	NNW	2	b	,,	30.25	768.3	46	77	...	0	b
Sharp Peak,	15	30.17	766 3	56	63	ENE	2	0	7	30.09	764.3	54	80	NW	2	r
Amoy,	14	30.13	765.3	65	73	ENE	2	b	6	30.11	764 8	58	90	ENE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.21	767.4	63	56	E	6	0	,,	30 11	764.7	61	81	E	4	0
Taichu,	,,	30.06	763.5	64	...	N	4	0	,,	30.05	763.2	61	...	...	0	0
Tainan,	,,	30.05	763.2	70	...	NW	4	b	,,	30.02	762.6	59	...	NE	2	b
Kosnun,	,,	30.04	762.9	70	...	NE	7	b	,,	30.02	762.6	68	...	NE	6	0
Pescadores,	,,	30.08	764.1	66	...	NNE	8	b	,,	...	...	...	...	...	...	...
Canton,	15	30 10	764.5	68	56	NNW	2	b	,,	30.12	765.0	54	80	NNE	1	0
Hongkong,	14	30.09	764.3	65	42	E	2	b	,,	30.07	763.8	62	62	NE	1	b
Gap Rock,	,,	30.07	763.8	...	...	ENE	5	b	,,	30.05	763.2	...	...	ENE	4	0
Macao,	,,	30.07	763.8	61	41	NNE	4	b	,,	30 05	763.2	59	63	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.07	763.8	68	43	SE	1	0	7	...	...	...	...	...	...	...
Tourane,	,,	29.91	759.6	73	...	NE	6	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	82	...	SW	2	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.87	758.7	75	86	NE	6	r	6	29.89	759.3	75	83	NE	4	r
Lagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	81	84	ESE	1	0	,,	29.81	757.2	73	98	NE	1	0
Legaspi,	,,	29 73	755.1	84	77	NE	4	0	,,	29.75	755.7	79	84	NE	2	0
Iaclobau,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hilo,	,,	29.67	753.6	86	52	NNE	4	0	,,	...	...	...	...	...	...	...
Surigao,	,,	29.67	753.6	84	77	N	2	0	,,	...	...	...	...	...	...	...
Guam,	12.20	29.66	753.3	...	...	ESE	4	0	4.20	29.71	754.5	...	...	ESE	2	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	82	83	SW	2	b	6	29.79	756.6	73	100	SW	2	b

November 11*d.* 10*h.* 30*m.*—Pressure has increased considerably over Japan. It has decreased moderately from Shanghai to N. Formosa and slightly at Hongkong.

The anticyclone is now shown as a belt of high pressure extending from the west of Shanghai to the east of Tokio.

There are indications of a depression or typhoon to the S.W. of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·09 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	12th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.06	763.4	45	...	SE	4	c	6	29.98	761.5	40	...	...	0	f
Nemuro,	11	30.14	765.5	...	...	NNW	1	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.22	767.5	...	...	WSW	3	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.24	768.0	...	...	ESE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.20	767.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.20	767.0	...	...	ESE	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.18	766.5	...	...	ENE	4	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.12	765.0	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.04	763.0	...	...	E	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.02	762.5	...	...	ENE	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	30.07	763.8	54	89	S	2	b	6	30.08	764.0	46	77	WSW	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.23	767.8	61	36	...	1	b	,,	30.18	766.6	39	100	S	1	bf
Gutzlaff,	,,	30.20	767.1	58	70	S	2	b	,,	30.15	765.8	54	94	NE	1	b
Sharp Peak,	15	29.99	761.7	65	73	NE	1	o	7	30.00	762.0	58	93	W	1	r
Amoy,	14	29.96	761.0	72	76	SSE	2	b	6	30.06	763.5	62	90	E	4	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.04	762.9	75	60	ENE	4	o	,,	29.95	760.8	66	92	E	4	o
Taichu,	,,	30.02	762.6	73	...	NNW	2	o	,,	29.95	760.8	64	...	...	0	o
Tainan,	,,	30.01	762.3	77	...	WNW	2	o	,,	29.91	759.6	63	...	N	2	b
Koshun,	,,	30.00	762.0	77	...	NE	4	b	,,	29.89	759.3	68	...	N	2	b
Pescadores,	,,	30.02	762.6	70	...	NNW	6	b	,,	29.94	760.5	68	...	N	6	o
Canton,	15	29.98	761.5	74	51	NW	1	b	,,	30.00	762.0	63	78	N	1	o
Hongkong,	14	29.96	761.0	74	48	W	1	b	,,	29.97	761.2	65	72	...	0	b
Gap Rock,	,,	29.98	761.5	...	...	ENE	4	b	,,	29.95	760.7	...	...	N	3	b
Macao,	,,	29.97	761.1	70	57	ENE	4	b	,,	29.94	760.5	63	65	NNE	4	b
Wuchow,	15	29.99	761.7	73	58	W	1	o	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.95	760.8	73	55	E	1	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.87	758.7	73	...	NNW	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.82	757.5	81	76	NE	4	o	6	29.81	757.2	72	96	SW	2	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	84	77	S	2	o	,,	29.74	755.4	73	96	...	0	b
Legaspi,	,,	29.69	754.2	82	81	NE	4	o	,,	29.66	753.3	77	79	NW	2	o
Tacloban,	,,	29.68	753.9	79	92		0	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	86	68	NNW	4	o	,,	29.74	755.4	77	91	...	0	o
Surigao,	,,	29.68	753.9	79	85	N	4	r	,,	29.63	752.7	79	89	W	1	o
Guam,	12.20	29.66	753.3	...	...	ESE	4	o	4.20	29.72	754.8	...	...	ESE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	86	72	SW	2	b	6	29.78	756.4	78	94	N	6	b

November 12*d*. 12*h*. 25*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 12° N. Long. 128° E., direction unknown.

November 12*d*. 12*h*. 20*m*.—Pressure has decreased moderately to slightly at all reporting stations.

There is still a belt of high pressure extending eastward from Shanghai.

A depression or typhoon has formed to the east of the Visayas. Its direction of motion is at present unknown.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·15 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine.

T. F. CLAXTON *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	13th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.16	766.0	...	...	SW	2	...	5	30.28	769.0	...	...	ENE	5	...
Hokodate,	,,	30.10	764.5	...	...	SE	1	...	,,	29.92	760.0	...	...	W	5	...
Tokio,	,,	30.16	766.0	...	...	NNE	1	...	,,	30.08	764.0	...	...	NNW	1	...
Kochi,	,,	30.06	763.5	...	...	...	...	...	,,	30.06	763.5	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	N	2	...	,,	30.12	765.0	...	...	...	...	...
Kagoshima,	,,	30.04	763.0	...	...	NE	1	...	,,	30.08	764.0	...	...	NW	1	...
Oshima,	,,	30.02	762.5	...	...	NNE	5	...	,,	30.00	762.0	...	...	SSE	1	...
Naha,	,,	29.98	761.5	...	...	ESE	4	...	,,	29.96	761.0	...	...	ENE	4	...
Ishigakijima,	,,	29.94	760.5	...	...	ENE	4	...	,,	29.90	759.5	...	...	ENE	3	...
Bonin Island,	,,	29.74	755.5	...	...	S	1	...	,,	29.92	760.0	...	...	NE	1	...
Weihaiwei,	14	30.05	763.2	56	57	WNW	4	b	6	30.17	766.3	44	84	...	0	b
Haukow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.21	767.3	64	37	NNW	1	b	,,	30.22	767.6	52	85	NNE	1	o
Gutzlaff,	,,	30.11	764.8	64	68	NE	1	b	,,	30.18	766.6	56	75	N	1	o
Sharp Peak,	15	29.77	756.1	63	89	NW	1	r	7	29.99	761.7	62	94	NW	1	o
Amoy,	14	29.90	759.4	76	77	...	o	b	6	29.97	761.2	67	95	NE	1	b
Swatow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.97	761.1	73	75	E	6	o	,,	29.94	760.5	70	91	E	4	o
Taichu,	,,	29.94	760.5	77	...	WNW	2	b	,,	29.91	759.6	68	...	...	o	o
Tainan,	,,	29.92	759.9	81	...	NW	4	b	,,	29.88	759.0	68	...	...	o	o
Koshun,	,,	29.92	759.9	79	...	NE	4	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	29.97	761.1	70	...	N	6	o	,,	29.93	760.2	68	...	NNE	6	o
Canton,	15	29.93	760.2	78	58	N	2	b	,,	29.99	761.7	65	78	N	1	o
Hongkong,	14	29.91	759.7	76	47	WSW	1	b	,,	29.94	760.5	68	77	...	o	b
Gap Rock,	,,	29.93	760.2	...	...	ENE	3	b	,,	29.94	760.5	...	...	NE	4	c
Macao,	,,	29.99	761.7	63	86	NNW	4	o	,,	...	...	61	79	NNW	...	b
Wuchow,	15	29.97	761.2	75	60	NW	1	o	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.91	759.6	77	68	ENE	1	o	7	29.94	760.5	68	94	ENE	4	o
Tourane,	,,	29.86	758.4	75	...	NNW	4	o	,,	29.89	759.3	73	...	ENE	4	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	73	...	NE	4	r
Aparri,	14	29.75	755.7	77	76	NE	4	o	6	29.79	756.6	73	92	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.69	754.2	86	68	W	2	o	,,	29.73	755.1	73	98	...	o	o
Legaspi,	,,	29.62	752.4	84	74	WNW	1	o	,,	29.66	753.3	79	85	W	4	o
Tacloban,	,,	...	...	...	..	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.67	753.6	84	74	SSE	2	o	,,	29.72	754.8	77	91	NE	1	o
Suragao,	,,	29.61	752.1	79	80	WSW	4	o	,,	29.67	753.6	81	76	WNW	4	o
Guam,	12.20	29.69	754.2	...	...	E	1	o	4.20	29.76	756.0	...	...	...	o	o
Yap,	12.47	29.63	752.7	...	...	SW	4	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	84	75	SE	2	b	6	29.81	757.2	78	86	SW	4	b

November 13*d* 9*h*. 10*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 14° N. Long. 128° E., moving N.

November 13*d*. 11*h*. 31*m*.—Pressure has decreased slightly from Formosa to Hongkong and increased slightly at Suragao, Shanghai, and over the Bonins.

A new anticyclone has formed over China.

The depression or typhoon to the east of the Philippines appears to be moving northward.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·21 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	14th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.03	762.7	39	...	NNE	1	c	6	30.36	771.0	23	...	NW	2	b
Nemuro,	11	29.76	756.0	...	...	SSW	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.88	759.0	...	...	WSW	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.06	763.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.06	763.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.10	764.5	...	...	E	1	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.04	763.0	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.06	763.5	...	...	NNE	3	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.06	763.5	...	...	NE	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	29.96	761.0	...	...	ENE	6	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.92	760.0	...	...	ENE	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	30.23	767.8	50	65	E	2	b	6	30.32	770.1	50	79	SSE	1	c
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.21	767.3	84	60	ENE	2	b	,,	30.21	767.3	57	81	ENE	1	c
Gutzlaff,	,,	30.15	765.8	64	84	NNE	1	c	,,	30.20	767.1	60	90	NE	4	c
Sharp Peak,	15	29.97	761.2	64	89	N	2	c	7	29.99	761.7	63	94	S	1	r
Amoy,	14	29.93	760.2	74	81	ENE	1	c	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.97	761.1	77	68	E	4	c	,,	29.94	760.5	66	85	ENE	4	b
Taichu,	,,	29.93	760.2	79	...	NNW	2	b	,,	29.88	759.0	66	...	...	c	b
Tainan,	,,	29.92	759.9	82	...	NW	4	b	,,	29.87	758.7	68	...	...	c	b
Koshun,	,,	...	...	...	...	...	...	...	,,	29.88	759.0	73	...	NE	2	b
Pescadores,	,,	29.94	760.5	72	...	NNW	6	c	,,	29.91	759.6	73	...	N	6	c
Canton,	15	29.92	759.9	81	56	NW	1	c	,,	29.97	761.2	64	89	...	c	c
Hongkong,	14	29.91	759.7	76	52	E	1	c	,,	29.95	760.7	68	89	...	c	b
Gap Rock,	,,	29.93	760.2	...	...	ENE	3	c	,,	29.94	760.5	...	...	NE	3	c
Macao,	,,	29.99	761.7	66	49	NNE	4	b	,,	29.92	759.9	66	92	ENE	4	c
Wuchow,	15	29.94	760.5	76	60	E	1	c	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.88	759.0	73	86	E	4	r	7	...	...	...	...	...	...	...
Tourane,	,,	29.86	758.4	77	...	ENE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756.6	79	...	NE	6	c	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	29.76	756.0	79	73	NNE	4	c
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.67	753.6	82	70	NNW	1	c	,,	29.71	754.5	75	96	...	c	c
Legaspi,	,,	29.65	753.0	75	91	SSE	2	c	,,	29.69	754.2	75	91	SW	4	c
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.73	755.1	72	96	...	c	c
Iloilo,	,,	29.65	753.0	84	77	SW	2	c	,,	29.73	755.1	79	90	SW	4	c
Surigao,	,,	29.73	755.1	84	74	W	4	c	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	1	c	4.20	29.82	757.5	...	...	NE	1	c
Yap,	12.47	29.72	754.5	...	...	SSW	2	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	72	SW	2	b	6	29.82	757.4	80	91	SW	6	b

November 14*d* 10*h*. 00*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 16° N. Long. 127° E., moving N.

November 14*d*. 11*h*. 09*m*.—Pressure has increased considerably at Wladivostock and moderately at Weihaiwei. It has decreased slightly at Aparri and increased slightly at Legaspi.

The typhoon to the east of Luzon appears to be moving northward.

An anticyclone is shown over N.E. Mongolia.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. **Total** since January 1st, 68·21 inches, against an average of 81·27 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	15th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.32	770.1	36	...	WNW	2	b	6	30 43	773.0	20	...	NNE	1	b
Nemuro,	11	29.86	758.5	...	...	S	1	...	5	29.96	761.0	...	...	WNW	7	...
Hokodate,	,,	30.02	762.5	...	...	WNW	5	...	,,	30.22	767.5	...	...	WNW	6	...
Tokio,	,,	30.08	764.0	...	...	NNE	1	...	,,	30 28	769.0	...	...	N	1	...
Kochi,	,,	30.14	765.5	...	...	NW	1	...	,,	30.16	766.0	...	...	SW	1	...
Nagasaki,	,,	29.74	755.5	...	...	NE	1	...	,,	30.12	765 0	...	...	NE	2	...
Kagoshima,	,,	30.08	764 0	...	...	ENE	2	...	,,	30 08	764.0	...	...	NE	2	...
Oshima,	,,	29.96	761.0	...	...	NNE	1	...	,,	29 96	761.0	...	...	SSE	1	...
Naha,	,,	29.92	760.0	...	...	ENE	4	...	,,	29.88	759 0	...	...	E	2	...
Ishigakijima,	,,	29.94	760.5	...	...	NE	6	...	,,	29.82	757.5	...	...	ENE	2	...
Bonin Island,	,,	29.94	760.5	...	...	ESE	1	...	,,	29.92	760.0	...	...	E	2	...
Weihaiwei,	14	30.28	769.1	54	68	E	4	o	6	30.24	768.1	52	79	S	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.22	767.6	64	67	E	2	o	,,	30.09	764.3	59	89	E	1	o
Gutzlaff,	,,	30.13	765.3	63	83	E	4	o	,,	30.06	763.5	62	90	E	4	o
Sharp Peak,	15	29.97	761.2	75	77	NE	1	o	7	29.96	761 0	66	89	NW	1	b
Amoy,	14	29.88	758.9	78	82	NE	1	b	6	29 93	760.2	68	95	N	1	b
Swatow,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	29.97	761.1	77	72	E	4	o	,,	29.93	760.2	70	96	E	4	r
Taichu,	,,	29.91	759.6	79	...	...	0	b	,,	29 85	758.1	64	...	...	0	b
Tainan,	,,	29.89	759.3	79	...	W	2	o	,,	29.81	757.2	68	...	N	4	o
Koshun,	,,	29.83	759.0	81	...	NNE	6	o	,,	29 79	756.6	75	...	N	4	o
Pescadores,	,,	29.94	760.5	77	...	N	6	o	,,	29.85	758.1	72	...	NNE	6	b
Canton,	15	29.89	759.2	81	59	WSW	1	c	,,	29.94	760.5	68	95	E	1	o
Hongkong,	14	29.89	759.2	76	62	E	3	c	,,	29.93	760.2	69	88	...	0	c
Gap Rock,	,,	29.91	759.7	...	...	ENE	4	c	,,	29.93	760.2	...	...	NE	3	b
Macao,	,,	29.87	758.7	68	64	ESE	2	b	,,	29.99	761.7	68	91	ESE	2	o
Wuchow,	15	29.89	759.2	77	61	E	1	o	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.85	758.1	75	96	ESE	2	rf	7	...	...	...	...	...	...	...
Tourane,	,,	29.82	757.5	79	...	SE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	81	...	ENE	6	b	,,	...	...	...	...	...	...	...
Aparri,	14	29 69	754.2	77	84	N	4	r	6	29.66	753.3	73	96	...	0	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.68	753.9	84	71	NW	2	o	,,	29.71	754.5	72	96	...	0	o
Legaspi,	,,	29.65	753 0	82	77	NW	4	o	,,	29.71	754.5	77	96	SW	2	o
Tacloban,	,,	29 68	753 9	84	85	...	0	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	79	93	W	1	r	,,	29.73	755.1	81	86	SW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	29 74	755.4	81	76	WSW	2	o
Guam,	12.20	29.75	755.7	...	...	NE	1	r	4.20	29.74	755.4	...	...	S	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Lamuan,	14	29.81	757.2	84	83	SW	2	b	6	29.83	757.7	78	91	SW	2	b

November 15*d* 11*h*. 00*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 60 miles of Lat. 18° N. Long. 125° E., moving N.N.W.

November 15*d*. 11*h*. 07*m*.—Pressure has increased considerably over central Japan, and decreased moderately at Shanghai, Ishigakijima, Koshun and Aparri. It is nearly stationary over the Visayas and at Hongkong.

The anticyclone is central to the north of Wladivostock.

At 6 a.m. this morning the typhoon appeared to be about 250 miles to the east of Aparri, moving N.N.W.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·33 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; generally cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th NOVEMBER, 1922.								16th NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.35	770.9	28	...	NNE	2	b	6	30.32	770.1	14	...	N	5	b
Nemuro,	11	30.00	762.0	...	...	WNW	6	...	5	30.12	765.0	...	...	W	3	...
Hokodate,	,,	30.02	762.5	...	...	...	8	...	,,	30.14	765.5	...	...	N	1	...
Tokio,	,,	30.24	768.0	...	...	ENE	1	...	,,	30.18	766.5	...	...	NNW	1	...
Kochi,	,,	30 12	765.0	...	...	SE	1	...	,,	29.90	759.5	...	...	SW	1	...
Nagasaki,	,,	30.04	763.0	...	...	ENE	1	...	,,	29.88	759.0	...	...	N	3	...
Kagoshima,	,,	30.04	763.0	...	...	NE	4	...	,,	29.78	756.5	...	...	NE	2	...
Oshima,	,,	29.92	760.0	...	...	ESE	1	...	,,	29.71	754.5	...	...	...	...	...
Naha,	,,	29.86	758.5	...	...	E	3	...	,,	29.73	755.0	...	...	...	...	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	29.71	754.5	...	...	N	3	...
Bonin Island,	,,	29.86	758.5	...	...	E	1	...	,,	29.84	758.0	...	...	SE	1	...
Weihaiwei,	14	30.16	766.0	54	74	WNW	2	o	6	30.30	769.6	44	76	NW	4	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.04	763.0	70	69	SSE	2	o	,,	30.16	766.0	55	86	NNE	4	o
Gutzlaff,	,,	29.96	761.0	67	84	...	o	o	,,	30.07	763.8	56	89	NNW	6	o
Sharp Peak,	15	29.88	758.9	80	91	N	1	b	7	29.89	759.2	68	90	E	2	o
Amoy,	14	29.81	757.2	80	82	SSE	1	b	6	29.84	757.9	69	95	SSE	1	b
Swatow,	,,	29.83	757.7	77	82	W	1	c	,,	...	...	...	...	...	...	...
Taihoku,	12	29.88	759.0	77	84	E	4	o	,,	29.85	758.1	70	94	...	o	r
Taichu,	,,	29.85	758.1	77	...	NNW	4	b	,,	29.78	756.3	72	...	N	2	o
Tainan,	,,	29.84	757.8	81	...	NNE	4	c	,,	29.74	755.4	72	...	NNE	6	c
Koshun,	,,	29.82	757.5	79	...	E	4	o	,,	29.73	755.1	73	...	..	o	c
Pescadores,	,,	29.88	759.0	73	...	N	6	o	,,	29.80	756.9	72	...	N	7	o
Canton,	15	29.86	758.4	81	59	S	1	c	,,	29.96	761.0	62	72	N	2	b
Hongkong,	14	29.86	758.4	79	63	W	2	o	,,	29 89	759 2	70	95	NNW	1	b
Gap Rock,	,,	29.88	758.9	...	...	N	3	c	,,	29.89	759.2	...	...	NW	4	b
Macao,	,,	29.89	759.3	72	65	SE	2	o	,,	29.91	759.6	59	68	NNW	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.87	758.7	79	80	SE	4	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.84	757.8	79	...	SSE	2	b	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	79	85	SW	2	o	6	29.68	753.9	75	96	W	2	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.65	753 0	84	68	WSW	1	o	,,	29 71	754.5	73	96	SE	1	o
Legaspi,	,,	29 65	753.0	86	75	SW	4	o	,,	29.73	755.1	77	96	SW	1	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.63	753 9	86	71	SW	4	o	,,	29.74	755.4	79	92	SSW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	...	o	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	84	79	SE	2	b	6	29.81	757.2	78	91	SW	2	b

November 16*d* 10*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 20° N. Long. 125° E., moving North.

November 16*d*. 10*h*. 50*m*.—Pressure has decreased considerably over S.W. Japan and at Oshima, moderately at Naha and Ishigakijima, and slightly from Formosa to Hongkong. It is nearly stationary over the Philippines.

At 6 a.m. this morning the typhoon appeared to be moving North. It will probable curve to N.E. and coalesce with another depression to the S.E. of the Loochoos.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·38 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17th.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.W. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

E. F. CLAXTON, *Director.*

ROYAL OBSERVATORY, HONGKONG
DAILY WEATHER REPORT.

Station.	16th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.24	768.1	20	...	NNE	4	b	6	30.33	770.4	10	...	N	2	b
Nemuro,	11	30.02	762.5	...	...	WSW	2	...	5	29.82	757.5	...	...	NW	6	...
Hokodate,	,,	30.06	763.5	...	...	N	2	...	,,	30.04	763.0	...	...	NW	5	...
Tokio,	,,	30.00	762.0	...	...	NNW	4	...	,,	30.02	762.5	...	...	N	2	...
Kochi,	,,	29.86	758.5	...	...	SW	1	...	,,	30.00	762.0	...	...	WNW	1	...
Nagasaki,	,,	29.90	759.5	...	...	N	3	...	,,	30.08	764.0	...	...		0	...
Kagoshima,	,,	29.82	757.5	...	...	N	1	...	,,	30.02	762.5	...	...	WNW	1	...
Oshima,	,,	29.76	756.0	...	...	NNW	1	...	,,	29.92	760.0	...	...	NNE	4	...
Naha,	,,	29.74	755.5	...	...	N	5	...	,,	29.86	758.5	...	...	NNE	6	...
Ishigakijima,	,,	29.80	757.0	...	...	N	4	...	,,	29.86	758.5	...	...	NNE	4	...
Bonin Island,	,,	29.70	754.5	...	...	SSE	3	...	,,	29.76	756.0	...	...	W	1	...
Weihaiwei,	14	30.31	769.9	44	60	NNE	1	o	6	30.28	769.1	40	74	N	2	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.23	767.8	63	61	NE	4	o	,,	30.30	769.6	50	79	N	1	b
Gutzlaff,	,,	30.12	765.0	60	65	NNE	6	o	,,	30.23	767.8	54	62	NNE	4	o
Sharp Peak,	15	29.93	760.2	67	79	NNE	4	o	7	30.04	763.0	63	75	N	2	o
Amoy,	14	29.87	758.7	74	86	ENE	4	o	6	30.04	763.0	65	91	NE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tathoku,	12	29.97	761.1	68	77	ENE	4	o	,,	30.00	762.0	63	96	E	2	r
Taichu,	,,	29.79	756.6	77	...	N	6	b	,,	29.91	759.5	66	...	N	2	o
Tainan,	,,	29.79	756.6	82	...	N	6	b	,,	29.88	759.0	64	...	N	4	b
Koshun,	,,	29.79	56.6	79	...	N	4	o	,,	29.87	758.7	72	...	ESE	2	b
Pescadores,	,,	29.86	758.4	77	...	NNE	8	b	,,	29.93	760.2	70	...	NNE	8	o
Canton,	15	29.93	760.2	77	49	N	3	b	,,	30.08	764.0	56	81	N	2	b
Hongkong,	14	29.87	758.7	80	46	NNE	2	b	,,	30.02	762.5	64	62	N	1	o
Gap Rock,	,,	29.87	758.7	...	...	NNW	5	b	,,	30.01	762.2	...	...	N	4	b
Macao,	,,	29.86	758.4	63	92	NNE	4	o	,,	29.98	761.4	55	66	NNW	4	o
Wuchow,	15	29.99	761.7	70	57	E	2	b	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.88	759.0	75	79	ENE	2	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.85	758.1	79	...	SE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	82	...	ENE	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.67	753.6	77	92	NW	4	r	6	29.80	756.9	77	85	NE	4	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	..	...	...
Manila,	,,	29.69	754.2	86	68	SW	4	o	,,	29.75	755.7	73	94	SE	1	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	29.76	756.0	73	98	...	o	b
Tacloban,	,,	29.71	754.5	86	71	ESE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	71	SW	4	o	,,	29.76	756.0	75	94	...	o	o
Surigao,	,,	29.74	755.4	86	68	W	1	o	,,	29.78	756.3	75	91	WSW	1	o
Guam,	12.20	29.71	754.5	...	...	NE	2	b	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	78	91	W	2	r	6	29.80	756.9	78	91	SW	2	b

November 17*d.* 11*h.* 32*m.*—Pressure has decreased considerably at Nemuro and moderately from Tokio to the Bonins. It has increased moderately from the Loochoos to Hongkong and Aparri and slightly over the Visayas.

The depressions appear to have merged and passed rapidly to the N.E. of the Bonins.

Anticyclones are stown over China and over S. Manchuria.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18TH.

District.	Forecast.
1.—Formosa Channel,	N. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.W. winds, fresh, fair; cooler.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th November, 1922.								18th November, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.28	769.1	17	...	N	1	c	6	30.28	769.1	12	...	NNE	2	b
Nemuro,	11	29.88	759.0	...	...	WNW	6	...	5	30.06	763.5	...	...	SW	3	...
Hokodate,	,,	30.10	764.5	...	...	WNW	12	...	,,	30.04	763.0	...	...	N	1	...
Tokio,	,,	30.04	763.0	...	...	NNE	1	...	,,	30.20	767.0	...	...	NNW	1	...
Kochi,	,,	30.06	763.5	...	...	NW	2	...	,,	30.16	766.0	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	NE	1	...	,,	30.20	767.0	...	...	NNE	1	...
Kagoshima,	,,	30.05	763.5	...	...	ENE	1	...	,,	30.18	766.5	...	...	NW	1	...
Oshima,	,,	30.00	762.0	...	...	NNE	3	...	,,	30.08	764.0	...	...	SSE	1	...
Naha,	,,	29.92	760.0	...	...	NNE	5	...	,,	30.06	763.5	...	...	NE	1	...
Ishigakijima,	,,	29.94	760.5	...	...	NE	6	...	,,	30.04	763.0	...	...	NNE	3	...
Bonin Island,	,,	29.80	757.0	...	...	...	...	...	,,	29.96	761.0	...	...	ENE	1	...
Weihaiwei,	14	30.13	765.3	54	62	NW	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.31	769.9	63	39	...	0	b	,,	30.38	771.6	46	92	NE	1	bf
Gutzlaff,	,,	30.22	767.6	62	56	NNE	2	b	,,	30.33	770.4	54	68	N	2	b
Sharp Peak,	15	30.05	763.2	66	68	NNE	4	o	7	30.17	766.3	62	72	ENE	2	b
Amoy,	14	29.97	761.2	71	91	ENE	2	b	6	30.16	766.0	64	91	NE	2	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.00	762.0	66	90	E	4	r	,,	30.14	76.06	64	94	...	0	o
Taichu,	,,	29.97	761.1	73	...	N	4	o	,,	30.06	763.5	64	...	NNE	2	o
Tainan,	,,	29.93	760.2	79	...	N	4	b	,,	30.02	762.6	63	...	N	4	b
Koshun,	,,	29.93	760.2	79	...	NNE	4	o	,,	30.04	762.9	68	...	...	0	b
Pescadores,	,,	30.00	762.0	73	...	NNE	7	o	,,	30.08	764.1	70	...	NNE	7	o
Canton,	15	30.01	762.2	75	48	N	2	b	,,	30.18	766.6	57	81	N	2	c
Hongkong,	14	29.90	761.7	73	57	W	1	o	,,	30.13	765.3	65	59	NE	3	c
Gap Rock,	,,	29.99	761.7	...	...	NNE	4	c	,,	30.11	764.8	...	...	N	4	b
Macao,	,,	29.97	761.1	59	53	NE	4	o	,,	30.10	764.4	55	66	N	4	o
Wuchow,	15	30.04	763.0	72	50	N	3	b	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.01	762.3	64	92	N	2	o	7	...	...	...	...	...	...	...
Tonrane,	,,	29.87	758.7	75	...	SSE	2	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.82	757.5	81	...	E	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.79	756.6	81	80	N	4	o	6	29.92	759.9	73	96	...	0	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.73	755.1	81	89	N	2	r	,,	29.86	758.4	73	96	NW	1	o
Legaspi,	,,	29.73	755.1	90	63	SSW	4	b	,,	29.86	758.4	75	96	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoilo,	,,	29.73	755.1	86	71	SW	4	o	,,	29.85	758.1	75	98	...	0	o
Surigao,	,,	29.74	755.4	84	74		0	o	,,	29.85	758.1	73	96	...	0	b
Guam,	12.20	29.79	756.6	...	...	E	2	b	4.20	29.87	758.7	...	...	NE	1	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Lubuan,	14	29.81	757.2	82	83	WNW	2	b	6	29.83	757.7	78	91	SW	2	b

November 18*d*. 11*h*. 10*m*.—Pressure has increased considerably over N.E. Japan and the Bonins. It has increased moderately from the Loochoos to Hongkong and Luzon.

The Manchurian anticyclone appears to have moved rapidly eastward and the Chinese anticyclone is moving slowly in the same direction.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·48 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th NOVEMBER, 1922.								19th NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro.....	11	29.96	761.0	...	...	SSW	1	...	5	...	...	...	...	...	...	...
Hokodate, ...	,,	29.98	761.5	...	...	N	6	...	,,	...	...	...	...	...	...	...
Tokio,.....	,,	30.08	764.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	30.18	766.5	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	30.26	768.5	...	...	N	3	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	30.18	765.5	...	...	NNW	2	...	,,	...	...	...	...	...	...	...
Oshima, ...	,,	30.12	765.0	...	...	NNE	3	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	30.08	764.0	...	...	NE	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,...	,,	30.08	764.0	...	...	NE	4	...	,,	...	...	...	...	...	...	...
Bonin Island,...	,,	29.94	760.5	...	...	E	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,.....	14	30.40	772.1	42	50	W	1	b	6	30.19	766.8	47	66	WNW	4	o
Hankow, ...	15	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	.	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.43	772.9	63	39	NE	2	b	,,	30.41	772.4	41	100	NNE	1	bf
Gutzlaff,.....	,,	30 33	770.4	64	58	N	1	b	,,	30.38	771.6	54	94	NNW	1	b
Sharp Peak, ...	15	30.17	766.3	70	61	NNE	4	b	7	30.24	768.1	58	88	NNW	2	b
Amoy, ...	14	30.10	764.5	74	76	E	2	b	6	...	...	...	...	...	...	...
Swatow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.21	767.4	68	83	...	0	o	,,	30.26	768.6	63	96	SE	2	o
Taichu, ...	,,	30.11	764.7	73	...	N	4	b	,,	30.17	766.2	63	...	NNE	2	b
Tainan, ...	,,	30 10	764.4	79	...	N	4	b	,,	30.14	765.6	61	...	N	4	b
Koshun,.....	,,	30 08	764 1	81	...	NNE	4	b	,,	30.12	765.0	70	...	N	2	o
Pescadores, ...	,,	30.15	765.9	73	...	NNE	7	b	,,	30.18	766.5	68	...	NNE	6	b
Canton, ...	15	30.13	765.3	77	42	N	2	b	,,	30.27	768.8	58	76	N	1	b
Hongkong,.....	14	30.11	764.8	73	56	E	1	b	,,	30 24	768.1	64	59	N	1	b
Gap Rock, ...	,,	30.10	764.5	...	..	NE	4	b	,,	30 21	767.3	...	...	NNW	4	b
Macao, ...	,,	30.08	764 1	59	39	NE	4	b	,,	30.19	766.8	57	67	NE	4	o
Wuchow, ...	15	30 18	766.6	70	53	N	2	c	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30.13	765.3	63	100	N	2	rf	7	...	...	...	...	...	...	...
Tourane,..... ..	,,	29.97	761.1	75	...	E	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	81	...	ENE	6	b	,,	...	...	...	...	...	...	...
Aparri, ...	14	29 89	759.3	81	80	NE	4	o	6	...	...	...	...	...	...	...
Lagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.85	758.1	86	65	WSW	2	o	,,	29.94	760.5	73	94	NE	1	o
Legaspi, ...	,,	29.84	757.8	86	71	ENE	4	b	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.80	756.9	86	68	SSE	1	o	,,	29.87	758.7	77	94	NW	2	o
Surigao, ...	,,	29.81	757.2	86	75	N	2	b	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.81	757.2	...	...	E	2	r	4.20	29.88	759.0	...	...	NE	2	o
Yap, ...	12.47	..	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.80	756.9	86	76	SW	2	b	6	29.88	758.9	75	94	SW	4	b

November 19*d*. 12*h*. 10*m*.—Pressure has increased moderately at all reporting stations.

The anticyclone over N. China has remained nearly stationary and deepened.

Fresh monsoon will prevail along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·53 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

B. D. EVANS,—*First Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19th NOVEMBER, 1922.								20th NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.22	767.6	27	...	NNE	2	b	6	30.32	770.0	9	...	NNW	4	b
Nemuro.....	11	30.04	763 0	...	...	WSW	4	...	5	29.96	761.0	...	...	ENE	1	...
Hokodate, ...	,,	30.14	765 5	...	...	WSW	4	...	,,	29.80	757.0	...	...	NNW	1	...
Tokio.....	,,	30.14	765.5	...	...	N	1	...	,,	29.88	759.0	...	...	...	0	...
Kochi, ...	,,	30.16	766.0	...	...	...	...	...	,,	30.08	764.0	...	...	W	2	...
Nagasaki, ...	,,	30.24	768.0	...	...	S	1	...	,,	30.26	768.5	...	...	NW	5	...
Kagoshima, ...	,,	30.22	767.5	...	...	NNW	3	...	,,	30.22	767.5	...	...	NNW	2	...
Oshima, ...	,,	30.20	767.0	...	...	N	3	...	,,	30.24	768.0	...	...	NW	3	...
Naha, ...	,,	30.20	767 0	...	...	N	2	...	,,	30 24	768.0	...	...	NNE	5	...
Ishigakijima,...	,,	30.04	763.0	...	...	NNE	4	...	,,	30.22	767.5	...	...	NNE	5	...
Bonin Island,...	,,	29.88	759.0	...	...	NNW	1	...	,,	30.04	763 0	...	...	N	1	...
Weihaiwei,.....	14	30.36	771.1	38	63	NNW	4	o	6	30.57	776.5	34	51	NNW	4	o
Hankow, ...	15	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.40	772.1	63	51	WSW	2	b	,,	...	...	...	...	...	...	...
Gutzlaff,.....	,,	30 33	770.1	62	61	W	2	b	,,	30.50	774-7	48	71	NNW	4	o
Sharp Peak, ...	15	30.22	767.6	71	62	ENE	4	b	7	30.30	769.6	62	72	NNE	4	o
Amoy, ...	14	30.16	766.0	74	86	E	1	bf	6	30 27	768.8	64	84	NNE	2	b
Swatow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.28	769.2	70	65	E	4	o	,,	30.31	769.8	66	67	E	4	o
Taichu, ...	,,	30 18	765.5	73	...	N	4	b	,,	30.17	766.2	72	...	NNE	2	b
Tainan, ...	,,	30.17	766.2	77	...	N	4	b	,,	30.12	765.0	59	...	NNE	4	b
Koshun,.....	,,	30.13	765.3	79	...	ESE	6	b	,,	30.08	764.0	72	...	NE	7	b
Pescadores, ...	,,	30.21	767.4	73	...	NNE	7	o	,,	30.18	766.5	68	...	NNE	8	b
Canton, ...	15	30.17	766.3	78	39	N	2	b	,,	30.26	768.6	59	70	N	2	c
Hongkong,.....	14	30 14	765.5	76	44	NNE	1	b	,,	30.23	767.8	64	70	N	1	b
Gap Rock, ...	,,	30.14	765.5	...	...	NE	4	b	,,	30.20	767.1	...	...	ENE	5	b
Macao, ...	,,	30.11	764 7	59	30	NNE	4	b	,,	30.18	766.5	57	56	NNW	4	o
Wuchow, ...	15	30.22	767.6	73	51	E	2	c	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	..	...	...	...	,,	...	...	...	....	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30.20	767.1	66	71	NNW	2	o	7	...	...	...	...	...	...	...
Tourane,.....	,,	30 05	763.2	75	...	NE	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29 89	759.3	73	...	ENE	2	r	,,	...	...	...	...	...	...	...
Aparri, ...	14	29.93	760.2	79	90	NE	4	o	6	30.01	762.3	72	92	ENE	4	r
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.88	759 0	82	72	NW	1	o	,,	29.93	760.2	73	94	NE	1	b
Legaspi, ...	,,	29.88	759.0	90	74	ENE	4	b	,,	29.89	759.3	81	84	NE	4	b
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.82	757.5	86	65	NE	4	b	,,	29.87	758.7	77	91	NNW	4	o
Surigao, ...	,,	29.85	758.1	81	84	ENE	2	o	,,	29.86	758.4	75	98	...	0	o
Guam,.....	12.20	29.79	756 6	...	...	NE	4	o	4.20	29.80	756.9	...	...	E	1	o
Yap, ...	12.47	29.86	758.4	...	...	NE	4	o	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.85	758.2	82	83	SW	2	b	6	29.88	758.9	75	94	SW	2	b

November 20*d.* 11*h.* 15*m.*—Pressure has decreased considerably over central Japan and moderately over N. and S. Japan. It has increased moderately over N.E. China. Changes elsewhere are slight, a decrease being shown at Guam.

A depression was situated at 6 a.m. this morning to the N.E. of Tokio.

The anticyclone over N. China has moved slowly eastwards.

There are indications of a depression to the S. of Guam.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·57 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh ; fine.
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

B. D. EVANS,—*First Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	20TH NOVEMBER, 1922.								21ST NOVEMBER, 1922.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.
Wladivostock,	12	30.29	769.3	17	...	NNE	2	b	6	30.12	765.1	27	...	SE	6	s
Nemuro,	11	29.72	755.0	...	...	ENE	4	...	5	30.00	762.0	...	...	WNW	5	...
Hokodate,	,,	29.76	756.0	...	...	NNW	6	...	,,	30 14	765.5	...	...	NNW	3	...
Tokio,	,,	29.76	756.0	...	...	S	3	...	,,	30.26	768.5	...	...	N	1	...
Kochi,	,,	30.10	764.5	...	...	N	2	...	,,	30.28	769.0	...	...	NNW	1	...
Nagasaki,	,,	30.31	770.0	...	...	N	4	...	,,	30.34	770.5	...	...	...	...	...
Kagoshima,	,,	30.26	768.5	...	...	WNW	3	...	,,	30.26	768.3	...	...	...	...	...
Oshima,	,,	30.30	769.3	...	...	N	5	...	,,	30.22	767.5	...	...	NNW	3	...
Naha,	,,	30.25	768.5	...	...	N	3	...	,,	30.22	767.5	...	...	ENE	1	...
Ishigakijima,	,,	30.25	768.5	...	...	NNE	5	...	,,	30.14	765.5	...	...	ENE	4	...
Bonin Island,	,,	30.02	762.5	...	...	NNE	2	...	,,	30.10	764.5	...	...	N	1	...
Weihaiwei,	14	30.44	773.2	42	58	SW	2	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.62	777.7	52	35	NNE	2	b	,,	30 37	771.4	37	66	E	1	b
Gutzlaff,	,,	30 49	774.4	54	55	N	4	b	,,	30 36	771.1	48	78	...	0	b
Sharp Peak,	15	30.27	768.8	60	74	ENE	4	o	7	30.19	766 8	56	75	NW	1	c
Amoy,	14	30.20	767.1	71	85	ENE	1	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30 34	770.7	66	67	NE	6	o	,,	30.20	767.1	63	94	E	4	o
Taichu,	,,	30.15	765 9	75	...	N	4	b	,,	30.12	765.0	63	...	...	0	o
Tainan,	,,	30.17	766.2	79	...	NW	4	b	,,	30.08	764 1	63	...	NNE	4	o
Koshun,	,,	30.13	765.3	77	...	NE	8	b	,,	30.07	763.8	70	...	NNE	4	o
Pescadores,	,,	30.21	767.4	72	...	NNE	8	b	,,	30.12	765 0	68	...	NNE	7	o
Canton,	15	30.17	766.3	79	95	N	2	b	,,	30.20	767.1	63	67	N	2	o
Hongkong,	14	30.15	765.8	75	39	ESE	2	b	,,	30.17	766.3	64	62	...	0	c
Gap Rock,	,,	30.16	766.0	...	...	ENE	5	b	,,	30.14	765.5	...	...	NE	4	o
Macao,	,,	30.13	765.3	59	34	NNE	4	o	,,	30.12	765.0	57	62	N	4	o
Wuchow,	15	30.21	767.3	72	54	N	4	c	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30 17	766 2	75	56	...	0	o	7	30.17	766.2	64	76	NNE	2	...
Tourane,	,,	30.04	762.9	72	...	NNE	6	o	,,	29.99	761.7	68	...	NNW	6	...
Cape St. James,	,,	29.84	757.8	81	...	ENE	6	o	,,	29.86	758.4	73	...	NNE	4	...
Aparri,	14	29.97	761.1	75	85	ENE	4	o	6	30.00	762.0	73	91	...	0	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.86	758.4	86	65	SW	2	o	,,	29.89	759.3	75	91	N	1	o
Legaspi,	,,	29.85	758.1	86	75	ENE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	73	96	NW	2	o
Iloilo,	,,	29.79	756 5	86	61	NE	6	o	,,	29.82	757.5	75	92	NNW	4	o
Surigao,	,,	29.79	756.6	84	85	ENE	2	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	NE	4	r	4.20	29.80	756.9	...	...	ENE	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.82	757.4	82	83	E	2	b	6	29.81	757.2	76	94	S	2	b

November 21*d.* 12*h.* 20*m.*—Pressure has increased considerably over central Japan. It has decreased moderately at Wladivostock and Shanghai and slightly in S.W. districts.

The anticyclone is now central near Shanghai. Pressure is lowest in the neighburhood of Yap.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·61 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

DISTRICT.	FORECAST.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate ; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st November, 1922.								22nd November, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Nemuro,	11	30.12	765.0	...	...	NW	6	...	5	...	...	...	...	...	...	...
Hokodate,	,,	30.22	767.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.28	769.0	...	...	NNE	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.26	768.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.30	769.5	...	...	...	0	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.28	769.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.18	766.5	...	...	N	2	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.20	767.0	...	...	NNE	2	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.16	766.0	...	...	ENE	4	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.08	764.0	...	...	E	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.94	760.3	52	60	SW	2	0	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.32	770.1	59	43	SSW	1	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.23	767.8	58	64	SSW	4	b	,,	...	...	...	...	...	...	...
Sharp Peak,	15	30.15	765.8	60	68	N	1	0	7	30.12	765.0	60	76	W	1	0
Amoy,	14	30.13	765.3	69	91	ENE	2	0	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.21	767.4	66	85	NE	4	0	,,	30.19	766.8	63	96	E	2	r
Taichu,	,,	30.14	765.6	70	...	NNW	2	0	,,	30.13	765.3	63	...	NNE	2	r
Tainan,	,,	30.12	765.0	75	...	N	4	0	,,	30.10	764.4	64	...	NNE	4	0
Koshun,	,,	30.13	765.3	77	...	NNE	4	0	,,	30.06	763.5	75	...	NW	4	0
Pescadores,	,,	30.17	765.2	70	...	N	6	0	,,	30.15	765.9	66	...	N	6	r
Canton,	15	30.10	764.5	76	95	N	2	c	,,	30.18	766.6	61	71	NNE	1	c
Hongkong,	14	30.08	764.0	74	46	ENE	1	c	,,	30.15	765.8	65	50	NE	2	c
Gap Rock,	,,	30.07	763.8	...	...	NNE	4	c	,,	30.13	765.3	...	...	ENE	4	0
Macao,	,,	30.11	734.7	59	34	N	4	0	,,	30.10	764.4	59	58	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.08	764.1	77	54	NW	1	b	7	30.17	766.2	64	71	NNE	2	0
Tourane,	,,	29.94	760.5	66	...	NNW	6	r	,,	30.01	762.3	72	...	NE	7	0
Cape St. James,	,,	29.84	757.8	79	...	ENE	6	0	,,	29.88	759.0	73	...	NNE	4	0
Aparri,	14	29.94	760.5	79	76	E	4	0	6	29.98	761.4	73	94	...	0	0
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	84	64	SE	2	0	,,	29.88	759.0	73	91	N	1	0
Legaspi,	,,	29.86	758.4	77	89	...	0	0	,,	29.86	758.4	79	93	NE	2	0
Taclobun,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.79	756.5	84	77	NE	6	0	,,	29.80	756.9	75	91	N	2	0
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	NE	2	0	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	72	W	2	b	6	29.81	757.2	78	91	S	2	b

November 22*d*. 11*h*. 03*m*.—Communcation with stations to the north of Foochow is interrupted. Pressure changes are small at all reporting stations.

Probably the anticyclone has passed into the Pacific.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 65·21 inches, against an average of 81·65 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23RD.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks.	N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON, *Director*.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd NOVEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	23rd NOVEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.94	760.4	20	...	NNE	3	c	6	30.13	765.3	6	...	NNE	5	b
Nemuro,	11	30.12	765 0	...	...	S	4	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.98	761.5	...	...	SSE	4	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30.14	765.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.10	764.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.06	763.5	...	...	W	6	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.12	765.0	...	...	...	0	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.18	766.5	...	...	SSE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.18	766.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.18	766.5	...	...	NNE	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.12	765.0	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	...	...	...	...	...	...	...	6	30 35	770.9	30	86	N	4	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.22	767.6	63	43	WSW	...	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.14	765.5	60	60	WSW	4	b	,,	...	...	...	...	...	...	...
Sharp Peak,	15	30.13	765.3	65	68	...	0	0	7	30.17	766.3	60	76	NW	2	0
Amoy,	14	30 14	765.5	67	91	...	0	0	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.21	767.4	66	82	...	0	0	,,	30.17	766.2	57	96	...	0	0
Taichu,	,,	30.13	765.3	68	...	N	2	0	,,	30.08	764.1	61	...	...	0	0
Tainan,	,,	30.10	764.4	73	...	N	4	0	,,	30.06	763.5	64	...	NE	2	0
Koshun,	,,	30.08	764.1	77	...	NNE	6	0	,,	30.04	762.9	73	...	NE	2	0
Pescadores,	,,	30.15	765.9	73	...	NNE	6	0	,,	30 07	763.8	72	...	NNE	7	0
Canton,	15	30.15	765.8	67	50	N	2	0	,,	30.15	765.8	60	65	N	1	or
Hongkong,	14	30 11	764.8	71	38	NNE	1	0	,,	30.08	764.0	69	25	E	2	0
Gap Rock,	,,	30.10	764.5	...	..	NNE	4	0	,,	30 07	763.8	...	...	NE	4	0
Macao,	,,	30.07	763.8	54	28	N	4	0	,,	30.05	763.2	54	47	N	4	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.12	765.0	75	53	...	0	0	7	30.14	765.6	63	86	N	1	0
Tourane,	,,	29.98	761.4	72	...	NE	6	0	,,	30.02	762.6	70	...	NNE	6	0
Cape St. James,	,,	29.84	757.8	81	...	ENE	6	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.94	760.5	82	70	NE	4	b	6	29.98	761.4	75	83	E	4	0
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.87	758.7	84	71	NNE	1	0	,,	29.89	759.3	75	94	E	1	0
Legaspi,	,,	29.84	757.8	79	89	ENE	4	0	,,	29.86	758.4	79	84	NNE	2	b
Tacloban,	,,	29.79	756.6	86	71	S	2	0	,,	29.85	758.4	75	94	...	0	0
Iloilo,	,,	29.78	756.3	86	71	NNW	4	0	,,	29.81	757.2	75	94	N	4	0
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	NE	1	0	4.20	29.82	757.5	...	...	NE	1	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.80	756 9	86	76	N	2	b	6	29.81	757.2	78	91	N	2	b

November *23d.* 12*h.* 31*m.*—Pressure has increased considerably at Wladivostock and Weihaiwei and decreased slightly from Formosa to Hongkong. It is nearly stationary over the Philippines and Indo-China.

There is a strong anticyclone over S.E. Mongolia.

Fresh monsoon may be expected along the E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·21 inches, against an average of 81·69 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	24th November, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.17	766.2	16	...	NW	2	b	6	30.44	773.2	5	...	N	4	b
Nemuro,	11	29.74	755.5	...	...	NNE	1	...	5	29.57	751.0	...	...	NW	9	...
Hokodate,	,,	29.67	753.5	...	...	N	2	...	,,	30.04	763.0	...	...	NNW	6	...
Tokio,	,,	29.72	755.0	...	...	NNW	2	...	,,	30.16	766.0	...	...	NNW	1	...
Kochi,	,,	30.04	763.0	...	...	W	2	...	,,	30.26	768.5	...	...	SW	1	...
Nagasaki,	,,	30.24	768.0	...	...	N	4	...	,,	30.30	769.5	...	...	...	0	...
Kagoshima,	,,	30.16	766.0	...	...	NW	3	...	,,	30.28	769.0	...	...	NW	1	...
Oshima,	,,	30.20	767.0	...	...	N	4	...	,,	30.18	766.5	...	...	NW	1	...
Naha,	,,	30.02	762.5	...	...	NE	2	...	,,	30.16	766.0	...	...	NE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.10	764.5	...	...	ENE	3	...
Bonin Island,	,,	30.04	763.0	...	...	E	1	...	,,	30.08	764.0	...	...	NNE	1	...
Weihaiwei,	14	30.35	770.9	34	69	N	1	o	6	30.31	769.9	40	82	SSE	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.18	766.6	52	97	SSE	2	b	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	30.17	765.3	58	100	S	4	b	,,	...	...	...	...	...	...	...
Sharp Peak,	15	30.14	765.5	66	68	...	0	o	7	30.08	764.0	62	77	W	1	b
Amoy,	14	30.12	765.0	70	91	NNE	1	o	6	30.16	766.0	62	100	NE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.19	766.8	70	65	E	4	o	,,	30.11	764.7	59	96	E	1	r
Taichu,	,,	30.11	764.7	66	...	...	0	o	,,	30.10	764.4	61	...	...	0	r
Tainan,	,,	...	...	73	...	NE	2	b	,,	30.01	762.3	64	...	NNE	4	b
Koshun,	,,	...	...	75	...	NE	6	o	,,	30.00	762.0	72	...	NE	6	o
Pescadores,	,,	30.12	765.0	73	...	N	6	o	,,	30.06	763.5	66	...	NNE	4	o
Canton,	15	30.08	764.0	70	48	...	0	o	,,	30.10	764.5	61	82	E	1	o
Hongkong,	14	30.07	763.8	72	28	E	3	o	,,	30.06	763.5	63	85	E	2	o
Gap Rock,	,,	30.05	763.2	...	...	NE	4	o	,,	30.03	762.7	...	...	NE	5	o
Macao,	,,	30.02	762.6	57	46	NE	4	o	,,	30.00	762.0	59	96	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.04	762.9	72	54	SE	1	o	7	30.02	762.6	66	71	NE	4	b
Tourane,	,,	29.94	760.5	68	...	NNW	6	o	,,	29.93	760.2	70	...	NW	4	o
Cape St. James,	,,	29.82	757.5	81	...	ENE	4	b	,,	29.86	758.4	75	...	N	2	b
Aparri,	14	29.93	760.2	79	66	ENE	4	o	6	29.93	760.2	75	92	NE	4	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	84	71	NE	2	o	,,	29.85	758.1	73	96	...	0	o
Legaspi,	,,	29.80	756.9	79	85	NE	4	o	,,	29.82	757.5	77	89	NNE	2	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.81	757.2	75	96	NNW	1	r
Iloilo,	,,	29.76	756.0	86	71	NE	4	o	,,	29.78	756.3	77	92	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	E	2	b	4.20	29.78	756.3	...	...	NE	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	86	76	W	4	b	6	29.79	756.6	76	94	N	1	b

November 24*d*. 11*h*. 53*m*.—Pressure is highest to the north of Korea. It has increased considerably from Wladivostock to central and S.W. Japan. It has decreased moderately at Haiphong and slightly from Hongkong to Formosa, the Philippines and Guam.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·23 inch. Total since January 1st, 68·44 inches, against an average of 81·73 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; overcast and rainy at first, improving later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th NOVEMBER, 1922.								25th NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	30.40	772.1	16	...	NNE	4	b	6	30.42	772.5	8	...	NNE	6	o
Nemuro,	11	29.69	754.0	...	...	WNW	8	...	5	29.94	760.5	...	...	W	6	...
Hokodate,	,,	30.08	764.0	...	...	W	6	...	,,	30.22	767.5	...	...	NW	6	...
Tokio,	,,	30.18	766.5	...	...	N	2	...	,,	30.30	769.5	...	...	N	1	...
Kochi,	,,	30.24	768.0	...	...	SW	1	...	,,	30.20	767.0	...	...	...	1	...
Nagasaki,	,,	30.28	769.0	...	...	NW	1	...	,,	30.47	774.0	...	...	SE	4	...
Kagoshima,	,,	30.24	768.0	...	...	ENE	1	...	,,	30.10	764.5	...	...	W	1	...
Oshima,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.02	762.5	...	...	SE	1	...
Naha,	,,	30.14	765.5	...	...	NE	1	...	,,	30.00	762.0	...	...	ESE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	E	2	...	,,	29.96	761.0	...	...	NE	1	...
Bonin Island,	,,	30.06	763.5	...	...	SW	1	...	,,	30.12	765.0	...	...	ENE	2	...
Weihaiwei,	14	30.26	768.6	40	91	...	0	r	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Sharp Peak,	15	30.02	762.5	78	70	N	1	b	7	30.10	764.5	63	83	NE	1	b
Amoy,	14	30.03	762.7	70	91	SSE	1	b	6	30.05	763.5	64	100	NW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.07	763.8	70	74	...	0	o	,,	30.07	763.8	63	98	...	0	r
Taichu,	,,	30.06	763.5	68	...	N	2	o	,,	30.02	762.6	66	...	N	2	o
Tainan,	,,	30.04	762.9	70	...	NE	4	o	,,	29.99	761.7	66	...	NNE	4	o
Koshun,	,,	30.00	762.0	72	...	NNE	6	o	,,	29.97	761.1	66	...	NNE	4	r
Pescadores,	,,	30.07	763.8	72	...	NNE	4	r	,,	30.01	762.3	68	...	N	6	o
Canton,	15	30.03	762.7	70	66	...	0	o	,,	30.12	765.0	59	88	N	2	b
Hongkong,	14	30.02	762.5	64	89	...	0	or	,,	30.06	763.5	65	65	ENE	3	c
Gap Rock,	,,	30.00	762.0	...	...	NE	5	o	,,	30.04	763.0	...	...	N	5	c
Macao,	,,	30.00	762.0	64	76	N	4	o	,,	30.04	762.9	63	84	N	4	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.95	760.8	73	75	NE	2	o	7	30.06	763.5	66	94	ENE	4	o
Tourane,	,,	29.86	758.4	73	...	NW	4	o	,,	29.92	759.9	70	...	NW	2	b
Cape St. James,	,,	29.78	756.3	82	...	SE	2	o	,,	29.85	758.1	73	...	N	2	o
Aparri,	14	29.85	758.1	77	91	E	2	r	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	81	86	SSE	1	r	,,	29.84	757.8	75	92	NE	1	o
Legaspi,	,,	29.75	755.7	86	75	ENE	2	b	,,	29.81	757.2	73	94	...	0	b
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	68	NE	6	o	,,	29.79	756.5	75	94	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.72	754.8	...	...	NE	1	r	4.20	29.78	756.3	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	84	79	N	4	b	6	29.78	756.4	78	94	N	1	b

November 25*d.* 10*h.* 40*m.*—Pressure has increased considerably over N.E. Japan and decreased moderately over S W. Japan. Changes are small in other districts.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·26 inch. Total since January 1st, 68·70 inches, against an average of 81·77 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

STATION.	25TH NOVEMBER, 1922.								26TH NOVEMBER, 1922.							
	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.	HONGKONG STANDARD TIME.	BAROMETER AT SEA LEVEL. Inches.	Millrs.	TEMPERATURE.	HUMIDITY.	WIND. Direction.	Force.	WEATHER.
Wladivostock,	12	30.31	769.8	9	...	NNE	5	o	6	29.91	759.7	8	...	N	7	c
Nemuro,	11	30.04	763.0	...	...	NW	7	...	5	30.00	762.0	...	...	SE	5	...
Hokodate,	,,	30.22	767.5	...	...	NNW	1	...	,,	29.80	757.0	...	...	NNE	1	...
Tokio,	,,	30.24	768.0	...	...	N	1	...	,,	29.88	759.0	...	...	...	0	...
Kochi,	,,	30.12	765 0	...	...	...	0	...	,,	29.84	758.0	...	...	SW	1	...
Nagasaki,	,,	30.06	763 5	...	...	...	...	...	,,	30.00	762.0	...	...	NNW	3	...
Kagoshima,	,,	30.04	763 0	...	...	S	2	...	,,	29 98	761.5	...	...	NW	1	...
Oshima,	,,	30.00	762.0	...	...	SSE	2	...	,,	30.02	762.5	...	...	N	6	...
Naha,	,,	29.98	761.5	...	...	SE	1	...	,,	30.06	763.5	...	...	N	9	...
Ishigakijima,	,,	30.06	763.5	...	...	N	6	...	,,	30.22	767.5	...	...	NNW	6	...
Bonin Island,	,,	30 08	764 0	...	...	E	2		,,	29.96	761.0	...	...	SSE	6	...
Weihaiwei,	14	30.38	771.6	24	100	WNW	2	r	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	..	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Gutzlaff,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Sharp Peak,	15	30.18	765 6	60	76	N	2	o	7	30.42	772.6	38	81	W	1	b
Amoy,	14	30.13	765.3	67	95	NNE	4	o	6	30.47	773.9	48	100	NNE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.26	768.6	59	79	E	4	r	,,	30.40	772.2	50	56	NW	4	o
Taichu,	,,	30 04	762.9	66	...	N	6	o	,,	30 32	770.1	50	....	NNW	6	o
Tainan,	,,	30 00	762.0	72	...	NNE	6	o	,,	30.25	768.3	52	....	NNE	7	r
Koshun,	,,	30.00	762.0	75	...	NNE	4	o	,,	30.20	767.1	52	....	...	o	r
Pescadores,	,,	30 11	764.7	66	...	NNE	8	r	,,	30.36	771.0	55	....	NNE	8	o
Canton,	15	30.21	767.3	65	40	N	3	o	,,	30.55	775.9	41	49	N	3	b
Hongkong,	14	30.10	764.5	66	44	NE	4	o	,,	30.44	773 2	44	32	NE	4	c
Gap Rock,	,,	30.08	764.0	...	...	N	5	o	,,	30.39	771.9	...	...	N	6	c
Macao,	,,	30.11	764.7	63	51	N	4	o	,,	30.41	772.5	45	36	N	6	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.13	765.3	68	60	NE	8	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.3	72	...	ENE	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.79	756 6	84	...	S	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.80	756 9	84	74	NNE	2	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	81	69	NE	2	r	,,	29.86	758.4	72	96	E	1	b
Legaspi,	,,	29.75	755 7	86	71	E	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.7	84	77	...	o	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29 69	754.2	84	71	NW	4	o	,,	29.81	757.2	75	92	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	ENE	4	r	4.20	29.82	757.5	...	...	NE	1	o
Yap,	12.47	...		...	...	...	...	...	4.47	..	...	...	...	...	...	...
Labuan,	14	29.80	756.9	84	75	N	2	b	6	29.81	757.2	75	94	SE	2	r

November 25*d.* 22*h.* 20*m.*—Warning to Hongkong, and Coast Ports.:—N.N.E. gale in Formosa Channel.

November 26*d.* 12*h.* 10*m.*—The feature of the weather has been the extraordinary increase of pressure from Formosa to Indo-China between 8 a.m. on the 25th when it was 30·06 ins., to 5 a.m. on the 26th when it was 30·44 ins.

There is a very steep gradient over the N. China Sea, which will cause a strong monsoon.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 81·80 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27TH.

DISTRICT.	FORECAST.
1.—Formosa Channel,	N.E. gale.
2.—South coast of China between Hongkong and Lamocks,	N. winds, strong; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th NOVEMBER, 1922.								27th NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.73	755.1	12	...	N	7	s	6	29.68	753.9	13	...	N	1	o
Nemuro,	11	29.70	754.5	...	...	S	9	...	5	29.08	738.5	...	...	WSW	5	...
Hokodate,	,,	29.63	752.5	...	...	...	o	...	,,	29.27	743.5	...	...	W	7	...
Tokio,	,,	29.61	752.0	...	...	NNW	1	...	,,	29.57	751.0	...	...	N	1	...
Kochi,	,,	29.78	756.5	...	...	SW	1	...	,,	30.02	762.5	...	...	SE	1	...
Nagasaki,	,,	29.94	760.5	...	...	NW	6	...	,,	30.14	765.5	...	...	N	1	...
Kagoshima,	,,	29.94	760.5	...	...	NW	3	...	,,	30.16	766.0	...	...	NNW	1	...
Oshima,	,,	30.08	764.0	...	...	NNW	9	...	,,	30.18	766.5	...	...	NNW	4	...
Naha,	,,	30.18	766.5	...	...	NNW	8	...	,,	30.22	767.5	...	...	N	5	...
Ishigakijima,	,,	30.30	769.5	...	...	NNW	6	...	,,	30.28	769.0	...	...	N	2	...
Bonin Island,	,,	29.90	759.5	...	...	S	5	...	,,	29.96	761.0	...	...	NW	2	...
Weihaiwei,	14	30.04	763.0	28	88	NW	6	r	6	29.95	760.7	34	69	SW	4	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.48	774.2	32	...	WNW	6	b	,,	30.34	770.6	32	...	SW	4	b
Gutzlaff,	,,	30.39	771.9	34	90	NW	7	b	,,	30.30	769.6	40	100	WSW	4	b
Sharp Peak,	15	30.30	769.6	58	47	E	1	b	7	30.26	768.6	40	65	NNW	2	b
Amoy,	14	30.32	770.1	56	69	W	4	b	6	30.32	770.1	46	92	NE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.49	774.3	50	38	N	6	b	,,	30.36	771.0	36	96	...	o	b
Taichu,	,,	30.40	772.2	52	...	NNE	6	o	,,	30.28	769.2	36	...	...	o	b
Tainan,	,,	30.32	770.1	54	...	NNE	8	o	,,	...	...	...	...	...	...	...
Koshun,	,,	30.24	768.0	61	...	NNW	4	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.40	772.2	52	...	N	8	b	,,	...	...	...	...	...	...	...
Canton,	15	30.41	772.4	58	27	N	2	b	,,	30.37	771.4	36	61	N	2	b
Hongkong,	14	30.38	771.6	52	16	NNE	4	b	,,	30.29	769.3	44	21	N	2	b
Gap Rock,	,,	30.38	771.6	...	...	N	6	b	,,	30.27	768.8	...	...	NE	5	b
Macao,	,,	30.37	771.3	48	...	N	2	b	,,	30.28	769.2	43	41	N	4	b
Wuchow,	15	30.46	773.7	52	24	N	2	b	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.41	772.5	63	25	NNE	4	b	7	...	...	...	...	...	...	...
Tourane,	,,	30.28	769.2	63	...	N	6	o	,,	...	...	...	...	...	...	...
Cape St. James.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	30.10	764.4	68	73	NE	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	84	68	W	2	o	,,	29.91	759.6	72	78	N	1	o
Legaspi,	,,	29.79	756.5	86	68	ENE	2	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	75	96	...	o	o
Iloilo,	,,	29.74	755.4	86	68	NE	4	o	,,	29.81	757.2	75	92	N	4	o
Surigão,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	6	r	4.20	29.86	758.4	...	...	ESE	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	79	W	2	b	6	29.76	755.9	78	91	N	1	b

November 27*d.* 12*h.* 05*m.* — A considerable decrease of pressure has occurred over N. Japan owing to the passage of a depression to the north of Hokkaido. Moderate increases have occurred over the Loochoos and corresponding decreases along the China Coast, the anticyclone having extended eastward to the Eastern Sea.

Moderate monsoon will prevail along the China coast and adjacent seas.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 81·83 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine, warmer.

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th NOVEMBER, 1922.								28th NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.65	753.0	26	...	...	0	0	6	30.02	762.4	19	...	NNE	3	b
Nemuro,	11	29.07	738.5	...	...	SW	7	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.41	747.0	...	...	W	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.78	756.5	...	...	W	2	...	,,	...	...	...	...	...	...	...
Koobi,	,,	30.10	764.5	...	...	W	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.18	766.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.18	766.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.22	767.5	...	...	N	2	...	,,	...	...	...	...	...	..	...
Naha,	,,	30.08	764.0	...	...	N	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.28	769.0	...	...	N	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.04	763 0	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	29.89	759.2	42	50	SW	2	b	6	30.08	764 0	44	76	NNE	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.32	770.1	48	25	SW	4	b	,,	30.21	767.3	37	100	SSW	1	b
Gutzlaff,	,,	30.28	769.1	48	100	WSW	4	b	,,	30.19	766.8	50	93	...	0	b
Sharp Peak,	15	30.19	766 8	64	58	E	1	b	7	30.12	765.0	50	72	W	2	b
Amoy,	14	30.18	766.6	62	94	SSW	1	b	6	30.20	767.1	48	93	NNE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	12	30 28	769.2	61	50	E	2	b	,,	30.18	766.5	41	91	...	0	b
Taichu,	,,	30.24	768.0	55	...	...	0	b	,,	30.18	766.5	43	...	...	0	b
Tainan,	,,	30.22	767.7	64	...	N	6	b	,,	30.14	765.6	48	...	E	2	b
Koshun,	,,	30 20	767.1	66	...	NE	6	b	,,	30.10	764.4	63	...	NNE	6	b
Pescadores,	,,	30.26	766.8	63	...	NNE	6	b	,,	30.14	765.6	59	...	N	2	b
Canton,	15	30.21	767.3	60	29	W	2	b	,,	30.20	767.1	38	91	...	0	b
Hongkong,	14	30 21	767.3	58	26	ESE	3	b	,,	30.16	766.0	54	47	..	0	b
Gap Rock,	,,	30.20	767.1	...	..	NE	5	b	,,	30.14	765.5	...	...	NE	5	b
Macao,	,,	30.20	767.1	54	28	NE	4	b	,,	30.14	765.6	50	45	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.20	767.1	68	32	SSW	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	30.13	765.3	63	...	NNE	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.87	758.7	77	....	SSW	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	...	...	...	...	...	...	...	6	30.01	762.3	66	94	...	0	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.85	758.1	84	55	NNE	1	o	,,	29.88	759.0	70	82	N	1	o
Legaspi,	,,	29.82	757.5	77	96	ENE	4	o	,,	29.85	758.1	77	98	NE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	68	NE	4	o	,,	29.79	756.6	77	94	NNW	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	2	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	86	76	E	2	b	6	29.78	756.4	78	91	E	2	b

November 28*d.* 12*h.* 35*m.*—Pressure has increased considerably over the northern part of the area, and decreased slightly to moderately elsewhere. The depression has probably passed into the Pacific, and the anticyclone is probably central in the vicinity of the Bonin Islands.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 81·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29th.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th NOVEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	29th NOVEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.12	765.1	29	...	NNE	2	b	6	30.20	767.0	16	...	NNE	1	0
Nemuro,	11	29.59	751.5	...	...	W	5	...	5	29.90	759.5	...	...	W	1	...
Hokodate,	,,	29.80	757.0	...	...	WNW	8	....	,,	30.02	762.5	...	...	WNW	6	...
Tokio,	,,	29.94	760.5	...	...	...	0	...	,,	30.06	763 5	...	...	WNW	1	...
Kochi,	,,	30.16	766.0	...	...	SE	1	...	,,	30.16	766 0	...	...	SW	1	...
Nagasaki,	,,	30.16	766.0	...	...	SW	3	...	,,	30.14	765.5	...	...	WSW	3	...
Kagoshima,	,,	30 20	767.0	...	...	W	1	...	,,	30.16	766.0	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	ESE	5	...	,,	30.20	767.0	...	...	SSE	1	...
Naha,	,,	30.18	766.5	...	...	NNE	1	...	,,	30.12	765.0	...	...	NNE	1	...
Ishigakijima,	,,	30.16	766.0	...	...	ENE	2	...	,,	30.08	764 0	...	...	NE	2	...
Bonin Island,	,,	30.14	765.5	...	...	NNE	1	...	,,	30.16	766.0	...	...	NE	1	...
Weihaiwei,	14	30.14	765.5	44	53	NE	2	b	6	30.26	768.6	40	56	NW	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.23	767.8	37	...	SSW	1	b	,,	30 24	768.1	34	100	WNW	1	b
Gutzlaff,	,,	30.14	765.5	58	94	S	2	b	,,	30.21	767.3	48	100	NW	1	b
Sharp Peak,	15	30.07	763.8	73	58	W	1	b	7	30.09	764.3	56	69	W	2	0
Amoy,	14	30.07	763.8	68	95	SW	1	b	6	30.08	764.0	54	100	W	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.19	766 8	66	46	...	0	b	,,	30 14	765 6	45	97	...	0	b
Taichu,	,,	30.20	767.1	64	...	...	0	b	,,	30.04	762.9	45	...	...	0	b
Tainan,	,,	30.15	765.9	70	...	N	4	b	,,	30.05	763.2	50	...	NE	2	b
Koshun,	,,	30.12	765.0	73	...	NE	4	b	,,	30.04	762.9	66	...	E	1	0
Pescadores,	,,	30.13	765.3	68	...	NNE	4	b	,,	30.07	763.8	63	...	NE	4	b
Canton,	15	30.10	764.5	68	30	NW	1	b	,,	30.14	765.5	45	92	...	0	c
Hongkong,	14	30.08	764.0	68	37	W	1	b	,,	30.09	764.3	59	77	...	0	b
Gap Rock,	,,	30 09	764.3	...	...	N	4	b	,,	30 08	764.0	...	...	N	4	b
Macao,	,,	30.05	763.2	63	35	NE	2	b	,,	30.07	763.8	54	53	NNW	4	0
Wuchow,	15	30.09	764.3	67	33	NW	1	c	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.07	763.8	72	47	SSE	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	30.00	762.0	66	...	NW	2	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.84	757.8	82	...	S	4	b	,,	...	...	...	...	...	...	...
Aparri,	14	29 89	759.3	79	76	ENE	4	b	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	82	67	NNE	2	0	,,	29.84	757.8	73	96	N	1	0
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.73	755.1	84	81	...	0	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	84	74	N	4	0	,,	29.76	756.0	77	94	N	4	0
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	E	4	0	4.20	29.84	757.8	...	...	NE	4	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	88	69	E	1	b	6	29.78	756 4	77	94	E	2	b

November 29*d.* 11*h.* 03*m.*—Pressure has increased considerably over N.E. Japan and moderately from Wladivostock to Weihaiwei. It has decreased slightly in southern districts.

A new anticyclone has formed over S.E. Mongolia.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 81·89 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th NOVEMBER, 1922.								30th NOVEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.12	765.1	31	...	N	1	b	6	30.26	768.5	9	...	N	4	b
Nemuro	11	29.82	757.5	...	...	WSW	4	...	5	29.82	757.5	...	...	NW	3	...
Hokodate,	,,	29.98	761.5	...	...	WNW	5	...	,,	29.92	760.0	...	...	WNW	3	...
Tokio,	,,	30.00	762.0	...	...	NNE	1	...	,,	29.86	758.5	...	...	NNW	1	...
Kochi.	,,	30.10	764.5	...	...	SE	1	...	,,	30.04	763.0	...	...	SW	1	...
Nagasaki,	,,	30.14	765.5	...	...	WNW	3	...	,,	30.16	766.0	...	...	NW	2	...
Kagoshima,	,,	30.12	765.0	...	...	WSW	1	...	,,	30.12	765.0	...	...	NW	1	...
Oshima,	,,	30.16	766.0	...	...	NE	1	...	,,	30.10	764.5	...	...	NNW	4	...
Naha,	,,	30.12	765.0	...	...	E	1	...	,,	30.10	764.5	...	...	E	1	...
Ishigakijima,	,,	30.10	764.5	...	...	NE	3	...	,,	30.28	769.0	...	...	NNE	3	...
Bonin Island,	,,	30.10	764.5	...	...	ENE	1	...	,,	30.00	762.0	...	...	...	...	...
Weihaiwei,	14	30.29	769.3	42	50	NNW	2	b	6	30.45	773.4	36	61	NNE	2	b
Hankow,	15	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.31	769.9	59	34	NW	1	b	,,	30.29	769.3	46	87	...	...	...
Gutzlaff.	,,	30.19	766.8	60	100	N	1	b	,,	30.36	771.1	48	78	NNE	4	b
Sharp Peak,	15	30.08	764.0	74	72	E	2	b	7	30.15	765.8	58	76	WSW	1	b
Amoy,	14	30.05	763.2	63	95	ENE	1	b	6	30.12	765.0	56	94	NW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.14	765.6	68	68	W	2	b	,,	30.08	764.1	61	91	E	2	b
Taichu,	,,	30.70	779.7	70	...	NW	2	b	,,	30.06	763.5	50	...	...	0	b
Tainan,	,,	30.07	763.8	77	...	NNE	4	b	,,	30.04	762.9	57	...	NNE	2	b
Koshun,	,,	30.04	762.9	75	...	NE	6	o	,,	30.00	762.0	72	...	NE	6	b
Pescadores,	,,	30.11	764.7	72	...	NNE	6	b	,,	30.06	763.5	68	...	NNE	6	b
Canton,	15	30.04	763.0	76	27	W	1	b	,,	30.10	764.5	48	93	...	0	b
Hongkong,	14	30.03	762.7	75	28	SE	1	b	,,	30.07	763.8	61	72	..	0	b
Gap Rock,	,,	30.03	762.7	...	...	N	4	b	,,	30.07	763.8	...	...	NE	4	b
Macao,	,,	30.02	762.6	68	32	NE	2	b	,,	30.06	763.5	57	62	NNE	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.02	762.6	73	41	WNW	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.87	758.7	79	87	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	75	91	NNW	1	r	,,	29.82	757.5	72	98	NE	1	o
Legaspi,	,,	29.73	755.1	79	92	SW	1	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	79	69	ESE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	75	N	4	o	,,	29.79	756.6	75	94	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	4	r	4.20	29.81	757.2	...	...	ENE	4	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan.	14	29.76	755.9	86	76	N	4	b	6	29.78	756.4	78	91	N	2	b

November 30*d.* 11*h.* 49*m.*— Pressure has increased moderately at Weihaiwei and slightly from Wladivostock to Shanghai. It has decreased slightly from Formosa to Tongking.

The Mongolian anticyclone is spreading southward and probably moving eastward.

Fresh monsoon may be expected along the east coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 81·92 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

E. F. CLAXTON *Director.*

DOCUMENT

JUL - - 1923

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

ERRATA FOR 1922

1921 May...Maximum Daily Rainfall (C. G. S. U.) *for* 105.2 *read* 150.2

1921 July...20th 8 a.m. Temperature of Evaporation...*for* 67.9 *read* 76.9

1921...Determinations of Magnetic Horizontal Force in the Year 1921.

October, Observed Deflection 30 cms. *for* 9′.38″.75 *read* 38′.75

" " " 40 cms. *for* '2.55″ *read* 2′.55

1922 November...Resultant Direction of Wind :—

15^{d}	*for*	6°	*read*	267°
16	"	20	"	6
17	"	56	"	20
18	"	38	"	56
19	"	73	"	38
20	"	76	"	73
21	"	27	"	76
22	"	86	"	27
23	"	58	"	86
24	"	22	"	58
25	"	16	"	22
26	"	52	"	16
27	"	270	"	52
28	"	94	"	270

HONGKONG:
PRINTED BY NORONHA & Co.
GOVERNMENT PRINTERS.

1922

ROYAL OBSERVATORY, HONGKONG.

MONTHLY METEOROLOGICAL BULLETIN.

DECEMBER, 1922.

Introduction.

In this Bulletin an annual summary of the Hongkong Observations for the year 1922 s given in Tables XIII to XX, following the usual monthly Tables. They contain mean and extreme values of the principal Meteorological Elements, in British and C.G.S. Units, and of the prevalence of different phenomena for each month, and for the year, together with the normal values (for the period 1884-1918 unless otherwise stated). Also five-day means of the principal meteorological elements for the year 1922 and the period 1884-1918.

The readings of the barometer in British Units are ***not*** reduced to sea-level, or to the gravity at latitude 45°.

In the column headed "Days of rain" only those days have been counted on which the fall amounted to or exceeded 0·01 inch.

The remaining columns in the Tables require no special remark, the necessary explanations having been given in the Introduction to the Bulletin for the month of January.

The tracks of the typhoons and principal depressions which occurred in the Far East during the year 1922 are shown on two plates following the five-day means.

The results of Magnetic Observations made in the year 1922 are given at the end of the Bulletin.

T. F. CLAXTON.

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

METEOROLOGICAL OBSERVATIONS.

DECEMBER,

1922.

TABLE I.—BAROMETRIC PRESSURE at every HOUR of the DAY, in the MONTH of DECEMBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	30·022	30·027	30·021	30·012	30·026	30·040	30·062	30·089	30·094	30·091	30·075	30·055	1
2	30·007	29·994	29·998	30·000	30·008	30·015	30·040	30·053	30·067	30·072	30·054	30·035	2
3	29·990	29·983	29·964	29·960	29·959	29·959	29·970	29·991	30·014	30·025	30·025	30·015	3
4	30·043	30·036	30·031	30·029	30·029	30·039	30·065	30·079	30·097	30·114	30·111	30·093	4
5	30·217	30·203	30·198	30·186	30·195	30·210	30·232	30·239	30·270	30·270	30·250	30·226	5
6	30·172	30·156	30·150	30·147	30·150	30·163	30·178	30·187	30·192	30·176	30·159	30·127	6
7	30·118	30·105	30·087	30·089	30·093	30·099	30·115	30·142	30·150	30·147	30·112	30·074	7
8	30·094	30·074	30·072	30·075	30·082	30·100	30·109	30·122	30·142	30·139	30·129	30·099	8
9	30·079	30·069	30·057	30·064	30·067	30·080	30·105	30·126	30·143	30·152	30·140	30·098	9
10	30·096	30·090	30·083	30·070	30·067	30·078	30·086	30·102	30·125	30·120	30·103	30·076	10
11	30·062	30·063	30·061	30·072	30·073	30·071	30·081	30·087	30·104	30·106	30·092	30·067	11
12	30·026	30·001	29·997	29·999	29·999	30·009	30·028	30·042	30·065	30·063	30·042	30·011	12
13	30·005	30·001	29·985	29·979	29·995	29·999	30·019	30·031	30·041	30·046	30·021	30·006	13
14	29·992	29·984	29·976	29·982	29·973	29·991	30·016	30·028	30·045	30·047	30·041	30·004	14
15	29·985	29·974	29·975	29·982	29·993	30·004	30·014	30·026	30·038	30·043	30·033	30·006	15
16	30·051	30·041	30·027	30·018	30·024	30·028	30·047	30·069	30·093	30·101	30·085	30·059	16
17	30·004	30·006	29·982	29·972	29·970	29·974	29·988	30·004	30·017	30·020	30·024	30·000	17
18	30·031	30·022	30·007	30·005	30·010	30·015	30·032	30·048	30·088	30·106	30·099	30·083	18
19	30·071	30·067	30·061	30·058	30·075	30·084	30·100	30·118	30·136	30·144	30·146	30·122	19
20	30·103	30·091	30·072	30·060	30·054	30·062	30·090	30·107	30·137	30·143	30·138	30·108	20
21	30·093	30·077	30·075	30·076	30·078	30·084	30·100	30·115	30·127	30·137	30·128	30·101	21
22	30·080	30·061	30·055	30·053	30·049	30·059	30·075	30·095	30·113	30·121	30·112	30·094	22
23	30·123	30·118	30·115	30·102	30·106	30·112	30·127	30·143	30·165	30·167	30·152	30·127	23
24	30·141	30·131	30·113	30·110	30·116	30·116	30·120	30·136	30·164	30·182	30·170	30·139	24
25	30·136	30·130	30·129	30·118	30·116	30·130	30·149	30·171	30·181	30·180	30·167	30·140	25
26	30·094	30·078	30·063	30·053	30·060	30·064	30·079	30·095	30·112	30·118	30·109	30·086	26
27	30·006	29·997	29·971	29·964	29·961	29·971	29·986	30·004	30·028	30·038	30·019	29·992	27
28	29·957	29·947	29·941	29·941	29·945	29·963	29·982	29·998	30·023	30·035	30·035	30·018	28
29	30·087	30·082	30·073	30·073	30·081	30·082	30·099	30·124	30·155	30·168	30·163	30·145	29
30	30·072	30·052	30·038	30·034	30·049	30·057	30·068	30·092	30·120	30·138	30·122	30·089	30
31	30·085	30·072	30·059	30·050	30·051	30·056	30·080	30·098	30·118	30·114	30·105	30·084	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins	ins.	
1	30·025	29·995	29·980	29·982	29·995	30·008	30·029	30·034	30·041	30·039	30.038	30·019	1
2	30.002	29·982	29·966	29.960	29·968	29·985	29·997	30·018	30·023	30·017	30·016	30·004	2
3	29·982	29·955	29·948	29·958	29·972	29·989	30·001	30·018	30·032	30·039	30·039	30·037	3
4	30·079	30·070	30·075	30·081	30·107	30·130	30·156	30·177	30·203	30·212	30·218	30·217	4
5	30·186	30·156	30·148	30·144	30·152	30·166	30·167	30·168	30·185	30·186	30·184	30·185	5
6	30·090	30·067	30·047	30·045	30·057	30·072	30·082	30·098	30·115	30·126	30·124	30·131	6
7	30·042	30·012	30·005	29·004	30·029	30·052	30·076	30·100	30·112	30·119	30·109	30·108	7
8	30·061	30·034	30·020	29·028	30·042	30·052	30·062	30·075	30·082	30·090	30·082	30·088	8
9	30·067	30·036	30·016	30·017	30·029	30·049	30·068	30·089	30·104	30·110	30·108	30·103	9
10	30·033	30·013	30·000	29·998	30·009	30·034	30·050	30·060	30·071	30·075	30·068	30·055	10
11	30·036	30·004	30·002	30·001	30·007	30·022	30·036	30·046	30·052	30·054	30·050	30·046	11
12	29·977	29·950	29·934	29·934	29·945	29·965	29·986	30·001	29·999	30·012	30·014	30·014	12
13	30·972	29·944	29·923	29·915	29·925	29·942	29·974	29·992	30·000	30·012	30·014	30·004	13
14	30·961	29·933	29·927	29·928	29·936	29·957	29·968	29·978	29·981	29·985	29·986	29·982	14
15	30·970	29·944	29·938	29·951	29·966	29·983	29·997	30·020	30·033	30·048	30·044	30·049	15
16	30·036	30·004	29·996	29·991	30·005	30·012	30·013	30·015	30·024	30·032	30·016	30·015	16
17	29·970	29·945	29·933	29·934	29.960	29·977	29·988	30·008	30·029	30·048	30·045	30·042	17
18	30·045	30·019	30·011	30·015	30·027	30·046	30·051	30·069	30·071	30·071	30·073	30·075	18
19	30·092	30·080	30·066	30·072	30·074	30·080	30·101	30·110	30·125	30·127	30·125	30·103	19
20	30·078	30·043	30·031	30·035	30·052	30·066	30·077	30·085	30·106	30·118	30·118	30·116	20
21	30·063	30·033	30·021	30·022	30·030	30·043	30·062	30·076	30·090	30·092	30·099	30·095	21
22	30·066	30·042	30·036	30·045	30·061	30·074	30·082	30·096	30·099	30·111	30·116	30·117	22
23	30·084	30·053	30·039	30·040	30·053	30·075	30·094	30·117	30·140	30·149	30·160	30·144	23
24	30·112	30·079	30·052	30·055	30·067	29·084	30·101	30·122	30·136	30·148	30·147	30·142	24
25	30·109	30·077	30·047	30·038	30·042	30·065	30·083	30·093	30·107	30·115	30·118	30·102	25
26	30·048	30·024	29·996	29·994	30·009	30·006	30·006	30·013	30·025	30·035	30·028	30·022	26
27	29·956	29·924	29·905	29·905	29·909	29·930	29·947	29·964	29·972	29·979	29·981	29·966	27
28	30·993	29·972	29·968	29.974	29·988	30·009	30·030	30·041	30·049	30·061	30·066	30·075	28
29	30·100	30·077	30·050	30·042	30·042	30·051	30·059	30·067	30·079	30·077	30·077	30·081	29
30	30·049	30·024	30·008	29·998	30·012	30·027	30·046	30·056	30·078	30·087	30·079	30·083	30
31	30·048	30·024	30·009	29·998	30·006	30·021	30·040	30·062	30·079	30·089	30·087	30·088	31

TABLE II.—TEMPERATURE of the AIR at every HOUR of the DAY, in the MONTH of DECEMBER, 1922.

Hours, Hongkong Standard Time.

Days of the Month.	1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	66·3	66·0	65·9	65·5	65·3	65·2	65·3	65·7	66·6	69·1	71·7	70·8	1
2	64·2	63·4	61·4	59·8	59·8	59·2	61·3	63·0	64·4	67·0	68·0	67·7	2
3	65·9	65·1	65·1	65·1	65·0	65·0	64·9	65·4	67·6	67·1	68·2	68·3	3
4	66·9	66·9	66·8	66·5	66·4	66·0	66·0	67·4	69·1	70·6	72·9	73·6	4
5	56·2	55·0	54·9	53·9	52·3	51·8	51·1	52·0	54·1	55·9	56·2	55·6	5
6	52·8	52·4	51·6	51·5	50·8	49·3	47·2	48·5	52·4	57·2	56·9	60·0	6
7	53·7	53·2	53·1	50·8	50·0	50·3	49·4	52·1	57·8	58·3	60·0	61·0	7
8	50·0	49·4	48·4	48·0	47·5	48·0	48·2	51·3	55·6	58·4	60·3	62·1	8
9	55·7	55·4	54·7	53·7	53·3	53·6	53·8	55·1	58·2	62·0	62·1	62·9	9
10	58·0	57·3	57·3	57·3	57·3	56·8	57·8	60·4	64·6	67·7	68·5	69·6	10
11	61·4	59·6	59·9	59·5	59·2	59·8	59·8	61·4	64·2	66·7	65·9	67·3	11
12	62·8	62·7	62·4	62·1	62·0	62·0	62·1	62·3	62·5	63·3	64·6	65·5	12
13	62·8	62·7	62·6	62·4	62·7	62·8	62·9	63·1	64·1	64·7	66·4	67·2	13
14	63·6	63·2	63·0	62·9	62·8	62·6	63·0	63·4	64·3	66·0	67·2	67·0	14
15	63·8	64·1	63·6	64·3	64·9	65·0	64·7	65·1	66·9	70·3	71·0	71·5	15
16	63·2	62·0	61·0	61·8	61·9	61·7	61·5	61·0	60·9	61·1	61·5	61·9	16
17	59·8	60·0	60·0	60·0	59·8	59·8	59·9	60·0	60·7	61·6	62·1	62·7	17
18	56·8	57·0	57·0	56·9	56·0	55·5	54·9	55·1	56·2	55·8	55·9	56·5	18
19	58·0	58·5	56·9	56·5	55·0	55·0	56·3	56·5	56·6	57·9	59·7	61·4	19
20	59·9	60·0	59·7	58·2	58·9	58·9	58·2	58·4	59·5	62·2	62·8	63·9	20
21	58·5	58·4	57·0	56·7	56·1	55·8	55·6	55·6	58·8	60·7	62·5	63·0	21
22	60·2	60·1	59·3	58·9	58·5	58·1	58·1	58·6	59·5	60·8	61·9	62·3	22
23	60·6	60·8	60·6	60·5	60·1	59·5	59·0	60·3	62·0	65·9	68·2	68·6	23
24	57·6	57·1	56·2	65·8	56·0	56·1	56·1	58·0	60·7	62·6	64·5	65·0	24
25	60·6	60·7	60·2	59·8	59·0	58·7	58·6	58·9	60·0	64·0	65·0	64·4	25
26	60·4	60·3	59·7	60·1	60·0	59·8	59·6	60·3	61·3	63·2	64·0	64·8	26
27	61·7	61·8	61·2	60·9	61·0	61·1	61·1	61·1	62·1	63·9	66·0	67·0	27
28	62·2	64·8	65·2	64·6	63·5	62·8	62·1	62·4	64·4	66·3	70·6	70·5	28
29	60·0	58·8	58·0	56·4	56·0	55·8	56·1	57·9	59·5	61·0	60·7	61·8	29
30	58·9	59·1	58·6	58·7	58·9	59·5	60·5	62·0	63·3	65·3	67·9	69·3	30
31	59·1	5·88	59·3	59·9	61·1	61·2	61·8	62·9	64·3	66·3	67·9	67·0	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	70·0	69·3	69·3	68·8	67·6	66·6	66·2	65·9	65·4	65·1	64·9	64·8	1
2	67·3	67·9	67·6	66·8	66·2	66·1	66·3	66·3	66·2	66·5	66·4	66·2	2
3	69·5	69·6	68·9	68·4	67·7	67·2	67·4	67·3	67·3	67·4	67·4	67·2	3
4	72·7	71·6	70·2	68·9	67·0	64·5	62·5	61·1	59·5	58·8	58·0	57·0	4
5	57·0	58·6	57·6	56·8	55·8	55·1	54·5	54·2	53·9	53·6	53·1	53·0	5
6	60·8	60·5	60·2	60·0	59·2	58·0	57·0	56·3	55·6	54·8	53·7	53·6	6
7	62·5	63·0	63·4	62·9	61·0	58·1	56·2	54·9	53·8	52·6	51·6	51·6	7
8	63·1	65·5	65·8	64·3	61·8	58·2	57·8	57·7	57·3	57·1	56·4	56·2	8
9	63·9	65·3	66·6	65·7	64·1	60·2	58·1	57·1	56·8	57·4	57·9	58·8	9
10	69·9	69·5	68·1	67·1	65·6	64·4	62·4	62·0	61·6	62·1	62·9	62·4	10
11	67·8	67·1	66·7	66·2	64·9	64·1	64·1	64·5	64·4	64·2	63·7	63·3	11
12	64·7	64·9	65·3	65·2	64·4	64·2	64·2	63·8	63·6	63·6	63·5	63·7	12
13	67·1	66·4	66·5	65·9	65·3	64·6	64·1	63·9	63·9	63·8	63·8	63·7	13
14	68·8	68·6	67·9	66·7	65·8	64·4	64·2	64·4	64·3	64·1	64·0	63·8	14
15	70·3	71·8	70·3	68·4	66·9	66·3	66·0	65·4	65·2	64·6	63·8	63·5	15
16	62·4	62·5	62·7	62·1	61·7	61·1	60·4	60·4	60·3	60·3	60·1	60·0	16
17	62·7	61·8	60·7	60·8	60·1	59·1	58·5	57·6	56·8	56·6	56·1	56·9	17
18	57·0	57·0	56·3	55·7	55·8	56·0	56·1	56·6	57·0	57·3	57·6	57·6	18
19	61·2	60·6	60·6	60·4	59·6	59·1	59·0	58·9	59·1	59·2	59·9	60·2	19
20	64·8	64·1	63·7	63·1	61·7	60·3	59·8	59·1	58·6	58·5	58·7	58·8	20
21	63·9	64·5	65·0	65·2	63·5	62·0	60·7	59·9	59·1	59·1	59·5	59·5	21
22	63·1	62·9	62·0	61·2	60·8	60·3	60·0	60·0	60·1	60·5	60·4	60·3	22
23	70·0	71·4	71·2	70·5	69·0	66·2	63·2	62·4	61·0	59·4	58·2	57·5	23
24	66·4	67·4	67·8	66·0	65·0	62·6	60·7	60·0	59·7	59·1	59·6	60·9	24
25	65·4	64·8	63·5	62·6	61·5	60·6	59·9	59·8	59·7	59·8	60·4	60·3	25
26	65·9	66·0	65·4	64·3	63·3	62·2	62·3	62·2	62·0	62·2	62·1	62·2	26
27	68·6	68·7	69·8	69·3	68·9	67·5	67·0	68·0	67·4	64·4	63·3	63·1	27
28	70·3	70·0	69·7	69·4	66·9	65·3	65·0	64·3	63·6	63·7	63·0	61·4	28
29	61·9	62·3	62·4	61·9	60·9	60·0	59·3	59·6	59·7	59·7	59·5	59·7	29
30	70·0	66·8	66·9	66·4	65·3	64·1	63·1	61·7	60·9	60·0	60·0	59·9	30
31	67·5	67·4	66·6	64·8	63·7	63·0	62·2	61·5	61·1	60·8	60·4	60·1	31

TABLE III.—TEMPERATURE of EVAPORATION at every HOUR of the DAY, in the MONTH of DECEMBER, 1922.

Days of the Month.	Hours, Hongkong Standard Time.												Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon.	
	°	°	°	°	°	°	°	°	°	°	°	°	
1	61·1	61·1	60·8	60·6	60·5	60·4	60·5	60·4	60·5	61·3	62·3	62·0	1
2	61·0	60·2	58·9	55·4	54·8	54·0	55·6	55·8	56·6	57·9	58·6	58·6	2
3	61·6	61·2	60·8	60·3	60·3	60·2	60·5	60·8	61·4	61·2	61·0	61·5	3
4	61·8	61·8	62·0	62·3	62·6	62·2	62·5	62·2	63·2	64·0	64·3	64·5	4
5	48·5	47·2	47·0	45·9	44·5	43·4	42·7	42·8	43·8	44·7	45·2	45·0	5
6	42·5	42·6	42·5	42·5	41·3	41·0	40·9	41·9	46·6	48·6	48·5	49·9	6
7	47·7	47·3	47·6	45·9	45·5	46·3	45·2	47·9	51·2	51·7	53·0	53·2	7
8	43·3	43·0	42·2	41·9	41·6	41·7	42·1	44·2	46·4	48·5	48·8	48·2	8
9	44·8	44·4	44·5	44·0	43·9	43·9	43·8	46·1	47·7	49·4	49·5	49·6	9
10	51·8	51·6	51·6	51·0	50·6	50·8	50·5	51·6	52·3	53·3	53·4	53·8	10
11	49·0	49·1	48·7	48·2	49·9	49·7	50·0	50·7	52·2	53·5	53·2	53·7	11
12	57·6	58·0	57·9	57·9	57·0	56·9	57·6	56·9	56·9	56·5	56·9	57·4	12
13	58·3	58·5	58·4	58·6	58·8	58·4	59·0	59·1	59·4	59·9	60·8	61·5	13
14	59·8	59·6	59·7	59·5	59·3	59·2	59·5	59·9	60·4	61·1	61·4	60·9	14
15	61·9	62·0	61·7	61·4	60·0	60·5	60·8	61·4	61·9	63·2	63·8	63·9	15
16	58·7	57·6	57·2	57·7	57·7	57·0	56·2	55·7	55·4	55·4	55·7	55·9	16
17	56·1	56·0	56·1	55·8	55·3	55·0	54·9	54·8	54·8	55·6	56·0	56·4	17
18	54·7	55·7	55·7	55·0	53·9	53·1	52·6	52·9	54·0	53·1	53·9	54·4	18
19	53·7	54·3	53·9	54·2	52·7	53·0	53·8	53·6	54·1	54·5	54·8	55·5	19
20	54·4	54·5	54·0	52·9	53·4	53·0	52·8	53·1	53·7	54·8	54·7	55·2	20
21	53·4	53·6	53·7	53·4	52·9	52·7	52·3	52·9	54·8	56·1	57·5	57·7	21
22	55·5	55·6	55·3	55·1	55·1	54·6	54·7	55·0	55·6	56·1	56·7	56·5	22
23	56·1	56·2	56·3	56·2	55·6	55·1	55·1	55·8	56·5	58·1	59·6	59·2	23
24	51·8	51·3	50·8	50·5	50·1	50·0	49·8	51·0	52·7	54·0	54·9	54·8	24
25	57·2	56·5	56·1	55·5	54·5	54·5	54·1	54·3	54·9	57·0	56·9	56·5	25
26	56·5	56·3	55·8	55·5	55·6	54·9	54·7	55·0	56·0	56·7	57·5	58·4	26
27	59·3	59·5	59·3	59·2	59·2	59·4	59·7	60·0	60·5	61·5	61·3	61·8	27
28	60·3	58·3	55·7	54·8	54·0	53·7	53·6	54·2	55·1	55·9	58·5	56·1	28
29	50·3	49·1	48·6	47·7	48·0	48·4	48·9	50·3	51·8	53·4	53·9	54·0	29
30	54·0	54·8	54·6	54·4	54·7	54·6	54·7	54·7	55·3	56·5	58·0	58·5	30
31	56·5	56·7	57·0	56·9	57·0	57·0	57·4	57·0	57·0	57·9	58·3	58·4	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	62·4	62·2	62·3	61·5	61·7	61·0	60·7	60·6	60·2	60·0	60·2	60·8	1
2	58·6	59·0	58·8	59·2	59·7	61·5	61·4	61·8	61·9	61·7	62 0	62·0	2
3	61·9	62·0	61·9	62·0	61·8	61·3	61·9	62·9	63·0	62·7	62·5	62·3	3
4	62·6	61·3	59·9	58·2	57·0	54·9	53·2	52·0	50·9	50·1	49·2	48·5	4
5	46·2	46·8	45·2	44·1	43·5	42·8	42·7	42·6	42·5	42·3	42·4	42·3	5
6	50·6	50·7	50·1	50·2	49·9	49·3	49·3	49·0	48·6	48·4	47·5	47·6	6
7	54·4	54·4	54·3	53·8	52·8	51·0	49·0	47·9	47·0	45·6	44·5	44·6	7
8	48·5	48·5	48·4	48·0	47·1	45·7	45·4	45·6	45·3	45·1	44·2	43·8	8
9	50·7	50·2	50·3	49·5	50·5	50·4	50·1	50·4	49·9	51·0	51·4	51·8	9
10	54·7	54·7	55·3	54·2	55·1	54·7	54·7	53·2	54·1	51·9	50·8	50·2	10
11	54·3	54·9	54·5	55·0	55·4	56·8	57·9	57·5	57·3	57·7	57·8	57·5	11
12	56·0	55·4	55·6	55·4	55·9	55·6	56·7	57·2	58·0	58·6	58·9	59·0	12
13	61·1	60·4	60·6	60·5	60·6	60·4	60·6	60·6	60·3	60·5	60·4	60·2	13
14	61·4	61·8	61·3	60·9	60·8	60·7	61·1	61·2	61·3	61·5	61·6	61·7	14
15	63·9	64·4	64·2	63·4	63·0	62·8	62·7	62·1	61·7	60·0	58·9	58·4	15
16	56·2	56·7	56·0	55·4	54·7	54·0	53·9	54·5	54·8	55·1	55·1	55·7	16
17	57·0	56·9	56·6	57·2	56·4	55·1	54·9	54·6	53·9	54·0	53·5	54·1	17
18	54·6	54·8	55·1	54·3	54·3	53·9	53·7	54·0	53·8	54·1	54·2	53·7	18
19	55·8	55·2	55·4	54·9	54·4	53·9	54·0	53·3	53·3	53·6	53·7	54·2	19
20	55·8	54·7	55·0	54·9	53·9	53·2	52·8	52·5	52·4	52·8	53·0	53·0	20
21	57·9	58·6	58·3	58·4	57·1	56·0	54·6	54·3	54·4	54·6	55·0	55·3	21
22	57·1	57·0	56·4	56·3	56·0	55·8	55·6	55·5	55·4	55·9	56·0	55·8	22
23	60·2	60·4	60·0	59·2	58·4	57·3	54·9	54·3	53·7	52·8	51·9	51·6	23
24	56·0	56·0	57·1	57·1	56·8	56·5	55·9	55·9	56·1	55·2	56·0	57·4	24
25	57·5	57·8	56·7	56·5	56·0	55·7	56·0	56·1	56·0	56·5	56·3	56·5	25
26	58·5	57·7	57·6	58·0	57·8	57·3	57·7	57·8	58·4	58·8	59·2	59·4	26
27	62·2	62·5	62·8	62·1	61·5	60·7	60·8	60·3	60·1	61·1	61·6	61·5	27
28	57·0	56·0	56·6	56·7	58·1	57·4	56·0	54·6	54·4	53·2	52·2	51·3	28
29	53·5	53·9	54·2	54·0	53·9	53·8	53·3	53·9	54·0	54·4	54·1	54·4	29
30	59·5	58·2	58·8	58·6	58·2	58·2	58·0	57·4	57·4	57·5	57·7	57·9	30
31	56·9	55·6	56·2	56·6	56·0	56·4	56·7	56·9	57·0	57·1	56·7	56·8	31

TABLE IV.—AMOUNT of CLOUD, (0-10), at every HOUR of the DAY, in the MONTH of DECEMBER, 1922.
(... = Clear Sky.)

Days of the Month.	Hours, Hongkong Standard Time.																						Days of the Month.
	1	2	3	4	5	6	7	8	9	10	11	Noon	13	14	15	16	17	18	19	20	21	22	23	Midn.	
1	3	10	10	4	8	9	10	10	10	9	9	10	10	10	10	10	10	10	10	10	4	...	1	2	1
2	2	1	1	1	...	...	...	...	...	...	...	1	...	..	...	...	...	2	7	8	5	5	9	10	2
3	10	10	10	10	10	10	9	10	7	9	9	10	10	9	10	10	10	10	10	10	10	10	10	10	3
4	10	10	10	9	10	7	8	8	9	9	8	7	5	2	2	7	8	10	10	10	10	10	10	10	4
5	10	10	10	9	10	10	10	10	8	9	9	10	10	9	10	10	10	10	10	10	10	10	10	10	5
6	10	10	10	10	10	10	10	10	10	9	4	1	...	1	....	6	9	10	10	10	10	10	10	10	6
7	10	10	10	2	...	...	4	3	4	3	2	1	2	2	2	3	3	2	1	1	2	1	...	...	7
8	....	..	...	...	1	1	1	...	...	..	..	...	...	...	...	...	...	...	...	...	...	...	1	8	8
9	10	10	10	8	9	10	8	10	7	1	...	...	...	....	...	...	...	...	...	...	1	...	8	7	9
10	2	1	...	1	1	1	2	3	1	2	1	...	...	....	...	...	...	...	...	...	...	...	...	...	10
11	...	3	...	...	...	...	1	2	4	6	3	2	2	1	2	9	5	9	10	10	9	9	4	3	11
12	6	10	10	10	9	10	10	10	10	10	10	10	10	9	9	9	10	10	10	8	5	7	5	3	12
13	4	4	3	6	9	9	10	10	10	9	4	3	9	9	5	2	1	1	...	1	2	2	...	2	13
14	2	3	4	8	10	10	10	8	9	2	2	...	1	...	...	7	-	6	8	5	1	...	...	1	14
15	...	...	3	10	10	10	8	10	7	2	1	2	1	1	1	1	2	6	10	10	10	10	10	10	15
16	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	16
17	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	17
18	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	18
19	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	19
20	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	20
21	10	10	10	10	10	10	10	10	9	10	10	10	10	10	10	9	7	10	10	8	9	10	10	10	21
22	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	22
23	10	10	10	10	10	10	4	5	3	2	2	1	1	1	1	1	1	...	...	...	...	2	1	2	23
24	...	...	...	...	1	...	1	1	1	3	2	1	2	1	1	1	1	2	...	...	...	2	5	2	24
25	9	10	10	10	9	10	10	10	9	7	6	5	3	3	4	2	2	3	...	1	1	5	10	10	25
26	10	10	6	10	10	10	10	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	26
27	8	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9	6	10	9	9	7	8	10	27
28	8	6	4	2	...	1	2	2	2	6	7	5	6	3	4	4	3	3	...	...	...	...	2	1	28
29	...	...	...	...	...	...	1	...	1	1	2	2	1	...	...	...	...	...	...	...	...	...	...	...	29
30	...	..	1	1	2	6	10	10	9	9	6	3	...	...	...	1	1	2	...	...	...	...	...	...	30
31	...	2	8	10	10	10	10	10	10	10	10	10	9	2	1	1	....	...	...	...	1	2	2	2	31

TABLE V.—AMOUNT of SUNSHINE registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1922.
(... = No Sunshine recorded.)

Days of the Month.	Hours, Hongkong Apparent Time.													Days of the Month.
	6	7	8	9	10	11	Noon	13	14	15	16	17	18	
	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	h.	
1		...	...	...	0·3	0·6	...	...	...	...	...	...		1
2		0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		2
3		...	0·5	0·9	0·8	0·5	..	0·3	0·2	...	...	...		3
4		...	0·1	...	...	0·2	0·8	1·0	1·0	1·0	0·3	0·2		4
5		...	0·7	1·0	0·8	0·4	...	...	0·2	...	...	...		5
6		...	...	0·1	0·6	1·0	1·0	1·0	1·0	1·0	...	...		6
7		0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8		7
8		0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·8		8
9		...	0·2	0·9	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·4		9
10		0·6	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		10
11		0·3	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7	0·2		11
12		...	...	...	...	...	...	...	0·4	0·2	...	...		12
13		...	...	...	0·1	0·9	1·0	0·8	0·4	1·0	1·0	0·5		13
14		...	...	0·3	1·0	1·0	1·0	1·0	1·0	1·0	0·1	0·4		14
15		...	...	0·7	1·0	1·0	0·9	1·0	1·0	1·0	1·0	0·3		15
16		...	...	...	...	...	...	...	...	...	...	...		16
17		...	...	...	...	...	...	...	...	...	...	...		17
18		...	...	...	...	...	...	...	...	...	...	...		18
19		...	...	...	...	...	...	...	..	...	...	...		19
20		...	...	...	...	...	...	...	...	...	...	...		20
21		...	...	...	...	...	0·1	0·3	...	...	...	...		21
22		...	...	...	...	...	...	...	...	...	...	...		22
23		0·1	0·7	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·7		23
24		0·4	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·6		24
25		...	0·2	0·8	0·9	0·9	1·0	1·0	1·0	0·9	1·0	0·5		25
26		...	...	...	...	...	...	...	...	0·4	0·2	...		26
27		...	...	...	...	...	...	...	...	...	0·2	0·2		27
28		0·3	1·0	1·0	1·0	1·0	1·0	1·0	1.0	1·0	1·0	0·4		28
29	...	0·4	1·0	1·0	1·0	1·0	1·0	1·0	1.0	1·0	1·0	0·4	...	29
30	...	...	0·1	0·8	1·0	1·0	1·0	1·0	1·0	1·0	1·0	0·3	...	30
31	...	...	...	...	0·1	...	0·4	1·0	1·0	1·0	1·0	0·5	...	31

TABLE VI.—AMOUNT of RAINFALL registered in each HOUR of the DAY, in the MONTH of DECEMBER, 1922.
(d = Unregistered Drizzle. ... = No Rainfall.)

Days of the Month.	Hours, Hongkong Standard Time. 1	2	3	4	5	6	7	8	9	10	11	Noon.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	d	d	...	...	...	...	...	...	...	...	...	...	3
4	...	d	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	..	...	...	...	5
6	...	...	d	...	...	d	0·010	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	..	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	d	...	...	...	...	...	...	d	...	16
17	...	...	...	...	...	...	...	...	...	...	...	...	17
18	0·010	0·060	0·005	0·040	d	d	0·005	0·010	0·010	0·060	0·020	0·005	18
19	...	d	0·070	0·045	0·095	0·095	0·045	0·070	0·040	0·005	d	...	19
20	...	...	...	...	...	...	...	...	...	...	...	...	20
21	...	...	d	d	...	d	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	...	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	..	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	d	d	0·005	d	0·005	d	...	d	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	..	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

Days of the Month.	13	14	15	16	17	18	19	20	21	22	23	Midn.	Days of the Month.
	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	ins.	
1	...	...	...	...	...	...	...	...	...	...	...	...	1
2	...	...	...	...	...	...	...	...	...	...	...	...	2
3	..	...	...	...	...	..	...	...	...	...	...	...	3
4	...	...	...	...	...	...	...	...	...	...	...	...	4
5	...	...	...	...	...	...	...	...	...	...	...	...	5
6	...	...	...	...	...	...	...	...	...	...	...	...	6
7	...	...	...	...	...	...	...	...	...	...	...	...	7
8	...	...	...	...	...	...	...	...	...	...	...	...	8
9	...	...	...	...	...	...	...	...	...	...	...	...	9
10	...	...	...	...	...	...	...	...	...	...	...	...	10
11	...	...	...	...	...	...	...	...	...	...	...	...	11
12	...	...	...	...	...	...	...	...	...	...	...	...	12
13	...	...	...	...	...	...	...	...	...	...	...	...	13
14	...	...	...	...	...	...	...	...	...	...	...	...	14
15	...	...	...	...	...	...	...	...	...	...	...	...	15
16	...	...	...	...	...	...	...	...	...	...	...	...	16
17	d	d	0·005	0·005	...	...	d	d	...	...	...	...	17
18	d	d	0·010	0·010	...	d	...	...	d	d	...	...	18
19	...	...	...	d	d	...	...	...	...	...	d	...	19
20	...	...	...	...	...	...	...	...	...	...	...	d	20
21	..	...	..	...	...	...	...	...	...	...	...	...	21
22	...	...	...	...	...	...	...	...	...	...	...	...	22
23	...	...	...	.	...	...	...	...	...	...	...	...	23
24	...	...	...	...	...	...	...	...	...	...	...	...	24
25	...	...	...	...	...	...	...	...	...	...	...	...	25
26	...	...	...	...	...	...	...	...	...	...	...	...	26
27	...	...	...	...	...	...	...	...	...	...	...	...	27
28	...	...	...	...	...	...	...	...	...	...	...	...	28
29	...	...	...	...	...	...	...	...	...	...	...	...	29
30	...	...	...	...	...	...	...	...	...	...	...	...	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31

TABLE VII.—DIRECTION and VELOCITY of the WIND at every HOUR of the DAY, in the MONTH of DECEMBER, 1922.

(The Direction is given in points, and the Velocity in miles per hour.)

(8 = East. 16 = South, &c. ... = Calm.)

Hours, Hongkong Standard Time.

Days of the Month.	1		2		3		4		5		6		7		8		9		10		11		Noon.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	
1	7	28	7	17	7	21	7	21	7	10	7	13	8	8	7	9	6	11	6	9	7	8	9	12	1
2	5	8	4	8	3	4	2	4	2	2	3	7	4	12	4	11	5	15	6	16	6	23	7	26	2
3	7	26	7	25	7	29	8	23	8	23	8	23	8	20	8	23	7	22	7	23	8	20	8	15	3
4	7	5	29	3	...	...	...	1	...	1	29	2	...	...	32	7	1	8	1	10	32	9	31	7	4
5	31	6	31	8	31	4	32	11	1	7	1	10	1	11	1	20	32	18	32	16	31	18	31	16	5
6	32	9	31	8	31	9	32	7	1	15	1	7	1	5	1	6	...	1	30	5	25	12	26	5	6
7	31	3	31	5	31	3	32	4	...	1	29	6	...	1	26	4	25	3	24	7	25	10	25	9	7
8	2	6	1	5	32	2	32	5	32	5	32	4	32	5	...	1	1	6	2	5	2	9	32	8	8
9	2	10	2	8	2	9	3	7	3	6	4	3	...	1	...	1	...	...	6	9	9	12	10	11	9
10	...	...	...	1	...	1	31	3	...	1	...	...	...	1	...	1	4	4	7	8	9	7	10	11	10
11	3	5	3	3	...	...	...	1	3	7	4	11	4	12	5	12	5	12	7	18	8	21	9	17	11
12	7	21	7	21	7	21	7	17	7	20	7	17	8	18	8	20	8	21	8	20	9	18	9	16	12
13	8	14	7	16	7	18	7	13	7	19	7	21	7	16	7	17	8	22	8	18	8	22	8	22	13
14	7	20	7	19	7	21	7	23	7	28	7	18	7	15	7	14	8	16	9	12	9	16	9	18	14
15	9	9	9	9	9	7	9	10	10	10	9	9	8	9	9	9	9	4	9	6	9	11	9	10	15
16	6	9	5	14	4	15	4	18	5	14	5	14	5	13	4	8	4	5	4	7	5	14	5	13	16
17	6	11	6	13	6	12	6	13	5	9	5	7	5	8	5	7	5	7	6	9	7	5	8	4	17
18	2	11	32	4	31	3	31	3	31	7	2	10	2	9	3	4	2	2	2	6	2	6	1	6	18
19	4	4	3	3	2	4	32	5	31	4	4	4	5	12	6	13	6	12	5	16	5	11	2	7	19
20	5	9	5	9	4	8	5	6	5	10	5	6	3	4	31	9	32	8	32	6	1	11	32	11	20
21	1	6	3	7	4	5	1	2	31	4	32	4	1	7	...	1	2	3	32	4	30	4	32	7	21
22	2	4	3	6	3	7	3	3	...	1	3	5	3	4	3	5	2	8	2	7	1	7	1	8	22
23	...	1	...	...	...	...	2	6	1	5	1	5	2	5	3	6	6	4	7	5	5	6	27	8	23
24	1	17	1	9	1	2	1	7	1	11	1	16	1	19	1	15	1	16	4	12	13	3	23	5	24
25	7	17	7	21	7	20	6	19	6	21	6	18	6	15	5	11	6	9	6	14	7	12	8	13	25
26	7	19	7	24	7	19	6	20	5	18	6	18	7	15	7	14	8	11	9	10	10	7	10	7	26
27	9	18	9	13	9	14	9	13	8	10	7	2	4	2	26	3	22	3	...	1	...	1	15	2	27
28	6	3	4	7	3	7	3	9	3	11	2	7	1	14	1	16	32	15	3	12	2	2	12	4	28
29	2	16	2	17	2	14	2	11	3	4	5	3	6	5	6	8	6	13	7	18	8	19	9	21	29
30	7	11	9	14	10	10	10	9	9	10	9	8	9	9	9	14	10	6	9	11	9	10	10	6	30
31	26	3	29	2	4	6	7	2	8	6	8	2	...	1	...	...	...	...	10	5	9	13	9	17	31

Days of the Month.	13		14		15		16		17		18		19		20		21		22		23		Midn.		Days of the Month.
	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir.	Vel.	Dir	Vel.	Dir.	Vel	Dir.	Vel.	Dir.	Vel.	
1	9	12	10	10	10	6	10	8	9	12	9	11	8	13	8	8	7	8	7	8	6	10	6	13	1
2	7	24	7	20	8	18	7	17	8	16	8	15	7	16	7	16	7	20	7	22	7	22	7	23	2
3	9	14	10	13	11	12	10	12	10	14	9	12	9	14	8	14	8	17	8	14	8	13	8	9	3
4	31	10	31	12	30	12	1	9	1	9	1	6	32	8	1	10	1	11	1	17	1	13	32	11	4
5	32	16	32	13	1	11	1	13	2	15	2	15	1	17	1	17	1	14	1	15	1	12	32	12	5
6	26	10	29	10	1	10	1	11	1	6	1	6	2	5	1	4	31	6	31	2	31	4	31	4	6
7	25	13	26	12	28	9	31	7	31	9	32	8	32	5	1	9	1	6	1	6	32	6	1	6	7
8	32	12	2	11	2	13	2	14	2	11	2	7	1	11	1	13	1	14	1	16	1	15	2	9	8
9	10	11	6	7	6	5	...	...	8	2	2	4	31	3	...	1	31	3	31	2	...	1	...	...	9
10	10	8	10	8	8	9	3	5	28	4	..	1	...	...	...	...	...	1	1	2	5	4	...	1	10
11	9	18	9	16	9	16	9	17	9	15	8	14	8	15	7	14	7	15	7	17	7	20	7	17	11
12	9	18	9	22	9	18	9	18	9	18	9	15	9	10	9	12	9	16	8	15	8	15	8	13	12
13	8	26	8	22	9	22	9	21	9	16	8	13	7	11	7	13	7	16	6	15	7	15	7	20	13
14	10	17	9	17	10	19	9	17	9	16	9	15	9	12	9	12	9	12	9	9	9	10	9	9	14
15	10	11	9	11	9	13	9	17	9	18	8	16	8	17	8	21	7	23	6	13	6	13	7	12	15
16	4	5	5	4	5	6	5	9	6	8	6	6	5	6	5	10	6	10	6	11	6	13	6	16	16
17	8	2	8	7	7	8	6	4	5	3	4	6	3	7	3	7	2	8	2	4	2	7	2	10	17
18	1	7	1	3	1	5	1	3	2	3	2	3	1	4	...	1	1	5	1	2	2	3	3	2	18
19	32	9	32	9	1	7	1	8	1	5	...	...	1	3	1	5	1	5	...	...	4	6	5	12	19
20	31	9	31	9	31	9	32	8	31	9	32	10	1	8	1	11	1	5	1	3	...	...	...	1	20
21	32	2	29	8	30	7	32	5	1	9	2	8	2	10	2	9	2	7	3	3	...	...	...	1	21
22	1	6	2	7	3	5	3	5	4	6	4	5	3	4	3	3	...	1	4	5	4	2	3	3	22
23	26	4	29	3	31	8	31	11	1	8	3	7	2	14	1	18	1	18	1	17	2	18	1	18	23
24	23	6	10	4	28	5	25	8	24	9	23	6	23	2	...	...	...	1	...	1	16	6	8	13	24
25	9	12	10	14	10	15	10	15	9	15	9	16	8	13	7	9	7	9	7	10	7	6	7	16	25
26	10	9	10	7	10	8	10	10	9	9	9	11	9	12	10	11	10	13	10	14	9	13	9	14	26
27	17	2	19	3	22	2	...	...	...	...	19	2	...	1	9	2	7	2	7	9	8	9	7	2	27
28	9	13	9	16	10	15	12	8	21	8	23	7	24	3	28	3	4	5	3	9	1	17	2	14	28
29	8	21	9	20	9	14	10	13	10	14	9	12	8	11	8	19	8	23	8	23	7	20	7	17	29
30	9	8	8	9	6	5	29	4	27	7	26	2	...	...	...	...	...	...	...	1	26	4	26	4	30
31	8	22	9	20	9	18	9	19	8	17	7	14	7	13	7	14	6	15	7	18	7	24	7	22	31

TABLE VIII.—CHARACTER and DIRECTION of MOTION of the CLOUDS at THREE-HOURLY INTERVALS, in the MONTH of DECEMBER, 1922.
(... = no clouds.)

Hours, Hongkong Standard Time.

Days of the Month.	1		4		7		10		13		16		19		22	
	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.	Character.	Direction.
1	a-cu / cu	SSE / E	a-cu / cu	SSE / E	st-cu	E	a-cu / cu	W / E	a-cu	WSW	st-cu	ESE	a-cu / cu	WSW / E	...	...
2	cu	E	cu	ENE	...	...	...	...	...	...	...	...	cu	E	cu	E
3	nb	ESE	cu	E	cu	E	cu / cu-nb	SSW / ESE	a-cu / cu	WSW / E	a-cu	WSW	cu	E	cu	E
4	cu	E	cu	E	a-cu / cu	SW / E	a-cu / cu	WNW / E	a-cu / cu	W / E	a-cu / cu	WNW / ENE	cu	ENE	cu	E
5	cu	E	cu	E	a-cu	WNW	a-cu	W	a-cu / cu	W / ESE	st-cu	SE	st-cu	ESE	st-cu	SSE
6	st-cu	SSE	cu-nb	NE	cu-nb	ESE	cu	SSE	...	...	cu	ENE	cu	NE	cu	ENE
7	cu	E	cu	E	ci-st	W	ci-st	WSW	ci-st	SW	ci-st	WNW	ci-st	W	ci-st	W
8	...	...	...	...	a-cu	WSW	...	...	...	...	...	...	...	...	...	...
9	a-cu	WSW	a-cu	WSW	a-cu	W	a-cu	W	...	...	...	...	...	...	...	...
10	a-cu	W	ci-st	WNW	ci-st	WSW	ci-st	SW	...	...	...	...	...	...	...	...
11	...	...	...	...	ci-cu	W	a-cu	WSW	a-cu	WSW	a-cu	W	st-cu	ENE	cu	E
12	a-cu / cu	WSW / E	cu	E	cu	E	cu	E	st-cu	E	a-cu / cu	W / ENE	cu	E	cu	E
13	cu	E	cu	E	cu	E	cu	E	a-cu / cu	NNW / E	ci-cu	WSW	...	...	cu	E
14	cu	E	cu	E	cu	E	cu	E	cu	E	a-cu	W	cu	E	...	...
15	...	...	cu	E	a-cu / cu	WNW / E	a-cu	W	a-cu	W	cu	E	cu	ENE	cu	ENE
16	st-cu	ENE	nb	E	cu-nb	E	nb	E	st-cu	E	st-cu	E	st-cu	E	st-cu	E
17	st-cu	E	st-cu	E	st-cu	E	st-cu	E	nb	ESE	nb	ESE	cu-nb	E	cu-nb	E
18	nb	E	nb	E	nb	ENE	nb	ENE	nb	ENE	nb	ENE	nb	NE	nb	ENE
19	nb	ENE	nb	ENE	nb	ENE	nb	ENE	cu	ENE	nb	ENE	nb	ENE	nb	ENE
20	st-cu	ENE	st-cu	ENE	cu	E	cu	SE	st-cu	SE	st-cu	ESE	st-cu	ESE	st-cu	ESE
21	st-cu	ESE	nb	E	nb	E	cu-nb	E	a-cu	W	a-cu / cu	WNW / ESE	cu	E	cu	E
22	st-cu	E	st-cu	E	st-cu	E	st-cu	E	st-cu	E	st-cu	ENE	st-cu	E	st-cu	E
23	st-cu	E	st-cu	E	a-cu / cu	WNW / E	ci-st	NNE	ci-st	NNE	ci-st	NNE	...	...	cu	E
24	...	...	...	...	ci-st	S	ci-st	SW	ci-st	WSW	ci-st	W	...	...	ci-st	W
25	cu	ENE	cu	ENE	cu	ENE	a-cu / cu	WSW / ENE	a-cu / cu	WSW / E	ci-st / a-cu	SW / WSW	...	...	cu	E
26	st-cu	E	cu	E	a-cu / cu	SE / E	cu	SSE	st-cu	ESE	st-cu	ESE	cu	SSE	cu	SSE
27	cu	SE	st-cu	SE	nb	SE	nb	SE	cu	NE	cu	ENE	cu	E	a-cu	WSW
28	ci-st / cu	WNW / E	ci-st	WNW	ci-st	SSW	ci-st	SW	ci-st	SW	ci-st	SW	...	...	...	...
29	...	...	...	...	ci-st	WSW	cu	E	cu	E	...	...	...	...	...	...
30	...	...	cu	E	a-cu	SE	a-cu	S	...	...	a-cu	SSE	...	...	...	...
31	...	...	cu	E	st-cu	ENE	a-cu	W	a-cu	W	cu	E	...	...	cu	E

TABLE IX.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1922.
(*British Units.*)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Mean Degree of Humidity (Saturation 100).	Mean Amount of Cloud (0-100).	Bright Sunshine. Daily Duration.	Percentage of possible amount.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	ins.	°	°	°	°	°	ins.	%	%	h.	%	ins.	h.	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·033	72·4	64·7	7·7	67·0	61·0	0·458	69	79	0·9	8	...	...	+ 1·2	+ 11·6	84	11·7	11·9
2	30·012	68·5	59·2	9·3	65·0	59·0	·421	68	22	10·0	93	...	...	+ 4·3	+ 14·2	73	14·8	15·2
3	29·993	70·3	64·8	5·5	67·0	61·5	·474	71	97	3·2	30	...	1	— 0·3	+ 17·7	91	17·7	17·9
4	30·104	73·9	57·0	16·9	66·3	58·8	·398	62	83	4·6	43	...	...	+ 7·2	+ 0·5	4	7·2	7·5
5	30·197	58·9	50·9	8·0	54·7	44·3	·156	37	97	3·1	29	...	...	+ 13·0	+ 1·2	5	13·1	13·1
6	30·125	61·1	47·0	14·1	55·0	46·7	·210	48	79	5·7	53	0·010	2	+ 6·0	— 1·1	350	6·1	7·0
7	30·087	63·8	49·2	14·6	55·9	49·2	·263	58	28	10·5	97	...	...	+ 4·3	— 2·8	327	5·1	6·3
8	30·081	66·0	47·1	18·9	56·2	45·3	·161	36	5	10·6	98	...	...	+ 8·3	+ 2·0	14	8·5	8·6
9	30·082	66·6	53·0	13·6	58·8	48·2	·199	40	41	8·5	79	...	...	+ 2·0	+ 3·0	56	3·6	4·8
10	30·065	69·9	56·3	13·6	62·9	52·7	·264	46	6	10·3	96	...	...	+ 0·3	+ 2·2	82	2·2	3·4
11	30·054	68·0	58·9	9·1	63·6	53·5	·277	47	39	9·2	86	...	...	+ 1·8	+ 12·3	82	12·4	13·0
12	30·001	66·0	61·9	4·1	63·6	57·0	·379	65	87	0·6	6	...	...	— 0·6	+ 17·5	92	17·5	17·5
13	29·989	67·6	62·3	5·3	64·3	59·9	·459	76	48	5·7	53	...	...	+ 1·4	+ 17·8	85	17·9	17·8
14	29·983	69·2	62·5	6·7	64·8	60·6	·475	77	43	6·8	64	...	...	— 0·6	+ 15·9	92	15·9	16·0
15	30·001	72·0	63·4	8·6	66·6	62·0	·496	76	56	7·9	74	...	...	— 0·9	+ 11·8	94	11·8	12·0
16	30·033	63·5	60·0	3·5	61·4	55·9	·375	89	100	...	...	...	...	+ 5·5	+ 8·6	57	10·2	10·3
17	29·993	63·0	56·0	7·0	59·8	55·5	·385	74	100	...	...	0·010	4	+ 3·8	+ 5·9	57	7·0	7·4
18	30·047	57·6	54·9	2·7	56·4	54·1	·390	85	100	...	...	0·245	16	+ 4·5	+ 1·0	12	4·6	4·6
19	30·097	61·8	54·5	7·3	58·6	54·2	·363	74	100	...	...	0·465	10	+ 5·0	+ 3·7	36	6·2	6·8
20	30·087	64·9	57·9	7·0	60·5	53·8	·327	62	100	...	...	...	...	+ 6·5	+ 1·6	14	6·7	7·5
21	30·080	65·6	54·8	10·8	60·0	55·2	·374	72	97	0·4	4	...	2	+ 4·6	+ 0·7	9	4·7	5·1
22	30·080	63·4	58·0	5·4	60·3	55·8	·387	74	100	...	...	...	...	+ 3·9	+ 2·3	30	4·5	4·9
23	30·113	71·7	57·5	4·2	63·6	56·4	·361	62	36	9·5	89	...	...	+ 7·2	+ 1·6	13	7·4	8·1
24	30·120	68·1	55·5	12·6	60·9	54·1	·330	61	11	10·0	93	...	...	+ 4·7	+ 0·4	5	4·7	8·0
25	30·114	65·8	58·6	7·2	61·2	56·1	·384	71	61	8·2	77	...	...	+ 1·7	+ 13·7	83	13·8	14·2
26	30·051	66·3	59·5	6·8	62·2	57·1	·400	71	98	0·6	6	...	...	— 0·1	+ 12·4	90	12·4	13·0
27	29·970	70·0	60·8	9·2	64·8	60·7	·478	78	94	0·4	4	0·010	3	— 0·8	+ 3·5	103	3·6	4·8
28	30·000	72·0	61·4	10·6	65·5	55·6	·313	50	30	9·7	91	...	...	+ 4·5	+ 3·7	39	5·8	9·4
29	30·089	62·7	55·2	7·5	59·5	52·2	·296	58	3	9·8	92	...	...	+ 2·4	+ 13·0	80	13·2	14·8
30	30·062	71·1	58·2	12·9	62·8	56·8	·384	67	25	8·2	77	...	...	— 0·5	+ 5·0	96	5·0	6·7
31	30·063	68·1	58·6	9·5	62·9	56·9	·385	67	50	5·0	47	...	...	+ 0·6	+ 10·8	87	10·8	11·4
Means	30·058	66·8	57·4	9·4	61·7	55·2	0·356	64	62	Sum. 159·4	48	Sum. 0·740	Sum. 38	+ 3·3	+ 6·8	64	7·6	10·0
Normals	30·050	67·5	58·4	9·1	62·6	56·6	0·391	67	53	175·8	53	1·132	35	+ 3·6	+ 8·2	66	8·9	12·0
Absolute Max.	30·270	73·9	...	18·9	...	65·3	0·539	...	...	10·6	98	0·465	16	...	...	...	...	29·0†
Day.	5	4	...	8	...	4	4	...	...	8	8	19	18	...	...	...	...	3rd
Absolute Min.	29·905	...	47·0	2·7	...	40·9	0·111	18	...	...	...	...	...	...	...	...	...	...
Day.	27	...	6	18	...	6	8	8	...	...	...	...	...	...	...	...	...	...

Phenomena :—

Lunar corona :—on the 4th, 5th, 9th, 10th, 26th, 27th and 31st.

Solar corona :—on the 12th and 25th.

Haze :—on the 2nd, 6th, 9th, 10th, 23rd, 27th, 29th, 30th and 31st.

Lightning :—on the 17th, and 20th.

Rain fell on 5 days. The mean hourly intensity was 0·019in., and the maximum fall in one hour was 0·095in. at 6h on the 19th.

The maximum squall velocity, as recorded by the Dines-Baxendell anemograph, was at the rate of 40 miles per hour at 1h 13m on the 1st.

* 0° = N., 90° = E., &c.

† Maximum velocity in one hour.

TABLE X.—DAILY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1922.
(*C. G. S. Units*:—Derived from Table IX.)

Days of the Month.	Mean Barometric Pressure.	Temperature. Of the Air. Highest.	Lowest.	Range.	Mean.	Of Evaporation.	Mean Vapour Tension.	Rainfall. Amount.	Duration.	Wind. Components. North.	East.	Resultant. Direction.*	Velocity.	Observed Velocity.
	m.b.	°	°	°	°	°	m.b.	m.m.	hrs.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1019·1	295·4	291·2	4·2	292·4	289·1	5·4	...	...	+ 0·4	+ 3·8	84	3·8	3·9
2	1018·4	293·3	288·1	5·2	291·3	288·0	14·2	...	...	+ 1·4	+ 4·7	73	4·9	5·0
3	1017·7	294·3	291·2	3·1	292·4	289·4	16·0	...	1	— 0·1	+ 5·8	91	5·8	5·9
4	1021·5	296·3	286·9	9·4	292·1	287·9	13·4	...	...	+ 2·4	+ 0·2	4	2·4	2·5
5	1024·7	287·9	283·5	4·4	285·6	279·8	5·3	...	...	+ 4·3	+ 0·4	5	4·3	4·3
6	1022·3	289·2	281·3	7·9	285·8	281·2	7·0	0·3	2	+ 2·0	— 0·4	350	2·0	2·3
7	1021·0	290·7	282·6	8·1	286·3	282·6	8·8	...	...	+ 1·4	— 0·9	327	1·7	2·1
8	1020·8	291·9	281·4	10·5	286·4	280·4	5·4	...	...	+ 2·7	+ 0·7	14	2·8	2·8
9	1020·8	292·2	284·7	7·5	287·9	282·0	6·7	...	...	+ 0·7	+ 1·0	56	1·2	1·6
10	1020·2	294·1	286·5	7·6	290·2	284·5	8·9	...	..	+ 0·1	+ 0·7	82	0·7	1·1
11	1019·8	293·0	287·9	5·1	290·6	284·9	9·3	...	...	+ 0·6	+ 4·0	82	4·1	4·3
12	1018·0	291·9	289·6	2·3	290·6	286·9	12·8	...	...	— 0·2	+ 5·7	92	5·7	5·7
13	1017·6	292·8	289·8	3·0	290·9	288·5	15·5	...	...	+ 0·5	+ 5·8	85	5·9	5·8
14	1017·4	293·7	289·9	3·8	291·2	288·9	16·0	...	...	— 0·2	+ 5·2	92	5·2	5·2
15	1018·0	295·2	290·4	4·8	292·2	289·7	16·7	...	...	— 0·3	+ 3·9	94	3·9	3·9
16	1019·1	290·5	288·6	1·9	289·3	286·3	12·6	...	...	+ 1·8	+ 2·8	57	3·3	3·4
17	1017·8	290·2	286·3	3·9	288·4	286·1	13·0	0·3	4	+ 1·2	+ 1·9	57	2·3	2·4
18	1019·6	287·2	285·7	1·5	286·6	285·3	13·1	6·2	16	+ 1·5	+ 0·3	12	1·5	1·5
19	1021·3	289·6	285·5	4·1	287·8	285·3	12·2	11·8	10	+ 1·6	+ 1·2	36	2·0	2·2
20	1020·9	291·3	287·4	3·9	288·8	285·1	11·0	...	...	+ 2·1	+ 0·5	14	2·2	2·5
21	1020·7	291·7	285·7	6·0	288·6	285·9	12·6	...	2	+ 1·5	+ 0·2	9	1·5	1·7
22	1020·7	290·4	287·4	3·0	288·7	286·2	13·0	...	...	+ 1·3	+ 0·8	30	1·5	1·6
23	1021·8	295·1	287·2	7·9	290·6	286·6	12·1	...	...	+ 2·4	+ 0·5	13	2·4	2·7
24	1022·1	293·1	286·1	7·0	289·1	285·3	11·1	...	...	+ 1·5	+ 0·1	5	1·5	2·6
25	1021·8	291·8	287·8	4·0	289·2	286·4	12·9	...	...	+ 0·6	+ 4·5	83	4·5	4·7
26	1019·7	292·1	288·3	3·8	289·8	286·9	13·1	...	...	...	+ 4·1	90	4·1	4·3
27	1016·9	294·1	289·0	5·1	291·2	288·9	16·1	0·3	3	— 0·3	+ 1·1	103	1·2	1·6
28	1018·0	295·2	289·3	5·9	291·6	286·1	10·5	...	...	+ 1·5	+ 1·2	39	1·9	3·1
29	1021·0	290·1	285·9	4·2	288·3	284·2	10·0	...	...	+ 0·8	+ 4·3	80	4·3	4·9
30	1020·1	294·7	287·6	7·0	290·1	286·8	12·9	...	...	— 0·2	+ 1·6	96	1·6	2·2
31	1020·1	293·1	287·8	5·3	290·2	286·8	13·0	...	...	+ 0·2	+ 3·5	87	3·5	3·7
Means.	1020·0	292·3	287·1	5·2	289·5	285·9	12·0	Sum. 18·8	Sum. 38	+ 1·1	+ 2·2	64	2·5	3·3
Normals	1019·7	292·7	287·7	5·0	290·0	286·7	13·2	28·8	35	+ 1·2	+ 2·7	66	2·9	3·9
Absolute Maximum	1027·2	296·3	...	10·5	...	291·5	18·2	11·8	16	...	...	...	...	9·5†
Day.	5	4	...	8	...	4	4	19	18	...	...	...	...	3·3‡
Absolute Minimum.	1014·7	...	281·3	1·5	...	277·9	3·8	...	...	...	...	...	...	...
Day.	27	...	6	18	...	6	8	...	...	...	...	...	...	...

* 0° = N. 90° = E., &c.

† Maximum velocity in one hour.

TABLE XI.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1922.
(*British Units.*)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension	Degree of Humidity.	Mean Amount of Cloud (0-100)	Percentage of Possible Sunshine	Rainfall. Percentage of Total Amount.	Rainfall. Percentage of Total Duration.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	ins.	°	°	ins.	%	%	%	%	%	m.p.h.	m.p.h.	°	m.p.h.	m.p.h.
1	30·066	60·1	54·8	0·366	70	63		1	3	+ 4·3	+ 7·9	61	9·0	10·6
2	30·056	59·8	54·6	·364	70	67		8	7	+ 4·2	+ 7·6	61	8·7	10·3
3	30·046	59·4	54·3	·361	70	68		10	8	+ 3·7	+ 7·4	63	8·3	9·5
4	30·043	59·0	53·9	·355	69	68		11	8	+ 4·0	+ 6·9	60	8·0	9·5
5	30·047	58·7	53·6	·351	69	71		13	6	+ 4·2	+ 6·9	59	8·1	9·7
6	30·055	58·6	53·4	·346	69	72		13	9	+ 4·3	+ 6·5	56	7·8	9·0
7	30·072	58·6	53·4	·346	69	74	15	9	9	+ 4·3	+ 6·3	56	7·6	8·9
8	30·088	59·5	53·9	·348	67	75	34	11	7	+ 4·3	+ 6·1	55	7·5	9·3
9	30·109	61·4	54·9	·351	63	71	47	7	7	+ 4·1	+ 6·0	56	7·3	9·2
10	30·114	63·3	55·9	·356	60	67	54	9	6	+ 3·8	+ 7·7	64	8·6	10·5
11	30·102	64·6	56·4	·353	57	60	56	3	3	+ 2·5	+ 7·4	71	7·8	11·2
Noon.	30·077	65·2	56·5	·348	55	56	55	1	3	+ 1·6	+ 6·9	77	7·1	11·0
13	30·043	65·7	56·9	·354	55	55	59	...	3	+ 1·5	+ 6·8	78	7·0	11·5
14	30·017	65·7	56·7	·347	54	49	59	...	3	+ 1·5	+ 7·1	78	7·3	11·2
15	30·003	65·4	56·6	·349	54	49	60	2	5	+ 1·5	+ 6·8	78	7·0	10·6
16	30·003	64·7	56·3	·348	56	56	50	2	5	+ 2·0	+ 6·6	73	6·9	10·2
17	30·015	63·6	56·1	·358	60	55	32	...	1	+ 1·9	+ 5·9	72	6·2	10·0
18	30·031	62·3	55·6	·360	63	59		...	1	+ 2·0	+ 5·9	71	6·2	8·8
19	30·046	61·6	55·4	·364	65	60		...	1	+ 3·1	+ 5·9	62	6·7	8·6
20	30·060	61·2	55·2	·363	66	58		...	...	+ 3·8	+ 6·4	59	7·5	9·2
21	30·072	60·8	55·1	·365	67	55		...	2	+ 3·9	+ 7·1	61	8·1	10·0
22	30·079	60·5	55·0	·366	68	55		...	1	+ 4·0	+ 7·1	61	8·2	9·8
23	30·078	60·3	54·8	·363	68	60		...	1	+ 4·0	+ 7·3	61	8·3	10·3
Midn.	30·074	60·2	54·8	·364	69	62		...	1	+ 4·0	+ 7·7	62	8·7	10·5

TABLE XII.—MEAN HOURLY VALUES of METEOROLOGICAL ELEMENTS in the MONTH of DECEMBER, 1922.
(*C. G. S. Units*:—Derived from Table XI.)

Hours, Hongkong Standard Time.	Barometric Pressure.	Temperature. Of the Air.	Temperature. Of Evaporation.	Mean Vapour Tension.	Wind. Components. North.	Wind. Components. East.	Wind. Resultant. Direction. *	Wind. Resultant. Velocity.	Observed Velocity.
	m.b	°	°	m.b.	m.p.s.	m.p.s.	°	m.p.s.	m.p.s.
1	1020·2	288·6	285·7	12·3	+ 1·4	+ 2·6	61	3·0	3·5
2	1019·9	288·4	285·6	12·3	+ 1·4	+ 2·5	61	2·9	3·4
3	1019·5	288·2	285·4	12·1	+ 1·2	+ 2·4	63	2·7	3·1
4	1019·5	288·0	285·2	11·9	+ 1·3	+ 2·3	60	2·6	3·1
5	1019·6	287·8	285·0	11·8	+ 1·4	+ 2·3	59	2·7	3·2
6	1019·9	287·8	284·9	11·6	+ 1·4	+ 2·1	56	2·6	3·0
7	1020·5	287·8	284·9	11·6	+ 1·4	+ 2·1	56	2·5	2·9
8	1021.0	288·3	285·2	11·7	+ 1·4	+ 2·0	55	2·5	3·0
9	1021·7	289·3	285·7	11·8	+ 1·3	+ 2·0	56	2·4	3·0
10	1021·8	290·4	286·3	12·0	+ 1·2	+ 2·5	64	2·8	3·4
11	1021·4	291·1	286·6	11·9	+ 0·8	+ 2·4	71	2·6	3·7
Noon.	1020·6	291·4	286·6	11·7	+ 0·5	+ 2·3	77	2·3	3·6
13	1019·4	291·7	286·8	11·9	+ 0·5	+ 2·2	78	2·3	3·8
14	1018·5	291·7	286·7	11·7	+ 0·5	+ 2·3	78	2·4	3·7
15	1018·1	291·6	286·7	11·7	+ 0·5	+ 2·2	78	2·3	3·5
16	1018·1	291·2	286·5	11·7	+ 0·7	+ 2·2	73	2·3	3·3
17	1018·5	290·6	286·4	12·0	+ 0·6	+ 1·9	72	2·0	3·3
18	1019·0	289·8	286·1	12·1	+ 0·7	+ 1·9	71	2·0	2·9
19	1019·5	289·4	286·0	12·3	+ 1·0	+ 1·9	62	2·2	2·8
20	1020·0	289·2	285·9	12·2	+ 1·2	+ 2·1	59	2·5	3·0
21	1020·4	289·0	285·8	12·3	+ 1·3	+ 2·3	61	2·7	3·3
22	1020·7	288·8	285·8	12·3	+ 1·3	+ 2·3	61	2·7	3·2
23	1020·6	288·7	285·7	12·2	+ 1·3	+ 2·4	61	2·7	3·4
Midn.	1020·5	288·7	285·7	12·3	+ 1·3	+ 2·5	62	2·9	3·4

* 0° = N., 90° = E., &c.

TABLE XIII.—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1922.
(*British Units*).

Month, 1922.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.	Vapour Tension.		
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range.)	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.		Highest.	Lowest.	Mean.
	ins.	ins.	ins.	ins.	°	°	°	°	°	°	°	°	ins.	ins.	ins.
January	30·219	29·781	30·023	0·103	74·2	47·6	26·6	64·3	57·6	6·9	60·5	57·2	0·620	0·218	0·432
February	·199	·702	29·925	0·098	73·2	49·3	23·9	65·0	58·1	6·9	61·3	58·5	0·706	0·245	0·461
March	·161	·671	·923	0·097	77·4	52·8	24·6	68·5	61·1	7·4	64·1	60·7	0·783	0·196	0·490
April	·118	·595	·849	0·100	84·5	60·9	23·6	75·7	67·6	8·1	71·0	67·1	0·967	0·162	0·618
May	29·883	·553	·719	0·087	89·5	71·5	18·0	83·3	75·4	7·9	78·6	75·2	1·034	0·535	0·832
June	·789	·419	·624	0·069	89·9	71·8	18·1	86·5	78·8	7·7	81·9	77·5	1·046	0.516	0·886
July	·827	·385	·605	0·071	90·7	73·4	17·3	87·3	78·6	8·7	82·5	78·0	1·045	0·730	0·899
August	·699	·174	·541	0·073	93·1	75·1	18·0	87·3	78·8	8·5	82·4	78·3	1·063	0·706	0·915
September	·902	·466	·665	0·079	91·3	69·8	21·5	85·7	76·5	9·2	80·4	75·3	1·046	0·403	0·816
October	30·119	·747	·892	0·091	84·3	65·7	18·6	80·5	72·1	8·4	75·5	69·8	0·867	0·405	0·656
November	·445	·768	30·012	0·106	82·5	43·7	38·8	74·1	63·4	10·7	68·4	60·3	0·744	0·055	0·434
December	·270	·905	·058	0·111	73·9	47·0	26·9	66·8	57·4	9·4	61·7	55·2	0·539	0·111	0·356
Year.	30·445	29·174	29·820	0·090	93·1	43·7	49·4	77·1	68·8	8·3	72·4	67·8	1·063	0·055	0·650
Date.	Nov. 26.	Aug. 3.	...	...	Aug. 2.	Nov. 26.	...	...	...	...	...	...	Aug. 8.	Nov. 26.	...

Month, 1922.	Degree of Humidity.		Clouds.			Bright Sunshine.		Rainfall.						Wind.				
	Mean.	Lowest.	Mean amount (0-100).	Direction of motion.*		Daily Duration. †	Percentage of Possible Sunshine.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Resultant. †		Observed Velocity.		
				of Upper.	of Lower									Direction.*	Velocity.	Mean. †	Maximum. Hourly. †	Maximum. Squall. ‡
	%	%		°	°	hrs.	%	ins.	hrs.		ins.	ins.	ins.	°	m.p.h.	m.p.h.	m.p.h.	m.p.h.
Jan.	81	47	83	255	94	94·7	28	2·660	119	15	0·022	0·835	0·425	85	11·8	13·4	33	45
Feb.	83	52	87	263	108	79·3	25	5·490	85	12	0·065	1·440	0·390	88	13·7	15·4	39	55
Mar.	81	37	85	256	107	96·7	26	3·675	89	9	0·041	2·110	0·340	86	12·4	14·6	39	47
April	81	17	76	272	133	153·1	40	2·020	75	7	0·027	1·150	0·510	97	8·7	12·0	31	51
May	85	56	79	290	185	175·8	43	5·495	71	21	0·077	1·030	0·650	111	6·4	12·4	30	48
June	81	51	79	333	205	183·4	45	6·525	42	16	0·155	2·950	1·305	173	5·9	10·4	25	45
July	81	55	58	47	143	246·6	60	12·800	75	15	0·171	2·330	1·180	112	8·2	11·6	51	70
Aug.	82	57	78	54	221	180·0	45	17·535	97	25	0·181	2·355	1·625	207	4·2	7·7	39	65
Sept.	78	43	60	50	293	205·3	56	9·935	73	15	0·136	3·700	0·825	60	4·2	10·1	55	75
Oct.	74	35	56	282	80	223·2	62	2·025	30	10	0·067	0·760	0·625	76	10·2	12·2	31	39
Nov.	59	17	50	260	77	197·8	60	0·535	20	4	0·027	0·475	0·145	63	6·8	9·3	36	57
Dec.	64	18	62	257	91	159·4	48	0·740	38	5	0·019	0·465	0·095	64	7·6	10·0	29	40
Year.	78	17	71	273	123	1995·3	45	69·435	814	154	0·085	3·700	1·625	92	7·1	11·6	55	75
Date.	...	Apr. 17. Nov. 26.	...	...	...	...	...	...	...	...	...	Sept. 21.	Aug. 28d 20h	...	...	...	Sept 20d 21h	Sept. 20 23h 5m

* 0°=North, 90°=East &c. † Beckely Anemograph. ‡ Dines-Baxendell Anemograph.

TABLE XIV.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS for the PERIOD 1884-1918, and EXTREME VALUES for the PERIOD 1884-1918. (*British Units*).

Month.	Barometric Pressure.				Air Temperature.								Vapour Tension.		
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Daily Mean Range.	Mean.	Temperature of Evaporation.	Highest.	Lowest.	Means.
	ins.	ins.	ins.	ins.									ins.	ins.	ins.
January	30·509	29·605	30·049	0·108	79·3	32·0	47·3	64·4	56·1	8·3	59·8	55·2	0·748	0·035	0·386
February.....	30·400	29·421	30·018	0·106	79·1	38·4	40·7	62·9	55·2	7·7	58·8	54·9	0·820	0·026	0·390
March	30·355	29·527	29·942	0·103	82·3	45·9	36·4	67·0	59·6	7·4	62·9	59·9	0·838	0·097	0·485
April.....	30·273	29·488	29·843	0·093	88·6	51·8	36·8	74·7	67·0	7·7	70·3	67·3	0·936	0·173	0·637
May	30·045	29·330	29·751	0·084	91·5	59·7	31·8	81·3	73·5	7·8	76·8	73·1	1·043	0·221	0·772
June.....	29·881	29·137	29·654	0·070	93·6	68·9	24·7	85·3	77·6	7·7	80·9	76·9	1·053	0·372	0·873
July	29·889	28·762	29·616	0·068	94·0	72·1	21·9	86·7	78·3	8·4	82·0	77·7	1·118	0·548	0·895
August.....	29·873	29·078	29·625	0·073	97·0	71·6	25·4	86·5	77·7	8·8	81·5	77·4	1·093	0·535	0·888
September.....	30·009	28·876	29·719	0·079	94·0	65·6	28·4	85·5	76·7	8·6	80·5	75·2	1·064	0·183	0·806
October	30·192	29·089	29·873	0·091	93·8	57·4	36·4	80·9	72·8	8·1	76·4	70·0	0·962	0·177	0·654
November.....	30·311	28·735	29·989	0·101	86·1	46·7	39·4	74·2	65·1	9·1	69·2	62·5	0·878	0·064	0·487
December..	30·454	29·752	30·050	0·107	81·9	40·7	41·2	67·5	58·4	9·1	62·6	56·6	0·741	0·035	0·391
Year.	30·509	28·735	29·844	0·090	97·0	32·0	...	76·4	68·2	8·2	71·8	67·2	1·118	0·026	0·639
Date.	1903, Jan. 6.	1900, Nov. 10.	...	...	1900. Aug. 19.	1893. Jan. 18.	...	...	...	...	...	...	1896. July 7.	1901, Feb. 5.	...

Month.	Degree of Humidity.		Clouds.			Bright Sunshine.		Rainfall.						Wind. †			
				Direction of Motion.*										Resultant.		Observed Velocity.	
	Mean.	Lowest.	Mean Amount (0-100).	of Upper.	of Lower.	Daily Duration.	Percentage of Possible Sunshine	Total.	Duration.	Days of Rain	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direction. *	Velocity.	Mean.	Absolute Maximum.
	%	%		°	°	hrs.	%	ins.	hrs.		ins.	ins.	ins.		m.p.h.	m.p.h.	m.p.h.
Jan.....	73	5	62	252	97	148·3	44	1·373	47	6.3	0·029	3·920	0·725	76	10·3	13·2	53
Feb.	76	6	74	260	103	99·7	31	1·603	62	8.1	0·026	2·185	0·970	78	11·6	14·3	53
Mar.....	83	19	83	258	118	87·5	24	2·787	74	10.9	0·038	3·785	1·570	84	13·4	15·5	49
April....	85	20	80	258	133	114·2	30	5·302	73	11.9	0·073	6·225	2·420	90	11·6	14·3	47
May	83	28	75	267	160	155·3	38	11·602	87	15.8	0·133	20·495	3·400	100	7·9	12·7	52
June	83	34	77	334	190	163·6	40	16·090	87	20.6	0·185	12·630	2·855	150	5·6	11·9	48
July.....	82	47	67	47	180	209·9	51	13·382	68	18.8	0·197	13·480	3·480	143	4·9	10·9	108
Aug	83	38	65	50	181	201·7	51	14·051	66	16.7	0·213	11·135	2·350	135	3·1	9·4	86
Sept.	77	23	58	42	92	198·4	54	9·988	53	14.3	0·188	5·855	2·420	81	7·3	11·7	89
Oct.....	71	22	51	275	83	213·2	59	4·850	33	8.0	0·147	10·190	2·130	74	10·8	14·2	85
Nov.....	66	10	54	244	85	183·1	55	1·674	30	5.7	0·056	5·875	1·740	63	9·8	12·9	90
Dec.....	67	7	53	246	91	175·8	53	1·132	35	4.9	0·032	1·670	0·500	66	8·9	12·0	63
Year.	77	5	67	268	127	1950·7	44	83·834	715	142·0	0·117	20·495	3·480	87	8·1	12·7	108
Date.	...	1888, Jan. 5.	...	...	...	...	...	...	...	...	...	1889, May 30.	1886, July 15d 15h	...	...	...	1896, July 29d 22h

* 0° = North, 90° = East &c.

† Beckley Anemograph.

TABLE XV.—MONTHLY VALUES of the METEOROLOGICAL ELEMENTS in the YEAR 1922. (*C.G.S. Units*).

Month, 1922.	Barometric Pressure.				Air Temperature.							Temperature of Evaporation.
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	
	m.b.	m.b.	m.b.	m.b.	°	°	°	°	°	°	°	°
January	1025·4	1010·5	1018·8	3·5	296·4	281·7	14·7	291·1	287·2	3·9	288·8	287·0
February	1024·8	1007·8	1015·5	3·3	295·9	282·6	13·3	291·3	287·5	3·8	289·3	287·7
March	1023·5	1006·7	1015·4	3·3	298·2	284·6	13·6	293·3	289·2	4·1	290·8	288·9
April	1021·9	1004·1	1012·8	3·4	302·2	289·1	13·1	297·3	292·8	4·5	294·7	292·5
May	1013·9	1002·6	1008·3	3·0	304·9	294·9	10·0	301·5	297·1	4·4	298·9	297·0
June	1010·7	998·1	1005·1	2·3	305·2	295·1	10·1	303·3	299·0	4·3	300·7	298·3
July	1012·0	996·9	1004·4	2·4	305·6	296·0	9·6	303·7	298·9	4·8	301·1	298·6
August	1007·6	989·8	1002·2	2·5	306·9	296·9	10·0	303·7	299·0	4·7	301·0	298·7
September	1014·5	999·7	1006·5	2·7	305·9	294·0	11·9	302·8	297·7	5·1	299·9	297·1
October	1021·9	1009·3	1014·2	3·1	302·1	291·7	10·4	299·9	295·3	4·6	297·2	294·0
November	1033·2	1010·0	1018·3	3·6	301·1	279·5	21·6	296·4	290·4	6·0	293·2	288·7
December	1027·2	1014·7	1020·0	3·7	296·3	281·3	15·0	292·3	287·1	5·2	289·5	285·9
Year.	1033·2	989·8	1011·8	3·1	306·9	279·5	27·4	298·1	293·4	4·7	295·4	292·9
Date.	Nov. 26.	Aug. 3.	...	...	Aug. 2.	Nov. 26.	...	...	...	...	...	...

Month, 1922.	Vapour Tension.			Rainfall.						Wind.				
										Resultant. †		Observed Velocity.		
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direction.*	Velocity.	Mean †	Maximum Hourly.‡	Maximum Squall.*
	m.b.	m.b.	m.b.	m.m.	hrs.		m.m.	m.m.	m.m.	°	m.p.s.	m.p.s	m.p.s.	m.p.s.
January	20·9	7·3	14·6	67·6	119	15	0·6	21·2	10·8	85	3·9	4·4	10·8	15
February	23·8	8·2	15·5	139·5	85	12	1·6	36·6	9·9	88	4·5	5·0	12·8	18
March	26·4	6·6	16·5	93·3	89	9	1·0	53·6	8·6	86	4·1	4·8	12·8	15
April	32·6	5·5	20·8	51·3	75	7	0·7	29·2	12·9	97	2·9	3·9	10·2	17
May	34·9	18·0	28·1	139·6	71	21	2·0	26·2	16·5	111	2·1	4·1	9.8	16
June	35·3	17·4	29·9	165·7	42	16	3·9	74·9	33·1	173	1·9	3·4	8·2	15
July	35·2	24·6	30·3	325·1	75	15	4·3	59·2	30·0	112	2·7	3·8	16·8	23
August	35·9	23·8	30·9	445·4	97	25	4·6	59·8	41·3	207	1·4	2·5	12·8	21
September	35·3	13·6	27·5	252·3	73	15	3·5	94·0	21·0	60	1·4	3·3	18·0	25
October	29·3	13·6	22·1	51·4	30	10	1·7	19·3	15·9	76	3·3	4·0	10·2	13
November	25·1	1·9	14·6	13·6	20	4	0·7	12·1	3·7	63	2·2	3·0	11·8	15
December	18·2	3·8	13·2	18·8	38	5	0·5	11·8	2·4	64	2·5	3·3	9·5	13
Year.	35·9	1·9	22·0	1763·6	814	154	2·2	94·0	41·3	92	2·3	3·8	18·0	25
Date.	Aug. 8.	Nov. 26.	...	...	...	...	...	Sept. 21.	Aug. 28d 20h.	...	...	...	Sept. 20d 21h.	Sept. 20d 23h 5m.

* 0°=North, 90°=East &c. † Beckley Anemograph. ‡ Dines-Baxendell Anemograph

TABLE XVI.—MONTHLY NORMALS of the METEOROLOGICAL ELEMENTS for the PERIOD 1884-1918, and EXTREME VALUES for the PERIOD 1884-1918. (*C.G.S. Units*).

Month.	Barometric Pressure.				Air Temperature.							
	Highest.	Lowest.	Mean.	Mean Diurnal Inequality (Range).	Highest.	Lowest.	Range in Month.	Mean of the Daily Maxima.	Mean of the Daily Minima.	Mean Daily Range.	Mean.	Temperature of Evaporation.
	m.b.	m.b.	m.b.	m.b.								
January	1035·4	1004·6	1019·7	3·6	299·3	273·0	26·3	291·0	286·4	4·6	288·4	285·9
February	1031·7	998·3	1018·6	3·6	299·2	276·6	22·6	290·2	285·9	4·3	287·9	285·7
March	1030·2	1001·9	1016·0	3·5	300·9	280·7	20·2	292·4	288·3	4·1	290·2	288·5
April	1027·3	1000·5	1012·6	3·2	304·4	284·0	20·4	296·7	292·4	4·3	294·3	292·6
May	1019·5	995·1	1009·4	2·8	306·1	288·4	17·7	300·4	296·1	4·3	297·9	295·8
June	1013·8	988·5	1006·1	2·4	307·2	293·5	13·7	302·6	298·3	4·3	300·2	297·9
July	1014·1	975·8	1004·8	2·3	307·4	295·3	12·1	303·4	298·7	4·7	300·8	298·4
August	1013·6	986·6	1005·1	2·5	309·1	295·0	14·1	303·3	298·4	4·9	300·5	298·2
September	1018·2	979·7	1008·3	2·7	307·4	291·7	15·7	302·6	297·8	4·8	299·9	297·0
October	1024·5	986·9	1013·6	3·1	307·3	287·1	20·2	300·2	295·7	4·5	297·7	294·1
November	1028·6	974·9	1017·6	3·4	303·1	281·2	21·9	296·4	291·4	5·0	293·7	289·9
December	1033·5	1009·4	1019·7	3·6	300·7	277·8	22·9	292·7	287·7	5·0	290·0	286·7
Year.	1035·4	974·9	1012·6	3·1	309·1	273·0	...	297·7	293·1	4·6	295·1	292·6
Date.	1903, Jan. 6.	1900, Nov. 10.	...	...	1900, Aug. 19.	1893, Jan. 18.	...	...	...	...	...	...

Month.	Vapour Tension.			Rainfall.						Wind. †			
										Resultant.		Observed Velocity.	
	Highest.	Lowest.	Mean.	Total.	Duration.	Days of Rain.	Hourly Intensity.	Daily Maximum.	Hourly Maximum.	Direction.*	Velocity.	Mean.	Absolute Maximum
	m.b.	m.b.	m.b.	m.m.	hrs.		m.m.	m.m.	m.m.		m.p.s.	m.p.s.	m.p.s.
January	25·2	1·2	13·0	34·9	47	6·3	0·7	99·6	18·4	76	3·4	4·3	17
February	27·7	0·9	13·1	40·7	62	8·1	0·7	55·5	24·6	78	3·8	4·7	17
March	28·3	3·3	16·4	70·8	74	10·9	1·0	96·1	39·9	84	4·4	5·1	16
April	31·6	5·8	21·5	134·7	73	11·9	1·8	158·1	61·5	90	3·8	4·7	15
May	35·2	7·4	26·0	294·7	87	15·8	3·4	520·6	86·4	100	2·6	4·2	17
June	35·5	12·5	29·5	408·7	87	20·6	4·7	320·8	72·5	150	1·8	3·9	16
July	37·7	18·5	30·2	339·9	68	18·8	5·0	342·4	88·4	143	1·6	3·6	35
August	36·9	18·0	30·0	356·9	66	16·7	5·4	282·8	59·7	135	1·0	3·1	28
September	35·9	6·1	27·2	253·7	53	14·3	4·8	148·7	61·5	81	2·4	3·8	29
October	32·5	6·0	22·0	123·2	33	8·0	3·7	258·8	54·1	74	3·5	4·7	28
November	29·6	2·2	16·4	42·5	30	5·7	1·4	149·2	44·2	63	3·2	4·2	30
December	25·0	1·2	13·2	28·7	35	4·9	0·8	42·4	12·7	66	2·9	3·9	21
Year.	37·7	0·9	21·6	2129·4	715	142·0	3·0	520·6	88·4	87	2·7	4·2	35
Date.	1896, July 7.	1901, Feb. 5.	...	...	...	...	...	1889, May 30.	1885, July 15d 15h	...	...	...	1896, July 29d 22h

* 0° = North, 90° = East, &c.

† Beckley Anemograph.

TABLE XVII.—MONTHLY PREVALENCE of METEOROLOGICAL PHENOMENA in the YEAR 1922.

Month 1922.	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.						
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Phenomena	Lightning.	Thunder.	Rainbow.	Unusual Visibility.	Dew.
January....	13	10	64	7	...	1	2	1	2	1	...	..	...	...	...	...
February..	8	7	65	7	1	1	3	2	6	13	1	1	1	...	...	...
March.....	5	10	64	6	3	...	5	2	5	11	...	...	...	...	...	1
April.....	2	2	59	5	5	6	6	7	8	11	2	2	2	...	1	1
May.....	2	4	44	5	11	17	4	4	9	1	20	20	8	1	4	2
June.....	...	3	23	8	31	23	2	3	7	...	12	12	4	1	5	2
July.....	...	2	35	20	12	5	8	3	15	2	15	11	8	4	20	6
August.....	1	1	8	4	24	25	15	8	14	...	20	19	13	5	8	2
September.	14	4	25	6	7	4	13	9	18	2	18	16	10	1	4	7
October...	17	11	60	5	1	...	1	...	5	...	6	6	1	1	3	1
November.	21	20	35	7	1	1	2	1	12	...	1	1	...	...	1	3
December..	25	19	38	3	...	1	3	3	8	...	2	2	...	...	...	...
Year.....	9	8	43	7	8	7	5	4	9	41	97	90	47	13	46	25

Month 1922.	Number of Days on which different Phenomena were observed.						Number of Times different Forms of Cloud were observed. (8 observations a day.)								
	Halo.		Corona.		No. of Thunder-storms.	Cirrus.	Cirro-Stratus.	Cirro-Cumulus.	Alto-Stratus.	Alto-Cumulus.	Cumulus.	Strato-Cumulus.	Cumulo-Nimbus.	Nimbus.	Stratus.
	Solar.	Lunar.	Solar.	Lunar.											
January....	1	...	...	7	...	...	14	5	...	18	87	20	37	78	5
February...	...	...	...	2	1	...	1	1	...	35	82	28	34	61	3
March	...	1	...	3	...	...	2	1	8	27	67	53	17	72	17
April.....	2	...	...	5	1	...	18	2	3	27	115	10	32	50	2
May.....	2	1	...	8	9	...	13	6	1	27	151	...	40	55	2
June.....	5	3	...	5	6	1	68	3	...	13	170	2	32	28	1
July.....	1	3	1	9	4	...	76	4	1	7	152	...	17	39	...
August...	4	3	2	8	8	1	65	4	...	11	149	...	33	50	...
September.	3	2	...	8	5	...	42	6	...	17	136	...	17	42	...
October....	...	...	...	1	...	...	1	2	...	20	149	3	18	21	...
November.	...	1	...	6	...	...	20	7	1	46	77	15	11	13	...
December..	...	...	2	7	...	...	25	2	...	43	86	39	7	24	...
Year.....	18	14	5	69	34	2	345	43	14	291	1421	170	295	533	30

TABLE XVIII.—NORMAL PREVALENCE of METEOROLOGICAL PHENOMENA for the PERIOD 1884-1918.

Month,	Percentage of Wind from the Eight Principal Points of the Compass.									Number of Days on which different Phenomena were observed.					
	N	NE	E	SE	S	SW	W	NW	Calm.	Fog.	Electric Phenomena.	Lightning.	Thunder.	Rainbow.	Dew.
January ...	18	11	52	5	1	1	4	3	5	4·5	0·3	0·3	0·2	0·2	2·7
February...	16	10	56	5	2	1	3	3	4	4·7	0·5	0·4	0·3	0·1	1·6
March.....	8	8	66	4	3	1	3	3	4	8·3	3·1	2·7	2·6	0·1	2·0
April.....	4	6	64	6	7	3	3	3	4	7·2	7·3	6·6	5·2	0·2	4·0
May.....	3	5	50	6	13	10	5	3	5	2·2	12·4	11·8	6·3	1·1	5·1
June.....	1	4	28	9	24	21	5	3	5	0·9	15·5	14·6	8·5	3·4	3·9
July.....	2	4	27	11	19	17	9	4	7	1·3	16·5	15·6	8·3	4·3	7·8
August....	2	4	26	10	12	15	13	6	12	3·2	19·3	18·2	10·1	3·3	11·5
September.	8	10	39	11	5	3	8	5	11	2·8	13·0	12·3	5·3	2·4	8·7
October....	15	15	49	8	2	1	3	3	4	0·8	2·9	2·9	1·0	0·8	3·9
November.	25	18	42	5	1	1	3	1	4	0·9	0·4	0·3	0·2	0·5	4·0
December..	24	13	44	6	1	1	3	2	6	2·5	0·3	0·3	0·2	0·1	3·9
Year.....	11	9	45	7	8	6	5	3	6	39·3	91·5	86·0	48·2	16·5	59·1

Month,	Number of Days on which different Phenomena were observed.					Number of Times different Forms of Cloud were observed. (8 observations a day).								
	Halo.		Corona.		No. of Thunder Storms.	Cirrus.	Cirro-Stratus.	Cirro-Cumulus.	Alto-Stratus. *	Alto-Cumulus.	Cumulus.	Strato-Cumulus.	Cumulo-Nimbus.	Nimbus.	Stratus.
	Solar.	Lunar.	Solar.	Lunar.											
January....	0·2	0·2	0·0	1·0	0·2	0·3	5·9	5·8	1·5	44·4	94·6	9·1	17·2	19·4	16·9
February...	0·1	0·0	0·1	1·1	0·2	0·3	4·3	2·9	3·2	31·5	84·4	8·2	21·0	30·5	25·6
March.....	0·6	0·5	0·3	0·6	1·9	0·1	4·6	3·3	1·8	28·9	107·9	9·9	28·8	40·0	26·7
April.....	1·2	0·3	0·3	1·2	4·2	0·3	10·7	7·6	1·3	32·2	120·8	6·5	25·0	39·3	16·3
May.....	2·3	1·9	0·3	2·4	4·7	0·9	25·2	16·9	2·5	37·0	141·9	5·8	21·9	40·4	7·4
June.....	4·1	3·4	0·3	3·3	5·7	1·3	41·3	25·2	1·0	24·3	159·3	3·8	18·0	40·7	6·0
July.....	5·7	4·3	0·4	3·6	5·9	1·7	59·7	32·4	1·0	18·6	167·5	3·1	14·8	32·9	4·8
August.....	5·6	4·7	1·0	3·4	5·9	2·0	58·7	32·2	2·0	25·6	156·1	1·6	14·0	32·8	6·3
September.	3·3	3·0	0·4	3·2	3·5	0.6	37·4	26·7	1·0	33·1	140·4	3·7	11·3	25·4	5·3
October....	1·2	1·3	0·3	2·3	0·7	0·4	15·6	14·9	0·5	38·1	139·7	3·4	9·5	16·5	6·3
November.	1·2	1·1	0·2	2·2	0·1	0·2	19·9	11·8	3·3	43·5	102·4	4·8	8·1	16·5	9·9
December..	0·2	0·3	0·1	1·7	0·1	0·5	12·0	7·1	5·3	45·6	82·9	5·0	10·5	18·9	11·5
Year.....	25·7	21·0	3·7	26·0	33·1	8·6	295·3	186·8	24·4	402·8	1497·9	64·9	200·1	353·3	142·0

* For the Period 1913–1918.

TABLE XIX.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY, HONGKONG IN THE YEAR 1922, AND NORMALS FOR THE PERIOD 1884–1918. (*British Units*).

Five-day periods beginning.	Barometric Pressure.		Temperature of the Air.		Relative Humidity.		Vapour Tension.		Wind * Direction.		Wind Velocity.		Amount of Cloud. (0-10).		Bright Sunshine.		Rainfall.	
	1922.	Normals.	1922.	Normals.	1922.	Normals.	1922.	Normals.	1922.	Normals.	1922.	Normals.	1922.	Normals.	1922.	Normals.	1922.	Normals.
	ins.	ins.	°	°			ins.	ins.	°	°	m.p.h.	m.p.h.			hrs.	hrs.	ins.	ins.
Jan. 1	30·061	30·082	63·1	60·4	81	67	0·469	0·367	93	72	11·1	12·0	68	55	5·0	5·5	0·121	0·026
6	·124	·073	63·1	60·2	67	70	·391	·378	82	73	11·3	13·0	49	52	8·1	5·7	...	0·032
11	29·936	·032	64·7	60·5	82	74	·502	·401	94	76	18·3	11·5	94	66	2·2	4·4	0·014	0·033
16	·955	·051	54·4	58·9	80	74	·352	·379	59	76	10·9	12·9	100	66	...	4·2	0·040	0·028
21	·995	·041	59·7	59·9	84	75	·433	·400	87	78	15·2	14·1	87	63	2·9	4·9	0·020	0·041
26	30·056	·019	59·2	59·1	89	76	·454	·393	88	77	11·7	13·8	99	70	0·7	3·8	0·337	0·107
31	·042	·026	57·3	57·5	83	74	·393	·363	81	70	13·3	13·9	76	73	3·7	3·7	0·017	0·074
Feb. 5	29·984	·036	63·1	57·6	78	72	·454	·362	94	75	14·2	13·9	80	73	5·1	3·6	0·006	0·053
10	·818	·064	63·7	57·9	90	73	·537	·359	92	77	20·9	14·6	97	65	0·6	4·6	0·500	0·034
15	·902	·014	60·8	59·2	81	78	·434	·406	81	80	16·7	12·9	79	74	3·3	3·4	0·492	0·060
20	·880	29·997	62·7	59·6	86	78	·499	·409	98	81	15·4	14·2	94	78	2·9	3·0	0·018	0·068
25	·980	·965	57·9	60·8	82	81	·412	·444	65	79	11·2	14·9	100	80	0·3	2·8	0·065	0·058
Mar. 2	·803	·965	64·3	61·3	94	81	·575	·448	98	81	18·6	16·0	100	82	0·6	3·0	0·140	0·046
7	30·042	·948	62·1	62·5	78	82	·438	·482	84	84	12·7	16·4	85	86	3·1	2·5	0·012	0·051
12	29·944	·943	67·3	62·1	79	83	·532	·475	95	81	13·0	15·1	54	83	8·8	2·5	...	0·110
17	·926	·943	66·3	62·4	79	82	·515	·473	89	82	15·3	14·8	82	81	3·5	2·9	...	0·110
22	·991	·929	61·5	64·2	72	82	·397	·510	66	84	14·1	14·8	99	85	...	2·8	0·148	0·121
27	·809	·913	65·0	65·7	83	83	·513	·536	80	85	15·6	15·9	84	83	3·4	3·2	0·435	0·099
Apr. 1	·741	·885	72·9	66·8	87	82	·712	·552	147	87	12·8	14·9	90	82	4·2	3·3	0·004	0·116
6	·986	·865	66·7	68·2	88	83	·578	·588	90	90	17·2	14·5	90	85	2·5	2·8	0·011	0·170
11	·954	·848	68·9	70·1	83	85	·586	·636	89	87	13·5	13·9	56	80	8·5	3·7	...	0·157
16	·880	·823	71·1	70·8	67	86	·516	·659	94	88	13·1	14·1	48	79	8·9	3·6	0·001	0·210
21	·799	·818	74·3	72·7	70	85	·598	·689	330	91	5·6	13·6	79	74	4·8	4·8	0·024	0·156
26	·736	·819	72·1	73·1	90	87	·718	·695	97	89	9·8	15·0	95	77	1·7	4·6	0·364	0·256
May. 1	·783	·821	75·8	73·6	90	83	·806	·697	90	86	13·2	13·9	83	73	5·4	4·7	0·247	0·198
6	·748	·771	78·6	75·5	84	83	·828	·740	111	95	5·9	13·0	61	70	8·2	5·2	0·091	0·291
11	·735	·766	77·6	76·3	86	83	·819	·756	105	95	12·2	13·4	91	76	3·8	5·0	0·075	0·376
16	·725	·733	78·5	77·8	83	84	·810	·804	103	116	10·1	11·8	63	75	7·8	5·2	0·181	0·451
21	·656	·717	78·8	78·1	87	83	·856	·809	84	108	17·3	12·5	85	79	4·6	4·4	0·315	0·409
26	·659	·706	83·1	78·9	81	82	·921	·816	207	109	16·8	11·7	92	73	4·9	5·3	0·190	0·497
31	·736	·694	78·1	79·7	76	82	·737	·838	89	140	7·3	11·8	57	74	6·5	5·4	...	0·547
June 5	·514	·676	80·8	79·7	84	84	·884	·852	173	123	7·9	12·3	92	80	2·7	4·6	0·033	0·548
10	·606	·661	80·8	80·7	82	83	·861	·871	100	146	11·7	11·4	82	79	6·9	5·4	0·184	0·519
15	·608	·638	84·2	81·5	80	82	·946	·881	211	176	17·2	11·6	94	76	4·5	5·3	0·043	0·529
20	·622	·643	81·5	81·6	85	83	·909	·894	185	155	9·3	12·3	85	78	4·4	5·4	0·966	0·534
25	·668	·633	83·9	81·8	79	82	·917	·890	192	150	8·7	11·6	72	71	10·1	6·6	0·071	0·494
30	·631	·627	84·2	81·6	77	83	·906	·891	209	201	5·8	11·9	43	76	11·3	5·4	0·008	0·545
July 5	·532	·650	82·9	82·0	82	82	·921	·898	117	162	7·4	11·0	69	71	7·0	6·5	0·184	0·381
10	·639	·644	80·9	82·5	85	80	·895	·894	112	134	22·4	10·9	93	63	2·1	7·9	1·479	0·203
15	·731	·602	82·6	82·0	80	81	·891	·891	122	142	4·8	10·8	34	64	10·7	7·1	0·002	0·628
20	·630	·592	82·0	81·9	80	82	·876	·897	111	116	7·1	10·6	41	67	9·5	6·5	0·055	0·431
25	·522	·584	82·5	81·7	80	83	·892	·896	95	125	20·2	10·7	61	66	7·4	6·5	0·771	0·494
30	·418	·587	83·6	81·9	81	82	·930	·896	195	153	13·2	11·3	74	66	6·5	6·5	0·302	0·564
Aug. 4	·553	·610	83·3	81·8	81	83	·933	·895	198	169	9·5	10·5	86	66	5·7	6·8	0·235	0·416
9	·533	·607	84·2	81·3	78	84	·923	·896	211	138	6·1	9·3	63	72	9·7	5·6	0·203	0·522
14	·583	·623	83·0	81·1	81	83	·918	·890	108	134	9·6	10·0	74	70	7·8	6·0	0·376	0·502
19	·545	·652	81·7	81·4	84	83	·904	·886	276	111	4·8	7·9	67	58	5·3	7·2	0·654	0·307
24	·599	·646	80·8	81·6	86	82	·906	·882	241	122	5·8	7·9	89	59	4·0	7·0	0·983	0·469
29	·561	·653	79·8	81·6	88	81	·896	·877	203	92	8·3	8·8	99	61	0·7	6·8	1·088	0·282
Sept. 3	·658	·659	80·2	81·6	87	78	·896	·844	222	91	3·7	9·1	84	54	4·5	7·5	0·234	0·287
8	·642	·669	81·2	80·5	86	77	·913	·805	326	76	3·5	11·4	56	59	7·1	6·5	0·065	0·359
13	·617	·731	82·4	80·4	77	78	·854	·811	80	84	5·2	11·5	49	59	9·8	6·5	0·311	0·356
18	·640	·743	78·6	80·2	73	78	·708	·809	54	82	16·3	12·6	76	59	3·5	6·2	1·112	0·481
23	·797	·783	79·6	79·7	77	75	·786	·768	91	77	11·6	13·3	37	58	9·6	6·7	...	0·224
28	·730	·781	77·4	78·9	59	73	·568	·733	324	72	11·5	14·5	42	61	8·6	5·9	...	0·295
Oct. 3	·842	·815	75·8	78·1	75	71	·672	·686	49	77	7·8	15·1	73	54	6·8	6·8	0·161	0·290
8	·964	·858	74·1	77·4	72	72	·615	·687	71	75	12·1	13·8	50	51	8·7	6·8	0·029	0·178
13	·891	·873	76·9	76·7	76	71	·706	·660	93	75	11·6	12·5	22	49	10·4	7·3	...	0·074
18	·853	·894	75·2	76·0	82	71	·722	·640	81	72	17·6	13·6	89	49	3·6	7·0	0·208	0·153
23	·896	·914	76·3	75·0	74	70	·678	·620	82	76	10·2	14·5	56	47	6·4	7·4	0·007	0·067
28	·949	·925	74·7	73·5	67	71	·577	·596	80	63	13·3	12·9	51	54	6·2	6·2	...	0·118
Nov. 2	·973	·948	73·9	72·6	70	71	·592	·580	86	69	11·8	13·5	85	56	4·0	6·3	...	0·053
7	·973	·954	69·6	71·4	61	67	·467	·526	63	64	11·6	13·6	54	56	6·7	5·9	0·010	0·[illegible]
12	·871	·992	72·1	69·3	67	65	·529	·476	60	59	5·5	12·9	24	57	8·2	5·7	...	0·075
17	30·084	·995	69·2	68·5	58	65	·411	·461	59	60	8·2	11·8	32	53	9·4	6·3	...	0·058
22	·113	30·019	62·6	67·0	48	63	·291	·440	43	60	11·8	12·8	77	45	3·0	6·7	0·097	0·055
27	·068	·048	61·9	65·3	53	63	·313	·412	82	63	7·6	12·7	23	55	8·3	5·8	...	0·029
Dec. 2	·086	·045	61·6	64·2	57	65	·332	·404	47	60	12·1	12·1	76	51	5·3	5·9	0·002	0·051
7	·074	·020	59·5	63·7	45	66	·233	·406	45	66	7·2	11·5	24	52	9·8	5·8	...	0·039
12	·001	·056	64·1	62·6	73	63	·437	·378	86	61	14·7	11·6	65	54	4·2	5·4	...	0·017
17	·061	·055	59·1	62·2	73	68	·368	·395	28	69	6·3	12·4	99	55	0·1	5·4	0·144	0·051
22	·096	·068	61·6	61·1	68	68	·372	·381	60	68	9·6	11·7	61	54	5·7	5·5	...	0·037
27	·037	·059	63·1	60·9	64	68	·371	·371	80	74	9·4	12.0	40	53	6·6	5·8	0·002	0·036

* 0°=N, 90°=E, etc.

TABLE XX.—FIVE-DAY MEANS OF THE PRINCIPAL METEOROLOGICAL ELEMENTS AT THE ROYAL OBSERVATORY, HONGKONG, IN THE YEAR 1922, AND NORMALS FOR THE PERIOD 1884-1918. (*C.G.S. Units*).

Five-day periods beginning.	Barometric Pressure.		Temperature of the Air.		Vapour Tension.		Wind.								Rainfall.	
							N. Component.		E. Component.		Direction.		Velocity.			
	1922.	Normal.	1922.	Normal.	1922.	Normal.	1922.	Normal.	1922.	Normal.	1922.	Normal.	1922.	Normal.	1922.	Normal.
	m.b.	m.b.			m.b.	m.b.	m.p.s.	m.p.s.	m.p.s.	m.p.s.			m.p.s.	m.p.s.	m.m.	m.m.
Jan. 1	1020·1	1020·8	290·3	288·8	15·8	12·4	−0·2	+0·9	+3·1	+2·8	93	72	3·6	3·9	3·1	0·7
6	1022·2	1020·5	290·3	288·7	13·2	12·7	+0·4	+1·0	+2·9	+3·4	82	73	3·7	4·3	...	0·8
11	1015·8	1019·1	291·2	288·8	16·9	13·5	−0·4	+0·9	+5·9	+3·4	94	76	6·0	3·8	0·4	0·8
16	1016·5	1019·8	285·4	287·9	11·8	12·8	+1·5	+0·8	+2·5	+3·2	59	76	3·6	4·2	1·0	0·7
21	1017·8	1019·4	288·4	288·5	14·6	13·5	+0·2	+0·7	+4·3	+3·3	87	78	5·0	4·6	0·5	1·0
26	1019·9	1018·6	288·1	288·1	15·3	13·2	+0·1	+0·8	+3·5	+3·5	88	77	3·8	4·5	8·6	2·7
31	1019·4	1018·9	287·1	287·2	13·2	12·2	+0·5	+1·1	+3·1	+3·1	81	70	4·4	4·6	0·4	1·9
Feb. 5	1017·4	1019·2	290·3	287·2	15·3	12·2	−0·3	+1·0	+4·3	+3·5	94	75	4·7	4·6	0·2	1·3
10	1011·8	1020·2	290·6	287·4	18·1	12·1	−0·3	+0·9	+6·8	+3·8	92	77	6·9	4·8	12·7	0·9
15	1014·7	1018·5	289·0	288·1	14·6	13·7	+0·8	+0·7	+5·0	+3·8	81	80	5·5	4·2	12·5	1·5
20	1013·9	1017·9	290·1	288·3	16·8	13·8	−0·7	+0·5	+5·0	+3·5	98	81	5·0	4·7	0·5	1·7
25	1017·3	1016·8	287·4	289·0	13·9	15·0	+1·2	+0·8	+2·7	+4·1	65	79	3·7	4·9	1·7	1·5
Mar. 2	1011·3	1016·8	290·9	289·3	19·4	15·1	−0·8	+0·6	+5·4	+4·2	98	81	6·1	5·2	3·6	1·2
7	1019·4	1016·2	289·7	289·9	14·8	16·2	+0·4	+0·5	+3·—	+4·7	84	84	4·2	5·4	0·3	1·3
12	1016·0	1016·1	292·6	289·7	17·9	16·0	−0·3	+0·6	+3·4	+4·1	95	81	4·3	5·0	...	2·8
17	1015·5	1016·1	292·1	289·9	17·4	15·9	+0·1	+0·6	+4·9	+4·0	89	82	5·0	4·9	...	2·8
22	1017·7	1015·6	289·4	290·9	13·4	17·2	+1·7	+0·4	+3·8	+4·1	66	84	4·6	4·9	3·8	3·1
27	1011·5	1015·0	291·3	291·7	17·3	18·1	+0·6	+0·4	+3·7	+4·5	80	85	5·1	5·2	11·0	2·5
Apr. 1	1009·1	1014·0	295·7	292·3	24·0	18·6	−1·8	+0·2	+1·2	+4·1	147	87	4·2	4·9	0·1	2·9
6	1017·5	1013·4	292·3	293·1	19·5	19·8	...	..	+5·6	+3·7	90	90	5·6	4·8	0·3	4·3
11	1016·4	1012·7	293·5	294·2	19·8	21·5	+0·1	+0·2	+3·9	+3·6	89	87	4·4	4·6	...	4·0
16	1013·8	1011·9	294·7	294·6	17·4	22·2	−0·3	+0·1	+4·2	+3·6	94	88	4·3	4·6	...	5·3
21	1011·1	1011·7	296·5	295·6	20·2	23·2	+0·2	−0·1	−0·1	+3·4	330	91	1·8	4·5	0·6	4·0
26	1008·9	1011·8	295·3	295·8	24·2	23·4	−1·3	+0·1	+2·2	+4·0	97	89	3·2	4·9	9·2	6·5
May 1	1010·5	1011·8	297·3	296·1	27·2	23·5	...	+0·3	+3·8	+3·8	90	86	4·3	4·6	6·3	5·0
6	1009·3	1010·1	298·9	297·2	27·9	25·0	−0·3	−0·3	+0·8	+2·8	111	95	1·9	4·3	2·3	7·4
11	1008·9	1009·9	298·3	297·6	27·6	25·5	−0·6	−0·3	+2·4	+3·1	105	95	4·0	4·4	1·9	9·6
16	1008·5	1008·8	298·8	298·4	27·3	27·1	−0·4	−0·9	+1·8	+1·7	103	116	3·3	3·9	4·6	11·5
21	1006·2	1008·2	299·0	298·6	28·9	27·3	+0·6	−0·7	+5·5	+2·1	84	108	5·7	4·1	8·0	10·4
26	1006·2	1007·9	301·4	299·1	31·1	27·5	−4·3	−0·7	−2·2	+1·9	207	109	5·5	3·8	4·8	12·6
31	1008·9	1007·5	298·6	299·5	24·9	28·3	...	−1·2	+1·4	+1·0	89	140	2·4	3·9	...	13·9
June 5	1001·4	1006·8	300·1	299·5	29·8	28·7	−1·1	−1·0	+0·1	+1·6	173	123	2·6	4·0	0·8	13·9
10	1004·5	1006·3	300·1	300·1	29·0	29·4	−0·6	−1·5	+3·3	+1·0	100	146	3·8	3·7	4·7	13·2
15	1004·5	1005·6	302·0	300·5	31·9	29·7	−4·7	−1·9	−2·8	+0·1	211	176	5·6	3·8	1·1	13·4
20	1005·0	1005·7	300·5	300·6	30·7	30·2	−1·9	−2·0	−0·2	+1·0	185	155	3·0	4·0	24·5	13·6
25	1006·5	1005·4	301·8	300·—	30·9	30·0	−2·5	−1·6	−0·5	+0·9	192	150	2·9	3·8	1·8	12·6
30	1005·3	1005·2	302·0	300·6	30·6	30·1	−1·0	−1·9	−0·6	−0·7	209	201	1·9	3·9	0·2	13·8
July 5	1001·9	1006·0	301·3	300·8	31·1	30·3	−0·3	−1·7	+0·7	+0·6	117	162	2·4	3·6	4·7	9·7
10	1005·6	1005·7	300·2	301·1	30·2	30·2	−2·4	−1·3	+5·8	+1·3	112	134	3·3	3·6	37·6	5·2
15	1008·7	1004·3	301·1	300·8	30·1	30·1	−0·6	−1·0	+1·0	+0·8	122	142	1·6	3·5	0·1	16·0
20	1005·3	1004·0	300·8	300·7	29·6	30·3	−0·8	−0·5	+1·9	+1·1	111	116	2·3	3·5	1·4	10·9
25	1001·6	1003·7	301·1	300·6	30·1	30·2	−0·5	−0·9	+5·8	+1·2	95	125	6·6	3·5	19·6	12·6
30	998·1	1003·8	301·7	300·7	31·4	30·2	−2·2	−1·2	−0·6	+0·6	195	153	4·3	3·7	7·7	14·3
Aug. 4	1002·6	1004·6	301·5	300·7	31·5	30·2	−2·7	−1·5	−0·9	+0·3	198	169	3·1	3·4	6·0	10·6
9	1002·0	1004·5	302·0	300·4	31·1	30·2	−1·5	−0·9	·0·9	+0·8	211	138	2·0	3·0	5·2	13·3
14	1003·7	1005·1	301·3	300·3	31·0	30·0	−0·8	−0·9	+2·4	+0·9	108	134	3·1	3·3	9·6	12·8
19	1002·4	1006·0	300·6	300·4	30·5	29·9	+0·1	−0·5	−1·2	+1·2	276	111	1·6	2·6	16·6	7·8
24	1004·2	1005·8	300·1	300·6	30·6	29·8	−0·6	−0·4	−1·0	+0·6	241	122	1·9	2·6	25·0	11·9
29	1003·0	1006·1	299·6	300·6	30·2	29·6	−2·3	...	−1·0	+0·9	203	92	2·7	2·9	27·6	7·2
Sept. 3	1006·2	1006·3	299·8	300·6	30·2	28·5	−0·3	...	-0·3	+1·3	222	91	1·2	3·0	5·9	7·3
8	1005·7	1006·6	300·3	299·9	30·8	27·2	+0·1	+0·5	−0·1	+2·0	326	76	1·1	3·7	1·6	9·1
13	1004·8	1008·7	301·0	299·9	28·8	27·4	...	+0·3	+0·2	+2·6	80	84	1·7	3·8	7·9	9·0
18	1005·6	1009·1	298·9	299·8	23·9	27·3	+3·7	+0·4	+5·2	+2·6	54	82	8·6	4·1	28·2	12·2
23	1011·0	1010·5	299·4	299·5	26·5	25·9	−0·1	+0·7	+3·6	+3·0	91	77	3·8	4·4	...	5·7
28	1008·7	1010·4	298·2	299·1	19·2	24·7	+3·2	+1·1	−1·0	+3·3	342	72	3·8	4·8	..	7·5
Oct. 3	1012·5	1011·6	297·3	298·6	22·6	23·1	+1·1	+0·8	+1·2	+3·5	49	77	2·6	5·0	4·1	7·4
8	1016·7	1013·0	296·4	298·2	20·7	23·2	+1·0	+0·9	+3·0	+3·2	71	75	4·0	4·5	0·7	4·5
13	1014·2	1013·6	297·9	297·8	23·8	22·2	−0·2	+1·0	+3·7	+3·6	93	75	3·8	4·1	...	1·9
18	1012·9	1014·3	297·0	297·4	24·3	21·6	+0·9	+1·0	+5·4	+3·2	81	72	5·8	4·5	5·3	3·9
23	1014·3	1014·9	297·6	296·9	22·9	20·9	+0·4	+0·9	+2·9	+3·8	82	76	3·3	4·8	0·2	1·7
28	1016·2	1015·4	296·7	296·1	19·5	20·1	+0·7	+1·5	+3·8	+2·9	80	63	4·4	4·2	...	3·0
Nov. 2	1017·0	1016·1	296·3	295·6	20·0	19·6	+0·3	+1·3	+3·7	+3·3	86	69	3·9	4·4	...	1·3
7	1017·0	1016·3	293·9	294·9	15·7	17·7	+1·3	+1·5	+2·6	+3·1	63	64	3·8	4·5	0·3	1·4
12	1013·5	1017·7	295·3	293·7	17·8	16·0	+0.3	+1·7	+0·6	+2·8	60	59	1·8	4·2	...	1·9
17	1020·8	1017·8	293·7	293·3	13·8	15·5	+1·0	+1·4	+1·7	+2·5	59	60	2·7	3·9	...	1·5
22	1021·8	1018·6	290·0	292·4	9·8	14·8	+2·3	+1·5	+2·2	+2·7	43	60	3·9	4·2	2·5	1·4
27	1020·3	1019·6	289·6	291·5	10.3	13·9	+0·3	+1·4	+1·9	+2·9	82	63	2·5	4·2	...	0·7
Dec. 2	1020·9	1019·5	289·4	290·9	11·2	13·6	+2·0	+1·5	+2·1	+2·6	47	60	4·0	4·0	0·1	1·3
7	1020·5	1018·6	288·3	290·6	7·8	13·7	+1·1	+1·1	+1·1	+2·6	45	66	2·4	3·8	...	1·0
12	1018·0	1019·9	290·8	290·0	14·7	12·7	+0·3	+1·3	+4·7	+2·4	86	61	4·8	3·8	...	0·4
17	1020·1	1019·9	288·1	289·8	12·4	13·3	+1·6	+1·2	+0·9	+3·0	28	69	2·1	4·1	3·7	1·3
22	1021·2	1020·3	289·4	289·2	12·5	12·8	+1·1	+1·1	+2·0	+2·6	60	68	3·1	3·8	...	0·9
27	1019·2	1020·0	290·3	289·1	12·5	12·5	+0·4	+0·8	+2·4	+3·0	80	74	3·1	3·9	0·1	0·9

ROYAL OBSERVATORY, HONGKONG.

PLATE I:—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1922.

The circles indicate the position of the centre at 6 a.m. of the 120th meridian on each day.



Typhoons

Less Intense Depressions

Track Uncertain

ROYAL OBS

PLATE II:—TRACKS OF TYPHOONS

The circles indicate the p



Typhoons

Less Intense Depressions

Track Uncertain

YAL OBSERVATORY, HONGKONG.

OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1922.

circles indicate the position of the centre at 6 a.m. of the 120th meridian on each day.



essions



ROYAL OBSERVATORY, HONGKONG.

PLATE II:—TRACKS OF TYPHOONS AND DEPRESSIONS IN THE FAR EAST DURING THE YEAR 1922.

The circles indicate the position of the centre at 6 a.m. of the 120th meridian on each day.

ROYAL OBSERVATORY, HONGKONG.

DAILY WEATHER REPORT.

DECEMBER,

1922.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th NOVEMBER, 1922.								1st DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.17	766.4	19	...	NNE	2	b	6	30.20	767.1	12	...	NNW	2	b
Nemuro,	11	29.80	757.0	...	...	WNW	4	...	5	29.73	755.0	...	...	WSW	2	...
Hokodate,	,,	29.90	759.5	...	...	NW	4	...	,,	29.88	759.0	...	...	NW	4	...
Tokio,	,,	29.90	759.5	...	...	E	1	...	,,	29.96	761.0	...	...	NNE	1	...
Kochi,	,,	29.94	760.5	...	...	SW	1	...	,,	30.12	765.0	...	...	SW	1	...
Nagasaki,	,,	30.20	767.0	...	...	N	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	NW	3	...	,,	30.16	766.0	...	...	NW	1	...
Oshima,	,,	...	...	...	...	N	5	...	,,	30.12	765.0	...	...	NNW	4	...
Naha,	,,	30.14	765.5	...	...	NNE	4	...	,,	30.18	766.5	...	...	ENE	1	...
Ishigakijima,	,,	30.12	765.0	...	...	ENE	6	...	,,	30.10	764.5	...	...	N	1	...
Bonin Island,	,,	29.94	760.5	...	...	N	1	...	,,	29.98	761.5	...	...	NNW	1	...
Weihaiwei,	14	30.43	772.9	38	63	NNW	1	0	6	30.32	770.1	38	50	W	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.43	772.9	55	49	SE	2	b	,,	30.47	773.9	39	87	SE	1	b
Gutzlaff,	,,	30.38	771.6	56	51	NNE	4	b	,,	30.37	771.4	47	77	NNE	2	b
Sharp Peak,	15	30.15	765.8	65	68	NNE	4	b	7	30.19	766.8	56	75	NNW	2	b
Amoy,	14	30.06	763.5	72	95	E	1	b	6	...	...	...	..	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.15	765.9	75	55	ENE	6	b	,,	30.13	765.3	63	80	E	4	0
Taichu,	,,	30.10	764.4	52	...	WSW	1	b	,,	30.06	763.5	54	...	...	0	b
Tainan,	,,	30.05	763.2	77	...	N	4	b	,,	30.02	762.6	55	...	...	0	b
Koshun,	,,	30.02	762.6	79	...	NE	7	b	,,	30.01	762.3	72	...	NE	7	b
Pescadores,	,,	30.10	764.4	73	...	NNE	7	b	,,	30.06	763.5	68	...	NNE	6	b
Canton,	15	30.04	763.0	76	34	...	0	b	,,	30.13	765.3	56	81	N	1	0
Hongkong,	14	30.03	762.7	70	53	E	4	b	,,	30.10	764.5	65	76	E	2	0
Gap Rock,	,,	30.02	762.5	...	...	ENE	5	b	,,	30.07	763.8	...	...	ENE	5	b
Macao,	,,	30.06	763.5	72	86	NE	2	b	,,	30.07	763.8	63	84	NNE	2	0
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	...	...	...	...	...	...	...	7	...	....	...	...	...	...	...
Tourane,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Cape St. James,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Aparri,	14	29.87	758.7	77	88	NE	4	0	6	29.92	759.9	77	86	NE	4	0
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	85	68	WNW	2	0	,,	29.82	757.5	73	96	NE	1	0
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.75	755.7	86	71	SE	2	0	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.72	754.8	86	65	NE	4	0	,,	29.76	756.0	77	96	N	4	0
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	4	0	4.20	29.78	756.3	...	...	NE	4	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	84	79	N	2	b	6	29.75	755.6	77	94	E	2	b

December 1*d.* 11*h.* 15*m.*—Pressure has decreased moderately at Weihaiwei and slightly at Wladivostock. It has increased slightly from Shanghai to Tokio and is nearly stationary in southern districts.

The northern anticyclone has moved eastward, leaving a separate anticyclone central over the lower Yangtze Valley.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 81·95 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 2ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy at first, fine later.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	1st DECEMBER, 1922.								2nd DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperatures.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30 11	764.8	28	...	W	1	c	6	30.09	764.3	15	...	NNE	3	c
Nemuro,	11	29.72	755.0	...	...	W	1	...	5	29.90	759.5	...	...	SW	1	...
Hokodate,	,,	29.86	758.5	...	...	W	7	...	,,	29.88	759.0	...	...	NNW	1	...
Tokio,	,,	29 98	761.5	...	...	WNW	3	...	,,	29.94	760.5	...	...	NNW	1	...
Kochi,	,,	30.08	764 0	...	...	S	1	...	,,	...	...	...	...	SW	1	...
Nagasaki,	,,	30.20	767.0	...	...	NNW	2	...	,,	30.20	767.0	...	...	NNW	1	...
Kagoshima,	,,	30.16	766 0	...	...	N	1	...	,,	30.20	767.0	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	ENE	4	...	,,	30 14	765.5	...	...	N	3	...
Naha,	,,	30.14	765.5	...	...	NE	1	...	,,	30.12	765.0	...	...	NNE	2	...
Ishigakijima,	,,	30.12	765.0	...	...	W	5	...	,,	30.14	765.5	...	...	NNE	3	...
Bonin Island,	,,	29.96	761.0	...	...	N	1	...	,,	30.00	762.0	...	...	N	1	...
Weihaiwei,	14	30.27	768.8	44	53	WNW	4	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.43	772.9	52	47	NE	2	o	,,	30.42	772.6	36	100	NE	1	lf
Gutzlaff,	,,	30.31	769.9	50	58	NE	2	o	,,	30.37	771.4	46	69	NNE	1	b
Sharp Peak,	15	30.13	765.3	68	70	E	2	b	7	30.17	766.3	58	88	N	2	b
Amoy,	14	30.07	763.8	71	100	E	1	b	6	30.10	764.5	58	94	NE	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.17	766.2	70	65	E	6	b	,,	30.14	765.6	64	71	ENE	4	o
Taichu,	,,	30.07	763.8	73	...	...	o	b	,,	30.05	763.2	55	...	...	o	o
Tainan,	,,	30.06	763.5	75	...	N	4	b	,,	30.01	762.3	59	...	NNE	2	b
Koshun,	,,	30.06	763 5	77	...	NE	7	b	,,	29.99	761.7	70	...	NE	6	b
Pescadores,	,,	29.97	761.1	77	...	N	7	b	,,	30.01	762.3	66	...	ESE	7	o
Canton,	15	30.07	763.8	76	34	N	2	b	,,	30.12	765.0	53	67	N	2	b
Hongkong,	14	30.05	763.2	69	65	E	2	o	,,	30.08	764.0	59	68	NE	1	b
Gap Rock,	,,	30.05	763 2	...	...	ENE	5	o	,,	30.06	763.5	...	...	NE	5	c
Macao,	,,	30 04	762 9	68	48	NNE	2	o	,,	30.06	763.5	77	72	N	2	cf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.05	763.2	77	44	WSW	2	b	7	...	...	...	...	...	...	...
Tourane,	,,	29.89	759.3	72	...	NNW	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.75	755.7	84	...	S	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.89	759.3	79	76	NE	4	o	6	29.91	759.6	77	84	NE	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	79	90	ENE	1	o	,,	29.79	756.6	73	96	SE	1	o
Legaspi,	,,	29.74	755.4	86	75	ENE	2	o	,,	29.78	756.3	79	92	NNE	2	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.71	754.5	86	61	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.69	754.2	...	...	NE	4	r	4.20	29.76	756.0	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.5	86	76	N	2	b	6	29.71	754.6	78	91	E	2	b

December 2*d*. 10*h*. 39*m*.—Pressure changes since yesterday are small.

The anticyclone over the Yangtze Valley appears to be moving slowly eastward.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 81·99 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 3rd.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	2nd December, 1922.								3rd December, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.14	765.5	25	...	NNE	1	c	6	30.42	772.5	8	...	NNE	4	b
Nemuro,	11	29.82	757.3	...	...	S	1	...	5	29.86	758.5	...	...	NW	4	...
Hokodate,	,,	29.86	758.5	...	...	NNW	5	...	,,	30.06	763.5	...	...	WNW	4	...
Tokio,	,,	29.80	757.0	...	...	N	1	...	,,	30 14	765.5	...	...	NNW	2	...
Koobi,	,,	30.08	764 0	...	...	NW	1	...	,,	30.28	769.0	...	...	ENE	1	...
Nagasaki,	,,	30.22	767 5	...	...	NW	4	...	,,	30.30	769.5	...	...	N	2	...
Kagoshima,	,,	30.20	767.0	...	...	NW	2	...	,,	30.28	769.0	...	...	N	3	...
Oshima,	,,	30.18	766 5	...	...	N	4	...	,,	30.18	766.5	...	...	SSE	1	...
Naha,	,,	30.16	766 0	...	...	NNE	3	...	,,	30.16	766.0	...	...	NE	1	...
Ishigakijima,	,,	30.16	766.0	...	...	NE	6	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29 98	761.5	...	...	WNW	1	...	,,	30.08	764.0	...	...	WNW	1	...
Weihaiwei,	14	30.39	771.9	33	63	N	1	b	6	30.41	772.4	34	69	SE	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.43	772.9	54	42	ENE	1	b	,,	30.30	769.6	37	100	E	2	bf
Gutzlaff,	,,	30.34	770.6	54	43	NNE	2	b	,,	30 28	769.1	50	88	SSE	2	b
Sharp Peak,	15	30.14	765.5	60	76	NNE	4	o	7	30 13	765.3	58	76	N	2	o
Amoy,	14	...	...	...	...	...	...	...	6	30 11	764.8	58	94	NE	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.19	766.8	68	64	E	6	o	,,	30.08	764.1	63	84	E	6	b
Taichu,	,,	30.06	763.5	72	...	W	2	b	,,	30.04	762.9	57	...	...	o	b
Tainan,	,,	30.05	763 2	77	...	NNW	2	b	,,	30.00	762.0	57	...	...	o	b
Koshun,	,,	30 02	762 6	75	...	NE	7	b	,,	29.99	761.7	70	...	NE	6	b
Pescadores,	,,	30.10	764.4	72	...	NNE	7	b	,,	30.02	762.6	66	...	NNE	6	b
Canton,	15	30.05	763.2	72	50	SW	1	b	,,	30.05	763.2	55	94	NNW	1	o
Hongkong,	14	30 04	763 0	68	56	E	3	b	,,	30.02	762.5	65	73	E	4	o
Gap Rock,	,,	30.01	762.2	...	..	NE	5	b	,,	30 01	762.2	...	...	NE	5	o
Macao,	,,	30.02	762.6	68	56	ENE	2	b	,,	30.00	762.0	64	82	ESE	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.00	762.0	75	45	...	0	o	7	30.00	762.0	64	86	N	2	o
Tourane,	,,	29.86	758.4	72	...	ENE	6	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.74	755.4	81	...	ENE	7	b	,,	...	...	...	...	...	...	...
Aparri,	14	29.87	758.7	77	76	NE	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.74	755.4	82	74	W	1	o	,,	29.82	757.5	73	94	NE	1	o
Legaspi,	,,	29.76	756.0	86	71	NE	4	o	,,	29.80	756 9	81	84	NE	4	o
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.69	754.2	86	68	NE	4	o	,,	29.75	755.7	75	92	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.71	754.5	...	...	E	2	o	4.20	29.80	756 9	...	...	NE	1	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.66	753.3	88	73	W	4	b	6	29.71	754.6	78	94	N	2	b

December 3*d*. 11*h*. 59*m*.—Pressure has increased moderately over central Japan and slightly from the Bonins to the Loochoos and over the Philippines. It has decreased moderately at Shanghai and slightly from Foochow to Tongking.

The anticyclone is now central to the north of Korea.

Fresh monsoon may be expected along the E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 82·03 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 4TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	3rd December, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	4th December, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30 40	772.1	18	...	NNE	4	c	6	30.26	768.6	9	...	N	3	o
Nemuro.....	11	29.92	760.0	...	...	WNW	...	...	5	30 10	764.5	...	...	W	3	...
Hokodate, ...	,,	30.16	766 0	...	...	WNW	6	...	,,	30.10	764.5	...	...	NW	2	...
Tokio.....	,,	30.20	767.0	...	...	N	4	...	,,	30.30	769.5	...	...	NNW	1	...
Kochi, ...	,,	30.28	769.0	...	...	SSW	1	...	,,	30 24	768.0	...	...	SW	1	...
Nagasaki, ...	,,	29 98	761.5	...	...	ENE	1	...	,,	30.18	766.5	...	...	...	0	...
Kagoshima, ...	,,	30.28	769.0	...	...	NE	1	...	,,	30.18	766.5	...	...	WNW	1	...
Oshima, ...	,,	30.20	767.0	...	...	NNE	1	...	,,	30 14	765.5	...	...	SSE	1	...
Naha.	,,	30.18	766 5	...	...	ESE	2	...	,,	30.14	765.5	...	...	E	1	...
Ishigakijima, ...	,,	30.12	765.0	...	...	E	4	...	,,	30.10	764.2	...	...	ESE	2	...
Bonin Island,...	,,	30 10	764.5	...	...	NNW	1	...	,,	30 18	766.5	...	...	NE	1	...
Weihaiwei.....	14	30.31	769.9	40	56	S	2	o	6	30.40	772.1	30	88	NW	4	o
Hankow, ...	15	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.24	768.1	63	43	ESE	...	b	,,	30.36	771.1	45	88	NNW	7	r
Gutzlaff.....	,,	30.21	767 3	58	58	SE	2	b	,,	30.25	768.3	48	100	NNW	7	o
Sharp Peak, ...	15	30.08	764.0	66	73	NNW	1	o	7	30.10	764.5	62	83	WNW	1	o
Amoy, ...	14	30.07	763.8	68	95	WSW	1	o	6	30.11	764.8	64	95	WSW	1	o
Swatow.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.11	764.7	75	67	E	6	o	,,	30.13	765.3	61	89	...	o	o
Taichu, ...	,,	30.06	763.5	73	...	...	o	b	,,	30.11	764.7	63	...	...	o	b
Tainan, ...	,,	30.05	763 2	77	...	NNW	2	b	,,	30.10	764.4	64	...	NNE	4	o
Koshun, ...	,,	30.06	763.5	72	...	NE	6	r	,,	30.05	763.2	70	...	NNE	4	o
Pescadores, ...	,,	30.08	764.1	75	...	NNE	6	b	,,	30.11	764.7	68	...	N	6	o
Canton, ...	15	30 03	762 7	71	57	E	1	o	,,	30.15	765.8	60	94	N	2	or
Hongkong,.....	14	30.01	762.2	70	61	ESE	3	o	,,	30.10	764.5	66	82	...	o	c
Gap Rock, ...	,,	30.00	762.0	...	...	NE	5	o	,,	30.09	764.3	...	...	NE	5	o
Macao, ...	,,	30.00	762.0	68	68	NE	2	o	,,	30.08	764.1	64	80	N	2	o
Wuchow, ...	15	30.02	762.5	66	79	SE	1	b	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	29.95	760.8	75	83	S	2	o	7	30.06	763.5	68	94	ENE	6	o
Tourane,..... ..	,,	29.88	759 0	72	...	NNW	4	o	,,	29.97	761.1	72	...	NW	2	o
Cape St. James,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	73	...	NNE	4	b
Aparri, ...	14	29.89	759 3	77	76	E	4	o	6	29.95	760.8	73	95	E	2	r
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.79	756.6	77	94	WNW	1	r	,,	29.84	757.8	73	92	NNE	1	o
Legaspi, ...	,,	29.78	756.3	84	68	NE	4	o	,,	29.81	757.2	75	96	...	o	o
Tacloban, ...	,,	29 74	755.4	86	68	ESE	2	o	,,	29.76	756.0	73	96	NW	2	r
Iloilo, ...	,,	29.72	754.8	86	58	NE	4	o	,,	29.75	755.7	77	92	NW	4	b
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.75	755.7	...	...	NE	4	o	4.20	29.79	756.6	...	...	NE	1	b
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.70	754.4	86	76	N	2	b	6	29.75	755.6	77	94	NE	2	b

December 4*d*. 12*h*. 12*m*.—Pressure has increased moderately from Tokio to the Bonins and slightly at Shanghai and from Formosa to Tongking.

Another anticyclone has formed over S.E. Mongolia and N. China.

Fresh to strong monsoon may be expected along the E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 82·08 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 5TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	4th December, 1922.								5th December, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.11	764.8	19	...	N	2	c	6	30.07	763.7	8	...	NNE	4	o
Nemuro	11	...	...	...	...	...	...	...	5	29.63	752.5	...	...	NE	1	...
Hokodate,	,,	30.04	763.0	...	...	NW	1	...	,,	29.51	749.5	...	...	N	4	...
Tokio,	,,	30.16	766.0	...	...	NNW	1	...	,,	29.39	746.5	...	...	NNW	1	...
Kochi,	,,	30.12	765.0	...	...	SW	1	...	,,	29.92	760.0	...	...	WNW	4	...
Nagasaki,	,,	29.67	753.5	...	...	ESE	5	...	,,	30.16	766.0	...	...	NW	6	...
Kagoshima,	,,	30.10	764.5	...	...	N	1	...	,,	30.14	765.5	...	...	NNW	4	...
Oshima,	,,	30.12	765.0	...	...	SSW	1	...	,,	30.18	766.5	...	...	N	6	...
Naha,	,,	30.14	765.5	...	...	SE	1	...	,,	30.24	768.0	...	...	N	7	...
Ishigakijima,	,,	30.12	765.0	...	...	ESE	2	...	,,	30.30	769.5	...	...	N	6	...
Bonin Island,	,,	30.14	765.5	...	...	E	1	...	,,	29.96	761.0	...	...	SW	3	...
Weihaiwei,	14	30.41	772.4	30	77	NNW	6	r	6	30.41	772.4	38	72	...	4	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.60	777.2	39	59	NNW	6	o	,,	30.69	779.5	25	...	WNW	4	b
Gutzlaff,	,,	30.48	774.2	40	56	NNW	7	o	,,	30.60	777.2	30	88	NW	7	o
Sharp Peak,	15	30.17	766.3	63	85	ENE	4	o	7	30.39	771.9	48	71	N	2	b
Amoy,	14	30.13	765.3	70	85	S	1	o	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.18	766.5	73	75	...	o	o	,,	30.44	773.1	52	75	E	8	b
Taichu,	,,	30.10	764.4	77	...	NNW	4	b	,,	30.23	767.7	52	...	N	4	o
Tainan,	,,	30.08	764.1	79	...	NNW	4	b	,,	30.18	766.5	55	...	NNE	7	o
Koshun,	,,	30.07	763.8	79	...	NNE	4	b	,,	30.14	765.6	64	...	NE	8	b
Pescadores,	,,	30.14	765.6	73	...	NNE	6	b	,,	30.24	768.0	57	...	NNE	10	o
Canton,	15	30.27	768.8	58	70	N	2	o	,,	...	...	...	...	...	...	...
Hongkong,	14	30.13	765.3	72	52	N	2	b	,,	30.28	769.1	52	44	NNE	2	o
Gap Rock,	,,	30.10	764.5	...	...	NNW	5	b	,,	30.23	767.8	...	...	NNW	6	o
Macao,	,,	30.13	765.3	63	84	NNW	4	o	,,	30.27	768.9	50	50	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.08	764.1	64	98	ENE	4	r	7	30.33	770.4	79	92	N	7	r
Tourane,	,,	29.95	760.8	75	...	ESE	2	o	,,	30.01	762.3	70	...	ENE	7	o
Cape St. James,	,,	29.81	757.2	79	...	E	6	of	,,	29.85	758.1	75	...	NE	4	o
Aparri,	14	29.86	758.4	81	76	NE	4	o	6	30.02	762.6	75	76	NE	6	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	82	77	NE	1	o	,,	29.87	758.7	73	92	NNE	1	o
Legaspi,	,,	29.81	757.2	75	91	NE	4	o	,,	29.82	757.5	77	88	NE	4	o
Tacloban,	,,	29.79	756.6	75	96	WNW	2	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	75	98	NE	4	r	,,	29.76	756.0	75	92	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	NE	4	o	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	86	76	N	2	b	6	29.76	755.9	77	84	N	2	b

December 5*d*. 9*h*. 20*m*.—Warning to Hongkong, and Coast Ports.:— N.N.E. gale in Formosa Channel.

December 5*d*. 11*h*. 17*m*.— Pressure has increased considerably over China and slightly over the Philippines. It has decreased very considerably over central and N.E. Japan.

A very strong anticyclone is central over the lower Yangtze Valley and a deep depression to the east of Tokio.

Monsoon gales may be expected along the E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·70 inches, against an average of 82·12 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 6TH.

District.	Forecast.
1.—Formosa Channel,	N.E. gale.
2.—South coast of China between Hongkong and Lamocks,	N. winds, strong; fair.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	5th DECEMBER, 1922.								6th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.05	763 3	24	...	NW	2	b	6	30 23	767.9	15	...	NE	3	b
Nemuro	11	29.37	746.0	...	...	NE	6	...	5	29.51	749.5	...	...	NW	8	...
Hokodate,	,,	2945	748.0	...	...	NNW	6	...	,,	29.86	758.5	...	...	NNW	6	...
Tokio	,,	29.41	747.0	...	...	NW	3	...	,,	30.00	762 0	...	...	N	3	...
Kochi,	,,	29 96	761.0	...	...	NW	3	...	,,	30.28	769 0	...	...	WNW	1	...
Nagasaki,	,,	30.24	768.0	...	...	N	6	...	,,	29.34	770.3	...	...	...	...	...
Kagoshima,	,,	30.18	766.5	...	...	NW	4	...	,,	30.32	770.0	...	...	NW	1	...
Oshima,	,,	30 20	767.0	...	...	N	6	...	,,	30.22	767.5	...	...	NNW	2	...
Naha,	,,	30.24	768.0	...	...	N	6	...	,,	30.18	766.5	...	...	NE	2	...
Ishigakijima,	,,	30 30	769.5	...	...	N	5	...	,,	30.16	766.0	...	...	ENE	2	...
Bonin Island,	,,	29.84	758.0	...	...	SSE	4	...	,,	30.06	763.5	...	...	NNW	2	...
Weihaiwei,	14	30.42	772.6	40	56	NNW	1	b	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.69	779.5	37	44	NW	10	b	,,	30.50	774.2	32	...	NNW	1	o
Gutzlaff	,,	30.56	776.2	40	100	NNW	4	b	,,	30 44	773.2	36	100	NNW	4	o
Sharp Peak,	15	30.32	770.1	54	62	NNE	2	b	7	30.24	768.1	46	92	N	2	r
Amoy,	14	30.24	768.1	62	83	E	2	b	6	30.22	776 7	52	88	WNW	2	o
Swatow,	,,	30.13	765.3	60	100	NNE	2	b	,,	30.15	765.8	50	100	N	2	o
Taihoku,	12	30.44	773.1	54	65	NE	4	o	,,	30 19	766.8	55	88	E	4	o
Taichu,	,,	30.21	767.4	57	...	N	4	o	,,	30.12	765.0	55	...	...	o	o
Tainan,	,,	30.19	766.8	59	...	NNE	6	o	,,	30.10	764.4	50	...	...	o	b
Koshun,	,,	30.14	765.6	66	...	NE	8	b	,,	30.06	763.5	64	...	NE	6	b
Pescadores,	,,	30.27	768.9	63	...	NNE	10	o	,,	30.10	764 4	63	...	NNE	7	o
Canton	15	30.31	769.9	56	40	N	2	o	,,	30.33	770.4	39	91	N	3	or
Hongkong	14	30.22	767.6	60	31	N	3	o	,,	30.23	767.8	50	41	NNW	1	or
Gap Rock,	,,	30.21	767.3	...	...	N	6	o	,,	30.20	767.1	...	...	N	6	o
Macao,	,,	30.21	767.4	52	30	N	4	o	,,	30.23	767.7	45	64	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.32	770 1	48	87	NNW	4	r	7	30.28	769.2	45	88	ENE	2	o
Tourane,	,,	30.05	763.2	63	...	N	7	r	,,	30.05	763.2	57	...	SW	6	o
Cape St. James,	,,	29.80	756 9	79	...	ENE	6	o	,,	29.85	758.1	73	...	N	2	o
Aparri,	14	29 98	761.4	72	84	NE	6	r	6	29.97	761.1	72	92	NE	6	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756 9	79	90	...	o	o	,,	29.82	757.5	72	94	NNE	1	o
Legaspi,	,,	29.76	756.0	79	85	NE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.74	755.4	82	84	...	o	r	,,	29.78	756.3	75	92	...	o	o
Iloilo,	,,	29.72	754.8	82	74	NE	4	o	,,	29.75	755.7	77	94	N	4	b
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam	12.20	29.76	756.0	...	...	NE	2	r	4.20	29.81	757.2	...	...	NE	1	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	86	78	N	2	b	6	29.73	755.1	77	94	NE	2	b

December *6d. 12h. 50m.*—Pressure has increased considerably over central Japan and moderately at Wladivostock. It has decreased moderately from Shanghai to N. Formosa and slightly from Hongkong to Tongking.

The depression has moved into the Pacific.

The anticyclone has weakened and moved eastward.

Strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 68·71 inches, against an average of 82·16 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 7th.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N E. winds, strong; fine.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	6th DECEMBER, 1922.								7th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.09	764.4	29	...	SSW	1	o	6	30.08	764 o	17	...	N	3	b
Nemuro,	11	29.67	753.5	...	...	WNW	10	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29 96	761.0	...	...	NW	7	...	,,	...	...	...	...	...	...	...
Tokio,	,,	30 08	764.0	...	...	NNW	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	30.26	768.5	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.31	770.0	...	...	NNW	2	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.28	769.0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.20	767.0	...	...	NE	1	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.16	766.0	...	...	E	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.14	765.5	...	...	E	3	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	30.08	764.0	...	...	N	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	30.27	768.8	42	58	W	1	o	6	30 19	766.8	38	54	NW	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.49	774.4	37	50	WNW	2	o	,,	30.38	771 6	25	..	W	1	b
Gutzlaff,	,,	30 39	771.9	36	100	NNW	2	o	,,	29.34	770.6	34	100	NNW	4	b
Sharp Peak,	15	30 20	767.1	48	85	N	2	r	7	30.15	765.8	52	92	N	1	o
Amoy,	14	30.15	765.8	58	94	NNW	1	o	6	30.12	765.0	54	94	WSW	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.18	765.5	66	76	NNE	4	o	,,	30.10	764.4	61	98	...	o	r
Taichu,	,,	30.14	765.6	66	...	...	o	o	,,	30.10	764.4	55	...	...	o	o
Tainan,	,,	30.13	765 3	75	...	NNW	4	o	,,	30 07	763.8	61	...	NNE	4	r
Koshun,	,,	30.11	764.7	73	...	NNE	4	b	,,	30.02	762.6	66	...	N	4	o
Pescadores,	,,	30 17	766.2	81	...	NNE	6	o	,,	30.10	764.4	61	...	NNE	6	o
Canton,	15	30.19	766.8	53	67	N	2	o	,,	30.26	768.6	44	84	N	2	c
Hongkong,	14	30.13	765.3	60	47	NW	2	b	,,	30.16	766.0	51	71	NW	1	b
Gap Rock,	,,	30.11	764 8	...	...	NNW	6	b	,,	30.15	765.8	...	...	NNW	6	b
Macao,	,,	30.13	765.3	50	62	N	4	b	,,	30.17	766.2	46	81	N	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.15	765.9	59	53	NW	2	b	7	30.26	768.6	50	74	NNE	2	b
Tourane,	,,	30.04	762.9	63	...	NNW	4	o	,,	30.06	763.5	63	...	NNW	4	o
Cape St. James,	,,	29.80	756 9	79	...	W	2	o	,,	29.86	758.4	70	...	N	2	o
Aparri,	14	29 91	759.6	72	94	NE	4	r	6	29.87	758.7	77	96	ENE	2	o
Dagupan,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.75	755.7	84	74	NE	2	o	,,	29.82	757.5	72	96	NE	1	o
Legaspi,	,,	29.72	754.8	86	78	SW	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.68	753.9	85	65	NE	4	o	,,	29.76	756.0	77	94	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.76	756.0	...	...	NE	4	o	4.20	29.80	756.9	...	...	NE	1	r
Yap,	12.47	29.71	754.5	..	...	ENE	6	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.70	754.4	86	80	NW	2	b	6	29.75	755.6	78	91	N	2	b

December 7*d*. 11*h*. 45*m*.—Pressure has decreased moderately at Wladivostock, Weihaiwei and Shanghai, and slightly at Hongkong. It is nearly stationary over Indo-China and the Visayas.

The anticyclone has weakened further.

The monsoon will be interrupted to the north of Foochow but remain fresh to strong over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·20 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 8TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	7th December, 1922.								8th December, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.07	763.7	26	...	N	2	b	6	30.13	775.4	16	...	NNE	3	b
Ngmuro, ...	11	29.86	758.5	...	...	W	2	...	5	29.78	756.5	...	...	...	...	...
Hokodate, ...	,,	29.84	758.0	...	...	...	...	...	,,	29.82	757.5	...	...	NNW	2	...
Tokio, ...	,,	30.00	762 0	...	...	NNE	1	...	,,	29.90	759.5	...	...	WNW	1	...
Kochi, ...	,,	30 04	763.0	...	...	SW	1	...	,,	30.04	763 0	...	...	W	1	...
Nagasaki, ...	,,	30.12	765.0	...	...	N	1	...	,,	30.10	764.5	...	...	...	...	...
Kagoshima, ...	,,	30.10	764.5	...	...	...	0	...	,,	30.10	764.5	...	...	NW	1	...
Oshima, ...	,,	30.08	764.0	...	...	NW	1	...	,,	30.06	763 5	...	...	NNW	1	...
Naha, ...	,,	30.06	763.5	...	...	N	1	...	,,	30.02	762.5	...	...	NE	2	...
Ishigakijima, ...	,,	30.04	763.0	...	...	ENE	3	...	,,	30 00	762.0	...	...	N	4	...
Bonin Island, ...	,,	30 08	764.0	...	...	SSE	1	...	,,	30.04	763.0	...	...	NE	1	...
Weihaiwei, ...	14	30 17	766.3	42	50	WNW	2	b	6	...	...	...	...	...	...	...
Hankow, ...	15	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.42	772.6	43	56	WNW	2	b	,,	30.34	770.6	28	...	W	1	o
Gutzlaff, ...	,,	30.29	769.3	46	100	NW	2	b	,,	30 29	769.3	38	100	NW	4	b
Sharp Peak, ...	15	30.10	764.5	54	87	NNE	2	o	7	30.15	765.8	50	86	W	2	o
Amoy, ...	14	30.05	763.2	65	91	ESE	1	b	6	30.14	765.5	56	94	...	o	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.13	765.3	66	87	ENE	4	r	,,	30.12	765.0	59	96	...	o	r
Taichu, ...	,,	30.07	763.8	70	...	N	4	b	,,	30.05	763.2	59	...	N	2	o
Tainan, ...	,,	30.06	763.5	68	...	N	6	o	,,	30 00	762.0	59	...	N	4	b
Koshun, ...	,,	30.05	763.5	75	...	NNE	2	o	,,	29 98	761.4	68	...	NNW	2	o
Pescadores, ...	,,	30.12	765.0	64	...	N	6	o	,,	30.07	763.8	79	...	NNE	7	o
Canton, ...	15	30.14	765.5	60	55	N	2	b	,,	30.24	768.1	41	83	N	2	b
Hongkong, ...	14	30.07	763.8	63	54	WNW	2	b	,,	30.17	766.3	48	54	NW	1	b
Gap Rock, ...	,,	30.08	764.0	...	...	NNW	6	b	,,	30.14	765.5	...	...	NNW	5	b
Macao, ...	,,	30.08	764.1	54	59	NNW	4	o	,,	30.15	765 9	45	64	N	4	o
Wuchow, ...	15	30.18	766.5	64	42	SW	1	b	9	30.33	770 4	52	66	W	1	bf
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30.14	765.6	64	41	WNW	4	b	7	30.24	768.0	55	55	NNE	2	b
Tourane, ...	,,	30.02	762.6	61	...	WNW	6	o	,,	30.10	764.4	61	...	N	4	o
Cape St. James,	,,	29.81	757 2	82	...	S	2	o	,,	29.85	758.1	73	...	NNE	2	o
Aparri, ...	14	29.85	758.1	77	88	NE	4	r	6	29.87	758.7	72	96	...	o	o
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.76	756.0	86	68	W	2	o	,,	29.84	757.8	73	96	...	o	o
Legaspi, ...	,,	29.75	753.7	84	81	NE	2	o	,,	29.82	757.5	79	95	ENE	1	o
Tacloban, ...	,,	...	...	..	...	...	...	...	,,	29.82	757.5	75	96	...	o	o
Iloilo, ...	,,	29.74	755.4	82	74	NE	4	o	,,	29.79	756.6	77	92	NW	2	b
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.75	755.7	...	...	NE	4	b	4.20	29.85	758.1	...	...	NE	1	b
Yap, ...	12.47	29.73	755.1	...	...	ENE	6	b	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.75	755.6	86	76	N	4	b	6	29.74	755.4	77	88	W	1	b

December 8*d.* 11*h.* 38*m.*—Pressure has decreased considerably over central Japan, moderately over N.E. Japan, and slightly from Shanghai to the Bonins. It is nearly stationary elsewhere.

The anticyclone has weakened still further. It remains central over the lower Yangtze Valley.

Fresh to strong monsoon will continue along the S.E. coast of China and over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·24 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 9TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	8th DECEMBER, 1922.								9th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.09	764 3	33	...	N	1	b	6	29.99	761.7	15	...	...	0	b
Nemuro.....	11	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...
Hokodate, ...	,,	29.78	756.5	...	...	WSW	4	...	,,	...	...	...	...	...	...	...
Tokio,.....	,,	29.88	759.0	...	...	NNW	3	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	30 02	762.5	...	...	NW	1	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	29.72	755.0	...	...	SE	1	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	30.10	764.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Oshima, ...	,,	30.06	763.5	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Naha.	,,	30.02	762.5	...	...	NNE	5	...	,,	...	...	...	...	...	..	...
Ishigakijima,...	,,	30.06	763.5	...	...	N	5	...	,,	...	...	...	...	...	...	...
Bonin Island,...	,,	30.02	762.5	...	...	...	...	...	,,	...	...	...	...	...	...	...
Weihaiwei.....	14	30.20	767.1	44	68	NW	1	b	6	30.17	766.3	40	48	NW	1	b
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.37	771.4	50	38	WNW	...	b	,,	30.36	771.1	28	96	W	2	b
Gutzlaff,.....	,,	30.28	769.1	50	100	WNW	1	b	,,	30 32	770.1	40	100	NNW	2	b
Sharp Peak, ...	15	30 15	765 8	64	63	E	1	b	7	30.18	766.6	48	71	NW	1	b
Amoy, ...	14	30 08	764.0	65	78	NE	4	b	6	30.17	766.3	50	93	ENE	1	b
Swatow.....	,,	...	...	...	...	...	...	...	,,	30.10	764.5	46	100	NNE	1	b
Taihoku, ...	12	30.20	767.1	57	86	NW	4	r	,,	30.19	766.8	52	92	SSW	4	o
Taichu, ...	,,	30.12	765.0	63	...	N	4	o	,,	30.08	764.1	52	...	N	2	b
Tainan, ...	,,	30.08	764.1	70	...	NNE	7	b	,,	30.05	763.2	52	...	NNE	4	b
Koshun,.....	,,	30.04	762 9	73	...	NNW	4	o	,,	30.04	762.9	66	...	NE	6	b
Pescadores, ...	,,	30.15	765.9	63	...	N	7	o	,,	30.08	764.1	61	...	NNE	7	b
Canton.	15	30.15	765.8	65	45	N	2	b	,,	30.19	766.8	46	69	N	2	o
Hongkong,.....	14	30.09	764.3	65	19	NE	2	b	,,	30.14	765.5	54	38	N	1	o
Gap Rock, ...	,,	30.09	764.3	...	...	NNW	6	b	,,	30.14	765.5	...	...	NE	4	c
Macao, ...	,,	30.10	764.4	57	28	N	4	b	,,	30.13	765.3	52	51	N	4	o
Wuchow, ...	15	30.17	766.3	63	47	SE	1	bz	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30.12	765.0	68	35	W	1	b	7	30.15	765.9	55	77	NE	2	b
Tourane,.....	,,	30.04	762.9	63	...	NNW	4	o	,,	30.10	764.4	63	...	NW	4	o
Cape St. James,	,,	29.82	757 5	77	...	ENE	2	o	,,	29.87	758.7	70	...	NE	4	cf
Aparri, ...	14	29.85	758.1	77	88	NNE	4	o	6	...	...	...	...	...	...	...
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.78	756.3	86	68	WNW	2	o	,,	29.84	757.8	72	96	E	1	o
Legaspi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.71	754.5	86	61	NE	4	o	,,	...	...	...	...	...	...	...
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.76	756.0	...	...	NE	4	o	4.20	29.81	757.2	...	...	NE	2	b
Yap, ...	12.47	29.72	754.8		...	E	6	o	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.72	754.9	86	76	N	4	b	6	29.76	755.9	76	94	E	2	b

December 9*d.* 1*ch.* 47*m.*– Pressure has decreased moderately at Wladivostock. Changes are small at other reporting stations.

The anticyclone remains stationary over the lower Yangtze Valley.

Fresh to strong monsoon will continue along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·28 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 10TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	9th DECEMBER, 1922.								10th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.86	758.5	32	...	...	0	b	6	29 98	761.4	14	...	N	2	b
Nemuro,	11	29.70	754.5	...	...	W	3	...	5	29.80	757.0	...	...	S	1	...
Hokodate,	,,	29.88	759.0	...	...	W	6	...	,,	29.67	753.5	...	...	W	4	...
Tokio,	,,	29.92	760.0	...	...	N	1	...	,,	29.84	758.0	...	...	N	1	...
Kochi,	,,	30 00	762.0	...	...	SW	1	...	,,	29.98	761.5	...	...	WSW	1	...
Nagasaki,	,,	30.10	764.5	...	...	NW	2	...	,,	30.02	762.5	...	...	NW	1	...
Kagoshima,	,,	30.10	764.5	...	...	S	3	...	,,	30.04	763.0	...	...	NW	3	...
Oshima,	,,	30.10	764.5	...	...	N	5	...	,,	30.08	764.0	...	...	NW	1	...
Naha,	,,	30.12	765.0	...	...	NNE	5	...	,,	30.12	765.0	...	...	SE	1	...
Ishigakijima,	,,	...	...	...	...	...	...	...	,,	30.12	765.0	...	...	NNE	2	...
Bonin Island,	,,	29.74	755.5	...	...	SSW	1	...	,,	29.94	760 5	...	...	NNW	1	...
Weihaiwei,	14	30.16	766.0	42	66	N	2	b	6	30.26	768.6	34	69	N	4	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.32	770.1	54	32	WNW	2	b	,,	30.29	769.3	34	77	WSW	1	b
Gutzlaff,	,,	30 27	768.8	54	94	SW	1	b	,,	30.25	768.3	44	100	W	1	b
Sharp Peak,	15	30 16	766 0	63	62	N	2	b	7	30.15	765.8	52	63	W	1	b
Amoy,	14	30.12	765.0	65	95	E	2	b	6	30.18	766.6	54	94	W	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.21	767.4	64	58	E	6	b	,,	30.12	765.0	59	83	E	4	o
Taichu,	,,	30.10	764.4	68	...	NNW	2	b	,,	30.12	765.0	54	...	...	o	b
Tainan,	,,	30.14	765.6	70	...	NNE	4	b	,,	30.10	764.4	55	...	NNE	2	b
Koshun,	,,	30.06	763.5	72	...	NE	7	b	,,	30.06	763.5	68	...	NNE	4	o
Pescadores,	,,	30.14	765.6	68	...	NE	7	o	,,	...	...	...	...	...	..	...
Canton,	15	30.12	765.0	68	95	NW	2	b	,,	...	...	...	...	....	...	...
Hongkong,	14	30.10	764.5	65	25	E	2	b	,,	30.14	765.5	57	62	...	o	b
Gap Rock,	,,	30.09	764.3	...	...	N	3	b	,,	30.13	765.3	...	...	ENE	4	b
Macao,	,,	30.08	764.1	61	32	NE	2	b	,,	30.12	765.0	52	57	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.07	763.8	72	44	SSE	2	b	7	30.15	765.9	55	79	NE	2	b
Tourane,	,,	30.02	762 6	68	...	NNW	4	o	,,	30.05	763.2	64	...	NW	4	o
Cape St. James,	,,	29.82	757 5	75	...	NNE	2	o	,,	29.89	759.3	70	...	NW	4	o
Aparri,	14	29.92	759.9	73	91	NE	4	r	6	29.97	761.1	72	91	NE	6	r
Dagupan,	,,	..	..	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756 9	82	74	WNW	2	o	,,	29.88	759.0	72	96	NE	1	o
Legaspi,	,,	29.80	756.9	84	77	ENE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	86	68	ESE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	61	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NE	4	o	4.20	29.82	757.5	...	...	NE	2	b
Yap,	12.47	29.74	755.4	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	84	79	SW	2	b	6	29.77	756.1	76	94	N	4	b

December 10*d.* 12*h.* 00*m.*— Pressure has increased moderately over the Bonins and decreased slightly at Shanghai. It has increased slightly from Formosa to Luzon,

A depression which formed yesterday near the Bonins moved rapidly northward and is now central over Hokkaido.

The anticyclone remains stationary over the lower Yangtze Valley. It has weakened still further.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·32 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 11th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	10th December, 1922.								11th December, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.91	759.6	22	...	N	4	b	6	29.97	761.3	8	...	NNW	6	b
Nemuro	11	29.51	749.5	...	...	SSE	2	...	5	29.41	747.0	...	...	...	...	...
Hokodate,	,,	29.61	752.0	...	...	WNW	4	...	,,	29.53	750.0	...	...	N	1	...
Tokio,	,,	29.70	754.5	...	...	N	1	...	,,	29 59	751.5	...	...	N	2	...
Kochi,	,,	29.88	759.0	...	...	WSW	2	...	,,	29.94	760.5	...	...	W	2	...
Nagasaki,	,,	30 00	762.0	...	...	WNW	5	...	,,	30.10	764.5	...	...	NW	3	...
Kagoshima,	,,	29.98	761.5	...	...	NW	2	...	,,	30 08	764.0	...	...	NNW	1	...
Oshima,	,,	30.06	763.5	...	...	NNW	1	...	,,	30.08	764.0	...	...	N	6	...
Naha,	,,	30.10	764.5	...	...	NNW	3	...	,,	30.12	765.0	...	...	NNW	5	...
Ishigakijima,	,,	30.12	765.0	...	...	NE	3	...	,,	30.16	766.0	...	...	NNE	2	...
Bonin Island,	,,	29.92	760.0	...	...	SW	1	...	,,	29.75	755.5	...	...	W	3	...
Weihaiwei,	14	30.26	768.6	34	69	NNW	4	o	6	30.31	769.9	32	94	W	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.30	769.6	54	42	WNW	1	b	,,	30.43	772.9	28	91	N	1	b
Gutzlaff,	,,	30.24	768.1	52	100	NNW	2	b	,,	30.39	771 9	40	100	N	4	b
Sharp Peak,	15	30.11	764.8	71	57	NE	1	b	7	30 22	767.6	54	80	NNW	2	b
Amoy,	14	30.06	763.5	70	91	E	2	b	6	30.19	766.8	53	90	NNE	4	b
Swatow,	,,	30.00	762.0	66	95	E	1	b	,,	...	...	...	...	...	...	...
Taihoku,	12	30.15	765.9	70	61	E	4	b	,,	...	...	...	...	...	...	...
Taichu,	,,	30.07	763.8	70	...	NNW	2	b	,,	30.12	765.0	50	...	...	0	b
Tainan,	,,	30.07	763.8	73	...	NNW	2	b	,,	30.08	764.1	54	...	NNE	2	b
Koshun,	,,	30.10	764.4	77	...	NE	2	b	,,	30.06	763.5	68	...	NE	7	b
Pescadores,	,,	30.15	765.9	68	...	NE	6	o	,,	30.12	765.0	63	...	NE	7	b
Canton,	15	30.10	764.5	73	31	NNW	2	b	,,	30.18	766.6	50	65	...	0	o
Hongkong	14	30.07	763.8	69	33	E	1	b	,,	30.13	765.3	60	43	ENE	2	b
Gap Rock,	,,	30.07	763.8	...	...	NE	4	b	,,	30.10	764.5	...	...	ENE	4	b
Macao,	,,	30 06	763.5	66	23	NNE	4	b	,,	30.11	764.7	55	55	NNE	4	b
Wuchow,	15	30.11	764.8	63	38	NE	1	c	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.11	764.7	86	46	S	2	b	7	30.11	764.7	61	74	NNW	1	o
Tourane,	,,	29.98	761.4	66	...	NW	4	o	,,	30.02	762.6	66	...	NW	4	o
Cape St. James,	,,	29.82	757 5	77	...	N	2	o	,,	29.85	758.1	70	...	NW	2	of
Aparri,	14	29.92	759.9	75	88	NE	4	o	6	29.98	761.4	73	88	NE	6	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	84	68	SW	1	o	,,	29.87	758.7	70	94	NNE	1	o
Legaspi,	,,	29.81	757.2	82	81	NE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.79	756.6	86	71	ESE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.76	756.0	82	77	N	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	753.7	...	...	NE	4	o	4.20	29.76	756.0	...	...	NE	1	b
Yap,	12.47	29.72	754.8	...	...	ENE	6	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.71	754.6	86	76	SW	2	b	6	29.73	755.1	76	94	N	2	b

December 11*d.* 10*h.* 45*m.*—Pressure has decreased considerably over N.E. Japan, moderately over the Bonins, and slightly at Guam. It has increased moderately at Shanghai and is nearly stationary at other reporting stations.

The depression has deepened and passed into the Pacific.

The anticyclone has strengthened.

Mode ate to fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·36 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 12TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine.
3.—Hongkong to Gap Rook,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	11th December, 1922.								12th December, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperatures.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock,	12	29.94	760.6	14	...	N	6	c	6	30.07	763.7	6	...	N	4	b
Nemuro,	11	29.35	745.5	...	...	N	2	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.59	749.5	...	...	W	5	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.57	751.0	...	...	NNW	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.90	759.5	...	...	NW	4	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.14	765.5	...	...	NNW	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.08	764.0	...	...	NW	5	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.10	764.5	...	...	N	6	...	,,	...	...	...	...	...	...	...
Naha.	,,	30.16	766.0	...	...	N	5	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.16	766.0	...	...	NNE	4	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.72	755.0	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	30.23	767.8	40	56	WNW	2	b	6	30 29	769.3	36	61	NNW	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30 43	772.6	48	48	NE	1	b	,,	30.31	769.9	37	83	ESE	1	o
Gutzlaff,	,,	30.31	769.9	50	100	N	2	b	,,	30.30	769.6	42	100	NNE	1	b
Sharp Peak,	15	30.16	766 0	62	67	ENE	4	b	7	30.13	765.3	52	79	W	2	b
Amoy,	14	30.10	764.5	67	95	E	2	b	6	30.12	765.0	56	94	NNW	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.24	758.0	65	49	E	6	b	,,	30.10	764.4	59	81	E	4	b
Taichu,	,,	30.12	765.0	68	...	N	2	b	,,	30.07	763.8	54	...	...	0	o
Tainan,	,,	30.11	764.7	72	...	N	2	b	,,	30.06	763.5	55	...	NNE	2	o
Koshun,	,,	30.08	764.1	72	...	NE	7	b	,,	30.05	763.2	66	...	NE	4	b
Pescadores,	,,	30.15	765.9	68	...	NE	7	b	,,	30.08	764.1	63	...	NNE	6	b
Canton,	15	30.09	764.3	69	35	N	1	o	,,	30.10	764.5	53	86	...	0	o
Hongkong,	14	30.06	763.5	67	40	E	3	b	,,	30.07	763.8	62	72	E	4	o
Gap Rock,	,,	30.06	763.5	...	...	NE	5	c	,,	30 06	763.5	...	...	ENE	5	o
Macao,	,,	...	...	...	...	...	...	...	,,	30.05	763.2	61	79	NNE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30 02	762.6	75	33	ESE	4	o	7	30.06	763.5	63	70	ENE	4	o
Tourane,	,,	29.94	760 5	68	...	NW	4	o	,,	29.95	760.8	66	...	NW	2	b
Cape St. James,	,,	29.79	756.6	79	...	ENE	4	o	,,	29.81	757.2	73	...	NNE	2	o
Aparri,	14	29.95	760.8	73	85	NE	4	o	6	29.99	761.7	70	91	NE	4	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757 5	82	74	WSW	1	o	,,	29.86	758.4	72	96	NE	1	o
Legaspi,	,,	29.81	757.2	86	71	ENE	4	o	,,	29.84	757.8	77	88	NE	4	o
Tacloban,	,,	29.81	757.2	75	91	...	0	o	,,	29.81	757.2	75	96	W	1	o
Iloilo,	,,	29.78	756.3	82	70	NE	6	o	,,	29.79	756.6	75	89	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755 1	...	...	NE	4	o	4.20	29.78	756.3	...	...	NE	1	o
Yap,	12.47	29.71	754.5	...	...	NE	6	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	84	79	SW	2	b	6	29.78	756.4	75	94	SE	2	b

December 12*d*. 11*h*. 40*m*.—Pressure has increased slightly at Wladivostock and Labuan, and decreased moderately at Shanghai. It has decreased slightly from Formosa to Indo-China, and is nearly stationary over the Philippines.

A new anticyclone has formed over S.E. Mongolia. The Chinese anticyclone has weakened.

Fresh to moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·40 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 13TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; cloudy, some drizzle.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	12th DECEMBER, 1922.								13th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock, .	12	30.06	763.6	18	...	N	5	b	6	30.18	766.6	9	...	N	6	b
Nemuro,	11	29.00	736.5	...	...	W	3	...	5	...	...	...	...	...	...	...
Hokodate,	,,	29.45	748.0	...	...	NW	8	...	,,	...	...	...	...	...	...	...
Tokio,	,,	29.63	752.5	...	...	NW	4	...	,,	...	...	...	...	...	...	...
Kochi,	,,	29.90	759.5	...	...	WNW	3	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.14	765.5	...	...	NNW	4	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.10	764.5	...	...	NNW	4	...	,,	...	...	...	...	...	...	...
Naha,	,,	30.12	765.0	...	...	NNE	4	...	,,	...	...	...	...	...	...	...
Ishigakijima,	,,	30.12	765.0	...	...	NE	2	...	,,	...	...	...	...	...	...	...
Bonin Island,	,,	29.76	756.0	...	...	W	3	...	,,	...	...	...	...	...	...	...
Weihaiwei,	14	30.28	769.1	40	48	NNE	1	b	6	30.35	770.9	36	61	N	4	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang.	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.32	770 1	55	55	E	2	o	,,	30.31	769.9	41	94	ENE	1	b
Gutzlaff,	,,	30 23	767.8	48	100	ENE	2	o	,,	30.27	768.8	48	100	ENE	2	o
Sharp Peak,	15	30 08	764.0	63	70	N	1	o	7	30.13	765.3	58	85	N	1	o
Amoy,	14	30.01	762.2	69	100	ESE	2	b	6	30.09	764.3	62	94	N	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.10	764.4	72	57	E	6	b	,,	30.08	764.1	61	91	E	4	o
Taichu,	,,	30.10	764 4	68	...	SW	2	b	,,	30.07	763.8	57	...	...	o	o
Tainan,	,,	30.08	764.1	72	...	N	4	b	,,	30.05	763.2	57	...	...	o	b
Koshun,	,,	30.07	763.8	75	...	NE	4	b	,,	30.05	763.2	64	...	NE	2	b
Pescadores,	,,	30.12	765.0	68	...	NE	6	b	,,	30.07	763.8	66	...	NNE	4	o
Canton,	15	30.01	762.2	70	53	NW	1	o	,,	30 08	764.0	60	88	...	o	o
Hongkong,	14	30.01	762.2	65	52	E	4	o	,,	30 06	763.5	63	75	E	3	o
Gap Rock,	,,	30.00	762.0	...	...	ENE	5	b	,,	30.05	763.2	...	...	NE	4	o
Macao,	,,	29 99	761.7	64	67	E	2	o	,,	30 02	762.6	61	79	E	2	o
Wuchow,	15	30.01	762.2	66	54	E	1	cz	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.98	761.4	70	74	...	o	o	7	...	...	...	...	...	...	...
Tourane,	,,	29.88	759.0	68	...	NW	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	79	...	NE	2	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.89	759.3	79	73	E	4	o	6	29.97	761.1	70	88	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.80	756 9	82	74	WSW	1	o	,,	29.88	759.0	73	92	...	o	o
Legaspi,	,,	29.79	756.6	81	80	NE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	84	81	ESE	1	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	...	...	...	...	...	...	...	4.20	29.82	757.5	...	...	NE	2	o
Yap,	12.47	29.69	754.2	...	...	E	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.73	755.1	82	83	SW	2	b	6	29.75	755.6	78	91	S	2	b

December 13*d*. 12*h*. 13*m*.—Pressure has increased slightly at Wladivostock and Weihaiwei and over N. Indo-China. It is nearly stationary at other reporting stations.

The two anticyclones appear to have merged into one system central near Pekin.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·43 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 14TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, fresh; fair.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	13th December, 1922.								14th December, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostook, .	12	30.13	765.3	18	...	NNE	5	b	6	30.14	765.5	11	...	N	5	b
Nemuro, ...	11	29.49	749.0	...	...	NNW	6	...	5	29.69	754.0	...	...	NW	5	...
Hokodate, ...	,,	29.67	753.5	...	...	NNW	4	...	,,	29.78	756.5	...	...	NNW	1	...
Tokio, ...	,,	29.80	757.0	...	...	NW	4	...	,,	29.92	760.0	...	...	N	1	...
Kochi, ...	,,	30.02	762.5	...	...	SE	1	...	,,	30.12	765.0	...	...	NNE	1	...
Nagasaki, ...	,,	30.14	765.5	...	...	W	5	...	,,	30.18	766 5	...	...	NW	1	...
Kagoshima, ...	,,	30.14	765.5	...	...	NW	3	...	,,	30.18	766.5	...	...	WNW	1	...
Oshima, ...	,,	30.14	765.5	...	...	N	4	...	,,	30.14	765.5	...	...	SSE	1	...
Naha, ...	,,	30.14	765.5	...	...	NE	2	...	,,	30.12	765.0	...	...	NNE	1	...
Ishigakijima, ...	,,	30.12	765.0	...	...	ENE	2	...	,,	30.06	763.5	...	...	ESE	3	...
Bonin Island, ...	,,	29.90	759.5	...	...	WNW	2	...	,,	29.98	761.5	...	...	W	3	...
Weihaiwei, ...	14	30.33	770 4	36	45	N	2	b	6	30.27	768.8	34	69	ENE	1	o
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.35	770.9	57	51	E	2	b	,,	...	...	...	...	...	...	...
Gutzlaff, ...	,,	30.26	768.6	50	100	NE	2	b	,,	...	...	...	...	...	...	...
Sharp Peak, ...	15	30 08	764.0	60	82	N	1	o	7	30.03	762.7	58	81	W	1	o
Amoy, ...	14	30.03	762.7	68	100	ENE	2	o	6	30.09	764.3	62	94	SW	1	b
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.12	765.0	66	85	E	4	o	,,	30.06	763.5	63	94	E	4	b
Taichu, ...	,,	30.07	763.8	72	...	...	o	o	,,	30.05	763.2	61	...	...	o	o
Tainan, ...	,,	30.06	763.5	77	...	NW	2	b	,,	30.04	762.9	63	...	...	o	o
Koshun, ...	,,	30.05	763.2	75	...	E	4	o	,,	30 02	762.6	63	...	...	o	b
Pescadores, ...	,,	30.08	764.1	66	...	N	4	o	,,	30.05	763.2	64	...	N	4	b
Canton, ...	15	29.99	761.7	73	51	E	1	c	,,	30.07	763.8	61	93	...	o	o
Hongkong, ...	14	30.00	762.0	67	67	E	4	o	,,	30.05	763.2	63	78	E	4	o
Gap Rock, ...	,,	29 99	761.7	...	...	ENE	5	c	,,	30.04	763.0	...	...	ENE	5	b
Macao, ...	,,	29.99	761.7	72	65	ESE	2	o	,,	29.99	761.7	61	87	E	2	of
Wuchow, ...	15	30.01	762.2	62	89	E	1	oz	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	29.95	760.8	72	78	...	o	o	7	29.99	761.7	66	96	E	2	of
Tourane, ...	,,	29.87	758.7	70	...	WNW	2	o	,,	29.94	760.5	70	...	WSW	2	o
Cape St. James,	,,	29.79	756.6	77	...	ENE	4	o	,,	29.82	757.5	73	...	NNE	2	o
Aparri, ...	14	29.88	759.0	79	73	...	o	o	6	29.97	761.1	72	94	...	o	o
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	...	...	...	...	...	...	...	,,	29.89	759.3	70	94	NE	1	o
Legaspi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.75	755.7	86	65	NE	6	o	,,	...	...	...	...	...	...	...
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.75	755.7	...	...	NNE	4	r	4.20	29.85	758.1	...	...	NNE	2	r
Yap, ...	12.47	29.73	755.1	...	...	E	6	b	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.73	755.1	86	76	W	4	b	6	29.78	756.4	76	94	SE	2	b

December 14*d.* 11*h.* 43*m.*— Pressure has increased moderately over the Bonins and slightly over S.W. Japan. It has decreased slightly from Weihaiwei to Formosa and is nearly stationary in southern districts.

The anticyclone has weakened. It is probably moving eastward.

A depression is shown to the East of Hokkaido.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·46 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 15TH.

District.	Forecast.
1.—Formosa Channel, ... 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, moderate; fine.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	14th DECEMBER, 1922.								15th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.07	763.9	22	...	NNE	2	b	6	29.94	760.5	10	...	NNW	3	b
Nemuro,	11	29.72	755.0	...	...	N	4	...	5	29.82	757.5	...	...	WSW	1	...
Hokodate,	,,	29.80	757.0	...	...	N	5	...	,,	29.84	758.0	...	...	NNW	1	...
Tokio,	,,	29.96	761.0	...	...	NNE	2	...	,,	29.96	761.0	...	...	NNW	1	...
Kochi,	,,	30.10	764.5	...	...	SW	1	...	,,	...	...	...	...	...	...	...
Nagasaki,	,,	30.16	766.0	...	...	ENE	3	...	,,	...	...	...	...	...	...	...
Kagoshima,	,,	30.16	766.0	...	...	NNW	2	...	,,	...	...	...	...	...	...	...
Oshima,	,,	30.14	765.5	...	...	...	...	...	,,	30.02	762.5	...	...	NNW	1	...
Naha,	,,	30.10	764.5	...	...	E	2	...	,,	29.98	761.5	...	...	ESE	1	...
Ishigakijima,	,,	30.08	764.0	...	...	SW	3	...	,,	30.02	762.5	...	...	NNW	1	...
Bonin Island,	,,	30.02	762.5	...	...	WNW	2	...	,,	30.10	764.5	...	...	...	0	...
Weihaiwei,	14	30.05	763.2	32	90	SE	1	r	6	30.21	767.3	26	87	N	6	r
Hankow,	15	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.22	767.6	48	95	ESE	1	0	,,	30.41	772.4	36	64	NNW	4	0
Gutzlaff,	,,	30.11	764.8	50	100	SSW	1	0	,,	30.33	770.4	38	100	NNW	6	0
Sharp Peak,	15	30.01	762.2	64	84	...	0	0	7	30.13	765.3	58	93	ENE	4	0
Amoy,	14	29.98	761.5	70	95	SSE	4	b	6	30.08	764.0	62	94	S	1	b
Swatow,	,,	...	...	...	...	...	...	...	,,	29.99	761.7	59	100	NE	1	b
Taihoku,	12	30.10	764.4	72	75	SE	1	0	,,	30.10	764.4	63	94	...	0	0
Taichu,	,,	30.08	764.1	73	...	...	0	b	,,	30.06	763.5	55	...	...	0	b
Tainan,	,,	30.06	763.5	77	...	N	4	b	,,	30.01	762.3	61	...	NNE	2	cf
Koshun,	,,	30.05	753.2	79	...	E	2	b	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.11	764.7	70	...	N	4	b	,,	30.05	763.2	66	...	NNE	4	b
Canton,	15	29.98	761.5	77	53	SSW	1	b	,,	30.09	764.3	62	89	N	2	0
Hongkong,	14	29.99	761.7	69	65	ESE	3	b	,,	30.07	763.8	65	82	E	2	0
Gap Rock,	,,	29.99	761.7	...	...	NE	4	b	,,	30.06	763.5	...	...	ENE	4	0
Macao,	,,	29.99	761.7	70	65	ESE	2	b	,,	30.04	762.9	63	90	N	2	cf
Wuchow,	15	29.98	761.5	68	79	E	3	c	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.94	760.5	72	91	...	0	rf	7	...	...	...	...	...	...	...
Tourane,	,,	29.88	759.0	70	...	NNW	2	of	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	79	...	ENE	6	0	,,	...	...	...	...	...	...	...
Aparri,	14	29.88	759.0	81	66	E	4	0	6	29.95	760.8	72	89	E	2	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	84	64	W	2	0	,,	29.89	759.3	70	92	N	1	0
Legaspi,	,,	29.82	757.5	79	85	NE	2	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.80	756.9	79	90	...	0	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.85	758.1	75	98	N	4	0
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	2	r	4.20	29.82	757.5	...	...	NE	4	0
Yap,	12.47	...	...		...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.75	755.6	81	91	SW	2	b	6	29.80	756.9	76	94	S	2	b

December 15*d.* 11*h.* 52*m.*—Pressure has increased moderately at Shanghai, Nemuro and the Bonins. It has decreased moderately at Wladivostock. In southern districts it is nearly stationary.

A new anticyclone has formed over the lower Yangtze Valley.

Strong to fresh monsoon may be expected along the east and south-east coasts of China, and moderate monsoon over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·50 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 16th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, freshening.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, moderate; fine to cloudy.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	15th DECEMBER, 1922.								16th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	29.85	758.1	18	...	NNE	4	b	6	29.98	761.5	7	...	N	2	b
Nemuro, ...	11	29.76	756.0	...	...	ESE	3	...	5	...	...	...	...	...	...	...
Hokodate, ...	,,	29.70	754.5	...	...	NNW	1	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	29.70	754.5	...	...	NE	1	...	,,	29.65	753.0	...	...	NNW	3	...
Kochi, ...	,,	29.88	759.0	...	...	W	1	...	,,	29.98	761.5	...	...	W	1	...
Nagasaki, ...	,,	29.94	760.5	...	...	NW	8	...	,,	30.16	766.0	...	...	NNW	2	...
Kagoshima, ...	,,	29.94	760.5	...	...	WNW	5	...	,,	30.10	764.5	...	...	N	2	...
Oshima, ...	,,	30.06	763.5	...	...	NNW	3	...	,,	30.12	765.0	...	...	N	4	...
Naha, ...	,,	30.06	763.5	...	...	N	6	...	,,	30.16	766.0	...	...	N	5	...
Ishigakijima, ...	,,	30.10	764.5	...	...	NNE	4	...	,,	30.18	769.5	...	...	N	2	...
Bonin Island, ...	,,	30.02	762.5	...	...	WSW	2	...	,,	29.82	757.5	...	...	SW	6	...
Weihaiwei, ...	14	30.21	767.3	30	77	NNW	6	0	6	30.24	768.1	30	77	NW	2	0
Hankow, ...	15	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.50	774.7	37	36	NW	6	b	,,	30.48	774.2	25	...	NW	1	b
Gutzlaff, ...	,,	30.39	771.9	38	100	NNW	6	b	,,	30.42	772.6	32	100	NNW	4	b
Sharp Peak, ...	15	30.15	765.8	54	82	ENE	4	0	7	30.22	767.6	50	79	NNE	1	0
Amoy, ...	14	30.07	763.8	64	95	E	4	0	6	30.18	766.6	56	94	NE	4	0
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.21	767.4	63	82	ENE	6	0	,,	30.22	767.7	55	81	E	6	0
Taichu, ...	,,	30.07	763.8	73	...	NNW	4	b	,,	30.08	764.1	54	...	...	0	0
Tainan, ...	,,	30.07	763.8	75	...	N	6	b	,,	30.06	763.5	55	...	NNE	4	0
Koshun, ...	,,	30.05	763.2	79	...	NNE	4	b	,,	30.04	762.9	66	...	NE	8	0
Pescadores, ...	,,	30.11	764.7	75	...	NE	7	b	,,	30.11	764.7	61	...	NE	7	0
Canton, ...	15	30.05	763.2	72	58	N	2	0	,,	30.15	765.8	56	69	N	2	0
Hongkong, ...	14	30.00	762.0	71	65	E	2	b	,,	30.09	764.3	62	75	NE	3	0
Gap Rock, ...	,,	30.00	762.0	...	...	ENE	4	b	,,	30.07	763.8	...	...	ENE	5	0
Macao, ...	,,	29.95	760.8	72	62	NE	2	b	,,	30.07	763.8	57	79	NNE	4	r
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	29.95	760.8	73	75	E	4	b	7	...	...	...	...	...	...	...
Tourane, ...	,,	29.87	758.7	72	...	ESE	2	0	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.76	756.0	79	...	ENE	6	0	,,	...	...	...	...	...	...	...
Aparri, ...	14	29.88	759.0	81	69	ENE	4	0	6	29.97	761.1	73	88	ENE	4	r
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.81	757.2	82	67	WNW	2	0	,,	29.87	758.7	72	94	N	1	0
Legaspi, ...	,,	29.82	757.5	84	74	ENE	2	0	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	29.84	757.8	79	92	ESE	2	r	,,	29.82	757.5	75	96	WSW	2	0
Iloilo, ...	,,	29.78	756.3	82	81	NE	4	0	,,	29.81	757.2	75	91	N	4	0
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.76	756.0	...	...	NE	4	0	4.20	29.75	755.7	...	...	NE	1	0
Yap, ...	12.47	29.73	755.1	...	...	ENE	6	0	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.77	756.1	84	83	N	2	b	6	29.77	756.1	48	94	SW	2	b

December 16*d*. 11*h*. 23*m*.—Pressure has decreased considerably from Tokio to the Bonins and slightly at Guam. It has increased moderately over the Bonins, and slightly from Weihaiwei to Formosa.

The anticyclone over China has strengthened slightly.

A depression is shown to the east of Tokio.

Strong monsoon may be expected along the S.E. coast of China and fresh monsoon over the northern portion of the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·54 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 17TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, ... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh; overcast, cooler.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	16th DECEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	17th DECEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostook,	12	29.95	760.7	2	...	...	0	b	6	29.99	761.8	5	...	N	1	b
Nemuro,	11	29.49	749.0	...	...	ENE	5	...	5	29.63	752.5	...	...	SE	5	...
Hokodate,	,,	29.57	751.0	...	...	WNW	7	...	,,	29.69	754.0	...	...	NNW	1	...
Tokio,	,,	29.74	755.5	...	...	NW	4	...	,,	29.84	758.0	...	...	NW	3	...
Kochi,	,,	30.00	762.0	...	...	WNW	2	...	,,	30.04	763.0	...	...	SW	1	...
Nagasaki,	,,	30.14	765.5	...	...	N	3	...	,,	30.10	764.5	...	...	NW	2	...
Kagoshima,	,,	30.12	765.0	...	...	NNW	2	...	,,	30.08	764.5	...	...	NW	1	...
Oshima,	,,	30.14	765.5	...	...	N	4	...	,,	30.12	765.0	...	...	NW	1	...
Naha,	,,	30.18	766.5	...	...	NNE	4	...	,,	30.14	765.5	...	...	E	1	...
Ishigakijima,	,,	30.20	767.0	...	...	N	3	...	,,	30.10	764.5	...	...	NE	1	...
Bonin Island,	,,	29.84	758.0	...	...	NW	3	...	,,	29.98	761.5	...	...	WNW	2	...
Weihaiwei,	14	30.17	766.3	34	79	W	4	o	6	30.17	766.3	34	90	WNW	2	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.45	773.4	39	...	NW	1	b	,,	30.35	770.9	32	...	W	1	b
Gutzlaff,	,,	30.34	770.6	42	100	NNW	2	b	,,	30.32	770.1	36	100	NW	4	o
Sharp Peak,	15	30.18	766.6	54	74	E	2	o	7	30.14	765.5	47	96	NE	2	r
Amoy,	14	30.14	765.5	60	94	ENE	2	o	6	30.09	764.3	56	100	N	1	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.25	768.3	63	86	E	6	o	,,	30.06	763.5	61	89	E	6	o
Taichu,	,,	30.11	764.7	64	...	N	4	b	,,	30.06	763.5	70	...	...	0	b
Tainan,	,,	30.11	764.7	66	...	N	4	o	,,	30.02	762.6	59	...	NNE	4	o
Koshun,	,,	30.07	763.8	70	...	NE	7	o	,,	30.00	762.0	68	...	NE	6	o
Pescadores,	,,	30.14	765.6	66	...	NNE	7	o	,,	30.04	762.9	63	...	NNE	6	o
Canton,	15	30.11	764.8	55	74	N	2	o	,,	30.11	764.8	49	93	N	2	or
Hongkong,	14	30.07	763.8	63	67	NNE	1	o	,,	30.04	763.0	60	72	ENE	1	o
Gap Rock,	,,	30.05	763.2	...	...	NE	5	o	,,	30.02	762.5	...	...	NE	5	o
Macao,	,,	30.06	763.5	59	63	NNE	4	o	,,	30.01	762.3	55	84	NNW	4	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	29.99	761.7	61	98	ENE	4	rf	7	...	...	...	...	...	...	...
Tourane,	,,	29.84	757.8	73	...	SE	4	o	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.81	757.2	77	...	ENE	4	o	,,	...	...	...	...	...	...	...
Aparri,	14	29.93	760.2	77	84	ENE	4	r	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	82	70	WSW	1	o	,,	29.85	758.1	70	94	...	o	b
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	82	81	ENE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	86	68	NE	4	o	,,	29.78	756.3	75	91	N	2	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.74	755.4	...	...	NE	2	o	4.20	29.76	756.0	...	...	NE	1	r
Yap,	12.47	29.71	754.5	...	...	ENE	4	o	4.47	...	...	...	...	...	...	...
Labuan,	14	29.76	755.9	84	83	SE	4	b	6	29.75	755.6	78	93	N	2	b

December 17*d.* 11*h.* 58*m.*—Pressure has increased moderately from Tokio to the Bonins and decreased moderately at Shanghai. It has decreased slightly in southern districts.

The anticyclone has weakened.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 68·71 inches, against an average of 82·58 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 18th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; overcast.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	17th December, 1922.								18th December, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29 96	760.9	12	...	N	4	o	6	30.12	765.0	— 1	...	NNE	4	b
Nemuro,	11	29 57	751.0	...	...	SW	3	...	5	29.53	750.0	...	...	NW	2	...
Hokodate,	,,	29.67	753.5	...	...	WSW	5	...	,,	29.63	752.5	...	...	SW	5	...
Tokio,	,,	29.78	756.5	...	...	E	1	...	,,	29.78	756.5	...	...	WSW	1	...
Kochi,	,,	30.00	762.0	...	...	SW	1	...	,,	30.04	763.0	...	...	SW	1	...
Nagasaki,	,,	30.10	764.5	...	...	N	3	...	,,	30.18	766 5	...	...	NNW	1	...
Kagoshima,	,,	30.08	764.0	...	...	N	1	...	,,	30.14	765.5	...	...	W	1	...
Oshima,	,,	30.12	765.0	...	...	NNW	2	...	,,	30.10	764.5	...	...	SSE	1	...
Naha,	,,	30.14	765.5	...	...	NNE	2	...	,,	30.10	764.5	...	...	E	1	...
Ishigakijima,	,,	30.10	764.5	...	...	ENE	3	...	,,	30.04	763.0	...	...	SSW	2	...
Bonin Island,	,,	29.94	760.5	...	...	WNW	2	...	,,	29.98	761.5	...	...	...	o	...
Weihaiwei,	14	30.15	765.8	32	100	W	2	b	6	30.32	770.1	36	81	NNE	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.38	771.6	43	34	NW	1	b	,,	30.40	772.2	36	75	N	1	b
Gutzlaff,	,,	30.28	769.1	42	100	NNW	2	o	,,	30.35	770 9	40	100	NNW	2	o
Sharp Peak,	15	30.09	764.3	48	93	NNE	4	r	7	30 20	767.1	48	93	N	1	o
Amoy,	14	30 04	763.0	58	100	ENE	4	o	6	30.13	765.3	56	94	NE	1	r
Swatow,	,,	29.86	758.4	58	94	NE	2	o	,,	...	...	...	...	...	...	...
Taihoku,	12	30.13	765.3	63	94	E	4	r	,,	30.14	765.6	59	98	E	2	rf
Taichu,	,,	30.06	763.5	68	...	N	4	o	,,	30.07	763.8	59	...	NNW	2	r
Tainan,	,,	30.05	763.2	73	...	N	4	b	,,	30.04	762.9	59	...	NNE	4	r
Koshun,	,,	30.04	762.9	75	...	NE	4	o	,,	30.00	762.0	68	...	NNE	4	o
Pescadores,	,,	30.11	764.7	63	...	NNE	6	r	,,	30.10	764.4	61	...	NE	6	r
Canton,	15	30.07	763.8	52	86	N	2	o	,,	30.18	766.6	48	93	N	2	o
Hongkong,	14	30 01	762.2	62	74	E	3	cd	,,	30 08	764 0	56	83	N	3	cd
Gap Rock,	,,	30.01	762.2	...	...	NE	5	o	,,	30.07	763.8	...	...	N	4	od
Macao,	,,	29.99	761.7	54	95	NNE	4	r	,,	30.07	763.8	50	92	N	4	r
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.01	762.3	61	98	NNW	1	rf	7	30.10	764.4	57	100	NE	2	rf
Tourane,	,,	29.84	757.8	70	...	...	o	r	,,	29.92	759.9	68	...	S	2	o
Cape St. James,	,,	29.78	756.3	77	...	ENE	6	b	,,	29.82	757.5	75	...	ENE	4	b
Aparri,	14	29.88	759.0	77	84	...	o	r	6	29.93	760.2	72	92	...	o	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	84	63	SE	2	o	,,	29.87	758.7	73	96	...	o	b
Legaspi,	,,	29.80	756 9	82	77	ENE	4	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.78	756.3	82	81	ENE	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	96	N	4	o
Surigao,	,,	29.76	756.0	82	74	N	4	o	,,	...	...	...	...	...	...	...
Guam,	12.20	29.73	755.1	...	...	NE	4	o	4.20	29.81	757.2	...	...	NE	2	r
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.72	754.9	86	80	E	2	b	6	29.75	755.6	78	86	SW	2	b

December 18*d*. 11*h*. 11*m*.— Pressure has increased moderately at Wladivostock and Weihaiwei. It has increased moderately from Shanghai to Tourane and is nearly stationary over the Philippines.

The anticyclone has strengthened again. It remains stationary over China.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·21 inch. Total since January 1st, 68·92 inches, against an average of 82·62 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 19TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N. winds, fresh; overcast, drizzle or mist.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	18th DECEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	19th DECEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostook,	12	30.06	763.5	8	...	NNE	5	b	6	30.13	765.2	6	...	N	2	b
Nemuro,	11	29.45	748.0	...	...	W	1	...	5	29.49	749.0	...	...	WNW	6	...
Hokodate,	,,	29.57	751.0	...	...	WSW	4	...	,,	29.73	755.0	...	...	NNW	2	...
Tokio,	,,	29.70	754.5	...	...	SSE	1	...	,,	29.85	758.5	...	...	NW	1	...
Kochi,	,,	30.02	762.5	...	...	SW	1	...	,,	30.08	764.0	...	...	SW	1	...
Nagasaki,	,,	30.16	766.0	...	...	NNW	1	...	,,	30.20	767.0	...	...	NW	5	...
Kagoshima,	,,	30.12	765.0	...	...	NNW	3	...	,,	30.20	767.0	...	...	...	0	...
Oshima,	,,	30.12	765.0	...	...	NNW	1	...	,,	30.20	767.0	...	...	N	5	...
Naha,	,,	30.14	765.5	...	...	NE	1	...	,,	30.20	767.0	...	...	ENE	2	...
Ishigakijima,	,,	30.10	764.5	...	...	N	4	...	,,	30.18	766.5	...	...	...	...	...
Bonin Island,	,,	29.94	760.5	...	...	WNW	3	...	,,	29.98	761.5	...	...	NW	3	...
Weihaiwei,	14	30.36	771.1	30	88	N	1	o	6	30.39	771.9	30	94	NW	2	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.44	773.2	50	27	NW	2	b	,,	30.47	773.9	28	...	NNE	1	b
Gutzlaff,	,,	30.36	771.1	50	100	N	1	b	,,	30.43	772.9	40	100	NW	1	b
Sharp Peak,	15	30.15	765.8	50	87	ENE	2	o	7	30.25	768.3	50	86	N	2	b
Amoy,	14	30.09	764.3	63	94	E	2	b	6	30.18	766.6	54	94	...	0	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.21	767.4	63	90	E	4	r	,,	30.20	767.1	59	81	E	4	o
Taichu,	,,	30.15	765.9	61	...	N	4	o	,,	30.08	764.1	59	...	...	0	o
Tainan,	,,	30.08	764.1	64	...	N	4	r	,,	30.05	763.2	59	...	NNW	4	o
Koshun,	,,	30.07	763.8	72	...	N	4	o	,,	...	...	...	...	...	...	...
Pescadores,	,,	30.15	765.9	61	...	NE	7	o	,,	30.11	764.7	63	...	NE	8	o
Canton,	15	30.12	765.0	58	70	N	2	o	,,	30.20	767.1	49	78	N	2	o
Hongkong,	14	30.08	764.0	57	85	N	1	o	,,	30.15	765.8	55	86	NNE	1	or
Gap Rock,	,,	30.07	763.8	...	...	NNE	4	od	,,	30.10	764.8	...	...	NE	5	or
Macao,	,,	30.07	763.8	52	92	N	4	r	,,	30.13	765.3	79	95	N	4	r
Wuchow,	15	30.17	766.3	59	89	E	1	o	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.08	764.1	59	100	NW	2	rf	7	30.14	765.6	55	100	NE	2	cf
Tourane,	,,	29.91	759.6	66	...	NNW	6	o	,,	29.97	761.1	66	...	NNW	6	o
Cape St. James,	,,	29.79	756.6	79	...	ENE	6	b	,,	29.85	758.1	73	...	ENE	4	o
Aparri,	14	29.88	759.0	82	70	NE	4	o	6	29.97	761.1	75	83	NE	1	b
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	82	70	SSW	1	o	,,	29.86	758.4	72	94	ENE	1	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	79	89	...	o	r	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	82	77	N	4	o	,,	29.78	756.3	75	92	N	4	o
Surigao,	,,	29.75	755.7	75	96	ENE	2	r	,,	...	...	...	...	...	...	...
Guam,	12.20	29.75	755.7	...	...	NE	6	o	4.20	29.78	756.3	...	...	NE	1	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.74	755.4	82	87	SW	2	b	6	29.78	756.4	77	91	E	2	b

December 19*d*. 11*h*. 04*m*.—Pressure has increased slightly from Weihaiwei to Aparri and Indo-China. It is nearly stationary at other reporting stations.

The anticyclone has again strengthened slightly. It remains stationary over China.

Fresh monsoon will continue along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·51 inch. Total since January 1st, 69·43 inches, against an average of 82·66 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 20TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; overcast, some drizzle or mist.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	19th DECEMBER, 1922.								20th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	30.11	764.8	16	...	NNE	3	c	6	30.23	767.9	11	...	N	4	b
Nemuro,	11	29.53	750.0	...	...	NW	6	...	5	29.65	753.0	...	...	WNW	4	...
Hokodate,	,,	29.72	755.0	...	...	W	7	...	,,	29.80	757.0	...	...	NNW	3	...
Tokio,	,,	29.86	758.5	...	...	N	2	...	,,	29.94	760.5	...	...	NW	2	...
Kochi,	,,	30.06	763.5	...	...	E	3	...	,,	30.16	766.0	...	...	SW	1	...
Nagasaki,	,,	30.22	767.5	...	...	NW	5	...	,,	30.26	768.5	...	...	NNW	2	...
Kagoshima,	,,	30.18	766.5	...	...	NW	4	...	,,	30.24	768 0	...	...	NNW	1	...
Oshima,	,,	30.22	767.5	...	...	N	3	...	,,	30 20	767.0	...	...	N	4	...
Naha.	,,	30.24	768.0	...	...	NNE	3	...	,,	30.24	768.0	...	...	ENE	1	...
Ishigakijima,	,,	30.22	767.5	...	...	NNE	5	...	,,	30.20	767.0	...	...	ENE	4	...
Bonin Island,	,,	30 35	771.0	...	...	W	3	...	,,	30.02	762.5	...	...	WNW	3	...
Weihaiwei,	14	30.37	771.4	30	88	NNW	1	r	6	30.43	772.9	36	80	NNW	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.49	774.4	50	27	WNW	1	b	,,	30.50	774.7	36	85	NNE	1	b
Gutzlaff,	,,	30.41	772.4	50	100	NW	1	b	,,	30.45	773.4	40	100	N	2	o
Sharp Peak,	15	30 22	767.6	60	71	N	2	o	7	30 24	768.1	52	73	N	1	o
Amoy,	14	30.18	766 6	62	94	NE	2	o	6	30.17	766.3	58	100	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taiboku,	12	30.25	768.3	66	59	E	7	b	,,	30.19	766.8	59	89	E	4	r
Taichu,	,,	30.13	765.3	63	...	N	2	o	,,	30.08	764.1	61	...	...	o	b
Tainan,	,,	30.14	765.6	66	...	NW	2	o	,,	30.07	763.8	59	...	...	o	o
Koshun,	,,	...	...	...	...	...	...	...	,,	30 07	763.8	68	...	NE	7	o
Pescadores,	,,	30.18	766.5	66	...	NNE	7	o	,,	30.12	765.0	64	...	NE	7	r
Canton,	15	30.17	766.3	60	65	N	2	o	,,	30.18	766.6	53	80	N	2	o
Hongkong,	14	30.14	765.5	60	71	N	1	o	,,	30.13	765.3	59	66	NE	1	o
Gap Rock,	,,	30.13	765.3	...	...	ENE	5	or	,,	30.11	764.8	...	...	ENE	4	o
Macao,	,,	30.12	765.0	55	71	N	4	o	,,	30.12	765 0	55	77	NNW	4	o
Wuchow,	15	30.22	767.6	64	53	NW	1	o	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.13	765.3	59	100	NE	1	rf	7	30.17	766.2	55	98	NNE	1	o
Tourane,	,,	29.95	760.8	68	...	NNW	6	of	,,	29.99	761.7	64	...	NNW	6	r
Cape St. James,	,,	29.82	757.5	79	...	ENE	6	o	,,	...	...	...	...	...	...	...
Aparri,	14	29 93	760.2	79	84	NE	4	o	6	29.97	761.1	70	96	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757 5	84	64	ESE	2	o	,,	29.87	758.7	72	92	ENE	1	o
Legaspi,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	79	92	ESE	2	r	,,	29.81	757.2	75	94	...	o	o
Iloilo,	,,	29.73	755.1	81	80	NE	4	o	,,	29.79	756.6	75	98	N	4	o
Surigao,	,,	29.74	755.4	81	86	...	o	o	,,	29.79	756.6	75	98	...	o	o
Guam,	12.20	29.80	756.9	...	...	NE	2	r	4.20	29.85	758.1	...	...	NE	1	o
Yap,	12.47	29.78	756.3	...	...	NE	2	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.80	756 9	84	79	N	4	b	6	29.81	757.2	78	91	SW	6	b

December 20*d*. 11*h*. 55*m*.—Pressure has increased slightly from Shanghai to Hakodate and at Guam and Labuan. It has increased moderately from Wladivostock to Nemuro.

The anticyclone remains stationary over China.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·43 inches, against an average of 82·70 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 21st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; overcast.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	20th DECEMBER, 1922.								21st DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.20	767.2	22	...	N	5	b	6	30.33	770.4	12	...	N	2	b
Nemuro,	11	29.67	753.5	...	...	NW	6	...	5	29.90	759.5	...	...	NW	6	...
Hokodate,	,,	29.86	758.5	...	...	N	5	...	,,	30.06	763.5	...	...	WNW	2	...
Tokio,	,,	29.95	761.0	...	...	NNW	2	...	,,	30.20	767.0	...	...	N	1	...
Kochi,	,,	30.14	765.5	...	...	SE	1	...	,,	30.26	768.5	...	...	SW	1	...
Nagasaki,	,,	30.28	769.0	...	...	NNW	1	...	,,	30.30	769.5	...	...	...	0	...
Kagoshima,	,,	30.24	768.0	...	...	NW	4	...	,,	30.26	768.5	...	...	NW	1	...
Oshima,	,,	30.22	767.5	...	...	N	3	...	,,	30.22	767.5	...	...	SSE	1	...
Naha,	,,	30.26	768.5	...	...	NNE	2	...	,,	30.20	767.0	...	...	NE	1	...
Ishigakijima,	,,	30.20	767.0	...	...	ENE	5	...	,,	30.08	764.0	...	...	E	4	...
Bonin Island,	,,	30.02	762.5	...	...	WNW	3	...	,,	30.14	765.5	...	...	WNW	1	...
Weihaiwei,	14	30.38	771.6	38	72	W	2	b	6	30.44	773.2	34	69	NNW	1	b
Hankow,	15	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.53	775.4	43	56	N	1	0	,,	30.45	773.4	37	77	...	0	0
Gutzlaff,	,,	30.42	772.6	42	100	N	2	0	,,	30.41	772.4	40	100	NNE	2	0
Sharp Peak,	15	30.18	766.6	54	74	N	4	0	7	30.20	767.1	47	91	NNW	1	r
Amoy,	14	30.15	765.8	63	100	NE	4	0	6	30.16	766.0	56	100	...	0	r
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.24	768.0	63	86	ENE	6	0	,,	30.15	765.9	59	96	E	2	r
Taichu,	,,	30.11	764.7	66	...	N	2	0	,,	30.08	764.1	59	...	ENE	2	r
Tainan,	,,	30.12	765.0	68	...	N	4	0	,,	30.05	763.2	59	...	NNE	4	b
Koshun,	,,	30.11	764.7	72	...	NE	4	0	,,	30.04	762.9	68	...	N	2	0
Pescadores,	,,	30.15	765.9	66	...	NE	8	0	,,	30.08	764.1	61	...	NNW	6	r
Canton,	15	30.19	766.8	55	74	N	2	0	,,	...	...	50	93	N	2	0
Hongkong,	14	30.10	764.5	64	53	N	2	0	,,	30.15	765.8	56	81	NE	1	0
Gap Rock,	,,	30.10	764.5	...	...	N	4	0	,,	30.13	765.3	...	...	N	4	or
Macao,	,,	30.11	764.7	57	62	N	4	0	,,	30.13	765.3	52	90	NNW	4	0
Wuchow,	15	30.23	767.8	57	69	NE	2	om	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.13	765.3	61	74	NNW	1	0	7	30.19	766.8	55	71	NE	1	0
Tourane,	,,	29.95	760.8	66	...	NNW	6	of	,,	30.04	762.9	64	...	NNW	6	0
Cape St. James,	,,	29.85	758.1	81	...	S	2	0	,,	29.87	758.7	73	...	NE	2	0
Aparri,	14	29.89	759.3	79	73	NE	2	0	6	29.94	760.5	72	94	...	0	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.82	757.5	79	80	SE	1	0	,,	29.87	758.7	72	98	NNE	1	r
Legaspi,	,,	29.79	756.6	81	87	ENE	4	0	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.73	755.1	84	74	NE	4	0	,,	29.78	756.3	75	96	N	4	0
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.80	756.9	...	...	NE	6	0	4.20	29.84	757.8	...	...	NE	6	0
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	82	87	SW	2	b	6	29.78	756.4	77	94	SW	6	b

December 21*d*. 11*h*. 00*m*.—Pressure has increased considerably over N.E. Japan and moderately at Wladivostock and the Bonins. It has decreased slightly from Shanghai to Aparri and is nearly stationary at other reporting stations.

The Chinese anticyclone has weakened and moved eastward. Another anticyclone is central over Manchuria.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·43 inches, against an average of 82·74 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 22ND.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; overcast at first, fairer later.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	21st DECEMBER, 1922.								22nd DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30.28	769.2	23	...	NNE	4	b	6	30.31	769.9	12	...	N	4	t
Nemuro.....	11	29.94	760.5	...	...	NW	4	...	5	29.98	761.5	...	...	N	3	...
Hokodate, ...	,,	30.06	763.5	...	...	SE	4	...	,,	30.04	763.0	...	...	NW	1	...
Tokio,.....	,,	30.16	766.0	...	...	...	0	...	,,	30.16	766.0	...	...	NW	1	...
Kochi, ...	,,	30.24	768.0	...	...	W	1	...	,,	30.28	769.0	...	...	SW	1	...
Nagasaki, ...	,,	30.31	770.0	...	...	N	2	...	,,	30.36	771.0	...	...	...	0	...
Kagoshima, ...	,,	30.30	769.5	...	...	NNW	1	...	,,	30.34	770.5	...	...	NW	1	...
Oshima, ...	,,	30.24	768 0	...	...	NE	1	...	,,	30.24	768 0	...	...	SSE	1	...
Naha, ...	,,	30.18	766.5	...	...	ENE	3	...	,,	30.18	766.5	...	...	NE	3	...
Ishigakijima,...	,,	30.08	764.0	...	...	SSE	4	...	,,	30.08	764.0	...	...	NE	4	...
Bonin Island,...	,,	30.12	765.0	...	...	NW	2	...	,,	30.18	766.5	...	...	W	1	...
Weihaiwei,.....	14	30.42	772.6	38	63	...	0	b	6	30 47	773-9	32	79	WSW	1	b
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.50	774.7	48	54	NE	1	b	,,	30.45	773.4	36	96	ENE	2	b
Gutzlaff,.....	,,	30.40	772.1	50	100	N	1	0	,,	30.40	772.1	44	100	NNE	2	b
Sharp Peak, ...	15	30.19	766.8	54	87	N	2	0	7	30.18	766.6	54	87	NNW	1	0
Amoy, ...	14	30.15	765.8	60	100	NE	2	0	6	30.13	765-3	58	100	NE	4	b
Swatow,.....	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.21	767.4	61	96	ESE	4	r	,,	30.15	765.9	59	96	ENE	4	r
Taichu, ...	,,	30.17	766.2	63	...	NNW	4	r	,,	30.06	763.5	55	...	...	0	0
Tainan, ...	,,	30.12	765.0	66	...	N	4	0	,,	30.02	762.6	59	...	NNE	4	0
Koshun,.....	,,	30.08	764.1	64	...	NNE	4	0	,,	30.00	762.0	68	...	NE	7	b
Pescadores, ...	,,	30.17	766.2	63	...	NNE	7	r	,,	30.07	763.8	63	...	NNE	7	0
Canton, ...	15	30.15	765.8	64	68	N	2	0	,,	30.18	766.6	51	86	N	2	0
Hongkong,.....	14	30.09	764.3	63	71	W	2	0	,,	30.12	765.0	58	79	N	1	0
Gap Rock, ...	,,	30.13	765.3	...	...	NNE	4	0	,,	30.13	765.3	...	...	NE	4	cd
Macao, ...	,,	30.10	764.4	59	73	NNW	4	0	,,	30.11	764.7	54	83	NNW	2	0
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30 13	765.3	64	53	...	0	0	7	30.10	765.0	57	89	NE	2	0
Tourane,.....	,,	30.01	762.3	64	...	NNW	6	r	,,	30.01	762.3	64	...	NNW	4	0
Cape St. James,	,,	29.84	757.8	81	...	N	2	0	,,	29.85	758.1	73	...	N	2	of
Aparri, ...	14	29.88	759.0	79	84	E	2	0	6	29.89	759.3	73	96	...	0	0
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.81	757.2	79	87	NNE	1	r	,,	29.82	757-5	73	96	N	1	0
Legaspi,.....	,,	29.78	756.3	82	81	NE	4	0	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29.73	755.1	86	71	NE	4	0	,,	29.78	756.3	75	56	W	4	0
Surigao, ...	,,	...	...	...	...	...	...	...	,,	29.79	756.6	73	98	...	0	0
Guam,.....	12.20	...	...	...	...	...	...	...	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29 69	754.1	84	79	S	2	b	6	29.74	755.4	80	82	N	6	b

December 22*d.* 11*h.* 38*m.*– Pressure has increased slightly at Nemuro and Nagasaki, and has decreased slightly from Tongking to Luzon. It is nearly stationary at other reporting stations.

Fresh to strong monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·43 inches, against an average of 82·78 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 23rd.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock,..... 4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh; overcast, some drizzle or mist.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	22nd DECEMBER, 1922.								23rd DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.	Hongkong Standard Time.	Barometer at Sea Level.		Temperature.	Humidity.	Wind.		Weather.
		Inches.	Millrs.			Direction.	Force.			Inches.	Millrs.			Direction.	Force.	
Wladivostock, .	12	30 28	769.0	23	...	NNE	4	b	6	30.32	770.2	11	...	NW	5	b
Nemuro.....	11	29 96	761.0	...	...	WNW	1	...	5	...	...	...	...	...	...	...
Hokodate, ...	,,	30 02	762.5	...	...	WNW	1	...	,,	...	...	...	...	...	...	...
Tokio,.....	,,	30.10	764.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	30.24	768.0	...	...	WSW	1	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	30.37	771.5	...	...	N	1	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	30.31	770.0	...	...	E	1	...	,,	...	...	...	...	...	...	...
Oshima, ...	,,	30.26	768.5	...	...	NNE	3	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	30.18	765.5	...	...	NE	3	...	,,	...	...	...	...	...	...	...
Ishigakijima,...	,,	30.12	765.0	...	...	ENE	5	...	,,	...	...	...	...	...	...	...
Bonin Island,...	,,	30.14	765.3	...	...	W	2	...	,,	...	...	...	...	...	...	...
Weihaiwei,.....	14	30.44	773.2	60	71	WNW	1	b	6	30.52	775.2	32	79	NW	4	b
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30 51	774.9	54	42	E	2	b	,,	30 48	774.2	41	79	NE	2	b
Gutzlaff,.....	,,	30.41	772.4	50	100	ENE	1	b	,,	30.41	772.4	46	100	N	2	o
Sharp Peak, ...	15	30.17	766.3	56	81	NNE	4	o	7	30.23	767.8	36	...	N	2	o
Amoy, ...	14	30.09	764.3	65	100	NE	2	o	6	...	...	...	...	...	...	...
Swatow,.....	,,	30.00	762.0	63	100	ESE	2	b	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.19	766.8	66	87	NE	6	o	,,	30.17	766.2	63	94	E	4	o
Taichu, ...	,,	30.07	763.8	70	...	NNW	2	b	,,	30.10	764.4	63	...	N	2	o
Tainan, ...	,,	30.06	763.5	70	...	NNE	4	o	,,	30.06	763.5	63	...	NNE	4	o
Koshun,.....	,,	30.07	763.8	79	...	NE	7	o	,,	30.04	762.9	72	...	NNW	2	o
Pescadores, ...	,,	30.12	765.0	66	...	NNE	7	o	,,	30.12	765.0	63	...	NE	7	r
Canton, ...	15	30.14	765.5	61	71	N	2	o	,,	30.23	767.8	55	80	N	2	o
Hongkong,.....	14	30.10	764.5	63	68	N	1	o	,,	30.18	766.6	59	76	...	o	o
Gap Rock, ...	,,	30.10	764.5	...	...	NNE	3	o	,,	30.16	766.0	...	...	NW	4	o
Macao, ...	,,	30.10	764.4	59	73	N	2	o	,,	30.15	765.9	59	73	N	2	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30.07	763.8	66	71	NW	1	o	7	30.21	767.4	59	93	ENE	2	o
Tourane,.....	,,	29.99	761.7	66	...	NNW	4	o	,,	30.06	763.5	66	...	NW	4	o
Cape St. James,	,,	29.84	757.8	77	...	NNW	2	o	,,	29.85	758.1	70	...	N	2	o
Aparri, ...	14	29.87	758.7	79	85	NE	4	o	6	29.94	760.5	73	96	...	o	b
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.79	756.6	63	70	ESE	4	o	,,	29.88	759.0	68	96	N	1	b
Legaspi,.....	,,	29.79	756.6	86	71	ENE	4	o	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	29.79	756.6	86	71	SE	2	o	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao, ...	,,	29.76	756.0	86	68	E	2	b	,,	...	...	...	...	...	...	...
Guam,.....	12.20	29.78	756.4	...	...	NE	4	o	4.20	29.82	757.5	...	...	NE	2	bf
Yap, ...	12.47	29.71	754.5		...	NE	4	o	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.73	755 1	80	91	SW	2	b	6	29.78	756.4	78	91	E	2	b

December 23*d*. 11*h*. 28*m*.—Pressure has increased slightly at all reporting stations.

The anticyclone over China has strengthened slightly and spread southward.

Fresh to strong monsoon may be expected from Shanghai to the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·43 inches, against an average of 82·82 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 24TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fine to cloudy.
3.—Hongkong to Gap Rock,.....	
4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	23rd DECEMBER, 1922.								24th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.26	768.7	20	...	N	4	b	6	30.27	768.9	7	...	...	0	b
Nemuro, ...	11	29.86	758.5	...	...	NW	2	...	5	29.88	759.0	...	...	N	1	...
Hokodate, ...	,,	29.94	760.5	...	...	SW	3	...	,,	29.92	760.0	...	...	W	3	...
Tokio, ...	,,	30.02	762.5	...	...	NE	1	...	,,	30.06	763.5	...	...	NW	1	...
Kochi, ...	,,	30.18	765.5	...	...	WSW	1	...	,,	30.24	768.0	...	...	W	1	...
Nagasaki, ...	,,	30.31	770.0	...	...	NNW	2	...	,,	30.28	769.0	...	...	NW	3	...
Kagoshima, ...	,,	30.30	769.5	...	...	N	2	...	,,	30.26	768.5	...	...	NW	1	...
Oshima, ...	,,	30.26	768.5	...	...	N	2	...	,,	29.92	760.0	...	...	NNW	4	...
Naha, ...	,,	30.16	766.0	...	...	ENE	3	...	,,	30.16	766.0	...	...	NE	2	...
Ishigakijima, ...	,,	30.08	764.0	...	...	ENE	6	...	,,	30.12	765.0	...	...	NNE	5	...
Bonin Island, ...	,,	30.10	764.5	...	...	NW	1	...	,,	30.10	764.5	...	...	NNW	1	...
Weihaiwei, ...	14	30.49	774.4	34	69	N	1	o	6	30.50	774.7	34	60	NW	1	b
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.54	775.7	50	56	NE	2	b	,,	30.57	776.5	32	96	N	1	b
Gutzlaff, ...	,,	30.44	773.2	50	100	NNE	4	o	,,	30.51	774.9	40	100	N	4	b
Sharp Peak, ...	15	30.18	765.6	60	82	ENE	1	o	7	30.25	768.3	52	86	NNE	1	b
Amoy, ...	14	30.14	765.5	68	95	NE	2	b	6	30.20	767.1	56	100	NE	1	b
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.21	767.4	66	90	W	2	r	,,	30.26	768.6	59	96	E	2	o
Taichu, ...	,,	30.13	765.3	70	...	N	4	o	,,	30.11	764.7	57	...	N	4	b
Tainan, ...	,,	30.10	764.4	70	...	NNE	4	o	,,	30.08	764.1	59	...	NNE	6	o
Koshun, ...	,,	30.07	763.8	75	...	N	4	o	,,	30.04	762.9	70	...	NE	7	o
Pescadores, ...	,,	30.17	766.2	63	...	NNE	7	o	,,	30.15	765.9	61	...	NNE	8	o
Canton, ...	15	30.18	766.6	69	56	N	2	b	,,	30.26	768.6	48	85	N	2	b
Hongkong, ...	14	30.11	764.8	71	52	W	1	b	,,	30.18	766.6	56	63	NNE	4	b
Gap Rock, ...	,,	30.13	765.3	...	...	NNW	4	b	,,	30.16	766.0	...	...	N	4	b
Macao, ...	,,	30.12	765.0	64	62	NNW	2	b	,,	30.17	766.2	52	69	N	4	o
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30.19	766.8	66	63	NW	2	o	7	30.22	767.7	57	72	NE	4	b
Tourane, ...	,,	30.04	762.9	70	...	NNE	4	o	,,	30.07	763.8	66	...	NE	4	o
Cape St. James,	,,	29.84	757.8	73	...	N	2	o	,,	29.87	758.7	68	...	NNW	6	r
Aparri, ...	14	29.89	759.3	79	80	NE	4	o	6	...	...	...	...	...	...	...
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.82	757.5	81	76	WSW	2	o	,,	...	...	...	...	...	...	...
Legaspi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	29.80	756.9	77	92	NNW	2	r	,,	...	...	...	...	...	...	...
Hoilo, ...	,,	29.76	756.0	86	65	NE	6	o	,,	...	...	...	...	...	...	...
Surigao, ...	,,	29.78	756.3	79	85	N	2	o	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.81	757.2	...	...	E	6	o	4.20	...	...	...	...	...	...	...
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.68	753.9	86	80	SE	2	b	6	29.79	756.6	75	94	N	4	r

December 24*d*. 12*h*. 10*m*.—Pressure has decreased slightly over Japan and increased slightly at Shanghai. It is nearly stationary at other reporting stations.

The anticyclone has again strengthened slightly.

Fresh to strong monsoon may be expected from Shanghai to the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·43 inches, against an average of 82·86 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 25TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N. winds, fresh; fine.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	24th DECEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	25th DECEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30.20	767.0	25	...	N	3	b	6	30.37	771.4	7	...	N	3	b
Nemuro, ...	11	29.84	758.0	...	...	NNW	2	...	5	29.75	755.5	...	...	NE	1	...
Hokodate, ...	,,	29.90	759.5	...	...	WNW	8	...	,,	29.92	760.0	...	...	NNW	3	...
Tokio, ...	,,	30 02	762.5	...	...	NW	3	...	,,	30.10	764.5	...	...	WSW	1	...
Kochi, ...	,,	30.18	766.5	...	...	NW	1	...	,,	30 28	769.0	...	...	SW	1	...
Nagasaki, ...	,,	30.30	769.5	...	...	NNW	3	...	,,	30.36	771.0	...	...	...	...	...
Kagoshima, ...	,,	30.24	768.0	...	...	NNW	3	...	,,	30.34	770.5	...	...	WNW	1	...
Oshima, ...	,,	30.22	767.5	...	...	N	4	...	,,	30.26	768.5	...	...	NNW	3	...
Naha, ...	,,	30.22	767.5	...	...	NE	4	...	,,	30.24	768.0	...	...	ENE	1	...
Ishigakijima, ...	,,	30.20	767.5	...	...	N	5	...	,,	30 18	766.5	...	...	NNE	3	...
Bonin Island, ...	,,	30.02	762.5	...	...	WNW	1	...	,,	30 04	763.0	...	...	NW	2	...
Weihaiwei, ...	14	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.60	777.2	46	94	NNE	4	b	,,	30.53	775.4	32	89	NNE	1	b
Gutzlaff, ...	,,	30 48	774.2	48	100	N	2	b	,,	30.47	773 9	42	100	NNE	1	o
Sharp Peak, ...	15	30.23	767.8	54	80	ENE	4	o	7	30.27	768.8	50	86	NNW	1	b
Amoy, ...	14	30.16	766.0	65	95	ENE	4	b	6	30.23	767 8	56	100	NE	1	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.30	769.5	61	91	E	4	o	,,	30.23	767.7	59	91	E	6	b
Taichu, ...	,,	30 25	768.3	65	...	N	4	b	,,	30.14	765.6	59	...	...	o	o
Tainan, ...	,,	30.24	768.0	68	...	NNE	6	b	,,	30.11	764.7	54	...	NNE	2	b
Koshun, ...	,,	30.07	763.8	73	...	NE	8	b	,,	30.08	764.1	66	...	NE	7	b
Pescadores, ...	,,	30.19	765.8	63	...	NNE	8	o	,,	30.14	765 6	63	...	NE	7	b
Canton, ...	15	30.17	766.3	68	51	NNE	1	b	,,	...	...	...	..	...	...	...
Hongkong, ...	14	30.14	765.5	67	45	E	1	b	,,	30.19	766.8	59	74	NE	2	o
Gap Rock, ...	,,	30.14	765.5	...	...	N	4	b	,,	30.17	766 3	...	...	ENE	5	o
Macao, ...	,,	30.14	765.6	61	50	NE	4	b	,,	30.17	766.2	57	79	NNE	4	o
Wachow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30.17	766.2	68	56	WSW	1	b	7	...	...	...	...	...	...	...
Tourane, ...	,,	30.05	763 2	64	...	NNW	4	rf	,,	...	...	...	...	...	...	...
Cape St. James,	,,	29.86	758.4	70	...	NNW	4	o	,,	...	...	...	...	...	...	...
Aparri, ...	14	29.91	759.6	73	96	NE	4	r	6	29.95	760.8	75	92	NE	4	o
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	..	...	...	...	...	...	...
Manila, ...	,,	29.79	756.6	81	69	NE	2	o	,,	29.84	757.8	73	98	N	1	o
Legaspi, ...	,,	29.72	754.8	79	92	NE	4	o	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	29 69	754.2	82	77	N	4	o	,,	...	...	...	...	...	...	...
Surigao, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam, ...	12.20	29.81	757.2	...	...	E	6	o	4.20	29.86	758.4	...	...	...	o	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.74	755.4	80	91	SW	2	b	6	...	...	...	...	...	...	...

December 24*d.* 23*h.* 20*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 9° N. Long. 125° E., moving W.

December 25*d.* 12*h.* 00*m.*—Slightly increases of pressure have occurred at the majority of reporting stations. The anticyclone remains stationary and a depression is situated to the east of Hokkaido.

The observations of yesterday afternoon indicated a typhoon crossing the Visayas on a westerly track. In the total absence of returns from thence this morning, no further information is available.

Fresh to strong monsoon will continue along the China coast and over the north part of the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·43 inches, against an average of 82·90 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 26TH.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; fair.
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	N.E. winds, fresh.

C. W. JEFFRIES,—*Chief Assistant.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	25th DECEMBER, 1922.								26th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.33	770.5	23	...	NNE	2	b	6	30.25	768.2	16	...	...	0	f
Nemuro,	11	29.82	757.5	...	...	NW	7	...	5	30.06	763.5	...	...	NW	3	...
Hokodate,	,,	30.00	762.0	...	...	NNW	4	...	,,	30.20	767.0	...	...	W	3	...
Tokio,	,,	30.08	764.0	...	...	NNE	3	...	,,	30.30	769.5	...	...	NW	1	...
Kochi,	,,	30.28	769.0	...	...	SE	1	...	,,	30.38	771.5	...	...	WSW	1	...
Nagasaki,	,,	30.36	771.0	...	...	N	2	...	,,	30 38	771.5	...	...	...	0	...
Kagoshima,	,,	30.31	770.0	...	...	NNW	1	...	,,	30.36	771.0	...	...	WNW	1	...
Oshima,	,,	30.28	769.0	...	...	NNE	4	...	,,	30.28	769.0	...	...	SSE	1	...
Naha,	,,	30.26	768.5	...	...	ENE	3	...	,,	30.20	767.0	...	...	E	1	...
Ishigakijima,	,,	30.20	767.0	...	...	ENE	4	...	,,	30.14	765.5	...	...	ENE	4	...
Bonin Island,	,,	30.06	763.5	...	...	NW	2	...	,,	30 18	766.5	...	...	...	...	...
Weihaiwei,	14	30.38	771.6	40	82	S	1	b	6	30.36	771.1	38	81	S	1	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.53	775.4	50	45	SE	1	b	,,	30.37	771.4	36	96	WSW	2	b
Gutzlaff,	,,	30.42	772.6	48	100	NNE	1	o	,,	30.34	770 6	46	100	SE	2	b
Sharp Peak,	15	30.18	766.6	63	62	ENE	2	b	7	30.20	767.1	52	93	N	1	o
Amoy,	14	30.15	765.8	65	100	ENE	4	b	6	30.16	766.0	58	100	NE	4	o
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.26	768.6	64	82	E	6	o	,,	30.15	765.9	59	98	E	2	o
Taichu,	,,	30.15	765.9	66	...	NNW	4	b	,,	30.12	765.0	57	...	...	0	b
Tainan,	,,	30.15	765.9	50	...	N	4	b	,,	30.08	764.1	55	...	N	4	b
Koshun,	,,	30.11	764.7	73	...	NE	7	b	,,	30.07	763.8	59	...	SSE	4	b
Pescadores,	,,	30 20	767.1	66	...	NE	7	o	,,	30.11	764.7	63	...	NNE	6	o
Canton,	15	30.14	765.5	68	60	...	0	b	,,	30.17	766 3	50	93	...	0	b
Hongkong,	14	30.14	765.5	65	63	E	3	c	,,	30.13	765.3	60	71	ENE	4	o
Gap Rock,	,,	30 14	765.5	..	...	ENE	5	c	,,	30.11	764.8	...	...	ENE	5	o
Macao,	,,	30.12	765.0	63	56	NE	4	o	,,	30.11	764.7	59	81	N	2	o
Wuchow,	15	...	...	..	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.12	765.0	68	64	...	0	o	7	30 10	764.4	61	81	ENE	2	o
Tourane,	,,	29.99	761.7	64	...	NW	4	o	,,	30.00	762.0	64	...	NW	4	o
Cape St. James,	,,	29.82	757.5	77	...	NE	2	o	,,	29.86	758.4	72	...	NE	2	of
Aparri,	14	29.93	760.2	79	76	NE	4	o	6	29.94	760.5	75	86	NE	4	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.81	757.2	75	89	NNW	2	r	,,	29.82	757.5	72	96	...	0	o
Legaspi,	,,	..	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29 69	754.2	84	74	NE	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	..	...	...	...	...	...	...	,,	29.78	756.3	73	96	SE	1	o
Guam,	12.20	29.80	756 9	...	...	S	1	r	4.20	...	...	...	...	...	...	...
Yap,	12.47	...	...	...	...	...	...	..	4.47	...	...	...	...	...	...	...
Labuan,	14	29.77	756.1	86	76	E	2	b	6	29.80	756.9	78	91	N	2	b

December 26*d.* 6*h.* 40*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 9° N. Long. 122° E., moving W.

December 26*d.* 11*h.* 20*m.*—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity within 120 miles of Lat. 9° N. Long. 120° E., moving W.

December 26*d.* 11*h.* 25*m.*—Pressure has increased considerably over N.E. Japan. It has decreased moderately from Shanghai to Weihaiwei and slightly at southern stations.

The depression still appears to be moving westward. At 6 a.m. this morning it was in about Lat. 9° N. and Long. 120° E. It may develope into a typhoon.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·43 inches, against an average of 82·94 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 27th.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; overcast, some drizzle or mist.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	26th DECEMBER, 1922.								27th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.12	765.0	28	...	...	...	o	6	30.13	765.3	15	...	...	o	b
Nemuro,	11	30.06	763.5	...	...	W	2	...	5	30.00	762.0	...	...	NNE	1	...
Hokodate,	,,	30.16	766.0	...	...	W	6	...	,,	29.92	760.0	...	...	N	1	...
Tokio,	,,	30.30	769.5	...	...	WNW	1	...	,,	30.18	766.5	...	...	N	1	...
Kochi,	,,	30.35	771.0	...	...	NNE	1	...	,,	30.22	767.5	...	...	SW	1	...
Nagasaki,	,,	30.33	770.5	...	...	SE	3	...	,,	30.18	766.5	...	...	ESE	1	...
Kagoshima,	,,	30.33	770.5	...	...	SE	1	...	,,	30.16	766.0	...	...	NW	1	...
Oshima,	,,	30.28	769.0	...	...	SE	1	...	,,	30.12	765.0	...	...	SE	2	...
Naha,	,,	30.20	767.0	...	...	SE	3	...	,,	30.10	764.5	...	...	SE	1	...
Ishigakijima,	,,	30.18	766.5	...	...	ESE	3	...	,,	30.06	763.5	...	...	SSE	3	...
Bonin Island,	,,	30.08	764.0	...	...	N	7	...	,,	30.22	767.5	...	...	ENE	1	...
Weihaiwei,	14	30.23	767.6	44	68	S	1	o	6	30.12	765.0	40	74	S	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.37	771.4	50	41	SSE	2	b	,,	30.14	765.5	42	100	SE	1	b
Gutzlaff,	,,	30.25	768.3	56	100	SSE	2	b	,,	30.11	764.8	48	100	S	2	b
Sharp Peak,	15	30.13	765.3	63	72	S	2	o	7	30.07	763.8	56	87	...	o	b
Amoy,	14	30.11	764.8	67	95	ENE	2	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.18	766.5	68	81	E	6	b	,,	30.05	763.2	61	91	E	2	o
Taichu,	,,	30.12	765.0	84	...	NNW	2	b	,,	30.06	763.5	63	...	...	o	o
Tainan,	,,	30.12	765.0	68	...	N	2	b	,,	30.01	762.3	63	...	NNE	2	o
Koshun,	,,	30.11	764.7	73	...	ENE	4	o	,,	29.99	761.7	70	...	NNE	4	b
Pescadores,	,,	30.08	764.1	64	...	NE	7	o	,,	30.05	763.2	61	...	NNE	4	b
Canton,	15	30.09	764.3	67	64	NW	1	o	,,	30.07	763.8	59	88	...	o	o
Hongkong,	14	30.08	764.0	66	58	ESE	1	o	,,	30.03	762.7	61	90	E	1	cd
Gap Rock,	,,	30.09	764.3	..	..	NE	4	o	,,	30.02	762.5	...	...	ENE	4	o
Macao,	,,	30.01	762.3	63	65	NE	2	o	,,	29.99	761.7	59	85	NNW	2	cf
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.04	762.9	66	80	ESE	2	o	7	30.05	763.2	63	84	ENE	4	o
Tourane,	,,	29.95	760.8	66	...	NW	4	o	,,	29.94	760.5	66	...	NW	4	o
Cape St. James,	,,	29.82	757.5	77	...	NE	4	o	,,	29.85	758.1	73	...	NE	2	o
Aparri,	14	29.91	759.6	75	85	ENE	4	o	6	29.89	759.3	75	94	...	o	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	82	81	NE	1	o	,,	29.81	757.2	73	96	...	o	o
Legaspi,	,,	...	...	..	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	29.82	757.5	75	98	...	o	o
Hoilo,	,,	29.74	755.4	86	71	NE	4	o	,,	29.80	756.9	75	96	...	o	o
Surigao,	,,	29.75	755.7	86	75	ENE	2	o	,,	29.81	757.2	75	98	...	o	r
Guam,	12.20	29.82	757.5	...	...	E	2	b	4.20	29.85	758.1	...	...	NE	2	b
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	84	83	NE	2	o	6	29.77	756.1	76	93	E	2	o

December 27*d*. 10*h*. 50*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression or typhoon of unknown intensity in Lat. 9° N. Long. 115° E., moving W. position uncertain.

December 27*d*. 11*h*. 02*m*.—Pressure has decreased considerably from Weihaiwei to Shanghai, moderately from Formosa to N.E. Japan, and slightly in other districts.

The anticyclone has weakened considerably. It is now central to the north of the Bonins.

The depression in the S. China Sea continues on a westerly track.

Moderate monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·01 inch. Total since January 1st, 69·44 inches, against an average of 82·98 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 28TH.

District.	Forecast.
1.—Formosa Channel, 2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; overcast and misty at first, improving later.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	27th DECEMBER, 1922.								28th DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	30.07	763.7	31	...	NNE	1	f	6	29.91	759.7	16	...	N	8	o
Nemuro,	11	29.96	761.0	...	...	ESE	1	...	5	29.86	758.5	...	...	SE	2	...
Hokodate,	,,	29.96	761.0	...	...	W	9	...	,,	29.84	758.0	...	...	...	...	...
Tokio,	,,	30.10	764.5	...	...	WSW	1	...	,,	29.90	759.5	...	...	NW	1	...
Kochi,	,,	30.16	766.0	...	...	WSW	1	...	,,	29.84	758.0	...	...	W	1	...
Nagasaki,	,,	30.12	765.0	...	...	SE	3	...	,,	29.90	759.5	...	...	WNW	7	...
Kagoshima,	,,	30.12	765.0	...	...	E	1	...	,,	29.92	760.0	...	...	...	...	...
Oshima,	,,	30.08	764.0	...	...	SSE	4	...	,,	29.98	761.5	...	...	N	4	...
Naha,	,,	30.10	764.5	...	...	SSE	1	...	,,	29.98	761.5	...	...	N	2	...
Ishigakijima,	,,	30.06	763.5	...	...	ESE	1	...	,,	29.98	761.5	...	...	N	4	...
Bonin-Island,	,,	30.12	765.0	...	...	E	1	...	,,	30.08	764.0	...	...	ESE	9	...
Weihaiwei,	14	30.08	764.0	38	81	NW	1	o	6	...	...	...	...	...	...	...
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.17	766.3	54	...	WSW	2	b	,,	30.29	769.3	36	89	NW	1	o
Gutzlaff,	,,	30.06	763.5	52	100	WNW	2	b	,,	30.26	768.6	40	100	NNW	4	b
Sharp Peak,	15	29.92	759.9	68	90	SE	1	b	7	30.09	764.3	56	87	E	1	b
Amoy,	14	29.98	761.5	65	100	S	1	b	6	...	...	...	...	...	...	...
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.11	764.7	64	82	NW	4	o	,,	30.08	764.1	59	96	...	o	r
Taichu,	,,	30.07	763.8	68	...	NNW	4	o	,,	30.01	762.3	59	...	...	o	o
Tainan,	,,	30.04	762.9	70	...	NNE	4	o	,,	29.95	760.8	61	...	NNE	2	r
Koshun,	,,	30.02	762.6	72	...	NNE	4	r	,,	29.92	759.9	66	...	NNW	4	r
Pescadores,	,,	30.08	764.1	64	...	ENE	6	o	,,	30.00	762.0	63	...	NNE	6	r
Canton,	15	29.99	761.7	74	55	NW	1	o	,,	30.09	764.3	55	80	N	2	b
Hongkong,	14	29.98	761.5	69	68	...	0	o	,,	30.03	762.7	62	54	NNE	2	b
Gap Rock,	,,	30.00	762.0	...	...	NW	3	o	,,	30.01	762.2	...	...	NNE	3	b
Macao,	,,	29.94	760.5	66	67	NNE	2	o	,,	29.99	761.7	61	59	N	2	b
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.01	762.3	73	58	NW	2	b	7	30.10	764.4	63	75	NE	4	b
Tourane,	,,	29.92	759.9	68	...	NW	4	r	,,	29.98	761.4	66	...	NW	6	o
Cape St. James,	,,	29.80	756.9	81	...	S	2	o	,,	29.88	759.0	73	...	S	2	o
Aparri,	14	29.84	757.8	77	86	...	0	o	6	29.82	757.5	72	98	...	o	o
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.78	756.3	81	80	SE	2	o	,,	29.82	757.5	72	98	...	o	o
Legaspi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.78	756.3	82	81	SW	4	o	,,	29.84	757.8	73	98	...	o	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.79	756.6	...	...	NE	4	o	4.20	29.84	757.8	...	...	E	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.79	756.6	86	76	E	2	b	6	29.82	757.4	80	87	SE	2	b

December 28*d*. 10*h*. 40*m*.—Warning to Hongkong, Coast Ports, &c.:—Depression in Lat. 9° N. Long. 114° E., filling up, position uncertain.

December 28*d*. 10*h*. 50*m*.—Pressure has decreased considerably over Japan, moderately over the Loochoos, and slightly from S. Formosa to N. Luzon. It has increased moderately at Shanghai and slightly over Indo-China.

An anticyclone has formed over China, and a depression over Japan.

The depression in the S. China Sea appears to be filling up.

Fresh monsoon may be expected along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·44 inches, against an average of 83·02 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 29TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, fresh.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, moderate; fine.

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	28th December, 1922.								29th December, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Barometer at Sea Level. Millrs.	Temperature.	Humidity.	Wind. Direction.	Wind. Force.	Weather.
Wladivostock,	12	29.90	759.4	18	...	N	4	c	6	30.06	763.6	7	...	N	1	b
Nemuro	11	29.74	755.5	...	...	WNW	1	...	5	29.53	750.0	...	...	N	6	...
Hokodate,	,,	29.65	753.0	...	...	E	2	...	,,	29.63	752.5	...	...	N	7	...
Tokio	,,	29.61	752.0	...	...	N	1	...	,,	29.82	757.5	...	...	NNE	2	...
Kochi,	,,	29.80	757.0	...	...	W	4	...	,,	29.96	761.0	...	...	W	1	...
Nagasaki,	,,	30.02	762.5	...	...	WNW	6	...	,,	30.14	765.5	...	...	NW	5	...
Kagoshima,	,,	29.98	761.5	...	...	NW	3	...	,,	30.10	764.5	...	...	NNW	3	...
Oshima,	,,	30.02	762.5	...	...	N	6	...	,,	30.08	764.0	...	...	W	5	...
Naha,	,,	30.06	763.5	...	...	N	6	...	,,	30.10	764.5	...	...	N	5	...
Ishigakijima,	,,	30.06	763.5	...	...	NNW	5	...	,,	30.14	765.5	...	...	NW	2	...
Bonin Island,	,,	30.00	762.0	...	...	SSE	3	...	,,	29.94	760.5	...	...	WNW	2	...
Weihaiwei,	14	30.19	766.8	34	60	NNW	4	b	6	30.20	767.1	32	68	WNW	1	b
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.35	770.9	50	45	NW	2	b	,,	30.36	771.1	32	...	SW	2	b
Gutzlaff,	,,	30.26	768.6	52	100	NNW	4	b	,,	30.35	770.9	40	100	SW	1	b
Sharp Peak,	15	30.08	764.0	63	80	E	4	b	7	30.22	767.6	52	83	N	1	b
Amoy,	14	30.01	762.2	69	95	E	4	b	6	30.21	767.3	54	100	NE	2	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.15	765.9	66	67	NE	6	o	,,	30.23	767.7	50	90	E	2	b
Taichu,	,,	30.01	762.3	66	...	N	4	o	,,	30.12	765.0	55	...	N	2	b
Tainan,	,,	29.99	761.7	66	...	NNE	4	o	,,	30.08	764.1	57	...	N	4	o
Koshun,	,,	29.97	761.1	68	...	NE	8	o	,,	30.05	763.2	46	...	NE	6	b
Pescadores,	,,	30.04	762.9	65	...	NE	8	o	,,	...	...	...	...	...	...	...
Canton,	15	30.08	764.0	73	39	N	2	c	,,	30.19	766.8	47	70	N	1	b
Hongkong,	14	30.03	762.7	70	36	ENE	3	c	,,	30.15	765.8	56	55	...	0	b
Gap Rock,	,,	30.03	762.7	...	...	NNW	3	b	,,	30.13	765.3	...	...	ENE	4	b
Macao,	,,	29.99	761.7	68	48	NE	2	b	,,	30.08	764.1	54	65	N	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30.05	763.2	73	44	SSW	1	b	7	30.15	765.9	61	74	NE	2	b
Tourane,	,,	29.96	761.7	68	...	NNW	6	o	,,	30.06	763.5	64	...	NNW	4	o
Cape St. James,	,,	29.85	758.1	81	...	S	2	o	,,	29.91	759.6	72	...	NE	2	o
Aparri,	14	29.80	756.9	77	88	NNE	4	o	6	29.97	761.1	73	82	NE	6	r
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.76	756.0	86	65	W	1	o	,,	29.86	758.4	72	96	...	0	b
Legaspi,	,,	29.79	756.6	...	...	NE	4	b	,,	...	...	...	...	...	...	...
Tacloban,	,,	29.76	756.0	86	71	S	2	o	,,	...	...	...	...	...	...	...
Iloilo,	,,	29.75	755.7	84	74	SW	4	o	,,	...	...	...	...	...	...	...
Surigao,	,,	29.76	756.0	84	77	...	0	b	,,	...	...	...	...	...	...	...
Guam,	12.20	29.78	756.3	...	...	E	4	o	4.20	29.81	757.2	...	...	NE	4	r
Yap,	12.47	29.76	756.0		...	E	4	b	4.47	...	...	...	...	...	...	...
Labuan,	14	29.81	757.2	86	76	SW	2	b	6	29.80	756.9	78	94	S	2	b

December 29*d.* 11*h.* com.—Pressure has decreased considerably over N.E. Japan and increased moderately to slightly in other districts.

A depression is central near Nemuro.

The anticyclone has strengthened slightly.

The depression in the S. China Sea has filled up.

Fresh monsoon may be expected along the S.E. coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·44 inches, against an average of 83·06 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 30TH.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks, 3.—Hongkong to Gap Rock, 4.—South coast of China between Hongkong and Hainan,	N.E. winds, fresh; fine.

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	29th DECEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	30th DECEMBER, 1922. Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock, .	12	30 04	763.0	22	...	N	1	b	6	29.83	757.6	24	...	E	1	o
Nemuro, ...	11	29.67	753.5	...	...	NNW	3	...	5	...	...	...	...	...	...	...
Hokodate, ...	,,	29.80	757.0	...	...	WNW	7	...	,,	...	...	...	...	...	...	...
Tokio, ...	,,	29.92	760.0	...	...	N	2	...	,,	...	...	...	...	...	...	...
Kochi, ...	,,	30.04	763.0	...	...	WNW	2	...	,,	...	...	...	...	...	...	...
Nagasaki, ...	,,	30.20	767.0	...	...	NW	5	...	,,	...	...	...	...	...	...	...
Kagoshima, ...	,,	30 18	766.5	...	...	N	3	...	,,	...	...	...	...	...	...	...
Oshima, ...	,,	30.16	766.0	...	...	N	5	...	,,	...	...	...	...	...	...	...
Naha, ...	,,	30.20	767.0	...	...	N	6	...	,,	...	...	...	...	...	...	...
Ishigakijima, ...	,,	30.24	768.0	...	...	NNE	5	...	,,	...	...	...	...	...	...	...
Bonin Island, ...	,,	29.94	760.5	...	...	...	0	...	,,	...	...	...	...	...	...	...
Weihaiwei, ...	14	30.08	764.0	40	31	...	2	b	6	...	...	...	...	...	...	...
Hankow, ...	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai, ...	11	30.36	771.1	52	74	W	1	b	,,	30.19	766.8	39	78	S	2	b
Gutzlaff, ...	,,	30.26	768 6	50	100	SW	2	b	,,	30.18	766.6	46	100	S	4	b
Sharp Peak, ...	15	30.19	766.8	65	58	NNE	1	b	7	30.13	765.3	50	82	W	2	b
Amoy, ...	14	30.12	765.0	65	100	N	2	b	6	30.16	766.0	52	100	NW	4	o
Swatow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku, ...	12	30.27	768 9	64	58	ENE	6	b	,,	30.14	765.6	72	92	E	2	b
Taichu, ...	,,	30.15	765.9	66	...	N	4	b	,,	30.14	765.6	54	...	NNW	4	b
Tainan, ...	,,	30 14	765.6	73	...	...	0	b	,,	30.11	764.7	57	...	NNE	2	o
Koshun, ...	,,	30.15	765.9	70	...	NE	6	b	,,	30.12	765 0	63	...	NNE	4	b
Pescadores, ...	,,	30.19	765.8	65	...	NE	7	b	,,	30.13	765 3	59	...	NE	4	b
Canton, ...	15	30.13	765.3	68	34	SSW	1	b	,,	30.15	765.8	49	85	...	0	b
Hongkong, ...	14	30.14	765.5	63	53	E	3	b	,,	30.12	765.0	60	71	E	2	c
Gap Rock, ...	,,	30.14	765.5	...	...	ENE	5	c	,,	30.10	764.5	...	...	ENE	4	o
Macao, ...	,,	30.08	764.1	66	49	ENE	2	b	,,	30.06	763.5	55	84	N	2	b
Wuchow, ...	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien, ...	,,	30 08	764.1	75	42	SSE	2	b	7	30.08	764.1	57	86	ESE	2	b
Tourane, ...	,,	30.02	762.6	70	...	NE	4	b	,,	29.99	761.7	66	...	NW	2	o
Cape St. James,	,,	29.85	758.1	81	...	SW	2	o	,,	29.87	758.7	72	...	NW	2	o
Aparri, ...	14	29 99	761.7	73	82	NE	4	r	6	30 01	762.3	70	91	SE	2	o
Dagupan, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila, ...	,,	29.82	757.5	84	71	WSW	2	o	,,	29.89	759.3	72	92	W	1	b
Legaspi, ...	,,	29.80	756 9	86	71	E	2	b	,,	...	...	...	...	...	...	...
Tacloban, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo, ...	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Surigao, ...	,,	...	...	...	...	...	...	...	,,	29.84	757.8	75	98	SSE	1	o
Guam, ...	12.20	29.84	757.8	...	...	NE	4	o	4.20	29.85	758.1	...	...	NE	2	o
Yap, ...	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan, ...	14	29.79	756.6	86	80	E	2	b	6	29.78	756.4	80	91	SW	2	b

December 30*d*. 10*h*. 50*m*.—Pressure has decreased moderately at Shanghai and slightly over Indo-China. It has increased slightly over the Philippines.

The anticyclone has weakened and moved eastward.

The monsoon is interrupted to the north of Foochow. It will be moderate over the China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·44 inches, against an average of 83·10 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 31st.

District.	Forecast.
1.—Formosa Channel, ...	N.E. winds, moderate; fine.
2.—South coast of China between Hongkong and Lamocks,	
3.—Hongkong to Gap Rock, ...	
4.—South coast of China between Hongkong and Hainan, .	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.
DAILY WEATHER REPORT.

Station.	30th DECEMBER, 1922.								31st DECEMBER, 1922.							
	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.	Hongkong Standard Time.	Barometer at Sea Level. Inches.	Millrs.	Temperature.	Humidity.	Wind. Direction.	Force.	Weather.
Wladivostock,	12	29.70	754.4	33	...	SE	3	c	6	29.97	761.2	12	...	NW	7	b
Nemuro,	11	29.96	761.0	...	...	SW	2	...	5	29.33	745.0	...	...	SSE	2	...
Hokodate,	,,	29.86	758.5	...	...	N	1	...	,,	29.51	749.5	...	...	SW	1	...
Tokio,	,,	30.08	764.0	...	...	NNE	1	...	,,	29.75	755.5	...	...	WSW	2	...
Kochi,	,,	30.14	765.5	...	...	ESE	1	...	,,	30.04	763.0	...	...	...	0	...
Nagasaki,	,,	30.14	765.5	...	...	SW	3	...	,,	30.18	766.5	...	...	NW	3	...
Kagoshima,	,,	30 18	766.5	...	...	ENE	1	...	,,	30.10	764.5	...	...	NNW	1	...
Oshima,	,,	30.18	766.5	...	...	SE	1	...	,,	30.12	765.0	...	...	NNW	2	...
Naha,	,,	30.18	766.5	...	...	S	1	...	,,	30.14	765.5	...	...	SSW	1	...
Ishigakijima,	,,	30.20	767.0	...	...	N	1	...	,,	30.14	765.5	...	...	NE	1	...
Bonin Island,	,,	30.06	763 5	...	...	NNW	1	...	,,	30.12	765 0	...	...	WNW	1	...
Weihaiwei,	14	30.09	764.3	42	50	NNW	4	b	6	30.39	771.9	28	76	NW	2	o
Hankow,	15	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Ichang,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Changsha,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Shanghai,	11	30.22	767.6	55	31	W	2	b	,,	30.44	773.2	32	...	NNW	1	b
Gutzlaff,	,,	30 14	765.5	52	100	W	4	b	,,	30.48	774.2	40	100	N	2	b
Sharp Peak,	15	30.09	764.3	73	63	S	1	b	7	30.19	766.8	54	87	NNE	4	b
Amoy,	14	30.03	762.7	69	91	...	o	b	6	30.16	766.0	56	100	SSE	4	b
Swatow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Taihoku,	12	30.14	765.6	72	51	...	o	b	,,	...	...	46	97	...	o	b
Taichu,	,,	30.17	766.2	66	...	WNW	2	b	,,	30.14	765.6	50	...	...	o	b
Tainan,	,,	30.15	765.9	73	...	N	2	b	,,	30.12	765.0	54	...	N	4	b
Koshun,	,,	30.14	765 6	75	...	NNE	4	b	,,	30.11	764.7	61	...	...	o	b
Pescadores,	,,	30.19	766.8	64	...	N	4	b	,,	30.14	765.6	59	...	NE	4	b
Canton,	15	30.08	764.0	73	39	NW	1	b	,,	30.09	764 3	60	59	N	2	o
Hongkong,	14	30 08	764 0	67	55	E	3	b	,,	30.12	765.0	61	75	...	o	o
Gap Rock,	,,	30.09	764.3	...	...	NE	4	b	,,	30.11	764.8	...	...	NE	4	o
Macao,	,,	30.07	763.8	66	54	ENE	2	b	,,	30.00	762.0	61	64	NE	2	o
Wuchow,	15	...	...	...	...	...	...	...	9	...	...	...	...	...	...	...
Pakhoi,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Hoihow,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Phulien,	,,	30 06	763.5	70	61	SSE	2	b	7	30.15	765.9	59	93	NNW	1	b
Tourane,	,,	29 99	761.7	65	...	NW	4	o	,,	30 04	762.9	64	...	NW	4	o
Cape St. James,	,,	29.85	758.1	79	...	ENE	2	o	,,	29.88	759.0	72	...	N	2	cf
Aparri,	14	...	...	77	64	E	4	o	6	...	...	...	...	...	...	...
Dagupan,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Manila,	,,	29.84	757.8	86	61	SW	1	o	,,	29.91	759.6	72	89	NNE	1	o
Legaspi,	,,	29.81	757.2	81	92	NE	2	o	,,	...	...	...	...	...	...	...
Tacloban,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Iloilo,	,,	...	...	...	...	...	...	...	,,	29.79	756.6	75	96	N	4	o
Surigao,	,,	...	...	...	...	...	...	...	,,	...	...	...	...	...	...	...
Guam,	12.20	29.81	757.2	...	...	E	2	r	4.20	29.80	756.9	...	...	NE	2	o
Yap,	12.47	...	...	...	...	...	...	...	4.47	...	...	...	...	...	...	...
Labuan,	14	29.78	756.4	88	73	SE	2	b	6	29.78	756.4	78	94	E	2	b

December 31*d.* 12*h.* 00*m.*—Pressure has decreased considerably over N.E. Japan which is now covered by a somewhat deep depression.

Pressure has increased considerably at Shanghai and Weihaiwei, a new anticyclone having formed over China.

Fresh to strong monsoon may be expected along the coast of China and over the N. China Sea.

Hongkong rainfall for the 24 hours ending at 10 a.m. to-day, 0·00 inch. Total since January 1st, 69·44 inches, against an average of 83·14 inches.

FORECAST FOR THE 24 HOURS ENDING AT NOON ON THE 1st.

District.	Forecast.
1.—Formosa Channel,	N.E. winds, strong.
2.—South coast of China between Hongkong and Lamocks,	N.E. winds, fresh; cloudy at first, clearing later, becoming cooler.
3.—Hongkong to Gap Rock,	
4.—South coast of China between Hongkong and Hainan,	

T. F. CLAXTON *Director.*

ROYAL OBSERVATORY, HONGKONG.

RESULTS

OF

MAGNETIC OBSERVATIONS,

1922.

Determinations of Magnetic Horizontal Force in the Year 1922.

Hongkong Standard Time, 1922.	Deflecting Magnet 83. Corrected Time of one Vibration.	Temperature (A.)	Effect of 90° Torsion.	Observed Deflection. Distance. 30 cms.	40 cms.	Temperature. (A.)	C. G. S. Units. Log. mX.	Log. $\frac{m}{X}$	m.	X.	Observer.
	s	°	′	° ′	° ′	°	2+	3+			
January,... d. 25 h. 10 m. 22	2·9914	290·0	2·82	9 37·42	4 2·12	290·3	·49562	·35290	839·96	0·37266	T.F.C.
February.. 16 15 42	2·9925	292·6	2·38	37·05	4 1·72	292·5	·49573	·35277	839·94	0·37280	T.F.C.
March, ... 15 15 50	2·9945	294·6	2·86	36·75	4 1·75	294·3	·49544	·35298	839·86	0·37259	T.F.C.
April,..... 17 14 54	2·9944	299·7	3·58	37·31	4 0·97	299·5	·49622	·35340	841·02	0·37274	T.F.C.
May, ... 17 15 30	2·9965	298·6	1·93	35·95	4 1·53	298·3	·49556	·35318	840·18	0·37255	B.D.E.
June, ... 16 15 37	3·0025	306·2	0·82	31·85	3 59·68	305·3	·49519	·35124	837·94	0·37323	B.D.E.
July, ... 19 15 8	3·0036	305·0	0·89	32·32	3 59·81	304·6	·4946[illegible]	·35140	837·58	0·37293	B.D.E.
August, ... 15 15 28	3·0028	302 8	0·91	33·10	4 0·25	302·0	·49453	·35162	837·66	0·37278	B.D.E.
September, 15 15 30	3·0104	304·8	0·91	32·88	4 0·13	304·2	·49265	·35182	836·06	0·37188	C.W.J.
October, ... 16 15 25	3·0021	300·9	1·32	31·89	3 59·35	300·6	·49437	·35011	836·06	0·37337	C.W.J.
November, 15 15 4	2·9995	299·1	1·32	33·07	4 0·20	299·0	·49482	·35103	837·38	0·37316	B.D.E.
December, 15 16 10	2·9982	293·9	1·05	34·95	4 1·02	293·4	·49440	·35152	837·43	0·37277	B.D.E.
Year,	2·9990	299·0	1·73	9 34·54	4 0·71	298·7	·49493	·35200	838·42	0·37279	

Results of Observations of Magnetic Declination and Dip in the year 1922, with deduced Monthly Values of Vertical Force and Total Force.

Hongkong Standard Time, 1922.	Observed Declination. (West.)	Observer.	Hongkong Standard Time, 1922.	Needle.	Observed Dip. (North)	Observer.	Monthly Values of Dip. (North)	Vertical Force. C. G. S. Units.	Total Force. C. G. S. Units.
January,... d. 18 h. 15 m. 48	° ′ 0 21·5	T.F.C.	d. 25 h. 15 m. 3	3 4	30 $\frac{48·4}{48·8}$	B.D.E.	30 48·6	0·22226	0·43394
February,.. 16 15 15	19·7	T.F.C.	17 15 6	1 8	$\frac{44·8}{46·1}$	B.D.E.	45·5	0·22186	0·43383
March, ... 16 9 44	19·7	T.F.C.	18 11 47	3 4	$\frac{48·2}{46·5}$	B.D.E.	47·3	0·22201	0·43372
April,..... 17 10 40	19·0	T.F.C.	18 15 25	1 8	$\frac{45·1}{45·3}$	B.D.E.	46·7	0·22200	0·43386
May, ... 20 11 0	21·1	C.W.J.	18 14 45	3 4	$\frac{47·6}{46·2}$	C.W.J.	46·9	0·22192	0·43364
June, ... 16 16 13	24·3	B.D.E.	19 15 0	1 8	$\frac{45·6}{46·8}$	C.W.J.	46·2	0·22222	0·43438
July, ... 19 15 50	22·2	B.D.E.	18 11 30	1 8	$\frac{46·6}{47·2}$	C.W.J.	46·9	0·22215	0·43408
August, ... 16 15 20	21·7	B.D.E.	16 11 0	3 4	$\frac{47·7}{45·8}$	C.W.J.	46·7	0·22203	0·43390
September, 16 10 45	21·7	C.W.J.	17 12 16	1 8	$\frac{44·6}{46·4}$	B.D.E.	42·5	0·22088	0·43253
October.... 22 12 30	23·2	C.W.J.	16 11 15	3 4	$\frac{48·9}{45·8}$	B.D.E.	43·2	0·22186	0·43431
November, 15 12 20	21·1	B.D.E.	14 14 50	1 8	$\frac{48·5}{45·7}$	C.W.J.	44·6	0·22195	0·43418
December,. 15 12 2	22·3	B.D.E.	15 10 55	3 4	$\frac{48·5}{46·4}$	C.W.J.	47·4	0·22214	0·43394
Year,	0 21·5						30 46·0	0·22194	0·43386